



# HP DesignJet Z2600 PostScript® Printer

HP's most affordable 24-inch high-impact graphics printer<sup>1</sup>



## VIVID

**Eye-catching, water/fade-resistant images<sup>2</sup>**

- Impressive—**HP chromatic red ink** enhances the color gamut—ideal for high-impact POP signs and posters
- Versatile—with pigment-based photo inks for photos, canvas, GIS, durable maps, and technical drawings
- Reliable color, line accuracy—HP Professional PANTONE® color emulation, with Adobe® PostScript®/PDF, HP-GL/2
- Durable—water/scratch/fade-resistant and archivable prints last up to 200 years with HP Vivid Photo Inks<sup>2</sup>

## EASY

**Radically simple, fast, intuitive operation**

- One-click printing, with HP **DesignJet Click** printing software, is easy for everyone<sup>3</sup>
- Flexible, intuitive—needs no training—color touchscreen, print preview, direct USB flash drive, email printing
- Print up to 3 times faster<sup>4</sup>—save time using quick-drying HP Vivid Photo Inks
- Fits your work space—this compact, space-saving printer is table mountable<sup>5</sup>

## SAVINGS

**Cut costs with HP 6-ink printing system<sup>6</sup>**

- Up to 20% **ink consumption savings** using HP's optimized 6-ink printing system<sup>6</sup>
- No maintenance cartridge—auto drop detection and nozzle switching reduce cleaning, maintain image quality
- Less operator intervention and more cost-effective printing with 300-ml HP ink cartridges
- Optimize media usage by auto-arranging multiple images on a roll with HP DesignJet Click printing software

**For more information, please visit**  
[hp.com/go/designjetZ2600](http://hp.com/go/designjetZ2600)



**HP DesignJet**  
25 years reinventing design

<sup>1</sup> Compared to other HP DesignJet Z-series printers.

<sup>2</sup> Print permanence estimates by HP Image Permanence Lab based on HP Vivid Photo Inks with the HP DesignJet Z6200 Photo Production Printer. Water resistance performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. Scratch-resistance based on internal HP testing using the Taber and coin test method on a range of HP media. Display permanence rating for interior displays/away from direct sunlight by HP Image Permanence Lab, and by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see [HPLFMedia.com/printpermanence](http://HPLFMedia.com/printpermanence).

<sup>3</sup> Once image is selected, one-click printing when printing the entire file without any modifications to the print settings. Applicable to PDF, JPEG, TIFF, and HP-GL/2 files.

<sup>4</sup> Compared to the HP DesignJet Z2100 24-in Photo Printer.

<sup>5</sup> The HP DesignJet 24-in Stand is an optional accessory in the Asia Pacific/Japan region, in all other regions it comes standard with the printer.

<sup>6</sup> Reduced ink consumption based on comparing the 6-ink HP DesignJet Z5600 PostScript® Printer to the 8-ink Canon imagePROGRAF iPF8400S printer when used in a small copy shop environment as of March, 2016.

## Technical specifications

<b>Print</b>	Maximum print speed <sup>7</sup>	469 ft <sup>2</sup> /hr (43 m <sup>2</sup> /hr)
	Print resolution	Up to 2400 x 1200 optimized dpi
	Margins	Roll: 0.2 x 0.2 x 0.2 x 0.2 in (5 x 5 x 5 x 5 mm) (borderless on photo roll media); Sheet: 0.2 x 0.67 x 0.2 x 0.2 in (5 x 17 x 5 x 5 mm)
	Technology	HP Thermal Inkjet
	Ink types	Pigment-based
	Ink drop	4 pl (pK, C), 6 pl (M, Y, mK, R)
	Printheads	3 (photo black and cyan, magenta and yellow, matte black and chromatic red)
	Line accuracy	+/- 0.1% <sup>8</sup>
	Minimum line width	0.0015 in (0.04 mm) (HP-GL/2 addressable)
	Guaranteed minimum line width	0.0031 in (0.08 mm) (ISO/IEC 13660:2001(E)) <sup>9</sup>
<b>Image quality</b>	Short-term color stability	< 1 dE2000 in less than 5 minutes <sup>10</sup>
	Long-term print-to-print repeatability	Average < 0.5 dE2000, 95% of colors < 1.4 dE2000 <sup>10</sup>
<b>Media</b>	Handling	Roll feed; sheet feed; media output bin; automatic cutter <sup>11</sup>
	Types	Photographic, fine art printing material, self-adhesive, banner and sign, bond and coated, backlit
	Size	Rolls: 11 to 24 in (279 to 610 mm) Sheets: 8.3 x 11 to 24 x 66 in (210 x 279 to 610 x 1676 mm) Standard sheets: A, B, C, D, (A4, A3, A2, A1)
	Thickness	Up to 31.5 mil (0.8 mm)
	Grammage	from 80 to 495 g/m <sup>2</sup>
<b>Applications</b>	Line drawings, Renderings, Maps, Orthophotos, Point of sale/display, Graphics design, Office graphics, Posters, Photos, Digital fine art, Banners, Exhibition and event graphics, Light boxes - film	
<b>Memory</b>	8 GB (virtual), <sup>12</sup> 160 GB hard disk	
<b>Connectivity</b>	Interfaces (standard)	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0 certified interface for direct printing from USB flash drive, EIO Jetdirect accessory slot
	Print languages (standard)	Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG, CALS G4, HP PCL 3 GUI, HP-GL/2, and HP-RTL
	Printing paths	Printer driver, HP Embedded Web Server, direct printing from USB flash drive, email printing, HP DesignJet Click printing software
	Drivers (included)	HP-GL/2, HP-PCL3GUI drivers for Windows and Mac OS X; PostScript drivers for Windows, Linux, and Mac OS X
<b>Dimensions (w x d x h)</b>	Printer with stand	49.6 x 27.2 x 41.3 in (1260 x 690 x 1050 mm)
	Shipping	56.8 x 30.3 x 29.5 in (1442 x 770 x 750 mm)
<b>Weight</b>	Printer with stand	136.7 lb (62 kg)
	Shipping	201.7 lb (91.5 kg)
<b>What's in the box</b>	DesignJet Z2600 PostScript® Printer, printheads, introductory ink cartridges, printer stand and media bin, spindle, quick reference guide, setup poster, start-up software, power cord	
<b>Software available</b>	Printer drivers, HP DesignJet Click, HP DesignJet Utility including HP Color Center, HP DesignJet Excel Accounting Tool	
<b>Environmental ranges</b>	Operating temp.	41 to 104°F (5 to 40°C)
	Storage temp.	-13 to 131°F (-25 to 55°C)
	Operating humidity	20 to 80% RH
<b>Acoustic</b>	Sound pressure	44 dB(A) (printing); 30 dB(A) (ready); 22 dB(A) (sleep)
	Sound power	5.9 B(A) (printing); 5.1 B(A) (ready); 3.9 B(A) (sleep)
<b>Power</b>	Consumption	< 120 watts (printing); < 32 watts (ready); 1.5 watts (sleep); 0.1 watts (off)
	Requirements	Input voltage (auto ranging) 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz), 2 A max
<b>Certification</b>	Safety	USA and Canada (CSA certified); EU (LVD and EN 60950-1 compliant); Russia/Kazakhstan/Belarus (EAC); Singapore (PSB); China (CCC); Argentina (IRAM); India (BIS)
	Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Korea (KCC)
	Environmental	ENERGY STAR, WEEE, EU RoHS, China RoHS, REACH; EPEAT Bronze
<b>Warranty</b>	One-year limited hardware warranty	

<sup>7</sup> Maximum rate of output for color image, 100% color coverage (Bandes file). Printed in Fast mode with Economode on, on HP Bright White Inkjet Paper (bond), maximum roll size, with HP Vivid Photo Inks.

<sup>8</sup> +/- 0.1% of the specified vector length or +/- 0.2 mm (whichever greater) at 73°F (23°C), 50-60% relative humidity, on A0/E HP Matte Film in Best or Normal mode with HP Vivid Photo Inks.

<sup>9</sup> Measured on HP Matte Film.

<sup>10</sup> With HP Premium Instant-dry Satin Photo Paper with HP Vivid Photo Inks, right after calibration.

<sup>11</sup> Cuts all HP Z-series printer qualified media except canvas. For qualified media, see [HPLFMedia.com](http://HPLFMedia.com).

<sup>12</sup> Based on 640 MB RAM.

<sup>13</sup> BMG trademark license code FSC®-C115319, see [fsc.org](http://fsc.org). HP trademark license code FSC®-C017543, see [fsc.org](http://fsc.org). BMG trademark license code PEFC™/29-31-261, see [pefc.org](http://pefc.org). HP trademark license code PEFC™/29-31-T98, see [pefc.org](http://pefc.org). Not all FSC®- or PEFC™-certified products are available in all regions.

<sup>14</sup> Can be recycled through commonly available recycling programs.

<sup>15</sup> Can be recycled according to region-specific practices. In North America, recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area).

<sup>16</sup> With Original HP 745 Vivid Photo Inks. Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab on a range of HP media. For details, see [HPLFMedia.com/printpermanence](http://HPLFMedia.com/printpermanence).

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.





ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. Adobe and Adobe PostScript 3 are trademarks of Adobe Systems Incorporated. Windows is a U.S. registered trademark of Microsoft Corporation. Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries. PANTONE is the property of Pantone, Inc.

4AA6-4008ENA, July 2016, Rev. 1

## Ordering information

<b>Product</b>	T0B52A	HP DesignJet Z2600 24-in PostScript® Printer
<b>Accessories</b>	CN538A	HP DesignJet 3-in Core Adapter
	CQ783A	HP DesignJet 24-in Spindle
	J8025A	HP Jetdirect 640n Print Server
	G6H51B	HP HD Pro 42-in Scanner
<b>Original HP printheads</b>	F9J86A	HP 744 Photo Black and Cyan DesignJet Printhead
	F9J87A	HP 744 Magenta and Yellow DesignJet Printhead
	F9J88A	HP 744 Matte Black and Chromatic Red DesignJet Printhead
<b>Original HP ink cartridges</b>	F9J95A	HP 745 130-ml Magenta DesignJet Ink Cartridge
	F9J96A	HP 745 130-ml Yellow DesignJet Ink Cartridge
	F9J97A	HP 745 130-ml Cyan DesignJet Ink Cartridge
	F9J98A	HP 745 130-ml Photo Black DesignJet Ink Cartridge
	F9J99A	HP 745 130-ml Matte Black DesignJet Ink Cartridge
	F9K00A	HP 745 130-ml Chromatic Red DesignJet Ink Cartridge
	F9K01A	HP 745 300-ml Magenta DesignJet Ink Cartridge
	F9K02A	HP 745 300-ml Yellow DesignJet Ink Cartridge
	F9K03A	HP 745 300-ml Cyan DesignJet Ink Cartridge
	F9K04A	HP 745 300-ml Photo Black DesignJet Ink Cartridge
F9K05A	HP 745 300-ml Matte Black DesignJet Ink Cartridge	
F9K06A	HP 745 300-ml Chromatic Red DesignJet Ink Cartridge	

The HP DesignJet Z2600 PostScript® Printer is not designed to use continuous ink systems. The HP DesignJet Z2600 PostScript® Printer is designed for ink cartridges to be used until they are empty. Refilling cartridges prior to depletion might cause the printer to fail, and voids the HP printer and HP ink cartridge warranty.

<b>Original HP large format printing materials</b>	Q1396A	HP Universal Bond Paper (FSC® certified) <sup>13</sup>  <sup>14</sup> 24 in x 150 ft (610 mm x 45.7 m)
	C6029C	HP Heavyweight Coated Paper (PEFC™ certified) <sup>15</sup>  <sup>14</sup> 24 in x 100 ft (610 mm x 30.5 m)
	COF18A	HP Everyday Adhesive Matte Polypropylene, 2 Pack 24 in x 75 ft (610 mm x 22.9 m)
	Q6579A	HP Universal Instant-dry Satin Photo Paper (FSC® certified) <sup>13</sup>  <sup>15</sup> 24 in x 100 ft (610 mm x 30.5 m)
	E4J59C	HP Professional Matte Canvas 24 in x 50 ft (610 mm x 15.2 m)
	G6459B	HP Premium Matte Photo Paper (FSC® certified) <sup>13</sup>  <sup>14</sup> 24 in x 100 ft (610 mm x 30.5 m)
<b>Service and support</b>	U9CU1E	HP 3 year Next Business Day Onsite Support with Defective Media Retention
	U9CU2E	HP 4 year Next Business Day Onsite Support with Defective Media Retention
	U9CU3E	HP 5 year Next Business Day Onsite Support with Defective Media Retention
	U9CU4PE	HP 1 year Post Warranty Next Business Day Onsite Support with Defective Media Retention
	U9CU5PE	HP 2 year Post Warranty Next Business Day Onsite Support with Defective Media Retention
	H4518E	HP Installation Service with Network Setup

Use HP Vivid Photo Inks and printheads to experience consistent high quality and reliable performance that enable less downtime and increased productivity. These critical printing system components are designed and engineered together to provide optimized efficiency, a wide color gamut, and prints with over 200 years fade resistance.<sup>16</sup> For more information, visit [hp.com/go/OriginalHPInks](http://hp.com/go/OriginalHPInks).

For the entire HP Large Format Printing Materials portfolio, please see [HPLFMedia.com](http://HPLFMedia.com).

HP DesignJet Support Services offer solutions for business critical environments— installation, extended support and maintenance, as well as variety of value-added services. For more information, please visit [hp.com/go/designjetsupport](http://hp.com/go/designjetsupport).

### Eco Highlights

- Breakthrough color consistency can help reduce unnecessary reprints
- Free, convenient HP ink cartridge and printhead recycling<sup>1</sup>
- FSC®-certified papers,<sup>2</sup> range of recyclable HP media with a take-back program<sup>3</sup>
- ENERGY STAR® qualified. Registered EPEAT Bronze<sup>4</sup> for environmentally preferable product



<sup>1</sup> Program availability varies. Please check [hp.com/recycle](http://hp.com/recycle) for details.

<sup>2</sup> BMG trademark license code FSC®-C115319, see [fsc.org](http://fsc.org). HP trademark license code FSC®-C017543, see [fsc.org](http://fsc.org). Not all FSC®-certified products are available in all regions.

<sup>3</sup> HP Large Format Media take-back program availability varies. Some recyclable HP papers can be recycled through commonly available recycling programs. Recycling programs may not exist in your area. See [HPLFMedia.com/hp/ecosolutions](http://HPLFMedia.com/hp/ecosolutions) for details.

<sup>4</sup> EPEAT registered where applicable/supported. See [epeat.net](http://epeat.net) for registration status by country.

**Explore how large-format printing hardware and printing supplies. Find out how at our website [hp.com/ecosolutions](http://hp.com/ecosolutions)**





# HP DesignJet Z3200 Photo Printer series

The most advanced 12-ink printer<sup>1</sup> for gallery-quality prints



## Wide color gamut and outstanding black-and-white

- 12 Original HP Photo Inks deliver gallery-quality black-and-white and color prints lasting up to 200 years<sup>2</sup>.
- Create exceptional black-and-white prints—an HP Quad-black ink set delivers smooth transitions, neutral grays.
- Get superior gloss uniformity and minimize bronzing on most glossy photo papers with HP Gloss Enhancer<sup>3</sup>.
- Achieve an expanded color gamut with 96% PANTONE<sup>®</sup> coverage<sup>4</sup> enabled by HP chromatic red ink.

## Easy color calibration and profiling

- Generate custom ICC profiles and achieve color accuracy, consistency with the embedded spectrophotometer<sup>5</sup>.
- See consistent print-to-print color regardless of fluctuating environmental conditions with HP technologies.
- Simplify your workflow—easily access, create, and share paper presets using the enhanced HP Color Center.
- Get color reliability with HP Professional PANTONE<sup>®</sup> color emulation and Adobe Postscript<sup>®</sup>/PDF support<sup>6</sup>.

## Low-maintenance and high ink efficiency<sup>7</sup>

- Optimize performance, ink usage—automatic servicing routines help prevent nozzle clogging, reduce media waste.
- Save time, money—embedded TIFF, JPEG, and Adobe PS3/PDF RIP enable direct job submission, queuing, nesting<sup>8</sup>.
- Streamline production with an HP Embedded Web Server and print previews, which help eliminate trial and error.
- Stay up-to-date—HP Printer Utility software provides printer status, desktop alerts, and automatic updates.

For more information, please visit  
[hp.com/go/designjetZ3200](http://hp.com/go/designjetZ3200)

---

1 The 12-ink HP DesignJet Z3200 Photo Printer is the most advanced printer compared with other HP Z-series printers.

2 Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see [HPLFMedia.com/hp/printpermanence](http://HPLFMedia.com/hp/printpermanence).

3 Bronzing is minimized as an image-quality issue when HP Gloss Enhancer is used. HP Gloss Enhancer can be used on photo paper, with the exception of matte-finish papers.

4 96% coverage of PANTONE MATCHING SYSTEM<sup>®</sup> and PANTONE<sup>®</sup> GOE systems, based on HP internal testing (PANTONE<sup>®</sup> approval pending).

5 Embedded in this HP DesignJet Printer is an i1 spectrophotometer from X-Rite. Close collaboration between HP and X-Rite ensures a reliable solution that's been thoroughly tested to meet customer demands for ease, quality, and dependability.

6 Pending PANTONE-licensed.

7 Based on internal HP testing, the HP DesignJet Z3200 Photo Printer series utilizes at least 30% less ink during routine maintenance operations versus select printers from other vendors.

8 Professional PANTONE<sup>®</sup> Emulation, remote management, queue management, nesting, job submission and storage capabilities, and support for 16-bit TIFF and JPEG files are standard on HP DesignJet Z3200ps Photo printers only.

## Technical specifications

<b>Print</b>	Color images <sup>9</sup>	Fast: 2 min/page on A1/D or up to 17 m <sup>2</sup> /hr (182.9 ft <sup>2</sup> /hr) on coated media. Best: 12.4 min/page on A1/D or up to 2.58 m <sup>2</sup> /hr (27.8 ft <sup>2</sup> /hr) on glossy media
	Print resolution	Up to 2400 x 1200 optimized dpi
	Margins (top x bottom x left x right)	Roll: 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 x 0.2 in) (borderless on photo roll media) Sheet: 5 x 17 x 5 x 5 mm (0.2 x 0.67 x 0.2 x 0.2 in)
	Technology	HP Thermal Inkjet
<b>Image quality</b>	Color accuracy	Median < 1.6 dE2000, 95% of colors < 2.8 dE2000 <sup>10</sup>
	Short-term color stability	< 1 dE2000 in less than 5 minutes <sup>11</sup>
	Long term print-to-print repeatability	Average < 0.5 dE2000, 95% of colors < 1.4 dE2000 <sup>11</sup>
	Maximum optical density	4 L* min/2.5 D* <sup>12</sup>
<b>Media</b>	Handling	Sheet feed, roll feed, media bin <sup>13</sup> , automatic cutter (cuts all media except canvas)
	Weight	Up to 500 g/m <sup>2</sup> (133 lb)
	Size	24-in models: 210 x 279 to 610 x 1676-mm (8.3 x 11 to 24 x 66-in) sheets; 279 to 610-mm (11 to 24-in) rolls 44-in models: 210 x 279 to 1118 x 1676-mm (8.3 x 11 to 44 x 66-in) sheets; 279 to 1118-mm (11 to 44-in) rolls
	Thickness	Up to 0.8 mm (31.5 mil)
<b>Applications</b>	Photos, Digital fine art, Graphics design, Layouts and comps, Mockups, Proofing	
<b>Memory</b>	Standard	256 MB
	Hard disk	80 GB
<b>Connectivity</b>	Interfaces (standard)	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0 certified, EIO Jetdirect accessory slot
	Interfaces (optional)	HP Jetdirect EIO print servers
	Print languages (standard)	Adobe® PostScript® 3™, Adobe® PDF 1.6, TIFF, JPEG, HP PCL 3 GUI
	Drivers (included)	Adobe® PostScript®, HP PCL 3 GUI
<b>Dimensions (w x d x h)</b>	Printer	24-in models: 1262 x 690 x 1047 mm (49.7 x 27.2 x 41.2 in) 44-in models: 1770 x 690 x 1047 mm (69.7 x 27.2 x 41.2 in)
	Shipping	24-in models: 1470 x 780 x 740 mm (57.8 x 30.7 x 29.1 in) 44-in models: 1965 x 780 x 780 mm (77.3 x 30.7 x 30.7 in)
	Weight	24-in models: 65 kg (143 lb) 44-in models: 86 kg (189 lb)
<b>Weight</b>	Printer	24-in models: 65 kg (143 lb) 44-in models: 86 kg (189 lb)
	Shipping	24-in models: 102 kg (225 lb) 44-in models: 123 kg (271 lb)
<b>What's in the box</b>	HP DesignJet Z3200 Photo Printer, spindle, printheads <sup>13</sup> , introductory ink cartridges, printer stand and media bin <sup>13</sup> , rear tray, 3-in core adapter, quick reference guide, setup poster, USB cable, power cord, HP Start-up kit including printer software	
<b>Environmental ranges</b>	Operating temperature:	5 to 40°C (41 to 104°F)
	Storage temperature:	-25 to 55°C (-13 to 131°F)
	Operating humidity:	20 to 80% RH
<b>Acoustic</b>	Sound pressure	49 dB(A) (active), 29 dB(A) (standby)
	Sound power	6.5 B(A) (active); 4.4 B(A) (standby)
<b>Power consumption</b>	< 170 watts (printing), < 31 watts (ready), < 12 watts (< 30 watts with embedded Digital Front End) (sleep), 0.1 watts (off)	
<b>Certification</b>	Safety	USA and Canada (CSA certified), EU (LVD and EN 60950-1 compliant), Russia (GOST), Singapore (PSB), China (CCC), Argentina (IRAM), Mexico (NYCE), Korea (KATS)
	Electromagnetic	Compliant with Class A requirements, including USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Korea (KCC)
	Environmental	ENERGY STAR, WEEE, EU RoHS, China RoHS, REACH, FEMP
<b>Warranty</b>	One-year warranty with on-site, next business-day service	

For more information, please visit [hp.com/go/designjetZ3200](http://hp.com/go/designjetZ3200)



© Copyright 2012–2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Windows is a U.S. registered trademark of Microsoft Corporation. Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries. Adobe, Adobe Photoshop, Adobe PostScript 3, and PostScript are trademarks of Adobe Systems Incorporated. PANTONE and other Pantone, Inc. trademarks are the property of Pantone, Inc. PANTONE Colors displayed herein may not match PANTONE-identified standards. Consult current PANTONE Color Publications for accurate color.

4AA4-4150EEW, November 2015, Rev. 8



## Ordering information

<b>Product</b>	Q6720B HP DesignJet Z3200ps 24-in Photo Printer	
	Q6721B HP DesignJet Z3200ps 44-in Photo Printer	
<b>Accessories</b>	Q6699A HP DesignJet Z 44-in Spindle	
	Q6700A HP DesignJet Z/T 1xxx/T6xx 24-in Spindle	
	J8025A HP Jetdirect 640n Print Server	
	G6H51A HP DesignJet HD Pro Scanner	
	Q6663A HP DesignJet T/Z 24-in Stand (AP only)	
<b>Original HP printheads</b>	C9405A HP 70 Light Magenta and Light Cyan Printhead	
	C9406A HP 70 Magenta and Yellow Printhead	
	C9407A HP 70 Photo Black and Light Gray Printhead	
	C9408A HP 70 Blue and Green Printhead	
	C9410A HP 70 Gloss Enhancer and Gray Printhead	
	CD949A HP 73 Matte Black and Chromatic Red Printhead	
	C9448A HP 70 130-ml Matte Black Ink Cartridge	
	C9449A HP 70 130-ml Photo Black Ink Cartridge	
	C9450A HP 70 130-ml Gray Ink Cartridge	
<b>Original HP ink cartridges and maintenance supplies</b>	C9451A HP 70 130-ml Light Gray Ink Cartridge	
	C9453A HP 70 130-ml Magenta Ink Cartridge	
	C9454A HP 70 130-ml Yellow Ink Cartridge	
	C9455A HP 70 130-ml Light Magenta Ink Cartridge	
	C9457A HP 70 130-ml Green Ink Cartridge	
	C9458A HP 70 130-ml Blue Ink Cartridge	
	C9459A HP 70 130-ml Gloss Enhancer Ink Cartridge	
	C9390A HP 70 130-ml Light Cyan Ink Cartridge	
	CD951A HP 73 130-ml Chromatic Red Ink Cartridge	
	<b>Original HP large format printing materials</b>	Q8840A HP Professional Instant-dry Satin Photo Paper 1118 mm x 15.2 m (44 in x 50 ft)
		Q7991A HP Premium Instant-dry Gloss Photo Paper (FSC® certified) <sup>14</sup> 610 mm x 22.9 m (24 in x 75 ft)
Q7972A HP Matte Litho-realistic Paper-610 mm x 30.5 m (24 in x 100 ft)		
Q8673B HP Professional Matte Canvas-610 mm x 15.2 m (24 in x 50 ft)		
Q8710A HP Collector Satin Canvas-1067 mm x 15.2 m (42 in x 50 ft)		
<b>Service and support</b>	UF035E HP 3 year Next Business Day Onsite DesignJet Z3x00 Hardware Support	
	UF036E HP 4 year Next Business Day Onsite DesignJet Z3x00 Hardware Support <sup>17</sup>	
	UF037E HP 5 year Next Business Day Onsite DesignJet Z3x00 Hardware Support <sup>17</sup>	
	UF046PE HP 1 year Post Warranty Next Business Day Onsite DesignJet Z3x00 Hardware Support	
	H4518E HP Network Installation DesignJet T23-71XX/400-6200 Service	
	UK505E HP 3 year Next Business Day Onsite Support with Defective Media Retention <sup>18</sup>	
UK506PE HP 1 year Post Warranty Next Business Day Onsite Support with Defective Media Retention <sup>18</sup>		

HP DesignJet Support Services offer solutions for business critical environments — installation, extended support and maintenance, as well as variety of value added services.

For more information, please visit [hp.com/go/DesignJetSupport](http://hp.com/go/DesignJetSupport).

Use HP Photo Inks and printheads to experience consistent high-quality and reliable performance that enable less downtime and increased productivity. These critical printing system components are designed and engineered together to provide optimized efficiency, a wide color gamut, and prints with over 200 years fade resistance<sup>16</sup>. For more information, visit [hp.com/go/OriginalHPInks](http://hp.com/go/OriginalHPInks).

For the entire HP Large Format Printing Materials portfolio, please see [HPLFMedia.com](http://HPLFMedia.com).

<sup>9</sup> Mechanical printing time with Original HP inks. Measured on a 44-in model.

<sup>10</sup> ICC absolute colorimetric accuracy on HP Proofing Matte paper with Original HP inks.

<sup>11</sup> With HP Premium Instant Dry Photo Satin media with Original HP inks, right after calibration.

<sup>12</sup> With HP Premium Instant Dry Photo Gloss media with Original HP inks.

<sup>13</sup> Not included in the box in Asia Pacific for 24-in models.

<sup>14</sup> FSC® trademark license code FSC®-C017543, see [fsc.org](http://fsc.org). Not all FSC®-product is available in all regions.

<sup>15</sup> Papers can be recycled according to region-specific practices. In North America and Asia (including Japan), recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area); in Europe recyclable in consumer collection systems that accept liquid packaging.

<sup>16</sup> Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media with Original HP inks. See [HPLFMedia.com/hp/printpermanence](http://HPLFMedia.com/hp/printpermanence).

<sup>17</sup> Not available in North America and Latin America.

<sup>18</sup> Not available in Europe, Middle East, and Africa.