

THE POSSIBILITIES ARE INFINITE **FUJITSU**

# Italy

## End User Reference Price List

Prices Valid From : December 2010





## Content

<b>News and Highlights</b>	<b>3</b>	<b>Positioning FUTRO</b>	<b>40</b>	CELSIUS M470	75	PRIMERGY RX100 S6	147
<b>Positioning</b>	<b>5</b>	FUTRO S100	41	CELSIUS R570	76	PRIMERGY RX300 S5	148
		FUTRO S450 & S500	42	CELSIUS R670	77	PRIMERGY RX600 S4	150
<b>Positioning Tablet PC</b>	<b>7</b>	FUTRO Accessories	43	CELSIUS Accessories	79	PRIMECENTER	151
STYLISTIC ST6012	8	FUTRO Options	44	CELSIUS Options	85	PRIMECENTER SME Rack	154
LIFEBOOK T730	9					Rack Servers Accessories	155
LIFEBOOK T580	10	<b>Positioning ESPRIMO</b>	<b>45</b>	<b>Positioning Displays</b>	<b>96</b>	Rack Servers Options	175
LIFEBOOK TH700	11	ESPRIMO C	46	Displays	97		
LIFEBOOK T900	12	ESPRIMO E	47			<b>Positioning PRIMERGY Blade</b>	<b>200</b>
TABLET PC Accessories	14	ESPRIMO P	53	<b>Positioning Keyboard &amp; Security</b>	<b>99</b>	PRIMERGY BX900 S1	202
TABLET PC Options	17	ESPRIMO Q	58	Keyboards	100	PRIMERGY BX600 S3	203
		ESPRIMO Accessories	59			PRIMERGY BX620 S4	204
<b>Positioning Notebook</b>	<b>19</b>	ESPRIMO Options	61	<b>Positioning PRIMERGY Tower</b>	<b>101</b>	PRIMERGY BX620 S5	205
LIFEBOOK S710	20			PRIMERGY TX100 S1	102	PRIMERGY SX650	206
LIFEBOOK S760	21	<b>CELSIUS Positioning</b>	<b>68</b>	PRIMERGY TX120 S2	103	PRIMERGY SX940 S1	207
LIFEBOOK E780	22	CELSIUS H700	70	PRIMERGY TX150 S7	104	PRIMERGY NX650 NAS	208
LIFEBOOK NH570	24	CELSIUS W370	71	PRIMERGY TX300 S5	106	Blade Servers Accessories	209
LIFEBOOK P770	26	CELSIUS W280	72	Tower Servers Accessories	107	Blade Servers Options	222
LIFEBOOK PH530	27	CELSIUS W380	73	Tower Servers Options	130		
LIFEBOOK Accessories	28	CELSIUS W480	74				
LIFEBOOK Options	31			<b>Positioning PRIMERGY Rack</b>	<b>146</b>		



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

## News and Highlights



**STYLISTIC ST6012**

The STYLISTIC ST6012 is the perfect companion. The device weighs only 1.6 kg, is very easy to carry yet robust. It was specially developed for use when walking. The transmissive 12.1-inch TFT WXGA display offers the best image quality. Support for pen-based functions helps you carry out your work anywhere and to present it convincingly.

A further advantage is the accu lifespan which enables you to work for a long period. Take a good look at the new housing. As well as being lightweight, the housing provides additional protection against damp or dust.



**LIFEBOOK T580**

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds.

Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through

integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by

your notebook any longer, at just 1.4kg it's easy to take wherever you like!



**LIFEBOOK P770**

Small, lightweight and nevertheless high performance? The answer to those requirements is the LIFEBOOK P770. With one of the smallest footprints in the 12-inch market and weighing only 1.4 kg, it offers the user quite a range of goodies: all standard interfaces including HDMI, 3G/UMTS, WLAN and Bluetooth, an integrated webcam and long battery runtime. As data security is immensely important for mobile users, the LIFEBOOK P770 meets such requirements thanks to its fingerprint sensor and optional TPM.



**LIFEBOOK NH570**

The LIFEBOOK NH570 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 46.7cm (18.4-inch) display, whenever and wherever they want. The solid design and the spill-resistant keyboard provide extra reliability, while the high-gloss black finish and slim profile make the notebook a real head-turner.



**FUTRO**

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.



**ESPRIMO**

The ESPRIMO Q1500 is your living-room entertainer. Fully equipped PC weighing only 1.7kgs and in a new design - equipped with Intel® mobile technology, HDMI, Blu-ray and Microsoft® Windows® 7 support - extremely quiet and energy-efficient.



**CELSIUS**

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance. With the CELSIUS M470, CELSIUS R570 and CELSIUS R670 our offering of mid-range and high-end workstations got a refresh to meet highest demands.



**PRIMERGY  
TX100 S1**

PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.



**PRIMERGY  
SX940 S1**

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.



**Displays &  
Accessories**

The new Fujitsu displays of the P Line ECO provide all the proven features superior displays can offer and additional unique energy saving solutions like 0-watt power save mode and automatic brightness control. The new 22-inch wide is the first with the new standard TCO Displays 5.0.

Always something new in the Peripherals Portfolio: e.g. keyboards and wireless sets in glossy piano black design fitting perfectly to the new lifestyle displays. Accessories and Security Devices according to latest technologies meet the latest market needs.



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

## Professional Products Positioning



**STYLISTIC**

The STYLISTIC ST Series is thin, approximately A4 in size, only 1.6 kg and replaces your need for paper and clipboard. Boasting a robust, high-tech design, it offers a 12.1-inch display making it ideal for working while standing or walking, indoors or outside. The Intel® Centrino® Core 2 Duo processor means you can work for a whole business day. And outstanding connectivity with embedded broadband access, WLAN and Bluetooth means you can get in a full day of work without having to return to the office.



**FUTRO**

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.



**ESPRIMO**

Our PCs provide pure performance while balancing economic and environmental considerations. ESPRIMO PCs feature state-of-the-art technology from AMD and Intel® and are the perfect basis for productive working environments. They are quiet and cool with intelligent ergonomic designs, perfect manageability and security features. To make them as environmentally aware as possible, they are built with especially selected materials to minimize the impact on the environment.



**CELSIUS**

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.



**Displays & Peripherals**

Positioned in three segments the Fujitsu displays offer the right model for every desire - from multifunctional all-rounders, advanced displays, which are highly ergonomic and comfortable, also for entertainment, and the superior class for highest demands in terms of performance, graphics and multimedia.

Input devices for every desire: wired and wireless, optical and laser technology, all according to latest ergonomix standards.



**PRIMERGY**

PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core / Quad-Core servers deliver the best price/performance ratio. The Fujitsu extensive product range, coupled with more than 20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.







Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

## Positioning Tablet PC



**STYLISTIC  
ST6012**

The STYLISTIC ST6012 Series will make you more productive in a variety of mobile situations, whether you're on your way to an appointment, giving a presentation or taking notes with "electronic ink" during a meeting.

The new chipset and the advantages its Display make it the ultimate working tool for every purpose.

It's light, thin and robust and enables a convenient working on every location - indoor and outdoor



**LIFEBOOK  
T900**

The LIFEBOOK T900 is an ultra versatile lightweight convertible notebook for the professional user. Its bi-directional, rotatable, wide-view, high-bright LED display is a pleasure to use. With the LIFEBOOK T900 multiple touch you can either work with your fingers or with the patented multifunctional pen. Berliner Glass ensures the highest reliability



**LIFEBOOK T580**

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds.

Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by your notebook any longer, at just 1.4kg it's easy to take wherever you like!



**LIFEBOOK  
T4310/T4410**

The LIFEBOOK T4410 / T4310 offers all the benefits of an ultraportable Convertible with multitouch capability. Scroll through documents, zoom into graphics or move files and folders – all with your fingertip. Working with a notebook has never been more intuitive and easier. Enjoy the advantages of flexible pen based data input. Like handwriting recognition and lots of additional features, that only a convertible notebook offers. In addition the LIFEBOOK T4410 / T4310 offers best connectivity with embedded 3G/UMTS, highest reliability and ultimate security with Computrace® enabled BIOS. Enhance your flexibility on the move with the modular bay and back up your data on a second hard disk drive or stay productive with the second battery



**STYLISTIC  
Accessories**

Extend your STYLISTIC tablet PC to your needs. More convenience for your business trips and more functionality enabling easy working.

Fujitsu offers a vast range of accessories for your STYLISTIC ST Series:

docking unit, power supply devices, different storage media and special cases that provide maximum protection while transportation.



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**STYLISTIC ST6012 Series**

**Data Sheets: <http://ts.fujitsu.com/stylistic>**

The STYLISTIC ST6012 Series will make you more productive in a variety of mobile situations, whether you're on your way to an appointment, giving a presentation or taking notes with "electronic ink" during a meeting.

It's specially designed for working while standing or walking.

It's light, thin and robust. Its brilliant display enables a convenient working on every location - indoor and outdoor.

Customers all over the world like sales professionals, service technicians, surveyors, inspectors or doctors are persuaded of the natural pen interface.

The smart worker will enjoy the outstanding connectivity of the ultimate tablet PC – embedded mobile broadband access (3G/UMTS), WLAN and Bluetooth.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>STYLISTIC ST6012</b>					
	STYLISTIC ST6012 1.4GHz ULV Active	Active digitizer for pen input, 30.7cm (12.1") anti-glare WXGA wide-view high-brightness LED Display, Intel Core2 Duo SU9400 (1.4 GHz ULV, 800 MHz FSB, 3MB L2-cache), Intel GS45, ICH9-M, integrated fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), onboard-audio, LAN 10/100/1000MBit (RJ45), 1 x PCMCIA type I/II, integrated chipcard-reader, tablet buttons, ac-adaptor 16V 3.75A, max. 4GB SDRAM DDR3-1066 (2 sockets), external connectors: 1x Fast IrDA, powersupply, VGA, 2 x USB 2.0, dual-microphone (mono), 1x headphone, LAN, 1 x SD MemoryStick-connector, 1 x pen.	S26391-K279-V200	2.013,00	





Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK T730**

Data Sheets: <http://ts.fujitsu.com/lifebook>

The LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>LIFEBOOK T730</b>					
	LB T730 /30,7CM WXGA STA/I3-370M/2 GB/ (Promo)	LB T730 /30,7CM WXGA STA/I3-370M/2 GB/ DVD/320GB/CAM/WLAN INTEL 6200/BT 2.1/ NO UMTS/CK EU/KB I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA,	LKN:T7300M0001IT		
	LB T730 /30,7CM WXGA STA/I5-460M/2x2 GB/ (Promo)	LB T730 /30,7CM WXGA STA/I5-460M/2x2 GB/ DVD/320GB/CAM/WLAN INTEL 6200/BT 2.1/ NO UMTS/CK EU/KB I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA,	LKN:T7300M0002IT		
Base unit with LCD 30.7cm (12.1") TFT WXGA non-glare optional standard LED or Wide-View High-Bright LED Display and Touchscreen, , Dual Digitizer (for pen operation and finger touch operation), Intel® Chipset QM57 with Intel® AMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 microphones and 2 loudspeakers integrated, touchpad incl. scroll-sensor, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, SD/MS Card reader, VGA, HDMI, 3x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, Firewire, audio in (line-in, microphone), audio out (line-out, headphones), docking connector., Li-Ion battery optional 5,800mAh or 5,200mAh, AC Adapter 19V/80W, stylus pen, pen tether, cleaning-cloth, notebook case.					
	LB T730 /30,7CM WXGA STA/I5-560M/2x2 GB/ (Promo)	LB T730 /30,7CM WXGA STA/I5-560M/2x2 GB/ DVD/500GB 7.2K/CAM/WLAN INTEL 6200/ BT 2.1/UMTS GOBI 2000/CK EU/KB I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:T7300M0003IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>LIFEBOOK T730</b>					
	LIFEBOOK T730	Base unit with LCD 30.7cm (12.1") TFT WXGA non-glare optional standard LED or Wide-View High-Bright LED Display and Touchscreen, , Dual Digitizer (for pen operation and finger touch operation), Intel® Chipset QM57 with Intel® AMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 microphones and 2 loudspeakers integrated, touchpad incl. scroll-sensor, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, SD/MS Card reader, VGA, HDMI, 3x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, Firewire, audio in (line-in, microphone), audio out (line-out, headphones), docking connector., Li-Ion battery optional 5,800mAh or 5,200mAh, AC Adapter 19V/80W, stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K314-V100	1.013,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK T580**

Data Sheets: <http://ts.fujitsu.com/lifebook>

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds. Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by your notebook any longer, at just 1.4kg it's easy to take wherever you like!

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>LIFEBOOK T580</b>					
LIFEBOOK T580 i3-380UM		Base unit with 25.7cm (10.1") HD Display with LED backlight. Dual Digitizer with touch screen for pen operation and finger touch operation. Intel® Chipset HM55 with Intel® Core™i3 Processor i3-380UM, supports maximum 8 GB Dual Channel DDR3 800MHz PC6400 RAM (2 DIMM slots). Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit LAN, touchpad, ambient-light sensor, G-Sensor, smart card slot, fingerprint sensor, LED status indicators, tablet buttons, Kensington Lock., Interfaces: SD Card reader, VGA, HDMI, 2x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio out (line-out, headphones), stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K318-V100	1.087,00	
LIFEBOOK T580 i5-560UM		Base unit with 25.7cm (10.1") HD Display with LED backlight. Dual Digitizer with touch screen for pen operation and finger touch operation. Intel® Chipset HM55 with Intel® Core™i3 Processor i3-380UM, supports maximum 8 GB Dual Channel DDR3 800MHz PC6400 RAM (2 DIMM slots). Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit LAN, touchpad, ambient-light sensor, G-Sensor, smart card slot, fingerprint sensor, LED status indicators, tablet buttons, Kensington Lock., Interfaces: SD Card reader, VGA, HDMI, 2x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio out (line-out, headphones), stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K318-V200	1.219,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK TH700**

Data Sheets: <http://ts.fujitsu.com/lifebook>

Looking for a tablet and a PC? Give pen-written notes a personal style or use your fingers when working with your notebook. There's no limitation to usability with the stylish LIFEBOOK TH700! With the optional integrated GPS technology you will never get lost and be on track. With the modular bay you can easily adapt your convertible to your needs, maximize battery runtime or view movies in best quality with the Blu-ray Disc™ combo drive!

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>LIFEBOOK TH700</b>					
LIFEBOOK TH700	Base unit with LCD 30.7cm (12.1") TFT WXGA non-glare standard LED Display and Touchscreen, , Dual Digitizer (for pen operation and finger touch operation), Intel® Chipset HM55, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 microphones and 2 loudspeakers integrated, touchpad incl. scroll-sensor, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, SD/MS Card reader, VGA, HDMI, 3x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, Firewire, audio in (line-in, microphone), audio out (line-out, headphones)., Li-Ion battery 5,200mAh, AC Adapter 19V/80W, stylus pen, pen tether, cleaning-cloth, notebook case. ENERGY STAR® compliance with Intel® Core? processor family.	S26391-K314-V200	990,00	Phased out	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK T900**

Data Sheets: <http://ts.fujitsu.com/lifebook>

The LIFEBOOK T900 is an ultra versatile lightweight convertible notebook for the professional user. Its bi-directional, rotatable, wide-view, high-bright LED display is a pleasure to use. With the LIFEBOOK T900 multiple touch you can either work with your fingers or with the patented multifunctional pen. Berliner Glass ensures the highest reliability.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>LIFEBOOK T900</b>					
	LB T900 DUAL DIG. /I3-370M/2x2 GB/ (Promo)	LB T900 DUAL DIG. /I3-370M/2x2 GB/ SUPERMULTI/320GB/CAM/WLAN INTEL 6200/ BT V2.1/NO UMTS/MODEM/CK EU/KB I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:T900M0003IT		
	LB T900 DUAL DIG. /I5-560M/2x2 GB/ (Promo)	LB T900 DUAL DIG. /I5-560M/2x2 GB/ SUPERMULTI/500GB 7.2K/CAM/ WLAN INTEL 6200/BT V2.1/NO UMTS/MODEM/ CK EU/KB I/COA_W7_MM_PROFES/,	LKN:T900M0004IT		
	LB T900 ACT. DIG. /ANTI-GLARE/I3-370M/ (Promo)	LB T900 ACT. DIG. /ANTI-GLARE/I3-370M/ 2x2 GB/SUPERMULTI/320GB/CAM/ WLAN INTEL 6200/BT V2.1/NO UMTS/MODEM/ CK EU/KB I/COA_W7_MM_PROFES/,	LKN:T900M0006IT		
<p>Base unit with 33.8cm (13.3") TFT wide-view high-bright WXGA LED Display with magnesium cover, Dual digitizer for pen input plus capacitive anti-glare multi-touch screen, Intel® Chipset QM57 with Intel® AMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Mobile Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 microphones and 2 loudspeakers integrated, touchpad incl. scroll-sensor, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartCase Logon+ Fingerprint &amp; Security Software), LED status indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader, SD/MS Card reader, VGA, 3x bootable USB 2.0, RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 for Modem, IEEE1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., Li-Ion battery 5,800mAh, AC Adapter 19V/80W, Tablet pen, pen tether, cleaning-cloth, notebook case.</p>					
	LB T900 DUAL DIG. /I5-560M/2x2 GB/ (Promo)	LB T900 DUAL DIG. /I5-560M/2x2 GB/ SUPERMULTI/500GB 7.2K/CAM/ WLAN INTEL 6200/BT V2.1/UMTS GOBI 2000/ CK EU/KB I/COA_W7_MM_PROFES/,	LKN:T900M0005IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>LIFEBOOK T900</b>					



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK T900**

Data Sheets: <http://ts.fujitsu.com/lifebook>

			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
<b>LIFEBOOK T900 (Continued)</b>					
	LIFEBOOK T900 Active Digitizer	Base unit with 33.8cm (13.3") TFT wide-view high-bright WXGA LED Display with magnesium cover, Active digitizer for pen input, Intel® Chipset QM57 with Intel® AMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 microphones and 2 loudspeakers integrated, touchpad incl. scroll-sensor, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader, SD/MS Card reader, VGA, 3x bootable USB 2.0, RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 for Modem, IEEE1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., Li-Ion battery 5,800mAh, AC Adapter 19V/80W, Tablet pen, pen tether, cleaning-cloth, notebook case.	S26391-K313-V100	1.430,00	
	LIFEBOOK T900 Dual Digitizer	Base unit with 33.8cm (13.3") TFT wide-view high-bright WXGA LED Display with magnesium cover, Dual digitizer for pen input plus capacitive anti-glare multi-touch screen, Intel® Chipset QM57 with Intel® AMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Mobile Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 microphones and 2 loudspeakers integrated, touchpad incl. scroll-sensor, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader, SD/MS Card reader, VGA, 3x bootable USB 2.0, RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 for Modem, IEEE1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., Li-Ion battery 5,800mAh, AC Adapter 19V/80W, Tablet pen, pen tether, cleaning-cloth, notebook case.	S26391-K313-V200	1.557,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**Tablet PC Accessories**

**Data Sheets: <http://ts.fujitsu.com/stylistic>**

Category	Description	Details	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
<b>Accessories &amp; services matrix</b>									
<b>Memory</b>									
	1GB DDR3-1066	1 Modul, PC3-8500 ub				x	S26391-F436-L100	48,00	
	2GB DDR3-1066	1 Modul, PC3-8500 ub				x	S26391-F436-L200	68,00	
<b>OS/Application-SW</b>									
	Drivers & Utility (XP/Vista/7) LIFEBOOK	incl. Nero 7 Essentials S				x	S26361-F2007-L903	21,00	
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L556	271,00	Phased out
	Media Less Key Office 07 Basic (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L550	271,00	Phased out
	Media Less Key Office 07 Basic (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L553	271,00	Phased out
	Media Less Key Office 07 Basic (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L559	271,00	Phased out
	Media Less Key Office 07 Basic (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L562	271,00	Phased out
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L557	353,00	Phased out
	Media Less Key Office 07 SBE (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L551	353,00	Phased out
	Media Less Key Office 07 SBE (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L554	353,00	Phased out
	Media Less Key Office 07 SBE (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L560	353,00	Phased out
	Media Less Key Office 07 SBE (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L563	353,00	Phased out
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L558	440,00	Phased out
	Media Less Key Office 07 PRO (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L552	440,00	Phased out
	Media Less Key Office 07 PRO (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L555	440,00	Phased out
	Media Less Key Office 07 PRO (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L561	440,00	Phased out
	Media Less Key Office 07 PRO (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit				x	S26361-F2727-L564	440,00	Phased out
<b>UPS/Power supply</b>									
	1st battery 6cells					x	S26391-F421-L200	121,00	
	1st battery 9cells					x	S26391-F421-L300	151,00	
	External battery charger, incl. 16V AC	not fitting for main battery E8420				x	S26391-F458-L200	205,00	
	AC adapter 16V (65)	without power cable, but supports both EU and UK plugs			x	x	S26391-F5031-L800	34,00	
<b>Security</b>									
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x		S26361-F1571-L201	23,00	
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x		S26361-F1571-L210	147,00	
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L101	25,00	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L102	40,00	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L103	52,00	





Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**Tablet PC Accessories** Data Sheets: <http://ts.fujitsu.com/stylistic>

Category	Description	Details	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix									
<b>Security (Continued)</b>									
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L104	40,00	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L105	65,00	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L106	79,00	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L107	48,00	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L108	79,00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	S26361-F2009-L109	104,00	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L201	25,00	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L202	40,00	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L203	52,00	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L204	40,00	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L205	65,00	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L206	79,00	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L207	48,00	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L208	79,00	
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description				x	S26361-F2009-L209	104,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license., for orders up to 99 licenses., no software, no data medium				x	S26361-F2727-L100	27,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support	x	x	x	x	S26361-F2727-L730	42,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface				x	S26381-F331-L220	32,00	
<b>Miscellaneous</b>									
	Replacement cord	replacement cord for the pen	x	x	x	x	S26391-F2592-L600	10,00	
	Active Pen (2 pieces)					x	S26391-F413-L700	62,00	Phased out
<b>Input Devices</b>									



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**Tablet PC Accessories** **Data Sheets: <http://ts.fujitsu.com/stylistic>**

Category	Description	Details	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix									
<b>Input Devices (Continued)</b>									
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function				x	S26381-K440-L100	62,00	
	WIRELESS KEYB ST5xxx GER	with touchpad	x	x	x	x	S26391-F5010-L121	103,00	
	WIRELESS KEYB ST5xxx I	with touchpad	x	x	x	x	S26391-F5010-L123	103,00	
	WIRELESS KEYB ST5xxx UK	with touchpad	x	x	x	x	S26391-F5010-L125	103,00	
	WIRELESS KEYB ST5xxx US INT	with touchpad	x	x	x	x	S26391-F5010-L133	103,00	
	Wireless KB ST50xx CZ		x	x	x	x	S26391-F5010-L144	103,00	
	Wireless KEYB ST50xx TR					x	S26391-F5010-L150	103,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**Tablet PC Options**

Data Sheets: <http://ts.fujitsu.com/stylistic>

Category	Description	Details	STYLISTIC ST6012	Product Code	EUP (€)	Comments
<b>Options matrix</b>						
<b>Memory</b>						
	1GB DDR3-1066		x	S26391-F436-E100	23,00	
	2GB DDR3-1066		x	S26391-F436-E200	42,00	
<b>Hard Disks</b>						
	HDD SATA 160GB 5.4k		x	S26391-F437-E200	55,00	Phased out
	HDD SATA 320GB 5.4k		x	S26391-F437-E300	62,00	
	SSD 128GB high speed	A solid-state drive (SSD) is a reliable, flash memory-based persistent data storage device with no moving parts. SSDs are an ideal HDD replacement in high shock, high vibration, or high altitude environments. SSDs additionally feature lower power consumption resulting in longer battery run times.	x	S26391-F727-E600	397,00	Phased out
<b>Communication/Network</b>						
	No WLAN		x	S26391-F435-E100	3,00	
	WLAN Atheros 802.11 b/g 13ch	No FCC certification with Atheros WLAN	x	S26391-F435-E200	8,00	Phased out
	Intel WiFi Link 5300 802.11a/g/n 13ch	not for Russia / Ukraine / Pakistan	x	S26391-F435-E300	44,00	
	UMTS module Sierra Wireless MC8790 3G	not for China	x	S26391-F435-E400	130,00	
	No 3G \ UMTS		x	S26391-F435-E450	3,00	
	Bluetooth module V2.1		x	S26391-F435-E500	18,00	
<b>Country kits</b>						
	Country Kit US		x	S26391-F417-E100	6,00	
	Country Kit GB		x	S26391-F417-E200	6,00	
	Country Kit EU		x	S26391-F417-E300	6,00	
	Country Kit D		x	S26391-F417-E400	6,00	
<b>OS/Application-SW</b>						
	Drivers & Utility (XP/Vista/7) LIFEBOOK	incl. Nero 7 Essentials S	x	S26361-F2007-E903	3,00	
	License EU/MM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	S26361-F2009-E253	168,00	
	Vista Business 32Bit UK & MS OneNote UK		x	S26361-F2007-E199	182,00	Phased out
	Vista Business 32Bit D & MS OneNote D		x	S26361-F2007-E200	182,00	Phased out
	OEM Office 2007 Basic (GB)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	S26361-F1818-E782	203,00	Phased out
	OEM Office 2007 Basic (D)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	S26361-F1818-E781	203,00	Phased out
	OEM Office 2007 Basic (I)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	S26361-F1818-E784	203,00	Phased out
	OEM Office 2007 SBE (GB)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	S26361-F1818-E787	303,00	Phased out
	OEM Office 2007 SBE (D)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	S26361-F1818-E786	303,00	Phased out
	Vista Business 32bit MuLi A Office Ready	OEM version, license, Office 2007 Ready, (D, DK, E, F, FIN, GB, I, N, NL, S)	x	S26361-F2007-E201	165,00	Phased out
	OEM Office 2007 SBE (I)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	S26361-F1818-E789	303,00	Phased out
	OEM Office 2007 PRO (GB)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation	x	S26361-F1818-E792	395,00	Phased out
	OEM Office 2007 PRO (D)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation	x	S26361-F1818-E791	395,00	Phased out
	OEM Office 2007 PRO (I)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation	x	S26361-F1818-E794	395,00	Phased out



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**Tablet PC Options** **Data Sheets: <http://ts.fujitsu.com/stylistic>**

Category	Description	Details	STYLISTIC ST6012	Product Code	EUP (€)	Comments
<b>Options matrix</b>						
<b>OS/Application-SW (Continued)</b>						
	No Operating System		x	S26361-F1818-E100	3,00	
	Win7 Pro32 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)	x	S26361-F2009-E351	3,00	Phased out
	Win7 Pro32 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	S26361-F2009-E352	3,00	Phased out
	Win7 Pro32 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	S26361-F2009-E353	3,00	Phased out
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	S26361-F2109-E351	3,00	
	Win7 Pro 32 RUS+Office2010s	Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	S26361-F2109-E356	3,00	
	Recovery DVD Vista Business 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S)	x	S26361-F2007-E803	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi B	(AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	S26361-F2007-E804	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi C	(BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO)	x	S26361-F2007-E805	3,00	Phased out
	Recovery DVD Vista Business 32bit (RUS)		x	S26361-F2007-E806	3,00	Phased out
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	S26361-F2009-E553	3,00	
<b>UPS/Power supply</b>						
	Battery 6-Cell 5.200mAh		x	S26391-F421-E200	100,00	
	Battery 9-cell 7.800mAh		x	S26391-F421-E300	130,00	
<b>Security</b>						
	TPM module V1.2		x	S26391-F442-E200	8,00	
<b>Miscellaneous</b>						
	WebCam 1.3MPix		x	S26391-F449-E300	27,00	
	Medical Kit ST6012	With this option, STYLISTIC ST6012 is certified for usage in medical environment according to the product-standard EN60601-1-2.	x	S26391-F5062-E900	3,00	
<b>Desk View</b>						
	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1 License, , Components: , - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), , Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures),.	x	S26361-F4040-E10	68,00	

## Windows®. Life without Walls™. Fujitsu recommends Windows 7.

### Positioning Notebooks



**Mini Notebooks**

Enjoy your mobile lifestyle with a small and lightweight mini notebook, whenever and wherever you are.



**ESPRIMO Mobile  
D Series**

The ESPRIMO Mobile D9510 is ready for any challenge thanks to its state-of-the-art Intel® Centrino® 2 processor technology. The 15.4-inch display enable ergonomic working, whether you are in the office or travelling. Connectivity is ensured via a large number of interfaces and optional embedded mobile broadband (3G/UMTS).



**LIFEBOOK E  
Series**

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.

Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.



**LIFEBOOK S  
Series**

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.



**LIFEBOOK P  
Series**

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exceptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.



**LIFEBOOK T  
Series**

You are looking for an ultra-portable notebook with the latest technology but also want to profit from the pen functionality of a Tablet PC. Have a look on the LIFEBOOK T Series and you will be fascinated.

The LIFEBOOK T Series is a convertible notebook which offers you pen enabled design in all modes. And just flip over the screen and it converts into a Tablet PC.



**LIFEBOOK NH570**

The LIFEBOOK NH570 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 46.7cm (18.4-inch) display, whenever and wherever they want. The solid design and the spill-resistant keyboard provide extra reliability, while the high-gloss black finish and slim profile make the notebook a real head-turner.



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

## LIFEBOOK S710

Data Sheets: <http://ts.fujitsu.com/lifebook>

The LIFEBOOK S710 offers the perfect balance between low weight and high-end performance. Weighing only 2.15 kg it is one of the lightest modular 35.6cm (14-inch) notebooks. A flexible modular bay and a long battery life enable convenient working. Integrated 3G/UMTS and the optional webcam enable connectivity anytime, anywhere.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>LIFEBOOK S710</b>					
	LB S710 FP /35,6 CM HD CAM/I7-640M/ (Promo)	LB S710 FP /35,6 CM HD CAM/I7-640M/ 2x2 GB/DVD SUPER MULTI/SSD 128GB FDE/ WLAN INTEL 6200/NO 3G/MODEM/CK EU/ KB W/O TS I/COA_W7_MM_PROFES/,	LKN:S7100M0007IT		
	LB S710 FP /35,6 CM HD CAM/I7-640M/ (Promo)	LB S710 FP /35,6 CM HD CAM/I7-640M/ 2x2 GB/DVD SUPER MULTI/500GB 7.2K/ WLAN INTEL 6200/NO 3G/MODEM/CK EU/ KB W/O TS I/COA_W7_MM_PROFES/,	LKN:S7100M0008IT		
	LB S710 FP /35,6 CM HD CAM/I5-460M/ (Promo)	LB S710 FP /35,6 CM HD CAM/I5-460M/ 2x2 GB/DVD SUPER MULTI/500GB 7.2K/ WLAN INTEL 6200/UMTS GOBI 2000/MODEM/CK EU/KB W/O TS I/COA_W7_MM_PROFES/,	LKN:S7100M0009IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>LIFEBOOK S710</b>					
	LIFEBOOK S710	Base unit, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Bluetooth 2.1, Intel High Definition Audio and 1 Microphone integrated, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x E-SATA, Firewire, RJ45 for LAN optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 80W., Please do not forget to configure the 1st Battery extra	S26391-K302-V100	391,00	
	LIFEBOOK S710 with Fingerprint	Base unit with Fingerprint Sensor and Smart case logon+ SW, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Bluetooth 2.1, Intel High Definition Audio and 1 Microphone integrated, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x E-SATA, Firewire, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 80W., Please do not forget to configure the 1st Battery extra	S26391-K302-V200	403,00	





Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK S760**

Data Sheets: <http://ts.fujitsu.com/lifebook>

The LIFEBOOK S760 is the perfect notebook for users who are looking for a light-weight system but don't want to compromise on performance. With the 33.8cm (13.3-inch) display and just 1.6kg it is equipped with a full-featured performance processor and extra thin second battery or DVD-drive. The LIFEBOOK S760 leaves nothing to be desired.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>LIFEBOOK S760</b>					
	LB S760 /33,8 CM HD CAM/i3-370M/2x2 GB/ (Promo)	LB S760 /33,8 CM HD CAM/i3-370M/2x2 GB/ DVD/500GB 7.2K/UMTS GOBI 2000/ WLAN INTEL 6200/BT/MODEM/CK EU/KB I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/	LKN:S7600M0004IT		
	LB S760 /33,8 CM HD CAM/i7-640M/2x2 GB/ (Promo)	LB S760 /33,8 CM HD CAM/i7-640M/2x2 GB/ DVD/500GB 7.2K/NO UMTS/WLAN INTEL 6200/ BT/MODEM/CK EU/KB I/COA_W7_MM_PROFES/ W7_RDVD_32+64_PROF/W7_PRO64_O1MULL_MA/	LKN:S7600M0005IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>LIFEBOOK S760</b>					
	LIFEBOOK S760	Base unit, Intel QM57 Chipset with iAMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drive and 2nd battery. Mobile Intel® HD integrated graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel 82577LM, Intel High Definition Audio, 2 microphones integrated, touchpad and ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector, AC Adapter 19V/80W, Sleeve Case., supports iAMT 6.0: vPro requires Core i5-5xx/ i7 processor, Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 3x USB 2.0 thereof 1 with anycharge functionality, 1x RJ45 for LAN, 1x RJ11 optional for analogue modem, microphone in, audio out, docking connector	S26391-K300-V100	757,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK E780**

Data Sheets: <http://ts.fujitsu.com/lifebook>

The simple philosophy behind LIFEBOOK E780: only the best is good enough. State-of-the-art Intel® technology and an optional NVIDIA® graphics card ensure brilliant graphics and best performance. This 39.6cm (15.6-inch) notebook supports HD or HD+ display with LED backlight. With features like fingerprint and Fujitsu's Advanced Theft Protection (ATP) your notebook is secured from any data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>LIFEBOOK E780</b>					
	Base unit with Fingerprint Sensor and Smart case logon+ SW, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Intel High Definition Audio and 2 Microphones integrated, 1PC Card slot type I/II, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1xserial, 1x VGA, 1x Displayport, 4x USB 2.0, 1x E-SATA, Firewire, 1x RJ45, 1xRJ11 optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 80W., , Please do not forget to configure the 1st Battery extra				
	LB E780 INTEL GFX FP /39,6 CM HD CAM/ (Promo)	LB E780 INTEL GFX FP /39,6 CM HD CAM/ I5-460M/2x2 GB/DVD SUPER MULTI/ 500GB 7.2K/BT V2.1/WLAN INTEL 6200/ UMTS GOBI 2000/MODEM/CK EU/KB W/O TS I/,	LKN:E7800M0009IT		
	LB E780 INTEL GFX FP /39,6 CM HD CAM/ (Promo)	LB E780 INTEL GFX FP /39,6 CM HD CAM/ I5-560M/2x2 GB/DVD SUPER MULTI/ 500GB 7.2K/BT V2.1/WLAN INTEL 6200/ NO 3G/MODEM/CK EU/KB W/O TS I/,	LKN:E7800M0010IT		
	Base unit with Fingerprint Sensor and Smart case logon+ SW, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. NVidia Geforce 330GT performance graphics with 1GB DDR3 Speicher, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Intel High Definition Audio and 2 Microphones integrated, 1PC Card slot type I/II, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1xserial, 1x VGA, 1x Displayport, 4x USB 2.0, 1x E-SATA, Firewire, 1xRJ45, 1xRJ11 optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 100W., , Please do not forget to configure the 1st Battery extra				
	LB E780 GFX FP /39,6 CM HD CAM/I5-560M/ (Promo)	LB E780 GFX FP /39,6 CM HD CAM/I5-560M/ 2x2 GB/DVD SUPER MULTI/320GB/BT V2.1/ WLAN INTEL 6200/NO 3G/MODEM/CK EU/ KB W/O TS I/COA_W7_MM_PROFES/,	LKN:E7800M0011IT		
	LB E780 GFX FP /39,6 CM HD+ CAM/I7-640M/ (Promo)	LB E780 GFX FP /39,6 CM HD+ CAM/I7-640M/ 2x2 GB/DVD SUPER MULTI/500GB 7.2K/ BT V2.1/WLAN INTEL 6200/NO 3G/MODEM/ CK EU/KB W/O TS I/COA_W7_MM_PROFES/,	LKN:E7800M0012IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>LIFEBOOK E780</b>					



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK E780**

Data Sheets: <http://ts.fujitsu.com/lifebook>

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>LIFEBOOK E780 (Continued)</b>					
	LIFEBOOK E780 Intel gfx	Base unit, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Intel High Definition Audio and 2 Microphones integrated, 1PC Card slot type I/II, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1xserial, 1x VGA, 1x Displayport, 4x USB 2.0, 1x E-SATA, 1x Firewire, 1x RJ45, 1x RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 80W., , Please do not forget to configure the 1st Battery extra	S26391-K310-V100	495,00	
	LIFEBOOK E780 Intel gfx with FP	Base unit with Fingerprint Sensor and Smart case logon+ SW, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Mobile Intel® HD integrated graphics, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Intel High Definition Audio and 2 Microphones integrated, 1PC Card slot type I/II, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1xserial, 1x VGA, 1x Displayport, 4x USB 2.0, 1x E-SATA, Firewire, 1x RJ45, 1xRJ11 optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 80W., , Please do not forget to configure the 1st Battery extra	S26391-K310-V200	514,00	
	LIFEBOOK E780 NVidia gfx with FP	Base unit with Fingerprint Sensor and Smart case logon+ SW, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. NVidia Geforce 330GT performance graphics with 1GB DDR3 Speicher, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Intel High Definition Audio and 2 Microphones integrated, 1PC Card slot type I/II, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1xserial, 1x VGA, 1x Displayport, 4x USB 2.0, 1x E-SATA, Firewire, 1xRJ45, 1xRJ11 optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 100W., , Please do not forget to configure the 1st Battery extra	S26391-K310-V400	729,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK NH570**

Data Sheets: <http://ts.fujitsu.com/lifebook>

The LIFEBOOK NH570 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 46.7cm (18.4-inch) display, whenever and wherever they want. The solid design and the spillproof keyboard provide extra reliability, while the high-gloss black finish and slim profile make the notebook a real head-turner.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>LIFEBOOK NH570</b>					
	Base unit 18.4" (46.7cm, 16:9) based Intel® HM55, supports maximum 8 GB Dual channel DDR3 1066MHz memory (2 DIMM slots), Mobile Intel® Graphics Media Accelerator HD, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated IEEE 802.11b/g/n, integrated 1.3 megapixel WebCam, 2 integrated speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, Li-Ion 6-cell battery 5.200 mAh, AC adapter 19V/80W, , Interfaces: 1x VGA, 1xHDMI, 3x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out ExpressCard Slot 34/54mm, Firewire, 1x eSATA, 1xDC-in, 1x kensington lock				
LB NH570 /I3-370M/2x2GB/DVD/320GB/ (Promo)		LB NH570 /I3-370M/2x2GB/DVD/320GB/ BT V2.1/CK EU/KB I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/ DUDVD/,	LKN:NH570M0001IT		
LB NH570 /I5-460M/2x2GB/DVD/500GB/ (Promo)		LB NH570 /I5-460M/2x2GB/DVD/500GB/ BT V2.1/CK EU/KB I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/ DUDVD/,	LKN:NH570M0002IT		
	Base unit 18.4" (46.7cm, 16:9) based Intel® HM55, supports maximum 8 GB Dual channel DDR3 1066MHz memory (2 DIMM slots), NVIDIA® GeForce® GT 330M with 1GB dedicated DDR3 VRAM, Bluetooth, Fingerprint, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated IEEE 802.11b/g/n, integrated 1.3 megapixel WebCam, 2 integrated speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, Li-Ion 8-cell battery 5.200 mAh, AC adapter 19V/100W, , Interfaces: 1x VGA, 1xHDMI, 3x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out, ExpressCard Slot 34/54mm, Firewire, 1x eSATA, 1xDC-in, 1x kensington lock				
LB NH570 /I5-460M/2x2GB/BD WRITER/500GB/ (Promo)		LB NH570 /I5-460M/2x2GB/BD WRITER/500GB/ CK EU/KB I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/ DUDVD/,	LKN:NH570M0003IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>LIFEBOOK NH570</b>					



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK NH570** **Data Sheets: <http://ts.fujitsu.com/lifebook>**

			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
<b>LIFEBOOK NH570 (Continued)</b>					
LIFEBOOK NH570		Base unit 18.4" (46.7cm, 16:9) based Intel® HM55, supports maximum 8 GB Dual channel DDR3 1066MHz memory (2 DIMM slots), Mobile Intel® Graphics Media Accelerator HD, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated IEEE 802.11b/g/n, integrated 1.3 megapixel WebCam, 2 integrated speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, Li-Ion 6-cell battery 5.200 mAh, AC adapter 19V/80W, , Interfaces: 1x VGA, 1xHDMI, 3x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out ExpressCard Slot 34/54mm, Firewire, 1x eSATA, 1xDC-in, 1x kensington lock	S26391-K307-V100	723,00	
LIFEBOOK NH570/GFX		Base unit 18.4" (46.7cm, 16:9) based Intel® HM55, supports maximum 8 GB Dual channel DDR3 1066MHz memory (2 DIMM slots), NVIDIA® GeForce® GT 330M with 1GB dedicated DDR3 VRAM, Bluetooth, Fingerprint, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated IEEE 802.11b/g/n, integrated 1.3 megapixel WebCam, 2 integrated speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, Li-Ion 8-cell battery 5.200 mAh, AC adapter 19V/100W, , Interfaces: 1x VGA, 1xHDMI, 3x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out, ExpressCard Slot 34/54mm, Firewire, 1x eSATA, 1xDC-in, 1x kensington lock	S26391-K307-V200	818,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK P770**

Data Sheets: <http://ts.fujitsu.com/lifebook>

Small, lightweight and nevertheless high performance? The answer to those requirements is the LIFEBOOK P770. With one of the smallest footprints in the 12-inch market and weighing only 1.4 kg, it offers the user quite a range of goodies: all standard interfaces including HDMI, 3G/UMTS, WLAN and Bluetooth, an integrated webcam and long battery runtime. As data security is immensely important for mobile users, the LIFEBOOK P770 meets such requirements thanks to its smartCard controller, fingerprint sensor and optional TPM.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>LIFEBOOK P770</b>					
	LCD 30.7 cm (12.1") WXGA TFT antiglare LED Display, matt black/silver, Intel QS57 chipset, Intel Core i7-660UM (1.33 GHz), supports max. 8 GB Dual Channel DDR3 1066MHz PC8500 system memory (2 DIMM slots), Intel HD integrated graphics, 10/100/1000 MBit/s Intel 82577LM, Intel High Definition Audio, 2 integrated microphones, Touchpad, G-Sensor, integ. fingerprint sensor incl. SmartCase Logon + software, WebCam, application buttons, Kensington Lock, 19V/60W AC adapter, cleaning-cloth, notebook case , supports iAMT 6.0: vPro requires Intel W-LAN & TPM module, Interfaces: 1x SD card slot, 1x ExpressCard, audio out, audio in, 1x VGA, 1x HDMI, 3x USB2.0				
LB P770 /4 GB/DVD/320GB/WLAN INTEL 6200/ (Promo)		LB P770 /4 GB/DVD/320GB/WLAN INTEL 6200/ BT V2.1/NO 3G/CK EU/KB / COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/1ST BATT/TPM/,	LKN:P7700M0005IT		
LB P770 /4 GB/DVD/500GB 7.2K/ (Promo)		LB P770 /4 GB/DVD/500GB 7.2K/ WLAN INTEL 6200/BT V2.1/UMTS GOBI 2000/ CK EU/KB /COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULI_MA/,	LKN:P7700M0006IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>LIFEBOOK P770</b>					
LIFEBOOK P770 i7-660UM matt		LCD 30.7 cm (12.1") WXGA TFT antiglare LED Display, matt black/silver, Intel QS57 chipset, Intel Core i7-660UM (1.33 GHz), supports max. 8 GB Dual Channel DDR3 1066MHz PC8500 system memory (2 DIMM slots), Intel HD integrated graphics, 10/100/1000 MBit/s Intel 82577LM, Intel High Definition Audio, 2 integrated microphones, Touchpad, G-Sensor, integ. fingerprint sensor incl. SmartCase Logon + software, WebCam, application buttons, Kensington Lock, 19V/60W AC adapter, cleaning-cloth, notebook case , supports iAMT 6.0: vPro requires Intel W-LAN & TPM module, Interfaces: 1x SD card slot, 1x ExpressCard, audio out, audio in, 1x VGA, 1x HDMI, 3x USB2.0	S26391-K312-V110	1.591,00	
LIFEBOOK P770 i7-660UM glossy		LCD 30.7 cm (12.1") WXGA TFT antiglare LED Display, glossy black, Intel QS57 chipset, Intel Core i7-660UM (1.33 GHz), supports max. 8 GB Dual Channel DDR3 1066MHz PC8500 system memory (2 DIMM slots), Intel HD integrated graphics, 10/100/1000 MBit/s Intel 82577LM, Intel High Definition Audio, 2 integrated microphones, Touchpad, G-Sensor, integ. fingerprint sensor incl. SmartCase Logon + software, WebCam, application buttons, Kensington Lock, 19V/60W AC adapter, cleaning-cloth, notebook case, supports iAMT 6.0: vPro requires Intel W-LAN & TPM module, Interfaces: 1x SD card slot, 1x ExpressCard, audio out, audio in, 1x VGA, 1x HDMI, 3x USB2.0	S26391-K312-V210	1.601,00	





Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK PH530**

Data Sheets: <http://ts.fujitsu.com/lifebook>

Travel, work and communicate in style, with the portable LIFEBOOK PH530. With its ultra-low-voltage processor, high-resolution 29.5 cm (11.6-inch) LED display, and ENERGY STAR® 5.0 rating, the LIFEBOOK PH530 makes green the new black. Low power consumption coupled with long-life battery at 1.4kg, means the LIFEBOOK PH530 only stops when you do.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>LIFEBOOK PH530</b>					
	LB PH530 /2x2 GB/320GB/NO 3G/CK EU/KB I/ (Promo)	LB PH530 /2x2 GB/320GB/NO 3G/CK EU/KB I/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/ W7_PRO64_O1MULL_MA/ ,	LKN:PH530M0001IT		
	LB PH530 /2x2 GB/HDD SATA 500 GB 5.4K/ (Promo)	LB PH530 /2x2 GB/HDD SATA 500 GB 5.4K/ UMTS GOBI 2000/CK EU/KB I/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/ W7_PRO64_O1MULL_MA/ ,	LKN:PH530M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>LIFEBOOK PH530</b>					
	LIFEBOOK PH530, black, i3-330UM	Base unit 11.6"/29.5cm (16:9, LED) based Intel® HM55, black color with Intel® Core™i3 Processor i3-330UM, Intel® GMA HD integrated graphics, UMTS (optional), Serial ATA HDD interface, 10/100 MBit LAN, integrated WLAN IEEE 802.11b/g/n, integrated 1.3 MPixels WebCam, 2 integrated speakers, touchpad, LED status indicators, Kensington Lock connector, integrated Bluetooth, 4-in-1 card reader, AC adapter 19V/60W, , Interfaces: 1x VGA, 1x HDMI 3x USB 2.0, 1x RJ45 for LAN, 1x microphone in, 1x headphone out	S26391-K315-V100	708,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Table with columns: Category, Description, Details, and various model identifiers (LEFBOOK A130 to A710). Rows are categorized into Memory, Graphics, Removable Media Drives, Communication/Network, OS/Application-SW, UPS/Power supply, and Security.





# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

Professional Notebooks Accessories

Data Sheets: <http://ts.fujitsu.com/lifebook>

Category	Description	Details	LIFEBOOK A130	LIFEBOOK E8370	LIFEBOOK E8420	LIFEBOOK P9290	LIFEBOOK P9110	LIFEBOOK S6420	LIFEBOOK S7220	LIFEBOOK T010	LIFEBOOK T6110	LIFEBOOK T6410	LIFEBOOK T9010	LIFEBOOK A630	LIFEBOOK A650	LIFEBOOK AHS500FX	LIFEBOOK AHS500FX	LIFEBOOK E780	LIFEBOOK E8070	LIFEBOOK S8410	LIFEBOOK MHS70	LIFEBOOK P3110	LIFEBOOK T770	LIFEBOOK P9010	LIFEBOOK MHS50	LIFEBOOK S8410	LIFEBOOK S710	LIFEBOOK S710 Supreme	LIFEBOOK S710 Value	LIFEBOOK S710 Value FP	LIFEBOOK S7210	LIFEBOOK S760	LIFEBOOK T860	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK T970	Product Code	ERP (€)	Comments				
Additional Software (Continued)	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																	x																				U11081-C313	3.988,00			
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																	x																					U11081-C323	1.628,00		
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300	30,00		
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15,00			
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x																				U10987-C502	1.994,00		
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x																				U10987-C514	1.994,00		
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																		x																				U10987-C526	814,00		
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x																				U10987-C503	3.988,00		
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x																				U10987-C515	3.988,00		
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																		x																					U10987-C527	1.628,00	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																		x																					U10987-C504	4.618,00	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																		x																					U10987-C516	4.618,00	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																		x																					U10987-C528	1.885,00	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																		x																					U10987-C505	5.982,00	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																		x																					U10987-C517	5.982,00	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																		x																					U10987-C529	2.442,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

LIFEBOOK Options

Data Sheets: <http://ts.fujitsu.com/lifebook>

Category	Description	Details	LIFEBOOK A530	LIFEBOOK E780	LIFEBOOK N1570	LIFEBOOK P770	LIFEBOOK P1650	LIFEBOOK S710	LIFEBOOK S720	LIFEBOOK S760	LIFEBOOK T980	LIFEBOOK T900	LIFEBOOK T1700	Product Code	EUP (€)	Comments
<b>Options matrix</b>																
<b>LCD-Display</b>																
	35,6 cm (14.0") HD LED							x						S26391-F500-E100	119,00	
	35,6 cm (14.0") HD LED w/ cam							x						S26391-F500-E200	127,00	
	39,6 cm (15.6") HD compound LED			x										S26391-F501-E100	110,00	
	39,6 cm (15.6") HD magnesium LED w/ cam			x										S26391-F501-E200	158,00	
	39,6 cm (15.6") HD+ magnesium LED w/ cam			x										S26391-F501-E300	184,00	
	Anti-Glare Berliner Glass Display Shield										x			S26391-F643-E100	51,00	
	Glare Glass Display Shield											x		S26391-F643-E200	48,00	
	33,8 cm (13.3") HD compound LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 200 cd/m², without Cam								x				S26391-F653-E200	117,00	
	33,8 cm (13.3") HD magn. STD LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 200 cd/m², without Cam								x				S26391-F653-E350	142,00	
	33,8 cm (13.3") HD compound LED w/ Cam	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 200 cd/m², with Cam								x				S26391-F653-E400	127,00	
	33,8 cm (13.3") HD magn. STD LED w/ Cam	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 200 cd/m², with Cam								x				S26391-F653-E550	152,00	
	30,7 cm (12.1") WXGA premium LED	Wide-View High-Bright LED Display										x		S26391-F660-E100	271,00	
	30,7 cm (12.1") WXGA standard LED											x		S26391-F660-E200	121,00	
	14.1" WXGA+ Cam for S7220							x						S26391-F446-E400	206,00	Phased out
<b>Thin Client Kit</b>																
	CF 4 GB (300x) Upgrade Kit			x				x						S26391-F535-E100	96,00	Orderable from: 10/12/2010
<b>Processor</b>																
	Intel Core2 Duo P8700 2.53GHz 3MB 1066MH								x					S26391-F431-E870	316,00	
	Intel Core2 Duo P8800 2.66GHz 3MB 1066MH								x					S26391-F431-E880	364,00	
	Intel Core2 Duo T9600 2.8GHz 6MB 1066MH								x					S26391-F432-E960	477,00	
	Intel Core i5-460M 2.53GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)			x									S26391-F461-E460	260,00	
	Intel Core i7-640M 2.80GHz 4MB				x									S26391-F461-E640	500,00	
	Intel Core i3-370M 2.40GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)			x				x					S26391-F503-E370	169,00	
	Intel Core i3-380M 2.53GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)			x				x					S26391-F503-E380	226,00	New product,Orderable from: 10/01/2011
	Intel Core i5-460M 2.53GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)			x				x					S26391-F503-E460	260,00	
	Intel Core i5-520M 2.4GHz 3MB				x				x					S26391-F503-E520	339,00	Phased out
	Intel Core i5-540M 2.53GHz 3MB				x				x					S26391-F503-E540	387,00	Phased out
	Intel Core i5-560M 2.66GHz 3MB				x				x					S26391-F503-E560	339,00	
	Intel Core i3-370M 2.40GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)									x		x	S26391-F532-E370	169,00	
	Intel Pentium P6100 2.00GHz 3MB	only for shipments to retail customers											x	S26391-F532-E610	99,00	
	Intel Celeron P4600 2.00GHz 2MB								x					S26391-F534-E460	96,00	
	Intel Celeron P4500 1.86GHz 2MB								x				x	S26391-F640-E145	96,00	Phased out
	Intel Core i3-350M 2.26GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)									x		x	S26391-F640-E350	169,00	Phased out
	Intel Core i3-370M 2.40GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)								x			x	S26391-F640-E370	169,00	
	Intel Core i3-380M 2.53GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)								x			x	S26391-F640-E380	226,00	New product,Orderable from: 10/01/2011
	Intel Core i5-450M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)									x		x	S26391-F640-E450	260,00	Phased out
	Intel Core i5-460M 2.53GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)								x			x	S26391-F640-E460	260,00	
	Intel Core i5-480M 2.66GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)									x			S26391-F640-E480	260,00	New product,Orderable from: 10/01/2011
	Intel Core i5-520M 2.4GHz 3MB								x	x	x	x		S26391-F640-E520	339,00	Phased out
	Intel Core i5-540M 2.53GHz 3MB								x	x	x			S26391-F640-E540	387,00	Phased out
	Intel Core i5-560M 2.66GHz 3MB								x	x	x			S26391-F640-E560	339,00	
	Intel Core i7-620M 2.66GHz 4MB								x	x	x			S26391-F640-E620	500,00	Phased out
	Intel Core i7-640M 2.80GHz 4MB								x	x	x			S26391-F640-E640	500,00	
	Intel Core i7-620M 2.66GHz 4MB				x	x			x					S26391-F461-E620	500,00	Phased out
	Intel Core i7-640M 2.80GHz 4MB				x				x					S26391-F503-E640	500,00	
	Intel Core i5-450M 2.40GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)				x								S26391-F461-E545	260,00	Phased out
	Intel Core i3-370M 2.40GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)				x								S26391-F461-E370	169,00	
	Intel Core i3-350M 2.26GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)				x								S26391-F461-E350	169,00	Phased out
	Intel Pentium P6100 2.00GHz 3MB	only for shipments to retail customers												S26391-F461-E610	99,00	
	Celeron P4500 1.86GHz 2MB													S26391-F461-E450	96,00	Phased out
	Intel Celeron P4600 2.00GHz 2MB													S26391-F530-E460	96,00	
<b>Memory</b>																
	1GB DDR3-1066								x					S26391-F436-E100	23,00	
	2GB DDR3-1066								x					S26391-F436-E200	42,00	
	2GB DDR3 PC3-8500				x									S26391-F462-E102	42,00	
	4GB DDR3 PC3-8500				x									S26391-F462-E104	88,00	
	2 GB DDR3 1066 MHz PC3-8500								x					S26391-F504-E100	42,00	
	4 GB DDR3 1066 MHz PC3-8500								x					S26391-F504-E200	88,00	
	2 GB DDR3 1066 MHz PC3-8500													S26391-F505-E100	42,00	
	4 GB DDR3 1333 MHz PC3-10600				x									S26391-F505-E300	88,00	
	2 GB DDR3 800 MHz PC3-6400				x									S26391-F521-E100	42,00	
	2 GB DDR3 1066 MHz PC3-8500										x		x	S26391-F621-E500	42,00	
	4 GB DDR3 1066 MHz PC3-8500										x		x	S26391-F621-E600	88,00	
	2 GB DDR3 1066 MHz PC3-8500											x		S26391-F641-E100	42,00	
	4 GB DDR3 1066 MHz PC3-8500												x	S26391-F641-E200	88,00	
	2 GB DDR3 800 MHz PC3-6400									x				S26391-F662-E100	42,00	
	4 GB DDR3 800 MHz PC3-6400									x				S26391-F662-E200	88,00	
	2GB DDR3 PC8500					x								S26391-F791-E100	42,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

LIFEBOOK Options

Data Sheets: <http://ts.fujitsu.com/lifebook>

Category	Description	Details	LIFEBOOK A530	LIFEBOOK E780	LIFEBOOK N1570	LIFEBOOK P770	LIFEBOOK P4530	LIFEBOOK S710	LIFEBOOK S720	LIFEBOOK S760	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Options matrix																	
<b>Memory (Continued)</b>																	
	4GB DDR3 PC8500 (2 x 2GB)				x										S26391-F791-E300	83,00	
	4GB DDR3 PC8500 (1 x 4GB)				x										S26391-F791-E400	88,00	
	2 GB DDR3 1066 MHz PC3-8500								x						S26391-F650-E200	42,00	
	4 GB DDR3 1066 MHz PC3-8500								x						S26391-F650-E400	88,00	
<b>Graphics</b>																	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x				x								S26361-F2391-E200	17,00	
<b>Removable Media Drives</b>																	
	DVD Super multi (reader/writer)							x							S26391-F440-E100	40,00	
	Blu-ray Triple Writer + BD playback SW	Blu-ray read/write + DVD read/write + CD read/write		x											S26391-F464-E100	131,00	
	Blu-ray combo drive incl. BD playback SW	Blu-ray read only + DVD read/write + CD read/write		x											S26391-F464-E110	123,00	
	DVD Super multi (reader/writer)			x											S26391-F464-E120	34,00	
	Weight saver for modular bay										x	x	x		S26391-F777-E300	3,00	
	2nd Battery (10.8V, 3.800mAh)									x	x	x			S26391-F777-E400	113,00	
	DL Super Multi DVD+/-RW Drive												x		S26391-F777-E500	35,00	
	DVD Super Multi (reader/writer)									x	x				S26391-F777-E700	34,00	
	Blu-ray combo drive incl. BD playback SW	Blu-ray read only + DVD read/write + CD read/write									x	x			S26391-F777-E800	123,00	
	DVD Super Multi (reader/writer)				x										S26391-F797-E100	44,00	
	Weight saver for modular bay								x						S26391-F652-E100	3,00	
	2nd battery		x					x	x						S26391-F440-E200	121,00	
	2nd Battery (10.8V, 2.500mAh) weight saver		x					x	x						S26391-F440-E300	3,00	
	DVD Super Multi (reader/writer)	Nero on driver DVD			x			x		x					S26391-F652-E300	44,00	
	DVD Super multi (reader/writer)		x					x							S26391-F515-E200	38,00	
<b>Hard Disks</b>																	
	HDD SATA 160GB 5.4k							x							S26391-F437-E200	55,00	Phased out
	HDD SATA 320GB 5.4k							x							S26391-F437-E300	62,00	
	HDD FDE-4 320GB 5.4k							x							S26391-F439-E600	79,00	
	HDD SATA 160 GB 7.2k								x						S26391-F507-E400	58,00	
	HDD SATA 160 GB 5.4k												x		S26391-F642-E100	55,00	
	HDD SATA 320 GB 5.4k												x		S26391-F642-E200	62,00	
	HDD SATA 320 GB 5.4k FDE												x		S26391-F642-E400	79,00	
	HDD SATA 500 GB 7.2k												x		S26391-F642-E500	86,00	
	SSD SATA 64GB FDE												x		S26391-F642-E700	236,00	
	SSD SATA 128GB FDE												x		S26391-F642-E800	394,00	
	HDD SATA 160 GB 7.2k									x					S26391-F651-E900	58,00	
	HDD SATA 160 GB 5.4k										x				S26391-F661-E100	55,00	
	HDD SATA 320 GB 5.4k										x				S26391-F661-E200	62,00	
	HDD SATA 320 GB 5.4k FDE											x			S26391-F661-E400	79,00	
	HDD SATA 500 GB 7.2k											x			S26391-F661-E500	86,00	
	SSD SATA 64GB FDE											x			S26391-F661-E700	236,00	
	SSD SATA 128GB FDE											x			S26391-F661-E800	394,00	
	HDD SATA 160 GB 5.4k										x				S26391-F663-E100	55,00	
	HDD SATA 320 GB 5.4k										x				S26391-F663-E200	62,00	
	HDD SATA 320 GB 5.4k FDE											x			S26391-F663-E300	79,00	
	HDD SATA 500 GB 7.2k											x			S26391-F663-E400	86,00	
	SSD SATA 64 GB FDE											x			S26391-F663-E600	236,00	
	HDD SATA 160GB 5.4k				x										S26391-F463-E160	55,00	
	HDD SATA 320GB 5.4k				x										S26391-F463-E320	62,00	
	HDD SATA 500GB 5.4k				x										S26391-F463-E600	78,00	
	2x HDD SATA 500GB 5.4k				x										S26391-F463-E05	158,00	
	HDD SATA 640 GB 5.4k				x										S26391-F463-E640	90,00	
	2x HDD SATA 640 GB 5.4k				x										S26391-F463-E645	184,00	
	HDD SATA 160GB 5.4k									x					S26391-F651-E100	55,00	
	HDD SATA 320 GB 5.4k									x					S26391-F651-E200	62,00	
	HDD SATA 320 GB 5.4k FDE										x				S26391-F651-E500	79,00	
	HDD SATA 500 GB 7.2k											x			S26391-F651-E450	86,00	
	SSD SATA 128GB FDE												x		S26391-F651-E700	394,00	
	HDD SATA 160 GB 5.4k		x												S26391-F508-E100	55,00	
	HDD SATA 160GB 5.4k				x										S26391-F792-E100	55,00	
	HDD SATA 160 GB 5.4k							x							S26391-F507-E100	55,00	
	HDD SATA 320 GB 5.4k								x						S26391-F507-E200	62,00	
	HDD SATA 500 GB 7.2k														S26391-F507-E300	86,00	
	HDD SATA 160 GB 7.2k		x												S26391-F508-E150	58,00	
	HDD SATA 320 GB 5.4k		x												S26391-F508-E200	62,00	
	HDD SATA 320 GB 5.4k FDE		x												S26391-F509-E100	79,00	
	HDD SATA 320GB 5.4k				x										S26391-F792-E300	62,00	
	HDD SATA 320 GB 5.4k														S26391-F522-E320	62,00	
	HDD SATA 500 GB 7.2k		x												S26391-F508-E400	86,00	
	HDD FDE 320GB 5.4k				x										S26391-F792-E400	79,00	
	HDD SATA 500 GB 5.4k								x						S26391-F522-E500	78,00	
	HDD SATA 500 GB 7.2k					x									S26391-F792-E500	86,00	
	SSD SATA 128GB FDE		x					x							S26391-F510-E100	394,00	
	SSD SATA 128GB FDE					x									S26391-F792-E800	394,00	
<b>WebCam</b>																	
	No Camera										x	x			S26391-F625-E110	6,00	
	2M pixels Camera											x			S26391-F625-E300	21,00	
	2M pixels Camera												x		S26391-F625-E310	18,00	
	No Camera													x	S26391-F625-E350	6,00	
	No Camera											x			S26391-F625-E400	8,00	
	1.3M pixels Camera											x			S26391-F625-E410	18,00	
<b>Communication/Network</b>																	
	Bluetooth module V2.1			x											S26391-F465-E100	6,00	
	Bluetooth module V2.1		x												S26391-F511-E300	6,00	
	Air Command Plus			x											S26391-F7111-E200	73,00	
	External DVB-Tuner (Express Card)				x										S26391-F830-E400	35,00	
	Intel Centrino 6200 802.11a/b/g/n (WW)									x	x	x			S26391-F647-E500	21,00	
	Intel Centrino 6200 802.11a/b/g/n (WW)										x				S26391-F664-E220	21,00	
	WLAN Atheros 802.11b/g/n (WW)										x	x	x		S26391-F647-E600	8,00	
	WLAN Atheros 802.11b/g/n (WW)											x			S26391-F664-E230	8,00	
	No WLAN												x		S26391-F624-E100	3,00	
	No WLAN													x	S26391-F647-E400	3,00	
	No WLAN										x				S26391-F664-E210	3,00	
	No WLAN		x					x	x						S26391-F435-E100	3,00	





Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK Options**

Data Sheets: <http://ts.fujitsu.com/lifebook>

Category	Description	Details	LIFEBOOK A630	LIFEBOOK E780	LIFEBOOK N1570	LIFEBOOK P770	LIFEBOOK P1530	LIFEBOOK S710	LIFEBOOK S720	LIFEBOOK S760	LIFEBOOK T800	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK T1700	Product Code	EUP (€)	Comments
<b>Options matrix</b>																	
<b>Communication/Network (Continued)</b>																	
	Bluetooth module V2.1+EDR										x		x	S26391-F624-E500	6,00		
	UMTS Sierra Wireless Gobi2000								x					S26391-F654-E100	119,00		
	Bluetooth module V2.1									x				S26391-F664-E320	8,00		
	Intel Centrino 6200 802.11a/b/g/n (WW)				x									S26391-F793-E800	21,00		
	Intel Centrino 6200 802.11a/b/g/n (WW)		x				x							S26391-F511-E100	21,00		
	No Bluetooth										x			S26391-F664-E310	3,00		
	WLAN Atheros 802.11b/g/n (WW)		x											S26391-F511-E200	8,00		
	No UMTS								x					S26391-F654-E120	3,00		
	WLAN Atheros 802.11 b/g 13ch	No FCC certification with Atheros WLAN							x					S26391-F435-E200	8,00	Phased out	
	No Bluetooth												x	S26391-F624-E500	3,00		
	WLAN Atheros 802.11b/g/n (WW)				x									S26391-F793-E900	8,00		
	Intel WiFi Link 5300 802.11a/g/n 13ch	not for Russia / Ukraine / Pakistan							x					S26391-F435-E300	44,00		
	Intel Centrino 6200 802.11a/b/g/n (WW)									x				S26391-F654-E300	21,00		
	No WLAN					x								S26391-F793-E100	3,00		
	UMTS module Sierra Wireless MC8790 3G	not for China							x					S26391-F435-E400	130,00		
	WLAN Atheros 802.11b/g/n (WW)									x				S26391-F654-E400	8,00		
	No WLAN										x			S26391-F654-E410	3,00		
	No 3G \ UMTS		x			x	x	x						S26391-F435-E450	3,00		
	UMTS Sierra Wireless Gobi 2000	not for China	x		x	x								S26391-F364-E100	113,00		
	UMTS Sierra Gobi 2000 for Thin Client	not for China	x			x								S26391-F364-E110	113,00	Orderable from: 10/12/2010	
	Bluetooth module V2.1								x					S26391-F435-E500	18,00		
	Bluetooth module V2.1									x				S26391-F793-E500	6,00		
	Bluetooth module V2.1					x								S26391-F793-E510	6,00		
	No Bluetooth					x								S26391-F793-E550	3,00		
	UMTS Sierra Wireless Gobi2000	including GPS functionality											x	S26391-F647-E210	140,00		
	UMTS Sierra Wireless Gobi2000	including GPS functionality											x	S26391-F647-E220	136,00		
	No Bluetooth												x	S26391-F647-E800	3,00		
	UMTS Sierra Wireless Gobi2000	including GPS functionality								x				S26391-F664-E120	136,00		
	No UMTS										x			S26391-F647-E110	3,00		
	No UMTS											x		S26391-F647-E120	3,00		
	Bluetooth module V2.1											x		S26391-F647-E900	13,00		
	No UMTS												x	S26391-F664-E110	8,00		
	No Modem		x											S26391-F513-E200	3,00		
	No Modem							x						S26391-F513-E400	3,00		
	Modem		x											S26391-F513-E100	8,00		
	Modem													S26391-F513-E300	6,00		
	Modem adapter kit (EU) w/ modem cable	includes all adapter for EU	x					x						S26391-F512-E100	13,00		
	UMTS module Sierra Wireless Gobi 2000				x									S26391-F793-E700	117,00		
	No 3G \ UMTS				x									S26391-F793-E600	3,00		
	No UMTS / No Modem												x	S26391-F647-E100	3,00		
	Modem									x				S26391-F654-E200	6,00		
	HS E2000 Communicator Headset		x	x		x	x							S26391-F7139-E5	13,00		
	UMTS Sierra Wireless Gobi2000												x	S26391-F647-E200	140,00		
	No Modem									x				S26391-F654-E210	3,00		
	Modem												x	S26391-F647-E300	8,00		
	Modem adapter kit (EU) w/ modem cable	includes all adapter for EU								x			x	S26391-F646-E100	13,00		
	Modem adapter kit (EU)	includes all adapter for EU						x						S26361-F3145-E50	13,00		
<b>Country kits</b>																	
	Country Kit US	includes manual and AC-cable							x					S26391-F450-E100	6,00		
	Country Kit GB	includes manual and AC-cable								x				S26391-F450-E200	6,00		
	Country Kit EU	includes manual and AC-cable								x				S26391-F450-E300	6,00		
	Country Kit D	includes manual and AC-cable												S26391-F450-E400	6,00		
	Country Kit EU	supporting also India, incl. power cord (EU), safety manual (Int), Getting Started, Service Desk Information			x									S26391-F467-E100	6,00		
	Country Kit GB	incl. power cord (GB), safety manual (GB/ARA), Getting Started, Service Desk Information			x									S26391-F467-E200	6,00		
	Country Kit US	incl. power cord (US), safety manual (Int), Getting Started, Service Desk Information			x									S26391-F467-E300	6,00		
	Country Kit D	incl. power cord (EU), safety manual (D), Getting Started, Service Desk Information			x									S26391-F467-E400	6,00		
	Country Kit EU	supporting also India, incl. power cord (EU), safety manual (Int), Getting Started, Service Desk Information											x	S26391-F645-E100	8,00		
	Country Kit GB	incl. power cord (GB), safety manual (Int), Getting Started, Service Desk Information											x	S26391-F645-E200	8,00		
	Country Kit US	incl. power cord (US), safety manual (Int), Getting Started, Service Desk Information											x	S26391-F645-E300	8,00		
	Country Kit D	incl. power cord (EU), safety manual (D), Getting Started, Service Desk Information											x	S26391-F645-E400	8,00		
	Country Kit EU	supporting also India, incl. power cord (EU), safety manual (Int), Getting Started, Service Desk Information											x	S26391-F645-E500	18,00		
	Country Kit GB	incl. power cord (GB), safety manual (Int), Getting Started, Service Desk Information										x	x	S26391-F645-E600	21,00		
	Country Kit US	incl. power cord (US), safety manual (Int), Getting Started, Service Desk Information										x	x	S26391-F645-E700	18,00		
	Country Kit D	incl. power cord (EU), safety manual (D), Getting Started, Service Desk Information										x	x	S26391-F645-E800	21,00		
	Country Kit EU	supporting also India, incl. power cord (EU), safety manual (Int), Getting Started, Service Desk Information											x	S26391-F665-E100	6,00		
	Country Kit GB	incl. power cord (GB), safety manual (Int), Getting Started, Service Desk Information										x		S26391-F665-E200	6,00		
	Country Kit US	incl. power cord (US), safety manual (Int), Getting Started, Service Desk Information										x		S26391-F665-E300	6,00		
	Country Kit D	incl. power cord (EU), safety manual (D), Getting Started, Service Desk Information										x		S26391-F665-E400	6,00		



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK Options**

Data Sheets: <http://ts.fujitsu.com/lifebook>

Category	Description	Details	LIFEBOOK A630	LIFEBOOK E780	LIFEBOOK N1570	LIFEBOOK P770	LIFEBOOK P1650	LIFEBOOK S710	LIFEBOOK S720	LIFEBOOK S760	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T980	LIFEBOOK T1700	Product Code	EUP (€)	Comments
<b>Options matrix</b>																	
<b>Country kits (Continued)</b>																	
	Country Kit EU	supporting also India, incl. power cord (EU), safety manual (Int), Getting Started, Service Desk Information								x					S26391-F657-E100	6,00	
	Country Kit GB	incl. power cord (GB), safety manual (Int), Getting Started, Service Desk Information								x					S26391-F657-E200	8,00	
	Country Kit US	incl. power cord (US), safety manual (Int), Getting Started, Service Desk Information								x					S26391-F657-E300	6,00	
	Country Kit D	incl. power cord (EU), safety manual (D), Getting Started, Service Desk Information								x					S26391-F657-E400	6,00	
	Country Kit EU	supporting also India, incl. power cord (EU), safety manual (Int), Getting Started, Service Desk Information	x					x							S26391-F520-E100	6,00	
	Country Kit EU	supporting also India, incl. power cord (EU), safety manual (Int), Getting Started, Service Desk Information					x								S26391-F523-E100	6,00	
	Country Kit US	incl. power cord (US), safety manual (Int), Getting Started, Service Desk Information				x									S26391-F796-E100	18,00	
	Country Kit GB	incl. power cord (GB), safety manual (GB/ARA), Getting Started, Service Desk Information	x					x							S26391-F520-E200	6,00	
	Country Kit GB	incl. power cord (GB), safety manual (GB/ARA), Getting Started, Service Desk Information						x							S26391-F523-E200	6,00	
	Country Kit GB	incl. power cord (GB), safety manual (Int), Getting Started, Service Desk Information				x									S26391-F796-E200	21,00	
	Country Kit US	incl. power cord (US), safety manual (Int), Getting Started, Service Desk Information	x					x							S26391-F520-E300	8,00	
	Country Kit US	incl. power cord (US), safety manual (Int), Getting Started, Service Desk Information						x							S26391-F523-E300	6,00	
	Country Kit EU	supporting also India, incl. power cord (EU), safety manual (Int), Getting Started, Service Desk Information					x								S26391-F796-E300	18,00	
	Country Kit D	incl. power cord (EU), safety manual (D), Getting Started, Service Desk Information	x					x							S26391-F520-E400	6,00	
	Country Kit D	incl. power cord (EU), safety manual (D), Getting Started, Service Desk Information						x							S26391-F523-E400	6,00	
	Power cord three-wire EU		x					x							S26391-F456-E310	4,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	x				x							S26391-F404-E911	2,00	
<b>Port Replicator</b>																	
	Portrep/AC Adapter 100W  EU-Cable Kit			x				x							S26391-F516-E100	88,00	
	Portrep/AC Adapter 100W  GB-Cable Kit			x				x							S26391-F516-E200	90,00	
	Portrep/AC Adapter 100W  US-Cable Kit			x				x							S26391-F516-E300	68,00	
	Portrep/AC Adapter  EU-Cable Kit												x		S26391-F644-E100	103,00	
	Portrep/AC Adapter  GB-Cable Kit												x		S26391-F644-E200	104,00	
	Portrep/AC Adapter  EU-Cable Kit								x						S26391-F655-E100	86,00	
	Portrep/AC Adapter  GB-Cable Kit								x						S26391-F655-E200	88,00	
	Portrep/AC Adapter  EU-Cable Kit								x						S26391-F655-E300	68,00	
	Portrep/AC Adapter  EU-Cable Kit						x								S26391-F794-E100	94,00	
	Portrep/AC Adapter  GB-Cable Kit						x								S26391-F794-E150	79,00	
	Portrep/AC Adapter  GB-Cable Kit						x								S26391-F794-E200	96,00	
	Portrep/AC Adapter  EU-Cable Kit											x			S26391-F794-E300	94,00	
	Portrep/AC Adapter  GB-Cable Kit											x			S26391-F794-E400	96,00	
<b>OneBox-Keyboards</b>																	
	Keyboard D	German			x										S26391-F179-E221	10,00	
	Keyboard I	Italian			x										S26391-F179-E223	10,00	
	Keyboard GB	British			x										S26391-F179-E225	10,00	
	Keyboard US INT	US american (for netherlands, poland, ...too)			x										S26391-F179-E233	10,00	
	Keyboard US	US american (for netherlands, poland, ...too)			x										S26391-F179-E234	10,00	
	Keyboard w/o TS Spillproof D black	German	x					x							S26391-F2605-E521	8,00	
	Keyboard w/o TS Spillproof I black	Italian	x					x							S26391-F2605-E523	8,00	
	Keyboard w/o TS Spillproof GB black	British	x					x							S26391-F2605-E525	8,00	
	Keyboard w/o TS Spillproof US black	US american (for netherlands, poland, ... too)	x					x							S26391-F2605-E534	8,00	
	Keyboard D										x	x	x		S26391-F626-E121	10,00	
	Keyboard I										x	x	x		S26391-F626-E123	10,00	
	Keyboard GB										x	x	x		S26391-F626-E125	10,00	
	Keyboard US										x	x	x		S26391-F626-E134	10,00	
	Keyboard D										x				S26391-F659-E121	8,00	
	Keyboard I										x				S26391-F659-E123	8,00	
	Keyboard GB										x				S26391-F659-E125	8,00	
	Keyboard D							x							S26391-F790-E121	10,00	
	Keyboard I							x							S26391-F790-E123	10,00	
	Keyboard GB							x							S26391-F790-E125	10,00	
	Keyboard US INT							x							S26391-F790-E134	10,00	
	Keyboard US							x							S26391-F790-E135	10,00	
	Keyboard w/ TS Spillproof D	German	x					x	x						S26391-F2605-E121	25,00	
	Keyboard w/o TS Spillproof D	German								x					S26391-F628-E121	8,00	
	Keyboard w/ TS Spillproof I	Italian	x					x	x						S26391-F2605-E123	25,00	
	Keyboard w/o TS Spillproof I	Italian								x					S26391-F628-E123	8,00	
	Keyboard w/ TS Spillproof GB	British	x					x	x						S26391-F2605-E125	25,00	
	Keyboard w/o TS Spillproof GB	British								x					S26391-F628-E125	8,00	
	Keyboard w/ TS Spillproof US	US american (for netherlands, poland, ... too)	x					x	x						S26391-F2605-E134	25,00	
	Keyboard w/o TS Spillproof US	US american (for netherlands, poland, ... too)								x					S26391-F628-E134	8,00	
	Keyboard Spillproof D	German						x							S26391-F121-E221	14,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK Options**

Data Sheets: <http://ts.fujitsu.com/lifebook>

Category	Description	Details	LIFEBOOK A530	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S720	LIFEBOOK S760	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK TH700	Product Code	EUP (€)	Comments
Options matrix																	
<b>OneBox-Keyboards (Continued)</b>																	
	Keyboard w/o TS Spillproof D	German	x					x	x						S26391-F2605-E221	10,00	
	Keyboard Spillproof I						x								S26391-F121-E223	14,00	
	Keyboard w/o TS Spillproof I	Italian		x				x	x						S26391-F2605-E223	10,00	
	Keyboard Spillproof GB						x								S26391-F121-E225	14,00	
	Keyboard w/o TS Spillproof GB	British		x				x	x						S26391-F2605-E225	10,00	
	Keyboard Spillproof US						x								S26391-F121-E234	14,00	
	Keyboard w/o TS Spillproof US	US american (for netherlands, poland, ...too)	x					x	x						S26391-F2605-E234	10,00	
<b>OS/Application-SW</b>																	
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback), BackItUp/ on DVD	x	x				x	x						S26361-F1818-E893	4,00	
	Drivers & Utility (XP/Vista/7) LIFEBOOK	incl. Nero 7 Essentials S							x						S26361-F2007-E903	3,00	
	No Operating System					x				x	x	x	x		S26361-F2008-E100	3,00	
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback), BackItUp/ on DVD				x				x	x	x	x		S26361-F2008-E893	4,00	
	OEM Office 2007 Basic (D)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation				x				x	x	x	x		S26361-F2009-E108	203,00	Phased out
	OEM Office 2007 Basic (GB)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation				x				x	x	x	x		S26361-F2009-E109	203,00	Phased out
	OEM Office 2007 Basic (I)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation				x				x	x	x	x		S26361-F2009-E111	203,00	Phased out
	OEM Office 2007 SBE (D)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation				x				x	x	x	x		S26361-F2009-E113	303,00	Phased out
	OEM Office 2007 SBE (GB)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation				x				x	x	x	x		S26361-F2009-E114	303,00	Phased out
	OEM Office 2007 SBE (I)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation				x				x	x	x	x		S26361-F2009-E116	303,00	Phased out
	OEM Office 2007 PRO (D)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation				x				x	x	x	x		S26361-F2009-E118	395,00	Phased out
	OEM Office 2007 PRO (GB)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation				x				x	x	x	x		S26361-F2009-E119	395,00	Phased out
	OEM Office 2007 PRO (I)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation				x				x	x	x	x		S26361-F2009-E121	395,00	Phased out
	Windows Embedded Standard_7 German		x					x							S26361-F2009-E148	94,00	Orderable from: 30/11/2010
	Drivers & Utility (XP/Vista/7) LIFEBOOK		x	x				x							S26361-F2009-E172	3,00	
	Windows Embedded Standard_7_SC English		x					x							S26361-F2009-E193	110,00	Orderable from: 30/01/2011
	Windows Embedded Standard_7 English		x					x							S26361-F2009-E194	94,00	Orderable from: 30/11/2010
	Drivers&Utility DVD(XP/Vista/7) LIFEBOOK									x			x		S26361-F2010-E164	3,00	
	Drivers&Utility DVD(XP/Vista/7) LIFEBOOK					x									S26361-F2010-E165	3,00	
	Drivers&Utility DVD(XP/Vista/7) LIFEBOOK										x		x		S26361-F2010-E166	3,00	
	Drivers&Utility DVD(XP/Vista/7) LIFEBOOK										x				S26361-F2010-E198	3,00	
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.				x				x	x	x	x		S26361-F2110-E177	136,00	
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.				x				x	x	x	x		S26361-F2110-E180	136,00	
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. , Not to be distributed to small business or the United States Federal Government.				x				x	x	x	x		S26361-F2110-E181	136,00	
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x	x	x	x		S26361-F2110-E182	244,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK Options**

Data Sheets: <http://ts.fujitsu.com/lifebook>

Category	Description	Details	LIFEBOOK AE30	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S720	LIFEBOOK S760	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T980	LIFEBOOK TH700	Product Code	EUP (€)	Comments
<b>OS/Application-SW (Continued)</b>																	
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x	x	x	x	x	S26361-F2110-E185	244,00	
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x	x	x	x	x	S26361-F2110-E186	244,00	
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x	x	x	x	x	S26361-F2110-E187	436,00	
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x	x	x	x	x	S26361-F2110-E190	436,00	
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x	x	x	x	x	S26361-F2110-E191	436,00	
	License EU/MM - Windows 7 Home Premium	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	x	x		x	x							S26361-F2009-E243	127,00	
	License EU/MM - Windows 7 Home Premium	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.				x				x	x	x	x		S26361-F2010-E243	127,00	
	License EU/MM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	x	x		x	x							S26361-F2009-E253	168,00	
	License EU/MM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.				x				x	x	x	x		S26361-F2010-E253	168,00	
	OEM Office 2007 Basic (GB)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation		x				x	x						S26361-F1818-E782	203,00	Phased out
	OEM Office 2007 Basic (D)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation		x				x	x						S26361-F1818-E781	203,00	Phased out
	OEM Office 2007 Basic (I)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation		x				x	x						S26361-F1818-E784	203,00	Phased out
	OEM Office 2007 SBE (GB)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation		x				x	x						S26361-F1818-E787	303,00	Phased out
	OEM Office 2007 SBE (D)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation		x				x	x						S26361-F1818-E786	303,00	Phased out
	Vista Business 32bit MuLi A Office Ready	OEM version, license, Office 2007 Ready, (D, DK, E, F, FIN, GB, I, N, NL, S)							x						S26361-F2007-E201	165,00	Phased out
	OEM Office 2007 SBE (I)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation		x				x	x						S26361-F1818-E789	303,00	Phased out



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK Options**

Data Sheets: <http://ts.fujitsu.com/lifebook>

Category	Description	Details	LIFEBOOK A630	LIFEBOOK E780	LIFEBOOK N1570	LIFEBOOK P770	LIFEBOOK P1650	LIFEBOOK S710	LIFEBOOK S720	LIFEBOOK S760	LIFEBOOK T800	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK T1700	Product Code	EUP (€)	Comments
<b>OS/Application-SW (Continued)</b>																	
	OEM Office 2007 PRO (GB)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation		x				x	x						S26361-F1818-E792	395,00	Phased out
	OEM Office 2007 PRO (D)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation		x				x	x						S26361-F1818-E791	395,00	Phased out
	OEM Office 2007 PRO (I)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation		x				x	x						S26361-F1818-E794	395,00	Phased out
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.		x	x		x	x							S26361-F2009-E177	136,00	
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.		x	x		x	x							S26361-F2009-E180	136,00	
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.		x	x		x	x							S26361-F2009-E181	136,00	
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x		x	x							S26361-F2009-E182	244,00	
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x		x	x							S26361-F2009-E185	244,00	
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x		x	x							S26361-F2009-E186	244,00	
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x		x	x							S26361-F2009-E187	436,00	
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x		x	x							S26361-F2009-E190	436,00	
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.		x	x		x	x							S26361-F2009-E191	436,00	
	No Operating System		x	x	x		x	x	x						S26361-F1818-E100	3,00	
	Win7 HomPrem64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)		x	x		x	x							S26361-F2009-E441	3,00	Phased out
	Win7 HomPrem64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)			x					x	x	x	x		S26361-F2010-E441	3,00	Phased out
	Win7 HomPrem64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)		x	x		x	x							S26361-F2009-E442	3,00	Phased out
	Win7 HomPrem64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)				x				x	x	x	x		S26361-F2010-E442	3,00	Phased out



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK Options** Data Sheets: <http://ts.fujitsu.com/lifebook>

Category	Description	Details	LIFEBOOK A630	LIFEBOOK E780	LIFEBOOK N1570	LIFEBOOK P770	LIFEBOOK P4530	LIFEBOOK S710	LIFEBOOK S720	LIFEBOOK S760	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T900	LIFEBOOK T1700	Product Code	EUP (€)	Comments
<b>Options matrix</b>																	
<b>OS/Application-SW (Continued)</b>																	
	Win7 HomePrem64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)		x	x		x	x							S26361-F2009-E443	3,00	Phased out
	Win7 HomePrem64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)				x				x		x	x	x	S26361-F2010-E443	3,00	Phased out
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x		x	x							S26361-F2109-E441	3,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.					x			x	x	x	x		S26361-F2110-E441	3,00	
	Win7 HomePremium64 IBER-NE+Office2010s	MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x			x	x							S26361-F2109-E444	3,00	
	Win7 HomePremium64 RUS+Office2010s	Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x			x	x							S26361-F2109-E446	3,00	
	Win7 Pro32 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)							x						S26361-F2009-E351	3,00	Phased out
	Win7 Pro32 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)							x						S26361-F2009-E352	3,00	Phased out
	Win7 Pro32 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)							x						S26361-F2009-E353	3,00	Phased out
	Win7 Pro64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)	x	x			x	x							S26361-F2009-E451	3,00	Phased out
	Win7 Pro64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)								x		x	x		S26361-F2010-E451	3,00	Phased out
	Win7 Pro64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	x			x	x							S26361-F2009-E452	3,00	Phased out
	Win7 Pro64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)				x				x		x	x		S26361-F2010-E452	3,00	Phased out
	Win7 Pro64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x			x	x							S26361-F2009-E453	3,00	Phased out
	Win7 Pro64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)				x				x		x	x		S26361-F2010-E453	3,00	Phased out
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x		x	x							S26361-F2109-E451	3,00	
	Win7 Pro64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.					x			x	x	x	x		S26361-F2110-E451	3,00	
	Recovery DVD Vista Business 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S)							x						S26361-F2007-E803	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi B	(AR, CZ, E, F, GB, GR, IL, P, PL, TR)								x					S26361-F2007-E804	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi C	(BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO)							x						S26361-F2007-E805	3,00	Phased out
	Recovery DVD Vista Business 32bit (RUS)								x						S26361-F2007-E806	3,00	Phased out
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x		x	x							S26361-F2009-E643	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)				x				x	x	x	x	x	S26361-F2010-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x				x	x						S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 32 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)				x				x	x	x	x		S26361-F2010-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	One DVD contains all languages of MuLi A/B/C. MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S), MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR) and MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)				x				x	x	x	x		S26361-F2010-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi					x				x	x	x	x		S26361-F2010-E753	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x		x	x							S26361-F2009-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi		x	x				x							S26361-F2009-E753	3,00	
<b>UPS/Power supply</b>																	
	2nd AC Adapter 19V/80W (w/o AC cable)			x				x	x						S26391-F405-E700	17,00	
	2nd Cable EU			x	x		x	x							S26391-F408-E210	3,00	
	2nd Cable US			x	x		x	x							S26391-F408-E220	4,00	
	2nd Cable GB			x	x		x	x							S26391-F408-E230	3,00	
	2nd AC-Adapter 19V/100W (w/o AC cable)			x											S26391-F408-E300	25,00	
	2nd AC Adapter 19V/80W (w/o cable)				x										S26391-F486-E110	18,00	
	2nd AC Adapter 19V/100W (w/o cable)				x										S26391-F486-E120	21,00	
	1st Battery 6cell 5.200mAh (56Wh)							x							S26391-F514-E100	48,00	
	1st Battery 6cell 5.800mAh (62Wh)							x							S26391-F514-E200	52,00	
	1st Battery 6cell 5.200mAh (56Wh)			x											S26391-F518-E100	55,00	
	1st Battery 8cell 5.800mAh (63Wh)			x											S26391-F518-E200	78,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**LIFEBOOK Options**

Data Sheets: <http://ts.fujitsu.com/lifebook>

Category	Description	Details	LIFEBOOK A530	LIFEBOOK E780	LIFEBOOK NH570	LIFEBOOK P770	LIFEBOOK PH530	LIFEBOOK S710	LIFEBOOK S720	LIFEBOOK S760	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T980	LIFEBOOK TH700	Product Code	EUP (€)	Comments
<b>Options matrix</b>																	
<b>UPS/Power supply (Continued)</b>																	
	2nd AC Adapter 19V/80W (w/o AC cable)								x		x	x	x		S26391-F778-E500	18,00	
	AC Adapter 19V/60W	2nd AC Adapter for LB P770, 1st and 2nd AC Adapter for LB T580 as LB T580 has no AC Adapter included in base unit			x					x					S26391-F794-E500	10,00	
	slim AC Adapter 19V/60W	1st and 2nd AC Adapter for LB T580 as LB T580 has no AC Adapter included in base unit									x				S26391-F794-E510	14,00	
	2nd Cable EU				x				x	x	x	x	x		S26391-F794-E610	3,00	
	2nd Cable GB				x				x	x	x	x	x		S26391-F794-E620	6,00	
	2nd Cable US				x				x	x	x	x	x		S26391-F794-E630	3,00	
	1st Battery 6cells, 5200 mAh				x				x						S26391-F795-E300	48,00	
	1st Battery 6cells, 5800 mAh				x				x	x					S26391-F795-E400	52,00	
	1st Battery 3cells, 2900 mAh										x				S26391-F795-E450	40,00	
	1st Battery 6cells, 5200 mAh											x	x		S26391-F795-E500	55,00	
	1st Battery 6cells, 5800 mAh											x	x		S26391-F795-E600	61,00	
<b>Security</b>																	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface , black, USB cable			x				x						S26381-F331-E220	30,00	
	TPM module V1.2								x						S26391-F442-E100	6,00	
	TPM module V1.2			x											S26391-F506-E100	6,00	
	TPM module V1.2							x							S26391-F506-E200	6,00	
	TPM module V1.2									x	x	x			S26391-F646-E300	6,00	
	Fingerprint sensor & SmartCase Logon+ SW								x						S26391-F656-E100	10,00	
	No Fingerprint								x						S26391-F656-E200	4,00	
	SmartCard reader for ExpressCard slot								x	x					S26391-F658-E100	42,00	
	TPM Module				x					x					S26391-F795-E110	6,00	
	TPM disabled				x										S26391-F795-E200	3,00	
<b>Mouse</b>																	
	Mouse 400NB Black	Notebook Mouse M400NB Black, optical 3 button tilt wheel USB new Fujitsu design		x				x	x						S26381-K428-E100	8,00	
	Mouse 400NB Black					x				x	x	x	x		S26391-F428-E100	10,00	Orderable from: 03/12/2010
<b>Miscellaneous</b>																	
	Sleeve	Slipcover black						x							S26391-F119-E200	6,00	
	Webcam cover and webcam BIOS disable	Attention! choosing this option, the WebCam will be mechanically covered and electrically disabled!		x											S26391-F506-E300	3,00	
	MED Kit												x		S26391-F646-E200	3,00	
	MED Kit									x					S26391-F665-E500	3,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note				x			x	x	x	x	x		S26391-F782-E200	3,00	
	MED Kit											x			S26391-F796-E710	4,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note		x				x	x						S26361-F2542-E90	4,00	
<b>Desk View</b>																	
	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1 License, Components: - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), - Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures),.		x	x		x	x	x						S26361-F4040-E10	68,00	



## Positioning FUTRO thin clients



**FUTRO S100**

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.



**FUTRO S450  
FUTRO S500**

This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Ownership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.





Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**FUTRO S100**

Data Sheets: <http://ts.fujitsu.com/futro>

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>FUTRO S100</b>					
FUTRO S100	S100, 10/100 Mbit/s Fast Ethernet LAN, Processor VIA Eden ULV 500, Interface: 1x seriell extern, 2x PS/2 (1x mouse, 1x keyboard), 4x USB2.0 (2x front side, 2x rear side) 1x Monitor, 1x Audio out, 1x Headphone Out, 1x micro, 1x LAN RJ45, Power supply external, Fulfills EPA 5.0 requirements		S26361-K420-V100	222,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**FUTRO S450 & S500**

**Data Sheets:** <http://ts.fujitsu.com/futro>

Why take a fully featured PC for server based computing, when you can have everything you need in a reliable small form factor thin client? The FUTRO S Series is ideally suited for Windows Terminal Server computing. The server exexutes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss.

Also the operating system is stored secure on a flash memory and safe from unauthorized changes due to a write protected file system. Smart administration tools help to update the client easily. Without fan and rotating drives, the FUTRO S Series is reliable, fail-safe and silent.

All that turns the FUTRO S Series into a minimizer of Total Cost of Ownership.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>FUTRO S450-2</b>					
FUTRO S450-2	FUTRO S450-2	FUTRO S450-2, Processor: AMD Sempron 200U (1 GHz),, Graphics: ATI Radeon X1250,, LAN: 10/100/1000 Mbit/s Fast Ethernet,, mouse, DVI-VGA-adapter, external A/C adapter, Interfaces: 1x DVI-I, (Dual Monitor support with optional DVI-D adapter or optional DVI-I to DVI-D / VGA adapter cable, 2x PS/2 (1x mouse, 1x keyboard), 8x USB2.0 (2x front, 4x rear, 2x internal), 1 x serial, audio (rear): 1x audio in, 1x audio out, audio (front) 1x headphone, 1x microphone, 1x LAN RJ45	S26361-K522-V455	287,00	
<b>FUTRO S550-2</b>					
FUTRO S550-2	FUTRO S550-2	FUTRO S550-2, Processor: AMD Sempron 200U (1 GHz),, Graphics: ATI Radeon X1250,, LAN: 10/100/1000 Mbit/s Fast Ethernet,, mouse, DVI-VGA-adapter, external A/C adapter, Interfaces: 1x DVI-I, (Dual Monitor support with optional DVI-D adapter or optional DVI-I to DVI-D / VGA adapter cable, 2x PS/2 (1x mouse, 1x keyboard), 8x USB2.0 (2x front, 4x rear, 2x internal), 2 x serial, audio (rear): 1x audio in, 1x audio out, audio (front) 1x headphone, 1x microphone, 1x LAN RJ45, SCR optional, PCI Slot midsize (optional riser card in combination with a PCI card)	S26361-K528-V301	326,00	



# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

FUTRO Accessories

Data Sheets: <http://ts.fujitsu.com/futro>

Category	Description	Details	FUTRO S450	FUTRO S500	FUTRO S550	FUTRO S100	FUTRO A 210	FUTRO A 220	FUTRO A230	FUTRO A240	FUTRO A250	FUTRO A255	FUTRO B2xx	FUTRO C100 I845GV	FUTRO C200 I915GV	FUTRO C250 I915GV	FUTRO C400	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S400	FUTRO S450-2	FUTRO S550-2	FUTRO S900	S26361-K1040-V100	Product Code	EUP (%)	Comments		
Accessories & services matrix																														
<b>Graphics</b>																														
	Y-cable DVI/VGA	Dual Monitoring support	x	x	x																	x	x	x	x	S26361-F2421-L100	23,00			
	DVI-D Adapter for Dual DVI	Dual Monitoring																				x	x	x	x	S26361-F2421-L110	45,00			
<b>Communication/Network</b>																														
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel			x																	x	x			S26361-F3465-L2	45,00	Phased out		
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel																				x	x			S26361-F3465-L3	45,00			
	WLAN 802.11g 54Mbps, PCI	D-Link DWL-G520, without Riser Card			x	x																x				S26361-F6121-L10	56,00			
	WLAN II, 802.11g 54Mbps	Fujitsu D1705, internal WLAN module, occupies 1 internal USB interface														x	x									S26361-F3108-L2	42,00	Phased out		
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket, without Riser Card		x	x																		x	x		S26361-F3465-L1	31,00			
<b>Security</b>																														
	SmartCard Reader	internal			x	x																		x	x	S26361-F1260-L802	35,00			
	SmartCase Logon+ license (1-99 licenses)	includes 1 license., for orders up to 99 licenses., no software, no data medium																						x	x	S26361-F2727-L100	27,00			
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support																							x	x	S26361-F2727-L730	42,00		
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x	x	x	x			x	x		x				x	x	x	x	S26361-F331-L220	32,00			
<b>Miscellaneous</b>																														
	Riser Card				x	x																		x	x	S26361-F2421-L200	13,00			
	Horizontal foot kit			x	x																				x	x	S26361-F2542-L290	13,00		
	Cable adapter 3 wire -> 2 wire																								x	x	S26361-F2542-L301	31,00		
	VESA Kit w/ subadapter S450+S550 series	Mounting kit for attaching Thin Clients to the rear of TFT displays. Attachable to most LCDs in combination with the included subadapter.	x		x																				x	x	S26361-F2601-L530	55,00		
	Vesa Kit FUTRO S100	holder for TFT (15"-20") and PC (max 105x370x400mm)					x																			S26361-F2601-L540	58,00			
	VESA Kit FUTRO S	VESA Kit for FUTRO S450, FUTRO S450-2, FUTRO S550 and FUTRO S550-2 w/o VESA subadapter. . . For FUTRO S100 please select S26361-F2601-L540.																							x	x	S26361-F2601-L550	44,00		
	VESA subadapter					x											x									S26361-F2601-L600	18,00			
	Scout EP	Scout Enterprise Version 11 can manage up to 25 Thin Clients without an additional license key. Therefore the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients, including 2 years software support	x	x	x	x						x	x												x	x	S26361-F2727-L701	62,00		
	eLux RL	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients, including 2 years software support	x	x	x	x																			x	x	S26361-F2727-L702	45,00		
	Subscription Key eLuxScout	eLuxScout Subscription Key for 12 month, usable for all UniCon products	x	x	x	x		x	x																x	x	S26361-F2727-L703	23,00		
	PowerTerm WBT	Encom Emulation for Win CE and eLuxNG	x	x	x	x	x	x	x	x	x	x													x	x	S26361-F2600-L144	38,00		
	eLux NG	eLux NG full license, including 2 years software support																								x	x	S26361-F2600-L134	42,00	Phased out
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)													x	x											S26361-F2542-L35	201,00		
<b>Additional Software</b>																														
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x																				x	x	S26361-F2600-L144	1.225,00		
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x																					x	x	S26361-F2600-L134	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x																					x	x	S26361-F2600-L134	500,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x																					x	x	S26361-F2600-L134	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x																					x	x	S26361-F2600-L134	15,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**FUTRO Options**

Data Sheets: <http://ts.fujitsu.com/futro>

Category	Description	Details	FUTRO S100	FUTRO S450-2	FUTRO S550-2	Product Code	EUP (€)	Comments
<b>Options matrix</b>								
<b>Approvals</b>								
	Energy Star 5.0		x		x	S26361-F2600-E170	2,00	
<b>Memory</b>								
	2GB DDR2-667,SODIMM	SODIMM			x	S26361-F2879-E400	68,00	
	1 GB DDR-800		x			S26361-F2896-E300	35,00	
	1 GB DDR2-667			x	x	S26361-F2879-E300	35,00	
<b>Graphics</b>								
	DVI-D Adapter for Dual DVI	Dual Monitoring		x	x	S26361-F2421-E110	35,00	
<b>Hard Disks</b>								
	CF 512MB		x	x	x	S26361-F3536-E100	21,00	Phased out
	CF 1 GB (80x)	CF module IDE, 1 GB	x	x	x	S26361-F3616-E100	23,00	
	CF 2 GB (300x)	CF module IDE, 2 GB	x	x	x	S26361-F3617-E100	35,00	
	CF 4GB				x	S26361-F3520-E100	62,00	
	CF 16GB	300x			x	S26361-F3538-E100	206,00	
<b>Communication/Network</b>								
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel			x	S26361-F3465-E2	31,00	Phased out
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel			x	S26361-F3465-E3	31,00	
	WLAN 802.11g 54Mbps, PCI	D-Link DWL-G520			x	S26391-F6121-E10	40,00	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket.PCI Card not supported in the OS. Additional driver installation necessary			x	S26361-F3465-E1	18,00	
<b>Country kits</b>								
	Country kit FUTRO S-series INT/D/CH/I/DK		x	x	x	S26361-F2841-E100	6,00	
	Country kit FUTRO S-series (GB/IL)		x	x	x	S26361-F2841-E101	6,00	
	Country kit FUTRO S-series (US)		x	x	x	S26361-F2841-E106	6,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	x	x	S26391-F404-E911	2,00	
<b>OS/Application-SW</b>								
	Windows Embedded CE 6.0	Windows Embedded CE 6.0 incl. Scout Agent	x			S26361-F2009-E101	31,00	
	Windows Embedded Standard_A	Windows Embedded Standard 2009 (WES 2009) incl. Altiris agent (additional software from Symantec is required)			x	S26361-F2009-E144	123,00	
	Windows Embedded Standard_SC	Windows Embedded Standard 2009 (WES 2009) incl. SCOUT agent (Scout Enterprise license S26361-F2727-L701 additionally required)			x	S26361-F2009-E145	96,00	
	Windows Embedded Standard_7_SC German				x	S26361-F2009-E147	106,00	Orderable from: 30/01/2011
	Windows Embedded Standard_7 German				x	S26361-F2009-E148	94,00	Orderable from: 30/11/2010
	Windows Embedded Standard_7_SC English				x	S26361-F2009-E193	110,00	Orderable from: 30/01/2011
	Windows Embedded Standard_7 English				x	S26361-F2009-E194	94,00	Orderable from: 30/11/2010
	eLux RL w/o license	Image without a license	x	x	x	S26361-F2727-E701	4,00	
	eLux RL with license	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients.Including 2 years software support	x	x	x	S26361-F2727-E702	45,00	
	eLux RL Lite	RL lite with Scout workgroup	x			S26361-F2727-E703	23,00	
	eLux RL + Scout builtin license	incl. 2 years software support	x	x	x	S26361-F2727-E704	100,00	
	No Operating System		x	x	x	S26361-F1818-E100	3,00	
<b>Security</b>								
	SmartCard reader internal, USB 2.0	chipcard reader f. FUTRO S500, requires int. USB interface,			x	S26361-F1260-E802	23,00	
	SmartCase Logon+	Authentication, Password Manager , SecureDrive, supports SmardCard / Fingerprint / TPM Win XP/Vista-32/Win7,no eLux support			x	S26361-F2727-E730	6,00	
<b>Mouse</b>								
	optical USB Mouse		x			S26361-F2542-E280	8,00	
<b>Miscellaneous</b>								
	Y-cable DVI/VGA	Dual Monitoring support		x	x	S26361-F2421-E100	17,00	
	Horizontal foot kit			x	x	S26361-F2542-E290	4,00	
	Cable adapter 3 wire -> 2 wire			x	x	S26361-F2542-E300	21,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

## Positioning ESPRIMO



**ESPRIMO  
3xxx Series**

The ESPRIMO 3xxx Series is the right choice for large enterprises requiring up-to-date standard features. Freely configurable, with proven technology and an extended lifecycle of up to 12 months, these PCs are the perfect choice for cost-driven projects.



**ESPRIMO C**

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its silent product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.



**ESPRIMO E**

Put your performance on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands. Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every customer who requires high computing power. It can be positioned either horizontally or vertically.



**ESPRIMO P**

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.



**ESPRIMO Q**

The ESPRIMO Q Series opens a new chapter on performance, size and design. With its extremely small and stylish design, the new Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Add an eye catcher to your desk.



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**ESPRIMO C**

Data Sheets: <http://ts.fujitsu.com/esprimo>

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space.

ESPRIMO PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>ESPRIMO C5731</b>					
Base unit, proprietary system board D3004, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCI slot (174mm), 3x serial ATA II ports (3GB/s/NCQ), 218W wide range power supply (82% efficiency), optical USB tilt wheel mouse., DeskView license included., , Interfaces: 2x serial external (powered), 2x PS/2, 6x USB 2.0 rear, 1x USB 2.0 internal, 3x USB 2.0 in front, 1x VGA, 1x DVI, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, Lock in front panel, Intrusion switch					
ESP C5731 ESTAR5 /P E6600/2GB/DVD SM/ (Promo)	ESP C5731 ESTAR5 /P E6600/2GB/DVD SM/ 320GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULL_MA/,	LKN:C5731P0003IT			
ESP C5731 ESTAR5 /C2D E7600/1GB/2GB/ (Promo)	ESP C5731 ESTAR5 /C2D E7600/1GB/2GB/ DVD SM/500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULL_MA/,	LKN:C5731P0004IT			
ESP C5731 ESTAR5 /C2D E8500/2x2GB/ (Promo)	ESP C5731 ESTAR5 /C2D E8500/2x2GB/ DVD SM/500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULL_MA/,	LKN:C5731P0005IT			

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>ESPRIMO C5731</b>					
ESPRIMO C5731 E-Star5	Base unit, proprietary system board D3004, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCI slot (174mm), 3x serial ATA II ports (3GB/s/NCQ), 218W wide range power supply (82% efficiency), optical USB tilt wheel mouse., DeskView license included., , Interfaces: 2x serial external (powered), 2x PS/2, 6x USB 2.0 rear, 1x USB 2.0 internal, 3x USB 2.0 in front, 1x VGA, 1x DVI, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, Lock in front panel, Intrusion switch	S26361-K1002-V300	361,00		



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**ESPRIMO E** **Data Sheets: <http://ts.fujitsu.com/esprimo>**

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either be positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 months, the ESPRIMO E is the right solution for customer requiring a high quality desktop.

ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
<b>Standard products</b>					
<b>ESPRIMO E5731</b>					
	Configurations limited by Energy Star requirements, , Base unit, proprietary system board D3024, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (up to 87% efficiency, main switch) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 2x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x8, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy slot), , Lock in front panel, Intrusion switch				
ESP E5731	ESTAR5 /C2D E8400/2x2GB/ (Promo)	ESP E5731 ESTAR5 /C2D E8400/2x2GB/ DVD SM/500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULI_MA/REAR PANEL FH/,	LKN:E5731P0004IT		
<b>ESPRIMO E7936</b>					
	Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, proprietary system board D3028, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/s/NCQ), 250W wide power supply (up to 87% efficiency, main switch) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 2x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x8, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy slot), , Lock in front panel, Intrusion switch				
ESP E7936	ESTAR5 /C2D E8500/2x2GB/ (Promo)	ESP E7936 ESTAR5 /C2D E8500/2x2GB/ DVD SM/500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULI_MA/REAR PANEL FH/,	LKN:E7936P0002IT		
<b>ESPRIMO E9900</b>					
	vPro with Core i5-6x0 or Core i7-8x0 processors, , Base unit, proprietary system board D2924, Intel iQ57 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), audio/ LAN (10/100/1000) on board, Direct X10 graphics integrated in the processor (except Core i5-7xx and Core i7), 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports, 250W wide range power supply (up to 85% efficiency, main switch) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 8x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x DVI-I (incl. VGA adaptor), 1x DisplayPort, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x16, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy slot), , Lock in front panel, Intrusion switch				
ESP E9900	E-STAR5 /CORE I5-650/2GB/ (Promo)	ESP E9900 E-STAR5 /CORE I5-650/2GB/ DVD SM/320GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULI_MA/REAR PANEL FH/,	LKN:E9900P0002IT		
ESP E9900	E-STAR5 /CORE I5-680/2x2GB/ (Promo)	ESP E9900 E-STAR5 /CORE I5-680/2x2GB/ DVD SM/500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULI_MA/REAR PANEL FH/,	LKN:E9900P0003IT		



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**ESPRIMO E** Data Sheets: <http://ts.fujitsu.com/esprimo>

Model	Description	Details	Product Code	EUP (€)	Comments
-------	-------------	---------	--------------	---------	----------

Standard products

**ESPRIMO E9900 (Continued)**

Model	Description	Details	Product Code	EUP (€)	Comments
-------	-------------	---------	--------------	---------	----------

Base unit configurations

**ESPRIMO E3521**

ESPRIMO E3521 E-Star5		Configurations limited by Energy Star requirements, , Base unit, µATX system board D3041, Intel iG41 chipset with max. 8GB address space, 2x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Realtek LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x1), 3 drive bays (1x 5.25" externally accessible; 2x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 250W wide range power supply (up to 85% efficiency, main switch), optical USB scroll mouse., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45	S26361-K1180-V300	297,00	
-----------------------	--	--	-------------------	--------	--

ESPRIMO E3521 E85+		Base unit, µATX system board D3041, Intel iG41 chipset with max. 8GB address space, 2x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Realtek LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x1), 3 drive bays (1x 5.25" externally accessible; 2x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 250W wide range power supply (up to 85% efficiency, main switch), optical USB scroll mouse., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45	S26361-K1180-V311	297,00	
--------------------	--	--	-------------------	--------	--

**ESPRIMO E3721**

ESPRIMO E3721 E-Star5		Base unit, µATX system board D2942, Intel iH55 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Intel HD graphics)/ audio Realtek ALC663/ LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express 2.0 x16, 1x PCI Express x4 (mech. x8)), 5 drive bays (2x 5.25" externally accessible; 3x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 300W wide range power supply (main switch), optical USB scroll mouse., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45	S26361-K1180-V401	344,00	
-----------------------	--	--	-------------------	--------	--

**ESPRIMO E5645**





Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**ESPRIMO E** Data Sheets: <http://ts.fujitsu.com/esprimo>

			Product Code	EUP (€)	Comments
Model	Description	Details			
Standard products					
<b>ESPRIMO E5645 (Continued)</b>					
	ESPRIMO E5645 E-Star5	Configurations limited by Energy Star requirements, , Base unit, proprietary system board D2984, AMD 785G chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology requires 2 identical modules), graphics (ATI Radeon® HD 4200)/ audio (Realtek ALC663)/ LAN (10/100/1000) on board, 3 drive bays (1x 5.25" externally accessible, 2x 3.5", thereof 1x externally accessible), 4x serial ATA II ports (3GB/s, NCQ), 250W power supply, optical USB tilt scroll mouse., DeskView 10.x client management included., , Interfaces: 1x Audio: line-in, 1x Audio: line-out, 1x Front audio: headphone, 1x Front audio: microphone, 1x DisplayPort, 1 (Dual link DVI-I) x DVI, 12x USB 2.0 total, 2x USB front, 6x USB rear, 4x USB internal, 1x Ethernet (RJ-45), 1 (optional) x Parallel, 2x Mouse / Keyboard (PS/2), 1x Serial (RS-232), 1x VGA, . Optional:, 4 slots low profile (2x PCI (210mm), 1x PCI Express x1 (210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy slot)	S26361-K1306-V311	369,00	
	ESPRIMO E5645 E85+	Base unit: ESPRIMO E5645 E85+; Mainboard type D2984 proprietary ; Chipset AMD 785G, max. 16 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: ATI Radeon® HD 4200; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 2 x PCI slots, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 1x PCI Express x16 low profile (190mm) and via Riser 2 x PCI full height (174 / 210 mm), Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 250 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including.; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 12 x USB 2.0 total, 2 x USB front, 6 x USB rear, 4 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter; included for onboard graphics only) x VGA,	S26361-K1306-V321	369,00	
<b>ESPRIMO E5731</b>					



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**ESPRIMO E** Data Sheets: <http://ts.fujitsu.com/esprimo>

			Product Code	EUP (€)	Comments
Model	Description	Details			
Standard products					
<b>ESPRIMO E5731 (Continued)</b>					
	ESPRIMO E5731 E-Star5	Configurations limited by Energy Star requirements, , Base unit, proprietary system board D3024, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (up to 87% efficiency, main switch) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 2x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x8, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy slot) , , Lock in front panel, Intrusion switch	S26361-K691-V671	365,00	
	ESPRIMO E5731 E85+	Base unit, proprietary system board D3024, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (up to 87% efficiency, main switch) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 2x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x8, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy slot) , , Lock in front panel, Intrusion switch	S26361-K691-V681	365,00	
<b>ESPRIMO E7936</b>					



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**ESPRIMO E** Data Sheets: <http://ts.fujitsu.com/esprimo>

			Product Code	EUP (€)	Comments
Model	Description	Details			
Standard products					
<b>ESPRIMO E7936 (Continued)</b>					
	ESPRIMO E7936 0-Watt	Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, proprietary system board D3028, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (up to 89% efficiency) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 2x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x monitor power outlet, 1x VGA, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x8, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy slot), , Lock in front panel, Intrusion switch	S26361-K1020-V201	413,00	
	ESPRIMO E7936 E-Star5	Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, proprietary system board D3028, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/s/NCQ), 250W wide power supply (up to 87% efficiency, main switch) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 2x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional:, 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x8, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy slot), , Lock in front panel, Intrusion switch	S26361-K1020-V211	397,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**ESPRIMO E** Data Sheets: <http://ts.fujitsu.com/esprimo>

			Product Code	EUP (€)	Comments
Model	Description	Details			
Standard products					
<b>ESPRIMO E7936 (Continued)</b>					
ESPRIMO E7936 E85+		vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, proprietary system board D2828, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR2 800 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (up to 85% efficiency, main switch) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 2x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional.; 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x8, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy slot), , Lock in front panel, Intrusion switch	S26361-K1020-V221	397,00	
<b>ESPRIMO E9900</b>					
ESPRIMO E9900 0-Watt		vPro with Core i5-6x0 or Core i7-8x0 processors, , Base unit, proprietary system board D2924, Intel iQ57 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), audio/ LAN (10/100/1000) on board, Direct X10 graphics integrated in the processor (except Core i5-7xx and Core i7), 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports, 250W wide range power supply (up to 85% efficiency, main switch) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 8x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x DVI-I (incl. VGA adaptor), 1xDisplayPort, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional.; 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x16, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy slot), , Lock in front panel, Intrusion switch	S26361-K1020-V101	443,00	
ESPRIMO E9900 E-Star5		vPro with Core i5-6x0 or Core i7-8x0 processors, , Base unit, proprietary system board D2924, Intel iQ57 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), audio/ LAN (10/100/1000) on board, Direct X10 graphics integrated in the processor (except Core i5-7xx and Core i7), 3 drive bays (1x 5.25" FlexyBay externally accessible, 1x 3.5" internally, 1x 3.5" externally accessible or as 3.5" internally), 4x serial ATA II ports, 250W wide range power supply (up to 85% efficiency, main switch) , optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 8x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x DVI-I (incl. VGA adaptor), 1xDisplayPort, audio (2x rear, 2x in front), 1x LAN RJ45 , , optional.; 4 slots low profile (2x PCI (210mm), 1x PCI Express x4 (mech. x16, 210mm), 1x PCI Express x16 (190mm)) or, 3 slots (1x PCI Express x16 low profile (190mm), 2x PCI full height (174/210mm), 1 of them Flexy slot), , Lock in front panel, Intrusion switch	S26361-K1020-V111	426,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**ESPRIMO P**

Data Sheets: <http://ts.fujitsu.com/esprimo>

Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer requiring a high quality microtower with a managed lifecycle up to 18 month

ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
<b>Standard products</b>					
<b>ESPRIMO P5731</b>					
Configurations limited by Energy Star requirements, , Base unit, µBTX system board D3011, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ), 300W wide range power supply (up to 87% efficiency, main switch), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45, , optional:, Lock in side panel, Intrusion switch					
ESP P5731	ESTAR5 /C2D E8400/1GB/2GB/ (Promo)	ESP P5731 ESTAR5 /C2D E8400/1GB/2GB/ DVD SM/500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULI_MA/,	LKN:P5731P0008IT		
ESP P5731	ESTAR5 /C2D E8500/2x2GB/ (Promo)	ESP P5731 ESTAR5 /C2D E8500/2x2GB/ DVD SM/500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULI_MA/,	LKN:P5731P0009IT		
<b>ESPRIMO P7936</b>					
Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, µBTX system board D3012, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ), 300W wide range power supply (up to 87% efficiency, main switch), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45, , optional:, Lock in side panel, Intrusion switch					
ESP P7936	ESTAR5 /C2D E8400/2x2GB/ (Promo)	ESP P7936 ESTAR5 /C2D E8400/2x2GB/ DVD SM/500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULI_MA/,	LKN:P7936P0001IT		
ESP P7936	ESTAR5 /C2Q Q9505/2x2GB/ (Promo)	ESP P7936 ESTAR5 /C2Q Q9505/2x2GB/ DVD SM/500GB SATA II/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULI_MA/,	LKN:P7936P0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
<b>Base unit configurations</b>					
<b>ESPRIMO P3521</b>					



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**ESPRIMO P** Data Sheets: <http://ts.fujitsu.com/esprimo>

			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
<b>ESPRIMO P3521 (Continued)</b>					
	ESPRIMO P3521 E-Star5	Configurations limited by Energy Star requirements, , Base unit, µATX system board D3041, Intel iG41 chipset with max. 8GB address space, 2x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Realtek LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x1), 5 drive bays (2x 5.25" externally accessible; 3x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 300W wide range power supply (up to 85% efficiency, main switch), optical USB scroll mouse., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45	S26361-K1003-V300	288,00	
	ESPRIMO P3521 E85+	Base unit, µATX system board D3041, Intel iG41 chipset with max. 8GB address space, 2x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Realtek LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x1), 5 drive bays (2x 5.25" externally accessible; 3x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 300W wide range power supply (up to 85% efficiency, main switch), optical USB scroll mouse., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45	S26361-K1003-V400	288,00	
<b>ESPRIMO P3721</b>					
	ESPRIMO P3721 E-Star5	Base unit, µATX system board D2942, Intel iH55 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Intel HD graphics)/ audio Realtek ALC663/ LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express 2.0 x16, 1x PCI Express x4 (mech. x8)), 5 drive bays (2x 5.25" externally accessible; 3x 3.5", thereof 1x externally accessible), 4x serial ATA II ports, 300W wide range power supply (main switch), optical USB scroll mouse., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45	S26361-K1003-V500	335,00	
<b>ESPRIMO P5645</b>					



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**ESPRIMO P** Data Sheets: <http://ts.fujitsu.com/esprimo>

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>ESPRIMO P5645 (Continued)</b>					
	ESPRIMO P5645 E85+	Base unit: ESPRIMO P5645 E85+; Mainboard type D2981 µBTX; Chipset AMD 785G, max. 16 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: ATI Radeon® HD 4200; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 2 x PCI slots, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 300 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 12 x USB 2.0 total, 2 x USB front, 6 x USB rear, 4 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adaptor; included for onboard graphics only) x VGA,	S26361-K1030-V800	365,00	
	ESPRIMO P5645 E-Star5	Base unit: ESPRIMO P5645 E-Star5; Mainboard type D2981 µBTX; Chipset AMD 785G, max. 16 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: ATI Radeon® HD 4200; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 2 x PCI slots, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 300 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 12 x USB 2.0 total, 2 x USB front, 6 x USB rear, 4 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adaptor; included for onboard graphics only) x VGA,	S26361-K1030-V850	365,00	
<b>ESPRIMO P5731</b>					



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**ESPRIMO P** Data Sheets: <http://ts.fujitsu.com/esprimo>

Model	Description	Details	Product Code	EUP (€)	Comments
<b>Base unit configurations</b>					
<b>ESPRIMO P5731 (Continued)</b>					
	ESPRIMO P5731 E-Star5	Configurations limited by Energy Star requirements, , Base unit, µBTX system board D3011, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ), 300W wide range power supply (up to 87% efficiency, main switch), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45, , optional.; Lock in side panel, Intrusion switch	S26361-K1030-V200	365,00	
	ESPRIMO P5731 E85+	Base unit, µBTX system board D3011, Intel iQ43 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ), 300W wide range power supply (up to 87% efficiency, main switch), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45, , optional.; Lock in side panel, Intrusion switch	S26361-K1030-V300	365,00	
<b>ESPRIMO P7936</b>					
	ESPRIMO P7936 0-Watt	Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, µBTX system board D3012, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ), 250W wide range power supply (up to 89% efficiency), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x monitor power outlet, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45, , optional.; Lock in side panel, Intrusion switch	S26361-K1030-V500	423,00	





Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**ESPRIMO P** Data Sheets: <http://ts.fujitsu.com/esprimo>

Model	Description	Details	Product Code	EUP (€)	Comments
<b>Base unit configurations</b>					
<b>ESPRIMO P7936 (Continued)</b>					
	ESPRIMO P7936 E-Star5	Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, µBTX system board D3012, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ), 300W wide range power supply (up to 87% efficiency, main switch), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45, , optional.; Lock in side panel, Intrusion switch	S26361-K1030-V600	403,00	
	ESPRIMO P7936 E85+	vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, µBTX system board D3012, Intel iQ45 chipset with max. 16GB address space, 4x DIMM slots DDR3 1066 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x8), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 4x serial ATA II ports (3GB/s/NCQ), 300W wide range power supply (up to 87% efficiency, main switch), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 6x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x VGA, audio (3x rear, 2x in front), 1x LAN RJ45, , optional.; Lock in side panel, Intrusion switch	S26361-K1030-V700	403,00	
<b>ESPRIMO P9900</b>					
	ESPRIMO P9900 0-Watt	Configurations limited by Energy Star requirements, , vPro with Core i5-6x0 or Core i7-8x0 processors, , Base unit, µBTX system board D2912, Intel iQ57 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), audio/ LAN (10/100/1000) on board, Direct X10 graphics integrated in the processor (except Core i5-7xx and Core i7), 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x16), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 6x serial ATA II ports, 250W wide range power supply (up to 89% efficiency), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 8x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x monitor power outlet, 1x DVI-I (incl. VGA adaptor), audio (3x rear, 2x in front), 1x LAN RJ45, , optional.; Lock in side panel, Intrusion switch	S26361-K1010-V100	447,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**ESPRIMO P**

**Data Sheets: <http://ts.fujitsu.com/esprimo>**

ESPRIMO P9900 E-Star5	vPro with Core i5-6x0 or Core i7-8x0 processors, , Base unit, µBTX system board D2912, Intel iQ57 chipset with max. 16GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), audio/ LAN (10/100/1000) on board, Direct X10 graphics integrated in the processor (except Core i5-7xx and Core i7), 4 slots (2x PCI, 1x PCI Express x16, 1x PCI Express x4 (mech. x16), 2 of them FlexySlots), 6 drive bays (2x 5.25" externally accessible, 4x 3.5", thereof 2x externally accessible), 6x serial ATA II ports, 300W wide range power supply (up to 87% efficiency, main switch), optical USB tilt scroll mouse., DeskView license included., , Interfaces: 1x serial external, 1x parallel internal, 2x PS/2, 8x USB 2.0 rear, 4x USB 2.0 internal, 2x USB 2.0 in front, 1x DVI-I (incl. VGA adaptor), audio (3x rear, 2x in front), 1x LAN RJ45, , optional.; Lock in side panel, Intrusion switch	S26361-K1010-V200	426,00
-----------------------	---	-------------------	--------



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

## ESPRIMO Q

Data Sheets: <http://ts.fujitsu.com/esprimo>

The ESPRIMO Q Series opens a new chapter on performance, size and design.

With its extremely small and stylish design, the Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a fully-fledged PC.

Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level.

Add an eye catcher to your desk.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>ESPRIMO Q9000</b>					
ESPRIMO Q9000	vPro with Core i5 processors, , Base unit, proprietary factor, Intel QM57 chipset with max. 4GB memory, 2x SODIMM slot DDR3 1066 MHz, graphics/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 2x serial ATA II ports (3GB/s/NCQ), 90W wide range power supply, optical USB scroll mouse; keyboard only optional., DeskView license included., , Interfaces: 4x USB 2.0 rear, 2x USB 2.0 in front, 1x eSATA, 1x DVI, 1x HDMI, audio (3x rear; optical SPDIF out), 1x LAN RJ45, , optional.; 1 MiniCard (for WLAN module), 1 Bluetooth module		S26361-K1001-V711	371,00	







# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

ESPRIMO Options

Data Sheets: <http://ts.fujitsu.com/esprimo>

Category	Description	Details	ESPRIMO C6731	ESPRIMO E821	ESPRIMO E971	ESPRIMO E845	ESPRIMO E731	ESPRIMO E736	ESPRIMO E900	ESPRIMO P260	ESPRIMO P2760	ESPRIMO P321	ESPRIMO P3645	ESPRIMO P3731	ESPRIMO P3936	ESPRIMO P9000	ESPRIMO Q9000	Product Code	EUP (€)	Comments	
Options matrix																					
Approvals																					
	GS approval	non glossy front bezel to fulfill GS approval	x			x	x	x	x					x	x	x		S26361-F2555-E200	3,00		
Processor																					
	Celeron 450	2.2 GHz, 512KB SLC, 800MHz FSB, LGA775, incl. heat sink, technologies: XD, EM64T	x				x	x				x		x	x			S26361-F3472-E450	42,00		
	Celeron E3200	2.4 GHz, 1 MB SLC, 800MHz FSB, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x				x		x	x			S26361-F3472-E320	58,00	Phased out	
	Celeron E3400	2.6 GHz, 1 MB SLC, 800 MHz FSB, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x				x		x	x			S26361-F3472-E340	58,00		
	Pentium E5400	2.7 GHz, 2 MB SLC, 800 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x				x		x	x			S26361-F3473-E540	75,00	Phased out	
	Pentium E5500	2.8 GHz, 2 MB SLC, 800 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x				x		x	x			S26361-F3473-E550	75,00	Phased out	
	Pentium E5700	3.0 GHz, 2 MB SLC, 800 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x				x		x	x			S26361-F3473-E570	75,00		
	Pentium E5800	3.2 GHz, 2 MB SLC, 800 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x				x		x	x			S26361-F3473-E580	116,00		
	Pentium E6600	3.06 GHz, 2 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x				x		x	x			S26361-F3473-E660	99,00		
	Core 2 Duo E7500	2.93 GHz, 3 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x				x		x	x			S26361-F3517-E150	165,00		
	Core 2 Duo E7600	3.06 GHz, 3 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x	x	x			x	x				x		x	x			S26361-F3517-E160	179,00		
	Core 2 Duo E8400	3.0 GHz, 6 MB SLC, 1333 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x, TXT	x	x			x	x				x		x	x			S26361-F3509-E141	261,00		
	Core 2 Duo E8500	3.16 GHz, 6 MB SLC, 1333 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x, TXT	x	x			x	x				x		x	x			S26361-F3509-E151	292,00		
	Core 2 Duo E8600	3.33 GHz, 6 MB SLC, 1333 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x, TXT	x	x			x	x				x		x	x			S26361-F3509-E160	408,00		
	Core 2 Quad Q8300	2.50 GHz, 4 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x	x				x	x				x		x	x			S26361-F3510-E30	195,00		
	Core 2 Quad Q9505	2.83 GHz, 6 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT	x				x	x				x		x	x			S26361-F3510-E150	343,00		
	Core 2 Quad Q9550	2.83 GHz, 12 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT	x				x	x				x		x	x			S26361-F3510-E156	397,00		
	Core 2 Quad Q9650	3.0 GHz, 12 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT	x				x	x				x		x	x			S26361-F3510-E165	470,00		
	Pentium G6950	incl. graphics, 2.8 GHz, 3 MB total cache, dual core, LGA1156, technologies: VT-x		x					x			x				x		S26361-F4014-E695	136,00		
	Core i3-540	incl. graphics, 3.06 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x		x				x				x				x		S26361-F4010-E540	161,00	Phased out	
	Core i3-550	incl. graphics, 3.20 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x		x				x				x				x		S26361-F4010-E550	165,00		
	Core i5-650	incl. graphics, 3.2 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT		x				x				x				x		S26361-F4011-E650	282,00		
	Core i5-660	incl. graphics, 3.33 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT		x				x				x				x		S26361-F4011-E660	313,00		
	Core i5-680	incl. graphics, 3.6 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT		x				x				x				x		S26361-F4011-E680	432,00		
	Core i5-750	2.66 GHz, 8 MB total cache, quad core/4 threads, LGA1156, technologies: VT-x, TXT						x								x		S26361-F4012-E750	313,00	Phased out	
	Core i5-760	2.80 GHz, 8 MB total cache, quad core/4 threads, LGA1156, technologies: VT-x, TXT						x								x		S26361-F4012-E760	313,00		
	Core i7-860	2.8 GHz, 8 MB total cache, quad core/8 threads, LGA1156, technologies: VT-x, TXT		x				x								x		S26361-F4013-E860	432,00	Phased out	
	Core i7-870	2.93 GHz, 8 MB total cache, quad core/8 threads, LGA1156, technologies: VT-x, TXT		x				x								x		S26361-F4013-E870	448,00		
	Celeron P4500	incl. graphics, 1.86 GHz, 2 MB total cache, dual core/2 threads, technologies: VT-x															x	S26361-F4020-E450	99,00	Phased out	
	Celeron P4600	incl. graphics, 2.0 GHz, 2 MB total cache, dual core/2 threads, technologies: VT-x															x	S26361-F4020-E460	99,00		
	Core i3-370M	Attention: not for Corporate Projects (only for SMB, education and government)															x	S26361-F4018-E370	171,00		
	Core i3-380M	Attention: not for Corporate Projects (only for SMB, education and government)															x	S26361-F4018-E380	230,00	New product, Orderable from: 03/01/2011	



# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

### ESPRIMO Options

Data Sheets: <http://ts.fujitsu.com/esprimo>

Category	Description	Details	ESPRIMO C1731	ESPRIMO E521	ESPRIMO E571	ESPRIMO E5645	ESPRIMO E5731	ESPRIMO E7936	ESPRIMO E8900	ESPRIMO P4560	ESPRIMO P2760	ESPRIMO P4521	ESPRIMO P3721	ESPRIMO P6445	ESPRIMO P4731	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q3000	Product Code	EUP (€)	Comments	
<b>Options matrix</b>																						
<b>Processor (Continued)</b>																						
	Intel Core i5-560M	incl. graphics, 2.66 GHz, 3 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x																	x	S26361-F4019-E650	343,00	
	Core i5-520M	incl. graphics, 2.40 GHz, 3 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x																	x	S26361-F4019-E520	343,00	Phased out
	Sempron 140	2.7 GHz, 4000 MHz PSB, 1 MB total cache, socket AM2, incl. heat sink, AMD-V				x								x						S26361-F3511-E140	45,00	
	Athlon II X2 220	2.8 GHz, 1 MB total cache, socket AM2, dual core, incl. heat sink, AMD-V				x								x						S26361-F3416-E220	68,00	
	AMD Athlon II X2 255	3.1 GHz, 2 MB total cache, socket AM2, dual core, incl. heat sink, AMD-V				x								x						S26361-F3416-E255	86,00	
	AMD Phenom II X2 550	3.1 GHz, 2 MB total cache, socket AM2, dual core, incl. heat sink, AMD-V				x								x						S26361-F3513-E555	130,00	
	Phenom II X4 945	3.0 GHz, 3600 MHz PSB, 8 MB total cache, socket AM2, quad core, incl. heat sink				x								x						S26361-F3513-E945	212,00	
	Phenom II X6 1035T	2.6 GHz, 9 MB total cache, socket AM2+, six core, incl. heat sink, AMD-V				x								x						S26361-F3513-E635	299,00	
<b>Memory</b>																						
	2GB DDR3-1333	1 module PC 1333, DIMM				x								x						S26361-F4404-E2	42,00	
	4GB DDR3-1333	1 module PC 1333, DIMM				x								x						S26361-F4404-E3	90,00	
	1GB DDR3-1066	1 module PC 1066, DIMM	x	x			x	x					x	x						S26361-F4402-E1	25,00	
	2GB DDR3-1066	1 module PC 1066, DIMM	x	x			x	x		x			x	x						S26361-F4402-E2	44,00	
	4GB DDR3-1066	1 module PC 1066, DIMM	x	x			x	x		x			x	x						S26361-F4402-E3	95,00	
	2GB DDR3-1333	1 module PC 1333, DIMM				x								x					x	S26361-F4401-E2	42,00	
	4GB DDR3-1333	1 module PC 1333, DIMM				x								x					x	S26361-F4401-E3	90,00	
	1GB DDR3-1066	1 module PC 1066 (PC2-8500), SO-DIMM																	x	S26361-F4406-E1	25,00	
	2GB DDR3-1066	1 module PC 1066 (PC2-8500), SO-DIMM																	x	S26361-F4406-E2	42,00	
<b>Graphics</b>																						
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible		x			x	x												S26361-F3305-E210	10,00	
	DVI Extension Adapter FH	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible										x	x				x	x		S26361-F3305-E211	10,00	
	DVI-D + DisplayPort Extension Adapter FH	excl. DVI adapter cable								x		x				x	x			S26361-F2757-E656	13,00	
	DVI-D + DisplayPort Extension Adapter LP	excl. DVI adapter cable								x		x				x	x			S26361-F2757-E661	13,00	
	ATI Radeon HD5450 512 MB	PCIe, dual monitor (2 DVI-I/ VGA), HDCP, DirectX11, incl. 2 Adapter, DVI-VGA		x			x	x					x	x	x	x	x	x		S26361-F3535-E545	73,00	
	NVIDIA GeForce 9300 GE DisplayPort 512MB	Low Profile, PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA	x	x	x	x	x	x						x	x	x	x			S26361-F3000-E934	68,00	
	NVIDIA GeForce 9300 GE 512MB	PCIe Gen2, dual monitor (2 DVI-I/VGA), HDCP, DirectX10, incl. 2 adapter DVI-VG								x	x	x	x	x	x	x	x			S26361-F3000-E938	68,00	
	NVIDIA GeForce 405 DisplayPort 512MB FH	PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3												x	x	x	x	x		S26361-F3000-E407	73,00	New product, Orderable from: 03/01/2011
	NVIDIA GeForce 405 DisplayPort 512MB LP	Low Profile, PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3	x	x	x	x	x	x												S26361-F3000-E405	73,00	New product, Orderable from: 03/01/2011
	NVIDIA GeForce 9500 GS 512MB LP	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA and LFH59 cable					x	x												S26361-F3000-E951	123,00	
	NVIDIA GeForce 9500 GS 512MB LP	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter, DVI-VGA and LFH59 cable								x										S26361-F3000-E952	126,00	
	NVIDIA GeForce 9500 GS 512MB	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter DVI-VGA														x	x			S26361-F3000-E956	117,00	
	NVIDIA GeForce 9500 GS 512MB	PCIe Gen2, dual monitor (2 DVI-I/ VGA), HDCP, DirectX10, incl. 2 adapter, DVI-VGA											x	x	x				x	S26361-F3000-E957	117,00	
	NVIDIA Quadro NVS 290 256MB PCIe x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe											x	x	x	x	x			S26361-F2748-E234	117,00	
	NVIDIA Quadro NVS 290 256MB PCIe x16LP	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe	x	x	x	x	x	x												S26361-F2748-E334	121,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x	x	x	x	x	x												S26361-F2391-E200	17,00	
<b>Removable Media Drives</b>																						
	ODD cover (dummy drive)	necessary when no ODD is configured																	x	S26361-F2542-E52	3,00	
	DVD SATA	occupies accessible 5.25" bay, DVD software must be ordered separately	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3418-E510	21,00	
	DVD SuperMulti SATA	occupies accessible 5.25" bay, DVD software must be ordered separately	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3420-E510	27,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25" bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3523-E510	192,00	
	Cable for 2nd ODD	necessary for the operation of the 2nd optical disc drive											x	x	x	x	x			S26361-F2581-E20	3,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5" bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3077-E5	9,00	



# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

### ESPRIMO Options

Data Sheets: <http://ts.fujitsu.com/esprimo>

Category	Description	Details	ESPRIMO C1731	ESPRIMO E3251	ESPRIMO E3721	ESPRIMO E6445	ESPRIMO E7371	ESPRIMO E7936	ESPRIMO E8900	ESPRIMO P4560	ESPRIMO P2760	ESPRIMO P4521	ESPRIMO P3721	ESPRIMO P6445	ESPRIMO P4731	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q3000	Product Code	EUP (€)	Comments	
<b>Options matrix</b>																						
<b>Removable Media Drives (Continued)</b>																						
	MCR 20in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type																	S26361-F3077-E15	17,00	New product. Orderable from: 03/01/2011	
	FDD 1.44MB	occupies accessible 3.5"- bay		x															S26361-F1723-E510	14,00		
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay, DVD software must be ordered separately	x																S26361-F3429-E510	35,00		
	DVD+/-RW SATA Slot-in slim	occupies accessible 5,25"- bay, DVD software must be ordered separately	x																S26361-F3522-E510	51,00		
	DVD+/-RW SATA Slot-in slim	occupies accessible 5,25"- bay, DVD software must be ordered separately																x	S26361-F3630-E200	51,00		
	Blu-Ray Combo SATA Slot-in slim	occupies 5.25"-bay, BD read + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately																x	S26361-F3562-E200	204,00		
<b>Hard Disks</b>																						
	CF 2 GB (300x) Upgrade Kit			x															S26361-F3634-E100	65,00		
	SSD 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface	x	x	x	x	x	x	x										S26361-F3575-E100	387,00		
	SSD 128GB high speed	very fast 2.5" solid state drive with SATA 3GB/s interface																x	S26361-F3584-E100	408,00		
	HDD SATA II 160GB 5.4k 2.5"	occupies 2.5"-bay (internal)																x	S26361-F3491-E200	55,00		
	HDD SATA II 250GB 5.4k 2.5"	occupies 2.5"-bay (internal)																x	S26361-F3528-E10	58,00		
	HDD SATA II 320GB 5.4k 2.5"	occupies 2.5"-bay (internal)																x	S26361-F3567-E100	62,00		
	HDD SATA II 500GB 5.4k 2.5"	belegt 2.5"-Einbauplatz (intern)																x	S26361-F3603-E100	79,00		
	HDD SATA II 160GB 7.2k 2.5"	belegt 2.5"-Einbauplatz (intern)																x	S26361-F3560-E200	58,00		
	HDD SATA II 160GB 7.2k 2.5"	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x	x	x	x	x	x	x									x	S26361-F3560-E100	58,00		
	HDD SATA II 250GB 7.2k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3212-E100	52,00		
	HDD SATA II 320GB 7.2k	occupies 3.5"-bay (internal)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3570-E100	56,00		
	HDD SATA II 500GB 7.2k	occupies 3.5"-bay (internal)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3435-E100	64,00		
	HDD SATA II 1000GB 7.2k	occupies 3.5"-bay (internal)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3568-E100	86,00		
	HDD SATA II 500GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x																S26361-F3497-E100	88,00		
	Cable for 2nd HDD/ SSD	necessary for the operation of the 2nd HDD or SSD	x	x	x	x	x	x	x										S26361-F2581-E30	3,00		
<b>Communication/Network</b>																						
	Bluetooth Q (V7)																		x	S26361-F2542-E5	25,00	
	WLAN Intel 802.11abgn	MiniCard																	x	S26361-F3108-E8	23,00	
	USB 3.0 PCIe x1																		x	S26361-F3050-E10	23,00	
	Gigabit Ethernet PCIe x1, DS	FTS D2807, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0																	x	S26361-F3067-E60	18,00	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express	x																x	S26361-F3067-E30	17,00	
	Modem adapter kit (EU) w/ modem cable	includes all adapter for EU																	x	S26391-F512-E100	13,00	
	Gigabit Ethernet SysKonnect LP	10/100/1000 Mbit/s, autodetect, WoL, BootPROM, RJ45, driver-CD, PCI	x																x	S26361-F3067-E50	21,00	
	Modem 56k inkl. RJ11 modem cable	PCI board, NT not supported, , adapter to be ordered separately																	x	S26361-F3088-E2	8,00	
	Modem adapter kit (EU)	includes all adapter for EU																	x	S26361-F3145-E50	13,00	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3108-E5	17,00		
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface, and one slot	x	x	x	x	x	x											x	S26361-F2542-E30	3,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface, and one slot																	x	S26361-F2542-E34	3,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x																x	S26361-F2542-E60	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot	x																x	S26361-F2542-E40	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot																	x	S26361-F2542-E70	4,00	
	Dual serial card PCI	Dual Port RS232																	x	S26361-F3316-E4	23,00	
	Dual serial card PCI LP	Dual Port RS232 via splitter cabel	x	x	x	x	x	x											x	S26361-F3316-E5	31,00	
	FireWire PCI-Card IEEE1394 FH	400 Mbit/s, 3 external and 1 internal connectors																	x	S26361-F3106-E520	18,00	
<b>Country kits</b>																						
	Country kit (CDN, US)	incl. power cord (US), safety manual (GB)	x	x	x	x	x	x											x	S26361-F2930-E100	7,00	
	Country kit (D)	incl. power cord (EU), safety manual (D)	x	x	x	x	x	x											x	S26361-F2930-E101	7,00	
	Country kit (INT, power cord EU)	incl. power cord (EU), safety manual (INT)	x	x	x	x	x	x											x	S26361-F2930-E102	7,00	
	Country kit (I)	incl. power cord (I), safety manual (I)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2930-E104	7,00	
	Country kit (GB)	incl. power cord (GB), safety manual (GB)	x	x	x	x	x	x											x	S26361-F2930-E105	7,00	
	CK ESPRIMO Q (INT, power cord EU)	incl. power cord (EU), safety manual (INT)																	x	S26361-F2930-E122	6,00	
	Country kit ESPRIMO Q (I)	incl. power cord (I), safety manual (I)																	x	S26361-F2930-E123	6,00	
	CK ESPRIMO Q (INT, power cord GB)	incl. power cord (GB), safety manual (INT)																	x	S26361-F2930-E124	6,00	
	Country kit ESPRIMO Q (CDN, US)	incl. power cord (US), safety manual (GB)																	x	S26361-F2930-E127	6,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	x	x	x	x	x											x	S26391-F404-E911	2,00	
<b>OneBox-Keyboards</b>																						





# Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

## ESPRIMO Options

Data Sheets: <http://ts.fujitsu.com/esprimo>

Category	Description	Details	ESPRIMO C1731	ESPRIMO E521	ESPRIMO E571	ESPRIMO E645	ESPRIMO E731	ESPRIMO E7936	ESPRIMO E8900	ESPRIMO P4560	ESPRIMO P7260	ESPRIMO P521	ESPRIMO P3721	ESPRIMO P645	ESPRIMO P4731	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q3000	Product Code	EUP (€)	Comments
<b>Options matrix</b>																					
<b>OneBox-Keyboards (Continued)</b>																					
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x		x	x	x	x	x				x	x	x	x	x		S26381-K341-E110	31,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x		x	x	x	x	x				x	x	x	x	x		S26381-K341-E120	31,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x		x	x	x	x	x				x	x	x	x	x		S26381-K341-E165	31,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x		x	x	x	x	x				x	x	x	x	x		S26381-K341-E185	31,00	
	KB500 USA	KB500 keyboard standard, marble grey, US, cable USB 2m, Global Design	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K500-E110	13,00	Phased out
	KB500 D	KB500 keyboard standard, marble grey, Germany, cable USB 2m, Global Design	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K500-E120	12,00	Phased out
	KB500 GB	KB500 keyboard standard, marble grey, Great Britain, cable USB 2m, Global Design	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K500-E165	12,00	Phased out
	KB500 I	KB500 keyboard standard, marble grey, Italy, cable USB 2m, Global Design	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K500-E185	12,00	Phased out
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K520-E102	13,00	New product
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K520-E120	13,00	New product
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K520-E165	13,00	New product
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K520-E185	13,00	New product
	KB400 USB grey INT USA	KB400 USB INT US, SLIM value Keyboard black US	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K550-E102	10,00	
	KB400 USB grey D	KB400 USB grey D, SLIM value Keyboard Germany	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K550-E120	10,00	
	KB400 USB grey GB	KB400 USB grey GB, SLIM value Keyboard UK	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K550-E165	10,00	
	KB400 USB grey I	KB400 USB grey I, SLIM value Keyboard Italy	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K550-E185	10,00	
	KB400 USB black US	KB400 USB INT USA, SLIM value keyboard black, international and USA layout, USB	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26381-K550-E402	12,00	
	KB400 USB black D	KB400 USB D, SLIM value keyboard black, german layout, USB	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K550-E420	12,00	
	KB400 USB black GB	KB400 USB GB, SLIM value keyboard black, english layout, USB	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26381-K550-E465	12,00	
	KB400 USB black I	KB400 USB I, SLIM value keyboard black, italian layout, USB	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26381-K550-E485	12,00	
	KB400 PS2 black US	KB400 PS2 US, SLIM value Keyboard black US english PS2	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26381-K551-E410	8,00	
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26381-K551-E420	8,00	
	KB400 PS2 black GB	KB400 PS2 GB, SLIM value Keyboard black UK PS2	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26381-K551-E465	8,00	
	KB400 PS2 black I	KB400 PS2 I, SLIM value Keyboard black Italian PS2	x	x	x	x	x	x	x	x		x	x	x	x	x	x		S26381-K551-E485	8,00	
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K560-E402	21,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K560-E420	21,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K560-E465	21,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x			x	x	x	x	x	x		S26381-K560-E485	21,00	
	PS2 Keyboard Cable 2,0m	Keyboardcable PS2 for KBPC PX ECO, ca. 2,0 m length	x			x	x	x	x						x	x	x		T26139-Y4530-E1	3,00	
<b>OS/Application-SW</b>																					
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback), „BackItUp“ on DVD	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F1818-E893	4,00	
	eLux RL w/o license	Image without a license	x				x												S26361-F2727-E701	4,00	
	eLux RL with license	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients.Including 2 years software support	x				x												S26361-F2727-E702	45,00	
	eLux RL + Scout builtin license	incl. 2 years software support	x				x												S26361-F2727-E704	100,00	



# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

### ESPRIMO Options

Data Sheets: <http://ts.fujitsu.com/esprimo>

Category	Description	Details	ESPRIMO C1731	ESPRIMO E521	ESPRIMO E571	ESPRIMO E645	ESPRIMO E731	ESPRIMO E736	ESPRIMO E890	ESPRIMO P550	ESPRIMO P760	ESPRIMO P521	ESPRIMO P371	ESPRIMO P645	ESPRIMO P731	ESPRIMO P736	ESPRIMO P900	ESPRIMO Q300	Product Code	EUP (€)	Comments
<b>OS/Application-SW (Continued)</b>																					
	License EUUMM - Windows 7 Home Premium	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E243	127,00	
	License EUUMM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	S26361-F2009-E253	168,00	
	Linux	on DVD, open source	x	x	x	x	x	x	x			x	x	x	x	x			S26361-F2727-E894	3,00	
	OEM Office 2007 Basic (GB)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F1818-E782	203,00	Phased out
	OEM Office 2007 Basic (D)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	x		x	x					x	x	x	x	x	x		S26361-F1818-E781	203,00	Phased out
	OEM Office 2007 Basic (I)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F1818-E784	203,00	Phased out
	OEM Office 2007 SBE (GB)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F1818-E787	303,00	Phased out
	OEM Office 2007 SBE (D)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F1818-E786	303,00	Phased out
	OEM Office 2007 SBE (I)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F1818-E789	303,00	Phased out
	OEM Office 2007 PRO (GB)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F1818-E792	395,00	Phased out
	OEM Office 2007 PRO (D)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F1818-E791	395,00	Phased out
	OEM Office 2007 PRO (I)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F1818-E794	395,00	Phased out
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F2009-E177	136,00	
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F2009-E180	136,00	
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F2009-E181	136,00	
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F2009-E182	244,00	
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F2009-E185	244,00	
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x			x	x	x	x	x	x		S26361-F2009-E186	244,00	



# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

ESPRIMO Options Data Sheets: <http://ts.fujitsu.com/esprimo>

Category	Description	Details	ESPRIMO C1731	ESPRIMO E3251	ESPRIMO E3721	ESPRIMO E5645	ESPRIMO E7371	ESPRIMO E7936	ESPRIMO E8900	ESPRIMO P2560	ESPRIMO P2760	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5645	ESPRIMO P5731	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q3000	Product Code	EUP (€)	Comments
<b>Options matrix</b>																					
<b>OS/Application-SW (Continued)</b>																					
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x				x	x	x	x	x	x	x	S26361-F2009-E187	436,00	
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x				x	x	x	x	x	x	x	S26361-F2009-E190	436,00	
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E191	436,00	
	Blu-ray playback software	DVD-video and Blu-ray playback, on DVD., Blu ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.		x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2007-E420	21,00	
	No Operating System		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E100	3,00	
	Win7 HomPrem64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E441	3,00	Phased out
	Win7 HomPrem64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E442	3,00	Phased out
	Win7 HomPrem64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E443	3,00	Phased out
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2109-E441	3,00	
	Win7 HomePremium64 IBER-NE+Office2010s	MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2109-E444	3,00	
	Win7 HomePremium64 RUS+Office2010s	Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2109-E446	3,00	
	Win7 Pro32 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E351	3,00	Phased out
	Win7 Pro32 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E352	3,00	Phased out
	Win7 Pro32 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E353	3,00	Phased out
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2109-E351	3,00	
	Win7 Pro 32 RUS+Office2010s	Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2109-E356	3,00	
	Win7 Pro64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E451	3,00	Phased out
	Win7 Pro64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E452	3,00	Phased out
	Win7 Pro64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E453	3,00	Phased out
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x	x	x	x	x	x	x			x	x	x	x	x	x	S26361-F2109-E451	3,00	
	Win7 Starter32 EM+SE+Office2010s	MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x									x							S26361-F2109-E313	3,00	
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E910	3,00	
	Drivers&Utilities DVD (VISTA/7) ESPRIMO	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E901	3,00	
	REC-DVD Win7 HomeBasic 32bit RUS	RUS	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E532	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2009-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x	x	x			x	x	x	x	x	x	S26361-F2009-E753	3,00	

Security



# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

### ESPRIMO Options

Data Sheets: <http://ts.fujitsu.com/esprimo>

Category	Description	Details	ESPRIMO C4731	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E5645	ESPRIMO E5731	ESPRIMO E7936	ESPRIMO E9900	ESPRIMO P2560	ESPRIMO P2760	ESPRIMO P3521	ESPRIMO P3721	ESPRIMO P5645	ESPRIMO P5731	ESPRIMO P7936	ESPRIMO P9900	ESPRIMO Q9000	Product Code	EUP (€)	Comments
<b>Options matrix</b>																					
<b>Security (Continued)</b>																					
	SmartCase Logon+	Authentication, Password Manager , SecureDrive, supports SmardCard / Fingerprint / TPM Win XP/Vista-32/Win7,no eLux support	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2727-E730	6,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface , black, USB cable	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26381-F331-E220	30,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F1260-E520	23,00	
<b>Miscellaneous</b>																					
	Grey Upgrade Mouse M440 ECO		x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F2542-E225	13,00	New product
	Med-Kit ESPRIMO/CELSIUS	incl. license and manual	x															x	S26361-F2542-E250	33,00	
	Rear Panel for 2 full height PCI cards	2 full height PCI and 1 low profile PCI Express 16x				x			x										S26361-F2542-E424	13,00	
	Rear Panel for 4 low profile cards	4 low profile slots					x		x										S26361-F2542-E425	4,00	
	Monitor outlet cable	necessary to contact monitor directly to the PC							x	x							x	x	S26361-F2542-E57	4,00	
	VGA+DVI Dual View Cable	Y-cable from DVI-I to VGA and DVI-D																x	S26361-F2542-E58	6,00	
	Lock in front panel		x																S26361-F2542-E321	4,00	
	Intrusion switch		x																S26361-F2542-E322	4,00	
	Key lock in side door	for lock of housing												x	x	x	x		S26361-F2542-E323	4,00	
	Intrusion switch															x	x	x	S26361-F2407-E3	4,00	
	Lock in front panel	for lock of housing				x	x	x	x										S26361-F2542-E325	4,00	
	Intrusion switch					x	x	x											S26361-F2542-E412	4,00	
	Feet for vertical position (set)				x	x	x	x	x										S26361-F2542-E200	4,00	
	Rear Panel for 4 low profile cards	4 low profile slots						x	x										S26361-F2542-E415	4,00	
	Rear Panel for 2 full height PCI cards	2 full height PCI and 1 low profile PCI Express 16x						x	x										S26361-F2542-E414	13,00	
	Rear USB 2.0 connector	2x USB 2.0												x	x	x			S26361-F2438-E215	4,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x	x	x	x	x				x	x	x	x	x	x	S26361-F2542-E90	4,00	
	No TPM/ TLS	for countries with import regulations	x			x	x	x	x					x	x	x	x	x	S26361-F3436-E2	3,00	
	Grey mouse instead of black USB	upgrade mouse for system unit,USB 2.0 interface,allows horizontal scrolling	x	x	x	x	x	x	x				x	x	x	x	x		S26361-F2542-E216	3,00	
	Grey USB/PS2 mouse inst. of blk USB	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling	x	x	x	x	x	x	x				x	x	x	x	x		S26361-F2542-E217	6,00	
<b>Desk View</b>																					
	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1 License, , Components: , - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), . Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures),.	x	x	x	x	x	x	x			x	x	x	x	x	x	x	S26361-F4040-E10	68,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

## Positioning CELSIUS workstations



**CELSIUS H  
Series**

**CELSIUS H Series.** Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.



**CELSIUS W  
Series**

**CELSIUS W Series.** High-End PC / Entry-Level workstation  
If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.



**CELSIUS M  
Series**

**CELSIUS M Series.** Mid-range workstation.  
Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.



**CELSIUS R  
Series**

**CELSIUS R Series.** High-end workstation.  
You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.



**CELSIUS V**

**CELSIUS V Series.** 64-bit workstation.  
You need a powerful workstation for memory demanding applications? With support for up to two AMD Opteron™ processors and up to 64 GB main memory, the CELSIUS V Series provides maximum system performance when it is really needed. The wide range of professional 3D graphics, the large cabinet with room for additional components and ISV Software certifications are the ideal conditions for compute-intensive and multi-processor-optimized workstation applications.

## Series



## CELSIUS RemoteAccess

### CELSIUS RemoteAccess

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance.

(See Accessories page)



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**CELSIUS H700**

Data Sheets: <http://ts.fujitsu.com/celsius>

The CELSIUS H700 delivers workstation power in a notebook form factor. Featuring the latest Intel® processors and powerful NVIDIA® Quadro graphics, the CELSIUS H700 delivers uncompromising performance without tethering you to the office. Secure and reliable, it is ideal for business environments such as CAD and digital content creation.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>CELSIUS H700</b>					
	Base unit with Fingerprint Sensor, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 and 1333MHz PC10666 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. NVidia Quadro FX 880M OpenGL graphics with 1GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Intel High Definition Audio and 2 Microphones integrated, 1x PC Card slot type I/II, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x serial, 1x VGA, 1x Displayport, 4x USB 2.0, 1x E-SATA, Fast Infrared, FireWire (IEEE 1394a), RJ45 for LAN optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 100W., , Li-Ion battery 5.800mAh, AC adapter 19V, 100W., , Modular bay concept for optical drives, second battery or second hard disk drive., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Front interfaces: 1 x memory card slot, , Left side interfaces: 1 x AC adapter, 1 x eSATA, 1 x FireWire (IEEE 1394a), 1 x Audio in, 1 x Audio out combined with S/PDIF, 1 x USB 2.0, 1 x Smartcard reader slot, 1 x PC Card slot Type I/II, 1 x Expresscard slot Type 34/54., , Right side interfaces: 1 x wireless switch, 3 x USB 2.0., , 1 x multi bay (ODD, 2nd HD, 2nd Battery), 1 x Kensington., , Rear interfaces: 1 x Kensington, 1 x RJ11 for modem (optional), 1 x VGA, 1 x serial, 1 x RJ45 for LAN, 1 x DisplayPort., , Interfaces in battery bay: SIM card holder., , Interface in lower part: 1 x docking connector, 1 x battery bay.				
	CELS H700 /15.6" FHD LED/CORE I7-8740QM/ (Promo)	CELS H700 /15.6" FHD LED/CORE I7-8740QM/ 2x4 GB/BD WRITER/500GB 7.2K/BT V2.1/ WLAN INTEL 6200/NO 3G/MODEM/CK EU/ KB W\ TS I/COA_W7_MM_PROFES/,	LKN:H7000W0008IT		
	CELS H700 /39,6 CM HD+ CAM/I5-560M/2 GB/ (Promo)	CELS H700 /39,6 CM HD+ CAM/I5-560M/2 GB/ DVD SUPER MULTI/320GB 7.2K/BT V2.1/ WLAN INTEL 6200/NO 3G/MODEM/CK EU/ KB W\ TS I/COA_W7_MM_PROFES/,	LKN:H7000W0010IT		
	CELS H700 /39,6 CM HD+ CAM/I5-560M/ (Promo)	CELS H700 /39,6 CM HD+ CAM/I5-560M/ 2x2 GB/DVD SUPER MULTI/500GB 7.2K/ BT V2.1/WLAN INTEL 6200/NO 3G/MODEM/ CK EU/KB W\ TS I/COA_W7_MM_PROFES/,	LKN:H7000W0011IT		
	CELS H700 /39,6 CM HD+ CAM/I7-640M/ (Promo)	CELS H700 /39,6 CM HD+ CAM/I7-640M/ 2x2 GB/DVD SUPER MULTI/500GB 7.2K/ BT V2.1/WLAN INTEL 6200/NO 3G/MODEM/ CK EU/KB W\ TS I/COA_W7_MM_PROFES/,	LKN:H7000W0012IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>CELSIUS H700</b>					
	CELSIUS H700	Base unit with Fingerprint Sensor, Chipset Intel i57QM with iAMT functionality, supports Dual Channel DDR3 1066MHz PC8500 and 1333MHz PC10666 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. NVidia Quadro FX 880M OpenGL graphics with 1GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82577 LM LAN, Intel High Definition Audio and 2 Microphones integrated, 1x PC Card slot type I/II, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x serial, 1x VGA, 1x Displayport, 4x USB 2.0, 1x E-SATA, Fast Infrared, FireWire (IEEE 1394a), RJ45 for LAN optional, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 100W., , Li-Ion battery 5.800mAh, AC adapter 19V, 100W., , Modular bay concept for optical drives, second battery or second hard disk drive., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Front interfaces: 1 x memory card slot, , Left side interfaces: 1 x AC adapter, 1 x eSATA, 1 x FireWire (IEEE 1394a), 1 x Audio in, 1 x Audio out combined with S/PDIF, 1 x USB 2.0, 1 x Smartcard reader slot, 1 x PC Card slot Type I/II, 1 x Expresscard slot Type 34/54., , Right side interfaces: 1 x wireless switch, 3 x USB 2.0., , 1 x multi bay (ODD, 2nd HD, 2nd Battery), 1 x Kensington., , Rear	S26391-K311-V100	1.112,00	



## CELSIUS W370

### Your gateway to workstation power

#### CELSIUS W370

Data Sheets: <http://ts.fujitsu.com/celsius>

The CELSIUS W series is the versatile all-round workstation for price-conscious users. Offering entry workstation performance, the CELSIUS W370 is your choice for business segments, such as computer aided design, digital content creation and finance. The ISV certification process enables workstation users to run their preferred applications with maximum system stability.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>CELSIUS W370</b>					
CELSIUS W370 E85+	vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, BTX systemboard D2817, 300 W wide range power supply 300 W (82%/85%/82% efficiency), optical USB tilt scroll mouse;, Chipset: Intel Q45;, DeskView license included., , Slots: , 4 DIMM-sockets (max. 16 GB SDRAM, DDR2-800, dual channel), 7 slots: 1x PCIe x16, 1x PCIe x4 (mechanical x8), 1x PCIe x1, 4x PCI (32-bit / 33 MHz);, , Onboard I/O-devices: , graphics (Direct X10), network controller Intel 82567LM (1 Port, GB-LAN, ASF 2.0, vPro), Serial ATA Controller (6 ports; RAID 0, 1 or 5 for HDDs) and HD audio Realtek ALC 663;, , Bays: 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays);, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Rear interfaces: 1x VGA, 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K1000-V415	401,00		
CELSIUS W370 E-Star5	Configurations limited by Energy Star requirements, , vPro with Core 2 Duo E8xxx, Core 2 Quad Q9xxx processors, , Base unit, BTX systemboard D2817, 300 W wide range power supply 300 W (82%/85%/82% efficiency), optical USB tilt scroll mouse;, Chipset: Intel Q45;, DeskView license included., , Slots: , 4 DIMM-sockets (max. 16 GB SDRAM, DDR2-800, dual channel), 7 slots: 1x PCIe x16, 1x PCIe x4 (mechanical x8), 1x PCIe x1, 4x PCI (32-bit / 33 MHz);, , Onboard I/O-devices: , graphics (Direct X10), network controller Intel 82567LM (1 Port, GB-LAN, ASF 2.0, vPro), Serial ATA Controller (6 ports; RAID 0, 1 or 5 for HDDs) and HD audio Realtek ALC 663;, , Bays: 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays);, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Rear interfaces: 1x VGA, 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K1000-V401	401,00		





## CELSIUS W280

### Your gateway to workstation power

#### CELSIUS W280

Data Sheets: <http://ts.fujitsu.com/celsius>

The CELSIUS W280 is the manageable workstation for when a traditional PC just isn't enough. Powered by the latest Intel® processors and available with choice of professional graphics cards, it provides workstation performance in a compact PC design and is ideal for business environments such as entrylevel 2D CAD.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>CELSIUS W280</b>					
CELSIUS W280		vPro with Core i5-6x0 or Core i7-8x0 processors, , Base unit, BTX systemboard D2912, 300 W wide range power supply 300 W (82%/85%/82% efficiency), optical USB tilt scroll mouse;, Chipset: Intel Q57;, DeskView license included., , Slots: , 4 DIMM-sockets (max. 16 GB SDRAM, DDR3-800, dual channel), 4 slots: 1x PCIe x16, 1x PCIe x4 (mechanical x16), 2x PCI (32-bit / 33 MHz);, , Onboard I/O-devices: , Direct X10 graphics integrated in the processor (except Core i5-7xx und Core i7), network controller Intel 82578LM (1 Port, GB-LAN, ASF 2.0, iAMT), Serial ATA Controller (4 ports; RAID 0, 1 or 5 for HDDs) and HD audio Realtek ALC 663;, , Bays: 6 (2x 5,25" and 2x 3,5" externally accessible, 2x 3,5" internal HDD-bays);, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;, , Internal interfaces: 4x USB 2.0, , Rear interfaces: 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) or 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial;, , Embedded security (TPM 1.2), Disable / Hide TPM option	S26361-K1357-V115	464,00	



## CELSIUS W380

### Your gateway to workstation power

#### CELSIUS W380

Data Sheets: <http://ts.fujitsu.com/celsius>

The CELSIUS W380 is the versatile all-round workstation for entry-level graphics applications. Powered by the latest Intel® processors, it is the ideal choice business environments such as entry-level CAD, digital content creation and finance. Thanks to the ISV certification process you can be guaranteed that your preferred professional applications will run with maximum speed and system stability.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>CELSIUS W380</b>					
CELSIUS W380		Base unit, BTX systemboard D2917, 300 W wide range power supply 300 W (82%/85%/82% efficiency), optical USB tilt scroll mouse; Chipset: Intel 3450; DeskView license included; , Slots: , 4 DIMM-sockets (max. 16 GB SDRAM, DDR3-800, ECC or non ECC, dual channel), 7 slots: 1x PCIe x16, 1x PCIe x4 (mechanical x16), 2x PCIe x1, 3x PCI (32-bit / 33 MHz); , Onboard I/O-devices: , Direct X10 graphics integrated in the processor (except Xeon), network controller Intel 82578LM (1 Port, GB-LAN, ASF 2.0, iAMT), FireWire controller (IEEE 1394a), Serial ATA controller (6 ports; RAID 0, 1 or 5 for HDDs) and HD audio Realtek ALC 663; , Bays: 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays); , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in; , Rear interfaces: 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 8x USB 2.0, 1x FireWire (IEEE 1394a), 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial; , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) , Disable / Hide TPM option,	S26361-K1000-V515	543,00	



## CELSIUS W480

### Your gateway to workstation power

#### CELSIUS W480

Data Sheets: <http://ts.fujitsu.com/celsius>

The CELSIUS W480 is the advanced workstation for professional environments. Powered by the latest Intel® Processors, it is the ideal choice for business environments such as 3D CAD, financial forecasting and digital content creation. Thanks to the ISV certification process you can be guaranteed that your preferred professional applications will run with maximum speed and system stability.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>CELSIUS W480</b>					
CELSIUS W480		Base unit, BTX systemboard D2917, 500 W wide range power supply 300 W (82%/85%/82% efficiency), optical USB tilt scroll mouse; Chipset: Intel 3450; DeskView license included.; , Slots: , 4 DIMM-sockets (max. 16 GB SDRAM, DDR3-800, ECC or non ECC, dual channel), 7 slots: 1x PCIe x16, 1x PCIe x4 (mechanical x16), 2x PCIe x1, 3x PCI (32-bit / 33 MHz); , Onboard I/O-devices: , Direct X10 graphics integrated in the processor (except Xeon), network controller Intel 82578LM (1 Port, GB-LAN, ASF 2.0, iAMT), FireWire controller (IEEE1394a), Serial ATA controller (6 ports; RAID 0, 1 or 5 for HDDs) and HD audio Realtek ALC 663; , Bays: 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays); , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in; , Rear interfaces: 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 8x USB 2.0, 1x FireWire (IEEE1394a), 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial; , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) , Disable / Hide TPM option,	S26361-K1000-V615	601,00	



## CELSIUS M470

### Your new "thoroughbred" workstation

#### CELSIUS M470

Data Sheets: <http://ts.fujitsu.com/celsius>

The CELSIUS M Series is the single-processor platform with a particularly well-balanced ratio between price and performance. The CELSIUS M470 incorporates the latest advances in performance technologies enabling you to meet increasingly demanding schedules using professional applications such as CAD/CAE, virtual reality and finance. To ensure that those tasks run with maximum system stability, the CELSIUS M470 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>CELSIUS M470-2</b>					
	CELS M470-2 POW /XEON W3550/4x2GB/ (Promo)	CELS M470-2 POW /XEON W3550/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:M4702W0004IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>CELSIUS M470-2</b>					
	CELSIUS M470-2 power	, Base unit, prepared for rack mounting (rack mount kit optionally available), ATX systemboard D2778, power supply 700W, optical USB tilt scroll mouse;, Chipset: Intel X58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K990-V915	852,00	
	CELSIUS M470-2	Base unit, prepared for rack installation (rack mount kit optionally available), ATX systemboard D2778, power supply 500W, optical USB tilt scroll mouse;, Chipset: Intel x58 Express, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K990-V815	809,00	



## CELSIUS R570

### Your compact "powerhouse" workstation

#### CELSIUS R570

Data Sheets: <http://ts.fujitsu.com/celsius>

The CELSIUS R series is the dual-processor platform in the mid-range and high-end sector with a great selection of graphics subsystems. Energy efficiency and state-of-the-art microprocessor technology make this compact powerhouse the ideal solution for fields of activity, such as computer aided design, engineering, mechanical design, simulation, virtual reality, visualization, digital content

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>CELSIUS R570-2</b>					
	CELSIUS R570-2	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2628, power supply 700 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCIe x4 Gen1 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices; , network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in; , , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K994-V515	1.004,00	
	CELSIUS R570-2 power	Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2628, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus Systemmanagement, DeskView license included., , Slots: , 6 DIMM-slots, 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCIe x4 Gen1 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices; , network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in; , , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K994-V615	1.069,00	



## CELSIUS R670

### The new uncompromising high-end workstation

#### CELSIUS R670

Data Sheets: <http://ts.fujitsu.com/celsius>

The CELSIUS R series is the dual-processor platform for the mid-range and high-end segment with a great selection of graphics subsystems. Through the combination of standard-setting microprocessor technology and energy efficiency, the generous CELSIUS R670 embodies with its numerous expansion options the ideal system for memory-consuming applications. The CELSIUS R670 is the ideal solution for business segments, such as computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation and finance. To ensure that those tasks run with maximum system stability, the CELSIUS R670 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Description	Details	Product Code	EUP (€)	Comments
<b>Standard products</b>					
<b>CELSIUS R670-2</b>					
	<p>, Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0 and 1E), Serial ATA Controller (4 Ports), FireWire controller (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5,25" FlexIBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in. 1x FireWire (IEEE 1394a), , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,</p>				
CELS R670-2 /XEON E5620/2x2GB/ (Promo)	CELS R670-2 /XEON E5620/2x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 500GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,		LKN:R6702W0004IT		
CELS R670-2 /XEON E5630/3x2GB/ (Promo)	CELS R670-2 /XEON E5630/3x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,		LKN:R6702W0005IT		
CELS R670-2 /XEON E5640/4x2GB/ (Promo)	CELS R670-2 /XEON E5640/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,		LKN:R6702W0006IT		
CELS R670-2 /XEON X5660/3x4GB/ (Promo)	CELS R670-2 /XEON X5660/3x4GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,		LKN:R6702W0007IT		

Model	Description	Details	Product Code	EUP (€)	Comments
<b>Base unit configurations</b>					
<b>CELSIUS R670</b>					



## CELSIUS R670

### The new uncompromising high-end workstation

**CELSIUS R670**

**Data Sheets: <http://ts.fujitsu.com/celsius>**

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>CELSIUS R670 (Continued)</b>					
CELSIUS R670		Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0, 1 and RAID 5 with optional I-Button), Serial ATA Controller (4 Ports), FireWire controller (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5,25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K991-V315	1.199,00	Phased out
<b>CELSIUS R670-2</b>					
CELSIUS R670-2		, Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0 and 1E), Serial ATA Controller (4 Ports), FireWire controller (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5,25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K991-V415	1.205,00	



# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

CELSIUS Accessories

Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R550	CELSIUS R700	CELSIUS R700-2	CELSIUS R600	CELSIUS R670	CELSIUS R700-2	CELSIUS ULTRA	CELSIUS V640	CELSIUS V640-2	CELSIUS W800	CELSIUS W800	CELSIUS W870	CELSIUS W800	CELSIUS W800	Product Code	EUP (€)	Comments	
Accessories & services matrix																											
<b>Processor</b>																											
	Opteron 2376 2.3 GHz	4x512KB L2 2MB L3																							S26361-F3502-L76	349,00	
	Opteron 2380 2.5 GHz	4x512KB L2 2MB L3																							S26361-F3502-L80	499,00	
	Opteron 2384 2.7 GHz	4x512KB L2 2MB L3																							S26361-F3502-L84	971,00	
	Xeon L5520 2.26GHz 8MB Turbo Boost	5.86 GT/s QPL 4 cores																							S26361-F3539-L320	935,00	Phased out
	Xeon L5530 2.40GHz 8MB Turbo Boost	5.86 GT/s QPL 4 cores																							S26361-F3539-L330	1.296,00	Phased out
	Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPL 4 cores																							S26361-F3612-L309	756,00	
	Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPL 4 cores																							S26361-F3612-L330	935,00	
	Xeon L5640 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPL 6 cores																							S26361-F3612-L340	1.655,00	
	Xeon E5502 1.86GHz 4MB	4.8 GT/s QPL 2 cores																							S26361-F3539-L102	368,00	Phased out
	Xeon E5503 2.00 GHz, 4 MB	2.00 GHz, 4 MB, 4.8 GT/s QPL 2 cores																							S26361-F3612-L103	368,00	
	Xeon E5504 2.00GHz 4MB	4.8 GT/s QPL 4 cores																							S26361-F3539-L104	423,00	Phased out
	Xeon E5506 2.13GHz 4MB	4.8 GT/s QPL 4 cores																							S26361-F3539-L106	423,00	
	Xeon E5507 2.26 GHz, 4 MB	2.26 GHz, 4 MB, 4.8 GT/s QPL 4 cores																							S26361-F3612-L107	493,00	
	Xeon E5520 2.26GHz 8MB Turbo Boost	5.86 GT/s QPL 4 cores																							S26361-F3539-L220	673,00	Phased out
	Xeon E5530 2.40GHz 8MB Turbo Boost	5.86 GT/s QPL 4 cores																							S26361-F3539-L230	935,00	Phased out
	Xeon E5540 2.53GHz 8MB Turbo Boost	5.86 GT/s QPL 4 cores																							S26361-F3539-L240	1.296,00	Phased out
	Xeon E5620 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPL 4 cores																							S26361-F3612-L220	673,00	
	Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPL 4 cores																							S26361-F3612-L230	935,00	
	Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPL 4 cores																							S26361-F3612-L240	1.296,00	
	Xeon X5550 2.66GHz 8MB Turbo Boost	6.4 GT/s QPL 4 cores																							S26361-F3539-L950	1.655,00	Phased out
	Xeon X5560 2.80GHz 8MB Turbo Boost	6.4 GT/s QPL 4 cores																							S26361-F3539-L960	2.013,00	Phased out
	Xeon X5570 2.93GHz 8MB Turbo Boost	6.4 GT/s QPL 4 cores																							S26361-F3539-L970	2.372,00	Phased out
	Xeon X5650 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPL 6 cores																							S26361-F3612-L950	1.655,00	
	Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPL 6 cores																							S26361-F3612-L960	2.013,00	
	Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPL 4 cores																							S26361-F3612-L967	2.372,00	
	Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPL 6 cores																							S26361-F3612-L970	2.372,00	
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPL 4 cores																							S26361-F3612-L977	2.731,00	
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPL 6 cores																							S26361-F3612-L980	2.731,00	
	Xeon W5580 3.20GHz 8MB Turbo Boost	6.4 GT/s QPL 4 cores																							S26361-F3541-L580	2.731,00	Phased out
	Xeon W5590 3.33GHz 8MB Turbo Boost	6.4 GT/s QPL 4 cores																							S26361-F3541-L590	2.731,00	Phased out
<b>Memory</b>																											
	2 GB DDR3 1066 MHz PC3-8500	1 Modul, PC3-8500 ub																							S26391-F504-L100	68,00	
	2GB DDR3-1333 PC3-10600																								S26391-F505-L200	56,00	
	4GB DDR3-1333 PC3-10600																								S26391-F505-L300	106,00	
	1GB DDR3-1066 SO-DIMM PC3-8500																								S26391-F736-L150	35,00	
	2GB DDR3-1066 SO-DIMM PC3-8500																								S26391-F736-L250	56,00	
	4GB DDR3-1066 SO-DIMM PC3-8500																								S26391-F736-L450	106,00	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																							S26361-F2994-L114	48,00	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																							S26361-F2994-L116	83,00	
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																							S26361-F2995-L114	48,00	
	2GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																							S26361-F2995-L116	83,00	
	4GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit																							S26361-F2994-L118	179,00	
	2GB DDR3-1333	1 module PC 1333, DIMM																							S26361-F4401-L2	56,00	
	4GB DDR3-1333	1 module PC 1333, DIMM																							S26361-F4401-L3	106,00	
	2GB DDR2-800 ECC	to be used in pairs, 1 module PC 800 (PC2-6400), ECC, DIMM																							S26361-F3369-L424	121,00	
	4GB 2x2GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary																							S26361-F3367-L459	265,00	
	8GB 2x4GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary																							S26361-F3367-L464	491,00	
	16GB 2x8GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary																							S26361-F3367-L479	1.212,00	
	2GB DDR3-1333 ECC	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																							S26361-F4411-L2	86,00	
	4GB DDR3-1333 ECC	to be used in pairs, 1 module PC 1333 (PC3-10600), ECC, DIMM																							S26361-F4411-L3	164,00	
	4GB 2x2GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary																							S26361-F3376-L484	265,00	
	8GB 2x4GB DDR2-800 rg ECC	2 modules, same number of modules for each processor necessary																							S26361-F3376-L488	520,00	
	1GB DDR3-1066	1 module																							S26361-F3374-L403	35,00	
	1GB DDR3-1333	1 module																							S26361-F3375-L403	35,00	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																							S26361-F3375-L413	67,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																							S26361-F3375-L414	86,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																							S26361-F3375-L415	173,00	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																							S26361-F3377-L413	67,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																							S26361-F3377-L414	91,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary																							S26361-F3377-L415	173,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary																							S26361-F3375-L424	117,00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary																							S26361-F3375-L425	177,00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary																							S26361-F3375-L426	344,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary																							S26361-F3377-L424	117,00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary																							S26361-F3377-L425	177,00	





# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

**CELSIUS Accessories** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H260	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS IM60	CELSIUS IM70	CELSIUS IM70-2	CELSIUS R50	CELSIUS R70	CELSIUS R70-2	CELSIUS R60	CELSIUS R70	CELSIUS R70-2	CELSIUS ULTRA	CELSIUS V640	CELSIUS V640-2	CELSIUS W80	CELSIUS W70	CELSIUS W80	CELSIUS W80	Product Code	EUP (g)	Comments	
<b>Memory (Continued)</b>																										
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary													x								S26361-F3377-L426	344,00		
	16GB DDR3-1066 rg ECC	1 module, same number of modules for each processor necessary													x								S26361-F3374-L427	981,00		
<b>Graphics</b>																										
	2x DVI-D Extension Adapter PCIe FH	incl. DVI adapter cable																								
	DVI Extension Adapter	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible																					S26361-F2757-L655	40,00	Phased out	
	NVIDIA Quadro NVS 290 256MB PCIe x1	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe						x	x	x		x	x	x	x				x	x	x		S26361-F2748-L233	127,00		
	NVIDIA Quadro NVS 290 256MB PCIe x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe						x		x									x	x	x	x	S26361-F2748-L234	127,00		
	NVIDIA Quadro NVS 295 256MB PCIe x16	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters						x	x	x		x	x	x	x				x	x	x	x	S26361-F2748-L236	117,00		
	NVIDIA Quadro NVS 440 2x128MB PCIe x1	Connectors: Up to 4x DVI or VGA PCIe						x		x									x	x	x	x	S26361-F2748-L244	532,00		
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters						x	x		x	x	x	x					x	x	x	x	S26361-F2748-L245	527,00		
	NVIDIA Quadro FX 380 256MB	Connectors: 2x DVI; PCIe x16; w/o adapters						x	x	x		x	x	x					x	x	x	x	S26361-F2856-L38	157,00		
	NVIDIA Quadro FX 580 512MB	Connectors: 1x DVI and 2x DP; PCIe x16; w/o adapters						x	x	x		x	x	x					x	x	x	x	S26361-F2856-L58	195,00		
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI dual link and 1x DP; PCIe x16; w/o adapters							x											x			S26361-F2856-L61	204,00		
	NVIDIA Quadro FX 1800 768MB	Connectors: 1x DVI and 2x DP; PCIe x16; w/o adapters						x	x	x		x	x	x					x	x	x	x	S26361-F2856-L218	547,00		
	NVIDIA Quadro 2000 2GB	Connectors: 1x DVI dual link and 2x DP; PCIe x16; w/o adapters							x											x			S26361-F2856-L201	553,00		
	NVIDIA Quadro FX 3800 1GB	Connectors: 1x DVI and 2x DP; PCIe x16; w/o adapters						x	x	x		x	x	x					x				S26361-F2856-L238	975,00		
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI dual link and 2x DP; PCIe x16; w/o adapters							x														S26361-F2856-L401	992,00		
	NVIDIA Quadro FX 4800 1.5GB	Connectors: 1x DVI and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16						x	x	x		x	x	x					x				S26361-F2856-L248	1.664,00		
	NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16							x														S26361-F2856-L501	2.140,00		
	NVIDIA Quadro FX 5800 4GB	Connectors: 2x DVI and 1x DP, stereo; 2x DVI/VGA-adapter; PCIe x16							x														S26361-F2856-L258	3.777,00		
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI dual link and 2x DP, stereo; 2x DVI/VGA-adapter; PCIe x16							x														S26361-F2856-L601	4.685,00		
	ATI FirePro V3700 256 MB	Connectors: 2x DVI; PCIe x16; w/o adapters						x	x											x	x	x	S26361-F2530-L370	111,00	Phased out	
	ATI FirePro V3800 512 MB	Connectors: 1x DVI dual link, 1x DP; PCIe x16; w/o adapters							x											x			S26361-F2530-L380	127,00		
	ATI FirePro V4800 1 GB	Connectors: 1x DVI dual link, 2x DP; PCIe x16; w/o adapters							x											x			S26361-F2530-L480	209,00		
	ATI FirePro V5800 1 GB	Connectors: 1x DVI dual link, 2x DP; PCIe x16; w/o adapters							x											x			S26361-F2530-L580	481,00		
	ATI FirePro V7750 1GB	Connectors: 1x DVI and 2x DP; PCIe x16; w/o adapters							x	x													S26361-F2530-L775	853,00	Phased out	
	ATI FirePro V7800 2 GB	Connectors: 1x DVI dual link, 2x DP; PCIe x16; w/o adapters							x														S26361-F2530-L780	893,00		
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI, 10/100/1000 Mbps LAN, PCIe x1						x	x	x		x	x	x						x			S26361-F3565-L1	549,00		
	CELSIUS RemoteAccess Portal	PCoIP; PCIe x1, 2x DVI/10/100/1000 Mbps LAN, 4x USB, audio						x	x	x		x	x	x						x			S26361-K1322-V1	513,00		
	NVIDIA Tesla C1060 Computing-Processor	PCIe x16							x	x													S26361-F2856-L106	1.691,00		
	NVIDIA Tesla C2050 Computing-Processor	Connectors: 1x DVI; PCIe x16							x														S26361-F2856-L205	2.576,00		
	NVIDIA Tesla C2070 Computing-Processor	Connectors: 1x DVI, PCIe x16							x														S26361-F2856-L207	4.261,00		
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor for connection of one VGA-monitor						x	x	x		x	x	x					x	x	x	x	S26361-F2391-L200	27,00		
	DVI/VGA Adapter							x	x	x		x	x	x					x	x	x	x	S26361-F2391-L1	14,00		
	SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCIe card																					S26361-F2542-L95	67,00		
<b>Removable Media Drives</b>																										
	MCR 20in1 + USB 3.0 front con., 5.25"	occupies accessible 5.25" - bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x	x		x	x	x										S26361-F3077-L14	40,00	New product, Orderable from: 03/01/2011	
	MCR 20in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5" - bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type																		x	x	x		S26361-F3077-L15	31,00	New product, Orderable from: 03/01/2011
	Blu-ray Triple Writer	bay module, BD read/write + DVD read/write + CD read/write						x															S26391-F515-L100	217,00		
	DVD Super multi (reader/writer)																						S26391-F515-L200	56,00		
	Blu-ray combo drive	Bay Modul, BD read + DVD read/write, + CD read/write, Without BluRay Playback Software						x	x														S26391-F725-L100	148,00		
	Blu-ray Disc Triple Writer SATA	bay module, BD read/write + DVD read/write + CD read/write, Blu-ray playback SW must be ordered separately						x	x														S26391-F725-L150	230,00		
	DVD Super multi (reader/writer) weight saver																						S26391-F725-L200	65,00		
	DVD SATA	occupies accessible 5.25" - bay, without DVD-video playback software							x											x	x	x		S26391-F440-L300	21,00	
	DVD SATA	occupies accessible 5.25" - bay, without DVD-video playback software							x	x										x	x	x		S26361-F3418-L10	34,00	
	DVD SuperMulti SATA	occupies accessible 5.25" - bay, DVD burning software included (without DVD-video playback software)							x	x										x	x	x		S26361-F3418-L510	34,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25" - bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately							x	x										x	x	x		S26361-F3420-L510	42,00	
									x	x										x	x	x		S26361-F3523-L510	219,00	



# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

**CELSIUS Accessories** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H260	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R560	CELSIUS R570	CELSIUS R670-2	CELSIUS R670	CELSIUS R670	CELSIUS R670-2	CELSIUS R670	CELSIUS ULTRA	CELSIUS V640	CELSIUS V640-2	CELSIUS W680	CELSIUS W670	CELSIUS W680	CELSIUS W680	Product Code	EUP (g)	Comments	
<b>Removable Media Drives (Continued)</b>																											
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"-bay and requires internal USB interface. Formats: CF I, CF II, BM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type																		x		x	x	x	S26361-F3077-L5	18,00	
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"-bay and requires internal USB interface. Formats: CF I, CF II, BM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x	x		x	x													S26361-F3077-L4	25,00	
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"-bay and requires internal USB interface. Formats: CF I, CF II, BM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type					x													x					S26361-F3077-L6	25,00	
	Floppy Disk Drive 1.44MB	occupies accessible 3.5"-bay, incl. cable																							S26361-F1723-L30	23,00	Phased out
	Floppy Disk Drive for 5.25" bay	occupies accessible 3.5"-bay, incl. cable					x		x										x	x					S26361-F1723-L31	30,00	Phased out
	FDD 1.44MB	occupies accessible 3.5"-bay, incl. cable																							S26361-F1723-L510	25,00	
<b>SCSI/RAID/SAS controller</b>																											
	SAS Controller D2507 (LS11064e)x4	4 ports incl. cables, PCIe x4						x	x	x	x	x													S26361-F3976-L1	127,00	
<b>Communication/Network</b>																											
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mb/s, RJ45, WOL, auto-detect, PXE Boot, driver CD, PCI Express, full height/ low profile					x	x	x	x	x	x	x	x					x	x					S26361-F3067-L30	29,00	
	WLAN II 802.11g 54Mbps	Fujitsu D1705, internal WLAN module, occupies 1 internal USB interface					x		x										x	x					S26361-F3108-L2	42,00	Phased out
	WLAN II 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface					x	x	x	x	x	x	x								x				S26361-F3108-L5	31,00	
	Modem 56k irkl RJ11 modem cable	PCI board, NT not supported, adapter to be ordered separately, full Height																		x	x	x	x		S26361-F3088-L2	18,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot																			x	x	x	x	S26361-F2542-L30	13,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height						x	x	x		x													S26361-F2542-L34	13,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot																			x	x	x	x	S26361-F2542-L40	13,00	
	eSATA Interface FH	for eSATA peripherals, occupies one internal SATA interface and one slot, full height						x	x	x		x	x								x				S26361-F2542-L70	13,00	
	Dual serial card PCI	Dual Port RS232						x	x	x		x	x							x	x				S26361-F3316-L4	35,00	
	FireWire PCI-Card IEEE 1394	400 Mbit/s, 3 external and 1 internal connectors								x	x	x									x	x	x		S26361-F3106-L520	30,00	
<b>Rack-Infrastructure</b>																											
	Rack mount kit CELSIUS	For assembling in racks from Fujitsu Technology Solutions and in third party racks, inclusive rails						x	x	x	x	x	x	x	x										S26361-F2581-L100	167,00	
<b>OS/Application-SW</b>																											
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x		S26361-F2727-L556	271,00	Phased out
	Media Less Key Office 07 Basic (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L550	271,00	Phased out
	Media Less Key Office 07 Basic (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L553	271,00	Phased out
	Media Less Key Office 07 Basic (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L559	271,00	Phased out
	Media Less Key Office 07 Basic (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L562	271,00	Phased out
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L557	353,00	Phased out
	Media Less Key Office 07 SBE (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L551	353,00	Phased out
	Media Less Key Office 07 SBE (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L554	353,00	Phased out
	Media Less Key Office 07 SBE (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L560	353,00	Phased out
	Media Less Key Office 07 SBE (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L563	353,00	Phased out
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L558	440,00	Phased out
	Media Less Key Office 07 PRO (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L552	440,00	Phased out
	Media Less Key Office 07 PRO (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L555	440,00	Phased out
	Media Less Key Office 07 PRO (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L561	440,00	Phased out
	Media Less Key Office 07 PRO (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x			S26361-F2727-L564	440,00	Phased out
	Drivers&Utilities DVD CELSIUS XP/ Vista	incl. Nero Essentials S, Norton Internet Security						x	x	x	x	x	x	x					x	x	x	x			S26361-F2007-L909	21,00	
	Drivers&Utility (XP+Vista) Mobile H	incl. Nero Essentials S, Norton Internet Security						x	x	x															S26361-F2007-L904	23,00	
<b>UPS/Power supply</b>																											
	2nd battery																								S26391-F405-L200	144,00	Phased out
	1st Battery E8410/ E8420 8-cell 75Wh																								S26391-F405-L810	79,00	
	AC-Adapter 19V/100W																								S26391-F408-L900	98,00	
	2nd battery																								S26391-F440-L200	140,00	
	External battery charger, incl. 16V AC	not fitting for main battery E8420																							S26391-F458-L200	205,00	
	External battery charger, incl. 16V AC	incl. AC adapter, without power cable																							S26391-F5031-L700	219,00	Phased out
	Ext. Battery Charger	without AC-adapter																							S26391-F5031-L710	201,00	Phased out
	1st Battery 8cell 5.800mAh (83Wh)																								S26391-F518-L200	94,00	
	AC-Adapter 19V/100W	w/o power cord; power cords are listed under "Miscellaneous"																							S26391-F519-L100	44,00	
	AC Adapter 120W	w/o power cord; power cords are listed under "Miscellaneous"																							S26391-F740-L120	31,00	
	2ND BATTERY																								S26391-F746-L100	121,00	Phased out
	1st Battery EM D+X 8-cell																								S26391-F746-L600	88,00	



# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

### CELSIUS Accessories

Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H260	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS M460	CELSIUS M470	CELSIUS M470-2	CELSIUS R560	CELSIUS R570	CELSIUS R970-2	CELSIUS R650	CELSIUS R670	CELSIUS R970	CELSIUS ULTRA	CELSIUS V640	CELSIUS V640-2	CELSIUS W860	CELSIUS W870	CELSIUS W880	CELSIUS W880	Product Code	EUP (g)	Comments
<b>UPS/Power supply (Continued)</b>																									
<b>Security</b>																									
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard																		x			S26361-F1260-L520	35,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard																		x		x	S26361-F1260-L521	34,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard, CELSIUS M, R, V only						x	x	x	x	x	x	x	x								S26361-F1260-L522	38,00	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b.64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L201	23,00	
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b.64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L210	147,00	
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x			x																	S26361-F2009-L101	25,00	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x			x																	S26361-F2009-L102	40,00	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x			x																	S26361-F2009-L103	52,00	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x			x																	S26361-F2009-L104	40,00	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x			x																	S26361-F2009-L105	65,00	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x			x																	S26361-F2009-L106	79,00	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x			x																	S26361-F2009-L107	48,00	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x			x																	S26361-F2009-L108	79,00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x			x																	S26361-F2009-L109	104,00	
	ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description					x																S26361-F2009-L113	44,00	
	ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description					x																S26361-F2009-L114	71,00	
	ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description					x																S26361-F2009-L115	90,00	
	ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description					x																S26361-F2009-L116	52,00	
	ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description					x																S26361-F2009-L117	88,00	
	ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description					x																S26361-F2009-L118	116,00	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																	S26361-F2009-L201	25,00	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																	S26361-F2009-L202	40,00	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																	S26361-F2009-L203	52,00	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																	S26361-F2009-L204	40,00	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																	S26361-F2009-L205	65,00	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																	S26361-F2009-L206	79,00	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																	S26361-F2009-L207	48,00	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																	S26361-F2009-L208	79,00	
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x			x																	S26361-F2009-L209	104,00	
	ATP, Data Protection, PE, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description					x																S26361-F2009-L213	52,00	
	ATP, Data Protection, PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description					x																S26361-F2009-L214	88,00	
	ATP, Data Protection, PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description					x																S26361-F2009-L215	116,00	
	ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description					x																S26361-F2009-L217	82,00	
	ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description					x																S26361-F2009-L218	100,00	
	SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support, SmartLogon plus support					x																S26361-F2432-L720	65,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license, for orders up to 99 licenses, no software, no data medium				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L100	27,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smartcard / Fingerprint for XP/Vista/Win7, no eLux support				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L730	42,00	
	Smartcardreader USB Solo 3 extern 3310V2	PCSC and XP / Vista compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F331-L220	32,00	
<b>Miscellaneous</b>																									
	Keyboard Rubber caps	10 caps	x																				S26391-F2602-V1	21,00	
	iButton for RAID 5 support	incl. license for RAID 5												x	x								S26361-F2581-L44	107,00	New product
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than NBSJ001400 (CELSIUS V930) and YBWM004000 (CELSIUS M440).				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2581-L200	77,00	
	Rear USB 2.0 connector	2x USB 2.0																			x		S26361-F2438-L215	13,00	
	Blanking Plate 5.25" drive bays, 10 pcs.																				x		S26361-F2542-L326	17,00	
	Blanking Plate 5.25" drive bays, 10 pcs.																				x	x	S26361-F2542-L325	36,00	
<b>Cables</b>																									



# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

**CELSIUS Accessories** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H260	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS IM460	CELSIUS IM470	CELSIUS IM470-2	CELSIUS R350	CELSIUS R370	CELSIUS R370-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V640	CELSIUS V640-2	CELSIUS W380	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (g)	Comments	
Accessories & services matrix																										
<b>Cables (Continued)</b>																										
	Monitor outlet cable	necessary to contact monitor directly to the PC																					S26361-F2542-L57	10,00		
	Cable for 2 USB devices																						S26361-F2581-L10	13,00		
	Power cord three-wire US	Power cord three-wire US		x	x																		S26361-F2581-L300	13,00		
	Power cord three-wire EU	Power cord three-wire EU		x	x																		S26361-F2581-L310	10,00		
	Power cord three-wire GB	Power cord three-wire GB		x	x																		S26361-F2581-L320	10,00		
	Power cord three-wire I	Power cord three-wire I		x	x																		S26361-F2581-L330	10,00		
	Power cord three-wire CH	Power cord three-wire CH		x	x																		S26361-F2581-L340	14,00		
<b>Input Devices</b>																										
	Presenter IV Air	2.4 GHz; presenter with laser pointer, mouse and Gamepad function	x	x	x	x																	S26381-K440-L100	62,00		
<b>Additional Software</b>																										
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1																						U11081-C157	15,00	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, for 1 system with 1 to 4 CPUs																						U11081-C171	1.125,00	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, for 1 system with 1 to 4 CPUs																						U11081-C177	562,00	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME																						U11081-C183	30,00	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, for 1 system with 1 to 4 CPUs																						U11081-C186	1.125,00	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs																						U11081-C192	451,00	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions																						U11081-C199	15,00	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0																						U11081-C201	30,00	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201																						U11081-C202	1.225,00	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201																						U11081-C204	3.988,00	New product
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201																						U11081-C207	710,00	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202																						U11081-C212	1.225,00	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204																						U11081-C214	3.988,00	New product
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207																						U11081-C217	710,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C301	1.225,00		
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C311	1.225,00		
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C321	500,00		
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																						U11081-C302	1.994,00	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																						U11081-C312	1.994,00	
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																						U11081-C322	814,00	
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																						U11081-C303	3.988,00	
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																						U11081-C313	3.988,00	
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																						U11081-C323	1.628,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300	30,00		
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0; Cryptographic module; Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15,00		
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C501	1.225,00		
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C513	1.225,00		
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C525	500,00		
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																						U10987-C502	1.994,00	



# Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

**CELSIUS Accessories** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H250	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS IM60	CELSIUS IM70	CELSIUS IM70-2	CELSIUS R550	CELSIUS R570	CELSIUS R570-2	CELSIUS R650	CELSIUS R670	CELSIUS R670-2	CELSIUS ULTRA	CELSIUS V640	CELSIUS V640-2	CELSIUS W280	CELSIUS W360	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments	
<b>Additional Software (Continued)</b>																											
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																x	x						U10987-C514	1.994,00	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																x	x						U10987-C526	814,00	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																x	x						U10987-C503	3.988,00	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																x	x						U10987-C515	3.988,00	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU																x	x						U10987-C527	1.628,00	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																x	x						U10987-C504	4.618,00	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																x	x						U10987-C516	4.618,00	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU																x	x						U10987-C528	1.885,00	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																x	x						U10987-C505	5.982,00	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																x	x						U10987-C517	5.982,00	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU																x	x						U10987-C529	2.442,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C499	15,00	



# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

**CELSIUS Options**

Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix														
<b>LCD-Display</b>														
	39,6 cm (15.6") HD+ magnesium LED w/ cam		x									S26391-F501-E300	184,00	
	39,6 cm (15.6") FHD magnesium LED w/ cam		x									S26391-F501-E400	251,00	
<b>Approvals</b>														
	GS approval	non glossy front bezel to fulfill GS approval	x	x	x	x	x	x	x	x	x	S26361-F2555-E200	3,00	
	Blauer Engel (Blue Angel)		x						x			S26361-F2550-E100	3,00	
	Energy Star compliance	ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.	x									S26361-F2600-E110	3,00	
	Energy Star compliance	ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.		x								S26361-F2600-E120	3,00	
	Energy Star compliance	ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.			x	x						S26361-F2600-E130	3,00	
<b>Processor</b>														
	Intel Core i5-520M 2.4GHz 3MB		x									S26391-F503-E520	339,00	Phased out
	Intel Core i5-540M 2.53GHz 3MB		x									S26391-F503-E540	387,00	Phased out
	Intel Core i5-560M 2.66GHz 3MB		x									S26391-F503-E560	339,00	
	Intel Core i7-720QM 1.60GHz 6MB		x									S26391-F503-E720	542,00	
	Intel Core i7-740QM 1.73GHz 6MB	1.73 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, TXT	x									S26391-F503-E740	542,00	
	Intel Core i7-820QM 1.73GHz 8MB		x									S26391-F503-E820	813,00	
	Intel Core i7-840QM 1.86GHz 8MB	1.86 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT	x									S26391-F503-E840	813,00	
	Intel Core i7-620M 2.66GHz 4MB		x									S26391-F461-E620	500,00	Phased out
	Intel Core i7-640M 2.80GHz 4MB		x									S26391-F503-E640	500,00	
	Celeron 450	2.2 GHz, 512KB SLC, 800MHz FSB, LGA775, incl. heat sink, technologies: XD, EM64T							x			S26361-F3472-E450	42,00	
	Celeron E3200	2.4 GHz, 1 MB SLC, 800MHz FSB, LGA775, incl. heat sink, technologies: VT-x							x			S26361-F3472-E320	58,00	Phased out
	Pentium E5400	2.7 GHz, 2 MB SLC, 800 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x							x			S26361-F3473-E540	75,00	Phased out
	Pentium E5500	2.8 GHz, 2 MB SLC, 800 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x							x			S26361-F3473-E550	75,00	Phased out
	Pentium E5800	3.2 GHz, 2 MB SLC, 800 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x							x			S26361-F3473-E580	116,00	
	Core 2 Duo E7500	2.93 GHz, 3 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x							x			S26361-F3517-E150	165,00	
	Core 2 Duo E7600	3.06 GHz, 3 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies: XD, EM64T, EIST							x			S26361-F3517-E161	174,00	
	Core 2 Duo E8400	3.0 GHz, 6 MB SLC, 1333 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x, TXT							x			S26361-F3509-E141	261,00	
	Core 2 Duo E8500	3.16 GHz, 6 MB SLC, 1333 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x, TXT							x			S26361-F3509-E151	292,00	
	Core 2 Duo E8600	3.33 GHz, 6 MB SLC, 1333 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x, TXT							x			S26361-F3509-E160	408,00	
	Core 2 Quad Q8300	2.50 GHz, 4 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x							x			S26361-F3510-E30	195,00	
	Core 2 Quad Q9505	2.83 GHz, 6 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT							x			S26361-F3510-E150	343,00	
	Core 2 Quad Q9550	2.83 GHz, 12 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT							x			S26361-F3510-E156	397,00	
	Core 2 Quad Q9650	3.0 GHz, 12 MB SLC, 1333 MHz FSB, quad core, LGA775, incl. heat sink, technologies: VT-x, TXT							x			S26361-F3510-E165	470,00	
	Pentium G6950	incl. graphics, 2.8 GHz, 3 MB total cache, dual core, LGA1156, technologies: VT-x						x	x	x		S26361-F4014-E695	136,00	
	Core i3-540	incl. graphics, 3.06 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x						x	x	x		S26361-F4010-E540	161,00	Phased out
	Core i3-550	incl. graphics, 3.20 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x						x	x	x		S26361-F4010-E550	165,00	
	Core i5-650	incl. graphics, 3.2 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT						x	x	x		S26361-F4011-E650	282,00	



# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

**CELSIUS Options** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix														
<b>Processor (Continued)</b>														
	Core i5-660	incl. graphics, 3.33 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT						x		x	x	S26361-F4011-E660	313,00	
	Core i5-680	incl. graphics, 3.6 GHz, 4 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, TXT						x		x	x	S26361-F4011-E680	432,00	
	Core i5-750	2.66 GHz, 8 MB total cache, quad core/4 threads, LGA1156, technologies: VT-x, TXT						x				S26361-F4012-E750	313,00	Phased out
	Core i5-760	2.80 GHz, 8 MB total cache, quad core/4 threads, LGA1156, technologies: VT-x, TXT						x				S26361-F4012-E760	313,00	
	Core i7-860	2.8 GHz, 8 MB total cache, quad core/8 threads, LGA1156, technologies: VT-x, TXT						x				S26361-F4013-E860	432,00	Phased out
	Core i7-870	2.93 GHz, 8 MB total cache, quad core/8 threads, LGA1156, technologies: VT-x, TXT						x				S26361-F4013-E870	448,00	
	Core i7-880	3.0 GHz, 8 MB total cache, quad core/8 threads, LGA1156, technologies: VT-x, TXT						x				S26361-F4013-E880	836,00	
	Celeron G1101	incl. graphics, 2.26 GHz, 2 MB total cache, dual core/4 threads								x	x	S26361-F4015-E110	111,00	
	Intel® Xeon® X3430 2.40 GHz, 8 MB	2.40 GHz, 8 MB total cache, quad core/4 threads, technologies: VT-x, TXT								x	x	S26361-F4017-E430	305,00	
	Intel® Xeon® X3440 2.53 GHz, 8 MB	2.53 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT								x	x	S26361-F4017-E440	348,00	
	Intel® Xeon® X3450 2.66 GHz, 8 MB	2.66 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT								x	x	S26361-F4017-E450	360,00	
	Intel® Xeon® X3470 2.93 GHz, 8 MB	2.93 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT								x	x	S26361-F4017-E470	499,00	
	Xeon X3480 3.06 GHz, 8 MB	3.06 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT								x	x	S26361-F4017-E480	928,00	
	XEON L5506 2.13GHz 4MB Turbo Boost	4.8 GT/s QPI, 4 cores		x								S26361-F3539-E306	689,00	Phased out
	2nd XEON L5506	2.13GHz 4MB Turbo Boost, 4.8 GT/s QPI, 4 cores				x						S26361-F3540-E306	700,00	Phased out
	XEON L5520 2.26GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores		x	x	x	x					S26361-F3539-E320	857,00	Phased out
	2nd XEON L5520	2.26GHz 8MB Turbo Boost, 5.86 GT/s QPI, 4 cores				x	x	x				S26361-F3540-E320	868,00	Phased out
	Xeon L5530 2.40GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores		x	x	x	x					S26361-F3539-E330	1.196,00	Phased out
	2nd Xeon L5530	2.40GHz 8MB Turbo Boost, 5.86 GT/s QPI, 4 cores				x	x	x				S26361-F3540-E330	1.205,00	Phased out
	Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		x	x		x					S26361-F3612-E309	689,00	
	2nd Xeon L5609	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores				x	x					S26361-F3613-E309	700,00	
	Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		x	x		x					S26361-F3612-E330	857,00	
	2nd Xeon L5630	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores				x	x					S26361-F3613-E330	868,00	
	Xeon L5640 2.26 GHz, 12 MB Turbo Boost,	2.26 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores		x	x		x					S26361-F3612-E340	1.533,00	
	2nd Xeon L5640	2.26 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores				x	x					S26361-F3613-E340	1.541,00	
	XEON E5502 1.86GHz 4MB	4.8 GT/s QPI, 2 cores		x			x					S26361-F3539-E102	325,00	Phased out
	2nd XEON E5502	1.86GHz 4MB 4.8 GT/s QPI, 2 cores						x				S26361-F3540-E102	335,00	Phased out
	Xeon E5503 2.00 GHz, 4 MB	2.00 GHz, 4 MB, 4.8 GT/s QPI, 2 cores		x	x		x					S26361-F3612-E103	325,00	
	2nd Xeon E5503	2.00 GHz, 4 MB, 4.8 GT/s QPI, 2 cores				x	x	x				S26361-F3613-E103	335,00	
	XEON E5504 2.00GHz 4MB	4.8 GT/s QPI, 4 cores		x								S26361-F3539-E104	376,00	Phased out
	2nd XEON E5504	2.00GHz 4MB 4.8 GT/s QPI, 4 cores						x				S26361-F3540-E104	385,00	Phased out
	XEON E5506 2.13GHz 4MB	4.8 GT/s QPI, 4 cores		x	x		x					S26361-F3539-E106	376,00	
	2nd XEON E5506	2.13GHz 4MB 4.8 GT/s QPI, 4 cores						x	x			S26361-F3540-E106	385,00	
	Xeon E5507 2.26 GHz, 4 MB	2.26 GHz, 4 MB, 4.8 GT/s QPI, 4 cores		x	x		x					S26361-F3612-E107	443,00	
	2nd Xeon E5507	2.26 GHz, 4 MB, 4.8 GT/s QPI, 4 cores						x	x			S26361-F3613-E107	455,00	
	XEON E5520 2.26GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores		x			x					S26361-F3539-E220	612,00	Phased out
	2nd XEON E5520	2.26GHz 8MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x				S26361-F3540-E220	623,00	Phased out
	XEON E5530 2.40GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores		x	x		x					S26361-F3539-E230	857,00	Phased out
	2nd XEON E5530	2.40GHz 8MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x	x			S26361-F3540-E230	868,00	Phased out
	XEON E5540 2.53GHz 8MB Turbo Boost	5.86 GT/s QPI, 4 cores		x			x					S26361-F3539-E240	1.196,00	Phased out
	2nd XEON E5540	2.53GHz 8MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x				S26361-F3540-E240	1.205,00	Phased out
	Xeon E5620 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		x	x		x					S26361-F3612-E220	612,00	
	2nd Xeon E5620	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores				x	x					S26361-F3613-E220	623,00	
	Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		x	x		x					S26361-F3612-E230	857,00	
	2nd Xeon E5630	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores				x	x					S26361-F3613-E230	868,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**CELSIUS Options** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
<b>Processor (Continued)</b>														
	Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores	x	x		x						S26361-F3612-E240	1.196,00	
	2nd Xeon E5640	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores			x		x					S26361-F3613-E240	1.205,00	
	XEON X5550 2.66GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores			x		x					S26361-F3539-E950	1.533,00	Phased out
	2nd XEON X5550	2.66GHz 8MB Turbo Boost, 6.4 GT/s QPI, 4 cores					x					S26361-F3540-E950	1.541,00	Phased out
	XEON X5560 2.80GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores			x		x	x				S26361-F3539-E960	1.869,00	Phased out
	2nd XEON X5560	2.80GHz 8MB Turbo Boost, 6.4 GT/s QPI, 4 cores					x	x	x			S26361-F3540-E960	1.880,00	Phased out
	XEON X5570 2.93GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores			x		x					S26361-F3539-E970	2.208,00	Phased out
	2nd XEON X5570	2.93GHz 8MB Turbo Boost, 6.4 GT/s QPI, 4 cores					x					S26361-F3540-E970	2.217,00	Phased out
	Xeon X5650 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	x	x		x						S26361-F3612-E950	1.533,00	
	2nd Xeon X5650	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores			x		x					S26361-F3613-E950	1.541,00	
	Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	x	x		x						S26361-F3612-E960	1.869,00	
	2nd Xeon X5660	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores			x		x					S26361-F3613-E960	1.880,00	
	Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores	x	x		x						S26361-F3612-E967	2.208,00	
	2nd Xeon X5667	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores			x		x					S26361-F3613-E967	2.217,00	
	Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	x	x		x						S26361-F3612-E970	2.208,00	
	2nd Xeon X5670	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores			x		x					S26361-F3613-E970	2.217,00	
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores	x			x						S26361-F3612-E977	2.545,00	
	2nd Xeon X5677	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores					x					S26361-F3613-E977	2.553,00	
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	x			x						S26361-F3612-E980	2.545,00	
	2nd Xeon X5680	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores					x					S26361-F3613-E980	2.553,00	
	Xeon W3503 2.40GHz 4MB	4.8 GT/s QPI, 2 cores			x							S26361-F3541-E103	325,00	
	Xeon W3505 2.53GHz 4MB	4.8 GT/s QPI, 2 cores			x							S26361-F3541-E105	401,00	
	XEON W3520 2.66GHz 8MB Turbo Boost	4.8 GT/s QPI, 4 cores			x							S26361-F3541-E320	469,00	
	Xeon W3530 2.80 GHz, 8 MB Turbo Boost,	2.80 GHz, 8 MB Turbo Boost, 6.4 GT/s QPI, 4 cores			x							S26361-F3541-E330	500,00	
	XEON W3540 2.93GHz 8MB Turbo Boost	4.8 GT/s QPI, 4 cores			x							S26361-F3541-E340	908,00	Phased out
	Xeon W3550 3.06GHz 8MB Turbo Boost	4.8 GT/s QPI, 4 cores			x							S26361-F3541-E350	472,00	
	Xeon W3565 3.20 GHz, 8 MB Turbo Boost,	3.20 GHz, 8 MB Turbo Boost, 4.8 GT/s QPI, 4 cores			x							S26361-F3541-E365	908,00	
	XEON W3570 3.20GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores			x							S26361-F3541-E370	1.659,00	Phased out
	Xeon W3580 3.33GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores			x							S26361-F3541-E380	1.659,00	
	Xeon W3670 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4.8 GT/s QPI, 6 cores			x							S26361-F3614-E570	1.364,00	
	Xeon W3680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores	x									S26361-F3614-E580	1.756,00	
	XEON W5580 3.20GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores					x					S26361-F3541-E580	2.545,00	Phased out
	2nd XEON W5580	3.20GHz 8MB Turbo Boost, 6.4 GT/s QPI, 4 cores					x					S26361-F3542-E580	2.553,00	Phased out
	Xeon W5590 3.33GHz 8MB Turbo Boost	6.4 GT/s QPI, 4 cores			x		x					S26361-F3541-E590	2.545,00	Phased out
	2nd Xeon W5590	3.33GHz 8MB Turbo Boost, 6.4 GT/s QPI, 4 cores					x					S26361-F3542-E590	2.553,00	Phased out
<b>Memory</b>														
	2 GB DDR3 1066 MHz PC3-8500		x									S26391-F505-E100	42,00	
	2GB DDR3-1333 PC3-10600				x							S26391-F505-E200	42,00	
	4 GB DDR3 1333 MHz PC3-10600				x							S26391-F505-E300	88,00	
	1GB DDR2-800	memory mix, 1 module PC 800 (PC2-6400), DIMM								x		S26361-F2995-E114	35,00	
	2GB DDR2-800	memory mix, 1 module PC 800 (PC2-6400), DIMM								x		S26361-F2995-E116	68,00	
	2GB DDR2-800 (2x 1GB)	memory mix, 2 modules PC 800 (PC2-6400) each 1GB, DIMM								x		S26361-F2996-E214	71,00	
	2GB DDR2-800	memory mix, 1 module PC 800 (PC2-6400), DIMM								x		S26361-F2996-E116	68,00	
	1GB DDR2-800 further module	memory mix, 1 module PC 800 (PC2-6400), DIMM								x		S26361-F2997-E114	35,00	Phased out
	2GB DDR2-800 further module	memory mix, 1 module PC 800 (PC2-6400), DIMM								x		S26361-F2997-E116	68,00	Phased out
	2GB DDR3-1333	1 module PC 1333, DIMM						x		x		S26361-F4401-E2	42,00	
	4GB DDR3-1333	1 module PC 1333, DIMM						x		x		S26361-F4401-E3	90,00	
	2GB DDR3-1333 ECC	1 module PC 1333 (PC3-10600), ECC, DIMM								x		S26361-F4411-E2	68,00	
	4GB DDR3-1333 ECC	1 module PC 1333 (PC3-10600), ECC, DIMM								x		S26361-F4411-E3	127,00	
	1GB DDR3-1066	1 module						x				S26361-F3374-E403	24,00	
	1GB DDR3-1333	1 module			x		x					S26361-F3375-E403	23,00	





Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**CELSIUS Options** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
<b>Memory (Continued)</b>														
	1GB DDR3-1333 ECC	1 module, same number of modules, for each processor necessary				x						S26361-F3375-E413	51,00	
	2GB DDR3-1333 ECC	1 module, same number of modules, for each processor necessary				x						S26361-F3375-E414	71,00	
	4GB DDR3-1333 ECC	1 module, same number of modules, for each processor necessary				x						S26361-F3375-E415	135,00	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary	x	x		x						S26361-F3377-E413	51,00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary	x	x		x						S26361-F3377-E414	71,00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary	x	x		x						S26361-F3377-E415	135,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules, for each processor necessary					x					S26361-F3375-E424	91,00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules, for each processor necessary					x					S26361-F3375-E425	140,00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules, for each processor necessary					x					S26361-F3375-E426	272,00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary			x		x					S26361-F3377-E424	91,00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary			x		x					S26361-F3377-E425	140,00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary			x		x					S26361-F3377-E426	272,00	
	16GB DDR3-1066 rg ECC	1 module, same number of modules for each processor necessary			x		x					S26361-F3374-E427	781,00	
<b>Graphics</b>														
	DVI Extension Adapter FH	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible							x			S26361-F3305-E211	10,00	
	NVIDIA Quadro NVS 290 256MB PCIe x1	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe	x	x	x	x			x			S26361-F2748-E233	117,00	
	2nd NVIDIA Quadro NVS 290 256MB PCIe x1	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe							x			S26361-F2748-E133	117,00	
	NVIDIA Quadro NVS 290 256MB PCIe x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe	x	x	x	x	x	x	x	x		S26361-F2748-E234	117,00	
	NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters	x	x	x	x			x			S26361-F2748-E235	107,00	
	2nd NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters	x	x	x	x						S26361-F2748-E135	107,00	
	NVIDIA Quadro NVS 295 256MB PCIe x16	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters	x	x	x	x	x	x	x	x		S26361-F2748-E236	100,00	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters	x	x	x	x	x	x	x	x		S26361-F2748-E245	509,00	
	NVIDIA Quadro FX 380 256MB	Connectors: 2x DVI-I; PCIe x16; w/o adapters	x	x	x	x	x	x	x	x		S26361-F2856-E38	140,00	
	NVIDIA Quadro FX 580 512MB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters	x	x	x	x	x	x	x	x		S26361-F2856-E58	177,00	
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCIe x16; w/o adapters	x	x		x			x	x		S26361-F2856-E61	187,00	
	NVIDIA Quadro FX 1800 768MB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters	x	x	x	x	x	x	x	x		S26361-F2856-E218	529,00	
	NVIDIA Quadro 2000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x	x		x			x	x		S26361-F2856-E201	536,00	
	NVIDIA Quadro FX 3800 1GB	Connectors: 1x DVI-I and 2x DP; PCIe x16; w/o adapters	x	x	x	x				x		S26361-F2856-E238	957,00	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters	x	x		x				x		S26361-F2856-E401	975,00	
	NVIDIA Quadro FX 4800 1.5GB	Connectors: 1x DVI-I and 2x DP, stereo; 1x DVI/VGA- adapter; PCIe x16	x	x	x	x				x		S26361-F2856-E248	1.645,00	
	Second NVIDIA Quadro FX 4800 1.5GB	Connectors: 1x DVI-I and 2x DP, stereo; 1x DVI/VGA- adapter; PCIe x16	x	x	x	x						S26361-F2856-E148	1.645,00	
	NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16	x	x		x				x		S26361-F2856-E501	2.123,00	
	Second NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16	x	x		x						S26361-F2856-E502	2.123,00	
	NVIDIA Quadro FX 5800 4GB	Connectors: 2x DVI-I and 1x DP, stereo; 2x DVI/VGA- adapter; PCIe x16	x	x	x	x						S26361-F2856-E258	3.759,00	
	Second NVIDIA Quadro FX 5800 4GB	Connectors: 2x DVI-I and 1x DP, stereo; 2x DVI/VGA- adapter; PCIe x16	x	x	x	x						S26361-F2856-E158	3.759,00	
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 2x DVI/VGA-adapter; PCIe x16	x	x		x						S26361-F2856-E601	4.667,00	
	Second NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 2x DVI/VGA-adapter; PCIe x16	x	x		x						S26361-F2856-E602	4.667,00	
	ATI FirePro V3700 256 MB	Connectors: 2x DVI-I; PCIe x16; w/o adapters				x		x	x	x		S26361-F2530-E370	93,00	Phased out



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**CELSIUS Options** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix														
<b>Graphics (Continued)</b>														
	ATI FirePro V3800 512 MB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters	x	x		x	x		x	x		S26361-F2530-E380	108,00	
	ATI FirePro V4800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters	x	x		x	x		x	x		S26361-F2530-E480	192,00	
	ATI FirePro V5800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters	x	x		x	x		x	x		S26361-F2530-E580	463,00	
	ATI FirePro V7750 1GB	Anschlüsse: 1x DVI-I und 2x DP; PCIe x16; ohne Adapter	x	x	x	x					x	S26361-F2530-E775	835,00	Phased out
	ATI FirePro V7800 2 GB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters	x	x		x					x	S26361-F2530-E780	875,00	
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1	x	x	x	x				x	x	S26361-F3565-E1	505,00	
	NVIDIA Tesla C1060 Computing-Processor	PCIe x16	x	x	x	x						S26361-F2856-E106	1.672,00	
	Second NVIDIA Tesla C1060	PCIe x16	x	x	x	x						S26361-F2856-E107	1.672,00	
	NVIDIA Tesla C2050 Computing-Processor	Connectors: 1x DVI-I; PCIe x16	x	x		x						S26361-F2856-E205	2.559,00	
	Second NVIDIA Tesla C2050	Computing-Processor, Connectors: 1x DVI-I; PCIe x16	x	x		x						S26361-F2856-E206	2.559,00	
	NVIDIA Tesla C2070 Computing-Processor	Connectors: 1x DVI-I, PCIe x16	x	x		x						S26361-F2856-E207	4.244,00	
	Second NVIDIA Tesla C2070	Computing-Processor, Connectors: 1x DVI-I, PCIe x16	x	x		x						S26361-F2856-E208	4.244,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x	x	x	x	x	x	x	x	x	S26361-F2391-E200	17,00	
	DVI/VGA Adapter	for connection of one VGA-monitor	x	x	x	x	x	x	x	x	x	S26361-F2391-E1	4,00	
	SLI bridge for NVIDIA graphics				x	x	x					S26361-F2542-E95	53,00	
	No graphics		x	x	x	x	x		x	x		S26361-F2748-E999	47,00	
<b>Removable Media Drives</b>														
	2nd battery		x									S26391-F440-E200	121,00	
	weight saver		x									S26391-F440-E300	3,00	
	DVD Super multi (reader/writer)		x									S26391-F515-E200	38,00	
	Blu-ray Triple Writer + BD playback SW	bay module, BD read/write + DVD read/write + CD read/write + Blu-ray playback SW	x									S26391-F515-E100	209,00	
	DVD SATA	occupies accessible 5,25"-bay, DVD software must be ordered separately						x	x	x	x	S26361-F3418-E510	21,00	
	DVD SuperMulti SATA	occupies accessible 5,25"-bay,DVD software must be ordered separately						x	x	x	x	S26361-F3420-E510	27,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately						x	x	x	x	S26361-F3523-E510	192,00	
	DVD SATA	occupies accessible 5,25"-bay,DVD software must be ordered separately	x	x	x	x						S26361-F3418-E530	20,00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately	x	x	x	x						S26361-F3420-E530	27,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately	x	x	x	x						S26361-F3523-E530	204,00	
	Cable for 2nd ODD	necessary for the operation of the 2nd optical disc drive						x	x	x	x	S26361-F2581-E20	3,00	
	Cable for ODD		x	x								S26361-F2581-E21	3,00	
	Cable for ODD					x	x					S26361-F2581-E22	3,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x	x	x	x	S26361-F3077-E5	9,00	
	MCR 20in1 + USB 3.0 front con., 3.5"	occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x		x	x	S26361-F3077-E15	17,00	New product,Orderable from: 03/01/2011
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type	x	x	x	x						S26361-F3077-E4	16,00	
	MCR 20in1 + USB 3.0 front con., 5.25"	occupies accessible 5.25"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type	x	x		x						S26361-F3077-E14	27,00	New product,Orderable from: 03/01/2011
	FDD 1.44MB	occupies accessible 3.5"- bay							x			S26361-F1723-E510	14,00	



# Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

**CELSIUS Options** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
<b>Options matrix</b>														
<b>Removable Media Drives (Continued)</b>														
<b>Hard Disks</b>														
	HDD SATA 320 GB 5.4k		x									S26391-F508-E200	62,00	
	HDD SATA 320GB 7.2k		x									S26391-F508-E300	73,00	
	HDD SATA 320 GB 5.4k FDE		x									S26391-F509-E100	79,00	
	SSD 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface		x	x		x	x	x	x	x	S26361-F3575-E100	387,00	
	SSD 256GB high speed FDE	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface		x	x		x	x	x	x	x	S26361-F3576-E100	762,00	
	HDD SATA II 160GB 7.2k 2.5"	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology							x	x	x	S26361-F3560-E100	58,00	
	HDD SATA 500 GB 7.2k		x									S26391-F508-E400	86,00	
	SSD SATA 128GB FDE		x									S26391-F510-E100	394,00	
	SSD SATA 256GB FDE	SSD SATA, 256 GB FDE, 2.5"	x									S26391-F510-E200	788,00	
	HDD SATA II 250GB 7.2k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology						x	x	x	x	S26361-F3212-E100	52,00	
	HDD SATA II 320GB 7.2k	occupies 3.5"-bay (internal)		x	x	x	x	x	x	x	x	S26361-F3570-E100	56,00	
	HDD SATA II 500GB 7.2k	occupies 3.5"-bay (internal)		x	x	x	x	x	x	x	x	S26361-F3435-E100	64,00	
	HDD SATA II 1000GB 7.2k	occupies 3.5"-bay (internal)		x	x	x	x	x	x	x	x	S26361-F3568-E100	86,00	
	HDD SATA II 250GB 7.2k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology		x	x	x	x					S26361-F3212-E30	56,00	
	HDD SATA II 500GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology		x	x	x	x	x	x	x	x	S26361-F3497-E100	88,00	
	HDD SATAII 1000GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology		x	x	x	x	x	x	x	x	S26361-F3521-E100	155,00	
	HDD SATAII 2000GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology		x	x	x	x	x	x	x	x	S26361-F3590-E100	312,00	
	HDD SATA II 150GB 10k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology		x	x	x	x	x	x	x	x	S26361-F3526-E10	155,00	
	HDD SATA II 300GB 10k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology		x	x	x	x	x	x	x	x	S26361-F3527-E10	252,00	
	HDD SATA III 600GB 10k	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology		x	x	x	x	x	x	x	x	S26361-F3632-E100	381,00	Orderable from: 17/12/2010
	HDD SAS 300GB 15k	occupies 3.5"-bay (internal)		x	x	x	x					S26361-F3414-E20	216,00	
	HDD SAS 450GB 15k	occupies 3.5"-bay (internal)		x	x	x	x					S26361-F3518-E20	317,00	
	HDD SAS 600GB 15k	occupies 3.5"-bay (internal)		x	x	x	x					S26361-F3591-E100	357,00	
	Cable for SATA HDD	necessary for each S-ATA hard disk drive		x	x	x	x					S26361-F2581-E31	3,00	
	Cable for SATA HDD	necessary for each S-ATA hard disk drive, CELSIUS W							x	x	x	S26361-F2581-E32	3,00	
	Cable for SAS HDD					x	x					S26361-F2581-E41	3,00	
<b>SCSI/RAID/SAS controller</b>														
	iButton for RAID 5 support	incl. license for RAID 5					x					S26361-F2581-E44	95,00	New product
	SAS Controller D2507 (LSI1064e)x4	4 ports incl. cables, PCIe x4		x	x							S26361-F3976-E1	111,00	
<b>Communication/Network</b>														
	Bluetooth module V2.1		x									S26391-F511-E300	6,00	
	No WLAN		x									S26391-F435-E100	3,00	
	Intel Centrino 6200 802.11ab/g/n (WW)		x									S26391-F511-E100	21,00	
	WLAN Atheros 802.11b/g/n (WW)		x									S26391-F511-E200	8,00	
	No 3G \ UMTS		x									S26391-F435-E450	3,00	
	UMTS Sierra Wireless Gobi 2000	not for China	x									S26391-F364-E100	113,00	
	USB 3.0 PCIe x1			x	x				x	x	x	S26361-F3050-E10	23,00	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express						x				S26361-F3067-E30	17,00	
	No Modem		x									S26391-F513-E200	3,00	
	Modem		x									S26391-F513-E100	8,00	
	Modem adapter kit (EU) w/ modem cable	includes all adapter for EU	x					x	x			S26391-F512-E100	13,00	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express		x	x	x	x		x	x	x	S26361-F3067-E40	18,00	
	Modem 56k inkl. RJ11 modem cable	PCI board, NT not supported, , adapter to be ordered separately							x	x		S26361-F3088-E2	8,00	
	Modem adapter kit (EU)	includes all adapter for EU						x	x			S26361-F3145-E50	13,00	
	WLAN II, 802.11g, 54Mbps	Fujitsu D1705, internal WLAN module, occupies 1 internal USB interface							x			S26361-F3108-E2	25,00	Phased out
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface		x	x	x	x	x	x	x	x	S26361-F3108-E5	17,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket., occupies internal parallel interface, and one slot							x	x	x	S26361-F2542-E30	3,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket., occupies internal parallel interface, and one slot		x					x			S26361-F2542-E34	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot							x	x	x	S26361-F2542-E40	3,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**CELSIUS Options** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix														
<b>Communication/Network (Continued)</b>														
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot	x	x	x	x	x					S26361-F2542-E70	4,00	
	Dual serial card PCI	Dual Port RS232		x	x	x	x	x	x	x	x	S26361-F3316-E4	23,00	
	FireWire PCI-Card IEEE1394 FH	400 Mbit/s, 3 external and 1 internal connectors			x			x	x			S26361-F3106-E520	18,00	
<b>Country kits</b>														
	Country kit (CDN,US)	incl. power cord (US),safety manual (GB)						x	x	x	x	S26361-F2930-E100	7,00	
	Country kit (D)	incl. power cord (EU),safety manual (D)		x	x	x	x	x	x	x	x	S26361-F2930-E101	7,00	
	Country kit (INT, power cord EU)	incl. power cord (EU),safety manual (INT)		x	x	x	x	x	x	x	x	S26361-F2930-E102	7,00	
	Country kit (I)	incl. power cord (I),safety manual (I)		x	x	x	x	x	x	x	x	S26361-F2930-E104	7,00	
	Country kit (GB)	incl. power cord (GB),safety manual (GB)		x	x	x	x	x	x	x	x	S26361-F2930-E105	7,00	
	Country Kit EU	supporting also India, incl. power cord (EU),safety manual (Int), Getting Started, Service Desk Information	x									S26391-F520-E100	6,00	
	Country Kit GB	incl. power cord (GB),safety manual (GB/ARA), Getting Started, Service Desk Information	x									S26391-F520-E200	6,00	
	Country Kit US	incl. power cord (US),safety manual (Int), Getting Started, Service Desk Information	x									S26391-F520-E300	8,00	
	Country Kit D	incl. power cord (EU),safety manual (D), Getting Started, Service Desk Information	x									S26391-F520-E400	6,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value		x	x	x	x	x	x	x	x	S26391-F404-E911	2,00	
<b>Port Replicator</b>														
	PortrepVAC Adapter 100W \EU-Cable Kit		x									S26391-F517-E100	103,00	
	PortrepVAC Adapter 100W \GB-Cable Kit		x									S26391-F517-E200	103,00	
<b>OneBox-Keyboards</b>														
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest		x	x	x	x	x	x	x	x	S26381-K341-E110	31,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest		x	x	x	x	x	x	x	x	S26381-K341-E120	31,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest		x	x	x	x	x	x	x	x	S26381-K341-E165	31,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest		x	x	x	x	x	x	x	x	S26381-K341-E185	31,00	
	KB500 USA	KB500 keyboard standard, marble grey, US, cable USB 2m, Global Design		x	x	x	x	x	x	x	x	S26381-K500-E110	13,00	Phased out
	KB500 D	KB500 keyboard standard, marble grey, Germany, cable USB 2m, Global Design		x	x	x	x	x	x	x	x	S26381-K500-E120	12,00	Phased out
	KB500 GB	KB500 keyboard standard, marble grey, Great Britain, cable USB 2m, Global Design		x	x	x	x	x	x	x	x	S26381-K500-E165	12,00	Phased out
	KB500 I	KB500 keyboard standard, marble grey, Italy, cable USB 2m, Global Design		x	x	x	x	x	x	x	x	S26381-K500-E185	12,00	Phased out
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,		x	x	x	x	x	x	x	x	S26381-K520-E102	13,00	New product
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,		x	x	x	x	x	x	x	x	S26381-K520-E120	13,00	New product
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,		x	x	x	x	x	x	x	x	S26381-K520-E165	13,00	New product
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,		x	x	x	x	x	x	x	x	S26381-K520-E185	13,00	New product
	KB400 USB grey INT USA	KB400 USB INT US, SLIM value Keyboard black US		x	x	x	x	x	x	x	x	S26381-K550-E102	10,00	
	KB400 USB grey D	KB400 USB grey D, SLIM value Keyboard Germany		x	x	x	x	x	x	x	x	S26381-K550-E120	10,00	
	KB400 USB grey GB	KB400 USB grey GB, SLIM value Keyboard UK		x	x	x	x	x	x	x	x	S26381-K550-E165	10,00	
	KB400 USB grey I	KB400 USB grey I, SLIM value Keyboard Italy		x	x	x	x	x	x	x	x	S26381-K550-E185	10,00	
	KB400 USB black US	KB400 USB INT USA, SLIM value keyboard black, international and USA layout, USB		x	x	x	x	x	x	x	x	S26381-K550-E402	12,00	
	KB400 USB black D	KB400 USB D, SLIM value keyboard black, german layout, USB		x	x	x	x	x	x	x	x	S26381-K550-E420	12,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**CELSIUS Options** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
<b>Options matrix</b>														
<b>OneBox-Keyboards (Continued)</b>														
	KB400 USB black GB	KB400 USB GB, SLIM value keyboard black, english layout, USB	x	x	x	x	x	x	x	x	x	S26381-K550-E465	12,00	
	KB400 USB black I	KB400 USB I, SLIM value keyboard black, italian layout, USB	x	x	x	x	x	x	x	x	x	S26381-K550-E485	12,00	
	KB400 PS2 black US	KB400 PS2 US, SLIM value Keyboard black US english PS2	x	x	x	x	x	x	x	x	x	S26381-K551-E410	8,00	
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2	x	x	x	x	x	x	x	x	x	S26381-K551-E420	8,00	
	KB400 PS2 black GB	KB400 PS2 GB, SLIM value Keyboard black UK PS2	x	x	x	x	x	x	x	x	x	S26381-K551-E465	8,00	
	KB400 PS2 black I	KB400 PS2 I, SLIM value Keyboard black Italien PS2	x	x	x	x	x	x	x	x	x	S26381-K551-E485	8,00	
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	S26381-K560-E402	21,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	S26381-K560-E420	21,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	S26381-K560-E465	21,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x	x	x	x	x	S26381-K560-E485	21,00	
	Keyboard w/o TS Spillproof D black	German	x									S26391-F2605-E521	8,00	
	Keyboard w/o TS Spillproof I black	Italian	x									S26391-F2605-E523	8,00	
	Keyboard w/o TS Spillproof GB black	British	x									S26391-F2605-E525	8,00	
	Keyboard w/o TS Spillproof US black	US american (for netherlands, poland, ... too)	x									S26391-F2605-E534	8,00	
	PS2 Keyboard Cable 2,0m	Keyboardcable PS2 for KBPC PX ECO, ca. 2,0 m length	x	x	x	x	x	x	x	x	x	T26139-Y4530-E1	3,00	
	Keyboard w/ TS Spillproof D	German	x									S26391-F2605-E121	25,00	
	Keyboard w/ TS Spillproof I	Italian	x									S26391-F2605-E123	25,00	
	Keyboard w/ TS Spillproof GB	British	x									S26391-F2605-E125	25,00	
	Keyboard w/ TS Spillproof US	US american (for netherlands, poland, ... too)	x									S26391-F2605-E134	25,00	
	Keyboard w/o TS Spillproof D	German	x									S26391-F2605-E221	10,00	
	Keyboard w/o TS Spillproof I	Italian	x									S26391-F2605-E223	10,00	
	Keyboard w/o TS Spillproof GB	British	x									S26391-F2605-E225	10,00	
	Keyboard w/o TS Spillproof US	US american (for netherlands, poland, ...too)	x									S26391-F2605-E234	10,00	
<b>OS/Application-SW</b>														
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback), BackItUp/ on DVD	x	x	x	x	x	x	x	x	x	S26361-F1818-E893	4,00	
	License EU/MM - Windows 7 Home Premium	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	x				x	x	x	x	S26361-F2009-E243	127,00	
	License EU/MM - Windows 7 Professional	You may select this license for shipments in European and Mature Markets and from 1.1.2010 also for shipments in Emerging Markets. Please select the emerging markets licenses for better pricing and for marketing fund advantages in your region.	x	x	x	x	x	x	x	x	x	S26361-F2009-E253	168,00	
	OEM Office 2007 Basic (GB)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	S26361-F1818-E782	203,00	Phased out
	OEM Office 2007 Basic (D)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	S26361-F1818-E781	203,00	Phased out
	OEM Office 2007 Basic (I)	Office 2007 Basic preinstalled (Word, Excel, Outlook), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	S26361-F1818-E784	203,00	Phased out
	OEM Office 2007 SBE (GB)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	S26361-F1818-E787	303,00	Phased out
	OEM Office 2007 SBE (D)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	S26361-F1818-E786	303,00	Phased out
	Vista Business 32bit Multi A Office Ready	OEM version, license, Office 2007 Ready, (D, DK, E, F, FIN, GB, I, N, NL, S)			x				x			S26361-F2007-E201	165,00	Phased out
	OEM Office 2007 SBE (I)	Office 2007 SBE preinstalled (Word, Excel, Outlook, Powerpoint), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	S26361-F1818-E789	303,00	Phased out
	OEM Office 2007 PRO (GB)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	S26361-F1818-E792	395,00	Phased out
	OEM Office 2007 PRO (D)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	S26361-F1818-E791	395,00	Phased out



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**CELSIUS Options** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
Options matrix														
<b>OS/Application-SW (Continued)</b>														
	OEM Office 2007 PRO (I)	Office 2007 PRO preinstalled (Word, Excel, Outlook, Powerpoint, Access), DVD, license, short documentation	x	x	x	x	x	x	x	x	x	S26361-F1818-E794	395,00	Phased out
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.	x	x	x	x	x	x		x	x	S26361-F2009-E177	136,00	
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.	x	x	x	x	x	x		x	x	S26361-F2009-E180	136,00	
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.	x	x	x	x	x	x		x	x	S26361-F2009-E181	136,00	
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x		x	x	S26361-F2009-E182	244,00	
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x		x	x	S26361-F2009-E185	244,00	
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x		x	x	S26361-F2009-E186	244,00	
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x		x	x	S26361-F2009-E187	436,00	
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x		x	x	S26361-F2009-E190	436,00	
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x	x	x	x	x		x	x	S26361-F2009-E191	436,00	
	Blu-ray playback software	DVD-video and Blu-ray playback, on DVD., Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.	x	x	x	x	x	x	x	x	x	S26361-F2007-E420	21,00	
	No Operating System		x	x	x	x	x	x	x	x	x	S26361-F1818-E100	3,00	
	Win7 HomPrem64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)							x	x	x	S26361-F2009-E441	3,00	Phased out
	Win7 HomPrem64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)							x	x	x	S26361-F2009-E442	3,00	Phased out



# Windows®. Life without Walls™.

## Fujitsu recommends Windows 7.

**CELSIUS Options** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
<b>Options matrix</b>														
<b>OS/Application-SW (Continued)</b>														
	Win7 HomePrem64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)							x	x	x	S26361-F2009-E443	3,00	Phased out
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x					x	x	x	S26361-F2109-E441	3,00	
	Win7 HomePremium64 IBER-NE+Office2010s	MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x				x		x	x	S26361-F2109-E444	3,00	
	Win7 HomePremium64 RUS+Office2010s	Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.	x	x				x		x	x	S26361-F2109-E446	3,00	
	Win7 Pro32 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)		x	x	x	x	x	x	x	x	S26361-F2009-E351	3,00	Phased out
	Win7 Pro32 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)		x	x	x	x	x	x	x	x	S26361-F2009-E352	3,00	Phased out
	Win7 Pro32 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)		x	x	x	x	x	x	x	x	S26361-F2009-E353	3,00	Phased out
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.		x	x		x	x		x	x	S26361-F2109-E351	3,00	
	Win7 Pro 32 RUS+Office2010s	Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.		x	x		x	x		x	x	S26361-F2109-E356	3,00	
	Win7 Pro64 MuLiA+OfficeReady	MuLi A (D, DK, E, F, FIN, GB, I, N, NL, S)		x	x	x	x	x	x	x	x	S26361-F2009-E451	3,00	Phased out
	Win7 Pro64 MuLiB+OfficeReady	MuLi B (AR, CZ, E, F, GB, GR, IL, P, PL, TR)		x	x	x	x	x	x	x	x	S26361-F2009-E452	3,00	Phased out
	Win7 Pro64 MuLiC+OfficeReady	MuLi C (BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO, RUS)		x	x	x	x	x	x	x	x	S26361-F2009-E453	3,00	Phased out
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL, Note: Included Office 2010 and Office 2010 Starter are 32bit applications.		x	x	x		x		x	x	S26361-F2109-E451	3,00	
	Recovery DVD Vista Business 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S)				x			x			S26361-F2007-E803	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi B	(AR, CZ, E, F, GB, GR, IL, P, PL, TR)				x			x			S26361-F2007-E804	3,00	Phased out
	Recovery DVD Vista Business 32bit MuLi C	(BG, CZ, GB, H, HR, PL, RO, SCG, SK, SLO)				x			x			S26361-F2007-E805	3,00	Phased out
	Recovery DVD Vista Business 32bit (RUS)					x			x			S26361-F2007-E806	3,00	Phased out
	Drivers&Utilities DVD (XP/VISTA/7)	incl. Nero Essentials S, Norton Internet Security Trial 90 days		x	x	x	x	x	x	x	x	S26361-F2007-E909	3,00	
	Drivers & Utility DVD Mobile H	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x									S26361-F2007-E904	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x	x				x	x	x	S26361-F2009-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x	x	x	x	x	x	x	x	S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x	x	x	x	x	x	x	x	S26361-F2009-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR		x	x	x	x	x	x	x	x	S26361-F2009-E753	3,00	
<b>UPS/Power supply</b>														
	2nd Cable EU			x								S26391-F408-E210	3,00	
	2nd Cable US			x								S26391-F408-E220	4,00	
	2nd Cable GB			x								S26391-F408-E230	3,00	
	2nd AC-Adapter 19V/100W (w/o AC cable)			x								S26391-F519-E100	35,00	
<b>Security</b>														
	SmartCase Logon+	Authentication, Password Manager, SecureDrive, supports SmartCard / Fingerprint / TPM Win XP/Vista-32/Win7,no eLux support		x	x	x	x	x	x	x	x	S26361-F2727-E730	6,00	
	Smartcardreader USB Solo 3 extem 3310V2	PC/SC and XP / Vista compatible, USB interface, black, USB cable		x	x	x	x		x			S26381-F331-E220	30,00	
	TPM module V1.2			x								S26391-F506-E100	6,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard		x	x	x	x	x	x	x	x	S26361-F1260-E520	23,00	
<b>Mouse</b>														
	Mouse 400NB Black	Notebook Mouse M400NB Black, optical 3 button tilt wheel USB new Fujitsu design		x								S26381-K428-E100	8,00	
<b>Miscellaneous</b>														
	Grey Upgrade Mouse M440 ECO			x	x	x	x	x	x	x	x	S26361-F2542-E225	13,00	New product
	Med-Kit ESPRIMO/CELSIUS	incl. license and manual		x	x	x	x	x	x	x	x	S26361-F2542-E250	33,00	
	Webcam cover and webcam BIOS disable	Attention! choosing this option, the WebCam will be mechanically covered and electrically disabled!		x								S26391-F506-E300	3,00	
	Cable for second internal USB device			x	x	x	x	x	x	x	x	S26361-F2581-E10	3,00	



Windows®. Life without Walls™.  
Fujitsu recommends Windows 7.

**CELSIUS Options** Data Sheets: <http://ts.fujitsu.com/celsius>

Category	Description	Details	CELSIUS H700	CELSIUS M470-2	CELSIUS R570-2	CELSIUS R670	CELSIUS R670-2	CELSIUS W280	CELSIUS W370	CELSIUS W380	CELSIUS W480	Product Code	EUP (€)	Comments
<b>Options matrix</b>														
<b>Miscellaneous (Continued)</b>														
	Key lock in side door	for lock of housing						x	x	x	x	S26361-F2542-E323	4,00	
	Key lock in side door	for lock of housing		x	x	x	x					S26361-F2542-E324	4,00	
	Intrusion switch							x				S26361-F2407-E3	4,00	
	Rear USB 2.0 connector	2x USB 2.0						x				S26361-F2438-E215	4,00	
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSIUS V830) and YBWM004000 (CELSIUS M440).		x	x	x	x					S26361-F2581-E200	67,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x	x	x	x	x	x	x	S26361-F2542-E90	4,00	
	No TPM TLS	for countries with import regulations		x	x	x	x	x	x	x	x	S26361-F3436-E2	3,00	
	Grey mouse instead of black USB	upgrade mouse for system unit,USB 2.0 interface,allows horizontal scrolling		x	x	x	x	x	x	x	x	S26361-F2542-E216	3,00	
	Grey USB/PS2 mouse inst.of blk USB	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling		x	x	x	x	x	x	x	x	S26361-F2542-E217	6,00	
<b>Keyboard /Mouse</b>														
	SPACE EXPLORER	3D motion controller USB, 15 programmable keys, manual, software, brown box.		x	x	x	x	x	x	x	x	S26381-K425-E100	403,00	
<b>Desk View</b>														
	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1 License, , Components: , - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), , Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures),.	x	x	x	x	x	x	x	x	x	S26361-F4040-E10	68,00	





## Positioning Displays



**P Line**

Superior Displays - P Line and XL Line  
 A feast for your eyes and a pleasure to use for work or multimedia:

- Ultra wide viewing angle and outstanding color performance
- 0.0 watt standby (P Line)
- Maximum connectivity
- Most advanced technical features



**XL Line**



**B Line**

Advanced Displays - B Line and SL Line  
 Efficiency for intensive office or entertainment usage:

- Optimum ergonomics (B Line) with height adjust, tilt, swivel and on standard formats as well rotation
- Energy efficient: power save panel EPA 5.0, ECO button, EPEAT Silver
- Ultra high contrast (SL Line)
- High-flexible connectivity:  
 e.g. 2 x HDMI (on selected models), DVI (HDCP) for wide screen displays



**SL Line**



**A/E Line**

All-round Displays - A/E Line and L Line  
 Enter the world of LCD displays at an affordable price:

- Ergonomic or lifestyle design
- TCO'03 or TCO Displays 5.0
- Energy efficient - EPA 5.0, EPEAT Silver



**L Line**



## Displays

Data Sheets: <http://ts.fujitsu.com/display>

### P Line

- 0-Watt power save mode\*
  - Auto Brightness Control\*
  - UVA (Ultra Wide Viewing Angle)\*
  - Enhanced ergonomic height adjust stand
  - HDMI for wide screen models
  - Ready for Manageability
  - 5th generation models in new design language
- \*: on selected models

### XL Line

- Advanced contrast ratio (ACR) up to 20,000:1
- ECO control button
- Video inputs HDMI, DVI and analog

### B Line

- Energy saving solutions (as of Summer 2009)
  - Cut energy cost by half (versus Energy Star 4.1)
  - ECO operation mode for Energy Star 5.0
  - ECO button - direct access to ECO mode
- Flexible ergonomic stand
- Height Adjust, Tilt, Swivel, Rotation\*
- DVI-D and analog interface
- Manageability

### A Line

- Energy saving solutions (as of Autumn 2009)
  - Energy Star 5.0
  - Tilt stand
  - Analog interface
  - Ergonomic Design

### L Line

- Extra high ACR up to 10,000:1\*
- 16:9\* ideal video format
- Fast 5 ms response time
- Lifetime extender
- Theme Mode

\* featured on selected models

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Displays					
	Display E19-5	Display E19-5 E-Line Runrate 48cm (19") Display VGA, DVI	RUN:K1330-V160	191,00	
	Display E19W-5	Display E19W-5 E-Line Runrate 48cm (19")wide Display VGA, DVI	RUN:K1331-V160	178,00	
	Display E19-6 LED R	Display E19-6 LED R E-Line Runrate 48cm (19") Display VGA, DVI, matt black	RUN:K1376-V160	191,00	Orderable from: 15/12/2010
	DISPLAY B19-5 ECO	DISPLAY B19-5 ECO Business Line 48cm(19") Display, VGA, DVI, 4-in-1 stand Fujitsu Logo	S26361-K1318-V140	219,00	
	DISPLAY P19-5P ECO	DISPLAY P19-5P ECO, Premium Line 48cm(19") Display, VGA, DVI, Enhanced Height adjust Auto Pivot, Light sensor, Fujitsu Logo	S26361-K1319-V140	266,00	
	DISPLAY E19-5	DISPLAY E19-5, E-Serie 48cm (19"), Commitment based availability	S26361-K1330-V160	157,00	
	DISPLAY E19W-5	DISPLAY E19W-5, E-Serie 48cm (19"wide), Commitment based availability	S26361-K1331-V160	158,00	
	DISPLAY L19T-1 LED	DISPLAY L19T-1 LED L-Serie 47 cm (18.5"w) Commitment based availability only	S26361-K1343-V160	122,00	
	DISPLAY SL22W-1LED	DISPLAY SL22W-1LED SL-Serie 55.9 cm (22"w) Commitment based availability only	S26361-K1364-V160	219,00	New product
	DISPLAY P23T-6 IPS	DISPLAY P23T-6 IPS Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1370-V140	381,00	
	DISPLAY P24W-6 IPS	DISPLAY P24W-6 IPS Premium Line 61cm(24")wide Display IPS Panel DP,DVI,VGA,USB, 4-in-1 stand	S26361-K1371-V140	571,00	



**Displays** **Data Sheets: <http://ts.fujitsu.com/display>**

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
<b>Displays (Continued)</b>					
	DISPLAY P27T-6 IPS	DISPLAY P27T-6 IPS Premium Line 69cm(27")wide Display IPS Panel DP,HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1372-V140	762,00	
	DISPLAY B19-6 LED	DISPLAY B19-6 LED Business Line 48.3cm(19") Display VGA, DVI, 4-in-1 stand LED Backlight	S26361-K1374-V140	230,00	
	DISPLAY B22W-6 LED	DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1375-V140	268,00	
	DISPLAY B23T-6 LED	DISPLAY B23T-6 LED Business Line 58.4cm(23")wide Display USB,DP,DVI,VGA 4-in-1 stand LED Backlight	S26361-K1388-V140	279,00	Orderable from: 15/12/2010
	DISPLAY E23T-6 LED	DISPLAY E23T-6 LED E-Line 58.4cm(23")wide black Commitment based availability only LED Backlight	S26361-K1389-V160	243,00	
	DISPLAY B22W-6 LED proGREEN	DISPLAY B22W-6 LED proGREEN Business Line 55.9cm(22")wide Display DVI,VGA 4-in-1 stand LED Backlight, matt black	S26361-K1392-V160	248,00	



## Positioning Input Devices & Security devices



**Keyboards &  
Security**

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.



**Keyboards & mice**

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.



**Security devices**

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from beeing stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.



## Input devices and Security

Data Sheets: <http://ts.fujitsu.com/keyboards>

### Keyboards

A keyboard is the most important interface between user and computer. All our keyboards are designed to do the job. Reliable, effective and persevering. But what's more: they come in attractive and stylish designs to highlight every working place. There is a choice between wired and wireless keyboards, and also of features like e.g. quick touch buttons or 2 additional USB Ports.

### Mice

Mice for every working or private environment. Great choice in different sizes, with or without cable, high precision technology, ergonomic and easy to use.

### Security devices

Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu security devices the access to mobile and stationary systems is effectively secured.

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Keyboard /Mouse					
	Laser Mouse GL5600 ergonomic	Laser Mouse GL5600 ergonomic USB Mouse, 10 keys, 4-way-scroll function, 400 upto 2000 dpi class 1 Laser, software CD, manual, USB Mouse, 10 keys, 4-way-scroll function, 400 upto 2000 dpi class 1 Laser, software CD, manual	BDL:TOP-MOUSE-ERGO	27,00	
	Notebook Mouse 400NB Black	Notebook Mouse 400NB Black 3 key optical USB mouse tilt-wheel-function, cable 85 cm new design black, retail package, 3 key optical USB mouse tilt-wheel-function, cable 85 cm new design black, retail package	BDL:TOP-MOUSE-MINI	12,00	
	Laser Mouse Combo USB PS2	Laser Mouse Combo USB PS2 3 buttons, tilt wheel, Laser 1100 dpi grey and anthrazite, with PS2 adapter brown box, 1.8 m cable, manual, CD, USB, 3 buttons, tilt wheel, Laser 1100 dpi grey and anthrazite, with PS2 adapter brown box, 1.8 m cable, manual, CD, USB	BDL:TOP-MOUSE-USB	25,00	
	KBPC EM D	keyboard for emulationen; funktionalita trimodular; light basic; incl. cable (PS/2) 1,4m; without driver	S26381-K257-L120	144,00	
	KB SC D value keyboard	KBSC value keyboard, Germany, bright light grey, PS/2	S26381-K360-V120	13,00	Phased out
	KBPC SX USB D	KBPC SX USB, keyboard standard, Germany, cable USB 2m, Global Design	S26381-K398-L120	21,00	Phased out
	KBPC SX USB GB	KBPC SX USB, keyboard standard, England, cable USB 2m, Global Design	S26381-K398-L165	21,00	Phased out
	KBPC SX USB I	KBPC SX USB, keyboard standard, Italy, cable USB 2m, Global Design	S26381-K398-L185	21,00	Phased out
	Keyboard cable PS2 4m round	with PS/2 plug; length 4m; for KBPC B,S,P,E,N,C,HK,P2	T26139-Y2530-V104	6,00	
	Keyboard cable with USB connector	Keyboard cable with USB and Western Plug lenght 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y3812-V1	6,00	
	Keyboard cable with PS2 connector	with PS/2 plug; length 2m; for KBPC S2, SX, PX	T26139-Y4530-V1	6,00	



## Positioning PRIMERGY Tower Servers



**PRIMERGY  
TX100 S1**

PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.



**PRIMERGY  
TX120**



**PRIMERGY  
TX150 S7**



**PRIMERGY  
TX200 S4**



**PRIMERGY  
TX200 S5**



**PRIMERGY  
TX300 S4**



**PRIMERGY  
TX300 S5**



**PRIMERGY TX100 S1**

**Data Sheets: <http://ts.fujitsu.com/primergy>**

The PRIMERGY TX120 S2 carries on the TX120 tradition of space-saving, energy-saving and low noise. It even improves on its innovative predecessor by achieving the same performance but consuming 25% less power.

The TX120 S2 key features, make it a perfect fit for use in small offices, retail premises or libraries. Sporting up to 4x 320 GB SATA or 146 GB 15 000 rpm SAS hard disk drives, it can easily meet most storage requirements, at the right price. Its up to 16GB of RAM easily enable it to run typical small business applications. On-board iRMC2 remote management, makes the TX120 S2 a great choice for branch premises connected to a centralized infrastructure. The PRIMERGY TX120 S2: a compact server with great potential!

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY TX100 S1</b>					
PY TX100S1/2xLFF		Floorstand BU without CPU and Memory, incl. 1 standard power supply, std. fan; system board for configurable CPU and DDR2 800/PC2-6400 ub. ECC; graphics controller 32MB on board; 6 -port SATA controller (4x 3,5" SATA HDD + DVD) and 1 GBit Ethernet controller onboard; 2 HDD bays for non-hot plug 3,5" SATA HD's (upgrade to 4 HDD is not possible); mouse; ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software und Updates.	S26361-K1326-V101	330,00	



## PRIMERGY TX120 S2

Data Sheets: <http://ts.fujitsu.com/primergy>

The PRIMERGY TX120 S2 carries on the TX120 tradition of space-saving, energy-saving and low noise. It even improves on its innovative predecessor by achieving the same performance but consuming 25% less power.

The TX120 S2 key features, make it a perfect fit for use in small offices, retail premises or libraries. Sporting up to 4x 320 GB SATA or 146 GB 15 000 rpm SAS hard disk drives, it can easily meet most storage requirements, at the right price. Its up to 16GB of RAM easily enable it to run typical small business applications. On-board iRMC2 remote management, makes the TX120 S2 a great choice for branch premises connected to a centralized infrastructure. The PRIMERGY TX120 S2: a compact server with great potential!

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>PRIMERGY TX120 S2</b>					
	PY TX120 S2 /C2D T9400/4GB ECC/ (Promo)	PY TX120 S2 /C2D T9400/4GB ECC/ DVD-RW SM SLIM/2xHD 500GB/KB400USBIGREY/ POW.CORD/ ,	LKN:T1202S0003IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY TX120 S2</b>					
	PY TX120 S2	Floor stand BU without CPU and Memory, incl. 1 standard power supply, std. fan; system board for configurable CPU and DDR2 667/PC2-5300 reg. ECC; iRMC S2 Server Management with graphics controller and 10/100Mbit Service Lan-Port; 6 -port SATA controller (4x 2,5" SATA HDD + DVD) and 1 GBit Ethernet controller onboard; Modular 4/8-port SAS RAID Controller optional; 2/4 HDD bays fur hot plug 2,5" SATA/SAS HD's; mouse; ServerView Suite Software package incl. ServerStart, ServerBooks, Management Software und Updates.	S26361-K1239-V101	580,00	





## PRIMERGY TX150 S7

Data Sheets: <http://ts.fujitsu.com/primergy>

The PRIMERGY TX150 S7: the right system for SMEs or non-mission-critical decentralized infrastructures where the main focus is on expandability and availability. The expandability and availability come from the 6 expansion slots (5 of which PCIe Gen 2) and up to 8x 2.5" hot-plug hard disks. Increase the system's availability and energy efficiency through the use of optional redundant power supplies boasting up to 89% energy efficiency. The TX150 S7 also offers up to the latest generation Intel® Xeon® processor 3400 series single processor platform, delivering excellent energy-efficient performance at an attractive price. The PRIMERGY TX150 S7: the one processor tower server – maximized.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>PRIMERGY TX150 S7</b>					
	PY TX150S7F/SFF/STANDARD PSU / (Promo)	PY TX150S7F/SFF/STANDARD PSU / CORE I3-540/2x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB500/POW.CORD/ ,	LKN:T1507S0002IT		Phased out
	PY TX150S7F/SFF/HOT PLUG PSU / (Promo)	PY TX150S7F/SFF/HOT PLUG PSU / CORE I3-540/3x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB500/POW.CORD/ ,	LKN:T1507S0003IT		Phased out
	PY TX150S7F/SFF/HOT PLUG PSU / (Promo)	PY TX150S7F/SFF/HOT PLUG PSU / XEON X3430/4x2GB 1333 ECC R/DVD-RW SM/ RAID 6G 5/6 512MB/KB500/POW.CORD/ ,	LKN:T1507S0004IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY TX150 S7</b>					
	PY TX150S7f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V101	516,00	
	PY TX150S7f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V201	590,00	


**PRIMERGY TX150 S7**

 Data Sheets: <http://ts.fujitsu.com/primergy>

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY TX150 S7 (Continued)</b>					
	PY TX150S7f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V301	569,00	
	PY TX150S7f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V401	633,00	
	PY TX150S7r/LFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V601	612,00	
	PY TX150S7r/SFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V801	654,00	



**PRIMERGY TX300 S5**

Data Sheets: <http://ts.fujitsu.com/primergy>


Are you looking for business continuity, especially for your core business applications? Our PRIMERGY TX300 servers can provide peace of mind for you when you choose a suitable server platform. The new TX300 S5 offers maximum levels of availability and extendability as a result of hot plug, redundant versions. It has powerful performance features as supplied by the leading Intel® Dual, Quad or Turbo Quad-Core Xeon® CPUs in the 5500 series which are integrated in a powerful set up with an 8-port SAS controller as well as fast PCIe Gen2 connections in the new PRIMERGY design. Continuity is ensured as a result of the modular RAID, redundant Dual LAN features and optional redundant hot-plug power supply and fans. The "cool-safe™" technology in the new honeycomb design ensures optimal temperatures despite peak workloads and thus ensures long-life. Optimal performance and high energy efficiency is ensured in connection with EPA-compliant power supply (89% energy efficiency), a no-cable motherboard wherever possible and new power management features such as power consumption limiting and budgeting. The PRIMERGY TX300 S5 has up to 2 memory boards with 18 DIMM slots for memory mirroring with up to 144 GB DDR3 RAM. The system just needs a few additional options in order to meet the highest demands, such as clustering or disaster-tolerant setup. The PRIMERGY TX300 S5 is exactly the right platform for business-critical remote sites.

Model	Description	Details	Product Code	EUP (€)	Comments
<b>Base unit configurations</b>					
<b>PRIMERGY TX300 S5</b>					
	PY TX300S5f standard fans	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, two lockable front covers, 3 standard fans; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8") drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; optical mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1267-V101	1.314,00	Phased out
	PY TX300S5f redundant fans	Floorstand BU without processor and RAM, incl. 2 hot plug power supply module, two lockable front covers, 3 redundant hot plug double fans; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8") drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; optical mouse; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1267-V201	1.420,00	Phased out
	PY TX300S5r standard fans	Rack based server 19" (4U), BU without processor and RAM, incl. 1 hot plug power supply module, 3 standard fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8") drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1267-V301	1.293,00	Phased out
	PY TX300S5r redundant fans	Rack based server 19" (4U), BU without processor and RAM, incl. 2 hot plug power supply module, 3 hot plug double fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard (WOL ready), Modular 8-Port RAID Controller optional; 6 (8") drive bays for hot plug 3.5" SAS/SATA HDs or optional up to 20 bays for hot plug 2,5" SAS-HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1267-V401	1.399,00	Phased out



Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments						
Accessories & services matrix																																						
<b>Processor</b>																																						
	Xeon DP E5405 2.00 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5405 (4C, 2.00 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink																																S26361-F3276-L200	441,00	Phased out		
	Xeon DP E5420 2.50 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5420 (4C, 2.50 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink																																	S26361-F3276-L250	660,00	Phased out	
	Xeon DP E5430 2.66 GHz 2x6MB 1333MHz	Intel® Xeon® processor E5430 (4C, 2.66 GHz, SLC: 2 x 6 MB, 1333 MHz, 80 W) incl. heat sink																																	S26361-F3276-L266	920,00	Phased out	
	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																	S26361-F3277-L186	420,00	Phased out	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																	S26361-F3277-L200	314,00		
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																	S26361-F3278-L200	484,00	Phased out	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																	S26361-F3278-L213	362,00		
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																	S26361-F3278-L226	426,00		
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																	S26361-F3279-L226	787,00	Phased out	
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																	S26361-F3279-L240	1,096,00	Phased out	
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																	S26361-F3279-L253	1,521,00	Phased out	
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																	S26361-F3280-L267	1,968,00	Phased out	
	Intel® Xeon® X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																	S26361-F3280-L293	2,814,00	Phased out	
	Intel® Xeon® L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) incl. heat sink																																	S26361-F3281-L213	707,00	Phased out	
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink																																		S26361-F3281-L226	1,096,00	Phased out
	Intel® Xeon® L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink																																		S26361-F3281-L240	1,218,00	Phased out
	Intel® Xeon® W5590 4C/8T 3.33 GHz 8 MB	Intel® Xeon® processor W5590 (4C/8T, 3.33 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/1/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																																		S26361-F3337-L333	3,239,00	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																		S26361-F3618-L240	585,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																		S26361-F3618-L253	819,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																		S26361-F3618-L266	1,149,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																		S26361-F3619-L266	1,468,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																		S26361-F3619-L280	1,787,00	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																		S26361-F3619-L293	2,106,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																																		S26361-F3619-L333	2,447,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink																																		S26361-F3621-L186	660,00	






Tower Servers Accessories

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																																
Removable Media Drives (Continued)																																
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" internal, USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, black bezel, with description (GUS)	x	x									x																	S26361-F3857-L4	170,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B", 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (GUS), data and cleaning cartridge	x	x							x	x	x					x	x	x						x	x			S26361-F3324-L4	532,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit, 1.6" fitting height, with description (GUS), data and cleaning cartridge				x	x																							S26361-F3324-L2	532,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, black bezel, with data and cleaning cartridge	x											x						x	x									S26361-F3325-L4	729,00	
	Tape Kit DDS Gen6 80GB 6MB/s SCSI	DDS Gen6 80GB 6MB/s 5.25" intern, U160 SCSI Interface 68-pin, 1.6" fitting height, with data and cleaning cartridge												x																S26361-F3225-L3	750,00	Phased out
	Tape Kit DDS Gen6 80GB 6MB/s SCSI	DDS Gen6 80GB 6MB/s 5.25" intern, U160 SCSI Interface 68-pin, 1.6" fitting height, black bezel, with data and cleaning cartridge		x																										S26361-F3225-L4	750,00	Phased out
	Tape Kit LTO2HH Ultr 200GB 24MB/s SCSI	U160 SCSI Interface 68-pin, 1.6" fitting height, with data and cleaning cartridge												x																S26361-F3964-L3	1.511,00	Phased out
	Tape Kit LTO2HH Ultr 200GB 24MB/s SCSI	U160 SCSI Interface 68-pin, 1.6" fitting height, black bezel, with data and cleaning cartridge																												S26361-F3964-L4	1.511,00	Phased out
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge																												S26361-F4009-L4	1.511,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SCSI	U320 SCSI Interface 68-pin, 1.6" fitting height, with data and cleaning cartridge																												S26361-F3459-L3	2.473,00	Phased out
	Tape Kit LTO3HH Ultr 400GB 60MB/s SCSI	U320 SCSI Interface 68-pin, 1.6" fitting height, black bezel, with data and cleaning cartridge																												S26361-F3459-L4	2.473,00	Phased out
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge																												S26361-F3561-L4	1.851,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with data and cleaning cartridge																												S26361-F3626-L1	2.500,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with data and cleaning cartridge																												S26361-F3627-L1	3.032,00	
SCSI RAID/SAS controller																																
	SCSI Ctrl U160 1-ch int/ext	Adaptec 29160, 1x U160 SCSI																												S26361-F2399-L1	314,00	Phased out
	SCSI Ctrl U160 1-ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI				x																								S26361-F2737-L201	314,00	Phased out
	68-Pin Kit for int. access. SCSI drives	Cable with terminator																												S26361-F2814-L12	69,00	Phased out
	68-Pin Kit for accessible drives	Cable with terminator																												S26361-F2814-L6	69,00	Phased out
	RAID Ctrl 2-Channel 128MB BBU LSI	LSI 320-2, TBBU, U320, PCI controller, 128MB																												S26361-F3006-L128	1.037,00	Phased out
	BBU Modul for RAID Controller	BBU modul for RAID controller																												S26361-F3085-L10	165,00	Phased out
	RAID-Ctrl 0-Channel SAS 128MB LSI	RAID-Ctrl, Zero-Channel SAS, 128MB, LSI, PCI-X 64/66, 128MB Cache, optional BBU																												S26361-F3085-L2	298,00	Phased out
	SCSI-Cable for internal Tapes x600 Sx	for connection of internal Tapes																												S26361-F3128-L101	106,00	Phased out
	RAID Ctrl SAS 8 Port 256MB LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU, >>>exclusive for external attachment of FibreCAT SX40 !!!, This SAS RAID controller supports SAS and SATA disks.																												S26361-F3215-L1	814,00	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP																												S26361-F3215-L10	234,00	Phased out
	RAID5 Embedded MegaRAID SW LSI	key for software RAID5, only for attachment of SATA disks																												S26361-F3217-L100	181,00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Ctrl. F3257 256MB and 512MB																												S26361-F3257-L10	202,00	
	RAID Contr BBU Upgrade for RAID 5/6	BBU Upgrade for LSI SAS1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm																												S26361-F3257-L110	176,00	
	RAID 5/6 SAS based on LSI MegaRAID 256MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 256MB Cache, 8 internal ports, optional BBU																												S26361-F3257-L256	404,00	Phased out
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports																												S26361-F3257-L4	117,00	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU																												S26361-F3257-L512	452,00	Phased out
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports																												S26361-F3257-L8	144,00	
	SCSI Ctrl U320 1-ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI																												S26361-F3270-L1	207,00	
	SCSI Ctrl U320 1-ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile																												S26361-F3270-L201	207,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R																												S26361-F3271-L1	223,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile																												S26361-F3271-L201	223,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports																												S26361-F3554-L512	410,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports																												S26361-F3554-L8	176,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FHLP LSI	RAID-Ctrl, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU																												S26361-F3593-L501	628,00	
	RAID Ctrl SAS 8Port opt remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E																												S26361-F3890-L11	234,00	Phased out





**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments																						
Accessories & services matrix																																																						
<b>Rack-Infrastructure (Continued)</b>																																																						
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	Telescopic full extract, drop-in mount; vario-carrier for toolless mounting, max. load 50 kg, Rack installation depth (19" pillar distance) between 714mm and 785mm											x																			S26361-F2735-L202	69,00																					
	cage nut set, M5, l=2.5mm	Content: 50 pieces																															S26361-F2735-L500	53,00																				
	Cable magnt. for 19" PC-Rack	cable management for adding a server or storage subsystem from a 3rd party rack into the PRIMECENTER rack 2																																S26361-F2735-L7	32,00																			
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks																																S26361-F2735-L8	32,00																			
	Cable management arm for 3rd party racks	all-purpose for PY server in 3rd party and classic racks																																S26361-F2201-L20	53,00																			
<b>PRIMERGY-Software</b>																																																						
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection																																	S26361-F1790-L240	319,00																		
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection																																	S26361-F1790-L241	319,00																		
	Win Srv 2008 Std w/SP2 w/5CAL EFGJS ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: EN DE ES FR JA, ROK DVD, license																																	S26361-F2565-L315	707,00	Phased out																	
	Win Srv 2008 Std w/SP2 w/5CAL CEPR ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: CS EN IT PL RU, LangPacks HU NL PT SV TR, ROK DVD, license																																	S26361-F2565-L316	707,00	Phased out																	
	Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system																																	S26361-F2565-L317	27,00	Phased out																	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system																																	S26361-F2565-L318	27,00	Phased out																	
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Language: EN DE ES FR JA, ROK DVD, license																																	S26361-F2565-L325	2.160,00	Phased out																	
	Win Srv 2008 Ent w/SP2 w/10CAL CEPR ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Language: CS EN IT PL RU, LangPacks HU NL PT SV TR, ROK DVD, license																																	S26361-F2565-L326	2.160,00	Phased out																	
	Win Srv 2003 R2 Enterprise DVD Media Onl	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system																																	S26361-F2565-L327	27,00	Phased out																	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system																																	S26361-F2565-L328	27,00	Phased out																	
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual																																	S26361-F2565-L340	24,00																		
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual																																	S26361-F2565-L341	117,00																		
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual																																	S26361-F2565-L342	24,00																		
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual																																	S26361-F2565-L343	117,00																		
	Win SBS 2008 CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)																																	S26361-F2565-L346	59,00																		
	Win SBS 2008 CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)																																	S26361-F2565-L347	59,00																		
	Win SBS 2008 CAL (5 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)																																	S26361-F2565-L348	277,00																		
	Win SBS 2008 CAL (5 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)																																	S26361-F2565-L349	277,00																		






**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>


Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
<b>PRIMERGY Software (Continued)</b>																													
	Win SBS 2008 Standard ROK, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x					x	x					x	x	x					x	x		S26361-F2565-L350	670,00	
	Win SBS 2008 Standard ROK, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x					x	x					x	x	x					x	x	x	S26361-F2565-L351	670,00	
	Win SBS 2008 Standard ROK, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x					x	x					x	x	x					x	x	x	S26361-F2565-L352	670,00	
	Win SBS 2008 Standard ROK, F	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x					x	x					x	x	x					x	x	x	S26361-F2565-L353	670,00	
	Win SBS 2008 Standard ROK, E	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x					x	x					x	x	x					x	x	x	S26361-F2565-L354	670,00	



**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>


Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix																													
<b>PRIMERGY Software (Continued)</b>																													
Win SBS 2008 Standard ROK, CZ	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x					x	x	x				x	x			S26361-F2565-L355	670,00	
Win SBS 2008 Premium ROK, GB	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. The Premium Edition contains SQL Server 2008 Standard Edition for Small Business. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x					x	x	x				x	x	x		S26361-F2565-L360	1.165,00	
Win SBS 2008 Premium ROK, D	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. The Premium Edition contains SQL Server 2008 Standard Edition for Small Business. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x					x	x	x				x	x	x		S26361-F2565-L361	1.165,00	
Win SBS 2008 Premium ROK, I	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. The Premium Edition contains SQL Server 2008 Standard Edition for Small Business. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x						x	x					x	x	x				x	x	x		S26361-F2565-L362	1.165,00	
Win SBS 2008 Premium CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 Device); multi-language CAL; for use on SBS 2008 Premium required for SQL.	x	x	x	x						x	x					x	x	x				x	x	x		S26361-F2565-L368	138,00	
Win SBS 2008 Premium CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 User); multi-language CAL; for use on SBS 2008 Premium required for SQL.	x	x	x	x						x	x					x	x	x				x	x	x		S26361-F2565-L369	138,00	



**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>


Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments	
Accessories & services matrix																														
<b>PRIMERGY Software (Continued)</b>																														
Win EBS 2008 Standard ROK, GB	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar. Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten. Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaukleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA). Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.			x	x							x	x					x	x									S26361-F2565-L370	4.181,00	Phased out
Win EBS 2008 Standard ROK, D	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar. Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten. Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaukleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA). Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.		x	x							x	x					x	x									S26361-F2565-L371	4.181,00	Phased out	
Win EBS 2008 Standard ROK, I	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar. Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CALs enthalten. Lieferinhalt: OEM DVD, Microsoft Product Identifier (Lizenzaukleber COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA). Achtung: Diese Einzelteilnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.		x	x							x	x					x	x									S26361-F2565-L372	4.181,00	Phased out	
Win EBS 2008 CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).		x	x							x	x					x	x									S26361-F2565-L378	324,00	Phased out	
Win EBS 2008 CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).		x	x							x	x					x	x									S26361-F2565-L379	324,00	Phased out	
Win EBS 2008 Premium ROK, GB	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs. The Premium Edition contains SQL Server 2008 Standard Edition. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.		x	x							x	x					x	x									S26361-F2565-L380	5.484,00	Phased out	



**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>


Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
<b>PRIMERGY Software (Continued)</b>																																
Win EBS 2008 Premium ROK, D	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs. The Premium Edition contains SQL Server 2008 Standard Edition. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.			x	x							x	x					x	x											S26361-F2565-L381	5,484.00	Phased out
Win EBS 2008 Premium ROK, I	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs. The Premium Edition contains SQL Server 2008 Standard Edition. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.			x	x							x	x					x	x											S26361-F2565-L382	5,484.00	Phased out
Win EBS 2008 Premium CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 Device); multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.			x	x														x	x										S26361-F2565-L388	782.00	Phased out
Win EBS 2008 Premium CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 User); multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.			x	x														x	x										S26361-F2565-L389	782.00	Phased out
MS SysCtr Essrnts 2010 TUP	MS System Center Essentials 2010 Technology Upgrade. For eligible customers only. Requires a Request for Special Release. English. OEM DVD, License.		x	x	x														x	x										S26361-F2567-L15	27.00	
MS SysCtr VMM 2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition, English. ROK DVD, License.		x	x	x														x	x										S26361-F2567-L20	426.00	
MS SysCtr Essrnts 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.		x	x	x														x	x	x									S26361-F2567-L30	122.00	
Win Srv 2008 R2 Foundation 1CPU MULI ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.		x	x	x																									S26361-F2567-L306	186.00	
MS SysCtr Essrnts 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack, OSE = Operating System Environment		x	x	x														x	x	x									S26361-F2567-L31	96.00	
Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.		x	x	x																									S26361-F2567-L310	564.00	
MS SysCtr Essrnts 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack, OSE = Operating System Environment		x	x	x														x	x	x									S26361-F2567-L32	479.00	
Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.		x	x	x																									S26361-F2567-L320	1,883.00	
MS SysCtr Essrnts 2010 Client ML 5-Pack	MS System Center Essentials 2010 Managed Client License 5 Pack.		x	x	x														x	x	x									S26361-F2567-L33	80.00	New product
Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.		x	x	x																									S26361-F2567-L330	3,032.00	
MS SysCtr Essrnts 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.		x	x	x														x	x	x									S26361-F2567-L34	319.00	
Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License für 1 device, License.		x	x	x														x	x	x									S26361-F2567-L340	85.00	
Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License für 5 devices, License.		x	x	x														x	x	x									S26361-F2567-L341	410.00	
Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License für 1 user, License.		x	x	x														x	x	x									S26361-F2567-L342	85.00	
Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License für 5 users, License.		x	x	x														x	x	x									S26361-F2567-L343	410.00	
Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN JA XT. ROK Recovery DVD Media Kit, COA, License																													S26361-F2567-L360	846.00	



**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments																						
<b>Accessories &amp; services matrix</b>																																																						
<b>PRIMERGY Software (Continued)</b>																																																						
	PRIMERGY MultiPath MPIO Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO, CD-ROM and License.	x	x	x	x							x	x																	S26361-F2565-L592	468,00																						
	PRIMERGY MultiPath MPIO 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x							x	x																	S26361-F2565-L593	931,00																						
	PRIMERGY MultiPath Upgrade to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath, CD-ROM and License.	x	x	x	x							x	x																	S26361-F2565-L594	468,00																						
	PRIMERGY MultiPath 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x							x	x																	S26361-F2565-L595	931,00																						
	PRIMERGY DuplexDataManager Upgr. to 5.0	for Windows Server 2008 and 2003, from a previous version of PRIMERGY DuplexDataManager. CD-ROM and License.	x	x	x	x							x	x																	S26361-F2565-L590	1,463,00																						
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x							x	x																	S26361-F2565-L591	2,920,00																						
	PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases. The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C176	229,00																							
	ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager	x	x			x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C289	27,00																							
	ServerView Deployment Manager V5	Software CD Full version, software only - no license	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C299	32,00																							
	ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C300	149,00																							
	ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C301	64,00																							
	SUSE Linux ES 1-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server with 1-CPU sockets 1-Year subscription renewal	x	x			x						x	x																S26361-F2346-L601	154,00																							
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription renewal																												S26361-F2346-L611	265,00																							
	SUSE Linux E 11 HAE 32-CPU +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1-Year subscription renewal	x	x			x						x	x																S26361-F2346-L621	531,00																							
	SUSE Linux ES SAP All-in-One 3Y	SUSE Linux Enterprise Server for SAP Business All-in-One Basic Subscription 3-Years																												S26361-F2346-L669	1,088,00																							
	Debian FSE Basic Support 1Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year	x		x	x							x	x																S26361-F2346-L411	101,00																							
	Debian FSE Basic Support 3Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years	x		x	x							x	x																S26361-F2346-L412	243,00																							
	Debian FSE Standard Support 1Y	Debian FSE Standard (5x8) Support Subscription for x86 and x86_64 1-Server 1-Year	x		x	x							x	x																S26361-F2346-L415	261,00																							
	Debian FSE Standard Support 3Y	Debian FSE Standard (5x8) Support Subscription for x86 and x86_64 1-Server 3-Years	x		x	x							x	x																S26361-F2346-L416	626,00																							
	Debian FSE Premium Support 1Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year	x		x	x							x	x																S26361-F2346-L417	527,00																							
	Debian FSE Premium Support 3Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years	x		x	x							x	x																S26361-F2346-L418	1,264,00																							
	VMware ESXi 4.1 Single SRV w/o SP-1yr	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) - Mandatory 1 year Service Pack needed!												x																S26361-F2341-L500	11,00																							
	VMware Upgrade ESXi to STD w/o SP-1yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) - Mandatory 1 year Service Pack needed!												x																S26361-F2341-L504	859,00																							
	VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU (Max 6 Cores/CPU) - Mandatory 3 year Service Pack needed!												x																S26361-F2341-L505	859,00																							
	VMware Upgrade ESXi to ADV w/o SP-1yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) - Mandatory 1 year Service Pack needed!												x																S26361-F2341-L508	1,936,00																							
	VMware Upgrade ESXi to ADV w/o SP-3yr	VMware Upgrade ESXi to ADV for 1 CPU (Max 12 Cores/CPU) - Mandatory 3 year Service Pack needed!												x																S26361-F2341-L509	1,936,00																							
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) - Mandatory 1 year Service Pack needed!												x																S26361-F2341-L512	3,016,00																							
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (Max 12 Cores/CPU) - Mandatory 3 year Service Pack needed!												x																S26361-F2341-L513	3,016,00																							
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) - Mandatory 1 year Service Pack needed!												x																S26361-F2341-L514	859,00																							
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) - Mandatory 3 year Service Pack needed!												x																S26361-F2341-L515	859,00																							
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) - Mandatory 1 year Service Pack needed!												x																S26361-F2341-L518	1,936,00																							
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4, vCenter 4, vShield.Backup-Restore, ESX 3.5, vCenter 2.5 - No License												x																S26361-F2341-L300	85,00																							
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) - Mandatory 3 year Service Pack needed!												x																S26361-F2341-L519	1,936,00																							
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) - Mandatory 1 year Service Pack needed!												x																S26361-F2341-L520	2,479,00																							
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) - Mandatory 3 year Service Pack needed!												x																S26361-F2341-L521	2,479,00																							



**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments	
<b>PRIMERGY Software (Continued)</b>																																	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L522	3.016,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L523	3.016,00	
	VMware Upgrade STD to ADV w/o SP-1yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L530	1.187,00	
	VMware Upgrade STD to ADV w/o SP-3yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L531	1.187,00	
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L540	2.373,00	
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L541	2.373,00	
	VMware Upgrade ADV to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L542	1.186,00	
	VMware Upgrade ADV to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L543	1.186,00	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L544	596,00	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L545	596,00	
	VMware Upgrade VC FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L546	3.346,00	
	VMware Upgrade VC FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L547	3.346,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L550	9.090,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L551	9.090,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!											x													x	x				S26361-F2341-L570	15.367,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!											x													x	x				S26361-F2341-L571	15.367,00	
	VMware UG ESS-PL to ADV-AK w/o SP-1yr	VMware Upgrade ESS-PL to ADV-AK for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!											x													x	x				S26361-F2341-L572	6.644,00	
	VMware UG ESS-PL to ADV-AK w/o SP-3yr	VMware Upgrade ESS-PL to ADV-AK for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!											x													x	x				S26361-F2341-L573	6.644,00	
	VMware UG ESS-PL to ENT-AK w/o SP-1yr	VMware Upgrade ESS-PL to ENT-AK for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!											x													x	x				S26361-F2341-L574	13.559,00	
	VMware UG ESS-PL to ENT-AK w/o SP-3yr	VMware Upgrade ESS-PL to ENT-AK for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!											x													x	x				S26361-F2341-L575	13.559,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!											x													x	x				S26361-F2341-L554	22.761,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!											x													x	x				S26361-F2341-L555	22.761,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!					x	x					x	x						x	x					x	x				S26361-F2341-L556	4.303,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!					x	x					x	x						x	x					x	x				S26361-F2341-L557	4.303,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!					x	x					x	x						x	x					x	x				S26361-F2341-L558	1.293,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!					x	x					x	x						x	x					x	x				S26361-F2341-L559	1.293,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L562	3.017,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!											x							x	x					x	x				S26361-F2341-L563	3.017,00	


**OS/Application-SW**



**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments
Accessories & services matrix OS/Application-SW (Continued)																													
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server. . More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: . . . . . Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit). . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x						x	x	x				x	x	x				x	x	x	U15260-C600	1.571,00		
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server. . More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: . . . . . Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit). . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x						x	x	x				x	x	x				x	x	x	U15260-C616	2.394,00		
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. . The product offers data replication for Windows File Servers. . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server. . More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: . . . . . Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit). . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x						x	x	x				x	x	x				x	x	x	U15260-C601	2.199,00		
	XOsoft r12 HighAvailability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition)., Content: 1x Media Kit and 1x License for one server. . More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: . . . . . Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit). . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x						x	x	x				x	x	x				x	x	x	U15260-C617	3.351,00		




**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments	
Accessories & services matrix																														
OS/Application-SW (Continued)																														
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication for Windows File Servers... It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server... More product information at: <a href="http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x						x	x	x					x	x								x	U15260-C602	2.394,00	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication and high availability for Windows File Servers... It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server... More product information at: <a href="http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x						x	x	x					x	x	x							x	U15260-C618	3.441,00	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance... The product offers data replication for Windows File Servers... It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server... More product information at: <a href="http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x						x	x	x					x	x								x	U15260-C603	3.351,00	
	XOsoft r12 HighAvailability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 3 Years CA Enterprise Maintenance... The product offers data replication and high availability for Windows File Servers... It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server... More product information at: <a href="http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit), A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/e/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x						x	x	x					x	x	x							x	U15260-C619	4.817,00	





**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>


Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments																					
Accessories & services matrix <b>OS/Application-SW (Continued)</b>																																																					
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x				x	x	x										x	U15260-C604	1.496,00																					
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Clusters. Content: 1x Media Kit and 1x License for one server., More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x				x	x	x										x	U15260-C620	2.244,00																					
	XOsoft r12 Replication FS Cluster	XOsoft r12 Replication File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x				x	x	x										x	U15260-C605	2.094,00																					
	XOsoft r12 HighAvailability FS Cluster	XOsoft r12 High Availability File Server Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Clusters., Content: 1x Media Kit and 1x License for one server., More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit), . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x				x	x	x										x	U15260-C621	3.142,00																					



**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>


Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments																					
Accessories & services matrix <b>OS/Application-SW (Continued)</b>																																																					
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication for Windows File Servers... It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation). Content: 1x Media Kit and 1x License for one server... More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> -----, System Requirements: ----- -----, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x					x	x												U15260-C606	1.197,00																				
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication and high availability for Windows File Servers... It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation). Content: 1x Media Kit and 1x License for one server... More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> -----, System Requirements: ----- -----, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x					x	x	x											U15260-C622	1.496,00																				
	XOsoft r12 Replication FS Virt. Machine	XOsoft r12 Replication File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance... The product offers data replication for Windows File Servers... It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation). Content: 1x Media Kit and 1x License for one server... More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> -----, System Requirements: ----- -----, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x					x	x	x											U15260-C607	1.676,00																				
	XOsoft r12 HighAvailability FS Virt. Ma.	XOsoft r12 High Availability File Server Virtual Machine - inclusive 3 Years CA Enterprise Maintenance... The product offers data replication and high availability for Windows File Servers... It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation). Content: 1x Media Kit and 1x License for one server... More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> -----, System Requirements: ----- -----, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines, A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x					x	x	x											U15260-C623	2.094,00																				



**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>


Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments			
Accessories & services matrix <b>OS/Application-SW (Continued)</b>																																			
	XOsoft r12 Replication APP Std. OS	XOsoft r12 Replication for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10. . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . . . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x						x												U15260-C608	2.394,00		
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10. . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . . . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x						x	x	x										U15260-C624	3.441,00		
	XOsoft r12 HighAvailability APP Std. OS	XOsoft r12 High Availability for Applications Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . . It supports only Windows standard operating systems (e.g. Windows Server 2003 Standard Edition). . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10. . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . . . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x						x	x	x										U15260-C625	4.817,00		
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10. . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) . . . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x						x	x	x										U15260-C610	3.590,00		



**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments			
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication and high availability for Windows Application Servers... It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x		x							x	x	x					x	x									x	U15260-C626	5.386,00			
	XOsoft r12 Replication APP Ent. OS	XOsoft r12 Replication for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance... The product offers data replication for Windows Application Servers... It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x		x								x	x	x					x	x								x	U15260-C611	5.027,00			
	XOsoft r12 HighAvailability APP Ent. OS	XOsoft r12 High Availability for Applications Enterprise OS - inclusive 3 Years CA Enterprise Maintenance... The product offers data replication and high availability for Windows Application Servers... It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition)... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit) , A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x		x								x	x	x					x	x								x	U15260-C627	7.540,00			
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance... The product offers data replication for Windows Application Servers... It supports only Windows Clusters... Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10... Content: 1x Media Kit and 1x License for one server... More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> , System Requirements: -----, Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software: Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) , A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x		x								x	x	x					x	x								x	U15260-C612	2.094,00			



**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments			
Accessories & services matrix																																			
OS/Application-SW (Continued)																																			
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows Clusters. . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x																		U15260-C628	2.693,00		
	XOsoft r12 Replication APP Cluster	XOsoft r12 Replication for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . The product offers data replication for Windows Application Servers. . It supports only Windows Clusters. . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x					x	x	x											U15260-C613	2.932,00		
	XOsoft r12 HighAvailability APP Cluster	XOsoft r12 High Availability for Applications Active Cluster Node - inclusive 3 Years CA Enterprise Maintenance. . The product offers data replication and high availability for Windows Application Servers. . It supports only Windows Clusters. . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 Cluster (32 and 64 Bit) . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x					x	x	x											U15260-C629	3.770,00		
	XOsoft r12 Replication APP Virt. Machine	XOsoft r12 Replication for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. . The product offers data replication for Windows Application Servers. . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9/10. . Content: 1x Media Kit and 1x License for one server. . More product informationen at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: ----- Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>	x	x	x							x	x	x					x	x	x											U15260-C614	1.346,00		




**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments	
Accessories & services matrix																																	
OS/Application-SW (Continued)																																	
	XCoft r12 HighAvailability APP Virt. M.	XCoft r12 High Availability for Applications for Virtual Machines - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10. . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx</a>	x	x	x							x	x	x					x	x	x									x	U15260-C630	2.244,00	
	XCoft r12 Replication APP Virt. Machine	XCoft r12 Replication for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows Application Servers. . . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10. . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx</a>	x	x	x							x	x	x					x	x	x									x	U15260-C615	1.885,00	
	XCoft r12 HighAvailability APP Virt. M.	XCoft r12 High Availability for Applications for Virtual Machines - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows Application Servers. . . It supports only Windows operating systems in virtual machines (e.g. ESX Server o. VMware Workstation) . . . Supported Applications: MS Exchange 2000/2003/2003, MS SQL 2000/2005, Oracle 9i/10. . . Content: 1x Media Kit and 1x License for one server. . . More product informationen at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . . . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Technology Solutions, Software : Microsoft Windows 2000 / 2003 (32 and 64 Bit) in virtual machines. . . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx">http://partners.ts.fujitsu.com/com/products/storage/software/brightstor/ca_xo_soft/compatibilityPages/default.aspx</a>	x	x	x							x	x	x					x	x	x									x	U15260-C631	3.142,00	
	1 Yr Mnt. WANSyncHA Std Srv	1 Year CA Enterprise Maintenance Renewal for CA XCoft WANSync HA Standard Server	x	x									x	x					x	x									x	U15260-C40U1	684,00		
<b>UPS/Power supply</b>																																	
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM-Interface				x									x	x	x					x	x	x							S26113-F233-L1	37,00	
	Power Supply Module 450W (hot plug)	for PS redundancy				x	x	x	x	x																					S26113-F483-L11	234,00	Phased out
	Power Supply Upgrade 400W (hot plug)	for optional PS redundancy, incl. mounting kit cable and 1st power supply module				x	x	x	x	x																					S26113-F483-L6	415,00	Phased out
	Power Supply Module 700W (hot plug)	for optional PS redundancy																	x												S26113-F525-L10	144,00	Phased out
	Fan and PSU upgrade kit	conversion standard PSU into hot plug PSU and standard into redundant fans, incl. 1 hot plug PS module, fan kit and 1 redundant fan																	x												S26113-F525-L11	452,00	Phased out
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and standard into hot plug fans, incl.1 PS module, fan kit and 2 hot plug fans																													S26113-F525-L22	644,00	Phased out
	conversion kit standard to hot plug PSU	conversion standard into hot plug PSU and conversion standard into redundant fans													x																S26113-F540-L1	271,00	
	Power Supply Module 450W (hot plug)	for optional PS redundancy																													S26113-F540-L11	181,00	
	Power Supply Module 800W (hot plug)	for optional PS redundancy																		x											S26113-F541-L10	229,00	
	Fan and PSU upgrade kit	conversion standard into hot plug PSU and conversion standard into redundant fans																		x	x										S26113-F541-L11	564,00	
	Power Supply Module 800W HE (hot plug)	2nd gold PS hp for redundancy																													S26113-F556-L10	229,00	
	APC-UPS WEB Management Adapter	10 / 100 Mbit autosecure AP9630 for APC-USV, use one smart slot	x		x			x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x		S26113-F80-L30	271,00	






**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments	
<b>Media (Continued)</b>																																	
LTO4 data cartridge Fuji no label	LTO-4 data cartridge without label from Fuji, 800 GB native capacity												x	x																	D:CR-LT04-FJ-01	25,00	
LTO5 data cartridge Fuji no label	LTO-5 data cartridge without label from Fuji, 1500 GB native capacity																														D:CR-LT05-FJ-01	77,00	
LTO3 data cartridge BM no label	LTO-3 data cartridge without label from BM, 400 GB native capacity																														D:CR-LT03-IB-01	28,00	
LTO4 data cartridge BM no label	LTO-4 data cartridge without label from BM, 800 GB native capacity																														D:CR-LT04-IB-01	30,00	
LTO5 data cartridge Maxell no label	LTO-5 data cartridge without label from Maxell, 1500 GB native capacity																														D:CR-LT05-MX-01	81,00	
LTO3 data cartridge Sony no label	LTO-3 data cartridge without label from Sony, 400 GB native capacity																														D:CR-LT03-SY-01	24,00	
LTO4 data cartridge Sony no label	LTO-4 data cartridge without label from Sony, 800 GB native capacity																														D:CR-LT04-SY-01	26,00	
LTO3 data cartridge Sony single pack	1x LTO-3 data cartridges without label from Sony at a single package , 400 GB native capacity																														D:CR-LT03-SY-EP01	26,00	
LTO4 data cartridge Sony single pack	1x LTO-4 data cartridges without label from Sony at a single package , 800 GB native capacity																														D:CR-LT04-SY-EP01	28,00	
LTO3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity																														D:CR-LT03-FJ-01L	36,00	
LTO4 data cartridge Fuji with label	LTO-4 data cartridge with label from Fuji, 800 GB native capacity																														D:CR-LT04-FJ-01L	28,00	
LTO5 data cartridge Fuji with label	LTO-5 data cartridge with label from Fuji, 1500 GB native capacity																														D:CR-LT05-FJ-01L	77,00	
LTO3 data cartridge BM with label	LTO-3 data cartridge with label from BM, 400 GB native capacity																														D:CR-LT03-IB-01L	28,00	
LTO4 data cartridge BM with label	LTO-4- Data cartridges with Label from BM, Kapazity 800 GByte native																														D:CR-LT04-IB-01L	31,00	
LTO5 data cartridge Maxell with label	LTO-5 data cartridge with label from Maxell, 1500 GB native capacity																														D:CR-LT05-MX-01L	82,00	
LTO3 data cartridge Sony with label	LTO-3 data cartridge with label from Sony, 400 GB native capacity																														D:CR-LT03-SY-01L	25,00	
LTO4 data cartridge Sony with label	LTO-4- Data cartridges with Label from Sony, Kapazity 800 GByte native																														D:CR-LT04-SY-01L	27,00	
LTO3 data cart. Sony single pack label	LTO-3 data cartridge with label from Sony, 400 GB native capacity, at single package																														D:CR-LT03-SY-EP01L	25,00	
LTO4 data cartrid. Sony single pkg label	1x LTO-4 data cartridges with label from Sony at a single package , 800 GB native capacity																														D:CR-LT04-SY-EP01L	28,00	
LTO3 WORM data cartridge Fuji no label	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once, it is not possible to delete or overwrite the data																														D:CR-LT03-FJ-01W	26,00	
LTO4 WORM data cartridge Fuji no label	LTO-4 WORM data cartridge without label from Fuji, 800 GB native capacity, WORM means that the data medium can only be written once, it is not possible to delete or overwrite the data																														D:CR-LT04-FJ-01W	34,00	
LTO3 WORM data cartridge Fuji with label	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once, it is not possible to delete or overwrite the data																														D:CR-LT03-FJ-01WL	27,00	
LTO4 WORM data cartridge Fuji with label	LTO-4 WORM data cartridge with label from Fuji, 800 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries																														D:CR-LT04-FJ-01WL	37,00	
LTO cleaning label horizontal	label for LTO cleaning cartridges																														D:CL-LTO-LAB	0,75	
LTO3 barcode label horizontal	label for LTO-3 data cartridges																														D:CR-LT03-LAB	0,75	
LTO4 barcode label horizontal	label for LTO-4 data cartridges																														D:CR-LT04-LAB	0,75	
LTO5 WORM data cartridge Fuji no label	LTO-5 WORM data cartridge without label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries																														D:CR-LT05-FJ-01W	88,00	
LTO5 WORM data cartridge Fuji with label	LTO-5 WORM data cartridge with label from Fuji, 1500 GB native capacity, Attention not for use with SUN / Storage TEK and Quantum Libraries																														D:CR-LT05-FJ-01WL	89,00	
LTO5 barcode label horizontal	label for LTO-5 data cartridges																														D:CR-LT05-LAB	3,00	
<b>Cables</b>																																	
Cable powercord rack, 4m	with Euro socket connector																														T26139-Y1988-L10	16,00	
Console switch cable 3.5m	cable for keyboard, monitor and mouse																														SNP-SY-F2293L12-P	101,00	Phased out
<b>Additional Software</b>																																	
OPENFT-CR (WINDOWS) V8.0	openFT - openFile Transfer, Datamedium CD-ROM, Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1																														U11081-C157	15,00	
OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFile Transfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs																														U11081-C171	1.125,00	
OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs																														U11081-C177	562,00	
OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFile Transfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME																														U11081-C183	30,00	
OPENFT-2 (WINDOWS) V8.1	openFT - openFile Transfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs																														U11081-C186	1.125,00	
OPENFT-2-U (WINDOWS) V8.1	openFT - openFile Transfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs																														U11081-C192	451,00	
OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions																														U11081-C199	15,00	
OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0																														U11081-C201	30,00	





**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments																						
<b>Additional Software (Continued)</b>																																																						
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x			x	x	x						x	x	x																U11081-C202	1,225.00																				
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x			x	x	x	x					x	x	x					x	x										U11081-C204	3,988.00	New product																			
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201					x	x	x	x					x	x	x					x	x										U11081-C207	710.00																				
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x			x	x	x	x					x	x	x					x	x										U11081-C212	1,225.00																				
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x			x	x	x	x					x	x	x					x	x										U11081-C214	3,988.00	New product																			
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x			x	x	x	x					x	x	x					x	x										U11081-C217	710.00																				
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x				x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	U11081-C301	1,225.00																					
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x				x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	U11081-C311	1,225.00																					
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x				x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	U11081-C321	500.00																					
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x					x	x	x					x	x										U11081-C302	1,994.00																				
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x					x	x	x					x	x										U11081-C312	1,994.00																				
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x					x	x	x					x	x										U11081-C322	814.00																				
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x					x	x	x					x	x										U11081-C303	3,988.00																				
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x					x	x	x					x	x										U11081-C313	3,988.00																				
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x					x	x	x					x	x										U11081-C323	1,628.00																				
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x		x	x	x	x	x				x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	U11081-C300	30.00																					
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x		x	x	x	x	x				x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	U11081-C299	15.00																					
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x				x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	U10987-C501	1,225.00																					
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x				x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	U10987-C513	1,225.00																					
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x		x	x	x	x	x				x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	U10987-C525	500.00																					
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x					x	x	x					x	x										U10987-C502	1,994.00																				
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x					x	x	x					x	x										U10987-C514	1,994.00																				
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x			x	x	x	x					x	x	x					x	x										U10987-C526	814.00																				
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x					x	x	x					x	x										U10987-C503	3,988.00																				
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x					x	x	x					x	x										U10987-C515	3,988.00																				
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x			x	x	x	x					x	x	x					x	x										U10987-C527	1,628.00																				
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x			x	x	x	x					x	x	x					x	x										U10987-C504	4,618.00																				
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x			x	x	x	x					x	x	x					x	x										U10987-C516	4,618.00																				
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x			x	x	x	x					x	x	x					x	x										U10987-C528	1,885.00																				
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x			x	x	x	x					x	x	x					x	x										U10987-C505	5,982.00																				
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x			x	x	x	x					x	x	x					x	x										U10987-C517	5,982.00																				
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x			x	x	x	x					x	x	x					x	x										U10987-C529	2,442.00																				



**Tower Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S6	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments			
Accessories & services matrix																																			
<b>Additional Software (Continued)</b>																																			
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C500	36,00		
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C499	15,00		



**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix												
<b>Processor</b>												
	Intel Xeon E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink						x		S26361-F3277-E186	335,00	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink					x		x	S26361-F3277-E200	314,00	
	Intel Xeon E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink						x		S26361-F3278-E200	388,00	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink					x	x	x	S26361-F3278-E213	362,00	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink					x		x	S26361-F3278-E226	426,00	
	Intel Xeon E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink						x		S26361-F3279-E226	628,00	Phased out
	Intel Xeon E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink						x		S26361-F3279-E240	878,00	Phased out
	Intel Xeon E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink						x		S26361-F3279-E253	1.218,00	Phased out
	Intel Xeon X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x		S26361-F3280-E267	1.574,00	Phased out
	Intel Xeon X5560 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X5560 (4C/8T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x		S26361-F3280-E280	1.915,00	Phased out
	Intel Xeon X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink						x		S26361-F3280-E293	2.250,00	Phased out
	Intel Xeon L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) incl. heat sink						x		S26361-F3281-E213	707,00	Phased out
	Intel Xeon L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink						x		S26361-F3281-E226	878,00	Phased out
	Intel Xeon L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink						x		S26361-F3281-E240	1.218,00	Phased out
	Intel Xeon W5590 4C/8T 3.33 GHz 8 MB	Intel® Xeon® processor W5590 (4C/8T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/1/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink						x		S26361-F3337-E333	2.590,00	Phased out
	Intel Pentium E5400 2C 2.70 GHz 2 MB	Intel® Pentium® processor E5400 (2C, 2.70 GHz, SLC: 2 MB, TLC: -, Turbo: No, 800 MHz, 65 W) incl. heat sink	x							S26361-F3582-E540	101,00	
	Intel Pentium E5500 2C 2.80 GHz 2MB	Intel® Pentium® processor E5500 (2C, 2.80 GHz, SLC: 2 MB, TLC: -, Turbo: No, 800 MHz, 65 W) incl. heat sink	x							S26361-F3582-E550	101,00	
	Intel Pentium E6500 2C 2.93 GHz 2 MB	Intel® Pentium® processor E6500 (2C, 2.93 GHz, SLC: 2 MB, TLC: -, Turbo: No, 1066 MHz, 65 W) incl. heat sink	x							S26361-F3582-E650	160,00	
	Intel Core2 Duo E7400 2C 2.80 GHz 3 MB	Intel® Core™2 Duo processor E7400 (2C, 2.80 GHz, SLC: 3 MB, TLC: -, Turbo: No, 1066 MHz, 65 W) incl. heat sink	x							S26361-F3582-E740	223,00	
	Intel Core2 Duo E7600 2C 3.06 GHz 3 MB	Intel® Core™2 Duo processor E7600 (2C, 3.06 GHz, SLC: 3 MB, TLC: -, Turbo: No, 1066 MHz, 65 W) incl. heat sink	x							S26361-F3582-E760	261,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x		x	S26361-F3618-E240	585,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x		x	S26361-F3618-E253	819,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x		x	S26361-F3618-E266	1.149,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x		x	S26361-F3619-E266	1.468,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x		x	S26361-F3619-E280	1.787,00	



**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
<b>Options matrix</b>												
<b>Processor (Continued)</b>												
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x		x	S26361-F3619-E293	2,106,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink							x	S26361-F3619-E333	2,447,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink					x		x	S26361-F3621-E186	660,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink					x		x	S26361-F3622-E213	819,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink						x	x	S26361-F3622-E226	1,468,00	
	Intel Core2 Duo P8400 2C 2.26 GHz 3 MB	Intel® Core™2 Duo processor P8400 (2C, 2.26 GHz, SLC: 3 MB, TLC: -, Turbo: No, 1066 MHz, 25 W) incl. heat sink			x					S26361-F3282-E840	415,00	
	Intel Celeron G1101 2C 2.26 GHz 2 MB	Intel® Celeron® processor G1101 (2C, 2.26 GHz, TLC: 2 MB, Turbo: No, 1066 MHz, 73 W) without heat sink	x							S26361-F3589-E226	133,00	
	Intel Core2 Duo T9400 2C 2.53 GHz 6 MB	Intel® Core™2 Duo processor T9400 (2C, 2.53 GHz, SLC: 6 MB, TLC: -, Turbo: No, 1066 MHz, 35 W) incl. heat sink			x					S26361-F3282-E940	633,00	
	Intel Pentium G6950 2C 2.80 GHz 3 MB	Intel® Pentium® processor G6950 (2C, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 73 W) without heat sink	x		x					S26361-F3588-E280	181,00	
	Intel Core i3-540 2C/4T 3.06 GHz 4 MB	Intel® Core™ i3-540 processor (2C/4T, 3.06 GHz, TLC: 4 MB, Turbo: No, 1333 MHz, 73 W) without heat sink	x		x					S26361-F3587-E306	266,00	
	Intel Xeon X3430 4C/4T 2.40 GHz 8 MB	Intel® Xeon® processor X3430 (4C/4T, 2.40 GHz, TLC: 8 MB, Turbo: 1/1/2/3, 1333 MHz, 95 W) without heat sink	x		x					S26361-F3578-E343	388,00	
	Intel Xeon X3440 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor X3440 (4C/8T, 2.53 GHz, TLC: 8 MB, Turbo: 1/1/2/3, 1333 MHz, 95 W) without heat sink	x							S26361-F3578-E344	420,00	
	Intel Xeon X3450 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X3450 (4C/8T, 2.66 GHz, TLC: 8 MB, Turbo: 1/1/4/4, 1333 MHz, 95 W) without heat sink	x		x					S26361-F3578-E345	479,00	
	Intel Xeon X3470 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X3470 (4C/8T, 2.93 GHz, TLC: 8 MB, Turbo: 2/2/4/5, 1333 MHz, 95 W) without heat sink						x		S26361-F3578-E347	622,00	
	Intel Xeon L3406 2C/4T 2.26 GHz 4 MB	Intel® Xeon® processor L3406 (2C/4T, 2.26 GHz, TLC: 4 MB, Turbo: 2/2, 1066 MHz, 30 W) without heat sink					x			S26361-F3586-E226	388,00	
	Intel Xeon L3426 4C/8T 1.86 GHz 8 MB	Intel® Xeon® processor L3426 (4C/8T, 1.86 GHz, TLC: 8 MB, Turbo: 2/2/9/10, 1333 MHz, 45 W) without heat sink					x			S26361-F3586-E186	564,00	
	Intel Xeon E3110 2C 3.00 GHz 6 MB	Intel® Xeon® processor E3110 (2C, 3.00 GHz, SLC: 6 MB, TLC: -, Turbo: No, 1333 MHz, 65 W) incl. heat sink	x							S26361-F3503-E210	324,00	
	Intel Xeon E3120 2C 3.16 GHz 6 MB	Intel® Xeon® processor E3120 (2C, 3.16 GHz, SLC: 6 MB, TLC: -, Turbo: No, 1333 MHz, 65 W) incl. heat sink	x							S26361-F3503-E220	356,00	Phased out
	Intel Xeon X3220 4C 2.40 GHz 8 MB	Intel® Xeon® processor X3220 (4C, 2.40 GHz, SLC: 8 MB, TLC: -, Turbo: No, 1066 MHz, 95 W) incl. heat sink	x							S26361-F3504-E220	356,00	Phased out
	Intel Xeon X3330 4C 2.66 GHz 6 MB	Intel® Xeon® processor X3330 (4C, 2.66 GHz, SLC: 6 MB, TLC: -, Turbo: No, 1333 MHz, 95 W) incl. heat sink	x							S26361-F3504-E330	355,00	
<b>Memory</b>												
	1GB DDR2-667 PC2-5300 reg ECC	1 Modul, registered single rank DDR2 667MHz			x					S26361-F3283-E514	69,00	
	2GB DDR2-667 PC2-5300 reg ECC	1 Modul, registered single rank DDR2 667MHz			x					S26361-F3283-E515	112,00	
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x		x					S26361-F3335-E513	48,00	
	4GB DDR2-667 PC2-5300 reg d ECC	1 Modul, registered dual rank DDR2 667MHz			x					S26361-F3283-E516	239,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x		x					S26361-F3335-E514	74,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x		x					S26361-F3335-E515	266,00	
	2 GB DDR3 1333 MHz PC3-10600 rg d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x		S26361-F3336-E514	101,00	
	4 GB DDR3 1066 MHz PC3-8500 rg q ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM					x			S26361-F3336-E517	197,00	
	1GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x							S26361-F3372-E413	69,00	
	2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x							S26361-F3372-E414	101,00	
<b>Memory Modules</b>												
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory				x	x	x		S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory				x	x	x		S26361-F3284-E3	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory				x	x	x		S26361-F3284-E2	5,00	



**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix												
<b>Memory Modules (Continued)</b>												
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode					x	x		S26361-F3604-E523	202,00	
	MM 8GB 2x4 DDR3 1333 MHz PC3-10600 rg d	2 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode					x	x		S26361-F3604-E524	394,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	1 module 2GB 1333MHz, unbuffered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					x	x		S26361-F3606-E513	74,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					x	x		S26361-F3604-E513	101,00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode					x	x		S26361-F3604-E525	766,00	
	2GB DDR3-1066 PC3-8500 rg ECC	1 module 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode; Test Hubert am 12.2.2010						x		S26361-F3284-E513	101,00	
	MM 4GB 2x2 DDR3-1066 PC3-8500 rg ECC	2 modules 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode						x		S26361-F3284-E523	202,00	
	SP 6GB 3x2 DDR3-1066 PC3-8500 rg ECC	3 modules 2GB 1066MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode						x		S26361-F3284-E533	303,00	
	4 GB DDR3 1333 MHz PC3-10600 rg d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					x	x		S26361-F3604-E514	197,00	
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	2 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 16GB usable memory for Mirrored Mode						x		S26361-F3604-E526	1.947,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode					x	x		S26361-F3604-E533	303,00	
	4GB DDR3-1066 PC3-8500 rg d ECC	1 module 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x		S26361-F3284-E514	197,00	
	MM 8GB 2x4 DDR3-1066 PC3-8500 rg d ECC	2 modules 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode						x		S26361-F3284-E524	394,00	
	SP 12GB 3x4 DDR3-1066 PC3-8500 rg d ECC	3 modules 4GB 1066MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode						x		S26361-F3284-E534	590,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					x	x		S26361-F3604-E515	383,00	
	SP 12GB 3x4 DDR3 1333 MHz PC3-10600 rg d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode					x	x		S26361-F3604-E534	590,00	
	MM 8GB 2x4 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 4GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode					x	x		S26361-F3605-E524	436,00	
	8GB DDR3-1066 PC3-8500 rg d ECC	1 module 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x		S26361-F3284-E515	771,00	
	MM 16GB 2x8 DDR3-1066 PC3-8500 rg d ECC	2 modules 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode						x		S26361-F3284-E525	1.543,00	
	SP 24GB 3x8 DDR3-1066 PC3-8500 rg d ECC	3 modules 8GB 1066MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode						x		S26361-F3284-E535	2.314,00	
	16 GB DDR3 1066 MHz PC3-8500 rg q	1 module 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x		S26361-F3604-E516	973,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	3 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode					x	x		S26361-F3604-E535	1.149,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode					x	x		S26361-F3605-E525	840,00	
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	3 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=32GB Spare or 48GB Performance Mode						x		S26361-F3604-E536	2.920,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					x	x		S26361-F3605-E514	218,00	
	SP 12GB 3x4 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode					x	x		S26361-F3605-E534	654,00	
	2GB DDR3-1333 PC3-10600 rg ECC	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x		S26361-F3285-E513	101,00	
	MM 4GB 2x2 DDR3-1333 PC3-10600 rg ECC	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode						x		S26361-F3285-E523	202,00	



**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
<b>Options matrix</b>												
<b>Memory Modules (Continued)</b>												
	SP 6GB 3x2 DDR3-1333 PC3-10600 rg ECC	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode						x		S26361-F3285-E533	303,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					x		x	S26361-F3605-E515	420,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode					x		x	S26361-F3605-E535	1.261,00	
	4GB DDR3-1333 PC3-10600 rg d ECC	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x	S26361-F3285-E514	197,00	
	MM 8GB 2x4 DDR3-1333 PC3-10600 rg d ECC	2 modules 4GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode							x	S26361-F3285-E524	394,00	
	SP 12GB 3x4 DDR3-1333 PC3-10600 rg d ECC	3 modules 4GB 1333MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode							x	S26361-F3285-E534	590,00	
	8GB DDR3-1333 PC3-10600 rg d ECC	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode							x	S26361-F3285-E515	383,00	
	MM 16GB 2x8 DDR3-1333 PC3-10600 rg d ECC	2 modules 8GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode							x	S26361-F3285-E525	766,00	
	SP 24GB 3x8 DDR3-1333 PC3-10600 rg d ECC	3 modules 8GB 1333MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode							x	S26361-F3285-E535	1.149,00	
<b>Graphics</b>												
	Front-VGA interface	2nd optional VGA interface front side							x	S26361-F2571-E16	21,00	
	PY VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card	x	x		x	x	x	x	S26361-F2748-E533	144,00	
	PY LP VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card, low profile			x					S26361-F2748-E633	144,00	
<b>Removable Media Drives</b>												
	MountingKit DVD(s)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display				x	x	x	x	S26361-F2826-E204	32,00	
	F-D-L-HDD-Box2	for slim DVD, 1x Local Service Panel or Display, 2x HDD							x	S26361-F2826-E103	85,00	
	MountingKit DVD(s)+LSP/LSD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD							x	S26361-F2826-E104	90,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, black			x	x	x	x	x	S26361-F3269-E2	96,00	
	Blu-ray Combo slimline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height, black			x	x	x	x	x	S26361-F3531-E2	271,00	
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	x	x		x	x	x	x	S26361-F3266-E2	43,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	x	x		x	x	x	x	S26361-F3267-E2	69,00	
	RDX Drive USB 25MB/s 3.5" int	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)				x				S26361-F3857-E2	170,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)	x	x		x	x	x	x	S26361-F3857-E4	170,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US), data and cleaning cartridge	x	x		x	x	x	x	S26361-F3324-E4	532,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US), data and cleaning cartridge			x					S26361-F3324-E2	532,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with data and cleaning cartridge	x	x		x	x	x	x	S26361-F3325-E4	729,00	
	Tape Kit DDS Gen6 80GB 6MB/s SCSI	DDS Gen6 80GB 6MB/s 5.25" intern, U160 SCSI Interface 68-pin, 1.6" fitting height, black bezel, with data and cleaning cartridge							x	S26361-F3225-E4	750,00	Phased out
	Tape Kit LTO2HH Ultr 200GB 24MB/s SCSI	U160 SCSI Interface 68-pin, 1.6" fitting height, black bezel, with data and cleaning cartridge							x	S26361-F3964-E4	1.511,00	Phased out
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge				x	x	x	x	S26361-F4009-E4	1.511,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge				x	x	x	x	S26361-F3561-E4	1.851,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with data and cleaning cartridge				x	x		x	S26361-F3626-E1	2.500,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	LTO5HH Ultrium, 1500 GB, 140 MB/s, half height, SAS 6GB/s				x	x		x	S26361-F3627-E1	3.032,00	
	SFF 12xSAS HDD conversion option	Extension Box for 12 pc. 2.5" hotplug HDD							x	S26361-F2826-E134	330,00	Phased out
	Conversion Box 12x 2.5" HDD	Extension Box for 12 pc. 2.5" hotplug HDD							x	S26361-F2826-E135	372,00	
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD					x	x	x	S26361-F2826-E114	176,00	

**Hard Disks**



**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix												
<b>Hard Disks (Continued)</b>												
	HDD Ext. 2x 2.5" hot plug TX120 S2	for 2x 2.5" SAS/SATA HDD hot plug, aktiv termination			x					S26361-F2826-E130	59,00	
	HD SATA 3GB/s 160GB 7.2k non hot pl 3.5"	HDD SATA, 160 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x	x						S26361-F3219-E160	85,00	
	HD SATA 3G 160GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 3.5-inch, economic				x	x	x		S26361-F3293-E160	85,00	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 3.5-inch, economic				x	x	x		S26361-F3293-E250	101,00	New product.Deliverable from: 01/12/2010,Orderable from: 15/12/2010
	HD SATA 3G 2TB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic		x						S26361-F3334-E200	660,00	New product
	HD SATA 3GB/s 250GB 7.2k non hot pl 3.5"	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x	x						S26361-F3574-E250	90,00	
	SSD SATA 3GB/s 32GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise			x					S26361-F3998-E32	697,00	
	SSD SATA 3GB/s 64GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise			x					S26361-F3998-E64	1.202,00	
	HD SAS 6GB/s 146GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x					S26361-F4004-E114	234,00	
	HD SAS 6GB/s 300GB 10k hot plug 2.5"	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x					S26361-F4004-E130	452,00	
	HD SAS 6GB/s 146GB 15k hot plug 2.5"	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x					S26361-F4004-E514	420,00	
	HD SAS 6GB/s 73GB 15k hot plug 2.5"	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x					S26361-F4004-E573	293,00	
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic			x					S26361-F3515-E160	176,00	
	HD SATA 3GB/s 320GB 5.4k hot plug 2.5"	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic			x					S26361-F3515-E320	271,00	
	HD SATA 3G 250GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x						S26361-F3334-E250	117,00	
	HD SATA 3GB/s 160GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x					S26361-F3600-E160	207,00	
	HD SATA 3G 500GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x						S26361-F3334-E500	223,00	
	HD SATA 3GB/s 500GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x					S26361-F3600-E500	245,00	
	HD SATA 3G 1TB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 1000 GB, 7200 rpm, non-hot-plug, 3.5-inch, business critical	x	x						S26361-F3334-E100	410,00	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x	x		S26361-F3294-E250	117,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x	x		S26361-F3294-E500	223,00	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x	x		S26361-F3294-E100	410,00	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical				x	x	x		S26361-F3294-E200	660,00	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise			x	x		x		S26361-F3298-E32	697,00	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise			x	x		x		S26361-F3298-E64	1.202,00	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic				x	x	x		S26361-F3297-E160	176,00	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic				x	x	x		S26361-F3297-E320	271,00	
	HD SATA 3G 160GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x	x		x		S26361-F3601-E160	207,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical			x	x		x		S26361-F3601-E500	245,00	
	HD SAS 3G 146GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise				x	x	x		S26361-F3291-E514	324,00	
	HD SAS 3G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise					x			S26361-F3291-E530	617,00	
	HD SAS 3G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise						x		S26361-F3291-E545	729,00	
	HD SAS 3G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise						x		S26361-F3291-E560	766,00	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x	x		x		S26361-F4005-E530	473,00	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x	x		x		S26361-F4005-E545	633,00	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x	x		x		S26361-F4005-E560	729,00	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise						x		S26361-F3292-E114	261,00	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise						x		S26361-F3292-E130	473,00	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise						x		S26361-F3292-E573	335,00	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise						x		S26361-F3292-E514	484,00	
	HD SAS 6G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x				S26361-F4006-E114	234,00	Phased out
	HD SAS 6G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x				S26361-F4006-E130	452,00	Phased out
	HD SAS 6G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x	x				S26361-F4006-E573	293,00	Phased out
	HD SAS 6G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x	x				S26361-F4006-E514	420,00	Phased out
	HD SAS 6G 146GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x		x		S26361-F4482-E114	234,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x	x		x		S26361-F4482-E130	452,00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x	x		x		S26361-F4482-E573	293,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x	x		x		S26361-F4482-E514	420,00	





**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
<b>Options matrix</b>												
<b>Hard Disks (Continued)</b>												
	HD SAS 3GB/s 146GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise		x						S26361-F3208-E114	261,00	
	HD SAS 3GB/s 300GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x					S26361-F3208-E130	473,00	
	HD SAS 3GB/s 73GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x					S26361-F3208-E573	335,00	
	HD SAS 3GB/s 146GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x					S26361-F3208-E514	484,00	
<b>SCSI/RAID/SAS controller</b>												
	68-Pin Kit for int. access. SCSI drives	Cable with terminator						x		S26361-F2814-E12	53,00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for LSI SAS1078 and LSI SAS2108			x					S26361-F3257-E116	176,00	
	RAID Contr BBU Upgrade for RAID 5/6 V55	BBU Upgrade for LSI SAS1078 and LSI SAS2108				x	x			S26361-F3257-E155	176,00	
	RAID Contr BBU Upgrade for RAID 5/6 V70	BBU Upgrade for LSI SAS1078 and LSI SAS2108						x	x	S26361-F3257-E170	176,00	
	RAID 5/6 SAS based on LSI MegaRAID 256MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 256MB Cache, 8 internal ports, optional BBU, SAS RAID controller for attachment of internal SAS/SATA-HD's in all RAID modes			x			x		S26361-F3257-E256	404,00	Phased out
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports			x	x	x	x	x	S26361-F3257-E4	117,00	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU, SAS RAID controller for attachment of internal SAS/SATA-HD's in all RAID modes							x	S26361-F3257-E512	452,00	Phased out
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports				x	x	x		S26361-F3257-E8	144,00	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI				x	x	x	x	S26361-F3270-E1	207,00	
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile				x				S26361-F3270-E201	207,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R					x	x	x	S26361-F3271-E1	223,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS3442E-R Low Profile				x				S26361-F3271-E201	223,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports		x	x	x	x		x	S26361-F3554-E512	410,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports			x	x	x		x	S26361-F3554-E8	176,00	
	RAID Ctrl SAS 6G 8Port ext 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU				x	x		x	S26361-F3593-E1	628,00	
	SAS Ctrl 6G 8ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS 9200-8e					x	x		S26361-F3628-E1	277,00	New product
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS 9200-8e LP				x				S26361-F3628-E201	277,00	New product
	RAID Ctrl SAS 8Port 512M w/o BBU FH LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU							x	S26361-F3890-E1	628,00	
	RAID Ctrl SAS 8Port 512M with BBU FH LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, with iBBU07							x	S26361-F3890-E30	739,00	
<b>Fibre Channel</b>												
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC interface					x	x	x	S26361-F3306-E1	995,00	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002, 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC interface					x	x	x	S26361-F3306-E2	1.527,00	
	FC Ctrl 4GBit/s QLE2460 MMF LC	QLE2460, 4GBit/s, 1 channel FC controller, PCIe x4, full height, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.					x	x	x	S26361-F3483-E1	1.048,00	
	FC Ctrl 4GBit/s QLE2462 MMF LC	QLE2462, 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.						x	x	S26361-F3483-E2	1.612,00	
	FC Ctrl 8GB/s 1 Kanal QLE2560 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 SFF Interface for 50um Fiber						x	x	S26361-F3631-E1	1.090,00	
	FC Ctrl 8GB/s 2 Kanal QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 SFF Interface for 50um Fiber						x	x	S26361-F3631-E2	1.766,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 SFF Interface for 50um Fiber						x	x	S26361-F3961-E1	1.090,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x4 or PCIe x8 SFF Interface for 50um Fiber						x	x	S26361-F3961-E2	1.766,00	
<b>Communication/Network</b>												
	Eth Ctrl 2x1Gbit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter		x	x	x	x	x	x	S26361-F3228-E1	186,00	Phased out
	Eth Ctrl 2x1Gbit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter								S26361-F3228-E201	186,00	Phased out
	Eth Ctrl 1x1Gbit PCIe Pro/1000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter		x	x	x	x	x	x	S26361-F3241-E1	96,00	
	Eth Ctrl 1x1Gbit PCIe Pro/1000PT Cu lp	Intel® Pro 1000PT 1 Port Server Adapter					x			S26361-F3241-E201	96,00	
	Eth Ctrl 1x1Gbit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter					x	x	x	S26361-F3242-E1	388,00	
	Eth Ctrl 1x1Gbit PCIe Pro/1000PF LC lp	Intel® Pro 1000PF 1 Port Server Adapter					x			S26361-F3242-E201	388,00	
	Eth Ctrl 4x1Gbit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full height bracket						x	x	S26361-F3462-E1	521,00	Phased out
	Eth Ctrl 1x1Gbit PCIe CT Desktop Cu	Intel® Gbit CT 1 Port Desktop Adapter		x	x		x	x	x	S26361-F3516-E1	64,00	
	Eth Ctrl 1x1Gbit PCIe CT Desktop Cu lp	Intel® Gbit CT 1 Port Desktop Adapter lp					x			S26361-F3516-E201	64,00	
	Eth Ctrl 2x1Gbit PCIe x4 D2735 Cu	Ethernet Server Adapter Eth Ctrl 2x1Gbit PCIe x4 D2735 Cu			x		x	x	x	S26361-F3610-E1	165,00	
	Eth Ctrl 2x1Gbit PCIe x4 D2735 Cu lp	Ethernet Server Adapter Eth Ctrl 2x1Gbit PCIe x4 D2735 Cu lp				x				S26361-F3610-E201	165,00	
	Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu				x	x		x	S26361-F3611-E1	399,00	





**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
<b>Options matrix</b>												
<b>Communication/Network (Continued)</b>												
	Eth Ctrl 2x10Gbit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables				x	x	x	x	S26361-F3555-E1	691,00	
	FCoE Ctrl 10GB/s 2 channel OCo10102 MMF	2 Channel 10GB/sec FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable							x	S26361-F3592-E2	1,468,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCo10102							x	S26361-F3592-E108	426,00	
	Intel SFP+ Module MMF 10GBE LC	Intel® Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC				x	x	x	x	S26361-F3555-E900	628,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket., occupies internal parallel interface, and one slot	x	x						S26361-F2542-E30	3,00	
<b>Rack-Infrastructure</b>												
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely pre-mounted and tested ex works. In case of the 48U rack, this service has to be ordered to get the mounting kits and the cables installed.				x	x	x	x	SNP-SY-F1647E301-P	138,00	
	RMK-F2_TX300-S4	telescopic full extraction, 1-hand mount vario-carrier, pre-assembly, centre screw, max. load 50 kg							x	S26361-F2735-E103	74,00	Phased out
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	telescopic full extraction, drop-in mount., vario-carrier for toolless mounting., max. load 50 kg., Rack installation depth (19" pillar distance) between 714mm and 785mm				x	x		x	S26361-F2735-E202	69,00	
	Cable mgmt. for 19" PC- Rack	Cable management for adding a server or storage subsystem into the PRIMECENTER rack				x	x	x	x	S26361-F2735-E7	32,00	
	cable management arm for 3rd party racks	all-purpose for PY server in 3rd party a. classic racks (please do not order together with rack mount into PRIMECENTER racks - ex factory!)				x	x	x	x	S26361-F2201-E20	53,00	
<b>OneBox-Keyboards</b>												
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x		x	x	x	x	S26381-K341-E110	31,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	S26381-K341-E120	31,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	S26381-K341-E165	31,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x	x	S26381-K341-E185	31,00	
	KB500 USA	KB500 keyboard standard, marble grey, US, cable USB 2m, Global Design	x		x	x		x	x	S26381-K500-E110	13,00	Phased out
	KB500 D	KB500 keyboard standard, marble grey, Germany, cable USB 2m, Global Design	x		x	x		x	x	S26381-K500-E120	12,00	Phased out
	KB500 GB	KB500 keyboard standard, marble grey, Great Britain, cable USB 2m, Global Design	x		x	x		x	x	S26381-K500-E165	12,00	Phased out
	KB500 I	KB500 keyboard standard, marble grey, Italy, cable USB 2m, Global Design	x		x	x		x	x	S26381-K500-E185	12,00	Phased out
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x		x	x		x	x	S26381-K520-E102	13,00	New product
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x		x	x		x	x	S26381-K520-E120	13,00	New product
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x		x	x		x	x	S26381-K520-E165	13,00	New product
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x		x	x		x	x	S26381-K520-E185	13,00	New product
	KB400 USB grey INT USA	KB400 USB INT US, SLIM value Keyboard black US	x	x	x	x	x	x	x	S26381-K550-E102	10,00	
	KB400 USB grey D	KB400 USB grey D, SLIM value Keyboard Germany	x	x	x	x	x	x	x	S26381-K550-E120	10,00	
	KB400 USB grey GB	KB400 USB grey GB, SLIM value Keyboard UK	x	x	x	x	x	x	x	S26381-K550-E165	10,00	
	KB400 USB grey I	KB400 USB grey I, SLIM value Keyboard Italy	x	x	x	x	x	x	x	S26381-K550-E185	10,00	
<b>PRIMERGY-Software</b>												
	IRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection				x				S26361-F1790-E240	319,00	
	IRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection					x	x	x	S26361-F1790-E241	319,00	
	Win Web Srv 2008 w/SP2 EFGJS	Windows Web Server 2008 w/SP2 1-4 CPU, Languages: EN DE ES FR JA, OEM DVD, license	x		x	x	x	x	x	S26361-F2565-E303	351,00	Phased out



**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix												
<b>PRIMERGY-Software (Continued)</b>												
	Win Web Srv 2008 w/SP2 CEIPR	Windows Web Server 2008 w/SP2 1-4 CPU., Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, OEM DVD, license	x		x	x	x	x	x	S26361-F2565-E304	351,00	Phased out
	Win Server 2008 Standard AdditionalCOA	Windows Server 2008 Standard AdditionalCOA (1-4 CPU), contains one (1) additional proof of license (COA Certificate of Authenticity) for one (1) additional Virtual Use Right of a Windows Server Standard guest operating system instance and 5 additional CAL (CAL Client Access License).	x		x	x	x	x	x	S26361-F2565-E312	707,00	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL EFGJS	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Languages: EN DE ES FR JA, OEM DVD, license	x		x	x	x	x	x	S26361-F2565-E315	707,00	Phased out
	Win Srv 2008 Std w/SP2 w/5CAL CEIPR	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, OEM DVD, license	x		x	x	x	x	x	S26361-F2565-E316	707,00	Phased out
	Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	S26361-F2565-E317	27,00	Phased out
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	S26361-F2565-E318	27,00	Phased out
	Win Server 2008 Enterprise AdditionalCOA	Windows Server 2008 Enterprise AdditionalCOA (1-8 CPU), contains one (1) additional proof of license (COA Certificate of Authenticity) for four (4) additional Virtual Use Rights of a Windows Server Enterprise or Standard guest operating system instance and 25 additional CAL (CAL Client Access License).	x		x	x	x	x	x	S26361-F2565-E322	2.553,00	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: EN DE ES FR JA, OEM DVD, license	x		x	x	x	x	x	S26361-F2565-E325	2.160,00	Phased out
	Win Srv 2008 Ent w/SP2 w/10CAL CEIPR	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: CS EN IT PL RU. LangPacks HU NL PT SV TR, OEM DVD, license	x		x	x	x	x	x	S26361-F2565-E326	2.160,00	Phased out
	Win Srv 2003 R2 Enterprise DVD Media Onl	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	S26361-F2565-E327	27,00	Phased out
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	x	S26361-F2565-E328	27,00	Phased out
	Win Srv 2008 Dtc w/SP2 2CPU EFGJS	Win Srv 2008 Dtc w/SP2 2CPU , Languages: EN DE ES FR JA. LangPack IT, OEM DVD, license						x	x	S26361-F2565-E333	3.415,00	Phased out
	Win SBS 2008 Standard OEM, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x	x	x	S26361-F2565-E350	670,00	
	Win SBS 2008 Standard OEM, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x	x	x	S26361-F2565-E351	670,00	



**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix												
<b>PRIMERGY-Software (Continued)</b>												
	Win SBS 2008 Standard OEM, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x	x	x	S26361-F2565-E352	670,00	
	Win SBS 2008 Standard OEM, F	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x	x	x	S26361-F2565-E353	670,00	
	Win SBS 2008 Standard OEM, E	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x	x	x	S26361-F2565-E354	670,00	
	Win SBS 2008 Standard OEM, CZ	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x	x	x	S26361-F2565-E355	670,00	
	Win SBS 2008 Premium OEM, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x	x	x	S26361-F2565-E360	1.165,00	



**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix												
<b>PRIMERGY-Software (Continued)</b>												
	Win SBS 2008 Premium OEM, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x	x	x	S26361-F2565-E361	1.165,00	
	Win SBS 2008 Premium OEM, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x	x	x	x	S26361-F2565-E362	1.165,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.	x	x	x	x		x	x	S26361-F2567-E20	426,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E30	122,00	
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E302	335,00	
	Win Srv 2008 R2 Foundation 1CPU MULI OEM	Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x				S26361-F2567-E306	186,00	
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E310	590,00	
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E320	1.883,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E330	3.032,00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.							x	S26361-F2567-E360	846,00	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.							x	S26361-F2567-E361	420,00	
	Win HPC Pack 2008 R2 Express MUL OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.							x	S26361-F2567-E362	27,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.							x	S26361-F2567-E363	117,00	
	PRIMERGY MultiPath MPIO 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-E593	931,00	
	PRIMERGY MultiPath 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-E595	931,00	
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-E591	2.920,00	
	Front Maintenance LAN	In combination with iRMC adv. pack, integrated in operating panel				x				S26361-F2571-E17	32,00	
	SUSE Linux ES 1-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server 1-CPU socket 1-Year subscription	x	x	x	x				S26361-F2346-E601	154,00	
	SUSE Linux ES 1-CPU 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server 1-CPU socket 3-Years subscription	x	x	x	x				S26361-F2346-E602	417,00	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription					x	x	x	S26361-F2346-E611	265,00	
	SUSE Linux ES 32-CPU 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3-Years subscription					x	x	x	S26361-F2346-E612	714,00	
	SUSE Linux E 11 HAE 32-CPU 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3-Years subscription	x	x	x	x	x	x	x	S26361-F2346-E622	1.436,00	



**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix												
<b>PRIMERGY-Software (Continued)</b>												
	Red Hat EL 2-CPU 5x9 I3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 level3 Support 1-Year	x	x	x	x	x	x	x	S26361-F2346-E701	336,00	
	Red Hat EL 2-CPU 5x9 I3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 level3 Support 3-Years	x	x	x	x	x	x	x	S26361-F2346-E702	835,00	
	Red Hat EL 2-CPU 7x24 I3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 1-Year	x	x	x	x	x	x	x	S26361-F2346-E706	566,00	
	Red Hat EL 2-CPU 7x24 I3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 3-Years	x	x	x	x	x	x	x	S26361-F2346-E707	1.376,00	
	Red Hat EL AP 5x9 I3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 level3 Support 1-Year	x	x	x		x	x	x	S26361-F2346-E711	701,00	
	Red Hat EL AP 5x9 I3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 level3 Support 3-Years	x	x	x		x	x	x	S26361-F2346-E712	1.595,00	
	Red Hat EL AP 7x24 I3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 1-Year	x	x	x		x	x	x	S26361-F2346-E716	850,00	
	Red Hat EL AP 7x24 I3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 3-Years	x	x	x		x	x	x	S26361-F2346-E717	2.122,00	
	Red Hat EL 2-CPU 5x9 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 1-Year	x	x	x		x	x	x	S26361-F2346-S801	745,00	
	Red Hat EL 2-CPU 5x9 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 3-Years	x	x	x		x	x	x	S26361-F2346-S802	2.016,00	
	Red Hat EL 2-CPU 7x24 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 1-Year	x	x	x		x	x	x	S26361-F2346-S806	1.218,00	
	Red Hat EL 2-CPU 7x24 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 3-Years	x	x	x		x	x	x	S26361-F2346-S807	3.293,00	
	Red Hat EL AP 5x9 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 1-Year	x	x	x		x	x	x	S26361-F2346-S811	1.410,00	
	Red Hat EL AP 5x9 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 3-Years	x	x	x		x	x	x	S26361-F2346-S812	3.777,00	
	Red Hat EL AP 7x24 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 1-Year	x	x	x		x	x	x	S26361-F2346-S816	2.335,00	
	Red Hat EL AP 7x24 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 3-Years	x	x	x		x	x	x	S26361-F2346-S817	6.335,00	
	VMware ESXi 4.1 Embedded UFM Device	VMware ESXi 4.1 Embedded UFM Device Embedded UFM Storage Device , Additional License and SP required				x	x	x	x	S26361-F2341-E431	64,00	
	VMware ESXi 4. Single SRV w/o SP-1yr	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E500	11,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E514	859,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-E515	859,00	
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E518	1.936,00	
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-E519	1.936,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E520	2.479,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-E521	2.479,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E522	3.016,00	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License				x				S26361-F2341-E300	85,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-E523	3.016,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E550	9.090,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-E551	9.090,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!				x	x	x	x	S26361-F2341-E570	15.367,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!				x	x	x	x	S26361-F2341-E571	15.367,00	



**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix												
<b>PRIMERGY-Software (Continued)</b>												
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!					x	x	x	S26361-F2341-E554	22.761,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!					x	x	x	S26361-F2341-E555	22.761,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!					x	x	x	S26361-F2341-E556	4.303,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!					x	x	x	S26361-F2341-E557	4.303,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!					x	x	x	S26361-F2341-E558	1.293,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!					x	x	x	S26361-F2341-E559	1.293,00	
	VMware Essentials Plus w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!					x	x	x	S26361-F2341-E562	3.017,00	
	VMware Essentials Plus w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!					x	x	x	S26361-F2341-E563	3.017,00	
	VMware View ENT Start 10 CLI w/7x24-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 1 year VMware 7x24 Service+Sub.					x	x	x	S26361-F2341-E601	1.622,00	
	VMware View ENT Start 10 CLI w/7x24-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 3 year VMware 7x24 Service+Sub.					x	x	x	S26361-F2341-E602	2.324,00	
	VMware View ENT 100 CLI w/7x24-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL , - Inc. 1 year VMware 7x24 Service+Sub.					x	x	x	S26361-F2341-E603	16.207,00	
	VMware View ENT 100 CLI w/7x24-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL , - Inc. 3 year VMware 7x24 Service+Sub.					x	x	x	S26361-F2341-E604	23.186,00	
	VMware View ENT Add 10 CLI w/7x24-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 1 year VMware 7x24 Service+Sub.					x	x	x	S26361-F2341-E605	1.622,00	
	VMware View ENT Add 10 CLI w/7x24-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 3 year VMware 7x24 Service+Sub.					x	x	x	S26361-F2341-E606	2.324,00	
	VMware View ENT Add-On 10 CLI w/7x24-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM , - Inc. 1 year VMware 7x24 Service+Sub.					x	x	x	S26361-F2341-E607	544,00	
	VMware View ENT Add-On 10 CLI w/7x24-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM , - Inc. 3 year VMware 7x24 Service+Sub.					x	x	x	S26361-F2341-E608	777,00	
	VMware View ENT Start 10 CLI w/5x9-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 1 year VMware 5x9 Service+Sub.					x	x	x	S26361-F2341-E611	1.569,00	
	VMware View ENT Start 10 CLI w/5x9-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 3 year VMware 5x9 Service+Sub.					x	x	x	S26361-F2341-E612	2.165,00	
	VMware View ENT 100 CLI w/5x9-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL , - Inc. 1 year VMware 5x9 Service+Sub.					x	x	x	S26361-F2341-E613	15.686,00	
	VMware View ENT 100 CLI w/5x9-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL , - Inc. 3 year VMware 5x9 Service+Sub.					x	x	x	S26361-F2341-E614	21.697,00	
	VMware View ENT Add 10 CLI w/5x9-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 1 year VMware 5x9 Service+Sub.					x	x	x	S26361-F2341-E615	1.569,00	
	VMware View ENT Add 10 CLI w/5x9-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 3 year VMware 5x9 Service+Sub.					x	x	x	S26361-F2341-E616	2.165,00	
	VMware View ENT Add-On 10 CLI w/5x9-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM , - Inc. 1 year VMware 5x9 Service+Sub.					x	x	x	S26361-F2341-E617	527,00	
	VMware View ENT Add-On 10 CLI w/5x9-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM , - Inc. 3 year VMware 5x9 Service+Sub.					x	x	x	S26361-F2341-E618	723,00	
	VMware View PRE Start 10 CLI w/7x24-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.					x	x	x	S26361-F2341-E621	2.697,00	
	VMware View PRE Start 10 CLI w/7x24-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.					x	x	x	S26361-F2341-E622	3.867,00	
	VMware View PRE 100 CLI w/7x24-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.					x	x	x	S26361-F2341-E623	26.979,00	
	VMware View PRE 100 CLI w/7x24-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.					x	x	x	S26361-F2341-E624	38.670,00	
	VMware View PRE Add 10 CLI w/7x24-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.					x	x	x	S26361-F2341-E625	2.697,00	



**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix												
<b>PRIMERGY-Software (Continued)</b>												
	VMware View PRE Add 10 CLI w7x24-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-E626	3.867,00	
	VMware View PRE Add-On 10 CLI w7x24-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-E627	1.621,00	
	VMware View PRE Add-On 10 CLI w7x24-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-E628	2.324,00	
	VMware View PRE Start 10 CLI w5x9-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E631	2.612,00	
	VMware View PRE Start 10 CLI w5x9-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E632	3.612,00	
	VMware View PRE 100 CLI w5x9-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E633	26.117,00	
	VMware View PRE 100 CLI w5x9-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E634	36.117,00	
	VMware View PRE Add 10 CLI w5x9-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E635	2.612,00	
	VMware View PRE Add 10 CLI w5x9-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E636	3.612,00	
	VMware View PRE Add-On 10 CLI w5x9-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E637	1.569,00	
	VMware View PRE Add-On 10 CLI w5x9-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E638	2.165,00	
	VMware SRM for 1 ESX CPU w7x24-1yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-E641	1.899,00	
	VMware SRM for 1 ESX CPU w7x24-3yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-E642	2.729,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w7x24-1yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-E643	28.186,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w7x24-3yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-E644	40.372,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w7x24-1yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-E645	34.165,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w7x24-3yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-E646	49.096,00	
	VMware SRM 25 VM Pack w7x24-1yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-E647	12.222,00	
	VMware SRM 25 VM Pack w7x24-3yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. year VMware 7x24 Service+Sub.				x	x	x	x	S26361-F2341-E648	17.553,00	
	VMware SRM for 1 ESX CPU w5x9-1yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E651	1.840,00	
	VMware SRM for 1 ESX CPU w5x9-3yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E652	2.543,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w5x9-1yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E653	27.282,00	
	VMware SRM+ADV AK(6CPU+VC-STD)w5x9-3yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E654	37.819,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w5x9-1yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E655	33.074,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)w5x9-3yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E656	45.798,00	
	VMware SRM 25 VM Pack w5x9-1yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. 1 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E657	11.832,00	
	VMware SRM 25 VM Pack w5x9-3yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. 3 year VMware 5x9 Service+Sub.				x	x	x	x	S26361-F2341-E658	16.372,00	
<b>UPS/Power supply</b>												
	Power Supply Module 450W (hot plug)	for PS redundancy				x				S26113-F540-E11	181,00	
	Power Supply Module 800W (hot plug)	for optional PS redundancy						x		S26113-F541-E10	229,00	
	Power Supply Module 800W HE (hot plug)	2nd gold PS hp for redundancy						x		S26113-F556-E10	229,00	





**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix												
<b>UPS/Power supply (Continued)</b>												
	No powercord as order option	For Countries without specific cable orderable like e.g. China	x	x	x	x	x	x	x	T26139-Y3850-E10	2,00	
	Cable powercord (D...), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x	T26139-Y1740-E10	11,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x	T26139-Y1742-E10	11,00	
	Cable powercord (UK, S), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x	T26139-Y1744-E10	11,00	
	Cable powercord (It), 1.8m, grey	suitable for I	x	x	x	x	x	x	x	T26139-Y1745-E10	11,00	
<b>Mouse</b>												
	Mouse M480 black	optical mouse with 3 keys, black and anthrazit, 1000 dpi, new design with Fujitsu logo, usb cable 1,8m, white box packed	x		x	x			x	S26381-K431-E100	6,00	
	Mouse M480 grey	optical mouse with 3 keys, marble grey, 1000 dpi, usb cable 1,8m	x		x	x			x	S26381-K431-E101	6,00	
<b>Miscellaneous</b>												
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order				x		x		S26361-F1647-E410	27,00	
	LocalView Option Kit S2	LCD display with adapter			x	x	x	x		S26361-F2557-E105	74,00	
	LocalView Option Kit S2	LCD display with installation kit			x	x	x			S26361-F2557-E106	74,00	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter			x	x	x			S26361-F2557-E202	27,00	
	Customer Self Service Modul RX Server	Support for Customer Self Service (CSS), incl. mounting kit						x	x	S26361-F2557-E205	27,00	
	Serial port option	Cable for 2nd RS-232-C 9 pin interface					x			S26361-F3120-E3	10,00	
	TX150S7 E-Star Fam1 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with std PSU with dual core CPUs only				x				S26361-F3301-E151	3,00	
	TX150S7 E-Star Fam2 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with red PSU with Xeon based CPUs only				x				S26361-F3301-E152	3,00	
	TX200S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0						x		S26361-F3301-E201	3,00	
	TX300S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units						x		S26361-F3301-E301	3,00	
	Energy Star 5.0 Compliancy	Limited configuration in accordance with Energy Star 5.0, SAS configuration: , max P8400, 1GB RAM, 2x SAS HDD, only IRMC graphics, SATA configuration: , max. T9400, 8GB RAM, 2x SATA HDD + 2 SATA/Backup, 2x LAN, only IRMC graphics	x	x						S26361-F3301-E5	2,00	
	no TPM	Disable function for Trusted Platform, Use according to import restrictions	x							S26361-F3436-E4	11,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x	x	x	x		S26361-F3552-E1	53,00	
	Serial port option	Cable with 9 pin D-SUB interface				x				S26361-F2571-E10	32,00	
	No RMK	no Rackmount-Kit, Special case TX200-S4: if needed, please order rack-mount kit as option to the server: S26361-F2734-L90				x	x	x		S26361-F2735-E111	5,00	
	Key lock in side door	for lock of housing	x							S26361-F2542-E323	4,00	
<b>SW Data Center Products</b>												
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-E913	1.106,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-E914	5.543,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-E915	11.085,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-E923	2.617,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-E924	13.074,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-E925	26.149,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-E933	3.989,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-E934	19.947,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-E935	39.894,00	





**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix												
<b>SW Data Center Products (Continued)</b>												
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-E960	2.309,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-E961	11.521,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-E962	23.053,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-E963	3.681,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-E964	18.394,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-E965	36.787,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-E966	2.351,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-E967	11.745,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-E968	23.489,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-S913	840,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-S914	4.213,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-S915	8.426,00	
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-S923	2.000,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-S924	9.979,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-S925	19.947,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-S933	3.106,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-S934	15.511,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x	x	x		x	x	x	S26361-F2341-S935	31.032,00	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-S960	1.681,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-S961	8.426,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-S962	16.840,00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-S963	2.798,00	



**Tower Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX120 S2	PRIMERGY TX190 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S5	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix												
<b>SW Data Center Products (Continued)</b>												
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-S964	13,968.00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-S965	27,926.00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-S966	1,468.00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-S967	7,319.00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x	x	x		x	x	x	S26361-F2341-S968	14,628.00	
	SVRCVESCDC V21 (WIN) MED CD	Resource Coordinator VE Standard Media Pack (Windows) V2.1				x		x		U11420-C900	50.00	Phased out
	SVRCVESCDC V22 (WIN) MED CD	Server/View Resource Coordinator VE Standard Media Pack (Windows) V2.2				x	x	x		U11420-C910	50.00	
	SVRCVESCDC V21 (LINUX) MED CD	Resource Coordinator VE Standard Media Pack (Linux) V2.1				x		x		U11420-C901	50.00	Phased out
	SVRCVESCDC V22 (LINUX) MED CD	Server/View Resource Coordinator VE Standard Media Pack (Linux) V2.2				x	x	x		U11420-C911	50.00	
	SVRCVSMGR V22 (WIN) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class V2				x	x	x		U11420-C902	2,363.00	
	SVRCVSMGR V22 (WIN) UGRTU 1 SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class Upgrade from RCVE Preview V2				x	x	x		U11420-C922	2,363.00	
	SVRCVSSAGT V22 (WIN/LINUX) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 4CPUClass V2				x	x	x		U11420-C903	517.00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 10SVR 4C	Resource Coordinator VE Standard Server License for 10 Agents (Windows or Linux) 4 CPU Class V2				x	x	x		U11420-C904	4,033.00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 18SVR 4C	Resource Coordinator VE Standard Server License for 18 Agents (Windows or Linux) 4 CPU Class V2				x	x	x		U11420-C905	7,869.00	
	SVRCVEFCO V2 (WIN) MED CD	Server/View Resource Coordinator VE I/O Virtualization (FC) Option (Windows) V2				x	x	x		U11420-C906	100.00	
	SVRCVEMCO V22 (WIN) MED CD	Server/View Resource Coordinator VE I/O Virtualization (MAC) Option (Windows) V2				x	x	x		U11420-C936	100.00	
	SVRCVESDEMO V2 (WIN/LINUX) RTU	Server/View Resource Coordinator VE Standard Demo License (1 System) V2				x	x	x		U11420-C907	0.01	
	SVRORDEMO V2 (WIN/LINUX) RTU	Server/View Resource Orchestrator Demo License ( 1 System) V2				x	x	x		U11420-C935	0.01	
	SVRORCD V22 (WIN) MED CD	Server/View Resource Orchestrator Media Pack V2.2 for Windows				x	x	x		U11420-C937	50.00	
	SVRORCD V22 (LINUX) MED CD	Server/View Resource Orchestrator Media Pack V2.2 for Linux				x	x	x		U11420-C938	50.00	
	XTN-CD V31 (PS) MED CD	x10sure CD 3.1; (Binaries / Documents) 1 Medium, German & English Version				x	x	x		U11420-C775	50.00	
	SVRORSVR V22 (WIN/LINUX) RTU 1SVR 4C	Server/View Resource Orchestrator Server License (1 Server) 4CPU Class V2				x	x	x		U11420-C940	1,331.00	
	XTN-B V31 (PS) RTU -1CN1AN	x10sure 3.1 - Base License (RTU for 1 Control Node + 1 Application Node; no support nor updates included)				x	x	x		U11420-C877	1,400.00	
	XTN-B V31 (PS) UgrRTU -1CN1AN	x10sure 3.1 - Upgrade Base License (Upgrade RTU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)				x	x	x		U11420-C773-U	1.00	
	XTN-N V31 (PS) RTU -1 Node	x10sure 3.1 RTU for 1 additional Application- or Spare Node; no support nor updates included				x	x	x		U11420-C878	1,100.00	
	SVRORSVR V22 (WIN/LINUX) RTU 10SVR 4C	Server/View Resource Orchestrator Server License (10 Server) 4CPU Class V2				x	x	x		U11420-C942	12,376.00	
	XTN-N V31 (PS) UgrRTU -1 Node	x10sure 3.1 - Upgrade License (Upgrade RTU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)				x	x	x		U11420-C774-U	1.00	
	XTNIS-CD V31 (PS) MED CD	x10sure IS CD 3.1; (Binaries / Documents) 1 Medium, German & English Version				x		x		U11420-C776	50.00	
	SVRORSVR V22 (WIN/LINUX) RTU 18SVR 4C	Server/View Resource Orchestrator Server License (18 Server) 4CPU Class V2				x	x	x		U11420-C943	22,277.00	
	XTNIS-B V31 (PS) RTU -1CN1AN	x10sure IS 3.1 - License (RTU for one x10sure IS (Internal Storage) configuration consisting of 2 servers with internal RAID-storage; no support nor updates included)				x		x		U11420-C879	2,500.00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 1SVR 4C	Server/View Resource Orchestrator Server License (1 Server) 4CPU Class RCVE Agent Upgrade V2				x	x	x		U11420-C946	814.00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 10SVR 4C	Server/View Resource Orchestrator Server License (10 Server) 4CPU Class RCVE Agent Upgrade V2				x	x	x		U11420-C948	8,343.00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 18SVR 4C	Server/View Resource Orchestrator Server License (18 Server) 4CPU Class RCVE Agent Upgrade V2				x	x	x		U11420-C949	14,408.00	



## Positioning PRIMERGY Rack Servers



**PRIMERGY  
RX100 S6**

The RX100 S6 meets the needs of business applications with its technical developments, such as Quad-Core Intel® Xeon® processor 3400 series and the upcoming generation of Intel® Dual-Core CPUs, integrated RAID 0/1/5/6 and a memory of up to 32 GB. It unites the advantages of low-cost SATA or SAS /SSD hard disk technology with a space-saving 1U chassis and a depth of less



**PRIMERGY  
RX200 S5**

More for less with regard to data center energy-efficiency. Energy consumption and cooling in data centers is a "burning" issue. The innovative PRIMERGY Cool-safe™ system design of the new RX200 S5 rack server generation provides the right answers.



**PRIMERGY  
RX300 S5**

Virtualized environments are the top application for RX300 systems and their new multicore CPUs in the Intel® Xeon® 5500 series. In this situation, several operating systems plus the installed applications have to run simultaneously on one and the same physical hardware. RX300 S5 provides all the platform features required for efficient virtualization.



**PRIMERGY  
RX330 S1**

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX330 S1 extends the PRIMERGY Rack portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone AMD Opteron Quad-Core based application server and for server farms in scale-out environments with medium needs for availability features and



**PRIMERGY  
RX600 S4**

4 Socket Multi-Core Xeon 7400 series rack server  
Performance, capacity and stability for your critical applications. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent "best-in-class" efficiency.



**PRIMECENTER  
SME**

The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.



## PRIMERGY RX100 S6

Data Sheets: <http://ts.fujitsu.com/primergy>

The PRIMERGY RX Rack Server family is the perfect platform to form dynamic infrastructures for your business processes today and in the coming decade. You will thus benefit several times over from our recognized experience in optimized data center technology and our innovative strength in developing energy-efficient and cost/performance-optimized rack systems for universal use. PRIMERGY rack servers, built upon industry standards, focus from a functional viewpoint on core features: energy efficiency, reliability, optimized for virtualization, ease of operation and maintenance, flexibility for your future. And thus they notably meet your requirements for outstanding cost efficiency. Optimal operating costs and long-term usability comply with the IT quality required by your customers. Our responsibility goes way beyond the hardware as our tailor-made service packages mean that you can rely on the best support for your IT during its whole lifecycle.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY RX100 S6</b>					
	PY RX100S6/LFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard; 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1264-V101	559,00	
	PY RX100S6/SFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard; 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1264-V201	559,00	



## PRIMERGY RX300 S5

Data Sheets: <http://ts.fujitsu.com/primergy>

The consolidation of dedicated servers and the use of efficient virtualized run environments provide measurable benefits and new flexibility regarding IT operations management. Virtual servers can thus be moved to other servers during ongoing operations and enable maintenance work to the hardware platform without any operational interruption. Active virtual servers can be flexibly moved to systems with higher performance for operation during peak-load times. Test systems can be easily converted to productive systems via live migration. Virtualized environments are the main application for RX300 systems and their new multicore CPUs in the Intel® Xeon® 5500 series. In this situation, it is essential to have several operating systems plus the installed applications running simultaneously on one and the same physical hardware. RX300 S5 provides all the platform features required for efficient virtualization:

- High, scalable I/O performances with PCIe Gen2, x4/x8 Turbo mode, up to 7 free PCIe slots - so that disk I/O and network/SAN accesses do not become a bottleneck!
- The generosity of the maximum 144 GB main memory for a high-performance determinable, optimal sizing of the virtual server environment so that the main memory does not become the point of contention for the virtualization software as well as the consolidated applications and the operating systems.
- Top performance with state-of-the-art Dual, Quad or Turbo Quad-Core Intel® Xeon® 5500 series CPUs as well as double I/O performance with PCIe Gen2.0 - so that every virtual system can work at a higher performance level than before.
- The reliability of a premium server system in a space-saving 2 U design so that the cost benefits arising from standardized rack servers and virtual systems do not become a survival risk!

The reliability of the RX300 server platform also leaves nothing to be desired in other application areas, e.g. as database servers or application servers for business-critical processes.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>PRIMERGY RX300 S5</b>					
Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.					
PY RX300S5 6X3.5 /XEON DP E5506/ (Promo)	PY RX300S5 6X3.5 /XEON DP E5506/ 4GB 1066 ECC/DVD-RW SM SLIM/ RMK-F1_1-2U SERVER/CABLE MGMT PCR2/ FAN UPGRADE KIT/,	LKN:R3005S0002IT			Phased out
PY RX300S5 6X3.5 /XEON DP E5520/ (Promo)	PY RX300S5 6X3.5 /XEON DP E5520/ 4GB 1066 ECC/DVD-RW SM SLIM/ RMK-F1_1-2U SERVER/CABLE MGMT PCR2/ FAN UPGRADE KIT/,	LKN:R3005S0004IT			Phased out
Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 8 bays for hot plug 2.5" SAS HDs; 1 drive bays for an 3,5" Backup device; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.					
PY RX300S5 8X2.5 /XEON DP E5506/ (Promo)	PY RX300S5 8X2.5 /XEON DP E5506/ 4GB 1066 ECC/DVD-RW SM SLIM/ RMK-F1_1-2U SERVER/CABLE MGMT PCR2/ FAN UPGRADE KIT/,	LKN:R3005S0003IT			Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY RX300 S5</b>					


**PRIMERGY RX300 S5**

 Data Sheets: <http://ts.fujitsu.com/primergy>

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY RX300 S5 (Continued)</b>					
	PY RX300S5 6x3.5	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V101	1.266,00	Phased out
	PY RX300S5 8x2.5	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 8 bays for hot plug 2.5" SAS HDs; 1 drive bays for an 3,5" Backup device; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V201	1.266,00	Phased out
	PY RX300S5 12x2.5	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 12 drive bays for hot plug 2.5" SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V301	1.309,00	
	PY RX300S5 8x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 gold hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC3-10600 ECC RAM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 8 bays for hot plug 2.5" SAS HDs; 1 drive bays for an 3,5" Backup device; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1237-V601	1.298,00	Phased out
	PY RX300S5 12x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 gold hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon DP Dual / Quad Core processor and registered DDR3-1066 PC3-8500 ECC RAM, registered DDR3-1333 PC	S26361-K1237-V701	1.340,00	



**PRIMERGY RX600 S4**

Data Sheets: <http://ts.fujitsu.com/primergy>

**Primergy RX600 S4 4-Socket, Dual-, Quad- and Six-Core Xeon MP based Rack Server (4U)**

Very special criteria apply when selecting the hardware platform for the really critical corporate applications: Easy-to-scale performance, high capacity levels to use memory as required, I/O and local memory, as well as high reliability and operational consistency levels typical for data centers, all of which improve the IT production quality on a long-term basis. With up to 256 GB linear addressable main memory capacity and the state-of-the-art Intel Xeon Multi-Core processors, the 4-socket server RX600 S4 is the perfect platform to operate performance-hungry back-end services, such as large database systems, ERP and CRM applications, e-commerce systems or as a corporate messaging platform. Its integrated redundancy functions mean high-availability and constant efficient IT production - the main feature of this server platform. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent "best-in-class" efficiency.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY RX600 S5</b>					
PY RX600S5	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules (redundant); 8x hot plug fans (redundant); system board for 4x XEON 7500 CPUs; 2x memory board for max. 4x4 DDR3 DIMM modules; 8 drive bays for hot plug 2.5" SAS/SATA HDDs; iRMC S2 server management with graphics controller and 10/100Mbit Service LAN-port; 2x Dual-Port Ethernet Controller (= 4x GBit LAN Ports) WOL capable; SAS RAID Controller optional; LocalView LCD Display; ServerView Suite Software Package,		S26361-K1287-V400	3.872,00	



## PRIMECENTER

Data Sheets: <http://ts.fujitsu.com/primergy>

### PRIMECENTER - 19-inch rack system

19-inch rack technology for all Fujitsu Siemens rack components (PRIMERGY, SPARC Enterprise, PRIMEPOWER, storage products, BS2000) based on the 19-inch rack industry standard

PRIMECENTER Racks for each purpose. Flexible and stackable 12, 24, 38 and 46 horizontal units and the new PRIMECENTER LC (Liquid cooled) Rack. The universal scale-up infrastructure prerequisite for SPARC Enterprise, PRIMEPOWER, PRIMEQUEST, PRIMERGY, Fujitsu storage systems and even most of all existing rackable servers. And - that's not all: often necessary components like uninterruptible power supplies, hubs, routers, (console-) switches and a LAN console are easily to be installed here; this is supported also by the built-in optimal cable management, allowing cost saving serviceability of included components. The installation dimensions of the enclosure make the integration in existing IT environments easy. Thanks to their modular design, the racks can be expanded on-site. All four models are offering the same functionality - only with different sizings and different numbers of horizontal height units behind the secure front door.

New member of the PRIMECENTER family is the new low cost entry PRIMECENTER SME rack, a 42 U rack enclosure capable to host all Fujitsu Siemens servers as well as 3rd party systems at an extremely low price.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY PRIMECENTER Rack</b>					
	PRIMECENTER COM Rack, 38HE	19" rack (38U) for structured network cabling, stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, with add. 100mm side space, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V253	5.101,00	
	PRIMECENTER Rack 12 U, 1000 deep	19" rack (12U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting kit for stack fixing, mounting frame 1x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 670x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V101	1.697,00	
	PRIMECENTER Rack 24 U, 1000 deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V102	1.856,00	
	PRIMECENTER Rack 38 U, 1000 deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V103	2.176,00	





**PRIMECENTER** Data Sheets: <http://ts.fujitsu.com/primergy>

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY PRIMECENTER Rack (Continued)</b>					
	PRIMECENTER Rack 46 U, 1000 deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V104	2.495,00	
	PRIMECENTER Rack 24U, 1100mm deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V212	2.016,00	
	PRIMECENTER Rack 38HU, 1100mm deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V213	2.335,00	
	PRIMECENTER Rack 46U, 1100mm deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V214	2.654,00	
	PCR LC-RACK 38U Byp CTRL	PRIMECENTER LC Rack 38U / 31U (31U useable for server), basic cabinet (1825 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 1x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 1825 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including;. Server addition (var.installation material), manual German / English	S26361-K1022-V130	13.644,00	Phased out



**PRIMECENTER** Data Sheets: <http://ts.fujitsu.com/primergy>

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY PRIMECENTER Rack (Continued)</b>					
	PCR LC-RACK 38U-Byp CTRL-castor plinth	PRIMECENTER LC Rack 38U / 31U (31U useable for server), basic cabinet (1825 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick lock"); Mounting frame 1x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 1825 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V135	15.399,00	Phased out
	PCR LC-RACK 46U Byp CTRL	PRIMECENTER LC Rack 46U / 40U (40U useable for server), basic cabinet (2220 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick lock"); Mounting frame 2x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 2220 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V230	13.803,00	Phased out
	PCR LC-RACK 46U-Byp CTRL-castor plinth	PRIMECENTER LC Rack 46U / 40U (40U useable for server), basic cabinet (2220 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick lock"); Mounting frame 2x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 2220 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V235	15.559,00	Phased out



## PRIMECENTER SME Rack

Data Sheets: <http://ts.fujitsu.com/primergy>

### Industry Standard Rack

19-inch PRIMECENTER SME in Height of 42 and 24 units

The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.

- Asymmetrical design for ideal cable routing and best air flow
- Capacity 24 or 42 height units, no extra vertical height units
- Capacity 24 or 42 are now also available in 1100mm depth, instead of only 1000mm.
- Full serviceability of servers thanks to telescopic rails for servers with hot-replace components
- All released components for PRIMECENTER rack family can be used as well
- All Fujitsu Siemens rack servers and subsystems, as well as 3rd party rack servers (which fits into PRIMECENTER Racks) can be installed under the same conditions and restrictions (specially for servers with higher weight)
- No anti tilt protection as standard, rack has to be fixed at the ground floor
- Options available on demand at supplier
- Anti tilt protection, roll base, combination lock with numbers, etc

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
<b>Rack-Infrastructure</b>					
	Starter-kit 1 for SME rack	PDU, dummy panels, screws, delivery without fixtures ex factory	S26361-F2735-L300	207,00	Phased out
	SME Rack 24 U, 1000mm deep, 700mm wide	SME Rack 24 U, 1000mm deep, 700mm wide, Protection Class IP20, with Sidewalls, delivered without fixtures ex factory, lockable, incl. earthingkit, - Rack checklist necessary! - , <a href="http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls">http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls</a>	S26361-F3327-L24	824,00	Phased out
	SME Rack 42 U, 1000mm deep, 700mm wide	SME Rack 42 U, 1000mm deep, 700mm wide, Protection Class IP20, with Sidewalls, delivered without fixtures ex factory, lockable, incl. earthingkit, - Rack checklist necessary! - , <a href="http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls">http://configurator.ts.fujitsu.com/public/information/Rack-Checkliste.xls</a>	S26361-F3327-L42	931,00	Phased out



Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S1	PRIMERGY RX1000	PRIMERGY RX1000	Product Code	EUP (%)	Comments							
Processor	Intel® Xeon® E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																		S26361-F3277-L186	420,00	Phased out					
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																		S26361-F3277-L200	314,00						
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																		S26361-F3278-L200	484,00	Phased out					
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																		S26361-F3278-L213	362,00						
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																			S26361-F3278-L226	426,00					
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																			S26361-F3279-L226	787,00	Phased out				
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																			S26361-F3279-L240	1,096,00	Phased out				
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																			S26361-F3279-L253	1,521,00	Phased out				
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																			S26361-F3280-L267	1,988,00	Phased out				
	Intel® Xeon® X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																				S26361-F3280-L293	2,814,00	Phased out			
	Intel® Xeon® L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) incl. heat sink																																				S26361-F3281-L213	707,00	Phased out			
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink																																				S26361-F3281-L226	1,096,00	Phased out			
	Intel® Xeon® L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink																																				S26361-F3281-L240	1,218,00	Phased out			
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																				S26361-F3286-L200	314,00				
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																					S26361-F3287-L200	484,00	Phased out		
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																					S26361-F3287-L226	426,00			
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																					S26361-F3288-L226	787,00	Phased out		
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																					S26361-F3288-L240	1,096,00	Phased out		
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																					S26361-F3288-L253	1,521,00	Phased out		
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: Yes, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																						S26361-F3289-L266	1,574,00	Phased out	
	Intel® Xeon® L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink																																						S26361-F3290-L226	1,096,00	Phased out	
	Intel® Xeon® W5590 4C/8T 3.33 GHz 8 MB	Intel® Xeon® processor W5590 (4C/8T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/1/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																																						S26361-F3337-L333	3,239,00	Phased out	
	Xeon MP E7220 2.93GHz 2x4MB 1066MHz	Intel® Xeon® processor E7220 (2C, 2.93 GHz, SLC: 2 x 4 MB, TLC: -, 1066 MHz, 80 W) incl. heat sink																																						S26361-F3487-L220	2,335,00	Phased out	
	Xeon MP E7310 1.60GHz 2x2MB 1066MHz	Intel® Xeon® processor E7310 (4C, 1.60 GHz, SLC: 2 x 4 MB, TLC: -, 1066 MHz, 80 W) incl. heat sink																																						S26361-F3487-L310	1,745,00	Phased out	
	Xeon MP E7330 2.40GHz 2x3MB 1066MHz	Intel® Xeon® processor E7430 (4C, 2.13 GHz, SLC: 2 x 3 MB, TLC: 12 MB, 1066 MHz, 90 W) incl. heat sink																																						S26361-F3487-L330	2,761,00	Phased out	
	Xeon MP E7430 2.13GHz 12MB 1066MHz	Intel® Xeon® processor E7430 (4C, 2.13 GHz, SLC: 2 x 3 MB, TLC: 12 MB, 1066 MHz, 90 W) incl. heat sink																																						S26361-F3487-L430	2,761,00	Phased out	
	Xeon MP E7450 2.40GHz 12MB 1066MHz	Intel® Xeon® processor E7450 (6C, 2.40 GHz, SLC: 2 x 3 MB, TLC: 12 MB, 1066 MHz, 90 W) incl. heat sink																																						S26361-F3487-L450	4,436,00	Phased out	
	Xeon MP X7460 2.67GHz 16MB 1066MHz	Intel® Xeon® processor X7460 (6C, 2.66 GHz, SLC: 3 x 3 MB, TLC: 16 MB, 1066 MHz, 130 W) incl. heat sink																																							S26361-F3487-L460	5,420,00	Phased out
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																							S26361-F3618-L240	585,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																							S26361-F3618-L253	819,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																							S26361-F3618-L266	1,149,00	













**Rack Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX1000	PRIMERGY RX1600	Product Code	EUP (€)	Comments																						
Accessories & services matrix																																																								
<b>Rack-Infrastructure (Continued)</b>																																																								
<b>PRIMERGY-Software</b>																																																								
	RMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection				x																												S26361-F1790-L240	319,00																					
	RMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection					x	x					x	x	x																			S26361-F1790-L241	319,00																					
	Win Srv 2008 Std w/SP2 w/5CAL EFGJS ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: EN DE ES FR JA, ROK DVD, license					x	x																										S26361-F2565-L315	707,00	Phased out																				
	Win Srv 2008 Std w/SP2 w/5CAL CEIPR ROK	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Language: CS EN IT PL RU, LangPacks HU NL PT SV TR, ROK DVD, license					x	x																										S26361-F2565-L316	707,00	Phased out																				
	Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x	x																										S26361-F2565-L317	27,00	Phased out																				
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x	x																										S26361-F2565-L318	27,00	Phased out																				
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Language: EN DE ES FR JA, ROK DVD, license					x	x																										S26361-F2565-L325	2.160,00	Phased out																				
	Win Srv 2008 Ent w/SP2 w/10CAL CEIPR ROK	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Language: CS EN IT PL RU, LangPacks HU NL PT SV TR, ROK DVD, license					x	x																										S26361-F2565-L326	2.160,00	Phased out																				
	Win Srv 2003 R2 Enterprise DVD Media Onl	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x	x																										S26361-F2565-L327	27,00	Phased out																				
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system					x	x																											S26361-F2565-L328	27,00	Phased out																			
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x	x																										S26361-F2565-L340	24,00																					
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x	x																										S26361-F2565-L341	117,00																					
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x	x																										S26361-F2565-L342	24,00																					
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual					x	x																										S26361-F2565-L343	117,00																					
	Win SBS 2008 CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)					x	x																										S26361-F2565-L346	59,00																					
	Win SBS 2008 CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (1 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)					x	x																										S26361-F2565-L347	59,00																					
	Win SBS 2008 CAL (5 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)					x	x																											S26361-F2565-L348	277,00																				
	Win SBS 2008 CAL (5 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on SBS 2008 Standard and Premium (w/o SQL)					x	x																											S26361-F2565-L349	277,00																				
	Win SBS 2008 Standard ROK, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x																										S26361-F2565-L350	670,00																					
	Win SBS 2008 Standard ROK, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x																										S26361-F2565-L351	670,00																					



**Rack Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S1	PRIMERGY RX1000	PRIMERGY RX1600	Product Code	EUP (€)	Comments	
Rack-Infrastructure (Continued)																																				
	Win SBS 2008 Standard ROK, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x						x	x																			S26361-F2565-L352	670,00	
	Win SBS 2008 Standard ROK, F	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x												x	x	x	x										S26361-F2565-L353	670,00		
	Win SBS 2008 Standard ROK, E	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x												x	x	x	x											S26361-F2565-L354	670,00	
	Win SBS 2008 Standard ROK, CZ	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x												x	x	x	x											S26361-F2565-L355	670,00	
	Win SBS 2008 Premium ROK, GB	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. The Premium Edition contains: SQL Server 2008 Standard Edition for Small Business. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x												x	x	x	x											S26361-F2565-L360	1.165,00	
	Win SBS 2008 Premium ROK, D	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. The Premium Edition contains: SQL Server 2008 Standard Edition for Small Business. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x												x	x	x	x											S26361-F2565-L361	1.165,00	



**Rack Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S5	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S1	PRIMERGY RX600	PRIMERGY RX600	Product Code	EUP (€)	Comments			
<b>Rack-Infrastructure (Continued)</b>																																					
	Win SBS 2008 Premium ROK, I	Microsoft Windows Small Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only. The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's. The Premium Edition contains SQL Server 2008 Standard Edition for Small Business. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.					x	x				x	x						x	x	x											S26361-F2565-L362	1.165,00				
	Win SBS 2008 Premium CAL (1 Device)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 Device); multi-language CAL; for use on SBS 2008 Premium required for SQL.					x	x					x	x					x	x	x											S26361-F2565-L368	138,00				
	Win SBS 2008 Premium CAL (1 User)	Microsoft Windows Small Business Server 2008 Client Access License Suite for Premium Users or Devices (1 User); multi-language CAL; for use on SBS 2008 Premium required for SQL.					x	x					x	x					x	x	x												S26361-F2565-L369	138,00			
	Win EBS 2008 Standard ROK, GB	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar. Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CAL's enthalten. Lieferumfang: OEM DVD, Microsoft Product Identifier (Lizenzauflöser COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA). Achtung: Diese Einzelnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.										x	x	x					x	x	x												S26361-F2565-L370	4.181,00	Phased out		
	Win EBS 2008 Standard ROK, D	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar. Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CAL's enthalten. Lieferumfang: OEM DVD, Microsoft Product Identifier (Lizenzauflöser COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA). Achtung: Diese Einzelnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.										x	x	x					x	x	x													S26361-F2565-L371	4.181,00	Phased out	
	Win EBS 2008 Standard ROK, I	Microsoft Windows Essential Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK ist ein Channel Produkt (Reseller Option Kit) und ausschließlich für Distributoren bestellbar und auf PRIMERGY HW installierbar. Die SW unterstützt max. 300 Nutzer/Geräte. Für diese SW sind spezielle Windows EBS 2008 CAL's (Zugriffslizenzen) erforderlich. Im Produktpaket sind 5 CAL's enthalten. Lieferumfang: OEM DVD, Microsoft Product Identifier (Lizenzauflöser COA, zum Kleben auf PRIMERGY HW), Reseller Vertriebs-Lizenzvereinbarung und Endbenutzer-Lizenzvertrag (EULA). Achtung: Diese Einzelnummer kommt nur zur Auslieferung mit gültigem Server BIOS Lock Distributionsvertrag. Bei Fragen zu diesem Vertrag wenden sie sich bitte an ihren zuständigen Vertriebsbeauftragten.										x	x	x					x	x	x													S26361-F2565-L372	4.181,00	Phased out	
	Win EBS 2008 CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite (5 Device); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).										x	x	x					x	x	x													S26361-F2565-L378	324,00	Phased out	
	Win EBS 2008 CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite (5 User); multi-language CAL; for use on EBS 2008 Standard and Premium (w/o SQL).										x	x	x					x	x	x														S26361-F2565-L379	324,00	Phased out



**Rack Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX1200	PRIMERGY RX1600	Product Code	EUP (€)	Comments																						
Accessories & services matrix																																																								
Rack-Infrastructure (Continued)																																																								
	Win EBS 2008 Premium ROK, GB	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only.. The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's.. The Premium Edition contains SQL Server 2008 Standard Edition.. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.																																		S26361-F2565-L380	5.484,00	Phased out																		
	Win EBS 2008 Premium ROK, D	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only.. The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's.. The Premium Edition contains SQL Server 2008 Standard Edition.. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.																																			S26361-F2565-L381	5.484,00	Phased out																	
	Win EBS 2008 Premium ROK, I	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only.. The SW supports max. 300 users/devices. For this SW you need dedicated Windows EBS 2008 CAL's (Client Access Licenses). This product package includes 5 CAL's.. The Premium Edition contains SQL Server 2008 Standard Edition.. Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.																																			S26361-F2565-L382	5.484,00	Phased out																	
	Win EBS 2008 Premium CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 Device): multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.																																			S26361-F2565-L388	782,00	Phased out																	
	Win EBS 2008 Premium CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 User): multi-language CAL; for use on EBS 2008 Standard and Premium required for SQL.																																			S26361-F2565-L389	782,00	Phased out																	
	ISCSI SW Target 3.2 (64-bit) EMB	including update 1																																			S26361-F2565-L564	11,00																		
	MS SysCtr Essnrls 2010 TUP	MS System Center Essentials 2010 Technology Upgrade. For eligible customers only. Requires a Request for Special Release. English. OEM DVD, License.																																			S26361-F2567-L15	27,00																		
	MS SysCtr VMM 2008 R2 WorkGroupEdin ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition.. English. ROK DVD, License.																																			S26361-F2567-L20	426,00																		
	MS SysCtr Essnrls 2010 ROK	MS System Center Essentials 2010. English. ROK DVD, License.																																				S26361-F2567-L30	122,00																	
	Win Srv 2008 R2 Foundation 1CPU MULI ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.																																				S26361-F2567-L306	186,00																	
	MS SysCtr Essnrls 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack.. OSE = Operating System Environment																																				S26361-F2567-L31	96,00																	
	Win Srv 2008 R2 Standard 5CAL MULI ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.																																				S26361-F2567-L310	564,00																	
	MS SysCtr Essnrls 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack.. OSE = Operating System Environment																																				S26361-F2567-L32	479,00																	
	Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.																																				S26361-F2567-L320	1.883,00																	
	MS SysCtr Essnrls 2010 Client ML 5-Pack	MS System Center Essentials 2010 Managed Client License 5 Pack.																																				S26361-F2567-L33	80,00	New product																
	Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.																																				S26361-F2567-L330	3.032,00																	
	MS SysCtr Essnrls 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.																																				S26361-F2567-L34	319,00																	
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License for 1 device, License.																																				S26361-F2567-L340	85,00																	
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License for 5 devices, License.																																				S26361-F2567-L341	410,00																	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License for 1 user, License.																																				S26361-F2567-L342	85,00																	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License for 5 users, License.																																				S26361-F2567-L343	410,00																	





**Rack Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600	PRIMERGY RX900 S1	PRIMERGY RX1000	PRIMERGY RX1600	Product Code	EUP (€)	Comments
<b>Rack-Infrastructure (Continued)</b>																																		
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) . - Mandatory 1 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L522	3,016.00		
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (Max 12 Cores/CPU) . - Mandatory 3 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L523	3,016.00		
	VMware Upgrade STD to ADV w/o SP-1yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) . - Mandatory 1 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L530	1,187.00		
	VMware Upgrade STD to ADV w/o SP-3yr	VMware Upgrade vSphere STD to ADV for 1 CPU (Max 12 Cores/CPU) . - Mandatory 3 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L531	1,187.00		
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) . - Mandatory 1 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L540	2,373.00		
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (Max 12 Cores/CPU) . - Mandatory 3 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L541	2,373.00		
	VMware Upgrade ADV to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) . - Mandatory 1 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L542	1,186.00		
	VMware Upgrade ADV to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ADV to ENT-PL for 1 CPU (Max 12 Cores/CPU) . - Mandatory 3 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L543	1,186.00		
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) . - Mandatory 1 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L544	596.00		
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (Max 12 Cores/CPU) . - Mandatory 3 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L545	596.00		
	VMware Upgrade VC FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter . - Mandatory 1 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L546	3,346.00		
	VMware Upgrade VC FND to STD w/o SP-3yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter . - Mandatory 3 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L547	3,346.00		
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND . - Mandatory 1 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L550	9,090.00		
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND . - Mandatory 3 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L551	9,090.00		
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD . - Mandatory 3 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L570	15,367.00		
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD . - Mandatory 3 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L571	15,367.00		
	VMware UG ESS-PL to ADV-AK w/o SP-1yr	VMware Upgrade ESS-PL to ADV-AK for 6 CPU (Max 12 Cores/CPU) inc VC-FND . - Mandatory 1 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L572	6,644.00		
	VMware UG ESS-PL to ADV-AK w/o SP-3yr	VMware Upgrade ESS-PL to ADV-AK for 6 CPU (Max 12 Cores/CPU) inc VC-FND . - Mandatory 3 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L573	6,644.00		
	VMware UG ESS-PL to ENT-AK w/o SP-1yr	VMware Upgrade ESS-PL to ENT-AK for 6 CPU (Max 6 Cores/CPU) inc VC-STD . - Mandatory 1 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L574	13,559.00		
	VMware UG ESS-PL to ENT-AK w/o SP-3yr	VMware Upgrade ESS-PL to ENT-AK for 6 CPU (Max 6 Cores/CPU) inc VC-STD . - Mandatory 3 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L575	13,559.00		
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD . - Mandatory 1 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L554	22,761.00		
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD . - Mandatory 3 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L555	22,761.00		
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter . - Mandatory 1 year Service Pack needed!						x	x		x	x	x						x	x	x										S26361-F2341-L556	4,303.00		
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter . - Mandatory 3 year Service Pack needed!						x	x		x	x	x						x	x	x										S26361-F2341-L557	4,303.00		
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) . - Mandatory 1 year Service Pack needed!						x	x		x	x	x						x	x	x										S26361-F2341-L558	1,293.00		
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) . - Mandatory 3 year Service Pack needed!						x	x		x	x	x						x	x	x										S26361-F2341-L559	1,293.00		
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E . - Mandatory 1 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L562	3,017.00		
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E . - Mandatory 3 year Service Pack needed!						x		x	x	x							x	x	x										S26361-F2341-L563	3,017.00		
<b>OS/Application-SW</b>																																		
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance . . . The product offers data replication for Windows File Servers . . . it supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition) . Content: 1x Media Kit and 1x License for one server . . . More product informationen at: <a href="http://partners.ts.fujitsu.com/products/stor/age/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/products/stor/age/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: . . . Hardware: PRIMERGY Server of Fujitsu Technology Solutions. Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit) . A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/products/stor/age/software/brightstor/ca_xo_soft/compatibily/Pages/default.aspx">http://partners.ts.fujitsu.com/products/stor/age/software/brightstor/ca_xo_soft/compatibily/Pages/default.aspx</a>						x	x		x	x	x						x	x	x											U15260-C600	1,571.00	



**Rack Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX1200	PRIMERGY RX1600	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)	XOsoft r12 High Availability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition). Content: 1x Media Kit and 1x License for one server. . . More product informationen at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: . . . . . Hardware: PRIMERGY Server of Fujitsu Technology Solutions. Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit). A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>					x	x					x	x	x																		U15260-C616	2.394,00	
	XOsoft r12 Replication FS Std. OS	XOsoft r12 Replication File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition). Content: 1x Media Kit and 1x License for one server. . . More product informationen at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: . . . . . Hardware: PRIMERGY Server of Fujitsu Technology Solutions. Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit). A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>					x	x					x	x	x																		U15260-C601	2.199,00	
	XOsoft r12 High Availability FS Std. OS	XOsoft r12 High Availability File Server Standard OS - inclusive 3 Years CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Standard operating systems (e.g. Windows Server 2003 Standard Edition). Content: 1x Media Kit and 1x License for one server. . . More product informationen at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: . . . . . Hardware: PRIMERGY Server of Fujitsu Technology Solutions. Software : Microsoft Windows 2000 / 2003 Standard Edt. (32 and 64 Bit). A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>					x	x					x	x	x																		U15260-C617	3.351,00	
	XOsoft r12 Replication FS Ent. OS	XOsoft r12 Replication File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication for Windows File Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server. . . More product informationen at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: . . . . . Hardware: PRIMERGY Server of Fujitsu Technology Solutions. Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit). A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>					x	x					x	x	x																		U15260-C602	2.394,00	
	XOsoft r12 High Availability FS Ent. OS	XOsoft r12 High Availability File Server Enterprise OS - inclusive 1 Year CA Enterprise Maintenance. . . The product offers data replication and high availability for Windows File Servers. . It supports only Windows Enterprise operating systems (e.g. Windows Server 2003 Enterprise Edition). Content: 1x Media Kit and 1x License for one server. . . More product informationen at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/Pages/default.aspx</a> . System Requirements: . . . . . Hardware: PRIMERGY Server of Fujitsu Technology Solutions. Software : Microsoft Windows 2000 / 2003 Enterprise Edt. (32 and 64 Bit). A complete list of all supported operating systems can be found at: <a href="http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx">http://partners.ts.fujitsu.com/products/storage/software/brightstor/ca_xo_soft/compatibility/Pages/default.aspx</a>					x	x					x	x	x																		U15260-C618	3.441,00	















**Rack Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S1	PRIMERGY RX600	PRIMERGY RX600	Product Code	EUP (%)	Comments		
Accessories & services matrix																																						
OS/Application-SW (Continued)																																						
UPS/Power supply																																						
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM-interface	x	x	x	x										x	x	x	x											S26113-F233-L1	37.00							
	Power Supply Module 700W (hot plug)	2nd PS hp for redundancy																	x											S26113-F529-L10	181.00	Phased out						
	Power Supply Module 770W silver hp	for optional PS redundancy incl. mounting kit								x	x																				S26113-F539-L1	213.00						
	Power Supply Module 800W (hot plug)	2nd PS hp for redundancy																	x												S26113-F543-L10	202.00	Phased out					
	Power Supply Module 800W gold hp	2nd gold PS hp for redundancy																	x	x											S26113-F555-L10	245.00						
	Power Supply Module 850W	hot-plug Power Supply Module, 850W, 92% efficiency (CSG gold)																								x					S26113-F561-L10	383.00						
	Power Supply Module 450W gold hp	1st or 2nd PSU hp for redundancy for RX200S6 gold PSU										x																			S26113-F570-L1	170.00						
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)																													S26113-F573-L10	936.00						
	Power Supply Module 625W (hot plug)	for PS redundancy, incl. power cord																													S26113-F604-L1	160.00						
	APC-USV WEB Management Adapter	10 / 100 Mbit autosecure AP9630 for APC-USV, use one smart slot	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26113-F80-L30	271.00						
	Cable powercord (D...), 1.8m, grey	suitable for D, A, B, F, NL, FN, N, S, E, P, RUS, TR					x	x											x	x	x										T26139-Y1740-L10	16.00						
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1742-L10	16.00						
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR					x	x											x	x	x										T26139-Y1744-L10	16.00						
	Cable powercord (I), 1.8m, grey	suitable for I					x	x											x	x	x										T26139-Y1745-L10	16.00						
Miscellaneous																																						
	LocalView Option K4 S2	LCD display with installation kit																														S26361-F2557-L106	74.00					
	Customer Self Service Modul RX Server	Support for Customer Self Service (CSS), incl. mounting kit																														S26361-F2557-L205	27.00					
	Fan upgrade kit hot-plug redundancy	Redundant hot plug fans option, incl. 5 fans																														S26361-F2621-L5	122.00	Phased out				
	cable Parallelport Option Centronics	Cable with 25 pin Centronics interface																														S26361-F3120-L2	27.00	Phased out				
	cable Serial port option	Cable for 2nd RS-232-C 9 pin interface																														S26361-F3120-L3	21.00					
	TPM Module add-on kit	Trusted Platform Module on motherboard, be aware of import restrictions!					x			x	x																					S26361-F3652-L1	53.00					
	Opt. Front VGA + add. USB	VGA and USB connector, instead of Local Service Panel					x																									S26361-F3677-L1	37.00					
	T-HANDLES RX300S6																															S26361-F4000-L1	21.00					
	RAID Upgrade Kit RX100 S6	consisting of SAS Cable and bracket						x																								S26361-F4414-L1	48.00					
	Fan upgrade kit hot-plug redundancy	Redundant hot plug fans option, incl. 4 fans, cage and electronics																	x	x	x											S26361-F2621-L4	101.00	Phased out				
	Parallelport Option Centronics	Cable with 25 pin Centronics interface																														S26361-F2571-L8	27.00	Phased out				
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)					x	x																								S26361-F2557-L204	43.00					
Media																																						
	DAT160 cleaning cartridge no label	DAT160 cleaning cartridge without label																								x						D-CL-DAT160-MX-01	23.00					
	DAT72 cleaning cartridge no label	DAT72 cleaning cartridge without label																															D-CL-DAT72-MX-01	6.00				
	LTO cleaning cartridge Fuji no label	Cleaning cartridge without label from Fuji for LTO drives																															D-CL-LTO2-FJ-01	43.00				
	LTO cleaning cartridge Fuji with label	cleaning cartridge with label from Fuji for LTO drives																															D-CL-LTO2-FJ-01L	45.00				
	LTO cleaning cartridge IBM no label	Cleaning cartridge without label from IBM for LTO drives																									x						D-CL-LTO2-IB-01	58.00				
	LTO cleaning cartridge IBM with label	cleaning cartridge with label from IBM for LTO drives																															D-CL-LTO2-IB-01L	58.00				
	LTO cleaning cartridge Maxell no label	cleaning cartridge without label from Maxell for LTO drives																																D-CL-LTO2-MX-01	50.00			
	LTO cleaning cartridge Maxell with label	cleaning cartridge with label from Maxell for LTO drives																																D-CL-LTO2-MX-01L	51.00			
	LTO cleaning cartridge Sony no label	Cleaning cartridge without label from Sony for LTO drives																																D-CL-LTO-SY-01	43.00			
	LTO cleaning cartridge Sony with label	cleaning cartridge with label from Sony for LTO drives																																D-CL-LTO-SY-01L	45.00			
	LTO cleaning cart. Sony single pack	1x Cleaning cartridge without label from Sony for LTO drives at a single package																																D-CL-LTO-SY-EP01	43.00			
	LTO cleaning cart. Sony single pkg label	1x Cleaning cartridge with label from Sony for LTO drives at a single package																																D-CL-LTO-SY-EP01L	45.00			
	VXA cleaning label	Label for VXA cleaning cartridge																																D-CL-VXA2-LAB	0.90			
	VXA cleaning cartridge	VXA cleaning cartridge																																D-CL-VXA2-X-01	24.00			
	VXA cleaning cartridge with label	VXA cleaning cartridge																																D-CL-VXA2-X-01L	26.00			
	DAT160 data cartridge no label	DAT160 data cartridge without label																																D-CR-DAT160-MX-01	24.00			
	DAT72 data cartridge no label	DAT72 data cartridge without label																																	D-CR-DAT72-MX-01	15.00		
	LTO2 data cartridge Fuji no label	LTO-2 data cartridge without label from Fuji, 200 GB native capacity																																	D-CR-LTO2-FJ-01	24.00		
	LTO2 data cartridge Fuji with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity																																	D-CR-LTO2-FJ-01L	25.00		
	LTO2 data cartridge IBM no label	LTO-2 data cartridge without label from IBM, 200 GB native capacity																																	D-CR-LTO2-IB-01	29.00		
	LTO2 data cartridge IBM with label	LTO 2 data cartridge with label from IBM, 200 GB native capacity																																	D-CR-LTO2-IB-01L	30.00		
	LTO2 data cartridge Maxell no label	LTO-2 data cartridge without label from Maxell, 200 GB native capacity																																	D-CR-LTO2-MX-01	23.00		
	LTO2 data cartridge Maxell with label	LTO-2 data cartridge with label from Maxell, 200 GB native capacity																																	D-CR-LTO2-MX-01L	24.00		
	VXA barcode label	Label for VXA data cartridge																																	D-CR-VXA2-LAB	0.90		
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB																																	D-CR-VXA2-X10-01	26.00		
	VXA-2/320 data carr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB																																	D-CR-VXA2-X10-01L	27.00		
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																																	D-CR-VXA2-X23-01	58.00		
	VXA-2/320 data carr. 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																																		D-CR-VXA2-X23-01L	59.00	
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed																																	S26361-F3857-L160	112.00		
	RDX Cartridge Pack 10x 160/320GB	Package 10x RDX Cartridge 160GB uncompressed / 320GB compressed																																	S26361-F3857-L169	1.064.00		
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed																																	S26361-F3857-L320	170.00		
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed																																				



**Rack Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600	Product Code	EUP (€)	Comments	
<b>Media (Continued)</b>																																				
	LTO3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity																																D-CR-LTO3-FJ-01L	36,00	
	LTO4 data cartridge Fuji with label	LTO-4 data cartridge with label from Fuji, 800 GB native capacity																																D-CR-LTO4-FJ-01L	28,00	
	LTO5 data cartridge Fuji with label	LTO-5 data cartridge with label from Fuji, 1500 GB native capacity																																D-CR-LTO5-FJ-01L	77,00	
	LTO3 data cartridge IBM with label	LTO-3 data cartridge with label from IBM, 400 GB native capacity																																D-CR-LTO3-IB-01L	28,00	
	LTO4 data cartridge IBM with label	LTO-4- Data cartridges with Label from IBM, Kapazity 800 GByte native																																D-CR-LTO4-IB-01L	31,00	
	LTO5 data cartridge Maxell with label	LTO-5 data cartridge with label from Maxell, 1500 GB native capacity																																D-CR-LTO5-MX-01L	82,00	
	LTO3 data cartridge Sony with label	LTO-3 data cartridge with label from Sony, 400 GB native capacity																																D-CR-LTO3-SY-01L	25,00	
	LTO4 data cartridge Sony with label	LTO-4- Data cartridges with Label from Sony, Kapazity 800 GByte native																																D-CR-LTO4-SY-01L	27,00	
	LTO3 data cart. Sony single pack label	LTO-3 data cartridge with label from Sony, 400 GB native capacity, at single package																																D-CR-LTO3-SY-EP01L	25,00	
	LTO4 data cartnd. Sony single pkg label	1x LTO-4 data cartridges with label from Sony at a single package , 800 GB native capacity																																D-CR-LTO4-SY-EP01L	28,00	
	LTO3 WORM data cartridge Fuji no label	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data																																D-CR-LTO3-FJ-01W	26,00	
	LTO4 WORM data cartridge Fuji no label	LTO-4 WORM data cartridge without label from Fuji, 800 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data																																D-CR-LTO4-FJ-01W	34,00	
	LTO3 WORM data cartridge Fuji with label	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity, WORM means that the data medium can only be written once. It is not possible to delete or overwrite the data																																D-CR-LTO3-FJ-01WL	27,00	
	LTO4 WORM data cartridge Fuji with label	LTO-4 WORM data cartridge with label from Fuji, 800 GB native capacity. Attention not for use with SUN/ Storage TEK and Quantum Libraries																																D-CR-LTO4-FJ-01WL	37,00	
	LTO cleaning label horizontal	label for LTO cleaning cartridges																																D-CL-LTO-LAB	0,75	
	LTO3 barcode label horizontal	label for LTO-3 data cartridges																																D-CR-LTO3-LAB	0,75	
	LTO4 barcode label horizontal	label for LTO-4 data cartridges																																D-CR-LTO4-LAB	0,75	
	LTO5 WORM data cartridge Fuji no label	LTO-5 WORM data cartridge without label from Fuji, 1500 GB native capacity. Attention not for use with SUN/ Storage TEK and Quantum Libraries																																D-CR-LTO5-FJ-01W	88,00	
	LTO5 WORM data cartridge Fuji with label	LTO-5 WORM data cartridge with label from Fuji, 1500 GB native capacity, Attention not for use with SUN/ Storage TEK and Quantum Libraries																																D-CR-LTO5-FJ-01WL	89,00	
	LTO5 barcode label horizontal	label for LTO-5 data cartridges																																D-CR-LTO5-LAB	3,00	
<b>Cables</b>																																				
	Cable powercord rack, 4m	with Euro socket connector																																T26139-Y1968-L10	16,00	
	Console switch cable 3,5m	cabre for keyboard, monitor and mouse																																SNP-SY-F2293L2-P	101,00	Phased out
<b>Additional Software</b>																																				
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1																																U11081-C157	15,00	
	OPENFT-FTAM2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs																																U11081-C171	1.125,00	
	OPENFT-FTAM2-U (WINDOWS) V8.0	openFT-FTAM Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs																																U11081-C177	562,00	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME																																U11081-C183	30,00	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs																																U11081-C186	1.125,00	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs																																U11081-C192	451,00	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions																																U11081-C199	15,00	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0																																U11081-C201	30,00	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201																																U11081-C202	1.225,00	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201																																U11081-C204	3.988,00	New product
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201																																U11081-C207	710,00	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202																																U11081-C212	1.225,00	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204																																U11081-C214	3.988,00	New product
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207																																U11081-C217	710,00	
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																																U11081-C301	1.225,00	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																																U11081-C311	1.225,00	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs																																U11081-C321	500,00	
	OPENFT-2 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																																U11081-C302	1.994,00	
	OPENFT-FTAM-2 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU																																U11081-C312	1.994,00	



**Rack Servers Accessories**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX100 S5	PRIMERGY RX100 S6	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX200 S4	PRIMERGY RX200 S5	PRIMERGY RX200 S6	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX300 S4	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX300 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX600 S5	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX1200	PRIMERGY RX1600	Product Code	EUP (€)	Comments		
<b>Additional Software (Continued)</b>																																				
	OPENFT-FTP-2 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x				x	x					x	x	x																U11081-C322	814,00		
	OPENFT-3 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x				x	x						x	x	x															U11081-C303	3.988,00		
	OPENFT-FTAM-3 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x				x	x						x	x	x															U11081-C313	3.988,00		
	OPENFT-FTP-3 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x				x	x						x	x	x															U11081-C323	1.628,00		
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C300	30,00		
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15,00		
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C501	1.225,00		
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C513	1.225,00		
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C525	500,00		
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x				x	x						x	x	x															x	U10987-C502	1.994,00	
	OPENFT-FTAM-2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x				x	x						x	x	x															x	U10987-C514	1.994,00	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x				x	x						x	x	x															x	U10987-C526	814,00	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x				x	x						x	x	x															x	U10987-C503	3.988,00	
	OPENFT-FTAM-3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x				x	x						x	x	x															x	U10987-C515	3.988,00	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x				x	x						x	x	x															x	U10987-C527	1.628,00	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x				x	x						x	x	x															x	U10987-C504	4.618,00	
	OPENFT-FTAM-4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x				x	x						x	x	x															x	U10987-C516	4.618,00	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x				x	x						x	x	x															x	U10987-C528	1.885,00	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x				x	x						x	x	x															x	U10987-C505	5.982,00	
	OPENFT-FTAM-5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x				x	x						x	x	x															x	U10987-C517	5.982,00	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x				x	x						x	x	x															x	U10987-C529	2.442,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C500	36,00		
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C499	15,00		



**Rack Servers Options**

**Data Sheets: <http://ts.fujitsu.com/primergy>**

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
<b>Options matrix</b>											
<b>Processor</b>											
	Intel Xeon E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink			x				S26361-F3277-E186	335,00	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink				x			S26361-F3277-E200	314,00	
	Intel Xeon E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink			x				S26361-F3278-E200	388,00	Phased out
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink			x	x			S26361-F3278-E213	362,00	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink					x		S26361-F3278-E226	426,00	
	Intel Xeon E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x				S26361-F3279-E226	628,00	Phased out
	Intel Xeon E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x				S26361-F3279-E240	878,00	Phased out
	Intel Xeon E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x				S26361-F3279-E253	1.218,00	Phased out
	Intel Xeon X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x				S26361-F3280-E267	1.574,00	Phased out
	Intel Xeon X5560 4C/8T 2.80 GHz 8 MB	Intel® Xeon® processor X5560 (4C/8T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x				S26361-F3280-E280	1.915,00	Phased out
	Intel Xeon X5570 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X5570 (4C/8T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x				S26361-F3280-E293	2.250,00	Phased out
	Intel Xeon L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 60 W) incl. heat sink			x				S26361-F3281-E213	707,00	Phased out
	Intel Xeon L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink			x				S26361-F3281-E226	878,00	Phased out
	Intel Xeon L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink			x				S26361-F3281-E240	1.218,00	Phased out
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink		x					S26361-F3286-E200	314,00	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink		x					S26361-F3287-E226	426,00	
	Intel Xeon W5590 4C/8T 3.33 GHz 8 MB	Intel® Xeon® processor W5590 (4C/8T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 8 MB, Turbo: 1/1/1/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink			x				S26361-F3337-E333	2.590,00	Phased out





**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>Processor (Continued)</b>											
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink				x			S26361-F3618-E240	585,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x		S26361-F3618-E253	819,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x		S26361-F3618-E266	1.149,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x		S26361-F3619-E266	1.468,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x		S26361-F3619-E280	1.787,00	
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink					x		S26361-F3619-E293	2.106,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink					x		S26361-F3619-E333	2.447,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink					x		S26361-F3621-E186	660,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink					x		S26361-F3622-E213	819,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink					x		S26361-F3622-E226	1.468,00	
	Intel Xeon E7520 4C/8T 1.86 GHz 18 MB	Intel® Xeon® processor E7520 (4C/8T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink						x	S26361-F3999-E520	1.298,00	
	Intel Xeon E7530 6C/12T 1.86 GHz 12 MB	Intel® Xeon® processor E7530 (6C/12T, 1.86 GHz, SLC: -, TLC: 12 MB, Turbo: 0/1/1/2, 5.86 GT/s, 105 W) incl. heat sink						x	S26361-F3999-E530	2.064,00	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB	Intel® Xeon® processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) incl. heat sink						x	S26361-F3999-E540	2.926,00	
	Intel Xeon X7542 6C/6T 2.66 GHz 18 MB	Intel® Xeon® processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) incl. heat sink						x	S26361-F3999-E542	2.926,00	
	Intel Xeon L7545 6C/12T 1.86 GHz 18 MB	Intel® Xeon® processor L7545 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/3/5, 5.86 GT/s, 95 W) incl. heat sink						x	S26361-F3999-E545	3.191,00	
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB	Intel® Xeon® processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x	S26361-F3999-E550	4.043,00	
	Intel Xeon L7555 8C/16T 1.86 GHz 24 MB	Intel® Xeon® processor L7555 (8C/16T, 1.86 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/4/5, 5.86 GT/s, 95 W) incl. heat sink						x	S26361-F3999-E555	4.681,00	
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB	Intel® Xeon® processor X7560 (8C/16T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink						x	S26361-F3999-E560	5.426,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink	x						S26361-F4417-E266	1.468,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink		x					S26361-F4417-E280	1.787,00	



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>Processor (Continued)</b>											
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink		x					S26361-F4417-E293	2.106,00	
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink		x					S26361-F4417-E333	2.447,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x					S26361-F4419-E240	585,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x					S26361-F4419-E253	819,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x					S26361-F4419-E266	1.149,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink		x					S26361-F4420-E186	660,00	
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink		x					S26361-F4421-E213	819,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink		x					S26361-F4421-E240	1.468,00	
	CPU MEMORY Riser Board	CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3						x	S26361-F4470-E100	2.122,00	
	Intel Xeon E7540 6C/12T 2.00 GHz 18 MB	Intel® Xeon® processor E7540 (6C/12T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) without heat sink						x	S26361-F4471-E540	2.926,00	
	Intel Xeon X7542 6C/6T 2.66 GHz 12 MB	Intel® Xeon® processor X7542 (6C/6T, 2.66 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1, 5.86 GT/s, 130 W) without heat sink						x	S26361-F4471-E542	2.926,00	
	Intel Xeon X7550 8C/16T 2.00 GHz 18 MB	Intel® Xeon® processor X7550 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) without heat sink						x	S26361-F4471-E550	4.043,00	
	Intel Xeon X7560 8C/16T 2.26 GHz 24 MB	Intel® Xeon® processor X7560 (8C/16T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) without heat sink						x	S26361-F4471-E560	5.426,00	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink		x					S26361-F4479-E213	362,00	
	Intel Celeron G1101 2C 2.26 GHz 2 MB	Intel® Celeron® processor G1101 (2C, 2.26 GHz, TLC: 2 MB, Turbo: No, 1066 MHz, 73 W) without heat sink		x					S26361-F3589-E226	133,00	
	Intel Pentium G6950 2C 2.80 GHz 3 MB	Intel® Pentium® processor G6950 (2C, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 73 W) without heat sink		x					S26361-F3588-E280	181,00	
	Intel Core i3-540 2C/4T 3.06 GHz 4 MB	Intel® Core™ i3-540 processor (2C/4T, 3.06 GHz, TLC: 4 MB, Turbo: No, 1333 MHz, 73 W) without heat sink		x					S26361-F3587-E306	266,00	
	Intel Xeon X3430 4C/4T 2.40 GHz 8 MB	Intel® Xeon® processor X3430 (4C/4T, 2.40 GHz, TLC: 8 MB, Turbo: 1/1/2/3, 1333 MHz, 95 W) without heat sink		x					S26361-F3578-E343	388,00	
	Intel Xeon X3450 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X3450 (4C/8T, 2.66 GHz, TLC: 8 MB, Turbo: 1/1/4/4, 1333 MHz, 95 W) without heat sink		x					S26361-F3578-E345	479,00	
	Intel Xeon X3470 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X3470 (4C/8T, 2.93 GHz, TLC: 8 MB, Turbo: 2/2/4/5, 1333 MHz, 95 W) without heat sink		x					S26361-F3578-E347	622,00	



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
<b>Options matrix</b>											
<b>Processor (Continued)</b>											
	Intel Xeon L3406 2C/4T 2.26 GHz 4 MB	Intel® Xeon® processor L3406 (2C/4T, 2.26 GHz, TLC: 4 MB, Turbo: 2/2, 1066 MHz, 30 W) without heat sink	x						S26361-F3586-E226	388,00	
	Intel Xeon L3426 4C/8T 1.86 GHz 8 MB	Intel® Xeon® processor L3426 (4C/8T, 1.86 GHz, TLC: 8 MB, Turbo: 2/2/9/10, 1333 MHz, 45 W) without heat sink	x						S26361-F3586-E186	564,00	
<b>Memory</b>											
	Memory Board RX600 S5	Memory board for up to two set's of DDR3 memory (with 4 DIMMs each)						x	S26361-F3990-E100	255,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory						x	S26361-F4472-E3	5,00	
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg s	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x	S26361-F4472-E643	404,00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x	S26361-F4472-E644	787,00	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x	S26361-F4472-E645	1.532,00	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM						x	S26361-F4472-E646	3.894,00	
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x						S26361-F3335-E513	48,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x						S26361-F3335-E514	74,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x						S26361-F3335-E515	266,00	
	4 GB DDR3 1066 MHz PC3-8500 rg q ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM	x						S26361-F3336-E517	197,00	
	Spare Mode Installation	BIOS setup for Spare mode, preinstallation ex factory						x	S26361-F4003-E1	5,00	New product
	Interleaving Mode Installation	BIOS setup for Interleaving mode, preinstallation ex factory						x	S26361-F4003-E2	5,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory						x	S26361-F4003-E3	5,00	
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x	S26361-F4003-E643	404,00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x	S26361-F4003-E644	787,00	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM						x	S26361-F4003-E645	1.532,00	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM						x	S26361-F4003-E646	3.894,00	
<b>Memory Modules</b>											
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory	x	x	x				S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory	x	x	x				S26361-F3284-E3	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory	x	x	x				S26361-F3284-E2	5,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode	x		x				S26361-F3604-E523	202,00	
	MM 8GB 2x4 DDR3 1333 MHz PC3-10600 rg d	2 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode	x		x				S26361-F3604-E524	394,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	1 module 2GB 1333MHz, unbuffered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode	x		x				S26361-F3606-E513	74,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode	x		x				S26361-F3604-E513	101,00	



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>Memory Modules (Continued)</b>											
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode	x		x				S26361-F3604-E525	766,00	
	2GB DDR3-1066 PC3-8500 rg ECC	1 module 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode; Test Hubert am 12.2.2010			x				S26361-F3284-E513	101,00	
	MM 4GB 2x2 DDR3-1066 PC3-8500 rg ECC	2 modules 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode			x				S26361-F3284-E523	202,00	
	SP 6GB 3x2 DDR3-1066 PC3-8500 rg ECC	3 modules 2GB 1066MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode			x				S26361-F3284-E533	303,00	
	4 GB DDR3 1333 MHz PC3-10600 rg d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode	x			x			S26361-F3604-E514	197,00	
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	2 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 16GB usable memory for Mirrored Mode	x			x			S26361-F3604-E526	1.947,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode	x			x			S26361-F3604-E533	303,00	
	4GB DDR3-1066 PC3-8500 rg d ECC	1 module 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x				S26361-F3284-E514	197,00	
	MM 8GB 2x4 DDR3-1066 PC3-8500 rg d ECC	2 modules 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode			x				S26361-F3284-E524	394,00	
	SP 12GB 3x4 DDR3-1066 PC3-8500 rg d ECC	3 modules 4GB 1066MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode			x				S26361-F3284-E534	590,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode	x			x			S26361-F3604-E515	383,00	
	SP 12GB 3x4 DDR3 1333 MHz PC3-10600 rg d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode	x			x			S26361-F3604-E534	590,00	
	MM 8GB 2x4 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 4GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode	x			x			S26361-F3605-E524	436,00	
	8GB DDR3-1066 PC3-8500 rg d ECC	1 module 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x				S26361-F3284-E515	771,00	
	MM 16GB 2x8 DDR3-1066 PC3-8500 rg d ECC	2 modules 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode			x				S26361-F3284-E525	1.543,00	
	SP 24GB 3x8 DDR3-1066 PC3-8500 rg d ECC	3 modules 8GB 1066MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode			x				S26361-F3284-E535	2.314,00	
	16 GB DDR3 1066 MHz PC3-8500 rg q	1 module 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode	x			x			S26361-F3604-E516	973,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	3 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode	x			x			S26361-F3604-E535	1.149,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode	x			x			S26361-F3605-E525	840,00	
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	3 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=32GB Spare or 48GB Performance Mode	x			x			S26361-F3604-E536	2.920,00	



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
<b>Options matrix</b>											
<b>Memory Modules (Continued)</b>											
	4 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x		x			S26361-F3605-E514	218,00	
	SP 12GB 3x4 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode		x		x			S26361-F3605-E534	654,00	
	2GB DDR3-1333 PC3-10600 rg ECC	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x				S26361-F3285-E513	101,00	
	MM 4GB 2x2 DDR3-1333 PC3-10600 rg ECC	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode			x				S26361-F3285-E523	202,00	
	SP 6GB 3x2 DDR3-1333 PC3-10600 rg ECC	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode			x				S26361-F3285-E533	303,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x		x			S26361-F3605-E515	420,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode		x		x			S26361-F3605-E535	1.261,00	
	4GB DDR3-1333 PC3-10600 rg d ECC	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x				S26361-F3285-E514	197,00	
	MM 8GB 2x4 DDR3-1333 PC3-10600 rg d ECC	2 modules 4GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode			x				S26361-F3285-E524	394,00	
	SP 12GB 3x4 DDR3-1333 PC3-10600 rg d ECC	3 modules 4GB 1333MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode			x				S26361-F3285-E534	590,00	
	8GB DDR3-1333 PC3-10600 rg d ECC	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode			x				S26361-F3285-E515	383,00	
	MM 16GB 2x8 DDR3-1333 PC3-10600 rg d ECC	2 modules 8GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode			x				S26361-F3285-E525	766,00	
	SP 24GB 3x8 DDR3-1333 PC3-10600 rg d ECC	3 modules 8GB 1333MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode			x				S26361-F3285-E535	1.149,00	
<b>Graphics</b>											
	Front-VGA interface	2nd optional VGA interface front side			x	x			S26361-F2571-E16	21,00	
	PY VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card		x					S26361-F2748-E533	144,00	
	PY LP VGA Card 256MB PCI-e 1	NVIDIA NVS 290 256MB PCIe-x1 graphic card, low profile	x		x	x			S26361-F2748-E633	144,00	
<b>Removable Media Drives</b>											
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, black	x	x	x	x	x	x	S26361-F3269-E2	96,00	
	Blu-ray Combo slimline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height, black	x	x	x	x	x	x	S26361-F3531-E2	271,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, black bezel, with description (G/US)					x		S26361-F3857-E4	170,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable, 1.6" fitting height, with description (G/US)			x	x			S26361-F3857-E5	170,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0, with USB cable, 1.6" black, within tape cage 2 x 3.5", with specific USB cable			x	x			S26361-F3857-E7	223,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit, 1.6" fitting height, black bezel, with description (G/US), data and cleaning cartridge					x		S26361-F3324-E4	532,00	



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
<b>Options matrix</b>											
<b>Removable Media Drives (Continued)</b>											
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US), data and cleaning cartridge			x	x			S26361-F3324-E5	532,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5", with specific USB cable, with description (G/US), data and cleaning cartridge			x	x			S26361-F3324-E7	585,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with data and cleaning cartridge					x		S26361-F3325-E4	729,00	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge					x		S26361-F4009-E4	1.511,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge					x		S26361-F3561-E4	1.851,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height , with SAS cable, with data and cleaning cartridge					x		S26361-F3626-E1	2.500,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	LTO5HH Ultrium, 1500 GB, 140 MB/s, half height, SAS 6GB/s					x		S26361-F3627-E1	3.032,00	
<b>Hard Disks</b>											
	HD SATA 3G 160GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 3.5-inch, economic	x		x	x			S26361-F3293-E160	85,00	
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x			S26361-F3294-E250	117,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x			S26361-F3294-E500	223,00	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x			S26361-F3294-E100	410,00	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x	x			S26361-F3294-E200	660,00	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	S26361-F3298-E32	697,00	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	S26361-F3298-E64	1.202,00	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic	x						S26361-F3297-E160	176,00	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic	x						S26361-F3297-E320	271,00	
	HD SATA 3G 160GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x	x	x		S26361-F3601-E160	207,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x	x	x		S26361-F3601-E500	245,00	
	HD SAS 3G 146GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x			S26361-F3291-E514	324,00	
	HD SAS 3G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x				S26361-F3291-E530	617,00	
	HD SAS 3G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x				S26361-F3291-E545	729,00	
	HD SAS 3G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 3 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x				S26361-F3291-E560	766,00	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x			S26361-F4005-E530	473,00	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x			S26361-F4005-E545	633,00	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x			S26361-F4005-E560	729,00	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x				S26361-F3292-E114	261,00	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise			x				S26361-F3292-E130	473,00	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x				S26361-F3292-E573	335,00	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise			x				S26361-F3292-E514	484,00	
	HD SAS 6G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	S26361-F4006-E114	234,00	Phased out
	HD SAS 6G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	S26361-F4006-E130	452,00	Phased out



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
<b>Options matrix</b>											
<b>Hard Disks (Continued)</b>											
	HD SAS 6G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	S26361-F4006-E573	293,00	Phased out
	HD SAS 6G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	S26361-F4006-E514	420,00	Phased out
	HD SAS 6G 146GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x		x	x	x	S26361-F4482-E114	234,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x		x	x	x	S26361-F4482-E130	452,00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x		x	x	x	S26361-F4482-E573	293,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x		x	x	x	S26361-F4482-E514	420,00	
<b>SCSI/RAID/SAS controller</b>											
	RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for LSI SAS1078 and LSI SAS2108			x	x			S26361-F3257-E116	176,00	
	RAID Contr BBU Upgrade for RAID 5/6 V55	BBU Upgrade for LSI SAS1078 and LSI SAS2108	x	x		x			S26361-F3257-E155	176,00	
	RAID Contr BBU Upgrade for RAID 5/6 V70	BBU Upgrade for LSI SAS1078 and LSI SAS2108					x	x	S26361-F3257-E170	176,00	
	4-Port SAS cable for ports 5 and 6	Upgrade kit from 4 to 6 HDs necessary for max. 6HDs		x					S26361-F3257-E250	27,00	
	RAID 5/6 SAS based on LSI MegaRAID 256MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 256MB Cache, 8 internal ports, optional BBU, SAS RAID controller for attachment of internal SAS/SATA-HD's in all RAID modes			x				S26361-F3257-E256	404,00	Phased out
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports	x	x			x		S26361-F3257-E4	117,00	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU, SAS RAID controller for attachment of internal SAS/SATA-HD's in all RAID modes			x				S26361-F3257-E512	452,00	Phased out
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports		x	x				S26361-F3257-E8	144,00	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI					x		S26361-F3270-E1	207,00	
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile	x	x	x	x			S26361-F3270-E201	207,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R					x		S26361-F3271-E1	223,00	
	SAS Ctrl 3GB/s 8 port PCIe FH EFI	SAS Controller 3GB/s 8 port, LSI SAS3442E-R full height UEFI RX900						x	S26361-F3271-E2	223,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS3442E-R Low Profile	x	x	x	x			S26361-F3271-E201	223,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x	x	S26361-F3554-E512	410,00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x		S26361-F3554-E8	176,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU					x	x	S26361-F3593-E1	628,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU	x	x	x	x			S26361-F3593-E201	628,00	
	SAS Ctrl 6G 8ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS 9200-8e						x	S26361-F3628-E1	277,00	New product
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS 9200-8e LP	x	x		x			S26361-F3628-E201	277,00	New product
	RAID Ctrl SAS 8Port 512M w/o BBU LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without iBBU			x				S26361-F3890-E201	628,00	
	RAID Ctrl SAS 8Port 512M with BBU LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, with iBBU			x				S26361-F3890-E230	739,00	
<b>Fibre Channel</b>											
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC interface					x		S26361-F3306-E1	995,00	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002, 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC interface					x		S26361-F3306-E2	1.527,00	





**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments	
<b>Options matrix</b>												
<b>Fibre Channel (Continued)</b>												
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC interface		x	x	x			S26361-F3306-E201	995,00		
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC interface		x	x	x			S26361-F3306-E202	1.527,00		
	FC Ctrl 4GBit/s QLE2460 MMF LC	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, full height, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.					x		S26361-F3483-E1	1.048,00		
	FC Ctrl 4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.					x		S26361-F3483-E2	1.612,00		
	FC Ctrl 4GBit/s QLE2460 MMF LC LP	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.		x	x	x			S26361-F3483-E201	1.048,00		
	FC Ctrl 4GBit/s QLE2462 MMF LC LP	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, low profile, MMF LC interface, This controller is in PRIMERGY server not certified for Microsoft Cluster.		x	x	x			S26361-F3483-E202	1.612,00		
	FC Ctrl 8GB/s 1 Kanal QLE2560 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber					x	x	S26361-F3631-E1	1.090,00		
	FC Ctrl 8GB/s 2 Kanal QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber					x	x	S26361-F3631-E2	1.766,00		
	FC Ctrl 8GB/s 1 Kanal QLE2560 MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber		x	x	x			S26361-F3631-E201	1.090,00		
	FC Ctrl 8GB/s 2 Kanal QLE2562 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber		x	x	x			S26361-F3631-E202	1.766,00		
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber					x	x	S26361-F3961-E1	1.090,00		
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber					x	x	S26361-F3961-E2	1.766,00		
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber		x	x	x			S26361-F3961-E201	1.090,00		
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber		x	x	x			S26361-F3961-E202	1.766,00		
<b>Connection Blades</b>												
	InfiniBand Cu Cable 40GB, customized	Cable IB QSFP, length is customised (depends on mounting requirements), incl. assembly		x		x	x		S26361-F3996-E500	117,00		
	Infiniband Cu Cable 40GB, 4x QSFP, 1m			x		x	x		S26361-F3996-E101	101,00		
	Infiniband Cu Cable 40GB, 4x QSFP, 3m			x		x	x		S26361-F3996-E103	128,00		
<b>Communication/Network</b>												
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter						x	S26361-F3228-E1	186,00	Phased out	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter	x	x	x	x			S26361-F3228-E201	186,00	Phased out	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel® Pro 1000PT 1 Port Server Adapter	x	x	x	x			S26361-F3241-E201	96,00		
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter					x	x	S26361-F3242-E1	388,00		
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel® Pro 1000PF 1 Port Server Adapter	x	x	x	x			S26361-F3242-E201	388,00		
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket					x	x	S26361-F3462-E1	521,00	Phased out	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket	x	x	x	x			S26361-F3462-E201	521,00	Phased out	
	Eth Ctrl 1x1GBit PCIe CT Desktop Cu lp	Intel® GBit CT 1 Port Desktop Adapter lp	x	x	x	x			S26361-F3516-E201	64,00		
	Eth Ctrl 2x1GBit PCIe x4 D2735 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735 Cu						x	S26361-F3610-E1	165,00		
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu						x	S26361-F3610-E2	165,00		
	Eth Ctrl 2x1GBit PCIe x4 D2735 Cu lp	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735 Cu lp	x	x		x			S26361-F3610-E201	165,00		
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu					x	x	S26361-F3611-E1	399,00		
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu lp	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu lp	x	x		x			S26361-F3611-E201	399,00		





## Rack Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>Communication/Network (Continued)</b>											
	IB HCA 40GB 1 Kanal QDR	InfiniBand HCA 40GB/s, 1-port, QDR		x		x	x		S26361-F4475-E102	931,00	
	IB HCA 40GB 2 Kanal QDR	InfiniBand HCA 40GB/s, 2-port, QDR		x		x	x		S26361-F4475-E202	1.324,00	Orderable from: 14/01/2011
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables					x	x	S26361-F3555-E1	691,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable	x	x	x	x			S26361-F3592-E202	1.468,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable					x		S26361-F3592-E2	1.468,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102	x	x	x	x	x		S26361-F3592-E108	426,00	
	Eth Ctrl 2x10GBit PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables	x	x		x			S26361-F3555-E201	691,00	
	Intel SFP+ Module MMF 10GBE LC	Intel® Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC	x	x		x	x	x	S26361-F3555-E900	628,00	
<b>Rack-Infrastructure</b>											
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x	x					S26361-F1647-E302	69,00	
	Rack Mount Kit for RX900							x	S26361-F2735-E109	191,00	
	Cable mgmt. RX900 für asym. 19" Racks							x	S26361-F2735-E17	32,00	
	Adapter angle PC/DC-Rack, 3U till 200Kg	Adapter angle PC/DC-Rack, 3U till 200kg						x	S26361-F2735-E31	32,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.			x	x	x	x	SNP-SY-F1647E301-P	138,00	
	RMK-F1_1-2U Server	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw., Rack installation depth (19" pillar distance) between 714mm and 785mm	x	x	x	x			S26361-F2735-E101	59,00	
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	telescopic full extraction, drop-in mount., vario-carrier for toolless mounting., max. load 50 kg., Rack installation depth (19" pillar distance) between 714mm and 785mm					x		S26361-F2735-E202	69,00	
	RMK-P_1-2U servers	telescopic rail, partial extraction with vario-carrier, pre-assembled with centre screw., Rack installation depth (19" pillar distance) between 714mm and 785mm	x	x	x	x			S26361-F2735-E110	59,00	
	Cable magmt. for 19" PC- Rack	Cablemanagement for adding a server or storage subsystem into the PRIMECENTER rack			x	x	x		S26361-F2735-E7	32,00	
	1 U cable arm, dragged	Cable arm for PRIMERGY Server, dragged for PRIMECENTER- and 3rd-party racks	x	x					S26361-F2735-E8	32,00	
	cable management arm for 3rd party racks	all-purpose for PY server in 3rd party a. classic racks (please do not order together with rack mount into PRIMECENTER racks - ex factory!			x	x	x	x	S26361-F2201-E20	53,00	
<b>PRIMERGY-Software</b>											
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection	x	x	x	x	x	x	S26361-F1790-E241	319,00	
	Win Web Srv 2008 w/SP2 EFGJS	Windows Web Server 2008 w/SP2 1-4 CPU, Languages: EN DE ES FR JA, OEM DVD, license	x	x	x	x			S26361-F2565-E303	351,00	Phased out
	Win Web Srv 2008 w/SP2 CEIPR	Windows Web Server 2008 w/SP2 1-4 CPU., Languages: CS EN IT PL RU, LangPacks HU NL PT SV TR, OEM DVD, license	x	x	x	x			S26361-F2565-E304	351,00	Phased out



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments	
Options matrix												
<b>PRIMERGY-Software (Continued)</b>												
	Win Server 2008 Standard AdditionalCOA	Windows Server 2008 Standard AdditionalCOA (1-4 CPU), contains one (1) additional proof of license (COA Certificate of Authenticity) for one (1) additional Virtual Use Right of a Windows Server Standard guest operating system instance and 5 additional CAL (CAL Client Access License).	x		x				S26361-F2565-E312	707,00	Phased out	
	Win Srv 2008 Std w/SP2 w/5CAL EFGJS	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Languages: EN DE ES FR JA, OEM DVD, license	x	x	x	x			S26361-F2565-E315	707,00	Phased out	
	Win Srv 2008 Std w/SP2 w/5CAL CEIPR	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Languages: CS EN IT PL RU, LangPacks HU NL PT SV TR, OEM DVD, license	x	x	x	x			S26361-F2565-E316	707,00	Phased out	
	Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	S26361-F2565-E317	27,00	Phased out	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	S26361-F2565-E318	27,00	Phased out	
	Win Server 2008 Enterprise AdditionalCOA	Windows Server 2008 Enterprise AdditionalCOA (1-8 CPU), contains one (1) additional proof of license (COA Certificate of Authenticity) for four (4) additional Virtual Use Rights of a Windows Server Enterprise or Standard guest operating system instance and 25 additional CAL (CAL Client Access License).	x		x				S26361-F2565-E322	2.553,00	Phased out	
	Win Srv 2008 Ent w/SP2 w/10CAL EFGJS	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: EN DE ES FR JA, OEM DVD, license	x	x	x	x			S26361-F2565-E325	2.160,00	Phased out	
	Win Srv 2008 Ent w/SP2 w/10CAL CEIPR	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: CS EN IT PL RU, LangPacks HU NL PT SV TR, OEM DVD, license	x	x	x	x			S26361-F2565-E326	2.160,00	Phased out	
	Win Srv 2003 R2 Enterprise DVD Media Onl	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	S26361-F2565-E327	27,00	Phased out	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	x	S26361-F2565-E328	27,00	Phased out	
	Win Srv 2008 Dtc w/SP2 2CPU EFGJS	Win Srv 2008 Dtc w/SP2 2CPU , Languages: EN DE ES FR JA, LangPack IT, OEM DVD, license		x	x	x			S26361-F2565-E333	3.415,00	Phased out	
	Win Srv 2008 Dtc w/SP2 4CPU EFGJS	Win Srv 2008 Dtc w/SP2 4CPU , Languages: EN DE ES FR JA, LangPack IT, OEM DVD, license					x		S26361-F2565-E334	6.835,00	Phased out	
	Win SBS 2008 Standard OEM, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x			S26361-F2565-E350	670,00		



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments	
Options matrix												
<b>PRIMERGY-Software (Continued)</b>												
	Win SBS 2008 Standard OEM, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x			S26361-F2565-E351	670,00		
	Win SBS 2008 Standard OEM, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x			S26361-F2565-E352	670,00		
	Win SBS 2008 Standard OEM, F	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x			S26361-F2565-E353	670,00		



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments	
Options matrix												
<b>PRIMERGY-Software (Continued)</b>												
	Win SBS 2008 Standard OEM, E	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x			S26361-F2565-E354	670,00		
	Win SBS 2008 Standard OEM, CZ	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x			S26361-F2565-E355	670,00		
	Win SBS 2008 Premium OEM, GB	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA)., Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x			S26361-F2565-E360	1.165,00		



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>PRIMERGY-Software (Continued)</b>											
	Win SBS 2008 Premium OEM, D	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x			S26361-F2565-E361	1.165,00	
	Win SBS 2008 Premium OEM, I	Microsoft Windows Small Business Server 2008 Standard (1-4 CPU, 5 CAL) ROK is a channel product (Reseller Option Kit) only available for distribution and installable on PRIMERGY HW only., The SW supports max. 75 users/devices. For this SW you need dedicated Windows SBS 2008 CAL's (Client Access Licenses). This product package includes 5 CALs., Contains: OEM DVD, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA), Attention: This part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.	x	x	x	x			S26361-F2565-E362	1.165,00	
	Windows Storage Server 2008 64-bit EMB	Standard, SP2, update 2				x			S26361-F2565-E560	782,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.	x	x	x	x	x		S26361-F2567-E20	426,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.	x	x	x	x	x	x	S26361-F2567-E30	122,00	
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	S26361-F2567-E302	335,00	
	Win Srv 2008 R2 Foundation 1CPU MULI OEM	Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x						S26361-F2567-E306	186,00	
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	S26361-F2567-E310	590,00	
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x	x	x	S26361-F2567-E320	1.883,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x			S26361-F2567-E330	3.032,00	
	Win Srv 2008 R2 Datacenter 4CPU MULI OEM	Win Srv 2008 R2 Dtc (4 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.					x	x	S26361-F2567-E332	6.064,00	
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x		x			S26361-F2567-E360	846,00	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x		x			S26361-F2567-E361	420,00	
	Win HPC Pack 2008 R2 Express MUL OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x		x			S26361-F2567-E362	27,00	



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>PRIMERGY-Software (Continued)</b>											
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x		x			S26361-F2567-E363	117,00	
	HPC SW Stack 1-node 1Y	HPC Software Stack per node (head and compute node) 5x9 level3 support 1-Year		x		x			S26361-F2346-C951	167,00	
	PRIMERGY MultiPath MPIO 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	S26361-F2565-E593	931,00	
	PRIMERGY MultiPath 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	S26361-F2565-E595	931,00	
	HPC SW services entitlement 1Y	HPC Software Stack Services entitlement per HPC configuration 1-Year		x		x			S26361-F2346-S951	2,00	
	PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	S26361-F2565-E591	2.920,00	
	Red Hat EL HPC 2-CPU Basic Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year		x		x			S26361-F2346-C851	66,00	
	Identifier	FlexFrame Identifier, has to be ordered one time per FF configuration			x	x			D:FF4SAP-ID-V041	0,01	
	FF-CN-SW RTU	FlexFrame ControlNode Right to use			x	x			U21348-C101	5.451,65	
	FF4S V5.0A Media-Set	FlexFrame V5.0A media set			x	x			U21348-C5000	80,00	
	FF-Staging-Identifier	FlexFrame staging identifier. Has to be ordered one time per configuration for preinstall and test of the configuration in the factory			x	x			U21348-C105	0,01	
	FF-42-Media-Set	FlexFrame media set consisting of 9 DVDs			x				U21348-C107	80,00	
	FF4S RBAC Package Small	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 10 application nodes.			x	x			U21348-C108	1.099,00	
	FF4S RBAC Package Medium	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 50 application nodes.			x	x			U21348-C109	5.500,00	
	FF4S RBAC Package Large	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for more than 50 application nodes.			x	x			U21348-C110	11.000,00	
	FF-AN RTU for RX600 and BX960	FF4SAP RTU						x	U21348-C231	10.520,00	
	FF RTU RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame ApplicationNode RTU for RX300 S5/S6, BX620 S5/S6 and BX920 S1/S2.			x	x			U21348-C291	4.785,00	
	FF-AN SAN RTU RX600 and BX960	FF4SAP SAN Connectivity RTU						x	U21348-C232	5.260,00	
	FF SAN RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2), which is connected via SAN to the database			x	x			U21348-C292	2.393,00	
	FF-AN Accounting RTU RX600 and BX960	FF4SAP Accounting RTU						x	U21348-C233	5.260,00	
	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2.			x	x			U21348-C293	2.393,00	
	FF-AN Messenger RTU RX600 and BX960	FF4SAP Messenger RTU						x	U21348-C234	5.260,00	
	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2			x	x			U21348-C294	2.393,00	
	FF-VMWare Package vSphere STD Option	FlexFrame VMWare vSphere 4 Standard RTU. The license includes the corresponding VMWare vSphere 4 Standard licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMWare vSphere 4 service package (SnS)						x	U21348-C431	3.824,00	
	FF-VMWare Package vSphere STD Option	FlexFrame VMWare vSphere 4 Standard RTU. The license includes the corresponding VMWare vSphere 4 Standard licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMWare vSphere 4 service package (SnS)			x	x			U21348-C491	1.832,00	



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>PRIMERGY-Software (Continued)</b>											
	FF-VMWare Package vSphere ADV Option	FlexFrame VMWare vSphere 4 Advanced RTU. The license includes the corresponding VMWare vSphere 4 Advanced licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMWare vSphere 4 service package (SnS)					x		U21348-C432	7.584,00	
	FF-VMWare Package vSphere ADV Option	FlexFrame VMWare vSphere 4 Advanced RTU. The license includes the corresponding VMWare vSphere 4 Advanced licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMWare vSphere 4 service package (SnS)			x	x			U21348-C492	3.712,00	
	FF-VMWare Package vSphere ENT PL Option	FlexFrame VMWare vSphere 4 Enterprise Plus RTU. The license includes the corresponding VMWare vSphere 4 Enterprise Plus licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMWare vSphere 4 service package (SnS)					x		U21348-C433	10.832,00	
	FF-VMWare Package vSphere ENT PL Option	FlexFrame VMWare vSphere 4 Enterprise Plus RTU. The license includes the corresponding VMWare vSphere 4 Enterprise Plus licence., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMWare vSphere 4 service package (SnS)		x	x				U21348-C493	5.336,00	
	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary VMware vSphere licenses and support contracts have to be ordered via the local VMware contacts., These licenses can also be ordered, when the customer already has its own VMware vSphere licenses and support.					x		U21348-C430	1.759,00	
	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary VMware vSphere licenses and support contracts have to be ordered via the local VMware contacts., These licenses can also be ordered, when the customer already has its own VMware vSphere licenses and support			x	x			U21348-C490	800,00	
	SUSE Linux ES 1-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server 1-CPU socket 1-Year subscription	x						S26361-F2346-E601	154,00	
	SUSE Linux ES 1-CPU 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server 1-CPU socket 3-Years subscription	x						S26361-F2346-E602	417,00	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription		x	x	x	x	x	S26361-F2346-E611	265,00	
	SUSE Linux ES 32-CPU 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3-Years subscription		x	x	x	x	x	S26361-F2346-E612	714,00	
	SUSE Linux E 11 HAE 32-CPU 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3-Years subscription	x	x	x	x	x	x	S26361-F2346-E622	1.436,00	
	Red Hat EL 2-CPU 5x9 I3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 level3 Support 1-Year	x	x	x	x			S26361-F2346-E701	336,00	
	Red Hat EL 2-CPU 5x9 I3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 level3 Support 3-Years	x	x	x	x	x	x	S26361-F2346-E702	835,00	



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>PRIMERGY-Software (Continued)</b>											
	Red Hat EL 2-CPU 7x24 I3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 1-Year	x	x	x	x			S26361-F2346-E706	566,00	
	Red Hat EL 2-CPU 7x24 I3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 3-Years	x	x	x	x			S26361-F2346-E707	1.376,00	
	Red Hat EL AP 5x9 I3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 level3 Support 1-Year	x	x	x	x	x	x	S26361-F2346-E711	701,00	
	Red Hat EL AP 5x9 I3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 level3 Support 3-Years	x	x	x	x	x	x	S26361-F2346-E712	1.595,00	
	Red Hat EL AP 7x24 I3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 1-Year	x	x	x	x	x	x	S26361-F2346-E716	850,00	
	Red Hat EL AP 7x24 I3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 3-Years	x	x	x	x	x	x	S26361-F2346-E717	2.122,00	
	Red Hat EL 2-CPU 5x9 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 1-Year		x	x	x	x	x	S26361-F2346-S801	745,00	
	Red Hat EL 2-CPU 5x9 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 3-Years		x	x	x	x	x	S26361-F2346-S802	2.016,00	
	Red Hat EL 2-CPU 7x24 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 1-Year		x	x	x	x	x	S26361-F2346-S806	1.218,00	
	Red Hat EL 2-CPU 7x24 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 3-Years		x	x	x	x	x	S26361-F2346-S807	3.293,00	
	Red Hat EL AP 5x9 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 1-Year		x	x	x			S26361-F2346-S811	1.410,00	
	Red Hat EL AP 5x9 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 3-Years		x	x	x			S26361-F2346-S812	3.777,00	
	Red Hat EL AP 7x24 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 1-Year		x	x	x			S26361-F2346-S816	2.335,00	
	Red Hat EL AP 7x24 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 3-Years		x	x	x			S26361-F2346-S817	6.335,00	
	VMware ESXi 4.1 Embedded UFM Device	VMware ESXi 4.1 Embedded UFM Device Embedded UFM Storage Device , Additional License and SP required	x	x	x	x	x	x	S26361-F2341-E431	64,00	
	Citrix XS AE, 3yr SA	N/A		x	x	x	x	x	S26361-F2341-S980	1.117,00	
	Citrix XS EE, 3yr SA	N/A		x	x	x	x	x	S26361-F2341-S981	2.798,00	
	Citrix XS PE, 3yr SA	N/A		x	x	x	x	x	S26361-F2341-S982	5.628,00	
	Citrix XS AE-EE upgr, 3yr SA	N/A		x	x	x	x	x	S26361-F2341-S983	2.128,00	
	Citrix XS AE-PE upgr, 3yr SA	N/A		x	x	x	x	x	S26361-F2341-S984	5.191,00	
	Citrix XS EE-PE upgr, 3yr SA	N/A		x	x	x	x	x	S26361-F2341-S985	3.766,00	
	Citrix XS AE, 1yr SA	N/A		x	x	x	x	x	S26361-F2341-S986	883,00	
	Citrix XS EE, 1yr SA	N/A		x	x	x	x	x	S26361-F2341-S987	2.213,00	
	Citrix XS PE, 1yr SA	N/A		x	x	x	x	x	S26361-F2341-S988	4.436,00	
	Citrix XS AE-EE upgr, 1yr SA	N/A		x	x	x	x	x	S26361-F2341-S989	1.553,00	
	Citrix XS AE-PE upgr, 1yr SA	N/A		x	x	x	x	x	S26361-F2341-S990	3.989,00	
	Citrix XS EE-PE upgr, 1yr SA	N/A		x	x	x	x	x	S26361-F2341-S991	2.574,00	
	VMware ESXi 4. Single SRV w/o SP-1yr	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E500	11,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E514	859,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E515	859,00	
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E518	1.936,00	
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E519	1.936,00	





**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>PRIMERGY-Software (Continued)</b>											
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E520	2.479,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E521	2.479,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E522	3.016,00	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore , ESX 3.5,vCenter 2.5 - No License	x	x	x	x	x	x	S26361-F2341-E300	85,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E523	3.016,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E550	9.090,00	
	VMware ADV AK(6CPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E551	9.090,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E570	15.367,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E571	15.367,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E554	22.761,00	
	VMware ENT-PL AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E555	22.761,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E556	4.303,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E557	4.303,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E558	1.293,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E559	1.293,00	
	VMware Essentials Plus w/o SP-1yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E562	3.017,00	
	VMware Essentials Plus w/o SP-3yr	VMware Essentials Plus for 6 CPU (Max 6 Cores/CPU) inc VC-FND-E , - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	S26361-F2341-E563	3.017,00	
	VMware View ENT Start 10 CLI w/7x24-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E601	1.622,00	
	VMware View ENT Start 10 CLI w/7x24-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E602	2.324,00	
	VMware View ENT 100 CLI w/7x24-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E603	16.207,00	
	VMware View ENT 100 CLI w/7x24-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E604	23.186,00	
	VMware View ENT Add 10 CLI w/7x24-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E605	1.622,00	



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>PRIMERGY-Software (Continued)</b>											
	VMware View ENT Add 10 CLI w7x24-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E606	2.324,00	
	VMware View ENT Add-On 10 CLI w7x24-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E607	544,00	
	VMware View ENT Add-On 10 CLI w7x24-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E608	777,00	
	VMware View ENT Start 10 CLI w5x9-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E611	1.569,00	
	VMware View ENT Start 10 CLI w5x9-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E612	2.165,00	
	VMware View ENT 100 CLI w5x9-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E613	15.686,00	
	VMware View ENT 100 CLI w5x9-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E614	21.697,00	
	VMware View ENT Add 10 CLI w5x9-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E615	1.569,00	
	VMware View ENT Add 10 CLI w5x9-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E616	2.165,00	
	VMware View ENT Add-On 10 CLI w5x9-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E617	527,00	
	VMware View ENT Add-On 10 CLI w5x9-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E618	723,00	
	VMware View PRE Start 10 CLI w7x24-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E621	2.697,00	
	VMware View PRE Start 10 CLI w7x24-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E622	3.867,00	
	VMware View PRE 100 CLI w7x24-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E623	26.979,00	
	VMware View PRE 100 CLI w7x24-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E624	38.670,00	
	VMware View PRE Add 10 CLI w7x24-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E625	2.697,00	
	VMware View PRE Add 10 CLI w7x24-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E626	3.867,00	
	VMware View PRE Add-On 10 CLI w7x24-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E627	1.621,00	
	VMware View PRE Add-On 10 CLI w7x24-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E628	2.324,00	
	VMware View PRE Start 10 CLI w5x9-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E631	2.612,00	



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>PRIMERGY-Software (Continued)</b>											
	VMware View PRE Start 10 CLI w/5x9-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-FND+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E632	3.612,00	
	VMware View PRE 100 CLI w/5x9-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E633	26.117,00	
	VMware View PRE 100 CLI w/5x9-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E634	36.117,00	
	VMware View PRE Add 10 CLI w/5x9-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E635	2.612,00	
	VMware View PRE Add 10 CLI w/5x9-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E636	3.612,00	
	VMware View PRE Add-On 10 CLI w/5x9-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E637	1.569,00	
	VMware View PRE Add-On 10 CLI w/5x9-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E638	2.165,00	
	VMware SRM for 1 ESX CPU w/7x24-1yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E641	1.899,00	
	VMware SRM for 1 ESX CPU w/7x24-3yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E642	2.729,00	
	VMware SRM+ADV AK(6CPU+VC-STD)/w/7x24-1yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E643	28.186,00	
	VMware SRM+ADV AK(6CPU+VC-STD)/w/7x24-3yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E644	40.372,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)/w/7x24-1yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E645	34.165,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)/w/7x24-3yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E646	49.096,00	
	VMware SRM 25 VM Pack w/7x24-1yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E647	12.222,00	
	VMware SRM 25 VM Pack w/7x24-3yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. year VMware 7x24 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E648	17.553,00	
	VMware SRM for 1 ESX CPU w/5x9-1yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E651	1.840,00	
	VMware SRM for 1 ESX CPU w/5x9-3yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E652	2.543,00	
	VMware SRM+ADV AK(6CPU+VC-STD)/w/5x9-1yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E653	27.282,00	
	VMware SRM+ADV AK(6CPU+VC-STD)/w/5x9-3yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E654	37.819,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)/w/5x9-1yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E655	33.074,00	
	VMware SRM+ENT-PL AK(6CPU+VCS)/w/5x9-3yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E656	45.798,00	



## Rack Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>PRIMERGY-Software (Continued)</b>											
	VMware SRM 25 VM Pack w/5x9-1yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E657	11.832,00	
	VMware SRM 25 VM Pack w/5x9-3yr	VMware SRM 25 VM Pack Protects 25 VM's , - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	S26361-F2341-E658	16.372,00	
<b>UPS/Power supply</b>											
	Power Supply Module 770W silver hp	for optional PS redundancy incl. mounting kit		x					S26113-F539-E1	213,00	
	Power Supply Module 800W (hot plug)	2nd PS hp for redundancy			x				S26113-F543-E10	202,00	Phased out
	Power Supply Module 800W gold hp	gold PS hp for redundancy			x	x			S26113-F555-E10	245,00	
	Power Supply Module 850W	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold)					x		S26113-F561-E10	383,00	
	Power Supply Module 450W gold hp	1st or 2nd PSU hp for redundancy for RX200S6 gold PSU		x					S26113-F570-E1	117,00	
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)						x	S26113-F573-E10	936,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x			T26139-Y1742-E10	11,00	
<b>Miscellaneous</b>											
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	x	x	x	x	x	x	S26361-F1647-E410	27,00	
	LocalView Option Kit S2	LCD display with installation kit			x	x			S26361-F2557-E106	74,00	
	Customer Self Service Modul RX Server	Support for Customer Self Service (CSS), incl. mounting kit			x	x			S26361-F2557-E205	27,00	
	Fan upgrade kit hot-plug redundancy	Redundant hot plug fans option, incl. 5 fans			x				S26361-F2621-E5	96,00	Phased out
	RX100 S6 E-STAR FAM1 certification	Limited configuration according Emery Star Server 1.0 for systems with Standard PSU and Dual Core CPUs	x						S26361-F3301-E101	3,00	
	RX100 S6 E-STAR FAM2 certification	Limited configuration according Emery Star Server 1.0 for systems with Standard PSU and Qual Core CPUs	x						S26361-F3301-E102	3,00	
	RX200S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units		x					S26361-F3301-E401	3,00	
	RX300S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units				x			S26361-F3301-E501	3,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x	x	x	x	S26361-F3552-E1	53,00	
	Opt. Front VGA + add. USB	VGA and USB connector, instead of Local Service Panel	x						S26361-F3577-E1	37,00	
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)	x						S26361-F2557-E204	32,00	
	No RMK	no Rackmount-Kit, Special case TX200-S4: if needed, please order rack-mount kit as option to the server: S26361-F2734-L90	x	x	x	x	x	x	S26361-F2735-E111	5,00	
<b>SW Data Center Products</b>											
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	S26361-F2341-E913	1.106,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	S26361-F2341-E914	5.543,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	S26361-F2341-E915	11.085,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	S26361-F2341-E923	2.617,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	S26361-F2341-E924	13.074,00	



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>SW Data Center Products (Continued)</b>											
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	S26361-F2341-E925	26.149,00	
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	S26361-F2341-E933	3.989,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	S26361-F2341-E934	19.947,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x	x	x	x	x	x	S26361-F2341-E935	39.894,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	S26361-F2341-E960	2.309,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	S26361-F2341-E961	11.521,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	S26361-F2341-E962	23.053,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	S26361-F2341-E963	3.681,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	S26361-F2341-E964	18.394,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	S26361-F2341-E965	36.787,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	S26361-F2341-E966	2.351,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	S26361-F2341-E967	11.745,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x	x	x	x	x	x	S26361-F2341-E968	23.489,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	S26361-F2341-S913	840,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	S26361-F2341-S914	4.213,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x	x	x	x	x	x	S26361-F2341-S915	8.426,00	



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments	
Options matrix												
<b>SW Data Center Products (Continued)</b>												
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	S26361-F2341-S923	2.000,00		
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	S26361-F2341-S924	9.979,00		
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	S26361-F2341-S925	19.947,00		
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	S26361-F2341-S933	3.106,00		
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	S26361-F2341-S934	15.511,00		
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	S26361-F2341-S935	31.032,00		
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	S26361-F2341-S960	1.681,00		
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	S26361-F2341-S961	8.426,00		
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	S26361-F2341-S962	16.840,00		
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	S26361-F2341-S963	2.798,00		
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	S26361-F2341-S964	13.968,00		
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	S26361-F2341-S965	27.926,00		
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	S26361-F2341-S966	1.468,00		
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	S26361-F2341-S967	7.319,00		
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	S26361-F2341-S968	14.628,00		
	SVRCVESC V21 (WIN) MED CD	Resource Coordinator VE Standard Media Pack (Windows) V2.1	x		x				U11420-C900	50,00	Phased out	
	SVRCVESC V22 (WIN) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Windows) V2.2	x	x	x	x	x	x	U11420-C910	50,00		



**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>SW Data Center Products (Continued)</b>											
	SVRCVESC V21 (LINUX) MED CD	Resource Coordinator VE Standard Media Pack (Linux) V2.1	x	x					U11420-C901	50,00	Phased out
	SVRCVESC V22 (LINUX) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Linux) V2.2	x	x	x	x	x	x	U11420-C911	50,00	
	SVRCVEMGR V22 (WIN) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class V2	x	x	x	x	x		U11420-C902	2.363,00	
	SVRCVEMGR V22 (WIN) RTU 1 SVR 8C	ServerView Resource Coordinator VE Standard Server License for 1 Manager 8CPU Class V2						x	U11420-C920	4.727,00	
	SVRCVEMGR V22 (WIN) UGRTU 1 SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class Upgrade from RCVE Preview V2	x	x	x	x	x		U11420-C922	2.363,00	
	SVRCVEMGR V22 (WIN) UGRTU 1 SVR 8C	ServerView Resource Coordinator VE Standard Server License for 1 Manager 8CPU Class Upgrade von RCVE Preview V2						x	U11420-C923	4.727,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 4CPUClass V2	x	x	x	x	x		U11420-C903	517,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 10SVR 4C	Resource Coordinator VE Standard Server License for 10 Agents (Windows or Linux) 4 CPU Class V2	x	x	x	x	x		U11420-C904	4.033,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 18SVR 4C	Resource Coordinator VE Standard Server License for 18 Agents (Windows or Linux) 4 CPU Class V2	x	x	x	x	x		U11420-C905	7.869,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 1SVR 8C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 8 CPU Class V2						x	U11420-C926	1.034,00	
	SVRCVEFCO V2 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows) V2	x	x	x	x	x	x	U11420-C906	100,00	
	SVRCVEMCO V22 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows) V2	x	x	x	x	x	x	U11420-C936	100,00	
	SVRCVESDEMO V2 (WIN/LINUX) RTU	ServerView Resource Coordinator VE Standard Demo License (1 System) V2	x	x	x	x	x	x	U11420-C907	0,01	
	SVRORDEMO V2 (WIN/LINUX) RTU	ServerView Resource Orchestrator Demo License ( 1 System) V2	x	x	x	x	x	x	U11420-C935	0,01	
	SVRORCD V22 (WIN) MED CD	ServerView Resource Orchestrator Media Pack V2.2 for Windows	x	x	x	x	x	x	U11420-C937	50,00	
	SVRORCD V22 (LINUX) MED CD	ServerView Resource Orchestrator Media Pack V2.2 for Linux	x	x	x	x	x	x	U11420-C938	50,00	
	XTN-CD V31 (PS) MED CD	x10sure CD 3.1; (Binaries / Documents) 1 Medium, German & English Version		x	x	x	x	x	U11420-C775	50,00	
	SVRORSVR V22 (WIN/LINUX) RTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class V2	x	x	x	x	x		U11420-C940	1.331,00	
	XTN-B V31 (PS) RTU -1CN1AN	x10sure 3.1 - Base License (RTU for 1 Control Node + 1 Application Node; no support nor updates included)		x	x	x	x	x	U11420-C877	1.400,00	
	XTN-B V31 (PS) UgRTU -1CN1AN	x10sure 3.1 - Upgrade Base License (Upgrade RTU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)		x	x	x	x	x	U11420-C773-U	1,00	
	XTN-N V31 (PS) RtU -1 Node	x10sure 3.1 RtU for 1 additional Application- or Spare Node; no support nor updates included		x	x	x	x	x	U11420-C878	1.100,00	
	SVRORSVR V22 (WIN/LINUX) RTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class V2	x	x	x	x	x		U11420-C942	12.376,00	
	XTN-N V31 (PS) UgRtU -1 Node	x10sure 3.1 - Upgrade License (Upgrade RtU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)		x	x	x	x	x	U11420-C774-U	1,00	
	XTNIS-CD V31 (PS) MED CD	x10sure IS CD 3.1; (Binaries / Documents) 1 Medium, German & English Version				x			U11420-C776	50,00	
	SVRORSVR V22 (WIN/LINUX) RTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class V2	x	x	x	x	x		U11420-C943	22.277,00	





**Rack Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	PRIMERGY RX100 S6	PRIMERGY RX200 S6	PRIMERGY RX300 S5	PRIMERGY RX300 S6	PRIMERGY RX600 S5	PRIMERGY RX900 S1	Product Code	EUP (€)	Comments
Options matrix											
<b>SW Data Center Products (Continued)</b>											
	XTNIS-B V31 (PS) RTU -1CN1AN	x10sure IS 3.1 - License (RtU for one x10sure IS (Internal Storage) configuration consisting of 2 servers with internal RAID-storage; no support nor updates included)				x			U11420-C879	2.500,00	
	SVRORSVR V22 (WIN/LINUX) RTU 1SVR 8C	ServerView Resource Orchestrator Server License (1 Server) 8CPU Class V2						x	U11420-C944	2.662,00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class RCVE Agent Upgrade V2	x	x	x	x	x		U11420-C946	814,00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class RCVE Agent Upgrade V2	x	x	x	x	x		U11420-C948	8.343,00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class RCVE Agent Upgrade V2	x	x	x	x	x		U11420-C949	14.408,00	
	SVRORSVR V22 (WIN/LINUX) UGRTU 1SVR 8C	ServerView Resource Orchestrator Server License (1 Server) 8CPU Class RCVE Agent Upgrade V2						x	U11420-C950	1.628,00	
<b>Solution identifier</b>											
	HPC Solution Identifier				x				FTS:HPC-ID-V001	11,00	
	HPC Head Node Inst. ex works incl ICR	Please note configuration hints			x				S26361-F3638-E1	1.271,00	
	HPC Compute Node Inst. ex works incl ICR	Please note configuration hints	x		x				S26361-F3638-E2	218,00	





## Positioning PRIMERGY Blade Servers



**PRIMERGY  
BX900 S1**

The PRIMERGY BX900 S1 is a rack unit that has an installed height of 10U and accommodates 1 to 18 server blades and 1 to 6 storage blades. The energy-efficient Intel Nehalem Quad-Core processors are used in the server blades. Ethernet, Fibre Channel and Infiniband networks are accessed via 8 switch bays. Switches from Cisco, Brocade and Emulex can be used. With its transfer rate of 6.4 Gb/s, the midplane used is the fastest on the market. 100V and 200V power supplies are available. This hardware platform is ideal for server consolidation and virtualization in the datacenter.



**PRIMERGY  
BX600 S3**

The PRIMERGY Blade Ecosystem provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. PRIMERGY BX600 S3 can be equipped with up to ten Intel or AMD server blades, and are excellently suited for consolidation projects and for front- and mid-tier applications requiring enterprise-class availability, extreme flexibility and power efficiency. Due to its versatile design the system is ideal suited for smaller and mid market companies.



**PRIMERGY  
SX650**

This storage blade for PRIMERGY BX600 offers an easy and cost effective opportunity for server consolidation. Rack and tower servers with high capacity of local hard disks are operating primarily in the area of small and medium enterprises. Very often it is essential having local access on large amounts of data; this for example applies to the wide area of Computer Aided Engineering (CAE), where smaller workgroups locally have to work on and create very large models. Operation within confined environments as file servers as well as for Microsoft SharePoint Servers and Microsoft SQL Servers are popular usage cases.



**PRIMERGY  
SX940 S1**

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.



**PRIMERGY  
BladeFrame BF200**

PRIMERGY BladeFrame is the platform to set up an application-independent and service-oriented IT infrastructure. The Processing Area Network (PAN) combines stateless servers (pBlades) with unique virtualization and management software, thus reducing the existing infrastructure complexity and providing a dynamic, high-availability system.

PRIMERGY BladeFrame uses the PAN architecture to manage a pool of computing, storage and network resources which can be dynamically allocated depending on business requirements. The PAN Manager is the central instance for configuring, managing and monitoring both the physical as well as virtual servers. With the PAN Manager a server is no longer a device with a defined configuration, operating system and application, but a software-based definition that can be dynamically assigned as needed. The PAN architecture thus expands the benefits of server virtualization and provides an integrated concept for high-





**PRIMERGY**  
**BladeFrame BF400 S2**

...availability (N+1 failover) and disaster recovery. The result is considerable savings in operational and total costs.



**PRIMERGY BX900 S1** **Data Sheets: <http://ts.fujitsu.com/primergy>**

**PRIMERGY BX900 - The Dynamic Cube**

The PRIMERGY BX900 – Dynamic Cube is a complete Dynamic Server Infrastructure in a single blade cube. This blade server can be dynamically adapted to different IT requirements, thereby reducing costs while increasing your IT agility.

The PRIMERGY BX900 can accommodate up to 18 server blades in a 10U chassis.

Using Cool -safe™, our trademarked cooling concept, combined with power supplies with 90% efficiency and the embedded ServerView Power management software, it ensures truly dynamic power and cooling capabilities that save you money.

Equipped with the latest Intel VT processor technologies, very large memory capacities and state-of-the-art I/O performance, the PRIMERGY BX900 is optimized for any virtualization scenario. Its density and stackability enable flexible scaling to ensure complete investment protection.

			Product Code	EUP (€)	Comments
Model	Description	Details			
Base unit configurations					
<b>PRIMERGY BX900 S1</b>					
	PY BX900 S1 System Unit	10 U Systemunit without Server Blades, 1x MMB, 3xPSU, ServerView Suite, All empty slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	S26361-K1245-V200	6.043,00	



## PRIMERGY BX600 S3

Data Sheets: <http://ts.fujitsu.com/primergy>

The PRIMERGY Blade Ecosystem is a perfect choice for today's datacenter solutions, where the key demand is a reliable and innovative platform for performance and connectivity. It is a highly compact and flexible server system, offering extensive connectivity options, thus allowing the integrated server blades to be used as mid-tier or application servers. Apart from advantages such as high packing density, fault tolerance thanks to high redundancy, and simple and efficient manageability, the PRIMERGY BX600 S3 is distinguished by a future proof approach thanks to the use of the latest generation Intel® Xeon® as well as AMD Opteron™ Dual- and Quad-Core processors.

The PRIMERGY Blade Ecosystem provides a centralized concept for power and cooling with the recognized highest energy-efficiency, excellent RAS functionalities thanks to redundancy and hot swapping of all active components and a flexible I/O concept, even for future oriented technologies. The extension of local hard disk capacity by up to 2x 1,500 GB (per server blade) is possible with the storage blades PRIMERGY SX650. The latest new component for the BX600 S3 ecosystem is the NAS (Network Attached Storage) blade named PRIMERGY NX650, designed for installation into the BX600 S3 chassis. NX650 consists of a server blade BX620 S4 plus one or two connected storage blades (SX650). Hereby a NAS blade capacity of up to 3,000 GB may be achieved.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>PRIMERGY BX600 S3</b>					
	PY BX600 S3 SYSTEM UNIT (MMB S3) / (Promo)	PY BX600 S3 SYSTEM UNIT (MMB S3) / BX600 DKVM/2xGBE PASS-THRU/ ,	LKN:B6003S0001IT		
	PY BX600 S3 System Unit (MMB S3)	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades MMB S3, fan, 2 power supply 2100W without power cords, 2 dummy server blades, 1 special cable for connection to USB-CD-ROM / FD drive and 1x VGA, 1 special cable for connection to PS/2 and 1x VGA, ServerView, -Start, RemoteView on CD.	S26361-K1156-V304	4.314,00	

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY BX600 S3</b>					
	PY BX600 S3 System Unit (MMB S3)	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades MMB S3, fan, 2 power supply 2100W with 2 power cords, dummy panels for all not plugged blade slots, 1 special cable for connection to KVM switch (2x PS/s, 1x VGA), 1 special cable for connection of released USB devices and monitor (2x USB, 1x VGA) to front side of the server blades, ServerView, -Start, RemoteView on CD.	S26361-K1156-V302	4.314,00	



## PRIMERGY BX620 S4

Data Sheets: <http://ts.fujitsu.com/primergy>

PRIMERGY BX server blades represent the workhorses within the PRIMERGY BX600 blade server system. Server blades may also optionally be equipped with local hard disk drives and additional mezzanine cards as prerequisites for enhanced external connectivity. Based on those capabilities the PRIMERGY server blades enable customers to run various types of applications in either physical or virtualized environments. With their modular design for different requirements, the customer can create specific configurations to meet different usage scenarios.

The PRIMERGY BX620 S4 delivers optimal performance for enterprise environments with optimal memory and processor performance. This high-density server blade features low-voltage processors for better energy management. Up to ten dual socket server blades equipped with one to two Dual-Core CPUs of the Intel® Xeon® processor 5200 series with 6 MB shared second level cache or up to two Quad-Core CPUs of the Intel® Xeon® processor 5400 series with 2x 6 MB shared second level cache these server blades are designed for an optimal performance/watt ratio.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>PRIMERGY BLADE BX620 S5</b>					
	PY BX620 S5 DUAL SERVER BLADE / (Promo)	PY BX620 S5 DUAL SERVER BLADE / XEON DP E5506/4GB 1066 ECC/ SINGLE PACKAGE/ ,	LKN:B6205S0001IT		Phased out
	PY BX620 S5 DUAL SERVER BLADE / (Promo)	PY BX620 S5 DUAL SERVER BLADE / XEON DP E5530/2x4GB 1066 ECC/ SINGLE PACKAGE/ ,	LKN:B6205S0002IT		Phased out
	PY BX620 S5 DUAL SERVER BLADE / (Promo)	PY BX620 S5 DUAL SERVER BLADE / XEON DP X5550/PERFORMANCE MODE/ SP 3X4GB 1066 ECC/SINGLE PACKAGE/ ,	LKN:B6205S0003IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY BLADE BX620 S5</b>					
	PY BX620 S5 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD' s, RAID1 support for internal HDD' s, graphics controller is part of iRMC S2 management controller.	S26361-K1270-V200	1.122,00	Phased out
<b>PRIMERGY BLADE BX620 S6</b>					
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD' s, RAID1 support for internal HDD' s, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200	1.176,00	



## PRIMERGY BX620 S5

Data Sheets: <http://ts.fujitsu.com/primergy>

The PRIMERGY BX620 S5 provides optimal functions for enterprise environments and offers improved features as regards main memory and processors. Up to ten of the dual socket server blades can be installed in a PRIMERGY BX600 S3 system unit. The BX620 S5 systems offer an efficient Cool-safe™ design with the latest generation of Dual- and Quad-Core Intel® Xeon® processor 5500 series CPUs as low-voltage, standard and high-performance versions so as to minimize power consumption and reduce cooling requirements in data centers. Due to the support of a high storage capacity with 12 DIMM slots, main memory of up to 96GB and memory speed of 1,333 MHz the BX620 S5 is ideally suited for front and mid-tier applications that require high availability, flexibility and performance efficiency.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
<b>PRIMERGY BLADE BX620 S5</b>					
	PY BX620 S5 DUAL SERVER BLADE / (Promo)	PY BX620 S5 DUAL SERVER BLADE / XEON DP E5506/4GB 1066 ECC/ SINGLE PACKAGE/ ,	LKN:B6205S0001IT		Phased out
	PY BX620 S5 DUAL SERVER BLADE / (Promo)	PY BX620 S5 DUAL SERVER BLADE / XEON DP E5530/2x4GB 1066 ECC/ SINGLE PACKAGE/ ,	LKN:B6205S0002IT		Phased out
	PY BX620 S5 DUAL SERVER BLADE / (Promo)	PY BX620 S5 DUAL SERVER BLADE / XEON DP X5550/PERFORMANCE MODE/ SP 3X4GB 1066 ECC/SINGLE PACKAGE/ ,	LKN:B6205S0003IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY BLADE BX620 S5</b>					
	PY BX620 S5 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD` s, RAID1 support for internal HDD` s, graphics controller is part of iRMC S2 management controller.	S26361-K1270-V200	1.122,00	Phased out
<b>PRIMERGY BLADE BX620 S6</b>					
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD` s, RAID1 support for internal HDD` s, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200	1.176,00	



**PRIMERGY SX650**

**Data Sheets: <http://ts.fujitsu.com/primergy>**

To extend the internal storage capacity of a PRIMERGY BX620 S4 or S5 dual socket server blade, up to two PRIMERGY SX650 storage blades can be connected to one server blade.

With one PRIMERGY SX650 the internal storage capacity of a BX620 S4/S5 can be extended by up to 1,500 Gbyte. It occupies one additional server blade slot within the PRIMERGY BX600 S3 system unit, positioned at the right side of an adjacent server blade. The 5 hard disk drives of one PRIMERGY SX650 are driven by a highly functional SAS/RAID controller with 512 Mbyte cache and BBU. This controller (HBA) installed in the BX620 S4/S5 provides the RAID levels 0, 1, 5 and 6. The connection to the SX650 is realized via a corresponding SAS cable which is dedicated for this configuration pair.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY BLADE SX650</b>					
	PY SX650 Storage Blade	Storage Blade SX650	S26361-K1273-V500	920,00	
	PY SX650 Storage Blade (2nd)	Storage Blade SX650 (2nd)	S26361-K1273-V520	920,00	



**PRIMERGY SX940 S1**

**Data Sheets: <http://ts.fujitsu.com/primergy>**

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades.

A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BBU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY SX940 S1</b>					
PY SX940 S1 Storage Blade Disk	max 4x SAS HDD, max 2x SAS Controller	S26361-K1292-V200	1.005,00		





**PRIMERGY NX650 NAS**

Data Sheets: <http://ts.fujitsu.com/primergy>

The NAS solution NX650 provides shared disk capacity of up to 3,000 GB per unit for server blades in the BX600 S3 enclosure as well as for other servers in the datacenter LAN.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
<b>PRIMERGY BLADE SX650</b>					
PY SX650 Storage Blade	Storage Blade SX650	S26361-K1273-V500	920,00		
PY SX650 Storage Blade (2nd)	Storage Blade SX650 (2nd)	S26361-K1273-V520	920,00		







Blade Servers Accessories

Data Sheets: <http://ts.fujitsu.com/primergy>

Table with columns: Category, Description, Details, Product Code, Unit Qty, Comments. Rows include Fibre Channel (Continued), Communication/Network, Rack-Infrastructure, and PRIMERGY Software.





Category	Description	Details														Product Code	Price/Unit	Comments			
<p><b>Accessories &amp; service manuals</b>  <b>PRIMERGY Software (Continued)</b></p>																					
Win SBS 2008 Premium RCK, I	Microsoft Windows Essential Business Server 2008 Premium (1-4 CPU, 5 CAL) RCK is a channel product (Reseller Option Kit) only available for distribution and resalable on PRIMERGY HW only. The SW supports max. 200 users/devices. For the SW you need dedicated Windows SBS 2008 CAL's (Client Access License). The product package includes 5 CAL's. The Premium Edition contains SQL Server 2008 Standard Edition, Content, OSE/VDI, Microsoft Product Identifier (certificate of authenticity COA for attaching to the PRIMERGY server), Reseller Distribution License Agreement, End-User License Agreement (EULA). Attention: The part number will be shipped only with a signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your sales representative.																		S26361-F2565-L382	5,484.00	Phased out
Win SBS 2008 Premium CAL (5 Device)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 Device), multi-language CAL, for use on SBS 2008 Standard and Premium required for SQL.																		S26361-F2565-L388	782.00	Phased out
Win SBS 2008 Premium CAL (5 User)	Microsoft Windows Essential Business Server 2008 Client Access License Suite for Premium Users or Devices (5 User), multi-language CAL, for use on SBS 2008 Standard and Premium required for SQL.																		S26361-F2565-L389	782.00	Phased out
ICSB SW Target 3.2 (64-bit) EMB	Including update 1																		S26361-F2565-L564	11.00	
MS SysCr Essrnts 2010 TLP	MS System Center Essentials 2010 Technology Upgrade. For single customers only. Requires a Request for Special Release. English. OSE DVD, License.																		S26361-F2567-L15	27.00	
MS SysCr VM1 2008 R2 WorkGroupEdm RCK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition, English. RCK DVD, License.																		S26361-F2567-L20	426.00	
MS SysCr Essrnts 2010 RCK	MS System Center Essentials 2010, English. RCK DVD, License.																		S26361-F2567-L30	122.00	
MS SysCr Essrnts 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack, OSE = Operating System Environment																		S26361-F2567-L31	96.00	
Win Srv 2008 R2 Standard 5CAL MLI RCK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR AC XT Lang Packs. RCK DVD, License.																		S26361-F2567-L310	564.00	
MS SysCr Essrnts 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack, OSE = Operating System Environment																		S26361-F2567-L32	479.00	
Win Srv 2008 R2 Enterprise 10CAL MLI RCK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR AC XT Lang Packs. RCK DVD, License.																		S26361-F2567-L320	1,883.00	
MS SysCr Essrnts 2010 Client ML 5-Pack	MS System Center Essentials 2010 Managed Client License 5 Pack.																		S26361-F2567-L33	80.00	New product
Win Srv 2008 R2 Datacenter 10CAL MLI RCK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dc (2 CPU) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR AC XT Lang Packs. OSE DVD, License.																		S26361-F2567-L330	3,022.00	
MS SysCr Essrnts 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.																		S26361-F2567-L34	319.00	
Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License for 1 device, License.																		S26361-F2567-L340	85.00	
Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License for 5 devices, License.																		S26361-F2567-L341	410.00	
Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License for 1 user, License.																		S26361-F2567-L342	85.00	
Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License for 5 users, License.																		S26361-F2567-L343	410.00	
Win HPC Srv 2008 R2 Suite RCK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) RCK EN, JA, XT. RCK Recovery DVD Media NL. COA, License																		S26361-F2567-L360	846.00	
SV Virtual IO Manager Single License	License for operation of one BX Blade Server Chassis, service contract mandatory																		U15000-C310	3,670.00	Phased out
FFAQ RE-AN Mono Server 2-Core	FFAQ RE ApplicationNode RTU for server with one 2-core CPU																		U26004-C401	2,000.00	
FFAQ RE-AN Mono Server 4-Core	FFAQ RE ApplicationNode RTU for server with one 4-core CPU																		U26004-C402	4,000.00	
FFAQ RE-AN Dual Server 2-Core	FFAQ RE ApplicationNode RTU for server with two 2-core CPU																		U26004-C403	4,000.00	
FFAQ RE-AN Dual Server 4-Core	FFAQ RE ApplicationNode RTU for server with two 4-core CPU																		U26004-C404	7,000.00	
FFAQ RE Spare Mono Server 2-Core	FFAQ RE RTU for spare server with one 2-core CPU																		U26004-C405	1,000.00	
FFAQ RE Spare Mono Server 4-Core	FFAQ RE RTU for spare server with one 4-core CPU																		U26004-C406	2,000.00	
FFAQ RE Spare Dual Server 2-Core	FFAQ RE RTU for spare server with two 2-core CPU																		U26004-C407	2,000.00	
FFAQ RE Spare Dual Server 4-Core	FFAQ RE RTU for spare server with two 4-core CPU																		U26004-C408	3,500.00	
PRIMERGY MailPath MPO Upgrade to 5.0	For Windows Server 2008 and 2003, from a previous version of PRIMERGY MailPath MPO, CD-ROM and License.																		S26361-F2565-L592	468.00	
PRIMERGY MailPath MPO 5.0	For Windows Server 2008 and 2003, CD-ROM and License.																		S26361-F2565-L593	931.00	
PRIMERGY MailPath Upgrade to 5.0	For Windows Server 2008 and 2003, from a previous version of PRIMERGY MailPath, CD-ROM and License.																		S26361-F2565-L594	468.00	
PRIMERGY MailPath 5.0	For Windows Server 2008 and 2003, CD-ROM and License.																		S26361-F2565-L595	931.00	
PRIMERGY DuplexDataMgr Upgr. to 5.0	For Windows Server 2008 and 2003, from a previous version of PRIMERGY DuplexDataMgr, CD-ROM and License.																		S26361-F2565-L590	1,483.00	
PRIMERGY DuplexDataMgr 5.0	For Windows Server 2008 and 2003, CD-ROM and License.																		S26361-F2565-L591	2,920.00	
PRIMERGY ServerView Suite subscription.	Subscription for 1 year, ca. 10 releases. The subscription is licensed only for PRIMERGY servers.																		U15000-C176	239.00	
ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager																		U15000-C289	27.00	
ServerView Deployment Manager V5	Software CD Full version, software only - no license																		U15000-C299	32.00	
ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software																		U15000-C300	149.00	
ServerView Dep. Mgr. 5 Single Upgrade	For upgrades of one 4 single license to version 5.0 - no software!																		U15000-C301	64.00	
SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription renewal																		S26361-F2346-L611	265.00	
SUSE Linux ES 11 HPE 32 CPU +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1-Year subscription renewal																		S26361-F2346-L621	631.00	
SUSE Linux ES BX600 1Y	SUSE Linux Enterprise Server for x86, x86_64 BX600 System Unit 1-Year subscription renewal																		S26361-F2346-L631	1,327.00	
SUSE Linux ES BX300 +1Y	SUSE Linux Enterprise Server for x86, x86_64 BX300 System Unit 1-Year subscription renewal																		S26361-F2346-L641	2,388.00	
Debian FSE Basic Support 1Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year																		S26361-F2346-L411	101.00	
Debian FSE Basic Support 3Y	Debian FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years																		S26361-F2346-L412	243.00	
Debian FSE Standard Support 1Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year																		S26361-F2346-L415	261.00	
Debian FSE Standard Support 3Y	Debian FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years																		S26361-F2346-L416	626.00	
Debian FSE Premium Support 1Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year																		S26361-F2346-L417	527.00	
Debian FSE Premium Support 3Y	Debian FSE Premium (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years																		S26361-F2346-L418	1,264.00	
VMware ESX 4.1 Single Srv w/o SR-1PrY	VMware ESX 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) - Mandatory 1 year Service Pack needed																		S26361-F2341-L500	11.00	

















Blade Servers Accessories

Data Sheets: <http://its.fujitsu.com/primary>

Table with columns: Category, Description, Details, and various product codes (e.g., Primery V100, Primery V1000). It lists various accessories like cleaning kits, data cartridges, cables, and software licenses.







Blade Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX400	FibreCAT SX400 Expansion	FibreCAT SX400SX900 Expansion	FibreCAT SX400 Expansion	FibreCAT SX400 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S1	PRIMERGY iBLADE BF150	PRIMERGY iBLADE BF160	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (%)	Comments
Options matrix	Processor (Continued)																													
	2x Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																										S26361-F4444-E200	628.00	
	2x Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																										S26361-F4444-E226	851.00	
	2x Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										S26361-F4445-E240	1.170.00	
	2x Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										S26361-F4445-E253	1.638.00	
	2x Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										S26361-F4445-E266	2.298.00	
	2x Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																										S26361-F4446-E266	2.936.00	
	2x Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																										S26361-F4446-E280	3.574.00	
	2x Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																										S26361-F4446-E293	4.213.00	
	2x Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink																										S26361-F4447-E186	1.319.00	
	2x Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																										S26361-F4447-E213	1.638.00	
	2x Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																										S26361-F4448-E226	2.936.00	
	2x Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																										S26361-F4449-E213	723.00	
	2x Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																										S26361-F4456-E200	628.00	
	2x Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																										S26361-F4456-E226	851.00	
	2x Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										S26361-F4457-E240	1.170.00	
	2x Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										S26361-F4457-E253	1.638.00	
	2x Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																										S26361-F4457-E266	2.298.00	
	2x Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																										S26361-F4458-E266	2.936.00	
	2x Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																										S26361-F4458-E280	3.574.00	
	2x Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																										S26361-F4458-E293	4.213.00	
	2x Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink																										S26361-F4459-E186	1.319.00	
	2x Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																										S26361-F4459-E213	1.638.00	
	2x Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																										S26361-F4460-E226	2.936.00	
	2x Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																										S26361-F4461-E213	723.00	
	2x Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																										S26361-F4477-E333	4.894.00	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																										S26361-F4422-E200	314.00	
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																										S26361-F3966-E213	362.00	





Blade Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX60S/X900 Expansion	FibreCAT SX68 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX620 S2	PRIMERGY BX620 S2	PRIMERGY BX624 S2	PRIMERGY BX624 S1	PRIMERGY iBLADE BF120	PRIMERGY iBLADE BF140	PRIMERGY SX640 S1	PRIMERGY SX660 S1	Product Code	EUP (%)	Comments	
Options matrix																													
Processor (Continued)																													
	Intel Xeon L5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor L5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink							x																	S26361-F3979-E213	707.00	Phased out	
	Intel Xeon L5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor L5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink							x																	S26361-F3979-E226	878.00	Phased out	
	Intel Xeon L5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor L5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 60 W) incl. heat sink							x																	S26361-F3979-E240	1,218.00	Phased out	
	Intel Xeon E5502 2C/2T 1.86 GHz 4 MB	Intel® Xeon® processor E5502 (2C/2T, 1.86 GHz, SLC: 2 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink							x																	S26361-F3980-E186	335.00	Phased out	
	Intel Xeon E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink							x																	S26361-F3981-E200	388.00	Phased out	
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																	x							S26361-F4422-E226	426.00		
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																	x							S26361-F4424-E240	585.00		
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																	x							S26361-F4424-E253	819.00		
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																	x							S26361-F4424-E266	1,149.00		
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink																	x							S26361-F4428-E186	660.00		
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																	x							S26361-F4428-E213	819.00		
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																	x							S26361-F4430-E226	1,468.00		
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																	x							S26361-F4426-E266	1,468.00		
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																	x							S26361-F4426-E280	1,787.00		
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																	x							S26361-F4426-E293	2,106.00		
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																	x	x						S26361-F4423-E200	314.00		
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																	x	x						S26361-F3972-E213	362.00		
	Intel Xeon E5507 4C/4T 2.26 GHz 4 MB	Intel® Xeon® processor E5507 (4C/4T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																	x	x						S26361-F4423-E226	426.00		
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																	x	x						S26361-F4425-E240	585.00		
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																	x	x						S26361-F4425-E253	819.00		
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																	x	x						S26361-F4425-E266	1,149.00		
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink																	x	x						S26361-F4429-E186	660.00		
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																	x	x						S26361-F4429-E213	819.00		
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																	x	x						S26361-F4431-E226	1,468.00		
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																	x	x						S26361-F4427-E266	1,468.00		
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																	x	x						S26361-F4427-E280	1,787.00		
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																	x	x						S26361-F4427-E293	2,106.00		



Blade Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80S/X90 Expansion	FibreCAT SX80S Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY iBLADE BF120	PRIMERGY iBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (%)	Comments	
Options matrix																														
<b>Processor (Continued)</b>																														
<b>Memory</b>																														
	Spare Mode Installation	BIOS setup for Spare mode, preinstallation ex factory																										S26361-F4003-E1	5.00	New product
	Interleaving Mode Installation	BIOS setup for Interleaving mode, preinstallation ex factory																										S26361-F4003-E2	5.00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory																										S26361-F4003-E3	5.00	
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																										S26361-F4003-E643	404.00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																										S26361-F4003-E644	787.00	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																										S26361-F4003-E645	1.532.00	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																										S26361-F4003-E646	3.894.00	
<b>Memory Modules</b>																														
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory																										S26361-F3284-E1	5.00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory																										S26361-F3284-E3	5.00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																										S26361-F4413-E513	74.00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory																										S26361-F3284-E2	5.00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																										S26361-F4412-E513	101.00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, MM = 2GB usable memory for Mirrored Mode																										S26361-F4412-E523	202.00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	6 GB (3 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																										S26361-F4412-E533	303.00	
	4 GB DDR3 1333 MHz PC3-10600 rg d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																										S26361-F4412-E514	197.00	
	MM 8GB 2x4 DDR3 1333 MHz PC3-10600 rg d	8 GB (2 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																										S26361-F4412-E524	394.00	
	SP 12GB 3x4 DDR3 1333 MHz PC3-10600 rg d	12 GB (3 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																										S26361-F4412-E534	590.00	
	2GB DDR3-1066 PC3-8500 ub ECC	1 module 2GB 1066MHz, dual rank, unbuffered DDR3 DIMM without SDDC = Chipkill, Single modules for Independent Mode																										S26361-F3995-E513	74.00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																										S26361-F4412-E515	383.00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	16 GB (2 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																										S26361-F4412-E525	766.00	
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	32 GB (2 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																										S26361-F4412-E526	1.947.00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	24 GB (3 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																										S26361-F4412-E535	1.149.00	
	2GB DDR3-1333 PC3-10600 rg ECC	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																										S26361-F3993-E513	101.00	
	MM 4GB 2x2 DDR3-1333 PC3-10600 rg ECC	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, MM = 2GB usable memory for Mirrored Mode																										S26361-F3993-E523	202.00	
	SP 6GB 3x2 DDR3-1333 PC3-10600 rg ECC	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, SP=4GB Spare or 6GB Performance Mode																										S26361-F3993-E533	303.00	
	2GB DDR3-1066 PC3-8500 rg ECC	1 module 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																										S26361-F3994-E513	101.00	
	MM 4GB 2x2 DDR3-1066 PC3-8500 rg ECC	2 modules 2GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, MM = 2GB usable memory for Mirrored Mode																										S26361-F3994-E523	202.00	
	SP 6GB 3x2 DDR3-1066 PC3-8500 rg ECC	3 modules 2GB 1066MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, SP=4GB Spare or 6GB Performance Mode																										S26361-F3994-E533	303.00	
	16 GB DDR3 1066 MHz PC3-8500 rg q	16 GB (1 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																										S26361-F4412-E516	973.00	
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	48 GB (3 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																										S26361-F4412-E536	2.920.00	
	4GB DDR3-1333 PC3-10600 rg d ECC	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																										S26361-F3993-E514	197.00	
	MM 8GB 2x4 DDR3-1333 PC3-10600 rg d ECC	2 modules 4GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, MM = 4GB usable memory for Mirrored Mode																										S26361-F3993-E524	394.00	
	SP 12GB 3x4 DDR3-1333 PC3-10600 rg d ECC	3 modules 4GB 1333MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chipkill, SP=8GB Spare or 12GB Performance Mode																										S26361-F3993-E534	590.00	
	4GB DDR3-1066 PC3-8500 rg d ECC	1 module 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode																										S26361-F3994-E514	197.00	
	MM 8GB 2x4 DDR3-1066 PC3-8500 rg d ECC	2 modules 4GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, MM = 4GB usable memory for Mirrored Mode																										S26361-F3994-E524	394.00	



Blade Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX40 Expansion	FibreCAT SX80S/X80 Expansion	FibreCAT SX80S Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX850	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX620 S2	PRIMERGY BX622 S2	PRIMERGY BX624 S2	PRIMERGY BX600 S1	PRIMERGY iBLADE BF120	PRIMERGY iBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (%)	Comments	
<b>Memory Modules (Continued)</b>																														
	SP 12GB 3x4 DDR3-1066 PC3-8500 rg d ECC	3 modules 4GB 1066MHz, dual rank, 8GB SM, Registered DDR3 DIMM with SDDC = Chpkill, . SP=8GB Spare or 12GB Performance Mode							x																			S26361-F3994-E534	590.00	
	MM 8GB 2x4 DDR3 LV 1333 MHz 10600 rg d	8 GB (2 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x								x	x	x								S26361-F4415-E524	436.00	
	SP 12GB 3x4 DDR3 LV 1333 MHz 10600 rg d	12 GB (3 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x								x	x	x								S26361-F4415-E534	654.00	
	8GB DDR3-1333 PC3-10600 rg d ECC	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																		S26361-F3993-E515	383.00	
	MM 16GB 2x8 DDR3-1333 PC3-10600 rg d ECC	2 modules 8GB 1333MHz, dual rank, Registered DDR3 DIMM with SDDC = Chpkill, . MM= 8GB usable memory for Mirrored Mode								x																		S26361-F3993-E525	766.00	
	SP 24GB 3x8 DDR3-1333 PC3-10600 rg d ECC	3 modules 8GB 1333MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chpkill, . SP=16GB Spare or 24GB Performance Mode								x																		S26361-F3993-E535	1,149.00	
	8GB DDR3-1066 PC3-8500 rg d ECC	1 module 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x																		S26361-F3994-E515	771.00	
	MM 16GB 2x8 DDR3-1066 PC3-8500 rg d ECC	2 modules 8GB 1066MHz, dual rank, Registered DDR3 DIMM with SDDC = Chipkill, . MM= 8GB usable memory for Mirrored Mode								x																		S26361-F3994-E525	1,543.00	
	SP 24GB 3x8 DDR3-1066 PC3-8500 rg d ECC	3 modules 8GB 1066MHz, dual rank, 16GB SM, Registered DDR3 DIMM with SDDC = Chpkill, . SP=16GB Spare or 24GB Performance Mode								x																		S26361-F3994-E535	2,314.00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x								x	x	x								S26361-F4415-E514	218.00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	16 GB (2 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x								x	x	x								S26361-F4415-E525	840.00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	24 GB (3 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM								x								x	x	x								S26361-F4415-E535	1,261.00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode								x								x	x	x								S26361-F4415-E515	420.00	
<b>Removable Media Drives</b>																														
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DJA/LDL, DVD-RAM, slimline 0.5" fitting height, black																										S26361-F3269-E2	96.00	
	Blu-ray Combo slimline SATA	2x BD-ROM, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height, black																										S26361-F3631-E2	271.00	
	Tape Kit LTO34H Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with data and cleaning cartridge																										S26361-F3561-E4	1,851.00	
	Tape Kit LTO44H 800GB 120MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, . with SAS cable, with data and cleaning cartridge																										S26361-F3626-E1	2,500.00	
	Tape Kit LTO54H 1500GB 140MB/s SAS	LTO54H Ultrium, 1500 GB, 140 MB/s, half height, SAS 6GB/s																										S26361-F3627-E1	3,032.00	
<b>Hard Disks</b>																														
	HD SAS 3GB/s 146GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																										S26361-F3244-E514	270.00	
	HD SAS 3GB/s 300GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																										S26361-F3244-E530	470.00	
	HD SAS 3GB/s 450GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																										S26361-F3244-E545	645.00	
	HD SAS 3GB/s 600GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																										S26361-F3244-E560	760.00	
	HD SATA 3GB/s 1TB 7.2k hot pl 3.5" SX40	7,200 rpm, fitting height 1"																										S26361-F3245-E100	475.00	
	HD SATA 3GB/s 250GB 7.2k hot pl 3.5" SX40	7,200 rpm, fitting height 1"																										S26361-F3245-E250	150.00	
	HD SATA 3GB/s 500GB 7.2k hot pl 3.5" SX40	7,200 rpm, fitting height 1"																										S26361-F3245-E500	250.00	
	HD SATA 3GB/s 750GB 7.2k hot pl 3.5" SX40	7,200 rpm, fitting height 1"																										S26361-F3245-E750	335.00	
	SSD SATA 3GB/s 32GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise								x	x																	S26361-F3998-E32	697.00	
	SSD SATA 3GB/s 64GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise								x	x																	S26361-F3998-E64	1,202.00	
	disk drive mounting kit	BX922 Disk drive mounting kit																										S26361-F4008-E1	32.00	
	disk drive mounting kit	8X924 Disk drive mounting kit																										S26361-F4008-E2	59.00	
	SSD SATA 3G 32GB SLC NON HOT PL 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, non-hot-plug, 2.5-inch, enterprise																										S26361-F4008-E32	697.00	
	SSD SATA 3G 64GB SLC NON HOT PL 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, non-hot-plug, 2.5-inch, enterprise																										S26361-F4008-E64	1,202.00	
	BX900 Mezz. bracket	Mounting Kit for two BX900 Mezzanine Cards																										S26361-F4468-E1	37.00	
	BX900 Mezz./Disk bracket	Mounting Kit for one Mezzanine Card and two SSD																										S26361-F4469-E1	37.00	
	SX-HDD SAS 600GB 15,000rpm	FibreCAT SX SAS HDD, 600GB 15,000rpm		x	x		x	x																				D-FCSX-SAS600	1,220.00	
	SX-HDD SAS 450GB 15,000rpm	FibreCAT SX80/SX88 SAS HDD, 450GB 15,000rpm		x	x		x	x																				D-FCSX-SAS450	735.00	
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic									x	x	x															S26361-F3515-E160	176.00	
	SX-HDD SAS 300GB 15,000rpm	FibreCAT SX80/SX88 SAS HDD, 300GB 15,000rpm		x	x		x	x																				D-FCSX-SAS300	575.00	
	HD SATA 3GB/s 320GB 5.4k hot plug 2.5"	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic									x	x	x															S26361-F3515-E320	271.00	
	SX-HDD SATA 2 TB 7,200rpm	FibreCAT SX60/SX80/SX88 SATA HDD, 2 TB 7,200rpm		x	x		x	x	x																			D-FCSX-SATA2TB	675.00	
	HD SATA 3GB/s 160GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical									x	x	x															S26361-F3600-E160	207.00	
	SX-HDD SATA 1 TB 7,200rpm	FibreCAT SX60/SX80/SX88 SATA HDD, 1 TB 7,200rpm		x	x		x	x	x																			D-FCSX-SATA1TB	555.00	
	HD SATA 3GB/s 500GB 7.2k hot plug 2.5"	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical									x	x	x															S26361-F3600-E500	245.00	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise																										S26361-F3298-E32	697.00	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise																										S26361-F3298-E64	1,202.00	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic																										S26361-F3297-E160	176.00	
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic																										S26361-F3297-E320	271.00	
	HD SATA 3G 160GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 160 GB, 7200 rpm, hot-plug, 2.5-inch, business critical																										S26361-F3601-E160	207.00	



**Blade Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX60SX900 Expansion	FibreCAT SX68 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX960 S1	PRIMERGY iBLADE BF120	PRIMERGY iBLADE BF140	PRIMERGY iSX910 S1	PRIMERGY iSX940 S1	PRIMERGY iSX960 S1	Product Code	EUP (%)	Comments	
<b>Hard Disks (Continued)</b>																													
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical																									S26361-F3601-E500	245.00	
	HD SAS 3G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																									S26361-F3292-E114	261.00	
	HD SAS 3G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																									S26361-F3292-E130	473.00	
	HD SAS 3G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																									S26361-F3292-E573	335.00	
	HD SAS 3G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																									S26361-F3292-E514	484.00	
	HD SAS 6G 146GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																									S26361-F4006-E114	234.00	Phased out
	HD SAS 6G 300GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																									S26361-F4006-E130	452.00	Phased out
	HD SAS 6G 73GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																									S26361-F4006-E573	293.00	Phased out
	HD SAS 6G 146GB 15K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																									S26361-F4006-E514	420.00	Phased out
	HD SAS 6G 146GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																									S26361-F4482-E114	234.00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																									S26361-F4482-E130	452.00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																									S26361-F4482-E573	293.00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise																									S26361-F4482-E514	420.00	
	HD SAS 3GB/s 146GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise								x	x																S26361-F3208-E114	261.00	
	HD SAS 3GB/s 300GB 10k hot plug 2.5"	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise								x	x																S26361-F3208-E130	473.00	
	HD SAS 3GB/s 73GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise								x	x																S26361-F3208-E573	335.00	
	HD SAS 3GB/s 146GB 15k hot plug 2.5"	HDD SAS, 3 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise								x	x																S26361-F3208-E514	484.00	
<b>SCSI/RAID/SAS controller</b>																													
	I/O Modul	FibreCAT SX I/O Modul to cascading a shelf		x		x	x	x																			D:FC SX-IO	540.00	
	RAID Controller SX100	FibreCAT SX100 RAID Controller 4 GB/s	x																								D:FC SX-RD100	5,220.00	Phased out
	RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for LSI SAS1078 and LSI SAS2108																									S26361-F3257-E116	176.00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports																									S26361-F3257-E4	117.00	
	RAID 5/6 SAS based on LSI MegaRAID 512MB	RAID-Ctrl, LSI MegaRAID SAS1078, PCIe x4, 512MB Cache, 8 internal ports, optional BBU, SAS RAID controller for attachment of internal SAS/SATA-HD's in all RAID modes																									S26361-F3257-E512	452.00	Phased out
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS3442E-R Low Profile								x	x																S26361-F3271-E201	223.00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports																									S26361-F3554-E512	410.00	
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports																									S26361-F3554-E8	176.00	
	RAID Ctrl SAS 6G 8Port ext 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without BBU																									S26361-F3593-E201	628.00	
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS 9200-8e LP																									S26361-F3628-E201	277.00	New product
	RAID Ctrl SAS 8Port 512MB with BBU LP LSI	RAID-Ctrl, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, with BBU																									S26361-F3890-E220	739.00	
<b>SATA/SAS controller</b>																													
	SAS Storage Module	SAS Controller incl. mounting kit, RAID1 support for 2 SAS hard disks																									S26361-F3207-E21	202.00	
	SAS/PCIe Storage Module	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1 support for 2 SAS hard disks																									S26361-F3207-E41	367.00	
	SAS/PCIe Storage Modul for BX620 S6	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1 support for 2 SAS hard disks																									S26361-F3207-E42	346.00	
	SAS/RAID Storage Module 4M	SAS/RAID Controller, iTBBU/256MB Cache incl. mounting kit, RAID1 support for 2 SAS hard disks																									S26361-F3207-E51	941.00	
<b>Fibre Channel</b>																													
	FC Ctrl 2x4GB/s LPe11002 MMF LC LP	LPe11002, 4GB/s, 2-channel FC controller, PCIe x4, low profile, MMF LC interface																									S26361-F3306-E202	1,527.00	
	FC Ctrl 8GB/s 2 Kanal QLE2562 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber																									S26361-F3631-E202	1,766.00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber																									S26361-F3961-E202	1,766.00	
	PY BX600 FC Mezz Card 4GB 2Port (FC4ZE)	4 GB/s FC IO module (PCIe), exclusively in combination with the Fibre Channel Switches PY BX600 4/4GB FC Switch 12Port (SW4016-D4) or PY BX600 4/4GB FC Switch 16Port (SW4016-D4) and PY BX600 FC Pass Thru Blade 4GB																									S26361-F3306-E601	660.00	
	PY BX600 Eth Mezz Card 1GB 2Port (PCIe)	Broadcom Ethernet LAN, 1GB/s, PCIe, 2-channel																									S26361-F3451-E1	340.00	
<b>Connection Blades</b>																													
	CX4 Stacking Cable customized	for PY CB Eth Switch/IBP 1GB 36/8+2																									S26361-F3989-E500	239.00	
	PY CB FC Pass Thru 8G 18/18	Fibre Channel Pass Thru Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, with 18 downlinks and 18 uplinks, all paths are 100% independent from each other and support 4GB/8GB Fibre Channel speed with autonegotiation																									S26361-K1363-V18	4,309.00	
	PY CB Eth Switch/IBP 1GB 18/6	1GB LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, Usable as LAN switch or Intelligent Blade Panel (IBP), Interfaces: intern:18x 1GB Eth (downlinks), extern: 6x RJ45 1GBE																									S26361-K1366-V100	2,181.00	



Blade Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX40 Expansion	FibreCAT SX80S/X90 Expansion	FibreCAT SX80S Expansion	FibreCAT SX80S Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX900 S3	PRIMERGY BX900 S1	PRIMERGY BX900 S2	PRIMERGY BX920 S2	PRIMERGY BX920 S2	PRIMERGY BX960 S1	PRIMERGY jBLADE BF120	PRIMERGY jBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (%)	Comments
----------	-------------	---------	----------------	--------------------------	---------------	-------------------------	------------------------------	--------------------------	--------------------------	-------------------------	-------------------------	----------------------	--------------------------------	---------------------------	------------------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-----------------------	-----------------------	-------------------	-------------------	-------------------	--------------	---------	----------

Options matrix

Connection Blades (Continued)																													
PY CB Eth Switch/BP 1GB 36/12	LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers.. Usable as LAN switch or Intelligent Blade Panel (BP). . Interfaces: intern: 36 (downlinks), extern: 8 RJ45 GBE, 4 SFP GBE																	x	x								S26361-K1304-V100	3.191.00	
PY CB Eth Switch/BP 1GB 36/8+2	LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers.. Usable as LAN switch or Intelligent Blade Panel (BP). . Interfaces: intern: 36 (downlinks), extern: 8 RJ45 GBE, 2 SFP+ 10GBE																	x	x								S26361-K1304-V101	5.851.00	
PY CB Eth Switch/BP 10GB 18/8	10GB LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers.. Usable as LAN switch or Intelligent Blade Panel (BP). . Interfaces: intern: 18x 10GB Eth (downlinks), extern: 8x SFP+ 10GBE																	x	x								S26361-K1304-V200	8.777.00	
PY CB FC Switch 8GB 18/8 14 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are: - License for 14 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 GBt/sec Short-Wavelength Laser (SWL), LC connector																	x	x								S26361-K1305-V14	8.085.00	
PY CB FC Switch 8GB 18/8 26 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are: - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 GBt/sec Short-Wavelength Laser (SWL), LC connector																	x	x								S26361-K1305-V26	11.915.00	
PY CB FC SW 8G 18/8 26 Enterpr (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit are: - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - License for Fabric Watch, - License for Advanced Performance Monitor, - License for ISL Trunking, - License for Extended Fabric, - License for Adaptive Networking, License for Server Application Optimization, - 4 x Brocade hot-pluggable SFP+ module, 8 GBt/sec Short-Wavelength Laser (SWL), LC connector																	x	x								S26361-K1305-V126	16.170.00	
PY CB IB Switch 40GB 18/18	InfiniBand Connection Blade for Fujitsu PRIMERGY BX900 blade server.. Double wide, Single height.. Quad Data Rate (QDR x4). . Interfaces: intern: 18x (downlinks), extern: 18x QSFP connectors (uplink)																	x	x								S26361-K1336-V200	12.553.00	

Mezzanine Cards

PY BX900 Mezz Card 2x10GB CNA MC-CNA1020	CNA Mezzanine-Karte MC-CNA1020E, 2 Kanal, 10GB/s, PCIe x8. Die Mezzanine-Karte ist funktions-kompatibel mit dem Emulex CNA OCe10102.. Die CNA Karte hat zwei 10GB Ethernet Schnittstellen zur Backplane und unterstützt Data-Center-Bridging (Data-Center Ethernet) Protokolle. Desweiteren wird das Fibre Connal over Ethernet (FCoE) Protokoll vollständig durch Hardware auf der Karte unterstützt.																		x	x							S26361-F3992-E502	947.00	New product,Orderable from: 13/12/2010
PY IB CX2 Mezz Card 40GB 2 Port	InfiniBand Mezzanine Card, 2-channel , 40GB/s, PCIe x8																		x	x	x	x					S26361-F3992-E2	1.330.00	
PY Eth Mezz Card 1GB 4 Port	4 Channel GBE Mezzanine Card, 2 Intel 82575EB LAN Controller																		x	x	x	x					S26361-F3331-E1	521.00	
PY Eth Mezz Card 10GB 2 Port	2 Channel 10GBE Mezzanine Card, Intel 82599EB LAN Controller																		x	x	x	x					S26361-F3997-E1	596.00	
PY FC Mezz Card 8GB 2 Port (MC-FC82E)	Fibre Channel mezzanine module, MC-FC82E, 2 Channel, 8GB/s, PCIe x8. The mezzanine module is functional wise compatible with the Emulex HBA LPe12002.																		x	x	x	x					S26361-F3874-E1	670.00	
PY SAS RAID Mezz Card 6GB	SAS/SATA RAID Mezzanine Card based on LSI MegaRAD SAS2108, PCIe 2.0 x8, SAS 2.0																			x							S26361-F4481-E1	372.00	
RAID Mezz iBBU Upgrade	iBBU Upgrade for LSI SAS2108																			x							S26361-F4481-E10	191.00	
RAID Mezz HDD Connection Kit	SAS HDD backplane for BX920S2 to connect to SAS RAID mezzanine card. Thereby RAID 0,1 functionality can be realized on BX920S2.																				x						S26361-F4481-E20	32.00	

Communication/Network

Eth Ctrl 2x1GBt PCIe PRO/1000PT Cu Ip	Intel Pro 1000PT 2 Port Server Adapter								x	x																		S26361-F3228-E201	186.00	Phased out
PY BladeFrame BF400 S2 Option 4/4/4c	CB3S0110R, Interfaces on control blades: 4x 2GBt FC, 4x 1GBt Ethernet (Fibre), 4x 10/100/1000 Ethernet (RJ45)																											S26361-F3240-E13	5.00	
PY BladeFrame BF400 S2 Option 4/4/4c	CB3S0111R, Interfaces on control blades: 4x 2GBt FC, 4x 1GBt Ethernet (RJ45), 4x 10/100/1000 Ethernet (RJ45)																											S26361-F3240-E14	5.00	
Eth Ctrl 2x1GBt PCIe x4 D2735 Cu Ip	Ethernet Server Adapter Eth Ctrl 2x1GBt PCIe x4 D2735 Cu Ip										x																	S26361-F3160-E201	165.00	
KVM module	Keyboard Video Mouse Switch for BX600 System Unit. Interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA																											S26361-F3113-E2	234.00	



**Blade Servers Options** Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX60SX900 Expansion	FibreCAT SX68 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY jBLADE BF120	PRIMERGY jBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (%)	Comments																				
<b>Options matrix</b>																																																	
<b>Communication/Network (Continued)</b>																																																	
	BX600 digital KVM switch	Digital Keyboard Video Mouse Switch for BX600 System Unit, with graphical Console re-direction and USB Storage Device Emulation for BX600 Server Blades. Interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA; external 1x RJ45 for 10/100 Mbit/s Ethernet LAN.*																										S26361-F3113-E102	1.271.00																				
	PY BX600 dummy KVM module	KVM Switch Dummy for BX600 System Unit.																										S26361-F3113-E5	27.00																				
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable								x																		S26361-F3592-E202	1.468.00																				
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102								x																		S26361-F3592-E108	426.00																				
	Eth Ctrl 2x10GbE PCIe x8 X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables								x																		S26361-F3555-E201	691.00																				
	Intel SFP+ Module MMF 10GBE LC	Intel® Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC								x																		S26361-F3555-E900	628.00																				
	PY BX600 FC Pass-Thru 4GB 10/10	Interfaces: external 10 ports for GBIC/SFP modules																										S26361-F3024-E10	1.830.00																				
	PY BX600 FC Switch 4GB 10/6 12 (SW4016)	Brocade SilkWorm 4016 incl. Lizenz for 12 Port with automatic assignment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E																										S26361-F3144-E14	7.340.00																				
	PY BX600 FC Switch 4GB 10/6 16 (SW4016)	Brocade SilkWorm 4016 incl. Lizenz for 16 Port with automatic assignment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E																										S26361-F3144-E16	9.681.00																				
	PY BX600 Eth Pass-Thru 1GB 10/10	Interfaces: external 10x RJ45 sockets (1000 Base-T full duplex) - please read configuration hints!																										S26361-F3112-E1	1.021.00																				
	PY BX600 Eth Switch 1GB 10/6	Interfaces: external 6x RJ45 sockets - please read configuration hints!																										S26361-F3206-E6	1.580.00																				
	PY BX600 Eth Switch 1GB 10/6+2	Interfaces: external 6x RJ45 sockets, 1x CX4 socket, 1x slot for XFP module - please read configuration hints!																										S26361-F3206-E8	2.441.00																				
	PY BX600 Eth Switch 1GB 30/12	Interfaces: external 12x RJ45 sockets (1000 Base-T full duplex)- please read configuration hints!																										S26361-F3467-E1	3.723.00																				
	PY BX600 Eth 1BP 1GB 30/12	Interfaces: external 12x RJ45 sockets - please read configuration hints!																										S26361-F3859-E1	2.686.00																				
	PY BX600 Eth Switch 1GB 10/6 (CBS3040)	CISCO LAN Switch CBS3040 internal use for BX600 system unit. For installation into the BX600 system unit, please order additionally the option S26361-F2749-E1. For loose delivery please order additionally S26361-F2749-E3																										S26361-K1234-V200	5.745.00																				
<b>Rack-Infrastructure</b>																																																	
	PRIMERGY Rackinstallation SX/DX ex works	Service for installation of a FibreCAT SX60 / SX80 Raid-Subsystem into a PRIMERGY Rack ex works. With ordering this service, the FibreCAT SX will be pre-mounted in a 12/24/38U Rack ex works.	x	x		x	x	x																				D-FCSX-NPSR	115.00																				
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works. With ordering this service, the 12/24/38U rack will be delivered completely pre-mounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.																										S26361-F1647-E302	69.00																				
	PY SX650 packed and delivered	Storageblade single package/delivery, incl. test with BX620 S4. Service without integration ex works																										S26361-F2749-E65	11.00																				
	Rack installation ex works	Service for installation of a server or subsystem ex works. With ordering this service, the 12/24/38U rack will be delivered completely pre-mounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.																										SNP-SY-F1647E301-P	138.00																				
	Blade Installation in System Unit	Service for installation of a server blade into the system unit PRIMERGY BX600 ex works Augsburg. With ordering this service, the system unit will be delivered completely pre-mounted and tested ex works.																										S26361-F2749-E1	11.00																				
	Serverblade single package/delivery	Serverblade single package/delivery, incl. test in PRIMERGY BX600. Service without integration ex works																										S26361-F2749-E2	48.00																				
<b>PRIMERGY-Software</b>																																																	
	BIA-Appliance Modul	HA functionality for BI-Accelerator. Mandatory for each extension modul for BIA Entry model																										D-BIA-ADDON	4.000.00	Phased out																			
	FF40 RE Identifier	FF40 RE Identifier. Must be ordered once per FF40 RE configuration.																										D-FF40-RE-ID-V10	0.01																				
	Win Web Srv 2008 w/SP2 EFGJS	Windows Web Server 2008 w/SP2 1-4 CPU, Languages: EN DE ES FR JA, OEM DVD, license																										S26361-F2565-E303	351.00	Phased out																			
	Win Web Srv 2008 w/SP2 CEPR	Windows Web Server 2008 w/SP2 1-4 CPU, Languages: CS EN IT PL RU, LangPacks HU NL PT SV TR, OEM DVD, license																										S26361-F2565-E304	351.00	Phased out																			



Blade Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX40 Expansion	FibreCAT SX40S/X90 Expansion	FibreCAT SX40S Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY jBLADE BF120	PRIMERGY jBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (%)	Comments
Options matrix	PRIMERGY-Software (Continued)																												
Win Srv 2008 Standard AdditionalCOA	Windows Server 2008 Standard AdditionalCOA (1-4 CPU), contains one (1) additional proof of license (COA Certificate of Authenticity) for one (1) additional Virtual Use Right of a Windows Server Standard guest operating system instance and 5 additional CAL (CAL Client Access License).								x	x																	S26361-F2565-E312	707.00	Phased out
Win Srv 2008 Std w/SP2 w/5CAL EFGJS	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Languages: EN DE ES FR JA, OEM DVD, license								x	x																	S26361-F2565-E315	707.00	Phased out
Win Srv 2008 Std w/SP2 w/5CAL CEPR	Win Srv 2008 Std w/SP2 1-4 CPU, 5CAL, Languages: CS EN IT PL RU, LangPacks HU NL PT SV TR, OEM DVD, license								x	x																	S26361-F2565-E316	707.00	Phased out
Win Srv 2003 R2 Standard DVD Media Only	Windows Server 2003 R2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system								x	x																	S26361-F2565-E317	27.00	Phased out
Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system								x	x																	S26361-F2565-E318	27.00	Phased out
Win Srv 2008 Enterprise AdditionalCOA	Windows Server 2008 Enterprise AdditionalCOA (1-8 CPU), contains one (1) additional proof of license (COA Certificate of Authenticity) for four (4) additional Virtual Use Rights of a Windows Server Enterprise or Standard guest operating system instance and 25 additional CAL (CAL Client Access License).								x	x																	S26361-F2565-E322	2,553.00	Phased out
Win Srv 2008 Ent w/SP2 w/10CAL EFGJS	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: EN DE ES FR JA, OEM DVD, license								x	x																	S26361-F2565-E325	2,160.00	Phased out
Win Srv 2008 Ent w/SP2 w/10CAL CEPR	Win Srv 2008 Ent w/SP2 1-8 CPU, 10CAL, Languages: CS EN IT PL RU, LangPacks HU NL PT SV TR, OEM DVD, license								x	x																	S26361-F2565-E326	2,160.00	Phased out
Win Srv 2003 R2 Enterprise DVD Media Ont	Windows Server 2003 R2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system								x	x																	S26361-F2565-E327	27.00	Phased out
Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system								x	x																	S26361-F2565-E328	27.00	Phased out
Win Srv 2008 Dtc w/SP2 2CPU EFGJS	Win Srv 2008 Dtc w/SP2 2CPU, Languages: EN DE ES FR JA, LangPack IT, OEM DVD, license								x	x																	S26361-F2565-E333	3,415.00	Phased out
Windows Storage Server 2008 64-bit EMB	Standard, SP2, update 2								x	x																	S26361-F2565-E560	782.00	
MS SysCtr VMW 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition, English, OEM DVD, License.								x	x																	S26361-F2567-E20	426.00	
MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010, English, OEM DVD, License.								x	x																	S26361-F2567-E30	122.00	
Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR XC XT LangPacks, OEM DVD, License.								x	x																	S26361-F2567-E302	335.00	
Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR XC XT LangPacks, OEM DVD, License.								x	x																	S26361-F2567-E310	590.00	
Win Srv 2008 R2 Enterprise 10CAL MULI OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR XC XT LangPacks, OEM DVD, License.								x	x																	S26361-F2567-E320	1,883.00	
Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA, CS HU IT KO NL PL PT RU SV TR XC XT LangPacks, OEM DVD, License.								x	x																	S26361-F2567-E330	3,032.00	
Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEMEN, JA, XT, OEM Recovery DVD Media Kit, COA, License.																										S26361-F2567-E360	846.00	
Win Srv 2008 R2 HPC Edition MULI OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT, OEM Recovery DVD Media Kit, COA, License.																										S26361-F2567-E361	420.00	
Win HPC Pack 2008 R2 Express MULI OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEMEN, JA, XT, OEM Recovery DVD Media Kit, COA, License.																										S26361-F2567-E362	27.00	
Win HPC Pack 2008 R2 Workstation MULI OEM	Win HPC Pack 2008 R2 Workstation OEMEN, JA, XT, OEM Recovery DVD Media Kit, COA, License.																										S26361-F2567-E363	117.00	
VOM license for 1 server	License for operation of one BX Blade Server Chassis, service contract mandatory								x	x																	U15000-C311	335.00	Orderable from: 2012/2010
VOM license for 8 servers (BX400)	License for operation of one BX Blade Server Chassis, service contract mandatory								x	x																	U15000-C312	2,011.00	Orderable from: 2012/2010
VOM license for 18 servers (BX900)	License for operation of one BX Blade Server Chassis, service contract mandatory								x	x																	U15000-C313	4,037.00	Orderable from: 2012/2010
HPC SW Stack 1-node 1Y	HPC Software Stack per node (head and compute node) 5x level3 support 1-Year																										S26361-F2346-C951	167.00	
PRIMERGY MultiPath MPIO 5.0	for Windows Server 2008 and 2003, CD-ROM and License.								x	x																	S26361-F2565-E593	931.00	
PRIMERGY MultiPath 5.0	for Windows Server 2008 and 2003, CD-ROM and License.								x	x																	S26361-F2565-E595	931.00	
HPC SW services entitlement 1Y	HPC Software Stack Services entitlement per HPC configuration 1-Year																										S26361-F2346-S951	2.00	
PRIMERGY DuplexDataManager 5.0	for Windows Server 2008 and 2003, CD-ROM and License.								x	x																	S26361-F2565-E591	2,920.00	
Red Hat EL HPC 2-CPU Basic Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year																										S26361-F2346-C851	66.00	
FF-AN RTU for RX600 and BX960	FF4SAP RTU																										U21348-C231	10,520.00	
FF RTU RX300S/S6, BX620S5, BX920S1/S2	FlexFrame ApplicationNode RTU for RX300 S5/S6, BX620 S5/S6 and BX920 S1/S2.								x	x																	U21348-C291	4,785.00	
FF-AN SAN RTU RX600 and BX960	FF4SAP SAN Connectivity RTU																										U21348-C232	5,260.00	



Blade Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX60SX90 Expansion	FibreCAT SX68 Expansion	PRIMERGY BLADE BX20 S5	PRIMERGY BLADE BX20 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY iBLADE BF120	PRIMERGY iBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (%)	Comments	
<b>PRIMERGY-Software (Continued)</b>																														
	FF SAN RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2), which is connected via SAN to the database							x	x																		U21348-C292	2.393.00	
	FF-AN Accounting RTU RX600 and BX960	FF4SAP Accounting RTU							x	x																		U21348-C233	5.260.00	
	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2.																										U21348-C293	2.393.00	
	FF-AN Messenger RTU RX600 and BX960	FF4SAP Messenger RTU							x	x																		U21348-C234	5.260.00	
	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2																										U21348-C294	2.393.00	
	FF-VMWare Package vSphere STD Option	FlexFrame VMWare vSphere 4 Standard RTU. The license includes the corresponding VMware vSphere 4 Standard licence. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)																										U21348-C431	3.824.00	
	FF-VMWare Package vSphere STD Option	FlexFrame VMWare vSphere 4 Standard RTU. The license includes the corresponding VMware vSphere 4 Standard licence. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)							x	x																		U21348-C491	1.832.00	
	FF-VMWare Package vSphere ADV Option	FlexFrame VMWare vSphere 4 Advanced RTU. The license includes the corresponding VMware vSphere 4 Advanced licence. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)																										U21348-C432	7.584.00	
	FF-VMWare Package vSphere ADV Option	FlexFrame VMWare vSphere 4 Advanced RTU. The license includes the corresponding VMware vSphere 4 Advanced licence. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)							x	x																		U21348-C492	3.712.00	
	FF-VMWare Package vSphere ENT PL Option	FlexFrame VMWare vSphere 4 Enterprise Plus RTU. The license includes the corresponding VMware vSphere 4 Enterprise Plus licence. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)																										U21348-C433	10.832.00	
	FF-VMWare Package vSphere ENT PL Option	FlexFrame VMWare vSphere 4 Enterprise Plus RTU. The license includes the corresponding VMware vSphere 4 Enterprise Plus licence. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware vSphere 4 service package (SnS)							x	x																		U21348-C493	5.336.00	
	FF-VMWare Option	FlexFrame for SAP VMware option. This license is only orderable for customers outside EMEA. The necessary VMware vSphere licenses and support contracts have to be ordered via the local VMware contacts. These licenses can also be ordered, when the customer already has its own VMware vSphere licenses and support.																										U21348-C430	1.759.00	
	FF-VMWare Option	FlexFrame for SAP VMware option. This license is only orderable for customers outside EMEA. The necessary VMware vSphere licenses and support contracts have to be ordered via the local VMware contacts. These licenses can also be ordered, when the customer already has its own VMware vSphere licenses and support							x	x																		U21348-C490	800.00	
	SUSE Linux ES 32-CPU 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1-Year subscription							x	x																		S26361-F2346-E611	265.00	
	SUSE Linux ES 32-CPU 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3-Years subscription							x	x																		S26361-F2346-E612	714.00	
	SUSE Linux E 11 HAE 32-CPU 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3-Years subscription							x	x																		S26361-F2346-E622	1.436.00	
	SUSE Linux ES BX600 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX600 System Unit 3-Years subscription							x	x																		S26361-F2346-E632	3.578.00	
	SUSE Linux ES BX900 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX900 System Unit 3-Years subscription																										S26361-F2346-E642	6.404.00	
	Red Hat EL 2-CPU 5x3 I3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x3 level3 Support 1-Year							x	x																		S26361-F2346-E701	336.00	
	Red Hat EL 2-CPU 5x3 I3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x3 level3 Support 3-Years							x	x																		S26361-F2346-E702	835.00	
	Red Hat EL 2-CPU 7x24 I3 Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 1-Year							x	x																		S26361-F2346-E706	566.00	
	Red Hat EL 2-CPU 7x24 I3 Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 level3 Support 3-Years							x	x																		S26361-F2346-E707	1.376.00	
	Red Hat EL AP 5x3 I3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x3 level3 Support 1-Year							x	x																		S26361-F2346-E711	701.00	





**Blade Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX40 Expansion	FibreCAT SX600SX900 Expansion	FibreCAT SX608 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY iBLADE BF120	PRIMERGY iBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (%)	Comments	
<b>PRIMERGY Software (Continued)</b>																														
	Red Hat EL AP 5x9 I3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 level3 Support 3-Years							x	x											x	x	x	x	x			S26361-F2346-E712	1,595.00	
	Red Hat EL AP 7x24 I3 Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 1-Year							x	x											x	x	x	x	x			S26361-F2346-E716	850.00	
	Red Hat EL AP 7x24 I3 Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 level3 Support 3-Years							x	x											x	x	x	x	x			S26361-F2346-E717	2,122.00	
	Red Hat EL 2-CPU 5x9 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 1-Year							x	x											x	x	x	x				S26361-F2346-S801	745.00	
	Red Hat EL 2-CPU 5x9 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 5x9 full Support 3-Years							x	x											x	x	x	x				S26361-F2346-S802	2,016.00	
	Red Hat EL 2-CPU 7x24 full Support 1Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 1-Year							x	x											x	x	x	x				S26361-F2346-S806	1,218.00	
	Red Hat EL 2-CPU 7x24 full Support 3Y	Red Hat Enterprise Linux up to 2-CPU sockets for x86, x86_64 7x24 full Support 3-Years							x	x											x	x	x	x				S26361-F2346-S807	3,293.00	
	Red Hat EL AP 5x9 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 1-Year							x	x											x	x	x	x				S26361-F2346-S811	1,410.00	
	Red Hat EL AP 5x9 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 5x9 full Support 3-Years							x	x											x	x	x	x				S26361-F2346-S812	3,777.00	
	Red Hat EL AP 7x24 full Support 1Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 1-Year							x	x											x	x	x	x				S26361-F2346-S816	2,335.00	
	Red Hat EL AP 7x24 full Support 3Y	Red Hat Enterprise Linux Advanced Platform for x86, x86_64 7x24 full Support 3-Years							x	x											x	x	x	x				S26361-F2346-S817	6,335.00	
	VMware ESXi 4.1 Embedded UFM Device	VMware ESXi 4.1 Embedded UFM Device Embedded UFM Storage Device , Additional License and SP required							x	x											x	x	x	x				S26361-F2341-E431	64.00	
	Citrix XS AE, 3yr SA	N/A							x												x	x	x	x				S26361-F2341-S980	1,117.00	
	Citrix XS EE, 3yr SA	N/A							x												x	x	x	x				S26361-F2341-S981	2,798.00	
	Citrix XS PE, 3yr SA	N/A							x												x	x	x	x				S26361-F2341-S982	5,629.00	
	Citrix XS AE-EE upgr, 3yr SA	N/A							x												x	x	x	x				S26361-F2341-S983	2,128.00	
	Citrix XS AE-PE upgr, 3yr SA	N/A							x												x	x	x	x				S26361-F2341-S984	5,191.00	
	Citrix XS EE-PE upgr, 3yr SA	N/A							x												x	x	x	x				S26361-F2341-S985	3,766.00	
	Citrix XS AE, 1yr SA	N/A							x												x	x	x	x				S26361-F2341-S986	883.00	
	Citrix XS EE, 1yr SA	N/A							x												x	x	x	x				S26361-F2341-S987	2,213.00	
	Citrix XS PE, 1yr SA	N/A							x												x	x	x	x				S26361-F2341-S988	4,436.00	
	Citrix XS AE-EE upgr, 1yr SA	N/A							x												x	x	x	x				S26361-F2341-S989	1,553.00	
	Citrix XS AE-PE upgr, 1yr SA	N/A							x												x	x	x	x				S26361-F2341-S990	3,989.00	
	Citrix XS EE-PE upgr, 1yr SA	N/A							x												x	x	x	x				S26361-F2341-S991	2,574.00	
	VMware ESXi 4. Single SRV w/o SP-1yr	VMware ESXi 4.0 Single Server for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E500	11.00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E514	859.00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E515	859.00	
	VMware vSphere ADV w/o SP-1yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E518	1,936.00	
	VMware vSphere ADV w/o SP-3yr	VMware vSphere Advanced for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E519	1,936.00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 1 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E520	2,479.00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (Max 6 Cores/CPU) , - Mandatory 3 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E521	2,479.00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 1 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E522	3,016.00	
	VMware vSphere 4 Media Kit OEM	VMware vSphere 4 Media Kit OEM w/ ESX 4.0/Center 4.0/Shield Backup-Restore , ESX 3.5/vCenter 2.5 - No License							x	x											x	x	x	x				S26361-F2341-E300	85.00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise Plus for 1 CPU (Max 12 Cores/CPU) , - Mandatory 3 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E523	3,016.00	
	VMware ADV AK(BCPU+VC-FND)w/o SP-1yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 1 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E580	9,080.00	
	VMware ADV AK(BCPU+VC-FND)w/o SP-3yr	VMware vSphere ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-FND , - Mandatory 3 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E551	9,080.00	
	VMware ENT AK(BCPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E570	15,367.00	
	VMware ENT AK(BCPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (Max 6 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E571	15,367.00	
	VMware ENT-PL AK(BCPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 1 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E554	22,761.00	
	VMware ENT-PL AK(BCPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 8 CPU (Max 12 Cores/CPU) inc VC-STD , - Mandatory 3 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E555	22,761.00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 1 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E556	4,303.00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter , - Mandatory 3 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E557	4,303.00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) , - Mandatory 1 year Service Pack needed!							x	x											x	x	x	x				S26361-F2341-E558	1,293.00	





Blade Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX400	FibreCAT SX400 Expansion	FibreCAT SX800/SX900 Expansion	FibreCAT SX808 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX850	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY iBLADE BF120	PRIMERGY iBLADE BF140	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (%)	Comments		
<b>PRIMERGY-Software (Continued)</b>																														
	VMware View PRE Add 10 CLI w/5x9-1yr	VMware View PRE Add. 10 Desktop VMs Bundle w/ VDM+ESX-ENT-PL-COMP.TA, - Inc. 1 year VMware 5x9 Service+Sub.							x	x																	S26361-F2341-E635	2.612.00		
	VMware View PRE Add 10 CLI w/5x9-3yr	VMware View PRE Add. 10 Desktop VMs Bundle w/ VDM+ESX-ENT-PL-COMP.TA, - Inc. 3 year VMware 5x9 Service+Sub.							x	x																	S26361-F2341-E636	3.612.00		
	VMware View PRE Add-On 10 CLI w/5x9-1yr	VMware View PRE Add-On 10 Desktop VMs - Extends existing VS4 Lic. w/VDM-COMP.TA, - Inc. 1 year VMware 5x9 Service+Sub.							x	x																	S26361-F2341-E637	1.569.00		
	VMware View PRE Add-On 10 CLI w/5x9-3yr	VMware View PRE Add-On 10 Desktop VMs - Extends existing VS4 Lic. w/VDM-COMP.TA, - Inc. 3 year VMware 5x9 Service+Sub.							x	x																	S26361-F2341-E638	2.165.00		
	VMware SRM for 1 ESX CPU w/7x24-1yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU, - Inc. 1 year VMware 7x24 Service+Sub.							x	x																	S26361-F2341-E641	1.899.00		
	VMware SRM for 1 ESX CPU w/7x24-3yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU, - Inc. 3 year VMware 7x24 Service+Sub.							x	x																	S26361-F2341-E642	2.729.00		
	VMware SRM+ADV AK(6CPU+VC-STD)w/7x24-1yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD, - Inc. 1 year VMware 7x24 Service+Sub.							x	x																	S26361-F2341-E643	28.186.00		
	VMware SRM+ADV AK(6CPU+VC-STD)w/7x24-3yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD, - Inc. 3 year VMware 7x24 Service+Sub.							x	x																	S26361-F2341-E644	40.372.00		
	VMware SRM+ENT-PL AK(6CPU+VCS)w/7x24-1yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD, - Inc. 1 year VMware 7x24 Service+Sub.							x	x																	S26361-F2341-E645	34.165.00		
	VMware SRM+ENT-PL AK(6CPU+VCS)w/7x24-3yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD, - Inc. 3 year VMware 7x24 Service+Sub.							x	x																	S26361-F2341-E646	49.096.00		
	VMware SRM 25 VM Pack w/7x24-1yr	VMware SRM 25 VM Pack Protects 25 VMs, - Inc. year VMware 7x24 Service+Sub.							x	x																	S26361-F2341-E647	12.222.00		
	VMware SRM 25 VM Pack w/7x24-3yr	VMware SRM 25 VM Pack Protects 25 VMs, - Inc. year VMware 7x24 Service+Sub.							x	x																	S26361-F2341-E648	17.553.00		
	VMware SRM for 1 ESX CPU w/5x9-1yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU, - Inc. 1 year VMware 5x9 Service+Sub.							x	x																	S26361-F2341-E651	1.840.00		
	VMware SRM for 1 ESX CPU w/5x9-3yr	VMware SRM for 1 CPU/Socket Protects 1 ESX CPU, - Inc. 3 year VMware 5x9 Service+Sub.							x	x																	S26361-F2341-E652	2.543.00		
	VMware SRM+ADV AK(6CPU+VC-STD)w/5x9-1yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD, - Inc. 1 year VMware 5x9 Service+Sub.							x	x																	S26361-F2341-E653	27.282.00		
	VMware SRM+ADV AK(6CPU+VC-STD)w/5x9-3yr	VMware SRM+ADV Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD, - Inc. 3 year VMware 5x9 Service+Sub.							x	x																	S26361-F2341-E654	37.819.00		
	VMware SRM+ENT-PL AK(6CPU+VCS)w/5x9-1yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD, - Inc. 1 year VMware 5x9 Service+Sub.							x	x																	S26361-F2341-E655	33.074.00		
	VMware SRM+ENT-PL AK(6CPU+VCS)w/5x9-3yr	VMware SRM+ENT-PL Acceleration Kit for 6 CPU (Max 12 Cores/CPU) inc VC-STD, - Inc. 3 year VMware 5x9 Service+Sub.							x	x																	S26361-F2341-E656	45.798.00		
	VMware SRM 25 VM Pack w/5x9-1yr	VMware SRM 25 VM Pack Protects 25 VMs, - Inc. 1 year VMware 5x9 Service+Sub.							x	x																	S26361-F2341-E657	11.832.00		
	VMware SRM 25 VM Pack w/5x9-3yr	VMware SRM 25 VM Pack Protects 25 VMs, - Inc. 3 year VMware 5x9 Service+Sub.							x	x																	S26361-F2341-E658	16.372.00		
	FF40-RE-STAGING-ID	FF40 RE Staging Identifier. Must be ordered once per FF40 RE configuration to install customer configuration at installing site.																									U26004-C400	0.01		
<b>OS/Application-SW</b>																														
	Solaris 10 Media kit	Solaris 10 Media Kit																										S26361-F3226-E330	101.00	
	Solaris 10 3rd Level Support, 2 Sockets	Solaris 10 3rd Level Support and SunSolve access for patches, for 1 pBlade with up to 2 CPU, 3 years upgrade protection, 5x9. The Support has to be ordered together with the Solaris 10 license. In addition a 1st + 2nd Level support contract with Fujitsu ITPS is mandatory.																										S26361-F3226-E337	1.670.00	
	Solaris 10 license f. pBlade 4 sockets	Solaris 10 license, 4-Socket Server																										S26361-F3226-E338	5.00	
	Solaris 10 3rd Level Support, 4 Sockets	Solaris 10 3rd Level Support and SunSolve access for patches, for 1 pBlade with up to 4 CPU, 3 years upgrade protection, 5x9. The Support has to be ordered together with the Solaris 10 license. In addition a 1st + 2nd Level support contract with Fujitsu ITPS is mandatory.																										S26361-F3226-E340	3.340.00	
	Solaris 10 license f. pBlade 2 sockets	Solaris 10 License, 2 socket server																										S26361-F3226-E341	5.00	
	SUSE Linux ES BF200 3Y	SUSE Linux Enterprise Server for all platforms BF200 System Unit 3-Years subscription																									U15045-C162-B	2.751.00		
	SUSE Linux ES BF400 3Y	SUSE Linux Enterprise Server for all platforms BF400 System Unit 3-Years subscription																									U15045-C172-B	11.000.00		
<b>UPS/Power supply</b>																														
	Power Supply Modul 2100W (hot-plug)	for PS redundancy (3/A, PSU), with power cord																										S26113-F603-E1	670.00	
	PY BX900 Power Supply Unit 100-240V AC	BX900 Power supply 100-240V AC, incl. power cable with IEC320 16A plug																										S26113-F606-E200	814.00	
	PY BX400 PSU (1600W)	BX400 Power supply 100-240V AC, w.o. power cable with IEC320 16A plug																										S26113-F607-E200	559.00	Orderable from: 2012/2010
	Power cord IEC320 C19 -> UK BS13/13	with connector IEC320 C19 ->plug IEC320 C14 for connection to UPS or socket outlet (connector 10A IEC320 C14)																										S26361-F3151-E350	32.00	
	PY BF400 S2 24A Std Power Option, USA	PMS00101R, for input power																										S26361-F3240-E102	5.00	
	PY BF400 S2 24A Red Power Option, USA	PMS00111R, for redundant input power																										S26361-F3240-E103	3.149.00	
	PY BF400 S2 24A Standard Power Option	PMS00101R, for input power																										S26361-F3240-E110	5.00	
	PY BF400 S2 24A Redundant Power Option	PMS00111R, for redundant input power																										S26361-F3240-E111	3.149.00	



**Blade Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX60/SX80 Expansion	FibreCAT SX68 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX400 S3	PRIMERGY BX600 S1	PRIMERGY BX600 S2	PRIMERGY BX622 S2	PRIMERGY BX624 S2	PRIMERGY BX660 S1	PRIMERGY iBLADE BF120	PRIMERGY iBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (%)	Comments	
<b>Options matrix</b>																														
<b>UPS/Power supply (Continued)</b>																														
	PY BF400 Upgr 24A Standard Power Option	PMS00102R, for input power																										S26361-F3240-L110	5.00	
	PY BF400 Upgr 24A Redundant Power Opt.	PMS00112R, for redundant input power																										S26361-F3240-L111	3.149.00	
	PY BX900 Rear Fan Unit	BX900 Rear Fan Unit with 4 Fans																										S26361-F3962-E100	303.00	
	PY BX400 Fan Unit	BX400 Rear Fan Unit with 4 Fans																										S26361-F4474-E100	165.00	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS connector 16A IEC320 C19)																										S26361-F3151-E300	43.00	Orderable from: 20/12/2010
<b>Miscellaneous</b>																														
	FC SX100 244 Snapshots	Upgrade to 244 Snapshots for FibreCAT SX100	x																									D-FCSX100-SNAP	3.500.00	
	FC SX80 ISCSI 32 Snapshots	Upgrade to 32 Snapshots for FibreCAT SX80i	x																									D-FCSX80i-SNAP	1.495.00	
	FibreCat SX with LINUX	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with LINUX operating system.	x																									D-FCSX-ANLIN	2.00	
	FibreCat SX with SOLARIS	FibreCAT SX80/SX88 order position if connect it to a Server with SOLARIS operating system.	x																									D-FCSX-ANSUN	2.00	
	FibreCat SX with VMware	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with VMware operating system.	x																									D-FCSX-ANVM	2.00	
	FibreCat SX with Windows	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with WINDOWS operating system.	x																									D-FCSX-ANWIN	2.00	
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order		x					x	x	x						x	x	x	x								S26361-F1647-E410	27.00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!							x	x											x	x	x					S26361-F3552-E1	53.00	
	TPM Module for BX960	Trusted Platform Module on motherboard, be aware of import restrictions!																										S26361-F3552-E2	53.00	
	PY BF Dummy Processing Blade	PB-000010R, for BF200 / BF400 / BF400S2 necessary if not all slots are populated											x	x														S26361-K1061-V210	5.00	
<b>FC/IP-Infrastructure</b>																														
	PY BX900 Management Blade S1	Redundant Management Blade																										S26361-F3962-E500	840.00	
	SFP multi-mode 40 module (MMF)	Short-Wavelength SFP Transceiver																										S26361-F3024-E4	122.00	
	XFP multi-mode module 10GBASE-SR	for BX600 GBE Switch with 10GB ports																										S26361-F3206-E10	1.032.00	
	Infiniband cable 10GBASE-CX4, 10m	for BX600 GBE Switch with 10GB ports																										S26361-F3206-E15	207.00	
<b>RAID Systems</b>																														
	FibreCat SX non FSC Server Connection	FibreCAT SX60/SX80/SX88 order position to connect non Fujitsu Server.	x																									D-FCSX-ANNON	2.00	
	FibreCat SX Primergy Connection	FibreCAT SX60/SX80/SX88 order position to connect PRIMERGY Server.	x																									D-FCSX-ANPS	2.00	
	FibreCat SX Primepower/SES Connection	FibreCAT SX80/SX88 order position to connect PRIMEPOWER / Sparc Enterprise Server.	x																									D-FCSX-ANPW	2.00	
	SX100 host port add on 25-48	FibreCAT SX100 order position to connect the system from 25 up to 48 host ports.	x																									D-FCSX-HOSTPORT-48	2.00	
<b>Cables</b>																														
	Cascading Cable	FibreCAT SX Cascading Cable 0.5m		x		x	x	x																				D-FCSX-ID-CAB	70.00	
<b>SW Operating Systems</b>																														
	PY BF Win2008 Virtualization Extensions	SW90027FFS, PY BF Win2008 Virtualization Extensions, includes CD and license for one processing blade for Windows 2008											x	x	x													S26361-F3226-E327	5.00	
	PY BF Win2003 Virtualization Extensions	SW900310FS, PY BF Win2003 Virtualization Extensions, includes CD and license for one processing blade for Windows 2003																										S26361-F3226-E312	5.00	
<b>SW Data Center Products</b>																														
	Citrix XD VDI, 10 UID, 3yr SA	Citrix XD VDI, 10 UID, 3yr SA; XenDesktop VDI Edition, 10 UID; XD w/ XenApp and w/ free XS, 3 years Subscription; SW and License key per download																										S26361-F2341-E913	1.106.00	
	Citrix XD VDI, 50 UID, 3yr SA	Citrix XD VDI, 50 UID, 3yr SA; XenDesktop VDI Edition, 50 UID; XD w/ XenApp and w/ free XS, 3 years Subscription; SW and License key per download																										S26361-F2341-E914	5.543.00	
	Citrix XD VDI, 100 UID, 3yr SA	Citrix XD VDI, 100 UID, 3yr SA; XenDesktop VDI Edition, 100 UID; XD w/ XenApp and w/ free XS, 3 years Subscription; SW and License key per download																										S26361-F2341-E915	11.065.00	
	Citrix XD EE, 10 UID, 3yr SA	Citrix XD EE, 10 UID, 3yr SA; XenDesktop Enterprise Edition, 10 UID; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download																										S26361-F2341-E923	2.617.00	
	Citrix XD EE, 50 UID, 3yr SA	Citrix XD EE, 50 UID, 3yr SA; XenDesktop Enterprise Edition, 50 UID; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download																										S26361-F2341-E924	13.074.00	
	Citrix XD EE, 100 UID, 3yr SA	Citrix XD EE, 100 UID, 3yr SA; XenDesktop Enterprise Edition, 100 UID; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download																										S26361-F2341-E925	26.149.00	
	Citrix XD PE, 10 UID, 3yr SA	Citrix XD PE, 10 UID, 3yr SA; XenDesktop Platinum Edition, 10 UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download																										S26361-F2341-E933	3.989.00	
	Citrix XD PE, 50 UID, 3yr SA	Citrix XD PE, 50 UID, 3yr SA; XenDesktop Platinum Edition, 50 UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download																										S26361-F2341-E934	19.947.00	
	Citrix XD PE, 100 UID, 3yr SA	Citrix XD PE, 100 UID, 3yr SA; XenDesktop Platinum Edition, 100 UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download																										S26361-F2341-E935	39.894.00	
	Citrix XD VDI-EE upgr, 10 UID, 3yr SA	Citrix XD VDI-EE upgr, 10 UID, 3yr SA; XD VDI to Enterprise upgrade 10UID; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download																										S26361-F2341-E960	2.309.00	



Blade Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX40 Expansion	FibreCAT SX40S/X90 Expansion	FibreCAT SX40S Expansion	PRIMERGY BLADE BX20 S5	PRIMERGY BLADE BX20 S6	PRIMERGY BLADE SX850	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX600 S1	PRIMERGY BX600 S2	PRIMERGY BX600 S2	PRIMERGY BX600 S2	PRIMERGY BX600 S1	PRIMERGY jBLADE BF120	PRIMERGY jBLADE BF140	PRIMERGY SX40 S1	PRIMERGY SX600 S1	Product Code	EUP (%)	Comments	
Options matrix																													
<b>SW Data Center Products (Continued)</b>																													
	Citrix XD VDI-EE upgr, 50 UID, 3yr SA	Citrix XD VDI-EE upgr, 50 UID, 3yr SA; XD VDI to Enterprise upgrade 50UID; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download							x	x																S26361-F2341-E961	11.521.00		
	Citrix XD VDI-EE upgr, 100 UID, 3yr SA	Citrix XD VDI-EE upgr, 100 UID, 3yr SA; XD VDI to Enterprise upgrade 100UID; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download							x	x																S26361-F2341-E962	23.053.00		
	Citrix XD VDI-PE upgr, 10 UID, 3yr SA	Citrix XD VDI-PE upgr, 10 UID, 3yr SA; XD VDI to Platinum upgrade 10UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download							x	x																S26361-F2341-E963	3.681.00		
	Citrix XD VDI-PE upgr, 50 UID, 3yr SA	Citrix XD VDI-PE upgr, 50 UID, 3yr SA; XD VDI to Platinum upgrade 50UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download							x	x																S26361-F2341-E964	18.394.00		
	Citrix XD VDI-PE upgr, 100 UID, 3yr SA	Citrix XD VDI-PE upgr, 100 UID, 3yr SA; XD VDI to Platinum upgrade 100UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download							x	x																S26361-F2341-E965	36.787.00		
	Citrix XD EE-PE upgr, 10 UID, 3yr SA	Citrix XD EE-PE upgr, 10 UID, 3yr SA; XD Enterprise to Platinum upgrade 10UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download							x	x																S26361-F2341-E966	2.351.00		
	Citrix XD EE-PE upgr, 50 UID, 3yr SA	Citrix XD EE-PE upgr, 50 UID, 3yr SA; XD Enterprise to Platinum upgrade 50UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download							x	x																S26361-F2341-E967	11.745.00		
	Citrix XD EE-PE upgr, 100 UID, 3yr SA	Citrix XD EE-PE upgr, 100 UID, 3yr SA; XD Enterprise to Platinum upgrade 100UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download							x	x																S26361-F2341-E968	23.489.00		
	Citrix XD VDI, 10 UID, 1yr SA	Citrix XD VDI, 10 UID, 1yr SA; XenDesktop VDI Edition, 10 UID; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download							x	x																S26361-F2341-S913	840.00		
	Citrix XD VDI, 50 UID, 1yr SA	Citrix XD VDI, 50 UID, 1yr SA; XenDesktop VDI Edition, 50 UID; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download							x	x																S26361-F2341-S914	4.213.00		
	Citrix XD VDI, 100 UID, 1yr SA	Citrix XD VDI, 100 UID, 1yr SA; XenDesktop VDI Edition, 100 UID; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download							x	x																S26361-F2341-S915	8.426.00		
	Citrix XD EE, 10 UID, 1yr SA	Citrix XD EE, 10 UID, 1yr SA; XenDesktop Enterprise Edition, 10 UID; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download							x	x																S26361-F2341-S923	2.000.00		
	Citrix XD EE, 50 UID, 1yr SA	Citrix XD EE, 50 UID, 1yr SA; XenDesktop Enterprise Edition, 50 UID; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download							x	x																S26361-F2341-S924	9.979.00		
	Citrix XD EE, 100 UID, 1yr SA	Citrix XD EE, 100 UID, 1yr SA; XenDesktop Enterprise Edition, 100 UID; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download							x	x																S26361-F2341-S925	19.947.00		
	Citrix XD PE, 10 UID, 1yr SA	Citrix XD PE, 10 UID, 1yr SA; XenDesktop Platinum Edition, 10 UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download							x	x																S26361-F2341-S933	3.106.00		
	Citrix XD PE, 50 UID, 1yr SA	Citrix XD PE, 50 UID, 1yr SA; XenDesktop Platinum Edition, 50 UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download							x	x																S26361-F2341-S934	15.511.00		
	Citrix XD PE, 100 UID, 1yr SA	Citrix XD PE, 100 UID, 1yr SA; XenDesktop Platinum Edition, 100 UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download							x	x																S26361-F2341-S935	31.032.00		
	Citrix XD VDI-EE upgr, 10 UID, 1yr SA	Citrix XD VDI-EE upgr, 10 UID, 1yr SA; XD VDI to Enterprise upgrade 10UID; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download							x	x																S26361-F2341-S960	1.681.00		
	Citrix XD VDI-EE upgr, 50 UID, 1yr SA	Citrix XD VDI-EE upgr, 50 UID, 1yr SA; XD VDI to Enterprise upgrade 50UID; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download							x	x																S26361-F2341-S961	8.426.00		
	Citrix XD VDI-EE upgr, 100 UID, 1yr SA	Citrix XD VDI-EE upgr, 100 UID, 1yr SA; XD VDI to Enterprise upgrade 100UID; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download							x	x																S26361-F2341-S962	16.840.00		
	Citrix XD VDI-PE upgr, 10 UID, 1yr SA	Citrix XD VDI-PE upgr, 10 UID, 1yr SA; XD VDI to Platinum upgrade 10UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x																S26361-F2341-S963	2.798.00		
	Citrix XD VDI-PE upgr, 50 UID, 1yr SA	Citrix XD VDI-PE upgr, 50 UID, 1yr SA; XD VDI to Platinum upgrade 50UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x																S26361-F2341-S964	13.968.00		
	Citrix XD VDI-PE upgr, 100 UID, 1yr SA	Citrix XD VDI-PE upgr, 100 UID, 1yr SA; XD VDI to Platinum upgrade 100UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x																S26361-F2341-S965	27.926.00		
	Citrix XD EE-PE upgr, 10 UID, 1yr SA	Citrix XD EE-PE upgr, 10 UID, 1yr SA; XD Enterprise to Platinum upgrade 10UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x																S26361-F2341-S966	1.468.00		
	Citrix XD EE-PE upgr, 50 UID, 1yr SA	Citrix XD EE-PE upgr, 50 UID, 1yr SA; XD Enterprise to Platinum upgrade 50UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x																S26361-F2341-S967	7.319.00		



Blade Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX40 Expansion	FibreCAT SX40S/X90 Expansion	FibreCAT SX40S Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY jBLADE BF120	PRIMERGY jBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (%)	Comments	
Options matrix																													
SW Data Center Products (Continued)																													
	Citrix XD EE-PE upgr, 100 UD, 1yr SA	Citrix XD EE-PE upgr, 100 UD, 1yr SA; XD Enterprise to Platinum upgrade 100UD; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download							x	x																	S26361-F2341-S968	14,628.00	
	SVRCVESC V21 (WIN) MED CD	Resource Coordinator VE Standard Media Pack (Windows) V2.1																									U11420-C900	50.00	Phased out
	CD-Xprint-Unix-OS	CD-Xprint (Linux, UX, AIX Solaris), Data media for Xprint Unix Alien, Intel/HPI/BM-based HW																									U11436-C231	36.00	
	SVRCVESC V22 (WIN) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Windows) V2.2							x	x																	U11420-C910	50.00	
	SVRCVESC V21 (LINUX) MED CD	Resource Coordinator VE Standard Media Pack (Linux) V2.1																									U11420-C901	50.00	Phased out
	SVRCVESC V22 (LINUX) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Linux) V2.2							x	x																	U11420-C911	50.00	
	SVRCVSMGR V2 (WIN) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class V2							x	x																	U11420-C902	2,363.00	
	SVRCVSMGR V22 (WIN) UGRU 1 SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class Upgrade from RCVE Preview V2							x	x																	U11420-C922	2,363.00	
	SVRCVSSAGT V22 (WINLINUX) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 4CPUClass V2							x	x																	U11420-C903	517.00	
	SVRCVSSAGT V2 (WINLINUX) RTU 10SVR 4C	Resource Coordinator VE Standard Server License for 10 Agents (Windows or Linux) 4 CPU Class V2							x	x																	U11420-C904	4,033.00	
	SVRCVSSAGT V22 (WINLINUX) RTU 18SVR 4C	Resource Coordinator VE Standard Server License for 18 Agents (Windows or Linux) 4 CPU Class V2							x	x																	U11420-C905	7,869.00	
	SVRCVEFCO V2 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows) V2							x	x																	U11420-C906	100.00	
	SVRCVEMCO V22 (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows) V2							x	x																	U11420-C936	100.00	
	SVRCVSEDEMO V2 (WINLINUX) RTU	ServerView Resource Coordinator VE Standard Demo License (1 System) V2							x	x																	U11420-C907	0.01	
	SVRORDEMO V2 (WINLINUX) RTU	ServerView Resource Orchestrator Demo License (1 System) V2							x	x																	U11420-C935	0.01	
	SVRORCD V22 (WIN) MED CD	ServerView Resource Orchestrator Media Pack V2.2 for Windows							x	x																	U11420-C937	50.00	
	SVRORCD V22 (LINUX) MED CD	ServerView Resource Orchestrator Media Pack V2.2 for Linux							x	x																	U11420-C938	50.00	
	XTN-CD V31 (PS) MED CD	x10sure CD 3.1; (Binaries / Documents) 1 Medium, German & English Version																									U11420-C775	50.00	
	SVRORSVR V22 (WINLINUX) RTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class V2																									U11420-C940	1,331.00	
	XTN-B V31 (PS) RTU -1CN1AN	x10sure 3.1 - Base License (RTU for 1 Control Node + 1 Application Node; no support nor updates included)							x	x																	U11420-C877	1,400.00	
	XTN-B V31 (PS) UGRU -1CN1AN	x10sure 3.1 - Upgrade Base License (Upgrade RTU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)							x	x																	U11420-C773-U	1.00	
	XTN-N V31 (PS) RTU -1 Node	x10sure 3.1 RTU for 1 additional Application- or Spare Node; no support nor updates included							x	x																	U11420-C878	1,100.00	
	SVRORSVR V22 (WINLINUX) RTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class V2							x	x																	U11420-C942	12,376.00	
	XTN-N V31 (PS) UGRU -1 Node	x10sure 3.1 - Upgrade License (Upgrade RTU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)							x	x																	U11420-C774-U	1.00	
	SVRORSVR V22 (WINLINUX) RTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class V2							x	x																	U11420-C943	22,277.00	
	SVRORSVR V22 (WINLINUX) UGRU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class RCVE Agent Upgrade V2							x	x																	U11420-C946	814.00	
	SVRORSVR V22 (WINLINUX) UGRU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class RCVE Agent Upgrade V2							x	x																	U11420-C948	8,343.00	
	SVRORSVR V22 (WINLINUX) UGRU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class RCVE Agent Upgrade V2							x	x																	U11420-C949	14,408.00	
	Xprint-NET (W2000/2003) V8.0	Xprint-NET (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW (Licence no data media)																									U11436-C568	4,374.00	
	Xprint-NET-CL (W2000/2003) V8.0	Xprint-NET-CL (W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)																									U11436-C569	1,188.00	
	Xprint-UGM (W2000/2003) V8.0	Xprint-UGM (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)																									U11436-C570	1,458.00	
	Xprint-UG2 (W2000/2003) V8.0	Xprint-UG2 (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)																									U11436-C571	1,458.00	
	Xprint-UG3 (W2000/2003) V8.0	Xprint-UG3 (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)																									U11436-C572	2,484.00	
	Xprint-UG4 (W2000/2003) V8.0	Xprint-UG4 (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)																									U11436-C573	2,268.00	
	Xprint-UG5 (W2000/2003) V8.0	Xprint-UG5 (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)																									U11436-C574	1,890.00	
	Xprint-UG6 (W2000/2003) V8.0	Xprint-UG6 (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)																									U11436-C575	1,890.00	
	Xprint-UG7 (W2000/2003) V8.0	Xprint-UG7 (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)																									U11436-C576	1,890.00	
	Xprint-UG8 (W2000/2003) V8.0	Xprint-UG8 (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)																									U11436-C577	1,890.00	



Blade Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX60SX90 Expansion	FibreCAT SX68 Expansion	PRIMERGY BLADE BX628 S5	PRIMERGY BLADE BX628 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX922 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY jBLADE BF120	PRIMERGY jBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (%)	Comments
Options matrix	SW Data Center Products (Continued)																												
	Xprint-ERP-Kit (W2000/2003) V8.0	Xprint-R/3-Kit (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																					x				U11436-C578	4.439.00	
	Xprint-NET-UP(W2000/2003) V8.0	Xprint-NET-UP (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C580	1.761.00	
	Xprint-NET-CL-UP(W2000/2003) V8.0	Xprint-NET-CL-UP(W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C581	486.00	
	Xprint-UGM-UP (W2000/2003) V8.0	Xprint-UGM-UP (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C582	589.00	
	Xprint-UG2-UP (W2000/2003) V8.0	Xprint-UG2-UP (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C583	589.00	
	Xprint-UG3-UP (W2000/2003) V8.0	Xprint-UG3-UP (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C584	1.005.00	
	Xprint-UG4-UP (W2000/2003) V8.0	Xprint-UG4-UP (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C585	908.00	
	Xprint-UG5-UP (W2000/2003) V8.0	Xprint-UG5-UP (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C586	756.00	
	Xprint-UG6-UP (W2000/2003) V8.0	Xprint-UG6-UP (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C587	756.00	
	Xprint-UG7-UP (W2000/2003) V8.0	Xprint-UG7-UP (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C588	756.00	
	Xprint-UG8-UP (W2000/2003) V8.0	Xprint-UG8-UP (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C589	756.00	
	Xprint-ERP-Kit-UP (W2000/2003) V8.0	Xprint-R/3-Kit-UP (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C590	1.804.00	
	Xprint-NET (LINUX) V8.0	Xprint (LINUX) V8.0 LC f. up to 32 printers for Intel based HW (Licence no data media)																					x				U11436-C616	4.374.00	
	Xprint-NET-CL (LINUX) V8.0	Xprint-NET-CL (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)																					x				U11436-C617	1.188.00	
	Xprint-UGM (LINUX) V8.0	Xprint-UGM (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)																					x				U11436-C618	1.458.00	
	Xprint-UG2 (LINUX) V8.0	Xprint-UG2 (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)																					x				U11436-C619	1.458.00	
	Xprint-UG3 (LINUX) V8.0	Xprint-UG3 (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)																					x				U11436-C620	2.484.00	
	Xprint-UG4 (LINUX) V8.0	Xprint-UG4 (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)																					x				U11436-C621	2.268.00	
	Xprint-UG5 (LINUX) V8.0	Xprint-UG5 (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)																					x				U11436-C622	1.890.00	
	Xprint-UG6 (LINUX) V8.0	Xprint-UG6 (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)																					x				U11436-C623	1.890.00	
	Xprint-UG7 (LINUX) V8.0	Xprint-UG7 (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)																					x				U11436-C624	1.890.00	
	Xprint-UG8 (LINUX) V8.0	Xprint-UG8 (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)																					x				U11436-C625	1.890.00	
	Xprint-ERP-Kit (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																					x				U11436-C626	4.439.00	
	Xprint-NET-UP (LINUX) V8.0	Xprint-NET-UP (LINUX) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C628	1.761.00	
	Xprint-NET-CL-UP (LINUX) V8.0	Xprint-NET-CL-UP (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C629	486.00	
	Xprint-UGM-UP (LINUX) V8.0	Xprint-UGM-UP (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C630	589.00	
	Xprint-UG2-UP (LINUX) V8.0	Xprint-UG2-UP (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C631	589.00	
	Xprint-UG3-UP (LINUX) V8.0	Xprint-UG3-UP (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C632	1.005.00	
	Xprint-UG4-UP (LINUX) V8.0	Xprint-UG4-UP (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C633	908.00	
	Xprint-UG5-UP (LINUX) V8.0	Xprint-UG5-UP (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C634	756.00	
	Xprint-UG6-UP (LINUX) V8.0	Xprint-UG6-UP (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x				U11436-C635	756.00	



Blade Servers Options

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX40 Expansion	FibreCAT SX40S/X90 Expansion	FibreCAT SX48 Expansion	PRIMERGY BLADE BX20 S5	PRIMERGY BLADE BX20 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX200 S2	PRIMERGY BX202 S2	PRIMERGY BX204 S2	PRIMERGY BX900 S1	PRIMERGY pBLADE BF120	PRIMERGY pBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (%)	Comments		
Options matrix																															
<b>SW Data Center Products (Continued)</b>																															
	Xprint-UG7-UP (LINUX) V8.0	Xprint-UG7-UP (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0										x	x	x									x	x				U11436-C636	756.00		
	Xprint-UG8-UP (LINUX) V8.0	Xprint-UG8-UP (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0																					x					U11436-C637	756.00		
	Xprint-ERP-Kit-UP (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																					x					U11436-C638	1.804.00		
	Xprint DMG-UG1 V1.0	Domain Monitoring GUI-UG1 V1.0 Licence for 3 to 8 instances																					x					U11436-C664	432.00		
	Xprint DMG-UG2 V1.0	Domain Monitoring GUI-UG2 V1.0 Licence for 9 to 16 instances																					x					U11436-C665	432.00		
	Xprint DMG-UG3 V1.0	Domain Monitoring GUI-UG3 V1.0 Licence for 17 to 32 instances										x	x	x									x	x				U11436-C666	648.00		
	Xprint DMG-UG4 V1.0	Domain Monitoring GUI-UG4 V1.0 Licence for 33 to 64 instances										x	x	x									x	x				U11436-C667	972.00		
	EMANATE-Primecluster (LINUX) V1.5	EMANATE V1.4 Licence SNMP-Masteragent on Linux for Primecluster only							x																			U16525-C400	400.00		
<b>SW Screen Interface</b>																															
	PY BF400 SW Base License (24 pBlades)	SW100600FS, SW Base License (PAN Virtualization & Mgmt and vBlades) for 24 pBlades + Frame per BF400S2 Systemeinheit, incl. CD/Doku, includes BladeFrame software, documentation and licence for one system unit BF400S2, incl. OS extensions for RedHat RHEL4 and 5 and SuSE SLES9 and 10 (32-Bit and 64-Bit versions)												x														S26361-F3226-E370	82.144.00		
	PY BF200 SW Base License (6 pBlades)	SW100300FS, SW Base License (PAN Virtualization & Mgmt and vBlades) for 6 pBlades + Frame per BF200 Systemeinheit, incl. CD/Doku, includes BladeFrame software, documentation and licence for one system unit BF200, incl. OS extensions for RedHat RHEL4 and 5 and SuSE SLES9 and 10 (32-Bit and 64-Bit versions)											x																S26361-F3226-E379	20.537.00	
	PY BF SW PAN Port/DR License (2 socket)	SW100605FS, per 2 Socket (2-way) pBlade, includes PAN portability and DR license for one pBlade, Basis+Server Port/N+1 License and CD/Docu license separately											x	x															S26361-F3226-E375	6.793.00	
	PY BF SW Server Port/In+1 License (2soc)	SW100603FS, per 2 Socket (2-way) pBlade, includes server portability and fallover license for one pBlade, Frame/pBlade Base License and CD/Docu license separately											x	x															S26361-F3226-E373	3.505.00	
	PY BF SW PAN Port/DR License (4 socket)	SW100606FS, per 4 Socket (4-way) pBlade, includes PAN portability and DR license for one pBlade, Basis+Server Port/N+1 License and CD/Docu license separately											x	x															S26361-F3226-E376	12.154.00	
	PY BF SW Server Port/In+1 License (4soc)	SW100604FS, per 4 Socket (4-way) pBlade, includes server portability and fallover license for one pBlade, Frame/pBlade Base License and CD/Docu license separately											x	x															S26361-F3226-E374	6.133.00	
	PY BF400 SW Basis Set (24 pBlades)	SW100210FS, includes BladeFrame software and documentation for one system unit BF400 S2 (PAN Manager incl. vBlades), incl. OS extensions for RedHat RHEL4 and 5 and SuSE SLES9 and 10 (32-bit and 64-bit versions)												x															S26361-F3226-E310	291.878.00	
	PY BF200 SW Basis Set (6 pBlades)	SW100301FS, includes BladeFrame software and documentation for one system unit BF200 (PAN Manager incl. vBlades), incl. OS extensions for RedHat RHEL4 and 5 and SuSE SLES9 and 10 (32-bit and 64-bit versions)											x																S26361-F3226-E311	72.984.00	
	PY BF400 SW License (24 pBlades)	includes licence for up to 24 pBlades for BF400 system software (PAN Manager incl. vBlades) and OS extensions for RedHat Linux AS3.0 / 4.0 and SuSE Linux ES 9 (32-bit und 64-bit versions).												x															S26361-F3226-E315	5.00	
	PY BF200 SW License (6 pBlades)	includes licence for up to 6 pBlades for BF200 system software (PAN Manager incl. vBlades) and OS extensions for RedHat Linux AS3.0 / 4.0 and SuSE Linux ES 9 (32-bit und 64-bit versions).											x																S26361-F3226-E316	5.00	
	PY BF400 SW License (1 add. pBlade)	includes licence for 1 pBlade for BF400S2 system software and OS extensions for RedHat Linux AS3.0 / 4.0 and SuSE Linux ES 9 (32-bit und 64-bit versions).												x															S26361-F3226-E318	14.277.00	
	PY BF400 SW Demo Basis Set (24 pBlades)	SW100210FS, for demo system only, non production incl. documentation / no license (PAN Manager incl. vBlades); per BF400, up to 24 pBlades												x															S26361-F3226-E321	5.00	
	PY BF200 SW Demo Basis Set (6 pBlades)	SW100301FS, for demo system only, non production incl. documentation / no license (PAN Manager incl. vBlades); per BF200, up to 6 pBlades											x																S26361-F3226-E322	5.00	
	PY BF400 SW Eval Basis Set (24 pBlades)	SW100210FS, for eval system only, non production incl. documentation / license separate (PAN Manager incl. vBlades); per BF400, up to 24 pBlades												x															S26361-F3226-E323	5.00	
	PY BF200 SW Eval Basis Set (6 pBlades)	SW100301FS, for eval system only, non production incl. documentation / license separate (PAN Manager incl. vBlades); per BF200, up to 6 pBlades											x																S26361-F3226-E324	5.00	
	PY BF400 SW Eval License (24 pBlades)	for evaluation purposes only (PAN Manager incl. vBlades), BF400 not usable in production - valid max 6 months from delivery!												x															S26361-F3226-E325	5.00	





**Blade Servers Options**

Data Sheets: <http://ts.fujitsu.com/primergy>

Category	Description	Details	FibreCAT SX100	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80SX90 Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S5	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BladeFrame BF Upgrade	PRIMERGY BladeFrame BF200	PRIMERGY BladeFrame BF400 S2	PRIMERGY BX400 S1	PRIMERGY BX600 S3	PRIMERGY BX900 S1	PRIMERGY BX920 S2	PRIMERGY BX924 S2	PRIMERGY BX960 S1	PRIMERGY iBLADE BF120	PRIMERGY iBLADE BF140	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	Product Code	EUP (€)	Comments		
<b>Options matrix</b>																														
<b>SW Screen Interface (Continued)</b>																														
	PY BF200 SW Eval License (6 pBlades)	for evaluation purposes only (PAN Manager incl. vBlades). BF200 not usable in production - valid max 6 months from delivery!											x														S26361-F3226-E326	5.00		
	Solaris 10 Demo Media kit	SW900488FS, for demo systems only, non production incl. extensions for BladeFrame											x	x													S26361-F3226-E336	96.00		
<b>Solution identifier</b>																														
	HPC Compute Node Inst. ex works incl ICR	Please note configuration hints																										S26361-F3638-E2	218.00	