


# Lexmark C748 Family Color laser printers



## Vibrant color printing for midsize workgroups

The Lexmark C748 color laser printers deliver high-quality color printing and reliable performance. Easy-to-use features and solutions increase efficiency. Eco-friendly features make responsible printing easy.

### Features to optimize your work



#### Easy brand matching

Consistently match branded colors and print marketing collateral in-house with Lexmark Named Color Replacement.



#### Intuitive color touch screen

Operate your printer with ease and confidence using the 4.3-inch color touch screen that makes navigation smart and intuitive.



#### Convenient updates

Preview documents and change output settings such as two-sided printing directly at the device.



#### Flexible input capacity

With the optional 550-sheet drawers, specialty media drawer and 2,000-sheet high-capacity feeder, customize input options to meet your printing needs.



#### Optional hard disk

The optional hard disk increases productivity, reduces job waiting and includes on-printer form and file storage.



#### Use less energy

The instant warm-up fuser reduces energy consumption and delivers a time to first page as fast as 9 seconds in both black and color.



#### Walk-up USB printing

The front USB port allows for convenient walk-up printing of PDFs and many printable image file formats.



#### Multiple media support

Ultra-reliable paper feeding supports diverse media, including card stock, vinyl labels, banners and more.

**LEXMARK**<sup>TM</sup>

# Lexmark C748 Family Overview



## Robust high-quality color

Rely on Lexmark C748 color laser printers for the high-quality color printing essential to business. Speed and reliability mean minimal waiting and few interruptions. You consistently and quickly receive vibrant documents.

- Match corporate colors on marketing collateral and brand-sensitive text and graphics with Lexmark Named Color Replacement and PANTONE® calibration.
- The high-speed processor and Gigabit Ethernet networking mean fast data transfer and fast processing, even on complex color documents.
- Print quickly at speeds up to 35 ppm and a time to first page as fast as 9 seconds in both black and color.
- Lexmark cartridges let you print up to 12,000 pages per cartridge in black and up to 10,000 pages per cartridge in color.<sup>1</sup>



## Productivity made easy

The combination of easy-to-use features and reliable performance means business processes are intuitive and you are productive. Increase efficiency with workflow-enhancing solutions and shortcuts designed to reduce unnecessary printing and simplify processes.

- The easy-to-use 4.3-inch color touch screen provides audible feedback and tablet-like navigation to make device operation intuitive and simple.
- Expand input capacity with optional paper drawers that let you load multiple paper types and boost total input capacity up to 4,300 sheets.
- Create customized messages to provide helpful information such as helpdesk telephone numbers.
- Easily manage supplies through programmable alerts that automatically send reorder notifications.



## Sustainable by design

Environmentally friendly printing and energy-saving features make it easy to print responsibly. Use fewer raw materials with features that reduce the number of pages printed and free cartridge return and recycling programs.

- Use less electricity with Hibernate Mode, which reduces energy consumption to less than one watt and meets multiple energy management standards.
- Choose from multiple print settings that help reduce energy, paper and toner consumption using custom Eco-Settings.
- Cartridges are eligible for the Lexmark Cartridge Collection Program (LCCP), which offers a variety of free, easy return options designed for your business size and printing volume. For more information visit [www.lexmark.com/recycle](http://www.lexmark.com/recycle).<sup>2</sup>
- Reduce paper consumption by up to 50% and reduce your impact on the environment with two-sided printing.

# Lexmark C748 Family Ordering information

## Compatible on the complete Lexmark C748 Family

Part #	Laser Toner/Print Cartridge
C746H1KG	C746, C748 Black High Yield Return Program Toner Cartridge
C748H1CG	C748 Cyan High Yield Return Program Toner Cartridge
C748H1MG	C748 Magenta High Yield Return Program Toner Cartridge
C748H1YG	C748 Yellow High Yield Return Program Toner Cartridge
C746A1CG	C746, C748 Cyan Return Program Toner Cartridge
C746A1MG	C746, C748 Magenta Return Program Toner Cartridge
C746A1YG	C746, C748 Yellow Return Program Toner Cartridge
C746H2KG	C746, C748 Black High Yield Toner Cartridge
C748H2CG	C748 Cyan High Yield Toner Cartridge
C748H2MG	C748 Magenta High Yield Toner Cartridge
C748H2YG	C748 Yellow High Yield Toner Cartridge
C746A2CG	C746, C748 Cyan Toner Cartridge
C746A2MG	C746, C748 Magenta Toner Cartridge
C746A2YG	C746, C748 Yellow Toner Cartridge
C734X77G	Waste Toner Box
C734X20G	Photoconductor Unit
C734X24G	Photoconductor Unit, 4-Pack
Part #	Furniture
3052765	Swivel Cabinet

34T5114	C74x, X74x Caster Base
Part #	Memory Options
1025041	256MB DDR2-DRAM
1025042	512MB DDR2-DRAM
1025043	1024MB DDR2-DRAM
14F0245	256MB Flash Card
27X0014	160+ GB Hard Disk
30G0287	Arabic Font Card
30G0828	Japanese Font Card
30G0825	Korean Font Card
30G0826	Simplified Chinese Font Card
30G0827	Traditional Chinese Font Card
Part #	Application Solutions
57X9000	Lexmark Print/Cryption Card
41H0198	C748 Card for IPDS
41H0199	C748 Card for PRESCRIBE Emulation
41H0197	C748 Forms and Bar Code Card
Part #	Connectivity
27X0025	MarkNet N8250 802.11b/g/n Wireless Print Server
14F0037	MarkNet N8120 Gigabit Ethernet Print Server
1021294	USB Cable (2-meter)

14F0000	Parallel 1284-B Interface Card
1021231	Parallel Cable (10-foot)
14F0100	RS-232C Serial Interface Card
Part #	User Replaceable Parts
40X5168	Pick Tire
40X5152	Pick Tire, Specialty Media Drawer
40X8110	C74x, X74x Fuser Maintenance 110-120V
40X8307	C74x, X74x Transfer Belt Maintenance Kit

### Lexmark C748e

Part #	Model
41H0000	Lexmark C748e
Part #	Paper Handling
27S2100	550-Sheet Drawer
27S2400	2,000-Sheet High Capacity Feeder
27S2650	550-Sheet Specialty Media Drawer
27S2190	4.8 inch (12.2 cm) Spacer
Part #	Extended Warranties
2355024	C748 2-Years Total (1+1) Onsite Service, Next Business Day
2355025	C748 3-Years Total (1+2) Onsite Service, Next Business Day
2355026	C748 4-Years Total (1+3) Onsite Service, Next Business Day

2355027	C748 5-Years Total (1+4) Onsite Service, Next Business Day
2355028	C748 1-Year Onsite Service Renewal, Next Business Day
Part #	Installation Service
2355031	C748 Install, De-Install Service

**In the box**  
Lexmark C748e color laser printer, Up to 10,000\*-page color (CMY) toner cartridges, Up to 12,000\*-page black toner cartridge, Photoconductor unit, Software and Documentation CD, Power cord(s), Setup guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information  
\*Average continuous black or continuous composite CMY declared cartridge yield in one-sided (simplex) mode up to this number of standard pages in accordance with ISO/IEC 19798.

### Lexmark C748de

Part #	Model
41H0050	Lexmark C748de
Part #	Paper Handling
27S2100	550-Sheet Drawer
27S2400	2,000-Sheet High Capacity Feeder
27S2650	550-Sheet Specialty Media Drawer
27S2190	4.8 inch (12.2 cm) Spacer
Part #	Extended Warranties
2355024	C748 2-Years Total (1+1) Onsite Service, Next Business Day
2355025	C748 3-Years Total (1+2) Onsite Service, Next Business Day
2355026	C748 4-Years Total (1+3) Onsite Service, Next Business Day

2355027	C748 5-Years Total (1+4) Onsite Service, Next Business Day
2355028	C748 1-Year Onsite Service Renewal, Next Business Day
Part #	Installation Service
2355031	C748 Install, De-Install Service

**In the box**  
Lexmark C748de color laser printer, Up to 10,000\*-page color (CMY) toner cartridges, Up to 12,000\*-page black toner cartridge, Photoconductor unit, Software and Documentation CD, Power cord(s), Setup guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information  
\*Average continuous black or continuous composite CMY declared cartridge yield in one-sided (simplex) mode up to this number of standard pages in accordance with ISO/IEC 19798.


### Lexmark C748dte

Part #	Model
41H0100	Lexmark C748dte
Part #	Paper Handling
27S2100	550-Sheet Drawer
27S2400	2,000-Sheet High Capacity Feeder
27S2650	550-Sheet Specialty Media Drawer
27S2190	4.8 inch (12.2 cm) Spacer
Part #	Extended Warranties
2355024	C748 2-Years Total (1+1) Onsite Service, Next Business Day
2355025	C748 3-Years Total (1+2) Onsite Service, Next Business Day
2355026	C748 4-Years Total (1+3) Onsite Service, Next Business Day


2355027	C748 5-Years Total (1+4) Onsite Service, Next Business Day
2355028	C748 1-Year Onsite Service Renewal, Next Business Day
Part #	Installation Service
2355031	C748 Install, De-Install Service

**In the box**  
Lexmark C748dte color laser printer, Includes 550-Sheet Drawer, Up to 10,000\*-page color (CMY) toner cartridges, Up to 12,000\*-page black toner cartridge, Photoconductor unit, Software and Documentation CD, Power cord(s), Setup guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information  
\*Average continuous black or continuous composite CMY declared cartridge yield in one-sided (simplex) mode up to this number of standard pages in accordance with ISO/IEC 19798.


# Lexmark C748 Family Product specifications



4.3-inch Touch Screen



550-Sheet Drawer  
550-Sheet Drawer  
550-Sheet Drawer  
Caster Base



550-Sheet Drawer  
2,000-Sheet High-Capacity Feeder  
Caster Base

■ Standard  
■ Optional

## Product specifications

### Lexmark C748e

### Lexmark C748de

### Lexmark C748dte

Product specifications	Lexmark C748e	Lexmark C748de	Lexmark C748dte
<b>Printing</b>			
Display	Lexmark e-Task 4.3-inch (10.9 cm) color touch screen with audible feedback		
Print Speed: Up to	Black: 35 ppm / Color: 35 ppm		
Time to First Page: As fast as	Black: 9 seconds / Color: 9 seconds		
Print Resolution, Color	1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)		
Processor	800 MHz		
Memory	Standard: 512 MB / Maximum: 1536 MB		
Hard Disk	Option available		
Recommended Monthly Page Volume <sup>4</sup>	2,500 - 10,000 pages		
Maximum Monthly Duty Cycle: Up to <sup>5</sup>	100,000 pages per month		
<b>Supplies</b>			
Supplies Yield	10,000 <sup>1</sup> -page color High Yield Toner Cartridges (CMY), 12,000 <sup>1</sup> -page Black High Yield Toner Cartridge, 7,000 <sup>1</sup> -page color (CMY) Toner Cartridges		
Cartridge(s) Shipping with Product	10,000 <sup>1</sup> -page color (CMY) High Yield Return Program Toner Cartridges, 12,000 <sup>1</sup> -page Black High Yield Return Program Toner Cartridge		
<b>Paper Handling</b>			
Paper Handling Standard	300-Sheet Output Bin, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray	300-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray	300-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Drawer, 550-Sheet Input
Paper Handling Optional	550-Sheet Drawer, 2,000-Sheet High-Capacity Feeder, 550-Sheet Specialty Media Drawer		
Paper Input Capacity: Up to	Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 4300 pages 20 lb or 75 gsm bond	Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 4300 pages 20 lb or 75 gsm bond	Standard: 1200 pages 20 lb or 75 gsm bond / Maximum: 4300 pages 20 lb or 75 gsm bond
Paper Output Capacity: Up to	Standard: 300 pages 20 lb or 75 gsm bond / Maximum: 300 pages 20 lb or 75 gsm bond		
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Vinyl Labels, Refer to the Card Stock & Label Guide		
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, B5, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6		
<b>General</b>			
Standard Ports	USB 2.0 Specification Hi-Speed Certified (Type B), Front USB 2.0 Specification Hi-Speed Certified Port (Type A), Rear USB 2.0 Specification Hi-Speed Certified Port (Type A), Ethernet 10/100/1000 BaseTX (RJ-45)		
Optional Network Ports	Internal MarkNet™ N8120 Gigabit Ethernet, Internal MarkNet™ N8250 802.11b/g/n Wireless		
Optional Local Ports	Internal RS-232C serial, Internal 1284-B Bidirectional Parallel		
Print Noise Level, Operating	55 dBA		
Product Warranty	1-Year Onsite Service, Next Business Day		
Energy Star	No	Yes	Yes
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 3048 Meters (10,000 Feet)		
Size (in. - H x W x D) / Weight (lb.)	17.9 x 17.1 x 15.7 in. / 56.4 lb.	17.9 x 17.1 x 15.7 in. / 56.4 lb.	22.9 x 17.1 x 21.5 in. / 66.4 lb.

<sup>1</sup> Average continuous black or composite CMY declared cartridge yield in accordance with ISO/IEC 19798. <sup>2</sup> Not available in all countries. <sup>3</sup> Not available on the Lexmark C748e. <sup>4</sup> "Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. <sup>5</sup> "Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.



**LEXMARK**  
TM