



Portable SSDs

ESD250C Portable SSD

Transcend's ESD250C is a portable solid state drive featuring a sturdy metallic case in an alluring space-gray hue, a USB 3.1 Gen 2 interface for unmatched transfer rates, a USB Type-C port, and a pre-formatted exFAT file system.




Transfer in a blink of an eye

The ESD250C is equipped with the USB 3.1 Gen 2 interface with the support of UASP (USB Attached SCSI Protocol), providing transfer speeds of up to 520MB/s.



A tailor-made design

The ESD250C features a lightweight aluminum construction, making it both portable and durable. The device's alluring space-gray hue complements the sturdy design and minimalist style of your PC.



Expand storage in a flash

The ESD250C provides storage capacity of 960GB, ensuring you have plenty of space for backups, as well as storing your high-resolution images, 4K videos, and other media files!

Portable SSDs

ESD250C Portable SSD

Features

- USB 3.1 Gen 2 interface with the support of UASP (USB Attached SCSI Protocol)
- 3D NAND flash
- Sturdy metallic case in a space-gray hue
- USB Type-C and USB Type-C to Type-A cable included

Transcend Elite

Transcend Elite is a data management software for external hard drives, USB flash drives and portable SSD products.

Specifications

Appearance

Dimensions	120.16 mm x 33.6 mm x 7.5 mm (4.73" x 1.32" x 0.30")
Weight	47 g (1.66 oz)
Color	Space gray

Interface

USB Type	USB Type C to USB Type A / USB Type C to USB Type C
Connection Interface	USB 3.1 Gen 2

Storage

Flash Type	3D NAND flash
Capacity	960 GB

Operating Environment

Operating Temperature	0°C (32°F) ~ 60°C (140°F)
Operating Voltage	5V

Performance

Read Speed (Max.)	up to 520 MB/s
Write Speed (Max.)	up to 460 MB/s

Warranty

Certificate	CE / FCC / BSMI / KC / RCM / EAC
Warranty	Three-year Limited Warranty

Ordering Information

960GB	TS960GESD250C
-------	---------------

Product specifications are subject to change without notice. Pictures shown may differ from actual products. Total accessible capacity varies depending on operating environment.