

ANNUAL REPORT

Prepared for

STANLEY BLACK & DECKER (U.S.), INC.

Hampstead, Maryland

July 2014

Prepared by

WESTON SOLUTIONS, INC.

West Chester, Pennsylvania 19380-1499

W.O. No. 02501.004.004.0700

TABLE OF CONTENTS

Section	Page
1. INTRODUCTION.....	1-1
2. SITE CHARACTERISTICS.....	2-1
2.1 HYDRAULIC PROPERTIES	2-1
2.2 EFFLUENT CHARACTERISTICS	2-1
2.3 GROUNDWATER QUALITY DATA	2-1
3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM.....	3-1
4. TREATMENT SYSTEM PERFORMANCE EVALUATION.....	4-1
5. RECOMMENDATIONS.....	5-1

LIST OF APPENDICES

APPENDIX A – WITHDRAWAL REPORTS

APPENDIX B – DISCHARGE MONITORING REPORTS

APPENDIX C – GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

APPENDIX D - GROUNDWATER ANALYTICAL DATA PACKAGE (MAY 2014)

LIST OF FIGURES

Figure	Page
Figure 2-1 Groundwater Elevation Contour Map Under Pumping Conditions (June 2014).....	2-6

LIST OF TABLES

Table	Page
Table 2-1 Treatment System Pumping Records (July 2013 through June 2014)	2-2
Table 2-2 Groundwater Elevation Data (July 2013 through June 2014).....	2-3
Table 2-3 Effluent Characteristics Summary (July 2013 through June 2014).....	2-7
Table 2-4 Summary of Groundwater Analytical Results – August 2013	2-10
Table 2-5 Summary of Groundwater Analytical Results – November 2013	2-13
Table 2-6 Summary of Groundwater Analytical Results – February 2014	2-16
Table 2-7 Summary of Groundwater Analytical Results – May 2014	2-19
Table 3-1 Treatment System Maintenance Activities (July 2013 through June 2014).....	3-2

1. INTRODUCTION

This Annual Report has been prepared to meet the requirements of Condition IV.L of the Administrative Consent Order between the State of Maryland Department of the Environment (MDE) and Black & Decker (U.S.) Inc. (April 1995) (Consent Order) and the Addendum to Administrative Consent Order dated 29 June 1995. Specifically, Condition IV.L calls for preparation of an Annual Report containing a summary of the information contained in the Discharge Monitoring Reports (Table 2-3), a summary of all analyses of water samples (Tables 2-4 to 2-7), an explanation of all problems encountered and the manner in which they were resolved (Table 3-1), a performance evaluation of the treatment system (Section 4), and recommendations for continuation of, or changes to, the treatment system (Section 5). This document is one of several that are being prepared in response to the Consent Order; each of these documents are to be submitted to the MDE in accordance with the schedule outlined in the Consent Order. This document will become part of the Administrative Record for the site, which is maintained at the Hampstead Public Library.

2. SITE CHARACTERISTICS

2.1 HYDRAULIC PROPERTIES

In accordance with the Consent Order and the Water Appropriation Permit issued to the Black & Decker (U.S.) Inc. Hampstead, Maryland, facility, the following pumping and water level information is included for the period of July 2013 through June 2014.

Pumping records showing the total gallons pumped per month of treatment system operation are presented in Table 2-1. Copies of the Withdrawal Reports, for the periods of April through June 2014, are included in Appendix A.

Water levels (Water Level Monitoring Report) for wells included in the water level monitoring plan are presented in Table 2-2. Based on the June 2014 water levels, a representative groundwater elevation contour map under pumping conditions is presented in Figure 2-1. At the time the data were collected, the extraction wells were pumping at a combined rate of approximately 187 gpm.

2.2 EFFLUENT CHARACTERISTICS

Effluent characteristics of the NPDES discharge points are recorded monthly on Discharge Monitoring Reports (DMRs) and are submitted to MDE, Water Management Administration on a quarterly basis. A summary of the sample results from the DMRs is presented in Table 2-3. DMRs for the period of April 2014 through June 2014 are included in Appendix B.

2.3 GROUNDWATER QUALITY DATA

For the reporting period of July 2013 through June 2014, approximately 44 pounds (lbs) of total volatile organic compounds (VOCs) were removed from the groundwater by the extraction and treatment system. In general, the total VOCs were comprised of trichloroethene (TCE) (77.3%) and tetrachloroethene (PCE) (22.7%). Analytical results for the air stripper discharge for the period of April 2014 through June 2014 are included in Appendix C.

Table 2-1
Treatment System Pumping Records
(July 2013 through June 2014)

Black & Decker
Hampstead, Maryland

Date	Water Pumped (gallons)
July 2013	7,319,915
August 2013	7,251,212
September 2013	7,037,943
October 2013	7,024,572
November 2013	6,600,644
December 2013	6,314,258
January 2014	5,895,800
February 2014	5,316,166
March 2014	6,772,689
April 2014	7,364,536
May 2014	7,870,785
June 2014	7,785,322

Table 2-2
Groundwater Elevation Data (July 2013 through June 2014)
Black & Decker
Hampstead, Maryland


WELL NO.	TOC ELEV	TOTAL DEPTH	7/19/2013		8/1/2013		9/12/2013		10/10/2013	
			DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	93.47	755.74	93.52	755.69	92.70	756.51	92.94	756.27
EW-3	846.64	118	85.11	761.53	85.83	760.81	85.73	760.91	84.79	761.85
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	89.91	774.26	89.94	774.23	89.41	774.76	90.10	774.07
EW-6	831.98	115	103.00	728.98	103.00	728.98	103.00	728.98	103.00	728.98
EW-7	818.38	78	74.50	743.88	74.50	743.88	75.50	742.88	74.50	743.88
EW-8	811.13	98	95.00	716.13	95.00	716.13	96.00	715.13	95.00	716.13
EW-9	811.35	141	103.00	708.35	103.00	708.35	103.00	708.35	103.00	708.35
EW-10	807.74	NA	50.11	757.63	51.82	755.92	52.33	755.41	51.26	756.48
RFW-1A	864.37	78	49.57	814.80	50.37	814.00	50.41	813.96	50.61	813.76
RFW-1B	864.23	200	49.61	814.62	50.45	813.78	50.49	813.74	50.64	813.59
RFW-2A	857.41	35	13.63	843.78	15.03	842.38	15.17	842.24	14.86	842.55
RFW-2B	857.73	75	13.90	843.83	15.67	842.06	15.19	842.54	15.06	842.67
RFW-3B	839.21	153	30.18	809.03	32.18	807.03	32.21	807.00	29.75	809.46
RFW-4A	830.37	62	36.84	793.53	36.81	793.56	37.01	793.36	36.84	793.53
RFW-4B	830.37	120	36.98	793.39	36.72	793.65	36.89	793.48	36.49	793.88
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	2.41	782.63	3.06	781.98	4.11	780.93	3.99	781.05
RFW-7	805.14	29	6.11	799.03	6.07	799.07	6.82	798.32	7.51	797.63
RFW-8	860.07	53	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	25.37	836.65	20.02	842.00	20.10	841.92	20.21	841.81
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	61.89	787.73	62.76	786.86	62.72	786.90	62.14	787.48
RFW-12B	844.87	264	49.64	795.23	49.81	795.06	50.01	794.86	50.83	794.04
RFW-13	849.11	150	59.87	789.24	60.31	788.80	60.43	788.68	60.72	788.39
RFW-14B	812.39	281	54.01	758.38	53.87	758.52	51.89	760.50	52.13	760.26
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	25.91	808.75	26.19	808.47	26.30	808.36	25.98	808.68
RFW-20	842.29	142	32.93	809.36	33.58	808.71	23.65	818.64	32.88	809.41
RFW-21	832.65	102	19.50	813.15	21.25	811.40	21.31	811.34	20.02	812.63
PH-7	805.94	89	25.16	780.78	26.24	779.70	26.32	779.62	25.94	780.00
PH-9	814.94	98	50.57	764.37	51.63	763.31	50.88	764.06	50.86	764.08
PH-11	820.68	78	51.04	769.64	51.21	769.47	51.26	769.42	51.09	769.59
PH-12	828.35	87	51.82	776.53	52.06	776.29	51.99	776.36	51.36	776.99
B-3	803.02	83	10.59	792.43	10.62	792.40	10.70	792.32	10.59	792.43
Amoco	842.29	NA	NA	NC	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	NA	0.83	804.13	0.59	804.37	1.87	803.09	0.97	803.99
Pembroke #1	NA	NA	11.22	NC	11.07	NC	11.89	NC	11.52	NC
Pembroke #2	NA	NA	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	NA	NA	10.60	NC	10.84	NC	10.11	NC	10.14	NC
E. Century St.	NA	NA	19.22	NC	19.19	NC	19.18	NC	19.89	NC
Lwr. Beckleys. Rd.	NA	NA	56.43	NC	56.49	NC	56.24	NC	56.87	NC

Table 2-2
Groundwater Elevation Data (July 2013 through June 2014)
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV	TOTAL DEPTH	11/18/2013		12/26/2013		1/21/2014		2/25/2014	
			DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	93.02	756.19	92.65	756.56	92.47	756.74	92.38	756.83
EW-3	846.64	118	84.98	761.66	85.25	761.39	85.50	761.14	85.46	761.18
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC	PC	858.01
EW-5	864.17	98	90.22	773.95	89.40	774.77	89.53	774.64	89.49	774.68
EW-6	831.98	115	103.00	728.98	103.00	728.98	103.00	728.98	103.00	728.98
EW-7	818.38	78	74.50	743.88	73.50	744.88	73.50	744.88	73.50	744.88
EW-8	811.13	98	95.50	715.63	96.00	715.13	96.00	715.13	96.00	715.13
EW-9	811.35	141	102.80	708.55	103.00	708.35	103.00	708.35	103.00	708.35
EW-10	807.74	NA	52.13	755.61	53.10	754.64	54.17	753.57	20.49	787.25
RFW-1A	864.37	78	52.63	811.74	52.48	811.89	53.47	810.90	53.28	811.09
RFW-1B	864.23	200	52.67	811.56	52.51	811.72	53.49	810.74	53.31	810.92
RFW-2A	857.41	35	16.40	841.01	16.36	841.05	17.34	840.07	11.94	845.47
RFW-2B	857.73	75	17.05	840.68	16.94	840.79	17.96	839.77	12.58	845.15
RFW-3B	839.21	153	36.39	802.82	36.30	802.91	36.21	803.00	32.08	807.13
RFW-4A	830.37	62	38.18	792.19	38.09	792.28	38.48	791.89	35.63	794.74
RFW-4B	830.37	120	38.08	792.29	38.01	792.36	38.40	791.97	35.48	794.89
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	4.48	780.56	5.12	779.92	4.89	780.15	2.86	782.18
RFW-7	805.14	29	6.71	798.43	6.94	798.20	7.14	798.00	6.98	798.16
RFW-8	860.07	53	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	27.07	834.95	26.87	835.15	28.01	834.01	24.54	837.48
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	64.12	785.50	64.42	785.20	65.39	784.23	60.33	789.29
RFW-12B	844.87	264	51.59	793.28	51.61	793.26	55.08	789.79	54.68	790.19
RFW-13	849.11	150	63.57	785.54	63.64	785.47	57.94	791.17	63.87	785.24
RFW-14B	812.39	281	52.59	759.80	51.78	760.61	52.49	759.90	53.05	759.34
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	27.62	807.04	27.56	807.10	28.04	806.62	28.24	806.42
RFW-20	842.29	142	35.32	806.97	35.30	806.99	35.29	807.00	32.98	809.31
RFW-21	832.65	102	22.70	809.95	22.46	810.19	22.28	810.37	22.33	810.32
PH-7	805.94	89	25.67	780.27	26.39	779.55	35.23	770.71	21.49	784.45
PH-9	814.94	98	50.80	764.14	51.97	762.97	52.01	762.93	51.87	763.07
PH-11	820.68	78	50.96	769.72	51.97	768.71	51.36	769.32	51.29	769.39
PH-12	828.35	87	51.52	776.83	51.41	776.94	52.43	775.92	52.24	776.11
B-3	803.02	83	10.69	792.33	9.98	793.04	8.96	794.06	9.54	793.48
Amoco	842.29	NA	NA	NC	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	NA	1.12	803.84	1.43	803.53	2.29	802.67	2.23	802.73
Pembroke #1	NA	NA	11.59	NC	11.63	NC	10.46	NC	10.98	NC
Pembroke #2	NA	NA	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	NA	NA	10.09	NC	10.11	NC	10.36	NC	10.86	NC
E. Century St.	NA	NA	19.27	NC	19.28	NC	19.26	NC	19.20	NC
Lwr. Beckleys. Rd.	NA	NA	56.73	NC	56.67	NC	53.47	NC	53.51	NC

Table 2-2
Groundwater Elevation Data (July 2013 through June 2014)
Black & Decker
Hampstead, Maryland

WELL NO.	TOC ELEV	TOTAL DEPTH	3/20/2014		4/11/2014		5/13/2014		6/21/2014	
			DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV
EW-1	847.21	55	DRY	NC	DRY	NC	DRY	NC	DRY	NC
EW-2	849.21	110	92.36	756.85	91.87	757.34	50.12	799.09	73.41	775.80
EW-3	846.64	118	85.50	761.14	85.58	761.06	84.78	761.86	87.17	759.47
EW-4	858.01	97.5	PC	NC	PC	NC	PC	NC	PC	NC
EW-5	864.17	98	89.27	774.90	90.07	774.10	89.61	774.56	89.00	775.17
EW-6	831.98	115	103.00	728.98	93.75	738.23	90.41	741.57	68.11	763.87
EW-7	818.38	78	73.50	744.88	73.50	744.88	70.41	747.97	78.10	740.28
EW-8	811.13	98	96.00	715.13	96.00	715.13	84.38	726.75	85.71	725.42
EW-9	811.35	141	103.00	708.35	103.00	708.35	103.00	708.35	96.23	715.12
EW-10	807.74	NA	52.71	755.03	52.88	754.86	41.60	766.14	48.71	759.03
RFW-1A	864.37	78	53.26	811.11	47.33	817.04	45.98	818.39	47.41	816.96
RFW-1B	864.23	200	53.28	810.95	47.41	816.82	46.05	818.18	47.49	816.74
RFW-2A	857.41	35	12.01	845.40	12.11	845.30	10.62	846.79	11.08	846.33
RFW-2B	857.73	75	12.60	845.13	12.70	845.03	11.22	846.51	11.51	846.22
RFW-3B	839.21	153	33.13	806.08	28.49	810.72	25.37	813.84	26.41	812.80
RFW-4A	830.37	62	35.60	794.77	33.70	796.67	31.98	798.39	32.40	797.97
RFW-4B	830.37	120	35.49	794.88	33.53	796.84	31.83	798.54	32.31	798.06
RFW-5A	817.50	30	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-6	785.04	120	3.71	781.33	4.17	780.87	1.88	783.16	3.41	781.63
RFW-7	805.14	29	7.01	798.13	6.83	798.31	3.48	801.66	6.08	799.06
RFW-8	860.07	53	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-9	862.02	49	24.83	837.19	24.96	837.06	22.90	839.12	23.43	838.59
RFW-10	852.06	58	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-11A	849.32	72	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
RFW-11B	849.62	116	60.26	789.36	60.47	789.15	57.26	792.36	58.01	791.61
RFW-12B	844.87	264	55.10	789.77	48.75	796.12	42.46	802.41	48.72	796.15
RFW-13	849.11	150	63.91	785.20	60.56	788.55	59.38	789.73	60.40	788.71
RFW-14B	812.39	281	53.24	759.15	52.08	760.31	49.98	762.41	51.12	761.27
RFW-16	856.14	41	DRY	NC	DRY	NC	DRY	NC	DRY	NC
RFW-17	834.66	60.5	27.94	806.72	29.14	805.52	22.46	812.20	22.81	811.85
RFW-20	842.29	142	33.04	809.25	33.16	809.13	30.21	812.08	30.29	812.00
RFW-21	832.65	102	23.10	809.55	22.08	810.57	18.98	813.67	19.43	813.22
PH-7	805.94	89	34.13	771.81	34.89	771.05	19.01	786.93	24.87	781.07
PH-9	814.94	98	51.87	763.07	51.26	763.68	50.45	764.49	49.98	764.96
PH-11	820.68	78	51.28	769.40	51.46	769.22	49.96	770.72	49.88	770.80
PH-12	828.35	87	52.36	775.99	52.48	775.87	46.75	781.60	47.23	781.12
B-3	803.02	83	9.78	793.24	9.81	793.21	9.50	793.52	9.78	793.24
Amoco	842.29	NA	NA	NC	NA	NC	NA	NC	NA	NC
Hamp. Town #22	804.96	NA	1.89	803.07	1.32	803.64	1.23	803.73	1.79	803.17
Pembroke #1	NA	NA	10.25	NC	10.20	NC	9.98	NC	10.01	NC
Pembroke #2	NA	NA	Damaged	NC	Damaged	NC	Damaged	NC	Damaged	NC
N. Houcks. Rd.	NA	NA	10.76	NC	10.67	NC	10.43	NC	10.59	NC
E. Century St.	NA	NA	19.24	NC	19.19	NC	19.20	NC	19.49	NC
Lwr. Beckleys. Rd.	NA	NA	53.77	NC	52.86	NC	52.47	NC	51.83	NC



LEGEND

- Monitor Well
- Extraction Well
- (789.50) Monitor Well Groundwater Elevation (ft MSL)
- (746.58) Extraction Well Groundwater Elevation (ft MSL)*
- Groundwater Elevation Contour (ft MSL)
- ← Groundwater Flowline

Scale in Feet

*NOTE: Groundwater Elevations recorded in Extraction Wells and RFW-12B not used for contouring. RFW-12B screened in deep bedrock.

Former Black & Decker Facility
Hampstead, Maryland

FIGURE 2-1
GROUNDWATER ELEVATION CONTOUR MAP
UNDER PUMPING CONDITIONS

(June 2014)

Table 2-3
Effluent Characteristics Summary (July 2013 through June 2014)
Black & Decker
Hampstead, Maryland

Discharge Number	Parameter	Units	Permit Limits	DMR DATE					
				July 2013	August 2013	September 2013	October 2013	November 2013	December 2013
001	FLOW average	MGD	NA	0.210	0.217	0.138	0.325	0.159	0.276
	maximum	MGD	NA	0.836	0.693	0.217	1.560	1.030	1.011
	1,1,1-Trichloroethane	ug/l	5	<1	<1	<1	<1	<1	<1
	Tetrachloroethylene	ug/l	5	<1	<1	<1	<1	<1	<1
	Trichloroethylene	ug/l	5	<1	<1	<1	<1	<1	<1
	Total Residual Chlorine	mg/l	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
	Oil & Grease maximum	mg/l	15	<5	<5	<5	<5	<5	<5
	monthly average	mg/l	10	<5	<5	<5	<5	<5	<5
	pH minimum	STD	6.0	7.1	7.1	7.2	6.6	6.7	6.6
	maximum	STD	8.5	8.3	8.2	7.7	7.6	7.5	7.5
BOD	mg/l	15	7.0	4.0	5.0	<2	3.0	3.0	
TSS maximum	mg/l	30	11.0	11.0	10.0	7.2	<1	<1	
	monthly average	mg/l	20	11.0	11.0	10.0	7.2	<1	<1
101 (Monitoring Point)	FLOW average	MGD	NA	0.125	0.154	0.175	0.180	0.166	0.157
	maximum	MGD	NA	0.184	0.190	0.205	0.230	0.210	0.245
	Fecal Coliform	MPN/100ml	200	33.0	2.0	1.0	2.0	1.0	1.0
201 (Monitoring Point)	FLOW average	MGD	NA	NR	NR	0.235	NR	NR	0.217
	maximum	MGD	NA	NR	NR	0.284	NR	NR	0.257
	1,1,1-Trichloroethane	ug/l	NA	NR	NR	<1	NR	NR	<1
	Tetrachloroethylene	ug/l	NA	NR	NR	<1	NR	NR	<1
	Trichloroethylene	ug/l	NA	NR	NR	<1	NR	NR	<1

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

**Table 2-3
Effluent Characteristics Summary (July 2013 through June 2014)
Black & Decker
Hampstead, Maryland**

Discharge Number	Parameter	Units	Permit Limits	DMR DATE					
				January 2014	February 2014	March 2014	April 2014	May 2014	June 2014
001	FLOW average	MGD	NA	0.216	0.256	0.236	0.273	0.308	0.213
	FLOW maximum	MGD	NA	0.929	0.507	1.373	1.415	1.425	0.447
	1,1,1-Trichloroethane	ug/l	5	< 1	< 1	< 1	< 1	< 1	< 1
	Tetrachloroethylene	ug/l	5	< 1	< 1	< 1	< 1	< 1	< 1
	Trichloroethylene	ug/l	5	< 1	< 1	< 1	< 1	< 1	< 1
	Total Residual Chlorine	mg/l	<0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
	Oil & Grease maximum	mg/l	15	< 5	< 5	< 5	< 5	< 5	< 5
	Oil & Grease monthly average	mg/l	10	< 5	< 5	< 5	< 5	< 5	< 5
	pH minimum	STD	6.0	6.6	6.7	7.7	7.1	7.3	7.2
	pH maximum	STD	8.5	7.1	8.3	8.4	8.2	8.2	8.3
BOD	mg/l	15	3.0	4.0	9.0	3.0	4.0	2.0	
TSS maximum	mg/l	30	< 4	6.0	9.0	4.0	6.0	< 5	
TSS monthly average	mg/l	20	< 4	6.0	9.0	4.0	6.0	< 5	
101 (Monitoring Point)	FLOW average	MGD	NA	0.198	0.179	0.163	0.147	0.150	0.171
	FLOW maximum	MGD	NA	0.297	0.264	2.200	0.201	0.191	0.200
	Fecal Coliform	MPN/100ml	200	1.0	1.0	1.0	1.0	130.0	1.0
201 (Monitoring Point)	FLOW average	MGD	NA	NR	NR	0.200	NR	NR	0.253
	FLOW maximum	MGD	NA	NR	NR	0.300	NR	NR	0.305
	1,1,1-Trichloroethane	ug/l	NA	NR	NR	< 1	NR	NR	< 1
	Tetrachloroethylene	ug/l	NA	NR	NR	< 1	NR	NR	< 1
	Trichloroethylene	ug/l	NA	NR	NR	< 1	NR	NR	< 1

DMR - Discharge Monitoring Report

NA - Not Applicable

NR - Not Reported

A summary of the analytical results of the groundwater samples collected from the monitor and extraction wells during the third and fourth quarters of 2013 and the first and second quarters of 2014 are included in Tables 2-4, 2-5, 2-6, and 2-7, respectively. As found in earlier sampling events at the Black & Decker facility, TCE and PCE were the primary VOCs detected at the highest concentrations in the groundwater samples. The highest concentrations of TCE were detected in the groundwater samples collected from wells EW-4 and RFW-12B and the highest concentrations of PCE were detected in the groundwater samples collected from wells EW-9 and RFW-4B. The remainder of the detected VOCs, were detected at levels well below the Federal Maximum Concentration Levels (MCLs). The second quarter 2014 (May 2014) analytical data package is included in Appendix D. Analytical data packages for the remaining quarters are included in the respective Quarterly Groundwater Monitoring Reports.

Table 2-4

Summary of Groundwater Analytical Results - August 2013
Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.9	1 U	1 U	1 U	1 U	4.1	30	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	200	30	530	110	6.1	3.1	10	1 U	0.7	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	43	1.1	12	3.1	11	6	77	110	100	1.2
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

Table 2-4

Summary of Groundwater Analytical Results - August 2013
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	5.1	5.3	6.3	NS	6.3	7	NS	7.1	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	1.6	1 U	1 U	1.4	NS	1 U	1 U	NS	12	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	0.6	0.4 J	1 U	28	28	0.7	NS	0.8	0.9	NS	7.6	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	19	17	2.9	NS	1.1	1 U	NS	1 U	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Table 2-4

Summary of Groundwater Analytical Results - August 2013
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	USEPA drinking water method 524.2				
												RFW-20	RFW-21	Town #22	Town #23	Trip Blank
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	8.5	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	2	0.8 J	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.4 J	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	2.6	76	2.4	NS	1 U	ABD	ABD	ABD	1 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	0.7	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	5.5	13	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.3 J	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.

Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

RFW -20 was not sampled because it was damaged. The well is now repaired and will be sampled during the 4th quarter.

Table 2-5

**Summary of Groundwater Analytical Results - November 2013
Stanley Black & Decker
Hampstead, Maryland**

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	5 U	7.6	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	3.6	1.8	1 U	1 U	1 U	5.7	28	1 U	1 U	1 U
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	160	38	500	92	5.8	3.7	8.6	0.7	0.7	1 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	49	1.3	11	3	11	8.8	74	110	110	1.5
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

Table 2-5

Summary of Groundwater Analytical Results - November 2013
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	7.5	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.7 J	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	1.6	0.8 J	0.9 J	3.5	NS	1 U	1 U	NS	5.4	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	0.5 J	0.6 J	1.1	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.5 J	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	0.6	1 U	1 U	25	25	37	NS	0.4 J	1	NS	6.9	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	0.9 J	16	17	66	NS	0.8 J	1 U	NS	1.7	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Table 2-5
Summary of Groundwater Analytical Results - November 2013
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/l.	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/l.	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	1.9	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.51	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/l.	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/l.	NS	2.5	67	2.5	NS	1 U	ABD	ABD	ABD	1 U	0.5	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	3.5	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/l.	NS	1 U	5	14	NS	0.8 J	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.58	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	0.5 J	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.
 Samples from all of the other wells are analyzed with USEPA Method 8260.
 NS = Not sampled
 U = Compound was analyzed but not detected.
 ABD = Well has been abandoned

Table 2-6

Summary of Groundwater Analytical Results - February 2014
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Bromomethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Chloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS
Acetone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	7.7	5 U	NS
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	0.7 J	1 U	1 U	NS
1,2-Dichloroethene (total)	ug/L	NS	2.4	1.6	1 U	1 U	1 U	4.2	22	1 U	1 U	NS
Chloroform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
2-Butanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Trichloroethene	ug/L	NS	83	44	530	100	4.2	3.3	7	0.5 J	0.5 J	NS
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Benzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Bromoform	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS
2-Hexanone	ug/L	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS
Tetrachloroethene	ug/L	NS	26	1.6	12	3	7.1	7.2	64	99	82	NS
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Toluene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Styrene	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS
Xylene (total)	ug/L	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

Table 2-6

Summary of Groundwater Analytical Results - February 2014
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	1 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.5 J	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	0.5 J	1 U	2.4	NS	1 U	1 U	NS	7.9	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1.1	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	19	21	44	NS	1 U	1.4	NS	7.2	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	0.2 J	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	12	13	69	NS	0.5 J	1 U	NS	3.1	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	0.5 J	0.4 J	0.3 J	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
 NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
 J = Indicates an estimated value.

Table 2-6

Summary of Groundwater Analytical Results - February 2014
Stanley Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip Blank	RFW-20	RFW-21	Town #22	Town #23	Trip Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	2 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	25	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	1.2	0.7 J	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.38 J	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	5.5 J	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	3	60	2.3	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1 U	4.9	15	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.58	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	0.4 J	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division.
Samples from all of the other wells are analyzed with USEPA Method 8260.
NS = Not sampled
U = Compound was analyzed but not detected.
ABD = Well has been abandoned

Table 2-7

Summary of Groundwater Analytical Results - May 2014
Black & Decker
Hampstead, Maryland

PARAMETER	Units	EW-1	EW-2	EW-3	EW-4	EW-5	EW-6	EW-7	EW-8	EW-9	EW-9 (DUP)	EW-10
Chloromethane	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	ug/L	NS	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon Disulfide	ug/L	NS	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1-Dichloroethene	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	0.6 J	1 U	1 U	1 U
1,2-Dichloroethene (total)	ug/L	NS	NS	1.6	1 U	1 U	1 U	4.4	20	1 U	1 U	1 U
Chloroform	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-Butanone	ug/L	NS	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
1,1,1-Trichloroethane	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon Tetrachloride	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	ug/L	NS	NS	44	540	100	5.4	3.2	6.2	0.4 J	0.5	1 U
Dibromochloromethane	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Benzene	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trans-1,3-Dichloropropene	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
4-Methyl-2-pentanone	ug/L	NS	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
2-Hexanone	ug/L	NS	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	ug/L	NS	NS	2.3	14	3.3	9.5	7.9	57	81	91	0.8 J
1,1,2,2-Tetrachloroethane	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Toluene	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Styrene	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Xylene (total)	ug/L	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

Notes: U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.

J = Indicates an estimated value.

NS = Not Sampled

Table 2-7

Summary of Groundwater Analytical Results - May 2014
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-1A	RFW-1B	RFW-2A	RFW-2B	RFW-3B	RFW-4A	RFW-4A (DUP)	RFW-4B	RFW-5A	RFW-6	RFW-7	RFW-8	RFW-9	RFW-10
Chloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromomethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Vinyl Chloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Chloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Methylene Chloride	ug/L	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	NS	2 U	2 U	NS	2 U	NS
Acetone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Carbon Disulfide	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1-Dichloroethene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.7 J	NS
1,1-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	0.9 J	NS
1,2-Dichloroethene (total)	ug/L	1 U	1 U	1 U	1 U	1.7	0.9 J	1	3.3	NS	1	1 U	NS	30	NS
Chloroform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1.5	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
2-Butanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
1,1,1-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	0.5 J	1 U	NS	1 U	1 U	NS	0.7 J	NS
Carbon Tetrachloride	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromodichloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,2-Dichloropropane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
cis-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trichloroethene	ug/L	0.3 J	1 U	0.33 J	0.4 J	0.6	28	30	53	NS	3.1	2.3	NS	8.9	NS
Dibromochloromethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
1,1,2-Trichloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Benzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Trans-1,3-Dichloropropene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Bromoform	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
4-Methyl-2-pentanone	ug/L	5 U	5 U	5 U	1 U	1 U	5 U	5 U	5 U	NS	5 U	1 U	NS	1 U	NS
2-Hexanone	ug/L	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	NS	5 U	5 U	NS	5 U	NS
Tetrachloroethene	ug/L	0.9 J	1 U	0.7 J	1 U	1.3	18	22	84	NS	3.2	0.5 J	NS	8	NS
1,1,2,2-Tetrachloroethane	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Toluene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	0.7	1 U	NS	0.6	1 U	NS	1 U	NS
Chlorobenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Ethylbenzene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Styrene	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	NS	1 U	1 U	NS	1 U	NS
Xylene (total)	ug/L	1 U	1 U	1 U	1 U	1 U	1 U	0.5 J	1 U	NS	1 U	1 U	NS	1 U	NS

Notes: DUP = Duplicate sample
NS = Not sampled

U = Compound was analyzed for but not detected. Value shown is the method detection limit for quantification.
J = Indicates an estimated value.

Table 2-7

Summary of Groundwater Analytical Results - May 2014
Black & Decker
Hampstead, Maryland

PARAMETER	Units	RFW-11A	RFW-11B	RFW-12B	RFW-13	RFW-16	RFW-17	Leister Dairy	Leister Res. #1	Leister Res. #2	Trip-Blank	RFW-20	RFW-21	Town #22	Town #23	Trip-Blank
		USEPA drinking water method 524.2														
Chloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromomethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl Chloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	1 U	1 U	1 U	1 U	1 U
Methylene Chloride	ug/L	NS	2 U	2 U	2 U	NS	2 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Acetone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Carbon Disulfide	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	NA	NA	NA	NA	NA
1,1-Dichloroethene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethene (total)	ug/L	NS	1 U	1.8	0.9 J	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-Butanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
1,1,1-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Carbon Tetrachloride	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromodichloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-Dichloropropane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
cis-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trichloroethene	ug/L	NS	4.1	66	3.3	NS	1 U	ABD	ABD	ABD	1 U	0.4 J	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-Trichloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Benzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trans-1,3-Dichloropropene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
4-Methyl-2-pentanone	ug/L	NS	5 U	5 U	1 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	ug/L	NS	5 U	5 U	5 U	NS	5 U	ABD	ABD	ABD	5 U	10 U	10 U	10 U	10 U	10 U
Tetrachloroethene	ug/L	NS	1.4	4.7	18	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2,2-Tetrachloroethane	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Toluene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Chlorobenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Ethylbenzene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Styrene	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Xylene (total)	ug/L	NS	1 U	1 U	1 U	NS	1 U	ABD	ABD	ABD	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

Notes: Samples from wells RFW-20 & 21, Town-22&23 are analyzed with the USEPA drinking water method 524.2 at the request of the MDE Source Protection and Appropriation Division. Samples from all of the other wells are analyzed with USEPA Method 8260.

NS = Not sampled

U = Compound was analyzed but not detected.

ABD = Well has been abandoned

3. OPERATION AND MAINTENANCE OF THE TREATMENT SYSTEM

A summary of the maintenance activities that were performed on the extraction and treatment system during the reporting period (July 2013 through June 2014) is provided in Table 3-1. This table is comprehensive in summarizing significant maintenance events or activities, while not including those activities considered unworthy of note (such as replacement of light bulbs, lubrication of moving parts, as appropriate, or other routine activities).

Table 3-1
Treatment System Maintenance Activities (July 2013 through June 2014)
Black Decker
Hampstead, Maryland

Date	Event/Corrective Action
Jul-13	Alarm at the air stripper due to a power outage caused by a thunderstorm. After replacing a control relay at EW-9, the system is back online.
Jul-13	Alarm at the stripper. Found that the pump motor in EW-10 locked up. The motor was replaced and the system is back online.
Jul-13	Alarm at the air stripper due to a power outage. The system is back online.
Dec-13	Alarm at the air stripper, High Column Blower failure. Reset the system, the system is back online.
Dec-13	Alarm at the air stripper, High Column Blower failure. Found that there was a broken airline that was causing the High Column Blower failure. The airline was repaired and the system is back online.
Dec-13	EW-7 tripped off. Replaced the relay switch and the well is back online.
Dec-13	Alarm at the stripper, EW-10 was down. There was a bad contactor in the EW-10 pump motor. The contactor was replaced and the well is back online.
Jan-14	Alarm at air stripper, EW-5 tripped off due to bad heating elements. The heating elements were replaced the well is back online.
Jan-14	Alarm at air stripper due to a frozen high column sensor, the sensor was thawed and the system is back online. Wells EW-5 and EW-10 are being run on manual mode due to a control problem.
Jan-14	Wet well supply flow alarm, The lead valve did not open fast enough, switched to the # 2 valve.
Jan-14	EW-5 and EW-10 back in auto mode.

Table 3-1
Treatment System Maintenance Activities (July 2013 through June 2014)
Black Decker
Hampstead, Maryland

Jan-14	Had to shut down the air stripper for about 6 hours to repair leaks in the air main. System back up and running.
Jan-14	EW-10 is off due to a control problem.
Jan-14	The control sensor that controls the column level froze and broke the pipe. The USP are running in manual and the rest of the air stripper is still running in auto, the pipes were repaired.
Feb-14	The air stripper is down for 16 hours due to a town wide power outage caused by a winter storm. The system is back on line.
Mar-14	EW-10 is back online, EW-2 is off due to a pump motor problem. A new pump motor is ordered.
May-14	Power outage due to storm, everything reset, the system is back online.
May-14	Replaced the pump motor in well EW-2
May-14	A new pump and high/low flow probes were installed in well EW-4.
May-14	EW-6 pump shorted out, a new pump motor was installed and the well is back online.
May-14	Scheduled power outage due to work on the yard substation. Power was off for 12 hours, everything back on line.

4. TREATMENT SYSTEM PERFORMANCE EVALUATION

During the reporting period of July 2013 to June 2014, depth-to-water measurements were collected in all site monitor wells on a monthly basis. A groundwater elevation contour map was constructed each month to verify that the groundwater extraction system was providing a hydraulic barrier to prevent any groundwater contamination from migrating off-site. Pumping rates were adjusted as necessary to ensure that hydraulic control was being maintained across the site. Significant drawdown has been observed in both shallow and deeper monitor wells throughout the long-term pumping of the extraction well system, indicating that considerable interconnection exists between the shallow and deeper groundwater.

The groundwater elevation data collected in June 2014 were contoured using KT3D (Tonkin and Larson, 2002), a software program designed to contour groundwater elevation data while taking into account one or more pumping centers. As discussed in *A Systematic Approach for Evaluation of Capture Zones at Pump and Treat System* (USEPA, 2009), KT3D uses a linear-log kriging method that accounts for more tightly spaced groundwater elevation contours around pumping centers. Traditional computer-contouring packages utilize linear kriging methods that can overestimate predicted capture zones around pumping centers.

As shown in Figure 2-1, the groundwater elevation contour map generated by KT3D using groundwater elevation and pumping rate data for June 2014 shows a large depression in the groundwater surface in the vicinity of the pumping well networks at the site. The groundwater path lines show that the direction of groundwater flow is toward the extraction wells and the pumping well network is establishing an effective hydraulic barrier along the site property boundaries. The predicted groundwater capture zones for the pumping wells extend across the site property.

The system as presently configured is successful in meeting the objective of capturing on-site groundwater, thereby reducing the potential off-site migration of contaminated groundwater. The system is also successful in treating the collected groundwater to remove the VOCs from the water. The laboratory analytical results of the treated discharge water indicate that no VOCs are present.

5. RECOMMENDATIONS

As discussed in Section 4, the treatment system has created a hydraulic boundary that prevents the off-site migration of groundwater. The extraction system will continue to operate as currently configured to pump and treat contaminated groundwater. Depth-to-water measurements will continue to be collected on a monthly basis in all site monitor wells to construct a groundwater elevation contour map for the site. The groundwater elevation contour map will be used to verify that the required area of groundwater capture is being maintained. If necessary, pumping rates will be adjusted to maintain groundwater capture due to seasonal fluctuations in groundwater elevations. The treatment system will also continue to operate as currently configured, as data collected have proven that the treatment system is fully effective in removing VOCs from the extracted groundwater.

**APPENDIX A
WITHDRAWAL REPORTS**

ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

led By:
and Environmental Service
ajoles Road, Millersville MD

Facility: BTR Capital Group
Address: 627 Hanover Pike, Hampstead Maryland
Additional Op's & cert # - Dorrance Jones 0763, Anthony Phillips 3001, Martin Whitt 0666, James Elliott 3738

Permit Number: 07-DP-0022
Superintendent: Earle Villarreal Certification # 1017

Month: April
Year: 2014

Final Effluent outfall 001														Outfall 101					Outfall 201			Operator			
Appearance	Discharge MGD	pH su	Cl2 mg/l	Turbidity ug/l	1,1,1-Trichloroethane ug/l	Trichloroethane ug/l	BOD ₅ mg/l	TSS mg/l	TKN mg/l	N+N mg/l	TP mg/l	TN mg/l	O&G mg/l	eColi mpn	Flow MGD	eColi mpn	Basin Inches	Alum Gpd	Hypochlorite Opd	Post Cl2 mg/l	Turbidity ug/l		1,1,1-Trichloroethane ug/l	Trichloroethane ug/l	Discharge mgd
Clear	0.69300														0.171000	<1	0.0	1.0	1.0	5.0				0.242292	Djones
Clear	0.18900	7.88	0.00												0.144000		0.0	1.0	1.0	5.0				0.241380	Djones
Clear	0.19000														0.172000		0.0	1.0	1.0	5.0				0.237228	Djones
Clear	0.22400	8.14	0.00												0.164000		0.0	1.0	1.0	5.0				0.242906	Djones
Clear	0.17700														0.147000		0.0	1.0	1.0	5.0				0.251056	Djones
Clear	0.14800														0.146000		0.0	1.0	1.0	5.0				0.234370	Djones
Clear	0.16700														0.114000		0.0	1.0	1.0	5.0				0.241681	Jelliott
Clear	0.47400	7.12	0.00												0.004800	<1	0.0	1.0	1.0	5.0				0.243309	Jelliott
Clear	0.15800														0.175000		0.0	1.0	1.0	5.0				0.248000	Djones
Clear	0.14600	8.21	0.00										<5		0.163000		0.0	1.0	1.0	5.0				0.242720	Djones
Clear	0.14200														0.201000		0.0	1.0	1.0	5.0				0.239026	Djones
Clear	0.15300														0.161000		0.0	1.0	1.0	5.0				0.237363	Jelliott
Clear	0.12500														0.151000		0.0	1.0	1.0	5.0				0.238614	Jelliott
Clear	0.15600	7.67	0.00												0.163000		0.0	1.0	1.0	5.0				0.261542	Djones
Clear	0.32600														0.181000	5.30	0.0	1.0	1.0	5.0				0.242130	Djones
Clear	0.65000														0.144000		0.0	1.0	1.0	5.0				0.248364	Djones
Clear	0.17700	8.15	0.00												0.149000		0.0	1.0	1.0	5.0				0.224527	Djones
Clear	0.14200														0.140000		0.0	1.0	1.0	5.0				0.255755	A.Phillips
Clear	0.17100														0.110000		0.0	1.0	1.0	5.0				0.252866	A.Phillips
Clear	0.14900														0.135000		0.0	1.0	1.0	5.0				0.219806	A.Phillips
Clear	0.11900														0.121000		0.0	1.0	1.0	5.0				0.279715	Djones
Clear	0.15400			<1	<1	<1	3.00	4.20	0.50	2.32	<0.05	2.8		2.0	0.127000	<1	0.0	1.0	1.0	5.0	<1	<1	<1	0.259361	Djones
Clear	0.19400														0.151000		0.0	1.0	1.0	5.0				0.234575	Djones
Clear	0.12000	8.10	0.00												0.145000		0.0	1.0	1.0	5.0				0.249927	Djones
Clear	0.15200														0.165000		0.0	1.0	1.0	5.0				0.240984	Djones
Clear	0.52900	7.43	0.00												0.163000		0.0	1.0	1.0	5.0				0.259411	Djones
Clear	0.16800														0.166000		0.0	1.0	1.0	5.0				0.234754	Djones
Clear	0.18900														0.114000		0.0	1.0	1.0	5.0				0.261600	Mwhitt
Clear	0.39100														0.197000	<1	0.0	1.0	1.0	5.0				0.253127	Mwhitt
Clear	1.41500														0.139000		0.0	1.0	1.0	5.0				0.246147	Djones
al	8.18800														4.423800									7.364536	
verage	0.27293	7.8	<0.10	0.000	0.000	0.000	3.0	4	0	2	0	3	0	2	0.147460	1	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.245485	
imum	0.11900	7.1	0.00	0.000	0.000	0.000	3.0	4	0	2	0	3	0	2	0.004800	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.219806	
imum	1.41500	8.2	<0.10	0.000	0.000	0.000	3.0	4	0	2	0	3	0	2	0.201000	5.3	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.279715	MOR 01-3-14

COMMENTS:

Superintendent: Earle Villarreal Certification # 1017

Black & Decker WTP


PWSID # 106 0004 County: Carroll

Month: May

ated by
and Environmental Service

Address: BTR CAPITAL GROUP, Hampstead, MD 21073
625 Hanover Pike, Hampstead, Carroll County, Maryland

Year: 2014



GENERAL (DOMESTIC WATER)			CHEMICAL							MONITORING		DISTRIBUTION			RAW WATER		Comments	
Day	Weather	Flow meter reading 0	MGD Total FQIR	pH P.O.E	Free Cl2	Na2CO3 Level	Na2CO3 (gpd)	NaOCl Level	NaOCl (gpd)	VOC'S (ppb)	Bacti Pos/Neg	pH su	TRC mg/l	DISTRIBUTION LOCATION	Operator Initials	pH su		TOTAL RAW WATER WELL (mgd)
Thur	Cloudy	0	0.0047	7.3	0.97	14.00	1.00	53.00	0.00						AP	4.84	0.225692	
Fri	Cloudy	0	0.0070	7.7	0.89	13.00	1.00	53.00	0.00			7.15	1.00	Admin 2nd	DJ		0.274026	
Sat	Clear	0	0.0031	7.1	1.64	32.00	1.00	53.00	0.00						JE		0.247045	
Sun	Clear	0	0.0013	7.8	1.68	31.00	1.00	53.00	0.00						JE		0.245666	
Mon	Clear	0	0.0053	7.4	1.49	30.00	1.00	53.00	0.00						EV		0.252686	
Tue	Clear	0	0.0053	7.1	1.57	29.00	1.00	53.00	0.00			7.31	1.29	Loading Dock	JE		0.252686	
Wed	Cloudy	0	0.0130	7.4	0.89	27.00	2.00	53.00	0.00						AP		0.269037	
Thur	Clear	0	0.0079	7.8	1.48	24.00	3.00	53.00	0.00			7.16	1.37	Loading Dock	DJ	6.02	0.240853	
Fri	Cloudy	0	0.0155	7.3	1.39	21.00	3.00	53.00	0.00			7.12	1.33	Admin 1st	DJ		0.256145	
Sat	Cloudy	0	0.0046	7.2	1.04	20.00	1.00	53.00	0.00						AP		0.253470	
Sun	Clear	0	0.0005	7.3	1.32	19.00	1.00	53.00	0.00						AP		0.241891	
Mon	Cloudy	0	0.0058	7.2	1.36	18.00	1.00	53.00	0.00			7.02	1.30	Admin 2nd	DJ		0.265390	
Tue	Clear	0	0.0090	7.2	1.30	15.00	3.00	53.00	0.00		Neg	7.22	1.33	Admin 1st	DJ		0.267608	
Wed	Cloudy	0	0.0067	7.2	1.38	13.00	2.00	53.00	0.00						DJ		0.253935	
Thur	Fog	0	0.0056	7.1	1.35	12.00	1.00	53.00	0.00						DJ	6.15	0.214190	
Fri	Cloudy	0	0.0084	7.3	1.30	10.00	2.00	53.00	0.00			7.19	1.04	Admin 2nd	DJ		0.282318	
Sat	Cloudy	0	0.0055	7.3	1.10	9.00	1.00	53.00	0.00						DJ		0.259400	
Sun	Clear	0	0.0034	7.4	1.46	28.00	1.00	53.00	0.00						DJ		0.249854	
Mon	Clear	0	0.0050	7.2	1.81	27.00	1.00	53.00	0.00			8.02	1.05	Admin 1st	MW		0.234663	
Tue	Clear	0	0.0079	7.1	1.10	26.00	1.00	53.00	0.00						JE		0.269853	
Wed	Cloudy	0	0.0072	7.2	1.29	23.00	3.00	53.00	0.00						DJ		0.260943	
Thur	Clear	0	0.0087	7.2	1.14	21.00	2.00	53.00	0.00			7.37	1.22	Loading Dock	DJ	6.34	0.254040	
Fri	Clear	0	0.0095	7.1	1.39	19.00	2.00	53.00	0.00			7.25	0.89	Admin 2nd	DJ		0.255613	
Sat	Clear	0	0.0036	7.3	1.07	18.00	1.00	53.00	0.00						DJ		0.120924	
Sun	Clear	0	0.0035	7.1	1.19	17.00	1.00	53.00	0.00						AP		0.243059	
Mon	Clear	0	0.0053	7.3	1.02	16.00	1.00	53.00	0.00						DJ		0.276453	
Tue	Cloudy	0	0.0079	7.0	0.91	15.00	1.00	53.00	0.00						DJ		0.294895	
Wed	Cloudy	0	0.0132	7.5	1.21	12.00	3.00	53.00	0.00			6.99	0.92	Loading Dock	DJ		0.304593	
Thur	Rain	0	0.0069	7.3	1.51	27.00	2.00	53.00	0.00						DJ	5.90	0.275528	
Fri	Cloudy	0	0.0065	6.9	1.09	25.00	2.00	53.00	0.00			6.95	1.11	Admin. 2nd	AP		0.271010	
Sat	Clear	0	0.0052	7.0	1.08	24.00	1.00	53.00	0.00						AP		0.257319	
al			0.2030	225.4	39.42	635.0	48.00	1643.0	0.00	0.0	0.0	87	14				7.870785	
erage			0.0065	7.27	1.27	20.48	1.55	53.00	0.00	0.0	0.0	7.23	1.15				0.253896	
imum			0.0005	6.88	0.89	9.00	1.00	53.00	0.00	0.0	0.0	6.95	0.89				0.120924	Central MOR
ximum			0.0155	7.82	1.81	32.00	3.00	53.00	0.00	0.0	0.0	8.02	1.37				0.304593	02/02/12

ENT ADMINISTRATION, 1800 WASHINGTON BLVD, BALTIMORE, MD 21230

Operated By:

Facility: BTR Capital Group

Permit Number: 07-DP-0022

Month: June

Maryland Environmental Service

Address: 627 Hanover Pike, Hampstead Maryland

Superintendent: Earle Villarreal Certification # 1017

Year: 2014

259 Najoles Road, Millersville MD

Additional Op's & cert # - Dorrance Jones 0763, James Elliott 3738, Anthony Phillips 3001, Keith White 4609, Martin Whitt 0666

Date	Appearance	Discharge MGD	pH	Cl2 mg/l	Final Effluent outfall 001										Outfall 101					Outfall 201			Operator			
					Turbidity ug/l	1,1,1-Trichloroethane ug/l	Trichloroethane ug/l	BOD ₅ mg/l	TSS mg/l	TKN mg/l	N+N mg/l	TP mg/l	TN mg/l	O&G mg/l	cColi mpn	Flow MGD	eColi mpn	Basin Inches	Alum Gpd	Hypochlorite Gpd	Post Cl2 mg/l	Turbidity ug/l		1,1,1-Trichloroethane ug/l	Trichloroethane ug/l	Discharge mgd
1	Clear	0.15900													0.148000		0.0	1.0	1.0	5.0				0.240631	APhillips	
2	Clear	0.16600	8.15	0.00											0.149000		0.0	1.0	1.0	5.0				0.277907	Djones	
3	Clear	0.18600			<1	<1	<1	2.00	<5	1.03	2.07	0.05	3.1	<5	5.3	0.174000	<1	0.0	1.0	1.0	5.0				0.263980	Djones
4	Clear	0.18400													0.168000		0.0	1.0	1.0	5.0				0.242338	APhillips	
5	Clear	0.28200	8.08	0.00											0.200000		0.0	1.0	1.0	5.0				0.247176	Djones	
6	Clear	0.18700													0.177000		0.0	1.0	1.0	5.0				0.252867	Djones	
7	Clear	0.15700													0.165000		0.0	1.0	1.0	5.0				0.265887	Djones	
8	Clear	0.15500													0.167000		0.0	1.0	1.0	5.0				0.248914	Djones	
9	Clear	0.17100	8.19	0.00											0.180000		0.0	1.0	1.0	5.0				0.254752	APhillips	
10	Clear	0.34800													0.188000	1.00	0.0	1.0	1.0	5.0				0.253533	Jelliott	
11	Clear	0.30700													0.166000		0.0	1.0	1.0	5.0				0.253160	Kwhite	
12	Clear	0.21600	7.86	0.00											0.197000		0.0	1.0	1.0	5.0				0.261394	Kwhite	
13	Clear	0.28200													0.135000		0.0	1.0	1.0	5.0				0.258984	Kwhite	
14	Clear	0.19200													0.173000		0.0	1.0	1.0	5.0				0.204172	APhillips	
15	Clear	0.18100													0.182000		0.0	1.0	1.0	5.0				0.248472	APhillips	
16	Clear	0.15400	8.25	0.00											0.147000		0.0	1.0	1.0	5.0				0.278762	Djones	
17	Clear	0.13100													0.185000	<1	0.0	1.0	1.0	5.0				0.260885	Djones	
18	Clear	0.13500	7.46	0.00											0.159000		0.0	1.0	1.0	5.0				0.251245	Djones	
19	Clear	0.44700													0.166000		0.0	1.0	1.0	5.0				0.276923	Djones	
20	Clear	0.36800													0.189000		0.0	1.0	1.0	5.0				0.216101	Djones	
21	Clear	0.17300													0.167000		0.0	1.0	1.0	5.0				0.274079	APhillips	
22	Clear	0.14200													0.189000		0.0	1.0	1.0	5.0				0.265709	A.Phillips	
23	Clear	0.18800													0.159000		0.0	1.0	1.0	5.0				0.283381	Mwhitt	
24	Clear	0.28100	7.19	0.00											0.155000		0.0	1.0	1.0	5.0				0.291050	Djones	
25	Clear	0.18600													0.179000		2.0	1.0	1.0	5.0				0.261293	Djones	
26	Clear	0.38300	7.24	0.00											0.173000	<1	1.0	1.0	1.0	5.0				0.269160	Djones	
27	Clear	0.17400													0.185000		1.0	1.0	1.0	5.0				0.283161	Djones	
28	Clear	0.14800													0.150000		1.0	1.0	1.0	5.0				0.261536	Djones	
29	Clear	0.13100													0.175000		1.0	1.0	1.0	5.0				0.246097	Djones	
30	Clear	0.16100													0.168000		1.0	1.0	1.0	5.0				0.291773	A.Phillips	
31																										
Total		6.37500													5.115000										7.785322	
Average		0.21250	7.8	<0.10	0.000	0.000	0.000	2	0	1	2	0	3	0	5	0.170500	1.0	0.2	1.0	1.0	5.0	#DIV/0!	#DIV/0!	#DIV/0!	0.259511	
Minimum		0.13100	7.2	0.00	0.000	0.000	0.000	2	0	1	2	0	3	0	5	0.135000	0.0	0.0	1.0	1.0	5.0	0.0	0.0	0.0	0.204172	
Maximum		0.44700	8.3	<0.10	0.000	0.000	0.000	2	0	1	2	0	3	0	5	0.200000	1.0	2.0	1.0	1.0	5.0	0.0	0.0	0.0	0.291773	MOR 01-3-14

COMMENTS:

APPENDIX B
DISCHARGE MONITORING REPORTS

MITTEE NAME/ADDRESS (Include Name/Location if different)

BTR Hampstead, Inc
 c/o BTR Captial Group Management
 222 Courthouse Ct., Suite 300, Towson MD 21204

Groundwater Remediation and WWTP
 626 Hanover Pike

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)	(17-19)
MD0001881	001
PERMIT NUMBER	DISCHARGE NUMBER

Form Approved.
 OMB No.
 Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form


MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
FROM 14	04	01	TO	14	04	30
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

State Discharge Permit
 07-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING (3 Card Only)			QUALITY OR CONCENTRATION (4 Card Only)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
5-DAY (20 DEG. C) FLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	3	(19)	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/MONTH	GRAB
10 1 0 0 FLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	7.1	*****	8.2	(12)	0	TWICE/WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	DAILY MN	*****	8.5 DAILY MX	SU		TWICE/WEEK	GRAB
SOLIDS, TOTAL SPENDED FLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	5	Lbs/day	*****	4	4	(19)	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/MONTH	GRAB
SOLIDS, TOTAL SPENDED FLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	287	Lbs/mo	*****	*****	*****	****	0	ONCE/MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/MONTH	Calculated
SOLIDS, TOTAL SPENDED FLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	1,208	Lbs/yr	*****	*****	*****	****	0	ONCE/MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/MONTH	Calculated
SOLIDS, TOTAL SPENDED FLUENT GROSS VALUE AND GREASE RECOVERABLE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/MONTH	GRAB
NITROGEN, TOTAL (AS N) FLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	4	Lbs/day	*****	3	3	(19)	0	ONCE/MONTH	COMP-8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	Req. Mon. DAILY MX	MG/L		ONCE/MONTH	COMP-8

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
 Nicole Finneyfrock
 Property Manager
 TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN: AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT, SEE 16 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)


 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
410	729-8350	14	05	20
AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

MITTEE NAME/ADDRESS (Include

Name/Location if different)

BTR Hampstead, Inc
 c/o BTR Captial Group Management
 222 Courthouse Ct., Suite 300, Towson MD 21204

Groundwater Remediation and WWTP
 on 626 Hanover Pike

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881
 PERMIT NUMBER

001
 DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form


MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
14	04	01	TO	14	04	30
(20-21)		(22-23)		(24-25)		(26-27)
				(28-29)		(30-31)

State Discharge Permit
 07-DP-0022

PARAMETER (32-37)		QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (46-53)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) (38-45) MINIMUM	(54-61) AVERAGE	(54-61) MAXIMUM	UNITS			
ROGEN, AL (AS N) 00 1 1 0 FLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	193	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
	SAMPLE MEASUREMENT	*****	941	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
ROGEN, AL (AS N) 00 1 2 0 FLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	(19)	0	ONCE/ MONTH	COMP -8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	DAILY MX	MG/L		ONCE/ MONTH	COMP -8
OSPHOROUS, TOTAL (AS P) 55 1 0 0 FLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
	SAMPLE MEASUREMENT	*****	16	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
OSPHOROUS, TOTAL (AS P) 65 1 1 0 FLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
OSPHOROUS, TOTAL (AS P) 65 1 2 0 FLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
RACHLOROETHYLE 175 1 0 0 FLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
,1-TRICHLOROETHANE 306 1 0 0 FLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
 Nicole Finneyfrock
 Property Manager
 TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS 1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)


 SIGNATURE OF PRINCIPAL EXECUTIVE
 OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
AREA CODE	NUMBER	YEAR	MONTH	DAY
410	729-8350	14	05	20

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

APPLICANT NAME/ADDRESS (Include

Name/Location if different)

BTR Hampstead, Inc

c/o BTR Capital Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

Groundwater Remediation and WWTP

on 626 Hanover Pike

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
14	04	01	TO	14	04	30
(20-21)		(22-23) (24-25)		(26-27)		(28-29) (30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only) (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (54-61)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS			
W, IN CONDUIT OR U TREATMENT PLANT 0 1 0 0 LUENT GROSS VALUE	SAMPLE MEASUREMENT	0.2729	1.4150	(03)	*****	*****	*****	****	0	ONCE/ MONTH	Measured
	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****	****		ONCE/ MONTH	Measured
ORINE, TOTAL IDUAL 0 1 0 0 LUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB
OLI, J 40 1 0 0 LUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	2	*****	(30)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	Req. Mon. GEO MEAN	*****	MPN		ONCE/ MONTH	GRAB
CHLOROETHENE 91 1 0 0 LUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE Nicole Finneyrock Property Manager TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TELEPHONE		DATE		
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410	729-8350	14	05
		AREA CODE	NUMBER	YEAR	MONTH	DAY

STATEMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

MITTEE NAME/ADDRESS (Include

y Name/Location if different)

BTR Hampstead, Inc
 c/o BTR Captial Group Management
 222 Courthouse Ct., Suite 300, Towson MD 21204

Groundwater Remediation and WWTP
 626 Hanover Pike

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881
 PERMIT NUMBER

101
 DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 14	04	01	TO 14	04	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit
 07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
W, IN CONDUIT OR U TREATMENT PLANT 50 1 0 0 LUENT GROSS VALUE	SAMPLE MEASUREMENT	147,460	201,000	(07)	*****	*****	*****	****	0	ONCE/ WEEK	Measured/ Recorded
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/ MONTH	Measured/ Recorded
OLI, V 40 1 0 0 LUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	1	(30)	0	ONCE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	200 DAILY MX	MPN		ONCE/ WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
 Nicole Finneyrock
 Property Manager
 TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. IF PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
AREA CODE	NUMBER	YEAR	MONTH	DAY
410	729-8350	14	05	20

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

City Name/Location if different)

Name BTR Hampstead, Inc

Address c/o BTR Captial Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

City Groundwater Remediation and WWTP

Location 626 Hanover Pike

Permit No.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
FROM 14	05	01	TO	14	05	31
(20-21) (22-23) (24-25)				(26-27) (28-29) (30-31)		

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45) QUALITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SD, 5-DAY (20 DEG. C) 0310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	4	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SD, 5-DAY (20 DEG. C) 0400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	7.3	*****	8.2	(12)	0	TWICE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	DAILY MN	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB
SD, 5-DAY (20 DEG. C) 0530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	6	Lbs/day	*****	6	6	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SD, 5-DAY (20 DEG. C) 0530 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	438	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
SD, 5-DAY (20 DEG. C) 0530 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	1,646	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
SD, 5-DAY (20 DEG. C) 0600 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SD, 5-DAY (20 DEG. C) 0600 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	4	Lbs/day	*****	3	3	(19)	0	ONCE/ MONTH	COMP -8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	Req. Mon. DAILY MX	MG/L		ONCE/ MONTH	COMP -8

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Nicole Finneyfrock
Property Manager

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

410

729-8350

DATE

14

06

23

AREA CODE

NUMBER

YEAR

MONTH

DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

ERMITTEE NAME/ADDRESS (Include

city Name/Location if different)

name BTR Hampstead, Inc

address c/o BTR Capital Group Management

222 Courthouse Ct., Suite 300, Towson MD 21204

facility Groundwater Remediation and WWTP

location 626 Hanover Pike

line:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	14	05	01		14	05	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			QUANTITY OR LOADING (54-61)			(4 Card Only) (38-45)			QUALITY OR CONCENTRATION (46-53) (54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
NITROGEN, TOTAL (AS N) 0600 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	267	Lbs/mo	*****	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated	
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated	
NITROGEN, TOTAL (AS N) 0600 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	1,208	Lbs/yr	*****	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated	
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated	
PHOSPHOROUS, TOTAL (AS P) 0665 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	(19)	*****	0	0	(19)	0	ONCE/ MONTH	COMP -8	
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	DAILY MX	MG/L	*****	*****	*****	*****	0	ONCE/ MONTH	COMP -8	
PHOSPHOROUS, TOTAL (AS P) 0665 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated	
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated	
PHOSPHOROUS, TOTAL (AS P) 0665 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	16	Lbs/yr	*****	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated	
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	*****	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated	
1,1,1-TRICHLOROETHYLENE 4475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	UG/L	*****	*****	*****	*****	0	ONCE/ MONTH	GRAB	
1,1,1-TRICHLOROETHANE 4506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5	UG/L	*****	*****	*****	*****	0	ONCE/ MONTH	GRAB	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Nicole Finneyrock Property Manager TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TFI PHONE		DATE		
		410	729-8350	14	06	23
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

City Name/Location if different)

Company Name BTR Hampstead, Inc
 Address c/o BTR Captial Group Management
222 Courthouse Ct., Suite 300, Towson MD 21204

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881
PERMIT NUMBER

001
DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

Facility Groundwater Remediation and WWTP

Location 626 Hanover Pike

Permit No. _____

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
FROM 14	05	01		14	05	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR TRU TREATMENT PLANT 1050 1 0 0	SAMPLE MEASUREMENT	0.3084	1.4250	(03)	*****	*****	*****	****	0	ONCE/ MONTH	Measured
	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****	****		ONCE/ MONTH	Measured
CHLORINE, TOTAL RESIDUAL 1060 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DA AVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB
COLI, MPN 1040 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	16	*****	(30)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	Req. Mon. GEO MEAN	*****	MPN		ONCE/ MONTH	GRAB
DICHLOROETHENE 1391 1 0 0	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE
Nicole Finneyfrock
Property Manager
 TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)

SIGNATURE OF PRINCIPAL EXECUTIVE
 OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
AREA CODE	NUMBER	YEAR	MONTH	DAY
410	729-8350	14	06	23

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

RMITTEE NAME/ADDRESS (Include

ility Name/Location if different)

ne **BTR Hampstead, Inc**

ress **c/o BTR Captial Group Management**

222 Courthouse Ct., Suite 300, Towson MD 21204

ility **Groundwater Remediation and WWTP**

ation **626 Hanover Pike**

1:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

101

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

State Discharge Permit

07-DP-0022

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
FROM 14	05	01	TO	14	05	31
(20-21) (22-23) (24-25)				(26-27) (28-29) (30-31)		

PARAMETER (32-37)		QUANTITY OR LOADING (3 Card Only)			QUALITY OR CONCENTRATION (4 Card Only)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
OW, IN CONDUIT OR IRU TREATMENT PLANT 050 1 0 0 FLUENT GROSS VALUE	SAMPLE MEASUREMENT	150,484	191,000	(07)	*****	*****	*****	****	0	ONCE/ WEEK	Measured/ Recorded
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****			
COLI, ?N 040 1 0 0 FLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	130	(30)	1	ONCE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	126 DAILY MX	MPN			
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Nicole Finneyrock Property Manager TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDULES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)	TFI PHONE		DATE		
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	410	729-8350	14	06
		AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

To: MDE- Compliance and Inspection Division

From: (Name) Earle Villarreal
 (Title) ESS

Subject: Non-complying discharge

Facility: Black and Decker WWTP

Permit No (State) 07 -DP- 0022 (Federal) MD0001881

Non-complying Month/ Year May-14

1. A non-complying discharge of E. Coli at outfall 101 occurred on 5/28/2014
2. The impact on the receiving stream was No visible impact
3. The cause of the non-compliance was The client washed the roof of the building. This caused the run off to flow directly into outfall 101.
4. The non-complying discharge continued for a period of 5/28/2014
5. The following action (is being) (was) (will be) taken to correct the problem causing the non compliance In the future the client will let operations know when major cleaning is being accomplished so different measures can be taken to minamize the chances of a non-compliance occuring.
6. The following action is being taken to prevent recurrence of a non-complying discharge of this nature See above
7. The following analysis were performed to determine the nature and impact on the receiving stream All other NPDES permit requirements were met daily and for the Month
8. Comments: All other NPDES permit requirements were met daily and for the Month

Parameter	Daily			
Limit	126 MPN			
Unit	E-Coli			
Date				
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28	129.8			
29				
30				
31				
Average				

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**
 Address **c/o BTR Capitial Group Management**
222 Courthouse Ct., Suite 300, Towson MD 21204

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MDC001881
PERMIT NUMBER

001
DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

State Discharge Permit

07-DP-0022

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 14	06	01	TO 14	06	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
BOD, 5-DAY (20 DEG. C) 00310 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	2	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
pH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	7.2	*****	8.3	(12)	0	TWICE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	DAILY MN	*****	8.5 DAILY MX	SU		TWICE/ WEEK	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	20 30DA AVG	30 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/mo	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
SOLIDS, TOTAL SUSPENDED 00530 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	1,646	Lbs/yr	*****	*****	*****	****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	****		ONCE/ MONTH	Calculated
OIL AND GREASE TOTAL RECOVERABLE 70030 1 0 0 EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	****	*****	0	0	(19)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	10 30DA AVG	15 DAILY MX	MG/L		ONCE/ MONTH	GRAB
NITROGEN, TOTAL (AS N) 00600 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	5	Lbs/day	*****	3	3	(19)	0	ONCE/ MONTH	COMP -8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	Req. Mon. DAILY MX	MG/L		ONCE/ MONTH	COMP -8
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				TTE PPHONE		DATE				
Nicole Finneyfrock Property Manager TYPED OR PRINTED					410 729-8350		14	07	18		
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments he					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR	MONTH	DAY

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Capital Group Management**

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
14	06	01	TO	14	06	30	
(20-21)		(22-23)		(24-25)		(26-27)	
				(28-29)		(30-31)	

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only) (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
NITROGEN, TOTAL (AS N) 00600 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	165	Lbs/mo	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	*****			
NITROGEN, TOTAL (AS N) 00600 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	1,372	Lbs/yr	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	*****			
PHOSPHOROUS, TOTAL (AS P) 00665 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	Lbs/day	*****	0	0	(19)	0	ONCE/ MONTH	COMP -8
	PERMIT REQUIREMENT	*****	Req. Mon. MO MAX		*****	Req. Mon. 30DA AVG	DAILY MX	MG/L			
PHOSPHOROUS, TOTAL (AS P) 00665 1 1 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	3	Lbs/mo	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. MO TOTAL		*****	*****	*****	*****			
PHOSPHOROUS, TOTAL (AS P) 00665 1 2 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	19	Lbs/yr	*****	*****	*****	*****	0	ONCE/ MONTH	Calculated
	PERMIT REQUIREMENT	*****	Req. Mon. CUM TOTAL		*****	*****	*****	*****			
TETRACHLOROETHYLE 34475 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5. DAILY MX	UG/L			
1,1,1-TRICHLOROETHANE 34506 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L			

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Nicole Finneyfrack
Property Manager
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)

[Handwritten Signature]
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
410 729-8350
AREA CODE NUMBER
DATE
14 07 18
YEAR MONTH DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Captial Group Management**

222 Courthouse Ct. Suite 300, Towson MD 21204

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

001

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires


*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

State Discharge Permit

07-DP-0022

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
FROM 14	06	01	TO	14	06	30
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

PARAMETER (32-37)		(3 Card Only) (46-53)			(4 Card Only) (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	0.2125	0.4470	(03)	*****	*****	*****	****	0	ONCE/ MONTH	Measured	
	PERMIT REQUIREMENT	REPORT	REPORT	MGD	*****	*****	*****	****		ONCE/ MONTH	Measured	
CHLORINE, TOTAL RESIDUAL 50060 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	<0.1	<0.1	(19)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	0.011 30DAAVG	0.019 DAILY MX	MG/L		ONCE/ MONTH	GRAB	
E.COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	5	*****	(30)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	Req. Mon. GEO MEAN	*****	MPN		ONCE/ MONTH	GRAB	
TRICHLOROETHENE 78391 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0	(28)	0	ONCE/ MONTH	GRAB	
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5 DAILY MX	UG/L		ONCE/ MONTH	GRAB	
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
	SAMPLE MEASUREMENT											
	PERMIT REQUIREMENT											
NAME/IT	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDULES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)							TELEPHONE		DATE		
Nicole Finneyrock Property Manager								410	729-8350	14	07	18
TYPED OR PRINTED								OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MONTH

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name BTR Hampstead, Inc
 Address c/o BTR Captial Group Management
222 Courthouse Ct., Suite 300, Towson MD 21204

Facility Groundwater Remediation and WWTP
 Location 626 Hanover Pike
 Attn: _____

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) MD0001881 (17-19) 101
PERMIT NUMBER **DISCHARGE NUMBER**

Form Approved,
 OMB No.
 Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
FROM 14	06	01	TO 14	06	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

State Discharge Permit
 07-DP-0022

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING			(4 Card Only) QUALITY OR CONCENTRATION				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS			
FLOW, IN CONDUIT OR THRU TREATMENT PLANT 50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	170,500	200,000	(07)	*****	*****	*****	****	0	ONCE/ WEEK	Measured/ Recorded
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		ONCE/ MONTH	Measured/ Recorded
E.COLI, MPN 51040 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	1	(30)	0	ONCE/ WEEK	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	*****	126 DAILY MX	MPN		ONCE/ WEEK	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER <u>Nicole Finneyrock</u> <u>Property Manager</u> TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 8 MONTHS AND 5 YEARS.)	TFI PHONE#		DATE		
		410	729-8350	14	07	18
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MONTH	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITTEE NAME/ADDRESS (Include

Facility Name/Location if different)

Name **BTR Hampstead, Inc**

Address **c/o BTR Captial Group Management**

222 Courthouse Ct., Suite 300, Towson MD 21204

Facility **Groundwater Remediation and WWTP**

Location **626 Hanover Pike**

Attn:

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16)

(17-19)

MD0001881

201

PERMIT NUMBER

DISCHARGE NUMBER

Form Approved.

OMB No.

Approval expires

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form

MONITORING PERIOD

YEAR	MO	DAY	YEAR	MO	DAY
14	04	01	14	06	30
(20-21)		(22-23)	(24-25)	(26-27)	
		(28-29)	(30-31)		

State Discharge Permit

07-DP-0022

PARAMETER (32-37)		(3 Card Only)			(4 Card Only)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		QUANTITY OR LOADING		UNITS	QUALITY OR CONCENTRATION						
		AVERAGE (46-53)	MAXIMUM (54-61)		MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS			
34475 1 0 0 TETRACHLOROETHYLENE EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
34506 1 0 0 1,1,1-TRICHLOROETHANE EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
50050 1 0 0 FLOW, IN CONDUIT OR THRU TREATMENT PLANT EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	252,974	304,593	(07)	*****	*****	*****	****	0	Measured	Record
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	****		Measured	Record
51415 1 0 0 Total Volatile Organics (VOC) EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	100	UG/L		One/Quarter	Grab
78391 1 0 0 TRICHLOROETHENE EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	0	0	(28)	0	One/Quarter	Grab
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT	REPORT	UG/L		One/Quarter	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUES IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. SS1001 AND 33 U.S.C. SS 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN 6 MONTHS AND 5 YEARS.)				TFI PHONE			DATE			
TYPED OR PRINTED					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT			AREA CODE	NUMBER	YEAR	MONTH
COMMENT AND EXPANATION OF ANY VIOLATIONS (Reference all attachments here)											

APPENDIX C
GROUNDWATER TREATMENT SYSTEM ANALYTICAL RESULTS

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJOLAS ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L4936080
 Project Name: BLACK & DECKER WWTP
 Receive Date: 04-22-2014
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
 Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
 PWSID No:

Sample ID L4936080-1 Sample Description FINAL 001 GRAB
 Received Date/Time/Temp 04/22/14 04:30pm 1.9 C Iced (Y/N): Y
 Satellite Received Temp 3.3C Iced (Y/N): Y
 Samp. Date/Time/Temp 04/22/14 09:08am NA C Sampled by Customer

Parameter	Result	RL	Units	Method	DF	Q	Test Date, Time, Analyst
GENERAL CHEMISTRY							
Total Suspended Solids (Delaware)	4.20	4.00	mg/l	SM 2540D	1		04/23/14 02:36PM MS3
Biochemical Oxygen Demand, 5 Day (DE)	3.00	2.00	mg/l	SM 5210B	1.5		04/23/14 08:15AM SKJ
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES							
1,1,1-Trichloroethane	ND	1.00	ug/l	EPA 624	1		04/23/14 10:30PM JAD
Tetrachloroethene	ND	1.00	ug/l	EPA 624	1		04/23/14 10:30PM JAD
Trichloroethene	ND	1.00	ug/l	EPA 624	1		04/23/14 10:30PM JAD

Sample ID L4936080-2 Sample Description FINAL 001COMP
 Received Date/Time/Temp 04/22/14 04:30pm 1.9 C Iced (Y/N): Y
 Samp. Date/Time/Temp 04/22/14 09:10am NA C Sampled by Customer

Parameter	Result	RL	Units	Method	DF	Q	Test Date, Time, Analyst
GENERAL CHEMISTRY							
Nitrate/nitrite, total as N (Delaware)	2.32	0.500	mg/l	EPA 300.0	10		04/22/14 09:55PM SLD
Kjeldahl nitrogen, as N (Delaware)	0.498	0.200	mg/l	EPA 351.2	1		04/24/14 12:29PM ALW
Phosphorus total as P (Delaware)	ND	0.0500	mg/l	EPA 365.4	1		04/24/14 12:29PM ALW
Ammonia, as N (Delaware)	ND	0.200	mg/l	SM 4500NH3-G	1		04/23/14 11:57AM ALW



PIN: 17237

Serial Number: 3564867

QC Laboratories

Analytical Report

Printed 05/06/14 12:06 DE36

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJOL'S ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L5031523
Project Name: BLACK & DECKER WWTP
Receive Date: 05-02-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP
P.O. No: Inv. No: MES_AL0341
PWSID No:

Sample ID Sample Description Smp. Date/Time/Temp Sampled by
L5031523-1 BLACK & DECKER 101 04/22/14 09:25am N/A C Customer
Received Date/Time 05/02/14 12:00pm

Parameter	Result	RL	Units	Method	DF	Q	Test Date, Time, Analyst
-----------	--------	----	-------	--------	----	---	--------------------------

ENVIRONMENTAL MICROBIOLOGY

E. Coli, MPN Cell(Delaware)	<1.0		MPN/100ml	SM 9221F			04/22/14 03:07PM SUB
-----------------------------	------	--	-----------	----------	--	--	----------------------

Sample Comments:

L5031523-1 :
E. coli was analyzed by Chesapeake Environmental Lab, Inc in Stevensville, MD.



PIN: 17237

Serial Number: 3570445

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJONES ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L5023482
 Project Name: BLACK & DECKER WWTP
 Receive Date: 05-20-2014
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
 Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
 PWSID No:

Sample ID L5023482-1 Sample Description FINAL 001 GRAB
 Received Date/Time/Temp 05/20/14 04:30pm 5.2 C Iced (Y/N): Y
 Samp. Date/Time/Temp 05/20/14 09:00am NA C Sampled by Customer

Satellite Received Temp 2.6 C Iced (Y/N): Y

Parameter	Result	RL	Units	Method	DF	Q	Test Date, Time, Analyst
GENERAL CHEMISTRY							
Hexane Ext. Material-HEM (oil+grease)	ND	5.00	mg/l	1664B HEM	1		05/21/14 06:00PM AGM
Total Suspended Solids (Delaware)	5.50	5.00	mg/l	SM 2540D	1		05/21/14 01:23PM BLR
Biochemical Oxygen Demand, 5 Day (DE)	4.00	2.00	mg/l	SM 5210B	1.5		05/21/14 08:05AM SKJ
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES							
1,1,1-Trichloroethane	ND	1.00	ug/l	EPA 624	1		05/22/14 03:12PM JAD
Tetrachloroethene	ND	1.00	ug/l	EPA 624	1		05/22/14 03:12PM JAD
Trichloroethene	ND	1.00	ug/l	EPA 624	1		05/22/14 03:12PM JAD

Sample ID L5023482-2 Sample Description BTR 001 COMP
 Received Date/Time/Temp 05/20/14 04:30pm 5.2 C Iced (Y/N): Y
 Samp. Date/Time/Temp 05/20/14 09:10am NA C Sampled by Customer

Parameter	Result	RL	Units	Method	DF	Q	Test Date, Time, Analyst
GENERAL CHEMISTRY							
Nitrate/nitrite, total as N (Delaware)	1.60	0.500	mg/l	EPA 300.0	10		05/21/14 03:41AM ALW
Kjeldahl nitrogen, as N (Delaware)	1.75	0.200	mg/l	EPA 351.2	1		05/27/14 12:49PM ALW
Phosphorus total as P (Delaware)	ND	0.0500	mg/l	EPA 365.4	1		05/27/14 12:49PM ALW
Ammonia, as N (Delaware)	0.884	0.200	mg/l	SM 4500NH3-G	1		05/23/14 01:53PM ALW

PIN: 17237

Serial Number: 3636605

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJONES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L5097912
Project Name: BLACK & DECKER WWTP
Receive Date: 06-09-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No:
Inv. No: MES_AL0341
PWSID No:

Sample ID L5097912-1 Sample Description BLACK + DECKER 101
Received Date/Time 06/09/14 12:10pm
Samp. Date/Time/Temp 05/28/14 09:24am NA C Sampled by Customer

Parameter	Result	RL	Units	Method	DF	Q	Test Date, Time, Analyst
-----------	--------	----	-------	--------	----	---	--------------------------

ENVIRONMENTAL MICROBIOLOGY

Fecal Coliform, MPN (Delaware)	130	2	MPN/100ml	SM 9221E			05/28/14 02:06PM SUB
-----------------------------------	-----	---	-----------	----------	--	--	----------------------

Sample Comments:

L5097912-1 :
Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.



QC Laboratories

Analytical Report

Printed 06/13/14 16:05 DE36

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJOLAS ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L5057031
 Project Name: BLACK & DECKER WWTP
 Receive Date: 06-03-2014
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
 Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
 PWSID No:

Sample ID L5057031-1 Sample Description BTR 001 GRAB
 Received Date/Time/Temp 06/03/14 04:50pm 1.4 C Iced (Y/N): Y
 Samp. Date/Time/Temp 06/03/14 09:40am NA C Sampled by Customer

Satellite Received Temp 4.4 C Iced (Y/N): Y

Parameter	Result	RL	Units	Method	DF	Q	Test Date, Time, Analyst
-----------	--------	----	-------	--------	----	---	--------------------------

GENERAL CHEMISTRY

Hexane Ext. Material-HEM (oil+grease)	ND	5.00	mg/l	1664B HEM	1		06/06/14 03:25PM AGM
Total Suspended Solids (Delaware)	ND	5.00	mg/l	SM 2540D	1		06/05/14 12:42PM BLR
Biochemical Oxygen Demand, 5 Day (DE)	2.00	2.00	mg/l	SM 5210B	1.5		06/04/14 12:20PM SKJ

GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES

1,1,1-Trichloroethane	ND	1.00	ug/l	EPA 624	1		06/05/14 10:45PM JAD
Tetrachloroethene	ND	1.00	ug/l	EPA 624	1		06/05/14 10:45PM JAD
Trichloroethene	ND	1.00	ug/l	EPA 624	1		06/05/14 10:45PM JAD

Sample ID L5057031-2 Sample Description BTR 001 COMP
 Received Date/Time/Temp 06/03/14 04:50pm 4.4 C Iced (Y/N): Y
 Samp. Date/Time/Temp 06/03/14 09:43am NA C Sampled by Customer

Satellite Received Temp 4.4 C Iced (Y/N): Y

Parameter	Result	RL	Units	Method	DF	Q	Test Date, Time, Analyst
-----------	--------	----	-------	--------	----	---	--------------------------

PIN: 17237

Serial Number: 3688805

CHERYL GRIFFIN
 MARYLAND ENVIRONMENTAL SERVICE A
 259 NAJOLAS ROAD
 RE: BLACK & DECKER WWTP
 MILLERSVILLE, MD 21108

Order Number: L5022839
 Project Name: BLACK & DECKER WWTP
 Receive Date: 04-22-2014
 Client Code: MES_A
 Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
 Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
 PWSID No:

Sample ID L5022839-1 Sample Description BTR-9 BTR-201
 Received Date/Time/Temp 04/22/14 04:30pm 1.9 C Iced (Y/N): Y
 Satellite Received Temp 3.3C Iced (Y/N): Y
 Samp. Date/Time/Temp 04/23/14 09:49am NA C Sampled by Customer

Parameter	Result	RL	Units	Method	DF	Q	Test Date, Time, Analyst
GAS CHROMATOGRAPHY MASS SPECTROMETRY; VOLATILES							
1,1,1-Trichloroethane	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
1,1,2,2-Tetrachloroethane	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
1,1,2-Trichloroethane	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
1,1-Dichloroethane	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
1,1-Dichloroethene	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
1,2-Dichlorobenzene	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
1,2-Dichloroethane	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
1,2-Dichloropropane	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
1,3-Dichlorobenzene	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
1,4-Dichlorobenzene	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
2-Chloroethyl vinyl ether	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Benzene	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Bromodichloromethane	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Bromoform	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Bromomethane	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Carbon tetrachloride	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Chlorobenzene	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Chloroethane	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Chloroform	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Chloromethane	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
cis-1,3-Dichloropropene	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Dibromochloromethane	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Ethylbenzene	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Methylene chloride	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Tetrachloroethene	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Toluene	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
trans-1,2-Dichloroethene	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
trans-1,3-Dichloropropene	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Trichloroethene	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Trichlorofluoromethane	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD
Vinyl chloride	ND	1.00	ug/l	EPA 624	1		04/23/14 11:10PM JAD

PIN: 17237

Serial Number: 3540646

CHERYL GRIFFIN
MARYLAND ENVIRONMENTAL SERVICE A
259 NAJILES ROAD
RE: BLACK & DECKER WWTP
MILLERSVILLE, MD 21108

Order Number: L5118492
Project Name: BLACK & DECKER WWTP
Receive Date: 06-20-2014
Client Code: MES_A
Project Location: BLACK & DECKER WWTP

Account No: AL0341, MARYLAND ENVIRONMENTAL SERVICE A
Project No: AL0341 BLK DECK WWTP, BLACK & DECKER WWTP

P.O. No: Inv. No: MES_AL0341
PWSID No:

Sample ID	Sample Description	Samp. Date/Time/Temp	Sampled by
L5118492-1	BLACK & DECKER 101 Received Date/Time 06/20/14 10:00am	06/10/14 09:03am NA C	Customer

Parameter	Result	RL	Units	Method	DF	Q	Test Date, Time, Analyst
-----------	--------	----	-------	--------	----	---	--------------------------

ENVIRONMENTAL MICROBIOLOGY

Fecal Coliform, MPN (Delaware)	<1.8	2	MPN/100ml	SM 9221E			06/10/14 01:47PM SUB
-----------------------------------	------	---	-----------	----------	--	--	----------------------

Sample Comments:

L5118492-1 :
Fecal coliform was analyzed by Chesapeake Environmental Lab, Inc. in Stevensville, MD.



PIN: 17237

Serial Number: 3722826

APPENDIX D
GROUNDWATER ANALYTICAL DATA PACKAGE (MAY 2014)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-77079-1
Client Project/Site: Black and Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Mr. Tom Cornuet



Authorized for release by:
5/21/2014 2:38:49 PM

Richard Wright, Senior Project Manager
(708)534-5200
richard.wright@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

**Ask
The
Expert**

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Detection Summary	4
Method Summary	8
Sample Summary	9
Client Sample Results	10
Definitions	60
QC Association	61
Surrogate Summary	62
QC Sample Results	63
Chronicle	73
Certification Summary	78
Chain of Custody	79
Receipt Checklists	82



Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Job ID: 500-77079-1

Laboratory: TestAmerica Chicago

Narrative

Job Narrative
500-77079-1

Comments

No additional comments.

Receipt

The samples were received on 5/16/2014 10:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.9° C. Received one vial for sample 5 with larger than pea size bubble.

GC/MS VOA

Method(s) 8260B: The continuing calibration verification (CCV) associated with batches 236920 and 237048 recovered above the upper control limit for Bromomethane and Chloroethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The following samples are impacted: EW-10 (500-77079-25), EW-3 (500-77079-17), EW-4 (500-77079-18), EW-5 (500-77079-19), EW-6 (500-77079-20), EW-7 (500-77079-21), EW-8 (500-77079-22), EW-9 (500-77079-23), EW-9 DUP (500-77079-24), RFW-11B (500-77079-12), RFW-12B (500-77079-13), RFW-13 (500-77079-14), RFW-17 (500-77079-15), RFW-1A (500-77079-1), RFW-1B (500-77079-2), RFW-2A (500-77079-3), RFW-2B (500-77079-4), RFW-3B (500-77079-5), RFW-4A (500-77079-6), RFW-4A DUP (500-77079-7), RFW-4B (500-77079-8), RFW-6 (500-77079-9), RFW-7 (500-77079-10), RFW-9 (500-77079-11), Trip Blank (500-77079-16).

Method(s) 8260B: The laboratory control samples (LCS) for batches 236920 and 237048 recovered outside control limits for the following analytes: Bromomethane, Trichlorofluoromethane, Chloroethane. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-77079-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.30	J	0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.87	J	1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-1B

Lab Sample ID: 500-77079-2

No Detections.

Client Sample ID: RFW-2A

Lab Sample ID: 500-77079-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.33	J	0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.68	J	1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-2B

Lab Sample ID: 500-77079-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.37	J	0.50	0.19	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-3B

Lab Sample ID: 500-77079-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.7		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	0.64		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.3		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A

Lab Sample ID: 500-77079-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.87	J	1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	28		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	18		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-77079-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.0		1.0	0.12	ug/L	1		8260B	Total/NA
1,1,1-Trichloroethane	0.52	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	30		0.50	0.19	ug/L	1		8260B	Total/NA
Toluene	0.72		0.50	0.11	ug/L	1		8260B	Total/NA
Tetrachloroethene	22		1.0	0.17	ug/L	1		8260B	Total/NA
m&p-Xylene	0.47	J	1.0	0.26	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-4B

Lab Sample ID: 500-77079-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.3		1.0	0.12	ug/L	1		8260B	Total/NA
Chloroform	1.5		1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	53		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	84		1.0	0.17	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-6

Lab Sample ID: 500-77079-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.0		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	3.1		0.50	0.19	ug/L	1		8260B	Total/NA
Toluene	0.61		0.50	0.11	ug/L	1		8260B	Total/NA
Tetrachloroethene	3.2		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-7

Lab Sample ID: 500-77079-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	2.3		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.47	J	1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-9

Lab Sample ID: 500-77079-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	0.71	J	1.0	0.31	ug/L	1		8260B	Total/NA
1,1-Dichloroethane	0.88	J	1.0	0.19	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	30		1.0	0.12	ug/L	1		8260B	Total/NA
1,1,1-Trichloroethane	0.74	J	1.0	0.20	ug/L	1		8260B	Total/NA
Trichloroethene	8.9		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	8.0		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-11B

Lab Sample ID: 500-77079-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	4.1		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	1.4		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-12B

Lab Sample ID: 500-77079-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.8		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	66		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	4.7		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-13

Lab Sample ID: 500-77079-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.91	J	1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	3.3		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	18		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: RFW-17

Lab Sample ID: 500-77079-15

No Detections.

Client Sample ID: Trip Blank

Lab Sample ID: 500-77079-16

No Detections.

Client Sample ID: EW-3

Lab Sample ID: 500-77079-17

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-3 (Continued)

Lab Sample ID: 500-77079-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1.6		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	44		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	2.3		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-4

Lab Sample ID: 500-77079-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	14		1.0	0.17	ug/L	1		8260B	Total/NA
Trichloroethene - DL	540		5.0	1.9	ug/L	10		8260B	Total/NA

Client Sample ID: EW-5

Lab Sample ID: 500-77079-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	100		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	3.3		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-6

Lab Sample ID: 500-77079-20

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	5.4		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	9.5		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-7

Lab Sample ID: 500-77079-21

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	4.4		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	3.2		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	7.9		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-8

Lab Sample ID: 500-77079-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	0.57	J	1.0	0.19	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene	20		1.0	0.12	ug/L	1		8260B	Total/NA
Trichloroethene	6.2		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	57		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9

Lab Sample ID: 500-77079-23

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.42	J	0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	81		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-77079-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.53		0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	91		1.0	0.17	ug/L	1		8260B	Total/NA

Client Sample ID: EW-10

Lab Sample ID: 500-77079-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.42	J	0.50	0.19	ug/L	1		8260B	Total/NA
Tetrachloroethene	81		1.0	0.17	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Detection Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-10 (Continued)

Lab Sample ID: 500-77079-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	0.79	J	1.0	0.17	ug/L	1		8260B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Chicago

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Method	Method Description	Protocol	Laboratory
8260B	VOC	SW846	TAL CHI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200



Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-77079-1	RFW-1A	Water	05/13/14 08:10	05/16/14 10:00
500-77079-2	RFW-1B	Water	05/13/14 17:30	05/16/14 10:00
500-77079-3	RFW-2A	Water	05/13/14 09:15	05/16/14 10:00
500-77079-4	RFW-2B	Water	05/13/14 09:30	05/16/14 10:00
500-77079-5	RFW-3B	Water	05/14/14 09:00	05/16/14 10:00
500-77079-6	RFW-4A	Water	05/14/14 10:20	05/16/14 10:00
500-77079-7	RFW-4A DUP	Water	05/14/14 10:20	05/16/14 10:00
500-77079-8	RFW-4B	Water	05/14/14 10:40	05/16/14 10:00
500-77079-9	RFW-6	Water	05/13/14 11:15	05/16/14 10:00
500-77079-10	RFW-7	Water	05/13/14 10:05	05/16/14 10:00
500-77079-11	RFW-9	Water	05/13/14 16:35	05/16/14 10:00
500-77079-12	RFW-11B	Water	05/14/14 12:15	05/16/14 10:00
500-77079-13	RFW-12B	Water	05/14/14 13:25	05/16/14 10:00
500-77079-14	RFW-13	Water	05/13/14 15:50	05/16/14 10:00
500-77079-15	RFW-17	Water	05/13/14 15:10	05/16/14 10:00
500-77079-16	Trip Blank	Water	05/13/14 06:00	05/16/14 10:00
500-77079-17	EW-3	Water	05/14/14 13:50	05/16/14 10:00
500-77079-18	EW-4	Water	05/14/14 13:30	05/16/14 10:00
500-77079-19	EW-5	Water	05/13/14 08:00	05/16/14 10:00
500-77079-20	EW-6	Water	05/13/14 10:55	05/16/14 10:00
500-77079-21	EW-7	Water	05/13/14 10:45	05/16/14 10:00
500-77079-22	EW-8	Water	05/13/14 10:40	05/16/14 10:00
500-77079-23	EW-9	Water	05/13/14 10:30	05/16/14 10:00
500-77079-24	EW-9 DUP	Water	05/13/14 10:30	05/16/14 10:00
500-77079-25	EW-10	Water	05/13/14 09:45	05/16/14 10:00

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-77079-1

Date Collected: 05/13/14 08:10

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 02:30	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 02:30	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 02:30	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 02:30	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 02:30	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 02:30	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 02:30	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 02:30	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 02:30	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 02:30	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 02:30	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 02:30	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 02:30	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 02:30	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 02:30	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 02:30	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 02:30	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 02:30	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 02:30	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 02:30	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 02:30	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 02:30	1
Trichloroethene	0.30	J	0.50	0.19	ug/L			05/20/14 02:30	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 02:30	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 02:30	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 02:30	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 02:30	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 02:30	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 02:30	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 02:30	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 02:30	1
Tetrachloroethene	0.87	J	1.0	0.17	ug/L			05/20/14 02:30	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 02:30	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 02:30	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 02:30	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 02:30	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 02:30	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 02:30	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 02:30	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 02:30	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 02:30	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 02:30	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 02:30	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 02:30	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 02:30	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 02:30	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 02:30	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 02:30	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 02:30	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-77079-1

Date Collected: 05/13/14 08:10

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 02:30	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 02:30	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 02:30	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 02:30	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 02:30	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 02:30	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 02:30	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 02:30	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 02:30	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 02:30	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 02:30	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 02:30	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 02:30	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 02:30	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 02:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		75 - 125		05/20/14 02:30	1
Toluene-d8 (Surr)	103		75 - 120		05/20/14 02:30	1
4-Bromofluorobenzene (Surr)	90		75 - 120		05/20/14 02:30	1
Dibromofluoromethane	105		75 - 120		05/20/14 02:30	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-77079-2

Date Collected: 05/13/14 17:30

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 02:54	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 02:54	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 02:54	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 02:54	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 02:54	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 02:54	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 02:54	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 02:54	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 02:54	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 02:54	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 02:54	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 02:54	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 02:54	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 02:54	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 02:54	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 02:54	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 02:54	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 02:54	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 02:54	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 02:54	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 02:54	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 02:54	1
Trichloroethene	<0.50		0.50	0.19	ug/L			05/20/14 02:54	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 02:54	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 02:54	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 02:54	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 02:54	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 02:54	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 02:54	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 02:54	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 02:54	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			05/20/14 02:54	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 02:54	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 02:54	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 02:54	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 02:54	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 02:54	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 02:54	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 02:54	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 02:54	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 02:54	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 02:54	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 02:54	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 02:54	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 02:54	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 02:54	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 02:54	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 02:54	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 02:54	1

TestAmerica Chicago



Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-1B

Lab Sample ID: 500-77079-2

Date Collected: 05/13/14 17:30

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 02:54	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 02:54	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 02:54	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 02:54	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 02:54	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 02:54	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 02:54	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 02:54	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 02:54	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 02:54	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 02:54	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 02:54	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 02:54	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 02:54	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 02:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		75 - 125		05/20/14 02:54	1
Toluene-d8 (Surr)	102		75 - 120		05/20/14 02:54	1
4-Bromofluorobenzene (Surr)	90		75 - 120		05/20/14 02:54	1
Dibromofluoromethane	107		75 - 120		05/20/14 02:54	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-77079-3

Date Collected: 05/13/14 09:15

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 03:19	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 03:19	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 03:19	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 03:19	1
Bromomethane	<1.0 *		1.0	0.31	ug/L			05/20/14 03:19	1
Chloroethane	<1.0 *		1.0	0.34	ug/L			05/20/14 03:19	1
Trichlorofluoromethane	<1.0 *		1.0	0.19	ug/L			05/20/14 03:19	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 03:19	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 03:19	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 03:19	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 03:19	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 03:19	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 03:19	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 03:19	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 03:19	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 03:19	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 03:19	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 03:19	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 03:19	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 03:19	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 03:19	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 03:19	1
Trichloroethene	0.33	J	0.50	0.19	ug/L			05/20/14 03:19	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 03:19	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 03:19	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 03:19	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 03:19	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 03:19	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 03:19	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 03:19	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 03:19	1
Tetrachloroethene	0.68	J	1.0	0.17	ug/L			05/20/14 03:19	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 03:19	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 03:19	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 03:19	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 03:19	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 03:19	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 03:19	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 03:19	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 03:19	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 03:19	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 03:19	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 03:19	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 03:19	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 03:19	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 03:19	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 03:19	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 03:19	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 03:19	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-2A

Lab Sample ID: 500-77079-3

Date Collected: 05/13/14 09:15

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 03:19	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 03:19	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 03:19	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 03:19	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 03:19	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 03:19	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 03:19	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 03:19	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 03:19	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 03:19	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 03:19	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 03:19	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 03:19	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 03:19	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 03:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		75 - 125					05/20/14 03:19	1
Toluene-d8 (Surr)	103		75 - 120					05/20/14 03:19	1
4-Bromofluorobenzene (Surr)	92		75 - 120					05/20/14 03:19	1
Dibromofluoromethane	107		75 - 120					05/20/14 03:19	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-77079-4

Date Collected: 05/13/14 09:30

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 03:44	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 03:44	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 03:44	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 03:44	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 03:44	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 03:44	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 03:44	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 03:44	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 03:44	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 03:44	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 03:44	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 03:44	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 03:44	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 03:44	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 03:44	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 03:44	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 03:44	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 03:44	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 03:44	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 03:44	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 03:44	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 03:44	1
Trichloroethene	0.37	J	0.50	0.19	ug/L			05/20/14 03:44	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 03:44	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 03:44	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 03:44	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 03:44	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 03:44	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 03:44	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 03:44	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 03:44	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			05/20/14 03:44	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 03:44	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 03:44	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 03:44	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 03:44	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 03:44	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 03:44	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 03:44	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 03:44	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 03:44	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 03:44	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 03:44	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 03:44	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 03:44	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 03:44	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 03:44	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 03:44	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 03:44	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-2B

Lab Sample ID: 500-77079-4

Date Collected: 05/13/14 09:30

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 03:44	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 03:44	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 03:44	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 03:44	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 03:44	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 03:44	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 03:44	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 03:44	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 03:44	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 03:44	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 03:44	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 03:44	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 03:44	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 03:44	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 03:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		75 - 125					05/20/14 03:44	1
Toluene-d8 (Surr)	102		75 - 120					05/20/14 03:44	1
4-Bromofluorobenzene (Surr)	90		75 - 120					05/20/14 03:44	1
Dibromofluoromethane	105		75 - 120					05/20/14 03:44	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-77079-5

Date Collected: 05/14/14 09:00

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 04:09	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 04:09	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 04:09	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 04:09	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 04:09	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 04:09	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 04:09	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 04:09	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 04:09	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 04:09	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 04:09	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 04:09	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 04:09	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 04:09	1
cis-1,2-Dichloroethene	1.7		1.0	0.12	ug/L			05/20/14 04:09	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 04:09	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 04:09	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 04:09	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 04:09	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 04:09	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 04:09	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 04:09	1
Trichloroethene	0.64		0.50	0.19	ug/L			05/20/14 04:09	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 04:09	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 04:09	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 04:09	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 04:09	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 04:09	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 04:09	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 04:09	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 04:09	1
Tetrachloroethene	1.3		1.0	0.17	ug/L			05/20/14 04:09	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 04:09	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 04:09	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 04:09	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 04:09	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 04:09	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 04:09	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 04:09	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 04:09	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 04:09	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 04:09	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 04:09	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 04:09	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 04:09	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 04:09	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 04:09	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 04:09	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 04:09	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-3B

Lab Sample ID: 500-77079-5

Date Collected: 05/14/14 09:00

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 04:09	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 04:09	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 04:09	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 04:09	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 04:09	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 04:09	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 04:09	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 04:09	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 04:09	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 04:09	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 04:09	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 04:09	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 04:09	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 04:09	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 04:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		75 - 125					05/20/14 04:09	1
Toluene-d8 (Surr)	103		75 - 120					05/20/14 04:09	1
4-Bromofluorobenzene (Surr)	89		75 - 120					05/20/14 04:09	1
Dibromofluoromethane	107		75 - 120					05/20/14 04:09	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-77079-6

Date Collected: 05/14/14 10:20

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 04:33	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 04:33	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 04:33	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 04:33	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 04:33	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 04:33	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 04:33	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 04:33	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 04:33	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 04:33	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 04:33	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 04:33	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 04:33	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 04:33	1
cis-1,2-Dichloroethene	0.87	J	1.0	0.12	ug/L			05/20/14 04:33	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 04:33	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 04:33	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 04:33	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 04:33	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 04:33	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 04:33	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 04:33	1
Trichloroethene	28		0.50	0.19	ug/L			05/20/14 04:33	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 04:33	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 04:33	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 04:33	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 04:33	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 04:33	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 04:33	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 04:33	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 04:33	1
Tetrachloroethene	18		1.0	0.17	ug/L			05/20/14 04:33	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 04:33	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 04:33	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 04:33	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 04:33	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 04:33	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 04:33	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 04:33	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 04:33	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 04:33	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 04:33	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 04:33	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 04:33	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 04:33	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 04:33	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 04:33	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 04:33	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 04:33	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-4A

Lab Sample ID: 500-77079-6

Date Collected: 05/14/14 10:20

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 04:33	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 04:33	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 04:33	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 04:33	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 04:33	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 04:33	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 04:33	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 04:33	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 04:33	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 04:33	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 04:33	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 04:33	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 04:33	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 04:33	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 04:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		75 - 125		05/20/14 04:33	1
Toluene-d8 (Surr)	102		75 - 120		05/20/14 04:33	1
4-Bromofluorobenzene (Surr)	93		75 - 120		05/20/14 04:33	1
Dibromofluoromethane	106		75 - 120		05/20/14 04:33	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-77079-7

Date Collected: 05/14/14 10:20

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 04:59	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 04:59	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 04:59	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 04:59	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 04:59	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 04:59	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 04:59	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 04:59	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 04:59	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 04:59	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 04:59	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 04:59	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 04:59	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 04:59	1
cis-1,2-Dichloroethene	1.0		1.0	0.12	ug/L			05/20/14 04:59	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 04:59	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 04:59	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 04:59	1
1,1,1-Trichloroethane	0.52	J	1.0	0.20	ug/L			05/20/14 04:59	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 04:59	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 04:59	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 04:59	1
Trichloroethene	30		0.50	0.19	ug/L			05/20/14 04:59	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 04:59	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 04:59	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 04:59	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 04:59	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 04:59	1
Toluene	0.72		0.50	0.11	ug/L			05/20/14 04:59	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 04:59	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 04:59	1
Tetrachloroethene	22		1.0	0.17	ug/L			05/20/14 04:59	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 04:59	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 04:59	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 04:59	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 04:59	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 04:59	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 04:59	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 04:59	1
m&p-Xylene	0.47	J	1.0	0.26	ug/L			05/20/14 04:59	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 04:59	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 04:59	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 04:59	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 04:59	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 04:59	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 04:59	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 04:59	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 04:59	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 04:59	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-77079-7

Date Collected: 05/14/14 10:20

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 04:59	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 04:59	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 04:59	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 04:59	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 04:59	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 04:59	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 04:59	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 04:59	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 04:59	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 04:59	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 04:59	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 04:59	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 04:59	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 04:59	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 04:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		75 - 125					05/20/14 04:59	1
Toluene-d8 (Surr)	102		75 - 120					05/20/14 04:59	1
4-Bromofluorobenzene (Surr)	91		75 - 120					05/20/14 04:59	1
Dibromofluoromethane	105		75 - 120					05/20/14 04:59	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-77079-8

Date Collected: 05/14/14 10:40

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 05:23	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 05:23	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 05:23	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 05:23	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 05:23	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 05:23	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 05:23	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 05:23	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 05:23	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 05:23	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 05:23	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 05:23	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 05:23	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 05:23	1
cis-1,2-Dichloroethene	3.3		1.0	0.12	ug/L			05/20/14 05:23	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 05:23	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 05:23	1
Chloroform	1.5		1.0	0.20	ug/L			05/20/14 05:23	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 05:23	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 05:23	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 05:23	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 05:23	1
Trichloroethene	53		0.50	0.19	ug/L			05/20/14 05:23	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 05:23	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 05:23	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 05:23	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 05:23	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 05:23	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 05:23	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 05:23	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 05:23	1
Tetrachloroethene	84		1.0	0.17	ug/L			05/20/14 05:23	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 05:23	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 05:23	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 05:23	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 05:23	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 05:23	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 05:23	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 05:23	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 05:23	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 05:23	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 05:23	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 05:23	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 05:23	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 05:23	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 05:23	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 05:23	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 05:23	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 05:23	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-4B

Lab Sample ID: 500-77079-8

Date Collected: 05/14/14 10:40

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 05:23	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 05:23	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 05:23	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 05:23	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 05:23	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 05:23	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 05:23	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 05:23	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 05:23	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 05:23	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 05:23	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 05:23	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 05:23	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 05:23	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 05:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 125					05/20/14 05:23	1
Toluene-d8 (Surr)	102		75 - 120					05/20/14 05:23	1
4-Bromofluorobenzene (Surr)	89		75 - 120					05/20/14 05:23	1
Dibromofluoromethane	104		75 - 120					05/20/14 05:23	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-6

Lab Sample ID: 500-77079-9

Date Collected: 05/13/14 11:15

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 05:48	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 05:48	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 05:48	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 05:48	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 05:48	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 05:48	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 05:48	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 05:48	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 05:48	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 05:48	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 05:48	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 05:48	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 05:48	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 05:48	1
cis-1,2-Dichloroethene	1.0		1.0	0.12	ug/L			05/20/14 05:48	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 05:48	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 05:48	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 05:48	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 05:48	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 05:48	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 05:48	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 05:48	1
Trichloroethene	3.1		0.50	0.19	ug/L			05/20/14 05:48	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 05:48	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 05:48	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 05:48	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 05:48	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 05:48	1
Toluene	0.61		0.50	0.11	ug/L			05/20/14 05:48	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 05:48	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 05:48	1
Tetrachloroethene	3.2		1.0	0.17	ug/L			05/20/14 05:48	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 05:48	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 05:48	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 05:48	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 05:48	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 05:48	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 05:48	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 05:48	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 05:48	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 05:48	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 05:48	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 05:48	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 05:48	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 05:48	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 05:48	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 05:48	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 05:48	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 05:48	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-6

Lab Sample ID: 500-77079-9

Date Collected: 05/13/14 11:15

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 05:48	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 05:48	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 05:48	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 05:48	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 05:48	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 05:48	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 05:48	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 05:48	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 05:48	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 05:48	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 05:48	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 05:48	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 05:48	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 05:48	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 05:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 125					05/20/14 05:48	1
Toluene-d8 (Surr)	101		75 - 120					05/20/14 05:48	1
4-Bromofluorobenzene (Surr)	89		75 - 120					05/20/14 05:48	1
Dibromofluoromethane	107		75 - 120					05/20/14 05:48	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-7

Lab Sample ID: 500-77079-10

Date Collected: 05/13/14 10:05

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 06:13	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 06:13	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 06:13	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 06:13	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 06:13	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 06:13	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 06:13	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 06:13	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 06:13	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 06:13	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 06:13	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 06:13	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 06:13	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 06:13	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 06:13	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 06:13	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 06:13	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 06:13	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 06:13	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 06:13	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 06:13	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 06:13	1
Trichloroethene	2.3		0.50	0.19	ug/L			05/20/14 06:13	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 06:13	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 06:13	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 06:13	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 06:13	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 06:13	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 06:13	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 06:13	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 06:13	1
Tetrachloroethene	0.47	J	1.0	0.17	ug/L			05/20/14 06:13	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 06:13	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 06:13	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 06:13	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 06:13	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 06:13	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 06:13	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 06:13	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 06:13	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 06:13	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 06:13	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 06:13	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 06:13	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 06:13	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 06:13	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 06:13	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 06:13	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 06:13	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-7

Lab Sample ID: 500-77079-10

Date Collected: 05/13/14 10:05

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 06:13	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 06:13	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 06:13	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 06:13	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 06:13	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 06:13	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 06:13	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 06:13	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 06:13	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 06:13	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 06:13	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 06:13	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 06:13	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 06:13	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 06:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		75 - 125					05/20/14 06:13	1
Toluene-d8 (Surr)	101		75 - 120					05/20/14 06:13	1
4-Bromofluorobenzene (Surr)	90		75 - 120					05/20/14 06:13	1
Dibromofluoromethane	106		75 - 120					05/20/14 06:13	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-9

Lab Sample ID: 500-77079-11

Date Collected: 05/13/14 16:35

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 06:38	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 06:38	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 06:38	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 06:38	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 06:38	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 06:38	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 06:38	1
1,1-Dichloroethene	0.71	J	1.0	0.31	ug/L			05/20/14 06:38	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 06:38	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 06:38	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 06:38	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 06:38	1
1,1-Dichloroethane	0.88	J	1.0	0.19	ug/L			05/20/14 06:38	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 06:38	1
cis-1,2-Dichloroethene	30		1.0	0.12	ug/L			05/20/14 06:38	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 06:38	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 06:38	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 06:38	1
1,1,1-Trichloroethane	0.74	J	1.0	0.20	ug/L			05/20/14 06:38	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 06:38	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 06:38	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 06:38	1
Trichloroethene	8.9		0.50	0.19	ug/L			05/20/14 06:38	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 06:38	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 06:38	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 06:38	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 06:38	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 06:38	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 06:38	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 06:38	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 06:38	1
Tetrachloroethene	8.0		1.0	0.17	ug/L			05/20/14 06:38	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 06:38	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 06:38	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 06:38	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 06:38	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 06:38	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 06:38	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 06:38	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 06:38	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 06:38	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 06:38	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 06:38	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 06:38	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 06:38	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 06:38	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 06:38	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 06:38	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 06:38	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-9

Lab Sample ID: 500-77079-11

Date Collected: 05/13/14 16:35

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 06:38	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 06:38	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 06:38	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 06:38	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 06:38	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 06:38	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 06:38	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 06:38	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 06:38	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 06:38	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 06:38	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 06:38	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 06:38	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 06:38	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 06:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		75 - 125					05/20/14 06:38	1
Toluene-d8 (Surr)	104		75 - 120					05/20/14 06:38	1
4-Bromofluorobenzene (Surr)	90		75 - 120					05/20/14 06:38	1
Dibromofluoromethane	105		75 - 120					05/20/14 06:38	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-77079-12

Date Collected: 05/14/14 12:15

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 07:03	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 07:03	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 07:03	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 07:03	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 07:03	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 07:03	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 07:03	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 07:03	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 07:03	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 07:03	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 07:03	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 07:03	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 07:03	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 07:03	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 07:03	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 07:03	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 07:03	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 07:03	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 07:03	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 07:03	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 07:03	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 07:03	1
Trichloroethene	4.1		0.50	0.19	ug/L			05/20/14 07:03	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 07:03	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 07:03	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 07:03	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 07:03	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 07:03	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 07:03	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 07:03	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 07:03	1
Tetrachloroethene	1.4		1.0	0.17	ug/L			05/20/14 07:03	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 07:03	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 07:03	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 07:03	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 07:03	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 07:03	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 07:03	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 07:03	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 07:03	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 07:03	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 07:03	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 07:03	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 07:03	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 07:03	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 07:03	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 07:03	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 07:03	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 07:03	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-11B

Lab Sample ID: 500-77079-12

Date Collected: 05/14/14 12:15

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 07:03	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 07:03	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 07:03	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 07:03	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 07:03	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 07:03	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 07:03	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 07:03	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 07:03	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 07:03	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 07:03	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 07:03	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 07:03	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 07:03	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 07:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		75 - 125					05/20/14 07:03	1
Toluene-d8 (Surr)	103		75 - 120					05/20/14 07:03	1
4-Bromofluorobenzene (Surr)	91		75 - 120					05/20/14 07:03	1
Dibromofluoromethane	108		75 - 120					05/20/14 07:03	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-77079-13

Date Collected: 05/14/14 13:25

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 12:01	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 12:01	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 12:01	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 12:01	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 12:01	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 12:01	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 12:01	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 12:01	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 12:01	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 12:01	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 12:01	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 12:01	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 12:01	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 12:01	1
cis-1,2-Dichloroethene	1.8		1.0	0.12	ug/L			05/20/14 12:01	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 12:01	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 12:01	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 12:01	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 12:01	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 12:01	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 12:01	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 12:01	1
Trichloroethene	66		0.50	0.19	ug/L			05/20/14 12:01	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 12:01	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 12:01	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 12:01	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 12:01	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 12:01	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 12:01	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 12:01	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 12:01	1
Tetrachloroethene	4.7		1.0	0.17	ug/L			05/20/14 12:01	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 12:01	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 12:01	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 12:01	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 12:01	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 12:01	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 12:01	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 12:01	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 12:01	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 12:01	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 12:01	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 12:01	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 12:01	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 12:01	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 12:01	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 12:01	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 12:01	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 12:01	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-77079-13

Date Collected: 05/14/14 13:25

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 12:01	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 12:01	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 12:01	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 12:01	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 12:01	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 12:01	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 12:01	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 12:01	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 12:01	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 12:01	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 12:01	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 12:01	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 12:01	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 12:01	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 12:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		75 - 125					05/20/14 12:01	1
Toluene-d8 (Surr)	102		75 - 120					05/20/14 12:01	1
4-Bromofluorobenzene (Surr)	94		75 - 120					05/20/14 12:01	1
Dibromofluoromethane	107		75 - 120					05/20/14 12:01	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-13

Lab Sample ID: 500-77079-14

Date Collected: 05/13/14 15:50

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 12:26	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 12:26	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 12:26	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 12:26	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 12:26	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 12:26	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 12:26	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 12:26	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 12:26	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 12:26	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 12:26	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 12:26	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 12:26	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 12:26	1
cis-1,2-Dichloroethene	0.91	J	1.0	0.12	ug/L			05/20/14 12:26	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 12:26	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 12:26	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 12:26	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 12:26	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 12:26	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 12:26	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 12:26	1
Trichloroethene	3.3		0.50	0.19	ug/L			05/20/14 12:26	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 12:26	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 12:26	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 12:26	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 12:26	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 12:26	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 12:26	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 12:26	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 12:26	1
Tetrachloroethene	18		1.0	0.17	ug/L			05/20/14 12:26	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 12:26	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 12:26	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 12:26	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 12:26	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 12:26	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 12:26	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 12:26	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 12:26	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 12:26	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 12:26	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 12:26	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 12:26	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 12:26	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 12:26	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 12:26	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 12:26	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 12:26	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-13

Lab Sample ID: 500-77079-14

Date Collected: 05/13/14 15:50

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 12:26	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 12:26	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 12:26	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 12:26	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 12:26	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 12:26	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 12:26	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 12:26	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 12:26	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 12:26	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 12:26	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 12:26	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 12:26	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 12:26	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 12:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		75 - 125		05/20/14 12:26	1
Toluene-d8 (Surr)	101		75 - 120		05/20/14 12:26	1
4-Bromofluorobenzene (Surr)	93		75 - 120		05/20/14 12:26	1
Dibromofluoromethane	107		75 - 120		05/20/14 12:26	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-17

Lab Sample ID: 500-77079-15

Date Collected: 05/13/14 15:10

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 12:51	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 12:51	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 12:51	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 12:51	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 12:51	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 12:51	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 12:51	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 12:51	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 12:51	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 12:51	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 12:51	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 12:51	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 12:51	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 12:51	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 12:51	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 12:51	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 12:51	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 12:51	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 12:51	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 12:51	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 12:51	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 12:51	1
Trichloroethene	<0.50		0.50	0.19	ug/L			05/20/14 12:51	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 12:51	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 12:51	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 12:51	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 12:51	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 12:51	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 12:51	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 12:51	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 12:51	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			05/20/14 12:51	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 12:51	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 12:51	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 12:51	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 12:51	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 12:51	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 12:51	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 12:51	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 12:51	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 12:51	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 12:51	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 12:51	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 12:51	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 12:51	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 12:51	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 12:51	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 12:51	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 12:51	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-17

Lab Sample ID: 500-77079-15

Date Collected: 05/13/14 15:10

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 12:51	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 12:51	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 12:51	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 12:51	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 12:51	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 12:51	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 12:51	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 12:51	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 12:51	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 12:51	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 12:51	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 12:51	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 12:51	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 12:51	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 12:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		75 - 125					05/20/14 12:51	1
Toluene-d8 (Surr)	102		75 - 120					05/20/14 12:51	1
4-Bromofluorobenzene (Surr)	95		75 - 120					05/20/14 12:51	1
Dibromofluoromethane	108		75 - 120					05/20/14 12:51	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-77079-16

Date Collected: 05/13/14 06:00

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 13:16	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 13:16	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 13:16	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 13:16	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 13:16	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 13:16	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 13:16	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 13:16	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 13:16	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 13:16	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 13:16	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 13:16	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 13:16	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 13:16	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 13:16	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 13:16	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 13:16	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 13:16	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 13:16	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 13:16	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 13:16	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 13:16	1
Trichloroethene	<0.50		0.50	0.19	ug/L			05/20/14 13:16	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 13:16	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 13:16	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 13:16	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 13:16	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 13:16	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 13:16	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 13:16	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 13:16	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			05/20/14 13:16	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 13:16	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 13:16	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 13:16	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 13:16	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 13:16	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 13:16	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 13:16	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 13:16	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 13:16	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 13:16	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 13:16	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 13:16	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 13:16	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 13:16	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 13:16	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 13:16	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 13:16	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-77079-16

Date Collected: 05/13/14 06:00

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 13:16	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 13:16	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 13:16	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 13:16	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 13:16	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 13:16	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 13:16	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 13:16	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 13:16	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 13:16	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 13:16	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 13:16	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 13:16	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 13:16	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 13:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		75 - 125		05/20/14 13:16	1
Toluene-d8 (Surr)	103		75 - 120		05/20/14 13:16	1
4-Bromofluorobenzene (Surr)	94		75 - 120		05/20/14 13:16	1
Dibromofluoromethane	108		75 - 120		05/20/14 13:16	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-3

Lab Sample ID: 500-77079-17

Date Collected: 05/14/14 13:50

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 13:41	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 13:41	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 13:41	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 13:41	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 13:41	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 13:41	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 13:41	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 13:41	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 13:41	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 13:41	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 13:41	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 13:41	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 13:41	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 13:41	1
cis-1,2-Dichloroethene	1.6		1.0	0.12	ug/L			05/20/14 13:41	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 13:41	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 13:41	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 13:41	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 13:41	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 13:41	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 13:41	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 13:41	1
Trichloroethene	44		0.50	0.19	ug/L			05/20/14 13:41	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 13:41	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 13:41	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 13:41	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 13:41	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 13:41	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 13:41	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 13:41	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 13:41	1
Tetrachloroethene	2.3		1.0	0.17	ug/L			05/20/14 13:41	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 13:41	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 13:41	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 13:41	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 13:41	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 13:41	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 13:41	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 13:41	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 13:41	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 13:41	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 13:41	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 13:41	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 13:41	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 13:41	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 13:41	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 13:41	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 13:41	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 13:41	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-3

Lab Sample ID: 500-77079-17

Date Collected: 05/14/14 13:50

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 13:41	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 13:41	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 13:41	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 13:41	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 13:41	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 13:41	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 13:41	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 13:41	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 13:41	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 13:41	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 13:41	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 13:41	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 13:41	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 13:41	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 13:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		75 - 125					05/20/14 13:41	1
Toluene-d8 (Surr)	102		75 - 120					05/20/14 13:41	1
4-Bromofluorobenzene (Surr)	93		75 - 120					05/20/14 13:41	1
Dibromofluoromethane	103		75 - 120					05/20/14 13:41	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-4

Lab Sample ID: 500-77079-18

Date Collected: 05/14/14 13:30

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 14:06	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 14:06	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 14:06	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 14:06	1
Bromomethane	<1.0		1.0	0.31	ug/L			05/20/14 14:06	1
Chloroethane	<1.0		1.0	0.34	ug/L			05/20/14 14:06	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			05/20/14 14:06	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 14:06	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 14:06	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 14:06	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 14:06	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 14:06	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 14:06	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 14:06	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 14:06	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 14:06	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 14:06	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 14:06	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 14:06	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 14:06	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 14:06	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 14:06	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 14:06	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 14:06	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 14:06	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 14:06	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 14:06	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 14:06	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 14:06	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 14:06	1
Tetrachloroethene	14		1.0	0.17	ug/L			05/20/14 14:06	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 14:06	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 14:06	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 14:06	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 14:06	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 14:06	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 14:06	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 14:06	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 14:06	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 14:06	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 14:06	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 14:06	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 14:06	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 14:06	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 14:06	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 14:06	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 14:06	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 14:06	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 14:06	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-4

Lab Sample ID: 500-77079-18

Date Collected: 05/14/14 13:30

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 14:06	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 14:06	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 14:06	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 14:06	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 14:06	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 14:06	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 14:06	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 14:06	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 14:06	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 14:06	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 14:06	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 14:06	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 14:06	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 14:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		75 - 125		05/20/14 14:06	1
Toluene-d8 (Surr)	101		75 - 120		05/20/14 14:06	1
4-Bromofluorobenzene (Surr)	91		75 - 120		05/20/14 14:06	1
Dibromofluoromethane	106		75 - 120		05/20/14 14:06	1

Method: 8260B - VOC - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	540		5.0	1.9	ug/L			05/20/14 14:31	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		75 - 125		05/20/14 14:31	10
Toluene-d8 (Surr)	102		75 - 120		05/20/14 14:31	10
4-Bromofluorobenzene (Surr)	91		75 - 120		05/20/14 14:31	10
Dibromofluoromethane	104		75 - 120		05/20/14 14:31	10

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-5

Lab Sample ID: 500-77079-19

Date Collected: 05/13/14 08:00

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 14:55	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 14:55	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 14:55	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 14:55	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 14:55	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 14:55	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 14:55	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 14:55	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 14:55	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 14:55	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 14:55	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 14:55	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 14:55	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 14:55	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 14:55	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 14:55	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 14:55	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 14:55	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 14:55	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 14:55	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 14:55	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 14:55	1
Trichloroethene	100		0.50	0.19	ug/L			05/20/14 14:55	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 14:55	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 14:55	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 14:55	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 14:55	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 14:55	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 14:55	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 14:55	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 14:55	1
Tetrachloroethene	3.3		1.0	0.17	ug/L			05/20/14 14:55	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 14:55	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 14:55	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 14:55	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 14:55	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 14:55	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 14:55	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 14:55	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 14:55	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 14:55	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 14:55	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 14:55	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 14:55	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 14:55	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 14:55	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 14:55	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 14:55	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 14:55	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-5

Lab Sample ID: 500-77079-19

Date Collected: 05/13/14 08:00

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 14:55	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 14:55	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 14:55	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 14:55	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 14:55	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 14:55	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 14:55	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 14:55	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 14:55	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 14:55	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 14:55	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 14:55	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 14:55	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 14:55	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 14:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		75 - 125		05/20/14 14:55	1
Toluene-d8 (Surr)	101		75 - 120		05/20/14 14:55	1
4-Bromofluorobenzene (Surr)	91		75 - 120		05/20/14 14:55	1
Dibromofluoromethane	107		75 - 120		05/20/14 14:55	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-6

Lab Sample ID: 500-77079-20

Date Collected: 05/13/14 10:55

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 15:20	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 15:20	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 15:20	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 15:20	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 15:20	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 15:20	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 15:20	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 15:20	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 15:20	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 15:20	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 15:20	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 15:20	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 15:20	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 15:20	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 15:20	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 15:20	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 15:20	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 15:20	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 15:20	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 15:20	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 15:20	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 15:20	1
Trichloroethene	5.4		0.50	0.19	ug/L			05/20/14 15:20	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 15:20	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 15:20	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 15:20	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 15:20	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 15:20	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 15:20	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 15:20	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 15:20	1
Tetrachloroethene	9.5		1.0	0.17	ug/L			05/20/14 15:20	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 15:20	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 15:20	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 15:20	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 15:20	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 15:20	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 15:20	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 15:20	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 15:20	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 15:20	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 15:20	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 15:20	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 15:20	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 15:20	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 15:20	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 15:20	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 15:20	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 15:20	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-6

Lab Sample ID: 500-77079-20

Date Collected: 05/13/14 10:55

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 15:20	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 15:20	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 15:20	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 15:20	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 15:20	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 15:20	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 15:20	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 15:20	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 15:20	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 15:20	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 15:20	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 15:20	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 15:20	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 15:20	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 15:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		75 - 125					05/20/14 15:20	1
Toluene-d8 (Surr)	102		75 - 120					05/20/14 15:20	1
4-Bromofluorobenzene (Surr)	92		75 - 120					05/20/14 15:20	1
Dibromofluoromethane	105		75 - 120					05/20/14 15:20	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-7

Lab Sample ID: 500-77079-21

Date Collected: 05/13/14 10:45

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 15:45	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 15:45	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 15:45	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 15:45	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 15:45	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 15:45	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 15:45	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 15:45	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 15:45	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 15:45	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 15:45	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 15:45	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 15:45	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 15:45	1
cis-1,2-Dichloroethene	4.4		1.0	0.12	ug/L			05/20/14 15:45	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 15:45	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 15:45	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 15:45	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 15:45	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 15:45	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 15:45	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 15:45	1
Trichloroethene	3.2		0.50	0.19	ug/L			05/20/14 15:45	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 15:45	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 15:45	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 15:45	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 15:45	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 15:45	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 15:45	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 15:45	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 15:45	1
Tetrachloroethene	7.9		1.0	0.17	ug/L			05/20/14 15:45	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 15:45	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 15:45	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 15:45	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 15:45	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 15:45	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 15:45	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 15:45	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 15:45	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 15:45	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 15:45	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 15:45	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 15:45	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 15:45	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 15:45	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 15:45	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 15:45	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 15:45	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-7

Lab Sample ID: 500-77079-21

Date Collected: 05/13/14 10:45

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 15:45	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 15:45	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 15:45	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 15:45	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 15:45	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 15:45	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 15:45	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 15:45	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 15:45	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 15:45	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 15:45	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 15:45	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 15:45	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 15:45	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 15:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		75 - 125		05/20/14 15:45	1
Toluene-d8 (Surr)	101		75 - 120		05/20/14 15:45	1
4-Bromofluorobenzene (Surr)	91		75 - 120		05/20/14 15:45	1
Dibromofluoromethane	103		75 - 120		05/20/14 15:45	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-8

Lab Sample ID: 500-77079-22

Date Collected: 05/13/14 10:40

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 16:10	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 16:10	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 16:10	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 16:10	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 16:10	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 16:10	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 16:10	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 16:10	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 16:10	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 16:10	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 16:10	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 16:10	1
1,1-Dichloroethane	0.57	J	1.0	0.19	ug/L			05/20/14 16:10	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 16:10	1
cis-1,2-Dichloroethene	20		1.0	0.12	ug/L			05/20/14 16:10	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 16:10	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 16:10	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 16:10	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 16:10	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 16:10	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 16:10	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 16:10	1
Trichloroethene	6.2		0.50	0.19	ug/L			05/20/14 16:10	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 16:10	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 16:10	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 16:10	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 16:10	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 16:10	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 16:10	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 16:10	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 16:10	1
Tetrachloroethene	57		1.0	0.17	ug/L			05/20/14 16:10	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 16:10	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 16:10	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 16:10	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 16:10	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 16:10	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 16:10	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 16:10	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 16:10	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 16:10	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 16:10	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 16:10	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 16:10	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 16:10	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 16:10	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 16:10	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 16:10	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 16:10	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-8

Lab Sample ID: 500-77079-22

Date Collected: 05/13/14 10:40

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 16:10	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 16:10	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 16:10	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 16:10	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 16:10	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 16:10	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 16:10	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 16:10	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 16:10	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 16:10	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 16:10	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 16:10	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 16:10	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 16:10	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 16:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		75 - 125		05/20/14 16:10	1
Toluene-d8 (Surr)	100		75 - 120		05/20/14 16:10	1
4-Bromofluorobenzene (Surr)	91		75 - 120		05/20/14 16:10	1
Dibromofluoromethane	106		75 - 120		05/20/14 16:10	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-9

Lab Sample ID: 500-77079-23

Date Collected: 05/13/14 10:30

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 16:35	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 16:35	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 16:35	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 16:35	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 16:35	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 16:35	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 16:35	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 16:35	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 16:35	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 16:35	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 16:35	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 16:35	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 16:35	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 16:35	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 16:35	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 16:35	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 16:35	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 16:35	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 16:35	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 16:35	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 16:35	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 16:35	1
Trichloroethene	0.42	J	0.50	0.19	ug/L			05/20/14 16:35	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 16:35	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 16:35	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 16:35	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 16:35	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 16:35	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 16:35	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 16:35	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 16:35	1
Tetrachloroethene	81		1.0	0.17	ug/L			05/20/14 16:35	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 16:35	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 16:35	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 16:35	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 16:35	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 16:35	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 16:35	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 16:35	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 16:35	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 16:35	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 16:35	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 16:35	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 16:35	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 16:35	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 16:35	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 16:35	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 16:35	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 16:35	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-9

Lab Sample ID: 500-77079-23

Date Collected: 05/13/14 10:30

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 16:35	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 16:35	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 16:35	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 16:35	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 16:35	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 16:35	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 16:35	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 16:35	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 16:35	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 16:35	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 16:35	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 16:35	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 16:35	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 16:35	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 16:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		75 - 125					05/20/14 16:35	1
Toluene-d8 (Surr)	102		75 - 120					05/20/14 16:35	1
4-Bromofluorobenzene (Surr)	91		75 - 120					05/20/14 16:35	1
Dibromofluoromethane	107		75 - 120					05/20/14 16:35	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-77079-24

Date Collected: 05/13/14 10:30

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 17:00	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 17:00	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 17:00	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 17:00	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 17:00	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 17:00	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 17:00	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 17:00	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 17:00	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 17:00	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 17:00	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 17:00	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 17:00	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 17:00	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 17:00	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 17:00	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 17:00	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 17:00	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 17:00	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 17:00	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 17:00	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 17:00	1
Trichloroethene	0.53		0.50	0.19	ug/L			05/20/14 17:00	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 17:00	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 17:00	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 17:00	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 17:00	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 17:00	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 17:00	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 17:00	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 17:00	1
Tetrachloroethene	91		1.0	0.17	ug/L			05/20/14 17:00	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 17:00	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 17:00	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 17:00	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 17:00	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 17:00	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 17:00	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 17:00	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 17:00	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 17:00	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 17:00	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 17:00	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 17:00	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 17:00	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 17:00	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 17:00	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 17:00	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 17:00	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-77079-24

Date Collected: 05/13/14 10:30

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 17:00	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 17:00	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 17:00	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 17:00	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 17:00	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 17:00	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 17:00	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 17:00	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 17:00	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 17:00	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 17:00	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 17:00	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 17:00	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 17:00	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 17:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		75 - 125		05/20/14 17:00	1
Toluene-d8 (Surr)	102		75 - 120		05/20/14 17:00	1
4-Bromofluorobenzene (Surr)	92		75 - 120		05/20/14 17:00	1
Dibromofluoromethane	103		75 - 120		05/20/14 17:00	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-10

Lab Sample ID: 500-77079-25

Date Collected: 05/13/14 09:45

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 17:24	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 17:24	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 17:24	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 17:24	1
Bromomethane	<1.0	*	1.0	0.31	ug/L			05/20/14 17:24	1
Chloroethane	<1.0	*	1.0	0.34	ug/L			05/20/14 17:24	1
Trichlorofluoromethane	<1.0	*	1.0	0.19	ug/L			05/20/14 17:24	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 17:24	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 17:24	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 17:24	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 17:24	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 17:24	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 17:24	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 17:24	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 17:24	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 17:24	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 17:24	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 17:24	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 17:24	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 17:24	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 17:24	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 17:24	1
Trichloroethene	<0.50		0.50	0.19	ug/L			05/20/14 17:24	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 17:24	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 17:24	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 17:24	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 17:24	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 17:24	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 17:24	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 17:24	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 17:24	1
Tetrachloroethene	0.79	J	1.0	0.17	ug/L			05/20/14 17:24	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 17:24	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 17:24	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 17:24	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 17:24	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 17:24	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 17:24	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 17:24	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 17:24	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 17:24	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 17:24	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 17:24	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 17:24	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 17:24	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 17:24	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 17:24	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 17:24	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 17:24	1

TestAmerica Chicago

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-10

Lab Sample ID: 500-77079-25

Date Collected: 05/13/14 09:45

Matrix: Water

Date Received: 05/16/14 10:00

Method: 8260B - VOC (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 17:24	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 17:24	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 17:24	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 17:24	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 17:24	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 17:24	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 17:24	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 17:24	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 17:24	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 17:24	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 17:24	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 17:24	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 17:24	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 17:24	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 17:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		75 - 125		05/20/14 17:24	1
Toluene-d8 (Surr)	102		75 - 120		05/20/14 17:24	1
4-Bromofluorobenzene (Surr)	91		75 - 120		05/20/14 17:24	1
Dibromofluoromethane	106		75 - 120		05/20/14 17:24	1

Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*	LCS or LCSD exceeds the control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
F1	MS and/or MSD Recovery exceeds the control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

TestAmerica Chicago

QC Association Summary

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

GC/MS VOA

Analysis Batch: 236920

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-77079-1	RFW-1A	Total/NA	Water	8260B	
500-77079-2	RFW-1B	Total/NA	Water	8260B	
500-77079-3	RFW-2A	Total/NA	Water	8260B	
500-77079-4	RFW-2B	Total/NA	Water	8260B	
500-77079-5	RFW-3B	Total/NA	Water	8260B	
500-77079-6	RFW-4A	Total/NA	Water	8260B	
500-77079-7	RFW-4A DUP	Total/NA	Water	8260B	
500-77079-8	RFW-4B	Total/NA	Water	8260B	
500-77079-9	RFW-6	Total/NA	Water	8260B	
500-77079-10	RFW-7	Total/NA	Water	8260B	
500-77079-11	RFW-9	Total/NA	Water	8260B	
500-77079-12	RFW-11B	Total/NA	Water	8260B	
500-77079-12 MS	RFW-11B	Total/NA	Water	8260B	
500-77079-12 MSD	RFW-11B	Total/NA	Water	8260B	
LCS 500-236920/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-236920/6	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 237048

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-77079-13	RFW-12B	Total/NA	Water	8260B	
500-77079-14	RFW-13	Total/NA	Water	8260B	
500-77079-15	RFW-17	Total/NA	Water	8260B	
500-77079-16	Trip Blank	Total/NA	Water	8260B	
500-77079-17	EW-3	Total/NA	Water	8260B	
500-77079-18	EW-4	Total/NA	Water	8260B	
500-77079-18 - DL	EW-4	Total/NA	Water	8260B	
500-77079-19	EW-5	Total/NA	Water	8260B	
500-77079-20	EW-6	Total/NA	Water	8260B	
500-77079-21	EW-7	Total/NA	Water	8260B	
500-77079-22	EW-8	Total/NA	Water	8260B	
500-77079-23	EW-9	Total/NA	Water	8260B	
500-77079-24	EW-9 DUP	Total/NA	Water	8260B	
500-77079-25	EW-10	Total/NA	Water	8260B	
LCS 500-237048/4	Lab Control Sample	Total/NA	Water	8260B	
MB 500-237048/6	Method Blank	Total/NA	Water	8260B	

Surrogate Summary

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Method: 8260B - VOC

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		12DCE (75-125)	TOL (75-120)	BFB (75-120)	DBFM (75-120)
500-77079-1	RFW-1A	109	103	90	105
500-77079-2	RFW-1B	105	102	90	107
500-77079-3	RFW-2A	107	103	92	107
500-77079-4	RFW-2B	105	102	90	105
500-77079-5	RFW-3B	106	103	89	107
500-77079-6	RFW-4A	108	102	93	106
500-77079-7	RFW-4A DUP	108	102	91	105
500-77079-8	RFW-4B	104	102	89	104
500-77079-9	RFW-6	104	101	89	107
500-77079-10	RFW-7	107	101	90	106
500-77079-11	RFW-9	106	104	90	105
500-77079-12	RFW-11B	107	103	91	108
500-77079-12 MS	RFW-11B	107	100	95	108
500-77079-12 MSD	RFW-11B	109	102	93	105
500-77079-13	RFW-12B	113	102	94	107
500-77079-14	RFW-13	112	101	93	107
500-77079-15	RFW-17	114	102	95	108
500-77079-16	Trip Blank	111	103	94	108
500-77079-17	EW-3	108	102	93	103
500-77079-18	EW-4	107	101	91	106
500-77079-18 - DL	EW-4	107	102	91	104
500-77079-19	EW-5	108	101	91	107
500-77079-20	EW-6	107	102	92	105
500-77079-21	EW-7	105	101	91	103
500-77079-22	EW-8	111	100	91	106
500-77079-23	EW-9	110	102	91	107
500-77079-24	EW-9 DUP	107	102	92	103
500-77079-25	EW-10	109	102	91	106
LCS 500-236920/4	Lab Control Sample	110	102	96	105
LCS 500-237048/4	Lab Control Sample	106	100	96	105
MB 500-236920/6	Method Blank	105	103	92	104
MB 500-237048/6	Method Blank	111	103	93	108

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

TOL = Toluene-d8 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Method: 8260B - VOC

Lab Sample ID: MB 500-236920/6
Matrix: Water
Analysis Batch: 236920

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.50		0.50	0.074	ug/L			05/19/14 22:47	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/19/14 22:47	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/19/14 22:47	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/19/14 22:47	1
Bromomethane	<1.0		1.0	0.31	ug/L			05/19/14 22:47	1
Chloroethane	<1.0		1.0	0.34	ug/L			05/19/14 22:47	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			05/19/14 22:47	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/19/14 22:47	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/19/14 22:47	1
Acetone	<5.0		5.0	1.3	ug/L			05/19/14 22:47	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/19/14 22:47	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/19/14 22:47	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/19/14 22:47	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/19/14 22:47	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/19/14 22:47	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/19/14 22:47	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/19/14 22:47	1
Chloroform	<1.0		1.0	0.20	ug/L			05/19/14 22:47	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/19/14 22:47	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/19/14 22:47	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/19/14 22:47	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/19/14 22:47	1
Trichloroethene	<0.50		0.50	0.19	ug/L			05/19/14 22:47	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/19/14 22:47	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/19/14 22:47	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/19/14 22:47	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/19/14 22:47	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/19/14 22:47	1
Toluene	<0.50		0.50	0.11	ug/L			05/19/14 22:47	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/19/14 22:47	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/19/14 22:47	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			05/19/14 22:47	1
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/19/14 22:47	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/19/14 22:47	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/19/14 22:47	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/19/14 22:47	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/19/14 22:47	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/19/14 22:47	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/19/14 22:47	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/19/14 22:47	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/19/14 22:47	1
Styrene	<1.0		1.0	0.10	ug/L			05/19/14 22:47	1
Bromoform	<1.0		1.0	0.28	ug/L			05/19/14 22:47	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/19/14 22:47	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/19/14 22:47	1
1,1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/19/14 22:47	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/19/14 22:47	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/19/14 22:47	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-236920/6

Matrix: Water

Analysis Batch: 236920

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/19/14 22:47	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/19/14 22:47	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/19/14 22:47	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/19/14 22:47	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/19/14 22:47	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/19/14 22:47	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/19/14 22:47	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/19/14 22:47	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/19/14 22:47	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/19/14 22:47	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/19/14 22:47	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/19/14 22:47	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/19/14 22:47	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/19/14 22:47	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/19/14 22:47	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/19/14 22:47	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	105		75 - 125		05/19/14 22:47	1
Toluene-d8 (Surr)	103		75 - 120		05/19/14 22:47	1
4-Bromofluorobenzene (Surr)	92		75 - 120		05/19/14 22:47	1
Dibromofluoromethane	104		75 - 120		05/19/14 22:47	1

Lab Sample ID: LCS 500-236920/4

Matrix: Water

Analysis Batch: 236920

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Benzene	50.0	49.9		ug/L		100	75 - 120
Dichlorodifluoromethane	50.0	39.0		ug/L		78	41 - 146
Chloromethane	50.0	40.4		ug/L		81	63 - 133
Vinyl chloride	50.0	47.4		ug/L		95	72 - 123
Bromomethane	50.0	116 *		ug/L		231	45 - 169
Chloroethane	50.0	97.9 *		ug/L		196	58 - 147
Trichlorofluoromethane	50.0	74.1 *		ug/L		148	71 - 130
1,1-Dichloroethene	50.0	47.2		ug/L		94	69 - 120
Carbon disulfide	50.0	40.3		ug/L		81	56 - 130
Acetone	50.0	51.1		ug/L		102	48 - 149
Methylene Chloride	50.0	49.5		ug/L		99	73 - 130
trans-1,2-Dichloroethene	50.0	49.0		ug/L		98	77 - 120
1,1-Dichloroethane	50.0	48.9		ug/L		98	75 - 120
2,2-Dichloropropane	50.0	48.8		ug/L		98	65 - 132
cis-1,2-Dichloroethene	50.0	50.6		ug/L		101	75 - 120
Methyl Ethyl Ketone	50.0	45.7		ug/L		91	53 - 142
Bromochloromethane	50.0	54.1		ug/L		108	76 - 120
Chloroform	50.0	51.1		ug/L		102	76 - 120
1,1,1-Trichloroethane	50.0	53.3		ug/L		107	72 - 130
1,1-Dichloropropene	50.0	51.9		ug/L		104	75 - 130

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-236920/4

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 236920

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Carbon tetrachloride	50.0	57.9		ug/L		116	70 - 130
1,2-Dichloroethane	50.0	57.3		ug/L		115	69 - 130
Trichloroethene	50.0	55.4		ug/L		111	75 - 120
1,2-Dichloropropane	50.0	49.1		ug/L		98	75 - 120
Dibromomethane	50.0	53.9		ug/L		108	75 - 120
Bromodichloromethane	50.0	53.9		ug/L		108	77 - 121
cis-1,3-Dichloropropene	50.0	50.8		ug/L		102	78 - 130
methyl isobutyl ketone	50.0	48.4		ug/L		97	58 - 135
Toluene	50.0	49.7		ug/L		99	75 - 120
trans-1,3-Dichloropropene	50.0	51.2		ug/L		102	74 - 130
1,1,2-Trichloroethane	50.0	54.7		ug/L		109	75 - 120
Tetrachloroethene	50.0	54.6		ug/L		109	75 - 120
1,3-Dichloropropane	50.0	52.3		ug/L		105	77 - 124
2-Hexanone	50.0	46.5		ug/L		93	55 - 140
Dibromochloromethane	50.0	56.0		ug/L		112	71 - 126
1,2-Dibromoethane	50.0	53.3		ug/L		107	78 - 122
Chlorobenzene	50.0	51.0		ug/L		102	75 - 120
1,1,1,2-Tetrachloroethane	50.0	54.3		ug/L		109	75 - 122
Ethylbenzene	50.0	53.5		ug/L		107	75 - 120
m&p-Xylene	50.0	49.5		ug/L		99	75 - 120
o-Xylene	50.0	49.9		ug/L		100	75 - 120
Styrene	50.0	51.6		ug/L		103	75 - 120
Bromoform	50.0	51.6		ug/L		103	68 - 126
Isopropylbenzene	50.0	50.1		ug/L		100	75 - 121
Bromobenzene	50.0	49.8		ug/L		100	75 - 120
1,1,2,2-Tetrachloroethane	50.0	54.3		ug/L		109	72 - 130
1,2,3-Trichloropropane	50.0	65.7		ug/L		131	65 - 132
N-Propylbenzene	50.0	51.0		ug/L		102	75 - 120
2-Chlorotoluene	50.0	49.3		ug/L		99	75 - 120
1,3,5-Trimethylbenzene	50.0	50.9		ug/L		102	75 - 121
4-Chlorotoluene	50.0	50.5		ug/L		101	75 - 120
tert-Butylbenzene	50.0	54.0		ug/L		108	75 - 123
1,2,4-Trimethylbenzene	50.0	50.2		ug/L		100	75 - 121
sec-Butylbenzene	50.0	53.3		ug/L		107	75 - 120
1,3-Dichlorobenzene	50.0	52.5		ug/L		105	75 - 120
p-Isopropyltoluene	50.0	55.8		ug/L		112	75 - 121
1,4-Dichlorobenzene	50.0	52.8		ug/L		106	75 - 120
n-Butylbenzene	50.0	53.5		ug/L		107	75 - 121
1,2-Dichlorobenzene	50.0	54.1		ug/L		108	75 - 120
1,2-Dibromo-3-Chloropropane	50.0	53.1		ug/L		106	62 - 130
1,2,4-Trichlorobenzene	50.0	50.5		ug/L		101	73 - 130
Hexachlorobutadiene	50.0	51.6		ug/L		103	71 - 131
Naphthalene	50.0	51.4		ug/L		103	69 - 135
1,2,3-Trichlorobenzene	50.0	50.1		ug/L		100	69 - 131

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	110		75 - 125
Toluene-d8 (Surr)	102		75 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-236920/4

Matrix: Water

Analysis Batch: 236920

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	96		75 - 120
Dibromofluoromethane	105		75 - 120

Lab Sample ID: 500-77079-12 MS

Matrix: Water

Analysis Batch: 236920

Client Sample ID: RFW-11B

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	<0.50		50.0	49.4		ug/L		99	75 - 120
Dichlorodifluoromethane	<1.0		50.0	36.2		ug/L		72	41 - 146
Chloromethane	<1.0		50.0	38.4		ug/L		77	63 - 133
Vinyl chloride	<0.50		50.0	44.6		ug/L		89	72 - 123
Bromomethane	<1.0	*	50.0	110	F1	ug/L		219	45 - 169
Chloroethane	<1.0	*	50.0	94.2	F1	ug/L		188	58 - 147
Trichlorofluoromethane	<1.0	*	50.0	70.2	F1	ug/L		140	71 - 130
1,1-Dichloroethene	<1.0		50.0	44.5		ug/L		89	69 - 120
Carbon disulfide	<5.0		50.0	37.6		ug/L		75	56 - 130
Acetone	<5.0		50.0	48.0		ug/L		96	48 - 149
Methylene Chloride	<5.0		50.0	49.1		ug/L		98	73 - 130
trans-1,2-Dichloroethene	<1.0		50.0	47.4		ug/L		95	77 - 120
1,1-Dichloroethane	<1.0		50.0	47.6		ug/L		95	75 - 120
2,2-Dichloropropane	<1.0		50.0	46.5		ug/L		93	65 - 132
cis-1,2-Dichloroethene	<1.0		50.0	50.2		ug/L		100	75 - 120
Methyl Ethyl Ketone	<5.0		50.0	46.0		ug/L		92	53 - 142
Bromochloromethane	<1.0		50.0	53.5		ug/L		107	76 - 120
Chloroform	<1.0		50.0	51.3		ug/L		103	76 - 120
1,1,1-Trichloroethane	<1.0		50.0	50.8		ug/L		102	72 - 130
1,1-Dichloropropene	<1.0		50.0	49.7		ug/L		99	75 - 130
Carbon tetrachloride	<1.0		50.0	55.5		ug/L		111	70 - 130
1,2-Dichloroethane	<1.0		50.0	56.1		ug/L		112	69 - 130
Trichloroethene	4.1		50.0	57.0		ug/L		106	75 - 120
1,2-Dichloropropane	<1.0		50.0	49.2		ug/L		98	75 - 120
Dibromomethane	<1.0		50.0	52.4		ug/L		105	75 - 120
Bromodichloromethane	<1.0		50.0	54.3		ug/L		109	77 - 121
cis-1,3-Dichloropropene	<1.0		50.0	48.5		ug/L		97	78 - 130
methyl isobutyl ketone	<5.0		50.0	44.6		ug/L		89	58 - 135
Toluene	<0.50		50.0	48.9		ug/L		98	75 - 120
trans-1,3-Dichloropropene	<1.0		50.0	48.5		ug/L		97	74 - 130
1,1,2-Trichloroethane	<1.0		50.0	52.9		ug/L		106	75 - 120
Tetrachloroethene	1.4		50.0	50.5		ug/L		98	75 - 120
1,3-Dichloropropane	<1.0		50.0	50.2		ug/L		100	77 - 124
2-Hexanone	<5.0		50.0	44.5		ug/L		89	55 - 140
Dibromochloromethane	<1.0		50.0	54.4		ug/L		109	71 - 126
1,2-Dibromoethane	<1.0		50.0	51.0		ug/L		102	78 - 122
Chlorobenzene	<1.0		50.0	50.5		ug/L		101	75 - 120
1,1,1,2-Tetrachloroethane	<1.0		50.0	54.4		ug/L		109	75 - 122
Ethylbenzene	<0.50		50.0	51.7		ug/L		103	75 - 120
m&p-Xylene	<1.0		50.0	47.9		ug/L		96	75 - 120

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-77079-12 MS

Matrix: Water

Analysis Batch: 236920

Client Sample ID: RFW-11B

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
o-Xylene	<0.50		50.0	49.6		ug/L		99	75 - 120
Styrene	<1.0		50.0	51.4		ug/L		103	75 - 120
Bromoform	<1.0		50.0	50.2		ug/L		100	68 - 126
Isopropylbenzene	<1.0		50.0	49.8		ug/L		100	75 - 121
Bromobenzene	<1.0		50.0	51.8		ug/L		104	75 - 120
1,1,2,2-Tetrachloroethane	<1.0		50.0	53.0		ug/L		106	72 - 130
1,2,3-Trichloropropane	<1.0		50.0	44.8		ug/L		90	65 - 132
N-Propylbenzene	<1.0		50.0	50.5		ug/L		101	75 - 120
2-Chlorotoluene	<1.0		50.0	49.4		ug/L		99	75 - 120
1,3,5-Trimethylbenzene	<1.0		50.0	51.5		ug/L		103	75 - 121
4-Chlorotoluene	<1.0		50.0	50.8		ug/L		102	75 - 120
tert-Butylbenzene	<1.0		50.0	54.2		ug/L		108	75 - 123
1,2,4-Trimethylbenzene	<1.0		50.0	50.6		ug/L		101	75 - 121
sec-Butylbenzene	<1.0		50.0	51.9		ug/L		104	75 - 120
1,3-Dichlorobenzene	<1.0		50.0	52.7		ug/L		105	75 - 120
p-Isopropyltoluene	<1.0		50.0	54.6		ug/L		109	75 - 121
1,4-Dichlorobenzene	<1.0		50.0	52.6		ug/L		105	75 - 120
n-Butylbenzene	<1.0		50.0	49.9		ug/L		100	75 - 121
1,2-Dichlorobenzene	<1.0		50.0	55.3		ug/L		111	75 - 120
1,2-Dibromo-3-Chloropropane	<2.0		50.0	49.5		ug/L		99	62 - 130
1,2,4-Trichlorobenzene	<1.0		50.0	47.3		ug/L		95	73 - 130
Hexachlorobutadiene	<1.0		50.0	49.1		ug/L		98	71 - 131
Naphthalene	<1.0		50.0	49.1		ug/L		98	69 - 135
1,2,3-Trichlorobenzene	<1.0		50.0	47.4		ug/L		95	69 - 131

Surrogate	MS %Recovery	MS Qualifier	MS Limits
1,2-Dichloroethane-d4 (Surr)	107		75 - 125
Toluene-d8 (Surr)	100		75 - 120
4-Bromofluorobenzene (Surr)	95		75 - 120
Dibromofluoromethane	108		75 - 120

Lab Sample ID: 500-77079-12 MSD

Matrix: Water

Analysis Batch: 236920

Client Sample ID: RFW-11B

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	<0.50		50.0	49.5		ug/L		99	75 - 120	0	20
Dichlorodifluoromethane	<1.0		50.0	36.8		ug/L		74	41 - 146	2	20
Chloromethane	<1.0		50.0	39.8		ug/L		80	63 - 133	4	20
Vinyl chloride	<0.50		50.0	44.8		ug/L		90	72 - 123	1	20
Bromomethane	<1.0	*	50.0	114	F1	ug/L		228	45 - 169	4	20
Chloroethane	<1.0	*	50.0	96.6	F1	ug/L		193	58 - 147	3	20
Trichlorofluoromethane	<1.0	*	50.0	69.5	F1	ug/L		139	71 - 130	1	20
1,1-Dichloroethene	<1.0		50.0	44.1		ug/L		88	69 - 120	1	20
Carbon disulfide	<5.0		50.0	37.4		ug/L		75	56 - 130	1	20
Acetone	<5.0		50.0	51.0		ug/L		102	48 - 149	6	20
Methylene Chloride	<5.0		50.0	49.1		ug/L		98	73 - 130	0	20
trans-1,2-Dichloroethene	<1.0		50.0	47.4		ug/L		95	77 - 120	0	20

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-77079-12 MSD

Matrix: Water

Analysis Batch: 236920

Client Sample ID: RFW-11B

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
1,1-Dichloroethane	<1.0		50.0	48.5		ug/L		97	75 - 120	2	20
2,2-Dichloropropane	<1.0		50.0	46.4		ug/L		93	65 - 132	0	20
cis-1,2-Dichloroethene	<1.0		50.0	50.7		ug/L		101	75 - 120	1	20
Methyl Ethyl Ketone	<5.0		50.0	46.7		ug/L		93	53 - 142	2	20
Bromochloromethane	<1.0		50.0	53.0		ug/L		106	76 - 120	1	20
Chloroform	<1.0		50.0	51.6		ug/L		103	76 - 120	1	20
1,1,1-Trichloroethane	<1.0		50.0	51.4		ug/L		103	72 - 130	1	20
1,1-Dichloropropene	<1.0		50.0	49.4		ug/L		99	75 - 130	1	20
Carbon tetrachloride	<1.0		50.0	56.1		ug/L		112	70 - 130	1	20
1,2-Dichloroethane	<1.0		50.0	56.7		ug/L		113	69 - 130	1	20
Trichloroethene	4.1		50.0	57.2		ug/L		106	75 - 120	0	20
1,2-Dichloropropane	<1.0		50.0	49.3		ug/L		99	75 - 120	0	20
Dibromomethane	<1.0		50.0	52.7		ug/L		105	75 - 120	0	20
Bromodichloromethane	<1.0		50.0	54.2		ug/L		108	77 - 121	0	20
cis-1,3-Dichloropropene	<1.0		50.0	49.4		ug/L		99	78 - 130	2	20
methyl isobutyl ketone	<5.0		50.0	45.2		ug/L		90	58 - 135	1	20
Toluene	<0.50		50.0	48.9		ug/L		98	75 - 120	0	20
trans-1,3-Dichloropropene	<1.0		50.0	48.6		ug/L		97	74 - 130	0	20
1,1,2-Trichloroethane	<1.0		50.0	51.7		ug/L		103	75 - 120	2	20
Tetrachloroethene	1.4		50.0	50.9		ug/L		99	75 - 120	1	20
1,3-Dichloropropane	<1.0		50.0	50.3		ug/L		101	77 - 124	0	20
2-Hexanone	<5.0		50.0	44.7		ug/L		89	55 - 140	0	20
Dibromochloromethane	<1.0		50.0	53.7		ug/L		107	71 - 126	1	20
1,2-Dibromoethane	<1.0		50.0	50.7		ug/L		101	78 - 122	1	20
Chlorobenzene	<1.0		50.0	49.6		ug/L		99	75 - 120	2	20
1,1,1,2-Tetrachloroethane	<1.0		50.0	54.4		ug/L		109	75 - 122	0	20
Ethylbenzene	<0.50		50.0	51.3		ug/L		103	75 - 120	1	20
m&p-Xylene	<1.0		50.0	48.1		ug/L		96	75 - 120	0	20
o-Xylene	<0.50		50.0	49.5		ug/L		99	75 - 120	0	20
Styrene	<1.0		50.0	51.1		ug/L		102	75 - 120	1	20
Bromoform	<1.0		50.0	50.0		ug/L		100	68 - 126	0	20
Isopropylbenzene	<1.0		50.0	50.1		ug/L		100	75 - 121	1	20
Bromobenzene	<1.0		50.0	50.4		ug/L		101	75 - 120	3	20
1,1,2,2-Tetrachloroethane	<1.0		50.0	51.6		ug/L		103	72 - 130	3	20
1,2,3-Trichloropropane	<1.0		50.0	45.6		ug/L		91	65 - 132	2	20
N-Propylbenzene	<1.0		50.0	50.0		ug/L		100	75 - 120	1	20
2-Chlorotoluene	<1.0		50.0	49.2		ug/L		98	75 - 120	0	20
1,3,5-Trimethylbenzene	<1.0		50.0	51.5		ug/L		103	75 - 121	0	20
4-Chlorotoluene	<1.0		50.0	50.7		ug/L		101	75 - 120	0	20
tert-Butylbenzene	<1.0		50.0	54.4		ug/L		109	75 - 123	0	20
1,2,4-Trimethylbenzene	<1.0		50.0	51.3		ug/L		103	75 - 121	1	20
sec-Butylbenzene	<1.0		50.0	52.0		ug/L		104	75 - 120	0	20
1,3-Dichlorobenzene	<1.0		50.0	52.3		ug/L		105	75 - 120	1	20
p-Isopropyltoluene	<1.0		50.0	54.8		ug/L		110	75 - 121	0	20
1,4-Dichlorobenzene	<1.0		50.0	51.8		ug/L		104	75 - 120	2	20
n-Butylbenzene	<1.0		50.0	50.6		ug/L		101	75 - 121	1	20
1,2-Dichlorobenzene	<1.0		50.0	54.0		ug/L		108	75 - 120	3	20
1,2-Dibromo-3-Chloropropane	<2.0		50.0	50.6		ug/L		101	62 - 130	2	20

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Method: 8260B - VOC (Continued)

Lab Sample ID: 500-77079-12 MSD

Client Sample ID: RFW-11B

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 236920

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,2,4-Trichlorobenzene	<1.0		50.0	48.1		ug/L		96	73 - 130	2	20
Hexachlorobutadiene	<1.0		50.0	51.2		ug/L		102	71 - 131	4	20
Naphthalene	<1.0		50.0	50.3		ug/L		101	69 - 135	3	20
1,2,3-Trichlorobenzene	<1.0		50.0	48.5		ug/L		97	69 - 131	2	20

Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits
1,2-Dichloroethane-d4 (Surr)	109		75 - 125
Toluene-d8 (Surr)	102		75 - 120
4-Bromofluorobenzene (Surr)	93		75 - 120
Dibromofluoromethane	105		75 - 120

Lab Sample ID: MB 500-237048/6

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 237048

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.50		0.50	0.074	ug/L			05/20/14 10:21	1
Dichlorodifluoromethane	<1.0		1.0	0.20	ug/L			05/20/14 10:21	1
Chloromethane	<1.0		1.0	0.18	ug/L			05/20/14 10:21	1
Vinyl chloride	<0.50		0.50	0.10	ug/L			05/20/14 10:21	1
Bromomethane	<1.0		1.0	0.31	ug/L			05/20/14 10:21	1
Chloroethane	<1.0		1.0	0.34	ug/L			05/20/14 10:21	1
Trichlorofluoromethane	<1.0		1.0	0.19	ug/L			05/20/14 10:21	1
1,1-Dichloroethene	<1.0		1.0	0.31	ug/L			05/20/14 10:21	1
Carbon disulfide	<5.0		5.0	0.43	ug/L			05/20/14 10:21	1
Acetone	<5.0		5.0	1.3	ug/L			05/20/14 10:21	1
Methylene Chloride	<5.0		5.0	0.68	ug/L			05/20/14 10:21	1
trans-1,2-Dichloroethene	<1.0		1.0	0.25	ug/L			05/20/14 10:21	1
1,1-Dichloroethane	<1.0		1.0	0.19	ug/L			05/20/14 10:21	1
2,2-Dichloropropane	<1.0		1.0	0.32	ug/L			05/20/14 10:21	1
cis-1,2-Dichloroethene	<1.0		1.0	0.12	ug/L			05/20/14 10:21	1
Methyl Ethyl Ketone	<5.0		5.0	1.5	ug/L			05/20/14 10:21	1
Bromochloromethane	<1.0		1.0	0.40	ug/L			05/20/14 10:21	1
Chloroform	<1.0		1.0	0.20	ug/L			05/20/14 10:21	1
1,1,1-Trichloroethane	<1.0		1.0	0.20	ug/L			05/20/14 10:21	1
1,1-Dichloropropene	<1.0		1.0	0.34	ug/L			05/20/14 10:21	1
Carbon tetrachloride	<1.0		1.0	0.26	ug/L			05/20/14 10:21	1
1,2-Dichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 10:21	1
Trichloroethene	<0.50		0.50	0.19	ug/L			05/20/14 10:21	1
1,2-Dichloropropane	<1.0		1.0	0.20	ug/L			05/20/14 10:21	1
Dibromomethane	<1.0		1.0	0.33	ug/L			05/20/14 10:21	1
Bromodichloromethane	<1.0		1.0	0.17	ug/L			05/20/14 10:21	1
cis-1,3-Dichloropropene	<1.0		1.0	0.18	ug/L			05/20/14 10:21	1
methyl isobutyl ketone	<5.0		5.0	0.33	ug/L			05/20/14 10:21	1
Toluene	<0.50		0.50	0.11	ug/L			05/20/14 10:21	1
trans-1,3-Dichloropropene	<1.0		1.0	0.21	ug/L			05/20/14 10:21	1
1,1,2-Trichloroethane	<1.0		1.0	0.28	ug/L			05/20/14 10:21	1
Tetrachloroethene	<1.0		1.0	0.17	ug/L			05/20/14 10:21	1

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Method: 8260B - VOC (Continued)

Lab Sample ID: MB 500-237048/6

Matrix: Water

Analysis Batch: 237048

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3-Dichloropropane	<1.0		1.0	0.13	ug/L			05/20/14 10:21	1
2-Hexanone	<5.0		5.0	0.56	ug/L			05/20/14 10:21	1
Dibromochloromethane	<1.0		1.0	0.32	ug/L			05/20/14 10:21	1
1,2-Dibromoethane	<1.0		1.0	0.36	ug/L			05/20/14 10:21	1
Chlorobenzene	<1.0		1.0	0.14	ug/L			05/20/14 10:21	1
1,1,1,2-Tetrachloroethane	<1.0		1.0	0.25	ug/L			05/20/14 10:21	1
Ethylbenzene	<0.50		0.50	0.13	ug/L			05/20/14 10:21	1
m&p-Xylene	<1.0		1.0	0.26	ug/L			05/20/14 10:21	1
o-Xylene	<0.50		0.50	0.068	ug/L			05/20/14 10:21	1
Styrene	<1.0		1.0	0.10	ug/L			05/20/14 10:21	1
Bromoform	<1.0		1.0	0.28	ug/L			05/20/14 10:21	1
Isopropylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 10:21	1
Bromobenzene	<1.0		1.0	0.25	ug/L			05/20/14 10:21	1
1,1,2,2-Tetrachloroethane	<1.0		1.0	0.23	ug/L			05/20/14 10:21	1
1,2,3-Trichloropropane	<1.0		1.0	0.45	ug/L			05/20/14 10:21	1
N-Propylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 10:21	1
2-Chlorotoluene	<1.0		1.0	0.21	ug/L			05/20/14 10:21	1
1,3,5-Trimethylbenzene	<1.0		1.0	0.18	ug/L			05/20/14 10:21	1
4-Chlorotoluene	<1.0		1.0	0.20	ug/L			05/20/14 10:21	1
tert-Butylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 10:21	1
1,2,4-Trimethylbenzene	<1.0		1.0	0.14	ug/L			05/20/14 10:21	1
sec-Butylbenzene	<1.0		1.0	0.15	ug/L			05/20/14 10:21	1
1,3-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 10:21	1
p-Isopropyltoluene	<1.0		1.0	0.17	ug/L			05/20/14 10:21	1
1,4-Dichlorobenzene	<1.0		1.0	0.15	ug/L			05/20/14 10:21	1
n-Butylbenzene	<1.0		1.0	0.13	ug/L			05/20/14 10:21	1
1,2-Dichlorobenzene	<1.0		1.0	0.27	ug/L			05/20/14 10:21	1
1,2-Dibromo-3-Chloropropane	<2.0		2.0	0.87	ug/L			05/20/14 10:21	1
1,2,4-Trichlorobenzene	<1.0		1.0	0.31	ug/L			05/20/14 10:21	1
Hexachlorobutadiene	<1.0		1.0	0.26	ug/L			05/20/14 10:21	1
Naphthalene	<1.0		1.0	0.16	ug/L			05/20/14 10:21	1
1,2,3-Trichlorobenzene	<1.0		1.0	0.24	ug/L			05/20/14 10:21	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		75 - 125		05/20/14 10:21	1
Toluene-d8 (Surr)	103		75 - 120		05/20/14 10:21	1
4-Bromofluorobenzene (Surr)	93		75 - 120		05/20/14 10:21	1
Dibromofluoromethane	108		75 - 120		05/20/14 10:21	1

Lab Sample ID: LCS 500-237048/4

Matrix: Water

Analysis Batch: 237048

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	50.0	47.0		ug/L		94	75 - 120
Dichlorodifluoromethane	50.0	34.9		ug/L		70	41 - 146
Chloromethane	50.0	37.6		ug/L		75	63 - 133
Vinyl chloride	50.0	42.8		ug/L		86	72 - 123

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-237048/4

Matrix: Water

Analysis Batch: 237048

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Bromomethane	50.0	106	*	ug/L		211	45 - 169
Chloroethane	50.0	90.5	*	ug/L		181	58 - 147
Trichlorofluoromethane	50.0	67.0	*	ug/L		134	71 - 130
1,1-Dichloroethane	50.0	42.8		ug/L		86	69 - 120
Carbon disulfide	50.0	36.4		ug/L		73	56 - 130
Acetone	50.0	46.7		ug/L		93	48 - 149
Methylene Chloride	50.0	46.0		ug/L		92	73 - 130
trans-1,2-Dichloroethene	50.0	46.0		ug/L		92	77 - 120
1,1-Dichloroethane	50.0	45.7		ug/L		91	75 - 120
2,2-Dichloropropane	50.0	46.5		ug/L		93	65 - 132
cis-1,2-Dichloroethene	50.0	47.4		ug/L		95	75 - 120
Methyl Ethyl Ketone	50.0	45.7		ug/L		91	53 - 142
Bromochloromethane	50.0	50.1		ug/L		100	76 - 120
Chloroform	50.0	48.1		ug/L		96	76 - 120
1,1,1-Trichloroethane	50.0	49.1		ug/L		98	72 - 130
1,1-Dichloropropene	50.0	48.0		ug/L		96	75 - 130
Carbon tetrachloride	50.0	53.2		ug/L		106	70 - 130
1,2-Dichloroethane	50.0	53.0		ug/L		106	69 - 130
Trichloroethene	50.0	51.9		ug/L		104	75 - 120
1,2-Dichloropropane	50.0	46.2		ug/L		92	75 - 120
Dibromomethane	50.0	49.7		ug/L		99	75 - 120
Bromodichloromethane	50.0	50.7		ug/L		101	77 - 121
cis-1,3-Dichloropropene	50.0	47.2		ug/L		94	78 - 130
methyl isobutyl ketone	50.0	43.6		ug/L		87	58 - 135
Toluene	50.0	46.9		ug/L		94	75 - 120
trans-1,3-Dichloropropene	50.0	46.9		ug/L		94	74 - 130
1,1,2-Trichloroethane	50.0	48.8		ug/L		98	75 - 120
Tetrachloroethene	50.0	49.6		ug/L		99	75 - 120
1,3-Dichloropropane	50.0	47.1		ug/L		94	77 - 124
2-Hexanone	50.0	42.2		ug/L		84	55 - 140
Dibromochloromethane	50.0	50.4		ug/L		101	71 - 126
1,2-Dibromoethane	50.0	48.4		ug/L		97	78 - 122
Chlorobenzene	50.0	47.9		ug/L		96	75 - 120
1,1,1,2-Tetrachloroethane	50.0	51.3		ug/L		103	75 - 122
Ethylbenzene	50.0	49.4		ug/L		99	75 - 120
m&p-Xylene	50.0	46.8		ug/L		94	75 - 120
o-Xylene	50.0	46.8		ug/L		94	75 - 120
Styrene	50.0	49.5		ug/L		99	75 - 120
Bromoform	50.0	46.9		ug/L		94	68 - 126
Isopropylbenzene	50.0	46.0		ug/L		92	75 - 121
Bromobenzene	50.0	46.3		ug/L		93	75 - 120
1,1,2,2-Tetrachloroethane	50.0	47.4		ug/L		95	72 - 130
1,2,3-Trichloropropane	50.0	40.0		ug/L		80	65 - 132
N-Propylbenzene	50.0	46.7		ug/L		93	75 - 120
2-Chlorotoluene	50.0	45.8		ug/L		92	75 - 120
1,3,5-Trimethylbenzene	50.0	47.4		ug/L		95	75 - 121
4-Chlorotoluene	50.0	47.2		ug/L		94	75 - 120
tert-Butylbenzene	50.0	48.7		ug/L		97	75 - 123

TestAmerica Chicago

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Method: 8260B - VOC (Continued)

Lab Sample ID: LCS 500-237048/4
Matrix: Water
Analysis Batch: 237048

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.	Limits
1,2,4-Trimethylbenzene	50.0	47.4		ug/L		95	75 - 121	
sec-Butylbenzene	50.0	48.1		ug/L		96	75 - 120	
1,3-Dichlorobenzene	50.0	49.7		ug/L		99	75 - 120	
p-Isopropyltoluene	50.0	51.4		ug/L		103	75 - 121	
1,4-Dichlorobenzene	50.0	49.3		ug/L		99	75 - 120	
n-Butylbenzene	50.0	49.4		ug/L		99	75 - 121	
1,2-Dichlorobenzene	50.0	50.2		ug/L		100	75 - 120	
1,2-Dibromo-3-Chloropropane	50.0	44.2		ug/L		88	62 - 130	
1,2,4-Trichlorobenzene	50.0	48.6		ug/L		97	73 - 130	
Hexachlorobutadiene	50.0	46.2		ug/L		92	71 - 131	
Naphthalene	50.0	46.5		ug/L		93	69 - 135	
1,2,3-Trichlorobenzene	50.0	47.3		ug/L		95	69 - 131	

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	106		75 - 125
Toluene-d8 (Surr)	100		75 - 120
4-Bromofluorobenzene (Surr)	96		75 - 120
Dibromofluoromethane	105		75 - 120



Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-1A

Lab Sample ID: 500-77079-1

Date Collected: 05/13/14 08:10

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	236920	05/20/14 02:30	BDA	TAL CHI

Client Sample ID: RFW-1B

Lab Sample ID: 500-77079-2

Date Collected: 05/13/14 17:30

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	236920	05/20/14 02:54	BDA	TAL CHI

Client Sample ID: RFW-2A

Lab Sample ID: 500-77079-3

Date Collected: 05/13/14 09:15

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	236920	05/20/14 03:19	BDA	TAL CHI

Client Sample ID: RFW-2B

Lab Sample ID: 500-77079-4

Date Collected: 05/13/14 09:30

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	236920	05/20/14 03:44	BDA	TAL CHI

Client Sample ID: RFW-3B

Lab Sample ID: 500-77079-5

Date Collected: 05/14/14 09:00

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	236920	05/20/14 04:09	BDA	TAL CHI

Client Sample ID: RFW-4A

Lab Sample ID: 500-77079-6

Date Collected: 05/14/14 10:20

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	236920	05/20/14 04:33	BDA	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-4A DUP

Lab Sample ID: 500-77079-7

Date Collected: 05/14/14 10:20

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	236920	05/20/14 04:59	BDA	TAL CHI

Client Sample ID: RFW-4B

Lab Sample ID: 500-77079-8

Date Collected: 05/14/14 10:40

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	236920	05/20/14 05:23	BDA	TAL CHI

Client Sample ID: RFW-6

Lab Sample ID: 500-77079-9

Date Collected: 05/13/14 11:15

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	236920	05/20/14 05:48	BDA	TAL CHI

Client Sample ID: RFW-7

Lab Sample ID: 500-77079-10

Date Collected: 05/13/14 10:05

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	236920	05/20/14 06:13	BDA	TAL CHI

Client Sample ID: RFW-9

Lab Sample ID: 500-77079-11

Date Collected: 05/13/14 16:35

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	236920	05/20/14 06:38	BDA	TAL CHI

Client Sample ID: RFW-11B

Lab Sample ID: 500-77079-12

Date Collected: 05/14/14 12:15

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	236920	05/20/14 07:03	BDA	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: RFW-12B

Lab Sample ID: 500-77079-13

Date Collected: 05/14/14 13:25

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	237048	05/20/14 12:01	BDA	TAL CHI

Client Sample ID: RFW-13

Lab Sample ID: 500-77079-14

Date Collected: 05/13/14 15:50

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	237048	05/20/14 12:26	BDA	TAL CHI

Client Sample ID: RFW-17

Lab Sample ID: 500-77079-15

Date Collected: 05/13/14 15:10

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	237048	05/20/14 12:51	BDA	TAL CHI

Client Sample ID: Trip Blank

Lab Sample ID: 500-77079-16

Date Collected: 05/13/14 06:00

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	237048	05/20/14 13:16	BDA	TAL CHI

Client Sample ID: EW-3

Lab Sample ID: 500-77079-17

Date Collected: 05/14/14 13:50

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	237048	05/20/14 13:41	BDA	TAL CHI

Client Sample ID: EW-4

Lab Sample ID: 500-77079-18

Date Collected: 05/14/14 13:30

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	237048	05/20/14 14:06	BDA	TAL CHI
Total/NA	Analysis	8260B	DL	10	237048	05/20/14 14:31	BDA	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-5

Lab Sample ID: 500-77079-19

Date Collected: 05/13/14 08:00

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	237048	05/20/14 14:55	BDA	TAL CHI

Client Sample ID: EW-6

Lab Sample ID: 500-77079-20

Date Collected: 05/13/14 10:55

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	237048	05/20/14 15:20	BDA	TAL CHI

Client Sample ID: EW-7

Lab Sample ID: 500-77079-21

Date Collected: 05/13/14 10:45

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	237048	05/20/14 15:45	BDA	TAL CHI

Client Sample ID: EW-8

Lab Sample ID: 500-77079-22

Date Collected: 05/13/14 10:40

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	237048	05/20/14 16:10	BDA	TAL CHI

Client Sample ID: EW-9

Lab Sample ID: 500-77079-23

Date Collected: 05/13/14 10:30

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	237048	05/20/14 16:35	BDA	TAL CHI

Client Sample ID: EW-9 DUP

Lab Sample ID: 500-77079-24

Date Collected: 05/13/14 10:30

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	237048	05/20/14 17:00	BDA	TAL CHI

TestAmerica Chicago

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Client Sample ID: EW-10

Lab Sample ID: 500-77079-25

Date Collected: 05/13/14 09:45

Matrix: Water

Date Received: 05/16/14 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	237048	05/20/14 17:24	BDA	TAL CHI

Laboratory References:

TAL CHI = TestAmerica Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200



Certification Summary

Client: Weston Solutions, Inc.
 Project/Site: Black and Decker

TestAmerica Job ID: 500-77079-1

Laboratory: TestAmerica Chicago

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40461	04-30-15
California	NELAP	9	01132CA	04-30-14 *
Georgia	State Program	4	N/A	04-30-15
Georgia	State Program	4	939	04-30-15
Hawaii	State Program	9	N/A	04-30-15
Illinois	NELAP	5	100201	04-30-15
Indiana	State Program	5	C-IL-02	04-30-15
Iowa	State Program	7	82	04-30-14 *
Kansas	NELAP	7	E-10161	10-31-14
Kentucky (UST)	State Program	4	66	04-30-15
Kentucky (VWV)	State Program	4	KY90023	12-31-14
Louisiana	NELAP	6	30720	06-30-14 *
Massachusetts	State Program	1	M-IL035	06-30-14 *
Mississippi	State Program	4	N/A	04-30-15
New York	NELAP	2	IL00035	03-31-15
North Carolina DENR	State Program	4	291	12-31-14
North Dakota	State Program	8	R-194	04-30-14 *
Oklahoma	State Program	6	8908	08-31-14
South Carolina	State Program	4	77001	04-30-14 *
USDA	Federal		P330-12-00038	02-06-15
Wisconsin	State Program	5	999580010	08-31-14
Wyoming	State Program	8	8TMS-Q	04-30-14 *

* Expired certification is currently pending renewal and is considered valid.

TestAmerica

THE LEADER IN ENVIRONMENTAL 1

2417 Bond Street, University Park, IL 6048
Phone: 708.534.5200 Fax: 708.534.61



500-77079 COC

Report To (optional)
Contact: Tom Carnot
Company: Western Solutions
Address: _____
Address: _____
Phone: _____
Fax: _____
E-Mail: _____

Bill To (optional)
Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
PO#Reference# _____

Chain of Custody Record

Lab Job #: 500-77079
Chain of Custody Number: _____
Page 1 of 3
Temperature °C of Cooler: 3.9

Client		Client Project #		Preservative		Parameter		Matrix		Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other
Western Solutions		02501.004.005.0001		HCl						
Project Name Black + Decker		Lab Project #								
Project Location/State Hampstead MD		Lab PM Dick Wright								Comments
Sampler Greg Flaszki										
Lab ID	MS/MSD	Sample ID	Date	Time	# of Containers	Matrix				
1		RFW-1A	5/13/14	810	3	W	✓			
2		RFW-1B	5/13/14	1730	1		✓			
3		RFW-2A	5/13/14	915	1		✓			
4		RFW-2B	5/13/14	930	1		✓			
5		RFW-3B	5/14/14	900	1		✓			
6		RFW-4A	5/14/14	1020	1		✓			
7		RFW-4A Dup	5/14/14	1020	1		✓			
8		RFW-4B	5/14/14	1040	1		✓			
9		RFW-6	5/13/14	1115	1		✓			
10		RFW-7	5/13/14	1005	1		✓			

Turnaround Time Required (Business Days)

Requested Due Date: 1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other

Sample Disposal

Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By: <u>[Signature]</u>	Company: <u>Western</u>	Date: <u>5/15/14</u>	Time: <u>1600</u>	Received By: <u>Fed Ex</u>	Company: _____	Date: _____	Time: _____
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: <u>[Signature]</u>	Company: <u>JA-CLT</u>	Date: <u>5/16/14</u>	Time: <u>1000</u>
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____

Lab Courier: _____
Shipped: Fed Ex
Hand Delivered: _____

- Matrix Key
- WW - Wastewater
 - W - Water
 - S - Soil
 - SL - Sludge
 - MS - Miscellaneous
 - OL - Oil
 - A - Air
 - SE - Sediment
 - SO - Soil
 - L - Leachate
 - WI - Wipe
 - DW - Drinking Water
 - O - Other

Client Comments: _____

Lab Comments: _____

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____	Bill To _____
Contact: _____	Contact: _____
Company: _____	Company: _____
Address: _____	Address: _____
Address: _____	Address: _____
Phone: _____	Phone: _____
Fax: _____	Fax: _____
E-Mail: _____	PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-77079

Chain of Custody Number: _____

Page 2 of 3

Temperature °C of Cooler: 3.9

Client		Client Project #		Preservative		Parameter		Matrix		Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other
Western Solutions		02501.004.005.0001		HCl						
Project Name Black + Decker		Lab Project #								
Project Location/State		Lab Project #								
Sampler G. F. Smith		Lab PM Dick Wright				VOA				Comments
Lab ID	MS/MSD	Sample ID		Sampling		# of Containers	Matrix	Check		
		Date	Time							
11		5/13/14	1635	3	W			✓		
12		5/14/14	1215	1				✓		
13		5/14/14	1325	1				✓		
14		5/13/14	1550	1				✓		
15		5/13	1810	1				✓		
16		5/13/14	600	2	I			✓		

Turnaround Time Required (Business Days): 1 Day 2 Days 5 Days 7 Days 10 Days 15 Days Other

Sample Disposal: Return to Client Disposal by Lab Archive for Months (A fee may be assessed if samples are retained longer than 1 month)

Requested Due Date: _____

Relinquished By: <u>[Signature]</u>	Company: <u>Western</u>	Date: <u>5/15/14</u>	Time: <u>1600</u>	Received By: <u>Fed Ex</u>	Company: _____	Date: _____	Time: _____
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: <u>Shawn Scott</u>	Company: <u>FA-CRT</u>	Date: <u>5/16/14</u>	Time: <u>1000</u>
Relinquished By: _____	Company: _____	Date: _____	Time: _____	Received By: _____	Company: _____	Date: _____	Time: _____

Lab Courier: _____
 Shipped: FedEx
 Hand Delivered: _____

- Matrix Key
- WW - Wastewater
 - W - Water
 - S - Soil
 - SL - Sludge
 - MS - Miscellaneous
 - OL - Oil
 - A - Air
 - SE - Sediment
 - SO - Soil
 - L - Leachate
 - WI - Wipe
 - DW - Drinking Water
 - O - Other

Client Comments: _____

Lab Comments: _____



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference# _____

Chain of Custody Record

Lab Job #: 500-77079
 Chain of Custody Number: _____
 Page 3 of 3
 Temperature °C of Cooler: 3.9

Client <u>Weston Solutions</u>		Client Project #		Preservative <u>HCl</u>												Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other	
Project Name <u>Black + Decker</u>		Lab Project # <u>Dick Wright</u>		Parameter													
Project Location/State <u>Hampstead, MD</u>		Lab PM		Matrix <u>VDA</u>													
Sampler <u>Greg Flaszli</u>																	
Lab ID	MS/MSCY	Sample ID	Sampling		# of Containers	Matrix											Comments
			Date	Time													
<u>17</u>		<u>EW-3</u>	<u>5/14/14</u>	<u>1350</u>	<u>3</u>	<u>W</u>											
<u>18</u>		<u>EW-4</u>	<u>5/14/14</u>	<u>1330</u>	<u>1</u>												
<u>19</u>		<u>EW-5</u>	<u>5/13/14</u>	<u>800</u>	<u>1</u>												
<u>20</u>		<u>EW-6</u>	<u>5/13/14</u>	<u>1055</u>	<u>1</u>												
<u>21</u>		<u>EW-7</u>	<u>5/13/14</u>	<u>1045</u>	<u>1</u>												
<u>22</u>		<u>EW-8</u>	<u>5/13/14</u>	<u>1040</u>	<u>1</u>												
<u>23</u>		<u>EW-9</u>	<u>5/13/14</u>	<u>1030</u>	<u>1</u>												
<u>24</u>		<u>EW-9 Dup</u>	<u>5/13/14</u>	<u>1030</u>	<u>1</u>												
<u>25</u>		<u>EW-10</u>	<u>5/13/14</u>	<u>945</u>	<u>1</u>												

Turnaround Time Required (Business Days)
 ___ 1 Day ___ 2 Days ___ 5 Days ___ 7 Days ___ 10 Days ___ 15 Days ___ Other
 Requested Due Date _____

Sample Disposal
 Return to Client Disposal by Lab Archive for ___ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By <u>[Signature]</u>	Company <u>Weston</u>	Date <u>5/15/14</u>	Time <u>1600</u>	Received By <u>[Signature]</u>	Company <u>Fed Ex</u>	Date <u>5/16/14</u>	Time <u>1000</u>	Lab Courier
Relinquished By	Company	Date	Time	Received By	Company	Date	Time	Shipped <u>Fed Ex</u>
Relinquished By	Company	Date	Time	Received By	Company	Date	Time	Hand Delivered

Matrix Key
 WW - Wastewater SE - Sediment
 W - Water SO - Soil
 S - Soil L - Leachate
 SL - Sludge WI - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments
 Lab Comments:

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 500-77079-1

Login Number: 77079

List Source: TestAmerica Chicago

List Number: 1

Creator: Scott, Sherri L

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	False	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-101429-1
Client Project/Site: Black & Decker

For:
Weston Solutions, Inc.
1400 Weston Way
PO BOX 2653
West Chester, Pennsylvania 19380

Attn: Greg Flasinski



Authorized for release by:
5/27/2014 11:24:14 AM

Lisa Harvey, Project Manager II
(912)354-7858 e.3221
lisa.harvey@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

**Ask
The
Expert**

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Case Narrative

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Job ID: 680-101429-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE
Client: Weston Solutions, Inc.
Project: Black & Decker
Report Number: 680-101429-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In the event of interference or analytes present at high concentrations, samples may be diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

RECEIPT

The samples were received on 05/16/2014; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 2.4 C.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples RFW-20 (680-101429-1), RFW-21 (680-101429-2), HAMP-22 (680-101429-3), HAMP-23 (680-101429-4) and Trip Blank (680-101429-5) were analyzed for Volatile organic Compounds (GC-MS) in accordance with EPA Method 524.2. The samples were analyzed on 05/20/2014 and 05/21/2014.




Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-101429-1	RFW-20	Water	05/13/14 11:45	05/16/14 09:42
680-101429-2	RFW-21	Water	05/13/14 12:50	05/16/14 09:42
680-101429-3	HAMP-22	Water	05/14/14 11:05	05/16/14 09:42
680-101429-4	HAMP-23	Water	05/14/14 11:10	05/16/14 09:42
680-101429-5	Trip Blank	Water	05/13/14 08:00	05/16/14 09:42



Method Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Method	Method Description	Protocol	Laboratory
524.2	Volatile Organic Compounds (GC/MS)	EPA-DW	TAL SAV

Protocol References:

EPA-DW = "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858



Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Client Sample ID: RFW-20

Lab Sample ID: 680-101429-1

Date Collected: 05/13/14 11:45

Matrix: Water

Date Received: 05/16/14 09:42

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			05/20/14 23:34	1
Benzene	<0.50		0.50	0.18	ug/L			05/20/14 23:34	1
Bromobenzene	<0.50		0.50	0.42	ug/L			05/20/14 23:34	1
Bromoform	<0.50		0.50	0.39	ug/L			05/20/14 23:34	1
Bromomethane	<1.0		1.0	0.45	ug/L			05/20/14 23:34	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			05/20/14 23:34	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			05/20/14 23:34	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			05/20/14 23:34	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			05/20/14 23:34	1
Chloroethane	<1.0		1.0	0.33	ug/L			05/20/14 23:34	1
Chloroform	<0.50		0.50	0.29	ug/L			05/20/14 23:34	1
Chloromethane	<0.50		0.50	0.32	ug/L			05/20/14 23:34	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			05/20/14 23:34	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			05/20/14 23:34	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			05/20/14 23:34	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			05/20/14 23:34	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			05/20/14 23:34	1
Dibromomethane	<0.50		0.50	0.38	ug/L			05/20/14 23:34	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			05/20/14 23:34	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			05/20/14 23:34	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			05/20/14 23:34	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			05/20/14 23:34	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			05/20/14 23:34	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			05/20/14 23:34	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			05/20/14 23:34	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			05/20/14 23:34	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			05/20/14 23:34	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			05/20/14 23:34	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			05/20/14 23:34	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			05/20/14 23:34	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			05/20/14 23:34	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			05/20/14 23:34	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			05/20/14 23:34	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			05/20/14 23:34	1
Freon 113	<0.50		0.50	0.15	ug/L			05/20/14 23:34	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			05/20/14 23:34	1
2-Hexanone	<10		10	5.0	ug/L			05/20/14 23:34	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			05/20/14 23:34	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			05/20/14 23:34	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			05/20/14 23:34	1
2-Butanone (MEK)	<10		10	5.0	ug/L			05/20/14 23:34	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			05/20/14 23:34	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			05/20/14 23:34	1
Naphthalene	<1.0		1.0	0.43	ug/L			05/20/14 23:34	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			05/20/14 23:34	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			05/20/14 23:34	1
o-Xylene	<0.50		0.50	0.27	ug/L			05/20/14 23:34	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			05/20/14 23:34	1
Styrene	<0.50		0.50	0.28	ug/L			05/20/14 23:34	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Client Sample ID: RFW-20

Lab Sample ID: 680-101429-1

Date Collected: 05/13/14 11:45

Matrix: Water

Date Received: 05/16/14 09:42

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			05/20/14 23:34	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			05/20/14 23:34	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			05/20/14 23:34	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			05/20/14 23:34	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			05/20/14 23:34	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			05/20/14 23:34	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			05/20/14 23:34	1
Toluene	<0.50		0.50	0.23	ug/L			05/20/14 23:34	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			05/20/14 23:34	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			05/20/14 23:34	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			05/20/14 23:34	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			05/20/14 23:34	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			05/20/14 23:34	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			05/20/14 23:34	1
Trichloroethene	<0.50		0.50	0.37	ug/L			05/20/14 23:34	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			05/20/14 23:34	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			05/20/14 23:34	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			05/20/14 23:34	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			05/20/14 23:34	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			05/20/14 23:34	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			05/20/14 23:34	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			05/20/14 23:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	92		70 - 130		05/20/14 23:34	1
1,2-Dichlorobenzene-d4	94		70 - 130		05/20/14 23:34	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Client Sample ID: RFW-21

Lab Sample ID: 680-101429-2

Date Collected: 05/13/14 12:50

Matrix: Water

Date Received: 05/16/14 09:42

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			05/21/14 00:01	1
Benzene	<0.50		0.50	0.18	ug/L			05/21/14 00:01	1
Bromobenzene	<0.50		0.50	0.42	ug/L			05/21/14 00:01	1
Bromoform	<0.50		0.50	0.39	ug/L			05/21/14 00:01	1
Bromomethane	<1.0		1.0	0.45	ug/L			05/21/14 00:01	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			05/21/14 00:01	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			05/21/14 00:01	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			05/21/14 00:01	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			05/21/14 00:01	1
Chloroethane	<1.0		1.0	0.33	ug/L			05/21/14 00:01	1
Chloroform	<0.50		0.50	0.29	ug/L			05/21/14 00:01	1
Chloromethane	<0.50		0.50	0.32	ug/L			05/21/14 00:01	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			05/21/14 00:01	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			05/21/14 00:01	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			05/21/14 00:01	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			05/21/14 00:01	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			05/21/14 00:01	1
Dibromomethane	<0.50		0.50	0.38	ug/L			05/21/14 00:01	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			05/21/14 00:01	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			05/21/14 00:01	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			05/21/14 00:01	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			05/21/14 00:01	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			05/21/14 00:01	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			05/21/14 00:01	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			05/21/14 00:01	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			05/21/14 00:01	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			05/21/14 00:01	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			05/21/14 00:01	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			05/21/14 00:01	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			05/21/14 00:01	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			05/21/14 00:01	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			05/21/14 00:01	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			05/21/14 00:01	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			05/21/14 00:01	1
Freon 113	<0.50		0.50	0.15	ug/L			05/21/14 00:01	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			05/21/14 00:01	1
2-Hexanone	<10		10	5.0	ug/L			05/21/14 00:01	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			05/21/14 00:01	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			05/21/14 00:01	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			05/21/14 00:01	1
2-Butanone (MEK)	<10		10	5.0	ug/L			05/21/14 00:01	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			05/21/14 00:01	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			05/21/14 00:01	1
Naphthalene	<1.0		1.0	0.43	ug/L			05/21/14 00:01	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			05/21/14 00:01	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			05/21/14 00:01	1
o-Xylene	<0.50		0.50	0.27	ug/L			05/21/14 00:01	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			05/21/14 00:01	1
Styrene	<0.50		0.50	0.28	ug/L			05/21/14 00:01	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Client Sample ID: RFW-21

Lab Sample ID: 680-101429-2

Date Collected: 05/13/14 12:50

Matrix: Water

Date Received: 05/16/14 09:42

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			05/21/14 00:01	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			05/21/14 00:01	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			05/21/14 00:01	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			05/21/14 00:01	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			05/21/14 00:01	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			05/21/14 00:01	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			05/21/14 00:01	1
Toluene	<0.50		0.50	0.23	ug/L			05/21/14 00:01	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			05/21/14 00:01	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			05/21/14 00:01	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			05/21/14 00:01	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			05/21/14 00:01	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			05/21/14 00:01	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			05/21/14 00:01	1
Trichloroethene	<0.50		0.50	0.37	ug/L			05/21/14 00:01	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			05/21/14 00:01	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			05/21/14 00:01	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			05/21/14 00:01	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			05/21/14 00:01	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			05/21/14 00:01	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			05/21/14 00:01	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			05/21/14 00:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		70 - 130		05/21/14 00:01	1
1,2-Dichlorobenzene-d4	94		70 - 130		05/21/14 00:01	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Client Sample ID: HAMP-22

Lab Sample ID: 680-101429-3

Date Collected: 05/14/14 11:05

Matrix: Water

Date Received: 05/16/14 09:42

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			05/21/14 08:50	1
Benzene	<0.50		0.50	0.18	ug/L			05/21/14 08:50	1
Bromobenzene	<0.50		0.50	0.42	ug/L			05/21/14 08:50	1
Bromoform	<0.50		0.50	0.39	ug/L			05/21/14 08:50	1
Bromomethane	<1.0		1.0	0.45	ug/L			05/21/14 08:50	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			05/21/14 08:50	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			05/21/14 08:50	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			05/21/14 08:50	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			05/21/14 08:50	1
Chloroethane	<1.0		1.0	0.33	ug/L			05/21/14 08:50	1
Chloroform	<0.50		0.50	0.29	ug/L			05/21/14 08:50	1
Chloromethane	<0.50		0.50	0.32	ug/L			05/21/14 08:50	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			05/21/14 08:50	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			05/21/14 08:50	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			05/21/14 08:50	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			05/21/14 08:50	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			05/21/14 08:50	1
Dibromomethane	<0.50		0.50	0.38	ug/L			05/21/14 08:50	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			05/21/14 08:50	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			05/21/14 08:50	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			05/21/14 08:50	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			05/21/14 08:50	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			05/21/14 08:50	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			05/21/14 08:50	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			05/21/14 08:50	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			05/21/14 08:50	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			05/21/14 08:50	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			05/21/14 08:50	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			05/21/14 08:50	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			05/21/14 08:50	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			05/21/14 08:50	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			05/21/14 08:50	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			05/21/14 08:50	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			05/21/14 08:50	1
Freon 113	<0.50		0.50	0.15	ug/L			05/21/14 08:50	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			05/21/14 08:50	1
2-Hexanone	<10		10	5.0	ug/L			05/21/14 08:50	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			05/21/14 08:50	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			05/21/14 08:50	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			05/21/14 08:50	1
2-Butanone (MEK)	<10		10	5.0	ug/L			05/21/14 08:50	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			05/21/14 08:50	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			05/21/14 08:50	1
Naphthalene	<1.0		1.0	0.43	ug/L			05/21/14 08:50	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			05/21/14 08:50	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			05/21/14 08:50	1
o-Xylene	<0.50		0.50	0.27	ug/L			05/21/14 08:50	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			05/21/14 08:50	1
Styrene	<0.50		0.50	0.28	ug/L			05/21/14 08:50	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Client Sample ID: HAMP-22

Lab Sample ID: 680-101429-3

Date Collected: 05/14/14 11:05

Matrix: Water

Date Received: 05/16/14 09:42

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			05/21/14 08:50	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			05/21/14 08:50	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			05/21/14 08:50	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			05/21/14 08:50	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			05/21/14 08:50	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			05/21/14 08:50	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			05/21/14 08:50	1
Toluene	<0.50		0.50	0.23	ug/L			05/21/14 08:50	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			05/21/14 08:50	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			05/21/14 08:50	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			05/21/14 08:50	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			05/21/14 08:50	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			05/21/14 08:50	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			05/21/14 08:50	1
Trichloroethene	<0.50		0.50	0.37	ug/L			05/21/14 08:50	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			05/21/14 08:50	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			05/21/14 08:50	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			05/21/14 08:50	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			05/21/14 08:50	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			05/21/14 08:50	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			05/21/14 08:50	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			05/21/14 08:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		70 - 130		05/21/14 08:50	1
1,2-Dichlorobenzene-d4	95		70 - 130		05/21/14 08:50	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-101429-4

Date Collected: 05/14/14 11:10

Matrix: Water

Date Received: 05/16/14 09:42

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			05/21/14 09:17	1
Benzene	<0.50		0.50	0.18	ug/L			05/21/14 09:17	1
Bromobenzene	<0.50		0.50	0.42	ug/L			05/21/14 09:17	1
Bromoform	<0.50		0.50	0.39	ug/L			05/21/14 09:17	1
Bromomethane	<1.0		1.0	0.45	ug/L			05/21/14 09:17	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			05/21/14 09:17	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			05/21/14 09:17	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			05/21/14 09:17	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			05/21/14 09:17	1
Chloroethane	<1.0		1.0	0.33	ug/L			05/21/14 09:17	1
Chloroform	<0.50		0.50	0.29	ug/L			05/21/14 09:17	1
Chloromethane	<0.50		0.50	0.32	ug/L			05/21/14 09:17	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			05/21/14 09:17	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			05/21/14 09:17	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			05/21/14 09:17	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			05/21/14 09:17	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			05/21/14 09:17	1
Dibromomethane	<0.50		0.50	0.38	ug/L			05/21/14 09:17	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			05/21/14 09:17	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			05/21/14 09:17	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			05/21/14 09:17	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			05/21/14 09:17	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			05/21/14 09:17	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			05/21/14 09:17	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			05/21/14 09:17	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			05/21/14 09:17	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			05/21/14 09:17	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			05/21/14 09:17	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			05/21/14 09:17	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			05/21/14 09:17	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			05/21/14 09:17	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			05/21/14 09:17	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			05/21/14 09:17	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			05/21/14 09:17	1
Freon 113	<0.50		0.50	0.15	ug/L			05/21/14 09:17	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			05/21/14 09:17	1
2-Hexanone	<10		10	5.0	ug/L			05/21/14 09:17	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			05/21/14 09:17	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			05/21/14 09:17	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			05/21/14 09:17	1
2-Butanone (MEK)	<10		10	5.0	ug/L			05/21/14 09:17	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			05/21/14 09:17	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			05/21/14 09:17	1
Naphthalene	<1.0		1.0	0.43	ug/L			05/21/14 09:17	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			05/21/14 09:17	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			05/21/14 09:17	1
o-Xylene	<0.50		0.50	0.27	ug/L			05/21/14 09:17	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			05/21/14 09:17	1
Styrene	<0.50		0.50	0.28	ug/L			05/21/14 09:17	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Client Sample ID: HAMP-23

Lab Sample ID: 680-101429-4

Date Collected: 05/14/14 11:10

Matrix: Water

Date Received: 05/16/14 09:42

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			05/21/14 09:17	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			05/21/14 09:17	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			05/21/14 09:17	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			05/21/14 09:17	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			05/21/14 09:17	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			05/21/14 09:17	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			05/21/14 09:17	1
Toluene	<0.50		0.50	0.23	ug/L			05/21/14 09:17	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			05/21/14 09:17	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			05/21/14 09:17	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			05/21/14 09:17	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			05/21/14 09:17	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			05/21/14 09:17	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			05/21/14 09:17	1
Trichloroethene	<0.50		0.50	0.37	ug/L			05/21/14 09:17	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			05/21/14 09:17	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			05/21/14 09:17	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			05/21/14 09:17	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			05/21/14 09:17	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			05/21/14 09:17	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			05/21/14 09:17	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			05/21/14 09:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		70 - 130		05/21/14 09:17	1
1,2-Dichlorobenzene-d4	95		70 - 130		05/21/14 09:17	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-101429-5

Date Collected: 05/13/14 08:00

Matrix: Water

Date Received: 05/16/14 09:42

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	<10		10	5.0	ug/L			05/20/14 15:48	1
Benzene	<0.50		0.50	0.18	ug/L			05/20/14 15:48	1
Bromobenzene	<0.50		0.50	0.42	ug/L			05/20/14 15:48	1
Bromoform	<0.50		0.50	0.39	ug/L			05/20/14 15:48	1
Bromomethane	<1.0		1.0	0.45	ug/L			05/20/14 15:48	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			05/20/14 15:48	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			05/20/14 15:48	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			05/20/14 15:48	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			05/20/14 15:48	1
Chloroethane	<1.0		1.0	0.33	ug/L			05/20/14 15:48	1
Chloroform	<0.50		0.50	0.29	ug/L			05/20/14 15:48	1
Chloromethane	<0.50		0.50	0.32	ug/L			05/20/14 15:48	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			05/20/14 15:48	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			05/20/14 15:48	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			05/20/14 15:48	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			05/20/14 15:48	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			05/20/14 15:48	1
Dibromomethane	<0.50		0.50	0.38	ug/L			05/20/14 15:48	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			05/20/14 15:48	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			05/20/14 15:48	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			05/20/14 15:48	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			05/20/14 15:48	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			05/20/14 15:48	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			05/20/14 15:48	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			05/20/14 15:48	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			05/20/14 15:48	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			05/20/14 15:48	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			05/20/14 15:48	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			05/20/14 15:48	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			05/20/14 15:48	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			05/20/14 15:48	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			05/20/14 15:48	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			05/20/14 15:48	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			05/20/14 15:48	1
Freon 113	<0.50		0.50	0.15	ug/L			05/20/14 15:48	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			05/20/14 15:48	1
2-Hexanone	<10		10	5.0	ug/L			05/20/14 15:48	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			05/20/14 15:48	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			05/20/14 15:48	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			05/20/14 15:48	1
2-Butanone (MEK)	<10		10	5.0	ug/L			05/20/14 15:48	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			05/20/14 15:48	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			05/20/14 15:48	1
Naphthalene	<1.0		1.0	0.43	ug/L			05/20/14 15:48	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			05/20/14 15:48	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			05/20/14 15:48	1
o-Xylene	<0.50		0.50	0.27	ug/L			05/20/14 15:48	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			05/20/14 15:48	1
Styrene	<0.50		0.50	0.28	ug/L			05/20/14 15:48	1

TestAmerica Savannah

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Client Sample ID: Trip Blank

Lab Sample ID: 680-101429-5

Date Collected: 05/13/14 08:00

Matrix: Water

Date Received: 05/16/14 09:42

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			05/20/14 15:48	1
tert-Butyl alcohol	1.6	J	2.0	1.6	ug/L			05/20/14 15:48	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			05/20/14 15:48	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			05/20/14 15:48	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			05/20/14 15:48	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			05/20/14 15:48	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			05/20/14 15:48	1
Toluene	<0.50		0.50	0.23	ug/L			05/20/14 15:48	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			05/20/14 15:48	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			05/20/14 15:48	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			05/20/14 15:48	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			05/20/14 15:48	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			05/20/14 15:48	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			05/20/14 15:48	1
Trichloroethene	<0.50		0.50	0.37	ug/L			05/20/14 15:48	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			05/20/14 15:48	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			05/20/14 15:48	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			05/20/14 15:48	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			05/20/14 15:48	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			05/20/14 15:48	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			05/20/14 15:48	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			05/20/14 15:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	96		70 - 130		05/20/14 15:48	1
1,2-Dichlorobenzene-d4	94		70 - 130		05/20/14 15:48	1

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-329945/7

Matrix: Water

Analysis Batch: 329945

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acetone	<10		10	5.0	ug/L			05/20/14 15:14	1
Benzene	<0.50		0.50	0.18	ug/L			05/20/14 15:14	1
Bromobenzene	<0.50		0.50	0.42	ug/L			05/20/14 15:14	1
Bromoform	<0.50		0.50	0.39	ug/L			05/20/14 15:14	1
Bromomethane	<1.0		1.0	0.45	ug/L			05/20/14 15:14	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			05/20/14 15:14	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			05/20/14 15:14	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			05/20/14 15:14	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			05/20/14 15:14	1
Chloroethane	<1.0		1.0	0.33	ug/L			05/20/14 15:14	1
Chloroform	<0.50		0.50	0.29	ug/L			05/20/14 15:14	1
Chloromethane	<0.50		0.50	0.32	ug/L			05/20/14 15:14	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			05/20/14 15:14	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			05/20/14 15:14	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			05/20/14 15:14	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			05/20/14 15:14	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			05/20/14 15:14	1
Dibromomethane	<0.50		0.50	0.38	ug/L			05/20/14 15:14	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			05/20/14 15:14	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			05/20/14 15:14	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			05/20/14 15:14	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			05/20/14 15:14	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			05/20/14 15:14	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			05/20/14 15:14	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			05/20/14 15:14	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			05/20/14 15:14	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			05/20/14 15:14	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			05/20/14 15:14	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			05/20/14 15:14	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			05/20/14 15:14	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			05/20/14 15:14	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			05/20/14 15:14	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			05/20/14 15:14	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			05/20/14 15:14	1
Freon 113	<0.50		0.50	0.15	ug/L			05/20/14 15:14	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			05/20/14 15:14	1
2-Hexanone	<10		10	5.0	ug/L			05/20/14 15:14	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			05/20/14 15:14	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			05/20/14 15:14	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			05/20/14 15:14	1
2-Butanone (MEK)	<10		10	5.0	ug/L			05/20/14 15:14	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			05/20/14 15:14	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			05/20/14 15:14	1
Naphthalene	<1.0		1.0	0.43	ug/L			05/20/14 15:14	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			05/20/14 15:14	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			05/20/14 15:14	1
o-Xylene	<0.50		0.50	0.27	ug/L			05/20/14 15:14	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			05/20/14 15:14	1

TestAmerica Savannah



QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-329945/7

Matrix: Water

Analysis Batch: 329945

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Styrene	<0.50		0.50	0.28	ug/L			05/20/14 15:14	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			05/20/14 15:14	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			05/20/14 15:14	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			05/20/14 15:14	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			05/20/14 15:14	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			05/20/14 15:14	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			05/20/14 15:14	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			05/20/14 15:14	1
Toluene	<0.50		0.50	0.23	ug/L			05/20/14 15:14	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			05/20/14 15:14	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			05/20/14 15:14	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			05/20/14 15:14	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			05/20/14 15:14	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			05/20/14 15:14	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			05/20/14 15:14	1
Trichloroethene	<0.50		0.50	0.37	ug/L			05/20/14 15:14	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			05/20/14 15:14	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			05/20/14 15:14	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			05/20/14 15:14	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			05/20/14 15:14	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			05/20/14 15:14	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			05/20/14 15:14	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			05/20/14 15:14	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene	99		70 - 130		05/20/14 15:14	1
1,2-Dichlorobenzene-d4	95		70 - 130		05/20/14 15:14	1

Lab Sample ID: LCS 680-329945/4

Matrix: Water

Analysis Batch: 329945

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec.
		Result	Qualifier				
Acetone	40.0	39.3		ug/L		98	70 - 130
Benzene	20.0	21.5		ug/L		107	70 - 130
Bromobenzene	20.0	21.7		ug/L		108	70 - 130
Bromoform	20.0	22.2		ug/L		111	70 - 130
Bromomethane	20.0	21.4		ug/L		107	70 - 130
Carbon tetrachloride	20.0	20.4		ug/L		102	70 - 130
Chlorobenzene	20.0	21.7		ug/L		109	70 - 130
Chlorobromomethane	20.0	20.9		ug/L		104	70 - 130
Chlorodibromomethane	20.0	22.5		ug/L		113	70 - 130
Chloroethane	20.0	19.9		ug/L		100	70 - 130
Chloroform	20.0	21.5		ug/L		107	70 - 130
Chloromethane	20.0	19.9		ug/L		99	70 - 130
2-Chlorotoluene	20.0	22.4		ug/L		112	70 - 130
4-Chlorotoluene	20.0	22.4		ug/L		112	70 - 130
cis-1,2-Dichloroethene	20.0	22.0		ug/L		110	70 - 130

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-329945/4

Matrix: Water

Analysis Batch: 329945

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,3-Dichloropropene	20.0	22.5		ug/L		113	70 - 130
1,2-Dibromo-3-Chloropropane	20.0	21.3		ug/L		106	70 - 130
Dibromomethane	20.0	20.5		ug/L		102	70 - 130
1,2-Dichlorobenzene	20.0	20.9		ug/L		104	70 - 130
1,3-Dichlorobenzene	20.0	21.5		ug/L		107	70 - 130
1,4-Dichlorobenzene	20.0	21.7		ug/L		109	70 - 130
Dichlorobromomethane	20.0	22.5		ug/L		112	70 - 130
Dichlorodifluoromethane	20.0	23.9		ug/L		119	70 - 130
1,1-Dichloroethane	20.0	22.1		ug/L		110	70 - 130
1,2-Dichloroethane	20.0	20.8		ug/L		104	70 - 130
1,1-Dichloroethene	20.0	21.8		ug/L		109	70 - 130
1,2-Dichloropropane	20.0	21.2		ug/L		106	70 - 130
1,3-Dichloropropane	20.0	21.2		ug/L		106	70 - 130
2,2-Dichloropropane	20.0	24.6		ug/L		123	70 - 130
1,1-Dichloropropene	20.0	23.5		ug/L		118	70 - 130
1,3-Dichloropropene, Total	40.0	44.8		ug/L		112	70 - 130
Diisopropyl ether	16.0	17.0		ug/L		106	70 - 130
Ethylbenzene	20.0	23.0		ug/L		115	70 - 130
Ethylene Dibromide	20.0	20.5		ug/L		102	70 - 130
Freon 113	16.0	18.5		ug/L		116	70 - 130
Hexachlorobutadiene	20.0	24.2		ug/L		121	70 - 130
2-Hexanone	40.0	40.5		ug/L		101	70 - 130
Isopropylbenzene	20.0	23.7		ug/L		118	70 - 130
4-Isopropyltoluene	20.0	24.8		ug/L		124	70 - 130
Methylene Chloride	20.0	21.3		ug/L		106	70 - 130
2-Butanone (MEK)	40.0	39.9		ug/L		100	70 - 130
4-Methyl-2-pentanone (MIBK)	40.0	40.7		ug/L		102	70 - 130
m-Xylene & p-Xylene	40.0	46.0		ug/L		115	70 - 130
Naphthalene	20.0	22.0		ug/L		110	70 - 130
n-Butylbenzene	20.0	24.3		ug/L		122	70 - 130
N-Propylbenzene	20.0	23.6		ug/L		118	70 - 130
o-Xylene	20.0	22.7		ug/L		114	70 - 130
sec-Butylbenzene	20.0	24.1		ug/L		120	70 - 130
Styrene	20.0	22.4		ug/L		112	70 - 130
Tert-amyl methyl ether	16.0	16.0		ug/L		100	70 - 130
tert-Butyl alcohol	80.0	81.0		ug/L		101	70 - 130
tert-Butylbenzene	20.0	23.0		ug/L		115	70 - 130
Tert-butyl ethyl ether	16.0	17.1		ug/L		107	70 - 130
1,1,1,2-Tetrachloroethane	20.0	22.8		ug/L		114	70 - 130
1,1,2,2-Tetrachloroethane	20.0	20.8		ug/L		104	70 - 130
Tetrachloroethene	20.0	22.2		ug/L		111	70 - 130
Toluene	20.0	22.2		ug/L		111	70 - 130
trans-1,2-Dichloroethene	20.0	22.0		ug/L		110	70 - 130
trans-1,3-Dichloropropene	20.0	22.3		ug/L		111	70 - 130
1,2,3-Trichlorobenzene	20.0	21.2		ug/L		106	70 - 130
1,2,4-Trichlorobenzene	20.0	22.5		ug/L		112	70 - 130
1,1,1-Trichloroethane	20.0	23.3		ug/L		116	70 - 130
1,1,2-Trichloroethane	20.0	21.3		ug/L		107	70 - 130

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-329945/4

Matrix: Water

Analysis Batch: 329945

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Trichloroethene	20.0	22.5		ug/L		112	70 - 130
Trichlorofluoromethane	20.0	23.9		ug/L		120	70 - 130
1,2,3-Trichloropropane	20.0	20.4		ug/L		102	70 - 130
Trihalomethanes, Total	80.0	88.7		ug/L		111	70 - 130
1,2,4-Trimethylbenzene	20.0	23.3		ug/L		117	70 - 130
1,3,5-Trimethylbenzene	20.0	23.3		ug/L		116	70 - 130
Vinyl chloride	20.0	19.5		ug/L		98	70 - 130
Xylenes, Total	60.0	68.8		ug/L		115	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	102		70 - 130
1,2-Dichlorobenzene-d4	103		70 - 130

Lab Sample ID: LCSD 680-329945/5

Matrix: Water

Analysis Batch: 329945

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Acetone	40.0	41.2		ug/L		103	70 - 130	5	30
Benzene	20.0	21.3		ug/L		106	70 - 130	1	30
Bromobenzene	20.0	21.2		ug/L		106	70 - 130	2	30
Bromoform	20.0	22.4		ug/L		112	70 - 130	1	30
Bromomethane	20.0	21.9		ug/L		109	70 - 130	2	30
Carbon tetrachloride	20.0	20.0		ug/L		100	70 - 130	2	30
Chlorobenzene	20.0	21.7		ug/L		109	70 - 130	0	30
Chlorobromomethane	20.0	21.3		ug/L		106	70 - 130	2	30
Chlorodibromomethane	20.0	22.9		ug/L		114	70 - 130	2	30
Chloroethane	20.0	20.0		ug/L		100	70 - 130	0	30
Chloroform	20.0	21.6		ug/L		108	70 - 130	1	30
Chloromethane	20.0	19.5		ug/L		97	70 - 130	2	30
2-Chlorotoluene	20.0	22.1		ug/L		111	70 - 130	1	30
4-Chlorotoluene	20.0	22.5		ug/L		113	70 - 130	1	30
cis-1,2-Dichloroethene	20.0	21.4		ug/L		107	70 - 130	2	30
cis-1,3-Dichloropropene	20.0	22.6		ug/L		113	70 - 130	0	30
1,2-Dibromo-3-Chloropropane	20.0	22.3		ug/L		111	70 - 130	5	30
Dibromomethane	20.0	20.8		ug/L		104	70 - 130	1	30
1,2-Dichlorobenzene	20.0	21.0		ug/L		105	70 - 130	0	30
1,3-Dichlorobenzene	20.0	21.5		ug/L		108	70 - 130	0	30
1,4-Dichlorobenzene	20.0	21.4		ug/L		107	70 - 130	2	30
Dichlorobromomethane	20.0	22.6		ug/L		113	70 - 130	0	30
Dichlorodifluoromethane	20.0	22.9		ug/L		114	70 - 130	4	30
1,1-Dichloroethane	20.0	21.5		ug/L		107	70 - 130	3	30
1,2-Dichloroethane	20.0	20.9		ug/L		105	70 - 130	0	30
1,1-Dichloroethene	20.0	22.6		ug/L		113	70 - 130	4	30
1,2-Dichloropropane	20.0	21.8		ug/L		109	70 - 130	3	30
1,3-Dichloropropane	20.0	21.4		ug/L		107	70 - 130	1	30
2,2-Dichloropropane	20.0	23.9		ug/L		120	70 - 130	3	30
1,1-Dichloropropene	20.0	22.9		ug/L		115	70 - 130	3	30

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 680-329945/5

Matrix: Water

Analysis Batch: 329945

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	
								RPD	Limit
1,3-Dichloropropene, Total	40.0	45.2		ug/L		113	70 - 130	1	30
Diisopropyl ether	16.0	17.2		ug/L		107	70 - 130	1	30
Ethylbenzene	20.0	22.3		ug/L		112	70 - 130	3	30
Ethylene Dibromide	20.0	21.2		ug/L		106	70 - 130	3	30
Freon 113	16.0	17.5		ug/L		110	70 - 130	5	30
Hexachlorobutadiene	20.0	23.3		ug/L		116	70 - 130	4	30
2-Hexanone	40.0	41.4		ug/L		104	70 - 130	2	30
Isopropylbenzene	20.0	23.3		ug/L		116	70 - 130	2	30
4-Isopropyltoluene	20.0	24.2		ug/L		121	70 - 130	2	30
Methylene Chloride	20.0	20.8		ug/L		104	70 - 130	2	30
2-Butanone (MEK)	40.0	42.4		ug/L		106	70 - 130	6	30
4-Methyl-2-pentanone (MIBK)	40.0	42.1		ug/L		105	70 - 130	3	30
m-Xylene & p-Xylene	40.0	44.9		ug/L		112	70 - 130	2	30
Naphthalene	20.0	22.2		ug/L		111	70 - 130	1	30
n-Butylbenzene	20.0	23.7		ug/L		118	70 - 130	3	30
N-Propylbenzene	20.0	23.3		ug/L		116	70 - 130	1	30
o-Xylene	20.0	22.5		ug/L		113	70 - 130	1	30
sec-Butylbenzene	20.0	23.5		ug/L		117	70 - 130	2	30
Styrene	20.0	22.7		ug/L		113	70 - 130	1	30
Tert-amyl methyl ether	16.0	17.2		ug/L		108	70 - 130	8	30
tert-Butyl alcohol	80.0	83.2		ug/L		104	70 - 130	3	30
tert-Butylbenzene	20.0	22.7		ug/L		113	70 - 130	1	30
Tert-butyl ethyl ether	16.0	17.5		ug/L		109	70 - 130	2	30
1,1,1,2-Tetrachloroethane	20.0	22.6		ug/L		113	70 - 130	1	30
1,1,2,2-Tetrachloroethane	20.0	21.0		ug/L		105	70 - 130	1	30
Tetrachloroethene	20.0	22.2		ug/L		111	70 - 130	0	30
Toluene	20.0	22.1		ug/L		110	70 - 130	1	30
trans-1,2-Dichloroethene	20.0	22.0		ug/L		110	70 - 130	0	30
trans-1,3-Dichloropropene	20.0	22.5		ug/L		113	70 - 130	1	30
1,2,3-Trichlorobenzene	20.0	21.3		ug/L		107	70 - 130	1	30
1,2,4-Trichlorobenzene	20.0	21.4		ug/L		107	70 - 130	5	30
1,1,1-Trichloroethane	20.0	23.1		ug/L		115	70 - 130	1	30
1,1,2-Trichloroethane	20.0	21.5		ug/L		107	70 - 130	1	30
Trichloroethene	20.0	22.4		ug/L		112	70 - 130	0	30
Trichlorofluoromethane	20.0	23.2		ug/L		116	70 - 130	3	30
1,2,3-Trichloropropane	20.0	21.1		ug/L		105	70 - 130	3	30
Trihalomethanes, Total	80.0	89.5		ug/L		112	70 - 130	1	30
1,2,4-Trimethylbenzene	20.0	22.7		ug/L		114	70 - 130	3	30
1,3,5-Trimethylbenzene	20.0	23.0		ug/L		115	70 - 130	1	30
Vinyl chloride	20.0	19.9		ug/L		99	70 - 130	2	30
Xylenes, Total	60.0	67.4		ug/L		112	70 - 130	2	30

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	104		70 - 130
1,2-Dichlorobenzene-d4	104		70 - 130

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-330048/6

Matrix: Water

Analysis Batch: 330048

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acetone	<10		10	5.0	ug/L			05/21/14 02:24	1
Benzene	<0.50		0.50	0.18	ug/L			05/21/14 02:24	1
Bromobenzene	<0.50		0.50	0.42	ug/L			05/21/14 02:24	1
Bromoform	<0.50		0.50	0.39	ug/L			05/21/14 02:24	1
Bromomethane	<1.0		1.0	0.45	ug/L			05/21/14 02:24	1
Carbon tetrachloride	<0.50		0.50	0.22	ug/L			05/21/14 02:24	1
Chlorobenzene	<0.50		0.50	0.27	ug/L			05/21/14 02:24	1
Chlorobromomethane	<0.50		0.50	0.30	ug/L			05/21/14 02:24	1
Chlorodibromomethane	<0.50		0.50	0.43	ug/L			05/21/14 02:24	1
Chloroethane	<1.0		1.0	0.33	ug/L			05/21/14 02:24	1
Chloroform	<0.50		0.50	0.29	ug/L			05/21/14 02:24	1
Chloromethane	<0.50		0.50	0.32	ug/L			05/21/14 02:24	1
2-Chlorotoluene	<0.50		0.50	0.17	ug/L			05/21/14 02:24	1
4-Chlorotoluene	<0.50		0.50	0.16	ug/L			05/21/14 02:24	1
cis-1,2-Dichloroethene	<0.50		0.50	0.37	ug/L			05/21/14 02:24	1
cis-1,3-Dichloropropene	<0.50		0.50	0.32	ug/L			05/21/14 02:24	1
1,2-Dibromo-3-Chloropropane	<0.50		0.50	0.30	ug/L			05/21/14 02:24	1
Dibromomethane	<0.50		0.50	0.38	ug/L			05/21/14 02:24	1
1,2-Dichlorobenzene	<0.50		0.50	0.17	ug/L			05/21/14 02:24	1
1,3-Dichlorobenzene	<0.50		0.50	0.14	ug/L			05/21/14 02:24	1
1,4-Dichlorobenzene	<0.50		0.50	0.18	ug/L			05/21/14 02:24	1
Dichlorobromomethane	<0.50		0.50	0.10	ug/L			05/21/14 02:24	1
Dichlorodifluoromethane	<0.50		0.50	0.34	ug/L			05/21/14 02:24	1
1,1-Dichloroethane	<0.50		0.50	0.39	ug/L			05/21/14 02:24	1
1,2-Dichloroethane	<0.50		0.50	0.17	ug/L			05/21/14 02:24	1
1,1-Dichloroethene	<0.50		0.50	0.32	ug/L			05/21/14 02:24	1
1,2-Dichloropropane	<0.50		0.50	0.45	ug/L			05/21/14 02:24	1
1,3-Dichloropropane	<0.50		0.50	0.43	ug/L			05/21/14 02:24	1
2,2-Dichloropropane	<0.50		0.50	0.31	ug/L			05/21/14 02:24	1
1,1-Dichloropropene	<0.50		0.50	0.19	ug/L			05/21/14 02:24	1
1,3-Dichloropropene, Total	<0.50		0.50	0.32	ug/L			05/21/14 02:24	1
Diisopropyl ether	<0.50		0.50	0.28	ug/L			05/21/14 02:24	1
Ethylbenzene	<0.50		0.50	0.12	ug/L			05/21/14 02:24	1
Ethylene Dibromide	<0.50		0.50	0.20	ug/L			05/21/14 02:24	1
Freon 113	<0.50		0.50	0.15	ug/L			05/21/14 02:24	1
Hexachlorobutadiene	<0.50		0.50	0.26	ug/L			05/21/14 02:24	1
2-Hexanone	<10		10	5.0	ug/L			05/21/14 02:24	1
Isopropylbenzene	<0.50		0.50	0.15	ug/L			05/21/14 02:24	1
4-Isopropyltoluene	<0.50		0.50	0.21	ug/L			05/21/14 02:24	1
Methylene Chloride	<0.50		0.50	0.36	ug/L			05/21/14 02:24	1
2-Butanone (MEK)	<10		10	5.0	ug/L			05/21/14 02:24	1
4-Methyl-2-pentanone (MIBK)	<10		10	5.0	ug/L			05/21/14 02:24	1
m-Xylene & p-Xylene	<0.50		0.50	0.42	ug/L			05/21/14 02:24	1
Naphthalene	<1.0		1.0	0.43	ug/L			05/21/14 02:24	1
n-Butylbenzene	<0.50		0.50	0.17	ug/L			05/21/14 02:24	1
N-Propylbenzene	<0.50		0.50	0.17	ug/L			05/21/14 02:24	1
o-Xylene	<0.50		0.50	0.27	ug/L			05/21/14 02:24	1
sec-Butylbenzene	<0.50		0.50	0.14	ug/L			05/21/14 02:24	1

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-330048/6

Matrix: Water

Analysis Batch: 330048

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Styrene	<0.50		0.50	0.28	ug/L			05/21/14 02:24	1
Tert-amyl methyl ether	<0.50		0.50	0.20	ug/L			05/21/14 02:24	1
tert-Butyl alcohol	<2.0		2.0	1.6	ug/L			05/21/14 02:24	1
tert-Butylbenzene	<0.50		0.50	0.14	ug/L			05/21/14 02:24	1
Tert-butyl ethyl ether	<0.50		0.50	0.26	ug/L			05/21/14 02:24	1
1,1,1,2-Tetrachloroethane	<0.50		0.50	0.16	ug/L			05/21/14 02:24	1
1,1,2,2-Tetrachloroethane	<0.50		0.50	0.18	ug/L			05/21/14 02:24	1
Tetrachloroethene	<0.50		0.50	0.30	ug/L			05/21/14 02:24	1
Toluene	<0.50		0.50	0.23	ug/L			05/21/14 02:24	1
trans-1,2-Dichloroethene	<0.50		0.50	0.24	ug/L			05/21/14 02:24	1
trans-1,3-Dichloropropene	<0.50		0.50	0.48	ug/L			05/21/14 02:24	1
1,2,3-Trichlorobenzene	<0.50		0.50	0.14	ug/L			05/21/14 02:24	1
1,2,4-Trichlorobenzene	<0.50		0.50	0.18	ug/L			05/21/14 02:24	1
1,1,1-Trichloroethane	<0.50		0.50	0.27	ug/L			05/21/14 02:24	1
1,1,2-Trichloroethane	<0.50		0.50	0.22	ug/L			05/21/14 02:24	1
Trichloroethene	<0.50		0.50	0.37	ug/L			05/21/14 02:24	1
Trichlorofluoromethane	<0.50		0.50	0.23	ug/L			05/21/14 02:24	1
1,2,3-Trichloropropane	<0.50		0.50	0.18	ug/L			05/21/14 02:24	1
Trihalomethanes, Total	<0.50		0.50	0.10	ug/L			05/21/14 02:24	1
1,2,4-Trimethylbenzene	<0.50		0.50	0.17	ug/L			05/21/14 02:24	1
1,3,5-Trimethylbenzene	<0.50		0.50	0.16	ug/L			05/21/14 02:24	1
Vinyl chloride	<0.50		0.50	0.33	ug/L			05/21/14 02:24	1
Xylenes, Total	<0.50		0.50	0.27	ug/L			05/21/14 02:24	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene	97		70 - 130		05/21/14 02:24	1
1,2-Dichlorobenzene-d4	94		70 - 130		05/21/14 02:24	1

Lab Sample ID: LCS 680-330048/3

Matrix: Water

Analysis Batch: 330048

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Acetone	40.0	39.7		ug/L		99	70 - 130
Benzene	20.0	21.9		ug/L		109	70 - 130
Bromobenzene	20.0	22.1		ug/L		110	70 - 130
Bromoform	20.0	22.1		ug/L		111	70 - 130
Bromomethane	20.0	18.7		ug/L		93	70 - 130
Carbon tetrachloride	20.0	20.7		ug/L		104	70 - 130
Chlorobenzene	20.0	22.0		ug/L		110	70 - 130
Chlorobromomethane	20.0	21.6		ug/L		108	70 - 130
Chlorodibromomethane	20.0	23.3		ug/L		116	70 - 130
Chloroethane	20.0	21.0		ug/L		105	70 - 130
Chloroform	20.0	21.9		ug/L		110	70 - 130
Chloromethane	20.0	20.2		ug/L		101	70 - 130
2-Chlorotoluene	20.0	22.7		ug/L		114	70 - 130
4-Chlorotoluene	20.0	22.8		ug/L		114	70 - 130
cis-1,2-Dichloroethene	20.0	22.2		ug/L		111	70 - 130

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-330048/3

Matrix: Water

Analysis Batch: 330048

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,3-Dichloropropene	20.0	22.3		ug/L		112	70 - 130
1,2-Dibromo-3-Chloropropane	20.0	22.3		ug/L		112	70 - 130
Dibromomethane	20.0	20.7		ug/L		103	70 - 130
1,2-Dichlorobenzene	20.0	21.4		ug/L		107	70 - 130
1,3-Dichlorobenzene	20.0	21.8		ug/L		109	70 - 130
1,4-Dichlorobenzene	20.0	22.0		ug/L		110	70 - 130
Dichlorobromomethane	20.0	22.6		ug/L		113	70 - 130
Dichlorodifluoromethane	20.0	24.2		ug/L		121	70 - 130
1,1-Dichloroethane	20.0	22.2		ug/L		111	70 - 130
1,2-Dichloroethane	20.0	22.0		ug/L		110	70 - 130
1,1-Dichloroethene	20.0	21.8		ug/L		109	70 - 130
1,2-Dichloropropane	20.0	21.5		ug/L		108	70 - 130
1,3-Dichloropropane	20.0	21.4		ug/L		107	70 - 130
2,2-Dichloropropane	20.0	25.1		ug/L		125	70 - 130
1,1-Dichloropropene	20.0	23.7		ug/L		118	70 - 130
1,3-Dichloropropene, Total	40.0	44.9		ug/L		112	70 - 130
Diisopropyl ether	16.0	17.1		ug/L		107	70 - 130
Ethylbenzene	20.0	23.0		ug/L		115	70 - 130
Ethylene Dibromide	20.0	21.5		ug/L		108	70 - 130
Freon 113	16.0	19.4		ug/L		121	70 - 130
Hexachlorobutadiene	20.0	24.3		ug/L		121	70 - 130
2-Hexanone	40.0	41.1		ug/L		103	70 - 130
Isopropylbenzene	20.0	23.6		ug/L		118	70 - 130
4-Isopropyltoluene	20.0	25.1		ug/L		125	70 - 130
Methylene Chloride	20.0	21.6		ug/L		108	70 - 130
2-Butanone (MEK)	40.0	40.9		ug/L		102	70 - 130
4-Methyl-2-pentanone (MIBK)	40.0	42.6		ug/L		107	70 - 130
m-Xylene & p-Xylene	40.0	45.9		ug/L		115	70 - 130
Naphthalene	20.0	22.6		ug/L		113	70 - 130
n-Butylbenzene	20.0	24.6		ug/L		123	70 - 130
N-Propylbenzene	20.0	23.9		ug/L		120	70 - 130
o-Xylene	20.0	22.2		ug/L		111	70 - 130
sec-Butylbenzene	20.0	24.5		ug/L		123	70 - 130
Styrene	20.0	22.7		ug/L		113	70 - 130
Tert-amyl methyl ether	16.0	17.1		ug/L		107	70 - 130
tert-Butyl alcohol	80.0	81.7		ug/L		102	70 - 130
tert-Butylbenzene	20.0	23.5		ug/L		118	70 - 130
Tert-butyl ethyl ether	16.0	17.2		ug/L		107	70 - 130
1,1,1,2-Tetrachloroethane	20.0	23.1		ug/L		115	70 - 130
1,1,2,2-Tetrachloroethane	20.0	21.2		ug/L		106	70 - 130
Tetrachloroethene	20.0	22.6		ug/L		113	70 - 130
Toluene	20.0	22.4		ug/L		112	70 - 130
trans-1,2-Dichloroethene	20.0	21.6		ug/L		108	70 - 130
trans-1,3-Dichloropropene	20.0	22.6		ug/L		113	70 - 130
1,2,3-Trichlorobenzene	20.0	21.5		ug/L		108	70 - 130
1,2,4-Trichlorobenzene	20.0	22.2		ug/L		111	70 - 130
1,1,1-Trichloroethane	20.0	24.1		ug/L		121	70 - 130
1,1,2-Trichloroethane	20.0	21.3		ug/L		106	70 - 130

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-330048/3

Matrix: Water

Analysis Batch: 330048

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Trichloroethene	20.0	22.9		ug/L		114	70 - 130
Trichlorofluoromethane	20.0	24.7		ug/L		123	70 - 130
1,2,3-Trichloropropane	20.0	21.5		ug/L		107	70 - 130
Trihalomethanes, Total	80.0	89.9		ug/L		112	70 - 130
1,2,4-Trimethylbenzene	20.0	23.4		ug/L		117	70 - 130
1,3,5-Trimethylbenzene	20.0	23.6		ug/L		118	70 - 130
Vinyl chloride	20.0	20.1		ug/L		101	70 - 130
Xylenes, Total	60.0	68.2		ug/L		114	70 - 130

Surrogate	LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	103		70 - 130
1,2-Dichlorobenzene-d4	105		70 - 130

Lab Sample ID: LCSD 680-330048/4

Matrix: Water

Analysis Batch: 330048

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD		Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
		Result	Qualifier						
Acetone	40.0	37.1		ug/L		93	70 - 130	7	30
Benzene	20.0	21.6		ug/L		108	70 - 130	1	30
Bromobenzene	20.0	21.6		ug/L		108	70 - 130	2	30
Bromoform	20.0	22.2		ug/L		111	70 - 130	0	30
Bromomethane	20.0	20.8		ug/L		104	70 - 130	11	30
Carbon tetrachloride	20.0	20.4		ug/L		102	70 - 130	1	30
Chlorobenzene	20.0	21.9		ug/L		109	70 - 130	1	30
Chlorobromomethane	20.0	21.0		ug/L		105	70 - 130	3	30
Chlorodibromomethane	20.0	22.4		ug/L		112	70 - 130	4	30
Chloroethane	20.0	20.0		ug/L		100	70 - 130	5	30
Chloroform	20.0	21.7		ug/L		108	70 - 130	1	30
Chloromethane	20.0	18.8		ug/L		94	70 - 130	7	30
2-Chlorotoluene	20.0	22.5		ug/L		112	70 - 130	1	30
4-Chlorotoluene	20.0	22.5		ug/L		112	70 - 130	2	30
cis-1,2-Dichloroethene	20.0	22.1		ug/L		111	70 - 130	0	30
cis-1,3-Dichloropropene	20.0	22.0		ug/L		110	70 - 130	1	30
1,2-Dibromo-3-Chloropropane	20.0	20.7		ug/L		104	70 - 130	7	30
Dibromomethane	20.0	20.2		ug/L		101	70 - 130	2	30
1,2-Dichlorobenzene	20.0	20.7		ug/L		104	70 - 130	3	30
1,3-Dichlorobenzene	20.0	21.4		ug/L		107	70 - 130	2	30
1,4-Dichlorobenzene	20.0	21.5		ug/L		107	70 - 130	3	30
Dichlorobromomethane	20.0	22.5		ug/L		113	70 - 130	0	30
Dichlorodifluoromethane	20.0	24.0		ug/L		120	70 - 130	1	30
1,1-Dichloroethane	20.0	22.2		ug/L		111	70 - 130	0	30
1,2-Dichloroethane	20.0	21.0		ug/L		105	70 - 130	5	30
1,1-Dichloroethene	20.0	22.4		ug/L		112	70 - 130	3	30
1,2-Dichloropropane	20.0	21.6		ug/L		108	70 - 130	0	30
1,3-Dichloropropane	20.0	20.8		ug/L		104	70 - 130	3	30
2,2-Dichloropropane	20.0	24.2		ug/L		121	70 - 130	3	30
1,1-Dichloropropene	20.0	23.4		ug/L		117	70 - 130	1	30

TestAmerica Savannah

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 680-330048/4
Matrix: Water
Analysis Batch: 330048

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD
									Limit
1,3-Dichloropropene, Total	40.0	44.0		ug/L		110	70 - 130	2	30
Diisopropyl ether	16.0	17.0		ug/L		106	70 - 130	0	30
Ethylbenzene	20.0	23.1		ug/L		116	70 - 130	1	30
Ethylene Dibromide	20.0	20.9		ug/L		104	70 - 130	3	30
Freon 113	16.0	19.5		ug/L		122	70 - 130	0	30
Hexachlorobutadiene	20.0	23.6		ug/L		118	70 - 130	3	30
2-Hexanone	40.0	39.5		ug/L		99	70 - 130	4	30
Isopropylbenzene	20.0	23.5		ug/L		118	70 - 130	1	30
4-Isopropyltoluene	20.0	24.4		ug/L		122	70 - 130	3	30
Methylene Chloride	20.0	20.8		ug/L		104	70 - 130	4	30
2-Butanone (MEK)	40.0	40.7		ug/L		102	70 - 130	0	30
4-Methyl-2-pentanone (MIBK)	40.0	40.0		ug/L		100	70 - 130	6	30
m-Xylene & p-Xylene	40.0	45.3		ug/L		113	70 - 130	1	30
Naphthalene	20.0	21.7		ug/L		109	70 - 130	4	30
n-Butylbenzene	20.0	23.9		ug/L		119	70 - 130	3	30
N-Propylbenzene	20.0	23.5		ug/L		117	70 - 130	2	30
o-Xylene	20.0	22.7		ug/L		114	70 - 130	2	30
sec-Butylbenzene	20.0	23.8		ug/L		119	70 - 130	3	30
Styrene	20.0	22.1		ug/L		111	70 - 130	2	30
Tert-amyl methyl ether	16.0	16.1		ug/L		101	70 - 130	6	30
tert-Butyl alcohol	80.0	78.0		ug/L		98	70 - 130	5	30
tert-Butylbenzene	20.0	23.0		ug/L		115	70 - 130	2	30
Tert-butyl ethyl ether	16.0	16.9		ug/L		106	70 - 130	1	30
1,1,1,2-Tetrachloroethane	20.0	23.3		ug/L		116	70 - 130	1	30
1,1,2,2-Tetrachloroethane	20.0	20.3		ug/L		102	70 - 130	4	30
Tetrachloroethene	20.0	23.2		ug/L		116	70 - 130	3	30
Toluene	20.0	22.0		ug/L		110	70 - 130	2	30
trans-1,2-Dichloroethene	20.0	22.4		ug/L		112	70 - 130	3	30
trans-1,3-Dichloropropene	20.0	21.9		ug/L		110	70 - 130	3	30
1,2,3-Trichlorobenzene	20.0	21.3		ug/L		107	70 - 130	1	30
1,2,4-Trichlorobenzene	20.0	22.0		ug/L		110	70 - 130	1	30
1,1,1-Trichloroethane	20.0	24.0		ug/L		120	70 - 130	0	30
1,1,2-Trichloroethane	20.0	20.8		ug/L		104	70 - 130	2	30
Trichloroethene	20.0	22.3		ug/L		112	70 - 130	3	30
Trichlorofluoromethane	20.0	23.9		ug/L		120	70 - 130	3	30
1,2,3-Trichloropropane	20.0	20.7		ug/L		104	70 - 130	4	30
Trihalomethanes, Total	80.0	88.8		ug/L		111	70 - 130	1	30
1,2,4-Trimethylbenzene	20.0	22.8		ug/L		114	70 - 130	3	30
1,3,5-Trimethylbenzene	20.0	23.3		ug/L		116	70 - 130	1	30
Vinyl chloride	20.0	19.5		ug/L		98	70 - 130	3	30
Xylenes, Total	60.0	68.0		ug/L		113	70 - 130	0	30

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	99		70 - 130
1,2-Dichlorobenzene-d4	102		70 - 130

TestAmerica Savannah

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

GC/MS VOA

Analysis Batch: 329945

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-101429-1	RFW-20	Total/NA	Water	524.2	
680-101429-2	RFW-21	Total/NA	Water	524.2	
680-101429-5	Trip Blank	Total/NA	Water	524.2	
LCS 680-329945/4	Lab Control Sample	Total/NA	Water	524.2	
LCSD 680-329945/5	Lab Control Sample Dup	Total/NA	Water	524.2	
MB 680-329945/7	Method Blank	Total/NA	Water	524.2	

Analysis Batch: 330048

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-101429-3	HAMP-22	Total/NA	Water	524.2	
680-101429-4	HAMP-23	Total/NA	Water	524.2	
LCS 680-330048/3	Lab Control Sample	Total/NA	Water	524.2	
LCSD 680-330048/4	Lab Control Sample Dup	Total/NA	Water	524.2	
MB 680-330048/6	Method Blank	Total/NA	Water	524.2	

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Client Sample ID: RFW-20

Lab Sample ID: 680-101429-1

Date Collected: 05/13/14 11:45

Matrix: Water

Date Received: 05/16/14 09:42

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	329945	05/20/14 23:34	WJC	TAL SAV
Instrument ID: CMSU										

Client Sample ID: RFW-21

Lab Sample ID: 680-101429-2

Date Collected: 05/13/14 12:50

Matrix: Water

Date Received: 05/16/14 09:42

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	329945	05/21/14 00:01	WJC	TAL SAV
Instrument ID: CMSU										

Client Sample ID: HAMP-22

Lab Sample ID: 680-101429-3

Date Collected: 05/14/14 11:05

Matrix: Water

Date Received: 05/16/14 09:42

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	330048	05/21/14 08:50	RWB	TAL SAV
Instrument ID: CMSU										

Client Sample ID: HAMP-23

Lab Sample ID: 680-101429-4

Date Collected: 05/14/14 11:10

Matrix: Water

Date Received: 05/16/14 09:42

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	330048	05/21/14 09:17	RWB	TAL SAV
Instrument ID: CMSU										

Client Sample ID: Trip Blank

Lab Sample ID: 680-101429-5

Date Collected: 05/13/14 08:00

Matrix: Water

Date Received: 05/16/14 09:42

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	524.2		1	5 mL	5 mL	329945	05/20/14 15:48	WJC	TAL SAV
Instrument ID: CMSU										

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404


Website: www.testamericainc.com
Phone: (912) 354-7858
Fax: (912) 352-0165

Alternate Laboratory Name/Location

Phone:
Fax:

PROJECT REFERENCE Black + Decker	PROJECT NO. 02501.004.005.000	PROJECT LOCATION (STATE) MD	MATRIX TYPE	REQUIRED ANALYSIS				PAGE	OF
TAL (LAB) PROJECT MANAGER	P.O. NUMBER	CONTRACT NO.	COMPOSITE (C) OR GRAB (G) INDICATE AQUEOUS (WATER) SOLID OR SEMISOLID AIR NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	VOA	FCI	PRESERVATIVE	STANDARD REPORT DELIVERY	<input type="checkbox"/>	
CLIENT (SITE) PM Greg Flanski	CLIENT PHONE 610.781.0583	CLIENT FAX					DATE DUE	<input type="checkbox"/>	
CLIENT NAME Westair Solutions	CLIENT E-MAIL						EXPEDITED REPORT DELIVERY (SURCHARGE)	<input type="checkbox"/>	
CLIENT ADDRESS							DATE DUE	<input type="checkbox"/>	
COMPANY CONTRACTING THIS WORK (if applicable)							NUMBER OF COOLERS SUBMITTED PER SHIPMENT:		

SAMPLE		SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT, ...)	NUMBER OF CONTAINERS SUBMITTED				REMARKS
DATE	TIME							1	2	3	4	
5/13	1745	Rfw-20	G				✓					
5/13	1240	Rfw-21					✓					
5/14	1105	HAMP-22					✓					
5/14	1110	HAMP-23					✓					
5/13/14	800	Top Bulk					✓					



RELINQUISHED BY: (SIGNATURE) <i>[Signature]</i>	DATE 5/15/14	TIME 1600	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME	RECEIVED BY: (SIGNATURE)	DATE	TIME

RECEIVED FOR LABORATORY BY: (SIGNATURE) <i>[Signature]</i>	DATE 5/16/14	TIME 09:42	CUSTODY INTACT YES <input type="checkbox"/> NO <input type="checkbox"/>	CUSTODY SEAL NO.	SAVANNAH LOG NO. 680-101415	LABORATORY REMARKS 101429 2.4°C
---	------------------------	----------------------	---	------------------	---------------------------------------	---



Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 680-101429-1

Login Number: 101429

List Source: TestAmerica Savannah

List Number: 1

Creator: Conner, Keaton

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	False	CLIENT USED BOTTLE LABELS REFERRING TO A CHICAGO PROJECT
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Weston Solutions, Inc.
Project/Site: Black & Decker

TestAmerica Job ID: 680-101429-1

Laboratory: TestAmerica Savannah

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Maryland	State Program	3	250	12-31-14

