



Catalog 2022/23

Get more out of your Apple devices with





At LMP, we fill the gaps that professional and home users encounter in their day-to-day work with their Apple devices. Whether it's establishing connections to peripheral systems and devices, powering the Mac or iOS devices, inputting and storing data, or simply replacing or upgrading parts of the Apple device. LMP is dedicated

to providing high quality products that make digital life easier. LMP products are designed to be fully compatible with macOS, iPadOS and iOS. Design and material selection also harmonize perfectly with Apple hardware. Get more out of your Apple devices - with LMP.

## Our product categories



Docks & Hubs



Input Devices



Notebook Batteries




Power Management



Cables & Adapters



Accessories











Docks & Hubs

# LMP USB-C DuoDock

## 9-port dock & NVMe storage

The LMP USB-C DuoDock combines dock with storage functionality in a elegant aluminum housing. The DuoDock can be mounted on the base of the iMac 24" M1 (2021) with a magnetic clip or used as a stand-alone dock on any Mac. The connection to the host runs via two USB-C cables - one for the dock functions and one for the data transfer to the NVMe SSD. The dock offers a total of 9 ports including the slot for the M.2 PCIe NVMe SSD: 3x USB-A, 1x USB-C, 1x HDMI 2.0, 1x Gigabit Ethernet as well as one SD and one microSD card reader. The host can be powered via the USB-C port via Power Delivery 3.0 (up to 100 W). The slot for the M.2 PCIe NVMe SSD accommodates 4 different SSD sizes: 2230, 2242, 2260 and 2280. Whether connecting to peripherals or acting as lightning-fast data storage, the DuoDock does its job in duet and with elegance.

 Compatibility	Apple computer with two Thunderbolt 3/4 ports. Can be operated with single USB-C connection (dock or storage function).	 Video	1 x HDMI 2.0 (up to 4K@60 Hz)
 Connection	1x USB-C-port for dock function 1x USB-C-port for NVMe-SSD	 Network	1x Gigabit Ethernet (1 Gbps)
 Power	USB bus-powered Pass-through Power via USB-C Supports Power Delivery 3.0 / 100W	 Data	1x USB-C 3.1 Gen 1 (up to 5 Gbps, PD 3.0 up to 100 W) 3x USB-A 3.0 (up to 5 Gbps)
 Storage	1x M.2 PCIe NVMe SSD slot for 2230 (22 x 30 mm), 2242 (22 x 42 mm), 2260 (22 x 60 mm) or 2280 (22 x 80 mm)	 Card reader	1x microSD card reader 1x SD (UHS-II) card reader



PN 23790



# LMP USB-C SuperDock

## 15-port dual-link USB-C docking station

The name says it all: A total of 15 ports leave nothing to be desired in terms of data transfer & connectivity, video & audio, and network connection. And the included 130 W power adapter supplies the Mac-Book Pro/Air with power via USB-C (Power Delivery 3.0/100 W). Thanks to the USB-C dual connection to the host up to 2 external monitors can be operated at 4K@60 Hz\*. A great number of USB peripherals can be connected to the SuperDock thanks to the total of 7 USB ports.

<p><b>Compatibility</b></p> <p>Apple computer with two Thunderbolt 3/4 (USB-C) ports. Can be used with a single USB-C connection but only with severely limited features!</p>	<p><b>Video</b></p> <p>1x DisplayPort DP 1.4 (up to 4K@60 Hz) 1x Mini-DisplayPort DP 1.4 (up to 4K@60 Hz) 2x HDMI 2.0 (up to 4K@60 Hz)</p>
<p><b>Connection</b></p> <p>2x USB-C 3.1</p>	<p><b>Dual Monitor</b></p> <p>HDMI #1 &amp; HDMI #2 (dual 4K@60 Hz) or HDMI #1 &amp; DisplayPort (dual 4K@60 Hz) or HDMI #1 &amp; Mini-DisplayPort (dual 4K@60 Hz) *Apple M1/M2 devices support only one additional monitor! Intel, M1 Pro, Max and Ultra support 2 external monitors</p>
<p><b>Power</b></p> <p>External power supply (130 W, 110 - 240 V) On/Off button</p>	<p><b>Data</b></p> <p>1x USB-A 3.1 Gen 2 (up to 10 Gbps, BC 1.2 up to 1.5 A) 1x USB-C 3.1 Gen 2 (up to 10 Gbps, BC 1.2 up to 1.5 A) 1x USB-C 3.1 Gen 2 (up to 10 Gbps, up to 1.5 A) 2x USB-A 2.0 (up to 480 Mbit/s) 2x USB-A 3.0 (up to 5 Gbps)</p>
<p><b>Security</b></p> <p>Kensington Security Slot</p>	<p><b>Card reader</b></p> <p>1x SD (UHS-II) card reader</p>
<p><b>Network</b></p> <p>1x Gigabit Ethernet (1 Gbps)</p>	<p><b>Audio</b></p> <p>1x Audio In (3.5 mm) 1x Audio Out (3.5 mm)</p>













PN 22203



# LMP ThunderDock

## 8K 10-port Thunderbolt 4 Docking Station

Equipped with the latest generation Thunderbolt 4 chipset (Intel Goshen Ridge), the LMP ThunderDock provides a secure and ultra-fast work-flow even for the most demanding tasks. Backward compatible with Thunderbolt 3, USB4 and USB-C. Video up to 8K or 4K@120 Hz (HDMI 2.1) and dual 4K monitor support meet the highest demands in professional and gaming use. Power Delivery 3.0 and 2.5 Gbps Ethernet as well as multiple USB-A ports and SD card reader make the ThunderDock the universal interface between Mac and peripherals.

 <p>Compatibility</p> <p>Apple computer with one Thunderbolt 3/4 port.</p>	 <p>Video</p> <p>1x HDMI 2.1 (up to 8K@30 Hz oder 4K@120 Hz) 2x Thunderbolt 4 (1x 8K@30 Hz oder 2x 4K@60 Hz)</p>
 <p>Connection</p> <p>1x Thunderbolt 4</p>	 <p>Thunderbolt</p> <p>2x Thunderbolt 4 (up to 40 Gbps, up to 100 W) To connect monitors, raid systemen, SSDs and other Thunderbolt/USB-C devices.</p>
 <p>Power</p> <p>External power supply (135 W, 110 - 240 V) On/Off button</p>	 <p>Data</p> <p>4x USB-A 3.1 Gen 2 (up to 10 Gbps, BC 1.2 up to 1.5 A)</p>
 <p>Security</p> <p>Kensington Security Slot</p>	 <p>Card reader</p> <p>1x SD (UHS-II) card reader</p>
 <p>Network</p> <p>1x 2.5 Gigabit Ethernet (2.5 Gbps)</p>	 <p>Audio</p> <p>1x Audio (3.5 mm) for Audio In &amp; Out</p>
























PN 24893



# LMP Docks & Hubs

Bestseller

	 Compatibility	 Connection	 Video	 Data	 Network	 Card reader	 Audio	 Power	 Website
<p><b>LMP USB-C mini Dock</b> 4K 8-port USB-C dock Silver PN 14368 Space Gray PN 15954</p> 	Apple computer with one USB-C or Thunderbolt 3/4 port	USB-C 3.1	1 x HDMI 2.0 (up to 4K@60 Hz)	1x USB-C 3.1 Gen 1 (up to 5 Gbps, PD 3.0 up to 100 W) 1x USB-A 3.0 (up to 5 Gbps, BC 1.2 up to 1.5 A) 2x USB-A 3.0 (up to 5 Gbps)	1x Gigabit Ethernet (1 Gbps)	1x microSD card reader 1x SD card reader		bus-powered	
<p><b>LMP USB-C Hub</b> 7-port hub with external power supply (36 W) Space Gray PN 22366 Silver PN 22700</p> 	Apple computer with one USB-C or Thunderbolt 3/4 port	USB-C 3.1		2x USB-C 3.1 Gen 1 (up to 5 Gbps, BC 1.2 up to 15 W) 1x USB-A 3.0 (up to 5 Gbps, BC 1.2 up to 15 W shared with 2 USB-C ports) 1x USB-C 3.1 Gen 1 (up to 5 Gbps, up to 9 W shared with USB-A port) 1x USB-A 3.0 (up to 5 Gbps, up to 9 W shared with USB-C port) 2x USB-A 3.0 (up to 5 Gbps, up to 9 W shared)				External power supply 36W, 110 - 240 V	
<p><b>LMP USB-C Tablet Dock Pro</b> 5-port USB-C dock for iPad Pro/Air Space Gray PN 22839</p> 	Apple iPad with one USB-C or Thunderbolt 3/4 port	USB-C 3.1	1 x HDMI 2.0 (up to 4K@60 Hz)	1x USB-C 3.1 Gen 1 (up to 5 Gbps, PD 3.0 up to 100 W) 1x USB-A 3.0 (up to 5 Gbps)	1x Gigabit Ethernet (1 Gbps)		1x Audio In & Out (3.5 mm)	bus-powered	
<p><b>LMP USB-C DuoDock</b> 9-port USB-C dock &amp; NVMe storage Silver PN 23790</p> 	Apple computer with two Thunderbolt 3/4 ports	2x USB-C 3.1	1 x HDMI 2.0 (up to 4K@60 Hz)	1x USB-C 3.1 Gen 1 (up to 5 Gbps, PD 3.0 up to 100 W) 3x USB-A 3.0 (up to 5 Gbps)	1x Gigabit Ethernet (1 Gbps)	1x microSD card reader 1x SD card reader 1x M.2 PCIe NVMe SSD slot		bus-powered	
<p><b>LMP USB-C Tiny Hub</b> 3-port USB-A hub for iMac 24" M1 (2021) Silver PN 23794</p> 	iMac with one USB-C or Thunderbolt 3/4 port	1x USB-C 3.1		3x USB-A 3.0 (up to 5 Gbps)				bus-powered	
<p><b>LMP USB-C Display Dock 2</b> 4K 12-port USB-C dock Space Gray PN 20416</p> 	Apple computer with two Thunderbolt 3/4 ports. Can be used with a single USB-C connection but only with severely limited features. Not suited for 12" MacBook or notebook with only one free USB-C/Thunderbolt 3 port.	2x USB-C 3.1	2x HDMI 2.0 (up to 4K@60 Hz) 1x DisplayPort DP 1.4 (up to 4K@60 Hz) 1x Mini-DisplayPort DP 1.4 (up to 4K@60 Hz) 1x DVI (up to 1080p@60 Hz) 1x VGA (up to 1080p@60 Hz)	1x USB-C 3.1 Gen 1 (up to 5 Gbps) 1x USB-C 3.1 (PD 3.0 up to 100W) 1x USB-A 3.0 (up to 5 Gbps, BC 1.2 up to 1.5 A) 1x USB-A 3.0 (up to 5 Gbps)	1x Gigabit Ethernet (1 Gbps)		1x Audio Out (3.5 mm)	bus-powered	

NEW

Bestseller



Compatibility



Connection



Video



Data



Network



Card reader



Audio



Power



Website

LMP USB-C Dual Adapter  
For additional external monitor for M1/M2  
Black PN 24174



Apple computer with one USB-C or Thunderbolt 3/4 port

USB-C 3.1

1x HDMI 1.4 (up to 4K@30 Hz)  
1x VGA (up to 1080p@60 Hz)

bus-powered



LMP USB-C SuperDock  
15-port dual-link USB-C docking station  
Space Gray PN 22203



Apple computer with two Thunderbolt 3/4 ports.  
Can be used with a single USB-C connection but only with severely limited features.  
Not suited for 12" MacBook or notebook with only one free USB-C/Thunderbolt 3/4 port.

2x USB-C 3.1

2x HDMI 2.0 (up to 4K@60 Hz)  
1x DisplayPort DP 1.4 (up to 4K@60 Hz)  
1x Mini-DisplayPort DP 1.4 (up to 4K@60 Hz)

1x USB-C 3.1 Gen 2 (up to 10 Gbps, BC 1.2 up to 1.5 A)  
1x USB-C 3.1 Gen 2 (up to 10 Gbps)  
1x USB-A 3.1 Gen 2 (up to 10 Gbps, BC 1.2 up to 1.5 A)  
2x USB-A 3.0 (up to 5 Gbps)  
2x USB-A 2.0 (up to 480 Mbit/s)

1x Gigabit Ethernet (1 Gbps)

1x SD card reader

1x Audio In (3.5 mm)  
1x Audio Out (3.5 mm)

External power supply  
130 W, 110 - 240 V  
Power Delivery 3.0/100 W



LMP ThunderDock  
8K 10-port Thunderbolt 4 Docking Station  
Space Gray PN 24893



Apple computer with one Thunderbolt 3/4 port

1x Thunderbolt 3/4

1x HDMI 2.1 (up to 8K@30 Hz or 4K@120 Hz)  
2x Thunderbolt 4  
(1x 8K@30 Hz or 2x 4K@60 Hz or 2x 5K@60 Hz)

4x USB-A 3.1 Gen 2 (up to 10 Gbps, BC 1.2 up to 1.5 A)  
2x Thunderbolt 4 (up to 40 Gbps)

1x 2.5 Gigabit Ethernet (2.5 Gbps)

1x SD card reader

1x Audio In & Out (3.5 mm)

External power supply  
135 W, 110 - 240 V  
Power Delivery 3.0/100 W



LMP USB-C Travel Dock  
With retractable USB-C connection cable  
Silver PN 16841  
Space Gray PN 16845  
Gold PN 19009



Apple computer with one USB-C or Thunderbolt 3/4 port

USB-C 3.1

1 x HDMI 2.0 (up to 4K@60 Hz)  
1x Mini-DisplayPort DP 1.4 (up to 4K@60 Hz)  
1x VGA (up to 1080p@60 Hz)

1x USB-A 3.0 (up to 5 Gbps, BC 1.2 up to 1.5 A)  
1x USB-A 3.0 (up to 5 Gbps)  
1x USB-C 3.1 (PD 3.0 up to 100 W)

1x Gigabit Ethernet (1 Gbps)

1x microSD card reader  
1x SD card reader

bus-powered



LMP USB-C Attach Dock Pro  
USB-C dock 4K 10-port for iMac with video support  
Space Gray PN 18633  
Silver PN 18637



iMac 21.5" / 27" (Intel) with one Thunderbolt 3/4 and two USB-A ports.  
For full functionality all 3 host links must be connected.

1x USB-C 3.1  
2x USB-A 3.0

1x HDMI 2.0 (up to 4K@60 Hz)  
1x Mini-DisplayPort DP 1.4 (up to 4K@60 Hz)  
1x VGA (up to 1080p@60 Hz)

1x USB-C 3.1 Gen 1 (up to 5 Gbps)  
1x USB-A 3.0 (up to 5 Gbps, up to 1 A)  
2x USB-A 3.0 (up to 5 Gbps, up to 1.5 A)

1x microSD card reader  
1x SD card reader

1x Audio Out (3.5 mm)

bus-powered



LMP USB-C Attach Hub  
USB-C Hub 7-port for iMac with Thunderbolt 3 (USB-C)  
Silver PN 18629



iMac 21.5" / 27" (Intel) with one Thunderbolt 3/4 and one USB-A port.  
Both host links must be connected for the USB-C/USB-A ports to be fully functional and deliver power.

1x USB-C 3.1  
1x USB-A 3.0

1x USB-C 3.1 Gen 1 (up to 5 Gbps, up to 2.5 A shared with USB-A port)  
1x USB-A 3.0 (up to 5 Gbps, up to 2.5 A shared with USB-C port)  
1x USB-A 3.0 (up to 5 Gbps, up to 0.5 A)  
1x USB-A 3.0 (up to 5 Gbps, up to 1.5 A)

1x microSD card reader  
1x SD card reader

1x Audio Out (3.5 mm)

bus-powered



LMP USB-C Attach Dock ProStand 4K  
Docking station for LMP ProStand and VerticalStand  
Silver PN 19095



Apple computer with two Thunderbolt 3/4 ports.  
Both host links must be connected for the USB-C/USB-A ports to be fully functional and deliver power.

2x USB-C 3.1

1x HDMI 2.0 (up to 4K@60 Hz)  
1x Mini-DisplayPort DP 1.4 (up to 4K@60 Hz)

1x USB-A 3.0 (up to 5 Gbps, up to 1.5 A)  
2x USB-A 3.0 (up to 5 Gbps, up to 2 A)  
1x USB-C 3.1 (PD 3.0 up to 100W)

1x Gigabit Ethernet (1 Gbps)

bus-powered



Bestseller

Bestseller





Compatibility



Connection



Video



Data



Network



Card reader



Audio



Power



Website

### LMP USB-C Multiport Adapter VGA

3-port USB-C multiport adapter with VGA, USB 3.0 and USB-C

Silver PN 15093  
Space Gray PN 15951  
Gold PN 18947



Apple computer with one USB-C or Thunderbolt 3/4 port

USB-C 3.1

1x VGA (up to 1080p@60 Hz)

1x USB-A 3.0 (up to 5 Gbps)  
1x USB-C 3.1 (PD 2.0 up to 60 W)

bus-powered



### LMP USB-C Multiport Adapter HDMI

3-port USB-C multiport adapter with HDMI, USB 3.0 and USB-C

Silver PN 15090  
Space Gray PN 15948  
Gold PN 18944



Apple computer with one USB-C or Thunderbolt 3/4 port

USB-C 3.1

1x HDMI 1.4 (up to 4K@30 Hz)

1x USB-A 3.0 (up to 5 Gbps)  
1x USB-C 3.1 (up to 5 Gbps, PD 2.0 up to 60 W)

bus-powered



### LMP USB-C Compact Dock 2

4K 6-port USB-C dock, ideal for MacBook Air/Pro M1/M2

Space Gray PN 24418  
Silver PN 24879



MacBook Air/Pro with two Thunderbolt 3/4 ports

2x USB-C 3.1

1x HDMI 2.0 (up to 4K@60 Hz)

1x Thunderbolt 3/4 (USB-C) (up to 40 Gbps, PD 3.0 up to 100 W)  
1x USB-C 3.1 Gen 1 (up to 5 Gbps, PD 3.0 up to 100 W)  
2x USB-A 3.0 (up to 5 Gbps)

1x Gigabit Ethernet (1 Gbps)

Cutout on dock for 3.5 mm jack

bus-powered



### LMP USB-C Compact Dock

4K 8-port USB-C dock, for MacBook Air/Pro Intel

Silver PN 17278  
Gold PN 18954



MacBook Pro/Air with two Thunderbolt 3/4 ports  
Not suited for MacBook Pro/Air with MagSafe port.

2x USB-C 3.1

1x HDMI 1.4 (up to 4K@30 Hz)  
1x Mini-DisplayPort DP 1.4 (up to 4K@60 Hz)

1x USB-C 3.1 Gen 1 (up to 5 Gbps, PD 2.0 up to 60 W)  
1x USB-A 3.0 (up to 5 Gbps, up to 1.5 A)  
1x USB-A 3.0 (up to 5 Gbps)

1x Gigabit Ethernet (1 Gbps)

1x microSD card reader  
1x SD card reader

bus-powered



### LMP USB-C Video Hub

5-port USB-C video hub with HDMI, USB 3.0 and USB-C

Silver PN 17101  
Space Gray PN 17104



Apple computer with one USB-C or Thunderbolt 3/4 port

USB-C 3.1

1x HDMI 1.4 (up to 4K@30 Hz)

1x USB-C 3.1 Gen 1 (up to 5 Gbps, PD 2.0 up to 60 W)  
1x USB-A 3.0 (up to 5 Gbps, up to 1.5 A)  
2x USB-A 3.0 (up to 5 Gbps)

bus-powered



### LMP USB-C Basic Hub

6-port USB-C hub with USB 3.0, SD/microSD, USB-C

Silver PN 18118  
Space Gray PN 18122  
Gold PN 18958



Apple computer with one USB-C or Thunderbolt 3/4 port

USB-C 3.1

1x USB-A 3.0 (up to 5 Gbps, BC 1.2 up to 1.5 A)  
2x USB-A 3.0 (up to 5 Gbps)  
1x USB-C 3.1 (PD 3.0 up to 100 W)

1x microSD card reader  
1x SD card reader

bus-powered



### LMP PowerDock

USB-C GaN power adapter & 5-port USB-C dock

Silver PN 25186  
Black PN 25189



Apple computer with one USB-C or Thunderbolt 3/4 port

USB-C 3.1

1x HDMI 2.0 (up to 4K@60 Hz)




1x USB-A 3.2 (up to 5 Gbps, BC 1.2 up to 1.5 A)  
2x USB-C 3.2 (up to 5 Gbps, BC 1.2 up to 1.5 A)

1x Gigabit Ethernet (1 Gbit/s)

130 W, 110 - 240 V  
or  
bus-powered




NEW



# LMP Keyboards

Countless possibilities thanks to own laser device

LMP keyboards can be produced in (almost) any layout imaginable. Thanks to our new laser machine, even the smallest quantities can be supplied on customer request. New layouts no longer require a minimum order quantity. Furthermore special layouts, such as keyboards with large lettering for people with visual impairments, are also feasible. Other applications are possible - just ask us.






















LMP Keyboards



# LMP Input Devices

Bestseller

	 Compatibility	 Connection	 Data	 Material	 Layouts	 Farben	 Website
<p>LMP USB numeric keyboard (ISO)</p> <p>110 keys, 2x USB port, aluminum</p> <p>Model KB-1243 (ISO)</p> 	<p>Mac OS X 10.5 to 10.11 macOS 10.12 and higher Mac with USB port</p>	<p>USB-A</p>	<p>2x USB-A</p>	<p>Aluminum upper cover</p>	<p>CH, DE, UK EN, IT, FR, BE, ES, CZ, IS, SE, SK, HU, SI, HR, RS, ME, BA, NL, PT, PL, GR, ZA, Arab FR, IL, TR, Arab EN, LT, GR, SI, HR, RS, ME, BA, RU, UA Other layouts on customer's request For PN and EAN please visit website</p>	<p>Silver Space Gray</p>	
<p>LMP USB numeric keyboard (ANSI)</p> <p>109 keys, 2x USB port, aluminum</p> <p>Model KB-1243 (ANSI)</p> 	<p>Mac OS X 10.5 to 10.11 macOS 10.12 and higher Mac with USB port</p>	<p>USB-A</p>	<p>2x USB-A</p>	<p>Aluminum upper cover</p>	<p>US</p>	<p>Silver Space Gray</p>	
<p>LMP Bluetooth numeric keyboard</p> <p>Bluetooth, multi-host connectivity, aluminum</p> <p>Model WKB-1243 (ISO)</p> 	<p>iOS 13 and higher iPadOS 13 and higher Mac OS X, macOS 10.12 and higher</p>	<p>Bluetooth 3.0</p>		<p>Aluminum upper cover</p>	<p>CH, DE, UK EN, IT, FR, BE, ES, CZ, IS, SE, SK, HU, SI, HR, RS, ME, BA, NL, PT, PL, GR, ZA, Arab FR, IL, TR, Arab EN, LT, GR, SI, HR, RS, ME, BA, RU, UA Other layouts on customer's request For PN and EAN please visit website</p>	<p>Silver Space Gray</p>	
<p>LMP Large Font USB keyboard (ISO)</p> <p>KB-1243-BIG, 110 keys USB large font keyboard</p> <p>Model KB-1243-BIG (ISO)</p> 	<p>Mac OS X 10.5 to 10.11 macOS 10.12 and higher Mac with USB port</p>	<p>USB-A</p>	<p>2x USB-A</p>	<p>Aluminum upper cover</p>	<p>CH, DE, EN, IT, FR, CZ Other layouts on customer's request For PN and EAN please visit website</p>	<p>Silver Space Gray</p>	
<p>LMP USB-C numeric keyboard (ISO)</p> <p>106 keys, USB-C port, aluminum</p> <p>Model KB-1843 (ISO)</p> 	<p>Mac OS X, macOS 10.12 and higher iOS 13 and higher, iPadOS 13 and higher</p>	<p>USB-C</p>	<p>1x USB-C</p>	<p>Aluminum upper cover</p>	<p>CH, DE, UK EN, IT, FR, BE, ES, CZ, IS, SE, SK, HU, SI, HR, RS, ME, BA, NL, PT, PL, GR, ZA, Arab FR, IL, TR, Arab EN, LT, GR, SI, HR, RS, ME, BA, RU, UA Other layouts on customer's request For PN and EAN please visit website</p>	<p>Silver</p>	
<p>LMP Lightning keyboard for iPad, iPhone</p> <p>MFi certified keyboard SAKB-0808, 78 keys</p> <p>Model SAKB-0808</p> 	<p>iOS 13 and higher iPadOS 13 and higher</p>	<p>Lightning</p>		<p>ABS plastic</p>	<p>CH, DE, EN, IT Other layouts on customer's request For PN and EAN please visit website</p>	<p>Black</p>	



Compatibility



Connection



Power



Sensor



Material



Layouts



Website

LMP Keyboard ProtectCase for iPad 10.2"  
Black PN 20730



iPad 10.2" (7th generation)  
iPad 10.2" (8th generation)  
iPad 10.2" (9th generation)

Bluetooth 5.0

Lithium-ion (280 mAh) battery  
Charging via USB-C

Polyurethane

CH, DE, EN, IT  
Other layouts on customer's request  
For PN and EAN please visit website



LMP Master Mouse Bluetooth

Wireless optical 2-button mouse with scroll wheel

Silver/White PN 22920  
Space Gray/Black PN 22930



Mac OS X, macOS 10.12 and higher  
Bluetooth 3.0 and higher

Bluetooth LE 4.2

Lithium-ion (350 mAh) battery  
Charging via USB-C

1600 dpi high-precision IR sensor

ABS upper case  
Aluminum housing  
Silicone sliding rails



LMP Easy Mouse USB-C

Wireless 2-button mouse with scroll wheel and 2-in-1 plug

Space Gray/Black PN 21090  
Silver/White PN 20442



Mac OS X, macOS 10.12 and higher

USB-C & USB-A (2-in-1)

1600 dpi high-precision IR sensor

ABS upper case  
Aluminum housing  
Silicone sliding rails



LMP Easy Mouse USB

Optical 2-button mouse with scroll wheel and USB-A plug

Silver/White PN 20411



Mac OS X, macOS 10.12 and higher

USB-A

1600 dpi high-precision IR sensor

ABS upper case  
Aluminum housing  
Silicone sliding rails



LMP DigiPen

Digital pen for iPad

White PN 24710



From iPad (6th generation), iPad Pro 2018,  
iPad Air, iPad mini and higher.  
From iOS 12.2, iPadOS 13 and higher.

Lithium-ion (350 mAh) battery  
Charging via USB-C

Aluminum





# Notebook Batteries

Wiederaufladbare Li-Ion Polymer Batterie  
MacBook Pro 13" Retina, 10/13 - 3/15, built-in, Li-Ion Polymer, A1493, 11.34V, 79Wh  
Achtung: Die Batterie darf nicht geöffnet, fallen gelassen, gequetscht, ins offene Feuer geworfen oder über 100°C erhitzt werden. Bei falscher Handhabung kann sie sich entzünden. Sie muss getrennt vom Hausmüll dem Batterieschrott zugeführt werden. Enthält kein Quecksilber (Hg).

Rechargeable li-ion polymer battery  
MacBook Pro 13" Retina, 10/13 - 3/15, built-in, Li-Ion Polymer, A1493, 11.34V, 79Wh  
Attention: Risk of fire or burn if mishandled. Do not disassemble, drop, crush, or expose to fire or heat above 100°C. To be recycled by disposing of in battery waste. Do not dispose of in domestic waste. Contains no mercury (Hg).

Batterie rechargeable li-ion polymer  
MacBook Pro 13" Retina, 10/13 - 3/15, built-in, Li-Ion Polymer, A1493, 11.34V, 79Wh  
Attention: En cas de mauvaise manipulation, risque de prendre feu ou de provoquer des brûlures. Ne pas retirer, démonter, faire tomber, écraser ou exposer à des sources inflammables ou des températures supérieures à 100°C. Ne pas jeter avec les ordures ménagères. Ne contient pas de mercure (Hg).

P/N: 17444  
Made in China  
All rights reserved  
V3.0 | 2/2021  
www.lmp.ch

Wiederaufladbare Li-Ion Polymer Batterie  
MacBook Pro 15", 6/12 - 10/13, built-in, A1417, 10.95V, 86.95Wh  
Achtung: Die Batterie darf nicht geöffnet, fallen gelassen, gequetscht, ins offene Feuer geworfen oder über 100°C erhitzt werden. Bei falscher Handhabung kann sie sich entzünden. Sie muss getrennt vom Hausmüll dem Batterieschrott zugeführt werden. Enthält kein Quecksilber (Hg).

Rechargeable li-ion polymer battery  
MacBook Pro Retina 15", 6/12 - 10/13, built-in, A1417, 10.95V, 86.95Wh  
Attention: Risk of fire or burn if mishandled. Do not disassemble, drop, crush, or expose to fire or heat above 100°C. To be recycled by disposing of in battery waste. Do not dispose of in domestic waste. Contains no mercury (Hg).

Batterie rechargeable li-ion polymer  
MacBook Pro Retina 15", 6/12 - 10/13, built-in, A1417, 10.95V, 86.95Wh  
Attention: En cas de mauvaise manipulation, risque de prendre feu ou de provoquer des brûlures. Ne pas retirer, démonter, faire tomber, écraser ou exposer à des sources inflammables ou des températures supérieures à 100°C. Ne pas jeter avec les ordures ménagères. Ne contient pas de mercure (Hg).

P/N: 17031  
Made in China  
All rights reserved  
V3.0 | 2/2021  
www.lmp.ch

Wiederaufladbare Li-Ion Polymer Batterie  
MacBook Pro Retina 15", 6/12 - 10/13, built-in, A1417, 10.95V, 86.95Wh  
Achtung: Die Batterie darf nicht geöffnet, fallen gelassen, gequetscht, ins offene Feuer geworfen oder über 100°C erhitzt werden. Bei falscher Handhabung kann sie sich entzünden. Sie muss getrennt vom Hausmüll dem Batterieschrott zugeführt werden. Enthält kein Quecksilber (Hg).

Rechargeable li-ion polymer battery  
MacBook Pro Retina 15", 6/12 - 10/13, built-in, A1417, 10.95V, 86.95Wh  
Attention: Risk of fire or burn if mishandled. Do not disassemble, drop, crush, or expose to fire or heat above 100°C. To be recycled by disposing of in battery waste. Do not dispose of in domestic waste. Contains no mercury (Hg).

Batterie rechargeable li-ion polymer  
MacBook Pro Retina 15", 6/12 - 10/13, built-in, A1417, 10.95V, 86.95Wh  
Attention: En cas de mauvaise manipulation, risque de prendre feu ou de provoquer des brûlures. Ne pas retirer, démonter, faire tomber, écraser ou exposer à des sources inflammables ou des températures supérieures à 100°C. Ne pas jeter avec les ordures ménagères. Ne contient pas de mercure (Hg).

P/N: 17031  
Made in China  
All rights reserved  
V3.0 | 2/2021  
www.lmp.ch

Wiederaufladbare Li-Ion Polymer Batterie  
MacBook Pro 13" Retina, 10/13 - 3/15, built-in, Li-Ion Polymer, A1493, 11.34V, 79Wh  
Achtung: Die Batterie darf nicht geöffnet, fallen gelassen, gequetscht, ins offene Feuer geworfen oder über 100°C erhitzt werden. Bei falscher Handhabung kann sie sich entzünden. Sie muss getrennt vom Hausmüll dem Batterieschrott zugeführt werden. Enthält kein Quecksilber (Hg).

Rechargeable li-ion polymer battery  
MacBook Pro 13" Retina, 10/13 - 3/15, built-in, Li-Ion Polymer, A1493, 11.34V, 79Wh  
Attention: Risk of fire or burn if mishandled. Do not disassemble, drop, crush, or expose to fire or heat above 100°C. To be recycled by disposing of in battery waste. Do not dispose of in domestic waste. Contains no mercury (Hg).

Batterie rechargeable li-ion polymer  
MacBook Pro 13" Retina, 10/13 - 3/15, built-in, Li-Ion Polymer, A1493, 11.34V, 79Wh  
Attention: En cas de mauvaise manipulation, risque de prendre feu ou de provoquer des brûlures. Ne pas retirer, démonter, faire tomber, écraser ou exposer à des sources inflammables ou des températures supérieures à 100°C. Ne pas jeter avec les ordures ménagères. Ne contient pas de mercure (Hg).

P/N: 17445  
Made in China  
All rights reserved  
V3.0 | 2/2021  
www.lmp.ch

Wiederaufladbare Li-Ion Polymer Batterie  
MacBook Pro 13" Retina, 10/13 - 3/15, built-in, Li-Ion Polymer, A1493, 11.34V, 79Wh  
Achtung: Die Batterie darf nicht geöffnet, fallen gelassen, gequetscht, ins offene Feuer geworfen oder über 100°C erhitzt werden. Bei falscher Handhabung kann sie sich entzünden. Sie muss getrennt vom Hausmüll dem Batterieschrott zugeführt werden. Enthält kein Quecksilber (Hg).

Rechargeable li-ion polymer battery  
MacBook Pro 13" Retina, 10/13 - 3/15, built-in, Li-Ion Polymer, A1493, 11.34V, 79Wh  
Attention: Risk of fire or burn if mishandled. Do not disassemble, drop, crush, or expose to fire or heat above 100°C. To be recycled by disposing of in battery waste. Do not dispose of in domestic waste. Contains no mercury (Hg).

Batterie rechargeable li-ion polymer  
MacBook Pro 13" Retina, 10/13 - 3/15, built-in, Li-Ion Polymer, A1493, 11.34V, 79Wh  
Attention: En cas de mauvaise manipulation, risque de prendre feu ou de provoquer des brûlures. Ne pas retirer, démonter, faire tomber, écraser ou exposer à des sources inflammables ou des températures supérieures à 100°C. Ne pas jeter avec les ordures ménagères. Ne contient pas de mercure (Hg).

P/N: 23190  
Made in China  
All rights reserved  
V3.0 | 2/2021  
www.lmp.ch

Wiederaufladbare Li-Ion Polymer Batterie  
MacBook Pro 13" Retina, 10/13 - 3/15, built-in, Li-Ion Polymer, A1493, 11.34V, 79Wh  
Achtung: Die Batterie darf nicht geöffnet, fallen gelassen, gequetscht, ins offene Feuer geworfen oder über 100°C erhitzt werden. Bei falscher Handhabung kann sie sich entzünden. Sie muss getrennt vom Hausmüll dem Batterieschrott zugeführt werden. Enthält kein Quecksilber (Hg).

Rechargeable li-ion polymer battery  
MacBook Pro 13" Retina, 10/13 - 3/15, built-in, Li-Ion Polymer, A1493, 11.34V, 79Wh  
Attention: Risk of fire or burn if mishandled. Do not disassemble, drop, crush, or expose to fire or heat above 100°C. To be recycled by disposing of in battery waste. Do not dispose of in domestic waste. Contains no mercury (Hg).

Batterie rechargeable li-ion polymer  
MacBook Pro 13" Retina, 10/13 - 3/15, built-in, Li-Ion Polymer, A1493, 11.34V, 79Wh  
Attention: En cas de mauvaise manipulation, risque de prendre feu ou de provoquer des brûlures. Ne pas retirer, démonter, faire tomber, écraser ou exposer à des sources inflammables ou des températures supérieures à 100°C. Ne pas jeter avec les ordures ménagères. Ne contient pas de mercure (Hg).

P/N: 23190  
Made in China  
All rights reserved  
V3.0 | 2/2021  
www.lmp.ch

Wiederaufladbare Li-Ion Polymer Batterie  
MacBook Pro 15", 6/12 - 10/13, built-in, A1417, 10.95V, 86.95Wh  
Achtung: Die Batterie darf nicht geöffnet, fallen gelassen, gequetscht, ins offene Feuer geworfen oder über 100°C erhitzt werden. Bei falscher Handhabung kann sie sich entzünden. Sie muss getrennt vom Hausmüll dem Batterieschrott zugeführt werden. Enthält kein Quecksilber (Hg).

Rechargeable li-ion polymer battery  
MacBook Pro Retina 15", 6/12 - 10/13, built-in, A1417, 10.95V, 86.95Wh  
Attention: Risk of fire or burn if mishandled. Do not disassemble, drop, crush, or expose to fire or heat above 100°C. To be recycled by disposing of in battery waste. Do not dispose of in domestic waste. Contains no mercury (Hg).

Batterie rechargeable li-ion polymer  
MacBook Pro Retina 15", 6/12 - 10/13, built-in, A1417, 10.95V, 86.95Wh  
Attention: En cas de mauvaise manipulation, risque de prendre feu ou de provoquer des brûlures. Ne pas retirer, démonter, faire tomber, écraser ou exposer à des sources inflammables ou des températures supérieures à 100°C. Ne pas jeter avec les ordures ménagères. Ne contient pas de mercure (Hg).

























P/N: 17031  
Made in China  
All rights reserved  
V3.0 | 2/2021  
www.lmp.ch



































# LMP Notebook Batteries

NEW


NEW

NEW

	 Compatibility	 Capacity / Voltage	 Website		 Compatibility	 Capacity / Voltage	 Website	
<b>LMP Battery MacBook Pro 16" M1/M2 Thunderbolt 4</b> From 10/21, built-in, lithium-ion-polymer, A2527, 11.45 V, 99 Wh PN 25914	MacBook Pro (16-inch, 2021) MacBook Pro (16-inch, 2023)	99 Wh / 11.45 V		<b>LMP Battery MacBook Pro 13" (Function Keys) Thunderbolt 3</b> 10/16 - 7/22, built-in, lithium-ion-polymer, A1713 & A2171, 11.4 V, 58 Wh PN 23194		MacBook Pro (13-inch, 2016, Two Thunderbolt 3 Ports) MacBook Pro (13-inch, 2017, Two Thunderbolt 3 Ports) MacBook Pro (13-inch, 2019, Two Thunderbolt 3 ports) MacBook Pro (13-inch, 2020, Two Thunderbolt 3 ports) MacBook Pro (13-inch, M1, 2020)	58 Wh / 11.4 V	
<b>LMP Battery MacBook Pro 14" M1/M2 Thunderbolt 4</b> From 10/21, built-in, lithium-ion-polymer, A2519, 11.46 V, 70 Wh PN 25913	MacBook Pro (14-inch, 2021) MacBook Pro (14-inch, 2023)	70 Wh / 11.46 V		<b>LMP Battery MacBook Pro 13" (Touch Bar) Thunderbolt 3</b> 7/18 - 10/21, built-in, lithium-ion-polymer, A1964, 11.41 V, 58 Wh PN 23193		MacBook Pro (13-inch, 2018, Four Thunderbolt 3 Ports) MacBook Pro (13-inch, 2019, Four Thunderbolt 3 ports) MacBook Pro (13-inch, 2020, Four Thunderbolt 3 ports)	58 Wh / 11.4 V	
<b>LMP Battery MacBook 12" Thunderbolt 3</b> 4/15 - 6/19, built-in, lithium-ion-polymer, A1527 & A1705, 7.56 V, 36 Wh PN 25912	MacBook (Retina, 12-inch, Early 2015) MacBook (Retina, 12-inch, Early 2016) MacBook (Retina, 12-inch, 2017)	36 Wh / 7.56 V		<b>LMP Battery MacBook Pro 13" (Touch Bar) Thunderbolt 3</b> 10/16 - 7/18, built-in, lithium-ion-polymer, A1819, 11.4 V, 49 Wh PN 23192		MacBook Pro (13-inch, 2016, Four Thunderbolt 3 Ports) MacBook Pro (13-inch, 2017, Four Thunderbolt 3 Ports)	49 Wh / 11.4 V	
<b>LMP Battery MacBook Pro 16" Thunderbolt 3</b> 11/19 - 10/21, built-in, lithium-ion-polymer, A2113, 11.36 V, 98 Wh PN 24892	 MacBook Pro (16-inch, 2019)	98 Wh / 11.36 V		<b>LMP Battery MacBook Pro 15" Thunderbolt 3</b> 7/18 - 11/19, built-in, lithium-ion-polymer, A1953, 11.4 V, 83.6 Wh PN 23191		MacBook Pro (15-inch, 2018) MacBook Pro (15-inch, 2019)	83.6 Wh / 11.4 V	
<b>LMP Battery MacBook Air 13" Thunderbolt 3</b> From 11/20, built-in, lithium-ion-polymer, A2389, 11.4 V, 55 Wh PN 24891	 MacBook Air (M1, 2020)	55 Wh / 11.4 V		<b>LMP Battery MacBook Pro 15" Thunderbolt 3</b> 10/16 - 7/18, built-in, lithium-ion-polymer, A1820, 11.4 V, 76 Wh PN 23190		MacBook Pro (15-inch, 2016) MacBook Pro (15-inch, 2017)	76 Wh / 11.4 V	
<b>LMP Battery MacBook Air 13" Thunderbolt 3</b> 10/18 - 11/20, built-in, lithium-ion-polymer, A1965, 11.4 V, 55 Wh PN 23195	 MacBook Air (Retina, 13-inch, 2018) MacBook Air (Retina, 13-inch, 2019) MacBook Air (Retina, 13-inch, 2020)	55 Wh / 11.4 V		<b>LMP Battery MacBook Pro 15" Retina</b> 6/15 - 7/18, built-in, lithium-ion-polymer, A1618, 11.26 V, 88 Wh PN 17192		MacBook Pro (Retina, 15-inch, Mid 2015)	88 Wh / 11.26 V	

		 Compatibility	 Capacity / Voltage	 Website		 Compatibility	 Capacity / Voltage	 Website	
LMP Battery MacBook Pro 15" Retina 10/13 - 5/15, built-in, lithium-ion-polymer, A1494, 11.26 V, 88 Wh PN 17032		MacBook Pro (Retina, 15-inch, Late 2013) MacBook Pro (Retina, 15-inch, Mid 2014)	88 Wh / 11.26 V		LMP Battery MacBook Air 13" 2. Gen. 10/10 - 7/11, built-in, lithium-ion-polymer, A1377, 7.3 V, 53 Wh PN 13164		MacBook Air (13-inch, Late 2010)	53 Wh / 7.3 V	
LMP Battery MacBook Pro 15" Retina 6/12 - 10/13, built-in, lithium-ion-polymer, A1417, 10.95 V, 86 Wh PN 17031		MacBook Pro (Retina, 15-inch, Early 2013) MacBook Pro (Retina, 15-inch, Mid 2012)	68 Wh / 10.95 V		LMP Battery MacBook Air 11" 2. Gen. 6/13 - 10/16, built-in, lithium-ion-polymer, A1495, 7.6 V, 39 Wh PN 13163		MacBook Air (11-inch, Early 2014) MacBook Air (11-inch, Early 2015) MacBook Air (11-inch, Mid 2013)	39 Wh / 7.6 V	
LMP Battery MacBook Pro 13" Retina 3/15 - 6/17, built-in, lithium-ion-polymer, A1582, 11.21 V, 70 Wh PN 17445		MacBook Pro (Retina, 13-inch, Early 2015)	70 Wh / 11.21 V		LMP Battery MacBook Air 11" 1. Gen. 7/11 - 6/13, built-in, lithium-ion-polymer, A1406, 7.3 V, 39 Wh PN 13162		MacBook Air (11-inch, Mid 2011) MacBook Air (11-inch, Mid 2012)	39 Wh / 7.6 V	
LMP Battery MacBook Pro 13" Retina 10/13 - 3/15, built-in, Lithium-ion-polymer, A1493, 11.34 V, 68 Wh PN 17444		MacBook Pro (Retina, 13-inch, Late 2013) MacBook Pro (Retina, 13-inch, Mid 2014)	68 Wh / 11.34 V		LMP Battery MacBook Air 11" 1. Gen. 10/10 - 7/11, built-in, lithium-ion-polymer, A1375, 7.3 V, 39 Wh PN 13161		MacBook Air (11-inch, Late 2010)	39 Wh / 7.3 V	
LMP Battery MacBook Pro 13" Retina 10/12 - 10/13, built-in, lithium-ion-polymer, A1437, 11.34 V, 68 Wh PN 17443		MacBook Pro (Retina, 13-inch, Early 2013) MacBook Pro (Retina, 13-inch, Late 2012)	68 Wh / 11.34 V		LMP Battery MacBook Pro 15" Alu Unibody 2/11 - 10/13, built-in, lithium-ion-polymer, A1382, 10.95 V, 77 Wh PN 9867		MacBook Pro (15-inch, Early 2011) MacBook Pro (15-inch, Late 2011) MacBook Pro (15-inch, Mid 2012)	77 Wh / 10.95 V	
LMP Battery MacBook Air 13" 3. Gen. 6/13 - 7/19, built-in, lithium-ion-polymer, A1496, 7.6 V, 53 Wh PN 13166		MacBook Air (13-inch, 2017) MacBook Air (13-inch, Early 2014) MacBook Air (13-inch, Early 2015) MacBook Air (13-inch, Mid 2013)	53 Wh / 7.6 V		LMP Battery MacBook Pro 15" Alu Unibody 2/11 - 10/13, built-in, lithium-ion-polymer, A1382, 10.95 V, 77 Wh PN 9696		MacBook Pro (15-inch, Early 2011) MacBook Pro (15-inch, Late 2011) MacBook Pro (15-inch, Mid 2012)	73 Wh / 10.95 V	
LMP Battery MacBook Air 13" 2. Gen. 7/11 - 6/13, built-in, lithium-ion-polymer, A1405, 7.3 V, 53 Wh PN 13165		MacBook Air (13-inch, Mid 2011) MacBook Air (13-inch, Mid 2012)	53 Wh / 7.3 V		LMP Battery MacBook Pro 13" Alu Unibody 6/09 - 10/16, built-in, lithium-ion-polymer, A1322, 10.95 V, 60 Wh PN 9695		MacBook Pro (13-inch, Early 2011) MacBook Pro (13-inch, Late 2011) MacBook Pro (13-inch, Mid 2009) MacBook Pro (13-inch, Mid 2010) MacBook Pro (13-inch, Mid 2012)	60 Wh / 10.95 V	





# Power Management

Power  
USB1 USB2 USB3 USB4 USB5 USB6 USB7 USB8 USB9 USB10 USB11 USB12 USB13 USB14 USB15 USB16




# LMP Power Adapter

## Power for all mobile Apple devices

From the 16" MacBook Pro to the iPhone SE, LMP has the right power adapter. Fast and safe charging and stylish white polycarbonate housings make the LMP power adapter the right choice to power up your latest Apple gear. All LMP power adapters come with a charging cable (except for LMP Dual Port Power Adapter 20 W).




140 W GaN



96 W / 87 W



67 W / 61 W



30 W



20 W



LMP Power Management

































# LMP Power Management

NEW

Bestseller

Bestseller

































NEW

































	 Input	 Output	 Website		 Input	 Output	 Website		
<b>LMP USB-C GaN Power Adapter 140 W</b> Ultra-fast charging according to Power Delivery 3.1 standard PN 24700		2-prong EU plug (100-240 V AC, 50/60 Hz)	USB-C (PD 3.1 up to 140W) Incl. USB-C to USB-C charging cable (1.5 m, braided)		<b>LMP USB-C Power Adapter 20 W</b> MFi certified power adapter with 2 charging cables PN 22714		2-prong EU plug (100-240 V AC, 50/60 Hz)	USB-C (up to 20W) Incl. USB-C to Lightning charging cable (1.2 m) Incl. USB-C to USB-C charging cable (1.2 m)	
<b>LMP USB-C Power Adapter 96 W / 87 W</b> For 16" and 15" MacBook Pro with USB-C PN 24315		2-prong EU plug (100-240 V AC, 50/60 Hz)	USB-C (PD 3.0 up to 96 W) Incl. USB-C to USB-C charging cable (1.5 m)		<b>LMP 16 Port USB Charger</b> 200 W, 16x 2.4 A, integrated power supply, LED, 1U PN 16417		3-prong EU plug (100-132 V / 200-264 V AC, 47/63 Hz)	16x USB-A (up to 12 W)	
<b>LMP USB-C Power Adapter 67 W / 61 W</b> For 14" and 13" MacBook Pro/Air with USB-C PN 24310		2-prong EU plug (100-240 V AC, 50/60 Hz)	USB-C (PD 2.0 up to 67 W) Incl. USB-C to USB-C charging cable (1.5 m)		<b>LMP USB-C Power Tester Multimeter</b> Voltage, current, wattage and direction of power PN 17161		USB-C	USB-C	
<b>LMP USB-C Power Adapter 30 W</b> USB-C power adapter for MacBook Air, iPad, iPhone PN 22549		2-prong EU plug (100-240 V AC, 50/60 Hz)	USB-C (PD up to 30W) Incl. USB-C to USB-C charging cable (1.5 m)		<b>LMP Wireless Charging Pad</b> 5 W charging pad for KB-1843 keyboard or stand-alone PN 20407		USB-C	5W	
<b>LMP Dual Port Power Adapter 20 W</b> USB-A & USB-C, QC 3.0, for all iPhone & iPad PN 23011		2-prong EU plug (100-240 V AC, 50/60 Hz)	1x USB-A (QC 3.0 up to 18W) 1x USB-C (up to 20 W)		<b>LMP SmartCharger</b> 5-Port USB charger 5V 8 A / 40W PN 14282		2-prong EU plug (100-240 V AC, 50/60 Hz)	5x USB-A (up to 12 W)	
<b>LMP USB-C 4-port GaN power adapter</b> 165 W PN 25673		2-prong EU plug (100-240 V AC, 50/60 Hz)	4x USB-C (up to 100 W per port)		<b>LMP PowerDock</b> USB-C GaN power adapter & 5-port USB-C dock Silver PN 25186 Black PN 25189		2-prong EU plug (100-240 V AC, 50/60 Hz)	1x USB-C (PD 3.0 up to 100W) Incl. USB-C to USB-C charging cable (0.5 m) 1x USB-A 3.2 (BC 1.2 up to 1.5 A) 2x USB-C 3.2 (BC 1.2 up to 1.5 A)	





































NEW



# LMP Cables & Adapters

	 Connection (from)	 Connection (to)	 Length	 Website		 Connection (from)	 Connection (to)	 Length	 Website		
<b>LMP USB-C to DisplayPort Adapter</b> Space Gray PN 15936 Silver PN 15983		USB-C 3.1, plug	DisplayPort DP 1.2, port (up to 4K@60 Hz)	23 cm		<b>LMP USB-C to VGA Adapter</b> Space Gray PN 15932 Silver PN 15979		USB-C 3.1, plug	VGA, port (up to 1200p@60 Hz)	18 cm	
<b>LMP USB-C to Mini-DisplayPort Adapter</b> Space Gray PN 16138 Silver PN 16134 Gold PN 18936		USB-C 3.1, plug	Mini-DisplayPort DP 1.2, port (up to 4K@60 Hz)	15 cm		<b>LMP 2-in-1 USB-C to USB-A &amp; USB-C</b> Black PN 21242		USB-C & USB-A (2-in-1), plug	USB-C 3.1 Gen 2, port (up to 10 Gbps, up to 5 W)	15 cm	
<b>LMP USB-C to HDMI 2.0 Adapter</b> Space Gray PN 15940 Silver PN 15987		USB-C 3.1, plug	HDMI 2.0, port (up to 4K@60 Hz)	23 cm		<b>LMP USB-C to USB-A Adapter</b> Black PN 13865		USB-C 3.1, plug	USB-A 3.0, port (up to 5 Gbps, up to 3 A)	3.5 cm	
<b>LMP USB-C to DVI Adapter</b> Space Gray PN 15944 Silver PN 15991		USB-C 3.1, plug	DVI-I Single Link, port (up to 1200p@60 Hz)	18 cm		<b>LMP USB-A to USB-C Adapter</b> Black PN 18985		USB-A, plug	USB-C 3.1 Gen 1, port (up to 5 Gbps, up to 3 A)	4 cm	
<b>LMP USB-C to USB-A Adapter</b> Space Gray PN 16093 Silver PN 16089		USB-C 3.1, plug	USB-A 3.0, port (up to 5 Gbps, up to 3 A)	23 cm		<b>LMP USB-C Cable</b> White PN 17757		USB-C 3.1 Gen 2, plug (up to 10 Gbps, PD 3.0 up to 100 W)	USB-C 3.1 Gen 2, plug (up to 10 Gbps, PD 3.0 up to 100 W)	2 m	
<b>LMP USB-C to Gigabit Ethernet Adapter</b> Space Gray PN 16003 Silver PN 15995 Gold PN 18940		USB-C 3.1, plug	Gigabit Ethernet, port (up to 1 Gbps)	24 cm		<b>LMP USB-C to USB-C Extension Cable</b> Space Gray PN 17437 Silver PN 17209		USB-C 3.1 Gen 2, port (up to 10 Gbps, PD 3.0 up to 100 W)	USB-C 3.1 Gen 2, plug (up to 10 Gbps, PD 3.0 up to 100 W)	1 m	

	 Connection (from)	 Connection (to)	 Length	 Website		 Connection (from)	 Connection (to)	 Length	 Website		
<b>LMP USB-C to HDMI Cable</b> USB-C to HDMI 2.0 cable, 4K@60 Hz Black PN 16055		USB-C 3.1, plug	HDMI 2.0, plug (up to 4K@60 Hz)	1.8 m		<b>LMP Thunderbolt 4 Cable, active</b> Thunderbolt 4 (USB-C) cable, active, 40 Gbps, 100 W, 2 m Black PN 24184		Thunderbolt 4, plug (active, up to 40 Gbps, 100 W)	Thunderbolt 4, plug (active, up to 40 Gbps, 100 W)	2 m	
<b>LMP USB-C to Mini-DisplayPort Cable</b> USB-C to Mini-DisplayPort cable, 4K@60 Hz Black PN 17089		USB-C 3.1, plug	Mini-DisplayPort DP 1.2, plug (up to 4K@60 Hz)	1.8 m		<b>LMP Thunderbolt 4 Cable, passive</b> Thunderbolt 4 (USB-C) cable, passive, 40 Gbps, 100 W, 0.8 m Black PN 24183		Thunderbolt 4, plug (passive, up to 40 Gbps, 100 W)	Thunderbolt 4, plug (passive, up to 40 Gbps, 100 W)	80 cm	
<b>LMP USB-C to DisplayPort Cable</b> USB-C to DisplayPort cable, 4K@60 Hz Black PN 17092		USB-C 3.1, plug	DisplayPort DP 1.2, plug (up to 4K@60 Hz)	1.8 m		<b>LMP Thunderbolt 3 Cable, passive</b> Thunderbolt 3 (USB-C) cable, active, 40 Gbps, 4K/5K, 60 W Black PN 19015		Thunderbolt 3, plug (active, up to 40 Gbps, 60 W)	Thunderbolt 3, plug (active, up to 40 Gbps, 60 W)	70 cm	
<b>LMP USB-C to Micro-USB 3.0 Cable</b> White PN 13868		USB-C 3.1, plug	Micro-USB 3.0, plug (up to 5 Gbps, up to 3 A)	1 m		<b>LMP Thunderbolt 3 Optical Cable</b> Active optical Thunderbolt cable Black, 10 m PN 21292 Black, 25 m PN 21938		Thunderbolt 3, plug (optisch, active, up to 40 Gbps)	Thunderbolt 3, plug (optisch, active, up to 40 Gbps)	10 m 25 m	
<b>LMP USB-C to Micro-USB 2.0 Cable</b> White PN 13870		USB-C 3.1, plug	Micro-USB 2.0, plug (up to 480 Mbit/s, up to 3 A)	1 m		<b>LMP HDMI 2.0 Cable, super slim</b> LMP HDMI (m) to HDMI (m) cable 2.0 (4K@60 Hz) Black, 50 cm PN 18781 Black, 2 m PN 16638 White, 2 m PN 16634		HDMI 2.0, plug (4K@60 Hz)	HDMI 2.0, plug (4K@60 Hz)	50 cm 2 m	
<b>LMP USB-A to USB-C Cable</b> USB-A to USB-C cable, 10G / 3 A White PN 16652		USB-A, plug	USB-C 3.1 Gen 2, plug (up to 10 Gbps)	1 m		<b>LMP HDMI 2.0 Cable</b> Typ A-A, HDMI 2.0 (3D & Ethernet), gold plated Black, 5 m PN 16250 Black, 7 m PN 15435 Black, 10 m PN 15436		HDMI 2.0, plug (4K@60 Hz)	HDMI 2.0, plug (4K@60 Hz)	5 m 7 m 10 m	
<b>LMP USB-C Cable</b> 5 Gbps, 100 W, DP Altmode, 2 m Black PN 25103		USB-C 3.1, plug	USB-C 3.1 Gen 1, plug (up to 5 Gbps, PD 3.0 up to 100 W)	1 m		<b>LMP HDMI 2.0 Cable AOC</b> Active optical HDMI cable, 18 Gbps Black, 15 m PN 24703 Black, 20 m PN 24704		HDMI 2.0, plug (4K@60 Hz)	HDMI 2.0, plug (4K@60 Hz)	15 m 20 m	

	 Connection (from)	 Connection (to)	 Length	 Website		 Connection (from)	 Connection (to)	 Length	 Website
<b>LMP Ultra Slim Round Ethernet Patchcable</b> S-STP foil and mesh shielding, cat. 7 White, 1 m    PN 22759 Blue, 1 m    PN 22771 Yellow, 1 m    PN 22783		Ethernet RJ45 Kat. 7, plug (up to 10 Gbps)	25 cm 50 cm 1 m 2 m		<b>LMP Mini-DisplayPort to HDMI Adapter, 4K</b> Video & audio Space Gray    PN 11892		HDMI 1.4, port (up to 4K@30 Hz)	22 cm	
<b>LMP Ethernet PatchCable, 10 GbE</b> S-STP, RJ45, up to 10 GbE, with safety clip Gray, 1 m    PN 16613		Ethernet RJ45 Kat. 6A, plug (up to 10 Gbps)	50 cm    1 m 2 m    3 m 5 m    7 m 10 m    15 m 20 m    30 m		<b>LMP Mini-DisplayPort to Mini-DisplayPort Cable</b> White, 1.8 m    PN 8305 White, 4.5 m    PN 8352		Mini-DisplayPort 1.2, plug (up to 4K@60 Hz)	1.8 m 4.5 m	
<b>LMP 3-in-1 Cable MFi</b> Lightning   USB-C   Micro USB to USB cable, MFi certified White    PN 16121		Lightning & USB-C & Micro-USB, plug (3-in-1)	1 m		<b>LMP Mini-DisplayPort to DisplayPort Cable</b> White    PN 8140		DisplayPort 1.2, plug (up to 4K@60 Hz)	1.8 m	
<b>LMP Lightning Cable MFi, USB-C</b> Charging and synchronization cable, MFi certified White, 0.5 m    PN 23084 White, 1 m    PN 18995 White, 2 m    PN 18999		Lightning, plug	50 cm 1 m 2 m		<b>LMP Mini-DisplayPort to HDMI Cable</b> Mini-DP to HDMI monitor, HDTV etc. White    PN 9218		HDMI 1.4, plug (up to 1080p@60Hz)	2 m	
<b>LMP Lightning Cable MFi, USB-A</b> Lightning to USB-cable, MFi certified White, 0.5 m    PN 11760 White, 1 m    PN 11300 White, 2 m    PN 11765		Lightning, plug	50 cm 1 m 2 m		<b>LMP Mini-DVI to VGA Adapter</b> Mini-DVI to VGA Adapter for monitor White    PN 7801		VGA, port (up to 1080p)	30 cm	
<b>LMP Mini-DisplayPort to VGA Adapter</b> Silver    PN 7673		VGA, port (up to 1080p@60 Hz)	16 cm		<b>LMP Mini-DVI to HDMI Adapter</b> For HD-Monitor or HDTV White    PN 7759		HDMI 1.4, port (up to 4K@30 Hz)	30 cm	
<b>LMP Mini-DisplayPort to HDMI Adapter</b> Video & audio Silver    PN 8550		HDMI 1.3, port (up to 1080p@60 Hz)	15 cm		<b>LMP Mini-DVI to VGA Adapter</b> Mini-DVI to VGA adapter for monitor White    PN 7801		VGA, plug (up to 1080p)	30 cm	







# LMP ProStand

## Ergonomic table stand for 12" to 17" notebooks


Today's notebooks are powerful enough for almost any task. But working on a notebook all day can be tiring and strain back and neck muscles. Instead of bending your head, the LMP ProStand raises the display to eye level, transforming a mobile computer into a stable and ergonomic workstation.


The ProStand is made of durable anodized aluminum. Available in Silver, Space Gray and Black, it perfectly matches today's notebooks. The stylish stand for any 12" to 17" notebook will keep your desktop looking tidy. But the ProStand can do more: high-precision slots have been machined into the aluminum in 5 different positions.

Together with the LMP Attach Dock for ProStand (sold separately), these slots can transform the ProStand into a versatile workstation with USB, video and network connections.

 <p>Compatibility</p> <p>12" to 17" notebook</p>	 <p>Colors</p> <p>Space Gray: 18649 Silver: 18653 Black: 18657</p>
---	---

 <p>Material</p> <p>Aluminum</p>	 <p>Dimensions</p> <p>24 x 15.5 x 24 mm (W x H x D)</p>
---	--

 <p>Combination</p>	<p>The LMP USB-C Attach Dock ProStand 4K (PN 19095) transforms the LMP ProStand into a versatile docking station.</p>
--	---



PN 18649




# LMP Accessories

Bestseller

**LMP ProStand**  
Ergonomic aluminum table stand for 12" to 17" notebook




12" to 17" notebook



Space Gray  
Silver  
Black


PN 18649  
PN 18653  
PN 18657




Aluminum



**LMP ProtectCase**  
For iPad 10.2"




iPad 10.2" (7th generation)  
iPad 10.2" (8th generation)  
iPad 10.2" (9th generation)



Black  
Gray  
Blue


PN 20670  
PN 20680  
PN 20690



Polyurethane



**LMP VerticalStand**  
Aluminium stand for 12" to 16" notebook



Notebook with up to 16.5 mm height

Space Gray  
Silver

PN 20420  
PN 20423

Aluminum



**LMP iToolkit 2**  
Professional tooling kit, 25-pieces  
Black PN 16262



Black



**LMP iFlex Stand**  
Versatile stand for 7" to 11" tablets  
Black/Silver PN 12140



7" to 11" tablets

Black/Silver

Metal base plate with ABS plastic top,  
swivel arm made out of aluminium alloy,  
holder made of ABS plastic



**LMP Canvas Sleeve 440**  
For MacBook Air 13" and MacBook Pro 13" & 14"  
Dark blue PN 24564



MacBook Air 13"  
MacBook Pro 13"  
MacBook Pro 14"

Dark blue

Canvas



**LMP SlimCase**  
For iPad 10.9"



iPad 10.9" (10th generation)

Midnight Blue  
Black  
Dark Gray

PN 25750  
PN 25740  
PN 25760

Microfiber (cover inside)  
PC & TPU (bracket)  
PU (cover outside)



**LMP Canvas Sleeve 350**  
Sleeve for MacBook Pro 15" & 16"  
Dark gray PN 20631



MacBook Pro 15"  
MacBook Pro 16"

Dark gray

Canvas



**LMP SlimCase**  
For iPad 10.2"



iPad 10.2" (7th generation)  
iPad 10.2" (8th generation)  
iPad 10.2" (9th generation)

Black  
Gray  
Red  
Blue

PN 20590  
PN 20600  
PN 20610  
PN 20620

Polyurethane



**LMP Traveller 440**  
For MacBook Air 13" and MacBook Pro 13" & 14"  
Dark blue PN 24197



MacBook Air 13"  
MacBook Pro 13"  
MacBook Pro 14"

Dark blue

Canvas



**LMP ArmorCase**  
For iPad 10.2"



iPad 10.2" (7th generation)  
iPad 10.2" (8th generation)  
iPad 10.2" (9th generation)

Gray  
Blue

PN 20710  
PN 20720

Polycarbonate  
Thermoplastic polyurethane



**LMP Traveller 460**  
For MacBook Pro 15" & 16"  
Dark blue PN 24198



MacBook Pro 15"  
MacBook Pro 16"

Dark blue

Canvas



NEW

Bestseller

NEW



LMP is a registered trademark of Cropmark AG. All rights reserved © Cropmark AG.  
Trademarks and brand names are the property of their respective owners.  
All information is subject to change without notice.  
Designed by Cropmark AG, Switzerland.

[info@cropmark.ch](mailto:info@cropmark.ch), [www.lmp.ch](http://www.lmp.ch)

5/2023

