

(A)	INDEX	II
(B)	TABLE OF CONTENTS	XVI
(C)	NEW PRODUCTS	I
(D)	HANGERS AND SUPPORTS	10
(E)	CONDUIT AND CABLE FITTINGS	20
(F)	SERVICE ENTRANCE HARDWARE	80
(G)	GROUNDING AND BONDING FITTINGS	85
(H)	BOX AND FIXTURE ACCESSORIES	89
(I)	CADDY FASTENERS	92
(J)	PVC FITTINGS	106
(K)	METALLIC AND NON METALLIC CONDUIT	117
(L)	WEATHERPROOF BOXES AND COVERS	121
(M)	TEMPORARY LIGHTING AND ACCESSORIES	125
(N)	TOOLS	126

26401 Fargo Avenue
 Bedford Heights, Ohio 44146
 Phone: (216) 391-7776 • Toll Free: (800) 631-7775 • Fax: (216) 391-7912
www.fittings.net

ORDER PROCESSING

At Madison we treat every order like a special delivery. From receiving your order, to packaging the products, to loading them onto the truck, it is our responsibility to make it right the first time every time.

DISTRIBUTION NETWORK

Madison's coast-to-coast network of sales agents and distribution centers, with 24 hour shipping, ensures that your order is delivered quickly and correctly. Extensive inventory, courteous service and fast delivery makes Madison the right choice for all your fittings and holding device needs.

PRODUCT SELECTION

Madison offers an extremely wide selection of some of the most widely used products in the industry. Our goal is to provide our customers with "one stop shopping" while providing high quality products at competitive prices.

CUSTOMER SERVICE

Providing our customers with the greatest attention and support possible is our objective. Our experienced professional sales and customer service team are as close as a phone call, ready with product information and ordering assistance.

NEW PRODUCTS

"One stop shopping"... those are not buzz words at Madison, we mean it! This catalog alone introduces you to over 250 new high quality, competitively priced items. Items you sell every day.

Terms and Conditions of Sale

TERMS

Upon approved credit, the following terms will apply: 2% cash discount 10th proximo, net end of month.

MINIMUM BILLING

\$100.00 per invoice.

FREIGHT

Full freight is allowed and prepaid on shipments totaling \$1,000.00. Product groups may be mixed to attain the prepaid freight requirements. Prepaid shipments will be routed by Madison to any point within the continental United States. Shipments to Hawaii and Alaska are prepaid to point of embarkation.

CLAIMS FOR LOSS OR DAMAGE IN TRANSIT

All shipments are made F.O.B. Bedford Heights or branch warehouse. Title and risk of loss shall pass to the buyer upon delivery of the products to the first carrier. The company shall not be responsible for damage to or loss of products which occurs during shipment. The purchaser should file with the transportation company for any claim of damage or loss.

PRICING

Subject to change without notice and orders are invoiced at price effective at time of shipment. Written quotations will be protected for 30 days from date of such quotations.

RETURNED GOODS

Approval to return material for credit or replacement, and disposition of such material, will be made by the factory office in Bedford Heights, OH only. An RGA will be issued by the factory. Request to return material must include catalog number, quantity, invoice number and date of purchase. Such material must be included in current price sheets, purchased during the preceding **12 months**, and be in unopened **standard shipping or shelf cartons**. A credit will be based on the invoice amount or current market value, whichever is less, and distributor will be liable for the amount of return freight charges.

WARRANTY

Madison products are inspected carefully. However, it is impossible to detect all imperfections. Our guarantee is only to replace such merchandise as may prove defective if called to our attention within **30 days** after being received. Madison may not be held responsible for any damages beyond the price of the material.

SHIPPING DISCREPANCIES

All pricing/shipping discrepancies must be reported within **30 days** of shipment.

GENERAL NOTES

Items in this catalog are classified under FLC # 1022

UPC/DCI number 784297

Madison fittings, where required, conform to Federal Specifications W-F-408E, W-F-406D, and FF-S-760.

Fax Number **(216) 391-7912**

Table of Contents

ARMORED CABLE FITTINGS

90° Angle Connectors	65,66,67,68
Anti-Short Bushings	70
Double Bite-Flex • AC • MC	68,69
Duplex Connectors	67,68
Saddle Type Connectors	70
Set Screw Connectors	70
Snap-In Connectors	68
Straight Squeeze Connectors	64,65,66
Two Screw Clamp Connectors	63,64

BEAM CLAMPS 17

BODIES

Assembled (cover & gasket)	42,43,44,45
Covers	45,46
EMT Set Screw	35,36
Gaskets	46
Rigid	37,38,39,40,41,42,43,44,45

BOXES – WEATHERPROOF 121,122,123,124

BUGS & LUGS 86,87,88

BUSHINGS

Anti-Short	70
Grounding/Insulated	32
Malleable	33,34
Plastic	33
Zinc	33

CADDY

Accessories	92
Acoustical Tee	97,98,99,100
Beam Clamps	101
Bridle Rings	92
Cable Support	93
Conduit Clips	96
Conduit Support	103,104
Datacom Supports	94
Drywall	102
Grommet - Snap	93
Metal Stud	93,94
Mounting Bracket	94,95,96
Pipe Pier Supports	105
Speed Link	105
Strut	105
Stud Punch	92

CHASE NIPPLES (L-701 SERIES AND IL-701) 31

CONSTRUCTION BLANKS 90

EMT (THIN WALL) FITTINGS

90 EMT Compression	21
Benders	126
Box Connector	30
Combination Couplings	27,28

EMT (THIN WALL) FITTINGS CONT'D

Conduit Bodies – Set Screw	35
Conduit Elbows 90 – 45	48
Connectors – Snap-In	68
Connectors & Couplings – Compression	
Die Cast	22,23
Steel	23,24
Connectors & Couplings – Set Screw	
Die Cast	20,21
Steel	21,22
Hangers – with or without bolts	10
Inside Corner Elbow	25
Locknuts	34,35
Offset Connectors	29,30
Pull Elbows	26,27
Set Screw Couplings – Bend Saver	20
Straps	
One Hole	11,14
Two Hole	12,13

ENTRANCE ELLS 81

ERICSONS 30

EXIT LIGHTS 9,125

FENDER WASHERS 15

FLASHINGS 84

FLEX CORD CONNECTORS

Cord Grips – Non Metallic	72
Romex Connectors	
Plastic	62,63
Zinc	63
Strain Relief Connectors	77,78

FLEXIBLE METAL CONDUIT

Extra Flexible Steel	118
Reduced Wall Aluminum	117
Reduced Wall Steel	117

FLEXIBLE METAL CONDUIT FITTINGS

90 Angle Connectors	65,66
Combination Couplings	27
Duplex Connectors	67
Flex Set Screw Connectors	70
Saddle Type Connectors	70
Screw-In Connectors	67
Screw-in Couplings	68
Set-Screw Connectors	70
Snap-In Connectors	68
Straight Squeeze Connectors	64
Two Screw Clamp Connectors	63

FLOOR FLANGES 47

Table of Contents

GROUND AND BONDING FITTINGS

Conduit Bushings	
Malleable	33
Plastic	33
Zinc	33
Ground Clamps	85,86
Ground Clip	91
Ground Rod Clamps	86
Ground Strap	86
Grounding Bushings	32
Grounding Locknuts	35
Grounding Pigtails	91
Hanger Strap	18
Insulated Grounding Bushings	
Malleable	33,34
Zinc	33
Oxide Inhibitor	86
Solderless Lugs	87
Splicer – Reducer	88
Split Bolts	86,87
Terminal Lugs	88

GROUND CLAMPS 85,86

HARDWARE & ACCESSORIES

Ant-Short Bushings	70
Beam Clamps	17
Beam Clamps “C”	17
Benders	126
Box Supports (Hold-It)	15
Clamp Backs	
Malleable	12
Plastic	12
Construction Blanks	103
Duct Seal	83
Fender Washers	15
Hanger Strap Perforated	18
Nail Straps	
Cast Steel	15
Heavy Duty	15
Nylon Cable Clamps	16
Nylon Tie – It’s	17
Oxide Inhibitor	86
Pipe Clamps	
Parallel	19
Right Angle	19
U Bolts	18
Reducing Washers	89
S Hooks	18
Safety Plate	91
Sill Plates	83
Snap-In Blanks	
Plastic	90
Steel	89
Staples	16
Staples Insulated	14,15
Tools	126
Wire Connectors	91

HARDWARE & ACCESSORIES CONT'D

Wire Pulling Compound	126
Wire Strippers and Cutters	126

HUBS – WATERTIGHT 82

JACK CHAIN 18

JAKES 26,27

KICK PLATE 91

LIQUIDTIGHT CONDUIT

Metal – Non U.L.	118
Metal – U.L.	119
Non-Metallic	120

LIQUIDTIGHT CONNECTORS 7,8,71,72,73,74,75,75

LIQUIDTIGHT FITTINGS

45° Angle Connectors	75
90° Angle Connectors	71,74
90° Angle Connectors – Non Metallic	72
Combination Liquidtight to EMT	73
Combination Liquidtight to Rigid-IMC	73
Straight Connectors	71,73
Straight Connectors – Non Metallic	72
Straight Connectors – Squeeze	71

LOCKNUTS 34

LUGS 88

M.C. CONNECTOR

Duplex Connectors	67,68
Saddle Type Connectors	70
Snap-In Connectors	68
Squeeze Connectors	64,65,66
Two Screw Clamp Connectors	63

MADISON STRAP, HOLD-IT, BAR, BATTLESHIP 15

MALLEABLE FITTINGS & MISC.

Beam Clamps	17
Clamp Backs	12
Conduit Bodies – Threaded	40,41,42
Conduit Bushings	32,33,34
Connectors – Rigid/IMC Compression	28,29
Connectors – Set Screw	9
Couplings – Compression	29
Couplings – Set Screw	9
Fixture Hangers	1,18
Floor Flanges	47
Grounding Bushings	32
Liquid-Tight Conn – 45°	75
Liquid-Tight Conn – 90°	74
Liquid-Tight Conn - Straight	73
No Thread Connectors & Couplings	28,29

Table of Contents

MALLEABLE FITTINGS & MISC. CONT'D

Offset Nipples	30
Pipe Clamps	
Parallel	19
Right Angle	19
U Bolts	18
Pull Elbows	26
Reducer Bushings	61
Speed Nipples	31,32
Split Couplings	5,47
Squeeze Connector	
90	66,67
Straight	66
Squeeze Connectors	66,67
Straight Connectors	66
Straps	11
Three Piece Coupling	30
Water Tight Hub	8,83

MAST SUPPORTS 82

METAL CLAD CABLE FITTINGS

Double Bite – Flex • AC • MC	68
Duplex Connectors	67,68
Saddle Type Connectors	70
Snap-In Connectors	68

METAL CLAD CABLE FITTINGS CONT'D

Squeeze Connectors	64,65,66
Two Screw Clamp Connectors	63

METALLIC CONDUIT

Extra Flexible	118
RW Aluminum	117
RW Steel	117

MINIS 1,10

MOGUL BODIES 81

NIPPLES

Aluminum	58,59,60
Rigid	51,52,53,54

NON-METALLIC SHEATHED CABLE CONNECTORS

Plastic – Snap-In Connectors	61,62
Saddle Type Connectors	70
Tilt-In Cable Connectors	61
Two Screw Clamp Connectors	63

OFFSET NIPPLES 29

OXIDE INHIBITOR 86

PIGTAILS 91

PULL ELBOWS

EMT	26
Rigid	26,27

PVC FITTINGS

Bodies	107,108
Cement	116
Cleaner	116
Conduit Elbows 90° – 45°	113,114,115
Couplings	106
Cover Plates	110
Elbows – Sch 80	115
Elbows – Special Radius	115
Elbows – Special Radius – Sch 80	116
End Bells	111
End Caps	112
Entrance Caps	113
Expansion Joints	112
Female Adapters	106
FS Boxes	109,110
Junction Box Adapters	109
Junction Boxes	109
Octagon Boxes	110
Offset Adapter	111
Pull Elbow	111
Reducer Bushings	112
Straps – Two Hole	111
Terminal Adapters	106

REDUCING BUSHINGS 61

REDUCING WASHERS 89

RIGID OR IMC FITTINGS

Conduit Bodies – Threaded	37,38,39,40,41,42,43,44,45
Conduit Bushings	33,34

RIGID OR IMC FITTINGS CONT'D

Conduit Elbows – Special Radius	49
Conduit Elbows 90 – 45	48,49
Couplings	47,55
Covers	45,46
Entrance Caps	80,81
Gaskets	46
Grounding Bushings	32
Grounding Locknuts	35
Hangers	1,10
Locknuts	34,35
Nipples	51,52,53,54
No Thread Connectors & Couplings	28,29
Offset Nipples	29
Pull Elbows	26
Reducer Bushings	61
Risers	55
Running Thread	55
Screw-In Connectors	67
Sealing Gaskets	79
Sealing Locknuts	35
Speed Nipple	31
Straps	11,14
Three Piece Coupling	30

Table of Contents

SERVICE ENTRANCE FITTINGS

90° Angle Connectors	65
Bushings	
Plastic	33
Cable Caps	80,81
Conduit Bodies – Set Screw	35,36
Conduit Bodies – Threaded	37,38,39,40,41,42,43,44,45
Conduit Bushings	33,34
Connectors – Snap In	68
Connectors & Couplings – Set Screw	
Die Cast	20,21
Steel	21,22
Entrance Caps	
Clamp-On	80
Clamp-On Vinyl	80
Mast Type Slipfitter	80
Threaded	80
Entrance Ells	
Mogul Type	81
Flashings	
Neoprene	84
No Calk	84
Universal	84
Mast Support	82
Non-Watertight Connectors	63
Offset Nipples	29
Risers	55
Seal Flex Compound	83
Sill Plates	83
Speed Nipples	31
Staples	
BX	16
Romex	15,16
S.E.	16
Steel UF Connectors	64
Straight Squeeze Connectors	64,65,66
Straps	
One and Two Hole	11,12,13,14
One Hole Aluminum	13
Take-All Connectors	64
Watertight Connectors	83
Watertight Hubs	82
Wedge Clamps	84
Wire Connectors	91
Wire Holders	
Mast Type	81,82

SET SCREW CONNECTOR – EMT

Die Cast	20
Steel	21

SET SCREW COUPLING – EMT

Die Cast	21
Steel	22

SILL PLATES 83

SNAP-IN BLANKS

Plastic	90
Steel	89

SPEED NIPPLES 11

SPLIT BOLTS 86

SQUEEZE CONNECTORS – DIE CAST/MALLEABLE

90°	65,66
Straight	64,65,66

STAPLES

BX	16
Insulated	14
Insulated Two Hole Nail	5
Romex	15,16
S.E.	16

STEEL FITTINGS

Combination Couplings	28
Compression Connectors & Couplings	
Die Cast	22,23
Steel	23,24
Cord Grips	77,78
Grounding Locknuts	35
Locknuts	34
MC, AC, Flex Connectors	68
No Thread Connectors & Couplings	28,29
Raintight U.L. Connectors & Couplings	1,2,24,25
Reducer Bushings	61
Sealing Locknuts	35
Set Screw Connectors & Couplings	21,22
Steel UF Connectors	64

STRAPS

EMT One Hole	11
EMT Two Hole	12
Flex Cable Strap One Hole	11,13,14
MC Cable Strap One Hole	14
Midget Strap One Hole	14
Non-Metallic One Hole	14
Non-Metallic Two Hole	14
Rigid One Hole	11,14
Rigid Two Hole	12,13
Service Entrance One Hole	13,14
Service Entrance Two Hole	13
Strut Clamps	104

TEMPORARY LIGHTING

Temp Lights	125
-------------	-----

THREE PIECE COUPLINGS 30

TIE-IT'S – NYLON 17

Table of Contents

TILT-IN CONNECTORS	61
WATERTIGHT HUBS—DIE CAST/MALLEABLE	8,82,83
WEATHERPROOF	
Boxes	
2 Gang	121
Deep	121
Round	121
Closure Plugs	90
Covers	
Blank	124
Blank – 2 Gang	124
Duplex	123
Duplex – 2 Gang	124
GFCI	123
GFCI – 2 Gang	124
In-Use	124
Power	124
Raised	122
Toggle	124
Covers Round	
Lampholder	122
Lampholder	
Rectangular Cover	122
Swivel	122
WEDGE CLAMPS	84
WIRE CONNECTORS	91
WIRE HOLDERS – SERVICE ENTRANCE	81
WIRE NUTS	91
WIRE PULLING COMPOUND	126
WIRE STRIPPER & CUTTERS	126

Conduit Hangers - Stainless Steel

- UL Listed: 5148, Fed. Spec. W-F-40 1-1/8 BE, NEMA: FB-1
- With nut and bolt

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
0-WBAS	1/2"	-	100	50
1-WBAS	3/4"	-	100	50
2-WBAS	1"	-	100	60
2-1/2-WBAS	1-1/4" EMT	-	100	75
3-WBAS	1-1/2" EMT-1-1/4 Rigid	-	100	80
4-WBAS	1-1/2" Rigid	-	100	80
5-WBAS	2"	-	50	100
6-WBAS	2-1/2"	-	50	125
7-WBAS	3"	-	25	165
8-WBAS	3-1/2"	-	10	200
9-WBAS	4"	-	10	230

Fixture Hanger - Malleable - Round and Square

- UL Standard: 514A, 514B, 514D, FED. SPEC. W-F-408E, NEMA:FB-1
- For use with 1/2" or 3/4" fixture conduit stems
- Octagonal or square boxes

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MFHR50-75	4-1/8" Round	-		
MFHS50-75	4-1/8" Square	-		

E.M.T. Raintight Compression Connectors-Steel

- UL Listed Raintight, Fed Spec W-F-408E, NEMA FB-1
- Raintight, Concrete-tight, Zinc Plated
- Wet Locations



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
MECR-750	1/2"	1/2"	50	250	27
MECR-751	3/4"	3/4"	25	125	22
MECR-752	1"	1"	15	75	18
MECR-753	1-1/4"	1-1/4"	-	20	8
MECR-754	1-1/2"	1-1/2"	-	10	5
MECR-755	2"	2"	-	10	7
MECR-756 New	2-1/2"	2-1/2"	-	8	15
MECR-757 New	3"	3"	-	4	10
MECR-758 New	3-1/2"	3-1/4"	-	4	13
MECR-759 New	4"	4"	-	4	14

E.M.T. Raintight Comp Conn-Steel-Ins Throat

- U.L. Listed Raintight, Fed Spec W-F-408E, NEMA FB-I
- Raintight, Concrete-tight, Zinc Plated
- Wet Locations



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
MECR-750-B	1/2"	1/2"	50	250	27
MECR-751-B	3/4"	3/4"	25	125	22
MECR-752-B	1"	1"	15	75	18
MECR-753-B	1-1/4"	1-1/4"	-	20	8
MECR-754-B	1-1/2"	1-1/2"	-	10	5
MECR-755-B	2"	2"	-	10	7
MECR-756-B New	2-1/2"	2-1/2"	-	8	15
MECR-757-B New	3"	3"	-	4	10
MECR-758-B New	3-1/2"	3-1/2"	-	4	13
MECR-759-B New	4"	4"	-	4	14

E.M.T. Raintight Compression Couplings-Steel

- UL Listed Raintight, Fed Spec W-F-408E, NEMA FB-I
- Raintight, Concrete-tight, Zinc Plated
- Wet Locations



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
MECR-760	1/2"	1/2"	50	250	35
MECR-761	3/4"	3/4"	25	125	27
MECR-762	1"	1"	15	75	21
MECR-763	1-1/4"	1-1/4"	-	20	10
MECR-764	1-1/2"	1-1/2"	-	10	6
MECR-765	2"	2"	-	10	8
MECR-766 New	2-1/2"	2-1/2"	-	8	12
MECR-767 New	3"	3"	-	4	12
MECR-768 New	3-1/2"	3-1/2"	-	4	15
MECR-769 New	4"	4"	-	4	18

Rigid LB Body - Combination

- Aluminum
- UL Approved
- **Combination - Rigid and Setscrew**

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LB-50-CB	1/2"	10	100	24
LB-75-CB	3/4"	10	50	18
LB-100-CB	1"	5	25	12
LB-125-CB	1-1/4"	2	10	11
LB-150-CB	1-1/2"	2	10	11
LB-200-CB	2"	1	5	12

Rigid C Body - Combination

- Aluminum
- UL Approved

New



- **Combination - Rigid and Setscrew**

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LC-50-CB	1/2"	10	100	25
LC-75-CB	3/4"	10	50	18
LC-100-CB	1"	5	25	14
LC-125-CB	1-1/4"	2	10	13
LC-150-CB	1-1/2"	2	10	12
LC-200-CB	2"	1	5	11

Rigid LL Body - Combination

- Aluminum
- UL Approved

New



- **Combination - Rigid and Setscrew**

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LL-50-CB	1/2"	10	100	25
LL-75-CB	3/4"	10	50	17
LL-100-CB	1"	5	25	15
LL-125-CB	1-1/4"	2	10	13
LL-150-CB	1-1/2"	2	10	12
LL-200-CB	2"	1	5	12

Rigid LR Body - Combination

- Aluminum
- UL Approved

New



- **Combination - Rigid and Setscrew**

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LR-50-CB	1/2"	10	100	26
LR-75-CB	3/4"	10	50	17
LR-100-CB	1"	5	25	15
LR-125-CB	1-1/4"	2	10	13
LR-150-CB	1-1/2"	2	10	12
LR-200-CB	2"	1	5	12

Rigid T Body - Combination

- Aluminum
- UL Approved

New



- **Combination - Rigid and Setscrew**

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LT-50-CB	1/2"	10	100	28
LT-75-CB	3/4"	10	50	18
LT-100-CB	1"	5	25	13
LT-125-CB	1-1/4"	2	10	15
LT-150-CB	1-1/2"	2	10	14
LT-200-CB	2"	-	2	5

Rigid LB Body With Cover and Gasket - Combination

- Aluminum
- UL Approved

New



- **Combination - Rigid and Setscrew**

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LBLA-50-CB	1/2"	10	100	30
LBLA-75-CB	3/4"	10	50	22
LBLA-100-CB	1"	5	25	16
LBLA-125-CB	1-1/4"	2	10	13
LBLA-150-CB	1-1/2"	2	10	14
LBLA-200-CB	2"	1	2	13

Rigid C Body With Cover and Gasket - Combination

- Aluminum
- UL Approved

New



- **Combination - Rigid and Setscrew**

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LCLA-50-CB	1/2"	10	100	31
LCLA-75-CB	3/4"	10	50	21
LCLA-100-CB	1"	5	25	17
LCLA-125-CB	1-1/4"	2	10	15
LCLA-150-CB	1-1/2"	2	10	14
LCLA-200-CB	2"	1	5	13

Rigid LL Body With Cover and Gasket - Combination

- Aluminum
- UL Approved

New



- **Combination - Rigid and Setscrew**

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LLLA-50-CB	1/2"	10	100	31
LLLA-75-CB	3/4"	10	50	21
LLLA-100-CB	1"	5	25	17
LLLA-125-CB	1-1/4"	2	10	15
LLLA-150-CB	1-1/2"	2	10	15
LLLA-200-CB	2"	1	5	14

Rigid LR Body With Cover and Gasket - Combination

- Aluminum
- UL Approved

New



- **Combination - Rigid and Setscrew**

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LRLA-50-CB	1/2"	10	100	32
LRLA-75-CB	3/4"	10	50	21
LRLA-100-CB	1"	5	25	18
LRLA-125-CB	1-1/4"	2	10	15
LRLA-150-CB	1-1/2"	2	10	14
LRLA-200-CB	2"	1	5	13

Rigid T Body With Cover and Gasket - Combination

- Aluminum
- UL Approved
- **Combination - Rigid and Setscrew**

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LTLA-50-CB	1/2"	10	100	32
LTLA-75-CB	3/4"	10	50	22
LTLA-100-CB	1"	5	25	15
LTLA-125-CB	1-1/4"	2	10	18
LTLA-150-CB	1-1/2"	2	10	16
LTLA-200-CB	2"	-	2	6

Conduit Body Cover-Malleable

- UL Standard: 514A, FED.Spec.W-C-586D, NEMA:FB-1
- Supplied with Stainless Steel Captive Screws
- 2-1/2"-4" with raised dome for additional wiring room

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LM-50	1/2"	-	50	12
LM-75	3/4"	-	50	16
LM-100	1"	-	50	21
LM-125 150	1-1/4"-1-1/2"	-	50	46
LM-200	2"	-	25	52
LM-250300	2-1/2"- 3"	-	10	36
LM-350400	3-1/2"- 4"	-	5	28

Split Coupling - Malleable

- UL Standard: 514B, NEMA-FB-1
- Use where conduit cannot be turned
- Neoprene Gasket
- Concrete Tight

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MSTC-50	1/2"	25	100	35
MSTC-75	3/4"	10	50	20
MSTC-100	1"	5	25	15
MSTC-125	1-1/4"	2	10	19
MSTC-150	1-1/2"	-	10	12
MSTC-200	2"	-	1	12
MSTC-250	2-1/2"	-	1	3
MSTC-300	3"	-	1	3
MSTC-350	3-1/2"	-	1	5
MSTC-400	4"	-	1	5

Double Bite Saddle Type Conn - 90's - Malleable, Insulated

- UL Standard: 514B, Fed Spec W-F-406E, NEMA FB-1
- To Connect Flex, AC and MC Cables to outlet boxes
- Dual Gripping Saddle Clamps

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MDB-3890-B	3/8"	10	50	10
MDB-5090-B	1/2"	10	50	13
MDB-7590-B	3/4"	5	25	10
MDB-10090-B	1"	5	25	8

Double Bite Saddle Type Conn - 45's - Malleable, Insulated

- UL Standard: 514B, Fed Spec W-F-406E, NEMA FB-1
- To Connect Flex, AC and MC Cables to outlet boxes
- Dual Gripping Saddle Clamps

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MDB-3845-B	3/8"	10	50	8
MDB-5045-B	1/2"	10	50	13
MDB-7545-B	3/4"	10	50	15

Double Bite Saddle Type - Set Screw Coupling - Steel

- UL Standard: 514B, Fed Spec W-F-406E, NEMA FB-1
- To Connect Flex, AC and MC Cables to EMT conduit
- Robertson Head Screw
- Saddle Clamp Rides Up and Down on Screw for Ease of Installation

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MDBS-38	3/8"	50	250	45
MDBS-50	1/2"	25	125	24
MDBS-75	3/4"	10	100	21

Double Bite Saddle Type Compression Coupling - Steel

- UL Standard: 514B, Fed Spec W-F-406E, NEMA FB-1
- To Connect Flex, AC and MC Cables to EMT conduit
- Dual Gripping Saddle Clamps
- Robertson Head Screws

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MDBC-38	3/8"	25	125	23
MDBC-50	1/2"	25	125	24
MDBC-75	3/4"	20	100	21

Liquidtight Connectors-Straight-Malleable - Insulated Throat with Aluminum Grounding Lug

- UL Standard: 514B, Fed Spec W-F-408E, NEMA: FB-1
- Liquidtight / Raintight / Oiltight
- For use with Flexible Metallic Conduit
- Add the Suffix "CL" for Copper Lug

New



Catalog Number	Trade Size	Lug Size	Inner Carton	Master Carton	Master Weight
MSTR-38-A	3/8"	4-14	25	100	18
MSTR-50-A	1/2"	4-14	25	100	20
MSTR-75-A	3/4"	4-14	10	50	16
MSTR-100-A	1"	4-14	5	25	11
MSTR-125-A	1"	4-14	5	25	15
MSTR-150-A	1-1/2"	4-14	2	10	8
MSTR-200-A	2"	4-14	-	2	2
MSTR-250-A	2-1/2"	1/0-8	-	1	4
MSTR-300-A	3"	1/0-8	-	1	5
MSTR-350-A	3-1/2"	3/0-6	-	1	7
MSTR-400-A	4"	3/0-6	-	1	8

Liquidtight Connectors - 90 - Malleable - Insulated Throat with Aluminum Grounding Lug

- UL Standard: 514B, Fed Spec W-F-408E, NEMA: FB-1
- For use with liquidtight flexible metallic conduit
- Liquidtight / Raintight / Oiltight

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MSTR-3890-A	3/8"	10	50	14
MSTR-5090-A	1/2"	10	50	16
MSTR-7590-A	3/4"	5	25	12
MSTR-10090-A	1"	5	25	20
MSTR-12590-A	1-1/4"	-	5	5
MSTR-15090-A	1-1/2"	-	5	7
MSTR-20090-A	2"	-	2	4
MSTR-25090-A	2-1/2"	-	1	9
MSTR-30090-A	3"	-	1	13
MSTR-35090-A	3-1/2"	-	1	20
MSTR-40090-A	4"	-	1	24

Liquidtight Connectors - 45 - Malleable - Insulated Throat with Aluminum Grounding Lug

- UL Standard: 514B, Fed Spec W-F-408E, NEMA: FB-1
- For use with liquidtight flexible metallic conduit
- Liquidtight / Raintight / Oiltight

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MSTR-3845-A	3/8"	10	50	15
MSTR-5045-A	1/2"	10	50	15
MSTR-7545-A	3/4"	10	50	22
MSTR-10045-A	1"	5	25	15
MSTR-12545-A	1-1/4"	-	5	5
MSTR-15045-A	1-1/2"	-	5	6
MSTR-20045-A	2"	-	2	4
MSTR-25045-A	2-1/2"	-	1	6
MSTR-30045-A	3"	-	1	9
MSTR-35045-A	3-1/2"	-	1	13
MSTR-40045-A	4"	-	1	16

PVC Running Thread

- ETL approved #3104547
- Made from UL approved schedule 80 PVC pipe
- "Brick" - 8' long with 1-1/4" of solid pipe to accept male adapter
- "Commercial"

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MUN-125	1/4"	-	12	13
MUN-150	1-1/2"	-	9	12
MUN-200	2"	-	25	44
MUN-250	2-1/2"	-	16	43
MUN-300	3"	-	16	58
MUN-400	4"	-	9	48
MUNB-125	1-1/4" (brick)	-	25	10
MUNB-200	2" (brick)	-	32	21
MUNC-125	1-1/4" (Commercial)	-	25	-
MUNC-200	2" (Commercial)	-	25	-



Watertight Hubs - Malleable

- UL Standard: 514B, FED Spec. W-F-408E, NEMA: FB-1
- For Threaded Rigid Conduit and IMC

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MLWH-50	1/2"	20	100	18
MLWH-75	3/4"	20	100	25
MLWH-100	1"	20	100	39
MLWH-125	1-1/4"	10	50	27
MLWH-150	1-1/2"	10	50	31
MLWH-200	2"	5	25	25
MLWH-250	2-1/2"	-	10	20
MLWH-300	3"	-	5	14
MLWH-350	3-1/2"	-	5	18
MLWH-400	4"	-	5	20
MLWH-500	5"	-	1	5
MLWH-600	6"	-	1	5

Exit Light

- Injection-molded Thermoplastic ABS Housing (EXRW), (EXRW-C), (EMW)
- Universal Mount (Wall, Side, or Ceiling) (EXRW)
- 12/277VAC Dual voltage operation, low 2.4 watts energy consumption (EXRW)
- Lamps- LED's mounted on painted circuit board (EXRW), (EXRW-C)
- Nickel-Cadmium battery provides 3 hours capacity to emergency lamps (EXRW)
- Adjustable emergency lights - side or top mount (EXRW-C)
- Wall or Ceiling Mount (EXRW-C), (EMW)
- 12/277VAC Dual voltage operation, low 3.8 watts energy consumption, 15 watt at emergency operation (EXRW-C)
- Lead-Calcium battery (EXRW-C)
- Remote Head Capable (EXRW-C)
- 12/277VAC Dual voltage operation (EMW)
- Lamps- 2 X 6V 6W DC T5 Wedge base lamps for emergency mode (EMW)
- Lead-Calcium battery provides more than ninety minutes capacity to emergency lamps (EMW)

New



Catalog Number	Description	Inner Carton	Master Carton	Weight
EXRW	Red LED Exit Sign With Battery Backup	1	12	36
EXRW-C	Red LED Combo Exit Sign With Battery Backup	1	2	17
EMW	Incandescent Emergency Light With Battery Backup	1	6	24

Set Screw Rigid Connectors For Threadless Rigid Conduit and IMC

- Malleable iron, steel locknut
- Concrete tight when taped, available with insulated throat, NPSM thread 1/2" through 2"
- Zinc plated
- UL Standard: 514B, Fed. Spec. W-F-408E, NEMA: FB-I

New



Catalog Number	Inner Carton	Master Carton	Weight
MSNT-2750	20	100	18
MSNT-2751	25	100	25
MSNT-2752	5	25	10
MSNT-2753	5	25	13
MSNT-2754	2	10	7
MSNT-2755	-	5	5

Set Screw Rigid Connectors With Insulated Throats For Threadless Rigid Conduit and IMC

- Malleable iron, steel locknut
- Concrete tight when taped, available with insulated throat, NPSM thread 1/2" through 2"
- Zinc plated
- UL Standard: 514B, Fed. Spec. W-F-408E, NEMA: FB-I

New



Catalog Number	Inner Carton	Master Carton	Weight
MSNT-2750-B	20	100	18
MSNT-2751-B	25	100	25
MSNT-2752-B	5	25	10
MSNT-2753-B	5	25	13
MSNT-2754-B	2	10	7
MSNT-2755-B	-	5	5

Set Screw Rigid Couplins For Threadless Rigid Conduit and IMC

- Malleable iron
- Concrete tight when taped
- Zinc plated
- UL Standard: 514B, Fed. Spec. W-F-408E, NEMA: FB-I

New



Catalog Number	Inner Carton	Master Carton	Weight
MSNT-2760	20	100	24
MSNT-2761	25	100	35
MSNT-2762	5	25	14
MSNT-2763	5	25	17
MSNT-2764	2	10	9
MSNT-2765	-	5	7

Conduit Hangers with bolts

- #0-#5 hangers are self threading and do not require a nut.
- Bright zinc electroplated, steel
- * U.L. Listed.



Catalog Number	Trade Size	Gauge Steel	Rigid	EMT	Inner Carton	Master Carton	Master Weight	Dimensions Hole Mt	Nut	Screw
*0-WBA	0	18	3/8"	1/2"	-	100	7	1/4"	-	1/4" x 1"
*1-WBA	1	18	3/4"	3/4"	-	100	8	1/4"	-	1/4" x 1"
*2-WBA	2	18	1"	1"	-	100	9	1/4"	-	1/4" x 1"
*2-1/2-WBA	2-1/2	18	-	1 1/4"	-	100	10	1/4"	-	1/4" x 1"
*3-WBA	3	18	1 1/4"	1 1/2"	-	100	11	1/4"	-	1/4" x 1"
*4-WBA	4	16	1 1/2"	-	-	100	16	5/16"	-	1/4" x 1"
*5-WBA	5	16	2"	2"	-	50	11	5/16"	-	1/4" x 1"
6-WBA	6	14	2 1/2"	2 1/2"	-	50	12	3/8"	-	1/4" x 1-1/2"
7-WBA	7	14	3"	3"	-	25	10	3/8"	-	1/4" x 1-1/2"
8-WBA	8	14	3 1/2"	3 1/2"	-	25	12	3/8"	-	1/4" x 1-1/2"
9-WBA	9	14	4"	4"	-	25	13	3/8"	-	1/4" x 1-1/2"

Conduit Hangers - Stainless Steel

- UL Listed: 5148, Fed. Spec. W-F-40BE, NEMA: FB-1
- With nut and bolt

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
0-WBAS	1/2"	-	100	50
1-WBAS	3/4"	-	100	50
2-WBAS	1"	-	100	60
2-1/2-WBAS	1-1/4" EMT	-	100	75
3-WBAS	1-1/2" EMT-1-1/4 Rigid	-	100	80
4-WBAS	1-1/2" Rigid	-	100	80
5-WBAS	2"	-	50	100
6-WBAS	2-1/2"	-	50	125
7-WBAS	3"	-	25	165
8-WBAS	3-1/2"	-	10	200
9-WBAS	4"	-	10	230

Conduit Hangers without bolts

- #0-#5 hangers are self threading and do not require a nut.
- Bright Zinc electroplated, steel
- *U.L. Listed.



Catalog Number	Trade Size	Gauge Steel	Rigid	EMT	Inner Carton	Master Carton	Master Weight	Dimensions Hole Mt	Nut	Screw
*0-CH	0	18	3/8"	1/2"	-	100	5	1/4"	-	1/4 x 1
*1-CH	1	18	3/4"	3/4"	-	100	7	1/4"	-	1/4 x 1
*2-CH	2	18	1"	1"	-	100	7	1/4"	-	1/4 x 1
*2-1/2-CH	2 1/2	18	-	1 1/4"	-	100	9	1/4"	-	1/4 x 1
*3-CH	3	18	1 1/4"	1 1/2"	-	100	10	1/4"	-	1/4 x 1
*4-CH	4	16	1 1/2"	-	-	100	14	5/16"	-	1/4 x 1
*5-CH	5	16	2"	2"	-	50	10	5/16"	-	1/4 x 1
6-CH	6	14	2 1/2"	2 1/2"	-	50	12	3/8"	1/4" -20	1/4" x 1 1/2"
7-CH	7	14	3"	3"	-	25	10	3/8"	1/4" -20	1/4" x 1 1/2"
8-CH	8	14	3 1/2"	3 1/2"	-	25	11	3/8"	1/4" -20	1/4" x 1 1/2"
9-CH	9	14	4"	4"	-	25	12	3/8"	1/4" -20	1/4" x 1 1/2"

EMT One-Hole Steel Straps

- Snap-on feature, reinforced rib for added strength
- Bright zinc electroplated steel
- Reinforced holes for extra strength
- 1/2" - 1" U.L.



Catalog Number	Trade Size	Gauge Steel	Rigid	EMT	Inner Carton	Master Carton	Master Weight	Dimensions	
								A	B
*1701	1/2"	14	-	1/2"	100	1000	26	.562	.250
*1702	3/4"	14	-	3/4"	100	500	21	.625	.250
*1703	1"	13	-	1"	100	500	43	.750	.312
1704	1-1/4"	13	-	1-1/4"	20	200	34	.875	.312
1705	1-1/2"	13	-	1-1/2"	20	100	30	1.000	.312
1706	2"	13	-	2"	20	100	25	1.125	.375
1707	2-1/2"	9	2-1/2"	2-1/2"	10	50	22	1.250	.562
1708	3"	9	3"	3"	5	25	14	1.250	.562
1709	3-1/2"	7	3-1/2"	3-1/2"	5	25	21	1.250	.562
1710	4"	7	4"	4"	5	25	19	1.250	.562

Rigid One-Hole Steel Straps

- Snap-On feature, reinforced rib for added strength
- Bright zinc electroplated, steel

Catalog Number	Trade Size	Gauge Steel	Rigid	EMT	Inner Carton	Master Carton	Master Weight	Dimensions	
								A	B
699	1/4"	16	1/4"	-	100	1000	17	.562	.200
700	3/8"	14	3/8"	-	100	1000	46	.562	.250
701	1/2"	14	1/2"	-	100	500	18	.625	.250
702	3/4"	13	3/4"	-	50	250	15	.750	.250
703	1"	13	1"	-	20	200	19	.875	.312
704	1-1/4"	13	1-1/4"	-	20	100	16	.875	.375
705	1-1/2"	11	1-1/2"	-	10	100	17	1.000	.437
706	2"	11	2"	-	10	50	14	1.125	.562
1707	2-1/2"	9	2-1/2"	2-1/2"	10	50	22	1.250	.562
1708	3"	9	3"	3"	5	25	14	1.250	.562
1709	3-1/2"	7	3-1/2"	3-1/2"	5	25	21	1.250	.562
1710	4"	7	4"	4"	5	25	19	1.250	.562



Rigid One-Hole Malleable Straps

- Malleable iron, zinc plated



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight	Dimensions		
						A	B	C
801	1/2"	1/2"	25	250	17	1-7/16"	5/8"	5/16"
802	3/4"	3/4"	25	250	18	1-3/4"	3/4"	5/16"
803	1"	1"	25	125	12	1-7/8"	7/8"	3/8"
804	1-1/4"	1-1/4"	20	100	19	2-3/8"	1"	7/16"
805	1-1/2"	1-1/2"	10	100	30	2-3/4"	1-1/4"	7/16"
806	2"	2"	10	50	22	3-1/4"	1-3/8"	9/16"
807	2-1/2"	2-1/2"	5	25	11	3-1/4"	1-3/8"	9/16"
808	3"	3"	-	5	5	5-3/16"	1-3/4"	9/16"
809	3-1/2"	3-1/2"	-	5	8	5-1/2"	2-1/8"	3/4"
810	4"	4"	-	5	8	6-1/2"	2-1/4"	3/4"
811	5"	5"	-	2	8	7-3/8"	2-11/16"	3/4"
812	6"	6"	-	2	12	8-5/8"	3-1/8"	1-1/8"

Clamp Backs Malleable Iron

- Malleable iron, zinc plated
- 1/2" - 4" U.L.



Catalog Number	Trade Size	Rigid	EMT	Inner Carton	Master Carton	Master Weight	Dimensions			
							A	B	C	D
1170	1/2"	1/2"	1/2"	25	250	20	2"	1"	1/2"	5/16"
1171	3/4"	3/4"	3/4"	25	250	31	2-5/16"	1-1/16"	1/2"	5/16"
1172	1"	1"	1"	25	125	23	2-5/16"	1-1/4"	9/16"	3/8"
1173	1-1/4"	1-1/4"	1-1/4"	20	100	22	3-7/16"	1-7/8"	3/4"	7/16"
1174	1-1/2"	1-1/2"	1-1/2"	10	100	35	3-13/16"	1-7/8"	13/16"	7/16"
1175	2"	2"	2"	10	50	28	4-3/4"	1-15/16"	1"	9/16"
1176	2-1/2"	2-1/2"	2-1/2"	5	25	18	5-3/4"	2-7/16"	1"	9/16"
1177	3"	3"	3"	-	10	10	6-3/4"	2-5/8"	1"	9/16"
1178	3-1/2"	3-1/2"	3-1/2"	-	10	15	7-1/8"	2-7/8"	1-1/16"	3/4"
1179	4"	4"	4"	-	10	19	8-13/16"	3-1/16"	1-1/16"	3/4"
1179A	5"	5"	5"	-	2	6	10-1/8"	3-3/4"	1-3/16"	3/4"
1179B	6"	6"	6"	-	2	8	12-3/16"	4"	1-1/2"	3/4"

Universal Clamp Back Spacers - Plastic

- Constructed of PVC material, gray color
- Designed to stack one on another for any height needed



Catalog Number	Trade Size	Rigid	EMT	Inner Carton	Master Carton	Master Weight
1180	1/2", 3/4", 1"	1/2", 3/4", 1"	1/2", 3/4", 1"	50	500	12

E.M.T. One-Hole Steel Straps - Bend Saver

- UL Listed E213669, Fed Spec W-F-408E, NEMA FB-1
- See PG. 16 for BEND SAVER COUPLINGS.



Catalog Number	Trade Size	Rigid	EMT	Inner Carton	Master Carton	Master Weight	Dimensions		
							A	B	C
1701-BS	1/2"	-	1/2"	50	500	26	1-5/16"	13/16"	1-3/4"
1702-BS	3/4"	-	3/4"	50	500	21	1-1/2"	13/16"	1-15/16"

EMT Two - Hole Steel Straps

- Snap-on feature, reinforced rib for added strength
- Bright zinc electroplated steel (1/2"-1") or galvanized steel (1 1/4"-4")
- 1/2" - 4" U.L.



Catalog Number	Trade Size	Gauge Steel	Rigid	EMT	Inner Carton	Master Carton	Master Weight	Steel Type	Dimensions	
									A	B
*1124	1/2"	20	-	1/2"	100	500	10	cold rolled	.560	.188
*1125	3/4"	20	-	3/4"	100	500	14	steel zinc	.625	.188
*1126	1"	20	-	1"	50	250	11	plated	.688	.188
*1127	1-1/4"	18	-	1-1/4"	-	50	5	galv. steel	.750	.250
*1128	1-1/2"	18	-	1-1/2"	-	50	5	galv. steel	.875	.250
*1129	2"	16	-	2"	-	50	7	galv. steel	1.000	.375
130	2-1/2"	14	2-1/2"	2-1/2"	-	50	13	galv. steel	1.000	.375
131	3"	14	3"	3"	-	25	8	galv. steel	1.000	.375
132	3-1/2"	13	3-1/2"	3-1/2"	-	25	10	galv. steel	1.000	.437
133	4"	13	4"	4"	-	20	8	galv. steel	1.000	.437

Rigid Two - Hole Steel Straps

- Snap-on feature, reinforced rib for added strength
- Bright zinc electroplated steel (3/8"- 1") or galvanized steel (1 1/4"-4")
- 1/2" - 4" U.L.



Catalog Number	Trade Size	Gauge Steel	Rigid	EMT	Inner Carton	Master Carton	Master Weight	Steel Type	Dimensions	
									A	B
123	3/8"	20	3/8"	-	100	500	9	cold rolled	.562	.188
124	1/2"	20	1/2"	-	100	500	13	steel zinc	.625	.188
125	3/4"	20	3/4"	-	50	250	9	plated	.688	.188
126	1"	18	1"	-	25	125	8	plated	.750	.250
127	1-1/4"	18	1-1/4"	-	-	50	5	galv. steel	.875	.250
128	1-1/2"	16	1-1/2"	-	-	50	6	galv. steel	.875	.250
129	2"	16	2"	-	-	50	7	galv. steel	1.000	.375
130	2-1/2"	14	2-1/2"	2-1/2"	-	50	13	galv. steel	1.000	.375
131	3"	14	3"	3"	-	25	8	galv. steel	1.000	.375
132	3-1/2"	13	3-1/2"	3-1/2"	-	25	10	galv. steel	1.000	.437
133	4"	13	4"	4"	-	20	8	galv. steel	1.000	.437

Service Entrance Straps One - Hole

- Cold rolled steel, zinc plated
- Part #260 is galvanized steel



Catalog Number	Trade Size	Gauge Steel	Inner Carton	Master Carton	Master Weight	Dimensions	
						A	B
260	#8-2 or 1/2 round cable	18	100	1000	16	.625	.250
261	3 #8, #6 or #4 oval cable	16	100	1000	19	.375	.250
262	3 #3 or #2	16	100	1000	23	.500	.250
263	3 #1 or #1/0, or #2, or #2/0	13	25	250	21	.750	.313
264	3 #4/0	13	20	100	11	.812	.313

Aluminum Service Entrance Straps One - Hole

- Stamped aluminum



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
362	3 #3 or #2	100	1000	24
363	3 #1/0 or #2/0	25	250	12
364	3 #3/0 or #4/0	20	100	7

Service Entrance Straps Two Hole

- Galvanized steel



Catalog Number	Trade Size	Gauge Steel	Inner Carton	Master Carton	Master Weight	Dimensions	
						A	B
220	3 #8 or #6	18	100	500	15	.375	.250
221	3 #4 or #3	18	100	500	17	.500	.250
222	#1/0 or #2/0	18	25	250	12	.750	.250
223	#4/0	18	25	250	13	.812	.250

NM - Cable Strap One Hole

- Cold rolled steel, zinc plated

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Dimensions A	Dimensions B
134-1	Takes wire sizes 14, 12, and 10, in 2 or 3 conductor, with or without ground	100	1000	12	.500	.200
134-5	also 14 in UF	500	2500	30	.500	.200



NM - Cable Strap Two Hole

- Galvanized steel

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Dimensions A	Dimensions B
135-1	Takes 14-2, 14-3, 12-2, and 10-2, with or without ground; also UF, 14-2, 14-3, and 12-2 with or without ground	100	1000	13	.500	.200



Flex Cable Strap One Hole

- Cold rolled steel, zinc plated.
- Part #260 is galvanized steel

Catalog Number	Gauge Steel	Flex Box	Rigid	Inner Carton	Master Carton	Master Weight	Dimensions Hole Mt	Nut
699	16	3/8"	1/4"	100	1000	17	.562	.200
260	18	1/2"	-	100	1000	16	.625	.250



MC Cable Strap

- Maximum 4 - 12/3 with ground MC / AC Cables Conforms to N.E.C. 300-4d
- U.L. Listed

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
680	12/3	-	100	8



Midget Strap One Hole

- Cold rolled steel, zinc plated

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Dimensions A	Dimensions B
162	1/4 O.D. Tube, 16/3 cord	100	800	3	.312	.175
164	1/4 O.D. Tube	100	800	6	.500	.200
166	3/8 O.D. Tube	100	800	7	.500	.200



Insulated Cable Staple

- Plastic insulator protects cable

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
30V-2	5/8" x 1 1/8", plastic insulator accepts 2 #14, or 2 #12 Romex w/ground	100	5000	32



Insulated Cable Staple Two Nail

- Plastic insulator protects cable. Steel nails

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Packaging
20W-1	For 2 #14, #12 w/ ground	100	2500	12	100/bag
20W-5	Romex, BX, or 1/2" cable	500	2500	10	bulk
30W-50	For 3 #14, #12, #10 w/ ground	50	1000	6	bulk
30W-5	Romex, U.F., or 3/4" cable	-	500	6	50/ bag



Hold-It Box Supports

- Made of galvanized steel
- Used in pairs

Catalog Number	Packaging	Inner Carton	Master Carton	Master Weight	Dimensions	
					A	B
I02	bulk	100 pr.	500 pr.	25	5-1/4"	2-1/4"
B-I02	one pair/ bag	50 pr.	250 pr.	15	5-1/4"	2-1/4"



Fender Washers

- Steel

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Dimensions	
					A	B
416	1/4"	100	1000	13	1"	1/4"
420	1/4"	100	1000	20	1-1/4"	1/4"
428	1/4"	100	1000	30	1-1/2"	1/4"
430	3/8"	100	1000	30	1-1/2"	3/8"



Nail Strap

- Steel wire
- For wood

Catalog Number	Rigid	EMT	Inner Carton	Master Carton	Master Weight	Dimensions	
						A	B
600	3/8"	1/2"	100	1000	21	2.25	.350
605	1/2"	3/4"	100	1000	24	2.50	.460
615	3/4"	1"	100	1000	25	2.50	.480



Nail Strap Heavy Duty

- Stamped Steel, zinc electroplated
- For wood or masonry

Catalog Number	Rigid	EMT	Inner Carton	Master Carton	Master Weight	Dimensions	
						A	B
I600	3/8"	1/2"	100	1000	18	2.00	.350
I605	1/2"	3/4"	100	1000	20	2.12	.460
I615	3/4"	1"	100	1000	25	2.25	.580



Nail Strap-Cast Steel

- Cast Steel, Zinc Plated

Catalog Number	Rigid	EMT	Inner Carton	Master Carton	Master Weight	Dimensions		
						A	B	C
1600-CS	3/8"	1/2"	100	1000	3	1-13/16"	1-1/16"	1/4"
1605-CS	1/2"	3/4"	100	1000	4	2"	1-1/4"	1/4"
1615-CS	3/4"	1"	100	1000	6	2-1/2"	1-1/2"	1/4"



Romex Staples

- Steel wire
- Bucket
- With flat, indented head, for 2 #14 or #12 Romex with ground

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Dimensions	
					A	B
30-1	1/2" x 1"	100	5000	25	.500	1.00
30-5		500	5000	25	.500	1.00
30-5M		-	5000*	24	.500	1.00



Romex/BX Staples

- Steel wire
- Bucket
- With flat indented head, for 3 #14, #12 or #10 with ground BX, RX, or 3/8 flex

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Dimensions	
					A	B
31-1	9/16" x 1-1/4"	100	5000	34	.563	1.125
31-5		500	5000	34	.563	1.125
31-5M		-	5000*	33	.563	1.125



Service Entrance Staples

- Steel wire

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Dimensions	
					A	B
32-1	3/4" x 1-5/16" - 6/3 S.E.U.	100	1000	12	.750	1.313
34-1	1" x 1" - 2/3 S.E.U.	100	1000	14	1.000	1.000
35-1	1-3/8" x 2" - 2/0 S.E.	100	500	16	1.375	2.000
36-1	1-5/8" x 2-1/8" - 4/0 S.E.	100	500	19	1.625	2.125



Nylon Cable Clamps

- Natural white color, nylon construction
- Non-conductive, non-corrosive, resistant to fuels, lubricants, and most chemicals.

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Dimensions Hole Mount	
					A	B
1720	1/8" Dia. - 3/8" Wide	100	1000	3	.170	
1722	1/4" Dia. - 3/8" Wide	100	1000	3	.170	
1724	3/8" Dia. - 3/8" Wide	100	1000	3	.170	
1726	1/2" Dia. - 3/8" Wide	100	1000	4	.170	
1735	5/8" Dia. - 1/2" Wide	100	1000	4	.203	
1738	1-3/16" Dia. - 1/2" Wide	100	1000	6	.203	
1740	1" Dia. - 1/2" Wide	50	500	5	.203	
1743	1-1/4" Dia. - 1/2" Wide	50	500	5	.203	



Madison Tie It's (Natural)

- Natural white color, nylon construction
- Nylon ratchet lock construction eliminates corrosion-prone metallic inserts. No tools are required for a permanent, secure tie.



Catalog Number	Body Length	Bundle Diameter	Tensile Strength	Width	Inner Carton	Master Carton	Master Weight	Packaging
1780	4"	1/16" - 7/8"	18 lbs.	1.00	500	2500	3	50/bag
1782	5.6"	1/16" - 1-1/4"	30 lbs.	.130	500	2500	6	50/bag
1783	7.5"	1/16" - 1-3/4"	50 lbs.	.187	500	2000	9	100/bg
1784	11.1"	1/16" - 3"	50 lbs.	.187	-	500	3	50/bag
1785	14.1"	1/4" - 4"	50 lbs.	.187	-	500	3	50/bag
1786	24"	3/16" - 7.2"	175 lbs.	.345	-	250	9	50/bag
1787	28"	3/16" - 9"	120 lbs.	.300	-	250	9	50/bag

Madison Tie It's (UV Rated)

- UV nylon black color protects against ultraviolet rays.
- Nylon ratchet lock construction eliminates corrosion-prone metallic inserts. No tools are required for a permanent, secure tie.



Catalog Number	Body Length	Bundle Diameter	Tensile Strength	Width	Inner Carton	Master Carton	Master Weight	Packaging
1780-UV	4"	1/16" - 7/8"	18 lbs.	.100	500	2500	3	50/bag
1782-UV	5.6"	1/16" - 1-1/4"	30 lbs.	.130	500	2500	6	50/bag
1783-UV	7.5"	1/16" - 1-3/4"	50 lbs.	.187	500	2000	10	100/bg
1784-UV	11.1"	1/16" - 3"	50 lbs.	.187	-	500	3	50/bag
1785-UV	14.1"	1/4" - 4"	50 lbs.	.187	-	500	3	50/bag
1786-UV	24"	3/16" - 7.2"	175 lbs.	.345	-	250	9	50/bag
1787-UV	28"	3/16" - 9"	120 lbs.	.300	-	250	9	50/bag

Beam Clamp

- Stamped steel, square headed hardened steel bolt
- Side and bottom tapped holes
- Zinc plated



Catalog Number	Trade Size	Jaw Opening	Inner Carton	Master Carton	Master Weight	Dimensions		
						A	B	C
25	1"	1 1/16"	-	50	8	1/4"-20	15/16"	1-5/8"

Beam Clamp

- Malleable iron, square headed hardened steel bolt
- Side and bottom tapped holes
- Zinc plated



Catalog Number	Trade Size	Jaw Opening	Inner Carton	Master Carton	Master Weight	Dimensions		
						A	B	C
26	1"	3/4"	-	100	22	1/4"-20	1-11/16"	1-3/8"
27	2"	7/8"	-	10	8	3/8"-16	2"	2"
29	2-1/2"	7/8"	-	10	13	1/2"-13	2-5/8"	2-1/2"

Beam Clamp

- Steel C-clamp
- Federal specification WW-H121 (TYPE 23)



Catalog Number	Trade Size	Jaw Opening	Max. Rec. Load (lbs)	Inner Carton	Master Carton	Master Weight	Dimensions		
							A	B	C
250	3/8"	3/4"	400	-	100	39	3/8"-16	2-5/16"	2-3/8"
251	1/2"	3/4"	500	-	100	46	1/2"-13	2-5/16"	2-3/8"

Fixture Hanger - Malleable - Round and Square

- UL Standard: 514A, 514B, 514D, FED. SPEC. W-F-408E, NEMA:FB-1
- For use with 1/2" or 3/4" fixture conduit stems
- Octagonal or square boxes

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MFHR50-75	4-1/8" Round	-	1	1
MFHS50-75	4-1/8" Square	-	1	1

"S" Hooks

- Steel, zinc plated

Catalog Number	Trade Size	Gauge Steel	Inner Carton	Master Carton	Master Weight
W-11	3"	12	100	1000	8
W-15	1-1/2"	10	100	1000	16



Single Jack Chain

- Steel, zinc plated

Catalog Number	Trade Size	Gauge Steel	Width	Max. Rec. Load (lbs)	Inner Carton	Master Carton	Master Weight
W-12	12	12	100/ roll	29	100	1000	89
W-13	12	12	50/ box	29	50	500	47
W-10	10	10	100/ box	47	100	500	68



Perforated Hanger Strap

- Galvanized steel

Catalog Number	Trade Size	Gauge Steel	Body Length	Inner Carton	Master Carton	Master Weight
81	3/4"	20	10'	-	24	16



Pipe Clamps U Bolts

- Malleable Iron, Hot Dipped Zinc Plating
- U.L. Listed



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Dimensions			
					A	B	C	D
331	1/2"	-	50	6	1 1/4"	2 1/2"	1-13/16"	
332	3/4"	-	50	7	1 1/8"	2-13/16"	1-13/16"	
333	1"	-	50	7	1 3/8"	3-1/16"	1-13/16"	
334	1-1/4"	-	50	8	1 3/4"	3-3/16"	1-13/16"	
335	1-1/2"	-	50	8	2"	3-1/2"	1-13/16"	
336	2"	-	50	15	2 1/2"	4-1/2"	2-5/8"	
337	2-1/2"	-	10	3	3"	4-7/8"	2-5/8"	
338	3"	-	10	4	3 5/8"	5-3/8"	2-5/8"	
339	3-1/2"	-	10	4	4 1/16"	4-9/16"	2-5/8"	
340	4"	-	10	5	4 11/16"	6-11/16"	2-5/8"	

Pipe Clamps Right Angle

- Malleable iron, hot dipped galvanized clamp
- U.L. Listed



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Dimensions			
					A	B	C	D
341	1/2"	-	50	20	1"	1-1/4"	2-1/2"	2-1/16"
342	3/4"	-	50	22	1-1/8"	1-3/8"	2-13/16"	2-1/4"
343	1"	-	50	24	1-3/8"	1-5/8"	3-1/16"	2-9/16"
344	1-1/4"	-	50	27	1-3/4"	2"	3-3/16"	2-7/8"
345	1-1/2"	-	50	29	2"	2-3/8"	3-1/2"	3-1/4"
346	2"	-	50	43	2-1/2"	2-1/2"	4-1/2"	4-1/16"
347	2-1/2"	-	10	11	3"	3-1/4"	4-7/8"	4-1/2"
348	3"	-	10	14	3-5/8"	3-7/8"	5-3/8"	5-1/8"
349	3-1/2"	-	10	43	4-11/16"	4-9/16"	5-7/8"	5-5/8"
350	4"	-	10	41	4-11/16"	5-1/16"	6-11/16"	6-1/8"

Pipe Clamps Parallel

- Malleable iron, hot dipped galvanized clamp
- U.L. Listed



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Dimensions	
					A	B
341-P	1/2"	-	50	29	2-7/8"	1-7/16"
342-P	3/4"	-	50	32	3-1/16"	1-11/16"
343-P	1"	-	50	35	3-1/4"	2"
344-P	1 1/4"	-	25	18	3-5/8"	2-1/8"
345-P	1 1/2"	-	25	23	3-7/8"	2-3/16"
346-P	2"	-	25	25	4-5/8"	2-7/8"
347-P	2-1/2"	-	10	64	5-1/4"	3-1/4"
348-P	3"	-	10	54	5-7/8"	3-7/8"
349-P	3-1/2"	-	10	55	6-5/16"	4-5/16"
350-P	4"	-	10	44	6-13/16"	4-13/16"

E.M.T. Set Screw Connectors-Zinc

- Zinc die cast
- Concrete-tight when taped
- *UL listed for IMC and Rigid
- Meets UL514B



Catalog Number	Trade Size	Rigid	EMT	Inner Carton	Master Carton	Master Weight
L-121	1/2"	-	1/2"	50	500	29
L-123	3/4"	-	3/4"	25	250	24
L-125	1"	-	1"	50	200	28
L-127	1-1/4"	-	1-1/4"	25	100	27
L-129	1-1/2"	-	1-1/2"	10	40	15
L-131	2"	-	2"	5	20	11
L-133*	2-1/2"	2-1/2"	2-1/2"	-	12	10
L-135*	3"	3"	3"	-	12	13
L-137*	3-1/2"	3-1/2"	3-1/2"	-	10	13
L-139*	4"	4"	4"	-	6	10

E.M.T. Set Screw Connectors-Zinc - Insulated Throat

- Zinc die cast
- *UL listed for IMC and Rigid
- Concrete tight when taped
- Meets UL514B



Catalog Number	Trade Size	Rigid	EMT	Inner Carton	Master Carton	Master Weight
IL-121	1/2"	-	1/2"	50	500	29
IL-123	3/4"	-	3/4"	25	250	24
IL-125	1"	-	1"	50	200	28
IL-127	1-1/4"	-	1-1/4"	25	100	27
IL-129	1-1/2"	-	1-1/2"	10	40	15
IL-131	2"	-	2"	5	20	11
IL-133*	2-1/2"	2-1/2"	2-1/2"	-	12	10
IL-135*	3"	3"	3"	-	12	13
IL-137*	3-1/2"	3-1/2"	3-1/2"	-	10	13
IL-139*	4"	4"	4"	-	6	10

E.M.T. Set Screw Couplings-Bend Saver- Zinc

- Standoff design eliminates conduit bending and provides automatic alignment with electrical box knockouts
- See PG. 12 for BEND SAVER ONE HOLE STRAPS



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
L-122-BS	1/2"	1/2"	25	250	35
L-124-BS	3/4"	3/4"	25	250	25

E.M.T. Set Screw Couplings-Zinc

- Zinc Die Cast
- *UL Listed for IMC and Rigid
- Concrete - tight when taped
- Meets UL514B



Catalog Number	Trade Size	Rigid	EMT	Inner Carton	Master Carton	Master Weight
L-122	1/2"	-	1/2"	50	500	35
L-124	3/4"	-	3/4"	25	250	25
L-126	1"	-	1"	50	200	27
L-128	1-1/4"	-	1-1/4"	25	100	31
L-130	1-1/2"	-	1-1/2"	10	40	15
L-132	2"	-	2"	5	20	11
L-134*	2-1/2"	2-1/2"	2-1/2"	-	12	10
L-136*	3"	3"	3"	-	12	13
L-138*	3-1/2"	3-1/2"	3-1/2"	-	10	14
L-140*	4"	4"	4"	-	6	10

E.M.T. Offset Connectors-Zinc

- Zinc die cast
- Concrete - tight when taped
- Meets UL514B



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
L-37-1	1/2"	1/2"	10	100	12
L-37-2	3/4"	3/4"	10	100	19

E.M.T. 90 Compression Connectors-Zinc

- Zinc die cast
- Concrete tight
- Meets UL514B



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
211	1/2"	1/2"	25	250	50
213	3/4"	3/4"	20	200	56

E.M.T. Set Screw Connectors-Steel

- Steel tubular construction, Pre set & Staked Robertson Head Screws. Male Hub Threads - NPSM, Zinc Plated
- Concrete - Tight when taped
- Meets UL514B. Fed Spec W-F-408E. NEMA FB-1
- * UL and CUL Listed for EMT, IMC and Rigid Conduit.
- 1-1/4" - 4" Furnished with 2 set screws



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
MES-750	1/2"	1/2"	50	250	22
MES-751	3/4"	3/4"	25	125	16
MES-752	1"	1"	20	100	24
MES-753	1-1/4"	1-1/4"	5	25	9
MES-754	1-1/2"	1-1/2"	-	10	5
MES-755	2"	2"	-	10	8
MES-756*	2-1/2"	2-1/2"	-	8	9
MES-757*	3"	3"	-	4	6
MES-758*	3-1/2"	3-1/2"	-	4	8
MES-759*	4"	4"	-	4	8

E.M.T. S.S. Connectors-Steel - Insulated Throat

- Steel tubular construction, Pre set & Staked Robertson Head Screws, Male Hub Threads - NPSM, Zinc Plated
- Concrete - Tight when taped
- Meets UL 514B, Fed Spec WW-F-408E, NEMA FB-1
- 1-1/4" - 4" Furnished with 2 set screws
- * UL and CUL Listed for EMT, IMC and Rigid Conduit



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
MES-750-B	1/2"	1/2"	50	250	23
MES-751-B	3/4"	3/4"	25	125	17
MES-752-B	1"	1"	20	100	24
MES-753-B	1-1/4"	1-1/4"	5	25	9
MES-754-B	1-1/2"	1-1/2"	-	10	5
MES-755-B	2"	2"	-	10	8
MES-756-B*	2-1/2"	2-1/2"	-	8	9
MES-757-B*	3"	3"	-	4	6
MES-758-B*	3-1/2"	3-1/2"	-	4	8
MES-759-B*	4"	4"	-	4	8

E.M.T. Set Screw Couplings-Steel

- Steel tubular construction
- Concrete - tight when taped
- 1-1/4" - 4" furnished with 4 set screws.
- * UL and CUL Listed for EMT, IMC and Rigid Conduit
- Meets UL514B



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
MES-760	1/2"	1/2"	50	250	23
MES-761	3/4"	3/4"	25	125	18
MES-762	1"	1"	10	100	17
MES-763	1-1/4"	1-1/4"	5	25	7
MES-764	1-1/2"	1-1/2"	-	10	3
MES-765	2"	2"	-	10	5
MES-766*	2-1/2"	2-1/2"	-	8	12
MES-767*	3"	3"	-	4	7
MES-768*	3-1/2"	3-1/2"	-	4	8
MES-769*	4"	4"	-	4	10

E.M.T. Compression Connectors-Zinc

- * UL Listed for IMC and Rigid
- Zinc die cast
- Concrete - tight
- Meets UL514B
- * Add the Suffix RT for Raintight



Catalog Number	Trade Size	Rigid	EMT	Inner Carton	Master Carton	Master Weight
*L-21	1/2"	-	1/2"	50	500	4
*L-23	3/4"	-	3/4"	25	250	32
*L-25	1"	-	1"	50	200	41
L-27	1-1/4"	-	1-1/4"	25	100	37
L-29	1-1/2"	-	1-1/2"	10	40	21
L-31	2"	-	2"	5	20	16
L-33*	2-1/2"	2-1/2"	2-1/2"	-	12	13
L-35*	3"	3"	3"	-	12	16
L-37*	3-1/2"	3-1/2"	3-1/2"	-	10	18
L-39*	4"	4"	4"	-	6	13

E.M.T. Compression Connectors-Zinc-Insulated Throat

- *UL Listed for IMC and Rigid
- Zinc die cast
- Concrete - tight
- Meets UL 514B



Catalog Number	Trade Size	Rigid	EMT	Inner Carton	Master Carton	Master Weight
IL-21	1/2"	-	1/2"	50	500	47
IL-23	3/4"	-	3/4"	25	250	33
IL-25	1"	-	1"	50	200	42
IL-27	1-1/4"	-	1-1/4"	25	100	38
IL-29	1-1/2"	-	1-1/2"	10	40	22
IL-31	2"	-	2"	5	20	17
IL-33*	2-1/2"	2-1/2"	2-1/2"	-	12	13
IL-35*	3"	3"	3"	-	12	16
IL-37*	3-1/2"	3-1/2"	3-1/2"	-	10	18
IL-39*	4"	4"	4"	-	6	13

E.M.T. Compression Couplings-Zinc

- * UL Listed for IMC and Rigid
- Zinc die cast
- Concrete - tight
- Meets UL514B
- * Add the Suffix RT for Raintight



Catalog Number	Trade Size	Rigid	EMT	Inner Carton	Master Carton	Master Weight
*L-22	1/2"	-	1/2"	50	500	60
*L-24	3/4"	-	3/4"	25	250	45
*L-26	1"	-	1"	50	200	52
L-28	1-1/4"	-	1-1/4"	25	100	48
L-30	1-1/2"	-	1-1/2"	10	40	27
L-32	2"	-	2"	5	20	18
L-34*	2-1/2"	2-1/2"	2-1/2"	-	12	16
L-36*	3"	3"	3"	-	12	22
L-38*	3-1/2"	3-1/2"	3-1/2"	-	10	22
L-40*	4"	4"	4"	-	6	15

E.M.T. Compression Connectors-Steel

- Steel construction
- Concrete- tight
- Meets UL514B



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
MEC-750	1/2"	1/2"	50	250	25
MEC-751	3/4"	3/4"	25	125	18
MEC-752	1"	1"	15	75	18
MEC-753	1-1/4"	1-1/4"	-	20	9
MEC-754	1-1/2"	1-1/2"	-	5	3
MEC-755	2"	2"	-	10	8
MEC-756	2-1/2"	2-1/2"	-	8	12
MEC-757	3"	3"	-	4	8
MEC-758	3-1/3"	3-1/2"	-	4	10
MEC-759	4"	4"	-	4	11

E.M.T. Compression Connectors-Steel-Insulated Throat

- Steel Construction
- Concrete-tight
- Meets UL514B
- Federal Spec. W-F-408E, NEMA FB-1



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
MEC-750-B	1/2"	1/2"	50	250	25
MEC-751-B	3/4"	3/4"	25	125	18
MEC-752-B	1"	1"	15	75	18
MEC-753-B	1-1/4"	1-1/4"	-	20	9
MEC-754-B	1-1/2"	1-1/2"	-	5	3
MEC-755-B	2"	2"	-	10	8
MEC-756-B	2-1/2"	2-1/2"	-	8	12
MEC-757-B	3"	3"	-	4	8
MEC-758-B	3-1/2"	3-1/2"	-	4	10
MEC-759-B	4"	4"	-	4	11

E.M.T. Compression Couplings-Steel

- Steel Construction
- Concrete-tight
- Meets UL514B



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
MEC-760	1/2"	1/2"	50	250	32
MEC-761	3/4"	3/4"	25	125	22
MEC-762	1"	1"	15	75	22
MEC-763	1-1/4"	1-1/4"	-	20	11
MEC-764	1-1/2"	1-1/2"	-	5	4
MEC-765	2"	2"	-	10	9
MEC-766	2-1/2"	2-1/2"	-	8	15
MEC-767	3"	3"	-	4	11
MEC-768	3-1/2"	3-1/2"	-	4	12
MEC-769	4"	4"	-	4	14

E.M.T. Raintight Compression Connectors-Steel

- UL Listed Raintight, Fed Spec W-F-408E, NEMA FB-1
- Raintight, Concrete-tight, Zinc Plated
- Wet Locations



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
MECR-750	1/2"	1/2"	50	250	27
MECR-751	3/4"	3/4"	25	125	22
MECR-752	1"	1"	15	75	18
MECR-753	1-1/4"	1-1/4"	-	20	8
MECR-754	1-1/2"	1-1/2"	-	10	5
MECR-755	2"	2"	-	10	7
MECR-756 New	2-1/2"	2-1/2"	-	8	15
MECR-757 New	3"	3"	-	4	10
MECR-758 New	3-1/2"	3-1/4"	-	4	13
MECR-759 New	4"	4"	-	4	14

E.M.T. Raintight Comp Conn-Steel-Ins Throat

- U.L. Listed Raintight, Fed Spec W-F-408E, NEMA FB-1
- Raintight, Concrete-tight, Zinc Plated
- Wet Locations



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
MECR-750-B	1/2"	1/2"	50	250	27
MECR-751-B	3/4"	3/4"	25	125	22
MECR-752-B	1"	1"	15	75	18
MECR-753-B	1-1/4"	1-1/4"	-	20	8
MECR-754-B	1-1/2"	1-1/2"	-	10	5
MECR-755-B	2"	2"	-	10	7
MECR-756-B New	2-1/2"	2-1/2"	-	8	15
MECR-757-B New	3"	3"	-	4	10
MECR-758-B New	3-1/2"	3-1/2"	-	4	13
MECR-759-B New	4"	4"	-	4	14

E.M.T. Raintight Compression Couplings-Steel

- UL Listed Raintight, Fed Spec W-F-408E, NEMA FB-1
- Raintight, Concrete-tight, Zinc Plated
- Wet Locations



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
MECR-760	1/2"	1/2"	50	250	35
MECR-761	3/4"	3/4"	25	125	27
MECR-762	1"	1"	15	75	21
MECR-763	1-1/4"	1-1/4"	-	20	10
MECR-764	1-1/2"	1-1/2"	-	10	6
MECR-765	2"	2"	-	10	8
MECR-766 New	2-1/2"	2-1/2"	-	8	12
MECR-767 New	3"	3"	-	4	12
MECR-768 New	3-1/2"	3-1/2"	-	4	15
MECR-769 New	4"	4"	-	4	18

Inside Corner Elbow E.M.T. to E.M.T.-Zinc

- Set screw type for EMT
- Zinc die cast
- Meets UL514B



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
L-244-1	1/2"	1/2"	10	100	20
L-244-2	3/4"	3/4"	5	50	13

Set Screw Pull Elbows E.M.T. to E.M.T.-Zinc

- Zinc die cast
- Meets UL514B
- LG = with neoprene gasket



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
L-144-1	1/2"	1/2"	10	100	24
L-144-2	3/4"	3/4"	5	50	18
LG-144-1	1/2"	1/2"	10	100	24
LG-144-2	3/4"	3/4"	5	50	18
LG-144-3	1"	1"	-	25	17
LG-144-4	1-1/4"	1-1/4"	-	20	21

Set Screw Pull Elbows E.M.T. to Box-Zinc

- Zinc die cast
- Meets UL514B
- LG = with neoprene gasket



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
L-143-1	1/2"	1/2"	10	100	18
L-143-2	3/4"	3/4"	5	50	15
LG-143-1	1/2"	1/2"	10	100	18
LG-143-2	3/4"	3/4"	5	50	15

Rigid Pull Elbows Rigid to Rigid-Zinc

- Zinc die cast
- Meets UL514B
- LG = with neoprene gasket



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
L-141-1	1/2"	1/2"	10	100	25
L-141-2	3/4"	3/4"	5	50	16
LG-141-1	1/2"	1/2"	10	100	28
LG-141-2	3/4"	3/4"	5	50	16
LG-141-3	1"	1"	-	25	16
LG-141-4	1-1/4"	1-1/4"	-	20	19

Rigid Pull Elbows Rigid to Rigid-Malleable

- Malleable Iron, Neoprene Gasket, Steel Cover Zinc Plated
- Meets UL 514B, NEMA FB-1



Catalog Number	Trade Size (inches)	Rigid	Inner Carton	Master Carton	Master Weight
ML-141-1	1/2"	1/2"	10	100	36
ML-141-2	3/4"	3/4"	5	50	25
ML-141-3	1"	1"	-	25	24
ML-141-4	1-1/4"	1-1/4"	-	10	14
ML-141-5	1-1/2"	1-1/2"	-	5	10
ML-141-6	2"	2"	-	5	18

Rigid Pull Elbows Rigid to Box-Zinc

- Zinc die cast
- Meets UL514B
- LG = with neoprene gasket



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
L-142-1	1/2"	1/2"	10	100	20
L-142-2	3/4"	3/4"	5	50	14
LG-142-1	1/2"	1/2"	10	100	20
LG-142-2	3/4"	3/4"	5	50	14

Rigid Pull Elbows Rigid to Box-Malleable

- With Cover & Gasket. Zinc Plated
- Meets UL 514B, NEMA FB-1



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
ML-142-1	1/2"	10	100	37
ML-142-2	3/4"	5	50	25
ML-142-3	1"	-	25	23
ML-142-4	1-1/4"	-	10	10
ML-142-5	1-1/2"	-	5	12
ML-142-6	2"	-	5	16

E.M.T. to Rigid Combination Couplings-Zinc

- Set screw type, concrete- tight when taped
- Zinc die cast
- Meets UL514B



Catalog Number	Trade Size	Rigid	EMT	Inner Carton	Master Carton	Master Weight
L-34-1	1/2"	1/2"	1/2"	50	500	40
L-34-2	3/4"	3/4"	3/4"	25	250	26

E.M.T. to Flex Comb Comp Couplings-Zinc

- EMT compression, screw-in flex type
- Zinc die cast
- Meets UL514B



Catalog Number	Trade Size	Flexible Cable Size	EMT	Inner Carton	Master Carton	Master Weight
L-49-1	1/2"	1/2"	1/2"	50	500	40
L-49-2	3/4"	3/4"	3/4"	25	250	28

EMT to Rigid Combination Couplings S.S.-Steel

- EMT Steel Set Screw to Rigid Set Screw Couplings
- Steel, Zinc plated
- Meets UL 514B, NEMA FB-1



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MERSS-50	1/2"	20	100	18
MERSS-75	3/4"	20	100	26
MERSS-100	1"	10	50	19

EMT to Rigid Combination Couplings Comp-Steel

- EMT Steel Compression to Threaded Rigid Couplings
- Meets UL 514B, NEMA FB-1



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MERC-50	1/2"	20	100	10
MERC-75	3/4"	20	100	14
MERC-100	1"	10	50	10

E.M.T. to Flex Combination Coupling-Zinc

- EMT set screw, 2 screw clamp for flex
- * L-153 Not U.L. Listed
- Zinc die cast
- Meets UL514B



Catalog Number	Trade Size	Flexible Cable Size	EMT	Inner Carton	Master Carton	Master Weight
*L-153	1/2"	3/8"	1/2"	50	500	35
L-153-1	1/2" x 1/2"	1/2"	1/2"	25	250	21
L-153-2	3/4" x 3/4"	3/4"	3/4"	25	125	17

Rigid Compression Connectors-No Thread-Malleable

- Fed Spec VV-F-408E, NEMA FB-1



Catalog Number	Trade Size	Rigid	IMC	Inner Carton	Master Carton	Master Weight
MNT-2750	1/2"	1/2"	1/2"	20	100	13
MNT-2751	3/4"	3/4"	3/4"	25	100	20
MNT-2752	1"	1"	1"	5	25	9
MNT-2753	1-1/4"	1-1/4"	1-1/4"	5	25	12
MNT-2754	1-1/2"	1-1/2"		2	10	7
MNT-2755	2"	2"	2"	-	5	5
MNT-2756	2-1/2"	2-1/2"	2-1/2"	-	7	14
MNT-2757	3"	3"	3"	-	3	10
MNT-2758	3-1/2"	3-1/2"	3-1/2"	-	2	10
MNT-2759	4"	4"	4"	-	2	11

Rigid Compression Connectors-No Thread-Malleable-Ins Throat

• Fed Spec W-F-408E, NEMA FB-I



Catalog Number	Trade Size	Rigid	IMC	Inner Carton	Master Carton	Master Weight
MNT-2750-B	1/2"	1/2"	1/2"	20	100	13
MNT-2751-B	3/4"	3/4"	3/4"	25	100	20
MNT-2752-B	1"	1"	1"	5	25	9
MNT-2753-B	1-1/4"	1-1/4"	1-1/4"	5	25	12
MNT-2754-B	1-1/2"	1-1/2"	1-1/2"	2	10	7
MNT-2755-B	2"	2"	2"	-	5	5
MNT-2756-B	2-1/2"	2-1/2"	2-1/2"	-	5	14
MNT-2757-B	3"	3"	3"	-	3	10
MNT-2758-B	3-1/2"	3-1/2"	3-1/2"	-	2	10
MNT-2759-B	4"	4"	4"	-	2	11

Rigid Compression Couplings-No Thread-Malleable

• Fed Spec W-F-408E, NEMA FB-I



Catalog Number	Trade Size	Rigid	IMC	Inner Carton	Master Carton	Master Weight
MNT-2760	1/2"	1/2"	1/2"	20	100	16
MNT-2761	3/4"	3/4"	3/4"	25	100	24
MNT-2762	1"	1"	1"	5	25	12
MNT-2763	1-1/4"	1-1/4"	1-1/4"	5	25	6
MNT-2764	1-1/2"	1-1/2"	1-1/2"	2	10	11
MNT-2765	2"	2"	2"	-	5	5
MNT-2766	2-1/2"	2-1/2"	2-1/2"	-	5	20
MNT-2767	3"	3"	3"	-	3	17
MNT-2768	3-1/2"	3-1/2"	3-1/2"	-	2	14
MNT-2769	4"	4"	4"	-	2	16

Rigid Offset Nipple-Zinc

• Zinc die cast
• Meets UL 514B



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
L-40-1	1/2"	1/2"	10	100	11
L-40-2	3/4"	3/4"	10	100	14
L-40-3	1"	1"	10	100	25
L-40-4	1-1/4"	1-1/4"	5	50	20
L-40-5	1-1/2"	1-1/2"	5	50	22
L-40-6	2"	2"	2	20	15

Rigid Offset Nipple-Malleable

- Malleable Iron, Zinc Plated
- Meets UL 514B, NEMA FB-I



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
ML-40-1	1/2"	10	100	22
ML-40-2	3/4"	10	100	30
ML-40-3	1"	10	100	42
ML-40-4	1-1/4"	5	50	35

Box Connector-Zinc

- Fitting does not include lock nuts
- Zinc die cast
- Concrete tight
- Meets UL514B



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
L-64-1LN	1/2"	50	500	40

Three Piece Couplings-Rigid-Steel

- *Screw machined steel
- Rated Liquidtight



Catalog Number	Trade Size	Rigid	IMC	Inner Carton	Master Carton	Master Weight
MER-50*	1/2"	1/2"	1/2"	20	100	15
MER-75*	3/4"	3/4"	3/4"	20	100	17
MER-100	1"	1"	1"	5	25	9
MER-125	1-1/4"	1-1/4"	1-1/4"	5	25	13
MER-150	1-1/2"	1-1/2"	1-1/2"	5	25	17
MER-200	2"	2"	2"	5	25	26

Three Piece Couplings-Rigid-Malleable

- Malleable iron, zinc plated
- Meets UL 514B, NEMA FB-I



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
L-500	1/2"	1/2"	10	100	25
L-501	3/4"	3/4"	5	50	10
L-502	1"	1"	5	50	28
L-503	1-1/4"	1-1/4"	5	25	27
L-504	1-1/2"	1-1/2"	5	25	17
L-505	2"	2"	2	10	20
L-506	2-1/2"	2-1/2"	-	10	32
L-507	3"	3"	-	5	9
L-508	3-1/2"	3-1/2"	-	5	6
L-509	4"	4"	-	2	7
L-510	5"	5"	-	1	12
L-511	6"	6"	-	1	16

Rigid Speed Nipple-Zinc

• Zinc die cast



Catalog Number	Trade Size	Rigid Inner	Carton Master	Carton Master	Weight
L-701	1/2"	1/2"	100	1000	29
L-702	3/4"	3/4"	50	500	30
L-703	1"	1"	25	250	23
L-704	1-1/4"	1-1/4"	25	250	30
L-705	1-1/2"	1-1/2"	25	100	20
L-706	2"	2"	10	40	15
L-707	2-1/2"	2-1/2"	10	40	16
L-708	3"	3"	10	40	21
L-709	3-1/2"	3-1/2"	10	40	27
L-710	4"	4"	5	20	15

Rigid Speed Nipple-Zinc-Insulated

• Zinc die cast



Catalog Number	Trade Size	Rigid Inner	Carton Master	Carton Master	Weight
IL-701	1/2"	1/2"	100	1000	29
IL-702	3/4"	3/4"	50	500	30
IL-703	1"	1"	25	250	23
IL-704	1-1/4"	1-1/4"	25	250	30
IL-705	1-1/2"	1-1/2"	25	100	20
IL-706	2"	2"	10	40	15
IL-707	2-1/2"	2-1/2"	10	40	16
IL-708	3"	3"	10	40	21
IL-709	3-1/2"	3-1/2"	10	40	27
IL-710	4"	4"	5	20	15

Rigid Speed Nipple-Malleable

• Malleable iron, zinc plated
• Meets UL 514B, NEMA FB-1



Catalog Number	Trade Size	Rigid Inner	Inner Carton	Master Carton	Master Weight
ML-701	1/2"	1/2"	100	500	26
ML-702	3/4"	3/4"	50	250	18
ML-703	1"	1"	25	125	15
ML-704	1-1/4"	1-1/4"	25	125	28
ML-705	1-1/2"	1-1/2"	25	125	37
ML-706	2"	2"	10	50	16
ML-707	2-1/2"	2-1/2"	-	10	7
ML-708	3"	3"	-	10	10
ML-709	3-1/2"	3-1/2"	-	10	12
ML-710	4"	4"	-	5	17
ML-711	5"	5"	-	1	1
ML-712	6"	6"	-	1	2

Rigid Speed Nipple-Mall-Insulated

- Malleable iron, zinc plated
- Meets UL 514B, NEMA FB-I



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
IML-701	1/2"	1/2"	100	500	26
IML-702	3/4"	3/4"	50	250	18
IML-703	1"	1"	25	125	15
IML-704	1-1/4"	1-1/4"	25	125	28
IML-705	1-1/2"	1-1/2"	25	125	37
IML-706	2"	2"	10	50	16
IML-707	2-1/2"	2-1/2"	-	10	7
IML-708	3"	3"	-	10	10
IML-709	3-1/2"	3-1/2"	-	10	12
IML-710	4"	4"	-	5	17
IML-711	5"	5"	-	1	1
IML-712	6"	6"	-	1	2

Insulated Grounding Bushings-Zinc

- Zinc die cast, aluminum 90C AL CU dual rated lay-in lug
- Meets UL514B, UL467



Catalog Number	Trade Size	Lug Size	Rigid	Inner Carton	Master Carton	Master Weight
CBGI-50	1/2"	14 sol.-4str.	1/2"	100	500	31
CBGI-75	3/4"	14 sol.-4 str.	3/4"	50	250	18
CBGI-100	1"	14 sol.-4str.	1"	50	250	23
CBGI-125	1-1/4"	14 sol.-4 str.	1-1/4"	25	125	15
CBGI-150	1-1/2"	14 sol.-2 str.	1-1/2"	25	125	21
CBGI-200	2"	14 sol.-2 str.	2"	10	50	9
CBGI-250	2-1/2"	14 sol. - 1/0 str.	2-1/2"	-	10	4
CBGI-300	3"	14 sol. - 1/0 str.	3"	5	25	11
CBGI-350	3-1/2"	14 sol. - 1/0 str.	3-1/2"	-	10	6
CBGI-400	4"	14 sol. - 1/0 str.	4"	-	10	6

Insulated Grounding Bushings-Malleable

- Malleable iron bushing, aluminum 90C AL CU dual rated lay-in lug
- Meets UL514B, UL467, NEMA FB-I



Catalog Number	Trade Size	Lug Size	Rigid	Inner Carton	Master Carton	Master Weight
MCBGI-50	1/2"	14 sol.-4 str.	1/2"	100	500	44
MCBGI-75	3/4"	14 sol.-4 str.	3/4"	50	250	28
MCBGI-100	1"	14 sol.-4 str.	1"	50	250	39
MCBGI-125	1-1/4"	14 sol.-4 str.	1-1/4"	25	125	20
MCBGI-150	1-1/2"	14 sol.-2 str.	1-1/2"	25	125	39
MCBGI-200	2"	14 sol.-2 str.	2"	10	50	15
MCBGI-250	2-1/2"	14 sol. - 1/0 str.	2-1/2"	-	10	7
MCBGI-300	3"	14 sol. - 1/0 str.	3"	-	10	7
MCBGI-350	3-1/2"	14 sol. - 1/0 str.	3-1/2"	-	10	8
MCBGI-400	4"	14 sol. - 1/0 str.	4"	-	10	10
MCBGI-500	5"	250MCM	5"	-	5	7
MCBGI-600	6"	250MCM	6"	-	5	9

Conduit Bushings-Plastic

- 105 deg c temperature rating/gray color, polypropylene
- Meets UL514C



Catalog Number	Trade Size	Rigid Inner	Carton Master	Carton Master	Weight
CPB-50	1/2"	1/2"	100	1000	7
CPB-75	3/4"	3/4"	100	1000	8
CPB-100	1"	1"	50	250	8
CPB-125	1-1/4"	1-1/4"	25	250	6
CPB-150	1-1/2"	1-1/2"	25	250	7
CPB-200	2"	2"	25	125	5
CPB-250	2-1/2"	2-1/2"	10	50	5
CPB-300	3"	3"	10	50	5
CPB-350	3-1/2"	3-1/2"	10	40	6
CPB-400	4"	4"	10	40	6
CPB-500	5"	5"	-	10	2
CPB-600	6"	6"	-	10	24

Conduit Bushings-Zinc

- Zinc die cast
- Meets UL514B
- Add the Suffix T for Insulated Throat



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
CB-50	1/2"	1/2"	100	1000	30
CB-75	3/4"	3/4"	100	1000	50
CB-100	1"	1"	50	500	30
CB-125	1-1/4"	1-1/4"	25	250	25
CB-150	1-1/2"	1-1/2"	25	250	38
CB-200	2"	2"	25	100	17
CB-250	2-1/2"	2-1/2"	10	100	36
CB-300	3"	3"	10	100	47
CB-350	3-1/2"	3-1/2"	5	25	30
CB-400	4"	4"	5	50	40

Conduit Bushings-Malleable

- Malleable iron, zinc plated
- Meets UL514B, UL 467, NEMA FB-1



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
MCB-50	1/2"	1/2"	100	500	25
MCB-75	3/4"	3/4"	50	250	17
MCB-100	1"	1"	50	250	27
MCB-125	1-1/4"	1-1/4"	25	125	17
MCB-150	1-1/2"	1-1/2"	25	125	23
MCB-200	2"	2"	10	50	13
MCB-250	2-1/2"	2-1/2"	-	10	5
MCB-300	3"	3"	-	10	6
MCB-350	3-1/2"	3-1/2"	-	10	7
MCB-400	4"	4"	-	10	7

Conduit Bushings-Malleable-Insulated

- Malleable iron, zinc plated Liner ULTM 1000, rated at 150 deg C
- UL Standard 467, Fed Spec W-F 408E, NEMA FB-1



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
MCBI-50	1/2"	1/2"	100	500	25
MCBI-75	3/4"	3/4"	50	250	17
MCBI-100	1"	1"	50	250	27
MCBI-125	1-1/4"	1-1/4"	25	125	17
MCBI-150	1-1/2"	1-1/2"	25	125	23
MCBI-200	2"	2"	10	50	13
MCBI-250	2-1/2"	2-1/2"	-	10	5
MCBI-300	3"	3"	-	10	6
MCBI-350	3-1/2"	3-1/2"	-	10	7
MCBI-400	4"	4"	-	10	7
MCBI-500	5"	5"	-	5	7
MCBI-600	6"	6"	-	5	9

Locknuts-Zinc

- Zinc die cast
- Meets UL514B



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LN-50	1/2"	1/2"	100	1000	10
LN-75	3/4"	3/4"	100	1000	18
LN-100	1"	1"	100	1000	23
LN-125	1-1/4"	1-1/4"	50	500	21
LN-150	1-1/2"	1-1/2"	20	200	10
LN-200	2"	2"	25	250	18
LN-250	2-1/2"	2-1/2"	10	100	12
LN-300	3"	3"	10	100	17
LN-350	3-1/2"	3-1/2"	10	50	11
LN-400	4"	4"	10	50	13

Locknuts-Steel

- Steel, zinc plated



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LNS-38	3/8"	3/8"	100	1000	30
LNS-50	1/2"	1/2"	100	1000	12
LNS-75	3/4"	3/4"	100	1000	16
LNS-100	1"	1"	100	1000	31
LNS-125	1-1/4"	1-1/4"	50	500	19
LNS-150	1-1/2"	1-1/2"	20	200	11
LNS-200	2"	2"	25	250	23
LNS-250	2-1/2"	2-1/2"	10	100	14
LNS-300	3"	3"	10	100	18
LNS-350	3-1/2"	3-1/2"	10	50	11
LNS-400	4"	4"	10	50	13
LNS-500	5"	5"	-	10	6
LNS-600	6"	6"	-	10	7

Sealing Locknuts-Steel

- Steel locknut with PVC molded gasket
- Meets UL514B
- ***UL Listed 1/2" - 2" Only**



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
*LNS-50-I	1/2"	1/2"	50	500	9
*LNS-75-I	3/4"	3/4"	25	250	8
*LNS-100-I	1"	1"	25	250	12
*LNS-125-I	1-1/4"	1-1/4"	10	100	8
*LNS-150-I	1-1/2"	1-1/2"	10	100	9
*LNS-200-I	2"	2"	10	100	12
LNS-250-I	2-1/2"	2-1/2"	5	50	9
LNS-300-I	3"	3"	5	50	11
LNS-350-I	3-1/2"	3-1/2"	5	25	8
LNS-400-I	4"	4"	5	25	8

Grounding Locknuts-Steel

- Steel locknut
- Meets UL514B



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LNS-50-G	1/2"	1/2"	50	500	15
LNS-75-G	3/4"	3/4"	50	500	18
LNS-100-G	1"	1"	50	500	25
LNS-125-G	1-1/4"	1-1/4"	25	250	17
LNS-150-G	1-1/2"	1-1/2"	20	200	16
LNS-200-G	2"	2"	25	250	26
LNS-250-G	2-1/2"	2-1/2"	5	50	9
LNS-300-G	3"	3"	5	50	21
LNS-350-G	3-1/2"	3-1/2"	10	50	12
LNS-400-G	4"	4"	5	25	16

EMT Set Screw LB Body

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
LBE-50	1/2"	1/2"	10	100	28
LBE-75	3/4"	3/4"	10	50	19
LBE-100	1"	1"	5	25	15
LBE-125	1-1/4"	1-1/4"	2	10	11
LBE-150	1-1/2"	1-1/2"	2	10	12
LBE-200	2"	2"	1	5	12

EMT Set Screw C Body

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
LCE-50	1/2"	1/2"	10	100	25
LCE-75	3/4"	3/4"	10	50	19
LCE-100	1"	1"	5	25	15
LCE-125	1-1/4"	1-1/4"	2	10	14
LCE-150	1-1/2"	1-1/2"	2	10	13
LCE-200	2"	2"	1	5	12

EMT Set Screw LL Body

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
LLE-50	1/2"	1/2"	10	100	26
LLE-75	3/4"	3/4"	10	50	19
LLE-100	1"	1"	5	25	16
LLE-125	1-1/4"	1-1/4"	2	10	14
LLE-150	1-1/2"	1-1/2"	2	10	13
LLE-200	2"	2"	1	5	13

EMT Set Screw LR Body

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
LRE-50	1/2"	1/2"	10	100	28
LRE-75	3/4"	3/4"	10	50	20
LRE-100	1"	1"	5	25	15
LRE-125	1-1/4"	1-1/4"	2	10	14
LRE-150	1-1/2"	1-1/2"	2	10	13
LRE-200	2"	2"	1	5	11

EMT Set Screw T Body

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	EMT	Inner Carton	Master Carton	Master Weight
LTE-50	1/2"	1/2"	10	100	33
LTE-75	3/4"	3/4"	10	50	24
LTE-100	1"	1"	5	25	15
LTE-125	1-1/4"	1-1/4"	2	10	16
LTE-150	1-1/2"	1-1/2"	2	10	15
LTE-200	2"	2"	-	2	5

Rigid LB Body

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LB-50	1/2"	1/2"	10	100	24
LB-75	3/4"	3/4"	10	50	18
LB-100	1"	1"	5	25	12
LB-125	1-1/4"	1-1/4"	2	10	11
LB-150	1-1/2"	1-1/2"	2	10	11
LB-200	2"	2"	1	5	10
LB-250	2-1/2"	2-1/2"	-	1	3
LB-300	3"	3"	-	1	5
LB-350	3-1/2"	3-1/2"	-	1	9
LB-400	4"	4"	-	1	8

Rigid LB Body - Combination

- Aluminum
- UL Approved
- **Combination - Rigid and Setscrew**

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LB-50-CB	1/2"	10	100	24
LB-75-CB	3/4"	10	50	18
LB-100-CB	1"	5	25	12
LB-125-CB	1-1/4"	2	10	11
LB-150-CB	1-1/2"	2	10	11
LB-200-CB	2"	1	5	12

Rigid C Body

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LC-50	1/2"	1/2"	10	100	25
LC-75	3/4"	3/4"	10	50	18
LC-100	1"	1"	5	25	14
LC-125	1-1/4"	1-1/4"	2	10	13
LC-150	1-1/2"	1-1/2"	2	10	12
LC-200	2"	2"	1	5	11
LC-250	2-1/2"	2-1/2"	-	1	5
LC-300	3"	3"	-	1	6
LC-350	3-1/2"	3-1/2"	-	1	10
LC-400	4"	4"	-	1	9

Rigid C Body - Combination

- Aluminum
- UL Approved

New



• Combination - Rigid and Setscrew

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LC-50-CB	1/2"	10	100	25
LC-75-CB	3/4"	10	50	18
LC-100-CB	1"	5	25	14
LC-125-CB	1-1/4"	2	10	13
LC-150-CB	1-1/2"	2	10	12
LC-200-CB	2"	1	5	11

Rigid LL Body

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LL-50	1/2"	1/2"	10	100	25
LL-75	3/4"	3/4"	10	50	17
LL-100	1"	1"	5	25	15
LL-125	1-1/4"	1-1/4"	2	10	13
LL-150	1-1/2"	1-1/2"	2	10	12
LL-200	2"	2"	1	5	12
LL-250	2-1/2"	2-1/2"	-	1	5
LL-300	3"	3"	-	1	6
LL-350	3-1/2"	3-1/2"	-	1	10
LL-400	4"	4"	-	1	10

Rigid LL Body - Combination

- Aluminum
- UL Approved

New



• Combination - Rigid and Setscrew

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LL-50-CB	1/2"	10	100	25
LL-75-CB	3/4"	10	50	17
LL-100-CB	1"	5	25	15
LL-125-CB	1-1/4"	2	10	13
LL-150-CB	1-1/2"	2	10	12
LL-200-CB	2"	1	5	12

Rigid LR Body

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LR-50	1/2"	1/2"	10	100	26
LR-75	3/4"	3/4"	10	50	17
LR-100	1"	1"	5	25	15
LR-125	1-1/4"	1-1/4"	2	10	13
LR-150	1-1/2"	1-1/2"	2	10	12
LR-200	2"	2"	1	5	12
LR-250	2-1/2"	2-1/2"	-	1	5
LR-300	3"	3"	-	1	6
LR-350	3-1/2"	3-1/2"	-	1	11
LR-400	4"	4"	-	1	10

Rigid LR Body - Combination

- Aluminum
- UL Approved
- **Combination - Rigid and Setscrew**

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LR-50-CB	1/2"	10	100	26
LR-75-CB	3/4"	10	50	17
LR-100-CB	1"	5	25	15
LR-125-CB	1-1/4"	2	10	13
LR-150-CB	1-1/2"	2	10	12
LR-200-CB	2"	1	5	12

Rigid T Body

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LT-50	1/2"	1/2"	10	100	24
LT-75	3/4"	3/4"	10	50	18
LT-100	1"	1"	5	25	13
LT-125	1-1/4"	1-1/4"	2	10	15
LT-150	1-1/2"	1-1/2"	2	10	14
LT-200	2"	2"	0	2	5
LT-250	2-1/2"	2-1/2"	-	1	6
LT-300	3"	3"	-	1	6
LT-350	3-1/2"	3-1/2"	-	1	12
LT-400	4"	4"	-	1	10

Rigid T Body - Combination

- Aluminum
- UL Approved

New



• Combination - Rigid and Setscrew

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LT-50-CB	1/2"	10	100	28
LT-75-CB	3/4"	10	50	18
LT-100-CB	1"	5	25	13
LT-125-CB	1-1/4"	2	10	15
LT-150-CB	1-1/2"	2	10	14
LT-200-CB	2"	-	2	5

Rigid LB Body-Malleable

- Malleable iron
- Meets UL 514A, NEMA FB-1



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LBM-50	1/2"	1/2"	-	10	8
LBM-75	3/4"	3/4"	-	10	9
LBM-100	1"	1"	-	5	7
LBM-125	1-1/4"	1-1/4"	-	5	15
LBM-150	1-1/2"	1-1/2"	-	5	15
LBM-200	2"	2"	-	5	33
LBM-250	2-1/2"	2-1/2"	-	1	3
LBM-300	3"	3"	-	1	3
LBM-350	3-1/2"	3-1/2"	-	1	11
LBM-400	4"	4"	-	1	12

Rigid C Body-Malleable

- Malleable iron
- Meets UL 514A, NEMA FB-1



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LCM-50	1/2"	1/2"	-	10	8
LCM-75	3/4"	3/4"	-	10	11
LCM-100	1"	1"	-	5	7
LCM-125	1-1/4"	1-1/4"	-	5	17
LCM-150	1-1/2"	1-1/2"	-	5	17
LCM-200	2"	2"	-	5	26
LCM-250	2-1/2"	2-1/2"	-	1	11
LCM-300	3"	3"	-	1	13
LCM-350	3-1/2"	3-1/2"	-	1	21
LCM-400	4"	4"	-	1	23

Rigid LL Body-Malleable

- Malleable iron
- Meets UL 514A, NEMA FB-I



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LLM-50	1/2"	1/2"	-	10	8
LLM-75	3/4"	3/4"	-	10	9
LLM-100	1"	1"	-	5	7
LLM-125	1-1/4"	1-1/4"	-	5	17
LLM-150	1-1/2"	1-1/2"	-	5	17
LLM-200	2"	2"	-	5	26
LLM-250	2-1/2"	2-1/2"	-	1	13
LLM-300	3"	3"	-	1	16
LLM-350	3-1/2"	3-1/2"	-	1	23
LLM-400	4"	4"	-	1	27

Rigid LR Body-Malleable

- Malleable iron
- Meets UL 514A, NEMA FB-I



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LRM-50	1/2"	1/2"	-	10	8
LRM-75	3/4"	3/4"	-	10	9
LRM-100	1"	1"	-	5	7
LRM-125	1-1/4"	1-1/4"	-	5	17
LRM-150	1-1/2"	1-1/2"	-	5	17
LRM-200	2"	2"	-	5	26
LRM-250	2-1/2"	2-1/2"	-	1	13
LRM-300	3"	3"	-	1	16
LRM-350	3-1/2"	3-1/2"	-	1	23
LRM-400	4"	4"	-	1	27

Rigid T Body-Malleable

- Malleable iron
- Meets UL 514A, NEMA FB-I



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LTM-50	1/2"	1/2"	-	10	10
LTM-75	3/4"	3/4"	-	10	13
LTM-100	1"	1"	-	5	10
LTM-125	1-1/4"	1-1/4"	-	5	17
LTM-150	1-1/2"	1-1/2"	-	5	17
LTM-200	2"	2"	-	5	26
LTM-250	2-1/2"	2-1/2"	-	1	13
LTM-300	3"	3"	-	1	15
LTM-350	3-1/2"	3-1/2"	-	1	25
LTM-400	4"	4"	-	1	25

Rigid TB Body-Malleable

- Malleable Iron
- Meets UL 514A, NEMA FB-1



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LIBM-50	1/2"	1/2"	-	10	7
LIBM-75	3/4"	3/4"	-	10	10
LIBM-100	1"	1"	-	5	7
LIBM-125	1-1/4"	1-1/4"	-	5	15
LIBM-150	1-1/2"	1-1/2"	-	5	15
LIBM-200	2"	2"	-	5	30

Rigid LB Body With Cover and Gasket

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LBLA-50	1/2"	1/2"	10	100	30
LBLA-75	3/4"	3/4"	10	50	22
LBLA-100	1"	1"	5	25	16
LBLA-125	1-1/4"	1-1/4"	2	10	13
LBLA-150	1-1/2"	1-1/2"	2	10	14
LBLA-200	2"	2"	1	5	13
LBLA-250	2-1/2"	2-1/2"	-	1	6
LBLA-300	3"	3"	-	1	6
LBLA-350	3-1/2"	3-1/2"	-	1	9
LBLA-400	4"	4"	-	1	10

Rigid LB Body With Cover and Gasket - Combination

- Aluminum
- UL Approved

New



- **Combination - Rigid and Setscrew**

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LBLA-50-CB	1/2"	10	100	30
LBLA-75-CB	3/4"	10	50	22
LBLA-100-CB	1"	5	25	16
LBLA-125-CB	1-1/4"	2	10	13
LBLA-150-CB	1-1/2"	2	10	14
LBLA-200-CB	2"	1	2	13

Rigid C Body With Cover and Gasket

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LCLA-50	1/2"	1/2"	10	100	31
LCLA-75	3/4"	3/4"	10	50	21
LCLA-100	1"	1"	5	25	17
LCLA-125	1-1/4"	1-1/4"	2	10	15
LCLA-150	1-1/2"	1-1/2"	2	10	14
LCLA-200	2"	2"	1	5	13
LCLA-250	2-1/2"	2-1/2"	-	1	6
LCLA-300	3"	3"	-	1	6
LCLA-350	3-1/2"	3-1/2"	-	1	11
LCLA-400	4"	4"	-	1	10

Rigid C Body With Cover and Gasket - Combination

- Aluminum
- UL Approved
- **Combination - Rigid and Setscrew**

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LCLA-50-CB	1/2"	10	100	31
LCLA-75-CB	3/4"	10	50	21
LCLA-100-CB	1"	5	25	17
LCLA-125-CB	1-1/4"	2	10	15
LCLA-150-CB	1-1/2"	2	10	14
LCLA-200-CB	2"	1	5	13

Rigid LL Body With Cover and Gasket

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LLLA-50	1/2"	1/2"	10	100	31
LLLA-75	3/4"	3/4"	10	50	21
LLLA-100	1"	1"	5	25	17
LLLA-125	1-1/4"	1-1/4"	2	10	15
LLLA-150	1-1/2"	1-1/2"	2	10	14
LLLA-200	2"	2"	1	5	14
LLLA-250	2-1/2"	2-1/2"	-	1	6
LLLA-300	3"	3"	-	1	7
LLLA-350	3-1/2"	3-1/2"	-	1	8
LLLA-400	4"	4"	-	1	10

Rigid LL Body With Cover and Gasket - Combination

- Aluminum
- UL Approved

New



- **Combination - Rigid and Setscrew**

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LLLA-50-CB	1/2"	10	100	31
LLLA-75-CB	3/4"	10	50	21
LLLA-100-CB	1"	5	25	17
LLLA-125-CB	1-1/4"	2	10	15
LLLA-150-CB	1-1/2"	2	10	15
LLLA-200-CB	2"	1	5	14

Rigid LR Body With Cover and Gasket

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LRLA-50	1/2"	1/2"	10	100	32
LRLA-75	3/4"	3/4"	10	50	21
LRLA-100	1"	1"	5	25	18
LRLA-125	1-1/4"	1-1/4"	2	10	15
LRLA-150	1-1/2"	1-1/2"	2	10	14
LRLA-200	2"	2"	1	5	13
LRLA-250	2-1/2"	2-1/2"	-	1	6
LRLA-300	3"	3"	-	1	6
LRLA-350	3-1/2"	3-1/2"	-	1	11
LRLA-400	4"	4"	-	1	10

Rigid LR Body With Cover and Gasket - Combination

- Aluminum
- UL Approved

New



- **Combination - Rigid and Setscrew**

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LRLA-50-CB	1/2"	10	100	32
LRLA-75-CB	3/4"	10	50	21
LRLA-100-CB	1"	5	25	18
LRLA-125-CB	1-1/4"	2	10	15
LRLA-150-CB	1-1/2"	2	10	14
LRLA-200-CB	2"	1	5	13

Rigid T Body With Cover and Gasket

- Aluminum
- Meets UL514B



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LTLA-50	1/2"	1/2"	10	100	32
LTLA-75	3/4"	3/4"	10	50	22
LTLA-100	1"	1"	5	25	15
LTLA-125	1-1/4"	1-1/4"	2	10	18
LTLA-150	1-1/2"	1-1/2"	2	10	16
LTLA-200	2"	2"	-	2	6
LTLA-250	2-1/2"	2-1/2"	-	1	6
LTLA-300	3"	3"	-	1	7
LTLA-350	3-1/2"	3-1/2"	-	1	13
LTLA-400	4"	4"	-	1	11

Rigid T Body With Cover and Gasket - Combination

- Aluminum
- UL Approved
- **Combination - Rigid and Setscrew**

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LTLA-50-CB	1/2"	10	100	32
LTLA-75-CB	3/4"	10	50	22
LTLA-100-CB	1"	5	25	15
LTLA-125-CB	1-1/4"	2	10	18
LTLA-150-CB	1-1/2"	2	10	16
LTLA-200-CB	2"	-	2	6

Conduit Cover-Aluminum

- Use with aluminum conduit bodies

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LA-50	1/2"	-	50	4
LA-75	3/4"	-	50	5
LA-100	1"	-	50	7
LA-125	1-1/4" - 1-1/2"	-	50	14
LA-200	2"	-	25	11
LA-250	2-1/2" - 3"	-	10	8
LA-350	3-1/2" - 4"	-	5	7



Conduit Cover-Steel

- Use with steel or malleable iron conduit bodies

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LS-50	1/2"	-	50	5
LS-75	3/4"	-	50	6
LS-100	1"	-	50	8
LS-125	1 1/4" - 1 1/2"	-	50	16
LS-200	2"	-	25	14



Conduit Cover Raised Dome-Steel

- Steel with captive stainless steel screws
- Meets UL 514A, NEMA FB-1



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LS-50-D	1/2"	-	50	7
LS-75-D	3/4"	-	50	8
LS-100-D	1"	-	50	11
LS-125-D	1-1/4"-1-1/2"	-	50	21
LS-200-D	2"	-	25	17
LS-250-D	2-1/2"- 3"	-	10	18
LS-350-D	3-1/2"- 4"	-	5	16

Conduit Body Cover-Malleable

- UL Standard: 514A, FED.Spec.W-C-586D, NEMA:FB-1
- Supplied with Stainless Steel Captive Screws
- 2-1/2"-4"with raised dome for additional wiring room



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LM-50	1/2"	-	50	12
LM-75	3/4"	-	50	16
LM-100	1"	-	50	21
LM-125150	1-1/4"-1-1/2"	-	50	46
LM-200	2"	-	25	52
LM-250300	2-1/2"- 3"	-	10	36
LM-350400	3-1/2"- 4"	-	5	28

Fiber Gaskets

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LF-50	1/2"	100	1000	8
LF-75	3/4"	100	1000	8
LF-100	1"	50	500	7
LF-125	1 1/4" - 1 1/2"	25	125	6
LF-200	2"	25	125	6
LF-250	2-1/2" - 3"	10	50	4
LF-350	3-1/2" - 4"	-	10	1

Neoprene Gaskets

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LFN-50	1/2"	100	1000	17
LFN-75	3/4"	100	1000	13
LFN-100	1"	50	500	11
LFN-125	1-1/4" - 1 1/2"	50	500	20
LFN-200	2"	25	125	11
LFN-250	2-1/2"-3"	10	50	9
LFN-350	3-1/2"- 4"	-	10	2

Floor Flange-Malleable

- Malleable iron, hot dipped galvanized

Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
550	1/2"	1/2"	-	25	6
551	3/4"	3/4"	-	20	6
552	1"	1"	-	20	9
553	1-1/4"	1-1/4"	-	15	8
554	1-1/2"	1-1/2"	-	12	8
555	2"	2"	-	8	10



Rigid Couplings

- Galvanized steel

Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
RC-50	1/2"	1/2"	-	100	14
RC-75	3/4"	3/4"	-	50	10
RC-100	1"	1"	-	30	9
RC-125	1-1/4"	1-1/4"	-	25	9
RC-150	1-1/2"	1-1/2"	-	25	14
RC-200	2"	2"	-	20	15
RC-250	2-1/2"	2-1/2"	-	24	44
RC-300	3"	3"	-	16	36
RC-350	3-1/2"	3-1/2"	-	12	43
RC-400	4"	4"	-	10	31
RC-500	5"	5"	-	1	5
RC-600	6"	6"	-	1	8



Split Coupling - Malleable

- UL Standard: 514B, NEMA-FB-1
- Use where conduit cannot be turned
- Neoprene Gasket
- Concrete Tight

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MSTC-50	1/2"	25	100	35
MSTC-75	3/4"	10	50	20
MSTC-100	1"	5	25	15
MSTC-125	1-1/4"	2	10	19
MSTC-150	1-1/2"	-	10	12
MSTC-200	2"	-	1	12
MSTC-250	2-1/2"	-	1	3
MSTC-300	3"	-	1	3
MSTC-350	3-1/2"	-	1	5
MSTC-400	4"	-	1	5



EMT Conduit Elbows - 45

- Steel
- UL listed FJMX



Catalog Number	Trade Size	Minimum Radius	EMT	Inner Carton	Master Carton	Master Weight
ELE-5045	1/2"	4"	1/2"	-	50	11
ELE-7545	3/4"	4-1/2"	3/4"	-	50	20
ELE-10045	1"	5-3/4"	1"	-	25	23
ELE-12545	1-1/4"	7-1/4"	1-1/4"	-	20	20
ELE-15045	1-1/2"	8-1/4"	1-1/2"	-	15	30
ELE-20045	2"	9-1/2"	2"	-	10	20
ELE-25045	2-1/2"	10-1/2"	2-1/2"	-	1	4
ELE-30045	3"	13"	3"	-	1	5
ELE-35045	3-1/2"	15"	3-1/2"	-	1	8
ELE-40045	4"	16"	4"	-	1	9

EMT Conduit Elbows - 90

- Steel
- UL listed FJMX



Catalog Number	Trade Size	Minimum Radius	EMT	Inner Carton	Master Carton	Master Weight
ELE-5090	1/2"	4"	1/2"	-	50	15
ELE-7590	3/4"	4-1/2"	3/4"	-	50	21
ELE-10090	1"	5-3/4"	1"	-	25	23
ELE-12590	1-1/4"	7-1/4"	1-1/4"	-	20	28
ELE-15090	1-1/2"	8-1/4"	1-1/2"	-	15	30
ELE-20090	2"	9-1/2"	2"	-	10	28
ELE-25090	2-1/2"	10-1/2"	2-1/2"	-	1	5
ELE-30090	3"	13"	3"	-	1	7
ELE-35090	3-1/2"	15"	3-1/2"	-	1	11
ELE-40090	4"	16"	4"	-	1	13

Rigid Conduit Elbows - 45

- Galvanized steel
- UL listed DYIX



Catalog Number	Trade Size	Minimum Radius	Rigid Inner	Carton Master	Carton Master	Weight
ELR-5045	1/2"	4"	1/2"	-	50	34
ELR-7545	3/4"	4-1/2"	3/4"	-	50	51
ELR-10045	1"	5-3/4"	1"	-	25	40
ELR-12545	1-1/4"	7-1/4"	1-1/4"	-	20	60
ELR-15045	1-1/2"	8-1/4"	1-1/2"	-	15	46
ELR-20045	2"	9-1/2"	2"	-	10	50
ELR-25045	2-1/2"	10-1/2"	2-1/2"	-	1	8
ELR-30045	3"	13"	3"	-	1	13
ELR-35045	3-1/2"	15"	3-1/2"	-	1	18
ELR-40045	4"	16"	4"	-	1	21
ELR-50045	5"	24"	5"	-	1	48
ELR-60045	6"	30"	6"	-	1	94

Rigid Conduit Elbows - 90

- Galvanized steel
- UL listed DYIX



Catalog Number	Trade Size	Minimum Radius	Rigid	Inner Carton	Master Carton	Master Weight
ELR-5090	1/2"	4"	1/2"	-	50	39
ELR-7590	3/4"	4-1/2"	3/4"	-	50	56
ELR-10090	1"	5-3/4"	1"	-	25	48
ELR-12590	1-1/4"	7-1/4"	1-1/4"	-	20	60
ELR-15090	1-1/2"	8-1/4"	1-1/2"	-	15	62
ELR-20090	2"	9-1/2"	2"	-	10	64
ELR-25090	2-1/2"	10-1/2"	2-1/2"	-	1	12
ELR-30090	3"	13"	3"	-	1	19
ELR-35090	3-1/2"	15"	3-1/2"	-	1	25
ELR-40090	4"	16"	4"	-	1	32
ELR-50090	5"	24"	5"	-	1	68
ELR-60090	6"	30"	6"	-	1	114

Special Large Radius 90 Elbows-Rigid

Catalog Number	Trade Size	Radius	Inner Carton	Master Carton	Master Weight
ELR-1009012	1" X 90	12"	-	1	4
ELR-1009015	1" X 90	15"	-	1	6
ELR-1009018	1" X 90	18"	-	1	5
ELR-1009024	1" X 90	24"	-	1	6
ELR-1009030	1" X 90	30"	-	1	9
ELR-1009036	1" X 90	36"	-	1	9
ELR-1009042	1" X 90	42"	-	1	12
ELR-1009048	1" X 90	48"	-	1	13
ELR-1259012	1-1/4" X 90	12"	-	1	6
ELR-1259015	1-1/4" X 90	15"	-	1	7
ELR-1259018	1-1/4" X 90	18"	-	1	7
ELR-1259024	1-1/4" X 90	24"	-	1	9
ELR-1259030	1-1/4" X 90	30"	-	1	12
ELR-1259036	1-1/4" X 90	36"	-	1	13
ELR-1259042	1-1/4" X 90	42"	-	1	16
ELR-1259048	1-1/4" X 90	48"	-	1	18
ELR-1509012	1-1/2" X 90	12"	-	1	8
ELR-1509015	1-1/2" X 90	15"	-	1	9
ELR-1509018	1-1/2" X 90	18"	-	1	10
ELR-1509024	1-1/2" X 90	24"	-	1	11
ELR-1509030	1-1/2" X 90	30"	-	1	15
ELR-1509036	1-1/2" X 90	36"	-	1	16
ELR-1509042	1-1/2" X 90	42"	-	1	19
ELR-1509048	1-1/2" X 90	48"	-	1	21
ELR-2009012	2" X 90	12"	-	1	10
ELR-2009015	2" X 90	15"	-	1	10
ELR-2009018	2" X 90	18"	-	1	11
ELR-2009024	2" X 90	24"	-	1	14
ELR-2009030	2" X 90	30"	-	1	20
ELR-2009036	2" X 90	36"	-	1	22
ELR-2009042	2" X 90	42"	-	1	24
ELR-2009048	2" X 90	48"	-	1	26



Special Large Radius 90 Elbows-Rigid



Catalog Number	Trade Size	Radius	Inner Carton	Master Carton	Master Weight
ELR-2509012	2-1/2" X 90	12"	-		15
ELR-2509015	2-1/2" X 90	15"	-		19
ELR-2509018	2-1/2" X 90	18"	-		18
ELR-2509024	2-1/2" X 90	24"	-		23
ELR-2509030	2-1/2" X 90	30"	-		27
ELR-2509036	2-1/2" X 90	36"	-		32
ELR-2509042	2-1/2" X 90	42"	-		39
ELR-2509048	2-1/2" X 90	48"	-		44
ELR-3009015	3" X 90	15"	-		25
ELR-3009018	3" X 90	18"	-		23
ELR-3009024	3" X 90	24"	-		32
ELR-3009030	3" X 90	30"	-		37
ELR-3009036	3" X 90	36"	-		45
ELR-3009042	3" X 90	42"	-		52
ELR-3009048	3" X 90	48"	-		57
ELR-3509018	3-1/2" X 90	18"	-		31
ELR-3509024	3-1/2" X 90	24"	-		35
ELR-3509030	3-1/2" X 90	30"	-		42
ELR-3509036	3-1/2" X 90	36"	-		54
ELR-3509042	3-1/2" X 90	42"	-		62
ELR-3509048	3-1/2" X 90	48"	-		69
ELR-4009018	4" X 90	18"	-		38
ELR-4009024	4" X 90	24"	-		45
ELR-4009030	4" X 90	30"	-		54
ELR-4009036	4" X 90	36"	-		64
ELR-4009042	4" X 90	42"	-		73
ELR-4009048	4" X 90	48"	-		81
ELR-5009030	5" X 90	30"	-		85
ELR-5009036	5" X 90	36"	-		94
ELR-5009042	5" X 90	42"	-		100
ELR-5009048	5" X 90	48"	-		120
ELR-6009036	6" X 90	36"	-		131
ELR-6009042	6" X 90	42"	-		140
ELR-6009048	6" X 90	48"	-		160

Rigid Conduit Nipples

- Galvanized steel
- UL listed DYIX



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
N-50-CL	1/2" X CL	1/2" X CL	-	25	2
N-75-CL	3/4" X CL	3/4" X CL	-	25	2
N-100-CL	1" X CL	1" X CL	-	25	3
N-125-CL	1-1/4" X CL	1-1/4" X CL	-	25	5
N-150-CL	1-1/2" X CL	1-1/2" X CL	-	25	7
N-200-CL	2" X CL	2" X CL	-	25	11
N-250-CL	2-1/2" X CL	2-1/2" X CL	-	1	1
N-300-CL	3" X CL	3" X CL	-	1	1
N-350-CL	3-1/2" X CL	3-1/2" X CL	-	1	2
N-400-CL	4" X CL	4" X CL	-	1	2
N-500-CL	5" X CL	5" X CL	-	1	3
N-600-CL	6" X CL	6" X CL	-	1	4
N-50150	1/2" x 1-1/2"	1/2" x 1-1/2"	-	25	2
N-75150	3/4" x 1-1/2"	3/4" x 1-1/2"	-	25	3
N-50200	1/2" x 2"	1/2" x 2"	-	25	3
N-75200	3/4" x 2"	3/4" x 2"	-	25	4
N-100200	1" x 2"	1" x 2"	-	25	5
N-125200	1-1/4" x 2"	1-1/4" x 2"	-	25	7
N-150200	1-1/2" x 2"	1-1/2" x 2"	-	25	9
N-50250	1/2" x 2-1/2"	1/2" x 2-1/2"	-	25	4
N-75250	3/4" x 2-1/2"	3/4" x 2-1/2"	-	25	5
N-100250	1" x 2-1/2"	1" x 2-1/2"	-	25	7
N-125250	1-1/4" x 2-1/2"	1-1/4" x 2-1/2"	-	25	9
N-150250	1-1/2" x 2-1/2"	1-1/2" x 2-1/2"	-	25	11
N-200250	2" x 2-1/2"	2" x 2-1/2"	-	25	15
N-50300	1/2" x 3"	1/2" x 3"	-	25	5
N-75300	3/4" x 3"	3/4" x 3"	-	25	6
N-100300	1" x 3"	1" x 3"	-	25	8
N-125300	1-1/4" x 3"	1-1/4" x 3"	-	25	11
N-150300	1-1/2" x 3"	1-1/2" x 3"	-	25	14
N-200300	2" x 3"	2" x 3"	-	25	18
N-250300	2-1/2" x 3"	2-1/2" x 3"	-	1	1
N-300300	3" x 3"	3" x 3"	-	1	1

Rigid Conduit Nipples

- Galvanized steel
- UL listed DYIX



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
N-50350	1/2" x 3-1/2"	1/2" x 3-1/2"	-	25	6
N-75350	3/4" x 3-1/2"	3/4" x 3-1/2"	-	25	7
N-100350	1" x 3-1/2"	1" x 3-1/2"	-	25	10
N-125350	1-1/4" x 3-1/2"	1-1/4" x 3-1/2"	-	25	14
N-150350	1-1/2" x 3-1/2"	1-1/2" x 3-1/2"	-	25	17
N-200350	2" x 3-1/2"	2" x 3-1/2"	-	25	22
N-250350	2-1/2" x 3-1/2"	2-1/2" x 3-1/2"	-	1	1
N-300350	3" x 3-1/2"	3" x 3-1/2"	-	1	2
N-50400	1/2" x 4"	1/2" x 4"	-	25	7
N-75400	3/4" x 4"	3/4" x 4"	-	25	8
N-100400	1" x 4"	1" x 4"	-	25	11
N-125400	1-1/4" x 4"	1-1/4" x 4"	-	25	16
N-150400	1-1/2" x 4"	1-1/2" x 4"	-	25	19
N-200400	2" x 4"	2" x 4"	-	25	25
N-250400	2-1/2" x 4"	2-1/2" x 4"	-	1	2
N-300400	3" x 4"	3" x 4"	-	1	2
N-350400	3-1/2" x 4"	3-1/2" x 4"	-	1	2
N-400400	4" x 4"	4" x 4"	-	1	3
N-50500	1/2" x 5"	1/2" x 5"	-	25	8
N-75500	3/4" x 5"	3/4" x 5"	-	25	11
N-100500	1" x 5"	1" x 5"	-	25	15
N-125500	1-1/4" x 5"	1-1/4" x 5"	-	25	20
N-150500	1-1/2" x 5"	1-1/2" x 5"	-	25	25
N-200500	2" x 5"	2" x 5"	-	25	32
N-250500	2-1/2" x 5"	2-1/2" x 5"	-	1	2
N-300500	3" x 5"	3" x 5"	-	1	3
N-350500	3-1/2" x 5"	3-1/2" x 5"	-	1	3
N-400500	4" x 5"	4" x 5"	-	1	3
N-500500	5" x 5"	5" x 5"	-	1	5

Rigid Conduit Nipples

- Galvanized steel
- UL listed DYIX



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
N-600500	6" X 5"	6" X 5"	-	1	6
N-50600	1/2" X 6"	1/2" X 6"	-	25	10
N-75600	3/4" X 6"	3/4" X 6"	-	25	13
N-100600	1" X 6"	1" X 6"	-	25	18
N-125600	1-1/4" X 6"	1-1/4" X 6"	-	25	24
N-150600	1-1/2" X 6"	1-1/2" X 6"	-	25	30
N-200600	2" X 6"	2" X 6"	-	25	39
N-250600	2-1/2" X 6"	2-1/2" X 6"	-	1	3
N-300600	3" X 6"	3" X 6"	-	1	3
N-350600	3-1/2" X 6"	3-1/2" X 6"	-	1	4
N-400600	4" X 6"	4" X 6"	-	1	4
N-500600	5" X 6"	5" X 6"	-	1	7
N-600600	6" X 6"	6" X 6"	-	1	8
N-50800	1/2" X 8"	1/2" X 8"	-	25	13
N-75800	3/4" X 8"	3/4" X 8"	-	25	17
N-100800	1" X 8"	1" X 8"	-	25	24
N-125800	1-1/4" X 8"	1-1/4" X 8"	-	25	32
N-150800	1-1/2" X 8"	1-1/2" X 8"	-	25	40
N-200800	2" X 8"	2" X 8"	-	12	26
N-250800	2-1/2" X 8"	2-1/2" X 8"	-	1	3
N-300800	3" X 8"	3" X 8"	-	1	4
N-350800	3-1/2" X 8"	3-1/2" X 8"	-	1	5
N-400800	4" X 8"	4" X 8"	-	1	6
N-500800	5" X 8"	5" X 8"	-	1	8

Rigid Conduit Nipples

- Galvanized steel
- UL listed DYIX



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
N-600800	6" X 8"	6" X 8"	-	1	11
N-501000	1/2" X 10"	1/2" X 10"	-	25	17
N-751000	3/4" X 10"	3/4" X 10"	-	25	21
N-1001000	1" X 10"	1" X 10"	-	25	30
N-1251000	1-1/4" X 10"	1-1/4" X 10"	-	25	40
N-1501000	1-1/2" X 10"	1-1/2" X 10"	-	25	50
N-2001000	2" X 10"	2" X 10"	-	10	27
N-2501000	2-1/2" X 10"	2-1/2" X 10"	-	1	4
N-3001000	3" X 10"	3" X 10"	-	1	5
N-3501000	3-1/2" X 10"	3-1/2" X 10"	-	1	6
N-4001000	4" X 10"	4" X 10"	-	1	7
N-5001000	5" X 10"	5" X 10"	-	1	11
N-6001000	6" x 10"	6" x 10"	-	1	14
N-501200	1/2" X 12"	1/2" X 12"	-	25	20
N-751200	3/4" X 12"	3/4" X 12"	-	25	26
N-1001200	1" X 12"	1" X 12"	-	25	37
N-1251200	1-1/4" X 12"	1-1/4" X 12"	-	25	49
N-1501200	1-1/2" X 12"	1-1/2" X 12"	-	25	29
N-2001200	2" X 12"	2" X 12"	-	12	40
N-2501200	2-1/2" X 12"	2-1/2" X 12"	-	1	5
N-3001200	3" X 12"	3" X 12"	-	1	6
N-3501200	3-1/2" X 12"	3-1/2" X 12"	-	1	8
N-4001200	4" X 12"	4" X 12"	-	1	45
N-5001200	5" x 12"	5" x 12"	-	1	13
N-6001200	6" x 12"	6" x 12"	-	1	17

Running Thread-Rigid

• Type C Galvanized, Electro Plated Threads

Catalog Number	Trade Size	Length	Inner Carton	Master Carton	Master Weight
RT-18	1/8"	3'	1	34	19
RT-14	1/4"	3'	1	34	30
RT-38	3/8"	3'	1	34	43
RT-50	1/2"	3'	1	20	37
RT-75	3/4"	3'	1	25	64
RT-100	1"	3'	1	20	62
RT-125	1-1/4"	3'	1	12	51
RT-150	1-1/2"	3'	1	10	54
RT-200	2"	3'	1	8	60
RT-250	2-1/2"	3'	1	4	46
RT-300	3"	3'	1	3	45
RT-350	3-1/2"	3'	1	2	38
RT-400	4"	3'	1	2	43



Risers Rigid Galvanized

• T2 = Threaded two ends
• Standard packaging quantities apply!

Catalog Number	Trade Size	Length	Packaging	Master Weight
RIS-200T2	2"	7'	25	613

Aluminum Rigid Couplings

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
ARC-50	1/2"	-	100	6
ARC-75	3/4"	-	50	5
ARC-100	1"	-	30	4
ARC-125	1-1/4"	-	25	5
ARC-150	1-1/2"	-	25	6
ARC-200	2"	-	20	7
ARC-250	2-1/2"	-	24	16
ARC-300	3"	-	16	15
ARC-350	3-1/2"	-	12	13
ARC-400	4"	-	10	14
ARC-500	5"	-	1	3
ARC-600	6"	-	1	3



Aluminum 90 Conduit Elbows

Note: 45° Available Upon Request



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
ELA-5090	1/2"	-	50	13
ELA-7590	3/4"	-	50	20
ELA-10090	1"	-	25	18
ELA-12590	1-1/4"	-	20	21
ELA-15090	1-1/2"	-	15	23
ELA-20090	2"	-	10	21
ELA-25090	2-1/2"	-	1	5
ELA-30090	3"	-	1	8
ELA-35090	3-1/2"	-	1	9
ELA-40090	4"	-	1	12
ELA-50090	5"	-	1	24
ELA-60090	6"	-	1	38

Special Large Radius 90 Elbows-Aluminum

• U.L. No. UL6A, American National Standards Institute. C80.5 and Federal Specification WWC 540A apply where applicable.



Catalog Number	Trade Size	Radius	Inner Carton	Master Carton	Master Weight
ELA-1009012	1" x 90	12"	-	1	1
ELA-1009015	1" X 90	15"	-	1	2
ELA-1009018	1" X 90	18"	-	1	2
ELA-1009024	1" X 90	24"	-	1	3
ELA-1009030	1" X 90	30"	-	1	3
ELA-1009036	1" X 90	36"	-	1	4
ELA-1009042	1" X 90	42"	-	1	4
ELA-1009048	1" X 90	48"	-	1	5
ELA-1259012	1-1/4" X 90	12"	-	1	1
ELA-1259015	1-1/4" X 90	15"	-	1	3
ELA-1259018	1-1/4" X 90	18"	-	1	3
ELA-1259024	1-1/4" X 90	24"	-	1	3
ELA-1259030	1-1/4" X 90	30"	-	1	4
ELA-1259036	1-1/4" X 90	36"	-	1	5
ELA-1259042	1-1/4" X 90	42"	-	1	6
ELA-1259048	1-1/4" X 90	48"	-	1	6
ELA-1509012	1-1/2" X 90	12"	-	1	3
ELA-1509015	1-1/2" X 90	15"	-	1	3
ELA-1509018	1-1/2" X 90	18"	-	1	3
ELA-1509024	1-1/2" X 90	24"	-	1	4
ELA-1509030	1-1/2" X 90	30"	-	1	5
ELA-1509036	1-1/2" X 90	36"	-	1	6
ELA-1509042	1-1/2" X 90	42"	-	1	7
ELA-1509048	1-1/2" X 90	48"	-	1	8
ELA-2009012	2" X 90	12"	-	1	4
ELA-2009015	2" X 90	15"	-	1	4
ELA-2009018	2" X 90	18"	-	1	4
ELA-2009024	2" X 90	24"	-	1	5
ELA-2009030	2" X 90	30"	-	1	7
ELA-2009036	2" X 90	36"	-	1	8
ELA-2009042	2" X 90	42"	-	1	9

Special Large Radius 90 Elbows-Aluminum

• U.L. No. UL6A, American National Standards Institute. C80.5 and Federal Specification WWC 540A apply where applicable.



Catalog Number	Trade Size	Radius	Inner Carton	Master Carton	Master Weight
ELA-2009048	2" X 90	48"	-		10
ELA-2509012	2-1/2" X 90	12"	-		6
ELA-2509015	2-1/2" X 90	15	-		7
ELA-2509018	2-1/2" X 90	18"	-		7
ELA-2509024	2-1/2" X 90	24"	-		8
ELA-2509030	2-1/2" X 90	30"	-		10
ELA-2509036	2-1/2" X 90	36"	-		12
ELA-2509042	2-1/2" X 90	42"	-		14
ELA-2509048	2-1/2" X 90	48"	-		16
ELA-3009015	3" X 90	15"	-		9
ELA-3009018	3" X 90	18"	-		9
ELA-3009024	3" X 90	24"	-		11
ELA-3009030	3" X 90	30"	-		13
ELA-3009036	3" X 90	36"	-		16
ELA-3009042	3" X 90	42"	-		18
ELA-3009048	3" X 90	48"	-		21
ELA-3509018	3-1/2" X 90	18"	-		11
ELA-3509024	3-1/2" X 90	24"	-		14
ELA-3509030	3-1/2" X 90	30"	-		16
ELA-3509036	3-1/2" X 90	36"	-		19
ELA-3509042	3-1/2" X 90	42"	-		22
ELA-3509048	3-1/2" X 90	48"	-		25
ELA-4009018	4" X 90	18"	-		14
ELA-4009024	4" X 90	24"	-		16
ELA-4009030	4" X 90	30"	-		19
ELA-4009036	4" X 90	36"	-		23
ELA-4009042	4" X 90	42"	-		26
ELA-4009048	4" X 90	48"	-		29
ELA-5009030	5" X 90	30"	-		29
ELA-5009036	5" X 90	36"	-		34
ELA-5009042	5" X 90	42"	-		37
ELA-5009048	5" X 90	48"	-		44
ELA-6009042	6" X 90	42"	-		49
ELA-6009048	6" X 90	48"	-		58

Aluminum Rigid Nipples



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
AN-50-CL	1/2" x CL	-	25	1
AN-75-CL	3/4" x CL	-	25	1
AN-100-CL	1" x CL	-	25	1
AN-125-CL	1-1/4" x CL	-	25	1
AN-150-CL	1-1/2" x CL	-	25	3
AN-200-CL	2" x CL	-	25	4
AN-250-CL	2-1/2" x CL	-	12	2
AN-300-CL	3" x CL	-	12	2
AN-350-CL	3-1/2" x CL	-	12	5
AN-400-CL	4" x CL	-	12	6
AN-500-CL	5" x CL	-	1	1
AN-600-CL	6" x CL	-	1	1
AN-50150	1/2" x 1-1/2"	-	25	1
AN-75150	3/4" x 1-1/2"	-	25	1
AN-50200	1/2" x 2"	-	25	1
AN-75200	3/4" x 2"	-	25	1
AN-100200	1" x 2"	-	25	2
AN-125200	1-1/4" x 2"	-	25	2
AN-150200	1-1/2" x 2"	-	25	3
AN-50250	1/2" x 2-1/2"	-	25	1
AN-75250	3/4" x 2-1/2"	-	25	2
AN-100250	1" x 2-1/2"	-	25	2
AN-125250	1-1/4" x 2-1/2"	-	25	4
AN-150250	1-1/2" x 2-1/2"	-	25	5
AN-200250	2" x 2-1/2"	-	25	6
AN-50300	1/2" x 3"	-	25	2
AN-75300	3/4" x 3"	-	25	2
AN-100300	1" x 3"	-	25	3
AN-125300	1-1/4" x 3"	-	25	4
AN-150300	1-1/2" x 3"	-	25	5
AN-200300	2" x 3"	-	25	6
AN-250300	2-1/2" x 3"	-	10	3
AN-300300	3" x 3"	-	10	4
AN-50350	1/2" x 3-1/2"	-	25	2
AN-75350	3/4" x 3-1/2"	-	25	3
AN-100350	1" x 3-1/2"	-	25	3
AN-125350	1-1/4" x 3-1/2"	-	25	5
AN-150350	1-1/2" x 3-1/2"	-	25	6

Aluminum Rigid Nipples

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
AN-200350	2" x 3-1/2"	-	25	8
AN-250350	2-1/2" x 3-1/2"	-	10	4
AN-300350	3" x 3-1/2"	-	10	5
AN-50400	1/2" x 4"	-	25	2
AN-75400	3/4" x 4"	-	25	3
AN-100400	1" x 4"	-	25	4
AN-125400	1-1/4" x 4"	-	25	5
AN-150400	1-1/2" x 4"	-	25	7
AN-200400	2" x 4"	-	25	9
AN-250400	2-1/2" x 4"	-	10	5
AN-300400	3" x 4"	-	10	6
AN-350400	3-1/2" x 4"	-	10	8
AN-400400	4" x 4"	-	10	9
AN-50500	1/2" x 5"	-	25	3
AN-75500	3/4" x 5"	-	25	3
AN-100500	1" x 5"	-	25	5
AN-125500	1-1/4" x 5"	-	25	7
AN-150500	1-1/2" x 5"	-	25	9
AN-200500	2" x 5"	-	25	12
AN-250500	2-1/2" x 5"	-	12	8
AN-300500	3" x 5"	-	10	9
AN-350500	3-1/2" x 5"	-	10	10
AN-400500	4" x 5"	-	10	12
AN-500500	5" x 5"	-	1	2
AN-600500	6" x 5"	-	1	2
AN-50600	1/2" x 6"	-	25	3
AN-75600	3/4" x 6"	-	25	1
AN-100600	1" x 6"	-	25	6
AN-125600	1-1/4" x 6"	-	25	9
AN-150600	1-1/2" x 6"	-	25	11
AN-200600	2" x 6"	-	25	14
AN-250600	2-1/2" x 6"	-	12	10
AN-300600	3" x 6"	-	10	10
AN-350600	3-1/2" x 6"	-	5	6
AN-400600	4" x 6"	-	5	7
AN-500600	5" x 6"	-	1	2
AN-600600	6" x 6"	-	1	3



Aluminum Rigid Nipples

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
AN-50800	1/2" x 8"	-	25	4
AN-75800	3/4" x 8"	-	25	6
AN-100800	1" x 8"	-	25	9
AN-125800	1-1/4" x 8"	-	25	12
AN-150800	1-1/2" x 8"	-	25	15
AN-200800	2" x 8"	-	12	9
AN-250800	2-1/2" x 8"	-	10	11
AN-300800	3" x 8"	-	10	15
AN-350800	3-1/2" x 8"	-	5	9
AN-400800	4" x 8"	-	5	10
AN-500800	5" x 8"	-	1	3
AN-600800	6" x 8"	-	1	4
AN-501000	1/2" x 10"	-	25	6
AN-751000	3/4" x 10"	-	25	8
AN-1001000	1" x 10"	-	25	11
AN-1251000	1-1/4" x 10"	-	25	16
AN-1501000	1-1/2" x 10"	-	25	19
AN-2001000	2" x 10"	-	12	12
AN-2501000	2-1/2" x 10"	-	5	7
AN-3001000	3" x 10"	-	5	10
AN-3501000	3-1/2" x 10"	-	5	12
AN-4001000	4" x 10"	-	5	14
AN-5001000	5" x 10"	-	1	4
AN-6001000	6" x 10"	-	1	6
AN-501200	1/2" x 12"	-	25	7
AN-751200	3/4" x 12"	-	25	10
AN-1001200	1" x 12"	-	25	14
AN-1251200	1-1/4" x 12"	-	24	19
AN-1501200	1-1/2" x 12"	-	25	23
AN-2001200	2" x 12"	-	12	14
AN-2501200	2-1/2" x 12"	-	5	9
AN-3001200	3" x 12"	-	5	12
AN-3501200	3-1/2" x 12"	-	5	14
AN-4001200	4" x 12"	-	5	17
AN-5001200	5" x 12"	-	1	5
AN-6001200	6" x 12"	-	1	6



Reducing Bushings-Steel

• Steel

Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LRB-2	3/4" x 1/2"	3/4" x 1/2"	100	1000	40
LRB-3	1" x 1/2"	1" x 1/2"	50	500	60
LRB-4	1" x 3/4"	1" x 3/4"	50	500	35
LRB-5	1-1/4" x 1/2"	1-1/4" x 1/2"	25	250	65
LRB-6	1-1/4" x 3/4"	1-1/4" x 3/4"	25	125	27
LRB-7	1-1/4" x 1"	1-1/4" x 1"	25	125	17
LRB-8	1-1/2" x 1/2"	1-1/2" x 1/2"	25	125	50
LRB-9	1-1/2" x 3/4"	1-1/2" x 3/4"	10	100	34
LRB-10	1 1/2" x 1"	1 1/2" x 1"	10	100	26
LRB-11	1-1/2" x 1-1/4"	1-1/2" x 1-1/4"	10	100	11
LRB-14	2" x 1"	2" x 1"	10	100	64
LRB-15	2" x 1-1/4"	2" x 1-1/4"	10	50	23
LRB-16	2" x 1-1/2"	2" x 1-1/2"	10	50	15



Reducing Bushings-Malleable

• Malleable iron

Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LRB-21	2-1/2" X 1-1/2"	2-1/2" X 1-1/2"	5	50	45
LRB-22	2-1/2" X 2"	2-1/2" X 2"	5	25	26
LRB-28	3" X 2"	3" X 2"	-	5	11
LRB-29	3" X 2-1/2"	3" X 2-1/2"	-	10	8
LRB-33	3-1/2" X 3"	3-1/2" X 3"	-	5	5
LRB-36	4" X 3"	4" X 3"	-	5	10
LRB-37	4" X 3-1/2"	4" X 3-1/2"	-	5	6



Tilt-In Cable Connector-Steel

• Steel, zinc electroplated

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
L-15	1/2" KO, 2 or 3 #14, 12, 10 & 8	100	500	26
L-16	3/4" or 1" KO, 2 or 3 # 8, 6 & 4	50	250	18
L-17	1 1/4" KO for 2/0, 1 1/2" KO for 3/0	25	125	13
L-18	1 1/2" KO for 4/0	-	25	4



Plastic NM Cable Connector

• For (1) 14/2 or 14/3; 12/2 or 12/3; 10/2
• Easy snap-in design



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
I200	1/2"	100	1000	5



Plastic NM Cable Connector

- For (1) 14/3; 12/3; 10/3; 8/3; 6/3
- Easy snap-in design



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
1202	3/4"	50	250	2

Plastic NM Cable Connector

- For (2) 14/2 or 12/2
- Easy snap-in design



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
1201	1/2"	25	250	5

Plastic Snap In Connectors

- LNM-51 - Heavy Duty



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LNM-38	3/8"	100	1000	6
LNM-51	3/8"	100	1000	10
LNM-104	3/4"	50	250	4

Plastic Cable Connector

- Thermoplastic, maximum service temperature 105 C
- For use with 10/3, 12/3, 14/3, 10/2, 12/2, 14/2 NM Cables
- For use with multiple (2) 12/2 and 14/2 NM Cables
- For use with single and multiple flexible cords in wire range .300 in. to .600 in.



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
ME-3201	1/2"	50	500	10

Plastic Cable Connector

- Thermoplastic, maximum service temperature 105 C
- For use with 10/2, 12/2 and 14/2 NM Cables
- For use with 18/2 and 18/3 SJ and SJO Cords and 18/2 SV, SVO, SJT and SJTO Cords, single or multiple.
- Cord capacity .125 - .300 diameter.



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
ME-3300	1/2"	100	500	6 1.031

Plastic Cable Connector

- Thermoplastic, maximum service temperature 105 C
- For use with 8/3 and 6/3 NM Cables
- For use with (2) 14/3, 14/2, 12/2, and 10/2 NM Cables
- Use with single and multiple flexible cords in wire range .500 in. to .850 in.



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
ME-3202	3/4"	25	250	9

Two Screw Clamp Connector-Zinc

- Zinc die cast
- For 1/2" knockouts
- Meets UL 514B
- L-51 - NM Cable - (2) 14/2 - (1) 12/2
- L-57 - AC Cable - (FE) 14/2 - 10/2, .46 min. x .598 max. AC Cable - (AL) 14/2 - 10/2, .48 min. x .565 max. MC Cable - (FE) 14/2 - 10/3, .469 min x .61 max. MC Cable - (AL) 14/2 - 10/3, .47 min x .61 max.



Catalog Number	Trade Size	NM Cable	Flex	MC Cable	Inner Carton	Master Carton	Master Weight
L-51	3/8"	14/2-12/2	-	-	100	1000	70
L-57	3/8"	14/2-12/2	3/8"	**	100	1000	49

Non-Watertite Connectors-Zinc

- Zinc die cast
- Meets UL 514B



Catalog Number	Trade Size	Cable Range	Inner Carton	Master Carton	Master Weight
L-1106	1-1/4"	Oval Cable	10	100	27
L-1107	1-1/2"	Oval Cable	-	25	8
L-1108	2"	Oval Cable	5	25	12
L-1106-R	1-1/4"	Round Cable	10	100	25
L-1107-R	1-1/2"	Round Cable	-	25	8
L-1108-R	2"	Round Cable	5	25	12

Non-Watertite Connectors-Zinc

- Zinc die cast
- For oval and round cable
- (3/4" = 12/3, 10/3; and 1" = 12/3 through 8/3 non-metallic cable)
- Meets UL 514B



Catalog Number	Trade Size	Cable Range	Inner Carton	Master Carton	Master Weight
L-104	3/4"	Oval/Round	50	500	50
L-105	1"	Oval/Round	25	250	38
L-106	1-1/4"	Oval/Round	10	100	24
L-107	1-1/2"	Oval/Round	5	50	17
L-108	2"	Oval/Round	10	40	18

Take All Connectors-Zinc

- For round service entrance cable - Type SE, Style R
- Long Body



Catalog Number	Trade Size	Body Length	Inner Carton	Master Carton	Master Weight
TA-50	1/2"	1"	25	250	23
TA-75	3/4"	1"	20	200	22
TA-100	1"	1-3/8"	10	100	19
TA-125	1-1/4"	1-3/8"	10	100	26
TA-150	1-1/2"	2"	5	50	17
TA-200	2"	2"	5	50	24

Watertite Connectors-Zinc

- Zinc die cast
- Note: underground feeder cable may vary between manufacturers and type of jacket
- Meets UL 514B



Catalog Number	Trade Size	UF Cable Size	Inner Carton	Master Carton	Master Weight	Wire Size Min. (Grommet)		Wire Size Max. (Grommet)	
						A	B	A	B
LWC-05014	1/2"	14/2	25	250	25	1.00	.475	.220	.440
LWC-07514	3/4"	14/3	25	250	65	.175	.800	.220	.660

U.F. Watertight Connectors-Steel

- Screw machined steel
- Note: Underground feeder cable may vary between manufacturers and type of jacket



Catalog Number	Trade Size	UF Cable Range	Inner Carton	Master Carton	Master Weight	Wire Size Max. (Grommet)	
						A	B
MUF-50	1/2"	14/2 and 12/2	25	100	12	.235	.475
MUF-75	3/4"	14/3, 12/3, 10/3 and 8-2	10	50	9	.290	.710

Straight Squeeze Connectors-Zinc

- Zinc die cast
- Strap style for metal clad cable (L-41-1 only) range:
 - Aluminum continuous sheath: corrugated = .620 - .780 dia.
 - Aluminum interlocking = .630 - .880 dia.
- Steel interlocking = .648 - .822 dia.
- Meets UL 514B



Catalog Number	Trade Size	Flex	MC Cable	Inner Carton	Master Carton	Master Weight
L-41-1	1/2"	1/2"	**	25	250	25
L-42	3/8"	3/8"	-	50	500	25
L-42-1	1/2"	1/2"	-	25	250	25
L-42-2	3/4"	3/4"	-	25	250	33
L-42-3	1"	1"	-	10	100	20
L-42-4	1-1/4"	1-1/4"	-	10	100	29
L-42-5	1-1/2"	1-1/2"	-	5	50	20
L-42-6	2"	2"	-	10	40	19
L-42-7	2-1/2"	2-1/2"	-	-	5	5
L-42-8	3"	3"	-	1	5	7
L-42-9	3-1/2"	3-1/2"	-	-	1	2
L-42-10	4"	4"	-	-	1	2

Straight Squeeze Connector-Zinc Insulated Throat

• Meets UL514B



Catalog Number	Trade Size	Flex	MC Cable	Inner Carton	Master Carton	Master Weight
IL-42-1	1/2"	1/2"	-	25	250	25
IL-42-2	3/4"	3/4"	-	25	250	33
IL-42-3	1"	1"	-	10	100	20
IL-42-4	1-1/4"	1-1/4"	-	10	100	29
IL-42-5	1-1/2"	1-1/2"	-	5	50	20
IL-42-6	2"	2"	-	10	40	19
IL-42-7	2-1/2"	2-1/2"	-	-	5	5
IL-42-8	3"	3"	-	-	5	7
IL-42-9 3	3-1/2"	3-1/2"	-	-	1	2
IL-42-10	4"	4"	-	-	1	3

Angle Squeeze Connectors-Zinc

• 90 degree angle
• Meets UL 514B



Catalog Number	Trade Size	Flex	Inner Carton	Master Carton	Master Weight
L-110	3/8"	3/8"	50	500	45
L-110-1	1/2"	1/2"	25	250	35
L-110-2	3/4"	3/4"	10	100	20
L-110-3	1"	1"	5	50	19
L-110-4	1-1/4"	1-1/4"	10	40	21
L-110-5	1-1/2"	1-1/2"	-	5	6
L-110-6	2"	2"	-	5	6
L-110-7	2-1/2"	2-1/2"	-	5	16
L-110-8	3"	3"	-	1	5
L-110-9	3-1/2"	3-1/2"	-	1	6
L-110-10	4"	4"	-	1	7

Angle Squeeze Conn-Zinc Insulated Throat

• 90 degree angle
• Meets UL514B



Catalog Number	Trade Size	Flex	Inner Carton	Master Carton	Master Weight
IL-110	3/8"	3/8"	50	500	45
IL-110-1	1/2"	1/2"	25	250	35
IL-110-2	3/4"	3/4"	10	100	20
IL-110-3	1"	1"	5	50	19
IL-110-4	1-1/4"	1-1/4"	10	40	21
IL-110-5	1-1/2"	1-1/2"	-	5	6
IL-110-6	2"	2"	-	5	7
IL-110-7	2-1/2"	2-1/2"	-	5	16
IL-110-8	3"	3"	-	1	5
IL-110-9	3-1/2"	3-1/2"	-	1	6
IL-110-10	4"	4"	-	1	7

Straight Squeeze Connectors-Malleable

- Zinc plated
- Malleable iron, U.L. 514-B, Fed Spec W F 406E, Nema FB-I



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
ML-42	3/8"	25	125	17
ML-42-1	1/2"	25	125	19
ML-42-2	3/4"	20	100	19
ML-42-3	1"	10	50	16
ML-42-4	1-1/4"	10	50	20
ML-42-5	1-1/2"	5	25	13
ML-42-6	2"	-	5	5
ML-42-7	2-1/2"	-	5	8
ML-42-8	3"	-	5	11
ML-42-9	3-1/2"	-	1	5
ML-42-10	4"	-	1	7

Straight Squeeze Connectors Mall-Insulated Throat

- Zinc Plated
- Malleable iron, U.L. 514B, Fed Spec W F 406E, Nema FB-I



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
IML-42	3/8"	25	125	19
IML-42-1	1/2"	25	125	19
IML-42-2	3/4"	20	100	19
IML-42-3	1"	10	50	16
IML-42-4	1-1/4"	10	50	20
IML-42-5	1-1/2"	5	25	13
IML-42-6	2"	-	5	5
IML-42-7	2-1/2"	-	5	8
IML-42-8	3"	-	5	11
IML-42-9	3-1/2"	-	1	5
IML-42-10	4"	-	1	7

Angle Connectors Squeeze Type-Malleable

- Zinc plated
- 90 degree angle
- Malleable iron, U.L. 514-B, Fed Spec.W.F. 406-E, Nema FB-I



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
ML-110	3/8"	20	100	14
ML-110-1	1/2"	20	100	15
ML-110-2	3/4"	10	50	9
ML-110-3	1"	5	25	8
ML-110-4	1-1/4"	5	25	10
ML-110-5	1-1/2"	2	10	5
ML-110-6	2"	-	5	5
ML-110-7	2-1/2"	-	5	8
ML-110-8	3"	-	1	2
ML-110-9	3-1/2"	-	1	5
ML-110-10	4"	-	1	7

Angle Connectors Squeeze Type-Mall - Insulated Throat

- Zinc plated
- 90 degree angle
- Malleable iron, U.L. 514-B, Fed Spec W F 406-E, Nema FB-1



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
IML-110	3/8"	25	250	15
IML-110-1	1/2"	20	100	15
IML-110-2	3/4"	10	50	9
IML-110-3	1"	5	25	8
IML-110-4	1-1/4"	5	25	33
IML-110-5	1-1/2"	2	10	5
IML-110-6	2"	-	5	11
IML-110-7	2 -/2"	-	5	17
IML-110-8	3"	-	1	5
IML-110-9	3-1/2"	-	1	14
IML-110-10	4"	-	1	24

Duplex Connectors-Zinc

- Zinc die cast
- Metal clad cable range
- Aluminum continuous sheath: smooth - .410 - .500 dia
- Aluminum interlocking = .460 - .538 dia.
- Steel interlocking = .438 - .560 dia.
- Meets UL 514B



Catalog Number	Trade Size	Style	Flex	MC Cable	Inner Carton	Master Carton	Master Weight
L-158	3/8"	1 screw	3/8"	-	25	250	33
L-159	3/8"	2 screw	3/8"	-	20	200	24

Screw-In Flex Connectors-Zinc

- Meets UL 514B



Catalog Number	Trade Size	Flex	Inner Carton	Master Carton	Master Weight
L-44	3/8"	3/8"	50	500	30
L-44-1	1/2"	1/2"	50	500	30
L-44-2	3/4"	3/4"	25	250	25
L-44-3	1"	1"	25	250	40
L-44-4	1-1/4"	1-1/4"	10	100	28
L-44-5	1-1/2"	1-1/2"	10	40	15
L-44-6	2"	2"	10	40	25

Screw-In Flex Connector-Zinc-Insulated Throat

- Meets UL 514B



Catalog Number	Trade Size	Flex	Inner Carton	Master Carton	Master Weight
IL-44-1	1/2"	1/2"	50	500	30
IL-44-2	3/4"	3/4"	25	250	25
IL-44-3	1"	1"	25	250	40
IL-44-4	1-1/4"	1-1/4"	10	100	28
IL-44-5	1-1/2"	1-1/2"	10	40	15
IL-44-6	2"	2"	10	40	25

Screw-In Flex Couplings-Zinc

- Zinc die cast
- Meets UL 514B



Catalog Number	Trade Size	Flex	Inner Carton	Master Carton	Master Weight
L-45-1	1/2"	1/2"	50	500	30
L-45-2	3/4"	3/4"	25	250	23

MC, AC, and Flex Connector-Steel

- Steel Construction, suitable as a grounding means under the NEC 350-5 and for hazardous locations under NEC 501-4(b), Class 1, Div 2
- No locknut required. Simply tilt into the knockout and snap down for a secure connection. Saves time during installation.
- Dual-grip clamp provides excellent grounding continuity and cable gripping
- Red insulator provides wire protection • * Accepts 2 cables of each size listed.



Catalog Number	Trade Size	AC Cable	MC Cable	Flex	Inner Carton	Master Carton	Master Weight
MAFC-50	1/2"	Steel: 14/2 - 10/3, AC Alum Interlocked: 14/2 - 12/4	MC Steel: *14/2 - *10/2, MC Alum Interlocked: 14/2 - 10/2, MC Alum 14/3, 14/4, *12/2, *12/3, 12/4, 10/2, 10/3, MC Alum Flat: 12/3	3/8 RW Steel & Alum	50	500	39
MAFC-75	3/4"	AC Steel: 10/4, 10/5, 8/3, 8/4, 6/3, AC Alum Interlocked: 10/4, 8/3, 8/4 10/4, 8/2 MC Steel: *10/3, *10/4,	*8/2, *8/3, *6/2, MC Alum Interlocked: 10/3,	1/2" RWS	25	125	15

MC, AC and Flex Duplex Connector-Steel

- AC Steel: 14/2, 14/3, 14/4, 12/2, 12/3 and 12/4
- AC Aluminum Interlocked: 14/2, 14/3, 14/4, 12/2, 12/3 and 12/4
- MC Steel: 14/2, 14/3, 14/4, 12/2 and 12/3
- MC Aluminum Interlocked: 14/2, 14/3, 14/4, 12/2, 12/3 and 10/2
- Flex: 1/2" RW Steel and Aluminum



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MAFC-52	1/2"	25	125	13

Double Bite Saddle Type Conn - Steel

- Steel - Insulated Throat
- For Flex, AC and MC Cables.
- Meets U.L. 514B, Fed. Spec. W-F-406E, Nema FB-1



Catalog Number	Trade Size	Cable Range Min	Cable Range Max	Inner Carton	Master Carton	Master Weight
MDB-38B	3/8"	.437	.656	25	100	15
MDB-50B	1/2"	.750	.937	25	100	16
MDB-75B	3/4"	.906	1.125	10	50	9
MDB-100B	1"	1.250	1.468	5	25	8
MDB-125B	1-1/4"	1.312	1.50	5	25	13
MDB-150B	1-1/2"	1.562	1.750	2	10	6
MDB-200B	2"	1.812	2.031	-	5	4
MDB-250B	2-1/2"	2.812	3.062	-	4	7
MDB-300B	3"	3.312	3.562	-	4	8
MDB-350B	3-1/2"	3.620	4.060	-	2	5
MDB-400B	4"	4.120	4.560	-	2	6

Double Bite Saddle Type Conn - 90's - Malleable, Insulated

- UL Standard: 514B, Fed Spec W-F-406E, NEMA FB-1
- To Connect Flex, AC and MC Cables to outlet boxes
- Dual Gripping Saddle Clamps

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MDB-3890-B	3/8"	10	50	10
MDB-5090-B	1/2"	10	50	13
MDB-7590-B	3/4"	5	25	10
MDB-10090-B	1"	5	25	8

Double Bite Saddle Type Conn - 45's - Malleable, Insulated

- UL Standard: 514B, Fed Spec W-F-406E, NEMA FB-1
- To Connect Flex, AC and MC Cables to outlet boxes
- Dual Gripping Saddle Clamps

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MDB-3845-B	3/8"	10	50	8
MDB-5045-B	1/2"	10	50	13
MDB-7545-B	3/4"	10	50	15

Double Bite Saddle Type - Set Screw Coupling - Steel

- UL Standard: 514B, Fed Spec W-F-406E, NEMA FB-1
- To Connect Flex, AC and MC Cables to EMT conduit
- Robertson Head Screw
- Saddle Clamp Rides Up and Down on Screw for Ease of Installation

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MDBS-38	3/8"	50	250	45
MDBS-50	1/2"	25	125	24
MDBS-75	3/4"	10	100	21

Double Bite Saddle Type Compression Coupling - Steel

- UL Standard: 514B, Fed Spec W-F-406E, NEMA FB-1
- To Connect Flex, AC and MC Cables to EMT conduit
- Dual Gripping Saddle Clamps
- Robertson Head Screws

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MDBC-38	3/8"	25	125	23
MDBC-50	1/2"	25	125	24
MDBC-75	3/4"	20	100	21

Saddle Type Connector-Zinc

- Zinc die cast
- Used to join BX, MC, Romex or Flexible Metal Conduit to a box or enclosure



Catalog Number	Trade Size	Flex	MC Cable	NM Cable	Inner Carton	Master Carton	Master Weight
L-67	3/8"	3/8"	-	14/2	50	500	40
L-68	1/2"	1/2"	1/2"	1/2	25	250	25
L-69	3/4"	3/4"	3/4"	3/4	20	200	38
L-70	1"	1"	1"	1	10	100	24

BX / Flex Set Screw Connector-Zinc

- Zinc die cast
- Steel flex, Meets UL 514B



Catalog Number	Trade Size	Flex	Inner Carton	Master Carton	Master Weight
L-58	3/8"	3/8"	100	1000	50

Flex Set Screw Connector-Zinc

- Zinc die cast
- Aluminum and steel flex, Meets UL514B



Catalog Number	Trade Size	Flex	Inner Carton	Master Carton	Master Weight
L-48-1	1/2"	1/2"	25	250	25
L-48-2	3/4"	3/4"	20	100	14

Anti-Short Bushings

- Made of high dielectric strength material, bright red color
- Suitable for installation at temperature as low as -40 C



Catalog Number	Trade Size	Flex	AC Cable	Inner Carton	Master Carton	Master Weight	Packaging
3010	#0	5/16"	14/2, 14/3, 12/2	-	20 bags	1	35/bag
3010-B	#0	5/16"	14/2, 14/3, 12/2	-	60000	31	bulk
3011	#1	3/8"	14/4, 12/3, 6/1, 4/1	-	20 bags	2	35/bag
3011-B	#1	3/8"	14/4, 12/3, 6/1, 4/1	25,000	50000	31	bulk
3012	#2	7/16"	12/4, 10/2, 10/3, 2/1	-	10 bags	3	35/bag
3012-B	#2	7/16"	12/4, 10/2, 10/3, 2/1	-	25000	25	bulk
3013	#3	1/2"	10/4, 8/2, 8/3, 1/1	-	10 bags	4	20/bag
3014	#4	3/4"	8/4, 6/4, 6/3, 6/2, 4/3, 4/2	-	10 bags	1	16/bag

Liquidtight-Connectors Straight-Zinc

- Zinc die cast
- Meets UL514B
- Suitable for use with liquidtight flexible metal conduit and liquidtight flexible non-metallic conduit, Type B
- *I Suffix = Insulated Throat



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LQA-1038	3/8"	25	100	13
LQA-1050	1/2"	25	100	17
LQA-1075	3/4"	10	100	26
LQA-1100	1"	5	25	13
LQA-1125	1-1/4"	5	25	15
LQA-1150	1-1/2"	2	10	8
LQA-1200	2"	2	10	10
*LQA-1038-I	3/8"	25	100	15
*LQA-1050-I	1/2"	25	100	19
*LQA-1075-I	3/4"	10	100	28
*LQA-1100-I	1"	5	25	14
*LQA-1125-I	1-1/4"	5	25	16
*LQA-1150-I	1-1/2"	2	10	10
*LQA-1200-I	2"	2	10	10
*LQA-1250-I	2-1/2"	1	5	11
*LQA-1300-I	3"	-	1	4
*LQA-1350-I	3-1/2"	-	1	5
*LQA-1400-I	4"	-	1	5

Liquidtight-Connectors 90 - Zinc

- Zinc die cast
- Meets UL514B
- Suitable for use with liquidtight flexible metal conduit and liquidtight non-metallic conduit, Type B
- *I Suffix = Insulated Throat



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
LQA-9038	3/8"	10	50	11
LQA-9050	1/2"	10	50	12
LQA-9075	3/4"	10	50	18
LQA-9100	1"	5	25	18
LQA-9125	1-1/4"	5	25	23
LQA-9150	1-1/2"	2	10	14
LQA-9200	2"	2	10	18
*LQA-9038-I	3/8"	10	50	12
*LQA-9050-I	1/2"	10	50	13
*LQA-9075-I	3/4"	10	50	19
*LQA-9100-I	1"	5	25	19
*LQA-9125-I	1-1/4"	5	25	24
*LQA-9150-I	1-1/2"	2	10	14
*LQA-9200-I	2"	2	10	18
*LQA-9250-I	2-1/2"	-	1	4
*LQA-9300-I	3"	-	1	6
*LQA-9350-I	3-1/2"	-	1	7
*LQA-9400-I	4"	-	1	9

Liquidtight Connectors-Straight- Non-Metallic

- Nylon construction, gray color
- Meets UL514B
- Suitable for use with liquidtight flexible non-metallic conduit, Type B
- *AVAILABLE IN 1 PIECE SCREW ON TYPE (3/8", 1/2" & 3/4" Only) - ADD SUFFIX "S" AFTER PART NUMBER



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
*NMLQ-1038	3/8"	25	100	9
*NMLQ-1050	1/2"	25	100	8
*NMLQ-1075	3/4"	10	100	4
NMLQ-1100	1"	5	50	6
NMLQ-1125	1-1/4"	5	25	4
NMLQ-1150	1-1/2"	2	10	5
NMLQ-1200	2"	2	10	10

Liquidtight Connectors-90 - Non-Metallic

- Nylon construction, gray color
- Meets UL514B
- Suitable for use with liquidtight flexible non-metallic conduit, Type B
- *AVAILABLE IN 1 PIECE SCREW ON TYPE (3/8", 1/2" & 3/4" Only) - ADD SUFFIX "S" AFTER PART NUMBER



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
*NMLQ-9038	3/8"	10	100	5
*NMLQ-9050	1/2"	10	100	4
*NMLQ-9075	3/4"	10	100	6
NMLQ-9100	1"	5	50	8
NMLQ-9125	1-1/4"	5	25	2
NMLQ-9150	1-1/2"	10	2	1
NMLQ-9200	2"	10	2	2

Cord Grips- Non-Metallic

- Liquidtight for round cable, neoprene gland
- Fiberglass reinforced nylon construction, gray color
- Includes locknut
- Meets UL514B



Catalog Number	Trade Size	Cable Range	Inner Carton	Master Carton	Master Weight
MNPT-50	1/2"	.170 - .470	50	250	7
MNPT-75	3/4"	.450 - .709	25	125	7

Liquidtight to EMT Comp/Comb Coupling-Zinc

- Zinc Die Cast
- For use with metallic and non metallic Liquidtight conduit Type B
- For roof top air conditioners



Catalog Number	Trade Size	Liquidtight	EMT	Inner Carton	Master Carton	Master Weight
LT-EMT-50	1/2"	1/2"	1/2"	25	125	15
LT-EMT-75	3/4"	3/4"	3/4"	10	50	9

Liquidtight to EMT Comp/Comb Coupling-Steel

- Screw machined steel
- Meets UL514B
- For roof top air conditioners



Catalog Number	Trade Size	Liquidtight	EMT	Inner Carton	Master Carton	Master Weight
MLT-EMT-50	1/2"	1/2"	1/2"	25	100	15
MLT-EMT-75	3/4"	3/4"	3/4"	10	50	11
MLT-EMT-100	1"	1"	1"	5	25	10

Liquidtight to Rigid-IMC Comp/Comb Coupling

- Screw machined steel
- Meets UL514B



Catalog Number	Trade Size	Rigid	Liquidtight	Inner Carton	Master Carton	Master Weight
MLT-NT-50	1/2"	1/2"	1/2"	25	100	16

Liquidtight Connectors-Straight-Malleable

- Suitable for use with liquidtight flexible conduit
- Meets UL514B
- *"B" Suffix = Insulated Throat



Catalog Number	Trade Size	Liquidtight	Inner Carton	Master Carton	Master Weight
MSTR-38	3/8"	3/8"	25	100	14
MSTR-50	1/2"	1/2"	25	100	17
MSTR-75	3/4"	3/4"	10	50	16
MSTR-100	1"	1"	5	25	10
MSTR-125	1-1/4"	1-1/4"	5	25	15
MSTR-150	1-1/2"	1-1/2"	2	10	8
MSTR-200	2"	2"	-	5	5
*MSTR-38-B	3/8"	3/8"	25	100	14
*MSTR-50-B	1/2"	1/2"	25	100	17
*MSTR-75-B	3/4"	3/4"	10	50	16
*MSTR-100-B	1"	1"	5	25	10
*MSTR-125-B	1-1/4"	1-1/4"	5	25	15
*MSTR-150-B	1-1/2"	1-1/2"	2	10	8
*MSTR-200-B	2"	2"	-	5	5
*MSTR-250-B	2-1/2"	2-1/2"	-	1	3
*MSTR-300-B	3"	3"	-	1	3
*MSTR-350-B	3-1/2"	3-1/2"	-	1	4
*MSTR-400-B	4"	4"	-	1	5
*MSTR-500-B	5"	5"	-	1	10
*MSTR-600-B	6"	6"	-	1	12

Liquidtight Connectors-Straight-Malleable - Insulated Throat with Aluminum Grounding Lug

- UL Standard: 514B, Fed Spec W-F-408E, NEMA: FB-1
- Liquidtight / Raintight / Oiltight
- For use with Flexible Metallic Conduit
- **Add the Suffix "CL" for Copper Lug**

New



Catalog Number	Trade Size	Lug Size	Inner Carton	Master Carton	Master Weight
MSTR-38-A	3/8"	4-14	25	100	18
MSTR-50-A	1/2"	4-14	25	100	20
MSTR-75-A	3/4"	4-14	10	50	16
MSTR-100-A	1"	4-14	5	25	11
MSTR-125-A	1"	4-14	5	25	15
MSTR-150-A	1-1/2"	4-14	2	10	8
MSTR-200-A	2"	4-14	-	2	2
MSTR-250-A	2-1/2"	1/0-8	-	1	4
MSTR-300-A	3"	1/0-8	-	1	5
MSTR-350-A	3-1/2"	3/0-6	-	1	7
MSTR-400-A	4"	3/0-6	-	1	8

Liquidtight Connectors-90s-Malleable

- Meets UL514B
- Suitable for use with liquidtight flexible metal conduit
- * "B" Suffix = Insulated Throat



Catalog Number	Trade Size	Liquidtight	Inner Carton	Master Carton	Master Weight
MSTR-3890	3/8"	3/8"	10	50	13
MSTR-5090	1/2"	1/2"	10	50	17
MSTR-7590	3/4"	3/4"	5	25	11
MSTR-10090	1"	1"	5	25	17
MSTR-12590	1-1/4"	1-1/4"	-	5	5
MSTR-15090	1-1/2"	1-1/2"	-	5	7
MSTR-20090	2"	2"	-	2	4
*MSTR-3890-B	3/8"	3/8"	10	50	12
*MSTR-5090-B	1/2"	1/2"	10	50	17
*MSTR-7590-B	3/4"	3/4"	5	25	11
*MSTR-10090-B	1"	1"	5	25	17
*MSTR-12590-B	1-1/4"	1-1/4"	-	5	5
*MSTR-15090-B	1-1/2"	1-1/2"	-	5	7
*MSTR-20090-B	2"	2"	-	2	4
*MSTR-25090-B	2-1/2"	2-1/2"	-	1	7
*MSTR-30090-B	3"	3"	-	1	11
*MSTR-35090-B	3-1/2"	3-1/2"	-	1	10
*MSTR-40090-B	4"	4"	-	1	10

Liquidtight Connectors - 90 - Malleable - Insulated Throat with Aluminum Grounding Lug

- UL Standard: 514B, Fed Spec W-F-408E, NEMA: FB-1
- For use with liquidtight flexible metallic conduit
- Liquidtight / Raintight / Oiltight

New 



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MSTR-3890-A	3/8"	10	50	14
MSTR-5090-A	1/2"	10	50	16
MSTR-7590-A	3/4"	5	25	12
MSTR-10090-A	1"	5	25	20
MSTR-12590-A	1-1/4"	-	5	5
MSTR-15090-A	1-1/2"	-	5	7
MSTR-20090-A	2"	-	2	4
MSTR-25090-A	2-1/2"	-	1	9
MSTR-30090-A	3"	-	1	13
MSTR-35090-A	3-1/2"	-	1	20
MSTR-40090-A	4"	-	1	24

Liquidtight Connectors-45s-Malleable

- Meets UL514B
- Suitable for use with liquidtight flexible metal conduit
- *"B" Suffix = Insulated Throat





Catalog Number	Trade Size	Liquidtight	Inner Carton	Master Carton	Master Weight
MSTR-3845	3/8"	3/8"	10	50	13
MSTR-5045	1/2"	1/2"	10	50	14
MSTR-7545	3/4"	3/4"	10	50	20
MSTR-10045	1"	1"	5	25	15
MSTR-12545	1-1/4"	1-1/4"	-	5	5
MSTR-15045	1-1/2"	1-1/2"	-	5	6
MSTR-20045	2"	2"	-	2	4
*MSTR-3845-B	3/8"	3/8"	10	50	13
*MSTR-5045-B	1/2"	1/2"	10	50	14
*MSTR-7545-B	3/4"	3/4"	10	50	20
*MSTR-10045-B	1"	1"	5	25	15
*MSTR-12545-B	1-1/4"	1-1/4"	-	5	5
*MSTR-15045-B	1-1/2"	1-1/2"	-	5	6
*MSTR-20045-B	2"	2"	-	2	4
*MSTR-25045-B	2-1/2"	2-1/2"	-	1	5
*MSTR-30045-B	3"	3/4"	-	1	7
*MSTR-35045-B	3-1/2"	3-1/2"	-	1	10
*MSTR-40045-B	4"	4"	-	1	12

Liquidtight Connectors - 45 - Malleable - Insulated Throat with Aluminum Grounding Lug

- UL Standard: 514B, Fed Spec W-F-408E, NEMA: FB-1
- For use with liquidtight flexible metallic conduit
- Liquidtight / Raintight / Oiltight

New 



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MSTR-3845-A	3/8"	10	50	15
MSTR-5045-A	1/2"	10	50	15
MSTR-7545-A	3/4"	10	50	22
MSTR-10045-A	1"	5	25	15
MSTR-12545-A	1-1/4"	-	5	5
MSTR-15045-A	1-1/2"	-	5	6
MSTR-20045-A	2"	-	2	4
MSTR-25045-A	2-1/2"	-	1	6
MSTR-30045-A	3"	-	1	9
MSTR-35045-A	3-1/2"	-	1	13
MSTR-40045-A	4"	-	1	16

Cord Grips-Steel

- Neoprene gland
- Liquidtight for round cable
- Meets UL514B



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Cable Ranges		For Types S, SO, ST, & STO	For Types SJ, STO, SJT, SJTO, SVO, and Blue Drop	For VNTC Type Tray Cable
					Min	Max			
MCG-50A250	1/2"	25	100	12	.150	.250		18-2, 3 SVO	
MCG-50A350	1/2"	25	100	12	.250	.350	16-2, 3, SJO	18-2, 3 SJT, 18-2, 3, 4 SJO, 18-3, 4 & 5, 16-3 & 4, 14-3	
MCG-50A450	1/2"	25	100	12	.350	.450	18-2, 3, 4	16-2, 3, 4 16-4 SJO, 14-2, 3, 4 SJO, 12-2 SJO, 14-3 Bus Drop	18-6 to 18-11, 16-5 to 16-8, 14-4 to 14-7, 12-3 & 4 also composite cables 3# 16 & 4# 14
MCG-50A560	1/2"	25	100	12	.450	.560	18-5, 6, 7 16-5, 6 14-2, 3 12-3	SJO, 12-3 & 10-3 Bus Drop	18-10 to 18-16, 16-9 to 16-12, 14-8 to 14-9, 12-5 to 12-7, 10-3 to 10-4 also composite cables 3#8 & 4#14, 3#10 & 4#12
MCG-50A650	1/2"	25	100	12	.560	.650	18-8, 10 16-7, 8 14-4 12-2, 3 10-2		18-17 to 18-23, 16-13 to 16-19, 14-10 to 14-14, 12-8 & 9, 10-5 to 10-7, 8-2 to 8-4, also composite cables 3#8 & 4#14, 3#10 & 4#12
MCG-75A250	3/4"	10	50	9	.150	.250		18-2, 3 SVO	
MCG-75A350	3/4"	10	50	9	.250	.350		18-2, 3 SJT 18-2, 3, 4 SJO 16-2, 3 SJO	18-3, 4, 5 16-3, 4 14, 3
MCG-75A450	3/4"	10	50	9	.350	.450	18-2, 3, 4 16-2, 3, 4	16-4 SJO 14-2, 3, 4 SJO 12-2 SJO 14-3 Bus Drop 18-6	to 18-11, 16-5 to 16-8, 14-4 to 14-7, 12-3, 4 also composite cables 3 #16 & 4 #14
MCG-75A560	3/4"	10	50	9	.450	.560	18-5, 6, 7 16-5, 6	14-2, 3 12-3 SJO 12-3 & 10-3 Bus Drop	18-10 to 18-16 16-9 to 16-12 14-8 to 14
MCG-75A650	3/4"	10	50	9	.550	.650	18-8, 10 16-7, 8 14-4, 12-2, 3 10-2		18-17 to 18-23 16-13 to 16-19 14-10 to 14-14 12-8, 9 10-5 to 10-7 8-2 to 8-4 also composite cables 3 #8 & 4 #14 3 #10 & 4 #12
MCG-75B750	3/4"	10	50	9	.650	.750	18-12, 14 16-10, 12 14-5, 6, 7 12-4, 5 10-3, 4 8-2	8-3 Bus Drop	18-24 to 18-37 16-20 to 16-27 14-15 to 14-21 12-10 to 12-14 10-8 to 10-9 6-3 also composite cables 3 #6 & 4 #14 3 #8 & 4 #12
MCG-75B850	3/4"	10	50	9	.750	.850	18-16, 18-20, 16-14, 16, 18 14-8 12-6, 7, 8 10-5 8-3, 4 6-2	8-3 Bus Drop	16-28 to 16-33 14-22 to 14-26 12-15 to 12-19 10-10 to 10-11 6-4 4-2 also composite cables 3 #6 & 4 #12 3 #6 & 6 #14 3 #6 & 6 #12

Cord Grips-Steel

- Neoprene gland
- Liquidtight for round cable
- Meets UL514B



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Cable Ranges		For Types S, SO, ST, & STO	For Types SJ, STO, SJT, SJTO, SVO, and Blue Drop	For VNTC Type Tray Cable
					Min	Max			
MCG-100B560	1"	5	25	7	.450	.550	18-5, 6, 7 14-2, 3	12-3SJ0, 12-3 7 10-3 Bus Drop	18-10 to 14-8 16-9 to 12-7 10-3 to 10-4 also composite cables 3 #8 & 4 #14 3 #10 & 4 #12
MCG-100B650	1"	5	25	7	.550	.650	18-8, 10 14-4 12-2, 3 10-2		18-17 to 14-10 16-13 to 12-8, 9 10-5 to 10-7 8-2 to 8-4 also composite cables 3 #8 & 4 #14 3 #10 & 4 #12
MCG-100B750	1"	5	25	7	.650	.750	18-2, 14 12 14-5, 6, 7 12-4, 5 10-3, 4 8-2	8-3 Bus Drop	18-24 to 14-10 16-20 to 12-14 10-8 to 10-9 6-3 also composite cables 3 #6 & 4 #14 3 #8 & 4 #12
MCG-100B850	1"	5	25	7	.750	.850	18-16, 18-20 14-14, 16, 18 12-6, 7, 8 10-5	6-3 Bus Drop	16-28 to 12-15 14-22 to 10-10 10-10 to 10-11 6-4 4-2 also composite cables 3 #6 & 6 #14 3 #6 & 6 #12
MCG-100C950	1"	5	25	7	.850	.950	18-22, 24, 26 12 20, 22, 24 14-10, 12 10-6, 7, 8 6-3, 4	4-3 Bus Drop	16-34 to 12-20 16-37 14-27 to 10-12 4-3 also composite cables 3 #4 & 4 #14
MCG-100C1050	1"	5	25	7	.950	1.050	18-30 16-26 14-14, 16 12-10 4		14-34 to 4-4 2-2 2-3 also composite cables 3 #2 & 4 #14 3 #2 & 4 #12 3 #2 & 6 #14
MCG-125C850	1 1/4"	5	25	12	.750	.850	18-16, 18, 20 14-14, 16, 18 12-6, 7, 8 10-5 8-3, 4 6-2	6-3 Bus Drop	16-28 to 12-15 14-22 to 10-10 10-10 to 10-11 6-4 4-2 also composite cables 3 #6 & 4 #12 3 #6 & 6 #14 3 #6 & 6 #12
MCG-125C950	1 1/4"	5	25	12	.850	.950	18-22, 24, 26 12 20, 22, 24 14-10, 12 10-6, 7, 8 6-3, 4	4-3 Bus Drop	16-34 to 12-20 16-37 14-27 to 10-12 4-3 also composite cables 3 #4 & 4 #14 3 #4 & 4 #12 & 4 #14 3 #4 & 4 #12
MCG-125DI050	1 1/4"	5	25	12	.950	1.050	18-30 16-26 14-14, 16 12-10 4-3		14-34 to 4-4 2-2 2-3 also composite cables 3 #2 & 4 #14 3 #2 & 4 #12 3 #2 & 6 #14
MCG-125DI1150	1 1/4"	5	25	12	1.050	1.150	18-36, 40 12-12, 14 10-10 4-4	2-3 Bus Drop	12-32 to 12-37 2-4
MCG-125DI250	1 1/4"	5	25	12	1.150	1.250	16-40 14-22 12-16, 18 10-12, 14 2-3		1/0-2 1/0-3
MCG-125DI375	1 1/4"	5	25	12	1.250	1.375	14-24, 26, 30 12-20 10-16 2-4		1/0-4 2/0-3
MCG-150DI050	1 1/2"	2	10	9	.950	1.050	18-30 16-26 14-14, 16 12-10 4-3		14-34 to 4-4 2-2 2-3 also composite cables 3 #2 & 4 #14 3 #2 & 4 #12 3 #2 & 6 #14
MCG-150DI1150	1 1/2"	2	10	9	1.050	1.150	18-36, 40 12-12, 14 10-10 4-4	2-3 Bus Drop	12-32 to 12-37 2-4
MCG-150DI250	1 1/2"	2	10	9	1.150	1.250	16-40 14-22 12-16, 18 10-12, 14 2-3		1/0-2 2/0-3
MCG-150DI375	1 1/2"	2	10	9	1.250	1.375	12-24, 26, 30 12-		1/0-4 2/0-3

Sealing Gaskets Self Retaining

- Self Retaining PVC Gasket & Steel Ring
- Meets UL 514B, Fed Spec W-F-408E, NEMA FB-1



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
SG-50	1/2"	50	500	3
SG-75	3/4"	25	250	2
SG-100	1"	25	250	1
SG-125	1-1/4"	10	100	1
SG-150	1-1/2"	10	100	2
SG-200	2"	10	100	2
SG-250	2-1/2"	-	10	1
SG-300	3"	-	10	1
SG-350	3-1/2"	-	10	1
SG-400	4"	-	10	1
SG-500	5"	-	5	1
SG-600	6"	-	5	1

Service Entrance Caps - Clamp On

- Cast aluminum
- * 2" Mast kit, P-125, available upon request



Catalog Number	Trade Size	Insulator Holes	Rigid	EMT	Inner Carton	Master Carton	Master Weight
L-800-CL	1/2"	4	1/2"	1/2"	10	50	12
L-801-CL	3/4"	5	3/4"	3/4"	10	50	15
L-802-CL	1"	5	1"	1"	5	25	10
L-803-CL	1-1/4"	5	1-1/4"	1-1/4"	5	25	13
L-804-CL	1-1/2"	6	1-1/2"	1-1/2"	3	15	11
*L-805-CL	2"	6	2"	2"	-	5	7
L-806-CL	2-1/2"	7	2-1/2"	2-1/2"	-	1	4
L-807-CL	3"	7	3"	3"	-	1	4
L-808-CL	3-1/2"	7	3-1/2"	3-1/2"	-	1	6
L-809-CL	4"	7	4"	4"	-	1	7

Service Entrance Caps - Threaded

- Cast aluminum



Catalog Number	Trade Size	Insulator Holes	Rigid	Inner Carton	Master Carton	Master Weight
370	1/2"	4	1/2"	5	50	11
371	3/4"	5	3/4"	5	25	8
372	1"	5	1"	-	10	5
373	1-1/4"	5	1-1/4"	-	10	5
374	1-1/2"	6	1-1/2"	-	10	8
375	2"	6	2"	-	5	6
376	2-1/2"	7	2-1/2"	-	2	8
377	3"	7	3"	-	1	5
378	3-1/2"	7	3-1/2"	-	1	9
379	4"	6	4"	-	1	9

Service Entrance Mast Heads - Slipfitter

- Cast aluminum
- * 2-1/2" Mast kit, P-150-X, available upon request



Catalog Number	Cap Size	Pipe Size	Insulator Holes	Rigid	Inner Carton	Master Carton	Master Weight
L-805-M	1-1/4"	2"	5	2"	-	10	8
L-806-M	1-1/4"	2 1/2"	5	2-1/2"	-	10	10
*L-809-M	2"	2 1/2"	6	2-1/2"	-	5	13

Service Entrance Caps - Clamp On - Vinyl

- Vinyl construction, gray color
- Clamp-on slip-fit style



Catalog Number	Trade Size	Cable Holes	Rigid	EMT	Inner Carton	Master Carton	Master Weight
L-800-V	1/2"	3	1/2"	1/2"	5	25	4
L-801-V	3/4"	3	3/4"	3/4"	5	25	4
L-802-V	1"	3	1"	1"	-	20	5
L-803-V	1-1/4"	3	1-1/4"	1-1/4"	-	10	4
L-804-V	1-1/2"	3	1-1/2"	1-1/2"	-	10	4
L-805-V	2"	3	2"	2"	-	5	6

Service Entrance Cable Caps

- Cast aluminum (Catalog #90 and #92); Plastic (Catalog #ME24 and #ME256)



Catalog Number	SE Cable Range	Cable Holes	Inner Carton	Master Carton	Master Weight
90	3 #8 sol.- 3 #1 str.	2	-	20	6
92	3 #1/0 str - 3 #4/0 str.	2	-	5	4
ME24	3 #3 str.- 3 #2 str.	-	-	10	3
ME256	3 #2/0 str.- 3 #4/0 str.	-	-	10	6



#92 Shown

Service Entrance Cable Caps

- Cap is made of PVC, back support bracket is made of galvanized steel



Catalog Number	SE Cable Range	Cable Holes	Inner Carton	Master Carton	Master Weight
I90	SEC. #8 to #2...	2	-	50	14
I91	SEC. #0 to #2/0	2	-	10	7
I92	SEC. #3/0 & #4/0	2	-	10	7



Service Entrance Mogul Bodies

- Cast aluminum
- Larger access for wire pulling



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LBMO-125	1-1/4"	1-1/4"	-	5	8
LBMO-150	1-1/2"	1-1/2"	-	2	7
LBMO-200	2"	2"	-	2	6



Service Entrance Bodies

- Cast aluminum

Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
L-900	1/2"	1/2"	10	50	10
L-901	3/4"	3/4"	10	50	15
L-902	1"	1"	5	25	10
L-903	1-1/4"	1-1/4"	2	10	8
L-903-XL	1-1/4"	1-1/4"	2	10	14
L-904	1-1/2"	1-1/2"	1	5	5
L-905	2"	2"	1	5	7
L-905-XL	2"	2"	1	5	12



Service Insulator Wire Holders

- Porcelain wire holder



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Dimensions Hole
P-12	Midget 1/4" - x 1-11/16"	10	100	26	1/2" x
P-13	5/16" - x 2" lag"	-	50	28	3/4" x 1
P-15	3/8" - x 2-1/8" lag"	10	50	7	5/8" x 3/4
P-16	3/8" - x 2-1/4" lag, cup reinforced strap"	10	50	33	7/8" x 1
P-19	3/8" - x 3" lag, cup reinforced strap"	-	50	38	7/8" x 1
P-20	3/8" - x 4" lag, cup reinforced strap"	-	25	42	7/8" x 1



Mast Clamp Wire Holder

- Porcelain wire holder
- Adjustable galvanized steel clamp



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
P-18	1-1/4" - 3"	1-1/4"	-	3" - 20	30

Mast Support

- Adjustable galvanized steel clamp



Catalog Number	Trade Size	Mounting	Inner Carton	Master Carton	Master Weight
P-25	1-1/4" - 3" 1/2" x 10"	threaded rod	-	20	35

Mast Support

- Aluminum clamp



Catalog Number	Trade Size	Mounting	Inner Carton	Master Carton	Master Weight
P-26	2" 2-1/2" lag	screw	-	20	25

Watertight Hubs

- Zinc die cast
- Meets UL514B
- Nema Type 2, 3, 3R, 4, 5, 12, 13
- Haz. Loc. Class I, Div. 2 / Class II, Div. 1 (Groups E, F, G), Div. 2 / Class III, Div. 1 & 2



Catalog Number	Trade Size	Rigid	Inner Carton	Master Carton	Master Weight
LWH-50	1/2"	1/2"	20	100	15
LWH-75	3/4"	3/4"	20	100	20
LWH-100	1"	1"	20	100	28
LWH-125	1-1/4"	1-1/4"	10	50	18
LWH-150	1-1/2"	1-1/2"	10	50	23
LWH-200	2"	2"	5	25	15
LWH-250	2-1/2"	2-1/2"	-	10	10
LWH-300	3"	3"	-	5	11
LWH-350	3-1/2"	3-1/2"	-	5	9
LWH-400	4"	4"	-	5	11

Watertight Hubs - Malleable

- UL Standard: 514B, FED Spec. W-F-40BE. NEMA: FB-1
- For Threaded Rigid Conduit and IMC

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MLWH-50	1/2"	20	100	18
MLWH-75	3/4"	20	100	25
MLWH-100	1"	20	100	39
MLWH-125	1-1/4"	10	50	27
MLWH-150	1-1/2"	10	50	31
MLWH-200	2"	5	25	25
MLWH-250	2-1/2"	-	10	20
MLWH-300	3"	-	5	14
MLWH-350	3-1/2"	-	5	18
MLWH-400	4"	-	5	20
MLWH-500	5"	-	1	5
MLWH-600	6"	-	1	5

Watertight Connectors- Zinc

- For neoprene jacket oval cable
- **Not UL listed
- Zinc die cast
- Meets UL514B



Catalog Number	Trade Size	Cable Size	Grommet Opening		Inner Carton	Master Carton	Master Weight
			Min	Max			
LWC-1004	1"	#4	.44 X .74	.53 X .81	10	100	34
LWC-1006	1"	#6	.40 X .70	.50 X .77	10	100	34
LWC-1008	1"	#8	.32 X .50	.40 X .67	10	100	34
LWC-1252	1-1/4"	#2	.51 X .93	.59 X .98	10	50	26
LWC-1252-N*	1-1/4"	#3	.57 X 1.05	.65 X 1.09	10	50	26
LWC-1253	1-1/4"	#2	.48 X .85	.56 X .92	10	50	26
LWC-1501**	1-1/2"	#1/0	.65 X 1.10	.72 X 1.24	5	25	23
LWC-1502	1-1/2"	#2/0	.70 X 1.20	.86 X 1.34	5	25	23
LWC-2001**	2"	#1/0	.65 X 1.10	.72 X 1.24	5	25	18
LWC-2002	2"	#2/0	.70 X 1.20	.86 X 1.34	5	25	18
LWC-2003	2"	#3/0	.75 X 1.30	.86 X 1.37	5	25	18
*LWC-2004	2"	#4/0	.84 X 1.43	.90 X 1.50	5	25	18
LWC-2004-N*	2"	#4/0	.98 X 1.60	1.11 X 1.73	5	25	9

Seal Flex Compound

- Butyl Rubber Composite, Thumb Grade Sealer
- Number of bags per master carton



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
1901	1 lb.	1	50*	50
1905	5 lbs.	1	10*	50

Sill Plates


Catalog Number	Cable Range	Material	Inner Carton	Master Carton	Master Weight
1900	#4 - 0	PVC	10	100	6
ME14	#3/0 - 4/0	aluminum	-	5	5



Wedge Clamps

- Aluminum wedge and shell
- 6 1/2" stainless steel bail
- Shell can be removed from wedge
- Full complement of bail configurations
- * 1/0 Conductor use is 500 lbs. max.

Catalog Number	ACSR	AAAC	AAA-Str	AAA-Sol	Cond. Diam. In.	Inner Carton	Master Carton	Master Weight
WC2-6	2 - 6		1 - 6	1/0 - 6	.160 - .330	10	50	8
WC1/0-4	1/0 - 4		2/0 - 2	3/0 - 2	.250 - .414	5	25	8



Galvanized Flashing Neoprene Seal

- Base is made of 24 gauge galvanized steel
- Collar is made of elastomeric compound
- Flashing fits up to 40 degrees
- For plastic, cast iron, or galvanized pipe
- Flashing base and collar are separate

Catalog Number	Trade Size	Gauge Steel	Pipe Size	Inner Carton	Master Carton	Master Weight	Dimension Base
P-38	1-1/4"	24	1-1/4"	-	25	27	9 x 12 1/2
P-39	1-1/2"	24	1-1/2"	-	25	27	9 x 12 1/2
P-40	2"	24	2"	-	25	28	11 x 14 1/2
P-412	1/2"	24	2-1/2"	-	25	28	11 x 14 1/2



No-Caulk Flashing

- One-piece construction of base and collar
- Base is made of 24 gauge galvanized steel
- Collar is made of an elastomeric compound
- Flashing fits up to 45 degrees
- For plastic, cast iron, or galvanized pipe

Catalog Number	Trade Size	Gauge Steel	Pipe Size	Inner Carton	Master Carton	Master Weight	Dimension Base
P-339	1-1/4" - 1-1/2"	24	1-1/4" - 1 1/2"	-	12	12	9 x 12 1/2
P-340	2" -	24	2" -	-	12	14	9 x 12 1/2
P-342	3" -	24	3" -	-	12	17	11 x 14 1/2
P-344	4" -	24	4" -	-	12	23	12 x 16



Neoprene Flashing

- Base and collar in a one-piece construction of elastomer material
- Flashing fits flat to 45 degrees
- For copper, plastic, cast iron, or galvanized pipe

Catalog Number	Trade Size	Pipe Size	Inner Carton	Master Carton	Master Weight	Dimension Base
P-239	1-1/4" - 1-1/2"	1-1/4" - 1-1/2"	-	12	6	9 x 11-1/2
P-240	2" -	2" -	-	12	10	9 x 11-1/2
P-241	2-1/2" -	2-1/2" -	-	12	5	9 x 11-1/2



Universal Flashing

- Base is made of heavy-duty aluminum alloy
- Collar is made of an elastomeric compound

Catalog Number	Trade Size	Pipe Size	Inner Carton	Master Carton	Master Weight	Dimension Base
P-400	1/4" - 4"	1/4" - 4"	-	6	4	8 x 8



Ground Clamps

- *L-160-C is not UL listed
- **L-160-DB is suitable for direct burial
- For grounding to steel water pipe or ground rod
- Meets UL467



Catalog Number	Trade Size	Clamp	Screws	Inner Carton	Master Carton	Master Weight	Bare Copper Ground Wire
L-160	1/2" - 1"	zinc	steel	25	125	20	#8 sol. - #2 str.
*L-160-C	1/2" - 1"	zinc-bronze	plated steel	25	125	20	#8 sol. - #2 str.
**L-160-DB	1/2" - 1"	bronze	bronze	25	125	27	#10 sol. - #2 str.
L-160-B	1/2" - 1"	bronze	steel	25	125	22	#10 sol. - #2 str.
L-160-BS	1/2" - 1"	bronze	brass	25	125	22	#10 sol. - #2 str.
L-180-2B	1-1/4" - 2"	bronze	steel	5	50	22	#10 sol. - #2 str.
L-180-2BS	1-1/4" - 2"	bronze	brass	5	50	22	#10 sol. - #2 str.
L-184	2-1/2" - 4"	bronze	steel	-	5	6	#10 sol. - #2 str.

Armored Ground Clamp

- Not UL listed
- 2 screw design for armored ground wire
- For grounding to steel water pipe or ground rod



Catalog Number	Trade Size	Clamp	Screws	Inner Carton	Master Carton	Master Weight	Armored Ground Wire
L-163	1/2" - 1"	zinc-bronze	plated steel	25	250	51	#10 sol. - #2 str.

Ground Clamp Hub

- For connecting a ground conductor in rigid conduit to steel water pipe
- Meets UL467



Catalog Number	Trade Size	Clamp	Screws	Inner Carton	Master Carton	Master Weight	Conduit Hub Size
L-162-B	1/2" - 1"	bronze	steel	25	125	35	1/2"
L-182-B	1 1/4" - 2"	bronze	steel	5	50	26	1/2"

Ground Clamp Hub

- For connecting a ground conductor in rigid conduit to steel water pipe
- Meets UL467



Catalog Number	Trade Size	Clamp	Screws	Inner Carton	Master Carton	Master Weight	Conduit Hub	Size Copper Strap
L-160-1BH	1/2" - 1"	bronze	steel	5	25	10	1/2"	7"
L-160-2BH	1/2" - 1"	bronze	steel	5	25	10	3/4"	7"
L-160-3BH	1/2" - 1"	bronze	steel	5	25	10	1"	7"

Ground Rod Clamps

- For grounding a conductor to a driven ground rod
- Suitable for direct burial
- Meets UL467



Catalog Number	Trade Size	Clamp	Bolt Thread	Size Inner	Carton Master	Carton Master	Weight	Conductor Range Bolt
GRC-1	1/2"	bronze	3/8 - 16	50	500	50	#10 sol. - #2 str	Hex head
GRC-2	5/8"	bronze	3/8 - 16	50	250	25	#10 sol. - #2 str	Hex head
GRC-3	3/4"	bronze	3/8 - 16	50	250	32	#10 sol. - #2 str	Hex head

Ground Strap

Catalog Number	Trade Size	Copper Strap	Screw & Nut	Inner Carton	Master Carton	Master Weight
GS-1	3/8" - 1"	3/4"x5-3/4" x 16 ga.	copper plated	-	100	10



Oxide Inhibitor

- Eliminates binding and aluminum oxide formation for all AL/AL - AL/CU wire connections, and aluminum conduit thread joints

Catalog Number	Description	Inner Carton	Master Carton	Master Weight
B-85	1.7 oz. plastic squeeze bottle	10	60	8



Split Bolt Connectors

- Silicon bronze construction
- UL listed for copper conductors only.
- Meets UL486A
- For use with 2 conductors only



Catalog Number	Range of Equal Main and Tap		Wire Diameter Range	Inner Carton	Master Carton	Master Weight	Dimensions		
	Min	Max					A	B	C
SB-8	16 str	8 str	.057 - .145	25	200	6	.145	.375	.500
SB-6	10 sol.	6 sol.	.102 - .162	25	200	12	.165	.438	.625
SB-4	8 sol.	4 sol.	.128 - .204	25	200	16	.215	.500	.688
SB-3	6 sol.	2 sol.	.162 - .258	10	80	8	.328	.625	.813
SB-2	6 sol.	2 str	.162 - .292	10	80	10	.328	.625	.813
SB-1/0	4 sol.	1/0 str	.204 - .375	10	80	13	.377	.688	.875
SB-2/0	2 sol.	2/0 str	.258 - .418	5	40	10	.420	.750	1.000
SB-3/0	2 sol.	3/0 str	.258 - .470	5	40	12	.470	.875	1.125
SB-4/0	1/0 sol.	250 MCM	.325 - .575	10	100	39	.580	1.000	1.313
SB-350	4/0 str	350 MCM	.528 - .682	1	8	7	.746	1.500	1.625
SB-500	250 MCM	500 MCM	.575 - .815	1	8	10	.834	1.625	1.813
SB-750	350 MCM	750 MCM	.682 - .999	1	8	16	1.028	1.938	2.125
SB-1000	500 MCM	1000 MCM	.815 - 1.153	1	10	30	1.222	2.250	2.500

Split Bolt Connectors

- *ASB connectors are copper alloyed-bodied, electro-tin plated
- **ASBC connectors are aluminum alloy-bodies, electro-tin plated, dual rated for aluminum and copper conductor combinations.
- ASB-6 - ASB-1000, UL listed for use with aluminum to aluminum, copper to aluminum, and copper to copper conductors. Other split bolts are UL listed for copper to copper conductors only.
- Meets UL486B



Catalog Number	Range of Equal Main and Tap		Wire Diameter Range	Inner Carton	Master Carton	Master Weight	Dimensions		
	Min	Max					A	B	C
*ASB-10	16 str	10 str	.057 - .116	25	200	6	.144	.375	.500
*ASB-8	16 str	8 str	.057 - .145	25	200	6	.144	.375	.500
*ASB-6	14 str	8 str	.073 - .146	25	200	12	.166	.500	.625
*ASB-4	10 str	6 str	.116 - .184	25	200	16	.217	-	.688
*ASB-3	8 sol.	3 str	.128 - .258	10	80	8	.326	.688	.813
*ASB-2	8 sol.	2 str	.128 - .316	10	80	11	.326	.688	.813
*ASB-1/0	6 sol.	1/0 str	.162 - .375	10	80	13	.376	.750	.875
*ASB-2/0	6 str	2/0 str	.184 - .419	5	40	10	.420	.813	1.000
*ASB-3/0	4 str	3/0 str	.198 - .470	5	40	13	.466	.875	1.125
*ASB-4/0	4 str	250 MCM	.232 - .575	10	100	44	.579	1.000	1.313
*ASB-350	3/0 str	350 MCM	.447 - .682	1	8	8	.750	1.500	1.625
*ASB-500	3/0 str	500 MCM	.447 - .815	1	8	8	.834	1.625	1.813
*ASB-750	250 MCM	750 MCM	.563 - .999	1	8	16	1.028	1.938	2.125
*ASB-1000	350 MCM	1000 MCM	.682 - 1.162	1	10	30	1.218	2.250	2.500
**ASBC-1/0	6 sol.	1/0 str	.162 - .375	10	80	13	.375	.750	1.000
**ASBC-2/0	2 sol.	2/0 str	.257 - .418	5	40	10	.419	.880	1.120
**ASBC-4/0	1/0 str	250 MCM	.368 - .575	10	100	44	.582	1.190	1.500
**ASBC-350	2/0 str	350 MCM	.414 - .681	1	8	8	.746	1.310	1.630
**ASBC-500	3/0 str	500 MCM	.464 - .814	1	8	8	.834	1.440	1.810

Single Solderless Lugs - Copper

- Electrolytic copper, Rated 600V.
- UL listed for copper conductors only
- Meets UL486A
- V-bottom collar assures positive contact and firm, permanent grip



Catalog Number	AMP Rating	Conductor Range	Inner Carton	Master Carton	Master Weight	Dimensions			Hole D
						A	B	C	
SL-25	25 -	10, 12, 14 -	50	400	7	.656	.938	.313	1/8"
SL-35	35 - 50	6, 8, 10, 12, 14 -	50	400	13	.656	1.125	.375	3/16"
SL-70	70 -	4, 6, 8, 10, 12, 14 -	25	200	5	.813	1.25	.500	1/4"
SL-709	70 - 90	2, 4, 6, 8 -	25	200	9	1.000	1.438	.500	1/4"
SL-125	125 -	1/0, 1, 2, 4, 6 -	10	80	9	1.344	1.875	.625	1/4"
SL-175	175 -	3/0, 2/0, 1/0, 1, 2, 4 -	5	40	7	1.563	2.250	.750	3/8"
SL-225	225 -	4/0, 3/0, 2/0, 1, 2 -	5	40	10	1.813	2.375	1.000	5/16"
SL-300	300 -	350 MCM - 200 MCM, 4/0, 3/0, 2/0, 1/0	2	16	8	2.625	3.219	1.000	3/8"
SL-400	400 -	500 MCM - 250 MCM, 4/0	5	50	40	2.750	4.063	1.500	3/8"
SL-650	650 -	1000 MCM - 600 MCM	1	10	20	3.688	4.625	2.000	1/2"

Single Terminal Lugs - Copper

- Bronze construction
- UL listed for copper conductors only
- Meets UL486A



Catalog Number	Conductor Range	Screw/Wrench	Inner Carton	Master Carton	Master Weight	Dimensions			Hole D
						A	B	C	
TL-8	14 sol. - 8 str	slotted	25	200	4	3/8"	13/16"	3/8"	3/16"
TL-4	14 sol. - 4 str	slotted	25	200	6	9/16"	1-1/8"	1/2"	1/4"
TL-1/0	4 sol. - 1/0 str	1/4"	10	80	7	13/16"	1-1/2"	3/4"	5/16"
TL-250	1/0 str - 250 MCM	5/16"	5	40	8	1"	1-15/16"	3/8"	3/8"

Single Terminal Lugs - Aluminum

- Aluminum alloy construction, electro-tin plated
- 600 volt rated
- UL listed for copper or aluminum conductors
- Meets UL486B



Catalog Number	Conductor Range	Screw/Wrench	Inner Carton	Master Carton	Master Weight	Dimensions			Hole D
						A	B	C	
TLA-6	14 - 6	slotted	25	200	4	1/2"	15/16"	3/8"	13/64"
TLA-2	14 - 2	slotted	25	200	8	19/32"	1-5/32"	7/16"	17/64"
TLA-1/0	14 - 1/0	hex	10	80	4	1 1/16"	1-11/32"	17/32"	17/64"
TLA-2/0	14 - 2/0	hex	10	80	4	3/4"	1-15/32"	9/16"	17/64"
TLA-250	6 - 250	hex	5	40	7	1"	1-15/16"	13/16"	21/64"

Double Terminal Lugs - Aluminum

- Aluminum alloy construction, electro-tin plated
- UL listed for copper or aluminum conductors
- Meets UL486B



Catalog Number	Conductor Range	Screw/Wrench	Inner Carton	Master Carton	Master Weight	Dimensions			Hole D
						A	B	C	
TDLA-1/0	14 - 2/0	hex/ slotted	5	40	14	3/4"	1-15/32"	9/16"	17/64"
TDLA-250	6 - 250	MCM hex/ slotted	5	40	14	1"	1-15/16"	13/16"	21/64"

Splicer - Reducer Aluminum

- Aluminum alloy construction, electro-tin plated, 600V
- UL listed for copper or aluminum conductors
- Meets UL486B



Catalog Number	Conductor Range	Screw/Wrench	Inner Carton	Master Carton	Master Weight	Dimensions		
						A	B	C
ASR-2	14 - 2	hex/ slotted	5	40	2	9/16"	1-19/32"	7/16"
ASR-1/0	14 - 1/0	hex/ slotted	5	40	4	45/64"	1-29/32"	9/16"
ASR-250	6 - 250	MCM hex/ slotted	2	20	6	1"	4-3/32"	13/16"

Reducing Washers

- Galvanized steel
- Used in pairs



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MR-2	3/4" - 1/2"	100	1,000	9
MR-3	1" - 1/2"	100	1,000	16
MR-4	1" - 3/4"	100	1,000	14
MR-5	1-1/4" - 1/2"	100	1,000	28
MR-6	1-1/4" - 3/4"	100	1,000	25
MR-7	1-1/4" - 1"	100	1,000	21
MR-8	1-1/2" - 1/2"	100	1,000	37
MR-9	1-1/2" - 3/4"	100	1,000	33
MR-10	1-1/2" - 1"	100	1,000	29
MR-11	1-1/2" - 1-1/4"	100	1,000	21
MR-12	2" - 1/2"	50	500	28
MR-13	2" - 3/4"	50	500	26
MR-14	2" - 1"	50	500	25
MR-15	2" - 1-1/4"	50	500	21
MR-16	2" - 1-1/2"	50	500	18
MR-17	2-1/2" - 1/2"	50	500	50
MR-18	2-1/2" - 3/4"	50	500	48
MR-19	2-1/2" - 1"	50	500	45
MR-20	2-1/2" - 1-1/4"	50	500	40
MR-21	2-1/2" - 1-1/2"	50	500	36
MR-22	2-1/2" - 2"	50	500	27
MR-23	3" - 1/2"	25	250	36
MR-24	3" - 3/4"	25	250	35
MR-25	3" - 1"	25	250	32
MR-26	3" - 1-1/4"	25	250	31
MR-27	3" - 1-1/2"	25	250	29
MR-28	3" - 2"	25	250	24
MR-29	3" - 2-1/2"	25	250	19
MR-35	3-1/2" - 2"	10	100	21
MR-36	3-1/2" - 2-1/2"	10	100	18
MR-37	3-1/2" - 3"	10	100	12
MR-43	4" - 2"	10	50	14
MR-44	4" - 2-1/2"	10	50	12
MR-45	4" - 3"	10	50	10
MR-46	4" - 3-1/2"	10	50	7

Snap-In Blanks

- Steel, cadmium plated
- For unused knockouts



Catalog Number	Trade Size	Knockout Size	Inner Carton	Master Carton	Master Weight
I50	1/2"	1/2"	100	1,000	10
I51	3/4"	3/4"	50	500	10
I52	1"	1"	50	500	10
I53	1-1/4"	1-1/4"	25	250	8
I54	1-1/2"	1-1/2"	25	250	9
I55	2"	2"	20	200	9

Snap-In Blanks Plastic

- Nylon construction



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
I40	1/2"	100	1000	5
I41	3/4"	50	500	3
I42	1"	50	500	5
I43	1-1/4"	25	250	4
I44	1-1/2"	25	250	4
I45	2"	20	200	22

Bushings Plastic

- Nylon construction, black color



Catalog Number	Trade Size	Knockout Size	Inside Diameter	Inner Carton	Master Carton	Master Weight
I70	1/2"	1/2"	11/16"	50	500	2
I71	3/4"	3/4"	15/16"	50	500	3
I72	1"	1"	1"	25	250	3
I73	1-1/4"	1-1/4"	1-3/8"	25	250	4
I74	1-1/2"	1-1/2"	1-5/8"	25	250	4
I75	2"	2"	1-31/32"	5	50	1

Construction Blanks - Galvanized Steel

- Prevents cut wires, boxes and screw holes full of sheetrock mud, labeled wires covered with paint, or boxes full of blown in insulation.
- Works on plastic nail up boxes and metal mud extension rings
- To use - place provided mounting clips in top and bottom holes of plate. Align with screw holes in the outlet box, push clips in to secure plate
- Re-Usable - To remove, insert awl or small phillips screwdriver in the removal hole and pry off



Catalog Number	Description	Inner Carton	Master Carton	Master Weight
I03	Construction Blank - Galvanized Steel • Protection for , but not limited to: Romex, THHN, Coax Cable, Telephone Cable, Security Cable, Fire Alarm Cable, Audio, Home Theater Cable, Automation Cable	50	250	12

Closure Plugs

- Cast aluminum



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
780	1/2"	100	1,000	10
781	3/4"	100	1,000	20
782	1"	50	1,250	20

Safety Plate

- Galvanized steel
- Protects cable or wire running through wood studs: NEC Article 300-4a
- Self nailer

Catalog Number	Gauge Steel	Size	Inner Carton	Master Carton	Master Weight
43	16	2-1/2" x 1 1/2	50	250	18
43-100	16	2-1/2" x 1 1/2	-	100	8
43-5P	16	2-1/2" x 1 1/2	-	500 pc pail	38



Grounding Devices GC

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
GC	#14, 12 or 10 copper conductor	100	800	5



Grounding Devices GSP

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Length	Screw
GSP	#12 stranded copper pigtail with fork terminal, green insulation	100	500	13	8"	round head



Grounding Devices GSS/GSW

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight	Length	Screw
GSS	#12 solid copper pigtail, green insulation	100	1,000	21	6-1/2"	hex head
GSW	#14 solid copper pigtail, green insulation	50	250	4	6-1/2"	hex head



Wire Connectors Winged

- Flame retardent thermoplastic construction
- Steel wire spring
- Rated 105 C



Catalog Number	Conductor Range	Min.	Max	Inner Carton	Master Carton	Master Weight	Color Coded
WC-84	22 - 10	2 #18	3 #12	100	1,000	6	Yellow
WC-86	18 - 8	2 #16	5 #12	100	1,000	10	Red
WC-88	18 - 8	2 #12	3 #10 & 1 #12	100	1,000	19	Tan
WC-90	14 - 6	1 #10 & 1 #12	1 #6 & 2 #8	50	500	12	Blue



Wire Connectors Winged

- Flame retardent thermoplastic construction
- Steel wire spring
- Rated 105 C



Catalog Number	Conductor Range	Min.	Max	Inner Carton	Master Carton	Master Weight	Color Coded
WC-208	22 - 8	2 #22	6 #14	100	1,000	6	Red



Accessories

- Nylon construction


Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
4TI	1/4" Threaded Rod Bracket	100	1000	28
4TI24	1/4" Threaded Rod Hanger- Beam, flanges 1/8" - 1/4"	100	1000	60
4TIB	1/4" Threaded Rod Hanger for wood, concrete beams, joists, ceilings and walls	100	1000	65
AB	Wire/Chain Bracket, 1/4" hole, for wire or chain drops from concrete or wood	100	1000	34
LFC	Florescent Light Fixture Hanger	100	1000	44
VF14	C Purlin Clip- Vertical Flanges 1/16"-1/4"	100	1000	47
AF14	1/16" - 1/4" Z Purlin for wrap wire, S hooks	100	1000	41
VAFT	Installation tool for VF & AF assemblies	-	1	1



Metal Stud Punch

- CADDY® is a registered trademark of ERICO
- CADDY® fasteners are intended for indoor use in non-corrosive environments only

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
MSP20	Metal Stud Punch <ul style="list-style-type: none"> • Constructed of hardened steel • Cushioned offset handles • Punches 1 1/32" hole into sheet metal as thick as 20 gauge. 	-	1	6



Bridle Rings

- Bridle rings not recommended for high performance cables

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
4BRT20BP	1 1/4" dia, 1/4-20 threaded, 5pc bag	-	20	9
4BRT20	1 1/4" dia, 1/4-20 threaded	100	1000	7
4BRT20WSBP	1 1/4" dia, 1/4-20 wood screw, 5pc bag	-	20	9
4BRT32BP	2" dia. 1/4 -20 threaded, 5pc bag	-	15	10
4BRT32	2" dia, 1/4 -20 threaded	100	1000	9
4BRT32WSBP	2" dia. #14 wood screw, 5pc bag	-	15	10
4BRT32WS	2" dia, #14 wood screw	100	600	9




Metal Stud Easy Snap Grommet

- CADDY® is a registered trademark of ERICO
- CADDY® fasteners are intended for indoor use in non-corrosive environments only




Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
ESGIBP	Easy Snap Grommet 25pc bag	-	8	3
ESGI	Easy Snap Grommet <ul style="list-style-type: none"> • Constructed of durable plastic • One grommet snaps into standard 1 11/32" hole or snap two together to fit any factory punched hole • Provides 360 degree protection for cable and makes cable pulls easier • Complies with NEC Article 300-4(b)(1) • UL File No. E165703 	100	1000	5
ESGIM	Easy Snap Grommet <ul style="list-style-type: none"> • Constructed of durable plastic • One grommet snaps into standard 1 11/32" hole or snap two together to fit any factory punched hole • Provides 360 degree protection for cable and makes cable pulls easier • Complies with NEC Article 300-4(b)(1) • UL File No. E165703 	-	1000	5

Metal Stud



Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
CJ6	<ul style="list-style-type: none"> • Non-metallic sheathed cable (maximum runs): <ul style="list-style-type: none"> • 6 runs of 14-2, 14-3, 12-2, 12-3, 10-2, and 10-3. • 4 runs of 8-2 and 6-2 • Metal clad cable (maximum runs): <ul style="list-style-type: none"> • 4 runs of 14-2, 14-3, 14-4, 12-2, 12-3, 12-4, 10-2, 10-3, and 10-4 	100	800	35
CJ6S	<ul style="list-style-type: none"> • Supports above from furring strips or hat channel • Armored cable (maximum runs): <ul style="list-style-type: none"> • 4 runs of 14-2, 14-3, 14-4, 12-2, 12-3, 12-4, 10-2, 10-3, and 10-4 • Flexible conduit (maximum runs): <ul style="list-style-type: none"> • 4 runs of 5/16" and 3/8" 	100	600	30

Metal Stud Adjustable Box Support



Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
766A	Adjustable Box Support <ul style="list-style-type: none"> • Supports 4" electrical box from metal stud 2 1/2", 3 1/2", 4" • Constructed of steel, zinc plated • UL File No. E165702 	100	1000	53

Metal Stud Cable/Conduit Support

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
FB812M	Stud Cable/Conduit Support <ul style="list-style-type: none"> • "Anti-rattle" support for horizontal runs of 1/2" or 3/4" rigid or EMT conduit, AC, MC, BX, or ENT through metal stud • Constructed of steel 	100	600	33



Metal Stud Snap On Box Support




Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
MSF	Snap On Box Support <ul style="list-style-type: none"> • Fits most electrical boxes requiring plaster rings on metal or wood studs • Constructed of heat treated steel • UL File No. E165702 	100	1000	53
SMS8	Self Tapping Screws LP <ul style="list-style-type: none"> • Self Tapping Screws - Low Profile 	-	1000	5

Cablecat Datacom Supports

- Provides proper support of Category 5, Category 6, Fiber Optic and Interduct.
- Complies with UL, cUL, NEC and EIA/TIA requirements for structured cabling systems.


Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
CAT12	Up to 16 4 pair UTP or 2 Strd fiber optic cable, or 10 CAT6 - 3/4" dia loop	50	500	3
CAT21	Up to 50 4 pair UTP or 2 strd fiber optic cable, or 32 CAT6 - 1 5/16" dia loop	80	640	11
CAT32	Up to 80 4 pair UTP or 2 strd fiber optic cable, or 50 CAT6, 2" dia loop	60	480	72
CAT64	Up to 300 4 pair UTP or 2 strand fiber optic cable, or 185 CAT6 - 4" dia. loop	25	100	53
CAT124Z34	#12 thru 1/4" wire, plain or threaded rod and 1/8" thru 3/8" flange	40	400	4



Cablecat Datacom Supports

- Specially Designed U-Hooks have large diameter rounded support surfaces
- Strut - 4-pair UTP, Cat5/5e 320, 4pair UTP, Cat6 200, 4 pair ScTP/FTP 160, 4 pair STP 110


Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
CAT200CM	U-Hook 200 mm/8" with T nut	10	50	15




Cablecat Datacom Supports

- Millie Ties

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
CATMTP	Suitable for air-handling spaces (Red)	100	1000	5
CATMTLS	Low smoke - zero halogen (Yellow)	100	1000	5




Metal Stud Low Voltage Mounting Bracket - Single Gang



Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
MP1S	Low Voltage Mounting Bracket- Single Gang <ul style="list-style-type: none"> • For new construction, 1/2"-5/8" drywall • For mounting low voltage class 2 communication outlets • Constructed from steel, zinc plated • UL file No. E165703 	25	150	26


Metal Stud Low Voltage Mounting Bracket - Double Gang

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
MP2S	Low Voltage Mounting Bracket- Double Gang <ul style="list-style-type: none"> • For new construction, 1/2"-5/8" drywall • For mounting low voltage class 2 communication outlets • Constructed from steel, zinc plated • UL File No. E165703 	25	200	40



Metal Stud Universal Mounting Bracket

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
H23	Universal Mounting Bracket <ul style="list-style-type: none"> • For 4" square and 4 1 1/16" outlet boxes to 2 1/2" and 3 1/2" metal studs • Constructed from heat treated steel • Support leg eliminates movement of box in wall • Offset eliminates drywall bulges • UL File No. E165702 	-	100	18
H4	Universal Mounting Bracket <ul style="list-style-type: none"> • For 4" square and 4 1 1/16" outlet boxes to 4" studs • UL File No. E165702, In compliance of NEC Article 300-4(d) when used for 4" and 4 1 1/16" outlet boxes to metal or wood studs 	50	100	17
H6	Universal Mounting Bracket <ul style="list-style-type: none"> • For 4" square and 4 1 1/16" outlet boxes to 6" metal studs • Constructed of steel, zinc plated • UL File No. E165702 	-	50	12




Metal Stud Screw Gun Box Bracket

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
SGB16A	Screw Gun Box Bracket <ul style="list-style-type: none"> • Preset for studs 16" or 24" on center • UL File No. E165703 	-	50	17
TSGBI6	TSGBI6 Screw Gun Box Bracket <ul style="list-style-type: none"> • Adjustable, 11" to 18" for 1 1/2" or 2 1/8" box • Constructed from steel • Allows multiple box mounting between studs • UL File No. E165703 	50	500	21
TSGB24	Screw Gun Box Bracket <ul style="list-style-type: none"> • Adjustable, 17" to 26" for 1 1/2" or 2 1/8" box • Constructed from steel • Allows multiple box mounting between studs • UL File No. E165703 	-	50	31



Metal Stud Box Mounting Brackets



Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
RBS16	Box Mounting Brackets <ul style="list-style-type: none"> • Supports electrical boxes, plaster rings, or low voltage devices between metal studs • UL File No. E135702 • Mounts 1 1/2" or 2 1/8" deep boxes • Bendable tab has a conduit stubbing hole • Mounts up to three 4" or 4 11/16" boxes/plaster rings on a 16" bracket • Constructed from steel 	25	25	13
RBS24	Box Mounting brackets <ul style="list-style-type: none"> • Supports electrical boxes, plaster rings, or low voltage devices between metal studs • UL File No. E165702 • Mounts 1 1/2" or 2 1/8" deep boxes • Bendable tab has a conduit stubbing hole • Mounts up to four 4" or 4 11/16" boxes/plaster rings on a 24" bracket • Constructed from steel 	25	500	380



Metal / Wood Stud Non- Metallic Cable Clip


- UL / cUL for positioning only
- Delivers compliance with: NEC 300-4(d), CEC 12-510 and 12-516



Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
CG4	<ul style="list-style-type: none"> • Provides secure installation of multiple cables with unique locking / unlocking system • Staples, nails or screws to wood stud • Attaches to existing holes in metal studs without tools • Supports four NMC or eight 4 pair UTP, category 5 and higher (electrical and datacomm cannot be combined) 	-	100	2

Metal Stud Non-Metallic Cable Clip

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
RMX	Non-metallic Cable Clip <ul style="list-style-type: none"> • Supports one cable, size 14-2 through 12-2 with ground to a metal stud • Constructed from heat treated steel • UL File No. E165703 	100	1000	9




Metal Stud Flexible Conduit Clip




Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
449	Flexible Conduit Clip <ul style="list-style-type: none"> • Supports one cable of type MC or AC • 14-2 (.433 - .475 O.D.) • 14-3 (.453 - .500 O.D.) • 12-2 (.467 - .510 O.D.) • 12-3 (.489 - .535 O.D.) • Constructed from heat treated steel • UL File No. E165703 	100	1000	13

Metal Stud Screw On Conduit Support

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
CS812	Screw On Conduit Support <ul style="list-style-type: none"> • Supports 1/2" and 3/4" EMT conduit, AC and MC to metal or wood stud • Constructed from steel • For 1-1/2" deep box 	100	600	33
CS812D	Screw On Conduit Support <ul style="list-style-type: none"> • Supports 1/2" and 3/4" EMT conduit, AC and MC to metal or wood stud • Constructed from steel • For 2-1/8" deep box 	100	1000	6



Acoustical Tee Straight Lip Fixture Support




Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
515	Straight Lip Fixture Support <ul style="list-style-type: none"> • Gives positive method of supporting troffers and lay-ins • Fits round or rectangular head tee bar • Complies with NEC Article 410-16 • Constructed of heat treated steel • UL File No. E94389 	100	1000	19

Acoustical Tee Light Fixture Support



Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
515A	Light Fixture Support <ul style="list-style-type: none"> • Constructed of heat treated steel • UL File No. E94389 	100	1000	17

Acoustical Tee T Bar Fixture Support




Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
517A	T Bar Fixture Support <ul style="list-style-type: none"> • Span adjustable 11" - 26" • Standard bar type • Fits horizontal and vertical flanges • Constructed of steel 	10 sets	200 sets	138

Acoustical Tee Fixture Suspension Bars




Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
520	Fixture Suspension Bars <ul style="list-style-type: none"> • Constructed of steel • UL File No. E94389 	10 sets	200 sets	166

Acoustical Tee T Bar Clip - Top Mount



Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
ATA4I	T Bar Clip- Top Mount <ul style="list-style-type: none"> • 1/4" - 20 thread impression • Supports conduit and boxes above acoustical tee bar • Constructed from heat treated steel • UL File No. E165703 	100	1000	33

Acoustical Tee T Bar Clip - Side Mount



Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
ATS4I	T Bar Clip- Side Mount <ul style="list-style-type: none"> • Constructed from heat treated steel • UL File No. E165703 	100	1000	32


Acoustical Tee 5/8" Independent Support Clips



Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
IDS	5/8" Independent Support Clips <ul style="list-style-type: none"> • Washer - wing nut included • 5/8" stud length • 5/16" grid size • Constructed from heat treated steel • UL File No. E94389 	100	600	47

Acoustical Tee Track Clip

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
4G16BP	Track Clip, 5pc bag	-	15	5
4G16	Track Clip <ul style="list-style-type: none"> • 5/8" stud length • For 15/16" tee • Black finish • Constructed from heat treated steel • Washer- wing nut included • UL File NO. E94389 	100	1000	43
4WN	1/4-20 Washer-Wing Nut <ul style="list-style-type: none"> • 1/4"-20 thread impression • Washer- wing nut included • Constructed of heat treated steel 	100	1000	14




Acoustical Tee Twist Clip - Sign Hanger

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
4G16H	Twist Clip - Sign Hanger <ul style="list-style-type: none"> • Aluminum painted finish • For 15/16" tee • Constructed of heat treated steel 	100	1000	19




Acoustical Tee Twist On Fixture Support

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
4TGS	Twist On Fixture Support <ul style="list-style-type: none"> • 1/4" spacer • For recessed T-Grid system • To be used with Caddy twist clips • Constructed of heat treated steel 	100	1000	13




Acoustical Tee Twist On Track Clip

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
4G8WH	Twist On Track Clip <ul style="list-style-type: none"> • White finish, heat treated steel • Nut included • 5/8" stud length (#8-32) • For 15/16" tee • UL File No. E94389 	100	1000	29



Metal Stud Bar Clamp Clip

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
BHC	Bar Clamp Clip • Screw included • Constructed of heat treated steel • UL File No. E165702	100	1000	23




Acoustical Tee Snap On Box Hanger

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
512	Snap On Box Hanger • 24" span • Hanger comes with mounting clip & screw • Constructed from steel • UL File No. E165702	-	50	18




Acoustical Tee Snap On Box Hanger - 8" Adj. Ht.

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
512A	Snap On Box hanger - 8" Adj. Ht. • 24" span - 8" height adjustable • Constructed from steel	-	50	22




Acoustical Tee Heavy Duty Quick Connect Box Hanger

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
512HDBP	Heavy Duty Quick Connect Box Hanger, 2pc bag	-	12	14
512HD	Heavy Duty Quick Connect Box Hanger • Heavy duty electric box hanger with box mounting clip, 24" span • Constructed from steel • Slot in bar allows for multiple box positioning within the span of support • UL File No. E165702	-	25	17



Beam Clamps

Catalog Number	Description/Features	Rigid	EMT	Inner Carton	Master Carton	Master Weight
BC200BP	Beam Clamp, 5pc bag	-	-	-	15	12
BC200	Beam Clamp	-	-	50	500	61
BC200CD0B	Beam Clamp Hanger Assembly	1/2"	1/2"	50	300	65
BC200CD1B	Beam Clamp Hanger Assembly	3/4"	3/4"	50	300	61
BC200CD2B	Beam Clamp Hanger Assembly	1"	1"	50	400	99
BC200CD25B	Beam Clamp Hanger Assembly	-	1 1/4"	50	400	105
BC200CD3B	Beam Clamp Hanger Assembly	1 1/4"	1 1/2"	50	400	106
BC200CD4B	Beam Clamp Hanger Assembly	1 1/2"	-	25	150	52
BC200CD5B	Beam Clamp Hanger Assembly	2"	2"	25	150	60
BC400	Heavy Duty Beam Clamp	-	-	25	250	79




Acoustical Tee Heavy Duty Quick Connect Box Hanger

• Hammer-On Flange Clips




Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
4H24	Fits most bulb tees (3/32"-9/64"), flange (1/8"-1/4")	100	1000	30
4H58	Fits most bulb tees (3/32"-9/64"), flange (5/16"-1/2")	100	1000	40



Beam Clamps

Catalog Number	Description/Features	Flange	Conduit	Inner Carton	Master Carton	Master Weight
BCBP	Beam Clamp, 10pc bag	1/2"	- - -	-	15	7
BC	Beam Clamp	1/2"	- -	100	1000	53
BC812M BC	Beam Clamp with self-locking hanger	1/2"	1/2" - 3/4"	100	600	53
BC16M BC	Beam Clamp with self-locking hanger	1/2"	1" - "	100	800	78
BC20M BC	Beam Clamp with self-locking hanger	1/2"	1 1/4" - "	100	800	83
BC24M BC	Beam Clamp with self-locking hanger	1/2"	1 1/2" - "	50	300	67
BC32M BC	Beam Clamp with self-locking hanger	1/2"	1 1/2" - "	50	300	35
BC812MSM BC	Beam Clamp with self-locking hanger	1/2"	1/2" - 3/4"	100	600	53
BC16MSM BC	Beam Clamp with self-locking hanger	1/2"	1" - "	100	600	57
BC20MSM BC	Beam Clamp with self-locking hanger	1/2"	1 1/4" - "	100	800	84
BC24MSM BC	Beam CLamp with self-locking hanger	1/2"	1 1/2" - "	50	300	67
BC32MSM BC	Beam Clamp with self-locking hanger	1/2"	2" - "	50	300	36
BC8P BC	Beam Clamp with self-locking hanger	1/2"	1/2" - "	100	600	48
BC12P BC	Beam Clamp with self-locking hanger	1/2"	3/4" - "	100	600	49
BC8PSM BC	Beam Clamp with self-locking hanger	1/2"	1/2" - "	100	600	48
BC12PSM BC	Beam Clamp with self-locking hanger	1/2"	3/4" - "	100	600	51



Beam Clamps



Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
M24	1/4" - 20 thread impression, flange (1/8"-1/4")	100	1000	51
M24S	1/4" - 20 thread impression, flange (1/8"-1/4")	100	1000	60
M58	1/4" - 20 thread impression, flange (5/16"-1/2")	100	1000	59
M912	1/4" - 20 thread impression, flange (9/16"-3/4")	100	600	45



Beam Clamps


- Cable snap clip for AC / MC cable.
- Constructed from heat treated steel.

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
SC2C	Cable O.D. (.375-.437), flange (1/16"-3/16")	100	1000	10
SC2D	Cable O.D. (.468-.562), flange (1/16"-3/16")	100	1000	10
SC4D	Cable O.D. (.468-.562), flange (3/16"-9/32")	100	1000	11
SC4E	Cable O.D. (.500-.718), flange (3/16"-9/32")	100	1000	12
SC8D	Cable O.D. (.468-.562), flange (5/16)	100	1000	1




Drywall

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
DSB	Old Work Box Mount 1/4" - 1 1/4"	100 sets	1000 sets	24
DSI2ABP	Old Work Box Mount up to 1 1/2", 10pc bag	-	30	23
DSI2A	Old Work Box Mount up to 1 1/2"	100 sets	1000 sets	75
RLCBP	Device Leveler and Retainer, 10pc bag	-	30	11
RLC	Device Leveler and Retainer	100	1000	30



Drywall

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
MPLSBP	Low Voltage Mounting Brackets- Single gang, screws to drywall (screws included), 2pc bag	-	30	6
MPLS	Low Voltage Mounting Brackets- Single gang, screws to drywall (screws included)	100	800	66
MPLS2BP	Low Voltage Mounting Brackets- Double gang, screws to drywall (screws included), 2pc bag	-	25	8
MPLS2	Low Voltage Mounting Brackets- Double gang screws to drywall (screws included)	100	800	103
MP1	Single gang plate mounting bracket (no screws included)	100	800	7
MP1PBP	Single Gang Mounting Bracket Non Metallic, 5pc bag	-	4	1
MP1P	Single Gang Mounting Bracket Non Metallic	100	100	5
MP2	Double gang plate mounting bracket	100	800	29
MPAL2BP	2 gang Mounting Bracket Non Metallic, 5pc bag	-	4	1
MPAL2	2 Gang Mounting Bracket Non Metallic	10	100	36



Conduit Supports

Catalog Number	Fig. No.	Description	Rigid	EMT	MC/AC	Inner Carton	Master Carton	Master Weight
6M	1	Conduit Clips		-	1 1/2 - 1 2/3	100	1000	29
812M	2	Conduit Clips		1/2 & 3/4"	---	100	1000	33
16M	1	Conduit Clips		1"	---	100	1000	39
20M	1	Conduit Clips		1-1/4"	---	100	600	29
24M	1	Conduit Clips		1-1/2"	---	100	600	30
32M	1	Conduit Clips		2"	---	100	600	36
8P	3	Conduit Clips		1/2"	---	100	1000	26
12P	3	Conduit Clips		3/4"	---	100	1000	27
16P	3	Conduit Clips		1"	---	100	1000	39
6M4I	1	Conduit Clips- Impression		-	1 1/2 - 1 2/3	100	1000	30
812M4I	1	Conduit Clips- Impression		1/2-3/4"	---	100	1000	33
16M4I	1	Conduit Clips- Impression		1"	---	100	1000	39
20M4I	1	Conduit Clips- Impression		1-1/4"	---	100	600	29
24M4I	1	Conduit Clips- Impression		1-1/2"	---	100	600	30
32M4I	1	Conduit Clips Impression		2"	---	100	600	36
8P4I	2	Conduit Clips- Impression		1/2"	---	100	1000	25
12P4I	2	Conduit Clips- Impression		3/4"	---	100	1000	29
16P4I	2	Conduit Clips- Impression		1"	---	100	1000	34
812M24BP	1	Flange Mount Conduit Clip, 5pc bag		1/2 or 3/4"	---	-	10	7
812M24	1	Flange Mount Conduit Clips		1/2 or 3/4"	---	100	600	51
812M58	1	Flange Mount Conduit Clip		1/2 or 3/4"	-	100	600	54
16M24	1	Flange Mount Conduit Clips		1"	---	100	600	56
20M24	1	Flange Mount Conduit Clips		1-1/4"	---	50	300	60
24M24	1	Flange Mount Conduit Clips		1-1/2"	---	50	300	32
32M24	1	Flange Mount Conduit Clips		2"	---	50	300	35
812M24SM	2	Flange Mount Conduit Clips		1/2 or 3/4"	---	100	600	39
16M24SM	2	Flange Mount Conduit Clips		1"	---	100	600	44
20M24SM	2	Flange Mount Conduit Clips		1-1/4"	---	100	800	64
24M24SM	2	Flange Mount Conduit Clips	1-1/2"	1-1/2"	---	50	300	26
32M24SM	2	Flange Mount Conduit Clips		2"	---	50	300	30
8P24	1	Flange Mount Clip		1/2"	---	100	600	48
12P24	1	Flange Mount Clips		3/4"	---	100	600	48
16P24	1	Flange Mount Clip		1"	---	100	600	53
12P24SM	2	Flange Mount Clip		3/4"	---	100	1000	59
16P24SM	2	Flange Mount Clip		1"	---	100	600	40



Conduit Supports

Catalog Number	Description/Features	Rigid	EMT	Inner Carton	Master Carton	Master Weight
CD0BBP	Conduit Hangers, 5pc bag	1/2"	1/2"	-	20	10
CD0B	Conduit Hangers	1/2"	1/2"	100	1000	63
CD1BBP	Conduit Hangers, 5pc bag	3/4"	3/4"	-	20	11
CD1B	Conduit Hangers	3/4"	3/4"	100	1000	76
CD2B	Conduit Hangers	1"	1"	100	600	48
CD3B	Conduit Hangers	1-1/4"	1-1/2"	100	600	67
CD4B	Conduit Hangers	1-1/2"	-	50	300	54
CD5B	Conduit Hangers	2"	2"	50	400	96
CD6B	Conduit Hangers	2-1/2"	2-1/2"	25	150	7



Conduit Supports

• Conduit Clips from flange, wire or rod.

Catalog Number	Wire	Rod	Flange	Rigid	EMT	Inner Carton	Master Carton	Master Weight
K8BP	#12, #10, #9, #8	3/16"	1/8" - 1/4"	10 pc bag	1/2"	-	20	8
K8	#12, #10, #9, #8	3/16" & 1/4"	1/8" - 1/4"		1/2"	100	1000	28
K12BP	-	-	5/16" - 1/2"	10pc bag	1/2"	-	20	8
K12	-	-	5/16" - 1/2"		1/2"	100	1000	35
K16	#9, #8	3/16"-1/4"	7/16" - 1/2"	1/2"	1"	100	1000	39



Conduit Supports

• Conduit hanger from flange, wire or plain rod.

Catalog Number	Flexible Cable Size	Wire Diameter Range	Inner Carton	Master Carton	Master Weight
KXBP	14-2, 14-3, 12-2, 12-3, 10pc bag	#12, #10, #9, #8	-	30	6
KX	14-2, 14-3, 12-2, 12-3	#12, #10, #9, #8	100	1000	10
MAC2	Double run of MC / AC	metal or wood stud and 1/8" flange	100	1000	31



Conduit Supports

Catalog Number	Description	Rigid	EMT	Inner Carton	Master Carton	Master Weight
AOL12P	Metal Deck Conduit Support		3/4"	100	1000	73
SCH12	One Piece Strut Clamp		3/4"	100	1000	79
SCH12B	One Piece Strut Clamp		3/4"	100	1000	9
SK851BP	Two Piece Strut Clamp, 5pc bag		1/2"	-	15	12
SK851	Two Piece Strut Clamp		1/2"	100	600	68
SK1251BP	Two Piece Strut Clamp, 5pc bag		3/4"	-	15	12
SK1251	Two Piece Strut Clamp		3/4"	100	600	76
SK1651	Two Piece Strut Clamp		1"	100	600	87
SK2051	Two Piece Strut Clamp		1-1/4"	50	300	50
SK2451	Two Piece Strut Clamp		1-1/2"	50	300	55
SK3251	Two Piece Strut Clamp		2"	50	300	62
SK4051	Two Piece Strut Clamp		2-1/2"	50	300	83
SK4851	Two Piece Strut Clamp		3"	50	300	98
SK5651	Two Piece Strut Clamp		3-1/2"	25	125	46
SK6451	Two Piece Strut Clamp		4"	25	150	60
4Z34BP	Multi-Function Clip, 10pc bag		-	-	20	6
4Z34	Multi-Function Clip		-	100	1000	24
4Z34812M	Multi-Function Clip		1/2" or 3/4"	100	600	36



Speed Link Universal Support System

- Eliminates threaded rod and associated hardware
- Galvanized steel aircraft cable
- Quickly installs as a stand alone hanging system without drilling into building structure
- Patent Pending Carries a DIN 4102-2 F30-A fire rating, 30 minutes at maximum rated load




Catalog Number	Description/Features	Cable	Range Length	Inner Carton	Master Carton	Master Weight
SLD2L1BP	Speed Link (Load Limit 100lbs)	2mm (.079 in)	1m (3.3ft)	-	20	6
SLD2L2BP	Speed Link (Load Limit 100lbs)	2mm (.079 in)	2m (6.6ft)	-	20	7
SLD2L3BP	Speed Link (Load Limit 100lbs)	2mm (.079 in)	3m (9.9ft)	-	20	8
SLD3L2BP	Speed Link (Load Limit 200lbs)	3mm (.118in)	2m (6.6ft)	-	20	10
SLD3L3BP	Speed Link (Load Limit 200lbs)	3mm (.118in)	3m (9.9ft)	-	20	12

Strut Clamp - Strut to Strut

- Provides fast assembly of half slot strut into back to back strut for new or retrofit applications
- Eliminates the need for bolts, washers and nuts
- 1000 lb working load per total assembly, Half slot dimensions vary by manufacturer, Maximum half slot dimensions 9/16" x 7/8"

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
STS	Strut to Strut Clamp	-	100	10



Strut Nuts

- Unique 1 piece design
- Eliminates the need for a washer


Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
SLICK250	1/4-20 Strut Nut, recommended torque 5 ft lbs, F1 Load - 12ga - 250lbs, 14ga - 150lbs, F2 Load - 12ga - 800lbs, 14ga - 800lbs	100	1000	66
SLICK375	3/8-16 Strut Nut, recommended torque 15 ft lbs, F1 Load - 12ga - 400lbs, 14ga - 300lbs, F2 Load - 12ga - 1,100lbs, 14ga - 1,000lbs	100	1000	65
SLICK500	1/2-13 Strut Nut, recommended torque 20 ft lbs, F1 Load - 12ga - 650lbs, 14ga - 550lbs, F2 Load - 12ga - 1,250lbs, 14ga - 1,100lbs	100	1000	64



ISN Smart Nut

- Snaps anywhere on 3/8" - 16 threaded rod
- Adjustable and removable
- Supports plumbing, HVAC, electrical

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
ISN375	3/8"-16 Smart Nut	-	100	3



Pipe Pier Supports

- Supports up to 50 lb loads
- Polyethylene close-cell foam and 16-gauge steel construction
- The 4" high model has a 10-3/8" x 4" footprint
- Electro-galvanized (EG) finish
- Metal top design to shed water and minimize water collection on foam base

Catalog Number	Description/Features	Inner Carton	Master Carton	Master Weight
RPS50H4EG	10 1/2" L x 4" W x 4" H, 50lb load	-	10	12



PVC Couplings

• Schedule 40



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PC-50	1/2"	-	150	4
PC-75	3/4"	-	100	4
PC-100	1"	-	50	4
PC-125	1-1/4"	-	30	3
PC-150	1-1/2"	-	25	4
PC-200	2"	-	30	6
PC-250	2-1/2"	-	15	5
PC-300	3"	-	25	12
PC-350	3-1/2"	-	20	13
PC-400	4"	-	15	12
PC-500	5"	-	8	10
PC-600	6"	-	5	10

PVC Terminal Adapters

• Schedule 40



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PTA-50	1/2"	-	150	4
PTA-75	3/4"	-	125	3
PTA-100	1"	-	50	3
PTA-125	1-1/4"	-	50	4
PTA-150	1-1/2"	-	25	3
PTA-200	2"	-	50	8
PTA-250	2-1/2"	-	25	7
PTA-300	3"	-	45	17
PTA-350	3-1/2"	-	30	15
PTA-400	4"	-	20	11
PTA-500	5"	-	8	5
PTA-600	6"	-	10	14

PVC Female Adapters

• Schedule 40



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PFA-50	1/2"	-	150	5
PFA-75	3/4"	-	100	4
PFA-100	1"	-	50	4
PFA-125	1-1/4"	-	30	4
PFA-150	1-1/2"	-	25	4
PFA-200	2"	-	30	6
PFA-250	2-1/2"	-	15	5
PFA-300	3"	-	25	12
PFA-350	3-1/2"	-	20	12
PFA-400	4"	-	15	11
PFA-500	5"	-	10	10
PFA-600	6"	-	6	10

PVC Bodies "LB"

- Cover, gasket, and screws included
- Schedule 40



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PLBLA-50	1/2"	-	25	5
PLBLA-75	3/4"	-	15	4
PLBLA-100	1"	-	10	4
PLBLA-125	1-1/4"	-	10	7
PLBLA-150	1-1/2"	-	10	8
PLBLA-200	2"	-	10	15
PLBLA-250	2-1/2"	-	4	16
PLBLA-300	3"	-	4	15
PLBLA-350	3-1/2"	-	4	21
PLBLA-400	4"	-	4	20

PVC Bodies "C"

- Cover, gasket, and screws included
- Schedule 40



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PCLA-50	1/2"	-	30	7
PCLA-75	3/4"	-	20	6
PCLA-100	1"	-	15	6
PCLA-125	1-1/4"	-	15	12
PCLA-150	1-1/2"	-	10	9
PCLA-200	2"	-	15	5
PCLA-250	2-1/2"	-	4	16
PCLA-300	3"	-	4	15
PCLA-350	3-1/2"	-	4	22
PCLA-400	4"	-	4	20

PVC Bodies "E"

- Cover, gasket, and screws included
- Schedule 40



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PELA-50	1/2"	-	30	6
PELA-75	3/4"	-	20	6
PELA-100	1"	-	15	6
PELA-125	1-1/4"	-	20	16
PELA-150	1-1/2"	-	10	10
PELA-200	2"	-	15	27
PELA-250	2-1/2"	-	4	6
PELA-300	3"	-	4	17
PELA-350	3-1/2"	-	4	21
PELA-400	4"	-	4	20

PVC Bodies "LL"

- Cover, gasket, and screws included
- Schedule 40



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PLLLA-50	1/2"	-	25	8
PLLLA-75	3/4"	-	20	6
PLLLA-100	1"	-	15	9
PLLLA-125	1-1/4"	-	10	9
PLLLA-150	1-1/2"	-	10	10
PLLLA-200	2"	-	10	20
PLLLA-250	2-1/2"	-	4	20
PLLLA-300	3"	-	4	14
PLLLA-350	3-1/2"	-	5	30
PLLLA-400	4"	-	5	28

PVC Bodies "LR"

- Cover, gasket, and screws included
- Schedule 40



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PLRLA-50	1/2"	-	25	8
PLRLA-75	3/4"	-	20	6
PLRLA-100	1"	-	15	9
PLRLA-125	1-1/4"	-	10	9
PLRLA-150	1-1/2"	-	10	10
PLRLA-200	2"	-	10	20
PLRLA-250	2-1/2"	-	4	16
PLRLA-300	3"	-	4	14
PLRLA-350	3-1/2"	-	5	30
PLRLA-400	4"	-	5	28

PVC Bodies "T"

- Cover, gasket, and screws included
- Schedule 40



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PTLA-50	1/2"	-	10	3
PTLA-75	3/4"	-	10	3
PTLA-100	1"	-	10	4
PTLA-125	1-1/4"	-	15	14
PTLA-150	1-1/2"	-	10	10
PTLA-200	2"	-	10	20
PTLA-250	2-1/2"	-	4	17
PTLA-300	3"	-	4	16
PTLA-350	3-1/2"	-	4	26
PTLA-400	4"	-	4	22

PVC Junction Boxes

• Cover, gasket, and screws included



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PJB-442	4" x 4" x 2"	-	12	10
PJB-444	4" x 4" x 4"	-	10	11
PJB-664	6" x 6" x 4"	-	5	9
PJB-666	6" x 6" x 6"	-	8	19
PJB-884	8" x 8" x 4"	-	5	10
PJB-887	8" x 8" x 7"	-	2	10
PJB-12124	12" x 12" x 4"	-	3	21
PJB-12126	12" x 12" x 6"	-	3	24

PVC Junction Box Adapters



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PJBA-50	1/2"	-	100	2
PJBA-75	3/4"	-	100	3
PJBA-100	1"	-	100	5
PJBA-125	1-1/4"	-	50	3
PJBA-150	1-1/2"	-	75	7
PJBA-200	2"	-	25	3
PJBA-250	2-1/2"	-	10	3
PJBA-300	3"	-	20	8
PJBA-350	3-1/2"	-	10	5
PJBA-400	4"	-	10	10

PVC FSC Boxes



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PFSC-50	1/2"	-	15	6
PFSC-75	3/4"	-	15	6

PVC FSE Boxes



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PFSE-50	1/2"	-	10	4
PFSE-75	3/4"	-	10	4

PVC FSS Boxes



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PFSS-50	1/2"	-	10	4
PFSS-75	3/4"	-	10	4

FS Boxes 3 in 1

• 3 in 1 boxes can be adapted to accommodate three sizes of conduit (1/2", 3/4", 1") in one box. Standard 1" hub which can be adjusted to 3/4" or 1/2" using supplied reducer bushings.



Catalog Number	Trade Size	Size	Inner Carton	Master Carton	Master Weight
PFSCD-3	1/2, 3/4, 1"	1 gang - 2.76 deep	-	10	5
PFSED-3	1/2, 3/4, 1"	1 gang - 2.76 deep	-	10	5
PFSC-3	1/2, 3/4, 1"	2 gang - 2.5 deep	-	10	4
PFSCC-3	1/2, 3/4, 1"	2 gang	-	10	8
PFSE-3	1/2, 3/4, 1"	2 gang	-	10	4
PFSS-3	1/2, 3/4, 1"	2 gang	-	10	8

Octagon Boxes

• 1/2" and 3/4" hub.
• Not designed for supporting luminaires.



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
POCT-400150	4 x 1-1/2"	-	15	5

PVC Cover Plates



Catalog Number	Trade Size	Cover	Inner Carton	Master Carton	Master Weight
PBSC	1 gang	blank	-	50	6
PDSC	1 gang	duplex	-	100	10
PTSC	1 gang	toggle	-	100	10
PGFSC	1 gang	w.p. gfi	-	20	5
PBSC-2	2 gang	blank	-	50	8

Weatherproof Covers

• Weatherproof



Catalog Number	Trade Size	Type	Inner Carton	Master Carton	Master Weight
PVSD-20	combo switch duplex	2 gang	-	10	4
PVTC-15	toggle switch	1 gang	-	20	5
PVTC-20	toggle switch	2 gang	-	10	4
PWDRC	duplex	1 gang	-	20	5

PVC Offset Adapter



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PMO-125	1-1/4"	-	50	10
PMO-200	2"	-	25	10

Pull Elbows



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PEL-5075	1/2", 3/4"	-	50	9

PVC 2-Hole Straps

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PS-50	1/2"	100	400	5
PS-75	3/4"	100	400	1
PS-100	1"	100	500	1
PS-125	1-1/4"	100	400	1
PS-150	1-1/2"	100	225	8
PS-200	2"	100	200	8



PVC End Bell

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PMEB-50	1/2"	-	100	2
PMEB-75	3/4"	-	200	5
PMEB-100	1"	-	100	6
PMEB-125	1-1/4"	-	100	4
PMEB-150	1-1/2"	-	50	5
PMEB-200	2"	-	40	8
PMEB-250	2-1/2"	-	10	2
PMEB-300	3"	-	30	7
PMEB-350	3-1/2"	-	40	13
PMEB-400	4"	-	30	13
PMEB-500	5"	-	25	20
PMEB-600	6"	-	15	14



PVC Reducer Bushings



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PRB-7550	3/4" X 1/2"	100	300	3
PRB-10050	1" X 1/2"	100	300	3
PRB-10075	1" X 3/4"	100	200	6
PRB-12575	1-1/4" X 3/4"	25	50	3
PRB-125100	1-1/4" X 1"	50	100	3
PRB-150125	1-1/2" X 1-1/4"	-	40	2
PRB-200125	2" X 1-1/4"	-	25	4
PRB-200150	2" X 1-1/2"	-	25	5
PRB-250200	2-1/2" X 2"	-	15	5
PRB-300200	3" X 2"	-	25	8
PRB-300250	3" X 2-1/2"	-	15	6
PRB-400300	4" X 3"	-	10	4
PRB-400350	4" X 3-1/2"	-	15	6

PVC End Caps



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PEC-50	1/2"	-	200	8
PEC-75	3/4"	-	150	8
PEC-100	1"	-	100	10
PEC-125	1-1/4"	-	40	5
PEC-150	1-1/2"	-	40	8
PEC-200	2"	-	20	5
PEC-250	2-1/2"	-	15	6
PEC-300	3"	-	10	6
PEC-400	4"	-	12	10

PVC Expansion Joints



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PEJ-50	1/2"	-	25	8
PEJ-75	3/4"	-	25	8
PEJ-100	1"	-	40	27
PEJ-125	1-1/4"	-	20	13
PEJ-150	1-1/2"	-	20	20
PEJ-200	2"	-	10	13
PEJ-250	2-1/2"	-	9	33
PEJ-300	3"	-	9	15
PEJ-350	3-1/2"	-	5	25
PEJ-400	4"	-	5	22

PVC Running Thread

- ETL approved #3104547
- Made from UL approved schedule 80 PVC pipe
- “Brick” - 8’ long with 1-1/4” of solid pipe to accept male adapter
- “Commercial”

New



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
MUN-125	1/4"	-	12	13
MUN-150	1-1/2"	-	9	12
MUN-200	2"	-	25	44
MUN-250	2-1/2"	-	16	43
MUN-300	3"	-	16	58
MUN-400	4"	-	9	48
MUNB-125	1-1/4" (brick)	-	25	10
MUNB-200	2" (brick)	-	32	21
MUNC-125	1-1/4" (Commercial)	-	25	-
MUNC-200	2" (Commercial)	-	25	-

PVC Service Entrance Head

- PMH-350 is not UL Listed



Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
PMH-50	1/2"	-	25	4
PMH-75	3/4"	-	20	7
PMH-100	1"	-	15	5
PMH-125	1-1/4"	-	10	4
PMH-150	1-1/2"	-	4	6
PMH-200	2"	-	4	5
PMH-250	2-1/2"	-	2	9
PMH-300	3"	-	2	8
PMH-350	3-1/2"	-	2	9
PMH-400	4"	-	2	26

PVC 90 Elbows

- Schedule 40



Catalog Number	Trade Size	Radius	Inner Carton	Master Carton	Master Weight
PVC-5090	1/2"	Standard	-	40	7
PVC-7590	3/4"	Standard	-	40	9
PVC-10090	1"	Standard	-	50	20
PVC-12590	1-1/4"	Standard	-	25	30
PVC-15090	1-1/2"	Standard	-	20	17
PVC-20090	2"	Standard	-	15	14
PVC-25090	2-1/2"	Standard	-	1	3
PVC-30090	3"	Standard	-	1	4
PVC-35090	3-1/2"	Standard	-	1	5
PVC-40090	4"	Standard	-	1	7
PVC-50090	5"	Standard	-	1	28
PVC-60090	6"	Standard	-	1	37

PVC 45 Elbows

• Schedule 40



Catalog Number	Trade Size	Radius	Inner Carton	Master Carton	Master Weight
PVC-5045	1/2"	Standard	-	100	8
PVC-7545	3/4"	Standard	-	50	6
PVC-10045	1"	Standard	-	50	9
PVC-12545	1-1/4"	Standard	-	35	12
PVC-15045	1-1/2"	Standard	-	20	7
PVC-20045	2"	Standard	-	15	8
PVC-25045	2-1/2"	Standard	-	20	28
PVC-30045	3"	Standard	-	25	63
PVC-35045	3-1/2"	Standard	-	1	3
PVC-40045	4"	Standard	-	1	4
PVC-50045	5"	Standard	-	1	10
PVC-60045	6"	Standard	-	1	12

EMT Strut Clamps

Catalog Number	Trade Size	Design Load LBS.	Inner Carton	Master Carton	Master Weight
SCE-50	1/2"	400	-	100	-
SCE-75	3/4"	400	-	100	-
SCE-100	1"	600	-	100	-
SCE-125	1-1/4"	600	-	50	-
SCE-150	1-1/2"	800	-	50	-
SCE-200	2"	800	-	50	-

PVC 90 Elbows Sch 80

• Schedule 80



Catalog Number	Trade Size	Radius	Inner Carton	Master Carton	Master Weight
PVC-509080	1/2"	Standard	-	50	9
PVC-759080	3/4"	Standard	-	40	10
PVC-1009080	1"	Standard	-	50	22
PVC-1259080	1-1/4"	Standard	-	25	30
PVC-1509080	1-1/2"	Standard	-	20	20
PVC-2009080	2"	Standard	-	15	24
PVC-2509080	2-1/2"	Standard	-	1	3
PVC-3009080	3"	Standard	-	1	5
PVC-4009080	4"	Standard	-	1	8

PVC 45 Elbows Sch 80

• Schedule 80



Catalog Number	Trade Size	Radius	Inner Carton	Master Carton	Master Weight
PVC-504580	1/2"	Standard	-	100	16
PVC-754580	3/4"	Standard	-	50	18
PVC-1004580	1"	Standard	-	50	18
PVC-1254580	1-1/4"	Standard	-	35	12
PVC-1504580	1-1/2"	Standard	-	20	13
PVC-2004580	2"	Standard	-	15	11
PVC-2504580	2-1/2"	Standard	-	1	2
PVC-3004580	3"	Standard	-	1	3
PVC-4004580	4"	Standard	-	1	4

PVC 90 Elbows Special Radius Sch 40

• Note: Special radius elbow orders are non cancelable and non returnable.



Catalog Number	Trade Size	Radius	Inner Carton	Master Carton	Master Weight
PVC-1509036	1-1/2"	36"	-	1	3
PVC-2009024	2"	24"	-	1	3
PVC-2009036	2"	36"	-	1	4
PVC-2009048	2"	48"	-	1	7
PVC-2509024	2-1/2"	24"	-	1	6
PVC-2509036	2-1/2"	36"	-	1	12
PVC-2509048	2-1/2"	48"	-	1	12
PVC-3009024	3"	24"	-	1	8
PVC-3009036	3"	36"	-	1	10
PVC-3009048	3"	48"	-	1	15
PVC-3509024	3-1/2"	24"	-	1	9
PVC-3509036	3-1/2"	36"	-	1	18
PVC-3509048	3-1/2"	48"	-	1	20
PVC-4009024	4"	24"	-	1	11
PVC-4009036	4"	36"	-	1	18
PVC-4009048	4"	48"	-	1	22
PVC-5009036	5"	36"	-	1	28
PVC-5009048	5"	48"	-	1	28
PVC-6009036	6"	36"	-	1	22
PVC-6009048	6"	48"	-	1	37

PVC 90 Elbows Special Radius Sch 80

• Note: Special radius elbow orders are non cancelable and non returnable.



Catalog Number	Trade Size	Radius	Inner Carton	Master Carton	Master Weight
PVC-20090248	2"	24"	-	1	3
PVC-20090368	2"	36"	-	1	4
PVC-20090488	2"	48"	-	1	7
PVC-25090368	2-1/2"	36"	-	1	12
PVC-30090248	3"	24"	-	1	8
PVC-30090368	3"	36"	-	1	18
PVC-30090488	3"	48"	-	1	15
PVC-40090248	4"	24"	-	1	11
PVC-40090368	4"	36"	-	1	27
PVC-40090488	4"	48"	-	1	22
PVC-50090488	5"	48"	-	1	28

PVC Solvent Cement Clear

- PVC solvent cement is designed for use in joining all types of PVC (poly vinyl chloride) pipe and fittings.
- Hydrostatic Burst Strength: 400 psi min, (73 deg F, 2 hr cure). Lap Shear Strength: 900 psi min, (73 deg F, 72 hr cure). Specifications: ASTM D 2564, MIL-A-22010A (MB gray only). Flash point : 6 deg F (closed cup).

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
P-6001	HALF PINTS	-	24	15
P-6002	PINTS	-	12	15
P-6003	QUARTS	-	12	25
P-6004	GALLONS	-	6	50



PVC Cleaner

- Solvent cleaner for all types of plastics. Can be used on PVC, ABS, CPVC and styrene plastic pipe and fittings.
- Color- clear, Density- 6.7 lb/gal, Viscosity-water thin. Flash point: 20 deg F (closed cup), 30 deg F (open cup).

Catalog Number	Trade Size	Inner Carton	Master Carton	Master Weight
P-7001	HALF PINTS	-	24	15
P-7002	PINTS	-	12	15
P-7003	QUARTS	-	12	25



Reduced Wall Steel Flexible Conduit

- * UL 1, UL 1479, Federal Specification WW-C-566C, (now superseded by UL 1). NEC 350, 430-123, 502-4, 503-3, 517-30, 645-5. UL Rated for Cable Tray and Environmental Air Handling space installation. 3 - hour through penetration Fire Wall rated. NOTE: All dimensions and weights are subject to normal manufacturing tolerances.
- +CSA Certified



Catalog Number	Trade Size (inches)	Trade Size (mm)	Coil (c) & Reel (r) Length (feet)	Internal Diameter (min/max) inches	External Diameter (min/max) inches	Approx. Weight/100 feet (pounds)	Bend Radius (inches)
550130+	3/8"	12	100 (c)	0.375"	0.560"	13	2"
550142+	3/8"	12	250 (c)	0.375"	0.560"	44	2"
550145+	3/8"	12	500 (r)	0.375"	0.560"	35	2"
550160+	3/8"	12	1000 (r)	0.375"	0.560"	140	2"
550230	1/2"	16	100 (c)	0.625"	0.860"	21	3"
550245	1/2"	16	500 (r)	0.625"	0.860"	60	3"
550260	1/2"	16	1000 (r)	0.625"	0.860"	270	3"
550330	3/4"	21	100 (c)	0.812"	1.045"	27	4"
550345	3/4"	21	500 (r)	0.812"	1.045"	75	4"
550424	1"	27	50 (c)	1.000"	1.300"	14	5"
550480	1"	27	300 (r)	1.000"	1.300"	84	5"
550524	1-1/4"	35	50 (c)	1.250"	1.550"	18	6-1/4"
550540	1-1/4"	35	200 (r)	1.250"	1.550"	70	6-1/4"
550622	1-1/2"	41	25 (c)	1.500"	1.850"	10	7-1/2"
550722	2"	53	25 (c)	2.000"	2.350"	19	10"
550822	2-1/2"	63	25 (c)	2.500"	2.860"	23	12-1/2"
550922	3"	78	25 (c)	3.000"	3.360"	28	15"
551022	3-1/2"	91	25 (c)	3.500"	3.860"	31	17-1/2"
551122	4"	103	25 (c)	4.000"	4.360"	35	20"

Reduced Wall Aluminum Flexible Conduit

- UL 1, UL 1479, Federal Specification WW-C-566C, (now superseded by UL 1). NEC 350, 430-123, 502-4, 503-3, 517-30, 645-5. UL rated for Cable Tray and Environmental Air Handling space installation. 1, 2 hour through penetration Fire Wall rated. NOTE: All dimensions and weights are subject to normal manufacturing tolerances
- +CSA Certified



Catalog Number	Trade Size (inches)	Trade Size (mm)	Coil (c) & Reel (r) Length (feet)	Internal Diameter (min/max) inches	External Diameter (min/max) inches	Approx. Weight/100 feet (pounds)	Bend Radius (inches)
560130+	3/8"	12	100 (c)	0.393"	0.610"	7	2"
560160+	3/8"	12	1000 (r)	0.393"	0.610"	70	2"
560230	1/2"	16	100 (c)	0.645"	0.920"	12	3"
560245	1/2"	16	500 (r)	0.645"	0.920"	60	3"
560260	1/2"	16	1000(r)	0.645"	0.920"	120	3"
560330	3/4"	21	100 (c)	0.835"	1.105"	15	4"
560345	3/4"	21	500 (r)	0.835"	1.105"	75	4"
560424	1"	27	50 (c)	1.040"	1.380"	14	5"
560480	1"	27	300 (r)	1.040"	1.380"	84	5"
560524	1-1/4"	35	50 (c)	1.300"	1.630"	18	6-1/4"
560622	1-1/2"	41	25 (c)	1.575"	1.950"	10	7-1/2"
560722	2"	53	25 (c)	2.080"	2.450"	19	10"
560822	2-1/2"	63	25 (c)	-	3.060"	23	12-1/2"
560922	3"	78	25 (c)	-	3.560"	28	15"
561022	3-1/2"	91	25 (c)	-	4.060"	32	17-1/2"
561122	4"	103	25 (c)	-	4.560"	35	20"

Extra Flexible Conduit



• NOTE: All dimensions and weights are subject to normal manufacturing tolerances

Catalog Number	Trade Size (inches)	Trade Size (mm)	Coil (c) & Reel (r) Length (feet)	Internal Diameter	External Diameter	Approx. Weight/100 feet (pounds)	Bend Radius (inches)
				(min/max) inches	(min/max) inches		
520130	3/8"	12	100 (c)	0.375/0.393"	0.560/0.610"	8	2"
520142	3/8"	12	250 (c)	0.375/0.393"	0.560/0.610"	20	2"
520160	3/8"	12	1000 (r)	0.375/0.393"	0.560/0.610"	80	2"
520330	1/2"	16	100 (c)	0.625/0.645"	0.860/0.920"	15	3"
520360	1/2"	16	1000 (r)	0.625/0.645"	0.860/0.920"	150	3"
520430	3/4"	21	100 (c)	0.812/0.835"	1.045/1.105"	18	4"
520445	3/4"	21	500 (r)	0.812/0.835"	1.045/1.105"	90	4"
520524	1"	27	50 (c)	1.000/1.040"	1.300/1.380"	14	5"
520580	1"	27	300 (r)	1.000/1.040"	1.300/1.380"	84	5"
520624	1-1/4"	35	50 (c)	1.250/1.300"	1.550/1.630"	26	6-1/4"
520640	1-1/4"	35	200 (r)	1.250/1.300"	1.550/1.630"	104	6-1/4"
520722	1-1/2"	41	25 (c)	1.500/1.575"	1.850/1.950"	17	7-1/2"
520822	2"	53	25 (c)	2.000/2.080"	2.350/2.450"	22	10"
520922	2-1/2"	63	25 (c)	2.500/-"	2.860/3.060"	25	12-1/2"
521022	3"	78	25 (c)	3.000/-"	3.360/3.560"	35	15"
521122	3-1/2"	91	25 (c)	3.500/-"	3.860/4.060"	39	17-1/2"
521222	4"	103	25 (c)	4.000/-"	4.360/ 4.560"	47	20"

Liquidtight Type JIC Flexible Metal Conduit



• General Purpose (-20C to +80C) NOTE: All dimensions and weights are subject to normal manufacturing tolerances

Catalog Number	Trade Size (inches)	Trade Size (mm)	Coil (c) & Reel (r) Length (feet)	Internal Diameter	External Diameter		Approx. Weight/100 feet (pounds)	Bend Radius (inches)
				(min/max) inches	Min	Max		
610130	3/8"	12	100 (c)	0.504"	0.614"	0.710"	23	2"
610160	3/8"	12	1000 (r)	0.504"	0.614"	0.710"	230	2"
610230	1/2"	16	100 (c)	0.642"	0.765"	0.840"	27	3.25"
610245	1/2"	16	500 (r)	0.642"	0.765"	0.840"	135	3.25"
610260	1/2"	16	1000 (r)	0.642"	0.765"	0.840"	270	3.25"
610330	3/4"	21	100 (c)	0.840"	0.960"	1.050"	32	4.25"
610345	3/4"	21	500 (r)	0.840"	0.960"	1.050"	160	4.25"
610430	1"	27	100 (c)	1.066"	1.225"	1.316"	45	6.5"
610480	1"	27	300 (r)	1.066"	1.225"	1.316"	135	6.5"
610524	1-1/4"	35	50 (c)	1.410"	1.570"	1.660"	35	8"
610540	1-1/4"	35	200 (r)	1.410"	1.570"	1.660"	140	8"
610624	1-1/2"	41	50 (c)	1.600"	1.770"	1.900"	46	9"
610635	1-1/2"	41	150 (r)	1.600"	1.770"	1.900"	168	9"
610724	2"	53	50 (c)	2.045"	2.215"	2.375"	80	11.12"
610730	2"	53	100 (r)	2.045"	2.215"	2.375"	160	11.12"
610822	2-1/2"	63	25 (c)	2.505"	2.675"	2.875"	49	14.62"
610922	3"	78	25 (c)	3.100"	3.335"	3.500"	65	17.5"
612022	3-1/2"	91	25 (c)	3.540"	3.789"	4.000"	88	20"
611022	4"	103	25 (c)	4.040"	4.280"	4.500"	100	24"

UL Liquidtight Flexible Metal Conduit

Description

- UL bonded strip 3/8" - 1-1/4"
- UL Liquidtight oil sizes
- Sunlight resistant
- Flame retardant PVC jacket
- Hot dipped zinc galvanized low carbon steel core

Temperature Rating

- 80°C to -30°C Dry
- 60°C Wet
- 70°C Oil resistant

Applications

- 600 volt and lower circuits
- Direct burial in earth
- Concrete embedment
- Suitable for grounding per NEC® 250.118(7)
- Hazardous location per NEC® 501
- Raised computer room floors per NEC® 645.5(D)
- Service entrance wiring up to 6 feet per NEC® 230.43(15)
- Feeders and services for marina and boat yards

References & Ratings

- UL 360, File Reference E26540, CSA Certified File LL51593, CSA C22.2 Number 56
- NEC® 250.118(7), 350, 390.15, 501.4(B)(2), 502.4(A)(1)(e), 503.3(A)(2), 511.7(A)(1), 645.5(D)(2), 680.21, 680.42, 695.6(E), 695.14(E)
- Canadian Electrical Code (CEC) Part I Clause 12-1300
- UL approved for use in direct burial applications including concrete and earth burial (Sizes 3/8" through 4")
- Conduit in sizes 1-1/2" and larger requires grounding conductor per NEC® 250.118(7)
- May be installed under raised computer room floors per NEC® 645.5(D)



Catalog Number	Trade Size (inches)	Trade Size (mm)	Coil (c) & Reel (r) Length (feet)	Internal Diameter (min/max) inches	External Diameter (inches)		Approx. Weight/100 feet (pounds)	Bend Radius (inches)
					Min	Max		
620130	3/8"	12	100 (c)	0.484	0.594	0.690	24	2
620160	3/8"	12	1000 (r)	0.484	0.594	0.690	300	2
620230	1/2"	16	100 (c)	0.622	0.732	0.820	35	3.25
620245	1/2"	16	500 (r)	0.622	0.732	0.820	175	3.25
620260	1/2"	16	1000 (r)	0.622	0.732	0.820	350	3.25
620330	3/4"	21	100 (c)	0.820	0.930	1.030	45	4.25
620345	3/4"	21	500 (r)	0.820	0.930	1.030	225	4.25
620360	3/4"	21	1000 (r)	0.820	0.930	1.030	225	4.25
620430	1"	27	100 (c)	1.041	1.201	1.290	80	6.5
620441	1"	27	400 (r)	1.041	1.201	1.290	240	6.5
620524	1-1/4"	35	50 (c)	1.380	1.540	1.630	55	8
620540	1-1/4"	35	200 (r)	1.380	1.540	1.630	220	8
620624	1-1/2"	41	50 (c)	1.575	1.735	1.865	68	9
620724	2"	53	50 (c)	2.020	2.180	2.340	85	11.12
620730	2"	53	100 (r)	2.020	2.180	2.340	170	11.12
620822	2-1/2"	63	25 (c)	2.480	2.640	2.840	55	14.62
620922	3"	78	25 (c)	3.070	3.295	3.460	70	17.5
622022	3-1/2"	91	25 (c)	3.500	3.720	3.960	88	20
621022	4"	103	25 (c)	4.000	4.220	4.460	107	24

Liquidtight Flexible UL Non-Metallic Conduit



- 3/8" thru 2" trade size
- May also be used with metallic connectors for liquidtight conduit
- Resists corrosion, abrasion, oil, water, acid, metal shavings, and rough environments
- Resists abuse, pull and crushing
- UL Rating: 80° C dry, 60° C wet, 70° C oil resistant
- Outdoor, sunlight resistant, direct burial
- CSA rating – 18° C to 75° C
- Smooth inside for easier wire pulling, no hazardous sharp edges of burrs, will not damage conductors
- Light weight and lower install cost
- Quick installation, cuts with utility knife or PVC cutter
- Integral rigid and flexible PVC construction

Catalog Number	Trade Size (inches)	Trade Size (mm)	Coil (c) & Reel (r) Length (feet)	Minimum Wall Thickness	Internal Diameter (min/max) inches	External Diameter (min/max) inches	Approx. Weight/100 feet (pounds)	Bend Radius (inches)
600130	3/8"	12	100 (c)	0.095	0.484/0.504"	0.690/0.710"	13	2"
600230	1/2"	16	100 (c)	0.090	0.622/0.642"	0.820/0.840"	15	3.25"
600260	1/2"	16	1000 (r)	0.090	0.622/0.840"	0.820/0.840"	145	3.25"
600330	3/4"	21	100 (c)	0.095	0.820/.840"	1.030/1.050"	17	4.25"
600346	3/4"	21	700 (r)	0.095	0.820/0.840"	1.030/1.050"	116	4.25"
600430	1"	27	100 (c)	0.100	1.041/1.066"	1.290/1.315"	26	6.5"
600524	1-1/4"	35	50 (c)	0.105	1.380/1.410"	1.630/1.660"	17	8"
600624	1-1/2"	41	50 (c)	0.125	1.575/1.600"	1.865/1.900"	23	9"
600724	2"	53	50 (c)	0.125	2.020/2.045"	2.340/2.375"	31	11.1"

Single Gang Boxes

- 4-9/16" X 2-13/16" X 2" with threaded outlets, closure plugs, ground screw and mounting lugs included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Outlets	Size	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
OB50-3	3	1/2"	Grey	18.3	-	20	11
OB50-4	4	1/2"	Grey	18.3	-	20	12
OB50-5	5	1/2"	Grey	18.3	-	20	12
OB75-3	3	3/4"	Grey	18.3	-	20	11
OB75-4	4	3/4"	Grey	18.3	-	20	12

Sin

- 4 9/16" x 2 13/16" x 2 5/8" with threaded outlets, closure plugs, ground screw and mounting lugs included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Outlets	Size	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
OBD-50	3	1/2"	Grey	23.8	-	12	10
OBD-75	3	3/4"	Grey	23.8	-	12	10

Two Gang Outlet Boxes

- 4 9/16" x 4 5/8" x 2" with threaded outlets, closure plugs, ground screw and mounting lugs included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Outlets	Size	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
TGB50-3	3	1/2"	Grey	30.5"	-	12	13
TGB75-3	3	3/4"	Grey	30.5"	-	12	13
TGB75-4	4	3/4"	Grey	30.5"	-	12	13
TGB75-5	5	3/4"	Grey	30.5"	-	12	13

Round Outlet Boxes

- 4 9/16" x 4 5/8" x 2" with 5 threaded outlets, closure plugs, ground screw and mounting lugs included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Outlets	Size	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
RB50-5	5	1/2"	Grey	16.5"	-	16	12

Round Blank Covers

- Stamped aluminum, gaskets and screws included 4" OD.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Outlets	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
RBC	Blank	Grey	N/A	-	50	10

Round Covers Lampholder

- 4 1/2" DIA - gasket, screws and closure plugs included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Outlets	Size	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
CR1	(1) 1/2"		Grey	N/A	-	24	10
CR3	(3) 1/2"	-	Grey	N/A	-	24	10

Lampholders

- Porcelain socket with internal gasket included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Type	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
LH-1	with leads	Grey	N/A	-	27	14

Lampholder with Rectangular Cover

- Two adjustable lampholders, porcelain sockets with internal gaskets.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Type	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
RLH-2	2	light Grey	N/A	-	8	10

Lampholder Swivel Type

- Deep ceiling plate, 2 adjustable lampholders, porcelain sockets with internal gaskets.
- Available in WHITE only.



Catalog Number	Type	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
SVL-2W	2	light deep White	125	-	8	14

One Gang Blank Cover

- 4-9/16 x 2-13/16 stamped aluminum, gaskets and screws included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Outlets	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
BC1G	Blank	Grey	N/A	-	42	13

One Gang Raised Covers

- 4 9/16" x 2 13/16" x 1 1/16" gaskets and screws and closure plugs included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Outlets	Size	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
LHC1G-1	1	1/2"	Grey	N/A	-	20	6

One Gang Raised Covers

- 4-9/16" x 2-13/16" x 1-1/16. gasket, screws and closure plugs included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Outlets	Size	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
LHCIG-3	3	1/2"	Grey	N/A	-	20	6

One Gang GFCI Cover

- Self closing cover, gaskets and screws included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Cover	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
GFIGH	Horizontal	Grey	N/A	-	24	12

One Gang GFCI Cover

- Self closing cover, gasket and screws included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Cover	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
GFIGV	Vertical	Grey	N/A	-	24	12

One Gang Single Cover

- For a single receptacle or switch. gaskets and screws included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Cover	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
CIGVSR	Vertical	Grey	N/A	-	24	8

One Gang Duplex Cover

- For duplex receptacles, switches and combination devices. Self closing cover, gaskets and screws included.



Catalog Number	Cover	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
CIGDR	Vertical	Grey	N/A	-	24	8

One Gang Duplex Cover

- For duplex receptacles, switches and combination devices. self closing cover, gaskets and screws included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Cover	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
CIGHDR	Horizontal	Grey	N/A	-	24	10
SOCIGDR	Horizontal Stay Open	Grey	N/A	-	24	9

One Gang Power Cover

- Self closing cover, gaskets and screws included.



Catalog Number	Receptacle Type	Color	Opening	Inner Carton	Master Carton	Master Weight
POIGSR	20A - 50A	Grey	2.125	-	24	15

One Gang Toggle Cover

- Toggle switch and cover, gaskets and screws included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Type	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
TS15A	15A / single pole	Grey	N/A	-	18	10
TS20A	20A	Grey	N/A	-	18	10

Two Gang Blank Cover


- Stamped aluminum, gaskets and screws included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Outlets	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
BC2G	Blank	Grey	N/A	-	24	3

Two Gang GFCI Cover

- For 2 GFCI receptacles, gaskets and screws included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Cover	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
GF2G	Horizontal	Grey	N/A	-	18	9

Two Gang Duplex Cover

- Self closing cover, gasket and screws included.
- For WHITE add the suffix "W" after the part number.



Catalog Number	Cover	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
C2GDR	Horizontal	Grey	N/A	-	18	10

In Use Boxes

- High impact clear polycarbonate, gasket, mounting screws, base and cover assembly, 2 inserts included.
- Vertical or Horizontal Mounting
- Does not include box or receptacle.



Catalog Number	Description	Color	Cubic Inches	Inner Carton	Master Carton	Master Weight
OB-IU	2-1/4 Deep	Clear	N/A	-	6	5
OB-IUD	3-1/8 Deep	Clear	N/A	-	4	5
OB-IU2	2-1/4 Deep	Clear / 2 gang	N/A	-	6	4

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
0-CH	10	15020	6M4I	103	75430	154	89	39254
1-CH	10	15021	812M4I	103	75431	155	89	39255
2-CH	10	15022	812M58	103	00921	162	14	12162
2-1/2-CH	10	15023	16M4I	103	75432	164	14	12164
3-CH	10	15024	20M4I	103	75433	166	14	12166
4-CH	10	15025	24M4I	103	75434	170	90	39170
5-CH	10	15026	32M4I	103	75435	171	90	39171
6-CH	10	15027	8P	103	75005	172	90	39172
7-CH	10	15028	12P	103	75006	173	90	39173
8-CH	10	15029	16P	103	75007	174	90	39174
9-CH	10	15030	8P24	103	75440	175	90	39175
0-WBA	10	15060	12P24	103	75441	190	81	37130
1-WBA	10	15061	16P24	103	75442	191	81	37131
2-WBA	10	15062	12P24SM	103	75451	192	81	37132
2-1/2-WBA	10	15063	16P24SM	103	75452	211	21	31211
3-WBA	10	15064	8P4I	103	75460	213	21	31213
4-WBA	10	15065	12P4I	103	75461	220	13	12220
5-WBA	10	15066	16P4I	103	75462	221	13	12221
6-WBA	10	15067	20WV-1	15	13090	222	13	12222
7-WBA	10	15068	20WV-5	15	13095	223	13	12223
8-WBA	10	15069	25	17	14025	250	17	14250
9-WBA	10	15070	26	17	14026	251	17	14251
0-WBAS	1, 10	01311	27	17	14027	260	13, 14	12260
1-WBAS	1, 10	01492	29	17	14029	261	13	12261
2-WBAS	1, 10	01493	30-1	16	13051	262	13	12262
3-WBAS	1, 10	01494	30-5	16	13055	263	13	12263
4-WBAS	1, 10	01502	30-5M	16	13053	264	13	12264
5-WBAS	1, 10	01496	30V-2	14	13058	331	18	00617
6-WBAS	1, 10	01497	30WV-5	15	13105	332	18	00618
7-WBAS	1, 10	01498	30WV-50	15	13100	333	18	00619
8-WBAS	1, 10	01499	31-1	16	13061	334	18	00620
9-WBAS	1, 10	01500	31-5	16	13065	335	18	00621
4BRT20	92	00909	31-5M	16	13066	336	18	00622
4BRT20BP	92	00910	32-1	16	13072	337	18	00623
4BRT20WSBP	92	00911	34-1	16	13074	338	18	00624
4BRT32	92	00912	35-1	16	13075	339	18	00625
4BRT32BP	92	00913	36-1	16	13076	340	18	00626
4BRT32WS	92	00914	43	91	41043	341	19	15341
4BRT32WSBP	92	00915	43-100	91	00430	342	19	15342
4G16	99	75300	43-5P	91	00677	343	19	15343
4G16BP	99	00916	81	18	16081	344	19	15344
4G16H	99	75305	90	81	37040	345	19	15345
4G8VWH	99	75307	92	81	37042	346	19	15346
4H24	101	75270	101S-IC	126	00303	347	19	00525
4H58	101	00917	102	15	1110	348	19	00526
4TGS	99	75310	103	90	00775	349	19	00527
4TI	92	75312	103S-B	126	71304	350	19	00528
4TI24	92	75313	123	13	12123	341-P	19	15441
4TIB	92	75314	124	13	12124	342-P	19	15442
4WVN	99	75320	125	13	12125	343-P	19	15443
4Z34	104	75325	126	13	12126	344-P	19	15444
4Z34BP	104	00918	127	13	12127	345-P	19	15445
4Z34812M	104	75330	128	13	12128	346-P	19	15446
6M	103	75000	129	13	12129	347-P	19	00529
812M	103	75001	130	12, 13	12130	348-P	19	00530
16M	103	75002	131	12, 13	12131	349-P	19	00531
20M	103	75400	132	12, 13	12132	350-P	19	00532
24M	103	75401	133	12, 13	12133	361	13	11361
32M	103	75402	134-1	14	12191	362	13	11362
812M24	103	75410	134-5	14	12195	363	13	11363
812M24BP	103	00919	135-1	14	12200	364	13	11364
16M24	103	75411	140	90	12140	370	80	37070
20M24	103	75412	141	90	12141	371	80	37071
24M24	103	75413	142	90	12142	372	80	37072
32M24	103	75414	143	90	12143	373	80	37073
812M24SM	103	75420	144	90	12144	374	80	37074
16M24SM	103	75421	145	90	12145	375	80	37075
20M24SM	103	75422	150	89	39250	376	80	37076
24M24SM	103	75423	151	89	39251	377	80	37077
32M24SM	103	75424	152	89	39252	378	80	37078
			153	89	39253	379	80	37079

A

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
416	15	17100	1201	62	11301	521022	118	00059
420	15	17101	1202	62	11302	521122	118	00060
428	15	17102	1600	15	11080	521222	118	00061
430	15	17103	1605	15	11085	550130	117	00001
449	97	75260	1615	15	11086	550142	117	00002
512	100	75470	1600-CS	15	00563	550145	117	00003
512A	100	75471	1605-CS	15	00564	550160	117	00004
512HD	100	75280	1615-CS	15	00565	550230	117	00005
512HDBP	100	00922	1701	11	11091	550245	117	00006
515	97	75475	1701-BS	12	01413	550260	117	00007
515A	97	75476	1702	11	11092	550330	117	00008
517A	98	75480	1702-BS	12	01414	550345	117	00009
520	98	75485	1703	11	11093	550424	117	00010
550	47	41200	1704	11	11094	550480	117	00011
551	47	41205	1705	11	11095	550524	117	00012
552	47	41210	1706	11	11096	550540	117	00000
553	47	41215	1707	11	12077	550622	117	00013
554	47	41220	1708	11	12078	550722	117	00014
555	47	41225	1709	11	12079	550822	117	00015
600	15	11060	1710	11	12080	550922	117	00016
605	15	11061	1720	16	12420	551022	117	00017
615	15	11062	1722	16	12422	551122	117	00018
680	14	00637	1724	16	12424	560130	117	00019
699	11, 14	12069	1726	16	12426	560160	117	00020
700	11	12070	1735	16	12435	560230	117	00021
701	11	12071	1738	16	12438	560245	117	00022
702	11	12072	1740	16	12440	560260	117	00023
703	11	12073	1743	16	12443	560330	117	00024
704	11	12074	1780	17	12500	560345	117	00025
705	11	12075	1782	17	12502	560424	117	00026
706	11	12076	1783	17	12503	560480	117	00027
766A	93	75490	1784	17	12504	560524	117	00028
780	90	38080	1785	17	12505	560622	117	00029
781	90	38081	1786	17	12506	560722	117	00030
782	90	38082	1787	17	12507	560822	117	00031
801	11	11401	1780-UV	17	12520	560922	117	00032
802	11	11402	1782-UV	17	12521	561022	117	00033
803	11	11403	1783-UV	17	12522	561122	117	00044
804	11	11404	1784-UV	17	12523	600130	120	00099
805	11	11405	1785-UV	17	12524	600230	120	00100
806	11	11406	1786-UV	17	12525	600260	120	00101
807	11	11407	1787-UV	17	12526	600330	120	00102
808	11	11408	1900	83	38010	600346	120	00103
809	11	11409	1901	83	37091	600430	120	00104
810	11	11410	1905	83	37095	600445	120	01199
811	11	00541	3010	70	37010	600524	120	00105
812	11	00542	3011	70	37011	600624	120	00106
1124	12	11124	3012	70	37012	600724	120	00107
1125	12	11125	3013	70	37013	610130	118	00080
1126	12	11126	3014	70	37014	610160	118	00081
1127	12	11127	3010-B	70	37020	610230	118	00082
1128	12	11128	3011-B	70	37021	610245	118	00083
1129	12	11129	3012-B	70	37022	610260	118	00084
1170	12	11200	520130	118	00045	610330	118	00085
1171	12	11201	520142	118	00046	610345	118	00086
1172	12	11202	520160	118	00047	610430	118	00087
1173	12	11203	520330	118	00048	610441	118	01189
1174	12	11204	520360	118	00049	610524	118	00089
1175	12	11205	520430	118	00050	610540	118	00090
1176	12	11206	520445	118	00051	610624	118	00091
1177	12	11207	520524	118	00052	610635	118	00092
1178	12	11208	520580	118	00053	610724	118	00093
1179	12	11209	520624	118	00054	610730	118	00094
1179A	12	00543	520640	118	00055	610822	118	00095
1179B	12	00544	520722	118	00056	610922	118	00096
1180	12	12180	520822	118	00057	612022	118	00097
1200	61	11300	520922	118	00058	611022	118	00098

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
620130	119	00062	AN-150-CL	58	00245	ARC-75	55	00144
620160	119	00063	AN-150200	58	01367	ARC-100	55	00145
620230	119	00064	AN-150250	58	00641	ARC-125	55	00146
620245	119	00065	AN-150300	58	00285	ARC-150	55	00147
620260	119	00066	AN-150350	58	00730	ARC-200	55	00148
620330	119	00067	AN-150400	59	00287	ARC-250	55	00149
620345	119	00068	AN-150500	59	00288	ARC-300	55	00150
620360	119	01209	AN-150600	59	00289	ARC-350	55	00151
620430	119	00069	AN-150800	60	00731	ARC-400	55	00152
620441	119	01190	AN-1501000	60	00732	ARC-500	55	00153
620524	119	00071	AN-1501200	60	00733	ARC-600	55	00154
620540	119	00072	AN-200-CL	58	00246	ASB-2	87	39075
620624	119	00073	AN-200250	58	00734	ASB-3	87	39074
620724	119	00074	AN-200300	58	00294	ASB-4	87	39073
620730	119	00075	AN-200350	59	00735	ASB-6	87	39072
620822	119	00076	AN-200400	59	00296	ASB-8	87	39071
620922	119	00077	AN-200500	59	00297	ASB-10	87	39070
622022	119	00078	AN-200600	59	00298	ASB-1/0	87	39076
621022	119	00079	AN-200800	60	00736	ASB-2/0	87	39077
AB	92	75500	AN-2001000	60	00737	ASB-3/0	87	39078
AF14	92	00924	AN-2001200	60	00738	ASB-4/0	87	39079
AN-50-CL	58	00231	AN-250-CL	58	00247	ASB-350	87	39081
AN-50150	58	00233	AN-250300	58	00739	ASB-500	87	39082
AN-50200	58	00234	AN-250350	59	00740	ASB-750	87	39083
AN-50250	58	00257	AN-250400	59	00741	ASB-1000	87	39084
AN-50300	58	00235	AN-250500	59	01368	ASBC-1/0	87	64000
AN-50350	58	00258	AN-250600	59	01369	ASBC-2/0	87	64001
AN-50400	59	00236	AN-250800	60	00742	ASBC-4/0	87	64002
AN-50500	59	00259	AN-2501000	60	00743	ASBC-350	87	64003
AN-50600	59	00237	AN-2501200	60	00744	ASBC-500	87	64004
AN-50800	60	00238	AN-300-CL	58	00248	ASR-2	88	64020
AN-501000	60	00260	AN-300300	58	00745	ASR-1/0	88	64021
AN-501200	60	00672	AN-300350	59	00746	ASR-250	88	64022
AN-75-CL	58	00232	AN-300400	59	00747	ATA4I	98	75520
AN-75150	58	00507	AN-300500	59	00748	ATS4I	98	75525
AN-75200	58	00239	AN-300600	59	00749	B-102	15	00223
AN-75250	58	00925	AN-300800	60	00750	B-85	86	00324
AN-75300	58	00229	AN-3001000	60	00751	BC	101	75010
AN-75350	58	00673	AN-3001200	60	00752	BC1G	122	00254
AN-75400	59	00240	AN-350-CL	58	01371	BC1GW	122	00461
AN-75500	59	00241	AN-350400	59	01370	BCBP	101	00926
AN-75600	59	00230	AN-350500	59	00753	BC2G	124	00256
AN-75800	60	01372	AN-350600	59	00754	BC2GW	124	00462
AN-751000	60	00265	AN-350800	60	00755	BC812M	101	75030
AN-751200	60	01412	AN-3501000	60	00756	BC16M	101	75031
AN-100-CL	58	00242	AN-3501200	60	00757	BC20M	101	75032
AN-100200	58	00390	AN-400-CL	58	00249	BC24M	101	75033
AN-100250	58	00720	AN-400400	59	00758	BC32M	101	75034
AN-100300	58	00391	AN-400500	59	00759	BC812MSM	101	75040
AN-100350	58	00721	AN-400600	59	00760	BC16MSM	101	75041
AN-100400	59	00392	AN-400800	60	00761	BC20MSM	101	75042
AN-100500	59	00271	AN-4001000	60	00762	BC24MSM	101	75043
AN-100600	59	00243	AN-4001200	60	00763	BC32MSM	101	75044
AN-100800	60	00722	AN-500-CL	58	00764	BC8P	101	75050
AN-1001000	60	00723	AN-500500	59	00765	BC12P	101	75051
AN-1001200	60	00724	AN-500600	59	00766	BC8PSM	101	75060
AN-125-CL	58	00244	AN-500800	60	00767	BC12PSM	101	75061
AN-125200	58	00255	AN-5001000	60	00768	BC200	101	75011
AN-125250	58	00725	AN-5001200	60	00769	BC200BP	101	00927
AN-125300	58	00276	AN-600-CL	58	00770	BC200CD0B	101	75020
AN-125350	58	00726	AN-600500	59	00771	BC200CD1B	101	75021
AN-125400	59	00278	AN-600600	59	00772	BC200CD2B	101	75022
AN-125500	59	00279	AN-600800	60	00773	BC200CD25B	101	75023
AN-125600	59	00280	AN-6001000	60	00774	BC200CD3B	101	75024
AN-125800	60	00727	AN-6001200	60	00372	BC200CD4B	101	75025
AN-1251000	60	00728	AOL12P	104	75510	BC200CD5B	101	75026
AN-1251200	60	00729	ARC-50	55	00143	BC400	101	75012

A

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
BHC	100	75530	CPB-350	33	34008	ELA-3009036	57	00820
C1GDR	123	00267	CPB-400	33	34009	ELA-3009042	57	00821
C1GDRW	123	00468	CPB-500	33	00406	ELA-3009048	57	00822
C2GDR	124	00266	CPB-600	33	00407	ELA-35090	56	00210
C2GDRW	124	00467	CR1	122	00261	ELA-3509018	57	00823
C1GHDR	123	00269	CR1W	122	00463	ELA-3509024	57	00824
C1GHDRW	123	00470	CR3	122	00262	ELA-3509030	57	00825
C1GVSR	123	00268	CR3W	122	00464	ELA-3509036	57	00826
C1GVSRW	123	00469	CS812	97	00940	ELA-3509042	57	00827
CAT12	94	00928	CS812D	97	00941	ELA-3509048	57	00828
CAT124Z34	94	00929	DSB	102	75110	ELA-40090	56	00211
CAT200CM	94	00930	DSI2A	102	75120	ELA-4009018	57	00829
CAT21	94	00931	DSI2ABP	102	00942	ELA-4009024	57	00830
CAT32	94	00932	EL-1	126	73171	ELA-4009030	57	00831
CAT64	94	00933	EL-2	126	73172	ELA-4009036	57	00832
CATMTLS	94	00934	ELA-5090	56	00155	ELA-4009042	57	00833
CATMTP	94	00935	ELA-7590	56	00203	ELA-4009048	57	00834
CB-50	33	34020	ELA-10090	56	00204	ELA-50090	56	00212
CB-75	33	34021	ELA-1009012	56	00776	ELA-5009030	57	00835
CB-100	33	34022	ELA-1009015	56	00777	ELA-5009036	57	00836
CB-125	33	34023	ELA-1009018	56	00778	ELA-5009042	57	00837
CB-150	33	34024	ELA-1009024	56	00779	ELA-5009048	57	00838
CB-200	33	34025	ELA-1009030	56	00780	ELA-60090	56	00213
CB-250	33	34026	ELA-1009036	56	00781	ELA-6009042	57	00839
CB-300	33	34027	ELA-1009042	56	00782	ELA-6009048	57	00840
CB-350	33	34028	ELA-1009048	56	00783	ELE-5045	48	62001
CB-400	33	34029	ELA-12590	56	00205	ELE-5090	48	62002
CBI-50	33	00658	ELA-1259012	56	00784	ELE-7545	48	62003
CBI-75	33	00659	ELA-1259015	56	00785	ELE-7590	48	62004
CBI-100	33	00660	ELA-1259018	56	00786	ELE-10045	48	62005
CBI-125	33	00661	ELA-1259024	56	00787	ELE-10090	48	62006
CBI-150	33	00662	ELA-1259030	56	00788	ELE-12545	48	62007
CBI-200	33	00663	ELA-1259036	56	00789	ELE-12590	48	62008
CBI-250	33	00664	ELA-1259042	56	00790	ELE-15045	48	62009
CBI-300	33	00665	ELA-1259048	56	00791	ELE-15090	48	62010
CBI-350	33	00666	ELA-15090	56	00206	ELE-20045	48	62011
CBI-400	33	00667	ELA-1509012	56	00792	ELE-20090	48	62012
CBGI-50	32	34080	ELA-1509015	56	00793	ELE-25045	48	62013
CBGI-75	32	34081	ELA-1509018	56	00794	ELE-25090	48	62014
CBGI-100	32	34082	ELA-1509024	56	00795	ELE-30045	48	62015
CBGI-125	32	34083	ELA-1509030	56	00796	ELE-30090	48	62016
CBGI-150	32	34084	ELA-1509036	56	00797	ELE-35045	48	62017
CBGI-200	32	34085	ELA-1509042	56	00798	ELE-35090	48	62018
CBGI-250	32	34086	ELA-1509048	56	00799	ELE-40045	48	62000
CBGI-300	32	34087	ELA-20090	56	00207	ELE-40090	48	62019
CBGI-350	32	34088	ELA-2009012	56	00800	ELR-5045	48	62020
CBGI-400	32	34089	ELA-2009015	56	00801	ELR-5090	49	62021
CDOB	103	75080	ELA-2009018	56	00802	ELR-7545	48	62022
CDOBBP	103	00936	ELA-2009024	56	00803	ELR-7590	49	62023
CD1B	103	75081	ELA-2009030	56	00804	ELR-10045	48	62024
CD1BBP	103	00937	ELA-2009036	56	00805	ELR-10090	49	62025
CD2B	103	75082	ELA-2009042	56	00806	ELR-1009012	49	00841
CD3B	103	75083	ELA-2009048	57	00807	ELR-1009015	49	00842
CD4B	103	75084	ELA-25090	56	00208	ELR-1009018	49	00843
CD5B	103	75085	ELA-2509012	57	00808	ELR-1009024	49	00844
CD6B	103	00938	ELA-2509015	57	00809	ELR-1009030	49	00845
CG4	96	01377	ELA-2509018	57	00810	ELR-1009036	49	00846
CJ6	93	75090	ELA-2509024	57	00811	ELR-1009042	49	00847
CJ6S	93	75091	ELA-2509030	57	00812	ELR-1009048	49	00848
CPB-50	33	34000	ELA-2509036	57	00813	ELR-12545	48	62026
CPB-75	33	34001	ELA-2509042	57	00814	ELR-12590	49	62027
CPB-100	33	34002	ELA-2509048	57	00815	ELR-1259012	49	00849
CPB-125	33	34003	ELA-30090	56	00209	ELR-1259015	49	00850
CPB-150	33	34004	ELA-3009015	57	00816	ELR-1259018	49	00851
CPB-200	33	34005	ELA-3009018	57	00817	ELR-1259024	49	00852
CPB-250	33	34006	ELA-3009024	57	00818	ELR-1259030	49	00853
CPB-300	33	34007	ELA-3009030	57	00819	ELR-1259036	49	00854

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
ELR-1259042	49	00855	ELR-6009048	50	00906	IL-129	20	31159
ELR-1259048	49	00856	ESGI	93	75130	IL-131	20	31161
ELR-15045	48	62028	ESGIBP	93	00943	IL-133	20	31162
ELR-15090	49	62029	ESGIM	93	75131	IL-135	20	31163
ELR-1509012	49	00857	EMW	9, 125	01307	IL-137	20	31164
ELR-1509015	49	00858	EXRW	9, 125	01262	IL-139	20	31165
ELR-1509018	49	00859	EXRW-C	9, 125	01263	IL-701	31	00600
ELR-1509024	49	00860	FB812M	93	75540	IL-702	31	00601
ELR-1509030	49	00861	GC	91	39102	IL-703	31	00602
ELR-1509036	49	00862	GFIGH	123	00270	IL-704	31	00603
ELR-1509042	49	00863	GFIGHW	123	00471	IL-705	31	00604
ELR-1509048	49	00864	GFIGV	123	00272	IL-706	31	00605
ELR-20045	48	62030	GFIGVW	123	00472	IL-707	31	00606
ELR-20090	49	62031	GF2G	124	00273	IL-708	31	00607
ELR-2009012	49	00865	GF2GW	124	00473	IL-709	31	00608
ELR-2009015	49	00866	GRC-1	86	39031	IL-710	31	00609
ELR-2009018	49	00867	GRC-2	86	39032	IML-110	67	01126
ELR-2009024	49	00868	GRC-3	86	39033	IML-110-1	67	01127
ELR-2009030	49	00869	GS-1	86	39041	IML-110-2	67	01128
ELR-2009036	49	00870	GSP	91	39101	IML-110-3	67	01129
ELR-2009042	49	00871	GSS	91	39106	IML-110-4	67	01130
ELR-2009048	49	00872	GSV	91	39100	IML-110-5	67	01131
ELR-25045	48	62032	H4	95	00944	IML-110-6	67	01132
ELR-25090	49	62033	H6	95	75545	IML-110-7	67	01133
ELR-2509012	50	00873	H23	95	75140	IML-110-8	67	01134
ELR-2509015	50	00874	IDS	98	75550	IML-110-9	67	01135
ELR-2509018	50	00875	IL-21	23	31051	IML-110-10	67	01136
ELR-2509024	50	00876	IL-23	23	31053	IML-42	66	01116
ELR-2509030	50	00877	IL-25	23	31055	IML-42-1	66	00584
ELR-2509036	50	00878	IL-27	23	31057	IML-42-2	66	01117
ELR-2509042	50	00879	IL-29	23	31059	IML-42-3	66	01118
ELR-2509048	50	00880	IL-31	23	31061	IML-42-4	66	01119
ELR-30045	48	62034	IL-33	23	31062	IML-42-5	66	01120
ELR-30090	49	62035	IL-35	23	31063	IML-42-6	66	01121
ELR-3009015	50	00881	IL-37	23	31064	IML-42-7	66	01122
ELR-3009018	50	00882	IL-39	23	31065	IML-42-8	66	01123
ELR-3009024	50	00883	IL-42-1	65	31070	IML-42-9	66	01124
ELR-3009030	50	00884	IL-42-2	65	31071	IML-42-10	66	01125
ELR-3009036	50	00885	IL-42-3	65	31072	IML-701	32	01137
ELR-3009042	50	00886	IL-42-4	65	31073	IML-702	32	01138
ELR-3009048	50	00887	IL-42-5	65	31074	IML-703	32	01139
ELR-35045	48	62036	IL-42-6	65	31075	IML-704	32	01140
ELR-35090	49	62037	IL-42-7	65	01108	IML-705	32	01141
ELR-3509018	50	00888	IL-42-8	65	01109	IML-706	32	01142
ELR-3509024	50	00889	IL-42-9	65	01110	IML-707	32	01143
ELR-3509030	50	00890	IL-42-10	65	01111	IML-708	32	01144
ELR-3509036	50	00891	IL-44-1	67	00638	IML-709	32	01145
ELR-3509042	50	00892	IL-44-2	67	00639	IML-710	32	01146
ELR-3509048	50	00893	IL-44-3	67	00649	IML-711	32	01157
ELR-40045	48	62038	IL-44-4	67	00652	IML-712	32	01158
ELR-40090	49	62039	IL-44-5	67	00653	ISN375	105	00945
ELR-4009018	50	00894	IL-44-6	67	00654	K8	104	75150
ELR-4009024	50	00895	IL-110	65	31090	K8BP	104	00946
ELR-4009030	50	00896	IL-110-1	65	31091	K12	104	75151
ELR-4009036	50	00897	IL-110-2	65	31092	K12BP	104	00947
ELR-4009042	50	00898	IL-110-3	65	31093	K16	104	75152
ELR-4009048	50	00899	IL-110-4	56	31094	KX	104	75160
ELR-50045	48	01417	IL-110-5	65	31095	KXBP	104	00948
ELR-50090	49	00216	IL-110-6	65	31096	L-15	61	35149
ELR-5009030	50	00900	IL-110-7	65	01112	L-16	61	35150
ELR-5009036	50	00901	IL-110-8	65	01113	L-17	61	35151
ELR-5009042	50	00902	IL-110-9	65	01114	L-18	61	35152
ELR-5009048	50	00903	IL-110-10	65	01115	L-21	22	31021
ELR-60045	48	00670	IL-121	20	31151	L-21RT	22	01029
ELR-60090	49	00217	IL-123	20	31153	L-22	23	31022
ELR-6009036	50	00904	IL-125	20	31155	L-22RT	23	01032
ELR-6009042	50	00905	IL-127	20	31157	L-23	22	31023

A

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
L-23RT	22	01030	L-107	63	35107	L-503	30	32153
L-24	23	31024	L-108	63	35108	L-504	30	32154
L-24RT	23	01033	L-110	65	36170	L-505	30	32155
L-25	22	31025	L-110-1	65	36171	L-506	30	32156
L-25RT	22	01031	L-110-2	65	36172	L-507	30	32157
L-26	23	31026	L-110-3	65	36173	L-508	30	32158
L-26RT	23	01034	L-110-4	65	36174	L-509	30	32159
L-27	22	31027	L-110-5	65	36175	L-510	30	01408
L-28	23	31028	L-110-6	65	36176	L-511	30	00349
L-29	22	31029	L-110-7	65	36177	L-701	31	35071
L-30	23	31030	L-110-8	65	36178	L-702	31	35072
L-31	22	31031	L-110-9	65	36179	L-703	31	35073
L-32	23	31032	L-110-10	65	36180	L-704	31	35074
L-33	22	31033	L-121	20	31121	L-705	31	35075
L-34	23	31034	L-122	21	31122	L-706	31	35076
L-34-1	27	32041	L-122-BS	20	01415	L-707	31	35077
L-34-2	27	32042	L-123	20	31123	L-708	31	35078
L-35	22	31035	L-124	21	31124	L-709	31	35079
L-36	23	31036	L-124-BS	20	01416	L-710	31	35080
L-37	22	31037	L-125	20	31125	L-800-CL	80	37050
L-37-1	21	31371	L-126	21	31126	L-801-CL	80	37051
L-37-2	21	31372	L-127	20	31127	L-802-CL	80	37052
L-38	23	31038	L-128	21	31128	L-803-CL	80	37053
L-39	22	31039	L-129	20	31129	L-804-CL	80	37054
L-40	23	31040	L-130	21	31130	L-805-CL	80	37055
L-40-1	29	33341	L-131	20	31131	L-806-CL	80	37056
L-40-2	29	33342	L-132	21	31132	L-807-CL	80	37057
L-40-3	29	33343	L-133	20	31133	L-808-CL	80	37058
L-40-4	29	33344	L-134	21	31134	L-809-CL	80	37059
L-40-5	29	33345	L-135	20	31135	L-805-M	80	37085
L-40-6	29	33346	L-136	21	31136	L-806-M	80	37086
L-41-1	64	36010	L-137	20	31137	L-809-M	80	37089
L-42	64	36020	L-138	21	31138	L-800-V	80	37030
L-42-1	64	36021	L-139	20	31139	L-801-V	80	37031
L-42-2	64	36022	L-140	21	31140	L-802-V	80	37032
L-42-3	64	36023	L-141-1	26	33141	L-803-V	80	37033
L-42-4	64	36024	L-141-2	26	33142	L-804-V	80	37034
L-42-5	64	36025	L-142-1	27	33151	L-805-V	80	37035
L-42-6	64	36026	L-142-2	27	33152	L-900	81	37100
L-42-7	64	36027	L-143-1	26	31431	L-901	81	37101
L-42-8	64	36028	L-143-2	26	31432	L-902	81	37102
L-42-9	64	36029	L-144-1	26	31441	L-903	81	37103
L-42-10	64	36030	L-144-2	26	31442	L-903-XL	81	37106
L-44	67	36140	L-153	28	31850	L-904	81	37104
L-44-1	67	36141	L-153-1	28	31851	L-905	81	37105
L-44-2	67	36142	L-153-2	28	31852	L-905-XL	81	37107
L-44-3	67	36143	L-158	67	36158	L-1106	63	35206
L-44-4	67	00646	L-159	67	36159	L-1106-R	63	35202
L-44-5	67	00647	L-160	85	39001	L-1107	63	35207
L-44-6	67	00648	L-160-1BH	85	39015	L-1107-R	63	35210
L-45-1	68	36151	L-160-2BH	85	39016	L-1108	63	35208
L-45-2	68	36152	L-160-3BH	85	39017	L-1108-R	63	35211
L-48-1	70	36080	L-160-B	85	39003	LA-50	45	32330
L-48-2	70	36081	L-160-BS	85	39005	LA-75	45	32331
L-49-1	27	32080	L-160-C	85	39002	LA-100	45	32332
L-49-2	27	32081	L-160-DB	85	39007	LA-125	45	32333
L-51	63	01309	L-162-B	85	39022	LA-200	45	32335
L-57	63	35157	L-163	85	39020	LA-250	45	32336
L-58	70	36050	L-180-2B	85	39004	LA-350	45	32338
L-64-1LN	30	37200	L-180-2BS	85	38900	LB-50	37	33280
L-67	70	36051	L-182-B	85	39009	LB-75	37	33281
L-68	70	00522	L-184	85	39006	LB-100	37	33282
L-69	70	00523	L-244-1	25	31541	LB-125	37	33283
L-70	70	00524	L-244-2	25	31542	LB-150	37	33284
L-104	63	35104	L-500	30	32150	LB-200	37	33285
L-105	63	35105	L-501	30	32151	LB-250	37	33286
L-106	63	35106	L-502	30	32152	LB-300	37	33287

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
LB-350	37	33288	LCLA-100	43	32363	LL-50-CB	3, 38	01085
LB-400	37	33289	LCLA-125	43	32364	LL-75-CB	3, 38	01086
LB-50-CB	2, 37	01063	LCLA-150	43	32365	LL-100-CB	3, 38	01081
LB-75-CB	2, 37	01064	LCLA-200	43	32366	LL-125-CB	3, 38	01082
LB-100-CB	2, 37	01059	LCLA-250	43	32367	LL-150-CB	3, 38	01083
LB-125-CB	2, 37	01060	LCLA-300	43	32368	LL-200-CB	3, 38	01084
LB-150-CB	2, 37	01061	LCLA-350	43	32369	LLE-50	36	31920
LB-200-CB	2, 37	01062	LCLA-400	43	32370	LLE-75	36	31921
LBE-50	35	31900	LCLA-50-CB	4, 43	01079	LLE-100	36	31922
LBE-75	35	31901	LCLA-75-CB	4, 43	01080	LLE-125	36	31923
LBE-100	35	31902	LCLA-100-CB	4, 43	01076	LLE-150	36	31924
LBE-125	35	31903	LCLA-125-CB	4, 43	01077	LLE-200	36	31925
LBE-150	35	31904	LCLA-150-CB	4, 43	01078	LLLA-50	43	32371
LBE-200	35	31905	LCLA-200-CB	4, 43	01420	LLLA-75	43	32372
LBLA-50	42	32351	LCM-50	40	33320	LLLA-100	43	32373
LBLA-75	42	32352	LCM-75	40	33321	LLLA-125	43	32374
LBLA-100	42	32353	LCM-100	40	33322	LLLA-150	43	32375
LBLA-125	42	32354	LCM-125	40	00411	LLLA-200	43	32376
LBLA-150	42	32355	LCM-150	40	00412	LLLA-250	43	32377
LBLA-200	42	32356	LCM-200	40	00413	LLLA-300	43	32378
LBLA-250	42	32357	LCM-250	40	00359	LLLA-350	43	32379
LBLA-300	42	32358	LCM-300	40	00360	LLLA-400	43	32380
LBLA-350	42	32359	LCM-350	40	00361	LLLA-50-CB	4, 44	01091
LBLA-400	42	32360	LCM-400	40	00362	LLLA-75-CB	4, 44	01092
LBLA-50-CB	4, 42	01068	LF-50	46	32340	LLLA-100-CB	4, 44	01087
LBLA-75-CB	4, 42	01069	LF-75	46	32341	LLLA-125-CB	4, 44	01088
LBLA-100-CB	4, 42	01065	LF-100	46	32342	LLLA-150-CB	4, 44	01089
LBLA-125-CB	4, 42	01066	LF-125	46	32343	LLLA-200-CB	4, 44	01090
LBLA-150-CB	4, 42	01067	LF-200	46	32345	LLM-50	41	33350
LBLA-200-CB	4, 42	01418	LF-250	46	32346	LLM-75	41	33351
LBM-50	40	33200	LF-350	46	32348	LLM-100	41	33352
LBM-75	40	33201	LFC	92	75560	LLM-125	41	00415
LBM-100	40	33202	LFN-50	46	32540	LLM-150	41	00416
LBM-125	40	00403	LFN-75	46	32541	LLM-200	41	00417
LBM-150	40	00404	LFN-100	46	32542	LLM-250	41	00355
LBM-200	40	00405	LFN-125	46	32543	LLM-300	41	00356
LBM-250	40	00347	LFN-200	46	32545	LLM-350	41	00357
LBM-300	40	00348	LFN-250	46	32546	LLM-400	41	00358
LBM-350	40	00349	LFN-350	46	32548	LM-50	5, 46	01191
LBM-400	40	00350	LG-141-1	26	33143	LM-75	5, 46	01192
LBMO-125	81	33310	LG-141-2	26	33144	LM-100	5, 46	01193
LBMO-150	81	33311	LG-141-3	26	33145	LM-125 150	5, 46	01194
LBMO-200	81	33312	LG-141-4	26	33146	LM-200	5, 46	01195
LC-50	37	32310	LG-142-1	27	33153	LM-250300	5, 46	01196
LC-75	37	32311	LG-142-2	27	33154	LM-350400	5, 46	01197
LC-100	37	32312	LG-143-1	26	31433	LN-50	34	33451
LC-125	37	32313	LG-143-2	26	31434	LN-75	34	33452
LC-150	37	32314	LG-144-1	26	31443	LN-100	34	33453
LC-200	37	32315	LG-144-2	26	31444	LN-125	34	33454
LC-250	37	32316	LG-144-3	26	31445	LN-150	34	33455
LC-300	37	32317	LG-144-4	26	31446	LN-200	34	33456
LC-350	37	32318	LH-1	122	00274	LN-250	34	33457
LC-400	37	32319	LH-1W	122	00474	LN-300	34	33458
LC-50-CB	3, 38	01074	LHCIG-1	122	00282	LN-350	34	33459
LC-75-CB	3, 38	01075	LHCIG-1W	122	00477	LN-400	34	33460
LC-100-CB	3, 38	01070	LHCIG-3	123	00283	LN-50	34	33461
LC-125-CB	3, 38	01071	LHCIG-3W	123	00478	LNM-38	62	00634
LC-150-CB	3, 38	01072	LL-50	38	32301	LNM-51	62	00635
LC-200-CB	3, 38	01073	LL-75	38	32302	LNM-104	62	00636
LCE-50	36	31910	LL-100	38	32303	LNS-38	34	33461
LCE-75	36	31911	LL-125	38	32304	LNS-50	34	33462
LCE-100	36	31912	LL-150	38	32305	LNS-75	34	33463
LCE-125	36	31913	LL-200	38	32306	LNS-100	34	33464
LCE-150	36	31914	LL-250	38	32307	LNS-125	34	33465
LCE-200	36	31915	LL-300	38	32308	LNS-150	34	33466
LCLA-50	43	32361	LL-350	38	32309	LNS-200	34	33467
LCLA-75	43	32362	LL-400	38	32300	LNS-250	34	33468
						LNS-300	34	33469

A

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
LNS-350	34	33470	LR-300	39	32297	LS-75-D	46	01409
LNS-400	34	33471	LR-350	39	32298	LS-100-D	46	00629
LNS-500	34	00397	LR-400	39	32299	LS-125-D	46	00630
LNS-600	34	00398	LR-50-CB	3, 39	01093	LS-200-D	46	00631
LNS-50-G	35	33562	LR-75-CB	3, 39	01094	LS-250-D	46	00632
LNS-75-G	35	33563	LR-100-CB	3, 39	01095	LS-350-D	46	00633
LNS-100-G	35	33564	LR-125-CB	3, 39	01096	LT-50	39	32320
LNS-125-G	35	33565	LR-150-CB	3, 39	01097	LT-75	39	32321
LNS-150-G	35	33566	LR-200-CB	3, 39	01098	LT-100	39	32322
LNS-200-G	35	33567	LRB-2	61	35352	LT-125	39	32323
LNS-250-G	35	33568	LRB-3	61	35353	LT-150	39	32324
LNS-300-G	35	33569	LRB-4	61	35354	LT-200	39	32325
LNS-350-G	35	33570	LRB-5	61	35355	LT-250	39	32326
LNS-400-G	35	33571	LRB-6	61	35356	LT-300	39	32327
LNS-50-I	35	33662	LRB-7	61	35357	LT-350	39	32328
LNS-75-I	35	33663	LRB-8	61	35358	LT-400	39	32329
LNS-100-I	35	33664	LRB-9	61	35359	LT-50-CB	3, 40	01148
LNS-125-I	35	33665	LRB-10	61	35360	LT-75-CB	3, 40	01149
LNS-150-I	35	33666	LRB-11	61	35361	LT-100-CB	3, 40	01105
LNS-200-I	35	33667	LRB-14	61	35364	LT-125-CB	3, 40	01106
LNS-250-I	35	33668	LRB-15	61	35365	LT-150-CB	3, 40	01107
LNS-300-I	35	33669	LRB-16	61	35366	LT-200-CB	3, 40	01147
LNS-350-I	35	33670	LRB-21	61	37371	LT-EMT-50	72	01410
LNS-400-I	35	33671	LRB-22	61	37372	LT-EMT-75	72	01411
LQA-1038	71	38400	LRB-28	61	35378	LTE-50	36	31940
LQA-1050	71	38401	LRB-29	61	35379	LTE-75	36	31941
LQA-1075	71	38402	LRB-33	61	35383	LTE-100	36	31942
LQA-1100	71	38403	LRB-36	61	35386	LTE-125	36	31943
LQA-1125	71	38404	LRB-37	61	35387	LTE-150	36	31944
LQA-1150	71	38405	LRE-50	36	31930	LTE-200	36	31945
LQA-1200	71	38406	LRE-75	36	31931	LTLA-50	45	32391
LQA-1038-I	71	38420	LRE-100	36	31932	LTLA-75	45	32392
LQA-1050-I	71	38421	LRE-125	36	31933	LTLA-100	45	32393
LQA-1075-I	71	38422	LRE-150	36	31934	LTLA-125	45	32394
LQA-1100-I	71	38423	LRE-200	36	31935	LTLA-150	45	32395
LQA-1125-I	71	38424	LRLA-50	44	32381	LTLA-200	45	32396
LQA-1150-I	71	38425	LRLA-75	44	32382	LTLA-250	45	32397
LQA-1200-I	71	38426	LRLA-100	44	32383	LTLA-300	45	32398
LQA-1250-I	71	38427	LRLA-125	44	32384	LTLA-350	45	32399
LQA-1300-I	71	38428	LRLA-150	44	32385	LTLA-400	45	32400
LQA-1350-I	71	38429	LRLA-200	44	32386	LTLA-50-CB	5, 45	01154
LQA-1400-I	71	38430	LRLA-250	44	32387	LTLA-75-CB	5, 45	01155
LQA-9038	71	38500	LRLA-300	44	32388	LTLA-100-CB	5, 45	01150
LQA-9050	71	38501	LRLA-350	44	32389	LTLA-125-CB	5, 45	01151
LQA-9075	71	38502	LRLA-400	44	32390	LTLA-150-CB	5, 45	01152
LQA-9100	71	38503	LRLA-50-CB	44	01103	LTLA-200-CB	5, 45	01153
LQA-9125	71	38504	LRLA-75-CB	44	01104	LTM-50	41	33240
LQA-9150	71	38505	LRLA-100-CB	44	01099	LTM-75	41	33241
LQA-9200	71	38506	LRLA-125-CB	44	01100	LTM-100	41	33242
LQA-9038-I	71	38520	LRLA-150-CB	44	01101	LTM-125	41	00408
LQA-9050-I	71	38521	LRLA-200-CB	44	01102	LTM-150	41	00409
LQA-9075-I	71	38522	LRM-50	41	33700	LTM-200	41	00410
LQA-9100-I	71	38523	LRM-75	41	33701	LTM-250	41	00363
LQA-9125-I	71	38524	LRM-100	41	33702	LTM-300	41	00364
LQA-9150-I	71	38525	LRM-125	41	00418	LTM-350	41	00365
LQA-9200-I	71	38526	LRM-150	41	00419	LTM-400	41	00366
LQA-9250-I	71	38527	LRM-200	41	00420	LTBM-50	42	00367
LQA-9300-I	71	38528	LRM-250	41	00351	LTBM-75	42	00368
LQA-9350-I	71	38529	LRM-300	41	00352	LTBM-100	42	00369
LQA-9400-I	71	38530	LRM-350	41	00353	LTBM-125	42	00370
LR-50	39	32290	LRM-400	41	00354	LTBM-150	42	00371
LR-75	39	32291	LS-50	45	33250	LTBM-200	42	00377
LR-100	39	32292	LS-75	45	33251	LWC-05014	64	38215
LR-125	39	32293	LS-100	45	33252	LWC-07514	64	38216
LR-150	39	32294	LS-125	45	33253	LWC-1004	83	38200
LR-200	39	32295	LS-200	45	33254	LWC-1006	83	38201
LR-250	39	32296	LS-50-D	46	00627	LWC-1008	83	38202

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
LWC-1252	83	38203	MCG-75A250	77	54022	MECR-752	1, 24	00691
LWC-1252-N	83	38204	MCG-75A350	77	54023	MECR-752-B	2, 25	00697
LWC-1253	83	38205	MCG-75A450	77	54024	MECR-753	1, 24	00692
LWC-1501	83	38212	MCG-75A560	77	54025	MECR-753-B	2, 25	00698
LWC-1502	83	38206	MCG-75A650	77	54026	MECR-754	1, 24	00693
LWC-2001	83	38213	MCG-75B750	77	54028	MECR-754-B	2, 25	00699
LWC-2002	83	38208	MCG-75B850	77	54029	MECR-755	1, 24	00694
LWC-2003	83	38209	MCG-100B560	78	54001	MECR-755-B	2, 25	00700
LWC-2004	83	38210	MCG-100B650	78	54002	MECR-756	1, 24	02457
LWC-2004-N	83	38211	MCG-100B750	78	54003	MECR-756-B	2, 25	02448
LWH-50	82	38100	MCG-100B850	78	54004	MECR-757	1, 24	02458
LWH-75	82	38101	MCG-100C950	78	54006	MECR-757-B	2, 25	02449
LWH-100	82	38102	MCG-100C1050	78	54005	MECR-758	1, 24	02459
LWH-125	82	38103	MCG-125C850	78	54007	MECR-758-B	2, 25	02450
LWH-150	82	38104	MCG-125C950	78	54008	MECR-759	1, 24	01261
LWH-200	82	38105	MCG-125D1050	78	54009	MECR-759-B	2, 25	02451
LWH-250	82	38106	MCG-125D1150	78	54010	MECR-760	2, 25	00701
LWH-300	82	38107	MCG-125D1250	78	54011	MECR-761	2, 25	00702
LWH-350	82	38108	MCG-125D1375	78	54012	MECR-762	2, 25	00703
LWH-400	82	38109	MCG-150D1050	78	54013	MECR-763	2, 25	00704
M24	101	75570	MCG-150D1150	78	54014	MECR-764	2, 25	00705
M24S	101	75170	MCG-150D1250	78	54015	MECR-765	2, 25	00706
M58	101	75571	MCG-150D1375	78	54016	MECR-766	2, 25	01374
M912	101	75572	MDB-38B	68	00679	MECR-767	2, 25	01257
MAC2	104	00949	MDB-50B	68	00680	MECR-768	2, 25	01258
MAFC-50	68	80770	MDB-75B	68	00681	MECR-769	2, 25	01260
MAFC-52	68	80775	MDB-100B	68	00682	MEC-750-B	24	54101
MAFC-75	68	80771	MDB-125B	68	00683	MEC-751-B	24	54103
MCB-50	33	55000	MDB-150B	68	00684	MEC-752-B	24	54105
MCB-75	33	55001	MDB-200B	68	00685	MEC-753-B	24	54107
MCB-100	33	55002	MDB-250B	68	00686	MEC-754-B	24	54109
MCB-125	33	55003	MDB-300B	68	00687	MEC-755-B	24	54111
MCB-150	33	55004	MDB-350B	68	00688	MEC-756-B	24	56000
MCB-200	33	55005	MDB-400B	68	00689	MEC-757-B	24	56001
MCB-250	33	55006	MDB-3845-B	6, 69	01200	MEC-758-B	24	56002
MCB-300	33	55007	MDB-5045-B	6, 69	01201	MEC-759-B	24	56003
MCB-350	33	55008	MDB-7545-B	6, 69	01202	MEC-760	24	54112
MCB-400	33	55009	MDBC-38	6, 69	01224	MEC-761	24	54113
MCBI-50	34	00707	MDBC-50	6, 69	01225	MEC-762	24	54114
MCBI-75	34	00708	MDBC-75	6, 69	01226	MEC-763	24	54115
MCBI-100	34	00709	MDB-3890-B	6, 69	01203	MEC-764	24	54116
MCBI-125	34	00710	MDB-5090-B	6, 69	01306	MEC-765	24	54117
MCBI-150	34	00711	MDB-7590-B	6, 69	01205	MEC-766	24	54118
MCBI-200	34	00712	MDB-10090-B	6, 69	01336	MEC-767	24	54119
MCBI-250	34	00713	MDBS-38	6, 69	01373	MEC-768	24	54120
MCBI-300	34	00714	MDBS-50	6, 69	01222	MEC-769	24	54121
MCBI-350	34	00715	MDBS-75	6, 69	01375	MER-50	30	54204
MCBI-400	34	00716	ME14	83	37063	MER-75	30	54205
MCBI-500	34	00717	ME24	81	37065	MER-100	30	54200
MCBI-600	34	00718	ME256	81	37066	MER-125	30	54201
MCBGI-50	32	55020	ME-3201	62	54050	MER-150	30	54202
MCBGI-75	32	55021	ME-3202	63	54051	MER-200	30	54203
MCBGI-100	32	55022	ME-3300	62	54052	MERC-50	28	00533
MCBGI-125	32	55023	MEC-750	23	54100	MERC-75	28	00534
MCBGI-150	32	55024	MEC-751	23	54102	MERC-100	28	00535
MCBGI-200	32	55025	MEC-752	23	54104	MERSS-50	28	00536
MCBGI-250	32	55026	MEC-753	23	54106	MERSS-75	28	00537
MCBGI-300	32	55027	MEC-754	23	54108	MERSS-100	28	00538
MCBGI-350	32	55028	MEC-755	23	54110	MES-750	21	20000
MCBGI-400	32	55029	MEC-756	23	54126	MES-751	21	20001
MCBGI-500	32	00642	MEC-757	23	54127	MES-752	21	20002
MCBGI-600	32	00643	MEC-758	23	54128	MES-753	21	20003
MCG-50A250	77	54017	MEC-759	23	54129	MES-754	21	20004
MCG-50A350	77	54018	MECR-750	1, 24	00678	MES-755	21	20005
MCG-50A450	77	54019	MECR-750-B	2, 25	00695	MEC-756	21	20006
MCG-50A560	77	54020	MECR-751	1, 24	00690	MES-757	21	20007
MCG-50A650	77	54021	MECR-751-B	2, 25	00696	MES-758	21	20008

A

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
MES-759	21	20009	ML-707	31	56207	MR-3	89	39203
MES-750-B	22	56050	ML-708	31	56208	MR-4	89	39204
MES-751-B	22	56051	ML-709	31	56209	MR-5	89	39205
MES-752-B	22	56052	ML-710	31	56210	MR-6	89	39206
MES-753-B	22	56053	ML-711	31	00539	MR-7	89	39207
MES-754-B	22	56054	ML-712	31	00540	MR-8	89	39208
MES-755-B	22	56055	MLT-EMT-50	73	54551	MR-9	89	39209
MES-756-B	22	56056	MLT-EMT-75	73	54552	MR-10	89	39210
MES-757-B	22	56057	MLT-EMT-100	73	54550	MR-11	89	39211
MES-758-B	22	56058	MLT-NT-50	73	54570	MR-12	89	39212
MES-759-B	22	56059	MLWH-50	8, 83	01293	MR-13	89	39213
MES-760	22	20020	MLWH-75	8, 83	01294	MR-14	89	39214
MES-761	22	20021	MLWH-100	8, 83	01295	MR-15	89	39215
MES-762	22	20022	MLWH-125	8, 83	01501	MR-16	89	39216
MES-763	22	20023	MLWH-150	8, 83	01298	MR-17	89	39217
MES-764	22	20024	MLWH-200	8, 83	01299	MR-18	89	39218
MES-765	22	20025	MLWH-250	8, 83	01422	MR-19	89	39219
MES-766	22	20026	MLWH-300	8, 83	01300	MR-20	89	39220
MES-767	22	20027	MLWH-350	8, 83	01301	MR-21	89	39221
MES-768	22	20028	MLWH-400	8, 83	01302	MR-22	89	39222
MES-769	22	20029	MLWH-500	8, 83	01304	MR-23	89	39223
MFHR50-75	1, 18	01219	MLWH-600	8, 83	01305	MR-24	89	39224
MFHS50-75	1, 18	01220	MNPT-50	72	54590	MR-25	89	39225
ML-40-1	30	00557	MNPT-75	72	54591	MR-26	89	39226
ML-40-2	30	00558	MNT-2750	28	54600	MR-27	89	39227
ML-40-3	30	00559	MNT-2751	28	54602	MR-28	89	39228
ML-40-4	30	00560	MNT-2752	28	54604	MR-29	89	39229
ML-42	66	00650	MNT-2753	28	54606	MR-35	89	39235
ML-42-1	66	56101	MNT-2754	28	54608	MR-36	89	39236
ML-42-2	66	56102	MNT-2755	28	54610	MR-37	89	39237
ML-42-3	66	56103	MNT-2756	28	00301	MR-43	89	39243
ML-42-4	66	56104	MNT-2757	28	00304	MR-44	89	39244
ML-42-5	66	56105	MNT-2758	28	00305	MR-45	89	39245
ML-42-6	66	56106	MNT-2759	28	00306	MR-46	89	39246
ML-42-7	66	56107	MNT-2750-B	29	54601	MSTC-50	5, 47	01268
ML-42-8	66	56108	MNT-2751-B	29	54603	MSTC-75	5, 47	01269
ML-42-9	66	56109	MNT-2752-B	29	54605	MSTC-100	5, 47	01270
ML-42-10	66	56110	MNT-2753-B	29	54607	MSTC-125	5, 47	01271
ML-110	66	00651	MNT-2754-B	29	54609	MSTC-150	5, 47	01272
ML-110-1	66	56151	MNT-2755-B	29	54611	MSTC-200	5, 47	01274
ML-110-2	66	56152	MNT-2756-B	29	00307	MSTC-250	5, 47	01275
ML-110-3	66	56153	MNT-2757-B	29	00308	MSTC-300	5, 47	01276
ML-110-4	66	56154	MNT-2758-B	29	00309	MSTC-350	5, 47	01444
ML-110-5	66	56155	MNT-2759-B	29	00310	MSTC-400	5, 47	01277
ML-110-6	66	56156	MNT-2760	29	54612	MSF	94	75590
ML-110-7	66	56157	MNT-2761	29	54613	MSNT-2750	9	01160
ML-110-8	66	56158	MNT-2762	29	54614	MSNT-2750-B	9	01166
ML-110-9	66	56159	MNT-2763	29	54615	MSNT-2751	9	01161
ML-110-10	66	56160	MNT-2764	29	54616	MSNT-2751-B	9	01167
ML-141-1	26	00545	MNT-2765	29	54617	MSNT-2752	9	01162
ML-141-2	26	00546	MNT-2766	29	00322	MSNT-2752-B	9	01168
ML-141-3	26	00547	MNT-2767	29	00340	MSNT-2753	9	01163
ML-141-4	26	00548	MNT-2768	29	00341	MSNT-2753-B	9	01169
ML-141-5	26	00549	MNT-2769	29	00342	MSNT-2754	9	01164
ML-141-6	26	00550	MPI	102	75180	MSNT-2754-B	9	01170
ML-142-1	27	00551	MPIP	102	01406	MSNT-2755	9	01165
ML-142-2	27	00552	MPIBP	102	00950	MSNT-2755-B	9	01171
ML-142-3	27	00553	MP2	102	01423	MSNT-2760	9	01172
ML-142-4	27	00554	MPAL2	102	75181	MSNT-2761	9	01173
ML-142-5	27	00555	MPAL2BP	102	00951	MSNT-2762	9	01174
ML-142-6	27	00556	MPIS	94	75580	MSNT-2763	9	01175
ML-701	31	56201	MP2S	95	75581	MSNT-2764	9	01176
ML-702	31	56202	MPLS	102	75190	MSNT-2765	9	01177
ML-703	31	56203	MPLSBP	102	00952	MSP20	92	75200
ML-704	31	56204	MPLS2	102	75191	MSTR-38	73	54713
ML-705	31	56205	MPLS2BP	102	00953	MSTR-50	73	54721
ML-706	31	56206	MR-2	89	39202	MSTR-75	73	54727

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
MSTR-100	73	54700	*MSTR-40045-B	75	54783	N-100-CL	51	62064
MSTR-125	73	54770	MSTR-3890	74	54717	N-100200	51	62065
MSTR-150	73	54771	MSTR-5090	74	54725	N-100250	51	62066
MSTR-200	73	54772	MSTR-7590	74	54731	N-100300	51	62067
* Insulated Throat			MSTR-10090	74	54704	N-100350	52	62068
*MSTR-38-B	73	54714	MSTR-12590	74	54752	N-100400	52	62069
*MSTR-50-B	73	54722	MSTR-15090	74	54756	N-100500	52	62070
*MSTR-75-B	73	54728	MSTR-20090	74	54760	N-100600	53	62071
*MSTR-100-B	73	54701	*MSTR-3890-A	7, 75	01312	N-100800	53	62072
*MSTR-125-B	73	54773	*MSTR-5090-A	7, 75	01314	N-1001000	54	62073
*MSTR-150-B	73	54774	*MSTR-7590-A	7, 75	01313	N-1001200	54	62074
*MSTR-200-B	73	54775	*MSTR-10090-A	7, 75	01315	N-125-CL	51	62075
*MSTR-250-B	73	54776	*MSTR-12590-A	7, 75	01316	N-125200	51	62076
*MSTR-300-B	73	54777	*MSTR-15090-A	7, 75	01317	N-125250	51	62077
*MSTR-350-B	73	54778	*MSTR-20090-A	7, 75	01318	N-125300	51	62078
*MSTR-400-B	73	54779	*MSTR-25090-A	7, 75	01319	N-125350	52	62079
*MSTR-500-B	73	00561	*MSTR-30090-A	7, 75	01320	N-125400	52	62080
*MSTR-600-B	73	00562	*MSTR-35090-A	7, 75	01321	N-125500	52	62081
*MSTR-38-A	7, 74	01227	*MSTR-40090-A	7, 75	01322	N-125600	53	62082
*MSTR-50-A	7, 74	01443	*MSTR-3890-B	74	54718	N-125800	53	62083
*MSTR-75-A	7, 74	01229	*MSTR-5090-B	74	54726	N-1251000	54	62084
*MSTR-100-A	7, 74	01230	*MSTR-7590-B	74	54732	N-1251200	54	62085
*MSTR-250-A	7, 74	01234	*MSTR-10090-B	74	54705	N-150-CL	51	62086
*MSTR-300-A	7, 74	01381	*MSTR-12590-B	74	54753	N-150200	51	62087
*MSTR-350-A	7, 74	01236	*MSTR-15090-B	74	54757	N-150250	51	62088
*MSTR-400-A	7, 74	01237	*MSTR-20090-B	74	54761	N-150300	51	62089
*MSTR-500-A	74	01238	*MSTR-25090-B	74	54784	N-150350	52	62090
*MSTR-600-A	74	01239	*MSTR-30090-B	74	54785	N-150400	52	62091
*MSTR-38-CL	74	02435	*MSTR-35090-B	74	54786	N-150500	52	62092
*MSTR-50-CL	74	01281	*MSTR-40090-B	74	54787	N-150600	53	62093
*MSTR-75-CL	74	01282	MTL4A	125	00039	N-150800	53	62094
*MSTR-100-CL	74	01283	MUF-50	64	54800	N-1501000	54	62095
*MSTR-125-CL	74	01284	MUF-75	64	54801	N-1501200	54	62096
*MSTR-150-CL	74	01285	MUN-125	8, 113	00982	N-200-CL	51	62150
*MSTR-200-CL	74	01286	MUN-150	8, 113	00983	N-200250	51	62097
*MSTR-250-CL	74	01287	MUN-200	8, 113	00984	N-200300	51	62098
*MSTR-300-CL	74	01288	MUN-250	8, 113	00985	N-200350	52	62099
*MSTR-350-CL	74	01289	MUN-300	8, 113	00986	N-200400	52	62100
*MSTR-400-CL	74	01290	MUN-400	8, 113	00987	N-200500	52	62101
MSTR-3845	75	54715	MUNB-125	8, 113	00988	N-200600	53	62102
MSTR-5045	75	54723	MUNB-200	8, 113	00989	N-200800	53	62103
MSTR-7545	75	54729	MUNC-125	8, 113	01265	N-2001000	54	62104
MSTR-10045	75	54702	MUNC-200	8, 113	01267	N-2001200	54	62105
MSTR-12545	75	54750	N-50-CL	51	62040	N-250-CL	51	62106
MSTR-15045	75	54754	N-50150	51	62041	N-250300	51	62107
MSTR-20045	75	54758	N-50200	51	62042	N-250350	52	62108
*MSTR-3845-A	8, 76	01323	N-50250	51	62043	N-250400	52	62109
*MSTR-5045-A	8, 76	01324	N-50300	51	62044	N-250500	52	62110
*MSTR-7545-A	8, 76	01325	N-50350	52	62045	N-250600	53	62111
*MSTR-10045-A	8, 76	01326	N-50400	52	62046	N-250800	53	62112
*MSTR-12545-A	8, 76	70132	N-50500	52	62047	N-2501000	54	62113
*MSTR-15045-A	8, 76	01328	N-50600	53	62048	N-2501200	54	62114
*MSTR-20045-A	8, 76	01329	N-50800	53	62049	N-300-CL	51	62115
*MSTR-25045-A	8, 76	01330	N-501000	54	62050	N-300300	51	62116
*MSTR-30045-A	8, 76	01331	N-501200	54	62051	N-300350	52	62117
*MSTR-35045-A	8, 76	01332	N-75-CL	51	62052	N-300400	52	62118
*MSTR-40045-A	8, 76	01333	N-75150	51	62053	N-300500	52	62119
*MSTR-3845-B	75	54716	N-75200	51	62054	N-300600	53	62120
*MSTR-5045-B	75	54724	N-75250	51	62055	N-300800	53	62121
*MSTR-7545-B	75	54730	N-75300	51	62056	N-3001000	54	62122
*MSTR-10045-B	75	54703	N-75350	52	62057	N-3001200	54	62123
*MSTR-12545-B	75	54751	N-75400	52	62058	N-350-CL	51	62124
*MSTR-15045-B	75	54755	N-75500	52	62059	N-350400	52	62125
*MSTR-20045-B	75	54759	N-75600	53	62060	N-350500	52	62126
*MSTR-25045-B	75	54780	N-75800	53	62061	N-350600	53	62127
*MSTR-30045-B	75	54781	N-751000	54	62062	N-350800	53	62128
*MSTR-35045-B	75	54782	N-751200	54	62063	N-3501000	54	62129

A

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
N-3501200	54	62130	P-39	84	52001	PELA-150	107	76041
N-400-CL	51	62131	P-40	84	52010	PELA-200	107	76042
N-400400	52	62132	P-41	84	52011	PELA-250	107	76043
N-400500	52	62133	P-239	84	51900	PELA-300	107	76044
N-400600	53	62134	P-240	84	52020	PELA-350	107	76045
N-400800	53	62135	P-241	84	52021	PELA-400	107	76046
N-4001000	54	62136	P-339	84	52029	PFA-50	106	76047
N-4001200	54	62137	P-340	84	52030	PFA-75	106	76048
N-500-CL	51	01407	P-342	84	52032	PFA-100	106	76049
N-500500	52	00218	P-344	84	53454	PFA-125	106	76050
N-500600	53	00219	P-400	84	52040	PFA-150	106	76051
N-500800	53	00222	P-6001	116	52060	PFA-200	106	76052
N-5001000	54	00225	P-6002	116	52061	PFA-250	106	76053
N-5001200	54	00227	P-6003	116	52062	PFA-300	106	76054
N-600-CL	51	00669	P-6004	116	52063	PFA-350	106	76055
N-600500	53	00220	P-7001	116	00126	PFA-400	106	76056
N-600600	53	00221	P-7002	116	00127	PFA-500	106	00112
N-600800	54	00224	P-7003	116	00128	PFA-600	106	00113
N-6001000	54	00226	PBSC	110	82759	PFSC-3	110	00586
N-6001200	54	00228	PBSC-2	110	01179	PFSC-50	109	76057
NMLQ-1038	72	63000	PC-50	106	76000	PFSCC-3	110	00589
NMLQ-1038-S	72	80496	PC-75	106	76001	PFSC-75	109	76058
NMLQ-1050	72	63001	PC-100	106	76002	PFSE-3	110	00585
NMLQ-1050-S	72	80497	PC-125	106	76003	PFSE-50	109	76059
NMLQ-1075	72	63002	PC-150	106	76004	PFSCD-3	110	00588
NMLQ-1075-S	72	80498	PC-200	106	76005	PFSE-75	109	76060
NMLQ-1100	72	63003	PC-250	106	76006	PFSED-3	110	00587
NMLQ-1125	72	63004	PC-300	106	76007	PFSS-3	110	00590
NMLQ-1150	72	63005	PC-350	106	76008	PFSS-50	110	76061
NMLQ-1200	72	63006	PC-400	106	76009	PFSS-75	110	76062
NMLQ-9038	72	63015	PC-500	106	00108	PGFSC	110	76193
NMLQ-9038-S	72	80499	PC-600	106	00109	PJB-442	109	76063
NMLQ-9050	72	63016	PCLA-50	107	76010	PJB-444	109	76064
NMLQ-9050-S	72	80502	PCLA-75	107	76011	PJB-664	109	76065
NMLQ-9075	72	63017	PCLA-100	107	76012	PJB-666	109	76066
NMLQ-9075-S	72	80503	PCLA-125	107	76013	PJB-884	109	76067
NMLQ-9100	72	63018	PCLA-150	107	76014	PJB-887	109	76068
NMLQ-9125	72	63019	PCLA-200	107	76015	PJB-12124	109	76069
NMLQ-9150	72	63020	PCLA-250	107	76016	PJB-12126	109	76070
NMLQ-9200	72	63021	PCLA-300	107	76017	PJBA-50	109	76071
OB-IU	124	00503	PCLA-350	107	76018	PJBA-75	109	76072
OB-IU2	124	00505	PCLA-400	107	76019	PJBA-100	109	76073
OB-IUD	124	00504	PDSC	110	76020	PJBA-125	109	76074
OBD-50	121	00263	PEC-50	112	76021	PJBA-150	109	76075
OBD-50W	121	00465	PEC-75	112	76022	PJBA-200	109	76076
OBD-75	121	00264	PEC-100	112	76023	PJBA-250	109	76077
OBD-75W	121	00466	PEC-125	112	76024	PJBA-300	109	76078
OB50-3	121	00252	PEC-150	112	76025	PJBA-350	109	76079
OB50-3W	121	00459	PEC-200	112	76026	PJBA-400	109	76080
OB50-4	121	00251	PEC-250	112	76027	PLBLA-50	107	76081
OB50-4W	121	00414	PEC-300	112	76028	PLBLA-75	107	76082
OB50-5	121	00250	PEC-400	112	76029	PLBLA-100	107	76083
OB50-5W	121	00399	PEJ-50	112	00457	PLBLA-125	107	76084
OB75-3	121	00253	PEJ-75	112	00458	PLBLA-150	107	76085
OB75-3W	121	00460	PEJ-100	112	76030	PLBLA-200	107	76086
OB75-4	121	00129	PEJ-125	112	00429	PLBLA-250	107	76087
OB75-4W	121	00389	PEJ-150	112	76031	PLBLA-300	107	76088
P-12	81	51012	PEJ-200	112	76032	PLBLA-350	107	76089
P-13	81	51013	PEJ-250	112	76033	PLBLA-400	107	76090
P-15	81	51015	PEJ-300	112	76034	PLLLA-50	108	76091
P-16	81	51016	PEJ-350	112	76035	PLLLA-75	108	76092
P-18	82	51018	PEJ-400	112	76036	PLLLA-100	108	76093
P-19	81	00644	PEL-5075	111	00506	PLLLA-125	108	76094
P-20	81	00645	PELA-50	107	76037	PLLLA-150	108	76095
P-25	82	52050	PELA-75	107	76038	PLLLA-200	108	76096
P-26	82	01037	PELA-100	107	76039	PLLLA-250	108	76097
P-38	84	52000	PELA-125	107	76040	PLLLA-300	108	76098

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
PLLLA-350	108	76099	PTA-500	106	00110	PVC-20090488	116	82762
PLLLA-400	108	76100	PTA-600	106	00111	PVC-25090248	116	01391
PLRLA-50	108	76101	PTLA-50	108	76162	PVC-25090368	116	82763
PLRLA-75	108	76102	PTLA-75	108	76163	PVC-30090248	116	82764
PLRLA-100	108	76103	PTLA-100	108	76164	PVC-30090368	116	82765
PLRLA-125	108	76104	PTLA-125	108	76165	PVC-30090488	116	82766
PLRLA-150	108	76105	PTLA-150	108	76166	PVC-40090	113	76192
PLRLA-200	108	76106	PTLA-200	108	76167	PVC-4009024	115	80493
PLRLA-250	108	76107	PTLA-250	108	76168	PVC-40090248	116	00957
PLRLA-300	108	76108	PTLA-300	108	76169	PVC-4009036	115	80494
PLRLA-350	108	76109	PTLA-350	108	76170	PVC-40090368	116	82767
PLRLA-400	108	76110	PTLA-400	108	76171	PVC-4009048	115	80495
PMEB-50	111	76111	PTSC	110	76172	PVC-40090488	116	82769
PMEB-75	111	76112	PVC-5045	114	76173	PVC-4009080	114	80480
PMEB-100	111	76113	PVC-504580	115	80463	PVC-50030	114	00037
PMEB-125	111	76114	PVC-5090	113	76174	PVC-50045	114	00116
PMEB-150	111	76115	PVC-509080	114	80464	PVC-50090	113	00114
PMEB-200	111	76116	PVC-7545	114	76175	PVC-5009036	115	00118
PMEB-250	111	76117	PVC-754580	115	80465	PVC-5009048	115	00125
PMEB-300	111	76118	PVC-7590	113	76176	PVC-50090488	116	00124
PMEB-350	111	76119	PVC-759080	114	80466	PVC-60045	114	00117
PMEB-400	111	76120	PVC-10030	114	00374	PVC-60090	113	00115
PMEB-500	111	00121	PVC-10045	114	76177	PVC-6009036	115	00119
PMEB-600	111	00122	PVC-1004580	115	80467	PVC-6009048	115	00120
PMH-50	113	76121	PVC-10090	113	76178	PVSD-20	110	00594
PMH-75	113	76122	PVC-1009080	114	80468	PVTC-15	110	00592
PMH-100	113	76123	PVC-12545	114	76179	PVTC-20	110	00593
PMH-125	113	76124	PVC-1254580	115	80469	PWDRC	110	00591
PMH-150	113	76125	PVC-12590	113	76180	RB50-5	121	00277
PMH-200	113	76126	PVC-1259080	114	80470	RB50-5W	121	00475
PMH-250	113	76127	PVC-15030	114	00908	RBC	121	00281
PMH-300	113	76128	PVC-15045	114	76181	RBCW	121	00476
PMH-350	113	76129	PVC-1504580	115	80471	RBS16	96	75210
PMH-400	113	76130	PVC-15090	113	76182	RBS24	96	75211
PMO-125	111	76131	PVC-1509036	115	00956	RC-50	47	62138
PMO-200	111	76132	PVC-20030	114	00375	RC-75	47	62139
POIGSR	124	00275	PVC-20045	114	76183	RC-100	47	62140
POCT-400150	110	00451	PVC-20090	113	76184	RC-125	47	62141
PRB-7550	112	76133	PVC-2009024	115	80481	RC-150	47	62142
PRB-10050	112	76134	PVC-2009036	115	80482	RC-200	47	62143
PRB-10075	112	76135	PVC-2009048	115	80483	RC-250	47	62144
PRB-12575	112	76136	PVC-2009080	114	80474	RC-300	47	62145
PRB-125100	112	76137	PVC-25045	114	76185	RC-350	47	62146
PRB-150125	112	76138	PVC-2504580	115	80475	RC-400	47	62147
PRB-200125	112	76139	PVC-25090	113	76186	RC-500	47	00214
PRB-200150	112	76140	PVC-2509024	115	80484	RC-600	47	00215
PRB-250200	112	76141	PVC-2509036	115	80485	RIS-2007T2	55	00395
PRB-300200	112	76142	PVC-2509048	115	80486	RLC	102	75220
PRB-300250	112	76143	PVC-2509080	114	80476	RLCBP	102	00958
PRB-400300	112	76144	PVC-30030	114	00123	RLH-2	122	00595
PRB-400350	112	76145	PVC-30045	114	76187	RLH-2W	122	00596
PS-50	111	76146	PVC-3004580	115	80477	RMX	96	75230
PS-75	111	76147	PVC-30090	113	76188	RPS50H4EG	105	65860
PS-100	111	76148	PVC-3009024	115	80487	RT-18	55	00130
PS-125	111	76149	PVC-3009036	115	80488	RT-14	55	00131
PS-150	111	76150	PVC-3009048	115	80489	RT-38	55	00132
PS-200	111	76151	PVC-3009080	114	80478	RT-50	55	00133
PTA-50	106	76152	PVC-35045	114	76189	RT-75	55	00134
PTA-75	106	76153	PVC-35090	113	76190	RT-100	55	00135
PTA-100	106	76154	PVC-3509024	115	80490	RT-125	55	00136
PTA-125	106	76155	PVC-3509036	115	80491	RT-150	55	00137
PTA-150	106	76156	PVC-3509048	115	80492	RT-200	55	00138
PTA-200	106	76157	PVC-40030	114	00376	RT-250	55	00139
PTA-250	106	76158	PVC-40045	114	76191	RT-300	55	00140
PTA-300	106	76159	PVC-4004580	115	80479	RT-350	55	00141
PTA-350	106	76160	PVC-20090248	116	82760	RT-400	55	00142
PTA-400	106	76161	PVC-20090368	116	82761	SB-2	86	39055

A

Index

Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297	Item No.	Page No.	UPC/DCI 784297
SB-3	86	39054	TA-100	64	00580			
SB-4	86	39053	TA-125	64	00581			
SB-6	86	39052	TA-150	64	00582			
SB-8	86	39051	TA-200	64	00583			
SB-1/0	86	39056	TDLA-1/0	88	64040			
SB-2/0	86	39057	TDLA-250	88	64041			
SB-3/0	86	39058	TGB50-3	121	00286			
SB-4/0	86	39059	TGB50-3W	121	00480			
SB-350	86	39060	TGB75-3	121	00292			
SB-500	86	39061	TGB75-3W	121	00483			
SB-750	86	39062	TGB75-4	121	00290			
SB-1000	86	39063	TGB75-4W	121	00481			
SC2C	102	75240	TGB75-5	121	00291			
SC2D	102	75241	TGB75-5W	121	00482			
SC4D	102	75242	TL-4	88	64052			
SC4E	102	75243	TL-8	88	64053			
SC8D	102	00959	TL-1/0	88	64050			
SCH12	104	75600	TL-250	88	64051			
SCH12B	104	00960	TLA-2	88	64061			
SG-50	79	00566	TLA-6	88	64064			
SG-75	79	00567	TLA-1/0	88	64060			
SG-100	79	00568	TLA-2/0	88	64062			
SG-125	79	00569	TLA-250	88	64063			
SG-150	79	00570	TS15A	124	00293			
SG-200	79	00571	TS15AW	124	00484			
SG-250	79	00572	TS20A	124	00295			
SG-300	79	00573	TS20AW	124	00485			
SG-350	79	00574	TSGB16	95	75250			
SG-400	79	00575	TSGB16BP	95	00974			
SG-500	79	00576	TSGB24	95	75251			
SG-600	79	00577	VAFT	92	00975			
SGB16A	95	00961	VF14	92	64200			
SK85I	104	75610	W-10	18	17140			
SK85IBP	104	00962	W-11	18	17135			
SK125I	104	75611	W-12	18	17130			
SK125IBP	104	00963	W-13	18	17131			
SK165I	104	75612	W-15	18	17125			
SK205I	104	75613	WC1/0-4	84	52121			
SK245I	104	75614	WC2-6	84	52122			
SK325I	104	75615	WC-208	91	64300			
SK405I	104	75616	WC-84	91	39123			
SK485I	104	75617	WC-86	91	39124			
SK565I	104	75618	WC-88	91	39125			
SK645I	104	75619	WC-90	91	39126			
SL-25	87	39090	YR-100	126	61032			
SL-35	87	39091						
SL-70	87	39092						
SL-125	87	39094						
SL-175	87	39095						
SL-225	87	39096						
SL-300	87	39097						
SL-400	87	39098						
SL-650	87	39099						
SL-709	87	39093						
SLD2L1BP	105	00964						
SLD2L2BP	105	00965						
SLD2L3BP	105	00966						
SLD3L2BP	105	00967						
SLD3L3BP	105	00968						
SLICK250	105	00969						
SLICK375	105	00970						
SLICK500	105	00971						
SMS8	94	00972						
SOC1GDR	123	00284						
SOC1GDRW	123	00479						
STS	105	00973						
SVL-2W	122	00299						
TA-50	64	00578						
TA-75	64	00579						



E.M.T. Bender with Handle

- Aluminum alloy construction

Catalog Number	Trade Size	Rigid	EMT	Inner Carton	Master Carton	Master Weight
EL-1	1/2"	-	1/2"	-	1	4.78
EL-2	3/4"	1/2"	3/4"	-	1	5.7



Wire Strippers and Cutters

Catalog Number	Description	Package	Inner Carton	Master Carton	Master Weight
I01S-IC	Standard wire stripper with spring action, strips and cuts insulated wire sizes up to #10 AWG, stop screw adjusts to fit wire sizes, spring allows for repetitive functions closing lock function, hardened and tempered steel blades, plastic coated handles	bagged	12	60	10



Wire Strippers and Cutters

Catalog Number	Description	Package	Inner Carton	Master Carton	Master Weight
I03S-B	Rotary Cam wire stripper strips and cuts insulated wire sizes up to #10 AWG, cam adjusts to fit wire size, spring allows for repetitive functions, closing lock function, hardened and tempered steel blades, plastic coated handles	bulk	12	60	10

