



## HP LaserJet Enterprise M608x (K0Q19A)

Active as of 1/5/2017



### Overview

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.<sup>1</sup>

#### The world's most secure printing<sup>1</sup>

With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.

Help prevent potential attacks and take immediate action with instant notification of security issues.

Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.<sup>2</sup>

#### High-speed performance meets energy efficiency

Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.

This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.<sup>4</sup>

This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.<sup>5</sup>

#### More. Pages, Performance, and Protection.<sup>6</sup>

Produce sharp text, bold blacks, and crisp graphics with precision black toner.

Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.<sup>6</sup>

Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.



#### Take the guesswork out of fleet management

Centrally monitor and control your printers with HP Web Jetadmin.



#### Eliminate the wait from your workday

This printer wakes up fast and prints your first page as quickly as XX seconds.



#### Designed to conserve

This efficient printer is designed for exceptionally low energy consumption



#### Exceptional quality

Original HP ink and toner cartridges come backed by over 20 years of development, delivering the highest quality prints.

## 2-sided printing

Allows you to print on both sides of the page, cutting your paper use by up to 50%.

---

## Replaces

Status	Product Name	Discontinued	SKU
Pending discontinuance	HP LaserJet Enterprise M605x	01/12/9998	E6B71A
Pending discontinuance	HP LaserJet Enterprise M605x	01/12/9998	E6B71A

---

## Specifications

### Functions

Print

### Print speed black (normal, A4)

Up to 61 ppm<sup>7</sup>

### Print speed duplex (A4)

Up to 50 ppm

### First page out black (A4, ready)

As fast as 5.4 sec

### Duty cycle (monthly, A4)

Up to 275,000 pages

*(Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.)*

### Recommended monthly page volume

5000 to 25000

*(HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.)*

### Number of users

10-30 Users

### Print technology

Laser

### Print quality black (best)

Up to 1200 x 1200 dpi

### Processor speed

1.2 GHz

### Print languages

HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™

### Display

4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)

### Print colours

No

### Number of print cartridges

1 (black)

### Mac compatible

Yes

### Printer management

HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin

Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver

### Security management

Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs

### Fonts and typefaces

105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <http://www.hp.com/go/laserjetfonts>

### Mobile printing capability

HP ePrint; Wireless direct printing; Apple AirPrint™; Mopria-certified<sup>6</sup>

### Connectivity, standard

1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy I/O

### Connectivity, optional

HP Jetdirect 2900nw Print Server J8031A

### Minimum system requirements

2 GB available hard disk space; OS hardware requirements see [microsoft.com](http://microsoft.com)

### Minimum system requirements for

#### Macintosh

1.3 GB available hard drive space; Internet; OS hardware requirements see [Apple.com](http://Apple.com) for more info

### Compatible operating systems

Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)

*(Full solution software available only for Windows 7 and newer, UPD software available only for Windows 7 and newer, HP Software for Mac and Windows is no longer included on the CD, but can be downloaded from [123.hp.com](http://123.hp.com); Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only with a reduced feature set, Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS)*

### Compatible network operating systems

Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Citrix XenDesktop 5.6 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008

R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Novell NetWare 6.5/SP8 Novell Clients [www.novell.com/iprint](http://www.novell.com/iprint), Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers [www.novell.com/iprint](http://www.novell.com/iprint)), Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services)

**Memory, standard**

512 MB

**Memory, maximum**

1.5 GB, MAX memory, when 1GB Accessory DIMM is installed

**Memory slots**

1 slot, 90-pin

**Paper handling input, standard**

100-sheet multipurpose feeder, 550-sheet input feeder, 550 accessory feeder

**Paper handling input, optional**

Optional 1x550-sheet paper feeder, optional 1x550 paper feeder and stand with cabinet, optional 3x550-sheet paper feeder and stand, optional high-capacity paper feeder and stand with 1x550 sheet feeder and 1x2,000-sheet feeder

**Input capacity**

Up to 1200 sheets

**Maximum input capacity (sheets)**

Up to 4400 sheets

**Paper handling output, standard**

500 sheet output bin

**Paper handling output, optional**

Optional 5 bin stapler stacker

**Output capacity**

Up to 500 sheets

**Maximum output capacity (sheets)**

Up to 1300 sheets

**Finished output handling**

Sheetfed

**Duplex printing**

Automatic (standard)

**Paper trays, standard**

3

**Paper trays, maximum**

Up to 6

**Envelope feeder**

Yes, 75 (optional)

**Media sizes supported**

feeder 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (JIS single and double); feeder 2: A4, A5, A5-R, B5 (JIS), 16K; feeder 3: A4, A5, A5-R, B5 (JIS), 16K

**Media sizes, custom**

feeder 1: 76 x 127 to 216 x 356 mm; feeder 2: 99 x 148 to 216 x 356 mm, feeder 3: 99 x 148 to 216 x 356 mm

**Media types**

Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope

**Media weight, supported**

Feeder 1: 60 to 199 g/m<sup>2</sup>; feeder 2, 3: 60 to 120 g/m<sup>2</sup>

**Power**

100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A

**Power supply type**

Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier)

**Power consumption**

780 watts (printing), 15.3 watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off)<sup>3</sup>

**Typical electricity consumption (TEC) number**

ES: 2.622 kWh/week, BA: 2.425 kWh/week

**Energy efficiency**

ENERGY STAR® certified; Blue Angel; EPEAT® Silver; EPEAT® Gold (#AAZ, #201 options only)

**ENERGY STAR® certified**

Yes

**Operating temperature range**

15 to 32.5°C

**Operating humidity range**

10 to 90% RH

**Minimum dimensions (W x D x H)**

431 x 466 x 505 mm

**Maximum dimensions (W x D x H)**

431 x 1100 x 581 mm

**Weight**

21.6 kg

**UPC number**

(AB0) 889894068538; (AB2) 889894068545; (ABJ) 889894068552; (ABT) 889894068590; (ABY) 889894068606; (ACJ) 889894068569; (ACQ) 889894068613; (AKV) 190781090793; (B13) 889894068620; (B19) 889894068637; (BAZ) 889894068644; (BBU) 889894068576; (BGJ) 889894068705; (BGM) 889894068583

**Package dimensions (W x D x H)**

762 x 593 x 511 mm

**Package weight**

33.80 kg

**Quantity per pallet**

8

**Pallet dimensions (W x D x H)**

1200 x 800 x 2191 mm (AP), 1200 x 800 x 2192 mm (EMEA & AMS)

**Pallet weight**

287.46 kg (NA, EMEA, AP)

**Country of origin**

Made in China (AB0, AB2, ABJ, ACJ, BBU, BGM, ACQ, ABT, ABY, B13, B19, BAZ, BGJ, AKV); Made in Brazil (697, AC8)

**What's in the box**

HP LaserJet Printer  
HP Black Original LaserJet Toner Cartridge (~11K yield)  
CD with software drivers and documentation  
Documentation (Hardware Install Guide)  
Power cord

**Cable included**

No, please purchase (USB) cable separately

**Replacement cartridges**

HP 37A Black Original LaserJet Toner Cartridge (11,000 yield) CF237A; HP 37X High Yield Black Original LaserJet Toner Cartridge (25,000 yield) CF237X; HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge (41,000 yield) CF237Y

**Software included**

HP Connected  
HP Device Experience (DXP)  
HP PCL 6 (XPS) Printer Driver  
HP Software Installer/Uninstaller  
Mac OS Welcome Screen (Directs users to [123.HP.com](http://123.hp.com) or OS App Source for printer software)  
Online user manuals

**Warranty**

1 Year Limited Warranty (Return to HP/Dealer - Standard Bench Repair)

---

**Overview**

- 1 Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>
- 2 HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>
- 4 Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
- 5 Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in [energystar.gov](http://energystar.gov) versus the top three leading competitors as of 8/2015. Actual results may vary. For details see <http://www.hp.com/go/Ljclaims>
- 6 More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutesupplies>

**Specifications**

- 3 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- 6 May require a firmware upgrade to be compatible, download at <http://www.hp.com/go/support>
- 7 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

### Brochure (2)

#### **HP Print Security. Solution Overview (A4)**

A solution overview brochure which explains the importance of print security and how to reduce security risks with the embedded security features in HP devices and a broad portfolio of HP JetAdvantage Security Solutions.

#### **HP Print Security. Solution Overview (LTR)**

A solution overview brochure which explains the importance of print security and how to reduce security risks with the embedded security features in HP devices and a broad portfolio of HP JetAdvantage Security Solutions.

---

### Data sheet (1)

#### **HP LaserJet Enterprise M608 series AP datasheet**

Datasheet for HP LaserJet Enterprise M608 series

---

### Product family guide (2)

#### **HP printers, MFPs, and all-in-ones. Selection guide**

Selection guide providing business customers the information they need to choose the right HP LaserJet or Officejet printer or MFP for their work teams, workgroups, and departments. Includes qualifying questions and tables comparing device features.

#### **HP LaserJet Enterprise M607, M608, M609 series. Product guide**

Learn everything you need to know about the HP LaserJet Enterprise M607dn, M608dn, M609dn series, including key features and benefits, a product walk around, ordering information, and technical specifications.

---

### Sales guide (2)

#### **HP Line-up Map A4 Printers (LaserJet and PageWide) - May 2017 Edition (APJ Version except China and India)**

HP Line-up Map A4 Printers (LaserJet and PageWide) - May 2017 Edition consist of HP LaserJet Printers and HP PageWide Printers.

#### **HP Line-up Map A4 Printers (LaserJet and PageWide) - May 2017 Edition (China/India Only)**

HP Line-up Map A4 Printers (LaserJet and PageWide) consist of HP LaserJet Printers and HP PageWide Printers.

---

### Solution brief (4)

#### **Original HP Toner cartridges with JetIntelligence. Solution brief (LTR)**

Learn about Original HP Toner cartridges with JetIntelligence, including key features and technologies, such as page maximizer technology, print gauge technology, ColorSphere 3 toner, anti-fraud technology and auto seal removal.

#### **Original HP Toner cartridges with JetIntelligence. Solution brief (A4)**

Learn about Original HP Toner cartridges with JetIntelligence, including key features and technologies, such as page maximizer technology, print gauge technology, ColorSphere 3 toner, anti-fraud technology and auto seal removal.

#### **The Wolf, season 2. Case study (A4)**

A customer-facing case study about "The Wolf: The Hunt Continues" film. Describes the hack of Coastline Regional Hospital, why the company was at risk, and how HP helped them improve security for devices (PC and printer), data, and documents.

#### **The Wolf: The Hunt Continues. Case study (LTR)**

A customer-facing case study about "The Wolf: The Hunt Continues" film. Describes the hack of Coastline Regional Hospital, why the company was at risk, and how HP helped them improve security for devices (PC and printer), data, and documents.

---

### Success story (5)

#### **Principal: HP MPS solution expands to improve security, mobility**

Principal is building on its HP MPS foundation with HP Access Control and HP Capture and Route to help boost document security, reduce waste and simplify scanning.

#### **Autoliv ASP optimizes workflows, cuts costs with HP Managed Print Services**

HP Managed Print Services helps Autoliv ASP improve business process through consolidation, automatic toner re-ordering, workflow tracking with HP Web Jetadmin, and HP Virtual Print center for large volume, specialty printing.

**Palo Alto Unified School District enables flexible print policy with HP MPS**

Palo Alto Unified School District selected HP Managed Print Services (MPS) to help cut costs, improve productivity, and simplify management of its print infrastructure.

**HP MPS aids in efficient healthcare at Houston Healthcare while reducing costs**

Houston Healthcare, a non-profit healthcare system in Georgia, streamlined costs without impacting quality of care and improved efficiencies with HP Managed Print Services. Implementing HP MPS has reduced print costs at Houston Healthcare by 48%.

**HP MPS provides visibility into printing for Kelly-Moore Paints**





Kelly-Moore Paints has 150 company-owned retail stores in seven states. The company has reduced internal printing costs by 60% with HP Managed Print Services. They know how much is being printed and that each location receives quality printer service.

**Technical white paper (1)**

**Aftermarket Chips for HP LaserJet Printers. Technical white paper**

A Technical White Paper explaining the recommended changes to avoid brand misidentification.

**Images - Product (4)**

			
<b>Center facing</b>	<b>Left facing</b>	<b>Right facing</b>	<b>Top view closed</b>
<a href="#">54 x 41 (jpg)</a> <a href="#">54 x 41 (png)</a> <a href="#">100 x 70 (jpg)</a> <a href="#">96 x 72 (jpg)</a> <a href="#">96 x 72 (png)</a> <a href="#">99 x 74 (png)</a> <a href="#">153 x 115 (png)</a> <a href="#">180 x 135 (png)</a> <a href="#">240 x 180 (jpg)</a> <a href="#">240 x 180 (png)</a> <a href="#">247 x 185 (png)</a> <a href="#">170 x 190 (jpg)</a> <a href="#">257 x 193 (png)</a> <a href="#">320 x 240 (jpg)</a> <a href="#">320 x 240 (png)</a> <a href="#">474 x 356 (png)</a> <a href="#">513 x 385 (png)</a> <a href="#">400 x 400 (jpg)</a> <a href="#">400 x 400 (png)</a> <a href="#">573 x 430 (png)</a> <a href="#">800 x 600 (png)</a> <a href="#">1659 x 1246 (png)</a> <a href="#">1500 x 2059 (jpg)</a> <a href="#">2231 x 2753 (png)</a> <a href="#">2226 x 2908 (jpg)</a>	<a href="#">54 x 41 (jpg)</a> <a href="#">54 x 41 (png)</a> <a href="#">100 x 70 (jpg)</a> <a href="#">96 x 72 (jpg)</a> <a href="#">96 x 72 (png)</a> <a href="#">99 x 74 (png)</a> <a href="#">153 x 115 (png)</a> <a href="#">180 x 135 (png)</a> <a href="#">240 x 180 (jpg)</a> <a href="#">240 x 180 (png)</a> <a href="#">247 x 185 (png)</a> <a href="#">170 x 190 (jpg)</a> <a href="#">257 x 193 (png)</a> <a href="#">320 x 240 (jpg)</a> <a href="#">320 x 240 (png)</a> <a href="#">474 x 356 (png)</a> <a href="#">513 x 385 (png)</a> <a href="#">400 x 400 (jpg)</a> <a href="#">400 x 400 (png)</a> <a href="#">573 x 430 (png)</a> <a href="#">800 x 600 (png)</a> <a href="#">1659 x 1246 (png)</a> <a href="#">1500 x 1986 (jpg)</a> <a href="#">2437 x 2943 (png)</a> <a href="#">2472 x 3083 (jpg)</a>	<a href="#">54 x 41 (jpg)</a> <a href="#">54 x 41 (png)</a> <a href="#">100 x 70 (jpg)</a> <a href="#">96 x 72 (jpg)</a> <a href="#">96 x 72 (png)</a> <a href="#">99 x 74 (png)</a> <a href="#">153 x 115 (png)</a> <a href="#">180 x 135 (png)</a> <a href="#">240 x 180 (jpg)</a> <a href="#">240 x 180 (png)</a> <a href="#">247 x 185 (png)</a> <a href="#">170 x 190 (jpg)</a> <a href="#">257 x 193 (png)</a> <a href="#">320 x 240 (jpg)</a> <a href="#">320 x 240 (png)</a> <a href="#">474 x 356 (png)</a> <a href="#">513 x 385 (png)</a> <a href="#">400 x 400 (jpg)</a> <a href="#">400 x 400 (png)</a> <a href="#">573 x 430 (png)</a> <a href="#">800 x 600 (png)</a> <a href="#">1659 x 1246 (png)</a> <a href="#">1500 x 1920 (jpg)</a> <a href="#">2407 x 2728 (png)</a> <a href="#">2437 x 2930 (jpg)</a>	<a href="#">54 x 41 (jpg)</a> <a href="#">54 x 41 (png)</a> <a href="#">100 x 70 (jpg)</a> <a href="#">96 x 72 (jpg)</a> <a href="#">96 x 72 (png)</a> <a href="#">99 x 74 (png)</a> <a href="#">153 x 115 (png)</a> <a href="#">180 x 135 (png)</a> <a href="#">240 x 180 (jpg)</a> <a href="#">240 x 180 (png)</a> <a href="#">247 x 185 (png)</a> <a href="#">170 x 190 (jpg)</a> <a href="#">257 x 193 (png)</a> <a href="#">320 x 240 (jpg)</a> <a href="#">320 x 240 (png)</a> <a href="#">474 x 356 (png)</a> <a href="#">513 x 385 (png)</a> <a href="#">400 x 400 (jpg)</a> <a href="#">400 x 400 (png)</a> <a href="#">573 x 430 (png)</a> <a href="#">800 x 600 (png)</a> <a href="#">1659 x 1246 (png)</a> <a href="#">1500 x 1712 (jpg)</a> <a href="#">2960 x 3159 (png)</a> <a href="#">2962 x 3160 (jpg)</a>

**Search additional assets (Asset Hub)**

**Search for additional assets**

This link is being provided as a convenience and for informational purposes only. HP Sales Central bears no responsibility for the accuracy, legality or content of the external site or for that of subsequent links. Contact the external site for answers to questions regarding its content.



## Cabinets and Stands

### Printer Cabinets and Stands

Active	HP LaserJet Printer Stand	LOH19A
--------	---------------------------	--------

---

## Cables/Cable Kits/Cable Adapters

### Port Cables and Cable Adapters

Active	HP Internal USB Ports	B5L28A
--------	-----------------------	--------

---

## Paper Handling

### Envelope Feeders

Active	HP LaserJet Envelope Feeder	LOH21A
--------	-----------------------------	--------

### Input Trays

Active	HP LaserJet 550-sheet Paper Tray	LOH17A
Active	HP LaserJet 2100 Sheet Paper Tray	LOH18A
Active	HP LaserJet Extension Tray Cover	LOH22a

### Output Trays and Stackers

Active	HP LaserJet Stapler/Stacker/Mailbox	LOH20A
--------	-------------------------------------	--------

---

## PC Drives and Storage

### EIO Hard Drives

Active	HP High-Performance Secure Hard Disk	B5L29A
--------	--------------------------------------	--------

## Network Print Servers

### External Print Servers

Active	HP Jetdirect 2900nw Print Server	J8031A
Active	HP Jetdirect 3000w NFC/Wireless Accessory	J8030A

## HP Care Services

### Hardware Installation Services

Active	HP Inst SVC w/nw Workgroup Printer	U9JT2E
--------	------------------------------------	--------

### Hardware Support Services

Active	HP 1 year Post Warranty 4 hour 9x5 Hardware Support w/DMR for LaserJet Enterprise M608	U9NG6PE
Active	HP 1 year Post Warranty NBD Parts Exchange Service for LaserJet Enterprise M608 (Channel only)	U9NH3PE
Active	HP 1 year Post Warranty Next Business Day Hardware Support w/DMR for LaserJet Enterprise M608	U9NG4PE
Active	HP 1 year Post Warranty Return for Repair Service for LaserJet Enterprise M608	U9NH2PE
Active	HP 2 year Post Warranty 4 hour 9x5 Hardware Support w/DMR for LaserJet Enterprise M608	U9NG7PE
Active	HP 2 year Post Warranty NBD Parts Exchange Service for LaserJet Enterprise M608 (Channel only)	U9NH4PE
Active	HP 2 year Post Warranty Next Business Day Hardware Support w/DMR for LaserJet Enterprise M608	U9NG5PE
Active	HP 3 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise M608	U9NE3E
Active	HP 3 year NBD HW support w/Maintenance Kit Replacement for LaserJet Enterprise M608 (max 3 kits)	U9NG1E
Active	HP 3 year Next Business Day HW Support w/Defective Media Retention for LaserJet Enterprise M608	U9NE0E
Active	HP 3 year Next Business Day Parts Exchange Service for LaserJet Enterprise M608 (Channel only)	U9NF8E
Active	HP 3 year Return for Repair Service for LaserJet Enterprise M608	U9NF5E
Active	HP 4 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise M608	U9NE4E
Active	HP 4 year NBD HW support w/Maintenance Kit Replacement for LaserJet Enterprise M608 (max 4 kits)	U9NG2E
Active	HP 4 year Next Business Day HW Support w/Defective Media Retention for LaserJet Enterprise M608	U9NE1E
Active	HP 4 year Next Business Day Parts Exchange Service for LaserJet Enterprise M608 (Channel only)	U9NF9E
Active	HP 4 year Return for Repair Service for LaserJet Enterprise M608	U9NF6E
Active	HP 5 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise M608	U9NE5E
Active	HP 5 year NBD HW support w/Maintenance Kit Replacement for LaserJet Enterprise M608 (max 5 kits)	U9NG3E
Active	HP 5 year Next Business Day HW Support w/Defective Media Retention for LaserJet Enterprise M608	U9NE2E
Active	HP 5 year Next Business Day Parts Exchange Service for LaserJet Enterprise M608 (Channel only)	U9NG0E
Active	HP 5 year Return for Repair Service for LaserJet Enterprise M608	U9NF7E

### Imaging and Printing Commercial Care Services

Active	HP 1 year Post Warranty Next Business Day Exchange Service for LaserJet Enterprise M608	U9NH1PE
Active	HP 1 yr Post Warranty Next Business Day Call To Repair HW Support w/DMR for LaserJet Enterprise M608	U9NG9PE
Active	HP 2 yr Post Warranty Next Business Day Call To Repair HW Support w/DMR for LaserJet Enterprise M608	U9NH0PE
Active	HP 3 year Next Business Day Call To Repair HW Support w/DMR for LaserJet Enterprise M608	U9NE9E
Active	HP 3 year Next Business Day Exchange Service for LaserJet Enterprise M608	U9NF2E
Active	HP 4 year Next Business Day Call To Repair HW Support w/DMR for LaserJet Enterprise M608	U9NF0E
Active	HP 4 year Next Business Day Exchange Service for LaserJet Enterprise M608	U9NF3E
Active	HP 5 year Next Business Day Call To Repair HW Support w/DMR for LaserJet Enterprise M608	U9NF1E
Active	HP 5 year Next Business Day Exchange Service for LaserJet Enterprise M608	U9NF4E
Active	HP Maintenance Kit Replacement Service for LaserJet M60x Multifunction Printer Fuser 110 SVC	U9PS8E

Active

HP Maintenance Kit Replacement Service for LaserJet M60x Multifunction Printer Fuser 220 SVC

U9PS9E

## HP Laser Toner Cartridges and Kits

### HP Black and White Laser Toner Printer Cartridges

Active	HP 37A Black Original LaserJet Toner Cartridge	CF237A
Active	HP 37X High Yield Black Original LaserJet Toner Cartridge	CF237X
Active	HP 37X High Yield Black Original LaserJet Toner Cartridge for US Government	CF237XG
Active	HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge	CF237Y

### HP Laser Printer Supply Kits

Active	HP LaserJet 110V Maintenance Kit	LOH24A
Active	HP LaserJet 220V Maintenance Kit	LOH25A

## Detailed Specifications

### Accessories

HP LaserJet 550-Sheet Paper feeder LOH17A, HP LaserJet 2100 sheet Paper feeder LOH18A, HP LaserJet Printer Stand LOH19A, HP LaserJet Stapler/Stacker/ Mailbox LOH20A, HP Envelope Feeder LOH21A, HP Internal USB Ports B5L28A, HP Secure High Perf Hard Disk Drive B5L29A, HP Jetdirect 2900nw Print Server J8031A, HP Trusted Platform Module Accessory F5S62A, 1 GB Memory DIMM Kit G6W84A, HP Extension Tray Cover LOH22A

### Acoustic power emissions

6.9 B(A)

### Acoustic power emissions (ready)

Inaudible

### Acoustic power note

Acoustic values are subject to change. For current information see <http://www.hp.com/support>. Noise measured during printing mono simplex A4 at 62ppm.

### Acoustic pressure emissions bystander (active, printing)

54 dB(A)

### Acoustic pressure emissions bystander (ready)

Inaudible

### Additional information about HP

<http://www.hp.com>

### Additional information about HP in the countries

<http://www.hp.com/uk>

### Automatic paper sensor

No

### Best technical electricity consumption (TEC)

2.684 kWh/week

### Best technical electricity consumption (TEC) footnote number

[13]

### Blue Angel (sleep mode)

3.21 watts

### Blue Angel compliant

Yes

### Bottom margin (A4)

4.3 mm

### Cable included

No, please purchase (USB) cable separately

### Code name

Titanium 65

### Compatible network operating systems

Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Citrix XenDesktop 5.6 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows

Server 2012 and 2012 R2 Terminal Services, 64-bit], Novell NetWare 6.5/SP8 Novell Clients [www.novell.com/iprint](http://www.novell.com/iprint), Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers [www.novell.com/iprint](http://www.novell.com/iprint), Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services)

#### **Compatible operating systems**

Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)

#### **Connectivity, optional**

HP Jetdirect 2900nw Print Server J8031A

#### **Connectivity, standard**

1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy I/O

#### **Control panel**

4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button

#### **Copyright notice**

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

#### **Count of cartons per pallet layer**

2

#### **Count of layers in pallet**

4

#### **Country of origin**

Made in China (AB0, AB2, ABJ, ACJ, BBU, BGM, ACQ, ABT, ABY, B13, B19, BAZ, BGJ, AKV); Made in Brazil (697, AC8)

#### **Datasheet publication number**

4AA6-9440EEP

#### **Display**

4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)

#### **Display area (metric)**

95.04 x 53.856 mm

#### **Downloadable software**

HP Easy Start (Guided Software Install for Windows OS and Mac); HP ePrint Software (ePrint Mobile Driver for Windows); HP ePrint Software (for Windows); HP Imaging & Printing Security Center; HP JetAdvantage Security Manager; HP Mobile Printing <http://www8.hp.com/us/en/ads/mobility/overview.html>; HP PCL6 (XPS) print driver only (No installer for "Add Printer" installs); HP PCL6 (XPS) print driver with installer; Product Documentation and Support; HP Proxy Agent Software; HP Universal Print Drivers (PCL6 & PS for Windows); Linux/Unix Print Drivers; Mac Software Solution; Printer Administrator Resource Kit; SAP (PS Print Drivers); Web JetAdmin; Windows driver only solution; Windows Full Software Solution

**Driver updates**

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: In the US, go to [www.hp.com/support/colorljm608](http://www.hp.com/support/colorljm608); Outside the US, go to <http://www.hp.com/support>. Select the country/region. 2. Select Drivers & Downloads 3. Enter a product name/number. 4. Under Download Options, select Drivers, Software & Firmware 5. Select the operating system version. 6. Then select DOWNLOAD.

**Duplex printing**

Automatic (standard)

**Duty cycle (monthly, A4)**

Up to 275,000 pages

**Duty cycle (monthly, letter)**

Up to 275,000 pages

**Duty cycle note**

Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

**Electromagnetic compatibility**

CISPR 22:2008 (International) - Class A, EN 55022: 2010 (EU) - Class A, EN 61000-3-2: 2006 +A1: 2009 +A2: 2009, EN 61000-3-3: 2008, EN 55024: 2010, EMC Directive 2004/108/EC, FCC CFR 47 Part 15 Class A / ICES-003, Issue 5 Class A, Other EMC approvals as required by individual countries

**Energy efficiency**

ENERGY STAR® certified; Blue Angel; EPEAT® Silver; EPEAT® Gold (#AAZ, #201 options only)

**Energy efficiency compliance footnote number**

[1]

**Energy savings feature technology**

HP Auto-On/Auto-Off Technology; Instant-on Technology

**ENERGY STAR® certified**

Yes

**Envelope feeder**

Yes, 75 (optional)

**Environmental**

Mercury-free

**FCC Class A emissions**

FCC Class A emissions - for use in commercial environments, not residential environments

**Feature supporting point footnote number**

[10]

**Feature supporting point footnote number**

[11]

**Feature supporting point footnote number**

[12]

**Feature supporting point footnote number**

[13]

**Feature supporting point footnote number**

[14]

**Feature supporting point footnote number**

[15]



**Feature supporting point footnote number**

[16]

**Feature supporting point footnote number**

[17]

**Feature supporting point footnote number**

[18]

**Feature supporting point footnote number**

[19]

**Feature supporting point footnote number**

[20]

**Feature supporting point footnote number**

[21]

**Feature supporting point footnote number**

[22]

**Feature supporting point footnote number**

[8]

**Feature supporting point footnote number**

[9]

**Finished output handling**

Sheetfed

**First page out black (A4, ready)**

As fast as 5.4 sec

**First page out black (A4, sleep)**

As fast as 7.9 sec

**First page out black (letter, ready)**

As fast as 5.3 sec

**First page out black (letter, sleep)**

As fast as 7.8 sec

**First page out footnote number**

[9]

**Fonts and typefaces**

105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <http://www.hp.com/go/laserjetfonts>

**Functions**

Print

**Image legal disclaimer**

Product image may differ from actual product

**Input capacity**

Up to 1200 sheets

**Left margin (A4)**

4.3 mm

**Legal disclaimer**

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries.

Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

**Legal disclaimer [04]**

Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at [hp.com/go/webjetadmin](http://hp.com/go/webjetadmin).

**Legal disclaimer [06]**

Measured using ISO/IEC 17629. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.

**Mac compatible**

Yes

**Maximum dimensions (W x D x H)**

431 x 1100 x 581 mm

**Maximum input capacity (sheets)**

Up to 4400 sheets

**Maximum output capacity (sheets)**

Up to 1300 sheets

**Media sizes supported**

feeder 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (JIS single and double); feeder 2: A4, A5, A5-R, B5 (JIS), 16K; feeder 3: A4, A5, A5-R, B5 (JIS), 16K

**Media sizes, custom**

feeder 1: 76 x 127 to 216 x 356 mm; feeder 2: 99 x 148 to 216 x 356 mm, feeder 3: 99 x 148 to 216 x 356 mm

**Media types**

Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope

**Media weight, supported**

Feeder 1: 60 to 199 g/m<sup>2</sup>; feeder 2, 3: 60 to 120 g/m<sup>2</sup>

**Memory footnote**

[12]

**Memory slots**

1 slot, 90-pin

**Memory upgrade**

Expandable to 1.5 GB through 1 GB 90-pin DDR3 DIMM

**Memory, maximum**

1.5 GB, MAX memory, when 1GB Accessory DIMM is installed

**Memory, standard**

512 MB

**Minimum dimensions (W x D x H)**

431 x 466 x 505 mm

**Minimum system requirements**

2 GB available hard disk space; OS hardware requirements see [microsoft.com](http://microsoft.com)

**Minimum system requirements for****Macintosh**

1.3 GB available hard drive space; Internet; OS hardware requirements see [Apple.com](http://Apple.com) for more info

**Mobile printing capability**

HP ePrint; Wireless direct printing; Apple AirPrint™; Mopria-certified

**Mobile printing capability footnote number**

[6]

**Network capabilities**

Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11 a/b/g/n wireless networking (standard).

**Network protocols, supported**

Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x

**Number of print cartridges**

1 (black)

**Number of users**

10-30 Users

**Operating humidity range**

10 to 90% RH

**Operating humidity range**

30 to 70% RH

**Operating system (supported note)**

Full solution software available only for Windows 7 and newer, UPD software available only for Windows 7 and newer, HP Software for Mac and Windows is no longer included on the CD, but can be downloaded from [123.hp.com](http://123.hp.com), Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only with a reduced feature set, Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS

**Operating temperature range**

15 to 32.5°C

**Orderable product number**

KOQ19A#AB0, KOQ19A#AB2, KOQ19A#ABJ, KOQ19A#ACJ, KOQ19A#BBU, KOQ19A#BGM, KOQ19A#ABT, KOQ19A#ABY, KOQ19A#ACQ, KOQ19A#B13, KOQ19A#B19, KOQ19A#BAZ, KOQ19A#AKV, KOQ19A#BGJ

**Orderable supplies**

HP Staple Cartridge Refill J8J96A, HP LaserJet 110 v Maintenance Kit LOH24A, HP LaserJet 220 v Maintenance Kit LOH25A

**Output capacity**

Up to 500 sheets

**Package dimensions (W x D x H)**

762 x 593 x 511 mm

**Package weight**

33.80 kg

**Page yield footnote number**

[11]

**Pallet dimensions (W x D x H)**

1200 x 800 x 2191 mm (AP), 1200 x 800 x 2192 mm (EMEA & AMS)

**Pallet weight**

287.46 kg (NA, EMEA, AP)

**Paper handling input, optional**

Optional 1x550-sheet paper feeder, optional 1x550 paper feeder and stand with cabinet, optional 3x550-sheet paper feeder and stand, optional high-capacity paper feeder and stand with 1x550 sheet feeder and 1x2,000-sheet feeder

**Paper handling input, standard**

100-sheet multipurpose feeder, 550-sheet input feeder, 550 accessory feeder

**Paper handling output, optional**

Optional 5 bin stapler stacker

**Paper handling output, standard**

500 sheet output bin

**Paper trays, maximum**

Up to 6

**Paper trays, standard**

**Post warranty repair & maintenance**

<http://www.hp.com/support>

**Power**

100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A

**Power consumption**

780 watts (printing), 15.3 watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off)

**Power consumption footnote number**

[3]

**Power supply type**

Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier)

**Print colours**

No

**Print languages**

HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™

**Print quality black (best)**

Up to 1200 x 1200 dpi

**Print quality black (normal)**

FastRes 1200

**Print resolution black (fine lines)**

Up to 1200 x 1200 dpi

**Print speed (A4/letter) footnote number**

[7]

**Print speed black (Landscape, A5)**

Up to 100 ppm

**Print speed black (normal, A4)**

Up to 61 ppm

**Print speed black (normal, letter)**

Up to 65 ppm

**Print speed black (Portrait, A5)**

Up to 6 ppm

**Print speed duplex (A4)**

Up to 50 ppm

**Print speed duplex (letter)**

Up to 53 ppm

**Print speed footnote number (A5)**

[8]

**Print technology**

Laser

**Printer management**

HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver

**Printer smart software features**

Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB

**Processor speed**

1.2 GHz

**Product long name specifications**

HP LaserJet Enterprise M608x - Print: Up to 61 ppm black; Up to 1200 x 1200 dpi

black; Up to 275,000 pages per month duty cycle; 1 GB; 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy I/O

**Product note**

FCC Class A emissions device for use in commercial environments, not residential environments[8]

**Quantity per pallet**

8

**Recommended media weight (duplex)**

60 to 120 g/m<sup>2</sup>

**Recommended monthly page volume**

5000 to 25000

**Recommended monthly page volume note**

HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

**Recommended operating temperature range**

59 to 90.5°F

**Replacement cartridges**

HP 37A Black Original LaserJet Toner Cartridge (11,000 yield) CF237A; HP 37X High Yield Black Original LaserJet Toner Cartridge (25,000 yield) CF237X; HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge (41,000 yield) CF237Y

**Replacement cartridges footnote number**

[5]

**Resolution technology**

FastRes 1200; 1200 x 1200 dpi

**Right margin (A4)**

4.3 mm

**RMN number**

BOISB-1502-01

**Safety**

IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2007 / IEC 60825-1:2007 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2006/95/EC with CE Mark Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007. Other safety approvals as required by individual countries

**Security management**

Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs

**Service & support options**

Free telephone support for basic setup, installation, and troubleshooting in North America, Europe, and Asia Pacific during warranty; Optional HP Supportpack for 4-

hour response during standard business hours; Optional HP Supportpack for 24 hours a day, 7 days a week; Optional HP Supportpack for Comprehensive Technical Support

**Services**

HP 1 year Post Warranty 4 hour 9x5 Hardware Support w/DMR for LaserJet Enterprise M608

**Services**

HP 1 year Post Warranty Next Business Day Hardware Support w/DMR for LaserJet Enterprise M608

**Services**

HP 2 year Post Warranty 4 hour 9x5 Hardware Support w/DMR for LaserJet Enterprise M608

**Services**

HP 2 year Post Warranty Next Business Day Hardware Support w/DMR for LaserJet Enterprise M608

**Services**

HP 3 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise M608

**Services**

HP 3 year Next Business Day HW Support w/Defective Media Retention for LaserJet Enterprise M608

**Services**

HP 4 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise M608

**Services**

HP 4 year Next Business Day HW Support w/Defective Media Retention for LaserJet Enterprise M608

**Services**

HP 5 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise M608

**Services**

HP 5 year Next Business Day HW Support w/Defective Media Retention for LaserJet Enterprise M608

**Services (Care Pack)**

U9NE0E - HP 3y Nbd+DMR LJ Ent M608 HW Supp; U9NE0A - HP 3y Nbd+DMR LJ Ent M608 HW Supp; U9NE1E - HP 4y Nbd+DMR LJ Ent M608 HW Supp; U9NE2E - HP 5y Nbd+DMR LJ Ent M608 HW Supp; U9NE3E - HP 3y 4h 9x5+DMR LJ Ent M608 HW Supp; U9NE4E - HP 4y 4h 9x5+DMR LJ Ent M608 HW Supp; U9NE5E - HP 5y 4h 9x5+DMR LJ Ent M608 HW Supp; U9NE6E - HP 3y 4h 13x5+DMR LJ Ent M608 HW Supp; U9NE7E - HP 4y 4h 13x5+DMR LJ Ent M608 HW Supp; U9NE8E - HP 5y 4h 13x5+DMR LJ Ent M608 HW Supp; U9NE9E - HP 3y NBD CTR+DMR LJ Ent M608 HW Supp; U9NF0E - HP 4y NBD CTR+DMR LJ Ent M608 HW Supp; U9NF1E - HP 5y NBD CTR+DMR LJ Ent M608 HW Supp; U9NF2E - HP 3y Nbd Exch LJ Ent M608 Service; U9NF2A - HP 3y Nbd Exch LJ Ent M608 Service; U9NF3E - HP 4y Nbd Exch LJ Ent M608 Service; U9NF4E - HP 5y Nbd Exch LJ Ent M608 Service; U9NF5E - HP 3y Return LJ Ent M608 Service; U9NF6E - HP 4y Return LJ Ent M608 Service; U9NF7E - HP 5y Return LJ Ent M608 Service; U9NF8E - HP 3yNbd ChnlRmtParts LJ Ent M608 SVC; U9NF9E - HP 4yNbd ChnlRmtParts LJ Ent M608 SVC; U9NG0E - HP 5yNbd ChnlRmtParts LJ Ent M608 SVC; U9NG1E - HP 3yNbd+max 3 MaintKit LJEntM608 HWSupp; U9NG2E - HP 4yNbd+max 4 MaintKit LJEntM608 HWSupp; U9NG3E - HP 5yNbd+max 5 MaintKit LJEntM608 HWSupp; U9NG4PE - HP 1y PW Nbd+DMR LJ Ent M608 HW Supp; U9NG5PE - HP 2y PW Nbd+DMR LJ Ent M608 HW Supp; U9NG6PE - HP 1y PW 4h 9x5+DMR LJ Ent M608 HW Supp; U9NG7PE - HP 2y PW 4h 9x5+DMR LJ Ent M608 HW Supp; U9NG8PE - HP 1y PW 4h 13x5+DMR LJ Ent M608 HW Supp; U9NG9PE - HP 1y PW NBD CTR+DMR LJEntM608 HW Supp; U9NH0PE - HP 2y PW NBD CTR+DMR LJEntM608 HW Supp; U9NH1PE - HP 1y PW Nbd Exch LJ Ent M608 SVC; U9NH2PE - HP 1y PW Return LJ Ent M608 SVC; U9NH3PE - HP 1y PW ChnlRmtParts LJ Ent M608 SVC; U9NH4PE - HP 2y PW ChnlRmtParts LJ Ent M608 SVC

**Services description headline 01**

U9NE0E

**Services description headline 02**

U9NE1E

**Services description headline 03**

U9NE2E

**Services description headline 04**

U9NE3E

**Services description headline 05**

U9NE4E

**Services description headline 06**

U9NE5E

**Services description headline 07**

U9NG4PE

**Services description headline 08**

U9NG5PE

**Services description headline 09**

U9NG6PE

**Services description headline 10**

U9NG7PE

**Software included**

HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to [123.HP.com](http://123.HP.com) or OS App Source for printer software), Online user manuals

**Standard input capacity (envelopes)**

Up to 10

**Standard media sizes (duplex)**

A4; A5; RA4; B5; Oficio; 16k

**Standard output capacity (envelopes)**

Up to 75 envelopes

**Standard output capacity (transparencies)**

200

**Storage footnote number**

[10]

**Storage humidity**

10 to 80% RH

**Storage temperature range**

-20 to 40°C

**Sub-brand name**

LaserJet

**SureSupply note**

HP SureSupply alerts you when you should replace a print cartridge and helps you purchase locally or via the Internet. For more information, visit <http://www.hp.com/learn/suresupply>. Only available with original HP supplies; Internet access required.

**SureSupply supported**

Yes

**Target user and print volume**

For teams over 25 users; Prints up to 25,000 pages/month

**Tariff numbers**

8443321010 (AM); 8443321090 (EU); 84433230 (AP)

**Tech spec footnote**

[1] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

**Tech spec footnote**

[10] eMMC is non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data; Secure Erase – Disk

**Tech spec footnote**

[11] Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <http://www.hp.com/go/learnaboutsupplies>

**Tech spec footnote**

[12] 1 GB "Slim DIMM" G6W84A

**Tech spec footnote**

[13] Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

**Tech spec footnote**

[2] Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

**Tech spec footnote**

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

**Tech spec footnote**

[4] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

**Tech spec footnote**

[5] Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

**Tech spec footnote**

[6] May require a firmware upgrade to be compatible, download at <http://www.hp.com/go/support>

**Tech spec footnote**

[7] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

**Tech spec footnote**

[8] Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

**Tech spec footnote**

[9] Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

**Technical support information**

<http://www.hp.com/support/ljM608>

**Top margin (A4)**

4.3 mm

**Typical electricity consumption (TEC)****footnote number**

[4]

**Typical electricity consumption (TEC)****number**

ES: 2.622 kWh/week, BA: 2.425 kWh/week

**UNSPSC code**

43212105

**UPC number**

(AB0) 889894068538; (AB2) 889894068545; (ABJ) 889894068552; (ABT) 889894068590; (ABY) 889894068606; (ACJ) 889894068569; (ACQ) 889894068613; (AKV) 190781090793; (B13) 889894068620; (B19) 889894068637; (BAZ) 889894068644; (BBU) 889894068576; (BGJ) 889894068705; (BGM) 889894068583

**Warm-up time**



130 sec

**Warranty**

1 Year Limited Warranty (Return to HP/Dealer - Standard Bench Repair)

**Web address for additional information**

Solutions: <http://www.hp.com/go/gsc>; Fonts and IPDS Emulation: <http://www.hp.com/go/laserjetfonts>; HP Web Jetadmin: <http://www.hp.com/go/wja>; HP Universal Print Driver: <http://www.hp.com/go/upd>; HP JetAdvantage Security Manager: [www.hp.com/go/securitymanager](http://www.hp.com/go/securitymanager); HP JetAdvantage On Demand Cloud Solutions: [www.hp.com/go/JetAdvantageondemand](http://www.hp.com/go/JetAdvantageondemand)

**Weight**

21.6 kg

**Weight note (metric)**

With print cartridges

**What is in the box footnote number**

[2]

**What's in the box**

HP LaserJet Printer; HP Black Original LaserJet Toner Cartridge (~11 K yield); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord

*The product could differ from the images shown. © Copyright 2015 HP Inc. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable.*