ThinkPad L14 Gen 1 (Intel) 20U1001CAU

Product

ThinkPad L14 Gen 1 (Intel)

Region

ANZ

Country/Region

Australia

Machine Type

20U1

TopSeller

TopSeller

Processor

Intel Core i7-10510U (4C / 8T, 1.8 / 4.9GHz, 8MB)

Graphics

Integrated Intel UHD Graphics

Chipset

Intel SoC Platform

Memory

1x 16GB SO-DIMM DDR4-2666

Storage

512GB SSD M.2 2280 PCIe NVMe Opal2

Optane Memory

None

Display

14" FHD (1920x1080) WVA 250nits Anti-glare

Touchscreen

None

Media Reader

MicroSD Reader

Ethernet

100/1000M

Optical

None

WLAN + Bluetooth

Intel AX200 11ax, 2x2 + BT5.0

WWAN

None

SIM Card

None

Smart Card Reader

None

None

Bundled Accessories None

Case Material

Monitor Cable

PC / ABS (Top), PC / ABS (Bottom)

Camera

720p with ThinkShutter

Microphone

2x, Array

Color

Black

Keyboard

Non-backlit, English

Fingerprint Reader

Touch Style, Match-on-Host

NFC

None

TPM

Discrete TPM 2.0

Battery

Integrated 45Wh

Power Adapter

65W USB-C

System Management

None

Operating System

Windows 10 Pro 64, English

Bundled Software

None

Base Warrantv

1-year, Depot

Bundled Service

1Y Onsite upgrade from 1Y Depot/CCI (5WS0A14072)

EAN/UPC/JAN

194778852241

End of Support

2026-12-20

Announce Date

2020-05-19

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

L

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.





ThinkPad L14 Gen 1 (Intel) Platform Specifications

Processor	Intel® Pentium® Gold Processor or 10th Generation Intel Core™ i3 / i5 / i7 Processor (i7-10610U is NOT available in EMEA)									Dimensions Weight	Aluminum (WxDxH): 13.03" x 9.25" x 0.75"; 331mm x 235mm x 19.1mm PC/ABS (WxDxH): 13.03" x 9.25" x 0.80"; 331mm x 235mm x 20.4mm starting at 3.83 lb / 1.73 kg
	Processor Number			Base Frequency	Max Turbo Frequency	Cache	Memory Ty	pes	Processor Graphics	Case color Case material	PC/ABS: starting at 3.56 lb / 1.61 kg Black Blac
	Pentium Gold 6405U	2	4	2.4 GHz	-	2MB	DDR4-24	00			Display cover: PC/ABS plastic or Aluminum (Aluminum is NOT available in EMEA) Bottom: PC/ABS plastic
	i3-10110U i5-10210U	2	4	2.1 GHz 1.6 GHz	4.1 GHz 4.2 GHz		-		Intel UHD Graphics	Media reader Ports	er Optional: Smart card reader MicroSD card reader Two USB 3.2 Gen 1 (one Always On), one USB 3.2 Type-C Gen 1 (with the function of Power Delivery and DisplayPort), one USB 3.2 Type-C Gen 2 (with the function of Power Delivery and DisplayPort).
	i5-10310U i7-10510U	7-10510U 7-10610U	8	1.7 GHz 1.8 GHz	4.4 GHz 4.9 GHz	6MB 8MB	DDR4-26	66			
	i7-10610U			1.8 GHz	4.9 GHz	8MB				_	HDMI 1.4b, Ethernet (RJ-45), nano-SIM card slot (WWAN models), headphone / microphone combo jack, optional smart card reader.
	supports up to 3 independent displays via native display and two external monitors; supports external monitors via HDMI (up to 4096x2160@24Hz) or USB Type-C (up to 4096x2304@60Hz)								,	Bundled Accy	microSD card reader, side docking connector, security keyhole * Depending on many factors, actual data transfer speed may be lower than theoretical speed HDMI to VGA: Lenovo HDMI to VGA Monitor Adapter USB-C to VGA: Lenovo USB-C to VGA Adapter USB-C to DP: Lenovo USB-C to DisplayPort Adapter None
Chipset Memory	Intel SoC (System on Chip) platform 64GB max / 3200MHz DDR4, dual-channel capable, two DDR4 SO-DIMM sockets * Installed memory is actually 3200MHz but run at 2400MHz or 2666MHz due to Intel limitation									1	
Display	Size Resolution Ty				Touch Bri	pect Contras atio Ratio	Gai	mut Angle		stereo speakers, 2W x 2, Dolby® Audio / dual array microphone (for special bid model, microphone is optional), headphone / microphone combo jack	
	14.0" HD (13	1920x10	080) WVA	Anti-glare	- 250	nits 1	6:9 400:1 6:9 700:1	45	5% 90° 5% 170°	Keyboard	6-row, spill-resistant, multimedia Fn keys with Unified Communications controls, optional LED backlight
	14.0" FHD (080) WVA	A Anti-glare	touch 300	6:9 700:1	45	5% 170°		TrackPoint® pointing device and buttonless Mylar surface multi-touch touchpad		
Multi-touch (opt) Storage	Up to 2 drives (one HDD and one M.2 2242 SSD) • HDD / SATA 6.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ (NOT available in EMEA) • M.2 2242 SSD / PCIe NVMe, PCIe 3.0 x 2 • M.2 2280 SSD / PCIe NVMe, PCIe 3.0 x 4 • Intel Optane Memory H10 with Solid State Storage, M.2 2280, PCIe NVMe 3.0 x 4								1		Power-on password, hard disk password, supervisor password, security keyhole Firmware TPM 2.0 integrated in chipset or discrete TPM 2.0 TCG Certified Intel vPro Technology • Touch style fingerprint reader on the palm rest, match on host • Touch style fingerprint reader on the palm rest, match on chip (special bid only) Near Field Communication
Optical										Battery Max battery life	Integrated Li-Polymer 45Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter MobileMark® 2014: 12.3 hr MobileMark 2018: 7.95 hr * Battery life varies significantly with hardware configurations, settings, usage, & other factors • 45W USB-C AC adapter (NOT available in EMEA)
	None Non-vPro model: Intel Ethernet Connection I219-V (Jacksonville) vPro model: Intel Ethernet Connection I219-LM (Jacksonville)									AC adapter	
WLAN + Bluetooth™ (opt)	Intel Wi-Fi 6 AX200, Wi-Fi 2x2 802.11ax + Bluetooth 5.0 Intel AX201 card supports BT5.1 but is limited to BT5.0 by Windows OS]	65W USB-C AC adapter Optional: Windows® 10 Home 64 or Windows 10 Pro 64
WWAN (optional) SIM card (opt)	• Wireless WAN upgradable • Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card * For non-WWAN model, it means the model is NOT WWAN upgradable Gemalto eSIM									I	1-year depot repair service 1-year depot with 2-year system board repair service 1-year limited onsite service 1-year + 2-year depot repair service 1-year + 2-year onsite repair service 3-year/1-yr battery depot repair service 3-year/1-yr battery limited onsite service
										Mil-Spec test	MIL-STD-810G military testing
										Environment	EPEAT™ Gold; ENERGY STAR® 8.0; TCO Certified; RoHS-compliant







