



# Wyse 5040 All-in-One Thin Client

ULTRA-SECURE. POWERFUL. ELEGANT.



ULTIMATE  
PIECE OF MIND



FLEXIBLE AND  
EFFICIENT



SECURE AND  
EASY TO MANAGE

Experience optimized performance with Wyse thin clients and software designed to enhance your virtual workspaces with ultimate security and intelligent unified management. The new generation of Wyse thin clients powers your organization with a more efficient and effective digital experience.

Learn More at [Dell.com/Wyse](https://Dell.com/Wyse)

# Wyse 5040 All-in-One thin client

ULTRA-SECURE. POWERFUL. ELEGANT.

The Wyse 5040 all-in-one thin client offers exceptional security and delivers an excellent virtual desktop experience, with extreme ease of use and management, integrating a powerful dual core thin client and a stylish 21.5" display.



## ULTIMATE PIECE OF MIND

The Wyse 5040 all-in-one (AIO) operates on Dell's exclusive Wyse ThinOS, a highly secure malware-resistant firmware solution that delivers a zero client experience with the latest high performance desktop virtualization protocols for Citrix, Microsoft® and VMware virtual desktop environments. Wyse ThinOS with PCoIP option enables direct high-performance access to VMware and Amazon WorkSpaces virtual desktops and applications.



## FLEXIBLE AND EFFICIENT

This sleek, thin all-in-one won't clutter users' desks, and the elegant design perfectly complements any customer-facing or business space. The simple one-cord design and out-of-box automatic setup makes deployment effortless.

With versatile connectivity options, users can link to their peripherals and quickly connect to the network while working with graphics-rich applications.

Built-in support for Unified Communications, integrated speakers, a camera and a microphone make video conferencing and desktop communication simple and easy. It even supports a second attached display for those who need a dual monitor configuration.



## SECURE AND EASY TO MANAGE

Enjoy peace of mind with the ultimate virtual OS for malware and intrusion resistance. With zero attack surface, an unpublished API and encrypted data, Wyse ThinOS is virus and malware resistant and highly secure.

With simplified setup, configuration and management, the Wyse 5040 all-in-one thin client can be deployed right out-of-the box. Centrally configure, monitor and optimize all Wyse endpoints with Wyse Management Suite. This efficient hybrid cloud management solution scales from one to hundreds of thousands of devices to meet all levels of deployment

# Recommended Accessories

WYSE 5040 AIO THIN CLIENT



AT THE DESK / REMOTE



## DELL 24 MONITOR P2219H

Maximize a workspace with this fully adjustable 21.5" monitor on a small stand. With an ultrathin bezel for dual display productivity and EasyArrange.



## DELL PROFESSIONAL STEREO HEADSET | UC350

A comfortable and easy-to-use communication solution with crystal-clear audio quality, the Dell Pro Stereo Headset is designed to improve communication quality on conference calls, presentations, sales calls and more.



## DELL WIRELESS KEYBOARD AND MOUSE | KM636

Designed with sleek lines, a compact size and chiclet keys, the keyboard/mouse combo offers a contemporary and comfortable design with the convenience of wireless performance.



## DELL SMART CARD KEYBOARD | KB813

Access secured endpoints or networks directly from your keyboard with an integrated smart card reader for easy authentication at your fingertips.

# Features & Technical Specifications

## WYSE 5040 AIO THIN CLIENT

Feature	Wyse 5040 AIO Technical Specifications <sup>6</sup>
CPU	AMD G-Series T48E Dual Core 1.4GHz / AMD Radeon HD 6250
Operating System	Wyse ThinOS (includes Wyse ThinOS Firmware Access), Wyse ThinOS with PCoIP (includes Wyse ThinOS Firmware Access)
Remote display protocols support	<b>Wyse ThinOS:</b> Citrix ICA / HDX, VMware Blast Extreme, Microsoft RDP / RemoteFX, <b>Wyse ThinOS with PCoIP:</b> Citrix ICA / HDX, VMware Blast Extreme, Microsoft RDP / RemoteFX, PCoIP
Server OS Infrastructure Support	Citrix Virtual Apps and Desktops (formerly XenDesktop/XenApp) VMware Horizon Microsoft® Windows Terminal Server Amazon Workspaces (requires ThinOS with PCoIP option)
Memory <sup>3</sup>	2GB (1x2GB) 1600MHz DDR3L Memory
Storage <sup>4</sup>	8GB SATA FLASH
Ports and Slots	4 x USB 2.0 1 x DisplayPort™ (dual display) 1 x VGA (PC mode) 1 x 1Gb/s RJ45 or 1 x SFP fiber (optional) / 1 x Audio-mic combo jack HD webcam (integrated)
Security	Built-in chassis security lock slot (cable sold separately)
Networking	Integrated Realtek® Ethernet LAN 10Mb/100Mb/1Gb Copper RJ45, 10/100/1000 RJ-45 Ethernet or SFP Fiber (mutually exclusive) Optional – 802.11 a/b/g/n integrated wireless Ethernet with dual-band antenna <sup>8</sup> Wake on LAN
Multimedia	HD webcam (integrated), Speaker bar (integrated), Microphone (integrated)
Displays	54.61 cm (21.5 inches) / Full HD 1920 x 1080 at 60 Hz (Primary and dual monitor) Widescreen (16:9) flat panel display, Anti-glare with hard-coating 3H
Power	External Power Adapter. Worldwide auto-sensing 100-240 VAC, 50-60 Hz <b>Power consumption:</b> 27W average watts (idle)
Dimensions	Display with stand 531mm (20.9 in) x 181mm (7.1 in) x 408mm (16.0 in) Display without stand 531mm (20.9 in) x 45mm (1.8 in) x 343mm (13.5 in) Fixed Stand 191mm (7.5 in) x 181 mm (7.1 in) x 315mm (12.4 in)
Weight	With packaging 6.78kg (14.92lb) With stand assembly & cables 5.4kg (11.88lb) Without stand assembly 3.58kg (7.88lb) Stand 1.02kg (2.24lb)
Mountings	Fixed stand included. Optional Height Adjustable stand. VESA (100 mm) compliant for wall mounting.
Temperature range	<b>Ambient Operating:</b> 50° to 104°F (10° to 40°C) <b>Storage:</b> 14° to 140°F (-10° to 60°C)
Humidity	20% to 80% condensing, 10% to 95% non-condensing
Warranty	Three-year Limited Hardware Warranty <sup>5</sup>
Support and Deployment	Complete services portfolio including Deployment Services, Optional Dell ProSupport for premium support from expert technicians and 24x7 availability <sup>1</sup> and Accidental Damage Service <sup>2</sup>
Environmental, Ergonomics & Regulatory Standards	Environmental Standards (eco-labels): ENERGY STAR qualified, EPEAT Registered <sup>7</sup> , WEEE, EU RoHS <sup>9</sup> . Please see your local representative or <a href="http://www.dell.com">www.dell.com</a> for specific details

# Features & Technical Specifications


## WYSE 5040 AIO THIN CLIENT

Feature	Recommended accessories
Management Software	Dell Wyse Management Suite
Monitors	Dell 23 Monitor E2318H Dell 22 Monitor P2219H Dell 19 Monitor P1917S Dell 22 Monitor P2217H Dell 23 Monitor P2317H Dell 24 Monitor P2417H Dell 27 Monitor P2717H
Mounting Options	Optional Height Adjustable stand. Dell MSA14 Single Monitor Arm Stand
Keyboards	Dell Multimedia Keyboard KB216 (default configuration) Dell Wireless Keyboard and Mouse KM636 Dell Smartcard Keyboard KB813
Mice	Dell MS116 Wired Mouse (default configuration)
Audio	Dell Pro Stereo Headset UC150 Dell Pro Stereo Headset – Skype for Business UC350
Security	Kensington MicroSaver Keyed Laptop Lock K64068
Networking Options	Dell Networking Transceiver, SFP, 1000BASE-S, 850nm Dell Networking Transceiver, SFP, 100BASE-FX, MMF Allied Telesis 1 Gbps SFP transceiver – fiber connector AT-SPSX-90 (US only, TAA) Add On 1000Base-TX SFP Transceiver - RJ-45, SFP-1000BASE-SX-AO (US only, TAA) Allied Telesis SFP 100 Mbps AT-SPSX/2-90 (US only, TAA) Allied Telesis RJ-45 SFP AT-SPTX

# Ultimate peace of mind in an elegant, space-saving design

## WYSE 5040 AIO THIN CLIENT

### Ports and Slots



1. Dell ProSupport availability and terms vary by region. See [dell.com/servicecontracts/global](http://dell.com/servicecontracts/global).
2. Accidental Damage Service excludes theft, loss, and damage due to fire, flood or other acts of nature, or intentional damage. Customer must return damaged unit. Limit of 1 qualified incident per contract year. See [dell.com/servicecontracts](http://dell.com/servicecontracts).
3. System memory may be used to support graphics, depending on system memory size and other factors.
4. Hard Drive capacity varies with preloaded material and will be less.
5. Limited Hardware Warranty available by writing Dell USA LP, Attn: Warranties One Dell Way, Round Rock, TX 78682 or See [dell.com/warranty](http://dell.com/warranty).
6. Offering and availability may vary by region. Some items available after product introduction.
7. Please refer to [www.epeat.net](http://www.epeat.net) for specific country registration rating and participation. For a complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information <http://www.dell.com/support/home/us/en/19>
8. For a complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information <http://www.dell.com/support/home/us/en/19>
9. Some features require support by server operating system and protocol.