


## Interactive KVM configurator

Easily find the KVM that perfectly fits your requirements via a simple step-by-step selection.






With a simple step-by-step selection process, this interactive KVM configurator helps you find the perfect KVM switch for your specific requirements.

**Note:** You can always go back by clicking on your previous choices (displayed on the bottom of your screen).

**START** 



What type of KVM are you looking for?



[Regular KVM >](#)

[Secure KVM >](#)

[Cat5 KVM Extender >](#)

[Client Cable sets >](#)

[Universal Secure KVM Video Cables >](#)

[KVM Overview >](#)

[Your Choice >](#) [Start](#)



How many Ports / PCs do you need to connect ?

2 Ports >

4 Ports >

8 Ports >

16 Ports >

Your Choice



Start

| Secure KVM



What type of Video connection?

VGA >

DVI >

DisplayPort >


Universal Video (DisplayPort & HDMI) >

Your Choice >

Start

| Secure KVM

| 2-Ports



How many screens ?

Single Screen >

Dual Screen >


Your Choice >

Start

| Secure KVM

| 2-Ports

| DisplayPort



How many screens ?

Single Screen >

Dual Screen >

Your Choice >

Start | Secure KVM | 2-Ports | Universal Video (DisplayPort & HDMI)



What type of Video connection ?

DVI >

DisplayPort >

Universal Video (DisplayPort & HDMI) >


Your Choice >

Start

| Secure KVM

| 4-Ports






> How many screens ?

Single Screen >

Dual Screen >

Your Choice > Start | Secure KVM | 4-Ports | DVI




> How many screens ?

Single Screen >

Dual Screen >

Quad Screen >

Your Choice > Start | Secure KVM | 4-Ports | DisplayPort




> How many screens ?

Single Screen >

Dual Screen >

Your Choice > Start | Secure KVM | 8-Ports



> How many screens ?

Single Screen >

Dual Screen >

Your Choice > Start | Secure KVM | 4-Ports | HDMI & Universal Video



Are you looking for a desktop or a rack mount model?

**Desktop** >

**Rack Mount** >


Your Choice



Start



Regular KVM



> Do you need a Rack Console or a KVM Switch ?

Rack Console >

KVM Switch >

Your Choice > Start | Regular KVM | Rack Mount




How many Ports / PCs do you need to connect ?

8 Ports >

16 Ports >

Your Choice >

Start | Regular KVM | Rack Mount | KVM Switch




> How many PC's do you need to connect ?

2 Ports >

4 Ports >

Your Choice > Start | Regular KVM | Desktop






What type of Video connection?

VGA >

DVI >

Your Choice >

Start | Regular KVM | Desktop | 2-Ports




> What type of Video connection?

VGA >

DVI >

Your Choice > Start | Regular KVM | Desktop | 4-Ports




How many screens ?

Single Screen >

Dual Screen >

Your Choice >

Start | Regular KVM | Desktop | 2-Ports | VGA




How many screens ?

Single Screen >

Dual Screen >

Your Choice >

Start | Regular KVM | Desktop | 2-Ports | DVI




How many screens ?

Single Screen >

Dual Screen >

Your Choice >

Start | Regular KVM | Desktop | 4-Ports | VGA



How many screens ?

Single Screen >

Dual Screen >

Your Choice >

Start | Regular KVM | Desktop | 4-Ports | DVI




What type of Keyboard & Mouse connection ?

USB >

USB / PS2 >

Your Choice >

Start | Regular KVM | Desktop | 4-Ports | VGA



How many screens ?

Single Screen >

Dual Screen >

Your Choice >

Start | Regular KVM | Desktop | 4-Ports | VGA | USB





What type of Keyboard & Mouse connection ?

USB >

USB / PS2 >

Your Choice >

Start

| Regular KVM

| Desktop

| 2-Ports

VGA

| Dual Screen



What type of Keyboard & Mouse connection ?

USB >

USB / PS2 >

Your Choice >

Start

| Regular KVM

| Desktop

| 2-Ports

| DVI

| Single Screen



What type of Keyboard & Mouse connection ?

USB >

USB / PS2 >

Your Choice >

Start

| Regular KVM

| Desktop

| 2-Ports

| DVI

| Single Screen



What type of Keyboard & Mouse connection ?

USB >

USB / PS2 >

Your Choice >

Start | Regular KVM | Desktop | 4-Ports | VGA | Single Screen



What type of Keyboard & Mouse connection ?

USB >

USB / PS2 >

Your Choice >

Start | Regular KVM | Desktop | 4-Ports | VGA | Dual Screen



What type of Keyboard & Mouse connection ?

USB >

USB / PS2 >

Your Choice >

Start | Regular KVM | Desktop | 4-Ports | DVI | Single Screen



What type of Keyboard & Mouse connection ?

USB >

USB / PS2 >

Your Choice >

Start | Regular KVM | Desktop | 4-Ports | DVI | Dual Screen



## Secure Flip 2-Port VGA KVM-switch F1DN102V-3ea (-3uk)

- Single-Screen.
- For USB Keyboard & Mouse.
- Host ports 2x VGA Female.
- Console port VGA Female.
- 2x audio input (3.5mm Jack).
- 1x audio output (3.5mm female jack).
- Tethered cables.

with Audio & Remote





## Secure Flip 2-Port DVI-D KVM-switch F1DN102F-3ea (-3uk)

- Single-Screen.
- For USB Keyboard & Mouse.
- Host ports 2x DVI-D Dual-Link Female.
- Console port 1x DVI-D Dual Link Female.
- 2x audio input (3.5mm Jack).
- 1x audio output (3.5mm female jack).
- Tethered cables.

with Audio & Remote



## Secure FLIP 2-Port DP-to-HDMI KVM-switch with Audio & Remote

### F1DN102N-3ea (-3uk)

- Single-Screen.
- For USB Keyboard & Mouse.
- Host ports 2x DisplayPort ver. 1.2 Female.
- Console port HDMI ver 1.4 Female.
- 2x audio input (3.5mm Jack).
- 1x audio output (3.5mm female jack).
- Tethered cables.

## Secure 2-port Flip DP-to-DP KVM-switch with Remote

### F1DN102FLP-DP-3

Same as above apart for:

- Host ports 2x DisplayPort ver. 1.2 Female.
- Console port DisplayPort ver. 1.2 Female.



Also available:  
Single- & Dual-Screen Universal Secure KVM [>](#)

## Secure 2-port Flip DP-to-DP Dual-Head KVM-switch

F1DN202FLP-DP-3

- Dual-Screen 4K@30hz.
- For USB Keyboard & Mouse.
- Host ports 2x DisplayPort ver. 1.2 Female.
- Console port 2x DisplayPort ver. 1.2 Female.
- 2x audio input (3.5mm Jack).
- 1x audio output (3.5mm female jack).
- Tethered cables.

Also available:  
Single- & Dual-Screen Universal Secure KVM



## Secure 4-port DVI-I KVM-switch F1DN104B-3ea

- Single-Screen 4K@30hz.
- For PS/2 & USB Keyboard & Mouse.
- Host ports 4x DVI-I Dual-Link Female.
- Console port DVI-I Dual-Link Female.
- 4x audio input (3.5mm female Jack).
- 1x audio output (3.5mm female jack).
- Cable set: F1D9012b06.



## Secure 4-port Dual-Head DVI-I KVM-switch

F1DN104E-3ea

- Dual-Screen 4K@30hz.
- For PS/2 & USB Keyboard & Mouse.
- Host ports 8x DVI-I Dual-Link Female.
- Console port 2x DVI-I Dual-Link Female.
- 4x audio input (3.5mm female Jack).
- 1x audio output (3.5mm female jack).
- Cable sets: F1D9014b06t / 10t (1,8m / 3m)





## Secure 4-port DP-to-HDMI KVM-switch F1DN104P-3ea

with CAC

- Single-Screen 4K@30hz.
- For PS/2 & USB Keyboard & Mouse.
- Host ports 4x DisplayPort ver 1.2 Female.
- Console port 1x HDMI Ver 1.4 Female.
- 4x audio input (3.5mm female Jack).
- 1x audio output (3.5mm female jack).
- 1x Common Access Card (CAC) reader port (USB Type A), 1x DCU Port (RJ14).
- Cable sets: F1D9019b06t / 10t (1,8m / 3m)

Also available:  
Single- & Dual-Screen Universal Secure KVM [➤](#)



## Secure 4-port Dual-Head DP-to-HDMI KVM-switch

F1DN104W-3ea

- Dual-Screen 4K@30hz.
- For PS/2 & USB Keyboard & Mouse.
- Host ports 8x DisplayPort ver 1.2 Female.
- Console port 2x HDMI Ver 1.4 Female.
- 4x audio input (3.5mm female Jack).
- 1x audio output (3.5mm female jack).
- 1x Common Access Card (CAC) reader port (USB Type A), 1x DCU Port (RJ14).
- Cable sets: F1D9020b06t/10t (1,8m/3m)

Also available:  
Single- & Dual-Screen Universal Secure KVM

with CAC



## Secure 4-Port Quad-Head DP to HDMI (3x) + DVI (1x) KVM-switch

**F1DN104Q-3ea**

- Quad-Screen 4K@30hz.
- For PS/2 & USB Keyboard & Mouse.
- Host ports:  
12x DisplayPort ver 1.2 Female,  
4x DVI-I Dual-Link Female.
- Console ports:  
3x HDMI Ver 1.4 Female,  
1x DVI-I Dual-link Female.
- 4x audio input (3.5mm female Jack).
- 1x audio output (3.5mm female jack).
- 1x Common Access Card (CAC) reader port (USB Type A), 1x DCU Port (RJ14).
- Cable sets: please call Belkin Contact.

with CAC





## Universal Secure 2-port KVM-switch F1DN102KVM-UN-3

- Single-Screen 4K@60Hz (HDMI).
- For PS/2 & USB Keyboard & Mouse.
- 2x Host ports accept DisplayPort & HDMI.
- 1x Console port accepts DisplayPort & HDMI.
- 2x audio input (3.5mm female Jack).
- 1x audio output (3.5mm female jack).
- 1x Common Access Card (CAC) reader port (USB Type A), 1x DCU Port (RJ14).

Select Cables for Universal Secure KVM

[Video Cables >](#) [Client Cables >](#)



## Universal Secure 2-port Dual-Head KVM-switch

### F1DN202KVM-UN-3

- Dual-Screen 4K@60Hz (HDMI).
- For PS/2 & USB Keyboard & Mouse.
- 4x Host ports accept DisplayPort & HDMI.
- 2x Console port accepts DisplayPort & HDMI.
- 4x audio input (3.5mm female Jack).
- 1x audio output (3.5mm female jack).
- 1x Common Access Card (CAC) reader port (USB Type A), 1x DCU Port (RJ14).

Select Cables for Universal Secure KVM

[Video Cables >](#) [Client Cables >](#)



## Universal Secure 4-port KVM-switch F1DN104KVM-UN-3

with CAC

- Single-Screen 4K@60Hz (HDMI).
- For USB Keyboard & Mouse.
- 4x Host ports accept DisplayPort & HDMI.
- 1x Console port accepts DisplayPort & HDMI.
- 4x audio input (3.5mm female Jack).
- 1x audio output (3.5mm female jack).
- 1x Common Access Card (CAC) reader port (USB Type A), 1x DCU Port (RJ14).

Select Cables for Universal Secure KVM

[Video Cables >](#) [Client Cables >](#)



## Universal Secure 4-port Dual-Head KVM-switch

F1DN204KVM-UN-3

- Dual-Screen 4K@60Hz (HDMI).
- For USB Keyboard & Mouse.
- 8x Host ports accept DisplayPort & HDMI.
- 2x Console ports accepts DisplayPort & HDMI.
- 4x audio input (3.5mm female Jack).
- 1x audio output (3.5mm female jack).
- 1x Common Access Card (CAC) reader port (USB Type A), 1x DCU Port (RJ14).

Select Cables for Universal Secure KVM

[Video Cables](#) >

[Client Cables](#) >

with CAC





## TAA compliant Universal Secure KVM Video Cables

A Secure KVM Video Cable is the easiest and neatest way to connect all your monitors to your KVM switches, providing image clarity for high-resolution applications.

Every Belkin Secure KVM Combo Cable features TAA Compliance, high retention gold-plated connectors, Hook and Loop wire identification straps, and a black jacket.

Belkin secure video cables add high-performance, high-quality, and reliability to the SKVM application.

### DisplayPort

DP Male to Male ..... **F1DN1VCBL-PP -06t / -10t** (1,8m / 3m)

### HDMI

HDMI Male to Male ..... **F1DN1VCBL-HH -06t / -10t** (1,8m / 3m)

### DVI

HDMI Male to DVI Male ..... **F1DN1VCBL-DH -06t / -10t** (1,8m / 3m)

### Mini DisplayPort

mDP Male to DP Male ..... **F1DN1VCBL-MP -06t / -10t** (1,8m / 3m)





## Secure 8-Port KVM-switch DVI-I F1DN108C-3

with CAC

- Single-Screen 4K@30hz.
- For PS/2 & USB Keyboard & Mouse.
- 8x Host ports DVI-I Dual-Link Female.
- 1x Console port DVI-I Dual-Link Female.
- 8x audio input (3.5mm female Jack).
- 1x audio output (3.5mm female jack).
- Common Access Card (CAC) reader ports (USB Type A, Host 8x, Console 1x)
- 1x DCU Port (RJ14).
- Cable set: F1D9012b06t (1,8m)







## Secure Dual-Head 8-Port KVM-switch DVI-I with CAC F1DN108F-3

- Dual-Screen 4K@30hz.
- For PS/2 & USB Keyboard & Mouse.
- 16x Host ports DVI-I Dual-Link Female.
- 2x Console ports DVI-I Dual-Link Female.
- 8x audio input (3.5mm female Jack).
- 1x audio output (3.5mm female jack).
- Common Access Card (CAC) reader ports (USB Type A, Host 8x, Console 1x)
- 1x DCU Port (RJ14).
- Cable sets: F1D9014b06t / 10t (1,8m / 3m)





## Secure 16-Port KVM-switch DVI-I with CAC

F1DN116C-3

- Single-Screen 4K@30hz.
- For PS/2 & USB Keyboard & Mouse.
- 16x Host ports DVI-I Dual-Link Female.
- 1x Console ports DVI-I Dual-Link Female.
- 16x audio input (3.5mm female Jack).
- 1x audio output (3.5mm female jack).
- Common Access Card (CAC) reader ports (USB Type A, Host 16x, Console 1x)
- 1x DCU Port (RJ14).
- Cable sets: F1D9012b06t / 12t (1,8m / 3,6m)





## Desktop 2-Port KVM Switch, VGA & USB

### F1DS102Lea

- Single-Screen
- For USB Keyboard & Mouse
- 4x audio input, 2x output (3.5mm female jack).
- Additional 2-port USB hub (side & back port).
- Cables included



## Desktop Flip 2-Port KVM Switch, VGA & USB

### F1DG102Utt

- Single-Screen
- For USB Keyboard & Mouse
- 1x audio input, 1x output (3.5mm female jack).
- Tethered cables



with remote





## Desktop Dual-Head 2-Port KVM Switch, VGA & USB

### F1DH102Lea

- Dual-Screen
- For USB Keyboard & Mouse.
- 4x audio input, 1x output (3.5mm female jack).
- Additional 2-port USB hub (side & back port).
- Cables included



## Desktop 2-Port KVM Switch, DVI & USB

### F1DD102Lea

- Single-Screen
- For USB Keyboard & Mouse.
- 4x audio input, 2x output (3.5mm female jack).
- Additional 2-port USB hub (side & back port).
- Cables included



## Desktop 4-Port KVM Switch, VGA & USB

### F1DS104Lea

- Single-Screen
- For USB Keyboard & Mouse.
- 8x audio input, 2x output (3.5mm female jack).
- Additional 2-port USB hub (side & back port).
- Cables included





## Desktop Dual-Head 4-Port KVM Switch, VGA & USB

### F1DH104Lea

- Dual-Screen.
- For USB Keyboard & Mouse.
- 8x audio input, 2x output (3.5mm female jack).
- Additional 2-port USB hub (side & back port).
- Cables included.



## Desktop 4-Port KVM Switch, DVI & USB

### F1DD104Lea

- Single-Screen
- For USB Keyboard & Mouse.
- 8x audio input, 2x output (3.5mm female jack).
- Additional 2-port USB hub (side & back port).
- Cables included



## OmniView PRO3 4-Port KVM Switch, VGA — PS/2 & USB In/Out F1DA104Zea

- For PS/2 & USB Keyboard & Mouse.
- Control up to 4 USB- and PS/2-platform servers from a single console.
- can be daisy-chained to support up to 256 servers.
- rack mountable.

Belkin PRO3 KVM Cables  
required to connect your servers  
and computers:



**USB** F1D9401-06 / -12 (1,8m / 3,6m)

**PS/2** F1D9400-06 / -10/ -15/ -25 (1,8m / 3m / 4,5m / 7,6m)





## OmniView PRO3 8-Port KVM Switch, VGA — PS/2 & USB In/Out F1DA108Zea

- For PS/2 & USB Keyboard & Mouse.
- Control up to 8 USB- and PS/2-platform servers from a single console.
- can be daisy-chained to support up to 256 servers.
- rack mountable.

Belkin PRO3 KVM Cables  
required to connect your servers  
and computers:



**USB** F1D9401-06 / -12 (1,8m / 3,6m)

**PS/2** F1D9400-06 / -10/ -15/ -25 (1,8m / 3m / 4,5m / 7,6m)





## OmniView PRO3 16-Port KVM Switch, VGA — PS/2 & USB In/Out F1DA116Zea

- For PS/2 & USB Keyboard & Mouse.
- Control up to 16 USB- and PS/2- platform servers from a single console.
- can be daisy-chained to support up to 256 servers.
- rack mountable.

Belkin PRO3 KVM Cables required to connect your servers and computers:



**USB** F1D9401-06 / -12 (1,8m / 3,6m)

**PS/2** F1D9400-06 / -10/ -15/ -25 (1,8m / 3m / 4,5m / 7,6m)



## Single user Rack Mount Consoles

- Single VGA, USB, PS/2 cable included:  
**F1DC101Vea** ..... UK QWERTY keyboard.  
**F1DC101Vfr** ..... French AZERTY keyboard.  
**F1DC101Vde** ..... German QWERTZ keyboard.
- Including 8-port KVM:  
**F1DC108Vea** ..... UK QWERTY keyboard.  
**F1DC108Vfr** ..... French AZERTY keyboard.  
**F1DC108Vde** ..... German QWERTZ keyboard.
- Including 16-port KVM:  
**F1DC116Vea** ..... UK QWERTY keyboard.  
**F1DC116Vfr** ..... French AZERTY keyboard.  
**F1DC116Vde** ..... German QWERTZ keyboard.

Cables: ..... **USB** **F1D9401-06 / -12** (1,8m / 3,6m) ..... **PS/2** **F1D9400-06 / -10 / -15 / -25** (1,8m / 3m / 4,5m / 7,6m)



## OmniView Cat5 Extender VGA & USB with KVM Cable

### F1D086Uea

- Enables you to connect your KVM to servers up to 150m away.
- Local and Remote ports.
- Max Resolution:  
1280 x 1024 @ 75 Hz.
- Interfaces:  
1 x display/video, VGA 15 pin  
HD D-Sub (HD-15)  
1 x keyboard/mouse, 4 pin  
USB Type A.



## Non Secure KVM

	Part#	Remarks
<b>Desktop</b>		
2 ports	F1DS102Lea	VGA & USB
	F1DD102Lea	DVI & USB
	F1DH102Lea	Dual-Head, VGA & USB
	F1DG102Utt	VGA & USB
4 ports	F1DA104Zea	OmniView PRO3, PS/2 & USB
	F1DS104Lea	VGA & USB
	F1DD104Lea	DVI & USB
	F1DH104Lea	Dual-Head, VGA & USB
<b>Rack Mount</b>		
Consoles	F1DC101Vea, Vde, Vfr	
	F1DC108Vea, Vde, Vfr	inc. 8-port KVM
	F1DC116Vea, Vde, Vfr	inc. 16-port KVM
KVM-switches	F1DA108Zea	8-Port KVM, PS/2 & USB
	F1DA116Zea	16-Port KVM, PS/2 & USB
<b>KVM Extender</b>	F1D086Uea	Cat5 Extender

## Secure KVM

Secure	Part#	Remarks
<b>Desktop</b>		
2 ports	F1DN102F-3ea, 3uk	Secure DVI-D
	F1DN102N-3ea, 3uk	Secure DP-to-HDMI w. Audio & Remote
	F1DN102V-3ea, 3uk	Secure VGA
	F1DN102FLP-DP-3	Secure DP-to-DP with Remote
2 ports Universal	F1DN202FLP-DP-3	Secure Dual-Head DP-to-DP w. Audio & Remote
	F1DN102KVM-UN-3	Secure (accepts DisplayPort & HDMI)
4 ports	F1DN202KVM-UN-3	Secure Dual-Head (accepts DisplayPort & HDMI)
	F1DN104B-3ea	Secure DVI-I
	F1DN104E-3ea	Advanced Secure Dual-Head DVI-I
	F1DN104P-3ea	Advanced Secure DP-to-HDMI
4 ports Universal	F1DN104W-3ea	Advanced Secure Dual-Head DP-to-HDMI
	F1DN104Q-3ea	Advanced Secure Quad-Head DP to HDMI
	F1DN104KVM-UN-3	Universal Secure (accepts DisplayPort & HDMI)
	F1DN204KVM-UN-3	Universal Secure Dual-Head (accepts DisplayPort & HDMI)
<b>Rack Mount</b>		
8 ports	F1DN108C-3	Advanced Secure DVI-I
	F1DN108F-3	Advanced Secure Dual-Head DVI-I
16 ports	F1DN116C-3	Advanced Secure DVI-I



## Standard KVM Cable Sets

Part#	Cable Sets for
<b>Pro3, Console</b>	
F1D9400-06 / -10 .....	VGA, PS/2 PCs ( Dual cable )
F1D9401-06 / -12 .....	VGA, USB PCs ( Dual cable )
<b>Secure KVM, non-Universal</b>	
F1D9012b06t / b10t .....	DVI, Single Screen
F1D9104b06t / b10t .....	DVI, Dual Screen
F1D9017b06 .....	DisplayPort to DVI
F1D9019b06t / b10t .....	DisplayPort, Single Screen
F1D9020b06t / b10t .....	DisplayPort, Dual Screen

## Universal Secure KVM Client Cable sets

Part#	Cable Sets for
<b>Single Screen</b>	
F1DN1CCBL-HH6t / -HH10t .....	HDMI PCs
F1DN1CCBL-DH6t / -DH10t .....	DVI PCs
F1DN1CCBL-MP6t / -MP10t .....	Mini-DisplayPort PCs
F1DN1CCBL-VH-10 .....	VGA PCs
<b>Dual Screen</b>	
F1DN2CCBL-HH6t / -HH10t .....	HDMI PCs
F1DN2CCBL-DH10t / -DH6t .....	DVI PCs
F1DN2CCBL-MP6t / -MP10t .....	Mini-DisplayPort PCs
F1DN2CC-HHPP1t / -HHPP6t / -HHPP10t .....	HDMI/DisplayPort PCs
F1DN2CC-DHPP6t / -DHPP10t .....	DVI-D/DisplayPort PCs

### Cable Lengths

### As in Part# suffix

<b>1</b> .....	0,3m
<b>6</b> .....	1,8m

<b>10</b> .....	3m
<b>12</b> .....	3,6m



**Finish**

Thank you