

USB-C Dock - Single Monitor 4K 30Hz HDMI Laptop Docking Station with 85W Power Delivery, 4pt USB 3.0 Hub, Gb Ethernet, Audio - Compact USB 3.1 Gen 1 Type-C Dock - Mac & PC

Product ID: DK30CHDPDUE



This USB-C dock gives you all the connections you need to turn your USB-C enabled laptop or tablet into a fully capable workstation, with support for a single external 4K HDMI monitor or ultrawide monitor. With USB Power Delivery 2.0 (85W), you can power and charge your laptop as you work, eliminating the need to use a separate power adapter with your laptop. It's the perfect companion for your MacBook Pro or other Thunderbolt 3 equipped laptop or tablet.

The USB-C dock helps you maximize your workspace, ideal for smaller or shared work areas using one monitor. The dock expands the display capabilities of your laptop, connecting to an HDMI display with support for resolutions including: 4096x2160 @ 30Hz, 3840 x 2160 @ 30Hz, 2560x1600 @60 Hz, 1920 x 1200 @ 60Hz.

Create an immersive experience by connecting the USB-C dock to an ultrawide or ultrawide curved monitor with 21:9 aspect ratio (3440 x 1440p @ 60 Hz), to emulate a multi-display set-up and gain exceptional picture quality.

The dock provides four USB 3.0 (Type-A) ports to connect peripherals such as your mouse or keyboard. It also includes a USB 3.0 fast-charge and sync port, a Gigabit Ethernet port (with PXE Boot support), and a combined 3.5 mm audio and microphone port.

Compatible with Mac and Windows, this universal dock works with USB-C and Thunderbolt 3 enabled laptops.

Developed to improve performance and security, StarTech.com Connectivity Tools is the only software suite on the market that works with a wide range of IT connectivity accessories. The software suite includes:

Advanced Windows Layout Utility: To setup and save custom windows layouts.

Mac Address Pass-Through Utility: To improve network security.

USB Event Monitoring Utility: To track and log connected USB devices

Wi-Fi Auto Switch Utility: Enabling users to quickly access faster network speeds via wired LAN.



For more information and to download the StarTech.com Connectivity Tools application, please visit: www.StarTech.com/Connectivity-Tools

The DK30CHDPDUE is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility

Applications

- A cost-effective docking station solution for business and office environments, where most employees use only a single external monitor
- Connect to an ultrawide or ultrawide curved monitor to emulate a multi-display experience view and gain exceptional picture quality
- Effective in small workspaces or cubicle environments with limited space for multiple displays
- Ideal for temporary or shared workspaces (hoteling) where only one external monitor is required

Features

- COMPACT FULL FEATURE DOCK: This USB-C dock features single 4K 30Hz HDMI video, 85W PD, 4x USB-A 3.0 (5Gbps) ports (1 fast charge), Gigabit Ethernet, a headset/audio port & 1m/3.3 ft USB-C cable
- WIDE DEVICE COMPATIBILITY: USB C dock supports USB-C/Thunderbolt 3 (TB3) laptops like HP, Dell, Lenovo, Surface Laptop 3 & Pro 7, Chromebook, MacBook Pro, MacBook Air, iPad Pro, Samsung, Google Pixel
- 85W POWER DELIVERY: The USB 3.1 Gen 1 Type-C docking station will quickly charge workstation laptops like Lenovo ThinkPad P Series, HP Z Books & MacBook Pro 15/16, where more power is required
- COMPACT SIZE: Designed for small workspaces or work from home, this USB-C laptop port replicator is ideal for single monitor or ultra-wide monitor workstation setups
- WIDE OPERATING SYSTEM COMPATIBILITY: Automatic driver installation; universal USB-C dock is compatible with major OS platforms like Windows, MacOS, Chrome OS, iPadOS, and Android phones
- STARTECH.COM CONNECTIVITY TOOLS: Provided with this device, the application improves performance and security, featuring MAC Address Changer, USB Event Monitoring, Windows Layout & Wi-Fi Auto Switch utilities

Hardware			
	Warranty	3 Years	
	4K Support	Yes	
	Fast-Charge Port(s)	Yes	
	Displays Supported	1	



Interface USB 3.0

Bus Type USB-C

Industry Standards USB Power Delivery Specification Rev. 2.0

USB Battery Charging Specification Rev. 1.2

DisplayPort 1.2

IEEE 802.3, IEEE 802.3u, IEEE 802.3ab

USB 3.0 - Backward compatible with USB 2.0 and 1.1

Chipset ID Parade - PS176

Realtek - RTL8153

Realtek - RTS5411

C-Media - CM6533

Performance

Maximum Data Transfer

Rate

5 Gbps (USB 3.0)

2 Gbps (Ethernet; Full-Duplex)

Maximum Digital

Resolutions

HDMI - 4096x2160 @ 30Hz, 3840 x 2160 @ 30Hz, 2560x1600

@60 Hz, 1920 x 1200 @ 60Hz

UltraWide - 3440 x 1440p @ 60 Hz

Type and Rate USB 3.0 - 5 Gbit/s

UASP Support Yes

Compatible Networks 10/100/1000 Mbps

Auto MDIX Yes

PXE Yes

Full Duplex Support Yes

Connector(s)

Connector Type(s) HDMI (19 pin)

USB Type-C (24 pin) USB 3.0 (5Gbps)

USB 3.0 A (Fast-Charge, 9 pin)

USB Type-A (9 pin) USB 3.0 (5 Gbps)



RJ-45

3.5 mm Mini-Jack (4 Position)

Software

OS Compatibility Windows 7, 8, 8.1, 10, 11

macOS 10.11 to 10.15, 11.0, 12.0

Power

Power Source AC Adapter Included

Power Delivery 85W

Input Voltage 100 - 240 AC

Input Current 2 A

Output Voltage 20V DC

Output Current 5 A

Center Tip Polarity Positive

Plug Type N

Power Consumption (In

Watts)

100W

Environmental

Operating Temperature 0C to 40C (32F to 104F)

Storage Temperature -10C to 70C (14F to 158F)

Humidity 5%~95% RH (Non-condensing)

Physical Characteristics

Color Black

Material Plastic

Product Length 3.9 in [98.0 mm]

Product Width 3.6 in [91.0 mm]



	Product Height	1.3 in [32.0 mm]
	Weight of Product	7.1 oz [200.0 g]
Packaging Information		
	Package Length	6.5 in [16.5 cm]
	Package Width	7.3 in [18.5 cm]
	Package Height	3.7 in [95.0 mm]
	Shipping (Package) Weight	2.7 lb [1.2 kg]
What's in the Box		
	Included in Package	docking station
		3.3 ft [1 m] USB-C cable
		universal power adapter (UK, EU)
		quick-start guide

^{*}Product appearance and specifications are subject to change without notice.