

#### **Overview**

HP 64X LaserJet Toner Cartridge Dual Pack, black. Avg cartridge yields 24,000 standard pages[3]

As you print more, you can save more. With HP LaserJet Toner Cartridge Dual Packs, you can reduce your company's printing costs without sacrificing the consistent, professional results and reliable, trouble-free printing of Original HP.

# Original HP value—save more as you print more

HP helps lower the cost of Original HP cartridges with a high-value option for high-volume printing

#### Even more convenient and easy to use

Minimize interruptions with the added convenience of Original HP LaserJet Toner Cartridge Dual Packs.

## Reliable performance, professional results

Reliable HP cartridges comprise up to 70% of the total imaging system, ensuring consistent results.

[3] Declared yield value in accordance with ISO/IEC 19752.

## Specifications

Color(s) of printing supplies	Black
Print Technology	Laser
Supply type	Cartridges
Operating temperature range	10 to 32.5°C
Storage temperature range	-20 to 40°C
Operating humidity range	20 to 80% RH
Non-Operating Humidity Range	10 to 90% RH
Print Resolution Technologies	Smart
Printing Material Shelf Life	Not applicable
Compatibility	HP LaserJet P4015 Printer series, HP LaserJet P4515 Printer series
Product count per unit	2
Quantity per pallet	18
Quantity per European pallet	18
Count of carton in pallet	18
UPC number	884962061459
Minimum dimensions (W x D x H)	400 x 390 x 332 mm
Minimum dimensions (W x D x H)	15.75 x 15.35 x 13.07 in
Package dimensions (W x D x H)	400 x 390 x 332 mm
Package dimensions (W x D x H)	15.75 x 15.35 x 13.07 in
Pallet dimensions (W x D x H)	1182 x 810 x 1163 mm
Pallet dimensions	46.5 x 31.9 x 45.8 in
Package weight	6.8 kg
Package weight	14.96 lb
Pallet weight	142.9 kg
Pallet weight	314.3 lb
Page Yield	24000
Page yield (black and white)	Per cartridge: 24,000 pages
What's in the box	2 toner cartridges; Recycling guide
Warranty	This HP product is warranted to be free from defects in materials and workmanship

## Additional specifications

Cartridge Colors	Black
Count of cartons per pallet layer	6
Count of layers in pallet	3
Country of origin	Made in Japan
European pallet dimensions (W $\times$ D $\times$ H)	1182 x 810 x 1145 mm
Master or single cartons per layer (European pallet)	6
Operating temperature range	50 to 90.5°F
Package count	2
Page yield footnote	Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
Pallet weight	142.9 kg
Print technology	Laser
Product subgroup	Multi-packs
Recycled material content	16%
Selectability	64X
Stacking number for carton	12
Storage temperature range	-4 to 104°F
Sub-brand name	LaserJet
Subgroup	High Capacity Cartridges
UNSPSC code	44103103

This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to products that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANT Y IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

Warranty

Weight 11.0 lb
Weight 5.0 kg

Generated by Dynamic Collateral Tool - (ww-en) - Jun 19, 2018 10:05 AM UTC+0000