





Products designed to help caregivers thrive

Enhance personal interaction • Expand reach • Improve operational efficiency

ERGOTRON[®]
HEALTHCARE

Quality products for every area in the facility—and beyond





Products designed to help caregivers thrive

With more than 36 years of designing ergonomic solutions for computer users worldwide—and 24 years specifically in healthcare—Ergotron is uniquely qualified to help your entire facility enhance personal interaction, expand the reach of care and improve operational efficiency.

Enhance personal interaction. Expand the reach of care. Improve operational efficiency.

CareFit™ Slim LCD and Laptop Carts

- Ultra lean, light and nimble
- Offers full sit-to-stand functionality with easy height adjustment
- Features a durable finish and three-function 4" (10,2 cm) casters for extra maneuverability
- Integrated accessory shelf on LCD cart fits a scanner, printer or wipes
- Integrated storage bin on laptop cart provides a clutter-free workspace



StyleView™ Carts

- Designed for nurses and personalized to enhance workflow and caregiving
- Choices for mounting displays: LCD arms and pivots, secure laptop, and single or dual displays
- Unsurpassed ergonomics whether sitting, standing or maneuvering
- Carts evolve as your needs change—several accessories are available to improve productivity
- Carts and power systems fully certified to UL 60601-1



Point-of-Care Wall Mount Products

- Enhances personal interaction between caregivers, their patients and patient data
- Ergonomic designs and added features provide ease of motion and proper positioning for optimal workplace comfort
- Choose from a wide range of wall mount products to meet various user, budgetary and space requirements



Charging Systems

- Charge, sync and/or secure multiple mobile devices
- Available as carts, wall mounts or desktop stations
- Choose from universal, open-architecture designs or products made for Apple®
- Certified for safety
- Lightweight and agile designs



WorkFit™ Sit-Stand Workstations

- Promotes a healthier way to work with ergonomic comfort and sit-stand mobility
- Choose from desks, mobile workstations, wall mount and desk mounts
- Additional accessories also available to improve productivity and comfort



Service and Product Support Programs

- Expect a superior customer experience
- Quality products are backed by specially trained support professionals and optional extended service programs
- Extended Global Service Programs protect your investment and ensure optimal product performance
- Customer Care includes live support via phone, chat and email



Our new line of slim and nimble medical carts



CareFit Slim LCD Cart

- Fits large all-in-one computers and monitors
- Very low profile; ultra-compact footprint
- 20" (50 cm) of sit-stand lift
- 5" independent monitor height adjustment; tilt and swivel
- Slide-out keyboard tray
- Includes printer and accessories shelf



CareFit Slim Laptop Cart

- Fits small laptops and two-in-ones
- Very low profile; ultra-compact footprint
- 24.6" (63,3 cm) of sit-stand lift
- Includes pull-out cable storage tray, power brick holder and easy-to-adjust device strap

CareFit Slim LCD and Laptop Cart:
Fits your people, workflow and environment

Short, tall or average clinicians can now work comfortably and effectively—no matter what their stature. Help all of your caregivers thrive with an expansive vertical range that easily adjusts to the ergonomic needs of the broadest range of users. The lightweight design makes it easy to move wherever your work takes you.

The slim depth and small footprint allows you to use it as a point-of-care solution at a patient's bedside, in a hallway or any other area. When not in use, it fits tightly against a wall to free up valuable space.

	CareFit Slim LCD Cart (No Drawer)	CareFit Slim LCD Cart (With Drawer)	CareFit Slim Laptop Cart
Part number (white/warm grey)	C50-2500-0	C50-2510-0	C50-1100-0
Typical LCD size	Optimized for lean IT configurations USFF + LCD 21"-27" up to 17 lbs (7,7 kg)		—
Worksurface dimensions	20.7" x 14.3" (52,5 x 36,3 cm)		21" x 13.9" (53,3 x 35,3 cm)
Base footprint dimensions	27.5" x 19.3" (69,8 x 49 cm)		18.9" x 14.7" (48 x 37 cm)
Lift; Height adjustment range	19.7" (50 cm); Height adjustment range: 74,3–124,2 cm		24.6" (63,3 cm); Height adjustment range: 61,4–124,7 cm
Warranty	5 years		



Mount accessories

Included in one-drawer model

Scanner holder

Printer and accessories shelf

Our full line of customizable medical carts



Your cart. Your way.

Choose the StyleView medical cart that best meets your caregiving needs, style and workflow.

StyleView carts are designed to include all the features that caregivers have asked for, with all the open architecture and quality construction that IT departments require.

- Effortless sit-stand height adjustment using patented Constant Force™ technology
- Independent screen positioning and an adjustable back-tilt keyboard tray for comfortable ergonomics
- For patient, caregiver and facility safety, entire carts are tested and fully certified



LIGHT-DUTY DOCUMENTATION CARTS



StyleView Lean WOW™ Cart, SV10



StyleView S-Tablet Cart, SV10 for Microsoft Surface



StyleView Tablet Cart, SV10



StyleView Laptop Cart, SV10



StyleView 40 and 41 Series
Laptop version shown
Non-powered

POINT-OF-CARE DOCUMENTATION & MEDICATION DELIVERY CARTS



StyleView 42 Series
LCD pivot version shown
Powered with SLA or LiFe battery



StyleView 42 with Electric Lift
LCD arm version shown
Powered with LiFe battery
(North America only)



StyleView 43 Series
LCD arm version shown
Non-powered
Pre-configured with drawers



StyleView 44 Series
LCD pivot version shown
Powered with SLA or LiFe battery
Pre-configured with drawers



StyleView Telemedicine
Dual monitor version
Powered with SLA battery
Pre-configured with storage for telemedicine applications

See technical specifications on pages 14-15 and at ergotron.com

Need help determining which StyleView Cart is right for you? Use our helpful Finder Tool at styleview.ergotron.com/finder
 Or consult with an Ergotron healthcare expert

+ Determine your application:
 Point-of-care carts facilitate access to medical records and provide medication delivery anywhere in the facility
 Telehealth carts designed for telemedicine and video conferencing anywhere in the facility

+ Determine the primary use:
 Access to medical records and the delivery of medication
 Access to medical records and medication delivery/management with controlled access
 Mobile deployment of tablets or laptops

+ Choose display mount type: LCD arm, LCD pivot, laptop, and tablets & Microsoft Surface



+ Choose powered, non-powered or add-on power upgrades:
 Lithium Iron Phosphate (LiFe), sealed lead acid (SLA), non-powered and power upgrade options



+ Choose drawers, storage & accessories: Drawers, bins, sani-wipes holder, scanner shelf and more



+ Add a service program: Extended global service programs protect your investment, ensure optimal product performance and can provide additional support and benefits, such as:



- Site readiness • Fast, efficient product installation and integration
- Preventive maintenance and extended warranties • Improved asset management
- Enhanced in-house product expertise • Equipment audit and health assessment
- Next-business-day service contracts • Annual contracts and planned services

Our SV Medical Carts finder tool makes it easy to determine which StyleView configuration will best meet your workflow needs



SV Medical Carts

Find Your StyleView®

Start by choosing your application. Answer each question to find the right cart for you.

Application	<input checked="" type="radio"/> Point of Care	<input type="radio"/> Telehealth
Primary Use	<input checked="" type="radio"/> Documentation	<input type="radio"/> Medication Delivery
Form Factor	<input checked="" type="radio"/> Full Workstation	<input type="radio"/> Light Duty
Power System	<input checked="" type="radio"/> Onboard Power	<input type="radio"/> Non-powered
Battery Type	<input checked="" type="radio"/> LiFe	<input type="radio"/> SLA
Viewing Screen	<input checked="" type="radio"/> Monitor	<input type="radio"/> Laptop
Display Mount	<input type="radio"/> Lift Pivot	<input checked="" type="radio"/> Arm
Add Drawers	<input type="radio"/> No	<input checked="" type="radio"/> Yes
# of Drawers	<input type="radio"/> 1 Drawer	<input checked="" type="radio"/> 6 Drawers
	<input type="radio"/> 2 Drawers	<input type="radio"/> 9 Drawers
	<input type="radio"/> 4 Drawers	

Add compatible accessories to customize a cart.

Options	<input type="checkbox"/> Storage Bin	<input type="checkbox"/> Front Tray
	<input type="checkbox"/> Utility Shelf	<input type="checkbox"/> Large Utility Shelf
	<input type="checkbox"/> Telemedicine Bin	<input type="checkbox"/> Envelope Bin
	<input type="checkbox"/> K-Slot Lock Kit	<input type="checkbox"/> Task Light
	<input type="checkbox"/> Pan Pivot Kit	<input type="checkbox"/> IV Pole Clamp Kit
	<input type="checkbox"/> Rear VESA Mount Kit	<input checked="" type="checkbox"/> CPU Holder
	<input type="checkbox"/> Camera Shelf	<input checked="" type="checkbox"/> Scanner Shelf
	<input type="checkbox"/> Medical-Grade Power Strip	<input type="checkbox"/> Sani-wipes Holder

Add-on Power

<input type="checkbox"/> DC Power System	<input type="checkbox"/> LiFe Power Upgrade
	<input type="checkbox"/> Hot Swap System

[See Selection](#)

Choose from multiple drawer options



One drawer:
1 primary drawer, single



Two drawers:
1 primary drawer, single
1 supplemental, single



Four drawers:
1 primary drawer, triple
1 supplemental, single



Six drawers:
1 primary drawer, triple
1 supplemental, triple



Nine drawers:
1 primary drawer, triple
2 supplemental, triple



Three drawers:
1 primary drawer, single
2 supplemental, single



Two drawers:
1 primary drawer, double



One tall drawer:
1 primary drawer, single tall



Two tall drawers:
1 primary drawer, double tall



Fifteen drawers:
1 primary drawer, triple
4 supplemental, triple



Choose from manual key lock drawers or electronic locking drawer systems (with PINs) which enable secure and efficient management of non-controlled medication, reducing the chance for errors. Also supports "Pharmacy mode," allowing all drawers to be unlocked simultaneously.

styleview.ergotron.com/finder

Choose from a variety of add-on products to enhance the StyleView™ experience



SV43/44 Envelope Drawer 97-853



SV Storage Bin 97-740



SV Tasklight 97-754-002



Extended service programs



Pan Pivot Kit for SV LCD Cart 97-650



SV Dual Monitor Kit* 98-030



Utility Shelf 97-507-216



Large Utility Shelf* 97-540-053



SV Scanner Shelf* 97-780-194



SV Front Tray 98-134



SV Camera Shelf* 97-776-194



SV Sani-wipes Holder 97-828



Thin Client Mount* 80-107-200



Universal CPU Holder* 80-105-064



SV IV Pole Clamp Kit 97-632



SV 3-Function Caster 98-069




SV Telemedicine Bin* 97-854



Scanner Holder 97-543-207



Many Drawer Replacement Kits



SV Wire Basket, Large 98-135-216



SV Height-Adjustable Keyboard Arm for SV LCD Carts 97-827



SV Ethernet Side Cover LCD: 97-855 Laptop: 97-856



SV Rear VESA Mount Kit 97-512-009



SV Wire Basket, Small 98-136-216

* Displays, cameras and components shown are sold separately.

LiFeKinnex™ Power System

Power LiFe-changing care

Safely power your medical carts to last longer so they're ready when you need them most. Using Lithium Iron Phosphate battery chemistry (LiFe), LiFeKinnex charges carts quickly without the risk of overcharging or overheating associated with other battery types. Designed for multiple workflows, the power system allows caregivers to plug in the unit to quickly charge the cart, even during use, or use the optional LiFeKinnex 4-Bay Charger to keep the cart moving with a hot swap.

- Safe battery chemistry
- Longer battery cycle life
- Simple attachment system
- Quick charging time
- Easy to connect
- Patent pending

Compatible with StyleView 4X carts, StyleView 10 light-duty carts, and CareFit Slim LCD and laptop carts

LiFeKinnex Battery: #98-246

LiFeKinnex Power Module: #98-247

LiFeKinnex 4-Bay Charger: COMING SOON



Why choose a StyleView™ cart powered with Lithium Iron Phosphate (LiFe)?



Certified. Lightweight.

Ultrafast recharge. Long battery LiFe.

Extremely lightweight and adjustable

The LiFe power system and compact, lightweight base combine with StyleView's ergonomic adjustability to decrease caregiver fatigue and enhance overall wellness and productivity

Ultrafast recharge ensures caregiver and cart uptime

A full recharge from full discharge can be completed in around two hours for typical loads.

Long battery 'LiFe' minimizes time and cost for maintenance and replacement

Proven to achieve thousands of cycles per lifetime and to last several years in a typical healthcare setting

Safe and certified

For patient and caregiver safety, the FULL cart and power system are certified to UL 60601-1

Includes StyleLink SKY

Cloud-based fleet management for StyleView carts

Proven safe battery chemistry

Through extensive testing, Lithium Iron Phosphate is proven to be a very safe battery chemistry

More add-on power solutions for non-powered StyleView carts



SV LiFe Power System Upgrade

Manufactured by Scott Clark

AC 330Wh

- High capacity, flexible, portable
- Ultra-fast, built-in charging on board
- Powers everything on the cart
- Lithium-Iron Phosphate is the safest battery chemistry
- State-of-charge LED indicators
- Availability:
US/CA/MX 97-837 UK/HK/MY/SG 97-893
Saudi/UK 97-895 Saudi/EU 97-896 EU 97-894



SV DC Power System

Manufactured by Amstron

DC 300Wh

- Low-cost DC power
- Small form factor
- On-board, all-in-one charger
- Selectable output voltage
- Mounts on the front or back
- Laptop version 97-943 LCD+CPU version 97-942
Remote User Interface 97-953
(Not available in APAC; country-specific power cords sold separately)

Light-duty, point-of-need StyleView™ SV10 Carts for laptop, tablet and Surface™



**StyleView®
Laptop Cart, SV10**

A bracket holds the laptop in place; inconspicuous design allows easy tilting of the screen without any occlusion of keys or views



**StyleView®
Tablet Cart, SV10**

Install tablet in landscape or portrait mode; tilt the tablet to a preferred input position—work with screen angled vertically, horizontally or anywhere in between



**StyleView® S-Tablet Cart,
SV10 for Microsoft® Surface™**

Special design of work-surface uses embedded magnets for click-in stability of Surface tablet. Place the Surface in three possible positions: left, right or center



All SV10 carts include a scanner holder

Part #	SV10-1100-0	SV10-1400-0	SV10-1800-0
Typical LCD Size	Maximum outside width of laptop = 17" (43 cm), which accommodates laptops with 17" screens, as well as some larger models	Versatile interface accommodates almost any tablet	Compatible with all Surface tablet sizes and models
Worksurface Dims	18" x 12.5" (45,7 x 31,8 cm)	18" x 12.5" (45,7 x 31,8 cm)	23" x 17" (58 x 43 cm)
Base Footprint	19" x 19" (48,3 x 48,3 cm)		
Weight Capacity	Laptop ≤ 10 lbs (4,5 kg); cable management storage ≤ 2 lbs (1 kg); column ≤ 20 lbs (9,1 kg), including accessories added to T-slot channel interface and storage hook	Tablet ≤ 2.5 lbs (1,1 kg); cable management storage ≤ 2 lbs (1 kg); column ≤ 20 lbs (9,1 kg), including accessories added to T-slot channel interface and storage hook	Worksurface ≤ 10 lbs (4,5 kg); cable management storage ≤ 2 lbs (1 kg); column ≤ 20 lbs (9,1 kg), including accessories added to T-slot channel interface and storage hook
Lift	15" (38 cm) Minimum worksurface height = 33" (84 cm); Maximum worksurface height = 48" (122 cm)		
Tilt	—	128°	—
VESA	—	MIS-D	—
Warranty	7 years		

Cloud-based fleet management for StyleView carts

StyleLink™ SKY and StyleLink SKY Pro

StyleLink SKY harnesses the power of the cloud to monitor and manage your fleet of StyleView carts using a secure, web-based software application coupled to an endpoint client on the carts' local machines.



StyleLink SKY is an intuitive and scalable software application that provides real-time insight into the status and health of your entire fleet of StyleView carts. A self-monitoring version of the software is included as part of a preventive maintenance service contract (Bronze, Silver, Gold or Platinum). Or, you can receive StyleLink SKY Pro—which provides Ergotron proactive monitoring—by purchasing a Diamond-level service contract or upgrading an existing service contract.

- Secure, web-based software application that monitors and manages your fleet of StyleView carts
- Seamless and centralized fleet management provides comprehensive cart data to significantly reduce or eliminate cart downtime
- Monitoring helps improve battery life expectancy
- Provides real-time insight into usage patterns, drawer access, battery charge/life and more
- There are no concerns with HIPAA compliance because StyleLink SKY software is isolated from patient records
- Easy to get, fast to implement



StyleView™ Lean WOW™ Cart, SV10 Lightweight “Workstation On Wheels”

Simple documentation cart for your display or all-in-one computer

- Large 23" x 20" (58,4 x 50,8 cm) worksurface has plenty of space for keyboard, scanner and small items
- Small footprint fits into tight spaces
- Height-adjustable column moves 16" (40 cm), so you work comfortably sitting or standing
- Monitor riser provides additional height adjustment for the display; supports displays up to 24" (61 cm), 6–16 lbs (2,7 x 7,3 kg)
- Retractable mouse shelf pulls out left or right easily, then stows away when not needed
- Comfortable rounded handle is conveniently tucked under the worksurface
- T-slot channel interface on the cart's column allows integration of accessories
- Enclosed cable management cubby beneath the worksurface stores power adapters, cables and even an ultra-small computer



#SV10-1300-0

StyleView Patient eTable

Aligning with patient engagement initiatives



From education to entertainment, the StyleView Patient eTable aligns perfectly with rapidly growing patient engagement initiatives in healthcare settings.

- Positions easily over a bed or chair, so it's perfect for use in hospital rooms, chemotherapy or dialysis treatment

areas, and long-term care facilities

- Open architecture design supports virtually all patient or hospital device configurations
- Includes 2 easily accessible USB ports for connectivity and device charging
- Device charging “tech bay” on the rear edge also can be used for storing small items
- A seamlessly integrated arm puts the tablet within reach, connecting patients to caregivers, information and entertainment
- Surface height from either side up to 16" (40,6 cm); height adjustment range is 30–46" (76,2–116,8 cm)
- Large surface area 30" x 19" (76,2 x 48,3 cm) provides ample room for eating meals, writing or using personal items
- An integrated pull-out drawer and optional basket accessories help keep personal belongings within reach

Shown with
Lockable Tablet Mount
#45-460-026



White surface
#24-600-A68

Dark Cherry surface
#24-600-F58



Maple surface
#24-600-F13



Accessories: Baskets for storing personal items

SV Wire Basket, Large
#98-135-216

SV Wire Basket, Small
#98-136-216



Telehealth: Connect. Consult. Collaborate.

StyleView™ Telemedicine Carts

StyleView Telemedicine Carts are specifically designed and configured to support the increasing demands of telehealth — the use of telecommunication technologies for remote patient care. Telemedicine can expand care by enabling connection and collaboration with specialists or teams, regardless of their physical locations.

Open architecture

Allows for easy integration of standard equipment

Lots of connectivity

A total of 5 USB ports are integrated into cart (3 within bin and 2 on the back side); 1 ethernet port is available on the side of the head unit

Everything you need

Camera and Codec/CPU support, secure and ample storage, connectivity and power outlets

StyleView quality

Hospital-grade construction, ergonomic and secure

Worldwide availability

Safety certified

Entire cart and power system is certified to UL/EN/IEC 60601-1 and CAN/CSA C22.2 No. 601.1 M90. (Other country-specific certifications currently pending)



Visit ergotron.com for all StyleView Telemedicine Carts, configurations, accessories and country-specific part numbers

StyleView Telepresence Carts

(North America only)

Telepresence allows medical professionals to conduct 'virtual' patient appointments easily and cost-effectively. This capability is particularly effective for patients with physical limitations, chronic illnesses and/or transportation issues, so it's ideal for in-home care or care facilities.



SLA-battery Powered
SV Telepresence Cart



Non-powered
SV Telepresence Cart



Single Monitor
SV43-53E0-1 (non-powered)
SV44-53E1-1 (SLA powered)



Dual Monitor
SV43-56E0-1 (non-powered)
SV44-56E1-1 (SLA powered)



Back-to-Back
Monitors
SV44-57E1-1
(SLA powered)



Transform an existing StyleView Cart* into a low-cost telepresence cart

(Available worldwide)

Telepresence Kits let you easily convert an existing StyleView cart* for use in telepresence applications — combining the power of videoconferencing with the point-of-care benefits of StyleView. Upgrade kits include a large storage drawer (with divider and keys), travel stop, camera shelf for video/web camera, and a Codec/CPU holder. Then choose from single, dual or back-to-back monitor options.

StyleView Telepresence Upgrade Kits:

- 97-870 SINGLE MONITOR
- 97-872 BACK-TO-BACK MONITOR

* Cart requirements:
Non-powered / LCD pivot with 1 drawer / SV43-1310-0
SLA-battery powered / LCD pivot with 1 drawer / SV44-1311-1

StyleView™ Transfer Cart

A cart designed to streamline workflow

- Securely stores, transports and dispenses medications and supplies
- Holds up to 120 small or 40 large drawers, accessible from either side of cart; 36 shelves are removeable or repositionable

#24-421-062



The Peanut™ (North America only)

Lightweight, fixed-height carts for laptops and tablets

- Fixed worksurface is a comfortable 40" high
- Powder-coated steel construction
- Snap-on cable sleeve organizes and protects your cords
- Comes with 3" twin-wheel rubber casters (2 locking)
- Tablet version comes with three options to secure device
- Lifetime warranty
- Made in the U.S.A. and Built with Anthro-DNA; TAA compliant



Peanut for Laptops
PT1GMPW3

Peanut for Tablets
PT2GMPW3

Zido® Carts (North America only)

Adjustable-height carts are ideal for healthcare

- Compact, mobile footprint
- Height can easily be set from 30"–40" with a simple squeeze of a lever
- Large, 4" twin-wheel casters (2 locking) travel easily
- Lifetime warranty (5 years on gas cylinder)
- Made in the U.S.A. and Built with Anthro-DNA; TAA compliant



	Zido Adjustable-Height Cart	Zido EMR Cart Package	Zido Ultrasound Cart Package	Zido EKG Cart Package	Zido Phlebotomy Cart Package	Zido Computer Cart Package	Zido Pole Cart
Part #	22" ZAL22CG/CG4 25" Light Load ZAL25CG/CG4 25" Heavy Load ZAH25CG/CG4	BZD01CG/CG4	BZD02CG/CG4	BZD03CG/CG4	BZD04CG/CG4	BZD06CG/CG4	98-205-A50
Uses	Healthcare, lab and general office	Transport a laptop or tablet direct to patients	Transport ultrasound supplies to patient	Transport EKG equipment to patient	Transport phlebotomy supplies to patient	Easily transport computer equipment and accessories anywhere you need to go	Stable, simple column supports and transports computer equipment

StyleView Cart Specifications

	Typical Size	Weight Capacity	Lift	Tilt	Pan	Rotation	VESA	
LiFe Powered	LCD	≤ 24"	See website	Arm 27" (68,6 cm) Lift Pivot 25" (63,5 cm)	Arm 65° Lift Pivot 25°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
	Laptop	≤ 17"	See website	20" (51 cm)	—	—	—	—
	Life Cart features include worksurface, four-port USB hub, scanner holder bracket, mouse holder, wrist rest, back-tilt keyboard tray, left/right mouse tray, rear handle, storage basket, cable storage, four casters (two locking) Warranty: 5 years for cart, 2 years on all power supply components; 5 years on LiFe battery, including 2-year capacity guarantee							
SLA Powered	LCD	≤ 24"	See website	Arm 27" (68,6 cm) Lift Pivot 25" (63,5 cm)	Arm 65° Lift Pivot 25°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
	Laptop	≤ 17"	See website	20" (51 cm)	—	—	—	—
	SLA Cart features include worksurface, four-port USB hub, scanner holder bracket, mouse holder, wrist rest, back-tilt keyboard tray, left/right mouse tray, rear handle, storage basket, cable storage, four casters (two locking) 5-year warranty, excluding electrical/electronic components							



Compliant with EN 60601-1



	Certification Standard	Certification Mark	Grounded Plug & Outlet
US	UL 60601-1	cTUVus	North American NEMA 5-15P Hospital Grade
Canada	CAN/CSA C22.2 No. 601.1 M90	cTUVus	North American NEMA 5-15P Hospital Grade
Mexico	As Needed	As Needed	North American NEMA 5-15P Hospital Grade
Europe	EN 60601-1	CE	European CEE 7
Ireland/United Kingdom	EN 60601-1	CE	United Kingdom BS 1363
Hong Kong/Malaysia/Singapore	IEC 60601-1	Not Applicable	United Kingdom BS 1363
China	IEC 60601-1	Not Applicable	GB2009-1 GB1002-1
Australia/New Zealand	IEC 60601-1	C-Tick	Australian AS NZS 3112
Saudi Arabia (EMR SLA)	EN 60601-1	Not Applicable	United Kingdom BS 1363 European CEE 7

Mobile MediaCenter: mobility with versatility

Stretch your investment by supporting a range of projection and videoconferencing needs throughout the facility — from boardroom to the surgery center.



Neo-Flex® MediaCenters feature ease of mobility, 90° display rotation, 20" (51 cm) of effortless height adjustment and 20° independent display tilt.

Optional Camera Shelf Kit creates a mobile videoconferencing solution that the entire facility can easily use.



Optional Camera Shelf Kit
97-491-085



Neo-Flex Mobile
MediaCenter LD



Neo-Flex Mobile
MediaCenter VHD



Neo-Flex Mobile
MediaCenter UHD



Cable Shelf shown with optional Power Strip
Carts feature 4" (10,2 cm) locking casters

Part # (color)	24-190-085 (black)	24-191-085 (black)	24-192-085 (black)
Optional Accessories: MMC Camera Shelf Kit 97-491-085; MMC 800 mm Kit 97-489; MMC VESA CPU Kit 97-527-009			
Typical LCD Size	27–55"	37–65"	50–70"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>			
Weight Capacity	25–50 lbs (11,4–22,7 kg)	50–90 lbs (22,7–40,9 kg)	90–120 lbs (40,9–54,4 kg)
<small>Main shelf 30 lbs (13,6 kg); cable shelf 5 lbs (2,2 kg); if MMC Camera Shelf is added, display weight capacity is diminished by 3 lbs (1,4 kg); if 660/700/800 mm Accessory Kit is added the display weight capacity is diminished by 5 lbs (2,2 kg)</small>			
Lift	20" (51 cm)		
Tilt	20°		
Rotation	90° See website for details		
VESA	MIS-D/E/F See website for details	MIS-D/F See website for details	MIS-D/F See website for details
Warranty	3 years		

	Typical Size	Weight Capacity	Lift	Tilt	Pan	Rotation	VESA	
Non-Powered	LCD	≤ 24"	See website	Arm 27" (68,6 cm) Lift Pivot 25" (63,5 cm)	Arm 65°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
	Laptop	≤ 17"	See website	20" (51 cm)	—	—	—	—
<small>SV40-40004 does not include four-port USB hub, rear handle, storage basket</small>								
Non-powered Cart features includes worksurface, secure compartment, four-port USB hub, scanner holder bracket, mouse holder, wrist rest, back-tilt keyboard tray, left/right mouse tray, rear handle, storage basket, cable storage, four casters (two locking)								
5-year warranty								

EXPERIENCE the difference with our Global Service Programs

Visit ergotron.com for details about all of our service options

LX Wall Mount Systems

Enhances interaction between the caregiver, patient and the patient's data

- Ultimate flexibility of monitor and keyboard positioning
- 20" (51 cm) height range allows users to switch between sitting and standing positions for a healthier way to work
- Ergonomic back-tilt keyboard tray ensures wrists remain in a neutral position to increase comfort and help avoid repetitive-stress injuries
- Keyboard platform is very stable for extensive data entry and tested to be 3 times more rigid than other keyboard arms
- Rotation Stop on wall mount base limits turn of extension base connection to 180°, preventing extension from contacting wall



LX Sit-Stand Wall Mount System

LX Wall Mount System

LX Wall Mount System, White

Part # (color)	Includes medium CPU Holder (silver): 45-358-026 (polished aluminum) Includes small CPU Holder (black): 45-359-026 (polished aluminum)	Includes medium CPU Holder (silver): 45-247-026 (polished aluminum) Includes small CPU Holder (black): 45-253-026 (polished aluminum)	Does not include a CPU holder 45-551-216 (white) White CPU Holder ordered separately: Thin Client Mount: 80-107-216 Small CPU Holder: 80-063-216 Vertical Universal CPU Holder: 97-468-216
System includes	10" and 34" (25,4 and 86,4 cm) wall tracks with 2 black track covers, LX Sit-Stand Wall Mount LCD Arm, LX Sit-Stand Keyboard Arm, gel wrist rest, mouse holder, CPU Holder, two 10" (25,4 cm) cable channels, mounting kits for hollow-wall and wall-stud installation	10" and 34" (25,4 and 86,4 cm) wall tracks with 2 black track covers, LX Wall Mount LCD Arm, LX Keyboard Arm, gel wrist rest, mouse holder, CPU Holder, two 10" (25,4 cm) cable channels, mounting kits for hollow-wall and wall-stud installation	10" and 34" (25,4 and 86,4 cm) wall tracks and brackets, LX Wall Mount LCD Arm, LX Keyboard Arm, gel wrist rest, mouse pad, mouse holder, two 10" (25,4 cm) cable channels, mounting kits for hollow-wall and wall-stud installation
Typical LCD Size	≤ 42"	≤ 32"	≤ 32"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>			
Weight Capacity	≤ 7–25 lbs (3,2–11,3 kg)	≤ 5–25 lbs (2,3–11,3 kg)	≤ 5–25 lbs (2,3–11,3 kg)
Lift	20" (51 cm)	13" (33 cm)	13" (33 cm)
Depth	Folds to 6.8" (17,3 cm)	Folds to 5.3" (13,5 cm)	Folds to 5.3" (13,5 cm)
VESA	MIS-D/E/F	MIS-D	MIS-D
Warranty	10 years		

Visit ergotron.com for complete information on LX Wall Mount Systems



LX HD Sit-Stand Wall Mount Monitor Arm

LX Sit-Stand Wall Mount Monitor Arm

LX Wall Mount Monitor Arm

LX Sit-Stand Keyboard Arm

LX Keyboard Arm

Part # (color)	45-383-026 (polished aluminum)	45-353-026 (polished aluminum)	45-243-026 (polished aluminum)	45-354-026 (polished aluminum)	45-246-026 (polished aluminum)
Typical LCD Size	≤ 46"	≤ 42"	≤ 32"	—	—
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>					
Keyboard Size	—	—	—	≤ 17.7" x 7.8" (45 x 20 cm)	≤ 17.5" x 10.1" (44,5 x 25,7 cm)
Weight Capacity	14–30 lbs (6,3–13,6 kg)	5–25 lbs (2,3–11,3 kg)	5–25 lbs (2,3–11,3 kg)	≤ 5 lbs (2,2 kg)	≤ 5 lbs (2,2 kg)
Lift	20" (51 cm)	20" (51 cm)	13" (33 cm)	20" (51 cm)	13" (33 cm)
Tilt	80° ↑ 75° / ↓ 5°	75° ↑ 70° / ↓ 5°	75° ↑ 70° / ↓ 5°	When in down position, tray features a back-tilt of 5°; folds upright 90° in storage position	
Pan	360° Rotation Stop on wall-mount base limits turn of extension-base connection to 180°, preventing extension from contacting wall	360° Rotation Stop on wall-mount base limits turn of extension-base connection to 180°, preventing extension from contacting wall	360°	360° Rotation Stop on wall-mount base limits turn of extension-base connection to 180°, preventing extension from contacting wall	
Rotation	90°	360°	360°	—	—
VESA	MIS-D/E/F See website for details	75 x 75, 100 x 100, 200 x 100, 200 x 200 See website for details	MIS-D	—	—
Depth	Folds to 4.5" (11,4 cm)	Folds to 4.5" (11,4 cm)	Folds to 4.3" (10,9 cm)	Folds to 5.8" (15 cm)	Folds to 3.5" (9 cm)
Extension	≤ 33" (84 cm)	33" (85 cm)	25" (64 cm)	42" (107 cm)	35" (89 cm)
Warranty	10 years				

Sit-stand ergonomics—secure, compact and enclosed

Perfect for space-constrained patient rooms

StyleView Enclosures provide a smooth vertical height adjustment and folds up into a slim, compact unit when not in use.



Sit-stand ergonomics

Move from a sitting to a standing position whenever you want. True ergonomic designs provide a healthier, more comfortable way to work.

Extreme security and stability

A keyless locking mechanism protects patient data for compliance with privacy requirements and a unique cable management system conceals and organizes the cords, making cleaning a snap! Its stable, slide-out keyboard can support extensive data entry.



Folds to less than 4" (9,7cm)

Neo-Flex Dual Monitor Wall Mount and Keyboard Wall Mount

Maximize your space! This low-profile system enhances PACS implementation by providing convenient access to digital records. Tilting dual monitors reduce glare and improve sight lines. The wall-mounted keyboard tray lets you enter data at the point of care, then folds up flat — just 5" (13 cm) from wall — when not in use.

Neo-Flex Dual Monitor Wall Mount
28-514-800 (grey & black)

Neo-Flex Keyboard Wall Mount
45-403-062 (grey)



Neo-Flex Wall Mount Lift

Add greater range of movement to your LCD display: raise or lower it 5"; pan, tilt and rotate 90°. Its slim profile makes it perfect for areas where space is at a premium.

60-577-195 (black)



200 Series Combo Arm

Attach your LCD and keyboard to free up space. This wall unit solution features 3-point telescoping motion, providing greater reach to bring the system to where it is needed.

45-230-216 (white)
45-230-200 (black)



StyleView Sit-Stand Enclosure



StyleView VL Enclosure

Part # (color)	60-610-062 (white) 60-610-060 (black)	60-595-062 (white)
Includes	Enclosure, velcro kit (attaches keyboard to keyboard tray), cable management wrap, antimicrobial wrist rest. Wall footprint 38.2"H x 26.6"W (97 x 67,5 cm)	Enclosure, wall plate, mounting template, vertical lift, slide-out keyboard tray, wrist rest, mouse pouch, scanner holder, internal cable management, batteries, monitor mounting hardware, wall mounting hardware, keys
Typical LCD Size	≤ 22" Maximum monitor physical dimensions 20.5"W x 13.5"H x 2.5"D (52,1 x 34,3 x 6,4 cm). Monitor depth greater than 2.5" (6,4 cm) is allowable, however screen will protrude beyond profile of unit in such cases	≤ 22" Maximum monitor physical dimensions 20.7" W x 14.7" H x 2.8" D (52,6 x 37,3 x 7 cm). Assumes VESA hole pattern is centered on the back of the display
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>		
Weight Capacity	12–24 lbs (5,4–10,9 kg) Listed weight capacity represents total load. Thin client device 3–10 lbs (1,4–4,5 kg); monitor 7–12,5 lbs (3,2–5,7 kg); keyboard and worksurface 0,5–1,5 lbs (0,2–0,7 kg)	8–33 lbs (3,6–14,9 kg) Listed weight capacity represents total load, including monitor and contents of keyboard tray, mouse pouch and scanner holder. Maximum load capacity: monitor pivot 18 lbs (8,2 kg); thin client device compartment 20 lbs (9,1 kg); door/worksurface 50 lbs (22,6 kg)
Lift	20" (51 cm)	9" (23 cm)
Pan	—	LCD 10° Display size may restrict motion. Keyboard 120°
VESA	MIS-D	MIS-D
Depth	3.8" (9,7 cm) closed 19.3" (48,9 cm) open	6.75" (17 cm) closed 20.6" (53 cm) open
Warranty	5 years 1-year warranty on all electronic components (excludes AA batteries)	5 years 1-year warranty on all electronic components (excludes AA batteries)

Worksurface with pull-out keyboard tray facilitates caregiver workflow

- ① Patented Constant Force™ lift-and-pivot motion technology provides premium 25" (63,5 cm) LCD height adjustment, portrait-to-landscape rotation and 30° tilt
- ② Durable, easy-to-clean exterior composed of aluminum and high-grade plastic
- ③ Integrated mouse and barcode scanner holder provide easy access
- ④ Fold-down worksurface/keyboard tray to support workflow needs. Worksurface is 22.75" W x 10.6" D (57,8 x 26,9 cm). Keyboard tray is 18.6" W x 9" D (47,2 x 22,8 cm)
- ⑤ Ergonomic back-tilt keyboard tray ensures wrists remain in a neutral position during data entry. Includes slide-out mouse tray
- ⑥ Clean, concealed and neat routing of cables through the expansive cable management system
- ⑦ Extend LCD and keyboard up to 43" (109 cm) from wall; fold equipment back out of the way when not in use. With worksurface in storage position, system depth is as little as 8" (20,3 cm). With keyboard in storage position, system depth is as little as 12" (30,5 cm)
- ⑧ Optional Extender Arm increases range of motion for even greater reach



SV Sit-Stand Combo Extender Arm
45-261-026 (aluminum)
45-261-216 (white)



CPU Holder
Small:
45-272-026 (aluminum)
80-063-216 (white)
Medium:
97-468-202 (aluminum)
97-468-216 (white)



Mouse Tray Upgrade Kit
97-805-055 (black)
For older versions of Sit-Stand Combo Arm with Worksurface



Scanner Shelf, VESA Attach
97-815 (black)
97-815-062 (white)



Thin Client Mount
80-107-200 (black)
80-107-216 (white)



StyleView Sit-Stand Combo Arm with Worksurface



StyleView Sit-Stand Combo Arm



StyleView Sit-Stand Combo System with Worksurface



StyleView Sit-Stand Combo System

Part # (color)	45-260-026 (polished aluminum) 45-260-216 (white)	45-266-026 (polished aluminum) 45-266-216 (white)	Medium CPU holder and wall track: 45-270-026 (polished aluminum) Small CPU holder and wall track: 45-272-026 (polished aluminum) Medium CPU holder and wall track: 45-270-216 (white) Small CPU holder and wall track: 45-272-216 (white)	Medium CPU holder and wall track: 45-271-026 (polished aluminum) Small CPU holder and wall track: 45-273-026 (polished aluminum) Medium CPU holder and wall track: 45-271-216 (white) Small CPU holder and wall track: 45-273-216 (white)
Optional Extender Arm	45-261-026 (polished aluminum) 45-261-216 (white)	45-261-026 (polished aluminum) 45-261-216 (white)	45-261-026 (polished aluminum) 45-261-216 (white)	45-261-026 (polished aluminum) 45-261-216 (white)
Includes	Sit-Stand Combo Arm with worksurface, wall mount bracket, track mount bracket kit, height-adjustable LCD mount, wrist rest, scanner and mouse holder, worksurface with integrated keyboard tray, VESA monitor mounting kit, cable ties	Sit-Stand Combo Arm, wall mount bracket, track mount bracket kit, height-adjustable LCD mount, wrist rest, scanner and mouse holder, integrated keyboard tray with left/right mouse tray, handle, VESA monitor mounting kit, cable ties	Sit-Stand Combo Arm with worksurface, 34" Wall Track with (2) black track covers, CPU Holder, CPU spacer, (2) 10" cable channels, CPU and Arm track mount bracket kits, Wall Track fasteners for concrete and wood, CPU direct wall mount kit, height-adjustable LCD mount, wrist rest, scanner and mouse holders, integrated keyboard tray, handle, VESA monitor mounting kit, cable ties	Sit-Stand Combo Arm, 34" Wall Track with (2) black track covers, CPU Holder, CPU spacer, (2) 10" cable channels, CPU and Arm track mount bracket kits, Wall Track fasteners for concrete and wood, CPU direct wall mount kit, height-adjustable LCD mount, wrist rest, scanner and mouse holders, integrated keyboard tray with left/right mouse tray, handle, VESA monitor mounting kit, cable ties
Typical LCD Size	≤ 24"			
LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.				
Weight Capacity	Display 6–18 lbs (2,7–8,2 kg); keyboard, mouse and barcode scanner 4 lbs (1,8 kg) and up to 10 lbs (4,5 kg) on worksurface	Display 6–18 lbs (2,7–8,2 kg) or up to 25 lbs (11,4 kg) with tilt and lift lock out features engaged; keyboard, mouse and barcode scanner 4 lbs (1,8 kg)	Display 6–18 lbs (2,7–8,2 kg); keyboard, mouse and barcode scanner 4 lbs (1,8 kg) and up to 10 lbs (4,5 kg) on worksurface; 45-270-026: CPU 50 lbs (22,7 kg) 45-272-026: CPU 40 lbs (18 kg)	Display 6–18 lbs (2,7–8,2 kg) or up to 25 lbs (11,4 kg) with tilt and lift lock-out features engaged; keyboard, mouse and barcode scanner 4 lbs (1,8 kg); 45-271-026: CPU 50 lbs (22,7 kg) 45-273-026: CPU 40 lbs (18 kg)
Lift	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)
Tilt	LCD 30° ↑ 25° / ↓ 5°	LCD 30° ↑ 25° / ↓ 5°	LCD 30° ↑ 25° / ↓ 5°	LCD 30° ↑ 25° / ↓ 5°
Pan	360°			
Rotation	90°	360°	90°	360°
VESA	MIS-D			
Depth	Folds to 8" (20,3 cm)	Folds to 12" (30,5 cm)	Folds to 8" (20,3 cm)	Folds to 12" (30,5 cm)
Extension	≤ 43" (109 cm) with Extender ≤ 60" (152 cm)	≤ 39.75" (101 cm) with Extender ≤ 56.75" (144 cm)	≤ 43" (109 cm) with Extender ≤ 60" (152 cm)	≤ 39.75" (101 cm) with Extender ≤ 56.75" (144 cm)
Warranty	5 years			



StyleView Sit-Stand Combo System with Worksurface and Extender Arm folds to 8" (20,3 cm)





StyleView Vertical Lift for high-traffic areas folds up into a slim, compact unit when not in use



Compact ergonomics; extremely low profile

Ideal for patient rooms and high-traffic areas, StyleView® Vertical Lifts give caregivers ergonomic comfort in a compact, low-profile wall mounted workstation. In a patient room setting, the pan of the keyboard and display promotes interaction, and the slide-out keyboard tray provides caregiver with comfortable data entry. Units fold up to as little as 4" (10,2 cm) deep when not in use.

Sit-Stand Vertical Lifts allow users to adjust between sitting and standing working heights. The entire system—monitor, keyboard and mouse—moves vertically 18" (46 cm) with a single, smooth motion to accommodate the heights of multiple users.



StyleView Sit-Stand Vertical Lift, Patient Room



StyleView Vertical Lift, Patient Room









StyleView Sit-Stand Vertical Lift, High Traffic Area



StyleView Vertical Lift, High Traffic Area



Vertical Lift Auto-Retracting Keyboard Kit

Part # (color)	61-080-062 (white) 61-080-085 (black)	60-609-216 (white) 60-609-195 (black)	61-081-062 (white) 61-081-085 (black)	60-593-216 (white) 60-593-195 (black)	97-487-800 (black/white/grey), available US/CA/MX For use with Vertical Lift High Traffic models 60-593-216 and 60-593-195
Includes	Sit-stand lift chassis, monitor pivot, covers, shelf, retractable keyboard tray, slide-out mouse tray, wrist rest, mouse pouch, scanner holder	Vertical Lift, slide out panning keyboard tray, mouse pad (built into keyboard tray) wrist rest, mouse pouch, mouse and scanner holder	Sit-stand lift chassis, monitor pivot, covers, auto-retractable keyboard tray, slide-out mouse tray, wrist rest, mouse pouch	Vertical Lift, mouse pad, wrist rest, mouse pouch	Keyboard tray lift assembly, wrist rest, multiple covers (grey, black, white), Velcro and adhesive strips
Optional Accessories: Vertical CPU Holder 97-468-202 (silver); Vertical Small CPU Holder 80-063-200 (black)					
 Typical LCD Size	≤ 24"	≤ 24"	≤ 24"	≤ 24"	—
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>					
 Weight Capacity	5–30 lbs (2,2–13,6 kg)	8–33 lbs (3,6–14,3 kg)	5–30 lbs (2,2–13,6 kg)	5–30 lbs (2,3–13,6 kg)	.75–2.5 lbs (0,34–1,13 kg)
 Lift	18" (46 cm)	9" (23 cm)	18" (46 cm)	9" (23 cm)	—
 Tilt	10°	LCD 10° Back-tilt keyboard tray 10°	10°	LCD 10° Back-tilt keyboard tray 10°	—
 Pan	LCD 50° Keyboard 120° See website for details	50° Display size may restrict motion Keyboard 120°	—	—	—
 VESA	MIS-D	MIS-D	MIS-D	MIS-D	—
Depth	6" (15,2 cm)	4.5" (11,4 cm)	4" (10,2 cm)	4" (10,2 cm)	—
Extension	—	18.8" (47,9 cm)	—	12" (30,5 cm)	—
Warranty	5 years				

Radiology Tables: Advanced technology for effective image reading (North America only)

Carl's Table CT15 for Radiology (pictured right)

- Work sitting, standing or reclining
- Height range adjusts 30–49.5" high (76,2 x 125,7 cm) with electric legs; table tilts 0–15 degrees
- Programmable presets let users record up to 100 sit/stand/recline positions
- Unique Monitor Control System adjusts the height and depth of the monitor bar with push-button control
- Supports up to 3 monitors; upgradable to 4+1 modality



Steve's Station Essential for Radiology (pictured left)

- Electric lift sit-stand legs and spring lift keyboard surface combine for a height range of 54.5–22.25" (138,4–56,5 cm)
- Innovative Monitor Easy Track reduces eye strain; easily slide the entire bank of (up to six) monitors forward and backward in unison
- Contoured surfaces feature smooth, curved edges that are ergonomically comfortable
- Four pre-configured kits expand the desk and support unique modalities
- Supports weight and lift capacity of 200 lbs (90,7 kg)

For more information, email radiologypresale@ergotron.com



Optimal viewing for large displays

Get unprecedented height adjustability in an extremely low profile module. The revolutionary design of our Glide Wall Mounts lets users effortlessly raise and lower large displays by up to 18" (46 cm) and tilt the screen up to 10° to avoid glare.

Similarly, our Interactive Arms let you easily lift, swing or turn displays for optimal viewing while relieving eye, neck and back strain.



Glide Wall Mount, LD-X

Glide Wall Mount, HD

Glide Wall Mount, VHD

Interactive Arm, LD

Interactive Arm, HD

Interactive Arm, VHD

Part # (color)	61-113-085 (black)	61-061-085 (black)	61-128-085 (black)	45-361-026 (polished aluminum)	45-296-026 (polished aluminum)	45-304-026 (polished aluminum)
Typical LCD Size	27–42"	30–55"	≥ 46"	≤ 42"	30–55"	30–60+"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>						
Weight Capacity	12–30 lbs (5,4–13,6 kg)	20–40 lbs (9–18 kg)	45–70 lbs (20,4–32 kg)	7–25 lbs (3,2–11,3 kg)	18–40 lbs (8,2–18,2 kg)	35–70 lbs (15,9–31,8 kg)
Lift	10" (25,4 cm)	18" (46 cm)	16" (40,6 cm)		20" (51 cm)	
Tilt		10°		75° ↑ 70° / ↓ 5°	25° ↑ 10° / ↓ 15°	20° ↑ 5° / ↓ 15°
Pan		—			180°	
Rotation		—		360°	10° ← 5° / → 5°	10° ← 5° / → 5°
VESA	MIS-D/E/F See website for details	MIS-E/F See website for details	MIS-D/E/F See website for details	MIS-D/E/F See website for details	MIS-E/F See website for details	MIS-E/F See website for details
Depth	4.3" (10,9 cm)	2" (5 cm)	2.7" (6,9 cm)	4.5" (11 cm)	5.5" (14 cm)	6.5" (16,5 cm)
Extension		—		17" (43 cm)	24" (61 cm)	28" (71 cm)
Warranty		5 years			5 years	

The broadest and best selection of charging systems!



Zip40 Charging Cart

Ergotron and Anthro Corporation have teamed up to offer the broadest and best selection of charging systems in the industry!

Manufactured in the USA, Anthro-DNA YES® charging carts and wall cabinets are a perfect complement to existing Ergotron charging system products.

Ergotron and Anthro-DNA strengths include:

- Fastest charging times with PowerShuttle® technology
- Universal designs fit all devices: tablets, laptops, Chromebooks and more
- Sleek, compact designs; carts have small footprints and easy maneuverability
- Durable, solid construction with security and separate IT locking areas
- Managed & unmanaged versions
- UL or ETL certified and tested for safety to UL 60950 standard




YES Charging Wall Cabinet (North America only)



The quickest charge for your tablets and laptops

Ergotron PowerShuttle® technology is a patented, embedded control system that monitors incoming current from the wall outlet and distributes it to microprocessor-controlled outlets inside the charging cart to quickly, efficiently and safely charge your devices.

- PowerShuttle charges up to 40% faster than competitors' round-robin charging systems
- Doesn't require manually switching between outlets or adjusting timers
- Limits inrush current—the instantaneous current draw when you first power on
- Prevents nuisance tripping of site circuit breakers and electromagnetic interference with other devices
- Keeps you safe from arc at the plug and hazardous touch currents



Why should you care about safety certification for charging systems: the risks of using non-certified products

- 1 Critical materials are not fire resistant—*This is a fire hazard if a battery or electrical fault occurs*
- 2 Electrical hazards are not physically enclosed—*Shock hazards exist if energized circuitry can potentially be touched either directly or if exposed metal is not safely grounded or properly isolated. Fire hazards can exist if the enclosure can potentially let out flames or molten metal if an electrical fault occurs inside of the enclosure*
- 3 Mechanical hazards are not mitigated—*If not properly tested and certified, pinch points, tip, crush or cut, sharp edges, and moving parts can injure users*
- 4 Equipment ratings must meet National Electrical Code—*Non-evaluated systems may exceed allowable load limits causing electrical arcing, facility problems and/or interaction and interference with other equipment*
- 5 No manufacturing factory quality surveillance—*Product quality and consistency must be managed and ensured*

 SAFETY CERTIFICATION
UL 60950 Safety of Information Technology Equipment, CAN/CSA C22.2 No. 60950
UL 1678 Household, Commercial, and Institutional-Use Carts, Stands and Entertainment Centers for Use with Audio and/or Video Equipment
ICES-003 Issue 4, Class A
FCC Part 15 Class A
Country-specific certification as required
RoHS and Reach compliant material used

Carts and cabinets for tablets, laptops & Chromebooks



YES Charging Cart
for Mini-laptops-Junior
(North America only)

YES Basic Charging Cart
(North America only)

Tablet Management Cart

Zip12
Charging Wall Cabinet

Visit the web site landing page at charging.ergotron.com

Charging Locker

Secure device charging for multiple users in a variety of environments

The Charging Locker is ideal for educational institutions, healthcare facilities, airports, hotels and all types of businesses where multiple users need secure charging capability. Its petite footprint saves space, and for additional user support, two Lockers can be securely stacked together.

- Charging Locker offers five roomy and separate bays within a small footprint
- Charges up to 15 devices (three per bay); includes 1 USB and 2 AC outlets
- Brackets attach locker to wall or countertop, keeping unit stable and secure
- Each bay door has a programmable lock for a unique code every time



The Charging Locker Pedestal accessory elevates the Charging Locker off the floor by 18" (45 cm) making it easier to reach the bays #98-137-A68

Part # (color)	DM05-1025-A68-1 US/CA/MX DM05-1025-A68-2 EU DM05-1025-A68-3 UK (white)
Weight Capacity	Top: 25 lbs (11,4 kg); Per shelf: 7 lbs (3,2 kg)
Warranty	Lifetime mechanical, 3 years electrical, 1 year cord and plug



Find the right charging cart or cabinet for your devices:

charging.ergotron.com/finder

Laptop & Chromebook solutions

Built with Anthro-DNA



Zip12 Charging Wall Cabinet



Zip12 Charging Desktop Cabinet



Zip40 Charging Cart and Zip40 Charging & Management Cart



YES Basic Charging Cart

US/CA/MX	DM12-1006-1	DM12-1012-1		DM40-1009-1	DM40-1008-1	YESBASGMPW4
EU	DM12-1006-2	DM12-1012-2		DM40-1009-2	DM40-1008-2	
UK/IE	DM12-1006-3	DM12-1012-3		DM40-1009-3	DM40-1008-3	
HK/MY/SG	DM12-1006-3	DM12-1012-3		DM40-1009-3	DM40-1008-3	
AU/NZ	DM12-1006-4	DM12-1012-4		DM40-1009-4	DM40-1008-4	
CN	DM12-1006-5	DM12-1012-5		DM40-1009-5	DM40-1008-5	
JP		DM12-1012-6		DM40-1009-6	DM40-1008-6	
Screen Size	≤ 12"	≤ 14"		≤ 15.6"		
# of Devices	12	8 or 12 (depending on divider configuration)		30 or 40 (depending on divider configuration)		30 or 36 (depending on divider configuration)
Cables	No	No	No	No	Ethernet CAT6	No
Slot Size W x D x H	1.0" x 11.9" x 8.9" (2,5 x 30,2 x 22,6 cm)	1.9" x 15.3" x 9.7" (4,8 x 38,9 x 24,6 cm)	1.1" x 15.3" x 9.7" (2,7 x 38,9 x 24,6 cm)	1.9" x 17.1" x 11.2" (4,8 x 43,4 x 28,4 cm)	1.1" x 17.1" x 11.2" (2,8 x 43,4 x 28,4 cm)	Max. width/height (see website for details): 14.25" x 10" (36,1 x 25,4 cm)
Unit Size W x D x H	26.4" x 5.9" x 35.6" (67 x 15 x 91 cm)	22" x 24.5" x 14" (56 x 62 x 35,6 cm)		30.3" x 26.1" x 45.4" (77 x 66 x 115 cm)		23.17" x 23.38" x 41.57" (58,85 x 59,38 x 105,58 cm)
Power	Power Strip	PowerShuttle Technology via outlet		PowerShuttle Technology via outlet		Built-in outlets 120Vac, 60Hz, 12 Amps
Tablet compatible	✓	✓		✓		✓
UL 60950 certified	✓	✓		✓		✓
Warranty	Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables		Lifetime mechanical; 3 years electrical; 1 year cables		Lifetime mechanical; 3 years electrical; 1 year cables
TAA Compliant						✓

Tablet solutions



Tablet Management Wall Mount 10
Lightning



Tablet Management Desktop 16
ISI / Lightning



Tablet Management Desktop 16
ISI / no cabling



Tablet Management Cart 32
ISI / Lightning



Tablet Management Cart 32
ISI / no cabling



Tablet Management Cart 48
ISI / Lightning



Tablet Management Cart 48
ISI / no cabling



Zip12 Charging Wall Cabinet

US/CA/MX		DM16-1004-1		DM32-1004-1		DM48-1004-2		DM12-1006-1
EU	DM10-1007-2	DM16-1004-2		DM32-1004-2		DM48-1004-2		DM12-1006-2
UK/IE	DM10-1007-3	DM16-1004-3	DM16-1024-3		DM32-1024-3		DM48-1024-3	DM12-1006-3
HK/MY/SG	DM10-1007-3						DM48-1024-3	DM12-1006-3
AU/NZ			DM16-1024-4		DM32-1024-4		DM48-1024-4	DM12-1006-4
CN			DM16-1024-5		DM32-1024-5		DM48-1024-5	DM12-1006-5
JP					DM32-1024-6		DM48-1024-6	
Screen Size	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 12"
# of Devices	10	16	16	32	32	48	48	12
Cables	Lightning	Lightning	No	Lightning	No	Lightning	No	No
Slot Size W x D x H	0.9" x 10.9" x 7.9" (2,3 x 27,7 x 20,1 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	1.0" x 11.9" x 8.9" (2,5 x 30,2 x 22,6 cm)
Unit Size W x D x H	23.2" x 4.0" x 31.8" (59 x 80,9 x 10,2 cm)	18.3" x 16.2" x 10.4" (46,5 x 41,1 x 26,4 cm)	18.3" x 16.2" x 10.4" (46,5 x 41,1 x 26,4 cm)	23" x 18.4" x 39.3" (58,4 x 46,7 x 100 cm)	23" x 18.4" x 39.3" (58,4 x 46,7 x 100 cm)	23" x 18.4" x 39.3" (58,4 x 46,7 x 100 cm)	23" x 18.4" x 39.3" (58,4 x 46,7 x 100 cm)	26.4" x 5.9" x 35.6" (67 x 15 x 91 cm)
Power	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Power Strip
Made for iPad			—		—		—	—
UL 60950 certified	✓	✓	✓	✓	✓	✓	✓	✓
Warranty	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	Lifetime mechanical; 3 years electrical; 1 year cables

Laptop & Chromebook solutions

Built with Anthro-DNA



YES20
Charging Cart
for Mini-Laptops



YES24
Charging Cart
for Mini-Laptops



YES36
Charging Cart
for Mini-Laptops



YES12
Charging Cabinet
for Mini-Laptops

US/CA/MX			YES24GMPW4	YESMOR2GMPW4	YESMLCGMPW
EU					
UK/IE					
HK/MY/SG					
AU/NZ					
CN					
JP	YESNMJU10GMPW4				
Screen Size	≤ 14"		≤ 14"	≤ 14"	≤ 14"
# of Devices	15 or 20 (depending on divider configuration)		Up to 24 with 1.45" wide (3,6 cm) slots	30 or 36 (depending on divider configuration)	12
Cables	No		No	No	No
Slot Size W x D x H	1.9" x 14.25" x 10" (4,8 x 36,1 x 25,4 cm)	1.6" x 14.25" x 10" (4 x 36,1 x 25,4 cm)	1.45" x 14.25" x 10" (3,7 x 36,1 x 25,4 cm)	For up to 36 devices: 1.25" x 14.25" x 10" For up to 30 devices: 1.6" x 14.25" x 10"	1.25" x 14.25" x 10"
Unit Size W x D x H	24.25" x 27.75" x 42" (61,5 x 70,4 x 106,6 cm)		27.75" x 24.25" x 42" (70 x 62 x 107 cm)	28.75" x 25" x 41.5"	22.25" x 16.75" x 24"
Power	Power Strip		PowerShuttle Technology via outlet	PowerShuttle Technology via outlet	Power Strip
Tablet compatible	✓		✓	✓	✓
UL 60950 certified	✓		✓	✓	✓
Warranty	Lifetime mechanical; 3 years electrical; 1 year cables		Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables
TAA Compliant	✓				✓

Tablet solutions

Built with Anthro-DNA



Zip12
Charging Desktop
Cabinet



**Zip40 Charging Cart
and
Zip40 Charging &
Management Cart**




YES
Basic Charging Cart



YES20
Charging Cabinet
for Tablets

US/CA/MX	DM12-1012-1		DM40-1009-1	DM40-1008-1	YESBAGMPW4	YESCABGMPW
EU	DM12-1012-2		DM40-1009-2	DM40-1008-2		
UK/IE	DM12-1012-3		DM40-1009-3	DM40-1008-3		
HK/MY/SG	DM12-1012-3		DM40-1009-3	DM40-1008-3		
AU/NZ	DM12-1012-4		DM40-1009-4	DM40-1008-4		
CN	DM12-1012-5		DM40-1009-5	DM40-1008-5		
JP	DM12-1012-6		DM40-1009-6	DM40-1008-6		
Screen Size	≤ 14"		≤ 15.6"		≤ 14"	≤ 10"
# of Devices	8 or 12 (depending on divider configuration)		30 or 40 (depending on divider configuration)		30 or 36 (depending on divider configuration)	16 or 20 (depending on divider configuration)
Cables	No		No		No	No
Slot Size W x D x H	1.9" x 15.3" x 9.7" (4,8 x 38,9 x 24,6 cm)	1.1" x 15.3" x 9.7" (2,8 x 38,9 x 24,6 cm)	1.9" x 17.1" x 11.2" (4,8 x 43,4 x 28,4 cm)	1.1" x 17.1" x 11.2" (2,8 x 43,4 x 28,4 cm)	Max. width/height (see website for details): 14.25" x 10" (36,1 x 25,4 cm)	1.25" x 10.5" x 8.5" .87" x 10.5" x 8.5"
Unit Size W x D x H	22" x 24.5" x 14" (56 x 62 x 35,6 cm)		30.3" x 26.1" x 45.4" (77 x 66 x 115 cm)		23.17" x 23.38" x 41.57" (58,85 x 59,38 x 105,58 cm)	22" x 12.75" x 24" (56 x 61 x 32 cm)
Power	PowerShuttle Technology via outlet		PowerShuttle Technology via outlet		Power Strip with built-in timing device	Power Strip
Made for iPad	—		—		—	—
UL 60950 certified	✓		✓		✓	✓
Warranty	Lifetime mechanical; 3 years electrical; 1 year cables		Lifetime mechanical; 3 years electrical; 1 year cables		Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables
TAA Compliant					✓	✓



The science behind the need to stand



The American Medical Association (AMA) agrees that sitting for extended periods of time can be bad for personal health. Their newly adopted policy recommends business organizations offer sitting alternatives, including standing desks.



A recent study published by the CDC (Centers for Disease Control) indicates adjustable sit-to-stand products are an effective solution for reducing prolonged sitting. Sit or stand, instantly, while remaining effectively engaged with your computer.

A 2010 University of Queensland, Australia study found that even when adults meet physical activity guidelines, sitting for prolonged periods can compromise metabolic health.

Sit less. Stand more. Start now!

Take a stand against illnesses linked to prolonged sitting

For more than three decades, Ergotron has designed ergonomic workstations to make computing more comfortable and better for you. Our extensive line of sit-stand workstations and desks gives computer users a much healthier and more productive way to work.

Sit-stand workstations are:

- FLEXIBLE — a solution for every computer user and every computing configuration
- ERGONOMIC — effortless height adjustability for sit-stand comfort; accessories also available
- AFFORDABLE — many economical ways to fight "sitting disease"

NEW! WorkFit-TX Sit-Stand Desktop Workstation

Premium ergonomics any way you work

- Delivers leading ergonomics sitting or standing with 17" (43,2 cm) of vertical height adjustment, plus 3" (6,2 cm) of keyboard adjustment
- Ultra-low design offers a sleek look and ergonomic fit for a wide range of users
- Drop-down tray places your keyboard at the most comfortable ergonomic position
- Ships fully assembled with out-of-the-box installation that gets you standing faster
- Guaranteed with a full five-year warranty

Black #33-467-921



Other popular WorkFit™ sit-stand products



WorkFit-SR, 1 Monitor
33-415-085 (black)
33-415-062 (white)



WorkFit-SR, Dual Monitor
33-407-085 (black)
33-407-062 (white)



WorkFit-A with Worksurface+
Single LD 24-317-026
Dual 24-316-026



WorkFit-A with Suspended Keyboard
Single LD 24-390-026
Single HD 24-391-026
Dual 24-392-026



WorkFit-S with Worksurface+
White
Single, LD 33-350-211
Single, HD 33-351-211
Dual 33-349-211
Black
Single, LD 33-350-200
Single, HD 33-351-200
Dual 33-349-200



WorkFit-S, Dual
33-341-200 (black)



WorkFit-LX, Sit-Stand Desk Mount System
45-405-026
(polished aluminum/black)



WorkFit-DL Sit-Stand Desk
24-567-F03 (black)
24-567-F13 (maple)
24-567-F59 (wenge)

Customer focused. Certified expert technicians.

From expert product installation and preventive maintenance to next-day on-site service, Ergotron offers a variety of service packages to meet your organization's ongoing product support needs.

The all-inclusive approach to our service packages makes them a predictable expense for your organization. Packages are available pre- and post-sale.

A range of services are available:

- Installation and integration
- Next-business-day on-site service
- Preventive maintenance
- Extended warranties
- In-warranty and post-warranty repairs
- In-depth product training on site
- Equipment audit and health check



Ergotron certified service packages make life easier for all stakeholders and are designed to protect your investment

Our certified service technicians can help you:

- Seamlessly integrate and deploy products, including integrating hardware, making proper adjustments and managing cables
- Prevent costly downtime
- Alleviate burdens on your internal resources

Services are available for:

- LearnFit desks
- Charging systems
- WorkFit sit-stand workstations
- Desk and wall mount monitor arms
- Powered desks
- StyleView medical carts and wall mounts
- Mobile workstations



LX and MX desk mount arms offer flexibility and independent movement of display(s)



LX Dual Side-by-Side Arm
45-245-026
(polished aluminum/black)
45-491-216
(white)



LX Dual Stacking Arm
45-248-026
(polished aluminum/black)
45-492-216
(white)



LX Sit-Stand Desk Monitor Arm
45-360-026
HD Version 45-384-026
(polished aluminum/black)



LX Desk Monitor Arm
45-241-026
(polished aluminum/black)
45-490-216 (white)
with Tall Pole
45-295-026 (polished aluminum)



MX Mini Desk Arm
45-436-026
(Available in NA: polished aluminum)
45-436-216
(Available in EMEA/APAC: white)
45-436-231
(Available in APAC: silver)

Products designed to help caregivers thrive

Enhance personal interaction • Expand reach • Improve operational efficiency



Point-of-care and telemedicine
StyleView carts

Charging systems



Ergonomic sit-stand workstations



Mobile display and
video conferencing
solutions



Point-of-care
wall mount products



Display and digital
signage mounts

© 2018 Ergotron, Inc. Literature made in U.S.A. 870-01-012-EA rev. 12/06/18
Content is subject to change without notification.
 Ergotron devices are not intended to cure, treat, mitigate or prevent any disease.
 StyleView, Neo-Flex, PowerShuttle and WorkFit are registered trademarks of Ergotron in the U.S.A. and China.

**Americas Sales and
Corporate Headquarters**

St. Paul, MN USA
 (800) 888-8458
 +1-651-681-7600
 www.ergotron.com
 sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
 +31 33 45 45 600
 www.ergotron.com
 info.eu@ergotron.com

APAC Sales

Tokyo, Japan
 www.ergotron.com
 apaccustomerservice@ergotron.com

Worldwide OEM Sales

www.ergotron.com
 info.oem@ergotron.com

ERGOTRON[®]
 HEALTHCARE

