




ERGOTRON®

Sit-Stand Workstations & Adjustable Desks • Ergonomic Display Mounts • Charging Systems • Medical Carts

Join the movement!



# Wellness and productivity.

## A healthier way to work.



**SIT. STAND. SWITCH.**

### A history of industry leadership

For more than 35 years, Ergotron has offered affordable ergonomic products to computer users — bringing comfort, wellness and improved productivity into the workplace.

A passion for human-centered designs led to the inventions of the first articulating LCD arm and our patented Constant Force™ lift-and-pivot motion technology that provides easy adjustability of displays and components. Ergotron has more than 85 issued and pending patents for unique product innovations, and has received countless accolades and industry awards.



### Top reasons to choose Ergotron

#### One size does not fit all

Ergotron manufactures a broad selection of products to ensure a good fit for every person and workflow.

#### Solid research drives innovation

Ergotron founded JustStand.org in 2010 to spread awareness about the dangers of prolonged sitting. We have donated over 10,000 sit-stand workstations to more than 4,000 organizations around the world.



#### Tested, safe, certified and warranted

Ergotron offers industry-leading warranties, cycle-tested products and more than 35 years of high-quality manufacturing expertise.

<b>WorkFit Sit-Stand Workstations &amp; Desks</b>	WorkFit-T & -TL Desktop Workstations	3
	WorkFit-S	4
	WorkFit-SR	5
	WorkFit-A	6
	Sit-Stand Desks	7
<b>Desk Mount Monitor Arms</b>	HX Desk Mount Arms	8
	LX Desk Mount Arms	9
	MX Desk Mount Arms	10
	LX Lift Stands & Neo-Flex Arms	11
	DS100 Desk Stands	12
<b>Ceiling Mounts</b>		12
<b>Tablet Solutions</b>		13
<b>Ergonomic Wall Mounts</b>	HX Wall Mount Arms	14
	LX Wall Mount Arms	15
	MX Wall Mount Arms	16
	200 Series Wall Mount Arms	16
	Miscellaneous Wall Mount Arms	17
	Glide Wall Mounts & Digital Signage	18
	Neo-Flex & eNook Wall Mounts	19
<b>Charging Systems</b>	Laptop, Chromebook & Tablet Solutions	20
<b>Education</b>	LearnFit & TeachWell	24
<b>Healthcare: Medical Carts &amp; Wall Mounts</b>	StyleView Medical Carts	26
	Add-on Power & Medication Delivery	32
	Light-Duty StyleView Carts	33
	StyleView Carts for Telehealth	34
	Light-Duty Peanut & Zido Carts	35
	StyleView Sit-Stand Combos	36
	StyleView Enclosures	38
	StyleView Vertical Lifts	39
	Radiology/Imaging	40
	<b>Mobile Computing</b>	Neo-Flex Carts & Workspaces
Neo-Flex Mobile MediaCenters		42
<b>Service &amp; Support</b>		43
<b>Technical Specifications</b>		44



White WorkFit-TL with Optional Dual Monitor Kit



# WorkFit® sit-stand workstations

## WorkFit-T and WorkFit-TL

Tabletop: Ultra simple and fully assembled sit-stand workstation!

- Stable workstation sits right on top of most surfaces 24" (61 cm) deep or larger
- Also works well in corner desk configurations; fits on surfaces as shallow as 19" (48 cm)
- Provides 15" (38 cm) of easy height adjustment
- System easily lifts straight up and down to minimize intrusion into the workspace
- Keyboard moves in tandem with the worksurface and is positioned 4.5" (11,4 cm) below it
- Set one or two monitors, or a monitor and laptop directly onto the workstation surface; optional monitor kits sold separately
- Ships fully assembled; no mounting or clamping required
- WorkFit-TL has a larger keyboard tray and wider worksurface
- Five-year warranty: tested and guaranteed!

### Recommended accessories WorkFit Monitor Kits (sold separately)



**LCD & Laptop Kit**  
97-907 (black)  
97-933-062 (white)



**Single LD Monitor Kit**  
97-905 (black)  
97-935-062 (white)



**Dual Monitor Kit**  
97-904 (black)  
97-934-062 (white)



**Single HD Monitor Kit**  
97-906 (black)  
97-936-062 (white)

### WorkFit-T

- Black 33-397-085
- White 33-397-062 (Americas, EMEA)

### WorkFit-TL

- Black 33-406-085
- Black 33-418-085 (USA/TAA Compliant)
- White 33-406-062 (Americas, EMEA)



See technical specifications on page 44 or at [ergotron.com](http://ergotron.com)

# WorkFit<sup>®</sup> sit-stand workstations



White WorkFit-S, Dual with Worksurface+



## WorkFit-S

Super stable and ergonomic: Easily clamps to the front of your surface

- Convert any surface into an adjustable-height sit-stand desk
- Clamps to the front of surfaces .47–2.4" (1,2–6 cm) thick
- Provides 18" (38 cm) of easy height adjustment
- Keyboard, display(s) and integrated worksurface easily lift together with a single, fluid motion using our patented Constant Force™ lift technology
- Keyboard placement is below desktop for ergonomic keyboard comfort
- Available for single light duty, single heavy duty or dual displays
- Choose with or without worksurface
- Available in black or white



Clamps onto the front of surfaces .47–2.4" (1.2–6 cm) thick



Back-tilt keyboard for comfortable computing



Grommet mount available: 97-649-085

### WorkFit-S (Black)


Single LCD LD	33-342-200
Single LCD HD	33-344-200
Dual LCD	33-341-200 (North America, EMEA)

### WorkFit-S with Worksurface+ (Black)

Single LCD LD	33-350-200
Single LCD HD	33-351-200
Dual LCD	33-349-200

### WorkFit-S with Worksurface+ (White)

Single LCD LD	33-350-211
Single LCD HD	33-351-211
Dual LCD	33-349-211



See technical specifications on page 44 or at [ergotron.com](http://ergotron.com)





White WorkFit-SR, Dual Monitor

## WorkFit-SR

More workspace: A sturdy sit-stand workstation within the footprint of your desktop

- Convert any surface into an adjustable-height sit-stand desk
- Clamps to the rear of surfaces .47–2.4" (1,2–6 cm) thick
- Provides 18" (38 cm) of easy height adjustment
- Keyboard, display(s) and integrated workspace easily lift together with a single, fluid motion using our patented Constant Force™ lift technology
- Premium furniture solution with refined aesthetics and superior material construction
- All aluminum composition is extremely sturdy
- Standard workspace depth provides generous focal distance between you and the screen; Short workspace models can fit tighter work areas as shallow as 24" (60 cm)
- Can accommodate taller users; monitor pivots can be installed at taller heights
- One monitor, one heavy monitor or dual monitor configurations are available
- Available in black or white



Rear-mount design prevents the keyboard tray from protruding into your workspace



Monitor(s) and keyboard tray/surface move in tandem; monitor(s) lift and tilt independently



Grommet mount available: 98-038

### WorkFit-SR (Black)

1 Monitor	33-415-085
1 Monitor, short surface	33-420-085
Hvy Monitor	33-416-085
Hvy Monitor, short surface	33-421-085
Dual Monitor	33-407-085
Dual Monitor, short surface	33-419-085

### WorkFit-SR (White)

1 Monitor	33-415-062
1 Monitor, short surface	33-420-062
Hvy Monitor	33-416-062
Hvy Monitor, short surface	33-421-062
Dual Monitor	33-407-062
Dual Monitor, short surface	33-419-062



See technical specifications on page 45 or at [ergotron.com](http://ergotron.com)

# WorkFit® sit-stand workstations



WorkFit-A, for Apple®



## WorkFit-A

Most movement: Side or rear desk attachment is ideal for tight work spaces and corner configurations

- Height-adjustable arm moves the keyboard and monitor in one single, fluid motion using our patented Constant Force™ lift technology
- Easily sit or stand for a healthier way to work
- Swing entire computer system left, right, up or down to wherever you need it
- Push the arm out of the way when you need more desk surface
- Keyboard placement is below desktop for ergonomic keyboard comfort
- A variety of configurations are available to suit your style: Single light display, single heavy display, dual displays or made for Apple® iMac; suspended keyboard or extra worksurface

**WorkFit-A (Polished aluminum/black)**  
Single LCD LD 24-313-026  
Dual LCD 24-312-026  
(North America, EMEA)

**WorkFit-A with Suspended Keyboard (Silver)**  
Platinum 24-422-227  
For Apple 24-414-227

**WorkFit-A with Suspended Keyboard (Polished aluminum/black)**  
Single LCD LD 24-390-026  
Single LCD HD 24-414-227  
Dual LCD 24-392-026

**WorkFit-A with Worksurface+ (Polished aluminum/black)**  
Single LCD LD 24-317-026  
Single LCD HD 24-314-026  
Dual LCD 24-316-026

See technical specifications on page 46 or at [ergotron.com](http://ergotron.com)



# Sit-stand desks



60" Maple WorkFit-DL shown with optional Modesty Panel and White LX Desk Mount LCD Arm



## WorkFit-D and WorkFit-DL

Full-size desk: Spacious, ergonomic platforms for comfortable computing

- Premium stylish desk allows you to sit or stand as you work
- Patented Constant Force™ lift technology lets you easily adjust the desk height
- Spacious and solid worksurface
- Provides 20" (51 cm) of height adjustment
- Customize with a display mount and our Underdesk Keyboard Arm (97-582-009) for enhanced workflow efficiency
- Choose from three laminate finishes
- Generous worksurfaces:  
 WorkFit-D: 47.6" x 23.5" (121 x 60 cm)  
 WorkFit-DL: 48" x 29" (122 x 73,6 cm) or  
 60" x 29" (152,4 x 73,6 cm)
- Other sit-stand desks:  
 WorkFit-C, *petite footprint with mobility*  
 WorkFit-PD, *stable with small footprint*  
 WorkFit-B, *heavy-duty base to attach an existing surface*  
 Elevate Electric-Powered Desks (North America only)

### WorkFit-D

Light grey	24-271-926
Walnut	24-271-927 (Americas, APAC)
Birch	24-271-928

### WorkFit-DL 48"

Black	24-567-F03
Maple	24-567-F13
Walnut	24-567-F59
Modesty Panel	98-028-A61

### WorkFit-DL 60"

Black	24-568-F03
Maple	24-568-F13
Walnut	24-568-F59
Modesty Panel	98-028-A61

### WorkFit-C (Black/grey)

LD LCD	24-215-085
HD LCD	24-216-085
Dual LCDs	24-214-085

### WorkFit-PD

Light grey	24-280-926
Walnut	24-280-927 (Americas, APAC)
Birch	24-280-928

### WorkFit-B 24-388-009

Elevate Electric Desks (see page 47)

See technical specifications on page 47 or at [ergotron.com](http://ergotron.com)





# Desk mount monitor arms



White HX Dual Desk Mount

## HX Desk Mount Arms

Sleek post design: The perfect arm to add flexibility and superior ergonomics to your workspace

- Patented Constant Force™ technology provides effortless height adjustment and lift-and-pivot motion
- Extension and retraction motion increases viewing comfort; helps to reduce eye, back and neck strain
- A bow attaches directly to the arm for multi-monitor applications
- Rotate screens for portrait viewing to reduce document scrolling
- Folding arm frees up space in constrained areas
- Passes Ergotron 10,000 cycle-motion test
- Dual hinge bow supports two 32" monitors; Triple hinge bow supports three 24" monitors; each includes a handle for easy positioning



Included: Standard 2-piece Desk Clamp



Included: Grommet Mount

### HX Single

Polished aluminum	45-475-026 (Americas)
White	45-475-216
Silver	45-475-231 (APAC)

### HX Dual

Polished aluminum	45-476-026 (Americas)
White	45-476-216
Silver	45-476-231 (APAC)

### HX Triple Bow Kit

Polished aluminum	98-009-026 (Americas)
White	98-009-216



See technical specifications on page 47 or at [ergotron.com](http://ergotron.com)





White LX Desk Dual Direct Arm with Handle Kit Accessory (98-037-062)

## LX Desk Mount Monitor Arms

Unparalleled range of motion:  
Versatile arms can be used in a variety of applications

- Patented Constant Force™ lift-and-pivot motion technology provides positioning with just a light touch
- Increases viewing comfort: Helps reduce eye, back and neck strain
- Ideal for space-constrained areas; reclaim valuable worksurface by pushing display(s) out of the way when not in use
- Durable aluminum construction
- Passes Ergotron 10,000 cycle motion test, which ensures years of trouble-free height adjustments
- Cable management feature routes cables under the arm, out of the way
- Includes a 10-year warranty



Included:  
Standard 2-piece  
Desk Clamp



Accessory:  
White Grommet Mount  
Kit (98-034)

### LX Desk Mount Monitor Arm

Polished aluminum	45-241-026
Tall pole version	45-295-026
White	45-490-216
Tall pole version	45-537-216

### LX Sit-Stand Desk Mount Monitor Arm

Polished aluminum	45-360-026
HD version	45-384-026

### LX Dual Stacking Arm

Polished aluminum	45-248-026
White	45-492-216

### LX Dual Side-by-Side Arm

Polished aluminum	45-245-026
White	45-491-216

### LX Desk Dual Direct Arm

Polished aluminum	45-489-026
White	45-489-216
Silver	45-489-231

### WorkFit-LX Sit-Stand Desk Mount System

Polished aluminum	45-405-026
-------------------	------------



See technical specifications on page 48 or at [ergotron.com](http://ergotron.com)

# Desk mount monitor arms



Silver MX Mini Desk Mount Arm



## MX Desk Mount Monitor Arms

Simple, strong, stylish and affordable

- Easily lift, swing, tilt or rotate your display
- Patented Constant Force™ technology provides fluid, one-touch motion
- Position your display for maximum ergonomic comfort
- Free up your workspace; push the display out of the way when not in use
- Integrated tilt, portrait-to-landscape and 360° rotation
- MX Mini is a great solution for lightweight displays; MX LCD Arm supports mid-size displays and all-in-one computers



MX Mini with Lockable Tablet Mount (45-460-026)



MX Mini with Universal Tablet Cradle (80-106-085)



MX Mini Desk Mount Monitor Arm



MX Desk Mount Monitor Arm

<b>Part # (color)</b>	45-436-026 (polished aluminum) Available in Americas 45-436-216 (white) Available in EMEA & APAC 45-436-231 (silver) Available in APAC	45-214-026 (polished aluminum)
<b>Typical LCD Size</b>	20–24" Ultralight monitors and tablets	≤ 30"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>		
<b>Weight Capacity</b>	≤ 8 lbs (≤ 3,5 kg)	14–30 lbs (6,3–13,6 kg) Monitor depth may affect weight capacity. See website for details
<b>Lift</b>	13" (33 cm)	5" (13 cm)
<b>Tilt</b>	75° ↑ 70° / ↓ 5°	80° ↑ 75° / ↓ 5°
<b>Pan</b>	VESA bracket 180° Base 360°	360°
<b>Rotation</b>	360°	90° Display size may restrict motion
<b>VESA</b>	MIS-D	MIS-D/E/F See website for details
<b>Extension</b>	≤ 19.5" (49,5 cm)	≤ 16.7" (42,4 cm)
<b>Warranty</b>	10 years	

# Monitor lift stands

## LX Lift Stands: Easily lift and tilt multiple displays

Lift and tilt two or three displays on a single base. Monitors have five inches of height adjustment and move in tandem to maintain horizontal integrity.



**LX Dual Display Lift Stand**



**LX Widescreen Dual Display Lift Stand**



**LX Triple Display Lift Stand**

Part # (color)	33-299-195 (black)	33-296-195 (black)	33-296-195 (black)
Typical LCD Size	≤ 24"	≤ 30"	≤ 21"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>			
Weight Capacity	Total weight capacity 12–34 lbs (5,4–15,4 kg)	Total weight capacity 24–48 lbs (10,9–21,8 kg)	Total weight capacity 24–48 lbs (10,9–21,8 kg)
Lift	5" (13 cm)		
Tilt	20°		
Rotation	90°		
VESA	MIS-D		
Warranty	5 years		

## Neo-Flex®: Affordable ergonomics



**Neo-Flex Touchscreen Stand**



**Neo-Flex All-In-One Lift Stand**



**Neo-Flex Notebook Lift Stand**



**Neo-Flex Widescreen Lift Stand**



**Neo-Flex LCD Stand**

Part # (color)	33-387-085 (black)	Secure Clamp (SC) 33-338-085 (black) Strap 33-326-085 (black)	33-334-085 (black)	33-329-085 (black)	33-310-060 (black & silver)
Typical LCD Size	≤ 27"	≤ 24"	≤ 17"	20–32"	≤ 24"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>					
Weight Capacity	14–23.7 lbs (6,5–10,8 kg)	6–16 lbs (2,7–7,2 kg)	3.5–14 lbs (1,6–6,3 kg)	16–36 lbs (7,2–16,3 kg)	6–16 lbs (2,7–7,2 kg)
Lift	6.5" (16,5 cm)	5" (13 cm)	6" (15,2 cm)	5" (13 cm)	5" (13 cm)
Tilt	115° ↑ 90° / ↓ 25°	30°	+25° / -15°	30°	30°
Pan	360°	Base 360°	Base 360°	Base 360°	270°
Rotation	—	360°	—	90° Display size may restrict motion	360° Display size may restrict motion
VESA	MIS-D See website for details	MIS-D	—	MIS-D/E/F See website for details	MIS-D
Warranty	3 years				



**Neo-Flex LCD & Laptop Lift Stand**



**Neo-Flex Dual Display Lift Stand**



**Neo-Flex Extend LCD Arm**



**Neo-Flex LCD Arm**



**Neo-Flex Desk Mount Tablet Arm**

Part # (color)	33-331-085 (black)	33-396-085 (black)	45-235-194 (silver)	45-174-300 (silver)	45-306-101 (black)
Typical LCD Size	≤ 20"	≤ 24" Maximum outside width of LCDs: 24.5" (62 cm)	≤ 24"	≤ 22"	≤ 10" See website for details
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>					
Weight Capacity	LCD 6–16 lbs (2,7–7,2 kg) Laptop 6–12 lbs (2,7–5,4 kg)	Total weight capacity 14–34 lbs (6,4–15,4 kg). See website	7–20 lbs (3,2–9,1 kg)	≤ 18 lbs (8,2 kg)	≤ 2.5 lbs (1,1 kg)
Lift	5" (13 cm)	5" (13 cm)	—	8" (20 cm)	8" (20 cm)
Tilt	LCD 30°	—	80°	180°	180°
Pan	Base 360°	Base 360°	360°	360°	360°
Rotation	LCD 360°	360°	360°	360°	360°
VESA	MIS-D				
Warranty	3 years				

# DS100 multi-monitor desk stands

Fixed-height stands save space and improve productivity



**DS100 Dual-Monitor Desk Stand Horizontal**

**DS100 Dual-Monitor Desk Stand Vertical**

**DS100 Triple-Monitor Desk Stand Horizontal**

**DS100 Quad-Monitor Desk Stand**

Part # (color)	33-322-200 (black)	33-091-200 (black)	33-323-200 (black)	33-324-200 (black)
<b>Base</b>	Grommet mount base also available (60-350-200). Order separately.	Grommet mount base also available (60-350-200). Order separately.	Grommet mount base also available (60-350-200). Order separately.	Grommet mount base also available (60-350-200). Order separately.
<b>Typical LCD Size</b>	≤ 24" See website for details	≤ 27"	≤ 21" (53 cm) See website for details	≤ 24" See website for details
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>				
<b>Weight Capacity</b>	31 lbs (14 kg) per LCD	23 lbs (10,4 kg) per LCD	31 lbs (14 kg) per LCD	31 lbs (14 kg) per LCD
<b>Tilt</b>	—	180°	—	—
<b>Pan</b>	—	180°	—	—
<b>Rotation</b>	360°			
<b>VESA</b>	MIS-D			
<b>Warranty</b>	5 years			

# Professional-grade ceiling mounts

Great for TV viewing or digital signage



**Neo-Flex Projector Ceiling Mount**

<b>Part # (color)</b>	60-623 (black)
<b>Weight Capacity</b>	Small to large projectors ≤ 40 lbs (18,1 kg)
<b>Tilt</b>	30°
<b>Pan</b>	30°
<b>Rotation</b>	360°
<b>Warranty</b>	3 years



**Neo-Flex Ceiling Mount**

<b>Part # (color)</b>	60-842-223 (black)
<b>Typical LCD Size</b>	32–65"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>	
<b>Weight Capacity</b>	≤ 125 lbs (56,7 kg)
<b>Tilt</b>	20°
<b>Rotation</b>	Display can be installed in either a landscape or portrait orientation
<b>VESA</b>	200 x 100 – 660 x 450 mm
<b>Warranty</b>	3 years



# Tablet solutions

## Tandem Tablet Holder



Position your tablet within your digital workflow. Our Tandem Tablet Holder accessory kit converts a VESA mount to position your tablet screen alongside or below your monitor. It is designed specifically for Microsoft® Surface™, but its open architecture also makes it compatible with many popular tablet brands and models from Apple®, HP®, Samsung®, Wacom and more. (Arm not included) 85-046-231



## Lockable Tablet Mount



Convert a monitor mount to securely hold a tablet. The locking interface makes it the perfect solution for info kiosks, interactive ordering, public signage and more—anywhere theft deterrence is important. It's compatible with popular tablets from many manufacturers. 45-460-026



## Universal Tablet Cradle

Install your tablet or eReader alongside an LCD monitor or attach it directly to an Ergotron arm, pivot or stand. Adjustable contact points keep ports free. Cradle firmly grasps tablet with latch. 80-106-085



There are metabolic, cardio and mental impacts of sitting



- Muscle activity drops
- Metabolism slows
- Enzyme production lowers dramatically
- Insulin effectiveness drops
- Fatigue, distraction and stress increases
- Risk for anxiety and depression increases





# Ergonomic wall mounts



## HX Wall Monitor Arms

The perfect accessory to add flexibility and superior ergonomics to your monitor or TV

- Patented Constant Force™ technology provides effortless height adjustment and lift-and-pivot motion
- Extension /retraction motion and height adjustment capability promote user comfort
- Rotation-stop on base limits range to 180° and prevents monitor from making contact with wall
- Folding arm frees up space in constrained areas
- Passes Ergotron 10,000 cycle-motion test, ensuring years of trouble-free height adjustment
- Cable management feature routes cables tightly under the arm and through the extension, out of the way
- Dual hinge bow supports two 32" monitors; Triple hinge bow supports three 24" monitors; each includes a handle for easy positioning
- Also available as a desk-mount solution (see page 8)

### HX Single

Polished aluminum	45-478-026 (Americas)
White	45-478-216
Silver	45-478-231 (APAC)

### HX Dual

Polished aluminum	45-479-026 (Americas)
White	45-479-216
Silver	45-479-231 (APAC)

### HX Triple Bow Kit

Polished aluminum	98-009-026 (Americas)
White	98-009-216



See technical specifications on page 49 or at [ergotron.com](http://ergotron.com)



LX Wall Mount LCD Arm



## LX Wall Mount Arms

LCD and keyboard arm design provides unparalleled range of motion

- Designed with patented Constant Force™ technology for easy positioning with just a light touch
- Extension/retraction motion capability promote comfort for multiple users
- LX Keyboard Arm is a stable platform with a back-tilt tray to keep wrists in a neutral, ergonomic position
- Folding arm frees up space in constrained areas
- Cable management clips on the under side of the arm route and hide cords
- Passes Ergotron 10,000 cycle-motion test, which ensures years of trouble-free height adjustment
- 10-year warranty
- Sit-stand models are available, so users can choose to sit or stand while working



*Easily attach a Notebook Tray (50-193-200) to an LX Arm and position your computer where you need it the most*



*LX Arms are ideal for healthcare and other multi-user environments because of their wide range of motion and ability to fold up within inches of the wall when not in use*

**LX Wall Mount Monitor Arm**  
Polished aluminum 45-243-026

**LX HD Wall Mount Monitor Arm**  
Polished aluminum 45-383-026

**LX Sit-Stand Wall Mount Monitor Arm**  
Polished aluminum 45-353-026

**LX Keyboard Arm**  
Polished aluminum 45-246-026

**LX Sit-Stand Keyboard Arm**  
Polished aluminum 45-354-026



See technical specifications on page 49 or at [ergotron.com](http://ergotron.com)

## MX wall mounts

Simple and strong with an attractive finish

MX Mini Wall Mount Arm is an ideal mount for lightweight displays, offering a slim profile and expansive height adjustment range. Plus, full tilt, pan and rotation capability.

MX Wall Mount LCD Arm supports larger monitors and all-in-one computers.

Both wall mounts fold up to just inches from the wall.



**MX Mini Wall Mount Arm**

**MX Wall Mount LCD Arm**

<b>Part # (color)</b>	45-437-026 (polished aluminum) Available in North America 45-437-216 (white) Available in EMEA & APAC 45-437-231 (silver) Available in APAC	45-228-026 (polished aluminum)
<b>Typical LCD Size</b>	20–24" Ultralight monitors and tablets	≤ 42"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>		
<b>Weight Capacity</b>	≤ 8 lbs (≤ 3,5 kg)	14–30 lbs (6,3–13,6 kg)
<b>Lift</b>	13" (33 cm)	5" (13 cm)
<b>Tilt</b>	75° ↑ 70° / ↓ 5°	80° ↑ 75° / ↓ 5°
<b>Pan</b>	Pan at base = 180°; pan at extension = 360°; pan at monitor = 180°	Pan at base = 180°; pan at extension = 360°; pan at monitor = 180°
<b>Rotation</b>	360°	90°
<b>VESA</b>	MIS-D	MIS-D/E/F See website for details
<b>Depth</b>	Folds to 3.9" (10 cm)	Folds to 5" (13 cm)
<b>Extension</b>	19.5" (49,5 cm)	21.6" (55 cm)
<b>Warranty</b>	10 years	

## 200 Series arms

Super stable and solid with a low profile



**200 Series Dual Monitor Arm**



**200 Series Wall Mount Pivot**



**200 Series Wall Mount Arm, 1 or 2 Extensions**

<b>Part # (color)</b>	45-231-200 (black)	45-232-200 (black)	1 Extension: 45-233-200 (black) 2 Extensions: 45-234-200 (black)
<b>Typical LCD Size</b>	≤ 22"	≤ 27"	≤ 27"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>			
<b>Weight Capacity</b>	Weight capacity 13 lbs (5,9 kg) per mount, 26 lbs (11,8 kg) total. Monitors must be equal in weight or +/-1 pound (0,45 kg)	≤ 25 lbs (11,3 kg)	≤ 25 lbs (11,3 kg)
<b>Tilt</b>	—	180° Display size may restrict motion	180° Display size may restrict motion
<b>Pan</b>	360°	180° Display size may restrict motion	360°
<b>Rotation</b>	360°		
<b>VESA</b>	MIS-D		
<b>Depth</b>	Folds to 5.8" (14,8 cm)	5.8" (14,8 cm)	Folds to 5.8" (14,8 cm)
<b>Extension</b>	23.7" (60,1 cm)	—	1 Extension: 14.8" (37,6 cm) 2 Extensions: 23.8" (60,5 cm)
<b>Warranty</b>	5 years		



## Swing arms and pivots



**LX HD Wall Mount Swing Arm**



**LX HD Wall Mount Pivot**



**100 Series Pivot**

Part # (color)	45-268-026 (polished aluminum)	45-269-009 (black)	Single 47-092-800 (grey/black) Double 47-093-800 (grey/black)
Typical LCD Size	≤ 42"	≤ 42"	≤ 27"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>			
Weight Capacity	≤ 50 lbs (22,7 kg)	≤ 50 lbs (22,7 kg)	Single ≤ 25 lbs (11,3 kg) Double ≤ 23 lbs (10,4 kg)
Tilt	20°	20°	180°
Pan	360°	40°	Single 0° Double 180°
Rotation	360°	360°	360°
VESA	MIS-D/E/F See website for details	MIS-D/E/F See website for details	MIS-D
Depth	Folds to 3.7" (9,1 cm)	3.7" (9,1 cm)	Single 3.4" (8,6 cm) Double 5.4" (13,7 cm)
Extension	13" (33 cm)	—	—
Warranty	5 years		

## Interactive and cantilever arms

Effortlessly move a TV into several positions with only a light touch



**Interactive Arm LD**



**Interactive Arm HD**



**Interactive Arm VHD**



**Neo-Flex Cantilever VHD**



**Neo-Flex Cantilever UHD**

Part # (color)	45-361-026 (polished aluminum)	45-296-026 (polished aluminum)	45-304-026 (polished aluminum)	45-385-223 (black)	61-132-223 (black)
Typical LCD Size	≤ 42"	30-55"	30-63"	23-42"	37-52"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>					
Weight Capacity	7-25 lbs (3,2-11,3 kg)	18-40 lbs (8,2-18,2 kg)	35-70 lbs (15,9-31,8 kg)	≤ 80 lbs (36,3 kg)	≤ 125 lbs (56,7 kg)
Lift	20" (51 cm)	20" (51 cm)	20" (51 cm)	—	—
Tilt	75° ↑ 70° / ↓ 5°	25° ↑ 10° / ↓ 15°	25° ↑ 10° / ↓ 15°	20°	20°
Pan	180°	180°	180°	180°+	180°+
Rotation	360°	10° ← 5° / → 5°	10° ← 5° / → 5°	—	—
VESA	MIS-D/E/F See website for details	200 x 100 - 600 x 400 mm	200 x 100 - 600 x 400 mm	100 x 100 - 400 x 400 mm	100 x 100 - 600 x 400 mm
Depth	4.5" (11 cm)	5.5" (14 cm)	6.5" (16,5 cm)	3.3" (8,4 cm)	5.5" (14 cm)
Extension	17" (43 cm)	24" (61 cm)	28" (71 cm)	15.6" (39,7 cm)	22" (55,9 cm)
Warranty	5 years			3 years	

## Glide wall mounts

Height adjustable with an extremely low profile



**Glide Wall Mount LD-X**

**Glide Wall Mount HD**

**Glide Wall Mount VHD**

**FX 30**

Part # (color)	61-113-085 (black)	61-061-085 (black)	61-128-085 (black)	60-239-007 (black)
Typical LCD Size	27–42"	30–55"	≥ 46"	≤ 37"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>				
Weight Capacity	12–30 lbs (5,4–13,6 kg)	20–40 lbs (9–18 kg)	45–70 lbs (20,4–32 kg)	≤ 30 lbs (13,6 kg)
Lift	10" (25,4 cm)	18" (46 cm)	16" (40,6 cm)	—
Tilt	10°	10°	10°	—
VESA	MIS-D/E/F See website for details	MIS-E/F See website for details	MIS-D/E/F See website for details	MIS-D
Depth	4.5" (11,4 cm)	2" (5 cm)	2.7" (6,9 cm)	.77" (2 cm)
Warranty	5 years			

## Digital signage

Bring the message to your audience



**TM Tilting Wall Mount**



**WM Low Profile Wall Mount**



**SIM90 Signage Integration Mount**

Part # (color)	61-143-003 (silver) XL 61-142-003 (silver)	60-604-003 (silver) XL 60-602-003 (silver)	60-600-009 (black)
Typical LCD Size	32–90" XL 42–90"	32–90" XL 42–90"	≥ 32"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>			
Weight Capacity	≤ 175 lbs (79 kg)	≤ 175 lbs (79 kg)	≤ 105 lbs (47,6 kg)
Tilt	20°	—	15°
Rotation	—	—	90° See website for details
VESA	MIS-D/E/F See website for details	MIS-D/E/F See website for details	MIS-F See website for details
Depth	3.5" (8,9 cm)	1.25" (3,2 cm)	4.8" (12,1 cm)
Warranty	5 years		

# Neo-Flex® wall mounts

Easy-to-use solutions for large TVs, displays and digital signage



**Neo-Flex  
Tilting Wall Mount  
VHD**



**Neo-Flex  
Wall Mount  
VHD**



**Neo-Flex  
Tilting Wall Mount  
UHD**



**Neo-Flex  
Wall Mount  
UHD**



**Neo-Flex  
Wall Mount  
ULD**

Part # (color)	60-613 (black)	60-615 (black)	60-612 (black)	60-614 (black)	97-589 (black)
			Optional UHD Accessory: NF VESA Adaptor 97-590 (black)		
Typical LCD Size	23–42"	23–42"	37–63"	37–63"	13–32"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>					
Weight Capacity	≤ 80 lbs (36,3 kg)	≤ 80 lbs (36,3 kg)	≤ 175 lbs (79 kg)	≤ 175 lbs (79 kg)	≤ 40 lbs (18,1 kg)
Tilt	20°	—	15°	—	—
VESA	100 x 100 – 400 x 300 mm	100 x 100 – 400 x 300 mm	100 x 100 – 600 x 400 mm	100 x 100 – 600 x 400 mm	75 x 75 – 200 x 200 mm
Depth	1.9" (4,9 cm)	1.6" (4,1 cm)	2.7" (6,9 cm)	1.7" (4,4 cm)	0.5" (1,3 cm)
Warranty	3 years				

# eNook® wall-mount workstations

(North America only)

Compact desk is great for the “space challenged”



Vertical Small  
CPU Holder  
80-063-200

Store your equipment behind a secure locked door, then flip it down for a compact, space-saving desk. With the press of the push-to-open latch, a damper-assisted mechanism eases the desk shelf down to reveal a spacious workspace.

eNook Wall Desk Workstation is available in two models:

### Standard eNook (shown right)

- Optimized for laptop or tablet computing
- Includes a channel to plug in and charge your devices
- Worksurface measures 30" x 15" (76 x 38 cm)
- Secures with two key locks on door and cable channel
- Folds to just 7.25" (18,4 cm)

Dark Cherry: EK3616TB/MS Maple: EK3616TB/MP



### eNook Pro (shown left)

- Intended for professional applications
- Includes a channel to plug in and charge your devices
- Includes a standard VESA mount for your monitor, enclosed in the main cabinet
- Worksurface measures 30" x 14.5" (76 x 37 cm)—plenty of room for a keyboard/mouse
- Secures with programmable code lock system (up to 3 combinations for multiple users)
- Folds to just 8.25" (21 cm)

Dark Cherry: EPM3616SM/DC Maple: EPM3616SM/MP Walnut: EPM3616SM/WL

See [ergotron.com](http://ergotron.com) for more details

Dark Cherry

Maple

Walnut





# Charging systems

## The quickest charge for your tablets and laptops


Ergotron PowerShuttle® technology is a patented, embedded control system that monitors incoming current from the wall outlet and distributes it to microprocessor-controlled outlets inside the charging cart to quickly, efficiently and safely charge your devices.



- PowerShuttle charges up to 40% faster than competitors' round-robin charging systems
- Doesn't require manually switching between outlets or adjusting timers
- Limits inrush current — the instantaneous current draw when you first power on
- Prevents nuisance tripping of site circuit breakers and electromagnetic interference with other devices
- Keeps you safe from arc at the plug and hazardous touch currents

## Ergotron charging cart strengths

- Sleek, compact designs with a small footprint
- Universal design fits all devices: tablets, Chromebooks, laptops and more
- Separate locking IT area
- Durable, solid construction with locking doors
- UL or ETL certified and tested for safety to UL 60950 standard
- Managed and unmanaged versions



For more in-depth information about PowerShuttle technology, visit [www.ergotron.com/company/powershuttle-technology](http://www.ergotron.com/company/powershuttle-technology)



COMING SOON!

## Charging Locker

(North America only)

Secure device charging for multiple users in a variety of environments

The Charging Locker is ideal for educational institutions, healthcare facilities, airports, hotels and all types of businesses where multiple users need secure charging capability. Its petite footprint saves space, and for additional user support, two Lockers can be securely stacked together.

- Charging Locker offers five roomy and separate bays within a small footprint
- Charges up to 15 devices (three per bay); includes 1 USB and 2 AC outlets
- Brackets attach locker to wall or countertop, keeping unit stable and secure
- Each bay door has a programmable lock for a unique code every time



### Why should you care about safety certification for charging systems: the risks of using non-certified products

- **Critical materials are not fire resistant** — *This is a fire hazard if a battery or electrical fault occurs*
- **Electrical hazards are not physically enclosed** — *Shock hazards exist if energized circuitry can potentially be touched either directly or if exposed metal is not safely grounded or properly isolated. Fire hazards can exist if the enclosure can potentially let out flames or molten metal if an electrical fault occurs inside of the enclosure*
- **Mechanical hazards are not mitigated** — *If not properly tested and certified, pinch points, tip, crush or cut, sharp edges, and moving parts can injure users*
- **Equipment ratings must meet National Electrical Code** — *Non-evaluated systems may exceed allowable load limits causing electrical arcing, facility problems and/or interaction and interference with other equipment*
- **No manufacturing factory quality surveillance** — *Product quality and consistency must be managed and ensured*



#### SAFETY CERTIFICATION

UL 60950 Safety of Information Technology Equipment, CAN/CSA C22.2 No. 60950

UL 1667 Tall Institutional Carts for use with Audio, Video and Television Type Equipment

ICES-003 Issue 4, Class A

FCC Part 15 Class A

Country-specific certification as required

RoHS and Reach compliant material used



Find the right charging cart or cabinet for your devices:

[charging.ergotron.com/finder](http://charging.ergotron.com/finder)

# Laptop and Chromebook solutions



**PowerShuttle Laptop Charging Cart**



**PowerShuttle Laptop Management Cart**



**Zip12 Charging Wall Cabinet**



**Zip12 Charging Desktop Cabinet**



**Zip40 Charging Cart and Zip40 Charging & Management Cart**

US/CA/MX	24-291-085	24-246-085	DM12-1006-1	DM12-1012-1		DM40-1009-1	DM40-1008-1
EU			DM12-1006-2	DM12-1012-2		DM40-1009-2	DM40-1008-2
UK/HK/SNG			DM12-1006-3	DM12-1012-3		DM40-1009-3	DM40-1008-3
AU/NZ			DM12-1006-4	DM12-1012-4		DM40-1009-4	DM40-1008-4
CN			DM12-1006-5	DM12-1012-5		DM40-1009-5	DM40-1008-5
JP				DM12-1012-6		DM40-1009-6	DM40-1008-6
Screen Size	≤ 15.6"	≤ 15.6"	≤ 12"	≤ 14"		≤ 15.6"	
# of Devices	20	20	12	8 or 12 (depending on divider configuration)		30 or 40 (depending on divider configuration)	
Cables	No	Ethernet CAT6	No	No	No	No	Ethernet CAT6
Slot Size W x D x H	1.9" x 15.7" x 12.3"	1.9" x 15.7" x 12.3"	1.0" x 11.9" x 8.9" (2,5 x 30,2 x 22,6 cm)	1.9" x 15.3" x 9.7" (4,8 x 38,9 x 24,6 cm)	1.1" x 15.3" x 9.7" (2,7 x 38,9 x 24,6 cm)	1.9" x 17.1" x 11.2" (4,8 x 43,4 x 28,4 cm)	1.1" x 17.1" x 11.2" (2,8 x 43,4 x 28,4 cm)
Unit Size W x D x H	28" x 24.4" x 40.5"	28" x 24.4" x 40.5"	26.4" x 5.9" x 35.6" (67 x 15 x 91 cm)	22" x 24.5" x 14" (56 x 62 x 35,6 cm)		30.3" x 26.1" x 45.4" (77 x 66 x 115 cm)	
Power	PowerShuttle via outlet	PowerShuttle via outlet	Power Strip	PowerShuttle Technology via outlet		PowerShuttle Technology via outlet	
Tablet compatible	✓	✓	✓	✓		✓	
UL 60950 certified	✓	✓	✓	✓		✓	
Warranty	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables		Lifetime mechanical; 3 years electrical; 1 year cables	



**Charging Systems Finder**  
Find the right charging cart or cabinet for your device:  
[charging.ergotron.com/finder](http://charging.ergotron.com/finder)

# Tablet solutions



**Tablet Management Wall Mount 10**  
Lightning



**Tablet Management Desktop 16**  
ISI / Lightning



**Tablet Management Desktop 16**  
ISI / no cabling



**Tablet Management Cart 32**  
ISI / Lightning



**Tablet Management Cart 32**  
ISI / no cabling



**Tablet Management Cart 48**  
ISI / Lightning



**Tablet Management Cart 48**  
ISI / no cabling



**Zip12 Charging Wall Cabinet**



**Zip12 Charging Desktop Cabinet**

US/CA/MX		DM16-1004-1		DM32-1004-1				DM12-1006-1	DM12-1012-1		
EU	DM10-1007-2	DM16-1004-2		DM32-1004-2			DM48-1004-2	DM12-1006-2	DM12-1012-2		
UK/HK/SNG	HK DM10-1007-3	UK: DM16-1004-2	DM16-1024-3	UK: DM32-1004-3	DM32-1024-3			DM48-1024-3	DM12-1006-3	DM12-1012-3	
AU/NZ	DM10-1007-4		DM16-1024-4		DM32-1024-4			DM48-1024-4	DM12-1006-4	DM12-1012-4	
CN			DM16-1024-5		DM32-1024-5			DM48-1024-5	DM12-1006-5	DM12-1012-5	
JP			DM16-1024-6		DM32-1024-6			DM48-1024-6		DM12-1012-6	
Screen Size	≤ 10.1"	≤ 10.1"	≤ 10.1"	≤ 10.1"	≤ 10.1"	≤ 10.1"	≤ 10.1"	≤ 10.1"	≤ 12"	≤ 14"	
# of Devices	10	16	16	32	32	48	48	12	8 or 12 (depending on divider configuration)		
Cables	Lightning	Lightning	No	Lightning	No	Lightning	No	No	No	No	
Slot Size W x D x H	0.9" x 10.9" x 7.9" (2,3 x 27,7 x 20,1 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	.85" x 11.3" x 7.9" (2,2 x 28,8 x 20 cm)	1.0" x 11.9" x 8.9" (2,5 x 30,2 x 22,6 cm)	1.9" x 15.3" x 9.7" (4,8 x 38,9 x 24,6 cm)	1.1" x 15.3" x 9.7" (2,8 x 38,9 x 24,6 cm)
Unit Size W x D x H	23.2" x 4.0" x 31.8" (59 x 80,9 x 10,2 cm)	18.3" x 16.2" x 10.4" (46,5 x 41,1 x 26,4 cm)	18.3" x 16.2" x 10.4" (46,5 x 41,1 x 26,4 cm)	23" x 18.4" x 39.3" (58,4 x 46,7 x 100 cm)	23" x 18.4" x 39.3" (58,4 x 46,7 x 100 cm)	23" x 18.4" x 39.3" (58,4 x 46,7 x 100 cm)	23" x 18.4" x 39.3" (58,4 x 46,7 x 100 cm)	23" x 18.4" x 39.3" (58,4 x 46,7 x 100 cm)	26.4" x 5.9" x 35.6" (67 x 15 x 91 cm)	22" x 24.5" x 14" (56 x 62 x 35,6 cm)	
Power	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Power Strip	PowerShuttle Technology via outlet	
Made for iPad			—		—		—	—	—	—	
UL 60950 certified	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Warranty	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	5 years; 2 years power module; 1 year other electrical components	Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables	

# Laptop and Chromebook solutions

Built with Anthro-DNA

NEW!



**YES  
Basic Charging Cart**



**YES20  
Charging Cart  
for Mini-Laptops**



**YES36  
Charging Cart  
for Mini-Laptops**



**LT20  
Charging Cart  
for Laptops**



**LT30  
Charging Cart  
for Laptops**



**YES12  
Charging Wall  
Cabinet  
for Mini-Laptops**

US/CA/MX	YESBASGMPW4	YESMJUGMPW4	YESMUSGMPW4	YESMOR2GMPW4	LTSC20WH/SM	LTSC30WH/SM	YESMLCGMPW
EU							
UK/HK/SNG							
AU/NZ							
CN							
JP	YESNMJU10GMPW4						
Screen Size	≤ 14"	≤ 14"	≤ 14"		≤ 15.5"	≤ 15.5"	≤ 14"
# of Devices	30 or 36 (depending on divider configuration)	15 or 20 (depending on divider configuration)	30 or 36 (depending on divider configuration)		20	30	12
Cables	No	No	No		No	No	No
Slot Size W x D x H	Max. width/height (see website for details): 14.25" x 10" (36,1 x 25,4 cm)	1.9" x 14.25" x 10" (4,8 x 36,1 x 25,4 cm)   1.6" x 14.25" x 10" (4 x 36,1 x 25,4 cm)	For up to 36 devices: 1.25" x 14.25" x 10" For up to 30 devices: 1.6" x 14.25" x 10"		15.5" x 12" x 3"	16" x 12" x 3"	1.25" x 14.25" x 10"
Unit Size W x D x H	23.17" x 23.38" x 41.57" (58,85 x 59,38 x 105,58 cm)	24.25" x 27.75" x 42" (61,5 x 70,4 x 106,6 cm)	28.75" x 25" x 41.5"		23" x 28.5" x 45.75"	43.5" x 29.75" x 38"	22.25" x 16.75" x 24"
Power	Built-in outlets 120Vac, 60Hz, 12 Amps	Power Strip	PowerShuttle Technology via outlet		Power Strip	Power Timer	Power Strip
Tablet compatible	✓	✓	✓		✓	✓	✓
UL 60950 certified	IN PROGRESS	✓	✓		✓	✓	✓
Warranty	Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables		Lifetime warranty on body; 1 year on electrical; cords & plugs not warranted	Lifetime warranty on body; 1 year on electrical; cords & plugs not warranted	Lifetime mechanical; 3 years electrical; 1 year cables
TAA Compliant	✓	✓	✓		✓	✓	✓

# Tablet solutions

Built with Anthro-DNA



**Zip40 Charging Cart  
and  
Zip40 Charging &  
Management Cart**

NEW!



**YES  
Basic Charging Cart**



**YES40  
Charging Cart  
for Tablets**



**YES20  
Charging Wall Cabinet  
for Tablets**

US/CA/MX	DM40-1009-1	DM40-1008-1	YESBASGMPW4	YESTABGMPW4	YESCABGMPW
EU	DM40-1009-2	DM40-1008-2			
UK/HK/SNG	DM40-1009-3	DM40-1008-3			
AU/NZ	DM40-1009-4	DM40-1008-4			
CN	DM40-1009-5	DM40-1008-5			
JP	DM40-1009-6	DM40-1008-6	YESNTAB10GMPW4		
Screen Size	≤ 15.6"		≤ 14"	≤ 10"	≤ 10"
# of Devices	30 or 40 (depending on divider configuration)		30 or 36 (depending on divider configuration)	32 or 40 (depending on divider configuration)	16 or 20 (depending on divider configuration)
Cables	No		No	No	No
Slot Size W x D x H	1.9" x 17.1" x 11.2" (4,8 x 43,4 x 28,4 cm)	1.1" x 17.1" x 11.2" (2,8 x 43,4 x 28,4 cm)	Max. width/height (see website for details): 14.25" x 10" (36,1 x 25,4 cm)	1.25" x 10.5" x 8" (3,2 x 26,6 x 20,3 cm)   0.87" x 10.5" x 8" (2,2 x 26,6 x 20,3 cm)	1.25" x 10.5" x 8.5"   .87" x 10.5" x 8.5"
Unit Size W x D x H	30.3" x 26.1" x 45.4" (77 x 66 x 115 cm)		23.17" x 23.38" x 41.57" (58,85 x 59,38 x 105,58 cm)	23.75" x 24.75" x 46.25" (60,3 x 62,8 x 117,4 cm)	22" x 12,75" x 24"
Power	PowerShuttle Technology via outlet		Power Strip with built-in timing device	Power Strip	Power Strip
Made for iPad	—		—	—	—
UL 60950 certified	✓		✓	✓	✓
Warranty	Lifetime mechanical; 3 years electrical; 1 year cables		Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables	Lifetime mechanical; 3 years electrical; 1 year cables
TAA Compliant			✓	✓	✓





Education — *Empowering smart learning*





# LearnFit® Adjustable Desk

Transform classrooms into active learning environments

Studies show that introducing low-level physical activity into the classroom has a positive impact on student health, classroom engagement and academic performance.

- Encourages healthy student behavior that leads to physical and academic improvements
- Looking sharply down at a digital learning device puts excessive pressure on the neck. PrecisionHeight™ Technology allows students to simply adjust the height of the desktop for easier viewing and to help reduce neck strain
- Using the hand lever, each student intuitively raises and lowers the desktop to suit their own natural body needs
- Mobile, locking casters — easily roll the LearnFit desks to quickly reconfigure classrooms
- Tablet slot, water bottle holder and backpack hook included
- Super-durable worksurface construction stands up to demanding classroom conditions
- Optional LearnFit Storage Bin provides three separate compartments for storing student supplies
- Assembles in less than a minute; no tools needed



## LearnFit Sit-Stand Desk

The LearnFit Sit-Stand Desk has a shorter worksurface height, so users can choose to sit or stand while they learn.

Height-adjustment range is designed for students ages 12 through adult when using standard classroom chairs for sitting.

For elementary-school students ages 6 and above, this LearnFit is an ideal adjustable standing desk (match it with a taller stool to enable occasional sitting).



<b>Part # (color)</b>	24-481-003 (white/silver)	24-547-003 (white/silver)
<b>Weight Capacity</b>	≤ 15 lbs (7 kg)	
<b>Lift</b>	16" (40 cm)	
<b>Worksurface Height</b>	33.3–49.3" (85–125 cm)	29–45" (73.7–114 cm)
<b>Worksurface Dimensions</b>	24"W x 22"D (61 x 56 cm)	
<b>Base Footprint</b>	24"W x 22"D (61 x 56 cm)	
<b>Standing Desk</b>	Fits age 9 to adult	Fits age 6 to adult
<b>Sit-Stand</b>	—	Fits age 12 to adult
<b>Warranty</b>	10 years	

## TeachWell® Mobile Digital Workspace

A compact technology hub consolidates all your technology tools onto a single mobile platform: laptop, keyboard and mouse, portable document camera, projection device and more. Several optional accessories are available to enhance functionality.



<b>TeachWell Mobile Digital Workspace</b>	
<b>Part # (color)</b>	24-220-055 (graphite grey)
<b>Size</b>	Laptop ≤ 19"
<b>Weight Capacity</b>	38.5 lbs (17.5 kg) See website for details
<b>Lift</b>	20" (51 cm)

# StyleView® medical carts



## Your workflow. Your cart. Your way.

Choose the StyleView medical cart that best meets your caregiving needs, style and workflow. Ergotron offers the broadest range of options so you can experience a super functional, fully adjustable medical cart.

Our market-leading, 6th-generation StyleView Carts are designed to include all the features that caregivers have asked for, with all the open architecture and quality construction that IT departments require.

- Effortless sit-stand height adjustment using patented Constant Force™ technology
- Independent screen positioning and an adjustable back-tilt keyboard tray for comfortable ergonomics
- Ultra-smooth gliding casters and a small footprint
- For patient, caregiver and facility safety, entire carts are tested and fully certified

Use our StyleView Finder tool to help determine which configuration will best support your workflow.

See technical specifications on page 50 or at [ergotron.com](http://ergotron.com)

Point-of-care carts facilitate documentation, access to medical records and medication delivery anywhere in the facility



**StyleView 41 Series**  
Laptop version  
Non-powered  
No drawers



**StyleView 43 Series**  
Laptop version  
Non-powered  
With added drawers



**StyleView 43 Series**  
LCD Pivot version  
Non-powered  
With added drawers



**StyleView 44 Series**  
LCD Arm version  
SLA battery powered  
With added tall drawers



**StyleView 44 Series**  
LCD Pivot version  
LiFe battery powered  
With added drawers



## Supporting care everywhere

*Mobility, proper ergonomics and the ability to sit and stand throughout long shifts lets caregivers experience a much healthier way to work — with greater comfort and less fatigue.*

Light-duty point-of-care carts also are ideal for tablets or laptop use anywhere in the facility



**StyleView 10 Series**  
Microsoft Surface  
version  
Non-powered



**StyleView 10 Series**  
Tablet version



**StyleView 10 Series**  
Laptop version  
Optional DC Power  
System and  
Sani-Wipes Holder

Carts designed for telemedicine and videoconferencing



**StyleView Telemedicine**  
LCD Arm version  
Non-powered  
Primary drawer and  
Telemedicine Storage Bin



**StyleView Telemedicine**  
Dual monitor version  
SLA battery powered  
Primary drawer and  
Telemedicine Storage Bin

# Need help determining which StyleView® cart is right for you?

## + Determine your application:

Point-of-Care Carts facilitate access to medical records and provide medication delivery anywhere in the facility  
Telehealth Carts designed for telemedicine and videoconferencing anywhere in the facility

## + Determine the primary use:

Access to medical records and the delivery of medication  
Access to medical records and medication delivery/management with controlled access  
Mobile deployment of tablets or laptops

## + Choose display mount type: LCD Arm, LCD Pivot, laptop, tablet or Microsoft Surface



## + Choose powered, non-powered or add-on power upgrades:

Lithium Iron Phosphate (LiFe), Sealed Lead Acid (SLA), non-powered, power upgrade options (see page 32)



## + Choose drawers, storage & accessories: Drawers, Bins, Sani-Wipes Holder, Scanner Shelf and more



## + Add a service program: Extended Global Service Programs protect your investment, ensure optimal product performance and can provide additional support and benefits, such as:




Site readiness • Fast, efficient product installation and integration  
Preventive maintenance and extended warranties • Improved asset management  
Enhanced in-house product expertise • Equipment audit and health assessment  
Next-Business-Day service contracts • Annual contracts and planned services  
(See page 43)



Use our helpful Finder Tool at [styleview.ergotron.com/finder](http://styleview.ergotron.com/finder)

Or consult with an Ergotron healthcare expert

**Choose from multiple drawer options:**



**Find Your StyleView**

Find the right medical cart for you.  
Start by choosing your application, then answer subsequent questions.

Application	<input checked="" type="radio"/> Point of Care	<input type="radio"/> Telehealth
Primary Use	<input type="radio"/> Documentation	<input checked="" type="radio"/> Medication Delivery
# of Drawers	<input type="radio"/> 1 Drawer <input checked="" type="radio"/> 2 Drawers <input type="radio"/> 4 Drawers	<input type="radio"/> 5 Drawers <input type="radio"/> 9 Drawers <input type="radio"/> 40+ Drawers (Transfer Cart)
Power System	<input checked="" type="radio"/> Onboard Power	<input type="radio"/> Non-powered
Battery Type	<input checked="" type="radio"/> LiFe	<input type="radio"/> SLA
Viewing Screen	<input checked="" type="radio"/> Monitor	<input type="radio"/> Laptop
Display Mount	<input checked="" type="radio"/> Lift Pivot	<input type="radio"/> Arm

Add compatible accessories to customize a cart.

Options	<input checked="" type="checkbox"/> Storage Bin	<input type="checkbox"/> Front Tray
	<input type="checkbox"/> Utility Shelf	<input checked="" type="checkbox"/> Large Utility Shelf
	<input type="checkbox"/> Telemedicine Bin	<input type="checkbox"/> Envelope Bin
	<input type="checkbox"/> K-Slot Lock Kit	<input type="checkbox"/> Task Light
	<input checked="" type="checkbox"/> Pan Pivot Kit	<input type="checkbox"/> IV Pole Clamp Kit
	<input type="checkbox"/> Rear VESA Mount Kit	<input type="checkbox"/> CPU Holder
	<input type="checkbox"/> Camera Shelf	<input type="checkbox"/> Scanner Shelf
	<input type="checkbox"/> Medical-Grade Power Strip	<input checked="" type="checkbox"/> Sani-wipes Holder

Add-on Power	<input type="radio"/> DC Power System	<input type="radio"/> LiFe Power Upgrade
		<input type="radio"/> Hot Swap System



Choose from manual key lock drawers or electronic locking drawer systems (with PINs) which enable secure and efficient management of non-controlled medication, reducing the chance for errors. Also supports "Pharmacy mode," allowing all drawers to be unlocked simultaneously.

# Choose accessories to enhance the StyleView® experience



SV Envelope Drawer 97-853



SV Storage Bin 97-740



Task Light 97-754-002



Extended Service Programs



SV LCD Pan Pivot Kit 97-650



SV Dual Display Kit\* 98-030



Utility Shelf 97-507-216



Large Utility Shelf\* 97-540-053



SV Scanner Shelf\* 97-780-194



SV Front Tray 97-777-062



SV Camera Shelf\* 97-776-194



SV Sani-Wipes Holder 97-828



Thin Client Mount\*  
80-107-200



Universal CPU Holder\*  
80-105-064



SV IV Pole Clamp Kit 97-632



StyleView Tracking Caster  
97-889



SV Telemedicine Bin\* 97-854



T-Slot Wire Scanner Holder  
97-543-207



Many Drawer Replacement Kits



SV Three Function Caster  
98-069



SV Height-Adjustable Keyboard Arm  
for SV LCD Carts 97-827



SV Ethernet Side Cover  
LCD: 97-855 Laptop: 97-856



SV Rear VESA Mount Kit  
97-512-009

\* Displays, cameras and components shown are sold separately.

# StyleView® cart powered with Lithium Iron Phosphate (LiFe) battery

Certified. Lightweight. Ultra-fast recharge. Long life.

- Extremely lightweight battery makes the cart easy to move
- Recharge can be completed in approximately two hours
- Long battery 'LiFe' minimizes time and cost for maintenance and replacement
- For patient and caregiver safety, the entire system is certified to UL 60601-1
- LiFe is proven to be a very safe battery chemistry
- Includes FREE StyleLink with enterprise capabilities



## Manage StyleView carts across your network

StyleLink™ optimizes IT support by giving centralized control over StyleView carts. StyleLink is designed for all StyleView powered carts and non-powered carts with drawers.

- Advanced Drawer Management monitors drawers in use and limits access with PIN control
- Intuitive interface: on-screen messages guide any recharge needs and show drawers in use
- Plan battery replacement
- Access carts real-time across WAN, LAN or VPN

**Dynamic Icon**  
Green • Yellow • Red Corresponds to Charge Remaining

**Time Remaining**  
• Hours, Minutes  
• No Load  
• Charging

**Charge Remaining**  
• 0-100%  
• Color Coded to Match RUI

**Percent Load**  
• 0-100%  
• Color Coded to Show Preferred Load Range

**Power Source**  
• Line Mode  
• Battery Mode  
• Not Connected

**Real-time System Metrics**

**Battery**  
• Good  
• Replace  
• Unknown

**System Fault**  
• No Fault  
• Temperature High  
• Not Connected

Time Remaining	Charging	100%
Charge Remaining	100%	
Load	9%	
Battery Voltage	13.8 VDC	
Input Voltage	117.0 VAC	
Charge Current	10.0 DCA	
System Temperature	88° F	
Power Source	Line	
Battery	Good	
System Status	Normal	
Drawer	Normal	

## Add-on power solutions for non-powered StyleView carts

	<p><b>SV LiFe Power Upgrade System</b></p> <p>Manufactured by Scott Clark</p> <p><b>AC 330Wh</b></p>		<p><b>SV Hot Swap Power System</b></p> <p>Manufactured by Anton Bauer</p> <p><b>AC 240Wh</b></p>		<p><b>SV DC Power System</b></p> <p>Manufactured by Amstron</p> <p><b>DC 300Wh</b></p>
<ul style="list-style-type: none"> <li>• High capacity, flexible, portable</li> <li>• Ultra-fast, built-in charging on board</li> <li>• Powers everything on the cart</li> <li>• Lithium-Iron Phosphate is the safest battery chemistry</li> <li>• State-of-charge LED indicators</li> <li>• Availability: US/CA/MX 97-837 UK/HK/MY/SG 97-893 Saudi/UK 97-895 Saudi/EU 97-896 EU 97-894</li> </ul>	<ul style="list-style-type: none"> <li>• Charges battery on or off the cart</li> <li>• Powers everything on the cart</li> <li>• Wall cabinet charger uses UV LED to disinfect batteries</li> <li>• Charge up to three batteries</li> <li>• Includes Battery Pain Scale™</li> <li>• Available North America only: Battery 97-929 Charging Cabinet 97-930 Interface 97-931 Power Supply 97-932</li> </ul>	<ul style="list-style-type: none"> <li>• Low-cost DC power</li> <li>• Small form factor</li> <li>• On-board, all-in-one charger</li> <li>• Selectable output voltage</li> <li>• Mounts on the front or back</li> <li>• Laptop version 97-943 LCD+CPU version 97-942 Remote User Interface 97-953 <i>(Not available in APAC; country-specific power cords sold separately)</i></li> </ul>			

COMING SOON!

Patients engage!

## StyleView® Patient eTable

Aligning with patient engagement initiatives in healthcare

From education to entertainment, the StyleView Patient eTable aligns perfectly with rapidly growing patient engagement initiatives in healthcare settings.

- Positions easily over a bed or chair, so it's perfect for use in hospital rooms, chemotherapy or dialysis treatment areas and long-term care facilities
- Makes tablet usage more comfortable and practical
- A seamlessly integrated arm puts the tablet within reach, connecting patients to caregivers, information and entertainment
- Surface height from either side up to 16" (40,6 cm); height adjustment range is 30–46" (76,2–116,8 cm)
- Large surface area 30" x 19" (76,2 x 48,3 cm) provides ample room for eating meals, writing or using personal devices
- An integrated pull-out drawer and an optional basket accessory help keep personal belongings within reach
- Device charging "tech bay" on the rear edge also can be used for storing small items
- Includes 2 easily accessible USB ports for connectivity and device charging



## Secure medication delivery

### StyleView® Transfer Cart

A multi-purpose healthcare cart designed to streamline caregiver workflow

- Securely stores, transports and dispenses medications and supplies
- Holds up to 120 small or 40 large drawers, accessible from either side of cart
- Supports 20 or more StyleView carts
- 36 shelves are removeable or repositionable
- Top cover supports 25 lbs (11,3 kg)
- 41"-high (105 cm) surface is a convenient operational height when standing
- Raised edges prevent spills
- Doors unlock electronically using programmable 5-digit PIN or via manual lock
- Premium, 5" (13 cm) swiveling casters
- Includes a scanner holder; can support an Ergotron LX LCD Arm or laptop tray
- Smooth exterior surface makes cleaning easy



#24-421-062



## Where productivity meets style

Light-duty, point-of-need carts for laptop, tablet and Surface devices

- Easily move mobile devices to the point of need
- Petite size fits nicely in small exam rooms and offices
- Lightweight and agile, carts glide effortlessly across various flooring types
- Carts offer 15" (38 cm) of vertical height adjustment
- Keyboard and display can be properly positioned for comfortable data entry and screen viewing



StyleView 10 for Microsoft Surface

# Light-duty StyleView® 10 carts



A bracket holds the laptop in place; inconspicuous design allows easy tilting of the screen without any occlusion of keys or views

**StyleView® Laptop Cart, SV10**



Install tablet in landscape or portrait mode; tilt the tablet to a preferred input position—work with screen angled vertically, horizontally or anywhere in between

**StyleView® Tablet Cart, SV10**



Special design of worksurface uses embedded magnets for click-in stability of Surface tablet

Place the Surface in three possible positions: left, right or center

**StyleView® S-Tablet Cart, SV10 for Microsoft® Surface™**

Part Number	SV10-1100-0	SV10-1400-0	SV10-1800-0
Typical LCD Size	Maximum outside width of laptop = 17" (43 cm), which accommodates laptops with 17" screens, as well as some larger models	Versatile interface accommodates almost any tablet	Compatible with all Surface tablet sizes and models
Worksurface Dims	18" x 12.5" (45,7 x 31,8 cm)	18" x 12.5" (45,7 x 31,8 cm)	23" x 17" (58 x 43 cm)
Base Footprint	19" x 19" (48,3 x 48,3 cm)		
Weight Capacity	Laptop ≤ 10 lbs (4,5 kg); cable management storage ≤ 2 lbs (1 kg); column ≤ 20 lbs (9,1 kg), including accessories added to T-slot channel interface and storage hook	Tablet ≤ 2.5 lbs (1,1 kg); cable management storage ≤ 2 lbs (1 kg); column ≤ 20 lbs (9,1 kg), including accessories added to T-slot channel interface and storage hook	Worksurface ≤ 10 lbs (4,5 kg); cable management storage ≤ 2 lbs (1 kg); column ≤ 20 lbs (9,1 kg), including accessories added to T-slot channel interface and storage hook
Lift	15" (38 cm) Minimum worksurface height = 33" (84 cm); Maximum worksurface height = 48" (122 cm)		
Tilt	—	128°	—
VESA	—	MIS-D	—
Warranty	7 years		

# StyleView<sup>®</sup> carts for telehealth

## Connect. Consult. Collaborate.

Carts configured to support remote patient care

### Open architecture

Allows for easy integration of standard equipment

### Lots of connectivity

A total of 5 USB ports are integrated into cart; 1 ethernet port is available on the side of the head unit

### Everything you need

Camera and Codec/CPU support, secure and ample storage, connectivity and power outlets

### StyleView quality

Hospital-grade construction, ergonomic and secure

### Worldwide availability

### Safety certified

Entire cart and power system is certified to UL/EN/IEC 60601-1 and CAN/CSA C22.2 No.601.1 M90

Camera shelf holds web or videoconferencing camera

Dual monitor configuration shown

Also available as single monitor and back-to-back monitor configurations

Ethernet port connectivity

Secure, auto-locking drawer system

Codec/CPU Holder

Medical-grade power cord

Large, configurable bin provides 3 USB ports, adjustable dividers and secure storage for several diagnostic devices with cables

Cart designed for neat and compact cable management

Two additional USB ports are accessible on the back side of bin for connecting additional devices

Rechargeable SLA (Sealed Lead Acid) battery provides dependable, safe and low-cost power



See [ergotron.com](http://ergotron.com) for information on StyleView Telepresence Carts and Upgrade Kits

# More lightweight carts for healthcare

(North America only)

## The Peanut™

Lightweight, fixed-height carts for laptops and tablets

- Fixed worksurface is a comfortable 40" (101,6 cm) high
- Powder-coated steel construction; cleans easily; resists chipping
- Snap-on cable sleeve organizes and protects your cords
- Comes with 3" (7,62 cm) twin-wheel rubber casters (2 locking)
- Tablet version comes with three options to secure device
- Lifetime warranty
- Made in the U.S.A. and Built with Anthro-DNA\*; TAA compliant



Peanut for Laptops  
PT1GMPW3



Peanut for Tablets  
PT2GMPW3

## Zido® Carts

Adjustable-height carts are ideal for healthcare environments

- Compact, mobile footprint
- Height can easily be set from 30"-40" (76,2-101,6 cm) with a simple squeeze of a lever
- Install a variety of accessories
- Large, 4" twin-wheel casters (2 locking) travel easily
- Lifetime warranty (5 years on gas cylinder)
- Made in the U.S.A. and Built with Anthro-DNA\*; TAA compliant



Zido Cart



Zido EMR Cart Package



Zido Ultrasound Cart Package



Zido EKG Cart Package



Zido Phlebotomy Cart Package



Zido Computer Cart Package



Zido Pole Cart

Part #	22" ZAL22CG/CG4 25" Light Load ZAL25CG/CG4 25" Heavy Load ZAH25CG/CG4	BZD01CG/CG4	BZD02CG/CG4	BZD03CG/CG4	BZD04CG/CG4	BZD06CG/CG4	ZD2166CG4
Uses	Healthcare, lab and general office	Transport a laptop or tablet direct to patients	Transport ultrasound supplies to patient	Transport EKG equipment to patient	Transport phlebotomy supplies to patient	Easily transport computer equipment and accessories anywhere you need to go	Stable, simple column supports and easily transports computer equipment and accessories
Differentiators	—	17" (43,2 cm) handle, contoured top	17" (43,2 cm) handle, contoured top, large probe holder, built-in metal bin stores gels, tissues and other small items	17" (43,2 cm) handle, contoured top, side bin for EKG printouts, built-in metal bin stores patient lead cables and other small items	17" (43,2 cm) handle, contoured top, 5.75" (14,6 cm) tall key lock drawer, built-in glove box holder and a 3" (7,6 cm) metal bin to hold sharps	17" (43,2 cm) handle, monitor mount, roomy worksurface, cable bin and equipment shelf with Strap & Buckle Kit	Super flexible; provides the ability to stack and transport lots of equipment and accessories See website for entire list of accessories
Weight Capacity	50 lbs (22,7 kg) on the worksurface; 150 lbs (68 kg) total See website for details	46 lbs (20,9 kg) on the worksurface; 146 lbs (66,4 kg) total See website for details	45 lbs (20,5 kg) on the worksurface; 135 lbs (61 kg) total See website for details	40 lbs (18,2 kg) on the worksurface; 130 lbs (59,1 kg) total See website for details	31 lbs (14,1 kg) on the worksurface; 118 lbs (53 kg) total See website for details	50 lbs (22,7 kg) on the worksurface; 40 lbs (18,2 kg) on the monitor mount; 118 lbs (53 kg) total See website for details	150 lbs (68 kg) total See website for details



\* Built with Anthro-DNA™ signifies quality American-made manufacturing and technology leadership. Anthro is a registered trademark of Ergotron, Inc.



# Wall mounts for healthcare

## StyleView® Sit-Stand Combos

Worksurface with pull-out keyboard tray enhances caregiving

- Patented Constant Force™ lift-and-pivot motion technology provides premium 25" (63,5 cm) LCD height adjustment, portrait-to-landscape rotation and 30° tilt
- Durable, easy-to-clean exterior composed of aluminum and high-grade plastic
- Integrated mouse and barcode scanner holder
- Fold-down worksurface/keyboard tray to support workflow needs. Worksurface is 22.75" W x 10.6" D (57,8 x 26,9 cm); keyboard tray is 18.6" W x 9" D (47,2 x 22,8 cm)
- Ergonomic back-tilt keyboard tray ensures wrists remain in a neutral position during data entry; slide-out mouse tray
- Clean, concealed and neat routing of cables through the expansive cable management system
- Extend LCD and keyboard up to 43" (109 cm) from wall; fold equipment back out of the way when not in use. With worksurface in storage position, system depth is as little as 8" (20,3 cm). With keyboard in storage position, system depth is as little as 12" (30,5 cm)
- Optional Extender Arm increases range of motion for even greater reach

### StyleView Sit-Stand Combo Arm with Worksurface

Polished aluminum 45-260-026  
White 45-260-216

### StyleView Sit-Stand Combo Arm

Polished aluminum 45-266-026  
White 45-266-216

### StyleView Sit-Stand Combo System with Worksurface

Polished aluminum 45-270-026  
Medium CPU Holder & Wall Track

Polished aluminum 45-272-026  
Small CPU Holder & Wall Track

White 45-270-216  
Medium CPU Holder & Wall Track

White 45-272-216  
Small CPU Holder & Wall Track

### StyleView Sit-Stand Combo System

Polished aluminum 45-271-026  
Medium CPU Holder & Wall Track

Polished aluminum 45-273-026  
Small CPU Holder & Wall Track

White 45-271-216  
Medium CPU Holder & Wall Track

White 45-273-216  
Small CPU Holder & Wall Track



See technical specifications on page 51 or at [ergotron.com](http://ergotron.com)



# Healthy computing at the point of care

## LX Wall Mount Systems

Enhances interaction between the caregiver, patient and their data

- Sit-stand model provides 20" (51 cm) height range allows users to switch between sitting and standing positions
- Ergonomic back-tilt keyboard tray ensures wrists remain in a neutral position to increase comfort
- Keyboard platform is very stable for extensive data entry and tested to be 3 times more rigid than other keyboard arms
- Systems fold up to just inches from the wall
- Secure installation: locking connections between arm, extension and base



**LX Sit-Stand Wall Mount System**

**LX Wall Mount System**

<b>Part # (color)</b>	Medium CPU Holder (silver): <b>45-358-026</b> (polished aluminum) Small CPU Holder (black): <b>45-359-026</b> (polished aluminum)	Medium CPU Holder (silver): <b>45-247-026</b> (polished aluminum) Small CPU Holder (black): <b>45-253-026</b> (polished aluminum)
<b>System includes</b>	10" and 34" (25.4 and 86.4 cm) Wall Tracks with (2) black track covers, LX Sit-Stand Wall Mount LCD Arm, LX Sit-Stand Keyboard Arm, wrist rest, mouse holder, CPU Holder, two (2) 10" (25.4 cm) cable channels, mounting kits for hollow-wall and wall-stud installation	LX Wall Mount LCD Arm, LX Keyboard Arm, CPU Holder and 10" (25.4 cm) Wall Track, wrist rest, mouse holder, 34" (86.4 cm) Wall Track, two (2) 10" (25.4 cm) cable channels, anchor hardware kit
<b>Typical LCD Size</b>	≤ 42"	≤ 32"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>		
<b>Depth</b>	Folds to 6.8" (17,3 cm)	Folds to 5.3" (13,5 cm)
<b>Warranty</b>	10 years	

Visit [ergotron.com](http://ergotron.com) for complete information on LX Wall Mount Systems

## Neo-Flex® and 200 Series

Free up valuable space

- Attach your LCD and keyboard to free up space. This wall unit solution features 3-point telescoping motion, providing greater reach to bring the system to where it is needed.
- Add greater range of movement to your LCD display with the Neo-Flex Wall Mount Lift. Its slim profile makes it perfect for areas where space is at a premium.
- Our Neo-Flex Dual Monitor Wall Mount and Keyboard Mount has tilting dual monitors to reduce glare. Folds up to just 5" (13 cm) from the wall when not in use



**200 Series Combo Arm**



**Neo-Flex Wall Mount Lift**



**Neo-Flex Dual Monitor Wall Mount and Keyboard Mount**

<b>Part # (color)</b>	<b>45-230-216</b> (white) <b>45-230-200</b> (black)	<b>60-577-195</b> (black)	<b>Monitor Mount 28-514-800</b> (grey & black) <b>Keyboard Mount 45-403-062</b> (grey)
<b>Typical LCD Size</b>	≤ 24"	≤ 24"	≤ 24"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>			
<b>Weight Capacity</b>	LCD 6–18 lbs (2,7–8,2 kg); keyboard, mouse and barcode scanner 5 lbs (2,3 kg)	6–16 lbs (2,7–7,2 kg)	≤ 50 lbs (22,7 kg) 25 lbs (11,3 kg) per pivot Keyboard 5 lbs (2,3 kg)
<b>Lift</b>	5" (13 cm)	5" (13 cm)	—
<b>Tilt</b>	LCD 30° ↑ 25° / ↓ 5° Negative-tilt keyboard tray adjustable 10°	35°	LCDs 180° Keyboard 90°
<b>Pan</b>	360°	70°	Keyboard 120°
<b>Rotation</b>	360°	90°	360°
<b>VESA</b>	MIS-D	MIS-D	MIS-D
<b>Depth</b>	Folds to 12.1" (31 cm)	3.5" (9 cm)	5" (13 cm)
<b>Extension</b>	≤ 39" (99 cm)	—	19.25" (49 cm)
<b>Warranty</b>	5 years	3 years	5 years

# StyleView® sit-stand wall mounts

## StyleView® Enclosures

Secure, compact and enclosed

- Smooth vertical adjustment
- Stable, slide-out keyboard supports extensive data entry
- Folds up into a slim, compact unit when not in use
- Ergonomic design lets users sit or stand throughout the day
- Keyless locking mechanism protects patient data
- Unique cable management system conceals and organizes the cords



StyleView Sit-Stand Enclosure

StyleView VL Enclosure

### OSHPD

#### Office of Statewide Health Planning and Development

Ergotron's wall mount products received OSHPD OPA Pre-approval numbers for mounting in hospitals and healthcare facilities throughout California on October 13, 2009. These standards help ensure patient safety during an earthquake and help make it possible for facilities to continue to function and care for the injured after an earthquake.

OPA #	Applicable wall mount solution/configuration
2338-07	Wall Track and all possible associated arms – direct to stud (16" on center)
2339-07	Wall Track and all associated arms (including StyleView Vertical Lift) – external mount
2341-07	StyleView Vertical Lift – internal mount
2340-07	StyleView Enclosure – direct to stud (16" on center)

To learn more about Ergotron's commitment to OSHPD compliance visit [www.ergotron.com](http://www.ergotron.com)

Part # (color)	60-610-062 (white) 60-610-060 (black)	60-595-062 (white)
Typical LCD Size	≤ 22" Maximum monitor physical dimensions 20.5"W x 13.5"H x 2.5"D (52.1 x 34.3 x 6.4 cm). Monitor depth greater than 2.5" (6.4 cm) is allowable, however screen will protrude beyond profile of unit in such cases	≤ 22" Maximum monitor physical dimensions 20.7" W x 14.7" H x 2.8" D (52.6 x 37.3 x 7 cm). Assumes VESA hole pattern is centered on the back of the display
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>		
Weight Capacity	12–24 lbs (5.4–10.9 kg) Listed weight capacity represents total load. Thin client device 3–10 lbs (1.4–4.5 kg); monitor 7–12.5 lbs (3.2–5.7 kg); keyboard and worksurface 0.5–1.5 lbs (0.2–0.7 kg)	8–33 lbs (3.6–14.9 kg) Listed weight capacity represents total load, including monitor and contents of keyboard tray, mouse pouch and scanner holder. Maximum load capacity: monitor pivot 18 lbs (8.2 kg); thin client device compartment 20 lbs (9.1 kg); door/worksurface 50 lbs (22.6 kg)
Lift	20" (51 cm)	9" (23 cm)
Pan	—	LCD 10° Display size may restrict motion. Keyboard 120°
VESA	MIS-D	MIS-D
Depth	3.8" (9.7 cm) closed 19.3" (48.9 cm) open	6.75" (17 cm) closed 20.6" (53 cm) open
Warranty	5 years 1-year warranty on all electronic components (excludes AA batteries)	

# StyleView® sit-stand wall mounts

## StyleView® Vertical Lifts

Compact ergonomics with an extremely low profile

- Models designed for either patient rooms or high-traffic areas
- Slide-out keyboard provides comfortable data entry
- In a patient room, the pan of the keyboard and display supports patient interaction
- Units fold within just inches of the wall
- Sit-stand models move vertically 18" (46 cm) with a single motion; entire system (monitor, keyboard and mouse) move together



**StyleView Sit-Stand Vertical Lift Patient Room**



**StyleView Vertical Lift Patient Room**



**StyleView Sit-Stand Vertical Lift High Traffic Area**



**StyleView Vertical Lift High Traffic Area**



**Vertical Lift Auto-Retracting Keyboard Kit**

Part # (color)	61-080-062 (white) 61-080-085 (black)	60-609-216 (white) 60-609-195 (black)	61-081-062 (white) 61-081-085 (black)	60-593-216 (white) 60-593-195 (black)	97-487-800 (black/white/grey), available US/CA/MX For use with Vertical Lift High Traffic Area models
<b>Optional Accessories:</b> Vertical CPU Holder 97-468-202 (silver); Vertical Small CPU Holder 80-063-200 (black)					
<b>Typical LCD Size</b>	≤ 24"	≤ 24"	≤ 24"	≤ 24"	—
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>					
<b>Weight Capacity</b>	5–30 lbs (2,2–13,6 kg)	8–33 lbs (3,6–14,3 kg)	5–30 lbs (2,2–13,6 kg)	5–30 lbs (2,3–13,6 kg)	.75–2.5 lbs (0,34–1,13 kg)
<b>Lift</b>	18" (46 cm)	9" (23 cm)	18" (46 cm)	9" (23 cm)	—
<b>Tilt</b>	10°	LCD 10° Back-tilt keyboard tray 10°	10°	LCD 10° Back-tilt keyboard tray 10°	—
<b>Pan</b>	LCD 50° Keyboard 120° See website for details	50° Display size may restrict motion Keyboard 120°	—	—	—
<b>VESA</b>	MIS-D	MIS-D	MIS-D	MIS-D	—
<b>Depth</b>	6" (15,2 cm)	4.5" (11,4 cm)	4" (10,2 cm)	4" (10,2 cm)	—
<b>Warranty</b>	5 years				

## Steve's Station

Essential powered desk for better readings

- Electric lift sit-stand legs and spring lift keyboard surface combine for a height range of 54.5–22.25" (138,4–56,5 cm)
- Innovative Monitor Easy Track reduces eye strain; easily slide the entire bank of (up to six) monitors forward and backward in unison
- Contoured surfaces feature smooth, curved edges that are ergonomically comfortable
- Four pre-configured kits expand the desk and support unique modalities
- Supports weight and lift capacity of 200 lbs (90,7 kg)




For more information, visit [anthro.com](http://anthro.com)  
Anthro is a registered trademark of Ergotron, Inc.




# NURSING CHALLENGES AND CHANGES

Representing the majority of the U.S. healthcare workforce, nurses and licensed RNs are responsible for quality patient care and satisfaction. They are on the front lines of the industry's radical transformation and face many daily challenges.



**A typical 10-hour shift:**

- 35% Documentation**
- 21% Care Coordination**
- 19% Patient Care**
- 17% Medication Administration**
- 7% Patient Assessment**



**Here are challenges that keep nurses from spending more time on patient care and changes that can help**

### Physical burdens...

- 3rd highest reported injury rate of any profession
- Up to 5 miles spent walking during a 10-hour shift
- 48% more likely to have wrist, back and ankle sprains or strains
- 53% of injuries reported were due to overexertion

### ...and equipment relief

The use of ergonomic carts can improve comfort, safety, productivity and satisfaction.


Make sure the cart:

- ✓ Will allow comfortable EHR access whether sitting or standing (the true ergonomic sit-stand range is 20")
- ✓ Is adjustable to suit the broadest range of caregiver access across multiple shifts
- ✓ Has a long battery life and battery management options to help keep cart active during long shifts
- ✓ Has ultra-smooth gliding casters to travel easy on all types of surfaces


### New technology problems...

Moving from paper to electronic record keeping can improve accuracy and efficiency, but what is commonly missed are the workflow implications for nurses.


Nurses are being required to learn emerging technologies on top of existing workloads, while still maintaining patient care requirements.



Have computers in each exam room. Studies show patients are more satisfied with their care when computers are in the room.



Employ the Triangle of Care, using computer displays to bring patient and caregiver together.



Make tablets more accessible with communal charging areas.



# Mobile computing

## Neo-Flex® Carts and WorkSpaces

Multiple uses for multiple industries

- Lightweight Carts and WorkSpaces transform any space into a mobile computing environment
- Designed for manufacturing floors, clinical documentation, labs, distribution centers and high activity areas
- Supports wireless initiatives in any facility



### Recommended accessories:

NF Cart Handle and Basket Kit (97-545)

NF Cart Wire Basket Kit (97-544)

Universal CPU Holder (80-105-064)

NF Cart Laptop Vertical Kit (97-546)



Neo-Flex LCD Cart



Neo-Flex Laptop Cart



Neo-Flex WideView WorkSpace



Neo-Flex Dual WideView WorkSpace

Part # (color)	24-206-214 (two-tone grey)	24-205-214 (two-tone grey)	24-189-055, available Americas, APAC (two-tone grey)	24-194-055 (two-tone grey)
Typical LCD Size	≤ 22"	Notebook 12–17"	≤ 30"	two ≤ 22"
LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.				
Weight Capacity	≤ 26 lbs (11,8 kg)	Total maximum load on height-adjustment assembly 15 lbs (6,8 kg). Includes contents of laptop worksurface and cable storage area	LCD capacity 16–30 lbs (7,3–13,6 kg) See website for details	LCD capacity 6–14 lbs (2,7–6,4 kg) per mount, 12–28 lbs (5,4–12,7 kg) for both displays See website for details
Lift	LCD and worksurface adjust 20" (51 cm) in tandem; LCD Arm adjusts 7" (17,8 cm) independently; maximum LCD height adjustment 27" (68 cm)		≤ 20" (51 cm)	
Tilt	65°	—	30°	Install dual displays at 3.5° or 8.5° upward angle for optimized viewing conditions. Dual displays are not tilt adjustable
Pan	180°	—	—	—
Rotation	360° Portrait screen orientation may be incompatible with widescreen displays > 19"	—	—	—
VESA	MIS-D	—	MIS-D/E/F See website for details	MIS-D
Warranty	3 years			

# Videoconferencing solutions

## Neo-Flex® Mobile MediaCenters

Mobility with versatility:  
From the boardroom to  
the surgery center

- Stretch your investment by supporting a range of projection and videoconferencing needs throughout the facility



- MediaCenters feature ease of mobility, 90° display rotation, 20" (51 cm) of effortless height adjustment and 20° independent display tilt
- Optional Camera Shelf Kit creates a mobile videoconferencing solution that everyone can use



**Neo-Flex Mobile MediaCenter LD**



**Neo-Flex Mobile MediaCenter VHD**



**Neo-Flex Mobile MediaCenter UHD**

Part # (color)	24-190-085 (black)	24-191-085 (black)	24-192-085 (black)
<b>Optional Accessories:</b> Camera Shelf Kit 97-491-085; 660/700/800 mm Kit 97-489; VESA CPU Kit 97-527-009			
<b>Typical LCD Size</b>	27–55"	37–65"	50–70"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>			
<b>Weight Capacity</b>	25–50 lbs (11,4–22,7 kg)	50–90 lbs (22,7–40,9 kg)	90–120 lbs (40,9–54,4 kg)
	Main shelf 30 lbs (13,6 kg); cable shelf 5 lbs (2,2 kg); if MMC Camera Shelf is added, display weight capacity is diminished by 3 lbs (1,4 kg); if 660/700/800 mm Accessory Kit is added the display weight capacity is diminished by 5 lbs (2,2 kg)		
<b>Lift</b>	20" (51 cm)		
<b>Tilt</b>	20°		
<b>Rotation</b>	90° See website for details		
<b>VESA</b>	MIS-D/E/F See website for details	MIS-D/F See website for details	MIS-D/F See website for details
<b>Warranty</b>	3 years		

### OEM opportunities

Using our proprietary technology, Ergotron serves OEM customers that are among the world's largest selling brands.

### Environmentally responsible

Your Ergotron mounting solution complies with all international environmental regulations related to its design, manufacture and packaging.

### Manufacturing excellence

Certified to ISO 9001:2008. This certification demonstrates Ergotron's commitment to employing best practice procedures in our facilities.

### Quality tested

Our products undergo a testing regimen that is unmatched in the industry. Ergotron strives to provide the highest levels of trouble-free field performance and unsurpassed product longevity, delivering peace of mind to both resellers and end users.



#### Industry compliant

Ergotron video display mounts are compliant with mounting interface standards set by the Video Electronics Standards Association (VESA).

### Display Compatibility Guide

VESA	LCD Size	LCD Weight	Hole Mounts
MIS-B	4–7.9" 10,2–20,1 cm	≤ 4.4 lbs ≤ 2 kg	50 x 20 mm
MIS-C	8–11.9" 20,3–30,2 cm	≤ 10 lbs ≤ 4,5 kg	75 x 35 mm
MIS-D	12–22.9" 30,5–58,3 cm	≤ 30.8 lbs ≤ 14 kg	75 x 75 mm 100 x 100 mm
MIS-E	23–30.9" 58,4–78,6 cm	≤ 50 lbs ≤ 22,7 kg	200 x 100 mm
MIS-F	≥ 31" ≥ 78,7 cm	N/A	200 mm increments

**LCD Size** in all charts is approximation only. Use **LCD Weight** as guide for choosing mounting solution; exact capacity depends on thickness of display. **Hole Mounts** are width x height. Compatibility is predicated on the assumption that displays are VESA compliant (hole mount is centered on display's center of gravity.)



## Ergotron Services

We'll take care of it!

From organizing cables and ongoing maintenance, to full product installation, Ergotron Services will take care of it! Our services packages are designed to protect your investment. We can cover the entire lifecycle of your product and make your life easier.



*"I like that I can just pick up the phone and call Ergotron and know that it will be taken care of. It helps me keep my limited IT staff focused on their specialty: healthcare IT."*

Support packages include:

	WARRANTY Only	GOLD Package	PLATINUM Package
Access to unlimited customer care*	✓	✓	✓
Ergotron certified parts	✓	✓	✓
Next-business-day on-site service		✓	✓
In-warranty expedited support		✓	✓
Post-warranty expedited support		✓	✓
Ergotron-authorized technicians		✓	✓
Extended mechanical coverage		✓	✓
Extended components coverage		✓	✓
Preventive maintenance			✓

\*Customer care includes:

- Free 24/7 support (North America) and support during country hours in English, Spanish, French, Dutch, Italian, Russian, German, Greek, Mandarin and Japanese. Plus, real-time chat and email support.
- Certified technical support professionals work with you to troubleshoot product and installation issues, manage service contracts, handle dispatching and answer/resolve warranty questions and issues.
- Sales support for resellers



## WorkFit-T and WorkFit-TL (from page 3)



**WorkFit-T  
Sit-Stand Desktop  
Workstation**



**WorkFit-TL  
Sit-Stand Desktop  
Workstation**

Part # (color)	33-397-085 (black) 33-397-062 (white)	33-406-085 (black) 33-406-062 (white)	TAA Compliant 33-418-085 (black) North America only
Weight Capacity	10–35 lbs (4,5–15,9 kg)	10–40 lbs (4,5–18 kg)	
Lift	15" (38 cm)	15" (38 cm)	
Worksurface Dimensions	35" W x 23" D (88,9 x 58,6 cm)	37,5" W x 23" D (95 x 58,6 cm)	
Keyboard Dimensions	24,75" W x 9,25" D (62,9 x 23,5 cm)	27,5" W x 11" D (69 x 28 cm)	
Warranty	5 years		

## WorkFit-S (from page 4)



**WorkFit-S, Single  
(LD & HD Versions)**



**WorkFit-S, Dual**



**WorkFit-S, Single  
with Worksurface+  
(LD & HD Versions)**



**WorkFit-S, Dual  
with Worksurface+**



**WorkFit-S, Single  
with Worksurface+  
(LD & HD Versions)**



**WorkFit-S, Dual  
with Worksurface+**

Part # (color)	LD: 33-342-200 HD: 33-344-200 (black)	33-341-200 (black)	LD: 33-350-200 HD: 33-351-200 (black)	33-349-200 (black)	LD: 33-350-211 HD: 33-351-211 (white)	33-349-211 (white)
Desk Clamp attaches to the front of the surface edge .47–2.4" (1,2–6 cm) thick						
Typical LCD Size	LD: ≤ 24" HD: ≤ 30"	≤ 24" See website for details	LD: ≤ 24" HD: ≤ 30"	≤ 24" See website for details	LD: ≤ 24" HD: ≤ 30"	≤ 24" See website for details
LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.						
Weight Capacity	LD: 6–16 lbs (2,7–7,3 kg) HD: 16–28 lbs (7,3–12,7 kg) See website for details	6–14 lbs (2,7–6,4 kg) each See website for details	LD: 6–16 lbs (2,7–7,3 kg) HD: 16–28 lbs (7,3–12,7 kg) See website for details	6–12 lbs (2,7–5,5 kg) each See website for details	LD: 6–16 lbs (2,7–7,3 kg) HD: 16–28 lbs (7,3–12,7 kg)	6–12 lbs (2,7–5,5 kg) each See website for details
Lift	LCD/keyboard adjust 18" (46 cm) in tandem; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 23" (58 cm)		LCD/keyboard adjust 18" (46 cm) in tandem; LCD adjusts 4.8" (12,2 cm) independently; maximum LCD height adjustment 22.8" (58 cm). The worksurface restricts the vertical travel range of the LCD lift pivot; height adjustment of LCD without worksurface is 5" (13 cm)			
Tilt	30°	—	30°	—	30°	—
Rotation	LD: 360° HD: 90°	360°	LD: 360° HD: 90°	360°	LD: 360° HD: 90°	360°
VESA	LD: MIS-D HD: MIS-D/E/F See website for details	MIS-D See website for details	LD: MIS-D HD: MIS-D/E/F See website for details	MIS-D See website for details	LD: MIS-D HD: MIS-D/E/F See website for details	MIS-D See website for details
Warranty	5 years					



## WorkFit-SR (from page 5)



**WorkFit-SR  
Dual Monitor**

**WorkFit-SR  
Dual Monitor,  
Short Surface**

**WorkFit-SR  
1 Monitor**

Part # (color)	33-407-085 (black) 33-407-062 (white)	33-419-085 (black) 33-419-062 (white)	33-415-085 (black) 33-415-062 (white)
Desk Clamp attaches to the rear of the surface edge .47–2.4" (1,2–6 cm) thick			
Typical LCD Size	≤ 24"	≤ 24"	≤ 24"
	LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.		
Weight Capacity	3–11 lbs (1,3–5 kg) per monitor, total max 25 lbs (11,4 kg)	5–11 lbs (2,3–5 kg) per monitor, total max 27 lbs (12,3 kg)	3–13 lbs (1,3–5,9 kg) per monitor, total max 16 lbs (7,3 kg)
Lift	18" (45,7 cm) in-tandem height adjustment of monitor(s) and keyboard tray/worksurface plus 5" (13 cm) independent monitor lift		
Tilt	35° ↑ 20° / ↓ 15°		30° ↑ 20° / ↓ 10°
Rotation	360°		
VESA	MIS-D (See website for details)		
Warranty	5 years		



**WorkFit-SR  
1 Monitor,  
Short Surface**

**WorkFit-SR  
Hvy Monitor**

**WorkFit-SR  
Hvy Monitor,  
Short Surface**

Part # (color)	33-420-085 (black) 33-420-062 (white)	33-416-085 (black) 33-416-062 (white)	33-421-085 (black) 33-421-062 (white)
Desk Clamp attaches to the rear of the surface edge .47–2.4" (1,2–6 cm) thick			
Typical LCD Size	≤ 24"	≤ 30"	≤ 30"
	LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.		
Weight Capacity	7–17 lbs (3,2–7,7 kg) per monitor, total max 20 lbs (9,1 kg)	10–22 lbs (4,5–10 kg) per monitor, total max 25 lbs (11,4 kg)	14–22 lbs (6,4–10 kg) per monitor, total max 27 lbs (12,3 kg)
Lift	18" (45,7 cm) in-tandem height adjustment of monitor(s) and keyboard tray/worksurface plus 5" (13 cm) independent monitor lift		
Tilt	30° ↑ 20° / ↓ 10°		
Rotation	360°		
VESA	MIS-D (See website for details)		
Warranty	5 years		



## WorkFit-A (from page 6)



**WorkFit-A, Single LD**

**WorkFit-A, Dual**

**WorkFit-A with Suspended Keyboard, Platinum**

**WorkFit-A, for Apple®**

**WorkFit-A, Single LD with Suspended Keyboard**

Part # (color)	24-313-026 (polished aluminum/black)	24-312-026 (polished aluminum/black)	24-422-227 (silver)	24-414-227 (silver)	24-390-026 (polished aluminum/black)
Typical LCD Size	≤ 24"	≤ 24"	≤ 27" See website for details	21.5–27" Compatible with Apple 27" iMac models (from late 2012 to present that include a built-in base) and 21.5" iMac models (from late 2009 to present that include a built-in base). See website for details	≤ 24"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>					
Weight Capacity	≤ 20 lbs (9,1 kg) See website for details	≤ 25 lbs (11,3 kg) See website for details	9–24 lbs (4,1–10,9 kg) See website for details	12,5–27,5 lbs (5,7–12 kg) See website for details	5–15 lbs (2,3–6,8 kg) See website for details
Lift	20" (51 cm)	20" (51 cm)	18" (45 cm)	18" (45 cm)	LCD and keyboard adjust 20" (51 cm) in tandem; LCD adjusts 5" (13 cm) independently. See website for details
Tilt	30°	—	30° ↑ 25° / ↓ 5°	Screen tilt of 30° is built into the iMac base; WorkFit does not provide additional screen tilt capability.	30° ↑ 25° / ↓ 5°
Pan	180°	180°	180°	180°	180°
Rotation	360°	360°	—	—	360°
VESA	MIS-D See website for details	MIS-D See website for details	MIS-D See website for details	—	MIS-D See website for details
Warranty	5 years				



**WorkFit-A, Single HD with Suspended Keyboard**

**WorkFit-A, Dual with Suspended Keyboard**

**WorkFit-A, Single LD with Worksurface+**

**WorkFit-A, Single HD with Worksurface+**

**WorkFit-A, Dual with Worksurface+**

Part # (color)	24-391-026 (polished aluminum/black)	24-392-026 (polished aluminum/black)	24-317-026 (polished aluminum/black)	24-314-026 (polished aluminum/black)	24-316-026 (polished aluminum/black)
Typical LCD Size	≤ 30"	≤ 24"	≤ 24"	≤ 30"	≤ 24"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>					
Weight Capacity	25 lbs (11,3 kg) See website for details	25 lbs (11,3 kg) See website for details	≤ 20 lbs (9,1 kg) See website for details	≤ 25 lbs (11,3 kg) See website for details	≤ 25 lbs (11,3 kg) See website for details
Lift	LCD and keyboard adjust 20" (51 cm) in tandem; LCD adjusts 5" (13 cm) independently. See website for details.				
Tilt	30° ↑ 25° / ↓ 5°	—	30° ↑ 25° / ↓ 5°	30° ↑ 25° / ↓ 5°	—
Pan	180°				
Rotation	360°				
VESA	MIS-D See website for details				
Warranty	5 years				

## Sit-Stand Desks (from page 7)



**Elevate Electric Desk**

**Elevate Adjusta Electric Desk**

**WorkFit-DL Sit-Stand Desk**

**WorkFit-D Sit-Stand Desk**

**WorkFit-PD Sit-Stand Desk**

Part # (color)	<b>48:</b> MVBD48SSBK (black) MVBD48SS-MP (maple) MVBD48SS-WG (wenge)  <b>60:</b> MVBD60SS-BK (black) MVBD60SS-MP (maple) MVBD60SS-WG (wenge)	<b>Adjusta 48:</b> MVJB48SSBK (black) MVJB48SS-MP (maple) MVJB48SS-WG (wenge)  <b>Adjusta 60:</b> MVJB60SSBK (black) MVJB60SS-MP (maple) MVJB60SS-WG (wenge)	<b>48":</b> 24-567-F03 (black) 24-567-F13 (maple) 24-567-F59 (walnut)  <b>60":</b> 24-568-F03 (black) 24-568-F13 (maple) 24-568-F59 (walnut)	<b>24-271-926</b> (light grey) <b>24-271-927</b> (walnut) available Americas, APAC <b>24-271-928</b> (birch)	<b>24-280-926</b> (light grey) <b>24-280-927</b> (walnut) available Americas, APAC <b>24-280-928</b> (birch)
Worksurface Dimensions	Top surface: 48" x 21.25" Keyboard surface: 48" x 17.5"	Top surface: 60" x 21.25" Keyboard surface: 60" x 17.5"	48" x 29" (122 x 73.6 cm) 60" x 29" (152.4 x 73.6 cm)	47.6" x 23.5" (121 x 60 cm)	31.5" x 23.5" (80 x 60 cm)
Weight Capacity	150 lbs (68,2 kg) total of distributed weight; Keyboard surface supports 40 lbs (18,14 kg) of distributed weight		<b>48":</b> 50 lbs (22,7 kg) <b>60":</b> 42 lbs (19,1 kg)	≤ 65 lbs (29,5 kg)	0-40 lbs (0-18 kg)
Lift	32" (81 cm) See website for details		20" (51 cm)	20" (51 cm)	19.5" (50 cm)
Tilt	Keyboard surface tilts 9° forward and 15° back		—		
Warranty	Limited lifetime against manufacturing defects on desk surfaces. Five (5) years on electrical components. Cords, cables and plugs not warranted			5 years	

## HX Desk Mount Arms (from page 8)



**WorkFit-C Sit-Stand Desk**

**HX Single**

**HX Dual**

**HX Triple**

Part # (color)	<b>45-475-026</b> (polished aluminum) Americas  <b>45-475-216</b> (white) Americas, EMEA, APAC  <b>45-475-231</b> (silver) APAC	<b>45-476-026</b> (polished aluminum) Americas  <b>45-476-216</b> (white) Americas, EMEA, APAC  <b>45-476-231</b> (silver) APAC	<b>98-009-026</b> (polished aluminum) Americas  <b>98-009-216</b> (white) Americas, EMEA, APAC
Includes	Arm, single monitor pivot, standard 2-piece desk clamp, grommet mount	Arm, two (2) monitor pivots, dual hinged bow and handle, standard 2-piece desk clamp, grommet mount	Three (3) monitor pivots, triple hinged bow and handle; requires HX Single or Dual Monitor Arm (order separately)
Typical LCD Size	≤ 42"	≤ 32"	≤ 24"
LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.			
Weight Capacity	20-42 lbs (9,0-19,0 kg) per monitor	5,0-17,5 lbs (2,3-8,0 kg) per monitor	2,0-10,2 lbs (1,0-4,6 kg) per monitor
Lift	11.75" (29,8 cm)		
Tilt	75° with quick release monitor ↑ 70° / ↓ 5°		
Base Rotation	180°		
Extension Pan	360°		
VESA	MIS-D		
Extension	≤ 25" (63,5 cm)	≤ 23,9" (60,7 cm)	≤ 23,9" (60,7 cm)
Warranty	10 years		

Part # (color)	<b>LD: 24-215-085</b> <b>HD: 24-216-085</b> <b>DUAL: 24-214-085</b> (black and grey)
Typical LCD Size	LD: ≤ 24" HD: ≤ 30" DUAL: ≤ 24"  LCD SIZE IS APPROXIMATION. SEE WEBSITE FOR DETAILS
Worksurface Dimensions	24" x 22,8" (60,6 x 58 cm)
Weight Capacity	LCD Pivot capacity LD: 6-16 lbs (2,7-7,3 kg) HD: 16-28 lbs (7,3-12,7 kg) DUAL: See website  Total LCD capacity LD: 24,9 lb (11,3 kg) HD: 32,5 lbs (14,7 kg) DUAL: See website
Lift	25" (63 cm)
Tilt	LD/HD: 30°
Rotation	LD: 360° HD: 90°
VESA	LD: MIS-D HD: MIS-D/E/F DUAL: See website
Warranty	5 years



Included: Standard 2-piece Desk Clamp



Included: Grommet Mount



## LX Desk Mount Monitor Arms (from page 9)



**LX Dual Stacking Arm**



**LX Dual Side-by-Side Arm**



**LX Sit-Stand Desk Mount Monitor Arm**



**LX Sit-Stand Desk Mount Monitor Arm HD**

Part # (color)	45-248-026 (polished aluminum) 45-492-216 (white)	45-245-026 (polished aluminum) 45-491-216 (white)	45-360-026 (polished aluminum)	45-384-026 (polished aluminum) 45-490-216 (white)
Typical LCD Size	≤ 27"	≤ 27"	≤ 42"	≤ 46"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>				
Weight Capacity	7–25 lbs (3,2–11,3 kg) per arm See website for details	7–25 lbs (3,2–11,3 kg) per arm See website for details	7–25 lbs (3,2–11,3 kg) See website for details	14–30 lbs (6,3–13,6 kg) See website for details
Lift	13" (33 cm)	13" (33 cm)	20" (51 cm)	20" (51 cm)
Tilt	75° ↑ 70° / ↓ 5°	75° ↑ 70° / ↓ 5°	75° ↑ 70° / ↓ 5°	80° ↑ 75° / ↓ 5°
Pan	360° Extend LCD up to 25" (64 cm)	360° Extend LCD up to 25" (64 cm)	360°	360°
Rotation	LCD 360°	LCD 360°	360°	360°
VESA	MIS-D	MIS-D	MIS-D/E/F See website for details	MIS-D/E/F See website for details
Extension	—	—	≤ 33" (84 cm)	≤ 33" (84 cm)
Warranty	10 years			



**LX Desk Mount Monitor Arm**



**LX Desk Mount Monitor Arm - Tall Pole**



**LX Desk Dual Direct Arm**



**WorkFit-LX, Sit-Stand Desk Mount System**

Part # (color)	45-241-026 (polished aluminum) 45-490-216 (white)	45-295-026 (polished aluminum) 45-537-216 (white)	45-489-026 (polished aluminum) 45-489-216 (white) 45-489-231 (silver) APAC	45-405-026 (polished aluminum)
Typical LCD Size	≤ 32"	≤ 32"	≤ 25"	≤ 42"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>				
Weight Capacity	7–25 lbs (3,2–11,3 kg) Monitor depth may affect weight capacity. See website for details	7–25 lbs (3,2–11,3 kg) Monitor depth may affect weight capacity. See website for details	2–11 lbs (0,9–5,0 kg) See website for details	LCD 7–25 lbs (3,2–11,3 kg) Keyboard ≤ 5 lbs (2,2 kg) See website for details
Lift	13" (33 cm)	13" (33 cm)	13" (33 cm)	20" (51 cm)
Tilt	75° ↑ 70° / ↓ 5°	75° ↑ 70° / ↓ 5°	30°	75° ↑ 70° / ↓ 5°
Pan	360°			
Rotation	360°			
VESA	MIS-D	MIS-D	MIS-D	MIS-D/E/F See website for details
Extension	≤ 25" (64 cm)	≤ 25" (64 cm)	≤ 24.3" (61,7 cm)	≤ 33" (84 cm)
Warranty	10 years			5 years



## HX Wall Monitor Arms (from page 14)



	<b>HX Single</b>	<b>HX Dual</b>	<b>HX Triple</b>
<b>Part # (color)</b>	<b>45-478-026</b> (polished aluminum) Americas <b>45-478-216</b> (white) Americas, EMEA, APAC <b>45-478-231</b> (silver) APAC	<b>45-479-026</b> (polished aluminum) Americas <b>45-479-216</b> (white) Americas, EMEA, APAC <b>45-479-231</b> (silver) APAC	<b>98-009-026</b> (polished aluminum) Americas <b>98-009-216</b> (white) Americas, EMEA, APAC
<b>Includes</b>	Arm, single monitor pivot, 2-piece desk clamp, grommet base	Arm, two (2) monitor pivots, dual hinged bow and handle, 2-piece desk clamp, grommet base	Three (3) monitor pivots, triple hinged bow and handle; requires HX Single or Dual Monitor Arm (order separately)
<b>Typical LCD Size</b>	≤ 42"	≤ 32"	≤ 24"
	<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>		
<b>Weight Capacity</b>	20–42 lbs (9,0–19,0 kg) per monitor	5,0–17,5 lbs (2,3–8,0 kg) per monitor	2,0–10,2 lbs (1,0–4,6 kg) per monitor
<b>Lift</b>	11.75" (29,8 cm)		
<b>Tilt</b>	75° with quick release monitor ↑ 70° / ↓ 5°		
<b>Base Rotation</b>	180°		
<b>Extension Pan</b>	360°		
<b>VESA</b>	MIS-D, 100/75, C		
<b>Extension</b>	≤ 25" (63,5 cm)	≤ 23.9" (60,7 cm)	≤ 23.9" (60,7 cm)
<b>Warranty</b>	10 years		




## LX Wall Mounts and Keyboard Arms (from page 15)



	<b>LX HD Sit-Stand Wall Mount LCD Arm</b>	<b>LX Sit-Stand Wall Mount LCD Arm</b>	<b>LX Wall Mount LCD Arm</b>	<b>LX Sit-Stand Keyboard Arm</b>	<b>LX Keyboard Arm</b>
<b>Part # (color)</b>	<b>45-383-026</b> (polished aluminum)	<b>45-353-026</b> (polished aluminum)	<b>45-243-026</b> (polished aluminum)	<b>45-354-026</b> (polished aluminum)	<b>45-246-026</b> (polished aluminum)
<b>Typical LCD Size</b>	≤ 46"	≤ 42"	≤ 32"	—	—
	<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>				
<b>Keyboard Size</b>	—	—	—	≤ 17.7" x 7.8" (45 x 20 cm)	≤ 17.5" x 10.1" (44,5 x 25,7 cm)
<b>Weight Capacity</b>	14–30 lbs (6,3–13,6 kg)	5–25 lbs (2,3–11,3 kg)	5–25 lbs (2,3–11,3 kg)	≤ 5 lbs (2,2 kg)	≤ 5 lbs (2,2 kg)
<b>Lift</b>	20" (51 cm)	20" (51 cm)	13" (33 cm)	20" (51 cm)	13" (33 cm)
<b>Tilt</b>	80° ↑ 75° / ↓ 5°	75° ↑ 70° / ↓ 5°	75° ↑ 70° / ↓ 5°	When in down position, tray features a back-tilt of 5°; folds upright 90° in storage position	80°
<b>Pan</b>	Pan at base = 180°; pan at extension = 360°; pan at monitor = 180°	Pan at base = 180°; pan at extension = 360°; pan at monitor = 180°	360°	Pan at base = 180°; pan at extension = 360°; pan at monitor = 180°	360°
<b>Rotation</b>	90°	360°	360°	—	—
<b>VESA</b>	MIS-D/E/F See website for details	MIS-D/E/F See website for details	MIS-D	—	—
<b>Depth</b>	Folds to 4.5" (11,4 cm)	Folds to 4.5" (11,4 cm)	Folds to 4.3" (10,9 cm)	Folds to 5.8" (15 cm)	Folds to 3.5" (9 cm)
<b>Extension</b>	≤ 33" (84 cm)	≤ 33" (84 cm)	≤ 25" (64 cm)	42" (107 cm)	35" (89 cm)
<b>Warranty</b>	10 years				

## StyleView Carts (from page 26)

	Typical Size	Weight Capacity	Lift	Tilt	Pan	Rotation	VESA	
<b>Life Powered</b>	LCD	≤ 24"	See website	Arm 27" (68,6 cm) Lift Pivot 25" (63,5 cm)	Arm 65° Lift Pivot 25°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
	Laptop	≤ 17"	See website	20" (51 cm)	—	—	—	—
<p><b>Life Cart</b> features include worksurface, four-port USB hub, scanner holder bracket, mouse holder, wrist rest, back-tilt keyboard tray, left/right mouse tray, rear handle, storage basket, cable storage, four casters (two locking)</p> <p>Includes one-battery 40 Ah power system, 10-foot coiled cord, two hospital-grade AC outlets, power system user interface, StyleLink™ software, secure CPU compartment</p> <p>Warranty: 5 years for cart, 2 years on all power supply components; 5 years on Life battery, including 2-year capacity guarantee</p>								
<b>SLA Powered</b>	LCD	≤ 24"	See website	Arm 27" (68,6 cm) Lift Pivot 25" (63,5 cm)	Arm 65° Lift Pivot 25°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
	Laptop	≤ 17"	See website	20" (51 cm)	—	—	—	—
<p><b>SLA Cart</b> features include worksurface, four-port USB hub, scanner holder bracket, mouse holder, wrist rest, back-tilt keyboard tray, left/right mouse tray, rear handle, storage basket, cable storage, four casters (two locking)</p> <p>Includes two-battery 66 Ah power system, 10-foot coiled cord, four hospital-grade AC outlets, power system user interface, StyleLink™ software, secure CPU compartment</p> <p>5-year warranty, excluding electrical/electronic components</p>								



	Certification Standard	Certification Mark	Grounded Plug & Outlet
<b>US</b>	UL 60601-1	cTÜVus	North American NEMA 5-15P Hospital Grade
<b>Canada</b>	CAN/CSA C22.2 No. 601.1 M90	cTÜVus	North American NEMA 5-15P Hospital Grade
<b>Mexico</b>	As Needed	As Needed	North American NEMA 5-15P Hospital Grade
<b>Europe</b>	EN 60601-1	CE	European CEE 7
<b>Ireland/ United Kingdom</b>	EN 60601-1	CE	United Kingdom BS 1363
<b>Hong Kong/ Malaysia/Singapore</b>	IEC 60601-1	Not Applicable	United Kingdom BS 1363
<b>China</b>	IEC 60601-1	Not Applicable	GB2009-1 GB1002-1
<b>Australia/ New Zealand</b>	IEC 60601-1	C-Tick	Australian AS NZS 3112
<b>Saudi Arabia (EMR SLA)</b>	EN 60601-1	Not Applicable	United Kingdom BS 1363 European CEE 7

	Typical Size	Weight Capacity	Lift	Tilt	Pan	Rotation	VESA	
<b>Non-Powered</b>	LCD	≤ 24"	See website	Arm 27" (68,6 cm) Lift Pivot 25" (63,5 cm)	Arm 65° Lift Pivot 25°	Arm 180° Lift Pivot 24°	Arm 360° P/L Lift Pivot 90° P/L	MIS-D
	Laptop	≤ 17"	See website	20" (51 cm)	—	—	—	—
<p><b>Non-powered Cart</b> features includes worksurface, secure compartment, four-port USB hub, scanner holder bracket, mouse holder, wrist rest, back-tilt keyboard tray, left/right mouse tray, rear handle, storage basket, cable storage, four casters (two locking)</p> <p>SV40-40004 does not include four-port USB hub, rear handle, storage basket</p> <p>5-year warranty</p>								



## StyleView Sit-Stand Combo Arms & Systems (from page 36)



**StyleView Sit-Stand Combo Arm with Worksurface**



**StyleView Sit-Stand Combo Arm**



**StyleView Sit-Stand Combo System with Worksurface**



**StyleView Sit-Stand Combo System**



Part # (color)	45-260-026 (polished aluminum)	45-266-026 (polished aluminum)	45-270-026 (polished aluminum) Small CPU holder and wall track: 45-272-026 (polished aluminum)	45-271-026 (polished aluminum) Small CPU holder and wall track: 45-273-026 (polished aluminum)
	45-260-216 (white)	45-266-216 (white)	45-270-216 (white) Medium CPU holder and wall track: 45-272-216 (white)	45-271-216 (white) Medium CPU holder and wall track: 45-273-216 (white)
Optional Extender Arm	45-261-026 (polished aluminum) 45-261-216 (white)	45-261-026 (polished aluminum) 45-261-216 (white)	45-261-026 (polished aluminum) 45-261-216 (white)	45-261-026 (polished aluminum) 45-261-216 (white)
Typical LCD Size	≤ 24"	≤ 24"	≤ 24"	≤ 24"
<small>LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT.</small>				
Weight Capacity	Display 6–18 lbs (2,7–8,2 kg); keyboard, mouse and barcode scanner 4 lbs (1,8 kg) and up to 10 lbs (4,5 kg) on worksurface	Display 6–18 lbs (2,7–8,2 kg) or up to 25 lbs (11,4 kg) with tilt and lift lock out features engaged; keyboard, mouse and barcode scanner 4 lbs (1,8 kg)	Display 6–18 lbs (2,7–8,2 kg); keyboard, mouse and barcode scanner 4 lbs (1,8 kg) and up to 10 lbs (4,5 kg) on worksurface; 45-270-026: CPU 50 lbs (22,7 kg) 45-272-026: CPU 40 lbs (18 kg)	Display 6–18 lbs (2,7–8,2 kg) or up to 25 lbs (11,4 kg) with tilt and lift lock-out features engaged; keyboard, mouse and barcode scanner 4 lbs (1,8 kg); 45-271-026: CPU 50 lbs (22,7 kg) 45-273-026: CPU 40 lbs (18 kg)
Lift	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)	LCD and keyboard adjust 20" (51 cm) in tandem with single-motion; LCD adjusts 5" (13 cm) independently; maximum LCD height adjustment 25" (64 cm)
Tilt	LCD 30° ↑ 25° / ↓ 5°			
Pan	360°			
Rotation	90°	360°	90°	360°
VESA	MIS-D			
Depth	Folds to 8" (20,3 cm)	Folds to 12" (30,5 cm)	Folds to 8" (20,3 cm)	Folds to 12" (30,5 cm)
Extension	≤ 43" (109 cm) with Extender ≤ 60" (152 cm)	≤ 39.75" (101 cm) with Extender ≤ 56.75" (144 cm)	≤ 43" (109 cm) with Extender ≤ 60" (152 cm)	≤ 39.75" (101 cm) with Extender ≤ 56.75" (144 cm)
Warranty	5 years			



# Sit less. Stand more. Start now!

Research shows sitting too much is unhealthy. Unfortunately, standing all day isn't practical either.

**Answer:** Get a sit-stand workstation and move freely between sitting and standing throughout your day. You'll burn extra calories, tone muscles, improve posture, ramp up your metabolism and be more productive!



[research.juststand.org](http://research.juststand.org)



## *Tested, safe, certified and warranted*

*Ergotron offers industry-leading warranties, cycle-tested products and more than 35 years of high-quality manufacturing expertise*



# ERGOTRON®

© 2017 Ergotron, Inc. Literature made in the U.S.A. rev. 04/10/2017 870-01-021-EA  
Content is subject to change without notification.  
Ergotron devices are not intended to cure, treat, mitigate or prevent any disease.  
LearnFit, WorkFit, StyleView, Neo-Flex and PowerShuttle are registered trademarks of Ergotron in the U.S.A. and China.

### **Americas Sales and Corporate Headquarters**

St. Paul, MN USA  
(800) 888-8458  
+1-651-681-7600  
[www.ergotron.com](http://www.ergotron.com)  
[sales@ergotron.com](mailto:sales@ergotron.com)

### **EMEA Sales**

Amersfoort, The Netherlands  
+31 33 45 45 600  
[www.ergotron.com](http://www.ergotron.com)  
[info.eu@ergotron.com](mailto:info.eu@ergotron.com)

### **APAC Sales**

Tokyo, Japan  
[www.ergotron.com](http://www.ergotron.com)  
[apaccustomerservice@ergotron.com](mailto:apaccustomerservice@ergotron.com)

### **Worldwide OEM Sales**

[www.ergotron.com](http://www.ergotron.com)  
[info.oem@ergotron.com](mailto:info.oem@ergotron.com)

