# WorkForce Pro WF-R8590DTWF



#### DATASHEET





















Available exclusively through an Epson-approved managed print service provider, this breakthrough business printer features Epson's Replaceable Ink Pack System (RIPS) to deliver super-high-yield printing. With this A3+ workgroup printer, offices can benefit from the increased productivity of a local distributed print fleet that requires minimal intervention while providing predictable print costs.

## Print 75,000 pages uninterrupted

Print up to 75,000 pages in both black and colour without replacing the ink<sup>1</sup> thanks to super-high-yield ink supply units.

# **Built for business**

PrecisionCore technology powers the output quality that Epson is known for, at the speeds required for office, commercial and industrial printing. Prints dry fast thanks to the DURABrite Pro ink. PDL printing emulations help this printer easily integrate into business environments. A smartphone-like 12.7cm colour touchscreen is easy to use, while scan-to functions and LDAP address book compatibility make it ideal for any office to share documents. Users can also securely print using a PIN code to release confidential documents.

## **Energy efficient**

The WF-R8590DTWF uses up to 80 percent less power than competitive colour lasers<sup>2</sup> thanks to its no heat technology. No ozone gas is emitted, and an improved quiet print mode and no fan noise during or after printing make it ideal for the working environment. And there are fewer parts to replace than a laser.

#### Save time

Get more done with print speeds of up to 34ppm in mono and colour, or 24ppm ISO print speed in both<sup>3</sup>. Its scalable optional paper cassettes of up to 1831 sheets mean less time is spent refilling, and one-pass duplex scanning, a 50-sheet Automatic Document Feeder and automatic double-sided printing, copying and faxing make any job efficient.

# **KEY FEATURES**

- Super-high-yield printing
   Print up to 75,000 pages without replacing the ink<sup>1</sup>
- Ecological
   Uses up to 80 percent less power than competitive colour lasers<sup>2</sup>
- Save time
   Automatic double-sided printing, scanning, copying and faxing
- Built for business
   Scan-to functions, LDAP address book support and PDL emulations
- PrecisionCore technology
   Epson's most advanced printhead technology



## PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method PrecisionCore™ Print Head Replaceable Ink Pack System (RIPS) Ink Technology Minimum Droplet Size 3.7 pl, With Variable-Sized Droplet Technology Nozzle Configuration 800 Nozzles black, 800 Nozzles per colour

Category Small Workgroup All-in-One Functions Print, Scan, Copy, Fax

PRINT

First Page Out Monochrome 7 Seconds, Color 7 Seconds Printing Speed ISO/IEC 24734 24 Pages/min Monochrome, 24 Pages/min Color **Duplex Printing Speed** 16 A4 Pages/min Monochrome, 16 A4 Pages/min Color

ISO/IEC 24734

Max Duty cycle 75,000 Pages per month

Maximum Printing Speed 34 Pages/min Color (plain paper), 34 Pages/min Monochrome (plain paper)

4,800 x 1,200 dpi Printing Resolution

Colours Cyan, Black, Magenta, Yellow

For detailed information on printing speeds please visit http://www.epson.eu/testing.

Scan speed black A4 300 dpi (with ADF), 23 ipm with ADF scan 200 dpi (flatbed) 5 sec. with flatbed scan

Advanced document E-mail, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft SharePoint

with Epson Document Capture Pro, USB Memory Device / Card integration

Scanning Resolution 1,200 dpi x 2,400 dpi (Horizontal x Vertical) Optical Resolution (ADF) 1,200 dpi x 2,400 dpi (Horizontal x Vertical)

JPEG, TIFF, PDF Output formats

Contact image sensor (CIS) Scanner type

Scan speed colour A4 300 dpi (with ADF), 23 ipm with ADF scan 200 dpi (flatbed) 7 sec. with flatbed scan

FAX

Type of fax Walk-up black and white and colour fax capability

Fax Transmission Speed Up to 33.6kbps / Approx. 3 sec/page Page memory Up to 550 pages/ 6MB (ITU-T No. 1 chart)

Fax speed dials (max) 200 names and numbers

Fax Functions PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Speed Dial

COPY

Copy Speed up to 22 ipm Black, up to 21 ipm Colour

\*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)

Reduction / Enlargement 25 % - 400 % Auto fit function Maximum Copy Size

CONNECTIVITY

LPR, FTP, IPP, LDP, Port 9100, WSD, Net BIOS over TCP/IP, TCP/IPv4, TCP/IPv6, IPSec **Network Printing Protocols** Network Management SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SSDP, Ping, SLP, WSD, LLTD,

IEEE 802.1X **Protocols** 

Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Interfaces

Base TX/ 10-Base-T), USB host, Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct

WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise WLAN Security

PAPER / MEDIA HANDLING

Paper Formats A3+, A3, A4, A5, A6, B5, C4 (Envelope), C6 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm,

13 x 18 cm, 20 x 25 cm, 16:9, Legal

Automatic Document Feeder 50 Pages

Standard Paper input 830 Sheets Standard, 81 Sheets MP tray, 750 Sheets paper tray

Output Tray Capacity 250 Sheets

Paper Tray Capacity 750 Sheets Standard, 1,831 Sheets maximum

Optional paper tray(s) 2 x 500-Sheet paper tray, Cabinet

Maximum paper input 1,831 Rear paper path (special Yes

media)

Number of paper travs

GENERAL

0.4 W (Power off), 2.4 W (sleep mode) **Energy Use** Product dimensions 767 x 572 x 591 mm (Width x Depth x Height)

Product weight 58.8 ka

Compatible Operating Mac OS 10.5.8 or later, Mac OS 10.6+, Mac OS 10.7.x, Mac OS 10.8.x, Microsoft Windows XP

(Home Edition / Prof / Prof X64 / Vista), Windows Server 2003 (32/64bit), Windows Server 2008 Systems

(32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit)

Sound Pressure Operation: 52 dB (A) WorkForce Pro WF-R8590DTWF

## WHAT'S IN THE BOX

- Quick Setup Guide
- Main unit
- Warranty Documents
- User manual (CD)
- Power cable
- Individual Ink Supply Units
- Paper tray

1. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield 2. For more information visit www.epson.eu/inkjetsaving 3. Determined in accordance with ISO/IEC 24734 showing the average of ESAT from the Office Category Test for default A4 simplex and duplex. For more information, please visit www.epson.eu/testing



## **SUPPLIES**

| WorkForce Pro WF-R8590 Black XXL Ink Supply Unit                           | C13T869140 | 75,000 pages |
|--|------------|--------------|
| <ul> <li>WorkForce Pro WF-R8590 Cyan XXL Ink Supply Unit</li> </ul>        | C13T869240 | 75,000 pages |
| <ul> <li>WorkForce Pro WF-R8590 Magenta XXL Ink Supply Unit</li> </ul>     | C13T869340 | 75,000 pages |
| <ul> <li>WorkForce Pro WF-R8590 Yellow XXL Ink Supply Unit</li> </ul>      | C13T869440 | 75,000 pages |
| <ul> <li>WorkForce Pro WF-R8590 Black XL Ink Supply Unit</li> </ul>        | C13T839140 | 20,000 pages |
| <ul> <li>WorkForce Pro WF-R8590 Cyan XL Ink Supply Unit</li> </ul>         | C13T839240 | 20,000 pages |
| <ul> <li>WorkForce Pro WF-R8590 Magenta XL Ink Supply Unit</li> </ul>      | C13T839340 | 20,000 pages |
| <ul> <li>WorkForce Pro WF-R8590 Yellow XL Ink Supply Unit</li> </ul>       | C13T839440 | 20,000 pages |
| <ul> <li>WF-(R)8xxx Series Maintenance Box</li> </ul>                      | C13T671200 |              |
| <ul> <li>WF-(R)8xxx Series Standard Cassette Maintenance Roller</li> </ul> | C13S990011 |              |
| WF-(R)8xxx Series Optional Cassette Maintenance Roller                     | C13S990021 |              |

#### **OPTIONAL ACCESSORIES**

- 500 Sheet Paper Cassette for WF-8000/8500/R8590 Series C12C817061
- Cabinet for WF-8000/8500/R8590 series C12C847261

## **LOGISTICS INFORMATION**

| SKU                      | C11CE25401BY       |
|--------------------------|--------------------|
| EAN code                 | 8715946542041      |
| Dimensions Single Carton | 740 x 945 x 950 mm |
| Carton Weight            | 76 Kg              |
| Multiple Order Quantity  | 1 Units            |
| Pallet Size Euro         | 2 Units (1 x 2)    |
| Pallet Size Block        | 2 Units (1 x 2)    |
|                          |                    |

# **INK YIELD DATA**



T839 T869

20,000 pages\* 75,000 pages\*

• • •

20,000 pages\* 75,000 pages\*

\* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield







For more information please contact:

Telephone: 01952 607111 (UK)+ 01 436 7742 (Republic of Ireland) E-mail: enquiries@epson.co.uk Chat: etalk.epson-europe.com Fax: 0871 222 6740 + Local call rate. Web: www.epson.co.uk www.epson.ie

