HP Z Display Z34c 34-inch Ultra Wide Curved Display



Raise the bar with the HP Z Display Z34c Ultra Wide Curved Display—34 diagonal inches of an elegant, immersive, curved visual and audio experience with enhanced peripheral readability for your workstation, PC, and mobile device content.



Prepare for the panorama.

 Move beyond a traditional dual-display setup and enhance your visual perception with a single, thin, ultra-high resolution curved display that increases your field of vision with a 21:9 aspect ratio.

Deliver astounding presentation from every device.

• Mirror your smart phone or tablet content to the super-sized screen through an MHL connection that also keeps your devices charged and ready to go. Picture-in-picture and picture-by-picture allow you to view device and PC feeds at the same time.

Captivate your audience.

 Maximize your media with wide viewing angles for a complete visual experience, and get lost in the audio with front-facing DTS surround sound. The included remote controls the display and navigates between your device feeds.

Featuring

- Discover stellar front of screen presentation from 8-bit color depth, 110 ppi and 98.8% sRGB color gamut.
 Low reflection and distortion help ensure consistent imagery across the screen.
- Get a more expansive view of your projects, documents, data, and media from the super-high 3440 x 1440 WQHD² resolution that puts more pixels on screen.
- Design the screen for how you work with HP Display Assistant software.
- Rest assured that your IT investment is supported by a one-year standard limited warranty. To extend your
 protection beyond the standard limited warranties, select optional HP Care Pack Services.³

HP Z Display Z34c 34-inch Ultra Wide Curved Display Specifications Table







| Display Type | VA w/LED backlight |
|---|--|
| Panel Active Area | 749.9 x 333.7 mm |
| Display Size (diagonal) | 34" |
| Viewing Angle | 178° horizontal; 178° vertical |
| Brightness | 350 cd/m ² ¹ |
| Contrast Ratio | 3000:1 static; 10000000:1 dynamic ¹ |
| Response Ratio | 14 ms gray to gray (Without overdrive); 8 ms gray to gray (With overdrive) 1 |
| Product colour | Black bezel, silver stand and white in the back |
| Aspect Ratio | 21:9 |
| Native Resolution | 3440×1440 |
| Resolutions Supported | 3440 × 1440; 2560 × 1440; 1920 × 1080; 1680 × 1050; 1600 × 900; 1440 × 900; 1366 × 768; 1280 × 1024; 1280 × 720; 1024 × 768; 800 × 600; 720 × 400; 640 × 480 |
| Display Features | Plug and Play; Anti-glare; Low Haze; User programmable; Language selection; On-screen controls; LED Backlights |
| User Controls | Menu; Plus ("+"); Minus ("-"); Volume wheel with mute; Power |
| Input Signal | 2 HDMI (One HDMI port is also an MHL input); 1 DisplayPort 1.2 (with HDCP support) |
| Ports and Connectors | 1 Audio in |
| Input Power | Input voltage: 100 to 240 VAC |
| Power Consumption | 150 W (maximum), 93 W (typical), 0.5 W (standby) |
| Dimensions with Stand (W x D x H) | 95.08 x 19.72 x 47.71 cm |
| Dimensions without Stand (W x D x H) | 95.08 x 9.39 x 37.41 cm |
| Weight | 9.83 kg With stand |
| Ergonomic Features | Tilt: -5 to +25°; Swivel: ±180° |
| Physical security features | Security lock-ready (lock is sold separately) |
| Multimedia | Audio Input with integrated 6W per channel, L and R, DTS certified speakers |
| Environmental | Operating temperature: 5 to 35°C Operating humidity: 20 to 80% RH |
| Certification and compliance | UL/CSA; CE; KC; NOM; TUV-S; TUV-GS; ISC; VCCI; BSMI; EAC; C-Tick; FCC marking; CB |
| Environmental Specifications | Mercury-free display backlights; Arsenic-free display glass; Low halogen ² |
| What's in the box | AC power cord; External power supply (150W); DisplayPort cable; HDMI cable; OSD Remote Control; CD (includes user guide, warranty, drivers); HP Display Assistant software |

See important legal disclaimers on the last page

Recommended Accessories and Services

HP 5-year Next Business Day XLarge Monitor Only Hardware Support



Receive 5 years of next business day onsite repair from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. For more information on Care Pack services, please visit www.hp.com/go/cpc. **Product number: UE370E**

Messaging Footnotes

- 1 MHL 2.0 port will charge a MHL compatible smart phone and tablet battery. Includes a DisplayPort to HDMI dongle to increase connect flexibility. Requires the smart phone or tablet to be enabled for MHL or have an HDMI dongle to connect to the monitor. See your mobile device specifications. ² High-definition content required.
- a Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc. HP services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

Technical Specifications Footnotes

- ¹ All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower. ² External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Sign up for updates

hp.com/go/getupdated

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

