



HP ScanJet Enterprise Flow 5000 s5

Give your office powerful scan speed and accuracy. Built-in software and an 80-page automatic document feeder help you save time. Scan at up to 65 ppm/130 ipm.² Recommended for 7,500 pages per day.



Fast, smooth scanning—even unattended

- Capture entire documents with one-pass duplex scanning up to 130 ipm.^{1,2}
- Free up space for work. This HP ScanJet is small and slim—a modern design perfect for the desktop.
- Capture a wide range of documents—even stacks of mixed media sizes and types—with HP EveryPage.³
- Load up to 80 pages into the automatic document feeder for fast, unattended scanning.



Peak workflow performance. Smarter scanning.

- Identify new devices and gain insight into scanning with HP Web Jetadmin remote discovery and monitoring.⁴
- Simplify the way you scan A3-size documents—no need for a carrier sheet.
- Scan images directly into applications with included and full-featured TWAIN and ISIS®.
- Easily transfer scans into editable text, searchable PDF files, and more file types, using built-in OCR.



Professional-grade scanning that helps save time

- Save time and simplify complex scan jobs with HP Scan Premium
- Create one-button scan settings for recurring tasks, and make selections using the LCD control panel.
- Capture and organize documents, business cards, and other file types with feature-rich software.


¹ Black-and-white scan speed measured at 300 dpi using included HP Scan Premium. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

² Color scan speed measured at 300 dpi. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

³ HP EveryPage is referred to as HP Precision Feed on HP ScanJet devices introduced prior to May 2013.

⁴ HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>

Get to know the HP ScanJet Enterprise Flow 5000 s5



At a glance

| | |
|---|--|
| Model (product number) | HP ScanJet Enterprise Flow 5000 s5 (6FW09A) |
| Scan speeds (simplex/duplex) ¹ | Up to 65 pages per minute (ppm)/130 images per minute (ipm) |
| ADF capacity | 80-sheet ADF; scans media sizes up to 309.9 cm (122 inches) |
| Recommended daily duty cycle | Up to 7,500 pages |
| Connectivity | USB 3.0 |
| Scan destinations | Scan to PC via USB, scan to USB Drive |
| Software included | HP Scan Premium (with built-in optical character recognition [OCR]), WIA, TWAIN, ISIS, I.R.I.S. Readiris™ Pro and Cardiris™ (Win only) |
| Media weight supported | 43 to 350 g/m ² (11.4 to 93.3 lb) |

¹ Scan speed measured at 300 dpi (black-and-white, greyscale, and colour). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical specifications

| | |
|--|--|
| Scan technology | CMOS CIS (Contact Image Sensor) |
| Scan type | Sheetfed; Color scanning: Yes |
| Scan speed ADF (letter) | Up to 65ppm/130 ipm |
| Scan resolution | Hardware: 600 x 600 dpi; Optical Up to 600 dpi |
| Scan file format | For text & images: PDF, PDF/A, Encrypted PDF, JPEG, PNG, BMP, TIFF, Word, Excel, PowerPoint, Text (.txt), Rich Text (.rtf) and Searchable PDF |
| Scan input modes | Two scan modes (simplex/duplex) with convenient 2x16 character LCD on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA |
| Scanner advanced features | Auto exposure, Auto threshold, Auto detect color, Background smooth/removal, Auto detect size, Straighten content, Enhance content, Multi-streaming, Auto feed, Multi-feed detection sensor, Advanced multi-feed detection, Auto orient, Multi-color dropout, Channel color dropout, Edge erase, Delete blank page, Merge pages, Hole fill, Digital stamps, Metadata capture, PDF permissions, PDF digital signatures, Document separation (Blank page, Barcode, Zonal barcode, Zonal OCR) |
| Light source (scanning) | LED |
| Multi feed detection | Yes |
| ENERGY STAR Qualified | Yes |
| Output resolution dpi settings | 75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi |
| Bit depth / Grayscale levels | 24-bit (external), 48-bit (internal); Grayscale levels: 256 |
| Digital sending standard features | Scan to PC, Scan to USB Drive |
| Duplex ADF scanning | Yes |
| Scan Size | Single-pass duplex |
| Scan Size | ADF: 216 x 3100 mm |
| Media types | Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed, Plastic cards (up to 1.24 mm) |
| Media size, adf | U.S.-Letter: 215.9 x 279.4 mm (8.5 x 11 in); U.S.-Legal: 215.9 x 355.6 mm (8.5 x 14 in); U.S.-Executive: 184.2 x 266.7 mm (7.25 x 10.5 in); ISO A4: 210 x 297 mm (8.3 x 11.7 in); JIS B5: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mm (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 4.1 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in); Custom: 5.08 x 7.36 cm to 21.6 x 309.9 cm (2.0 x 2.9 in to 8.5 x 122 in) |
| Media weight (ADF) | 43 to 350 g/m ² |
| Auto document feeder capacity | Standard, 80 sheets |
| Duty cycle (daily) | Recommended daily duty cycle: 7500 pages |
| Standard connectivity | USB 3.0 |
| Memory | 512 MB |
| Processor speed | ARM-1176 666 MHz |
| Display | 2-line 16 character per line LCD display |
| Control panel | 2-line 16 character per line LCD display, Simplex button, Duplex button, Cancel button, Power button with a LED, Up button, Down button and Tool button |
| Twain version | Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a |
| Software included | Windows: HP WIA scan driver, HP TWAIN scan driver (32-bit and 64-bit), HP Scan Premium, HP Scanner Tools Utility, I.R.I.S. Readdir Pro, I.R.I.S. Cardiris, OpenText ISIS |
| Compatible operating systems | Microsoft® Windows® (10, 8.1, 7, XP: 32-bit and 64-bit, 2008 R2, 2012 R2, 2016, 2019); MacOS (Catalina 10.15, Mojave 10.14, High Sierra 10.13); Linux (Ubuntu, Fedora, Debian, RHEL, Linux Mint, Open Suse, Manjaro) |
| Minimum system requirements | PC: macOS Catalina 10.15, macOS Mojave 10.14, macOS High Sierra 10.13, Microsoft® Windows® 10, 8.1, 7, XP: 32-bit and 64-bit, 2008 R2, 2012 R2, 2016, 2019, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer Mac: macOS Catalina 10.15, macOS Mojave 10.14, macOS High Sierra 10.13; 1 GB HD; Internet required; USB |
| Operating environment | Operating humidity range: 15 to 80% RH Recommended humidity operating range: 30% to 70% relative humidity (RH) Operating temperature range: 10 to 35°C Storage temperature range: -40 to 60°C Recommended operating temperature range: 17.5 to 25°C |
| Power | Power supply type: External power adapter Power consumption: 4.1 watts (ready), 38 Watts (scanning), 1.3 watts (sleep), 0.1 watts (off), 0.1 watts (auto-off) Power requirements: Input Voltage range: 90 - 264 VAC, Rated Frequency: 50 - 60HZ, Worldwide use |
| Dimensions (w x d x h) | 310 x 198 x 190 mm |
| Weight | 3.8 kg |
| What's in the box | Power cord; Power Adapter; USB Cable; Scanner Engine; Flyers; Install Guide |
| Warranty | One-year bench limited warranty whole unit replacement, phone and Web support included. Warranty may vary by country as required by law. Go to hp.com/support to learn about HP world-class service and support options in your region. |
| Electromagnetic emission standard | CISPR 22:2008 & CISPR 32:2012/ EN 55032:2012 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 6, GB9254-2008, GB17625.1-2012 |
| Safety approvals and requirements | IEC 60950-1:2005 +A1:2009+A2:2013/EN60950-1:2006 +A1:2009 +A1:2010+A12:2011+A2:2013; IEC 62479:2010 / EN 62479:2010; IEC 62471:2006/ EN62471:2008; GB4943-2011 |
| Accessories | HP SJ 5000 s4/7000 s3 Roller Replacement Kit (L2756A : 100,000 sheets); HP 5-pack Carrier Sheet Kit (8PA50A); 10 Pack Cleaning Cloth Kit (C9943B) |

Ordering information

Product

| Number | Description |
|--------|------------------------------------|
| 6FW09A | HP ScanJet Enterprise Flow 5000 s5 |

HP Care Packs

| Number | Description |
|---------|---|
| UH369E | HP 3 year Return to Depot Service |
| UH370E | HP 3 year Next Business Day Exchange Service |
| UH372E | HP 3 year Next Business Day Onsite Exchange Service |
| UOMF5E | HP 5 year Next Business Day Exchange Service |
| UOMF6E | HP 4 year Next Business Day Exchange Service |
| UOMF7E | HP 4 year Next Business Day Onsite Exchange Service |
| UOQN0E | HP 5 year Next Business Day Onsite Exchange Service |
| UK001E | HP 3 year Standard Exchange Service |
| UH373PE | HP 1 year Post Warranty Next Business Day Exchange Service |
| UH374PE | HP 1 year Post Warranty Next Business Day Onsite Exchange Service |
| UKS13PE | HP 1 year Post Warranty Standard Exchange Service |
| UD3B7PE | HP 1 year Post Warranty Return to Depot Service |

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

HP Inc. offices

| | | |
|-------------|-------------------|--|
| Australia | (613) 8833 5000 | hp.com.au |
| China | (010) 6564 3888 | hp.com.cn |
| Hong Kong | (852) 3077 2688 | hp.com.hk |
| India | (80) 2612 9000 | hp.com/in |
| Indonesia | (62-21) 5799 1088 | hp.com/id |
| Korea | (02) 2199 0114 | hp.co.kr |
| Malaysia | (603) 2332 3333 | hp.com.my |
| New Zealand | (09) 918 9555 | hp.co.nz |
| Philippines | (632) 888 5900 | hp.com/ph |
| Singapore | (65) 6275 3888 | hp.com.sg |
| Taiwan | (02) 3789 9900 | hp.com.tw |
| Thailand | (662) 353 9500 | hp.com/th |
| Vietnam | (848) 3823 4151 | hp.com/vn |

For the following countries, please fax your queries to (65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

Supported paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

For more solutions information, please visit hp.com/go/gsc

¹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

² EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

³ Sheet feed speeds: (All resolutions up to and including 300 ppi) Simplex 65 A-4 pages per minute Duplex 130 A-4 images per minute



HP Care Pack

Sign up for updates hp.com/go/getupdated

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

