

Mini DisplayPort to HDMI Adapter with USB Audio

Product ID: MDP2HDMIUSBA



The MDP2HDMIUSBA Mini DisplayPort with USB Audio to HDMI Adapter offers a cost-effective HDMI with audio to Mini DisplayPort link, letting you connect an HDMI-capable HDTV to a device with a Mini DisplayPort output, while saving the expense of upgrading the TV for compatibility. The Mini DisplayPort adapter is the perfect accessory for any of your Microsoft Surface Pro devices with mDP.

Simply plug in the USB and Mini DisplayPort connectors to a PC or Mac and the HDMI connector to an HDMI television/monitor. 2-Channel analog audio will pass through to the HDMI connection, delivering sound to the display side, with the convenience of one HDMI cable.

MDP2HDMIUSBA is a passive adapter that requires a DP++ port (DisplayPort++), meaning that DVI and HDMI signals can also be passed through the port.

Compatible with Intel Thunderbolt, when connected directly to a supporting DisplayPort over Thunderbolt I/O port.

Backed by a StarTech.com 3-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- The Mini DisplayPort to HDMI adapter allows for an easy and hassle free connection to any HDMI HDTV or display from a PC or Mac.
- Use your DisplayPort and USB port for video and audio pass-through to one HDMI cable.

- Deliver audio/video content from your PC or Mac to your A/V devices (HDTV or receiver) for a larger and louder viewing.

Features

- USB Audio pass-through to HDMI cable
- Supports HDTV resolutions up to 1080p
- Easy to use cable, no software required
- Compatible with Intel Thunderbolt

Hardware

| | |
|---------------------------|--|
| Warranty | 3 Years |
| Active or Passive Adapter | Passive |
| AV Input | Mini DisplayPort - 1.2 Mini DisplayPort - 1.2 |
| AV Output | HDMI - 1.4 |
| Audio | Yes |
| Industry Standards | DisplayPort 1.1a HDMI 1.3b |

Performance

| | |
|-----------------------------------|--------------------------|
| Maximum Cable Distance To Display | 49.9 ft [15.2 m] |
| Maximum Digital Resolutions | 1920x1200 / 1080p |
| Wide Screen Supported | Yes |
| Audio Specifications | HDMI - 7.1 Channel Audio |

Connector(s)

| | |
|-------------|--|
| Connector A | 1 - Mini-DisplayPort (20 pin) |
| Connector B | 1 - HDMI (19 pin) 1 - USB 2.0 Type-A (4 pin, 480Mbps) |

Special Notes / Requirements

| | |
|-------------------------------|--|
| System and Cable Requirements | DP++ port (DisplayPort ++) required on video card or video source (DVI and HDMI pass-through must be supported) |
|-------------------------------|--|

Indicators

| | |
|----------------|-----------------|
| LED Indicators | 1 - Red - Power |
|----------------|-----------------|

Environmental

| | |
|-----------------------|-------------------------|
| Operating Temperature | 5C to 35C (41F to 95F) |
| Storage Temperature | 0C to 70C (32F to 158F) |
| Humidity | 0~80% RH |

Physical Characteristics

| | |
|-------------------|-------------------|
| Color | Black |
| Material | Plastic |
| Cable Length | 26.9 in [68.2 cm] |
| Product Length | 30.0 in [76.2 cm] |
| Product Width | 2.2 in [5.6 cm] |
| Product Height | 0.4 in [1.0 cm] |
| Weight of Product | 3.2 oz [90.0 g] |

Packaging Information

| | |
|---------------------------|------------------|
| Package Quantity | 1 |
| Package Length | 8.7 in [22.0 cm] |
| Package Width | 7.9 in [20.0 cm] |
| Package Height | 0.6 in [1.6 cm] |
| Shipping (Package) Weight | 3.2 oz [90.0 g] |

What's in the Box

| | |
|---------------------|--|
| Included in Package | 1 - Mini DisplayPort and USB Audio to HDMI Adapter |
|---------------------|--|

**Product appearance and specifications are subject to change without notice.*

