

Thunderbolt 3 Dock w/ USB-C Compatibility - Dual Monitor 4K60Hz DisplayPort Laptop Docking Station - 60W PD, GbE, 5x USB Hub - TB3 / USB 3.1 Gen 2 10Gbps Dock - Windows & Mac

Product ID: TB3CDK2DPUE



For the first time, there is a plug-and-play Thunderbolt 3 Certified docking station that intelligently adapts to your Thunderbolt 3 or USB-C (USB 3.1 Gen 1 and Gen 2) laptop offering optimal performance and compatibility. This revolutionary technology offers IT professionals the solution they need -- one dock for Mac and Windows laptops that are equipped with a USB Type-C port. With this dedicated dual DisplayPort Thunderbolt 3 dock, you can turn your TB3 or USB 3.1 (Type-C) laptop into a dual-monitor workstation including dual 4K 60Hz resolution on Thunderbolt 3 laptops and dual 1080p on USB-C computers.

This universal Thunderbolt 3 dock (TB3) features plenty of USB 3.0 ports to accommodate up to five USB peripherals and includes a GbE port and audio support:

3x USB-A Ports (including 1 x Fast-Charge Port)

2x USB-C Ports (including 1 x Fast-Charge Port)

1x Gigabit Ethernet Port

1x 3.5 mm Audio/Mic PortThe USB-C ports and one of the USB-A ports will support up to 10Gbps (USB 3.1 Gen 2) data transfer speeds when the host laptop supports the same.

Developed to improve performance and security, StarTech.com Connectivity Tools is the only software suite on the market that works with a wide range of IT connectivity accessories. The software suite includes:

Advanced Windows Layout Utility: To setup and save custom windows layouts.

Mac Address Pass-Through Utility: To improve network security.

USB Event Monitoring Utility: To track and log connected USB devices

Wi-Fi Auto Switch Utility: Enabling users to quickly access faster network speeds via wired LAN.



For more information and to download the StarTech.com Connectivity Tools application, please visit: www.StarTech.com/Connectivity-ToolsTB3CDK2DPUE is backed by a StarTech.com three-year warranty and free lifetime technical support.

## **Certifications, Reports and Compatibility**



## Applications

- Engineers
- Content Creators
- Graphic Designers
- AV Production
- Bring Your Own Device (BYOD) Setups
- Hoteling
- Free Address Environments
- Home Offices
- Educational Facilities

## **Features**

• BROAD LAPTOP COMPATIBILITY: For high performance & productivity users, this universal Thunderbolt 3 Certified dock is compatible with TB3 & USB-C laptops like Dell, Apple, HP, & Lenovo on Windows & macOS

• FULL FUNCTION DOCK: Dual monitor laptop docking station features dual DisplayPort, 3x USB-A (1x 10Gbps & 2x 5Gbps) & 2x USB-C (USB 3.1 Gen 2), incl. 2 fast-charge ports, 60W PD, Ethernet, Headset Jack

• HIGH PERFORMANCE VIDEO OUTPUTS: Two Displayport 1.2 ports w/ up to 4K 60Hz dual monitor with Thunderbolt 3 laptops and dual 1080p w/ USB-C laptops; extended dual displays on MacBook Pro/Air w/ Intel processor & single display w/ Apple M1 Chip

• EASY TO DEPLOY & SETUP: TB3 Dock requires no drivers, incl a 0.7m TB3 cable, front facing USB-C host port, mounting holes for optional bracket, k-slot for security lock



• 60W POWER DELIVERY: Power & charging for high performance ultra thin TB3 laptops like MacBook, Lenovo Thinkpad T Series, X1 Carbon, & Surface Pro 7 w/ this TB3 / USB 3.1 Gen 2 Type-C compatible dock

• CONNECTIVITY TOOLS: Provided with this device, the application improves performance and security, featuring MAC Address Changer, USB Event Monitoring, Windows Layout & Wi-Fi Auto Switch utilities

Warranty 4K Support Fast-Charge Port(s)	3 Years Yes Yes
4K Support Fast-Charge Port(s)	Yes
Fast-Charge Port(s)	
	Ves
Displays Supported	165
Displays Supported	2
Ports	3
Bus Type	Thunderbolt 3
	USB-C
Industry Standards	DP 1.2a Version , HDCP 1.4 and HDCP 2.2 Compliant
Type and Rate	Thunderbolt 3 - 40 Gbit/s
	USB 3.2 Gen 2 - 10 Gbit/s
	USB 3.2 Gen 1 - 5 Gbit/s
	USB 3.0 - 5 Gbit/s
4Kn Support	Yes
Supported Charging Outputs	BC 1.2 (1.5A)
OS Compatibility	Windows 11, Windows 10, Windows 8, macOS Sonoma (14.0)
	macOS Ventura (13.0)
	macOS Monterey (12.0)
	macOS Big Sur (11.0)
	macOS Catalina (10.15), macOS Mojave (10.14), macOS High Sierra (10.13), macOS Sierra (10.12)
	Bus Type Industry Standards Type and Rate 4Kn Support Supported Charging Outputs

Special Notes /



Poo	luiremer	hte
кео	uiremer	πs

Requirements		
	Note	MacBook Air and MacBook Pro systems using the new Apple M1 chip support only a single external display over the Thunderbolt 3 ports, even when connected to a Thunderbolt 3 docking station with more than one video output. This single monitor limitation does not affect Intel-based Macs with Thunderbolt 3.
Power		
	Input Voltage	100 - 240 AC
	Input Current	2.5A
	Output Voltage	20V DC
	Output Current	6.75A
	Power Consumption (In Watts)	135 W
Environmental		
	Operating Temperature	-40 to 65C
	Storage Temperature	0 to 35C
	Humidity	0% to 95% (non-condensing) at 25C
Physical Characteristics		
	Color	Black & Space Gray
	Material	Plastic
	Cable Length	2.8 in [7 cm]
	Product Length	3.1 in [8.0 cm]
	Product Width	8.7 in [22.0 cm]
	Product Height	1.2 in [3.0 cm]
	Weight of Product	14.1 oz [400.0 g]
Packaging Information		
	Package Quantity	1
	Package Length	6.3 in [16.0 cm]
	Package Width	10.7 in [27.2 cm]



	Package Height	4.5 in [11.5 cm]
	Shipping (Package) Weight	3.3 lb [1.5 kg]
What's in the Box		
	Included in Package	1 - Docking Station
		1 - Universal Power Adapter (UK, EU)
		1 - Thunderbolt 3 Cable (0.7 m)
		1 - Quick-Start Guide

\*Product appearance and specifications are subject to change without notice.

