HP PageWide XL Pro 8200 40-in **Multifunction Printer**



Grow into new short-term applications with the fastest large-format printer¹



Fastest response to meet the tightest deadlines¹

- Respond immediately with the fastest largeformat printer¹ with print speeds up to 30 D/A1 pages/minute.²
- Offer a combination of technical prints and short-term retail posters, and meet the different demands quickly.
- Deliver full projects 3X faster by printing mixed outputs of both CAD drawings and presentation
- Start printing in 50% of the time⁴ with an ultrafast processor, native PDF management, and HP SmartStream.

Grow—print poster applications, now on boards

- Gain the ability to print on boards, cardstock, and paper from A2 to B1, and thickness up to 3/8 in $(10 \, \text{mm}).$
- Expand into two-sided, short-term retail posters, and send them to print easily through HP SmartStream.
- Get intuitive workflows for a fast learning curve with simple application instructions through HP
- Use responsibly sourced FSC®-certified papers, make recyclable prints, enjoy water-based HP pigment inks.6

Help boost profits—compelling end-to-end solution

- Enjoy low running costs for both CAD drawings and posters with 3-liter Original HP Eco-Carton ink cartridges.
- Free up operator time with a versatile stacker, inline folders, auto-switch, and up to 6 rolls.
- Accept new orders and at the same time, reduce manual work—save up to 50% preparation and finishing costs.⁷
- Save further with up to 10X lower energy consumption than comparable LED printers.8

For more information, please visit http://www.hp.com/go/pagewidexlpro8200

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: More at: http://www.hp.com/learn/ds

¹ Based on testing commissioned by HP and performed by Soget in October, 2020. Fastest compared to alternatives for large-format printing of technical documents, GIS maps, and point-of-sale (POS) posters under \$200,000 USD as of October, 2020. Fastest response compared to the HP PageWide XL Pro \$200 Multifunction Printer.

2 The HP PageWide XL Pro 8200 Multifunction Printer delivers 30 CAD output D/A1 prints in 1 minute. Number of pages will vary depending on the print mode and application printed.

3 Based on testing commissioned by HP and performed by Soget in September, 2020 comparing the HP PageWide XL Pro 8200 Printer and a comparable competitive printer that represents the majority market share of LED printers worldwide as of 2019 according to IDC. Test performed by printing 3 B1 posters on B1 foam and 3 copies of a 6-page file combining sizes A0, A1 and plain, coated paper types. Measuring time from clicking "send" button until last page gets out from out of the printer. Using equivalent print quality models.

mode.

*Based on testing commissioned by HP and performed by Soget in September, 2020 comparing select competitor printers that represent the majority market share of LED printers worldwide as of 2019 according to IDC, and software to HP SmartStream software, measuring the time required to extract pages from a 63-page document and print them using several printers compared with using equivalent software programs.

*IP Learn is accessible through HP PrintDS. Requires an HP PrintDS account, Internet connection, and connected Internet-capable device. For more information, see http://www.printos.com.

*IP Learn is accessible through HP PrintDS. Requires an HP PrintDS account, Internet connection, and connected Internet-capable device. For more information, see http://www.printos.com.

*IP Learn is accessible through HP PrintDS. Requires an HP PrintDS account, Internet connection, and connected Internet-capable device. For more information, see http://www.printos.com.

*IP Learn is accessible through HP PrintDS. Requires an HP PrintDS account, Internet connection, and connected Internet Capable device. For more information, see http://www.printos.com.

*IP Learn is accessible through HP PrintDS. Requires an HP PrintDS. Requires and PrintDS

Placed on testing commissioned by HP and performed by Sogeti in September, 2020 comparing the HP PageWide XL Pro 8200/5200 Printer series and a comparable competitive printer that represents the majority market share of LED printers worldwide as of 2019 according to IDC, by preparing and printing the job. Test performed by sending 3 copies of a 6-page file combining sizes A0, A1 and plain, coated paper types. Measuring time from clicking "send" button until last page out of the printer. Printed in fast/CAD equivalent print quality mode.

8 Energy consumption based on testing performed internally by HP based on ISO 20690 and nerformed Sentember, 2020. Comparable printers with a Comparable of the Senter Comparable

uivalent print quality mode.
inergy consumption based on testing performed internally by HP based on ISO 20690 and performed September, 2020. Comparable printers using LED technology based on LED printers capable of printing 16-22 D/A1 pages per minute and which represent the ajority market share of mid-volume LED printers in the US and Europe according to IDC as of October, 2020.

Technical specifications

General	
Description	Large-format color MFP
Technology	HP PageWide Technology
Applications	Line drawings; Maps; Orthophotos; Posters; Double-sided posters; Presentation boards; Wrapping
	paper
Ink types	Pigment-based (C, M, Y, K)
Ink cartridges	4 (C, M, Y, K)
Cartridge size	31
Printheads Average printhead life	8 (C, M, Y, K) 32 L
Average printhead life	
Printhead warranty Print resolution	16 L or 12 months 1200 x 1200 dpi
Minimum line width	0.02 mm (HP-GL/2 addressable)
Line accuracy	+0.1% ¹
Print speed	20.10
Technical documents (from roll)	Up to 1500 A1 pages/hr, 30 A1 pages/min Up to 800 A0 pages/hr, 18 A0 pages/min
Poster full coverage (from roll)	Up to 500 m ² /hr, 700 B1 pages/hr, 15 B1 pages/min
Poster full coverage (from input tray)	Up to 100 m²/hr, 3 B1 pages/min
Maximum print speed	23 m/min
Warm-up time	No warm up
First page out	18 sec (from roll and USB), 50 sec (from input tray and USB)
Media	
Media rolls	2 rolls default with auto-switching, expandable to 6 rolls
Roll size	279 to 1016 mm
Roll diameter	Up to 177 mm
Roll core diameter	7.6 cm
Sheet/board size	297 to 1020 mm (width), 450 ² to 765 ³ mm (length)
Standard sheets/boards	SRA3 ⁴ , A2, A1, A0 ⁵ , B2, B1, B0 ⁵
Grammage	70 to 200 g/m² (roll); 80 to 1050 g/m² (sheet/board)
Media thickness	Up to 0.4 mm (roll); up to 10 mm (sheet/board)
Media types	Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film
Media input (standard)	Roll, input tray, basket
Media input (optional)	Pro sheet feeder
Media output (optional)	Top stacker (100-page capacity), pro stacker (500-page capacity), online folder
Scanner Description	36-in (91-cm) CIS scanner
Speed	Color: up to 15.24 cm/sec
Optical resolution	Grayscale: up to 25.4 cm/sec
Scan width	Up to 914 mm
Original thickness	0.26 mm
Maximum copy length	9.5 m
Maximum scan length	50 m (PDF), 12 m (TIFF), 8 m (JPEG) ⁶
Scan format	JPEG, TIFF, multi-TIFF, PDF, PDFA, multi-PDF, multi-PDFA (with PostScript/PDF upgrade)
Scan features	Live preview, scan quicksets, smart background removal, black enhancement, automatic de-skew,
Scan destination	reduce scan speed, post-edit settings (contrast, brightness, rotation, cropping and skew) Printer storage, USB drive, network folder (SMB), My home folder, scan to email, scan to HP
	SmartStream software
Embedded controller	latel Core IC
Processor	Intel Core iS
Memory	16 GB DDR4
Hard drive	1 x 128 GB SSD, 1 x 500 GB HDD, both self-encrypted with AES-256
Native print languages Print languages (optional)	HP-GL/2, TIFF, JPEG Adoba PactScript 2, Adoba DDE 1.7 (with PactScript/DDE upgrada)
Print languages (optional)	Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade)
Remote management Connectivity	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin
Interfaces	Gigabit Ethernet (1000Base-T), USB 2.0 host
Printing paths	Graphic Externet (1000base-1), 030 2.0 Host HP SmartStream software (optional), HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint
User interface	
User interface	15.6-inch (396-mm) TFT (LED blacklight) 16:9-format HD capacitive touchscreen
Dimensions (w x d x h)	_
Printer	1955 x 785 x 1637 mm
Shipping	2257 x 1040 x 1595 mm
Weight	
Printer	527 kg
Shipping	Standard: 655 kg; With pro stacker: 825 kg
-	

Environmental	
Operating temperature	5 to 40ºC
Operating humidity	20 to 80% RH, depending on media type
Acoustics	
Sound pressure	≤60 dB(A) (operating), ≤36 dB(A) (idle), ≤20 dB(A) (sleep)
Sound power	≤7.8 B(A) (operating), ≤5.5 B(A) (idle), ≤3.5 B(A) (sleep)
Power	
Consumption	0.37 kW (typical); 1.2 kW (max printing); 120 W (ready); <16 W (sleep)
Requirements	Input voltage (auto ranging) 200-240 V (±10%), 50/60 Hz (±3 Hz), 8 A
Certification	
Safety	IEC 60950-1+A1+A2 and IEC 62368-1 2nd ed. compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 and 62368-1 compliant); Russia, Belarus, and Kazakhstan (EAC); China (CCC)
Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCCI), Korea (KC)
Environmental	ENERGY STAR, EPEAT Registered, CE marking (including RoHS, WEEE, REACH). In compliance with WW RoHS materials restriction requirements in China, Korea, India, Vietnam, Turkey, Serbia, and Urraine
Warranty	90 days

Ordering information

Accessories	
4VW20A	HP PageWide XL Pro 8200 40-in Multifunction Printer

HP PageWide XL Drawer HP PageWide XL Pro Stacker HP PageWide XL Pro Sheet Feeder HP PageWide XL PostScript/PDF Upgrade Kit HP PageWide XL Folder Upgrade Kit for Long Plots 8SB02A 8SB04A 8SB05A 8SB07A 8SB09A

8SF70A HP F70 Folder 8SW00A HP SmartStream USB Preflight Manage

Her Sindfotteient uso Prettigit Henoiger He SmartStream Preflight Manager He SmartStream Print Controller USB for HP PageWide XL Pro 5/8000 Printer series HP SmartStream Print Controller for HP PageWide XL Pro 5/8000 Printer series HP SmartStream Print Controller Upgrade for HP PageWide XL Pro Printer series 8SW00AE 8SW05A 8SW05AAE 8SW07AAE HP SmartTracker USB for HP PageWide XL Pro 5/8000 Printer series HP SmartTracker for HP PageWide XL Pro 5/8000 Printer series HP PageWide XL Top Stacker 8SW15A 8SW15AAE CZ320B

Original HP printing supplies

Product

HP 869B 3-liter Magenta PageWide XL Pro Ink Cartridge 3EE00A HP 8698 3-liter Magenta PageWide XL Pro Ink Cartridge HP 8698 3-liter Cyan PageWide XL Pro Ink Cartridge HP 8698 3-liter Cyan PageWide XL Pro Ink Cartridge HP 8698 3-liter Black PageWide XL Pro Ink Cartridge HP 874/876 PageWide XL Cleaning Container HP 876 PageWide XL Pro Printhead HP 841/874/876 PageWide XL Maintenance Cartridge 3EE01A 3EE02A 3EE03A 3WW73A 3WW75A 3WW99A

Original HP large format printing materials

HP Universal Bond Paper, 3-in Core (FSC® certified)⁷ (recyclable)⁸ HP Production Matte Poster Paper, 3-in Core (FSC® certified)⁷ (recyclable)⁸ HP Production Sain Poster Paper, 3-in Core (FSC® certified)⁷ (recyclable)⁸ HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified)⁷ (recyclable)⁸ HP Matte Polypropylene, 3-in Core

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

ECO highlights

- ENERGY STAR® 3.0 compliant, less energy; EPEAT® certified/environmentally preferred product ¹ Local HP Eco-Carton outer carton recycling² HP PageWide X, prints are recyclable, returnable, or non-hazardous and safe for disposal³ Inks are UL ECOLOGO® Certified and verified for Nordic Swan Ecolabeled printing companies⁴

Please recycle printing hardware and eligible printing supplies. Find out how at our website: http://www.hp.com/ecosolutions

PLENERGY STAR® 3.0 compliant for less energy use. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. EPEAT as of April, 2021. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.upeat.net for registration status by country. See http://www.peat.net for registration status by country.

3 his his cartingle HP Eco-Cartino outer carton is 100% recyclable through local cardboard/paper programs.

3 Most HP large format paper-based printing materials can be recycled through commonly available recycling programs, or according to region-specific practices. Some HP media are eligible for return through the free, convenient HP Large Format Media take-back program. Programs may not exist in your area. See http://www.HPLEMedia.com/hp/ecosolutions for details. HP large format printing materials, both unprinted and printed with Original HP PageWide XL pigment inks, are non-hazardous and safe for disposal. Contact your local waster management authority for local area-specific instructions.

4 For certifications, see http://www.ul.com/EL

- 1 ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F). 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Matte Polypropylene and HP PageWide XL pigment inks.
 42.0 mm (16.5 in) supported only in boards.
 42.0 mm (16.5 in) supported only in boards.
 43.4 (Arch B and ANS 18) supported depending on the accessories installed.
 43.4 (Arch B and ANS 18) supported only in boards.
 43.4 (Arch B and ANS 18) supported only in boards.
 43.4 (Arch B and ANS 18) supported only in boards.
 43.6 (Arch B and ANS 18) supported only in boards.
 45.6 (Arch B and ANS 18) supported only in boards.
 46.7 (Arch B and ANS 18) supported only in boards.
 47.6 (Arch B and ANS 18) supported only in boards.
 48.6 (Arch B and ANS 18) supported only in boards.
 48.6 (Arch B and ANS 18) supported only in boards.
 48.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) supported only in boards.
 49.6 (Arch B and ANS 18) sup























