Data sheet

HP PageWide Enterprise Color 765dn



The new printing paradigm

Modern business demands forward-thinking technology – it's why HP engineered the next generation of HP PageWide Enterprise to deliver a competitive edge from every angle: HP's lowest colour cost, maximum uptime, and the HP's strongest security.²

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: http://www.hp.com/go/learnaboutsupplies





The HP's lowest cost for colour

- Get the quality you expect with HP PageWide Technology that delivers the HP's lowest cost per colour page.¹
- Print more pages and replace cartridges less often with optional high-yield cartridges.
- Print even faster and save even more per page by setting this printer to General Office mode.⁴
- Help keep energy costs down with the HP's most efficient printer in its class.5

Minimal interruptions. Maximum uptime.

- Minimise interruptions with an HP PageWide device designed for the least maintenance in its HP class.⁶
- Print speeds as fast as 75 ppm in colour and black-and-white.7
- Tailor this printer to the needs of your business with a wide range of paper-handling accessories.
- Grab pages and go without waiting. This device wakes up and prints fast, so your documents are ready quickly.

The HP's most secure printing²

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Protect information on the printer and in transit over the network and store data on a encrypted hard disk.⁸
- Monitor activity to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code digitally signed by HP.









Product walkaround

HP PageWide Enterprise Color 765dn shown

- 1. 10.9 cm (4.3-inch) pivoting colour touchscreen
- 2. Hardware Integration Pocket
- 3. Easy-access USB printing
- 4. 100-sheet multipurpose tray 1 supports media up to 305×457 mm (12×18 inches)
- 5. 550-sheet tray 2 supports media up to $297 \times 432 \text{ mm}$ (11.7 x 17 inches)
- 6. 500-sheet output bin
- 7. Front door access to cartridges
- 8. Automatic two-sided printing
 9. Host USB port, Ethernet network port, Hi-speed USB 2.0 printing port



Accessories. Supplies and Support

| Accessories | P1V16A HP PageWide Managed 550-sheet Paper Tray |
|---------------------|---|
| | P1V17A HP PageWide Managed 550-sheet Paper Tray and Cabinet |
| | P1V18A HP PageWide Managed 3x550 sheet Paper Tray and Stand |
| | P1V19A HP PageWide Managed 4000 sheet High-capacity Paper Tray and Stand |
| | W1B43A HP PageWide Printhead Wiper Kit |
| | W1B44A HP PageWide Service Fluid Container |
| | W1B45A HP PageWide Roller Kit |
| Supplies | TOB26A HP 982A Black Original PageWide Cartridge ~10,000 pages |
| | TOB23A HP 982A Cyan Original PageWide Cartridge ~8,000 pages |
| | TOB24A HP 982A Magenta Original PageWide Cartridge ~8,000 pages |
| | TOB25A HP 982A Yellow Original PageWide Cartridge ~8,000 pages |
| | TOB30A HP 982X High Yield Black Original PageWide Cartridge ~20,000 pages |
| | TOB27A HP 982X High Yield Cyan Original PageWide Cartridge ~16,000 pages |
| | TOB28A HP 982X High Yield Magenta Original PageWide Cartridge ~16,000 pages |
| | TOB29A HP 982X High Yield Yellow Original PageWide Cartridge ~16,000 pages |
| Service and support | U9RM8E HP 3 year Next Business Day Service with Defective Media Retention for PageWide Colour 76x |
| | U9RM9E HP 4 year Next Business Day Service with Defective Media Retention for PageWide Colour 76x |
| | USRNOE HP 5 year Next Business Day Service with Defective Media Retention for PageWide Colour 76x |
| | USRN7PE HP 1 year Post Warranty Next Business Day Services with Defective Media Retention for PageWide Colour 76x |
| | U9RN8PE HP 2 year Post Warranty Next Business Day Services with Defective Media Retention for PageWide Colour 76x |

Technical specifications

| Model | HP PageWide Enterprise Color 765dn |
|-----------------------------|--|
| Product number | J7Z04A |
| Functions | Print |
| Control panel | 10.92 cm (4.3 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket |
| Print | · |
| Print technology | PageWide |
| Print speed | Black (A4, ISO): Up to 55 ppm; Colour (A4, ISO): Up to 55 ppm; Black (A4, duplex): Up to 38 ppm; Colour (A4, duplex): Up to 38 ppm; Black (General Office): Up to 75 ppm; Colour (General Office): Up to 75 ppm |
| First page out ¹ | Black (A4, ready): As fast as 6.7 sec; Colour (A4, ready): As fast as 6.7 sec; Black (A4, sleep): As fast as 14.6 sec; Colour (A4, sleep): As fast as 14.6 sec |

| Model | HP PageWide Enterprise Color 765dn |
|---------------------------------|---|
| Product number | J7Z04A |
| Print resolution | Black (best): Up to 1200 x 1200 optimised dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Colour (best): Up to 2400 x 1200 optimised dpi from 600 x 600 input dpi (on HP Advanced Photo Papers) |
| Monthly duty cycle | Up to 125,000 pages (A4); Recommended monthly page volume: 2,500 to 25,000 |
| Printer smart software features | HP SureStart; Run-time Intrusion detection; Whitelisting; HP Trusted Platform Module; HP JetAdvantage Security Manager; HP Web Jetadmin; Open Extensibility Platform; FutureSmart Firmware; HP ePrint; Apple AirPrint™; HP Auto-On/Auto-Off technology; HP Colour Access Control; HP EasyColour; Front-facing USB printing; Store print jobs; Print preview; Automatic two-sided printing; Print multiple pages per sheet (2, 4, 6, 9, 16); Collation; Booklet printing; Cover pages; Tray selection; Scaling; Portrait/Landscape orientation; High Quality Grayscale and Black Ink Only; General Office/Professional/Presentation dpi print modes; Optional: HP and third party extensibility solutions; Wireless |
| Standard print languages | HP PCL 6; HP PCL 5c; HP postscript level 3 emulation; PDF 1.7 |
| Fonts and typefaces | 105 internal TrueType fonts scalable in HP PCL; 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts |
| Print area | Print margins: Top: 4.23 mm (Default), 2 mm Edge-to-Edge mode, Bottom: 4.23 mm (Default), 2 mm Edge-to-Edge mode, Right: 4.23 mm (Default), 2 mm Edge-to-Edge mode, Right: 4.23 mm (Default), 2 mm Edge-to-Edge mode; Maximum print area: 296.5 x 448.7 mm |
| Borderless Printing | No No |
| Print cartridges number | 4 (1 each black, cyan, magenta, yellow) |
| Memory card compatibility | 144-pin DDR3 DIMM |
| Duplex printing | Automatic (standard); Manual (driver support provided) |
| Processor speed | 1.2 GHz |
| Connectivity | |
| Standard | 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket |
| Wireless | Optional, enabled with purchase of a hardware accessory |
| Mobile printing capability | HP ePrint, Apple AirPrint™, Google Cloud Print |
| Supported network protocols | IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print |
| Network capabilities | Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard) |
| Memory | Standard: 1536 MB ² ; Maximum: 2560 MB |
| Paper handling | |
| Number of paper trays | Standard: 2; Maximum: 5 |
| Media types | Paper (Plain, Inkjet, Inkjet Brochure/Glossy), Photo Paper, Envelopes, Labels, Cards |
| Media size | Custom (metric): Tray 1: 99.1 x 127 to 304.8 x 457.2 mm; Tray 2 to 5: 210.1 x 148.1 to 297.2 x 431.8 mm; HCl Trays 3 & 4: A4 Supported (metric): A3, A4, A4-R, A5, A5-R, A6, RA3, RA4, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8k (260 x 368 mm), 16k (184 x 260 mm), 8k (273 x 394 mm), 16k (197 x 273 mm), 0fficio 216 x 340 mm |
| Media handling | Standard input: 100-sheet multipurpose tray, 550-sheet input tray Standard output: 500-sheet output bin Optional input: 1 x 550/tray (A3/A4), 1 x 550/stand (A3/A4), 3 x 550/stand (A3/A4), HCI (2 x 2,000 sheet A4) |
| Media weight | Tray 1: 60 to 220 g/m², 300 g/m² Photo Paper Only; Trays 2 to 5: 60 to 220 g/m²; HCI trays 3 & 4: 60 to 220 g/m² |
| Input capacity | Standard: Up to 650 sheets (MP: Up to 100 sheets; Tray 2: Up to 550 sheets) Maximum: Up to 4,650 Sheets |
| Output capacity | Standard: Up to 500 sheets Envelopes: Up to 50 envelopes Labels: Up to 200 sheets Cards: Up to 200 cards Maximum: Up to 500 sheets |
| Software included | HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to http://www.123.HP.com or OS App Source for printer software), online user manuals |
| Security management | Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and third-party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List, HP Trusted Platform Module (TPM) comes standard; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions, 18 Intrusion Detection with Red Balloon Security Technology (Constant in-device monitoring for attacks), HP Sure Start Secure Boot (BIOS integrity checking with self-healing capability), Whitelisting (loads only known good code (DLLs, EXEs, etc.); Security Management: Compatible with HP JetAdvantage Security Manager, 21 Device Security Syslog Messages processed and accessible in ArcSight and Splunk SIEMs; For more security settings go to http://h10032.www1.hp.com/ctq/Manual/c03602120 |
| Printer management | HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for |
| | HP Universal Print Driver |

| Model | HP PageWide Enterprise Color 765dn |
|-----------------------------------|--|
| Product number | J7Z04A |
| Dimensions and Weight | |
| Printer dimensions (W x D x H) | Minimum : 813 x 591 x 458 mm; Maximum : 896 x 591 x 534 mm |
| Package dimensions (W x D x H) | 790 x 760 x 651 mm |
| Printer weight | 45.6 kg |
| Package weight | 56.7 kg |
| Operating environment | Temperature: 15 to 30°C; Humidity: 30 to 70% RH |
| Storage | Temperature : Before initial setup (Non-Purged): -40 to 60°C; After initial setup (Purged): 0 to 60°C. If stored below the lowest specified operating temperature, unit must slowly warm up to an approved operating temperature (HP recommends waiting 24 hours at approved operating temperature prior to using the printer). Humidity : 10 to 80% RH |
| Acoustics | Acoustic power emissions: 6.8 B(A) (printing at 56 ppm); |
| Power | Requirements: Input voltage: 100 to 240 VAC, 50/60 Hz; Consumption: 600 watts (printing), 17 watts (ready), 1.0 watts (sleep), 1.0 watts (auto-off/auto-on), 0.3 watts (manual-off), 0.3 watts (auto-off/manual on); Typical Electricity Consumption (TEC) ³ : Blue Angel: 1.340 kWh/Week; Energy Star: 1.330 kWh/Week; Power supply type: Internal (Built-in) power supply |
| Energy savings feature technology | HP Auto-on/Auto-off Technology |
| Certifications | CISPR 22:2008 Class A; CISPR 32:2012 Class A; EN 55032:2012 Class A; EN 61000-3-3:2013; EN 61000-3-2:2014 |
| Compatible operating systems | Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS mac, OS 10.12 Sierra, OS X 10.11 El Capitan, OS X 10.10 Yosemite, UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows 8/8.1 all 32/64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) |
| Minimum system requirements | Windows: 2 GB available hard disk space, OS hardware requirements see http://www.microsoft.com; Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see http://www.Apple.com for more info |
| Country of origin | Made in Malaysia |
| What's in the box | HP PageWide Enterprise Colour 765dn; HP Setup Ink Cartridges (yield after setup 8,000 pages for CMY and 10,000 pages for Black); Installation guide; Support flyer; Documentation on CD-ROM; Power cord |
| Warranty | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. |

Footnotes

1 HP's lowest cost per colour page claim applies to devices that are not sold under contract: Comparison of HP PageWide A3 devices with the majority of HP colour ink/laser MFPs (€3,000-€7,499), and colour ink/laser single function printers (€1,500-€2,999) as of January/February 2017. Cost per page (CPP) reported by gap intelligence Pricing & Promotions Report January/February 2017, comparisons for devices/supplies not sold under contract are based on published specifications of the manufacturers' highest-capacity cartridges, inclusive of long life consumables and page yield. Average HP yield based on ISO/IEC 24711 and continuous printing in default mode. Actual yield varies based on content of printed pages and other factors. For more information, see http://www.hp.com/go/learnaboutsupplies.

² Based on HP review of 2016 published security features of HP in-class printers. HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot.

³ High-yield cartridges are not included in printer purchase; purchase separately. Comparison is based on ISO 24711 cartridge yields for HP 982X series High-Yield Original PageWide Cartridges compared with HP 982A series Original PageWide Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies.

Comparison based on printing in Professional Mode.

5 Energy claim based on TEC data reported on energystar, goy as of March 2017. Data normalised to determine energy efficiency of HP in-class A3 colour laser printers (€1.500-€2.999) and MFPs (€3.000-€7.499) as of February 2017, excluding other HP PageWide products. Subject to device settings. Actual results may vary.

⁶ Fewer service parts claim based on BLI analysis of HP in-class A3 MFPs as of August 2016; calculations use publicly available and/or published manufacturer rated yields for long-life consumables and assume 600,000 pages printed (using a 60% black/40% colour ratio).

⁷ Comparison of HP PageWide A3 devices with the majority of HP in-class colour ink/laser MFPs (€3,000-€7,499), and colour ink/laser single function printers (€1,500-€2,999) as of April 2017. HP PageWide speeds based on General Office mode and exclude first page.

Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity.

Technical specifications disclaimers

- ¹ As fast as 7.5 sec ² Upgradeable to 2560 MB with optional DIMM
- Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.















The product could differ from the images shown. © Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

