



**STATE OF MARYLAND**


**1987**

**HIGHWAY LOCATION REFERENCE**

**VOLUME 2  
HARFORD Co. thru WORCESTER Co.**



Published by  
*Maryland Department of Transportation*  
STATE HIGHWAY ADMINISTRATION



## GENERAL INFORMATION

This highway reference is arranged sequentially by county and by route number. Included are all State maintained highways, spurs, and service roads.

Milepoints for concurrent posted routes are included under each pertinent route number.

The State System is aggregated into primary and secondary by rural and urban designation.

The Federal System is aggregated into the various Federal-Aid Systems by rural and urban designation. This is the functionally realigned system approved as of July 1, 1980.


Highways may be listed as undivided, divided or channelized by full, partial, or no control of access.

Milepoints are established for junctions of all State highways, structures, railroad crossings, automatic traffic recording stations and municipal boundaries.

The total marked lanes are listed including the travelled-way surface widths. Surface type codes are explained at the bottom of each page.

The average annual daily traffic is for the year 1986.

This reference represents only a portion of the data included in the Highway Information System. Additional data may be obtained by directing your request to the Bureau of Highway Statistics.



## STATE HIGHWAY LOCATION REFERENCE


### Introduction

This highway reference was established through the combined efforts of the State Highway Administration and the DOT Data Center working together to provide a method for uniquely identifying roadway locations (milepoints), and also to provide data elements that are most commonly requested.

With the ever increasing use of the computer and a growing realization of its capabilities to store and analyze data, it is essential that data relating to the highways be keyed to a common reference system in order that procedures for useful comparisons can be made related to the characteristics of the highways, government and administrative jurisdictions, geographic locations, program expenditures, traffic, services, etc. As new programs are proposed and implemented to deal with complex problems, needs for new kinds of information providing additional relationships become apparent and the use of a common reference system will provide detail and comparison of data necessary for planning, developing programs and managing the highway activities.

Since the use of the photolog has become increasingly important and is currently being utilized more frequently by SHA personnel to collect and analyze data, this Location Reference will provide information concerning the section of highway being viewed and is easily related due to the identifying roadway location (milepoints) used as the controlled key on each picture being the same as this listing.

This reference is based on conditions as of January 1, 1987. At present, procedures for incorporating changes, additions, deletions, etc. on a current basis are not available. The reference data will be updated on an annual basis with all data being based as of January 1st of each year. A corrected file showing all changes that occur during the year will be maintained by the Bureau of Highway Statistics.




FEDERAL AID SYSTEM CLASSIFICATION CODES

<u>CODE</u>	<u>DESCRIPTION</u>
FAI	Federal Aid Interstate
FAP	Federal Aid Primary
FAS	Federal Aid Secondary
FAU	Federal Aid Urban
NFA	Non-Federal Aid

FEDERAL FUNCTIONAL CLASSIFICATION CODES

<u>CODE</u>	<u>DESCRIPTION</u>	<u>CODE</u>	<u>DESCRIPTION</u>
	<u>Rural</u>		<u>Urban</u>
01	Principal Arterial - Interstate	11	Principal Arterial - Interstate
02	Principal Arterial - Other	12	Principal Arterial - Other
06	Minor Arterial		Freeways or Expressways
07	Major Collector	14	Other Principal Arterial
08	Minor Collector	16	Minor Arterial
09	Local	17	Collector
		19	Local






1987

*HIGHWAY LOCATION REFERENCE*

**HARFORD  
COUNTY**

PENNSYLVANIA



HARFORD COUNTY

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 1  
INVENTORY DIRECTION....NORTH  
NAME: BELAIR RD

PAGE..... 1  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT		
....STATE....	..FEDERAL...	CLASS	CTL							
SECONDARY	R	FAP	281 R 2	UNDIVIDED	NONE	.00	BALTIMORE CO/L	4	44I	14,925
						.00	STRUC #3001 L GUNPOWDER RIVER			
						1.35	M00152 FALLSTON RD			
				DIVIDED		1.42				23,325
				UNDIVIDED		1.61				
				DIVIDED		2.59				
		123			FULL	2.67	M00147 HARFORD RD	4	50I	
						2.67	US00018U BELAIR RD			
						2.74		4	48I	
						3.24		3	36I	
				UNDIVIDED		3.59		2	24I	
						3.63	STRUCTURE #12065 WINTERS RUN			
						4.07		3	36I	
						4.11	C00226 TOLLGATE RD STRUC #12066	2	24I	
						5.06				
			U	14		5.35	C00214 MOORES MILL RD STRUC #12067			
PRIMARY						6.15	M00024 ROCK SPRINGS RD STRUC #12015			7,075
						6.90		2	16I	
						7.15		2	26I	
					NONE	7.19	US00018U CONOWINGO RD	2	24I	
			R	2		7.42	M00023 GRANARY RD			
						7.82				
				DIVIDED		8.27		2	28I	18,275
				UNDIVIDED		8.32		3	36I	
						8.38	M00543 AOY RD	3	34I	7,500
						8.43		2	24I	
						12.29	STRUCTURE #12002 DEER CREEK			
						14.35	M00136 WHITFORO RD			6,600
						16.15				6,700
						16.40	M00440 DUBLIN RD			
						17.98	M00161A MO 161 SPUR			
						18.03	M00161 OARLINGTON RD			
						18.21	M00623 CASTLETON RD			
						18.31		3	36I	
						19.79		2	36I	
						19.99		2	28I	
						20.12	STRUC #12001 SUSQUEHANNA RIVER			
						20.12	CECIL CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 18U  
INVENTORY DIRECTION....NORTH  
NAME: BELAIR RD

PAGE..... 2  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM		FUNC		HWY		ACCESS		MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AADT	
STATE	FEDERAL	CLASS	TYPE	CTL									
SECONDARY	R	FAP	28I	R	6	DIVIDED	NONE	.00	MDDI47	HARFORD RD (BACK)	4	48I	22,390
						UNDIVIDED		.00	US000I	BELAIR BY-PASS	4	43I	
				U	14			.04		STRUCTURE #12004 WINTERS RUN	4	34I	
								.87			3	45I	
								.88			3	56I	
								1.43			3	60I	23,225
								1.68		IN CORP LMTS BELAIR	4	48I	
								1.70			5	44I	
						DIVIDED		1.75			4	25I	
						UNDIVIDED		1.98			2	29I	
								2.58		US 18U & MD 24 SB/L (BOND ST)	3	25I	
								2.65	MDD024	S MAIN ST (AHEAD)	3	28I	9,275
								2.65	MDD022	CHURCHVILLE RD	2	25I	
		FAU	3632		16			3.22	MDD024	N MAIN ST (BACK)	2	29I	
								3.30			2	25I	
								3.57			2	25I	
								3.68			2	24I	
								3.76			2	24I	
								3.94		OUT CORP LMTS BELAIR	2	24I	
					17			4.35					
								5.21	US000I	BELAIR BY-PASS			

ROUTE NUMBER.....MD 7  
INVENTORY DIRECTION....NORTH  
NAME: PHILADELPHIA RD

SECONDARY	R	FAU	32I7	U	16	UNDIVIDED	NONE	.00		BALTIMORE CO/L	2	20I	3,975
								.00		STRUC #3012 L GUNPOWDER FALLS			
								2.05	MDDI52	MOUNTAIN RD			
								2.31					3,925
								3.70		STRUCTURE #12011 WINTERS RUN			
								4.03	MDD0755	EDGEWOOD RD			8,075
								4.51	MDD0024	EDGEWOOD RD			
		FAS	1259	R	7			6.16					
								7.11		STRUCTURE #12010 BYNUM RUN			
								7.28	MDD136	CALVERY RD			4,675
								7.56		STRUCTURE #12009 JAMES RUN			
								8.43					3,400
								9.08	MDD543A	CRESWELL RD			
								10.27		STRUCTURE #12008 GRAYS RUN			
								10.88		STRUC#12007 R/R #80 I40 805 F			
								10.96					4,550

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 7 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: PHILADELPHIA RD

PAGE..... 3  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM		FUNC		HWY		ACCESS		MILEPOINT		MILEPOINT DESCRIPTION		MARKED	SURFACE	AADT
STATE	FEDERAL	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT	DESCRIPTION	LANES	WIDTH	TYPE*	AADT			
SECONDARY	R	FAS	1259	R	7	UNOIVED	NONE	11.22	US0040	PULASKI HWY	2	20I	4,550	
								11.22	MO0159	PERRYMAN RD (AHEAD)				

ROUTE NUMBER.....MO 7A  
INVENTORY DIRECTION....NORTH  
NAME: OLD POST RD

SECONDARY	R	FAU	8103	U	16	DIVIDED	NONE	.00	US0040	PULASKI HWY	4	48I	10,100
						UNOIVED		.03			2	24I	
						DIVIDED		.12		STRUC#12073 R/R #ATK 530 698 V			
								.22					
	U							.52		IN CORP LMTS HAVRE DE GRACE			
								.54			2	30I	
								.74			2	24I	
								.82			2	27I	
								.93		R/R #CR 530 740 S			
						UNOIVED		1.10			2	35I	
								1.46	MO0490	UNION AVE	2	40I	
								2.03			2	38I	
								2.07			4	52I	
								2.10		R/R #ATK 530 705 D			
								2.12			2	38I	
								2.21			2	37I	
								2.66	US0040	PULASKI HWY			
								2.66	MO0155	OHIO ST (AHEAD)			

ROUTE NUMBER.....MO 22  
INVENTORY DIRECTION....EAST  
NAME: CHURCHVILLE RD

SECONDARY	U	FAP	281	U	14	DIVIDED	NONE	.00	MO0024	S MAIN ST	5	68I	19,925
								.00	US0001BU	BELAIR RD (BACK)			
								.04			5	60I	
								.12			4	78I	
								.25			4	69I	
	R					UNOIVED		.30		OUT CORP LMTS BELAIR	5	61I	
						DIVIDED		.38			4	62I	
						UNOIVED		.48			2	24I	
								1.06		STRUCTURE #12012 BYNUM RUN			
								1.92			2	36I	
				R	2			2.05	MO0543	FOUNTAIN GREEN RD	3	36I	19,625
								2.12			2	24I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 22 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: CHURCHVILLE RD

PAGE..... 4  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	CTL					
SECONDARY	R	FAP	281 R 2	UNOIVED	NONE	3.40		19,625
						3.59	34I	18,225
						4.10	24I	
						4.50		
						5.43		
			126			5.50	2	38I
						5.54	2	43I
						5.58		14,325
						6.32	2	9,725
						9.82		15,250
			U 12			9.91		
						10.06	4	48I
						10.30		
						10.84	4	50I
						10.95	6	68I
						11.01	4	48I
						11.78		17,250
						11.84		
						11.90		20,925
						12.23		
						12.85		
						12.91		
						13.04		

ROUTE NUMBER.....MD 23  
INVENTORY DIRECTION....NORTH  
NAME: JARRETTSVILLE RD

SECONDARY	R	NFA	R 9	UNOIVED	PART	.00	US0001	BELAIR BY-PASS	2	24I	2,975
		FAP	278			.35					
						1.88	M00024	MAIN ST			6,575
						4.72	C00062	PHILLIPS MILL RD STRUC#12063			5,325
						4.75					
						5.66	C00066	MORSE RD STRUC#12064			
						6.69	M00165	BALOWIN MILL RD (AHEAD)			
						7.97	M00165	BALOWIN MILL RD (BACK)	2	22I	5,600
						9.44					4,000
						10.32	M00146	DULANEY VALLEY RD			4,100
						12.54	M00138	TROYER RD			1,900
						13.27					1,500
						13.76	M00439	OLD YORK RD			1,700
						16.48		STRUCTURE #12014 DEER CREEK			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 23 CONTINUED  
INVENTORY DIRECTION.....NORTH  
NAME: JARRETTVILLE RD

PAGE..... 5  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT
STATE	FEDERAL	CLASS	TYPE	CTL			LANES	WIDTH/TYP*	
SECONDARY	FAS	1237	R 7	UNOIVED	NONE	18.46 MDD136 WHITFORD RD	2	21I	1,800
						20.46 PENNSYLVANIA ST/L			
ROUTE NUMBER.....MD 24									
INVENTORY DIRECTION.....NORTH									
NAME: EDGEWOOD RD									
SECONDARY	FAP	282	U 14	UNOIVED	PART	.00 ENT EDGEWOOD ARSENAL	2	24I	11,575
						.04 STRUC #12071 R/R #ATK 530 695 A	3	36I	15,150
						1.63			
						1.72 MDD755 EMMORTON RD	2	24I	
						1.89			
						2.02 US0040 PULASKI HWY STRUC#12062			
						2.14 STRUCTURE #12042 WINTER RUN			
						2.54 STRUC #12070 R/R #B0 140 810 C			
PRIMARY						2.82 M00007 PHILADELPHIA RD			20,550
						3.27 M00755 EMMORTON RD			
	FAU	3628	17		NONE	3.61 IS0095 J F K MEM HWY STRUC #HX 095			21,000
			16			5.12			
			17			5.19			
			16			6.13 M00024C OLD EMMORTON RD			
						7.07			
						8.29			16,750
						9.00			17,750
						9.10	3	36I	
						9.12			
						9.23			
						9.32	2	24I	
						9.35	4	56I	
						9.48	6	70I	
						9.48	5	58I	
						9.51	5	64I	
			14			9.57 US00018U BELAIR RD	7	85I	
						9.63 M00022 CHURCHVILLE RD			
						9.90	4	70I	
						10.07	2	40I	
						10.14 US00018U W BROADWAY	2	34I	
						10.21	2	40I	
						10.63	2	41I	
						10.69			
						10.69			
						11.12	2	38I	
						11.26	2	24I	
SECONDARY	FAP	282				11.46 US0001 BELAIR RD STRUC #12015			14,625

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 24 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: EDGEWOOD RD

PAGE..... 6  
DATE.....12/31/96  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM		FUNC	HWY	ACCESS			MARKED	SURFAC <sup>4</sup>			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	..... MILEPOINT DESCRIPTION .....	LANES	WIDTH/TYPE*	AADT		
SECONDARY	R	FAP	282	U 14	DIVIDED	NONE	11.61		2	29I	14,625
					UNDIVIDED		11.64		3	53I	
							11.68		4	48I	
					DIVIDED		11.72				
							11.77		2	24I	
					UNDIVIDED		11.82				
							11.94				
	FAS	1247	R	7		MDD23	JARRETTSVILLE RD		2	26I	1,600
							13.26		2	2DI	
							13.74				
							14.15				
							16.35	STRUCTURE #12018			
							17.32	STIRRUP RUN			1,900
							18.09	STRUCTURE #12017			
							18.78	KELLOGG BRANCH			
							20.95	STRUCTURE #12016			
						MDD165	DEER CREEK				700
						MDD136	BALDWIN MILL RD				
							WHITEFORD-HARKINS RD				800
	NFA			8			23.39				
							25.08	PENNSYLVANIA ST/L			

ROUTE NUMBER.....MD 24C  
INVENTORY DIRECTION....EAST  
NAME: OLD EMMORTON RD

SECONDARY	R	NFA		R 9	UNDIVIDED	NONE	.00	C00245	OLD EMMORTON RD	2	22H	
							.02	MDD24	EMMORTON RD			

ROUTE NUMBER.....MD 24UL  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSED

SECONDARY	R	FAP	282	U 12	DIVIDED	NONE	.00	MDD24	EMMORTON RD	4	48I	999
							6.30	USDD1	BELAIR BY-PASS			

ROUTE NUMBER.....US 40  
INVENTORY DIRECTION....EAST  
NAME: PULASKI HWY

SECONDARY	R	FAP	125	U 14	DIVIDED	NONE	.00		BALTIMORE CO/L	4	48I	25,250
							.00		STRUC #3034 L			
							.04		GUNPOWDER FALLS	4	48J	
							.17			4	48I	
							1.96			4	48J	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: PULASKI HWY

PAGE..... 7  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT		DESCRIPTION	MARKED	SURFACE	AAOT			
STATE	FEDERAL	CLASS	TYPE	CTL				LANES	WIDTH/TYPE*				
SECONDARY	P	FAP	125	U	14	DIVIDED	NONE	2.12	MDD152	MOUNTAIN RD	4	48I	28,075
								3.62			4	40J	
								3.79	MDD755	EMMDRTON RD	4	48I	
								3.97			4	24I	
								4.02	MDD024	EMMDRTON RD STRUC#12062			
								4.12		STRUCTURE #12028 WINTERS RUN	4	48I	
								4.43		STRUCTURE#12027 WINTERS RUN BRANCH			
				R	2			6.35					
								7.26		STRUCTURE #12026 BUSH RIVER			19,369
								8.10			4	48J	
								8.26			4	48I	19,000
								9.47		STRUCTURE #12025 CHURCH CREEK			
								10.55			4	48J	
								10.71	MDD007	PHILADELPHIA RD	4	48I	
								10.71	MDD159	PERRYMAN RD			
	U				U	14		11.03		IN CORP LMTS ABERDEEN			
								11.03		STRUCTURE #12024 CRANBERRY RUN			
								11.40	MDD715	SHORT LA			
								11.52	MDD715	SHORT LA STRUC#12023			
								11.77					27,525
								12.93			4	48J	
								13.10	MDD132	W BELAIR AVE	4	48I	23,525
								13.58		STRUCTURE #12069 SWAN CREEK			
								13.61	MDD022	ABERDEEN THRUWAY STRUC#12035			23,425
	R							13.95		OUT CORP LMTS ABERDEEN			
								14.60		STRUCTURE #12022 SWAN CREEK			
				R	2			14.76					
								14.86	MDD132	BELAIR RD			
					U	14		15.84					
								16.12			4	48J	
								16.30	MDD007A	OLD POST RD	4	48I	
	U							16.81		IN CORP LMTS HAVRE DE GRACE			
								17.50			6	48J	
								17.68	MDD155	OHIO ST	4	48I	
								17.68	MDD007A	DSTEGO ST			
								17.77			4	71J	
								17.87			4	50J	
								17.89		END STATE MAINTENANCE			
								17.89		BEGIN TOLL MAINTENANCE			
						UNDIVIDED		17.99			4	46J	20,160
								18.02	MDD763	SUPERIOR ST			
								18.24		STRUC #12021 SUSQUEHANNA RIVER			

\* A,B = UNIMPRVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION PREFERENCE

ROUTE NUMBER.....US 40 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: PULASKI HWY

PAGE..... 8  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM		FUNC	HWY	ACCESS					MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT
SECONDARY	U FAP	125 U 14	UNDIVIDED	NONE	18.61			CECIL CO/L	4	46J	20,160
<p>ROUTE NUMBER.....IS 95 INVENTORY DIRECTION....NORTH NAME: J F K MEM HWY</p>											
PRIMARY	R FAI	95 R 1	DIVIDED	FULL	.00			BALTIMORE CO/L	6	72I	72,000
					.00			STRUC #BX 055 L GUNPOWDER FALLS			
					.00			TOLL MAINTENANCE			
					.82	C00260		OLD JOPPA RD STRUC#HX 064			
					1.59	C01329		OLD MOUNTAIN RD STRUC#HX 071			
					1.69	M00152		MOUNTAIN RD STRUC#HX 072			
					2.46	C00283		CLAYTON RD STRUC#HX 080			
		U 11			3.28						
					3.29			STRUCTURE #HX 088 WINTERS RUN			
					4.04	M00024		EMMORTON RD STRUC#HX 095			56,999
		R 1			5.46	C01044		ABINGOON RD STRUC#HX 110			
					6.62			STRUCTURE #HX 125 BYNUM RUN			
					6.81	M00136		CALVERY RD STRUC#HX 123			
					7.10			STRUCTURE #HX 125 JAMES RUN			
					9.74	IS0095M		I 95 SERVICE RD			
					9.74	IS0095N		I 95 SERVICE RD			
					9.58	IS0095N		I 95 SERVICE RD			
					9.71	IS0095M		I 95 SERVICE RD			
					10.93	C00330		STEPNEY RD STRUC#HX 164			
					12.17	M00027		CHURCHVILLE RD STRUC#HX 175			48,408
					12.90			STRUCTURE #HX 183 CARSINS RUN			
					13.17	C00392		MAXA RD STRUC#HX 187			
					13.59			STRUCTURE #HX 191 SWAN CREEK			
					14.16	M00462		PARADISE RD STRUC#HX 196			
					15.10	C00411		CHAPEL RD STRUC#HX 206			
					15.69	C01065		EARLTON RD STRUC#HX 211			
					16.51	M00155		LEVEL RD STRUC#HX 220			
					16.98	C00180		LAPIDUM RD STRUC#HX 224			
					17.97				6	78I	
					18.39			STRUC #HX 240 SUSQUEHANNA RIVER			
					18.39			CECIL CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 95M  
INVENTORY DIRECTION....EAST  
NAME: I 95 SERVICE RD

PAGE..... 9  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	STATE		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
	R	NFA								
PRIMARY	R	NFA	R 9	UNDIVIDED	NONE	.00	IS0095 J F K MEM HWY	2	15I	
						.00	TOLL MAINTENANCE			
						.30		2	16I	
						.61		2	15I	
						.83	IS0095 J F K MEM HWY			

ROUTE NUMBER.....IS 95N  
INVENTORY DIRECTION....EAST  
NAME: I 95 SERVICE RD

PRIMARY	R	NFA	R 9	UNDIVIDED	NONE	.00	IS0095 J F K MEM HWY	2	15I	
						.00	TOLL MAINTENANCE			
						.26		2	16I	
						.57		2	15I	
						.96	IS0095 J F K MEM HWY			

ROUTE NUMBER.....MD 132  
INVENTORY DIRECTION....EAST  
NAME: WEST BELAIR AVE

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	CUL DE SAC	2	42I	11,275
	U					.02	IN CORP LMTS ABERDEEN			
						.10		2	48I	
						.15		2	36I	
		FAU 7104	16			.40	MD0132A HILL RD			
						.42		2	24I	
						.75		2	30I	
						1.16	MD0462 PARADISE RD			3,350
						1.48		2	42I	
						1.50	R/R #90 148 804 Y			
				DIVIDED		1.82		4	54I	
						1.83	US0040 PULASKI HWY			4,975
		7108		UNDIVIDED		1.86		4	29I	
						1.93		2	29J	
						2.01	STRUCTURE #12061			
						2.09		2	29I	
						2.16	MU1000 NORMAN AVE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BPICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 132A  
INVENTORY DIRECTION....NORTH  
NAME: HILL RD

PAGE..... 10  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT			
STATE	FEDERAL	CLASS	TYPE	CTL								
SECONDARY	U	FAU	7104	U 16	DIVIDED	NONE	.00	MOD132	WEST BELAIR AVE	5	53I	5,099
							.03			5	58I	
							.24	M00022	NORTHERN THRUWAY			

ROUTE NUMBER.....MD 132B  
INVENTORY DIPECTION....EAST  
NAME: W BELAIR AVE

SECONDARY	U	FAU	7104	U 16	UNDIVED	NONE	.00		ROAD END	2	24I	5,699
			7103				.16			2	30I	
							.25			2	25I	
							.39			2	27I	
					DIVIDED		.43			2	29I	
							.46	M00022	ABERDEEN THRUWAY	2	36I	8,799
					UNDIVED		.50			2	47I	
							.54			2	22I	
							.60			2	30I	
							.77			2	20I	
	R						.96		OUT CORP LMTS ABERDEEN			5,999
							1.56		STRUCTURE #12013 SWAN CREEK			
							1.86		STRUC #12061 R/R #ATK 530 697 N			
							1.89	US0040	PULASKI HWY			

ROUTE NUMBER.....MD 136  
INVENTORY DIRECTION....NORTH  
NAME: CALVERY RD

SECONDARY	R	FAS	1253	R 7	UNDIVED	NONE	.00	M00007	PHILADELPHIA RD	2	21I	4,525
							.18			2	24I	
							.33	IS0095	J F K MEM HWY STRUC#HX 123			
							.41			2	21I	
							2.41	M00543	CRESTWELL RD			3,025
							3.99		STRUCTURE #12034 JAMES RUN			
		FAP	283	6			4.54					2,525
							6.14			3	35I	
							6.19	M00022	CHURCHVILLE RD			
							6.22			2	21I	5,950
							7.87					4,100
							9.17		STRUCTURE #12033 DEER CREEK			
							11.77			4	39I	
							11.81	US0001	BELAIR RD			
							11.83			4	24I	4,600

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 136      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: CALVERY RD

PAGE..... 11  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT		MILEPOINT DESCRIPTION		MARKED	SURFACE	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL					LANES	WIDTH/TYPE*	
SECONDARY	R	FAP	283	R	6	UNOIVED	NONE	12.61			
								12.81	M00440	DUBLIN RD	4,600
								13.76			4,700
								13.92			
								14.26			4,100
								14.89			
								16.24	M00646	STRUCTURE #12032 BROAD CREEK PROSPECT RD	4,300
								17.92			
								18.46			
	FAS	1238						19.16	M00165	PYLESVILLE RD	2,200
								21.64	M00624	GRACETON RD	
								23.75	M00024	ROCK SPRINGS RD	700
								24.30			
								26.39			
								26.43			
								29.04			1,100
								30.04	M00023	STRUCTURE #12029 ISLAND BRANCH NORRISVILLE RD	

ROUTE NUMBER.....MO 138  
INVENTORY DIRECTION....EAST  
NAME: TROYER RD

SECONDARY	R	FAP	278	R	6	UNOIVED	NONE	.00		BALTIMORE CO/L	2	21I	1,599
								.93	M00023	NORRISVILLE RD			

ROUTE NUMBER.....MO 146  
INVENTORY DIRECTION....NORTH  
NAME: JARRETTSVILLE PIKE

SECONDARY	R	FAP	279	R	6	UNOIVED	NONE	.00		BALTIMORE CO/L	2	24I	9,425
								3.57	M00152	FALLSTON RD			4,100
								5.09			3	35I	
								5.14	M00023	NORRISVILLE RD			

ROUTE NUMBER.....MO 147  
INVENTORY DIRECTION....NORTH  
NAME: HARFORD RD

SECONDARY	P	FAS	1245	R	7	UNOIVED	NONE	.00		BALTIMORE CO/L	2	21I	6,525
								.00		STRUC #3090 L GUNPOWDER FALLS			
								.72					6,725
								1.87	M00152	FALLSTON RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; O,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 155      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: LEVEL RD

PAGE..... 13  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT	
STATE	FEDERAL	CLASS	TYPE	CTL			LANES	WIDTH/TYPE*		
SECONDARY	P	FAP	281	R	6	UNOIVED	NONE			
					2.74	M00155B	CROSSOVER	2	24I	9,025
					2.90	M00155A	CROSSOVER			
					3.12		PART			
					3.77	M00161	DARLINGTON RD			
					4.16	M00155C	CROSSOVER			
					4.46	M00156	ALOINO RD			8,225
					4.79	M00462	PARADISE AVE			
					6.56	IS0095	J F K MEM HWY STRUC#HX 220			9,625
					7.92			2	49I	
					8.19		IN CORP LMTS HAVRE DE GRACE	4	48I	
					8.69		R/R #80 140 792 G			
					8.72	M00763	SUPERIOR ST	2	18I	
					8.75			2	36I	
					9.09	M00007A	OSTEGO ST (AHEAD)			
					9.09	US0040	PULASKI HWY			

ROUTE NUMBER.....MD 155A  
INVENTORY DIRECTION....NORTH  
NAME: CROSSOVER

SECONDARY	R	NFA		R	9	UNOIVED	NONE		
					.00	C00388	MCCOMMONS RD	2	24H
					.01	M00155	LEVEL RD		

ROUTE NUMBER.....MD 155B  
INVENTORY DIRECTION....NORTH  
NAME: CROSSOVER

SECONDARY	R	NFA		R	9	UNOIVED	NONE		
					.00	C00388	MCCOMMONS RD	2	24H
					.03	M00155	LEVEL RD		

ROUTE NUMBER.....MD 155C  
INVENTORY DIRECTION....NORTH  
NAME: CROSSOVER

SECONDARY	R	NFA		R	9	UNOIVED	NONE		
					.00	C00414	PIDER LA	2	40H
					.02	M00155	LEVEL RD		

ROUTE NUMBER.....MD 156  
INVENTORY DIRECTION....EAST  
NAME: ALOINO RD

SECONDARY	R	NFA		R	9	DIVIDED	NONE			
					.00	M00022	CHURCHVILLE RO	4	28I	875

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCPETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS '1

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 156 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: ALDINO RD

PAGE..... 14  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	CTL					
SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.02		
						.06		
				8		2.50		
				9		2.60		
						3.18		
						3.36		
				3.91	MDD155	STRUCTURE #12038 SWAN CREEK CHURCHVILLE RD		1,100
						2	29I	875
						2	20I	

ROUTE NUMBER.....MD 159  
INVENTORY DIRECTION....NORTH  
NAME: PERRYMAN RD

SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00	ROAD END	2	21I	2,100
				8		.55				
		FAS 1261		7		1.95				
		NFA		8		3.21				
			U	17		4.39				
						4.51				
						4.73	USDD40			
						4.73	MDDDD7			
							STRUCTURE #12039 CRANBERRY RUN PULASKI HWY PHILADELPHIA RD (AHEAD)			

ROUTE NUMBER.....MD 161  
INVENTORY DIRECTION....NORTH  
NAME: DARLINGTON RD

SECONDARY	R	FAS 1255	R	7	UNDIVIDED NONE	.00	MDD155	LEVEL RD	2	25I	4,425
						.05			2	22I	
						2.24			2	20I	
						3.06		STRUCTURE #12040 DEER CREEK			
						3.98			2	22I	
						4.35			2	20I	2,500
						4.71			2	28I	
						4.86			2	20I	
						5.17	MDD623	CASTLETON RD			
						5.36	MDD161A	MD 161 SPUR			
						5.38	USDD01	CONOWINGO RD			

ROUTE NUMBER.....MD 161A  
INVENTORY DIRECTION....EAST  
NAME: MD 161 SPUR

SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.00	USDD01	CONOWINGO RD	2	17I	
-----------	---	-----	---	---	----------------	-----	--------	--------------	---	-----	--

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 161A      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: MD 161 SPUR

PAGE..... 15  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT

ROUTE NUMBER.....MD 165  
INVENTORY DIRECTION....NORTH  
NAME: BALDWIN MILL RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.06	MDD161	DARLINGTON RD	2	17I	
SECONDARY	R	FAS	1241	R	7	UNDIVIDED	NONE	.00	BALTIMORE CO/L	2	22I	5,475
							.00		STRUC #3100 L GUNPOWDER FALLS			
							2.19	MDD152	FALLSTON RD			5,250
							2.30					
							2.94			2	23I	
							3.07			2	22I	
							3.16		STRUCTURE #12045 WEST BRANCH			
							3.22		STRUCTURE #12046 WEST BRANCH			
							3.24			2	24I	4,925
	FAP	278		6			5.52	MDD023	JARRETTSVILLE RD	2	23I	6,725
							6.79			2	37I	
		279					6.80	MDD023	JARRETTSVILLE RD			5,300
							6.86			2	22I	
							11.36			2	20I	2,800
							11.38		STRUCTURE #12044 DEER CREEK			
							11.84		STRUCTURE #12043 DEER CREEK			
							13.73	MDD024	ROCK SPRING RD			
							13.97					3,600
							14.20			2	22I	
							14.74			2	24I	3,400
							14.94	MDD624	GRACETON RD			
						PART	15.36					
							15.75	MDD543	ADY RD			
							15.87					5,000
							15.90		STRUCTURE #12041 BROAD CREEK			
							18.23	MDD136	WHITEFORD RD			
							18.98		PENNSYLVANIA ST/L			

ROUTE NUMBER.....MD 439  
INVENTORY DIRECTION....EAST  
NAME: OLD YORK RD

SECONDARY	R	FAS	1236	R	7	UNDIVIDED	NONE	.00	BALTIMORE CO/L	2	21I	2,425
								1.22	MDD023			
									NORRISVILLE RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 440  
INVENTORY DIRECTION....EAST  
NAME: DUBLIN RD

PAGE..... 16  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AAOT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*				
SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	MDD543	ADY RD	2	21I	1,100
							3.84	MDD136	WHITEFORD RD			2,400
							5.63	USDD01	CONOWINGO RD			

ROUTE NUMBER.....MD 462  
INVENTORY DIRECTION....NORTH  
NAME: PARADISE RD

SECONDARY	U	FAU	71D1	U	16	UNDIVIDED	NONE	.00	MDD132	WEST BELAIR AVE	2	36I	3,150
								.65	MDDD22	ABERDEEN THURWAY			4,025
								1.18			2	24I	
								1.31		STRUCTURE #12047			
								1.49		STRUCTURE #12048			
	R							1.62		OUT CORP LMTS			3,725
		FAS	1257	R	7			2.37	ISDD95	J F K MEM HWY			4,750
								2.97		STRUCMHX 196			3,050
								4.15	MDD155	LEVEL RD			

ROUTE NUMBER.....MD 490  
INVENTORY DIRECTION....NORTH  
NAME: UNION AVE

SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.00	MUD19D	COMMERCE ST	2	40I	1,499
					17			.05					1,899
								.31	MDDDD7A	REVOLUTION ST			

ROUTE NUMBER.....MD 543  
INVENTORY DIRECTION....NORTH  
NAME: HARFORD FURNACE RD

SECONDARY	R	NFA		R	9	UNDIVIDED	NONE	.00		ROAD END	2	19I	3,775
					8			.22			2	22I	
		FAS	1249		7			.69					
								.96		STRUCTURE #12051			
								2.20	MDD136	WHITEFORD RD			
								2.49		STRUCTURE #12050			
		FAU	3631	U	17			3.79		BYNUM RUN			
								5.42					8,125
								5.86			2	36I	
		FAS	1249	R	7			5.91	MDDD22	CHURCHVILLE RD	2	33I	4,525
								5.96			2	21I	
								6.89					7,025

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 624  
INVENTORY DIRECTION....NORTH  
NAME: GRACETON RD

PAGE..... 18  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT	
SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	MDD165	PYLESVILLE RD	2	21I	2,200
							.34		STRUCTURE #12055 BROAD CREEK			
							1.15		STRUCTURE #12054 BROAD CREEK			
		FAS 1248		7			2.73	MDD136	WHITEFORD RD			
							3.02		PENNSYLVANIA ST/L			

ROUTE NUMBER.....MD 646  
INVENTORY DIRECTION....NORTH  
NAME: PROSPECT RD

SECONDARY	R	NFA	R	8	UNOIVED	NONE	.00	MDD543	ADY RD	2	21I	900
							.77		STRUCTURE #12057 BROAD CREEK			
							3.31	MDD136	WHITEFORD RD			

ROUTE NUMBER.....MD 715  
INVENTORY DIRECTION....EAST  
NAME: SHORT LA

SECONDARY	U	FAU 7109	U	16	DIVIDED	PART	.00	US0040	PULASKI HWY	2	38I	9,725
					UNOIVED		.07			2	24I	
							.27	US0040	PULASKI HWY STRUC#12023			
					DIVIDED		.43			2	32I	
							.46			4	48I	
							.65			4	52I	
		FAS 1381	R	7			.78		STRUC#12058 R/R #ATK 530 692 E			
							.96			4	48I	
							1.17		OUT CORP LMTS ABERDEEN			
							1.20		ROAD END @ A.P.G.			

ROUTE NUMBER.....MD 755  
INVENTORY DIRECTION....NORTH  
NAME: EMMORTON RD

SECONDARY	R	FAU 3223	U	16	UNOIVED	NONE	.00		ROAD END @ A.P.G.	2	30I	14,000
							.12		STRUC #12059 R/R #ATK 530 689 W			
					DIVIDED		.32			2	24I	
					UNOIVED		1.34					
							1.45			2	28I	
							1.56	MDD024	EMMORTON RD	2	36I	19,525
							1.61			4	42I	
							1.79	US0040	PULASKI HWY	2	24I	
							2.01			2	21I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 755      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: EMMORTON RD


PAGE..... 19  
DATE.....12/31/86  
COUNTY-HARFORD  
SHA DISTRICT.....4

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT		MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				LANES	WIDTH/TYPE*				
SECONDARY	R	FAU	3223	U	16	UNDIVID	NONE	2.02		STRUCTURE #12D20 WINTERS RUN	2	21I	19,525
								2.14		STRUCTURE #12D19 WINTERS RUN			
								2.15					
								2.26		R/R #80 140 811 J			
	NFA				17			2.44	MDDDD7	PHILADELPHIA RD	2	24I	3,475
								3.04	MDDD24	EMMORTON RD			

ROUTE NUMBER.....MD 763  
INVENTORY DIRECTION....EAST  
NAME: SUPERIOR ST

SECONDARY	U	FAU	8101	U	16	UNDIVID	NONE	.00	MDD155	OHIO ST	2	4DI	5,099
								.26	USDD4D	PULASKI HWY			
								.32	MUD38D	JUNIATA ST			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK




1987

*HIGHWAY LOCATION REFERENCE*

**HOWARD  
COUNTY**

**HO**



HOWARD COUNTY

REV. 1987



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 1  
INVENTORY DIRECTION....NORTH  
NAME: WASHINGTON BLVD

PAGE..... 1  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM		FUNC		HWY		ACCESS		MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
STATE	FEDERAL	CLASS	TYPE	CTL								
SECONDARY	R	FAP	251	U	14	DIVIDED	NONE	.00	STRUC#16001&#16002 PATUXENT RIVER	6	74I	22,350
								.00	PRINCE GEORGES CO/L			
								.06	STRUCTURE #13035			
								.21		6	72I	
								.64		4	46I	
						UNOIVED		.75		5	66I	
								.97		4	46I	
								1.57	STRUCTURE#13009 HAMMOND BRANCH	4	48I	
								2.20	R/R #B0 140 221 M			
						DIVIDED		2.31		4	50I	
								2.45		5	62I	
								2.47	STRUC#13007 MID PATUXENT RIVER			
								2.49		5	60I	
								2.60		4	48I	
								2.80	STRUCTURE #13110 COLLECTOR "B"			
							M00032	2.83	NO NAME STRUC #13108			
								2.86	STRUCTURE #13109 COLLECTOR "A"			
								2.98	STRUCTURE #13006			
						UNOIVED		3.07				18,900
								3.15		4	60I	
							M00732	3.26	GUILFORD RD			
								3.38		4	46I	13,375
								3.69	STRUC #13099 R/R #B0 140 227 0			
								3.90		5	46I	
								3.99		4	46I	
								4.35	STRUCTURE#13005 DORSEY RUN			
								5.25		5	62I	
								5.34	STRUCTURE#13004 DORSEY RUN			
						DIVIDED	M00958P	5.37	CRESTMONT RD			
								5.50		4	69I	17,950
						UNOIVED	M00175	5.59	WATERLOO RD			19,850
						DIVIDED		5.68		4	48I	
								6.04				
						UNOIVED		6.16	STRUCTURE#13003 DEEP RUN			
								6.18				
							M00103	7.04	MEADOW RIDGE RD			
							M00176	7.35	DORSEY RD			
							M00100	7.58	NO NAME			18,750
								8.00	STRUCTURE#13002 BEALMEAR BRANCH			
								8.12		4	50I	
								8.67		4	48I	17,950
								9.13				17,600

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 1 CONTINUED  
INVENTORY DIRECTION.....NORTH  
NAME: WASHINGTON BLVD

PAGE..... 2  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT
....STATE....	..FEDER'AL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*	
SECONDARY	R	FAP	251 U 14	UNDIVED	NONE	9.59 M00103A MONTGOMERY RD	4	48I	17,600
						10.67 R/R #80 140 881 Y			
						10.76 DIVIDED			
						10.99 STRUCTURE #3010 PATAPSCO RIVER			
						10.99 BALTIMORE CO/L			

ROUTE NUMBER.....MD 27  
INVENTORY DIRECTION.....NORTH  
NAME: WASH RIDGE RD

SECONDARY	R	FAP	237 R 6	UNDIVED	NONE	.00 MONTGOMERY CO/L	2	21I	10,800
						1.21 C00003 PENN SHOP RD			
						1.23 FREDERICK CO/L			

ROUTE NUMBER.....US 29  
INVENTORY DIRECTION.....NORTH  
NAME: COLUMBIA PIKE

PRIMARY	R	FAP	109 R 2	DIVIDED	PART	.00 MONTGOMERY CO/L	4	48J	42,253
						.00 STRUC#15034&#15035 PATUXENT RIVER	4	48I	
						.15	4	48J	
						1.11			
						1.38 M00216 SCAGGSVILLE RD	4	48I	
						1.67			
						2.11 STRUCTURE #13014 HAMMOND BRANCH	4	48J	
						2.37	4	60J	
						2.51	5	60I	
						2.75	5	60I	
			U 12			3.24 STRUC#13013 MID PATUXENT RIVER	4	60I	
						3.26	4	48I	
						4.29 M00032 GUILFORD RD STRUC #13101	4	48J	
						5.59			
						6.11 STRUC#13012 LITTLE PATUXENT RIVER	4	48I	
						7.37			
						7.70 M00175 PATUXENT PKWY STRUC#13086	4	48J	50,000
						8.45			
						8.84 M00108 CLARKSVILLE PIKE	4	48I	
						8.94	4	60J	46,000
						10.00	5	72J	54,225
						10.08 US0029A US 29 SPUR			
						10.19 M00987 OLO COLUMBIA RD	6		
						FULL 10.26			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 29 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: COLUMBIA PIKE

PAGE..... 3  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

....STATE....	SYSTEM ..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
PRIMARY	R FAP	109 U	12	OIVIOEO	FULL	10.34 M00103 MONTGOMERY RD	6	72J	54,225
						11.19	5	60J	
						11.21 C00278 FREDERICK RD STRUC #13010			
						11.48 STRUCTURE #13008 RAMP 7 FR US 40			
						11.50	6	72J	
						11.76 US0040 BALTO NAT PIKE STRUC#13011			42,000
						12.32	7	84J	
						12.50	4	48J	
						12.72	4	48I	
						12.87 STRUCTURE#13028 RAMP 7 FR IS 70			
						12.89	4	48J	
SECONDARY	FAU	3147				13.10 IS0070 EISENHOWER HWY STRUC #13048			6,000
						13.41	4	48I	
						13.54 M00099 OLD FREDERICK RD			

ROUTE NUMBER.....US 29HA  
INVENTORY DIRECTION....NORTH  
NAME: US 29 SPUR

SECONDARY	R NFA		U 19	UNOIVEO	NONE	.00 US0029 COLUMBIA PIKE	1	14I	999
						.04	2	29I	
						.07	2	24I	
						.11 M00987 OLD COLUMBIA PIKE			

ROUTE NUMBER.....MO 32  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PRIMARY	R FAP	118 U	12	OIVIOEO	PART	.00 STRUCTURE #13115	4	48I	21,000
						.00 ANNE ARUNOEL CO/L			
					FULL	.30			
						1.50 US0001 WASHINGTON BLVD STRUC#13108			19,000
						2.40 C00194 VOLLMERHAUSEN RD STRUC#13080			
						2.61	4	48J	
						3.01	5	60J	
						3.08 IS0095 NO NAME STRUC#13068&#13070			
						3.24 IS 95 (SB/L) STRUC#13069 & #13071			
						3.31	4	48J	31,000
						3.86	4	48I	
						4.08 C01834 GUILFORD RD STRUC#13100			
						4.87 C01161 BROKEN LAND PKWY STRUC#13103			
						5.19 STRUC#13106 LITTLE PATUXENT RIVER			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; O,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 32 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PAGE..... 4  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM		FUNC		HWY		ACCESS				MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT		
PRIMARY	R	FAP	118	U	12	DIVIOED	FULL	5.42	C01470	SHAKER DR STRUC#13102	4	48I	31,000
								6.30	US0029	COLUMBIA PIKE STRUC#13101	3	48I	16,000
						UNOIVED		7.07			2	24I	
							PART	7.19		STRUC#13114 MIDDLE PATUXENT RIVER			15,000
								7.49					
								7.79			2	21I	
	NFA			R	9		NONE	8.35					
								9.93		STRUC#13025 MIDDLE PATUXENT RIVER			
								9.98		STRUC#13024 MIDDLE PATUXENT RIVER			
								10.76	M00108	CLARKSVILLE PIKE (AHEAD)			
	FAP	118			6		PART	11.08	M00108	CLARKSVILLE PIKE (BACK)	2	24I	9,800
						DIVIOED		13.22			2	33I	
								13.30	M00732Q	E LINDEN CHURCH RD			
						UNOIVED		13.34			2	23I	
								13.55			2	24I	
								15.98	C00049	TRIDELPHIA RD STRUC#13045			
								16.35	M00732N	TEN OAKS RD			
							NONE	16.56					
								17.66		STRUCTURE #13023 PATUXENT RIVER			
								18.53		STRUC#13022 MIDDLE PATUXENT RIVER			
								18.89		STRUC#13021 TERRAPIN BRANCH RIVER			
						DIVIOED		19.64			4	48I	
								19.71	M00144A	OLD NATIONAL PIKE			
SECONDARY			243					20.15	IS0070	EISENHOWER HWY STRUC#13031			
						UNOIVED		20.58			3	36I	
								20.65			2	24I	
								20.98	M00099	OLD FREDERICK RD			
								21.46	M00032B	MO 32 SPUR			
								21.61	M00851H	OLD MO 32			
								23.09		STRUCTURE #13019 PATAPSCO RIVER			
								23.58	M00851F	DEER HILL RD			
								23.96	M00851	OLD MO 32			
								24.25		CARROLL CO/L			
								24.25		STRUCTURE #13046 PATAPSCO RIVER			

ROUTE NUMBER.....MD 32B  
INVENTORY DIRECTION....EAST  
NAME: MD 32 SPUR

SECONDARY	R	NFA		R	9	UNOIVED	NONE	.00	M00032	SYKESVILLE RD	2	19H	
								.02	M00851H	OLD MO 32			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 32UL  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSED

PAGE..... 5  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

.....STATE.....	SYSTEM	..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	FAP	118 U 12	UNDIVED	NONE	.00	M00032		GUILFORD RD	4	24I	3,399
						2.25	M00108		CLARKSVILLE PIKE			
						2.25	M00032		GUILFORD RD			

ROUTE NUMBER.....US 40  
INVENTORY DIRECTION....EAST  
NAME: BALTO NATIONAL PIKE

						.00			SEE IS 70 (AHEAD)			
						.00			CARROLL CO/L			
SECONDARY	R	FAS	1379 R 7	DIVIDED	PART	12.67	IS007D		EISENHOWER HWY (BACK)	4	48J	9,200
			1397			13.10						
			1379			13.17						
						13.61						10,964
					NONE	15.45	M00144A		OLD NATIONAL PIKE	4	48I	17,000
						15.64						40,000
						16.13						
						16.53			STRUC#13032 L PATUXENT RIVER	4	69I	
						17.29				4	48I	
						18.00						
						18.23						
						18.28	US0029		COLUMBIA PIKE STRUC #13011			27,000
						18.41			STRUCTURE#13033 RAMP 7 TO US 29			
						18.95	M00099		ROGERS AVE			31,000
						19.20	M00984		ACCESS RD			
						20.01						
						20.49	SR0002		PARK RD STRUC #13034			
						21.01			BALTIMORE CO/L			
						21.01			STRUCTURE #3109 PATAPSCO RIVER			

ROUTE NUMBER.....IS 70  
INVENTORY DIRECTION....EAST  
NAME: EISENHOWER HWY

PRIMARY	R	FAI	70 R 1	DIVIDED	FULL	.00			CARROLL CO/L	6	72J	30,375
						1.00	CO1594		W WATERSVILLE RD STRUC #13084			
						2.53	CO0007		WATERSVILLE RD STRUC #13083			
						3.80	M00094		FLORENCE RD STRUC #13094			
						5.07	CO0030		MORGAN STATION RD STRUC #13082			
						6.96	M00097		HOODS MILL RD STRUC #13030			37,100
						10.64	M00032		NO NAME STRUC#13031			37,200
						11.83	CO0067		SAND HILL RD STRUC #13081			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 70 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: EISENHOWER HWY

PAGE..... 6  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT			
STATE	FEDERAL	CLASS	TYPE	CTL								
PRIMARY	R	FAI	70	R	1	DIVIDED FULL	12.07		US 40 (WB/L)	6	60J	37,200
							12.43			6	72J	
						US0040	12.67		BALTO NATIONAL PIKE	4	48J	36,525
							12.99		US 40 (WB/L) STRUC #13055			
							13.11		TRANS-CON GAS LINE STRUC #13054			
						C00070	13.58		MARRIOTTSVILLE RD STRUC #13053			
				U	11	C01063	16.06		BETHANY LA STRUC #13052			
						C00272	16.87		ST JOHNS LA STRUC#13040			
						US0029	17.67		COLUMBIA PIKE STRUC #13048			
							17.91		STRUCTURE#13020 RAMP 7 TO US 29			
							18.09			8	96J	
							18.40			6	72J	
						M00099	18.43		ROGERS AVE STRUC #13001			
							19.47		STRUCTURE #3229 PATAPSCO RIVER			
							19.47		BALTIMORE CO/L			

ROUTE NUMBER.....MD 94  
INVENTORY DIRECTION....NORTH  
NAME: ELLICOTT RD

SECONDARY	R	FAS	1113	R	7	UNDIVIDED NONE	.00		MONTGOMERY CO/L	2	20I	2,400
							.00		STRUCTURE #13047 PATUXENT RIVER			
							1.03		STRUCTURE #13036 CABIN BRANCH			
							5.28			2	24I	
							5.37					2,600
							5.45	M00144A	FREDERICK RD			5,100
						DIVIDED	5.65					
						UNDIVIDED	5.79					
							5.85	IS0070	EISENHOWER HWY STRUC #13094			
						DIVIDED	5.94					
						UNDIVIDED	6.04					
							6.25	C00007	OLD FREDERICK RD			

ROUTE NUMBER.....IS 95  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PRIMARY	R	FAI	95	U	11	DIVIDED FULL	.00		STRUCTURE #16197 PATUXENT RIVER	8	96I	87,250
							.00		PRINCE GEORGES CO/L			
							.50	C00275	STANSFIELD RD STRUC #13077	8	96J	
							1.15	M00216	SCAGGSVILLE RD STRUC #13076			78,250
							2.08	IS0095K	NO NAME			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 95 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PAGE..... 7  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

.....STATE....	SYSTEM		95	U	11	DIVIDED	FULL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
	R	FAI										
PRIMARY	R	FAI	95	U	11	DIVIDED	FULL	2.11	COD416 GORMAN RD STRUC #13074	8	96J	78,250
								2.19	ISDD95I NO NAME			
								2.59	ISDD95K NO NAME			
								2.68	ISDD95I NO NAME			
								2.84	STRUC #13056 MID PATUXENT RIVER			
								3.35	COO194 VOLLMERHAUSEN RD STRUC#13073			
								3.59	STRUC#13072 L PATUXENT RIVER			
								3.91	MD 32 STRUC#1307D			
								3.95	MD 32 STRUC#13071			
								3.98	MDD032 NO NAME			
								4.03	MD 32 STRUC#13069			
								4.05	MD 32 STRUC#13068			
								4.19	MDD732 GUILFORD RD STRUC#13066 & #13067			
								4.20				86,700
								4.94	STRUCTURE #13064			
								6.34	MD 175 STRUC#13061			
								6.39	MDD175 WATERLOO RD			
								6.44	MD 175 STRUC#13061			89,104
								7.07	STRUCTURE #13059 DEEP RUN			
								7.15	STRUCTURE #13060 DEEP RUN			
								7.72	MDD103 MEADOWRIDGE RD STRUC #13050			
								8.21				97,100
								8.22	MDD100 NO NAME STRUC#13049			
								8.37	STRUCTURE#13057 RAMP 7 FR MD 100			
								10.04	COO136 MONTGOMERY RD STRUC #13051			
								11.05	ISD895 HARBOR TUNNEL THRUWAY			
								11.28	IS 895 (SB/L) STRUC #HOY002			
								11.51	BALTIMORE CO/L			
								11.51	STRUCTURE #3243 PATAPSCO RIVER			

ROUTE NUMBER.....IS 95I  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD

PRIMARY	R	NFA		U	19	UNDIVED	NONE	.00	ISDD95	NO NAME	1	12J	
								.08			1	20J	
								.14			1	20I	
								.20	ISDD95J	NO NAME			
				R	9			.24			2	22I	
								.32			1	22I	
								.46			1	20I	
								.63	ISDD95J	NO NAME			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 95I CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD

PAGE..... 8  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

.....STATE....	SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	..... MILEPOINT DESCRIPTION .....	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
	R	NFA								
PRIMARY	R	NFA	R 9	UNDIVIDED	NONE	.77		1	20J	
						.82		2	12J	
						.94	ISDD95 NO NAME			

ROUTE NUMBER.....IS 95J  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PRIMARY	R	NFA	R 9	UNDIVIDED	NONE	.00	ISD095I SERVICE RD	1	21I	
						.06		2	20I	
						.16		2	24J	
						.28		1	20I	
						.35	IS0095I SERVICE RD			

ROUTE NUMBER.....IS 95K  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PRIMARY	R	NFA	R 9	UNOIVEO	NONE	.00	ISD095 NO NAME	1	12J	
						.07		1	20J	
						.13		1	20I	
						.16	ISD095L NO NAME			
						.38		1	26I	
						.42		1	22I	
						.48		1	24I	
						.59	ISD095L NO NAME			
						.62		1	20J	
						.66		1	12J	
						.78	IS0095 NO NAME			

ROUTE NUMBER.....IS 95L  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PRIMARY	R	NFA	R 9	UNDIVIDED	NONE	.00	ISD095K NO NAME	2	20I	
						.03		1	20I	
						.17	ISDD95K NO NAME			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK





STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 100      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PAGE..... 10  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*				
PRIMARY	R	FAP	110	U	12	DIVIDED PART	7.21	US0029	COLUMBIA PIKE	4	48I	16,225
ROUTE NUMBER.....MD 103 INVENTORY DIRECTION....NORTH NAME: MEADOW RIDGE RD												
SECONDARY	R	FAU	3141	U	16	UNDIVIDED NONE	.00	US0001	BALTO WASH BLVD	2	20I	8,150
							.70			2	24I	
							.71	IS0095	NO NAME STRUC #13050	2	20I	
							.81			2	20I	
			3138				2.50					16,175
			3141				2.59			2	24I	
						DIVIDED	4.26	M00104	WATERLOO RD			16,950
						UNDIVIDED	4.33	M00103C	NO NAME			
							4.39					
							5.99			3	45I	
							6.08	M00987	OLD COLUMBIA PIKE	4	44I	15,000
							6.11			1	13I	
							6.21	US0029	COLUMBIA PIKE			

ROUTE NUMBER.....MD 103A  
INVENTORY DIRECTION....NORTH  
NAME: MONTGOMERY RD

SECONDARY	R	NFA		U	19	UNDIVIDED NONE	.00	C01732	OLD WASH BLVD	2	23I	1,799
							.11	US0001	WASHINGTON BLVD			

ROUTE NUMBER.....MD 103C  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY	R	NFA		U	19	UNDIVIDED NONE	.00	M00103	MONTGOMERY RD	2	24I	
							.09	M00104	WATERLOO RD			

ROUTE NUMBER.....MD 104  
INVENTORY DIRECTION....NORTH  
NAME: WATERLOO RD

SECONDARY	R	FAU	3140	U	16	UNDIVIDED NONE	.00	M00108	CLARKSVILLE RD	2	24I	11,950
							1.06			2	30I	
							1.10	M00103C	NO NAME	2	36I	
							1.13	M00103	MONTGOMERY RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 105  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSED

PAGE..... 11  
DATE.....12/31/36  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
....STATE....	..FEDERAL...	CLASS	CTL					
SECONDARY	R	FAU	3139	U	16	UNDIVIDED	NONE	
				.00	M00108	CLARKSVILLE PIKE	2	24I
				.28	M00108	CLARKSVILLE PIKE		
ROUTE NUMBER.....MD 108								
INVENTORY DIRECTION....EAST								
NAME: CLARKSVILLE PIKE								
SECONDARY	R	FAP	246	R	6	UNDIVIDED	NONE	
				.00		MONTGOMERY CO/L	2	20I
				.00		STRUCTURE #15008 PATUXENT RIVER		5,000
				1.53	M00216	SCAGGSVILLE ROAD		7,050
				3.43	M00032	GUILFORD RD		9,025
		FAU	3581	U	14	UNDIVIDED		
				3.76	M00032	SYKESVILLE RD		
				5.50			2	23I
				5.72		STRUC #13017 MID PATUXENT RIVER		
				5.94			2	20I
				6.77				15,000
				8.93			2	23I
				9.41			2	24I
				9.60		STRUCTURE #13016 PATUXENT RIVER		
				9.89			2	22I
				10.02			2	20I
		NFA			19			
		FAU	3139		16			
				10.17	US0029	COLUMBIA PIKE		14,750
				10.52				
				10.63			2	24I
				11.00			2	32I
				11.30			2	24I
				11.70			2	34I
				11.80				
				12.00			2	29I
				12.14			2	20I
				12.18	M00108A	OLD MD 108		
				12.26	M00981	OLD WATERLOO RD		
				12.32	M00104	WATERLOO RD	2	24I
				12.39	M00981	OLD WATERLOO RD		15,725
				14.43			2	30I
				14.50	M00957A	OLD WATERLOO RD	2	24I
				15.06	M00175HA	MD 175 SPUR	2	29I
				15.11			3	36I
				15.17	M00175	WATERLOO RD		

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 108A  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 108

PAGE..... 12  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE							
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AADT			
SECONDARY	R	NFA	U	19	UNDIVED	NONE	.00	MD0108	CLARKSVILLE PIKE	2	12F	
							.11	MD0981	NO NAME			

ROUTE NUMBER.....MD 144A  
INVENTORY DIRECTION....EAST  
NAME: OLD NATIONAL PIKE

SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00		CARROLL CO/L	2	24I	1,700
				8			.54	MD0144HC	TWIN ARCH RD	2	20I	
							.99					
							2.52					2,000
							3.82	MD0094	FLORENCE RD			2,800
							4.59					3,125
		FAS		1152	7		6.95	MD0097	ROXBURY MILLS RD			1,775
							8.26					3,300
							9.26		STRUCTURE #13085 TERRAPIN BRANCH			
							9.44			2	24I	
							10.75	MD0032	SYKESVILLE RD	2	22I	5,200
							13.56			2	24I	
					DIVIDED		15.21			2	36I	
							15.32	US0040	BALTO NATIONAL PIKE			

ROUTE NUMBER.....MD 144HB  
INVENTORY DIRECTION....EAST  
NAME: TWIN ARCH RD

SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00		CARROLL CO/L	2	20I	99
							.12	C00006	TWIN ARCH RD			

ROUTE NUMBER.....MD 144HC  
INVENTORY DIRECTION....NORTH  
NAME: TWIN ARCH RD

SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00	MD0144A	OLD NATIONAL PIKE	2	20I	
							.04		ROAD END			

ROUTE NUMBER.....MD 175  
INVENTORY DIRECTION....NORTH  
NAME: WATERLOO RD

SECONDARY	R	FAU	3603	U	16	UNDIVED	NONE	.00	ANNE ARUNDEL CO/L	2	28I	16,275
							.00		STRUCTURE #13043			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 175HC CONTINUED  
INVENTORY DIRECTION....SOUTH  
NAME: MD 175 SPUR

PAGE..... 14  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AAOT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*	
SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.32 MDD175 PATUXENT PKWY	1	15I	
ROUTE NUMBER.....MD 176 INVENTORY DIRECTION....EAST NAME: DORSEY RD									
SECONDARY	R	FAU 3114	U 16	UNDIVIDED	NONE	.00 US0001 WASHINGTON BLVD	3	36I	20,725
						.09	2	24I	
						.60			
						.71	2	26I	
						.79	2	30I	
						.88			
						.88			
ROUTE NUMBER.....IS 195 INVENTORY DIRECTION....NORTH NAME: PROPOSED									
PRIMARY	R	FAI 195	U 11	DIVIDED	FULL	.00 ANNE ARUNDEL CO/L	4	52J	35,225
						.04 BALTIMORE CO/L			
ROUTE NUMBER.....MD 216 INVENTORY DIRECTION....NORTH NAME: SCAGGSVILLE RD									
SECONDARY	R	FAU 3605	U 16	DIVIDED	PART	.00 PRINCE GEORGES CO/L	4	50I	17,600
						.00			
				UNDIVIDED		.19	2	24I	
				DIVIDED		.48			
						.58	3	36I	
						.64	2	36I	
						.86	4	48I	
				UNDIVIDED		1.56 ISDD95 NO NAME STRUC#13076	2	24I	15,500
						2.36			
						2.67 C00091 LEISHEAR RD (AHEAD)			
						2.67			
		NFA	19		NONE	3.01 MDD983A SCAGGSVILLE RD	2	22I	7,000
						3.01 C00091 LEISHEAR RD (BACK)			
						3.01			
		FAU 3605	16			3.92			
				DIVIDED		4.31	2	24I	
		FAS 1156	R 7			4.39 US0029 COLUMBIA PIKE			8,000

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 216      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: SCAGGSVILLE RD

PAGE..... 15  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AAOT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*				
SECONDARY	R	FAS	1156 R	7	UNDIVIDED	NONE	4.50	M00216D	MO 216 SPUR	2	24I	8,000
							4.72			2	20I	
							5.63					6,000
							8.39	M00108	CLARKSVILLE PIKE			

ROUTE NUMBER.....MD 216D  
INVENTORY DIRECTION....EAST  
NAME: MD 216 SPUR

SECONDARY	R	NFA		R	9	UNDIVIDED	NONE	.00	M00216	SCAGGSVILLE RD	2	24I	
							.02				2	21I	
							.04				2	24I	
							.07		ROAD END				

ROUTE NUMBER.....MD 216UL  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSED

SECONDARY	R	FAU	3605 U	16	UNDIVIDED	NONE	.00	M00216	SCAGGSVILLE RD	2	24I	
							.75	M00216	SCAGGSVILLE RD			

ROUTE NUMBER.....MD 432  
INVENTORY DIRECTION....EAST  
NAME: OAKLAND MILLS RD

SECONDARY	R	NFA		U	19	UNDIVIDED	NONE	.00	M00732	GUILFORD ROAD	2	30I	399
							.26		ROAD END				

ROUTE NUMBER.....MD 732  
INVENTORY DIRECTION....NORTH  
NAME: GUILFORD RD

SECONDARY	R	NFA		U	19	UNDIVIDED	NONE	.00		ANNE ARUNDEL CD/L	2	21I	7,400
							.00			STRUCTURE #13029			
							1.80	US0001	WASHINGTON BLVD				
							2.85				2	24I	
							2.99			STRUCTURE #13065 IS 95 SPUR			
							3.07	IS0095	NO NAME (NB/L) STRUC#13066				
							3.18	IS0095	NO NAME (SB/L) STRUC#13067				
							3.66	M00432	OAKLAND MILLS RD	2	20I		
							3.88	CO1910	GUILFORD RD (AHEAD)				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SDIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 732A  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 32

PAGE..... 16  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....					
SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	C00D78	OLD COLUMBIA RD	2	44I	7,400
						.22			2	22I	
				DIVIDED		.59					
						.84			2	24I	
				UNDIVIDED		.94			2	22I	
						1.17			3	36I	
						1.21	C01161	BROKEN LAND PKWY			

ROUTE NUMBER.....MD 732B  
INVENTORY DIRECTION....EAST  
NAME: GUILFORD RD

SECONDARY	R	FAU	3343 U 16	UNDIVIDED	NONE	.00	C01909	GUILFORD RD (BACK)	2	24I	6,100
						.00		STRUC#13026 MID PATUXENT RIVER			
		NFA	19			.01			2	20I	
						.96	C0D111	FREETOWN RD			

ROUTE NUMBER.....MD 732C  
INVENTORY DIRECTION....EAST  
NAME: GUILFORD RD

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00		CUL DE SAC	2	20I	99
						.23	0P0461	MILL RD			
						.27		CUL DE SAC			

ROUTE NUMBER.....MD 732D  
INVENTORY DIRECTION....EAST  
NAME: OLD SEC GUILFORD AVE

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00		CUL DE SAC	2	20I	
						.14	C01721	NO NAME			
						.15		ROAD END			

ROUTE NUMBER.....MD 732N  
INVENTORY DIRECTION....NORTH  
NAME: TEN OAKS RD

SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	5.93	C00558	TEN OAKS RD (BACK)	2	24I	99
						5.96	MD0D32	NO NAME			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 732Q  
INVENTORY DIRECTION....EAST  
NAME: E LINDEN CHURCH RD

PAGE..... 17  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE							
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	..... MILEPOINT DESCRIPTION .....	LANES	WIDTH/TYPE*	AADT			
SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00	M00032	NO NAME	2	23I	
							.20	OPD553	E LINDEN CHURCH RD (AHEAD)			

ROUTE NUMBER.....MD 851  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 32

SECONDARY	R	NFA	R	8	UNDIVED	NONE	.00	M00032	SYKESVILLE RD	2	20I	199
							.42		CARROLL CD/L			
							.42		STRUCTURE #13D18 PATAPSCO RIVER			

ROUTE NUMBER.....MD 851D  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 32

SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00		ROAD END	2	20G	99
							.09	C0182D	OLD MD 32			
							.15		ROAD END			

ROUTE NUMBER.....MD 851F  
INVENTORY DIRECTION....NORTH  
NAME: DEER HILL RD

SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00	M00032	SYKESVILLE RD	2	21G	99
							.15		ROAD END			

ROUTE NUMBER.....MD 851H  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 32

SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00		ROAD END	2	20G	99
							.04	M00032B	MD 32 SPUR			
							.21	M00032	SYKESVILLE RD			

ROUTE NUMBER.....MD 851J  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 32

SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00		ROAD END	2	18H	99
							.05	M00099	OLD FREDERICK RD	2	20H	
							.22		ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 895  
INVENTORY DIRECTION....NORTH  
NAME: HARBOR TUNNEL THRUWAY

PAGE..... 18  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT
PRIMARY	R	FAI	895	U 11	DIVIDED	FULL	.00	IS0D95	NO NAME	4	39J	19,099
							.00		TOLL MAINTENANCE			
							.26			2	30J	
							.35			4	48J	
							.63		STRUCTURE #HOYDD3-1(NB/L)			
							.63		STRUCTURE #HOYDD3-2(SB/L)			
							1.04	US0DD1	WASHINGTON BLVD			
							1.04		STRUC#HOYDD6(NB/L) PATAPSCO RIVER			
							1.04		BALTIMORE CO/L			
							1.04		STRUC#HOYDD7(SB/L) PATAPSCO RIVER			

ROUTE NUMBER.....MD 957  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD

SECONDARY	R	NFA		U 19	UNDIVIDED	NONE	.00		ROAD END	2	24I	299
							.24	CO1519	PORT CAPITAL DR			
							.41		ROAD END			

ROUTE NUMBER.....MD 957A  
INVENTORY DIRECTION....NORTH  
NAME: OLD WATERLOO RD

SECONDARY	R	NFA		U 19	UNDIVIDED	NONE	.22	CO1911	OLD WATERLOO RD (BACK)	2	24I	599
							.95	MDD1D8	WATERLOO RD			

ROUTE NUMBER.....MD 958P  
INVENTORY DIRECTION....NORTH  
NAME: CRESTMOUNT RD

SECONDARY	R	NFA		U 19	UNDIVIDED	NONE	.00	US0DD1	WASHINGTON BLVD	2	24I	99
							.20		ROAD END			

ROUTE NUMBER.....MD 981  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY	R	NFA		U 19	UNDIVIDED	NONE	.00	MDD1D8	CLARKSVILLE PIKE	2	18I	699
							.06	MDD1D8A	OLD MD 108A			
							.11	MDD1D8	CLARKSVILLE PIKE			
							.31	CO1559	OAK RUN WAY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 982  
INVENTORY DIRECTION....NORTH  
NAME: COLUMBIA RD

PAGE..... 19  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT			
STATE	FEDERAL	CLASS	TYPE	CTL			LANES	WIDTH/TYPE*				
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	C01575	COLUMBIA RD (BACK)	2	24I	
							.66	C00047	COLUMBIA RD			

ROUTE NUMBER.....MD 983  
INVENTORY DIRECTION....NORTH  
NAME: OLD SCAGGSVILLE RD

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00		ROAD END	2	22I	499
							.14	C0D114	ALL SAINTS RD	2	24I	
							1.11		ROAD END			

ROUTE NUMBER.....MD 983A  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00		CUL DE SAC	2	28I	199
							.11			2	20I	
							.70	C00091	LEISHIEAR RD			
							.70	M0D216	SCAGGSVILLE RD (AHEAD)			

ROUTE NUMBER.....MD 984  
INVENTORY DIRECTION....EAST  
NAME: ACCESS RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	US0D4D	BALTO NATIONAL PIKE	2	20I	
							.25	C0D285	NORMANDY DR			

ROUTE NUMBER.....MD 985  
INVENTORY DIRECTION....EAST  
NAME: OLD FREDERICK RD

SECONDARY	R	NFA	U	16	UNDIVIDED	NONE	.00		ROAD END	2	18H	199
							.11			2	19H	
							.55	M0D099	OLD FREDERICK RD			

ROUTE NUMBER.....MD 985A  
INVENTORY DIRECTION....EAST  
NAME: OLD FREDERICK RD

SECONDARY	R	NFA	U	17	UNDIVIDED	NONE	.00	M0D099	RODGERS AVE	2	24I	199
							.07			2	20I	
				19			.13			2	24I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 985A      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: OLD FREDERICK RD

PAGE..... 20  
DATE.....12/31/86  
COUNTY-HOWARD  
SHA DISTRICT.....7

SYSTEM		FUNC	HWY	ACCESS			MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	..... MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT
SECONDARY	R NFA	U 19	UNDIVIDED	NONE	.29		ROAD END	2	24I	199

ROUTE NUMBER.....MD 986E  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD

SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00		CUL DE SAC	2	20I	
					.14	CO0235	ALLVIEW DR	2	22I	
					.24		ROAD END			

ROUTE NUMBER.....MD 987  
INVENTORY DIRECTION....NORTH  
NAME: OLD COLUMBIA PIKE

SECONDARY	R NFA	U 17	UNDIVIDED	NONE	.00	USDD29	COLUMBIA PIKE	2	24I	8,299
					.05	USDD29HA	US 29 SPUR	3	36I	
					.10	MDD103	MONTGOMERY RD			


\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

1987

*HIGHWAY LOCATION REFERENCE*

**KENT  
COUNTY**

**K**



KENT COUNTY

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 20  
INVENTORY DIRECTION....EAST  
NAME: ROCK HALL FAIRLEE RD

PAGE..... 1  
DATE.....12/31/86  
COUNTY-KENT  
SHA DISTRICT.....2

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKEO	SURFACE	AADT
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	LANES	WIDTH/TYPE*	.....
SECONDARY	R	FAS	1294	R	7	UNOIVEO NONE	.00	C00155	ROCK HALL RD (BACK)	2	22I	3,300
							.00	MU0017	BEACH RD			
	U						.56		IN CORP LMTS ROCK HALL			
		FAP	296		6		1.38	M00445	N MAIN ST	2	24I	
	R					OIVIOEO	1.84		OUT CORP LMTS ROCK HALL			
							1.88	M00674	SHARP ST			
						UNDIVEO	1.99	M00674A	NO NAME	2	22I	
							2.03	M00288	CROSBY RD			
							5.40		STRUCTURE #14001 SHIPYARD CREEK			
							6.60	M00021	TOLCHESTER BEACH RO			3,600
							7.85	M00298B	NO NAME			
							7.93	M00298	FAIRLEE STILLPOND RO			4,600
							8.70	M00298A	FAIRLEE STILLPOND RO			
							11.60	M00446	BROAD NECK ROCK RO	2	24I	
							12.37		STRUCTURE #14002 EAST FORK			
							12.94					5,500
	U						13.55	M00514	FLATLAND RO			
							13.61		IN CORP LMTS CHESTERTOWN	2	44I	
							13.61		STRUCTURE #14003 RADCLIFF CREEK			
							13.63		R/R #MDOE 526 455 L			
							13.74	M00291	MORGNEC RO			

ROUTE NUMBER.....MO 21  
INVENTORY DIRECTION....EAST  
NAME: TOLCHESTER BEACH RD

SECONDARY	R	NFA		R	9	UNDIVEO NONE	.00		ROAD ENO	2	24I	700
					8		.37					
							.98	M00445	TOLCHESTER RD			900
							3.40	M00020	ROCK HALL FAIRLEE RD			

ROUTE NUMBER.....MO 213  
INVENTORY DIRECTION....NORTH  
NAME: MAPLE AVE

SECONDARY	R	FAS	1287	R	7	UNOIVEO NONE	.00		STRUCTURE #14027 CHESTER RIVER	2	20I	15,500
							.00		QUEEN ANNES CO/L			
	U						.14		IN CORP LMTS CHESTERTOWN			
							.19			2	25I	
							.26			2	36I	
							.37	M00289	CROSS ST			
							1.27			2	52I	

\* A,B = UNIMPROVED; C = GRAVEL & ORAINEO; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 213      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: MAPLE AVE

PAGE..... 2  
DATE.....12/31/86  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AADT					
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	..... MILEPOINT DESCRIPTION .....	LANES	WIDTH/TYPE*	AADT		
SECONDARY	R	FAS 1287	R 7	UNDIVID	NONE	1.29					
						1.32	MDD291	OUT CORP LMTS CHESTERTOWN	2	52I	15,500
						1.34		MORGNEC RD			
		FAP 295	6			2.55	MDD297	SMITHVILLE RD	2	24I	9,700
						4.20	MDD855A	OLD SEC MD 313			4,175
						4.76	MDD561	HASSENSERS CORNER RD			3,325
						6.06					3,025
						6.36		STRUCTURE #14008 MORGAN CREEK			
						7.37	MDD292	STILL POND RD			3,500
						8.85	MDD448	TURNER CREEK RD			3,000
						8.94		R/R #MDD 526 438 V			
						10.08	MDD855	OLD SEC MD 313			
						10.13	MDD855	OLD SEC MD 313			
						10.31	MDD298	FAIRLEE STILLPOND RD			
						11.90	MDD449	TURNER CREEK RD			
						11.97	MDD444A	NO NAME			
						11.99	MDD444	CHESTERVILLE RD			3,400
						12.54	MDD447	MORGNEC RD			
						13.68	MDD537	DAVIS HILL RD			
						14.21		STRUCTURE #14007 WOODLAND CREEK			
						14.30	MDD537	DAVIS HILL RD			
	U					15.87		IN CORP LMTS GALENA			
						15.94			2	36I	
PRIMARY		291				16.12	MDD290	CHESTERVILLE GALENA RD			3,901
						16.12	MDD313	GALENA MASSEY RD			
						16.41			2	24I	
	R					16.61		OUT CORP LMTS GALENA			
						17.87		STRUCTURE #14006 SASSAFRAS RIVER			
						17.87		CECIL CO/L			

ROUTE NUMBER.....MD 213UL  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSED

SECONDARY	R	FAP 295	R 6	UNDIVID	NONE	.00		QUEEN ANNES CO/L	2	24I	4,999
						2.20	MDD213	AUGUSTINE HERM HWY			

ROUTE NUMBER.....MD 288  
INVENTORY DIRECTION....EAST  
NAME: CROSBY RD

SECONDARY	R	NFA	R 9	UNDIVID	NONE	.00	MDD020	ROCK HALL FAIRLEE RD	2	22I	700
-----------	---	-----	-----	---------	------	-----	--------	----------------------	---	-----	-----

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 288 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: CROSBY RO

PAGE..... 3  
DATE.....12/31/86  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT	
STATE	FEDERAL	CLASS	TYPE	CTL			LANES	WIDTH/TYP*		
SECONDARY	R	NFA	R	9	UNOIVED	NONE	.32	2	20I	700
							2.59			900
							2.93			
							3.33			
						ROAD END		2	18I	

ROUTE NUMBER.....MD 289  
INVENTORY DIRECTION....NORTH  
NAME: QUAKER NECK RD

SECONDARY	R	NFA	R	8	UNOIVED	NONE	.00	C00092	CLIFFS CITY ROAD (BACK)	2	20I	900
							3.36	MDD661	QUAKER NECK LANDING RD			1,000
		FAS		1290			3.77			2	22I	
							5.98	MDD664	WILKINS LANE	2	20I	900
							7.47		STRUCTURE #14DD9 RADCLIFF CREEK			
							7.76		IN CORP LMTS CHESTERTOWN			
							7.85			2	24I	
							7.89		R/R #MDDE 526 453 X	2	28I	
							7.94		R/R #MDDE 526 452 R			
							8.02			2	35I	
							8.06			2	41I	
							8.17			2	35F	
							8.28	MD0213	MAPLE AVE			

ROUTE NUMBER.....MD 290  
INVENTORY DIRECTION....NORTH  
NAME: CHESTERVILLE GALENA RD

SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00		QUEEN ANNES CO/L	2	22I	1,600
							.00		STRUCTURE #14D13 CHESTER RIVER			
							.12			2	20I	
							1.03			2	24I	
							1.11	MDD291	RIVER RD (AHEAD)			
							1.78	MD0291	RIVER RD (BACK)	2	20I	200
							5.50			2	22I	
							5.54		R/R #MDDE 526 433 L			
							6.98	MDD801	OLD SEC MD 313	2	24I	
							7.24	MDD313	GALENA MASSEY RD (AHEAD)			
							7.96	MDD313	GALENA MASSEY RD (BACK)	3	50I	1,700
							7.96	MDD213	AUGUSTINE HERM HWY			
							8.02			2	36I	
							8.11			2	24I	
							8.21		OUT CORP LMTS GALENA			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; O,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 290 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: CHESTERVILLE GALENA RD

PAGE..... 4  
DATE.....12/31/86  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AADT	
SECONDARY	R	FAS 1282	R 7	UNOIVED	NONE	8.56	STRUCTURE #14012 MILL CREEK	2	24I	1,700
						10.13	STRUCTURE #14011 SWANTOWN CREEK			
						11.81	STRUCTURE #14010 JACOBS CREEK			
		NFA	8			12.04	BLUE STAR MEM HWY STRUC #14005			
						12.40	MASSEY SASSAFRAS RD			

ROUTE NUMBER.....MO 291  
INVENTORY DIRECTION....EAST  
NAME: MORGNEC RD

SECONDARY	U	FAP 296	R 6	DIVIOED	NONE	.00	M00020 CHESTERTOWN FAIRLEE RD	4	48I	7,100
				UNOIVED		.02		2	24I	
	R					.38	R/R #M00E 526 447 U			
						.38	OUT CORP LMTS CHESTERTOWN			
				DIVIOED		.50		2	26I	
						.58		4	48I	
	U					.60	M00213 AUGUSTINE HERM HWY	4	52I	
						.60	IN CORP LMTS CHESTERTOWN			
	R			UNOIVED		.69		2	24I	
						1.01	OUT CORP LMTS CHESTERTOWN			
		FAS 1284	7			1.25				
						2.42	STRUCTURE #14022 MORGAN CREEK	2	30I	
						2.56		2	24I	
						4.36	M008598 NO NAME			
						4.51	M00291A OLO MO 859B			
						5.04	M00291B OLO MO 859B			3,400
						9.15	M00290 CHESTERVILLE GALENA RD			2,800
						9.82	M00290 CHESTERVILLE GALENA RD	2	22I	
						12.36	STRUCTURE #14014 MILLS BRANCH			
						12.49		2	24I	
						12.55	US0301 BLUE STAR MEM HWY	2	20I	2,500
	U					13.64	IN CORP LMTS MILLINGTON			
						13.79		2	28I	
						13.92		2	24I	
						14.08	M00313 SASSAFRASS ST	2	39I	2,000
						14.12		2	37I	
						14.13	R/R #M00E 526 419 R			
						14.20		2	33I	
	R					14.29	OUT CORP LMTS MILLINGTON	2	24I	
						14.32	STRUCTURE #14015 CYPRESS BRANCH			
						18.57	DELAWARE ST/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 291A  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 859B

PAGE..... 5  
DATE.....12/31/86  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AAOT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*				
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD859B	NO NAME	2	24I	
							.02	MDD291	MORGNEC RD			

ROUTE NUMBER.....MD 291B  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 859B

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD859B	NO NAME	2	19G	
							.11	MDD291	MORGNEC RD			

ROUTE NUMBER.....MD 292  
INVENTORY DIRECTION....NORTH  
NAME: STILL POND RD

SECONDARY	R	FAS	1285	R	7	UNDIVIDED	NONE	.00	MDD213	AUGUSTINE HERM RD	2	24I	1,250
							.05			2	15J		
							1.89		R/R #MODE 526 440 W	2	15H		
							2.82	MDD298	FAIRLEE STILLPOND RD	2	22I		
							3.45			2	21I		
							3.75	MDD566	STILLPOND HARMONY RD	2	20I	1,075	
							4.21			2	22I		
							4.33			2	20I		
							4.58	MDD864	STILL POND RD				
							4.68	MDD864	STILL POND RD				
							5.51	MDD443	POND NECK RD				
							5.89	MDD442	ROYAL SWAN RD				
							6.86	MDD293B	SCHOOL ST				
							6.86		IN CORP LMTS BETTERTON				
							7.10	MDD293C	WHEELER AVE	2	32I		
							7.29	MDD293A	FIRST AVE	2	20I		
							7.38	MDD293	ERICKSON AVE				
							7.43		ROAD END				

ROUTE NUMBER.....MD 293  
INVENTORY DIRECTION....NORTH  
NAME: ERICSON AVE

SECONDARY	U	NFA		R	9	UNDIVIDED	NONE	.00	MDD293B	SCHOOL ST	2	20I	199
							.24	MDD293C	WHEELER AVE				
							.59			2	23I		
							.63	MDD292	MAIN ST				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 293A  
INVENTORY DIRECTION....EAST  
NAME: FIRST AVE

PAGE..... 6  
DATE.....12/31/86  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	U NFA	R 9	UNDIVIDED NONE	.00	MDD292	MAIN ST	2	15J	150
				.25	MDD05D	FIRST AVE (AHEAD)			

ROUTE NUMBER.....MD 293B  
INVENTORY DIRECTION....EAST  
NAME: SCHOOL ST

SECONDARY	U NFA	R 9	UNDIVIDED NONE	.00	MDD293	ERICKSON AVE	2	21J	100
				.14	MDD292	MAIN ST			

ROUTE NUMBER.....MD 293C  
INVENTORY DIRECTION....EAST  
NAME: WHEELER AVE

SECONDARY	U NFA	R 9	UNDIVIDED NONE	.00	MDD293	ERICKSON AVE	2	20J	100
				.16	MDD292	MAIN ST			

ROUTE NUMBER.....MD 297  
INVENTORY DIRECTION....NORTH  
NAME: WORTON RD

SECONDARY	R FAS 1287	R 7	UNDIVIDED NONE	.00	MDD213	AUGUSTINE HERM HWY	2	22I	2,125
				2.13			2	30I	
				2.46			2	40I	
				2.84			2	22I	
				2.85		R/R #MDDE 526 442 K			
				3.39	MDD297A	OLD MD 297			
	NFA	8		3.59	MDD298	FAIRLEE STILLPOND RD	2	20I	550
		9		7.13					
				7.36		ROAD END			

ROUTE NUMBER.....MD 297A  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 297

SECONDARY	R NFA	R 9	UNDIVIDED NONE	.00	MDD297	SMITHVILLE RD	2	20I	100
				.17	MDD298	FAIRLEE STILLPOND RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 298  
INVENTORY DIRECTION....EAST  
NAME: FAIRLEE STILLPOND RD

PAGE..... 7  
DATE.....12/31/86  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AAUT			
....STATE....	..FEDERAL...	CLASS	CTL				LANES	WIDTH/TYPE*				
SECONDARY	R	FAS	1286 R	7	UNDIVIDED	NONE	.00	MDD020	ROCK HALL FAIRLEE RD	2	33I	1,200
							.02	MDD298B	NO NAME	2	24I	
							.40	MDD298A	FAIRLEE STILLPOND RD			
							1.25			2	22I	
							4.04					1,650
							7.32	MDD297A	OLD MD 297			
							7.39	MDD297	SMITHVILLE RD			2,275
							9.43	MDD561	HASSENGERS CORNER RD			3,800
							9.45	MDD856	OLD SEC MD 298			
							9.53	MDD856	OLD SEC MD 298			
							10.99	MDD292	STILL POND RD	2	20I	1,400
							12.31	MDD566	STILLPOND HARMONY RD			1,675
							13.61	MDD448	CHESTER LOCUST RD			1,475
							14.91	MDD213	AUGUSTINE HERM HWY			

ROUTE NUMBER.....MD 298A  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY	R	NFA		R	9	UNDIVIDED	NONE	.00	MDD298	FAIRLEE STILLPOND RD	2	22H	600
								.18			2	20H	
								.48			2	36H	
							.50	MDD020	ROCK HALL FAIRLEE RD				

ROUTE NUMBER.....MD 298B  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY	R	NFA		R	9	UNDIVIDED	NONE	.00	MDD298	FAIRLEE STILLPOND RD	2	20I	
								.07	MDD020	ROCK HALL FAIRLEE RD			

ROUTE NUMBER.....MD 299  
INVENTORY DIRECTION....NORTH  
NAME: MASSEY SASSAFRAS RD

SECONDARY	R	NFA		R	8	UNDIVIDED	NONE	.00	MDD313	GALENA MASSEY RD	2	22I	400
								.04		R/R #MDDE 526 428 P			
							2.94		STRUCTURE #14D18	JACOBS CREEK			
							4.21	MDD290	SASSAFRAS GALENA RD				500
							4.72		STRUCTURE #14D17	HERRING BRANCH			
							5.18		CECIL CO/L				
							5.18		STRUCTURE #14D16	SASSAFRAS RIVER			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 301  
INVENTORY DIRECTION....NORTH  
NAME: BLUE STAR MEM HWY

PAGE..... 8  
DATE.....12/31/86  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	.....	.....				
PRIMARY	R	FAP	127	R	2	DIVIDED	PART	.00	QUEEN ANNES CO/L	4	48I	9,700
								.00	STRUCTURE #17014 CHESTER RIVER			
								.17	MDD291 RIVER RD			
								3.62	R/R #M00E 526 431 X			
								4.18	MDD313 GALENA MASSEY RD			8,800
								7.80	MDD290 GALENA SASSAFRAS RD STRUCT#14003			
								8.79	CECIL CO/L			
								8.79	STRUCTURE #14004 SASSAFRAS RIVER			

ROUTE NUMBER.....MD 313  
INVENTORY DIRECTION....NORTH  
NAME: GALENA MASSEY RD

SECONDARY	U	FAS	1283	R	7	UNDIVIDED	NONE	.00	QUEEN ANNES CO/L	2	24I	1,575
								.00	STRUCTURE #17030 CHESTER RIVER			
								.07				
								.17	MDD291 CYPRESS ST	2	35I	
								.33		2	27I	
	R							.39	DUT CORP LMTS MILLINGTON	2	22I	
								3.88	MDD299 MASSEY SASSAFRAS RD			800
								4.62	R/R #M00E 526 430 R			
								5.26		2	24I	
PRIMARY		FAP	291		6			5.33	USD301 BLUE STAR MEM HWY			2,300
								6.71	MDD801 DLO SEC MD 313			
								7.14	MDD29D CHESTERVILLE GALENA RD			
								7.42	MDD801 OLD SEC MD 313			
	U							7.59	IN CORP LMTS GALENA			
								7.67		2	40I	
								7.86	MDD290 CHESTERVILLE GALENA RD			
								7.86	MDD213 AUGUSTINE HERMAN HWY			

ROUTE NUMBER.....MD 442  
INVENTORY DIRECTION....EAST  
NAME: ROYAL SWAN RD

SECONDARY	R	NFA		R	9	UNOIVED	NONE	.00	MDD292 STILLPOND RD	2	9J	99
								.36	C00045 ROSEDALE CANNERY RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 443  
INVENTORY DIRECTION....EAST  
NAME: POND NECK RD

PAGE..... 9  
DATE.....12/31/86  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AAOT
SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	C00D53	CLARK RD	2	9J	999
							.88	M00292	STILL POND RD			

ROUTE NUMBER.....MD 444  
INVENTORY DIRECTION....NORTH  
NAME: POND NECK RD

SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00		R/R #MODE 526 435 A	2	20J	200
							.00	C00D33	CHESTERVILLE LOCUST GROVE RD-BACK			
							1.53	M00213	AUGUSTINE HERM HWY	2	20I	500
							1.55	M00444A	NO NAME			
							1.60	M00449	TURNER CREEK RD	2	21I	
							1.96	M00447	MORGNEC RD	2	20I	
							3.88			2	18I	
				9			4.29					
							4.58					
							4.62	C0013D	BELCHESTER RD (AHEAD)	2	16I	

ROUTE NUMBER.....MD 444A  
INVENTORY DIRECTION....SOUTH  
NAME: NO NAME

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	M00444	POND NECK RD	2	12I	50
							.01	M00213	AUGUSTINE HERM HWY			

ROUTE NUMBER.....MD 445  
INVENTORY DIRECTION....NORTH  
NAME: EASTERN NECK ISLAND RD

SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	C00115	EASTERN NECK ISLAND RD (BACK)	2	18I	2,700
							.93			2	20I	
	U						5.47		IN CORP LMTS ROCK HALL			
							5.57			2	21I	
							5.82			2	27I	
							5.87	M00674	SHARP ST E&W	2	24I	
							5.96			2	29I	
							6.01	M0002D	ROCK HALL AVE			1,600
							6.02			2	22I	
							6.40			2	18I	
	R						6.50		OUT CORP LMTS ROCK HALL			
							6.85			2	22I	
							8.00					500

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 445      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: EASTERN NECK ISLAND RD

PAGE..... 10  
DATE.....12/31/86  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION .....	LANES	WIDTH/TYPE*	AADT
SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	9.06	STRUCTURE #14D20 SWAN CREEK	2	22I	500
							9.36	STRUCTURE #14D19 SWAN CREEK			
							11.96	MDD021 TOLCHESTER BEACH RD			

ROUTE NUMBER.....MD 446  
INVENTORY DIRECTION....NORTH  
NAME: BROAD NECK RD

SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	CODD96 BROAD NECK RD (BACK)	2	20I	500
							1.25				700
							2.81	STRUCTURE #14D21 MILL POND			
							3.61	MDD020 CHESTERTOWN FAIRLEE RD			

ROUTE NUMBER.....MD 447  
INVENTORY DIRECTION....NORTH  
NAME: MORGNEC RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD213 AUGUSTINE HERM HWY	2	18I	199
							.46	MDD449 LOCUST GROVE RD			
							.81		2	22I	
							.84	MDD444 KENTMORE PARK RD			

ROUTE NUMBER.....MD 448  
INVENTORY DIRECTION....NORTH  
NAME: KENNEDYVILLE RD

SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	CODD18 MORGNEC RD	2	18J	350
							1.89	STRUCTURE #14D24 MORGAN CREEK			
							2.73	MDD213 AUGUSTINE HERM HWY	2	20I	325
							2.81	R/R #MDDE 526 439 C			
				9			4.10	MDD298 FAIRLEE STILLPOND RD	2	18I	
							5.31				125
							5.89		2	18H	
							5.94	CODD42 TURNERS CREEK RD (AHEAD)			

ROUTE NUMBER.....MD 449  
INVENTORY DIRECTION....EAST  
NAME: TURNER CREEK RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD213 AUGUSTINE HERM RD	2	22I	199
							.07	MDD444 CHESTERVILLE ROAD	2	18I	
							.32	MDD447 MORGNEC RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS,

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 514  
INVENTORY DIRECTION....NORTH  
NAME: FLATLAND RO

PAGE..... 11  
DATE.....12/31/86  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE#	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL								
SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	M00020	ROCKHALL FAIRLEE RO	2	24I	2,500
							.15			2	20I	
				9			3.76					
							3.77			2	20H	
							3.79	C00064	PORTERS GROVE HANESVILLE RO (AHD)			

ROUTE NUMBER.....MD 537  
INVENTORY DIRECTION....EAST  
NAME: DAVIS HILL RO

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	M00213	AUGUSTINE HERM HWY	2	20H	99
							.04			2	15H	
							.65			2	20H	
							.71	M00213	AUGUSTINE HERM HWY			

ROUTE NUMBER.....MD 561  
INVENTORY DIRECTION....NORTH  
NAME: HASSENGERS CORNER RO

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	M00213	AUGUSTINE HERM HWY	2	24I	1,175
							.05			2	22H	
							2.23		R/R #MDDE 526 441 0			
							2.48	M00298	FAIRLEE STILLPOND RO			

ROUTE NUMBER.....MD 566  
INVENTORY DIRECTION....EAST  
NAME: STILL POND HARMONY RD

SECONDARY	R	FAS	1288	R	7	UNDIVIDED	NONE	.00	M00292	STILL POND RO	2	20I	625
							.01	M00857	OLD SEC MD 566				
							.36	M00857	OLD SEC MD 566				
							1.19	M00298	FAIRLEE STILLPOND RO				

ROUTE NUMBER.....MD 661  
INVENTORY DIRECTION....NORTH  
NAME: QUAKER NECK LANDING RO

SECONDARY	R	NFA		R	9	UNOIVED	NONE	.00		ROAD END	2	16I	200
							.89				2	18I	
							2.22	M00289	QUAKER NECK RO				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 664  
INVENTORY DIRECTION....EAST  
NAME: WILKINS LANE

PAGE..... 12  
DATE.....12/31/86  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM		FEDERAL	CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	R										
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00 1.65	MDD289 QUAKER NECK RD ROAD END	2	20I	700

ROUTE NUMBER.....MD 674  
INVENTORY DIRECTION....EAST  
NAME: W SHARP ST

SECONDARY	U	NFA	R	9	UNDIVIDED	NONE	.00 .45 .49 .53 .91 .91	MDD07D CHESAPEAKE AVE MDD445 MAIN ST N&S OUT CORP LMTS ROCK HALL STRUCTURE #14D23 GRAYS INN CREEK NO NAME	2 2 2 2 2	22I 31I 28I 22I	1,199 1,499
	R				DIVIDED		1.14 1.16	MDD674A MDDD2D ROCK HALL FAIRLEE RD	2	4DI	

ROUTE NUMBER.....MD 674A  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00 .08	MDD674 E SHARP ST MDDD2D ROCK HALL FAIRLEE RD	2	20I	50
-----------	---	-----	---	---	-----------	------	------------	--	---	-----	----

ROUTE NUMBER.....MD 8D1  
INVENTORY DIRECTION....NORTH  
NAME: OLD SEC MD 313

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00 .46 1.01 1.05	MDD313 GALENA MASSEY RD MDD29D CHESTERVILLE GALENA RD MDD313 GALENA MASSEY RD	2 2	15J 18H	99
-----------	---	-----	---	---	-----------	------	----------------------------	--	--------	------------	----

ROUTE NUMBER.....MD 855  
INVENTORY DIRECTION....EAST  
NAME: OLD SEC MD 313

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00 .06	MDD213 AUGUSTINE HERM HWY MDD213 AUGUSTINE HERM HWY	2	16H	99
-----------	---	-----	---	---	-----------	------	------------	--	---	-----	----

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 855A  
INVENTORY DIRECTION....NORTH  
NAME: OLD SEC MD 313

PAGE..... 13  
DATE.....12/31/86  
COUNTY-KENT  
SHA DISTRICT.....2

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT		DESCRIPTION	MARKED	SURFACE	AADT	
STATE	FEDERAL	CLASS	TYPE	CTL				LANES	WIDTH/TYPE*		
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.DD MDD213 .07	AUGUSTINE HERM HWY ROAD END	2	21H	25

ROUTE NUMBER.....MD 856  
INVENTORY DIRECTION....NORTH  
NAME: OLD SEC MD 298

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.DD MDD298 .10	STILL POND RD STILL POND RD	2	15J	99
-----------	---	-----	---	---	-----------	------	-------------------	--------------------------------	---	-----	----

ROUTE NUMBER.....MD 857  
INVENTORY DIRECTION....EAST  
NAME: OLD SEC MD 566

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.DD MDD566 .39	STILL POND HARMONY RD STILL POND HARMONY RD	2	15H	99
-----------	---	-----	---	---	-----------	------	-------------------	--	---	-----	----


ROUTE NUMBER.....MD 859B  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.DD MDD291 .16	RIVER RD OLD MD 859B	2	19G	75
							.63 MDD291B .88	OLD MD 859B ROAD END	2	15G	

ROUTE NUMBER.....MD 864  
INVENTORY DIRECTION....NORTH  
NAME: STILL POND RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.DD MDD292 .11	STILL POND RD STILL POND RD	2	16H	99
-----------	---	-----	---	---	-----------	------	-------------------	--------------------------------	---	-----	----


\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK




1987

*HIGHWAY LOCATION REFERENCE*

**MONTGOMERY  
COUNTY**




MONTGOMERY COUNTY



WASHINGTON, D.C.

MONTGOMERY COUNTY





STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 27  
INVENTORY DIRECTION....NORTH  
NAME: RIDGE RD

PAGE..... 1  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT				
STATE	FEDERAL	CLASS	CTL				LANES	WIDTH/TYPE*					
SECONDARY	R	FAP	237	R	6	UNOIVED	NONE	.00	M00355	URBANA PIKE	2	241	16,550
								.02	M00027G	SPUR TO MD 355			
								.81					11,900
								3.73					19,000
								6.19			2	341	
								6.22			2	241	
						DIVIDED		6.30					
						UNOIVED		6.37					
								6.56			2	311	
								6.61			2	361	
								6.70	M00108	MAIN ST	3	351	18,825
								6.76			2	221	
								7.00			2	241	
								7.27			2	221	
								7.80					15,300
								9.87	M00080	KEMPTOWN RD			12,000
								10.42		HOWARD CO/L			

ROUTE NUMBER.....MD 27G  
INVENTORY DIRECTION....WEST  
NAME: SPUR TO MD 355

SECONDARY	R	NFA		R	9	UNOIVED	NONE	.00	M00027	RIDGE RD	1	171	
								.03	M00355	FREDERICK RD			

ROUTE NUMBER.....MD 28  
INVENTORY DIRECTION....EAST  
NAME: OICKERSON-BEALSVILLE RD

SECONDARY	R	FAP	233	R	6	UNOIVED	NONE	.00		FREDERICK CO/L	2	241	2,300
								.92		R/R #80 140 522 H			
								1.17			2	221	
								1.30			2	241	
								1.86					
								4.35	M00109	STRUC#15001 LITTLE MONOCACY RIVER BARNSVILLE RD			
								6.03					3,200
								6.95		STRUC #15066 DRY SENECA CREEK			
								7.93	M00117	BUCKLOOGE RD			3,625
								9.57	M00121	WHITE GROUNDOS RD			
								9.81	M00107	WHITE FERRY RD			6,700
								10.21		STRUC#15002 LITTLE SENECA CREEK			
						DIVIDED		12.33					

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 28 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: DICKERSON-BEALSVILLE RD

PAGE..... 2  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FEDERAL	CLASS	FUNC	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	R											
SECONDARY	R	FAP	233	R	6	NONE	12.43	MDD118	DARNSTOWN-GERMANTOWN RD	2	24I	9,200
							12.50					
							13.18	MDD112	SENECA RD			10,275
							14.64					14,500
							15.21					
				U	14		15.70	MDD124	QUINCE ORCHARD RD	2	48I	18,000
		FAU	5046		17		15.80			2	36I	
							15.90			2	24I	
							16.46					
							16.73			2	30I	
							16.80			2	24I	
							16.85					
							17.00	MDD899A	STRUCTURE #15DD3 MUDDY BRANCH AMERICAN WAY			
							17.42			4	50I	
							17.55					
							17.77			4	58I	
							17.91			4	52I	
							18.10	MDD928A	MD 28 SPUR	3	39I	
							18.25	MDD928A	MD 28 SPUR	2	24I	
					16		18.63			2	36I	
							18.72			2	24I	
							18.83					
							19.26			3	54I	
							19.30			4	49I	32,000
							19.49			2	24I	
							20.29					
							20.29		STRUCTURE #15DD4 WATTS BRANCH IN CORP LMTS ROCKVILLE			
							20.34			3	36I	
							20.42			4	48I	
							20.65					
							20.76		STRUCTURE #15DD5 WATTS BRANCH			
							20.86	ISD27D	EISENHOWER MEM HWY STRUC#15048	4	54I	
							21.04			4	44I	
							21.09			2	38I	
							21.24			2	34I	
							21.41			2	32I	
							21.76			4	41I	
							21.78	MDD189	GREAT FALLS RD	3	36I	
							21.82			4	44I	
							22.13					
							22.25			4	48I	
							22.35			4	52I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 28 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: OICKERSON-BEALSVILLE RD

PAGE..... 3  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS			MARKED	SURFACE			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPINT	..... MILEPINT	DESCRIPTION	LANES	WIDTH/TYPE*	AA DT	
SECONDARY	U	FAU	5D11	U 14	DIVIDED	NONE	22.44		4	50I	25,000
							22.45 MDD355	ROCKVILLE PIKE			
							22.56 MDD660	DODGE ST	4	52I	
							22.69	STRUC #150D6 R/R #8D 140 497 C			
			5D10		PART		22.88 MDD586	VEIRS MILL RD	4	52J	26,000
							23.20				30,575
							23.43	STRUCTURE #15147 ROCK CREEK	4	48J	
	R						24.36	OUT CDRP LMTS ROCKVILLE			
							24.50	STRUCTURE #15D92 ROCK CREEK			
							24.77		5	60J	
							24.94		4	49I	
							25.27 MDD655H	SERVICE RD			
							25.52 MDD655E	SERVICE RO			
							25.57 MDD655C	OLD MD 28			
							25.87 MDD6558	OLD MD 28			
							26.27 MDD655	DLD MD 28			
							26.82 MDD115	MUNCASTER MILL RD			
							26.96 MDD655A	NO NAME			
			5D6D	16	UNDIVIDED	NONE	27.04 MDDD97	GEORGIA AVE			
							27.17		2	24I	
							27.19 MDD928	OLD MD 6D9			
							27.28 MDD928	NO NAME			
							27.34		2	20I	
							28.96	STRUCTURE #15D65 BUCKHORN BRANCH			
							29.61 MDD182	LAYHILL RD			

ROUTE NUMBER.....MD 28UL  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSED

SECONDARY	R	FAU	5D6D	U 16	UNDIVIDED	NONE	.00	MDDD28	NORBECK RD (BACK)	2	20I	30,599
							.00	MDD182	LAYHILL RD			
							2.90	MDD198	SPENCERVILLE RD			

ROUTE NUMBER.....US 29  
INVENTORY DIRECTION....NORTH  
NAME: GEORGIA AVE

PRIMARY	R	FAP	245	U 14	UNDIVIDED	NONE	.00		WASH O C LINE	6	67I	44,400
					DIVIDED		.00	MDD184	BLAIR RD			
							.18	MDD41D	EAST WEST HWY/BURLINGTON AVE	6	72I	
							.33		STRUC #15D78 R/R #80 140 48D Y			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 29 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: GEORGIA AVE

PAGE..... 4  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS					MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT
PRIMARY	R FAP	245 U 14	DIVIDED	NONE	.61				6	72I	48,000
		109			.82	M00384		COLESVILLE RO	6	66I	
					.82	M00097		GEORGIA AVE			
			UNDIVIDED		.85				6	62I	
					1.51	M00391		DALE OR			
					1.66				6	72I	
					1.71			STRUCTURE #15010 SLIGO CREEK			
			DIVIDED		1.74				6	68J	52,000
					1.85	M00516		FRANKLIN AVE			
					2.38	IS0495		CAPITAL BELTWAY STRUC#15135			41,775
					2.72	M00193		UNIVERSITY BLVD			
					3.54			STRUC #15009 NORTHWEST BRANCH			
				PART	3.55						46,475
					3.81	US0029A		SPUR			
					3.88	M00895		LOCKWOOD OR			
					4.62				4	54J	
		12			4.76	M00650		NEW HAMPSHIRE AVE STRUC#15067			44,775
					4.93				4	50J	
					5.11	US0029B		STEWART LA			
					5.20	US0029C		SPUR			
					5.28						42,000
					5.63			STRUCTURE #15076 PAINT BRANCH			
					6.19				4	48I	38,800
					6.61				5	60I	
					6.78				6	72I	
					6.91						32,000
					7.87				5	60I	
					8.00				4	48I	
		R 2			9.51						
					10.68	M00198		SANDY SPRING RD & SPENCERVILLE RO			31,000
				PART	11.60						
					12.38			STRUCTURE #15034 PATUXENT RIVER			
					12.38			HOWARD CO/L			

ROUTE NUMBER.....US 29A  
INVENTORY DIRECTION....NORTH  
NAME: SPUR

SECONDARY	R NFA	U 19	UNDIVIDED	NONE	.00	US0029		COLUMBIA PIKE	1	24I	
					.05				1	20I	
					.07	M00895		LOCKWOOD OR			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 29B  
INVENTORY DIRECTION....EAST  
NAME: STEWART LA

PAGE..... 5  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC		HWY	ACCESS	MILEPOINT		MILEPOINT DESCRIPTION		MARKED	SURFACE	AA DT
STATE	FEDERAL	CLASS	TYPE	CTL						LANES	WIDTH/TYPE*	
SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00	C01495	MILESTONE DRIVE	2	50H	
		FAU 5133	17		DIVIDED		.02	US0029	COLUMBIA PIKE	2	57H	999
							.05	MDD196A	OLD COLUMBIA PIKE			

ROUTE NUMBER.....US 29C  
INVENTORY DIRECTION....EAST  
NAME: SPUR

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00	MDD196A	OLD COLUMBIA PIKE	3	36I	
							.03	US0029	COLUMBIA PIKE			

ROUTE NUMBER.....MD 80  
INVENTORY DIRECTION....EAST  
NAME: KEMPTOWN RD

SECONDARY	R	FAS 1074	R	7	UNDIVIDED	NONE	.00		FREDERICK CO/L	2	23I	6,025
							.26			2	25I	
							.60			2	22I	
					DIVIDED		1.43			4	56I	
							1.45	MDD027	RIDGE RD			

ROUTE NUMBER.....MD 82  
INVENTORY DIRECTION....EAST  
NAME: LELAND ST

SECONDARY	R	FAU 5124	U	17	UNDIVIDED	NONE	.00	MDD191	BRADLEY BLVD	2	36I	4,425
							.24			2	42I	
		NFA					.31	MDD355	WISCONSIN AVE	2	37I	
							.38	MDD245	46TH ST			

ROUTE NUMBER.....MD 95  
INVENTORY DIRECTION....EAST  
NAME: COMUS RD

SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	1.14	C00200	COMUS RD (BACK)	2	17I	550
							1.99	MDD109	OLD HUNDRED RD			
							1.99	C00200	COMUS RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 97  
INVENTORY DIRECTION....NORTH  
NAME: GEORGIA AVE

PAGE..... 6  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA OISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT		
....STATE....	..FEDERAL...	CLASS	CTL							
SECONDARY	R	FAP	245 U 14	DIVIDED	NONE	.00	MDD384 COLESVILLE RD	6	71J	53,000
						.00	US0029 COLESVILLE RD			
						.13		6	70J	
						.31		6	68J	
						.92	MDD390 16TH ST			
						.96				21,100
						1.01		5	55J	
						1.05		6	55J	
						1.07		6	66J	
						1.10	MDD391 SEMINARY RD & COLUMBIA BLVD			
						1.44	IS0495 CAPITAL BELTWAY STRUC#15130	6	62J	58,000
						1.61	MDD192 FOREST GLEN RD	6	73J	50,975
						1.81		6	68J	
						2.84				60,000
						3.07	MDD586 VEIRS MILL RD	5	56J	
						3.18		6	68J	
						3.47	MDD193 UNIVERSITY BLVD W			38,825
						3.58				56,000
						4.81	MDD182 LAYHILL RD			57,000
						5.09		6	72J	
						6.46	STRUCTURE #15091 TURKEY BRANCH			
						7.00	MDD185 CONNECTICUT AVE			30,000
				PART		7.67				
						7.79		6	72I	
						8.69		5	58I	
						8.82	MDD028 NORBECK RD	6	58I	24,500
						8.88	MDD655A NO NAME			
				UNDIVED	NONE	9.01		2	21I	
						9.93		2	33I	
						10.03		2	22I	
						10.19		2	20I	
						11.59		2	33I	
				DIVIDED		11.64		4	48I	
						11.80				10,525
						11.93	MDD1D8 CLAYSVILLE RD			
				UNDIVED		12.12		2	40I	
						12.20		2	24I	
						12.29		2	22I	
						12.38				
						13.68	IN CORP LMTS BROOKEVILLE			
						14.02		2	26I	
						14.07		2	22I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 108      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: MAIN ST

PAGE..... 8  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AAOT
SECONDARY	R	FAP	246	U	14	UNDIVIDED	NONE	13.75	2	34I	17,600
								13.83	2	30I	
								13.89	2	24I	
								13.95	2	22I	
								13.99	2	23I	
								14.34	2	21I	
								14.79	2	24I	
				R	6			14.87	MDD182	DR BIRD RD	13,300
								14.92	2	21I	
								16.23	2	26I	
								16.38	2	21I	
								16.63	2	28I	
								16.67	MDD65D	NEW HAMPSHIRE AVE	7,500
								16.71	2	36I	
								19.09	2	20I	
								19.09		STRUCTURE #15008 PATUXENT RIVER HOWARD CO/L	

ROUTE NUMBER.....MD 109  
INVENTORY DIRECTION....NORTH  
NAME: BEALLSVILLE RD

SECONDARY	U	FAS	1092	R	7	UNDIVIDED	NONE	.00	MDD107	FISHER AVE	2,200
								.09	2	23I	
								.18	2	21I	
	R							.39		OUT CORP LMTS POOLESVILLE	2,100
								.65	2	22I	
								.99	2	21I	
								1.13	2	22I	
								1.38	2	21I	
								2.41	MDD28	DARNESTOWN RD	1,275
								5.22		R/R #B0 14D 52D W	
	U							5.73		IN CORP LMTS BARNESVILLE	
								6.16			1,050
	R							6.53		OUT CORP LMTS BARNESVILLE	
								6.73		STRUC#15D7D LITTLE MONOCACY RIVER	
								8.48	MDD095	COMUS RD	1,125
								9.70			2,100
								11.22	2	24I	
								11.40	ISD27D	EISENHOWER MEM HWY STRUC#15D36	
								11.42		STRUC#15D99 LITTLE BENNETT CREEK	
								11.91	MDD355	FREDERICK RD	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 112  
INVENTORY DIRECTION....EAST  
NAME: SENECA RO

PAGE..... 9  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANS	SURFACE WIDTH/TYP*	AADT	
STATE	FEDERAL	CLASS	TYPE	CTL							
SECONDARY	R FAS	1098	R 7	UNOIVED	NONE	.00	M00190	RIVER RD	2	22I	1,500
						.95			2	24I	
						1.12			2	22I	
						2.83	M00028	OARNESTOWN RO			

ROUTE NUMBER.....MO 115  
INVENTORY DIRECTION....EAST  
NAME: MUNCASTER MILL RO

SECONDARY	R FAU	5132	U 17	UNOIVED	NONE	.00	M00124	WOODFIELD RO	2	24I	15,750
						.05			2	22I	
						1.29			2	36I	
						1.42			2	22I	
						2.07			2	27I	
						2.26			2	22I	
						2.30		STRUCTURE #15015 ROCK CREEK			
				OIVIEDO		2.90			2	24I	
				UNOIVED		3.08			2	22I	
						4.51		STRUCTURE #15016 NORTH BRANCH			
						4.60			2	36I	
						4.74			2	22I	
						5.57			2	24I	
				OIVIEDO		5.74					
				UNOIVED		5.82	M00028	NORBECK RO	2	43I	
						5.86	M00655	OLO MO 28			

ROUTE NUMBER.....MO 116UL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSEO

SECONDARY	R FAU	5006	U 14	OIVIEDO	NONE	.00	M00189	FALLS ROAD	4	48I	1,099
			16			1.55					
						10.20	M00200UL	PROPOSEO			

ROUTE NUMBER.....MO 117  
INVENTORY DIRECTION....EAST  
NAME: BUCKLODGE RO

SECONDARY	R NFA		R 9	UNOIVED	NONE	.00	M00028	DARNESTOWN RO	2	20I	4,425
						3.12		STRUC #15018 BUCKLODGE BRANCH	2	24I	
						3.20			2	20I	
						3.59		R/R #80 140 517 L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; O,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 118  
INVENTORY DIRECTION....NORTH  
NAME: DARNESTOWN-GERMANTOWN RD

PAGE..... 11  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AADT						
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AADT			
SECONDARY	R	FAS	1096	R	7	DIVIDED NONE	.00	MDD028	DARNESTOWN RD (BACK)	2	33I	2,900
						UNDIVIDED	.04			2	24I	
							1.29		STRUC#15D20 GREAT SENECA CREEK			
							2.36					6,725
		FAU	5012	U	16		4.00	MDD117	CLOPPER RD	2	22I	13,525
							4.97		STRUC #15D19 R/R #B0 14D 515 X			
							4.99	MDD120A	WATERS RD			
							5.21			4	48I	
						DIVIDED	5.32			6	72I	
					14		5.57					24,050
							6.07	MDD120	AIRCRAFT DR	4	48I	
		FAP	237				6.41	ISD270	EISENHOWER MEM HWY STRUC #15041			19,000
						UNDIVIDED	6.80			2	24I	
							7.21			3	34I	
						DIVIDED	7.30			4	45I	
							7.37			3	36I	
							7.39	MDD355	FREDERICK RD			

ROUTE NUMBER.....MD 120  
INVENTORY DIRECTION....NORTH  
NAME: AIRCRAFT DR

SECONDARY	R	NFA		U	19	UNDIVIDED NONE	.00	MDD118	DAWSONVILLE RD	3	47I	999
							.10			3	33I	
							.26			2	20I	
							.67	C05379	LOCBURY DR			

ROUTE NUMBER.....MD 120A  
INVENTORY DIRECTION....NORTH  
NAME: WATERS RD

SECONDARY	R	NFA		U	19	UNDIVIDED NONE	.00	MDD118	DARNESTOWN-GERMANTOWN RD	2	16I	999
							.52		ROAD END			

ROUTE NUMBER.....MD 121  
INVENTORY DIRECTION....NORTH  
NAME: WHITE GROUND RD

SECONDARY	R	NFA		R	8	UNDIVIDED NONE	.00	MDD028	DARNESTOWN RD	2	18I	200
							1.00	C0D259	WHITE GROUND RD (AHEAD)			
							1.00		END STATE MAINTENANCE			
							4.54	C0D259	CLOPPER RD (BACK)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 121      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: WHITE GROUND RD

PAGE..... 12  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
	STATE	FEDERAL									
SECONDARY	R	NFA	R 8	UNDIVIDED	NONE	4.54	COD222	WHITE GROUND RD (AHEAD)	2	18I	200
						4.65	COO222	CLOPPER RD (BACK)			
						4.65	MOD117	BUCKLODGE RD (AHEAD)			
						4.65		BEGIN STATE MAINTENANCE			
		FAS 1094	7			4.70	MDD117	BUCKLODGE RD (BACK)	2	24I	2,250
						5.09		STRUCTURE #15D21 TENMILE CREEK			
						8.30	MDD9D1	WHELAN LA			
						8.53	ISD270	EISENHOWER MEM HWY STRUC #15070			
						8.55					4,200
						9.16	MDD355	FREDERICK RD			

ROUTE NUMBER.....MD 124  
INVENTORY DIRECTION....NORTH  
NAME: QUINCE ORCHARD RD

SECONDARY	R	FAP	233 U 14	DIVIDED	NONE	.00	MDD28	DARNESTOWN RD	2	24I	15,000
						.02			2	23I	
				UNDIVIDED		.19			2	24I	
				DIVIDED		.67			2	27I	
						.73			3	40I	
	U					.81		IN CORP LMTS GAITHERSBURG	4	54I	
						1.90			4	48I	
						2.04					20,975
						2.71	MDD117	CLOPPER RD	4	50I	18,000
				UNDIVIDED		3.01			4	58I	
				DIVIDED		3.06			4	48I	
		FAU 5013				3.19	ISD270	EISENHOWER MEM HWY STRUC#15044			15,500
						3.36			5	60I	
						3.57	MDD355	FREDERICK AVE (AHEAD)			
		5054	16	UNDIVIDED		4.51	MDD355	FREDERICK AVE (BACK)	2	26I	13,400
						4.65			2	36I	
						4.84			2	32I	
						4.99			2	28I	
						5.15			2	30I	
	R					5.32		OUT CORP LMTS GAITHERSBURG	2	20I	
						5.42			2	34I	
						5.53			2	20I	
						5.64			2	36I	
						5.68			2	31I	
	U					5.70		IN CORP LMTS WASHINGTON GROVE			
						5.72			2	22I	
	R					6.27		OUT CORP LMTS WASHINGTON GROVE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 124      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: QUINCE ORCHARD RD

PAGE..... 13  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	FAU	5054	U	16	DIVIOEO	NONE	6.42	2	35I	13,400
								6.46	2	42I	
								6.55	2	24I	
						UNOIVEO		6.62	2	32I	
								6.70	2	22I	
		FAS	1103	R	7		MO0115	MUNCASTER MILL RD			16,125
								7.48			
								7.56	2	26I	
								7.61	2	22I	
								8.06	2	34I	
								8.12	3	34I	
								8.27	2	24I	
						DIVIOEO		8.40	2	25I	
						UNOIVEO		8.54	2	22I	
								9.34	2	35I	
								9.41			6,825
								9.44	2	24I	
								10.28	2	25I	
								10.65	2	26I	
								11.37	2	25I	
								11.53	2	26I	9,050
								11.90	2	24I	
								12.06	2	25I	
								12.27	2	24I	
								12.51	2	26I	
								13.00	2	24I	
								13.48			
								13.54	2	27I	
								13.82	2	24I	
								14.19	2	26I	
								14.52	2	24I	
								14.68	2	22I	
								15.09	2	24I	7,200
								15.52	2	22I	
								16.53			9,500
								17.57			
							MO0108	MAIN ST			

ROUTE NUMBER.....MD 182  
INVENTORY DIRECTION....NORTH  
NAME: LAYHILL RD

SECONDARY	R	FAU	5059	U	16	DIVIOEO	NONE	.00	MO0097	GEORGIA AVE	2	54J	14,000
								.05			2	44I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 182      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: LAYHILL RD

PAGE..... 14  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT
SECONDARY	R	FAU 5059	U 16	DIVIDED	NONE	.12			2	38I	14,000
				UNDIVIDED		.18			2	35I	
						.21			2	21I	
						.33			2	33I	
						.44			2	21I	
						.73			2	22I	13,000
						1.15		STRUC #15D25 NORTHWEST BRANCH	2	20I	
						1.27			2	28I	11,625
						1.33			2	20I	
						2.18			2	33I	
						2.25			2	22I	5,800
						2.35			2	20I	
						2.63			2	24I	
						2.77			2	20I	
						3.11		STRUCTURE #15024 BUCKHORN BRANCH			
						4.07		STRUCTURE #15023 BUCKHORN BRANCH			
						4.47	MDD28	NORBECK RD	2	21I	10,000
	FAS	1111	R 7			4.95					
						5.90			2	22I	8,100
						6.59	MDD108	SANDY SPRING RD			

ROUTE NUMBER.....MD 184  
INVENTORY DIRECTION....EAST  
NAME: BLAIR RD

SECONDARY	U	FAU 5074	U 16	UNDIVIDED	NONE	.00	USDD29	GEORGIA AVE	2	29I	10,899
						.00		WASH D C LINE			
						.12			2	30I	
						.31			2	37I	
						.36		WASH D C LINE			

ROUTE NUMBER.....MD 185  
INVENTORY DIRECTION....NORTH  
NAME: CONNECTICUT AVE

SECONDARY	U	FAU 5007	U 14	DIVIDED	NONE	.00	MDD185E	CHEVY CHASE CIRCLE	5	54I	33,500
						.09			6	54I	
	R					.60	MDD191	BRADLEY LA	6	59I	
						.60		OUT CORP LMTS CHEVY CHASE VILLAGE			
						.90			6	64I	
				UNDIVIDED		1.32			6	58I	
						1.38	MDD410	EAST WEST HWY			53,000

\* A, B = UNIMPROVED; C = GRADED & DRAINED; D, E = SOIL, GRAVEL, STONE; F, G = LOW TYPE BITUMINUS; H, I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 185      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: CONNECTICUT AVE

PAGE..... 15  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
SECONDARY	R	FAU	5007	U	14	DIVIDED	NONE	
								1.45
								1.77
								1.84
								2.12
								2.22
								2.62
					ISD495			
								2.75
								3.37
								3.86
								3.86
								4.24
					MDD547			4.34
								4.40
					MDD192			4.45
								4.54
								4.60
								5.78
								5.82
					MDD185A			5.87
					MDD185D			5.92
					MDD586			5.95
					MDD185B			5.95
					MDD185C			6.32
								7.28
								7.31
								7.38
								7.46
								7.75
								8.24
								8.30
					MDDD97			
								7.31
								7.38
								7.46
								7.75
								8.24
								8.30

ROUTE NUMBER.....MD 185A  
INVENTORY DIRECTION....SOUTH  
NAME: MD 185 SPUR

SECONDARY	R	NFA		U	19	UNDIVIDED	NONE	
								.00
								.13

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 185B  
INVENTORY DIRECTION....WEST  
NAME: MD 185 SPUR

PAGE..... 16  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	ADJ			
STATE	FEDERAL	CLASS	TYPE	CTL			LANES	WIDTH/TYPE#				
SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00	MO185	CONNECTICUT AVE	2	25I	
							.01	MO586	VEIRS MILL RD			

ROUTE NUMBER.....MO 185C  
INVENTORY DIRECTION....NORTH  
NAME: MD 185 SPUR

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00	MO586	VEIRS MILL RD	2	22I	
							.03	MO185	CONNECTICUT AVE			

ROUTE NUMBER.....MO 185D  
INVENTORY DIRECTION....EAST  
NAME: MD 185 SPUR

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00	MO185	CONNECTICUT AVE	2	18I	
							.04	MO586	VEIRS MILL RD			

ROUTE NUMBER.....MO 185E  
INVENTORY DIRECTION....WEST  
NAME: CHEVY CHASE CIRCLE

SECONDARY	U	NFA	U	19	UNDIVIDED	NONE	.00		WASH D C LINE	2	57I	
							.03	MO185	CONNECTICUT AVE	2	55I	
							.10		WASH D C LINE			

ROUTE NUMBER.....MO 186  
INVENTORY DIRECTION....NORTH  
NAME: BROOKVILLE RD

SECONDARY	U	NFA	U	17	UNDIVIDED	NONE	.00		WASH D C LINE	2	20I	8,500
							.51			2	21I	5,600
							.60		OUT CORP LMTS CHEVY CHASE VILLAGE			
							.60		IN CORP LMTS CHEVY CHASE #3			
							.81			2	28I	
							.96		OUT CORP LMTS CHEVY CHASE #3	2	26I	
							.96		IN CORP LMTS CHEVY CHASE #5			
							1.01			2	24I	
							1.13			2	21I	
							1.17			2	24I	
	R						1.23		OUT CORP LMTS CHEVY CHASE #5			
							1.50			1	12I	
							1.54	MO410	EAST WEST HWY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 187  
INVENTORY DIRECTION....NORTH  
NAME: OLD GEORGETOWN RD

PAGE..... 17  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*					
SECONDARY	R	FAU	SDD8	U	14	UNOIVED	NONE	.00	M00355	WISCONSIN AVE	3	36J	45,000
								.03			3	36I	
								.11			2	24I	
						DIVIOED		.15			4	40I	
		5035		16				.29	M00188	WILSON LA	4	44I	
								1.08			5	60I	
								1.21			6	68I	
								2.65	IS0495	CAPITAL BELTWAY STRUC#15115			48,000
								3.22			5	56I	
								3.37			6	68I	
								3.77	IS0270	EISENHOWER MEM HWY STRUC#15079			54,000
								4.68			5	56I	
								4.81			6	68I	
								4.86			4	68I	
								5.33	M00355	ROCKVILLE PIKE			

ROUTE NUMBER.....MO 188  
INVENTORY DIRECTION....EAST  
NAME: WILSON LA

SECONDARY	R	FAU	SDD8	U	16	UNOIVED	NONE	.00	C0469D	MACARTHUR BLVD	2	22I	5,325
								.67			2	40I	
						DIVIOED		.73			2	48J	
								.81			4	50J	
				14				.90	M00190	RIVER RD			16,000
								.93			4	59I	
						UNDIVED		1.00			2	24I	
								1.19			2	21I	
								1.65			2	22I	7,625
								2.36	M00191	BRAOLEY BLVD			
								2.45			2	26I	8,000
								2.56			2	22I	
								3.14			2	26I	
								3.21			3	36I	
								3.27	M00187	OLD GEORGETOWN RD			

ROUTE NUMBER.....MO 189  
INVENTORY DIRECTION....NORTH  
NAME: FALLS RD

SECONDARY	R	FAU	SDD6	U	16	UNDIVED	NONE	.00	C0469D	MACARTHUR BLVD	2	24I	15,375
								1.86			2	48I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 189      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: FALLS RD

PAGE..... 18  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA OISTRICT.....3

SYSTEM		FUNC		HWY		ACCESS		MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL								
SECONDARY	R	FAU	SDD6	U	14	UNDIVIDED	NONE	1.97	MDD190 RIVER RD	2	40I	16,625
								2.10		2	24I	
								3.54		2	38I	
								3.72		2	24I	
								4.64		2	30I	
								4.68				19,650
								4.72		2	24I	
								4.92				
								5.02				
								5.15				
								5.80		3	36I	
								5.91	IN CORP LMTS ROCKVILLE			
								5.95		2	24I	
								6.09		2	36I	
								6.15		2	24I	
								6.38		2	44I	
								6.44		2	24I	
								6.60		2	34I	
								6.75		2	24I	14,000
								6.83	ISD270 EISENHOWER MEM HWY STRUC#15D49			
								6.97		2	34I	
								7.02		2	24I	
								7.10		2	23I	
								7.35		2	21I	
								7.60		2	32I	
								7.66	MDD28 W JEFFERSON ST	2	33I	
								7.68	MU3268 W MONTGOMERY AVE			

ROUTE NUMBER.....MD 190  
INVENTORY DIRECTION....EAST  
NAME: RIVER RD

SECONDARY	R	FAS	1099	R	7	UNDIVIDED	NONE	.00	MDD112 SENECA RD	2	24I	2,625
								2.30	STRUCTURE #15007 MUDROY BRANCH			
								4.11		2	20I	
								4.43		2	24I	
								4.66				14,725
								4.73	STRUCTURE #15098 WATTS BRANCH			
								6.48				
								8.12		2	35I	
								8.18	MDD189 FALLS RD			
								8.30		2	28I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 190 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: RIVER RD

PAGE..... 19  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT DESCRIPTION	.....	LANES	WIDTH/TYPE*	AAOT
SECONDARY	R	FAU	5005	U 14	UNOIVED	NONE	8.94		2	22I	14,725
							9.09		2	20I	
							10.07	M00191	2	24I	
							10.81	BRAOLEY BLVD			
							11.14	STRUCTURE #15027 BUCK BRANCH			
							11.18		4	24I	45,000
							11.43		4	48I	
							11.43		4	55I	
							11.52		4	48I	
							11.58	PART			
							11.84	IS0495	4	48J	
							12.12	CAPITAL BELTWAY STRUC#15110			
							12.78	STRUCTURE #15028 BOOZE CREEK			
							12.88	M00188			
							12.88	WILSON LA			21,550
							12.91				
							12.91	M00190A			
							13.88	SPUR			
							13.88	M00614B			
							13.88	SPUR FR MD 614			
							13.88	M00614A			
							13.88	SPUR TO MD 614			
							13.90	M00614			28,000
							13.90	GOLOSBORO RD			
							13.92	M00614D			
							13.92	SPUR FR MD 614			
							13.92	M00614C			
							13.92	SPUR TO MD 614			
							14.91		4	54J	19,775
							15.10	NONE			
							15.10	R/R #B0 139 521 E			
							15.37	UNOIVED	4	48J	
							15.52				
							15.52	STRUCTURE #15071 LITTLE FALLS			
							15.96	WASH O C LINE			

ROUTE NUMBER.....MD 190A  
INVENTORY DIRECTION....NORTH  
NAME: SP TO & FR MD 190

SECONDARY	R	NFA		U 19	UNOIVED	NONE	.00	M00190	RIVER RD	2	30I
							.01	C04600	RIVER RD SERVICE RD		

ROUTE NUMBER.....MD 191  
INVENTORY DIRECTION....NORTH  
NAME: PERSIMMON TREE RD

SECONDARY	R	FAU	5031	U 16	UNOIVED	NONE	.00	C04690	MACARTHUR BLVD	2	22I	7,900
							.21			2	20I	
							.47			2	24I	
							.56	IS0495	CAPITAL BELTWAY STRUC#15105			
		NFA		17			.62	M00996	EGGERT OR			
							.71			2	20I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 191      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: PERSIMMON TREE RD

PAGE..... 20  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC		HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL						
SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.86	2	20I	7,900
		FAU	5D31	16			1.21			
							1.80	2	30I	
							1.89	2	22I	
			5D34				2.17	2	20I	
							2.68	2	22I	
						MDD190	RIVER RD			
							STRUCTURE #15D29 BUCK BRANCH			
							3.63			
							3.79	2	24I	
					DIVIDED		4.36	3	36I	
							4.45	4	48I	
						ISO495	CAPITAL BELTWAY STRUC#15111			
							4.74	3	36I	
					UNDIVIDED		4.83	2	21I	
							5.54	2	22I	15,000
							6.83	2	24I	
					DIVIDED		6.91			
					UNDIVIDED		6.97			
							7.42			
						MDD188	WILSON LA			16,250
					DIVIDED		8.20	4	46J	
			5D32				8.24	5	70J	16,000
						MDD614	GOLDSBORO RD			
							8.34	5	58J	
							8.38	6	68J	
							8.73			
							8.78			
						MDD082	STRUC #15090 R/R #80 139 518 W LELAND ST	4	54I	11,000
							9.10	3	39I	
					UNDIVIDED		9.15	2	26I	11,500
						MDD355	WISCONSIN AVE			
							9.29	2	22I	
						MDD185	CONNECTICUT AVE			

ROUTE NUMBER.....MD 192  
INVENTORY DIRECTION....EAST  
NAME: PLYERS MILL RD

							.29			
						COD302	PLYERS MILL RD (BACK)			
							.29			
SECONDARY	U	FAU	5D38	U	16	DIVIDED	NONE	4	24I	18,000
							.39			
						MDD185	BEGIN MUNICIPAL MAINTENANCE CONNECTICUT AVE			
							.39			
							.39			
							.45	3	36I	
			507D			UNDIVIDED	BEGIN STATE MAINTENANCE			
							.46	2	36I	
							.52	2	24I	
							.66	2	22I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 192 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: PLYERS MILL RD

PAGE..... 21  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC		HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE#	AAOT		
STATE	FEDERAL	CLASS	TYPE	CTL									
SECONDARY	R	FAU	SD7D	U	16	UNDIVIDED	NONE	.87		OUT CORP LMTS KENSINGTON	2	22I	18,000
								1.54			2	31I	4,000
								1.58			2	22I	
			5178		17			2.15	MDD391	SEMINARY RO	2	32I	6,000
								2.20			2	24I	
								2.69			2	20I	
								2.83			2	28I	
								2.85	MDD097	GEORGIA AVE	4	54J	10,500
								2.88			2	26I	
								3.00			2	24I	
								3.18			2	28I	
								3.34			2	22I	
								3.38		STRUCTURE #15146 SLIGO CREEK			
								3.44		END STATE MAINTENANCE			
								3.44	COD697	FOREST GLEN RD (AHEAD)			
								3.95	COD697	FOREST GLEN RD (BACK)	2	24I	
								3.95		BEGIN STATE MAINTENANCE			
			NFA		19			4.20			2	28I	
								4.34	COD692	SUTHERLAND RD (AHEAD)			

ROUTE NUMBER.....MD 193  
INVENTORY DIRECTION....EAST  
NAME: UNIVERSITY BLVD W

SECONDARY	U	FAU	SD18	U	14	DIVIDED	NONE	.00	MDD185	CONNECTICUT AVE	4	68J	26,000
	R							.12		OUT CORP LMTS KENSINGTON			
								1.24	MDD586	VEIRS MILL RD			
								1.39			4	62J	32,200
								1.46	MDD097	GEORGIA AVE			38,950
								1.65			6	68J	
								2.72		STRUCTURE #15032 SLIGO CREEK			
								3.00					42,050
								4.32	US0029	COLESVILLE RD			
								4.87			4	72I	
								4.91	ISD495	CAPITAL BELTWAY STRUC#15136			
								4.96			6	68J	40,000
								5.17	MDD516	FRANKLIN AVE			
								5.40					47,550
								6.15	MDD320	PINEY BRANCH RD			36,500
								6.58	MD0195	CARROLL AVE			24,500
								6.70		PRINCE GEORGES CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 195  
INVENTORY DIRECTION....NORTH  
NAME: CARROLL AVE

PAGE..... 22  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC		HWY		ACCESS		MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL								
SECONDARY	U	FAU	5D75	U	16	UNDIVID	NONE	.00	WASH D C LINE	2	45I	12,750
								.09		2	44I	
								.13		2	35I	
								.26		2	29I	
				14				.46	MDD410 PHILADELPHIA AVE	2	48I	
				16				.52				
								.53	MDD410 ETHAN ALLAN AVE	2	36I	
								.60		2	31I	
								.66		2	30I	
								1.02	STRUCTURE #15033 SLIGO CREEK			
								1.05		2	40I	
								1.16	MDD787 FLOWER AVE			
								1.16	END STATE MAINTENANCE			
								1.16	BEGIN MUNICIPAL MAINTENANCE			
	R							1.36	OUT CORP LMTS TAKOMA PARK	2	26I	14,400
								1.36	END MUNICIPAL MAINTENANCE			
								1.36	BEGIN STATE MAINTENANCE			
								1.43		2	37I	
								1.62		2	34I	
								1.79		2	32I	
								1.84		2	23I	
								1.88		2	23J	
								1.92	MDD193 UNIVERSITY BLVD E			

ROUTE NUMBER.....MD 196  
INVENTORY DIRECTION....NORTH  
NAME: OLD COLUMBIA PIKE

SECONDARY	R	NFA		U	19	UNDIVID	NONE	.00	ROAD END	2	22I	6,200
								.39		2	33H	
								.43	C02925 INDUSTRIAL PKWY			

ROUTE NUMBER.....MD 196A  
INVENTORY DIRECTION....NORTH  
NAME: OLD COLUMBIA PIKE

SECONDARY	R	NFA		U	19	UNDIVID	NONE	.00	ROAD END	2	20I	2,799
								.14		2	27I	
						DIVIDED		.20	USDD29B STEWART LA	2	33I	
								.23		2	24I	
						UNDIVID		.26	USDD29C SPUR	2	30I	
								.33		2	20I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 196A CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: OLD COLUMBIA PIKE

PAGE..... 23  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT
SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.72	ROAD END	2	20I	2,799

ROUTE NUMBER.....MD 198  
INVENTORY DIRECTION....EAST  
NAME: SPENCERVILLE RD

SECONDARY	R	FAP	248	R	6	DIVIDED	NONE	.00	M00650	NEW HAMPSHIRE AVE	2	36I	9,200
						UNDIVIDED		.02			2	34I	
								.07			2	24I	
								.77					12,275
								1.08			2	22I	
								1.45			2	24I	
						DIVIDED		1.67			2	22I	
								3.16			2	24I	
								3.19					15,000
								3.23			2	29I	
						UNDIVIDED		3.27			2	22I	
								3.42			2	22J	
						DIVIDED		3.47			4	48J	
			U	14				3.53	US0029	COLUMBIA PIKE	4	48I	
								3.58			5	60I	
								4.00			4	48I	
								4.97			5	60I	
								5.00		PRINCE GEORGES CO/L			

ROUTE NUMBER.....MD 200UL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

SECONDARY	R	NFA		U	19	DIVIDED	NONE	.00		VIRGINIA ST/L	4	48I	9,999
		FAU	5014		12			11.70					
								12.70	ISD270	EISENHOWER MEM HWY			
								12.70	ISD370	PROPOSED (AHEAD)			
		FAP	120					14.60	ISD370	PROPOSED (BACK)			
								14.60	M00116UL	PROPOSED			
								23.38	M00116UL	PROPOSED			
								28.80		MONTGOMERY CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 27D  
INVENTORY DIRECTION....EAST  
NAME: EISENHOWER MEM HWY

PAGE..... 24  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL								
PRIMARY	R	FAI	27D	R	1	DIVIDED	FULL	.00	FREDERICK CO/L	4	48I	40,000
								.20	STRUC#15036 LITTLE BENNETT CREEK			
								.22	MDD109 BEALLSVILLE RD STRUC#15036			47,500
								.54	STRUCTURE #15072 WILCAT BRANCH			
								2.78	COO200 COMUS RD STRUC#15037			
								4.08	MDD121 CLARKSBURG RD STRUC#15038			50,165
								5.36	COO231 OLD BALTIMORE RD STRUC#15039			
								5.93	STRUC#15040 LITTLE SENECA CREEK			
								7.08				
								7.46				
								7.77	MDD118 GERMANTOWN RD STRUC#15041	6	72I	110,000
								8.57	COO141 MIDDLEBROOK RD STRUC#15042			
								9.86	STRUC #15043 GREAT SENECA CREEK			
								10.36	IN CORP LMTS GAITHERSBURG			
								11.06	MDD124 MONT VILLAGE AVE STRUC#15044			
								11.29	STRUC#15096 R/R #B0 140 510 N			
								11.68	MDD117 CLOPPER RD STRUC#15045			
								11.68	OUT CORP LMTS GAITHERSBURG			
								12.41	COD081 MUDDY BRANCH RD STRUC#15045			
								12.41	IN CORP LMTS GAITHERSBURG			
								13.18	OUT CORP LMTS GAITHERSBURG			
								14.19	COD212 SHADY GROVE RD STRUC#15047			
								14.19	IN CORP LMTS ROCKVILLE			
								15.89	STRUCTURE #15064 WATTS BRANCH			
								16.07	MDD028 DARNESTOWN ROCKVILLE STRUC#15048			125,000
								17.06	MDD189 FALLS RD STRUC#15049			127,000
								18.04	OUT CORP LMTS ROCKVILLE			
								18.42	COD144 MONTROSE RD STRUC#15068			145,000
								18.65		7	84I	
								19.60		8	96I	
								19.76	STRUCTURE #15080 OLD FARM CREEK			
								19.80	COD164 TUCKERMAN LA STRUC#15081			
								19.88		6	72I	
								20.05	ISD270Y NO NAME	4	48I	70,000
								20.19	ISD270Y NO NAME STRUC#15082			
								21.07	MDD187 OLD GEORGETOWN RD STRUC#15079			
								22.32	COO326 GROSVENOR LA STRUC#15077			
								22.38		4	48J	
								22.44		4	54J	
								22.53	CAPITAL BELTWAY STRUC#15116			
								22.72	ISD495 CAPITAL BELTWAY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; O,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 270Y  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PAGE..... 25  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS			MARKED	SURFACE				
STATE	FEDERAL	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AADT			
PRIMARY	R	FAI	270	U	11	DIVIDED FULL	.00	ISD495	CAPITAL BELTWAY	4	48I	70,999
							.17	ISD495	CAPITAL BELTWAY STRUC#15112			
							.91	CO0166	DEMOCRACY BLVD STRUC#15097			
							1.73	ISD270	EISENHOWER MEM HWY STRUC#15082			
							2.04	ISD270	EISENHOWER MEM HWY			

ROUTE NUMBER.....MD 320  
INVENTORY DIRECTION....NORTH  
NAME: PINEY BRANCH RD

SECONDARY	U	FAU	5073	U	16	UNDIVIDED NONE	.00		WASH D C LINE	2	26I	19,000
							.32			4	46I	
							.38	MDD410	PHILADELPHIA AVE	4	44I	19,850
							.50			2	50I	
	R						.54		OUT CORP LMTS TAKOMA PARK	4	56I	17,725
							.85			4	45I	
							.92			4	56I	
							1.00			4	51I	23,000
							1.03			4	45I	
							1.15			4	48I	
							1.20	MDD391	DALE DR	4	48I	
							1.40		STRUCTURE #15051 SLIGO CREEK			
							1.60			4	46I	
							1.64	MDD787	FLOWER AVE	4	50I	23,500
						DIVIDED	1.77					
							1.99			4	45I	
							2.10	MDD193	UNIVERSITY BLVD E	4	50I	20,000
							2.13					
							2.74		PRINCE GEORGES CO/L			

ROUTE NUMBER.....MD 355  
INVENTORY DIRECTION....NORTH  
NAME: WISCONSIN AVE

SECONDARY	R	FAP	247	U	14	DIVIDED NONE	.00		WASH D C LINE	6	66I	44,000
							.04			6	62I	
		FAU					.06			6	58I	
						UNDIVIDED	.10			6	60I	
						DIVIDED	.17					
		FAP					1.04			6	68I	
						UNDIVIDED	1.16	MDD191	BRADLEY BLVD	6	73I	58,000
		FAU				DIVIDED	1.20					

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 355      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: WISCONSIN AVE

PAGE..... 26  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP#	AADT					
....STATE....	..FEDERAL...	CLASS	TYPE	CTL									
SECONDARY	R	FAU	247	U	14	DIVIDED	NONE	1.37	MDD082	LELAND ST	6	73I	58,000
		FAP						1.54			6	74I	
								1.56		STRUC#15050 R/R #80 139 516 H	6	80I	
								1.57					
								1.64	MDD410	MONTGOMERY LA (EB/L)			
								1.72	MDD187	OLD GEORGETOWN RD	6	64J	40,000
								1.72	MDD410	EAST WEST HWY (WB/L)			
								2.36			6	68J	
								3.64					46,000
								3.86			6	72J	62,000
								3.99	ISD495	CAP BELTWAY STRUC#15121 & #15120			
		FAU	5113					4.06	ISD495	CAPITAL BELTWAY STRUC#15119			
								4.14		STRUC#15118 RAMP TO I-270 & I-495			
								4.16		STRUC#15117 RAMP 1 TO I-270			
								4.42			6	70J	
								4.55			6	72I	
								5.31	MDD547	STRATHMORE AVE			
								5.33					72,775
								5.75			7	80I	
								6.06			6	68I	
								6.42	MDD187	OLD GEORGETOWN RD	8	88I	
								6.67					63,975
								6.70			7	78I	
								6.86			6	68I	
	U							7.11		IN CORP LMTS ROCKVILLE			
								8.48			6	68J	
								8.82	MDD911	FIRST ST			
								9.13	MDD660	DODGE ST	4	48I	
								9.24	MDD028	JEFFERSON ST/VEIRS MILL RD			65,675
								9.35			6	70I	
								9.54			6	69I	
								9.60			6	72I	
	R							10.62		OUT CORP LMTS ROCKVILLE			56,000
								12.73			6	76I	73,000
	U							12.89		IN CORP LMTS GAITHERSBURG			
								13.90			4	50I	
								14.14			2	24I	
								14.32			2	41I	
								14.39	MDD117A	W DIAMOND AVE	2	27I	
								14.49	MDD117A	W DIAMOND AVE			
								14.50		STRUC#15045 R/R #80 140 508 M			
								14.61	MDD124	E DIAMOND AVE	2	24I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 370 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

PAGE..... 28  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
PRIMARY	R	FAI	37D	U 11	DIVIDED FULL	1.90	MDD200UL PROPOSED (AHEAD)	6 72I 70,999

ROUTE NUMBER.....MD 384  
INVENTORY DIRECTION....EAST  
NAME: COLESVILLE RD

SECONDARY	R	FAP	1D9	U 14	DIVIDED NONE	.00	WASH D C LINE	6 72I 16,599
						.00	MDD39D 16TH ST	
						.23	MDD41D EAST WEST HWY	23,999
						.50	USDD29 COLESVILLE RD	
						.50	MDDD97 GEORGIA AVE	

ROUTE NUMBER.....MD 390  
INVENTORY DIRECTION....NORTH  
NAME: 16TH ST

SECONDARY	R	FAU	5D21	U 14	DIVIDED PART	.00	WASH D C LINE	4 62I 24,775
						.01	MDD384 COLESVILLE RD	
						.16	MDD41D EAST WEST HWY	4 68J 27,175
						.61	STRUC#15089 R/R #B0 14D 483 L	
						.85		30,000
					UNDIVIDED	1.01		4 44J
						1.10	MDDD97 GEORGIA AVE	

ROUTE NUMBER.....MD 391  
INVENTORY DIRECTION....EAST  
NAME: SEMINARY RD

SECONDARY	R	FAU	5D7D	U 16	UNDIVIDED NONE	.00	MDD192 FOREST GLEN RD	4 48I 8,800
						.10	ISD495 CAPITAL BELTWAY STRUC#15129	
						.27		2 25I
						.69		2 33I
					DIVIDED	.92		2 34I
						.94	MDDD97 GEORGIA AVE	4 54J 6,525
					UNDIVIDED	.97		4 56I
						.99		2 26I
						1.04		2 24I
						1.13		2 25I
						1.34		2 24I
						1.58		
						1.92		2 22I 6,600
						1.97	USDD29 COLESVILLE RD	2 21I 9,000

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 391      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: SEMINARY RD

PAGE..... 29  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
SECONDARY	R	FAU	5070	U 16	UNOIVED	NONE	2.04	2	24I	9,000
							2.38	2	36I	
							2.50	2	24I	2,825
							3.20	2	22I	
							3.26			
					MDD0320	PINEY BRANCH RD				

ROUTE NUMBER.....MD 396  
INVENTORY DIRECTION....EAST  
NAME: MASSACHUSETTS AVE

SECONDARY	R	FAU	5033	U 16	UNOIVED	NONE	.00	MDD614	GOLDSBORO RD	2	24I	18,500
							.65			4	50I	
					DIVIDED		1.14			4	48I	
					UNOIVED		1.47					30,000
							1.50		R/R #B0 139 523 S			
							1.52		STRUCTURE #15057 LITTLE FALLS			
					DIVIDED		1.58			4	56I	
					UNOIVED		1.90			4	48I	
							2.23		WASH D C LINE			

ROUTE NUMBER.....MD 410  
INVENTORY DIRECTION....EAST  
NAME: MONTGOMERY AVE

SECONDARY	R	FAU	5008	U 14	DIVIDED	NONE	.00	MDD355	WISCONSIN AVE	5	40I	35,000
							.08			8	44I	
							.13			6	33I	
							.20			6	37I	
		5088					.26			6	33I	
		5008					.42			5	25I	
					UNOIVED		.45			4	40I	
							.52		STRUC#15058 R/R #B0 139 515 B			
							.77			4	39I	22,500
							1.01	MDD185	CONNECTICUT AVE	4	40I	20,350
							1.42	MDD186	BROOKVILLE RD			22,775
							1.88			4	50I	
							1.96		STRUCTURE #15059 ROCK CREEK			
							2.04			4	46I	
							2.10			4	44I	
							2.18			4	43I	
							2.41			4	46I	
							2.54			4	44I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 41D CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: MONTGOMERY AVE

PAGE..... 30  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT	
STATE	FEDERAL	CLASS	TYPE	CTL						
SECONDARY	R	FAU	S008	U	14	UNDIVIDED NONE	2.69	4	42I	22,775
							2.91	4	44I	
							3.04	4	46I	
							3.13			
						STRUCTURE #15D6D	3.18	4	43I	
						DIVIDED	3.45	5	63I	
						UNDIVIDED	3.48	4	50I	
						MDD39D 16TH ST	3.51	4	47I	
							3.66	4	63I	
						MDD384 COLESVILLE RD	3.71	4	68I	29,775
							3.77	4	41I	
							4.04	4	38I	
						DIVIDED	4.20	4	35I	
						UNDIVIDED	4.23			
						USDD29 GEORGIA AVE	4.26	3	42I	12,575
							4.32			
						STRUC#15D61 R/R #80 14D 479 E	4.34	3	36I	
							4.39	2	36I	
						DIVIDED	4.42	2	27I	
						UNDIVIDED	4.55	2	29I	
						U IN CORP LMTS TAKOMA PARK	4.59	2	26I	
							4.95			
						MDD32D PINEY BRANCH RD	4.98			
						END STATE MAINTENANCE	4.98			
						BEGIN MUNICIPAL MAINTENANCE	5.17	2	25I	
						END MUNICIPAL MAINTENANCE	5.17			
						BEGIN STATE MAINTENANCE	5.28			
						END STATE MAINTENANCE	5.28			
						BEGIN MUNICIPAL MAINTENANCE	5.55			
						END MUNICIPAL MAINTENANCE	5.55			
						BEGIN STATE MAINTENANCE	5.55			
						MDD19S CARROLL AVE (AHEAD)	5.63			
						MDD19S CARROLL AVE (BACK)	5.63			
						END STATE MAINTENANCE	5.63			
						BEGIN MUNICIPAL MAINTENANCE	5.86			
						PRINCE GEORGES CO/L				

ROUTE NUMBER.....IS 49S  
INVENTORY DIRECTION....EAST  
NAME: CAPITAL BELTWAY

PRIMARY	R	FAI	49S	U	11	DIVIDED FULL	.0D	BEGIN BRIDGE IN VIRGINIA	6	72I	145,819
							.06	VIRGINIA ST/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 495      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: CAPITAL BELTWAY

PAGE..... 31  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL					
PRIMARY	R FAI	495 U 11	DIVIDED	FULL	.06	STRUCTURE #15100 POTOMAC RIVER	6	72I	145,819
					.34	STRUCTURE #15101 C&O CANAL			
					.39	GV0006 GEO WASH MEM PKWY STRUC#15101			
					.56	STRUCTURE #15104 RAMP #7 FR GV 6			
					1.11	MDD191 PERSIMMON TREE RD STRUC#15105			
					1.78	CO0148 SEVEN LOCKS RD STRUC#15106			
					1.88	STRUCTURE #15108 THOMAS BRANCH			
					1.90	STRUC#15109 RAMP 4 TO IS 495X			
					1.90	IS0495X CABIN JOHN PKWY			
					2.23		8	96I	
					2.38	MDD190 RIVER RD STRUC#15110			
					3.39		9	99I	
					3.72	MDD191 BRADLEY BLVD STRUC#15111			
					3.80	ISD270Y NO NAME	5	60I	70,000
					3.97	ISD270Y NO NAME STRUC#15112			
					4.10		6	72I	
					4.23	COD167 GREENTREE RD STRUC#15113			
					4.85	COD837 FERNWOOD RD STRUC#15114			
					5.64	MDD187 OLD GEORGETOWN RD STRUC#15115			72,000
					6.59	ISD270 EISENHOWER MEM HWY	7	87I	
					6.73	MDD355 ROCKVILLE PK STRUC#15120 & #15121			
					6.80		7	84I	
					7.15		6	72I	
					7.41	COD319 CEDAR LA STRUC#15122			
					8.31	MDD185 CONNECTICUT AVE STRUC#15123			
					8.34				149,250
					8.50	COD538 KENSINGTON PKWY STRUC#15124			
					9.24	STRUCTURE #15126 ROCK CREEK			
					9.64		8	96I	
					9.65	CO1227 FOREST GLEN DR STRUC#15127			
					9.84	STRUC#15128 R/R #80 140 487 W			
					9.91	MDD391 SEMINARY RD STRUC#15129			
					10.54	MDD097 GEORGIA AVE STRUC#15130			
					11.04	STRUCTURE #15132 SLIGO CREEK			
					11.15	GV0007 SLIGO CREEK PKWY STRUC#15133			
					11.69	COD675 BRUNETT AVE STRUC#15134			
					11.98	US0029 COLESVILLE RD STRUC#15135			150,000
					12.63	MDD193 UNIVERSITY BLVD E STRUC#15136			
					12.83		8	96J	153,376
					13.24	STRUC #15137 NORTHWEST BRANCH			
					14.21	MDD650 NEW HAMPSHIRE AVE STRUC#15138	8	48I	
					14.39	STRUCTURE #15139 RAMP 1 FR MD 650			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 495      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: CAPITAL BELTWAY

PAGE..... 32  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC		HWY		ACCESS		MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION						
PRIMARY	R	FAI	495	U	11	DIVIDED	FULL	14.49	PRINCE GEORGES CO/L	8	48I	153,376

ROUTE NUMBER.....IS 495X  
INVENTORY DIRECTION....NORTH  
NAME: CABIN JOHN PKWY

SECONDARY	R	FAU	5003	U	12	DIVIDED	FULL	.00	GV0006	GEO WASH PKWY	4	54I	22,099
								.12		STRUCTURE #15087 THOMAS BRANCH			
								.24		STRUCTURE #15085 THOMAS BRANCH			
								.26			4	48I	
								1.05		STRUCTURE #15084 BOOZE CREEK			
								1.25		IS 495 (S8/L) CAPITAL BELTWAY			
								1.29		STRUC #15109 RAMP 4 TO MD 19D			
								1.32			3	36I	
								1.50			3	34I	
								1.52	IS0495	CAPITAL BELTWAY			

ROUTE NUMBER.....MD 516  
INVENTORY DIRECTION....EAST  
NAME: FRANKLIN AVE

SECONDARY	R	NFA		U	17	UNDIVIDED	NONE	.00	US0029	COLESVILLE RD	2	30I	4,900
								.32			2	28I	
								.38			2	33I	
								.44			2	28I	
								.50			2	36I	
								.57	MD0787	FLOWER AVE			10,500
								.90	MD0193	UNIVERSITY BLVD E			

ROUTE NUMBER.....MD 547  
INVENTORY DIRECTION....EAST  
NAME: STRATHMORE AVE

SECONDARY	R	FAU	5044	U	16	UNDIVIDED	NONE	.00	MD0355	ROCKVILLE PIKE	2	29I	14,000
								.04			2	20I	
	U							.63		IN CORP LMTS GARRETT PARK			
								.75					13,500
	R							1.08		OUT CORP LMTS GARRETT PARK			
								1.13		STRUCTURE #15062 ROCK CREEK			
								1.22			2	22I	
								1.63			2	36I	
	U							1.64		IN CORP LMTS KENSINGTON			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 547      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: STRATHMORE AVE

PAGE..... 33  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC		HWY		ACCESS		MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL								
SECONDARY	U	FAU	5D44	U	16	UNDIVIDED	NONE	1.72		2	48I	13,500
								1.8D	MDD185 CONNECTICUT AVE			

ROUTE NUMBER.....MD 586  
INVENTORY DIRECTION....EAST  
NAME: VEIRS MILL RD

SECONDARY	U	FAU	5D11	U	14	DIVIDED	NONE	.00	MDD911	FIRST ST	4	48I	35,000
								.00	MDD028	FIRST ST	4	48J	
								.24					
	R							1.37		OUT CORP LMTS ROCKVILLE			
								1.42			5	58J	
								1.48			4	58I	
								1.53			4	48I	
								1.68		STRUCTURE #15D63 ROCK CREEK			
								2.41			4	48J	
								2.85			5	58J	
								3.03		STRUCTURE #15D75 TURKEY BRANCH			
								3.48			4	48J	44,000
								3.86			5	60I	
								3.96	MDD185A	MD 185 SPUR			
								3.99	MDD185B	MD 185 SPUR			
								4.01	MDD185	CONNECTICUT AVE	4	48I	39,000
								4.02	MDD185C	MD 185 SPUR			
								4.06	MDD185D	MD 185 SPUR			
								4.09			6	68J	
								4.76			5	58J	
								5.11			6	68J	
								5.36	MDD193	UNIVERSITY BLVD W			29,000
								5.66			5	58J	
								5.78	MDD097	GEORGIA AVE			

ROUTE NUMBER.....MD 6D5  
INVENTORY DIRECTION....NORTH  
NAME: TAKOMA AVE

SECONDARY	U	NFA		U	17	UNDIVIDED	NONE	.00		WASH D C LINE	2	36J	3,799
								.13			2	30J	
								.27	MUDD10	ALBANY AVE			
								.27	MU122D	TAKOMA AVE (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 614  
INVENTORY DIRECTION....NORTH  
NAME: GOLDSBORO RD

PAGE..... 34  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC		HWY	ACCESS		MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
STATE	FEDERAL	CLASS	TYPE	CTL									
SECONDARY	R	FAU	5D32	U	16	UNDIVIDED	NONE	.00	C0469D	MACARTHUR BLVD	2	24I	13,000
								.40			2	36I	
								.46	MDD396	MASSACHUSETTS AVE			
								.50			2	26I	19,375
								.58			2	24I	
								.66			2	20I	
								.97			2	24I	
						DIVIDED		1.01			4	54J	
								1.02	MDD614B	SPUR TO MD 19D			
								1.02	MDD614C	SPUR FR MD 19D			
								1.04	MDD19D	RIVER RD			
								1.06	MDD614D	SPUR TO MD 19D			
								1.06	MDD614A	SPUR FR MD 19D			
						UNDIVIDED		1.11			2	27I	
								1.44			2	24I	
								1.83			2	48I	
						DIVIDED		1.93			4	48J	
								1.96	MDD191	BRADLEY BLVD			

ROUTE NUMBER.....MD 614A  
INVENTORY DIRECTION....EAST  
NAME: SPUR FR MD 19D

SECONDARY	R	NFA		U	19	UNDIVIDED	NONE	.00	MDD19D	RIVER RD	1	20J	
								.02	MDD614	GOLDSBORO RD			

ROUTE NUMBER.....MD 614B  
INVENTORY DIRECTION....SOUTH  
NAME: SPUR TO MD 19D

SECONDARY	R	NFA		U	19	UNDIVIDED	NONE	.00	MDD614	GOLDSBORO RD	1	20J	
								.02	MDD19D	RIVER RD			

ROUTE NUMBER.....MD 614C  
INVENTORY DIRECTION....WEST  
NAME: SPUR FR MD 19D

SECONDARY	R	NFA		U	19	UNDIVIDED	NONE	.00	MDD19D	RIVER RD	1	20J	
								.02	MDD614	GOLDSBORO RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 6140  
INVENTORY DIRECTION....NORTH  
NAME: SPUR TO MD 190

PAGE..... 35  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANS	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
SECONDARY	R	NFA	U 19	UNOIVED	NONE	.00	M00614 GOLDSBORO RD	
						.02	M00190 RIVER RD	
							1	20J
ROUTE NUMBER.....MO 650								
INVENTORY DIRECTION....NORTH								
NAME: NEW HAMPSHIRE AVE								
SECONDARY	R	FAP	249 U 14	DIVIDED	PART	.00	PRINCE GEORGES CO/L	47,000
						.66		68J
						.75		70J
					NONE	.88	ISO495 CAPITAL BELTWAY STRUC#15138	72J
						.97		68J
						1.82		45,500
						2.43		72J
						2.54	M00895 LOCKWOOD OR	54J
						2.66		
						2.81	US0029 COLESVILLE RO STRUC#15067	44,450
						2.95		68J
						3.47		76J
						5.08		63J
					UNOIVED	5.21		82J
						5.23		27,625
						5.32		57I
						5.49		22I
						7.63		21I
						7.91		13,450
			R 6			8.76	M00198 SPENCERVILLE RO	13,000
						11.06		24I
			FAS 1109			11.15	M00108 ASHTON RO	5,325
						11.19		34I
						11.26		20I
						12.83		24I
						13.03	STRUCTURE #15017 HAWLINGS RIVER	20I
						13.14		21I
						13.38		25I
						14.12		20I
			NFA 8			14.53		
			FAS 1102			17.50	M00097 GEORGIA AVE	
						17.82		24I
						17.93		21I
						18.04		24I
			NFA 8			18.15		

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 65D CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: NEW HAMPSHIRE AVE

PAGE..... 36  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	18.20	2	22I	5,325
							18.87	2	21I	
							19.02	2	22I	
							22.25	2	21I	
							22.73			
					MDD1D8	LAYTONSVILLE RD				

ROUTE NUMBER.....MD 655  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 28

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00	MDD28	NORBECK RD	2	18I	599
							.59	MDD115	MUNCASTER MILL RD	3	25I	
							.84			2	28I	
					DIVIDED		1.06			2	22I	
					UNDIVIDED		1.29			2	24I	
							1.55			2	22I	
							2.05		ROAD END			

ROUTE NUMBER.....MD 655A  
INVENTORY DIRECTION....WEST  
NAME: NO NAME

SECONDARY	R	NFA	U	19	DIVIDED	NONE	.00	MDD97	GEORGIA AVE	2	36I	
					UNDIVIDED		.01			2	24I	
							.13	MDD28	NORBECK RD			

ROUTE NUMBER.....MD 655B  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 28

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00	MDD28	NORBECK RD	2	18I	
							.39	OP3667	CARROLLTON RD			

ROUTE NUMBER.....MD 655C  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 28

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00	MDD28	NORBECK RD	2	18I	
							.28	C01338	WESTBURY RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 655D  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

PAGE..... 37  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS									
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	MARKED	SURFACE	AADT
										LANES	WIDTH/TYPE*	
SECONDARY	R	NFA	U	19	UNDIVED	NONE	.00		CUL DE SAC	2	18I	
							.01	C04107	NO NAME (AHEAD)			
							.01		END STATE MAINTENANCE.			
							.27	C04107	NO NAME (BACK)			
							.27		BEGIN STATE MAINTENANCE			
							.28		CUL DE SAC			

ROUTE NUMBER.....MD 655E  
INVENTORY DIRECTION....WEST  
NAME: SERVICE RD

SECONDARY	R	NFA	U	19	UNDIVED	NONE	.00	M00028	NORBECK RD	2	18I	
							.02	C03655	NO NAME (AHEAD)			

ROUTE NUMBER.....MD 655F  
INVENTORY DIRECTION....WEST  
NAME: SERVICE RD

SECONDARY	R	NFA	U	19	UNDIVED	NONE	.00	M00028	NORBECK RD	2	18I	
							.01	C05416	NO NAME (AHEAD)			

ROUTE NUMBER.....MD 655G  
INVENTORY DIRECTION....EAST  
NAME: SERVICE RD

SECONDARY	R	NFA	U	19	UNDIVED	NONE	.00	M00028	NORBECK RD	2	18I	
							.02	C03390	NONAME (AHEAD)			

ROUTE NUMBER.....MD 655H  
INVENTORY DIRECTION....EAST  
NAME: SERVICE RD

SECONDARY	R	NFA	U	19	UNDIVED	NONE	.00	M00028	NORBECK RD	2	18I	
							.01	C05417	NO NAME (AHEAD)			

ROUTE NUMBER.....MD 660  
INVENTORY DIRECTION....NORTH  
NAME: DODGE ST

SECONDARY	U	NFA	U	19	UNDIVED	NONE	.00	M00355	ROCKVILLE PIKE	3	36J	13,099
							.02			3	36I	
							.04	M00028	VEIRS MILL RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 787  
INVENTORY DIRECTION....NORTH  
NAME: FLOWER AVE

PAGE..... 38  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS								
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT DESCRIPTION	.....	LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	U	FAU	5185	U	17	UNDIVIDED	NONE	.00		PRINCE GEORGES CO/L	
					.10		MDD195	CARROLL AVE	2	29I	7,200
					.10			END MUNICIPAL MAINTENANCE			
					.10			BEGIN STATE MAINTENANCE			
	R				.14				2	28I	
					.26			OUT CORP LMTS TAKOMA PARK	2	29I	
					.28				2	30I	
					.58				2	35I	8,225
					.61				2	30I	
					.96				2	28I	
					1.09		MDD320	PINEY BRANCH RD	3	39I	9,700
					1.19				3	42I	
					1.27				2	27I	
					1.30						
	NFA				1.44						
					1.46				2	31I	
					1.53				2	29I	
					1.63				2	32I	
					1.91				2	22I	
					1.99		MDD516	FRANKLIN AVE			

ROUTE NUMBER.....MD 895  
INVENTORY DIRECTION....NORTH  
NAME: LOCKWOOD DR

SECONDARY	R	FAU	5133	U	16	UNDIVIDED	NONE	.00	USDD29	COLUMBIA PIKE	2	40J	3,399
					.03			USDD29A	SPUR		2	38I	
					.08						2	25I	
					.55						2	38I	
					.69						2	50I	
					.77						4	56J	
					.80		MDD650	NEW HAMPSHIRE AVE					

ROUTE NUMBER.....MD 898  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.00		ROAD END	2	22J	199
					.07					SPUR FR IS 270			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 899  
INVENTORY DIRECTION....EAST  
NAME: AMERICAN WAY

PAGE..... 39  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT	
SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00	C04133	CHERRY GROVE DR	2	20H	199
							.03			2	16H	
							.20		ROAD END			

ROUTE NUMBER.....MD 899A  
INVENTORY DIRECTION....EAST  
NAME: AMERICAN WAY

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00		ROAD END	2	16H	199
							.07			2	20I	
							.09	M00028	DARNESTOWN RO			

ROUTE NUMBER.....MD 901  
INVENTORY DIRECTION....NORTH  
NAME: WHELAN LA

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	M00121	CLOPPER RO	2	16H	199
							.21			2	16I	
							.74	0PD901	NO NAME (AHEAD)			

ROUTE NUMBER.....MD 911  
INVENTORY DIRECTION....NORTH  
NAME: FIRST ST

SECONDARY	U	FAU	SD1D	U	14	DIVIDED	NONE	.00	M00355	ROCKVILLE PIKE	4	54I	9,999
							.06		STRUCTURE #15163				
							.19	M00028	VIERS MILL RO				
							.19	M005B6	VIERS MILL RO				

ROUTE NUMBER.....MD 928  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 609

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	M00028	NORBECK RO	2	24I	
							.01			2	20I	
							.10			2	24I	
							.19	M0002B	NORBECK RO			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 928A  
INVENTORY DIRECTION....EAST  
NAME: MD 28 SPUR

PAGE..... 40  
DATE.....12/31/86  
COUNTY-MONTGOMERY  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT		DESCRIPTION	MARKED	SURFACE	AADT
STATE	FEDERAL	CLASS	TYPE	CTL				LANES	WIDTH/TYPE*	
R	NFA	U 19	UNDIVID	NONE	.00	MDD028	DARNESTOWN RD	1	19I	
					.11	MDD028	DARNESTOWN RD			

ROUTE NUMBER.....MD 996  
INVENTORY DIRECTION....SOUTH  
NAME: EGGERT DR

SECONDARY	R NFA	U 17	UNDIVID	NONE	.00	MDD191	PERSIMMON TREE LA	2	23I	999
					.50	C05177	EGGERT DR (AHEAD)			


\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



1987

*HIGHWAY LOCATION REFERENCE*


**PRINCE GEORGES  
COUNTY**



LAUREL




PRINCE GEORGES COUNTY



WASHINGTON, D.C.

PRINCE GEORGES CO.



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 1  
INVENTORY DIRECTION....NORTH  
NAME: RHODE ISLAND AVE

PAGE..... 1  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL		LANES	WIDTH/TYPE*					
SECONDARY	U	FAP	251	U	14	DIVIDED	NONE	.00	WASH DC LINE	4	68I	16,800
								.39	OUT CORP LMTS MT RAINIER			
								.39	IN CORP LMTS BRENTWOOD			
					MDD208			.48	38 TH ST			
								.87	OUT CORP LMTS BRENTWOOD			
								.87	IN CORP LMTS NORTH BRENTWOOD			
								1.14	OUT CORP LMTS NORTH BRENTWOOD			
								1.14	IN CORP LMTS HYATTSVILLE			
								1.14	STRUC #16DD5 NORTHWEST BRANCH			
								1.43		4	48I	
					UNDIVIDED			1.58		3	40I	
								1.61		3	48I	
								1.69		2	45I	
								1.76		3	32I	
					DIVIDED			1.82	USDD01AL BLADENSBURG RD	4	50I	24,950
								1.97		4	40I	
								2.41	OUT CORP LMTS HYATTSVILLE			
								2.41	IN CORP LMTS RIVERDALE			
R								2.61	OUT CORP LMTS RIVERDALE			
					MDD410			2.62	EAST WEST HWY			23,150
U								3.12	IN CORP LMTS COLLEGE PARK			
					MDD500			3.22	QUEENS CHAPEL RD			49,000
								3.47		4	48I	
								3.54		5	52I	
								3.68		6	64I	
								3.82		5	54I	
								3.86		4	52I	
								4.38		4	40I	
								4.41	STRUCTURE #16DD4 PAINT BRANCH			
					MDD430			5.06	GREENBELT RD			
					MDD193			5.28	GLENNDAL RD STRUC#16003			
					UNDIVIDED			5.29		4	53I	
					DIVIDED			5.38		4	40I	
R					UNDIVIDED			6.18	OUT CORP LMTS COLLEGE PARK	5	48I	
					DIVIDED			6.30		4	48I	
								6.47	ISDD95 CAPITAL BELTWAY STRUC#16134			44,025
					UNDIVIDED			6.68		4	46I	
					DIVIDED			7.15		4	48I	
					UNDIVIDED			8.05	MDD212 POWDER MILL RD	4	46I	24,125
								10.23				27,825
					DIVIDED			11.43		4	40I	
								11.72				28,425

\* A,8 = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 3 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: ROBERT CRAIN HWY

PAGE..... 3  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AAOT						
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AAOT			
PRIMARY	R	FAP	117	R 2	DIVIDED	NONE	.00	US0301	BLUE STAR MEM HWY (BACK)	4	48I	28,000
				U 14			.60					
				R 2			1.28					
							1.37	M00976	COLUMBIAN WAY			
							1.65	M00976	COLUMBIAN WAY			
							2.25	M00450	ANNAPOLIS RD			
							2.53		ANNE ARUNDEL CO/L			
							2.53		STRUCTURE #16083 PATUXENT RIVER			

ROUTE NUMBER.....MO 4  
INVENTORY DIRECTION....NORTH  
NAME: PENNSYLVANIA AVE

PRIMARY	R	FAP	259	R 2	DIVIDED	FULL	.00		ANNE ARUNDEL CO/L	4	48I	37,579
							.00		STRUC#16095&#16011 PATUXENT RIVER			
							.08	M00004PA	MARLBORO PIKE			
							.52	M00726	GREEN LANDING RD STRUC#16096			
							1.44	US0301	BLUE STAR MEM HWY STRUC#16097			28,875
							1.65		STRUC#16098 R/R #CR 529 575 M			
							1.71		STRUCTURE #16108			
							2.07	M00717	WATER ST STRUC#16099			
							2.27		STRUCTURE #16100 WESTERN BRANCH			
							2.92	CO1212	OLD CRAIN HWY STRUC#16101			
							3.61	M009800	RITCHIE MARLBORO RD STRUC #16102			28,000
				U 12			6.36	M00223	WOODYARD RD STRUC#16181			40,050
							7.46			5	50I	
					PART		7.73	M00004PB	DOWER HOUSE RD	5	60I	48,150
							8.49	M00337	ALLENTOWN RD	4	60I	36,000
							8.73			4	48I	
							9.44	IS0095	CAPITAL BELTWAY STRUC#16159			50,225
							9.81					35,000
							12.01	M00458	SILVERHILL RD			25,000
							14.36					23,650
							14.43		WASH DC LINE			

ROUTE NUMBER.....MO 4PA  
INVENTORY DIRECTION....WEST  
NAME: MARLBORO PIKE

SECONDARY	R	NFA		U 19	UNDIVIDED	NONE	.00	M00004	PENNSYLVANIA AVE	2	16I	
							.05			2	24I	
							.26			1	24I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 4PA CONTINUED  
INVENTORY DIRECTION....WEST  
NAME: MARLBORO PIKE

PAGE..... 4  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPCINT	MILEPOINT DESCRIPTION	MARKED LANS	SURFACE WIDTH/TYPE*	AAOT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.36		
						.51	MDD0726	GREEN LANDING RD
							1	12I
ROUTE NUMBER.....MD 4PB INVENTORY DIRECTION....NORTH NAME: DOWER HOUSE RD								
SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	MDD0004	PENNSYLVANIA AVE
						.03	C02064	PENN AVE ACCESS RO
							2	24I
ROUTE NUMBER.....MD 5 INVENTORY DIRECTION....NORTH NAME: BRANCH AVE								
						.00		CHARLES CO/L
PRIMARY	R	FAP	I21 R 2	DIVIDED	PART	.00		SEE US 30I
						2.53	US030I	BLUE STAR MEM HWY (BACK)
						2.66	US030I	BLUE STAR MEM HWY(SBL)STRUC#16D56
			U 12			3.05	MDD0373	ACCOKEEK RD
						5.19		STRUC #I6D13 PISCATAWAY CREEK
						6.65		STRUC #16182 PISCATAWAY CREEK
						6.81		
						7.74		
						7.87	MDD223	WOODYARD RD
						9.30		
						10.36		
						10.73	MDD337	ALLENTOWN RD
						10.85		
						11.35		
						11.68		
						11.75		
						11.98	ISD095	CAPITAL BELTWAY STRUC#16164
						12.51	MDD967C	AUTH RD
						12.79	MDD967A	OXFORD LANE
						13.17	MDD967B	BRANCH RD
						13.54	MDD414	ST BARNABAS RD STRUC#16193
						13.56		
						13.82		
						14.10	MDD458	SILVER HILL RD
						14.44	MDD414	OLD SILVER HILL RD
			14		NONE	14.76	MDD637	BRANCH AVE
						14.86	MDD637A	NO NAME
								42,000
							4	48I
							4	48J
							5	60I
							6	72I
							5	60I
							5	60J
							5	70J
							4	48J
							4	48I
								45,925
							5	60I
							4	48I
								41,000
								50,000

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD S CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: BRANCH AVE

PAGE..... 5  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
PRIMARY	R FAP	121 U 14	UNDIVIDED	NONE	15.06			
					15.35	2	34I	50,000
								WASH DC LINE

ROUTE NUMBER.....US 5D  
INVENTORY DIRECTION....EAST  
NAME: JOHN HANSON HWY

PRIMARY	R FAP	13D U 12	DIVIDED	FULL	.00			
					.22			
					.23	MDD295		GLADYS SPELLMAN PKWY
					.29	MDD295		GLADYS SPELLMAN PKWY STRUC #16118
					.51	MDD2D1		KENILWORTH AVE STRUC#16027
					1.02			59,000
					1.35			STRUC#16107 R/R#80 14D 266 U
								IN CORP LMTS CHEVERLY
					1.48	MDD459		COLUMBIA PARK RD STRUC#16117
					1.78			OUT CORP LMTS CHEVERLY
					2.72			STRUC#16106 RAMP 5 FR MD 202
					2.84	MDD2D2		LARGO RD STRUC#16105
					3.59			IN CORP LMTS LANDOVER HILLS
					3.77			OUT CORP LMTS LANDOVER HILLS
					4.13	CO2282		ARDWICK-ARDMORE RD STRUC#16115
					4.33			STRUC#16114 R/R #ATK 529 59D P
					4.55	USDDSDPA		ARDWICK-ARDMORE RD STRUC#16113
					4.93	ISDD68		JOHN HANSON HWY (AHEAD)
					14.37			51,975
								ANNE ARUNDEL CO/L

ROUTE NUMBER.....US 5DPA  
INVENTORY DIRECTION....NORTH  
NAME: ARDWICK ARDMORE RD

SECONDARY	R FAU	5208 U 17	UNDIVIDED	FULL	.00	CODD6S		ARDWICK-ARDMORE RD (BACK)
		NFA			.08	USDDSD		JOHN HANSON HWY STRUC#16113
					.11	CO4231		GARDEN CITY DRIVE
								5,199

ROUTE NUMBER.....IS 68  
INVENTORY DIRECTION....EAST  
NAME: JOHN HANSON HWY

PRIMARY	R FAI	68 U 11	DIVIDED	FULL	.00	USDD5D		JOHN HANSON HWY (BACK)
					.44	ISDD9S		CAPITAL BELTWAY STRUC #16146
					.66	CODD74		WHITEFIELD CHAPEL RD STRUC#16116
					1.16	MDD7D4		MARTIN L KING JR HWY STRUC#16D92
								49,000

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 68 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: JOHN HANSON HWY

PAGE..... 6  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT					
....STATE....	..FEDERAL...	CLASS	TYPE	CTL									
PRIMARY	R	FAI	68	U	11	DIVIDED	FULL	2.19	C00067	LOTTSFORD VISTA RD STRUC#16091	4	48I	49,000
								2.58		STRUCTURE #16090 FOLLY BRANCH			
								3.68	M00193	GLENDAL RD STRUC#16089			
								5.23	C00059	CHURCH RD STRUC#16088			
								6.35		STRUC#16087 R/R #CR 532 284 B			
	U							6.75		IN CORP LMTS BOWIE			46,000
								6.95	M00197	BOWIE RD STRUC#16086			
	R							7.72		OUT CORP LMTS BOWIE			
					R		1	8.21	M00003	ROBERT CRAIN HWY STRUC #16085			
								8.21	USD301	BLUE STAR MEM HWY STRUC #16085			
								9.44		STRUCTURE #2026 PATUXENT RIVER			
								9.44		ANNE ARUNDEL CO/L			

ROUTE NUMBER.....IS 95  
INVENTORY DIRECTION....NORTH  
NAME: CAPITAL BELTWAY

PRIMARY	R	FAI	95	U	11	DIVIDED	FULL	.00		VIRGINIA ST/L	6	72I	102,875
								.53		STRUCTURE #16173 POTOMAC RIVER			
								1.23					
								1.71	ISD295	GEO WASH MEM PKWY STRUC#16171	5	60I	96,000
								2.03					
								2.57	GVO130	FARM RD STRUC#16170			
								2.84	M00210	INDIAN HEAD HWY STRUC#16169			
								3.04					107,000
								3.33	C01203	LIVINGSTON RD STRUC#16168			
								4.42	M00414	ST BARNABAS RD STRUC#16167			109,000
								5.74	C00123	TEMPLE HILL RD STRUC#16166			
								6.72		STRUCTURE #16165 HENSEN CREEK			
								7.35	M00005	BRANCH AVE STRUC#16164			118,000
								8.29	COD127	AUTH RD STRUC#16163			
								9.13	C00081	SUITLAND RD STRUC#16162			
								9.75	C00483	FORESTVILLE RD STRUC#16161			119,725
								10.04	GVO119	SUITLAND PKWY STRUC#16160			
								10.82	M00004	PENNSYLVANIA AVE STRUC#16159			130,039
								12.26	COD089	D'ARCY RD STRUC#16158			
								13.19	COD974	RITCHIE MARLBORO RD STRUC#16157			
								14.57		STRUCTURE #16156 SOUTHWEST BRANCH			
								14.82	M00214	CENTRAL AVE STRUC#16153			128,000
								16.60	M00202	LARGO RD STRUC#16150			135,000
	U							17.37		IN CORP LMTS GLENARDEN			
								17.53	MUD140	GLENARDEN PKWY STRUC#16149			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 95 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: CAPITAL BELTWAY

PAGE..... 8  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE#	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
PRIMARY	R	FAI	95 U 11	DIVIDED FULL	34.28	COD003	BROOKLYN BRIDGE RD STRUC#16199	8	96J	145,000
					34.61		HOWARD CO/L			
					34.61		STRUCTURE #16197 PATUXENT RIVER			

ROUTE NUMBER.....IS 95X  
INVENTORY DIRECTION....NORTH  
NAME: ND NAME

PRIMARY	R	FAI	95 U 11	DIVIDED FULL	.00		ROAD END	8	96J	26,999
					.05		STRUC # 16121 RAMP 3 FR I-495			
					.30	ISDD95	CAPITAL BELTWAY STRUC#16126#16123			
					.30	ISD495	CAPITAL BELTWAY			

ROUTE NUMBER.....MD 193  
INVENTORY DIRECTION....EAST  
NAME: UNIVERSITY BLVD

SECONDARY	R	FAU	5018 U 14	DIVIDED NONE	.00		MONTGOMERY CO/L	6	68J	30,500
		FAP			.23					
		FAU			.33	MDD650	NEW HAMPSHIRE AVE			34,800
					.81			5	58J	
					.91	MDD212	RIGGS RD			
					.95			6	68J	38,000
					1.09					36,450
					1.53			5	58J	
					1.63			4	48J	25,600
					1.74		STRUCTURE #16018 NORTHWEST BRANCH			
					2.11	MDD193B	CAMPUS DR			
	U				2.22		IN CORP LMTS COLLEGE PARK			21,500
	R				3.22		OUT CORP LMTS COLLEGE PARK			
					3.33			4	48I	
					3.44					38,225
	U				3.94		STRUCTURE #16019 PAINT BRANCH			
					3.94		IN CORP LMTS COLLEGE PARK			
					4.09	US0001	BALTD AVE STRUC#16003			34,000
					4.19	MDD193C	ND NAME			
					4.23	MDD193D	ND NAME			
					4.60	MDD43D	GREENBELT RD			
					4.69			6	68I	
					4.74		STRUC#16070 R/R #3D 14D 9D1 H			
					4.76		OUT CORP LMTS COLLEGE PARK			
					4.76		IN CORP LMTS BERWYN HEIGHTS			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 193      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: UNIVERSITY BLVD

PAGE..... 9  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP#	AADT
STATE	FEDERAL	CLASS	TYPE	CTL					
SECONDARY	U	FAU	5018	U	14	DIVIDED	NONE		
					5.64	OUT CORP LMTS BERWYN HEIGHTS		68I	34,000
					5.64	IN CORP LMTS GREENBELT			
					5.69				
					5.87	MDD201 KENILWORTH AVE		58J	33,800
					6.43	ISDD95 CAPITAL BELTWAY STRUC#16141		48I	31,675
					6.73	MDD968 ENT NAT GUARD ARMORY			
					6.76	MDD193AD NO NAME			
					6.84	MDD193A SOUTHWAY			
					6.87	MDD193AA NO NAME			
					6.91	MDD295 GLADYS SPELLMAN PKWY		48I	25,025
					7.08			48I	
					7.85			60I	
					8.08	OUT CORP LMTS GREENBELT		60I	
					8.26			48I	
					9.23			60I	
					9.30			48I	
					10.44	MDD564 LANHAM SEVERN RD			18,000
					10.55	STRUC #16239 R/R #ATK 903 350 M			
					12.40				2,325
				16	12.85	MDD450 ANNAPOLIS RD			3,650
					13.03				
					13.07			30I	
					13.68	MDD953 GLENN DALE RD		20I	
					13.82				
					14.02	ISDD68 JOHN HANSON HWY STRUC#16089		28I	
					14.09	MDD974 OLD MD 556			
					14.26			46I	
					14.34			20I	
					15.77				10,750
					17.32	STRUCTURE #16075 NORTHWEST BRANCH		40I	
					17.37	MDD214 CENTRAL AVE		30I	9,600
					17.56			60I	
					17.92			30I	
					18.39			24G	
					18.42			17I	
					18.87			20I	
					19.17				9,250
					19.48				
					19.52	MDD202 LARGO RD		23I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 193A  
INVENTORY DIRECTION....EAST  
NAME: SOUTHWAY

PAGE..... 10  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT					
STATE	FEDERAL	CLASS	TYPE	CTL									
SECONDARY	U	FAU	5195	U	17	DIVIDED	NONE	.00	M00193	GLENDALE RD	2	39I	7,699
								.04	M00193A0	NO NAME			
								.06	M00193AA	NO NAME	4	60I	
								.21			4	48I	
								.24	M00470	SOUTHWAY (AHEAD)			

ROUTE NUMBER.....MD 193AA  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.00	M00193	GREENBELT RD	2	20I	
								.06	M00193A	SOUTHWAY (AHEAD)			

ROUTE NUMBER.....MD 193AD  
INVENTORY DIRECTION....SOUTH  
NAME: NO NAME

SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.00	M00193A	SOUTHWAY (BACK)	2	20I	
								.10	M00193	GREENBELT RD (AHEAD)			

ROUTE NUMBER.....MD 193B  
INVENTORY DIRECTION....EAST  
NAME: CAMPUS DR

SECONDARY	R	NFA		U	19	DIVIDED	NONE	.00	M00193	UNIVERSITY BLVD	4	48I	
								.11	C00232	ADELPHI RD			

ROUTE NUMBER.....MD 193C  
INVENTORY DIRECTION....SOUTH  
NAME: NO NAME

SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.00	M00193	UNIVERSITY BLVD	2	27J	999
								.09			2	39J	
								.17	M00193E	NO NAME	2	28J	
								.20	M00430	GREENBELT RD			

ROUTE NUMBER.....MD 193D  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.00	M00430	GREENBELT RD	2	27J	999
								.13			2	27I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION PREFERENCE

ROUTE NUMBER.....MD 1930 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PAGE..... 11  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AAOT						
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AAOT			
SECONDARY	U	NFA	U	19	UNDIVED	NONE	.16	M00193	UNIVERSITY BLVD	2	27I	999

ROUTE NUMBER.....MD 193E  
INVENTORY DIRECTION....SOUTH  
NAME: NO NAME

SECONDARY	U	NFA	U	19	UNDIVED	NONE	.00	M00193C	NO NAME	2	27J	999
							.02	M00430	GREENBELT RD			

ROUTE NUMBER.....MD 197  
INVENTORY DIRECTION....NORTH  
NAME: COLLINGTON RD

SECONDARY	R	FAU	5094	U	16	UNDIVED	NONE	.00	US0301	BLUE STAR MEM HWY	2	24I	21,000
	U					DIVIDED		.43		IN CORP LMTS BOWIE	3	24I	
						UNDIVED		1.28			2	28I	
				14		DIVIDED		1.40					
						UNDIVED		1.46	IS0068	JOHN HANSON HWY STRUC#16086	2	24I	20,125
						DIVIDED		1.48			2	24I	
	R					UNDIVED		1.69		OUT CORP LMTS BOWIE	3	48I	
						UNDIVED		1.77			3	39I	
						UNDIVED		1.89			3	34I	
	U	5097				UNDIVED		2.00			3	24I	
		5094				UNDIVED		2.02		IN CORP LMTS BOWIE	2	24I	25,700
						UNDIVED		2.80			3	36I	20,125
						DIVIDED		2.88			4	46I	
						UNDIVED		2.97	M00450	ANNAPOLIS RD	4	48I	22,325
						UNDIVED		4.94			2	20I	
	NFA			19				5.03					
								5.27		STRUCTURE #16021 HORSEPEN BRANCH			
	FAU	5079		16				5.67					
								6.34			2	24I	
								6.39			2	20I	
								6.43		STRUC#16020 R/R #ATK 529 596 F			
								6.44			2	24I	
	NFA			17				6.46	M00564	9TH ST			8,200
								6.52			2	20I	
								6.61			2	22I	
	R							6.72		OUT CORP LMTS BOWIE			
								7.25					12,500
	FAU	5094		14				8.28					15,875
								11.82			3	36I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK





STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 198 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: SANDY SPRING RD

PAGE..... 13  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AADT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AADT
SECONDARY	U	FAP	248	U	14	DIVIDED NONE	3.35		
							3.42		
						US0001	3.49	US 1 (S8/L) WASHINGTON AVE	22,000
							3.53	2ND ST	
							3.60		
							3.62		
						MDD197	3.88	STRUC#16077 R/R #80 14D 894 A	
							3.94	80WIE RD	
	R						4.27	OUT CORP LMTS LAUREL	
							4.27	ANNE ARUNDEL CO/L	
							4.27	STRUCTURE #16078 PATUXENT RIVER	

ROUTE NUMBER.....MD 200UL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

SECONDARY	R	FAP	120	U	12	DIVIDED NONE	.00	MONTGOMERY CO/L	4	48I
		NFA			19		2.55			
							14.40	IS0068 JOHN HANSON HWY		

ROUTE NUMBER.....MD 201  
INVENTORY DIRECTION....NORTH  
NAME: KENILWORTH AVE

SECONDARY	R	FAP	111	U	12	DIVIDED FULL	.00	WASH D C LINE	6	68J	71,000
							.13		6	72J	
						MDD965	.30	KENILWORTH AVE STRUC#16028			
							.32	STRUCTURE #16028 BEAVERDAM CREEK			
							.33	R/R WATK 529 588 N			
						US0050	.49	JOHN HANSON HWY STRUC#16027			36,325
							.51		4	48J	
							.68				
		FAU	5019		14		.84	MDD459 KENILWORTH AVE			
							.95	STRUC#16026 R/R #80 14D 265 M			
						NONE	1.13	GLADYS SPELLMAN PKWY			
							1.31	OLD RIVER RD			
							1.38	MDD769C 52ND AVE	6	68J	
							1.71		4	48I	30,600
	U						1.90	IN CORP LMTS BLADENSBURG			
							1.96	MDD201A NO NAME			
							2.14	MDD450 ANNAPOLIS RD STRUC#16025			25,100
							2.25	MDD769C 52ND ST			
	R						2.47	OUT CORP LMTS 8LADENSBURG	4	48J	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 202 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: LARGO RD

PAGE..... 15  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA OISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE#	AADT	
STATE	FEDERAL	CLASS	TYPE	CTL						
SECONDARY	R	FAP	255	R	6	UNOIVEO NONE	.04	3	36I	14,450
							.51	2	24I	
							2.20	2	36I	
							2.42	2	24I	17,000
							4.29			24,500
							4.37	2	36I	
							4.50	2	24I	
							5.40			34,200
							6.04	3	48I	
							6.10	3	36I	
							6.26	4	48I	
							6.60	5	60I	
							6.77	4	48I	
							7.42			
							7.61			41,825
							9.58			
							9.76	5	60I	
							9.90	6	72I	30,900
							10.37			
							11.02			36,775
							11.29			
							11.72			42,400
							12.14			
							12.24	5	60I	
							12.28			
							12.36			38,900
							12.42	4	48I	
							12.55	5	60I	
							12.64	6	70J	
							12.74	6	68J	
							13.11			23,550
							13.31			
							13.43			
							13.48			35,000
							13.48			
							13.61	6	64J	
							13.87	6	64I	
							14.03			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 2D2B  
INVENTORY DIRECTION....SOUTH  
NAME: NO NAME

PAGE..... 16  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
STATE	FEDERAL	CLASS	TYPE	CTL						
SECONDARY	U	NFA	U 19	DIVIDED	NONE	.00	MDD2D2 LARGO RD	2	27I	8,399
						.08		2	32I	
						.15		2	28I	
						.17	ENT HOSPITAL			
						.17	RAMP 4 FR MD 295			

ROUTE NUMBER.....MD 2D8  
INVENTORY DIRECTION....NORTH  
NAME: 38TH ST

SECONDARY	U	NFA	U 17	UNDIVIDED	NONE	.00	US0D01AL BLADENSBURG RD	2	36I	11,975
						.14		2	40I	
						.23	OUT CORP LMTS COTTAGE CITY			
						.23	STRUC#16033 R/R #B0 140 909 M			
						.23	IN CORP LMTS BRENTWOOD			
						.28		2	38I	
						.33		2	34I	
				DIVIDED		.37		4	36I	
						.40	US0DD1 RHODE ISLAND AVE			
						.40	END STATE MAINTENANCE			
				UNDIVIDED		.40	BEGIN MUNICIPAL MAINTENANCE			
						1.10	STRUCTURE #16034 NORTHWEST BRANCH	2	26I	14,325
						1.10	OUT CORP LMTS BRENTWOOD			
						1.10	IN CORP LMTS HYATTSVILLE			
						1.10	END MUNICIPAL MAINTENANCE			
						1.10	BEGIN STATE MAINTENANCE			
		FAU 5D8D	16			1.41		2	41I	15,850
						1.51		2	42I	
						1.59		2	24I	
						1.71		4	75I	
				DIVIDED		1.76		5	72J	
						1.82		4	54J	
						1.85	MDD5DD QUEENS CHAPEL RD			

ROUTE NUMBER.....MD 21D  
INVENTORY DIRECTION....NORTH  
NAME: INDIAN HEAD HWY

SECONDARY	R	FAP	263 R 6	DIVIDED	PART	.00	CHARLES CO/L	4	48I	14,325
						.33	MDD81DA LIVINGSTON RD			
						2.26	MDD81DG PINE LA			
						2.79	MDD81DI MANNING ROAD E			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 210      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: INOIAN HEAD HWY

PAGE..... 17  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA OISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT	
SECONDARY	R	FAP	263	R	6	DIVIOED	PART	2.79	MO0810H	MANNING RD	4	48I	14,325
								3.40	MO0810J	LIVINGSTON RD			17,775
								3.40	MO0373	ACCOKEEK RD			
				U	14			5.87		STRUCTURE #16037 PISCATAWAY CREEK			
								6.88					25,800
								8.97					35,425
								10.61					41,525
								10.68		STRUCTURE #16036 HENSON CREEK			
								11.30		STRUCTURE #16035 CAREY BRANCH			
								13.13	MO0414	ST BARNABAS RD	4	48J	44,000
						NONE		13.24	IS0095	CAPITAL BELTWAY STRUC#16169			52,000
	U							13.58		IN CORP LMTS FOREST HEIGHTS			
								14.07			5	58J	
	R							14.10		OUT CORP LMTS FOREST HEIGHTS			
						UNOIVED		14.44			4	44J	39,500
								14.50		WASH D C LINE			

ROUTE NUMBER.....MO 210A  
INVENTORY DIRECTION....EAST  
NAME: SERVICE RD A

SECONDARY	R	NFA		U	19	UNOIVED	NONE	.00	C00582	KIRBY HILL RD	2	16H	
								.03			2	18I	
								.14			2	16F	
								.23			2	14F	
								.26		ROAD END			

ROUTE NUMBER.....MO 210B  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD B

SECONDARY	R	NFA		R	9	UNOIVED	NONE	.00		ROAD END	2	24I	
								.31			2	30I	
								.38			2	28I	
								.49		STRUCTURE #16035 CAREY BRANCH			
								.51	C03976	BARRETT RD			
								.54		ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 21DC  
INVENTORY DIRECTION.....SOUTH  
NAME: SERVICE RD C

PAGE..... 13  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT			
STATE	FEDERAL	CLASS	TYPE	CTL								
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	C00118	OLD FORT RD	2	24H	
							.03		ROAD END			

ROUTE NUMBER.....MD 210D  
INVENTORY DIRECTION.....NORTH  
NAME: SERVICE RD D

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00		ROAD END	2	20I	
							.10			2	24I	
							.21			2	20I	
							.41			2	36I	
							.47	C0D416	FORT WASHINGTON RD	2	24I	
							.62		ROAD END			

ROUTE NUMBER.....MD 21DE  
INVENTORY DIRECTION.....NORTH  
NAME: SERVICE RD E

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	C012D2	LIVINGSTON RD	2	24H	
							.07			2	20I	
							.12			2	18I	
							1.14			2	24I	
							1.35			2	30E	
							1.40		ROAD END			

ROUTE NUMBER.....MD 21DF  
INVENTORY DIRECTION.....NORTH  
NAME: SERVICE RD F

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00	C0D118	OLD FORT RD	2	24I	
							.05			2	20I	
							.15		ROAD END			

ROUTE NUMBER.....MD 21DI  
INVENTORY DIRECTION.....NORTH  
NAME: OLD PALMER RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00		ROAD END	2	24I	
							.46			2	20I	
							.57			2	24I	
							.71	C0D121	PALMER RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 210P  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD

PAGE..... 20  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AA DT				
STATE	FEDERAL	CLASS	CTL			LANES	WIDTH/TYPE*					
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD373	ACCOKEEK RD	2	24I	
							.54		ROAD END			

ROUTE NUMBER.....MD 210R  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD810K	BYRON POINT RD	2	28I	
							.04			2	24I	
							.47		ROAD END			

ROUTE NUMBER.....MD 210S  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD810J	LIVINGSTON RD	2	33I	
							.05	MDD810K	BYRON POINT RD			

ROUTE NUMBER.....MD 211  
INVENTORY DIRECTION....NORTH  
NAME: SARGEANT RD

SECONDARY	R	FAU	5083	U	16	UNDIVIDED	NONE	.00		4	48I	14,850
					17			.31	MDD501	2	30I	
						DIVIDED		.41		2	24I	
						UNDIVIDED		.59		2	26I	
								.68		3	36I	
								.89		4	48I	
								.93		3	36J	
						DIVIDED		1.06		3	39J	
								1.09				
								1.12	MDD212			

ROUTE NUMBER.....MD 212  
INVENTORY DIRECTION....NORTH  
NAME: RIGGS RD

SECONDARY	R	FAU	5067	U	16	UNDIVIDED	NONE	.00		6	75J	21,200
						DIVIDED		.05		6	69J	
								.17	MDD501			
								.27				15,400
								.93	MDD211			30,000

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 212      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: RIGGS RD

PAGE..... 21  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
STATE	FEDERAL	CLASS	TYPE	CTL							
SECONDARY	R	FAU	5067	U 16	DIVIDED	NONE	1.18	STRUCTURE #16043 SLIGO CREEK	6	68J	30,000
							1.26	MDD410 EAST WEST HWY			37,900
							1.98		4	46J	32,000
							2.11	MDD193 UNIVERSITY BLVD	2	24I	
					UNOIVED		2.15		3	30I	
							2.25		2	34I	
							2.36		2	38I	
							2.51		2	40I	
							2.65		2	30I	
							2.68		2	22I	
							2.84	STRUCTURE #16042 NORTHWEST BRANCH			
							3.13		2	26I	
							3.66		2	45I	
							3.74		2	34I	
							3.89		2	26I	
							4.08				21,500
							4.30		2	34I	
							4.57		2	24I	
							4.90	ISD495 CAPITAL BELTWAY STRUC#1612D			
							5.42		2	30I	
							5.47				19,650
							5.51		3	36I	
							5.56		2	36I	
							5.62		2	41I	
							5.72		2	38I	
							5.84		2	24I	
							6.28	STRUCTURE #16041 PAINT BRANCH			
							6.60		2	26I	
							7.11		2	24I	
							7.39		2	42I	
							7.46		4	55I	
					OIVIDED		7.58		5	66I	19,500
							7.62		6	72I	19,650
		5016		14			7.71				
							7.77		5	60I	
							7.93		4	56I	
							8.00	STRUCTURE #16211 PAINT BRANCH			
							8.17	ISD95 NO NAME STRUC#16205			
					UNOIVED		8.45		3	40I	
					OIVIDED		9.60		3	27I	
					UNOIVED		8.65		2	24I	
							9.04		2	22I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 212      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: RIGGS RD

PAGE..... 22  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
STATE	FEDERAL	CLASS	TYPE	CTL							
SECONDARY	R	FAU	5D16	U	14	UNOIVED	NONE	9.13	2	30I	19,650
								9.29	2	22I	
								9.53	2	24I	
								10.04	2	30I	
						US0001	BALTO AVE	10.10			
							STRUC#16039 R/R #80 140 898 C	10.18			
						M00694	AGRICULTURAL FARM	10.32			
							STRUCTURE #16038 INOIAN CREEK	10.39			
						M00201	EOMONSTON AVE	10.61			

ROUTE NUMBER.....MD 214  
INVENTORY DIRECTION....EAST  
NAME: E CAPITOL ST

SECONDARY	U	FAP	254	U	14	DIVIOED	NONE	.00	5	60J	19,175
	R							.05			
								.13	6	72J	
								.36			31,875
								.80	M00332	E CAPITOL ST	
								1.04			40,200
								3.37			
		FAU	5114			UNOIVED		3.62	ISDD95	CAPITAL BELTWAY STRUC #16153	43,775
								3.98			
								4.56	M00202	LARGO RD	34,700
								4.62	M00977F	NO NAME	
								4.81			
								4.89			
								6.27		STRUCTURE #16046 WEST BRANCH	
								6.66		STRUCTURE #16047 NORTHEAST BRANCH	
								6.75	MDD193	WATKINS PARK OR & GLENNOALE RD	
								7.00			13,750
						DIVIOED		7.80			
						UNOIVED		8.05			
								8.63			11,500
						DIVIDED	PART	9.20			
								9.39	M00978A	HALL RD	
								9.87		R/R #CR 529 571 K	
								10.06	M00978A	OLO MD 214	
								10.14	M00214C	NO NAME	
								10.40	M00978B	OLO MD 214	
								10.71		US 301 (SB/L) STRUC #161D3	
		FAP	254	R	6			10.87	USD3D1	BLUE STAR MEM HWY STRUC #16104	10,600

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 214      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: E CAPITOL ST

PAGE..... 23  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL								
SECONDARY	R	FAP	254	R	6	DIVIDED PART	11.22	MDD978B	OLD MD 214	4	48I	10,600
						UNDIVIDED NONE	11.29			2	24I	
							13.45		STRUCTURE #2D54 PATUXENT RIVER			
							13.45		ANNE ARUNDEL CO/L			

ROUTE NUMBER.....MD 214C  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY	R	NFA		U	19	UNDIVIDED NONE	.DD	MDD214	CENTRAL AVE (BACK)	2	2DI	
							.1D	MDD978A	OLD MD 214 (AHEAD)			

ROUTE NUMBER.....MD 216  
INVENTORY DIRECTION....NORTH  
NAME: 7TH ST

SECONDARY	U	FAU	5261	U	17	UNDIVIDED NONE	.DD	MDD198	GORMAN AVE	2	44I	5,199
							.11		MD 198 (WB/L) TALBOT AVE			
							.11		END STATE MAINTENANCE			
							.43		BEGIN MUNICIPAL MAINTENANCE	2	26I	
							.43		END MUNICIPAL MAINTENANCE			
						DIVIDED PART	.49		BEGIN STATE MAINTENANCE	4	44I	
				16			.53			4	5DI	
							.62		HOWARD CO/L			
							.62		STRUCTURE #13D44 PATUXENT RIVER			

ROUTE NUMBER.....MD 218  
INVENTORY DIRECTION....EAST  
NAME: SUITLAND RD

SECONDARY	R	FAU	SID1	U	16	UNDIVIDED NONE	.DD		WASH DC LINE	2	36I	14,200
							.14		STRUCTURE #16DSD OXON RUN			
							1.43			2	5DI	19,675
							1.54			2	68I	
						DIVIDED	1.62			4	72J	
							1.64	MDD458	SILVER HILL RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 223  
INVENTORY DIRECTION....NORTH  
NAME: FLORAL PARK RD

PAGE..... 24  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R FAU 503D U 14	UNDIVIDED	NONE	.00	C01202 LIVINGSTON RD	1	13I	3,500
				.12		2	22I	
				.71		2	24I	
				.78	MDD223A OLD MD 223			
				.89	STRUCTURE #16052 PISCATAWAY CREEK			14,025
				5.36				
				6.42		2	44I	
				6.50		4	44I	
				6.81				19,000
				7.22		2	50I	
		DIVIDED		7.52		4	48I	
		UNDIVIDED		7.56	MDD005 BRANCH AVE			14,425
				7.84		2	24I	
				8.68		2	40I	
				8.74		2	24I	
				10.19	STRUCTURE #16051 PISCATAWAY CREEK			19,900
				10.24				14,625
				10.70				
		DIVIDED		12.22		4	48I	
		UNDIVIDED		12.60	MDD004 PENNSYLVANIA AVE STRUC#16181			
				12.74		2	24I	
				12.78		2	18H	
				12.82	CODD79 MELWOOD RD (AHEAD)			

ROUTE NUMBER.....MD 223A  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 223

SECONDARY	R NFA	UNDIVIDED	NONE	.00	MDD223 PISCATAWAY RD	2	20H	
				.09		2	15I	
				.12	ROAD END			

ROUTE NUMBER.....IS 295  
INVENTORY DIRECTION....NORTH  
NAME: GEO WASH MEM PKWY

PRIMARY	R FAI 295 U 11	DIVIDED	FULL	.00	ISDD95 CAPITAL BELTWAY STRUC#16191	3	40I	65,599
				.11		3	36I	
				.24		4	48I	
				.72	WASH D C LINE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 295  
INVENTORY DIRECTION....NORTH  
NAME: GLADYS SPELLMAN PKWY

PAGE..... 25  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AADT
					.00	US0050	JOHN HANSON HWY		
					.00		BEGIN US GOVT MAINTENANCE		
					.15	US0050	JOHN HANSON HWY STRUC#16118		
					.67		R/R #80 140 264 F		
					.79	M00201	KENILWORTH AVE		
					1.66	M00202	LARGO RD		
					1.98	M00450	ANNAPOLIS RO		
					4.51		IN CORP LMTS GREENBELT		
					6.01	IS0095	CAPITAL BELTWAY STRUC#16142		
					6.37	M00193	GLENOALE RO		
					7.57		OUT CORP LMTS GREENBELT		
					11.52	M00197	BOWIE RO		
					12.38		ANNE ARUNOEL CO/L		

ROUTE NUMBER.....US 301  
INVENTORY DIRECTION....NORTH  
NAME: BLUE STAR MEM HWY

PRIMARY	R	FAP	117	R	2	DIVIDED	NONE						
								.00	STRUCTURE #16058	MATTAWOMAN CREEK	4	48I	57,550
								.00	CHARLES CO/L				
								.65	STRUCTURE #16057	TIMOTHY BRANCH			
								2.53	M00005	BRANCH RO			24,100
								2.93	M00381	BRANDYWINE RO			
				U	14			7.80					
								8.05	M00976A	OLD US 301			
				R	2			8.13					
								10.11		STRUCTURE #16055	CHARLES BRANCH		
								10.34	M00382	CROOM RO			23,975
								13.44		R/R #CR 529 576 U			
								13.73		STRUCTURE #16054	WESTERN BRANCH		
								13.83	M00976C	ACCESS RO			
								14.10	M00004	MARLBORO RD STRUC#16097			
								14.80	M00725	MARLBORO PIKE			25,100
								19.57	M00976B	OLD US 301			
								19.96	M00978B	OLD MD 214			
								20.09	M00214	CENTRAL AVE STRUC#16104			24,300
								21.31					30,600
								23.15	M00197	BOWIE RO			
								23.98	M00003	ROBERT CRAIN HWY(AHEAD)			
								23.98	IS0068	JOHN HANSON HWY STRUC # 16085			
								25.21		ANNE ARUNOEL CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 320  
INVENTORY DIRECTION....NORTH  
NAME: PINEY BRANCH RD

PAGE..... 26  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
SECONDARY	R	FAU	5073	U 16	DIVIDED NONE	.00	MONTGOMERY CO/L	4	48I	17,299
						.08	STRUCTURE #16D65 NORTHWEST BRANCH	3	39I	
						.13	MDD650 NEW HAMPSHIRE AVE			

ROUTE NUMBER.....MD 332  
INVENTORY DIRECTION....EAST  
NAME: CENTRAL AVE

SECONDARY	U	FAU	5095	U 16	UNDIVIDED NONE	.00	WASH DC LINE	2	32I	12,000
						.10		2	31I	
						.15		2	40I	9,300
						.19		2	36I	
	R					.57	OUT CORP LMTS CAPITOL HEIGHTS			
						.94		2	34I	
						1.04		2	20J	
						1.07	MDD214 CENTRAL AVE			

ROUTE NUMBER.....MD 337  
INVENTORY DIRECTION....NORTH  
NAME: ALLENTOWN RD

SECONDARY	R	FAU	5104	U 16	DIVIDED NONE	.00	MDD005	BRANCH AVE	4	48I	25,500
						.14			4	50I	
						.78			5	48I	
						.84			5	62I	
						1.61			4	51I	28,000
						1.76			4	50I	
						2.21			4	52I	
					UNDIVIDED	2.55			2	20I	
						2.65	GVD124	ALLENTOWN RD (AHEAD)			
						2.65		END STATE MAINTENANCE			
						2.81	GVD124	ALLENTOWN RD (BACK)			
						2.81	GVD119	SUITLAND PKWY (AHEAD)			
						3.34	GVD119	SUITLAND PKWY (BACK)	2	25I	19,000
						3.34		BEGIN STATE MAINTENANCE			
						3.37					
						3.41	MDD004	PENN AVE	2	34I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 373  
INVENTORY DIRECTION....EAST  
NAME: ACCOKEEK RD

PAGE..... 27  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AAOT
SECONDARY	R FAP	264 R	6	UNDIVID	NONE	.00	MDD210	INDIAN HEAD HWY		2	44I	10,100
						.00	MDD81DJ	LIVINGSTON RD (BACK)		2	34I	
						.03						
						.06	MDD21DP	SERVICE RD		2	21I	
						.07						
	FAS	1196	7			2.13						2,500
						6.85				2	25I	
						7.01				2	21I	
						7.98				2	24I	
						8.11	MDDDD5	BRANCH AVE				
						8.14				2	30I	
						8.23	MDD631	OLD MD 5				
						8.23	CO0599	BRANDYWINE RD				

ROUTE NUMBER.....MD 381  
INVENTORY DIRECTION....NORTH  
NAME: BRANDYWINE RD

SECONDARY	R FAS	1198 R	7	UNDIVID	NONE	.00		STRUCTURE #1606D SWANSON CREEK		2	24I	3,475
						.00		CHARLES CO/L				
						.14		STRUC#16112 R/R #CR 53D 632 V				
						5.22	MDD382	CROOM RD				2,950
						8.52						7,500
						13.12		R/R #CR 532 285 H		2	26I	
						13.20				2	24I	
						13.35		R/R #CR 532 294 G				
				DIVIDED		14.57				2	30I	
						14.60	USD3D1	BLUE STAR MEM HWY				

ROUTE NUMBER.....MD 382  
INVENTORY DIRECTION....NORTH  
NAME: CROOM RD

SECONDARY	R FAS	12DD R	7	UNDIVID	NONE	.00		CHARLES CO/L		2	20I	925
						.00		STRUCTURE #16D66 SWANSON CREEK				
						.64	MDD381	BRANDYWINE RD		2	24I	
						1.91				2	16I	
						1.98		STRUC #16D64 BLACK SWAMP CREEK				
						2.00				2	24I	
						3.09						
						4.24				2	16I	3,625
						4.30				2	24I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK





STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 41D CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: EAST WEST HWY

PAGE..... 29  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AADT							
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AADT				
SECONDARY	U	FAU	S008	U	14	DIVIDED	NONE	4.31		STRUCTURE #16192 NORTHEAST BRANCH	4	54I	31,525
	R							4.34		OUT CORP LMTS RIVERDALE			
								4.44		STRUCTURE #16188 ANACOSTIA RIVER			
	U							4.50		IN CORP LMTS RIVERDALE			
	R							4.73		OUT CORP LMTS RIVERDALE	6	78I	39,825
								4.73	M00201	KENILWORTH AVE			
						UNDIVIDED		5.14			4	42I	
								5.26	C00593	62ND PL			
								5.26	C00302	RIVERDALE RD (AHEAD)			

ROUTE NUMBER.....MD 41DA  
INVENTORY DIRECTION....NORTH  
NAME: BELCREST RD

SECONDARY	U	NFA		U	19	DIVIDED	NONE	.00	M00500	QUEENS CHAPEL RD	3	44I	
						UNDIVIDED		.04			4	60I	
								.08			4	48I	
	R							.14		OUT CORP LMTS HYATTSVILLE			
			S073			DIVIDED		.21			3	48I	
	U							.23		IN CORP LMTS HYATTSVILLE	3	42I	
								.25	M00410	EAST WEST HWY			

ROUTE NUMBER.....MD 41DUL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

SECONDARY	R	FAU	S008	U	14	DIVIDED	NONE	.00	M00295	GLADYS SPELLMAN PKWY	6	72I	
					17			1.60	US0050	JOHN HANSON HWY	4	48I	
								2.07	C02458	PENNSY DRIVE			

ROUTE NUMBER.....MD 412A  
INVENTORY DIRECTION....EAST  
NAME: RIVERDALE RD

SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.00	M00080	LAFAYETTE AVE	2	34I	7,399
		FAU	S190		17			.13					
								.52		STRUCTURE #16069 ANACOSTIA RIVER			
						DIVIDED		.81			2	30I	
								.85	M00201	KENILWORTH AVE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 414  
INVENTORY DIRECTION....EAST  
NAME: ST BARNABAS RD

PAGE..... 30  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT
SECONDARY	R	FAU 5028	U 14	DIVIDED	NONE	.00	M00210	INOIAN HEAD HWY	3	39I	20,300
						.08			4	48I	
						.45			4	48J	
						.55			4	48I	24,000
						1.26			4	54I	
						1.66					36,000
						1.67	IS0095	CAPITAL BELTWAY STRUC#16167			
						1.96			4	52I	
						2.06			4	48I	47,375
						2.74			4	44I	
						3.22			4	48I	
						3.50			6	78I	
						3.97			4	54I	28,000
						4.08	M00005	BRANCH AVE STRUC#16193			
						4.32	M00967A	BEOFORO WAY			
	NFA		17	UNDIVED		4.59			3	39I	
						4.67	M00458	SILVER HILL RD	4	54J	26,950
						4.72			4	48I	
						4.80			2	24I	
						4.92			2	48I	
						5.04			2	32I	
						5.12	M00414A	OLD SILVER HILL RD			
						5.15	M00005	BRANCH AVE			

ROUTE NUMBER.....MO 414A  
INVENTORY DIRECTION....NORTH  
NAME: OLO SILVER HILL RD

SECONDARY	R	NFA	U 19	UNOIVED	NONE	.00	M00414	ST BARNABAS RD	2	32G	
						.07	C01196	ANOOVER PLACE			

ROUTE NUMBER.....MO 430  
INVENTORY DIRECTION....EAST  
NAME: GREENBELT RD

SECONDARY	U	FAU 5018	U 14	UNOIVED	NONE	.00	US0001	BALTIMORE AVE	4	46I	19,199
						.02			6	72I	
						.08	M00193C	NO NAME			
						.12	M00193E	NO NAME			
						.13	M001930	NO NAME			
						.16			6	64I	
						.32			4	48I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 430      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: GREENBELT RD

PAGE..... 31  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA OISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*				
SECONDARY	U	FAU	5018	U	14	UNOIVED NONE	.37					
							.49	M00193	UNIVERSITY BLVD	4	24I	19,199

ROUTE NUMBER.....MD 434  
INVENTORY DIRECTION....EAST  
NAME: BERWYN RD

SECONDARY	U	NFA		U	17	UNOIVED NONE	.00	MU0540	54TH AVE	2	27I	5,000
							.05			2	16H	
							.13		STRUCTURE #16072 INDIAN CREEK	2	16I	
							.18			2	23I	
							.27			2	16I	
							.36			2	20I	
							.47			2		
		FAU	5196				.68					
	R						.94		OUT CORP LMTS BERWYN HEIGHTS	2	24I	
							.97	M00201	KENILWORTH AVE			

ROUTE NUMBER.....MD 450  
INVENTORY DIRECTION....EAST  
NAME: ANNAPOLIS RD

SECONDARY	U	FAU	5024	U	16	DIVIDED NONE	.00	US0001A	BLAODENSBURG RD (BACK)	4	52I	35,225
							.11			4	50I	
							.19		R/R #B0 140 258 C	4	48I	
							.26	M00201	KENILWORTH AVE STRUC#16025			37,325
							.32	M00769C	52ND ST			
							.42	M00769B	EDMONSTON RD			
	R		5023				.94	M00202	LARGO RD	6	68I	32,000
							.94		OUT CORP LMTS BLANOENSBURG			
							1.45			4	48I	
					14		1.51			4	60I	36,950
							1.54	M00295	GLADYS SPELLMAN PKWY			
							1.58			4	48I	
							1.70			6	72I	
	U						2.60		IN CORP LMTS LANDOOVER HILLS			
	R						3.18		OUT CORP LMTS LANDOOVER HILLS			42,000
							3.54					
	U						4.23		IN CORP LMTS NEW CARROLLTON			
	R						4.60		OUT CORP LMTS NEW CARROLLTON			49,000
							4.70	IS0095	CAPITAL BELTWAY STRUC#16144			
							4.91			4	48I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 45D CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: ANNAPOLIS RD

PAGE..... 32  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AAOT	
STATE	FEDERAL	CLASS	TYPE	CTL			LANES	WIDTH/TYPE*		
SECONDARY	R	FAU	5D23	U	I4	UNDIVEO	NONE			
					4.96	MO0564	LANHAM SEVERN RD	3	36I	18,000
					5.04			2	24I	
					5.23		STRUC#I60I4 R/R #ATK 529 592 D			
					5.28			2	36I	
					5.36			2	24I	
					5.59		STRUCTURE #I62I3 BALDHILL BRANCH	2	36I	
					5.67			2	24I	
					7.19	OPD369	R.R. AVE STRUC#I6D15			
					7.49		STRUCTURE #I6DI6 FOLLY BRANCH			
					7.55	MO07D4	MARTIN LUTHER KING JR HWY			
					7.58					17,125
					7.9D	MOD953	GLENDALE RD			
						DIVIDED		4	48I	
					8.68			4	52I	20,025
					8.82	MO0I93	ENTERPRISE RD & GLENDALE BLVD	4	48I	
					8.86			4	48I	
						UNDIVEO		3	36I	
					8.93			2	24I	
					9.05					
	U				10.99		IN CORP LMTS BOWIE			
	R				11.23		OUT CORP LMTS BOWIE			
					11.39		STRUC#I60I7 R/R #CR 529 616 P			
	U				11.41		IN CORP LMTS BOWIE			
					11.47			4	48I	
					11.55	MO0I97	BOWIE RD			15,550
					11.62			2	24I	
					12.12			2	30I	
					12.18			2	24I	
						DIVIDED		3	36I	
					12.62			4	48I	
					12.73					
	R				12.99		OUT CORP LMTS BOWIE			
					13.26			3	36I	
						DIVIDED		3	48I	
					14.07			4	48I	
					14.12					
					14.33	MO0D03	ROBERT CRAIN HWY			
					14.33		SEE MD 3 (AHEAD)			
					14.6I		ANNE ARUNDEL CO/L			

ROUTE NUMBER.....MD 458  
INVENTORY DIRECTION....EAST  
NAME: SILVER HILL RD

SECONDARY	R	FAU	5026	U	14	DIVIDED	NONE	.DD	MO0D05	BRANCH AVE	4	48I	40,125
								.10			5	6DI	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 458      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: SILVER HILL RD

PAGE..... 33  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT
SECONDARY	R	FAU	5026	U 14	DIVIDED	NONE	.25	MDD414	ST BARNABAS RD	5	60J	40,125
							.27			6	72J	
							1.42	MDD218	SUITLAND RD			39,950
							2.08			6	72I	
		5023					2.17			5	60I	
		5026					2.31	MDD004	PENNSYLVANIA AVE	6	72I	
							2.42	MDD972A	STATE RD			
							2.73			6	78I	
							3.13	COO367	WALKER MILL RD			

ROUTE NUMBER.....MD 459  
INVENTORY DIRECTION....NORTH  
NAME: COLUMBIA PARK DR

SECONDARY	U	FAU	5212	U 17	UNOIVED	NONE	.00	CO3668	COLUMBIA PARK DRIVE (BACK)	2	30I	8,399
			5211				.03	US0050	JOHN HANSON HWY STRUC #16117			
		NFA					.06			2	24I	
							.10					
	R						.14		OUT CORP LMTS CHEVERLY			
							.34			3	24I	
							.45	MDD973B	TUXEEO RD	2	24I	
							.51		R/R #80 140 266 J			
							.87			2	36I	
					DIVIDED		.95			4	52I	
							1.08			3	36I	
					UNDIVED		1.18			1	24I	
							1.24	MDD201	KENILWORTH AVE			

ROUTE NUMBER.....IS 495  
INVENTORY DIRECTION....EAST  
NAME: CAPITAL BELTWAY

PRIMARY	R	FAI	495	U 11	DIVIDED	FULL	.00		MONTGOMERY CO/L	8	96I	145,000
							.40	MDD212	RIGGS RD STRUC #16174 & #16120			
							1.12	IS0095	NO NAME STRUC #16122 & #16123			
							1.12	IS0095X	NO NAME			

ROUTE NUMBER.....MD 5DD  
INVENTORY DIRECTION....EAST  
NAME: QUEENS CHAPEL RD

SECONDARY	R	FAU	5077	U 16	DIVIDED	NONE	.00		WASH D C LINE	4	54J	26,675
-----------	---	-----	------	------	---------	------	-----	--	---------------	---	-----	--------

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 500 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: QUEENS CHAPEL RD

PAGE..... 34  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS			MARKED	SURFACE	
STATE	FEDERAL	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	ADT
SECONDARY	R	FAU 5077	U 16	DIVIDED	NONE	.07	4	62J	26,675
						.30	6	68J	
						.69	5	58J	29,625
						.74 M00501			
						CHILLUM RD	6	68J	
						STRUCTURE #16073 NORTHWEST BRANCH	5	58J	
						.84	4	48J	
						.90	4	74I	18,600
						.94	4	74I	
	U			UNDIVIDED		1.20 M00208			
						HAMILTON ST	6	72I	
						IN CORP LIMITS HYATTSVILLE	6	76I	
						1.20			
						1.30			
				DIVIDED		1.62			
						2.08 M00410A			
						BELCREST RD	5	62I	11,200
						2.23	2	40I	
	NFA		17	UNDIVIDED		2.32 M00410			
						EAST WEST HWY	2	40I	
						OUT CORP LMTS HYATTSVILLE			
						2.32			
						IN CORP LMTS UNIVERSITY PARK	2	26I	
						2.38			
						2.68			
						STRUC #16212C NORTHEAST BRANCH	2	24I	
						2.95			
						3.05 US0001			
						BALTO AVE			

ROUTE NUMBER.....MD 501  
INVENTORY DIRECTION....EAST  
NAME: CHILLUM RD

SECONDARY	R	FAU 5082	U 16	DIVIDED	NONE	.00	M00212	RIGGS RD	4	54J	10,475
				UNDIVIDED		.08			4	48I	
						.45	M00211	SARGEANT RD			
						.82		STRUCTURE #16074 SLIGO CREEK			
						1.51			4	58I	
						1.66			3	38J	
						1.69	M00500	QUEENS CHAPEL RD			

ROUTE NUMBER.....MD 564  
INVENTORY DIRECTION....EAST  
NAME: LANHAM SEVERN RD

SECONDARY	R	FAU 5079	U 16	UNDIVIDED	NONE	.00	M00450	ANNAPOLIS RD	4	48I	14,000
						.14			3	36I	
						.27			2	24I	
						.69		STRUCTURE #16210 BALDHILL BRANCH			
						.90			2	36I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 65D      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: NEW HAMPSHIRE AVE

PAGE..... 36  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

.....STATE.....	SYSTEM	..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	FAP	249 U 14	DIVIDED	NONE	.13				6	68J	39,050
						.43						39,450
	U					.82			IN CORP LMTS TAKOMA PARK			34,000
						1.26	M00410		EAST WEST HWY			
						1.86	M00193		STRUCTURE #16080 SLIGO CREEK			
	R				PART	1.86			UNIVERSITY BLVD	6	72J	34,850
						1.86			OUT CORP LMTS TAKOMA PARK			
						2.05						39,000
						2.63				6	68J	
						2.76			STRUCTURE #16079 NORTHWEST BRANCH			
						2.80	M00320		PINEY BRANCH RD			
						3.17			MONTGOMERY CO/L			

ROUTE NUMBER.....MD 694  
INVENTORY DIRECTION....NORTH  
NAME: AGRICULTURAL FARM RD

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00			ROAD END	2	16H	99
						.05				2	20H	
						.10	M00212		POWDER MILL RD			

ROUTE NUMBER.....MD 704  
INVENTORY DIRECTION....EAST  
NAME: MARTIN LUTHER KING JR HWY

SECONDARY	U	FAU	5025 U 14	DIVIDED	NONE	.00			WASH D C LINE	5	60I	25,975
						.04				6	67I	
						.15				6	72I	
	R					.84			OUT CORP LMTS SEAT PLEASANT			
						.90			STRUCTURE #16084			
						.94				7	82I	
						1.07				6	72I	
						1.50						25,150
						2.18						23,500
						2.50			STRUCTURE #16083 BEAVERDAM CREEK			
						2.58				6	60I	
						2.80				4	48I	
						3.01	M00202		LARGO RD STRUC#16030			20,350
						3.16				6	72I	
	U					3.43			IN CORP LMTS GLEN ARDEN			
	R					3.83			OUT CORP LMTS GLEN ARDEN			
						4.06				5	60I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK





STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 725      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: OLD MARLBORO PIKE

PAGE..... 38  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS			MARKED	SURFACE				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	..... MILEPOINT DESCRIPTION .....	LANES	WIDTH/TYPE*	AAOT			
SECONDARY	R	FAS	1194	R	7	UNOIVED NONE	1.18		STRUC#16010 FED SPRING BRANCH	2	24I	12,799
		FAP	255		6		1.23	MDD202	LARGO RD			
							1.32		R/R #CR 529 574 F			
						DIVIDED	1.81			3	50I	
							1.85	US0301	BLUE STAR MEM HWY			

ROUTE NUMBER.....MD 726  
INVENTORY DIRECTION....NORTH  
NAME: GREEN LANOING RD

SECONDARY	R	NFA		R	9	UNOIVED NONE	.00	C04026	MARLBORO HUNT CLUB RD	2	30I	2,599
							.07	MDD004	PENNSYLVANIA AVE STRUC#16096	2	24I	
							.27	MDD004PA	MARLBORO PIKE			

ROUTE NUMBER.....MD 769B  
INVENTORY DIRECTION....NORTH  
NAME: EDMONSTON RD

SECONDARY	U	NFA		U	19	UNOIVED NONE	.00	MDD450	ANNAPOLIS RD	3	34I	7,499
							.07			2	24I	
							.25			2	20I	
							.45	C03168	OLD EDMONSTON RD (AHEAD)			

ROUTE NUMBER.....MD 769C  
INVENTORY DIRECTION....NORTH  
NAME: FIFTY SECOND AVE

SECONDARY	R	NFA		U	19	UNOIVED NONE	.00	MDD201	KENILWORTH AVE	2	37I	9,099
							.02			2	24I	
							.15			2	48I	
							.23			2	24I	
							.37		IN CORP LMTS BLADENSBURG			
							.81	MDD201A	NO NAME	2	35I	
							.89			2	40I	
							.94	MDD450	ANNAPOLIS RD			
							1.00			2	18I	
							1.05	MDD201	KENILWORTH AVE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 769D  
INVENTORY DIRECTION....NORTH  
NAME: FIFTY SECOND AVE

PAGE..... 39  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	.....	.....		
SECONDARY	R	NFA	U 19	UNDIVED	NONE	.00	ROAD END	2	22I	9,599
						.15	R/R #B0 140 263 Y			
						.25		2	30I	
						.30	M00201 KENILWORTH AVE			

ROUTE NUMBER.....MD 810A  
INVENTORY DIRECTION....WEST  
NAME: LIVINGSTON RD

SECONDARY	R	NFA	R 9	UNDIVED	NONE	3.41	C01201 LIVINGSTON RD (BACK)	2	24I	675
						3.43	M00210J SERVICE RD			
						3.50	M00210 INDIAN HEAD HWY			
						3.53	M00210K SERVICE RD			
						3.57	C01201 LIVINGSTON RD (AHEAD)			

ROUTE NUMBER.....MD 810B  
INVENTORY DIRECTION....EAST  
NAME: SPRING GROVE DR

SECONDARY	R	NFA	R 9	UNDIVED	NONE	.00	M00210K BEECH LA	2	24I	
						.04	C01554 SPRING GROVE DR (AHEAD)			

ROUTE NUMBER.....MD 81DC  
INVENTORY DIRECTION....EAST  
NAME: DALE LA

SECONDARY	R	NFA	R 9	UNDIVED	NONE	.00	M00210K BEECH LA	2	20I	
						.00	M00210K BEECH LA			
						.04	C01553 DALE LA (AHEAD)			

ROUTE NUMBER.....MD 8100  
INVENTORY DIRECTION....EAST  
NAME: MAPLE LA

SECONDARY	R	NFA	R 9	UNDIVED	NONE	.00	M00210K BEECH LA	2	24I	
						.03	C01551 MAPLE LA (AHEAD)			

ROUTE NUMBER.....MD 810E  
INVENTORY DIRECTION....SOUTH  
NAME: PINE DR

SECONDARY	R	NFA	R 9	UNDIVED	NONE	.22	OP1262 PINE DR (BACK)	2	30I	
-----------	---	-----	-----	---------	------	-----	-----------------------	---	-----	--

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 810E      CONTINUED  
INVENTORY DIRECTION.....SOUTH  
NAME: PINE OR

PAGE..... 4J  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL								
SECONDARY	R NFA	R 9	UNOIVED	NONE	.24	M00210L SERVICE RD	2	30I	
					.28	M00210 INDIAN HEAD HWY			
					.30	M00210K SERVICE RD			

ROUTE NUMBER.....MD 810F  
INVENTORY DIRECTION.....SOUTH  
NAME: HOLLY WAY

SECONDARY	R NFA	R 9	UNOIVED	NONE	.28	C02186 HOLLY WAY (BACK)	2	24I	
					.28	M00210M SERVICE RD			
					.37	M00810F PINE LA			
					.37	C02186 HOLLY WAY (AHEAD)			

ROUTE NUMBER.....MD 810G  
INVENTORY DIRECTION.....EAST  
NAME: PINE LA

SECONDARY	R NFA	R 9	UNOIVED	NONE	.39	C00585 PINE LA (BACK)	2	25I	
					.39	M00810F HOLLY WAY			
					.43	M00210N SERVICE RD	2	28I	
					.45	M00210 INDIAN HEAD HWY			

ROUTE NUMBER.....MD 810H  
INVENTORY DIRECTION.....SOUTH  
NAME: MANNING RD WEST

SECONDARY	R NFA	R 9	UNOIVED	NONE	.43	C00699 MANNING RD WEST (BACK)	2	24I	
					.50	M00210N SERVICE RD			
					.54	M00210 INDIAN HEAD HWY			
					.54	M00810I MANNING RD EAST (AHEAD)			

ROUTE NUMBER.....MD 810I  
INVENTORY DIRECTION.....SOUTH  
NAME: MANNING RD EAST

SECONDARY	R NFA	R 9	UNOIVED	NONE	.00	M00210 INDIAN HEAD HWY	2	24I	
					.00	M00810H MANNING RD WEST (BACK)			
					.05	C00153 MANNING RD EAST (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 81DJ  
INVENTORY DIRECTION....WEST  
NAME: LIVINGSTON RD

PAGE..... 41  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	LANES	SURFACE	AADT
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
SECONDARY	R	NFA	R	9	UNDIVD	NONE	.00	MDD210	INDIAN HEAD HWY	2	44I	
							.00	MDD373	ACCOKEEK RD (BACK)			
							.10	MDD210S	SERVICE RD			
							.10	CO1201	LIVINGSTON RD (AHEAD)			

ROUTE NUMBER.....MD 81DK  
INVENTORY DIRECTION....WEST  
NAME: BRYAN POINT RD

SECONDARY	R	NFA	R	8	UNDIVD	NONE	.00		ROAD END	2	25I	999
							.03	MDD210R	SERVICE RD			
							.10	MDD210S	SERVICE RD			
							.10	CO0228	BRYAN POINT RD (AHEAD)			

ROUTE NUMBER.....MD 95D  
INVENTORY DIRECTION....NORTH  
NAME: GARDEN CITY DR

SECONDARY	R	NFA	U	17	UNDIVD	NONE	.00	CO4231	GARDEN CITY DRIVE (BACK)	3	34I	999
							.28			2	24I	
							.44	CO3137	COBB RD			

ROUTE NUMBER.....MD 953  
INVENTORY DIRECTION....NORTH  
NAME: GLENN DALE RD

SECONDARY	R	NFA	U	19	UNDIVD	NONE	.00	MDD193	ENTERPRISE RD	2	24I	1,999
							.49			2	48I	
							.84			2	60I	
							.90			2	18I	
							1.32	MDD450	ANNAPOLIS RD	2	22I	
							2.72			2	23I	
							2.97			2	28I	
							3.36			2	26I	
							3.50	CO0113	N LANDSDALE ST			

ROUTE NUMBER.....MD 953A  
INVENTORY DIRECTION....NORTH  
NAME: GLENN DALE RD

SECONDARY	R	NFA	U	19	UNDIVD	NONE	.00	CO2901	DUVALL ST	2	26I	99
							.03			2	36I	.

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 953A      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: GLENN DALE RD

PAGE..... 42  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL								
SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.D9 .18	MDD564	LANHAM SEVERN RD ROAD END	2	26I	99

ROUTE NUMBER.....MD 963  
INVENTORY DIRECTION....EAST  
NAME: DEPUTY LANE

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.DD .D7	COD36D OPD095	HILL RD DEPUTY LANE (AHEAD)	2	20I	
-----------	---	-----	---	----	-----------	------	------------	------------------	--------------------------------	---	-----	--

ROUTE NUMBER.....MD 964  
INVENTORY DIRECTION....SOUTH  
NAME: TRUMAN RD

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.DD .D7 .1D		ROAD END TRUMAN RD (AHEAD)	2 2	14H 26H	
-----------	---	-----	---	----	-----------	------	-------------------	--	-------------------------------	--------	------------	--

ROUTE NUMBER.....MD 965  
INVENTORY DIRECTION....NORTH  
NAME: KENILWORTH AVE

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.DD .11 .32 .51 .62	MDD201	WASH DC LINE KENILWORTH AVE WASH D C LINE	2 2 2	26J 24J 26J	
-----------	---	-----	---	----	-----------	------	---------------------------------	--------	---	-------------	-------------------	--

ROUTE NUMBER.....MD 967  
INVENTORY DIRECTION....SOUTH  
NAME: SERVICE RD

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.DD .D3 .17	COD607	COLE BROOK DR ROAD END	2 2	38I 24I	
-----------	---	-----	---	----	-----------	------	-------------------	--------	---------------------------	--------	------------	--

ROUTE NUMBER.....MD 967A  
INVENTORY DIRECTION....NORTH  
NAME: OXFORD DRIVE

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.DD .D6	MDD005	BRANCH AVE	2 2	3DI 24I	
-----------	---	-----	---	----	-----------	------	------------	--------	------------	--------	------------	--

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 967A      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: OXFORD DRIVE

PAGE..... 43  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL					
SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.30	2	30I	
						.46	2	24I	
				.97	MDD414	OXON HILL RD			

ROUTE NUMBER.....MD 967B  
INVENTORY DIRECTION....NORTH  
NAME: OLD BRANCH RD

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	MDDDD5	BRANCH AVE	2	2DI	
						.36	C026D6	BEECH RD			

ROUTE NUMBER.....MD 967C  
INVENTORY DIRECTION....NORTH  
NAME: AUTH RD

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	C02577	KEPLER RD	2	26I	
						.14			2	30I	
						.28	MDDDD5	BRANCH AVE			

ROUTE NUMBER.....MD 967D  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	C00931	SCHULTZ RD	2	30F	
						.06		ROAD END			

ROUTE NUMBER.....MD 968  
INVENTORY DIRECTION....EAST  
NAME: ENT NAT GUARD ARMORY

SECONDARY	R	NFA	U 19	UNDIVIDED	NONE	.00	MDD193	UNIVERSITY BLVD	2	26I	
						.06		ROAD END			

ROUTE NUMBER.....MD 972A  
INVENTORY DIRECTION....EAST  
NAME: STATE RD

SECONDARY	R	NFA	U 19	DIVIDED	NONE	.00	MDD458	SILVER HILL RD	4	54J	6,099
				UNDIVIDED		.10			5	56I	
				DIVIDED		.41			4	56I	
						.43	C03D74	MARLBORO PIKE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 973B  
INVENTORY DIRECTION....EAST  
NAME: TUXEDO RD

PAGE..... 44  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	LANES	WIDTH/TYPE*				
SECONDARY	R	NFA	U	19	UNDIVIDED NONE	.DD	MDD459	CHEVERLY AVE & ARBOR RD	2	18H	99
						.D6		ROAD END			

ROUTE NUMBER.....MD 974  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 556

SECONDARY	R	NFA	U	19	UNDIVIDED NONE	.DD		ROAD END	2	18H	99
						.1D	MDD193	GLENN DALE RD			

ROUTE NUMBER.....MD 976  
INVENTORY DIRECTION....NORTH  
NAME: COLUMBIAN WAY

SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.DD	MDDDD3	ROBERT CRAIN HWY	2	24I	
						.3D	MDDDD3	ROBERT CRAIN HWY			

ROUTE NUMBER.....MD 976A  
INVENTORY DIRECTION....NORTH  
NAME: OLD US 301

SECONDARY	R	NFA	U	19	UNDIVIDED NONE	.DD	USD301	BLUE STAR MEM HWY	2	18F	199
						.D1			2	24I	
			R	9		.D7					
						.D9			2	16I	
						.14			2	12I	
						.17			2	8I	
						.22		ROAD END			

ROUTE NUMBER.....MD 976B  
INVENTORY DIRECTION....EAST  
NAME: OLD US 301

SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.DD		ROAD END	2	24H	99
						.17			2	18H	
						.22	USD301	BLUE STAR MEM HWY			

ROUTE NUMBER.....MD 976C  
INVENTORY DIRECTION....EAST  
NAME: ACCESS RD

SECONDARY	R	NFA	R	9	UNDIVIDED NONE	.DD	USD301	BLUE STAR MEM HWY	2	24I	
-----------	---	-----	---	---	----------------	-----	--------	-------------------	---	-----	--

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 976C      CONTINUED  
INVENTORY DIRECTION.....EAST  
NAME: ACCESS RD

PAGE..... 45  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM	FUNC	HWY	ACCESS										
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	MARKED	SURFACE		AADT
										LANES	WIDTH/TYPE*		
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.10			2	36I		
							.15			2	24I		
							.16	ROAD END					

ROUTE NUMBER.....MD 977F  
INVENTORY DIRECTION.....NORTH  
NAME: OLD LARGO RD

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00		ROAD END	2	16J		99
							.03	MDD214	CENTRAL AVE	2	30I		
							.07			1	12I		
							.13			2	24I		
							.32			2	15I		
							.36			2	12I		
							.40	MDD202	LARGO RD				

ROUTE NUMBER.....MD 977H  
INVENTORY DIRECTION.....NORTH  
NAME: PROSPECT ST

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00	MDD202	LARGO RD	2	20I		
							.07			2	18I		
							.18		ROAD END				

ROUTE NUMBER.....MD 978A  
INVENTORY DIRECTION.....EAST  
NAME: HALL RD

SECONDARY	R	NFA	U	19	UNDIVIDED	NONE	.00	MDD214	CENTRAL AVE	2	20I		299
							.44		R/R #CR 529 570 D				
							.47		IN CORP LMTS BOWIE				
							.48		STRUCTURE#16D48 COLLINGTON BRANCH				
							.53						
							.55		OUT CORP LMTS BOWIE				
							.63	MDD214C	NO NAME				
							.67	MDD214	CENTRAL AVE				

ROUTE NUMBER.....MD 978B  
INVENTORY DIRECTION.....EAST  
NAME: OLD MD 214

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD214	CENTRAL AVE	2	20I		299
-----------	---	-----	---	---	-----------	------	-----	--------	-------------	---	-----	--	-----

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 978B      CONTINUED  
INVENTORY DIRECTION.....EAST  
NAME: OLD MD 214

PAGE..... 46  
DATE.....12/31/86  
COUNTY-PRINCE GEORGES  
SHA DISTRICT.....3

SYSTEM		FUNC	HWY	ACCESS					MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.35	US 301 (SB/L) BLUE STAR MEM HWY	2	20I	299
							.53	US0301 BLUE STAR MEM HWY			
							.63		2	24I	
							.80		1	12I	
							.89	M00214 CENTRAL AVE			

ROUTE NUMBER.....MD 979  
INVENTORY DIRECTION.....NORTH  
NAME: MAIN ST

SECONDARY	U	FAU	5262	U	16	UNDIVIDED	NONE	.00	US0001	2ND ST	2	40I	8,199
								.06		US 1 (SB/L) WASHINGTON ST			

ROUTE NUMBER.....MD 980D  
INVENTORY DIRECTION.....EAST  
NAME: RITCHIE MARLBORO RD

SECONDARY	R	FAS	1191	R	7	UNDIVIDED	NONE	.00	C04024	OLD MARLBORO PIKE	2	34I	3,199
								.01			2	24I	
						DIVIDED		.10			2	36I	
								.16			2	40I	
								.20		MD 4 (WB/L) STRUC #16102			
						UNDIVIDED		.35			2	16I	
								.39			2	12I	
								.44	M00004	PENN AVE (EB/L)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

1987

*HIGHWAY LOCATION REFERENCE*

**QUEEN ANNE'S  
COUNTY**

**QA**



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

RDUTE NUMBER.....MD 8  
INVENTORY DIRECTION....NORTH  
NAME: KENT POINT RD

PAGE..... 1  
DATE.....12/31/86  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

STATE	SYSTEM	FEDERAL	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE #	ADT
SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00	ROAD END	2	20I	2,700
		FAS 1303	7			.97				
						4.27	M00802 OLD MD 33			
						4.61	M00008A BATTS NECK RD			
						5.17	M00008B VESTFIELD RD			
						5.29	M00802 OLD MD 33			9,400
						5.83		2	22I	
				DIVIDED		7.79		4	48I	
		NFA	8			7.85	M00835A PIER 1 RD			
						8.09	US005D BLUE STAR MEM HWY			
						8.45	M00018A LDVE POINT RD			
						8.45	M00835D NO NAME			

RDUTE NUMBER.....MD 8A  
INVENTORY DIRECTION....EAST  
NAME: BATTS NECK RD

SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00	M00008 KENT POINT RD	2	22I	
						.10	M00802 OLD MD 33			

RDUTE NUMBER.....MD 8B  
INVENTORY DIRECTION....SOUTH  
NAME: VESTFIELD RD

SECONDARY	R	NFA	R 9	UNDIVIDED	NONE	.00	M00802 OLD MD 33	2	20H	
						.08	M00008 KENT POINT RD			

RDUTE NUMBER.....MD 18A  
INVENTORY DIRECTION....EAST  
NAME: LDVE POINT RD

SECONDARY	R	NFA	R 8	UNDIVIDED	NONE	.00	C0022D THIRD ST (BACK)	2	22I	3,30J
			9			2.88		2	24I	
						3.03	M00835C NO NAME			
						3.28	M00835F COCKNEY LA			
						3.57	M00835D NO NAME			
						3.57	M00008 KENT POINT RD			
			8			3.83	M00759B OLD US 50	2	21I	4,20J
						3.98	M00835C NO NAME	2	24I	
						4.10		2	22I	
						4.56	STRUCTURE #17DD1 COX CREEK			
						5.03	US0050QA SPUR	2	24I	

\* A,B = UNIMPRDVED; C = GRADED & DRAINED; D,E = SDIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 1BA CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: LOVE POINT RD

PAGE..... 2  
DATE.....12/31/86  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AAOT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*				
SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	5.32	CO0197	CASTLE MARINA RD	2	24I	4,200

ROUTE NUMBER.....MD 1BB  
INVENTORY DIRECTION....EAST  
NAME: COX NECK RD

SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	USDD5D	BLUE STAR MEM HWY	2	27I	1,450
							.03			2	22I	
							.10			2	20I	
							.56	MDD552	DOMINION RD	2	34I	
							.69			2	20I	
							.80			2	20I	
							2.18	USDD5D	BLUE STAR MEM HWY			

ROUTE NUMBER.....MD 18C  
INVENTORY DIRECTION....EAST  
NAME: QUEENSTOWN RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	USD05D	BLUE STAR MEM HWY	2	28I	1,900
							.07	MDD018E	OLD US 5D	2	22I	
							.40	MDD0835	SEWARD MARINA RD	2	20I	
							1.16			2	22I	
		FAS	I3DI	7			1.30	MDD018F	NO NAME	2	20J	
							3.53			2	24I	
							5.15			2	24I	
							5.21	USD05D	BLUE STAR MEM HWY	2	21I	1,500
							5.50	MDD456B	RAILROAD AVE	2	20I	
							5.55	USD3D1	BLUE STAR MEM HWY	2	20I	
							5.57		IN CORP LMTS QUEENSTOWN			
							5.61	MDD018G	SPUR			
							5.94			2	25I	
							6.04	MDD456A	DEL RHODES AVE	2	27I	
							6.05			2	22I	
							6.17			2	20G	
							6.29					
							6.49		OUT CORP LMTS QUEENSTOWN			
							6.91			2	22H	
							7.52			2	20H	1,300
							9.06		STRUCTURE #17DD2 REED CREEK			
							12.01		IN CORP LMTS CENTREVILLE	2	22I	
							12.38	MDD213	WYE MILLS CENTREVILLE RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 18E  
INVENTORY DIRECTION....EAST  
NAME: DLD US 5D

PAGE..... 3  
DATE.....12/31/86  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS										
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	MARKED	SURFACE		AAOT
										LANES	WIDTH/TYPE*		
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00		ROAD END	2	20I		
					.15	M00018C		QUEENSTOWN RD					
ROUTE NUMBER.....MD 18F INVENTORY DIRECTION....NORTH NAME: NO NAME													
SECONDARY	R	FAS	1301	R	7	DIVIDED	NONE	.00	M00018C	4	48I		750
					.04	US005D		BLUE STAR MEM HWY					
ROUTE NUMBER.....MD 18G INVENTORY DIRECTION....SOUTH NAME: SPUR													
SECONDARY	R	NFA		R	9	UNDIVIDED	NONE	.00	M00018C	2	18H		
					.06			MAIN ST ROAD END					
ROUTE NUMBER.....MD 19 INVENTORY DIRECTION....EAST NAME: MAIN ST													
SECONDARY	R	NFA		R	9	UNDIVIDED	NONE	.00	M00213	2	241		2,125
					.10					2	221		
	U				.16			IN CORP LMTS CHURCH HILL					
		FAS	1298		.47	M00300		CHURCH HILL SUDLERVILLE RD					
					.57					2	321		
					.75					2	281		
					.88					2	30I		
					1.05	M00019A		MAIN ST		2	361		
					1.10					2	26I		
					1.17					2	29I		
					1.24					2	221		
	R				1.46			OUT CORP LMTS CHURCH HILL					
					2.06	M00405		BRIDGETOWN RD					650
					3.94	US0301		BLUE STAR MEM HWY					
					3.98								875
					5.37			R/R #M00E 526 398 A					
					5.81								1,325
					8.23			STRUCTURE #17003 BEAVERDAM DITCH					
					8.67	M00313		CENTREVILLE CHURCH HILL RD					

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 19A  
INVENTORY DIRECTION....NORTH  
NAME: MAIN ST

PAGE..... 4  
DATE.....12/31/86  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM		FUNC		HWY		ACCESS				MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE#	AADT		
SECONDARY	R	FAS	1298	R	7	UNDIVIDED	NONE	.00	MDD213	CENTREVILLE CHURCH HILL RD	2	22I	1,200
	U							.28		STRUCTURE #17017 SOUTHEAST CREEK			
								.28		IN CORP LMTS CHURCH HILL			
								.35					
								.49	MDD019	WALNUT ST	2	28I	
ROUTE NUMBER.....US SD													
INVENTORY DIRECTION....EAST													
NAME: BLUE STAR MEM HWY													
PRIMARY	R	FAP	13D	R	2	UNDIVIDED	FULL	.00		ANNE ARUNDEL CO/L	5	66I	39,433
								.00		STRUCTURE #AAZ0SD CHESAPEAKE BAY			
								1.39					
						DIVIDED		1.89				66J	
								2.53		END TOLL MAINTENANCE	5	60I	
								2.53		BEGIN STATE MAINTENANCE			
								2.89	MDD008	KENT POINT RD			
						PART		2.94					
								4.06		STRUCTURE #170D4 COX CREEK	4	48I	
								4.52	US0050QA	SPUR			
								4.76	MDD018B	COX NECK RD			
								5.26	MDD552	DOMINION RD			
								6.49		STRUCTURE#17005 PINEY CREEK			
								6.75	MDD018B	OLD STEVENSVILLE RD			
								7.11		STRUC #17006 KENT ISLAND NARROWS			
								7.37	MDD018C	QUEENSTOWN RD			
								7.70	MDD83S	SEWARD MARINA RD			
								8.58	MDD018F	NO NAME			
						NONE		11.93	US0301	BLUE STAR MEM HWY			23,000
								12.18	MDDD18C	QUEENSTOWN RD			
								13.06		STRUCTURE #17007 WYE RIVER			
								13.56	MDD456A	RAILROAD AVE			
								13.64	US0050QB	SPUR			
								15.61		STRUCTURE #17008 WYE EAST RIVER			
								16.49	MDD662B	US SD SPUR			
								16.56	MDD662	WYE MILLS RD			
								17.44	MDD213	WYE MILLS CENTREVILLE RD			26,000
								18.13		STRUC #17009 WYE MILLS COMM LAKE			
								18.94		TALBOT CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 50QA  
INVENTORY DIRECTION....EAST  
NAME: SPUR

PAGE..... 5  
DATE.....12/31/86  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT			
STATE	FEDERAL	CLASS	TYPE	CTL			LANES	WIDTH/TYPE*				
SECONDARY	R	NFA	R	9	DIVIDED	NONE	.00	US0050	BLUE STAR MEM HWY	4	38I	
							.02	M00018A	LOVE POINT RD			

ROUTE NUMBER.....US 50QB  
INVENTORY DIRECTION....EAST  
NAME: SPUR

SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	US0050	BLUE STAR MEM HWY	I	12I	999
							.05			I	20I	
							.13	M00456A	DEL RHODES AVE			

ROUTE NUMBER.....MD 213  
INVENTORY DIRECTION....NORTH  
NAME: WYE MILLS CENTREVILLE RD

SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	M00662	WYE MILLS EASTON RD	2	22I	4,400
					DIVIDED		.80			2	30I	
	FAP	295		6	UNDIVIDED		.82	US0050	BLUE STAR MEM HWY	2	35I	
							.85			2	24I	
							3.65		STRUCTURE #17022 DONKEY CREEK			
					DIVIDED		4.21	M00309	STARR RD	2	30I	4,500
							5.20					
					UNDIVIDED		5.25	US0301	BLUE STAR MEM HWY	2	22I	7,100
							5.29					
	U						6.45		IN CORP LMTS CENTREVILLE			
							6.71			2	29I	
							6.79	M00018C	QUEENSTOWN RD	2	22I	8,450
							6.82					
							7.08		STRUCTURE #1702I MILL STREAM			
							7.09			4	50I	
					DIVIDED		7.11			4	65I	
					UNDIVIDED		7.34			4	47I	
					DIVIDED		7.52			4	57I	
					UNDIVIDED		7.61	M00304	WATER ST	4	60I	3,350
					DIVIDED		7.67			4	40I	
							7.82			4	50I	
					UNDIVIDED		7.91			2	24I	
							7.93		STRUCTURE #17020 GRAVEL RUN			
							8.04			2	34I	
							8.12			2	46I	
							8.14	M00305	HOPE RD			
							8.17			2	24I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 300  
INVENTORY DIRECTION...EAST  
NAME: CHURCH HILL SUOLERVILLE RD

PAGE..... 7  
DATE.....12/31/86  
COUNTY-QUEEN ANNES  
SHA OISTRICT.....2

....STATE....	SYSTEM	..FEDERAL...	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	..... MILEPOINT	DESCRIPTION .....	MARKED LANES	SURFACE WIDTH/TYPE#	AADT
SECONDARY	R	FAP	298 R 6	UNDIVIDED	NONE	.00	MOD213	CENTREVILLE CHURCH HILL RD	2	25I	1,000
	U					.01		IN CORP LMTS CHURCH HILL	2	24I	
						.16	MO0019	MAIN ST	2	22I	
	R					.37		OUT CORP LMTS CHURCH HILL			
						3.89					3,500
						3.95	US0301	BLUE STAR MEM HWY			
						5.22			2	20I	2,500
						5.46		STRUCTURE #17024 RED LION BRANCH			
						5.55	MO0290	DUDLEY CORNERS RD			
						5.61			2	22I	3,000
						7.23			2	40I	
	U					7.26		IN CORP LMTS SUOLERSVILLE			
						7.33	MO0837	CHURCH CIRCLE	2	35I	
						7.39	MO0313	SUOLERSVILLE GOLOBOROUGH RD			
						7.43			2	30I	2,000
						7.46			2	36I	
						7.54		R/R #MO0E 526 411 L	2	24I	
	R					7.85		OUT CORP LMTS SUOLERSVILLE	2	22I	
						8.80		STRUCTURE #17025 UNICORN BRANCH			
						11.27					1,800
						11.88		STRUCTURE #17026 ANDOVER BRANCH			
						12.20		STRUCTURE #17027 ANDOVER BRANCH			
						13.65		DELAWARE ST/L			

ROUTE NUMBER.....US 301  
INVENTORY DIRECTION...NORTH  
NAME: BLUE STAR MEM HWY

						.00		SEE US 50			
						.00		ANNE ARUNDEL CO/L			
PRIMARY	R	FAP	127 R 2	DIVIDED	PART	11.93	US0050	BLUE STAR MEM HWY (BACK)	4	48I	15,790
						12.06		US 50 (WB/L) STRUC #17010			
						12.48	MO0018C	QUEENSTOWN RD			11,025
	U					12.82		IN CORP LMTS QUEENSTOWN			
						12.99	MO0456A	DEL RHODES AVE			
	R					13.10		OUT CORP LMTS QUEENSTOWN			11,000
						17.75	MO0213	WYE MILLS CENTREVILLE RD			
						17.90			4	48J	8,398
						19.80		STRUCTURE #17015 OLD MILL STREAM			
						20.67	MO0304	CENTREVILLE RUTHBURG RD			7,600
						21.59		R/R #MO0E 526 382 I			
						22.14			4	48I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 301      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: BLUE STAR MEM HWY

PAGE..... 8  
DATE.....12/31/86  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
PRIMARY	R FAP	127 R	2	DIVIDED	PART	22.33	M00305 HOPE RD	4	48I	7,600
						22.40				11,450
						25.09	M00834 HAYDEN HOPE RD			
						26.74	MOD405 BRIGETOWN RD			
						28.72	M00019 MAIN ST			9,000
						30.25	M00302 BARCLAY RD			
						32.56	M00300 CHURCH HILL SUOLERSVILLE RD			9,600
						34.72	M00290 DUDLEY CROSS RD STRUC #17011			
						35.00	STRUCTURE #17012 RED LION BRANCH			
						38.13	M00544 MCGINNES RD			
						39.17	STRUCTURE #17013 UNICORN BRANCH			
						39.64	KENT CO/L			
						39.64	STRUCTURE #17014 CHESTER RIVER			

ROUTE NUMBER.....MD 302  
INVENTORY DIRECTION....EAST  
NAME: BARCLAY RD

SECONDARY	R NFA	R	8	UNDIVED	NONE	.00	US0301 BLUE STAR MEM HWY	2	22I	1,500
						2.00				1,400
						3.36	STRUCTURE #17028 DONKEY CREEK			
	U					3.45	IN CORP LMTS BARCLAY			
						3.46	R/R #MODE 526 401 F			
						3.49	M00313 SUOLERSVILLE GOLDSBOROUGH RD	2	34I	1,500
	R					3.69	OUT CORP LMTS BARCLAY			
						3.71		2	22I	
						7.70	CAROLINE CO/L			

ROUTE NUMBER.....MD 303  
INVENTORY DIRECTION....NORTH  
NAME: MAIN ST

SECONDARY	U NFA	R	8	UNDIVED	NONE	.00	TALBOT CO/L	2	20I	399
	R					.20	OUT CORP LMTS QUEEN ANNE	2	21I	
	FAS	1305	7			.25	MDD309 CORDOVA RD	2	24I	
						.42	MDD404 WYE MILLS QUEEN ANNE RD			

ROUTE NUMBER.....MD 304  
INVENTORY DIRECTION....EAST  
NAME: CORSICA NECK RD

SECONDARY	R NFA	R	8	UNDIVED	NONE	.00	C00142 SPIDER WEB RD	2	20H	400
-----------	-------	---	---	---------	------	-----	----------------------	---	-----	-----

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 304      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: CORSICA NECK RD

PAGE..... 9  
DATE.....12/31/86  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM		FUNC		HWY		ACCESS		MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL								
SECONDARY	R	NFA	R	B	UNDIVIDED	NONE		2.44	IN CORP LMTS CENTREVILLE	2	20H	400
								2.44	STRUCTURE #I7029 CORSICA CREEK			
								2.44	END STATE MAINTENANCE			
								2.44	BEGIN MUNICIPAL MAINTENANCE			
								3.32	COMMERCE ST			
								3.50	R/R #MODE 526 378 N			
		FAS 1300		7				4.02	OUT CORP LMTS CENTREVILLE	2	24I	2,700
								4.02	END MUNICIPAL MAINTENANCE			
								4.02	BEGIN STATE MAINTENANCE			
								5.85	BLUE STAR MEM HWY			2,450
								10.09	RUTHSBURG RD	2	22I	950
								11.35	STRUCTURE #I7042 GERMAN BRANCH			
								13.96	PRICE STATION RD			1,500
								14.85	STRUCTURE #5018 MASON BRANCH			
								14.85	CAROLINE CO/L			

ROUTE NUMBER.....MD 305  
INVENTORY DIRECTION....EAST  
NAME: HOPE RD

SECONDARY	U	NFA	R	8	DIVIDED	NONE		.00	MDO213	CENTREVILLE CHURCH HILL RD	2	36I	800
					UNOIVED			.03			2	41I	
								.40		OUT CORP LMTS CENTREVILLE	2	22I	
								2.91			2	20I	
								2.93					350
								2.94	US030I	BLUE STAR MEM HWY			
								2.98			2	24F	
								3.14		R/R #MODE 526 383 K	2	17G	
								5.15	C00094	HAYDEN HOPE RD			

ROUTE NUMBER.....MD 309  
INVENTORY DIRECTION....NORTH  
NAME: STARR RD

SECONDARY	R	FAS 1305	R	7	UNOIVED	NONE		.00		TALBOT CO/L	2	24I	1,092
		1302						.23	MDO303	MAIN ST	2	22I	
								.36	M00404	WYE MILLS QUEEN ANNE RD			
								2.44	MDO48I	RUTHSBURG RD			500
								6.61			2	20H	
								9.17			2	24I	
								9.21	MDO213	WYE MILLS CENTREVILLE RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 313  
INVENTORY DIRECTION....NORTH  
NAME: SUOLERSVILLE GOLOBOROUGH RD

PAGE..... 10  
DATE.....12/31/86  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
SECONDARY	R	FAS 1283	R 7	UNDIVED	NONE	.00	CAROLINE CO/L	2	22I	1,800
						.00	STRUCTURE #5003 LONG MARSH DITCH			
						1.95	M00019 WALNUT ST			1,425
						2.63				1,700
						3.58				1,300
	U					5.36	IN CORP LMTS BARCLAY			
						5.70	M00302 BARCLAY RD			2,200
						5.75	R/R #MODE 526 402 M			
	R					5.88	OUT CORP LMTS BARCLAY			
						7.10		2	25I	
						8.14		2	22I	
	U					8.18	IN CORP LMTS SUOLERSVILLE			
						8.41		2	40I	
						8.50		2	34I	
						8.76	M00300 MAIN ST			
						8.83	M00837 CHURCH CIRCLE			
						8.93		2	40I	2,000
						9.01		2	22I	
	R					9.14	OUT CORP LMTS SUOLERSVILLE			
						12.59	M00544 MC GINNES RD			1,600
						13.52	STRUCTURE #17031 UNICORN BRANCH			
	U					14.59	IN CORP LMTS MILLINGTON			
						14.88	KENT CO/L			
						14.88	STRUCTURE #17030 CHESTER RIVER			

ROUTE NUMBER.....MO 404  
INVENTORY DIRECTION....EAST  
NAME: WYE MILLS QUEEN ANNE RD

PRIMARY	R	FAP 300	R 6	UNDIVED	NONE	.00	TALBOT CO/L	2	24I	11,090
						.13	STRUCTURE #17032 NORWICK CREEK			
						1.00	M00309 CORDOVA RD			
						1.21	M00303 MAIN ST			
						1.32	R/R #MODE 502 440 D			
						1.51	STRUCTURE #5015 TUCKAHOE CREEK			
						1.51	CAROLINE CO/L			

ROUTE NUMBER.....MO 405  
INVENTORY DIRECTION....NORTH  
NAME: PRICE STATION RD

SECONDARY	R	NFA	R 8	UNDIVED	NONE	.00	M00304 RUTHSBURG BRIDGETOWN RD	2	21I	450
-----------	---	-----	-----	---------	------	-----	--------------------------------	---	-----	-----

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 544  
INVENTORY DIRECTION....EAST  
NAME: MCGINNES RD

PAGE..... 12  
DATE.....12/31/86  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL								
SECONDARY	R FAS	1296 R	7	UNDIVIDED NONE	.00	MDD213 CHESTERTOWN CHURCH HILL RD	2	24I	1,900
					2.98	STRUCTURE #I7037 FOREMAN BRANCH			
					4.76				1,700
					5.87	STRUCTURE #I7045 PEARL CREEK			
					7.04	MDD290 DUDLEY CROSS RD			
					7.60	STRUCTURE #I7038 RED LION BRANCH			
					9.36	US030I BLUE STAR MEM HWY			
					9.56	MDD3I3 SUOLERSVILLE MILLINGTON RD			

ROUTE NUMBER.....MD 552  
INVENTORY DIRECTION....NORTH  
NAME: DOMINION RD

SECONDARY	R NFA	R	9	UNDIVIDED NONE	.00	C00I99 LITTLE CREEK RD (BACK)	2	18I	1,899
					.04		2	22I	
			B		.35		2	24I	
					.38		2	22I	
					2.13	MDD0I88 OLD STEVENSVILLE RD	3	32I	
					2.22	US0050 BLUE STAR MEM HWY			

ROUTE NUMBER.....MD 662  
INVENTORY DIRECTION....NORTH  
NAME: WYE MILLS EASTON RD

SECONDARY	R NFA	R	8	UNDIVIDED NONE	.00	TALBOT CO/L	2	2II	700
					.06	STRUCTURE #17039 WYE EAST RIVER			
			9		.08	MDD2I3 WYE MILLS CENTREVILLE RD	2	22I	
					1.38	MDD662B US 50 SPUR	2	24I	
					1.40	US0050 OCEAN GATEWAY			

ROUTE NUMBER.....MD 662B  
INVENTORY DIRECTION....SOUTH  
NAME: US 50 SPUR

SECONDARY	R NFA	R	9	UNDIVIDED NONE	.00	USDD50 OCEAN GATEWAY	2	12J	
					.08	MDD662 WYE MILLS EASTON RD			

ROUTE NUMBER.....MD 759B  
INVENTORY DIRECTION....EAST  
NAME: OLD US 50

SECONDARY	R NFA	R	9	UNDIVIDED NONE	.00	ROAD END	2	20I	199
-----------	-------	---	---	----------------	-----	----------	---	-----	-----

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 759B CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: OLD US 50

PAGE..... 13  
DATE.....12/31/36  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT			
STATE	FEDERAL	CLASS	TYPE	CTL			LANES	WIDTH/TYPE*				
SECONDARY	R	NFA	R	9	UNOIVED	NONE	.22	M00018A	LOVE POINT RD	2	20I	199

ROUTE NUMBER.....MO 802  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 33

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	M00008	KENT POINT RO	2	22I	499
							.04			2	16G	
							.29	M00008A	BATTS NECK RO	2	18G	
							.59			2	16G	
							.93	M00008B	VESTFIELD RD			
							.98			2	22I	
							1.03	M00008	KENT POINT RO			

ROUTE NUMBER.....MO 834  
INVENTORY DIRECTION....EAST  
NAME: HAYDEN HOPE RO

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	C00403	WHITE MARSH RO	2	50I	299
							.02	US0301	BLUE STAR MEM HWY (WB/L)	2	24I	
							.13	US0301	BLUE STAR MEM HWY (EB/L)			
							.15			2	18F	
							.16	C00094	HAYDEN HOPE RO (AHEAD)			
							.16		R/R #MOOE 526 389 B			

ROUTE NUMBER.....MO 835  
INVENTORY DIRECTION....NORTH  
NAME: SEWARD MARINA RO

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	M00018C	QUEENSTOWN RO	2	24I	
							.12	US0050	BLUE STAR MEM HWY			
							.24			2	20I	
							.50	C00185	SEWARD MARINA RO			

ROUTE NUMBER.....MO 835A  
INVENTORY DIRECTION....EAST  
NAME: PIER 1 RO

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	C00329	PIER 1 RO (BACK)	2	22I	
							.06	M00008	KENT POINT RO	2	23I	
							.76	C00210	THOMPSON CREEK RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 835B  
INVENTORY DIRECTION....EAST  
NAME: JACKSON CREEK SERVICE RD

PAGE..... 14  
DATE.....12/31/86  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AADT						
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*				
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	COD183	JACKSON CREEK LA	2	22I	
					.20	COD182			JACKSON CREEK RD			

ROUTE NUMBER.....MD 835C  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDDD18A	LOVE POINT RD	2	24I	
							.05			2	22I	
							.23			2	20I	
							.58			2	23I	
							.61			2	25I	
							.64			2	20I	
							.77	MDDD18A	LOVE POINT RD			

ROUTE NUMBER.....MD 835D  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00		ROAD END	2	22I	
							.30			2	20I	
							.37	MDDDD8	KENT POINT RD			
							.37	MDDD18A	LOVE POINT RD			

ROUTE NUMBER.....MD 835F  
INVENTORY DIRECTION....NORTH  
NAME: COCKEY LA

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDDD18A	LOVE POINT RD	2	20I	
							.05			2	20F	
							.09		ROAD END			

ROUTE NUMBER.....MD 837  
INVENTORY DIRECTION....NORTH  
NAME: CHURCH CIRCLE

SECONDARY	U	NFA	R	9	UNDIVIDED	NONE	.00	MDD3DD	MAIN ST	2	44G	199
	R						.04		OUT CORP LMTS SUDLERSVILLE			
	U						.09		IN CORP LMTS SUDLERSVILLE			
							.12	MDD313	CHURCH ST			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS


STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 838  
INVENTORY DIRECTION....NORTH  
NAME: CARMICHAEL RD

PAGE..... 15  
DATE.....12/31/86  
COUNTY-QUEEN ANNES  
SHA DISTRICT.....2

SYSTEM		FUNC	HWY	ACCESS			MARKED	SURFACE				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	..... MILEPOINT DESCRIPTION .....	LANES	WIDTH/TYPE*	AADT			
SECONDARY	R	NFA	R	8	UNDIVID	NONE	5.13	COD156	CARMICHAEL RD (BACK)	2	13L	199
							5.19		STRUCTURE #17D4D WYE NARROWS			
							5.26	COD4D5	WYE ISLAND RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



1987

*HIGHWAY LOCATION REFERENCE*

**SAINT MARYS  
COUNTY**

**SM**



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 4  
INVENTORY DIRECTION....NORTH  
NAME: ST ANDREWS CHURCH RD

PAGE.....1  
DATE.....12/31/86  
COUNTY-SAINT MARYS  
SHA DISTRICT.....5

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT			
STATE	FEDERAL	CLASS	TYPE	CTL								
PRIMARY	R	FAP	259	R	6	UNDIVIDED NONE	.00	MDDDD5	LEONARDTOWN RD	2	221	6,599
					2	DIVIDED PART	6.17	MDD235	THREE NOTCH RD	2	241	7,099
						UNDIVIDED	6.67					
						DIVIDED	7.15					
						UNDIVIDED	7.42					
						DIVIDED	7.72					
						UNDIVIDED	7.93					
							8.27		STRUCTURE #18033 KINGSTON CREEK			
						DIVIDED	8.34					
						UNDIVIDED	8.58					
							8.64			2	28J	
							9.52		CALVERT CO/L			
							9.52		STRUCTURE #4D19 PATUXENT RIVER			

ROUTE NUMBER.....MD 5  
INVENTORY DIRECTION....NORTH  
NAME: POINT LOOKOUT RD

SECONDARY	R	NFA		R	9	UNDIVIDED NONE	.00		CUL DE SAC	2	141	2,500
							.07			2	2DI	
					8		.58					
							1.34			2	24I	
							1.72			2	2DI	
		FAS	1225		7		2.96					
							3.99			2	22I	
							4.82	MDDDD5F	OLD MD 5			
							6.86	MDD235	THREE NOTCH RD	2	24I	3,500
							10.40		STRUCTURE #18010 CHURCH CREEK			
							12.82	MDD584	OLD POINT LOOKOUT RD			
							13.07	MDD584	OLD POINT LOOKOUT RD			4,700
							13.38		STRUCTURE #18DD9 FISHERMAN CREEK			
							14.88					4,800
							15.24	MDD489	PARK HALL RD			5,000
							16.73		STRUCTURE #18DD8 EASTERN BRANCH			
							17.12		STRUCTURE #18DD7 HILTON RUN			
		FAP	272		6		19.14	MDD246	LEXINGTON PARK RD			9,975
							19.20	MDDDD5A	MD 5 SPUR			
							19.24		STRUCTURE #18DD6 ST MARYS RIVER			
							19.42	MDD471	INDIAN BRIDGE RD			9,600
							20.54			3	34I	
							20.60	MDD249	PINEY POINT RD			
							20.64			2	24I	6,950

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 5 CONTINUED  
INVENTORY DIRECTION.....NORTH  
NAME: POINT LODKOUT RD

PAGE..... 2  
DATE.....12/31/86  
COUNTY-SAINT MARYS  
SHA DISTRICT.....5

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE#	AAOT				
STATE	FEDERAL	CLASS	CTL									
SECONDARY	R	FAP	272	R	6	UNOIVED	NONE	25.43	STRUCTURE #180D5 MOLDIER RUN	2	24I	6,950
								26.70	MDD244 BEAVUE RD			13,550
								27.42	STRUCTURE #180D4 GLEBE RUN			
								27.47		3	36I	
								27.53	MDDDD4 ST ANDREWS CHURCH RD			
								27.58		2	24I	
		FAS	1221		7			27.95				
								28.24	STRUCTURE #180D3 TOWN RUN			
								28.24	IN CORP LMTS LEONAROTOWN			
								28.30		2	40I	
			122D			DIVIDED		28.52	MDD326 WASHINGTON ST	4	74I	17,825
						UNOIVED		28.60		4	30I	
								29.62		4	50I	
		FAP	272		6			28.92	MDD245 WASHINGTON ST			
								30.18	STRUCTURE #180D2 MCINTOSH RUN			
						DIVIDED		30.21	OUT CORP LMTS LEONAROTOWN			
								30.32	MDD243 COMPTON RD	4	49I	11,225
								31.02	MDDDD5C MD 5 SPUR			
								31.06	MDD234 COMPTON RD			5,325
			271			UNOIVED		31.23		2	24I	
								34.86	MDD247 LOVEVILLE RD			4,050
								35.93	MDD242 COLTON POINT RD	2	26I	
								36.04		2	24I	
								36.68	STRUCTURE #180D1 CLEMENTS CREEK			
								37.41	MDD238 MADDOX RD			6,300
								37.56	MDDDD5B MD 5 SPUR			
								37.91		2	24G	
						DIVIDED		40.57		2	32I	6,400
PRIMARY			265		2			40.62	MDD235 THREE NOTCH RD	4	46I	17,000
								42.79		4	46I	
								44.88	MDD236 THOMPSON CORNER RD			
								45.08	MDD236A OLD MD 236			
								45.13	MDDDD6 LAPLATA NEW MARKET RD			
								46.18	MDD863A SERVICE RD			
								46.34	MDD863A SERVICE RD			
								47.62	CHARLES CD/L			

ROUTE NUMBER.....MD 5A  
INVENTORY DIRECTION.....EAST  
NAME: MD 5 SPUR

SECONDARY R NFA R 9 UNOIVED NONE .DD MDDDD5 POINT LODKOUT RD 2 20I

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 5A CONTINUED  
INVENTORY DIRECTION.....EAST  
NAME: MD 5 SPUR

PAGE..... 3  
DATE.....12/31/86  
COUNTY-SAINT MARYS  
SHA DISTRICT.....5

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AAOT				
STATE	FEDERAL	CLASS	TYPE	CTL			LANES	WIDTH/TYPE*					
SECONDARY	R	NFA	R	9	UNOIVED	NONE	.16	MDD246	GREAT MILLS RD	2	2DI		
ROUTE NUMBER.....MD 5B INVENTORY DIRECTION.....EAST NAME: MD 5 SPUR													
SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00	MDD238	BUDDS CREEK RD	2	2DI		
							.10			2	3DI		
							.11	MDD005	WALDORF LEONARDTOWN RD				
ROUTE NUMBER.....MD 5C INVENTORY DIRECTION.....EAST NAME: MD 5 SPUR													
SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	MDD234	BUDDS CREEK RD	2	16I		
							.08	MDD005	WALDORF LEONARDTOWN RD				
ROUTE NUMBER.....MD 5F INVENTORY DIRECTION.....NORTH NAME: OLO MD 5													
SECONDARY	R	NFA	R	9	UNDIVED	NONE	.00	MDD005	WALDORF LEONARDTOWN RD	2	3DI	99	
							.02			2	2DI		
							.19		ROAD END				
ROUTE NUMBER.....MD 5UL INVENTORY DIRECTION.....NORTH NAME: PROPOSED													
SECONDARY	R	FAP	272	R	6	OIVIEDO	NONE	.00	MDD005	POINT LOOKOUT RD	4	48I	9,999
							.83	MDD005	JEFFERSON ST				
ROUTE NUMBER.....MD 6 INVENTORY DIRECTION.....EAST NAME: LAPLATA NEW MARKET RD													
SECONDARY	R	FAS	121D	R	7	UNOIVED	NONE	.00		CHARLES CO/L	2	24I	1,000
		NFA			8			1.19	MDD005	WALDORF LEONARDTOWN RD (SB/L)			1,400
								1.24	MDD005	WALDORF LEONARDTOWN RD (NB/L)			
								1.28			2	2DI	
								3.80			2	16H	1,300
								4.85		STRUCTURE #18D12 SWAMP CREEK			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 6 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: LAPLATA NEW MARKET RD

PAGE..... 4  
DATE.....12/31/86  
COUNTY-SAINT MARYS  
SHA DISTRICT.....5

SYSTEM	FUNC	HWY	ACCESS								
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT DESCRIPTION	.....	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	5.19		2	18H	1,300
							5.97		2	16H	
							7.16	STRUCTURE #18013 PERSIMMON CREEK	2	18H	
							8.88		2	20H	
							9.62	MDD235 THREE NOTCH RD			

ROUTE NUMBER.....MD 234  
INVENTORY DIRECTION....EAST  
NAME: BUDDS CREEK RD

SECONDARY	R	FAP	272	R	6	UNDIVIDED	NONE	.00		STRUCTURE #18014 BUDDS CREEK	2	24I	3,000
								.00		CHARLES CO/L			
								.88	MDD236	THOMPSON CORNER RD			
								4.70		STRUCTURE #18015 HAYDEN RUN			
								4.92	MDD238	BUDDS CREEK RD			2,200
								8.51					2,700
								9.16	MDD242	COLTON POINT RD			5,425
								9.44		STRUCTURE #18D16 CLEMENTS CREEK			
								12.63	MDD0D5C	MD 5 SPUR	2	27I	
								12.66	MDD0D5	WALDORF LEONARDTOWN RD			

ROUTE NUMBER.....MD 235  
INVENTORY DIRECTION....NORTH  
NAME: THREE NOTCH RD

SECONDARY	R	FAP	265	R	6	UNDIVIDED	NONE	.00	MDD0D5	WALDORF LEONARDTOWN RD	2	24I	1,700
								1.08			3	36I	
								1.18			2	24I	
								2.53			3	36I	
								2.74					2,800
								2.83			2	24I	
								4.62			3	36I	
								4.75			2	24I	
								6.69			3	36I	
								6.81			2	24I	
								6.90			3	36I	
								7.03			2	24I	
								7.62			3	36I	
								7.68	MDD489	PARK HALL RD			
								7.72			2	24I	5,400
								7.98			3	36I	
								8.07			2	36I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 235      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: THREE NOTCH RD

PAGE..... 5  
DATE.....12/31/86  
COUNTY-SAIN MARYS  
SHA DISTRICT.....5

SYSTEM		FUNC		HWY		ACCESS		MARKED		SURFACE		AADT
STATE	FEDERAL	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*			
SECONDARY	R	FAP	265	R	6	UNDIVED	NONE	8.11	2	24I	5,400	
								9.08	3	36I		
								9.21	2	24I		
						DIVIDED		9.90	4	48I	11,800	
				U	14	UNDIVED		10.50				
								11.95	4	62I		
PRIMARY								11.98	4	55I	20,075	
								11.99				
						DIVIDED		12.16	4	50I		
								12.22	4	59I		
								12.76	4	50I		
								13.38	4	48I		
				R	2			14.97				
								15.40				
								16.55	4	50I	27,375	
								16.66				
								16.70	4	48I	13,000	
								17.71				
								18.21				
								18.52				
								18.73				
								18.90				
								19.73				
								20.55				
								20.78				
								21.84	4	46I		
								23.95	4	48I		
								25.92				
								26.67				
								28.02	4	46I	9,200	
								29.37				
								30.75				

ROUTE NUMBER.....MD 236  
INVENTORY DIRECTION....NORTH  
NAME: THOMPSON CORNER RD

SECONDARY	R	FAS	1217	R	7	UNDIVED	NONE	.00	2	24I	1,000
								.06	2	20I	
								6.05	2	22I	
								6.11	2	24I	
								6.18			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 236 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: THOMPSON CORNER RD

PAGE..... 6  
DATE.....12/31/86  
COUNTY-SAINT MARYS  
SHA DISTRICT.....5

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL							
SECONDARY	R FAS	1217	R 7	UNDIVIDED	NONE	6.22	M00005	LEONARDTOWN RD (NB/L)	2	24I	1,000

ROUTE NUMBER.....MD 236A  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 236

SECONDARY	R NFA		R 9	UNDIVIDED	NONE	.00	M00236	THOMPSON CORNER RD	2	20I	499
						.18	M00005	WALDORF LEONARDTOWN RD			

ROUTE NUMBER.....MD 237  
INVENTORY DIRECTION....NORTH  
NAME: CHANCELLORS RUN RD

SECONDARY	R FAS	1223	R 7	UNDIVIDED	NONE	.00	M00246	GREAT MILLS RD	2	20I	3,499
						2.21					3,999
						2.90			2	24I	
						2.99	M00235	THREE NOTCH RD			

ROUTE NUMBER.....MD 238  
INVENTORY DIRECTION....NORTH  
NAME: MADDOX RD

SECONDARY	R FAS	1219	R 7	UNDIVIDED	NONE	.00	M00242	COLTON POINT RD	2	20I	800
						4.72					900
						5.74		STRUCTURE #18018			
						6.96		STRUCTURE #18017			
	NFA		8			7.25	M00234	DEEP FALLS RD	2	21I	
						10.85	M00005B	MD 5 SPUR			
						10.96	M00005	WALDORF LEONARDTOWN RD			

ROUTE NUMBER.....MD 239  
INVENTORY DIRECTION....EAST  
NAME: BUSHWOOD WHARF RD

SECONDARY	R NFA		R 9	UNDIVIDED	NONE	.00		ROAD END	2	18H	200
						1.08	M00520	WHITE NECK RD			
						1.64	M00242	COLTON POINT RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 242  
INVENTORY DIRECTION.....NORTH  
NAME: COLTON POINT RO

PAGE..... 7  
DATE.....12/31/86  
COUNTY-SAINTE MARYS  
SHA DISTRICT.....5

SYSTEM		FUNC		HWY	ACCESS	MILEPOINT		MILEPOINT DESCRIPTION		MARKED	SURFACE	AAOT
STATE	FEDERAL	CLASS	TYPE	CTL						LANES	WIDTH/TYP*	
SECONDARY	R	NFA	R	8	UNOIVED	NONE	.00	CO0141	BEACH RO	2	20I	1,300
		FAS 1218		7			3.05	MO0470	OAKLEY RO			
							4.42	MO0239	BUSHWOOD WHARF RD			3,000
							5.41	MO0238	MADDOX RO	2	24I	3,400
							6.12		STRUCTURE #18022 TOMAKOKIN CREEK			
							7.00	MO0470	OAKLEY RO			
							7.55			2	22I	
							8.06		STRUCTURE #18021			
							8.23			2	24I	
							8.71			2	22I	
							8.93	MO0234	DEEP FALLS RO			1,400
							9.46		STRUCTURE #18020 CLEMENTS CREEK			
							9.73			2	30I	
							9.84			2	38I	
							10.06			2	22I	
							11.11			2	38I	
							11.22			2	22I	
							11.31		STRUCTURE #18019 LOCUST RUN	2	38I	
							11.43			2	30I	
							11.51			2	38I	
							11.56			2	22I	
							11.72					1,850
							12.05			2	30I	
							12.10			2	22I	
							12.91			2	36I	
							12.93			2	30I	
							12.94	MO0005	WALDOORF LEONAROTOWN RO			

ROUTE NUMBER.....MO 243  
INVENTORY DIRECTION.....NORTH  
NAME: COMPTON RO

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00		ROAD END	2	22G	2,375
							.11			2	18I	
		FAS 1222		7			1.53			2	20I	
							3.20					4,225
							4.41			2	24I	
							4.49	MO0943	OLO MO 243			
							4.66	MO0005	WALDOORF LEONAROTOWN RO			

\* A,8 = UNIMPROVED; C = GRADED & DRAINED; O,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 244  
INVENTORY DIRECTION....EAST  
NAME: BEAUVUE RD

PAGE..... 8  
DATE.....12/31/86  
COUNTY-SAIN MARYS  
SHA DISTRICT.....5

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT
SECONDARY	R	NFA	R	8	UNDIVED	NONE	.00	M00005	POINT LOOKOUT RD	2	24I	1,675
							.10			2	18I	
							1.21		STRUCTURE #18D23 MOLDIER RUN			
					9		2.05					
							5.95		STRUC #18D24 POPLAR HILL CREEK			
					8		10.11					1,700
							10.28			2	20I	
							10.66			2	40I	
							10.69	M00249	PINEY POINT RD			

ROUTE NUMBER.....MD 245  
INVENTORY DIRECTION....NORTH  
NAME: WASHINGTON ST

SECONDARY	U	FAS	1220	R	7	UNDIVED	NONE	.00	M00005	JEFFERSON ST	2	37I	7,175
								.54			2	22I	
	R							.96		OUT CORP LMTS LEONARDTOWN			
							1.81					4,950	
							3.62		STRUCTURE #18D25 BROOKS RUN				
							5.28			2	24I		
							5.34	M00235	THREE NOTCH RD	2	27I	2,475	
							5.39			2	20I		
							7.66	C00185	STEER HORN NECK RD				

ROUTE NUMBER.....MD 246  
INVENTORY DIRECTION....EAST  
NAME: GREAT MILLS RD

SECONDARY	R	FAP	272	R	6	UNDIVED	NONE	.00	M00005	POINT LOOKOUT RD	2	24I	13,650
								.16	M00005A	MD 5 SPUR			
						DIVIDED		.81			2	22I	
				U	14			.98	M00237	CHANCELLORS RUN RD	2	28I	
						UNDIVED		1.06			2	24I	
								1.65			3	36I	
								1.91			4	50I	
								2.16			4	48I	
								2.35			4	52I	
						DIVIDED		2.90			4	48I	
						UNDIVED		3.24			4	52I	
	NFA			R	9	DIVIDED		3.31	M00235	THREE NOTCH RD	4	44I	
						UNDIVED		3.36			3	44I	
								3.39		ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 247  
INVENTORY DIRECTION....NORTH  
NAME: LOVEVILLE RD

PAGE..... 9  
DATE.....12/31/86  
COUNTY-SAINT MARYS  
SHA DISTRICT.....5

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAUT
SECONDARY R FAS 1224 R	7	UNDIVIDED	NONE	.00	M00005 WALDORF LEONARDTOWN RD	2	22I	2,800
NFA	9			2.88	MDD235 THREE NOTCH RD	2	20H	
				2.94	C00065 QUEEN TREE RD			

ROUTE NUMBER.....MD 249  
INVENTORY DIRECTION....NORTH  
NAME: PINEY POINT RD

SECONDARY R NFA R	8	UNDIVIDED	NONE	.00	C00327 INDIGO POINT RD (BACK)	2	20I	1,000
				1.44		2	24H	
				1.48	STRUCTURE #18026 ST GEORGE CREEK			
				1.67		2	24I	
FAS 1227	7			2.43				3,400
				3.33				
				6.66	M00244 BEAUVUE RD			4,200
				6.72				
		DIVIDED		9.85		2	32I	
				9.87	M00005 POINT LOOKOUT RD			

ROUTE NUMBER.....MD 326  
INVENTORY DIRECTION....NORTH  
NAME: WASHINGTON ST

SECONDARY U FAS 1220 R	7	UNDIVIDED	NONE	.00	ROAD END	2	30I	1,799
				.22		2	60I	
				.27	END STATE MAINTENANCE			
				.27	BEGIN MUNICIPAL MAINTENANCE			
		DIVIDED		.29	END MUNICIPAL MAINTENANCE	4	99I	
				.29	BEGIN STATE MAINTENANCE			
				.33	M00005 FENWICK ST			

ROUTE NUMBER.....MD 470  
INVENTORY DIRECTION....NORTH  
NAME: OAKLEY RD

SECONDARY R NFA R	8	UNDIVIDED	NONE	.00	M00242 COLTON POINT RD	2	19H	700
				2.89	STRUCTURE #18027 TOMAKOKIN CREEK			
				3.78	M00242 COLTON POINT RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 471  
INVENTORY DIRECTION....NORTH  
NAME: INDIAN BRIDGE RD

PAGE..... 10  
DATE.....12/31/86  
COUNTY-SAINT MARYS  
SHA DISTRICT.....5

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AA DT						
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AA DT			
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDDDD5	POINT LOOKOUT RD	2	18H	1,000
							.34		STRUCTURE #18D28 ST MARYS RIVER			
							1.00		STRUCTURE #18D29 JARBOESVILLE RUN			
							1.02	COD232	INDIAN BRIDGE RD (AHEAD)			

ROUTE NUMBER.....MD 472  
INVENTORY DIRECTION....NORTH  
NAME: SANDGATES RD

SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	MDD235	THREE NOTCH RD	2	2DI	1,650
				9			2.40					
							2.59	COD636	SANDGATES RD (AHEAD)			

ROUTE NUMBER.....MD 489  
INVENTORY DIRECTION....EAST  
NAME: PARK HILL RD

SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	MDDDD5	POINT LOOKOUT RD	2	18H	900
							1.21			2	25I	
							1.29	MDD235	THREE NOTCH RD			

ROUTE NUMBER.....MD 52D  
INVENTORY DIRECTION....NORTH  
NAME: BAILEY RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00		ROAD END	2	18H	500
				8			.67					
							2.64	MDD239	BUSHWOOD WHARF RD			

ROUTE NUMBER.....MD 584  
INVENTORY DIRECTION....NORTH  
NAME: OLD POINT LOOKOUT RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDDDD5	POINT LOOKOUT RD	2	18I	499
							.04			2	22H	
							.13			2	18H	
							.38			2	2DI	
							.41	MDD005	POINT LOOKOUT RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 712  
INVENTORY DIRECTION....NORTH  
NAME: FOREST PARK RD

PAGE..... 11  
DATE.....12/31/86  
COUNTY-SAIN MARYS  
SHA DISTRICT.....5

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT
SECONDARY	R	NFA	R	8	UNDIVID	NONE	.00	MDD235	POINT LOOKOUT RD	2	22H	2,200
					1.11			COD663	PINE HILL RUN RD			

ROUTE NUMBER.....MD 863A  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVID	NONE	.00	MDDDD5	POINT LOOKOUT RD	2	20I	
							.17	MDDDD5	POINT LOOKOUT RD			

ROUTE NUMBER.....MD 868G  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 234

SECONDARY	R	NFA	R	9	UNDIVID	NONE	.00	MDD236	THOMPSONS CORNER RD	2	16H	99
							.07		ROAD END			

ROUTE NUMBER.....MD 943  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 243

SECONDARY	U	NFA	R	9	UNDIVID	NONE	.00	MDD243	COMPTON RD	2	20I	699
							.18	MDDDD5	POINT LOOKOUT RD			

ROUTE NUMBER.....MD 944  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 235

SECONDARY	R	NFA	R	9	UNDIVID	NONE	.00	COD2D3	CLARKS MILL RD	2	24I	1,899
							.17	MDD944D	AIRPORT VIEW DRIVE			
							.38	MDD944C	CLARKS LANDING RD			
							2.23	MDD235	THREE NOTCH RD			

ROUTE NUMBER.....MD 944A  
INVENTORY DIRECTION....EAST  
NAME: ST JOHNS RD

SECONDARY	R	NFA	R	9	UNDIVID	NONE	4.05	COD215	ST JOHNS RD (BACK)	2	24I	
							4.11	MDD235	THREE NOTCH RD			
							4.23	COD215	ST JOHNS RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 944B  
INVENTORY DIRECTION....EAST  
NAME: SANDY BOTTOM RD

PAGE..... 12  
DATE.....12/31/86  
COUNTY-SAINTE MARYS  
SHA DISTRICT.....5

SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL								
SECONDARY	R NFA	R 9	UNDIVIDED	NONE	1.06	COD225 SANDY BOTTOM RD (BACK)	2	20I	
					1.08	MDD235 THREE NOTCH RD			

ROUTE NUMBER.....MD 944C  
INVENTORY DIRECTION....EAST  
NAME: CLARKS LANDING RD

SECONDARY	R NFA	R 8	UNDIVIDED	NONE	.DD	MDD235 THREE NOTCH RD	2	46I	2,199
					.D3	MDD944 OLD MD 235			

ROUTE NUMBER.....MD 944D  
INVENTORY DIRECTION....EAST  
NAME: AIRPORT VIEW DR

SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.DD	MDD944 OLD MD 235	2	36I	
					.D3	MDD235 THREE NOTCH RD			
					.D6	COD733 AIRPORT VIEW DR (AHEAD)			

ROUTE NUMBER.....MD 944E  
INVENTORY DIRECTION....WEST  
NAME: NO NAME

SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.DD	MDD235 THREE NOTCH RD	2	28I	
					.D2	OPD152 NO NAME (AHEAD)			

ROUTE NUMBER.....MD 944F  
INVENTORY DIRECTION....WEST  
NAME: AIRPORT DR

SECONDARY	R NFA	R 9	DIVIDED	NONE	.DD	MDD235 THREE NOTCH RD	2	37I	
					.D2	COD466 AIRPORT DR (AHEAD)			

ROUTE NUMBER.....MD 945  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 235




SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.DD	ROAD END	2	24I	1,099
					.D6	SPUR TO MD 235			
					.10	SPUR FR MD 235			
					.11	ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

1987

*HIGHWAY LOCATION REFERENCE*

**SOMERSET  
COUNTY**



SOMERSET COUNTY

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 13  
INVENTORY DIRECTION....NORTH  
NAME: OCEAN HIGHWAY

PAGE..... 1  
DATE.....12/31/86  
COUNTY-SOMERSET  
SHA DISTRICT.....1

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL					
PRIMARY	R FAP	129 R	2	DIVIDED PART	.00	WORCESTER CO/L	4	48I	13,000
					.00	STRUCTURE #23D16 POKOMOKE RIVER			
					.26	MDD364 DIVIDING CREEK RD			
					.66	STRUC #19DD4 R/R MCR 53D 580 F			
					2.10	MDD667 CRISFIELD MARION RD			14,200
					3.63	MDD92DQ US 13 SERVICE RD			
					3.63	MDD92DP US 13 SERVICE RD			
					6.68	MDD92DH US 13 SERVICE RD			
					6.68	MDD92DF US 13 SERVICE RD			
					7.87	MDD673A LAYFIELD RD			11,725
					7.87	MDD92DB US 13 SERVICE RD			
					8.27	STRUCTURE #19D16 BACK CREEK			
					8.48	MDD413 CRISFIELD WESTOVER RD			
					10.63	STRUCTURE #19DD3 KINGS CREEK			
					10.81	MDD92D US 13 SERVICE RD			
					11.19	STRUCTURE #19D14 JONES CREEK			
					11.77	MDD92D US 13 SERVICE RD			
					11.87	MDD675 SOMERSET AVE			14,600
					12.03	MDD675D NO NAME			
		1296			12.57		4	49I	14,200
		129			13.42	MDD363 DEAL ISLAND RD			16,075
					13.48	STRUCTURE #19D12 MANOKIN RIVER			
					14.14	MDD362 MT VERNON RD			19,800
					15.19		4	48I	
					15.36	MDD675 SOMERSET AVE			
					16.92	MDD529 HALL HIGHWAY			
					20.28	STRUCTURE#19DD1 PASSERDYKE CREEK			
					20.28	WICOMICO CO/L			

ROUTE NUMBER.....MD 357  
INVENTORY DIRECTION....EAST  
NAME: CHARLES CANNON RD

SECONDARY	R NFA	R	9	UNDIVIDED NONE	.00	COD119 CHARLES CANNON RD (BACK)	2	20I	1,000
	FAS 1372		7		.33	MDD413 CRISFIELD WESTOVER RD			800
	NFA		8		.36	MDD667 REHOBETH RD	2	15I	
					1.57	COD166 IREN WHITTINGTON RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 358  
INVENTORY DIRECTION....NORTH  
NAME: JACKSONVILLE ROAD

PAGE..... 2  
DATE.....12/31/86  
COUNTY-SOMERSET  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS																
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	MARKED	SURFACE								
										LANES	WIDTH/TYPE*							AADT	
SECONDARY	R	FAS 1377	R 7	UNOIVED	NONE	.00	MO0413	W MAIN ST											
						.09		OUT CORP LMTS CRISFIELD		2	22I							2,100	
						.09		END MUNICIPAL MAINTENANCE											
						.09		BEGIN STATE MAINTENANCE											
						.85	CO0128	PLANTATION RO (AHEAD)											

ROUTE NUMBER.....MO 361  
INVENTORY DIRECTION....EAST  
NAME: FAIRMOUNT RO

SECONDARY	R	NFA	R 8	UNOIVED	NONE	.00	CO0111	FAIRMONT RUMBLEY RO (BACK)		2	22I							950
		FAS 1376	7			.81												1,450
						3.33												1,575
						5.62	MO0413	CRISFIELD WESTOVER RO										

ROUTE NUMBER.....MO 362  
INVENTORY DIRECTION....EAST  
NAME: MT VERNON RO

SECONDARY	R	NFA	R 8	UNOIVED	NONE	.00	CO0013	BOBTOWN RO		2	20I							1,525
						.00	CO0001	MT VERNON RO (BACK)										
						.76				2	24I							
		FAS 1369	7			.93												
						2.68		STRUCTURE #19005 MONIE CREEK										
						3.24												
						5.79												3,65J
						5.91	MO0920A	MARKET ST		2	48I							
						5.99	US0013	OCEAN HIGHWAY										
						6.01		IN CORP LMTS PRINCESS ANNE										
						6.23	MO0675	SOMERSET AVE										

ROUTE NUMBER.....MO 363  
INVENTORY DIRECTION....EAST  
NAME: DEAL ISLAND RO

SECONDARY	R	NFA	R 9	UNOIVED	NONE	.00		ROAD END		2	20I							700
		FAS 1370	7			2.73												2,000
						3.26				2	22I							
						3.51				2	19I							
						3.63		STRUCTURE #19006 UPPER THOROFARE										
						3.76				2	22I							
						4.85												2,200

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 388 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: E ANTIOCH AVE

PAGE..... 4  
DATE.....12/31/86  
COUNTY-SOMERSET  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT											
....STATE....	..FEDERAL...	CLASS	TYPE	CTL															
SECONDARY	U	FAS	1368	R	7	UNOIVED	NONE	.05											
								.11											
								.20											
								.48											
								1.68											
								2.38	CO0217	WEST POST OFFICE RD (AHEAD)									500

ROUTE NUMBER.....MD 413  
INVENTORY DIRECTION....NORTH  
NAME: W MAIN ST

SECONDARY	U	FAS	1375	R	7	DIVIDED	NONE	.00	M00210	DOCK ST									
								.06											
								.33											
								.37											
								.55											
								.67											
								1.10											
								1.35	M00460	HALL HIGHWAY									
								1.40	M00358	JACKSONVILLE RD									
								1.49		OUT CORP LMTS CRISFIELD									
								1.53											
								1.55											
								1.66											
								3.19											
								3.45	M00667	CRISFIELD MARION RD									
								3.56											
								5.95	M00667	CRISFIELD MARION RD									
								6.67	M00357	CHARLES CANNON RD									
								10.75		STRUCTURE #19011 ANNEMESSEX RIVER									
								10.86											
								13.34	M00361	FAIRMOUNT RD									
								13.65											
								14.06	M00673A	LAYFIELD RD									
								14.61	US0013	OCEAN HWY									

ROUTE NUMBER.....MD 460  
INVENTORY DIRECTION....EAST  
NAME: HALL HIGHWAY

SECONDARY	U	NFA		R	9	UNOIVED	NONE	.00	CO0130	BYRD RD (BACK)									
					8			.25											

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 460 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: HALL HIGHWAY

PAGE..... 5  
DATE.....12/31/86  
COUNTY-SOMERSET  
SHA DISTRICT.....1

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL					
SECONDARY	U NFA	R	8	UNOIVED	NONE	.27		22I	1,100
						.28		40I	
						.78	M00413	MARYLAND AVE	

ROUTE NUMBER.....MD 529  
INVENTORY DIRECTION....NORTH  
NAME: HALL HIGHWAY

SECONDARY	R NFA	R	9	UNOIVED	NONE	.00	M00675	SOMERSET AVE	2	22I	200
						.25		R/R #CR 530 244 W			
						2.57		R/R #CR 530 241 B			
						2.59	US0013	OCEAN HWY			

ROUTE NUMBER.....MD 598  
INVENTORY DIRECTION....NORTH  
NAME: OLD PR ANNE-WESTOVER RD

SECONDARY	U NFA	R	8	UNOIVED	NONE	.00	C00086	OLD PR ANNE-WESTOVER RD(BACK)	2	20I	899
						.01		R/R #CR 530 248 Y			
						.04	M00675	SOMERSET AVE			

ROUTE NUMBER.....MD 627  
INVENTORY DIRECTION....EAST  
NAME: ORIOLE RD

SECONDARY	R NFA	R	9	UNDIVED	NONE	.00	C00055	CRAB ISLAND RD (BACK)	2	18I	499
						.00	C00056	ORIOLE BACK RD			
			8			.52					
						1.25			2	22I	
						2.48	M00363	DEAL ISLAND RD			

ROUTE NUMBER.....MD 667  
INVENTORY DIRECTION....EAST  
NAME: CRISFIELD MARION RD

SECONDARY	R NFA	R	8	UNOIVED	NONE	.00	MU0120	CHESAPEAKE AVE (BACK)	2	17I	1,700
						1.02			2	21I	
			9			2.42					
						2.77	M00413	CRISFIELD WESTOVER RU			
						5.81	M00413	CRISFIELD WESTOVER RD	2	24I	
	FAS 1372		7			6.55	MOD357	CHARLES CANNON RD	2	20I	2,500
						10.39			2	22I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 675A  
INVENTORY DIRECTION....NORTH  
NAME: MARKET ST

PAGE..... 7  
DATE.....12/31/86  
COUNTY-SOMERSET  
SHA DISTRICT.....1

STATE	SYSTEM	FEDERAL	CLASS	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	LANES	SURFACE	AADT
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
SECONDARY	R	FAS	1366	R	7	UNDIVED NONE	.00		WORCESTER CO/L	2	24I	3,800
							.00		STRUCTURE #23004 POCOMOKE RIVER			
							.32	M00364	DIVIDING CREEK RD			
							.32	C00261	OLD POCOMOKE RD (AHEAD)			

ROUTE NUMBER.....MD 6750  
INVENTORY DIRECTION....SOUTH  
NAME: NO NAME

SECONDARY	R	NFA		R	9	UNDIVED NONE	.00	M00675	SOMERSET AVE	2	30H	
							.04	US0013	OCEAN HWY			

ROUTE NUMBER.....MD 918  
INVENTORY DIRECTION....EAST  
NAME: E BROAD ST

SECONDARY	U	NFA		R	9	UNDIVED NONE	.00	M00675	SOMERSET AVE	2	48I	3,500
							.06			2	30I	
	R						.10		OUT CORP LMTS PRINCESS ANNE			
							.10		STRUCTURE #19015 HANOKIN BRANCH			
							.19		R/R #CR 530 243 P			
							.22	SRO008	NO NAME			
							.22	C00303	COLLEGE BACKBONE RD (AHEAD)			

ROUTE NUMBER.....MD 920  
INVENTORY DIRECTION....NORTH  
NAME: US 13 SERVICE RD

SECONDARY	R	NFA		R	9	UNDIVED NONE	.00	US0013	OCEAN HWY	2	20G	
							.97	US0013	OCEAN HWY			

ROUTE NUMBER.....MD 920A  
INVENTORY DIRECTION....NORTH  
NAME: US 13 SERVICE RD

SECONDARY	R	NFA		R	9	UNDIVED NONE	.00	M00362	MT VERNON RD	2	18S	
							.42		ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 92DB  
INVENTORY DIRECTION....NORTH  
NAME: US 13 SERVICE RD

PAGE..... 8  
DATE.....12/31/86  
COUNTY-SOMERSET  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD673A	LAYFIELD RD (BACK)	2	18G
							.00	US0013	OCEAN HWY		
							.32	COD239	CAMP RD		

ROUTE NUMBER.....MD 92DC  
INVENTORY DIRECTION....EAST  
NAME: US 13 SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00		ROAD END	2	20I
							.01		SPUR TO US 13		
							.17		ROAD END		

ROUTE NUMBER.....MD 92DD  
INVENTORY DIRECTION....EAST  
NAME: US 13 SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00		ROAD END	2	20I
							.14		SPUR TO US 13		
							.42		ROAD END		

ROUTE NUMBER.....MD 92DE  
INVENTORY DIRECTION....EAST  
NAME: US 13 SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00		ROAD END	2	20I
							.01		SPUR TO US 13		
							.03		ROAD END		

ROUTE NUMBER.....MD 92DF  
INVENTORY DIRECTION....EAST  
NAME: US 13 SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	USDD13	OCEAN HWY	2	20I
							.00	MDD92DH	US 13 SERVICE RD (BACK)		
							.03	MDU92DG	US 13 SERVICE RD		
							.08		ROAD END		

ROUTE NUMBER.....MD 92DG  
INVENTORY DIRECTION....EAST  
NAME: US 13 SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD92DF	US 13 SERVICE RD	2	20I
-----------	---	-----	---	---	-----------	------	-----	---------	------------------	---	-----

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 92DG CONTINUED  
INVENTORY DIRECTION.....EAST  
NAME: US 13 SERVICE RD

PAGE..... 9  
DATE.....12/31/86  
COUNTY-SOMERSET  
SHA DISTRICT.....1

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT		DESCRIPTION	MARKED	SURFACE	AAIT
STATE	FEDERAL	CLASS	TYPE	CTL				LANES	WIDTH/TYPE*	
SECONDARY	R NFA	R 9	UNDIVID	NONE	.D9		ROAD END	2	20I	
ROUTE NUMBER.....MD 92DH INVENTORY DIRECTION.....SDUTH NAME: US 13 SERVICE RD										
SECONDARY	R NFA	R 9	UNDIVID	NONE	.DD .DD .D9	USDD13 MDD92DF	OCEAN HWY US 13 SERVICE RD (BACK) ROAD END	2	20I	
ROUTE NUMBER.....MD 92DJ INVENTORY DIRECTION.....EAST NAME: US 13 SERVICE RD										
SECONDARY	R NFA	R 9	UNDIVID	NONE	.DD .21 .23		ROAD END SPUR TO US 13 ROAD END	2	20I	
ROUTE NUMBER.....MD 92DK INVENTORY DIRECTION.....NORTH NAME: US 13 SERVICE RD										
SECONDARY	R NFA	R 9	UNDIVID	NDNE	.DD .18	COD196	WALTER JOHNSON RD ROAD END	2	20I	
ROUTE NUMBER.....MD 92DL INVENTORY DIRECTION.....EAST NAME: US 13 SERVICE RD										
SECONDARY	R NFA	R 9	UNDIVID	NONE	.DD .64 .83	CDD188	MENNONITE CHURCH RD SPUR TO US 13 ROAD END	2	20I	
ROUTE NUMBER.....MD 92DM INVENTORY DIRECTION.....NDRTH NAME: US 13 SERVICE RD										
SECONDARY	R NFA	R 9	UNDIVID	NONE	.DD .D3 .D4	CDD196	ROAD END WALTER JOHNSON RD ROAD END	2	20I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SDIL, GRAVEL, STONE; F,G = LDW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 92DN  
INVENTORY DIRECTION....EAST  
NAME: US 13 SERVICE RD

PAGE..... 10  
DATE.....12/31/86  
COUNTY-SOMERSET  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS									
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	MARKED	SURFACE	AADT
										LANES	WIDTH/TYPE*	
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	ROAD END		2	20I	
							.01	SPUR TO US 13				
							.10	ROAD END				

ROUTE NUMBER.....MD 92DO  
INVENTORY DIRECTION....EAST  
NAME: US 13 SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	ROAD END		2	20I	
							.01	SPUR TO US 13				
							.11	ROAD END				

ROUTE NUMBER.....MD 92DP  
INVENTORY DIRECTION....NORTH  
NAME: US 13 SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD92DQ	US 13 SERVICE RD (BACK)	2	20I	
							.00	USDD13	OCEAN HWY			
							.28		ROAD END			

ROUTE NUMBER.....MD 92DQ  
INVENTORY DIRECTION....SOUTH  
NAME: US 13 SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	USDD13	OCEAN HWY	2	20I	
							.00	MDD92DP	US 13 SERVICE RD (BACK)			
							.20		ROAD END			

ROUTE NUMBER.....MD 92DR  
INVENTORY DIRECTION....NORTH  
NAME: US 13 SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	ROAD END		2	20I	
							.03	SPUR TO US 13				
							.05	ROAD END				

ROUTE NUMBER.....MD 92DS  
INVENTORY DIRECTION....EAST  
NAME: US 13 SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	ROAD END		2	20I	
							.02	SPUR TO US 13				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 92DS      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: US 13 SERVICE RD


PAGE..... 11  
DATE.....12/31/86  
COUNTY-SOMERSET  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS										
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	MARKED	SURFACE		AADT
										LANES	WIDTH/TYPE#		
SECONDARY	R	NFA	R	9	UNDIVID	NONE	.1D	ROAD END		2	2DI		

ROUTE NUMBER.....MD 92DT  
INVENTORY DIRECTION....NORTH  
NAME: US 13 SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVID	NONE	.D0	ROAD END		2	2DI		
							.D2	SPUR TO US 13					
							.D5	ROAD END					

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK







1987

*HIGHWAY LOCATION REFERENCE*

**TALBOT  
COUNTY**



TALBOT COUNTY

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 33  
INVENTORY DIRECTION....EAST  
NAME: TILGHMAN ISLAND RD

PAGE..... 1  
DATE.....12/31/86  
COUNTY-TALBOT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AAOT
SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	C00159	BLACK WALNUT RD (BACK)	2	23I	2,500
		FAS		1322	7		.09			2	20I	
							.81			2	18I	
							.88		STRUCTURE #20001 KNAPPS NARROWS			
							.93			2	21I	
							1.34			2	24I	2,100
							3.78	M00840C	OLD MD 33			
							4.17	M00840C	OLD MD 33			
							6.84					2,200
							8.15	M00840A	OLD MD 33			2,300
							9.71	M00451A	NO NAME			
							10.17	M00451	EASTON CLAIRBORNE RD			3,000
							10.22	M00451B	NO NAME			
		FAP					10.99	M00579	LONG POINT RD			4,725
							13.22		IN CORP LMTS ST MICHAELS			
							13.31			2	30I	
							13.47			2	36I	7,100
							13.59			2	30I	
							13.92			2	34I	
							14.01			2	32I	
							14.07			2	24I	
							14.30		OUT CORP LMTS ST MICHAELS			
							16.56	M00329	ROYAL OAK RD			
							17.24		STRUCTURE #20002 OAK CREEK			
							18.72	M00329	ROYAL OAK RD			
							18.89			2	25I	9,200
							21.25	M00370	UNIONVILLE RD			12,000
							22.00					14,125
							22.98		IN CORP LMTS EASTON	2	24I	
							22.98	M00322	EASTON PKWY			
							23.32			2	26I	
							23.49	M00565A	N WASHINGTON ST			

ROUTE NUMBER.....US 50  
INVENTORY DIRECTION....EAST  
NAME: OCEAN GATEWAY

PRIMARY	R	FAP	13D	R	2	DIVIDED	NONE	.00		QUEEN ANNE CO/L	4	48I	19,647
								.00	M00404	WYE MILLS QA RD			
							1.64		STRUCTURE #20003 MILL CREEK				
							2.33	M00662	OLD WYE MILLS EASTON RD				
							2.80	M00662B	OLD WYE MILLS EASTON RD				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 309  
INVENTORY DIRECTION....NORTH  
NAME: CORDOVA RD

PAGE..... 3  
DATE.....12/31/86  
COUNTY-TALBOT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*					
SECONDARY	R	FAS	1305	R	7	UNDIVIDED	NONE	.00	US0050	OCEAN GATEWAY	2	27I	5,200
								.14			2	24I	4,800
								2.79					3,350
						PART		6.28					3,225
								6.81	M00303	OLD CORDOVA RD			
								9.35		STRUCTURE #20024 NORWICH CREEK			1,092
								9.39	M00404AL	MILLSBORO DENTON RD			
								9.41		R/R #MODE 529 939 K			
								9.56		QUEEN ANNES CO/L			

ROUTE NUMBER.....MD 322  
INVENTORY DIRECTION....NORTH  
NAME: EASTON PKWY

SECONDARY	U	FAP	309	R	6	DIVIDED	PART	.00	US0050	OCEAN GATEWAY	4	48I	7,300
								.08	M00322A	NO NAME			
								.53	M00565A	S WASHINGTON ST			
						UNDIVIDED		.67			2	24I	
								1.04		STRUCTURE #20027 PAPER MILL POND			
								1.59	M00333	PEACH BLOSSOM RD			
								2.41	M00334	EASTON POINT RD & PORT ST			9,025
								2.98	M00033	EASTON CLAIRBORNE RD & BAY ST			9,200
								4.60					
								4.66	M00565A	N WASHINGTON AVE			
								4.77			2	26I	
						DIVIDED		4.92			2	24I	
						UNDIVIDED		5.03			1	22I	
								5.12	US0050	OCEAN GATEWAY			

ROUTE NUMBER.....MD 322A  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY	U	NFA		U	19	UNDIVIDED	PART	.00	US0050	OCEAN GATEWAY	2	16I	
								.07	M00322	EASTON PKWY			

ROUTE NUMBER.....MD 328  
INVENTORY DIRECTION....EAST  
NAME: EASTON DENTON RD

SECONDARY	U	FAP	302	R	6	UNDIVIDED	NONE	.00	US0050	OCEAN GATEWAY	2	48I	8,050
								.04			2	22I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 333 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: MORRIS ST

PAGE..... 5  
DATE.....12/31/86  
COUNTY-TALBOT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AADT					
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AADT		
SECONDARY	R	FAP	310	R	6	UNDIVIDED NONE	6.08	STRUCTURE #2D017 TRIPPES CREEK	2	24I	5,750
							7.59	STRUC #2D016 PEACH BOTTOM CREEK			
							8.84	IN CORP LMTS EASTON			
							9.46	STRUCTURE #2DD15 PAPER MILL POND			
		FAU	76D4	U	16		9.58	EASTON PKWY			
							9.78		2	42I	
							9.96	MDD565A S WASHINGTON ST			

ROUTE NUMBER.....MD 334  
INVENTORY DIRECTION....EAST  
NAME: EASTON POINT RD

SECONDARY	R	NFA		R	9	UNDIVIDED NONE	.00	ROAD END	2	19H	1,700
							.38		2	21I	
							.40	IN CORP LMTS EASTON			
							.44	EASTON PKWY			
							.47		2	20I	5,100
							.80	END STATE MAINTENANCE			
							.80	BEGIN MUNICIPAL MAINTENANCE			
							1.06	MDD565A S WASHINGTON ST			

ROUTE NUMBER.....MD 370  
INVENTORY DIRECTION....NORTH  
NAME: UNIONVILLE RD

SECONDARY	R	FAS	1321	R	7	UNDIVIDED NONE	.00	MDD033 EASTON CLAIBORNE RD	2	31I	2,400
							.01		2	20I	
							.72		2	22I	
							.96	STRUCTURE #20018 MILES RIVER			
							1.07		2	28I	
							1.12		2	20I	
							1.58	C00D45 UNIONVILLE RD (AHEAD)			

ROUTE NUMBER.....MD 404  
INVENTORY DIRECTION....EAST  
NAME: WYE MILLS QA RD

SECONDARY	R	NFA		R	8	UNDIVIDED NONE	.00	MDD662 OLD WYE MILLS EASTON RD	2	22I	500
							1.01		2	29I	
PRIMARY		FAP	300		6		1.03	USDD5D OCEAN GATEWAY	2	34I	9,700
							1.05		2	24I	
							5.76	STRUCTURE #17D43 NORWICH CREEK			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 404 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: WYE MILLS QA RD

PAGE..... 6  
DATE.....12/31/86  
COUNTY-TALBOT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	CLASS	TYPE	CTL	MP	MP	DESCRIPTION	LANES	SURFACE	AADT	
STATE	FEDERAL												
PRIMARY	R	FAP	30D	R	6	UNDIVED	NONE	5.82	MDD404AL	MILLSBORO DENTON RD	2	24I	11,090
								5.85		QUEEN ANNES CO/L			

ROUTE NUMBER.....MD 4D4AL  
INVENTORY DIRECTION....EAST  
NAME: MILLSBORO DENTON RD

SECONDARY	R	NFA		R	8	UNDIVED	NONE	.00	MDD4D4	WYE MILLS QA RD	2	22I	1,500
								.42		STRUCTURE #20D19 NORWICH CREEK			
								.88	MDD309	CORDOVA RD			
								1.17		R/R #MODE 5D2 443 Y			
								1.37	MDD3D3	OLD CORDOVA RD	2	20H	
								1.38		R/R #MDDE 529 941 L	2	22I	
								1.42		IN CORP LMTS QUEEN ANNE			
								1.45	MDD3D3	MAIN ST			
								1.53	MDD518	FIRST ST			
								1.55		R/R #MDDE 529 942 T			
								1.82		OUT CORP LMTS QUEEN ANNE			
								1.83		CAROLINE CO/L			
								1.83		STRUCTURE #5D17 TUCKAHOE CREEK			

ROUTE NUMBER.....MD 451  
INVENTORY DIRECTION....NORTH  
NAME: EASTON CLAIBORNE RD

SECONDARY	R	NFA		R	8	UNDIVED	NONE	.00	MDDD33	EASTON CLAIBORNE RD	2	24I	500
								.02	MDD451B	NO NAME			
								.50	MDD451A	NO NAME			
								1.15			2	20I	
								1.39					
								1.75		ROAD END			

ROUTE NUMBER.....MD 451A  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY	R	NFA		R	9	UNDIVED	NONE	.00	MDD033	EASTON CLAIBORNE RD	2	18G	175
								.39	MDD451	EASTON CLAIBORNE RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 4518  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PAGE..... 7  
DATE.....12/31/86  
COUNTY-TALBOT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*				
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	M00033	EASTON CLAIRBORNE RD	2	16I	175
							.07	M00451	EASTON CLAIRBORNE RD			

ROUTE NUMBER.....MD 518  
INVENTORY DIRECTION....NORTH  
NAME: FIRST ST

SECONDARY	U	NFA	R	9	UNDIVIDED	NONE	.00	M00404AL	TALBOT AVE	2	30I	199
							.06		QUEEN ANNES CO/L			

ROUTE NUMBER.....MD 565  
INVENTORY DIRECTION....NORTH  
NAME: S MAIN ST

SECONDARY	U	NFA	R	8	UNDIVIDED	NONE	.00	US0050	OCEAN GATEWAY	2	22I	1,300
							.19			2	24I	
							.49			2	28I	
				9			.61			2	20I	
							.94			2	22I	
	R						1.29		OUT CORP LMTS TRAPPE			
							3.24					1,400
				8			5.50					
							5.84	M00565B	OLD SEC MD 565	2	30I	
							5.90	US0050	OCEAN GATEWAY			

ROUTE NUMBER.....MD 565A  
INVENTORY DIRECTION....NORTH  
NAME: S WASHINGTON ST

SECONDARY	U	NFA	U	17	UNDIVIDED	NONE	.00	M00322	EASTON PKWY	2	24I	4,800
							.58			2	30I	
							.66			2	20I	
							1.23			2	38I	
	FAU	7603		16			1.29	M00333	PEACH BLOSSOM RD	2	30I	
							1.51			2	38I	
							1.63		END STATE MAINTENANCE			
							1.63		BEGIN MUNICIPAL MAINTENANCE			
							1.86	M00334	PORT ST			
							2.17	M00033	BAY ST			
							3.53	M00839	SERVICE RD			
							3.58	M00322	EASTON PKWY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 565B  
INVENTORY DIRECTION....NORTH  
NAME: OLD SEC MO 565

PAGE..... 8  
DATE.....12/31/86  
COUNTY-TALBOT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS									
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	SURFACE	AADT
											WIDTH/TYPE*	
SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	M00565	EASTON TRAPPE RD	2	15J	100
							.18		ROAD END			

ROUTE NUMBER.....MO 579  
INVENTORY DIRECTION....NORTH  
NAME: LONG POINT RD

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.49	C00210	LONG POINT RD (BACK)	2	20I	400
				8			.99					
							3.02					900
							4.03	M00841	MAY PORT RD			1,400
							4.66			2	24I	
	FAS	1323		7			4.76					
							8.02	M00033	EASTON CLAIBORNE RD			

ROUTE NUMBER.....MO 662  
INVENTORY DIRECTION....NORTH  
NAME: OLD WYE MILLS EASTON RD

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	US0050	OCEAN GATEWAY	2	20I	800
							.76		STRUCTURE #20020 MILL CREEK			
							1.90			2	18I	
				8			3.02	M00404	WYE MILLS QA RD	2	22I	
							3.06		QUEEN ANNES CO/L			

ROUTE NUMBER.....MO 662B  
INVENTORY DIRECTION....NORTH  
NAME: OLD WYE MILLS EASTON RD

SECONDARY	R	NFA	R	9	UNOIVED	NONE	.00	MDD662C	OLD WYE MILLS EASTON RD (BACK)	2	18H	200
							.00	USDD50	OCEAN GATEWAY			
							.68			2	16H	
							.70		STRUCTURE #20021 SKIPTON CREEK			
							.91			2	15H	
				8			1.80			2	18H	
				9			1.90			2	15H	
							2.18	USD050	OCEAN GATEWAY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 662C  
INVENTORY DIRECTION....NORTH  
NAME: OLD WYE MILLS EASTON RD

PAGE..... 9  
DATE.....12/31/86  
COUNTY-TALBOT  
SHA DISTRICT.....2

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AADT						
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AADT			
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	COD277	AIRPORT RD	2	24I	1,200
			8				.30			2	20I	
							2.77		STRUCTURE #2DD22 POTTS MILL CREEK			
							4.84	USDD5D	OCEAN GATEWAY			
							4.84	MDD6628	OLD WYE MILLS EASTON RD (AHEAD)			

ROUTE NUMBER.....MD 839  
INVENTORY DIRECTION....EAST  
NAME: SERVICE RD

SECONDARY	U	NFA	U	19	UNDIVIDED	NONE	.00	MDD565A	N WASHINGTON ST	2	20I	999
							.22		ROAD END			

ROUTE NUMBER.....MD 84QA  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 33

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDDD33	TILGHMAN ISLAND RD	2	18H	100
							.26		ROAD END			

ROUTE NUMBER.....MD 84DB  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 33

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	CODD83	MACKS LANE	2	16H	100
							.09		ROAD END			

ROUTE NUMBER.....MD 84DC  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 33

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDDD33	TILGHMAN ISLAND RD	2	24I	100
							.02			2	18H	
							.38			2	20I	
							.44	MDDD33	TILGHMAN ISLAND RD			

ROUTE NUMBER.....MD 841  
INVENTORY DIRECTION....NORTH  
NAME: MAYPORT RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD579	LONG POINT RD	2	16F	100
							.17	COD148	MAYPORT RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 989  
 INVENTORY DIRECTION...EAST  
 NAME: BOWLING BROKE ACCESS RD

PAGE..... 10  
 DATE.....12/31/86  
 COUNTY=TALBOT  
 SHA DISTRICT.....2

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT		MILEPOINT DESCRIPTION	MARKED	SURFACE	AAUT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				LANES	WIDTH/TYPE*	
SECONDARY	R NFA	R 9	UNDIVID	NONE	.00	US0050	OCEAN GATEWAY	2	24I	
					.24		ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK


1987

*HIGHWAY LOCATION REFERENCE*

**WASHINGTON  
COUNTY**

**WA**

P E N N S Y L V A N I A



WASHINGTON COUNTY

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 11  
INVENTORY DIRECTION....NORTH  
NAME: WILLIAMSPORT PIKE

PAGE..... 1  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
SECONDARY	R	FAU 800I	U I6	UNOIVED	NONE	.00	WEST VIRGINIA ST/L	2	19I	3,900
	U					.13	IN CORP LMTS WILLIAMSPORT			
						.31	STRUCTURE #21001 POTOMAC RIVER			
						.32	R/R #80 832 398 S			
						.33	END STATE MAINTENANCE			
						.33	BEGIN MUNICIPAL MAINTENANCE			
						.63	M00068 CONOCOHEAGUE ST			
						.76	M00063 GREENCASTLE PIKE			
	R			DIVIDED	FULL	1.48	OUT CORP LMTS WILLIAMSPORT	4	48I	12,000
						1.48	END MUNICIPAL MAINTENANCE			
						1.48	BEGIN STATE MAINTENANCE			
			14			1.70	IS0081 MD VETERANS MEM HWY STRUC#21083	4	55I	9,000
				UNOIVED	NONE	1.91		4	68I	
						2.00		3	68I	
						2.20		2	26I	
						2.85		2	24I	
						2.92	IS0070 EISENHOWER MEM HWY STRUC#21112			
						2.99		2	26I	
						3.51	R/R #CR 534 903 M			
						3.96		4	36I	
						4.31		3	42I	
						4.42		2	60I	
						4.58		2	38I	
	U			DIVIDED		5.24	IN CORP LMTS HAGERSTOWN			
						5.52		4	48I	
						5.65	END STATE MAINTENANCE			
						5.65	BEGIN MUNICIPAL MAINTENANCE			
						5.66	R/R #NW 469 31I A			
						5.69	US00118 OLD US 1I			
						6.18	R/R #CR 534 899A			
						6.37	R/R #CR 534 898T			
						6.85	R/R #80 832 385R			
						7.34	US0040 W WASHINGTON ST			
						7.44	US0040 W FRANKLIN ST			
						7.55	M00058 SALEM CHURCH ST			
						7.86	R/R #CR 534 892C			
				UNOIVED		8.93	END MUNICIPAL MAINTENANCE	2	56I	15,000
						8.93	BEGIN STATE MAINTENANCE			
						8.94		2	34I	
	R					8.96	OUT CORP LMTS OF HAGERSTOWN			
						9.15		2	32I	
						9.19		2	24I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 11 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: WILLIAMSPORT PIKE

PAGE..... 2  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM		FUNC		HWY		ACCESS		MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL								
SECONDARY	R	FAU	8001	U	14	UNDIVIDED	NONE	9.75		3	32I	15,000
						DIVIDED		9.82		2	22I	
						UNDIVIDED		9.87		2	23I	
								10.14		2	24I	25,750
						DIVIDED		10.18				
						UNDIVIDED		10.36				
								11.10				7,000
								12.53				5,200
								12.92	PENNSYLVANIA ST/L			

ROUTE NUMBER.....US 11A  
INVENTORY DIRECTION....EAST  
NAME: VIRGINIA AVE

SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.00	US0011B	OLD US 11	1	15I	99
								.03			2	37I	
								.17		ROAD END			

ROUTE NUMBER.....US 11B  
INVENTORY DIRECTION....NORTH  
NAME: OLD US 11

.00	US0011	BURHANS BLVD
.19	US0011A	VIRGINIA AVE
.20	MU1100	W HOWARD ST

ROUTE NUMBER.....MD 34  
INVENTORY DIRECTION....EAST  
NAME: BOONSBORO SHEPTOWN PIKE

SECONDARY	R	FAP	222	R	6	UNDIVIDED	NONE	.00		BEGIN STRUCTURE IN W VIRGINIA	2	24J	3,725
								.01		W VIRGINIA ST/L			
								.09		STRUCTURE #210D2 POTOMAC RIVER			
								.20			2	20I	
								.46			2	24I	
								1.46			2	28I	
								1.57		R/R #NW 469 339 R			
								1.81			2	24I	
	U							2.50		IN CORP LMTS SHARPSBURG			
								2.92			2	40I	
								3.13			2	36I	
								3.43			2	40I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 34 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: BOONSBORO SHEPTOWN PIKE

PAGE..... 3  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AADT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	..... MILEPOINT DESCRIPTION .....	LANES	WIDTH/TYPE*	AADT
SECONDARY	U	FAP	222	R	6	UNDIVIDED NONE			
					3.52		2	38I	3,725
					3.61	MDD06S N CHURCH ST			
					3.68				2,550
					3.75		2	4CI	
					3.97		2	24I	
	R				4.10	OUT CORP LMTS SHARPSBURG			
					4.81	STRUCTURE #21003 ANTIETAM CREEK			
	U				6.45	MDD845A OLD MD 34			
					6.45	IN CORP LMTS KEEDYSVILLE			
					6.64	STRUCTURE #21050 L ANTIETAM CREEK			
					7.69	MDD845A OLD MD 34			
	R				7.74	OUT CORP LMTS KEEDYSVILLE			
					8.60	STRUCTURE #21044			5,800
					9.01				
	U				9.12	IN CORP LMTS BOONSBORO			
					9.34	STRUCTURE #21005 BEAVER CREEK			
					9.64		2	28I	
					9.99		2	29I	
					10.04	USDD40AL MAIN ST			

ROUTE NUMBER.....MD 34A  
INVENTORY DIRECTION....NORTH  
NAME: NORTH MAIN ST

SECONDARY	R	NFA		R	9	UNDIVIDED NONE			
					.00	MDD845A OLD MD 34	2	24I	
					.10	ROAD END			

ROUTE NUMBER.....US 4D  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL PIKE

SECONDARY	R	FAS	1042	R	7	UNDIVIDED NONE			
					.00	SEE US 48 & IS 70 (BACK)	1	18I	1,150
					.00	ISDD70 EISENHOWER MEM HWY (BACK)			
					.25	ISDD70 EISENHOWER MEM HWY STRUC#21093	1	20I	
					.32		2	32I	
					.41		2	22I	
					.49	STRUCTURE #21010 LICKING CREEK			
					.58		2	37I	
					.88		2	24I	
					2.96	MDD056 BIG POOLE RD			1,250
					3.70		3	36I	
					4.90		4	48I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: NATIONAL PIKE

PAGE..... 4  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT			
STATE	FEDERAL	CLASS	TYPE	CTL		LANES	WIDTH/TYPE*				
SECONDARY	R	FAS	1042	R	7	UNDIVED	NONE	5.07	3	36I	1,250
								5.76	3	40I	
								6.27	2	24I	
	U							7.17			
								7.18	2	34I	
								7.29	2	40I	
		FAP	218		6			7.48	2	38I	3,000
	R							7.60	2	24I	
								8.79			
								9.94			8,500
								10.42	2	30I	
								10.56	2	24I	
								11.89			
								14.54			8,778
								15.65	5	62I	
								15.75	2	16I	
								15.81	2	24I	6,500
								15.83			
								15.87	3	36I	
								16.00	4	48I	
								16.23			
								17.31			25,500
								17.63			
								17.96	6	76I	
								18.71			
								18.77			
								18.77			
								18.99	4	76I	
								19.30	6	76I	
								19.50	4	48I	
								19.79			
								20.47			
								20.65			
								20.90			24,000
								21.52			
								22.17			
								22.82			
		FAS	1058	R	7			22.89	6	80I	2,225
								22.97	4	48I	
								23.50	2	24I	
								23.52			
								23.58	2	28I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK





STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 56  
INVENTORY DIRECTION....EAST  
NAME: BIG POOL RD

PAGE..... 7  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AAOT						
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AAOT			
SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.00	US0040	NATIONAL PIKE	2	18H	300
							1.35			2	22I	
							1.48	IS0070	EISENHOWER MEM HWY STRUC#21096			
							1.88			2	16J	
							2.84			2	16H	
							4.40		STRUCTURE #21022 GREEN SPRING RUN			
							4.43			2	18I	
							4.98			2	16I	
							6.69			2	16H	400
							8.64		STRUC#21023 L CONOCOCHIEAGUE CREEK			
							9.02			2	16I	
							9.47			2	22I	
							9.56	M00068	LAPPANS RD			

ROUTE NUMBER.....MD 57  
INVENTORY DIRECTION....NORTH  
NAME: ST PAULS CHURCH RD

SECONDARY	R	FAS	1043	R	7	UNDIVIDED	NONE	.00	US0040	NATIONAL PIKE	2	24I	1,025
								1.87					650
								4.06	M00494	FAIRVIEW RD			

ROUTE NUMBER.....MD 58  
INVENTORY DIRECTION....EAST  
NAME: CEARFOSS PIKE

SECONDARY	R	FAS	1047	R	7	UNDIVIDED	NONE	.00	M00063	GREEN CASTLE PIKE	2	20I	4,700
								.16			2	24I	
						DIVIDED		2.67			4	48I	
								3.09			4	52I	
		FAU	8002	U	14			3.22	IS0081	MD VETERANS MEM HWY STRUC #21051			8,500
		U						3.25		IN CORP LMTS HAGERSTOWN			
								3.49	MU2200	SALEM AVE (AHEAD)			

ROUTE NUMBER.....MD 60  
INVENTORY DIRECTION....EAST  
NAME: POTOMAC AVE

SECONDARY	U	FAP	221	U	14	UNDIVIDED	NONE	.00	MU1810	NORTHERN AVE	3	44I	11,000
								.00	MU0706	EASTERN BLVD			
								.18		OUT CORP LMTS HAGERSTOWN			
	R							.26			2	24I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 6D CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: POTOMAC AVE

PAGE..... 8  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM		FUNC	HWY	ACCESS					MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT
SECONDARY	R FAP	221 U	14	DIVIDED	NONE	.60			2	30I	11,000
				UNDIVIDED		.76			2	24I	
		R	6			1.83					9,000
						1.96		STRUCTURE #21024 MARSH RUN			
						3.14					8,800
						4.05			2	24J	
						4.20		STRUCTURE #21025 L ANTIETAM CREEK			
						4.47			2	24I	
						4.87	MDD062	LEITERSBURG CHEWSVILLE RD			
						5.29	MDD060A	MD 41B SPUR			5,800
						5.39	MDD418	LEITERSBURG RINGOLD RD			
						6.06					4,700
						7.32		PENNSYLVANIA ST/L			

ROUTE NUMBER.....MD 6DA  
INVENTORY DIRECTION....EAST  
NAME: MD 41B SPUR

SECONDARY	R NFA		R	9	UNDIVIDED	NONE	.00	MDD060	POTOMAC AVE	1	16I	
							.12	MDD418	LEITERSBURG RINGOLD RD			

ROUTE NUMBER.....MD 62  
INVENTORY DIRECTION....NORTH  
NAME: LEITERSBURG CHEWSVILLE RD

SECONDARY	R NFA		R	9	UNDIVIDED	NONE	.00	MDD8D48	OLD MD 64	2	24I	1,800
							.02		R/R #80 831 826 H			
							.22			2	22I	
			B				.38					
							1.72					1,600
							3.34		STRUC#21026 LITTLE ANTIETAM CREEK			
							3.94	MDD060	LEITERSBURG RD			

ROUTE NUMBER.....MD 63  
INVENTORY DIRECTION....NORTH  
NAME: WILLIAMSPORT SPIELMAN RD

SECONDARY	R NFA		R	9	UNDIVIDED	NONE	.00	MDD065	SHARPSBURG PIKE	2	18I	675
							.05			2	18H	
							.48			2	16H	
							1.44		R/R #NW 469 324 B			
			B				2.61					

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 63 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: WILLIAMSPORT SPIELMAN RD

PAGE..... 9  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AAOT						
STATE	FEDERAL	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AAOT			
SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	3.92	MDD632	DOWNSVILLE PIKE	2	I8H	1,175
							6.44		R/R #CR 534 9D9 0			
							6.55			2	24I	
							6.60	MDCB43D	OLD MD 63			
							6.77	MDD66B	LAPPANS RD (AHEAD)			
							7.98	MDD66B	LAPPANS RD (BACK)			
							7.98	USDDII	E POTOMAC ST (AHEAD)			
							8.II	USODII	E POTOMAC ST (BACK)			
							8.II		END STATE MAINTENANCE			
							8.II		BEGIN MUNICIPAL MAINTENANCE			
	FAU	8DII	U	I6			8.33		OUT CORP LMTS WILLIAMSPORT			2,650
							8.33		END MUNICIPAL MAINTENANCE			
							8.33		BEGIN STATE MAINTENANCE			
							8.7I		STRUCTURE #2ID58			
	FAS	1D45	R	7		PART	9.21		STRUC #2ID57 R/R #B0 832 394 P			
							9.77		STRUCTURE #2ID60			
							9.94					3,000
						DIVIDED	10.02			4	48I	
							10.30	ISDD7D	EISENHOWER MEM HWY STRUC #2I1D8			
						UNDIVIDED	10.49			2	24I	4,300
							10.53	MDD843F	SERVICE RD B			3,800
							11.89	USDD4D	NATIONAL PIKE			
							12.18	MDD843I	NO NAME			
						NONE	12.69					
							14.08					2,800
							15.55	MDD494	FAIRVIEW RD			
							15.57	MDD058	CLEARFOSS AVE			1,325
							17.15		PENNSYLVANIA ST/L			

ROUTE NUMBER.....MD 64  
INVENTORY DIRECTION....EAST  
NAME: N CLEVELAND ST

							.0D	USDD4D	NATIONAL PIKE			
							.58		STRUCTURE #2ID26 L ANTIETAM CREEK			
SECONDARY	R	FAU	B0D2	U	I4	UNDIVIDED	NONE		OUT CORP LMTS HAGERSTOWN	2	24I	6,000
							.69		END MUNICIPAL MAINTENANCE			
							.69		BEGIN STATE MAINTENANCE			
	FAP	226					1.17					
							1.68		STRUCTURE #2ID28 ANTIETAM CREEK			11,000
							2.32					9,500
							4.13	MDD8D4B	OLD MD 64			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 64 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: N CLEVELAND ST

PAGE..... 10  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MPLEPOINT	.....	MPLEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT
SECONDARY	R	FAP	226	U 14	UNOIVED	NONE	4.90	M008048	OLD MD 64	2	24I	9,300
							6.64		STRUCTURE #21029 BEAVER CREEK			
							7.01	M00066	MAPLEVILLE RO			7,600
							7.92	M00844	CENTER LANE			
				R 6			8.17	M00077	FOXVILLE RO			
							8.62	M00491	RAVEN ROCK RO			2,900
							8.69		STRUC #21059 R/R #B0 831 821 A			
							9.98	M00066	MAPLEVILLE RO			
							11.16		STRUCTURE #21031			
							12.56	M00418	LEITHERSBURG RINGOLD RO			
							12.75					2,000
							13.50		PENNSYLVANIA ST/L			

ROUTE NUMBER.....MD 65  
INVENTORY DIRECTION....NORTH  
NAME: N CHURCH ST

SECONDARY	U	FAP	221	R 6	UNOIVED	NONE	.00	M00034	E MAIN ST	2	28I	4,700
							.05			2	30I	
							.10			2	24I	
	R						.15		OUT CORP LMTS SHARPSBURG			
							5.73	M00063	WILLIAMSPORT SPIELMAN RO			5,400
							6.80	M00068	LAPPANS RO			5,500
							9.18					11,000
					OIVIDEO		10.42					
				U 14			10.59	IS0070	EISENHOWER MEM HWY STRUC #21118			14,350
							10.60			3	38I	
							10.72			2	24I	
					UNOIVED		10.81					
	U						11.13		IN CORP LMTS HAGERSTOWN			
							11.80	MU2000	POTOMAC AVE (AHEAD)			

ROUTE NUMBER.....MD 66  
INVENTORY DIRECTION....NORTH  
NAME: MAPLEVILLE RO

SECONDARY	U	FAS	1066	R 7	UNOIVED	NONE	.00	US0040AL	NATIONAL PIKE	2	20H	3,600
	R						.36		OUT CORP LMTS BOONSBORO			
							1.15			2	20I	
							1.39			2	20H	
							1.80			2	22I	
							2.17			2	20I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 66 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: MAPLEVILLE RD

PAGE..... 11  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AADT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE#	AADT
SECONDARY	R	FAS	1066	R	7	UNDIVIDED NONE	2	20I	3,500
					2.91				
					3.26				
					4.30	USDD40			3,000
					4.74				
					5.12				
					5.20	STRUCTURE #21132 BLACKROCK RUN	2	24I	
					5.26		4	76I	
					5.39	DIVIDED	4	48I	
					5.52	UNDIVIDED			
					5.61	ISDD70			
					5.69	EISENHOWER MEM HWY STRUC #21131	4	76I	4,400
					6.44		2	24I	
					6.95	MDD0910B NO NAME	2	24I	
					7.56	MDDD66A NO NAME	2	20I	
					9.18		2	22I	
					9.98	STRUCTURE #21032 BEAVER CREEK			3,400
	FAU	8031	U	16	10.41				
	NFA			17	10.46	MDD064	2	20I	4,300
					10.61				3,200
					10.96	STRUCTURE #21045 BEAVER CREEK			
					11.18	R/R #80 831 816 C			
					11.18	IN CORP LMTS SMITHSBURG			
					11.18	END STATE MAINTENANCE			
					11.18	BEGIN MUNICIPAL MAINTENANCE			
				19	11.86	OUT CORP LMTS SMITHSBURG	2	18I	1,000
					11.86	END MUNICIPAL MAINTENANCE			
					11.86	BEGIN STATE MAINTENANCE			
					12.81		2	20I	
					12.95	MDD064			
						SMITHSBURG PIKE			

ROUTE NUMBER.....MD 66A  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY	R	NFA		R	9	UNDIVIDED NONE	.00		ROAD END	2	10E	
							.02	MDD066	MAPLEVILLE RD			

ROUTE NUMBER.....MD 67  
INVENTORY DIRECTION....NORTH  
NAME: ROHRERSVILLE RD

SECONDARY	R	FAP	223	R	6	UNDIVIDED PART	.00	US0340	JEFFERSON PIKE STRUC #21138	2	40J	2,700
							.02			2	25I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 67 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: ROHRERSVILLE RD

PAGE..... 12  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM		FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT
SECONDARY	R	FAP	223	R	6	UNDIVED	PART	.12		2	45J	2,700
							NONE	.17	STRUCTURE #21137			
								.20		2	24I	
			233					.25	M00067D SOUTH CONNECTION			
			223					1.67	M00067E NORTH CONNECTION			
			224					2.11	M00067F SCHOOL ENT			2,000
			223					2.64				
								2.95				
								4.02	M00067C NO NAME			
							PART	5.15				
							NONE	6.60				3,800
								7.23	M00858F OLD MO 67			
			233					7.78	STRUC#21072 LITTLE ANTIETAM CREEK			
			223					8.18	M00858F OLD MO 67			
			233					8.25	M00067A NO NAME			
			223				PART	10.13	STRUCTURE #21068 DOG CREEK			
							NONE	10.53				
							PART	11.63				
								12.18	STRUCTURE #21067 BEAVER CREEK			
								12.33	US0040AL HAGERSTOWN FRED RD			

ROUTE NUMBER.....MO 67A  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY	R	NFA		R	9	UNDIVED	NONE	.00	M00858F OLD MO 67	2	16H	
								.08	M00067 ROHRERSVILLE RD			

ROUTE NUMBER.....MO 67B  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY	R	NFA		R	9	UNDIVED	NONE	.00	C00992 OLD MO 67	2	20H	
								.09	ROAD END			

ROUTE NUMBER.....MO 67C  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY	R	NFA		R	9	UNDIVED	NONE	.00	M00067 ROHRERSVILLE RD	2	20I	
								.03	C00993 OLD MO 67			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 67D  
INVENTORY DIRECTION....EAST  
NAME: SOUTH CONNECTION

PAGE..... 13  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP#	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL					
SECONDARY	R NFA	R	9	UNDIVID	NONE	.00 M00067 ROHRERSVILLE RD	2	20I	
						.32 C00994 OLD MD 67			

ROUTE NUMBER.....MD 67E  
INVENTORY DIRECTION....EAST  
NAME: NORTH CONNECTION

SECONDARY	R NFA	R	9	UNDIVID	NONE	.00 M00067 ROHRERSVILLE RD	2	20I	
						.04 C00994 OLD MD 67			

ROUTE NUMBER.....MD 67F  
INVENTORY DIRECTION....EAST  
NAME: SCHOOL ENT

SECONDARY	R NFA	R	9	UNDIVID	NONE	.00 M00067 ROHRERSVILLE RD	2	22I	
						.11 ROAD END			

ROUTE NUMBER.....MD 68  
INVENTORY DIRECTION....EAST  
NAME: WMSPT CLEARSPRING RD

SECONDARY	R FAP	218	R	6	UNDIVID	NONE	.00 US0040 BALTO NATIONAL PIKE	4	48I	1,300
							.08 OUT CORP LMTS CLEARSPRING			
							.08 END MUNICIPAL MAINTENANCE			
							.08 BEGIN STATE MAINTENANCE			
	FAS	1044		7			.19 IS0070 EISENHOWER MEM HWY STRUC#21D99	2	24I	
							.47 NO NAME			
							.93 M00960 STRUC #21D35 CONOCHEAGUE CREEK			
							1.99 BIG POOL RD			1,325
							2.74 M00056	2	20I	
							3.69			4,625
							3.96			
	NFA			9			4.19			
							6.84 R/R #80 832 401 X			
							7.14			
							7.18 STRUC #21036 CONOCHEAGUE CREEK	2	42H	
							7.20 IN CORP LMTS WILLIAMSPORT			
							7.20 END STATE MAINTENANCE			
							7.20 BEGIN MUNICIPAL MAINTENANCE			
							7.25 R/R #80 832 396 D			
							7.38 E POTOMAC ST			
	FAU	8012	U	16	DIVIDED		8.19 US0011 OUT CORP LMTS WILLIAMSPORT	4	48I	4,000

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 68 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: WMSPT CLEARSPRING RD

PAGE..... 14  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANS	SURFACE WIDTH/TYP*	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL								
SECONDARY	R	FAU	8012	U	16	DIVIDED	NONE	8.19	END MUNICIPAL MAINTENANCE	4	48I	4,000
								8.19	BEGIN STATE MAINTENANCE			
		FAS	1056	R	7	UNOIVED		8.36	IS0081 MO VETERANS MEM HWY STRUC #21077			3,875
								8.59	M00063 WILLIAMSPORT SPIELMAN RD	2	24I	4,750
								8.65	STRUC #21085 R/R #CR 534 908 W			
								10.38		2	20I	
								10.56	M00632 DOWNSVILLE PIKE			3,000
								12.04	R/R #NW 469 321 F			
								13.46	M00065 SHARPSBURG PIKE			1,350
								15.36	STRUCTURE #21037 ANTIETAM CREEK			
								15.40	STRUCTURE #21038 BEAVER CREEK			
								15.73	STRUCTURE #21039 BEAVER CREEK			
								16.74				1,300
								18.66	US0040AL HAGERSTOWN FRED RD			

ROUTE NUMBER.....MO 68UL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

SECONDARY	R	FAS	1044	R	7	UNOIVED	NONE	.00	M00068 WMSPT CLEARSPRING RD	2	24I	9,999
								2.75	IN CORP LMTS WILLIAMSPORT			

ROUTE NUMBER.....IS 70  
INVENTORY DIRECTION....EAST  
NAME: EISENHOWER MEM HWY

PRIMARY	R	FAI	70	R	1	DIVIDED	FULL	.00	PENNSYLVANIA ST/L	4	48J	17,775
								.63	US0048 NATIONAL FREEWAY STRUC#21088			23,500
								.64	STRUCTURE #21087			
								.73	US0522A NO NAME			
								1.02	US0048 NATIONAL FREEWAY			
	U							1.04	IN CORP LMTS HANCOCK			
								1.15	STRUCTURE #21089			
								1.16	US0522 WARFORDSBURG RD STRUC#21090			
								1.30		5	60J	
								1.40	MU0280 PENNA AVE STRUC#21091			
	R							1.87	OUT CORP LMTS HANCOCK			
								1.95		6	72J	
								2.21		5	60J	
	U							2.24	IN CORP LMTS HANCOCK			
								2.80		4	48J	
	R							2.91	OUT CORP LMTS HANCOCK			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 70 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: EISENHOWER MEM HWY

PAGE..... 15  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
PRIMARY	R	FAI	70	R	1	DIVIDED	FULL			
					2.91		STRUCTURE #21092 TONOLWAY CREEK	4	48J	23,50J
					3.21		STRUCTURE #21063			
					3.28			4	5GI	
					3.59	M00144WB	OLD US 40			
					4.47		STRUCTURE #21062			
					5.93		STRUCTURE #21061			
					6.44					27,000
					6.76			4	48I	
					9.26	US0040	NATIONAL PIKE			20,150
					9.49	US0040	NATIONAL PIKE STRUC #21093			
					9.78		STRUCTURE #21094 LICKING CREEK			
					11.27	C00064	ERNESTVILLE RD STRUC #21095			
					12.12	M00056	BIG POOL RD STRUC #21096			
					15.20	C00075	BOYD RD STRUC #21143			
					17.41	C00091	BIG SPRING RD STRUC #21098			
					17.85	M00068	WMSPR CLEARSPRING RD STRUC #21099			27,000
					18.62	C00818	ASHTON RD STRUC #21100			
					19.20		STRUCTURE #21101			
					19.71	C00088	ST PAUL RD STRUC #21102			
					20.90		STRUCTURE #21103			
					21.41		STRUC #21104 MEADOW BROOK CREEK			
					21.63	C00758	RIOGE RD STRUC #21144 & #21105			
					23.06		STRUC #21106 CONOCOCHIEAGUE CREEK			
					23.55	C00110	WALNUT PT RD STRUC #21107			
					24.41	M00063	WILLIAMSPT SPIELMN RD STRUC#21108			
					25.10		STRUC #21109 CONOCOCHIEAGUE CREEK			
					25.50		STRUC #21110 R/R #B0 832 390 M			
					25.62	C00473	HOPEWELL RD STRUC #21074			
					26.03	IS0081	MO VETERANS MEM HWY STRUC #21073			35,000
					26.38	US0011	WILLIAMSPORT PIKE STRUC #21112			
					26.73		STRUC #21113 R/R #CR 534 904 U			
					27.03	C00453	BOWEN RD STRUC #21114			
					28.11	M00632	DOWNSVILLE PIKE STRUC #21115			32,675
					28.64		STRUC #21117 R/R #NW 469 314 V			
					29.48	M00065	SHARPSBURG PIKE STRUC #21118			
					29.53					31,000
					29.66		STRUC #21119 R/R #B0 140 612 G			
					30.43		STRUCTURE #21120 ANTIETAM CREEK			
					31.02	US0040AL	HAGERSTOWN FRED RD STRUC #21121			
					31.69	C00343	BEAVER CREEK RD STRUC #21122			
					32.02			6	72I	
					32.10	US0040	NATIONAL PIKE STRUC #21123			29,000

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 70 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: EISENHOWER MEM HWY

PAGE..... 16  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL					
PRIMARY	R	FAI	70 R	1	DIVIDED FULL	32.17	4	48I	29,000
						32.68			
					COD315	33.67			
						34.65			
					MDDD66	34.73			32,350
						35.39			
					COD345	35.51			
						36.05	5	60I	
					COD314	36.73			
						38.43	6	72I	
					USDD4D	38.71			
						38.84			

ROUTE NUMBER.....MD 77  
INVENTORY DIRECTION....EAST  
NAME: FOXVILLE RD

SECONDARY	R	FAS	1D6D R	7	UNDIVIDED NONE	.00	MDD64	SMITHSBURG PIKE	2	24I	1,475
						.30			2	22I	
						2.57					1,575
						3.10		FREDERICK CO/L			

ROUTE NUMBER.....IS 81  
INVENTORY DIRECTION....NORTH  
NAME: MARYLAND VETERANS MEM HWY

PRIMARY	R	FAI	81 R	1	DIVIDED FULL	.00		W VIRGINIA ST/L	4	48J	26,000
						.12		STRUCTURE #21D78 POTOMAC RIVER	4	48I	
						.23					
					U 11	.89	MDDD68	WMSPT CLEARSPRING RD STRUC #21D77			34,875
						2.37	USDD11	WILLIAMSPORT PIKE STRUC #21D83			30,550
						2.47		STRUCTURE #21D82			
						3.63		STRUCTURE #21141			
						3.64	ISDD7D	EISENHOWER MEM HWY STRUC #21D73			18,125
						3.66		STRUCTURE #21142			
						4.08		STRUCTURE #21D8D			
						4.64	COD666	HALFWAY BLVD STRUC #21079			
						4.91		STRUC #21D75 R/R #B0 832 387 E			
						5.77		STRUCTURE #21D81			
						6.49	MDD144WA	WASHINGTON ST STRUC #21D69			
						6.88	USDD4D	BALTO NATIONAL PIKE STRUC #21052			46,175
						7.73	MDDD5B	SALEM ST STRUC #21D51			44,525

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 81 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: MARYLAND VETERANS MEM HWY

PAGE..... 17  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	..MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT	
PRIMARY	R	FAI	81	U	11	DIVIDED	FULL	8.11	CO0817	MAUGANVILLE RD STRUC #21055	4	48I	44,525
								8.30		STRUC #21056 R/R #CR 534 890 N			
								9.62	CO0146	MAUGANS AVE STRUC #21053			
								10.45	CO0140	SHOWALTER RD STRUC #21054			30,000
								12.12		PENNSYLVANIA ST/L			

ROUTE NUMBER.....MO 144WA  
INVENTORY DIRECTION....EAST  
NAME: OLD US 40

SECONDARY	R	NFA		U	17	UNOIVED	NONE	.00	US0040	NATIONAL PIKE	2	24I	1,325
								1.28	IS0081	MO VETERANS MEM HWY STRUC #21069			
								1.89	CO0477	PARK AVE			

ROUTE NUMBER.....MO 144WB  
INVENTORY DIRECTION....EAST  
NAME: OLD US 40

SECONDARY	R	FAS	1028	R	7	UNOIVED	NONE	.00	US0048	NATIONAL FREEWAY	2	28I	4,225
								.04	US0040SC	SCENIC US 40	2	24I	
								.25		STRUC #21007 L TONOLWAY CREEK			
								.44					
								2.65			2	22H	
								2.81			2	20I	
								2.96			2	24I	
								3.33	US0522B	IN CORP LMTS HANCOCK			
								3.33		NO NAME	2	41I	
								3.47	US0522	WARFORSBURG RD STRUC#21124			10,275
								3.48		STRUCTURE #21008 TONOLWAY CREEK			
								3.50	MO0894	ROUND TOP RD			
								3.57	US0522C	NO NAME			
								3.66			2	40I	
								3.83			2	36I	
								3.97			2	32I	
								4.02			2	30I	
								4.46			2	40I	
								4.56			2	24I	
								4.69		OUT CORP LMTS HANCOCK			
								5.13		STRUCTURE #21009 TONOLWAY CREEK			
								5.71			2	19I	
								5.78	IS0070	EISENHOWER MEM HWY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 180A  
INVENTORY DIRECTION....NORTH  
NAME: OLD US 340

PAGE..... 18  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYP#	AADT			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	.....	.....			
SECONDARY	R	NFA	R	9	UNDIVED NONE	.00	C00995 JEFFERSON PIKE	2	20H		
						.04	ROAD END				
ROUTE NUMBER.....US 340 INVENTORY DIRECTION....EAST NAME: JEFFERSON PIKE											
PRIMARY	R	FAP	104	R	2	UNDIVED PART	.00	BEG BRIDGE IN W VIRGINIA	2	26J	10,813
						.02	W VIRGINIA ST/L				
						.42	STRUCTURE #21041 POTOMAC RIVER				
						.43		2	24I		
						.64		4	48I		
						1.58	M00067 ROHRERSVILLE RD STRUC#21138				
						1.77	STRUC #21034 R/R #B0 140 531 G				
						1.85	FULL				
						2.31	FREDERICK CO/L				
ROUTE NUMBER.....MD 418 INVENTORY DIRECTION....EAST NAME: LEITHERSBURG RINGOLD RD											
SECONDARY	R	FAS	1062	R	7	UNDIVED NONE	.00	M00060 LEITHERSBURG RD	2	24I	2,950
						.03	M00060A MD 418 SPUR				
		NFA			8		2.81	M00064 SMITHSBURG PIKE			3,575
						2.88	M008460 NO NAME				
						4.69	PENNSYLVANIA ST/L				
ROUTE NUMBER.....MD 491 INVENTORY DIRECTION....NORTH NAME: RAVEN ROCK RD											
SECONDARY	R	FAS	1061	R	7	DIVIDED NONE	.00	M00064 SMITHSBURG PIKE	2	30I	2,200
						UNDIVED	.08		2	24I	
							1.22	STRUC#21086 LITTLE ANTIETAM CREEK			
							4.78	FREDERICK CO/L			
							4.79	FREDERICK CO/L	2	22I	1,899
		1064					5.17	M00550 FORT RITCHIE RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; O,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 494  
INVENTORY DIRECTION....EAST  
NAME: FAIRVIEW RD

PAGE..... 19  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AADT							
STATE	FEDERAL	CLASS	TYPE	CTL	LANES	WIDTH/TYPE*							
SECONDARY	R	FAS	1043	R	7	UNDIVIDED	NONE	.00		PENNSYLVANIA ST/L	2	24I	1,000
		ID46						.86	MDD057	ST PAULS CHURCH RD			700
								3.66		STRUC #21042 CONOCOCHAEAGUE CREEK			
								6.07					
								6.90	MDD063	GREENCASTLE PIKE			1,400

ROUTE NUMBER.....US 522  
INVENTORY DIRECTION....NORTH  
NAME: WARFORDSBURG RD

SECONDARY	R	FAP	217	R	6	UNDIVIDED	NONE	.00		BEGIN STRUCTURE IN W VIRGINIA	2	24J	6,075
								.13		W VIRGINIA ST/L			
								.31		STRUCTURE #21043 POTOMAC RIVER			
								.46		IN CORP LMTS HANCOCK			
								.50		R/R #80 832 432 W			
								.54	USD522B	NO NAME	2	24I	
								.57			2	24J	
								.63	MDD144WB	OLD US 4D STRUC#21124			
								.66	MDD894	ROUND TOP RD			
						DIVIDED		.69			2	39I	3,250
								.70			3	32I	
								.72	USD522C	NO NAME			
								.81			3	44J	
								.94			3	39J	
								1.16			3	39I	
						UNDIVIDED		1.21	ISDD7D	EISENHOWER MEM HWY STRUC #21090			
								1.24	USD522A	NO NAME	2	24J	
								1.30			1	16J	
								1.38	IS007D	EISENHOWER MEM HWY			

ROUTE NUMBER.....US 522A  
INVENTORY DIRECTION....SOUTH  
NAME: NO NAME

SECONDARY	U	NFA		R	9	UNDIVIDED	NONE	.00	ISDD7D	EISENHOWER MEM HWY	2	16J	
								.44	USD522	WARFORDSBURG RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 522B  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

PAGE..... 20  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT		
										STATE	FEDERAL
SECONDARY	U	NFA	R	9	UNOIVED	NONE	.00	MDD144WB OLD US 40	2	22I	
							.14	US0522 WARFORDSBURG RD			

ROUTE NUMBER.....US 522C  
INVENTORY DIRECTION....WEST  
NAME: NO NAME

SECONDARY	U	NFA	R	9	UNOIVED	NONE	.00	MDD144WB OLD US 40	2	40I	
					DIVIDED		.08	MDD073S HIGH ST	2	36I	
							.17		2	40I	
							.19		2		
							.20	USD522 WARFORDSBURG RD			

ROUTE NUMBER.....MD 550  
INVENTORY DIRECTION....NORTH  
NAME: FORT RITCHIE RD

SECONDARY	R	FAS	1063	R	7	UNOIVED	NONE	.00		FREDERICK CO/L	2	20I	3,400
								.11			2	22I	
								.19			2	20I	
								.99			2	22I	
		1064					1.44	MDD491 MC AFEE HILL RD					
							1.67	R/R #80 831 799 N					
							1.91	STRUC #21040 R/R #80 831 800 F					
							2.05	COD781 PENNERSVILLE RD (AHEAD)					

ROUTE NUMBER.....MD 615  
INVENTORY DIRECTION....NORTH  
NAME: TIMBER RIDGE RD

SECONDARY	R	FAS	1040	R	7	UNOIVED	NONE	.00		BEG STATE MAINT @ RAMP 7 FR I-70	2	24I	400
								.09			2	20I	
		NFA			9			1.80					
								1.93			2	18I	
								1.99			2	16H	
								4.05			2	14H	
							4.35			PENNSYLVANIA ST/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 632  
INVENTORY DIRECTION....NORTH  
NAME: DOWNSVILLE PIKE

PAGE..... 21  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
	STATE	FEDERAL									
SECONDARY	R	NFA	R 8	UNOIVED	NONE	.00	M00063	WMSPORT SPIELMAN RD	2	24I	2,000
		FAS 1055	7			2.26	M00068	LAPPANS RD			4,200
				DIVIDED		4.80					
		FAU 8007	U 16			4.86			3	36I	
				UNOIVED		4.98	IS0070	EISENHOWER MEM HWY STRUC #21115	2	24I	15,075
						5.17					
						5.74		STRUC #21145 R/R #NW 470 733 P			
						5.95		IN CORP LMTS HAGERSTOWN			
						6.20			2	22I	
						6.77	M00670	DOWNSVILLE PIKE			

ROUTE NUMBER.....MD 735  
INVENTORY DIRECTION....EAST  
NAME: HIGH ST

SECONDARY	U	NFA	R 9	UNOIVED	NONE	.37	MU0170	HIGH ST (BACK)	2	20J	199
						.46	US0522C	NO NAME			

ROUTE NUMBER.....MD 741  
INVENTORY DIRECTION....NORTH  
NAME: OLO NATIONAL PIKE

SECONDARY	R	NFA	R 9	UNOIVED	NONE	.00	US0040AL	NATIONAL PIKE	2	20H	199
						.10		ROAD END			

ROUTE NUMBER.....MD 804B  
INVENTORY DIRECTION....EAST  
NAME: OLO MD 64

SECONDARY	R	NFA	U 19	UNOIVED	NONE	.00	M00064	SMITHSBURG PIKE	2	24I	199
						.04			2	20I	
						.19	M00062	LEITERSBURG CHEWSVILLE RD			
						.46			2	24I	
						.57			2	20I	
				DIVIDED		.79			2	32I	
						.80	M00064	SMITHSBURG PIKE			

ROUTE NUMBER.....MD 805B  
INVENTORY DIRECTION....NORTH  
NAME: OLO LEITERSBURG RD

SECONDARY	R	NFA	R 9	UNOIVED	NONE	.00	CO0232	ROCKY FORGE RD	2	18H	199
-----------	---	-----	-----	---------	------	-----	--------	----------------	---	-----	-----

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 8058 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: OLD LEITERSBURG RD

PAGE..... 22  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL					
SECONDARY	R NFA	R	9	UNDIVEO	NONE	.09 .14	2	14H	199
						ROAD END			
ROUTE NUMBER.....MD 843B INVENTORY DIRECTION....NORTH NAME: OLD MD 63									
SECONDARY	R NFA	R	9	UNOIVEO	NONE	.00 .12	2	20H	299
						OP0104 COD970			
						NO NAME OLD MD 63 (AHEAD)			
ROUTE NUMBER.....MD 843D INVENTORY DIRECTION....NORTH NAME: OLD MD 63									
SECONDARY	R NFA	R	9	UNOIVEO	NONE	.00 .03 .16	2 2	18H 14H	99
						M00063			
						GREENCASTLE PIKE			
						ROAD END			
ROUTE NUMBER.....MD 843E INVENTORY DIRECTION....NORTH NAME: SERVICE RD B									
SECONDARY	U NFA	U	19	UNOIVEO	NONE	.00 .05	2	16G	
						M00063			
						ROAD END GREENCASTLE PIKE			
ROUTE NUMBER.....MD 843F INVENTORY DIRECTION....EAST NAME: NO NAME									
SECONDARY	R NFA	R	9	UNOIVEO	NONE	.00 .04	2	20I	
						M00063 COD967			
						GREENCASTLE PIKE OLD MD 63			
ROUTE NUMBER.....MD 844 INVENTORY DIRECTION....EAST NAME: CENTER LA									
SECONDARY	R NFA	U	19	UNOIVEO	NONE	.83 .92 1.05 1.12	2	12H	599
						M00064			
						SMITHSBURG PIKE STRUCTURE #21049 BEAVER CREEK			
						ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 845A  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 34

PAGE..... 23  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT	
SECONDARY	U	NFA	R	8	UNDIVID	NONE	.00	MDDD34	BOONSBORO SHEPHERD RD	2	24I	599
							.08			2	32I	
							.12			2	27I	
							.18			2	22I	
							.29			2	24I	
							.35			2	30I	
							.50			2	32I	
							.57		STRUCTURE #2IDD4 L ANTIETAM CREEK			
							.58			2	26I	
							.66			2	42I	
							.67			2	27I	
							.88			2	30I	
							.93			2	32I	
							1.00			2	20I	
							1.16	MDD034A	NORTH MAIN ST	2	24I	
							1.25	MDDD34	BOONSBORO SHEPHERD RD			

ROUTE NUMBER.....MD 846B  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 418

SECONDARY	R	NFA	R	9	UNDIVID	NONE	.00		ROAD END	2	18H	99
							.03	MDD846D	NO NAME			
							.09		ROAD END			

ROUTE NUMBER.....MD 846D  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY	R	NFA	R	9	UNDIVID	NONE	.00	MDD846B	OLD MD 418	2	18H	
							.04	MDD418	LEITHERSBURG RINGGOLD RD			

ROUTE NUMBER.....MD 847D  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 64

SECONDARY	R	NFA	R	9	UNDIVID	NONE	.00	COD243	WELTY CHURCH RD	2	16F	99
							.14		ROAD END			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 858A  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 67

PAGE..... 24  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED	SURFACE	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL		LANES	WIDTH/TYPE*	
SECONDARY	R	NFA	R	9	UNDIVED NONE	.00	ROAD END	99
						.02	USDD4DAL HAGERSTOWN FRED RD	

ROUTE NUMBER.....MD 858E  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 67

SECONDARY	R	NFA	R	9	UNDIVED NONE	.65	COD99D OLD MD 67 (BACK)	199
						.73		
						1.12	ROAD END	

ROUTE NUMBER.....MD 858F  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 67

SECONDARY	R	NFA	R	9	UNDIVED NONE	.00	MDD067 ROHRERSVILLE RD	499
						.13		
						.38		
						.57		
						.74	STRUCTURE #21047 L ANTIETAM CREEK	
						.75		
						.80		
						.96		
						.98	MDD067A NO NAME	
						1.02	MDD067 ROHRERSVILLE RD	

ROUTE NUMBER.....MD 858G  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 67

SECONDARY	R	NFA	R	9	UNDIVED NONE	.22	COD991 OLD MD 67 (BACK)	99
						.55	ROAD END	

ROUTE NUMBER.....MD 878  
INVENTORY DIRECTION....NORTH  
NAME: OLD MD 58

SECONDARY	U	NFA	U	19	UNDIVED NONE	.00	MUD235 BROADFORDING RD	99
						.10	ROAD END	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 894  
INVENTORY DIRECTION....NORTH  
NAME: ROUNDTOP RD

PAGE..... 25  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT
SECONDARY	U	NFA	R	9	UNDIVIDED	NONE	.00	MDD144WB OLD US 40	2	28I	299
							.04	USD522 WARFORDSBURG RD STRUC #2I124			
							.06				
							.10		2	20I	
							.15		2	18I	
							.52		1	10I	
							.64	ROAD END			

ROUTE NUMBER.....MD 9D2  
INVENTORY DIRECTION....NORTH  
NAME: RICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.35	CODD11 RICE RD (BACK)	2	22I	199
							.51	USDD48 NATIONAL FREEWAY			
							.72	CODD11 RICE RD (AHEAD)			

ROUTE NUMBER.....MD 9D3  
INVENTORY DIRECTION....SOUTH  
NAME: MOUNTAIN RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.12	CODDD6 MOUNTAIN RD (BACK)	2	22I	199
							.86	MDD9D5 BOTTENFIELD RD			
							.91	USDD48 NATIONAL FREEWAY			
							1.16	USDD4DSC SCENIC US 40 (AHEAD)			

ROUTE NUMBER.....MD 9D3B  
INVENTORY DIRECTION....EAST  
NAME: MOUNTAIN RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	1.01	CODDD2 MOUNTAIN RD (BACK)	2	22I	199
							1.08	MDD9D3C MOUNTAIN RD			
							1.31	USDD4DSC SCENIC US 40			

ROUTE NUMBER.....MD 9D3C  
INVENTORY DIRECTION....SOUTH  
NAME: MOUNTAIN RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	CO10DD MOUNTAIN RD (BACK)	2	22I	199
							.05	MDD9D3B MOUNTAIN RD	2	20I	
							.08	CO1DD1 MOUNTAIN RD (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 9D5  
INVENTORY DIRECTION....NORTH  
NAME: BOTTENFIELD RD

PAGE..... 26  
DATE.....12/31/86  
COUNTY-WASHINGTON  
SHA DISTRICT.....6

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT	
SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD9D3	MOUNTAIN RD	2	22I	199
							.34	MDD9D5A	NO NAME			
							.37	C0DD07	BOTTENFIELD RD (AHEAD)			

ROUTE NUMBER.....MD 9D5A  
INVENTORY DIRECTION....WEST  
NAME: NO NAME

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD9D5	BOTTENFIELD RD	2	12I	199
							.02	C0D998	NO NAME (AHEAD)			

ROUTE NUMBER.....MD 91D8  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD066	MAPLEVILLE RD	2	16F	199
							.14			2	12E	
							.15		ROAD END			

ROUTE NUMBER.....MD 96D  
INVENTORY DIRECTION....WEST  
NAME: NO NAME

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	MDD068	WMSPT CLEARSPRING RD	2	12E	
							.09			2	14I	
							.13		ROAD END			


\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



1987

*HIGHWAY LOCATION REFERENCE*

**WICOMICO  
COUNTY**



WICOMICO COUNTY

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 12  
INVENTORY DIRECTION....NORTH  
NAME: SALISBURY-SNOW HILL RD

PAGE..... 1  
DATE.....12/31/86  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS	MARKED	SURFACE	AADT							
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	MILEPOINT DESCRIPTION	LANES	WIDTH/TYPE*	AADT				
SECONDARY	R	FAP	320	R	6	UNOIVED	NONE	.00	WORCESTER CO/L	2	221	3,800	
								.52				3,500	
								2.43					
						DIVIDED		4.24			2	24I	
								4.62	US0013	OCEAN HWY STRUC #22040	4	50I	
		FAU	8603	U	14	UNOIVED		4.63					10,925
								4.90			2	48I	
								4.99			2	22I	
		U						5.71		IN CORP LMTS SALISBURY			
		R						5.88		OUT CORP LMTS SALISBURY			
								6.53		IN CORP LMTS SALISBURY			
								6.53		END STATE MAINTENANCE			
								6.53		BEGIN MUNICIPAL MAINTENANCE			
								7.22		STRUCTURE #22038 BEAVER DAM CREEK			
								7.26	MU1632	MAIN ST			

ROUTE NUMBER.....US 13  
INVENTORY DIRECTION....NORTH  
NAME: OCEAN HWY

PRIMARY	R	FAP	129	R	2	DIVIDED	PART	.00	SOMERSET CO/L	4	48I	16,000	
								.00					
							FULL	.55	US0013BU	STRUCTURE #19001 PASSEROYKE CREEK			
								1.02	US0013BU	OCEAN HWY			
								2.21	C00172	OCEAN HWY STRUC #22043			
								2.73	M00513	MEADOW BRIDGE RD STRUC #22042			
								4.14	C00729	ST LUKES LA STRUC #22041			
								5.35	M00012	COLBOURNE MILL RD STRUC#22037			
								6.61	M00012	SALISBURY SNOW HILL STRUC #22040			
								7.45	C00243	JOHNSON RD STRUC #22035			
								7.87		STRUCTURE #22036 PARKER POND			
								8.74	M00350	MT HERMON RD STRUC #22024			
								9.11	US0050	THE OCEAN GATEWAY STRUC #22033			13,000
								9.50	M00346	OLO OCEAN CITY RD STRUC #22032			
								9.50		STRUCTURE #22031			
								11.41		R/R #CR 530 466F			
								11.57	C00406	2ION RD STRUC #22034			
						UNOIVED		12.00			1	15I	
						DIVIDED	NONE	12.10	US0013BU	OCEAN HWY	2	72I	25,287
								13.61		STRUCTURE #22002 LEONARD POND	4	48I	
								13.91	M00675B	MARKET ST			
								15.89	M00054	OELMAR RD			25,050

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 13 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: OCEAN HWY

PAGE..... 2  
DATE.....12/31/86  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL								
PRIMARY	R	FAP	129	R	2	DIVIDED	NONE	15.89	OELAWARE ST/L	4	48J	25,050
ROUTE NUMBER.....US 13A												
INVENTORY DIRECTION....NORTH												
NAME: NO NAME												
SECONDARY	R	FAU	8601	U	16	DIVIDED	NONE	.00	US0013BU OCEAN HWY	2	34J	500
								.03	CO0728 DISHROON RD			
ROUTE NUMBER.....US 13BU												
INVENTORY DIRECTION....NORTH												
NAME: OCEAN HIGHWAY												
SECONDARY	R	FAP	317	R	6	UNDIVIDED	PART	.00	US0013 OCEAN HWY (BACK)	1	12I	30,050
								.12		2	24I	
								.43	US0013 OCEAN HWY STRUC #22043			
								.87	US0013A NO NAME	4	48I	
	U			U	14			1.31	IN CORP LMTS FRUITLAND			
								2.64	MD0513 E CEDAR LA			
	R							2.67	OUT CORP LMTS FRUITLAND			
								3.02	STRUCTURE #22005 TONYTANK POND			
	U							3.03	IN CORP LMTS SALISBURY			
	R							3.09	OUT CORP LMTS SALISBURY			
	U							4.07	IN CORP LMTS SALISBURY			
								4.17		4	46I	
						UNOIVED		4.87		4	56I	
						DIVIDED		5.06		4	46I	
								5.39		4	48I	
								5.42	STRUCTURE #22004			
								5.60	US0050 THE OCEAN GATEWAY STRUC #22026			27,175
								5.90	R/R #CR 530 498 L			
								6.60	STRUC #22003 R/R #CR 530 216 T			
								6.63		4	62I	
								6.79		4	60I	
								7.02				22,950
								7.15		4	54I	
	R							7.29	OUT CORP LMTS SALISBURY			
								7.76		4	48I	
					R	2		8.01	US0013 OCEAN HWY STRUC #22021			
								8.38	US0013 OCEAN HWY (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 50  
INVENTORY DIRECTION....EAST  
NAME: THE OCEAN GATEWAY

PAGE..... 3  
DATE.....12/31/86  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPER*	AAOT
STATE	FEDERAL	CLASS	TYPE	CTL				
PRIMARY	R	NFA	R 8	UNOIVED	NONE	.00	DORCHESTER CO/L	15,000
						.00	STRUCTURE #9007 NANTICOKE RIVER	
						.10		
						.34	STRUCTURE #22006 VIENNA SWAMP	
						.51	STRUCTURE #22007 VIENNA SWAMP	
						1.79	DIVIDED	
	FAP	130	2			1.83		
						1.88		
U						3.65	IN CORP LMTS MARDELA SPRINGS	
						4.38	MO0313 SHARPTOWN-MARDELA ST	
						4.51		13,000
R						4.58	OUT CORP LMTS MARDELA SPRINGS	
						4.64	STRUCTURE #22008 BARREN CREEK	
						9.25	MO0347 QUANTICO RD	23,325
						10.39	MO0670 LILLIAN ST	
		316	6			12.00		
						14.37		23,690
U						14.75		
						14.80	IN CORP LMTS SALISBURY	
						14.80	R/R #MO0T 530 504 M	
			U 14		PART	14.87	MO0349 QUANTICO RD	26,125
						15.33	R/R #CR 530 488 F	
						15.50	STRUCTURE #22028 WICOMICO RIVER	22,425
						15.59		
						15.88		
						15.99	US00138U OCEAN HWY STRUC #22026	
						16.06	STRUC #22027 R/R #CR 530 221 P	
						16.25		24,850
						16.78	MO0346 E MAIN ST	
						16.83		20,550
						16.90		
						17.07		
R						17.10	OUT CORP LMTS SALISBURY	16,000
						19.29	US0013 SALISBURY BYPASS STRUC#22033	
		130	R 2			19.36		
						23.81	MO09928 SERVICE RD	
						25.16		15,000
U						29.34	IN CORP LMTS WILLAROS	
						29.45	MO0354 WHITON RD	14,601
						30.04	OUT CORP LMTS WILLAROS	
R						30.44	STRUCTURE #22030 MURRAY BRANCH	
						30.94	WORCESTER CO/L	

\* A, B = UNIMPROVED; C = GRADED & DRAINED; D, E = SOIL, GRAVEL, STONE; F, G = LOW TYPE BITUMINUS; H, I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 5D CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: THE OCEAN GATEWAY

PAGE..... 4  
DATE.....12/31/86  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANS	SURFACE WIDTH/TYPER	AADT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL								
PRIMARY	R	FAP	13D	R	2	DIVIDED	PART	3D.94	STRUCTURE #22DD1 POCOMOKE RIVER	4	48I	14,601

ROUTE NUMBER.....US SDUL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

SECONDARY	R	FAP	13D	R	2	DIVIDED	NONE	.00	DORCHESTER CO/L	4	48I	2,000
								1.83	USDDSO			
								12.00	USDDSO			
				U	12			12.65	COD416			
								15.85	USDO13			

ROUTE NUMBER.....MD 54  
INVENTORY DIRECTION....EAST  
NAME: DELMAR RD

SECONDARY	R	NFA		R	8	UNDIVIDED	NONE	.00	MDD313	SHARPTOWN-MARDELA ST	2	24I	1,000
								.15			2	22I	
								.71			2	24I	
								1.12			2	22I	
								2.33		STRUCTURE #22D22			
								3.29		DELAWARE ST/L			
								3.29		END MARYLAND MAINTENANCE			
								9.59		DELAWARE ST/L	2	31I	4,500
								9.59		BEGIN MARYLAND MAINTENANCE			
				U				9.66		IN CORP LMTS DELMAR			
								9.81		R/R #CR S3D 21D C			
		FAS	1344		7			10.03	MDD67S8	BI-STATE BLVD			
								10.55			2	24I	
				R				10.57		OUT CORP LMTS DELMAR			
						DIVIDED		10.86			2	32I	
								10.92	USDD13	OCEAN HWY			
								10.92		END MARYLAND MAINTENANCE			
								10.92		BEGIN DELAWARE MAINTENANCE			
						UNDIVIDED		15.15		END DELAWARE MAINTENANCE	2	23I	
								15.15		BEGIN MARYLAND MAINTENANCE			
								19.99	MDD3S3	PITTSVILLE RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 313  
INVENTORY DIRECTION....NORTH  
NAME: SHARPTOWN-MARDELA ST

PAGE..... 5  
DATE.....12/31/86  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKEO	SURFACE	AAOT				
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	.....	.....	LANES	WIDTH/TYPE*					
SECONDARY	R	FAS	1337	R	7	DIVIDED	NONE	.00	US0050	THE OCEAN GATEWAY	2	27I	1,500
						UNDIVIDED		.02			2	20I	
								.12	M00054	OELMAR RD	2	50I	1,200
								.18			2	36I	
								.20			2	22I	
	NFA				8			4.66					
								5.07		STRUCTURE #22013 PLUM CREEK			
	U							5.71		IN CORP LMTS SHARPTOWN			
								6.08	M00348	SHARPTOWN RD			
	R							6.52		OUT CORP LMTS SHARPTOWN			
								6.58		STRUCTURE #22012 NANTICOKE RIVER			
								6.58		DORCHESTER CO/L			

ROUTE NUMBER.....MD 313UL  
INVENTORY DIRECTION....EAST  
NAME: PROPOSED

SECONDARY	R	FAS	1337	R	7	UNDIVIDED	NONE	.00	M00313	SHARPTOWN-MARDELA ST	2	24I	1,200
								2.20		DORCHESTER CO/L			

ROUTE NUMBER.....MD 346  
INVENTORY DIRECTION....EAST  
NAME: EAST MAIN ST

SECONDARY	R	FAU	8602	U	16	UNDIVIDED	NONE	.00	US0050	THE OCEAN HIGHWAY	2	24I	5,075
								.67		OUT CORP LMTS SALISBURY			
								.67		END MUNICIPAL MAINTENANCE			
								.67		BEGIN STATE MAINTENANCE			6,800
								1.60					
								1.95			2	25I	
		FAS	1348	R	7			2.47	USDD13	SALISBURY BYPASS STRUC#22032	2	27I	
								3.56			2	25I	
								3.64			2	24I	
								6.57					
	U							8.86		IN CORP LMTS PITTSVILLE			
								9.37	M00353	DELAWARE AVE			2,400
	R							10.84		OUT CORP LMTS PITTSVILLE			
	U							12.65		IN CORP LMTS WILLAROS			
								12.94	M00354	WHITON-SNOWHILL RD			
	R							13.60		OUT CORP LMTS WILLARD			
								13.73		STRUC #22010 BURNT HILL BRANCH			
								14.46		WORCESTER CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 346      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: EAST MAIN ST

PAGE..... 6  
DATE.....12/31/86  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS										
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	MARKED	SURFACE	AADT	
										LANES	WIDTH/TYPE*		
SECONDARY	R	FAS	1348	R	7	UNDIVID	NONE	14.46		STRUCTURE #22011 POKOMOKE RIVER	2	24I	2,400

ROUTE NUMBER.....MD 347  
INVENTORY DIRECTION....NORTH  
NAME: QUANTICO RD

SECONDARY	R	NFA		R	9	UNDIVID	NONE	.00	MDD0349	SALISBURY-NANTICOKE RD	2	22I	800
		FAS	1341		7			.78					
								1.02		STRUCTURE #22014 QUANTICO CREEK	2	20I	
								1.28			2	28I	
								1.33			2	20I	
								1.52			2	22I	
	U							5.22		IN CORP LMTS HEBRON			
								5.30			2	35I	1,200
								5.65			2	33I	
								5.72			2	35I	
								5.76		R/R #MDOT 53D 512 E			
								5.77			2	30I	
								5.81			2	31I	
		NFA			8			5.88	MDD67D	E LILLIAN ST	2	30I	
								5.96			2	25I	
	R							6.14		OUT CORP LMTS HEBRON	2	27I	
								6.23			2	24I	
								6.92	US0050	THE OCEAN GATEWAY			

ROUTE NUMBER.....MD 348  
INVENTORY DIRECTION....EAST  
NAME: MAIN ST

SECONDARY	U	NFA		R	8	UNDIVID	NONE	.00	MDD0313	SHARPTOWN-MARDELA ST	2	28H	1,500
								.27			2	24I	
	R							.33		OUT CORP LMTS SHARPTOWN			
		FAS	134D		7			.51					
								1.73		DELAWARE ST/L			

ROUTE NUMBER.....MD 349  
INVENTORY DIRECTION....EAST  
NAME: SALISBURY-NANTICOKE RD

SECONDARY	R	NFA		R	9	UNDIVID	NONE	.00		ROAD END	2	16I	700
								.40			2	23I	
		FAS	1342		7			1.29					

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK





STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 353  
INVENTORY DIRECTION....NORTH  
NAME: PITTSVILLE DELAWARE RD

PAGE..... 8  
DATE.....12/31/86  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT					
....STATE....	..FEDERAL...	CLASS	TYPE	CTL									
SECONDARY	U	FAS	1347	R	7	UNDIVIDED	NONE	.00	MDD346	GLASSHILL RD	2	24I	1,200
								.77		STRUCTURE #22025 AYDELOTTE BRANCH			
	R							1.23		OUT CORP LMTS PITTSVILLE			
								1.90		STRUC #22018 BURNT MILL BRANCH			
								2.54					
								4.60		DELAWARE ST/L		20I	
								4.60	MDD054	DELMAR RD			

ROUTE NUMBER.....MD 354  
INVENTORY DIRECTION....NORTH  
NAME: WILLARDS WHITON RD

SECONDARY	R	FAS	1351	R	7	UNDIVIDED	NONE	.00		WORCESTER CO/L	2	22I	1,000
								2.49	MDD374	BURDAGE CROSSING RD			2,000
								2.85	MDD350	MT HERMON RD			2,100
								3.05		STRUCTURE #22020 ADKINS POND			
								3.08		STRUCTURE #22019 ADKINS POND			
								3.33					
	U							6.99		IN CORP LMTS WILLARDS	2	24I	
								7.15	USDD50	THE OCEAN GATEWAY			
								7.21					
								7.34	MDD346	DELMAR RD			1,900

ROUTE NUMBER.....MD 374  
INVENTORY DIRECTION....EAST  
NAME: BURBAGE CROSSING RD

SECONDARY	R	FAS	1352	R	7	DIVIDED	NONE	.00	MDD354	WILLARDS WHITON RD	2	30I	1,099
						UNDIVIDED		.05			2	34I	
								.10			2	20I	
								1.28		STRUCTURE #23017 POCOMOKE RIVER			
								1.28		WORCESTER CO/L			

ROUTE NUMBER.....MD 513  
INVENTORY DIRECTION....SOUTH  
NAME: E CEDAR LA

SECONDARY	U	FAU	8604	U	16	UNDIVIDED	NONE	.00	USDD13BU	FRUITLAND BLVD	2	24I	999
	R							1.20		OUT CORP LMTS FRUITLAND			
						DIVIDED		1.52					
		FAS	1353	R	7	UNDIVIDED		1.57	USDD13	OCEAN HWY STRUC#22041			
								1.63			2	35I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 513      CONTINUED  
INVENTORY DIRECTION....SOUTH  
NAME: E CEDAR LA

PAGE..... 9  
DATE.....12/31/86  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS										
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	SURFACE	AADT	
											WIDTH/TYPE*		
SECONDARY	R	FAS	1353	R	7	UNDIVIDED	NONE	1.71			2	24I	999
								1.77	C00220	JACKSON RD			

ROUTE NUMBER.....MD 670  
INVENTORY DIRECTION....EAST  
NAME: E LILLIAN ST

SECONDARY	U	FAS	1341	R	7	UNDIVIDED	NONE	.00	MDD347	QUANTICO RD	2	30J	2,500
	R							.37		OUT CORP LMTS HEBRON	2	20J	
								1.43			2	24I	
								1.47	USDD50	THE OCEAN GATEWAY			

ROUTE NUMBER.....MD 675B  
INVENTORY DIRECTION....NORTH  
NAME: MARKET ST

SECONDARY	R	FAS	1343	R	7	DIVIDED	NONE	.00	USDD13	OCEAN HWY	2	24J	6,400
						UNDIVIDED		.05	MDD675C	NO NAME	2	24I	
	U							1.78		IN CORP LMTS DELMAR			
								1.97			2	40I	
								2.10	MDD054	DELMAR RD			

ROUTE NUMBER.....MD 675C  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

SECONDARY	R	NFA		R	9	UNDIVIDED	NONE	.00		ROAD END	2	24I	
								.11	MDD675B	MARKET ST			

ROUTE NUMBER.....MD 815  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 349

SECONDARY	R	NFA		U	19	UNDIVIDED	NONE	.00	MDD349	SALISBURY NANTICOKE RD	2	24I	999
								.82			2	20I	
								.84	MDD349	SALISBURY NANTICOKE RD			

ROUTE NUMBER.....MD 991  
INVENTORY DIRECTION....EAST  
NAME: W MAIN ST

SECONDARY	U	FAU	8606	U	16	UNDIVIDED	NONE	.71	MU1640	W MAIN ST (BACK)	2	26I	7,099
-----------	---	-----	------	---	----	-----------	------	-----	--------	------------------	---	-----	-------

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 991      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: W MAIN ST

PAGE..... 10  
DATE.....12/31/86  
COUNTY-WICOMICO  
SHA DISTRICT.....1

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT	DESCRIPTION	MARKED	SURFACE	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL						
SECONDARY	U FAU 8606	U 16	UNDIVID	NONE	.72		STRUCTURE #220D9 WICOMICO RIVER	2	26I	7,099
					.73	MU164D	W MAIN ST (AHEAD)			

ROUTE NUMBER.....MD 992  
INVENTORY DIRECTION....EAST  
NAME: SERVICE RD

SECONDARY	R NFA	U 19	UNDIVID	NONE	.00	COD774	PHILLIP MORRIS DR ROAD END	2	20F	
					.22					

ROUTE NUMBER.....MD 992A  
INVENTORY DIRECTION....EAST  
NAME: SERVICE RD

SECONDARY	U NFA	U 19	UNDIVID	NONE	.00	COD356	HOBBS RD ROAD END	2	20F	
					.74					

ROUTE NUMBER.....MD 992B  
INVENTORY DIRECTION....NORTH  
NAME: SERVICE RD

SECONDARY	R NFA	R 9	UNDIVID	NONE	.15		ROAD END	2	20F	
					.26			2	20I	
					.33			2	30I	
					.37	US005D	THE OCEAN GATEWAY			

ROUTE NUMBER.....MD 992C  
INVENTORY DIRECTION....EAST  
NAME: SERVICE RD

SECONDARY	R NFA	R 9	UNDIVID	NONE	.00	COD733	SIXTY FOOT RD ROAD END	2	19I	
					.05					

ROUTE NUMBER.....MD 992D  
INVENTORY DIRECTION....EAST  
NAME: SERVICE RD

SECONDARY	R NFA	R 9	UNDIVID	NONE	.00	COD322	FRIENDSHIP RD ROAD END	2	19I	
					.20					

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS


STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 992E  
 INVENTORY DIRECTION....EAST  
 NAME: SERVICE RD

PAGE..... 11  
 DATE.....12/31/86  
 COUNTY-WICOMICO  
 SHA DISTRICT.....1

SYSTEM		FUNC	HWY	ACCESS			MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	..... MILEPOINT DESCRIPTION .....	LANES	WIDTH/TYPE*	AADT	
SECONDARY	R NFA	R	9	UNDIVID	NONE	.DD C00321 .37	WHITE RICHARDSON RD ROAD END	2	19I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK





1987

*HIGHWAY LOCATION REFERENCE*

**WORCESTER  
COUNTY**

# DELAWARE



# WORCESTER COUNTY





STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 13 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: OCEAN HIGHWAY

PAGE..... 2  
DATE.....12/31/86  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM	SYSTEM		FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
	STATE	FEDERAL								
PRIMARY	R	FAP	129 R 2	DIVIDED	NONE	.75		4	48J	14,674
	U					3.16	IN CORP LMTS POCOMOKE CITY			
						3.64		4	48I	
					PART	3.87				
						3.91	MDD675A MARKET ST			
	R					4.19	OUT CORP LMTS POCOMOKE CITY			
						4.23	MDD366 POCOMOKE-STOCKTON RD			12,500
	U					4.47	IN CORP LMTS POCOMOKE CITY			
						4.55	MDD250A OLD POCOMOKE RD			15,800
						4.55	USD113 BERLIN-SNOW HILL RD			
						5.44	MDD756 LINDEN AVE			
						6.31	SOMERSET CO/L			
						6.31	STRUCTURE #23016 POCOMOKE RIVER			

ROUTE NUMBER.....US 50  
INVENTORY DIRECTION....EAST  
NAME: THE OCEAN GATEWAY

PRIMARY	R	FAP	130 R 2	DIVIDED	PART	.00	WICOMICO CO/L	4	48I	7,675
						.00	STRUCTURE #22001 POCOMOKE RIVER			
						.84	MDD610 EBENEZER CHURCH RD			
						2.96	MDD090 OCEAN CITY EXPWY			
		330	6			3.41	MDD090 OCEAN CITY EXPWY STRUC #23028			
						4.96	MDD346 OLD US 50	4	49J	
						5.70	MDD992F SERVICE RD			
						6.71	MDD818 MAIN ST	4	50J	
						6.90	R/R #MDD 531 875 B			
						7.04	USD113 BERLIN-SNOW HILL RD STRUC#23030			19,525
						7.05				
						7.87	MDD346 OLD US 50			
						8.05		4	48J	
					NONE	8.38	MDD452 BERLIN-CAREY RD			
						9.64	MDD589 OCEAN DOWNS RD			15,000
						10.46	USDD50WA OLD MD 707B SPUR			
						11.24	USDD50WB OLD MD 707B SPUR			
						11.45	USDD50WC OLD MD 707B SPUR			
						11.54	MDD707B NO NAME			
	U		14			11.92	STRUCTURE #23006 HERRING CREEK	4	48I	
						12.11	MDD707A OLD OCEAN CITY RD			
						12.93	MDD611 STEPHEN DECATUR RD			
						13.51	USDD50WF US 50 SERVICE RD			
						13.58	USDD50WF US 50 SERVICE RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 90 CONTINUED  
INVENTORY DIRECTION.....EAST  
NAME: OCEAN CITY EXPWY

PAGE..... 4  
DATE.....12/31/86  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT				
STATE	FEDERAL	CLASS	TYPE	CTL									
PRIMARY	R	FAP	130	R	2	UNIMPROVED	FULL	1.55	MD0346	OCEAN CITY EXPWY	2	24I	4,950
								2.41		STRUCTURE #23035P			
								2.81		STRUCTURE #23034C			
								3.73		STRUCTURE #23033 R/R #MOOE 532 218 N			
								4.08	US0113UL	PROPOSED RD STRUC #23032			
								4.49	US0113	BERLIN-SNOW HILL RD STRUC#23031			7,925
				U	12			6.09	MD0589	OCEAN OWNERS RD STRUC #23026			12,000
								7.85	OP0076	OCEAN PKWY STRUC #23022			
								8.88		STRUCTURE #23020 ST MARTIN RIVER			
								9.28					
								9.53					12,200
								10.02					
								10.74		STRUCTURE #23021 ASSAWOMAN BAY			
								10.74		IN CORP LMTS OCEAN CITY			
								11.65			4	38I	
								11.75			4	48I	
								11.88	MD0090A	MD 528 SPUR			
								11.89	MD0090B	MD 528 SPUR	4	60I	
								11.91	MD0528	PHILADELPHIA AVE			

ROUTE NUMBER.....MO 90A  
INVENTORY DIRECTION.....EAST  
NAME: SPUR

SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.00	MD0090	OCEAN CITY EXPWY	2	26I	
								.04	MD0528	PHILADELPHIA AVE			

ROUTE NUMBER.....MO 90B  
INVENTORY DIRECTION.....WEST  
NAME: SPUR

SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.00	MD0528	PHILADELPHIA AVE	2	25I	
								.03	MD0090	OCEAN CITY EXPWY			

ROUTE NUMBER.....US II3  
INVENTORY DIRECTION.....NORTH  
NAME: BERLIN-SNOW HILL RD

PRIMARY	U	FAP	327	R	6	DIVIDED	NONE	.00	US0013	OCEAN HWY	4	48I	5,000
								.00	MD0250A	OLD POCOMOKE RD (BACK)			
								.08		OUT CORP LMTS POCOMOKE CITY			
								1.03					3,100

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCILL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 113      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: BERLIN-SNOW HILL RD

PAGE..... 5  
DATE.....12/31/86  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM		FUNC		HWY		ACCESS		MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT	
STATE	FEDERAL	CLASS	TYPE	CTL									
PRIMARY	R	FAP	327	R	6	DIVIDED	NONE	1.27	MO0756	SIXTH ST	4	48I	3,100
								1.62			4	46I	
								1.95		STRUC#23010&#23027 PILCHARD CREEK			
								2.39			4	48I	
								2.73			4	46I	
								4.37		STRUC#23009 & #23024 BACHELORS BR			
								4.50			4	48I	
								4.86			4	46I	
								7.16		STRUCTURE #23036P			
								7.80		STRUCTURE #23023 CORKERS CREEK			
								8.90			4	48I	
								9.12			4	46I	
								9.41			4	48I	
							PART	9.60	MO0394	OLD US 113	3	36I	
								9.76			2	24I	
						UNOIVED		9.89					
								11.82	MO0012	N WASHINGTON ST			7,025
								13.01	MOD365	BAY ST			
								13.74		STRUCTURE #23029 PURNELL BRANCH			
								13.96		R/R #MODE 531 847 X			
							NONE	14.12	MO0394	OLD US 113			
								18.99			2	24J	
								20.05			2	24I	
								20.08		R/R #MODE 531 854 H			
								20.13			2	24J	
						DIVIDED		25.99			3	42J	
								26.09			4	46J	
								27.03			4	48J	
								27.17	MO0818A	SPUR			
								27.24		IN CORP LMTS BERLIN			
								27.24	MO0818	MAIN ST			
								28.08	MOD376	BAY ST			8,150
							PART	28.88	MO0346	OLD US 50			
								29.01		OUT CORP LIMITS BERLIN			
								29.18			4	48I	
								29.41	US0050	THE OCEAN GATEWAY STRUC #23030			4,225
								29.67			4	48J	
								29.84	MO0818	MAIN ST			
								30.00			4	46J	
								30.39			2	24J	
								30.55			2	22I	
								31.29	MO0452	BERLIN-CAREY RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 113      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: BERLIN-SNOW HILL RD

PAGE..... 6  
DATE.....12/31/86  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM		FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT
PRIMARY	R NFA	R 9	UNOIVED	NONE	32.18	M00090	OCEAN CITY EXPWY	STRUC #23031		2	22I	4,225
			DIVIDED		32.19					2	27I	8,000
			UNOIVED		32.34					2	22I	
					33.23					2	24I	
	FAP 327	6			33.30	M00589	OCEAN DOWNS RD			2	22I	
					33.92							
					36.11	M00367	BISHOPVILLE RD					10,000
					36.61		R/R #M00E 531 883 T					
					37.04	M00610	EBENEZER CHURCH RD					
					37.84		DELAWARE ST/L					

ROUTE NUMBER.....US 113UL  
INVENTORY DIRECTION....NORTH  
NAME: PROPOSED

PRIMARY	R FAP 327	R 6	DIVIDED	NONE	.00	US0113	BERLIN-SNOW HILL RD			4	48I	4,225
					1.30	M00090	OCEAN CITY EXPWY					
					2.50	US0113	BERLIN-SNOW HILL RD					

ROUTE NUMBER.....MD 250A  
INVENTORY DIRECTION....EAST  
NAME: OLD POCOMOKE RD

SECONDARY	R FAS 1367	R 7	DIVIDED	NONE	.00	M00675A	MARKET ST			2	32I	1,299
	U				.01		IN CORP LMTS POCOMOKE CITY			4	48I	
					.03							
	R				.18		OUT CORP LMTS POCOMOKE CITY					
					.19	US0013	OCEAN HWY					
					.19	US0113	BERLIN-SNOW HILL RD (AHEAD)					

ROUTE NUMBER.....MD 346  
INVENTORY DIRECTION....EAST  
NAME: OLD US 50

SECONDARY	R FAS 1348	R 7	UNOIVED	NONE	.00		STRUCTURE #22011 POCOMOKE RIVER			2	24I	1,000
					.00		WICOMICO CO/L					
	NFA	8			.93	M00610	EBENEZER RD					
					4.33	M00090	OCEAN CITY EXPWY STRUC #23025					
					5.67	US0050	THE OCEAN GATEWAY					1,275
					5.69					2	20I	
					5.87					2	24I	
					7.88	M00818	E MAIN ST			2	22I	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 346 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: OLD US 50

PAGE..... 7  
DATE.....12/31/86  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT
SECONDARY	R NFA	R 8	UNDIVIDED	NONE	7.98		R/R #CR 531 87D S		2	22I	1,275
	U				8.33		IN CORP LMTS BERLIN				
	FAS 1359	7			8.36	MDD377	WILLIAMS ST				
					8.45	US0113	BERLIN SNOW HILL RD				
	R				8.58		OUT CORP LMTS BERLIN				
			DIVIDED		9.21				2	54J	
					9.26	USDD50	THE OCEAN GATEWAY				

ROUTE NUMBER.....MD 354  
INVENTORY DIRECTION....NORTH  
NAME: SNOW HILL-WHITON RD

SECONDARY	R FAS 1351	R 7	UNDIVIDED	NONE	.00	MDDD12	STOCKTON-SNOW HILL RD		2	24I	1,125
					.08				2	22I	
					7.12		STRUCTURE #23D11 TILGHMAN RACE				
					7.64		WICOMICO CO/L				

ROUTE NUMBER.....MD 359  
INVENTORY DIRECTION....NORTH  
NAME: OLD US 113

SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00		ROAD END		2	24I	299
					1.09	MDD756	SIXTH ST		2	22H	
					1.12				2	16I	
					1.22		ROAD END				

ROUTE NUMBER.....MD 364  
INVENTORY DIRECTION....NORTH  
NAME: DIVIDING CREEK RD

SECONDARY	R FAS 1351	R 7	UNDIVIDED	NONE	.00		SOMERSET CO/L		2	20I	799
					.00		STRUCTURE #19D10 DIVIDING CREEK		2	22I	
					.42						
					1.54	COD297	WHITEBURG RD				
	NFA	9			2.71						
					2.72		ROAD END				

ROUTE NUMBER.....MD 365  
INVENTORY DIRECTION....EAST  
NAME: S BAY ST

SECONDARY	U FAS 1360	R 7	UNDIVIDED	NONE	.00	MDD394	E MARKET ST		2	22I	1,500
-----------	------------	-----	-----------	------	-----	--------	-------------	--	---	-----	-------

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 365      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: S BAY ST

PAGE..... 8  
DATE.....12/31/86  
COUNTY-WORCESTER  
SHA DISTRICT.....1

.....STATE.....	SYSTEM		..FEDERAL...	R	FUNC CLASS	HWY TYPE	ACCESS CTL	MILEPOINT	..... MILEPOINT	DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE#	AADT
	U	FAS											
SECONDARY	U	FAS	1360	R	7	UNDIVED	NONE	.30		R/R #CR 531 843 V	2	29I	1,500
								.37			2	21I	
	R							.48		OUT CORP LMTS SNOW HILL			
								.52			2	22I	
								1.03	US0113	BERLIN-SNOW HILL RD			
								1.12		STRUCTURE #23012 PATTYS BRANCH			
		NFA			8			4.71					2,000
								6.18			2	24I	
								6.29	CO0103	PUBLIC LANDING WHARF RD			

ROUTE NUMBER.....MD 366  
INVENTORY DIRECTION....EAST  
NAME: POCOMOKE-STOCKTON RD

SECONDARY	R	FAS	1364	R	7	UNDIVED	NONE	.00	MO0675A	MARKET ST	2	20H	1,900
								.08		OUT CORP LMTS POCOMOKE CITY			
								.10			2	16H	
								.17			2	22I	
								.20	US0013	OCEAN HWY			
								3.41					900
								4.09	MO0703	OLD MD 366			
								8.33			2	24I	
		NFA			8			8.39	MO0012	STOCKTON-SNOW HILL RD			
								8.45			2	20I	
								11.25		ROAD END			

ROUTE NUMBER.....MD 367  
INVENTORY DIRECTION....EAST  
NAME: BISHOPVILLE RD

SECONDARY	R	NFA		R	8	UNDIVED	NONE	.00	CO0235	BISHOP RD (BACK)	2	22I	1,800
								.09	US0113	BERLIN-DOVER RD			
								1.79		STRUCTURE #23013 BUNTINGS BRANCH			
								1.84	MO0368	ST MARTINS NECK RD			
					9			2.13	MO0568	LINE RD			
								2.60		DELAWARE ST/L			

ROUTE NUMBER.....MD 368  
INVENTORY DIRECTION....NORTH  
NAME: ST MARTINS NECK RD

SECONDARY	R	NFA		R	8	UNDIVED	NONE	.00	CO0220	ST MARTINS NECK RD (BACK)	2	22H	1,400
-----------	---	-----	--	---	---	---------	------	-----	--------	---------------------------	---	-----	-------

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 368 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: ST MARTINS NECK RD

PAGE..... 9  
DATE.....12/31/86  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT
SECONDARY	R	NFA	R	8	UNDIVIDED	NONE	.30	MDD367	BISHOPVILLE RD	2	22H	1,400

ROUTE NUMBER.....MD 371  
INVENTORY DIRECTION....NORTH  
NAME: WINTER QUARTERS DR

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	CODD57	CEDARHALL WHARF RD	2	22I	1,400
				8			.07					
				9			3.05					
				8			3.72					
	U.						4.07		IN CORP LMTS POCOMOKE CITY			
							4.27	MUD510	SECOND ST (AHEAD)			

ROUTE NUMBER.....MD 374  
INVENTORY DIRECTION....EAST  
NAME: BERLIN-LIBERTYTOWN RD

SECONDARY	R	FAS	1352	R	7	UNDIVIDED	NONE	.00		STRUCTURE #23017 POCOMOKE RIVER	2	22I	1,200
							.00			WICOMICO CO/L			
							4.01			STRUC #23014 LIBERTYTOWN BRANCH			1,825
							4.83						
							5.97				2	24I	
	U						8.04			IN CORP LMTS BERLIN			
							8.50			R/R #CR 531 865 V			
							8.58				2	27I	
							9.61	MDD375	COMMERCE ST	2	25I		
							8.70	MDD818	MAIN ST				

ROUTE NUMBER.....MD 375  
INVENTORY DIRECTION....NORTH  
NAME: COMMERCE ST

SECONDARY	U	NFA		R	9	UNDIVIDED	NONE	.00	MDD818	N MAIN ST	1	22J	1,499
							.06	MDD374	BROAD ST				

ROUTE NUMBER.....MD 376  
INVENTORY DIRECTION....EAST  
NAME: BAY STREET

SECONDARY	U	FAS	1352	R	7	UNDIVIDED	NONE	.00	MDD818	MAIN ST	2	30I	2,925
							.01	MDD377	WILLIAMS ST	2	24I		
		FAP	328		6		.42	USD113	BERLIN-SNOW HILL RD				

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 376      CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: BAY STREET

PAGE..... 10  
DATE.....12/31/86  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE			
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT		
SECONDARY	R	FAP	328	R	6	UNDIVIDED	NONE	.83		OUT CORP LMTS BERLIN	2	24I	2,925
								1.74		STRUCTURE #23019 TRAPPE CREEK			
								1.86					
								3.85		STRUCTURE #23015 AYER CREEK			2,025
								4.56	MDD611	STEPHEN DECATUR RD			

ROUTE NUMBER.....MD 377  
INVENTORY DIRECTION....NORTH  
NAME: WILLIAMS ST

SECONDARY	U	FAS	1359	R	7	UNDIVIDED	NONE	.00	MDD376	BAY ST	2	26I	2,099
								.28			2	28I	
								.29		R/R #CR 531 873 M			
								.61			2	27I	
								.78	MDD346	OLD US 50			

ROUTE NUMBER.....MD 378  
INVENTORY DIRECTION....NORTH  
NAME: BALTIMORE AVE

SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.00	MU9025	S SECOND ST	2	34I	8,499
								.05	MDD528	S FIRST ST			8,799
		FAP	331		14			.44	US0050	N DIVISION ST			
								.52	MDD378A	1ST ST			
								1.07	MDD378B	9TH ST			
								1.47			2	39I	
								1.54	MDD528	PHILADELPHIA AVE			

ROUTE NUMBER.....MD 378A  
INVENTORY DIRECTION....EAST  
NAME: N FIRST ST

SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.06	MDD378	BALTIMORE AVE	2	34I	4,299
								.13	MDD528	PHILADELPHIA AVE			

ROUTE NUMBER.....MD 378B  
INVENTORY DIRECTION....EAST  
NAME: N NINTH ST

SECONDARY	U	NFA		U	19	UNDIVIDED	NONE	.06	MDD378	BALTIMORE AVE	2	34I	4,299
								.13	MDD528	PHILADELPHIA AVE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 394  
INVENTORY DIRECTION....NORTH  
NAME: OLD US 113

PAGE..... 11  
DATE.....12/31/86  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYP#	AAOT	
SECONDARY	R	FAS	1361	R	7	UNOIVED	NONE	.00	US0113	BERLIN-SNOW HILL RD	2	24I	1,499
								.07			2	22I	
								1.89					5,599
	U							2.02		IN CORP LMTS SNOW HILL			
								2.06			2	24I	
								2.36			2	30I	
								2.67	M00012	S CHURCH RD (AHEAD)			
								2.85	M00012	N WASHINGTON ST (BACK)	2	34I	
								3.02	M00365	BAY ST	2	24I	
	R							3.56		OUT CORP LMTS SNOW HILL			
								3.77		STRUCTURE #23008 PURNELL BRANCH			
								4.16	US0113	BERLIN-SNOW HILL RD			

ROUTE NUMBER.....MD 452  
INVENTORY DIRECTION....NORTH  
NAME: BERLIN-CAREY RD

SECONDARY	R	NFA		R	8	UNOIVED	NONE	.00	US0050	THE OCEAN GATEWAY	2	24I	1,350
								.02	M00707B	OLD US 50			
								1.64	US0113	BERLIN-SNOW HILL RD			

ROUTE NUMBER.....MD 528  
INVENTORY DIRECTION....SOUTH  
NAME: PHILADELPHIA AVE

SECONDARY	U	FAP	331	U	14	DIVIDED	NONE	.00		DELAWARE ST/L	6	70I	19,000
								4.65			6	74I	24,400
								4.67	M00090B	SPUR			
								4.71	M00090	OCEAN CITY EXPWY			26,000
								4.74	M00090A	SPUR			
								4.82			6	70I	
			311					5.47			6	72I	
			331					6.86					24,200
								7.57	M00378	15TH ST	5	55I	
						UNOIVED		7.96	M00378B	9TH ST	2	24I	
								8.51	M00378A	N 1ST ST	4	48I	
		FAU	8405		16			8.61	US0050	THE OCEAN GATEWAY			
								8.64			3	38I	
								8.86			3	39I	
								8.98			3	40I	
								9.04	M00378	BALTIMORE AVE			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 568  
INVENTORY DIRECTION....NORTH  
NAME: LINE RD

PAGE..... 12  
DATE.....12/31/86  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS							MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	WIDTH/TYPE*	AADT
SECONDARY	R	NFA	R	8	UNDIVED	NONE	.00	MDD367	BISHOPVILLE RD	2	22I	1,300
							.41		DELAWARE ST/L			

ROUTE NUMBER.....MD 589  
INVENTORY DIRECTION....NORTH  
NAME: OCEAN DOWNS RD

SECONDARY	R	FAS	1357	R	7	UNDIVED	NONE	.00	US0050	THE OCEAN GATEWAY	3	39I	6,775
								.04	MDD707B	OLD US 50	3	36I	
								.55			2	24I	
						DIVIDED		2.12					
						UNDIVED		2.63	MDD090	OCEAN CITY EXPWY STRUC #23026			4,775
								3.19					
								4.68	US0113	BERLIN-SNOW HILL RD			

ROUTE NUMBER.....MD 610  
INVENTORY DIRECTION....EAST  
NAME: EBENEZER CHURCH RD

SECONDARY	R	NFA		R	9	UNDIVED	NONE	.00	C00176	DALE RD	2	24I	2,800
		FAS	1356		7			.20	US0050	THE OCEAN GATEWAY			
								.73	MDD346	OLD US 50	2	22I	
								1.41			2	21I	
								3.77					2,400
								6.53	US0113	BERLIN SNOW HILL RD			

ROUTE NUMBER.....MD 611  
INVENTORY DIRECTION....NORTH  
NAME: STEPHEN DECATUR RD

SECONDARY	R	FAP	329	R	6	UNDIVED	NONE	.00		ASSATEAGUE STATE PARK	2	20I	2,025
								.87		STRUCTURE #23018 SINEPUXENT BAY			
								2.12					3,175
								2.94			2	22I	
								3.44			2	20I	
								4.47	MDD376	BERLIN-LEWIS STORE RD			3,200
								8.16	MDD707A	OLD US 50	2	22I	
								8.51	US0050	THE OCEAN GATEWAY			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 626A  
INVENTORY DIRECTION....EAST  
NAME: WHARF RD

PAGE..... 13  
DATE.....12/31/86  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM		FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
STATE	FEDERAL	CLASS	TYPE	CTL					
SECONDARY	R NFA	U 17	UNDIVIDED	NONE	.00	MDD7D7A NO NAME	2	22I	799
		19			.26				
					.72	ROAD END			

ROUTE NUMBER.....MD 626B  
INVENTORY DIRECTION....NORTH  
NAME: WHARF RD

SECONDARY	R NFA	U 19	UNDIVIDED	NONE	.00	ROAD END	2	19H	799
					.08	MDD7D7A NO NAME			

ROUTE NUMBER.....MD 675A  
INVENTORY DIRECTION....NORTH  
NAME: MARKET ST

SECONDARY	U FAS 1366	R 7	UNDIVIDED	NONE	.00	USD013 OCEAN HWY	1	17I	5,600
					.25		2	24I	
					.30	MDD366 POCOMOKE-STOCKTON RD			
					.39	MDD25DA OLD POCOMOKE-VIRGINIA RD	2	30I	
					1.44	MDD756 6TH ST			
					1.75		2	49I	3,225
					1.86		2	48I	
					1.91		2	24J	
					1.95	STRUCTURE #230D4 POCOMOKE RIVER			
					1.95	SOMERSET CO/L			

ROUTE NUMBER.....MD 7D3  
INVENTORY DIRECTION....EAST  
NAME: OLD MD 366

SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00	ROAD END	2	22J	99
					.03		2	20I	
					.08	MDD366 POCOMOKE-STOCKTON RD			

ROUTE NUMBER.....MD 7D7A  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

SECONDARY	R NFA	R 9	UNDIVIDED	NONE	.00	US0050 THE OCEAN GATEWAY	2	22I	799
		U 19			.79	MDD611 STEPHEN DECATUR RD			
					1.25	MDD626A WHARF RD			
					1.89	MDD626B WHARF RD			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 818A  
INVENTORY DIRECTION....WEST  
NAME: OLD US 113 SPUR


PAGE..... 15  
DATE.....12/31/86  
COUNTY-WORCESTER  
SHA DISTRICT.....1

SYSTEM	FUNC	HWY	ACCESS						MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	LANES	WIDTH/TYPE*	AADT
SECONDARY	U	NFA	R	9	UNDIVIDED	NONE	.00	M00818	S MAIN ST	2	20I
							.08	US0113	BERLIN-SNOW HILL RD		

ROUTE NUMBER.....MD 992F  
INVENTORY DIRECTION....NORTH  
NAME: US 50 SERVICE RD

SECONDARY	R	NFA	R	9	UNDIVIDED	NONE	.00	US0050	THE OCEAN GATEWAY	2	18F
							.25		ROAD END		

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SCIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK






1987

*HIGHWAY LOCATION REFERENCE*

**BALTIMORE  
CITY**





STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MO 2 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: POTE ST

PAGE..... 2  
DATE.....12/31/86  
COUNTY-BALTIMORE CITY  
SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	CTL					
				1.80	STRUCTURE #5210 MIDDLE BRANCH			
				2.30	STRUC #5212 R/R #BO 831 597 R			
			IS0095	2.46	NO NAME			
				2.49	STRUC #5209 R/R #BO 140 387 S			
			US0040	4.56	ORLEANS ST STRUC#BC 1202			
			IS0083	5.41	JONES FALLS EXPWY STRUC #1403			
				5.47	R/R #CR 530 863 0			
			MD0025	5.63	LAFAYETTE AVE			
			US0001	5.72	NORTH AVE			

ROUTE NUMBER.....MO 25  
INVENTORY DIRECTION....NORTH  
NAME: LAFAYETTE ST

			MD0002	.00	CALVERT ST			
			MU1700	.34	HOWARD ST STRUC#BC 1405			
			US0001	.39	NORTH AVE STRUC#BC 1208			
				.49	R/R #BO 140 856 R			
			MU1611	1.04	28TH ST STRUC#BC 3205			
				1.16	29TH ST STRUC#BC 3206			
				1.31	CEAR AVE STRUC#BC 3501			
				1.79	STRUCTURE #3110			
				5.06	BALTIMORE CO/L			

ROUTE NUMBER.....MO 26  
INVENTORY DIRECTION....EAST  
NAME: LIBERTY HEIGHTS AVE

				.00	BALTIMORE CO/L			
			MD0126	.91	GWYNN OAK AVE			
				2.70	STRUC #BC 2201 R/R #BO 831 639 A			
			MD0140	3.42	REISTERSTOWN RD			

ROUTE NUMBER.....US 40  
INVENTORY DIRECTION....EAST  
NAME: BALTO NATIONAL PIKE

				.00	BALTIMORE CO/L			
			MU2880	2.12	HILTON PKWY STRUC#2203			
				2.17	R/R #BO 831 626 Y			
				2.21	STRUCTURE #2202 GWYNN'S FALLS			
				3.16	R/R #ATK 529 635 U			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....US 40 CONTINUED  
INVENTORY DIRECTION....EAST  
NAME: BALTO NATIONAL PIKE

PAGE..... 3  
DATE.....12/31/86  
COUNTY-BALTIMORE CITY  
SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS				MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	..... MILEPOINT DESCRIPTION .....	LANES	WIDTH/TYPE*	AADT
					3.60	US0001 FULTON AVE			
					4.77	MO0295 GREEN ST			
					4.84	MO0129 PACA ST			
					5.38	MO0002 CALVERT ST			
					5.51	IS0083 JONES FALLS EXPWY STRUC#1202			
					8.08	MO0150 HAVEN ST			
					8.15	R/R #CR 530 668 O			
					8.33	R/R #ATK 529 564 A			
					8.66	R/R #BO 140 837 L			
					8.83	MO0151 EROMAN AVE STRUC #4201			
					8.93	US00408A SPUR TO ERDMAN AVE			
					9.07	IS0895 HARBOR TUNNEL THRU STRUC#BCY 053			
					9.60	STRUCTURE #4211 HERRING RUN			
					9.82	MU0055 MORAVIA RD STRUC#BC 4106			
					10.01	IS0095 NO NAME STRUC#BC 4102 & #BC 4103			
					10.04	STRUCTURE #BC 4210 MOORES RUN			
					10.12	BALTIMORE CO/L			

ROUTE NUMBER.....US 408A  
INVENTORY DIRECTION....EAST  
NAME: SPUR TO ERDMAN AVE

.00 US0040 PULASKI HWY  
.17 MO0151 EROMAN AVE

ROUTE NUMBER.....MO 41  
INVENTORY DIRECTION....NORTH  
NAME: HILLEN RD

.00 MO0147 HARFORD RD  
1.82 STRUCTURE #BC3203  
2.72 STRUCTURE #3202 HERRING RUN  
3.48 MU1022 NORTHERN PKWY STRUC#3201  
3.78 BALTIMORE CO/L

ROUTE NUMBER.....MO 45  
INVENTORY DIRECTION....NORTH  
NAME: GREENMOUNT AVE

.00 US0001 NORTH AVE  
.57 R/R #BO 140 849 F  
4.23 BALTIMORE CO/L

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 7D  
INVENTORY DIRECTION....EAST  
NAME: NO NAME

PAGE..... 4  
DATE.....12/31/86  
COUNTY-BALTIMORE CITY  
SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS			MARKED	SURFACE		
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	..... MILEPOINT DESCRIPTION .....	LANES	WIDTH/TYPE*	AAOT

.00 BALTIMORE CO/L  
.14 ROAD END

ROUTE NUMBER.....IS 83  
INVENTORY DIRECTION....NORTH  
NAME: JONES FALLS EXPWY

.00	MU16BD	FAYETTE ST
.35	USDD4D	ORLEANS ST STRUC#BC 12D2
.90	MU1351	CHASE ST STRUC#BC 1401
.93	MU1382	FALLSWAY STRUC#BC 15D1
.97	MU4D2D	BIDDLE ST STRUC#BC 12D3
1.05	MUD955	PRESTON ST STRUC#BC 12D4
1.15	MU145D	GUILFORD AVE STRUC#BC 1402
1.23	MDDDD2	CALVERT ST STRUC#BC 14D3
1.29		ST PAUL ST STRUC#BC 12D5
1.40	MU1125	CHARLES ST STRUC#BC 12D6
1.51		MARYLAND AVE STRUC#BC 14D4
1.66	MU170D	HOWARD ST STRUC#BC 14D5
1.85	USODD1	NORTH AVE STRUC #BC 11D3
2.42	MU1611	28TH ST STRUC#BC 3205
2.49		29TH ST STRUC # 32D6
2.61		CEDAR AVE STRUC # 35D1
2.94	MDDD25	FALLS RD STRUC#3112
3.33		STRUCTURE #3113 JONES FALLS
3.67	MU2735	UNION AVE STRUC #3114
3.92	MUD989	41ST ST STRUC #32D7
4.68	MU21DD	COLD SPRING LANE STRUC#BC 32D4
4.86		STRUCTURE #BC 3118 JONES FALLS
5.80	MU1D22	NORTHERN PKWY STRUC#BC 32D9
6.24	MU22DD	KELLY AVE STRUC#BC 34D6
6.31		STRUCTURE #3125 WESTERN RUN
6.38		STRUCTURE #3126
6.60		STRUCTURE #3127
6.64		BALTIMORE CO/L

ROUTE NUMBER.....IS 95  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

.00 BALTIMORE CO/L  
.04 MU417D JOH AVE STRUC#BC 53D2

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 95 CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: NO NAME

PAGE..... 5  
DATE.....12/31/86  
COUNTY-BALTIMORE CITY  
SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
				.45	US0001AL CATON AVE STRUC#BC 5303			
				.88	MU1970 DESOTO RD STRUC#BC 5304			
				1.17	STRUCTURE #BC5305			
				1.58	MU1281 WASHINGTON BLVD STRUC #BC5306			
				2.36	MD0295 RUSSELL ST			
				2.78	IS0395 NO NAME			
				3.38	MD0002 HANOVER ST			
PRIMARY	U	FAI	95 U 11	DIVIOED	FULL	8	96J	56,596
				4.14	END BALTO CITY MAINTENANCE			
				4.14	BEGIN TOLL MAINTENANCE			
				4.76	BEGIN TUNNEL			
				4.85		8	96I	
				6.13	END TUNNEL			
				6.18		8	99I	
				6.27	UNOIVED NONE	24	99J	
				6.44				
				6.61	DIVIOED FULL	8	96J	
				6.82	TOLL PLAZA			
				6.82	END TOLL MAINTENANCE			
				6.82	BEGIN BALTO CITY MAINTENANCE			
				7.02	IS0895 HARBOR TUNNEL THRUWAY			
				7.11	IS0895 HARBOR TUNNEL THRUWAY			
				8.71	R/R #CIN 848 070 K			
				8.86	MD0150 EASTERN AVE			
				9.54	MD0151 NORTH POINT BLVD			
				10.35	US0040 PULASKI HWY			
				11.09	IS0895 HARBOR TUNNEL THRUWAY			
				11.29	BALTIMORE CO/L			

ROUTE NUMBER.....MD 126  
INVENTORY DIRECTION....EAST  
NAME: GWYNN OAK AVE

.00 BALTIMORE CO/L  
.92 MD0026 LIBERTY HEIGHTS AVE

ROUTE NUMBER.....MD 129  
INVENTORY DIRECTION....NORTH  
NAME: PACA ST

.00 US0040 FRANKLIN ST  
.00 MD0295 PACA ST (BACK)  
1.40 US0001 NORTH AVE  
2.72 MD0140 REISTERSTOWN RD

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 129      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: PACA ST

PAGE..... 6  
DATE.....12/31/86  
COUNTY-BALTIMORE CITY  
SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS			MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT DESCRIPTION	.....
						LANES	WIDTH/TYPE*	AADT
					2.93	MOD140	REISTERSTOWN RD	
					7.44		BALTIMORE CO/L	

ROUTE NUMBER.....MD 139  
INVENTORY DIRECTION....NORTH  
NAME: CHARLES ST

					.00	US0001	NORTH AVE	
					4.37		BALTIMORE CO/L	

ROUTE NUMBER.....MD 140  
INVENTORY DIRECTION....NORTH  
NAME: FULTON AVE

					.00	US0001	NORTH AVE	
					.71	M00026	LIBERTY HEIGHTS AVE	
					1.01	M00129	MCCULLOH ST	
					1.22	M00129	PARK HEIGHTS AVE	
					5.33		BALTIMORE CO/L	

ROUTE NUMBER.....MD 144  
INVENTORY DIRECTION....EAST  
NAME: FREDERICK RD

					.00		BALTIMORE CO/L	
					2.18		STRUC #BC5213 R/R #ATK 529 622 T	
					2.81		STRUC #BC2206 R/R #BO 831 623 O	
					3.75	US0001	FULTON AVE	

ROUTE NUMBER.....MD 147  
INVENTORY DIRECTION....NORTH  
NAME: HARFORD RD

					.00	US0001	NORTH AVE	
					.44		R/R #BO 140 848 Y	
					.88	M00542	THE ALAMEDA	
					.96	M00041	HILLEN RD	
					1.95		STRUCTURE #3212 HERRING RUN	
					5.16		BALTIMORE CO/L	

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK



STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 150  
INVENTORY DIRECTION....EAST  
NAME: HAVEN ST

PAGE..... 7  
DATE.....12/31/86  
COUNTY-BALTIMORE CITY  
SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS				MARKED	SURFACE	
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	..... MILEPOINT DESCRIPTION .....	LANES	WIDTH/TYPE*	AADT
					.00	US0040 PULASKI HWY			
					.35	R/R #80 140 399 C			
					.44	STRUC #4209 R/R #CR 530 667 W			
					.58	R/R #80 140 336 G			
					.67	STRUC#4401 R/R #CR 530 686 B			
					1.18	IS0895 HARBOR TUNNEL THRU STRUC#BCY 047			
					2.17	R/R #CIN 848 DD1 C			
					2.30	IS0095 NO NAME STRUC#4406			
					2.49	BALTIMORE CO/L			

ROUTE NUMBER.....MD 151  
INVENTORY DIRECTION....NORTH  
NAME: NORTH POINT RD

					.00	BALTIMORE CO/L			
					.06	IS0095 NO NAME			
					.15	R/R #ATK 529 563 T			
					.46	MU1190 NORTH POINT RD			
					.57	R/R #80 148 835 X			
					1.15	IS0895 HARBOR TUNNEL THRU STRUC#BCY 051			
					1.27	US0040 PULASKI HWY STRUC#4201			
					1.38	US0040BA SPUR TO ERDMAN AVE			
					3.22	US0001 BELAIR RD			

ROUTE NUMBER.....MD 171  
INVENTORY DIRECTION....EAST  
NAME: CHURCH ST

					.00	ANNE ARUNDEL CO/L			
					.61	MD0173 CURTIS AVE			

ROUTE NUMBER.....MD 172  
INVENTORY DIRECTION....NORTH  
NAME: ARUNDEL COVE AVE

					.00	MD0173 HAWKINS POINT RD			
					.12	ANNE ARUNDEL CO/L			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 173  
INVENTORY DIRECTION....NORTH  
NAME: FORT SMALLWOOD RD

PAGE..... 8  
DATE.....12/31/86  
COUNTY-BALTIMORE CITY  
SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS																
....STATE....	..FEDERAL...	CLASS	TYPE	CTL	MILEPOINT	.....	MILEPOINT	DESCRIPTION	.....	LANES	SURFACE	WIDTH/TYPE*	AAUT						
					.00			ANNE ARUNDEL CO/L											
					.79	M00172		ARUNDEL COVE RD											
					1.00			STRUC #5207 R/R #B0 140 366 Y											
					1.38	M00695		PATAPSCO FREEWAY STRUC#BC 2008											
					1.57			STRUCTURE #BC 5222 CURTIS CREEK											
					1.84	M00710		ORDNANCE RD											
					1.88			R/R #B0 140 162 M											
					2.17			STRUCTURE #5216 CABIN BRANCH											
					2.32			R/R #B0 140 362 W											
					2.90	M00171		CHURCH ST											
					3.59	M00173		PENNINGTON AVE											
					4.72	M00686		SECOND ST											
					4.86	M00002		POTEE ST											

ROUTE NUMBER.....MD 295  
INVENTORY DIRECTION....NORTH  
NAME: BALTO WASH PKWY

					.00			BALTIMORE CO/L											
					.15	M00100		PATAPSCO AVE STRUC#5204											
					.39	M00648E		ANNAPOLIS RD STRUC#5401											
					.51			STRUC #5208 R/R #B0 140 342 K											
					1.01	M00648E		WATERVIEW AVE STRUC#5402											
					1.10			STRUCTURE #BC 5001 PED WALKWAY											
					1.33			STRUC #5104 R/R #B0 831 615 L											
					1.49			STRUC #5102 R/R #B0 140 379 A											
					1.60	IS0095		NO NAME STRUC #5103											
					2.30			STRUC#5101 R/R #B0 140 846 H											
					2.64	IS0395A		MARTIN LUTHER KING JR BLVD											
					3.57	US0040		MULBERRY STREET(EAST)											
					3.64	US0040		FRANKLIN STREET(WEST)											

ROUTE NUMBER.....MD 372  
INVENTORY DIRECTION....EAST  
NAME: WILKINS AVE

					.00			BALTIMORE CO/L											
					.39	US0001		WILKINS AVE											

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
 OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
 BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

PAGE..... 9  
 DATE.....12/31/86  
 COUNTY-BALTIMORE CITY  
 SHA DISTRICT.....

ROUTE NUMBER.....IS 395  
 INVENTORY DIRECTION....NORTH  
 NAME: NO NAME

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AADT
....STATE....	..FEDERAL...	CLASS	TYPE	CTL				
				.00	IS0095		NO NAME	
				1.33	MU4295		W CAMDEN STREET	
				1.33	MU1700		HOWARD STREET (AHEAD)	

ROUTE NUMBER.....IS 395A  
 INVENTORY DIRECTION....NORTH  
 NAME: MARTIN LUTHER KING JR BLVD

.00	IS0395		NO NAME
.65	MU0295		RUSSELL ST
.65	MU6020		MARTIN LUTHER KING JR BLVD (AHD)

ROUTE NUMBER.....MD 542  
 INVENTORY DIRECTION....NORTH  
 NAME: THE ALAMEDA

.00	MD0147		HARFORD RD
.97	MU1490		LOCH RAVEN BLVD
2.20			STRUCTURE #3403 CHINQUAPIN RUN
3.71			BALTIMORE CO/L

ROUTE NUMBER.....MD 648E  
 INVENTORY DIRECTION....NORTH  
 NAME: ANNAPOLIS RD

.00			BALTIMORE CO/L
.41	MU0295		BALTO WASH PKWY STRUC #5401
.56			STRUC #BC 5406 R/R #BO 140 341 D
1.00	MU0295		BALTO WASH PKWY STRUC #BC 5402
1.36			R/R #BO 831 614 E
1.40			R/R #BO 140 381 B
1.66			STRUCTURE #BC 5301 GWYNN'S FALLS
1.82			MD 295 RUSSELL ST

ROUTE NUMBER.....MD 686  
 INVENTORY DIRECTION....NORTH  
 NAME: 2ND AVE

.00			ANNE ARUNDEL CO/L
.34	MU0173		PATAPSCO AVE

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
 J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....MD 695  
INVENTORY DIRECTION....NORTH  
NAME: PATAPSCO FREEWAY

PAGE..... 10  
DATE.....12/31/86  
COUNTY-BALTIMORE CITY  
SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT	
									STATE
PRIMARY	U	FAP	115 U 12	DIVIDED FULL	.00	BALTIMORE CO/L	4	56J	23,104
					.00	STRUCTURE #BCZ 002 PATAPSCO RIVER			
					.00	TOLL MAINTENANCE			
				UNOIVED	.76		4	54J	
					.84		2	24J	
					.88	MU4430 DOCK RD STRUC #BCZ 003			
					1.32	STRUCTURE #BCZ004			
					1.90	MU4420 QUARANTINE RD STRUC #BCZ006			
					2.46	STRUCTURE #BCZ006			
					2.64	MU4331 CHEMICAL RD STRUC #BCZ007			
					2.87	M00173 PENNINGTON AVE STRUC #BCZ008			
					3.23	ANNE ARUNDEL CO/L			

ROUTE NUMBER.....IS 895  
INVENTORY DIRECTION....NORTH  
NAME: HARBOR TUNNEL THRUWAY

PRIMARY	U	FAI	895 U 11	DIVIDED FULL	.00	ANNE ARUNDEL CO/L	4	68J	41,619
					.00	TOLL MAINTENANCE			
					.33	MU0100 PATAPSCO AVE STRUC #BCY 024			
					.46	M00002 POTEE ST STRUC #BCY025			
					.56	MU1530 HANOVER ST STRUC #BCY026			
					1.04		4	50I	
					1.21	STRUCTURE #BCY027 & #BCY028			
					1.21	R/R #B0 140 345 F			
					1.42	MU4350 FRANKFURST RD STRUC #BCY029			
					1.44		4	66J	
					1.59	STRUCTURE #BCY031			
					1.77	TOLL PLAZA			
					1.86	STRUCTURE #BCY032			
					2.24		4	44I	
					2.41	STRUCTURE #BCY034			
					2.47	BEGIN HARBOR TUNNEL STRUC #BCY035			
					3.92	END HARBOR TUNNEL STRUC #BCY035			
					4.13		4	56I	
					4.50	MU1280 NEWKIRK ST STRUC #BCY038			
					4.56	MU1310 HOLABIRD AVE STRUC #BCY038	6	50J	
					4.56	R/R #CR 530 673A & #B0 140 328P			
					4.78		4	70J	
					5.05	STRUCTURE #BC4041 BOSTON ST			
					5.29	MU1400 O'DONNELL ST STRUC#BCY 042			
					5.39	STRUC #BCY043 R/R #CIN 848 063 A			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

STATE HIGHWAY ADMINISTRATION OF MARYLAND  
OFFICE OF PLANNING AND PRELIMINARY ENGINEERING  
BUREAU OF HIGHWAY STATISTICS

STATE HIGHWAY LOCATION REFERENCE

ROUTE NUMBER.....IS 895      CONTINUED  
INVENTORY DIRECTION....NORTH  
NAME: HARBOR TUNNEL THRUWAY

PAGE..... 11  
DATE.....12/31/86  
COUNTY-BALTIMORE CITY  
SHA DISTRICT.....

SYSTEM	FUNC	HWY	ACCESS	MILEPOINT	MILEPOINT DESCRIPTION	MARKED LANES	SURFACE WIDTH/TYPE*	AAOT
PRIMARY	U	FAI	895	U 11	DIVIDED FULL			
				5.50	MU3010 FAIT AVE STRUC#BCY 044	4	70J	41,619
				5.57	MU1555 FOSTER AVE STRUC#BCY 045			
				5.64	MU1235 FLEET ST STRUC#BCY 046			
				5.69	MU0150 EASTERN AVE STRUC#BCY 047			
				6.04	MU0952 BAYVIEW AVE STRUC#BCY 048			
				6.39				
				6.51	STRUCTURE #BCY049	4	56J	35,000
				6.51	R/R #ATK 529 565G & #80 140 836E			
				6.69	MU0151 EROMAN AVE STRUC#BCY 051			
				6.74				
				6.77	MU1705 MAPLETON PL STRUC #BCY 052	4	52J	30,000
				6.88	US0040 PULASKI HWY STRUC #BCY053			
				6.98				
				7.26	STRUCTURE #BCY054 HERRING RUN	4	48J	
				7.50	MU0055 MORAVIA RD STRUC#BCY 056			
				7.78	MU1020 MORAVIA PARK DRIVE STRUC#BCY 057			
				8.07	STRUCTURE #BCY058 MOORES RUN			
				8.12	IS0095 J F K HWY STRUC #BC4104			
				8.51	IS0095 J F K HWY (AHEAD)			

\* A,B = UNIMPROVED; C = GRADED & DRAINED; D,E = SOIL, GRAVEL, STONE; F,G = LOW TYPE BITUMINUS; H,I = HIGH TYPE BITUMINUS;  
J = CONCRETE; K = BRICK; L = BLOCK

