

# ご案内

平素は格別のご愛顧を賜り誠にありがたく厚く御礼を申し上げます。  
2017年度版カタログをお届けします。

本カタログに収録している標識化合物の製造元は次の通りです。

ANAWA : ANAWA Trading SA, Switzerland  
Website <http://www.anawa.ch>

A R C : American Radiolabeled Chemicals, Inc., USA  
Website <http://www.arc-inc.com>

B L Y : BlyChem Ltd., England  
Website <http://www.blychem.com>

H A S : Institute of Isotopes Co., Ltd., Hungary  
Website <http://www.izotop.hu>

弊社ホームページ <http://www.muromachi.com> もご利用ください。  
今後とも一層のお引き立てのほどお願い申し上げます。

〒103-0022  
東京都中央区日本橋室町4丁目 2-1  
室町機械株式会社  
TEL: 03-3242-1601  
FAX: 03-3242-1608  
E-mail: [isotope@muromachi.com](mailto:isotope@muromachi.com)

# INDEX

---

御案内	・	・	・	・	・	・	1
INDEX	・	・	・	・	・	・	2
品質保証	・	・	・	・	・	・	3
特別合成	・	・	・	・	・	・	3
納品	・	・	・	・	・	・	3
価格, 容器指定	・	・	・	・	・	・	3
アイソトープのご注文について	・	・	・	・	・	・	4
特別合成、見積依頼書	・	・	・	・	・	・	5
製造元別 INDEX							
ARC							6 – 442
ANAWA							443
HAS							444 – 445
BLY							446

### 《品質保証》

商品は、出荷時に添付されるデータシートのとおりです。

この保証に反する場合は原因追求致しますが、弊社の責任は商品の価格までとさせていただきます。クレームは受領後30日以内にご連絡下さい。研究目的以外の使用による事故については責任を負いかねます。

放射化学的純度、化学的純度チェックは次のような方法を使用しています。

- |                   |                  |
|-------------------|------------------|
| a) 薄層クロマトグラフィー    | f) 高速液体クロマトグラフィー |
| b) ペーパークロマトグラフィー  | g) 比色定量酵素分析      |
| c) 高電圧電気泳動        | h) ガスクロマトグラフィー   |
| d) 逆同位体希釈分析法      | I) 紫外吸光スペクトル     |
| e) イオン交換クロマトグラフィー | j) 赤外吸光スペクトル     |

### 《特別合成》

本カタログ製品外の化合物について特別合成のサービスを行っています。ご相談下さい。

### 《納品》

納品は毎週火曜日行い、受注締切日時は特別に記載されていない限り次のとおりです。

製造元	核種	注文締切日時	納品予定日
ARC	$^3\text{H}$ 、 $^{14}\text{C}$	前週水曜日 16:00	毎週火曜日
	$^{32}\text{P}$ 、 $^{33}\text{P}$ 、 $^{35}\text{S}$ 、 $^{51}\text{Cr}$ 、 $^{125}\text{I}$	前週月曜日 16:00	
	$^{36}\text{Cl}$ 、 $^{45}\text{Ca}$	お問い合わせください	
HAS ANAWA BLY	$^3\text{H}$ 、 $^{14}\text{C}$ 、 $^{125}\text{I}$	お問い合わせください	

製造元が公休日の場合、注文締切日は前営業日になります。詳細は J-RAM (ラジオアイソトープ受発注システム <http://www.j-ram.net>) でご確認ください。又は弊社までお問い合わせください。製造元に在庫がなく予定通りの出荷が不可能な場合は早急にその旨電話連絡致します。

### 《価格、容器指定》

価格は、消費税を含んでおりません。価格はメーカー希望小売価格です。

容器指定希望の場合はお問い合わせ下さい。変更の場合追加料金が必要となることがあります。



# 特別合成

室町機械株式会社ではご使用者の依頼により標識化合物の特別合成を行っております。

室町機械(株)アイソトープ課 FAX: 03-3242-1608 / E-mail: isotope@muromachi.com

平成 年 月 日

## 特別合成見積依頼書

### ★ご依頼主

住所	〒	
氏名		
事業所名		
所属		
連絡先	TEL	FAX
	E-mail	

### ★ ご依頼の化合物について

化合物名	
構造式、標識位置	
必要量	比放射能
化学的純度	放射化学的純度
保守契約 要・不要	
文献 / 合成に関する詳細	

# TECHNICAL SERVICE AND CUSTOM LABELING

## Technical Service

Please feel free to use our toll free telephone number, 1-800-331-6661, for any questions, comments, complaints, requests or suggestions for new products. If you prefer to fax us your information, please contact us: 1-800-999-9925, or email to [arcinc@arc-inc.com](mailto:arcinc@arc-inc.com). Our experienced radiochemists are available to help you with any technical questions you may have. Every attempt will be made to satisfy your needs or requests.

## Tritium Labeling Service

TURN AROUND TIME 1-2 WEEKS

ARC routinely offers a variety of tritium labeling services. Our basic tritium labeling service includes removal of catalyst and labile tritium. Purification will be done at extra cost which will depend on the purification method required. The following listing details the most commonly used tritium labeling services:

### A. *Catalytic Reduction with Tritium Gas*

This procedure normally yields high specific activity products and requires halogenated or unsaturated precursors.

### B. *Reduction with Sodium Borohydride [ $^3\text{H}$ ] or Sodium Cyanoborohydride [ $^3\text{H}$ ]*

This procedure is rather inexpensive and requires precursors containing reducible functional groups such as aldehydes, ketones, lactones, esters, etc.

### C. *Reduction with Lithium Aluminum Hydride [ $^3\text{H}$ ] or diborane [ $^3\text{H}$ ]*

This procedure offers products at almost theoretical specific activities. It also requires precursors containing reducible functional groups such as aldehydes, ketones, lactones, esters, etc.

### D. *Tritium Gas Exposure Labeling Service*

This procedure involves exposing precursors containing exchangeable protons to tritium gas in the presence of a suitable catalyst.

### E. *Tritiated Water Exchange Labeling Service*

In this procedure the precursor is heated in the presence of tritiated water and a suitable catalyst. This procedure offers low specific activity products.

### F. *N-Methylation using Methyl Iodide [ $^3\text{H}$ ]*

This procedure is usually employed to prepare O-methyl or N-methyl [ $^3\text{H}$ ] products by treating appropriate precursors with high specific activity methyl iodide [ $^3\text{H}$ ]. It yields products at high specific activity, usually 80-87 Ci/mmol.

## Iodine-125 Labeling Service

ARC will provide quotations on the iodination of biologically active substances using  $^{125}\text{I}$ . We will undertake the iodination of peptides at specific or defined positions. The iodinated peptides are purified by state of the art HPLC techniques. Each product is accompanied by a detailed analytical data sheet and HPLC chromatogram.

## Carbon-14 Labeling Service

ARC is capable of conducting all types of custom synthesis. Our chemists are experienced in enzymatic as well as chemical synthesis on any amount. We offer competitive prices, fast delivery and quick price quotes.

## Sulfur-35 and Phosphorus-33 Labeling Service

Radiochemists at ARC have conducted several custom syntheses using Sulfur-35 and Phosphorus-33 isotopes. We offer competitive prices and quick turn around time

We will be happy to discuss your individual requirements and provide price quotations for the above services. Please fax or email the chemical structure or name, position of label, solubility, specific activity, no. of mCi required, literature references, purification procedure etc. for prompt price quotations and delivery information.

## Prices

We will beat other vendors' prices on most of the products and services we offer. ARC is not responsible for any typographical errors. Prices in this catalog may be increased without prior notice.



# CUSTOM SYNTHESIS AND PRECURSORS

Custom synthesis is an important part of our business. ARC employs a group of highly skilled and experienced PhD chemists who can tackle virtually any type of organic and biochemical synthesis. Because of our small size we offer very competitive prices, fast delivery, high quality products and prompt quotations. In most cases we are able to give immediate quotations and beat other competitors' prices by a wide margin.

We will be happy to sign a formal confidentiality agreement with your organization.

The following is a list of commonly used intermediates we routinely stock in bulk amounts for ready shipment:

Catalog Number	Product Description	Specific Activity
ARC 0101A	Acetic acid [1- <sup>14</sup> C] sodium salt	50-60 mCi/mmol
ARC 0158A	Acetic acid [2- <sup>14</sup> C] sodium salt	50-60 mCi/mmol
ARC 0173A	Acetic acid [1,2- <sup>14</sup> C] sodium salt	100-120 mCi/mmol
ART 0202B	Acetic acid [ <sup>3</sup> H] sodium salt	15-30 Ci/mmol
ARC 0365	Aniline [ <sup>14</sup> C(U)] hydrochloride	80-100 mCi/mmol
ARC 0109A	Barium carbonate [ <sup>14</sup> C]	50-60 mCi/mmol
ARC 0185	Benzene [ <sup>14</sup> C(U)]	80-120 mCi/mmol
ARC 0186	Benzoic acid [carboxyl- <sup>14</sup> C]	50-60 mCi/mmol
ARC 0187	Benzoic acid [ring- <sup>14</sup> C(U)]	50-80 mCi/mmol
ARC 0188	Bromoacetic acid [1- <sup>14</sup> C]	50-60 mCi/mmol
ARC 0189	Bromoacetic acid [2- <sup>14</sup> C]	50-60 mCi/mmol
ARC 0246A	Bromobenzene [ <sup>14</sup> C(U)]	80-120 mCi/mmol
ARC 0307	Carbon dioxide [ <sup>14</sup> C]	50-60 mCi/mmol
ARC 0373	Chloroacetic acid [1- <sup>14</sup> C]	50-60 mCi/mmol
ARC 0512	Cuprous cyanide [ <sup>14</sup> C]	50-60 mCi/mmol
ARC 0325	Diethylmalonate [2- <sup>14</sup> C]	50-60 mCi/mmol
ARC 0236A	Formaldehyde [ <sup>14</sup> C]	50-60 mCi/mmol
ARC 0163A	Formic acid [1- <sup>14</sup> C] sodium salt	50-60 mCi/mmol
ARC 0118A	Glucosamine [1- <sup>14</sup> C] hydrochloride	50-60 mCi/mmol
ARC 0122B	Glucose, D-[ <sup>14</sup> C(U)]	250-360 mCi/mmol
ARC 0350	Guanidine [ <sup>14</sup> C(U)] hydrochloride	50-60 mCi/mmol
ART 0580	Lithium aluminum hydride [ <sup>3</sup> H]	90-120 Ci/mmol
ARC 0130	Methanol [ <sup>14</sup> C]	50-60 mCi/mmol
ARC 0134	Methyl iodide [ <sup>14</sup> C]	50-60 mCi/mmol
ART 0262A	Methyl iodide [ <sup>3</sup> H]	80-85 Ci/mmol
ARC 0136A	Potassium cyanide [ <sup>14</sup> C]	50-60 mCi/mmol
ART 0121B	Sodium borohydride [ <sup>3</sup> H]	70-100 Ci/mmol
ART 0579	Sodium cyanohydride [ <sup>3</sup> H]	20-30 Ci/mmol
ARC 0140A	Sodium cyanide [ <sup>14</sup> C]	50-60 mCi/mmol
ARC 0143A	Sucrose [ <sup>14</sup> C(U)]	500-700 mCi/mmol
ARC 0144	Thiourea [ <sup>14</sup> C]	50-60 mCi/mmol
ARC 0150	Urea [ <sup>14</sup> C]	50-60 mCi/mmol
ART 0194	Water [ <sup>3</sup> H]	Up to 5 Ci/ml
ARC 1528	Zinc cyanide [ <sup>14</sup> C]	100-120 mCi/mmol

# UNIQUE STANDARDS FOR AUTORADIOGRAPHY

## Carbon-14 Standards on Glass Slides or Plastic Strips (References 1-8)

*35.0		0.13	2.15		0.833	400		4.47	3.0		0.70	7.00		3.66
18.41		0.067	1.75		0.700	280		2.15	2.5		0.57	6.00		3.33
8.98		0.035	1.61		0.574	220		1.11	2.15		0.32	5.68		3.00
4.47		0.017	1.47		0.453	117		0.53	1.74		0.19	5.33		2.66
2.15		0.009	1.34		0.324	51.6		0.29	1.60		0.13	5.00		2.33
1.11		0.004	1.24		0.193	35.0		0.13	1.33		0.06	4.66		2.00
0.53		0.002	1.12		0.063	18.4		0.067	1.12		0.035	4.33		1.66
0.29		0.00	0.96		0.00	8.98		0.035	0.83		0.017	4.00		1.33
ARC 0146			ARC 0146A			ARC 0146B			ARC 0146C			ARC 0146D		
ARC 0146 (PL)			ARC 0146A (PL)			ARC 0146B (PL)			ARC 0146C (PL)			ARC 0146D (PL)		
Suitable for whole body imaging <sup>5,6</sup>			Suitable for <sup>35</sup> S and <sup>33</sup> P <sup>7</sup>						Suitable for whole body imaging <sup>5,6</sup>			Suitable for <sup>35</sup> S and <sup>33</sup> P <sup>7</sup>		

### Prices:

One (1)	39,000	39,000	40,000	39,000	39,000
Ten (10)	259,000	259,000	285,000	259,000	259,000
Twenty (20)	419,000	419,000	470,000	419,000	419,000

### Former GE Standards

3.58		0.282	862		98.26		98.26		98.26		98.26			
2.13		0.136	700		48.46		48.46		48.46		48.46			
1.80		0.068	524		24.02		24.02		24.02		24.02			
1.51		0.036	349		9.53		9.53		9.53		9.53			
1.10		0.017	231		4.79		4.79		4.79		4.79			
0.831		0.008	120		2.54		2.54		2.54		2.54			
0.564		0.004	59		0.909		0.909		0.909		0.909			
0.460		0.002	30		0.433		0.433		0.433		0.433			
					0.251		0.251		0.251		0.251			
					0.100		0.100		0.100		0.100			
ARC 0146E			ARC 0146M <sup>+</sup>			ARC 0146N <sup>+</sup>			ARC 0146R <sup>++</sup>			ARC 0146T <sup>++</sup>		
ARC 0146E (PL)			ARC 0146M (PL) <sup>+</sup>			ARC 0146N (PL) <sup>+</sup>			ARC 0146R (PL) <sup>++</sup>			ARC 0146T (PL) <sup>++</sup>		
									(Similar to GE RPA504 <sup>**</sup> )			(Similar to GE RPA511 <sup>**</sup> )		

### Prices:

One (1)	40,000	40,000	40,000	40,000	40,000
Ten (10)	285,000	285,000	285,000	285,000	285,000
Twenty (20)	470,000	470,000	470,000	470,000	470,000

**Notes:** The numbers outside the diagrams of the slides indicate radioactive plastic concentration in  $\mu\text{Ci/g}$  or  $\text{nCi/mg}$ . The approximate amount of radioactivity on each slide/strip is 20  $\mu\text{Ci}$ . Abbreviations used: PL=plastic strip. The microscope slides measure 76 x 25 x 1 mm and the plastic strips 76 x 25 x 0.5 mm. Approximate weight of each radioactive section is 0.358 mg  $\pm$  10%. The approximate thickness of each radioactive section is 10 $\mu\text{m}$  unless noted. <sup>+</sup>Thickness of each radioactive section is 20 $\mu\text{m}$ . <sup>++</sup>Activity represented in  $\text{nCi/g}$ . <sup>\*\*</sup>Activity correlates to corresponding GE standard; thickness of each radioactive section is 20 $\mu\text{m}$ .

### References:

1. Baskin, D.G. *et al.*, *J. Neuroscience Meth.* 16, 119 (1986).
2. Baskin, D.G., *et al.*, *J. Histochem. Cytochem.* 37, No. 9, 1337-1344 (1989).
3. Miller, J.A. *et al.*, *Neuroscience Letters*, 81, 345 (1987).
4. Baskin, D.G. *et al.*, *Neuroscience Letters*, 104, 171-177 (1989).
5. McNally, *et al.*, *Pharmaceutical Research*, 6, 924-930 (1989).
6. Baskin, D.G. *et al.*, *J. Histochem. Cytochem.* CH, 1767 (1993).
7. Miller, J.A., *Neuroscience Letters*, 121, 211-214 (1991).






# UNIQUE STANDARDS FOR AUTORADIOGRAPHY

## Carbon-14 Standards on Plastic Strips (References 1-8)

Instrument Calibration (BIO-RAD Labs)




Autoradiography Standards

Prices:

One (1)	67,000	67,000	70,000	70,000	64,000
Ten (10)	512,000	512,000	599,000	599,000	414,000

## Tritium Standards on Glass Slides or Plastic Strips (References 1-8)

Former GE Standards



Prices:


One (1)	39,000	40,000	40,000	40,000
Ten (10)	229,000	272,000	272,000	272,000
Twenty (20)	429,000	459,000	459,000	459,000

**Notes:** The numbers outside the diagrams of the slides indicate radioactive plastic concentration in  $\mu\text{Ci/g}$  or  $\text{nCi/mg}$ . The approximate amount of radioactivity on each slide/strip is  $20 \mu\text{Ci}$ . Abbreviations used: PL=plastic strip. The microscope slides measure  $76 \times 25 \times 1 \text{ mm}$  and the plastic strips  $76 \times 25 \times 0.5 \text{ mm}$ . Approximate weight of each radioactive section is  $0.358 \text{ mg} \pm 10\%$ . The approximate thickness of each radioactive section is  $10 \mu\text{m}$  unless noted \*\*Activity correlates to corresponding GE standard; thickness of each radioactive section is  $20 \mu\text{m}$ .




# UNIQUE STANDARDS FOR AUTORADIOGRAPHY

## Iodine-125 Standards on Glass Slides



Iodine-125 concentration  
 $\mu\text{Ci/g}$  or  $\text{nCi/mg}$  plastic



### Prices:

One (1)	122,000	109,000
Ten (10)	498,000	414,000

### Decay Chart for Iodine-125

Days:	-11	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2
	1.135	1.123	1.110	1.097	1.084	1.072	1.060	1.047	1.035	1.023	1.012	1.000	0.988	0.977
Days:	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	0.966	0.955	0.944	0.933	0.922	0.912	0.901	0.891	0.881	0.870	0.860	0.850	0.841	0.831
Days:	17	18	19	20	21	22	23	24	25	26	27	28	29	30
	0.821	0.812	0.803	0.793	0.784	0.775	0.766	0.758	0.749	0.740	0.732	0.723	0.715	0.707
Days:	31	32	33	34	35	36	37	38	39	40	41	42	43	44
	0.699	0.961	0.683	0.675	0.667	0.659	0.652	0.644	0.637	0.630	0.622	0.615	0.608	0.601
Days:	45	46	47	48	49	50	51	52	53	54	55	56	57	58
	0.594	0.587	0.581	0.574	0.567	0.561	0.554	0.548	0.542	0.535	0.529	0.523	0.517	0.511
Days:	59	60	61	62	63	64	65	66	67	68	69	70	71	72
	0.505	0.499	0.494	0.488	0.482	0.477	0.471	0.466	0.461	0.455	0.450	0.445	0.440	0.435
Days:	73	74	75	76	77	78	79	80	81	82	83	84	85	86
	0.430	0.425	0.420	0.415	0.410	0.406	0.401	0.396	0.392	0.387	0.383	0.378	0.374	0.370
Days:	87	88	89	90	91	92	93	94	95	96	97	98	99	100
	0.365	0.361	0.357	0.353	0.349	0.345	0.341	0.337	0.333	0.329	0.326	0.322	0.318	0.314

Thickness: 20 microns

### Concentration:

The concentration of Iodine-125 in each piece will vary from batch to batch. The exact concentration and calibration date will be provided with every batch.

### Frequency:

Fresh batches of iodine-125 standards will be manufactured every **six months**.

### Recommended time frame for usage:

It is not recommended to use this product for more than six months past the reference date. Other stability and performance information is under investigation.

### Custom Synthesis:

We can make iodine-125 standards with any other range of concentrations or thicknesses on a custom synthesis basis. The iodine-125 standards are similar to our carbon-14 and tritium standards already mounted on plastic strips and ready to use.

**Note:** The numbers outside the diagrams of the slides indicate radioactive plastic concentration in  $\mu\text{Ci/g}$  or  $\text{nCi/mg}$ . The approximate amount of radioactivity for ARI 0133 is  $3 \mu\text{Ci} \pm 10\%$  and ARI 0133A is  $200 \text{nCi} \pm 10\%$ . Approximate weight of each radioactive section is  $0.358 \text{mg} \pm 10\%$ . The approximate thickness of each radioactive section is  $20 \mu\text{m}$ . The tissue equivalent for ARI 0133 is  $1.515 \text{fmole}/\mu\text{g}$  tissue and for ARI 0133A is  $0.00283 \text{fmole}/\mu\text{g}$  tissue.

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>AB-MECA</b> [ <sup>125</sup> I] (4-Amino-3-iodobenzyl-5'-N-[ <sup>125</sup> I]) M.W. 523	2200 Ci/mmol 81.4 TBq/mmol	Methanol 0.2 mCi/ml	<b>ARI 0119-10</b> μCi / 370 kBq <b>ARI 0119-50</b> μCi / 1.85 MBq	183,000 364,000	
<b>Abamectin</b> [ <sup>5-<sup>3</sup>H</sup> ] See Avermectin B <sub>1A</sub> [ <sup>5-<sup>3</sup>H</sup> ]			<b>ART 0864</b>		
<b>ABP-688</b> [methyl- <sup>3</sup> H] (3-(6-Methylpyridin-2-ylethynyl)cyclohex-2-enone-O-methylxime) M.W. 240.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1919-50</b> μCi / 1.85 MBq	209,000	
(±)- <i>cis, trans</i> -Abscisic acid "cold" (5-[1-Hydroxy-2,6,6-trimethyl-4-oxocyclohex-2-en-1-yl]-3 methyl-[2Z,4E]-pentdienoic acid) M.W. 264.3 CAS # 14375-45-2 <i>Synthetic</i>		Solid	<b>ARCD 0555-250</b> mg <b>ARCD 0555-500</b> mg <b>ARCD 0555-1</b> g <b>ARCD 0555-5</b> g <b>ARCD 0555-30</b> g	25,000 35,000 50,000 165,000 Inquire	
(±)- <i>trans, trans</i> Abscisic acid "cold" (5-[1-Hydroxy-2,6,6-trimethyl-4-oxocyclohex-2-en-1-yl]-3 methyl-[2E,4E]-pentadienoic acid) M.W. 264.3 CAS # 6755-41-5 <i>Synthetic</i> <i>Exclusive</i>		Solid	<b>ARCD 0572-50</b> mg <b>ARCD 0572-250</b> mg	68,000 193,000	
(±)-Abscisic acid "cold" M.W. 264.3 <i>Natural, isolated from plant gibberellins</i> <i>Exclusive</i>		Solid	<b>ARCD 0780-1</b> g <b>ARCD 0780-10</b> g	53,000 286,000	
(±)-Abscisic acid [ <sup>3</sup> H(G)] C <sub>15</sub> H <sub>20</sub> O <sub>4</sub> M.W. 264.32 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1186-50</b> μCi / 1.85 MBq <b>ART 1186-250</b> μCi / 9.25 MBq	259,000 469,000	
<b>Acacetin</b> "cold"		Solid	<b>ARCD 0752-10</b> mg	35,000	
<b>Acacetin</b> [ <sup>3</sup> H(G)] M.W. 284.27 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0640-250</b> μCi / 9.25 MBq	198,000	
<b>Acetaldehyde</b> [1- <sup>14</sup> C] CH <sub>3</sub> CHO M.W. 44.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 1 mCi/ml	<b>ARC 3157-250</b> μCi / 9.25 MBq	252,000	
<b>Acetaldehyde</b> [1,2- <sup>14</sup> C] CH <sub>3</sub> CHO M.W. 44.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 1 mCi/ml	<b>ARC 0286-250</b> μCi / 9.25 MBq	279,000	

# ALPHABETICAL LISTING OF CHEMICALS

<b>A</b> Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Acetamide [1-<sup>14</sup>C]</b> CH <sub>3</sub> CONH <sub>2</sub> M.W. 59.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0387A-50</b> μCi / 1.85 MBq <b>ARC 0387A-250</b> μCi / 9.25 MBq	93,000 226,000
<b>Acetamidine [1-<sup>14</sup>C] hydrochloride</b> CH <sub>3</sub> C(=NH)NH <sub>2</sub> ·HCl M.W. 94.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1669-250</b> μCi / 9.25 MBq <b>ARC 1669-1</b> mCi / 37 MBq	239,000 465,000
<b>2-Acetamidophenol [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> CONHC <sub>6</sub> H <sub>4</sub> OH M.W. 151.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1298-100</b> μCi / 3.7 MBq <b>ARC 1298-250</b> μCi / 9.25 MBq	212,000 395,000
<b>3-Acetamidophenol [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> CONHC <sub>6</sub> H <sub>4</sub> OH M.W. 151.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3176-100</b> μCi / 3.7 MBq <b>ARC 3176-250</b> μCi / 9.25 MBq	249,000 419,000
<b>4-Acetamidophenol [ring-<sup>14</sup>C(U)] (Acetaminophen)</b> CH <sub>3</sub> CONHC <sub>6</sub> H <sub>4</sub> OH M.W. 151.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0829-100</b> μCi / 3.7 MBq <b>ARC 0829-250</b> μCi / 9.25 MBq	229,000 383,000
<b>4-Acetamidophenol [2,6-<sup>3</sup>H] (Acetaminophen)</b> CH <sub>3</sub> CONHC <sub>6</sub> H <sub>4</sub> OH M.W. 151.16 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0679-250</b> μCi / 9.25 MBq	194,000
<b>4-Acetamidophenyl [ring-<sup>14</sup>C(U)] glucuronide sodium salt</b> C <sub>14</sub> H <sub>16</sub> NO <sub>8</sub> ·Na M.W. 349.27 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3277-50</b> μCi / 1.85 MBq <b>ARC 3277-250</b> μCi / 9.25 MBq	198,000 621,000
<b>Acetanilide [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> NHCOCH <sub>3</sub> M.W. 135.16 <i>Exclusive</i>	50-150 mCi/mmol 1.85-5.55 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0388A-50</b> μCi / 1.85 MBq <b>ARC 0388A-250</b> μCi / 9.25 MBq	93,000 254,000
<b>Acetic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> CO <sub>2</sub> H M.W. 60.05 <i>Exclusive</i>	2-10 mCi/mmol 74-370 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 1703-1</b> mCi / 37 MBq <b>ARC 1703-5</b> mCi / 185 MBq	160,000 379,000
<b>Acetic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> CO <sub>2</sub> H M.W. 60.05 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water in sealed ampoule 1 mCi/ml	<b>ARC 1703A-1</b> mCi / 37 MBq <b>ARC 1703A-5</b> mCi / 185 MBq	160,000 379,000
<b>Acetic acid [2-<sup>14</sup>C]</b> CH <sub>3</sub> CO <sub>2</sub> H M.W. 60.05 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water in sealed ampoule 1 mCi/ml	<b>ARC 1849-1</b> mCi / 37 MBq	282,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Acetic acid [1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> COONa M.W. 82.0	1-3 mCi/mmol 37-111 MBq/mmol	Solid	ARC 0101-50 μCi / 1.85 MBq ARC 0101-250 μCi / 9.25 MBq ARC 0101-1 mCi / 37 MBq ARC 0101-5 mCi / 185 MBq	47,000 65,000 113,000 359,000	
<b>Acetic acid [1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> COONa M.W. 82.0	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	ARC 0101A-50 μCi / 1.85 MBq ARC 0101A-250 μCi / 9.25 MBq ARC 0101A-1 mCi / 37 MBq ARC 0101A-5 mCi / 185 MBq	47,000 65,000 113,000 359,000	
<b>Acetic acid [1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> COONa M.W. 82.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	ARC 0101B-1 mCi / 37 MBq ARC 0101B-5 mCi / 185 MBq	113,000 359,000	
<b>Acetic acid [1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> COONa M.W. 82.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile saline 1 mCi/ml	ARC 0101D-1 mCi / 37 MBq ARC 0101D-5 mCi / 185 MBq	113,000 Inquire	
<b>Acetic acid [2-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> COONa M.W. 82.0	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	ARC 0158A-50 μCi / 1.85 MBq ARC 0158A-250 μCi / 9.25 MBq ARC 0158A-1 mCi / 37 MBq ARC 0158A-5 mCi / 185 MBq	51,000 99,000 234,000 Inquire	
<b>Acetic acid [2-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> COONa M.W. 82.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 1 mCi/ml	ARC 0158B-50 μCi / 1.85 MBq ARC 0158B-250 μCi / 9.25 MBq ARC 0158B-1 mCi / 37 MBq ARC 0158B-5 mCi / 185 MBq	51,000 99,000 234,000 Inquire	
<b>Acetic acid [1,2-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> COONa M.W. 82.0	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	ARC 0173-50 μCi / 1.85 MBq ARC 0173-250 μCi / 9.25 MBq ARC 0173-1 mCi / 37 MBq	64,000 136,000 269,000	
<b>Acetic acid [1,2-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> COONa M.W. 82.0 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol 1 mCi/ml	ARC 0173A-50 μCi / 1.85 MBq ARC 0173A-250 μCi / 9.25 MBq ARC 0173A-1 mCi / 37 MBq	64,000 136,000 269,000	
<b>Acetic acid [1,2-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> COONa M.W. 82.0 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Solid	ARC 0173B-1 mCi / 37 MBq	269,000	
<b>Acetic acid [<sup>3</sup>H] (free acid)</b> CH <sub>3</sub> CO <sub>2</sub> H M.W. 60.05 <i>NEW!-Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Sterile water 1 mCi/ml	ART 2123-5 mCi / 185 MBq	419,000	
<b>Acetic acid [<sup>3</sup>H] sodium salt</b> CH <sub>3</sub> CO <sub>2</sub> Na M.W. 82.0	75-150 mCi/mmol 2.78-5.56 GBq/mmol	Ethanol 5 mCi/ml	ART 0202-5 mCi / 185 MBq ART 0202-25 mCi / 925 MBq ART 0202-100 mCi / 3.7 GBq	72,000 142,000 279,000	
<b>Acetic acid [<sup>3</sup>H] sodium salt</b> CH <sub>3</sub> CO <sub>2</sub> Na M.W. 82.0	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 5 mCi/ml	ART 0202B-25 mCi / 925 MBq ART 0202B-100 mCi / 3.7 GBq	142,000 288,000	

# ALPHABETICAL LISTING OF CHEMICALS

A	Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
	<b>Acetic anhydride [1-<sup>14</sup>C]</b> 劇 (CH <sub>3</sub> CO) <sub>2</sub> O M.W. 102.1 <i>Exclusive</i>	2-10 mCi/mmol 74-370 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0102-250</b> μCi / 9.25 MBq <b>ARC 0102-1</b> mCi / 37 MBq <b>ARC 0102-5</b> mCi / 185 MBq	129,000 289,000 559,000
	<b>Acetic anhydride [1-<sup>14</sup>C]</b> 劇 (CH <sub>3</sub> CO) <sub>2</sub> O M.W. 102.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0102A-1</b> mCi / 37 MBq <b>ARC 0102A-5</b> mCi / 185 MBq	349,000 649,000
	<b>Acetic anhydride [1-<sup>14</sup>C]</b> 劇 (CH <sub>3</sub> CO) <sub>2</sub> O M.W. 102.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 5 mCi/ml	<b>ARC 0102C-250</b> μCi / 9.25 MBq <b>ARC 0102C-1</b> mCi / 37 MBq <b>ARC 0102C-5</b> mCi / 185 MBq	169,000 349,000 649,000
	<b>Acetic anhydride [1-<sup>14</sup>C]</b> 劇 (CH <sub>3</sub> CO) <sub>2</sub> O M.W. 102.1 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Toluene in sealed ampoule 5 mCi/ml	<b>ARC 0102Bt-250</b> μCi / 9.25 MBq <b>ARC 0102Bt-1</b> mCi / 37 MBq <b>ARC 0102Bt-5</b> mCi / 185 MBq	199,000 389,000 669,000
	<b>Acetic anhydride [<sup>3</sup>H]</b> 劇 (CH <sub>3</sub> CO) <sub>2</sub> O M.W. 102.1 <i>Exclusive</i>	100-500 mCi/mmol 3.7-18.5 GBq/mmol	Toluene in sealed ampoule 100 mCi/ml	<b>ART 0203At-25</b> mCi / 925 MBq <b>ART 0203At-100</b> mCi / 3.7 GBq	189,000 449,000
	<b>Acetic anhydride [<sup>3</sup>H]</b> 劇 (CH <sub>3</sub> CO) <sub>2</sub> O M.W. 102.1 <i>Exclusive</i>	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Toluene in sealed ampoule 100 mCi/ml	<b>ART 0203Bt-100</b> mCi / 3.7 GBq	479,000
	<b>Acetic anhydride [<sup>3</sup>H]</b> 劇 (CH <sub>3</sub> CO) <sub>2</sub> O M.W. 102.1 <i>Exclusive</i>	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Dioxane 100 mCi/ml	<b>ART 0203D-100</b> mCi / 3.7 GBq	479,000
	<b>Acetoacetic acid [3-<sup>14</sup>C]</b> CH <sub>3</sub> C OCH <sub>2</sub> COOH M.W. 101.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1853-50</b> μCi / 1.85 MBq	296,000
	<b>Acetoacetyl [3-<sup>14</sup>C] Coenzyme A</b> CH <sub>3</sub> C OCH <sub>2</sub> CO -CoA M.W. 971.60 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01M NaOAc (pH 5.2) under nitrogen 0.1 mCi/ml	<b>ARC 1854-10</b> μCi / 370 kBq	339,000
	<b>Acetone [1,3-<sup>14</sup>C]</b> CH <sub>3</sub> COCH <sub>3</sub> M.W. 58.08 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0469-250</b> μCi / 9.25 MBq <b>ARC 0469-1</b> mCi / 37 MBq	311,000 592,000
	<b>Acetone [2-<sup>14</sup>C]</b> CH <sub>3</sub> C OCH <sub>3</sub> M.W. 58.08 <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Sterile water in sealed ampoule 1 mCi/ml	<b>ARC 0174-250</b> μCi / 9.25 MBq <b>ARC 0174-1</b> mCi / 37 MBq	239,000 Inquire



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Acetonitrile [1-<sup>14</sup>C]</b> 劇 CH <sub>3</sub> CN M.W. 41.05 <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0389-250</b> μCi / 9.25 MBq <b>ARC 0389-1</b> mCi / 37 MBq	177,000 408,000	
<b>Acetonitrile [2-<sup>14</sup>C]</b> 劇 CH <sub>3</sub> CN M.W. 41.05 <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 1585-250</b> μCi / 9.25 MBq <b>ARC 1585-1</b> mCi / 37 MBq	212,000 479,000	
<b>Acetophenetidin [methyl-<sup>14</sup>C]</b> See Phenacetin [methyl- <sup>14</sup> C]			<b>ARC 3391</b>		
<b>Acetophenone [carbonyl-<sup>14</sup>C]</b> CH <sub>3</sub> COC <sub>6</sub> H <sub>5</sub> M.W. 120.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0416-50</b> μCi / 1.85 MBq <b>ARC 0416-250</b> μCi / 9.25 MBq <b>ARC 0416-1</b> mCi / 37 MBq	65,000 170,000 395,000	
<b>Acetophenone [methyl-<sup>14</sup>C]</b> CH <sub>3</sub> COC <sub>6</sub> H <sub>5</sub> M.W. 120.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0784-50</b> μCi / 1.85 MBq <b>ARC 0784-250</b> μCi / 9.25 MBq <b>ARC 0784-1</b> mCi / 37 MBq	71,000 191,000 423,000	
<b>Acetophenone [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> COC <sub>6</sub> H <sub>5</sub> M.W. 120.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1460-50</b> μCi / 1.85 MBq <b>ARC 1460-250</b> μCi / 9.25 MBq	107,000 212,000	
<b>N-Acetoxyphthalimide [acetoxy-<sup>3</sup>H]</b> M.W. 205.2 <i>Exclusive</i> <i>A novel and high specific activity tritioacetylating reagent</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethyl acetate in sealed ampoule 5 mCi/ml	<b>ART 0647-25</b> mCi / 925 MBq	408,000	
<b>Acetylacetone [2-<sup>14</sup>C]</b> (2,4-Pentanedione) CH <sub>3</sub> COCH <sub>2</sub> COCH <sub>3</sub> M.W. 100.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0791-250</b> μCi / 9.25 MBq <b>ARC 0791-1</b> mCi / 37 MBq	296,000 479,000	
<b>N-Acetyl [1-<sup>14</sup>C] L-aspartic acid</b> HO <sub>2</sub> CCH <sub>2</sub> CH(NHCOCH <sub>3</sub> )CO <sub>2</sub> H M.W. 175.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1332-50</b> μCi / 1.85 MBq	191,000	
<b>N-Acetyl-aspartyl-glutamate [glutamate-3,4-<sup>3</sup>H]</b> (NAAG) M.W. 304.2 <i>Shipped in Dry Ice</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Tris buffer (pH 7.7) 1 mCi/ml	<b>ART 0870-50</b> μCi / 1.85 MBq <b>ART 0870-250</b> μCi / 9.25 MBq	164,000 344,000	
<b>Acetyl bromide [1-<sup>14</sup>C]</b> CH <sub>3</sub> COBr M.W. 122.96 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in break seal	<b>ARC 0623-1</b> mCi / 37 MBq	Inquire	



# ALPHABETICAL LISTING OF CHEMICALS

<b>A</b> Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3-O-Acetyl [1-<sup>14</sup>C] L-carnitine hydrochloride</b> (CH <sub>3</sub> ) <sub>3</sub> NCH <sub>2</sub> CH(OCOCH <sub>3</sub> )CH <sub>2</sub> CO <sub>2</sub> ·HCl M.W. 239.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1615-50</b> μCi / 1.85 MBq	191,000
<b>3-O-Acetyl-L-carnitine [N-methyl-<sup>3</sup>H] hydrochloride</b> (CH <sub>3</sub> ) <sub>3</sub> NCH <sub>2</sub> CH(OCOCH <sub>3</sub> )CH <sub>2</sub> CO <sub>2</sub> ·HCl M.W. 239.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-90 Ci/mmol 2.96-3.33 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0739-250</b> μCi / 9.25 MBq <b>ART 0739-1</b> mCi / 37 MBq	191,000 353,000
<b>Acetyl chloride [1-<sup>14</sup>C]</b> CH <sub>3</sub> COCl M.W. 78.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	dichloromethane in sealed ampoule 1mCi/ml	<b>ARC 0180-1</b> mCi / 37 MBq <b>ARC 0180-5</b> mCi / 185 MBq	349,000 639,000
<b>Acetyl chloride [1,2-<sup>14</sup>C]</b> CH <sub>3</sub> COCl M.W. 78.5 <i>Exclusive</i>	80-100 mCi/mmol 2.96-3.7 GBq/mmol	dichloromethane in sealed ampoule 1mCi/ml	<b>ARC 3286-1</b> mCi / 37 MBq	499,000
<b>Acetyl chloride [2-<sup>14</sup>C]</b> CH <sub>3</sub> COCl M.W. 78.8 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	dichloromethane in sealed ampoule 1mCi/ml	<b>ARC 0792-1</b> mCi / 37 MBq	397,000
<b>Acetyl chloride [<sup>3</sup>H]</b> CH <sub>3</sub> COCl M.W. 78.8 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Dichloromethane in sealed ampoule 100 mCi/ml	<b>ART 1224-50</b> mCi / 1.85 GBq <b>ART 1224-100</b> mCi / 3.7 GBq	296,000 479,000
<b>Acetylcholine [methyl-<sup>14</sup>C] chloride</b> CH <sub>3</sub> COOCH <sub>2</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>3</sub> ·Cl M.W. 181.66 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 3300-50</b> μCi / 1.85 MBq	251,000
<b>Acetylcholine iodide [acetyl-1-<sup>14</sup>C]</b> CH <sub>3</sub> COOCH <sub>2</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>3</sub> I M.W. 273.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0181-50</b> μCi / 1.85 MBq <b>ARC 0181-250</b> μCi / 9.25 MBq	129,000 324,000
<b>Acetylcholine iodide [acetyl-<sup>3</sup>H]</b> CH <sub>3</sub> COOCH <sub>2</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>3</sub> I M.W. 273.1	20-30 Ci/mmol 0.74-1.11 GBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0204-1</b> mCi / 37 MBq	145,000
<b>Acetylcholine iodide [methyl-<sup>3</sup>H]</b> CH <sub>3</sub> COOCH <sub>2</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>3</sub> I M.W. 273.1 <i>Exclusive</i>	80-90 Ci/mmol 2.96-3.33 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0317-250</b> μCi / 9.25 MBq <b>ART 0317-1</b> mCi / 37 MBq	131,000 212,000
<b>Acetyl [1-<sup>14</sup>C] Coenzyme A</b> CH <sub>3</sub> CO·CoA M.W. 809.57 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01M NaOAc (pH 5.2) under nitrogen 0.1 mCi/ml	<b>ARC 0276-10</b> μCi / 370 kBq <b>ARC 0276-50</b> μCi / 1.85 MBq	108,000 282,000





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Acetyl [1-<sup>14</sup>C] Coenzyme A</b> <i>CAT Assay Grade</i> CH <sub>3</sub> CO·CoA M.W. 809.57 <i>Shipped in Dry Ice</i>	4 mCi/mmol 148 MBq/mmol	0.01M NaOAc (pH 5.2) under nitrogen 0.1 mCi/ml	<b>ARC 0276A-10</b> μCi / 370 kBq <b>ARC 0276A-50</b> μCi / 1.85 MBq	108,000 282,000	
<b>Acetyl [1,2-<sup>14</sup>C] Coenzyme A</b> CH <sub>3</sub> CO·CoA M.W. 809.57 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	0.01M NaOAc (pH 5.2) under nitrogen 0.1 mCi/ml	<b>ARC 0554-10</b> μCi / 370 kBq <b>ARC 0554-50</b> μCi / 1.85 MBq	159,000 335,000	
<b>Acetyl [<sup>3</sup>H] Coenzyme A</b> <i>CAT Assay Grade</i> CH <sub>3</sub> CO·CoA M.W. 809.57 <i>Shipped in Dry Ice</i>	200 mCi/mmol 7.4 GBq/mmol	0.01M NaOAc (pH 5.2) under nitrogen 1 mCi/ml	<b>ART 0213A-50</b> μCi / 1.85 MBq <b>ART 0213A-250</b> μCi / 9.25 MBq <b>ART 0213A-1</b> mCi / 37 MBq	111,000 212,000 Inquire	
<b>Acetyl [<sup>3</sup>H] Coenzyme A</b> <i>CAT Assay Grade</i> CH <sub>3</sub> CO·CoA M.W. 809.57 <i>Shipped in Dry Ice</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	0.01M NaOAc (pH 5.2) under nitrogen 1 mCi/ml	<b>ART 0213B-50</b> μCi / 1.85 MBq <b>ART 0213B-250</b> μCi / 9.25 MBq <b>ART 0213B-1</b> mCi / 37 MBq	111,000 212,000 Inquire	
<b>Acetyl Coenzyme A [Coenzyme A-<sup>3</sup>H(G)]</b> CH <sub>3</sub> CO·CoA M.W. 809.57 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 Bq/mmol	0.01M NaOAc (pH 5.2) under nitrogen 0.1 mCi/ml	<b>ART 2056-50</b> μCi / 1.85 MBq	443,000	
<b>Acetyl Coenzyme A lithium salt "cold"</b> ( <i>cis,cis,cis,cis</i> -5,8,11,14-Eicosatetraenoyl Coenzyme A lithium salt) M.W. 809.57		Solid	<b>ARCD 0294-10</b> mg <b>ARCD 0294-25</b> mg <b>ARCD 0294-100</b> mg	30,000 60,000 150,000	
<b>Acetyl [1-<sup>13</sup>C] Coenzyme A lithium salt "stable isotope"</b> C <sub>2</sub> C <sub>21</sub> H <sub>38</sub> N <sub>7</sub> O <sub>17</sub> P <sub>3</sub> S·xLi M.W. 809.57 (free acid) <i>NEW!-Exclusive</i>		Solid	<b>ARCD 1016-1</b> mg	450,000	
<b>N-Acetyl-L-cysteine [1-<sup>14</sup>C]</b> HSCH <sub>2</sub> CH(NHCOCH <sub>3</sub> )COOH M.W. 163.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0838-50</b> μCi / 1.85 MBq	404,000	
<b>N-Acetyl-dihydrosphingosine-D-erythro [4,5-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>12</sub> CH <sub>2</sub> CH <sub>2</sub> CH(OH)CH(NHAc)CH <sub>2</sub> OH M.W. 343.48 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0453-250</b> μCi / 9.25 MBq <b>ART 0453-1</b> mCi / 37 MBq	254,000 507,000	
<b>Acetylene dicarboxylic acid [2,3-<sup>14</sup>C]</b> HOOC≡CCO <sub>2</sub> H M.W. 114.1 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Solid	<b>ARC 0785</b>	Inquire	

# ALPHABETICAL LISTING OF CHEMICALS

A Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Acetylene monocarboxylic acid [2,3-<sup>14</sup>C]</b> HC≡CCO <sub>2</sub> H M.W. 70.1 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Solid	<b>ARC 3137-1</b> mCi / 37 MBq	492,000
<b>Acetyl-D-galactosamine, N-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NHCOCH <sub>3</sub> )CHO M.W. 221.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0103-50</b> μCi / 1.85 MBq <b>ARC 0103-250</b> μCi / 9.25 MBq	198,000 522,000
<b>Acetyl-D-galactosamine, N-[1-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NHCOCH <sub>3</sub> )CHO M.W. 221.2 <i>Exclusive</i>	10-25 Ci/mmol 0.37-0.925 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0159-250</b> μCi / 9.25 MBq <b>ART 0159-1</b> mCi / 37 MBq	142,000 269,000
<b>Acetyl-D-galactosamine, N-[1-<sup>14</sup>C]- 1-phosphate sodium salt</b> C <sub>8</sub> H <sub>14</sub> NO <sub>9</sub> PNa <sub>2</sub> M.W. 345.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 3023-50</b> μCi / 1.85 MBq <b>ARC 3023-250</b> μCi / 9.25 MBq	261,000 492,000
<b>Acetyl-D-glucosamine, N-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NHCOCH <sub>3</sub> )CHO M.W. 221.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0105-50</b> μCi / 1.85 MBq <b>ARC 0105-250</b> μCi / 9.25 MBq	206,000 Inquire
<b>Acetyl-D-glucosamine, N-[6-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NHCOCH <sub>3</sub> )CHO M.W. 221.2 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0101-50</b> μCi / 1.85 MBq <b>ART 0101-250</b> μCi / 9.25 MBq <b>ART 0101-1</b> mCi / 37 MBq	113,000 142,000 239,000
<b>Acetyl-D-glucosamine, N-[1-<sup>14</sup>C]- 1-phosphate disodium salt</b> C <sub>8</sub> H <sub>14</sub> NO <sub>9</sub> PNa <sub>2</sub> M.W. 345.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 1801-10</b> μCi / 370 kBq <b>ARC 1801-50</b> μCi / 1.85 MBq	269,000 492,000
<b>Acetyl-D-glucosamine [6-<sup>3</sup>H]-1-phosphate disodium salt</b> C <sub>8</sub> H <sub>14</sub> NO <sub>9</sub> PNa <sub>2</sub> M.W. 345.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ART 1400-10</b> μCi / 370 kBq <b>ART 1400-50</b> μCi / 1.85 MBq	184,000 449,000
<b>Acetyl glycine, N-[1-<sup>14</sup>C]</b> CH <sub>3</sub> CONHCH <sub>2</sub> COOH M.W. 117.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0881-50</b> μCi / 1.85 MBq <b>ARC 0881-250</b> μCi / 9.25 MBq	113,000 206,000
<b>Acetyl-4-hydroxy-L-proline, N-[<sup>3</sup>H(G)]</b> C <sub>7</sub> H <sub>11</sub> NO <sub>4</sub> M.W. 173.7 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0554-250</b> μCi / 9.25 MBq	254,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Acetyl, N-[1-<sup>14</sup>C] lactosamine</b> C <sub>14</sub> H <sub>25</sub> NO <sub>11</sub> M.W. 383.35 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0758-50</b> μCi / 1.85 MBq	Inquire	
<b>Acetyl-D-lactosamine, N-[glucosamine-6-<sup>3</sup>H]</b> C <sub>14</sub> H <sub>25</sub> NO <sub>11</sub> M.W. 383.35 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0469-250</b> μCi / 9.25 MBq	239,000	
<b>Acetyl-D-mannosamine, N-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NHCOCH <sub>3</sub> )CHO M.W. 221.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0106-50</b> μCi / 1.85 MBq <b>ARC 0106-250</b> μCi / 9.25 MBq	198,000 479,000	
<b>Acetyl-D-mannosamine, N-[6-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NHCOCH <sub>3</sub> )CHO M.W. 221.2 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0102-250</b> μCi / 9.25 MBq <b>ART 0102-1</b> mCi / 37 MBq	113,000 226,000	
<b>N-Acetyl-5'-methoxytryptamine [2-<sup>3</sup>H]</b> (Melatonin) M.W. 232.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol under nitrogen 1 mCi/ml	<b>ART 1504-250</b> μCi / 9.25 MBq	439,000	
<b>N-Acetyl-5'-methoxytryptamine [O-methyl-<sup>14</sup>C]</b> (Melatonin) M.W. 232.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under nitrogen 0.1 mCi/ml	<b>ARC 1381-10</b> μCi / 370 kBq <b>ARC 1381-50</b> μCi / 1.85 MBq	251,000 398,000	
<b>N-Acetyl-5'-methoxytryptamine [O-methyl-<sup>3</sup>H]</b> (Melatonin) M.W. 232.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-90 Ci/mmol 2.96-3.33 TBq/mmol	Ethanol under nitrogen 1 mCi/ml	<b>ART 0424-250</b> μCi / 9.25 MBq	239,000	
<b>N-Acetyl [1-<sup>14</sup>C] phytosphingosine</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>12</sub> CH <sub>2</sub> CHOHCHOHCH (NHCOCH <sub>3</sub> )CH <sub>2</sub> OH M.W. 359.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	25-50 mCi/mmol 0.925-1.85 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1651-50</b> μCi / 1.85 MBq	296,000	
<b>N-Acetyl [1-<sup>14</sup>C] phytosphingosine 1-phosphate</b> C <sub>20</sub> H <sub>42</sub> NO <sub>7</sub> P M.W. 439.49 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	25-50 mCi/mmol 0.925-1.85 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1652-10</b> μCi / 370 kBq	324,000	

# ALPHABETICAL LISTING OF CHEMICALS

A Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>N-Acetyl [1-<sup>14</sup>C] procainamide hydrochloride</b> $4-(\text{CH}_3\text{CONH})\text{C}_6\text{H}_4\text{CONH}(\text{CH}_2)_2\text{N}(\text{C}_2\text{H}_5)_2 \cdot \text{HCl}$ M.W. 313.8 <i>Exclusive</i>	25-50 mCi/mmol 0.925-1.85 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1756-50</b> $\mu\text{Ci}$ / 1.85 MBq	212,000
<b>Acetylsalicylic acid [acetyl-<sup>14</sup>C]</b> $\alpha\text{-C}_6\text{H}_4(\text{COOH})(\text{OCOCH}_3)$ M.W. 180.16 <i>Exclusive</i>	20-50 mCi/mmol 0.74-1.85 GBq/mmol	Methylene chloride in sealed ampoule 0.1 mCi/ml	<b>ARC 0473-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ARC 0473-250</b> $\mu\text{Ci}$ / 9.25 MBq	113,000 296,000
<b>Acetylsalicylic acid [acetyl-1,2-<sup>14</sup>C]</b> $\alpha\text{-C}_6\text{H}_4(\text{COOH})(\text{OCOCH}_3)$ M.W. 180.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride in sealed ampoule 0.1 mCi/ml	<b>ARC 1843-50</b> $\mu\text{Ci}$ / 1.85 MBq	269,000
<b>Acetylsalicylic acid [carboxyl-<sup>14</sup>C]</b> $\alpha\text{-C}_6\text{H}_4(\text{COOH})(\text{OCOCH}_3)$ M.W. 180.16	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride in sealed ampoule 0.1 mCi/ml	<b>ARC 0182-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ARC 0182-250</b> $\mu\text{Ci}$ / 9.25 MBq	121,000 311,000
<b>Acetylsalicylic acid [ring-3,5-<sup>3</sup>H]</b> $\alpha\text{-C}_6\text{H}_4(\text{COOH})(\text{OCOCH}_3)$ M.W. 180.16 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Methylene chloride in sealed ampoule 1 mCi/ml	<b>ART 0457-250</b> $\mu\text{Ci}$ / 9.25 MBq <b>ART 0457-1</b> mCi / 37 MBq	254,000 479,000
<b>N-Acetyl L-serine [1-<sup>14</sup>C]</b> $\text{HOCH}_2\text{CH}(\text{NHCOCH}_3)\text{COOH}$ M.W. 147.1 <i>Exclusive</i>	25-50 mCi/mmol 0.925-1.85 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0837-50</b> $\mu\text{Ci}$ / 1.85 MBq	479,000
<b>N-Acetyl sphingosine-D-erythro "cold"</b> M.W. 341.53 CAS # 3102-57-6		Solid	<b>ARCD 0275-5</b> mg <b>ARCD 0275-50</b> mg <b>ARCD 0275-100</b> mg	35,000 135,000 220,000
<b>N-Acetyl [1-<sup>14</sup>C] sphingosine-D-erythro (C-2 Ceramide)</b> M.W. 341.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	25-50 mCi/mmol 0.925-1.85 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1024-50</b> $\mu\text{Ci}$ / 1.85 MBq	269,000
<b>N-Acetyl [1-<sup>14</sup>C] sphingosine-D-erythro-1-phosphate</b> M.W. 421.49 <i>Shipped in Dry Ice</i>	25-50 mCi/mmol 0.925-1.85 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1655-10</b> $\mu\text{Ci}$ / 370 kBq	311,000
<b>Acetyl sulfadiazine, [phenyl ring-<sup>14</sup>C]</b> $\text{C}_{12}\text{H}_{12}\text{N}_4\text{O}_3\text{S}$ M.W. 292.28 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3058-50</b> $\mu\text{Ci}$ / 1.85 MBq	311,000
<b>Acetyl sulfamethazine [phenyl ring-<sup>14</sup>C(U)]</b> $\text{C}_{14}\text{H}_{16}\text{N}_4\text{O}_3\text{S}$ M.W. 320.33 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3064-50</b> $\mu\text{Ci}$ / 1.85 MBq	311,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>N-Acetylsulfanilyl chloride [ring-<sup>14</sup>C(U)]</b> 4-(CH <sub>3</sub> CONH)C <sub>6</sub> H <sub>4</sub> SO <sub>2</sub> Cl M.W. 233.67 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 3063-50</b> μCi / 1.85 MBq	296,000	
<b>2-Acetylthiophene [carboxyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>6</sub> OS M.W. 126.18 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 3243-50</b> μCi / 1.85 MBq	342,000	
<b>Acridine orange [<sup>3</sup>H(G)] (3,6-Acridinediamine)</b> C <sub>17</sub> H <sub>19</sub> N <sub>3</sub> M.W. 265.35 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 370-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1974-50</b> μCi / 1.85 MBq	135,000	
<b>Acrylamide [1-<sup>14</sup>C]</b> 劇 CH <sub>2</sub> =CHCONH <sub>2</sub> M.W. 71.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0375-250</b> μCi / 9.25 MBq <b>ARC 0375-1</b> mCi / 37 MBq	353,000 699,000	
<b>Acrylic acid [1-<sup>14</sup>C]</b> 劇 CH <sub>2</sub> =CHCO <sub>2</sub> H M.W. 72.06 <i>Shipped in Dry Ice</i>	1-5 mCi/mmol 37-185 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0390-250</b> μCi / 9.25 MBq <b>ARC 0390-1</b> mCi / 37 MBq	296,000 647,000	
<b>Acrylic acid [1-<sup>14</sup>C]</b> H <sub>2</sub> C=CHCO <sub>2</sub> H M.W. 72.06 <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	0.01N NaOH 0.1 mCi/ml	<b>ARC 3718-250</b> μCi / 9.25 MBq	439,000	
<b>Acrylonitrile [1-<sup>14</sup>C]</b> 劇 CH <sub>2</sub> =CHCN M.W. 53.06 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 1745-250</b> μCi / 9.25 MBq <b>ARC 1745-1</b> mCi / 37 MBq	507,000 799,000	
<b>Acryloyl chloride [1-<sup>14</sup>C]</b> CH <sub>2</sub> =CH-COCl M.W. 90.51 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Methylene chloride in sealed ampoule 1mCi/ml	<b>ARC 3577-250</b> μCi / 9.25 MBq	619,000	
<b>Acyclovir [8-<sup>14</sup>C]</b> C <sub>8</sub> H <sub>11</sub> N <sub>5</sub> O <sub>3</sub> M.W. 225.20 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 3208-10</b> μCi / 370 kBq <b>ARC 3208-25</b> μCi / 925 kBq	154,000 244,000	
<b>Acyclovir [8-<sup>3</sup>H]</b> C <sub>8</sub> H <sub>11</sub> N <sub>5</sub> O <sub>3</sub> M.W. 225.2 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0595-250</b> μCi / 9.25 MBq <b>ART 0595-500</b> μCi / 18.5 MBq <b>ART 0595-1</b> mCi / 37 MBq	207,000 305,000 469,000	
<b>Acyclovir [side chain-2-<sup>3</sup>H]</b> C <sub>8</sub> H <sub>11</sub> N <sub>5</sub> O <sub>3</sub> M.W. 225.2 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (3:7) 1 mCi/ml	<b>ART 0494-250</b> μCi / 9.25 MBq <b>ART 0494-1</b> mCi / 37 MBq	194,000 404,000	

# ALPHABETICAL LISTING OF CHEMICALS

<b>A</b> Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Adefovir dipivoxil [adenine-8-<sup>3</sup>H]</b> C <sub>8</sub> H <sub>12</sub> N <sub>5</sub> O <sub>4</sub> P M.W. 501.47 <i>Shipped in Dry Ice</i>	1-10 Ci/mmol 37-370 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1680-250</b> μCi / 9.25 MBq <b>ART 1680-1</b> mCi / 37 MBq	174,000 346,000
<b>Adenine [2,8-<sup>3</sup>H]</b> C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> M.W. 135.13	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0828-1</b> mCi / 37 MBq <b>ART 0828-5</b> mCi / 185 MBq	70,000 175,000
<b>Adenine [8-<sup>3</sup>H]</b> C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> M.W. 135.13 <i>Exclusive</i>	10-25 Ci/mmol 0.37-0.925 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0143-1</b> mCi / 37 MBq <b>ART 0143-5</b> mCi / 185 MBq	73,000 170,000
<b>Adenine [8-<sup>3</sup>H]</b> C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> M.W. 135.13 <i>Exclusive</i>	10-25 Ci/mmol 0.37-0.925 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0143A-1</b> mCi / 37 MBq <b>ART 0143A-5</b> mCi / 185 MBq	73,000 170,000
<b>Adenine [8-<sup>14</sup>C] hydrochloride</b> C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> ·HCl M.W. 171.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0328-50</b> μCi / 1.85 MBq <b>ARC 0328-250</b> μCi / 9.25 MBq	66,000 239,000
<b>Adenine [<sup>14</sup>C(U)] hydrochloride</b> C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> ·HCl M.W. 171.63 <i>Exclusive</i>	250-350 mCi/mmol 9.25-12.95 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3301-50</b> μCi / 1.85 MBq	156,000
<b>Adenosine [8-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>4</sub> M.W. 267.24	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Sterile water 0.05 mCi/ml	<b>ARC 0331-10</b> μCi / 370 kBq <b>ARC 0331-50</b> μCi / 1.85 MBq <b>ARC 0331-250</b> μCi / 9.25 MBq	89,000 255,000 566,000
<b>Adenosine [<sup>14</sup>C(U)]</b> C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>4</sub> M.W. 267.24	250-360 mCi/mmol 9.25-13.3 GBq/mmol	Sterile water 0.05 mCi/ml	<b>ARC 3464-10</b> μCi / 370 kBq <b>ARC 3464-50</b> μCi / 1.85 MBq	153,000 344,000
<b>Adenosine [2,8-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>4</sub> M.W. 267.24	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0287-1</b> mCi / 37 MBq <b>ART 0287-5</b> mCi / 185 MBq	69,000 228,000
<b>Adenosine [2,8-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>4</sub> M.W. 267.24	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0287A-1</b> mCi / 37 MBq <b>ART 0287A-5</b> mCi / 185 MBq	69,000 228,000
<b>Adenosine [5',8-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>4</sub> M.W. 267.24 <i>Shipped in Dry Ice</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1812-250</b> μCi / 9.25 MBq <b>ART 1812-1</b> mCi / 37 MBq	83,000 254,000
<b>Adenosine 3',5'-[<sup>125</sup>I] cyclic phosphoric acid, 2'-O-succinyl iodotyrosine methyl ester</b> cyclic AMP [ <sup>125</sup> I] M.W. ~730	2200 Ci/mmol 81.4 TBq/mmol	1-Propanol:0.02M sodium acetate (pH 6.0) (1:1) 0.03 mCi/ml	<b>ARI 0192-5</b> μCi / 185 kBq <b>ARI 0192-50</b> μCi / 1.85 MBq	Inquire Inquire



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Adenosine 3',5'-[8-<sup>14</sup>C] cyclic monophosphate ammonium salt</b> Cyclic AMP [8- <sup>14</sup> C] M.W. 346.20 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.01 mCi/ml	<b>ARC 3302-5</b> μCi / 185 kBq <b>ARC 3302-10</b> μCi / 370 kBq <b>ARC 3302-25</b> μCi / 925 kBq	172,000 239,000 458,000	
<b>Adenosine 3',5'-[2,8-<sup>3</sup>H] cyclic monophosphate ammonium salt</b> Cyclic AMP [2,8- <sup>3</sup> H] M.W. 346.3 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0163-250</b> μCi / 9.25 MBq <b>ART 0163-1</b> mCi / 37 MBq	99,000 219,000	
<b>Adenosine 3',5'-[5',8-<sup>3</sup>H] cyclic monophosphate ammonium salt</b> Cyclic AMP [5',8- <sup>3</sup> H] M.W. 346.30 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1790-250</b> μCi / 9.25 MBq <b>ART 1790-1</b> mCi / 37 MBq	126,000 293,000	
<b>Adenosine 5'-[α-<sup>32</sup>P] diphosphate ADP [α-<sup>32</sup>P]</b> M.W. 427.2 <i>Shipped w/o Dry Ice store at 4°C</i> <i>NEW!-Exclusive</i>	6000 Ci/mmol 222 TBq/mmol	50mM Tricine (pH 7.4) with 2mM DTT with stabilizer 10 mCi/ml	<b>ARP 0182-1</b> mCi / 37 MBq	566,000	
<b>Adenosine 5'-diphosphate [8-<sup>14</sup>C] trisodium salt</b> ADP [8- <sup>14</sup> C] M.W. 493.2 <i>Shipped in Dry Ice</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol:water (1:1) 0.02 mCi/ml	<b>ARC 3120-10</b> μCi / 370 kBq <b>ARC 3120-50</b> μCi / 1.85 MBq	144,000 327,000	
<b>Adenosine 5'-diphosphate [2,8-<sup>3</sup>H] trisodium salt</b> ADP [2,8- <sup>3</sup> H] M.W. 487.21 <i>Shipped in Dry Ice</i>	25-40 Ci/mmol 0.925-1.48 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0386-250</b> μCi / 9.25 MBq	153,000	
<b>Adenosine 5'-diphospho-D-glucosamine [8-<sup>14</sup>C]</b> M.W. 668.78 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 mCi/mmol 0.74-1.48 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 1491-50</b> μCi / 1.85 MBq	Inquire	
<b>Adenosine 5'-diphospho D-glucose [D-glucose-<sup>14</sup>C(U)] ammonium salt</b> <chem>C16H31N7O15P2</chem> M.W. 623.40 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	250-350 mCi/mmol 9.25-12.95 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 3297-5</b> μCi / 185 kBq	261,000	
<b>Adenosine diphospho D-glucose disodium salt "cold"</b> M.W. 633.31 CAS # 102129-65-7		Solid	<b>ARCD 0781-5</b> mg	57,000	
<b>Adenosine 5'-(β,γ-imido)triphosphate [8-<sup>3</sup>H]</b> AMP-PNP M.W. 506.2 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 2151-50</b> μCi / 1.85 MBq	209,000	



# ALPHABETICAL LISTING OF CHEMICALS

A Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Adenosine 5'-monophosphate [2,8-<sup>3</sup>H]</b> AMP [2,8- <sup>3</sup> H] M.W. 347.2 <i>Shipped in Dry Ice</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0843-250</b> μCi / 9.25 MBq <b>ART 0843-1</b> mCi / 37 MBq <b>ART 0843-5</b> mCi / 185 MBq	63,000 141,000 332,000
<b>Adenosine 5' monophosphate [8-<sup>14</sup>C]</b> <b>diammonium salt</b> AMP [8- <sup>14</sup> C] M.W. 381.28 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1180-10</b> μCi / 370 kBq <b>ARC 1180-50</b> μCi / 1.85 MBq	104,000 229,000
<b>Adenosine 5'-(α-thio)-triphosphate [α-<sup>35</sup>S]</b> ATP [α- <sup>35</sup> S] M.W. 523.2 <i>Shipped in Dry Ice</i>	1250 Ci/mmol 46.25 TBq/mmol	Aqueous solution containing 10mM tricine (pH 7.6) with 1mM DTT 12.5 mCi/ml	<b>ARS 0113-250</b> μCi / 9.25 MBq <b>ARS 0113-1</b> mCi / 37 MBq	Inquire Inquire
<b>Adenosine 5'-(γ-thio)-triphosphate [γ-<sup>35</sup>S]</b> ATP [γ- <sup>35</sup> S] <i>Shipped in Dry Ice</i>	1250 Ci/mmol 46.25 TBq/mmol	Aqueous solution containing 10mM tricine (pH 7.6) with 1mM DTT 12.5 mCi/ml	<b>ARS 0122-250</b> μCi / 9.25 MBq <b>ARS 0122-1</b> mCi / 37 MBq	135,000 252,000
<b>Adenosine 5'-(γ-thio)-triphosphate [γ-<sup>35</sup>S]</b> ATP [γ- <sup>35</sup> S] <i>Shipped in Dry Ice</i>	25-100 Ci/mmol 0.925-3.7 TBq/mmol	Aqueous solution containing 10mM tricine (pH 7.6) with 1mM DTT 12.5 mCi/ml	<b>ARS 0122A-250</b> μCi / 9.25 MBq <b>ARS 0122A-1</b> mCi / 37 MBq	135,000 252,000
<b>Adenosine 5'-triphosphate [2,8-<sup>3</sup>H]</b> <b>tetrasodium salt</b> ATP [2,8- <sup>3</sup> H] M.W. 595.3 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0164-250</b> μCi / 9.25 MBq <b>ART 0164-1</b> mCi / 37 MBq <b>ART 0164-5</b> mCi / 185 MBq	107,000 219,000 439,000
<b>Adenosine 5'-[α-<sup>32</sup>P] triphosphate tetra (triethylammonium) salt</b> ATP [α- <sup>32</sup> P] M.W. 912.0 <i>Shipped in Dry Ice</i>	800 Ci/mmol 29.6 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0101-250</b> μCi / 9.25 MBq <b>ARP 0101-500</b> μCi / 18.5 MBq <b>ARP 0101-1</b> mCi / 37 MBq	Inquire Inquire Inquire
<b>Adenosine 5'-[α-<sup>32</sup>P] triphosphate tetra (triethylammonium) salt</b> ATP [α- <sup>32</sup> P] M.W. 912.0 <i>Shipped in Dry Ice</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0101A-250</b> μCi / 9.25 MBq <b>ARP 0101A-500</b> μCi / 18.5 MBq <b>ARP 0101A-1</b> mCi / 37 MBq	Inquire Inquire Inquire
<b>Adenosine 5'-[α-<sup>32</sup>P] triphosphate tetra (triethylammonium) salt</b> ATP [α- <sup>32</sup> P] M.W. 912.0 <i>Shipped in Dry Ice, store at 4°C</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0101B-250</b> μCi / 9.25 MBq <b>ARP 0101B-500</b> μCi / 18.5 MBq <b>ARP 0101B-1</b> mCi / 37 MBq	Inquire Inquire Inquire





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Adenosine 5'-[<math>\gamma</math>-<sup>32</sup>P] triphosphate tetra (triethylammonium) salt</b> ATP [ $\gamma$ - <sup>32</sup> P] M.W. 912.0 <i>Shipped in Dry Ice</i>	6000 Ci/mmol 222 TBq/mmol	10mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0102A-250</b> $\mu$ Ci / 9.25 MBq <b>ARP 0102A-500</b> $\mu$ Ci / 18.5 MBq <b>ARP 0102A-1</b> mCi / 37 MBq	Inquire Inquire Inquire	
<b>Adenosine 5'-[<math>\gamma</math>-<sup>32</sup>P] triphosphate End labeling grade (&gt;90% <math>\gamma</math>-AT<sup>32</sup>P)</b> ATP [ $\gamma$ - <sup>32</sup> P] <i>Shipped in Dry Ice</i>	6000 Ci/mmol 222 TBq/mmol	10mM tricine (pH 7.6) 150 mCi/ml	<b>ARP 0102B-5</b> mCi / 185 MBq <b>ARP 0102B-10</b> mCi / 370 MBq	Inquire Inquire	
<b>Adenosine 5'-[<math>\gamma</math>-<sup>32</sup>P] triphosphate tetra (triethylammonium) salt</b> ATP [ $\gamma$ - <sup>32</sup> P] M.W. 912.0 <i>Shipped in Dry Ice, store at 4°C</i>	6000 Ci/mmol 222 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0102C-250</b> $\mu$ Ci / 9.25 MBq <b>ARP 0102C-500</b> $\mu$ Ci / 18.5 MBq <b>ARP 0102C-1</b> mCi / 37 MBq	Inquire Inquire Inquire	
<b>Adenosine 5'-[<math>\gamma</math>-<sup>32</sup>P] triphosphate tetra (triethylammonium) salt</b> ATP [ $\gamma$ - <sup>32</sup> P] M.W. 912.0 <i>Shipped in Dry Ice, store at 4°C</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0102D-250</b> $\mu$ Ci / 9.25 MBq <b>ARP 0102D-500</b> $\mu$ Ci / 18.5 MBq <b>ARP 0102D-1</b> mCi / 37 MBq	Inquire Inquire Inquire	
<b>Adenosine 5'-[<math>\gamma</math>-<sup>32</sup>P] triphosphate tetra (triethylammonium) salt</b> ATP [ $\gamma$ - <sup>32</sup> P] M.W. 912.0 <i>Shipped in Dry Ice</i>	3000 Ci/mmol 111 TBq/mmol	10mM tricine (pH 7.6) 5 mCi/ml	<b>ARP 0102F-250</b> $\mu$ Ci / 9.25 MBq <b>ARP 0102F-500</b> $\mu$ Ci / 18.5 MBq <b>ARP 0102F-1</b> mCi / 37 MBq	Inquire Inquire Inquire	
<b>Adenosine 5'-[<math>\alpha</math>-<sup>33</sup>P] triphosphate</b> ATP [ $\alpha$ - <sup>33</sup> P] M.W. 535.22 <i>Shipped in Dry Ice, store at 4°C</i> <i>Exclusive</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) with stabilizer 10 mCi/ml	<b>ARP 0131-250</b> $\mu$ Ci / 9.25 MBq <b>ARP 0131-1</b> mCi / 37 MBq	Inquire Inquire	
<b>Adenosine 5'-[<math>\gamma</math>-<sup>33</sup>P] triphosphate</b> ATP [ $\gamma$ - <sup>33</sup> P] M.W. 535.22 <i>Shipped in Dry Ice</i>	3000 Ci/mmol 111 TBq/mmol	10mM Tricine (pH 7.6) 10 mCi/ml	<b>ARP 0128-250</b> $\mu$ Ci / 9.25 MBq <b>ARP 0128-1</b> mCi / 37 MBq	92,000 Inquire	
<b>Adenosine 5'-[<math>\gamma</math>-<sup>33</sup>P] triphosphate</b> ATP [ $\gamma$ - <sup>33</sup> P] M.W. 535.22 <i>Shipped in Dry Ice, store at 4°C</i>	2000-3000 Ci/mmol 74-111 TBq/mmol	50mM Tricine (pH 7.6) with stabilizer 10 mCi/ml	<b>ARP 0136-250</b> $\mu$ Ci / 9.25 MBq <b>ARP 0136-1</b> mCi / 37 MBq	92,000 Inquire	
<b>S-(5'-Adenosyl)-L-methionine "cold" (SAM)</b> <chem>C15H22N6O5S</chem> M.W. 398.5 CAS # 29908-03-0 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0768-5</b> mg <b>ARCD 0768-25</b> mg <b>ARCD 0768-100</b> mg <b>ARCD 0768-1</b> g	32,000 47,000 129,000 229,000	
<b>Adenosyl-L-methionine, S-[carboxyl-<sup>14</sup>C] (SAM)</b> M.W. 398.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sulfuric acid (pH 2.0): ethanol (9:1) 0.1 mCi/ml	<b>ARC 0343-50</b> $\mu$ Ci / 1.85 MBq	366,000	

# ALPHABETICAL LISTING OF CHEMICALS

A Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Adenosyl-L-methionine, S-[methyl-<sup>14</sup>C] (SAM)</b> M.W. 398.5 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sulfuric acid (pH 2.0): ethanol (9:1) 0.1 mCi/ml	<b>ARC 0344-50</b> μCi / 1.85 MBq	239,000
<b>Adenosyl-L-methionine, S-[methyl-<sup>3</sup>H] (SAM)</b> M.W. 398.5 <i>Shipped in Dry Ice</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Sulfuric acid (pH 2.0): ethanol (9:1) 1 mCi/ml	<b>ART 0288-50</b> μCi / 1.85 MBq <b>ART 0288-250</b> μCi / 9.25 MBq <b>ART 0288-1</b> mCi / 37 MBq <b>ART 0288-5</b> mCi / 185 MBq	72,000 108,000 242,000 Inquire
<b>Adenosyl-L-methionine, S-[methyl-<sup>3</sup>H] (SAM)</b> M.W. 398.5 <i>Shipped in Dry Ice</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Sulfuric acid (pH 2.0): ethanol (9:1) 1 mCi/ml	<b>ART 0288A-50</b> μCi / 1.85 MBq <b>ART 0288A-250</b> μCi / 9.25 MBq <b>ART 0288A-1</b> mCi / 37 MBq <b>ART 0288A-5</b> mCi / 185 MBq	72,000 108,000 242,000 Inquire
<b>Adenosyl-L-methionine, S-[<sup>35</sup>S] (SAM)</b> M.W. 398.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1250 Ci/mmol 46.25 TBq/mmol	Sulfuric acid (pH 2.0): ethanol (9:1) 1 mCi/ml	<b>ARS 0130-1</b> mCi / 37 MBq <b>ARS 0130-5</b> mCi / 185 MBq	544,000 Inquire
<b>S-(5'-Adenosyl)-L-methionine chloride "cold" (SAM Chloride)</b> C <sub>15</sub> H <sub>23</sub> ClN <sub>6</sub> O <sub>5</sub> S M.W. 434.9 CAS # 24346-00-7 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0767-5</b> mg <b>ARCD 0767-25</b> mg <b>ARCD 0767-100</b> mg <b>ARCD 0767-1</b> g	32,000 47,000 109,000 209,000
<b>Adipic acid [1,6-<sup>14</sup>C] (HOOC(CH<sub>2</sub>)<sub>4</sub>COOH)</b> M.W. 146.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0393-250</b> μCi / 9.25 MBq <b>ARC 0393-1</b> mCi / 37 MBq	234,000 564,000
<b>Adipic acid [2,3,4,5-<sup>3</sup>H] (HOOC(CH<sub>2</sub>)<sub>4</sub>COOH)</b> M.W. 146.14 <i>Exclusive</i>	80-100 Ci/mmol 2.96-3.7 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1579-250</b> μCi / 9.25 MBq <b>ART 1579-1</b> mCi / 37 MBq	121,000 248,000
<b>AF-DX 384 [2,3-dipropylamino-<sup>3</sup>H]</b> M.W. 478.6 <i>Shipped in Dry Ice</i>	100-160 Ci/mmol 3.7-5.92 TBq/mmol	0.5N HCl 1 mCi/ml	<b>ART 1901-250</b> μCi / 9.25 MBq	307,000
<b>Aflatoxin B<sub>1</sub> "cold"</b>		Solid	<b>ARCD 0729-1</b> mg	30,000
<b>Aflatoxin B<sub>1</sub> [<sup>3</sup>H(G)]</b> M.W. 312.3 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0247-250</b> μCi / 9.25 MBq <b>ART 0247-1</b> mCi / 37 MBq	113,000 254,000
<b>Aflatoxin B<sub>2</sub> "cold"</b>		Solid	<b>ARCD 0730-1</b> mg	30,000
<b>Aflatoxin B<sub>2</sub> [8,9-<sup>3</sup>H]</b> M.W. 314.3 <i>Shipped in Dry Ice</i>	20-50 Ci/mmol 0.74-1.85 TBq/mmol	Methanol 1 mCi/ml	<b>ART 0617-1</b> mCi / 37 MBq	212,000
<b>Aflatoxin M<sub>1</sub> "cold"</b> M.W. 328.3 CAS # 6795-23-9		Solid	<b>ARCD 0449-1</b> mg	205,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Agmatine [guanido-<sup>14</sup>C]</b> H <sub>2</sub> NC(NH)NH(CH <sub>2</sub> ) <sub>3</sub> CH <sub>2</sub> NH <sub>2</sub> M.W. 130.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1228-50</b> μCi / 1.85 MBq	311,000	
<b>AH5183, L-[piperidiny-3,4-<sup>3</sup>H]</b> (Vesamicol) C <sub>17</sub> H <sub>25</sub> NO M.W. 259.39 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1798-250</b> μCi / 9.25 MBq	113,000	
<b>Alanine, β-[1-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> COOH M.W. 89.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0183-50</b> μCi / 1.85 MBq <b>ARC 0183-250</b> μCi / 9.25 MBq	59,000 198,000	
<b>Alanine, β-[2,3-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> COOH M.W. 89.09 <i>Exclusive</i>	100-150 mCi/mmol 3.7-5.55 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1380-50</b> μCi / 1.85 MBq <b>ARC 1380-250</b> μCi / 9.25 MBq	72,000 226,000	
<b>Alanine, β-[2-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> H M.W. 89.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 3311-50</b> μCi / 1.85 MBq	172,000	
<b>Alanine, β-[3-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> COOH M.W. 89.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0705-50</b> μCi / 1.85 MBq <b>ARC 0705-250</b> μCi / 9.25 MBq	93,000 296,000	
<b>Alanine, β-[3-<sup>3</sup>H(N)]</b> H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> COOH M.W. 89.09 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0205-250</b> μCi / 9.25 MBq <b>ART 0205-1</b> mCi / 37 MBq <b>ART 0205-5</b> mCi / 185 MBq	59,000 129,000 226,000	
<b>Alanine, D-[1-<sup>14</sup>C]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 89.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0341-50</b> μCi / 1.85 MBq <b>ARC 0341-250</b> μCi / 9.25 MBq	113,000 296,000	
<b>Alanine, D-[1-<sup>14</sup>C]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 89.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0341A-50</b> μCi / 1.85 MBq <b>ARC 0341A-250</b> μCi / 9.25 MBq	113,000 296,000	
<b>Alanine, DL-[1-<sup>14</sup>C]</b> CH <sub>3</sub> CHNH <sub>2</sub> CO <sub>2</sub> H M.W. 89.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1620-50</b> μCi / 1.85 MBq <b>ARC 1620-250</b> μCi / 9.25 MBq	45,000 149,000	
<b>Alanine, L-[1-<sup>14</sup>C]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )COOH M.W. 89.09	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0231-50</b> μCi / 1.85 MBq <b>ARC 0231-250</b> μCi / 9.25 MBq	79,000 226,000	
<b>Alanine, D-[2-<sup>14</sup>C]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )COOH M.W. 89.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 3059-50</b> μCi / 1.85 MBq	226,000	

# ALPHABETICAL LISTING OF CHEMICALS

<b>A</b> Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Alanine, L-[2-<sup>14</sup>C]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )COOH M.W. 89.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 3060-50</b> μCi / 1.85 MBq	149,000
<b>Alanine, D-[3-<sup>14</sup>C]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 89.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 3061-50</b> μCi / 1.85 MBq	239,000
<b>Alanine, L-[3-<sup>14</sup>C]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 89.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 3062-50</b> μCi / 1.85 MBq	191,000
<b>Alanine, D-[<sup>14</sup>C(U)]</b> CH <sub>3</sub> CHNH <sub>2</sub> CO <sub>2</sub> H M.W. 89.09 <i>Exclusive</i>	50-150 mCi/mmol 1.85-5.55 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1618-50</b> μCi / 1.85 MBq <b>ARC 1618-250</b> μCi / 9.25 MBq	113,000 234,000
<b>Alanine, D-[<sup>14</sup>C(U)]</b> CH <sub>3</sub> CHNH <sub>2</sub> CO <sub>2</sub> H M.W. 89.09 <i>Exclusive</i>	50-150 mCi/mmol 1.85-5.55 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1618A-50</b> μCi / 1.85 MBq <b>ARC 1618A-250</b> μCi / 9.25 MBq	113,000 234,000
<b>Alanine, L-[<sup>14</sup>C(U)]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )COOH M.W. 89.09	50-150 mCi/mmol 1.85-5.55 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0302-50</b> μCi / 1.85 MBq <b>ARC 0302-250</b> μCi / 9.25 MBq	58,000 159,000
<b>Alanine, D-[2,3-<sup>3</sup>H]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )COOH M.W. 89.09 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0179-250</b> μCi / 9.25 MBq <b>ART 0179-1</b> mCi / 37 MBq <b>ART 0179-5</b> mCi / 185 MBq	47,000 104,000 179,000
<b>Alanine, L-[2,3-<sup>3</sup>H]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )COOH M.W. 89.09	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0180-250</b> μCi / 9.25 MBq <b>ART 0180-1</b> mCi / 37 MBq <b>ART 0180-5</b> mCi / 185 MBq	39,000 74,000 164,000
<b>D-Alanine-D-alanine [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )CONHCH(CH <sub>3</sub> )CO <sub>2</sub> H M.W. 160.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (95:5) 0.1 mCi/ml	<b>ARC 1205-50</b> μCi / 1.85 MBq	366,000
<b>D-Alanine-D-alanine [2,3-<sup>3</sup>H]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )CONHCH(CH <sub>3</sub> )COOH M.W. 160.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (95:5) 1 mCi/ml	<b>ART 0685-50</b> μCi / 1.85 MBq <b>ART 0685-250</b> μCi / 9.25 MBq	219,000 379,000
<b>L-Alanine-L-alanine [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )CONHCH(CH <sub>3</sub> )CO <sub>2</sub> H M.W. 160.17 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (95:5) 0.1 mCi/ml	<b>ARC 3425-50</b> μCi / 1.85 MBq	366,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>L-Alanine-L-alanine [2,3-<sup>3</sup>H]</b> CH <sub>3</sub> CH(NH <sub>2</sub> )CONHCH(CH <sub>3</sub> )COOH M.W. 160.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (95:5) 1 mCi/ml	<b>ART 0893-50</b> μCi / 1.85 MBq <b>ART 0893-250</b> μCi / 9.25 MBq	219,000 408,000	
<b>D-Alanine-D-alanine-D-alanine [1-<sup>14</sup>C]</b> M.W. 231.25 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (95:5) 0.1 mCi/ml	<b>ARC 3187-50</b> μCi / 1.85 MBq	507,000	
<b>L-Alanine-L-alanine-L-alanine [1-<sup>14</sup>C]</b> M.W. 231.25 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (95:5) 0.1 mCi/ml	<b>ARC 3424-50</b> μCi / 1.85 MBq	507,000	
<b>L-Alanine-L-alanine-L-alanine [2,3-<sup>3</sup>H]</b> M.W. 231.25 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (95:5) 1 mCi/ml	<b>ART 2130-50</b> μCi / 1.85 MBq	419,000	
<b>D-Alanine-D-alanine-D-alanine-D-alanine [1-<sup>14</sup>C]</b> M.W. 302.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3603-50</b> μCi / 1.85 MBq	629,000	
<b>L-Alanine-L-alanine-L-alanine-L-alanine [1-<sup>14</sup>C]</b> M.W. 302.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3598-50</b> μCi / 1.85 MBq	629,000	
<b>D-Alanine-D-alanine-D-alanine-D-alanine-D-alanine [1-<sup>14</sup>C]</b> M.W. 373.47 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3604-50</b> μCi / 1.85 MBq	629,000	
<b>L-Alanine-L-alanine-L-alanine-L-alanine-L-alanine [1-<sup>14</sup>C]</b> M.W. 373.47 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3599-50</b> μCi / 1.85 MBq	629,000	
<b>Alanine, L-[1-<sup>14</sup>C] benzyl ester hydrochloride</b> M.W. 215.67 <i>Exclusive</i> 劇	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile 0.1 mCi/ml	<b>ARC 3529-50</b> μCi / 1.85 MBq <b>ARC 3529-250</b> μCi / 9.25 MBq	135,000 429,000	
<b>Alanine, β-[1-<sup>14</sup>C] ethyl ester hydrochloride</b> HCl·H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 153.61 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0809-50</b> μCi / 1.85 MBq <b>ARC 0809-250</b> μCi / 9.25 MBq	121,000 366,000	
<b>Alanine, β-[2,3-<sup>3</sup>H] ethyl ester hydrochloride</b> HCl·H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 153.61 <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0730-50</b> μCi / 1.85 MBq <b>ART 0730-250</b> μCi / 9.25 MBq	129,000 219,000	

# ALPHABETICAL LISTING OF CHEMICALS

A Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Alanine, L-[2,3-<sup>3</sup>H] methyl ester hydrochloride</b> <chem>CH3CH(NH2)COOCH3.HCl</chem> M.W. 139.58 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (95:5) 1 mCi/ml	<b>ART 1104-250</b> $\mu$ Ci / 9.25 MBq <b>ART 1104-1</b> mCi / 37 MBq	79,000 184,000
<b>Albumin [methyl-<sup>14</sup>C] methylated (bovine serum)</b> M.W. 66.5 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 $\mu$ Ci/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 0422-1</b> $\mu$ Ci / 37 kBq <b>ARC 0422-5</b> $\mu$ Ci / 185 kBq	68,000 226,000
<b>Albumin [methyl-<sup>14</sup>C] methylated (human)</b> M.W. 67 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 $\mu$ Ci/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 1792-1</b> $\mu$ Ci / 37 kBq <b>ARC 1792-5</b> $\mu$ Ci / 185 kBq	121,000 282,000
<b>Albumin [methyl-<sup>3</sup>H] methylated (bovine serum)</b> M.W. ~66.5 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-50 $\mu$ Ci/mg 740-1850 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.1 mCi/ml	<b>ART 2025-10</b> $\mu$ Ci / 370 kBq	219,000
<b>Albumin [methyl-<sup>3</sup>H] methylated (human)</b> M.W. ~67 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-50 $\mu$ Ci/mg 740-1850 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.1 mCi/ml	<b>ART 2026-10</b> $\mu$ Ci / 370 kBq	219,000
<b>Albumin [methyl-<sup>3</sup>H] methylated (rat)</b> M.W. ~65 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-50 $\mu$ Ci/mg 740-1850 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.1 mCi/ml	<b>ART 2024-10</b> $\mu$ Ci / 370 kBq	219,000
<b>Albuterol [ring-<sup>3</sup>H]</b> <chem>C13H21NO3</chem> M.W. 239.31 <i>Exclusive</i>	5-20 Ci/mmol 0.185-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1767-50</b> $\mu$ Ci / 1.85 MBq	212,000
<b>Aldosterone, D-[1,2,6,7-<sup>3</sup>H(N)]</b> <chem>C21H28O5</chem> M.W. 360.4 <i>Shipped in Dry Ice</i>	70-100 Ci/mmol 2.59-3.7 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1133-250</b> $\mu$ Ci / 9.25 MBq	288,000
<b>Alimta [<sup>3</sup>H(G)] (Pemetrexed)</b> M.W. 427.41 <i>Shipped in Dry Ice</i>	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1733-250</b> $\mu$ Ci / 9.25 MBq	219,000
<b>Alimta sodium salt "cold" (Pemexetred sodium salt)</b> M.W. 450.41		Solid	<b>ARCD 0476-10</b> mg <b>ARCD 0476-50</b> mg	43,000 164,000
<b>Allopregnanolone [<sup>3</sup>H(G)]</b> See Pregnan-3 $\alpha$ -ol-20-one, 5 $\alpha$ -[ <sup>3</sup> H(G)]			<b>ART 1808</b>	
<b>Allose, D-[3-<sup>3</sup>H]</b> <chem>C6H12O6</chem> M.W. 180.16 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 2076-250</b> $\mu$ Ci / 9.25 MBq	219,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Allyl alcohol [2,3-<sup>3</sup>H]</b> 毒 CH <sub>2</sub> =CHCH <sub>2</sub> OH M.W. 58.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0575-250</b> μCi / 9.25 MBq	314,000	
<b>Allylamine [2,3-<sup>3</sup>H] hydrochloride</b> CH <sub>2</sub> =CHCH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 92.55 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0507-250</b> μCi / 9.25 MBq	393,000	
<b>Allylamine [1,2-<sup>3</sup>H] geladanamycin</b> C <sub>31</sub> H <sub>43</sub> N <sub>3</sub> O <sub>8</sub> M.W. 585.69 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Methylene chloride in sealed ampoule 1 mCi/ml	<b>ART 1541-50</b> μCi / 1.85 MBq	296,000	
<b>Allylamine geladanamycin [<sup>3</sup>H(G)]</b> C <sub>31</sub> H <sub>43</sub> N <sub>3</sub> O <sub>8</sub> M.W. 585.69 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Methylene chloride in sealed ampoule 1 mCi/ml	<b>ART 1540-50</b> μCi / 1.85 MBq	234,000	
<b>AM580 [<sup>3</sup>H(G)]</b> <b>4-(5,5,8,8-Tetramethyl-5,6,7,8-tetrahydro- naphthalene-2-carboxamido)benzoic acid</b> C <sub>22</sub> H <sub>25</sub> NO <sub>3</sub> M.W. 351.44 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1968-50</b> μCi / 1.85 MBq	209,000	
<b>3-Aminoacetophenone [ring-<sup>14</sup>C(U)]</b> H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> COCH <sub>3</sub> M.W. 135.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1638-50</b> μCi / 1.85 MBq	198,000	
<b>Amino acetylaldehyde [1-<sup>14</sup>C]</b> <b>dimethyl acetal</b> NH <sub>2</sub> CH <sub>2</sub> CH(OCH <sub>3</sub> ) <sub>2</sub> M.W. 105.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 1 mCi/ml	<b>ARC 3001-50</b> μCi / 1.85 MBq	293,000	
<b>15-mer D-amino acid peptide [<sup>3</sup>H]</b> Ac-Arg-Lys-Leu-Met-Gln-Pro-Thr-Arg-Asn-Arg Arg-Asn-Pro-Asn-Thr-NH <sub>2</sub> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2055-50</b> μCi / 1.85 MBq	229,000	
<b>L-Amino acid mixture "cold"</b> <i>L-Alanine (8%), L-Arginine (7%), L-Aspartic acid (8%), L-Glutamic acid (12.5%), Glycine (4%), Histidine (1.5%), L-Isoleucine (5%), L-Leucine (14%), L-Lysine (6%), L-Phenylalanine (8%), L-Proline (5%), L-Serine (4%), L-Threonine (5%), L-Tyrosine (4%), L-Valine (8%)</i> <i>Exclusive</i>		0.01N HCl 10 mg/ml	<b>ARCD 0756-10</b> mg	54,000	



# ALPHABETICAL LISTING OF CHEMICALS

A Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>L-Amino acid mixture [<sup>14</sup>C(U)]</b> <i>L-Alanine (8%), L-Arginine (7%), L-Aspartic acid (8%), L-Glutamic acid (12.5%), Glycine (4%), Histidine (1.5%), L-Isoleucine (5%), L-Leucine (14%), L-Lysine (6%), L-Phenylalanine (8%), L-Proline (5%), L-Serine (4%), L-Threonine (5%), L-Tyrosine (4%), L-Valine (8%)</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0474-50</b> μCi / 1.85 MBq <b>ARC 0474-250</b> μCi / 9.25 MBq <b>ARC 0474-1</b> mCi / 37 MBq	54,000 128,000 339,000
<b>L-Amino acid mixture [<sup>3</sup>H]</b> <i>L-Alanine (8%), L-Arginine (7%), L-Aspartic acid (8%), L-Glutamic acid (12.5%), Glycine (4%), Histidine (1.5%), L-Isoleucine (5%), L-Leucine (14%), L-Lysine (6%), L-Phenylalanine (8%), L-Proline (5%), L-Serine (4%), L-Threonine (5%), L-Tyrosine (4%), L-Valine (8%)</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0328-250</b> μCi / 9.25 MBq <b>ART 0328-1</b> mCi / 37 MBq <b>ART 0328-5</b> mCi / 185 MBq	58,000 118,000 249,000
<b>2-Aminobenzenesulfonamide [ring-<sup>14</sup>C(U)]</b> <chem>NC(=O)c1ccc(S(=O)(=O)N)cc1</chem> M.W. 172.21 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1708-50</b> μCi / 1.85 MBq	269,000
<b>3-Aminobenzenesulfonamide [ring-<sup>14</sup>C(U)]</b> <chem>NC(=O)c1cccc(S(=O)(=O)N)c1</chem> M.W. 172.21 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3197-50</b> μCi / 1.85 MBq	366,000
<b>4-Aminobenzenesulfonamide [ring-<sup>14</sup>C(U)]</b> See Sulfanilamide [ring- <sup>14</sup> C(U)]			<b>ARC 0774</b>	
<b>2-Aminobenzoic acid [carboxyl-<sup>14</sup>C]</b> See Anthranillic acid [carboxyl- <sup>14</sup> C]			<b>ARC 0639</b>	
<b>2-Aminobenzoic acid [ring-<sup>14</sup>C(U)]</b> See Anthranillic acid [ring- <sup>14</sup> C(U)]			<b>ARC 0707</b>	
<b>3-Aminobenzoic acid [4-<sup>3</sup>H]</b> <chem>NC(=O)c1cccc(C(=O)O)c1</chem> M.W. 137.14 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0510-250</b> μCi / 9.25 MBq <b>ART 0510-1</b> mCi / 37 MBq	164,000 339,000
<b>4-Aminobenzoic acid [carboxyl-<sup>14</sup>C]</b> <chem>NC(=O)c1ccc(C(=O)O)cc1</chem> M.W. 137.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0207-50</b> μCi / 1.85 MBq <b>ARC 0207-250</b> μCi / 9.25 MBq	129,000 269,000
<b>4-Aminobenzoic acid [ring-<sup>14</sup>C(U)]</b> <chem>NC(=O)c1ccc(C(=O)O)cc1</chem> M.W. 137.14	60-80 mCi/mmol 2.22-2.96 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0349-50</b> μCi / 1.85 MBq <b>ARC 0349-250</b> μCi / 9.25 MBq	164,000 353,000
<b>4-Aminobenzoic acid [3,5-<sup>3</sup>H]</b> <chem>NC(=O)c1ccc(C(=O)O)cc1</chem> M.W. 137.14 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0206-250</b> μCi / 9.25 MBq <b>ART 0206-1</b> mCi / 37 MBq	164,000 353,000
<b>(±)-4-Aminobenzovesamicol, RS-[3',4'-<sup>3</sup>H]</b> M.W. 322.44 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0787-50</b> μCi / 1.85 MBq <b>ART 0787-250</b> μCi / 9.25 MBq	186,000 395,000





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>2-Aminobenzyl alcohol, 2-[1-<sup>14</sup>C]</b> 2-H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> OH M.W. 123.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0640-250</b> μCi / 9.25 MBq	395,000	
<b>2-Amino-6-bromopyridine [2,6-<sup>14</sup>C]</b> 2,6-C <sub>5</sub> H <sub>3</sub> BrN <sub>2</sub> M.W. 173.04 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3514-50</b> μCi / 1.85 MBq	353,000	
<b>2-Amino-1-butanol, (R)-(-)-[1-<sup>14</sup>C]</b> (D-)CH <sub>3</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CH <sub>2</sub> OH M.W. 89.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	THF in sealed ampoule 0.1 mCi/ml	<b>ARC 1591-50</b> μCi / 1.85 MBq	226,000	
<b>2-Amino-1-butanol, (S)-(+)-[1-<sup>14</sup>C]</b> (L-)CH <sub>3</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CH <sub>2</sub> OH M.W. 89.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	THF in sealed ampoule 0.1 mCi/ml	<b>ARC 1590-50</b> μCi / 1.85 MBq	226,000	
<b>Aminobutyric acid, γ-[1-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> COOH M.W. 103.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0107-50</b> μCi / 1.85 MBq <b>ARC 0107-250</b> μCi / 9.25 MBq	143,000 339,000	
<b>Aminobutyric acid, γ-[4-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> CO <sub>2</sub> H M.W. 103.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0693-50</b> μCi / 1.85 MBq <b>ARC 0693-250</b> μCi / 9.25 MBq	149,000 353,000	
<b>Aminobutyric acid, γ-[4-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> CO <sub>2</sub> H M.W. 103.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0693A-50</b> μCi / 1.85 MBq <b>ARC 0693A-250</b> μCi / 9.25 MBq	149,000 353,000	
<b>Aminobutyric acid, γ-[2,3-<sup>3</sup>H(N)]</b> H <sub>2</sub> NCH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> COOH M.W. 103.1	25-60 Ci/mmol 0.925-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0207-250</b> μCi / 9.25 MBq <b>ART 0207-1</b> mCi / 37 MBq	100,000 233,000	
<b>Aminobutyric acid, γ-[2,3-<sup>3</sup>H(N)]</b> H <sub>2</sub> NCH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> COOH M.W. 103.1	70-100 Ci/mmol 2.59-3.7 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0207A-250</b> μCi / 9.25 MBq <b>ART 0207A-1</b> mCi / 37 MBq	100,000 233,000	
<b>Aminobutyric acid, R-2-[carboxyl-<sup>14</sup>C]</b> (D-)CH <sub>3</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 103.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1589-50</b> μCi / 1.85 MBq	212,000	
<b>Aminobutyric acid, S-2-[carboxyl-<sup>14</sup>C]</b> (L-)CH <sub>3</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 103.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1588-50</b> μCi / 1.85 MBq	212,000	
<b>6-Aminocaproic acid [1-<sup>14</sup>C]</b> (6-Aminohexanoic acid) H <sub>2</sub> N(CH <sub>2</sub> ) <sub>5</sub> CO <sub>2</sub> H M.W. 131.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 0890-50</b> μCi / 1.85 MBq <b>ARC 0890-250</b> μCi / 9.25 MBq	143,000 353,000	

# ALPHABETICAL LISTING OF CHEMICALS

A	Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
	(1R,3R)-homo-ACPD "cold" ((1R,3R)-1-Amino-1-carboxycyclopentane-3-acetic acid) M.W. 187.17		Solid	ARCD 0506-10 mg	59,000
	(1R,3S)-homo-ACPD "cold" ((1R,3S)-1-Amino-1-carboxycyclopentane-3-acetic acid) M.W. 187.17		Solid	ARCD 0507-10 mg ARCD 0507-25 mg ARCD 0507-50 mg	59,000 99,000 193,000
	(1S,3R)-homo-ACPD "cold" ((1S,3R)-1-Amino-1-carboxycyclopentane-3-acetic acid) M.W. 187.17		Solid	ARCD 0508-5 mg ARCD 0508-25 mg	45,000 72,000
	2-Amino-5-chlorobenzoic acid [carboxyl- <sup>14</sup> C] (5-Chloroanthranilic acid) H <sub>2</sub> NC <sub>6</sub> H <sub>3</sub> (Cl)CO <sub>2</sub> H M.W. 171.58 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	ARC 0773-250 μCi / 9.25 MBq	Inquire
	(±)-4-Amino-3-(5-chloro-2-thienyl)-butanoic acid [ <sup>3</sup> H] C <sub>8</sub> H <sub>10</sub> ClNO <sub>2</sub> S M.W. 219.7 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74-TBq/mmol	Ethanol 1 mCi/ml	ART 1567-50 μCi / 1.85 MBq	226,000
	1-Aminocyclobutane-1-carboxylic acid [carboxyl- <sup>14</sup> C] (ACBC) H <sub>2</sub> NC <sub>4</sub> H <sub>6</sub> CO <sub>2</sub> H M.W. 115.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	ARC 1271-50 μCi / 1.85 MBq	226,000
	1-Aminocyclohexane-1-carboxylic acid [carboxyl- <sup>14</sup> C] H <sub>2</sub> NC <sub>6</sub> H <sub>10</sub> CO <sub>2</sub> H M.W. 143.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	ARC 0757-50 μCi / 1.85 MBq	226,000
	1-Aminocyclopentane-1-carboxylic acid [carboxyl- <sup>14</sup> C] C <sub>5</sub> H <sub>8</sub> CO <sub>2</sub> H M.W. 129.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	ARC 0514-50 μCi / 1.85 MBq	226,000
	(±)-1-Aminocyclopentane- <i>cis</i> -1,2-dicarboxylic acid "cold" ( <i>cis</i> -1,2-ACPD) M.W. 173.17 CAS # 39026-64-7		Solid	ARCD 0512-25 mg ARCD 0512-50 mg	45,000 57,000
	(±)-1-Aminocyclopentane- <i>cis</i> -1,3-dicarboxylic acid "cold" ( <i>cis</i> -ACPD) M.W. 173.17		Solid	ARCD 0513-2 mg ARCD 0513-10 mg	43,000 51,000
	(±)-1-Aminocyclopentane- <i>trans</i> -1,2-dicarboxylic acid "cold" ( <i>trans</i> -1,2-ACPD) M.W. 173.17		Solid	ARCD 0514-25 mg	54,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
(±)-1-Aminocyclopentane- <i>trans</i> -1,3-dicarboxylic acid "cold" ( <i>trans</i> -1,3-ACPD) M.W. 173.17 CAS # 39026-63-6		Solid	ARCD 0515-5 mg ARCD 0515-25 mg ARCD 0515-100 mg	35,000 72,000 212,000	
(1S,3R)-1-Aminocyclopentane-1,3-dicarboxylic acid "cold" (1S,3R)-ACPD) M.W. 173.17 CAS # 111900-32-4		Solid	ARCD 0517-10 mg	51,000	
(1S,3S)-1-Aminocyclopentane-1,3-dicarboxylic acid "cold" (1S,3S)-ACPD) M.W. 173.17 CAS # 111900-31-3		Solid	ARCD 0518-25 mg ARCD 0518-50 mg	111,000 193,000	
1-Aminocyclopropane-1-carboxylic acid [carboxyl- <sup>14</sup> C] (ACPC) C <sub>4</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 101.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	ARC 1175-50 μCi / 1.85 MBq	Inquire	
4-Amino-1-decylquinaldinium iodide [decyl-5,6- <sup>3</sup> H] M.W. 412.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	ART 0817-50 μCi / 1.85 MBq	198,000	
5-Amino-2,4-dichlorophenol [ <sup>14</sup> C(U)] M.W. 177.9 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	ARC 1071A-250 μCi / 9.25 MBq	Inquire	
2-Amino-4,6-dichloropyrimidine [2- <sup>14</sup> C] C <sub>4</sub> H <sub>3</sub> Cl <sub>2</sub> N <sub>3</sub> M.W. 163.99 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	ARC 3803-50 μCi / 1.85 MBq	272,000	
2-Amino-4,6-dihydroxypyrimidine [2- <sup>14</sup> C] C <sub>4</sub> H <sub>5</sub> N <sub>3</sub> O <sub>2</sub> M.W. 127.1 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	ARC 3802-50 μCi / 1.85 MBq	272,000	
2-Amino-4,6-dimethoxypyrimidine [2- <sup>14</sup> C] M.W. 155.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	ARC 1370-50 μCi / 1.85 MBq	239,000	
4-(2-Aminoethyl) morpholine [1- <sup>14</sup> C] C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> O M.W. 130.19 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	ARC 1571-250 μCi / 9.25 MBq ARC 1571-1 mCi / 37 MBq	239,000 381,000	
7-Aminoflunitrazepam [methyl- <sup>3</sup> H] C <sub>16</sub> H <sub>14</sub> FN <sub>3</sub> O M.W. 283.31 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	ART 1474-50 μCi / 1.85 MBq	254,000	

# ALPHABETICAL LISTING OF CHEMICALS

A Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2-Amino-5-fluorobenzoic acid [1-<sup>14</sup>C]</b> H <sub>2</sub> NC <sub>6</sub> H <sub>3</sub> (F)CO <sub>2</sub> H M.W. 155.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1561-250</b> μCi / 9.25 MBq	198,000
<b>6-Aminohexanoic acid [1-<sup>14</sup>C]</b> See 6-Aminocaproic acid [1- <sup>14</sup> C]			<b>ARC 0890</b>	
<b>4-Aminohippuric acid "cold"</b> M.W. 194.2 CAS # 61-78-9		Solid	<b>ARCD 0774-1 g</b>	53,000
<b>4-Aminohippuric acid [glycyl-1-<sup>14</sup>C]</b> <i>p</i> -H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CONHCH <sub>2</sub> COOH M.W. 194.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0162-50</b> μCi / 1.85 MBq <b>ARC 0162-250</b> μCi / 9.25 MBq	78,000 253,000
<b>4-Aminohippuric acid [glycyl-2-<sup>3</sup>H]</b> <i>p</i> -H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CONHCH <sub>2</sub> COOH M.W. 194.2	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0209-1</b> mCi / 37 MBq <b>ART 0209-5</b> mCi / 185 MBq	118,000 Inquire
<b>3-Amino-5-hydroxybenzoic acid [1-<sup>14</sup>C]</b> H <sub>2</sub> NC <sub>6</sub> H <sub>3</sub> (OH)CO <sub>2</sub> H M.W. 153.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1509-250</b> μCi / 9.25 MBq	164,000
<b>(R)-α-Amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid "cold"</b> <b>((R)-AMPA)</b> M.W. 186.2 CAS # 83654-13-1		Solid	<b>ARCD 0522-5 mg</b> <b>ARCD 0522-25 mg</b>	51,000 156,000
<b>(RS)-α-Amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid "cold"</b> <b>((RS)-AMPA)</b> M.W. 186.2 CAS # 74341-63-2		Solid	<b>ARCD 0523-1 mg</b> <b>ARCD 0523-5 mg</b> <b>ARCD 0523-10 mg</b>	29,000 35,000 54,000
<b>(S)-α-Amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid "cold"</b> <b>((S)-AMPA)</b> M.W. 186.2 CAS # 83643-88-3		Solid	<b>ARCD 0524-1 mg</b> <b>ARCD 0524-5 mg</b>	29,000 47,000
<b>α-Amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid [1-<sup>14</sup>C]</b> <b>(AMPA)</b> M.W. 186.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3369-50</b> μCi / 1.85 MBq	239,000
<b>α-Amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid, DL-[5-methyl-<sup>3</sup>H]</b> <b>(AMPA)</b> M.W. 186.2 <i>Shipped in Dry Ice</i>	40-70 Ci/mmol 1.48-2.59 TBq/mmol	Ethanol:water (1:1) under nitrogen 1 mCi/ml	<b>ART 1318-25</b> μCi / 925 kBq <b>ART 1318-250</b> μCi / 9.25 MBq <b>ART 1318-1</b> mCi / 37 MBq	92,000 277,000 Inquire
<b>Aminoisobutyric acid, α-[1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> C(NH <sub>2</sub> )COOH M.W. 103.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0145-50</b> μCi / 1.85 MBq <b>ARC 0145-250</b> μCi / 9.25 MBq <b>ARC 0145-1</b> mCi / 37 MBq	73,000 205,000 525,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Aminoisobutyric acid, <math>\alpha</math>-[1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> C(NH <sub>2</sub> )COOH M.W. 103.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0145A-50</b> $\mu$ Ci / 1.85 MBq <b>ARC 0145A-250</b> $\mu$ Ci / 9.25 MBq <b>ARC 0145A-1</b> mCi / 37 MBq	73,000 205,000 525,000	
<b>Aminoisobutyric acid, <math>\alpha</math>-[1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> C(NH <sub>2</sub> )COOH M.W. 103.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile saline 0.1 mCi/ml	<b>ARC 0145B-50</b> $\mu$ Ci / 1.85 MBq <b>ARC 0145B-250</b> $\mu$ Ci / 9.25 MBq <b>ARC 0145B-1</b> mCi / 37 MBq	73,000 205,000 525,000	
<b>Aminoisobutyric acid, <math>\alpha</math>-[methyl-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> C(NH <sub>2</sub> )COOH M.W. 103.1 <i>Exclusive</i>	10-25 Ci/mmol 0.37-0.925 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0138-250</b> $\mu$ Ci / 9.25 MBq <b>ART 0138-1</b> mCi / 37 MBq	122,000 268,000	
<b>Aminolevulinic acid [3,5-<sup>3</sup>H(N)] hydrochloride</b> NH <sub>2</sub> CH <sub>2</sub> COCH <sub>2</sub> CH <sub>2</sub> COOH · HCl M.W. 167.6 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0345-250</b> $\mu$ Ci / 9.25 MBq	198,000	
<b>5-Aminolevulinic acid [4-<sup>14</sup>C] hydrochloride</b> NH <sub>2</sub> CH <sub>2</sub> COCH <sub>2</sub> CH <sub>2</sub> COOH · HCl M.W. 167.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1550-50</b> $\mu$ Ci / 1.85 MBq	227,000	
<b>4-Amino-2-methoxybenzoic acid [carboxyl-<sup>14</sup>C]</b> NH <sub>2</sub> C <sub>6</sub> H <sub>3</sub> (OCH <sub>3</sub> )COOH M.W. 153.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0680-250</b> $\mu$ Ci / 9.25 MBq	Inquire	
<b>3-Amino-2-methylamino-6-methoxy pyridine [2,6-<sup>14</sup>C] dihydrochloride</b> C <sub>8</sub> H <sub>11</sub> ON <sub>3</sub> M.W. 239.9 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1827-50</b> $\mu$ Ci / 1.85 MBq	254,000	
<b>1-(Amino-[<sup>3</sup>H] methyl)-[2,3,5,6-<sup>3</sup>H] cyclohexaneacetic acid</b> See Gabapentin [ <sup>3</sup> H]			<b>ART 1303</b>		
<b>2-Amino-2-methyl-1-propanol [1-<sup>14</sup>C] hydrochloride</b> (CH <sub>3</sub> ) <sub>2</sub> C(NH <sub>2</sub> )CH <sub>2</sub> OH · HCl M.W. 125.6 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3755-50</b> $\mu$ Ci / 1.85 MBq	335,000	
<b>2-Amino-2-methyl-1-propanol [1-<sup>3</sup>H] hydrochloride</b> (CH <sub>3</sub> ) <sub>2</sub> C(NH <sub>2</sub> )CH <sub>2</sub> OH · HCl M.W. 125.6 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0767-50</b> $\mu$ Ci / 1.85 MBq <b>ART 0767-250</b> $\mu$ Ci / 9.25 MBq	198,000 339,000	
<b>2-Amino-6-nitrobenzoic acid [ring-<sup>14</sup>C(U)]</b> 6-O <sub>2</sub> NC <sub>6</sub> H <sub>3</sub> -2-(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 183.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1829-50</b> $\mu$ Ci / 1.85 MBq	239,000	

# ALPHABETICAL LISTING OF CHEMICALS

A Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2-Aminophenol [ring-<sup>14</sup>C(U)] hydrochloride</b> $H_2NC_6H_4OH \cdot HCl$ M.W. 145.59 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1518-250</b> $\mu$ Ci / 9.25 MBq	549,000
<b>3-Aminophenol [<sup>14</sup>C(U)] hydrochloride</b> $H_2NC_6H_4OH \cdot HCl$ M.W. 145.59	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0839-250</b> $\mu$ Ci / 9.25 MBq	549,000
<b>4-Aminophenol [<sup>14</sup>C(U)] hydrochloride</b> $H_2NC_6H_4OH \cdot HCl$ M.W. 145.59 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0545-250</b> $\mu$ Ci / 9.25 MBq	549,000
<b>4-Aminophenol [2,6-<sup>3</sup>H] hydrochloride</b> $H_2NC_6H_4OH \cdot HCl$ M.W. 145.59 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0612-250</b> $\mu$ Ci / 9.25 MBq <b>ART 0612-1</b> mCi / 37 MBq	212,000 395,000
<b>4-Aminophenylboronic acid [ring-<sup>14</sup>C(U)] pinacol ester</b> $C_6H_8BNO_2$ M.W. 136.95 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3492</b>	Inquire
<b>D-(-)-2-Amino-4-phosphonobutyric acid "cold" (D-AP4)</b> M.W. 183.1 CAS # 78739-01-2		Solid	<b>ARCD 0526-10</b> mg <b>ARCD 0526-50</b> mg	55,000 194,000
<b>DL-2-Amino-4-phosphonobutyric acid "cold" (DL-AP4)</b> M.W. 183.10 CAS # 20263-07-4		Solid	<b>ARCD 0527-100</b> mg <b>ARCD 0527-250</b> mg <b>ARCD 0527-500</b> mg <b>ARCD 0527-1</b> g	29,000 43,000 75,000 135,000
<b>L-(+)-2-Amino-4-phosphonobutyric acid "cold" (L-AP4)</b> M.W. 183.10 CAS # 23052-81-5		Solid	<b>ARCD 0528-10</b> mg	43,000
<b>L-(+)-2-Amino-4-phosphono-[2,3-<sup>3</sup>H] butyric acid</b> See L-AP4 [ <sup>3</sup> H]			<b>ART 0534</b>	
<b>D-(-)-2-Amino-7-phosphonoheptanoic acid "cold" (D-AP7)</b> M.W. 225.18 CAS # 81338-23-0		Solid	<b>ARCD 0529-5</b> mg <b>ARCD 0529-25</b> mg	35,000 119,000
<b>DL-2-Amino-7-phosphonoheptanoic acid "cold" (DL-AP7)</b> M.W. 225.18 CAS # 78966-69-5		Solid	<b>ARCD 0530-10</b> mg <b>ARCD 0530-50</b> mg	33,000 84,000
<b>D-(-)-2-Amino-5-phosphonopentanoic acid "cold" (D-AP5)</b> M.W. 197.13 CAS # 79055-68-8		Solid	<b>ARCD 0532-1</b> mg <b>ARCD 0532-10</b> mg	25,000 45,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>D-(-)-2-Amino-5-phosphono-[4,5-<sup>3</sup>H] pentanoic acid</b> See D-AP5 [ <sup>3</sup> H]			<b>ART 0535</b>		
<b>DL-2-Amino-5-phosphonopentanoic acid "cold"</b> <b>(DL-AP5)</b> M.W. 197.13 CAS # 76726-92-6		Solid	<b>ARCD 0533-10 mg</b> <b>ARCD 0533-50 mg</b> <b>ARCD 0533-100 mg</b>	29,000 72,000 108,000	
<b>D-(-)-2-Amino-3-phosphonopropionic acid "cold"</b> <b>(D-AP3)</b> M.W. 169.07 CAS # 128241-72-5		Solid	<b>ARCD 0534-1 mg</b> <b>ARCD 0534-5 mg</b>	33,000 43,000	
<b>DL-2-Amino-3-phosphonopropionic acid "cold"</b> <b>(DL-AP3)</b> M.W. 169.07 CAS # 20263-06-3		Solid	<b>ARCD 0535-100 mg</b> <b>ARCD 0535-250 mg</b>	33,000 43,000	
<b>L-(+)-2-Amino-3-phosphonopropionic acid "cold"</b> <b>(L-AP3)</b> M.W. 169.07 CAS # 23052-80-4		Solid	<b>ARCD 0536-5 mg</b>	46,000	
<b>Aminophylline [8-<sup>14</sup>C]</b> (C <sub>7</sub> H <sub>8</sub> N <sub>4</sub> O <sub>2</sub> ) <sub>2</sub> C <sub>2</sub> H <sub>8</sub> N <sub>2</sub> M.W. 210.21 <i>Exclusive</i>	80-120 mCi/mmol 2.96-4.44 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3401-50 μCi / 1.85 MBq</b>	226,000	
<b>3-Aminopropanol [1-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> OH M.W. 75.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1420-50 μCi / 1.85 MBq</b>	226,000	
<b>(R)-(-)-2-Amino-1-propanol [1-<sup>3</sup>H]</b> <b>(D-Alaninol)</b> CH <sub>3</sub> CH(NH <sub>2</sub> )CH <sub>2</sub> OH M.W. 75.11 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0873-250 μCi / 9.25 MBq</b> <b>ART 0873-1 mCi / 37 MBq</b>	198,000 353,000	
<b>(R)-(-)-2-Amino-1-propanol [1-<sup>14</sup>C]</b> <b>hydrochloride</b> <b>(D-Alaninol)</b> CH <sub>3</sub> CH(NH <sub>2</sub> )CH <sub>2</sub> OH · HCl M.W. 111.56 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1389-50 μCi / 1.85 MBq</b> <b>ARC 1389-250 μCi / 9.25 MBq</b>	198,000 353,000	
<b>3-Aminopropylphosphinic acid "cold"</b> <b>(3-APPA; CGP 27492)</b> M.W. 123.09 CAS # 103680-47-3		Solid	<b>ARCD 0492-10 mg</b>	63,000	
<b>3-Aminopropylphosphinic acid [2,3-<sup>3</sup>H]</b> <b>(3-APPA; CGP 27492)</b> M.W. 123.09 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-50 Ci/mmol 1.11-1.85 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1581</b>	Inquire	



# ALPHABETICAL LISTING OF CHEMICALS

A Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2-Aminopyridine [2,6-<sup>14</sup>C]</b> $C_5H_6N_2$ M.W. 94.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3428-50</b> $\mu$ Ci / 1.85 MBq	356,000
<b>4-Aminopyridine [2,6-<sup>14</sup>C]</b> $C_5H_6N_2$ M.W. 94.1 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3730-50</b> $\mu$ Ci / 1.85 MBq	461,000
<b>4-Aminopyridine [2-<sup>3</sup>H]</b> $C_5H_6N_2$ M.W. 94.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 2037-50</b> $\mu$ Ci / 1.85 MBq	219,000
<b>Aminopyrine [methyl-<sup>14</sup>C]</b> <b>(Dimethylamino antipyrine)</b> M.W. 231.3 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Sterile water in amber vial 0.1 mCi/ml	<b>ARC 0493-50</b> $\mu$ Ci / 1.85 MBq	167,000
<b>3-Aminosalicic acid [ring-<sup>14</sup>C(U)]</b> <b>(3-Amino-2-hydroxybenzoic acid)</b> $3-H_2NC_6H_3-2-(OH)CO_2H$ M.W. 153.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3160-50</b> $\mu$ Ci / 1.85 MBq	507,000
<b>5-Aminosalicic acid [ring-<sup>14</sup>C(U)]</b> <b>(5-Amino-2-hydroxybenzoic acid)</b> $5-H_2NC_6H_3-2-(OH)CO_2H$ M.W. 153.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3159-50</b> $\mu$ Ci / 1.85 MBq	507,000
<b>5-Aminotetrazole [5-<sup>14</sup>C]</b> M.W. 85.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1168-250</b> $\mu$ Ci / 9.25 MBq	366,000
<b>Amitriptyline hydrochloride "cold"</b> M.W. 313.86 CAS # 549-18-8		Solid	<b>ARCD 0285-25 g</b> <b>ARCD 0285-100 g</b> <b>ARCD 0285-250 g</b>	39,000 51,000 84,000
<b>Amitriptyline [N-methyl-<sup>3</sup>H] hydrochloride</b> $C_{20}H_{23}N \cdot HCl$ M.W. 313.86 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1458-50</b> $\mu$ Ci / 1.85 MBq	254,000
<b>Ammonium bicarbonate [<sup>14</sup>C]</b> $NH_4HCO_3$ M.W. 79.06 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1058-250</b> $\mu$ Ci / 9.25 MBq <b>ARC 1058-1</b> mCi / 37 MBq <b>ARC 1058-5</b> mCi / 185 MBq	68,000 121,000 210,000
<b>Ammonium sulfate [<sup>35</sup>S]</b> $(NH_4)_2SO_4$ M.W. 132.14 <i>NEW!-Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	HCl-free water 10 mCi/ml	<b>ARS 0134-1</b> mCi / 37 MBq <b>ARS 0134-5</b> mCi / 185 MBq	209,000 Inquire





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>AMN 107 [<sup>3</sup>H]</b> <b>(Nilotinib)</b> C <sub>28</sub> H <sub>22</sub> F <sub>3</sub> N <sub>7</sub> O M.W. 529.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1644-50</b> μCi / 1.85 MBq	239,000	
<b>Amobarbital [2-<sup>14</sup>C]</b> 同 M.W. 226.28 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1438-50</b> μCi / 1.85 MBq	356,000	
<b>Amodiaquine [<sup>3</sup>H]</b> C <sub>20</sub> H <sub>22</sub> N <sub>3</sub> O M.W. 355.86 <i>Shipped in Dry Ice</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1856-50</b> μCi / 1.85 MBq	229,000	
<b>Amoxicillin [<sup>3</sup>H(G)]</b> C <sub>16</sub> H <sub>19</sub> N <sub>3</sub> O <sub>5</sub> S M.W. 365.4 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2112</b>	Inquire	
<b>Amphotericin B "cold"</b>		Solid	<b>ARCD 0753-10</b> mg	36,000	
<b>Amphotericin, B-[<sup>3</sup>H(G)]</b> C <sub>47</sub> H <sub>73</sub> NO <sub>17</sub> M.W. 924.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1507-50</b> μCi / 1.85 MBq	251,000	
<b>Amprenavir "cold"</b> C <sub>25</sub> H <sub>35</sub> N <sub>3</sub> O <sub>6</sub> S M.W. 505.64 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0241-1</b> mg <b>ARCD 0241-10</b> mg <b>ARCD 0241-50</b> mg	69,000 162,000 362,000	
<b>Amprenavir [<sup>3</sup>H(G)]</b> M.W. 505.64 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1340-50</b> μCi / 1.85 MBq	439,000	
<b>Amylase, β-[methyl-<sup>14</sup>C] methylated from sweet potato (1,4-α-D-Glucan maltohydrolase)</b> M.W. ~200,000 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 3312-1</b> μCi / 37 kBq	243,000	
<b>Anandamide "cold"</b>		Solid	<b>ARCD 0648-5</b> mg <b>ARCD 0648-50</b> mg	29,000 49,000	
<b>Anandamide [arachidonyl-1-<sup>14</sup>C]</b> M.W. 347.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1185-10</b> μCi / 370 kBq <b>ARC 1185-50</b> μCi / 1.85 MBq	172,000 402,000	

# ALPHABETICAL LISTING OF CHEMICALS

<b>A</b> Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Anandamide</b> [arachidonyl-5,6,8,9,11,12,14,15- <sup>3</sup> H(N)] M.W. 347.5 <i>Shipped in Dry Ice</i>	160-240 Ci/mmol 5.92-8.88 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0522-25</b> μCi / 925 kBq <b>ART 0522-50</b> μCi / 1.85 MBq <b>ART 0522-250</b> μCi / 9.25 MBq	67,000 103,000 311,000
<b>Anandamide [ethanolamine-1,2-<sup>14</sup>C]</b> M.W. 347.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1382-10</b> μCi / 370 kBq <b>ARC 1382-50</b> μCi / 1.85 MBq	171,000 366,000
<b>Anandamide [ethanolamine-1-<sup>3</sup>H]</b> M.W. 347.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 0626-50</b> μCi / 1.85 MBq <b>ART 0626-250</b> μCi / 9.25 MBq	128,000 338,000
<b>5α-Androstane-3α,17β-diol [9,11-<sup>3</sup>H(N)]</b> C <sub>19</sub> H <sub>32</sub> O <sub>2</sub> M.W. 292.4	40-60 Ci/mmol 1.48-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1657-250</b> μCi / 9.25 MBq	269,000
<b>5α-Androstane-3β,17β-diol [9,11-<sup>3</sup>H(N)]</b> C <sub>19</sub> H <sub>32</sub> O <sub>2</sub> M.W. 292.4 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1658-250</b> μCi / 9.25 MBq	209,000
<b>Androstanediol glucuronide [<sup>3</sup>H(G)]</b> M.W. 376.53 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1716-50</b> μCi / 1.85 MBq	269,000
<b>Androst-5-ene-3β,17β-diol [4-<sup>14</sup>C]</b> M.W. 290.44 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3083-10</b> μCi / 370 kBq	198,000
<b>Androst-5-ene-3β,17β-diol [1,2-<sup>3</sup>H(N)]</b> M.W. 290.44 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1635-250</b> μCi / 9.25 MBq	269,000
<b>Androst-4-ene-3,17-dione "cold"</b> C <sub>19</sub> H <sub>26</sub> O <sub>2</sub> M.W. 286.40 CAS # 63-05-8 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0249-1</b> g	79,000
<b>Androst-4-ene-3,17-dione [4-<sup>14</sup>C]</b> C <sub>19</sub> H <sub>26</sub> O <sub>2</sub> M.W. 286.40	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1392-10</b> μCi / 370 kBq <b>ARC 1392-50</b> μCi / 1.85 MBq	107,000 288,000
<b>Androst-4-ene-3,17-dione [1β-<sup>3</sup>H(N)]</b> C <sub>19</sub> H <sub>26</sub> O <sub>2</sub> M.W. 286.40 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1673-250</b> μCi / 9.25 MBq <b>ART 1673-1</b> mCi / 37 MBq	125,000 288,000
<b>Androst-4-ene-3,17-dione [1β,2β-<sup>3</sup>H]</b> C <sub>19</sub> H <sub>26</sub> O <sub>2</sub> M.W. 286.40 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0648-250</b> μCi / 9.25 MBq <b>ART 0648-1</b> mCi / 37 MBq	121,000 226,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Androst-4-ene-3,17-dione [1,2,6,7-<sup>3</sup>H]</b> C <sub>19</sub> H <sub>26</sub> O <sub>2</sub> M.W. 286.40 <i>Shipped in Dry Ice</i>	80-120 Ci/mmol 2.96-4.44 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0649-250</b> μCi / 9.25 MBq <b>ART 0649-1</b> mCi / 37 MBq	103,000 218,000	
<b>Androst-5-ene-17-one [1,2-<sup>3</sup>H]</b> C <sub>19</sub> H <sub>27</sub> O M.W. 272.42 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1253-50</b> μCi / 1.85 MBq	171,000	
<b>5α-Androstene-3,17-dione [5,6-<sup>3</sup>H]</b> C <sub>19</sub> H <sub>28</sub> O <sub>2</sub> M.W. 288.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1811</b>	Inquire	
<b>Androsterone [9,11-<sup>3</sup>H(N)]</b> M.W. 290.4	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1172-50</b> μCi / 1.85 MBq	198,000	
<b>Angiotensin I, Tyr<sup>4</sup>-[<sup>125</sup>I] (human)</b> Asp-Arg-Val-Tyr-Ile-His-Pro-Phe-His-Leu M.W. ~1420 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0169-10</b> μCi / 370 kBq <b>ARI 0169-50</b> μCi / 1.85 MBq	138,000 326,000	
<b>Angiotensin II [tyrosyl-3,5-<sup>3</sup>H(N)]</b> M.W. 1046.1 <i>Shipped in Dry Ice</i>	40-80 Ci/mmol 1.48-2.96 TBq/mmol	0.05M HOAc in silanized vial 1 mCi/ml	<b>ART 0700-250</b> μCi / 9.25 MBq	253,000	
<b>Angiotensin II, Sar<sup>1</sup>, Ile<sup>8</sup>-[<sup>125</sup>I] (human)</b> Sar-Arg-Val-Tyr-Ile-His-Pro-Ile M.W. ~1192	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0134-50</b> μCi / 1.85 MBq	Inquire	
<b>Angiotensin II, Tyr<sup>4</sup>-[<sup>125</sup>I] (human)</b> Asp-Arg-Val-Tyr-Ile-His-Pro-Phe M.W. ~1171	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0170-50</b> μCi / 1.85 MBq	326,000	
<b>Aniline [<sup>14</sup>C(U)] hydrochloride 劇</b> M.W. 129.59 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	2-10 mCi/mmol 74-370 MBq/mmol	Solid	<b>ARC 0365B-250</b> μCi / 9.25 MBq <b>ARC 0365B-1</b> mCi / 37 MBq	209,000 419,000	
<b>Aniline [<sup>14</sup>C(U)] hydrochloride 劇</b> M.W. 129.59 <i>Shipped in Dry Ice</i>	80-100 mCi/mmol 2.96-3.7 GBq/mmol	Solid	<b>ARC 0365-250</b> μCi / 9.25 MBq <b>ARC 0365-1</b> mCi / 37 MBq	209,000 419,000	
<b>Aniline [<sup>14</sup>C(U)] hydrochloride</b> M.W. 129.59 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-100 mCi/mmol 2.96-3.7 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0365A-250</b> μCi / 9.25 MBq <b>ARC 0365A-1</b> mCi / 37 MBq	209,000 419,000	
<b>Aniline [2,4,6-<sup>3</sup>H] hydrochloride</b> C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub> · HCl M.W. 129.59 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-80 Ci/mmol 2.59-2.96 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1967-1</b> mCi / 37 MBq	104,000	

# ALPHABETICAL LISTING OF CHEMICALS

A Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3-Anisaldehyde [carbonyl-<sup>14</sup>C]</b> <b>(3-Methoxybenzaldehyde)</b> <chem>CH3OC6H4CHO</chem> M.W. 137.14 <i>Exclusive</i>	50-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0726-250</b> μCi / 9.25 MBq	366,000
<b>3-Anisic acid [carboxyl-<sup>14</sup>C]</b> <b>(3-Methoxybenzoic acid)</b> <chem>CH3OC6H4CO2H</chem> M.W. 152.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1254-50</b> μCi / 1.85 MBq	185,000
<b>4-Anisic acid [carboxyl-<sup>14</sup>C]</b> <b>(4-Methoxybenzoic acid)</b> <chem>CH3OC6H4CO2H</chem> M.W. 152.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1242A-50</b> μCi / 1.85 MBq	226,000
<b>2-Anisidine [ring-<sup>14</sup>C(U)]</b> <chem>CH3OC6H4NH2</chem> M.W. 123.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1487-50</b> μCi / 1.85 MBq	226,000
<b>4-Anisidine [ring-<sup>14</sup>C(U)]</b> <b>(4-Methoxyaniline)</b> <chem>CH3OC6H4NH2</chem> M.W. 123.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1488-50</b> μCi / 1.85 MBq	226,000
<b>Anisole [ring-<sup>14</sup>C(U)]</b> <chem>C6H5OCH3</chem> M.W. 108.14 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1063-50</b> μCi / 1.85 MBq	353,000
<b><i>m</i>-Anisylalcohol [methylene-<sup>14</sup>C]</b> See 3-Methoxy benzyl alcohol [methylene- <sup>14</sup> C]			<b>ARC 0724</b>	
<b><i>p</i>-Anisoyl chloride [carboxyl-<sup>14</sup>C]</b> <b>(4-Methoxybenzoyl chloride)</b> <chem>H3COC6H4COCl</chem> M.W. 170.60 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 1629-250</b> μCi / 9.25 MBq	226,000
<b>Anthranilic acid [carboxyl-<sup>14</sup>C]</b> <b>(2-Aminobenzoic acid)</b> <chem>2-NH2C6H4COOH</chem> M.W. 137.14	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0639-250</b> μCi / 9.25 MBq	261,000
<b>Anthranilic acid [ring-<sup>14</sup>C(U)]</b> <b>(2-Aminobenzoic acid)</b> <chem>2-(H2N)C6H4COOH</chem> M.W. 137.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0707-250</b> μCi / 9.25 MBq	479,000
<b>Antibiotic S 7481F1 [MEBMT-β-<sup>3</sup>H]</b> See Cyclosporin A [MEBMT-β- <sup>3</sup> H]			<b>ART 1717</b>	

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Antimycin A [<sup>3</sup>H(G)]</b> M.W. 548.63 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1661-50</b> μCi / 1.85 MBq	234,000	
<b>Antipyrene [<sup>3-14</sup>C]</b> C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O M.W. 188.23 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Solid	<b>ARC 3308-50</b> μCi / 1.85 MBq <b>ARC 3308-250</b> μCi / 9.25 MBq	222,000 477,000	
<b>Antipyrine [N-methyl-<sup>14</sup>C]</b> C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O M.W. 188.23 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0108-50</b> μCi / 1.85 MBq <b>ARC 0108-250</b> μCi / 9.25 MBq	79,000 214,000	
<b>Antipyrine [<sup>3</sup>H(G)]</b> C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O M.W. 188.23 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0698-250</b> μCi / 9.25 MBq	324,000	
<b>L-AP4 [<sup>3</sup>H]</b> <b>(L-(+)-2-Amino-4-phosphono-butyric acid)</b> M.W. 183.10 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>mGLU receptor ligand</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0534-250</b> μCi / 9.25 MBq	383,000	
<b>D-AP5 [<sup>3</sup>H]</b> <b>(D-(-)-2-Amino-5-phosphono-[4,5-<sup>3</sup>H]</b> <b>pentanoic acid)</b> M.W. 197.13 <i>Shipped in Dry Ice</i> <i>NMDA antagonist</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0535-250</b> μCi / 9.25 MBq	239,000	
<b>Apelin-13, Glp<sup>65</sup>, Nle<sup>75</sup>, Tyr<sup>77</sup>-[<sup>125</sup>I]</b> Glp-Arg-Pro-Arg-Leu-Ser-His-Lys-Gly-Pro- Nle-Pro-Tyr-OH M.W. 1655 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	50mM sodium acetate (pH 4) w/ 5% sucrose and 0.25% BSA 0.2 mCi/ml	<b>ARI 0206-10</b> μCi / 370 kBq <b>ARI 0206-25</b> μCi / 925 kBq	Inquire Inquire	
<b>R-(-)-Apomorphine [N-methyl-<sup>3</sup>H]</b> <b>hydrochloride</b> M.W. 303.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Dopamine receptor agonist</i>	70-87 Ci/mmol 2.59-3.21 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0808-50</b> μCi / 1.85 MBq <b>ART 0808-250</b> μCi / 9.25 MBq	163,000 324,000	
<b>Apraclonidine [benzene ring-<sup>14</sup>C(U)]</b> <b>(p-Aminoclonidine)</b> C <sub>9</sub> H <sub>11</sub> Cl <sub>3</sub> N <sub>4</sub> M.W. 281.60 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 3309</b>	Inquire	
<b>Arabinose, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHO M.W. 150.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0460-50</b> μCi / 1.85 MBq <b>ARC 0460-250</b> μCi / 9.25 MBq	107,000 296,000	

# ALPHABETICAL LISTING OF CHEMICALS

<b>A</b> Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Arabinose, L-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHO M.W. 150.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 1041-50</b> μCi / 1.85 MBq <b>ARC 1041-250</b> μCi / 9.25 MBq	113,000 303,000
<b>Arabinose, D-[1-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHO M.W. 150.1 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0822-250</b> μCi / 9.25 MBq <b>ART 0822-1</b> mCi / 37 MBq	79,000 163,000
<b>Arabinose, L-[1-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHO M.W. 150.1 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0806-250</b> μCi / 9.25 MBq <b>ART 0806-1</b> mCi / 37 MBq	78,000 162,000
<b>Arabinose, D-[5-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHO M.W. 150.1 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0145A-250</b> μCi / 9.25 MBq <b>ART 0145A-1</b> mCi / 37 MBq	93,000 209,000
<b>Arachidic acid [1-<sup>14</sup>C]</b> See n-Eicosanoic acid [1- <sup>14</sup> C]			<b>ARC 1448</b>	
<b>Arachidonic acid "cold"</b> M.W. 304.5 CAS # 506-32-1		Solid	<b>ARCD 0287-100</b> mg <b>ARCD 0287-1</b> g	45,000 70,000
<b>Arachidonic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> (CH=CHCH <sub>2</sub> ) <sub>4</sub> (CH <sub>2</sub> ) <sub>2</sub> COOH M.W. 304.5 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 0290-10</b> μCi / 370 kBq <b>ARC 0290-50</b> μCi / 1.85 MBq <b>ARC 0290-250</b> μCi / 9.25 MBq	96,000 185,000 449,000
<b>Arachidonic acid [5,6,8,9,11,12,14,15-<sup>3</sup>H(N)]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> (CH=CHCH <sub>2</sub> ) <sub>4</sub> (CH <sub>2</sub> ) <sub>2</sub> COOH M.W. 304.5 <i>Shipped in Dry Ice</i>	200-240 Ci/mmol 7.4-8.88 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 0196-50</b> μCi / 1.85 MBq <b>ART 0196-250</b> μCi / 9.25 MBq <b>ART 0196-1</b> mCi / 37 MBq	67,000 164,000 312,000
<b>Arachidonic acid [5,6,8,9,11,12,14,15-<sup>3</sup>H(N)]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> (CH=CHCH <sub>2</sub> ) <sub>4</sub> (CH <sub>2</sub> ) <sub>2</sub> COOH M.W. 304.5 <i>Shipped in Dry Ice</i>	60-100 Ci/mmol 2.22-3.7 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 0196A-50</b> μCi / 1.85 MBq <b>ART 0196A-250</b> μCi / 9.25 MBq <b>ART 0196A-1</b> mCi / 37 MBq	67,000 164,000 312,000
<b>Arachidonyl alcohol [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> (CH=CHCH <sub>2</sub> ) <sub>4</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> OH M.W. 260.50 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3130-50</b> μCi / 1.85 MBq	335,000
<b>Arachidonyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1054.92 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.1N NaOAc pH 5.2 (1:1) under argon 0.1 mCi/ml	<b>ARC 0519-10</b> μCi / 370 kBq <b>ARC 0519-50</b> μCi / 1.85 MBq	209,000 387,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Arachidonyl [5,6,8,9,11,12,14,15-<sup>3</sup>H(N)] Coenzyme A</b> M.W. 1054.92 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 370-240 GBq/mmol	Ethanol:0.1N NaOAc pH 5.2 (1:1) under argon 1 mCi/ml	<b>ART 0492-50</b> μCi / 1.85 MBq	269,000	
<b>Arachidonyl Coenzyme A lithium salt "cold"</b> M.W. 1059.92 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0307-5 mg</b> <b>ARCD 0307-10 mg</b>	69,000 118,000	
<b>2-Arachidonyl [5,6,8,9,11,12,14,15-<sup>3</sup>H(N)] 1,3-distearoyl glycerol</b> 劇 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 Ci/mmol 3.7-4.44 TBq/mmol	Acetonitrile 1 mCi/ml	<b>ART 1783-10</b> μCi / 370 kBq	272,000	
<b>2-Arachidonyl glycerol "cold"</b> 劇 M.W. 378.55 CAS # 53847-30-6 <i>Shipped in Dry Ice</i>		Acetonitrile 1 mg/ml	<b>ARCD 0309-10 mg</b>	51,000	
<b>2-Arachidonyl [5,6,8,9,11,12,14,15-<sup>3</sup>H(N)] glycerol</b> 劇 M.W. 378.55 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	200-240 Ci/mmol 7.4-8.88 TBq/mmol	Acetonitrile 0.1 mCi/ml	<b>ART 0845-10</b> μCi / 370 kBq <b>ART 0845-50</b> μCi / 1.85 MBq	256,000 592,000	
<b>2-Arachidonyl glycerol [1,2,3-<sup>3</sup>H]</b> 劇 C <sub>23</sub> H <sub>38</sub> O <sub>4</sub> M.W. 378.55 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Acetonitrile 0.1 mCi/ml	<b>ART 1393-10</b> μCi / 370 kBq <b>ART 1393-50</b> μCi / 1.85 MBq	209,000 524,000	
<b>N-Arachidonyl [5,6,8,9,11,12,14,15-<sup>3</sup>H(N)] glycine (NAGly)</b> M.W. 361.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	200-240 Ci/mmol 7.4-8.88 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2053-50</b> μCi / 1.85 MBq	219,000	
<b>1-Arachidonyl [1-<sup>14</sup>C] 2-stearoyl glycerol</b> <i>Shipped in Dry Ice</i> 劇 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile 0.1 mCi/ml	<b>ARC 3177-10</b> μCi / 370 kBq	219,000	
<b>Ardeparin [<sup>3</sup>H(G)]</b> C <sub>26</sub> H <sub>40</sub> N <sub>2</sub> O <sub>36</sub> S <sub>5</sub> N M.W. 3000 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1424-50</b> μCi / 1.85 MBq	248,000	
<b>Arginine, D-[1-<sup>14</sup>C]</b> H <sub>2</sub> NC(NH)NH(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 174. <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1277-50</b> μCi / 1.85 MBq <b>ARC 1277-250</b> μCi / 9.25 MBq	121,000 324,000	
<b>Arginine, DL-[1-<sup>14</sup>C]</b> H <sub>2</sub> NC(NH)NH(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 174.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1081-50</b> μCi / 1.85 MBq <b>ARC 1081-250</b> μCi / 9.25 MBq	59,000 164,000	



# ALPHABETICAL LISTING OF CHEMICALS

<b>A</b> Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Arginine, L-[1-<sup>14</sup>C]</b> H <sub>2</sub> NC(NH)NH(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 174.2 <i>Exclusive</i>	45-55 mCi/mmol 1.67-2.04 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0338-50</b> μCi / 1.85 MBq <b>ARC 0338-250</b> μCi / 9.25 MBq	114,000 338,000
<b>Arginine, L-[<sup>14</sup>C(U)]</b> H <sub>2</sub> NC(NH)NH(CH <sub>2</sub> ) <sub>3</sub> CH(NH <sub>2</sub> )COOH M.W. 174	200-300 mCi/mmol 7.4-11.1 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0669-50</b> μCi / 1.85 MBq <b>ARC 0669-250</b> μCi / 9.25 MBq	97,000 338,000
<b>Arginine, L-[2,3-<sup>3</sup>H]</b> H <sub>2</sub> NC(NH)NH(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 174.2	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0210-250</b> μCi / 9.25 MBq <b>ART 0210-1</b> mCi / 37 MBq <b>ART 0210-5</b> mCi / 185 MBq	52,000 84,000 209,000
<b>Arginine, L-[2,3,4-<sup>3</sup>H]</b> H <sub>2</sub> NC(NH)NH(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 174.2	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 1421-250</b> μCi / 9.25 MBq <b>ART 1421-1</b> mCi / 37 MBq <b>ART 1421-5</b> mCi / 185 MBq	51,000 84,000 207,000
<b>Arginine, D-[4,5-<sup>3</sup>H]</b> H <sub>2</sub> NC(NH)NH(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 174.2 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0842-250</b> μCi / 9.25 MBq <b>ART 0842-1</b> mCi / 37 MBq	Inquire Inquire
<b>Arginine, L-[4,5-<sup>3</sup>H]</b> H <sub>2</sub> NC(NH)NH(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 174.2 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0841-250</b> μCi / 9.25 MBq <b>ART 0841-1</b> mCi / 37 MBq	47,000 89,000
<b>Arginine, L-[guanido-<sup>14</sup>C]</b> H <sub>2</sub> NC(NH)NH(CH <sub>2</sub> ) <sub>3</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 174.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1214-50</b> μCi / 1.85 MBq <b>ARC 1214-250</b> μCi / 9.25 MBq	149,000 419,000
<b>Ascorbic acid, L-[1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>8</sub> O <sub>6</sub> M.W. 176.12 <i>Shipped in Dry Ice</i>	2-10 mCi/mmol 74-370 MBq/mmol	Solid	<b>ARC 1569-50</b> μCi / 1.85 MBq <b>ARC 1569-250</b> μCi / 9.25 MBq	148,000 Inquire
<b>Ascorbic acid, L-[1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>8</sub> O <sub>6</sub> M.W. 176.12 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1569A-50</b> μCi / 1.85 MBq <b>ARC 1569A-250</b> μCi / 9.25 MBq	148,000 Inquire
<b>Asparagine, L-[1-<sup>14</sup>C(U)]</b> NH <sub>2</sub> COCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 132.12 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	150-200 mCi/mmol 5.55-7.4 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1244-10</b> μCi / 370 kBq <b>ARC 1244-50</b> μCi / 1.85 MBq	170,000 414,000
<b>Asparagine, L-[<sup>3</sup>H(G)]</b> NH <sub>2</sub> COCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 132.12 <i>Exclusive</i>	1-20 Ci/mmol 37-740 GBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0500-250</b> μCi / 9.25 MBq	293,000
<b>Aspartic acid, D-[3-<sup>14</sup>C]</b> HOOCCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 133.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 3721-50</b> μCi / 1.85 MBq	461,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Aspartic acid, DL-[3-<sup>14</sup>C]</b> HOOCCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 133.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 3662-50</b> μCi / 1.85 MBq	239,000	
<b>Aspartic acid, L-[3-<sup>14</sup>C]</b> HOOCCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 133.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 3722-50</b> μCi / 1.85 MBq	461,000	
<b>Aspartic acid, D-[4-<sup>14</sup>C]</b> HOOCCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 133.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0213-50</b> μCi / 1.85 MBq	191,000	
<b>Aspartic acid, DL-[4-<sup>14</sup>C]</b> HOOCCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 133.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1088-50</b> μCi / 1.85 MBq <b>ARC 1088-250</b> μCi / 9.25 MBq	79,000 268,000	
<b>Aspartic acid, L-[4-<sup>14</sup>C]</b> HOOCCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 133.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0226-50</b> μCi / 1.85 MBq <b>ARC 0226-250</b> μCi / 9.25 MBq	93,000 296,000	
<b>Aspartic acid, L-[<sup>14</sup>C(U)]</b> HOOCCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 133.12 <i>Exclusive</i>	150-250 mCi/mmol 5.55-9.25 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0670-50</b> μCi / 1.85 MBq <b>ARC 0670-250</b> μCi / 9.25 MBq	85,000 272,000	
<b>Aspartic acid, D-[2,3-<sup>3</sup>H]</b> HOOCCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 133.12	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0212-250</b> μCi / 9.25 MBq <b>ART 0212-1</b> mCi / 37 MBq	50,000 95,000	
<b>Aspartic acid, DL-[2,3-<sup>3</sup>H]</b> HOOCCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 133.12 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 1826-250</b> μCi / 9.25 MBq <b>ART 1826-1</b> mCi / 37 MBq	55,000 83,000	
<b>Aspartic acid, L-[2,3-<sup>3</sup>H]</b> HOOCCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 133.12 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0211-250</b> μCi / 9.25 MBq <b>ART 0211-1</b> mCi / 37 MBq	55,000 84,000	
<b>Astemizole "cold"</b>		Solid	<b>ARCD 0477-5</b> mg	26,000	
<b>Astemizole [O-methyl-<sup>3</sup>H]</b> (Hismanal) C <sub>28</sub> H <sub>31</sub> FN <sub>4</sub> O M.W. 458.6 <i>Shipped in Dry Ice</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1665-25</b> μCi / 925 kBq <b>ART 1665-250</b> μCi / 9.25 MBq <b>ART 1665-1</b> mCi / 37 MBq	97,000 401,000 Inquire	
<b>Atazanavir "cold"</b> C <sub>38</sub> H <sub>52</sub> N <sub>6</sub> O <sub>7</sub> M.W. 704.86 CAS # 198904-31-3		Solid	<b>ARCD 0716-5</b> mg <b>ARCD 0716-50</b> mg	48,000 157,000	

# ALPHABETICAL LISTING OF CHEMICALS

A Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Atorvastatin calcium "cold"</b> $(C_{33}H_{35}FN_2O_5)_2Ca$ M.W. 1157.28 CAS # 134523-03-8		Solid	<b>ARCD 0362-10 mg</b> <b>ARCD 0362-50 mg</b>	46,000 89,000
<b>Atorvastatin [<sup>3</sup>H(G)] calcium salt</b> $(C_{33}H_{35}FN_2O_5)_2Ca$ M.W. 1157.28 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1376-50 μCi / 1.85 MBq</b>	439,000
<b>Atorvastatin [3-<sup>3</sup>H] calcium salt</b> $(C_{33}H_{35}FN_2O_5)_2Ca$ M.W. 1157.28 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 2097-50 μCi / 1.85 MBq</b>	599,000
<b>Atorvastatin [5-<sup>3</sup>H] calcium salt</b> $(C_{33}H_{35}FN_2O_5)_2Ca$ M.W. 1157.28 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 2098-50 μCi / 1.85 MBq</b>	599,000
<b>Atorvastatin [ring-<sup>3</sup>H] calcium salt</b> $(C_{33}H_{35}FN_2O_5)_2Ca$ M.W. 1157.28 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 2104-50 μCi / 1.85 MBq</b>	599,000
<b>Atorvastatin lactone "cold"</b> $C_{33}H_{33}FN_2O_4$ M.W. 540.62		Solid	<b>ARCD 0283-10 mg</b> <b>ARCD 0283-50 mg</b>	53,000 89,000
<b>Atorvastatin lactone [<sup>3</sup>H(G)]</b> $C_{33}H_{33}FN_2O_4$ M.W. 540.64 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1520-10 μCi / 370 kBq</b> <b>ART 1520-50 μCi / 1.85 MBq</b>	159,000 439,000
<b>Atorvastatin lactone [ring-<sup>3</sup>H]</b> $C_{33}H_{33}FN_2O_4$ M.W. 540.64 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 2103-50 μCi / 1.85 MBq</b>	599,000
<b>Atorvastatin sodium salt "cold"</b> $C_{33}H_{32}FN_2O_5 \cdot Na$ M.W. 580.62		Solid	<b>ARCD 0700-5 mg</b> <b>ARCD 0700-25 mg</b>	49,000 99,000
<b>Atorvastatin [3-<sup>3</sup>H] sodium salt</b> $C_{33}H_{32}FN_2O_5 \cdot Na$ M.W. 580.62 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (1:1) 0.5 mCi/ml	<b>ART 1785-50 μCi / 1.85 MBq</b>	649,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>Atorvastatin [5-<sup>3</sup>H] sodium salt</b> C <sub>33</sub> H <sub>32</sub> FN <sub>2</sub> O <sub>5</sub> Na M.W. 580.62 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (1:1) 0.5 mCi/ml	<b>ART 1786-50</b> μCi / 1.85 MBq	649,000	
<b>(R)-ATPA "cold"</b> <b>((R)-α-Amino-3-hydroxy-5-tert-butyl-4-isoxazolepropionic acid)</b> M.W. 228.25		Solid	<b>ARCD 0519-5</b> mg <b>ARCD 0519-10</b> mg	55,000 72,000	
<b>(S)-ATPA "cold"</b> <b>((S)-α-Amino-3-hydroxy-5-tert-butyl-4-isoxazolepropionic acid)</b> M.W. 228.25		Solid	<b>ARCD 0521-5</b> mg <b>ARCD 0521-10</b> mg	53,000 69,000	
<b>Atrazine "cold"</b> M.W. 215.68 CAS # 1912-24-9 <i>NEW!</i>		Solid	<b>ARCD 1027-100</b> mg	44,000	
<b>Atrazine [ring-<sup>14</sup>C(U)]</b> <b>(2-Chloro-4-ethylamino-6-isopropyl-amino-1,3,5-triazine)</b> C <sub>8</sub> H <sub>14</sub> CIN <sub>5</sub> M.W. 215.68 <i>Exclusive</i>	100-150 mCi/mmol 3.7-5.55 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1702-100</b> μCi / 3.7 MBq <b>ARC 1702-250</b> μCi / 9.25 MBq	333,000 Inquire	
<b>Atrazine [ring-<sup>14</sup>C(U)]</b> <b>(2-Chloro-4-ethylamino-6-isopropyl-amino-1,3,5-triazine)</b> C <sub>8</sub> H <sub>14</sub> CIN <sub>5</sub> M.W. 215.68 <i>Exclusive</i>	100-150 mCi/mmol 3.7-5.55 GBq/mmol	Solid 0.1 mCi/ml	<b>ARC 1702A-100</b> μCi / 3.7 MBq <b>ARC 1702A-250</b> μCi / 9.25 MBq	333,000 Inquire	
<b>Autoradiography Standards: Carbon-14 Labeled</b> Standards for Quantitative Autoradiography (using <sup>14</sup> C, <sup>32</sup> P, <sup>33</sup> P, <sup>35</sup> S, <sup>125</sup> I isotopes), whole body imaging, and instrument calibration. Available on glass slides or plastic strips.			<b>ARC 0146, ARC 0146A, ARC 0146B, ARC 0146C, ARC 0146D, ARC 0146E, ARC 0146F, ARC 0146H, ARC 0146I, ARC 0146J, ARC 0146M, ARC 0146N, ARC 0146R, ARC 0146S, ARC 0146T</b>		
<b>Autoradiography Standards: Iodine-125 Labeled</b> Standards for Quantitative Autoradiography			<b>ARI 0133, ARI 0133A</b>		
<b>Autoradiography Standards: Tritium Labeled</b> Standards for Quantitative Autoradiography			<b>ART 0123, ART 0123A, ART 0123B ART 0123C</b>		
<b>Avermectin, B<sub>1A</sub>-[5-<sup>3</sup>H]</b> <b>(Abamectin)</b> M.W. 873.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0864-50</b> μCi / 1.85 MBq <b>ART 0864-250</b> μCi / 9.25 MBq	156,000 366,000	
<b>Azelaic acid [1-<sup>14</sup>C]</b> <b>(1,7-Heptanedicarboxylic acid)</b> HO <sub>2</sub> C(CH <sub>2</sub> ) <sub>7</sub> CO <sub>2</sub> H M.W. 188.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0807-50</b> μCi / 1.85 MBq	248,000	

# ALPHABETICAL LISTING OF CHEMICALS

A Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>6-Azi-5<math>\alpha</math>-cholestan-3<math>\beta</math>-ol "cold"</b> <b>(6,6-Azo cholesterol or photoactive cholesterol)</b> M.W. 386.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Ethanol in sealed ampoule 1 mg/ml	<b>ARCD 0216-1 mg</b> <b>ARCD 0216-5 mg</b>	142,000 428,000
<b>6-Azi-5<math>\alpha</math>-cholestan-3<math>\beta</math>-ol [3<math>\alpha</math>-<sup>3</sup>H]</b> <b>(Photoactive cholesterol)</b> M.W. 386.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ART 1178-250 <math>\mu</math>Ci / 9.25 MBq</b>	296,000
<b>6-Azi-5<math>\alpha</math>-cholestan-3<math>\alpha</math>-ol [3<math>\beta</math>-<sup>3</sup>H]</b> <b>(Photoinactive cholesterol)</b> M.W. 386.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ART 1179-250 <math>\mu</math>Ci / 9.25 MBq</b> <b>ART 1179-1 mCi / 37 MBq</b>	198,000 339,000
<b>7-Azi-5<math>\alpha</math>-cholestan-3<math>\alpha</math>-ol [5,6-<sup>3</sup>H]</b> <b>(7,7-Azo cholesterol or Photoinactive cholesterol)</b> M.W. 414.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ART 1258-50 <math>\mu</math>Ci / 1.85 MBq</b> <b>ART 1258-250 <math>\mu</math>Ci / 9.25 MBq</b>	198,000 339,000
<b>7-Azi-5<math>\alpha</math>-cholestan-3<math>\beta</math>-ol "cold"</b> <b>(7,7-Azo cholesterol or Photoactive cholesterol)</b> M.W. 414.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Ethanol in sealed ampoule 1 mg/ml	<b>ARCD 0215-1 mg</b> <b>ARCD 0215-5 mg</b>	142,000 428,000
<b>7-Azi-5<math>\alpha</math>-cholestan-3<math>\beta</math>-ol [3,5,6-<sup>3</sup>H]</b> <b>(7,7-Azo cholesterol or Photoactive cholesterol)</b> M.W. 386.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Reference: Biologically Active (Cruz et al [2002] Journal of Lipid Research, 43: p1341) Used in the identification of Novel Cholesterol Binding Proteins (Thiele et al [2000] Nature Cell Biology, 2: p42; Matyash et al [2001] Molecular Biology of the Cell)</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ART 1254-50 <math>\mu</math>Ci / 1.85 MBq</b> <b>ART 1254-250 <math>\mu</math>Ci / 9.25 MBq</b>	198,000 381,000
<b>7-Azi-5<math>\alpha</math>-cholestan-3<math>\beta</math>-ol [5,6-<sup>3</sup>H]</b> <b>(7,7-Azo cholesterol or Photoactive cholesterol)</b> M.W. 414.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ART 1264-50 <math>\mu</math>Ci / 1.85 MBq</b> <b>ART 1264-250 <math>\mu</math>Ci / 9.25 MBq</b>	198,000 381,000
<b>Azidoatrazine [ring-<sup>14</sup>C(U)]</b> $C_8H_{14}ClN_5$ M.W. 222.30 <i>Exclusive</i>	20-30 mCi/mmol 0.74-1.11 GBq/mmol	Solid	<b>ARC 3310</b>	Inquire
<b>3'-Azido-3'-deoxythymidine [2-<sup>14</sup>C]</b> <b>(Azidothymidine; AZT)</b> $C_{10}H_{13}N_5O_4$ M.W. 267.20 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3263-10 <math>\mu</math>Ci / 370 kBq</b> <b>ARC 3263-50 <math>\mu</math>Ci / 1.85 MBq</b>	126,000 210,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price	A
<b>3'-Azido-3'-deoxythymidine 5'-[2-<sup>14</sup>C] monophosphate diammonium salt</b> M.W. 379.30 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3264-10</b> μCi / 370 kBq	314,000	
<b>3'-Azido-3'-deoxythymidine 5'-[methyl-<sup>3</sup>H] triphosphate tetra (triethylammonium) salt</b> M.W. 912.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 0.185-0.74 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0364-250</b> μCi / 9.25 MBq	308,000	
<b>Azidoimipramine [methyl-<sup>3</sup>H]</b> C <sub>19</sub> H <sub>24</sub> N <sub>4</sub> M.W. 344.87 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Photo affinity labeling reagent for the serotonin transport protein</i>	70-85 Ci/mmol 2.59-3.14 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1402-50</b> μCi / 1.85 MBq	269,000	
<b>4-Azidosalicylic acid [ring-5-<sup>3</sup>H]</b> C <sub>7</sub> H <sub>5</sub> N <sub>3</sub> O <sub>3</sub> M.W. 179.13 <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1857-250</b> μCi / 9.25 MBq	229,000	
<b>7-Azi-5α-stigmastan-3β-ol "cold" (Photoactive β-sitosterol)</b>  <i>Exclusive</i>		Ethanol 1 mg/ml	<b>ARCD 0207-1</b> mg	142,000	
<b>7-Azi-5α-stigmastan-3β-ol [5,6,22,23-<sup>3</sup>H] (Photoactive β sitosterol)</b> M.W. 443.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-100 Ci/mmol 2.96-3.7 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1272-50</b> μCi / 1.85 MBq <b>ART 1272-250</b> μCi / 9.25 MBq	209,000 366,000	
<b>Azithromycin [N-methyl-<sup>3</sup>H]</b> C <sub>38</sub> H <sub>72</sub> N <sub>2</sub> O <sub>12</sub> M.W. 748.98 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.21 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1570-50</b> μCi / 1.85 MBq	239,000	
<b>7,7-Azocholestane-3α-25-diol [3,6,7-<sup>3</sup>H]</b> C <sub>27</sub> H <sub>58</sub> O <sub>2</sub> N <sub>2</sub> M.W. 443.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1364-50</b> μCi / 1.85 MBq	269,000	
<b>7,7-Azocholestane-3β-25-diol-[3β-<sup>3</sup>H]</b> C <sub>27</sub> H <sub>58</sub> O <sub>2</sub> N <sub>2</sub> M.W. 443 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1360-50</b> μCi / 1.85 MBq	269,000	
<b>7,7-Azocholestane-3β-25-diol [3,6,7-<sup>3</sup>H]</b> C <sub>27</sub> H <sub>58</sub> O <sub>2</sub> N <sub>2</sub> M.W. 443.0 <i>Shipped in Dry Ice</i> <i>dExclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1366-50</b> μCi / 1.85 MBq	269,000	

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>B</b> <b>Baclofen, (-)-[butyl-4-<sup>14</sup>C]</b> $p\text{-ClC}_6\text{H}_4\text{CH}(\text{CH}_2\text{CO}_2\text{H})\text{CH}_2\text{NH}_2$ M.W. 213.67 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0844-50</b> $\mu\text{Ci}$ / 1.85 MBq	449,000
<b>Barbituric acid [14C]</b> $\text{C}_4\text{H}_4\text{N}_2\text{O}_3$ M.W. 128.09 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3648</b>	Inquire
<b>Barium carbonate [14C]</b> 劇 $\text{BaCO}_3$ M.W. 200.35 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0109A-1</b> mCi / 37 MBq <b>ARC 0109A-5</b> mCi / 185 MBq <b>ARC 0109A-25</b> mCi / 925 MBq	79,000 261,000 524,000
<b>Barium cyanamide [14C]</b> 劇 $\text{BaNCN}$ M.W. 179.40 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 3466</b>	Inquire
<b>9-BBN [B-3H]</b> <b>(9-Borabicyclo [3.3.1] nonane)</b> M.W. 122.02 <i>Exclusive</i> <i>Employed in the hydroboration of alkynes, nitriles and ketones</i> <i>Shipped in Dry Ice</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Hexane in sealed ampoule 100 mCi/ml	<b>ART 0863-100</b> mCi / 3.7 GBq	Inquire
<b>Behenic acid [1-<sup>14</sup>C]</b> See Docosanoic acid [1- <sup>14</sup> C]			<b>ARC 0454</b>	
<b>Behinoyl Coenzyme A "cold"</b> See Docosanoyl Coenzyme A			<b>ARCD 0218</b>	
<b>Behinoyl [1-<sup>14</sup>C] Coenzyme A</b> See Docosanoyl [1- <sup>14</sup> C] Coenzyme A			<b>ARC 3066</b>	
<b>Benflumetol [<sup>3</sup>H(G)]</b> See Lumefantrine[ <sup>3</sup> H(G)]			<b>ART 2047</b>	
<b>Benzaldehyde [carbonyl-<sup>14</sup>C]</b> $\text{C}_6\text{H}_5\text{CHO}$ M.W. 106.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 1074-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ARC 1074-250</b> $\mu\text{Ci}$ / 9.25 MBq	149,000 408,000
<b>Benzaldehyde [ring-<sup>14</sup>C(U)]</b> $\text{C}_6\text{H}_5\text{CHO}$ M.W. 106.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 0411-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ARC 0411-250</b> $\mu\text{Ci}$ / 9.25 MBq	226,000 449,000
<b>Benzaldehyde [ring-<sup>14</sup>C(U)]</b> $\text{C}_6\text{H}_5\text{CHO}$ M.W. 106.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 1 mCi/ml	<b>ARC 0411A-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ARC 0411A-250</b> $\mu\text{Ci}$ / 9.25 MBq	226,000 449,000
<b>Benzamide [7-<sup>14</sup>C]</b> $\text{C}_6\text{H}_5\text{CONH}_2$ M.W. 121.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1087-250</b> $\mu\text{Ci}$ / 9.25 MBq	209,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Benzamide [ring-<sup>14</sup>C(U)]</b> (Benzoic acid amide) <chem>C6H5CONH2</chem> M.W. 121.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3313-250</b> μCi / 9.25 MBq	363,000
<b>Benzene [<sup>14</sup>C(U)]</b> <chem>C6H6</chem> M.W. 78.11 <i>Exclusive</i> <i>Substantial Discounts on Larger Packages</i>	80-120 mCi/mmol 2.96-4.44 GBq/mmol	Neat liquid in break seal	<b>ARC 0185B-1</b> mCi / 37 MBq <b>ARC 0185B-5</b> mCi / 185 MBq <b>ARC 0185B-25</b> mCi / 925 MBq <b>ARC 0185B-100</b> mCi / 3.7 GBq	Inquire Inquire Inquire Inquire
<b>Benzene [<sup>14</sup>C(U)]</b> <chem>C6H6</chem> M.W. 78.11 <i>Exclusive</i>		Benzene in sealed ampoule 10 mCi/ml	<b>ARC 0185A-250</b> μCi / 9.25 MBq <b>ARC 0185A-1</b> mCi / 37 MBq <b>ARC 0185A-5</b> mCi / 185 MBq	126,000 228,000 328,000
<b>1,2-Benzenedimethanol [methylene-<sup>14</sup>C]</b> <chem>C6H4(CH2OH)2</chem> M.W. 138.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1361-50</b> μCi / 1.85 MBq <b>ARC 1361-250</b> μCi / 9.25 MBq	79,000 198,000
<b>1,2-Benzenedimethanol [ring-<sup>14</sup>C(U)]</b> <chem>C6H4(CH2OH)2</chem> M.W. 138.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1427-50</b> μCi / 1.85 MBq <b>ARC 1427-250</b> μCi / 9.25 MBq	99,000 209,000
<b>Benzenesulfonic acid [ring-<sup>14</sup>C(U)] sodium salt</b> <chem>C6H5SO3Na</chem> M.W. 180.16 <i>Exclusive</i>	50-60-mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1672-50</b> μCi / 1.85 MBq <b>ARC 1672-250</b> μCi / 9.25 MBq	142,000 269,000
<b>Benzenethiol [<sup>14</sup>C(U)]</b> See Thiophenol [ <sup>14</sup> C(U)]			<b>ARC 1258</b>	
<b>Benzidine [<sup>14</sup>C(U)]</b> (4,4'-Diaminobiphenyl) <chem>C12H10N2</chem> M.W. 184.24 <i>Exclusive</i>	10-30 mCi/mmol 0.37-1.11 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3314-50</b> μCi / 1.85 MBq	Inquire
<b>Benzidine [3,3'-<sup>3</sup>H]</b> (4,4'-Diaminobiphenyl) <chem>C12H10N2</chem> M.W. 184.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1850-250</b> μCi / 9.25 MBq	219,000
<b>Benzil [ring-<sup>14</sup>C(U)]</b> (Dibenzoyl) <chem>C6H5COCOC6H5</chem> M.W. 210.23 <i>Exclusive</i>	20-30 mCi/mmol 0.74-1.11 GBq/mmol	Solid	<b>ARC 3315-50</b> μCi / 1.85 MBq	523,000
<b>Benzilic acid [2,2'-<sup>3</sup>H]</b> (Diphenylglycolic acid) <chem>(C6H5)2C(OH)CO2H</chem> M.W. 228.25 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0557-250</b> μCi / 9.25 MBq	247,000

**B**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>B</b> Benzocaine [ring- <sup>14</sup> C(U)] See Ethyl 4-aminobenzoate [ring- <sup>14</sup> C(U)]			ARC 0618	
<b>2,3-Benzofuran [2-<sup>14</sup>C]</b> M.W. 118.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in sealed ampoule 0.1 mCi/ml	ARC 0819-50 μCi / 1.85 MBq	296,000
<b>Benzoic acid [7-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> COOH M.W. 122.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	ARC 0186-250 μCi / 9.25 MBq ARC 0186-1 mCi / 37 MBq	79,000 191,000
<b>Benzoic acid [7-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> COOH M.W. 122.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	ARC 0186A-250 μCi / 9.25 MBq ARC 0186A-1 mCi / 37 MBq	79,000 191,000
<b>Benzoic acid [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> COOH M.W. 122.12 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol 1 mCi/ml	ARC 0870-250 μCi / 9.25 MBq ARC 0870-1 mCi / 37 MBq	198,000 366,000
<b>Benzoic acid [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> COOH M.W. 122.12 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 1 mCi/ml	ARC 0187-250 μCi / 9.25 MBq ARC 0187-1 mCi / 37 MBq	198,000 356,000
<b>Benzoic acid [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> COOH M.W. 122.12 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Solid	ARC 0187A-1 mCi / 37 MBq	356,000
<b>Benzoic acid [4-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> COOH M.W. 122.12 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	ART 0782-250 μCi / 9.25 MBq ART 0782-1 mCi / 37 MBq ART 0782-5 mCi / 185 MBq	59,000 149,000 339,000
<b>Benzoic acid [ring-2,3,5-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> COOH M.W. 122.12 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	ART 1249-250 μCi / 9.25 MBq ART 1249-1 mCi / 37 MBq ART 1249-5 mCi / 185 MBq	79,000 149,000 395,000
<b>Benzoic acid [7-<sup>14</sup>C] sodium salt</b> C <sub>6</sub> H <sub>5</sub> COONa M.W. 144.11 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	ARC 3752-250 μCi / 9.25 MBq	109,000
<b>Benzoic acid [ring-<sup>14</sup>C(U)] sodium salt</b> C <sub>6</sub> H <sub>5</sub> COONa M.W. 144.11 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	ARC 3753-250 μCi / 9.25 MBq	335,000
<b>Benzoic acid [ring-<sup>14</sup>C(U)] methyl ester</b> C <sub>6</sub> H <sub>5</sub> CO <sub>2</sub> CH <sub>3</sub> M.W. 136.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methanol 0.1 mCi/ml	ARC 0456-1 mCi / 37 MBq	Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Benzonitrile [ring-<sup>14</sup>C(U)]</b> 劇 C <sub>7</sub> H <sub>5</sub> N M.W. 103.04 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3548-50</b> μCi / 1.85 MBq	219,000
<b>Benzophenone [carbonyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>5</sub> M.W. 182.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0868-50</b> μCi / 1.85 MBq <b>ARC 0868-250</b> μCi / 9.25 MBq	149,000 365,000
<b>Benzophenone [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>5</sub> M.W. 182.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0862-50</b> μCi / 1.85 MBq	198,000
<b>Benzophenone-2 [ring-<sup>3</sup>H]</b> <b>(2,2',4,4'-Tetrahydrobenzophenone)</b> C <sub>13</sub> H <sub>10</sub> O <sub>5</sub> M.W. 246.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 Ci/mmol 3.7-4.44 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1981-250</b> μCi / 9.25 MBq	125,000
<b>Benzo [α] pyrene [7-<sup>14</sup>C]</b> C <sub>20</sub> H <sub>12</sub> M.W. 252.30 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-50 mCi/mmol 0.74-1.85 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 3109-50</b> μCi / 1.85 MBq	523,000
<b>Benzo [α] pyrene [<sup>3</sup>H(G)]</b> M.W. 252.3 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ART 0672-1</b> mCi / 37 MBq <b>ART 0672-5</b> mCi / 185 MBq	100,000 198,000
<b>Benzoquinone [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> O <sub>2</sub> M.W. 108.10 <i>Exclusive</i>	10-50 mCi/mmol 0.37-1.85 GBq/mmol	Solid in sealed ampoule	<b>ARC 0333-250</b> μCi / 9.25 MBq	479,000
<b>Benzoylbenzoyl ATP "cold"</b>		Solid	<b>ARCD 0724-5</b> mg	29,000
<b>Benzoyl chloride [carbonyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> COCl M.W. 140.57 <i>Exclusive</i>	1-20 mCi/mmol 37-740 MBq/mmol	Toluene 1 mCi/ml	<b>ARC 3317-250</b> μCi / 9.25 MBq	232,000
<b>Benzoyl chloride [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> COCl M.W. 140.57 <i>Exclusive</i>	1-20 mCi/mmol 37-740 MBq/mmol	Toluene 1 mCi/ml	<b>ARC 3318-250</b> μCi / 9.25 MBq	352,000
<b>Benzoyl peroxide [carbonyl-<sup>14</sup>C]</b> (C <sub>6</sub> H <sub>5</sub> CO) <sub>2</sub> O <sub>2</sub> M.W. 242.23 <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Solid	<b>ARC 0455-250</b> μCi / 9.25 MBq	349,000
<b>3-Benzoylpropionic acid [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> COCH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> H M.W. 118.19 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1594-250</b> μCi / 9.25 MBq	296,000

**B**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>B</b> <sup>14</sup> C-N <sup>6</sup> -Benzyladenine [8- <sup>14</sup> C] (6-Benzylaminopurine) M.W. 225.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3170-50</b> μCi / 1.85 MBq	203,000
<b>Benzyl alcohol</b> [7- <sup>14</sup> C] C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> OH M.W. 108.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0564-250</b> μCi / 9.25 MBq <b>ARC 0564-1</b> mCi / 37 MBq	198,000 365,000
<b>Benzyl alcohol</b> [ring- <sup>14</sup> C(U)] C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> OH M.W. 108.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1023-250</b> μCi / 9.25 MBq <b>ARC 1023-1</b> mCi / 37 MBq	269,000 506,000
<b>Benzyl alcohol</b> [ring-2,3,5- <sup>3</sup> H] C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CO <sub>2</sub> H M.W. 108.14 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1250-250</b> μCi / 9.25 MBq <b>ART 1250-1</b> mCi / 37 MBq	107,000 198,000
<b>Benzylamine</b> [7- <sup>14</sup> C] hydrochloride C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 143.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0306-50</b> μCi / 1.85 MBq <b>ARC 0306-250</b> μCi / 9.25 MBq	135,000 314,000
<b>Benzylamine</b> [ring- <sup>14</sup> C(U)] hydrochloride C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 143.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3558-50</b> μCi / 1.85 MBq	Inquire
<b>Benzylamine</b> [ring 2,3,5- <sup>3</sup> H] hydrochloride C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 143.5 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1243-250</b> μCi / 9.25 MBq <b>ART 1243-1</b> mCi / 37 MBq	191,000 296,000
<b>Benzyl bromide</b> [7- <sup>14</sup> C] C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> Br M.W. 171.04 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 1 mCi/ml	<b>ARC 1803-250</b> μCi / 9.25 MBq	239,000
<b>Benzyl bromide</b> [ring- <sup>14</sup> C(U)] C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> Br M.W. 171.04 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 1 mCi/ml	<b>ARC 1067-250</b> μCi / 9.25 MBq	253,000
<b>Benzyl chloride</b> [7- <sup>14</sup> C] 毒 C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> Cl M.W. 126.59 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 1 mCi/ml	<b>ARC 0563-250</b> μCi / 9.25 MBq	239,000
<b>Benzyl chloroformate</b> [carbonyl- <sup>14</sup> C] ClOCOCH <sub>2</sub> C <sub>6</sub> H <sub>5</sub> M.W. 170.59 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 3533-250</b> μCi / 9.25 MBq	366,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Benzyl cyanide [7-<sup>14</sup>C]</b> 劇 (Phenylacetone nitrile) <chem>C6H5CH2CN</chem> M.W. 117.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3174-50</b> μCi / 1.85 MBq <b>ARC 3174-250</b> μCi / 9.25 MBq	183,000 497,000
<b>5-Benzylisothiosemicarbazide [carbazine-<sup>14</sup>C] hydrobromide</b> <chem>C6H5CH2SC(=NH)NHNH2.HBr</chem> M.W. 262.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1184-1</b> mCi / 37 MBq	314,000
<b>N-Benzylmaleimide [7-<sup>14</sup>C]</b> <chem>C11H9NO2</chem> M.W. 187.9 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1844-50</b> μCi / 1.85 MBq	296,000
<b>Benzyl methyl malonate [2-<sup>14</sup>C]</b> <chem>C6H5CH2CO2CH2CO2CH3</chem> M.W. 208.21 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1083-1</b> mCi / 37 MBq	Inquire
<b>Benzylpenicillin [phenyl-4-<sup>3</sup>H]</b> M.W. 335.0 <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Acetonitrile: 0.03M disodium hydrogen orthophosphate, 0.02M sodium dihydrogen orthophosphate (pH 7.8) (3:7) 1 mCi/ml	<b>ART 0673-250</b> μCi / 9.25 MBq	603,000
<b>Benzylpenicillin [benzyl-<sup>14</sup>C] potassium</b> M.W. 372.47 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0215-50</b> μCi / 1.85 MBq	314,000
<b>N-Benzyl [7-<sup>14</sup>C] 4-phenylpyridinium bromide</b> M.W. 372.04 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1234A-50</b> μCi / 1.85 MBq	282,000
<b>Betaine [glycine-1-<sup>14</sup>C] (N,N,N-Trimethylglycine)</b> <chem>(CH3)3NCH2CO2H</chem> M.W. 117.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0748-50</b> μCi / 1.85 MBq	226,000
<b>Betaine [methyl-<sup>14</sup>C] (N,N,N-Trimethylglycine)</b> <chem>(CH3)3NCH2CO2H</chem> M.W. 117.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 1432-50</b> μCi / 1.85 MBq	226,000
<b>Betaine [glycine-2-<sup>3</sup>H] (N,N,N-Trimethylglycine)</b> <chem>(CH3)3NCH2CO2H</chem> M.W. 117.15 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1896-50</b> μCi / 1.85 MBq <b>ART 1896-250</b> μCi / 9.25 MBq	87,000 219,000

**B**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>B</b> <b>Betaine [methyl-<sup>3</sup>H]</b> <b>(N,N,N-Trimethylglycine)</b> <chem>(CH3)3NCH2CO2H</chem> M.W. 117.15 <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1903-50</b> $\mu$ Ci / 1.85 MBq <b>ART 1903-250</b> $\mu$ Ci / 9.25 MBq	135,000 314,000
<b>Betamethasone [1,2,4-<sup>3</sup>H]</b> <chem>C22H29FO5</chem> M.W. 392.47 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1269-50</b> $\mu$ Ci / 1.85 MBq <b>ART 1269-250</b> $\mu$ Ci / 9.25 MBq	170,000 311,000
<b>Betamethasone acetate "cold"</b> <chem>C24H31FO6</chem> M.W. 434.50 CAS # 987-24-6		Solid	<b>ARCD 0463-100</b> mg	45,000
<b>Betamethasone acetate [1,2,4-<sup>3</sup>H]</b> <chem>C24H31FO6</chem> M.W. 434.50 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1412-50</b> $\mu$ Ci / 1.85 MBq <b>ART 1412-250</b> $\mu$ Ci / 9.25 MBq	185,000 311,000
<b>Betulinic acid [3-<sup>3</sup>H]</b> <chem>C30H48O3</chem> M.W. 456.7 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2149-50</b> $\mu$ Ci / 1.85 MBq	209,000
<b>Bexarotene (free acid) "cold"</b> <chem>C24H28O2</chem> M.W. 348.48 CAS # 153559-49-0 <i>NEW!-Exclusive</i>		Solid	<b>ARCD 1025-10</b> mg	40,000
<b>Bexarotene [ring-<sup>3</sup>H]</b> <chem>C24H28O2</chem> M.W. 348.48 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2110-50</b> $\mu$ Ci / 1.85 MBq	209,000
<b>Bicuculline methyl chloride, (-)-[methyl-<sup>14</sup>C]</b> M.W. 417.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under nitrogen 0.1 mCi/ml	<b>ARC 1040-250</b> $\mu$ Ci / 9.25 MBq	366,000
<b>Bicuculline methyl chloride, (-)-[methyl-<sup>3</sup>H]</b> M.W. 417.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol under nitrogen 1 mCi/ml	<b>ART 0576-250</b> $\mu$ Ci / 9.25 MBq	239,000
<b>BIIE 0246-<sup>3</sup>H]</b> <b>(N-[(1S)-4-[(Aminoiminomethyl)amino-1- [[[2-(3,5-dioxo-1,2-diphenyl-1,2,4-triazolidin-4-yl)ethyl]amino]carbonyl]butyl] 1-[2-4-(6,11-dihydro-6-oxo-5H- dibenz[b,e]azepin-11-yl)-piperziny] 2-oxoethyl] cyclopentaneacetamide</b> M.W. 896.06 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-50 Ci/mmol 0.74-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1455-250</b> $\mu$ Ci / 9.25 MBq	723,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Bilirubin [10-<sup>3</sup>H]</b> C <sub>33</sub> H <sub>36</sub> N <sub>4</sub> O <sub>6</sub> M.W. 584.66 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1982-50</b> μCi / 1.85 MBq	419,000
<b>Bimatoprost [15-<sup>3</sup>H]</b> <b>(17-phenyl trinar PGF<sub>2α</sub> ethyl amide)</b> C <sub>25</sub> H <sub>37</sub> NO <sub>4</sub> M.W. 363.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1690-100</b> μCi / 3.7 MBq	449,000
<b>Biochanin A [6,8,3',5'-<sup>3</sup>H(N)]</b> <b>(5,7-Dihydroxy-4'-methoxy isoflavone)</b> M.W. 284.27 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.370-0.74 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 0752-50</b> μCi / 1.85 MBq	209,000
<b>D-Biotin "cold"</b> <b>(Vitamin H)</b> M.W. 244.31 CAS # 58-85-5 <i>NEW!-Exclusive</i>		Solid	<b>ARCD 1033-10</b> mg	44,000
<b>Biotin, D-[8,9-<sup>3</sup>H(N)] 毒</b> <b>(Vitamin H)</b> C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub> S M.W. 244.31 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.2% aqueous mercaptoethanol 1 mCi/ml	<b>ART 1361-50</b> μCi / 1.85 MBq <b>ART 1361-250</b> μCi / 9.25 MBq <b>ART 1361-1</b> mCi / 37 MBq	163,000 282,000 576,000
<b>Biotin sphingosine, D-erythro-1-phosphate</b> <b>[<sup>33</sup>P]</b> M.W. 620.78 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	2000-3000 Ci/mmol 74-111 TBq/mmmol	Ethanol:0.1M NH <sub>4</sub> OH (9:1) 0.1 mCi/ml	<b>ARP 0176-10</b> μCi / 370 kBq	523,000
<b>Biphenyl [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> C <sub>6</sub> H <sub>5</sub> M.W. 154.21 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Solid	<b>ARC 3544-50</b> μCi / 1.85 MBq	269,000
<b>4-Biphenylamine [<sup>14</sup>C(U)]</b> See 4-Aminobiphenyl [ <sup>14</sup> C(U)]			<b>ARC 3278</b>	
<b>Bis-(2-ethylhexyl) terephthalate</b> <b>[carboxyl-<sup>14</sup>C]</b> C <sub>24</sub> H <sub>38</sub> O <sub>4</sub> M.W. 390.56 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1581-250</b> μCi / 9.25 MBq	503,000
<b>Bisnoralcohol [4-<sup>14</sup>C]</b> <b>(22-Hydroxybisnor-4-cholesten-3-one)</b> M.W. 330.51 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1897-10</b> μCi / 370 kBq	296,000
<b>Bisphenol A "cold"</b>		Solid	<b>ARCD 0465-1</b> g	26,000

**B**




# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>B</b> <b>Bisphenol A [ring-<sup>14</sup>C(U)]</b> M.W. 228.3 <i>Shipped in Dry Ice</i>	100-200 mCi/mmol 3.7-7.4 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1671-10</b> μCi / 370 kBq <b>ARC 1671-50</b> μCi / 1.85 MBq <b>ARC 1671-250</b> μCi / 9.25 MBq	125,000 229,000 497,000
<b>Bisphenol A [ring-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> C(C <sub>6</sub> H <sub>4</sub> OH) <sub>2</sub> M.W. 228.3 <i>Shipped in Dry Ice</i>	5-15 Ci/mmol 185-555 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1676-250</b> μCi / 9.25 MBq	229,000
<b>Bispyribac sodium [2,6-dihydroxybenzoic acid ring-<sup>14</sup>C(U)]</b> M.W. 453.35 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3685</b>	Inquire
<b>3,5-Bis(trifluoromethyl) [7-<sup>14</sup>C] benzoic acid</b> C <sub>9</sub> H <sub>4</sub> O <sub>2</sub> F <sub>6</sub> M.W. 258.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3141-50</b> μCi / 1.85 MBq	229,000
<b>3,5-Bis(trifluoromethyl) [7-<sup>14</sup>C] benzyl alcohol</b> M.W. 244.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3140-50</b> μCi / 1.85 MBq	229,000
<b>BNOA [1-<sup>14</sup>C]</b> See 2-Naphthoxyacetic acid [1- <sup>14</sup> C]			<b>ARC 3485</b>	
<b>BOC-β-Alanine [3-<sup>3</sup>H]</b> (NH-t-BOC)CH <sub>2</sub> CH <sub>2</sub> COOH M.W. 189.2 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1291-250</b> μCi / 9.25 MBq	228,000
<b>N-t-BOC-L-Alanine [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH(NH-t-BOC)CO <sub>2</sub> H M.W. 189.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1504-250</b> μCi / 9.25 MBq	332,000
<b>N-t-BOC-L-Alanine [<sup>14</sup>C(U)]</b> M.W. 189.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 3379-50</b> μCi / 1.85 MBq	342,000
<b>N-t-BOC-D-Alanine [2,3-<sup>3</sup>H]</b> CH <sub>3</sub> CH(NH-t-BOC)CO <sub>2</sub> H M.W. 189.2 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0825-250</b> μCi / 9.25 MBq <b>ART 0825-1</b> mCi / 37 MBq	234,000 373,000
<b>N-t-BOC-L-Alanine [2,3-<sup>3</sup>H]</b> CH <sub>3</sub> CH(NH-t-BOC)CO <sub>2</sub> H M.W. 189.2 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1423-250</b> μCi / 9.25 MBq <b>ART 1423-1</b> mCi / 37 MBq	142,000 269,000
<b>N-t-BOC-L-Alaninol [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH(NH-t-BOC)CH <sub>2</sub> OH M.W. 175.23 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1505-250</b> μCi / 9.25 MBq	339,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>α-N-t-BOC-D-Arginine [4,5-<sup>3</sup>H]</b> H <sub>2</sub> NC(NH)NH(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH(NH-t-BOC)CO <sub>2</sub> H M.W. 274.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1370-250</b> μCi / 9.25 MBq	269,000
<b>α-N-t-BOC-L-Arginine [4,5-<sup>3</sup>H]</b> H <sub>2</sub> NC(NH)NH(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH(NH-t-BOC)CO <sub>2</sub> H M.W. 274.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1371-250</b> μCi / 9.25 MBq	269,000
<b>N-t-BOC-L-Aspartic acid [<sup>14</sup>C(U)]</b> M.W. 233.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 3380-50</b> μCi / 1.85 MBq	353,000
<b>t-BOC-D-Cyclohexylglycine [carboxyl-<sup>14</sup>C]</b> C <sub>13</sub> H <sub>23</sub> NO <sub>4</sub> M.W. 257.33 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1805-50</b> μCi / 1.85 MBq	296,000
<b>N-t-BOC-Glutamic acid [<sup>14</sup>C(U)]</b> M.W. 247.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 3378-50</b> μCi / 1.85 MBq	419,000
<b>N-t-BOC-Glycine [1-<sup>14</sup>C]</b> M.W. 175.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1182-250</b> μCi / 9.25 MBq	366,000
<b>N-t-BOC-Glycine [2-<sup>3</sup>H]</b> M.W. 175.2 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0644-250</b> μCi / 9.25 MBq <b>ART 0644-1</b> mCi / 37 MBq	233,000 352,000
<b>N-t-BOC-L-Phenylalanine [3,4,5-<sup>3</sup>H]</b> M.W. 265.3 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0615-250</b> μCi / 9.25 MBq <b>ART 0615-1</b> mCi / 37 MBq	239,000 353,000
<b>N-t-BOC-L-Phenylalanine [ring-<sup>14</sup>C(U)]</b> M.W. 265.3 <i>Exclusive</i>	150-250 mCi/mmol 5.55-9.25 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3158-50</b> μCi / 1.85 MBq	251,000
<b>1-BOC-4-Piperidone [carbonyl-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>17</sub> NO <sub>3</sub> M.W. 100.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3182-50</b> μCi / 1.85 MBq	251,000
<b>1-BOC-S-Prolinamide [1-<sup>14</sup>C]</b> M.W. 214.3 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	THF 0.1 mCi/ml	<b>ARC 3749-50</b> μCi / 1.85 MBq	649,000
<b>N-t-BOC-L-Proline [3,4-<sup>3</sup>H]</b> M.W. 215.25 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1959-250</b> μCi / 9.25 MBq <b>ART 1959-1</b> mCi / 37 MBq	293,000 461,000
<b>N-t-BOC-D-Serine [1-<sup>14</sup>C]</b> M.W. 205.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1291-50</b> μCi / 1.85 MBq	254,000

**B**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>B</b> <b>N-t-BOC-L-Serine [1-<sup>14</sup>C]</b> M.W. 205.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1292-50</b> μCi / 1.85 MBq	254,000
<b>N-t-BOC-L-Valine [14C(U)]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH(NHBOC)COOH M.W. 217.3 <i>Exclusive</i>	150-250 mCi/mmol 5.5-9.25 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1511-50</b> μCi / 1.85 MBq	276,000
<b>N-t-BOC-L-Valine [2,3,4-<sup>3</sup>H]</b> M.W. 217.3 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0671-250</b> μCi / 9.25 MBq <b>ART 0671-1</b> mCi / 37 MBq	239,000 366,000
<b>Bolton-Hunter Reagent [<sup>125</sup>I]</b> (monoiodinated)	2200 Ci/mmol 81.4 TBq/mmol	Anhydrous 2-methyl tetrahydrofuran with 250 ppm BHT	<b>ARI 0103-1</b> mCi / 37 MBq <b>ARI 0103-2</b> mCi / 74 MBq	185,000 271,000
<b>Bombesin, Tyr-[<sup>125</sup>I]</b> M.W. ~1794 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Buffered solution (pH 3.4) 0.08 mCi/ml	<b>ARI 0177-10</b> μCi / 370 kBq <b>ARI 0177-50</b> μCi / 1.85 MBq	168,000 359,000
<b>Borane methyl [<sup>3</sup>H] sulfide complex</b> (CH <sub>3</sub> ) <sub>2</sub> SBH <sub>3</sub> M.W. 75.97 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.14 TBq/mmol	Methylene chloride in sealed ampoule 100 mCi/ml	<b>ART 0851A-500</b> mCi / 18.5 GBq	Inquire
<b>Borane [<sup>3</sup>H] THF complex</b> BH <sub>3</sub> C <sub>4</sub> H <sub>8</sub> O M.W. 85.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.96-3.21 TBq/mmol	THF 100 mCi/ml	<b>ART 0650-100</b> mCi / 3.7 GBq	647,000
<b>Bradykinin [2,3-prolyl-3,4-<sup>3</sup>H(N)]</b> M.W. 1060.24 <i>Shipped in Dry Ice</i>	90-120 Ci/mmol 3.33-4.44 TBq/mmol	0.2%TFA CH <sub>3</sub> CN (80:20) 1 mCi/ml	<b>ART 0701-50</b> μCi / 1.85 MBq <b>ART 0701-250</b> μCi / 9.25 MBq	219,000 469,000
<b>Bradykinin [3,4-prolyl-3,4-<sup>3</sup>H(N)]</b> Lys-Arg-Pro-Pro-Gly-Phe-Ser-Pro-Phe-Arg M.W. 1032.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	90-120 Ci/mmol 3.33-4.44 TBq/mmol	Ethanol:0.1N acetic acid 1 mCi/ml	<b>ART 1724-50</b> μCi / 1.85 MBq <b>ART 1724-250</b> μCi / 9.25 MBq	259,000 499,000
<b>Brefeldin A [7-<sup>3</sup>H]</b> M.W. 280.37 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0448-250</b> μCi / 9.25 MBq <b>ART 0448-1</b> mCi / 37 MBq	175,000 345,000
<b>Brevetoxin-3 [side chain-<sup>3</sup>H]</b> (PbTx-3) M.W. 897.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Methanol 0.05 mCi/ml	<b>ART 1891-50</b> μCi / 1.85 MBq	Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Bromfenvinfos [<sup>14</sup>C]</b> <b>(2-Bromo-1-(2,4-dichlorophenyl)ethenyl diethyl phosphate)</b> C <sub>12</sub> H <sub>14</sub> BrCl <sub>2</sub> O <sub>4</sub> P M.W. 404.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3478</b>	Inquire
<b>2-Bromoacetamide [1-<sup>14</sup>C]</b> BrCH <sub>2</sub> CONH <sub>2</sub> M.W. 137.97 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1384-50</b> μCi / 1.85 MBq <b>ARC 1384-250</b> μCi / 9.25 MBq	104,000 293,000
<b>2-Bromoacetamide [2-<sup>14</sup>C]</b> BrCH <sub>2</sub> CONH <sub>2</sub> M.W. 137.97 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1506-50</b> μCi / 1.85 MBq <b>ARC 1506-250</b> μCi / 9.25 MBq	104,000 366,000
<b>Bromoacetic acid [1-<sup>14</sup>C]</b> BrCH <sub>2</sub> COOH M.W. 138.95 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride in sealed ampoule 1 mCi/ml	<b>ARC 0188-250</b> μCi / 9.25 MBq <b>ARC 0188-1</b> mCi / 37 MBq	229,000 449,000
<b>Bromoacetic acid [1,2-<sup>14</sup>C]</b> BrCH <sub>2</sub> COOH M.W. 138.95 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-110 mCi/mmol 3.7-4.07 GBq/mmol	Methylene chloride in sealed ampoule 1 mCi/ml	<b>ARC 1429-50</b> μCi / 1.85 MBq <b>ARC 1429-250</b> μCi / 9.25 MBq	229,000 587,000
<b>Bromoacetic acid [2-<sup>14</sup>C]</b> BrCH <sub>2</sub> COOH M.W. 138.95 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride in sealed ampoule 1 mCi/ml	<b>ARC 0189-50</b> μCi / 1.85 MBq <b>ARC 0189-250</b> μCi / 9.25 MBq <b>ARC 0189-1</b> mCi / 37 MBq	170,000 337,000 Inquire
<b>Bromoacetic acid [2-<sup>3</sup>H]</b> BrCH <sub>2</sub> COOH M.W. 138.95 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ART 2165-250</b> μCi / 9.25 MBq	209,000
<b>4'-Bromoacetophenone [carboxyl-<sup>14</sup>C]</b> 4'-BrC <sub>6</sub> H <sub>4</sub> COCH <sub>3</sub> M.W. 199.04 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3801-50</b> μCi / 1.85 MBq	209,000
<b>4'-Bromoacetophenone [ring-<sup>14</sup>C(U)]</b> 4'-CH <sub>3</sub> COC <sub>6</sub> H <sub>4</sub> Br M.W. 199.04 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1543-1</b> mCi / 37 MBq	629,000
<b>Bromoacetyl bromide [1-<sup>14</sup>C]</b> BrCH <sub>2</sub> COBr M.W. 201.86 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ARC 1017A-250</b> μCi / 9.25 MBq <b>ARC 1017A-1</b> mCi / 37 MBq	226,000 563,000

**B**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>B</b> <b>Bromoacetyl chloride [1-<sup>14</sup>C]</b> BrCH <sub>2</sub> COCl M.W. 157.40 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ARC 0536-250</b> μCi / 9.25 MBq <b>ARC 0536-1</b> mCi / 37 MBq	225,000 591,000
<b>3-Bromoaniline [<sup>14</sup>C(U)] hydrochloride</b> BrC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> ·HCl M.W. 208.48 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1401-50</b> μCi / 1.85 MBq <b>ARC 1401-250</b> μCi / 9.25 MBq	296,000 563,000
<b>4-Bromoaniline [<sup>14</sup>C(U)] hydrochloride</b> BrC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> ·HCl M.W. 208.48 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0663-250</b> μCi / 9.25 MBq	563,000
<b>3-Bromoanisole [ring-<sup>14</sup>C(U)]</b> BrC <sub>6</sub> H <sub>4</sub> OCH <sub>3</sub> M.W. 187.04 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ARC 1403-50</b> μCi / 1.85 MBq <b>ARC 1403-250</b> μCi / 9.25 MBq	366,000 563,000
<b>3-Bromobenzaldehyde [carbonyl-<sup>14</sup>C]</b> 3-BrC <sub>6</sub> H <sub>4</sub> CHO M.W. 185.03 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ARC 1431-50</b> μCi / 1.85 MBq <b>ARC 1431-250</b> μCi / 9.25 MBq	149,000 366,000
<b>Bromobenzene [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> Br M.W. 157.01 <i>Shipped in Dry Ice</i>	80-120 mCi/mmol 2.96-4.44 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0246A-50</b> μCi / 1.85 MBq <b>ARC 0246A-250</b> μCi / 9.25 MBq <b>ARC 0246A-1</b> mCi / 37 MBq	164,000 356,000 568,000
<b>Bromobenzene [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> Br M.W. 157.01 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0246B-50</b> μCi / 1.85 MBq <b>ARC 0246B-250</b> μCi / 9.25 MBq <b>ARC 0246B-1</b> mCi / 37 MBq	164,000 356,000 568,000
<b>Bromobenzene [ring-2,4,6-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> Br M.W. 157.01 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-80 Ci/mmol 2.59-2.96 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1966-1</b> mCi / 37 MBq	209,000
<b>3-Bromobenzoic acid [7-<sup>14</sup>C]</b> 3-BrC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 201.02 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1434-50</b> μCi / 1.85 MBq <b>ARC 1434-250</b> μCi / 9.25 MBq	170,000 339,000
<b>4-Bromobenzoic acid [carboxyl-<sup>14</sup>C]</b> 4-BrC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 201.02 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1485-50</b> μCi / 1.85 MBq <b>ARC 1485-250</b> μCi / 9.25 MBq	177,000 366,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3-Bromobenzonitrile [cyano-<sup>14</sup>C]</b> 劇 BrC <sub>6</sub> H <sub>4</sub> CN M.W. 182.03 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1428-50</b> μCi / 1.85 MBq <b>ARC 1428-250</b> μCi / 9.25 MBq	177,000 366,000
<b>5-Bromobenzo[d]oxazol-2-amine [oxazole-<sup>14</sup>C]</b> C <sub>7</sub> H <sub>5</sub> BrN <sub>2</sub> O M.W. 213.03 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3664</b>	Inquire
<b>3-Bromobenzyl alcohol [7-<sup>14</sup>C]</b> BrC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> OH M.W. 187.04 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1435-50</b> μCi / 1.85 MBq <b>ARC 1435-250</b> μCi / 9.25 MBq	177,000 353,000
<b>4-Bromobenzyl alcohol [methylene-<sup>14</sup>C]</b> 4-BrC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> OH M.W. 187.04 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3107-50</b> μCi / 1.85 MBq	236,000
<b>4-Bromobenzyl bromide [7-<sup>14</sup>C]</b> 4-BrC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> Br M.W. 249.94 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 1486-50</b> μCi / 1.85 MBq	239,000
<b>2-Bromo-1-(4-bromophenyl)ethanone [carbonyl-<sup>14</sup>C]</b> M.W. 277.94 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3778</b>	Inquire
<b>1-Bromobutane [1-<sup>14</sup>C]</b> See n-Butylbromide [1- <sup>14</sup> C]			<b>ARC 1001</b>	
<b>4-Bromobutyric acid [1-<sup>14</sup>C]</b> BrCH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> COOH M.W. 167.01 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0708-250</b> μCi / 9.25 MBq	353,000
<b>5-Bromo-6-chloronicotinic acid [carboxyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>3</sub> BrClNO <sub>2</sub> M.W. 236.46 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3700</b>	Inquire
<b>1-Bromo-cyclobutanecarboxylic acid [1-<sup>14</sup>C]</b> C <sub>4</sub> H <sub>6</sub> BrCOOH M.W. 179.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3461-50</b> μCi / 1.85 MBq	254,000
<b>5-Bromo-2'-deoxyuridine [2-<sup>14</sup>C] (5-Bromouracil deoxyriboside)</b> C <sub>9</sub> H <sub>11</sub> BrN <sub>2</sub> O <sub>5</sub> M.W. 307.10	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3292-50</b> μCi / 1.85 MBq	564,000

**B**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>B</b> <b>1-Bromo-3,5-dichlorobenzene [ring-<sup>14</sup>C(U)]</b> BrC <sub>6</sub> H <sub>3</sub> Cl <sub>2</sub> M.W. 255.91 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Toluene 1 mCi/ml	<b>ARC 3445-50</b> μCi / 1.85 MBq	419,000
<b>1-Bromododecane [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>10</sub> CH <sub>2</sub> Br M.W. 249.24 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0648-250</b> μCi / 9.25 MBq	550,000
<b>2-Bromoethanol [1-<sup>14</sup>C]</b> BrCH <sub>2</sub> CH <sub>2</sub> OH M.W. 124.97 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1139-1</b> mCi / 37 MBq	549,000
<b>2-Bromoethanol [1,2-<sup>14</sup>C]</b> <b>(Ethylene bromohydrin)</b> BrCH <sub>2</sub> CH <sub>2</sub> OH M.W. 124.96 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 3348</b>	Inquire
<b>2-Bromohexadecanoic acid [9,10-<sup>3</sup>H]</b> See R-2-Bromopalmitic acid [9,10- <sup>3</sup> H]			<b>ART 1270</b>	
<b>2-Bromohexadecanoic acid [9,10-<sup>3</sup>H]</b> See S-2-Bromopalmitic acid [9,10- <sup>3</sup> H]			<b>ART 1266</b>	
<b>1-Bromohexane [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> Br M.W. 165.08 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 1661-50</b> μCi / 1.85 MBq	185,000
<b>(RS)-4-Bromohomoibotenic acid "cold"</b> <b>((RS)-α-Amino-4-bromo-3-hydroxy-5-isoxazolepropionic acid)</b> M.W. 251.04 CAS # 71366-32-0		Solid	<b>ARCD 0501-5</b> mg	45,000
<b>(S)-4-Bromohomoibotenic acid "cold"</b> <b>((S)-α-Amino-4-bromo-3-hydroxy-5-isoxazolepropionic acid)</b> M.W. 251.04 CAS # 121313-15-3		Solid	<b>ARCD 0502-10</b> mg <b>ARCD 0502-25</b> mg <b>ARCD 0502-50</b> mg	69,000 143,000 263,000
<b>16α-Bromo-3β-hydroxy-5α-[4-<sup>14</sup>C]</b> <b>androstane-17-one</b> M.W. 369.3 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1177-50</b> μCi / 1.85 MBq	Inquire
<b>6-Bromoimidazo [1,2-a] pyridine-3-</b> <b>carboxylic acid [pyrazole-2-<sup>14</sup>C]</b> M.W. 241.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3679</b>	Inquire



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>α-Bromoisobutyric acid [1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CBrCOOH M.W. 167.0 <i>Shipped on Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	THF in sealed ampoule 0.1 mCi/ml	<b>ARC 3145-50</b> μCi / 1.85 MBq	198,000
<b>α-Bromoisobutyric acid [1-<sup>14</sup>C] methyl ester</b> (CH <sub>3</sub> ) <sub>2</sub> CBrCOOCH <sub>3</sub> M.W. 181 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	THF in sealed ampoule 1 mCi/ml	<b>ARC 3456-50</b> μCi / 1.85 MBq	219,000
<b>3-Bromonitrobenzene [ring-<sup>14</sup>C(U)]</b> 3-BrC <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> M.W. 202.01 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1404-50</b> μCi / 1.85 MBq <b>ARC 1404-250</b> μCi / 9.25 MBq	190,000 381,000
<b>1-Bromooctane [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CH <sub>2</sub> Br M.W. 193.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1106-250</b> μCi / 9.25 MBq <b>ARC 1106-1</b> mCi / 37 MBq	239,000 395,000
<b>R-2-Bromopalmitic acid [1-<sup>14</sup>C] (2-Bromohexadecanoic acid)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>6</sub> CHBrCO <sub>2</sub> H M.W. 335.33 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3623-50</b> μCi / 1.85 MBq	251,000
<b>S-2-Bromopalmitic acid [1-<sup>14</sup>C] (2-Bromohexadecanoic acid)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>6</sub> CHBrCO <sub>2</sub> H M.W. 335.33 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3624-50</b> μCi / 1.85 MBq	251,000
<b>R-2-Bromopalmitic acid [9,10-<sup>3</sup>H] (2-Bromohexadecanoic acid)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>6</sub> CHBrCO <sub>2</sub> H M.W. 335.33 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>References: Journal of Lipid Research, V40, 1155-1169, 1999; Lipids, V43, 703-711, 2008.</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1270-50</b> μCi / 1.85 MBq	339,000
<b>S-2-Bromopalmitic acid [9,10-<sup>3</sup>H] (2-Bromohexadecanoic acid)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>6</sub> CHBrCO <sub>2</sub> H M.W. 335.33 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1266-50</b> μCi / 1.85 MBq	353,000
<b>5-Bromopentanoic acid [1-<sup>14</sup>C] (5-Bromo valeric acid)</b> BrCH <sub>2</sub> (CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H M.W. 181.03 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3088-50</b> μCi / 1.85 MBq <b>ARC 3088-250</b> μCi / 9.25 MBq	146,000 269,000

**B**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>B</b> <b>5-Bromopentanoic acid [1-<sup>14</sup>C] methyl ester</b> C <sub>6</sub> H <sub>11</sub> BrO <sub>4</sub> M.W. 195.02 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3457-50</b> μCi / 1.85 MBq	234,000
<b>2-Bromophenol [ring-<sup>14</sup>C(U)]</b> 2-BrC <sub>6</sub> H <sub>4</sub> OH M.W. 173.01 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1891-50</b> μCi / 1.85 MBq	239,000
<b>3-Bromophenol [ring-<sup>14</sup>C(U)]</b> 3-BrC <sub>6</sub> H <sub>4</sub> OH M.W. 173.01 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1402-50</b> μCi / 1.85 MBq	234,000
<b>4-Bromophenol [ring-<sup>14</sup>C(U)]</b> BrC <sub>6</sub> H <sub>4</sub> OH M.W. 173.01 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1265-50</b> μCi / 1.85 MBq	190,000
<b>(R)-(-)-1-(4-Bromophenyl)ethylamine [ring-<sup>14</sup>C(U)] hydrochloride</b> C <sub>8</sub> H <sub>10</sub> BrN · HCl M.W. 200.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3476</b>	Inquire
<b>(RS)-1-(4-Bromophenyl)ethylamine [ring-<sup>14</sup>C(U)] hydrochloride</b> C <sub>8</sub> H <sub>10</sub> BrN · HCl M.W. 200.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3477</b>	Inquire
<b>(S)-(+)-1-(4-Bromophenyl)ethylamine [ring-<sup>14</sup>C(U)] hydrochloride</b> C <sub>8</sub> H <sub>10</sub> BrN · HCl M.W. 200.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3491</b>	Inquire
<b>4-Bromophenyl isocyanate [carbonyl-<sup>14</sup>C]</b> Br-C <sub>6</sub> H <sub>4</sub> NCO M.W. 198.03 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1166-250</b> μCi / 9.25 MBq	381,000
<b>3-Bromo-1,2-propanediol [2-<sup>14</sup>C]</b> BrCH <sub>2</sub> CH(OH)CH <sub>2</sub> OH M.W. 155.0	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0615-250</b> μCi / 9.25 MBq	381,000
<b>3-Bromopropionic acid [carboxyl-<sup>14</sup>C]</b> 3-BrCH <sub>2</sub> CH <sub>2</sub> COOH M.W. 152.97 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane 0.1 mCi/ml	<b>ARC 3265-50</b> μCi / 1.85 MBq	314,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3-Bromopyridine [2,6-<sup>14</sup>C] hydrochloride</b> C <sub>5</sub> H <sub>4</sub> BrN · HCl M.W. 194.46 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3151-50</b> μCi / 1.85 MBq	239,000
<b>5-Bromopyrimidine [2-<sup>14</sup>C]</b> M.W. 158.99 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1385-50</b> μCi / 1.85 MBq	226,000
<b>4-Bromostyrene [methylene-<sup>14</sup>C]</b> H <sub>2</sub> C=CHC <sub>6</sub> H <sub>4</sub> Br M.W. 158.99 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 1851-50</b> μCi / 1.85 MBq	212,000
<b>Bromosulfalein [<sup>3</sup>H] (Bromosulfophthalein, BSP)</b> C <sub>20</sub> H <sub>8</sub> Br <sub>4</sub> Na <sub>2</sub> O <sub>10</sub> S <sub>2</sub> M.W. 838 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2002</b>	Inquire
<b>4-Bromotoluene [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> Br M.W. 171.04 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1452-50</b> μCi / 1.85 MBq	226,000
<b>5-Bromovaleric acid [1-<sup>14</sup>C]</b> See 5-Bromopentanoic acid [1- <sup>14</sup> C]			<b>ARC 3088</b>	
<b>Bryostatin-1 [<sup>3</sup>H(G)]</b> C <sub>47</sub> H <sub>68</sub> O <sub>17</sub> M.W. 905.03 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 185-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2027-50</b> μCi / 1.85 MBq	599,000
<b>BTA-1 [N-methyl-<sup>3</sup>H] (2-(4'-(Methylamino)phenyl) benzothiazole)</b> M.W. 240.32 <i>Shipped on Dry Ice</i> <i>Exclusive</i>	60-87 Ci/mmol 2.22-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1670-50</b> μCi / 1.85 MBq	239,000
<b>Bumetanide [<sup>3</sup>H(G)]</b> M.W. 364.42 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0720-250</b> μCi / 9.25 MBq	366,000
<b>α-Bungarotoxin [<sup>3</sup>H]</b> C <sub>341</sub> H <sub>529</sub> N <sub>97</sub> O <sub>107</sub> S <sub>11</sub> M.W. 7984 <i>Shipped in Dry Ice</i>	40-100 Ci/mmol 1.48-3.7 TBq/mmol	Aqueous solution with 0.02% BSA 0.05 mCi/ml	<b>ART 1869-50</b> μCi / 1.85 MBq	572,000
<b>α-Bungarotoxin, Tyr<sup>54</sup>-[<sup>125</sup>I]</b> M.W. 7984	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0146-50</b> μCi / 1.85 MBq <b>ARI 0146-250</b> μCi / 9.25 MBq	122,000 219,000
<b>Buprenorphine [ring-<sup>3</sup>H] hydrochloride</b> M.W. 504.1 [向] <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1327-50</b> μCi / 1.85 MBq	324,000

**B**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>B</b> <b>Bupropion [ring-<sup>3</sup>H]</b> C <sub>13</sub> H <sub>18</sub> ClNO M.W. 239.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1757-50</b> μCi / 1.85 MBq	230,000
<b>Busulfan [2,3-<sup>3</sup>H]</b> <b>(1,4-Butanediol-[2,3-<sup>3</sup>H] dimethylsulfonate)</b> CH <sub>3</sub> SO <sub>2</sub> OCH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> OSO <sub>2</sub> CH <sub>3</sub> M.W. 246.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1522-50</b> μCi / 1.85 MBq	242,000
<b>(±)-1,2-Butanediol [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> CH(OH)CH <sub>2</sub> OH M.W. 90.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1020-50</b> μCi / 1.85 MBq <b>ARC 1020-250</b> μCi / 9.25 MBq	170,000 269,000
<b>1,4-Butanediol [1,4-<sup>14</sup>C]</b> HOCH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> OH M.W. 90.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3663-50</b> μCi / 1.85 MBq <b>ARC 3663-250</b> μCi / 9.25 MBq	135,000 272,000
<b>Butanol, n-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> OH M.W. 74.12 <i>Exclusive</i>	0.5-2 mCi/mmol 18.5-74 MBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0190-50</b> μCi / 1.85 MBq <b>ARC 0190-250</b> μCi / 9.25 MBq	151,000 272,000
<b>Butanol, n-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> OH M.W. 74.12 <i>Exclusive</i>	0.5-2 mCi/mmol 18.5-74 MBq/mmol	Sterile saline 0.1 mCi/ml	<b>ARC 0190A-50</b> μCi / 1.85 MBq <b>ARC 0190A-250</b> μCi / 9.25 MBq	151,000 272,000
<b>Butanol, n-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> OH M.W. 74.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0190B-50</b> μCi / 1.85 MBq <b>ARC 0190B-250</b> μCi / 9.25 MBq	151,000 272,000
<b>Butanol, n-[1-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> OH M.W. 74.12 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0326A-1-1</b> mCi / 37 MBq	282,000
<b>Butanol, t-[1-<sup>14</sup>C]</b> <b>(2-Methyl-2-propanol)</b> (CH <sub>3</sub> ) <sub>3</sub> COH M.W. 74.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water in sealed ampoule 1 mCi/ml	<b>ARC 0631-250</b> μCi / 9.25 MBq	353,000
<b>n-Butanyl-3-(4',4''-difluorodiphenyl methoxy propane) [butanyl-3,4-<sup>3</sup>H]</b> M.W. 385.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0683-250</b> μCi / 9.25 MBq	353,000
<b>Butenafine hydrochloride "cold"</b>		Solid	<b>ARCD 0417-10</b> mg	26,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Butenafine [<sup>14</sup>C] hydrochloride</b> C <sub>23</sub> H <sub>27</sub> N·HCl M.W. 317.47 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3104-50</b> μCi / 1.85 MBq	282,000
<b>But-3-enoyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 853.75 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N NaOAc 0.1 mCi/ml	<b>ARC 3216-50</b> μCi / 1.85 MBq	419,000
<b>tert-Butoxyacetic acid, n-[<sup>3</sup>H(G)]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> OCH <sub>2</sub> CO <sub>2</sub> H M.W. 132.15 <i>Exclusive</i>	1-5 Ci/mmol 0.037-0.185 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0630-250</b> μCi / 9.25 MBq <b>ART 0630-1</b> mCi / 37 MBq	212,000 381,000
<b>tert-Butyl acetoacetate, t-[3-<sup>14</sup>C]</b> CH <sub>3</sub> COCH <sub>2</sub> COOC(CH <sub>3</sub> ) <sub>3</sub> M.W. 158.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1188-250</b> μCi / 9.25 MBq	395,000
<b>Butylamine, n-[1-<sup>14</sup>C] hydrochloride</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 109.64 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0579-50</b> μCi / 1.85 MBq <b>ARC 0579-250</b> μCi / 9.25 MBq	135,000 311,000
<b>Butylamine, t-[1-<sup>14</sup>C] hydrochloride</b> (CH <sub>3</sub> ) <sub>3</sub> CNH <sub>2</sub> ·HCl M.W. 109.64 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0630-250</b> μCi / 9.25 MBq	Inquire
<b>Butyl 4-aminobenzoate [ring 3,5-<sup>3</sup>H]</b> H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> (CH <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub> M.W. 193.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0631-250</b> μCi / 9.25 MBq <b>ART 0631-1</b> mCi / 37 MBq	189,000 381,000
<b>Butylbenzyl phthalate [ring-<sup>14</sup>C(U)]</b> C <sub>19</sub> H <sub>20</sub> O <sub>4</sub> M.W. 312.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride in sealed ampoule 0.1 mCi/ml	<b>ARC 1264-50</b> μCi / 1.85 MBq	395,000
<b>t-Butyl bicyclophosphorothionate [<sup>35</sup>S]</b> C <sub>8</sub> H <sub>15</sub> O <sub>3</sub> PS M.W. 222.2 <i>Shipped in Dry Ice</i>	>60 Ci/mmol >2.22 TBq/mmol	Ethanol 2 mCi/ml	<b>ARS 0129-100</b> μCi / 3.7 MBq <b>ARS 0129-250</b> μCi / 9.25 MBq	269,000 478,000
<b>n-Butylbromide [1-<sup>14</sup>C]</b> <b>(1-Bromobutane)</b> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> Br M.W. 137.03 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1001-250</b> μCi / 9.25 MBq	423,000
<b>t-Butyl bromoacetate [1-<sup>14</sup>C]</b> BrCH <sub>2</sub> CO <sub>2</sub> C(CH <sub>3</sub> ) <sub>3</sub> M.W. 195.06 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1592-250</b> μCi / 9.25 MBq <b>ARC 1592-1</b> mCi / 37 MBq	251,000 408,000

**B**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>B</b> <b>C</b> <b><i>t</i>-Butyl bromoacetate [1,2-<sup>14</sup>C]</b> BrCH <sub>2</sub> CO <sub>2</sub> C(CH <sub>3</sub> ) <sub>3</sub> M.W. 195.06 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-110 mCi/mmol 3.7-4.07 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1416-250</b> μCi / 9.25 MBq	247,000
<b><i>t</i>-Butyl bromoacetate [2-<sup>14</sup>C]</b> BrCH <sub>2</sub> COOC(CH <sub>3</sub> ) <sub>3</sub> M.W. 195.06 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1344-250</b> μCi / 9.25 MBq	247,000
<b><i>t</i>-Butyl chloride [1-<sup>14</sup>C]</b> <b>(2-Chloro-2-methylpropane)</b> (CH <sub>3</sub> ) <sub>3</sub> CCl M.W. 92.57 <i>Exclusive</i>	15-30 mCi/mmol 0.555-1.11 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1170-250</b> μCi / 9.25 MBq	Inquire
<b>Butyric acid, n-[1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> COONa M.W. 110.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0191-50</b> μCi / 1.85 MBq <b>ARC 0191-250</b> μCi / 9.25 MBq <b>ARC 0191-1</b> mCi / 37 MBq	72,000 149,000 282,000
<b>Butyric acid, n-[2,3-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> COOH M.W. 88.11 <i>Exclusive</i>	100-120 Ci/mmol 3.7-4.44 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1652-50</b> μCi / 1.85 MBq <b>ART 1652-250</b> μCi / 9.25 MBq	149,000 282,000
<b>Butyric anhydride, n-[1-<sup>14</sup>C]</b> (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CO) <sub>2</sub> O M.W. 158.20 <i>Exclusive</i>	25-50 mCi/mmol 0.925-1.85GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1212-250</b> μCi / 9.25 MBq	Inquire
<b>Butyryl Coenzyme A lithium salt "cold"</b> M.W. 837.7 CAS #102282-28-0 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0296-5</b> mg <b>ARCD 0296-10</b> mg	43,000 59,000
<b>Butyryl [1-<sup>14</sup>C] Coenzyme A</b> <i>CAT Assay Grade</i> M.W. 837.7 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc (pH 5.2) (1:1) 0.1 mCi/ml	<b>ARC 0575-10</b> μCi / 370 kBq <b>ARC 0575-50</b> μCi / 1.85 MBq	149,000 366,000
<b>n-Butyryl [2,3-<sup>3</sup>H] Coenzyme A</b> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CO-CoA M.W. 837.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 Ci/mmol 3.7-4.44 TBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 1 mCi/ml	<b>ART 1650-50</b> μCi / 1.85 MBq <b>ART 1650-250</b> μCi / 9.25 MBq	226,000 566,000
<b>Cabazitaxel [<sup>3</sup>H(G)]</b> C <sub>45</sub> H <sub>57</sub> NO <sub>14</sub> M.W. 835.93 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethyl acetate in sealed ampoule 1 mCi/ml	<b>ART 1958-50</b> μCi / 1.85 MBq	629,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Cadaverine [1,5-<sup>14</sup>C] dihydrochloride (1,5-Pentanediamine dihydrochloride)</b> H <sub>2</sub> NCH <sub>2</sub> (CH <sub>2</sub> ) <sub>3</sub> CH <sub>2</sub> NH <sub>2</sub> · 2HCl M.W. 175.10 <i>Exclusive</i>	15-25 mCi/mmol 555-925 MBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3321-100</b> μCi / 3.7 MBq <b>ARC 3321-250</b> μCi / 9.25 MBq	Inquire 482,000
<b>Caffeine [8-<sup>14</sup>C]</b> M.W. 194.19 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under nitrogen 0.1 mCi/ml	<b>ARC 1377-50</b> μCi / 1.85 MBq <b>ARC 1377-250</b> μCi / 9.25 MBq	189,000 538,000
<b>Caffeine [1-methyl-<sup>14</sup>C]</b> M.W. 194.19	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 0235-50</b> μCi / 1.85 MBq <b>ARC 0235-250</b> μCi / 9.25 MBq	89,000 289,000
<b>Caffeine [1-methyl-<sup>3</sup>H]</b> M.W. 194.19 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 0714-50</b> μCi / 1.85 MBq <b>ART 0714-250</b> μCi / 9.25 MBq	171,000 374,000
<b>Caffeine [3-methyl-<sup>14</sup>C]</b> M.W. 194.19 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon	<b>ARC 1577-50</b> μCi / 1.85 MBq <b>ARC 1577-250</b> μCi / 9.25 MBq	184,000 381,000
<b>Calcifediol [26,27-methyl-<sup>3</sup>H]</b> See 25-Hydroxy [26,27-methyl- <sup>3</sup> H] cholecalciferol			<b>ART 1945</b>	
<b>Calcitonin gene-related peptide [<sup>125</sup>I] (human) (CGRP)</b> M.W. 3912 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4TBq/mmol	0.05M sodium phosphate, 1M glycine, 0.2M NaCl, 0.25% BSA (pH 7.4)	<b>ARI 0118-10</b> μCi / 370 kBq <b>ARI 0118-50</b> μCi / 1.85 MBq	119,000 288,000
<b>Calcium-45 radionuclide as calcium chloride</b> CaCl <sub>2</sub> M.W. 116.0	5-30 Ci/g Ca	Aqueous solution 10 mCi/ml	<b>ARX 0102-1</b> mCi / 37 MBq <b>ARX 0102-2</b> mCi / 74 MBq <b>ARX 0102-5</b> mCi / 185 MBq	Inquire Inquire Inquire
<b>Calcium carbide [<sup>14</sup>C]</b> CaC <sub>2</sub> M.W. 64.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0327-1</b> mCi / 37 MBq <b>ARC 0327-10</b> mCi / 370 MBq	177,000 461,000
<b>Calcium carbonate [<sup>14</sup>C]</b> CaCO <sub>3</sub> M.W. 100.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1701-1</b> mCi / 37 MBq <b>ARC 1701-5</b> mCi / 185 MBq	56,000 256,000
<b>Campestanol [5,6-<sup>3</sup>H] (24-Methyl-5α-cholestan-3β-ol)</b> C <sub>28</sub> H <sub>50</sub> O M.W. 402.68 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1578-50</b> μCi / 1.85 MBq	366,000

C



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>C</b> <b>Campesterol [22,23-<sup>3</sup>H]</b> C <sub>28</sub> H <sub>48</sub> O M.W. 394.63 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1547-50</b> μCi / 1.85 MBq	239,000
<b>Camptothecin [12-<sup>3</sup>H]</b> M.W. 348.34 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-15 Ci/mmol 0.37-0.555 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 0402-250</b> μCi / 9.25 MBq <b>ART 0402-1</b> mCi / 37 MBq	212,000 419,000
<b>Candersartan cilexetil [<sup>3</sup>H(G)]</b> C <sub>33</sub> H <sub>34</sub> N <sub>6</sub> O <sub>6</sub> M.W. 610.67 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1382-50</b> μCi / 1.85 MBq	272,000
<b>Capsaicin "cold"</b>		Solid	<b>ARCD 0649-50</b> mg	34,000
<b>Capsaicin [benzyl-7-<sup>14</sup>C]</b> <b>(8-Methyl-N-vanillyl-trans-6-nonenamide)</b> C <sub>18</sub> H <sub>27</sub> NO <sub>3</sub> M.W. 305.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1750-50</b> μCi / 1.85 MBq	517,000
<b>Capsazepine "cold"</b> <b>(N-[2-(Chlorophenyl)ethyl]-1,3,4,5-tetrahydro-7,8-dihydroxy-2H-2-benzazepine-2-carbothioamide)</b> M.W. 376.9 CAS # 138977-28-3		Solid	<b>ARCD 0545-5</b> mg <b>ARCD 0545-25</b> mg <b>ARCD 0545-100</b> mg	36,000 72,000 253,000
<b>Carbamazepine [carbonyl-<sup>14</sup>C]</b> <b>(5H-Dibenz[b,f]azepine-5-carboxamide)</b> C <sub>15</sub> H <sub>12</sub> N <sub>2</sub> O M.W. 236.27 <i>Exclusive</i>	20-30 mCi/mmol 0.74-1.11 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3322-50</b> μCi / 1.85 MBq	541,000
<b>Carbamyl phosphate [<sup>14</sup>C] dilithium salt</b> H <sub>2</sub> NCOOPO <sub>3</sub> Li <sub>2</sub> M.W. 152.9 <i>Exclusive</i>	5-25 mCi/mmol 185-925 MBq/mmol	Solid	<b>ARC 1129-50</b> μCi / 1.85 MBq <b>ARC 1129-250</b> μCi / 9.25 MBq	184,000 564,000
<b>Carbaryl naphthalene [1-<sup>14</sup>C]</b> <b>(1-Naphthyl-N-methylcarbamate)</b> C <sub>12</sub> H <sub>11</sub> NO <sub>2</sub> M.W. 201.22 <i>Exclusive</i>	5-15 mCi/mmol 185-555 Bq/mmol	Solid	<b>ARC 3323</b>	Inquire
<b>[Carbathoxymethylene] triphenyl phosphorane [1-<sup>14</sup>C]</b> (C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> P=CHCO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 348.48 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1674-1</b> mCi / 37 MBq	264,000
<b>L-trans-4-Carboxy-L-proline "cold"</b> <b>(L-trans-Pyrrolidine-2,4-dicarboxylic acid)</b> M.W. 159.14 CAS # 64769-66-0		Solid	<b>ARCD 0570-2</b> mg <b>ARCD 0570-10</b> mg	32,000 44,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Carbohydrazide [carbonyl-<sup>14</sup>C]</b> H <sub>2</sub> NNHCONHNH <sub>2</sub> M.W. 90.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1176-1</b> mCi / 37 MBq	507,000
<b>4-Carbomethoxybenzenesulfonamide [ring-<sup>14</sup>C(U)]</b> M.W. 215.30	25-50 mCi/mmol 0.925-1.85 GBq/mmol	Solid	<b>ARC 3279-50</b> μCi / 1.85 MBq	353,000
<b>Carbon-14 Black</b> See Graphite [ <sup>14</sup> C]			<b>ARC 1547</b>	
<b>Carbon dioxide [<sup>14</sup>C]</b> CO <sub>2</sub> M.W. 44.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Gas in break seal	<b>ARC 0307-1</b> mCi / 37 MBq <b>ARC 0307-5</b> mCi / 185 MBq	85,000 296,000
<b>Carbon disulfide [<sup>14</sup>C]</b> 劇 CS <sub>2</sub> M.W. 76.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in break seal	<b>ARC 0330-1</b> mCi / 37 MBq <b>ARC 0330-5</b> mCi / 185 MBq	366,000 744,000
<b>Carbon disulfide [<sup>14</sup>C]</b> 劇 CS <sub>2</sub> M.W. 76.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0330A-1</b> mCi / 37 MBq <b>ARC 0330A-5</b> mCi / 185 MBq	366,000 744,000
<b>Carbon monoxide [<sup>14</sup>C]</b> CO M.W. 28.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Gas in break seal	<b>ARC 0475-5</b> mCi / 185 MBq	747,000
<b>Carbon tetrachloride [<sup>14</sup>C]</b> 劇 CCl <sub>4</sub> M.W. 153.82 <i>Exclusive</i>	1 mCi/mmol 37 MBq/mmol	Neat liquid in break seal or sealed ampoule	<b>ARC 1132-250</b> μCi / 9.25 MBq	Inquire
<b>Carbonic anhydrase [methyl-<sup>14</sup>C] methylated</b> M.W. 30 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 0425-1</b> μCi / 37 kBq <b>ARC 0425-5</b> μCi / 185 kBq	79,000 240,000
<b>1,1'-Carbonyldiimidazole [carbonyl-<sup>14</sup>C] (CDI)</b> C <sub>7</sub> H <sub>6</sub> N <sub>4</sub> O M.W. 162.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Coupling agent in the synthesis of polypeptides</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1259-1</b> mCi / 37 MBq	366,000
<b>Carboxy S-adenosyl-L-methionine "cold" (Carboxy SAM)</b> M.W. 442.15 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>		Sulfuric acid (pH 2.0): ethanol (9:1) 1 mg/ml	<b>ARCD 1034-1</b> mg	Inquire

C

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>C</b> <b>Carboxy S-adenosyl-L-methionine [<sup>3</sup>H]</b> <b>(Carboxy SAM)</b> M.W. 442.15 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Sulfuric acid (pH 2.0): ethanol (9:1) 1 mCi/ml	<b>ART 2089-50</b> μCi / 1.85 MBq	Inquire
<b>(2S,1'S,2'S)-2-(Carboxycyclopropyl)glycine "cold"</b> <b>(L-CCG-I; (2S,3S,4S)-CCG)</b> M.W. 159.1 CAS # 117857-93-9		Solid	<b>ARCD 0540-1</b> mg <b>ARCD 0540-5</b> mg	43,000 84,000
<b>Carboxymethylcellulose [methyl-<sup>14</sup>C]</b> M.W. approx. 90,000 <i>Exclusive</i>	2-5 μCi/mg 74-185 kBq/mg	Solid	<b>ARC 1372-50</b> μCi / 1.85 MBq <b>ARC 1372-250</b> μCi / 9.25 MBq	184,000 381,000
<b>Carboxymethyl starch [methyl-<sup>14</sup>C]</b> <i>Exclusive</i>	1-3 mCi/g 37-111 MBq/g	Solid	<b>ARC 1399-50</b> μCi / 1.85 MBq <b>ARC 1399-250</b> μCi / 9.25 MBq	184,000 366,000
<b>Carnitine, DL [N-methyl-<sup>14</sup>C] hydrochloride</b> <b>(CH<sub>3</sub>)<sub>3</sub>N<sup>+</sup>CH<sub>2</sub>CH(OH)CH<sub>2</sub>CO<sub>2</sub>-HCl</b> M.W. 197.7 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1718-10</b> μCi / 370 kBq <b>ARC 1718-50</b> μCi / 1.85 MBq	65,000 149,000
<b>Carnitine, L-[N-methyl-<sup>14</sup>C] hydrochloride</b> <b>(CH<sub>3</sub>)<sub>3</sub>N<sup>+</sup>CH<sub>2</sub>CH(OH)CH<sub>2</sub>CO<sub>2</sub>-HCl</b> M.W. 197.7	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 0308-10</b> μCi / 370 kBq <b>ARC 0308-50</b> μCi / 1.85 MBq	88,000 Inquire
<b>Carnitine, L-[N-methyl-<sup>3</sup>H] hydrochloride</b> <b>(CH<sub>3</sub>)<sub>3</sub>N<sup>+</sup>CH<sub>2</sub>CH(OH)CH<sub>2</sub>CO<sub>2</sub>-HCl</b> M.W. 197.7	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0293-250</b> μCi / 9.25 MBq <b>ART 0293-1</b> mCi / 37 MBq	99,000 219,000
<b>Carnosine, L-[β-alanine-<sup>3-14</sup>C]</b> <b>NH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CONHCH(C<sub>4</sub>H<sub>5</sub>N<sub>2</sub>)CO<sub>2</sub>H</b> M.W. 226.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1278-50</b> μCi / 1.85 MBq	296,000
<b>Carnosine, L-[β-alanine-<sup>3-3</sup>H]</b> <b>(β-Alanyl-L-histidine)</b> <b>NH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CONHCH(C<sub>4</sub>H<sub>5</sub>N<sub>2</sub>)CO<sub>2</sub>H</b> M.W. 226.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0584-50</b> μCi / 1.85 MBq	226,000
<b>Carvedilol [methyl-<sup>14</sup>C]</b> <b>C<sub>24</sub>H<sub>26</sub>N<sub>2</sub>O<sub>4</sub></b> M.W. 406.47 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3462-50</b> μCi / 1.85 MBq	219,000
<b>Carvedilol [methyl-<sup>3</sup>H]</b> <b>C<sub>24</sub>H<sub>26</sub>N<sub>2</sub>O<sub>4</sub></b> M.W. 406.47 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1787-50</b> μCi / 1.85 MBq	143,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Casein, <math>\alpha</math>-[methyl-<math>^{14}\text{C}</math>] methylated</b> M.W. 23 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 $\mu\text{Ci}/\text{mg}$ 111-1111 kBq/mg	0.01M $\text{NaH}_2\text{PO}_4$ (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 3298-1</b> $\mu\text{Ci}$ / 37 kBq <b>ARC 3298-5</b> $\mu\text{Ci}$ / 185 kBq	112,000 342,000
<b>Casein, <math>\beta</math>-[methyl-<math>^{14}\text{C}</math>] methylated</b> M.W. 23 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 $\mu\text{Ci}/\text{mg}$ 111-1111 kBq/mg	0.01M $\text{NaH}_2\text{PO}_4$ (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 0426-1</b> $\mu\text{Ci}$ / 37 kBq <b>ARC 0426-5</b> $\mu\text{Ci}$ / 185 kBq	79,000 240,000
<b>Casein, <math>\beta</math>-[methyl-<math>^3\text{H}</math>] methylated</b> M.W. 23 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 $\mu\text{Ci}/\text{mg}$ 185-370 kBq/mg	0.01M $\text{NaH}_2\text{PO}_4$ (pH 7.2) buffer 0.01 mCi/ml	<b>ART 0758-5</b> $\mu\text{Ci}$ / 185 kBq	155,000
<b>Catalase [methyl-<math>^{14}\text{C}</math>] methylated</b> M.W. 250 KD <i>Exclusive</i>	3-30 $\mu\text{Ci}/\text{mg}$ 111-1111 kBq/mmol	0.01M $\text{NaH}_2\text{PO}_4$ (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 3432-1</b> $\mu\text{Ci}$ / 37 kBq <b>ARC 3432-5</b> $\mu\text{Ci}$ / 185 kBq	104,000 282,000
<b>Catechol [<math>^{14}\text{C}(\text{U})</math>]</b> $\text{C}_6\text{H}_4-1,2-(\text{OH})_2$ M.W. 110.11 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-50 mCi/mmol 1.48-1.85 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1113-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ARC 1113-250</b> $\mu\text{Ci}$ / 9.25 MBq	142,000 350,000
<b>CBZ-N-Glycine [<math>^{14}\text{C}</math>]</b> $\text{C}_{10}\text{H}_{11}\text{NO}_4$ M.W. 209.20 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3010-50</b> $\mu\text{Ci}$ / 1.85 MBq	248,000
<b>CBZ-L-Leucine, N-[Ieu-4,5-<math>^3\text{H}</math>]</b> M.W. 265.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0625-250</b> $\mu\text{Ci}$ / 9.25 MBq <b>ART 0625-1</b> mCi / 37 MBq	206,000 366,000
<b>CCK-8 (sulphated) propionylated</b> <b>[propionyl-<math>^3\text{H}(\text{N})</math>]</b> <b>(Cholecystokinin-8) 毒劇</b> $\text{C}_{52}\text{H}_{66}\text{N}_{10}\text{O}_{17}\text{S}_3$ M.W. 1199 <i>Shipped in Ice Packs</i>	60-100 Ci/mmol 2.22-3.7 TBq/mmol	TEAP (pH 3.4): Acetonitrile (1:1) containing 0.2% 2-mercaptoethanol 0.2 mCi/ml	<b>ART 1858-50</b> $\mu\text{Ci}$ / 1.85 MBq	219,000
<b>Cellobiose [<math>^3\text{H}(\text{G})</math>]</b> $[\text{HOCH}_2\text{CHO}(\text{CHOH})_3]_2\text{O}$ M.W. 342.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2059-10</b> $\mu\text{Ci}$ / 370 kBq	439,000
<b>Cellulose [<math>^{14}\text{C}(\text{U})</math>] (Nicotiana tobacum)</b> $(\text{C}_6\text{H}_{10}\text{O}_5)_n$ <i>Exclusive</i>	5-20 $\mu\text{Ci}/\text{mg}$ 185-740 kBq/mg	Solid	<b>ARC 0110-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ARC 0110-250</b> $\mu\text{Ci}$ / 9.25 MBq	129,000 353,000
<b>Cellulose [<math>^{14}\text{C}(\text{U})</math>] (Nicotiana tobacum)</b> $(\text{C}_6\text{H}_{10}\text{O}_5)_n$ <i>NEW!-Exclusive</i>	5-20 $\mu\text{Ci}/\text{mg}$ 185-740 kBq/mg	1N NaOH 0.1 mCi/ml	<b>ARC 0110A-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ARC 0110A-250</b> $\mu\text{Ci}$ / 9.25 MBq	129,000 353,000

C

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Ceramide-D-erythro-1-phosphate [N-stearoyl-9,10-<sup>3</sup>H] (Stearoyl sphingosine)</b> M.W. 662.98 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol	Ethanol:NH <sub>4</sub> OH (9:1)	ART 1605-10 μCi / 370 kBq	242,000
	1.85-2.22 TBq/mmol	0.1 mCi/ml	ART 1605-50 μCi / 1.85 MBq	449,000
<b>Ceramide-D-erythro-1-phosphate [<sup>33</sup>P] (Stearoyl sphingosine)</b> M.W. 662.98 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3000 Ci/mmol	Ethanol:NH <sub>4</sub> OH (9:1)	ARP 0148-10 μCi / 370 kBq	Inquire
	111 TBq/mmol	0.1 mCi/ml		
<b>Ceramide trihexosides [galactose-6-<sup>3</sup>H]</b> M.W. 1055.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol	Chloroform:methanol (2:1)	ART 0829-10 μCi / 370 kBq	149,000
	0.37-1.11 TBq/mmol	1 mCi/ml	ART 0829-50 μCi / 1.85 MBq	381,000
<b>Cerivastatin lactone "cold"</b> C <sub>26</sub> H <sub>32</sub> FNO <sub>4</sub> M.W. 441.55 CAS # 145599-86-6		Solid	ARCD 0402-1 mg	55,000
			ARCD 0402-5 mg	160,000
<b>Cerivastatin lactone [<sup>3</sup>H(G)]</b> C <sub>26</sub> H <sub>32</sub> FNO <sub>4</sub> M.W. 441.55 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol	Ethanol:water (1:1)	ART 1620-10 μCi / 370 kBq	179,000
	37-185 GBq/mmol	1 mCi/ml	ART 1620-50 μCi / 1.85 MBq	439,000
<b>Cerivastatin sodium salt "cold"</b> C <sub>26</sub> H <sub>33</sub> FNNaO <sub>5</sub> M.W. 481.53 CAS # 143201-11-0		Solid	ARCD 0403-1 mg	33,000
			ARCD 0403-5 mg	59,000
<b>Cerivastatin [<sup>3</sup>H(G)] sodium salt</b> C <sub>26</sub> H <sub>33</sub> FNNaO <sub>5</sub> M.W. 481.53 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol	Ethanol:water (1:1)	ART 1621-10 μCi / 370 kBq	179,000
	37-185 GBq/mmol	1 mCi/ml	ART 1621-50 μCi / 1.85 MBq	439,000
<b>Cetane [1,2-<sup>14</sup>C]</b> See Hexadecane [1,2- <sup>14</sup> C]			ARC 3430	
<b>Cetrimonium bromide [<sup>14</sup>C] (CTAB)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>15</sub> N(Br)(CH <sub>3</sub> ) <sub>3</sub> M.W. 364.45 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol	Ethanol	ARC 3773	Inquire
	1.85-2.22 GBq/mmol	0.1 mCi/ml		
<b>Cetylpyridinium chloride [pyridine-2,6-<sup>14</sup>C] (CPC; Hexadecylpyridinium chloride)</b> C <sub>21</sub> H <sub>38</sub> NCl H <sub>2</sub> O M.W. 358.01 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-80 mCi/mmol	Solid	ARC 3422-50 μCi / 1.85 MBq	239,000
	1.85-2.96 GBq/mmol			

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>(-)-CGP 12177 [5,7-<sup>3</sup>H]</b> C <sub>14</sub> H <sub>21</sub> N <sub>3</sub> O <sub>3</sub> M.W. 279.80 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1752-25</b> μCi / 925 kBq <b>ART 1752-250</b> μCi / 9.25 MBq	72,000 177,000
<b>CGP 27492 [2,3-<sup>3</sup>H]</b> See 3-Aminopropylphosphinic acid [2,3- <sup>3</sup> H]			<b>ART 1581</b>	
<b>CGP 37157 "cold"</b> M.W. 324.22		Solid	<b>ARCD 0343-10</b> mg <b>ARCD 0343-50</b> mg	48,000 173,000
<b>CGP 35348 [<sup>3</sup>H]</b> <b>(3-Aminopropyl)(diethoxymethyl)</b> <b>phosphinic acid</b> M.W. 225.22 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1972-50</b> μCi / 1.85 MBq	419,000
<b>CGP 39653 [propyl-2,3-<sup>3</sup>H]</b> M.W. 237.1 <i>Shipped in Dry Ice</i>	20-50 Ci/mmol 0.74-1.85 TBq/mmol	Ethanol:water (1:9) 1 mCi/ml	<b>ART 1662-25</b> μCi / 925 kBq <b>ART 1662-250</b> μCi / 9.25 MBq	95,000 307,000
<b>CGP 42112A [<sup>125</sup>I]</b> M.W. 1176	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0188-5</b> μCi / 185 kBq <b>ARI 0188-25</b> μCi / 925 kBq	114,000 272,000
<b>CGP 54626 [<sup>3</sup>H]</b> M.W. 444.77 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>References: A potent antagonist radioligand for GABA<sub>B</sub> receptors (KD=1.48 nM). Bittiger et al (1992); [<sup>3</sup>H] CGP 54626: A potent antagonist radioligand for GABA<sub>B</sub> receptors. Pharmacol. Comm. 223 Froestl et al (1996); Potent, orally active GABA<sub>B</sub> receptor antagonists. Pharmacol. Rev. Comm. 8 (2-3, 3rd Int. GABAB symposium) 127.</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0715-250</b> μCi / 9.25 MBq	449,000
<b>CGP 54626 hydrochloride "cold"</b> C <sub>18</sub> H <sub>26</sub> Cl <sub>2</sub> NO <sub>3</sub> P · HCl M.W. 444.77 CAS # 149184-21-4		Solid	<b>ARCD 0472-10</b> mg	58,000
<b>CGP 7930 [<sup>3</sup>H]</b> C <sub>19</sub> H <sub>32</sub> O <sub>2</sub> M.W. 292.46 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1934-50</b> μCi / 1.85 MBq	419,000
<b>CGS 21680 [carboxylethyl-<sup>3</sup>H(N)]</b> <b>(2-[p-(2-carboxyethyl [<sup>3</sup>H(N)])-phenethyl-</b> <b>amino] 5'-N-ethylcarboxamido adenosine)</b> M.W. 499.53 <i>Shipped on Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 1671-250</b> μCi / 9.25 MBq <b>ART 1671-1</b> mCi / 37 MBq	272,000 Inquire
<b>Chenodeoxycholic acid [carboxyl-<sup>14</sup>C]</b> M.W. 392.6	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0856-50</b> μCi / 1.85 MBq	219,000
<b>Chlorambucil [<sup>3</sup>H(G)]</b> C <sub>14</sub> H <sub>19</sub> Cl <sub>2</sub> NO <sub>2</sub> M.W. 304.22 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 0.185-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1359-50</b> μCi / 1.85 MBq	269,000

C

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Chloramine, <math>\beta</math>-[ring-<math>^{14}\text{C}</math>(U)]</b> $\text{C}_7\text{H}_7\text{ClNO}_2\text{SN}_9$ M.W. 227.60 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3324-50</b> $\mu\text{Ci}$ / 1.85 MBq	342,000
<b>Chloramphenicol [<math>^3\text{H}</math>(G)] D-threo</b> M.W. 323.1 <i>Shipped in Dry Ice</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1155-250</b> $\mu\text{Ci}$ / 9.25 MBq	198,000
<b>Chloramphenicol, D-threo</b> <b>[dichloroacetyl-1-<math>^{14}\text{C}</math>]</b> $p\text{-NO}_2(\text{C}_6\text{H}_4)\text{CH}(\text{OH})\text{CH}(\text{NCOCHCl}_2)\text{CH}_2\text{OH}$ M.W. 323.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under nitrogen 0.1 mCi/ml	<b>ARC 0399-50</b> $\mu\text{Ci}$ / 1.85 MBq	177,000
<b>Chloramphenicol, D-threo-</b> <b>[dichloroacetyl-1-<math>^{14}\text{C}</math>]</b> <i>CAT Assay Grade</i> $p\text{-NO}_2(\text{C}_6\text{H}_4)\text{CH}(\text{OH})\text{CH}(\text{NCOCHCl}_2)\text{CH}_2\text{OH}$ M.W. 323.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile 25mM Tris HCl (pH 7.4) under nitrogen 0.1 mCi/ml	<b>ARC 0401-50</b> $\mu\text{Ci}$ / 1.85 MBq	177,000
<b>Chloramphenicol, D-threo-</b> <b>[dichloroacetyl-1,2-<math>^{14}\text{C}</math>]</b> <i>CAT Assay Grade</i> $p\text{-NO}_2(\text{C}_6\text{H}_4)\text{CH}(\text{OH})\text{CH}(\text{NCOCHCl}_2)\text{CH}_2\text{OH}$ M.W. 323.1 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under nitrogen 0.1 mCi/ml	<b>ARC 0400-50</b> $\mu\text{Ci}$ / 1.85 MBq	167,000
<b>Chlordane [<math>^{14}\text{C}</math>(U)]</b> $\text{C}_{10}\text{H}_6\text{Cl}_8$ M.W. 409.9 <i>Exclusive</i>	5-15 mCi/mmol 0.185-0.555 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 3325-50</b> $\mu\text{Ci}$ / 1.85 MBq	333,000
<b>Chlorhexidine [ring-<math>^{14}\text{C}</math>(U)] diacetate</b> $\text{C}_{22}\text{H}_{30}\text{Cl}_2\text{N}_{10} \cdot (\text{CH}_3\text{CO}_2\text{H})_2$ M.W. 620.4 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Sterile water 0.05 mCi/ml	<b>ARC 3326-50</b> $\mu\text{Ci}$ / 1.85 MBq	333,000
<b>Chlorhexidine [ring-<math>^{14}\text{C}</math>(U)] digluconate</b> $\text{C}_{22}\text{H}_{30}\text{Cl}_2\text{N}_{10} \cdot 2(\text{C}_6\text{H}_{12}\text{O}_7)$ M.W. 897.76 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Sterile water 0.05 mCi/ml	<b>ARC 3543-50</b> $\mu\text{Ci}$ / 1.85Bq	343,000
<b>Chlorine-36 radionuclide</b> <b>as hydrogen chloride</b> HCl M.W. 36 <i>Exclusive</i>	2-20 mCi/g Cl 74-740 MBq/g Cl	Aqueous solution 0.1 mCi/ml	<b>ARX 0103-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARX 0103-50</b> $\mu\text{Ci}$ / 1.85 MBq	272,000 Inquire
<b>Chlorine-36 radionuclide</b> <b>as potassium chloride</b> KCl M.W. 74.5 <i>Exclusive</i>	2-20 mCi/g Cl 74-740 MBq/g Cl	Aqueous solution 0.1 mCi/ml	<b>ARX 0111-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARX 0111-50</b> $\mu\text{Ci}$ / 1.85 MBq	272,000 Inquire



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Chlorine-36 radionuclide as sodium chloride</b> NaCl M.W. 58.4 <i>Exclusive</i>	2-20 mCi/g Cl 74-740 MBq/g Cl	Aqueous solution 0.1 mCi/ml	<b>ARX 0104-10</b> $\mu$ Ci / 370 kBq <b>ARX 0104-50</b> $\mu$ Ci / 1.85 MBq	269,000 Inquire
<b>2-Chloroacetamide [carbonyl-<sup>14</sup>C]</b> ClCH <sub>2</sub> CONH <sub>2</sub> M.W. 93.51 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0768-250</b> $\mu$ Ci / 9.25 MBq	234,000
<b>Chloroacetic acid [1-<sup>14</sup>C]</b> ClCH <sub>2</sub> COOH M.W. 94.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water in sealed ampoule 1 mCi/ml	<b>ARC 0373-250</b> $\mu$ Ci / 9.25 MBq	184,000
<b>Chloroacetic acid [2-<sup>14</sup>C]</b> ClCH <sub>2</sub> COOH M.W. 94.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water in sealed ampoule 1 mCi/ml	<b>ARC 0609-250</b> $\mu$ Ci / 9.25 MBq	248,000
<b>Chloroacetic acid [<sup>3</sup>H]</b> ClCH <sub>2</sub> COOH M.W. 94.5 <i>Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Sterile water 1 mCi/ml	<b>ART 1592-250</b> $\mu$ Ci / 9.25 MBq <b>ART 1592-1</b> mCi / 37 MBq	93,000 212,000
<b>Chloroacetone [2-<sup>14</sup>C]</b> ClCH <sub>2</sub> COCH <sub>3</sub> M.W. 92.53 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water in sealed ampoule 1 mCi/ml	<b>ARC 0790-250</b> $\mu$ Ci / 9.25 MBq	366,000
<b>Chloroacetonitrile [1-<sup>14</sup>C]</b> ClCH <sub>2</sub> CN M.W. 75.50 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0624-250</b> $\mu$ Ci / 9.25 MBq	381,000
<b>Chloroacetyl chloride [1-<sup>14</sup>C]</b> 劇 ClCH <sub>2</sub> COCl M.W. 112.94 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride in sealed ampoule 1 mCi/ml	<b>ARC 0421-1</b> mCi / 37 MBq	479,000
<b>Chloroacetyl chloride [2-<sup>14</sup>C]</b> 劇 ClCH <sub>2</sub> COCl M.W. 112.94 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 3069-1</b> mCi / 37 MBq	479,000
<b>2-Chloroadenosine [8-<sup>14</sup>C]</b> M.W. 301.7 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.05 mCi/ml	<b>ARC 3551-10</b> $\mu$ Ci / 370 kBq <b>ARC 3551-50</b> $\mu$ Ci / 1.85 MBq	249,000 497,000
<b>2-Chloroadenosine [8-<sup>3</sup>H]</b> M.W. 301.7 <i>Exclusive</i>	5-20 Ci/mmol 185-740 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1902-250</b> $\mu$ Ci / 9.25 MBq <b>ART 1902-1</b> mCi / 37 MBq	203,000 401,000

C

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2-Chloro-5-aminophenol [<sup>14</sup>C(U)] hydrochloride</b> M.W. 179.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0827-50</b> μCi / 1.85 MBq	296,000
<b>4-Chloro-5-aminophenol [<sup>14</sup>C(U)] hydrochloride</b> M.W. 179.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0828-50</b> μCi / 1.85 MBq	296,000
<b>2-Chloroaniline [<sup>14</sup>C(U)] hydrochloride</b> 2-C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> · HCl M.W. 164.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 1 mCi/ml	<b>ARC 0464-250</b> μCi / 9.25 MBq	296,000
<b>3-Chloroaniline [<sup>14</sup>C(U)] hydrochloride</b> 3-C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> · HCl M.W. 164.0 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0592-250</b> μCi / 9.25 MBq	479,000
<b>4-Chloroaniline [<sup>14</sup>C(U)] hydrochloride</b> 4-C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> · HCl M.W. 164.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 1 mCi/ml	<b>ARC 0463-50</b> μCi / 1.85 MBq <b>ARC 0463-250</b> μCi / 9.25 MBq	149,000 366,000
<b>4-Chloroanisole [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> OCH <sub>3</sub> M.W. 142.58 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3566-50</b> μCi / 1.85 MBq	461,000
<b>5-Chloroanthranilic acid [carboxyl-<sup>14</sup>C]</b> See 2-Amino-5-chlorobenzoic acid [carboxyl- <sup>14</sup> C,]			<b>ARC 0773</b>	
<b>3-Chlorobenzaldehyde [carbonyl-<sup>14</sup>C]</b> 3-C <sub>6</sub> H <sub>5</sub> CHO M.W. 140.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1203-250</b> μCi / 9.25 MBq	395,000
<b>4-Chlorobenzaldehyde [carbonyl-<sup>14</sup>C]</b> 4-C <sub>6</sub> H <sub>4</sub> CHO M.W. 140.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0719-250</b> μCi / 9.25 MBq	395,000
<b>Chlorobenzene [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> Cl M.W. 112.56 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1755-250</b> μCi / 9.25 MBq	282,000
<b>3-Chlorobenzenesulfonamide [ring-<sup>14</sup>C(U)]</b> 3-C <sub>6</sub> H <sub>4</sub> SO <sub>2</sub> NH <sub>2</sub> M.W. 191.64 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3188-50</b> μCi / 1.85 MBq	356,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3-Chlorobenzoic acid [carboxyl-<sup>14</sup>C]</b> ClC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 156.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1201-1</b> mCi / 37 MBq	242,000
<b>3-Chlorobenzoic acid [ring-<sup>14</sup>C(U)]</b> ClC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 156.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3267-250</b> μCi / 9.25 MBq	524,000
<b>4-Chlorobenzoic acid [carboxyl-<sup>14</sup>C]</b> 4-ClC <sub>6</sub> H <sub>4</sub> COOH M.W. 156.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0490-1</b> mCi / 37 MBq	242,000
<b>4-Chlorobenzoic acid [ring-<sup>14</sup>C(U)]</b> 4-ClC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 156.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1899-250</b> μCi / 1.85 MBq	524,000
<b>3-Chlorobenzyl alcohol [methylene-<sup>14</sup>C]</b> 3-ClC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> OH M.W. 142.59 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1202-250</b> μCi / 9.25 MBq	269,000
<b>4-Chlorobenzyl alcohol [ring-<sup>14</sup>C(U)]</b> 4-ClC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> OH M.W. 142.58 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 3281-50</b> μCi / 1.85 MBq	314,000
<b>4-Chlorobenzylamine [1-<sup>14</sup>C] hydrochloride</b> 4-ClC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 176.60 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1529-250</b> μCi / 9.25 MBq	296,000
<b>4-Chlorobenzylamine [ring-<sup>14</sup>C(U)] hydrochloride</b> ClC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 178.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 3282-50</b> μCi / 1.85 MBq	383,000
<b>2-Chlorobiphenyl [ring-<sup>14</sup>C(U)] (PCB No 1)</b> 2-ClC <sub>6</sub> H <sub>4</sub> C <sub>6</sub> H <sub>5</sub> M.W. 188.7 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 3244-5</b> μCi / 185 kBq	383,000
<b>3-Chlorobiphenyl [ring-<sup>14</sup>C(U)] (PCB No 2)</b> 3-ClC <sub>6</sub> H <sub>4</sub> C <sub>6</sub> H <sub>5</sub> M.W. 188.7 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 3268-5</b> μCi / 185 kBq	383,000
<b>4-Chlorobiphenyl [ring-<sup>14</sup>C(U)] (PCB No 3)</b> 4-ClC <sub>6</sub> H <sub>4</sub> C <sub>6</sub> H <sub>5</sub> M.W. 188.7	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 1861-5</b> μCi / 185 kBq <b>ARC 1861-10</b> μCi / 370 kBq	524,000 784,000

C

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>4-Chlorobutyric acid [1-<sup>14</sup>C]</b> ClCH <sub>2</sub> (CH <sub>2</sub> ) <sub>3</sub> COOH M.W. 122.55	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ARC 0820-250</b> μCi / 9.25 MBq	248,000
<b>3-(4-Chlorobutylol)[1-<sup>14</sup>C] 5-cyanoindole</b> M.W. 245.5 劇 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0864-250</b> μCi / 9.25 MBq	381,000
<b>2-Chloro-5-chloro-methyl pyridine [methylene-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> Cl <sub>2</sub> N M.W. 162.02 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Dichloromethane 1 mCi/ml	<b>ART 2099-50</b> μCi / 1.85 MBq	209,000
<b>Chlorocholine [methyl-<sup>14</sup>C] chloride</b> 劇 ClCH <sub>2</sub> CH <sub>2</sub> N <sup>+</sup> (CH <sub>3</sub> ) <sub>3</sub> Cl <sup>-</sup> M.W. 158.08 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1842-50</b> μCi / 1.85 MBq	212,000
<b>6-Chloro-3-cyanopyridine [cyano-<sup>14</sup>C]</b> 劇 C <sub>6</sub> H <sub>3</sub> ClN <sub>2</sub> M.W. 138.55 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3794-50</b> μCi / 1.85 MBq	209,000
<b>4-Chlorodiazepam [N-methyl-<sup>3</sup>H]</b> See RO5-4864 [N-methyl- <sup>3</sup> H]			<b>ART 0746</b>	
<b>1-Chloro-2,4-dinitrobenzene [<sup>14</sup>C(U)]</b> ClC <sub>6</sub> H <sub>3</sub> (NO <sub>2</sub> ) <sub>2</sub> M.W. 202.55 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 3221-50</b> μCi / 1.85 MBq	Inquire
<b>2-Chloroethanesulfonyl chloride [1,2-<sup>14</sup>C]</b> ClCH <sub>2</sub> CH <sub>2</sub> SO <sub>2</sub> Cl M.W. 163.02 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 3050-250</b> μCi / 9.25 MBq	251,000
<b>2-Chloroethanol [1,2-<sup>14</sup>C]</b> 劇 (Ethylene chlorohydrin) ClCH <sub>2</sub> CH <sub>2</sub> OH M.W. 80.51 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 3349-50</b> μCi / 1.85 MBq	209,000
<b>Chloroform [<sup>14</sup>C]</b> 劇 CHCl <sub>3</sub> M.W. 119.39 <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0782-100</b> μCi / 3.7 MBq	276,000
<b>6-Chloro-2-hydroxypyridine [<sup>3</sup>H]</b> C <sub>5</sub> H <sub>4</sub> ClNO M.W. 129.54 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2100-250</b> μCi / 9.25 MBq	209,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>5-Chloro-1-indanone [1-<sup>14</sup>C]</b> C <sub>9</sub> H <sub>7</sub> ClO M.W. 166.61 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1557-250</b> μCi / 9.25 MBq	296,000
<b>6-Chloroisatin [7-<sup>3</sup>H]</b> C <sub>8</sub> H <sub>4</sub> ClNO <sub>2</sub> M.W. 181.58 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Toluene 1 mCi/ml	<b>ART 2086-1</b> mCi / 37 MBq <b>ART 2086-10</b> mCi / 370 MBq	125,000 419,000
<b>3-Chloro-4-methylaniline [ring-<sup>14</sup>C(U)] hydrochloride (3-Chloro-<i>p</i>-toluidine)</b> ClC <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> )NH <sub>2</sub> ·HCl M.W. 178.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3266-50</b> μCi / 1.85 MBq	601,000
<b>1-Chloro-2-methylnaphthalene [8-<sup>14</sup>C]</b> M.W. 176.60 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 3222-50</b> μCi / 1.85 MBq	313,000
<b>2-Chloro-2-methylpropane [2-<sup>14</sup>C]</b> See Butyl chloride, t-[1- <sup>14</sup> C]			<b>ARC 1170</b>	
<b>3-Chloro-2-methylpropene [1<sup>4</sup>C]</b> See Methallyl chloride [1 <sup>4</sup> C]			<b>ARC 1440</b>	
<b>6-Chloronicotinic acid [carboxyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>4</sub> ClNO <sub>2</sub> M.W. 157.55 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 3792-50</b> μCi / 1.85 MBq	209,000
<b>2-Chloro-4-nitroaniline [ring-<sup>14</sup>C(U)]</b> ClC <sub>6</sub> H <sub>3</sub> (NO <sub>2</sub> )NH <sub>2</sub> M.W. 172.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3519-50</b> μCi / 1.85 MBq	258,000
<b>5-Chloro-2-nitroaniline [ring-<sup>14</sup>C(U)]</b> ClC <sub>6</sub> H <sub>3</sub> (NO <sub>2</sub> )NH <sub>2</sub> M.W. 172.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1713-50</b> μCi / 1.85 MBq	296,000
<b>5-Chloro-2-nitrobenzaldehyde [carbonyl-<sup>14</sup>C]</b> ClC <sub>6</sub> H <sub>3</sub> (NO <sub>2</sub> )CHO M.W. 185.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1204-250</b> μCi / 9.25 MBq	353,000
<b>1-Chloro-3-nitrobenzene [1<sup>4</sup>C(U)]</b> ClC <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> M.W. 157.56 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0591-250</b> μCi / 9.25 MBq	Inquire
<b>4-Chloronitrobenzene [1<sup>4</sup>C(U)]</b> ClC <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> M.W. 157.56 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3283-50</b> μCi / 1.85 MBq	322,000

C



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>4-Chloro-5-nitrobenzene [ring-<sup>14</sup>C(U)]</b> 劇 C <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> M.W. 157.56 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1714-50</b> μCi / 1.85 MBq	254,000
<b>2-Chlorophenol [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> OH M.W. 128.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1895-50</b> μCi / 1.85 MBq	296,000
<b>4-Chlorophenol [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> OH M.W. 128.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1710-50</b> μCi / 1.85 MBq	296,000
<b>4-Chlorophenylhydrazine [<sup>14</sup>C(U)] hydrochloride</b> C <sub>6</sub> H <sub>4</sub> NHNH <sub>2</sub> ·HCl M.W. 179.05 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-80 mCi/mmol 2.59-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1787-250</b> μCi / 9.25 MBq	296,000
<b>N-(2-Chlorophenyl)-4-nitrobenzene sulfonamide [pyridyl-<sup>3</sup>H]</b> M.W. 352 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1779-50</b> μCi / 1.85 MBq	230,000
<b>Chloropicrin [<sup>14</sup>C] (Trichloronitromethane)</b> Cl <sub>3</sub> CNO <sub>2</sub> M.W. 164.38 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3657</b>	Inquire
<b>Chlorpromazine [methyl-<sup>3</sup>H] hydrochloride</b> C <sub>17</sub> H <sub>19</sub> ClN <sub>2</sub> S·HCl M.W. 355.33 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	80-90 Ci/mmol 2.96-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2173-50</b> μCi / 1.85 MBq <b>ART 2173-250</b> μCi / 9.25 MBq	239,000 482,000
<b>Chlorpropamide [propyl-1-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>13</sub> ClN <sub>2</sub> O <sub>3</sub> S M.W. 276.74 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1148-250</b> μCi / 9.25 MBq	587,000
<b>2-Chloropropionic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH(Cl)CO <sub>2</sub> H M.W. 108.52 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ARC 1174-250</b> μCi / 9.25 MBq	419,000
<b>3-Chloropropionic acid [1-<sup>14</sup>C]</b> ClCH <sub>2</sub> CH <sub>2</sub> COOH M.W. 108.52 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ARC 0721-250</b> μCi / 9.25 MBq	419,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Chloroquine [ethyl-<sup>3</sup>H]</b> C <sub>18</sub> H <sub>26</sub> ClN <sub>3</sub> M.W. 319.88 <i>Shipped in Dry Ice</i> <i>Antimalarial</i> <i>Exclusive</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1867-50</b> μCi / 1.85 MBq	282,000
<b>Chloroquine [ring-<sup>3</sup>H]</b> C <sub>18</sub> H <sub>26</sub> ClN <sub>3</sub> M.W. 319.88 <i>Shipped in Dry Ice</i> <i>Antimalarial</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0749-50</b> μCi / 1.85 MBq	224,000
<b>3-Chlorosalicylic acid [ring-<sup>14</sup>C(U)]</b> ClC <sub>6</sub> H <sub>3</sub> -2-(OH)CO <sub>2</sub> H M.W. 172.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1662-50</b> μCi / 1.85 MBq	366,000
<b>5-Chlorosalicylic acid [ring-<sup>14</sup>C(U)]</b> ClC <sub>6</sub> H <sub>3</sub> -2-(OH)CO <sub>2</sub> H M.W. 172.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1648-50</b> μCi / 1.85 MBq	366,000
<b>2-Chlorothiophene-5-carboxylic acid [1-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>3</sub> ClO <sub>2</sub> S M.W. 162.59 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3153-50</b> μCi / 1.85 MBq	198,000
<b>4-Chlorotoluene [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> Cl M.W. 126.58 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3284-50</b> μCi / 1.85 MBq	353,000
<b>4-Chloro-2-toluidine [ring-<sup>14</sup>C(U)] hydrochloride</b> M.W. 178.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3280-50</b> μCi / 1.85 MBq	353,000
<b>4-Chloro-6-(2,3-xylylidino)-2-pyrimidinythio acetic acid [<sup>3</sup>H(G)]</b> See WY-14643 [ <sup>3</sup> H(G)]			<b>ART 0868</b>	
<b>Chlorpyrifos [pyridine-2,6-<sup>14</sup>C]</b> 劇 M.W. 360.67 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1351-50</b> μCi / 1.85 MBq	366,000
<b>Cholecalciferol "cold"</b>		Solid	<b>ARCD 0445-100</b> mg	35,000
<b>Cholecalciferol palmitate "cold" (Vitamin D<sub>3</sub> palmitate)</b> M.W. 622.56 CAS # 13403-10-6		Ethanol 5 mg/ml	<b>ARCD 0766-10</b> mg	253,000
<b>Cholecalciferol palmitate [palmitate-9,10-<sup>3</sup>H] (Vitamin D<sub>3</sub> palmitate)</b> M.W. 622.56 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Toluene 0.1 mCi/ml	<b>ART 2001-50</b> μCi / 1.85 MBq	419,000

C



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Cholecalciferol stearate [stearate-9,10-<sup>3</sup>H] (Vitamin D<sub>3</sub> stearate)</b> <i>Shipped in Dry Ice Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Toluene 0.1 mCi/ml	<b>ART 2003-50</b> μCi / 1.85 MBq	419,000
<b>Cholecystokinin octapeptide [<sup>125</sup>I] Bolton-Hunter Labeled (CCK-8)</b> M.W. ~1415 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	30% ethanol, 25% acetonitrile, 0.04% trifluoroacetic acid ~0.1 mCi/ml	<b>ARI 0135-10</b> μCi / 370 kBq <b>ARI 0135-50</b> μCi / 1.85 MBq	171,000 Inquire
<b>Cholesterol [4-<sup>14</sup>C]</b> C <sub>27</sub> H <sub>46</sub> O M.W. 386.6	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0857-10</b> μCi / 370 kBq <b>ARC 0857-50</b> μCi / 1.85 MBq <b>ARC 0857-250</b> μCi / 9.25 MBq	68,000 138,000 391,000
<b>Cholesterol [26-<sup>14</sup>C]</b> C <sub>27</sub> H <sub>46</sub> O M.W. 386.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0821</b>	Inquire
<b>Cholesterol [1,2-<sup>3</sup>H(N)]</b> C <sub>27</sub> H <sub>46</sub> O M.W. 386.6	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0255-250</b> μCi / 9.25 MBq <b>ART 0255-1</b> mCi / 37 MBq	Inquire Inquire
<b>Cholesterol [1,2,7-<sup>3</sup>H(N)]</b> C <sub>27</sub> H <sub>46</sub> O M.W. 386.6 <i>NEW!-Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2133-250</b> μCi / 9.25 MBq <b>ART 2133-1</b> mCi / 37 MBq	104,000 209,000
<b>Cholesterol [7-<sup>3</sup>H(N)]</b> C <sub>27</sub> H <sub>46</sub> O M.W. 386.6 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0257-250</b> μCi / 9.25 MBq <b>ART 0257-1</b> mCi / 37 MBq	85,000 155,000
<b>Cholesterol [24,25-<sup>3</sup>H]</b> C <sub>27</sub> H <sub>46</sub> O M.W. 386.6 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1987-1</b> mCi / 37 MBq	93,000
<b>Cholesterol [1,2-<sup>3</sup>H] HDL ester</b> <i>Prepared from commercial HDL and Cholesterol [1,2-<sup>3</sup>H] Exclusive</i>	5-30 mCi/mg 0.185-1.11 GBq/mg	PBS buffer 1 mCi/ml	<b>ART 1454-50</b> μCi / 1.85 MBq	239,000
<b>Cholesteryl acetate [1-<sup>14</sup>C]</b> C <sub>29</sub> H <sub>48</sub> O <sub>2</sub> M.W. 428.69 <i>Shipped in Dry Ice Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 1808-50</b> μCi / 1.85 MBq <b>ARC 1808-250</b> μCi / 9.25 MBq	164,000 484,000
<b>Cholesteryl arachidonate [1-<sup>14</sup>C]</b> M.W. 673.1 <i>Shipped in Dry Ice Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 0780-10</b> μCi / 370 kBq	296,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Cholesteryl arachidonate</b> [5,6,8,9,11,12,14,15- <sup>3</sup> H(N)] M.W. 673.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-200 Ci/mmol 3.7-7.4 TBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ART 0493-50</b> μCi / 1.85 MBq	248,000
<b>Cholesterol HDL [cholesteryl oleate-1,2,3,6,7-<sup>3</sup>H]</b> See Lipoprotein, high-density [cholesteryl oleate-1,2,3,6,7- <sup>3</sup> H]			<b>ART 1866</b>	
<b>Cholesteryl [4-<sup>14</sup>C] hexadecyl ether</b> M.W. 611.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 1711-50</b> μCi / 1.85 MBq	296,000
<b>Cholesteryl [1,2-<sup>3</sup>H] hexadecyl ether</b> M.W. 611.1 <i>Shipped in Dry Ice</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ART 1307-50</b> μCi / 1.85 MBq <b>ART 1307-250</b> μCi / 9.25 MBq <b>ART 1307-1</b> mCi / 37 MBq	77,000 121,000 299,000
<b>Cholesterol LDL [cholesteryl oleate-1,2,3,6,7-<sup>3</sup>H]</b> See Lipoprotein, low-density [cholesteryl oleate-1,2,3,6,7- <sup>3</sup> H]			<b>ART 1865</b>	
<b>Cholesteryl linoleate [1-<sup>14</sup>C]</b> M.W. 649.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 0781-10</b> μCi / 370 kBq <b>ARC 0781-50</b> μCi / 1.85 MBq	248,000 522,000
<b>Cholesteryl [1,2,6,7-<sup>3</sup>H(N)] linoleate</b> M.W. 649.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-100 Ci/mmol 2.22-3.7 TBq/mmol	Toluene in sealed ampoule under nitrogen 1 mCi/ml	<b>ART 1203-50</b> μCi / 1.85 MBq <b>ART 1203-250</b> μCi / 9.25 MBq	155,000 339,000
<b>Cholesteryl [4-<sup>14</sup>C] oleate</b> M.W. 651.12 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule under nitrogen 0.1 mCi/ml	<b>ARC 1393-50</b> μCi / 1.85 MBq	240,000
<b>Cholesteryl [1,2,6,7-<sup>3</sup>H(N)] oleate</b> M.W. 651.12 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-100 Ci/mmol 2.22-3.7 TBq/mmol	Toluene in sealed ampoule under nitrogen 1 mCi/ml	<b>ART 1204-50</b> μCi / 1.85 MBq <b>ART 1204-250</b> μCi / 9.25 MBq <b>ART 1204-1</b> mCi / 37 MBq	65,000 107,000 216,000
<b>Cholesteryl oleate [1-<sup>14</sup>C]</b> M.W. 651.12 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 0689-50</b> μCi / 1.85 MBq <b>ARC 0689-250</b> μCi / 9.25 MBq	93,000 239,000
<b>Cholesteryl oleate [9,10-<sup>3</sup>H]</b> M.W. 651.12 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Toluene in sealed ampoule under nitrogen 1 mCi/ml	<b>ART 0432-50</b> μCi / 1.85 MBq <b>ART 0432-250</b> μCi / 9.25 MBq	153,000 Inquire
<b>Cholesteryl oleoyl ether "cold"</b> M.W. 636.6 <i>Exclusive</i>		Toluene 5 mg/ml	<b>ARCD 0410-5</b> mg	205,000
<b>Cholesteryl [4-<sup>14</sup>C] oleoyl ether</b> M.W. 636.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 3504-10</b> μCi / 370 kBq <b>ARC 3504-50</b> μCi / 1.85 MBq	227,000 Inquire

C



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>C</b> <b>Cholesteryl oleoyl ether [1<math>\alpha</math>,2<math>\alpha</math>(n)-<sup>3</sup>H]</b> M.W. 636.6 <i>Exclusive</i>	30-60 Ci / mmol	Toluene	<b>ART 1319-250</b> $\mu$ Ci / 9.25 MBq	223,000
	1.11-2.22 TBq/mmol	in sealed ampoule 1 mCi/ml	<b>ART 1319-1</b> mCi / 37 MBq	463,000
<b>Cholesteryl palmitate [1-<sup>14</sup>C]</b> M.W. 625.0 <i>Exclusive</i>	50-60 mCi/mmol	Toluene	<b>ARC 1712-50</b> $\mu$ Ci / 1.85 MBq	149,000
	1.85-2.22 GBq/mmol	in sealed ampoule 0.1 mCi/ml	<b>ARC 1712-250</b> $\mu$ Ci / 9.25 MBq	339,000
<b>Cholesteryl [1,2-<sup>3</sup>H] palmitate</b> M.W. 625.0 <i>Exclusive</i>	30-60 Ci/mmol	Toluene	<b>ART 1311-50</b> $\mu$ Ci / 1.85 MBq	129,000
	1.11-2.22 TBq/mmol	in sealed ampoule 1 mCi/ml	<b>ART 1311-250</b> $\mu$ Ci / 9.25 MBq	248,000
<b>Cholesteryl palmitate [9,10-<sup>3</sup>H]</b> M.W. 625.0 <i>Exclusive</i>	30-60 Ci/mmol	Toluene	<b>ART 1308-50</b> $\mu$ Ci / 1.85 MBq	107,000
	1.11-2.22 TBq/mmol	in sealed ampoule 1 mCi/ml	<b>ART 1308-250</b> $\mu$ Ci / 9.25 MBq	228,000
<b>Cholesteryl stearate [cholesterol-1,2-<sup>3</sup>H]</b> C <sub>45</sub> H <sub>80</sub> O <sub>2</sub> M.W. 653.12 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol	Toluene	<b>ART 1940-50</b> $\mu$ Ci / 1.85 MBq	419,000
	1.85-2.22 TBq/mmol	in sealed ampoule 1 mCi/ml		
<b>Cholesteryl stearate [9,10-<sup>3</sup>H]</b> M.W. 653.1 <i>Exclusive</i>	30-60 Ci/mmol	Toluene	<b>ART 1312-50</b> $\mu$ Ci / 1.85 MBq	113,000
	1.11-2.22 TBq/mmol	in sealed ampoule 1 mCi/ml	<b>ART 1312-250</b> $\mu$ Ci / 9.25 MBq	239,000
<b>Cholesteryl [4-<sup>14</sup>C] 3-sulfate</b> M.W. 466.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol	Ethanol	<b>ARC 3540-50</b> $\mu$ Ci / 1.85 MBq	419,000
	1.85-2.22 GBq/mmol	0.1 mCi/ml		
<b>Cholesteryl [1,2,6,7-<sup>3</sup>H] 3-sulfate</b> M.W. 466.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 Ci/mmol	Ethanol	<b>ART 0717-50</b> $\mu$ Ci / 1.85 MBq	366,000
	1.85-3.7 TBq/mmol	1 mCi/ml		
<b>Cholic acid [carboxyl-<sup>14</sup>C]</b> M.W. 408.6 <i>Exclusive</i>	50-60 mCi/mmol	Ethanol	<b>ARC 0260-50</b> $\mu$ Ci / 1.85 MBq	163,000
	1.85-2.22 GBq/mmol	0.1 mCi/ml		
<b>Cholic acid [2,4-<sup>3</sup>H]</b> M.W. 408.6 <i>Exclusive</i>	20-40 Ci/mmol	Ethanol	<b>ART 0517-250</b> $\mu$ Ci / 9.25 MBq	229,000
	0.74-1.48 TBq/mmol	1 mCi/ml		
<b>Choline chloride [1-<sup>3</sup>H]</b> HOCH <sub>2</sub> CH <sub>2</sub> N <sup>+</sup> (CH <sub>3</sub> ) <sub>3</sub> Cl M.W. 139.62 <i>Exclusive</i>	20-40 Ci/mmol	Ethanol	<b>ART 1383-250</b> $\mu$ Ci / 9.25 MBq	142,000
	0.74-1.48 TBq/mmol	1 mCi/ml	<b>ART 1383-1</b> mCi / 37 MBq	239,000
<b>Choline chloride [1,2-<sup>14</sup>C]</b> HOCH <sub>2</sub> CH <sub>2</sub> N <sup>+</sup> (CH <sub>3</sub> ) <sub>3</sub> Cl M.W. 139.62 <i>Exclusive</i>	30-50 mCi/mmol	Ethanol	<b>ARC 0310-50</b> $\mu$ Ci / 1.85 MBq	86,000
	1.11-1.85 GBq/mmol	0.1 mCi/ml	<b>ARC 0310-250</b> $\mu$ Ci / 9.25 MBq	282,000
<b>Choline chloride [methyl-<sup>14</sup>C]</b> HOCH <sub>2</sub> CH <sub>2</sub> N <sup>+</sup> (CH <sub>3</sub> ) <sub>3</sub> Cl M.W. 139.62 <i>Exclusive</i>	50-60 mCi/mmol	Ethanol	<b>ARC 0208-50</b> $\mu$ Ci / 1.85 MBq	49,000
	1.85-2.22 GBq/mmol	0.1 mCi/ml	<b>ARC 0208-250</b> $\mu$ Ci / 9.25 MBq	Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Choline chloride [methyl-<sup>3</sup>H]</b> HOCH <sub>2</sub> CH <sub>2</sub> N <sup>+</sup> (CH <sub>3</sub> ) <sub>3</sub> Cl <sup>-</sup> M.W. 139.62	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0197-250</b> μCi / 9.25 MBq <b>ART 0197-1</b> mCi / 37 MBq	63,000 131,000
<b>Chondroitin 4-sulphate [<sup>3</sup>H(G)] M.W. 50,000</b> Avg. M.W. 50,000 <i>Exclusive</i>	1-5 mCi/mg 37-185 MBq/mg	Sterile water 1 mCi/ml	<b>ART 0789-250</b> μCi / 9.25 MBq <b>ART 0789-1</b> mCi / 37 MBq	171,000 339,000
<b>Chondroitin 4-sulphate [<sup>3</sup>H(G)] M.W. 15,000</b> Avg. M.W. 15,000 <i>Exclusive</i>	1-5 mCi/mg 37-185 MBq/mg	PBS Buffer 1 mCi/ml	<b>ART 0789A-250</b> μCi / 9.25 MBq <b>ART 0789A-1</b> mCi / 37 MBq	171,000 339,000
<b>Chromium-51 radionuclide as chromic chloride</b> CrCl <sub>3</sub> M.W. 157.5	> 50 Ci/g > 1.85 TBq/g	Chromic chloride in sterile saline (pH 8-10) 5 mCi/ml	<b>ARX 0101A-1</b> mCi / 37 MBq <b>ARX 0101A-2</b> mCi / 74 MBq <b>ARX 0101A-5</b> mCi / 185 MBq <b>ARX 0101A-10</b> mCi / 370 MBq	Inquire Inquire Inquire Inquire
<b>Chromium-51 radionuclide as sodium chromate 劇</b> Na <sub>2</sub> CrO <sub>4</sub> M.W. 161	400-1200 Ci/g 14.8-44.4 TBq/g	Sodium chromate in sterile saline (pH 8-10) 5 mCi/ml	<b>ARX 0101-1</b> mCi / 37 MBq <b>ARX 0101-2</b> mCi / 74 MBq <b>ARX 0101-5</b> mCi / 185 MBq <b>ARX 0101-10</b> mCi / 370 MBq	Inquire Inquire Inquire Inquire
<b>Ciglitazone "cold"</b> M.W. 333.45 CAS # 74772-77-3 <i>Shipped on Dry Ice</i>		Solid	<b>ARCD 0454-10</b> mg <b>ARCD 0454-50</b> mg	72,000 193,000
<b>Cilastatin [<sup>3</sup>H(G)] sodium salt</b> C <sub>16</sub> H <sub>25</sub> N <sub>2</sub> NaO <sub>5</sub> S M.W. 380.43 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1797-10</b> μCi / 370 kBq <b>ART 1797-50</b> μCi / 1.85 MBq	209,000 599,000
<b>Cilostamide "cold"</b> <b>(N-Cyclohexyl-N-methyl-4-(1,2-dihydro-2-oxo-6-quinolyloxy)butyramide)</b> C <sub>20</sub> H <sub>26</sub> N <sub>2</sub> O <sub>3</sub> M.W. 342.44		Solid	<b>ARCD 0252-10</b> mg <b>ARCD 0252-50</b> mg	41,000 132,000
<b>Cimetidine [<sup>14</sup>C]</b> C <sub>10</sub> H <sub>16</sub> N <sub>6</sub> S M.W. 252.34 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3638-50</b> μCi / 1.85 MBq	629,000
<b>Cimetidine [N-methyl-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>16</sub> N <sub>6</sub> S M.W. 252.34 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-87 Ci/mmol 2.22-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1548-250</b> μCi / 9.25 MBq	257,000
<b>trans-Cinnamic acid [7-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH=CHCO <sub>2</sub> H M.W. 148.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3450-50</b> μCi / 1.85 MBq	229,000
<b>trans-Cinnamic acid [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> CH=CHCO <sub>2</sub> H M.W. 148.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1605-50</b> μCi / 1.85 MBq	296,000

C

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Citalopram-[N-methyl-<sup>3</sup>H] hydrochloride (1-[3-(Dimethylamino)propyl] 1-(4-fluorophenyl) 1,3-dihydro-5-isobenzofurancarbonitrile)</b> $C_{20}H_{21}FN_2O$ M.W. 324.4 <i>Shipped in Dry Ice</i>	70-90 Ci/mmol	Ethanol under nitrogen 1 mCi/ml	ART 1436-50 $\mu$ Ci / 1.85 MBq	129,000
	2.59-3.33 TBq/mmol		ART 1436-250 $\mu$ Ci / 9.25 MBq	284,000
<b>Citric acid [1,5-<sup>14</sup>C]</b> $HOOCCH_2C(OH)(COOH)CH_2COOH$ M.W. 192.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:9) 0.1 mCi/ml	ARC 0491-50 $\mu$ Ci / 1.85 MBq	98,000
<b>Citric acid [6-<sup>14</sup>C]</b> $HOOCCH_2C(OH)(COOH)CH_2COOH$ M.W. 192.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:9) 0.1 mCi/ml	ARC 3651-50 $\mu$ Ci / 1.85 MBq	209,000
<b>Citronellol, DL-[1-<sup>14</sup>C]</b> $(CH_3)_2C=CHCH_2CH_2CH(CH_3)CH_2CH_2OH$ M.W. 156.27 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	ARC 1321-10 $\mu$ Ci / 370 kBq	164,000
			ARC 1321-50 $\mu$ Ci / 1.85 MBq	339,000
<b>Citronellol, DL-[1-<sup>3</sup>H]</b> $(CH_3)_2C=CHCH_2CH_2CH(CH_3)CH_2CH_2OH$ M.W. 156.27 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 0.1 mCi/ml	ART 1170-250 $\mu$ Ci / 9.25 MBq	156,000
			ART 1170-1 mCi / 37 MBq	324,000
<b>Citrulline, L-[ureido-<sup>14</sup>C]</b> $H_2NCONH(CH_2)_3CH(NH_2)COOH$ M.W. 175.19	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	ARC 0508-50 $\mu$ Ci / 1.85 MBq	86,000
			ARC 0508-250 $\mu$ Ci / 9.25 MBq	239,000
<b>CLA [1-<sup>14</sup>C]</b> See Conjugated dienoic derivative of Linoleic acid [1- <sup>14</sup> C]			ARC 0898	
<b>CLA [1-<sup>14</sup>C] Coenzyme A</b> See Conjugated dienoic derivative of Linoleic acid [1- <sup>14</sup> C] Coenzyme A			ARC 3003	
<b>Clarithromycin "cold"</b>		Solid	ARCD 0419-100 mg ARCD 0419-500 mg	34,000 44,000
<b>Clarithromycin [N-methyl-<sup>14</sup>C]</b> $C_{38}H_{69}NO_{13}$ M.W. 747.96 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	ARC 1751-50 $\mu$ Ci / 1.85 MBq	253,000
<b>Clarithromycin [N-methyl-<sup>3</sup>H]</b> $C_{38}H_{69}NO_{13}$ M.W. 747.96 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol 1 mCi/ml	ART 1349-50 $\mu$ Ci / 1.85 MBq	149,000
			ART 1349-250 $\mu$ Ci / 9.25 MBq	256,000
<b>Climbazole "cold"</b>		Sterile water	ARCD 0499-100 mg	29,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Climbazole [ring-<sup>3</sup>H]</b> C <sub>15</sub> H <sub>17</sub> ClN <sub>2</sub> M.W. 292.76 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1771-50</b> μCi / 1.85 MBq	214,000
<b>Clofazimine [<sup>3</sup>H(G)]</b> C <sub>27</sub> H <sub>22</sub> Cl <sub>2</sub> N <sub>4</sub> M.W. 473.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 185-740 GBq/mmol	Ethanol under nitrogen 1 mCi/ml	<b>ART 0632-250</b> μCi / 9.25 MBq <b>ART 0632-1</b> mCi / 37 MBq	254,000 449,000
<b>Clonidine [benzene ring-<sup>3</sup>H] hydrochloride</b> C <sub>9</sub> H <sub>9</sub> Cl <sub>2</sub> N <sub>3</sub> · HCl M.W. 266.6 <i>Shipped in Dry Ice</i>	50-80 Ci/mmol 1.85-2.96 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 1887-250</b> μCi / 9.25 MBq <b>ART 1887-1</b> mCi / 37 MBq	156,000 419,000
<b>Clotrimazole [imidazole-<sup>3</sup>H]</b> M.W. 344.8 <i>Shipped in Dry Ice</i>	10-20 Ci/mmol 0.37-0.74 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1630-250</b> μCi / 9.25 MBq <b>ART 1630-1</b> mCi / 37 MBq	219,000 439,000
<b>Clozapine "cold"</b> C <sub>18</sub> H <sub>19</sub> ClN <sub>4</sub> M.W. 326.83 CAS # 5786-21-0		Solid	<b>ARCD 0345-50</b> mg	45,000
<b>Clozapine [N-methyl-<sup>14</sup>C]</b> C <sub>18</sub> H <sub>19</sub> ClN <sub>4</sub> M.W. 326.83 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3570-50</b> μCi / 1.85 MBq	209,000
<b>Clozapine [N-methyl-<sup>3</sup>H]</b> C <sub>18</sub> H <sub>19</sub> ClN <sub>4</sub> M.W. 326.83 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.21 TBq/mmol	Ethanol under nitrogen 1 mCi/ml	<b>ART 0519-25</b> μCi / 925 kBq <b>ART 0519-250</b> μCi / 9.25 MBq	59,000 264,000
<b>Clupanodonic acid [1-<sup>14</sup>C]</b> See Docosapentanoic acid 7,10,13,16,19 [1- <sup>14</sup> C]			<b>ARC 1196</b>	
<b>Coenzyme A [4'-phosphopantetheine-<sup>3</sup>H]</b> C <sub>21</sub> H <sub>36</sub> N <sub>7</sub> O <sub>16</sub> P <sub>3</sub> S M.W. 767.54 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 0.185-0.74 TBq/mmol	0.01M NaOAc (pH 5.2) 0.1 mCi/ml	<b>ART 1396-10</b> μCi / 370 kBq <b>ART 1396-50</b> μCi / 1.85 MBq	242,000 Inquire
<b>Coenzyme A (free acid) "cold"</b> M.W. 767.54 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0258-10</b> mg <b>ARCD 0258-25</b> mg <b>ARCD 0258-100</b> mg	35,000 41,000 69,000
<b>Coenzyme A lithium salt "cold"</b> M.W. 785.3 CAS # 18439-24-2 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0230-100</b> mg <b>ARCD 0230-250</b> mg <b>ARCD 0230-500</b> mg <b>ARCD 0230-1</b> g	55,000 96,000 169,000 313,000

C

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Colchicine [ring C, methoxy-<sup>14</sup>C]</b> M.W. 399.44 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1216-50</b> μCi / 1.85 MBq	239,000
<b>Colchicine [ring C, methoxy-<sup>3</sup>H]</b> M.W. 399.44	60-85 Ci/mmol 2.22-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0722-250</b> μCi / 9.25 MBq	184,000
<b>Colistin sulfate [<sup>14</sup>C]</b> C <sub>53</sub> H <sub>102</sub> N <sub>16</sub> O <sub>17</sub> S M.W. 1267.54 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.1 mCi/ml	<b>ARC 3484</b>	Inquire
<b>Concanavalin A [methyl-<sup>14</sup>C] methylated from canavalia ensiformis</b> M.W. 102,000 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mmg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.05 mCi/ml	<b>ARC 3328-5</b> μCi / 185 kBq	323,000
<b>Conjugated dienoid derivative of Linoleic acid [1-<sup>14</sup>C] (CLA; 9,11-Octadecadienoic acid)</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 0898-50</b> μCi / 1.85 MBq	366,000
<b>Conjugated derivative of Linoleic acid [1-<sup>14</sup>C] Coenzyme A (CLA Coenzyme A)</b> M.W. 1030 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 3003-10</b> μCi / 370 kBq	366,000
<b>Copper cyanide [<sup>14</sup>C]</b> See Cuprous cyanide [ <sup>14</sup> C]			<b>ARC 0512</b>	
<b>Corticosterone [1,2-<sup>3</sup>H(N)]</b> M.W. 346.5 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0637-250</b> μCi / 9.25 MBq <b>ART 0637-1</b> mCi / 37 MBq	88,000 209,000
<b>Corticosterone [1,2,6,7-<sup>3</sup>H(N)]</b> M.W. 346.5 <i>Shipped in Dry Ice</i>	70-100 Ci/mmol 2.59-3.7 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0652-250</b> μCi / 9.25 MBq <b>ART 0652-1</b> mCi / 37 MBq	114,000 226,000
<b>Cortisol [4-<sup>14</sup>C]</b> See Hydrocortisone [4- <sup>14</sup> C]			<b>ARC 1118</b>	
<b>Cortisol [1,2-<sup>3</sup>H]</b> See Hydrocortisone [1,2- <sup>3</sup> H]			<b>ART 0776</b>	
<b>Cortisol [1,2,6,7-<sup>3</sup>H]</b> See Hydrocortisone [1,2,6,7- <sup>3</sup> H]			<b>ART 1561</b>	
<b>Cortisol [11-<sup>3</sup>H]</b> See Hydrocortisone [11- <sup>3</sup> H]			<b>ART 1316</b>	
<b>Cortisone [4-<sup>14</sup>C]</b> C <sub>21</sub> H <sub>28</sub> O <sub>5</sub> M.W. 360.45 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1413-10</b> μCi / 370 kBq	366,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Cortisone [1,2-<sup>3</sup>H]</b> C <sub>21</sub> H <sub>28</sub> O <sub>5</sub> M.W. 360.45 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0743-50</b> μCi / 1.85 MBq <b>ART 0743-250</b> μCi / 9.25 MBq <b>ART 0743-1</b> mCi / 37 MBq	95,000 173,000 314,000
<b>Cotinine, L-[N-methyl-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O M.W. 176.22 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1510-50</b> μCi / 1.85 MBq	212,000
<b>Cotinine, L-[N-methyl-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O M.W. 176.22 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-85 Ci/mmol 1.11-3.15 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1163-250</b> μCi / 9.25 MBq	254,000
<b>p-Coumaric acid [carboxyl-<sup>14</sup>C]</b> HO <sub>2</sub> C <sub>6</sub> H <sub>4</sub> CH=CHCO <sub>2</sub> H M.W. 164.16 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3678-50</b> μCi / 1.85 MBq	439,000
<b>p-Coumaric acid [ring-<sup>3</sup>H]</b> HO <sub>2</sub> C <sub>6</sub> H <sub>4</sub> CH=CHCO <sub>2</sub> H M.W. 164.16 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2019-250</b> μCi / 9.25 MBq	219,000
<b>Counter ethyl [<sup>14</sup>C]</b> M.W. 288.40 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Benzene 0.1 mCi/ml	<b>ARC 3330</b>	Inquire
<b>CP 55,940 [ring-<sup>3</sup>H]</b> <b>(-)-cis-3-[2-Hydroxy-4-(1,1-dimethylheptyl) phenyl]-trans-4-(3-hydroxypropyl)cyclohexanol</b> M.W. 376.57 <i>Shipped in Dry Ice</i> <i>Cannabinoid agonist</i> <i>NEW!-Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2115-250</b> μCi / 9.25 MBq	293,000
<b>CP 55,940 [side chain-2,3,4-<sup>3</sup>H(N)]</b> <b>(-)-cis-3-[2-Hydroxy-4-(1,1-dimethylheptyl) phenyl]-trans-4-(3-hydroxypropyl)cyclohexanol</b> M.W. 376.57 <i>Shipped in Dry Ice</i> <i>Cannabinoid agonist</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1449-25</b> μCi / 925 kBq <b>ART 1449-250</b> μCi / 9.25 MBq <b>ART 1449-1</b> mCi / 37 MBq	103,000 288,000 727,000
<b>CP 55,940 [side chain-2,3,4-<sup>3</sup>H(N)]</b> <b>(-)-cis-3-[2-Hydroxy-4-(1,1-dimethylheptyl) phenyl]-trans-4-(3-hydroxypropyl)cyclohexanol</b> M.W. 376.57 <i>Shipped in Dry Ice</i> <i>Cannabinoid agonist</i>	100-180 Ci/mmol 3.7-6.66 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1449A-250</b> μCi / 9.25 MBq <b>ART 1449A-1</b> mCi / 37 MBq	288,000 727,000
<b>(RS)-4-CPG "cold"</b> <b>((RS)-4-Carboxyphenylglycine)</b> M.W. 195.17 CAS # 7292-81-1		Solid	<b>ARCD 0542-10</b> mg <b>ARCD 0542-50</b> mg	39,000 143,000

C



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>(RS)-CPP "cold"</b> <b>((RS)-3-(2-Carboxypiperazin-4-yl)-propyl-1-phosphonic acid)</b> M.W. 252.21 CAS # 100828-16-8		Solid	<b>ARCD 0544-5 mg</b> <b>ARCD 0544-25 mg</b>	36,000 70,000
<b>Creatine [4-<sup>14</sup>C]</b> HO <sub>2</sub> CCH <sub>2</sub> N(CH <sub>3</sub> )C-NH <sub>2</sub> =NH M.W. 131.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0176-50 μCi / 1.85 MBq</b>	205,000
<b>Creatine [N-methyl-<sup>3</sup>H]</b> HO <sub>2</sub> CCH <sub>2</sub> N(CH <sub>3</sub> )C-NH <sub>2</sub> =NH M.W. 131.13 <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.21 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1130-50 μCi / 1.85 MBq</b>	324,000
<b>Creatinine [2-<sup>14</sup>C]</b> M.W. 113.12	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0177-50 μCi / 1.85 MBq</b>	Inquire
<b>Creatinine [N-methyl-<sup>3</sup>H]</b> M.W. 113.12 <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.21 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1131-50 μCi / 1.85 MBq</b>	309,000
<b>m-Cresol [ring-<sup>14</sup>C(U)]</b> 劇 CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> OH M.W. 108.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-60 mCi/mmol 0.037-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 1641-50 μCi / 1.85 MBq</b>	366,000
<b>o-Cresol [ring-<sup>14</sup>C(U)]</b> 劇 CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> OH M.W. 108.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-60 mCi/mmol 0.037-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 3381-50 μCi / 1.85 MBq</b>	524,000
<b>p-Cresol [methyl-<sup>14</sup>C]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> OH M.W. 108.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-60 mCi/mmol 0.037-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 3387-50 μCi / 1.85 MBq</b>	524,000
<b>p-Cresol [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> OH M.W. 108.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-60 mCi/mmol 0.037-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 3388-50 μCi / 1.85 MBq</b>	524,000
<b>Crizotinib "cold"</b> M.W. 450.34 CAS # 877399-52-5		Solid	<b>ARCD 0779-10 mg</b>	82,000
<b>Crizotinib [<sup>3</sup>H(G)]</b> C <sub>25</sub> H <sub>10</sub> O M.W. 86.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2077-50 μCi / 1.85 MBq</b>	545,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<i>cis,trans</i> -Crotonic acid [1- <sup>14</sup> C] CH <sub>3</sub> CH=CHCO <sub>2</sub> H M.W. 86.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1686-50</b> μCi / 1.85 MBq	269,000
<i>cis,trans</i> -Crotonyl [1- <sup>14</sup> C] Coenzyme A trilithium salt C <sub>25</sub> H <sub>40</sub> N <sub>7</sub> O <sub>17</sub> P <sub>3</sub> S M.W. 853.61 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 1688-10</b> μCi / 370 kBq <b>ARC 1688-50</b> μCi / 1.85 MBq	198,000 480,000
<b>5-CT [1,2-<sup>3</sup>H]</b> See 5-Carboxamidotryptamine [1,2- <sup>3</sup> H]			<b>ART 1818</b>	
<b>CUMI-101 [methyl-<sup>3</sup>H]</b> (2-(4-(4-(2-Methoxyphenyl) 6-piperazin-1-yl) butyl)-4-methyl-1,2,4-triazine-3, 5(2H,4H)dione; MMP) M.W. 373.45 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1755-50</b> μCi / 1.85 MBq	229,000
<b>Cumic acid [carboxyl-<sup>14</sup>C]</b> See 4-Isopropylbenzoic acid [carboxyl- <sup>14</sup> C]			<b>ARC 1193</b>	
<b>Cuprous cyanide [14C] 毒</b> (Copper cyanide) CuCN M.W. 89.56 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0512-1</b> mCi / 37 MBq	182,000
<b>Curcumin I [<sup>3</sup>H(G)]</b> (Diferuloylmethane (E,E)-1,7-bis(4-Hydroxy- 3-methoxyphenyl)-1,6-heptadiene-3,5-dione) M.W. 368.38 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1451-50</b> μCi / 1.85 MBq	254,000
<b>Cyanamide [14C]</b> H <sub>2</sub> NCN M.W. 42.04 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0192-1</b> mCi / 37 MBq	170,000
<b>2-Cyanoacetamide [2-<sup>14</sup>C] 劇</b> NCCH <sub>2</sub> CONH <sub>2</sub> M.W. 84.1 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0243-250</b> μCi / 9.25 MBq <b>ARC 0243-1</b> mCi / 37 MBq	269,000 465,000
<b>2-Cyanoacetamide [cyano-<sup>14</sup>C] 劇</b> NCCH <sub>2</sub> CONH <sub>2</sub> M.W. 84.1 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0372-250</b> μCi / 9.25 MBq <b>ARC 0372-1</b> mCi / 37 MBq	198,000 395,000
<b>Cyanoacetic acid [1-<sup>14</sup>C] 劇</b> NCCH <sub>2</sub> COOH M.W. 85.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0749-250</b> μCi / 9.25 MBq <b>ARC 0749-1</b> mCi / 37 MBq	206,000 381,000

C

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>C</b> <b>Cyanoacetic acid [2-<sup>14</sup>C]</b> 劇 NCCH <sub>2</sub> COOH M.W. 85.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0497-1</b> mCi / 37 MBq	465,000
<b>4-Cyanoaniline [2,6-<sup>3</sup>H]</b> 劇 H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CN M.W. 118.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1470-50</b> μCi / 1.85 MBq	149,000
<b>4-Cyanoaniline [2,4,6-<sup>3</sup>H]</b> <b>(4-Aminobenzonitrile)</b> H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CN M.W. 118.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-80 Ci/mmol 2.59-2.96 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2010-50</b> μCi / 1.85 MBq	219,000
<b>4-Cyanobenzoic acid [cyano-<sup>14</sup>C]</b> 劇 <b>(Terephthalic acid mononitrile)</b> NCC <sub>6</sub> H <sub>4</sub> COOH M.W. 147.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0788-250</b> μCi / 9.25 MBq	296,000
<b>1-Cyano-1H-1,2,3-benzotriazole [cyano-<sup>14</sup>C]</b> M.W. 144.1 劇 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1457-50</b> μCi / 1.85 MBq	198,000
<b>4-Cyano-2,6-diiodophenol [cyano-<sup>14</sup>C]</b> <b>(3,5-Diiodo-4-hydroxy benzonitrile)</b> 劇 I <sub>2</sub> C <sub>6</sub> H <sub>2</sub> (OH)CN M.W. 370.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1012-50</b> μCi / 1.85 MBq	408,000
<b>Cyanogen bromide [<sup>14</sup>C]</b> 毒 BrCN M.W. 105.93 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride in sealed ampoule 0.1 mCi/ml	<b>ARC 1009-1</b> mCi / 37 MBq	395,000
<b>Cyanoguanidine [<sup>14</sup>C(U)]</b> <b>(Dicyanodiamide)</b> NH <sub>2</sub> C(=NH)NHCN M.W. 84.08 <i>Exclusive</i>	100-110 mCi/mmol 3.7-4.07 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1125-1</b> mCi / 37 MBq	261,000
<b>2-Cyanophenol [ring-<sup>14</sup>C(U)]</b> 劇 CNC <sub>6</sub> H <sub>4</sub> OH M.W. 119.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1682-50</b> μCi / 1.85 MBq	296,000
<b>4-Cyanophenol [cyano-<sup>14</sup>C]</b> 劇 NCC <sub>6</sub> H <sub>4</sub> OH M.W. 119.12	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1042-50</b> μCi / 1.85 MBq <b>ARC 1042-250</b> μCi / 9.25 MBq	254,000 423,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Cyanopindolol [ring-<sup>3</sup>H]</b> 劇 C <sub>16</sub> H <sub>21</sub> N <sub>3</sub> O <sub>2</sub> M.W. 287.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1880</b>	Inquire
<b>(±)-Cyanopindolol hemifumarate "cold"</b>		Solid	<b>ARCD 0682-10 mg</b>	39,000
<b>Cyanotoluene [ring-<sup>14</sup>C(U)]</b> See 4-Tolunitrile [ring- <sup>14</sup> C(U)]			<b>ARC 1614</b>	
<b>Cyanuric [<sup>14</sup>C(U)] chloride</b> <b>(2,4,6-trichloro-1,3,5-triazine)</b> M.W. 184.41 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	150-160 mCi/mmol 5.55-5.92 GBq/mmol	Solid under nitrogen	<b>ARC 0616</b>	Inquire
<b>Cyclazocine [ring-1,3-<sup>3</sup>H] hydrochloride</b> C <sub>23</sub> H <sub>27</sub> N <sub>5</sub> O <sub>4</sub> ·HCl M.W. 479.95 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1588-50 μCi / 1.85 MBq</b>	242,000
<b>Cyclobutane [1-<sup>14</sup>C] carbonyl chloride</b> C <sub>4</sub> H <sub>7</sub> ·COCl M.W. 118.56 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride 1 mCi/ml	<b>ARC 0815A-250 μCi / 9.25 MBq</b>	353,000
<b>Cyclobutane [1-<sup>14</sup>C] carboxylic acid</b> C <sub>4</sub> H <sub>7</sub> ·COOH M.W. 100.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0814-50 μCi / 1.85 MBq</b> <b>ARC 0814-250 μCi / 9.25 MBq</b>	170,000 296,000
<b>Cyclohexane [1-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>12</sub> M.W. 84.16 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0447-1 mCi / 37 MBq</b>	247,000
<b>Cyclohexane carboxylic acid [carboxyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>11</sub> CO <sub>2</sub> H M.W. 128.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1273-250 μCi / 9.25 MBq</b> <b>ARC 1273-1 mCi / 37 MBq</b>	212,000 366,000
<b>Cyclohexanol [1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>11</sub> OH M.W. 100.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methanol in sealed ampoule 0.1 mCi/ml	<b>ARC 1613-50 μCi / 1.85 MBq</b>	171,000
<b>Cyclohexanone [1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>10</sub> (=O) M.W. 98.15 <i>Exclusive</i>	25-50 mCi/mmol 0.925-1.85 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1122-1 mCi / 37 MBq</b>	423,000
<b>Cyclohexanone [1-<sup>14</sup>C] oxime</b> M.W. 113.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3549-50 μCi / 1.85 MBq</b>	219,000

C

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Cyclohexene carboxylic acid, 1-[7-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>9</sub> CO <sub>2</sub> H M.W. 126.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethyl acetate in sealed ampoule 0.1 mCi/ml	<b>ARC 0619-250</b> μCi / 9.25 MBq	395,000
<b>Cyclohexylamine [<sup>14</sup>C(U)] hydrochloride</b> C <sub>6</sub> H <sub>11</sub> NH <sub>2</sub> ·HCl M.W. 135.63 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0610-1</b> mCi / 37 MBq	423,000
<b>Cyclopamine "cold"</b> C <sub>27</sub> H <sub>41</sub> NO <sub>2</sub> M.W. 411.62		Solid	<b>ARCD 0279-1</b> mg <b>ARCD 0279-5</b> mg	51,000 142,000
<b>Cyclopamine [3-<sup>3</sup>H]</b> C <sub>27</sub> H <sub>41</sub> NO <sub>2</sub> M.W. 411.62 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1473-50</b> μCi / 1.85 MBq	254,000
<b>Cyclopentanecarboxylic acid [carboxyl-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>9</sub> CO <sub>2</sub> H M.W. 114.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 1454-250</b> μCi / 9.25 MBq <b>ARC 1454-1</b> mCi / 37 MBq	226,000 366,000
<b>Cyclopentanol [1-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>9</sub> OH M.W. 86.13 <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0408-1</b> mCi / 37 MBq	408,000
<b>Cyclopentanol [1-<sup>3</sup>H]</b> C <sub>5</sub> H <sub>9</sub> OH M.W. 86.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2052-50</b> μCi / 1.85 MBq	229,000
<b>Cyclopentanone [1-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>8</sub> (=O) M.W. 84.12 <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0407-1</b> mCi / 37 MBq	408,000
<b>Cyclopentyladenosine [2-<sup>3</sup>H]</b> C <sub>15</sub> H <sub>21</sub> N <sub>5</sub> O <sub>4</sub> M.W. 335.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1505-50</b> μCi / 1.85 MBq	239,000
<b>Cyclopentylbromide [1-<sup>14</sup>C]</b> M.W. 149.0 <i>Exclusive</i>	15-30 mCi/mmol 0.555-1.11 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0394-1</b> mCi / 37 MBq	408,000
<b>Cyclopentyl-1,3-dipropyl xanthine 8-[dipropyl-2,3-<sup>3</sup>H] (DPCPX)</b> M.W. 304.0 <i>Shipped in Dry Ice</i>	80-120 Ci/mmol 2.96-4.44 TBq/mmol	Ethanol under nitrogen 1 mCi/ml	<b>ART 0520-25</b> μCi / 925 kBq <b>ART 0520-250</b> μCi / 9.25 MBq <b>ART 0520-1</b> mCi / 37 MBq	74,000 174,000 401,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Cyclosporin A [MEBMT-β-3H] (Antibiotic S 7481F1)</b> C <sub>62</sub> H <sub>111</sub> N <sub>11</sub> O <sub>12</sub> M.W. 1202.61 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1717-250</b> μCi / 9.25 MBq <b>ART 1717-1</b> mCi / 37 MBq	Inquire Inquire
<b>Cyclothiazide "cold"</b> M.W. 389.9 CAS # 2259-96-3		Solid	<b>ARCD 0546-10</b> mg <b>ARCD 0546-25</b> mg	29,000 51,000
<b>Cysteine, D-[1-14C]</b> HSCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 121.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1644-50</b> μCi / 1.85 MBq	353,000
<b>Cysteine, L-[1-14C]</b> HSCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 121.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0841-10</b> μCi / 370 kBq	152,000
<b>Cysteine, L-[35S]</b> HSCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 121.2 <i>Shipped in Dry Ice</i>	500-1000 Ci/mmol 18.5-37 TBq/mmol	Aqueous solution with stabilizer 10 mCi/ml	<b>ARS 0101-1</b> mCi / 37 MBq <b>ARS 0101-5</b> mCi / 185 MBq	169,000 Inquire
<b>Cysteine, L-[35S]</b> HSCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 121.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	500-1000 Ci/mmol 18.5-37 TBq/mmol	Sterile water (no stabilizer) 10 mCi/ml	<b>ARS 0133-1</b> mCi / 37 MBq	211,000
<b>Cystine, D-[1-14C]</b> (SCH <sub>2</sub> CH(NH <sub>2</sub> )COOH) <sub>2</sub> M.W. 240.30 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1400-50</b> μCi / 1.85 MBq	423,000
<b>Cystine, L-[1-14C]</b> (SCH <sub>2</sub> CH(NH <sub>2</sub> )COOH) <sub>2</sub> M.W. 240.30 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 1514-50</b> μCi / 1.85 MBq	335,000
<b>Cystine, L-[3,3'-14C]</b> (SCH <sub>2</sub> CH(NH <sub>2</sub> )COOH) <sub>2</sub> M.W. 240.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol:water (2:98) 0.02 mCi/ml	<b>ARC 3583-10</b> μCi / 370 kBq <b>ARC 3583-50</b> μCi / 1.85 MBq	114,000 438,000
<b>Cystine, L-[35S]</b> M.W. 240.30 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Reference: CgCYN1, a Plasma Membrane Cystine-specific Transporter of Candida glabrata with Orthologues Prevalent among Pathogenic Yeast and Fungi, Yadav, Amit Kumar, et al., Journal Biological Chemistry, 286 (22), (2011)</i>	500-1000 Ci/mmol 18.5-37 GBq/mmol	0.01N HCl 1 mCi/ml	<b>ARS 0127-250</b> μCi / 9.25 MBq <b>ARS 0127-1</b> mCi / 37 MBq <b>ARS 0127-5</b> mCi / 185 MBq	149,000 218,000 345,000

C



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Cytidine [2-<sup>14</sup>C]</b> C <sub>9</sub> H <sub>13</sub> N <sub>3</sub> O <sub>5</sub> M.W. 243.22 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol	Aqueous solution	<b>ARC 3332-50</b> μCi / 1.85 MBq	92,000
	1.85-2.22 GBq/mmol	0.1 mCi/ml	<b>ARC 3332-100</b> μCi / 3.7 MBq	185,000
<b>Cytidine [5-<sup>3</sup>H]</b> M.W. 243.2	20-30 Ci/mmol	Sterile water	<b>ART 0146-250</b> μCi / 9.25 MBq	53,000
	0.74-1.11 TBq/mmol	1 mCi/ml	<b>ART 0146-1</b> mCi / 37 MBq	108,000
			<b>ART 0146-5</b> mCi / 185 MBq	209,000
<b>Cytidine 3',5'-bis(triphosphate) [5'-<sup>32</sup>P]</b> PcP [5'- <sup>32</sup> P] M.W. 527.12 <i>Shipped in Dry Ice</i>	3000 Ci/mmol 111 TBq/mmol	10mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0139-250</b> μCi / 9.25 MBq	Inquire
<b>Cytidine 5'-[5'-<sup>3</sup>H] diphosphate</b> M.W. 403.18 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 1714-250</b> μCi / 9.25 MBq	219,000
<b>Cytidine diphosphocholine [methyl-<sup>14</sup>C]</b> M.W. 488.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol	Ethanol:water (7:3)	<b>ARC 0529-10</b> μCi / 370 kBq	151,000
	1.85-2.22 GBq/mmol	0.1 mCi/ml	<b>ARC 0529-50</b> μCi / 1.85 MBq	342,000
<b>Cytidine diphosphocholine [methyl-<sup>3</sup>H]</b> M.W. 488.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol	Ethanol:water (7:3)	<b>ART 0784-10</b> μCi / 370 kBq	151,000
	2.96-3.145 TBq/mmol	0.1 mCi/ml	<b>ART 0784-50</b> μCi / 1.85 MBq	342,000
<b>Cytidine 5'-[2-<sup>14</sup>C] monophosphate diammonium salt</b> M.W. 323.2 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1333-10</b> μCi / 370 kBq	Inquire
<b>Cytidine 5'-monophosphate sialic acid [sialic-6-<sup>14</sup>C] (CMP sialic acid)</b> M.W. 614.5 <i>Shipped in Dry Ice</i>	45-60 mCi/mmol 1.67-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0193-10</b> μCi / 370 kBq	219,000
<b>Cytidine 5'-monophosphate, sialic acid [sialic-6-<sup>3</sup>H] (CMP sialic acid)</b> M.W. 614.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0147-50</b> μCi / 1.85 MBq	256,000
<b>Cytidine 5'-[5'-<sup>3</sup>H] monophosphate sodium salt</b> M.W. 367.2 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0342-1</b> mCi / 37 MBq	256,000
<b>Cytidine 5'-[α-<sup>33</sup>P] triphosphate</b> CTP [α- <sup>33</sup> P] M.W. 483.16 <i>Shipped in Dry Ice, store at 4°C</i>	3000 Ci/mmol	50mM Tricine (pH 7.6)	<b>ARP 0154-250</b> μCi / 9.25 MBq	230,000
	111 TBq/mmol	with stabilizer 10 mCi/ml	<b>ARP 0154-1</b> mCi / 37 MBq	369,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Cytidine 5'-[<math>\alpha</math>-<math>^{32}</math>P] triphosphate</b> CTP [ $\alpha$ - $^{32}$ P] M.W. 483.16 <i>Shipped in Dry Ice</i>	800 Ci/mmol 29.6 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0104A</b> -250 $\mu$ Ci / 9.25 MBq	Inquire
<b>Cytidine 5'-[<math>\alpha</math>-<math>^{32}</math>P] triphosphate</b> CTP [ $\alpha$ - $^{32}$ P] M.W. 483.16 <i>Shipped in Dry Ice</i> <b>NEW!</b>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0104B</b> -250 $\mu$ Ci / 9.25 MBq	Inquire
<b>Cytidine 5'-[<math>\alpha</math>-<math>^{32}</math>P] triphosphate</b> CTP [ $\alpha$ - $^{32}$ P] M.W. 483.16 <i>Shipped in Dry Ice, store at 4°C</i> <b>NEW!</b>	800 Ci/mmol 29.6 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0104C</b> -250 $\mu$ Ci / 9.25 MBq	Inquire
<b>Cytidine 5'-[<math>\gamma</math>-<math>^{33}</math>P] triphosphate</b> CTP [ $\gamma$ - $^{33}$ P] M.W. 483.16 <i>Shipped in Dry Ice, store at 4°C</i> <b>NEW!-Exclusive</b>	3000 Ci/mmol 111 TBq/mmol	50mM Tricine (pH 7.4) with 2mM DTT with stabilizer 10 mCi/ml	<b>ARP 0183</b> -1 mCi / 37 MBq	566,000
<b>Cytidine 5'-[2-<math>^{14}</math>C] triphosphate ammonium salt</b> CTP [2- $^{14}$ C] M.W. 534.25 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3331</b> -10 $\mu$ Ci / 370 kBq	299,000
<b>Cytidine 5'-triphosphate [5'-<math>^3</math>H] disodium salt</b> CTP [5'- $^3$ H] M.W. 529.1 <i>Shipped in Dry Ice</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0343</b> -250 $\mu$ Ci / 9.25 MBq <b>ART 0343</b> -1 mCi / 37 MBq <b>ART 0343</b> -5 mCi / 185 MBq	125,000 Inquire Inquire
<b>Cytisine [3,5-<math>^3</math>H(N)] hydrochloride</b> C <sub>11</sub> H <sub>14</sub> N <sub>2</sub> O·HCl M.W. 226.7 <i>Shipped in Dry Ice</i>	15-40 Ci/mmol 0.555-1.48 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1691</b> -25 $\mu$ Ci / 925 kBq <b>ART 1691</b> -250 $\mu$ Ci / 9.25 MBq	92,000 308,000
<b>Cytochalasin B [4-<math>^3</math>H(N)]</b> C <sub>29</sub> H <sub>37</sub> NO <sub>5</sub> M.W. 479.61 <b>Exclusive</b>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1711</b> -50 $\mu$ Ci / 1.85 MBq	288,000
<b>Cytochrome C [methyl-<math>^{14}</math>C] methylated</b> M.W. 12 KD <i>Shipped in Dry Ice</i> <b>Exclusive</b>	3-30 $\mu$ Ci/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 0427</b> -1 $\mu$ Ci / 37 kBq <b>ARC 0427</b> -5 $\mu$ Ci / 185 kBq	93,000 239,000
<b>Cytomodulin [<math>^3</math>H(G)]</b> Ala-Asn-Val-Ala-Glu-Asn-Ala M.W. 795.8 <i>Shipped in Dry Ice</i> <b>Exclusive</b>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2040</b> -50 $\mu$ Ci / 1.85 MBq	439,000

C

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Cytosine [2-<sup>14</sup>C]</b> C <sub>4</sub> H <sub>5</sub> N <sub>3</sub> O M.W. 111.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3333-10</b> μCi / 370 kBq	287,000
<b>Cytosine [5-<sup>3</sup>H]</b> C <sub>4</sub> H <sub>5</sub> N <sub>3</sub> O M.W. 111.10 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-30 Ci/mmol 0.185-1.11 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 1720-250</b> μCi / 9.25 MBq <b>ART 1720-1</b> mCi / 37 MBq	132,000 323,000
<b>Cytosine [6-<sup>3</sup>H]</b> C <sub>4</sub> H <sub>5</sub> N <sub>3</sub> O M.W. 111.10 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-30 Ci/mmol 0.185-1.11 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 1721-250</b> μCi / 9.25 MBq <b>ART 1721-1</b> mCi / 37 MBq	125,000 307,000
<b>D<sub>2</sub>-1 [N-methyl-<sup>3</sup>H]</b> <b>4-(4-Bromophenyl)-1-((5-methoxy-1H-indol-3-yl)methyl)piperidin-4-ol-oxalate</b> M.W. 414.32 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.21 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1530-50</b> μCi / 1.85 MBq	226,000
<b>(-)-D-888 [N-methyl-<sup>3</sup>H]</b> See (-)-Desmethoxyverapamil [N-methyl- <sup>3</sup> H]			<b>ART 1654</b>	
<b>DAA-1106 [methyl-<sup>3</sup>H]</b> C <sub>23</sub> H <sub>22</sub> FNO <sub>4</sub> M.W. 395.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1939-50</b> μCi / 1.85 MBq	419,000
<b>DAMGO [tyrosyl-3,5-<sup>3</sup>H]</b> <b>(DAGO)</b> M.W. 513.7 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0702-25</b> μCi / 925 kBq <b>ART 0702-250</b> μCi / 9.25 MBq <b>ART 0702-1</b> mCi / 37 MBq	76,000 195,000 507,000
<b>4-DAMP [N-methyl-<sup>3</sup>H]</b> C <sub>21</sub> H <sub>26</sub> INO <sub>2</sub> M.W. 451.5 <i>Shipped in Dry Ice</i>	60-87 Ci/mmol 2.22-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1822-250</b> μCi / 9.25 MBq	288,000
<b>Dansyl chloride [methyl-<sup>14</sup>C]</b> <b>(5-Dimethylaminonaphthalene-1-sulfonylchloride)</b> M.W. 269.75 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	110-120 mCi/mmol 4.07-4.44 GBq/mmol	Acetone in sealed ampoule 0.1 mCi/ml	<b>ARC 0543-250</b> μCi / 9.25 MBq	366,000
<b>DASB [N-methyl-<sup>3</sup>H]</b> <b>(N,N-Dimethyl-2-(2-amino-4-cyanophenylthio)-benzylamine)</b> 劇 C <sub>16</sub> H <sub>17</sub> N <sub>3</sub> S M.W. 283.39 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.21 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1523-50</b> μCi / 1.85 MBq	253,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Daunomycin hydrochloride "cold"</b> (Daunorubicin hydrochloride) M.W. 563.99 CAS # 20830-81-3 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0577-10 mg</b> <b>ARCD 0577-50 mg</b>	60,000 205,000
<b>Daunomycin [<sup>3</sup>H(G)]</b> M.W. 527.5 <i>Shipped in Dry Ice</i>	1-20 Ci/mmol 37-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0607-250 μCi / 9.25 MBq</b>	Inquire
<b>DB 075 [<sup>3</sup>H]</b> C <sub>18</sub> H <sub>16</sub> N <sub>4</sub> O · 2HCl M.W. 377.27 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2016</b>	Inquire
<b>DCG IV [<sup>3</sup>H]</b> (2 <i>S</i> ,2' <i>R</i> ,3' <i>R</i> )-2-(1'-3 <i>H</i> ,2' <i>3'</i> Dicarboxycyclopropyl)glycine- M.W. 203.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-25 Ci/mmol 0.37-0.925 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1206-250 μCi / 9.25 MBq</b>	443,000
<b>(S)-3,4-DCPG [<sup>3</sup>H]</b> ( <i>S</i> )-3,4-Dicarboxyphenylglycine) M.W. 240.68 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1450-250 μCi / 9.25 MBq</b>	443,000
<b>4,4'-DDA [ring-<sup>14</sup>C(U)]</b> (Decadienealdehyde) M.W. 281.13 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 3272-5 μCi / 185 kBq</b>	342,000
<b>4,4'-DDD [ring-<sup>14</sup>C(U)]</b> (Dichlorodiphenyldichloroethane) (C <sub>6</sub> H <sub>4</sub> ) <sub>2</sub> CHCHCl <sub>2</sub> M.W. 320.04 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 3273-5 μCi / 185 kBq</b>	342,000
<b>4,4'-DDE [ring-<sup>14</sup>C(U)]</b> (Dichlorodiphenyldichloroethylene) M.W. 318.0 <i>Exclusive</i>	10-30 mCi/mmol 0.37-1.11 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 1309-5 μCi / 185 kBq</b>	342,000
<b>4,4'-DDT [ring-<sup>14</sup>C(U)]</b> (Dichlorodiphenyltrichloroethane) M.W. 354.5 <i>Exclusive</i>	10-30 mCi/mmol 0.37-1.11 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 1310-5 μCi / 185 kBq</b>	342,000
<b>3-Deazaadenosine [8-<sup>3</sup>H]</b> M.W. 266.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1201-250 μCi / 9.25 MBq</b> <b>ART 1201-1 mCi / 37 MBq</b>	135,000 269,000
<b>3-Deazaaristeromycin [8-<sup>3</sup>H(N)]</b> M.W. 264.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1202-250 μCi / 9.25 MBq</b> <b>ART 1202-1 mCi / 37 MBq</b>	170,000 324,000

**D**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Decane, n-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> CH <sub>3</sub> M.W. 142.29 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 1189-50</b> μCi / 1.85 MBq <b>ARC 1189-250</b> μCi / 9.25 MBq	184,000 381,000
<b>D Decane, n-[1,2-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH <sub>2</sub> CH <sub>3</sub> M.W. 142.29 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ART 1247-250</b> μCi / 9.25 MBq <b>ART 1247-1</b> mCi / 37 MBq	184,000 324,000
<b>Decanedioic acid [carboxyl-<sup>14</sup>C]</b> (Sebacic acid) HO <sub>2</sub> C(CH <sub>2</sub> ) <sub>8</sub> CO <sub>2</sub> H M.W. 202.25 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3334-50</b> μCi / 1.85 MBq	299,000
<b>Decanoic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> COOH M.W. 172.27 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0480-50</b> μCi / 1.85 MBq <b>ARC 0480-250</b> μCi / 9.25 MBq	116,000 247,000
<b>Decanoic acid [6-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> COOH M.W. 172.26 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3675-50</b> μCi / 1.85 MBq	219,000
<b>Decanoic acid [2,3-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CH <sub>2</sub> CH <sub>2</sub> COOH M.W. 172.27 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1526-250</b> μCi / 9.25 MBq	204,000
<b>n-Decanoyl Coenzyme A "cold"</b> M.W. 939.80 CAS # 1264-57-9		Solid	<b>ARCD 0299-5</b> mg <b>ARCD 0299-25</b> mg	39,000 84,000
<b>n-Decanoyl [1-<sup>14</sup>C] Coenzyme A</b> C <sub>31</sub> H <sub>54</sub> N <sub>7</sub> O <sub>17</sub> P <sub>3</sub> S M.W. 921.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.1M NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 1322-10</b> μCi / 370 kBq <b>ARC 1322-50</b> μCi / 1.85 MBq	227,000 507,000
<b>n-Decanoyl [2,3-<sup>3</sup>H] Coenzyme A</b> C <sub>31</sub> H <sub>54</sub> N <sub>7</sub> O <sub>17</sub> P <sub>3</sub> S M.W. 921.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:0.1M NaOAc pH 5.2 (1:1) 1 mCi/ml	<b>ART 1911-50</b> μCi / 1.85 MBq	419,000
<b>N-Decanoyl [1-<sup>14</sup>C] sphingosine-D-erythro</b> (C-10 ceramide) C <sub>28</sub> H <sub>55</sub> NO <sub>3</sub> M.W. 453.75 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3067-10</b> μCi / 370 kBq	282,000
<b>n-Decaprenol "cold"</b> C <sub>50</sub> H <sub>82</sub> O M.W. 699.3		Hexane in sealed ampoule	<b>ARCD 0234-5</b> mg	154,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>n-Decaprenol [1-<sup>3</sup>H]</b> M.W. 699.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ART 1413-50</b> μCi / 1.85 MBq	164,000
<b>Decaprenyl monophosphate [1-<sup>3</sup>H] diammonium salt</b> M.W. 813.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	<b>ART 1406-50</b> μCi / 1.85 MBq	269,000
<b>Decaprenyl pyrophosphate "cold"</b>		Chloroform: methanol (2:1)	<b>ARCD 0468-1</b> mg	165,000
<b>Decaprenyl pyrophosphate [1-<sup>3</sup>H] triammonium salt</b> M.W. 910.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	<b>ART 1459-50</b> μCi / 1.85 MBq	311,000
<b>Decyl alcohol [1-<sup>14</sup>C] (1-Decanol)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> CH <sub>2</sub> OH M.W. 158.29 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0481-50</b> μCi / 1.85 MBq <b>ARC 0481-250</b> μCi / 9.25 MBq	170,000 269,000
<b>Decyl alcohol [6-<sup>14</sup>C] (1-Decanol)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> CH <sub>2</sub> OH M.W. 158.29 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3674-50</b> μCi / 1.85 MBq	229,000
<b>Decyl aldehyde [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> CHO M.W. 156.27 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0557A-250</b> μCi / 9.25 MBq	324,000
<b>Decylamine [1-<sup>14</sup>C] hydrochloride (1-Amino decane hydrochloride)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> CH <sub>2</sub> NH <sub>2</sub> HCl M.W. 193.75 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1562-50</b> μCi / 1.85 MBq <b>ARC 1562-250</b> μCi / 9.25 MBq	184,000 324,000
<b>Decyl bromide [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> CH <sub>2</sub> Br M.W. 221.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1857-50</b> μCi / 1.85 MBq	155,000
<b>Decyl [1-<sup>14</sup>C] sulfate sodium</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> CH <sub>2</sub> OSO <sub>3</sub> Na M.W. 260.32 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3172-50</b> μCi / 1.85 MBq	254,000
<b>n-Decyl [1-<sup>14</sup>C] β-D-thiomaltopyranoside</b> C <sub>22</sub> H <sub>42</sub> O <sub>10</sub> S M.W. 498.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1856-50</b> μCi / 1.85 MBq	269,000

**D**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>22-Decynium [<sup>3</sup>H(G)]</b> See 1,1'-Diethyl-2,2'-cyanine iodide [ <sup>3</sup> H(G)]			<b>ART 1742</b>	
<b>9-Decynoic acid "cold"</b> M.W. 168 CAS # 1642-49-5		Solid	<b>ARCD 0427-10 mg</b> <b>ARCD 0427-50 mg</b>	69,000 194,000
<b>9-Decynoic acid [1-<sup>14</sup>C]</b> <chem>CH3C#C(CH2)CO2H</chem> M.W. 168.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3152-50 μCi / 1.85 MBq</b>	239,000
<b>11-Dehydrocorticosterone "cold"</b> <chem>C21H28O4</chem> M.W. 344.44		Solid	<b>ARCD 0416-1 mg</b>	92,000
<b>11-Dehydrocorticosterone [1,2-<sup>3</sup>H]</b> <chem>C21H28O4</chem> M.W. 344.44 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1407-50 μCi / 1.85 MBq</b>	269,000
<b>Dehydrocortisone-21-acetate [4-<sup>14</sup>C]</b> <b>(17α, 21-Dihydroxy-4,9(11)-pregnadiene-3,20-dione)</b> <chem>C23H30O5</chem> M.W. 386.48 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3007-10 μCi / 370 kBq</b>	492,000
<b>Dehydroepiandrosterone [4-<sup>14</sup>C]</b> <chem>C19H28O2</chem> M.W. 288.4	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1394-10 μCi / 370 kBq</b>	261,000
<b>Dehydroepiandrosterone [1,2-<sup>3</sup>H]</b> <chem>C19H28O2</chem> M.W. 288.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1171-50 μCi / 1.85 MBq</b> <b>ART 1171-250 μCi / 9.25 MBq</b>	87,000 162,000
<b>Dehydroepiandrosterone [1,2,6,7-<sup>3</sup>H(N)]</b> <chem>C19H28O2</chem> M.W. 288.4 <i>Shipped in Dry Ice</i>	60-100 Ci/mmol 2.22-3.7 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1607-250 μCi / 9.25 MBq</b> <b>ART 1607-1 mCi / 37 MBq</b>	149,000 319,000
<b>Dehydroepiandrosterone [1,2-<sup>3</sup>H] 3-acetate (DHEA-3-acetate)</b> M.W. 330.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-60 Ci/mmol 0.74-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1697-50 μCi / 1.85 MBq</b> <b>ART 1697-250 μCi / 9.25 MBq</b>	219,000 440,000
<b>Dehydroepiandrosterone sulfate [1,2,6,7-<sup>3</sup>H] sodium salt</b> M.W. 390.5 <i>Shipped in Dry Ice</i>	60-100 Ci/mmol 2.22-3.7 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1608-250 μCi / 9.25 MBq</b>	249,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Deltorphin II (2-D-Ala) [tyrosyl-3,5-<sup>3</sup>H]</b> C <sub>38</sub> H <sub>54</sub> N <sub>8</sub> O <sub>10</sub> M.W. 782.9 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.1N acetic acid: ethanol (8:2) 1 mCi/ml	<b>ART 1889-50</b> μCi / 1.85 MBq <b>ART 1889-250</b> μCi / 9.25 MBq	135,000 529,000
<b>2'-Deoxyadenosine [8-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>3</sub> M.W. 251.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1422-10</b> μCi / 370 kBq <b>ARC 1422-50</b> μCi / 1.85 MBq	72,000 249,000
<b>Deoxyadenosine 5'-[2,8-<sup>3</sup>H] diphosphate tetra (triethylammonium) salt</b> dADP [2,8- <sup>3</sup> H] <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-25 Ci/mmol 0.37-0.925 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1781-250</b> μCi / 9.25 MBq <b>ART 1781-1</b> mCi / 37 MBq	182,000 413,000
<b>Deoxyadenosine 5'-[2,8-<sup>3</sup>H] monophosphate tetra (triethylammonium) salt</b> dAMP [2,8- <sup>3</sup> H] <i>Shipped in Dry Ice</i>	10-25 Ci/mmol 0.37-0.925 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1780-250</b> μCi / 9.25 MBq <b>ART 1780-1</b> mCi / 37 MBq	135,000 314,000
<b>3'-Deoxyadenosine 5'-[α-<sup>32</sup>P] triphosphate (Cordycepin 5'-triphosphate)</b> M.W. 491.18 <i>Shipped in Dry Ice</i> <b>NEW!</b>	3000-6000 Ci/mmol 111-222 TBq/mmol	10mM Tricine (pH 7.6) 10 mCi/ml	<b>ARP 0185-250</b> μCi / 9.25 MBq	Inquire
<b>Deoxyadenosine 5'-(α-thio)-triphosphate [α-<sup>35</sup>S]</b> dATP [α- <sup>35</sup> S] M.W. 507.2 <i>Shipped in Dry Ice</i>	1250 Ci/mmol 46.2 TBq/mmol	Aqueous solution containing 10mM tricine (pH 7.6) with 1mM DTT 12.5 mCi/ml	<b>ARS 0111-250</b> μCi / 9.25 MBq <b>ARS 0111-1</b> mCi / 37 MBq	88,000 Inquire
<b>Deoxyadenosine 5'-(α-thio)-triphosphate [α-<sup>35</sup>S]</b> dATP [α- <sup>35</sup> S] M.W. 507.2 <i>Shipped w/o Dry Ice, Store at 4°C</i>	1250 Ci/mmol 46.2 TBq/mmol	Aqueous solution with stabilizer 12.5 mCi/ml	<b>ARS 0111A-250</b> μCi / 9.25 MBq <b>ARS 0111A-1</b> mCi / 37 MBq	88,000 Inquire
<b>Deoxyadenosine 5'-(α-thio)-triphosphate [α-<sup>35</sup>S]</b> dATP [α- <sup>35</sup> S] M.W. 507.2 <i>Shipped in Dry Ice</i>	500 Ci/mmol 18.5 TBq/mmol	Aqueous solution containing 10mM tricine (pH 7.6) w/ 1mM DTT 10 mCi/ml	<b>ARS 0111B-250</b> μCi / 9.25 MBq <b>ARS 0111B-1</b> mCi / 37 MBq	88,000 Inquire
<b>Deoxyadenosine 5'-triphosphate [α-<sup>32</sup>P] tetra (triethylammonium) salt</b> dATP [α- <sup>32</sup> P] M.W. 537.1 <i>Shipped in Dry Ice</i>	3000 Ci/mmol 111 TBq/mmol	10mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0118A-250</b> μCi / 9.25 MBq <b>ARP 0118A-1</b> mCi / 37 MBq	Inquire Inquire
<b>Deoxyadenosine 5'-triphosphate [α-<sup>32</sup>P] tetra (triethylammonium) salt</b> dATP [α- <sup>32</sup> P] M.W. 537.1 <i>Shipped in Dry Ice, store at 4°C</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0118B-250</b> μCi / 9.25 MBq <b>ARP 0118B-1</b> mCi / 37 MBq	Inquire Inquire

D

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>D</b> Deoxyadenosine 5'-triphosphate [ $\alpha$ - $^{33}\text{P}$ ] tetra (triethylammonium) salt dATP [ $\alpha$ - $^{33}\text{P}$ ] M.W. 537.1 <i>Shipped in Dry Ice, Store at 4°C</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) with stabilizer 10 mCi/ml	<b>ARP 0127A-1</b> mCi / 37 MBq	327,000
Deoxyadenosine 5'-triphosphate [2,8- $^3\text{H}$ ] tetra (triethylammonium) salt dATP [2,8- $^3\text{H}$ ] M.W. 537.1 <i>Shipped in Dry Ice</i>	10-25 Ci/mmol 0.37-0.925 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1562-250</b> $\mu\text{Ci}$ / 9.25 MBq <b>ART 1562-1</b> mCi / 37 MBq	Inquire Inquire
Deoxybenzoin [benzene- $^{14}\text{C}$ (U)] (2-Phenylacetophenone) $\text{C}_6\text{H}_5\text{CH}_2\text{COC}_6\text{H}_5$ M.W. 196.25 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1056-250</b> $\mu\text{Ci}$ / 9.25 MBq	395,000
Deoxycholic acid [12- $^3\text{H}$ (N)] $\text{C}_{24}\text{H}_{40}\text{O}_4$ M.W. 392.58 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0894-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ART 0894-250</b> $\mu\text{Ci}$ / 9.25 MBq	164,000 327,000
Deoxycorticosterone [1,2- $^3\text{H}$ ] $\text{C}_{21}\text{H}_{30}\text{O}_3$ M.W. 330.5 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1184-250</b> $\mu\text{Ci}$ / 9.25 MBq	169,000
21-Deoxy corticosterone [1,2- $^3\text{H}$ ] $\text{C}_{21}\text{H}_{27}\text{O}_3$ M.W. 329.5 <i>Exclusive</i> <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1351-50</b> $\mu\text{Ci}$ / 1.85 MBq	248,000
11-Deoxycortisol [4- $^{14}\text{C}$ ] (4-Pregnene-17 $\alpha$ ,21-diol-3,20-dione) M.W. 346.47 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3627-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 3627-50</b> $\mu\text{Ci}$ / 1.85 MBq	282,000 765,000
11-Deoxycortisol [1,2- $^3\text{H}$ ] (4-Pregnene-17 $\alpha$ ,21-diol-3,20-dione) M.W. 346.47 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1273-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ART 1273-250</b> $\mu\text{Ci}$ / 9.25 MBq	157,000 314,000
21-Deoxycortisol [1,2- $^3\text{H}$ ] $\text{C}_{21}\text{H}_{30}\text{O}_4$ M.W. 346.47 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1352-50</b> $\mu\text{Ci}$ / 1.85 MBq	248,000
2'-Deoxycytidine [2- $^{14}\text{C}$ ] $\text{C}_9\text{H}_{19}\text{N}_3\text{O}_4$ M.W. 227.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1480-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 1480-50</b> $\mu\text{Ci}$ / 1.85 MBq	Inquire Inquire
2'-Deoxycytidine [5- $^3\text{H}$ ] $\text{C}_9\text{H}_{19}\text{N}_3\text{O}_4$ M.W. 227.2	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0238-250</b> $\mu\text{Ci}$ / 9.25 MBq <b>ART 0238-1</b> mCi / 37 MBq <b>ART 0238-5</b> mCi / 185 MBq	Inquire Inquire Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2'-Deoxycytidine [6-<sup>3</sup>H]</b> C <sub>9</sub> H <sub>19</sub> N <sub>3</sub> O <sub>4</sub> M.W. 227.2	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	ART 1128A-250 μCi / 9.25 MBq ART 1128A-1 mCi / 37 MBq ART 1128A-5 mCi / 185 MBq	107,000 201,000 437,000
<b>Deoxycytidine 5'-[α-<sup>32</sup>P] triphosphate</b> dCTP [α- <sup>32</sup> P] M.W. 468.16 <i>Shipped in Dry Ice</i>	3000 Ci/mmol 111 TBq/mmol	10mM tricine (pH 7.6) 10 mCi/ml	ARP 0120A-250 μCi / 9.25 MBq ARP 0120A-500 μCi / 18.5 MBq ARP 0120A-1 mCi / 37 MBq	Inquire Inquire Inquire
<b>Deoxycytidine 5'-[α-<sup>32</sup>P] triphosphate</b> dCTP [α- <sup>32</sup> P] M.W. 468.16 <i>Shipped in Dry Ice, store at 4°C</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	ARP 0120B-250 μCi / 9.25 MBq ARP 0120B-500 μCi / 18.5 MBq ARP 0120B-1 mCi / 37 MBq	Inquire Inquire Inquire
<b>Deoxycytidine 5'-[α-<sup>32</sup>P] triphosphate</b> dCTP [α- <sup>32</sup> P] M.W. 468.16 <i>Shipped in Dry Ice</i>	>6000 Ci/mmol >222 TBq/mmol	10mM tricine (pH 7.6) 20 mCi/ml	ARP 0120C-250 μCi / 9.25 MBq ARP 0120C-500 μCi / 18.5 MBq	Inquire Inquire
<b>Deoxycytidine 5'-[α-<sup>32</sup>P] triphosphate</b> dCTP [α- <sup>32</sup> P] M.W. 468.16 <i>Shipped in Dry Ice, store at 4°C</i>	800 Ci/mmol 29.6 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	ARP 0120D-250 μCi / 9.25 MBq ARP 0120D-500 μCi / 18.5 MBq ARP 0120D-1 mCi / 37 MBq	Inquire Inquire Inquire
<b>2'-Deoxycytidine 5'-[α-<sup>33</sup>P] triphosphate</b> dCTP [α- <sup>33</sup> P] M.W. 468.16 <i>Shipped in Dry Ice</i>	3000 Ci/mmol 111 TBq/mmol	10mM tricine (pH 7.6) 10 mCi/ml	ARP 0130-1 mCi / 37 MBq	Inquire
<b>2'-Deoxycytidine 5'-[α-<sup>33</sup>P] triphosphate</b> dCTP [α- <sup>33</sup> P] M.W. 468.16 <i>Shipped in Dry Ice, Store at 4°C</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) with stabilizer 10 mCi/ml	ARP 0130A-1 mCi / 37 MBq	Inquire
<b>Deoxycytidine 5'-[5-<sup>3</sup>H] triphosphate tetrasodium salt</b> dCTP [5- <sup>3</sup> H] M.W. 554.9 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	ART 0240-250 μCi / 9.25 MBq ART 0240-1 mCi / 37 MBq ART 0240-5 mCi / 185 MBq	Inquire Inquire Inquire
<b>Deoxy-D-glucose, 2-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	ARC 0111-50 μCi / 1.85 MBq ARC 0111-250 μCi / 9.25 MBq ARC 0111-1 mCi / 37 MBq	Inquire Inquire Inquire
<b>Deoxy-D-glucose, 2-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile saline 0.1 mCi/ml	ARC 0111A-50 μCi / 1.85 MBq ARC 0111A-250 μCi / 9.25 MBq ARC 0111A-1 mCi / 37 MBq	Inquire Inquire Inquire
<b>Deoxy-D-glucose, 2-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	ARC 0111B-50 μCi / 1.85 MBq ARC 0111B-250 μCi / 9.25 MBq ARC 0111B-1 mCi / 37 MBq	Inquire Inquire Inquire
<b>Deoxy-D-glucose, 2-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	3% Ethanol 0.1 mCi/ml	ARC 0111C-50 μCi / 1.85 MBq ARC 0111C-250 μCi / 9.25 MBq ARC 0111C-1 mCi / 37 MBq	Inquire Inquire Inquire

D



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Deoxy-D-glucose, 2-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2	300-360 mCi/mmol 11.1-13.32 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0112-50</b> μCi / 1.85 MBq <b>ARC 0112-250</b> μCi / 9.25 MBq <b>ARC 0112-1</b> mCi / 37 MBq	99,000 199,000 Inquire
<b>D</b> <b>Deoxy-D-glucose, 2-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2 <i>Exclusive</i>	300-360 mCi/mmol 11.1-13.32 GBq/mmol	Sterile saline 0.1 mCi/ml	<b>ARC 0112A-50</b> μCi / 1.85 MBq <b>ARC 0112A-250</b> μCi / 9.25 MBq <b>ARC 0112A-1</b> mCi / 37 MBq	99,000 199,000 Inquire
<b>Deoxy-D-glucose, 2-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2	300-360 mCi/mmol 11.1-13.32 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0112B-50</b> μCi / 1.85 MBq <b>ARC 0112B-250</b> μCi / 9.25 MBq <b>ARC 0112B-1</b> mCi / 37 MBq	99,000 199,000 Inquire
<b>Deoxy-D-glucose, 2-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2 <i>Exclusive</i>	300-360 mCi/mmol 11.1-13.32 GBq/mmol	Sterile saline 1 mCi/ml	<b>ARC 0112C-50</b> μCi / 1.85 MBq <b>ARC 0112C-250</b> μCi / 9.25 MBq <b>ARC 0112C-1</b> mCi / 37 MBq	99,000 199,000 Inquire
<b>Deoxy-D-glucose, 2-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2 <i>Exclusive</i>	300-360 mCi/mmol 11.1-13.32 GBq/mmol	Ethanol:water (3:97) 0.1 mCi/ml	<b>ARC 0112D-50</b> μCi / 1.85 MBq <b>ARC 0112D-250</b> μCi / 9.25 MBq <b>ARC 0112D-1</b> mCi / 37 MBq	99,000 199,000 Inquire
<b>Deoxy-D-glucose, 2-[1-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1558-250</b> μCi / 9.25 MBq <b>ART 1558-1</b> mCi / 37 MBq <b>ART 1558-5</b> mCi / 185 MBq	64,000 109,000 259,000
<b>Deoxy-D-glucose, 2-[1-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1558A-250</b> μCi / 9.25 MBq <b>ART 1558A-1</b> mCi / 37 MBq <b>ART 1558A-5</b> mCi / 185 MBq	64,000 109,000 259,000
<b>Deoxy-D-glucose, 2-[1-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 1558B-250</b> μCi / 9.25 MBq <b>ART 1558B-1</b> mCi / 37 MBq <b>ART 1558B-5</b> mCi / 185 MBq	64,000 109,000 259,000
<b>Deoxy-D-glucose, 2-[1,2-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0103-250</b> μCi / 9.25 MBq <b>ART 0103-1</b> mCi / 37 MBq <b>ART 0103-5</b> mCi / 185 MBq	62,000 116,000 256,000
<b>Deoxy-D-glucose, 2-[1,2-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Sterile saline 1 mCi/ml	<b>ART 0103A-250</b> μCi / 9.25 MBq <b>ART 0103A-1</b> mCi / 37 MBq <b>ART 0103A-5</b> mCi / 185 MBq	62,000 116,000 256,000
<b>Deoxy-D-glucose, 2-[1,2-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0103B-250</b> μCi / 9.25 MBq <b>ART 0103B-1</b> mCi / 37 MBq <b>ART 0103B-5</b> mCi / 185 MBq	62,000 116,000 256,000
<b>Deoxy-D-glucose, 2-[1,6-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0628-250</b> μCi / 9.25 MBq <b>ART 0628-1</b> mCi / 37 MBq <b>ART 0628-5</b> mCi / 185 MBq	72,000 149,000 282,000
<b>Deoxy-D-glucose, 2-[2,6-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0200-250</b> μCi / 9.25 MBq <b>ART 0200-1</b> mCi / 37 MBq <b>ART 0200-5</b> mCi / 185 MBq	85,000 149,000 299,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Deoxy-D-glucose, 2-[2,6-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2 <i>Exclusive</i> <i>"In sequential double label experiments, the use of [6-<sup>3</sup>H] DG is preferable to any DG with <sup>3</sup>H in the C2 position." L. Sokoloff et al., Neuroscience Meeting, Abstracts 23.6 (1988)</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Sterile saline 1 mCi/ml	<b>ART 200A-250</b> μCi / 9.25 MBq <b>ART 200A-1</b> mCi / 37 MBq <b>ART 200A-5</b> mCi / 185 MBq	Inquire Inquire Inquire
<b>Deoxy-D-glucose, 2-[2,6-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0200B-250</b> μCi / 9.25 MBq <b>ART 0200B-1</b> mCi / 37 MBq <b>ART 0200B-5</b> mCi / 185 MBq	85,000 149,000 299,000
<b>Deoxy-D-glucose, 2-[2,6-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0200C-250</b> μCi / 9.25 MBq <b>ART 0200C-1</b> mCi / 37 MBq <b>ART 0200C-5</b> mCi / 185 MBq	85,000 149,000 299,000
<b>Deoxy-D-glucose, 2-[<sup>3</sup>H(G)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0104-250</b> μCi / 9.25 MBq <b>ART 0104-1</b> mCi / 37 MBq <b>ART 0104-5</b> mCi / 185 MBq	69,000 116,000 256,000
<b>Deoxy-D-glucose, 2-[<sup>3</sup>H(G)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> CHO M.W. 164.2	5-10 Ci/mmol 185-370 GBq/mmol	Sterile saline 1 mCi/ml	<b>ART 0104A-250</b> μCi / 9.25 MBq <b>ART 0104A-1</b> mCi / 37 MBq <b>ART 0104A-5</b> mCi / 185 MBq	69,000 116,000 256,000
<b>Deoxy-D-glucose, 2-[1-<sup>14</sup>C]-6-phosphate disodium salt</b> M.W. 244.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 1319-50</b> μCi / 1.85 MBq	135,000
<b>2'-Deoxyguanosine [8-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>4</sub> M.W. 267.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1481-10</b> μCi / 370 kBq <b>ARC 1481-25</b> μCi / 925 kBq <b>ARC 1481-50</b> μCi / 1.85 MBq	92,000 146,000 318,000
<b>Deoxyguanosine 5'-triphosphate [α-<sup>32</sup>P]</b> dGTP [α- <sup>32</sup> P] M.W. 508.18 <i>Shipped in Dry Ice</i>	6000 Ci/mmol 222 TBq/mmol	10mM tricine (pH 7.6) 20 mCi/ml	<b>ARP 0140-250</b> μCi / 9.25 MBq <b>ARP 0140-500</b> μCi / 18.5 MBq	Inquire Inquire
<b>Deoxyguanosine 5'-triphosphate [α-<sup>32</sup>P]</b> dGTP [α- <sup>32</sup> P] M.W. 508.18 <i>Shipped in Dry Ice, store at 4°C</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) with stabilizer 10 mCi/ml	<b>ARP 0140A-250</b> μCi / 9.25 MBq <b>ARP 0140A-500</b> μCi / 18.5 MBq	Inquire Inquire
<b>Deoxyguanosine 5'-triphosphate [α-<sup>33</sup>P]</b> dGTP [α- <sup>33</sup> P] M.W. 508.18 <i>Shipped in Dry Ice, store at 4°C</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) with stabilizer 10 mCi/ml	<b>ARP 0145-1</b> mCi / 37 MBq	365,000
<b>Deoxyguanosine 5'-triphosphate [8-<sup>3</sup>H] ammonium salt</b> dGTP[8- <sup>3</sup> H] M.W. 912.0 <i>Shipped in Dry Ice</i>	5-20 Ci/mmol 0.185-0.74 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1557-250</b> μCi / 9.25 MBq <b>ART 1557-1</b> mCi / 37 MBq	Inquire Inquire
<b>2'-Deoxinosine [8-<sup>14</sup>C]</b> M.W. 252.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1482-10</b> μCi / 370 kBq <b>ARC 1482-25</b> μCi / 925 kBq <b>ARC 1482-50</b> μCi / 1.85 MBq	102,000 183,000 320,000

D



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>6-Deoxy-L-mannose [<sup>3</sup>H]</b> Rhamnose, L-[ <sup>3</sup> H(G)]			<b>ART 0606</b>	
<b>12-Deoxyphorbol-13-phenyl acetate [20-<sup>3</sup>H]</b> C <sub>23</sub> H <sub>34</sub> O <sub>6</sub> M.W. 466.58 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1298-50</b> μCi / 1.85 MBq	253,000
<b>Deoxythymidine 5'-[α-<sup>32</sup>P] triphosphate</b> dTTP [α- <sup>32</sup> P] M.W. 482.17 <i>Shipped in Dry Ice</i>	3000 Ci/mmol 111 TBq/mmol	10mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0175-250</b> μCi / 9.25 MBq <b>ARP 0175-1</b> mCi / 37 MBq	Inquire Inquire
<b>Deoxythymidine 5'-[α-<sup>33</sup>P] triphosphate</b> dTTP [α- <sup>33</sup> P] M.W. 482.17 <i>Shipped in Dry Ice, store at 4°C</i> <i>Exclusive</i>	3000 Ci/mmol 111 TBq/mmol	50mM Tricine (pH 7.6) with stabilizer 10 mCi/ml	<b>ARP 0143-250</b> μCi / 9.25 MBq <b>ARP 0143-1</b> mCi / 37 MBq	Inquire 365,000
<b>Deoxythymidine 5'-[methyl-<sup>3</sup>H] triphosphate tetrasodium salt</b> dTTP [methyl- <sup>3</sup> H] M.W. 570.6 <i>Shipped in Dry Ice</i>	70-90 Ci/mmol 2.59-3.33 TBq/mmol	10mM tricine (pH 7.6) 1 mCi/ml	<b>ART 1881-250</b> μCi / 9.25 MBq <b>ART 1881-1</b> mCi / 37 MBq <b>ART 1881-5</b> mCi / 185 MBq	72,000 149,000 339,000
<b>Deoxythymidine 5'-[methyl-<sup>3</sup>H] triphosphate tetrasodium salt</b> dTTP [methyl- <sup>3</sup> H] M.W. 570.6 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1881A-250</b> μCi / 9.25 MBq <b>ART 1881A-1</b> mCi / 37 MBq <b>ART 1881A-5</b> mCi / 185 MBq	72,000 149,000 339,000
<b>2'-Deoxyuridine [2-<sup>14</sup>C]</b> M.W. 228.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1334-10</b> μCi / 370 kBq <b>ARC 1334-50</b> μCi / 1.85 MBq <b>ARC 1334-250</b> μCi / 9.25 MBq	102,000 165,000 399,000
<b>2'-Deoxyuridine [5-<sup>3</sup>H]</b> M.W. 228.2	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0281-250</b> μCi / 9.25 MBq <b>ART 0281-1</b> mCi / 37 MBq <b>ART 0281-5</b> mCi / 185 MBq	62,000 123,000 231,000
<b>2'-Deoxyuridine [5-<sup>3</sup>H] monophosphate</b> dUMP [5- <sup>3</sup> H] M.W. 308.2 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0373-250</b> μCi / 9.25 MBq <b>ART 0373-1</b> mCi / 37 MBq <b>ART 0373-5</b> mCi / 185 MBq	76,000 170,000 381,000
<b>2'-Deoxyuridine [5-<sup>3</sup>H] triphosphate trisodium salt</b> dUTP [5- <sup>3</sup> H] M.W. 536.2 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0313-250</b> μCi / 9.25 MBq <b>ART 0313-1</b> mCi / 37 MBq <b>ART 0313-5</b> mCi / 185 MBq	84,000 184,000 419,000
<b>3'-Dephospho [<sup>3</sup>H(G)] Coenzyme A</b> C <sub>21</sub> H <sub>35</sub> N <sub>7</sub> O <sub>13</sub> P <sub>2</sub> S M.W. 687.55 <i>Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 1 mCi/ml	<b>ART 1664-10</b> μCi / 370 kBq	219,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>N-Desethyl amodiaquine "cold"</b> C <sub>18</sub> H <sub>18</sub> ClN <sub>3</sub> O M.W. 327.81 <i>NEW!</i>		Ethanol 1 mg/ml	<b>ARCD 1043-1 mg</b>	44,000
<b>N-Desethyl amodiaquine [<sup>3</sup>H(G)]</b> C <sub>18</sub> H <sub>18</sub> ClN <sub>3</sub> O M.W. 327.81 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2148-50 μCi / 1.85 MBq</b>	209,000
<b>Desethylchloroquine [ring-<sup>3</sup>H] (DECQ)</b> C <sub>16</sub> H <sub>22</sub> ClN <sub>3</sub> M.W. 291.61 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1674-50 μCi / 1.85 MBq</b>	242,000
<b>(-)-Desmethoxyverapamil [N-methyl-<sup>3</sup>H] ((-)-D-888) 劇</b> M.W. 467 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-85 Ci/mmol 2.22-3.145 TBq/mmol	Ethanol with 0.1M HCl 1 mCi/ml	<b>ART 1654-50 μCi / 1.85 MBq</b>	311,000
<b>Desmethylimipramine [benzene ring-10,11-<sup>3</sup>H] hydrochloride</b> C <sub>18</sub> H <sub>22</sub> N <sub>2</sub> ·HCl M.W. 302.8 <i>Shipped in Dry Ice</i>	50-80 Ci/mmol 1.85-2.96 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1745-250 μCi / 9.25 MBq</b>	198,000
<b>Desmethyl looperamide [N-methyl-<sup>3</sup>H]</b> M.W. 462 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-87 Ci/mmol 2.96-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1731-50 μCi / 1.85 MBq</b>	461,000
<b>Desmosine [<sup>3</sup>H(G)]</b> M.W. 524 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0885-50 μCi / 1.85 MBq</b>	226,000
<b>Desmosterol [<sup>3</sup>H(G)]</b> C <sub>27</sub> H <sub>44</sub> O M.W. 384.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 0.185-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1404-50 μCi / 1.85 MBq</b>	177,000
<b>Dexamethasone [1,2,4-<sup>3</sup>H(N)]</b> C <sub>22</sub> H <sub>29</sub> FO <sub>5</sub> M.W. 392.46 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1107-250 μCi / 9.25 MBq</b> <b>ART 1107-1 mCi / 37 MBq</b>	134,000 268,000
<b>Dexamethasone [1,2,4,6,7-<sup>3</sup>H(N)]</b> C <sub>22</sub> H <sub>29</sub> FO <sub>5</sub> M.W. 392.46 <i>Shipped in Dry Ice</i>	50-100 Ci/mmol 1.85-3.7 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1560-1 mCi / 37 MBq</b>	314,000

**D**



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Dexamethasone [1,2,4-<sup>3</sup>H(N)] mesylate</b> C <sub>23</sub> H <sub>31</sub> FO <sub>7</sub> S M.W. 482.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1110-250</b> μCi / 9.25 MBq <b>ART 1110-1</b> mCi / 37 MBq	143,000 353,000
<b>D</b> <b>Dexamethasone-21-phosphate [1,2,4-<sup>3</sup>H(N)] disodium salt</b> C <sub>22</sub> H <sub>28</sub> FNa <sub>2</sub> O <sub>8</sub> P M.W. 516.40 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-60 Ci/mmol 0.74-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1582-250</b> μCi / 9.25 MBq	198,000
<b>Dextran [<sup>3</sup>H]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> Avg M.W. 5,000 <i>NEW!-Exclusive</i>	100-500 mCi/g 3.7-18.5 GBq/g	Solid	<b>ART 2177-250</b> μCi / 9.25 MBq	314,000
<b>Dextran [<sup>3</sup>H]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> Avg M.W. 6,000 <i>NEW!-Exclusive</i>	100-500 mCi/g 3.7-18.5 GBq/g	Solid	<b>ART 2131-250</b> μCi / 9.25 MBq	314,000
<b>Dextran [<sup>3</sup>H]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> Avg M.W. 8,000 <i>NEW!-Exclusive</i>	100-500 mCi/g 3.7-18.5 GBq/g	Solid	<b>ART 2176-250</b> μCi / 9.25 MBq	314,000
<b>Dextran [<sup>3</sup>H]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> Avg M.W. 10,000 <i>Exclusive</i>	100-500 mCi/g 3.7-18.5 GBq/g	Solid	<b>ART 1534-250</b> μCi / 9.25 MBq	240,000
<b>Dextran [<sup>3</sup>H]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> Avg M.W. 40,000 <i>NEW!-Exclusive</i>	100-500 mCi/g 3.7-18.5 GBq/g	Solid	<b>ART 2117-250</b> μCi / 9.25 MBq	314,000
<b>Dextran [<sup>3</sup>H]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> Avg M.W. 70,000 <i>Exclusive</i>	100-500 mCi/g 3.7-18.5 GBq/g	Solid	<b>ART 0215-250</b> μCi / 9.25 MBq <b>ART 0215-1</b> mCi / 37 MBq	Inquire Inquire
<b>Dextran [<sup>3</sup>H]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> Avg M.W. 200,000 <i>NEW!-Exclusive</i>	20-500 mCi/g 0.74-18.5 GBq/g	Solid	<b>ART 2147-250</b> μCi / 9.25 MBq	314,000
<b>Dextran [<sup>3</sup>H]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> Avg M.W. 500,000 <i>Exclusive</i>	50-100 mCi/g 1.85-3.7 GBq/g	Solid	<b>ART 1373-250</b> μCi / 9.25 MBq	242,000
<b>Dextran [carboxyl-<sup>14</sup>C]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> COOH Avg M.W. 5,000 <i>NEW!-Exclusive</i>	0.5-2.0 mCi/g 18.5-74 MBq/g	Solid	<b>ARC 3821-50</b> μCi / 1.85 MBq <b>ARC 3821-250</b> μCi / 9.25 MBq	219,000 439,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Dextran [carboxyl-<sup>14</sup>C]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> COOH Avg M.W. 6,000 <i>NEW!-Exclusive</i>	0.5-2.0 mCi/g 18.5-74 MBq/g	Solid	<b>ARC 3817-50</b> μCi / 1.85 MBq <b>ARC 3817-250</b> μCi / 9.25 MBq	219,000 439,000
<b>Dextran [carboxyl-<sup>14</sup>C]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> COOH Avg M.W. 8,000 <i>NEW!-Exclusive</i>	0.5-2.0 mCi/g 18.5-74 MBq/g	Solid	<b>ARC 3818-50</b> μCi / 1.85 MBq <b>ARC 3818-250</b> μCi / 9.25 MBq	219,000 439,000
<b>Dextran [carboxyl-<sup>14</sup>C]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> COOH M.W. 10,000 <i>Exclusive</i>	0.5-2.0 mCi/g 18.5-74 MBq/g	Solid	<b>ARC 3054-50</b> μCi / 1.85 MBq <b>ARC 3054-250</b> μCi / 9.25 MBq	171,000 Inquire
<b>Dextran [carboxyl-<sup>14</sup>C]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> COOH Avg M.W. 40,000 <i>Exclusive</i>	0.5-2.0 mCi/g 18.5-74 MBq/g	Solid	<b>ARC 3694-50</b> μCi / 1.85 MBq <b>ARC 3694-250</b> μCi / 9.25 MBq	219,000 439,000
<b>Dextran [carboxyl-<sup>14</sup>C]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> COOH Avg M.W. 70,000 <i>Exclusive</i>	0.5-2.0 mCi/g 18.5-74 MBq/g	Solid	<b>ARC 0115-50</b> μCi / 1.85 MBq <b>ARC 0115-250</b> μCi / 9.25 MBq	Inquire Inquire
<b>Dextran [carboxyl-<sup>14</sup>C]</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> COOH Avg M.W. 200,000 <i>NEW!-Exclusive</i>	0.5-2.0 mCi/g 18.5-74 MBq/g	Solid	<b>ARC 3782-50</b> μCi / 1.85 MBq <b>ARC 3782-250</b> μCi / 9.25 MBq	219,000 439,000
<b>Dextran [methyl-<sup>14</sup>C]</b> Avg M.W. 10,000 <i>Exclusive</i>	0.1-5 mCi/g 3.7-185 MBq/g	Solid	<b>ARC 3338-50</b> μCi / 1.85 MBq <b>ARC 3338-250</b> μCi / 9.25 MBq	229,000 568,000
<b>Dextran [methyl-<sup>14</sup>C]</b> M.W. 40,000 <i>Exclusive</i>	0.1-5 mCi/g 3.7-185 MBq/g	Solid	<b>ARC 3339-50</b> μCi / 1.85 MBq <b>ARC 3339-250</b> μCi / 9.25 MBq	229,000 568,000
<b>Dextran [methyl-<sup>14</sup>C]</b> M.W. 70,000 <i>Exclusive</i>	0.1-5 mCi/g 3.7-185 MBq/g	Solid	<b>ARC 3340-50</b> μCi / 1.85 MBq <b>ARC 3340-250</b> μCi / 1.85 MBq	239,000 570,000
<b>Dextran [methyl-<sup>14</sup>C]</b> M.W. 500,000 <i>Exclusive</i>	0.1-5 mCi/g 3.7-185 MBq/g	Solid	<b>ARC 3335-50</b> μCi / 1.85 MBq <b>ARC 3335-250</b> μCi / 1.85 MBq	239,000 570,000
<b>Dextran [methyl-<sup>14</sup>C]</b> M.W. 2,000,000 <i>Exclusive</i>	1-10 mCi/g 37-370 MBq/g	Solid	<b>ARC 1410-50</b> μCi / 1.85 MBq <b>ARC 1410-250</b> μCi / 9.25 MBq	169,000 439,000
<b>Dextran sulfate [carboxyl-<sup>14</sup>C]</b> M.W. 5,000 <i>Exclusive</i>	0.1-5 mCi/g 3.7-185 MBq/g	Solid	<b>ARC 3337-50</b> μCi / 1.85 MBq	287,000
<b>Dextran sulfate [carboxyl-<sup>14</sup>C]</b> Avg M.W. 8,000 <i>Exclusive</i>	1-5 mCi/g 37-185 MBq/g	Solid	<b>ARC 0834-50</b> μCi / 1.85 MBq <b>ARC 0834-250</b> μCi / 9.25 MBq	215,000 323,000

**D**



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Dextran sulfate [carboxyl-<sup>14</sup>C]</b> M.W. 500,000 <i>Exclusive</i>	0.1-5 mCi/g 3.7-185 MBq/g	Solid	<b>ARC 3336-50</b> μCi / 1.85 MBq	287,000
<b>Dextromethorphan [N-methyl-<sup>14</sup>C]</b> C <sub>18</sub> H <sub>25</sub> NO M.W. 271.41 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3439-50</b> μCi / 1.85 MBq	219,000
<b>Dextromethorphan [O-methyl-<sup>14</sup>C]</b> C <sub>18</sub> H <sub>25</sub> NO M.W. 271.41 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1445-50</b> μCi / 1.85 MBq	254,000
<b>Dextromethorphan [N-methyl-<sup>3</sup>H]</b> C <sub>18</sub> H <sub>25</sub> NO M.W. 274.41 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1835-50</b> μCi / 1.85 MBq	188,000
<b>Dextromethorphan [O-methyl-<sup>3</sup>H]</b> C <sub>18</sub> H <sub>25</sub> NO M.W. 271.41 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1252-50</b> μCi / 1.85 MBq <b>ART 1252-250</b> μCi / 9.25 MBq	155,000 311,000
<b>Diacetone alcohol [2,4-<sup>14</sup>C]</b> <b>(4-Hydroxy-4-methyl-2-pentanone)</b> (CH <sub>3</sub> ) <sub>2</sub> C(OH)CH <sub>2</sub> COCH <sub>3</sub> M.W. 116.16 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	25-50 mCi/mmol 0.925-1.85 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1836-10</b> μCi / 370 kBq	Inquire
<b>N,N-Diacetylchitobiose [<sup>3</sup>H(G)]</b> C <sub>16</sub> H <sub>28</sub> N <sub>2</sub> O <sub>11</sub> M.W. 424.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1292-50</b> μCi / 1.85 MBq <b>ART 1292-250</b> μCi / 9.25 MBq	164,000 324,000
<b>N,S-Diacetyl-L-cysteine [S-acetyl-<sup>14</sup>C]</b> <b>(Acetyl-SNAC)</b> M.W. 205.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3587-50</b> μCi / 1.85 MBq	419,000
<b>4-(Di [methyl-<sup>14</sup>C] amino) antipyrène</b> M.W. 231.30 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3271-50</b> μCi / 1.85 MBq	302,000
<b>3,4-Diaminobenzoic acid [1-<sup>14</sup>C]</b> (H <sub>2</sub> N) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 152.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1423-50</b> μCi / 1.85 MBq	198,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2,6-Diaminopimelic acid [carboxyl-<sup>14</sup>C]</b> (DL+meso) HO <sub>2</sub> CCH(NH <sub>2</sub> )(CH <sub>2</sub> ) <sub>3</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 190.	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1031-50</b> μCi / 1.85 MBq	339,000
<b>2,6-Diaminopimelic acid [2,6-<sup>3</sup>H]</b> (DL+meso) HO <sub>2</sub> CCH(NH <sub>2</sub> )(CH <sub>2</sub> ) <sub>3</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 190.0 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0442-250</b> μCi / 9.25 MBq	185,000
<b>1,3-Diaminopropane [1,3-<sup>14</sup>C]</b> <b>dihydrochloride</b> H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> · 2HCl M.W. 147.05 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1388-50</b> μCi / 1.85 MBq	210,000
<b>2,6-Diaminopyridine [2,6-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>7</sub> N <sub>3</sub> M.W. 109.13 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3515-50</b> μCi / 1.85 MBq	210,000
<b>2,4-Diaminotoluene [ring-<sup>14</sup>C(U)]</b> 劇 CH <sub>3</sub> C <sub>6</sub> H <sub>3</sub> (NH <sub>2</sub> ) <sub>2</sub> M.W. 122.17 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1162-50</b> μCi / 1.85 MBq	366,000
<b>3,4-Diaminotoluene [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>3</sub> (NH <sub>2</sub> ) <sub>2</sub> M.W. 122.17 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1601-50</b> μCi / 1.85 MBq	366,000
<b>Diazepam [N-methyl-<sup>14</sup>C]</b> 向 (Valium) M.W. 284.74 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1442-50</b> μCi / 1.85 MBq	234,000
<b>Diazepam [N-methyl-<sup>3</sup>H]</b> 向 (Valium; Ro 5-2807) M.W. 284.74 <i>Shipped in Dry Ice</i>	70-87 Ci/mmol 2.59-3.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0653-250</b> μCi / 9.25 MBq	226,000
<b>Diazofluorene [2-<sup>3</sup>H]</b> C <sub>13</sub> H <sub>8</sub> N <sub>2</sub> M.W. 192 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1185-250</b> μCi / 9.25 MBq	324,000
<b>1,2-Diazole [2-<sup>14</sup>C]</b> See Pyrazole [2- <sup>14</sup> C]			<b>ARC 3440</b>	
<b>Di-n-butylamine [1-<sup>14</sup>C]</b> (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> NH M.W. 129.24 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Benzene 0.1 mCi/ml	<b>ARC 3342-50</b> μCi / 1.85 MBq	303,000

**D**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>D</b> <b>Dibutyl [1-<sup>14</sup>C] maleate</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> OCOCH=CHCOO(CH <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub> M.W. 228.29 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1558-250</b> μCi / 9.25 MBq	269,000
<b>Dibutyl maleate [2,3-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> OCOCH=CHCOO(CH <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub> M.W. 228.29 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1556-250</b> μCi / 9.25 MBq	311,000
<b>2,6-Di-t-butyl-4-nitrophenol [ring-<sup>14</sup>C(U)]</b> [(CH <sub>3</sub> ) <sub>3</sub> C] <sub>2</sub> NO <sub>2</sub> C <sub>6</sub> H <sub>2</sub> OH M.W. 251.30 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3241-50</b> μCi / 1.85 MBq	702,000
<b>2,6-Di-t-butylphenol [ring-<sup>14</sup>C(U)]</b> [(CH <sub>3</sub> ) <sub>3</sub> C] <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OH M.W. 158.30 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 3242-50</b> μCi / 1.85 MBq	671,000
<b>Dibutylphthalate [ring-<sup>14</sup>C(U)]</b> See Phthalic acid [ring- <sup>14</sup> C(U)] dibutyl ester			<b>ARC 3101</b>	
<b>1,4-Dibutyl [1-<sup>14</sup>C] terephthalic acid [1,4-<sup>14</sup>C]</b> C <sub>16</sub> H <sub>22</sub> O <sub>4</sub> M.W. 278.34 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3646</b>	Inquire
<b>1,3-Dicaprin [carboxyl-<sup>14</sup>C]</b> C <sub>23</sub> H <sub>44</sub> O <sub>5</sub> M.W. 400.59 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 3029-50</b> μCi / 1.85 MBq	242,000
<b>2,2-Dichloroacetamide [1-<sup>14</sup>C]</b> Cl <sub>2</sub> CHCONH <sub>2</sub> M.W. 127.96 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0871-250</b> μCi / 9.25 MBq	339,000
<b>Dichloroacetic acid [1-<sup>14</sup>C]</b> Cl <sub>2</sub> CHCOOH M.W. 128.94 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water in sealed ampoule 0.1 mCi/ml	<b>ARC 0362-250</b> μCi / 9.25 MBq	254,000
<b>Dichloroacetic acid [2-<sup>14</sup>C]</b> Cl <sub>2</sub> CHCOOH M.W. 128.94 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ether in sealed ampoule 0.1 mCi/ml	<b>ARC 0684-250</b> μCi / 9.25 MBq	366,000
<b>1,3 Dichloroacetone [2-<sup>14</sup>C]</b> ClCH <sub>2</sub> C(O)CH <sub>2</sub> Cl M.W. 126.97 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride 0.1 mCi/ml	<b>ARC 1475-250</b> μCi / 9.25 MBq	366,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2,4-Dichloroacetophenone [ring-<sup>14</sup>C(U)]</b> ClC <sub>6</sub> H <sub>4</sub> COCH <sub>2</sub> Cl M.W. 189.04 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3523-250</b> μCi / 9.25 MBq	251,000
<b>Dichloroacetyl [2-<sup>14</sup>C] chloride</b> Cl <sub>2</sub> CHCOCl M.W. 150 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride in sealed ampoule 0.1 mCi/ml	<b>ARC 1472-250</b> μCi / 9.25 MBq	Inquire
<b>2,4-Dichloroaniline [<sup>14</sup>C(U)] hydrochloride</b> 2,4-Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> ·HCl M.W. 198.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0462-250</b> μCi / 9.25 MBq <b>ARC 0462-1</b> mCi / 37 MBq	296,000 549,000
<b>2,6-Dichloroaniline [<sup>14</sup>C(U)] hydrochloride</b> 2,6 Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> ·HCl M.W. 198.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0588-250</b> μCi / 9.25 MBq	366,000
<b>3,4-Dichloroaniline [<sup>14</sup>C(U)] hydrochloride</b> 3,4-Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> ·HCl M.W. 198.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0561-250</b> μCi / 9.25 MBq	366,000
<b>2,4-Dichloroanisole [<sup>14</sup>C(U)]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OCH <sub>3</sub> M.W. 177.03 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3564-250</b> μCi / 9.25 MBq	629,000
<b>1,2-Dichlorobenzene [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 147.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 0651-1</b> mCi / 37 MBq	534,000
<b>1,4-Dichlorobenzene [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 147.0 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3218-100</b> μCi / 3.7 MBq <b>ARC 3218-250</b> μCi / 9.25 MBq	212,000 524,000
<b>3,5-Dichlorobenzene [ring-<sup>14</sup>C(U)] sulfonyl chloride</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>4</sub> SO <sub>2</sub> Cl M.W. 245.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 1507-1</b> mCi / 37 MBq	734,000
<b>3,3'-Dichlorobenzidine [<sup>14</sup>C(U)]</b> C <sub>12</sub> H <sub>10</sub> Cl <sub>2</sub> N <sub>2</sub> M.W. 253.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane 1 mCi/ml	<b>ARC 3257-250</b> μCi / 9.25 MBq	763,000
<b>4,4'-Dichlorobenzil [ring-<sup>14</sup>C(U)]</b> M.W. 279.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane 1 mCi/ml	<b>ARC 3274-250</b> μCi / 9.25 MBq	763,000

**D**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2,4-Dichlorobenzoic acid [carboxyl-<sup>14</sup>C]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 191.01 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1467-50</b> μCi / 1.85 MBq	218,000
<b>D 2,4-Dichlorobenzoic acid [ring-<sup>14</sup>C(U)]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 191.01 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1197-50</b> μCi / 1.85 MBq	381,000
<b>2,5-Dichlorobenzoic acid [carboxyl-<sup>14</sup>C]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 191.01 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3613-50</b> μCi / 1.85 MBq	251,000
<b>3,4-Dichlorobenzoic acid [carboxyl-<sup>14</sup>C]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 191.01 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3084-50</b> μCi / 1.85 MBq	198,000
<b>3,5-Dichlorobenzoic acid [carboxyl-<sup>14</sup>C]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 191.01 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3049-50</b> μCi / 1.85 MBq	219,000
<b>3,5-Dichlorobenzoic acid [ring-<sup>14</sup>C(U)]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 191.01 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3262-50</b> μCi / 1.85 MBq	503,000
<b>2,6-Dichlorobenzonitrile [ring-<sup>14</sup>C(U)]</b> (Dichlobenil) 2,6-Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CN M.W. 172.01 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3240-50</b> μCi / 1.85 MBq	503,000
<b>4,4-Dichlorobenzophenone [carbonyl-<sup>14</sup>C]</b> (ClC <sub>6</sub> H <sub>4</sub> ) <sub>2</sub> CO M.W. 251.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1443-50</b> μCi / 1.85 MBq	234,000
<b>3,4-Dichlorobenzotrifluoride [ring-<sup>14</sup>C(U)]</b> (3,4-Dichloro-α,α,α-trifluorotoluene) Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CF <sub>3</sub> M.W. 215.00 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3259-50</b> μCi / 1.85 MBq	804,000
<b>3,5-Dichlorobenzoyl chloride [1-<sup>14</sup>C]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> COCl M.W. 209.46 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 3048-50</b> μCi / 1.85 MBq	195,000
<b>2,6-Dichlorobenzyl bromide [methylene-<sup>14</sup>C]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CH <sub>2</sub> Br M.W. 239.92 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 3498</b>	Inquire



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2,4'-Dichlorobiphenyl [<sup>3</sup>H(G)]</b> (PCB No 7) M.W. 223.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-200 mCi/mmol 3.7-7.4 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0777-50</b> μCi / 1.85 MBq	212,000
<b>4,4'-Dichlorobiphenyl [<sup>14</sup>C(U)]</b> (PCB No 15) C <sub>12</sub> H <sub>4</sub> C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> M.W. 223.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3275-5</b> μCi / 185 kBq	Inquire
<b>1,2-Dichloroethane [1,2-<sup>14</sup>C]</b> ClCH <sub>2</sub> CH <sub>2</sub> Cl M.W. 98.98 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in break seal	<b>ARC 0835-100</b> μCi / 3.7 MBq <b>ARC 0835-250</b> μCi / 9.25 MBq	170,000 296,000
<b>1,2-Dichloroethane [1,2-<sup>14</sup>C]</b> ClCH <sub>2</sub> CH <sub>2</sub> Cl M.W. 98.98 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in break seal	<b>ARC 0835A-100</b> μCi / 3.7 MBq <b>ARC 0835A-250</b> μCi / 9.25 MBq	170,000 296,000
<b>2,2-Dichloroethanol [1-<sup>14</sup>C]</b> Cl <sub>2</sub> CHCH <sub>2</sub> OH M.W. 114.96 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Ethanol or neat liquid in sealed ampoule	<b>ARC 1090-250</b> μCi / 9.25 MBq	366,000
<b>1,2-Dichloroethylene (cis,trans) [1,2-<sup>14</sup>C]</b> ClCH=CHCl M.W. 96.94 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1418-100</b> μCi / 3.7 MBq	366,000
<b>1,2-Dichloro-4-iodobenzene [ring-<sup>14</sup>C(U)]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> I M.W. 272.90 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1630-50</b> μCi / 1.85 MBq	366,000
<b>5,7-Dichlorokynurenic acid "cold"</b>		Solid	<b>ARCD 0351-10</b> mg	32,000
<b>Dichloromethane [<sup>14</sup>C]</b> CH <sub>2</sub> Cl <sub>2</sub> M.W. 85.92 <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Ether in sealed ampoule 0.1 mCi/ml	<b>ARC 1780-50</b> μCi / 1.85 MBq	296,000
<b>4,6-Dichloro-2-methylthio-pyrimidine [4,6-<sup>14</sup>C]</b> M.W. 195.07 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0650-250</b> μCi / 9.25 MBq	549,000
<b>2,6-Dichloro-4-nitroaniline [<sup>14</sup>C(U)]</b> (DCNA) M.W. 207.02	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0711-250</b> μCi / 9.25 MBq	549,000
<b>1,2-Dichloro-4-nitrobenzene [<sup>14</sup>C(U)]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NO <sub>2</sub> M.W. 192 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3217-50</b> μCi / 1.85 MBq	777,000

D

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3,4-Dichloronitrobenzene [<sup>14</sup>C(U)]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NO <sub>2</sub> M.W. 192 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3520-50</b> μCi / 1.85 MBq	251,000
<b>D 2,4-Dichlorophenol [<sup>14</sup>C(U)]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OH M.W. 163.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0793-100</b> μCi / 3.7 MBq <b>ARC 0793-250</b> μCi / 9.25 MBq	239,000 555,000
<b>2,6-Dichlorophenol [<sup>14</sup>C(U)]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OH M.W. 163.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 3568-50</b> μCi / 1.85 MBq	629,000
<b>3,4-Dichlorophenol [<sup>14</sup>C(U)]</b> Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OH M.W. 163.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ARC 3260-100</b> μCi / 3.7 MBq	Inquire
<b>2,4-Dichlorophenoxy acetic acid [carboxyl-<sup>14</sup>C]</b> 2,4-Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OCH <sub>2</sub> CO <sub>2</sub> H M.W. 221.04 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0722-100</b> μCi / 3.7 MBq <b>ARC 0722-250</b> μCi / 9.25 MBq	111,000 212,000
<b>2,4-Dichlorophenoxy acetic acid [methylene-<sup>14</sup>C]</b> 2,4-Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OCH <sub>2</sub> CO <sub>2</sub> H M.W. 221.04 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0718-50</b> μCi / 1.85 MBq <b>ARC 0718-250</b> μCi / 9.25 MBq	120,000 269,000
<b>2,4-Dichlorophenoxy acetic acid [ring-<sup>14</sup>C(U)]</b> 2,4-Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OCH <sub>2</sub> CO <sub>2</sub> H M.W. 221.04 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0723-50</b> μCi / 1.85 MBq <b>ARC 0723-100</b> μCi / 3.7 MBq <b>ARC 0723-250</b> μCi / 9.25 MBq	156,000 198,000 366,000
<b>2,4-Dichlorophenoxy acetic acid [5-<sup>3</sup>H]</b> M.W. 221.04 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0559-250</b> μCi / 9.25 MBq	296,000
<b>2,4-Dichlorophenoxy acetic acid [carboxyl-<sup>14</sup>C] 2-butoxyethyl ester</b> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3630-100</b> μCi / 3.7 MBq	Inquire
<b>2,4-Dichlorophenoxy acetic acid [ring-<sup>14</sup>C(U)] ethyl ester</b> 2,4-Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OCH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 249.04 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1676-50</b> μCi / 1.85 MBq	296,000
<b>2,4-Dichlorophenoxy acetic acid [ring-<sup>14</sup>C(U)] ethylhexanyl ester</b> 2,4-Cl <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OCH <sub>2</sub> CO <sub>2</sub> (CH <sub>2</sub> ) <sub>5</sub> CH <sub>3</sub> C <sub>2</sub> H <sub>5</sub> M.W. 333.23 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1681-50</b> μCi / 1.85 MBq	296,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>1,3-Dichloropropan-2-ol [2-<sup>14</sup>C]</b> ClCH <sub>2</sub> CHOHCH <sub>2</sub> Cl M.W. 128.99 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3672</b>	Inquire
<b>2,6-Dichloropyridine [2,6-<sup>14</sup>C]</b> M.W. 147.99 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1030-250 μCi / 9.25 MBq</b>	479,000
<b>4,6-Dichloropyrimidine [5-<sup>14</sup>C]</b> C <sub>4</sub> H <sub>2</sub> Cl <sub>2</sub> N <sub>2</sub> M.W. 149.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1721-50 μCi / 1.85 MBq</b>	226,000
<b>α,α'-Dichloro-<i>p</i>-xylene [methylene-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>4</sub> (CH <sub>2</sub> Cl) <sub>2</sub> M.W. 175.06 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 1362-250 μCi / 9.25 MBq</b>	Inquire
<b>Diclofenac sodium [carboxyl-<sup>14</sup>C]</b> C <sub>14</sub> H <sub>10</sub> Cl <sub>2</sub> NNaO <sub>2</sub> M.W. 318.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1544-50 μCi / 1.85 MBq</b>	161,000
<b>Diclofenac sodium [<sup>3</sup>H]</b> C <sub>14</sub> H <sub>10</sub> Cl <sub>2</sub> NNaO <sub>2</sub> M.W. 318.13 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2045</b>	Inquire
<b>1,3-Dicyanobenzene [ring-<sup>14</sup>C(U)]</b> C <sub>8</sub> H <sub>4</sub> N <sub>2</sub> M.W. 128.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 3614</b>	Inquire
<b>Dicyclopentadiene [1-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>12</sub> M.W. 132.20 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Isopropyl myristate 0.1 mCi/ml	<b>ARC 1834-50 μCi / 1.85 MBq</b>	524,000
<b>Dicyanodiamide [<sup>14</sup>C(U)]</b> See Cyanoguanidine [ <sup>14</sup> C(U)]			<b>ARC 1125</b>	
<b>Didecylamine [1-<sup>14</sup>C] hydrochloride</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> CH <sub>2</sub> NCH <sub>2</sub> (CH <sub>2</sub> ) <sub>8</sub> CH <sub>3</sub> · HCl M.W. 332.56 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1563-50 μCi / 1.85 MBq</b> <b>ARC 1563-250 μCi / 9.25 MBq</b>	226,000 506,000
<b>2',3'-Dideoxyadenosine [8-<sup>14</sup>C]</b> ddA [8- <sup>14</sup> C] M.W. 235.25 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (5:95) 0.1 mCi/ml	<b>ARC 3229-10 μCi / 370 kBq</b>	564,000
<b>2',3'-Dideoxycytidine [2-<sup>14</sup>C]</b> ddC [2- <sup>14</sup> C] M.W. 211.20 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3230-10 μCi / 370 kBq</b>	564,000

**D**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2',3'-Dideoxyuridine [8-<sup>14</sup>C]</b> ddU [ <sup>2-<sup>14</sup>C]</sup> M.W. 212.21 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3232-10</b> μCi / 370 kBq	564,000
<b>Diethanolamine [2-<sup>14</sup>C]</b> HN(CH <sub>2</sub> CH <sub>2</sub> OH) <sub>2</sub> M.W. 105.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3155-50</b> μCi / 1.85 MBq	239,000
<b>Diethanolamine [1-<sup>3</sup>H] hydrochloride</b> HO-CH <sub>2</sub> -CH <sub>2</sub> -NH-CH <sub>2</sub> -CH <sub>2</sub> -OH ·HCl M.W. 141.55 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1513-50</b> μCi / 1.85 MBq	164,000
<b>N,N-Diethylacetamide [1-<sup>14</sup>C]</b> CH <sub>3</sub> CON(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> M.W. 115.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1155-250</b> μCi / 9.25 MBq <b>ARC 1155-1</b> mCi / 37 MBq	239,000 555,000
<b>Diethylamine [1-<sup>14</sup>C] hydrochloride</b> (CH <sub>3</sub> CH <sub>2</sub> ) <sub>2</sub> NH ·HCl M.W. 109.60 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1812-50</b> μCi / 1.85 MBq <b>ARC 1812-250</b> μCi / 9.25 MBq	114,000 282,000
<b>Diethyl carbonate [carbonyl-<sup>14</sup>C]</b> (C <sub>2</sub> H <sub>5</sub> O) <sub>2</sub> CO M.W. 118.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ether in sealed ampoule 1 mCi/ml	<b>ARC 1341-250</b> μCi / 9.25 MBq	247,000
<b>1,1'-Diethyl-2,2'-cyanine iodide [<sup>3</sup>H(G)]</b> <b>(22-Decynium)</b> M.W. 454.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1742-50</b> μCi / 1.85 MBq	226,000
<b>Diethylene glycol [1-<sup>14</sup>C]</b> (HOCH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> O M.W. 106.12 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3732</b>	Inquire
<b>Diethylene [1-<sup>14</sup>C] glycol dibutyl ether</b> (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> OCH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> O M.W. 218.33 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3733</b>	Inquire
<b>Diethylene [1-<sup>14</sup>C] glycol monobutyl ether</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> OCH <sub>2</sub> CH <sub>2</sub> OCH <sub>2</sub> CH <sub>2</sub> OH M.W. 162.23 <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3705</b>	Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Diethylenetriamine diethyl ester [carbonyl-<sup>14</sup>C]</b> (DTPA diethyl ester; C2E2) M.W. 449 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3717-10</b> μCi / 370 kBq	219,000
<b>Diethylenetriamine pentaethyl ester [carbonyl-<sup>14</sup>C]</b> (DTPA penta ethyl ester; C2E5) M.W. 533 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3716-10</b> μCi / 370 kBq	219,000
<b>Diethyl ethylphosphonate [ethyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>15</sub> O <sub>3</sub> P M.W. 166.16 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3746</b>	Inquire
<b>Diethyl ethoxymethylenemalonate [malonate-2-<sup>14</sup>C]</b> C <sub>2</sub> H <sub>5</sub> OCH=C(COOC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> M.W. 216.23 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3787-50</b> μCi / 1.85 MBq	419,000
<b>Di(2-ethylhexyl) hexahydrophthalate "cold"</b>		Solid	<b>ARCD 0708-1</b> mg	37,000
<b>Di(2-ethylhexyl) hexahydrophthalate [ring-<sup>14</sup>C(U)]</b> (1,2-Cyclohexane dicarboxylic acid bis (2-ethylhexyl) ester; DHEH) M.W. 396.56 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3550-50</b> μCi / 1.85 MBq	439,000
<b>Di(2-ethylhexyl) phthalate [ring-<sup>14</sup>C(U)] (DEHP)</b> C <sub>24</sub> H <sub>38</sub> O <sub>4</sub> M.W. 390.56 <i>Shipped in Dry Ice</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3163-50</b> μCi / 1.85 MBq	276,000
<b>Diethyl malonate [1,3-<sup>14</sup>C]</b> C <sub>2</sub> H <sub>5</sub> O <sub>2</sub> CCH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 160.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0646-250</b> μCi / 9.25 MBq <b>ARC 0646-1</b> mCi / 37 MBq	226,000 506,000
<b>Diethyl malonate [1,3-<sup>14</sup>C]</b> C <sub>2</sub> H <sub>5</sub> O <sub>2</sub> CCH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 160.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methanol in sealed ampoule 0.1 mCi/ml	<b>ARC 0646A-250</b> μCi / 9.25 MBq <b>ARC 0646A-1</b> mCi / 37 MBq	226,000 506,000
<b>Diethyl malonate [2-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> OOCCH <sub>2</sub> COOCH <sub>2</sub> CH <sub>3</sub> M.W. 160.17	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0325-250</b> μCi / 9.25 MBq	296,000

**D**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Diethyl methylphosphonate [methyl-<sup>14</sup>C]</b> CH <sub>3</sub> P(O)(OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> M.W. 152.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1131-250</b> μCi / 9.25 MBq	366,000
<b>Diethyloxalate [<sup>14</sup>C]</b> C <sub>2</sub> H <sub>5</sub> O <sub>2</sub> CCO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 146.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1127A-250</b> μCi / 9.25 MBq	366,000
<b>Diethyloxalate [oxalic acid-1,2-<sup>14</sup>C]</b> C <sub>2</sub> H <sub>5</sub> OCOCOCOC <sub>2</sub> H <sub>5</sub> M.W. 146.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in sealed ampoule 0.1 mCi/ml	<b>ARC 3530-50</b> μCi / 1.85 MBq	209,000
<b>Diethyl phthalate [carbonyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>4</sub> -1,2-(CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> M.W. 222.24 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1329-50</b> μCi / 1.85 MBq	164,000
<b>Diethyl phthalate [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> -1,2-(CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> M.W. 222.24 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1426-50</b> μCi / 1.85 MBq	219,000
<b>Diethyl pimelate [1,7-<sup>14</sup>C]</b> C <sub>2</sub> H <sub>5</sub> OCO(CH <sub>2</sub> ) <sub>5</sub> COOC <sub>2</sub> H <sub>5</sub> M.W. 216.27 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3742-50</b> μCi / 1.85 MBq	335,000
<b>Diethyl pyrocarbonate [carbonyl-<sup>14</sup>C]</b> (CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> O M.W. 162.14 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0492-250</b> μCi / 9.25 MBq	381,000
<b>Diethylstilbestrol [ring-<sup>14</sup>C(U)]</b> C <sub>18</sub> H <sub>20</sub> O <sub>2</sub> M.W. 268.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1548-10</b> μCi / 370 kBq	248,000
<b>Diethylstilbestrol [<sup>3</sup>H(G)]</b> M.W. 268.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0670-250</b> μCi / 9.25 MBq	349,000
<b>N,N-Diethyl-<i>m</i>-toluamide [carboxyl-<sup>14</sup>C]</b> ( <i>m</i> -Toluic acid diethylamide) CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CON(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> M.W. 191.27 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 3366-50</b> μCi / 1.85 MBq	564,000
<b>Diflubenzuron-4-chloroaniline [ring-<sup>14</sup>C(U)]</b> M.W. 310.70 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 3341</b>	Inquire



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2,4-Difluorobenzoic acid [carboxyl-<sup>14</sup>C]</b> F <sub>2</sub> C <sub>6</sub> H <sub>3</sub> COOH M.W. 158.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3669-50</b> μCi / 1.85 MBq	219,000
<b>2,6-Difluorobenzoic acid [ring-<sup>14</sup>C(U)]</b> F <sub>2</sub> C <sub>6</sub> H <sub>3</sub> COOH M.W. 158.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0776-250</b> μCi / 9.25 MBq	Inquire
<b>4,4'-Difluorobenzophenone [carbonyl-<sup>14</sup>C]</b> (FC <sub>6</sub> H <sub>4</sub> ) <sub>2</sub> CO M.W. 218.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3683-50</b> μCi / 1.85 MBq	219,000
<b>2,4-Difluoromethylbenzoic acid ester [carboxyl-<sup>14</sup>C]</b> M.W. 172.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3668-50</b> μCi / 1.85 MBq	219,000
<b>2,4-Difluoronitrobenzene [ring-<sup>14</sup>C(U)]</b> 2,4-F <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NO <sub>2</sub> M.W. 159.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in sealed ampoule 0.1 mCi/ml	<b>ARC 3236-50</b> μCi / 1.85 MBq	564,000
<b>2,2-Difluoropropionic acid [carboxyl-<sup>14</sup>C]</b> H <sub>3</sub> CCF <sub>2</sub> CO <sub>2</sub> H M.W. 110.06 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3680</b>	Inquire
<b>2,2-Difluoropropionic acid [<sup>3</sup>H]</b> C <sub>3</sub> H <sub>4</sub> F <sub>2</sub> O <sub>2</sub> M.W. 110.06 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2074</b>	Inquire
<b>Diglycolic acid [<sup>14</sup>C]</b> <b>(2,2'-Oxybisacetic acid)</b> O(CH <sub>2</sub> COOH) <sub>2</sub> M.W. 134.09 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3699-50</b> μCi / 1.85 MBq	219,000
<b>Digoxin [<sup>3</sup>H(G)]</b> M.W. 780.9 <i>Shipped in Dry Ice</i>	15-40 Ci/mmol 0.555-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1323-250</b> μCi / 9.25 MBq	167,000
<b>1,2-Diheptanoyl-<i>sn</i>-glycero-3-phosphocholine [methyl-<sup>14</sup>C] (DHPC)</b> <i>Exclusive</i> <i>Detergent for membrane protein solubilization</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1144-50</b> μCi / 1.85 MBq <b>ARC 1144-250</b> μCi / 9.25 MBq	296,000 522,000

D





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>D</b> <b>5(S),15(S)-DiHETE [1-<sup>14</sup>C]</b> <b>(5S,15S-Dihydroxy-6E,8Z,10Z,13E-</b> <b>eicosatetraenoic acid)</b> M.W. 336.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 1691-10</b> μCi / 370 kBq	522,000
<b>8(S),15(S)-DiHETE [1-<sup>14</sup>C]</b> <b>(8S,15S-Dihydroxy-5Z,9E,11Z,13E</b> <b>eicosatetraenoic acid)</b> M.W. 336.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 1692-10</b> μCi / 370 kBq	522,000
<b>Dihomo-γ-linolenic acid [1-<sup>14</sup>C]</b> See Eicosatrienoic acid 8,11,14 [1- <sup>14</sup> C]			<b>ARC 0381</b>	
<b>Dihydroalprenolol, levo-[propyl-1,2,3-<sup>3</sup>H]</b> <b>hydrochloride</b> M.W. 287.8 <i>Shipped in Dry Ice</i>	60-100 Ci/mmol 1.48-3.70 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0134-25</b> μCi / 925 kBq <b>ART 0134-250</b> μCi / 9.25 MBq <b>ART 0134-1</b> mCi / 37 MBq	72,000 153,000 314,000
<b>Dihydrocapsaicin [monamide-<sup>3</sup>H]</b> <b>(8-Methyl-N-vanillylnonanamide)</b> C <sub>18</sub> H <sub>29</sub> NO <sub>3</sub> M.W. 307.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1411-50</b> μCi / 1.85 MBq	269,000
<b>Dihydrodaidzein [2,3-<sup>3</sup>H]</b> C <sub>15</sub> H <sub>12</sub> O <sub>4</sub> M.W. 256.26 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1337-50</b> μCi / 1.85 MBq	219,000
<b>Dihydroganglioside G<sub>M1</sub></b> <b>[dihydrosphingosine-4,5-<sup>3</sup>H]</b> M.W. 1542 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1305-10</b> μCi / 370 kBq <b>ART 1305-50</b> μCi / 1.85 MBq	234,000 518,000
<b>Dihydroganglioside G<sub>M2</sub></b> <b>[dihydrosphingosine-4,5-<sup>3</sup>H]</b> M.W. 1408 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1306-10</b> μCi / 370 kBq	219,000
<b>Dihydrokainic acid "cold"</b> M.W. 213.2		Solid	<b>ARCD 0210-10</b> mg <b>ARCD 0210-50</b> mg	49,000 176,000
<b>24,25-Dihydrolanosterol [24,25-<sup>3</sup>H]</b> <b>(DHL)</b> M.W. 428.7 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1696-50</b> μCi / 1.85 MBq	335,000
<b>Dihydroorotic acid [5,6-<sup>3</sup>H]</b> M.W. 158.1 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0564-250</b> μCi / 9.25 MBq <b>ART 0564-1</b> mCi / 37 MBq	248,000 366,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Dihydrorotenone [2-isopropyl-<sup>3</sup>H(N)]</b> C <sub>23</sub> H <sub>24</sub> O <sub>6</sub> M.W. 394.42 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1262-50</b> μCi / 1.85 MBq	Inquire
<b>Dihydrosolasodine [5,6-<sup>3</sup>H]</b> C <sub>27</sub> H <sub>43</sub> NO <sub>2</sub> M.W. 415.6 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0572-250</b> μCi / 9.25 MBq <b>ART 0572-1</b> mCi / 37 MBq	248,000 366,000
<b>Dihydrosphingosine, C6-[3-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CHOHCH(NH <sub>2</sub> )CH <sub>2</sub> OH M.W. 133.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 0.05 mCi/ml	<b>ART 1492-10</b> μCi / 370 kBq	254,000
<b>Dihydrosphingosine, C8-[3-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> CH <sub>2</sub> CHOHCH(NH <sub>2</sub> )CH <sub>2</sub> OH M.W. 161.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 0.05 mCi/ml	<b>ART 1493-10</b> μCi / 370 kBq	254,000
<b>Dihydrosphingosine, C12-[3-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH <sub>2</sub> CHOHCH(NH <sub>2</sub> )CH <sub>2</sub> OH M.W. 217.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 0.05 mCi/ml	<b>ART 1494-10</b> μCi / 370 kBq	254,000
<b>Dihydrosphingosine, C18-[3-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>12</sub> CH <sub>2</sub> CHOHCH(NH <sub>2</sub> )CH <sub>2</sub> OH M.W. 301.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 0.05 mCi/ml	<b>ART 1491-10</b> μCi / 370 kBq	254,000
<b>Dihydrosphingosine, D-erythro "cold"</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>12</sub> CH <sub>2</sub> CHOHCH(NH <sub>2</sub> )CH <sub>2</sub> OH M.W. 301.48		Solid	<b>ARCD 0259-10</b> mg <b>ARCD 0259-25</b> mg <b>ARCD 0259-100</b> mg	46,000 65,000 193,000
<b>Dihydrosphingosine, D-erythro [4,5-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>12</sub> CH <sub>2</sub> CHOHCH(NH <sub>2</sub> )CH <sub>2</sub> OH M.W. 301.48 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0460-250</b> μCi / 9.25 MBq <b>ART 0460-1</b> mCi / 37 MBq	251,000 Inquire
<b>Dihydrosphingosine, L-erythro [4,5-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>12</sub> CH <sub>2</sub> CHOHCH(NH <sub>2</sub> )CH <sub>2</sub> OH M.W. 301.48 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1294-250</b> μCi / 9.25 MBq	282,000
<b>Dihydrosphingosine, L-threo [4,5-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>12</sub> CH <sub>2</sub> CH(OH)CH(NH <sub>2</sub> )CH <sub>2</sub> OH M.W. 301.48 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1293-10</b> μCi / 370 kBq	198,000

**D**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Dihydrosphingosine, D-erythro-1 phosphate "cold"</b> C <sub>18</sub> H <sub>39</sub> NPO <sub>5</sub> M.W. 378.5		Ethanol:0.01N NH <sub>4</sub> OH (7:3)	<b>ARCD 0170-1 mg</b> <b>ARCD 0170-5 mg</b>	46,000 131,000
<b>Dihydrosphingosine, D-erythro [4,5-<sup>3</sup>H]-1-phosphate</b> C <sub>18</sub> H <sub>39</sub> NPO <sub>5</sub> M.W. 378.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:0.01N NH <sub>4</sub> OH (9:1) 0.1 mCi/ml	<b>ART 0618-10 μCi / 370 kBq</b> <b>ART 0618-50 μCi / 1.85 MBq</b>	168,000 378,000
<b>Dihydrosphingosine [4,5-<sup>3</sup>H] phosphocholine</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0634-50 μCi / 1.85 MBq</b>	248,000
<b>Dihydrostreptomycin [<sup>3</sup>H(G)]</b> C <sub>21</sub> H <sub>41</sub> N <sub>7</sub> O <sub>12</sub> M.W. 583.58 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0450-250 μCi / 9.25 MBq</b> <b>ART 0450-1 mCi / 37 MBq</b>	248,000 450,000
<b>Dihydrotacrolimus "cold" (Dihydro-FK506)</b> C <sub>44</sub> H <sub>71</sub> NO <sub>12</sub> M.W. 806.03 CAS # 104987-30-6		Solid	<b>ARCD 0688-1 mg</b> <b>ARCD 0688-5 mg</b>	39,000 94,000
<b>Dihydrotacrolimus [propyl-2,3-<sup>3</sup>H] (Dihydro-FK506)</b> C <sub>44</sub> H <sub>71</sub> NO <sub>12</sub> M.W. 806.03 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 185-555 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1882-50 μCi / 1.85 MBq</b> <b>ART 1882-250 μCi / 9.25 MBq</b>	293,000 671,000
<b>Dihydrotestosterone [4-<sup>14</sup>C] (5α-Androstan-17β-ol-3-one)</b> M.W. 290.41 <i>Exclusive</i>	45-60 mCi/mmol 1.66-2.22 GBq/mmol	Ethanol 0.05 mCi/ml	<b>ARC 1396-10 μCi / 370 kBq</b>	234,000
<b>Dihydrotestosterone [1,2-<sup>3</sup>H] (5α-Androstan-17β-ol-3-one)</b> M.W. 290.41 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0769-250 μCi / 9.25 MBq</b> <b>ART 0769-1 mCi / 37 MBq</b>	212,000 465,000
<b>Dihydrotestosterone [1,2,4,5,6,7-<sup>3</sup>H] (5α-Androstan-17β-ol-3-one)</b> M.W. 290.41 <i>Shipped in Dry Ice</i>	110-150 Ci/mmol 4.07-5.55 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0796-250 μCi / 9.25 MBq</b> <b>ART 0796-1 mCi / 37 MBq</b>	269,000 Inquire
<b>α-Dihydrotetrabenazine "cold"</b> M.W. 318.4 <i>Exclusive</i>		Solid	<b>ARCD 0137-1 mg</b> <b>ARCD 0137-5 mg</b>	168,000 434,000
<b>(±)-α-Dihydrotetrabenazine [2-<sup>3</sup>H]</b> M.W. 319.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0496-250 μCi / 9.25 MBq</b>	282,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>(±)-β-Dihydrotetrabenazine [2-<sup>3</sup>H]</b> M.W. 319.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0497-250</b> μCi / 9.25 MBq	282,000
<b>(+)-α-Dihydrotetrabenazine [9-O-methyl-<sup>3</sup>H]</b> M.W. 319.4 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2119-50</b> μCi / 1.85 MBq <b>ART 2119-250</b> μCi / 9.25 MBq	219,000 566,000
<b>(+)-β-Dihydrotetrabenazine [9-O-methyl-<sup>3</sup>H]</b> M.W. 319.4 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2120-50</b> μCi / 1.85 MBq <b>ART 2120-250</b> μCi / 9.25 MBq	219,000 566,000
<b>Dihydroxyacetone [2-<sup>14</sup>C]</b> HOCH <sub>2</sub> COCH <sub>2</sub> OH M.W. 90.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ARC 0524-250</b> μCi / 9.25 MBq	Inquire
<b>2,5-Dihydroxybenzoic acid [carboxyl-<sup>14</sup>C]</b> (HO) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 154.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3441-50</b> μCi / 1.85 MBq	209,000
<b>2,6-Dihydroxybenzoic acid [1-<sup>14</sup>C]</b> <b>(γ-Resorcylic acid)</b> (HO) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 154.12 <i>Exclusive</i>	10-20 mCi/mmol 0.37-0.74 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3201-50</b> μCi / 1.85 MBq	214,000
<b>2,6-Dihydroxybenzoic acid [ring-<sup>14</sup>C(U)]</b> <b>(γ-Resorcylic acid)</b> (HO) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 154.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3202-50</b> μCi / 1.85 MBq	439,000
<b>3,4-Dihydroxybenzoic acid [carboxyl-<sup>14</sup>C]</b> <b>(Protocatechuic acid)</b> (HO) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 154.12 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1130-50</b> μCi / 1.85 MBq <b>ARC 1130-250</b> μCi / 9.25 MBq	192,000 339,000
<b>1α,25-Dihydroxycholecalciferol</b> <b>[26,27-methyl-<sup>3</sup>H]</b> <b>(1α,25-Dihydroxyvitamin D<sub>3</sub>)</b> C <sub>27</sub> H <sub>44</sub> O <sub>3</sub> M.W. 416.64 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	120-180 Ci/mmol 4.44-6.66 TBq/mmol	Ethanol:toluene (1:1) 0.05 mCi/ml	<b>ART 1928-5</b> μCi / 185 kBq	Inquire
<b>2,6-Dihydroxy-3,4-dimethylpyridine</b> <b>[ring-<sup>14</sup>C(U)]</b> C <sub>7</sub> H <sub>9</sub> O <sub>2</sub> N M.W. 139.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1838-50</b> μCi / 1.85 MBq	239,000

**D**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>7,8-Dihydroxyflavone "cold"</b> M.W. 254.24 CAS # 38183-03-8		Solid	<b>ARCD 0740-10 mg</b>	41,000
<b>5,7-Dihydroxy-4'-methoxy isofavone [6,8,3',5'-<sup>3</sup>H(N)]</b> See Biochanin A [6,8,3',5'- <sup>3</sup> H(N)]			<b>ART 0752</b>	
<b>1,4-Dihydroxynaphthalene [ring-<sup>14</sup>C(U)]</b> $C_{10}H_6(OH)_2$ M.W. 160.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1595-1 mCi / 37 MBq</b>	408,000
<b>2,5-Dihydroxyphenylacetic acid [ring-<sup>3</sup>H]</b> See Homogentisic acid [ring- <sup>3</sup> H]			<b>ART 0850</b>	
<b>Dihydroxyphenylalanine, D-3,4-[alanine-3-<sup>14</sup>C]</b> <b>(D-Dopa)</b> $3,4-(OH)_2C_6H_3CH_2CH(NH_2)CO_2H$ M.W. 197.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3615-50 μCi / 1.85 MBq</b>	629,000
<b>Dihydroxyphenylalanine, L-3,4-[alanine-3-<sup>14</sup>C]</b> <b>(L-Dopa)</b> $3,4-(OH)_2C_6H_3CH_2CH(NH_2)CO_2H$ M.W. 197.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3605-50 μCi / 1.85 MBq</b>	629,000
<b>Dihydroxyphenylalanine, L-3,4-[ring 2,5,6-<sup>3</sup>H]</b> <b>(L-Dopa)</b> $3,4-(OH)_2C_6H_3CH_2CH(NH_2)COOH$ M.W. 197.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-60 Ci/mmol 0.74-2.22 TBq/mmol	0.2N HOAc: Ethanol (9:1) 1 mCi/ml	<b>ART 0235-250 μCi / 9.25 MBq</b>	219,000
<b>Dihydroxyphenylethylamine, 3,4-[8-<sup>14</sup>C]</b> <b>(Dopamine)</b> M.W. 153.0 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	0.2N HOAc: Ethanol (9:1) under nitrogen 0.1 mCi/ml	<b>ARC 0279-250 μCi / 9.25 MBq</b>	339,000
<b>Dihydroxyphenylethylamine, 3,4-[ring-2,5,6-<sup>3</sup>H]</b> <b>(Dopamine)</b> M.W. 153.0 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.2N HOAc Ethanol (9:1) under nitrogen 1 mCi/ml	<b>ART 0760-250 μCi / 9.25 MBq</b> <b>ART 0760-1 mCi / 37 MBq</b>	92,000 197,000
<b>Dihydroxyphenylethylamine, 3,4-[7,8-<sup>3</sup>H(N)]</b> <b>(Dopamine)</b> $3,4-(OH)_2C_6H_3CH_2CH_2NH_2$ M.W. 153.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.2N HOAc: Ethanol (9:1) under nitrogen 1 mCi/ml	<b>ART 0174-250 μCi / 9.25 MBq</b> <b>ART 0174-1 mCi / 37 MBq</b>	153,000 307,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>(RS)-3,5-Dihydroxyphenylglycine "cold"</b> <b>((RS)-3,5-DHPG)</b> M.W. 183.16 CAS # 19641-83-9		Solid	<b>ARCD 0556-10 mg</b> <b>ARCD 0556-50 mg</b>	48,000 149,000
<b>17<math>\alpha</math>,20<math>\beta</math>-Dihydroxyprogesterone [3H]</b> M.W. 346.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1640-50 <math>\mu</math>Ci / 1.85 MBq</b>	419,000
<b>1<math>\alpha</math>,25-Dihydroxyvitamin D<sub>3</sub> [26,27-methyl-3H]</b> See 1 $\alpha$ ,25-Dihydroxycholecalciferol [26,27-methyl-3H]			<b>ART 1928</b>	
<b>24R,25-Dihydroxy [3H] cholecalciferol</b> See 24R,25-Dihydroxy [3H] cholecalciferol			<b>ART 1944</b>	
<b>Diiodomethane [14C]</b> <b>CH<sub>2</sub>I<sub>2</sub></b> M.W. 267.84 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 1864-1 mCi / 37 MBq</b>	Inquire
<b>2,4-Diidophenol [14C(U)]</b> <b>C<sub>6</sub>H<sub>3</sub>I<sub>2</sub>OH</b> M.W. 346.42 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1762-50 <math>\mu</math>Ci / 1.85 MBq</b>	296,000
<b>Diindolyl [3H] methane</b> <b>C<sub>17</sub>H<sub>14</sub>N<sub>2</sub></b> M.W. 246.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1259-250 <math>\mu</math>Ci / 9.25 MBq</b>	184,000
<b>Diisobutylaluminum hydride [3H]</b> <b>[(CH<sub>2</sub>CH(CH<sub>3</sub>)<sub>2</sub>)<sub>2</sub>AlH]<sub>2</sub></b> M.W. 142.22 <i>Exclusive</i>	15-25 Ci/mmol 555-925 GBq/mmol	Solid or THF 100 mCi/ml	<b>ART 1679-100 mCi / 3.7 GBq</b>	507,000
<b>Diisopropylamine [2-14C] hydrochloride</b> <b>[(CH<sub>3</sub>)<sub>2</sub>CH]<sub>2</sub>NH · HCl</b> M.W. 137.65 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1498-50 <math>\mu</math>Ci / 1.85 MBq</b>	219,000
<b>Diisopropylether [isopropyl-2-14C]</b> <b>(CH<sub>3</sub>)<sub>2</sub>CHOCH(CH<sub>3</sub>)<sub>2</sub></b> M.W. 102.17 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 3099-50 <math>\mu</math>Ci / 1.85 MBq</b>	419,000
<b>Diisopropyl methylphosphonate [methyl-14C]</b> <b>C<sub>7</sub>H<sub>17</sub>O<sub>3</sub>P</b> M.W. 180.2 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3744</b>	Inquire

**D**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2,6-Diisopropylphenol [ring-<sup>3</sup>H]</b> <b>(Propofol)</b> [(CH <sub>3</sub> ) <sub>2</sub> CH] <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OH M.W. 178.27 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1698-50</b> μCi / 1.85 MBq	219,000
<b>D</b> <b>Diltiazem, cis-(+)-[N-methyl-<sup>3</sup>H]</b> C <sub>22</sub> H <sub>26</sub> N <sub>2</sub> O <sub>4</sub> S M.W. 415.5 <i>Shipped in Dry Ice</i>	60-87 Ci/mmol 2.22-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1823-25</b> μCi / 925 kBq <b>ART 1823-250</b> μCi / 9.25 MBq <b>ART 1823-1</b> mCi / 37 MBq	69,000 224,000 536,000
<b>2,4-Dimethoxyaniline [ring-<sup>14</sup>C(U)]</b> (CH <sub>3</sub> O) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> M.W. 153.18 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3676-50</b> μCi / 1.85 MBq	219,000
<b>3,5-Dimethoxybenzaldehyde [carboxyl-<sup>14</sup>C]</b> (CH <sub>3</sub> O) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CHO M.W. 166.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3503-250</b> μCi / 9.25 MBq	219,000
<b>Dimethoxybenzoic acid [carboxyl-<sup>14</sup>C]</b> (CH <sub>3</sub> O) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 182.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3447-50</b> μCi / 1.85 MBq	219,000
<b>1,3-Dimethoxybenzene [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> (OCH <sub>3</sub> ) <sub>2</sub> M.W. 138.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0608-250</b> μCi / 9.25 MBq	395,000
<b>2,6-Dimethoxybenzoic acid [1-<sup>14</sup>C]</b> (CH <sub>3</sub> O) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 182.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3203-50</b> μCi / 1.85 MBq	219,000
<b>2,6-Dimethoxybenzoic acid [ring-<sup>14</sup>C(U)]</b> (CH <sub>3</sub> O) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 182.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0607-250</b> μCi / 9.25 MBq	395,000
<b>3,4-Dimethoxybenzoic acid [carboxyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>3</sub> (OCH <sub>3</sub> ) <sub>2</sub> CO <sub>2</sub> H M.W. 182.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1169-250</b> μCi / 9.25 MBq <b>ARC 1169-1</b> mCi / 37 MBq	219,000 449,000
<b>2,6-Dimethoxybenzoic acid [1-<sup>14</sup>C] methyl ester</b> M.W. 195.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3206-50</b> μCi / 1.85 MBq	439,000
<b>2,6-Dimethoxybenzoic acid [ring-<sup>14</sup>C(U)] methyl ester</b> M.W. 195.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3205-50</b> μCi / 1.85 MBq	439,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3,4-Dimethoxyphenylacetic acid [2-<sup>14</sup>C]</b> (Homoveratric acid) <chem>(CH3O)2C6H3CH2CO2H</chem> M.W. 196.20 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3261-50</b> μCi / 1.85 MBq	299,000
<b>6,7 Dimethoxy-3',3',5'-trihydroxyflavone [3-<sup>14</sup>C]</b> M.W. 330.30 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1200-50</b> μCi / 1.85 MBq	394,000
<b>6,7-Dimethoxy-1,2,3,4-tetrahydro-isoquinoline [1-<sup>14</sup>C] hydrochloride</b> M.W. 229.71 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0731-250</b> μCi / 9.25 MBq	381,000
<b>3,3-Dimethylacrylic acid [1-<sup>14</sup>C]</b> <chem>(CH3)2C=CHCOOH</chem> M.W. 100.12 <i>Exclusive</i>	2-10 mCi/mmol 74-370 MBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0795-250</b> μCi / 9.25 MBq	408,000
<b>3,3-Dimethylallyl alcohol [1-<sup>14</sup>C]</b> <chem>HOCH2CH=C(CH3)2</chem> M.W. 86.04 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0796-5</b> μCi / 185 kBq	395,000
<b>Dimethylallyl pyrophosphate triammonium salt "cold"</b> (DMAPP) M.W. 301.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Ethanol:water (7:3) in 0.25 M NH <sub>4</sub> HCO <sub>3</sub> under argon	<b>ARCD 0105-100</b> μg <b>ARCD 0105-1</b> mg	84,000 326,000
<b>Dimethylallyl pyrophosphate [1-<sup>14</sup>C]</b> (DMAPP) M.W. 301.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) in 0.15N NH <sub>4</sub> OH 0.05 mCi/ml	<b>ARC 0797-5</b> μCi / 185 kBq <b>ARC 0797-50</b> μCi / 1.85 MBq	218,000 Inquire
<b>Dimethylallyl pyrophosphate [1-<sup>3</sup>H] triammonium salt (DMAPP)</b> M.W. 301.13 <i>Shipped in Dry Ice</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (7:3) in 0.15N NH <sub>4</sub> OH 1 mCi/ml	<b>ART 0362-50</b> μCi / 1.85 MBq <b>ART 0362-250</b> μCi / 9.25 MBq	161,000 415,000
<b>Dimethylamine [<sup>14</sup>C] hydrochloride</b> <chem>(CH3)2NH · HCl</chem> M.W. 81.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-15 mCi/mmol 37-555 MBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0419-50</b> μCi / 1.85 MBq <b>ARC 0419-250</b> μCi / 9.25 MBq	129,000 269,000
<b>N,N-Dimethylamine [<sup>3</sup>H] hydrochloride</b> <chem>(CH3)2NH · HCl</chem> M.W. 81.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0716-250</b> μCi / 9.25 MBq <b>ART 0716-1</b> mCi / 37 MBq	191,000 408,000
<b>Dimethyl [<sup>14</sup>C] amino antipyrine</b> See Aminopyrine [methyl- <sup>14</sup> C]			<b>ARC 0493</b>	

D



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>7-(Dimethylamino)-3,4-dihydrophenanthren 1-(2H)-one [<sup>3</sup>H(G)]</b> C <sub>16</sub> H <sub>18</sub> OH M.W. 225.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 185-555 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1417-50</b> μCi / 1.85 MBq	234,000
<b>5-Dimethylaminonaphthalene-1, sulfonylchloride [methyl-<sup>14</sup>C]</b> See Dansyl chloride [methyl- <sup>14</sup> C]			<b>ARC 0543</b>	
<b>3-Dimethylaminopropylamine [1-<sup>14</sup>C] hydrochloride</b> (CH <sub>3</sub> ) <sub>2</sub> N(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> · HCl M.W. 138.63 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0887-50</b> μCi / 1.85 MBq	198,000
<b>N,N-Dimethylaniline [ring-<sup>14</sup>C(U)]</b> (CH <sub>3</sub> ) <sub>2</sub> NC <sub>6</sub> H <sub>5</sub> M.W. 121.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3368-50</b> μCi / 1.85 MBq	342,000
<b>2,4-Dimethylaniline [ring-<sup>14</sup>C(U)] hydrochloride</b> (CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> · HCl M.W. 157.68 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3431-50</b> μCi / 1.85 MBq	366,000
<b>2,5-Dimethylaniline [ring-<sup>14</sup>C(U)] hydrochloride</b> (CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> · HCl M.W. 157.63 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3805-50</b> μCi / 1.85 MBq	356,000
<b>2,6-Dimethylaniline [ring-<sup>14</sup>C(U)] hydrochloride</b> (CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> · HCl M.W. 157.63 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1683-50</b> μCi / 1.85 MBq	269,000
<b>2,6-Dimethylaniline [4-<sup>3</sup>H] hydrochloride</b> C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> NH <sub>2</sub> · HCl M.W. 157.63 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.555-1.11TBq/mmol	Ethanol:water (3:2) 1 mCi/ml	<b>ART 1315-250</b> μCi / 9.25 MBq <b>ART 1315-1</b> mCi / 37 MBq	114,000 226,000
<b>3,5-Dimethylaniline [ring-<sup>14</sup>C(U)] hydrochloride</b> (CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> · HCl M.W. 157.63 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1728-50</b> μCi / 1.85 MBq	269,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3,3'-Dimethylbenzidine [ring-<sup>14</sup>C(U)]</b> ( <i>o</i> -Tolidine) [C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> ) <sub>2</sub> -4-NH <sub>2</sub> ] <sub>2</sub> M.W. 212.29 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Benzene 0.1 mCi/ml	<b>ARC 3258-50</b> μCi / 1.85 MBq	322,000
<b>3,4-Dimethyl benzoic acid [1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CO <sub>2</sub> H M.W. 150.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1502-250</b> μCi / 9.25 MBq <b>ARC 1502-1</b> mCi / 37 MBq	170,000 296,000
<b>1,1-Dimethylbiguanide [<sup>14</sup>C] hydrochloride</b> See Metformin [biguanido- <sup>14</sup> C] hydrochloride			<b>ARC 1738</b>	
<b>N,N-Dimethylbutylamine [methyl-<sup>14</sup>C] hydrochloride</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> N(CH <sub>3</sub> ) <sub>2</sub> ·HCl M.W. 137.	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1137-50</b> μCi / 1.85 MBq <b>ARC 1137-250</b> μCi / 9.25 MBq	219,000 366,000
<b>4,4-Dimethylchroman-6-yl methyl ketone [carbonyl-<sup>14</sup>C]</b> M.W. 204.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3276</b>	Inquire
<b>Dimethyl disulfide [methyl-<sup>14</sup>C]</b> CH <sub>3</sub> -S-S-CH <sub>3</sub> M.W. 94.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 mCi/mmol 0.74-1.11 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1749-50</b> μCi / 1.85 MBq <b>ARC 1749-250</b> μCi / 9.25 MBq	149,000 269,000
<b>N,N-Dimethylethanolamine [1-<sup>14</sup>C] hydrochloride</b> HOCH <sub>2</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub> ·HCl M.W. 125.59 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1626-50</b> μCi / 1.85 MBq <b>ARC 1626-250</b> μCi / 9.25 MBq	155,000 296,000
<b>N,N-Dimethylethanolamine [methyl-<sup>3</sup>H] hydrochloride</b> HOCH <sub>2</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub> ·HCl M.W. 125.59 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0512-250</b> μCi / 9.25 MBq <b>ART 0512-1</b> mCi / 37 MBq	282,000 524,000
<b>N,N-Dimethylformamide [carbonyl-<sup>14</sup>C] (DMF)</b> HCON(CH <sub>3</sub> ) <sub>2</sub> M.W. 73.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0741-100</b> μCi / 3.7 MBq <b>ARC 0741-250</b> μCi / 9.25 MBq	191,000 296,000
<b>N,N-Dimethylformamide [carbonyl-<sup>14</sup>C] dimethyl acetal</b> (CH <sub>3</sub> ) <sub>2</sub> NCH(OCH <sub>3</sub> ) <sub>2</sub> M.W. 119.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1564-100</b> μCi / 3.7 MBq <b>ARC 1564-250</b> μCi / 9.25 MBq	212,000 366,000
<b>N,N-Dimethylglycine [1-<sup>14</sup>C] ethyl ester</b> (CH <sub>3</sub> ) <sub>2</sub> NCH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 131.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1635-50</b> μCi / 1.85 MBq	171,000

D



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>5,5-Dimethylhydantoin [4-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 128.13 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3291</b>	Inquire
<b>D 2,3-Dimethylhydroquinone [5,6-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>2</sub> -1,4 (OH) <sub>2</sub> M.W. 138.17 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0895-250</b> μCi / 9.25 MBq	171,000
<b>3,5-Dimethyl-<i>p</i>-hydroxybenzaldehyde [carbonyl-<sup>14</sup>C]</b> HOC <sub>6</sub> H <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> CHO M.W. 150.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1462-50</b> μCi / 1.85 MBq	184,000
<b>2,5-Dimethylindole [ring-<sup>14</sup>C(U)]</b> C <sub>10</sub> H <sub>11</sub> N M.W. 145.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3552-50</b> μCi / 1.85 MBq	368,000
<b>Dimethyl malonate [1,3-<sup>14</sup>C] (Malonic acid dimethyl ester)</b> CH <sub>3</sub> O <sub>2</sub> CCH <sub>2</sub> CO <sub>2</sub> CH <sub>3</sub> M.W. 132.12 <i>Exclusive</i>	80-120 mCi/mmol 2.96-4.44 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0744-250</b> μCi / 9.25 MBq <b>ARC 0744-1</b> mCi / 37 MBq	239,000 429,000
<b>Dimethyl malonate [2-<sup>14</sup>C] (Malonic acid dimethyl ester)</b> CH <sub>3</sub> O <sub>2</sub> CCH <sub>2</sub> CO <sub>2</sub> CH <sub>3</sub> M.W. 132.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0542-250</b> μCi / 9.25 MBq <b>ARC 0542-1</b> mCi / 37 MBq	239,000 Inquire
<b>Dimethyl [methyl-<sup>14</sup>C] methylphosphonate</b> CH <sub>3</sub> P(O)(OCH <sub>3</sub> ) <sub>2</sub> M.W. 124.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 3528-250</b> μCi / 9.25 MBq	219,000
<b>2,6-Dimethyl-4-nitroaniline [ring-<sup>14</sup>C(U)] hydrochloride</b> 2,6-(CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>2</sub> (NO <sub>2</sub> )NH <sub>2</sub> M.W. 166.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1729-50</b> μCi / 1.85 MBq	269,000
<b>2,5-Dimethyl-4-nitrobenzene [ring-<sup>14</sup>C(U)]</b> (CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NO <sub>2</sub> M.W. 151.17 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3806-50</b> μCi / 1.85 MBq	356,000
<b>3,5-Dimethylnitrobenzene [ring-<sup>14</sup>C(U)]</b> (CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NO <sub>2</sub> M.W. 151.17 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1730-50</b> μCi / 1.85 MBq	269,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Dimethyloxazolidine-2,4-dione-5, 5-[2-<sup>14</sup>C]</b> <b>(DMO)</b> M.W. 129.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethyl acetate in sealed ampoule 0.1 mCi/ml	<b>ARC 0194-50</b> μCi / 1.85 MBq <b>ARC 0194-250</b> μCi / 9.25 MBq	107,000 269,000
<b>Dimethyl phthalate [ring-<sup>14</sup>C(U)]</b> <b>C<sub>6</sub>H<sub>4</sub>1,2-(CO<sub>2</sub>CH<sub>3</sub>)<sub>2</sub></b> M.W. 194.19 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methanol 0.1 mCi/ml	<b>ARC 1664-50</b> μCi / 1.85 MBq	268,000
<b>1,1-Dimethylpiperidinium [N-methyl-<sup>14</sup>C] chloride</b> See Mepiquat [N-methyl- <sup>14</sup> C] chloride			<b>ARC 1308</b>	
<b>2,4-Dimethylphenol [phenol ring-<sup>14</sup>C(U)]</b> <b>(CH<sub>3</sub>)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>OH</b> M.W. 122.16 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3184-50</b> μCi / 1.85 MBq	229,000
<b>1H (3,5-Dimethylpyrazole)-1-carboxamide [<sup>14</sup>C] hydrochloride</b> M.W. 174.63 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1172-250</b> μCi / 9.25 MBq	395,000
<b>Dimethylsphingosine [3-<sup>3</sup>H]</b> <b>C<sub>20</sub>H<sub>41</sub>NO<sub>2</sub></b> M.W. 327.65 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1191-50</b> μCi / 1.85 MBq	324,000
<b>Dimethyl sulfate [<sup>14</sup>C] 劇</b> <b>(CH<sub>3</sub>O)<sub>2</sub>SO<sub>2</sub></b> M.W. 126.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0498-250</b> μCi / 9.25 MBq <b>ARC 0498-1</b> mCi / 37 MBq	184,000 353,000
<b>Dimethyl sulfate [<sup>3</sup>H]</b> <b>(CH<sub>3</sub>O)<sub>2</sub>SO<sub>2</sub></b> M.W. 126.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Hexane in sealed ampoule 5 mCi/ml	<b>ART 0441-5</b> mCi / 185 MBq	408,000
<b>Dimethylsulfide [<sup>14</sup>C]</b> <b>C<sub>2</sub>H<sub>6</sub>S</b> M.W. 62.13 <i>Exclusive</i>	20-30 mCi/mmol 0.74-1.11 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3631</b>	Inquire
<b>Dimethyl [<sup>14</sup>C] sulfoxide</b> <b>(DMSO)</b> <b>(CH<sub>3</sub>)<sub>2</sub>SO</b> M.W. 78.13 <i>Exclusive</i>	20-30 mCi/mmol 0.74-1.11 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1804-50</b> μCi / 1.85 MBq <b>ARC 1804-250</b> μCi / 9.25 MBq	164,000 408,000
<b>Dimethyl sulfoxide [<sup>3</sup>H(G)]</b> <b>(CH<sub>3</sub>)<sub>2</sub>SO</b> M.W. 78.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Sterile water 10 mCi/ml	<b>ART 0491-1</b> mCi / 37 MBq <b>ART 0491-10</b> mCi / 370 MBq	311,000 647,000

**D**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Dimethyl sulfoxide [<sup>3</sup>H(G)]</b> (CH <sub>3</sub> ) <sub>2</sub> SO M.W. 78.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	DMSO-d <sub>6</sub> in sealed ampoule 10 mCi/ml	<b>ART 0491A-1</b> mCi / 37 MBq <b>ART 0491A-10</b> mCi / 370 MBq	311,000 647,000
<b>1,3-Dimethyl-2-thiourea [2-<sup>14</sup>C]</b> CH <sub>3</sub> NHCSNHCH <sub>3</sub> M.W. 104.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1141-250</b> μCi / 9.25 MBq <b>ARC 1141-1</b> mCi / 37 MBq	149,000 296,000
<b>1,1-Dimethylurea [carbonyl-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> NCONH <sub>2</sub> M.W. 88.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1814-50</b> μCi / 1.85 MBq <b>ARC 1814-250</b> μCi / 9.25 MBq	142,000 269,000
<b>Diminazene aceturate [ring-<sup>3</sup>H]</b> C <sub>14</sub> H <sub>15</sub> N <sub>7</sub> ·2C <sub>4</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 515.52 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2015</b>	Inquire
<b>2,4-Dinitroaniline [<sup>14</sup>C(U)]</b> 2,4-(O <sub>2</sub> N) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> M.W. 183.12 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3237-50</b> μCi / 1.85 MBq	333,000
<b>2,4-Dinitroanisole [ring-<sup>14</sup>C(U)]</b> (DNAN) (O <sub>2</sub> N) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OCH <sub>3</sub> M.W. 198.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3696-50</b> μCi / 1.85 MBq	439,000
<b>1,3-Dinitrobenzene [<sup>14</sup>C(U)]</b> 1,3-C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> ) <sub>2</sub> M.W. 168.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0589-250</b> μCi / 9.25 MBq	366,000
<b>2,4-Dinitrochlorobenzene [<sup>14</sup>C(U)]</b> 2,4-ClC <sub>6</sub> H <sub>3</sub> (NO <sub>2</sub> ) <sub>2</sub> M.W. 202.55 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3238-50</b> μCi / 1.85 MBq	342,000
<b>4,6-Dinitro-<i>o</i>-cresol [ring-<sup>14</sup>C(U)]</b> 毒 C <sub>7</sub> H <sub>6</sub> N <sub>2</sub> O <sub>5</sub> M.W. 198	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1103-50</b> μCi / 1.85 MBq	326,000
<b>2,4-Dinitrophenol [<sup>14</sup>C(U)]</b> 毒 2,4-(NO <sub>2</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OH M.W. 184.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3239-50</b> μCi / 1.85 MBq	342,000
<b>2,4-Dinitrotoluene [ring-<sup>14</sup>C(U)]</b> 劇 CH <sub>3</sub> C <sub>6</sub> H <sub>3</sub> (NO <sub>2</sub> ) <sub>2</sub> M.W. 182.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1163-50</b> μCi / 1.85 MBq	239,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>1,2-Dioctanoyl [1-<sup>14</sup>C] <i>rac</i>-glycerol</b> C <sub>19</sub> H <sub>36</sub> O <sub>5</sub> M.W. 344.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 1374-10</b> μCi / 370 kBq	226,000
<b>1,3-Dioleoylglycerol [oleoyl-1-<sup>14</sup>C] (Diolein)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> OCOCH <sub>2</sub> CH(OH)CH <sub>2</sub> OCO(CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CH <sub>3</sub> M.W. 621.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 0767-50</b> μCi / 1.85 MBq	198,000
<b>1,3-Dioleoyl [9,10-<sup>3</sup>H] <i>rac</i>-glycerol (Diolein)</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> )CO] <sub>2</sub> O <sub>3</sub> C <sub>3</sub> H <sub>6</sub> M.W. 621.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 0643-250</b> μCi / 9.25 MBq	198,000
<b>1,2-Dioleoyl-<i>rac</i>-glycerol [1<sup>4</sup>C(U)] (Diolein)</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO] <sub>2</sub> O <sub>3</sub> C <sub>3</sub> H <sub>6</sub> M.W. 621.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 3074-50</b> μCi / 1.85 MBq	269,000
<b>1,3-Dioleoyl-<i>rac</i>-glycerol [1<sup>4</sup>C(U)] (Diolein)</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO] <sub>2</sub> O <sub>3</sub> C <sub>3</sub> H <sub>6</sub> M.W. 621.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 mCi/mmol 185-370 MBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 3082-50</b> μCi / 1.85 MBq	276,000
<b>Dioleoyl-<i>rac</i>-glycerol [1,2,3-<sup>3</sup>H] (Diolein)</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO] <sub>2</sub> O <sub>3</sub> C <sub>3</sub> H <sub>6</sub> M.W. 621.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 1604-250</b> μCi / 9.25 MBq	242,000
<b>1,4-Dioxane [1<sup>4</sup>C(U)]</b> C <sub>4</sub> H <sub>8</sub> O <sub>2</sub> M.W. 88.11 <i>Exclusive</i>	10-20 mCi/mmol 370-740 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3666-50</b> μCi / 1.85 MBq	566,000
<b>Diphenylacetic acid [1-<sup>14</sup>C]</b> (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> CHCO <sub>2</sub> H M.W. 212.25 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1119-250</b> μCi / 9.25 MBq <b>ARC 1119-1</b> mCi / 37 MBq	226,000 366,000
<b>Diphenylacetic acid [ring-<sup>14</sup>C(U)]</b> (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> CHCO <sub>2</sub> H M.W. 212.25 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1715-50</b> μCi / 1.85 MBq	296,000

**D**



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>1,1-Diphenylacetone [ring-<sup>14</sup>C(U)]</b> (C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> ) <sub>2</sub> CO M.W. 212.25 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1668-50</b> μCi / 1.85 MBq	296,000
<b>D</b> <b>Diphenylglycolic acid [2-<sup>3</sup>H]</b> See Benzilic acid [2- <sup>3</sup> H]			<b>ART 0557</b>	
<b>5,5'-Diphenylhydantoin [4-<sup>14</sup>C]</b> (Phenytoin) C <sub>15</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub> M.W. 252.27 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3816-50</b> μCi / 1.85 MBq	314,000
<b>Diphenyl methane [ring-<sup>14</sup>C(U)]</b> (C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> CH <sub>2</sub> M.W. 168.24 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1716-50</b> μCi / 1.85 MBq	296,000
<b>Dipotassium hydrogen phosphate [<sup>33</sup>P]</b> K <sub>2</sub> HPO <sub>4</sub> M.W. 174.18 <i>Exclusive</i>	3000 Ci/mmol 111 TBq/mmol	10m MK <sub>2</sub> HPO <sub>4</sub> 10 mCi/ml	<b>ARP 0153-1</b> mCi / 37 MBq	282,000
<b>Diprenorphine [15,16-<sup>3</sup>H]</b> M.W. 425.6 <i>Shipped in Dry Ice</i>	50-70 Ci/mmol 1.85-2.59 TBq/mmol	Ethanol under nitrogen 1 mCi/ml	<b>ART 1566-25</b> μCi / 925 kBq <b>ART 1566-250</b> μCi / 9.25 MBq	89,000 146,000
<b>Di-<i>n</i>-propylamine [<i>n</i>-propyl-1-<sup>14</sup>C] hydrochloride</b> (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> NH · HCl M.W. 136.69 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0544-250</b> μCi / 9.25 MBq	359,000
<b>Diuretic hormone analogue [<sup>3</sup>H]</b> ( <i>Manduca sexta</i> , the tobacco hornworm) [ <i>p</i> - <sup>3</sup> H-Phe <sup>37</sup> ][Manse-DH][Nle <sup>2,11</sup> ][Lys <sup>34</sup> ] RNlePSLSIDLPNleSVLRQKLSLEKÉRKVHALRAAANKNFLNDI-NH <sub>2</sub> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1275-50</b> μCi / 1.85 MBq	171,000
<b>DNQX "cold"</b> (6,7-Dinitroquinoxaline-2,3-dione) M.W. 252.14.		Solid	<b>ARCD 0565-25</b> mg <b>ARCD 0565-50</b> mg	36,000 43,000
<b>Docetaxel "cold"</b> C <sub>43</sub> H <sub>53</sub> NO <sub>14</sub> M.W. 807.89 CAS # 114977-28-5		Solid	<b>ARCD 0213-10</b> mg <b>ARCD 0213-25</b> mg <b>ARCD 0213-100</b> mg <b>ARCD 0213-500</b> mg	43,000 68,000 116,000 302,000
<b>Docetaxel [2-benzoyl 2,3,5-<sup>3</sup>H]</b> C <sub>43</sub> H <sub>53</sub> NO <sub>14</sub> M.W. 807.89 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-90 Ci/mmol 1.11-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1267-50</b> μCi / 1.85 MBq <b>ART 1267-250</b> μCi / 9.25 MBq	170,000 282,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Docetaxel [2-benzoyl ring-<sup>14</sup>C(U)]</b> C <sub>43</sub> H <sub>53</sub> NO <sub>14</sub> M.W. 807.89 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1627-10</b> μCi / 370 kBq <b>ARC 1627-25</b> μCi / 925 kBq	191,000 324,000
<b>cis-13-Docosanoic acid [1-<sup>14</sup>C]</b> See Erucic acid [1- <sup>14</sup> C]			<b>ARC 0572</b>	
<b>Docosahexaenoic acid</b> <b>4,7,10,13,16,19 [1-<sup>14</sup>C] (22:6, n-3)</b> CH <sub>3</sub> CH <sub>2</sub> (CH=CH-CH <sub>2</sub> ) <sub>6</sub> CH <sub>2</sub> COOH M.W. 328.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 0380-10</b> μCi / 370 kBq <b>ARC 0380-50</b> μCi / 1.85 MBq	146,000 312,000
<b>Docosahexaenoyl 4,7,10,13,16,19 [1-<sup>14</sup>C]</b> <b>Coenzyme A</b> M.W. 1078.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol: 0.01M NH <sub>4</sub> OAc (1:1) (pH 5.2) 0.1 mCi/ml	<b>ARC 3601-10</b> μCi / 370 kBq	256,000
<b>Docosane, n-[1-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>20</sub> CH <sub>3</sub> M.W. 310.60 <i>NEW!-Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2143-250</b> μCi / 9.25 MBq	251,000
<b>Docosanoic acid [1-<sup>14</sup>C]</b> <b>(Behenic acid)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>20</sub> COOH M.W. 340.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0454-250</b> μCi / 9.25 MBq <b>ARC 0454-1</b> mCi / 37 MBq	219,000 419,000
<b>Docosanoic acid [13,14-<sup>3</sup>H]</b> <b>(Behenic acid)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>11</sub> CO <sub>2</sub> H M.W. 340.57 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1175-250</b> μCi / 9.25 MBq <b>ART 1175-1</b> mCi / 37 MBq	164,000 339,000
<b>Docosanol, N-[1-<sup>14</sup>C]</b> <b>(Behinol)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>20</sub> CH <sub>2</sub> OH M.W. 326.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.05 mCi/ml	<b>ARC 0453-250</b> μCi / 9.25 MBq <b>ARC 0453-1</b> mCi / 37 MBq	212,000 408,000
<b>Docosanol, N-[13-<sup>14</sup>C]</b> <b>(Behinol)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>11</sub> CH <sub>2</sub> OH M.W. 326.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.05 mCi/ml	<b>ARC 0735-250</b> μCi / 9.25 MBq	408,000
<b>Docosanol, N-[1-<sup>3</sup>H] (Behinol)</b> <b>(Behinol)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>20</sub> CH <sub>2</sub> OH M.W. 326.57 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0449-250</b> μCi / 9.25 MBq	107,000

D

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Docosanoyl Coenzyme A "cold"</b> (Behinoyl Coenzyme A) M.W. 1090.2 <i>Shipped in Dry Ice</i>		Ethanol: 0.01M NaOAc pH 5.2 (1:1)	<b>ARCD 0218-1</b> mg <b>ARCD 0218-5</b> mg	84,000 289,000
<b>D</b> <b>Docosanoyl [1-<sup>14</sup>C] Coenzyme A</b> (Behinoyl Coenzyme A) CH <sub>3</sub> (CH <sub>2</sub> ) <sub>20</sub> COOH·CoA M.W. 1090.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl:THF (1:1) 0.05 mCi/ml	<b>ARC 3066-50</b> μCi / 1.85 MBq	471,000
<b>Docosapentaenoic acid 4,7,10,13,16 "cold"</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> (CH=CHCH <sub>2</sub> ) <sub>5</sub> CH <sub>2</sub> CO <sub>2</sub> H M.W. 330.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Ethanol in sealed ampoule 1 mg/ml	<b>ARCD 0138-5</b> mg <b>ARCD 0138-10</b> mg	148,000 253,000
<b>Docosapentaenoic acid 4,7,10,13,16 [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> (CH=CHCH <sub>2</sub> ) <sub>5</sub> CH <sub>2</sub> COOH M.W. 330.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 0574-10</b> μCi / 370 kBq <b>ARC 0574-50</b> μCi / 1.85 MBq	339,000 592,000
<b>Docosapentaenoic acid 7,10,13,16,19 [1-<sup>14</sup>C]</b> (Clupanodonic acid) CH <sub>3</sub> CH <sub>2</sub> (CH=CHCH <sub>2</sub> ) <sub>5</sub> (CH <sub>2</sub> ) <sub>4</sub> CO <sub>2</sub> H M.W. 330.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 1196-10</b> μCi / 370 kBq <b>ARC 1196-50</b> μCi / 1.85 MBq	324,000 592,000
<b>Docosapentanoyl 7,10,13,16,19 [1-<sup>14</sup>C]</b> <b>Coenzyme A</b> M.W. 1081 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 3751-5</b> μCi / 185 kBq	419,000
<b>Docosatetraenoic acid 7,10,13,16 [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> (CH=CHCH <sub>2</sub> ) <sub>4</sub> (CH <sub>2</sub> ) <sub>4</sub> CO <sub>2</sub> H M.W. 332.56 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 0573-10</b> μCi / 370 kBq <b>ARC 0573-50</b> μCi / 1.85 MBq	311,000 591,000
<b>Docosatetraenoic acid 7,10,13,16 [3-<sup>14</sup>C]</b> (22:4) CH <sub>3</sub> CH <sub>2</sub> (CH=CHCH <sub>2</sub> ) <sub>5</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> H M.W. 332.56 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1355-10</b> μCi / 370 kBq	324,000
<b>Dodecane [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>10</sub> CH <sub>3</sub> M.W. 170.33 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3018-50</b> μCi / 1.85 MBq	254,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Dodecane [1,2-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>9</sub> CH <sub>2</sub> CH <sub>3</sub> M.W. 170.34 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ART 1245A-250</b> μCi / 9.25 MBq	191,000
<b>1,12-Dodecanedioic acid [carboxyl-<sup>14</sup>C]</b> HOOC(CH <sub>2</sub> ) <sub>10</sub> COOH M.W. 230.30 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3211-50</b> μCi / 1.85 MBq	Inquire
<b>Dodecanedioic acid [3,10-<sup>3</sup>H]</b> HOOC(CH <sub>2</sub> ) <sub>10</sub> COOH M.W. 230.30 <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1719-250</b> μCi / 9.25 MBq	219,000
<b>1,12-Dodecanediol [1,2-<sup>14</sup>C]</b> HO(CH <sub>2</sub> ) <sub>12</sub> OH M.W. 202.30 <i>Exclusive</i>	5-10 mCi/mmol 0.185-0.37 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3212-50</b> μCi / 1.85 MBq	299,000
<b>Dodecanethiol [1-<sup>14</sup>C]</b> <b>(Lauryl mercaptan; Dodecyl mercaptan)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>10</sub> CH <sub>2</sub> SH M.W. 202.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1555-50</b> μCi / 1.85 MBq	296,000
<b>Dodecanoic acid [carboxyl-<sup>14</sup>C]</b> See Lauric acid [carboxyl- <sup>14</sup> C]			<b>ARC 0257</b>	
<b>Dodecanoic acid-[11,12-<sup>3</sup>H]</b> See Lauric acid [11,12- <sup>3</sup> H]			<b>ART 0480</b>	
<b>1-Dodecanol [1-<sup>14</sup>C]</b> See Lauryl alcohol [1- <sup>14</sup> C]			<b>ARC 0487</b>	
<b>1-Dodecanol [11,12-<sup>3</sup>H]</b> See Lauryl alcohol [11,12- <sup>3</sup> H]			<b>ART 0838</b>	
<b>Dodecyl aldehyde [1-<sup>14</sup>C]</b> See Laurylaldehyde [1- <sup>14</sup> C]			<b>ARC 3495</b>	
<b>Dodecylguanidine [<sup>14</sup>C] acetate 劇</b> <b>(Dodine)</b> M.W. 287.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0470-250</b> μCi / 9.25 MBq	256,000
<b>n-Dodecyl-β-D-maltoside [maltose-<sup>14</sup>C(U)]</b> M.W. 510.62 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3622-50</b> μCi / 1.85 MBq	439,000
<b>Dodecylsulfate [1-<sup>14</sup>C] sodium salt</b> See Lauryl Sulfate [1- <sup>14</sup> C] sodium salt			<b>ARC 0833</b>	

D

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Dodecyltrimethyl ammonium iodide [methyl-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>11</sub> N(CH <sub>3</sub> ) <sub>3</sub> I M.W. 355.5 <i>Exclusive</i>	2-10 mCi/mmol	Ethanol	ARC 0358-50 μCi / 1.85 MBq	198,000
	74-370 MBq/mmol	0.1 mCi/ml	ARC 0358-250 μCi / 9.25 MBq	366,000
<b>Dofetilide [N-methyl-<sup>3</sup>H]</b> C <sub>18</sub> H <sub>26</sub> O <sub>5</sub> N <sub>3</sub> M.W. 366.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-80 Ci/mmol	Ethanol	ART 1284-50 μCi / 1.85 MBq	135,000
	2.22-2.96 TBq/mmol	1 mCi/ml	ART 1284-100 μCi / 3.7 MBq	188,000
<b>Dolichol C<sub>90</sub> (Dolichol-18) "cold"</b> M.W. 1245.15		Chloroform:methanol (2:1)in sealed ampoule	ARCD 0430-1 mg ARCD 0430-5 mg	80,000 240,000
<b>Dolichol C<sub>95</sub> (Dolichol-19) "cold"</b> M.W. 1314.3		Chloroform:methanol (2:1)in sealed ampoule	ARCD 0171-1 mg ARCD 0171-5 mg	80,000 240,000
<b>Dolichol C<sub>100</sub> (Dolichol-20) "cold"</b> M.W. 1382.4		Chloroform:methanol (2:1)in sealed ampoule	ARCD 0318-1 mg	79,000
			ARCD 0318-2 mg	132,000
			ARCD 0318-5 mg	226,000
<b>Dolichol C<sub>105</sub> (Dolichol-21) "cold"</b> M.W. 1449.05		Chloroform:methanol (2:1)in sealed ampoule	ARCD 0431-1 mg ARCD 0431-5 mg	79,000 253,000
<b>Dolichol C<sub>115</sub> (Dolichol-23) "cold"</b> M.W. 1585.15		Chloroform:methanol (2:1)in sealed ampoule	ARCD 0432-1 mg ARCD 0432-5 mg	79,000 253,000
<b>Dolichol C<sub>95</sub> [1-<sup>3</sup>H] (from Porcine Liver)</b> M.W. 1106-1446 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol	Chloroform:methanol (2:1)in sealed ampoule	ART 0158-250 μCi / 9.25 MBq	206,000
	0.37-0.74 TBq/mmol	0.1 mCi/ml		
<b>Dolichyl C<sub>90</sub> monophosphate MPDA "cold"</b> M.W. 1359.25		Chloroform: methanol (2:1)	ARCD 0446-1 mg ARCD 0446-5 mg	181,000 616,000
<b>Dolichyl C<sub>95</sub> monophosphate MPDA "cold"</b> M.W. 1428.3		Chloroform: methanol (2:1)	ARCD 0167-1 mg ARCD 0167-5 mg	181,000 616,000
<b>Dolichyl C<sub>100</sub> monophosphate MPDA "cold"</b> M.W. 1496.5		Chloroform: methanol (2:1)	ARCD 0319-1 mg ARCD 0319-5 mg	181,000 616,000
<b>Dolichyl C<sub>95</sub> [1-<sup>3</sup>H] monophosphate (from Porcine Liver)</b> M.W. 1470.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol	Chloroform: methanol (2:1)	ART 0477-50 μCi / 1.85 MBq	Inquire
	0.37-0.74 TBq/mmol	0.1 mCi/ml		
<b>Dolichyl C<sub>95</sub> [1-<sup>3</sup>H] pyrophosphate (from Porcine Liver)</b> M.W. 1550.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol	Chloroform: methanol (2:1)	ART 0478-50 μCi / 1.85 MBq	Inquire
	0.37-0.74 TBq/mmol	0.1 mCi/ml		
<b>Dolichylphosphate mannose [<sup>3</sup>H]</b> See Mannosylphosphoryldolichol <sub>95</sub> [D-mannose- <sup>3</sup> H]			ART 0791	



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Domperidone [<sup>3</sup>H]</b> C <sub>22</sub> H <sub>24</sub> ClN <sub>5</sub> O <sub>2</sub> M.W. 425.91 <i>Shipped in Dry Ice</i>	20-50 Ci/mmol 0.74-1.85 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1687-100</b> μCi / 3.7 MBq <b>ART 1687-250</b> μCi / 9.25 MBq <b>ART 1687-1</b> mCi / 37 MBq	164,000 221,000 439,000
<b>Donepezil hydrochloride "cold"</b>		Solid	<b>ARCD 0717-10</b> mg	26,000
<b>D-Dopa [alanine-3-<sup>14</sup>C]</b> See Dihydroxyphenylalanine, D-3,4-[alanine-3- <sup>14</sup> C]			<b>ARC 3615</b>	
<b>L-Dopa [alanine-3-<sup>14</sup>C]</b> See Dihydroxyphenylalanine, L-3,4-[alanine-3- <sup>14</sup> C]			<b>ARC 3605</b>	
<b>L-Dopa [ring-2,5,6-<sup>3</sup>H]</b> See Dihydroxyphenylalanine, L-3,4-[ring-2,5,6- <sup>3</sup> H]			<b>ART 0235</b>	
<b>Dopamine [8-<sup>14</sup>C]</b> See Dihydroxyphenylethylamine, 3,4-[8- <sup>14</sup> C]			<b>ARC 0279</b>	
<b>Dopamine [ring-2,5,6-<sup>3</sup>H]</b> See Dihydroxyphenylethylamine, 3,4-[ring-2,5,6- <sup>3</sup> H]			<b>ART 0760</b>	
<b>Dopamine [7,8-<sup>3</sup>H(N)]</b> See Dihydroxyphenylethylamine, 3,4-[7,8- <sup>3</sup> H(N)]			<b>ART 0174</b>	
<b>DOTAP [methyl-<sup>14</sup>C] chloride</b> (1,2-Dioleoyl-3-trimethylammonium-propane chloride) M.W. 698.55 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 10 mCi/ml	<b>ARC 3098-1</b> mCi / 37 MBq	439,000
<b>DOTAP [methyl-<sup>3</sup>H] chloride</b> (1,2-Dioleoyl-3-trimethylammonium-propane chloride) M.W. 698.55 <i>NEW!-Exclusive</i>	60-85 Ci/mmol 2.22-3.145 TBq/mmol	Ethanol 10 mCi/ml	<b>ART 2134-1</b> mCi / 37 MBq	419,000
<b>Dotarizine "cold"</b> (1-(Diphenylmethyl)-4-[3-(2-phenyl-1,3-dioxolan-2-yl)]-piperazine) M.W. 442.6		Solid	<b>ARCD 0566-50</b> mg	229,000
<b>Dotriacontane [16,17-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>30</sub> CH <sub>3</sub> M.W. 450.87 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 3344-50</b> μCi / 1.85 MBq	564,000
<b>Doxepin [N-methyl-<sup>3</sup>H] hydrochloride</b> M.W. 315.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Antidepressant</i>	70-87 Ci/mmol 2.59-3.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0801-50</b> μCi / 1.85 MBq	314,000
<b>Doxorubicin "cold"</b>		Solid	<b>ARCD 0573-5</b> mg <b>ARCD 0573-10</b> mg	32,000 39,000

**D**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Doxorubicin [14-14C] hydrochloride (Adriamycin)</b> C <sub>27</sub> H <sub>29</sub> NO <sub>11</sub> · HCl M.W. 579.98 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 3505-5</b> μCi / 185 kBq <b>ARC 3505-25</b> μCi / 925 kBq	Inquire Inquire
<b>DE Doxycycline [3H(G)]</b> M.W. 444.35 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0740-250</b> μCi / 9.25 MBq	353,000
<b>DTG [5-3H] (1,3-Di-O-tolylguanidine di-[p-ring-3H])</b> M.W. 239.32 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0624-25</b> μCi / 925 kBq <b>ART 0624-250</b> μCi / 9.25 MBq	73,000 239,000
<b>Dynorphin A [leu-4,5-3H]</b> Tyr-Gly-Gly-Phe-Leu-Arg-Arg-Ile-Arg-Pro-Lys Leu-Lys-Trp-Asp-Asn-Gln M.W. 2147.51 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 2081</b>	Inquire
<b>Efavirenz "cold"</b> C <sub>14</sub> H <sub>9</sub> ClF <sub>3</sub> NO <sub>2</sub> M.W. 315.68 CAS # 154598-52-4		Solid	<b>ARCD 0704-10</b> mg	63,000
<b>Efavirenz [3H(G)]</b> C <sub>14</sub> H <sub>9</sub> ClF <sub>3</sub> NO <sub>2</sub> M.W. 315.68 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1829-50</b> μCi / 1.85 MBq	419,000
<b>Eicosadienoic acid 8,11 [1-14C]</b> C <sub>20</sub> H <sub>36</sub> O <sub>2</sub> M.W. 308.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1869-10</b> μCi / 370 kBq	248,000
<b>Eicosadienoic acid 8,11 [8,9,11,12-3H]</b> C <sub>20</sub> H <sub>36</sub> O <sub>2</sub> M.W. 308.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1498-250</b> μCi / 9.25 MBq	248,000
<b>Eicosadienoic acid 11,14 [1-14C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> (CH=CHCH <sub>2</sub> ) <sub>2</sub> CO <sub>2</sub> H M.W. 308.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1191-10</b> μCi / 370 kBq	324,000
<b>Eicosane [1-3H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>18</sub> CH <sub>3</sub> M.W. 282.55 <i>NEW!-Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2142-250</b> μCi / 9.25 MBq	251,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>n-Eicosanoic acid [1-<sup>14</sup>C]</b> <b>(Arachidic acid)</b> CH <sub>3</sub> -(CH <sub>2</sub> ) <sub>18</sub> CO <sub>2</sub> OH M.W. 312.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1448-50</b> μCi / 1.85 MBq	198,000
<b>Eicosapentaenoic acid 5,8,11,14,17 [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> (CH=CHCH <sub>2</sub> ) <sub>5</sub> (CH <sub>2</sub> ) <sub>2</sub> COOH 20:5(n-3) M.W. 302.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 0342-10</b> μCi / 370 kBq	189,000
<b>Eicosapentaenoyl 5,8,11,14,17 [1-<sup>14</sup>C]</b> <b>Coenzyme A</b> M.W. 1053 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 3600-10</b> μCi / 370 kBq	251,000
<b>Eicosatetraenoic acid 5,8,11,14 [1-<sup>14</sup>C]</b> See Arachidonic acid [1- <sup>14</sup> C]			<b>ARC 0290</b>	
<b>Eicosatetraenoic acid 5,8,11,14 [5,6,8,9,11,12,14,15-<sup>3</sup>H(N)]</b> See Arachidonic acid [5,6,8,9,11,12,14,15- <sup>3</sup> H(N)]			<b>ART 0196, A</b>	
<b>Eicosatetraynoic acid 5,8,11,14 [1-<sup>14</sup>C]</b> C <sub>20</sub> H <sub>24</sub> O <sub>2</sub> M.W. 304.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1872-10</b> μCi / 370 kBq	247,000
<b>Eicosatetraynoic acid 5,8,11,14 [5,6,8,9,11,12,14,15-<sup>3</sup>H]</b> C <sub>20</sub> H <sub>24</sub> O <sub>2</sub> M.W. 304.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1499-250</b> μCi / 9.25 MBq	461,000
<b>Eicosatrienoic acid 5,8,11 "cold"</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> (CH=CHCH <sub>2</sub> ) <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> COOH M.W. 306.5 CAS # 20590-32-3 <i>NEW!-Exclusive</i>		Ethanol 1 mg/ml	<b>ARCD 1012-5</b> mg	110,000
<b>Eicosatrienoic acid 5,8,11 [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> (CH=CHCH <sub>2</sub> ) <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> COOH (20:3) M.W. 306.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 0378-10</b> μCi / 370 kBq <b>ARC 0378-50</b> μCi / 1.85 MBq	185,000 353,000
<b>Eicosatrienoic acid 5,8,11 [5,6,8,9,11,12-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> (CH=CHCH <sub>2</sub> ) <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> COOH (20:3) M.W. 306.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 1500-250</b> μCi / 9.25 MBq	247,000

E

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Eicosatrienoic acid 5,11,14 [1-<sup>14</sup>C] (20:3)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CH=CHCH <sub>2</sub> CH=CH(CH <sub>2</sub> ) <sub>4</sub> CH CH(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H M.W. 306.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1358-10</b> μCi / 370 kBq	324,000
<b>E</b> <b>Eicosatrienoic acid 8,11,14 [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> (CH=CHCH <sub>2</sub> ) <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> COOH 20:3(n-6) M.W. 306.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 0381-10</b> μCi / 370 kBq <b>ARC 0381-50</b> μCi / 1.85 MBq	191,000 461,000
<b>Eicosatrienoic acid 11,14,17 [1-<sup>14</sup>C]</b> C <sub>20</sub> H <sub>34</sub> O <sub>2</sub> M.W. 306.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 1874-10</b> μCi / 370 kBq	278,000
<b>Eicosatrienoyl 8,11,14 Coenzyme A "cold"</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> (CH=CHCH <sub>2</sub> ) <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> COCoA M.W. 1055.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Solid	<b>ARCD 0208-1</b> mg	241,000
<b>Eicosatrienoyl 8,11,14 [1-<sup>14</sup>C] Coenzyme A</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> (CH=CHCH <sub>2</sub> ) <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CO · CoA M.W. 1055.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol: 0.01N NaOAc (pH 5.2) (1:1) under nitrogen 0.1 mCi/ml	<b>ARC 1596-10</b> μCi / 370 kBq	226,000
<b>Δ-11-Eicosenoic acid [1-<sup>14</sup>C]</b> M.W. 310.54 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 1147-10</b> μCi / 370 kBq <b>ARC 1147-50</b> μCi / 1.85 MBq	206,000 339,000
<b>Δ-11-Eicosenoyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1059.8 <i>Shipped on Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 3143-10</b> μCi / 370 kBq	419,000
<b>Elaidic acid [1-<sup>14</sup>C]</b> <b>((E)-9-Octadecenoic acid)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO <sub>2</sub> H M.W. 282.47 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1165-50</b> μCi / 1.85 MBq	353,000
<b>Enalaprilate [prolyl-4,5-<sup>3</sup>H]</b> C <sub>18</sub> H <sub>24</sub> N <sub>2</sub> O <sub>5</sub> M.W. 348.39 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2039-50</b> μCi / 1.85 MBq	439,000
<b>Endothelin 1, Tyr<sup>13</sup>-[<sup>125</sup>I] (human, porcine)</b> <b>(ET-1)</b> M.W. ~2616 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Buffered solution (pH 8.6) 0.08 mCi/ml	<b>ARI 0137-5</b> μCi / 185 kBq <b>ARI 0137-10</b> μCi / 370 kBq <b>ARI 0137-50</b> μCi / 1.85 MBq	141,000 192,000 382,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Enkephalin [tyrosyl-2,6-<sup>3</sup>H(N)]</b> (2-D-Penicillamine; DPDPE) C <sub>30</sub> H <sub>41</sub> N <sub>5</sub> O <sub>7</sub> S <sub>2</sub> M.W. 645.7 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol w/ 10mM DTT 1 mCi/ml	<b>ART 1825-50</b> μCi / 1.85 MBq <b>ART 1825-250</b> μCi / 9.25 MBq	125,000 Inquire
<b>leu-Enkephalin [tyrosyl-3,5-<sup>3</sup>H(N)]</b> Tyr-Gly-Gly-Phe-Leu <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-50 Ci/mmol 1.11-1.85 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 0603-250</b> μCi / 9.25 MBq	226,000
<b>Enoxaparin [1-<sup>3</sup>H]</b> (Low Molecular Weight Heparin) M.W. 4,000-6,000 <i>Exclusive</i>	1-5 mCi/mg 37-185 MBq/mg	Sterile water 1 mCi/ml	<b>ART 0459-250</b> μCi / 9.25 MBq <b>ART 0459-1</b> mCi / 37 MBq	212,000 324,000
<b>Enrofloxacin [ethyl-1-<sup>14</sup>C]</b> C <sub>19</sub> H <sub>22</sub> FN <sub>3</sub> O <sub>3</sub> M.W. 359.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3619</b>	Inquire
<b>Entecavir "cold"</b> C <sub>12</sub> H <sub>15</sub> N <sub>5</sub> O <sub>3</sub> ·H <sub>2</sub> O M.W. 295.30 CAS # 142217-69-4		Solid	<b>ARCD 0437-1</b> mg <b>ARCD 0437-5</b> mg	57,000 159,000
<b>Entecavir [<sup>3</sup>H(G)]</b> C <sub>12</sub> H <sub>15</sub> N <sub>5</sub> O <sub>3</sub> M.W. 277.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1979-50</b> μCi / 1.85 MBq	629,000
<b>Eotaxin [<sup>125</sup>I] (human, recombinant)</b> M.W. ~8300	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0154-5</b> μCi / 185 kBq <b>ARI 0154-25</b> μCi / 925 kBq	119,000 292,000
<b>(-)-Ephedrine, L-[N-methyl-<sup>3</sup>H]</b> M.W. 165.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Adrenoceptor agonist</i>	70-87 Ci/mmol 2.59-3.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0813-250</b> μCi / 9.25 MBq	324,000
<b>Epibatidine [<sup>125</sup>I]</b> M.W. 298 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Ethanol ~0.1 mCi/ml	<b>ARI 0107-10</b> μCi / 370 kBq <b>ARI 0107-50</b> μCi / 1.85 MBq	278,000 609,000
<b>(±)-Epibatidine [5,6-bicycloheptyl-<sup>3</sup>H]</b> M.W. 208.7 <i>Shipped in Dry Ice</i>	30-70 Ci/mmol 1.11-2.59 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 1369-25</b> μCi / 925 kBq <b>ART 1369-250</b> μCi / 9.25 MBq	249,000 564,000
<b>Epichlorohydrin [2-<sup>14</sup>C]</b> C <sub>3</sub> H <sub>5</sub> ClO M.W. 92.52 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3673</b>	Inquire

E

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Epidermal growth factor [125I] (human, recombinant) (EGF)</b> M.W. 6,000 <i>Shipped in Dry Ice</i> <i>NEW!</i>	1100-2200 Ci/mmol 40.7-81.4 TBq/mmol	Buffered solution 0.2 mCi/ml	<b>ARI 0217-5</b> μCi / 185 kBq <b>ARI 0217-25</b> μCi / 925 kBq	Inquire Inquire
<b>E</b> <b>Epidermal growth factor [125I] (murine) (EGF)</b> M.W. ~6,000	400 μCi/μg 14.8 MBq/μg	Lyophilized solid	<b>ARI 0123-10</b> μCi / 370 kBq <b>ARI 0123-50</b> μCi / 1.85 MBq	113,000 259,000
<b>(-)-Epigallocatechin gallate [3H(G)] (EGCG)</b> C <sub>22</sub> H <sub>18</sub> O <sub>11</sub> M.W. 458.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1374-10</b> μCi / 370 kBq <b>ART 1374-50</b> μCi / 1.85 MBq	410,000 693,000
<b>(-)-Epinephrine, L-[N-methyl-3H]</b> M.W. 183.2 <i>Shipped in Dry Ice</i> <i>Adrenoceptor agonist</i>	70-87 Ci/mmol 2.59-3.22 TBq/mmol	0.2N HOAc: Ethanol (9:1) 1 mCi/ml	<b>ART 0809-250</b> μCi / 9.25 MBq	219,000
<b>EPN [phenylphosphonothioic-ring-14C(U)] (O-Ethyl-O-(4-nitrophenyl)phenyl phosphonothioate)</b> C <sub>14</sub> H <sub>14</sub> NO <sub>4</sub> PS M.W. 323.30 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Benzene 0.1 mCi/ml	<b>ARC 3345</b>	Inquire
<b>Ergosterol [3-3H]</b> C <sub>28</sub> H <sub>44</sub> O M.W. 396.65 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1354-50</b> μCi / 1.85 MBq	352,000
<b>Erucic acid [1-14C] (cis-13-Docosanoic acid)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>11</sub> CO <sub>2</sub> H M.W. 338.58 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0572-50</b> μCi / 1.85 MBq	241,000
<b>Erucyl [1-14C] Coenzyme A</b> M.W. 1088.23 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 1741-10</b> μCi / 370 kBq	303,000
<b>Erythritol, D-[1-14C]</b> HOCH <sub>2</sub> CHOHCHOHCH <sub>2</sub> OH M.W. 122.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 1776-50</b> μCi / 1.85 MBq	269,000
<b>Erythromycin [N-methyl-14C]</b> M.W. 733.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0467-50</b> μCi / 1.85 MBq <b>ARC 0467-250</b> μCi / 9.25 MBq	213,000 534,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Erythromycin [N-methyl-<sup>3</sup>H]</b> M.W. 733.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.21 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1286-50</b> $\mu$ Ci / 1.85 MBq <b>ART 1286-250</b> $\mu$ Ci / 9.25 MBq	163,000 423,000
<b>Erythrose, D-[1-<sup>14</sup>C]</b> $C_4H_8O_4$ M.W. 120.1 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3764-50</b> $\mu$ Ci / 1.85 MBq	209,000
<b>L-Erythrose "cold"</b>		Solid	<b>ARCD 0683-100</b> mg	48,000
<b>17<math>\alpha</math>-Estradiol [4-<sup>14</sup>C]</b> M.W. 272.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3539-10</b> $\mu$ Ci / 370 kBq <b>ARC 3539-50</b> $\mu$ Ci / 1.85 MBq	Inquire Inquire
<b>17<math>\beta</math>-Estradiol [4-<sup>14</sup>C]</b> M.W. 272.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1324-10</b> $\mu$ Ci / 370 kBq <b>ARC 1324-50</b> $\mu$ Ci / 1.85 MBq	162,000 449,000
<b>17<math>\beta</math>-Estradiol [4-<sup>14</sup>C]</b> M.W. 272.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1324A-10</b> $\mu$ Ci / 370 kBq <b>ARC 1324A-50</b> $\mu$ Ci / 1.85 MBq	162,000 449,000
<b>17<math>\beta</math>-Estradiol [2-<sup>3</sup>H(N)]</b> M.W. 272.4	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0818-250</b> $\mu$ Ci / 9.25 MBq <b>ART 0818-1</b> mCi / 37 MBq	99,000 142,000
<b>17<math>\beta</math>-Estradiol [2,4,6,7-<sup>3</sup>H(N)]</b> M.W. 272.4	70-120 Ci/mmol 2.59-4.44 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1555-250</b> $\mu$ Ci / 9.25 MBq <b>ART 1555-1</b> mCi / 37 MBq	123,000 246,000
<b>17<math>\beta</math>-Estradiol [2,4,6,7,16,17-<sup>3</sup>H(N)]</b> M.W. 272.4	120-180 Ci/mmol 4.44-6.66 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1549-250</b> $\mu$ Ci / 9.25 MBq <b>ART 1549-1</b> mCi / 37 MBq	144,000 301,000
<b>17<math>\beta</math>-Estradiol [6,7-<sup>3</sup>H(N)]</b> M.W. 272.4	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0820-250</b> $\mu$ Ci / 9.25 MBq <b>ART 0820-1</b> mCi / 37 MBq <b>ART 0820-5</b> mCi / 185 MBq	94,000 Inquire Inquire
<b>Estradiol [<sup>14</sup>C] 17-<math>\beta</math>-D-glucopyranoside</b> M.W. 448.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 3654</b>	Inquire
<b>Estradiol 17-<math>\beta</math>-D-glucuronide sodium salt "cold"</b>		Solid	<b>ARCD 0769-10</b> mg	41,000
<b>Estradiol [6,7-<sup>3</sup>H(N)] 17-<math>\beta</math>-D-glucuronide</b> M.W. 448.5 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1320-50</b> $\mu$ Ci / 1.85 MBq <b>ART 1320-250</b> $\mu$ Ci / 9.25 MBq	173,000 368,000
<b>4-Estren-11<math>\beta</math>-methyl-17<math>\beta</math>-ol-3-one [15,16-<sup>3</sup>H]</b> <b>(11 <math>\beta</math>-methyl-19-Nortestosterone)</b> M.W. 303.29 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1538-50</b> $\mu$ Ci / 1.85 MBq	242,000

E



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Estriol [2,4-<sup>3</sup>H]</b> C <sub>18</sub> H <sub>24</sub> O <sub>3</sub> M.W. 288.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1688-250</b> μCi / 9.25 MBq <b>ART 1688-1</b> mCi / 37 MBq	143,000 338,000
<b>Estrone [4-<sup>14</sup>C]</b> M.W. 270.4 <i>Exclusive</i>	45-60 mCi/mmol 1.66-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1397-10</b> μCi / 370 kBq <b>ARC 1397-50</b> μCi / 1.85 MBq	276,000 649,000
<b>Estrone [6,7-<sup>3</sup>H(N)]</b> M.W. 270.4 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0819-250</b> μCi / 9.25 MBq	107,000
<b>Estrone [2,4,6,7-<sup>3</sup>H]</b> M.W. 270.4 <i>Shipped in Dry Ice</i>	50-100 Ci/mmol 1.85-3.7 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1290-250</b> μCi / 9.25 MBq <b>ART 1290-1</b> mCi / 37 MBq	143,000 296,000
<b>Estrone 3-sulfate [6,7-<sup>3</sup>H(N)] ammonium salt</b> M.W. 366.4 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0821-50</b> μCi / 1.85 MBq <b>ART 0821-250</b> μCi / 9.25 MBq	102,000 174,000
<b>Estrone 3-sulfate [<sup>14</sup>C] sodium salt</b> M.W. 372.41 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3655</b>	Inquire
<b>Ethalfuralin [ring-<sup>14</sup>C(U)]</b> C <sub>13</sub> H <sub>14</sub> F <sub>3</sub> N <sub>3</sub> O <sub>4</sub> M.W. 333.26 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Solid	<b>ARC 3346</b>	Inquire
<b>Ethane [1,2-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>3</sub> M.W. 30.07 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Gas in sealed ampoule	<b>ARC 3086-1</b> mCi / 37 MBq	Inquire
<b>Ethanol [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> OH M.W. 46.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in break seal or sealed ampoule	<b>ARC 0195-5</b> mCi / 185 MBq	554,000
<b>Ethanol [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> OH M.W. 46.1		Ethanol in sealed ampoule 1 mCi/ml	<b>ARC 0195A-250</b> μCi / 9.25 MBq <b>ARC 0195A-1</b> mCi / 37 MBq	141,000 266,000
<b>Ethanol [2-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> OH M.W. 46.1 <i>Exclusive</i>	10-30 mCi/mmol 0.37-1.11 GBq/mmol	Neat liquid in break seal	<b>ARC 0515-1</b> mCi / 37 MBq	419,000
<b>Ethanol [2-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> OH M.W. 46.1 <i>Exclusive</i>	10-30 mCi/mmol 0.37-1.11 GBq/mmol	Sterile water in in sealed ampoule 1 mCi/ml	<b>ARC 0515A-1</b> mCi / 37 MBq	419,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Ethanol [1-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> OH M.W. 46.1 <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Sterile water in sealed ampoule 1 mCi/ml	<b>ART 0335-250</b> μCi / 9.25 MBq <b>ART 0335-1</b> mCi / 37 MBq	113,000 234,000
<b>Ethanol [1-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> OH M.W. 46.1 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Sterile water in sealed ampoule 1 mCi/ml	<b>ART 0335A-1</b> mCi / 37 MBq	276,000
<b>Ethanol [1,2-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> OH M.W. 46.1 <i>Exclusive</i>	80-100 Ci/mmol 2.96-3.7 TBq/mmol	Sterile water in sealed ampoule 1 mCi/ml	<b>ART 1577-250</b> μCi / 9.25 MBq <b>ART 1577-1</b> mCi / 37 MBq	126,000 356,000
<b>Ethanolamine [1,2-<sup>14</sup>C] hydrochloride</b> HOCH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 97.5 <i>Exclusive</i>	50-120 mCi/mmol 1.85-4.44 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0311-50</b> μCi / 1.85 MBq <b>ARC 0311-250</b> μCi / 9.25 MBq	75,000 215,000
<b>Ethanolamine [1-<sup>3</sup>H] hydrochloride</b> HOCH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 97.5 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0216-250</b> μCi / 9.25 MBq <b>ART 0216-1</b> mCi / 37 MBq	101,000 184,000
<b>Ethanolamine [1-<sup>3</sup>H] hydrochloride</b> HOCH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 97.5 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0216A-250</b> μCi / 9.25 MBq <b>ART 0216A-1</b> mCi / 37 MBq	101,000 184,000
<b>4'-Ethoxy acetamide [ring-<sup>14</sup>C(U)]</b> See Phenacetin [ring- <sup>14</sup> C(U)]			<b>ARC 1115</b>	
<b>7-Ethoxy [<sup>14</sup>C] coumarin</b> C <sub>11</sub> H <sub>10</sub> O <sub>3</sub> M.W. 192.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3080-50</b> μCi / 1.85 MBq	199,000
<b>7-Ethoxycoumarin [3-<sup>14</sup>C]</b> C <sub>11</sub> H <sub>10</sub> O <sub>3</sub> M.W. 192.2 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid in sealed ampoule	<b>ARC 3468-50</b> μCi / 1.85 MBq	302,000
<b>7-Ethoxycoumarin [phenyl ring-<sup>14</sup>C(U)]</b> C <sub>11</sub> H <sub>10</sub> O <sub>3</sub> M.W. 192.2 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3734-50</b> μCi / 1.85 MBq	293,000
<b>Ethyl [2-<sup>3</sup>H] acetate</b> CH <sub>3</sub> COOCH <sub>2</sub> CH <sub>3</sub> M.W. 88.1 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	THF:Hexane (1:1) in sealed ampoule 1 mCi/ml	<b>ART 0834-250</b> μCi / 9.25 MBq	395,000
<b>Ethyl acetate [1-<sup>14</sup>C]</b> 劇 CH <sub>3</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 88.0	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in break seal	<b>ARC 0403-1</b> mCi / 37 MBq	275,000

E



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Ethyl acetate [acetyl-<sup>3</sup>H]</b> CH <sub>3</sub> COOCH <sub>2</sub> CH <sub>3</sub> M.W. 88.1 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	THF:hexane (1:1) in sealed ampoule 1 mCi/ml	<b>ART 0826-1</b> mCi / 37 MBq	395,000
<b>Ethyl acetoacetate [3-<sup>14</sup>C]</b> CH <sub>3</sub> COCH <sub>2</sub> COOC <sub>2</sub> H <sub>5</sub> M.W. 130.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethyl acetate in sealed ampoule 1 mCi/ml	<b>ARC 0737-250</b> μCi / 9.25 MBq <b>ARC 0737-1</b> mCi / 37 MBq	254,000 479,000
<b>Ethyl acrylate [1-<sup>14</sup>C]</b> CH <sub>2</sub> =CHCOOC <sub>2</sub> H <sub>5</sub> M.W. 100.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3582-250</b> μCi / 9.25 MBq	629,000
<b>Ethyl amidinoacetate [<sup>14</sup>C] hydrochloride</b> HCl H <sub>2</sub> NC(=NH)CH <sub>2</sub> COOC <sub>2</sub> H <sub>5</sub> M.W. 166.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1566-250</b> μCi / 9.25 MBq <b>ARC 1566-1</b> mCi / 37 MBq	177,000 339,000
<b>Ethylamine [ethyl-1-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> NH <sub>2</sub> M.W. 45.08 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1617-1</b> mCi / 37 MBq	234,000
<b>Ethylamine [1-<sup>14</sup>C] hydrochloride</b> CH <sub>3</sub> CH <sub>2</sub> NH <sub>2</sub> · HCl M.W. 81.55 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1376-250</b> μCi / 9.25 MBq <b>ARC 1376-1</b> mCi / 37 MBq	218,000 408,000
<b>Ethylamine [1,2-<sup>14</sup>C] hydrochloride</b> CH <sub>3</sub> CH <sub>2</sub> NH <sub>2</sub> · HCl M.W. 81.55 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0713-250</b> μCi / 9.25 MBq <b>ARC 0713-1</b> mCi / 37 MBq	247,000 506,000
<b>Ethylamine [1-<sup>3</sup>H] hydrochloride</b> CH <sub>3</sub> CH <sub>2</sub> NH <sub>2</sub> · HCl M.W. 82.3	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0479-1</b> mCi / 37 MBq <b>ART 0479-5</b> mCi / 185 MBq	189,000 334,000
<b>Ethyl 3-aminobenzoate [4-<sup>3</sup>H]</b> M.W. 165.19 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0509-250</b> μCi / 9.25 MBq <b>ART 0509-1</b> mCi / 37 MBq	234,000 419,000
<b>Ethyl 4-aminobenzoate [ring-<sup>14</sup>C(U)] (Benzocaine)</b> H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 165.19 <i>Exclusive</i>	10-20 mCi/mmol 370-740 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0618-50</b> μCi / 1.85 MBq <b>ARC 0618-250</b> μCi / 9.25 MBq	296,000 524,000
<b>2-Ethylaminoethanol [ethyl-1-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> NHCH <sub>2</sub> CH <sub>2</sub> OH M.W. 89.14	10-20 Ci/mmol 0.37-0.74 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0569-250</b> μCi / 9.25 MBq <b>ART 0569-1</b> mCi / 37 MBq	184,000 339,000
<b>2-Ethylaniline [ring-<sup>14</sup>C(U)] hydrochloride</b> C <sub>2</sub> H <sub>5</sub> C <sub>6</sub> H <sub>4</sub> -NH <sub>2</sub> · HCl M.W. 157.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1470-250</b> μCi / 9.25 MBq	365,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3-Ethylaniline [ring-<sup>14</sup>C(U)] hydrochloride</b> CH <sub>3</sub> CH <sub>2</sub> C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> ·HCl M.W. 157.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1678-250</b> μCi / 9.25 MBq	365,000
<b>Ethylbenzene [methylene-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH <sub>3</sub> M.W. 106.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 0761-250</b> μCi / 9.25 MBq <b>ARC 0761-1</b> mCi / 37 MBq	254,000 479,000
<b>Ethylbenzene [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH <sub>3</sub> M.W. 106.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 3347-50</b> μCi / 1.85 MBq	523,000
<b>Ethyl bromoacetate [1-<sup>14</sup>C]</b> BrCH <sub>2</sub> COOC <sub>2</sub> H <sub>5</sub> M.W. 166.9 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0230-250</b> μCi / 9.25 MBq <b>ARC 0230-1</b> mCi / 37 MBq	212,000 408,000
<b>Ethyl bromoacetate [1,2-<sup>14</sup>C]</b> BrCH <sub>2</sub> COOC <sub>2</sub> H <sub>5</sub> M.W. 166.9 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0628-1</b> mCi / 37 MBq	563,000
<b>Ethyl bromoacetate [2-<sup>14</sup>C]</b> BrCH <sub>2</sub> COOC <sub>2</sub> H <sub>5</sub> M.W. 166.9 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0346-250</b> μCi / 9.25 MBq <b>ARC 0346-1</b> mCi / 37 MBq	226,000 408,000
<b>Ethyl 3-bromopropionate [2,3-<sup>14</sup>C]</b> BrCH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 181.03 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0649-250</b> μCi / 9.25 MBq	395,000
<b>2-Ethylbutyryl chloride [1-<sup>14</sup>C]</b> (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> CHCOCl M.W. 134.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1813-250</b> μCi / 9.25 MBq	269,000
<b>Ethylcarboxamidoadenosine, 5'-N-[adenine-2,8-<sup>3</sup>H] (NECA)</b> C <sub>12</sub> H <sub>16</sub> N <sub>6</sub> O <sub>4</sub> M.W. 308.28 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 1773-250</b> μCi / 9.25 MBq	212,000
<b>Ethylchloroacetate [1-<sup>14</sup>C]</b> ClCH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 122.55 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3701</b>	Inquire
<b>Ethyl chloroacetate [2-<sup>14</sup>C]</b> 劇 ClCH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 122.55 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3426-50</b> μCi / 1.85 MBq	Inquire

E



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Ethyl-2-chloro [3-<sup>14</sup>C] acetoacetate</b> CH <sub>3</sub> COCHCICOOC <sub>2</sub> H <sub>5</sub> M.W. 164.59 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3695-50</b> μCi / 1.85 MBq	229,000
<b>Ethyl chloroformate [carboxyl-<sup>14</sup>C]</b> ClCO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 108.52 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0682-250</b> μCi / 9.25 MBq	392,000
<b>Ethyl [1-<sup>14</sup>C] chloroformate</b> ClCO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> M.W. 108.52 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0801-250</b> μCi / 9.25 MBq	395,000
<b>Ethyl cyanoacetate [2-<sup>14</sup>C]</b> 劇 NCCH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 113.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0688-250</b> μCi / 9.25 MBq	395,000
<b>Ethyl cyanoacetate [2-<sup>14</sup>C]</b> 劇 NCCH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 113.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0698-250</b> μCi / 9.25 MBq	395,000
<b>Ethyl 3,4-dihydroxybenzoate [carboxyl-<sup>14</sup>C]</b> M.W. 182.18 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1419-50</b> μCi / 1.85 MBq	198,000
<b>Ethylene [1<sup>4</sup>C(U)]</b> H <sub>2</sub> C=CH <sub>2</sub> M.W. 28.0 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Gas in break seal	<b>ARC 0410-1</b> mCi / 37 MBq	479,000
<b>Ethylene [1<sup>4</sup>C(U)]</b> H <sub>2</sub> C=CH <sub>2</sub> M.W. 28.0 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.70 GBq/mmol	2M Perchloric acid in 0.25M mercury (II) perchlorate	<b>ARC 0410A-1</b> mCi / 37 MBq	479,000
<b>Ethylene bromohydrin [1,2-<sup>14</sup>C]</b> See 2-Bromoethanol [1,2- <sup>14</sup> C]			<b>ARC 3348</b>	
<b>Ethylene chlorohydrin [1,2-<sup>14</sup>C]</b> See 2-Chloroethanol [1,2- <sup>14</sup> C]			<b>ARC 3349</b>	
<b>Ethylenediamine [1<sup>4</sup>C(U)] dihydrochloride</b> NH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·2HCl M.W. 133.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0391-50</b> μCi / 1.85 MBq <b>ARC 0391-250</b> μCi / 9.25 MBq	138,000 314,000
<b>Ethylenediamine tetraacetic acid [2-<sup>14</sup>C] sodium salt (EDTA)</b> [HO <sub>2</sub> CCH <sub>2</sub> ] <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> N[CH <sub>2</sub> CO <sub>2</sub> H] <sub>2</sub> Na M.W. 292.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0392-50</b> μCi / 1.85 MBq <b>ARC 0392-250</b> μCi / 9.25 MBq	148,000 369,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Ethylenediaminetetraacetic acid [2-<sup>14</sup>C] ethyl ester</b> (EDTA ethyl ester) [EtO <sub>2</sub> CCH <sub>2</sub> ] <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> N [CH <sub>2</sub> CO <sub>2</sub> Et] <sub>2</sub> M.W. 404.00 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3180-50</b> μCi / 1.85 MBq <b>ARC 3180-250</b> μCi / 9.25 MBq	219,000 439,000
<b>Ethylene [1<sup>4</sup>C(U)] dibromide (1,2-Dibromoethane)</b> BrCH <sub>2</sub> CH <sub>2</sub> Br M.W. 187.86 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ether in sealed ampoule 1 mCi/ml	<b>ARC 3072-100</b> μCi / 3.7 MBq <b>ARC 3072-250</b> μCi / 9.25 MBq	334,000 497,000
<b>Ethylene [1<sup>4</sup>C(U)] mercury perchlorate complex</b> CH <sub>2</sub> =CH <sub>2</sub> M.W. 28.0 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Sterile water 1 mCi/ml	<b>ARC 3027-1</b> mCi / 37 MBq	506,000
<b>Ethylene [3H] mercury perchlorate complex</b> CH <sub>2</sub> =CH <sub>2</sub> M.W. 28.0 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0888-1</b> mCi / 37 MBq	339,000
<b>Ethylene glycol [1,2-<sup>14</sup>C]</b> HOCH <sub>2</sub> CH <sub>2</sub> OH M.W. 62.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0398-50</b> μCi / 1.85 MBq <b>ARC 0398-250</b> μCi / 9.25 MBq	142,000 334,000
<b>Ethylene glycol [1,2-<sup>3</sup>H]</b> HOCH <sub>2</sub> CH <sub>2</sub> OH M.W. 62.1 <i>Exclusive</i>	5-15 Ci/mmol 185-555 GBq/mmol	Sterile water 1 mCi/ml	<b>ART 0295-250</b> μCi / 9.25 MBq <b>ART 0295-1</b> mCi / 37 MBq	164,000 353,000
<b>Ethylene oxide [1,2-<sup>14</sup>C]</b> 劇 C <sub>2</sub> H <sub>4</sub> O M.W. 44.05 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Gas in break seal	<b>ARC 1882-1</b> mCi / 37 MBq	676,000
<b>Ethyl formate [carboxyl-<sup>14</sup>C]</b> HCO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 74.08 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0822-1</b> mCi / 37 MBq	419,000
<b>2-Ethylhexanoic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> CH(CH <sub>2</sub> CH <sub>3</sub> )COOH M.W. 144.21 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3245-50</b> μCi / 1.85 MBq	312,000
<b>2-Ethylhexanol [1<sup>4</sup>C]</b> C <sub>8</sub> H <sub>18</sub> O M.W. 130.2 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Methylene chloride in sealed ampoule 0.1 mCi/ml	<b>ARC 3246-50</b> μCi / 1.85 MBq	299,000
<b>2-Ethylhexyl acrylate [1-<sup>14</sup>C]</b> H <sub>2</sub> C=CHCO <sub>2</sub> CH <sub>2</sub> CH(C <sub>2</sub> H <sub>5</sub> )(CH <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub> M.W. 184.28 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1198-50</b> μCi / 1.85 MBq	408,000

**E**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2-Ethylhexyl salicylate [carboxyl-<sup>14</sup>C]</b> (HO)C <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> CH <sub>2</sub> CH(C <sub>2</sub> H <sub>5</sub> )(CH <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub> M.W. 250.33 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3247-50</b> μCi / 1.85 MBq	523,000
<b>Ethyl 3-hydroxybenzoate [carboxyl-<sup>14</sup>C]</b> M.W. 166.18 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1015-250</b> μCi / 9.25 MBq <b>ARC 1015-1</b> mCi / 37 MBq	226,000 395,000
<b>N-Ethyl [1-<sup>3</sup>H] (2-hydroxyethyl) nitrosamine</b> CH <sub>3</sub> CH <sub>2</sub> N(NO)CH <sub>2</sub> CH <sub>2</sub> OH M.W. 118.17 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0568-250</b> μCi / 9.25 MBq	365,000
<b>Ethyl iodide [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> I M.W. 155.97 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Neat liquid in break seal	<b>ARC 0482-1</b> mCi / 37 MBq <b>ARC 0482-5</b> mCi / 185 MBq	339,000 629,000
<b>Ethyl iodide [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> I M.W. 155.97 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ARC 0482A-1</b> mCi / 37 MBq <b>ARC 0482A-5</b> mCi / 185 MBq	339,000 629,000
<b>Ethyl iodide [1-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> I M.W. 155.97 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	85-90 Ci/mmol 3.145-3.33 TBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ART 0744-1</b> mCi / 37 MBq <b>ART 0744-5</b> mCi / 185 MBq	339,000 629,000
<b>Ethyl isothiocyanatoformate [1-<sup>14</sup>C]</b> SCNCO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 131.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Anhydrous THF or <i>n</i> -pentane in sealed ampoule 0.1 mCi/ml	<b>ARC 1348-1</b> mCi / 37 MBq	Inquire
<b>N-Ethylmaleimide [ethyl-1-<sup>14</sup>C]</b> M.W. 125.0	10-30 mCi/mmol 0.37-1.11 GBq/mmol	<i>n</i> -Pentane in sealed ampoule 0.1 mCi/ml	<b>ARC 0582-50</b> μCi / 1.85 MBq	Inquire
<b>Ethyl malonate [2-<sup>14</sup>C] potassium salt</b> C <sub>2</sub> H <sub>5</sub> O <sub>2</sub> CCH <sub>2</sub> CO <sub>2</sub> K M.W. 170.21 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0869-250</b> μCi / 9.25 MBq <b>ARC 0869-1</b> mCi / 37 MBq	296,000 702,000
<b>Ethyl malonyl [2-<sup>14</sup>C] chloride</b> C <sub>2</sub> H <sub>5</sub> O <sub>2</sub> CCH <sub>2</sub> CO <sub>2</sub> Cl M.W. 150.56 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane:THF (9:1) in sealed ampoule 0.1 mCi/ml	<b>ARC 3026-50</b> μCi / 1.85 MBq	226,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Ethylmercuric chloride [ethyl-1-<sup>14</sup>C] 毒</b> (Ethylmercury II Chloride) CH <sub>3</sub> CH <sub>2</sub> HgCl M.W. 265.10 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1896-50</b> μCi / 1.85 MBq	296,000
<b>2-Ethyl-6-methylaniline [ring-<sup>14</sup>C(U)] hydrochloride</b> C <sub>2</sub> H <sub>5</sub> C <sub>6</sub> H <sub>3</sub> (CH <sub>3</sub> )NH <sub>2</sub> ·HCl M.W. 171.7 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1572-50</b> μCi / 1.85 MBq	365,000
<b>Ethyl oxalyl chloride [carbonyl-<sup>14</sup>C]</b> ClCOCO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 136.53 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0836-250</b> μCi / 9.25 MBq	365,000
<b>Ethyl [1-<sup>14</sup>C] phosphonium iodide</b> CH <sub>3</sub> CH <sub>2</sub> P(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> I M.W. 418.26 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1705-250</b> μCi / 9.25 MBq	275,000
<b>4,4,4-Ethyl-trifluoroacetoacetate [2-<sup>14</sup>C]</b> CF <sub>3</sub> COCH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 184.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ARC 1474-250</b> μCi / 9.25 MBq	365,000
<b>Ethynylestradiol, 17α-[4-<sup>14</sup>C]</b> (17α-Ethynyl-1,3,5(10)-estratriene-3,17α-diol-19-nor-1,3,5(10),17α-pregnatrien-20-yne-3,17-diol) C <sub>20</sub> H <sub>24</sub> O <sub>2</sub> M.W. 296.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1894-10</b> μCi / 370 kBq	439,000
<b>Ethynylestradiol, 17α-[6,7-<sup>3</sup>H(N)]</b> (17α-Ethynyl-1,3,5(10)-estratriene-3,17α-diol-19-nor-1,3,5(10),17α-pregnatrien-20-yne-3,17-diol) C <sub>20</sub> H <sub>24</sub> O <sub>2</sub> M.W. 296.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1321-250</b> μCi / 9.25 MBq	324,000
<b>Everolimus "cold"</b> C <sub>53</sub> H <sub>83</sub> NO <sub>14</sub> M.W. 958.22		Solid	<b>ARCD 0484-10</b> mg <b>ARCD 0484-50</b> mg	48,000 132,000
<b>Everolimus [<sup>3</sup>H(G)]</b> C <sub>53</sub> H <sub>83</sub> NO <sub>14</sub> M.W. 958.22 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 185-555 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1701-50</b> μCi / 1.85 MBq	293,000
<b>Ezetimibe "cold"</b> C <sub>24</sub> H <sub>21</sub> F <sub>2</sub> NO <sub>3</sub> M.W. 409.40 CAS # 163222-33-1		Solid	<b>ARCD 0496-10</b> mg <b>ARCD 0496-100</b> mg	59,000 132,000

E

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Ezetimibe [<sup>3</sup>H(G)]</b> C <sub>24</sub> H <sub>21</sub> F <sub>2</sub> NO <sub>3</sub> M.W. 409.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1463-50</b> μCi / 1.85 MBq	177,000
<b>Ezetimibe β-D-glucuronide "cold"</b> C <sub>30</sub> H <sub>29</sub> F <sub>2</sub> NO <sub>9</sub> M.W. 585.32 CAS # 190448-57-8		Solid	<b>ARCD 0462-1</b> mg	181,000
<b>Ezetimibe β-D-glucuronide [<sup>3</sup>H(G)]</b> C <sub>30</sub> H <sub>29</sub> F <sub>2</sub> NO <sub>9</sub> M.W. 585.32 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1715-50</b> μCi / 1.85 MBq	444,000
<b>Factor X [<sup>3</sup>H]</b> M.W. 58,000 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 0.37-1.85 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0835-50</b> μCi / 1.85 MBq	212,000
<b>Fallypride [methyl-<sup>3</sup>H] tartrate salt</b> C <sub>20</sub> H <sub>29</sub> FN <sub>2</sub> O <sub>3</sub> · C <sub>4</sub> H <sub>6</sub> O <sub>6</sub> M.W. 514.54 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	60-85 Ci/mmol 2.22-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2116</b>	Inquire
<i>trans,trans</i> <b>Faresol [1,2-D<sub>2</sub>] "stable isotope"</b> M.W. 224.36 <i>Exclusive</i>		Ethanol 1 mg/ml	<b>ARCD 0794-10</b> mg	143,000
<i>trans,trans</i> <b>Farnesol [1-<sup>14</sup>C]</b> M.W. 222.36 <i>Shipped in Dry Ice</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0629-10</b> μCi / 370 kBq	189,000
<i>cis,cis</i> <b>Farnesol [1-<sup>3</sup>H]</b> M.W. 222.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0574-50</b> μCi / 1.85 MBq	226,000
<i>trans,trans</i> <b>Farnesol [1-<sup>3</sup>H]</b> M.W. 222.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-20 Ci/mmol 0.555-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0396-250</b> μCi / 9.25 MBq <b>ART 0396-1</b> mCi / 37 MBq	165,000 395,000
<i>trans,trans</i> <b>Farnesol [1-<sup>3</sup>H]</b> M.W. 222.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Crick, D.C., Andres, D.A, and Waechter, C.J. Farnesol Is Utilized for Protein Isoprenylation Biosynthesis of Cholesterol in Mammalian Cells, BBRC, 211 (2), 590-599 (1995)</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0396A-250</b> μCi / 9.25 MBq <b>ART 0396A-1</b> mCi / 37 MBq	178,000 408,000
<i>trans,trans</i> <b>Farnesyl bromide [1-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> C=CHCH <sub>2</sub> CH <sub>2</sub> C(CH <sub>3</sub> ) =CH-CH <sub>2</sub> CH <sub>2</sub> C(CH <sub>3</sub> )=CHCH <sub>2</sub> Br M.W. 285.28 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Chloroform 1 mCi/ml	<b>ART 0463-50</b> μCi / 1.85 MBq <b>ART 0463-250</b> μCi / 9.25 MBq	212,000 353,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Farnesyl cysteine "cold"</b> M.W. 325.3 <i>Shipped in Dry Ice</i>		Ethanol 10 mg/ml	<b>ARCD 0117-1 mg</b>	289,000
<b>Farnesyl cysteine methyl ester "cold"</b> M.W. 376.3 <i>Shipped in Dry Ice</i>		Methanol in sealed ampoule 1 mg/ml	<b>ARCD 0140-1 mg</b>	217,000
<b><i>trans,cis</i> Farnesyl [1-<sup>14</sup>C] monophosphate monophosphate triammonium salt</b> M.W. 336.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 0.05 mCi/ml	<b>ARC 1018A-5 μCi / 185 kBq</b>	366,000
<b><i>trans,trans</i> Farnesyl monophosphate diammonium salt "cold"</b> M.W. 336.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mg/ml	<b>ARCD 0110-1 mg</b>	219,000
<b><i>trans,trans</i> Farnesyl [1-<sup>14</sup>C] monophosphate monophosphate diammonium salt</b> M.W. 336.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 0.05 mCi/ml	<b>ARC 0683-5 μCi / 185 kBq</b>	239,000
<b><i>trans,trans</i> Farnesyl [1-<sup>3</sup>H] monophosphate monophosphate diammonium salt</b> M.W. 336.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-20 Ci/mmol 0.555-0.74 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	<b>ART 0403-50 μCi / 1.85 MBq</b> <b>ART 0403-250 μCi / 9.25 MBq</b>	142,000 269,000
<b><i>trans,trans</i> Farnesyl pyrophosphate triammonium salt (FPP) "cold"</b> M.W. 433.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mg/ml	<b>ARCD 0101-1 mg</b>	145,000
<b><i>trans,trans</i> Farnesyl [1-<sup>14</sup>C] pyrophosphate triammonium salt (FPP)</b> M.W. 433.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 0.05 mCi/ml	<b>ARC 0620A-5 μCi / 185 kBq</b>	318,000
<b><i>trans,trans</i> Farnesyl pyrophosphate [1,2-D<sub>2</sub>] triammonium salt "stable isotope" (FPP)</b> M.W. 435.4 <i>Exclusive</i>		Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mg/ml	<b>ARCD 0793-10 mg</b>	253,000
<b><i>trans,trans</i> Farnesyl [1-<sup>3</sup>H] pyrophosphate triammonium salt (FPP)</b> M.W. 433.4 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	<b>ART 0324-50 μCi / 1.85 MBq</b> <b>ART 0324-250 μCi / 9.25 MBq</b>	99,000 226,000

F



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<i>trans,trans</i> Farnesyl [1- <sup>3</sup> H] pyrophosphate triammonium salt (FPP) M.W. 433.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	ART 0324A-50 μCi / 1.85 MBq ART 0324A-250 μCi / 9.25 MBq	129,000 272,000
<i>trans,trans</i> Farnesyl [1- <sup>14</sup> C] triphosphate triammonium salt M.W. 535.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 0.05 mCi/ml	ARC 0692A-5 μCi / 185 kBq	269,000
<i>trans,trans</i> Farnesyl [1- <sup>3</sup> H] triphosphate tetraammonium salt M.W. 535.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 0.05 mCi/ml	ART 0434-50 μCi / 1.85 MBq ART 0434-250 μCi / 9.25 MBq	142,000 269,000
Fenthion [ring- <sup>14</sup> C(U)] C <sub>10</sub> H <sub>15</sub> O <sub>3</sub> PS <sub>2</sub> M.W. 278.32 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	ARC 1621-50 μCi / 1.85 MBq ARC 1621-250 μCi / 9.25 MBq	185,000 563,000
Finasteride "cold"		Solid	ARCD 0383-50 mg	34,000
Finasteride [ <sup>3</sup> H(G)] M.W. 372.55 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	ART 0753-50 μCi / 1.85 MBq	226,000
FLB-457 [methyl- <sup>3</sup> H] C <sub>16</sub> H <sub>23</sub> BrN <sub>2</sub> O <sub>3</sub> M.W. 371.27 <i>Shipped in Dry Ice</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol 1 mCi/ml	ART 1401-50 μCi / 1.85 MBq	269,000
Fluconazole [ <sup>3</sup> H(G)] C <sub>13</sub> H <sub>12</sub> F <sub>2</sub> N <sub>6</sub> O M.W. 306.27 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	ART 2172-50 μCi / 1.85 MBq ART 2172-250 μCi / 9.25 MBq	198,000 398,000
Fludiazepam [N-methyl- <sup>3</sup> H] 向 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.21 TBq/mmol	Ethanol 1 mCi/ml	ART 1335-50 μCi / 1.85 MBq	253,000
Flumazenil [N-methyl- <sup>3</sup> H] (8-Fluoro-5,6-dihydro-5-[1',1',1'- <sup>3</sup> H] methyl-6-oxo-4H-imidazo [1,5-a][1,4]benzodiazepine-3-carboxylic acid ethyl ester; Ro 15-1788) M.W. 303.29 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	ART 1457-25 μCi / 925 kBq ART 1457-250 μCi / 9.25 MBq	92,000 289,000
Flunitrazepam [methyl- <sup>3</sup> H] 向 M.W. 313.3 <i>Shipped in Dry Ice</i>	60-85 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol 1 mCi/ml	ART 0577-25 μCi / 925 kBq ART 0577-250 μCi / 9.25 MBq ART 0577-1 mCi / 37 MBq	58,000 156,000 Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Fluocinolone acetonide [1,2-<sup>3</sup>H]</b> M.W. 452.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1156-250</b> μCi / 9.25 MBq	324,000
<b>Fluoranthene [<sup>3</sup>H(G)]</b> M.W. 202.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 0.185-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1363-250</b> μCi / 9.25 MBq	254,000
<b>9-Fluorenicarboxylic acid [carboxyl-<sup>14</sup>C]</b> M.W. 210.23 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1066-50</b> μCi / 1.85 MBq	198,000
<b>Fluoroacetaldehyde [1-<sup>14</sup>C]</b> C <sub>2</sub> H <sub>3</sub> FO M.W. 62.06 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 3451</b>	Inquire
<b>Fluoroacetic acid [1-<sup>14</sup>C] ethyl ester</b> FCH <sub>2</sub> COOC <sub>2</sub> H <sub>5</sub> M.W. 106 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0747-250</b> μCi / 9.25 MBq	282,000
<b>Fluoroacetic acid [1-<sup>14</sup>C] sodium salt</b> 毒 FCH <sub>2</sub> COONa M.W. 100.02 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0753-250</b> μCi / 9.25 MBq	282,000
<b>2-Fluoro-4-aminopyridine [2,6-<sup>14</sup>C]</b> 2-C <sub>5</sub> H <sub>5</sub> FN <sub>2</sub> M.W. 112.1 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3738</b>	Inquire
<b>3-Fluoro-4-aminopyridine [2,6-<sup>14</sup>C]</b> 3-C <sub>5</sub> H <sub>5</sub> FN <sub>2</sub> M.W. 112.1 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3737</b>	Inquire
<b>2-Fluoroaniline [<sup>14</sup>C(U)]</b> 2-FC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> M.W. 111.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3607-250</b> μCi / 9.25 MBq	629,000
<b>4-Fluoroaniline [<sup>14</sup>C(U)]</b> p-FC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> M.W. 111.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0550-250</b> μCi / 9.25 MBq	381,000
<b>4-Fluorobenzaldehyde [carbonyl-<sup>14</sup>C]</b> FC <sub>6</sub> H <sub>4</sub> CHO M.W. 124.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1378-50</b> μCi / 1.85 MBq	353,000

**F**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Fluorobenzene [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> F M.W. 96.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride in sealed ampoule 0.1 mCi/ml	<b>ARC 3350-50</b> μCi / 1.85 MBq	333,000
<b>2-Fluorobenzoic acid [carboxyl-<sup>14</sup>C]</b> FC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 140.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3020-50</b> μCi / 1.85 MBq	191,000
<b>F 3-Fluorobenzoic acid [carbonyl-<sup>14</sup>C]</b> FC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 140.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3116-50</b> μCi / 1.85 MBq <b>ARC 3116-250</b> μCi / 9.25 MBq	177,000 299,000
<b>4-Fluorobenzoic acid [carboxyl-<sup>14</sup>C]</b> FC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 140.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1885-50</b> μCi / 1.85 MBq <b>ARC 1885-250</b> μCi / 9.25 MBq	164,000 366,000
<b>4-Fluorobenzoic acid [ring-<sup>14</sup>C(U)]</b> FC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 140.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3285-50</b> μCi / 1.85 MBq	328,000
<b>4-Fluorobenzonitrile [nitrile-<sup>14</sup>C]</b> 劇 FC <sub>6</sub> H <sub>4</sub> CN M.W. 121.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1383-250</b> μCi / 9.25 MBq	366,000
<b>3-Fluorobenzylalcohol [methylene-<sup>14</sup>C]</b> FC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> OH M.W. 126.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3118-250</b> μCi / 9.25 MBq	335,000
<b>3-Fluorobenzylbromide [methylene-<sup>14</sup>C]</b> FC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> Br M.W. 189.03 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3117-250</b> μCi / 9.25 MBq	335,000
<b>1-Fluoro-4-bromobenzene [ring-<sup>14</sup>C(U)]</b> BrC <sub>6</sub> H <sub>4</sub> F M.W. 175 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3015-50</b> μCi / 1.85 MBq	296,000
<b>Fluorocholine [1,2-<sup>3</sup>H] chloride (N,N-dimethyl-(fluoromethyl) ethanolammonium chloride; FCH)</b> CH <sub>2</sub> F+N(CH <sub>3</sub> ) <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> OHCl M.W. 122.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water(1:1) 1 mCi/ml	<b>ART 1348-50</b> μCi / 1.85 MBq	335,000
<b>4-Fluoro-3-cyanoaniline [ring-<sup>3</sup>H]</b> C <sub>7</sub> H <sub>5</sub> N <sub>2</sub> F M.W. 136.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2051-250</b> μCi / 9.25 MBq	219,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2-Fluoro-2'-deoxyadenosine [8-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>12</sub> FN <sub>5</sub> O <sub>3</sub> M.W. 245.2 <i>Shipped in Dry Ice</i>	1-15 Ci/mmol 37-555 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1355-250</b> μCi / 9.25 MBq <b>ART 1355-1</b> mCi / 37 MBq	173,000 408,000
<b>2-Fluoro-2-deoxy-D-galactose "cold"</b> M.W. 182.15 CAS # 7226-39-3		Solid	<b>ARCD 0659-10</b> mg	63,000
<b>2-Fluoro-2-deoxy-D-galactose [1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHFCHO M.W. 182.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 3512-50</b> μCi / 1.85 MBq	219,000
<b>2-Fluoro-2-deoxy-D-galactose [1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHFCHO M.W. 182.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile saline 0.1 mCi/ml	<b>ARC 3512A-50</b> μCi / 1.85 MBq	219,000
<b>2-Fluoro-2-deoxy-D-glucose "cold"</b> M.W. 182.15 CAS # 29702-43-0		Solid	<b>ARCD 0386-25</b> mg	48,000
<b>2-Fluoro-2-deoxy-D-glucose [<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHFCHO M.W. 182.1 <i>Exclusive</i> <i>H. Scheich, et al., Europ. J. Neuroscience, 7, 1614 (1995)</i>	300-360 mCi/mmol 11.1-13.32 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0114-50</b> μCi / 1.85 MBq	199,000
<b>2-Fluoro-2-deoxy-D-glucose [<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHFCHO M.W. 182.1 <i>Exclusive</i>	300-360 mCi/mmol 11.1-13.32 GBq/mmol	Sterile saline 0.1 mCi/ml	<b>ARC 0114A-50</b> μCi / 1.85 MBq	199,000
<b>2-Fluoro-2-deoxy-D-glucose [<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHFCHO M.W. 182.1 <i>Exclusive</i>	300-360 mCi/mmol 11.1-13.32 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0114B-50</b> μCi / 1.85 MBq	199,000
<b>2-Fluoro-2-deoxy-D-glucose [5,6-<sup>3</sup>H]</b> HOCH <sub>2</sub> CHOH(CHOH) <sub>2</sub> CHFCHO M.W. 182.1 <i>Exclusive</i>	20-60 Ci/mmol 0.74-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0105-50</b> μCi / 1.85 MBq <b>ART 0105-250</b> μCi / 9.25 MBq <b>ART 0105-1</b> mCi / 37 MBq	103,000 199,000 376,000
<b>2-Fluoro-2-deoxy-D-glucose [5,6-<sup>3</sup>H]</b> HOCH <sub>2</sub> CHOH(CHOH) <sub>2</sub> CHFCHO M.W. 182.1 <i>Exclusive</i>	20-60 Ci/mmol 0.74-2.22 TBq/mmol	Sterile saline 1 mCi/ml	<b>ART 0105A-50</b> μCi / 1.85 MBq <b>ART 0105A-250</b> μCi / 9.25 MBq <b>ART 0105A-1</b> mCi / 37 MBq	103,000 199,000 376,000
<b>2-Fluoro-2-deoxy-D-glucose [<sup>3</sup>H(G)]</b> C <sub>6</sub> H <sub>11</sub> FO <sub>5</sub> M.W. 182.15 <i>Exclusive</i>	5-20 Ci/mmol 185-740 GBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1543-250</b> μCi / 9.25 MBq <b>ART 1543-1</b> mCi / 37 MBq	142,000 314,000
<b>2-Fluoro-2-deoxy-mannose [<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHFCHO M.W. 182.1 <i>Exclusive</i>	300-360 mCi/mmol 11.1-13.32 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 1840-50</b> μCi / 1.85 MBq	254,000

F

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>5-Fluoro 2'-deoxyuridine [2-<sup>14</sup>C]</b> M.W. 246.2 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1673-10</b> μCi / 370 kBq <b>ARC 1673-50</b> μCi / 1.85 MBq	Inquire Inquire
<b>2'-Fluoro-2'-deoxyuridine [5'-<sup>3</sup>H]</b> M.W. 246.2 <i>Shipped in Dry Ice</i>	15-40 Ci/mmol 0.555-1.48 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0790-250</b> μCi / 9.25 MBq <b>ART 0790-1</b> mCi / 37 MBq	Inquire Inquire
<b>5-Fluoro-2'-deoxyuridine [6-<sup>3</sup>H]</b> M.W. 246.2 <i>Shipped in Dry Ice</i>	15-25 Ci/mmol 555-925 GBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0757-250</b> μCi / 9.25 MBq <b>ART 0757-1</b> mCi / 37 MBq	Inquire Inquire
<b>5-Fluoro-2'-deoxyuridine 5' monophosphate [6-<sup>3</sup>H] sodium salt</b> <chem>C9H12FN2O8P</chem> M.W. 326.2 <i>Shipped in Dry Ice</i>	15-25 Ci/mmol 555-925 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1390-250</b> μCi / 9.25 MBq <b>ART 1390-1</b> mCi / 37 MBq	203,000 439,000
<b>1-Fluoro-2,4-dinitrobenzene [<sup>14</sup>C(U)]</b> <chem>(O2N)2C6H3F</chem> M.W. 186.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3223-50</b> μCi / 1.85 MBq	524,000
<b>Fluoroethanol [1-<sup>14</sup>C] 劇</b> <chem>FCH2CH2OH</chem> M.W. 64.06 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile 0.1 mCi/ml	<b>ARC 3434-50</b> μCi / 1.85 MBq	219,000
<b>N-(2-Fluoroethyl)-6,11-dihydro-8-methoxy-5H-benzo(a)carbazol-3-amine [ethyl-<sup>3</sup>H]</b> M.W. 280.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 185-555 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1422-50</b> μCi / 1.85 MBq	248,000
<b>4-Fluoro-1-iodobenzene [ring-<sup>14</sup>C(U)]</b> <chem>FC6H4I</chem> M.W. 222 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1782-50</b> μCi / 1.85 MBq <b>ARC 1782-250</b> μCi / 9.25 MBq	269,000 563,000
<b>3-Fluoro-4-methoxy acetophenone [carbonyl-<sup>14</sup>C]</b> M.W. 168.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0892-1</b> mCi / 37 MBq	219,000
<b>1-Fluoro-2-nitrobenzene [ring-<sup>14</sup>C(U)]</b> <chem>C6H4FNO2</chem> M.W. 141.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3124-50</b> μCi / 1.85 MBq	366,000
<b>2-Fluoro-5-nitrobenzoic acid [carboxyl-<sup>14</sup>C]</b> <chem>FC6H3(NO2)CO2H</chem> M.W. 185.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3021-50</b> μCi / 1.85 MBq	248,000
<b>4-Fluoro-3-nitrobenzoic acid [carboxyl-<sup>14</sup>C]</b> <chem>FC6H3(NO2)CO2H</chem> M.W. 185.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1887-50</b> μCi / 1.85 MBq	198,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>4-Fluoro-3-nitrobenzoic acid [carboxyl-<sup>14</sup>C] methyl ester</b> FC <sub>6</sub> H <sub>3</sub> NO <sub>2</sub> CO <sub>2</sub> CH <sub>3</sub> M.W. 200.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1879-50</b> μCi / 1.85 MBq	198,000
<b>2-Fluorophenol [ring-<sup>14</sup>C(U)]</b> FC <sub>6</sub> H <sub>4</sub> OH M.W. 112.10 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3131-50</b> μCi / 1.85 MBq <b>ARC 3131-250</b> μCi / 9.25 MBq	229,000 566,000
<b>4-Fluorophenol [ring-<sup>14</sup>C(U)]</b> FC <sub>6</sub> H <sub>4</sub> OH M.W. 112.10 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0538-250</b> μCi / 9.25 MBq	563,000
<b>2-Fluoro-phenylboronic acid [ring-<sup>14</sup>C(U)]</b> FC <sub>6</sub> H <sub>4</sub> B(OH) <sub>2</sub> M.W. 139.92 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Anhydrous THF 1 mCi/ml	<b>ARC 3016-50</b> μCi / 1.85 MBq	248,000
<b>4-Fluoro-phenylboronic acid [ring-<sup>14</sup>C(U)]</b> FC <sub>6</sub> H <sub>4</sub> B(OH) <sub>2</sub> M.W. 139.92 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3013-50</b> μCi / 1.85 MBq	248,000
<b>4-Fluorostyrene [methylene-<sup>14</sup>C]</b> H <sub>2</sub> C=CHC <sub>6</sub> H <sub>4</sub> F M.W. 122.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 1852-50</b> μCi / 1.85 MBq	219,000
<b>3-Fluoro-4-trifluoromethylphenyl acetic acid [carboxyl-<sup>14</sup>C]</b> C <sub>9</sub> H <sub>6</sub> O <sub>2</sub> F <sub>4</sub> M.W. 222.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1888-50</b> μCi / 1.85 MBq	229,000
<b>3-Fluoro-4-trifluoromethylphenyl benzyl bromide [carboxyl-<sup>14</sup>C]</b> C <sub>8</sub> H <sub>5</sub> F <sub>4</sub> Br M.W. 257.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1889-50</b> μCi / 1.85 MBq	229,000
<b>Fluorouracil, 5-[2-<sup>14</sup>C]</b> M.W. 130.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0237-50</b> μCi / 1.85 MBq <b>ARC 0237-250</b> μCi / 9.25 MBq	191,000 419,000
<b>Fluorouracil, 5-[6-<sup>14</sup>C]</b> M.W. 130.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 0437-50</b> μCi / 1.85 MBq <b>ARC 0437-250</b> μCi / 9.25 MBq	Inquire Inquire
<b>Fluorouracil, 5-[6-<sup>3</sup>H]</b> M.W. 130.1	15-25 Ci/mmol 0.555-0.925 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0310-1</b> mCi / 37 MBq	307,000

F



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Fluorowillardiine, (S)-(-)-[<sup>3</sup>H]</b> <b>((S)-(-)-<math>\alpha</math>-Amino-5-fluoro-3,4-dihydro-2,4</b> <b>dioxo-1(2H)pyridine-[2,3-<sup>3</sup>H] propanoic acid)</b> M.W. 217.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-50 Ci/mmol 1.11-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0539-250</b> $\mu$ Ci / 9.25 MBq	322,000
<b>Fluoxetine [N-methyl-<sup>14</sup>C] hydrochloride</b> C <sub>17</sub> H <sub>18</sub> F <sub>3</sub> NO · HCl M.W. 345.79 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3040-50</b> $\mu$ Ci / 1.85 MBq	439,000
<b>Fluoxetine [N-methyl-<sup>3</sup>H] hydrochloride</b> C <sub>17</sub> H <sub>18</sub> F <sub>3</sub> NO · HCl M.W. 345.79 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.21 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1331-50</b> $\mu$ Ci / 1.85 MBq	279,000
<b>cis-(Z)-Flupenthixol [<sup>3</sup>H(G)] dihydrochloride</b> M.W. 507.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0772-50</b> $\mu$ Ci / 1.85 MBq	234,000
<b>trans-(E)-Flupenthixol [<sup>3</sup>H(G)] dihydrochloride</b> M.W. 507.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0773-50</b> $\mu$ Ci / 1.85 MBq	234,000
<b>Flurazepam [N-methyl-<sup>3</sup>H]</b> 向 C <sub>21</sub> H <sub>23</sub> ClFN <sub>3</sub> O M.W. 387.88 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1768-50</b> $\mu$ Ci / 1.85 MBq	Inquire
<b>Flurbiprofen [<sup>3</sup>H(G)]</b> M.W. 244.27 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0389-250</b> $\mu$ Ci / 9.25 MBq	251,000
<b>Fluvastatin lactone "cold"</b> C <sub>24</sub> H <sub>24</sub> FNO <sub>3</sub> M.W. 393.45		Solid	<b>ARCD 0404-10</b> mg	46,000
<b>Fluvastatin lactone [<sup>3</sup>H(G)]</b> C <sub>24</sub> H <sub>24</sub> FNO <sub>3</sub> M.W. 393.45 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1622-10</b> $\mu$ Ci / 370 kBq <b>ART 1622-50</b> $\mu$ Ci / 1.85 MBq	179,000 439,000
<b>Fluvastatin sodium salt "cold"</b> C <sub>24</sub> H <sub>25</sub> FNNaO <sub>4</sub> M.W. 433.45 CAS # 93957-55-2		Solid	<b>ARCD 0405-10</b> mg	43,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Fluvastatin [<sup>3</sup>H(G)] sodium salt</b> C <sub>24</sub> H <sub>25</sub> FNNaO <sub>4</sub> M.W. 433.45 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1623-10</b> μCi / 370 kBq <b>ART 1623-50</b> μCi / 1.85 MBq	179,000 439,000
<b>N-FMOC-D-Alanine [1-<sup>14</sup>C]</b> M.W. 311.3 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1110-50</b> μCi / 1.85 MBq <b>ARC 1110-250</b> μCi / 9.25 MBq	184,000 381,000
<b>N-FMOC-L-Alanine [1-<sup>14</sup>C]</b> M.W. 311.3 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0494-50</b> μCi / 1.85 MBq <b>ARC 0494-250</b> μCi / 9.25 MBq	149,000 296,000
<b>N-FMOC-D-Alanine [<sup>14</sup>C(U)]</b> M.W. 311.3 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3033-50</b> μCi / 1.85 MBq <b>ARC 3033-250</b> μCi / 9.25 MBq	172,000 379,000
<b>N-FMOC-L-Alanine [<sup>14</sup>C(U)]</b> M.W. 311.3 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3373-50</b> μCi / 1.85 MBq <b>ARC 3373-250</b> μCi / 9.25 MBq	243,000 508,000
<b>N-FMOC-L-Alanine [2,3-<sup>3</sup>H]</b> M.W. 311.3 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0401-250</b> μCi / 9.25 MBq <b>ART 0401-1</b> mCi / 37 MBq	164,000 365,000
<b>N-FMOC-Aminocyclohexane carboxylic acid, 1-[carboxyl-<sup>14</sup>C]</b> M.W. 363.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1349-250</b> μCi / 9.25 MBq	Inquire
<b>N-FMOC-L-Aspartic acid [<sup>14</sup>C(U)]</b> M.W. 355.3 <i>Exclusive</i>	100-200 mCi/mmol 3.7-7.4 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1053-50</b> μCi / 1.85 MBq <b>ARC 1053-250</b> μCi / 9.25 MBq	184,000 408,000
<b>N-FMOC-Glycine [1-<sup>14</sup>C]</b> M.W. 297.3 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0495-50</b> μCi / 1.85 MBq <b>ARC 0495-250</b> μCi / 9.25 MBq	142,000 296,000
<b>N-FMOC-Glycine [<sup>14</sup>C(U)]</b> M.W. 297.3 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3372-50</b> μCi / 1.85 MBq <b>ARC 3372-250</b> μCi / 9.25 MBq	243,000 508,000
<b>N-FMOC-Glycine [2-<sup>3</sup>H]</b> M.W. 297.3 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0416-250</b> μCi / 9.25 MBq <b>ART 0416-1</b> mCi / 37 MBq	170,000 365,000
<b>N-FMOC-D-Leucine [1-<sup>14</sup>C]</b> M.W. 353.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1094-50</b> μCi / 1.85 MBq <b>ARC 1094-250</b> μCi / 9.25 MBq	198,000 381,000
<b>N-FMOC-L-Leucine [1-<sup>14</sup>C]</b> M.W. 353.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0662-50</b> μCi / 1.85 MBq <b>ARC 0662-250</b> μCi / 9.25 MBq	177,000 365,000
<b>N-FMOC-L-Leucine [4,5-<sup>3</sup>H]</b> M.W. 353.42 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0415-250</b> μCi / 9.25 MBq <b>ART 0415-1</b> mCi / 37 MBq	171,000 353,000

F



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>N-FMOC-L-Lysine [4,5-<sup>3</sup>H]</b> M.W. 590.65 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0581-250</b> μCi / 9.25 MBq <b>ART 0581-1</b> mCi / 37 MBq	184,000 359,000
<b>N-FMOC-D-Phenylalanine [1-<sup>14</sup>C]</b> M.W. 387.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1109-50</b> μCi / 1.85 MBq <b>ARC 1109-250</b> μCi / 9.25 MBq	184,000 359,000
<b>N-FMOC-L-Phenylalanine [1-<sup>14</sup>C]</b> M.W. 387.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1033-50</b> μCi / 1.85 MBq <b>ARC 1033-250</b> μCi / 9.25 MBq	184,000 355,000
<b>N-FMOC-D-Phenylalanine [<sup>14</sup>C(U)]</b> M.W. 387.4 <i>Exclusive</i>	250-450 mCi/mmol 9.25-16.6 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3034-50</b> μCi / 1.85 MBq	219,000
<b>N-FMOC-L-Phenylalanine [<sup>14</sup>C(U)]</b> M.W. 387.4 <i>Exclusive</i>	250-450 mCi/mmol 9.25-16.6 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1425-50</b> μCi / 1.85 MBq	212,000
<b>N-FMOC-L-Phenylalanine [4-<sup>3</sup>H]</b> M.W. 387.4 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0410-250</b> μCi / 9.25 MBq <b>ART 0410-1</b> mCi / 37 MBq	206,000 339,000
<b>N-FMOC-L-Proline [3,4-<sup>3</sup>H]</b> <b>(N-(9-Fluorenylmethoxycarbonyl)-L-proline)</b> C <sub>20</sub> H <sub>19</sub> O <sub>4</sub> M.W. 337.4 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0501-250</b> μCi / 9.25 MBq <b>ART 0501-1</b> mCi / 37 MBq	226,000 317,000
<b>N-FMOC-L-Tyrosine [3,5-<sup>3</sup>H]</b> M.W. 403.4 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0498-250</b> μCi / 9.25 MBq <b>ART 0498-1</b> mCi / 37 MBq	170,000 303,000
<b>N-FMOC-D-Valine [1-<sup>14</sup>C]</b> <b>(N-(9-Fluorenylmethoxycarbonyl)-D-valine)</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH(NHFMOC)COOH M.W. 339.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1821-50</b> μCi / 1.85 MBq	239,000
<b>N-FMOC-L-Valine [1-<sup>14</sup>C]</b> <b>(N-(9-Fluorenylmethoxycarbonyl)-L-valine)</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH(NHFMOC)COOH M.W. 339.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0661-50</b> μCi / 1.85 MBq <b>ARC 0661-250</b> μCi / 9.25 MBq	186,000 365,000
<b>N-FMOC-L-Valine [<sup>14</sup>C(U)]</b> <b>(N-(9-Fluorenylmethoxycarbonyl)-L-valine)</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH(NHFMOC)COOH M.W. 339.4 <i>Exclusive</i>	150-250 mCi/mmol 5.55-9.25 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1524-250</b> μCi / 9.25 MBq	339,000
<b>N-FMOC-L-Valine [3,4-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH(NHFMOC)COOH M.W. 339.4 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0527-250</b> μCi / 9.25 MBq <b>ART 0527-1</b> mCi / 37 MBq	181,000 324,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Folic acid [3,5,7,9-<sup>3</sup>H] sodium salt</b> C <sub>19</sub> H <sub>19</sub> N <sub>7</sub> O <sub>6</sub> M.W. 441.4 <i>Shipped in Dry Ice</i>	20-70 Ci/mmol 0.74-2.59 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0125-250</b> μCi / 9.25 MBq <b>ART 0125-1</b> mCi / 37 MBq	247,000 503,000
<b>Formaldehyde [<sup>14</sup>C]</b> HCHO M.W. 30.0 See also ARC 0402 Paraformaldehyde [ <sup>14</sup> C]	50-60 mCi/mmol 1.85-2.22 GBq/mmol	aqueous solution 1 mCi/ml	<b>ARC 0236A-50</b> μCi / 1.85 MBq <b>ARC 0236A-250</b> μCi / 9.25 MBq <b>ARC 0236A-1</b> mCi / 37 MBq	59,000 134,000 268,000
<b>Formaldehyde [<sup>3</sup>H]</b> HCHO M.W. 30.0 <i>Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Sterile water 1 mCi/ml	<b>ART 0311-1</b> mCi / 37 MBq <b>ART 0311-5</b> mCi / 185 MBq	59,000 191,000
<b>Formamide [<sup>14</sup>C]</b> HCONH <sub>2</sub> M.W. 45.04 <i>Exclusive</i>	20-50 mCi/mmol 0.74-1.85 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0532A-250</b> μCi / 9.25 MBq <b>ARC 0532A-1</b> mCi / 37 MBq	189,000 339,000
<b>Formamidine [1-<sup>14</sup>C] acetate</b> HN=CHNH <sub>2</sub> ·CH <sub>3</sub> COOH M.W. 104.11 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1878-50</b> μCi / 1.85 MBq <b>ARC 1878-250</b> μCi / 9.25 MBq	207,000 299,000
<b>Formamidine [1-<sup>14</sup>C] hydrochloride</b> HC(=NH)NH <sub>2</sub> HCl M.W. 80.52 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1667-50</b> μCi / 1.85 MBq <b>ARC 1667-250</b> μCi / 9.25 MBq	212,000 296,000
<b>Formic acid [<sup>14</sup>C]</b> 劇 HCOOH M.W. 46.03 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 1114-5</b> mCi / 185 MBq	419,000
<b>Formic acid [<sup>14</sup>C] sodium salt</b> HCOONa M.W. 68.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ARC 0163A-50</b> μCi / 1.85 MBq <b>ARC 0163A-250</b> μCi / 9.25 MBq <b>ARC 0163A-1</b> mCi / 37 MBq <b>ARC 0163A-5</b> mCi / 185 MBq	44,000 54,000 149,000 324,000
<b>Formic acid [<sup>14</sup>C] sodium salt</b> HCOONa M.W. 68.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0163B-1</b> mCi / 37 MBq <b>ARC 0163B-5</b> mCi / 185 MBq	149,000 324,000
<b>Formic hydrazide [carbonyl-<sup>14</sup>C]</b> HCONHNH <sub>2</sub> M.W. 60.06 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 3022-250</b> μCi / 9.25 MBq	226,000
<b>Formycin B [<sup>3</sup>H(G)]</b> M.W. 268.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-15 Ci/mmol 0.37-0.555 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0765-500</b> μCi / 18.5 MBq <b>ART 0765-1</b> mCi / 37 MBq	Inquire Inquire

F

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Fructose, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> COCH <sub>2</sub> OH M.W. 180.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 3702-50</b> μCi / 1.85 MBq	439,000
<b>Fructose, D-[6-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> COCH <sub>2</sub> OH M.W. 180.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 3703-50</b> μCi / 1.85 MBq	439,000
<b>F</b> <b>Fructose, D-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> COCH <sub>2</sub> OH M.W. 180.2 <i>Exclusive</i>	250-360 mCi/mmol 9.25-13.32 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0116-50</b> μCi / 1.85 MBq <b>ARC 0116-250</b> μCi / 9.25 MBq <b>ARC 0116-1</b> mCi / 37 MBq	59,000 99,000 219,000
<b>Fructose, D-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> COCH <sub>2</sub> OH M.W. 180.2 <i>Exclusive</i>	250-360 mCi/mmol 9.25-13.32 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0116A-50</b> μCi / 1.85 MBq <b>ARC 0116A-250</b> μCi / 9.25 MBq <b>ARC 0116A-1</b> mCi / 37 MBq	59,000 99,000 219,000
<b>Fructose, D-[<sup>3</sup>H(G)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> COCH <sub>2</sub> OH M.W. 180.2 <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0329-250</b> μCi / 9.25 MBq <b>ART 0329-1</b> mCi / 37 MBq	76,000 198,000
<b>Fructose, D-[<sup>14</sup>C(U)]-1,6-diphosphate tetrasodium salt</b> M.W. 340.10 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	250-360 mCi/mmol 9.25-13.32 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 3125-50</b> μCi / 1.85 MBq <b>ARC 3125-250</b> μCi / 9.25 MBq	172,000 523,000
<b>Fructose [<sup>14</sup>C(U)]-6-phosphate disodium salt</b> M.W. 304.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	250-350 mCi/mmol 9.25-13.32 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1121-50</b> μCi / 1.85 MBq <b>ARC 1121-250</b> μCi / 9.25 MBq	149,000 339,000
<b>Fructose, D-[<sup>3</sup>H(G)]-6-phosphate disodium salt</b> M.W. 304.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1378-50</b> μCi / 1.85 MBq <b>ART 1378-250</b> μCi / 9.25 MBq	121,000 282,000
<b>Fucose, L-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CHOH) <sub>4</sub> CHO M.W. 164.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0803-50</b> μCi / 1.85 MBq	296,000
<b>Fucose, L-[5,6-<sup>3</sup>H]</b> CH <sub>3</sub> CHOH(CHOH) <sub>3</sub> CHO M.W. 164.2 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0106A-250</b> μCi / 9.25 MBq <b>ART 0106A-1</b> mCi / 37 MBq	85,000 169,000
<b>Fucose, L-[6-<sup>3</sup>H]</b> CH <sub>3</sub> (CHOH) <sub>4</sub> CHO M.W. 164.2 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0107-250</b> μCi / 9.25 MBq <b>ART 0107-1</b> mCi / 37 MBq	85,000 170,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Fumaric acid [1,4-<sup>14</sup>C]</b> HO <sub>2</sub> CCH=CHCO <sub>2</sub> H M.W. 116.1 <i>Exclusive</i>	5-10 mCi/mmol 0.185-0.37 GBq/mmol	Solid	<b>ARC 0567-250</b> μCi / 9.25 MBq <b>ARC 0567-1</b> mCi / 37 MBq	282,000 647,000
<b>Fumaric acid [2,3-<sup>14</sup>C]</b> HO <sub>2</sub> CCH=CHCO <sub>2</sub> H M.W. 116.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0596-250</b> μCi / 9.25 MBq <b>ARC 0596-1</b> mCi / 37 MBq	282,000 647,000
<b>Fumonisin B<sub>1</sub> [<sup>3</sup>H(G)]</b> C <sub>34</sub> H <sub>59</sub> NO <sub>15</sub> M.W. 721.83 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Methanol 1 mCi/ml	<b>ART 2118-50</b> μCi / 1.85 MBq	209,000
<b>Fusidic acid "cold"</b> M.W. 516.7 CAS # 6990-06-3 <i>NEW!-Exclusive</i>		Solid	<b>ARCD 1030-100</b> mg	44,000
<b>Fusidic acid [<sup>3</sup>H(G)]</b> C <sub>31</sub> H <sub>48</sub> O <sub>6</sub> M.W. 516.71 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2114</b>	Inquire
<b>Fyrol FR-2 [<sup>14</sup>C]</b> <b>(tris (1,3-Dichloro-2-propyl) phosphate)</b> PO[OCH(CH <sub>2</sub> Cl) <sub>2</sub> ] <sub>3</sub> M.W. 430.91 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetone in sealed ampoule 0.1 mCi/ml	<b>ARC 1345-50</b> μCi / 1.85 MBq	339,000
<b>Gabapentin "cold"</b> C <sub>9</sub> H <sub>17</sub> NO <sub>2</sub> M.W. 171.2		Solid	<b>ARCD 0233-10</b> mg <b>ARCD 0233-50</b> mg	29,000 68,000
<b>Gabapentin [<sup>3</sup>H]</b> <b>(1-(Aminomethyl)-[2,3,5,6-<sup>3</sup>H]</b> <b>cyclohexaneacetic acid)</b> M.W. 171.2 <i>Shipped in Dry Ice</i> <i>Hill et al (1993) Localization of [<sup>3</sup>H] gabapentin to a novel site in a rat brain : autoradiographic studies. Eur. J. Pharmacol. 244 303</i> <i>Thurlow et al (1996) Comparison of the uptake of [<sup>3</sup>H] gabapentin with the uptake of L-[<sup>3</sup>H] leucine into rat brain synaptosomes. Br. J. Pharmacol. 118 449.</i> <i>Brown and Gee (1996) Cloning and deletion mutagenesis of the α<sub>2δ</sub> calcium channel subunit from porcine cerebral cortex. J. Biol. Chem. 273 25458</i>	90-120 Ci/mmol 3.33-4.44 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1303-100</b> μCi / 3.7 MBq <b>ART 1303-250</b> μCi / 9.25 MBq <b>ART 1303-1</b> mCi / 37 MBq	203,000 353,000 Inquire
<b>Gaboxadol [<sup>3</sup>H(G)]</b> C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> M.W. 141.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74 1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1712</b>	Inquire
<b>Galactitol, D-[1-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CH <sub>2</sub> OH M.W. 182.2 <i>Exclusive</i>	15-20 Ci/mmol 0.555-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0551-250</b> μCi / 9.25 MBq <b>ART 0551-1</b> mCi / 37 MBq	100,000 199,000

**F  
G**



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Galactocerebroside [stearoyl-1-<sup>14</sup>C] (Galactosyl ceramide)</b> M.W. 727 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1453-50</b> μCi / 1.85 MBq	324,000
<b>Galactonic acid, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CO <sub>2</sub> H M.W. 196.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3011-50</b> μCi / 1.85 MBq	269,000
<b>Galactosamine, D-[1-<sup>14</sup>C] hydrochloride</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHO·HCl <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0435-50</b> μCi / 1.85 MBq <b>ARC 0435-250</b> μCi / 9.25 MBq	142,000 339,000
<b>Galactosamine, D-[1-<sup>3</sup>H(N)] hydrochloride</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHO·HCl M.W. 215.6 <i>Exclusive</i>	10-25 Ci/mmol 0.37-0.925 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0148-250</b> μCi / 9.25 MBq <b>ART 0148-1</b> mCi / 37 MBq	142,000 269,000
<b>Galactose, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0117A-50</b> μCi / 1.85 MBq <b>ARC 0117A-250</b> μCi / 9.25 MBq	104,000 261,000
<b>Galactose, D-[1-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	15-25 Ci/mmol 0.555-0.925 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0108A-250</b> μCi / 9.25 MBq <b>ART 0108A-1</b> mCi / 37 MBq <b>ART 0108A-5</b> mCi / 185 MBq	85,000 122,000 269,000
<b>Galactose, D-[6-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0109A-250</b> μCi / 9.25 MBq <b>ART 0109A-1</b> mCi / 37 MBq <b>ART 0109A-5</b> mCi / 185 MBq	85,000 122,000 269,000
<b>Galactose, L-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0161-50</b> μCi / 1.85 MBq <b>ARC 0161-250</b> μCi / 9.25 MBq	142,000 353,000
<b>Galactose, D-[1-<sup>14</sup>C]-1-phosphate</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOPO(OH) <sub>2</sub> M.W. 294 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 3473-10</b> μCi / 370 kBq <b>ARC 3473-50</b> μCi / 1.85 MBq	101,000 335,000
<b>Galactose, D-[<sup>14</sup>C(U)]-1-phosphate</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOPO(OH) <sub>2</sub> M.W. 294 <i>Shipped in Dry Ice</i>	250-300 mCi/mmol 9.25-11.1 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0312-10</b> μCi / 370 kBq <b>ARC 0312-50</b> μCi / 1.85 MBq	152,000 345,000
<b>Galactose, D-[1-<sup>14</sup>C]-6-phosphate</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOPO(OH) <sub>2</sub> M.W. 294 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 3481-10</b> μCi / 370 kBq <b>ARC 3481-50</b> μCi / 1.85 MBq	107,000 335,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Galactosidase, β-[methyl-<sup>14</sup>C] methylated from Escherichia coli (Lactase)</b> M.W. 116,000 <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	Buffered solution 0.05 mCi/ml	<b>ARC 3319-1</b> μCi / 37 kBq <b>ARC 3319-5</b> μCi / 185 kBq	192,000 363,000
<b>Galactosyl ceramide [galactose-6-<sup>3</sup>H]</b> M.W. 828(2-hydroxytetraacosanoyl) <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 0830-50</b> μCi / 1.85 MBq	198,000
<b>Galacturonic acid, D-[<sup>3</sup>H(G)]</b> HO <sub>2</sub> C(CHOH) <sub>4</sub> CHO M.W. 194.14 <i>Exclusive</i>	2-10 Ci/mmol 74-370 GBq/mmol	Sterile water 1 mCi/ml	<b>ART 1695-250</b> μCi / 9.25 MBq	234,000
<b>Gallein "cold"</b>		Solid	<b>ARCD 0460-50</b> mg	32,000
<b>Gallein [<sup>3</sup>H(G)]</b> C <sub>20</sub> H <sub>12</sub> O <sub>7</sub> M.W. 364.31 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 185-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1707-50</b> μCi / 1.85 MBq	219,000
<b>Ganciclovir [8-<sup>14</sup>C]</b> M.W. 255.20 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 3454-10</b> μCi / 370 kBq <b>ARC 3454-25</b> μCi / 925 kBq	191,000 314,000
<b>Ganciclovir [8-<sup>3</sup>H]</b> <b>(2-amino-9-(1,3-dihydroxypropan-2-yloxy methyl)-3H-purin-6-one)</b> C <sub>9</sub> H <sub>13</sub> N <sub>5</sub> O <sub>4</sub> M.W. 255.23 <i>Shipped in Dry Ice</i>	10-30 Ci/mmol 0.370-1.11TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0596-500</b> μCi / 18.5 MBq <b>ART 0596-1</b> mCi / 37 MBq	Inquire Inquire
<b>Ganglioside G<sub>M1</sub> "cold"</b> M.W. 1540			<b>ARCD 0220-1</b> mg	43,000
<b>Ganglioside [galactose 6-<sup>3</sup>H]</b> <b>(Monosialoganglioside G<sub>M1</sub>)</b> Cer.Glc.Gal(NeuAC).GalNAc.GAL M.W. 1540 <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Chloroform: ethanol (2:1) 0.1 mCi/ml	<b>ART 0290-10</b> μCi / 370 kBq <b>ART 0290-50</b> μCi / 1.85 MBq	142,000 534,000
<b>Ganglioside G<sub>M2</sub> "cold"</b> M.W. 1407			<b>ARCD 0232-1</b> mg	96,000
<b>Gardenin E [<sup>3</sup>H(G)]</b> C <sub>19</sub> H <sub>18</sub> O <sub>9</sub> M.W. 380 <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethyl acetate in sealed ampoule 1 mCi/ml	<b>ART 0642-50</b> μCi / 1.85 MBq	142,000
<b>Gastric inhibitory polypeptide [<sup>125</sup>I] (human)</b> <b>(Glucose-dependent insulinotropic polypeptide; GIP)</b> <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Buffered solution (pH 4.0) 0.2 mCi/ml	<b>ARI 0138-10</b> μCi / 370 kBq <b>ARI 0138-25</b> μCi / 925 kBq	148,000 274,000

G

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>GBR 12935 [propylene-2,3-<sup>3</sup>H]</b> C <sub>28</sub> H <sub>34</sub> N <sub>2</sub> O M.W. 414 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1815-250</b> μCi / 9.25 MBq <b>ART 1815-1</b> mCi / 37 MBq	Inquire Inquire
<b>Gemcitabine [5-<sup>3</sup>H]</b> C <sub>9</sub> H <sub>11</sub> F <sub>2</sub> N <sub>3</sub> O <sub>4</sub> M.W. 263.20 <i>Shipped in Dry Ice</i>	5-20 Ci/mmol 0.185-0.74 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1784-50</b> μCi / 1.85 MBq	251,000
<b>Gemcitabine hydrochloride "cold"</b>		Solid	<b>ARCD 0718-10</b> mg	34,000
<b>G</b> <b>Genistein [<sup>3</sup>H(G)]</b> <b>(4',5,7-Trihydroxyisoflavone)</b> M.W. 270.23 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 0.185-0.74 GBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 0762-50</b> μCi / 1.85 MBq	191,000
<b>Gentamicin [<sup>3</sup>H(G)] sulfate</b> C <sub>21</sub> H <sub>43</sub> N <sub>5</sub> O <sub>7</sub> · H <sub>2</sub> SO <sub>4</sub> C <sub>1</sub> /C <sub>1a</sub> : C <sub>2</sub> /C <sub>2a</sub> (1:1) M.W. 575.67 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-200 mCi/g 3.7-7.4 GBq/g	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0690A-250</b> μCi / 9.25 MBq	324,000
<b>(±)-Geosmin "cold"</b> M.W. 182.0		Ethanol 5 mg/ml	<b>ARCD 0227-1</b> mg <b>ARCD 0227-5</b> mg	43,000 99,000
<b>all trans Geraniol [1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> C=CH(CH <sub>2</sub> ) <sub>2</sub> C(CH <sub>3</sub> )=CHCH <sub>2</sub> OH M.W. 154.25 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0824-10</b> μCi / 370 kBq	254,000
<b>Geraniol [1-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> C=CH(CH <sub>2</sub> ) <sub>2</sub> C(CH <sub>3</sub> )=CHCH <sub>2</sub> OH M.W. 154.25 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-20 Ci/mmol 0.555-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0428-250</b> μCi / 9.25 MBq	206,000
<b>trans, trans, cis Geranyl geraniol [1-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> C:CH[CH <sub>2</sub> CH <sub>2</sub> C(CH <sub>3</sub> ):CH] <sub>3</sub> CH <sub>2</sub> OH M.W. 290.49 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-20 Ci/mmol 0.555-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0515-250</b> μCi / 9.25 MBq	184,000
<b>all trans Geranyl geraniol "cold"</b> (CH <sub>3</sub> ) <sub>2</sub> C:CH[CH <sub>2</sub> CH <sub>2</sub> C(CH <sub>3</sub> ):CH] <sub>3</sub> CH <sub>2</sub> OH M.W. 290.49 <i>Shipped in Dry Ice</i>		Neat liquid in sealed ampoule	<b>ARCD 0106-10</b> mg <b>ARCD 0106-100</b> mg <b>ARCD 0106-1</b> g	36,000 68,000 278,000
<b>all trans Geranyl geraniol [1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> C:CH[CH <sub>2</sub> CH <sub>2</sub> C(CH <sub>3</sub> ):CH] <sub>3</sub> CH <sub>2</sub> OH M.W. 290.49 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0825-10</b> μCi / 370 kBq	296,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<i>all trans</i> Geranyl geraniol [ $1\text{-}^3\text{H}$ ] ( $\text{CH}_3$ ) <sub>2</sub> C:CH[CH <sub>2</sub> CH <sub>2</sub> C(CH <sub>3</sub> ):CH] <sub>3</sub> CH <sub>2</sub> OH M.W. 290.49 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-20 Ci/mmol 0.555-0.74 TBq/mmol	Ethanol 1 mCi/ml	ART 0394-250 $\mu\text{Ci}$ / 9.25 MBq	171,000
<i>all trans</i> Geranyl geraniol [ $1\text{-}^3\text{H}$ ] ( $\text{CH}_3$ ) <sub>2</sub> C:CH[CH <sub>2</sub> CH <sub>2</sub> C(CH <sub>3</sub> ):CH] <sub>3</sub> CH <sub>2</sub> OH M.W. 290.49 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Utilization of Geranyl geraniol for protein isoprenylation in C6 glial cells, Crick, D.C., Waechter, C.J. and Andres, D.A., BBRC, 205 (1), 955 (1994); Novel Salvage Pathway Utilizing Farnesol and Geranyl Geraniol for Protein Isoprenylation D.C. Crick, D.A. Andres and C.J. Waechter, BBRC 237,483-487 (1997)</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	ART 0394A-250 $\mu\text{Ci}$ / 9.25 MBq	171,000
Geranyl geranyl bromide "cold" M.W. 353.39 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Hexane in sealed ampoule 10 mg/ml	ARCD 0119-10 mg ARCD 0119-50 mg	278,000 568,000
<i>all trans</i> Geranyl geranyl [ $1\text{-}^3\text{H}$ ] bromide ( $\text{CH}_3$ ) <sub>2</sub> C:CH[CH <sub>2</sub> CH <sub>2</sub> C(CH <sub>3</sub> ):CH] <sub>3</sub> CH <sub>2</sub> Br M.W. 353.39 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Hexane in sealed ampoule 1 mCi/ml	ART 0465-250 $\mu\text{Ci}$ / 9.25 MBq	339,000
Geranyl geranyl cysteine "cold" M.W. 394.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Hexane 1 mg/ml	ARCD 0160-1 mg	289,000
<i>all trans</i> Geranyl geranyl monophosphate [ $1\text{-}^3\text{H}$ ] diammonium salt (GGP) M.W. 406.49 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	ART 0395-250 $\mu\text{Ci}$ / 9.25 MBq	276,000
<i>all trans</i> Geranyl geranyl pyrophosphate triammonium salt "cold" (GGPP) M.W. 501.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mg/ml	ARCD 0102-1 mg	119,000
<i>all trans</i> Geranyl geranyl pyrophosphate [ $1,2\text{-D}_2$ ] triammonium salt "stable isotope" (GGPP) M.W. 503.3 <i>Exclusive</i>		Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mg/ml	ARCD 0792-10 mg	286,000
<i>all trans</i> Geranyl geranyl pyrophosphate [ $1,2,3\text{-D}_3$ ] triammonium salt "stable isotope" (GGPP) M.W. 504.3		Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mg/ml	ARCD 1008-10 mg	286,000

G

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<i>all trans</i> Geranyl geranyl pyrophosphate, [1- <sup>3</sup> H] triammonium salt (GGPP) M.W. 501.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Retinal Degeneration in Choroideremia: Deficiency of Rab Geranylgeranyl Transferase; Seabra, M., Brown, M., Goldstein, J., Science 259, 377 Jan. 15, 1993</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	ART 0348-50 μCi / 1.85 MBq ART 0348-250 μCi / 9.25 MBq	99,000 226,000
<i>all trans</i> Geranyl geranyl pyrophosphate [1- <sup>3</sup> H] triammonium salt (GGPP) M.W. 501.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	ART 0348A-50 μCi / 1.85 MBq ART 0348A-250 μCi / 9.25 MBq	128,000 239,000
<b>Geranyl pyrophosphate triammonium salt (GPP) "cold"</b> M.W. 369.25 <i>Shipped in Dry Ice</i>		Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mg/ml	ARCD 0103-1 mg	93,000
<b>Geranyl pyrophosphate [1-<sup>3</sup>H] triammonium salt (GPP)</b> M.W. 369.25 <i>Shipped in Dry Ice</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	ART 0363-50 μCi / 1.85 MBq ART 0363-250 μCi / 9.25 MBq	191,000 394,000
<b>Ghrelin, His-[<sup>125</sup>I] (human)</b> M.W. 3495 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	0.1% TFA with 0.4% BSA:46% 1-propanol and 54% acetonitrile (1:1) ~0.1 mCi/ml	ARI 0114-10 μCi / 370 kBq ARI 0114-25 μCi / 925 kBq	224,000 425,000
<b>α-Gliadine [propionyl-<sup>3</sup>H]</b> M.W. 1994.20 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	ART 1738-50 μCi / 1.85 MBq	226,000
<b>Glibenclamide [cyclohexyl-2, 3-<sup>3</sup>H(N)]</b> C <sub>23</sub> H <sub>28</sub> ClN <sub>3</sub> O <sub>5</sub> S M.W. 493 <i>Shipped in Dry Ice</i>	40-70 Ci/mmol 1.48-2.59 TBq/mmol	Ethanol 1 mCi/ml	ART 1942-25 μCi / 925 kBq ART 1942-250 μCi / 9.25 MBq	89,000 297,000
<b>Globulins [methyl-<sup>14</sup>C] methylated</b> M.W. 150 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Dissociates into subunits of ~22,500 and 53,000 Daltons under reducing conditions</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	ARC 0428-1 μCi / 37 kBq ARC 0428-5 μCi / 185 kBq	129,000 269,000
<b>GLP-1 (7-36), Tyr-[<sup>125</sup>I] 毒 (Glucagon-like peptide-1)</b> M.W. ~3298 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Buffered solution (pH 4.0) with Mercaptoethanol 0.08 mCi/ml	ARI 0152-10 μCi / 370 kBq ARI 0152-50 μCi / 1.85 MBq	192,000 344,000
<b>Glucagon [<sup>125</sup>I] Receptor Grade</b> M.W. 3608	2200 Ci/mmol 81.4 TBq/mmol	Buffered solution (pH 8.5) 0.08 mCi/ml	ARI 0139-10 μCi / 370 kBq ARI 0139-50 μCi / 1.85 MBq	154,000 326,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Glucocerebroside [stearoyl-1-<sup>14</sup>C]</b> (Glucosyl ceramide) M.W. 713.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1331-10</b> μCi / 370 kBq <b>ARC 1331-50</b> μCi / 1.85 MBq	324,000 563,000
<b>Gluconic acid, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CO <sub>2</sub> H M.W. 196.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0548-50</b> μCi / 1.85 MBq <b>ARC 0548-250</b> μCi / 9.25 MBq	248,000 521,000
<b>Gluconic acid, D-[2-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOHCO <sub>2</sub> H M.W. 196.16 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 GBq/mmol	Sterile water 1 mCi/ml	<b>ART 1631-250</b> μCi / 9.25 MBq	195,000
<b>Glucosamine, D-[1-<sup>14</sup>C] hydrochloride</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHO·HCl M.W. 215.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0118A-50</b> μCi / 1.85 MBq <b>ARC 0118A-250</b> μCi / 9.25 MBq <b>ARC 0118A-1</b> mCi / 37 MBq	68,000 199,000 368,000
<b>Glucosamine, D-[1-<sup>14</sup>C(U)] hydrochloride</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHO·HCl M.W. 215.6 <i>Exclusive</i>	250-350 mCi/mmol 9.25-12.9 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0119-50</b> μCi / 1.85 MBq <b>ARC 0119-250</b> μCi / 9.25 MBq	149,000 418,000
<b>Glucosamine, D-[1-<sup>3</sup>H] hydrochloride</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHO·HCl M.W. 215.6 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0292A-250</b> μCi / 9.25 MBq <b>ART 0292A-1</b> mCi / 37 MBq <b>ART 0292A-5</b> mCi / 185 MBq	50,000 113,000 269,000
<b>Glucosamine, D-[1,6-<sup>3</sup>H(N)] hydrochloride</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHO·HCl M.W. 215.6 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0137-250</b> μCi / 9.25 MBq <b>ART 0137-1</b> mCi / 37 MBq <b>ART 0137-5</b> mCi / 185 MBq	85,000 155,000 324,000
<b>Glucosamine, D-[1,6-<sup>3</sup>H(N)] hydrochloride</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHO·HCl M.W. 215.6 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0137A-250</b> μCi / 9.25 MBq <b>ART 0137A-1</b> mCi / 37 MBq <b>ART 0137A-5</b> mCi / 185 MBq	85,000 155,000 324,000
<b>Glucosamine, D-[6-<sup>3</sup>H] hydrochloride</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHO·HCl M.W. 215.6	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0110-250</b> μCi / 9.25 MBq <b>ART 0110-1</b> mCi / 37 MBq <b>ART 0110-5</b> mCi / 185 MBq	59,000 123,000 323,000
<b>Glucosamine, D-[6-<sup>3</sup>H] hydrochloride</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHO·HCl M.W. 215.6	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0110A-250</b> μCi / 9.25 MBq <b>ART 0110A-1</b> mCi / 37 MBq <b>ART 0110A-5</b> mCi / 185 MBq	59,000 123,000 323,000
<b>Glucosamine, D-[1-<sup>14</sup>C]-1-phosphate</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHOPO <sub>3</sub> H M.W. 259.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1800-10</b> μCi / 370 kBq	249,000
<b>Glucosamine, D-[6-<sup>3</sup>H]-1-phosphate</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHOPO <sub>3</sub> H M.W. 259.2 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ART 1399-10</b> μCi / 370 kBq	234,000

G



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Glucosamine, D-[6-<sup>3</sup>H]-6-phosphate</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHOPO <sub>3</sub> H M.W. 259.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1377-10</b> μCi / 370 kBq <b>ART 1377-50</b> μCi / 1.85 MBq	254,000 449,000
<b>Glucose, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0120A-50</b> μCi / 1.85 MBq <b>ARC 0120A-250</b> μCi / 9.25 MBq <b>ARC 0120A-1</b> mCi / 37 MBq	69,000 199,000 379,000
<b>Glucose, D-[2-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOHCHO M.W. 180.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0147-50</b> μCi / 1.85 MBq	170,000
<b>Glucose, D-[6-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0121A-50</b> μCi / 1.85 MBq <b>ARC 0121A-250</b> μCi / 9.25 MBq	96,000 243,000
<b>Glucose, D-[6-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile saline 0.1 mCi/ml	<b>ARC 0121B-50</b> μCi / 1.85 MBq <b>ARC 0121B-250</b> μCi / 9.25 MBq	96,000 243,000
<b>Glucose, D-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2	2-10 mCi/mmol 74-370 MBq/mmol	Solid	<b>ARC 0122-50</b> μCi / 1.85 MBq <b>ARC 0122-250</b> μCi / 9.25 MBq <b>ARC 0122-1</b> mCi / 37 MBq <b>ARC 0122-5</b> mCi / 185 MBq	54,000 119,000 216,000 Inquire
<b>Glucose, D-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2	2-10 mCi/mmol 74-370 MBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ARC 0122A-50</b> μCi / 1.85 MBq <b>ARC 0122A-250</b> μCi / 9.25 MBq <b>ARC 0122A-1</b> mCi / 37 MBq <b>ARC 0122A-5</b> mCi / 185 MBq	54,000 119,000 216,000 Inquire
<b>Glucose, D-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2	250-360 mCi/mmol 9.25-13.32 GBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ARC 0122B-50</b> μCi / 1.85 MBq <b>ARC 0122B-250</b> μCi / 9.25 MBq <b>ARC 0122B-1</b> mCi / 37 MBq <b>ARC 0122B-5</b> mCi / 185 MBq	54,000 119,000 216,000 Inquire
<b>Glucose, D-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2	2-10 mCi/mmol 74-370 MBq/mmol	Sterile water 1 mCi/ml	<b>ARC 0122D-50</b> μCi / 1.85 MBq <b>ARC 0122D-250</b> μCi / 9.25 MBq <b>ARC 0122D-1</b> mCi / 37 MBq <b>ARC 0122D-5</b> mCi / 185 MBq	54,000 119,000 216,000 Inquire
<b>Glucose, D-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.20 <i>Exclusive</i>	2-10 mCi/mmol 74-370 MBq/mmol	Sterile saline 1 mCi/ml	<b>ARC 0122E-50</b> μCi / 1.85 MBq <b>ARC 0122E-250</b> μCi / 9.25 MBq <b>ARC 0122E-1</b> mCi / 37 MBq <b>ARC 0122E-5</b> mCi / 185 MBq	54,000 119,000 216,000 Inquire
<b>Glucose, D-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	250-360 mCi/mmol 9.25-13.32 GBq/mmol	Sterile water 1 mCi/ml	<b>ARC 0122G-50</b> μCi / 1.85 MBq <b>ARC 0122G-250</b> μCi / 9.25 MBq <b>ARC 0122G-1</b> mCi / 37 MBq <b>ARC 0122G-5</b> mCi / 185 MBq	54,000 119,000 216,000 Inquire
<b>Glucose, D-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2	250-360 mCi/mmol 9.25-13.32 GBq/mmol	Ethanol:water (3:97) 1 mCi/ml	<b>ARC 0122H-50</b> μCi / 1.85 MBq <b>ARC 0122H-250</b> μCi / 9.25 MBq <b>ARC 0122H-1</b> mCi / 37 MBq <b>ARC 0122H-5</b> mCi / 185 MBq	54,000 119,000 216,000 Inquire





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Glucose, D-[1-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0111-250</b> μCi / 9.25 MBq <b>ART 0111-1</b> mCi / 37 MBq <b>ART 0111-5</b> mCi / 185 MBq	50,000 79,000 198,000
<b>Glucose, D-[1-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0111A-250</b> μCi / 9.25 MBq <b>ART 0111A-1</b> mCi / 37 MBq <b>ART 0111A-5</b> mCi / 185 MBq	50,000 79,000 198,000
<b>Glucose, D-[2-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOHCHO M.W. 180.2	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0112-250</b> μCi / 9.25 MBq <b>ART 0112-1</b> mCi / 37 MBq <b>ART 0112-5</b> mCi / 185 MBq	59,000 101,000 254,000
<b>Glucose, D-[3-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>2</sub> CHOHCHOHCHO M.W. 180.2	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0124-250</b> μCi / 9.25 MBq <b>ART 0124-1</b> mCi / 37 MBq <b>ART 0124-5</b> mCi / 185 MBq	Inquire Inquire Inquire
<b>Glucose, D-[5-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> CHOH(CHOH) <sub>3</sub> CHO M.W. 180.2	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0115-250</b> μCi / 9.25 MBq <b>ART 0115-1</b> mCi / 37 MBq <b>ART 0115-5</b> mCi / 185 MBq	67,000 149,000 353,000
<b>Glucose, D-[5,6-<sup>3</sup>H]</b> HOCH <sub>2</sub> CH(OH)(CHOH) <sub>3</sub> CHO M.W. 180.2 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0312-250</b> μCi / 9.25 MBq <b>ART 0312-1</b> mCi / 37 MBq <b>ART 0312-5</b> mCi / 185 MBq	56,000 85,000 149,000
<b>Glucose, D-[6-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0113-250</b> μCi / 9.25 MBq <b>ART 0113-1</b> mCi / 37 MBq <b>ART 0113-5</b> mCi / 185 MBq	50,000 60,000 170,000
<b>Glucose, D-[6-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0113A-250</b> μCi / 9.25 MBq <b>ART 0113A-1</b> mCi / 37 MBq <b>ART 0113A-5</b> mCi / 185 MBq	50,000 60,000 170,000
<b>Glucose, D-[<sup>3</sup>H(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1353-250</b> μCi / 9.25 MBq <b>ART 1353-1</b> mCi / 37 MBq	79,000 164,000
<b>Glucose, L-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0164-50</b> μCi / 1.85 MBq <b>ARC 0164-250</b> μCi / 9.25 MBq	90,000 339,000
<b>Glucose, L-[1-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	10-25 Ci/mmol 0.37-0.925 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0114-250</b> μCi / 9.25 MBq <b>ART 0114-1</b> mCi / 37 MBq <b>ART 0114-5</b> mCi / 185 MBq	66,000 93,000 198,000
<b>Glucose, L-[1-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	10-25 Ci/mmol 0.37-0.925 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0114A-250</b> μCi / 9.25 MBq <b>ART 0114A-1</b> mCi / 37 MBq <b>ART 0114A-5</b> mCi / 185 MBq	66,000 93,000 198,000
<b>Glucose [6-<sup>3</sup>H]-1-phosphate disodium salt</b> M.W. 304.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0688-50</b> μCi / 1.85 MBq	234,000

G





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Glucose, <math>\alpha</math>-D-[<math>^{14}\text{C}</math>(U)]-1-phosphate dipotassium salt</b> $\text{HOCH}_2\text{CH}(\text{CHOH})_3\text{CHOPO}(\text{OK})_2$ M.W. 336.2 <i>Shipped in Dry Ice</i>	250-300 mCi/mmol 9.25-11.1 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0313-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 0313-50</b> $\mu\text{Ci}$ / 1.85 MBq	63,000 142,000
<b>Glucose [<math>^{33}\text{P}</math>]-6-phosphate</b> $\text{C}_6\text{H}_{13}\text{O}_9\text{P}$ M.W. 260.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3000 Ci/mmol 111 TBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARP 0177</b>	Inquire
<b>G Glucose, D-[<math>^{14}\text{C}</math>(U)]-6-phosphate disodium salt</b> $(\text{NaO})_2\text{P}(\text{O})\text{OCH}_2(\text{CHOH})_4\text{CHO}$ M.W. 304.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	250-360 mCi/mmol 9.25-13.32 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0123-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ARC 0123-250</b> $\mu\text{Ci}$ / 9.25 MBq	95,000 275,000
<b>Glucose, D-[<math>^3\text{H}</math>]-6-phosphate disodium salt</b> $(\text{NaO})_2\text{P}(\text{O})\text{OCH}_2(\text{CHOH})_2\text{CHOHCHOHCHO}$ M.W. 304.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 2075-50</b> $\mu\text{Ci}$ / 1.85 MBq	219,000
<b>Glucose, D-[<math>^5\text{H}</math>]-6-phosphate disodium salt</b> $(\text{NaO})_2\text{P}(\text{O})\text{CHOH}(\text{CHOH})_4\text{CHO}$ M.W. 304.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 2054-50</b> $\mu\text{Ci}$ / 1.85 MBq	219,000
<b>Glucose, D-[<math>^6\text{H}</math>]-6-phosphate, disodium salt</b> $(\text{NaO})_2\text{P}(\text{O})\text{OCH}_2(\text{CHOH})_4\text{CHO}$ M.W. 304.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0162-250</b> $\mu\text{Ci}$ / 9.25 MBq <b>ART 0162-1</b> mCi / 37 MBq	148,000 318,000
<b><math>\beta</math>-D-Glucosyl cerebroside (C18) "cold"</b> $\text{C}_{42}\text{H}_{81}\text{NO}_8$ M.W. 728.11 CAS # 95119-86-1		Solid	<b>ARCD 0394-5</b> mg <b>ARCD 0394-25</b> mg	75,000 188,000
<b>Glucosylphosphoryldolichol<sub>(95)</sub> [glucose-<math>^3\text{H}</math>]</b> M.W. 1569 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Methanol:water (9:1) 1 mCi/ml	<b>ART 1299-10</b> $\mu\text{Ci}$ / 370 kBq <b>ART 1299-50</b> $\mu\text{Ci}$ / 1.85 MBq	276,000 507,000
<b>Glucosyl phytanylglycerol [glucose-<math>^{14}\text{C}</math>(U)]</b> M.W. 815.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	280-320 mCi/mmol 10.36-11.84 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3527</b>	Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Glucuronic acid, D-[6-<sup>14</sup>C]</b> HO <sub>2</sub> C(CHOH) <sub>4</sub> CHO M.W. 194.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0363-10</b> μCi / 370 kBq	242,000
<b>Glucuronic acid, D-[<sup>3</sup>H(G)]</b> HO <sub>2</sub> C(CHOH) <sub>4</sub> CHO M.W. 194.14 <i>Exclusive</i>	2-10 Ci/mmol 74-370 GBq/mmol	Sterile water 1 mCi/ml	<b>ART 0369-250</b> μCi / 9.25 MBq	225,000
<b>Glutamic acid, D-[1-<sup>14</sup>C]</b> HO <sub>2</sub> C(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 147.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0314-50</b> μCi / 1.85 MBq	227,000
<b>Glutamic acid, DL-[1-<sup>14</sup>C]</b> HO <sub>2</sub> C(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 147.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0583-50</b> μCi / 1.85 MBq <b>ARC 0583-250</b> μCi / 9.25 MBq <b>ARC 0583-1</b> mCi / 37 MBq	65,000 155,000 324,000
<b>Glutamic acid, L-[1-<sup>14</sup>C]</b> HO <sub>2</sub> C(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 147.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0240-50</b> μCi / 1.85 MBq <b>ARC 0240-250</b> μCi / 9.25 MBq	113,000 342,000
<b>Glutamic acid, L-[1-<sup>14</sup>C]</b> HO <sub>2</sub> C(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 147.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0240A-50</b> μCi / 1.85 MBq <b>ARC 0240A-250</b> μCi / 9.25 MBq	113,000 342,000
<b>Glutamic acid, D-[1,5-<sup>14</sup>C]</b> HO <sub>2</sub> CCH <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 147.1 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 3747-50</b> μCi / 1.85 MBq	335,000
<b>Glutamic acid, L-[1,5-<sup>14</sup>C]</b> HO <sub>2</sub> C(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 147.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0770-50</b> μCi / 1.85 MBq <b>ARC 0770-250</b> μCi / 9.25 MBq	129,000 381,000
<b>Glutamic acid, D-[5-<sup>14</sup>C]</b> HO <sub>2</sub> C(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 147.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0315-50</b> μCi / 1.85 MBq	234,000
<b>Glutamic acid, L-[5-<sup>14</sup>C]</b> HO <sub>2</sub> C(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 147.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0241-50</b> μCi / 1.85 MBq <b>ARC 0241-250</b> μCi / 9.25 MBq	129,000 365,000
<b>Glutamic acid, L-[<sup>14</sup>C(U)]</b> HOOC(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 147.1	>200 mCi/mmol >7.4 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0165A-50</b> μCi / 1.85 MBq <b>ARC 0165A-250</b> μCi / 9.25 MBq <b>ARC 0165A-1</b> mCi / 37 MBq	71,000 194,000 419,000
<b>Glutamic acid, D-[2,3,4-<sup>3</sup>H]</b> HOOCCH <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 147.1 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0232-250</b> μCi / 9.25 MBq <b>ART 0232-1</b> mCi / 37 MBq	169,000 254,000

**G**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Glutamic acid, L-[2,3,4-<sup>3</sup>H]</b> HOOCCH <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 147.1	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0132-250</b> μCi / 9.25 MBq <b>ART 0132-1</b> mCi / 37 MBq <b>ART 0132-5</b> mCi / 185 MBq	39,000 62,000 119,000
<b>Glutamic acid, L-[3,4-<sup>3</sup>H]</b> HOOCCH <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 147.1	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 2060-250</b> μCi / 9.25 MBq <b>ART 2060-1</b> mCi / 37 MBq <b>ART 2060-5</b> mCi / 185 MBq	48,000 84,000 158,000
<b>Glutamic acid, L-[<sup>3</sup>H(G)]</b> HO <sub>2</sub> C(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 147.1 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0130-250</b> μCi / 9.25 MBq <b>ART 0130-1</b> mCi / 37 MBq <b>ART 0130-5</b> mCi / 185 MBq	40,000 61,000 113,000
<b>G</b> <b>Glutamine, L-[1-<sup>14</sup>C]</b> H <sub>2</sub> NCO(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 146.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3609-50</b> μCi / 1.85 MBq	209,000
<b>Glutamine, L-[1,5-<sup>14</sup>C]</b> H <sub>2</sub> NCO(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 146.2 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3748-50</b> μCi / 1.85 MBq	545,000
<b>Glutamine, L-[5-<sup>14</sup>C]</b> H <sub>2</sub> NCO(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 146.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3562-50</b> μCi / 1.85 MBq	482,000
<b>Glutamine, L-[<sup>14</sup>C(U)]</b> H <sub>2</sub> NCO(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 146.2 <i>Shipped in Dry Ice</i>	>200 mCi/mmol >7.4 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0196-50</b> μCi / 1.85 MBq <b>ARC 0196-250</b> μCi / 9.25 MBq	Inquire 269,000
<b>Glutamine, L-[2,3,4-<sup>3</sup>H]</b> H <sub>2</sub> NCO(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 146.2 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (1:99) 1 mCi/ml	<b>ART 0149-250</b> μCi / 9.25 MBq <b>ART 0149-1</b> mCi / 37 MBq	53,000 95,000
<b>Glutamine, L-[2,3,4-<sup>3</sup>H]</b> H <sub>2</sub> NCO(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 146.2 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0149A-250</b> μCi / 9.25 MBq <b>ART 0149A-1</b> mCi / 37 MBq	53,000 95,000
<b>Glutaraldehyde [<sup>3</sup>H(G)]</b> (Glutaric dialdehyde) HCO(CH <sub>2</sub> ) <sub>3</sub> CHO M.W. 100.11 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0397-250</b> μCi / 9.25 MBq	234,000
<b>Glutaric acid [1,5-<sup>14</sup>C]</b> HOOC(CH <sub>2</sub> ) <sub>3</sub> COOH M.W. 132.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0483-50</b> μCi / 1.85 MBq <b>ARC 0483-250</b> μCi / 9.25 MBq	142,000 269,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Glutaryl [1,5-<sup>14</sup>C] Coenzyme A</b> M.W. 881.60 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc (1:1) 0.1 mCi/ml	<b>ARC 3471-5</b> μCi / 185 kBq <b>ARC 3471-25</b> μCi / 925 kBq	155,000 419,000
<b>Glutathione [glycine-2-<sup>3</sup>H]</b> M.W. 307.33 <i>Shipped in Dry Ice</i>	20-50 Ci/mmol 0.74-1.85 TBq/mmol	Aqueous solution with 10mM DTT under argon 1 mCi/ml	<b>ART 1180-50</b> μCi / 1.85 MBq <b>ART 1180-250</b> μCi / 9.25 MBq	165,000 418,000
<b>Glutathione, L-[<sup>35</sup>S]</b> C <sub>10</sub> H <sub>17</sub> N <sub>3</sub> O <sub>6</sub> S M.W. 307.32 <i>Shipped in Dry Ice</i>	30 Ci/mmol 1.11 TBq/mmol	Aqueous solution with 10mM DTT under argon 2 mCi/ml	<b>ARS 0123-100</b> μCi / 3.7 MBq <b>ARS 0123-250</b> μCi / 9.25 MBq	Inquire Inquire
<b>Glyceraldehyde [<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> CHOHCHO M.W. 90.1 <i>Exclusive</i>	130-160 mCi/mmol 4.81-5.92 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0210-50</b> μCi / 1.85 MBq <b>ARC 0210-250</b> μCi / 9.25 MBq	198,000 492,000
<b>Glyceraldehyde [<sup>33</sup>P]-3-phosphate</b> CHOCHOHCH <sub>2</sub> OPO <sub>3</sub> M.W. 172.07 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3000 Ci/mmol 111 TBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARP 0151-50</b> μCi / 1.85 MBq	308,000
<b>Glyceraldehyde-3-phosphate dehydrogenase [methyl-<sup>14</sup>C] methylated</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 3351-1</b> μCi / 37 kBq <b>ARC 3351-5</b> μCi / 185 kBq	192,000 403,000
<b>Glyceraldehyde [<sup>14</sup>C(U)]-3-phosphate disodium salt</b> CHOCHOHCH <sub>2</sub> OPO(ONa) <sub>2</sub> M.W. 214.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-150 mCi/mmol 1.85-5.55 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 0520-50</b> μCi / 1.85 MBq	324,000
<b>Glyceric acid, DL-[1-<sup>14</sup>C] calcium salt</b> [HOCH <sub>2</sub> (CHOH)CO <sub>2</sub> ] <sub>2</sub> Ca M.W. 250.25 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0546-250</b> μCi / 9.25 MBq <b>ARC 0546-1</b> mCi / 37 MBq	226,000 492,000
<b>Glycerol [1,3-<sup>14</sup>C]</b> HOCH <sub>2</sub> CHOHCH <sub>2</sub> OH M.W. 92.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0336-50</b> μCi / 1.85 MBq <b>ARC 0336-250</b> μCi / 9.25 MBq	79,000 251,000
<b>Glycerol [1,3-<sup>14</sup>C]</b> HOCH <sub>2</sub> CHOHCH <sub>2</sub> OH M.W. 92.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.5 mCi/ml	<b>ARC 0336A-50</b> μCi / 1.85 MBq <b>ARC 0336A-250</b> μCi / 9.25 MBq	79,000 251,000
<b>Glycerol [2-<sup>14</sup>C]</b> HOCH <sub>2</sub> CHOHCH <sub>2</sub> OH M.W. 92.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0337-50</b> μCi / 1.85 MBq <b>ARC 0337-250</b> μCi / 9.25 MBq	107,000 324,000

G



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Glycerol [<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> CHOHCH <sub>2</sub> OH M.W. 92.1	130-160 mCi/mmol 4.81-5.92 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0217-50</b> μCi / 1.85 MBq <b>ARC 0217-250</b> μCi / 9.25 MBq	79,000 257,000
<b>Glycerol [1,3-<sup>3</sup>H]</b> HOCH <sub>2</sub> CHOHCH <sub>2</sub> OH M.W. 92.1 <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0682-1</b> mCi / 37 MBq <b>ART 0682-5</b> mCi / 185 MBq	85,000 186,000
<b>Glycerol [1,2,3-<sup>3</sup>H]</b> HOCH <sub>2</sub> CHOHCH <sub>2</sub> OH M.W. 92.1 <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (1:19) 1 mCi/ml	<b>ART 0218A-1</b> mCi / 37 MBq <b>ART 0218A-5</b> mCi / 185 MBq	85,000 186,000
<b>Glycerol [2-<sup>3</sup>H]</b> HOCH <sub>2</sub> CHOHCH <sub>2</sub> OH M.W. 92.1 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (1:20) 1 mCi/ml	<b>ART 0188A-1</b> mCi / 37 MBq <b>ART 0188A-5</b> mCi / 185 MBq	85,000 184,000
<b>Glycerol [2-<sup>3</sup>H]</b> HOCH <sub>2</sub> CHOHCH <sub>2</sub> OH M.W. 92.1 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0188B-1</b> mCi / 37 MBq <b>ART 0188B-5</b> mCi / 185 MBq	85,000 184,000
<b>Glycerol dinitrate [2-<sup>14</sup>C]</b> O <sub>2</sub> NOCH <sub>2</sub> CHOHCH <sub>2</sub> ONO <sub>2</sub> M.W. 182.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0908-50</b> μCi / 1.85 MBq	269,000
<b>Glycerol monolaurate [lauryl-1-<sup>14</sup>C]</b> M.W. 274.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3656-50</b> μCi / 1.85 MBq	356,000
<b>Glycerol trilaurate [lauryl-1-<sup>14</sup>C]</b> C <sub>39</sub> H <sub>74</sub> O <sub>6</sub> M.W. 639 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3774-10</b> μCi / 370 kBq	335,000
<b>Glycerol trilaurate [lauryl-11,12-<sup>3</sup>H]</b> C <sub>39</sub> H <sub>74</sub> O <sub>6</sub> M.W. 639 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2174-250</b> μCi / 9.25 MBq	419,000
<b>Glycerol [<sup>45</sup>Ca] 3-phosphate calcium salt</b> C <sub>3</sub> H <sub>7</sub> O <sub>6</sub> PCa M.W. 210 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARX 0110-50</b> μCi / 1.85 MBq	362,000
<b>Glycerol-3-phosphate "cold"</b> HOCH <sub>2</sub> CHOHCH <sub>2</sub> OP(O)(O) <sub>2</sub> M.W. 172.07 CAS # 57-03-4		Sterile water 100 mg/ml	<b>ARCD 0418-10</b> mg	69,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Glycerol, L-[<sup>14</sup>C(U)]-3-phosphate disodium salt</b> HOCH <sub>2</sub> CHOHCH <sub>2</sub> OP(O)(ONa) <sub>2</sub> M.W. 216.1 <i>Shipped in Dry Ice</i>	50-150 mCi/mmol 1.85-5.55 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 0316-50</b> μCi / 1.85 MBq <b>ARC 0316-250</b> μCi / 9.25 MBq	124,000 311,000
<b>Glycerol, L-[1,2,3-<sup>3</sup>H]-3-phosphate disodium salt</b> HOCH <sub>2</sub> CHOHCH <sub>2</sub> OP(O)(ONa) <sub>2</sub> M.W. 216.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1723-250</b> μCi / 9.25 MBq <b>ART 1723-1</b> mCi / 37 MBq	209,000 492,000
<b>Glycerol, L-[2-<sup>3</sup>H(N)]-3-phosphate, disodium salt</b> HOCH <sub>2</sub> CHOHCH <sub>2</sub> OP(O)(ONa) <sub>2</sub> M.W. 216.1 <i>Shipped in Dry Ice</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0219-250</b> μCi / 9.25 MBq <b>ART 0219-1</b> mCi / 37 MBq	191,000 419,000
<b>Glycerol trinitrate "cold" (Nitroglycerin)</b> M.W. 227.0 CAS # 55-63-0		Solid	<b>ARCD 0728-10</b> mg	48,000
<b>Glycerol [2-<sup>14</sup>C] trinitrate</b> O <sub>2</sub> NOCH <sub>2</sub> CH(ONO <sub>2</sub> )CH <sub>2</sub> (ONO <sub>2</sub> ) M.W. 227.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0714-50</b> μCi / 1.85 MBq	269,000
<b>Glycerol trioleate [carboxyl-<sup>14</sup>C]</b> See Triolein [carboxyl- <sup>14</sup> C]			<b>ARC 0291</b>	
<b>Glycerol trioleate [glycerol-<sup>14</sup>C(U)]</b> See Triolein [glycerol- <sup>14</sup> C(U)]			<b>ARC 3076</b>	
<b>Glycerol trioleate [glycerol-1,2,3-<sup>3</sup>H]</b> See Triolein [glycerol-1,2,3- <sup>3</sup> H]			<b>ART 0413</b>	
<b>Glycerol trioleate [oleoyl-9,10-<sup>3</sup>H]</b> See Triolein [oleoyl-9,10- <sup>3</sup> H]			<b>ART 0199</b>	
<b>Glycerol tripalmitate [1-<sup>14</sup>C]</b> See Tripalmitin, 1,3-[palmitoyl-1- <sup>14</sup> C]			<b>ARC 0580</b>	
<b>Glycerol tripalmitate [2-<sup>14</sup>C]</b> See Tripalmitin, 2-[palmitoyl-1- <sup>14</sup> C]			<b>ARC 3412</b>	
<b>sn-Glycero-3-phosphocholine, dipalmitoyl-1-0-hexa/octadecyl [1,2-<sup>3</sup>H]</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 0669-50</b> μCi / 1.85 MBq <b>ART 0669-250</b> μCi / 9.25 MBq	226,000 365,000
<b>sn-Glycero-3-phosphoserine, dipalmitoyl-1-0-hexa/octadecyl [1,2-<sup>3</sup>H]</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 0668-50</b> μCi / 1.85 MBq <b>ART 0668-250</b> μCi / 9.25 MBq	226,000 365,000

**G**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Glyceryl trioctanoate [octanoate-1-<sup>14</sup>C]</b> <b>(1,2,3-Tricaproylglycerol)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> COOCH <sub>2</sub> CHO(CO(CH <sub>2</sub> ) <sub>6</sub> CH <sub>3</sub> ) CH <sub>2</sub> OCO(CH <sub>2</sub> ) <sub>6</sub> CH <sub>3</sub> M.W. 470.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 1675-50</b> μCi / 1.85 MBq <b>ARC 1675-250</b> μCi / 9.25 MBq	234,000 419,000
<b>Glycine [1-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> COOH M.W. 75.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0166-50</b> μCi / 1.85 MBq <b>ARC 0166-250</b> μCi / 9.25 MBq <b>ARC 0166-1</b> mCi / 37 MBq	51,000 83,000 239,000
<b>Glycine [2-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> COOH M.W. 75.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0317-50</b> μCi / 1.85 MBq <b>ARC 0317-250</b> μCi / 9.25 MBq <b>ARC 0317-1</b> mCi / 37 MBq	50,000 137,000 313,000
<b>Glycine [<sup>14</sup>C(U)]</b> H <sub>2</sub> NCH <sub>2</sub> COOH M.W. 75.1	50-120 mCi/mmol 1.85-4.44 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0292-50</b> μCi / 1.85 MBq <b>ARC 0292-250</b> μCi / 9.25 MBq <b>ARC 0292-1</b> mCi / 37 MBq	46,000 107,000 314,000
<b>Glycine [2-<sup>3</sup>H]</b> H <sub>2</sub> NCH <sub>2</sub> COOH M.W. 75.1	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0161A-250</b> μCi / 9.25 MBq <b>ART 0161A-1</b> mCi / 37 MBq <b>ART 0161A-5</b> mCi / 185 MBq	43,000 53,000 121,000
<b>Glycine [1-<sup>14</sup>C] ethyl ester hydrochloride</b> H <sub>2</sub> NCH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> · HCl M.W. 139.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0244-50</b> μCi / 1.85 MBq <b>ARC 0244-250</b> μCi / 9.25 MBq	113,000 282,000
<b>Glycine [2-<sup>14</sup>C] ethyl ester hydrochloride</b> H <sub>2</sub> NCH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> · HCl M.W. 139.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0712-50</b> μCi / 1.85 MBq <b>ARC 0712-250</b> μCi / 9.25 MBq	129,000 296,000
<b>Glycocholic acid [glycine-1-<sup>14</sup>C]</b> M.W. 465.6	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0502-50</b> μCi / 1.85 MBq <b>ARC 0502-250</b> μCi / 9.25 MBq	209,000 419,000
<b>Glycocholic acid [glycine-2-<sup>3</sup>H]</b> C <sub>26</sub> H <sub>43</sub> NO <sub>6</sub> M.W. 465.6 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1240-50</b> μCi / 1.85 MBq	198,000
<b>Glycolic acid [1-<sup>14</sup>C] calcium salt</b> [HOCH <sub>2</sub> COO] <sub>2</sub> Ca M.W. 190.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0485-50</b> μCi / 1.85 MBq <b>ARC 0485-250</b> μCi / 9.25 MBq	149,000 339,000
<b>Glycolic acid [1,2-<sup>14</sup>C] calcium salt</b> [HOCH <sub>2</sub> COO] <sub>2</sub> Ca M.W. 190.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0484-50</b> μCi / 1.85 MBq	198,000
<b>Glycolic acid [2-<sup>14</sup>C] calcium salt</b> [HOCH <sub>2</sub> COO] <sub>2</sub> Ca M.W. 190.0 <i>Exclusive</i>	30-50 mCi/mmol 1.11-1.85 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0486-50</b> μCi / 1.85 MBq	198,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Glycyl [<sup>14</sup>C] sarcosine</b> NH <sub>2</sub> CH <sub>2</sub> CON(CH <sub>3</sub> )CH <sub>2</sub> CO <sub>2</sub> H M.W. 146.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1158-50</b> μCi / 1.85 MBq	355,000
<b>Glycyl [<sup>2-3</sup>H] sarcosine</b> NH <sub>2</sub> CH <sub>2</sub> CON(CH <sub>3</sub> )CH <sub>2</sub> CO <sub>2</sub> H M.W. 146.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0585-50</b> μCi / 1.85 MBq <b>ART 0585-250</b> μCi / 9.25 MBq	184,000 395,000
<b>Glycyrrhetic acid [<sup>3</sup>H(G)]</b> <b>(Glycyrrhetic acid)</b> C <sub>30</sub> H <sub>46</sub> O <sub>4</sub> M.W. 470.68 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2094-50</b> μCi / 1.85 MBq	272,000
<b>Glyoxal [<sup>14</sup>C(U)]</b> CHO-CHO M.W. 58.04 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1190-50</b> μCi / 1.85 MBq <b>ARC 1190-250</b> μCi / 9.25 MBq	198,000 419,000
<b>Glyoxime [<sup>14</sup>C(U)]</b> HON=CHCH=NOH M.W. 88.1 <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Solid	<b>ARC 1221-50</b> μCi / 1.85 MBq <b>ARC 1221-250</b> μCi / 9.25 MBq	198,000 419,000
<b>Glyoxylic acid [<sup>14</sup>C(U)] ethyl ester</b> HOCCO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> M.W. 102 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Eethanol 0.1 mCi/ml	<b>ARC 0614-250</b> μCi / 9.25 MBq	419,000
<b>Glyoxylic acid [<sup>14</sup>C(U)] sodium salt</b> NaOCCCHO M.W. 96.01 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1777-50</b> μCi / 1.85 MBq	296,000
<b>Glyphosate [glycine-2-<sup>14</sup>C]</b> HOOCCH <sub>2</sub> NHCH <sub>2</sub> PO <sub>3</sub> H <sub>2</sub> M.W. 169.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1312-50</b> μCi / 1.85 MBq <b>ARC 1312-250</b> μCi / 9.25 MBq	104,000 365,000
<b>Glyphosate [phosphonomethyl-<sup>14</sup>C]</b> HOOCCH <sub>2</sub> NHCH <sub>2</sub> PO <sub>3</sub> H <sub>2</sub> M.W. 169.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1313-50</b> μCi / 1.85 MBq <b>ARC 1313-250</b> μCi / 9.25 MBq	100,000 356,000
<b>Glyphosate [phosphonomethyl-<sup>14</sup>C] isopropylamine salt</b> OOCCH <sub>2</sub> NHCH <sub>2</sub> PO <sub>3</sub> H <sub>2</sub> · C <sub>3</sub> H <sub>9</sub> N M.W. 228.18 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3762-50</b> μCi / 1.85 MBq <b>ARC 3762-250</b> μCi / 9.25 MBq	132,000 397,000

**G**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>(R)-(-)-Gossypol [4,4'-<sup>3</sup>H]</b> <b>(2,2'-bis-(Formyl-1,6,7-trihydroxy-5-isopropyl-3-methylnaphthalene))</b> M.W. 518.56 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1647</b>	Inquire
<b>(S)-(+)-Gossypol [4,4'-<sup>3</sup>H]</b> <b>(2,2'-bis-(Formyl-1,6,7-trihydroxy-5-isopropyl-3-methylnaphthalene))</b> M.W. 518.56 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1648</b>	Inquire
<b>GPV576 (MM444) [<sup>3</sup>H]</b> M.W. 472.27 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 185-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2021-50 μCi / 1.85 MBq</b>	Inquire
<b>GR 113808 [N-methyl-<sup>3</sup>H]</b> C <sub>19</sub> H <sub>27</sub> N <sub>3</sub> O <sub>4</sub> M.W. 393.0 <i>Shipped in Dry Ice</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol 0.02 mCi/ml	<b>ART 1794-10 μCi / 370 kBq</b>	579,000
<b>GR 125743 [N-methyl-<sup>3</sup>H]</b> C <sub>25</sub> H <sub>28</sub> N <sub>4</sub> O <sub>2</sub> M.W. 416.5 <i>Shipped in Dry Ice</i> <i>5-HT<sub>1A</sub> Antagonist</i>	50-90 Ci/mmol 1.85-3.33 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1863-100 μCi / 3.7 MBq</b>	288,000
<b>GR 65630 [N-methyl-<sup>3</sup>H]</b> M.W. 267.3 <i>Shipped in Dry Ice</i>	60-87 Ci/mmol 2.22-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1890-25 μCi / 925 kBq</b> <b>ART 1890-250 μCi / 9.25 MBq</b>	80,000 337,000
<b>GR-24 [<sup>3</sup>H(G)]</b> M.W. 298.29 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-50 Ci/mmol 1.11-1.85 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1727-50 μCi / 1.85 MBq</b>	Inquire
<b>Graphite [<sup>14</sup>C]</b> <b>C</b> M.W. 12.0 <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Solid	<b>ARC 1547-50 μCi / 1.85 MBq</b> <b>ARC 1547-250 μCi / 9.25 MBq</b>	164,000 353,000
<b>GS 39783 [cyclopentyl-3,4-<sup>3</sup>H]</b> C <sub>15</sub> H <sub>23</sub> N <sub>5</sub> O <sub>2</sub> S M.W. 337.44 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1933</b>	Inquire
<b>Guanidine [<sup>14</sup>C(U)] carbonate</b> [H <sub>2</sub> N <sub>2</sub> C(=NH)NH <sub>2</sub> ] <sub>2</sub> H <sub>2</sub> CO <sub>3</sub> M.W. 180.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1315-50 μCi / 1.85 MBq</b> <b>ARC 1315-250 μCi / 9.25 MBq</b>	164,000 366,000
<b>Guanidine [<sup>14</sup>C(U)] hydrochloride</b> (NH <sub>2</sub> ) <sub>2</sub> C=NH · HCl M.W. 95.53 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0350A-50 μCi / 1.85 MBq</b> <b>ARC 0350A-250 μCi / 9.25 MBq</b>	156,000 349,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Guanine [8-<sup>3</sup>H]</b> M.W. 151.1 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0544-50</b> μCi / 1.85 MBq <b>ART 0544-250</b> μCi / 9.25 MBq <b>ART 0544-1</b> mCi / 37 MBq	46,000 102,000 189,000
<b>Guanine [8-<sup>14</sup>C] hydrochloride</b> M.W. 187.6	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0329-50</b> μCi / 1.85 MBq <b>ARC 0329-250</b> μCi / 9.25 MBq	110,000 338,000
<b>Guanosine [8-<sup>3</sup>H]</b> M.W. 283.2	5-15 Ci/mmol 185-555 GBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0545-1</b> mCi / 37 MBq <b>ART 0545-5</b> mCi / 185 MBq	85,000 198,000
<b>Guanosine 3',5'-[8-<sup>14</sup>C] cyclic monophosphate ammonium salt</b> Cyclic GMP [8- <sup>14</sup> C] M.W. 362.3 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.025 mCi/ml	<b>ARC 3147-5</b> μCi / 185 kBq <b>ARC 3147-25</b> μCi / 925 kBq	212,000 419,000
<b>Guanosine 3',5'-[8-<sup>3</sup>H] cyclic monophosphate</b> Cyclic GMP [8- <sup>3</sup> H] M.W. 362.3 <i>Shipped in Dry Ice</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0372-250</b> μCi / 9.25 MBq <b>ART 0372-1</b> mCi / 37 MBq	113,000 239,000
<b>Guanosine 3',5'-[5',8-<sup>3</sup>H] cyclic monophosphate ammonium salt</b> Cyclic GMP [5',8- <sup>3</sup> H] M.W. 362.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-50 Ci/mmol 0.37-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1708-250</b> μCi / 9.25 MBq	Inquire
<b>Guanosine 5'-[5',8-<sup>3</sup>H] diphosphate trisodium salt</b> GDP [5',8- <sup>3</sup> H] M.W. 509.2 <i>Shipped in Dry Ice</i>	25-50 Ci/mmol 0.925-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1736-250</b> μCi / 9.25 MBq <b>ART 1736-1</b> mCi / 37 MBq	191,000 Inquire
<b>Guanosine 5'-[5',8-<sup>3</sup>H] diphosphate trisodium salt</b> GDP [5',8- <sup>3</sup> H] M.W. 509.2 <i>Shipped in Dry Ice</i>	25-50 Ci/mmol 0.925-1.85 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 1736A-250</b> μCi / 9.25 MBq <b>ART 1736A-1</b> mCi / 37 MBq	191,000 Inquire
<b>Guanosine 5'-diphosphate L-fucose sodium salt "cold"</b> (GDP fucose) M.W. 633.31 CAS # 15839-70-0		Solid	<b>ARCD 0655-1</b> mg <b>ARCD 0655-5</b> mg	97,000 181,000
<b>Guanosine diphosphate fucose, [2-<sup>3</sup>H(N)]</b> (GDP fucose) M.W. 605.3 <i>Shipped in Dry Ice</i>	15-30 mCi/mmol 0.555-1.11 TBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ART 0439A-50</b> μCi / 1.85 MBq	362,000
<b>Guanosine diphosphate glucose D-[glucose-<sup>14</sup>C(U)]</b> (GDP glucose) M.W. 605.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	250-360 mCi/mmol 9.25-13.3 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 1582-10</b> μCi / 370 kBq	408,000

G

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Guanosine diphosphate mannose, D-[1-<sup>14</sup>C] (GDP mannose)</b> M.W. 605.3 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0700-10</b> μCi / 370 kBq <b>ARC 0700-50</b> μCi / 1.85 MBq	205,000 449,000
<b>Guanosine diphosphate mannose, D-[<sup>14</sup>C(U)] (GDP mannose)</b> M.W. 605.3 <i>Shipped in Dry Ice</i>	250-360 mCi/mmol 9.25-13.32 GBq/mmol	Ethanol:water (7:3) 0.02 mCi/ml	<b>ARC 1217-10</b> μCi / 370 kBq	393,000
<b>Guanosine diphosphate mannose, D-[2-<sup>3</sup>H] (GDP mannose)</b> M.W. 605.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0440-50</b> μCi / 1.85 MBq	279,000
<b>Guanosine diphosphate mannose, D-[6-<sup>3</sup>H] (GDP mannose)</b> M.W. 605.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0723-50</b> μCi / 1.85 MBq	261,000
<b>Guanosine 5'-[8-<sup>14</sup>C] monophosphate diammonium salt</b> GMP [8- <sup>14</sup> C] M.W. 363.2 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 3178-10</b> μCi / 370 kBq <b>ARC 3178-50</b> μCi / 1.85 MBq	129,000 299,000
<b>Guanosine [8-<sup>3</sup>H] monophosphate</b> GMP [8- <sup>3</sup> H] M.W. 363.2 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0800-250</b> μCi / 9.25 MBq <b>ART 0800-1</b> mCi / 37 MBq <b>ART 0800-5</b> mCi / 185 MBq	Inquire 238,000 Inquire
<b>Guanosine 5'-[α-<sup>33</sup>P] triphosphate (triethylammonium) salt</b> GTP [α- <sup>33</sup> P] M.W. 525.18 <i>Shipped w/o Dry Ice, store at 4°C</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) with stabilizer 10 mCi/ml	<b>ARP 0155-250</b> μCi / 9.25 MBq <b>ARP 0155-1</b> mCi / 37 MBq	Inquire Inquire
<b>Guanosine 5'-(γ-thio) triphosphate [γ-<sup>35</sup>S] disodium salt</b> GTP [γ- <sup>35</sup> S] <i>Shipped in Dry Ice</i>	1250 Ci/mmol 46.25 TBq/mmol	Aqueous solution containing 10mM tricine (pH 7.6) with 1mM DTT 12.5 mCi/ml	<b>ARS 0124-250</b> μCi / 9.25 MBq <b>ARS 0124-1</b> mCi / 37 MBq	209,000 356,000
<b>Guanosine 5'-[α-<sup>32</sup>P] triphosphate disodium salt</b> GTP [α- <sup>32</sup> P] M.W. 568.1 <i>Shipped in Dry Ice</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0110A-250</b> μCi / 9.25 MBq <b>ARP 0110A-500</b> μCi / 18.5 MBq	Inquire Inquire
<b>Guanosine 5'-[γ-<sup>32</sup>P] triphosphate disodium salt</b> GTP [γ- <sup>32</sup> P] M.W. 568.1 <i>Shipped in Dry Ice</i>	6000 Ci/mmol 222 TBq/mmol	10mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0109A-250</b> μCi / 9.25 MBq <b>ARP 0109A-1</b> mCi / 37 MBq	Inquire Inquire
<b>Guanosine 5'-[8-<sup>3</sup>H] triphosphate tetrasodium salt</b> GTP [8- <sup>3</sup> H] M.W. 611.2 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0166-250</b> μCi / 9.25 MBq <b>ART 0166-1</b> mCi / 37 MBq <b>ART 0166-5</b> mCi / 185 MBq	112,000 253,000 462,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>GW0742 [<sup>3</sup>H(G)]</b> <b>(4-[2-(3-Fluoro-4-trifluoromethyl-phenyl)-4-methyl-thiazol-5-yl-methylsulfanyl]-2-methyl-phenoxy-acetic acid)</b> C <sub>21</sub> H <sub>17</sub> F <sub>4</sub> NO <sub>3</sub> S <sub>2</sub> M.W. 471.49 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1836-50</b> μCi / 1.85 MBq	230,000
<b>Halofantrine [<sup>3</sup>H(G)] hydrochloride</b> C <sub>26</sub> H <sub>30</sub> Cl <sub>2</sub> F <sub>3</sub> NO · HCl M.W. 536.89 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1438-50</b> μCi / 1.85 MBq	297,000
<b>Haloperidol [<sup>3</sup>H(G)]</b> C <sub>21</sub> H <sub>23</sub> ClFNO <sub>2</sub> M.W. 375.90 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Ethanol:0.1N HCl (1:1) 1 mCi/ml	<b>ART 1729-50</b> μCi / 1.85 MBq	186,000
<b>HEMADO [<sup>3</sup>H]</b> <b>(2-(1-Hexynyl)-N-methyladenosine)</b> M.W. 361.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-50 Ci/mmol 0.74-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1456-50</b> μCi / 1.85 MBq	Inquire
<b>Hemicholinium [methyl-<sup>3</sup>H] 3-diacetate salt</b> C <sub>28</sub> H <sub>40</sub> N <sub>2</sub> O <sub>8</sub> M.W. 532 <i>Shipped in Dry Ice</i>	100-160 Ci/mmol 3.7-5.92 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1772-25</b> μCi / 925 kBq <b>ART 1772-250</b> μCi / 9.25 MBq	72,000 282,000
<b>Hemoglobin (bovine) [methyl-<sup>14</sup>C] methylated</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 3352-1</b> μCi / 37 kBq <b>ARC 3352-5</b> μCi / 185 kBq	92,000 282,000
<b>Hemoglobin (human) [methyl-<sup>14</sup>C] methylated</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 3353-1</b> μCi / 37 kBq <b>ARC 3353-5</b> μCi / 185 kBq	92,000 282,000
<b>Heparin [<sup>3</sup>H(G)] sodium salt</b> 170 units/mg M.W. 6,000-20,000	0.1-5 mCi/mg 3.7-185 MBq/mg	Sterile water 1 mCi/ml	<b>ART 0285-250</b> μCi / 9.25 MBq <b>ART 0285-1</b> mCi / 37 MBq	113,000 198,000
<b>Heptachlor [<sup>14</sup>C] 劇</b> C <sub>10</sub> H <sub>5</sub> Cl <sub>7</sub> M.W. 373.32 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Toluene 1 mCi/ml	<b>ARC 3354-10</b> μCi / 370 kBq <b>ARC 3354-50</b> μCi / 1.85 MBq	292,000 904,000
<b>Heptadecanoic acid [10,11-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>8</sub> CO <sub>2</sub> H M.W. 268.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0858-250</b> μCi / 9.25 MBq <b>ART 0858-1</b> mCi / 37 MBq	135,000 226,000

G  
H

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Heptadecanoic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>15</sub> COOH M.W. 268.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0476-250</b> μCi / 9.25 MBq	311,000
<b>Heptadecanoyl [1-<sup>14</sup>C] Coenzyme A</b> C <sub>38</sub> H <sub>68</sub> N <sub>7</sub> O <sub>17</sub> P <sub>3</sub> S M.W. 1019.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 1689-10</b> μCi / 370 kBq <b>ARC 1689-50</b> μCi / 1.85 MBq	256,000 522,000
<b>1,7-Heptanedicarboxylic acid [1-<sup>14</sup>C]</b> See Azelaic acid [1- <sup>14</sup> C]			<b>ARC 0807</b>	
<b>Heptanoic acid [1-<sup>14</sup>C] sodium salt</b> H <sub>3</sub> C(CH <sub>2</sub> ) <sub>5</sub> COONa M.W. 152.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0266-250</b> μCi / 9.25 MBq <b>ARC 0266-1</b> mCi / 37 MBq	164,000 366,000
<b>Heptanol [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH <sub>2</sub> OH M.W. 116.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0275-250</b> μCi / 9.25 MBq <b>ARC 0275-1</b> mCi / 37 MBq	164,000 365,000
<b>Heptaprenol "cold"</b> M.W. 494.9			<b>ARCD 0320-5</b> mg <b>ARCD 0320-10</b> mg	79,000 142,000
<b>Hesperetin [<sup>3</sup>H(G)]</b> M.W. 302.28 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0623-250</b> μCi / 9.25 MBq <b>ART 0623-1</b> mCi / 37 MBq	226,000 395,000
<b>Hexachlorobenzene [<sup>14</sup>C(U)]</b> C <sub>6</sub> Cl <sub>6</sub> M.W. 284.8 <i>Exclusive</i>	10-20 mCi/mmol 0.37-0.74 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1862-50</b> μCi / 1.85 MBq	611,000
<b>2,2',3,3',5,5'-Hexachlorobiphenyl [<sup>14</sup>C(U)] (PCB No 133)</b> 2,2',3,3',5,5'-C <sub>12</sub> H <sub>4</sub> Cl <sub>6</sub> M.W. 360.88 <i>Exclusive</i>	20-30 mCi/mmol 0.74-1.11 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3224-5</b> μCi / 185 kBq	342,000
<b>2,2',4,4',5,5'-Hexachlorobiphenyl [<sup>14</sup>C(U)] (PCB No 153)</b> 2,2',4,4',5,5'-C <sub>12</sub> H <sub>4</sub> Cl <sub>6</sub> M.W. 360.88 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3225-5</b> μCi / 185 kBq	342,000
<b>3,3',4,4',5,5'-Hexachlorobiphenyl [<sup>14</sup>C(U)] (PCB No 169)</b> 3,3',4,4',5,5'-C <sub>12</sub> H <sub>4</sub> Cl <sub>6</sub> M.W. 360.88 <i>Exclusive</i>	10-20 mCi/mmol 0.37-0.74 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3254-5</b> μCi / 185 kBq	342,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3,3',4,4',5,5'-Hexachlorobiphenyl [<sup>3</sup>H(G)] (PCB No 169)</b> 3,3',4,4',5,5'-C <sub>12</sub> H <sub>4</sub> Cl <sub>6</sub> M.W. 360.88 <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1218-250</b> μCi / 9.25 MBq <b>ART 1218-1</b> mCi / 37 MBq	311,000 563,000
<b>Hexachlorocyclopentadiene [<sup>14</sup>C(U)] 毒</b> C <sub>5</sub> Cl <sub>6</sub> M.W. 272.77 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 3355</b>	Inquire
<b>Hexachlorophene [ring-<sup>14</sup>C(U)]</b> CH <sub>2</sub> [C <sub>6</sub> H(Cl) <sub>3</sub> OH] <sub>2</sub> M.W. 406.90 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Hexane 0.1 mCi/ml	<b>ARC 3356-10</b> μCi / 370 kBq	322,000
<b>Hexacosanoic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>24</sub> CO <sub>2</sub> H M.W. 396.7 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.05 mCi/ml	<b>ARC 1253-50</b> μCi / 1.85 MBq	254,000
<b>Hexacosanoyl Coenzyme A "cold"</b> M.W. 1146.3 <i>Shipped in Dry Ice</i>		0.01N NaOAc (pH 5.2) 1 mg/ml	<b>ARCD 0219-1</b> mg <b>ARCD 0219-5</b> mg	69,000 266,000
<b>Hexacosanoyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1146.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N NaOAc (pH 5.2) 0.1 mCi/ml	<b>ARC 1818-10</b> μCi / 370 kBq <b>ARC 1818-50</b> μCi / 1.85 MBq	234,000 564,000
<b>n-Hexadecane [<sup>13</sup>C(U)] "stable isotope"</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>14</sub> CH <sub>3</sub> M.W. 226.44 <i>NEW!</i>		Neat liquid in sealed ampoule	<b>ARCD 1035-50</b> mg	374,000
<b>Hexadecane, n-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>14</sub> CH <sub>3</sub> M.W. 226.44 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 0576-50</b> μCi / 1.85 MBq <b>ARC 0576-250</b> μCi / 9.25 MBq	107,000 296,000
<b>Hexadecane, n-[1-<sup>14</sup>C]</b> <i>Standard Solution for scintillation counting</i> <i>Also see ARC 0282 Toluene [<sup>14</sup>C] calibration source for liquid scintillation counting</i>	1 x 10 <sup>6</sup> dpm/g		<b>ARC 0556-2</b> μCi / 74 kBq	93,000
<b>Hexadecane [1,2-<sup>14</sup>C] (Cetane)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>13</sub> CH <sub>2</sub> CH <sub>3</sub> M.W. 226.44 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 3430-10</b> μCi / 370 kBq	226,000
<b>Hexadecane, n-[1,2-<sup>3</sup>H]</b> <i>Standard solution for scintillation counting</i> <i>Also see ART 0182 Toluene [<sup>3</sup>H] calibration source for liquid scintillation counting</i> <i>Exclusive</i>	4 x 10 <sup>6</sup> dpm/g		<b>ART 0374-7</b> μCi / 259 kBq	99,000

H



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Hexadecane, n-[1,2-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>14</sub> CH <sub>3</sub> M.W. 226.44 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	n-Pentane in sealed ampoule 1 mCi/ml	<b>ART 1223-1</b> mCi / 37 MBq <b>ART 1223-5</b> mCi / 185 MBq	107,000 239,000
<b>Hexadecanedioic acid [16-<sup>14</sup>C]</b> HOOC(CH <sub>2</sub> ) <sub>14</sub> COOH M.W. 286.41 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3783-50</b> μCi / 1.85 MBq	209,000
<b>1-Hexadecanol, n-[1-<sup>14</sup>C]</b> <b>(Cetyl alcohol)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>14</sub> CH <sub>2</sub> OH M.W. 242.45 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1093-250</b> μCi / 9.25 MBq <b>ARC 1093-1</b> mCi / 37 MBq	208,000 358,000
<b>cis-9-Hexadecanoic acid</b> See Palmitoleic acid [1- <sup>14</sup> C]			<b>ARC 1663</b>	
<b>cis-9-Hexadecanoic acid</b> See Palmitoleic acid [9,10- <sup>3</sup> H]			<b>ART 0405</b>	
<b>Hexadecatrienoic acid 4,7,10 [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CH=CHCH <sub>2</sub> CH= CHCH <sub>2</sub> CH=CH(CH <sub>2</sub> ) <sub>2</sub> CO <sub>2</sub> H M.W. 250 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1352-10</b> μCi / 370 kBq	323,000
<b>Hexadecatrienoyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1034.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.1M NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 1742-10</b> μCi / 370 kBq	524,000
<b>1-0-Hexadecyl-2-0-acetyl-<i>sn</i>-glycerol PC (PAF C16)</b> See Platelet activating factor [acetyl- <sup>14</sup> C]			<b>ARC 1161</b>	
<b>1-0 Hexadecyl-2-0-acetyl-<i>sn</i>-glycerol PC (PAF C16)</b> See Platelet activating factor [acetyl- <sup>3</sup> H]			<b>ART 0727</b>	
<b>N-Hexadecylamine [1-<sup>14</sup>C] hydrochloride</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>14</sub> CH <sub>2</sub> NH <sub>2</sub> HCl M.W. 277.90 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1469-50</b> μCi / 1.85 MBq	226,000
<b>Hexadecylhexadecanoate [carbonyl-<sup>14</sup>C]</b> M.W. 480.86 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride in sealed ampoule 0.1 mCi/ml	<b>ARC 1336-50</b> μCi / 1.85 MBq	324,000
<b>Hexadecylpyridinium chloride [pyridine-2,6-<sup>14</sup>C]</b> See Cetylpyridinium chloride [pyridine-2,6- <sup>14</sup> C]			<b>ARC 3422</b>	
<b>Hexadecyltrimethyl ammonium iodide [methyl-<sup>14</sup>C]</b> M.W. 411 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0285-50</b> μCi / 1.85 MBq	226,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Hexafluoro-2-methyl [3H] 2-propanol</b> CH <sub>3</sub> C(CF <sub>3</sub> ) <sub>2</sub> OH M.W. 402.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-1000 mCi/mmol 3.7-370 GBq/mmol	Methylene chloride in sealed ampoule 1 mCi/ml	<b>ART 1418-50</b> μCi / 1.85 MBq	171,000
<b>Hexahydropyridazine [3,6-14C] dihydrochloride</b> C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> · 2HCl M.W. 159.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3569-50</b> μCi / 1.85 MBq	419,000
<b>Hexamethoxyflavone-3,4,5,6,7,8 [3H(G)]</b> M.W. 402.4 <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0641-250</b> μCi / 9.25 MBq <b>ART 0641-1</b> mCi / 37 MBq	226,000 395,000
<b>Hexamethyldisilazane [methyl-14C]</b> (CH <sub>3</sub> ) <sub>3</sub> SiNHSi(CH <sub>3</sub> ) <sub>3</sub> M.W. 161.39 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 mCi/mmol 370-740 MBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1593-1</b> mCi / 37 MBq	Inquire
<b>Hexane, n-[1-14C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CH <sub>3</sub> M.W. 86.18 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 1611-50</b> μCi / 1.85 MBq	149,000
<b>1,6-Hexanediamine [1,6-14C] dihydrochloride</b> H <sub>2</sub> N(CH <sub>2</sub> ) <sub>6</sub> NH <sub>2</sub> · 2HCl M.W. 189.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3219-50</b> μCi / 1.85 MBq	299,000
<b>1,6-Hexanediol [1,6-14C] (Hexamethylene glycol)</b> HO(CH <sub>2</sub> ) <sub>6</sub> OH M.W. 188.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3220-50</b> μCi / 1.85 MBq	299,000
<b>Hexanoic acid, n-[1-14C] N-hydroxysuccinimide ester</b> M.W. 213 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0734-250</b> μCi / 9.25 MBq <b>ARC 0734-1</b> mCi / 37 MBq	247,000 492,000
<b>Hexanoic acid, n-[1-14C] sodium salt</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> COO · Na M.W. 138 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0265-250</b> μCi / 9.25 MBq <b>ARC 0265-1</b> mCi / 37 MBq	176,000 381,000
<b>Hexanoic acid, n-[6-3H] sodium salt</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CO <sub>2</sub> Na M.W. 138 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0695-250</b> μCi / 9.25 MBq	129,000
<b>Hexanoic acid, n-[5,6-3H] sodium salt</b> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> COO · Na M.W. 138 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1754-250</b> μCi / 9.25 MBq	138,000

H

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Hexanol, n-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CH <sub>2</sub> OH M.W. 102 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ARC 0225-250</b> μCi / 9.25 MBq <b>ARC 0225-1</b> mCi / 37 MBq	170,000 365,000
<b>Hexanol, n-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CH <sub>2</sub> OH M.W. 102 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0225A-250</b> μCi / 9.25 MBq <b>ARC 0225A-1</b> mCi / 37 MBq	170,000 365,000
<b>Hexanoyl [1-<sup>14</sup>C] Coenzyme A</b> C <sub>27</sub> H <sub>46</sub> N <sub>7</sub> O <sub>17</sub> P <sub>3</sub> S M.W. 865.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N NaOAc (pH 5.2) 0.1 mCi/ml	<b>ARC 1186-10</b> μCi / 370 kBq <b>ARC 1186-50</b> μCi / 1.85 MBq	219,000 479,000
<b>Hexanoyl [5,6-<sup>3</sup>H] Coenzyme A</b> C <sub>27</sub> H <sub>46</sub> NO <sub>17</sub> P <sub>3</sub> S M.W. 865.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	0.01M NaOAc (pH 5.2) 0.1 mCi/ml	<b>ART 1746-10</b> μCi / 370 kBq <b>ART 1746-50</b> μCi / 1.85 MBq	167,000 335,000
<b>Hexanoyl [5,6-<sup>3</sup>H] Coenzyme A</b> C <sub>27</sub> H <sub>46</sub> NO <sub>17</sub> P <sub>3</sub> S M.W. 865.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol: 0.01M NaOAc (pH 5.2) (1:1) 0.1 mCi/ml	<b>ART 1746A-10</b> μCi / 370 kBq <b>ART 1746A-50</b> μCi / 1.85 MBq	167,000 335,000
<b>N-Hexanoyl dihydrosphingosine-D-erythro-[4,5-<sup>3</sup>H]</b> M.W. 399.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0600-50</b> μCi / 1.85 MBq	248,000
<b>4-Hexanoyl resorcinol [resorcinol-<sup>14</sup>C(U)]</b> C <sub>12</sub> H <sub>16</sub> O <sub>3</sub> M.W. 208.25 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3786-50</b> μCi / 1.85 MBq	461,000
<b>N-Hexanoyl [1-<sup>14</sup>C] sphingosine-D-erythro (C-6 Ceramide)</b> M.W. 397.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1076-50</b> μCi / 1.85 MBq	269,000
<b>N-Hexanoyl [6-<sup>3</sup>H] sphingosine-D-erythro (C-6 Ceramide)</b> M.W. 397.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0598-50</b> μCi / 1.85 MBq	240,000
<b>N-Hexanoyl sphingosine-D-erythro [3-<sup>3</sup>H] (C-6 Ceramide)</b> M.W. 397.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2038-50</b> μCi / 1.85 MBq	440,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Hexaprenol "cold"</b> M.W. 426.7		Hexane in sealed ampoule 1 mg/ml	<b>ARCD 0247-1 mg</b>	53,000
<b>n-Hexylamine [1-<sup>14</sup>C] hydrochloride</b> <chem>CH3(CH2)4CH2NH2.HCl</chem> M.W. 137.7 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0762-250 μCi / 9.25 MBq</b>	226,000
<b>2-Hexyldecanol [<sup>3</sup>H]</b> M.W. 242.44 <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1936-250 μCi / 9.25 MBq</b>	209,000
<b>4-Hexylresorcinol [resorcinol-<sup>14</sup>C(U)]</b> <chem>CH3(CH2)5C6H3-1,3(OH)2</chem> M.W. 194.27 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1222-50 μCi / 1.85 MBq</b>	339,000
<b>Hippuric acid [glycyl-1-<sup>14</sup>C]</b> <chem>C6H5CONHCH2CO2H</chem> M.W. 179 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1072-50 μCi / 1.85 MBq</b> <b>ARC 1072-250 μCi / 9.25 MBq</b>	121,000 296,000
<b>Histamine [methylene ring-<sup>3</sup>H(N)] dihydrochloride</b> <b>(2-(4-Imidazolyl)ethylamine dihydrochloride)</b> <chem>C5H9N3.2HCl</chem> M.W. 184.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-40 Ci/mmol 0.37-1.48 TBq/mmol	Ethanol: 0.01N HCl (1:1) 1 mCi/ml	<b>ART 1432-50 μCi / 1.85 MBq</b> <b>ART 1432-250 μCi / 9.25 MBq</b>	66,000 114,000
<b>Histidine, L-[carboxyl-<sup>14</sup>C]</b> <chem>C3H3N2CH2CH(NH2)COOH</chem> M.W. 155.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0503-10 μCi / 370 kBq</b>	198,000
<b>Histidine, L-[<sup>14</sup>C(U)]</b> <chem>C3H3N2CH2CH(NH2)COOH</chem> M.W. 155.2 <i>Exclusive</i>	250-360 mCi/mmol 9.25-13.32 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 3576-50 μCi / 1.85 MBq</b>	Inquire
<b>Histidine, L-[ring-2,5-<sup>3</sup>H]</b> <chem>C3H3N2CH2CH(NH2)COOH</chem> M.W. 155.2 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0234-250 μCi / 9.25 MBq</b> <b>ART 0234-1 mCi / 37 MBq</b>	48,000 97,000
<b>Histidine, L-[ring-2,5-<sup>3</sup>H] methyl ester dihydrochloride</b> <chem>C7H11N3O2.2HCl</chem> M.W. 242.1 <i>NEW!-Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 2085-50 μCi / 1.85 MBq</b>	251,000
<b>13(S)-HODE [1-<sup>14</sup>C]</b> <b>(13(S)-Hydroxyoctadeca-9Z,11E-eicosadienoic acid)</b> M.W. 296.44 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1657-10 μCi / 370 kBq</b>	507,000

**H**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>13(S)-HODE [9,10,11,12-<sup>3</sup>H]</b> <b>(13(S)-Hydroxyoctadeca-9Z,11E-</b> <b>eicosadienoic acid)</b> M.W. 296.44 <i>Shipped on Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1656-5</b> μCi / 185 kBq	419,000
<b>Homogentisic acid [ring-<sup>3</sup>H]</b> M.W. 186.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol	<b>ART 0850-250</b> μCi / 9.25 MBq	226,000
<b>Homoquinolinic acid "cold"</b>		Solid	<b>ARCD 0396-10</b> mg	51,000
<b>Homoquinolinic acid [5,6-<sup>3</sup>H]</b> M.W. 199.17 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0875-100</b> μCi / 3.7 MBq <b>ART 0875-250</b> μCi / 9.25 MBq	232,000 403,000
<b>Homoserine, DL-[1-<sup>14</sup>C]</b> <b>HOCH<sub>2</sub>CH<sub>2</sub>CH(NH<sub>2</sub>)CO<sub>2</sub>H</b> M.W. 119 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1187-50</b> μCi / 1.85 MBq	365,000
<b>Honokiol [ring-<sup>3</sup>H]</b> <b>C<sub>18</sub>H<sub>18</sub>O<sub>2</sub></b> M.W. 266.33 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.370-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1638-50</b> μCi / 1.85 MBq	419,000
<b>HP101 [<sup>3</sup>H(G)]</b> <b>(2-Hydroxy-6-octyloxypyridine-N-oxide</b> <b>ethanolamine salt</b> <b>C<sub>13</sub>H<sub>21</sub>NO<sub>3</sub></b> M.W. 239.31 (free base) <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2087-50</b> μCi / 1.85 MBq	209,000
<b>Hyaluronic acid [<sup>3</sup>H(G)] sodium salt</b> M.W. 300,000 <i>Exclusive</i>	100-500 mCi/g 3.7-18.5 MBq/g	Sterile water 0.5 mCi/ml	<b>ART 0388-50</b> μCi / 1.85 MBq <b>ART 0388-250</b> μCi / 9.25 MBq	149,000 296,000
<b>α-Hydrindone [1-<sup>14</sup>C]</b> See 1-Indanone [1- <sup>14</sup> C]			<b>ARC 3105</b>	
<b>Hydrocortisone [4-<sup>14</sup>C]</b> <b>(Cortisol)</b> M.W. 362.47 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1118-10</b> μCi / 370 kBq	276,000
<b>Hydrocortisone [1,2-<sup>3</sup>H]</b> <b>(Cortisol)</b> <b>C<sub>21</sub>H<sub>30</sub>O<sub>5</sub></b> M.W. 362.47 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0776-250</b> μCi / 9.25 MBq <b>ART 0776-1</b> mCi / 37 MBq	110,000 184,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Hydrocortisone [1,2,6,7-<sup>3</sup>H(N)] (Cortisol)</b> C <sub>21</sub> H <sub>30</sub> O <sub>5</sub> M.W. 362.47 <i>Shipped in Dry Ice</i>	50-90 Ci/mmol 1.85-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1561-250</b> μCi / 9.25 MBq <b>ART 1561-1</b> mCi / 37 MBq	Inquire Inquire
<b>Hydrocortisone [11-<sup>3</sup>H] (Cortisol)</b> C <sub>21</sub> H <sub>30</sub> O <sub>5</sub> M.W. 362.47 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1316-50</b> μCi / 1.85 MBq	152,000
<b>Hydroquinone [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>6</sub> O <sub>2</sub> M.W. 110. <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ARC 0334-250</b> μCi / 9.25 MBq	239,000
<b>p-Hydroxyacetanilide [ring 3,5-<sup>3</sup>H]</b> M.W. 151.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0611-250</b> μCi / 9.25 MBq <b>ART 0611-1</b> mCi / 37 MBq	226,000 365,000
<b>3-Hydroxyacetophenone [ring-<sup>14</sup>C(U)]</b> HO <sub>2</sub> C <sub>6</sub> H <sub>4</sub> COCH <sub>3</sub> M.W. 136.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1471-250</b> μCi / 9.25 MBq	311,000
<b>4-Hydroxyacetophenone [ring-<sup>14</sup>C(U)]</b> HO <sub>2</sub> C <sub>6</sub> H <sub>4</sub> COCH <sub>3</sub> M.W. 136.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3287-50</b> μCi / 1.85 MBq	299,000
<b>11β-Hydroxyandrostenedione [1,2-<sup>3</sup>H]</b> C <sub>19</sub> H <sub>26</sub> O <sub>3</sub> M.W. 302.41 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1350-50</b> μCi / 1.85 MBq	269,000
<b>4-Hydroxybenzaldehyde [<sup>14</sup>C(U)]</b> 4-HOC <sub>6</sub> H <sub>4</sub> CHO M.W. 122.12 <i>Exclusive</i>	5-10 mCi/mmol 0.185-0.37 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3288-50</b> μCi / 1.85 MBq	559,000
<b>4-Hydroxybenzaldehyde [ring-2-<sup>3</sup>H]</b> HO <sub>2</sub> C <sub>6</sub> H <sub>4</sub> CHO M.W. 122.12 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2030-50</b> μCi / 1.85 MBq	219,000
<b>3-Hydroxybenzoic acid [ring-<sup>14</sup>C(U)]</b> 3-HOC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 138.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3269-50</b> μCi / 1.85 MBq	573,000
<b>4-Hydroxybenzoic acid [ring-<sup>14</sup>C(U)]</b> 4-HOC <sub>6</sub> H <sub>4</sub> COOH M.W. 138.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1570-50</b> μCi / 1.85 MBq <b>ARC 1570-250</b> μCi / 9.25 MBq	282,000 449,000

H

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>4-Hydroxybenzoic acid [carboxyl-<sup>14</sup>C] methyl ester</b> 4-HOC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> CH <sub>3</sub> M.W. 152.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methanol 0.1 mCi/ml	<b>ARC 1414-50</b> μCi / 1.85 MBq	186,000
<b>3-Hydroxybenzophenone [ring-<sup>14</sup>C(U)]</b> 3-HOC <sub>6</sub> H <sub>4</sub> COC <sub>6</sub> H <sub>5</sub> M.W. 198.22 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1637-50</b> μCi / 1.85 MBq	164,000
<b>6-Hydroxy-5-bromonicotinic acid [carboxyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>4</sub> BrNO <sub>3</sub> M.W. 218 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3793-50</b> μCi / 1.85 MBq	419,000
<b>2-Hydroxybutyric acid,DL [1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> CH <sub>2</sub> CHOHCO <sub>2</sub> Na M.W. 126.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 1021-50</b> μCi / 1.85 MBq <b>ARC 1021-250</b> μCi / 9.25 MBq	164,000 381,000
<b>3-Hydroxybutyric acid [1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> CHOHCH <sub>2</sub> CO <sub>2</sub> Na M.W. 126.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 1455-50</b> μCi / 1.85 MBq <b>ARC 1455-250</b> μCi / 9.25 MBq	163,000 381,000
<b>3-Hydroxybutyric acid [3-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> CH(OH)CH <sub>2</sub> COONa M.W. 126.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 1545-50</b> μCi / 1.85 MBq	254,000
<b>Hydroxybutyric acid, DL-[1-<sup>14</sup>C] potassium salt</b> CH <sub>3</sub> CH(OH)CH <sub>2</sub> COOK M.W. 142 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0664-50</b> μCi / 1.85 MBq <b>ARC 0664-250</b> μCi / 9.25 MBq	164,000 395,000
<b>Hydroxybutyric acid, DL-[3-<sup>14</sup>C] potassium salt</b> CH <sub>3</sub> CHOHCH <sub>2</sub> CO <sub>2</sub> K M.W. 142 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 1025-50</b> μCi / 1.85 MBq	282,000
<b>3-Hydroxybutyryl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 853.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N NaOAc (pH 5.0) 0.1 mCi/ml	<b>ARC 1436-10</b> μCi / 370 kBq	212,000
<b>α-Hydroxycholanic acid [11,12-<sup>3</sup>H]</b> See Lithocholic acid [11,12- <sup>3</sup> H]			<b>ART 1263</b>	



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>25-Hydroxy [26,27-methyl-<sup>3</sup>H] cholecalciferol (Calcifediol; 25-Hydroxyvitamin D<sub>3</sub>)</b> C <sub>27</sub> H <sub>44</sub> O <sub>2</sub> M.W. 400.64 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	130-180 Ci/mmol 4.81-6.66 TBq/mmol	Ethanol:toluene (1:1) 0.05 mCi/ml	<b>ART 1945-5</b> μCi / 185 kBq <b>ART 1945-25</b> μCi / 925 kBq	239,000 Inquire
<b>7α-Hydroxycholesterol [7-<sup>3</sup>H]</b> C <sub>27</sub> H <sub>46</sub> O <sub>2</sub> M.W. 402.66 <i>Exclusive</i>	15-25 Ci/mmol 0.555-0.925 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1739-50</b> μCi / 1.85 MBq	239,000
<b>7β-Hydroxycholesterol [7-<sup>3</sup>H]</b> C <sub>27</sub> H <sub>46</sub> O <sub>2</sub> M.W. 402.66 <i>Exclusive</i>	15-25 Ci/mmol 0.555-0.925 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1740-50</b> μCi / 1.85 MBq	239,000
<b>Hydroxycholesterol, 22(S) "cold"</b>		Solid	<b>ARCD 0471-1</b> mg	43,000
<b>Hydroxycholesterol, 24(R)-[22,23-<sup>3</sup>H]</b> M.W. 402.66 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1278-50</b> μCi / 1.85 MBq	254,000
<b>Hydroxycholesterol, 24(R)-[24-<sup>3</sup>H]</b> C <sub>27</sub> H <sub>46</sub> O <sub>2</sub> M.W. 402.66 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1165-50</b> μCi / 1.85 MBq <b>ART 1165-250</b> μCi / 9.25 MBq	177,000 339,000
<b>Hydroxycholesterol, 24(S) "cold"</b> C <sub>27</sub> H <sub>46</sub> O <sub>2</sub> M.W. 402.66		Solid	<b>ARCD 0224-1</b> mg <b>ARCD 0224-5</b> mg	55,000 169,000
<b>Hydroxycholesterol, 24(S)-[22,23-<sup>3</sup>H]</b> M.W. 402.66 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0783-50</b> μCi / 1.85 MBq	256,000
<b>Hydroxycholesterol, 24(S)-[24-<sup>3</sup>H]</b> M.W. 402.66 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1164-50</b> μCi / 1.85 MBq <b>ART 1164-250</b> μCi / 9.25 MBq	177,000 339,000
<b>Hydroxycholesterol, 25-[26-<sup>14</sup>C]</b> M.W. 402.66 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1268-50</b> μCi / 1.85 MBq	282,000
<b>Hydroxycholesterol, 25-[26,27-<sup>3</sup>H]</b> M.W. 402.66 <i>Shipped in Dry Ice</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0766-250</b> μCi / 9.25 MBq	261,000
<b>Hydroxycholesterol, 25-[26,27-<sup>3</sup>H]</b> M.W. 402.66 <i>Shipped in Dry Ice</i>	10-30 Ci/mmol 0.370-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0766A-250</b> μCi / 9.25 MBq	Inquire

H



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>4-Hydroxycoumarin [ring-<sup>14</sup>C(U)]</b> C <sub>9</sub> H <sub>6</sub> O <sub>3</sub> M.W. 162.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1802-50</b> μCi / 1.85 MBq	269,000
<b>7-Hydroxycoumarin [phenyl ring-<sup>14</sup>C(U)]</b> C <sub>9</sub> H <sub>6</sub> O <sub>3</sub> M.W. 162.14 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3736-50</b> μCi / 1.85 MBq	293,000
<b>7-Hydroxycoumarin [ring-<sup>3</sup>H]</b> C <sub>9</sub> H <sub>6</sub> O <sub>3</sub> M.W. 162.14 <i>Shipped in Dry Ice</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1775-50</b> μCi / 1.85 MBq	277,000
<b>4-Hydroxycyclohexane carboxylic acid [carboxyl-<sup>14</sup>C]</b> C <sub>7</sub> H <sub>12</sub> O <sub>3</sub> M.W. 144.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0742-250</b> μCi / 9.25 MBq	381,000
<b>3-Hydroxydecanoic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CHOHCH <sub>2</sub> CO <sub>2</sub> H M.W. 188.27 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1424-50</b> μCi / 1.85 MBq	359,000
<b>3-Hydroxydecanoyl [1-<sup>14</sup>C] Coenzyme A</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CHOHCH <sub>2</sub> CO · CoA M.W. 937.8 <i>Shipped In Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01M NaOAc (pH 5.0) 0.1 mCi/ml	<b>ARC 1437-10</b> μCi / 370 kBq <b>ARC 1437-50</b> μCi / 1.85 MBq	198,000 672,000
<b>Hydroxydiphenylmethane [methylene-<sup>14</sup>C]</b> M.W. 184 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0885-250</b> μCi / 9.25 MBq	366,000
<b>R-(+)-7-Hydroxy DPAT [<sup>3</sup>H] (7-OH-DPAT)</b> C <sub>16</sub> H <sub>25</sub> NO M.W. 294 <i>Shipped in Dry Ice</i>	100-120 Ci/mmol 3.7-4.44 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1821-250</b> μCi / 9.25 MBq	391,000
<b>8-Hydroxy-DPAT [propyl-2,3-ring 1,2,3-<sup>3</sup>H]</b> M.W. 247.4 <i>Shipped in Dry Ice</i> <i>Full 5-HT<sub>1A</sub> serotonin receptor agonist.</i> <i>Cornfield et al. "Intrinsic activity of enantiomers of 8-hydroxy-2-(di-n-propylamino) tetralin and its analogs at 5-hydroxytryptamine<sub>1A</sub> receptors that are negatively coupled to adenylate cyclase." Mol. Pharmacol. 39, 780 (1991)</i>	120-200 Ci/mmol 4.81-7.40 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 0750-25</b> μCi / 925 kBq <b>ART 0750-250</b> μCi / 9.25 MBq <b>ART 0750-1</b> mCi / 37 MBq	82,000 172,000 439,000
<b>Hydroxyethyl starch [<sup>14</sup>C]</b> M.W. 104.10 <i>Exclusive</i>	1-2 mCi/g 37-74 MBq/g	Solid	<b>ARC 3427</b>	Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2-Hydroxyisobutyric acid [1-<sup>14</sup>C]</b> <b>(2-Methylactic acid)</b> 2-(CH <sub>3</sub> ) <sub>2</sub> C(OH)COOH M.W. 104.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3192-50</b> μCi / 1.85 MBq	219,000
<b>3-Hydroxyl-5-oxo [1,2,6-<sup>14</sup>C] cyclohe-3-ene-carboxylic acid</b> C <sub>9</sub> H <sub>12</sub> O <sub>4</sub> M.W. 184.20 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Aqueous solution 0.1 mCi/ml	<b>ARC 3270</b>	Inquire
<b>4-Hydroxy-3-methoxybenzoic acid [1-<sup>14</sup>C]</b> HO C <sub>6</sub> H <sub>3</sub> (OCH <sub>3</sub> )CO <sub>2</sub> H M.W. 168.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1133-50</b> μCi / 1.85 MBq	202,000
<b>3-Hydroxy-4-methoxy-methyl-benzoate [carboxyl-<sup>14</sup>C]</b> See Isovanillic acid [carboxyl- <sup>14</sup> C] methyl ester			<b>ARC 3093</b>	
<b>Hydroxy-3-methylglutaric acid [3-<sup>14</sup>C]</b> HO C(CH <sub>3</sub> )(CH <sub>2</sub> CO <sub>2</sub> H) <sub>2</sub> M.W. 162.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1199-50</b> μCi / 1.85 MBq	381,000
<b>Hydroxy-3-methylglutaryl, DL-3-[3-<sup>14</sup>C] Coenzyme A</b> M.W. 911.7 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Aqueous solution (pH 5.2) 0.1 mCi/ml	<b>ARC 1000-10</b> μCi / 370 kBq <b>ARC 1000-50</b> μCi / 1.85 MBq	139,000 356,000
<b>2-Hydroxy-4-(methylthio) butyric acid, DL-[1-<sup>14</sup>C]</b> CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CH(OH)COOH M.W. 150.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 1327-50</b> μCi / 1.85 MBq	184,000
<b>2-Hydroxynicotinic acid [2-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> NO <sub>3</sub> M.W. 139.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1140-250</b> μCi / 9.25 MBq <b>ARC 1140-1</b> mCi / 37 MBq	234,000 381,000
<b>6-Hydroxynicotinic acid [carboxyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> NO <sub>3</sub> M.W. 139.11 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3791-50</b> μCi / 1.85 MBq	251,000
<b>2-Hydroxyoctanoic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CHOHCOOH M.W. 160.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0860-50</b> μCi / 1.85 MBq <b>ARC 0860-250</b> μCi / 9.25 MBq	198,000 395,000
<b>3-Hydroxypalmitic acid "cold"</b> M.W. 272.42		Solid	<b>ARCD 0280-1</b> mg <b>ARCD 0280-5</b> mg	51,000 116,000
<b>3-Hydroxypalmitic acid, L-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>12</sub> CH(OH)CH <sub>2</sub> COOH M.W. 272.42 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1859-50</b> μCi / 1.85 MBq	219,000

H



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3-Hydroxypalmitic acid, DL-[1-<sup>14</sup>C]</b> <chem>CH3(CH2)12CH(OH)CH2COOH</chem> M.W. 272.42 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1246-50</b> μCi / 1.85 MBq	218,000
<b>3-Hydroxypalmitoyl Coenzyme A "cold"</b> M.W. 1022.0 <i>Shipped in Dry Ice</i>		Ethanol:0.01N NaOAc pH 5.2 (1:1) 1 mCi/ml	<b>ARCD 0365-1</b> mg <b>ARCD 0365-5</b> mg	211,000 519,000
<b>3-Hydroxypalmitoyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1022.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 1860-10</b> μCi / 370 kBq <b>ARC 1860-50</b> μCi / 1.85 MBq	254,000 634,000
<b>H 4-Hydroxyphenyl acetic acid [1-<sup>14</sup>C]</b> <chem>HOC6H4CH2CO2H</chem> M.W. 152.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1841-50</b> μCi / 1.85 MBq	164,000
<b>4-Hydroxyphenyl acetic acid [ring-<sup>14</sup>C(U)]</b> <chem>HOC6H4CH2CO2H</chem> M.W. 152.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1763-50</b> μCi / 1.85 MBq	269,000
<b>3-(3-Hydroxyphenyl) propionic acid [carboxyl-<sup>14</sup>C]</b> M.W. 166.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.5 mCi/ml	<b>ARC 3617-50</b> μCi / 1.85 MBq	419,000
<b>Hydroxyphenylpyruvic acid [carboxyl-<sup>14</sup>C] (Hydroxyphenylpyruvate)</b> M.W. 180.58 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Solid	<b>ARC 3433-50</b> μCi / 1.85 MBq	226,000
<b>(S)-1-[3-Hydroxy-2-(phosphonyl-methoxy)propyl] cytosine [5-<sup>3</sup>H] (HPMPC)</b> M.W. 279.2 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ART 1356-50</b> μCi / 1.85 MBq	254,000
<b>Hydroxypregnenolone, 17α-[1,2-<sup>3</sup>H]</b> M.W. 332.48 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1233-50</b> μCi / 1.85 MBq	669,000
<b>Hydroxypregnenolone, 17α-[3α-<sup>3</sup>H]</b> M.W. 332.48 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2137</b>	Inquire
<b>Hydroxypregnenolone, 17α-[21-<sup>3</sup>H]</b> M.W. 332.48 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1663-50</b> μCi / 1.85 MBq <b>ART 1663-250</b> μCi / 9.25 MBq	219,000 419,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Hydroxyprogesterone, 17<math>\alpha</math>-[4-<sup>14</sup>C]</b> M.W. 330.46 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3626-10</b> $\mu$ Ci / 370 kBq <b>ARC 3626-50</b> $\mu$ Ci / 1.85 MBq	252,000 Inquire
<b>Hydroxyprogesterone, 17<math>\alpha</math>-[1,2,6,7-<sup>3</sup>H]</b> M.W. 330.46 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0638A-250</b> $\mu$ Ci / 9.25 MBq	Inquire
<b>20<math>\alpha</math>-Hydroxyprogesterone "cold"</b> <b>(4-Pregnen-20<math>\alpha</math>-ol-3-one)</b> C <sub>21</sub> H <sub>32</sub> O <sub>2</sub> M.W. 316.48 CAS # 145-14-2		Solid	<b>ARCD 0758-10</b> mg <b>ARCD 0758-100</b> mg	41,000 132,000
<b>Hydroxyprogesterone, 20<math>\alpha</math>-[1,2-<sup>3</sup>H(N)]</b> M.W. 330.46 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0891-50</b> $\mu$ Ci / 1.85 MBq	178,000
<b>cis-4-Hydroxy-L-proline [4-<sup>3</sup>H]</b> HNCH <sub>2</sub> CHOHCH <sub>2</sub> CHCOOH M.W. 131.11 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0458-250</b> $\mu$ Ci / 9.25 MBq <b>ART 0458-1</b> mCi / 37 MBq	164,000 296,000
<b>trans-4-Hydroxy-L-proline [4-<sup>3</sup>H]</b> HNCH <sub>2</sub> CHOHCH <sub>2</sub> CHCOOH M.W. 131.11 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0231-250</b> $\mu$ Ci / 9.25 MBq <b>ART 0231-1</b> mCi / 37 MBq	155,000 296,000
<b>8-Hydroxyquinoline [ring-<sup>14</sup>C(U)]</b> C <sub>9</sub> H <sub>7</sub> NO M.W. 145.16 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1785-50</b> $\mu$ Ci / 1.85 MBq	269,000
<b>2-Hydroxysaclofen "cold"</b> M.W. 265.71 CAS # 117354-64-0		Solid	<b>ARCD 0510-10</b> mg <b>ARCD 0510-25</b> mg	36,000 84,000
<b>11-Hydroxystearic acid, RS-[11-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CH(OH)(CH <sub>2</sub> ) <sub>9</sub> CO <sub>2</sub> H M.W. 300.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1167-250</b> $\mu$ Ci / 9.25 MBq	191,000
<b>12-Hydroxystearic acid [9,10-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH(OH)CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>7</sub> COOH M.W. 300.5 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0866-1</b> mCi / 37 MBq <b>ART 0866-5</b> mCi / 185 MBq	135,000 339,000
<b>4-Hydroxytamoxifen methiodide "cold"</b> M.W. 529.4 <i>Exclusive</i>			<b>ARCD 0288-5</b> mg <b>ARCD 0288-25</b> mg	77,000 153,000

H

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>4-Hydroxytamoxifen methiodide [N-methyl-<sup>3</sup>H]</b> M.W. 529.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	65-87 Ci/mmol 2.40-3.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1106-250</b> μCi / 9.25 MBq	254,000
<b>Hydroxytryptamine binoxalate, 5-[2-<sup>14</sup>C] (Serotonin)</b> 5-HOC <sub>8</sub> H <sub>5</sub> NCH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> .H(CO <sub>2</sub> ) <sub>2</sub> H M.W. 266.2 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0250-50</b> μCi / 1.85 MBq <b>ARC 0250-250</b> μCi / 9.25 MBq	118,000 432,000
<b>Hydroxytryptamine, 5-[2-<sup>14</sup>C] hydrochloride (Serotonin hydrochloride)</b> C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O · HCl M.W. 212.68 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3294-50</b> μCi / 1.85 MBq <b>ARC 3294-250</b> μCi / 9.25 MBq	185,000 546,000
<b>Hydroxytryptamine, 5-[1,2-<sup>3</sup>H] creatinine sulfate (Serotonin sulfate)</b> M.W. 387.4 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0350-1</b> mCi / 37 MBq <b>ART 0350-5</b> mCi / 185 MBq	119,000 288,000
<b>Hydroxytryptamine, 5-[<sup>3</sup>H] trifluoroacetate</b> C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O · CF <sub>3</sub> COOH 毒 M.W. 290.26 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-130 Ci/mmol 2.96-48.1 TBq/mmol	Water:ethanol:TFA: mercaptoethanol (98:2:0.1:0.2) 1 mCi/ml	<b>ART 1551-250</b> μCi / 9.25 MBq <b>ART 1551-1</b> mCi / 37 MBq	68,000 259,000
<b>Hydroxyurea [<sup>14</sup>C]</b> H <sub>2</sub> NCONHOH M.W. 76.06 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0537-250</b> μCi / 9.25 MBq <b>ARC 0537-1</b> mCi / 37 MBq	186,000 353,000
<b>25-Hydroxyvitamine D<sub>3</sub> [26,27-methyl-<sup>3</sup>H]</b> See 25-Hydroxy [26,27-methyl- <sup>3</sup> H] cholecalciferol			<b>ART 1945</b>	
<b>Hypoxanthine [8-<sup>14</sup>C]</b> M.W. 136.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0364-50</b> μCi / 1.85 MBq <b>ARC 0364-250</b> μCi / 9.25 MBq	103,000 332,000
<b>Hypoxanthine [8-<sup>3</sup>H] monohydrochloride</b> M.W. 172.5	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0266-1</b> mCi / 37 MBq <b>ART 0266-5</b> mCi / 185 MBq	65,000 191,000
<b>Hypoxanthine [8-<sup>3</sup>H] monohydrochloride</b> M.W. 172.5	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0266A-1</b> mCi / 37 MBq <b>ART 0266A-5</b> mCi / 185 MBq	65,000 191,000
<b>Ibotenic acid "cold"</b> C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> O <sub>4</sub> M.W. 158.11			<b>ARCD 0248-1</b> mg <b>ARCD 0248-5</b> mg	36,000 60,000
<b>Ibuprofen, R-(-)-[carboxyl-<sup>14</sup>C] (4-Isobutyl-α-methylphenylacetic acid)</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> C <sub>6</sub> H <sub>4</sub> CH(CH <sub>3</sub> )CO <sub>2</sub> H M.W. 206.29 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1044-50</b> μCi / 1.85 MBq	419,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Ibuprofen, RS-[carboxyl-<sup>14</sup>C]</b> <b>(4-Isobutyl-<math>\alpha</math>-methylphenylacetic acid)</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> C <sub>6</sub> H <sub>4</sub> CH(CH <sub>3</sub> )CO <sub>2</sub> H M.W. 206.29 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1046-50</b> $\mu$ Ci / 1.85 MBq <b>ARC 1046-250</b> $\mu$ Ci / 9.25 MBq	239,000 544,000
<b>Ibuprofen, S-(+)-[carboxyl-<sup>14</sup>C]</b> <b>(4-Isobutyl-<math>\alpha</math>-methylphenylacetic acid)</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> C <sub>6</sub> H <sub>4</sub> CH(CH <sub>3</sub> )CO <sub>2</sub> H M.W. 206.29 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1045-50</b> $\mu$ Ci / 1.85 MBq	419,000
<b>Ibuprofen, R-[ring-<sup>3</sup>H]</b> <b>(4-Isobutyl-<math>\alpha</math>-methylphenylacetic acid)</b> M.W. 206.29 <i>NEW!-Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2153-250</b> $\mu$ Ci / 9.25 MBq	419,000
<b>Ibuprofen, RS-[ring-<sup>3</sup>H]</b> <b>(4-Isobutyl-<math>\alpha</math>-methylphenylacetic acid)</b> M.W. 206.29 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0392-250</b> $\mu$ Ci / 9.25 MBq <b>ART 0392-1</b> mCi / 37 MBq	232,000 492,000
<b>Ibuprofen, S-[ring-<sup>3</sup>H]</b> <b>(4-Isobutyl-<math>\alpha</math>-methylphenylacetic acid)</b> M.W. 206.29 <i>NEW!-Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2154-250</b> $\mu$ Ci / 9.25 MBq	419,000
<b>ICI 118,551 [5-<sup>3</sup>H] hydrochloride</b> <b>((<math>\pm</math>)-1-[2,3-(Dihydro-[5-<sup>3</sup>H] 7-methyl-1H-inden-4-yl)oxy] 3-[(1-methylethyl)amino] butanol hydrochloride)</b> M.W. 313.87 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0880-250</b> $\mu$ Ci / 9.25 MBq	623,000
<b>ICI 125,211[methyl-<sup>3</sup>H]</b> See Tiotidine [methyl- <sup>3</sup> H]			<b>ART 1433</b>	
<b>Ichtyocollagen [methyl-<sup>14</sup>C]</b> M.W. 460 KD <i>Exclusive</i>	10-15 mCi/g 370-555 MBq/g	Sterile water 0.01 mCi/ml	<b>ARC 3039-1</b> $\mu$ Ci / 37 kBq	199,000
<b>IDN-5109 [3H]</b> <b>(SB-T-101131-<sup>3</sup>H)</b> M.W. 871.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1113-50</b> $\mu$ Ci / 9.25 MBq	192,000
<b>IDN-5390 [3H]</b> C <sub>41</sub> H <sub>57</sub> NO <sub>14</sub> M.W. 787.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1159-250</b> $\mu$ Ci / 9.25 MBq	296,000
<b>Idoxuridine [2-<sup>14</sup>C]</b> See 5-Iodo-2'-deoxyuridine [2- <sup>14</sup> C]			<b>ARC 3295</b>	



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Ifenprodil [3,5-<sup>3</sup>H]</b> <b>(2-(4-Benzylpiperidino-1-(hydroxyphenyl)-1-propanol)</b> M.W. 325.44 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-50 Ci/mmol 1.11-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1442-25</b> μCi / 925 kBq <b>ART 1442-250</b> μCi / 9.25 MBq	103,000 299,000
<b>Iloprost [15-<sup>3</sup>H]</b> <b>(Δ-Pentalenevaleric acid)</b> C <sub>22</sub> H <sub>32</sub> O <sub>4</sub> M.W. 360.49 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1685-100</b> μCi / 3.7 MBq <b>ART 1685-250</b> μCi / 9.25 MBq	268,000 541,000
<b>Imidacloprid [<sup>3</sup>H]</b> C <sub>9</sub> H <sub>10</sub> ClN <sub>5</sub> O <sub>2</sub> M.W. 255.66 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-50 Ci/mmol 1.11-1.85 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1735-50</b> μCi / 1.85 MBq	228,000
<b>Imidazole [2-<sup>14</sup>C]</b> C <sub>3</sub> H <sub>4</sub> N <sub>2</sub> M.W. 68.08 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1243-50</b> μCi / 1.85 MBq	198,000
<b>2-Iminobiotin [2-<sup>14</sup>C]</b> <b>(Guanidinobiotin)</b> C <sub>10</sub> H <sub>17</sub> N <sub>3</sub> O <sub>7</sub> S M.W. 243.33 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3248-5</b> μCi / 185 kBq <b>ARC 3248-10</b> μCi / 370 kBq	299,000 485,000
<b>Imipramine [benzene ring-<sup>3</sup>H(N)] hydrochloride</b> M.W. 316.9 <i>Shipped in Dry Ice</i>	40-70 Ci/mmol 1.48-2.59 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1744-250</b> μCi / 9.25 MBq	222,000
<b>Imipramine [N-methyl-<sup>14</sup>C] hydrochloride</b> M.W. 316.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3690-50</b> μCi / 1.85 MBq	293,000
<b>Imipramine [N-methyl-<sup>3</sup>H] hydrochloride</b> M.W. 316.9 <i>Shipped in Dry Ice</i> <i>See also ART 0380, Cyanoimipramine [methyl-<sup>3</sup>H]</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol under nitrogen 1 mCi/ml	<b>ART 0379-250</b> μCi / 9.25 MBq	211,000
<b>1-Indanone [1-<sup>14</sup>C]</b> <b>(α-Hydrindone)</b> C <sub>9</sub> H <sub>8</sub> O M.W. 132.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3105-250</b> μCi / 9.25 MBq	215,000
<b>Indinavir sulfate "cold"</b> C <sub>36</sub> H <sub>47</sub> N <sub>5</sub> O <sub>4</sub> · H <sub>2</sub> SO <sub>4</sub> M.W. 711.88 CAS # 157810-81-6		Solid	<b>ARCD 0440-1</b> mg <b>ARCD 0440-5</b> mg	55,000 132,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Indole [2-<sup>14</sup>C]</b> C <sub>8</sub> H <sub>7</sub> N M.W. 117.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3532</b>	Inquire
<b>Indole [phenyl-<sup>14</sup>C(U)]</b> C <sub>8</sub> H <sub>7</sub> N M.W. 117.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3161-50</b> μCi / 1.85 MBq <b>ARC 3161-250</b> μCi / 9.25 MBq	164,000 339,000
<b>Indole-3-acetic acid [1-<sup>14</sup>C]</b> M.W. 175.19 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0160-50</b> μCi / 1.85 MBq <b>ARC 0160-250</b> μCi / 9.25 MBq	151,000 328,000
<b>Indole-3-acetic acid [2-<sup>14</sup>C] (3-Indolylacetic acid)</b> M.W. 175.19 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0384-50</b> μCi / 1.85 MBq <b>ARC 0384-250</b> μCi / 9.25 MBq	150,000 319,000
<b>Indole-3-acetic acid [5-<sup>3</sup>H(N)] (3-Indolylacetic acid)</b> M.W. 175.19 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0340-250</b> μCi / 9.25 MBq <b>ART 0340-1</b> mCi / 37 MBq	124,000 321,000
<b>Indole-3-butyric acid [ring-<sup>3</sup>H]</b> M.W. 203.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1112-50</b> μCi / 1.85 MBq <b>ART 1112-250</b> μCi / 9.25 MBq	177,000 353,000
<b>3-Indolemethanol [methyl-<sup>14</sup>C]</b> M.W. 147.18 <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1685-50</b> μCi / 1.85 MBq	282,000
<b>3-Indolylacetic acid [2-<sup>14</sup>C]</b> See Indole-3-acetic acid [2- <sup>14</sup> C]			<b>ARC 0384</b>	
<b>3-Indolylacetic acid [5-<sup>3</sup>H(N)]</b> See Indole-3-acetic acid [5- <sup>3</sup> H(N)]			<b>ART 0340</b>	
<b>N-[3-(1<i>H</i>-Indole-4yl)-5-pyridine-3-carbonyl-phenyl] acetamide [1-<sup>14</sup>C]</b> M.W. 352.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1748-50</b> μCi / 1.85 MBq	269,000
<b>2-Indomethacin [<sup>3</sup>H(G)]</b> C <sub>19</sub> H <sub>16</sub> ClNO <sub>4</sub> M.W. 357.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1304-50</b> μCi / 1.85 MBq	164,000
<b>Inosine [8-<sup>14</sup>C]</b> M.W. 268.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0397-50</b> μCi / 1.85 MBq <b>ARC 0397-250</b> μCi / 9.25 MBq	209,000 Inquire
<b>Inosine [8-<sup>3</sup>H]</b> M.W. 268.2	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0738-250</b> μCi / 9.25 MBq <b>ART 0738-1</b> mCi / 37 MBq	114,000 192,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Inosine 5'-[8-<sup>14</sup>C] monophosphate diammonium salt</b> M.W. 382.27 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 3357-10</b> μCi / 370 kBq	150,000
<b>Inosine 5'-[8-<sup>3</sup>H] monophosphate diammonium salt</b> M.W. 382.27 <i>Shipped in Dry Ice</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1796-250</b> μCi / 9.25 MBq <b>ART 1796-1</b> mCi / 37 MBq	188,000 419,000
<b>Inosine 5'-[α-<sup>32</sup>P] triphosphate ITP [α-<sup>32</sup>P]</b> M.W. 508.2 <i>Shipped w/o Dry Ice store at 4°C</i> <b>NEW!-Exclusive</b>	6000 Ci/mmol 222 TBq/mmol	50mM Tricine (pH 7.4) with 2mM DTT with stabilizer 10 mCi/ml	<b>ARP 0181-1</b> mCi / 37 MBq	681,000
<b>Inositol, <i>epi</i>-[2-<sup>3</sup>H(N)]</b> C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16 <i>Exclusive</i>	15-20 Ci/mmol 555-740 GBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1877-250</b> μCi / 9.25 MBq <b>ART 1877-1</b> mCi / 37 MBq	219,000 439,000
<b>Inositol, <i>epi</i>-[2-<sup>3</sup>H(N)]</b> C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> M.W. 180.16 <i>Exclusive</i>	15-20 Ci/mmol 555-740 GBq/mmol	Sterile water 1 mCi/ml	<b>ART 1877A-250</b> μCi / 9.25 MBq <b>ART 1877A-1</b> mCi / 37 MBq	219,000 439,000
<b>Inositol, <i>myo</i>-[<sup>14</sup>C(U)]</b> M.W. 180.2 <i>Exclusive</i>	200-250 mCi/mmol 7.4-9.25 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0232-5</b> μCi / 185 kBq	142,000
<b>Inositol, <i>myo</i>-[1,2-<sup>3</sup>H(N)]</b> M.W. 180.2	30-80 Ci/mmol 1.11-2.96 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0261-250</b> μCi / 9.25 MBq <b>ART 0261-1</b> mCi / 37 MBq <b>ART 0261-5</b> mCi / 185 MBq	100,000 179,000 394,000
<b>Inositol, <i>myo</i>-[1,2-<sup>3</sup>H(N)]</b> M.W. 180.2	30-80 Ci/mmol 1.11-2.96 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0261A-250</b> μCi / 9.25 MBq <b>ART 0261A-1</b> mCi / 37 MBq <b>ART 0261A-5</b> mCi / 185 MBq	100,000 179,000 394,000
<b>Inositol, <i>myo</i>-[2-<sup>3</sup>H(N)]</b> M.W. 180.2	15-20 Ci/mmol 0.555-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0116-250</b> μCi / 9.25 MBq <b>ART 0116-1</b> mCi / 37 MBq <b>ART 0116-5</b> mCi / 185 MBq	85,000 164,000 Inquire
<b>Inositol, <i>myo</i>-[2-<sup>3</sup>H(N)]</b> M.W. 180.2	15-20 Ci/mmol 0.555-0.74 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0116A-250</b> μCi / 9.25 MBq <b>ART 0116A-1</b> mCi / 37 MBq <b>ART 0116A-5</b> mCi / 185 MBq	85,000 164,000 Inquire
<b>Inositol, <i>myo</i>-[2-<sup>3</sup>H(N)]</b> M.W. 180.2	15-20 Ci/mmol 0.555-0.74 TBq/mmol	Ethanol:water (1:9) 1 mCi/ml	<b>ART 0116B-250</b> μCi / 9.25 MBq <b>ART 0116B-1</b> mCi / 37 MBq <b>ART 0116B-5</b> mCi / 185 MBq	85,000 164,000 Inquire
<b>Inositol, <i>scyllo</i>-[2-<sup>3</sup>H(N)]</b> M.W. 180.2 <i>Exclusive</i>	15-20 Ci/mmol 0.555-0.74 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0264-250</b> μCi / 9.25 MBq	212,000
<b>Inositol hexakisphosphate (IP<sub>6</sub>) [<sup>3</sup>H]</b> See Phytic acid [ <sup>3</sup> H]			<b>ART 1915</b>	
<b>Inositol, D-<i>myo</i>-1-phosphate sodium salt "cold"</b> M.W. 282.1		Solid	<b>ARCD 0166-1</b> mg <b>ARCD 0166-5</b> mg	72,000 169,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Inositol, D-[<sup>14</sup>C(U)]-1-phosphate</b> M.W. 260.14 <i>Exclusive</i>	200-250 mCi/mmol 7.4-9.3 GBq/mmol	Ethanol:water (7:3) 0.05 mCi/ml	<b>ARC 0233-5</b> μCi / 185 kBq <b>ARC 0233-25</b> μCi / 925 kBq	164,000 449,000
<b>Inositol, D-[<sup>2-3</sup>H]-1-phosphate (1-IP)</b> M.W. 260.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (7:3) 0.05 mCi/ml	<b>ART 0171-5</b> μCi / 185 kBq <b>ART 0171-10</b> μCi / 370 kBq	100,000 164,000
<b>Inositol, D-[<sup>2-3</sup>H(N)]-3-phosphate</b> M.W. 260.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 0.05 mCi/ml	<b>ART 0268-5</b> μCi / 185 kBq	113,000
<b>Inositol, D-<i>myo</i>-1,4,5-triphosphate hexapotassium salt "cold"</b> C <sub>6</sub> H <sub>9</sub> O <sub>15</sub> P <sub>3</sub> · 6K M.W. 648.6		Solid	<b>ARCD 0108-1</b> mg	84,000
<b>Inositol, L-<i>myo</i>-1,4,5-triphosphate hexapotassium salt "cold"</b> C <sub>6</sub> H <sub>9</sub> O <sub>15</sub> P <sub>3</sub> · 6K M.W. 648.6		Solid	<b>ARCD 0109-1</b> mg	132,000
<b>Inositol, D-[<sup>1-3</sup>H(N)]-1,4,5-triphosphate,</b> M.W. 416.98 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	10mM ammonium phosphate buffer 0.01 mCi/ml	<b>ART 0270-5</b> μCi / 185 kBq	Inquire
<b>Inulin [<sup>3</sup>H(G)]</b> M.W. 5,000 <i>Exclusive</i>	100-500 mCi/g 3.7-18.5 GBq/g	Solid	<b>ART 0117-250</b> μCi / 9.25 MBq <b>ART 0117-1</b> mCi / 37 MBq <b>ART 0117-5</b> mCi / 185 MBq	83,000 167,000 Inquire
<b>Inulin carboxyl [carboxyl-<sup>14</sup>C]</b> M.W. 5,000	1-3 mCi/g 37-111 MBq/g	Solid	<b>ARC 0124-50</b> μCi / 1.85 MBq <b>ARC 0124-250</b> μCi / 9.25 MBq <b>ARC 0124-1</b> mCi / 37 MBq	49,000 189,000 Inquire
<b>Inulin carboxyl [carboxyl-<sup>14</sup>C]</b> M.W. 5,000 <i>Exclusive</i>	1-3 mCi/g 37-111 MBq/g	Sterile water 0.1 mCi/ml	<b>ARC 0124A-50</b> μCi / 1.85 MBq <b>ARC 0124A-250</b> μCi / 9.25 MBq <b>ARC 0124A-1</b> mCi / 37 MBq	49,000 189,000 Inquire
<b>Inulin methoxy [methoxy-<sup>14</sup>C]</b> M.W. 5,000 <i>Exclusive</i>	5-20 mCi/g 185-740 MBq/g	Solid	<b>ARC 0125-50</b> μCi / 1.85 MBq <b>ARC 0125-250</b> μCi / 9.25 MBq	119,000 296,000
<b>Inulin methoxy [methoxy-<sup>3</sup>H]</b> M.W. 5,000	100-500 mCi/g 0.37-18.5 GBq/g	Solid	<b>ART 0278-250</b> μCi / 9.25 MBq <b>ART 0278-1</b> mCi / 37 MBq <b>ART 0278-5</b> mCi / 185 MBq	70,000 163,000 349,000
<b>Insulin [methyl-<sup>14</sup>C] (bovine)</b> M.W. 5733.49 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50 μCi/mg 1.85 MBq/mg	0.01 M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 3195-1</b> μCi / 37 kBq <b>ARC 3195-5</b> μCi / 185 kBq	135,000 377,000
<b>Insulin [methyl-<sup>14</sup>C] (human)</b> M.W. 5807 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01 M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 3146-1</b> μCi / 37 kBq <b>ARC 3146-5</b> μCi / 185 kBq	135,000 335,000
<b>Insulin [<sup>125</sup>I] (human, recombinant)</b> M.W. ~ 5931 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0128-10</b> μCi / 370 kBq <b>ARI 0128-50</b> μCi / 1.85 MBq	171,000 311,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Interleukin-6 [<sup>125</sup>I] (human, recombinant) (IL-6)</b> M.W. ~20,300 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Buffered solution (pH 6.8) 0.05 mCi/ml	<b>ARI 0205-5</b> μCi / 185 kBq <b>ARI 0205-25</b> μCi / 925 kBq	158,000 Inquire
<b>Iodine-125 radionuclide</b> as Sodium iodide NaI	Carrier free	0.01N NaOH 100 mCi/ml	<b>ARI 0102-1</b> mCi / 37 MBq <b>ARI 0102-2</b> mCi / 74 MBq <b>ARI 0102-5</b> mCi / 185 MBq <b>ARI 0102-10</b> mCi / 370 MBq <b>ARI 0102-25</b> mCi / 925 MBq	Inquire Inquire Inquire Inquire Inquire
<b>Iodine-125 radionuclide</b> as Sodium iodide NaI	Carrier free	0.01N NaOH >150 mCi/ml	<b>ARI 0102A-1</b> mCi / 37 MBq <b>ARI 0102A-2</b> mCi / 74 MBq <b>ARI 0102A-5</b> mCi / 185 MBq <b>ARI 0102A-10</b> mCi / 370 MBq <b>ARI 0102A-25</b> mCi / 925 MBq	Inquire Inquire Inquire Inquire Inquire
<b>Iodoacetamide [1-<sup>14</sup>C]</b> ICH <sub>2</sub> CONH <sub>2</sub> M.W. 185.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0216-50</b> μCi / 1.85 MBq <b>ARC 0216-250</b> μCi / 9.25 MBq	79,000 269,000
<b>Iodoacetamide [2-<sup>14</sup>C]</b> CH <sub>2</sub> CONH <sub>2</sub> M.W. 185.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1512-50</b> μCi / 1.85 MBq <b>ARC 1512-250</b> μCi / 9.25 MBq	101,000 282,000
<b>Iodoacetamide [<sup>3</sup>H]</b> ICH <sub>2</sub> CONH <sub>2</sub> M.W. 185.0 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1525-250</b> μCi / 9.25 MBq	282,000
<b>Iodoacetic acid [1-<sup>14</sup>C]</b> ICH <sub>2</sub> COOH M.W. 186.0	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0209-50</b> μCi / 1.85 MBq <b>ARC 0209-250</b> μCi / 9.25 MBq	80,000 206,000
<b>Iodoacetic acid [2-<sup>14</sup>C]</b> ICH <sub>2</sub> COOH M.W. 186.0	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0278-50</b> μCi / 1.85 MBq <b>ARC 0278-250</b> μCi / 9.25 MBq	83,000 239,000
<b>Iodoacetic acid [<sup>3</sup>H]</b> ICH <sub>2</sub> CO <sub>2</sub> H M.W. 186.0 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0375A-250</b> μCi / 9.25 MBq <b>ART 0375A-1</b> mCi / 37 MBq	107,000 248,000
<b>Iodoantipyrine, 4-[N-methyl-<sup>14</sup>C]</b> M.W. 314.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0126-50</b> μCi / 1.85 MBq <b>ARC 0126-250</b> μCi / 9.25 MBq <b>ARC 0126-1</b> mCi / 37 MBq	70,000 189,000 545,000
<b>Iodoantipyrine, 4-[N-methyl-<sup>14</sup>C]</b> M.W. 314.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile saline 0.1 mCi/ml	<b>ARC 0126A-50</b> μCi / 1.85 MBq <b>ARC 0126A-250</b> μCi / 9.25 MBq <b>ARC 0126A-1</b> mCi / 37 MBq	70,000 189,000 545,000
<b>Iodoantipyrine, 4-[N-methyl-<sup>3</sup>H]</b> 劇 M.W. 314.1 <i>Exclusive</i>	70-85 Ci/mmol 2.96-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0181-250</b> μCi / 9.25 MBq	177,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Iodobenzene [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> I M.W. 204.01 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0736-1</b> mCi / 37 MBq	395,000
<b>Iodo(-)-cyanopindolol [<sup>125</sup>I]</b> 劇 M.W. 411 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	1-Propanol:water: phenol (50:50:1.2) 0.2 mCi/ml	<b>ARI 0186-100</b> μCi / 3.7 MBq <b>ARI 0186-500</b> μCi / 18.5 MBq	156,000 239,000
<b>5-Iodo-2'-deoxyuridine [2-<sup>14</sup>C] (Idoxuridine)</b> C <sub>9</sub> H <sub>11</sub> IN <sub>2</sub> O <sub>5</sub> M.W. 354.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 3295-50</b> μCi / 1.85 MBq	546,000
<b>Iodoform [<sup>14</sup>C]</b> CHI <sub>3</sub> M.W. 393.73 <i>Exclusive</i>	5-50 mCi/mmol 0.185-1.85 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1884-50</b> μCi / 1.85 MBq	296,000
<b>Iodomelatonin, 2-[<sup>125</sup>I]</b> C <sub>13</sub> H <sub>16</sub> N <sub>2</sub> O <sub>2</sub> M.W. 356.3	2200 Ci/mmol 81.4 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ARI 0125-50</b> μCi / 1.85 MBq <b>ARI 0125-100</b> μCi / 3.7 MBq <b>ARI 0125-250</b> μCi / 9.25 MBq	154,000 249,000 382,000
<b>2-Iodophenol [ring-<sup>14</sup>C(U)]</b> IC <sub>6</sub> H <sub>4</sub> OH M.W. 220.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1761-50</b> μCi / 1.85 MBq <b>ARC 1761-250</b> μCi / 9.25 MBq	259,000 563,000
<b>4-Iodophenol [ring-<sup>14</sup>C(U)]</b> IC <sub>6</sub> H <sub>4</sub> OH M.W. 220.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1760-50</b> μCi / 1.85 MBq <b>ARC 1760-250</b> μCi / 9.25 MBq	259,000 563,000
<b>1-Iodoprop-1-yn-3-yl N-<i>n</i>-butylcarbamate [carbamate-<sup>14</sup>C]</b> I-C≡CCH <sub>2</sub> OCONH(CH <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub> M.W. 281 <i>Exclusive</i>	10-30 mCi/mmol 0.37-1.11 GBq/mmol	Acetone 0.1 mCi/ml	<b>ARC 0601-50</b> μCi / 1.85 MBq	381,000
<b>2-Iodopropane [2-<sup>14</sup>C] (Isopropyl iodide)</b> (CH <sub>3</sub> ) <sub>2</sub> CHI M.W. 169.99 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in break seal	<b>ARC 1607-1</b> mCi / 37 MBq	479,000
<b>4-Iodopyrazole [3-<sup>14</sup>C]</b> C <sub>3</sub> H <sub>3</sub> IN <sub>2</sub> M.W. 193.97 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3442</b>	Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Iperoxo [methyl-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>17</sub> N <sub>2</sub> O <sub>2</sub> M.W. 324.16 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Methanol:water (2:98) 1 mCi/ml	<b>ART 2122</b>	Inquire
<b>Isatin [ring-<sup>14</sup>C(U)]</b> C <sub>8</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 147.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-80 mCi/mmol 2.22-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3047-50 μCi / 1.85 MBq</b>	303,000
<b>Isatin [5-<sup>3</sup>H]</b> C <sub>8</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 147.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1437-50 μCi / 1.85 MBq</b>	170,000
<b>N-Isobutylpiperazine "cold"</b> C <sub>8</sub> H <sub>18</sub> N <sub>2</sub> M.W. 142.24 CAS # 5308-28-1		Solid	<b>ARCD 0423-10 mg</b>	68,000
<b>N-Isobutylpiperazine [ring-<sup>14</sup>C(U)] hydrochloride</b> C <sub>8</sub> H <sub>18</sub> N <sub>2</sub> M.W. 142.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1732-50 μCi / 1.85 MBq</b>	254,000
<b>Isobutyric acid [1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCO <sub>2</sub> H M.W. 88.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3113-50 μCi / 1.85 MBq</b> <b>ARC 3113-250 μCi / 9.25 MBq</b>	114,000 195,000
<b>Isobutyric acid [carboxyl-<sup>14</sup>C] sodium salt</b> (CH <sub>3</sub> ) <sub>2</sub> CHCO <sub>2</sub> Na M.W. 110.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0159-50 μCi / 1.85 MBq</b> <b>ARC 0159-250 μCi / 9.25 MBq</b>	114,000 195,000
<b>Isobutyric acid [2-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCO <sub>2</sub> H M.W. 88.10 <i>Exclusive</i>	15-30 Ci/mmol 0.55-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1892-250 μCi / 9.25 MBq</b>	120,000
<b>Isobutyryl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 837.62 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01M NaOAc 0.1 mCi/ml	<b>ARC 3231-10 μCi / 370 kBq</b> <b>ARC 3231-50 μCi / 1.85 MBq</b>	209,000 545,000
<b>Isobutyryl [2-<sup>3</sup>H] Coenzyme A</b> M.W. 837.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 1 mCi/ml	<b>ART 1237-50 μCi / 1.85 MBq</b> <b>ART 1237-250 μCi / 9.25 MBq</b>	172,000 435,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Isoleucine, D-[1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> CH(CH <sub>3</sub> )CH(NH <sub>2</sub> )COOH M.W. 131.20 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3316-50</b> μCi / 1.85 MBq	419,000
<b>Isoleucine, L-[1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> CH(CH <sub>3</sub> )CH(NH <sub>2</sub> )COOH M.W. 131.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0326-50</b> μCi / 1.85 MBq <b>ARC 0326-250</b> μCi / 9.25 MBq	113,000 353,000
<b>Isoleucine, L-[<sup>14</sup>C(U)]</b> CH <sub>3</sub> CH <sub>2</sub> CH(CH <sub>3</sub> )CH(NH <sub>2</sub> )COOH M.W. 131.2	200-300 mCi/mmol 7.4-11.1 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0672-50</b> μCi / 1.85 MBq <b>ARC 0672-250</b> μCi / 9.25 MBq	114,000 269,000
<b>Isoleucine, L-[4,5-<sup>3</sup>H(N)]</b> CH <sub>3</sub> CH <sub>2</sub> CH(CH <sub>3</sub> )CH(NH <sub>2</sub> )COOH M.W. 131.2 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0233-250</b> μCi / 9.25 MBq <b>ART 0233-1</b> mCi / 37 MBq <b>ART 0233-5</b> mCi / 185 MBq	49,000 79,000 169,000
<b>Isonicotinic acid [1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 123.11 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1739-250</b> μCi / 9.25 MBq <b>ARC 1739-1</b> mCi / 37 MBq	170,000 339,000
<b>Isonicotinic acid [3-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 123.11 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1486-250</b> μCi / 9.25 MBq	248,000
<b>Isopentenol "cold"</b> CH <sub>2</sub> =C(CH <sub>3</sub> )CH <sub>2</sub> CH <sub>2</sub> OH M.W. 86.0		Neat liquid in sealed ampoule	<b>ARCD 0192-1</b> g	58,000
<b>Isopentenol [1-<sup>14</sup>C]</b> CH <sub>2</sub> =C(CH <sub>3</sub> )CH <sub>2</sub> CH <sub>2</sub> OH M.W. 86.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 0865-10</b> μCi / 370 kBq	206,000
<b>Isopentenol [1-<sup>3</sup>H]</b> CH <sub>2</sub> =C(CH <sub>3</sub> )CH <sub>2</sub> CH <sub>2</sub> OH M.W. 86.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ART 0543-50</b> μCi / 1.85 MBq <b>ART 0543-250</b> μCi / 9.25 MBq	187,000 279,000
<b>Isopentenyl monophosphate [1-<sup>14</sup>C] triammonium salt (IMP)</b> M.W. 202.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.15N NH <sub>4</sub> OH (1:1) 0.1 mCi/ml	<b>ARC 0691-10</b> μCi / 370 kBq	191,000
<b>Isopentenyl pyrophosphate triammonium salt "cold" (IPP)</b> M.W. 297.20 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Ethanol:0.15N NH <sub>4</sub> OH (1:1) 1 mg/ml	<b>ARCD 0104-1</b> mg	193,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Isopentenyl pyrophosphate [1-<sup>14</sup>C]</b> <b>triammonium salt</b> <b>(IPP)</b> $\text{CH}_2=\text{C}(\text{CH}_3)\text{CH}_2\text{CH}_2\text{OP}_2\text{O}_6(\text{NH}_4)_3$ M.W. 297.2 <i>Shipped in Dry Ice</i> <i>Cornish, K. et al., Immunoinhibition of rubber particle-bound cis-prenyl transferases in ficus elastica and parthenium argentatum, Phytochemistry, vol. 35, no. 6, 1425-1428 (1994).</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.15N $\text{NH}_4\text{OH}$ (1:1) 0.1 mCi/ml	<b>ARC 0541-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 0541-50</b> $\mu\text{Ci}$ / 1.85 MBq	161,000 293,000
<b>Isopentenyl pyrophosphate [4-<sup>14</sup>C]</b> <b>triammonium salt</b> <b>(IPP)</b> $\text{CH}_2=\text{C}(\text{CH}_3)\text{CH}_2\text{CH}_2\text{OP}_2\text{O}_6 \cdot (\text{NH}_4)_3$ M.W. 297.2 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.15N $\text{NH}_4\text{OH}$ (1:1) 0.02 mCi/ml	<b>ARC 3502-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 3502-50</b> $\mu\text{Ci}$ / 1.85 MBq	242,000 503,000
<b>Isopentenyl pyrophosphate [1-<sup>3</sup>H]</b> <b>triammonium salt</b> <b>(IPP)</b> $\text{CH}_2=\text{C}(\text{CH}_3)\text{CH}_2\text{CH}_2\text{OP}_2\text{O}_6(\text{NH}_4)_3$ M.W. 297.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:0.15N $\text{NH}_4\text{OH}$ (1:1) 1 mCi/ml	<b>ART 0377-50</b> $\mu\text{Ci}$ / 1.85 MBq	234,000
<b>Isopentenyl pyrophosphate [1-<sup>3</sup>H]</b> <b>triammonium salt</b> <b>(IPP)</b> $\text{CH}_2=\text{C}(\text{CH}_3)\text{CH}_2\text{CH}_2\text{OP}_2\text{O}_6(\text{NH}_4)_3$ M.W. 297.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Tris buffer (pH 7.5) 1 mCi/ml	<b>ART 0377A-50</b> $\mu\text{Ci}$ / 1.85 MBq	234,000
<b>Isophorone [<sup>14</sup>C]</b> 劇 $\text{C}_9\text{H}_{14}\text{O}$ M.W. 138.21 <i>Exclusive</i>	10-50 mCi/mmol 0.37-1.85 GBq/mmol	Acetonitrile 0.1 mCi/ml	<b>ARC 1822-50</b> $\mu\text{Ci}$ / 1.85 MBq	381,000
<b>Isophthalic acid [carboxyl-<sup>14</sup>C]</b> $\text{C}_6\text{H}_4-1,3-(\text{CO}_2\text{H})_2$ M.W. 166.13 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3769-250</b> $\mu\text{Ci}$ / 9.25 MBq <b>ARC 3769-1</b> mCi / 37 MBq	146,000 356,000
<b>Isophthalic acid [ring-<sup>14</sup>C(U)]</b> $\text{C}_6\text{H}_4-1,3-(\text{CO}_2\text{H})_2$ M.W. 166.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-100 mCi/mmol 2.22-3.7 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 3165-250</b> $\mu\text{Ci}$ / 9.25 MBq <b>ARC 3165-1</b> mCi / 37 MBq	113,000 261,000
<b>Isopropanol [2-<sup>14</sup>C]</b> $\text{CH}_3\text{CHOHCH}_3$ M.W. 60.0 <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0458-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ARC 0458-250</b> $\mu\text{Ci}$ / 9.25 MBq	100,000 250,000
<b>Isopropanol [2-<sup>14</sup>C]</b> $\text{CH}_3\text{CHOHCH}_3$ M.W. 60.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 1 mCi/ml	<b>ARC 0458A-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ARC 0458A-250</b> $\mu\text{Ci}$ / 9.25 MBq	100,000 250,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Isopropanol [2-<sup>3</sup>H]</b> CH <sub>3</sub> CH(OH)CH <sub>3</sub> M.W. 60.1 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 1102-250</b> μCi / 9.25 MBq	177,000
<b>Isopropylamine [2-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> CHNH <sub>2</sub> M.W. 59.11 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1274-250</b> μCi / 9.25 MBq <b>ART 1274-1</b> mCi / 37 MBq	164,000 311,000
<b>Isopropylamine [2-<sup>14</sup>C] hydrochloride</b> (CH <sub>3</sub> ) <sub>2</sub> CHNH <sub>2</sub> HCl M.W. 95.56 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1034-50</b> μCi / 1.85 MBq <b>ARC 1034-250</b> μCi / 9.25 MBq	198,000 395,000
<b>N-Isopropylaniline [ring-<sup>14</sup>C(U)] hydrochloride</b> C <sub>6</sub> H <sub>5</sub> NHCH(CH <sub>3</sub> ) <sub>2</sub> ·HCl M.W. 171.66 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1465-50</b> μCi / 1.85 MBq	206,000
<b>4-Isopropylbenzoic acid [carboxyl-<sup>14</sup>C] (Cumic acid)</b> (CH <sub>3</sub> ) <sub>2</sub> CHC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 164.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1193-250</b> μCi / 9.25 MBq <b>ARC 1193-1</b> mCi / 37 MBq	206,000 419,000
<b>Isopropyltriphenylphosphonium [2-<sup>14</sup>C] iodide</b> C <sub>21</sub> H <sub>22</sub> IP M.W. 432.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3488</b>	Inquire
<b>Isovaleraldehyde [1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CHO M.W. 86.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile:water (3:7) 0.1 mCi/ml	<b>ARC 1473-250</b> μCi / 9.25 MBq	324,000
<b>Isovaleramide [1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CONH <sub>2</sub> M.W. 101.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1468-50</b> μCi / 1.85 MBq	184,000
<b>Isovaleric acid [1-<sup>14</sup>C] sodium salt</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> COONa M.W. 124.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0732-250</b> μCi / 9.25 MBq <b>ARC 0732-1</b> mCi / 37 MBq	198,000 395,000
<b>Isovaleryl chloride [1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> COCl M.W. 120.58 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	THF 1 mCi/ml	<b>ARC 1536-250</b> μCi / 9.25 MBq	296,000
<b>Isovanillic acid [carboxyl-<sup>14</sup>C] methyl ester (3-Hydroxy-4-methoxy-methyl-benzoate)</b> HOC <sub>6</sub> H <sub>3</sub> (OCH <sub>3</sub> )CO <sub>2</sub> CH <sub>3</sub> M.W. 182.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3093-50</b> μCi / 1.85 MBq <b>ARC 3093-250</b> μCi / 9.25 MBq	135,000 369,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Itaconic acid "cold"</b> HO <sub>2</sub> CCH <sub>2</sub> C(=CH <sub>2</sub> )CO <sub>2</sub> H M.W. 130.1 CAS # 97-65-4 <i>NEW!</i>		Solid	<b>ARCD 1042</b> -100 mg	44,000
<b>Itaconic acid [<sup>3</sup>H(G)]</b> HO <sub>2</sub> CCH <sub>2</sub> C(=CH <sub>2</sub> )CO <sub>2</sub> H M.W. 130.1 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2150</b> -50 μCi / 1.85 MBq	209,000
<b>Itraconazole "cold"</b> M.W. 705.63 CAS # 84625-61-6		Solid	<b>ARCD 0782</b> -100 mg	58,000
<b>Itraconazole [<sup>3</sup>H(G)]</b> M.W. 705.63 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 185-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2023</b> -50 μCi / 1.85 MBq	419,000
<b>Ivermectin-B1α [22,23-<sup>3</sup>H]</b> M.W. 875.09 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1238</b> -50 μCi / 1.85 MBq <b>ART 1238</b> -250 μCi / 9.25 MBq	165,000 484,000
<b>Ivermectin-B1β [22,23-<sup>3</sup>H]</b> M.W. 875.09 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2083</b> -50 μCi / 1.85 MBq <b>ART 2083</b> -250 μCi / 9.25 MBq	219,000 629,000
<b>Jasmonic acid [2,4,4-D<sub>3</sub>; acetyl-2,2-D<sub>2</sub>] "stable isotope"</b> M.W. 215.30 <i>NEW!-Exclusive</i>		Neat liquid in sealed ampoule	<b>ARCD 1014</b> -10 mg	242,000
<b>(±)-2-Jasmonic acid [2,3-<sup>3</sup>H]</b> M.W. 210.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0646</b>	Inquire
<b>(±)-Jasmonic acid [<sup>3</sup>H(G)]</b> M.W. 210.3 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2152</b> -50 μCi / 1.85 MBq <b>ART 2152</b> -250 μCi / 9.25 MBq	269,000 519,000
<b>(-)-α-Kainic acid "cold"</b> M.W. 213.24		Solid	<b>ARCD 0541</b> -50 mg <b>ARCD 0541</b> -250 mg	159,000 399,000
<b>Kainic acid [vinylidene-<sup>3</sup>H]</b> M.W. 213.2 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (2:98) under argon 0.1 mCi/ml	<b>ART 0133</b> -25 μCi / 925 kBq <b>ART 0133</b> -250 μCi / 9.25 MBq <b>ART 0133</b> -1 mCi / 37 MBq	77,000 288,000 Inquire
<b>KAPA [5,6-<sup>3</sup>H] hydrochloride</b> <b>((7S)-8-Amino-7-ketononanoic acid hydrochloride)</b> C <sub>9</sub> H <sub>17</sub> NO <sub>3</sub> M.W. 223.70 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1801</b> -50 μCi / 1.85 MBq	209,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Ketananserin [ethylene-<sup>3</sup>H] hydrochloride ((R41468), (3-(2-[4-Fluorobenzoyl]-1-piperidinyl)ethyl)-2,4-(1H,3H)-quinazoline hydrochloride)</b> C <sub>22</sub> H <sub>22</sub> FN <sub>3</sub> O <sub>3</sub> ·HCl M.W. 431.9 <i>Shipped in Dry Ice</i>	40-90 Ci/mmol 1.48-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1429-25</b> μCi / 925 kBq <b>ART 1429-250</b> μCi / 9.25 MBq <b>ART 1429-1</b> mCi / 37 MBq	97,000 306,000 Inquire
<b>7-Ketocholesterol [1,2-<sup>3</sup>H]</b> C <sub>27</sub> H <sub>44</sub> O <sub>2</sub> M.W. 400.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1174-50</b> μCi / 1.85 MBq <b>ART 1174-250</b> μCi / 9.25 MBq	164,000 324,000
<b>7-Ketocholesterol [1,2,6-<sup>3</sup>H] (5-Cholesten-3β-ol-7-one)</b> M.W. 400.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0680-250</b> μCi / 9.25 MBq <b>ART 0680-1</b> mCi / 37 MBq	212,000 419,000
<b>24-Ketocholesterol "cold"</b> M.W. 400.60 CAS # 17752-16-8		Solid	<b>ARCD 0414-5</b> mg <b>ARCD 0414-10</b> mg	39,000 48,000
<b>Ketoconazole "cold"</b>		Solid	<b>ARCD 0738-100</b> mg	34,000
<b>Ketoconazole [acetyl-1-<sup>14</sup>C]</b> M.W. 531.44 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 mCi/mmol 370-740 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1616-10</b> μCi / 370 kBq	296,000
<b>Ketoconazole [<sup>3</sup>H(G)]</b> M.W. 531.44 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0794-50</b> μCi / 1.85 MBq <b>ART 0794-250</b> μCi / 9.25 MBq	184,000 353,000
<b>3-keto-Dihydrosphingosine (2S)-[4,5-<sup>3</sup>H] hydrochloride</b> M.W. 299.48 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 0871-10</b> μCi / 370 kBq	251,000
<b>Ketoglutaric acid, α-[1-<sup>14</sup>C] sodium salt</b> NaOC(CH <sub>2</sub> ) <sub>2</sub> COCO <sub>2</sub> Na M.W. 190.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0319-50</b> μCi / 1.85 MBq	164,000
<b>Ketoglutaric acid, α-[5-<sup>14</sup>C] sodium salt</b> NaOC(CH <sub>2</sub> ) <sub>2</sub> COCO <sub>2</sub> Na M.W. 190.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 1213-50</b> μCi / 1.85 MBq	359,000
<b>Ketoglutaric acid, α-[<sup>14</sup>C(U)] sodium salt</b> NaOC(CH <sub>2</sub> ) <sub>2</sub> COCO <sub>2</sub> Na M.W. 190.1	200-250 mCi/mmol 7.4-9.25 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0321-50</b> μCi / 1.85 MBq	164,000
<b>α-Ketoisovaleric acid [1-<sup>14</sup>C] sodium salt (3-Methyl-2-oxobutanoic acid sodium salt)</b> (CH <sub>3</sub> ) <sub>2</sub> CHCOCO <sub>2</sub> Na M.W. 138.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3191-50</b> μCi / 1.85 MBq	219,000

**K**

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>(R)-(-)-Ketoprofen [<sup>3</sup>H(G)]</b> C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> CH(CH <sub>3</sub> )COOH M.W. 254.29 <i>Exclusive</i>	30-40 Ci/mmol 1.11-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1343-250</b> μCi / 9.25 MBq	471,000
<b>(RS)-Ketoprofen [<sup>3</sup>H(G)]</b> C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> CH(CH <sub>3</sub> )COOH M.W. 254.29 <i>Exclusive</i>	30-40 Ci/mmol 1.11-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0391-250</b> μCi / 9.25 MBq	261,000
<b>(S)-(+)-Ketoprofen [<sup>3</sup>H(G)]</b> C <sub>6</sub> H <sub>5</sub> COC <sub>6</sub> H <sub>4</sub> CH(CH <sub>3</sub> )COOH M.W. 254.29 <i>Exclusive</i>	30-40 Ci/mmol 1.11-1.48 TBq/mmo	Ethanol 1 mCi/ml	<b>ART 0857-250</b> μCi / 9.25 MBq	471,000
<b>6-keto-Prostaglandin F<sub>1α</sub> [17,18-<sup>3</sup>H]</b> <b>(6-keto-PGF<sub>1α</sub>)</b> M.W. 370.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1732-10</b> μCi / 370 kBq <b>ART 1732-50</b> μCi / 1.85 MBq	209,000 629,000
<b>Ketotifen fumarate "cold"</b>		Solid	<b>ARCD 0748-10</b> mg	26,000
<b>Ketotifen fumarate [N-methyl-<sup>3</sup>H]</b> C <sub>19</sub> H <sub>19</sub> NOS · C <sub>4</sub> H <sub>4</sub> O <sub>4</sub> M.W. 425.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1932-50</b> μCi / 1.85 MBq	209,000
<b>Ketotifen fumarate [N-methyl-<sup>3</sup>H]</b> C <sub>19</sub> H <sub>19</sub> NOS · C <sub>4</sub> H <sub>4</sub> O <sub>4</sub> M.W. 425.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1932A-50</b> μCi / 1.85 MBq	419,000
<b>KN-62 "cold"</b> <b>(1-[N,O-bis-(5-Isoquinolinesulfonyl)-N-methyl-L-tyrosyl] 4-phenylpiperazine)</b> M.W. 721.9 CAS # 127191-97-3		Solid	<b>ARCD 0557-5</b> mg <b>ARCD 0557-10</b> mg	108,000 205,000
<b>Kynuramine [<sup>3</sup>H(G)] dihydrobromide</b> C <sub>9</sub> H <sub>12</sub> N <sub>2</sub> O · 2HBr M.W. 326.03 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 2113-50</b> μCi / 1.85 MBq	125,000
<b>Kynurenic acid "cold"</b>		Solid	<b>ARCD 0253-1</b> g	29,000
<b>Kynurenic acid [5,7-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 189.17 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmo	Ethanol 1 mCi/ml	<b>ART 1503-50</b> μCi / 1.85 MBq	234,000
<b>Kynurenine, L-[phenyl-3,5-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub> M.W. 208.21 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 2032-50</b> μCi / 1.85 MBq	289,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Kynurenine, L-[phenyl-3,5-<sup>3</sup>H] as TFA salt</b> C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub> ·C <sub>2</sub> HF <sub>3</sub> O <sub>2</sub> M.W. 322.23 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 2032A-50</b> μCi / 1.85 MBq	289,000
<b>L-655,708 [<sup>3</sup>H]</b> <b>(11,12,13,12a-Tetrahydro-7-[1',1',1'-<sup>3</sup>H]</b> <b>methoxy-9-oxo-9H-imidazo[1,5-a]pyrrolo[2,1-c][1,4]benzodiazepine-1-carboxylic acid ethyl ester)</b> M.W. 341.37 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1207-100</b> μCi / 3.7 MBq <b>ART 1207-250</b> μCi / 9.25 MBq	229,000 379,000
<b>L-689,560 "cold"</b> M.W. 380.23 CAS # 139051-78-8		Solid	<b>ARCD 0457-10</b> mg	48,000
<b>L-689,560 [<sup>3</sup>H]</b> <b>(trans-2-Carboxy-5,7-dichloro-4-[4'-<sup>3</sup>H]</b> <b>phenylaminocarbonylamino-1,2,3,4-tetrahydroquinoline)</b> M.W. 380.23 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0881-250</b> μCi / 9.25 MBq	382,000
<b>Lactalbumin, α-[methyl-<sup>14</sup>C] methylated from bovine milk</b> M.W. 14,178 Da <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.05 mCi/ml	<b>ARC 3303-1</b> μCi / 37 kBq <b>ARC 3303-5</b> μCi / 185 kBq	192,000 485,000
<b>Lactic acid, L-[carbonyl-<sup>14</sup>C] butyl ester (Butyl lactate)</b> CH <sub>3</sub> CH(OH)COO(CH <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub> M.W. 146.18 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3795-50</b> μCi / 1.85 MBq	251,000
<b>Lactic acid, DL-[carbonyl-<sup>14</sup>C] ethyl ester (Ethyl lactate)</b> CH <sub>3</sub> CH(OH)CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 118.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3343-50</b> μCi / 1.85 MBq <b>ARC 3343-250</b> μCi / 9.25 MBq	137,000 357,000
<b>Lactic acid, L-[carbonyl-<sup>14</sup>C] ethyl ester (Ethyl lactate)</b> CH <sub>3</sub> CH(OH)COOC <sub>2</sub> H <sub>5</sub> M.W. 118.13 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3796-50</b> μCi / 1.85 MBq	251,000
<b>Lactic acid, L-[<sup>14</sup>C(U)] methyl ester (Methyl lactate)</b> CH <sub>3</sub> CH(OH)COOCH <sub>3</sub> M.W. 104.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1136-50</b> μCi / 1.85 MBq <b>ARC 1136-250</b> μCi / 9.25 MBq	163,000 408,000
<b>Lactic acid, D-[1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> CH(OH)COONa M.W. 112.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0478-50</b> μCi / 1.85 MBq <b>ARC 0478-250</b> μCi / 9.25 MBq	155,000 419,000

K  
L





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Lactic acid, DL-[1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> CH(OH)COONa M.W. 112.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0256-50</b> μCi / 1.85 MBq <b>ARC 0256-250</b> μCi / 9.25 MBq	101,000 254,000
<b>Lactic acid, L-[1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> CH(OH)COONa M.W. 112.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0479-50</b> μCi / 1.85 MBq <b>ARC 0479-250</b> μCi / 9.25 MBq	129,000 419,000
<b>Lactic acid, D-[3-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> CH(OH)COONa M.W. 112.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 3640-50</b> μCi / 1.85 MBq	419,000
<b>Lactic acid, L-[3-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> CH(OH)COONa M.W. 112.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 3081-50</b> μCi / 1.85 MBq	254,000
<b>Lactic acid, L-[<sup>14</sup>C(U)] sodium salt</b> CH <sub>3</sub> CH(OH)COONa M.W. 112.1	150-250 mCi/mmol 5.55-9.25 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0593-50</b> μCi / 1.85 MBq <b>ARC 0593-250</b> μCi / 9.25 MBq	109,000 456,000
<b>Lactic acid, D-[2-<sup>3</sup>H] sodium salt</b> CH <sub>3</sub> CH(OH)COONa M.W. 112.1 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0429-250</b> μCi / 9.25 MBq	311,000
<b>Lactic acid, DL-[2-<sup>3</sup>H] sodium salt</b> CH <sub>3</sub> CH(OH)COONa M.W. 112.1 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0337-250</b> μCi / 9.25 MBq <b>ART 0337-1</b> mCi / 37 MBq	107,000 184,000
<b>Lactic acid, L-[2-<sup>3</sup>H] sodium salt</b> CH <sub>3</sub> CH(OH)COONa M.W. 112.1 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0430-250</b> μCi / 9.25 MBq	311,000
<b>Lactitol [<sup>3</sup>H]</b> M.W. 344.3 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0387-250</b> μCi / 9.25 MBq <b>ART 0387-1</b> mCi / 37 MBq	129,000 254,000
<b>Lactoglobulin A, β-[methyl-<sup>14</sup>C] methylated</b> M.W. 18 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 0429-1</b> μCi / 37 kBq <b>ARC 0429-5</b> μCi / 185 kBq	80,000 212,000
<b>Lactoglobulin, β-[methyl-<sup>14</sup>C] methylated (mixture of A and B Lactoglobulins)</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mmol	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 3686-1</b> μCi / 37 kBq	219,000
<b>Lactose [<sup>14</sup>C(U)]</b> M.W. 342.3 <i>Exclusive</i>	500-700 mCi/mmol 18.5-25.9 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0660-50</b> μCi / 1.85 MBq	Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Lactose [D-galactose-<sup>14</sup>C(U)]</b> M.W. 342.3 <i>Exclusive</i>	250-350 mCi/mmol 9.25-12.9 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0659-50</b> μCi / 1.85 MBq	282,000
<b>Lactose [D-galactose-6-<sup>3</sup>H]</b> M.W. 342.3 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0318-10</b> μCi / 370 kBq <b>ART 0318-50</b> μCi / 1.85 MBq	135,000 339,000
<b>Lactose [D-glucose 1-<sup>14</sup>C]</b> M.W. 342.3 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0466-10</b> μCi / 370 kBq <b>ARC 0466-50</b> μCi / 1.85 MBq	115,000 215,000
<b>Lactose [D-glucose-<sup>14</sup>C(U)]</b> M.W. 342.3 <i>Exclusive</i>	250-350 mCi/mmol 9.25-12.9 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 1152-50</b> μCi / 1.85 MBq	254,000
<b>Lactulose [D-galactose 6-<sup>3</sup>H]</b> M.W. 344.3 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0321-250</b> μCi / 9.25 MBq <b>ART 0321-1</b> mCi / 37 MBq	142,000 296,000
<b>Lamotrigine [<sup>3</sup>H(G)]</b> C <sub>9</sub> H <sub>7</sub> Cl <sub>2</sub> N <sub>5</sub> M.W. 256.09 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1830-50</b> μCi / 1.85 MBq	419,000
<b>Lanosterol "cold"</b>		Solid	<b>ARCD 0475-100</b> mg	41,000
<b>Lanosterol [3-<sup>3</sup>H]</b> C <sub>30</sub> H <sub>50</sub> O M.W. 426.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 0546A-50</b> μCi / 1.85 MBq	339,000
<b>Latanoprost [15-<sup>3</sup>H] (free acid)</b> <b>(9α,11α,15R-trihydroxy-17-phenyl-18,19,20-trimax-prost-5E-en-1-oic acid)</b> C <sub>26</sub> H <sub>40</sub> O <sub>5</sub> M.W. 432.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1389-50</b> μCi / 1.85 MBq	269,000
<b>Latanoprost [15R-<sup>3</sup>H]</b> <b>(9α,11α,15R-trihydroxy-17-phenyl-18,19,20-trinor-prost-5E-en-1-oic acid isopropyl ester)</b> C <sub>26</sub> H <sub>40</sub> O <sub>5</sub> M.W. 432.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1388-50</b> μCi / 1.85 MBq	269,000
<b>Latanoprost [15S-<sup>3</sup>H]</b> <b>(9α,11α,15S-trihydroxy-17-phenyl-18,19,20-trinor-prost-5E-en-1-oic acid isopropyl ester)</b> C <sub>26</sub> H <sub>40</sub> O <sub>5</sub> M.W. 432.6 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2125-50</b> μCi / 1.85 MBq	356,000

L

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Latanoprost, 5-trans-[15-<sup>3</sup>H] (free acid)</b> <b>(9<math>\alpha</math>,11<math>\alpha</math>,15R-trihydroxy-17-phenyl-18,19</b> <b>20-trinor-prost-5Z-en-1-oic acid)</b> C <sub>23</sub> H <sub>34</sub> O <sub>5</sub> Shipped in Dry Ice Exclusive	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1501-50</b> $\mu$ Ci / 1.85 MBq	269,000
<b>Lauric acid [1-<sup>14</sup>C]</b> <b>(Dodecanoic acid)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>10</sub> COOH M.W. 200.3 Exclusive	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0257-50</b> $\mu$ Ci / 1.85 MBq <b>ARC 0257-250</b> $\mu$ Ci / 9.25 MBq <b>ARC 0257-1</b> mCi / 37 MBq	53,000 159,000 356,000
<b>Lauric acid [11,12-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>9</sub> CO <sub>2</sub> H M.W. 200.3 Exclusive	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0480-250</b> $\mu$ Ci / 9.25 MBq <b>ART 0480-1</b> mCi / 37 MBq	107,000 254,000
<b>Lauroyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 955.77 Shipped in Dry Ice Exclusive	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 0832-10</b> $\mu$ Ci / 370 kBq <b>ARC 0832-50</b> $\mu$ Ci / 1.85 MBq	164,000 395,000
<b>Lauroyl [11,12-<sup>3</sup>H] Coenzyme A</b> M.W. 955.77 Shipped in Dry Ice Exclusive	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 1 mCi/ml	<b>ART 1261-50</b> $\mu$ Ci / 1.85 MBq	339,000
<b>N-Lauroyl [1-<sup>14</sup>C] D-erythro-sphingosine</b> <b>(C-12 ceramide)</b> M.W. 281.5 Shipped in Dry Ice Exclusive	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1237-10</b> $\mu$ Ci / 370 kBq <b>ARC 1237-50</b> $\mu$ Ci / 1.85 MBq	198,000 395,000
<b>Lauryl alcohol [1-<sup>14</sup>C]</b> <b>(Dodecanol)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>10</sub> CH <sub>2</sub> OH M.W. 186.3 Exclusive	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0487-50</b> $\mu$ Ci / 1.85 MBq <b>ARC 0487-250</b> $\mu$ Ci / 9.25 MBq	155,000 366,000
<b>Lauryl alcohol [11,12-<sup>3</sup>H]</b> <b>(Dodecanol)</b> CH <sub>3</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>9</sub> CH <sub>2</sub> OH M.W. 186.3 Exclusive	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0838-250</b> $\mu$ Ci / 9.25 MBq <b>ART 0838-1</b> mCi / 37 MBq	128,000 311,000
<b>Laurylaldehyde [1-<sup>14</sup>C]</b> <b>(Dodecyl aldehyde)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>10</sub> CHO M.W. 184.32 Exclusive	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in sealed ampoule 0.1 mCi/ml	<b>ARC 3495-50</b> $\mu$ Ci / 1.85 MBq	219,000
<b>Lauryl sulfate [1-<sup>14</sup>C] sodium salt</b> <b>(Sodium dodecyl sulfate)</b> M.W. 288.4 Exclusive	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:8) 0.1 mCi/ml	<b>ARC 0833-50</b> $\mu$ Ci / 1.85 MBq <b>ARC 0833-250</b> $\mu$ Ci / 9.25 MBq	177,000 339,000
<b>Leelamine "cold"</b>		Solid	<b>ARCD 0657-5</b> mg	39,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Leelamine [ring-<sup>3</sup>H]</b> M.W. 285.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-25 Ci/mmol 370-925 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1849-10</b> μCi / 370 kBq <b>ART 1849-50</b> μCi / 1.85 MBq	219,000 471,000
<b>Leucine, D-[1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 131.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0562-50</b> μCi / 1.85 MBq	282,000
<b>Leucine, L-[1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 131.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0156A-50</b> μCi / 1.85 MBq <b>ARC 0156A-250</b> μCi / 9.25 MBq	135,000 311,000
<b>Leucine, L-[1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 131.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile saline 0.1 mCi/ml	<b>ARC 0156C-50</b> μCi / 1.85 MBq <b>ARC 0156C-250</b> μCi / 9.25 MBq	135,000 311,000
<b>Leucine, D-[2-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 131.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3024-50</b> μCi / 1.85 MBq	366,000
<b>Leucine, L-[2-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 131.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3025-50</b> μCi / 1.85 MBq	254,000
<b>Leucine, L-[<sup>14</sup>C(U)]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 131.2	200-300 mCi/mmol 7.4-11.1 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0656A-50</b> μCi / 1.85 MBq <b>ARC 0656A-250</b> μCi / 9.25 MBq	109,000 274,000
<b>Leucine, D-[2,3,4,5-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 131.2 <i>Exclusive</i>	100-150 Ci/mmol 3.7-5.55 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0839-250</b> μCi / 9.25 MBq <b>ART 0839-1</b> mCi / 37 MBq	107,000 167,000
<b>Leucine, L-[2,3,4,5-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 131.2	100-150 Ci/mmol 3.7-5.55 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0840-250</b> μCi / 9.25 MBq <b>ART 0840-1</b> mCi / 37 MBq <b>ART 0840-5</b> mCi / 185 MBq	39,000 57,000 120,000
<b>Leucine, L-[3,4,5-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 131.2	100-150 Ci/mmol 3.7-5.55 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0470-250</b> μCi / 9.25 MBq <b>ART 0470-1</b> mCi / 37 MBq <b>ART 0470-5</b> mCi / 185 MBq	45,000 65,000 120,000
<b>Leucine, L-[4,5-<sup>3</sup>H(N)]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 131.2	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0140-250</b> μCi / 9.25 MBq <b>ART 0140-1</b> mCi / 37 MBq <b>ART 0140-5</b> mCi / 185 MBq	38,000 55,000 110,000
<b>Leucine, L-[4,5-<sup>3</sup>H(N)]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 131.2	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0140A-250</b> μCi / 9.25 MBq <b>ART 0140A-1</b> mCi / 37 MBq <b>ART 0140A-5</b> mCi / 185 MBq	38,000 55,000 110,000
<b>L-Leucine L-Leucine [4,5-<sup>3</sup>H]</b> M.W. 244.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0550-250</b> μCi / 9.25 MBq	381,000

L

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>L-Leucine L-leucine L-leucine [4,5-<sup>3</sup>H]</b> M.W. 357.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0832-50</b> μCi / 1.85 MBq	381,000
<b>Leukotriene B<sub>4</sub> [6,7,14,15-<sup>3</sup>H] (LTB<sub>4</sub>)</b> C <sub>20</sub> H <sub>32</sub> O <sub>4</sub> M.W. 336.0 <i>Shipped in Dry Ice</i>	100-160 Ci/mmol 3.7-5.92 TBq/mmol	Ethanol under argon in silanized vial 0.1 mCi/ml	<b>ART 0657-25</b> μCi / 925 kBq	Inquire
<b>Leukotriene D<sub>4</sub> [14,15,19,20-<sup>3</sup>H(N)] (LTD<sub>4</sub>)</b> C <sub>25</sub> H <sub>40</sub> N <sub>2</sub> O <sub>6</sub> S M.W. 496.70 <i>Shipped in Dry Ice</i>	100-240 Ci/mmol 3.7-8.88 TBq/mmol	Methanol:water: acetic acid (65:35:0.1) 0.01 mCi/ml	<b>ART 1795-5</b> μCi / 185 kBq <b>ART 1795-25</b> μCi / 925 kBq	235,000 Inquire
<b>Levetiracetam [<sup>3</sup>H(G)]</b> C <sub>8</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> M.W. 170.21 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1832-50</b> μCi / 1.85 MBq	414,000
<b>Lidocaine [carbonyl-<sup>14</sup>C]</b> 2,6-(CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NHCOCH <sub>2</sub> N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> M.W. 234.34 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0504A-50</b> μCi / 1.85 MBq <b>ARC 0504A-100</b> μCi / 3.7 MBq	169,000 296,000
<b>Lidocaine [carbonyl-<sup>14</sup>C] hydrochloride</b> 2,6-(CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> NHCOCH <sub>2</sub> N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> HCl M.W. 270.8 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0504-50</b> μCi / 1.85 MBq <b>ARC 0504-100</b> μCi / 3.7 MBq	169,000 296,000
<b>Lidocaine, N-ethyl [1-<sup>3</sup>H] bromide quaternary salt</b> M.W. 343.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0810-50</b> μCi / 1.85 MBq	282,000
<b>Lignoceric acid "cold"</b>		Solid	<b>ARCD 0271-1</b> g	36,000
<b>Lignoceric acid [1-<sup>14</sup>C] (Tetracosanoic acid)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>22</sub> COOH M.W. 368.62 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0805-50</b> μCi / 1.85 MBq	314,000
<b>Lignoceric acid [15,16-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>13</sub> CO <sub>2</sub> H M.W. 368.62 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0865-250</b> μCi / 9.25 MBq	296,000
<b>Lignoceryl Coenzyme A "cold"</b> M.W. 1118.22 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Ethanol:0.01N NaOAc pH 5.2 (1:1) 1 mg/ml	<b>ARCD 0190-1</b> mg <b>ARCD 0190-5</b> mg	94,000 278,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Lignoceryl [15,16-<sup>3</sup>H] Coenzyme A</b> M.W. 1118.22 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 1 mCi/ml	<b>ART 1177-50</b> μCi / 1.85 MBq	335,000
<b>Linagliptin "cold"</b> C <sub>25</sub> H <sub>28</sub> N <sub>8</sub> O <sub>2</sub> M.W. 472.5 CAS # 668270-12-0 <i>NEW!</i>		Solid	<b>ARCD 1041-10</b> mg	66,000
<b>Linagliptin [<sup>3</sup>H(G)]</b> C <sub>25</sub> H <sub>28</sub> N <sub>8</sub> O <sub>2</sub> M.W. 472.5 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2145-50</b> μCi / 1.85 MBq	629,000
<b>Lindane [<sup>14</sup>C(U)]</b> <b>(Hexachlorocyclohexane)</b> C <sub>6</sub> H <sub>6</sub> Cl <sub>6</sub> M.W. 290.8 <i>Exclusive</i>	5-20 mCi/mmol 185-740 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1229-50</b> μCi / 1.85 MBq	439,000
<b>Linoleic acid 9,12-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CH=CHCH <sub>2</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO <sub>2</sub> H M.W. 280.4 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 0294-50</b> μCi / 1.85 MBq <b>ARC 0294-250</b> μCi / 9.25 MBq	83,000 Inquire
<b>Linoleic acid [9,10,12,13-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CH=CHCH <sub>2</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO <sub>2</sub> H M.W. 280.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-120 Ci/mmol 2.22-4.44 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 0332-250</b> μCi / 9.25 MBq <b>ART 0332-1</b> mCi / 37 MBq	191,000 339,000
<b>γ-Linolenic acid 6,9,12 [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> (CH=CHCH <sub>2</sub> ) <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H M.W. 278.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1036-50</b> μCi / 1.85 MBq	419,000
<b>Linolenic acid [9,10,12,13,15,16-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> (CH=CHCH <sub>2</sub> ) <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CO <sub>2</sub> H M.W. 278.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-150 Ci/mmol 3.7-5.55 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0331-250</b> μCi / 9.25 MBq <b>ART 0331-1</b> mCi / 37 MBq	198,000 365,000
<b>α-Linolenic acid 9,12,15 [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> (CH=CHCH <sub>2</sub> ) <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CO <sub>2</sub> H M.W. 278.4 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0379-50</b> μCi / 1.85 MBq <b>ARC 0379-250</b> μCi / 9.25 MBq	128,000 354,000
<b>Linolenoyl 6,9,12 [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1030.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 1798-10</b> μCi / 370 kBq	365,000

L

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Linolenoyl 9,12,15 [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1030.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 1720-10</b> μCi / 370 kBq <b>ARC 1720-50</b> μCi / 1.85 Bq	365,000 628,000
<b>Linoleoyl 9,12 [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1030.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 1195-10</b> μCi / 370 kBq	357,000
<b>Linoleoyl [1-<sup>14</sup>C] ethanolamide</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CH=CHCH <sub>2</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CONH(CH <sub>2</sub> ) <sub>2</sub> OH M.W. 323.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 0896-50</b> μCi / 1.85 MBq	239,000
<b>Linoleoyl ethanolamide [1,2-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CH=CHCH <sub>2</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> - CONH(CH <sub>2</sub> ) <sub>2</sub> OH M.W. 323 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3470-10</b> μCi / 370 kBq <b>ARC 3470-50</b> μCi / 1.85 MBq	209,000 419,000
<b>L Linoleoyl ethanolamide [1-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CH=CHCH <sub>2</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> - CONH(CH <sub>2</sub> ) <sub>2</sub> OH M.W. 323 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1802-50</b> μCi / 1.85 MBq <b>ART 1802-250</b> μCi / 9.25 MBq	209,000 419,000
<b>Linoleoyl [9,10,12,13,15,16-<sup>3</sup>H] ethanolamide</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CH=CHCH <sub>2</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> - CONH(CH <sub>2</sub> ) <sub>2</sub> OH M.W. 323 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-150 Ci/mmol 3.7-5.55 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1803-50</b> μCi / 1.85 MBq	209,000
<b>α-Lipoic acid, R-(+)-[<sup>3</sup>H]</b> C <sub>8</sub> H <sub>14</sub> O <sub>2</sub> S <sub>2</sub> M.W. 206.33 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-20 Ci/mmol 37-740 GBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ART 1568-50</b> μCi / 1.85 MBq	524,000
<b>α-Lipoic acid, S-(-)-[<sup>3</sup>H]</b> C <sub>8</sub> H <sub>14</sub> O <sub>2</sub> S <sub>2</sub> M.W. 206.33 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-20 Ci/mmol 37-740 GBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ART 1632-50</b> μCi / 1.85 MBq	524,000
<b>Lipopolysaccharide [<sup>3</sup>H]</b> (LPS) <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-2 mCi/mg 37-74 MBq/mg	Sterile water 0.1 mCi/ml	<b>ART 1970-50</b> μCi / 1.85 MBq <b>ART 1970-250</b> μCi / 9.25 MBq	Inquire Inquire



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Lipoprotein, high-density (human)</b> <b>[cholesteryl oleate-1,2,3,6,7-<sup>3</sup>H]</b> <b>(HDL)</b> <i>Prepared from fresh human blood and Cholesteryl oleate [1,2,3,6,7-<sup>3</sup>H]</i> <i>Shipped in Ice Packs</i> <i>Exclusive</i>		50mM tris: 100mM NaCl: 1mM EDTA (pH 7.4) 0.1 mCi/ml	<b>ART 1866-50</b> μCi / 1.85 MBq	Inquire
<b>Lipoprotein, low-density (human)</b> <b>[cholesteryl oleate-1,2,3,6,7-<sup>3</sup>H]</b> <b>(LDL)</b> <i>Prepared from fresh human blood and Cholesteryl oleate [1,2,3,6,7-<sup>3</sup>H]</i> <i>Shipped in Ice Packs</i> <i>Exclusive</i>		50mM tris: 100mM NaCl: 1mM EDTA (pH 7.4) 0.1 mCi/ml	<b>ART 1865-50</b> μCi / 1.85 MBq	Inquire
<b>Lisinopril [prolyl-4,5-<sup>3</sup>H]</b> $C_{21}H_{31}N_3O_5$ M.W. 405.30 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1789-50</b> μCi / 1.85 MBq	419,000
<b>Lithium aluminum hydride [<sup>3</sup>H]</b> $LiAlH_4$ M.W. 37.92 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	90-120 Ci/mmol 3.33-4.44 TBq/mmol	THF solution 100 mCi/ml	<b>ART 0580-100</b> mCi / 3.7 GBq <b>ART 0580-500</b> mCi / 18.5 GBq	381,000 659,000
<b>Lithium aluminum hydride [<sup>3</sup>H]</b> $LiAlH_4$ M.W. 37.92 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	90-120 Ci/mmol 3.33-4.44 TBq/mmol	Solid	<b>ART 0580A-100</b> mCi / 3.7 GBq <b>ART 0580A-500</b> mCi / 18.5 GBq	381,000 659,000
<b>Lithium borohydride [<sup>3</sup>H]</b> $LiBH_4$ M.W. 21.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-110 Ci/mmol 3.7-4.07 TBq/mmol	THF solution 100 mCi/ml	<b>ART 0853A-100</b> mCi / 3.7 GBq <b>ART 0853A-500</b> mCi / 18.5 GBq	324,000 Inquire
<b>Lithium borohydride [<sup>3</sup>H]</b> $LiBH_4$ M.W. 21.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-110 Ci/mmol 3.7-4.07 TBq/mmol	Solid	<b>ART 0853-100</b> mCi / 3.7 GBq <b>ART 0853-500</b> mCi / 18.5 GBq	324,000 Inquire
<b>Lithium triethylborohydride [<sup>3</sup>H]</b> $LiB(C_2H_5)_3H$ M.W. 106.95 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Solid	<b>ART 0658A-100</b> mCi / 3.7 GBq	419,000
<b>Lithocholic acid [carboxyl-<sup>14</sup>C]</b> M.W. 376.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0848-50</b> μCi / 1.85 MBq	234,000
<b>Lithocholic acid [11,12-<sup>3</sup>H]</b> <b>(α-Hydroxycholanolic acid)</b> M.W. 376.58 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1263-50</b> μCi / 1.85 MBq <b>ART 1263-250</b> μCi / 9.25 MBq	164,000 296,000

L



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>LM-5201 [<sup>3</sup>H(G)]</b> <b>(2-(1-(4-Chlorobenzoyl)-5-methoxy-2-methyl-1H-indol-3-yl)-N-(4-(trifluoromethyl) benzyl)acetamide)</b> M.W. 514.92 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1462-50</b> μCi / 1.85 MBq	239,000
<b>Loperamide [N-methyl-<sup>3</sup>H]</b> C <sub>29</sub> H <sub>33</sub> ClN <sub>2</sub> O <sub>2</sub> M.W. 477.04 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-87 Ci/mmol 2.96-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1730-50</b> μCi / 1.85 MBq	219,000
<b>Lopinavir "cold"</b> C <sub>37</sub> H <sub>48</sub> N <sub>4</sub> O <sub>5</sub> M.W. 628.8 CAS # 192725-17-08 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0380-10</b> mg <b>ARCD 0380-50</b> mg	65,000 193,000
<b>Lopinavir [<sup>3</sup>H(G)] 劇</b> C <sub>37</sub> H <sub>48</sub> N <sub>4</sub> O <sub>5</sub> M.W. 628.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 MBq/mmol	Acetonitrile 1 mCi/ml	<b>ART 1602-50</b> μCi / 1.85 MBq	439,000
<b>Loratadine "cold"</b> C <sub>22</sub> H <sub>23</sub> ClN <sub>2</sub> O <sub>2</sub> M.W. 382.88 CAS # 79794-75-5		Solid	<b>ARCD 0770-10</b> mg	41,000
<b>Loratadine [carbonyl-<sup>14</sup>C]</b> C <sub>22</sub> H <sub>23</sub> ClN <sub>2</sub> O <sub>2</sub> M.W. 382.88 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3644</b>	Inquire
<b>Loratadine [<sup>3</sup>H(G)]</b> C <sub>22</sub> H <sub>23</sub> ClN <sub>2</sub> O <sub>2</sub> M.W. 382.88 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2009</b>	Inquire
<b>Lovastatin "cold"</b> <b>(Mevinolin)</b> C <sub>24</sub> H <sub>36</sub> O <sub>5</sub> M.W. 404.54		Solid	<b>ARCD 0242-10</b> mg <b>ARCD 0242-50</b> mg	36,000 48,000
<b>Lovastatin [<sup>3</sup>H(G)]</b> <b>(Mevinolin)</b> C <sub>24</sub> H <sub>36</sub> O <sub>5</sub> M.W. 404.54 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 185-5.55 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0869-10</b> μCi / 370 kBq <b>ART 0869-50</b> μCi / 1.85 MBq	159,000 419,000
<b>Lovastatin acid sodium salt "cold"</b> C <sub>24</sub> H <sub>34</sub> O <sub>6</sub> ·Na M.W. 444.54		Solid	<b>ARCD 0235-10</b> mg <b>ARCD 0235-50</b> mg	58,000 193,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Lovastatin acid [<sup>3</sup>H(G)] sodium salt</b> C <sub>24</sub> H <sub>37</sub> O <sub>6</sub> ·Na M.W. 444.54 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 185-5.55 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1325-10</b> μCi / 370 kBq <b>ART 1325-50</b> μCi / 1.85 MBq	159,000 419,000
<b>LPD179 [<sup>3</sup>H]</b> C <sub>37</sub> H <sub>37</sub> O <sub>15</sub> F <sub>2</sub> N M.W. 713 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1464-50</b> μCi / 1.85 MBq	484,000
<b>Luciferin [<sup>3</sup>H(G)] 6'-methyl ester</b> C <sub>12</sub> H <sub>10</sub> N <sub>2</sub> O <sub>5</sub> S <sub>2</sub> M.W. 294.35 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Methanol 1 mCi/ml	<b>ART 2080-50</b> μCi / 1.85 MBq	419,000
<b>Lumefantrine [<sup>3</sup>H(G)] (Benflumetol)</b> C <sub>30</sub> H <sub>32</sub> Cl <sub>3</sub> NO M.W. 528.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 185-37 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2047-50</b> μCi / 1.85 MBq	219,000
<b>Luteinizing hormone-releasing hormone, D-Trp<sup>6</sup>-[<sup>125</sup>I] (LH-RH)</b> pGlu-His-Trp-Ser-Tyr-D-Trp-Leu-Arg-Pro-Gly-NH <sub>2</sub> M.W. ~1436.5	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0212-10</b> μCi / 370 kBq <b>ARI 0212-50</b> μCi / 1.85 MBq	179,000 399,000
<b>LY 341495 [<sup>3</sup>H]</b> <b>((2S)-2-amino-2-[(1S,2S) 2-carboxy cycloprop-1-yl] 3-[2,7-<sup>3</sup>H],xanth-9-yl) propanoic acid)</b> M.W. 353.37 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1439-250</b> μCi / 9.25 MBq	461,000
<b>LY 354740 "cold"</b> M.W. 185.18 CAS # 176199-48-7 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0746-10</b> mg	55,000
<b>Lysine, D-[1-<sup>14</sup>C]</b> H <sub>2</sub> N(CH <sub>2</sub> ) <sub>4</sub> CH(NH <sub>2</sub> )COOH M.W. 146.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0600-50</b> μCi / 1.85 MBq	164,000
<b>Lysine, L-[1-<sup>14</sup>C]</b> H <sub>2</sub> N(CH <sub>2</sub> ) <sub>4</sub> CH(NH <sub>2</sub> )COOH M.W. 146.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0459-50</b> μCi / 1.85 MBq <b>ARC 0459-250</b> μCi / 9.25 MBq	124,000 398,000
<b>Lysine, L-[<sup>14</sup>C(U)]</b> H <sub>2</sub> NCH <sub>2</sub> (CH <sub>2</sub> ) <sub>3</sub> CH(NH <sub>2</sub> )COOH M.W. 146.2	200-300 mCi/mmol 7.4-11.1 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0673-50</b> μCi / 1.85 MBq <b>ARC 0673-250</b> μCi / 9.25 MBq	102,000 328,000

L



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Lysine, D-[4,5-<sup>3</sup>H]</b> H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 146.2 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0797-250</b> μCi / 9.25 MBq <b>ART 0797-1</b> mCi / 37 MBq <b>ART 0797-5</b> mCi / 185 MBq	44,000 90,000 163,000
<b>Lysine, L-[4,5-<sup>3</sup>H(N)]</b> H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 146.2	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0243-250</b> μCi / 9.25 MBq <b>ART 0243-1</b> mCi / 37 MBq <b>ART 0243-5</b> mCi / 185 MBq	39,000 67,000 172,000
<b>Lysine, L-[4,5-<sup>3</sup>H(N)]</b> H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 146.2	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0243B-250</b> μCi / 9.25 MBq <b>ART 0243B-1</b> mCi / 37 MBq <b>ART 0243B-5</b> mCi / 185 MBq	39,000 67,000 172,000
<b>Lysoplatelet activating factor [<sup>3</sup>H] (1-O-[<sup>3</sup>H] Octadecyl-<i>sn</i>-glycero-3- phosphocholine)</b> M.W. 522.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 1741-250</b> μCi / 9.25 MBq	219,000
<b>Lysophosphatidic acid, L-α-[<sup>33</sup>P] (1-Oleoyl-2-hydroxy-<i>sn</i>-Glycero- 3-phosphate)</b> M.W. 436.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3000 Ci/mmol 111 TBq/mmol	Methanol 0.1 mCi/ml	<b>ARP 0146-10</b> μCi / 370 kBq <b>ARP 0146-50</b> μCi / 1.85 MBq	Inquire Inquire
<b>L</b> <b>Lysophosphatic acid, L-α-1-arachidonyl [arachidonyl-1-<sup>14</sup>C] sodium salt</b> M.W. 480.47 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methanol 0.1 mCi/ml	<b>ARC 3811-10</b> μCi / 370 kBq	629,000
<b>Lysophosphatidic acid, L-α-1-arachidonyl [5,6,8,9,11,12,14,15-<sup>3</sup>H] sodium salt</b> M.W. 480.47 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Methanol 0.1 mCi/ml	<b>ART 2168-50</b> μCi / 1.85 MBq <b>ART 2168-250</b> μCi / 9.25 MBq	209,000 629,000
<b>Lysophosphatic acid, L-α-1-lauroyl [lauroyl-1-<sup>14</sup>C] sodium salt</b> M.W. 375.35 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methanol 0.1 mCi/ml	<b>ARC 3808-10</b> μCi / 370 kBq	629,000
<b>Lysophosphatidic acid, L-α-1-lauroyl [11,12-<sup>3</sup>H] sodium salt</b> M.W. 375.35 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Methanol 0.1 mCi/ml	<b>ART 2166-50</b> μCi / 1.85 MBq <b>ART 2166-250</b> μCi / 9.25 MBq	209,000 629,000
<b>Lysophosphatidic acid, L-α-1-oleoyl [oleoyl-1-<sup>14</sup>C]</b> C <sub>21</sub> H <sub>41</sub> O <sub>7</sub> P M.W. 436.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methanol 0.1 mCi/ml	<b>ARC 3499-10</b> μCi / 370 kBq	439,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Lysophosphatidic acid, L-<math>\alpha</math>-1-oleoyl [9,10-<math>^3\text{H}</math>]</b> C <sub>21</sub> H <sub>41</sub> O <sub>7</sub> P M.W. 436.5 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Methanol 0.1 mCi/ml	<b>ART 1615-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ART 1615-250</b> $\mu\text{Ci}$ / 9.25 MBq	139,000 314,000
<b>Lysophosphatic acid, L-<math>\alpha</math>-1-palmitoyl [palmitoyl-1-<math>^{14}\text{C}</math>] sodium salt</b> M.W. 431.46 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methanol 0.1 mCi/ml	<b>ARC 3809-10</b> $\mu\text{Ci}$ / 370 kBq	629,000
<b>Lysophosphatic acid, L-<math>\alpha</math>-1-stearoyl [stearoyl-1-<math>^{14}\text{C}</math>] sodium salt</b> M.W. 459.51 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methanol 0.1 mCi/ml	<b>ARC 3810-10</b> $\mu\text{Ci}$ / 370 kBq	629,000
<b>Lysophosphatidic acid, L-<math>\alpha</math>-1-stearoyl [9,10-<math>^3\text{H}</math>] sodium salt</b> M.W. 459.51 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Methanol 0.1 mCi/ml	<b>ART 2167-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ART 2167-250</b> $\mu\text{Ci}$ / 9.25 MBq	209,000 629,000
<b>Lyso-3-phosphatidylcholine, L-1-[methyl-<math>^{14}\text{C}</math>]</b> M.W. 503.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 0555-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 0555-50</b> $\mu\text{Ci}$ / 1.85 MBq	206,000 449,000
<b>Lyso-3-phosphatidylcholine, L-1-[methyl-<math>^3\text{H}</math>]</b> M.W. 503.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 0677-50</b> $\mu\text{Ci}$ / 1.85 MBq	269,000
<b>Lysophosphatidylcholine, L-<math>\alpha</math>-1-docosahexaenoyl [1-<math>^{14}\text{C}</math>]</b> M.W. 573.79 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.05 mCi/ml	<b>ARC 3761-5</b> $\mu\text{Ci}$ / 185 kBq	357,000
<b>Lysophosphatidylcholine, L-<math>\alpha</math>-oleoyl [methyl-<math>^{14}\text{C}</math>]</b> M.W. 521.62 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene 0.05 mCi/ml	<b>ARC 3095-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 3095-50</b> $\mu\text{Ci}$ / 1.85 MBq	439,000 859,000
<b>Lysophosphatidylcholine, L-<math>\alpha</math>-oleoyl [oleoyl-1-<math>^{14}\text{C}</math>]</b> M.W. 521.62 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene 0.05 mCi/ml	<b>ARC 3094-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 3094-50</b> $\mu\text{Ci}$ / 1.85 MBq	439,000 859,000
<b>Lysophosphatidylcholine [palmitoyl-9,10-<math>^3\text{H}</math>]</b> M.W. 495.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 1809-50</b> $\mu\text{Ci}$ / 1.85 MBq	209,000

L

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Lysosphingomyelin [choline methyl-<sup>3</sup>H]</b> M.W. 464.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Toluene:methanol (1:1) 1 mCi/ml	<b>ART 1176-10</b> μCi / 370 kBq <b>ART 1176-50</b> μCi / 1.85 MBq	282,000 534,000
<b>Lysozyme [methyl-<sup>14</sup>C] methylated</b> M.W. 14.3 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 1809-1</b> μCi / 37 kBq <b>ARC 1809-5</b> μCi / 185 kBq	85,000 254,000
<b>Lyxose, D [1-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>10</sub> O <sub>5</sub> M.W. 150.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 0626-50</b> μCi / 1.85 MBq <b>ARC 0626-250</b> μCi / 9.25 MBq	155,000 365,000
<b>Malathion [carbonyl-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>19</sub> O <sub>6</sub> PS <sub>2</sub> M.W. 330.36 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 3740-50</b> μCi / 1.85 MBq	419,000
<b>Maleic acid [2,3-<sup>14</sup>C]</b> HO <sub>2</sub> CCH=CHCO <sub>2</sub> H M.W. 116.07 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0594-50</b> μCi / 1.85 MBq <b>ARC 0594-250</b> μCi / 9.25 MBq	164,000 339,000
<b>Maleic anhydride [1,4-<sup>14</sup>C]</b> 劇 M.W. 98.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0569-50</b> μCi / 1.85 MBq <b>ARC 0569-250</b> μCi / 9.25 MBq	170,000 381,000
<b>Maleic anhydride [2,3-<sup>14</sup>C]</b> 劇 M.W. 98.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0595</b>	Inquire
<b>Maleimide [carbonyl-<sup>14</sup>C]</b> (2,5-Pyrroledione) C <sub>4</sub> H <sub>3</sub> NO <sub>2</sub> M.W. 97.07 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3085-50</b> μCi / 1.85 MBq <b>ARC 3085-250</b> μCi / 9.25 MBq	167,000 419,000
<b>Malic acid, L-[<sup>14</sup>C(U)]</b> HOOCCH <sub>2</sub> CH(OH)COOH M.W. 134.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	>50 mCi/mmol >1.85 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0771-50</b> μCi / 1.85 MBq	242,000
<b>Malonic acid [1,3-<sup>14</sup>C]</b> HOOCCH <sub>2</sub> COOH M.W. 104.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0743A-50</b> μCi / 1.85 MBq <b>ARC 0743A-250</b> μCi / 9.25 MBq <b>ARC 0743A-1</b> mCi / 37 MBq	65,000 155,000 339,000
<b>Malonic acid [2-<sup>14</sup>C]</b> HOOCCH <sub>2</sub> COOH M.W. 104.1	50-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0197A-50</b> μCi / 1.85 MBq <b>ARC 0197A-250</b> μCi / 9.25 MBq	79,000 155,000
<b>Malonic acid [1,3-<sup>14</sup>C] dimethyl ester</b> See Dimethyl malonate [1,3- <sup>14</sup> C]			<b>ARC 0744</b>	

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Malonic acid [2-<sup>14</sup>C] diethyl ester</b> See Diethyl malonate [2- <sup>14</sup> C]			<b>ARC 0542</b>	
<b>Malononitrile [1-<sup>14</sup>C]</b> 劇 CH <sub>2</sub> (CN) <sub>2</sub> M.W. 66.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0521-250</b> μCi / 9.25 MBq	259,000
<b>Malonyl [1,3-<sup>14</sup>C] Coenzyme A</b> M.W. 853.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.1N HCl (pH 5.2) 0.1 mCi/ml	<b>ARC 0755-5</b> μCi / 185 kBq <b>ARC 0755-25</b> μCi / 925 kBq	121,000 311,000
<b>Malonyl [2-<sup>14</sup>C] Coenzyme A</b> M.W. 853.6 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.1N HCl (pH 5.2) 0.1 mCi/ml	<b>ARC 0528-5</b> μCi / 185 kBq <b>ARC 0528-25</b> μCi / 925 kBq	116,000 316,000
<b>Maltodextrin [<sup>3</sup>H(G)]</b> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 1385-50</b> μCi / 1.85 MBq	269,000
<b>Maltose [<sup>14</sup>C(U)]</b> M.W. 342.3 <i>Exclusive</i>	500-700 mCi/mmol 18.5-25.9 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0488-50</b> μCi / 1.85 MBq <b>ARC 0488-250</b> μCi / 9.25 MBq	155,000 423,000
<b>Maltose [<sup>3</sup>H(G)]</b> M.W. 342.3 <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0474-250</b> μCi / 9.25 MBq <b>ART 0474-1</b> mCi / 37 MBq	206,000 381,000
<b>Maltotetraose [<sup>14</sup>C(U)]</b> C <sub>24</sub> H <sub>42</sub> O <sub>21</sub> M.W. 666.58 <i>Exclusive</i>	750-1000 mCi/mmol 27.75-37 TBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 3115-50</b> μCi / 1.85 MBq	335,000
<b>Maltotriose [<sup>14</sup>C(U)]</b> M.W. 504.0 <i>Exclusive</i>	750-1000 mCi/mmol 27.8-37 TBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0627-50</b> μCi / 1.85 MBq	275,000
<b>Mannitol, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CH <sub>2</sub> OH M.W. 182.17	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0127-50</b> μCi / 1.85 MBq <b>ARC 0127-250</b> μCi / 9.25 MBq	79,000 258,000
<b>Mannitol, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CH <sub>2</sub> OH M.W. 182.17	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0127A-50</b> μCi / 1.85 MBq <b>ARC 0127A-250</b> μCi / 9.25 MBq	79,000 258,000
<b>Mannitol, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CH <sub>2</sub> OH M.W. 182.17	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0127B-50</b> μCi / 1.85 MBq <b>ARC 0127B-250</b> μCi / 9.25 MBq	79,000 258,000
<b>Mannitol, D-[1-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOHCH <sub>2</sub> OH M.W. 182.17	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0118-250</b> μCi / 9.25 MBq <b>ART 0118-1</b> mCi / 37 MBq <b>ART 0118-5</b> mCi / 185 MBq	56,000 94,000 209,000
<b>Mannitol, D-[2-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOHCH <sub>2</sub> OH M.W. 182.17 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0263-250</b> μCi / 9.25 MBq <b>ART 0263-1</b> mCi / 37 MBq <b>ART 0263-5</b> mCi / 185 MBq	65,000 93,000 Inquire

M





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Mannitol, D-[2-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOHCH <sub>2</sub> OH M.W. 182.17 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (2:8) 1 mCi/ml	<b>ART 0263B-250</b> μCi / 9.25 MBq <b>ART 0263B-1</b> mCi / 37 MBq <b>ART 0263B-5</b> mCi / 185 MBq	65,000 93,000 Inquire
<b>Mannosamine, D-[1-<sup>14</sup>C] hydrochloride</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHO ·HCl M.W. 215.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0128-50</b> μCi / 1.85 MBq <b>ARC 0128-250</b> μCi / 9.25 MBq	114,000 314,000
<b>Mannosamine, D-[1-<sup>3</sup>H] hydrochloride</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHO ·HCl M.W. 215.6 <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1639-250</b> μCi / 9.25 MBq <b>ART 1639-1</b> mCi / 37 MBq	171,000 339,000
<b>Mannosamine, D-[6-<sup>3</sup>H] hydrochloride</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH(NH <sub>2</sub> )CHO ·HCl M.W. 215.6 <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0119-250</b> μCi / 9.25 MBq <b>ART 0119-1</b> mCi / 37 MBq	171,000 339,000
<b>Mannose, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0129-50</b> μCi / 1.85 MBq <b>ARC 0129-250</b> μCi / 9.25 MBq	103,000 299,000
<b>Mannose, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (3:97) 0.1 mCi/ml	<b>ARC 0129B-50</b> μCi / 1.85 MBq <b>ARC 0129B-250</b> μCi / 9.25 MBq	103,000 299,000
<b>Mannose, D-[2-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOHCHO M.W. 180.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0436-50</b> μCi / 1.85 MBq	226,000
<b>Mannose, D-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	250-360 mCi/mmol 9.25-13.32 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 3575-50</b> μCi / 1.85 MBq	252,000
<b>Mannose, D-[1-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOHCHO M.W. 180.2	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0376-250</b> μCi / 9.25 MBq <b>ART 0376-1</b> mCi / 37 MBq <b>ART 0376-5</b> mCi / 185 MBq	47,000 79,000 226,000
<b>Mannose, D-[2,6-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOHCHO M.W. 180.2 <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0319-250</b> μCi / 9.25 MBq <b>ART 0319-1</b> mCi / 37 MBq <b>ART 0319-5</b> mCi / 185 MBq	51,000 100,000 240,000
<b>Mannose, D-[2-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOHCHO M.W. 180.2	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0120-250</b> μCi / 9.25 MBq <b>ART 0120-1</b> mCi / 37 MBq <b>ART 0120-5</b> mCi / 185 MBq	53,000 84,000 221,000
<b>Mannose, D-[2-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHOHCHO M.W. 180.2	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0120A-250</b> μCi / 9.25 MBq <b>ART 0120A-1</b> mCi / 37 MBq <b>ART 0120A-5</b> mCi / 185 MBq	53,000 84,000 221,000

M



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Mannose, D-[6-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0320-250</b> μCi / 9.25 MBq <b>ART 0320-1</b> mCi / 37 MBq <b>ART 0320-5</b> mCi / 185 MBq	47,000 103,000 229,000
<b>Mannose, D-[1-<sup>14</sup>C]-6-phosphate disodium salt</b> (NaO) <sub>2</sub> P(O)OCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 304.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1181-50</b> μCi / 1.85 MBq	198,000
<b>Mannosylphosphoryldolichol<sub>(95)</sub> "cold"</b> M.W. 1569		Chloroform:methanol (2:1) in sealed ampoule	<b>ARCD 0168-10</b> μg	205,000
<b>Mannosylphosphoryldolichol [mannose-1-<sup>14</sup>C]</b> M.W. 1569 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Chloroform:methanol (2:1) in sealed ampoule 0.01 mCi/ml	<b>ARC 3127-1</b> μCi / 37 kBq <b>ARC 3127-5</b> μCi / 185 kBq	267,000 878,000
<b>Mannosylphosphoryldolichol<sub>95</sub> [D-mannose-6-<sup>3</sup>H]</b> M.W. 1569 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>J.S. Rush and C.J. Waechter J. of Cell Biology 130 529 (1995); J.S. Rush, J.S. Snelling, N.S. Zing, P.H. Ray and C.J. Waechter J. Biol. Chem. 268, 3110 (1993)</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Chloroform:methanol (2:1) in sealed ampoule 0.1 mCi/ml	<b>ART 0791-10</b> μCi / 370 kBq <b>ART 0791-50</b> μCi / 1.85 MBq	282,000 Inquire
<b>Maytansine [methyl-<sup>14</sup>C]</b> C <sub>34</sub> H <sub>46</sub> ClN <sub>3</sub> O <sub>10</sub> M.W. 692.2 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethyl acetate in sealed ampoule 0.1 mCi/ml	<b>ARC 3823</b>	Inquire
<b>Maytansine [methyl-<sup>3</sup>H]</b> C <sub>34</sub> H <sub>46</sub> ClN <sub>3</sub> O <sub>10</sub> M.W. 692.2 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	1-80 Ci/mmol 0.037-2.96 TBq/mmol	Ethyl acetate in sealed ampoule 1 mCi/ml	<b>ART 2178-50</b> μCi / 1.85 MBq <b>ART 2178-250</b> μCi / 9.25 MBq	209,000 629,000
<b>Maytansinol [methyl-<sup>3</sup>H]</b> C <sub>28</sub> H <sub>37</sub> N <sub>2</sub> O <sub>8</sub> Cl M.W. 565.06 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	1-80 Ci/mmol 0.037-2.96 TBq/mmol	Ethyl acetate in sealed ampoule 1 mCi/ml	<b>ART 2179-50</b> μCi / 1.85 MBq <b>ART 2179-250</b> μCi / 9.25 MBq	209,000 629,000
<b>Mazindol [4'-<sup>3</sup>H]</b> C <sub>16</sub> H <sub>13</sub> ClN <sub>2</sub> O M.W. 284.74 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.55-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1813-250</b> μCi / 9.25 MBq	258,000
<b>MCP-1 [<sup>125</sup>I] Bolton-Hunter Labeled (CCL2, human, recombinant)</b> M.W. ~8600 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0155-5</b> μCi / 185 kBq <b>ARI 0155-25</b> μCi / 925 kBq	114,000 277,000

M



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>MCPB ethyl [ring-<sup>14</sup>C(U)]</b> C <sub>13</sub> H <sub>17</sub> ClO <sub>3</sub> M.W. 256.70 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 3359-50</b> μCi / 1.85 MBq	889,000
<b>(RS)-MCPG "cold"</b> <b>((RS)-α-Methyl-4-carboxyphenylglycine)</b> M.W. 209.20 CAS # 146669-29-6		Solid	<b>ARCD 0562-25</b> mg	84,000
<b>MDL 100907 "cold"</b> M.W. 373.47 CAS # 139290-65-6 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0726-1</b> mg	48,000
<b>MDL 100907 [methyl-<sup>3</sup>H]</b> C <sub>22</sub> H <sub>28</sub> FNO <sub>3</sub> M.W. 373.47 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1941-50</b> μCi / 1.85 MBq	419,000
<b>MDL 105,519 [<sup>3</sup>H]</b> C <sub>18</sub> H <sub>11</sub> Cl <sub>2</sub> NO <sub>4</sub> M.W. 376.19 <i>Shipped in Dry Ice</i> <i>A potent ligand at the N-methyl-D-aspartate (NMDA) receptor-associated glycine recognition site and noncompetitive inhibitor of NMDA receptor-mediated responses</i>	50-90 Ci/mmol 1.85-3.33 TBq/mmol	Ethanol 0.2 mCi/ml	<b>ART 1864-250</b> μCi / 9.25 MBq	461,000
<b>Melatonin [2-<sup>3</sup>H]</b> See Acetyl-5-methoxytryptamine, N-[2- <sup>3</sup> H]			<b>ART 1504</b>	
<b>Melatonin [O-methyl-<sup>14</sup>C]</b> See Acetyl-5-methoxytryptamine, N-[O-methyl- <sup>14</sup> C]			<b>ARC 1381</b>	
<b>Melatonin [O-methyl-<sup>3</sup>H]</b> See Acetyl-5-methoxytryptamine, N-[O-methyl- <sup>3</sup> H]			<b>ART 0424</b>	
<b>Meldrum's acid [1-<sup>14</sup>C]</b> <b>(2,2-Dimethyl-1,3-dioxane-4,6-dione)</b> M.W. 144.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1267</b>	Inquire
<b>Melibiose [galactose-6-<sup>3</sup>H]</b> <b>(6-O-α-Galacopyranosyl-D-glucose)</b> C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W. 342.30 <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1468-50</b> μCi / 1.85 MBq	239,000
<b>Menadione [<sup>3</sup>H(G)]</b> C <sub>11</sub> H <sub>8</sub> O <sub>2</sub> M.W. 172.18 <i>Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1907</b>	Inquire
<b>Menthol, (-)-[9,10-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>20</sub> O M.W. 156.27 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3650-50</b> μCi / 1.85 MBq	Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Mephenytoin, (S)-(+)-[methyl-<sup>3</sup>H]</b> C <sub>12</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> M.W. 218.25 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2078-50</b> μCi / 1.85 MBq	251,000
<b>Mepiquat chloride [N-methyl-<sup>14</sup>C]</b> <b>(1,1-Dimethylpiperidinium chloride)</b> M.W. 149.66 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1308-50</b> μCi / 1.85 MBq	296,000
<b>Mepiquat chloride [ring-2,6-<sup>14</sup>C]</b> <b>(1,1-Dimethylpiperidinium chloride)</b> C <sub>7</sub> H <sub>16</sub> ClN M.W. 149.66 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1609-50</b> μCi / 1.85 MBq	365,000
<b>2-Mercaptobenzothiazole [2-<sup>14</sup>C]</b> C <sub>7</sub> H <sub>5</sub> NS <sub>2</sub> M.W. 167.25 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3560</b>	Inquire
<b>2-Mercaptoethanol [1-<sup>14</sup>C]</b> 毒 HSCH <sub>2</sub> CH <sub>2</sub> OH M.W. 78.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1128-250</b> μCi / 9.25 MBq	365,000
<b>Mesulergine hydrochloride "cold"</b> M.W. 398.95 CAS # 64795-35-3		Solid	<b>ARCD 0686-10</b> mg	51,000
<b>Metaldehyde [<sup>14</sup>C(U)]</b> C <sub>8</sub> H <sub>16</sub> O <sub>4</sub> M.W. 176.2 <i>Shipped on Dry Ice</i> <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Solid	<b>ARC 3092</b>	Inquire
<b>Metanephrine [N-methyl-<sup>3</sup>H] hydrochloride</b> M.W. 197.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0812-50</b> μCi / 1.85 MBq	247,000
<b>Metformin [biguanido-<sup>14</sup>C] hydrochloride</b> <b>(1,1-Dimethylguanide hydrochloride)</b> M.W. 165.6	100-110 mCi/mmol 3.7-4.07 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1738-50</b> μCi / 1.85 MBq <b>ARC 1738-250</b> μCi / 9.25 MBq <b>ARC 1738-1</b> mCi / 37 MBq	108,000 198,000 308,000
<b>Methacrylic acid [carboxyl-<sup>14</sup>C]</b> H <sub>2</sub> C=C(CH <sub>3</sub> )COOH M.W. 86.09 <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3421-250</b> μCi / 9.25 MBq <b>ARC 3421-1</b> mCi / 37 MBq	408,000 786,000
<b>Methyl chloride [<sup>14</sup>C]</b> <b>(3-Chloro-2-methyl-propene)</b> H <sub>2</sub> C=C(CH <sub>3</sub> )CH <sub>2</sub> Cl M.W. 90.55 <i>Exclusive</i>	1-5 mCi/mmol 0 37-185 MBq-/mmol	Neat liquid in sealed ampoule	<b>ARC 1440</b>	Inquire

M

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>(R)-(+)-Methanandamide [1-<sup>14</sup>C]</b> <b>([R-(all-Z)] N-(2-Hydroxy-1-methylethyl)-5,8,11,14-eicosatetraenamide)</b> M.W. 361.56 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1390-10</b> μCi / 370 kBq <b>ARC 1390-50</b> μCi / 1.85 MBq	170,000 395,000
<b>(R)-(+)-Methanandamide [1-<sup>3</sup>H]</b> <b>([R-(all-Z)] N-(2-Hydroxy-1-methylethyl)-5,8,11,14-eicosatetraenamide)</b> M.W. 361.56 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0874-50</b> μCi / 1.85 MBq <b>ART 0874-250</b> μCi / 9.25 MBq	206,000 395,000
<b>Methane [<sup>14</sup>C]</b> <b>CH<sub>4</sub></b> M.W. 16.04 <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Gas in break seal	<b>ARC 1297-1</b> mCi / 37 MBq <b>ARC 1297-5</b> mCi / 185 MBq	365,000 Inquire
<b>Methane [<sup>14</sup>C]</b> <b>CH<sub>4</sub></b> M.W. 16.04 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule	<b>ARC 1297A</b>	Inquire
<b>Methane [<sup>3</sup>H]</b> <b>CH<sub>4</sub></b> M.W. 16.0 <i>Exclusive</i>	1-20 Ci/mmol 37-740 GBq/mmol	Gas in break seal	<b>ART 0844-1</b> mCi / 37 MBq <b>ART 0844-5</b> mCi / 185 MBq	254,000 647,000
<b>Methane [<sup>3</sup>H]</b> <b>CH<sub>4</sub></b> M.W. 16.0 <i>NEW!-Exclusive</i>	1-20 Ci/mmol 0.37-0.74 TBq/mmol	Hexane in sealed ampoule	<b>ART 0844A</b>	Inquire
<b>Methane [<sup>14</sup>C] sulfonyl chloride</b> 毒 <b>CH<sub>3</sub>SO<sub>2</sub>Cl</b> M.W. 114.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 3014-1</b> mCi / 37 MBq	484,000
<b>Methane [<sup>14</sup>C] sulfonyl fluoride</b> <b>CH<sub>3</sub>SO<sub>2</sub>F</b> M.W. 98.10 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 3360</b>	Inquire
<b>Methanol [<sup>14</sup>C]</b> 劇 <b>CH<sub>3</sub>OH</b> M.W. 32.04 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in break seal	<b>ARC 0130-1</b> mCi / 37 MBq <b>ARC 0130-5</b> mCi / 185 MBq	157,000 335,000
<b>Methanol [<sup>14</sup>C]</b> <b>CH<sub>3</sub>OH</b> M.W. 32.04 <i>Exclusive</i>	0.5-5 mCi/mmol 18.5-185 MBq/mmol	Chloroform in sealed ampoule 1 mCi/ml	<b>ARC 0130A-250</b> μCi / 9.25 MBq <b>ARC 0130A-1</b> mCi / 37 MBq	86,000 157,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Methanol [<sup>14</sup>C]</b> 劇 CH <sub>3</sub> OH M.W. 32.04 <i>Exclusive</i>	1 mCi/ml 37 MBq/ml	Methanol in sealed ampoule 1 mCi/ml	<b>ARC 0130B-250</b> μCi / 9.25 MBq <b>ARC 0130B-1</b> mCi / 37 MBq	86,000 157,000
<b>Methanol [<sup>14</sup>C]</b> CH <sub>3</sub> OH M.W. 32.04 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Chloroform in sealed ampoule 1 mCi/ml	<b>ARC 0130D-250</b> μCi / 9.25 MBq <b>ARC 0130D-1</b> mCi / 37 MBq	86,000 157,000
<b>Methanol [<sup>3</sup>H]</b> CH <sub>3</sub> OH M.W. 32.04 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-20 Ci/mmol 0.555-0.74 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0627-250</b> μCi / 9.25 MBq <b>ART 0627-1</b> mCi / 37 MBq <b>ART 0627-5</b> mCi / 185 MBq	107,000 212,000 395,000
<b>Methanol [<sup>3</sup>H]</b> CH <sub>3</sub> OH M.W. 32.04 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-85 Ci/mmol 1.85-3.15 TBq/mmol	Toluene 100 mCi/ml	<b>ART 0627A-5</b> mCi / 185 MBq	415,000
<b>Methionine, D-[1-<sup>14</sup>C]</b> CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 149.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 1317-50</b> μCi / 1.85 MBq <b>ARC 1317-250</b> μCi / 9.25 MBq	79,000 239,000
<b>Methionine, DL-[1-<sup>14</sup>C]</b> CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 149.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 1328-50</b> μCi / 1.85 MBq <b>ARC 1328-250</b> μCi / 9.25 MBq	44,000 129,000
<b>Methionine, L-[1-<sup>14</sup>C]</b> CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CHNH <sub>2</sub> CO <sub>2</sub> H M.W. 149.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0271-50</b> μCi / 1.85 MBq <b>ARC 0271-250</b> μCi / 9.25 MBq	72,000 183,000
<b>Methionine, L-[1-<sup>14</sup>C]</b> CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 149.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0271A-50</b> μCi / 1.85 MBq <b>ARC 0271A-250</b> μCi / 9.25 MBq	72,000 183,000
<b>Methionine, D-[methyl-<sup>14</sup>C]</b> CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 149.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 1316-50</b> μCi / 1.85 MBq <b>ARC 1316-250</b> μCi / 9.25 MBq	93,000 231,000
<b>Methionine, DL-[methyl-<sup>14</sup>C]</b> CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CHNH <sub>2</sub> CO <sub>2</sub> H M.W. 149.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 1439-50</b> μCi / 1.85 MBq <b>ARC 1439-250</b> μCi / 9.25 MBq	47,000 129,000

M



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Methionine, L-[methyl-<sup>14</sup>C]</b> CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 149.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0345-50</b> μCi / 1.85 MBq <b>ARC 0345-250</b> μCi / 9.25 MBq	65,000 163,000
<b>Methionine, D-[methyl-<sup>3</sup>H]</b> CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 149.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-80 Ci/mmol 1.11-2.96 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 1281-250</b> μCi / 9.25 MBq <b>ART 1281-1</b> mCi / 37 MBq	65,000 121,000
<b>Methionine, L-[methyl-<sup>3</sup>H]</b> CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 149.2 <i>Shipped in Dry Ice</i>	30-80 Ci/mmol 1.11-2.96 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0169-250</b> μCi / 9.25 MBq <b>ART 0169-1</b> mCi / 37 MBq <b>ART 0169-5</b> mCi / 185 MBq	35,000 58,000 111,000
<b>Methionine, L-[<sup>35</sup>S]</b> Translation Grade CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 149.2 <i>Shipped w/o Dry Ice, store at 4°C</i>	>1000 Ci/mmol >37 TBq/mmol	Aqueous solution w/ stabilizer 10 mCi/ml	<b>ARS 0119-500</b> μCi / 9.25 MBq <b>ARS 0119-1</b> mCi / 37 MBq <b>ARS 0119-5</b> mCi / 185 MBq	Inquire Inquire Inquire
<b>Methionine, L-[<sup>35</sup>S] 毒</b> Translation Grade CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 149.2 <i>Shipped in Dry Ice</i>	>1000 Ci/mmol >37 TBq/mmol	50mM tricine HCl (pH 7.4) w/ 10umoles of 2-mercaptoethanol per ml 10 mCi/ml	<b>ARS 0104A-500</b> μCi / 9.25 MBq <b>ARS 0104A-1</b> mCi / 37 MBq <b>ARS 0104A-5</b> mCi / 185 MBq	Inquire Inquire Inquire
<b>Methionine, L-[1-<sup>14</sup>C] methyl ester hydrochloride</b> CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> CH <sub>3</sub> ·HCl M.W. 199.7 <i>Exclusive</i>	50-60 mCi/mmol 1.85/2.22 GBq/mmol	Methanol 0.1 mCi/ml	<b>ARC 1150-50</b> μCi / 1.85 MBq <b>ARC 1150-250</b> μCi / 9.25 MBq	113,000 323,000
<b>Methionine, L-[methyl-<sup>3</sup>H] methyl ester ester hydrochloride</b> CH <sub>3</sub> S(CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> CH <sub>3</sub> ·HCl M.W. 199.7 <i>Exclusive</i>	30-80 Ci/mmol 1.11-2.96 TBq/mmol	Methanol 1 mCi/ml	<b>ART 0721-250</b> μCi / 9.25 MBq <b>ART 0721-1</b> mCi / 37 MBq	120,000 296,000
<b>Met-<sup>35</sup>S-Label 毒</b> <b>[L-Methionine <sup>35</sup>S + L-Cysteine <sup>35</sup>S]</b> <i>E. coli <sup>35</sup>S hydrolysate containing 70% L-Methionine <sup>35</sup>S, 25% L-Cysteine <sup>35</sup>S and 5% miscellaneous amino acids. Contains 2% mercaptoethanol solution. Reagent for metabolic labeling.</i> <i>Shipped in Dry Ice</i>	>1000 Ci/mmol >37 TBq/mmol	50mM Tricine HCl (pH 7.4) w/ 10ummole of 2-mercaptoethanol per ml 10 mCi/ml	<b>ARS 0110-1</b> mCi / 37 MBq <b>ARS 0110-5</b> mCi / 185 MBq <b>ARS 0110-10</b> mCi / 370 MBq	44,000 64,000 99,000
<b>Met-<sup>35</sup>S-Label</b> <b>[L-Methionine <sup>35</sup>S + L-Cysteine <sup>35</sup>S]</b> <i>E. coli <sup>35</sup>S hydrolysate containing 70% L-Methionine <sup>35</sup>S, 25% L-Cysteine <sup>35</sup>S and 5% miscellaneous amino acids. Contains 2% mercaptoethanol solution. Reagent for metabolic labeling.</i> <i>Shipped w/o Dry Ice, store at 4°C</i>	>1000 Ci/mmol >37 TBq/mmol	Aqueous solution with stabilizer 10 mCi/ml	<b>ARS 0110A-1</b> mCi / 37 MBq <b>ARS 0110A-5</b> mCi / 185 MBq <b>ARS 0110A-10</b> mCi / 370 MBq	44,000 64,000 99,000
<b>Methotrexate "cold"</b>		Solid	<b>ARCD 0467-10</b> mg	27,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Methotrexate [3',5',7'-<sup>3</sup>H] sodium salt</b> M.W. 454.5 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0168-250</b> μCi / 9.25 MBq <b>ART 0168-1</b> mCi / 37 MBq	175,000 408,000
<b>Methoxyamine [<sup>14</sup>C] hydrochloride</b> <chem>CH3ONH2.HCl</chem> M.W. 83.52 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0612-250</b> μCi / 9.25 MBq	381,000
<b>4-Methoxyaniline [ring-<sup>14</sup>C(U)]</b> See 4-Anisidine [ring- <sup>14</sup> C(U)]			<b>ARC 1488</b>	
<b>2-Methoxy antimycin A [<sup>3</sup>H(G)]</b> M.W. 534.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1643-50</b> μCi / 1.85 MBq	219,000
<b>3-Methoxybenzaldehyde [carbonyl-<sup>14</sup>C]</b> See 3-Anisaldehyde [carbonyl- <sup>14</sup> C]			<b>ARC 0726</b>	
<b>4-Methoxybenzene sulfonic acid [ring-<sup>14</sup>C(U)]</b> <chem>CH3OC6H4SO3H</chem> M.W. 188.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1064-50</b> μCi / 1.85 MBq <b>ARC 1064-250</b> μCi / 9.25 MBq	239,000 408,000
<b>4-Methoxybenzene sulfonyl chloride [ring-<sup>14</sup>C(U)]</b> <chem>CH3OC6H4SO2Cl</chem> M.W. 206.65 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 1060-50</b> μCi / 1.85 MBq	269,000
<b>3-Methoxybenzoic acid [carboxyl-<sup>14</sup>C]</b> See 3-Anisic acid [carboxyl- <sup>14</sup> C]			<b>ARC 1254</b>	
<b>4-Methoxybenzoic acid [carboxyl-<sup>14</sup>C]</b> See 4-Anisic acid [carboxyl- <sup>14</sup> C]			<b>ARC 1242</b>	
<b>4-Methoxybenzoyl chloride [carboxyl-<sup>14</sup>C]</b> See <i>p</i> -Anisoyl chloride [carboxyl- <sup>14</sup> C]			<b>ARC 1629</b>	
<b>3-Methoxy benzyl alcohol [methylene-<sup>14</sup>C] (<i>m</i>-Anisylalcohol)</b> <chem>CH3OC6H4CH2OH</chem> M.W. 138.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0724-250</b> μCi / 9.25 MBq	366,000
<b>1-(4-Methoxybenzyl)-1H-pyrazole-4-carboxylic acid [carboxyl-<sup>14</sup>C]</b> <chem>C4H4N2O2</chem> M.W. 112.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 3595-50</b> μCi / 1.85 MBq	125,000

M

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>6-Methoxy-BTA-0 [N-methyl-<sup>3</sup>H] (6-MeOH-BTA-0; 2-(4'-Aminophenyl)-6-methoxybenzothiazole)</b> C <sub>14</sub> H <sub>12</sub> N <sub>2</sub> OS M.W. 256.32 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1975-50</b> μCi / 1.85 MBq	419,000
<b>Methoxychlor [ring-<sup>14</sup>C(U)]</b> 4-[CH <sub>3</sub> OC <sub>6</sub> H <sub>4</sub> ] <sub>2</sub> CHCCl <sub>3</sub> M.W. 345.7 <i>Exclusive</i>	5-25 mCi/mmol 185-925 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1307-50</b> μCi / 1.85 MBq	259,000
<b>2-Methoxy-3,6-dichlorobenzoic acid [methyl-<sup>3</sup>H]</b> M.W. 221.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.21 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0635-250</b> μCi / 9.25 MBq	254,000
<b>2-Methoxyestradiol [6,7-<sup>3</sup>H]</b> M.W. 302.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1288-50</b> μCi / 1.85 MBq <b>ART 1288-250</b> μCi / 9.25 MBq	149,000 261,000
<b>2-Methoxyethanol [1-<sup>14</sup>C]</b> CH <sub>3</sub> OCH <sub>2</sub> CH <sub>2</sub> OH M.W. 76.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3704</b>	Inquire
<b>5-Methoxy indole-3-carboxaldehyde [3-<sup>14</sup>C]</b> M.W. 191.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1430-50</b> μCi / 1.85 MBq	191,000
<b>5-Methoxy-3-isopropylindole [2-<sup>14</sup>C]</b> C <sub>12</sub> H <sub>15</sub> NO M.W. 200.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1537-50</b> μCi / 1.85 MBq <b>ARC 1537-250</b> μCi / 9.25 MBq	164,000 296,000
<b>4-Methoxy-2-methyl acetanilide [1<sup>4</sup>C(U)]</b> CH <sub>3</sub> O(CH <sub>3</sub> )C <sub>6</sub> H <sub>3</sub> NHCOCH <sub>3</sub> M.W. 129.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1551-50</b> μCi / 1.85 MBq	219,000
<b>4-Methoxy-2-methyl aniline [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> O(CH <sub>3</sub> )C <sub>6</sub> H <sub>3</sub> NH <sub>2</sub> M.W. 137.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1552-50</b> μCi / 1.85 MBq	234,000
<b>Methoxy-PEPy [<sup>3</sup>H] (MPEPy)</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Potent and selective radioligand for the mGlu<sub>5</sub> receptor</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1571-50</b> μCi / 1.85 MBq	253,000
<b>4-Methoxyphenol [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> OC <sub>6</sub> H <sub>4</sub> OH M.W. 124.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1820-50</b> μCi / 1.85 MBq	272,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3-Methoxyphenyl boronic acid [ring-<sup>14</sup>C(U)]</b> C <sub>7</sub> H <sub>9</sub> BO <sub>3</sub> M.W. 151.95 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3002-50</b> μCi / 1.85 MBq	242,000
<b>Methoxy [<sup>14</sup>C] polyethylene glycol</b> M.W. 2000 <i>Exclusive</i>	1-5 mCi/g 37-185 MBq/g	Solid	<b>ARC 1444-50</b> μCi / 1.85 MBq	198,000
<b>5-Methoxy-1,3,4-thiadiazol-[2H] one-1-[carbonyl-<sup>14</sup>C]</b> M.W. 132.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1210-250</b> μCi / 9.25 MBq	353,000
<b>2'-Methylacetanilide [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> CONHC <sub>6</sub> H <sub>4</sub> CH <sub>3</sub> M.W. 149.20 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3249-50</b> μCi / 1.85 MBq	333,000
<b>Methyl acetimidate [<sup>14</sup>C] hydrochloride</b> CH <sub>3</sub> C(=NH)OCH <sub>3</sub> ·HCl M.W. 109.56 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Dioxane 1 mCi/ml	<b>ARC 1192-250</b> μCi / 9.25 MBq <b>ARC 1192-1</b> mCi / 37 MBq	234,000 395,000
<b>Methyl acetoacetate [3-<sup>14</sup>C]</b> CH <sub>3</sub> COCH <sub>2</sub> CO <sub>2</sub> CH <sub>3</sub> M.W. 116.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule	<b>ARC 0778-250</b> μCi / 9.25 MBq <b>ARC 0778-1</b> mCi / 37 MBq	269,000 524,000
<b>Methylamine [<sup>14</sup>C] hydrochloride</b> CH <sub>3</sub> NH <sub>2</sub> ·HCl M.W. 67.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0167-50</b> μCi / 1.85 MBq <b>ARC 0167-250</b> μCi / 9.25 MBq <b>ARC 0167-1</b> mCi / 37 MBq	78,000 153,000 331,000
<b>Methylamine [methyl-<sup>3</sup>H] hydrochloride</b> CH <sub>3</sub> NH <sub>2</sub> ·HCl M.W. 67.5 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0370-250</b> μCi / 9.25 MBq <b>ART 0370-1</b> mCi / 37 MBq	185,000 365,000
<b>β-N-Methylamino-D-alanine [1-<sup>14</sup>C] (D-BMAA)</b> C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> M.W. 154.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3618-50</b> μCi / 1.85 MBq	545,000
<b>β-N-Methylamino-L-alanine [1-<sup>14</sup>C] (L-BMAA)</b> C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> M.W. 154.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3042-50</b> μCi / 1.85 MBq	545,000
<b>β-Methylamino-L-alanine [methyl-<sup>3</sup>H] (L-BMAA)</b> C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> ·HCl M.W. 154.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-80 Ci/mmol 0.74-2.96 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1508-250</b> μCi / 9.25 MBq	439,000

M

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Methylaminoisobutyric acid, <math>\alpha</math>-[1-<math>^{14}\text{C}</math>]</b> ( $\text{CH}_3$ ) <sub>2</sub> C(NHCH <sub>3</sub> )COOH M.W. 117.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0283-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ARC 0283-250</b> $\mu\text{Ci}$ / 9.25 MBq	79,000 229,000
<b>Methylaminoisobutyric acid [N-methyl-<math>^3\text{H}</math>]</b> ( $\text{CH}_3$ ) <sub>2</sub> C(NHCH <sub>3</sub> )COOH M.W. 117.1 <i>Exclusive</i>	60-85 Ci/mmol 2.22-3.145 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0294-250</b> $\mu\text{Ci}$ / 9.25 MBq <b>ART 0294-1</b> mCi / 37 MBq	164,000 339,000
<b>4-Methylanisole [methyl-<math>^3\text{H}</math>]</b> $\text{CH}_3\text{C}_6\text{H}_4\text{OCH}_3$ M.W. 122.17 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0582-250</b> $\mu\text{Ci}$ / 9.25 MBq <b>ART 0582-1</b> mCi / 37 MBq	191,000 366,000
<b>Methyl anthranilate [ring-<math>^{14}\text{C}</math>(U)]</b> M.W. 151.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0706-50</b> $\mu\text{Ci}$ / 1.85 MBq	365,000
<b>6-Methyl [<math>^{14}\text{C}</math>] anthranilic acid</b> M.W. 151.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	THF solution under argon 0.1 mCi/ml	<b>ARC 0633-50</b> $\mu\text{Ci}$ / 1.85 MBq	395,000
<b>N-<math>\alpha</math>-Methyl-D-arginine [4,5-<math>^3\text{H}</math>]</b> (D-NMMA) $\text{C}_7\text{H}_{16}\text{N}_4\text{O}_2$ M.W. 248.28 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 1573-50</b> $\mu\text{Ci}$ / 1.85 MBq	440,000
<b>N-<math>\alpha</math>-Methyl-DL-arginine [4,5-<math>^3\text{H}</math>]</b> (DL-NMMA) $\text{C}_7\text{H}_{16}\text{N}_4\text{O}_2$ M.W. 248.28 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 1574-50</b> $\mu\text{Ci}$ / 1.85 MBq	226,000
<b>N-<math>\alpha</math>-Methyl-L-arginine [4,5-<math>^3\text{H}</math>]</b> (L-NMMA) $\text{C}_7\text{H}_{16}\text{N}_4\text{O}_2$ M.W. 248.28 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 1182-50</b> $\mu\text{Ci}$ / 1.85 MBq	419,000
<b>N-Methyl [<math>^{14}\text{C}</math>] D-aspartic acid</b> (NMDA) $\text{HO}_2\text{CCH}_2\text{CH}(\text{NHCH}_3)\text{CO}_2\text{H}$ M.W. 147.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1508-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ARC 1508-250</b> $\mu\text{Ci}$ / 9.25 MBq	170,000 353,000
<b>N-Methyl [<math>^{14}\text{C}</math>] L-aspartic acid</b> (NMLA) $\text{HO}_2\text{CCH}_2\text{CH}(\text{NHCH}_3)\text{CO}_2\text{H}$ M.W. 147.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3364-50</b> $\mu\text{Ci}$ / 1.85 MBq	282,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>N-Methyl [<sup>3</sup>H] D-aspartic acid (NMDA)</b> HO <sub>2</sub> CCH <sub>2</sub> CH(NHCH <sub>3</sub> )CO <sub>2</sub> H M.W. 147.13 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2126-250</b> μCi / 9.25 MBq	314,000
<b>N-Methyl [<sup>3</sup>H] L-aspartic acid (NMLA)</b> HO <sub>2</sub> CCH <sub>2</sub> CH(NHCH <sub>3</sub> )CO <sub>2</sub> H M.W. 147.13 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2127-250</b> μCi / 9.25 MBq	314,000
<b>5-Methyl-1H-benzotriazole [ring-<sup>14</sup>C(U)]</b> C <sub>7</sub> H <sub>7</sub> N <sub>3</sub> M.W. 133.15 <i>Exclusive</i>	1-5 mCi/mmol 37.0-185 MBq/mmol	Solid	<b>ARC 1578-50</b> μCi / 1.85 MBq	311,000
<b>3-Methylbenzyl alcohol [1-<sup>14</sup>C]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> OH M.W. 122.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1772-50</b> μCi / 1.85 MBq <b>ARC 1772-250</b> μCi / 9.25 MBq	142,000 254,000
<b>3-Methylbenzyl bromide [1-<sup>14</sup>C]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> Br M.W. 185.06 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1771-50</b> μCi / 1.85 MBq <b>ARC 1771-250</b> μCi / 9.25 MBq	170,000 303,000
<b>Methyl bromoacetate [1-<sup>14</sup>C]</b> BrCH <sub>2</sub> CO <sub>2</sub> CH <sub>3</sub> M.W. 152.98 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1082-250</b> μCi / 9.25 MBq	206,000
<b>Methylbromoacetate [2-<sup>14</sup>C]</b> BrCH <sub>2</sub> CO <sub>2</sub> CH <sub>3</sub> M.W. 152.98 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0597-250</b> μCi / 9.25 MBq	218,000
<b>Methyl-2-bromopropionate [1-<sup>14</sup>C]</b> CH <sub>3</sub> CHBrCO <sub>2</sub> CH <sub>3</sub> M.W. 167.01 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1623-1</b> mCi / 37 MBq	408,000
<b>Methyl-2-bromopropionate-[2-<sup>14</sup>C]</b> CH <sub>3</sub> CHBrCO <sub>2</sub> CH <sub>3</sub> M.W. 167.01 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 1238-1</b> mCi / 37 MBq	212,000
<b>3-Methyl-butanol [1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH <sub>2</sub> OH M.W. 88.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane 1 mCi/ml	<b>ARC 1535-250</b> μCi / 9.25 MBq	296,000

M

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Methyl <i>t</i>-butyl ether [<math>\alpha,\alpha'</math>-<math>^{14}\text{C}</math>] (MTBE) <math>(\text{CH}_3)_3\text{COCH}_3</math> M.W. 88.15 <i>Exclusive</i></b>	1-10 mCi/mmol 37-370 MBq/mmol	Hexane in break seal 0.1 mCi/ml	<b>ARC 3006-50</b> $\mu\text{Ci}$ / 1.85 MBq	387,000
<b>Methyl [<math>^{14}\text{C}</math>] carbamate <math>\text{H}_2\text{NCO}_2\text{CH}_3</math> M.W. 75.07 <i>Exclusive</i></b>	5-10 mCi/mmol 185-370 MBq/mmol	Solid	<b>ARC 0875-250</b> $\mu\text{Ci}$ / 9.25 MBq	479,000
<b>Methylcarbanyl choline iodide [N-methyl-<math>^3\text{H}</math>] <math>\text{CH}_3\text{NHCOOCH}_2\text{N}(\text{CH}_3)_3\text{I}</math> M.W. 274.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i></b>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol under nitrogen 1 mCi/ml	<b>ART 0384-25</b> $\mu\text{Ci}$ / 925 kBq <b>ART 0384-250</b> $\mu\text{Ci}$ / 9.25 MBq	149,000 365,000
<b>Methyl chloride [1-<math>^{14}\text{C}</math>] 劇 <math>\text{CH}_3\text{Cl}</math> M.W. 50.49 <i>Shipped in Dry Ice</i> <i>Exclusive</i></b>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Gas in break seal	<b>ARC 0551-1</b> mCi / 37 MBq	554,000
<b>Methyl chloroacetate [1-<math>^{14}\text{C}</math>] <math>\text{ClCH}_2\text{CO}_2\text{CH}_3</math> M.W. 108.52 <i>Exclusive</i></b>	10-50 mCi/mmol 0.37-1.85 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0681-250</b> $\mu\text{Ci}$ / 9.25 MBq <b>ARC 0681-1</b> mCi / 37 MBq	323,000 647,000
<b>Methyl [<math>^{14}\text{C}</math>] chloroformate <math>\text{ClCOOCH}_3</math> M.W. 94.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i></b>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 0876-250</b> $\mu\text{Ci}$ / 9.25 MBq <b>ARC 0876-1</b> mCi / 37 MBq	218,000 506,000
<b>2-Methyl-4-chlorophenoxyacetic acid [ring-<math>^{14}\text{C}</math>(U)] (MCPA) <math>\text{ClC}_6\text{H}_3(\text{CH}_3)\text{OCH}_2\text{CO}_2\text{H}</math> M.W. 200.62 <i>Exclusive</i></b>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N NaOH 0.1 mCi/ml	<b>ARC 3720-50</b> $\mu\text{Ci}$ / 1.85 MBq	440,000
<b>3-Methylcholanthrene [<math>^3\text{H}</math>] <math>\text{C}_{21}\text{H}_{16}</math> M.W. 268.4 <i>Shipped in Dry Ice</i></b>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1871-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ART 1871-250</b> $\mu\text{Ci}$ / 9.25 MBq	93,000 134,000
<b>24-Methyl-5<math>\alpha</math>-cholestan-3<math>\beta</math>-ol [5,6-<math>^3\text{H}</math>] See Campestanol [5,6-<math>^3\text{H}</math>]</b>			<b>ART 1578</b>	
<b>Methyl-2-cyanoindole-7-carboxylate 劇 [cyano-<math>^{14}\text{C}</math>] M.W. 200.2 <i>Exclusive</i></b>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1466-50</b> $\mu\text{Ci}$ / 1.85 MBq	209,000
<b>Methyl dichloroacetate [1-<math>^{14}\text{C}</math>] <math>\text{Cl}_2\text{CHCO}_2\text{CH}_3</math> M.W. 142.97 <i>Exclusive</i></b>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ether in sealed ampoule 0.1 mCi/ml	<b>ARC 1097-250</b> $\mu\text{Ci}$ / 9.25 MBq	282,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>N-Methyldiethanolamine [methyl-<sup>14</sup>C]</b> (HOCH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> NCH <sub>3</sub> M.W. 119.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1279-50</b> μCi / 1.85 MBq	209,000
<b>4,4'-Methylenebis (2,6-di-<i>tert</i>-butylphenol) [ring-<sup>14</sup>C(U)]</b> CH <sub>2</sub> [C <sub>6</sub> H <sub>2</sub> [C(CH <sub>3</sub> ) <sub>3</sub> ] <sub>2</sub> OH] <sub>2</sub> M.W. 424.66 <i>Shipped in Dry Ice</i> <b>NEW!-Exclusive</b>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3788-50</b> μCi / 1.85 MBq	419,000
<b>4,4'-Methylenedianiline [ring-<sup>14</sup>C(U)]</b> M.W. 198.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1098-50</b> μCi / 1.85 MBq <b>ARC 1098-250</b> μCi / 9.25 MBq	293,000 482,000
<b>N-Methyl ethanolamine [methyl-<sup>3</sup>H] hydrochloride (2-(methylamino) ethanol)</b> HOCH <sub>2</sub> CH <sub>2</sub> NHCH <sub>3</sub> ·HCl M.W. 111.56 <i>Exclusive</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0513-250</b> μCi / 9.25 MBq	282,000
<b>N-Methylformamide [carbonyl-<sup>14</sup>C] 劇</b> HCONHCH <sub>3</sub> M.W. 59.07 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile in sealed ampoule 0.1 mCi/ml	<b>ARC 1831-50</b> μCi / 1.85 MBq	247,000
<b>N-Methylformamide [methyl-<sup>14</sup>C] 劇</b> HCONHCH <sub>3</sub> M.W. 59.07 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile in sealed ampoule 0.1 mCi/ml	<b>ARC 1893-50</b> μCi / 1.85 MBq	247,000
<b>Methyl formate [carbonyl-<sup>14</sup>C] 劇</b> HCOOCH <sub>3</sub> M.W. 60.05 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile in break seal 1 mCi/ml	<b>ARC 3526-250</b> μCi / 9.25 MBq	219,000
<b>Methyl-α-D-glucopyranoside [glucose-<sup>14</sup>C(U)]</b> M.W. 194.2	250-350 mCi/mmol 9.25-12.9 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ARC 0131-50</b> μCi / 1.85 MBq <b>ARC 0131-250</b> μCi / 9.25 MBq	113,000 357,000
<b>Methyl-α-D-glucopyranoside [glucose-<sup>14</sup>C(U)]</b> M.W. 194.2	250-350 mCi/mmol 9.25-12.9 GBq/mmol	Ethanol:water (3:97) 1 mCi/ml	<b>ARC 0131A-50</b> μCi / 1.85 MBq <b>ARC 0131A-250</b> μCi / 9.25 MBq	113,000 357,000
<b>Methyl α-D-glucopyranoside [glucose-1-<sup>3</sup>H]</b> M.W. 194.2 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 2013-50</b> μCi / 1.85 MBq	219,000
<b>Methyl-β-D-glucopyranoside [glucose-<sup>14</sup>C(U)]</b> M.W. 194.2 <i>Exclusive</i>	250-350 mCi/mmol 9.25-12.9 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 3108-50</b> μCi / 1.85 MBq <b>ARC 3108-250</b> μCi / 9.25 MBq	113,000 381,000

M





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3-0-Methyl-D-glucose [<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>2</sub> CH(OCH <sub>3</sub> )CHOHCHO M.W. 194.2 <i>Exclusive</i>	250-350 mCi/mmol 9.25-12.9 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0133-50</b> μCi / 1.85 MBq <b>ARC 0133-250</b> μCi / 9.25 MBq	100,000 296,000
<b>3-0-Methyl [<sup>14</sup>C] D-glucose</b> HOCH <sub>2</sub> (CHOH) <sub>2</sub> CH(OCH <sub>3</sub> )CHOHCHO M.W. 194.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0132-50</b> μCi / 1.85 MBq <b>ARC 0132-250</b> μCi / 9.25 MBq	100,000 296,000
<b>3-0-Methyl [<sup>3</sup>H] D-glucose</b> HOCH <sub>2</sub> (CHOH) <sub>2</sub> CH(OCH <sub>3</sub> )CHOHCHO M.W. 194.2 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0126-1</b> mCi / 37 MBq <b>ART 0126-5</b> mCi / 185 MBq	80,000 180,000
<b>(2S,4R)-4-Methylglutamic acid [<sup>3</sup>H]</b> See SYM 2081 [ <sup>3</sup> H]			<b>ART 0879</b>	
<b>Methyl glycerate [1-<sup>14</sup>C]</b> HOCH <sub>2</sub> CHOHCOOCH <sub>3</sub> M.W. 120.1 <i>NEW!-Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3766-50</b> μCi / 1.85 MBq	209,000
<b>Methylglyoxal [2-<sup>14</sup>C]</b> (Pyruvaldehyde) CH <sub>3</sub> COCHO M.W. 72.06 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 mCi/mmol 0.37-1.11 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1497-50</b> μCi / 1.85 MBq	366,000
<b>15-Methyl hexadecanoic acid [2-<sup>3</sup>H]</b> M.W. 270.26 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1514-50</b> μCi / 1.85 MBq	239,000
<b>5-Methyl-2-hexanone [carbonyl-<sup>14</sup>C]</b> 劇 (Isobutylacetone) (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH <sub>2</sub> COCH <sub>3</sub> M.W. 114.19 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Acetonitrile 0.1 mCi/ml	<b>ARC 3296-50</b> μCi / 1.85 MBq	299,000
<b>(R)-α-Methyl histamine [methyl-<sup>3</sup>H]</b> M.W. 142.0 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1342-25</b> μCi / 925 kBq <b>ART 1342-50</b> μCi / 1.85 MBq <b>ART 1342-250</b> μCi / 9.25 MBq	89,000 165,000 298,000
<b>(R)-(-)-α-Methyl histamine dihydrobromide "cold"</b> M.W. 287		Solid	<b>ARCD 0244-10</b> mg <b>ARCD 0244-50</b> mg	36,000 114,000
<b>(R)-(-)-α-Methylhistamine dihydrochloride "cold"</b> M.W. 198 CAS # 75614-89-0		Solid	<b>ARCD 0776-5</b> mg	42,000
<b>N-α-Methyl [<sup>3</sup>H] histamine dihydrochloride</b> C <sub>6</sub> H <sub>13</sub> Cl <sub>2</sub> N <sub>3</sub> · 2HCl M.W. 198 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-90 Ci/mmol 1.48-3.33 TBq/mmol	Ethanol: 0.01N HCl (7:3) 1 mCi/ml	<b>ART 1435-25</b> μCi / 925 kBq <b>ART 1435-250</b> μCi / 9.25 MBq	149,000 392,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Methyl-17<math>\alpha</math>-hydroxyprogesterone acetate, 6<math>\alpha</math>-[1,2-<sup>3</sup>H(N)]</b> (Medroxyprogesterone acetate) M.W. 386.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1559-50</b> $\mu$ Ci / 1.85 MBq	248,000
<b>1-Methyl [<sup>14</sup>C] indole</b> C <sub>9</sub> H <sub>9</sub> N M.W. 131.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Chloroform 0.1 mCi/ml	<b>ARC 1747-50</b> $\mu$ Ci / 1.85 MBq	269,000
<b>Methylinosine 5'-[8-<sup>14</sup>C] monophosphate ammonium salt</b> C <sub>11</sub> H <sub>15</sub> N <sub>4</sub> O <sub>8</sub> P M.W. 362.20	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 3362-10</b> $\mu$ Ci / 370 kBq	299,000
<b>Methyl iodide [<sup>14</sup>C] 劇</b> CH <sub>3</sub> I M.W. 142.0 <i>Shipped in Dry Ice</i> <i>Huge discounts on bulk orders</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in break seal	<b>ARC 0134-1</b> mCi / 37 MBq <b>ARC 0134-2</b> mCi / 74 MBq <b>ARC 0134-5</b> mCi / 185 MBq	178,000 379,000 560,000
<b>Methyl iodide [<sup>14</sup>C] 劇</b> CH <sub>3</sub> I M.W. 142.0 <i>Shipped in Dry Ice</i>	1-10 mCi/mmol 37-370 MBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ARC 0134A-250</b> $\mu$ Ci / 9.25 MBq <b>ARC 0134A-1</b> mCi / 37 MBq <b>ARC 0134A-2</b> mCi / 74 MBq <b>ARC 0134A-5</b> mCi / 185 MBq	102,000 189,000 379,000 560,000
<b>Methyl iodide [<sup>14</sup>C] 劇</b> CH <sub>3</sub> I M.W. 142.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	THF in sealed ampoule 1 mCi/ml	<b>ARC 0134E-1</b> mCi / 37 MBq <b>ARC 0134E-2</b> mCi / 74 MBq <b>ARC 0134E-5</b> mCi / 185 MBq	178,000 379,000 560,000
<b>Methyl iodide [<sup>3</sup>H] 劇</b> CH <sub>3</sub> I M.W. 142.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Toluene 1 Ci/ml	<b>ART 0262-25</b> mCi / 925 MBq <b>ART 0262-100</b> mCi / 3.7 GBq <b>ART 0262-250</b> mCi / 9.25 GBq	208,000 513,000 Inquire
<b>Methyl iodide [<sup>3</sup>H] 劇</b> CH <sub>3</sub> I M.W. 142.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Toluene 1 Ci/ml	<b>ART 0262A-100</b> mCi / 3.7 GBq <b>ART 0262A-250</b> mCi / 9.25 GBq	527,000 Inquire
<b>Methyl iodide [<sup>3</sup>H] 劇</b> CH <sub>3</sub> I M.W. 142.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	DMF 1 Ci/ml	<b>ART 0262B-100</b> mCi / 3.7 GBq <b>ART 0262B-250</b> mCi / 9.25 GBq	599,000 Inquire
<b>Methyl iodide [<sup>3</sup>H] 劇</b> CH <sub>3</sub> I M.W. 142.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Benzene 1 Ci/ml	<b>ART 0262E-100</b> mCi / 3.7 GBq <b>ART 0262E-250</b> mCi / 9.25 GBq	599,000 Inquire

M

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Methyl iodide [<sup>3</sup>H]</b> 劇 CH <sub>3</sub> I M.W. 142.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	THF 1 Ci/ml	<b>ART 0262F-100</b> mCi / 3.7 GBq <b>ART 0262F-250</b> mCi / 9.25 GBq	599,000 Inquire
<b>2-Methylisoborneol [methyl-<sup>14</sup>C]</b> M.W. 168.3 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1011-250</b> μCi / 9.25 MBq	449,000
<b>Methyl isothiocyanate [<sup>14</sup>C]</b> 劇 CH <sub>3</sub> NCS M.W. 73.12 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	n-Pentane in sealed ampoule 0.1 mCi/ml	<b>ARC 3186-50</b> μCi / 1.85 MBq	219,000
<b>Methyllycaonitine [<sup>3</sup>H]</b> M.W. 682.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-100 Ci/mmol 2.22-3.7 TBq/mmol	Ethanol:water (1:1) in sealed ampoule 1 mCi/ml	<b>ART 0882-50</b> μCi / 1.85 MBq	396,000
<b>Methyllycaonitine citrate "cold"</b> M.W. 874.93 CAS # 21019-30-7 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0778-5</b> mg	66,000
<b>Methyllycaonitine [<sup>3</sup>H]</b> M.W. 874.93 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-100 Ci/mmol 2.22-3.7 TBq/mmol	Ethanol:water (1:1) in sealed ampoule 1 mCi/ml	<b>ART 0882A-50</b> μCi / 1.85 MBq	396,000
<b>Methylmalonic acid [carboxyl-1,3-<sup>14</sup>C]</b> HOOCCH(CH <sub>3</sub> )COOH M.W. 118.09 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1758-250</b> μCi / 9.25 MBq	199,000
<b>Methylmalonic acid [methyl-<sup>14</sup>C]</b> HOOCCH(CH <sub>3</sub> )COOH M.W. 118.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0846-250</b> μCi / 9.25 MBq <b>ARC 0846-1</b> mCi / 37 MBq	177,000 449,000
<b>Methylmalonyl, DL-2-[1,3-<sup>14</sup>C] Coenzyme A</b> C <sub>25</sub> H <sub>40</sub> N <sub>7</sub> O <sub>19</sub> P <sub>3</sub> S M.W. 867.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.1N HCl 0.1 mCi/ml	<b>ARC 1764-1</b> μCi / 37 kBq <b>ARC 1764-5</b> μCi / 185 kBq	65,000 149,000
<b>Methylmalonyl, DL-2-[methyl-<sup>14</sup>C] Coenzyme A</b> M.W. 867.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.1N HCl 0.1 mCi/ml	<b>ARC 0847-1</b> μCi / 37 kBq <b>ARC 0847-5</b> μCi / 185 kBq	76,000 259,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Methyl mercaptoacetate [2-<sup>14</sup>C] (Methyl thioglycolate)</b> HSCH <sub>2</sub> CO <sub>2</sub> CH <sub>3</sub> M.W. 106.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride 0.1 mCi/ml	<b>ARC 3438</b>	Inquire
<b>Methylmercury (II) chloride [<sup>14</sup>C] 毒</b> CH <sub>3</sub> HgCl M.W. 251.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 mCi/mmol 370-1110 MBq/mmol	Solid or Ethanol 0.1 mCi/ml	<b>ARC 1302-50</b> μCi / 1.85 MBq <b>ARC 1302-250</b> μCi / 9.25 MBq	212,000 534,000
<b>Methyl methane sulfonate [<sup>14</sup>C]</b> CH <sub>3</sub> SO <sub>3</sub> CH <sub>3</sub> M.W. 110.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	DMSO in sealed ampoule 1 mCi/ml	<b>ARC 3103-50</b> μCi / 1.85 MBq <b>ARC 3103-250</b> μCi / 9.25 MBq	226,000 679,000
<b>Methyl [<sup>3</sup>H] methanethiosulfonate</b> CH <sub>3</sub> SO <sub>2</sub> CH <sub>3</sub> M.W. 126.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ART 1181-250</b> μCi / 9.25 MBq	339,000
<b>N-Methyl-N-methoxy propionamide [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> CON(CH <sub>3</sub> )OCH <sub>3</sub> M.W. 117.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	THF in sealed ampoule 0.1 mCi/ml	<b>ARC 0717-250</b> μCi / 9.25 MBq	381,000
<b>2-Methylnaphthalene [8-<sup>14</sup>C]</b> C <sub>11</sub> H <sub>10</sub> M.W. 142.20 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3250-50</b> μCi / 1.85 MBq	302,000
<b>N-Methyl-N-1-naphthyl [1-<sup>14</sup>C] amine hydrochloride</b> C <sub>11</sub> H <sub>10</sub> N · HCl M.W. 207.74 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1532A-50</b> μCi / 1.85 MBq	311,000
<b>Methyl nicotinate [carboxyl-<sup>14</sup>C]</b> C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> M.W. 137.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methanol 0.1 mCi/ml	<b>ARC 1421-50</b> μCi / 1.85 MBq	192,000
<b>2-Methyl [<sup>14</sup>C] 4-nitroaniline</b> CH <sub>3</sub> C <sub>6</sub> H <sub>3</sub> (NO <sub>2</sub> )NH <sub>2</sub> M.W. 152.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0641-50</b> μCi / 1.85 MBq	365,000
<b>2-Methyl [<sup>14</sup>C] 6-nitroaniline</b> CH <sub>3</sub> C <sub>6</sub> H <sub>3</sub> (NO <sub>2</sub> )NH <sub>2</sub> M.W. 152.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0636-50</b> μCi / 1.85 MBq	365,000

M



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2-Methyl [<sup>14</sup>C] 6-nitrobenzoic acid</b> CH <sub>3</sub> C <sub>6</sub> H <sub>3</sub> (NO <sub>2</sub> )CO <sub>2</sub> H M.W. 181.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0634-50</b> μCi / 1.85 MBq	365,000
<b>Methyl-2-nitrobenzoic acid [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>3</sub> (NO <sub>2</sub> )CO <sub>2</sub> H M.W. 181.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ether in sealed ampoule 0.1 mCi/ml	<b>ARC 3361-50</b> μCi / 1.85 MBq	299,000
<b>N-Methyl-N-nitroguanidine [<sup>14</sup>C]</b> H <sub>2</sub> NC(NHCH <sub>3</sub> )=NNO <sub>2</sub> M.W. 118.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0813A-250</b> μCi / 9.25 MBq	269,000
<b>S-Methyl-N-nitro isothiourea [<sup>14</sup>C]</b> H <sub>2</sub> NC(SCH <sub>3</sub> )=NNO <sub>2</sub> M.W. 135.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1251-1</b> mCi / 37 MBq	205,000
<b>N-Methyl-N-nitrosoarea [<sup>3</sup>H]</b> <b>(N-Nitroso-N-methylurea; NMU)</b> C <sub>2</sub> N <sub>3</sub> H <sub>5</sub> O <sub>2</sub> M.W. 103.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	0.1% acetic acid in methanol 1 mCi/ml	<b>ART 1616-1</b> mCi / 37 MBq <b>ART 1616-5</b> mCi / 185 MBq	152,000 525,000
<b>M</b> <b>N-Methyl-N-nitrosoarea [<sup>3</sup>H]</b> <b>(N-Nitroso-N-methylurea; NMU)</b> C <sub>2</sub> N <sub>3</sub> H <sub>5</sub> O <sub>2</sub> M.W. 103.08 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 1616A-1</b> mCi / 37 MBq <b>ART 1616A-5</b> mCi / 185 MBq	152,000 525,000
<b>Methylnonylketone [2-<sup>14</sup>C]</b> See 2-Undecanone [2- <sup>14</sup> C]			<b>ARC 1160</b>	
<b>Methyl [<sup>14</sup>C] nosylate</b> 劇 C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> S M.W. 217.20 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile 10 mCi/ml	<b>ARC 1866-1</b> mCi / 37 MBq <b>ARC 1866-10</b> mCi / 370 MBq <b>ARC 1866-50</b> mCi / 1.85 GBq	Inquire Inquire Inquire
<i>Substantial Discounts on Larger Packages</i>				
<b>Methyl [<sup>3</sup>H] nosylate</b> 劇 C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> S M.W. 217.20 <i>Shipped in Dry Ice</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Acetonitrile 100 mCi/ml	<b>ART 1489-10</b> mCi / 370 MBq <b>ART 1489-20</b> mCi / 740 MBq <b>ART 1489-50</b> mCi / 1.85 GBq <b>ART 1489-100</b> mCi / 3.7 GBq	254,000 383,000 Inquire Inquire
<i>Substantial Discounts on Larger Packages</i>				
<b>Methyl [<sup>3</sup>H] nosylate</b> C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> S M.W. 217.20 <i>Shipped in Dry Ice</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Toluene 100 mCi/ml	<b>ART 1489A-10</b> mCi / 370 MBq <b>ART 1489A-20</b> mCi / 740 MBq <b>ART 1489A-50</b> mCi / 1.85 GBq <b>ART 1489A-100</b> mCi / 3.7 GBq	254,000 383,000 Inquire Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Methyl palmitate [9,10-<sup>3</sup>H]</b> <chem>CH3(CH2)5CH2CH2(CH2)7CO2CH3</chem> M.W. 270.5 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Methanol 1 mCi/ml	<b>ART 0755-1</b> mCi / 37 MBq <b>ART 0755-5</b> mCi / 185 MBq	85,000 149,000
<b>Methyl parathion [ring-<sup>14</sup>C(U)] 毒</b> M.W. 263.2 <i>Exclusive</i>	10-30 mCi/mmol 370-1110 MBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 1293-50</b> μCi / 1.85 MBq	232,000
<b>2-Methyl-6-[3,5-<sup>3</sup>H](phenylethynl)pyridine</b> See MPEP [ <sup>3</sup> H]			<b>ART 1209</b>	
<b>4-Methylphenyl piperazine [ring-<sup>14</sup>C(U)] dihydrochloride</b> <chem>C11H16N2·2HCl</chem> M.W. 179.18 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-80 mCi/mmol 2.22-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3032-50</b> μCi / 1.85 MBq	247,000
<b>N-Methyl [<sup>3</sup>H] 4-phenylpyridinium acetate (MPP<sup>+</sup>)</b> M.W. 229.3 <i>Shipped in Dry Ice</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0849-50</b> μCi / 1.85 MBq <b>ART 0849-250</b> μCi / 9.25 MBq <b>ART 0849-1</b> mCi / 37 MBq	63,000 143,000 299,000
<b>1-Methyl [<sup>14</sup>C] 4-phenylpyridinium iodide (1-MPP<sup>+</sup>)</b> M.W. 297.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water(1:1) 0.1 mCi/ml	<b>ARC 0219-250</b> μCi / 9.25 MBq	365,000
<b>Methyl [<sup>3</sup>H] 4-phenylpyridinium iodide (1-MPP<sup>+</sup>)</b> M.W. 297.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0150-250</b> μCi / 9.25 MBq <b>ART 0150-1</b> mCi / 37 MBq	139,000 292,000
<b>1-Methyl [<sup>14</sup>C] 4-phenyl 1,2,3,6-tetrahydropyridine (1-MPTP)</b> M.W. 173.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0218-250</b> μCi / 9.25 MBq	324,000
<b>Methyl [<sup>3</sup>H] 4-phenyl 1,2,3,6-tetrahydropyridine (1-MPTP)</b> M.W. 173.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0136-250</b> μCi / 9.25 MBq <b>ART 0136-1</b> mCi / 37 MBq	120,000 311,000
<b>N-Methyl piperidone [carbonyl-<sup>14</sup>C] hydrochloride</b> <chem>C5H11O</chem> M.W. 134.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1523-1</b> mCi / 37 MBq	219,000
<b>N-Methyl [<sup>3</sup>H] 4-piperidyl benzilate</b> M.W. 331.0 <i>Exclusive</i>	60-85 Ci/mmol 2.22-3.14 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0316-250</b> μCi / 9.25 MBq	339,000

M



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2-Methyl-1,3-propanediol [methyl-<sup>14</sup>C]</b> HOCH <sub>2</sub> CH(CH <sub>3</sub> )CH <sub>2</sub> OH M.W. 90.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1647-1</b> mCi / 37 MBq	471,000
<b>2-Methyl-2-propanol [1-<sup>14</sup>C]</b> See <i>t</i> -Butanol [1- <sup>14</sup> C]			<b>ARC 0631</b>	
<b>4-Methyl pyridine-2-carboxylic acid [carboxyl-<sup>14</sup>C]</b> M.W. 137 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0687-250</b> μCi / 9.25 MBq	353,000
<b>2-Methylpyrrolidine, R-[<sup>3</sup>H] hydrochloride</b> M.W. 121.60 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1126-250</b> μCi / 9.25 MBq <b>ART 1126-1</b> mCi / 37 MBq	177,000 324,000
<b>2-Methylquinoline-4-carboxylic acid [2-<sup>14</sup>C]</b> C <sub>11</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 187.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1579-1</b> mCi / 37 MBq	471,000
<b>N-Methyl-4-(quinolin-2-yl)aniline [N-methyl-<sup>3</sup>H]</b> M.W. 211 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.21 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1529-50</b> μCi / 1.85 MBq	247,000
<b>Methyl salicylate [ring-<sup>14</sup>C(U)]</b> 2-(HO)C <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> CH <sub>3</sub> M.W. 152.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3196-250</b> μCi / 9.25 MBq <b>ARC 3196-1</b> mCi / 37 MBq	398,000 650,000
<b>Methylspiperone [N-methyl-<sup>3</sup>H]</b> M.W. 409.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Dopamine, D-2 antagonist</i>	70-87 Ci/mmol 2.59-3.21 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 0660-250</b> μCi / 9.25 MBq	249,000
<b>4-Methylstyrene [methylene-<sup>14</sup>C] (4-Vinyltoluene)</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CH=CH <sub>2</sub> M.W. 118.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.5 mCi/ml	<b>ARC 3448-50</b> μCi / 1.85 MBq	293,000
<b>Methylsuccinic acid, R-[2,5-<sup>3</sup>H]</b> HO <sub>2</sub> CCH <sub>2</sub> CH(CH <sub>3</sub> )CO <sub>2</sub> H M.W. 132.12 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1536-1</b> mCi / 37 MBq	155,000
<b>Methylsuccinic acid, (RS)-[2,5-<sup>3</sup>H]</b> HO <sub>2</sub> CCH <sub>2</sub> CH(CH <sub>3</sub> )CO <sub>2</sub> H M.W. 132.12 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0687-1</b> mCi / 37MBq <b>ART 0687-5</b> mCi / 185 MBq	110,000 288,000
<b>Methylsuccinic acid, S-[2,5-<sup>3</sup>H]</b> HO <sub>2</sub> CCH <sub>2</sub> CH(CH <sub>3</sub> )CO <sub>2</sub> H M.W. 132.12 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1537-1</b> mCi / 37 MBq	149,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Methyl sulfonyl methane [<sup>3</sup>H(G)]</b> <b>(Dimethyl sulfone)</b> CH <sub>3</sub> SO <sub>2</sub> CH <sub>3</sub> M.W. 94.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 0.185-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1394</b>	Inquire
<b>2-(S)-Methylsulfonyloxypropionic acid</b> <b>[<sup>14</sup>C(U)] methyl ester</b> CH <sub>3</sub> CH(OSO <sub>2</sub> CH <sub>3</sub> )COOCH <sub>3</sub> M.W. 182.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 mCi/mmol 370-740 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1146-50</b> μCi / 1.85 MBq	269,000
<b>2-Methylthioadenosine [adenine-8-<sup>14</sup>C]</b> MTA [adenine-8- <sup>14</sup> C] M.W. 313.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 3501</b>	Inquire
<b>Methyl [<sup>14</sup>C] β-D-thiogalactopyranoside</b> M.W. 210.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0322-50</b> μCi / 1.85 MBq <b>ARC 0322-250</b> μCi / 9.25 MBq	184,000 457,000
<b>Methyl thioglycolate [2-<sup>14</sup>C]</b> See Methyl mercaptoacetate [2- <sup>14</sup> C]			<b>ARC 3438</b>	
<b>2-Methylthiophene [methyl-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>6</sub> S M.W. 98.17 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1272-50</b> μCi / 1.85 MBq	226,000
<b>2-Methyl-2-thiopseudo urea sulfate [<sup>14</sup>C]</b> [CH <sub>3</sub> SC(=NH)NH <sub>2</sub> ] <sub>2</sub> H <sub>2</sub> SO <sub>4</sub> M.W. 278.37 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0804-250</b> μCi / 9.25 MBq	269,000
<b>1-Methyl-2-thiourea [2-<sup>14</sup>C]</b> CH <sub>3</sub> NHCSNH <sub>2</sub> M.W. 90.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1151-250</b> μCi / 9.25 MBq <b>ARC 1151-1</b> mCi / 37 MBq	155,000 269,000
<b>3-Methyl [3-<sup>14</sup>C] 1,2,4-triazole</b> M.W. 83.07 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1206-1</b> mCi / 37 MBq	365,000
<b>Methyltributylammonium iodide</b> <b>[methyl-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> ) <sub>3</sub> NCH <sub>3</sub> I M.W. 327.3 <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.14 TBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0833-10</b> mCi / 370 MBq	839,000
<b>Methyltrienolone [17α-methyl-<sup>3</sup>H]</b> <b>(Metribolone; R1881)</b> C <sub>19</sub> H <sub>24</sub> O <sub>2</sub> M.W. 284.4 <i>Shipped in Dry Ice</i>	70-87 Ci/mmol 2.59-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1855-250</b> μCi / 9.25 MBq <b>ARC 1855-1</b> mCi / 37 MBq	275,000 Inquire

**M**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Methyl triflate [methyl-<sup>3</sup>H]</b> (Methyltrifluoromethane sulfonate) CF <sub>3</sub> SO <sub>3</sub> CH <sub>3</sub> M.W. 165.10 <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.14 TBq/mmol	Toluene 50 mCi/ml	<b>ART 0862</b> -100 mCi / 3.7 GBq	Inquire
<b>Methyl trimethylacetate [1-<sup>14</sup>C]</b> (Methyl pivalate) (CH <sub>3</sub> ) <sub>3</sub> CCO <sub>2</sub> H M.W. 116.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 1124</b> -250 μCi / 9.25 MBq <b>ARC 1124</b> -1 mCi / 37 MBq	198,000 365,000
<b>Methyltriphenylphosphonium iodide [methyl-<sup>14</sup>C]</b> CH <sub>3</sub> P(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> I M.W. 404.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0205</b> -250 μCi / 9.25 MBq	329,000
<b>Methyltriphenylphosphonium iodide [methyl-<sup>3</sup>H]</b> CH <sub>3</sub> P(C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> M.W. 404.2 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0724</b> -250 μCi / 9.25 MBq	206,000
<b>α-Methyltryptophan, L-[methyl-<sup>3</sup>H]</b> M.W. 218.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.21 TBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0622</b>	Inquire
<b>N-Methylurea [carbonyl-<sup>14</sup>C]</b> H <sub>2</sub> NCONHCH <sub>3</sub> M.W. 74.08 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3053</b> -50 μCi / 1.85 MBq	185,000
<b>4-Methylvaleric acid [1-<sup>14</sup>C]</b> (4-Methylpentanoic acid) (CH <sub>3</sub> ) <sub>2</sub> CHCH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> H M.W. 116.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1096</b> -250 μCi / 9.25 MBq <b>ARC 1096</b> -1 mCi / 37 MBq	191,000 365,000
<b>8-Methyl-N-vanillyl-<i>trans</i>-6-nonenamide [14C]</b> See Capsaicin [benzyl-7- <sup>14</sup> C]			<b>ARC 1750</b>	
<b>1-Methylxanthine [14C]</b> M.W. 152.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1684</b> -50 μCi / 1.85 MBq <b>ARC 1684</b> -250 μCi / 9.25 MBq	218,000 379,000
<b>3-Methylxanthine [8-<sup>14</sup>C]</b> M.W. 152.11	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1080</b> -50 μCi / 1.85 MBq <b>ARC 1080</b> -250 μCi / 9.25 MBq	191,000 381,000
<b>Metoprolol [methyl-<sup>14</sup>C]</b> (C <sub>15</sub> H <sub>25</sub> NO <sub>3</sub> ) <sub>2</sub> M.W. 534.74 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 3629</b>	Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Metoprolol [O-methyl-<sup>3</sup>H]</b> (C <sub>15</sub> H <sub>25</sub> NO <sub>3</sub> ) <sub>2</sub> M.W. 534.74 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-80 Ci/mmol 1.48-2.96 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1713-50</b> μCi / 1.85 MBq <b>ART 1713-250</b> μCi / 9.25 MBq	299,000 Inquire
<b>Metrazole [10-<sup>14</sup>C]</b> See Pentylenetetrazole [10- <sup>14</sup> C]			<b>ARC 3390</b>	
<b>Metribolone [17α-methyl-<sup>3</sup>H]</b> See Methyltrienolone [17α-methyl- <sup>3</sup> H]			<b>ART 1855</b>	
<b>Metronidazole [hydroxyethyl-1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>9</sub> N <sub>3</sub> O <sub>3</sub> M.W. 171.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1449-50</b> μCi / 1.85 MBq	422,000
<b>Mevalonic acid, RS-[2-<sup>14</sup>C] DBED (dibenzylethylene diamine) salt</b> HOCH <sub>2</sub> CH <sub>2</sub> C(OH)(CH <sub>3</sub> )CH <sub>2</sub> COOH M.W. 268.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0522-50</b> μCi / 1.85 MBq <b>ARC 0522-250</b> μCi / 9.25 MBq	108,000 314,000
<b>Mevalonic acid-5-phosphate "cold"</b> M.W. 228.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Ethanol:0.15N NH <sub>4</sub> OH (1:1)	<b>ARCD 0113-100</b> μg	263,000
<b>Mevalonic acid-5-phosphate, R-[1-<sup>14</sup>C]</b> HO <sub>2</sub> CCH <sub>2</sub> C(CH <sub>3</sub> )(OH)CH <sub>2</sub> CH <sub>2</sub> OPO <sub>3</sub> H <sub>2</sub> M.W. 228.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.15N NH <sub>4</sub> OH(1:1) 0.1 mCi/ml	<b>ARC 1270-10</b> μCi / 370 kBq	324,000
<b>Mevalonic acid-5-phosphate, R-[2-<sup>14</sup>C]</b> HO <sub>2</sub> CCH <sub>2</sub> C(CH <sub>3</sub> )(OH)CH <sub>2</sub> CH <sub>2</sub> OPO <sub>3</sub> H <sub>2</sub> M.W. 228.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.15N NH <sub>4</sub> OH(1:1) 0.1 mCi/ml	<b>ARC 0702-10</b> μCi / 370 kBq	324,000
<b>Mevalonic acid-5-phosphate, R-[5-<sup>3</sup>H]</b> HO <sub>2</sub> CCH <sub>2</sub> C(CH <sub>3</sub> )(OH)CH <sub>2</sub> CH <sub>2</sub> OPO <sub>3</sub> H <sub>2</sub> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:0.15N NH <sub>4</sub> OH(1:1) 0.1 mCi/ml	<b>ART 0406-10</b> μCi / 370 kBq <b>ART 0406-50</b> μCi / 1.85 MBq	218,000 447,000
<b>Mevalonic acid, RS-[5-<sup>3</sup>H] triethyl-ammonium salt</b> (Et <sub>3</sub> N <sup>+</sup> ) <sub>3</sub> O <sub>2</sub> CCH <sub>2</sub> C(CH <sub>3</sub> )(OH)CH <sub>2</sub> CH <sub>2</sub> OH M.W. 249.4 <i>Shipped in Dry Ice</i>	45-60 Ci/mmol 1.67-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0334-250</b> μCi / 9.25 MBq <b>ART 0334-1</b> mCi / 37 MBq	113,000 218,000
<b>Mevalonolactone, RS-[1-<sup>14</sup>C]</b> M.W. 130.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1085-50</b> μCi / 1.85 MBq	247,000

M



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Mevalonolactone, RS-[2-<sup>14</sup>C]</b> M.W. 130.1 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0452-50</b> μCi / 1.85 MBq <b>ARC 0452-250</b> μCi / 9.25 MBq	100,000 324,000
<b>Mevalonolactone, RS-[5-<sup>3</sup>H]</b> M.W. 130.1 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0315-250</b> μCi / 9.25 MBq <b>ART 0315-1</b> mCi / 37 MBq	83,000 Inquire
<b>Mevalonolactone, RS-[5-<sup>3</sup>H]</b> M.W. 130.1 <i>Shipped in Dry Ice</i> <i>Reference: Benzodiazepine Peptidomimetics: Potent Inhibitors of RAS Farnesylation in Animal Cells James, G.L., Goldstein, J.L. Brown, M.S., et al, Science, 260, 1937 (1993)</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0315A-250</b> μCi / 9.25 MBq <b>ART 0315A-1</b> mCi / 37 MBq	83,000 Inquire
<b>Mevalonolactone, RS-[5-<sup>3</sup>H]</b> M.W. 130.1 <i>Shipped in Dry Ice</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0315B-250</b> μCi / 9.25 MBq <b>ART 0315B-1</b> mCi / 37 MBq	83,000 Inquire
<b>Mevastatin [<sup>3</sup>H(G)]</b> C <sub>23</sub> H <sub>34</sub> O <sub>5</sub> M.W. 390.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1476-10</b> μCi / 370 kBq <b>ART 1476-50</b> μCi / 1.85 MBq	179,000 439,000
<b>Mevastatin acid [<sup>3</sup>H(G)] sodium salt</b> C <sub>23</sub> H <sub>35</sub> O <sub>6</sub> Na M.W. 449.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1624-10</b> μCi / 370 kBq <b>ART 1624-50</b> μCi / 1.85 MBq	179,000 439,000
<b>MFZ 2-12 [<sup>3</sup>H]</b> <b>(2β-Carbomethoxy-3β-(3,4-dichlorophenyl) tropane [N-methyl-<sup>3</sup>H])</b> M.W. 328.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Radioligand for the Dopamine Transporter</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1198-50</b> μCi / 1.85 MBq	184,000
<b>Mibolerone [17α-methyl-<sup>3</sup>H]</b> C <sub>20</sub> H <sub>30</sub> O <sub>2</sub> M.W. 302.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1611-250</b> μCi / 9.25 MBq <b>ART 1611-1</b> mCi / 37 MBq	326,000 Inquire
<b>Microscales: Carbon-14</b> See Autoradiography standards				
<b>Microscales: Iodine-125</b> See Autoradiography standards				
<b>Microscales: Tritium (Hydrogen-3)</b> See Autoradiography standards				
<b>Midazolam [<sup>3</sup>H(G)]</b> 向 C <sub>18</sub> H <sub>13</sub> ClFN <sub>3</sub> M.W. 325.78 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1762-50</b> μCi / 1.85 MBq	209,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Mifepristone [N-methyl-<sup>3</sup>H]</b> See RU-486 [N-methyl- <sup>3</sup> H]			<b>ART 0897</b>	
<b>MIP-1<math>\alpha</math> [<sup>125</sup>I] (human, recombinant)</b> <b>(Macrophage Inflammatory Protein-1<math>\alpha</math>;</b> <b>CCL3)</b> M.W. ~8000	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0149-5</b> $\mu$ Ci / 185 kBq <b>ARI 0149-25</b> $\mu$ Ci / 925 kBq	116,000 Inquire
<b>Minoxidil "cold"</b> M.W. 209.25 CAS # 38304-91-5		Solid	<b>ARCD 0762-100 mg</b>	59,000
<b>Minoxidil [piperyl-3,4-<sup>3</sup>H]</b> M.W. 209.25 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0711-50</b> $\mu$ Ci / 1.85 MBq <b>ART 0711-250</b> $\mu$ Ci / 9.25 MBq	194,000 371,000
<b>Mirex [<sup>14</sup>C]</b> C <sub>10</sub> Cl <sub>12</sub> M.W. 545.55 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Solid	<b>ARC 3363-50</b> $\mu$ Ci / 1.85 MBq	299,000
<b>Mitomycin F [<sup>3</sup>H(G)]</b> M.W. 363.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-10 Ci/mmol 37-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1689-250</b> $\mu$ Ci / 9.25 MBq <b>ART 1689-1</b> mCi / 37 MBq	192,000 Inquire
<b>Mitoxantrone dihydrochloride "cold"</b> M.W. 517.41 CAS # 70476-82-3 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0429-50 mg</b> <b>ARCD 0429-100 mg</b>	33,000 48,000
<b>Mitoxantrone [<sup>3</sup>H(G)]</b> M.W. 444.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0771-50</b> $\mu$ Ci / 1.85 MBq <b>ART 0771-250</b> $\mu$ Ci / 9.25 MBq	305,000 619,000
<b>MK-801, (+)-[<sup>3</sup>-<sup>3</sup>H]</b> <b>(Dizocilipine, (5S,10R)-(+)-5-Methyl-[3,7-<sup>3</sup>H]</b> <b>10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5-10-amine)</b> M.W. 221.37 <i>Shipped in Dry Ice</i>	15-40 Ci/mmol 0.555-1.48 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0661-25</b> $\mu$ Ci / 925 kBq <b>ART 0661-250</b> $\mu$ Ci / 9.25 MBq <b>ART 0661-1</b> mCi / 37 MBq	99,000 299,000 629,000
<b>MK-801, (+)-maleate "cold"</b> M.W. 337.38		Solid	<b>ARCD 0353-10 mg</b> <b>ARCD 0353-50 mg</b>	29,000 68,000
<b>MK-912 [<sup>3</sup>H(G)]</b> M.W. 339.40 <i>Shipped in Dry Ice</i>	70-100 Ci/mmol 2.59-3.7 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1753-250</b> $\mu$ Ci / 9.25 MBq	398,000
<b>Molecular weight protein markers [<sup>14</sup>C]</b> See Protein molecular weight markers [ <sup>14</sup> C]			<b>ARC 0430</b>	
<b>Molecular weight protein markers [<sup>14</sup>C]</b> See Protein molecular weight markers [ <sup>14</sup> C]			<b>ARC 3479</b>	
<b>Monasterol "cold"</b> C <sub>14</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub> S M.W. 292.35		DMSO 100 mg/ml	<b>ARCD 0273-10 mg</b>	48,000

**M**


# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Monensin [<sup>3</sup>H(G)]</b> C <sub>36</sub> H <sub>62</sub> O <sub>11</sub> M.W. 670.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0619-250</b> μCi / 9.25 MBq <b>ART 0619-1</b> mCi / 37 MBq	234,000 449,000
<b>2-Mono oleoyl [<sup>14</sup>C] glycerol</b> 劇 C <sub>21</sub> H <sub>40</sub> O <sub>4</sub> M.W. 356.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile in sealed ampoule 0.1 mCi/ml	<b>ARC 1628-10</b> μCi / 370 kBq <b>ARC 1628-50</b> μCi / 1.85 MBq	266,000 813,000
<b>2-Mono oleoyl glycerol [2-<sup>14</sup>C]</b> 劇 C <sub>21</sub> H <sub>40</sub> O <sub>4</sub> M.W. 356.6 <i>Shipped on Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile in sealed ampoule 0.05 mCi/ml	<b>ARC 3144-10</b> μCi / 370 kBq <b>ARC 3144-50</b> μCi / 1.85 MBq	369,000 839,000
<b>2-Mono oleoyl [9,10-<sup>3</sup>H(N)] glycerol</b> 劇 C <sub>21</sub> H <sub>40</sub> O <sub>4</sub> M.W. 356.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Acetonitrile in sealed ampoule 1 mCi/ml	<b>ART 1158-250</b> μCi / 9.25 MBq <b>ART 1158-1</b> mCi / 37 MBq	314,000 587,000
<b>1-Mono oleoyl [1-<sup>14</sup>C] rac glycerol</b> 劇 (Monoolein) C <sub>21</sub> H <sub>40</sub> O <sub>4</sub> M.W. 356.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile in sealed ampoule 0.1 mCi/ml	<b>ARC 0766-50</b> μCi / 1.85 MBq <b>ARC 0766-250</b> μCi / 9.25 MBq	173,000 434,000
<b>2-Mono oleoyl-rac glycerol [<sup>14</sup>C(U)]</b> 劇 (Monoolein) C <sub>21</sub> H <sub>40</sub> O <sub>4</sub> M.W. 356.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Acetonitrile in sealed ampoule 0.1 mCi/ml	<b>ARC 3075-50</b> μCi / 1.85 MBq <b>ARC 3075-250</b> μCi / 9.25 MBq	254,000 484,000
<b>2-Mono oleoyl rac glycerol [1,2,3-<sup>3</sup>H]</b> 劇 (Monoolein) C <sub>21</sub> H <sub>40</sub> O <sub>4</sub> M.W. 356.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Acetonitrile in sealed ampoule 1 mCi/ml	<b>ART 0400-50</b> μCi / 1.85 MBq <b>ART 0400-250</b> μCi / 9.25 MBq	170,000 365,000
<b>Montelukast "cold"</b>		Solid	<b>ARCD 0381-10</b> mg	31,000
<b>Montelukast [<sup>3</sup>H(G)]</b> C <sub>35</sub> H <sub>36</sub> ClNO <sub>3</sub> S M.W. 586.18 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1527-50</b> μCi / 1.85 MBq	242,000
<b>Morpholine [2-<sup>14</sup>C] hydrochloride</b> (Diethylenimide oxide hydrochloride) O(CH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> NH · HCl M.W. 122.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3148-50</b> μCi / 1.85 MBq	234,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Motilin [<sup>125</sup>I] (human, porcine) 毒</b> M.W. ~2822 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Buffered solution ~0.1 mCi/ml	<b>ARI 0140-10</b> μCi / 370 kBq <b>ARI 0140-25</b> μCi / 925 kBq	156,000 340,000
<b>MPEP [<sup>3</sup>H]</b> <b>(2-methyl-6-[3,5-<sup>3</sup>H](phenylethynl)pyridine)</b> M.W. 193.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1209-100</b> μCi / 3.7 MBq <b>ART 1209-250</b> μCi / 9.25 MBq	245,000 524,000
<b>MPEP hydrochloride "cold"</b> CAS # 96206-92-7		Solid	<b>ARCD 0256-5</b> mg <b>ARCD 0256-25</b> mg	31,000 36,000
<b>MRS 1754 "cold" 劇</b> C <sub>26</sub> H <sub>26</sub> N <sub>6</sub> O <sub>4</sub> M.W. 486.5 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0276-5</b> mg <b>ARCD 0276-25</b> mg	36,000 132,000
<b>MRS 1754 [<sup>3</sup>H]</b> <b>(8-[4-[(4-cyanophenyl)carbamoyl-methyl oxy]phenyl] 1,3-di(n-propyl) xanthine)</b> C <sub>26</sub> H <sub>26</sub> N <sub>6</sub> O <sub>4</sub> M.W. 486.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-60 Ci/mmol 0.74-2.22 TBq/mmol	Ethanol:DMSO (3:1) 1 mCi/ml	<b>ART 1443-250</b> μCi / 9.25 MBq	402,000
<b>MS-275 "cold"</b>		Solid	<b>ARCD 0736</b>	Inquire
<b>α-MSH, Nle<sup>4</sup>, D-Phe<sup>7</sup>-[<sup>125</sup>I] 毒</b> <b>(NDP-α-MSH)</b> M.W. ~1770 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Buffered solution (pH 8.5) 0.08 mCi/ml	<b>ARI 0142-10</b> μCi / 370 kBq <b>ARI 0142-50</b> μCi / 1.85 MBq	164,000 355,000
<b>MSX-2 [methyl-<sup>3</sup>H]</b> <b>(3-Hydroxypropyl-7-methyl-8-(3- methoxystyryl)-1-propargylxanthine)</b> M.W. 394.43 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-87 Ci/mmol 2.22-3.21 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0691-50</b> μCi / 1.85 MBq <b>ART 0691-250</b> μCi / 9.25 MBq	198,000 339,000
<b>MTSET [methyl-<sup>3</sup>H]</b> <b>(2-(Trimethylammonium)ethyl] methane thiosulfonate bromide)</b> C <sub>6</sub> H <sub>16</sub> BrNO <sub>2</sub> S <sub>2</sub> M.W. 278.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1769-50</b> μCi / 1.85 MBq	267,000
<b>Muscimol [methylene-<sup>3</sup>H(N)]</b> M.W. 114.1 <i>Shipped in Dry Ice</i>	20-40 Ci/mmol 0.74-1.48 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1143-250</b> μCi / 9.25 MBq <b>ART 1143-1</b> mCi / 37 MBq	242,000 Inquire
<b>Muscimol [methylene-<sup>3</sup>H(N)]</b> M.W. 114.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 GBq/mmol	Sterile water 1 mCi/ml	<b>ART 1143A-250</b> μCi / 9.25 MBq <b>ART 1143A-1</b> mCi / 37 MBq	242,000 Inquire

M





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Myosin [methyl-<sup>14</sup>C] methylated</b> M.W. 480 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 $\mu$ Ci/mg 111-1111 kBq/mg	0.01M sodium phosphate(pH 7.2) 0.05 mCi/ml	<b>ARC 0433-1</b> $\mu$ Ci / 37 kBq <b>ARC 0433-5</b> $\mu$ Ci / 185 kBq	79,000 239,000
<b>Myristic acid [1-<sup>14</sup>C] (Tetradecanoic acid)</b> $\text{CH}_3(\text{CH}_2)_{12}\text{CO}_2\text{H}$ M.W. 228.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0198-50</b> $\mu$ Ci / 1.85 MBq <b>ARC 0198-250</b> $\mu$ Ci / 9.25 MBq <b>ARC 0198-1</b> mCi / 37 MBq	64,000 139,000 275,000
<b>Myristic acid [9,10-<sup>3</sup>H(N)] (Tetradecanoic acid)</b> $\text{CH}_3(\text{CH}_2)_3\text{H}(\text{CH})\text{H}(\text{CH})(\text{CH}_2)_7\text{COOH}$ M.W. 228.4	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 5 mCi/ml	<b>ART 0141-1</b> mCi / 37 MBq <b>ART 0141-5</b> mCi / 185 MBq <b>ART 0141-25</b> mCi / 925 MBq	59,000 Inquire Inquire
<b>Myristoyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 978.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 0518-10</b> $\mu$ Ci / 370 kBq <b>ARC 0518-50</b> $\mu$ Ci / 1.85 MBq	296,000 643,000
<b>Myristoyl [9,10-<sup>3</sup>H] Coenzyme A</b> M.W. 978.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 1 mCi/ml	<b>ART 0336-50</b> $\mu$ Ci / 1.85 MBq <b>ART 0336-250</b> $\mu$ Ci / 9.25 MBq	113,000 282,000
<b>1-Myristoyl [1-<sup>14</sup>C] 2-hydroxy-<i>sn</i>-glycero- 3-phosphocholine</b> M.W. 467.58 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 3667</b>	Inquire
<b>Myristyl alcohol [1-<sup>14</sup>C] (1-Tetradecanol)</b> $\text{CH}_3(\text{CH}_2)_{12}\text{CH}_2\text{OH}$ M.W. 214.39 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1171-50</b> $\mu$ Ci / 1.85 MBq <b>ARC 1171-250</b> $\mu$ Ci / 9.25 MBq	107,000 240,000
<b>Myristyl sulfate [1-<sup>14</sup>C] sodium salt (Tetradecyl sulfate)</b> $\text{CH}_{13}(\text{CH}_2)_{12}\text{CH}_2\text{OSO}_3\text{Na}$ M.W. 306.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1520-50</b> $\mu$ Ci / 1.85 MBq <b>ARC 1520-250</b> $\mu$ Ci / 9.25 MBq	190,000 365,000
<b>NAD [2,8-<sup>3</sup>H]</b> See Nicotinamide adenine dinucleotide [2,8- <sup>3</sup> H]			<b>ART 0431A</b>	
<b>NAD [carbonyl-<sup>14</sup>C] ammonium salt</b> See Nicotinamide adenine dinucleotide [carbonyl- <sup>14</sup> C] ammonium salt			<b>ARC 3469</b>	
<b>NAD [<sup>32</sup>P] dipotassium salt</b> See Nicotinamide adenine dinucleotide [ <sup>32</sup> P] dipotassium salt			<b>ARP 0141</b>	
<b>Nadolol [ring-<sup>3</sup>H]</b> $\text{C}_{17}\text{H}_{27}\text{NO}_4$ M.W. 309.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2050-50</b> $\mu$ Ci / 1.85 MBq	219,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Naloxone [N-allyl-2,3-<sup>3</sup>H]</b> M.W. 327.4 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0139-25</b> μCi / 925 kBq <b>ART 0139-250</b> μCi / 9.25 MBq	88,000 188,000
<b>Naltriben [<sup>3</sup>H]</b> <b>(17-(Cyclopropylmethyl)-6,7-didehydro-3-14β-dihydroxy-4,5-epoxy-6,7-2'3'-benzo[b]furanomorphinan)</b> M.W. 415.48 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1444-250</b> μCi / 9.25 MBq <b>ART 1444-1</b> mCi / 37 MBq	Inquire Inquire
<b>Naltrindole [5',7'-<sup>3</sup>H]</b> M.W. 414.1 <i>Shipped in Dry Ice</i>	20-40 Ci/mmol 0.74-1.48TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0549-250</b> μCi / 9.25 MBq	Inquire
<b>Naphthalene [1-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>8</sub> M.W. 128.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in ampoule 0.1 mCi/ml	<b>ARC 1260-50</b> μCi / 1.85 MBq <b>ARC 1260-250</b> μCi / 9.25 MBq	107,000 339,000
<b>Naphthalene [ring-<sup>14</sup>C(U)]</b> C <sub>10</sub> H <sub>8</sub> M.W. 128.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in ampoule 0.1 mCi/ml	<b>ARC 3370-50</b> μCi / 1.85 MBq <b>ARC 3370-250</b> μCi / 9.25 MBq	382,000 804,000
<b>Naphthalene [1,4-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>8</sub> M.W. 128.17 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Hexane in ampoule 1 mCi/ml	<b>ART 2102-250</b> μCi / 9.25 MBq	209,000
<b>1-Naphthalenemethanol [methylene-<sup>3</sup>H]</b> C <sub>16</sub> H <sub>7</sub> CH <sub>2</sub> OH M.W. 158.20 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0609-250</b> μCi / 9.25 MBq <b>ART 0609-1</b> mCi / 37 MBq	218,000 365,000
<b>Napthoic acid, α-[1-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>7</sub> CO <sub>2</sub> H M.W. 172.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1530-250</b> μCi / 9.25 MBq <b>ARC 1530-1</b> mCi / 37 MBq	155,000 324,000
<b>Naphthol, α-[1-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>7</sub> OH M.W. 144.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0531A-50</b> μCi / 1.85 MBq <b>ARC 0531A-250</b> μCi / 9.25 MBq	120,000 240,000
<b>Naphthol, α-[ring-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>7</sub> OH M.W. 144.17 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0495-250</b> μCi / 9.25 MBq <b>ART 0495-1</b> mCi / 37 MBq	206,000 564,000
<b>Naphthol, β-[8-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>8</sub> O M.W. 144.17 <i>Exclusive</i>	20-30 mCi/mmol 0.74-1.11 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 3320-100</b> μCi / 3.7 MBq <b>ARC 3320-250</b> μCi / 9.25 MBq	232,000 463,000

N

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2-Naphthoxyacetic acid [1-<sup>14</sup>C]</b> (BNOA) C <sub>10</sub> H <sub>7</sub> OCH <sub>2</sub> CO <sub>2</sub> H M.W. 202.21 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3485-50</b> μCi / 1.85 MBq	419,000
<b>1-Naphthylacetic acid [carboxyl-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>7</sub> CH <sub>2</sub> COOH M.W. 186.21 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3305-100</b> μCi / 3.7 MBq <b>ARC 3305-250</b> μCi / 9.25 MBq	99,000 182,000
<b>1-Naphthylacetic acid [4-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>7</sub> CH <sub>2</sub> COOH M.W. 186.21 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0610-250</b> μCi / 9.25 MBq <b>ART 0610-1</b> mCi / 37 MBq	226,000 419,000
<b>α-Naphthylamine [1-<sup>14</sup>C] hydrochloride</b> (1-Naphthylamine hydrochloride) C <sub>10</sub> H <sub>7</sub> NH <sub>2</sub> ·HCl M.W. 179.65 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3586-50</b> μCi / 1.85 MBq	419,000
<b>Naphthylphthalamic acid [2,3,4,5-<sup>3</sup>H]</b> M.W. 291.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0446-250</b> μCi / 9.25 MBq <b>ART 0446-1</b> mCi / 37 MBq	240,000 Inquire
<b>Napropamide [naphthyl-1-<sup>14</sup>C]</b> C <sub>17</sub> H <sub>21</sub> NO <sub>2</sub> M.W. 271.40 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3371-50</b> μCi / 1.85 MBq	300,000
<b>Naproxen [O-methyl-<sup>14</sup>C]</b> CH <sub>3</sub> OC <sub>10</sub> H <sub>6</sub> CH(CH <sub>3</sub> )CO <sub>2</sub> H M.W. 230.27 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1446-50</b> μCi / 1.85 MBq	226,000
<b>NBQX "cold"</b> (1,2,3,4-Tetrahydro-6-nitro-2,3-dioxobenzo[f]quinoxaline-7-sulfonamide) M.W. 336.3 CAS # 118876-58-7			<b>ARCD 0553-10</b> mg <b>ARCD 0553-50</b> mg	51,000 169,000
<b>NCS-382 [<sup>3</sup>H]</b> M.W. 241.23 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1114-50</b> μCi / 1.85 MBq <b>ART 1114-250</b> μCi / 9.25 MBq	185,000 324,000
<b>Nelfinavir mesylate [<sup>3</sup>H(G)]</b> M.W. 663.90 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 MBq/mmol	Ethanol 1 mCi/ml	<b>ART 1603-50</b> μCi / 1.85 MBq	242,000
<b>Neomycin [<sup>3</sup>H(G)]</b> C <sub>23</sub> H <sub>46</sub> N <sub>6</sub> O <sub>13</sub> M.W. 614.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	200-250 mCi/mmol 7.4-9.25 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1925-50</b> μCi / 1.85 MBq	209,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
Neomycin sulfate "cold"		Solid	ARCD 0722-1 g	36,000
Neopentyl alcohol [1- <sup>14</sup> C] (2,2-Dimethyl-1-propanol) (CH <sub>3</sub> ) <sub>3</sub> CH <sub>2</sub> OH M.W. 88.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	ARC 1318-50 μCi / 1.85 MBq ARC 1318-250 μCi / 9.25 MBq	185,000 365,000
Nerol [1- <sup>14</sup> C] ( <i>cis</i> -3,7-Dimethyl-2,6-octadiene-1-ol) (CH <sub>3</sub> ) <sub>2</sub> C=CHCH <sub>2</sub> CH <sub>2</sub> C(CH <sub>3</sub> )=OHCH <sub>2</sub> OH M.W. 154.25 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	ARC 1135-10 μCi / 370 kBq	254,000
Nerol [1- <sup>3</sup> H] ( <i>cis</i> -3,7-Dimethyl-2,6-octadiene-1-ol) (CH <sub>3</sub> ) <sub>2</sub> C=CHCH <sub>2</sub> CH <sub>2</sub> C(CH <sub>3</sub> )=CHCH <sub>2</sub> OH M.W. 154.25 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	ART 0530-250 μCi / 9.25 MBq	234,000
Nervonic acid [1- <sup>14</sup> C] (Tetracosenoic acid) C <sub>24</sub> H <sub>46</sub> O <sub>2</sub> M.W. 366.62 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	ARC 3642-50 μCi / 1.85 MBq	419,000
Nervonoyl [1- <sup>14</sup> C] Coenzyme A (Tetracosenoyl Coenzyme A) C <sub>45</sub> H <sub>89</sub> N <sub>10</sub> O <sub>17</sub> P <sub>3</sub> S M.W. 1166.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol: 0.01NaOAc (1:1) (pH 5.2) 0.1 mCi/ml	ARC 3643-10 μCi / 370 kBq	419,000
Neryl [1- <sup>3</sup> H] pyrophosphate M.W. 365.25 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	ART 0529-50 μCi / 1.85 MBq	234,000
Neurotensin [3,11-tyrosyl-3,5- <sup>3</sup> H(N)] C <sub>78</sub> H <sub>121</sub> N <sub>21</sub> O <sub>20</sub> M.W. 1672.9 <i>Shipped in Dry Ice</i>	50-120 Ci/mmol 1.85-4.44 TBq/mmol	Ethanol under argon 1 mCi/ml	ART 1612-25 μCi / 925 kBq ART 1612-250 μCi / 9.25 MBq	88,000 Inquire
Neurotensin, Tyr <sup>3</sup> -[ <sup>125</sup> I] M.W. 1797 <i>Shipped on Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Buffered solution (pH 4.7) 0.08 mCi/ml	ARI 0126-10 μCi / 370 kBq ARI 0126-50 μCi / 1.85 MBq	144,000 320,000
Nicardipine "cold"		Solid	ARCD 0739-100 mg	36,000
Nicosulfuron [pyrimidine-5- <sup>14</sup> C] 劇 M.W. 410.41 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile 0.1 mCi/ml	ARC 3149-50 μCi / 1.85 MBq	419,000

N



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Nicotinamide [carbonyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O M.W. 122.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0794-50</b> μCi / 1.85 MBq <b>ARC 0794-250</b> μCi / 9.25 MBq	125,000 297,000
<b>Nicotinamide [5,6-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O M.W. 122.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-60 Ci/mmol 0.74-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1710-250</b> μCi / 9.25 MBq <b>ART 1710-1</b> mCi / 37 MBq	219,000 566,000
<b>Nicotinamide adenine [2,8-<sup>3</sup>H] dinucleotide (NAD)</b> M.W. 663.40 <i>Shipped in Dry Ice</i>	25-40 Ci/mmol 0.92-1.48 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0431A-50</b> μCi / 1.85 MBq <b>ART 0431A-250</b> μCi / 9.25 MBq	250,000 554,000
<b>Nicotinamide adenine dinucleotide [carbonyl-<sup>14</sup>C] ammonium salt (NAD)</b> M.W. 698.0 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.05 mCi/ml	<b>ARC 3469-10</b> μCi / 370 kBq	235,000
<b>Nicotinamide adenine dinucleotide [adenylate-<sup>32</sup>P] dipotassium salt (NAD)</b> M.W. 663.4 <i>Shipped in Dry Ice</i>	800 Ci/mmol 29.6 TBq/mmol	50mM tricine (ph 7.6) with stabilizer 5 mCi/ml	<b>ARP 0141-250</b> μCi / 9.25 MBq <b>ARP 0141-500</b> μCi / 18.5 MBq <b>ARP 0141-1</b> mCi / 37 MBq	Inquire Inquire Inquire
<b>Nicotinamide riboside [carbonyl-<sup>14</sup>C] triflate salt</b> C <sub>11</sub> H <sub>15</sub> N <sub>2</sub> O <sub>5</sub> CF <sub>3</sub> SO <sub>3</sub> M.W. 404.32 <i>Shipped in Dry Ice</i> <b>NEW!-Exclusive</b>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 3781</b>	Inquire
<b>Nicotinamide [ring-5-<sup>3</sup>H] riboside triflate salt</b> C <sub>11</sub> H <sub>15</sub> N <sub>2</sub> O <sub>5</sub> CF <sub>3</sub> SO <sub>3</sub> M.W. 404.32 <i>Shipped in Dry Ice</i> <b>NEW!-Exclusive</b>	20-30 Ci/mmol 740-1110 GBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 2146-250</b> μCi / 9.25 MBq	419,000
<b>Nicotine, D-[N-methyl-<sup>14</sup>C]</b> 毒 M.W. 162.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1252-50</b> μCi / 1.85 MBq	218,000
<b>Nicotine, DL [N-methyl-<sup>14</sup>C]</b> 毒 M.W. 162.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1281-50</b> μCi / 1.85 MBq <b>ARC 1281-250</b> μCi / 9.25 MBq	79,000 254,000
<b>Nicotine, L-[N-methyl-<sup>14</sup>C]</b> 毒 M.W. 162.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0135-50</b> μCi / 1.85 MBq <b>ARC 0135-250</b> μCi / 9.25 MBq	159,000 561,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Nicotine, D-[N-methyl-<sup>3</sup>H]</b> 毒 M.W. 162.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-85 Ci/mmol 1.11-3.15 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1282-50</b> μCi / 1.85 MBq <b>ART 1282-250</b> μCi / 9.25 MBq	155,000 282,000
<b>Nicotine, DL-[N-methyl-<sup>3</sup>H]</b> 毒 M.W. 162.2 <i>Shipped in Dry Ice</i>	30-85 Ci/mmol 1.11-3.15 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0385-250</b> μCi / 9.25 MBq <b>ART 0385-1</b> mCi / 37 MBq	149,000 296,000
<b>Nicotine, L-[N-methyl-<sup>3</sup>H]</b> 毒 M.W. 162.2 <i>Shipped in Dry Ice</i>	30-85 Ci/mmol 1.11-3.15 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0151-25</b> μCi / 925 kBq <b>ART 0151-250</b> μCi / 9.25 MBq <b>ART 0151-1</b> mCi / 37 MBq	61,000 184,000 Inquire
<b>Nicotinic acid [2-<sup>14</sup>C]</b> <b>(3-Pyridine carboxylic acid)</b> M.W. 123.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0884-250</b> μCi / 9.25 MBq	344,000
<b>Nicotinic acid [carboxyl-<sup>14</sup>C]</b> <b>(3-Pyridine carboxylic acid)</b> C <sub>5</sub> H <sub>4</sub> NC <sub>2</sub> O <sub>2</sub> H M.W. 123.11	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0728-250</b> μCi / 9.25 MBq <b>ARC 0728-1</b> mCi / 37 MBq	239,000 Inquire
<b>Nicotinic acid [5,6-<sup>3</sup>H]</b> <b>(3-Pyridine carboxylic acid)</b> M.W. 123.11 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0689-250</b> μCi / 9.25 MBq <b>ART 0689-1</b> mCi / 37 MBq	229,000 442,000
<b>Nicotinic acid [<sup>3</sup>H(G)]</b> <b>(3-Pyridine carboxylic acid)</b> C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 123.11 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1160-250</b> μCi / 9.25 MBq <b>ART 1160-1</b> mCi / 37 MBq	191,000 339,000
<b>β-Nicotyrine [pyridine ring-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>10</sub> N <sub>2</sub> M.W. 158.2 (free base) <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2020-50</b> μCi / 1.85 MBq	219,000
<b>Nifene [<sup>3</sup>H(G)]</b> C <sub>10</sub> H <sub>11</sub> FN <sub>2</sub> O M.W. 230.66 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2095-50</b> μCi / 1.85 MBq	209,000
<b>Nifurtimox [<sup>3</sup>H]</b> C <sub>10</sub> H <sub>13</sub> N <sub>3</sub> O <sub>5</sub> S M.W. 287.30 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-20 Ci/mmol 37-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1709-250</b> μCi / 9.25 MBq <b>ART 1709-1</b> mCi / 37 MBq	137,000 299,000
<b>Nimodipine [<sup>3</sup>H(G)]</b> C <sub>21</sub> H <sub>26</sub> N <sub>2</sub> O <sub>7</sub> M.W. 418.44 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2084-50</b> μCi / 1.85 MBq	209,000

N



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Nisoxetine [N-methyl-<sup>3</sup>H]</b> M.W. 271.0 <i>Shipped in Dry Ice</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0382-25</b> μCi / 925 kBq <b>ART 0382-250</b> μCi / 9.25 MBq	68,000 225,000
<b>Nitazoxanide [phenyl ring-<sup>14</sup>C(U)]</b> C <sub>12</sub> H <sub>9</sub> N <sub>3</sub> OS <sub>5</sub> M.W. 307.20 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3374-50</b> μCi / 1.85 MBq	299,000
<b>Nitrendipine [5-methyl-<sup>3</sup>H]</b> C <sub>18</sub> H <sub>20</sub> N <sub>2</sub> O <sub>6</sub> M.W. 360.3 <i>Shipped in Dry Ice</i>	70-87 Ci/mmol 2.59-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1950-25</b> μCi / 925 kBq	116,000
<b>2-Nitroacetanilide [ring-<sup>14</sup>C(U)]</b> o-CH <sub>3</sub> CONHC <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> M.W. 180.16 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1350-1</b> mCi / 37 MBq	488,000
<b>p-Nitroacetophenone [carbonyl-<sup>14</sup>C]</b> 4-O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> COCH <sub>3</sub> M.W. 165.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3597-50</b> μCi / 1.85 MBq	209,000
<b>2-Nitroaniline [<sup>14</sup>C(U)]</b> o-NO <sub>2</sub> C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> M.W. 138.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0739-250</b> μCi / 9.25 MBq	479,000
<b>3-Nitroaniline [<sup>14</sup>C(U)]</b> m-O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> M.W. 138.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0590-250</b> μCi / 9.25 MBq	479,000
<b>4-Nitroaniline [<sup>14</sup>C(U)]</b> p-NO <sub>2</sub> C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> M.W. 138.13 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0738-250</b> μCi / 9.25 MBq	479,000
<b>4-Nitroanthranilic acid [carboxyl-<sup>14</sup>C]</b> O <sub>2</sub> NC <sub>6</sub> H <sub>3</sub> -2-(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 182.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1035-250</b> μCi / 9.25 MBq <b>ARC 1035-1</b> mCi / 37 MBq	206,000 395,000
<b>Nitrobenzene [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 123.1 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ARC 0323-250</b> μCi / 9.25 MBq <b>ARC 0323-1</b> mCi / 37 MBq	198,000 441,000
<b>Nitrobenzene [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> M.W. 123.1 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ARC 0323A-250</b> μCi / 9.25 MBq <b>ARC 0323A-1</b> mCi / 37 MBq	198,000 441,000

N





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3-Nitrobenzenesulfonamide [ring-<sup>14</sup>C(U)]</b> O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> SO <sub>2</sub> NH <sub>2</sub> M.W. 202.19 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3198-50</b> μCi / 1.85 MBq	219,000
<b>3-Nitrobenzenesulfonic acid [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> NO <sub>5</sub> S M.W. 202.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3200-50</b> μCi / 1.85 MBq	219,000
<b>3-Nitrobenzenesulfonyl chloride [ring-<sup>14</sup>C(U)]</b> O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> SO <sub>2</sub> Cl M.W. 221.62 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 MBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 3199-50</b> μCi / 1.85 MBq	219,000
<b>2-Nitrobenzoic acid [carboxyl-<sup>14</sup>C]</b> O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 167.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0886-250</b> μCi / 9.25 MBq <b>ARC 0886-1</b> mCi / 37 MBq	218,000 395,000
<b>2-Nitrobenzoic acid [ring-<sup>14</sup>C(U)]</b> O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 167.12 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3251-250</b> μCi / 9.25 MBq	441,000
<b>3-Nitrobenzoic acid [ring-<sup>14</sup>C(U)]</b> O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 167.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1600-50</b> μCi / 1.85 MBq	296,000
<b>4-Nitrobenzoic acid [carboxyl-<sup>14</sup>C]</b> O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 167.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1105-250</b> μCi / 9.25 MBq <b>ARC 1105-1</b> mCi / 37 MBq	218,000 365,000
<b>3-Nitrobenzyl alcohol [ring-<sup>14</sup>C(U)]</b> O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> OH M.W. 153.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1639-50</b> μCi / 1.85 MBq	282,000
<b>4-Nitrobenzyl alcohol [methylene-<sup>14</sup>C]</b> O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> OH M.W. 153.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3150-50</b> μCi / 1.85 MBq	219,000
<b>4-Nitrobenzyl chloride [methylene-<sup>14</sup>C] (α-Chloro-4-nitrotoluene)</b> O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> Cl M.W. 171.58 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3162-50</b> μCi / 1.85 MBq	219,000
<b>S-(p-Nitrobenzyl)-6-thioinosine [<sup>3</sup>H] (NBTI)</b> M.W. 419.40 <i>Shipped in Dry Ice</i>	5-15 Ci/mmol 185-555 GBq/mmol	Methanol 0.1 mCi/ml	<b>ART 1655-250</b> μCi / 9.25 MBq	Inquire

N



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>4-Nitrobiphenyl [ring-<sup>14</sup>C(U)]</b> C <sub>12</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 199.20 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3289-50</b> μCi / 1.85 MBq	292,000
<b>Nitroethane [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> NO <sub>2</sub> M.W. 75.07 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 1342-1</b> mCi / 37 MBq	339,000
<b>2-Nitrofluorene [9-<sup>14</sup>C]</b> C <sub>13</sub> H <sub>9</sub> NO <sub>2</sub> M.W. 211.22 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3252-50</b> μCi / 1.85 MBq	485,000
<b>Nitroguanidine [<sup>14</sup>C]</b> O <sub>2</sub> NNHC(=NH)NH <sub>2</sub> M.W. 104.07 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1407-50</b> μCi / 1.85 MBq <b>ARC 1407-250</b> μCi / 9.25 MBq	149,000 395,000
<b>Nitromethane [<sup>14</sup>C]</b> CH <sub>3</sub> NO <sub>2</sub> M.W. 61.04 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Chloroform in sealed ampoule 1 mCi/ml	<b>ARC 3114-1</b> mCi / 37 MBq <b>ARC 3114-5</b> mCi / 185 MBq	230,000 692,000
<b>2-Nitrophenol [<sup>14</sup>C(U)]</b> o-NO <sub>2</sub> C <sub>6</sub> H <sub>4</sub> OH M.W. 139.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0299A-250</b> μCi / 9.25 MBq	311,000
<b>3-Nitrophenol [<sup>14</sup>C(U)]</b> m-NO <sub>2</sub> C <sub>6</sub> H <sub>4</sub> OH M.W. 139.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0840-250</b> μCi / 9.25 MBq	311,000
<b>4-Nitrophenol [<sup>14</sup>C(U)]</b> p-NO <sub>2</sub> C <sub>6</sub> H <sub>4</sub> OH M.W. 139.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0298A-250</b> μCi / 9.25 MBq	311,000
<b>4-Nitrophenyl chloroformate [<sup>14</sup>C]</b> C <sub>7</sub> H <sub>4</sub> ClNO <sub>4</sub> M.W. 201.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene	<b>ARC 3123-250</b> μCi / 9.25 MBq	419,000
<b>2-Nitropropane [methyl-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> CHNO <sub>2</sub> M.W. 89.09 <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1199-50</b> μCi / 1.85 MBq	184,000
<b>4-Nitropyridine [2,6-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> M.W. 124.1 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3771-50</b> μCi / 1.85 MBq	629,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3-Nitrosalicylic acid [ring-<sup>14</sup>C(U)]</b> NO <sub>2</sub> C <sub>6</sub> H <sub>3</sub> (OH)CO <sub>2</sub> H M.W. 183.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1032-50</b> μCi / 1.85 MBq	324,000
<b>5-Nitrosalicylic acid [ring-<sup>14</sup>C(U)]</b> NO <sub>2</sub> C <sub>6</sub> H <sub>3</sub> (OH)CO <sub>2</sub> H M.W. 183.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1054-250</b> μCi / 9.25 MBq	324,000
<b>Nitrosodimethylamine, N-[methyl-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> NNO M.W. 74.08 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0849-100</b> μCi / 3.7 MBq	282,000
<b>Nitroxylenes [ring-<sup>14</sup>C(U)]</b> See 3,5-Dimethylnitrobenzene [ring- <sup>14</sup> C(U)]			<b>ARC 1730</b>	
<b>2-Nitrotoluene [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> M.W. 137.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1603-50</b> μCi / 1.85 MBq	282,000
<b>3-Nitrotoluene [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> M.W. 137.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1640-50</b> μCi / 1.85 MBq	282,000
<b>4-Nitrotoluene [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> M.W. 137.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1602-50</b> μCi / 1.85 MBq	282,000
<b>NMDA "cold"</b> <b>(N-Methyl-D-aspartic acid)</b> M.W. 147.13 CAS # 6384-92-5		Solid	<b>ARCD 0559-100</b> mg <b>ARCD 0559-250</b> mg <b>ARCD 0559-1</b> g	41,000 58,000 132,000
<b>NMLA "cold"</b> <b>(N-Methyl-L-aspartic acid)</b> M.W. 147.13 CAS # 4226-18-0		Solid	<b>ARCD 0560-100</b> mg <b>ARCD 0560-250</b> mg <b>ARCD 0560-1</b> g	41,000 58,000 151,000
<b>(R,S)-NNK [pyridyl-5-<sup>3</sup>H]</b> <b>(4-(Methylnitrosamine)-1-(3-pyridyl)-1-</b> <b>butanone)</b> M.W. 207.20 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1774-10</b> μCi / 370 kBq <b>ART 1774-50</b> μCi / 1.85 MBq <b>ART 1774-250</b> μCi / 9.25 MBq	168,000 343,000 Inquire
<b>(R,S)-NNN [pyridyl-5-<sup>3</sup>H]</b> <b>(N'-Nitrosornicotine)</b> M.W. 177.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-25 Ci/mmol 370-925 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1916-10</b> μCi / 370 kBq <b>ART 1916-50</b> μCi / 1.85 MBq	153,000 344,000

N



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Nociceptin [p-<sup>3</sup>H-phe<sup>1</sup>]</b> Phe[ <sup>3</sup> H] Gly-Gly-Phe-Thre-Gly-Ala-Arg Lys-Ser-Ala-Ary-Lys-Tyr-Ala-Asn-Gly M.W. 1808.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	25-50 Ci/mmol 0.925-1.85 TBq/mmol	0.1N AcOH: Ethanol (8:2) 0.1 mCi/ml	<b>ART 0736-10</b> μCi / 370 kBq <b>ART 0736-50</b> μCi / 1.85 MBq	Inquire Inquire
<b>Nociceptin, Tyr<sup>14</sup>-[tyrosyl-3,5-<sup>3</sup>H]</b> Phe-Gly-Gly-Phe-Thre-Gly-Ala-Arg-Lys-Ser- Ala-Arg-Lys-Tyr[3,5- <sup>3</sup> H] Ala-Asn-Glu M.W. 1808.1 <i>Shipped in Dry Ice</i>	25-50 Ci/mmol 0.925-1.85 TBq/mmol	0.1N AcOH: Ethanol (8:2) 0.1 mCi/ml	<b>ART 0725-10</b> μCi / 370 kBq <b>ART 0725-50</b> μCi / 1.85 MBq	269,000 612,000
<b>Nociceptin [leucyl-3,4,5-<sup>3</sup>H]</b> Phe-Gly-Gly-Phe-Thr-Gly-Ala-Arg-Lys- Ser-Ala-Arg-Lys-Leu-[3,4,5- <sup>3</sup> H] Ala-Asn-Gln M.W. 1808.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-100 Ci/mmol 2.96-3.7 TBq/mmol	0.1N AcOH: Ethanol (8:2) 0.1 mCi/ml	<b>ART 0726-10</b> μCi / 370 kBq <b>ART 0726-50</b> μCi / 1.85 MBq	202,000 447,000
<b>Nociceptin [2-phe,1-leu-<sup>3</sup>H]</b> <b>(Orphanin FQ)</b> H-Phe-Gly-Gly-Phe-Thr-Gly-Ala-Arg-Lys-Ser- Ala-Arg-Lys-Leu-Ala-Asn-Gln-OH M.W. 1809.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Isopropyl alcohol 0.5 mCi/ml	<b>ART 1910-10</b> μCi / 370 kBq <b>ART 1910-50</b> μCi / 1.85 MBq	276,000 599,000
<b>Nocistatin [pro-3,4-<sup>3</sup>H] (bovine)</b> <b>(PNP-3, Pre-pro-orphanin F2 111-127)</b> Thr-Glu-Pro-[3,4- <sup>3</sup> H]Gly-Leu-Glu-Glu-Val-Gly- Glu-Ile-Glu-Glu-Lys-Gln-Leu-Gln M.W. 1927.0 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0756-50</b> μCi / 1.85 MBq	221,000
<b>Nonadecanoic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>17</sub> COOH M.W. 298.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1687-50</b> μCi / 1.85 MBq	155,000
<b>Nonadecanoyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1066.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 1690-10</b> μCi / 370 kBq <b>ARC 1690-50</b> μCi / 1.85 MBq	218,000 563,000
<b>Nonane [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH <sub>3</sub> M.W. 128.26 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3375-50</b> μCi / 1.85 MBq	192,000
<b>Nonane [1,2-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CH <sub>2</sub> CH <sub>3</sub> M.W. 128.26 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ART 1244-1</b> mCi / 37 MBq	279,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Nonanoic acid, n-[carboxyl-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CO <sub>2</sub> H M.W. 158.24 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0889-50</b> μCi / 1.85 MBq <b>ARC 0889-250</b> μCi / 9.25 MBq	107,000 184,000
<b>Nonanoic acid, n-[9-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CO <sub>2</sub> H M.W. 158.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1594-250</b> μCi / 9.25 MBq	161,000
<b>4-Nonylphenol [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> [C(CH <sub>2</sub> ) <sub>8</sub> CH <sub>3</sub> ]OH M.W. 220.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>A.C. Moldahl, K. Nithipatirom &amp; J.J. Lech-xenobiotica, 1966, vol.26, no.11, 1167-1180</i>	50-60 mCi/mmol 1.85-2.22GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0900-50</b> μCi / 1.85 MBq	269,000
<b>2-Nonylphenol [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> [C(CH <sub>2</sub> ) <sub>8</sub> CH <sub>3</sub> ]OH M.W. 220.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>A.C. Moldahl, K. Nithipatirom &amp; J.J. Lech-xenobiotica, 1966, vol.26, no.11, 1167-1180</i>	50-60 mCi/mmol 1.85-2.22GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0900A-50</b> μCi / 1.85 MBq	269,000
<b>(R)-Norapomorphine hydrobromide "cold"</b> M.W. 334.21 CAS # 478-76-2		Solid	<b>ARCD 0775-5</b> mg	165,000
<b>Norepinephrine, levo-[7-<sup>3</sup>H]</b> <b>(Noradrenaline)</b> M.W. 169.2 <i>Shipped in Dry Ice</i>	10-30 Ci/mmol 370-1.11 TBq/mmol	0.2 N acetic acid: ethanol (9:1) 1 mCi/ml	<b>ART 1859-250</b> μCi / 9.25 MBq <b>ART 1859-1</b> mCi / 37 MBq	188,000 Inquire
<b>Norepinephrine, levo-[ring-2,5,6-<sup>3</sup>H]</b> <b>(Noradrenaline)</b> C <sub>8</sub> H <sub>11</sub> NO <sub>3</sub> .HCl M.W. 169.2 <i>Shipped in Dry Ice</i>	40-80 Ci/mmol 1.48-2.96 TBq/mmol	0.2N HOAc: ethanol (9:1) under argon 1 mCi/ml	<b>ART 1563-250</b> μCi / 9.25 MBq <b>ART 1563-1</b> mCi / 37 MBq	188,000 Inquire
<b>Norepinephrine, DL-[7-<sup>3</sup>H] hydrochloride</b> <b>(Noradrenaline)</b> 3,4-(OH) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> CH(OH)CH <sub>2</sub> NH <sub>2</sub> M.W. 205.2 <i>Shipped in Dry Ice</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	0.2N HOAc: ethanol (9:1) 1 mCi/ml	<b>ART 0172-250</b> μCi / 9.25 MBq <b>ART 0172-1</b> mCi / 37 MBq	110,000 Inquire
<b>Norfentanyl [ring-<sup>14</sup>C(U)]</b> C <sub>14</sub> H <sub>20</sub> N <sub>2</sub> O M.W. 232.3 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-120 mCi/mmol 1.85-4.44 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3780-50</b> μCi / 1.85 MBq	419,000
<b>Norfloracin [<sup>3</sup>H(G)] hydrochloride</b> C <sub>17</sub> H <sub>18</sub> F <sub>3</sub> NO · HCl M.W. 319.33 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1317-50</b> μCi / 1.85 MBq	269,000

N

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Norgestrel, D-(-)-[15,16-<sup>3</sup>H]</b> C <sub>3</sub> H <sub>28</sub> O <sub>2</sub> M.W. 312.45 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-70 Ci/mmol 1.85-2.159 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1980-50</b> μCi / 1.85 MBq <b>ART 1980-250</b> μCi / 9.25 MBq	419,000 Inquire
<b>Norgestrel, DL-[15,16-<sup>3</sup>H]</b> C <sub>3</sub> H <sub>28</sub> O <sub>2</sub> M.W. 312.45 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-70 Ci/mmol 1.85-2.59 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1535</b>	Inquire
<b>Norleucine, D-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 131.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 1365-50</b> μCi / 1.85 MBq <b>ARC 1365-250</b> μCi / 9.25 MBq	191,000 371,000
<b>Norleucine, L-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 131.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 1366-50</b> μCi / 1.85 MBq <b>ARC 1366-250</b> μCi / 9.25 MBq	191,000 365,000
<b>Normetazocine [ring-1,3-<sup>3</sup>H]</b> C <sub>14</sub> H <sub>19</sub> NO M.W. 217.31 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1589-50</b> μCi / 1.85 MBq	Inquire
<b>Novocaine [ring-<sup>14</sup>C(U)] hydrochloride</b> See Procaine [ring- <sup>14</sup> C(U)] hydrochloride			<b>ARC 3392</b>	
<b>NP-0730-PP [acetoxy-1,2-<sup>14</sup>C]</b> C <sub>25</sub> H <sub>24</sub> F <sub>3</sub> NO <sub>4</sub> S M.W. 491.50 <i>Exclusive</i>	90-120 mCi/mmol 3.33-4.44 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3376-50</b> μCi / 1.85 MBq	601,000
<b>NSC73306 [<sup>3</sup>H]</b> <b>(Isatin-thiosemicarbazone [isatin-5-<sup>3</sup>H],</b> <b>Isatin-4-(4-methoxyphenol)-3-thiosemicarbazone)</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 1572-50</b> μCi / 1.85 MBq	229,000
<b>NSP [propionate-2,3-<sup>3</sup>H]</b> See Succinimidyl propionate, N-[propionate-2,3- <sup>3</sup> H]			<b>ART 0135, A</b>	
<b>Nystatin [<sup>3</sup>H(G)]</b> C <sub>47</sub> H <sub>75</sub> NO <sub>17</sub> M.W. 926.09 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2161-50</b> μCi / 1.85 MBq	599,000
<b>Ochratoxin, A-[<sup>3</sup>H(G)]</b> M.W. 403.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1117-50</b> μCi / 1.85 MBq <b>ART 1117-250</b> μCi / 9.25 MBq <b>ART 1117-1</b> mCi / 37 MBq	138,000 227,000 419,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Ochratoxin, B-[<sup>3</sup>H(G)]</b> C <sub>20</sub> H <sub>19</sub> NO <sub>6</sub> M.W. 369.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0898-50</b> μCi / 1.85 MBq <b>ART 0898-250</b> μCi / 9.25 MBq <b>ART 0898-1</b> mCi / 37 MBq	138,000 227,000 419,000
<b>Octachlorocyclopentene [<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>3</sub> M.W. 394.76 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Solid	<b>ARC 3382-50</b> μCi / 1.85 MBq	546,000
<b>Octacosane [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>26</sub> CH <sub>3</sub> M.W. 394 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3423-50</b> μCi / 1.85 MBq	219,000
<b>Octacosanoic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>26</sub> CO <sub>2</sub> H M.W. 428.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1215-50</b> μCi / 1.85 MBq	339,000
<b>Octacosanoyl Coenzyme A "cold"</b> M.W. 1174.36 <i>Shipped in Dry Ice</i>		Ethanol:0.01N NaOAc pH 5.2 (1:1) 1 mg/ml	<b>ARCD 0473-1</b> mg <b>ARCD 0473-5</b> mg	289,000 809,000
<b>Octacosanoyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1178.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 1697-10</b> μCi / 370 kBq	303,000
<b>Octadecane [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>16</sub> CH <sub>3</sub> M.W. 254.50 <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1261-100</b> μCi / 3.7 MBq <b>ARC 1261-250</b> μCi / 9.25 MBq	155,000 324,000
<b>Octadecane [1-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>16</sub> CH <sub>3</sub> M.W. 254.50 <i>NEW!-Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2141-250</b> μCi / 9.25 MBq	251,000
<b>Octadecanol [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>16</sub> CH <sub>2</sub> OH M.W. 270.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0578-250</b> μCi / 9.25 MBq <b>ARC 0578-1</b> mCi / 37 MBq	121,000 242,000
<b>Octadecadienoic acid 9,11 [1-<sup>14</sup>C]</b> See Conjugated dienoic derivative of Linoleic acid [1- <sup>14</sup> C]			<b>ARC 0898</b>	
<b>Octadecadienoyl 9,11 [1-<sup>14</sup>C] Coenzyme A</b> See Conjugated dienoic derivative of Linoleic acid [1- <sup>14</sup> C] Coenzyme A			<b>ARC 3003</b>	
<b>Octadecadienoyl 9,12 [1-<sup>14</sup>C] Coenzyme A</b> See Linoleoyl 9,12-[1- <sup>14</sup> C] Coenzyme A			<b>ARC 1195</b>	

O



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Octadecatetraenoic acid 6,9,12,15 "cold"</b> (Stearidonic acid) $C_{18}H_{28}O_2$ M.W. 276.4 CAS # 20290-75-9		Ethanol	<b>ARCD 0231-1</b> mg <b>ARCD 0231-5</b> mg	53,000 156,000
<b>Octadecatetraenoic acid 6,9,12,15 [1-<math>^{14}C</math>]</b> (Stearidonic acid) $CH_3CH_2(CH=CHCH_2)_4(CH_2)_3COOH$ M.W. 276.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0386-10</b> $\mu Ci$ / 370 kBq <b>ARC 0386-50</b> $\mu Ci$ / 1.85 MBq	258,000 456,000
<b>Octadecatrienoic acid 6,9,12 [1-<math>^{14}C</math>]</b> $CH_3(CH_2)_4(CH=CHCH_2)_3(CH_2)_3COOH$ M.W. 278.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0385-10</b> $\mu Ci$ / 370 kBq <b>ARC 0385-50</b> $\mu Ci$ / 1.85 MBq	247,000 449,000
<b>(E)-9-Octadecenoic acid [1-<math>^{14}C</math>]</b> See Elaidic acid [1- $^{14}C$ ]			<b>ARC 1165</b>	
<b>Octadecylamine [1-<math>^{14}C</math>] hydrochloride</b> $CH_3(CH_2)_{16}CH_2NH_2 \cdot HCl$ M.W. 306.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0496-50</b> $\mu Ci$ / 1.85 MBq <b>ARC 0496-250</b> $\mu Ci$ / 9.25 MBq	190,000 353,000
<b>Octadecyl [<math>^3H</math>] glycol</b> M.W. 314.56 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0503-250</b> $\mu Ci$ / 9.25 MBq <b>ART 0503-1</b> mCi / 37 MBq	269,000 408,000
<b>17<math>\alpha</math>-Octadecynoic acid "cold"</b> $C_{18}H_{32}O_2$ M.W. 280.4		Solid	<b>ARCD 0395-10</b> mg	43,000
<b>17<math>\alpha</math>-Octadecynoic acid [1-<math>^{14}C</math>]</b> $C_{18}H_{32}O_2$ M.W. 280.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol under argon 0.1 mCi/ml	<b>ARC 1871-10</b> $\mu Ci$ / 370 kBq <b>ARC 1871-50</b> $\mu Ci$ / 1.85 MBq	247,000 507,000
<b>17<math>\alpha</math>-Octadecynoic acid [17,18-<math>^3H</math>]</b> $C_{18}H_{32}O_2$ M.W. 280.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	150-180 Ci/mmol 5.55-6.66 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 1576-50</b> $\mu Ci$ / 1.85 MBq	149,000
<b>Octanedioic acid [carboxyl-<math>^{14}C</math>]</b> $HO_2C(CH_2)_6CO_2H$ M.W. 174.19 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3383-50</b> $\mu Ci$ / 1.85 MBq	299,000
<b>1-Octanethiol [1-<math>^{14}C</math>]</b> $CH_3(CH_2)_6CH_2SH$ M.W. 146.29 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1559-50</b> $\mu Ci$ / 1.85 MBq	311,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Octanoic acid [1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> COONa M.W. 166.2	50-60 mCi/mmol 1.85-2.22 MBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0149-50</b> μCi / 1.85 MBq <b>ARC 0149-250</b> μCi / 9.25 MBq	66,000 135,000
<b>Octanoic acid, n [2,2',3,3'-<sup>3</sup>H] sodium salt</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> H M.W. 166.2 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1295-250</b> μCi / 9.25 MBq <b>ART 1295-1</b> mCi / 37 MBq	107,000 226,000
<b>Octanoic acid, n-[8-<sup>3</sup>H] sodium salt</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> COONa M.W. 166.2 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0571-250</b> μCi / 9.25 MBq <b>ART 0571-1</b> mCi / 37 MBq	107,000 226,000
<b>Octanol, n-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CH <sub>2</sub> OH M.W. 130.0 <i>Exclusive</i>	2-10 mCi/mmol 74-370 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0224-50</b> μCi / 1.85 MBq <b>ARC 0224-250</b> μCi / 9.25 MBq <b>ARC 0224-1</b> mCi / 37 MBq	79,000 164,000 336,000
<b>Octanol, n-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CH <sub>2</sub> OH M.W. 130.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 1 mCi/ml	<b>ARC 0224A-50</b> μCi / 1.85 MBq <b>ARC 0224A-250</b> μCi / 9.25 MBq <b>ARC 0224A-1</b> mCi / 37 MBq	79,000 164,000 336,000
<b>Octanol, n-[5,6-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> (CH <sub>2</sub> ) <sub>3</sub> CH <sub>2</sub> OH M.W. 130.0 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol in sealed ampoule 1 mCi/ml	<b>ART 0578-250</b> μCi / 9.25 MBq <b>ART 0578-1</b> mCi / 37 MBq	107,000 218,000
<b>3-O-Octanoyl [1-<sup>14</sup>C] L-carnitine hydrochloride</b> M.W. 239.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1617-50</b> μCi / 1.85 MBq <b>ARC 1617-250</b> μCi / 9.25 MBq	185,000 563,000
<b>n-Octanoyl [1-<sup>14</sup>C] Coenzyme A</b> C <sub>29</sub> H <sub>50</sub> N <sub>7</sub> O <sub>17</sub> P <sub>3</sub> S M.W. 893.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 1483-10</b> μCi / 370 kBq <b>ARC 1483-50</b> μCi / 1.85 MBq	239,000 492,000
<b>n-Octanoyl [2,2',3,3'-<sup>3</sup>H] Coenzyme A</b> C <sub>29</sub> H <sub>50</sub> N <sub>7</sub> O <sub>17</sub> P <sub>3</sub> S M.W. 893.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ART 1296-10</b> μCi / 370 kBq <b>ART 1296-50</b> μCi / 1.85 MBq	148,000 296,000
<b>N-Octanoyl [1-<sup>14</sup>C] dihydrosphingosine</b> C <sub>2</sub> H <sub>53</sub> NO <sub>3</sub> M.W. 427.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3209-50</b> μCi / 1.85 MBq	335,000

O



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>N-Octanoyl dihydrosphingosine-D-erythro [4,5-<sup>3</sup>H]</b> $C_{26}H_{53}NO_3$ M.W. 427.7 <i>Shipped in Dry Ice</i> Exclusive <i>Reference: Dihydroceramide desaturase activity is modulated by oxidative stress, Baldys, et al, Biochemical. J., 427, 265-274 (2010), Cell density-dependent reduction of dihydroceramide desaturase activity in neuroblastom cells, Spassieva, Stefka, et al, Journal of Lipid Research, 53, 918-928 (2012)</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0601-50</b> $\mu$ Ci / 1.85 MBq	282,000
<b>N-Octanoyl dihydrosphingosine-D-erythro [4,5-<sup>3</sup>H]-1-phosphate</b> M.W. 490.5 <i>Shipped in Dry Ice</i> Exclusive	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0792-10</b> $\mu$ Ci / 370 kBq <b>ART 0792-50</b> $\mu$ Ci / 1.85 MBq	239,000 524,000
<b>N-Octanoyl [1-<sup>14</sup>C] glucocerebroside (Glucosyl ceramide)</b> <i>Shipped in Dry Ice</i> Exclusive	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3591-50</b> $\mu$ Ci / 1.85 MBq	387,000
<b>N-Octanoyl [1-<sup>14</sup>C] phytosphingosine</b> $CH_3(CH_2)_{12}CH_2CHOHCHOHCH(NHCO(CH_2)_6CH_3)CH_2OH$ M.W. 415.5 <i>Shipped in Dry Ice</i> Exclusive	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1649-50</b> $\mu$ Ci / 1.85 MBq	307,000
<b>N-Octanoyl [1-<sup>14</sup>C] phytosphingosine-1-phosphate</b> $C_{26}H_{55}NO_7P$ M.W. 524.49 <i>Shipped in Dry Ice</i> Exclusive	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:NH <sub>4</sub> OH(9:1) 0.1 mCi/ml	<b>ARC 1653-10</b> $\mu$ Ci / 370 kBq	292,000
<b>N-Octanoyl [1-<sup>14</sup>C] sphingosine-D-erythro (C-8 Ceramide)</b> $C_{26}H_{49}NO_3$ M.W. 397.5 <i>Shipped in Dry Ice</i> Exclusive	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1073-50</b> $\mu$ Ci / 1.85 MBq	239,000
<b>N-Octanoyl [8-<sup>3</sup>H] sphingosine-D-erythro (C-8 Ceramide)</b> $C_{26}H_{49}NO_3$ M.W. 397.5 <i>Shipped in Dry Ice</i> Exclusive	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0599-50</b> $\mu$ Ci / 1.85 MBq	239,000
<b>N-Octanoyl [1-<sup>14</sup>C] sphingosine-D-erythro-1-phosphate</b> $C_{26}H_{54}NO_6P$ M.W. 506.4 <i>Shipped in Dry Ice</i> Exclusive	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:NH <sub>4</sub> OH (9:1) 0.1 mCi/ml	<b>ARC 1656-10</b> $\mu$ Ci / 370 kBq	292,000
<b>Octaprenyl pyrophosphate triammonium salt "cold"</b> <i>Shipped in Dry Ice</i>		Isopropanol:NH <sub>4</sub> OH: water (6:3:1)	<b>ARCD 0116-100</b> $\mu$ g	155,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Octaprenyl [1-<sup>3</sup>H] pyrophosphate triammonium salt</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	<b>ART 0455-50</b> μCi / 1.85 MBq	254,000
<b>Octopamine, DL-[2-<sup>3</sup>H] hydrochloride</b> HOCH <sub>2</sub> CH <sub>2</sub> CH(CH <sub>2</sub> NH <sub>2</sub> )OH · HCl M.W. 189.64 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0697-50</b> μCi / 1.85 MBq <b>ART 0697-250</b> μCi / 9.25 MBq	198,000 395,000
<b>Octopirox [<sup>3</sup>H(G)] (Piroctone olamine)</b> C <sub>16</sub> H <sub>30</sub> N <sub>2</sub> O <sub>3</sub> M.W. 298.4 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2090-50</b> μCi / 1.85 MBq	335,000
<b>Octyl aldehyde [carbonyl-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CHO M.W. 128.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Sterile water in sealed ampoule 0.1 mCi/ml	<b>ARC 1159-50</b> μCi / 1.85 MBq <b>ARC 1159-250</b> μCi / 9.25 MBq	142,000 269,000
<b>Octylamine, n-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CH <sub>2</sub> NH <sub>2</sub> M.W. 129.24 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1835-50</b> μCi / 1.85 MBq <b>ARC 1835-250</b> μCi / 9.25 MBq	239,000 365,000
<b>Octyl [1-<sup>14</sup>C] α-D-glucopyranoside</b> M.W. 292.38 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 3647-50</b> μCi / 1.85 MBq	419,000
<b>Octyl [1-<sup>14</sup>C] β-D-glucopyranoside</b> M.W. 292.38 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 3634-50</b> μCi / 1.85 MBq	419,000
<b>Octyl-β-D-glucopyranoside [glucose-<sup>14</sup>C(U)]</b> M.W. 292.38 <i>Exclusive</i>	250-360 mCi/mmol 9.25-13.32 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0221-50</b> μCi / 1.85 MBq <b>ARC 0221-250</b> μCi / 9.25 MBq	259,000 506,000
<b>Octyl [1-<sup>14</sup>C] sulfate sodium</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CH <sub>2</sub> OSO <sub>3</sub> Na M.W. 232.27 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3173-50</b> μCi / 1.85 MBq	234,000
<b>6-OH-BTA-1 [N-methyl-<sup>3</sup>H] (PIB; Pittsburgh Compound B; 2-[4'-(Methylamino)phenyl]-6-hydroxybenzothiazole)</b> M.W. 256.32 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1938-50</b> μCi / 1.85 MBq	419,000
<b>Olanzapine [methyl-<sup>14</sup>C]</b> C <sub>17</sub> H <sub>20</sub> N <sub>4</sub> S M.W. 312.45 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3463-50</b> μCi / 1.85 MBq	230,000

O

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Olanzapine [methyl-<sup>3</sup>H]</b> C <sub>17</sub> H <sub>20</sub> N <sub>4</sub> S M.W. 312.45 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-85 Ci/mmol 2.22-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1788-50</b> μCi / 1.85 MBq	209,000
<b>Oleic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> COOH M.W. 282.46 <i>Shipped in Dry Ice</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol under argon 1 mCi/ml	<b>ARC 0297-50</b> μCi / 1.85 MBq <b>ARC 0297-250</b> μCi / 9.25 MBq	62,000 172,000
<b>Oleic acid [9,10-<sup>3</sup>H(N)]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> COOH M.W. 282.46 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol under argon 5 mCi/ml	<b>ART 0198-1</b> mCi / 37 MBq <b>ART 0198-5</b> mCi / 185 MBq <b>ART 0198-25</b> mCi / 925 MBq	48,000 84,000 209,000
<b>Oleoyl [1-<sup>14</sup>C] alcohol</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> (CH=CHCH <sub>2</sub> ) <sub>7</sub> CH <sub>2</sub> OH M.W. 89.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethyl acetate in sealed ampoule 0.1 mCi/ml	<b>ARC 3166-50</b> μCi / 1.85 MBq <b>ARC 3166-250</b> μCi / 9.25 MBq	68,000 198,000
<b>1-Oleoyl [1-<sup>14</sup>C] 2-arachidonyl glycerol</b> 劇 M.W. 643 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile 0.1 mCi/ml	<b>ARC 3459-10</b> μCi / 370 kBq	212,000
<b>Oleoyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1032.1 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) under argon 0.1 mCi/ml	<b>ARC 0527-10</b> μCi / 370 kBq <b>ARC 0527-50</b> μCi / 1.85 MBq	113,000 314,000
<b>Oleoyl [9,10-<sup>3</sup>H] Coenzyme A</b> M.W. 1032.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.48-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) under argon 1 mCi/ml	<b>ART 1419-10</b> μCi / 370 kBq <b>ART 1419-50</b> μCi / 1.85 MBq	126,000 314,000
<b>Oleoyl Coenzyme A [Coenzyme A-<sup>3</sup>H(G)]</b> M.W. 1032.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) under argon 0.1 mCi/ml	<b>ART 2057-10</b> μCi / 370 kBq	419,000
<b>Oleoyl Coenzyme A lithium salt "cold"</b> C <sub>39</sub> H <sub>68</sub> N <sub>7</sub> O <sub>17</sub> P <sub>3</sub> S M.W. 1032.1 (free base)		Solid	<b>ARCD 0304-5</b> mg	36,000
<b>N-Oleoyl [1-<sup>14</sup>C] ethanolamide</b> C <sub>20</sub> H <sub>39</sub> NO <sub>2</sub> M.W. 325.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1845-50</b> μCi / 1.85 MBq	Inquire
<b>Oleoyl ethanolamide [1-<sup>3</sup>H]</b> C <sub>20</sub> H <sub>39</sub> NO <sub>2</sub> M.W. 325.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0712-50</b> μCi / 1.85 MBq	365,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Oleoyl [9,10-<sup>3</sup>H] ethanolamide</b> C <sub>20</sub> H <sub>39</sub> NO <sub>2</sub> M.W. 325.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1633-50</b> μCi / 1.85 MBq <b>ART 1633-100</b> μCi / 3.7 MBq	93,000 125,000
<b>2-Oleoyl [9,10-<sup>3</sup>H] 1-palmitoyl-<i>sn</i>-glycero-3-phospho-L-serine sodium salt</b> M.W. 784 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 2014</b>	Inquire
<b>N-Oleoyl [1-<sup>14</sup>C] phytosphingosine</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CHOHCHOHCH [NH oleoyl-1- <sup>14</sup> C]CH <sub>2</sub> OH M.W. 581.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1650-50</b> μCi / 1.85 MBq	339,000
<b>N-Oleoyl [1-<sup>14</sup>C] phytosphingosine-1-phosphate</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1654-10</b> μCi / 370 kBq	330,000
<b>N-Oleoyl [1-<sup>14</sup>C] D-sphingosine</b> M.W. 563.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0818-50</b> μCi / 1.85 MBq	419,000
<b>N-Oleoyl [9,10-<sup>3</sup>H(N)] D-sphingosine (Oleoyl ceramide)</b> C <sub>36</sub> H <sub>69</sub> NO <sub>3</sub> M.W. 563.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1169A-50</b> μCi / 1.85 MBq	282,000
<b>N-Oleoyl-D-sphingosine [3-<sup>3</sup>H] (Oleoyl ceramide)</b> C <sub>36</sub> H <sub>69</sub> NO <sub>3</sub> M.W. 563.94 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1542-10</b> μCi / 370 kBq <b>ART 1542-50</b> μCi / 1.85 MBq	234,000 450,000
<b>Olmesartan acid "cold"</b> C <sub>24</sub> H <sub>26</sub> N <sub>6</sub> O <sub>3</sub> M.W. 446.51 CAS # 144689-24-7		Solid	<b>ARCD 0763-100</b> mg	59,000
<b>Olmesartan acid [ring-<sup>3</sup>H(G)]</b> C <sub>24</sub> H <sub>26</sub> N <sub>6</sub> O <sub>3</sub> M.W. 446.51 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1976-250</b> μCi / 9.25 MBq	209,000
<b>Orlistat [<sup>3</sup>H(G)]</b> C <sub>29</sub> H <sub>53</sub> NO <sub>5</sub> M.W. 495.73 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2159-50</b> μCi / 1.85 MBq	566,000

O

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Ornithine, D-[1-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 132.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0625-50</b> μCi / 1.85 MBq	212,000
<b>Ornithine, DL-[1-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 132.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0200-50</b> μCi / 1.85 MBq <b>ARC 0200-250</b> μCi / 9.25 MBq	116,000 236,000
<b>Ornithine, L-[1-<sup>14</sup>C]</b> NH <sub>2</sub> (CH <sub>2</sub> ) <sub>3</sub> CH(NH <sub>2</sub> )COOH M.W. 132.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0199-50</b> μCi / 1.85 MBq <b>ARC 0199-250</b> μCi / 9.25 MBq	125,000 324,000
<b>Ornithine, D-[5-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 132.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 3490-50</b> μCi / 1.85 MBq	251,000
<b>Ornithine, L-[5-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 132.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0239-50</b> μCi / 1.85 MBq <b>ARC 0239-250</b> μCi / 9.25 MBq	148,000 300,000
<b>Ornithine, L-[2,3-<sup>3</sup>H]</b> H <sub>2</sub> N(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 132.1 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0226-250</b> μCi / 9.25 MBq <b>ART 0226-1</b> mCi / 37 MBq	108,000 Inquire
<b>Ornithine, D-[4,5-<sup>3</sup>H]</b> H <sub>2</sub> N(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 132.1 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 1139-250</b> μCi / 9.25 MBq <b>ART 1139-1</b> mCi / 37 MBq	142,000 296,000
<b>Ornithine, L-[4,5-<sup>3</sup>H]</b> H <sub>2</sub> N(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 132.1 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 1140-250</b> μCi / 9.25 MBq <b>ART 1140-1</b> mCi / 37 MBq	100,000 282,000
<b>Ornithine Vasotocin Analog [<sup>125</sup>I]</b> <b>(OVTA)</b> M.W. ~1277	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0191-10</b> μCi / 370 kBq <b>ARI 0191-50</b> μCi / 1.85 MBq	172,000 345,000
<b>Orphanin FQ [2-phe,1-leu-<sup>3</sup>H]</b> See Nociceptin [2-phe,1-leu- <sup>3</sup> H]			<b>ART 1910</b>	
<b>Orotic acid [5-<sup>3</sup>H]</b> M.W. 156.1 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0173-250</b> μCi / 9.25 MBq <b>ART 0173-1</b> mCi / 37 MBq	125,000 235,000
<b>Oseltamivir [<sup>3</sup>H(G)]</b> M.W. 312.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1601-50</b> μCi / 1.85 MBq	439,000
<b>Oseltamivir carboxylate "cold"</b> C <sub>14</sub> H <sub>24</sub> N <sub>2</sub> O <sub>4</sub> M.W. 284.35 <i>NEW!-Exclusive</i>		Solid	<b>ARCD 1029-1</b> mg	132,000





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Oseltamivir carboxylate [<sup>3</sup>H(G)]</b> C <sub>14</sub> H <sub>24</sub> N <sub>2</sub> O <sub>4</sub> M.W. 284.35 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 2108-50</b> μCi / 1.85 MBq	629,000
<b>Oseltamivir phosphate "cold"</b> C <sub>16</sub> H <sub>28</sub> N <sub>2</sub> O <sub>4</sub> M.W. 410.4		Solid	<b>ARCD 0341-10</b> mg	41,000
<b>Ouabain [<sup>3</sup>H(G)]</b> M.W. 584.7 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1322-250</b> μCi / 9.25 MBq <b>ART 1322-1</b> mCi / 37 MBq	176,000 Inquire
<b>OVA 323-339 [<sup>3</sup>H(G)]</b> H-Ile-Ser-Gln-Ala-Val-His-Ala-Ala-His-Ala- Glu-Ile-Asn-Glu-Ala-Gly-Arg-OH M.W. 1773.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>An H-2β-restricted OVA class II epitope</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 2036-50</b> μCi / 1.85 MBq	439,000
<b>Ovalbumin [methyl-<sup>14</sup>C] methylated</b> M.W. 42 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01M NaPO <sub>4</sub> (pH 7.2) 0.01 mCi/ml	<b>ARC 0431-1</b> μCi / 37 kBq <b>ARC 0431-5</b> μCi / 185 kBq	107,000 269,000
<b>Oxalic acid [<sup>14</sup>C(U)] 劇</b> HOOC COOH M.W. 90.1	1-5 mCi/mmol 37-185 MBq/mmol	Solid	<b>ARC 0168-50</b> μCi / 1.85 MBq <b>ARC 0168-250</b> μCi / 9.25 MBq <b>ARC 0168-1</b> mCi / 37 MBq	72,000 156,000 324,000
<b>Oxalic acid [<sup>14</sup>C(U)] 劇</b> HOOC COOH M.W. 90.1	100-110 mCi/mmol 3.7-4.07 GBq/mmol	Ether in sealed ampoule 1 mCi/ml	<b>ARC 0168B-1</b> mCi / 37 MBq	449,000
<b>Oxalic acid [carboxyl-<sup>14</sup>C] dimethyl ester</b> CH <sub>3</sub> OOC COOCH <sub>3</sub> M.W. 118.09 <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Ether in sealed ampoule 1 mCi/ml	<b>ARC 0733-250</b> μCi / 9.25 MBq <b>ARC 0733-1</b> mCi / 37 MBq	289,000 563,000
<b>Oxalic acid [<sup>14</sup>C] sodium salt</b> See Sodium oxalate [ <sup>14</sup> C]			<b>ARC 3458</b>	
<b>Oxalyl chloride [<sup>14</sup>C(U)]</b> (COCl) <sub>2</sub> M.W. 126.93 <i>Exclusive</i>	10-20 mCi/mmol 370-740 MBq/mmol	Neat liquid in break seal	<b>ARC 0806-250</b> μCi / 9.25 MBq	408,000
<b>Oxamic acid [<sup>14</sup>C(U)]</b> H <sub>2</sub> NCOCO <sub>2</sub> H M.W. 89.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 mCi/mmol 370-740 MBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1013-50</b> μCi / 1.85 MBq	408,000
<b>11-Oxoethiocholanone [5,6-<sup>3</sup>H]</b> C <sub>18</sub> H <sub>28</sub> O <sub>2</sub> M.W. 304.42 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1465-1</b> mCi / 37 MBq	Inquire

O

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Oxotremorine-M "cold"</b>		Solid	<b>ARCD 0690-50 mg</b>	27,000
<b>Oxotremorine-M acetate [methyl-<sup>3</sup>H]</b> C <sub>13</sub> H <sub>22</sub> N <sub>2</sub> O <sub>3</sub> M.W. 254.20 <i>Shipped in Dry Ice</i>	70-90 Ci/mmol 2.59-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1805-250 μCi / 9.25 MBq</b>	314,000
<b>Oxytetracycline [<sup>3</sup>H(G)]</b> M.W. 460.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	0.2N Acetic acid: Ethanol (9:1) 1 mCi/ml	<b>ART 0699-250 μCi / 9.25 MBq</b>	212,000
<b>Oxytocin [tyrosyl-2,6-<sup>3</sup>H]</b> Cys-Tyr-Ile-Gln-Asn-Cys-Pro-Leu-Gly-NH <sub>2</sub> M.W. 1007.23 <i>Shipped in Dry Ice</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (8:2) 1 mCi/ml	<b>ART 1460-50 μCi / 1.85 MBq</b> <b>ART 1460-250 μCi / 9.25 MBq</b>	153,000 Inquire
<b>P1075 [<sup>3</sup>H]</b> <b>(N-cyano-N'-(1,1-dimethylpropyl)-N"-3-pyridylguanidine)</b> C <sub>12</sub> H <sub>17</sub> N <sub>5</sub> M.W.231.3 <i>Exclusive</i>	90-140 Ci/mmol 3.33-5.18 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1684-50 μCi / 1.85 MBq</b>	Inquire
<b>P4MPA-[<sup>3</sup>H]</b> <b>(Methylpiperidin-4-yl-phosphinic acid)</b> M.W. 163.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-50 Ci/mmol 0.74-1.85 TBq/mmol	Ethanol:water 1 mCi/ml	<b>ART 1210-100 μCi / 3.7 MBq</b> <b>ART 1210-250 μCi / 9.25 MBq</b> <b>ART 1210-1 mCi / 37 MBq</b>	202,000 306,000 763,000
<b>Paclitaxel "cold"</b> See Taxol			<b>ARCD 0211</b>	
<b>Paclitaxel [<sup>3</sup>H(G)]</b> See Taxol [ <sup>3</sup> H(G)]			<b>ART 0855</b>	
<b>Paclitaxel [2-benzoyl-ring-<sup>14</sup>C(U)]</b> See Taxol [2-benzoyl-ring- <sup>14</sup> C(U)]			<b>ARC 1441</b>	
<b>Paclitaxel [N-benzoyl-<sup>14</sup>C]</b> See Taxol [N-benzoyl- <sup>14</sup> C]			<b>ARC 3691</b>	
<b>Paclitaxel [2-benzoyl-ring-<sup>3</sup>H]</b> See Taxol [2-benzoyl-ring- <sup>3</sup> H]			<b>ART 1195</b>	
<b>Paclitaxel [N-benzoyl-4-<sup>3</sup>H]</b> See Taxol [N-benzoyl-4- <sup>3</sup> H]			<b>ART 2046</b>	
<b>Palmitic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>14</sub> COOH M.W. 256.4	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.5 mCi/ml	<b>ARC 0172A-50 μCi / 1.85 MBq</b> <b>ARC 0172A-250 μCi / 9.25 MBq</b> <b>ARC 0172A-1 mCi / 37 MBq</b>	54,000 87,000 219,000
<b>Palmitic acid [<sup>14</sup>C(U)]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>14</sub> COOH M.W. 256.4	> 500 mCi/mmol > 18.5 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3482-50 μCi / 1.85 MBq</b> <b>ARC 3482-250 μCi / 9.25 MBq</b>	155,000 517,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Palmitic acid [2-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>7</sub> COOH M.W. 256.4 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1985-1</b> mCi / 37 MBq <b>ART 1985-5</b> mCi / 185 MBq	83,000 209,000
<b>Palmitic acid [9,10-<sup>3</sup>H(N)]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>7</sub> COOH M.W. 256.4	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 10 mCi/ml	<b>ART 0129-1</b> mCi / 37 MBq <b>ART 0129-5</b> mCi / 185 MBq <b>ART 0129-25</b> mCi / 925 MBq <b>ART 0129-100</b> mCi / 3.7 GBq	41,000 72,000 106,000 Inquire
<b>Palmitic acid [9,10-<sup>3</sup>H(N)]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>7</sub> COOH M.W. 256.4	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Toluene 10 mCi/ml	<b>ART 0129A-1</b> mCi / 37 MBq <b>ART 0129A-5</b> mCi / 185 MBq <b>ART 0129A-25</b> mCi / 925 MBq <b>ART 0129A-100</b> mCi / 3.7 GBq	41,000 72,000 106,000 Inquire
<b>Palmitic acid [16-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>7</sub> COOH M.W. 256.4 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1986-1</b> mCi / 37 MBq <b>ART 1986-5</b> mCi / 185 MBq	83,000 209,000
<b>Palmitic anhydride [carbonyl-<sup>14</sup>C]</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>14</sub> CO] <sub>2</sub> O M.W. 494.85 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Methylene chloride in sealed ampoule 1 mCi/ml	<b>ARC 0727-50</b> μCi / 1.85 MBq <b>ARC 0727-250</b> μCi / 9.25 MBq	128,000 234,000
<b>Palmitoleic acid [1-<sup>14</sup>C]</b> ( <i>cis</i> -9-Hexadecenoic acid) CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO <sub>2</sub> H M.W. 254.42 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1663-50</b> μCi / 1.85 MBq	282,000
<b>Palmitoleic acid [9,10-<sup>3</sup>H]</b> ( <i>cis</i> -9-Hexadecenoic acid) CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO <sub>2</sub> H M.W. 254.42 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0405-250</b> μCi / 9.25 MBq <b>ART 0405-1</b> mCi / 37 MBq	191,000 365,000
<b>Palmitoleic acid [9,10-<sup>3</sup>H] sodium salt</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO <sub>2</sub> ·Na M.W. 277.42 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1706-250</b> μCi / 9.25 MBq <b>ART 1706-1</b> mCi / 37 MBq	198,000 419,000
<b>Palmitoleoyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1005.12 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-70 mCi/mmol 1.85-2.59 GBq/mmol	Ethanol:0.01M NH <sub>4</sub> OH (1:1) pH 5.2 0.1 mCi/ml	<b>ARC 3194-10</b> μCi / 370 kBq	439,000
<b>Palmitoleoyl [9,10-<sup>3</sup>H] Coenzyme A</b> M.W. 1005.12 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol: 0.01M NH <sub>4</sub> OH pH 5.2 (1:1) 0.1 mCi/ml	<b>ART 1704-10</b> μCi / 370 kBq	335,000
<b>Palmitoyl [1-<sup>14</sup>C] L-carnitine chloride</b> (CH <sub>3</sub> ) <sub>3</sub> NCH <sub>2</sub> CH(OCOC <sub>15</sub> H <sub>31</sub> )CH <sub>2</sub> COOHCl M.W. 436.1 <i>Shipped in Dry Ice</i>	45-55 mCi/mmol 1.67-2.04 GBq/mmol	Ethanol:water (95:5) 0.1 mCi/ml	<b>ARC 0517-10</b> μCi / 370 kBq	206,000

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Palmitoyl [9,10-<sup>3</sup>H] L-carnitine chloride</b> C <sub>23</sub> H <sub>46</sub> NO <sub>4</sub> · Cl M.W. 436.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (95:5) 1 mCi/ml	<b>ART 2028-50</b> μCi / 1.85 MBq	272,000
<b>Palmitoyl-L-carnitine [N-methyl-<sup>14</sup>C] chloride</b> (CH <sub>3</sub> ) <sub>3</sub> NCH <sub>2</sub> CH(OCOC <sub>15</sub> H <sub>31</sub> )CH <sub>2</sub> COOHCl M.W. 436.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (95:5) 0.1 mCi/ml	<b>ARC 3645-10</b> μCi / 370 kBq	419,000
<b>Palmitoyl L-carnitine [N-methyl-<sup>3</sup>H] chloride</b> (CH <sub>3</sub> ) <sub>3</sub> NCH <sub>2</sub> CH(OCOCH <sub>3</sub> )CH <sub>2</sub> CO <sub>2</sub> · Cl M.W. 436.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Ethanol:water (95:5) 1 mCi/ml	<b>ART 2029-50</b> μCi / 1.85 MBq	439,000
<b>Palmitoyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1006.0 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01M NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 0516-10</b> μCi / 370 kBq <b>ARC 0516-50</b> μCi / 1.85 MBq	151,000 394,000
<b>Palmitoyl [9,10-<sup>3</sup>H] Coenzyme A</b> M.W. 1006.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:0.01M NaOAc pH 5.2 (1:1) 1 mCi/ml	<b>ART 0339-50</b> μCi / 1.85 MBq <b>ART 0339-250</b> μCi / 9.25 MBq	269,000 581,000
<b>Palmitoyl [1-<sup>14</sup>C] ethanolamide</b> C <sub>18</sub> H <sub>37</sub> NO <sub>2</sub> M.W. 299.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Cannabinoid Receptor Ligand</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1847-10</b> μCi / 370 kBq	142,000
<b>Palmitoyl ethanolamide [1,2-<sup>14</sup>C]</b> C <sub>18</sub> H <sub>37</sub> NO <sub>2</sub> M.W. 299.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Cannabinoid Receptor Ligand</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1846-10</b> μCi / 370 kBq	155,000
<b>Palmitoyl ethanolamide [1-<sup>3</sup>H]</b> C <sub>18</sub> H <sub>37</sub> NO <sub>2</sub> M.W. 299.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Cannabinoid Receptor Ligand</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0741-50</b> μCi / 1.85 MBq <b>ART 0741-250</b> μCi / 9.25 MBq	190,000 395,000
<b>Palmitoyl [9,10-<sup>3</sup>H(N)] ethanolamide</b> C <sub>18</sub> H <sub>37</sub> NO <sub>2</sub> M.W. 299.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Cannabinoid Receptor Ligand</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0732-250</b> μCi / 9.25 MBq <b>ART 0732-1</b> mCi / 37 MBq	120,000 226,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2-Palmitoyl [1-<sup>14</sup>C] glycerol</b> 劇 C <sub>19</sub> H <sub>38</sub> O <sub>4</sub> M.W. 330.50 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile in sealed ampoule 0.1 mCi/ml	<b>ARC 1876-10</b> μCi / 370 kBq <b>ARC 1876-50</b> μCi / 1.85 MBq	265,000 553,000
<b>2-Palmitoyl [9,10-<sup>3</sup>H(N)] glycerol</b> 劇 C <sub>19</sub> H <sub>38</sub> O <sub>4</sub> M.W. 330.50 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Acetonitrile in sealed ampoule 1 mCi/ml	<b>ART 1495-50</b> μCi / 1.85 MBq <b>ART 1495-250</b> μCi / 9.25 MBq	170,000 381,000
<b>2-Palmitoyl glycerol [1,3-<sup>3</sup>H]</b> 劇 C <sub>19</sub> H <sub>38</sub> O <sub>4</sub> M.W. 330.50 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Acetonitrile in sealed ampoule 0.1 mCi/ml	<b>ART 1398-10</b> μCi / 370 kBq <b>ART 1398-50</b> μCi / 1.85 MBq	206,000 534,000
<b>1-0-Palmitoyl [1-<sup>14</sup>C] rac-glycerol</b> 劇 M.W. 330.57 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile in sealed ampoule 0.1 mCi/ml	<b>ARC 3126-10</b> μCi / 370 kBq <b>ARC 3126-50</b> μCi / 1.85 MBq	288,000 545,000
<b>1-0-Palmitoyl-rac-glycerol [14C(U)]</b> 劇 M.W. 330.57 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile in sealed ampoule 0.1 mCi/ml	<b>ARC 3142-10</b> μCi / 370 kBq <b>ARC 3142-50</b> μCi / 1.85 MBq	335,000 629,000
<b>N-Palmitoyl [1-<sup>14</sup>C] phosphatidyl ethanolamine</b> C <sub>53</sub> H <sub>104</sub> NO <sub>9</sub> P M.W. 930.37 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1817-10</b> μCi / 370 kBq <b>ARC 1817-50</b> μCi / 1.85 MBq	198,000 419,000
<b>N-Palmitoyl [1-<sup>14</sup>C] sphingosine-D-erythro</b> M.W. 537.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Chloroform: ethanol (2:1) 0.1 mCi/ml	<b>ARC 0831-50</b> μCi / 1.85 MBq	366,000
<b>Palmitoyl sphingosine-D-erythro [3-<sup>3</sup>H] (C-16 ceramide)</b> M.W. 537.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Chloroform: ethanol (2:1) 0.1 mCi/ml	<b>ART 1168-10</b> μCi / 370 kBq <b>ART 1168-50</b> μCi / 1.85 MBq	219,000 650,000
<b>N-Palmitoyl [9,10-<sup>3</sup>H] sphingosine, D-erythro (C-16 ceramide)</b> M.W. 537.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Chloroform: ethanol (2:1) 1 mCi/ml	<b>ART 0899-50</b> μCi / 1.85 MBq	311,000
<b>1-0-Palmitoyl [1-<sup>14</sup>C] rac-glycerol</b> M.W. 316.52 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3169-10</b> μCi / 370 kBq <b>ARC 3169-50</b> μCi / 1.85 MBq	335,000 629,000

P

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Pamidronic acid [1-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> CHC(OH)[PO(OH) <sub>2</sub> ] <sub>2</sub> M.W. 234.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 1608-50</b> μCi / 1.85 MBq	171,000
<b>Pancreatic polypeptide [<sup>125</sup>I] (human)</b> M.W. 4179	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0122-10</b> μCi / 370 kBq <b>ARI 0122-50</b> μCi / 1.85 MBq	161,000 362,000
<b>Panobinostat [<sup>3</sup>H(G)] (LBH-589)</b> C <sub>21</sub> H <sub>23</sub> N <sub>3</sub> O <sub>2</sub> M.W. 349.4 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2156-50</b> μCi / 1.85 MBq	566,000
<b>Panthenol, D-[1-<sup>14</sup>C] (Pantothenol)</b> HOCH <sub>2</sub> C(CH <sub>3</sub> ) <sub>2</sub> CH(OH)CONHCH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> OH M.W. 205.26 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1576-50</b> μCi / 1.85 MBq	391,000
<b>Pantothenic acid, D-[1-<sup>14</sup>C] methyl ester</b> C <sub>10</sub> H <sub>19</sub> NO <sub>5</sub> M.W. 233.26 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methanol 0.1 mCi/ml	<b>ARC 3779-50</b> μCi / 1.85 MBq	419,000
<b>Pantothenic acid, D-[1-<sup>14</sup>C] sodium salt (Vitamin B<sub>5</sub>)</b> HOCH <sub>2</sub> C(CH <sub>3</sub> ) <sub>2</sub> CH(OH)CONHCH <sub>2</sub> CH <sub>2</sub> COONa M.W. 241.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0653-50</b> μCi / 1.85 MBq	282,000
<b>Pantothenic acid, D-[2,3-<sup>3</sup>H] sodium salt (Vitamin B<sub>5</sub>)</b> HOCH <sub>2</sub> C(CH <sub>3</sub> ) <sub>2</sub> CH(OH)CONHCH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> Na M.W. 241.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0731-50</b> μCi / 1.85 MBq	282,000
<b>Pantothenyl triacetate [<sup>3</sup>H]</b> AcOCH <sub>2</sub> C(CH <sub>3</sub> ) <sub>2</sub> CH((OAc)CONH(CH <sub>2</sub> ) <sub>3</sub> OAc) M.W. 331.26 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0713-250</b> μCi / 9.25 MBq	381,000
<b>Paraformaldehyde [<sup>14</sup>C]</b> 劇 H(CHO) <sub>n</sub> (H <sub>2</sub> O) <sub>y</sub> <i>Exclusive</i>	10-100 mCi/mg 0.37-3.7 GBq/mg	Solid	<b>ARC 0402-250</b> μCi / 9.25 MBq <b>ARC 0402-1</b> mCi / 37 MBq <b>ARC 0402-5</b> mCi / 185 MBq	135,000 282,000 629,000
<b>Paraformaldehyde [<sup>14</sup>C]</b> 劇 H(CHO) <sub>n</sub> (H <sub>2</sub> O) <sub>y</sub> <i>Exclusive</i>	1-2 Ci/g 37-74 GBq/g	Solid	<b>ARC 0402A-5</b> mCi / 185 MBq	734,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Paraoxon "cold"</b> O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> OP(O)(OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> M.W. 275.20 CAS # 311-45-5 <i>NEW!-Exclusive</i>		Solid	<b>ARCD 1032-100 mg</b>	66,000
<b>Paraoxon [ring-<sup>14</sup>C(U)]</b> O <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> OP(O)(OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> M.W. 275.2 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-15 mCi/mmol 0.185-0.555 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3760</b>	Inquire
<b>Paraquat [methyl-<sup>14</sup>C] dichloride hydrate</b> M.W. 257.2 毒 <i>Exclusive</i>	20-40 mCi/mmol 0.74-1.48 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1311-50 μCi / 1.85 MBq</b>	232,000
<b>Parathion "cold" 毒</b> C <sub>10</sub> H <sub>14</sub> NO <sub>5</sub> PS M.W. 291.3 CAS # 56-38-2 <i>NEW!-Exclusive</i>		Solid	<b>ARCD 1031-100 mg</b>	66,000
<b>Parathion [ring-<sup>14</sup>C(U)] 毒</b> (CH <sub>3</sub> CH <sub>2</sub> O) <sub>2</sub> P[S]OC <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> M.W. 291.3 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 1288-50 μCi / 1.85 MBq</b> <b>ARC 1288-250 μCi / 9.25 MBq</b>	249,000 755,000
<b>Paroxetine [phenyl-6-<sup>3</sup>H]</b> C <sub>19</sub> H <sub>20</sub> FNO <sub>3</sub> M.W. 329.40 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1777-25 μCi / 925 kBq</b> <b>ART 1777-250 μCi / 9.25 MBq</b>	89,000 293,000
<b>PCB No 1 [ring-<sup>14</sup>C(U)]</b> See 2-Chlorobiphenyl [ring- <sup>14</sup> C(U)]			<b>ARC 3244</b>	
<b>PCB No 2 [ring-<sup>14</sup>C(U)]</b> See 3-Chlorobiphenyl [ring- <sup>14</sup> C(U)]			<b>ARC 3268</b>	
<b>PCB No 3 [ring-<sup>14</sup>C(U)]</b> See 4-Chlorobiphenyl [ring- <sup>14</sup> C(U)]			<b>ARC 1861</b>	
<b>PCB No 7 [<sup>3</sup>H(G)]</b> See 2,4'-Dichlorobiphenyl [ <sup>3</sup> H(G)]			<b>ART 0777</b>	
<b>PCB No 15 [<sup>14</sup>C(U)]</b> See 4,4'-Dichlorobiphenyl [ <sup>14</sup> C(U)]			<b>ARC 3275</b>	
<b>PCB No 47 [<sup>14</sup>C(U)]</b> See 2,2',4,4'-Tetrachlorobiphenyl [ <sup>14</sup> C(U)]			<b>ARC 3226</b>	
<b>PCB No 52 [<sup>14</sup>C(U)]</b> See 2,2',5,5'-Tetrachlorobiphenyl [ <sup>14</sup> C(U)]			<b>ARC 3227</b>	
<b>PCB No 77 [<sup>14</sup>C(U)]</b> See 3,3',4,4'-Tetrachlorobiphenyl [ <sup>14</sup> C(U)]			<b>ARC 3256</b>	
<b>PCB No 77 [<sup>3</sup>H(G)]</b> See 3,3',4,4'-Tetrachlorobiphenyl [ <sup>3</sup> H(G)]			<b>ART 1216</b>	

P





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>PCB No 81 [<sup>3</sup>H(G)]</b> See 3,4,4',5-Tetrachlorobiphenyl [ <sup>3</sup> H(G)]			<b>ART 1217</b>	
<b>PCB No 106 [3,4,5-phenyl ring-<sup>14</sup>C(U)]</b> See 2',3,3',4,5-Pentachlorobiphenyl [3,4,5-phenyl ring- <sup>14</sup> C(U)]			<b>ARC 3228</b>	
<b>PCB No 126 [3,4,5-phenyl ring-<sup>14</sup>C(U)]</b> See 3,3',4,4',5-Pentachlorobiphenyl [3,4,5-phenyl ring- <sup>14</sup> C(U)]			<b>ARC 3255</b>	
<b>PCB No 126 [<sup>3</sup>H(G)]</b> See 3,3',4,4',5-Pentachlorobiphenyl [ <sup>3</sup> H(G)]			<b>ART 1108</b>	
<b>PCB No 133 [<sup>14</sup>C(U)]</b> See 2,2',3,3',5,5'-Hexachlorobiphenyl [ <sup>14</sup> C(U)]			<b>ARC 3224</b>	
<b>PCB No 153 [<sup>14</sup>C(U)]</b> See 2,2',4,4',5,5'-Hexachlorobiphenyl [ <sup>14</sup> C(U)]			<b>ARC 3225</b>	
<b>PCB No 169 [<sup>14</sup>C(U)]</b> See 3,3',4,4',5,5'-Hexachlorobiphenyl [ <sup>14</sup> C(U)]			<b>ARC 3254</b>	
<b>PCB No 169 [<sup>3</sup>H(G)]</b> See 3,3',4,4',5,5'-Hexachlorobiphenyl [ <sup>3</sup> H(G)]			<b>ART 1218</b>	
<b>(+)-PD128907 [ring-<sup>3</sup>H]</b> C <sub>14</sub> H <sub>19</sub> NO <sub>3</sub> M.W. 249.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 Ci/mmol 3.7-4.44 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1793-50 μCi / 1.85 MBq</b>	209000
<b>PDP PE [dioleoyl-9,10-<sup>3</sup>H] (18:1)</b> <b>(1,2-dioleoyl-sn-glycero-3-phospho-ethanolamine-N-[3-(2-pyridyldithio)propionate] sodium salt)</b> M.W. 963.3 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 2136-50 μCi / 1.85 MBq</b>	209,000
<b>PDP PE [dipalmitoyl-9,10-<sup>3</sup>H] (16:0)</b> <b>(1,2-dipalmitoyl-sn-glycero-3-phospho-ethanolamine-N-[3-(2-pyridyldithio)propionate] sodium salt)</b> M.W. 911.2 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 2135-50 μCi / 1.85 MBq</b>	209,000
<b>Pemexetred [<sup>3</sup>H(G)]</b> See Alimta [ <sup>3</sup> H(G)]			<b>ART 1733</b>	
<b>Penciclovir [8-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>15</sub> N <sub>5</sub> O <sub>3</sub> M.W. 253.258 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-111 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1595-250 μCi / 9.25 MBq</b>	549,000
<b>2',3,3',4,5-Pentachlorobiphenyl [3,4,5-phenyl ring-<sup>14</sup>C(U)]</b> <b>(PCB No 106)</b> 2',3,3',4,5-C <sub>12</sub> H <sub>5</sub> Cl <sub>5</sub> M.W. 326.43 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Hexane 0.1 mCi/ml	<b>ARC 3228-5 μCi / 185 kBq</b> <b>ARC 3228-10 μCi / 370 kBq</b>	530,000 784,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3,3',4,4',5-Pentachlorobiphenyl</b> <b>[3,4,5-phenyl ring-<sup>14</sup>C(U)]</b> <b>(PCB No 126)</b> 3,3',4,4',5-C <sub>12</sub> H <sub>5</sub> Cl <sub>5</sub> M.W. 326.43 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Hexane 0.1 mCi/ml	<b>ARC 3255-5</b> μCi / 185 kBq <b>ARC 3255-10</b> μCi / 370 kBq	530,000 784,000
<b>3,3',4,4',5-Pentachlorobiphenyl [<sup>3</sup>H(G)]</b> <b>(PCB No 126)</b> 3,3',4,4',5-C <sub>12</sub> H <sub>5</sub> Cl <sub>5</sub> M.W. 326.43 <i>Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1108-50</b> μCi / 1.85 MBq	226,000
<b>1,2,3,4,7-Pentachlorodibenzo-<i>p</i>-dioxin</b> <b>tetrachlorophenyl [ring-<sup>14</sup>C(U)]</b> M.W. 356.40 <i>Exclusive</i>	10-30 mCi/mmol 0.37-1.11 GBq/mmol	Hexane 0.1 mCi/ml	<b>ARC 3213-5</b> μCi / 185 kBq	546,000
<b>Pentachloronitrobenzene [<sup>14</sup>C(U)]</b> <b>(PCNB; Quintozene)</b> C <sub>6</sub> Cl <sub>5</sub> NO <sub>2</sub> M.W. 295.33 <i>Exclusive</i>	25-50 mCi/mmol 0.925-1.85 GBq/mmol	Hexane 0.1 mCi/ml	<b>ARC 3389-5</b> μCi / 185 kBq	546,000
<b>Pentachlorophenol [<sup>14</sup>C(U)]</b> <b>(C<sub>6</sub>Cl<sub>5</sub>OH)</b> M.W. 266.3 <i>Exclusive</i>	1-15 mCi/mmol 37-555 MBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 1134-50</b> μCi / 1.85 MBq <b>ARC 1134-100</b> μCi / 3.7 MBq <b>ARC 1134-250</b> μCi / 9.25 MBq	198,000 282,000 555,000
<b>Pentachloropyridine [2,6-<sup>14</sup>C]</b> M.W. 251.33 <i>Exclusive</i>	20-50 mCi/mmol 0.74-1.85 GBq/mmol	Hexane 0.1 mCi/ml	<b>ARC 1007-50</b> μCi / 1.85 MBq <b>ARC 1007-250</b> μCi / 9.25 MBq	282,000 479,000
<b>10,12-Pentacosadiynoic acid [2-<sup>3</sup>H]</b> M.W. 374.60 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-200 mCi/mmol 3.7-7.4 GBq/mmol	Chloroform: methanol (1:1) 1 mCi/ml	<b>ART 1257-50</b> μCi / 1.85 MBq	239,000
<b>Pentadecanoic acid [carboxyl-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>13</sub> COOH M.W. 242.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0510-250</b> μCi / 9.25 MBq <b>ARC 0510-1</b> mCi / 37 MBq	239,000 524,000
<b>Pentadecanol, 1-[1-<sup>14</sup>C]</b> M.W. 228.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0509-250</b> μCi / 9.25 MBq <b>ARC 0509-1</b> mCi / 37 MBq	239,000 524,000
<b>Pentanoic acid [1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> COONa M.W. 124.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 0264-50</b> μCi / 1.85 MBq <b>ARC 0264-250</b> μCi / 9.25 MBq	71,000 198,000
<b>Pentanol, n-[1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> CH <sub>2</sub> OH M.W. 88.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0274-50</b> μCi / 1.85 MBq <b>ARC 0274-250</b> μCi / 9.25 MBq	79,000 218,000

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Pentanol, n-[4,5-<sup>3</sup>H]</b> <chem>CH3CH2CH2CH2CH2OH</chem> M.W. 99.24 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 1190-250</b> μCi / 9.25 MBq <b>ART 1190-1</b> mCi / 37 MBq	155,000 296,000
<b>(+)-Pentazocine [ring-1,3-<sup>3</sup>H]</b> 向 <chem>C13H7NO</chem> M.W. 285.4 <i>Shipped in Dry Ice</i> <i>W.R. Martin, et. al. J. Pharmacol. Exper. Ther., 197, 517 (1976); B.R. de Costa, et. al. FEBS Lett., 251, 53 (1989)</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1585-25</b> μCi / 925 kBq <b>ART 1585-250</b> μCi / 9.25 MBq <b>ART 1585-1</b> mCi / 37 MBq	93,000 298,000 Inquire
<b>Pentostatin [<sup>3</sup>H(G)]</b> <chem>C11H16N4O4</chem> M.W. 268.27 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2158-10</b> μCi / 370 kBq <b>ART 2158-50</b> μCi / 1.85 MBq	209,000 599,000
<b>Pentylene tetrazole [10-<sup>14</sup>C]</b> <b>(Metrazole)</b> M.W. 138.25 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Solid	<b>ARC 3390-50</b> μCi / 1.85 MBq	292,000
<b>Peptide YY [<sup>125</sup>I] (human)</b> <b>(PYY)</b> M.W. 4432 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	0.05M Na <sub>2</sub> PO <sub>4</sub> : 1.0% BSA (pH 7.4) 0.08 mCi/ml	<b>ARI 0143-10</b> μCi / 370 kBq <b>ARI 0143-50</b> μCi / 1.85 MBq	135,000 308,000
<b>Perfluorooctane [1-<sup>14</sup>C]</b> <b>(Octadecafluorooctane)</b> <chem>CF3(CF2)6CF3</chem> M.W. 438.06 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3190-10</b> μCi / 370 kBq	219,000
<b>Perfluorooctanoic acid [1-<sup>14</sup>C], sodium salt</b> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3046-10</b> μCi / 370 kBq <b>ARC 3046-50</b> μCi / 1.85 MBq	155,000 449,000
<b>Perillyl alcohol, RS-[1-<sup>3</sup>H]</b> M.W. 152.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0751-50</b> μCi / 1.85 MBq <b>ART 0751-250</b> μCi / 9.25 MBq	184,000 365,000
<b>PHA 665752 "cold"</b>		Solid	<b>ARCD 0735- 5 mg</b>	43,000
<b>Phenacetin [O-ethyl-<sup>14</sup>C]</b> <chem>CH3CONHC6H4OCH2CH3</chem> M.W. 179.22 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1810-50</b> μCi / 1.85 MBq <b>ARC 1810-250</b> μCi / 9.25 MBq	163,000 484,000
<b>Phenacetin [methyl-<sup>14</sup>C]</b> <chem>CH3CONHC6H4OC2H5</chem> M.W. 179.22 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3391-50</b> μCi / 1.85 MBq	302,000
<b>Phenacetin [ring-<sup>14</sup>C(U)]</b> <chem>CH3CONHC6H4OC2H5</chem> M.W. 179.22 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1115-50</b> μCi / 1.85 MBq <b>ARC 1115-250</b> μCi / 9.25 MBq	247,000 419,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Phenacetin [<sup>3</sup>H(G)]</b> CH <sub>3</sub> CONHC <sub>6</sub> H <sub>4</sub> OCH <sub>2</sub> CH <sub>3</sub> M.W. 179.22 <i>Exclusive</i>	30-40 Ci/mmol 1.11-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2044-50</b> μCi / 1.85 MBq	219,000
<b>3-Phenacyluridine [5-<sup>3</sup>H]</b> C <sub>17</sub> H <sub>18</sub> N <sub>2</sub> O <sub>7</sub> M.W. 362.33 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1977</b>	Inquire
<b>2-Phenylacetophenone [benzene-<sup>14</sup>C(U)]</b> See Deoxybenzoin [benzene- <sup>14</sup> C(U)]			<b>ARC 1056</b>	
<b>Phenanthrene [9-<sup>14</sup>C]</b> C <sub>14</sub> H <sub>10</sub> M.W. 178.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0867-100</b> μCi / 3.7 MBq <b>ARC 0867-250</b> μCi / 9.25 MBq	Inquire Inquire
<b>Phenanthrene [ring-<sup>14</sup>C(U), 9-<sup>14</sup>C]</b> C <sub>14</sub> H <sub>10</sub> M.W. 178.2 <i>Exclusive</i>	10-20 mCi/mmol 370-740 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0879-50</b> μCi / 1.85 MBq	524,000
<b>Phenanthrene [9-<sup>3</sup>H]</b> C <sub>14</sub> H <sub>10</sub> M.W. 178.22 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1157-250</b> μCi / 9.25 MBq <b>ART 1157-1</b> mCi / 37 MBq	170,000 339,000
<b>1,10-Phenanthroline [<sup>3</sup>H(G)]</b> C <sub>12</sub> H <sub>8</sub> N <sub>2</sub> M.W. 180.21 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2088-50</b> μCi / 1.85 MBq	419,000
<b>Phenazopyridine [phenyl ring-<sup>14</sup>C(U)]</b> C <sub>11</sub> H <sub>11</sub> N <sub>5</sub> M.W. 312.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3517</b>	Inquire
<b>Phenazopyridine [2,6-pyridine-<sup>14</sup>C]</b> C <sub>11</sub> H <sub>11</sub> N <sub>5</sub> M.W. 312.2 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3516</b>	Inquire
<b>Phenazopyridine [2,6-pyridine-<sup>14</sup>C, phenyl ring-<sup>14</sup>C(U)]</b> C <sub>11</sub> H <sub>11</sub> N <sub>5</sub> M.W. 312.2 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3518</b>	Inquire
<b>Phenol [<sup>14</sup>C(U)] 劇</b> C <sub>6</sub> H <sub>5</sub> OH M.W. 94.1 <i>Exclusive</i>	2-10 mCi/mmol 74-370 MBq/mmol	Solid	<b>ARC 0202-50</b> μCi / 1.85 MBq <b>ARC 0202-250</b> μCi / 9.25 MBq	104,000 275,000

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Phenol [<sup>14</sup>C(U)] 劇</b> C <sub>6</sub> H <sub>5</sub> OH M.W. 94.1 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Solid	<b>ARC 0202A-50</b> μCi / 1.85 MBq <b>ARC 0202A-250</b> μCi / 9.25 MBq	104,000 275,000
<b>Phenol [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> OH M.W. 94.1 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0202B-50</b> μCi / 1.85 MBq <b>ARC 0202B-250</b> μCi / 9.25 MBq	104,000 275,000
<b>Phenol [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> OH M.W. 94.1 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Sterile water 0.5 mCi/ml	<b>ARC 0202C-50</b> μCi / 1.85 MBq <b>ARC 0202C-250</b> μCi / 9.25 MBq	104,000 282,000
<b>Phenol [ring-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> OH M.W. 94.1 <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0366-250</b> μCi / 9.25 MBq <b>ART 0366-1</b> mCi / 37 MBq	176,000 318,000
<b>4-Phenoxyphenol [phenol rings-<sup>14</sup>C(U)] (Hydroquinone monophenyl ether)</b> C <sub>6</sub> H <sub>5</sub> OC <sub>6</sub> H <sub>4</sub> OH M.W. 186.21 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3207-10</b> μCi / 370 kBq <b>ARC 3207-50</b> μCi / 1.85 MBq	149,000 265,000
<b>Phenylacetic acid [1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CO <sub>2</sub> H M.W. 136.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0214-250</b> μCi / 9.25 MBq <b>ARC 0214-1</b> mCi / 37 MBq	128,000 296,000
<b>Phenylacetic acid [1,2-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CO <sub>2</sub> H M.W. 136.1 <i>Exclusive</i>	100-200 mCi/mmol 3.7-7.4 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0599-250</b> μCi / 9.25 MBq <b>ARC 0599-1</b> mCi / 37 MBq	132,000 279,000
<b>Phenylacetic acid [methylene-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CO <sub>2</sub> H M.W. 136.1 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0347-1</b> mCi / 37 MBq	212,000
<b>Phenylacetic acid [ring-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CO <sub>2</sub> H M.W. 136.1 <i>Exclusive</i>	45-60 Ci/mmol 1.665-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1737-1</b> mCi / 37 MBq	219,000
<b>Phenylalanine, D-[1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 165.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1116-50</b> μCi / 1.85 MBq	198,000
<b>Phenylalanine, L-[1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 165.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0212-50</b> μCi / 1.85 MBq <b>ARC 0212-250</b> μCi / 9.25 MBq	107,000 253,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Phenylalanine, D-[<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 165.2 <i>Exclusive</i>	100-200 mCi/mmol 3.7-7.4 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 1619-50</b> μCi / 1.85 MBq <b>ARC 1619-250</b> μCi / 9.25 MBq	107,000 295,000
<b>Phenylalanine, L-[<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 165.2	100-200 mCi/mmol 3.7-7.4 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0675-50</b> μCi / 1.85 MBq <b>ARC 0675-250</b> μCi / 9.25 MBq	82,000 257,000
<b>Phenylalanine, D-[3,4,5-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 165.2 <i>Exclusive</i>	80-100 Ci/mmol 2.96-3.7 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 1300-250</b> μCi / 9.25 MBq <b>ART 1300-1</b> mCi / 37 MBq	156,000 282,000
<b>Phenylalanine, L-[2,3,4,5,6-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 165.2	100-140 Ci/mmol 3.7-5.18 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 1546-250</b> μCi / 9.25 MBq <b>ART 1546-1</b> mCi / 37 MBq <b>ART 1546-5</b> mCi / 185 MBq	70,000 107,000 419,000
<b>Phenylalanine, L-[3,4,5-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 165.2 <i>Exclusive</i>	80-100 Ci/mmol 2.96-3.7 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0614-250</b> μCi / 9.25 MBq <b>ART 0614-1</b> mCi / 37 MBq <b>ART 0614-5</b> mCi / 185 MBq	63,000 99,000 171,000
<b>Phenylalanine, L-[4-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 165.2 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0411-250</b> μCi / 9.25 MBq <b>ART 0411-1</b> mCi / 37 MBq <b>ART 0411-5</b> mCi / 185 MBq	50,000 90,000 156,000
<b>Phenylalanine, L-[ring-2,4-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 165.2 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0823-250</b> μCi / 9.25 MBq <b>ART 0823-1</b> mCi / 37 MBq	62,000 93,000
<b>D-Phenylalanine L-alanine [2,3-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CONHCH(CH <sub>3</sub> )CO <sub>2</sub> H M.W. 236.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0694-50</b> μCi / 1.85 MBq <b>ART 0694-250</b> μCi / 9.25 MBq	177,000 381,000
<b>Phenylalanine, L-[1-<sup>14</sup>C]</b> <b>ethyl ester hydrochloride</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOC <sub>2</sub> H <sub>5</sub> ·HCl M.W. 229.71 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0751-50</b> μCi / 1.85 MBq <b>ARC 0751-250</b> μCi / 9.25 MBq	128,000 395,000
<b>D-Phenylalanine L-glutamic acid [<sup>14</sup>C(U)]</b> M.W. 358.71 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	200-300 mCi/mmol 7.4-11.1 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 1051-50</b> μCi / 1.85 MBq	419,000
<b>4-Phenyl α-D-aminopentanoic acid [1-<sup>14</sup>C]</b> <b>(D-2-Amino-5-phenylpentanoic acid)</b> C <sub>11</sub> H <sub>15</sub> NO <sub>2</sub> M.W. 193.24 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3546-50</b> μCi / 1.85 MBq	219,000

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>4-Phenyl <math>\alpha</math>-L-aminopentanoic acid [1-<sup>14</sup>C] (L-2-Amino-5-phenylpentanoic acid)</b> C <sub>11</sub> H <sub>15</sub> NO <sub>2</sub> M.W. 193.24 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3547-50</b> $\mu$ Ci / 1.85 MBq	219,000
<b>4-Phenylbutyric acid [1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> (CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H M.W. 164.20 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1111-250</b> $\mu$ Ci / 9.25 MBq <b>ARC 1111-1</b> mCi / 37 MBq	240,000 365,000
<b>Phenyl chloroformate [carbonyl-<sup>14</sup>C]</b> ClCOOC <sub>6</sub> H <sub>5</sub> M.W. 156.57 <i>Exclusive</i>	20-60 mCi/mmol 0.74-2.22 GBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ARC 3030-250</b> $\mu$ Ci / 9.25 MBq	377,000
<b>1,2-Phenylene diamine [1<sup>4</sup>C(U)] 劇</b> 1,2-C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> ) <sub>2</sub> M.W. 108.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1811-50</b> $\mu$ Ci / 1.85 MBq	282,000
<b>1,4-Phenylene diamine [ring-<sup>14</sup>C(U)] 劇 dihydrochloride</b> 1,4-C <sub>6</sub> H <sub>4</sub> (NH <sub>2</sub> ) <sub>2</sub> 2HCl M.W. 181.06 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1501-50</b> $\mu$ Ci / 1.85 MBq	306,000
<b>2-Phenylethanol [ethanol 2-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> OH M.W. 122.16 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Chloroform: methanol (2:1) 1 mCi/ml	<b>ART 1395-250</b> $\mu$ Ci / 9.25 MBq <b>ART 1395-1</b> mCi / 37 MBq	254,000 484,000
<b>Phenylethylamine, <math>\beta</math>-[ethyl-1-<sup>14</sup>C] hydrochloride</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 157.7	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0249-50</b> $\mu$ Ci / 1.85 MBq <b>ARC 0249-250</b> $\mu$ Ci / 9.25 MBq	107,000 Inquire
<b>Phenylethylamine, <math>\beta</math>-[ethyl-1-<sup>14</sup>C] hydrochloride</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 157.7	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0249A-50</b> $\mu$ Ci / 1.85 MBq <b>ARC 0249A-250</b> $\mu$ Ci / 9.25 MBq	107,000 Inquire
<b>2-Phenylethylbromide [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> Br M.W. 185.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1387-50</b> $\mu$ Ci / 1.85 MBq	212,000
<b>Phenethylhydrazine [ring-<sup>3</sup>H] hydrochloride</b> C <sub>8</sub> H <sub>12</sub> N <sub>2</sub> ·HCl M.W. 172.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 2022-50</b> $\mu$ Ci / 1.85 MBq	229,000
<b>N-(2-Phenylethyl)-indomethacinamide [3H(G)]</b> C <sub>27</sub> H <sub>25</sub> N <sub>2</sub> O <sub>3</sub> Cl M.W. 461 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1461-50</b> $\mu$ Ci / 1.85 MBq	Inquire



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2-Phenylethyl isothiocyanate [1-<sup>14</sup>C]</b> C <sub>9</sub> H <sub>9</sub> NS M.W. 163.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	<i>n</i> -Pentane in sealed ampoule 0.1 mCi/ml	<b>ARC 1826-50</b> μCi / 1.85 MBq	170,000
<b>Phenylglycine, D-[1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 151.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1002-50</b> μCi / 1.85 MBq	296,000
<b>Phenylglycine, DL-[1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 151.17	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1004-50</b> μCi / 1.85 MBq <b>ARC 1004-250</b> μCi / 9.25 MBq	79,000 195,000
<b>Phenylglycine, L-[1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 151.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1003-50</b> μCi / 1.85 MBq <b>ARC 1003-250</b> μCi / 9.25 MBq	142,000 339,000
<b>Phenylglycine, D-[2-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 151.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3132-50</b> μCi / 1.85 MBq <b>ARC 3132-250</b> μCi / 9.25 MBq	209,000 419,000
<b>Phenylglycine, L-[2-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 151.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3136-50</b> μCi / 1.85 MBq <b>ARC 3136-250</b> μCi / 9.25 MBq	170,000 365,000
<b>Phenylglycine, L-[2-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 151.17 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 2105-50</b> μCi / 1.85 MBq	209,000
<b>Phenylglycine, L-[2-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 151.17 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 2106-250</b> μCi / 9.25 MBq	Inquire
<b>Phenylglycine, D-[1-<sup>14</sup>C] methyl ester hydrochloride</b> C <sub>6</sub> H <sub>5</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> CH <sub>3</sub> ·HCl M.W. 201.66 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1245-50</b> μCi / 1.85 MBq <b>ARC 1245-250</b> μCi / 9.25 MBq	184,000 381,000
<b>Phenylglycine, L-[1-<sup>14</sup>C] methyl ester hydrochloride</b> C <sub>6</sub> H <sub>5</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> CH <sub>3</sub> ·HCl M.W. 151.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1542-50</b> μCi / 1.85 MBq <b>ARC 1542-250</b> μCi / 9.25 MBq	184,000 381,000
<b>Phenylguanidine bicarbonate [<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> NHC(NH <sub>2</sub> )=NHHCO <sub>3</sub> M.W. 196.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1043-50</b> μCi / 1.85 MBq <b>ARC 1043-250</b> μCi / 9.25 MBq	198,000 479,000

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Phenylhydrazine [ring-<sup>14</sup>C(U)] hydrochloride</b> C <sub>6</sub> H <sub>5</sub> NHNH <sub>2</sub> ·HCl M.W. 144.61 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1338-250</b> μCi / 9.25 MBq	205,000
<b>Phenylhydrazine [ring-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> NHNH <sub>2</sub> M.W. 108.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2031-50</b> μCi / 1.85 MBq	219,000
<b>Phenylpiperidine, 4-[phenyl-<sup>14</sup>C(U)]</b> M.W. 161.25 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1364-50</b> μCi / 1.85 MBq	198,000
<b>Phenylpiperazine [ring-<sup>14</sup>C(U)] hydrochloride</b> C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> ·HCl M.W. 198.69 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-80 mCi/mmol 1.11-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3017-50</b> μCi / 1.85 MBq	234,000
<b>2-Phenyl propionic acid [1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH(CH <sub>3</sub> )CO <sub>2</sub> H M.W. 150.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1461-50</b> μCi / 1.85 MBq	254,000
<b>3-Phenyl propionic acid [1-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH <sub>2</sub> CO <sub>2</sub> H M.W. 150.18 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1451-50</b> μCi / 1.85 MBq	198,000
<b>Phenyltrimethylammonium chloride [methyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> (CH <sub>3</sub> ) <sub>3</sub> Cl M.W. 171.67 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1677-50</b> μCi / 1.85 MBq <b>ARC 1677-250</b> μCi / 9.25 MBq	170,000 299,000
<b>Phloridzin [<sup>3</sup>H(G)] (Phlorizin)</b> C <sub>21</sub> H <sub>24</sub> O <sub>10</sub> M.W. 436.42 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-25 Ci/mmol 0.37-0.925 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1524-250</b> μCi / 9.25 MBq	226,000
<b>Phorate "cold"</b> C <sub>7</sub> H <sub>17</sub> O <sub>2</sub> PS <sub>3</sub> M.W. 260.38 CAS # 298-02-2 <i>NEW!-Exclusive</i>		Neat liquid in sealed ampoule	<b>ARCD 1028-100</b> mg	146,000
<b>Phorate [methylene-<sup>14</sup>C]</b> C <sub>7</sub> H <sub>17</sub> O <sub>2</sub> PS <sub>3</sub> M.W. 260.38 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3759-50</b> μCi / 1.85 MBq	443,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Phorbol-12,13-diacetate [20-<sup>3</sup>H(N)] (PDA)</b> M.W. 448.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Acetone under argon 1 mCi/ml	<b>ART 0487-50</b> μCi / 1.85 MBq <b>ART 0487-250</b> μCi / 9.25 MBq	107,000 226,000
<b>Phorbol-12,13-dibutyrate [20-<sup>3</sup>H(N)] (PDBu)</b> M.W. 504.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Acetone under argon 1 mCi/ml	<b>ART 0485-50</b> μCi / 1.85 MBq <b>ART 0485-250</b> μCi / 9.25 MBq	107,000 226,000
<b>Phorbol-12-myristate-13-acetate [20-<sup>3</sup>H(N)] (PMA)</b> M.W. 616.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Acetone under argon 1 mCi/ml	<b>ART 0486-50</b> μCi / 1.85 MBq <b>ART 0486-250</b> μCi / 9.25 MBq	107,000 226,000
<b>Phosgene [<sup>14</sup>C] 劇</b> <b>COCl<sub>2</sub></b> M.W. 98.92 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in break seal 1 mCi/ml	<b>ARC 0565-1</b> mCi / 37 MBq <b>ARC 0565-10</b> mCi / 370 MBq	479,000 Inquire
<b>Phosphatidic acid, L-α-[<sup>33</sup>P]</b> <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	3000 Ci/mmol 111 TBq/mmol	Chloroform:methanol: acetic acid:water (80:20:6:2) 0.1 mCi/ml	<b>ARP 0184-10</b> μCi / 370 kBq <b>ARP 0184-50</b> μCi / 1.85 MBq	681,000 Inquire
<b>Phosphatidic acid, L-α-diarachidonyl [2-arachidonyl-1-<sup>14</sup>C] sodium salt</b> M.W. 766.97 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Chloroform:methanol: acetic acid:water (80:20:6:2) 0.1 mCi/ml	<b>ARC 3814-10</b> μCi / 370 kBq	419,000
<b>Phosphatidic acid, L-α-diarachidonyl [2-arachidonyl-5,6,8,9,11,12,14,15-<sup>3</sup>H] sodium salt</b> M.W. 766.97 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Chloroform:methanol: acetic acid:water (80:20:6:2) 1 mCi/ml	<b>ART 2171-50</b> μCi / 1.85 MBq	419,000
<b>Phosphatidic acid, L-α-dilauroyl [2-lauroyl-1-<sup>14</sup>C] sodium salt</b> M.W. 725.98 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Chloroform:methanol: acetic acid:water (80:20:6:2) 0.1 mCi/ml	<b>ARC 3812-10</b> μCi / 370 kBq	419,000
<b>Phosphatidic acid, L-α-dilauroyl [2-lauroyl-11,12-<sup>3</sup>H] sodium salt</b> M.W. 557.65 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Chloroform:methanol: acetic acid:water (80:20:6:2) 1 mCi/ml	<b>ART 2169-50</b> μCi / 1.85 MBq	419,000
<b>Phosphatidic acid, L-α-dioleoyl [2-oleoyl-1-<sup>14</sup>C]</b> M.W. 701.0 (free acid) <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Chloroform:methanol: acetic acid:water (80:20:6:2) 0.1 mCi/ml	<b>ARC 1303-10</b> μCi / 370 kBq	239,000

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Phosphatidic acid, L-<math>\alpha</math>-dioleoyl [2-oleoyl-9,10-<math>^3</math>H]</b> M.W. 701.0 (free acid) <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Chloroform:methanol: acetic acid:water (80:20:6:2) 1 mCi/ml	<b>ART 2062-50</b> $\mu$ Ci / 1.85 MBq	314,000
<b>Phosphatidic acid, L-<math>\alpha</math>-dipalmitoyl [glycerol-<math>^{14}</math>C(U)]</b> M.W. 669.9 <i>Shipped in Dry Ice</i>	50-100 mCi/mmol 1.85-2.22 GBq/mmol	Chloroform:methanol: acetic acid:water (80:20:6:2) 0.05 mCi/ml	<b>ARC 3077-5</b> $\mu$ Ci / 185 kBq	249,000
<b>Phosphatidic acid, L-<math>\alpha</math>-dipalmitoyl [2-palmitoyl-1-<math>^{14}</math>C]</b> M.W. 669.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Chloroform:methanol: acetic acid:water (80:20:6:2) 0.1 mCi/ml	<b>ARC 1574-10</b> $\mu$ Ci / 370 kBq	184,000
<b>Phosphatidic acid, L-<math>\alpha</math>-dipalmitoyl [2-palmitoyl-9,10-<math>^3</math>H]</b> M.W. 669.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Chloroform:methanol: acetic acid:water (80:20:6:2) 0.1 mCi/ml	<b>ART 2063-50</b> $\mu$ Ci / 1.85 MBq	314,000
<b>Phosphatidic acid, L-<math>\alpha</math>-distearoyl [2-stearoyl-1-<math>^{14}</math>C] sodium salt</b> M.W. 728.98 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Chloroform:methanol: acetic acid:water (80:20:6:2) 0.1 mCi/ml	<b>ARC 3813-10</b> $\mu$ Ci / 370 kBq	419,000
<b>Phosphatidic acid, L-<math>\alpha</math>-distearoyl [2-stearoyl-9,10-<math>^3</math>H] sodium salt</b> M.W. 725.98 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Chloroform:methanol: acetic acid:water (80:20:6:2) 1 mCi/ml	<b>ART 2170-50</b> $\mu$ Ci / 1.85 MBq	419,000
<b>P Phosphatidylcholine, L-<math>\alpha</math>-1-arachidonyl- 2-erucoyl [erucoyl 1-<math>^{14}</math>C]</b> M.W. 892.37 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 1757-10</b> $\mu$ Ci / 370 kBq	254,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-arachidonyl- 2-stearoyl [arachidonyl-5,6,8,9,11,12,14,15-<math>^3</math>H(N)]</b> M.W. 810.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ART 1705-10</b> $\mu$ Ci / 370 kBq <b>ART 1705-50</b> $\mu$ Ci / 1.85 MBq	261,000 649,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-arachidonyl- 2-stearoyl [stearoyl-9,10-<math>^3</math>H]</b> M.W. 810.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ART 1699-10</b> $\mu$ Ci / 370 kBq <b>ART 1699-50</b> $\mu$ Ci / 1.85 MBq	195,000 479,000
<b>1,2-Phosphatidylcholine, L-<math>\alpha</math>-diarachidonyl [diarachidonyl-1-<math>^{14}</math>C]</b> M.W. 830.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 1089A-10</b> $\mu$ Ci / 370 kBq <b>ARC 1089A-50</b> $\mu$ Ci / 1.85 MBq	221,000 584,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Phosphatidylcholine, L-<math>\alpha</math>-1,2-didocosahexaenoyl [1-<math>^{14}</math>C]</b> M.W. 878.17 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol:toluene (1:1) 0.05 mCi/ml	<b>ARC 3763-5</b> $\mu$ Ci / 185 kBq	419,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-dilauroyl [2-lauroyl-<math>^{11}</math>,12-<math>^3</math>H]</b> $C_{32}H_{64}NO_8P$ M.W. 621.89 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:toluene (1:1) under argon 1 mCi/ml	<b>ART 1921-50</b> $\mu$ Ci / 1.85 MBq	209,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-dimyristoyl [choline methyl-<math>^{14}</math>C]</b> M.W. 677.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 1464-10</b> $\mu$ Ci / 370 kBq	206,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-dimyristoyl [choline methyl-<math>^3</math>H]</b> M.W. 677.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:toluene (1:1) under argon 1 mCi/ml	<b>ART 0779-50</b> $\mu$ Ci / 1.85 MBq	164,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-dimyristoyl [2-myristoyl-1-<math>^{14}</math>C]</b> M.W. 677.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 3119-10</b> $\mu$ Ci / 370 kBq <b>ARC 3119-50</b> $\mu$ Ci / 1.85 MBq	156,000 506,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-dioleoyl [dioleoyl-1-<math>^{14}</math>C]</b> M.W. 786.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 0850-10</b> $\mu$ Ci / 370 kBq <b>ARC 0850-50</b> $\mu$ Ci / 1.85 MBq	142,000 398,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-dioleoyl [2-oleoyl-1-<math>^{14}</math>C]</b> M.W. 786.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 3637-10</b> $\mu$ Ci / 370 kBq <b>ARC 3637-50</b> $\mu$ Ci / 1.85 MBq	209,000 629,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-dioleoyl [oleoyl-9,10-<math>^3</math>H]</b> M.W. 786.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:toluene (1:1) under argon 1 mCi/ml	<b>ART 2011- 50</b> $\mu$ Ci / 1.85 MBq	272,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-dipalmitoyl [choline methyl-<math>^{14}</math>C]</b> M.W. 734.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 0376-10</b> $\mu$ Ci / 370 kBq <b>ARC 0376-50</b> $\mu$ Ci / 1.85 MBq	191,000 503,000

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Phosphatidylcholine, L-<math>\alpha</math>-dipalmitoyl [choline methyl-<math>^3\text{H}</math>]</b> M.W. 734.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:toluene (1:1) under argon 1 mCi/ml	<b>ART 0284-250</b> $\mu\text{Ci}$ / 9.25 MBq <b>ART 0284-1</b> mCi / 37 MBq	179,000 419,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-dipalmitoyl [choline methyl-<math>^3\text{H}</math>]</b> M.W. 734.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Solid	<b>ART 0284A-250</b> $\mu\text{Ci}$ / 9.25 MBq <b>ART 0284A-1</b> mCi / 37 MBq	179,000 419,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-dipalmitoyl [dipalmitoyl-<math>^{14}\text{C}</math>]</b> M.W. 734.0 <i>Shipped in Dry Ice</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 0657-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 0657-50</b> $\mu\text{Ci}$ / 1.85 MBq	149,000 381,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-dipalmitoyl [dipalmitoyl-<math>^9,^{10}\text{-}^3\text{H}</math>]</b> M.W. 734.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-120 Ci/mmol 2.96-4.44 TBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ART 1810-50</b> $\mu\text{Ci}$ / 1.85 MBq	209,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-dipalmitoyl [1-palmitoyl-<math>^{14}\text{C}</math>]</b> M.W. 734.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.05 mCi/ml	<b>ARC 3511-50</b> $\mu\text{Ci}$ / 1.85 MBq	608,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-dipalmitoyl [2-palmitoyl-<math>^{14}\text{C}</math>]</b> M.W. 734.0 <i>Shipped in Dry Ice</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 0715-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 0715-50</b> $\mu\text{Ci}$ / 1.85 MBq	131,000 314,000
<b>P Phosphatidylcholine, L-<math>\alpha</math>-dipalmitoyl [2-palmitoyl-<math>^9,^{10}\text{-}^3\text{H}</math>(N)]</b> M.W. 734.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:toluene (1:1) under argon 1 mCi/ml	<b>ART 0532-250</b> $\mu\text{Ci}$ / 9.25 MBq	198,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-distearoyl [2-stearoyl-<math>^{14}\text{C}</math>]</b> M.W. 790.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 3121-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 3121-50</b> $\mu\text{Ci}$ / 1.85 MBq	142,000 365,000
<b>Phosphatidylcholine, 1,2-distearoyl [<math>^9,^{10}\text{-}^3\text{H}</math>]</b> M.W. 790.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:toluene (1:1) under argon 1 mCi/ml	<b>ART 1277-250</b> $\mu\text{Ci}$ / 9.25 MBq	219,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-1,2-dierucoyl [erucoyl-<math>^{14}\text{C}</math>]</b> M.W. 898.37 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 1759-10</b> $\mu\text{Ci}$ / 370 kBq	282,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-hexadecyl-2-arachidonoyl [5,6,8,9,11,12,14,15-<math>^3\text{H}(\text{N})</math>]</b> M.W. 768.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-180 Ci/mmol 2.22-6.66 TBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ART 0533-10</b> $\mu\text{Ci}$ / 370 kBq	184,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-oleoyl-2-linolenoyl [linolenic-1-<math>^{14}\text{C}</math>]</b> M.W. 782.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 3688-50</b> $\mu\text{Ci}$ / 1.85 MBq	439,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-oleoyl-2-ricinoleoyl [ricinoleic-1-<math>^{14}\text{C}</math>]</b> M.W. 802.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 3687-50</b> $\mu\text{Ci}$ / 1.85 MBq	545,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-palmitoyl-2-arachidonoyl [arachidonoyl-1-<math>^{14}\text{C}</math>]</b> M.W. 782.1 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 0852-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 0852-50</b> $\mu\text{Ci}$ / 1.85 MBq	166,000 471,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-palmitoyl-2-erucoyl [erucoyl-1-<math>^{14}\text{C}</math>]</b> M.W. 816.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 1433-50</b> $\mu\text{Ci}$ / 1.85 MBq	218,000
<b>Phosphatidylcholine, L-1-<math>\alpha</math>-palmitoyl-2-lignoceryl [lignoceryl-1-<math>^{14}\text{C}</math>]</b> M.W. 846.19 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 1554-10</b> $\mu\text{Ci}$ / 370 kBq	226,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-palmitoyl-2-linoleoyl [linoleoyl-1-<math>^{14}\text{C}</math>]</b> M.W. 758.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 0853-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 0853-50</b> $\mu\text{Ci}$ / 1.85 MBq	184,000 506,000
<b>Phosphatidylcholine, L-1-<math>\alpha</math>-palmitoyl-2-linoleoyl [methyl-<math>^{14}\text{C}</math>]</b> M.W. 758.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 1553-50</b> $\mu\text{Ci}$ / 1.85 MBq	365,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-palmitoyl-2-linoleoyl [palmitoyl-1-<math>^{14}\text{C}</math>]</b> M.W. 758.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.05 mCi/ml	<b>ARC 3561-50</b> $\mu\text{Ci}$ / 1.85 MBq	608,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-palmitoyl-2-myristoyl [myristoyl-1-<math>^{14}\text{C}</math>]</b> M.W. 758.0 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 1604-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 1604-50</b> $\mu\text{Ci}$ / 1.85 MBq	212,000 506,000

P





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-palmitoyl-2-oleoyl [oleoyl-1-<math>^{14}\text{C}</math>]</b> M.W. 760.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 0854-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 0854-50</b> $\mu\text{Ci}$ / 1.85 MBq	156,000 471,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-palmitoyl-2-stearoyl [stearoyl 9,10-<math>^3\text{H}</math>]</b> M.W. 762.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:toluene (1:1) under argon 1 mCi/ml	<b>ART 1276-50</b> $\mu\text{Ci}$ / 1.85 MBq <b>ART 1276-250</b> $\mu\text{Ci}$ / 9.25 MBq	121,000 218,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-stearoyl-2-arachidonyl [arachidonyl-1-<math>^{14}\text{C}</math>]</b> M.W. 810.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol:toluene (1:1) under argon 0.1 mCi/ml	<b>ARC 3306-10</b> $\mu\text{Ci}$ / 370 kBq	335,000
<b>Phosphatidylcholine, L-<math>\alpha</math>-1-stearoyl-2-arachidonyl [arachidonyl-5,6,8,9,11,12,14,15-<math>^3\text{H}</math>(N)]</b> M.W. 810.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 Ci/mmol 3.7-4.44 TBq/mmol	Ethanol:toluene (1:1): under argon 0.1 mCi/ml	<b>ART 1379-10</b> $\mu\text{Ci}$ / 370 kBq	254,000
<b>Phosphatidylethanolamine [dioleoyl-9,10-<math>^3\text{H}</math>]</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 1854-50</b> $\mu\text{Ci}$ / 1.85 MBq	393,000
<b>L-3-Phosphatidylethanolamine, 1-acyl-2-arachidonyl [arachidonyl-1-<math>^{14}\text{C}</math>]</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 3070-10</b> $\mu\text{Ci}$ / 370 kBq	307,000
<b>Phosphatidylethanolamine, N-arachidonyl [arachidonyl-1-<math>^{14}\text{C}</math>]</b> M.W. 1048.54 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 1816-10</b> $\mu\text{Ci}$ / 370 kBq <b>ARC 1816-50</b> $\mu\text{Ci}$ / 1.85 MBq	282,000 715,000
<b>Phosphatidylethanolamine-N-arachidonyl [arachidonyl-5,6,8,9,11,12,14,15-<math>^3\text{H}</math>(N)]</b> M.W. 995.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	150-250 Ci/mmol 5.55-9.25 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 0621-50</b> $\mu\text{Ci}$ / 1.85 MBq	408,000
<b>L-3-Phosphatidyl [2-<math>^{14}\text{C}</math>] ethanolamine 1,2-dioleoyl</b> M.W. 744 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 3079-10</b> $\mu\text{Ci}$ / 370 kBq	362,000
<b>Phosphatidylethanolamine, 2-hexadecyl [2-hexadecyl-9,10-<math>^3\text{H}</math>]</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 1943</b>	Inquire



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Phosphatidylethanolamine, L-<math>\alpha</math>-1-palmitoyl-2-arachidonyl [arachidonyl-1-<math>^{14}\text{C}</math>]</b> M.W. 782.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol	Ethanol:water (1:1)	<b>ARC 0855-10</b> $\mu\text{Ci}$ / 370 kBq	175,000
	1.85-2.22 GBq/mmol	0.1 mCi/ml	<b>ARC 0855-25</b> $\mu\text{Ci}$ / 925 kBq	321,000
<b>L-3-Phosphatidylethanolamine, 1-palmitoyl-2-linoleoyl [linoleoyl-1-<math>^{14}\text{C}</math>]</b> M.W. 716 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol	Ethanol:toluene (1:1)	<b>ARC 3078-5</b> $\mu\text{Ci}$ / 185 kBq	202,000
	1.85-2.22 GBq/mmol	0.05 mCi/ml	<b>ARC 3078-10</b> $\mu\text{Ci}$ / 370 kBq	344,000
<b>Phosphatidylglycerol, 1-palmitoyl-2-stearoyl-[9,10-<math>^3\text{H}</math>]</b> M.W. 772.99 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol	Ethanol:toluene (1:1)	<b>ART 1637-10</b> $\mu\text{Ci}$ / 370 kBq	314,000
	1.85-2.22 TBq/mmol	0.1 mCi/ml	<b>ART 1637-50</b> $\mu\text{Ci}$ / 1.85 MBq	573,000
<b>Phosphatidylinositol, 4,5-bisphosphate ammonium salt "cold" (PIP<sub>2</sub>)</b> M.W. 1098.2 <i>Shipped in Dry Ice</i>		Chloroform:ethanol: water (20:10:1) in sealed ampoule	<b>ARCD 0131-1</b> mg	96,000
<b>Phosphatidylserine, L-<math>\alpha</math>-dioleoyl [oleoyl-1-<math>^{14}\text{C}</math>]</b>  <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol	Ethanol:toluene (1:1)	<b>ARC 3635-10</b> $\mu\text{Ci}$ / 370 kBq	209,000
	1.85-2.22 GBq/mmol	0.1 mCi/ml	<b>ARC 3635-50</b> $\mu\text{Ci}$ / 1.85 MBq	629,000
<b>Phosphatidylserine, L-<math>\alpha</math>-dioleoyl [oleoyl-9,10-<math>^3\text{H}</math>]</b>  <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol	Ethanol:toluene(1:1)	<b>ART 2006-50</b> $\mu\text{Ci}$ / 1.85 MBq	419,000
	1.85-2.22 TBq/mmol	1 mCi/ml		
<b>3'-Phosphoadenosine 5'-phosphosulfate [<math>^{35}\text{S}</math>] (PAPS)</b> M.W. 507.3 <i>Shipped in Dry Ice</i>	1-3 Ci/mmol	Ethanol:water (1:1)	<b>ARS 0121-100</b> $\mu\text{Ci}$ / 3.7 MBq	Inquire
	37-111 GBq/mmol	1 mCi/ml	<b>ARS 0121-250</b> $\mu\text{Ci}$ / 7.4 MBq	Inquire
<b>3'-Phosphoadenosine 5'-phosphosulfate lithium salt hydrate "cold" (PAPS)</b> M.W. 507.3 (free base) CAS # 109434-21-1 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>		Solid	<b>ARCD 1013-1</b> mg	55,000
<b>Phosphorus-32 as orthophosphoric acid H<sub>3</sub>PO<sub>4</sub></b>	Carrier free	0.02N HCl $\geq 50$ mCi/ml	<b>ARP 0103-2</b> mCi / 74 MBq	47,000
			<b>ARP 0103-5</b> mCi / 185 MBq	58,000
			<b>ARP 0103-10</b> mCi / 370 MBq	68,000
			<b>ARP 0103-25</b> mCi / 925 MBq	89,000

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Phosphorus-32 as orthophosphoric acid</b> H <sub>3</sub> PO <sub>4</sub>	Carrier free	HCl free water ≥50 mCi/ml	ARP 0103A-2 mCi / 74 MBq	47,000
			ARP 0103A-5 mCi / 185 MBq	58,000
			ARP 0103A-10 mCi / 370 MBq	68,000
			ARP 0103A-25 mCi / 925 MBq	89,000
<b>Phosphorus-32 as orthophosphoric acid</b> H <sub>3</sub> PO <sub>4</sub>	Carrier free	HCl free water 10 mCi/ml	ARP 0103B-2 mCi / 74 MBq	47,000
			ARP 0103B-5 mCi / 185 MBq	58,000
			ARP 0103B-10 mCi / 370 MBq	68,000
			ARP 0103B-25 mCi / 925 MBq	89,000
<b>Phosphorus-33 as orthophosphoric acid</b> H <sub>3</sub> PO <sub>4</sub>	3000 Ci/mmol 111 TBq/mmol	Sterile water 5 mCi/ml	ARP 0133-100 μCi / 3.7 MBq	62,000
			ARP 0133-500 μCi / 18.5 MBq	93,000
			ARP 0133-1 mCi / 37 MBq	114,000
			ARP 0133-5 mCi / 185 MBq	366,000
<b>Phosphorylase B [methyl-<sup>14</sup>C] methylated</b> M.W. 97 KD <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01M Sodium phosphate (pH 7.2) 0.01 mCi/ml	ARC 0432-1 μCi / 37 kBq	100,000
			ARC 0432-5 μCi / 185 kBq	239,000
<b>Phosphorylcholine [methyl-<sup>14</sup>C]</b> HO <sub>3</sub> POCH <sub>2</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>3</sub> M.W. 183.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	ARC 0465-50 μCi / 1.85 MBq	198,000
			ARC 0465-250 μCi / 9.25 MBq	506,000
<b>Phosphorylcholine [methyl-<sup>3</sup>H]</b> HO <sub>3</sub> POCH <sub>2</sub> CH <sub>2</sub> N[(CH <sub>3</sub> ) <sub>3</sub> ] M.W. 183.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	ART 0561-50 μCi / 1.85 MBq	155,000
			ART 0561-250 μCi / 9.25 MBq	387,000
<b>Phosphorylethanolamine [1,2-<sup>14</sup>C]</b> H <sub>2</sub> O <sub>3</sub> POCH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> M.W. 141.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	ARC 1104-10 μCi / 370 kBq	272,000
			ARC 1104-50 μCi / 1.85 MBq	554,000
<b>Phosphorylethanolamine [1-<sup>3</sup>H]</b> H <sub>2</sub> O <sub>3</sub> POCH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> M.W. 141.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	ART 0499-50 μCi / 1.85 MBq	395,000
<b>O-Phospho-L-serine [1-<sup>14</sup>C]</b> C <sub>3</sub> H <sub>8</sub> NO <sub>6</sub> P M.W. 185.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 TBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	ARC 1786-50 μCi / 1.85 MBq	279,000
<b>Phosphingosine, D-erythro [3-<sup>3</sup>H]</b> M.W. 363.52 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	ART 2048-50 μCi / 1.85 MBq	356,000
			ART 2048-250 μCi / 9.25 MBq	671,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Phosphingosine, L-threo [3-<sup>3</sup>H]</b> M.W. 363.52 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2049-50</b> μCi / 1.85 MBq <b>ART 2049-250</b> μCi / 9.25 MBq	356,000 671,000
<b>Phthalaldehyde [ring-<sup>14</sup>C(U)]</b> See Phthalic dicarboxaldehyde [ring- <sup>14</sup> C(U)]			<b>ARC 1415</b>	
<b>Phthalic acid [carboxyl-<sup>14</sup>C]</b> <chem>C6H4-1,2-(COOH)2</chem> M.W. 166.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1057-50</b> μCi / 1.85 MBq <b>ARC 1057-250</b> μCi / 9.25 MBq <b>ARC 1057-1</b> mCi / 37 MBq	135,000 218,000 395,000
<b>Phthalic acid [ring-<sup>14</sup>C(U)]</b> <chem>C6H4-1,2-(COOH)2</chem> M.W. 166.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0823-50</b> μCi / 1.85 MBq <b>ARC 0823-250</b> μCi / 9.25 MBq	218,000 506,000
<b>Phthalic acid [2,3,4,5-<sup>3</sup>H]</b> <chem>C6H4-1,2-(COOH)2</chem> M.W. 166.1 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0445-1</b> mCi / 37 MBq <b>ART 0445-5</b> mCi / 185 MBq	198,000 339,000
<b>Phthalic acid [ring-<sup>14</sup>C(U)] dibutyl ester</b> M.W. 278.34 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3101-50</b> μCi / 1.85 MBq	226,000
<b>Phthalic anhydride [2,3,4,5-<sup>3</sup>H]</b> M.W. 148.12 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Methylene chloride in sealed ampoule 1 mCi/ml	<b>ART 0444-1</b> mCi / 37 MBq	353,000
<b>Phthalic anhydride [carbonyl-<sup>14</sup>C]</b> M.W. 148.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride in sealed ampoule 1 mCi/ml	<b>ARC 1047-50</b> μCi / 1.85 MBq <b>ARC 1047-250</b> μCi / 9.25 MBq <b>ARC 1047-1</b> mCi / 37 MBq	142,000 254,000 419,000
<b>Phthalic anhydride [ring-<sup>14</sup>C(U)]</b> M.W. 148.12 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Methylene chloride in sealed ampoule 1 mCi/ml	<b>ARC 1070-50</b> μCi / 1.85 MBq <b>ARC 1070-250</b> μCi / 9.25 MBq	296,000 591,000
<b>Phthalic dicarboxaldehyde [ring-<sup>14</sup>C(U)] (Phthalaldehyde)</b> <chem>C6H4-1,2(CHO)2</chem> M.W. 134.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1415-50</b> μCi / 1.85 MBq	296,000
<b>Phthalimide [carbonyl-<sup>14</sup>C]</b> <chem>C8H5NO2</chem> M.W. 147.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1795-250</b> μCi / 9.25 MBq	365,000
<b>Phthalimide [ring-<sup>14</sup>C(U)]</b> <chem>C8H5NO2</chem> M.W. 147.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1796-250</b> μCi / 9.25 MBq	324,000
<b>Phthalimide [2,3,4,5-<sup>3</sup>H]</b> M.W. 134.13 <i>Exclusive</i>	100-150 Ci/mmol 3.7-5.55 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0563-250</b> μCi / 9.25 MBq <b>ART 0563-1</b> mCi / 37 MBq	206,000 381,000

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>PhTx-56 [<sup>3</sup>H] / AMPA</b> M.W. 434.32 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1391-50</b> μCi / 1.85 MBq	Inquire
<b>Phytanic acid [1-<sup>14</sup>C]</b> C <sub>20</sub> H <sub>40</sub> O <sub>2</sub> M.W. 312.53 <i>Exclusive</i>	10-20 mCi/mmol 370-740 MBq/mmol	Ethanol:water (95:5) 0.1 mCi/ml	<b>ARC 3537-5</b> μCi / 185 kBq	219,000
<b>Phytol "cold"</b>		Neat liquid in sealed ampoule	<b>ARCD 0286-1</b> g	26,000
<b>Phytol [1-<sup>3</sup>H]</b> CH <sub>3</sub> [CH(CH <sub>3</sub> )(CH <sub>2</sub> ) <sub>3</sub> ] <sub>3</sub> C(CH <sub>3</sub> )=CHCH <sub>2</sub> OH M.W. 296.54 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0856-250</b> μCi / 9.25 MBq <b>ART 0856-1</b> mCi / 37 MBq	149,000 376,000
<b>Phytol diphosphate "cold"</b> M.W. 456.5		Isopropanol:NH <sub>4</sub> OH water (6:3:1)	<b>ARCD 0165-1</b> mg	169,000
<b>Phytol [1-<sup>3</sup>H] diphosphate</b> M.W. 456.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	<b>ART 0824-50</b> μCi / 1.85 MBq <b>ART 0824-250</b> μCi / 9.25 MBq	113,000 239,000
<b>Phytosphingosine "cold"</b> M.W. 317.51		Solid	<b>ARCD 0221-25</b> mg	46,000
<b>2-Picoline [methyl-<sup>14</sup>C]</b> <b>(2-Methylpyridine)</b> C <sub>6</sub> H <sub>7</sub> N M.W. 93.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 3513</b>	Inquire
<b>Picolinic acid [carboxy-<sup>14</sup>C]</b> <b>(Pyridine 2-carboxylic acid)</b> C <sub>5</sub> H <sub>4</sub> NCO <sub>2</sub> H M.W. 123.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1282-50</b> μCi / 1.85 MBq	234,000
<b>2-Picolinic acid [6-<sup>3</sup>H]</b> <b>(Pyridine-2-carboxylic acid)</b> C <sub>5</sub> H <sub>4</sub> NCO <sub>2</sub> H M.W. 123.11 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1827-50</b> μCi / 1.85 MBq <b>ART 1827-250</b> μCi / 9.25 MBq	125,000 209,000
<b>Picolinol [6-<sup>3</sup>H]</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1845-1</b> mCi / 37 MBq	Inquire
<b>Picric acid [ring-<sup>14</sup>C(U)]</b> See 2,4,6-Trinitrophenol [ring- <sup>14</sup> C(U)]			<b>ARC 1513</b>	
<b>Pimelic acid [1,7-<sup>14</sup>C]</b> HO <sub>2</sub> C(CH <sub>2</sub> ) <sub>5</sub> COOH M.W. 160.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0489-50</b> μCi / 1.85 MBq <b>ARC 0489-250</b> μCi / 9.25 MBq	191,000 479,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Pioglitazone hydrochloride "cold"</b> C <sub>19</sub> H <sub>20</sub> N <sub>2</sub> O <sub>3</sub> S · HCl M.W. 392.9		Solid	<b>ARCD 0367-50 mg</b>	70,000
<b>Pioglitazone [<sup>3</sup>H(G)] hydrochloride</b> C <sub>19</sub> H <sub>20</sub> N <sub>2</sub> O <sub>3</sub> S · HCl M.W. 392.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-90 Ci/mmol 1.85-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1659-10 μCi / 370 kBq</b> <b>ART 1659-50 μCi / 1.85 MBq</b>	419,000 629,000
<b>Pipecolic acid [2,3,4,5,6-<sup>3</sup>H] (2-Piperidine carboxylic acid)</b> C <sub>5</sub> H <sub>10</sub> CO <sub>2</sub> H M.W. 129.16 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0759-250 μCi / 9.25 MBq</b>	254,000
<b>Piperazine [<sup>3</sup>H(G)] (1,3-Bis-[4-(7'-chloro-quinoline-4') piperazine-1] propane tetraphosphate)</b> M.W. 535.51 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1345-50 μCi / 1.85 MBq</b>	254,000
<b>RS-Piperazine-2-carboxylic acid "cold"</b> M.W. 130.15 CAS # 133525-05-0		Solid	<b>ARCD 0568-100 mg</b> <b>ARCD 0568-500 mg</b> <b>ARCD 0568-1 g</b>	34,000 47,000 71,000
<b>Piperazine [2,3-<sup>14</sup>C] dihydrochloride</b> M.W. 159.08 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0535A-250 μCi / 9.25 MBq</b>	296,000
<b>Piperazine [2,3,5,6-<sup>3</sup>H] dihydrochloride</b> C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> Cl <sub>2</sub> M.W. 159.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1242-250 μCi / 9.25 MBq</b> <b>ART 1242-1 mCi / 37 MBq</b>	142,000 235,000
<b>Piperidine [2,6-<sup>14</sup>C] dihydrochloride</b> C <sub>5</sub> H <sub>10</sub> N · 2HCl M.W. 121.61 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1517-50 μCi / 1.85 MBq</b> <b>ARC 1517-250 μCi / 9.25 MBq</b>	170,000 339,000
<b>Piperidine [3,4-<sup>3</sup>H] hydrochloride</b> M.W. 85.15 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0719-250 μCi / 9.25 MBq</b> <b>ART 0719-1 mCi / 37 MBq</b>	206,000 381,000
<b>Pirenzepine [N-methyl-<sup>3</sup>H]</b> C <sub>19</sub> H <sub>21</sub> N <sub>5</sub> O <sub>2</sub> M.W. 331 <i>Shipped in Dry Ice</i>	70-87 Ci/mmol 2.59-3.219 TBq/mmol	Ethanol:25mM tricine (7:3) 1 mCi/ml	<b>ART 1747-250 μCi / 9.25 MBq</b> <b>ART 1747-1 mCi / 37 MBq</b>	254,000 643,000
<b>Piroxicam [<sup>3</sup>H(G)]</b> C <sub>15</sub> H <sub>13</sub> N <sub>3</sub> O <sub>4</sub> S M.W. 331.35 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 185-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2034-50 μCi / 1.85 MBq</b>	439,000

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Pitavastatin [3-<sup>3</sup>H]</b> C <sub>25</sub> H <sub>24</sub> FNO <sub>4</sub> M.W. 421.46 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1946-50</b> μCi / 1.85 MBq	629,000
<b>Pitavastatin [5-<sup>3</sup>H]</b> C <sub>25</sub> H <sub>24</sub> FNO <sub>4</sub> M.W. 421.46 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1947-50</b> μCi / 1.85 MBq	629,000
<b>Pitavastatin calcium "cold"</b> C <sub>50</sub> H <sub>46</sub> F <sub>2</sub> N <sub>2</sub> O <sub>8</sub> Ca M.W. 880.98 CAS # 147526-32-7		Solid	<b>ARCD 0407-10</b> mg	65,000
<b>Pitavastatin [<sup>3</sup>H(G)] calcium salt</b> C <sub>50</sub> H <sub>46</sub> F <sub>2</sub> N <sub>2</sub> O <sub>8</sub> Ca M.W. 880.98 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1626-50</b> μCi / 1.85 MBq	449,000
<b>Pitavastatin lactone "cold"</b> C <sub>26</sub> H <sub>24</sub> FNO <sub>3</sub> M.W. 417.47		Solid	<b>ARCD 0406-10</b> mg	75,000
<b>Pitavastatin lactone [<sup>3</sup>H(G)]</b> C <sub>26</sub> H <sub>24</sub> FNO <sub>3</sub> M.W. 417.47 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1625-50</b> μCi / 1.85 MBq	449,000
<b>Pittsburgh Compound B [N-methyl-<sup>3</sup>H]</b> See 6-OH-BTA-1 [N-methyl- <sup>3</sup> H]			<b>ART 1938-50</b> μCi / 1.85 MBq	419,000
<b>Pivaloyloxymethyl butyrate</b> [butyric acid-2- <sup>14</sup> C] (Pivanex) M.W. 202 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1753-50</b> μCi / 1.85 MBq	Inquire
<b>PK 11195 [N-methyl-<sup>3</sup>H]</b> C <sub>21</sub> H <sub>21</sub> ClN <sub>2</sub> O M.W. 352.5 <i>Shipped in Dry Ice</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1874-25</b> μCi / 925 kBq <b>ART 1874-250</b> μCi / 9.25 MBq <b>ART 1874-1</b> mCi / 37 MBq	90,000 281,000 643,000
<b>Plastic, radioactive: Carbon-14</b> See Autoradiography standards				
<b>Plastic, radioactive: Iodine-125</b> See Autoradiography standards				
<b>Plastic, radioactive: Tritium (Hydrogen-3)</b> See Autoradiography standards				





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Platelet activating factor [acetyl-<sup>14</sup>C] (1-0-Hexadecyl-2-0-acetyl-<i>sn</i>- glycero-3-PC; PAF C16)</b> C <sub>26</sub> H <sub>54</sub> NO <sub>7</sub> P M.W. 523.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 mCi/mmol 370-740 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1161-10</b> μCi / 370 kBq	365,000
<b>Platelet activating factor [acetyl-<sup>3</sup>H] (1-0-Hexadecyl-2-0-acetyl-<i>sn</i>- glycero-3-PC; PAF C16)</b> C <sub>26</sub> H <sub>54</sub> NO <sub>7</sub> P M.W. 523.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 0.185-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0727-50</b> μCi / 1.85 MBq <b>ART 0727-250</b> μCi / 9.25 MBq	129,000 198,000
<b>Platelet activating factor, 1-0-[<sup>3</sup>H] octadecyl</b> C <sub>26</sub> H <sub>54</sub> NO <sub>7</sub> P M.W. 523.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	90-200 Ci/mmol 3.33-7.4 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 1599-250</b> μCi / 9.25 MBq	191,000
<b>PLP 139-151 [leu-4,5-<sup>3</sup>H]</b> H-His-Cys-Leu-Gly-Lys-Trp-Leu-Gly-His-Pro Asp-Lys-Phe-OH M.W. 1537.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Amino acid residue 139 to 151 of myelin proteolipid protein</i>	40-50 Ci/mmol 1.48-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 2035-50</b> μCi / 1.85 MBq	439,000
<b>Polyaspartic acid, L-[<sup>14</sup>C(U)] sodium salt</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-300 mCi/mmol 3.7-11.1 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1117-50</b> μCi / 1.85 MBq	339,000
<b>Polyethylene glycol [<sup>14</sup>C]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 200 <i>Exclusive</i>	0.1-1 mCi/g 3.7-37 MBq/g	Ethanol:water (3:97) 0.1 mCi/ml	<b>ARC 1794-50</b> μCi / 1.85 MBq <b>ARC 1794-250</b> μCi / 9.25 MBq	126,000 379,000
<b>Polyethylene glycol [1,2-<sup>3</sup>H]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 200 <i>Exclusive</i>	0.1-2 mCi/g 0.37-0.74 GBq/g	Ethanol:water (3:97) 1 mCi/ml	<b>ART 1386-250</b> μCi / 9.25 MBq <b>ART 1386-1</b> mCi / 37 MBq	163,000 311,000
<b>Polyethylene glycol [<sup>14</sup>C]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 400 <i>Exclusive</i>	0.1-1 mCi/g 3.7-37 MBq/g	Ethanol:water (3:97) 0.1 mCi/ml	<b>ARC 1263-50</b> μCi / 1.85 MBq <b>ARC 1263-250</b> μCi / 9.25 MBq	138,000 311,000
<b>Polyethylene glycol [<sup>14</sup>C]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 400 <i>Exclusive</i>	0.1-1 mCi/g 3.7-37 MBq/g	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1263B-50</b> μCi / 1.85 MBq <b>ARC 1263B-250</b> μCi / 9.25 MBq	138,000 311,000
<b>Polyethylene glycol [1,2-<sup>3</sup>H]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 400 <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0502-250</b> μCi / 9.25 MBq <b>ART 0502-1</b> mCi / 37 MBq	142,000 282,000

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Polyethylene glycol [<sup>14</sup>C]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 900 <i>Exclusive</i>	0.1-1 mCi/g 3.7-37 MBq/g	Solid	<b>ARC 3555-50</b> μCi / 1.85 MBq <b>ARC 3555-250</b> μCi / 9.25 MBq	177,000 398,000
<b>Polyethylene glycol [1,2-<sup>3</sup>H]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 900 <i>Exclusive</i>	0.5-10 mCi/g 18.5-370 MBq/g	Solid	<b>ART 0378-250</b> μCi / 9.25 MBq <b>ART 0378-1</b> mCi / 37 MBq	142,000 282,000
<b>Polyethylene glycol [<sup>14</sup>C]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 1500 <i>Exclusive</i>	0.1-1 mCi/g 3.7-37 MBq/g	Solid	<b>ARC 3557-50</b> μCi / 1.85 MBq <b>ARC 3557-250</b> μCi / 9.25 MBq	177,000 398,000
<b>Polyethylene glycol [1,2-<sup>3</sup>H]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 1500 <i>Exclusive</i>	0.5-10 mCi/g 18.5-370 MBq/g	Solid	<b>ART 1905-250</b> μCi / 9.25 MBq	193,000
<b>Polyethylene glycol [1,2-<sup>14</sup>C]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> CH <sub>2</sub> OH M.W. 4,000	0.1-1 mCi/g 0.37-37 MBq/g	Solid	<b>ARC 0332-50</b> μCi / 1.85 MBq <b>ARC 0332-250</b> μCi / 9.25 MBq	121,000 319,000
<b>Polyethylene glycol [1,2-<sup>14</sup>C]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> CH <sub>2</sub> OH M.W. 4,000	0.1-1 mCi/g 0.37-37 MBq/g	3% Aqueous ethanol 0.1 mCi/ml	<b>ARC 0332A-50</b> μCi / 1.85 MBq <b>ARC 0332A-250</b> μCi / 9.25 MBq	121,000 319,000
<b>Polyethylene glycol [1,2-<sup>3</sup>H]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 4,000 <i>Exclusive</i>	0.5-3 mCi/g 18.5-111 MBq/g	Solid	<b>ART 0249-250</b> μCi / 9.25 MBq <b>ART 0249-1</b> mCi / 37 MBq	93,000 239,000
<b>Polyethylene glycol [1,2-<sup>3</sup>H]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 35,000 <i>Exclusive</i>	0.1-2 mCi/g 0.37-74 TBq/g	Solid	<b>ART 1260A-250</b> μCi / 9.25 MBq	239,000
<b>Polyethylene glycol [1,2-<sup>14</sup>C]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> CH <sub>2</sub> OH M.W. 40,000 <i>Exclusive</i>	0.1-1 mCi/g 0.37-37 MBq/g	Solid	<b>ARC 1565-50</b> μCi / 1.85 MBq <b>ARC 1565-250</b> μCi / 9.25 MBq	121,000 324,000
<b>Polyethylene glycol [1,2-<sup>3</sup>H]</b> H(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> OH M.W. 40,000 <i>Exclusive</i>	0.1-2 mCi/g 3.7-74 MBq/g	Solid	<b>ART 1550-50</b> μCi / 1.85 MBq <b>ART 1550-250</b> μCi / 9.25 MBq	142,000 234,000
<b>Polymer, radioactive squares: Carbon-14</b> See Autoradiography standards				
<b>Polymer, radioactive squares: Iodine-125</b> See Autoradiography standards				
<b>Polymer, radioactive squares: Tritium (Hydrogen-3)</b> See Autoradiography standards				

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
Polyoxyethylene-4-glycerol monolaurate [ <sup>3</sup> H] monolaurate [ <sup>3</sup> H] (POE-4)	12 mCi/mg 444 MBq/mg	Ethanol 1 mCi/ml	ART 1467-1 mCi / 37 MBq	524,000
<i>Exclusive</i>				
Polyoxyethylene-15-glycerol monolaurate [ <sup>3</sup> H] (POE-15)	0.1 mCi/mg 3.7 MBq/mg	Ethanol 1 mCi/ml	ART 1445-1 mCi / 37 MBq	524,000
<i>Exclusive</i>				
Porcine brain membrane homogenate "cold"		60 membranes	ARCD 1301-1 kit	176,000
<i>Shipped in Dry Ice</i>				
<b>NEW!</b>				
<i>A source of Saxitoxin (STX) receptors for use in receptor binding assays for determination of paralytic shellfish poisoning</i>				
Potassium bicarbonate [ <sup>14</sup> C] KHCO <sub>3</sub> M.W. 100.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 1 mCi/ml	ARC 1167-1 mCi / 37 MBq ARC 1167-5 mCi / 185 MBq	85,000 177,000
<i>Exclusive</i>				
Potassium borohydride [ <sup>3</sup> H] KBH <sub>4</sub> M.W. 53.94	70-100 Ci/mmol 2.59-3.7 TBq/mmol	Solid	ART 1750-100 mCi / 3.7GBq ART 1750-500 mCi / 18.5 GBq ART 1750-1 Ci / 37 GBq	219,000 419,000 524,000
<i>Exclusive</i>				
Potassium carbonate [ <sup>14</sup> C] K <sub>2</sub> CO <sub>3</sub> M.W. 138.21	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	ARC 1077-250 μCi / 9.25 MBq ARC 1077-1 mCi / 37 MBq ARC 1077-5 mCi / 185 MBq	68,000 93,000 198,000
<i>Exclusive</i>				
Potassium cyanate [ <sup>14</sup> C] KCNO M.W. 81.1	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Solid	ARC 0169A-250 μCi / 9.25 MBq ARC 0169A-1 mCi / 37 MBq	177,000 339,000
Potassium cyanide [ <sup>14</sup> C] 毒 KCN M.W. 65.1	2-10 mCi/mmol 74-370 MBq/mmol	Solid	ARC 0136-1 mCi / 37 MBq ARC 0136-5 mCi / 185 MBq ARC 0136-25 mCi / 925 MBq	Inquire 292,000 Inquire
Potassium cyanide [ <sup>14</sup> C] 毒 KCN M.W. 65.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	ARC 0136A-1 mCi / 37 MBq ARC 0136A-5 mCi / 185 MBq ARC 0136A-25 mCi / 925 MBq	Inquire 292,000 Inquire
Potassium thiocyanate [ <sup>14</sup> C] KSCN M.W. 97.0	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	ARC 0179-250 μCi / 9.25 MBq ARC 0179-1 mCi / 37 MBq	172,000 249,000
<i>Exclusive</i>				
PPADS "cold" M.W. 599.3		Solid	ARCD 0356-10 mg ARCD 0356-50 mg	29,000 72,000

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>PPT [<sup>3</sup>H]</b> <b>(1-(3-[<sup>3</sup>H] 4-Hydroxyphenyl)-3,5-(3-[<sup>3</sup>H] 4-propyl-1H-pyrazole</b> M.W. 386.45 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-50 Ci/mmol 1.11-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1446-250</b> μCi / 9.25 MBq <b>ART 1446-1</b> mCi / 37 MBq	382,000 839,000
<b>Pravastatin [<sup>3</sup>H(G)] calcium salt</b> M.W. 887.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1969-50</b> μCi / 1.85 MBq	629,000
<b>Pravastatin lactone "cold"</b> C <sub>22</sub> H <sub>38</sub> O <sub>8</sub> M.W. 442.53		Solid	<b>ARCD 0281-50</b> mg	105,000
<b>Pravastatin [<sup>3</sup>H(G)] lactone</b> C <sub>22</sub> H <sub>38</sub> O <sub>8</sub> M.W. 442.53 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 185-555 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1475-50</b> μCi / 1.85 MBq	449,000
<b>Pravastatin sodium salt "cold"</b> C <sub>23</sub> H <sub>35</sub> O <sub>7</sub> Na M.W. 446.57 CAS # 81039-37-0		Solid	<b>ARCD 0364-50</b> mg	105,000
<b>Pravastatin [<sup>3</sup>H(G)] sodium salt</b> C <sub>23</sub> H <sub>35</sub> O <sub>7</sub> Na M.W. 446.57 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1629-50</b> μCi / 1.85 MBq	449,000
<b>P</b> <b>Prazosin [7-methoxy-<sup>3</sup>H]</b> <b>(1-(4-Amino-6,7-dimethoxy-2-quinazolinyl)-4-(2-furanylcarbonyl)piperazine)</b> C <sub>19</sub> H <sub>21</sub> N <sub>5</sub> O <sub>4</sub> M.W. 382.4 <i>Shipped in Dry Ice</i>	70-90 Ci/mmol 2.59-3.33 TBq/mmol	Ethanol: 0.01N HCl (1:1) 1 mCi/ml	<b>ART 1430-25</b> μCi / 925 kBq <b>ART 1430-250</b> μCi / 9.25 MBq <b>ART 1430-1</b> mCi / 37 MBq	99,000 334,000 Inquire
<b>Prednisone [1,2-<sup>3</sup>H]</b> C <sub>21</sub> H <sub>26</sub> O <sub>5</sub> M.W. 358.43 <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1380-50</b> μCi / 1.85 MBq <b>ART 1380-250</b> μCi / 9.25 MBq	164,000 282,000
<b>Prednisone [<sup>3</sup>H(G)]</b> C <sub>21</sub> H <sub>26</sub> O <sub>5</sub> M.W. 358.43 <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0836-250</b> μCi / 9.25 MBq	212,000
<b>Pregnan-3α-ol-20-one, 5α-[<sup>3</sup>H(G)]</b> C <sub>21</sub> H <sub>34</sub> O <sub>2</sub> M.W. 318 <i>Shipped in Dry Ice</i>	5-20 Ci/mmol 185-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1808-25</b> μCi / 925 kBq <b>ART 1808-250</b> μCi / 9.25 MBq	125,000 307,000
<b>Pregnenolone [3α-<sup>3</sup>H(N)]</b> C <sub>21</sub> H <sub>32</sub> O <sub>2</sub> M.W. 316.49 <i>NEW!-Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2138</b>	Inquire



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Pregnenolone [7-<sup>3</sup>H(N)]</b> C <sub>21</sub> H <sub>32</sub> O <sub>2</sub> M.W. 316.49	10-25 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1212-250</b> μCi / 9.25 MBq <b>ART 1212-1</b> mCi / 37 MBq	110,000 265,000
<b>Pregnenolone [7-<sup>3</sup>H(N)] 3-sulfate sodium salt</b> M.W. 418.52 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1387-250</b> μCi / 9.25 MBq <b>ART 1387-1</b> mCi / 37 MBq	164,000 339,000
<b>PRN-8402 [<sup>3</sup>H]</b> M.W. 2474 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-50 Ci/mmol 0.74-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1764-50</b> μCi / 1.85 MBq	209,000
<b>Procainamide [carbonyl-<sup>14</sup>C] hydrochloride</b> H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CONHCH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> · HCl M.W. 271.79 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1412-50</b> μCi / 1.85 MBq	184,000
<b>Procaine [ring-<sup>14</sup>C(U)] hydrochloride (Novocaine hydrochloride)</b> H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> N(C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> · HCl M.W. 272.77 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3392-50</b> μCi / 1.85 MBq	322,000
<b>Procaine [3,5-<sup>3</sup>H] hydrochloride</b> M.W. 236.30 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0274-250</b> μCi / 9.25 MBq	289,000
<b>Procystein [D-cystein-1-<sup>14</sup>C] (L-2-Oxothiazolidine-4-carboxylic acid)</b> C <sub>4</sub> H <sub>5</sub> O <sub>3</sub> N <sub>5</sub> M.W. 147.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 1531-50</b> μCi / 1.85 MBq	339,000
<b>Procystein [L-cystein-1-<sup>14</sup>C] (L-2-Oxothiazolidine-4-carboxylic acid)</b> C <sub>4</sub> H <sub>5</sub> O <sub>3</sub> N <sub>5</sub> M.W. 147.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 1522-50</b> μCi / 1.85 MBq	339,000
<b>Progesterone [4-<sup>14</sup>C]</b> M.W. 314.5	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1398-10</b> μCi / 370 kBq <b>ARC 1398-50</b> μCi / 1.85 MBq	100,000 191,000
<b>Progesterone [4-<sup>14</sup>C]</b> M.W. 314.5	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:9) 0.1 mCi/ml	<b>ARC 1398A-10</b> μCi / 370 kBq <b>ARC 1398A-50</b> μCi / 1.85 MBq	100,000 191,000
<b>Progesterone [1,2-<sup>3</sup>H]</b> M.W. 314.5 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0663-250</b> μCi / 9.25 MBq <b>ART 0663-1</b> mCi / 37 MBq	96,000 184,000
<b>Progesterone [1,2,6,7-<sup>3</sup>H]</b> M.W. 314.5 <i>Shipped in Dry Ice</i>	90-115 Ci/mmol 3.33-4.26 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0795-250</b> μCi / 9.25 MBq <b>ART 0795-1</b> mCi / 37 MBq	Inquire Inquire

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Proline, D-[1-<sup>14</sup>C]</b> M.W. 115.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3572-50</b> μCi / 1.85 MBq <b>ARC 3572-250</b> μCi / 9.25 MBq <b>ARC 3572-1</b> mCi / 37 MBq	54,000 177,000 524,000
<b>Proline, DL-[1-<sup>14</sup>C]</b> M.W. 115.1 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3757-250</b> μCi / 9.25 MBq	104,000
<b>Proline, L-[1-<sup>14</sup>C]</b> M.W. 115.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3573-50</b> μCi / 1.85 MBq <b>ARC 3573-250</b> μCi / 9.25 MBq <b>ARC 3573-1</b> mCi / 37 MBq	54,000 177,000 524,000
<b>Proline, L-[<sup>14</sup>C(U)]</b> M.W. 115.1	200-300 mCi/mmol 7.4-11.1 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0654A-50</b> μCi / 1.85 MBq <b>ARC 0654A-250</b> μCi / 9.25 MBq	Inquire Inquire
<b>Proline, D-[3,4-<sup>3</sup>H(N)]</b> M.W. 115.1 <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 1251-50</b> μCi / 1.85 MBq <b>ART 1251-250</b> μCi / 9.25 MBq	156,000 381,000
<b>Proline, L-[3,4-<sup>3</sup>H(N)]</b> M.W. 115.1	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0157-250</b> μCi / 9.25 MBq <b>ART 0157-1</b> mCi / 37 MBq <b>ART 0157-5</b> mCi / 185 MBq	37,000 58,000 121,000
<b>Proline, L-[2,3,4,5-<sup>3</sup>H]</b> M.W. 115.1 <i>Exclusive</i>	90-120 Ci/mmol 3.33-4.44 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0475-250</b> μCi / 9.25 MBq <b>ART 0475-1</b> mCi / 37 MBq <b>ART 0475-5</b> mCi / 185 MBq	38,000 62,000 129,000
<b>Propafenone [n-propyl-3-<sup>14</sup>C] trifluoroacetate</b> M.W. 377.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3004-50</b> μCi / 1.85 MBq	239,000
<b>(RL)-Propamocarb 3-[dimethylamino-propylamine-1-<sup>14</sup>C] hydrochloride</b> (CH <sub>3</sub> ) <sub>2</sub> N(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> NHCOO(CH <sub>2</sub> ) <sub>2</sub> CH <sub>3</sub> ·HCl M.W. 224.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1632-50</b> μCi / 1.85 MBq <b>ARC 1632-250</b> μCi / 9.25 MBq	209,000 419,000
<b>1,2-Propanediol dinitrate [1-<sup>14</sup>C]</b> M.W. 166.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0730-250</b> μCi / 9.25 MBq	381,000
<b>1,3-Propanediol [2-<sup>14</sup>C]</b> HOCH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> OH M.W. 76.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0811-250</b> μCi / 9.25 MBq	311,000
<b>Propanil [carbonyl-<sup>14</sup>C] (N-(3,4-Dichlorophenyl) propionamide)</b> M.W. 218.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1294-50</b> μCi / 1.85 MBq	292,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Propanil [ring-<sup>14</sup>C(U)] (N-(3,4-Dichlorophenyl) propanamide)</b> M.W. 218.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1624-50</b> μCi / 1.85 MBq	381,000
<b>Propanol, n-[1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> OH M.W. 60.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 1 mCi/ml	<b>ARC 0273-250</b> μCi / 9.25 MBq <b>ARC 0273-1</b> mCi / 37 MBq	164,000 339,000
<b>Propanol, n-[1-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> OH M.W. 60.1 <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Sterile water 1 mCi/ml	<b>ART 0353-1</b> mCi / 37 MBq <b>ART 0353-5</b> mCi / 185 MBq	212,000 506,000
<b>Propazine [ring-<sup>14</sup>C(U)]</b> C <sub>9</sub> H <sub>16</sub> C <sub>1</sub> N <sub>5</sub> M.W. 229.71 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1622-50</b> μCi / 1.85 MBq	289,000
<b>Propiolic acid [1-<sup>14</sup>C] sodium salt</b> CH≡CCO <sub>2</sub> Na M.W. 92.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1737-1</b> mCi / 37 MBq	419,000
<b>Propionaldehyde [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> CHO M.W. 58.08 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3735-250</b> μCi / 9.25 MBq	419,000
<b>Propionaldehyde [3-<sup>3</sup>H]</b> CH <sub>3</sub> CH <sub>2</sub> CHO M.W. 58.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 1248-50</b> μCi / 1.85 MBq	164,000
<b>Propionic acid [1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> CH <sub>2</sub> COONa M.W. 96.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0203-50</b> μCi / 1.85 MBq <b>ARC 0203-250</b> μCi / 9.25 MBq <b>ARC 0203-1</b> mCi / 37 MBq	51,000 97,000 254,000
<b>Propionic acid [1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> CH <sub>2</sub> COONa M.W. 96.1 <i>Exclusived</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0203A-50</b> μCi / 1.85 MBq <b>ARC 0203A-250</b> μCi / 9.25 MBq <b>ARC 0203A-1</b> mCi / 37 MBq	51,000 97,000 254,000
<b>Propionic acid [2-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> CH <sub>2</sub> COONa M.W. 96.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0281A-50</b> μCi / 1.85 MBq <b>ARC 0281A-250</b> μCi / 9.25 MBq <b>ARC 0281A-1</b> mCi / 37 MBq	97,000 247,000 419,000
<b>Propionic acid [3-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> CH <sub>2</sub> COONa M.W. 96.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1078-50</b> μCi / 1.85 MBq <b>ARC 1078-250</b> μCi / 9.25 MBq <b>ARC 1078-1</b> mCi / 37 MBq	97,000 247,000 419,000

P





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Propionic acid [<sup>14</sup>C(U)] sodium salt</b> CH <sub>3</sub> CH <sub>2</sub> COONa M.W. 96.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3005-50</b> μCi / 1.85 MBq <b>ARC 3005-250</b> μCi / 9.25 MBq <b>ARC 3005-1</b> mCi / 37 MBq	109,000 269,000 449,000
<b>Propionic acid [2,3-<sup>3</sup>H]</b> (Propanoic acid) CH <sub>3</sub> CH <sub>2</sub> COOH M.W. 74.08 <i>Exclusive</i>	100-120 Ci/mmol 3.7-4.44 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1653-50</b> μCi / 1.85 MBq <b>ART 1653-250</b> μCi / 9.25 MBq	129,000 276,000
<b>Propionic acid [3-<sup>3</sup>H] sodium salt</b> CH <sub>3</sub> CH <sub>2</sub> COONa M.W. 96.1 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0847-250</b> μCi / 9.25 MBq <b>ART 0847-1</b> mCi / 37 MBq	79,000 155,000
<b>Propionic anhydride [1-<sup>14</sup>C]</b> (CH <sub>3</sub> CH <sub>2</sub> CO) <sub>2</sub> O M.W. 130.0 <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0415-250</b> μCi / 9.25 MBq <b>ARC 0415-1</b> mCi / 37 MBq	324,000 559,000
<b>Propionyl chloride [1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> COCl M.W. 92.52 <i>Shipped in Dry Ice</i> <b>NEW!-Exclusive</b>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 3822</b>	Inquire
<b>n-Propionyl Coenzyme A lithium salt "cold"</b> M.W. 823.6 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0295-5</b> mg <b>ARCD 0295-10</b> mg	41,000 65,000
<b>Propionyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 823.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 1568-10</b> μCi / 370 kBq <b>ARC 1568-50</b> μCi / 1.85 MBq	177,000 419,000
<b>Propionyl [2,3-<sup>3</sup>H] Coenzyme A</b> M.W. 841.62 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 Ci/mmol 3.7-4.44 TBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 1 mCi/ml	<b>ART 1651-50</b> μCi / 1.85 MBq <b>ART 1651-250</b> μCi / 9.25 MBq	218,000 566,000
<b>Propranolol, DL-[4-<sup>3</sup>H]</b> C <sub>16</sub> H <sub>21</sub> NO <sub>2</sub> M.W. 259.3 <i>Shipped in Dry Ice</i> <b>NEW!-Exclusive</b>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2096-50</b> μCi / 1.85 MBq	209,000
<b>Propranolol, L-(-)-[4-<sup>3</sup>H]</b> C <sub>16</sub> H <sub>21</sub> NO <sub>2</sub> M.W. 259.3 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol under nitrogen 1 mCi/ml	<b>ART 1614-250</b> μCi / 9.25 MBq	183,000
<b>Propylamine, n-[2,3-<sup>3</sup>H] hydrochloride</b> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 95.57 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0508-250</b> μCi / 9.25 MBq	282,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Propylamine, n-[1-<sup>14</sup>C] hydrochloride</b> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 95.57 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1126-250</b> μCi / 9.25 MBq <b>ARC 1126-1</b> mCi / 37 MBq	269,000 432,000
<b>Propylene glycol [1-<sup>14</sup>C]</b> CH <sub>3</sub> CHOHCH <sub>2</sub> OH M.W. 76.0	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0729-50</b> μCi / 1.85 MBq <b>ARC 0729-250</b> μCi / 9.25 MBq	247,000 449,000
<b>Propylene oxide [1,2-<sup>14</sup>C]</b> M.W. 58.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-200 mCi/mmol 3.7-7.4 MBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1280-50</b> μCi / 1.85 MBq	324,000
<b>Propyliodide, n-[1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> I M.W. 169.99 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 1 mCi/ml	<b>ARC 0880-1</b> mCi / 37 MBq	408,000
<b>R-(-)-N-Propylorapomorphine [N-propyl-<sup>3</sup>H] hydrochloride</b> M.W. 343.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 2.59-3.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0811-50</b> μCi / 1.85 MBq	254,000
<b>R-(-)-N-Propylorapomorphine [N-propyl-<sup>3</sup>H] hydrochloride</b> M.W. 343.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 2.59-3.22 TBq/mmol	10mM KH <sub>2</sub> PO <sub>4</sub> (pH 3.0):ethanol (95:5) 1 mCi/ml	<b>ART 0811A-50</b> μCi / 1.85 MBq	254,000
<b>Prostaglandin D<sub>2</sub> [5,6,8,9,12,14,15-<sup>3</sup>H] (PGD<sub>2</sub>)</b> M.W. 352.47 <i>Shipped in Dry Ice</i>	100-210 Ci/mmol 3.7-7.8 TBq/mmol	Ethanol:water (7:3) under nitrogen in sealed ampoule 0.1 mCi/ml	<b>ART 0662-25</b> μCi / 925 kBq <b>ART 0662-100</b> μCi / 3.7 MBq	229,000 Inquire
<b>Prostaglandin E<sub>2</sub> [5,6,8,11,12,14,15-<sup>3</sup>H] (PGE<sub>2</sub>)</b> M.W. 354.49 <i>Shipped in Dry Ice</i>	100-210 Ci/mmol 3.7-7.8 TBq/mmol	Ethanol:water (7:3) under nitrogen in silanized vial 0.1 mCi/ml	<b>ART 0664-25</b> μCi / 925 kBq <b>ART 0664-50</b> μCi / 1.85 MBq <b>ART 0664-250</b> μCi / 9.25 MBq	203,000 269,000 Inquire
<b>Prostaglandin F<sub>2α</sub> [5,6,8,9,12,14,15-<sup>3</sup>H] (PGF<sub>2α</sub>)</b> M.W. 354.49 <i>Shipped in Dry Ice</i>	150-240 Ci/mmol 5.55-8.88 TBq/mmol	Ethanol:water (7:3) under nitrogen in silanized vial 0.1 mCi/ml	<b>ART 0604-25</b> μCi / 925 kBq <b>ART 0604-50</b> μCi / 1.85 MBq <b>ART 0604-250</b> μCi / 9.25 MBq	219,000 282,000 Inquire
<b>Protein molecular weight markers [<sup>14</sup>C]</b> Choice of 3 or 5 individual markers: ARC 0433 Myosin ARC 0428 Globulins ARC 0432 Phosphorylase B ARC 0422 Albumin (bovine) ARC 0431 Ovalbumin ARC 0425 Carbonic anhydrase ARC 0429 Lactoglobulin A ARC 0427 Cytochrome C <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 0430-3</b> x 1 μCi / 37 kBq <b>ARC 0430-5</b> x 1 μCi / 37 kBq	Inquire Inquire

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Protein molecular weight markers [<sup>14</sup>C]</b> Mixture of Myosin [methyl- <sup>14</sup> C] methylated, Phosphorylase B [methyl- <sup>14</sup> C] methylated, BSA [methyl- <sup>14</sup> C] methylated, Ovalbumin [methyl- <sup>14</sup> C] methylated, Carbonic anhydrase [methyl- <sup>14</sup> C] methylated, Lysozyme [methyl- <sup>14</sup> C] methylated <i>Shipped in Dry Ice</i>	3-30 $\mu$ Ci/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 3479-1</b> $\mu$ Ci / 37 kBq <b>ARC 3479-5</b> $\mu$ Ci / 185 kBq	69,000 269,000
<b>Proteins isolated from tobacco leaves [<sup>14</sup>C]</b>  <i>Exclusive</i>		PBS (pH 7.4) 0.05 mCi/ml	<b>ARC 3612-250</b> $\mu$ Ci / 9.25 MBq	471,000
<b>PrRP-20 (human) [Pro<sup>2,6,16-3,4-3</sup>H]</b> M.W. 2272.0 <i>Shipped in Dry Ice</i>	150-180 Ci/mmol 5.55-6.66 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1225-50</b> $\mu$ Ci / 1.85 MBq	263,000
<b>(+)-Pseudoephedrine [N-methyl-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>15</sub> NO M.W. 165.23 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-85 Ci/mmol 2.96-3.21 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1328-250</b> $\mu$ Ci / 9.25 MBq <b>ART 1328-1</b> mCi / 37 MBq	Inquire Inquire
<b>Psychosine [galactose-6-<sup>3</sup>H]</b> M.W. 461.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Chloroform:methanol (2:1) 1 mCi/ml	<b>ART 0565-50</b> $\mu$ Ci / 1.85 MBq <b>ART 0565-250</b> $\mu$ Ci / 9.25 MBq	206,000 419,000
<b>Punicic acid [1-<sup>14</sup>C]</b> <b>(9Z,11E,13Z-Octadeca-9,11,13-trienoic acid)</b> C <sub>18</sub> H <sub>30</sub> O <sub>2</sub> M.W. 278.43 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3565</b>	Inquire
<b>Putrescine [1,4-<sup>14</sup>C] dihydrochloride</b> NH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·2HCl M.W. 161.1	100-120 mCi/mmol 3.7-4.4 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0245-50</b> $\mu$ Ci / 1.85 MBq <b>ARC 0245-250</b> $\mu$ Ci / 9.25 MBq	69,000 184,000
<b>Putrescine [2,3-<sup>14</sup>C] dihydrochloride</b> NH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·2HCl M.W. 161.1 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.4 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1038-50</b> $\mu$ Ci / 1.85 MBq <b>ARC 1038-250</b> $\mu$ Ci / 9.25 MBq	119,000 239,000
<b>Putrescine [2,3-<sup>3</sup>H(N)] dihydrochloride</b> H <sub>2</sub> NCH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·2HCl M.W. 161.1	60-120 Ci/mmol 2.22-4.44 TBq/mmol	0.01N HCl under nitrogen 1 mCi/ml	<b>ART 0279-1</b> mCi / 37 MBq <b>ART 0279-5</b> mCi / 185 MBq	121,000 333,000
<b>PXD101 [aniline-<sup>14</sup>C(U)]</b> C <sub>15</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub> S M.W. 317.45 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3394-50</b> $\mu$ Ci / 1.85 MBq	299,000
<b>Pyrazole [2-<sup>14</sup>C]</b> <b>(1,2-Diazole)</b> C <sub>3</sub> H <sub>4</sub> N <sub>2</sub> M.W. 68.08 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3440</b>	Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Pyrene [3,5,8,10-<sup>3</sup>H]</b> M.W. 202.25 <i>Exclusive</i>	80-120 Ci/mmol 2.96-4.44 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0504-250</b> μCi / 9.25 MBq <b>ART 0504-1</b> mCi / 37 MBq	395,000 591,000
<b>Pyridine-2-aldoxime methochloride [<sup>3</sup>H] (2-PAM chloride)</b> C <sub>7</sub> H <sub>9</sub> N <sub>2</sub> O · Cl M.W. 172.61 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2162-50</b> μCi / 1.85 MBq	209,000
<b>2-Pyridinamine [2,6-<sup>14</sup>C]</b> See 2-Amino [2,6- <sup>14</sup> C] pyridine			<b>ARC 3428</b>	
<b>Pyridine 2-carboxylic acid [carboxy-<sup>14</sup>C]</b> See Picolinic acid [carboxy- <sup>14</sup> C]			<b>ARC 1282</b>	
<b>Pyridine-2,4-dicarboxylic acid [2-carboxyl-<sup>14</sup>C]</b> M.W. 167.12 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 0704-250</b> μCi / 9.25 MBq	365,000
<b>Pyridine [2,6-<sup>14</sup>C] hydrochloride</b> C <sub>5</sub> H <sub>5</sub> N · HCl M.W. 115.55 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1409-50</b> μCi / 1.85 MBq	324,000
<b>Pyridine-N-oxide [2,6-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>5</sub> NO M.W. 95.10 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3770-50</b> μCi / 1.85 MBq	524,000
<b>Pyridin-2-yl-acetic acid [<sup>14</sup>C] methyl ester</b> M.W. 240.28 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 3455-50</b> μCi / 1.85 MBq	209,000
<b>3-Pyridinecarboxaldehyde [carbonyl-<sup>14</sup>C]</b> M.W. 107.11 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1411-50</b> μCi / 1.85 MBq	185,000
<b>Pyridostigmine iodide [pyridine N-methyl-<sup>14</sup>C]</b> M.W. 344.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1337-50</b> μCi / 1.85 MBq	226,000
<b>Pyridoxine [methylene-<sup>3</sup>H]</b> M.W. 169.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0896-50</b> μCi / 1.85 MBq <b>ART 0896-250</b> μCi / 9.25 MBq	184,000 335,000
<b>3-Pyridylboronic acid [2,6-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>6</sub> BNO <sub>2</sub> M.W. 122.92 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3633</b>	Inquire

P



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Pyrilamine [pyridinyl-5-<sup>3</sup>H]</b> (Mepyramine) (N-(4-Methoxyphenyl)methyl-N',N'-dimethyl-N-(2-pyridinyl)-1,2-ethane-diamine) C <sub>17</sub> H <sub>23</sub> N <sub>3</sub> O M.W. 285.4	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1431-250</b> μCi / 9.25 MBq	226,000
<b>Pyroglutamic acid, DL-[1-<sup>14</sup>C]</b> M.W. 129.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0897-50</b> μCi / 1.85 MBq <b>ARC 0897-250</b> μCi / 9.25 MBq	218,000 381,000
<b>Pyroglutamic acid, L-[<sup>14</sup>C(U)]</b> C <sub>5</sub> H <sub>7</sub> NO <sub>3</sub> M.W. 129.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1515-50</b> μCi / 1.85 MBq <b>ARC 1515-250</b> μCi / 9.25 MBq	254,000 408,000
<b>Pyrrolidine [2-<sup>14</sup>C]</b> M.W. 71.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	THF 0.1 mCi/ml	<b>ARC 0695-250</b> μCi / 9.25 MBq	289,000
<b>2-Pyrrolidinone [5-<sup>14</sup>C]</b> M.W. 85.11 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0694-250</b> μCi / 9.25 MBq	282,000
<b>Pyruvic acid [<sup>14</sup>C(U)] sodium salt</b> CH <sub>3</sub> COCOOHNa M.W. 110.0 <i>Exclusive</i>	100-150 mCi/mmol 3.7-5.55 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3452-50</b> μCi / 1.85 MBq	212,000
<b>Pyruvic acid [3-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> COCOONa M.W. 110.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0220A-50</b> μCi / 1.85 MBq <b>ARC 0220A-250</b> μCi / 9.25 MBq	164,000 449,000
<b>Pyruvic acid [carboxyl-<sup>14</sup>C] butyl ester</b> (Butyl pyruvate) C <sub>7</sub> H <sub>12</sub> O <sub>3</sub> M.W. 144.17 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3797-50</b> μCi / 1.85 MBq	209,000
<b>Pyruvic acid [carboxyl-<sup>14</sup>C] ethyl ester</b> (Ethyl pyruvate) CH <sub>3</sub> COCOOC <sub>2</sub> H <sub>5</sub> M.W. 116.12 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3798-50</b> μCi / 1.85 MBq	209,000
<b>QNB [methyl-<sup>3</sup>H]</b> See L-Quinuclidinylbenzilate [methyl- <sup>3</sup> H]			<b>ART 2121</b>	
<b>QNB [phenyl-4-<sup>3</sup>H]</b> See L-Quinuclidinyl [phenyl-4- <sup>3</sup> H] benzilate			<b>ART 0555</b>	
<b>QRFP-43 [<sup>125</sup>I] (human)</b> pGlu-Asp-Glu-Gly-Ser-Glu-Ala-Thr-Gly-Phe- Leu-Pro-Ala-Ala-Gly-Glu- Lys-Thr-Ser-Gly-Pro- Leu-Gly-Asn-Leu-Ala-Glu-Glu-Leu-Asn-Gly- Tyr-Ser-Arg-Lys-Lys-Gly-Gly-Phe-Ser-Phe-Arg-Phe-NH <sub>2</sub> M.W. ~4600 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Buffered solution ~0.1 mCi/ml	<b>ARI 0194-10</b> μCi / 370 kBq <b>ARI 0194-25</b> μCi / 925 kBq	175,000 381,000

P  
Q



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Quercetin [<sup>3</sup>H(G)]</b> C <sub>15</sub> H <sub>10</sub> O <sub>7</sub> M.W. 302.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1728-50</b> μCi / 1.85 MBq	226,000
<b>Quinidine [9-<sup>3</sup>H]</b> M.W. 324.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0452-250</b> μCi / 9.25 MBq <b>ART 0452-1</b> mCi / 37 MBq	249,000 474,000
<b>Quinidine [methyl-<sup>3</sup>H]</b> M.W. 324.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2004-250</b> μCi / 9.25 MBq <b>ART 2004-1</b> mCi / 37 MBq	377,000 734,000
<b>Quinine [9-<sup>3</sup>H]</b> M.W. 324.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0451-250</b> μCi / 9.25 MBq <b>ART 0451-1</b> mCi / 37 MBq	254,000 479,000
<b>Quinine [methyl-<sup>3</sup>H]</b> M.W. 324.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2005-250</b> μCi / 9.25 MBq <b>ART 2005-1</b> mCi / 37 MBq	377,000 734,000
<b>Quinoline [3-<sup>3</sup>H] 劇</b> C <sub>9</sub> H <sub>7</sub> N M.W. 129.16 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1268-50</b> μCi / 1.85 MBq	107,000
<b>L-Quinuclidinylbenzilate [methyl-<sup>3</sup>H] (QNB)</b> C <sub>21</sub> H <sub>23</sub> NO <sub>3</sub> M.W. 337.41 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	80-85 Ci/mmol 2.96-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2121-25</b> μCi / 925 kBq <b>ART 2121-250</b> μCi / 9.25 MBq <b>ART 2121-1</b> mCi / 37 MBq	77,000 198,000 461,000
<b>L-Quinuclidinyl [phenyl-4-<sup>3</sup>H] benzilate (QNB)</b> C <sub>21</sub> H <sub>23</sub> NO <sub>3</sub> M.W. 337.41 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0555-25</b> μCi / 925 kBq <b>ART 0555-250</b> μCi / 9.25 MBq	87,000 198,000
<b>Quintozene [<sup>14</sup>C(U)]</b> See Pentachloronitrobenzene [ <sup>14</sup> C(U)]			<b>ARC 3389</b>	
<b>L-(+)-Quisqualic acid "cold"</b> M.W. 189.13 CAS # 52809-07-1		Solid	<b>ARCD 0571-5</b> mg <b>ARCD 0571-10</b> mg <b>ARCD 0571-25</b> mg	36,000 43,000 108,000
<b>Quisqualic acid [<sup>3</sup>H]</b> C <sub>5</sub> H <sub>7</sub> N <sub>3</sub> O <sub>5</sub> M.W. 189.13 <i>Shipped in Dry Ice</i>	10-40 Ci/mmol 0.37-1.48 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 1618-50</b> μCi / 1.85 MBq	167,000

Q

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>R-214127 [<sup>3</sup>H]</b> <b>(1-(3,4-Dihydro-2H-pyrano[2,3-b]quinolin-7-yl)-2-phenyl-1-ethanone)</b> C <sub>20</sub> H <sub>16</sub> BrNO <sub>2</sub> M.W. 303.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Lavreyson et al. Mol. Pharmacol. 63, 1082-1093, 2003</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1575-250</b> μCi / 9.25 MBq	449,000
<b>(S)-Raclopride [methoxy-<sup>3</sup>H]</b> M.W. 347.7 <i>Shipped in Dry Ice</i>	70-87 Ci/mmol 2.59-3.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0805-25</b> μCi / 925 kBq <b>ART 0805-250</b> μCi / 9.25 MBq <b>ART 0805-1</b> mCi / 37 MBq	67,000 193,000 506,000
<b>Raffinose [galactose-6-<sup>3</sup>H]</b> M.W. 504.46	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0229-250</b> μCi / 9.25 MBq	164,000
<b>Raltegravir [<sup>3</sup>H(G)]</b> C <sub>20</sub> H <sub>21</sub> FN <sub>6</sub> O <sub>5</sub> M.W. 444.4 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2157-50</b> μCi / 1.85 MBq	629,000
<b>Ranitidine [<sup>3</sup>H(G)] hydrochloride</b> C <sub>13</sub> H <sub>22</sub> N <sub>4</sub> O <sub>3</sub> S · HCl M.W. 350.86 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 185-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2033-50</b> μCi / 1.85 MBq	439,000
<b>Rapamycin "cold"</b> M.W. 914.2 <i>Shipped in Dry Ice</i>		Ethanol 10 mg/ml	<b>ARCD 0243-10</b> mg <b>ARCD 0243-100</b> mg	36,000 60,000
<b>Rapamycin [<sup>3</sup>H(G)]</b> M.W. 914.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1334-10</b> μCi / 370 kBq	282,000
<b>Rauwolscline [<sup>3</sup>H(G)]</b> M.W. 354.4 <i>Shipped in Dry Ice</i>	70-90 Ci/mmol 2.59-3.33 TBq/mmol	Ethanol:0.25% ascorbic acid under nitrogen 1 mCi/ml	<b>ART 1613-25</b> μCi / 925 kBq <b>ART 1613-250</b> μCi / 9.25 MBq	74,000 247,000
<b>Resiniferatoxin [6-<sup>3</sup>H]</b> C <sub>37</sub> H <sub>40</sub> O <sub>9</sub> M.W. 628.72 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1392-10</b> μCi / 370 kBq <b>ART 1392-50</b> μCi / 1.85 MBq	172,000 419,000
<b>Resorcinol [<sup>14</sup>C(U)]</b> <i>m</i> -C <sub>6</sub> H <sub>4</sub> (OH) <sub>2</sub> M.W. 110.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0251-250</b> μCi / 9.25 MBq	393,000
<b>Resveratrol [ring-<sup>14</sup>C(U)]</b> C <sub>14</sub> H <sub>12</sub> O <sub>3</sub> M.W. 228.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3185-50</b> μCi / 1.85 MBq	439,000

R





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Resveratrol [ring-<sup>3</sup>H]</b> C <sub>14</sub> H <sub>12</sub> O <sub>3</sub> M.W. 228.24 <i>Shipped in Dry Ice</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1726-50</b> μCi / 1.85 MBq <b>ART 1726-250</b> μCi / 9.25 MBq <b>ART 1726-1</b> mCi / 37 MBq	144,000 297,000 497,000
<b>all trans Retinal [15-<sup>3</sup>H(N)]</b> <b>(Vitamin A aldehyde)</b> C <sub>20</sub> H <sub>28</sub> O M.W. 284.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Hexane under argon in sealed ampoule 0.1 mCi/ml	<b>ART 1265-10</b> μCi / 370 kBq	296,000
<b>all trans Retinoic acid [11,12-<sup>3</sup>H]</b> <b>(Vitamin A)</b> M.W. 300.40 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol with 1 mg/ml D-α-Tocopherol 0.1 mCi/ml	<b>ART 0633-100</b> μCi / 3.7 MBq <b>ART 0633-250</b> μCi / 9.25 MBq	Inquire Inquire
<b>all trans Retinol [11,12-<sup>3</sup>H(N)]</b> <b>(Vitamin A alcohol)</b> M.W. 286.4 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol f1.11-2.22 TBq/mmol	Ethanol with 1 mg/ml D-α-Tocopherol 1 mCi/ml	<b>ART 0566-100</b> μCi / 3.7 MBq <b>ART 0566-250</b> μCi / 9.25 MBq	114,000 176,000
<b>all trans Retinol [15-<sup>3</sup>H(N)]</b> <b>(Vitamin A alcohol)</b> M.W. 286.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol with 1 mg/ml D-α-Tocopherol 1 mCi/ml	<b>ART 0556-250</b> μCi / 9.25 MBq <b>ART 0556-1</b> mCi / 37 MBq	127,000 221,000
<b>all trans Retinol [15-<sup>3</sup>H(N)]</b> <b>(Vitamin A alcohol)</b> M.W. 286.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol with 1 mg/ml D-α-Tocopherol 1 mCi/ml	<b>ART 0556A-250</b> μCi / 9.25 MBq <b>ART 0556A-1</b> mCi / 37 MBq	127,000 221,000
<b>Retinyl acetate [1-<sup>14</sup>C]</b> <b>(Vitamin A acetate)</b> C <sub>22</sub> H <sub>32</sub> O <sub>2</sub> M.W. 328.49 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 3444-50</b> μCi / 1.85 MBq	524,000
<b>Retinyl palmitate [1-<sup>14</sup>C]</b> M.W. 524.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 0808-50</b> μCi / 1.85 MBq	443,000
<b>Retinyl palmitate [9,10-<sup>3</sup>H]</b> M.W. 524.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ART 1420-50</b> μCi / 1.85 MBq <b>ART 1420-250</b> μCi / 9.25 MBq	215,000 392,000
<b>Retinyl [15-<sup>3</sup>H] palmitate</b> M.W. 524.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Toluene in sealed ampoule 1 mCi/ml	<b>ART 0558-50</b> μCi / 1.85 MBq <b>ART 0558-250</b> μCi / 9.25 MBq	269,000 534,000

R



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Retinyl propionate [1-<sup>14</sup>C]</b> <b>(Vitamin A propionate)</b> C <sub>23</sub> H <sub>34</sub> O <sub>2</sub> M.W. 342.51 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene in sealed ampoule 0.1 mCi/ml	<b>ARC 3443-50</b> μCi / 1.85 MBq	524,000
<b>Rhamnose, L-[<sup>3</sup>H(G)]</b> <b>(6-Deoxy-L-mannose)</b> C <sub>6</sub> H <sub>12</sub> O <sub>5</sub> M.W. 182.2 <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0606-250</b> μCi / 9.25 MBq	226,000
<b>Rhodamine B [<sup>3</sup>H(G)] hexyl ester perchlorate</b> M.W. 627.18 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0860-50</b> μCi / 1.85 MBq	197,000
<b>Rhodanine-3-acetic acid [5-<sup>14</sup>C]</b> <b>(2-Thioxo-4-thiazolidinone-3-acetic acid)</b> M.W. 191.23 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1386A-50</b> μCi / 1.85 MBq	Inquire
<b>Ribitol, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> OH M.W. 152.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0157-50</b> μCi / 1.85 MBq <b>ARC 0157-250</b> μCi / 9.25 MBq	198,000 419,000
<b>Riboflavin [<sup>14</sup>C]</b> M.W. 376.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3649-10</b> μCi / 370 kBq <b>ARC 3649-50</b> μCi / 1.85 MBq	209,000 629,000
<b>Riboflavin [<sup>3</sup>H(G)]</b> M.W. 376.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-50 Ci/mmol 0.74-1.85 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0354-250</b> μCi / 9.25 MBq <b>ART 0354-1</b> mCi / 37 MBq	158,000 272,000
<b>Ribose, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHO M.W. 150.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0137-50</b> μCi / 1.85 MBq <b>ARC 0137-250</b> μCi / 9.25 MBq	164,000 365,000
<b>Ribose, L-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHO M.W. 150.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 1059-50</b> μCi / 1.85 MBq <b>ARC 1059-250</b> μCi / 9.25 MBq	142,000 353,000
<b>Ribose, D-[1,2-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>2</sub> CHOHCHO M.W. 150.1 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 3768</b>	Inquire
<b>Ribose, D-[1-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHO M.W. 150.1 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0152-250</b> μCi / 9.25 MBq <b>ART 0152-1</b> mCi / 37 MBq	120,000 205,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Ricinoleic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH(OH)CH <sub>2</sub> CH=(CH <sub>2</sub> ) <sub>7</sub> CO <sub>2</sub> H M.W. 298.47 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1157-10</b> μCi / 370 kBq <b>ARC 1157-50</b> μCi / 1.85 MBq	219,000 671,000
<b>Ricinoleic acid [12-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH(OH)CH <sub>2</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO <sub>2</sub> H M.W. 298.47 <i>Shipped In Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1118-50</b> μCi / 1.85 MBq	164,000
<b>Ricinoleoyl [1-<sup>14</sup>C] Coenzyme A</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH(OH)CH <sub>2</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO·CoA M.W. 1048.11 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01M Sodium acetate (pH 5.2): ethanol (1:1) 0.1 mCi/ml	<b>ARC 3096-10</b> μCi / 370 kBq <b>ARC 3096-50</b> μCi / 1.85 MBq	419,000 Inquire
<b>Ritonavir "cold"</b> M.W. 721.0 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0239-1</b> mg <b>ARCD 0239-10</b> mg <b>ARCD 0239-50</b> mg	68,000 157,000 399,000
<b>Ritonavir [<sup>3</sup>H(G)]</b> M.W. 721.0 <i>Shipped In Dry Ice</i> <i>Exclusive</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1338-50</b> μCi / 1.85 MBq <b>ART 1338-250</b> μCi / 9.25 MBq	229,000 419,000
<b>Rivastigmine [<sup>3</sup>H(G)]</b> C <sub>16</sub> H <sub>22</sub> N <sub>2</sub> O <sub>2</sub> M.W. 400.63 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-20 Ci/mmol 0.185-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1381-50</b> μCi / 1.85 MBq	264,000
<b>Ro 15-1788 [N-methyl-<sup>3</sup>H]</b> See Flumazenil [N-methyl- <sup>3</sup> H]			<b>ART 1457</b>	
<b>RO 15-4513 [7,9-<sup>3</sup>H]</b> C <sub>15</sub> H <sub>14</sub> FN <sub>3</sub> O <sub>3</sub> M.W. 326.30 <i>Shipped in Dry Ice</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1819-250</b> μCi / 9.25 MBq	Inquire
<b>RO5-4864 [N-methyl-<sup>3</sup>H]</b> <b>(4'-Chlorodiazepam)</b> M.W. 320.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0746-250</b> μCi / 9.25 MBq	296,000
<b>(±)-Rolipram "cold"</b> M.W. 275.35		Solid	<b>ARCD 0357-10</b> mg <b>ARCD 0357-50</b> mg	36,000 105,000
<b>Rolipram [6-<sup>3</sup>H]</b> C <sub>16</sub> H <sub>21</sub> NO <sub>3</sub> M.W. 275.35 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0629-50</b> μCi / 1.85 MBq <b>ART 0629-250</b> μCi / 9.25 MBq	155,000 275,000

R



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>(R)-(-)-Risperidone [methyl-<sup>3</sup>H]</b> C <sub>16</sub> H <sub>21</sub> NO <sub>3</sub> M.W. 275.35 <i>Shipped in Dry Ice</i>	50-87 Ci/mmol 1.85-3.219 TBq/mmol	Ethanol 0.2 mCi/ml	<b>ART 1899-250</b> μCi / 9.25 MBq	Inquire
<b>Ropivacaine [<sup>3</sup>H(G)] hydrochloride</b> C <sub>17</sub> H <sub>26</sub> N <sub>2</sub> O · HCl M.W. 310.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1908</b>	Inquire
<b>Ropivacaine hydrochloride "cold"</b> M.W. 310.9 CAS # 84057-95-4		Solid	<b>ARCD 0783-10</b> mg	47,000
<b>Rosiglitazone "cold"</b> C <sub>18</sub> H <sub>19</sub> N <sub>3</sub> O <sub>3</sub> S M.W. 357.43		Solid	<b>ARCD 0153-1</b> mg <b>ARCD 0153-5</b> mg	33,000 96,000
<b>Rosiglitazone [benzylidene-<sup>3</sup>H]</b> C <sub>18</sub> H <sub>19</sub> N <sub>3</sub> O <sub>3</sub> S M.W. 357.43 <i>Shipped in Dry Ice</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1231-50</b> μCi / 1.85 MBq <b>ART 1231-250</b> μCi / 9.25 MBq	153,000 241,000
<b>Rosuvastatin calcium "cold"</b> (C <sub>22</sub> H <sub>27</sub> FN <sub>3</sub> O <sub>6</sub> S) <sub>2</sub> Ca M.W. 1001.14 CAS # 147098-20-2		Solid	<b>ARCD 0409-10</b> mg	84,000
<b>Rosuvastatin [<sup>3</sup>H(G)] calcium salt</b> (C <sub>22</sub> H <sub>27</sub> FN <sub>3</sub> O <sub>6</sub> S) <sub>2</sub> Ca M.W. 1001.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1628-10</b> μCi / 370 kBq <b>ART 1628-50</b> μCi / 1.85 MBq	Inquire 449,000
<b>Rosuvastatin [5-<sup>3</sup>H] calcium salt</b> (C <sub>22</sub> H <sub>27</sub> FN <sub>3</sub> O <sub>6</sub> S) <sub>2</sub> Ca M.W. 1001.14 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 2164-50</b> μCi / 1.85 MBq	599,000
<b>Rosuvastatin [N-methyl-D<sub>3</sub>] calcium salt "stable isotope"</b> (C <sub>22</sub> H <sub>27</sub> FN <sub>3</sub> O <sub>6</sub> S) <sub>2</sub> Ca M.W. 1001.14 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>		Ethanol:water (1:1) 1 mg/ml	<b>ARCD 1045-1</b> mg	88,000
<b>Rosuvastatin [N-methyl-<sup>14</sup>C] calcium salt</b> (C <sub>22</sub> H <sub>27</sub> FN <sub>3</sub> O <sub>6</sub> S) <sub>2</sub> Ca M.W. 1001.14 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 3729-10</b> μCi / 370 kBq <b>ARC 3729-50</b> μCi / 1.85 MBq	419,000 1,040,000
<b>Rosuvastatin [N-methyl-<sup>3</sup>H] calcium salt</b> (C <sub>22</sub> H <sub>27</sub> FN <sub>3</sub> O <sub>6</sub> S) <sub>2</sub> Ca M.W. 1001.14 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	140-180 Ci/mmol 5.18-6.66 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 2163-50</b> μCi / 1.85 MBq	599,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Rosuvastatin lactone "cold"</b> C <sub>22</sub> H <sub>26</sub> FN <sub>3</sub> O <sub>5</sub> S M.W. 463.52		Solid	<b>ARCD 0408-10 mg</b>	84,000
<b>Rosuvastatin lactone [<sup>3</sup>H(G)]</b> C <sub>22</sub> H <sub>26</sub> FN <sub>3</sub> O <sub>5</sub> S M.W. 463.52 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1627-50 μCi / 1.85 MBq</b>	459,000
<b>Rosuvastatin lactone [N-methyl-<sup>3</sup>H]</b> C <sub>22</sub> H <sub>26</sub> FN <sub>3</sub> O <sub>5</sub> S M.W. 463.52 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	70-90 Ci/mmol 2.59-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2175-50 μCi / 1.85 MBq</b>	599,000
<b>Rosuvastatin [5-<sup>3</sup>H] sodium salt</b> C <sub>22</sub> H <sub>27</sub> FN <sub>3</sub> O <sub>6</sub> S·Na M.W. 503.52 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1948-50 μCi / 1.85 MBq</b>	629,000
<b>Rotenone [2-isopropyl-<sup>3</sup>H(N)]</b> 劇 C <sub>23</sub> H <sub>22</sub> O <sub>6</sub> M.W. 394.42 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2107-50 μCi / 1.85 MBq</b>	209,000
<b>RS-79948-197 [<sup>3</sup>H]</b> C <sub>19</sub> H <sub>28</sub> N <sub>2</sub> O <sub>3</sub> M.W. 364.50 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1792-50 μCi / 1.85 MBq</b>	209,000
<b>RTI-55 [<sup>125</sup>I]</b> C <sub>16</sub> H <sub>20</sub> INO <sub>2</sub> M.W. 385.2	2200 Ci/mmol 81.4 TBq/mmol	Ethanol:water: acetonitrile (1:1:0.1) 1 mCi/ml	<b>ARI 0148-25 μCi / 925 kBq</b> <b>ARI 0148-250 μCi / 9.25 MBq</b>	149,000 272,000
<b>RU-486 [N-methyl-<sup>3</sup>H] (Mifepristone)</b> M.W. 429.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-85 Ci/mmol 2.22-3.15 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0897-50 μCi / 1.85 MBq</b>	198,000
<b>RX 821002 [<sup>3</sup>H] (2-Methoxyidazoxan)</b> C <sub>12</sub> H <sub>14</sub> N <sub>2</sub> O <sub>3</sub> M.W. 234.22 <i>Shipped in Dry Ice</i>	40-70 Ci/mmol 1.48-2.59 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1751-50 μCi / 1.85 MBq</b> <b>ART 1751-250 μCi / 9.25 MBq</b>	173,000 292,000
<b>Ryanodine [9,21-<sup>3</sup>H(N)]</b> C <sub>25</sub> H <sub>35</sub> NO <sub>9</sub> M.W. 493.547 <i>Wang J.P. et al., J. Biol. Chem., 268 (28), pp 20974-20982, 1993; Zhang, Z-D et al., Biochem. Biophys. Res. Commun., 194(3), pp 1242-1247 (1993); Callaway, C. et al., J. Biol. Chem., 269 (22), pp 15876-15844, 1994.</i>	50-100 Ci/mmol 1.85-3.7 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1606-25 μCi / 925 kBq</b> <b>ART 1606-250 μCi / 9.25 MBq</b> <b>ART 1606-1 mCi / 37 MBq</b>	91,000 276,000 599,000

R

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>S107 [N-methyl<sup>3</sup>H]</b> M.W. 209 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	60-87 Ci/mmol 2.22-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2111-50</b> μCi / 1.85 MBq	629,000
<b>Saccharin [ring-<sup>14</sup>C(U)]</b> C <sub>7</sub> H <sub>5</sub> NO <sub>3</sub> S M.W. 183.18 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3397-50</b> μCi / 1.85 MBq	322,000
<b>Saclofen "cold"</b> M.W. 249.71 CAS # 125464-42-8.		Solid	<b>ARCD 0525-10</b> mg <b>ARCD 0525-50</b> mg	49,000 153,000
<b>Salicyl [1-<sup>14</sup>C] Coenzyme A</b> C <sub>29</sub> H <sub>42</sub> N <sub>7</sub> O <sub>17</sub> P <sub>3</sub> S M.W. 885.67 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Buffered solution 0.1 mCi/ml	<b>ARC 3608</b>	Inquire
<b>Salicylic acid [7-<sup>14</sup>C]</b> o-HOC <sub>6</sub> H <sub>4</sub> COOH M.W. 138.12	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:8) 0.1 mCi/ml	<b>ARC 0324-50</b> μCi / 1.85 MBq <b>ARC 0324-250</b> μCi / 9.25 MBq	56,000 Inquire
<b>Salicylic acid [phenyl-<sup>14</sup>C(U)]</b> o-HOC <sub>6</sub> H <sub>4</sub> COOH M.W. 138.1 <i>Exclusive</i>	10-20 mCi/mmol 0.37-0.74 GBq/mmol	Ethanol:water (2:8) 0.1 mCi/ml	<b>ARC 0287-250</b> μCi / 9.25 MBq <b>ARC 0287-1</b> mCi / 37 MBq	296,000 549,000
<b>Salicylic acid [ring-<sup>3</sup>H]</b> o-HOC <sub>6</sub> H <sub>4</sub> COOH M.W. 138.1 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (2:8) 1 mCi/ml	<b>ART 0461-250</b> μCi / 9.25 MBq <b>ART 0461-1</b> mCi / 37 MBq	176,000 381,000
<b>Salicylic acid [carbonyl-<sup>14</sup>C] tridecyl ester</b> M.W. 320.50 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ether in sealed ampoule 0.1 mCi/ml	<b>ARC 3398-50</b> μCi / 1.85 MBq <b>ARC 3398-250</b> μCi / 9.25 MBq	243,000 485,000
<b>SAM "cold"</b> See S-(5'-Adenosyl)-L-methionine			<b>ARCD 0768</b>	
<b>SAM [<sup>35</sup>S]</b> See Adenosyl-L-methionine, S-[ <sup>35</sup> S]			<b>ARS 0130</b>	
<b>SAM [carboxyl-<sup>14</sup>C]</b> See Adenosyl-L-methionine, S-[carboxyl- <sup>14</sup> C]			<b>ARC 0343</b>	
<b>SAM [methyl-<sup>13</sup>C]</b> See S-(5'-Adenosyl)-L-methionine [methyl- <sup>13</sup> C]			<b>ARCD 0788</b>	
<b>SAM [methyl-<sup>14</sup>C]</b> See Adenosyl-L-methionine, S-[methyl- <sup>14</sup> C]			<b>ARC 0344</b>	
<b>SAM [methyl-D<sub>3</sub>]</b> See S-(5'-Adenosyl)-L-methionine [methyl-D <sub>3</sub> ]			<b>ARCD 0789</b>	
<b>SAM [methyl-<sup>3</sup>H]</b> See Adenosyl-L-methionine, S-[methyl- <sup>3</sup> H]			<b>ART 0288, A</b>	

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>SAM, carboxy "cold"</b> See Carboxy S-adenosyl-L-methionine			<b>ARCD 1034</b>	
<b>SAM, carboxy [<sup>3</sup>H]</b> See Carboxy S-adenosyl-L-methionine [ <sup>3</sup> H]			<b>ART 2089</b>	
<b>SAM chloride "cold"</b> See S-(5'-Adenosyl)-L-methionine chloride			<b>ARCD 0767</b>	
<b>Saquinavir "cold"</b> M.W. 307.3 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0240-1 mg</b> <b>ARCD 0240-10 mg</b>	72,000 146,000
<b>Saquinavir [<sup>3</sup>H(G)]</b> M.W. 670.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1339-50 μCi / 1.85 MBq</b> <b>ART 1339-250 μCi / 1.85 MBq</b>	264,000 423,000
<b>Sarcosine [glycine-1-<sup>14</sup>C]</b> CH <sub>3</sub> NHCH <sub>2</sub> CO <sub>2</sub> H M.W. 89.09 <i>Exclusive</i>	20-50 mCi/mmol 0.74-1.85 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0586-250 μCi / 9.25 MBq</b>	303,000
<b>Sarcosine [N-methyl-<sup>14</sup>C]</b> CH <sub>3</sub> NHCH <sub>2</sub> CO <sub>2</sub> H M.W. 89.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1314-50 μCi / 1.85 MBq</b>	365,000
<b>Sarcosine [N-methyl-<sup>3</sup>H]</b> CH <sub>3</sub> NHCH <sub>2</sub> CO <sub>2</sub> H M.W. 89.09 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-85 Ci/mmol 2.22-3.15 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 1116-50 μCi / 1.85 MBq</b>	192,000
<b>Sauvagine, Tyr<sup>0</sup>-[<sup>125</sup>I]</b> 毒 M.W. 4778	2200 Ci/mmol 81.4 TBq/mmol	Buffered solution 0.08 mCi/ml	<b>ARI 0144-10 μCi / 370 kBq</b> <b>ARI 0144-50 μCi / 1.85 MBq</b>	150,000 314,000
<b>SB 206606 [<sup>3</sup>H]</b> <b>((R,R)-4-(2-[2-(3-Chloro-phenyl)-2-hydroxy ethylamino] propyl)-[3,5-<sup>3</sup>H] phenoxy-acetic acid)</b> M.W. 363.84 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-50 Ci/mmol 1.11-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1447-250 μCi / 9.25 MBq</b> <b>ART 1447-1 mCi / 37 MBq</b>	302,000 698,000
<b>SB 222200 [<sup>3</sup>H]</b> <b>([5-<sup>3</sup>H] 3-Methyl-2-[4'-<sup>3</sup>H]phenyl-N-[(1S)-1-phenylpropyl] 4-quinolinecarboxamide)</b> M.W. 287.45 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-50 Ci/mmol 1.11-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1213-250 μCi / 9.25 MBq</b>	443,000
<b>SB 269970 [<sup>3</sup>H] hydrochloride</b> <b>((2R)-1-[(3-Hydroxyphenyl)sulfonyl]-2-[2-(4-methyl-1-piperidinyl)ethyl]pyrrolidine hydrochloride)</b> C <sub>18</sub> H <sub>28</sub> N <sub>2</sub> O <sub>3</sub> S · HCl M.W. 388.95 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Potent and selective 5-HT<sub>7</sub> receptor antagonist</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1828-50 μCi / 1.85 MBq</b>	419,000

S





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>SCH 23390 [N-methyl-<sup>3</sup>H]</b> M.W. 287.45 <i>Shipped in Dry Ice</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol under argon 1 mCi/ml	<b>ART 0521-25</b> μCi / 925 kBq <b>ART 0521-250</b> μCi / 9.25 MBq <b>ART 0521-1</b> mCi / 37 MBq	51,000 171,000 332,000
<b>SCH 58261 "cold"</b> M.W. 345.36 CAS # 160098-96-4 <b>NEW!</b>		Solid	<b>ARCD 1039-1</b> mg	44,000
<b>SCH 58261 [<sup>3</sup>H(G)]</b> C <sub>18</sub> H <sub>15</sub> N <sub>7</sub> O M.W. 345.36 <i>Shipped in Dry Ice</i> <b>NEW!-Exclusive</b>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2128-50</b> μCi / 1.85 MBq	419,000
<b>Scopolamine [N-methyl-<sup>14</sup>C] hydrochloride</b> C <sub>17</sub> H <sub>21</sub> NO <sub>4</sub> ·HCl M.W. 339.81 <i>Shipped in Dry Ice</i> <b>Exclusive</b>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1525-50</b> μCi / 1.85 MBq	198,000
<b>Scopolamine [N-methyl-<sup>3</sup>H] hydrochloride</b> C <sub>17</sub> H <sub>21</sub> NO <sub>4</sub> ·HCl M.W. 339.81 <i>Shipped in Dry Ice</i> <b>Exclusive</b>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0314-50</b> μCi / 1.85 MBq	419,000
<b>Scopolamine methyl chloride [N-methyl-<sup>3</sup>H]</b> C <sub>18</sub> H <sub>24</sub> NO <sub>4</sub> Cl M.W. 318.35 <i>Shipped in Dry Ice</i>	70-87 Ci/mmol 2.59-3.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1214-250</b> μCi / 9.25 MBq <b>ART 1214-1</b> mCi / 37 MBq	177,000 380,000
<b>SDF-1α [<sup>125</sup>I] (human, recombinant)</b> M.W. ~8,000 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Sodium acetate with sucrose and BSA 0.04 mCi/ml	<b>ARI 0129-5</b> μCi / 185 kBq <b>ARI 0129-25</b> μCi / 925 kBq	114,000 306,000
<b>SB-T-101131 [<sup>3</sup>H]</b> See IDN-5109 [ <sup>3</sup> H]			<b>ART 1113</b>	
<b>Semicarbazide [<sup>14</sup>C] hydrochloride</b> H <sub>2</sub> NCONHNH <sub>2</sub> ·2HCl M.W. 111.33 <b>Exclusive</b>	25-50 mCi/mmol 0.925-1.85 GBq/mmol	Solid	<b>ARC 1367-250</b> μCi / 9.25 MBq	234,000
<b>Serine, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 105.1 <b>Exclusive</b>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0377-50</b> μCi / 1.85 MBq	199,000
<b>Serine, L-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 105.1 <b>Exclusive</b>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0374-50</b> μCi / 1.85 MBq <b>ARC 0374-250</b> μCi / 9.25 MBq	99,000 264,000
<b>Serine, L-[3-<sup>14</sup>C]</b> HOCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 105.1 <b>Exclusive</b>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0603-50</b> μCi / 1.85 MBq	145,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Serine, D-[3-<sup>3</sup>H]</b> HOCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 105.1 <i>Exclusive</i>	15-40 Ci/mmol 0.555-1.48 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0728-25</b> μCi / 925 kBq <b>ART 0728-50</b> μCi / 1.85 MBq <b>ART 0728-250</b> μCi / 9.25 MBq	84,000 114,000 212,000
<b>Serine, L-[3-<sup>3</sup>H]</b> HOCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 105.1	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0246-1</b> mCi / 37 MBq <b>ART 0246-5</b> mCi / 185 MBq	67,000 Inquire
<b>Serine, DL-[1-<sup>14</sup>C] methyl ester hydrochloride</b> HOCH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> CH <sub>3</sub> HCl M.W. 155.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0602-250</b> μCi / 9.25 MBq	465,000
<b>Serotonin, 5-[2-<sup>14</sup>C]</b> See Hydroxytryptamine binoxalate, 5-[2- <sup>14</sup> C]			<b>ARC 0250</b> <b>ARC 0250</b>	
<b>Serotonin [1,2-<sup>3</sup>H] sulfate</b> See Hydroxytryptamine, 5-[1,2- <sup>3</sup> H] creatinine sulfate			<b>ART 0350</b> <b>ART 0350</b>	
<b>Serotonin [2-<sup>14</sup>C] hydrochloride</b> See Hydroxytryptamine, 5-[2- <sup>14</sup> C] hydrochloride			<b>ARC 3294</b> <b>ARC 3294</b>	
<b>Serotonin [<sup>3</sup>H] trifluoroacetate</b> See Hydroxytryptamine, 5-[ <sup>3</sup> H] trifluoroacetate			<b>ART 1551</b> <b>ART 1551</b>	
<b>Sertraline [N-methyl-<sup>3</sup>H] hydrochloride</b> M.W. 342.69 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-85 Ci/mmol 2.59-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1876-50</b> μCi / 1.85 MBq	229,000
<b>Shikimic acid [3-<sup>3</sup>H]</b> C <sub>7</sub> H <sub>10</sub> O <sub>5</sub> M.W. 174.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0665-250</b> μCi / 9.25 MBq <b>ART 0665-1</b> mCi / 37 MBq	218,000 395,000
<b>Sialic acid [4-<sup>14</sup>C]</b> C <sub>11</sub> H <sub>19</sub> NO <sub>9</sub> M.W. 309.28 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 0204-10</b> μCi / 370 kBq <b>ARC 0204-50</b> μCi / 1.85 MBq	269,000 662,000
<b>Sialic acid [6-<sup>3</sup>H]</b> C <sub>11</sub> H <sub>19</sub> NO <sub>9</sub> M.W. 309.28 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ART 0153-50</b> μCi / 1.85 MBq <b>ART 0153-100</b> μCi / 3.7 MBq	198,000 326,000
<b>Simazine [ring-<sup>14</sup>C(U)]</b> C <sub>17</sub> H <sub>12</sub> ClN <sub>5</sub> M.W. 201.73 <i>Exclusive</i>	80-160 mCi/mmol 2.96-5.92 GBq/mmol	Solid	<b>ARC 1722-100</b> μCi / 3.7 MBq <b>ARC 1722-250</b> μCi / 9.25 MBq	182,000 268,000
<b>Simetryn [ring-<sup>14</sup>C(U)]</b> C <sub>8</sub> H <sub>15</sub> N <sub>5</sub> S M.W. 213.30 <i>Exclusive</i>	10-60 mCi/mmol 0.37-2.22 GBq/mmol	DMSO 0.1 mCi/ml	<b>ARC 3400-10</b> μCi / 370 kBq	299,000

S



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Simvastatin acid sodium salt "cold"</b> M.W. 458.6		Solid	<b>ARCD 0316-10 mg</b>	32,000
<b>Simvastatin acid [<sup>3</sup>H(G)] sodium salt</b> M.W. 458.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1357-50 μCi / 1.85 MBq</b>	419,000
<b>Simvastatin lactone "cold"</b> M.W. 418.57		Solid	<b>ARCD 0315-10 mg</b>	32,000
<b>Simvastatin lactone [<sup>3</sup>H(G)]</b> C <sub>25</sub> H <sub>38</sub> O <sub>5</sub> M.W. 418.57 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-25 Ci/mmol 185-925 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1375-50 μCi / 1.85 MBq</b>	419,000
<b>Sitagliptin phosphate "cold"</b> M.W. 505.3 CAS # 654671-78-0		Solid	<b>ARCD 1038-10 mg</b>	49,000
<b>Sitagliptin phosphate [<sup>3</sup>H(G)]</b> M.W. 505.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 185-370 MBq/mmol	Ethanol 1 mCi/ml	<b>ART 2079-50 μCi / 1.85 MBq</b>	356,000
<b>Sitostanol [5,6-<sup>3</sup>H]</b> M.W. 416.7 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0361-50 μCi / 1.85 MBq</b> <b>ART 0361-250 μCi / 9.25 MBq</b>	128,000 242,000
<b>β-Sitosterol [22,23-<sup>3</sup>H]</b> C <sub>29</sub> H <sub>50</sub> O M.W. 416.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1173-250 μCi / 9.25 MBq</b>	314,000
<b>β-Sitosteryl oleate [oleate-9,10-<sup>3</sup>H]</b> M.W. 679.15 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 2092-10 μCi / 370 kBq</b>	419,000
<b>SKF 97541 "cold"</b> M.W. 137.1 CAS # 127729-35-5		Solid	<b>ARCD 0537-10 mg</b> <b>ARCD 0537-50 mg</b>	46,000 157,000
<b>SNC 121 [<sup>3</sup>H]</b> (4-[(αR)-α-((2S,5R)-4-([2',3'- <sup>3</sup> H])-propyl-2,5-dimethyl-1-piperazinyl)-3-methoxybenzyl]N,N-diethylbenzamide) M.W. 451.64 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-50 Ci/mmol 0.74-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0878-250 μCi / 9.25 MBq</b>	353,000
<b>Sodium bicarbonate [<sup>14</sup>C]</b> NaHCO <sub>3</sub> M.W. 84.0	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water in sealed ampoule 1 mCi/ml	<b>ARC 0138A-250 μCi / 9.25 MBq</b> <b>ARC 0138A-1 mCi / 37 MBq</b> <b>ARC 0138A-5 mCi / 185 MBq</b>	38,000 Inquire Inquire
<b>Sodium bicarbonate [<sup>14</sup>C]</b> NaHCO <sub>3</sub> M.W. 84.0	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0138B-250 μCi / 9.25 MBq</b> <b>ARC 0138B-1 mCi / 37 MBq</b> <b>ARC 0138B-5 mCi / 185 MBq</b>	38,000 Inquire Inquire



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Sodium bicarbonate [<sup>14</sup>C]</b> NaHCO <sub>3</sub> M.W. 84.0	8.4 mCi/mmol 310.8 MBq/mmol	Sterile water in sealed ampoule 1 mCi/ml	<b>ARC 0138C-50</b> μCi / 1.85 MBq <b>ARC 0138C-250</b> μCi / 9.25 MBq <b>ARC 0138C-500</b> μCi / 18.5 MBq <b>ARC 0138C-1</b> mCi / 37 MBq <b>ARC 0138C-5</b> mCi / 185 MBq	45,000 61,000 76,000 99,000 202,000
<b>Sodium bicarbonate [<sup>14</sup>C]</b> NaHCO <sub>3</sub> M.W. 84.0	2-10 mCi/mmol 74-370 MBq/mmol	Solid	<b>ARC 0138D-250</b> μCi / 9.25 MBq <b>ARC 0138D-1</b> mCi / 37 MBq <b>ARC 0138D-5</b> mCi / 185 MBq	62,000 99,000 202,000
<b>Sodium borohydride [<sup>3</sup>H]</b> NaBH <sub>4</sub> M.W. 37.8 <i>Exclusive</i>	100-500 mCi/mmol 3.7-18.5 MBq/mmol	Solid	<b>ART 0121-5</b> mCi / 185 MBq <b>ART 0121-25</b> mCi / 925 MBq <b>ART 0121-100</b> mCi / 3.7 GBq <b>ART 0121-500</b> mCi / 18.5 GBq	59,000 119,000 169,000 299,000
<b>Sodium borohydride [<sup>3</sup>H]</b> NaBH <sub>4</sub> M.W. 37.8 <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Solid	<b>ART 0121A-100</b> mCi / 3.7 GBq <b>ART 0121A-500</b> mCi / 18.5 GBq	169,000 299,000
<b>Sodium borohydride [<sup>3</sup>H]</b> NaBH <sub>4</sub> M.W. 37.8 <i>Exclusive</i>	70-100 Ci/mmol 2.59-3.7 TBq/mmol	Solid	<b>ART 0121B-500</b> mCi / 18.5 GBq <b>ART 0121B-1</b> Ci / 37 GBq	379,000 Inquire
<b>Sodium borohydride [<sup>3</sup>H]</b> NaBH <sub>4</sub> M.W. 37.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-100 Ci/mmol 2.59-3.7 TBq/mmol	0.01N NaOH 100 mCi/ml	<b>ART 0121C-500</b> mCi / 18.5 GBq <b>ART 0121C-1</b> Ci / 37 GBq	379,000 Inquire
<b>Sodium borohydride [<sup>3</sup>H]</b> NaBH <sub>4</sub> M.W. 37.8 <i>Exclusive</i>	15 Ci/mmol 0.555 TBq/mmol	Solid	<b>ART 0121D-5</b> mCi / 185 MBq <b>ART 0121D-25</b> mCi / 925 MBq	75,000 Inquire
<b>Sodium borohydride [<sup>3</sup>H]</b> NaBH <sub>4</sub> M.W. 37.8 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-100 Ci/mmol 2.22-2.96 TBq/mmol	Diglyme 1 Ci/ml	<b>ART 0121E-25</b> mCi / 925 MBq <b>ART 0121E-50</b> mCi / 1.85 GBq	179,000 369,000
<b>Sodium carbonate [<sup>14</sup>C]</b> Na <sub>2</sub> CO <sub>3</sub> M.W. 106.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 5 mCi/ml	<b>ARC 0139A-250</b> μCi / 9.25 MBq <b>ARC 0139A-1</b> mCi / 37 MBq <b>ARC 0139A-5</b> mCi / 185 MBq <b>ARC 0139A-25</b> mCi / 925 MBq	60,000 70,000 164,000 342,000
<b>Sodium cocoyl isethionate [palmitoyl-1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>9</sub> CH <sub>2</sub> COOC <sub>2</sub> H <sub>4</sub> SO <sub>3</sub> Na M.W. 330.0 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1830-50</b> μCi / 1.85 MBq	461,000
<b>Sodium cyanate [<sup>14</sup>C]</b> 劇 NaOCN M.W. 65.01 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1262-250</b> μCi / 9.25 MBq <b>ARC 1262-1</b> mCi / 37 MBq	190,000 395,000

S



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Sodium cyanide [<sup>14</sup>C]</b> 毒 NaCN M.W. 49.0	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0140A-1</b> mCi / 37 MBq <b>ARC 0140A-5</b> mCi / 185 MBq <b>ARC 0140A-25</b> mCi / 925 MBq	170,000 339,000 507,000
<b>Sodium cyanoborohydride [<sup>3</sup>H]</b> 毒 for protein labeling NaBH <sub>3</sub> CN M.W. 62.84 <i>Shipped in Dry Ice</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	THF in sealed ampoule 10 mCi/ml	<b>ART 0579-10</b> mCi / 370 MBq <b>ART 0579-50</b> mCi / 1.85 GBq <b>ART 0579-100</b> mCi / 3.7 GBq	143,000 399,000 512,000
<b>Sodium dihydrogen phosphate [<sup>32</sup>P]</b> NaH <sub>2</sub> PO <sub>4</sub> M.W. 119.98 <i>Exclusive</i>	Carrier free	Sterile water 10 mCi/ml	<b>ARP 0152-1</b> mCi / 37 MBq	Inquire
<b>Sodium dimethyl dithiocarbamate [methyl-<sup>14</sup>C]</b> (SDDC) (CH <sub>3</sub> ) <sub>2</sub> NCSSNa · 2H <sub>2</sub> O M.W. 179.24 <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Solid	<b>ARC 0523-250</b> μCi / 9.25 MBq	311,000
<b>Sodium dodecyl sulfate [1-<sup>14</sup>C]</b> See Lauryl sulfate [1- <sup>14</sup> C] sodium salt			<b>ARC 0833</b>	
<b>Sodium oxalate [<sup>14</sup>C]</b> (Oxalic acid sodium salt) (COONa) <sub>2</sub> M.W. 134.10 <i>Exclusive</i>	10-20 mCi/mmol 0.37-0.74 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3458-50</b> μCi / 1.85 MBq	135,000
<b>Sodium sulfide [<sup>35</sup>S]</b> Na <sub>2</sub> S M.W. 78 (as anhydrous base) <i>Exclusive</i>	1-20 mCi/mmol 37-740 GBq/mmol	Solid	<b>ARS 0128-1</b> mCi / 37 MBq <b>ARS 0128-5</b> mCi / 185 MBq	209,000 649,000
<b>Sodium thiocyanate [<sup>14</sup>C]</b> NaSCN M.W. 81.1 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Solid	<b>ARC 0175-250</b> μCi / 9.25 MBq <b>ARC 0175-1</b> mCi / 37 MBq	191,000 311,000
<b>Sodium thiocyanate [<sup>14</sup>C]</b> NaSCN M.W. 81.1 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Acetone in sealed ampoule	<b>ARC 0175B-250</b> μCi / 9.25 MBq <b>ARC 0175B-1</b> mCi / 37 MBq	191,000 311,000
<b>Solanesol "cold"</b> M.W. 631.07 CAS # 13190-97-1		Solid	<b>ARCD 0388-25</b> mg <b>ARCD 0388-250</b> mg	49,000 169,000
<b>Solanesol [1-<sup>3</sup>H]</b> C <sub>45</sub> H <sub>74</sub> O M.W. 631.1 <i>Exclusive</i>	15-20 Ci/mmol 0.555-0.74 TBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ART 1346-50</b> μCi / 1.85 MBq	164,000
<b>Solanesyl pyrophosphate "cold"</b> M.W. 790.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Isopropanol:NH <sub>4</sub> OH: water (6:3:1)	<b>ARCD 0111-1</b> mg	324,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Solanesyl pyrophosphate [1-<sup>3</sup>H]</b> C <sub>45</sub> H <sub>75</sub> O <sub>7</sub> P <sub>2</sub> M.W. 790.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	<b>ART 0404-50</b> μCi / 1.85 MBq <b>ART 0404-250</b> μCi / 9.25 MBq	269,000 506,000
<b>Somatostatin-14, Tyr<sup>11</sup>-[<sup>125</sup>I]</b> M.W. ~1778	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0179-10</b> μCi / 370 kBq <b>ARI 0179-50</b> μCi / 1.85 MBq	132,000 309,000
<b>Sorbitol, D-[<sup>14</sup>C(U)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CH <sub>2</sub> OH M.W. 182.2 <i>Exclusive</i>	250-350 mCi/mmol 9.25-12.9 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0141A-50</b> μCi / 1.85 MBq <b>ARC 0141A-250</b> μCi / 9.25 MBq	103,000 295,000
<b>Sorbitol, D-[1-<sup>3</sup>H(N)]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CH <sub>2</sub> OH M.W. 182.2 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0122-250</b> μCi / 9.25 MBq <b>ART 0122-1</b> mCi / 37 MBq	85,000 198,000
<b>Spermidine [1,4-<sup>14</sup>C] trihydrochloride</b> NH <sub>2</sub> (CH <sub>2</sub> ) <sub>3</sub> NH(CH <sub>2</sub> ) <sub>3</sub> (CH <sub>2</sub> )NH <sub>2</sub> ·3HCl M.W. 254.63 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3138-50</b> μCi / 1.85 MBq	324,000
<b>Spermidine [terminal methylenes-<sup>3</sup>H(N)] trihydrochloride</b> NH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> NH(CH <sub>2</sub> ) <sub>3</sub> (CH <sub>2</sub> )NH <sub>2</sub> ·3HCl M.W. 254.63 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 1749-1</b> mCi / 37 MBq <b>ART 1749-5</b> mCi / 185 MBq	216,000 Inquire
<b>Spermine [1,4-<sup>14</sup>C] tetrahydrochloride</b> NH <sub>2</sub> NH(CH <sub>2</sub> ) <sub>12</sub> NH <sub>2</sub> ·4HCl M.W. 348.18 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.44 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3139-50</b> μCi / 1.85 MBq	316,000
<b>Spermine [terminal methylenes-<sup>3</sup>H] tetrahydrochloride</b> NH <sub>2</sub> CH <sub>2</sub> (CH <sub>2</sub> ) <sub>2</sub> NH(CH <sub>2</sub> ) <sub>4</sub> NH(CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·4HCl M.W. 348.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0471-1</b> mCi / 37 MBq	274,000
<b>Sphingomyelin (bovine) "cold"</b> M.W. 821.1			<b>ARCD 0658-25</b> mg	34,000
<b>Sphingomyelin [arachidonyl-5,6,8,9,11,12,14,15-<sup>3</sup>H(N)] (N-Arachidonyl-sphingosine-1-phosphocholine)</b> M.W. 821.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	200-240 Ci/mmol 7.4-8.88 TBq/mmol	Ethanol:toluene (1:1) in sealed ampoule 1 mCi/ml	<b>ART 1511-10</b> μCi / 370 kBq	175,000
<b>Sphingomyelin [choline methyl-<sup>14</sup>C] (from bovine milk)</b> <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) in sealed ampoule 0.1 mCi/ml	<b>ARC 0772-10</b> μCi / 370 kBq <b>ARC 0772-25</b> μCi / 925 kBq	Inquire Inquire

S



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Sphingomyelin [choline methyl-<sup>3</sup>H]</b> (from bovine milk) <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol:toluene (1:1) in sealed ampoule 1 mCi/ml	<b>ART 0481-50</b> μCi / 1.85 MBq <b>ART 0481-250</b> μCi / 9.25 MBq	189,000 359,000
<b>Sphingomyelin [palmitoyl-1-<sup>14</sup>C]</b> (N-Palmitoyl-sphingosine-1-phosphocholine) M.W. 749.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) in sealed ampoule 0.1 mCi/ml	<b>ARC 1881-10</b> μCi / 370 kBq	167,000
<b>Sphingomyelin [palmitoyl-9,10-<sup>3</sup>H]</b> (N-Palmitoyl-sphingosine-1-phosphocholine) M.W. 749.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:toluene (1:1) in sealed ampoule 1 mCi/ml	<b>ART 1510-50</b> μCi / 1.85 MBq	269,000
<b>Sphingomyelin [stearoyl-1-<sup>14</sup>C]</b> (N-Stearoyl-sphingosine-1-phosphocholine) M.W. 749.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) in silanized ampoule 0.1 mCi/ml	<b>ARC 1880-10</b> μCi / 370 kBq	155,000
<b>Sphingomyelin [stearoyl-9,10-<sup>3</sup>H]</b> (N-Stearoyl-sphingosine-1-phosphocholine) M.W. 749.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:toluene (1:1) in sealed ampoule 1 mCi/ml	<b>ART 1509-50</b> μCi / 1.85 MBq	247,000
<b>Sphingosine-D-erythro "cold"</b> C <sub>18</sub> H <sub>37</sub> NO <sub>2</sub> M.W. 299.49			<b>ARCD 0274-5</b> mg <b>ARCD 0274-10</b> mg	36,000 60,000
<b>Sphingosine, D-erythro [3-<sup>3</sup>H]</b> (D-(+)-erythro-2-amino-4-trans-octadecene-1,3-diol) M.W. 299.49 <i>Shipped in Dry Ice</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol under nitrogen 1 mCi/ml	<b>ART 0490-50</b> μCi / 1.85 MBq <b>ART 0490-250</b> μCi / 9.25 MBq	176,000 559,000
<b>Sphingosine-D-erythro-1-phosphate "cold"</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> CH(OH)CH(NH <sub>2</sub> )CH <sub>2</sub> OPO <sub>3</sub> H M.W. 379.5		Ethanol:0.1M NH <sub>4</sub> OH (9:1) 1 mg/ml	<b>ARCD 0169-1</b> mg <b>ARCD 0169-5</b> mg	60,000 125,000
<b>Sphingosine, D-erythro [3-<sup>3</sup>H]-1-phosphate</b> C <sub>18</sub> H <sub>37</sub> NPO <sub>5</sub> M.W. 379.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:0.1M NH <sub>4</sub> OH (9:1) 0.1 mCi/ml	<b>ART 0778-10</b> μCi / 370 kBq <b>ART 0778-50</b> μCi / 1.85 MBq	314,000 Inquire
<b>Sphingosine, D-erythro-1-phosphate [<sup>33</sup>P]</b> C <sub>18</sub> H <sub>37</sub> NPO <sub>5</sub> M.W. 379.5 <i>Shipped in Dry Ice</i>	2000-3000 Ci/mmol 74-111 TBq/mmol	Ethanol:0.1M NH <sub>4</sub> OH (9:1) 0.1 mCi/ml	<b>ARP 0144-10</b> μCi / 370 kBq <b>ARP 0144-50</b> μCi / 1.85 MBq <b>ARP 0144-100</b> μCi / 3.7 MBq	259,000 659,000 Inquire



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Sphingosine, D-erythro-1-phosphate [<sup>33</sup>P]</b> C <sub>18</sub> H <sub>37</sub> NPO <sub>5</sub> M.W. 379.5 <i>Shipped in Dry Ice</i>	2000-3000 Ci/mmol 74-111 TBq/mmol	85% Methanol: 15% water with 0.1% tetrabutyl ammonium hydroxide 1 mCi/ml	<b>ARP 0144A-10</b> μCi / 370 kBq <b>ARP 0144A-50</b> μCi / 1.85 MBq <b>ARP 0144A-100</b> μCi / 3.7 MBq	269,000 709,000 Inquire
<b>Sphingosine, D-threo [3-<sup>3</sup>H]</b> M.W. 299.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:0.1M NH <sub>4</sub> OH (9:1) 1 mCi/ml	<b>ART 0859-50</b> μCi / 1.85 MBq	212,000
<b>Sphingosine, D-threo [3-<sup>3</sup>H]-1-phosphate</b> C <sub>18</sub> H <sub>37</sub> NPO <sub>5</sub> M.W. 379.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:0.1M NH <sub>4</sub> OH (9:1) 0.1 mCi/ml	<b>ART 1283-10</b> μCi / 370 kBq <b>ART 1283-50</b> μCi / 1.85 MBq	329,000 583,000
<b>Sphingosylphosphoryl choline [<sup>14</sup>C]</b> C <sub>23</sub> H <sub>49</sub> N <sub>2</sub> O <sub>5</sub> P M.W. 464.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1865-10</b> μCi / 370 kBq	239,000
<b>Sphingosylphosphoryl choline [choline-methyl-<sup>3</sup>H]</b> C <sub>23</sub> H <sub>49</sub> N <sub>2</sub> O <sub>5</sub> P M.W. 464.6 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1471-10</b> μCi / 370 kBq <b>ART 1471-50</b> μCi / 1.85 MBq	234,000 408,000
<b>Spiiperone [benzene ring-<sup>3</sup>H]</b> C <sub>23</sub> H <sub>26</sub> FN <sub>3</sub> O <sub>2</sub> M.W. 395.47 <i>Shipped in Dry Ice</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1193-25</b> μCi / 925 kBq <b>ART 1193-250</b> μCi / 9.25 MBq <b>ART 1193-1</b> mCi / 37 MBq	72,000 209,000 599,000
<b>Spiiperone [benzene ring-<sup>3</sup>H]</b> C <sub>23</sub> H <sub>26</sub> FN <sub>3</sub> O <sub>2</sub> M.W. 395.47 <i>Shipped in Dry Ice</i>	60-120 Ci/mmol 2.22-4.44 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 1193A-250</b> μCi / 9.25 MBq <b>ART 1193A-1</b> mCi / 37 MBq	Inquire Inquire
<b>Spiironolactone [1,2-<sup>3</sup>H]</b> C <sub>24</sub> H <sub>32</sub> O <sub>4</sub> S M.W. 416.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1183-25</b> μCi / 925 kBq <b>ART 1183-250</b> μCi / 9.25 MBq	93,000 212,000
<b>SQ 29,548 "cold"</b>		Solid	<b>ARCD 0645-1</b> mg	39,000
<b>SQ 29,548 [<sup>3</sup>H(G)]</b> C <sub>21</sub> H <sub>29</sub> N <sub>3</sub> O <sub>4</sub> M.W. 387.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1770</b>	Inquire
<b>SQ 29,548, dihydro-[5,6-<sup>3</sup>H]</b> M.W. 389.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1923-50</b> μCi / 1.85 MBq	462,000

S



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Squalene [<sup>14</sup>C]</b> M.W. 410.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane:ethanol (99:1) in sealed ampoule 0.01 mCi/ml	<b>ARC 0540</b>	Inquire
<b>Squalene [12,13-<sup>3</sup>H]</b> M.W. 410.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Hexane:ethanol (99:1) in sealed ampoule 0.1 mCi/ml	<b>ART 0355-10</b> μCi / 370 kBq <b>ART 0355-50</b> μCi / 1.85 MBq	164,000 419,000
<b>Squalene diepoxide [12,13-<sup>3</sup>H]</b> M.W. 438.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol:hexane (2:98) 0.01 mCi/ml	<b>ART 0748-1</b> μCi / 37 kBq <b>ART 0748-5</b> μCi / 185 kBq	311,000 563,000
<b>Squalene epoxide [12,13-<sup>3</sup>H]</b> M.W. 426.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol:hexane (2:98) 0.01 mCi/ml	<b>ART 0747-1</b> μCi / 37 kBq <b>ART 0747-5</b> μCi / 185 kBq	311,000 563,000
<b>SR 141716A "cold"</b> <b>(Rimonabant hydrochloride)</b> M.W. 500.25 CAS # 158681-13-1		Solid	<b>ARCD 0491-10 mg</b>	43,000
<b>SR 141716A [<sup>3</sup>H]</b> C <sub>22</sub> H <sub>21</sub> Cl <sub>3</sub> N <sub>4</sub> O <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1553-250</b> μCi / 9.25 MBq	368,000
<b>SR 95531 [butyryl-2,3-<sup>3</sup>H]</b> C <sub>15</sub> H <sub>17</sub> N <sub>3</sub> O <sub>3</sub> M.W. 287.30 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1807-250</b> μCi / 9.25 MBq	272,000
<b>Starch [<sup>14</sup>C(U)] (<i>Nicotiana tobacum</i>)</b> (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> M.W. 7,000	1.5-2.0 mCi/mg 55-74 MBq/mg	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0142-50</b> μCi / 1.85 MBq <b>ARC 0142-250</b> μCi / 9.25 MBq	86,000 339,000
<b>Stearic acid [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>16</sub> CO <sub>2</sub> H M.W. 284.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.5 mCi/ml	<b>ARC 0258-50</b> μCi / 1.85 MBq <b>ARC 0258-250</b> μCi / 9.25 MBq <b>ARC 0258-1</b> mCi / 37 MBq	47,000 Inquire Inquire
<b>Stearic acid [9,10-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> (CH <sub>2</sub> ) <sub>2</sub> (CH <sub>2</sub> ) <sub>7</sub> CO <sub>2</sub> H M.W. 284.5 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0297-1</b> mCi / 37 MBq <b>ART 0297-5</b> mCi / 185 MBq	92,000 246,000
<b>Stearic acid [9,10-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> (CH <sub>2</sub> ) <sub>2</sub> (CH <sub>2</sub> ) <sub>7</sub> CO <sub>2</sub> H M.W. 284.5 <i>Exclusive</i>	120 Ci/mmol 4.44 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0297A-1</b> mCi / 37 MBq <b>ART 0297A-5</b> mCi / 185 MBq	135,000 269,000
<b>1-Stearoyl [1-<sup>14</sup>C] 2-arachidonyl glycerol</b> C <sub>41</sub> H <sub>72</sub> O <sub>5</sub> 劇 M.W. 645.01 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetonitrile 0.1 mCi/ml	<b>ARC 3446-10</b> μCi / 370 kBq	419,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2-Stearoyl [9,10-<sup>3</sup>H] 1-arachidonyl glycerol</b> M.W. 645.01 劇 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Acetonitrile in sealed ampoule 0.1 mCi/ml	<b>ART 1544-10</b> μCi / 370 kBq <b>ART 1544-50</b> μCi / 1.85 MBq	234,000 563,000
<b>Stearoyl [1-<sup>14</sup>C] Coenzyme A</b> M.W. 1034 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 0.1 mCi/ml	<b>ARC 0756-10</b> μCi / 370 kBq <b>ARC 0756-50</b> μCi / 1.85 MBq	198,000 471,000
<b>Stearoyl [9,10-<sup>3</sup>H] Coenzyme A</b> M.W. 1034 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 1 mCi/ml	<b>ART 0390-50</b> μCi / 1.85 MBq <b>ART 0390-250</b> μCi / 9.25 MBq	216,000 576,000
<b>Stearoyl [9,10-<sup>3</sup>H] Coenzyme A</b> M.W. 1034 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	90-120 Ci/mmol 3.33-4.44 TBq/mmol	Ethanol:0.01N NaOAc pH 5.2 (1:1) 1 mCi/ml	<b>ART 0390A-50</b> μCi / 1.85 MBq <b>ART 0390A-250</b> μCi / 9.25 MBq	259,000 679,000
<b>Stearoyl Coenzyme A lithium salt "cold"</b> <b>(n-Octadecanoyl Coenzyme A)</b> M.W. 1034 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0156-5</b> mg <b>ARCD 0156-10</b> mg	39,000 59,000
<b>2-Stearoyl [1-<sup>14</sup>C] glycerol</b> C <sub>37</sub> H <sub>44</sub> O <sub>4</sub> M.W. 358.56 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 MBq/mmol	Ethyl acetate in sealed ampoule 0.1 mCi/ml	<b>ARC 1877-10</b> μCi / 370 kBq <b>ARC 1877-50</b> μCi / 1.85 MBq	275,000 563,000
<b>2-Stearoyl glycerol [1,3-<sup>3</sup>H]</b> 劇 C <sub>37</sub> H <sub>44</sub> O <sub>4</sub> M.W. 358.56 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Acetonitrile in sealed ampoule 0.1 mCi/ml	<b>ART 1397-10</b> μCi / 370 kBq <b>ART 1397-50</b> μCi / 1.85 MBq	205,000 506,000
<b>2-Stearoyl [9,10-<sup>3</sup>H] glycerol</b> M.W. 358.56 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethyl acetate in sealed ampoule 0.1 mCi/ml	<b>ART 1496-50</b> μCi / 1.85 MBq <b>ART 1496-250</b> μCi / 9.25 MBq	170,000 365,000
<b>N-Stearoyl [1-<sup>14</sup>C] sphingosine, D-erythro</b> <b>(C-18 ceramide)</b> M.W. 565.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1815-50</b> μCi / 1.85 MBq	415,000
<b>N-Stearoyl [9,10-<sup>3</sup>H] sphingosine, D-erythro</b> <b>(C-18 ceramide)</b> M.W. 565.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1408-50</b> μCi / 1.85 MBq	392,000
<b>Stearoyl [9,10-<sup>3</sup>H] sphingosine-D-erythro-1-phosphate</b> See Ceramide-D-erythro-1-phosphate [N-stearoyl-9,10- <sup>3</sup> H]			<b>ART 1605</b>	

S



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Stigmasterol [<sup>3</sup>H(G)]</b> C <sub>29</sub> H <sub>48</sub> O M.W. 412.69 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2082-50</b> μCi / 1.85 MBq	229,000
<b>cis-Stilbene oxide [<sup>3</sup>H]</b> M.W. 196.25 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0770-250</b> μCi / 9.25 MBq <b>ART 0770-1</b> mCi / 37 MBq	289,000 563,000
<b>trans-Stilbene oxide [<sup>3</sup>H]</b> M.W. 196.25 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0309-250</b> μCi / 9.25 MBq	289,000
<b>Strychnine [benzene-ring-<sup>3</sup>H]</b> 毒 M.W. 334.4 <i>Shipped in Dry Ice</i>	15-40 Ci/mmol 0.555-1.48 TBq/mmol	Ethanol under nitrogen 1 mCi/ml	<b>ART 0848-250</b> μCi / 9.25 MBq	180,000
<b>Styrene [methylene-<sup>14</sup>C]</b> H <sub>2</sub> C=CHC <sub>6</sub> H <sub>5</sub> M.W. 104.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-60 mCi/mmol 0.37-2.22 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 1850-50</b> μCi / 1.85 MBq	254,000
<b>Styrene [methylene-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> CH=CH <sub>2</sub> M.W. 104.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.1-2.22 TBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ART 0761-250</b> μCi / 9.25 MBq <b>ART 0761-1</b> mCi / 37 MBq	177,000 381,000
<b>Styrene oxide [8-<sup>14</sup>C]</b> (Phenylethylene oxide) C <sub>8</sub> H <sub>8</sub> O M.W. 120.15	1-10 mCi/mmol 37-370 MBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 3402-50</b> μCi / 1.85 MBq	402,000
<b>Substance P [leucyl 3,4,5-<sup>3</sup>H]</b> <i>Shipped in Dry Ice</i>	> 100 Ci/mmol > 3.7 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0692-25</b> μCi / 925 kBq	142,000
<b>Substance P [2-L-pro-3,4-<sup>3</sup>H]</b> M.W. 1347.80 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	25-50 Ci/mmol 0.925-1.85 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0693-50</b> μCi / 1.85 MBq <b>ART 0693-250</b> μCi / 9.25 MBq	203,000 548,000
<b>Substance P, Tyr<sup>8</sup>-[<sup>125</sup>I]</b> 毒 M.W. 1487 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Buffered solution (pH 8.5) 0.08 mCi/ml	<b>ARI 0127-10</b> μCi / 370 kBq <b>ARI 0127-50</b> μCi / 1.85 MBq	156,000 343,000
<b>Succinic acid [1,4-<sup>14</sup>C]</b> HOOCCH <sub>2</sub> CH <sub>2</sub> COOH M.W. 118.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:9) 0.1 mCi/ml	<b>ARC 0170-50</b> μCi / 1.85 MBq <b>ARC 0170-250</b> μCi / 9.25 MBq <b>ARC 0170-1</b> mCi / 37 MBq	60,000 154,000 303,000
<b>Succinic acid [2,3-<sup>14</sup>C]</b> HOOCCH <sub>2</sub> CH <sub>2</sub> COOH M.W. 118.1 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol:water(1:9) 0.1 mCi/ml	<b>ARC 0206-50</b> μCi / 1.85 MBq <b>ARC 0206-250</b> μCi / 9.25 MBq <b>ARC 0206-1</b> mCi / 37 MBq	64,000 168,000 399,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Succinic acid [<sup>14</sup>C(U)]</b> HOOCCH <sub>2</sub> CH <sub>2</sub> COOH M.W. 118.1 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol:water (1:9) 0.1 mCi/ml	<b>ARC 3593-50</b> μCi / 1.85 MBq <b>ARC 3593-250</b> μCi / 9.25 MBq	169,000 419,000
<b>Succinic acid [2,3-<sup>3</sup>H]</b> HOOCCH <sub>2</sub> CH <sub>2</sub> COOH M.W. 118.09 <i>Exclusive</i>	20-50 Ci/mmol 0.74-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1700-250</b> μCi / 9.25 MBq <b>ART 1700-1</b> mCi / 37 MBq	74,000 Inquire
<b>Succinic anhydride [1,4-<sup>14</sup>C]</b> M.W. 100.1 <i>Exclusive</i>	50-120 mCi/mmol 1.85-4.44 GBq/mmol	Solid	<b>ARC 0300-50</b> μCi / 1.85 MBq <b>ARC 0300-250</b> μCi / 9.25 MBq <b>ARC 0300-1</b> mCi / 37 MBq	66,000 177,000 381,000
<b>Succinic anhydride [2,3-<sup>14</sup>C]</b> M.W. 100.1 <i>Exclusive</i>	5-10 mCi/mmol 1.85-3.7 MBq/mmol	Solid	<b>ARC 0571A-1</b> mCi / 37 MBq	457,000
<b>N-Succinimidyl-6-maleimido [2,3-<sup>14</sup>C] caproate</b> 劇 C <sub>14</sub> H <sub>16</sub> N <sub>2</sub> O <sub>6</sub> M.W. 308.30 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Acetonitrile 0.1 mCi/ml	<b>ARC 3377-50</b> μCi / 1.85 MBq	302,000
<b>N-Succinimidyl propionate "cold" (NSP)</b> M.W. 171.1 <i>Exclusive</i>		Ethyl acetate in sealed ampoule 1 mg/ml	<b>ARCD 0725-1</b> mg	60,000
<b>Succinimidyl propionate, N-[propionate-1-<sup>14</sup>C] (NSP)</b> M.W. 171.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethyl acetate in sealed ampoule 1 mCi/ml	<b>ARC 3628-50</b> μCi / 1.85 MBq	209,000
<b>Succinimidyl propionate, N-[propionate-2,3-<sup>3</sup>H] (NSP)</b> M.W. 171.1	80-120 Ci/mmol 2.96-4.44 TBq/mmol	Ethyl acetate in sealed ampoule 5 mCi/ml	<b>ART 0135-1</b> mCi / 37 MBq <b>ART 0135-5</b> mCi / 185 MBq	135,000 273,000
<b>Succinimidyl propionate N-[propionate-2,3-<sup>3</sup>H] (NSP)</b> M.W. 171.1	80-120 Ci/mmol 2.96-4.44 TBq/mmol	DMF 1 mCi/ml	<b>ART 0135A-1</b> mCi / 37 MBq <b>ART 0135A-5</b> mCi / 185 MBq	135,000 273,000
<b>Sucrose [<sup>14</sup>C(U)]</b> C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W. 342.3	2-10 mCi/mmol 74-370 MBq/mmol	Solid	<b>ARC 0143-50</b> μCi / 1.85 MBq <b>ARC 0143-250</b> μCi / 9.25 MBq <b>ARC 0143-1</b> mCi / 37 MBq	50,000 125,000 Inquire
<b>Sucrose [<sup>14</sup>C(U)]</b> C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W. 342.3	500-700 mCi/mmol 18.5-25.9 GBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ARC 0143A-50</b> μCi / 1.85 MBq <b>ARC 0143A-250</b> μCi / 9.25 MBq <b>ARC 0143A-1</b> mCi / 37 MBq	50,000 125,000 Inquire
<b>Sucrose [<sup>14</sup>C(U)]</b> C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W. 342.3	500-700 mCi/mmol 18.5-25.9 GBq/mmol	Sterile water 1 mCi/ml	<b>ARC 0143C-50</b> μCi / 1.85 MBq <b>ARC 0143C-250</b> μCi / 9.25 MBq <b>ARC 0143C-1</b> mCi / 37 MBq	50,000 125,000 Inquire

S



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Sucrose [fructose-<sup>14</sup>C(U)]</b> C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W. 342.3 <i>Exclusive</i>	250-360 mCi/mmol 9.25-13.32 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0471-10</b> μCi / 370 kBq <b>ARC 0471-50</b> μCi / 1.85 MBq	195,000 392,000
<b>Sucrose [glucose-<sup>14</sup>C(U)]</b> C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W. 342.3 <i>Exclusive</i>	250-360 mCi/mmol 9.25-13.3 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 0472-10</b> μCi / 370 kBq <b>ARC 0472-50</b> μCi / 1.85 MBq	195,000 392,000
<b>Sucrose [glucose 6-<sup>3</sup>H]</b> C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> M.W. 342.3 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0327-10</b> μCi / 370 kBq <b>ART 0327-50</b> μCi / 1.85 MBq	164,000 311,000
<b>Sucrose-1,6-dilaurate [lauryl-1-<sup>14</sup>C]</b> C <sub>36</sub> H <sub>66</sub> O <sub>13</sub> M.W. 706.90 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3189-50</b> μCi / 1.85 MBq	209,000
<b>Sulfadiazine [phenyl ring-<sup>14</sup>C]</b> C <sub>10</sub> H <sub>10</sub> N <sub>4</sub> O <sub>2</sub> S M.W. 250.28 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1704A-50</b> μCi / 1.85 MBq	282,000
<b>Sulfamethazine [3,5-<sup>3</sup>H]</b> C <sub>12</sub> H <sub>14</sub> N <sub>4</sub> O <sub>2</sub> S M.W. 278.33 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1597-250</b> μCi / 9.25 MBq <b>ART 1597-1</b> mCi / 37 MBq	Inquire Inquire
<b>Sulfamethazine [phenyl-ring-<sup>14</sup>C(U)]</b> C <sub>12</sub> H <sub>14</sub> N <sub>4</sub> O <sub>2</sub> S M.W. 278.33 <i>Exclusive</i>	50-80 mCi/mmol 1.85-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3065-50</b> μCi / 1.85 MBq	339,000
<b>Sulfamethoxazole [ring-<sup>14</sup>C(U)]</b> C <sub>10</sub> H <sub>11</sub> N <sub>3</sub> O <sub>3</sub> S M.W. 253.28 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3653-50</b> μCi / 1.85 MBq	461,000
<b>Sulfamethoxazole [ring-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>11</sub> N <sub>3</sub> O <sub>3</sub> S M.W. 253.28 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1909-50</b> μCi / 1.85 MBq	419,000
<b>Sulfanilamide [ring-<sup>14</sup>C(U)]</b> 4-H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> SO <sub>2</sub> NH <sub>2</sub> M.W. 172.21 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0774-250</b> μCi / 9.25 MBq <b>ARC 0774-1</b> mCi / 37 MBq	234,000 549,000
<b>Sulfanilamide [ring-<sup>14</sup>C(U)]</b> 4-H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> SO <sub>2</sub> NH <sub>2</sub> M.W. 172.21 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0774A-250</b> μCi / 9.25 MBq <b>ARC 0774A-1</b> mCi / 37 MBq	234,000 549,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Sulfanilic acid [ring-<sup>14</sup>C(U)]</b> 4-H <sub>2</sub> NC <sub>6</sub> H <sub>4</sub> SO <sub>3</sub> H M.W. 173.19 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0775-250</b> μCi / 9.25 MBq	269,000
<b>Sulfatide (stearoyl) sodium salt (bovine) "cold"</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>		Solid	<b>ARCD 0172-1</b> mg	84,000
<b>Sulfatide [stearoyl-1-<sup>14</sup>C]</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1048-50</b> μCi / 1.85 MBq	353,000
<b>Sulforhodamine B [<sup>3</sup>H(G)]</b> M.W. 558.68 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0861-50</b> μCi / 1.85 MBq	317,000
<b>Sulfur-35 radionuclide as sodium sulfate</b> Na <sub>2</sub> SO <sub>4</sub> M.W. 142	Carrier free ~43 Ci/mg ~1.59 TBq/mg	Sterile water 10 mCi/ml	<b>ARS 0105-1</b> mCi / 37 MBq <b>ARS 0105-2</b> mCi / 74 MBq <b>ARS 0105-5</b> mCi / 185 MBq <b>ARS 0105-10</b> mCi / 370 MBq <b>ARS 0105-25</b> mCi / 925 MBq	59,000 65,000 94,000 Inquire Inquire
<b>Sulfur-35 radionuclide as sulfuric acid</b> H <sub>2</sub> SO <sub>4</sub> M.W. 98	Carrier free HCl free ~43 Ci/mg ~1.59 TBq/mg	Sterile Water 10 mCi/ml	<b>ARS 0106-1</b> mCi / 37 MBq <b>ARS 0106-2</b> mCi / 74 MBq <b>ARS 0106-5</b> mCi / 185 MBq <b>ARS 0106-10</b> mCi / 370 MBq <b>ARS 0106-25</b> mCi / 925 MBq	59,000 65,000 94,000 Inquire Inquire
<b>Sumatriptan [<sup>3</sup>H]</b> M.W. 295.40 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-85 Ci/mmol 2.22-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1619-50</b> μCi / 1.85 MBq	253,000
<b>Sumatriptan [<sup>3</sup>H]</b> M.W. 295.40 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1619A-50</b> μCi / 1.85 MBq	149,000
<b>Sumatriptan succinate "cold"</b>		Solid	<b>ARCD 0456-10</b> mg	32,000
<b>Suramin [<sup>3</sup>H(G)] hexasodium salt</b> C <sub>51</sub> H <sub>34</sub> N <sub>6</sub> O <sub>23</sub> S <sub>6</sub> Na <sub>6</sub> M.W. 1429.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1256-100</b> μCi / 3.7 MBq <b>ART 1256-250</b> μCi / 9.25 MBq <b>ART 1256-1</b> mCi / 37 MBq	65,000 135,000 296,000
<b>SYM 2081 "cold"</b> <b>((2S,4R)-4-Methylglutamic acid)</b> M.W. 161.16 CAS # 31137-74-3 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0744-10</b> mg	55,000
<b>SYM 2081 [<sup>3</sup>H]</b> <b>((2S,4R)-4-Methylglutamic acid)</b> M.W. 161.16 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0879-50</b> μCi / 1.85 MBq <b>ART 0879-250</b> μCi / 9.25 MBq <b>ART 0879-1</b> mCi / 37 MBq	172,000 302,000 681,000

S





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>T-0901317 [<sup>3</sup>H]</b> C <sub>17</sub> H <sub>12</sub> F <sub>9</sub> NO <sub>3</sub> S M.W. 481.33 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-40 Ci/mmol 0.37-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1885-250</b> μCi / 9.25 MBq	239,000
<b>T2000 [<sup>14</sup>C] from urea</b> C <sub>20</sub> H <sub>20</sub> N <sub>2</sub> O <sub>5</sub> M.W. 368.40 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 3403-1</b> mCi / 37 MBq <b>ARC 3403-5</b> mCi / 185 MBq	Inquire Inquire
<b>Tacrolimus (FK506) "cold"</b> (FK506) M.W. 804.02 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0368-10</b> mg	37,000
<b>Tacrolimus [<sup>3</sup>H(G)]</b> (FK506) M.W. 804.02 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1469-50</b> μCi / 1.85 MBq	239,000
<b>Talinolol [ring-<sup>3</sup>H(G)]</b> C <sub>20</sub> H <sub>33</sub> N <sub>3</sub> O <sub>3</sub> M.W. 363.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2058-50</b> μCi / 1.85 MBq	219,000
<b>Talose, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>4</sub> CHO M.W. 180.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 3183-50</b> μCi / 1.85 MBq	172,000
<b>Tamoxifen [N-methyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> C(C <sub>2</sub> H <sub>5</sub> )=C(C <sub>6</sub> H <sub>5</sub> )C <sub>6</sub> H <sub>4</sub> OCH <sub>2</sub> CH <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub> M.W. 371.51 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3689-10</b> μCi / 370 kBq <b>ARC 3689-25</b> μCi / 925 kBq <b>ARC 3689-50</b> μCi / 1.85 MBq	135,000 251,000 439,000
<b>Tamoxifen methiodide "cold"</b> M.W. 513.4 CAS # 107256-99-5		Solid	<b>ARCD 0772-10</b> mg	66,000
<b>Tamoxifen methiodide [N-methyl-<sup>3</sup>H]</b> M.W. 513.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-90 Ci/mmol 2.96-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0684-50</b> μCi / 1.85 MBq <b>ART 0684-250</b> μCi / 9.25 MBq	128,000 212,000
<b>Tangeretin "cold"</b> M.W. 372.37 CAS # 481-53-8		Solid	<b>ARCD 0444-5</b> mg <b>ARCD 0444-10</b> mg	46,000 68,000
<b>Tangeretin [<sup>3</sup>H(G)]</b> M.W. 372.37 <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 0639-250</b> μCi / 9.25 MBq <b>ART 0639-1</b> mCi / 37 MBq	206,000 381,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Tariquidar [methyl-<sup>3</sup>H]</b> C <sub>38</sub> H <sub>38</sub> N <sub>4</sub> O <sub>6</sub> M.W. 646.73 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1756-50</b> μCi / 1.85 MBq	212,000
<b>Tartaric acid, DL [1,4-<sup>14</sup>C]</b> HOOCCH(OH)CH(OH)COOH M.W. 150.09 <i>Exclusive</i>	100-120 mCi/mmol 3.7-4.4 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1037-50</b> μCi / 1.85 MBq	239,000
<b>Taurine [1,2-<sup>14</sup>C]</b> H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> SO <sub>2</sub> OH M.W. 125.1 <i>Exclusive</i>	30-60 mCi/mmol 1.11-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0406-50</b> μCi / 1.85 MBq	164,000
<b>Taurine [2-<sup>3</sup>H]</b> H <sub>2</sub> NCH <sub>2</sub> CH <sub>2</sub> SO <sub>2</sub> OH M.W. 125.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0300-250</b> μCi / 9.25 MBq <b>ART 0300-1</b> mCi / 37 MBq	135,000 311,000
<b>Taurocholic acid [24-<sup>14</sup>C]</b> C <sub>26</sub> H <sub>45</sub> NO <sub>7</sub> S M.W. 515.69 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0843-10</b> μCi / 370 kBq <b>ARC 0843-50</b> μCi / 1.85 MBq	94,000 263,000
<b>Taurocholic acid [<sup>3</sup>H(G)]</b> C <sub>26</sub> H <sub>45</sub> NO <sub>7</sub> S M.W. 515.7 <i>Shipped in Dry Ice</i>	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1368-250</b> μCi / 9.25 MBq <b>ART 1368-1</b> mCi / 37 MBq	174,000 438,000
<b>Taurocholic acid [cholic acid-2,4-<sup>3</sup>H]</b> C <sub>26</sub> H <sub>45</sub> NO <sub>7</sub> S M.W. 515.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1367-50</b> μCi / 1.85 MBq <b>ART 1367-250</b> μCi / 9.25 MBq	247,000 484,000
<b>Taurocholic acid [taurine-1,2-<sup>14</sup>C]</b> C <sub>26</sub> H <sub>45</sub> NO <sub>7</sub> S M.W. 515.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3489-10</b> μCi / 370 kBq <b>ARC 3489-50</b> μCi / 1.85 MBq	129,000 335,000
<b>Taurocholic acid [taurine-2-<sup>3</sup>H]</b> CONHCH <sub>2</sub> CH <sub>2</sub> SO <sub>3</sub> M.W. 515.7 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0516-250</b> μCi / 9.25 MBq <b>ART 0516-1</b> mCi / 37 MBq	234,000 479,000
<b>Taxol "cold"</b> <b>(Paclitaxel)</b> M.W. 853.9 CAS # 33069-62-4		Solid	<b>ARCD 0211-10</b> mg <b>ARCD 0211-25</b> mg <b>ARCD 0211-100</b> mg <b>ARCD 0211-500</b> mg	29,000 59,000 109,000 229,000
<b>Taxol [<sup>3</sup>H(G)]</b> <b>(Paclitaxel)</b> M.W. 853.9 <i>Shipped in Dry Ice</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethyl acetate in sealed ampoule 1 mCi/ml	<b>ART 0855-50</b> μCi / 1.85 MBq <b>ART 0855-250</b> μCi / 9.25 MBq <b>ART 0855-1</b> mCi / 37 MBq	103,000 197,000 453,000

T

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Taxol [2-benzoyl-ring-<sup>14</sup>C(U)]</b> (Paclitaxel) M.W. 853.9 <i>Shipped in Dry Ice</i>	50-250 mCi/mmol 1.85-9.25 GBq/mmol	Ethyl acetate in sealed ampoule 0.1 mCi/ml	<b>ARC 1441-10</b> μCi / 185 kBq <b>ARC 1441-25</b> μCi / 925 kBq	126,000 180,000
<b>Taxol [N-benzoyl-<sup>14</sup>C(U)]</b> (Paclitaxel) M.W. 853.9 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethyl acetate in sealed ampoule 0.1 mCi/ml	<b>ARC 3691</b>	Inquire
<b>Taxol [2-benzoyl-ring-<sup>3</sup>H]</b> (Paclitaxel) M.W. 853.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 Ci/mmol 1.85-3.7 TBq/mmol	Ethyl acetate in sealed ampoule 1 mCi/ml	<b>ART 1195-50</b> μCi / 1.85 MBq <b>ART 1195-250</b> μCi / 9.25 MBq	131,000 230,000
<b>Taxol [N-benzoyl-4-<sup>3</sup>H]</b> (Paclitaxel) M.W. 853.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethyl acetate in sealed ampoule 1 mCi/ml	<b>ART 2046</b>	Inquire
<b>TCDD "cold"</b> See 2,3,7,8-Tetrachlorodibenzo- <i>p</i> -dioxin			<b>ARCD 0413</b>	
<b>TCDD [<sup>3</sup>H(G)]</b> See 2,3,7,8-Tetrachlorodibenzo- <i>p</i> -dioxin [ <sup>3</sup> H(G)]			<b>ART 1642</b>	
<b>Telmisartan [<sup>3</sup>H(G)]</b> C <sub>33</sub> H <sub>30</sub> N <sub>4</sub> O <sub>2</sub> M.W. 514.62 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 185-555 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1484-50</b> μCi / 1.85 MBq	365,000
<b>Tenofovir "cold"</b> M.W. 292.2 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0401-1</b> mg <b>ARCD 0401-5</b> mg	63,000 157,000
<b>Tenofovir [adenine-8-<sup>14</sup>C]</b> ( <i>(R)</i> -9-(2-Phosphonylmethoxypropyl adenine) M.W. 287.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 3071-10</b> μCi / 370 kBq <b>ARC 3071-50</b> μCi / 1.85 MBq	172,000 357,000
<b>Tenofovir [adenine-2,8-<sup>3</sup>H]</b> ( <i>(R)</i> -9-(2-Phosphonylmethoxypropyl adenine) M.W. 287.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 185-555 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1598-250</b> μCi / 9.25 MBq	138,000
<b>Terbinafine hydrochloride "cold"</b>		Solid	<b>ARCD 0415-100</b> mg	36,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Terbinafine [<sup>14</sup>C] hydrochloride</b> (trans-N-(6,6-Dimethyl-2-hepten-4-yl)- N-methyl-1-naphthylmethylamine hydrochloride) C <sub>21</sub> H <sub>25</sub> N · HCl M.W. 291.43 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3102</b> - 50 μCi / 1.85 MBq	234,000
<b>Terephthalic acid mononitrile [cyano-<sup>14</sup>C]</b> See 4-Cyanobenzoic acid [cyano- <sup>14</sup> C]			<b>ARC 0788</b>	
<b>Terephthalic acid [carboxyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>4</sub> -1,4-(CO <sub>2</sub> H) <sub>2</sub> M.W. 166.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1360</b> -50 μCi / 1.85 MBq <b>ARC 1360</b> -250 μCi / 9.25 MBq	149,000 261,000
<b>Terephthalic acid [carboxyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>4</sub> -1,4-(CO <sub>2</sub> H) <sub>2</sub> M.W. 166.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1360A</b> -50 μCi / 1.85 MBq <b>ARC 1360A</b> -250 μCi / 9.25 MBq	149,000 261,000
<b>Terfenadine [ring-<sup>3</sup>H]</b> C <sub>32</sub> H <sub>41</sub> NO <sub>2</sub> M.W. 471.67 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	25-40 Ci/mmol 0.925-1.48TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1766</b> -50 μCi / 1.85 MBq	209,000
<b>Testosterone [4-<sup>14</sup>C]</b> M.W. 288.41	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0858</b> -10 μCi / 370 kBq <b>ARC 0858</b> -50 μCi / 1.85 MBq <b>ARC 0858</b> -250 μCi / 9.25 MBq	53,000 111,000 436,000
<b>Testosterone [1α,2α-<sup>3</sup>H]</b> M.W. 288.41 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0780</b> -250 μCi / 9.25 MBq <b>ART 0780</b> -1 mCi / 37 MBq	129,000 234,000
<b>Testosterone [1β,2β-<sup>3</sup>H(N)]</b> M.W. 288.41 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1215</b> -250 μCi / 9.25 MBq <b>ART 1215</b> -1 mCi / 37 MBq	113,000 198,000
<b>Testosterone [1,2,6,7-<sup>3</sup>H]</b> M.W. 288.41 <i>Shipped in Dry Ice</i>	85-105 Ci/mmol 3.15-3.89 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0768</b> -250 μCi / 9.25 MBq <b>ART 0768</b> -1 mCi / 37 MBq	97,000 184,000
<b>Testosterone heptanoate [heptanoic-1-<sup>14</sup>C]</b> (Testosterone enanthate) C <sub>26</sub> H <sub>40</sub> O <sub>3</sub> M.W. 400.59 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3175</b> -10 μCi / 370 kBq <b>ARC 3175</b> -50 μCi / 1.85 MBq	135,000 439,000
<b>Testosterone palmitate [4-<sup>14</sup>C]</b> M.W. 526.71 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1883</b> -10 μCi / 370 kBq <b>ARC 1883</b> -50 μCi / 1.85 MBq	142,000 269,000
<b>Tetrabenazine "cold"</b> M.W. 316.4 <i>Exclusive</i>		Solid	<b>ARCD 0191</b> -10 mg	36,000

T



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2,3,4,6-Tetra-<i>o</i>-benzyl-D-glucopyranose</b> [ <sup>14</sup> C(U)] M.W. 541 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	250-360 mCi/mmol 9.25-13.3 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1824-50</b> μCi / 1.85 MBq	576,000
<b>Tetrabromobisphenol A "cold"</b>		Solid	<b>ARCD 0466-100</b> mg	41,000
<b>Tetrabromophenyl blue</b> [phenol rings- <sup>14</sup> C(U)] <b>(3,3',3'',4,5,5',5'',6-Octabromophenolsulphonphthalein)</b> C <sub>19</sub> H <sub>6</sub> Br <sub>8</sub> O <sub>5</sub> S M.W. 985.54 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3404-50</b> μCi / 1.85 MBq	563,000
<b>1,2,4,5-Tetrachlorobenzene</b> [ <sup>14</sup> C(U)] C <sub>6</sub> H <sub>2</sub> Cl <sub>4</sub> M.W. 215.89 <i>Exclusive</i>	10-20 mCi/mmol 0.37-0.74 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3214-50</b> μCi / 1.85 MBq	546,000
<b>2,2',4,4'-Tetrachlorobiphenyl</b> [ <sup>14</sup> C(U)] <b>(PCB No 47)</b> 2,2',4,4'-Cl <sub>4</sub> C <sub>6</sub> H <sub>3</sub> C <sub>6</sub> H <sub>3</sub> M.W. 291.99 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Acetone 0.1 mCi/ml	<b>ARC 3226-5</b> μCi / 185 kBq	623,000
<b>2,2',5,5'-Tetrachlorobiphenyl</b> [ <sup>14</sup> C(U)] <b>(PCB No 52)</b> 2,2',5,5'-Cl <sub>4</sub> C <sub>6</sub> H <sub>3</sub> C <sub>6</sub> H <sub>3</sub> M.W. 291.99 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 3227-5</b> μCi / 185 kBq	623,000
<b>3,3',4,4'-Tetrachlorobiphenyl</b> [ <sup>14</sup> C(U)] <b>(PCB No 77)</b> 3,3',4,4'-Cl <sub>4</sub> C <sub>6</sub> H <sub>3</sub> C <sub>6</sub> H <sub>3</sub> M.W. 291.99 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3256-5</b> μCi / 185 kBq	784,000
<b>3,3',4,4'-Tetrachlorobiphenyl</b> [ <sup>3</sup> H(G)] <b>(PCB No 77)</b> 3,3',4,4'-Cl <sub>4</sub> C <sub>6</sub> H <sub>3</sub> C <sub>6</sub> H <sub>3</sub> M.W. 291.99 <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1216-50</b> μCi / 1.85 MBq	296,000
<b>3,4,4',5-Tetrachlorobiphenyl</b> [ <sup>3</sup> H(G)] <b>(PCB No 81)</b> 3,4,4',5-Cl <sub>4</sub> C <sub>6</sub> H <sub>3</sub> C <sub>6</sub> H <sub>3</sub> M.W. 291.99 <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1217-50</b> μCi / 1.85 MBq	296,000
<b>2,3,7,8-Tetrachlorodibenzo-<i>p</i>-dioxin "cold"</b> <b>(TCDD)</b> M.W. 321.98 CAS # 17460-1-6		Solid	<b>ARCD 0413-1</b> mg	94,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2,3,7,8-Tetrachlorodibenzo-<i>p</i>-dioxin [<sup>3</sup>H(G)] (TCDD)</b> M.W. 321.98 <i>Shipped on Dry Ice</i> <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1642-50</b> μCi / 1.85 MBq	629,000
<b>2,3,5,6-Tetrachloropyridine [2,6-<sup>14</sup>C]</b> M.W. 216.88 <i>Exclusive</i>	20-30 mCi/mmol 0.74-1.11 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1006-50</b> μCi / 1.85 MBq <b>ARC 1006-250</b> μCi / 9.25 MBq	247,000 419,000
<b>Tetracosane, n-[1-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>22</sub> CH <sub>3</sub> M.W. 338.65 <i>NEW!-Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2144-250</b> μCi / 9.25 MBq	251,000
<b>Tetracosanoic acid [1-<sup>14</sup>C]</b> See Lignoceric acid [1- <sup>14</sup> C]			<b>ARC 0805</b>	
<b>Tetracosanoic acid [15,16-<sup>3</sup>H]</b> See Lignoceric acid [15,16- <sup>3</sup> H]			<b>ART 0865</b>	
<b>Tetracosanol [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>22</sub> CH <sub>2</sub> OH M.W. 354.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0816-50</b> μCi / 1.85 MBq <b>ARC 0816-250</b> μCi / 9.25 MBq	247,000 419,000
<b>Tetracosapentaenoic acid 9,12,15,18,21 (24:5, n-3) "cold"</b> CH <sub>3</sub> CH <sub>2</sub> (CH=CHCH <sub>2</sub> ) <sub>5</sub> (CH <sub>2</sub> ) <sub>6</sub> CO <sub>2</sub> H M.W.358.0 <i>Shipped in Dry Ice</i>		Ethanol 10 mg/ml	<b>ARCD 0157-1</b> mg <b>ARCD 0157-5</b> mg	65,000 94,000
<b>Tetracosapentaenoic acid 9,12,15,18,21 [3-<sup>14</sup>C] (24:5, n-3)</b> M.W. 358.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1356-10</b> μCi / 370 kBq	339,000
<b>Tetracosatetraenoic acid 9,12,15,18 [1-<sup>14</sup>C] (24:4, n-6)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> (CH=CHCH <sub>2</sub> ) <sub>4</sub> (CH <sub>2</sub> ) <sub>6</sub> CO <sub>2</sub> H M.W. 360.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1209-50</b> μCi / 1.85 MBq	365,000
<b>Tetracosatetraenoic acid 9,12,15,18 [3-<sup>14</sup>C] (24:4, n-6)</b> M.W. 360.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1353-10</b> μCi / 370 kBq	365,000
<b>Tetracosenoic acid [1-<sup>14</sup>C]</b> See Nervonic acid [1- <sup>14</sup> C]			<b>ARC 3642</b>	
<b>Tetracosenoyl [1-<sup>14</sup>C] Coenzyme A</b> See Nervonoyl [1- <sup>14</sup> C] Coenzyme A			<b>ARC 3643</b>	
<b>Tetracycline [7-<sup>3</sup>H(N)]</b> M.W. 444.3 <i>Shipped in Dry Ice</i>	15-20 Ci/mmol 0.555-0.74 TBq/mmol	10mM Oxalic acid:ethanol (1:1) 1 mCi/ml	<b>ART 0239A-250</b> μCi / 9.25 MBq <b>ART 0239A-1</b> mCi / 37 MBq	107,000 184,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Tetradecadienoic acid 5,8 [1-<sup>14</sup>C] (14:2)</b> M.W. 444.3 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1233-50</b> μCi / 1.85 MBq	381,000
<b>Tetradecane [1-<sup>14</sup>C]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>12</sub> CH <sub>3</sub> M.W. 198.39 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3019-50</b> μCi / 1.85 MBq	299,000
<b>Tetradecane [1,2-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>11</sub> CH <sub>2</sub> CH <sub>3</sub> M.W. 198.46 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1246-250</b> μCi / 9.25 MBq <b>ART 1246-1</b> mCi / 37 MBq	142,000 296,000
<b>Tetradecanol [1-<sup>14</sup>C]</b> See Myristol alcohol [1- <sup>14</sup> C]			<b>ARC 1171</b>	
<b>Tetradecenoic acid [1-<sup>14</sup>C] (5-14:1)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H M.W. 226.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1232-50</b> μCi / 1.85 MBq	381,000
<b>Tetradecenoic acid, 5-Z [5,6-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H M.W. 226.4 <i>Shipped in Dry Ice</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0524-50</b> μCi / 1.85 MBq <b>ART 0524-250</b> μCi / 9.25 MBq	107,000 282,000
<b>Tetradecyl sulfate, sodium salt [1-<sup>14</sup>C]</b> See Myristyl sulfate [1- <sup>14</sup> C] sodium salt				
<b>Tetraethylammonium bromide [ethyl-1-<sup>14</sup>C]</b> (CH <sub>3</sub> CH <sub>2</sub> ) <sub>4</sub> NBr M.W. 210.2	50-55 mCi/mmol 1.85-2.04 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0577-50</b> μCi / 1.85 MBq <b>ARC 0577-250</b> μCi / 9.25 MBq	89,000 299,000
<b>Tetraethylammonium chloride [ethyl-1-<sup>14</sup>C]</b> (CH <sub>3</sub> CH <sub>2</sub> ) <sub>4</sub> Cl M.W. 151.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1540-50</b> μCi / 1.85 MBq <b>ARC 1540-250</b> μCi / 9.25 MBq	Inquire Inquire
<b>Tetrahydrobiopterin, L-[6,7-<sup>3</sup>H] hydrochloride</b> C <sub>9</sub> H <sub>15</sub> N <sub>5</sub> O <sub>3</sub> · HCl M.W. 314.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1960-250</b> μCi / 9.25 MBq	209,000
<b>Tetrahydrofuran [1-<sup>14</sup>C]</b> (THF) C <sub>4</sub> H <sub>8</sub> O M.W. 72.11 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 1819-50</b> μCi / 1.85 MBq	326,000
<b>1,2,3,4-Tetrahydronaphthalene [ring-<sup>14</sup>C(U)] (Tetralin)</b> M.W. 132.20 <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Neat liquid in sealed ampoule	<b>ARC 1892-50</b> μCi / 1.85 MBq	303,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>α-Tetralone [1-<sup>14</sup>C]</b> M.W. 146.19 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1112-250</b> μCi / 9.25 MBq <b>ARC 1112-1</b> mCi / 37 MBq	254,000 381,000
<b>α-Tetralone [ring-<sup>14</sup>C(U)]</b> M.W. 146.19 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3210-50</b> μCi / 1.85 MBq	439,000
<b>1,2,3,5-Tetramethyl benzene [ring-<sup>3</sup>H(G)]</b> M.W. 134.22 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	2-5 Ci/mmol 0.74-1.85 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1289-50</b> μCi / 1.85 MBq <b>ART 1289-250</b> μCi / 9.25 MBq	149,000 282,000
<b>2-(2,3,4,6-Tetramethylphenyl) acetic acid [2-<sup>14</sup>C]</b> M.W. 192.0 <i>Exclusive</i>	25-50 mCi/mmol 0.925-1.85 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1248-50</b> μCi / 1.85 MBq	234,000
<b>Tetrapentylammonium chloride [pentyl-<sup>3</sup>H]</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> N(Cl)] M.W. 334.02 <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1878-250</b> μCi / 9.25 MBq	230,000
<b>Tetraphenylphosphonium bromide [phenyl-<sup>14</sup>C]</b> (C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> (C <sub>6</sub> H <sub>5</sub> )PBr M.W. 419.3 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0505-50</b> μCi / 1.85 MBq <b>ARC 0505-250</b> μCi / 9.25 MBq	239,000 563,000
<b>Tetraphenylphosphonium bromide [phenyl-<sup>3</sup>H]</b> (C <sub>6</sub> H <sub>5</sub> ) <sub>3</sub> (C <sub>6</sub> H <sub>5</sub> )PBr M.W. 419.3 <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0351-250</b> μCi / 9.25 MBq	239,000
<b>(RS)-(Tetrazol-5-yl) glycine [1-<sup>14</sup>C]</b> C <sub>3</sub> H <sub>5</sub> N <sub>5</sub> O <sub>2</sub> M.W. 143.10 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 1631-50</b> μCi / 1.85 MBq <b>ARC 1631-250</b> μCi / 9.25 MBq	164,000 432,000
<b>Tetrodotoxin "cold"</b> C <sub>11</sub> H <sub>17</sub> N <sub>3</sub> O <sub>8</sub> M.W. 319.27 CAS # 4368-28-9		Solid	<b>ARCD 0397-1</b> mg	43,000
<b>Tetrodotoxin citrate "cold"</b> C <sub>11</sub> H <sub>17</sub> N <sub>3</sub> O <sub>8</sub> M.W. 319.27 (free base) CAS # 18660-81-6 <i>Shipped in Dry Ice</i>		Solid	<b>ARCD 0640-1</b> mg	46,000
<b>(±)-Thalidomide "cold"</b> M.W. 258.23		Solid	<b>ARCD 0359-100</b> mg <b>ARCD 0359-1</b> g	29,000 139,000
<b>Theophylline [8-<sup>14</sup>C]</b> M.W. 180.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0340-250</b> μCi / 9.25 MBq	299,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Theophylline [8-<sup>3</sup>H]</b> M.W. 180.17 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0341-250</b> μCi / 9.25 MBq <b>ART 0341-1</b> mCi / 37 MBq	224,000 359,000
<b>Threose, D-[1-<sup>14</sup>C]</b> C <sub>4</sub> H <sub>8</sub> O <sub>4</sub> M.W. 120.1 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 3765-50</b> μCi / 1.85 MBq	209,000
<b>Thiamine hydrochloride [<sup>3</sup>H(G)]</b> M.W. 337.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0710-50</b> μCi / 1.85 MBq	239,000
<b>Thiamine diphosphate [<sup>3</sup>H(G)]</b> M.W. 422.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ART 1917-10</b> μCi / 370 kBq	419,000
<b>Thiamine monophosphate [<sup>3</sup>H(G)]</b> M.W. 343.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ART 1918-10</b> μCi / 370 kBq	419,000
<b>2,4-Thiazolidenone [2-<sup>14</sup>C]</b> C <sub>3</sub> H <sub>3</sub> NO <sub>2</sub> S M.W. 117.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 3204-50</b> μCi / 1.85 MBq	213,000
<b>2,4-Thiazolidinedione [2-<sup>14</sup>C]</b> M.W. 117.0 <i>Exclusive</i> <i>A potent antihyperglycemic agent</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1091-250</b> μCi / 9.25 MBq <b>ARC 1091-1</b> mCi / 37 MBq	234,000 365,000
<b>Thioacetamide [1-<sup>14</sup>C]</b> CH <sub>3</sub> CSNH <sub>2</sub> M.W. 75.13 <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Solid	<b>ARC 1584-1</b> mCi / 37 MBq	482,000
<b>2-Thiobarbituric acid [2-<sup>14</sup>C]</b> C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> S M.W. 144.15 <i>Exclusive</i>	15-25 mCi/mmol 0.555-0.925 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3253-50</b> μCi / 1.85 MBq	299,000
<b>2,2'-Thiodiethanol [1-<sup>3</sup>H]</b> (SCH <sub>2</sub> CH <sub>2</sub> OH) <sub>2</sub> M.W. 122.19 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0541-250</b> μCi / 9.25 MBq	381,000
<b>Thioglycolic acid [1-<sup>14</sup>C] sodium salt</b> HSCH <sub>2</sub> COONa M.W. 115.12 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 1788-50</b> μCi / 1.85 MBq	282,000
<b>6-Thioguanosine [8-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>4</sub> SxH <sub>2</sub> O M.W. 230 <i>Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1488-50</b> μCi / 1.85 MBq	164,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Thiopental [2-<sup>14</sup>C]</b> M.W. 242 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Solid	<b>ARC 0533-250</b> μCi / 9.25 MBq	492,000
<b>Thiophene [2,5-<sup>14</sup>C]</b> M.W. 84.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1371-50</b> μCi / 1.85 MBq	234,000
<b>Thiophene-2-carboxaldehyde [2-<sup>14</sup>C]</b> M.W. 112.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3168-50</b> μCi / 1.85 MBq	339,000
<b>Thiophene-2-methanol [methylene-<sup>14</sup>C]</b> M.W. 114.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3167-50</b> μCi / 1.85 MBq	339,000
<b>Thiophenol [<sup>14</sup>C(U)] 毒</b> <b>(Benzenethiol)</b> C <sub>6</sub> H <sub>5</sub> SH M.W. 110.18 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 1258-1</b> mCi / 37 MBq	395,000
<b>Thiosemicarbazide [<sup>14</sup>C] 毒</b> H <sub>2</sub> NCSNHNH <sub>2</sub> M.W. 91.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1183-250</b> μCi / 9.25 MBq <b>ARC 1183-1</b> mCi / 37 MBq	190,000 395,000
<b>Thiothymine [2-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>6</sub> N <sub>2</sub> OS M.W. 142.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1346-50</b> μCi / 1.85 MBq	324,000
<b>Thiouracil [2-<sup>14</sup>C]</b> M.W. 128.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1231-50</b> μCi / 1.85 MBq <b>ARC 1231-250</b> μCi / 9.25 MBq	163,000 272,000
<b>Thiourea [<sup>14</sup>C]</b> H <sub>2</sub> NCSNH <sub>2</sub> M.W. 76.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0144-250</b> μCi / 9.25 MBq <b>ARC 0144-1</b> mCi / 37 MBq	100,000 190,000
<b>4-Thiouridine [2-<sup>14</sup>C]</b> C <sub>9</sub> H <sub>12</sub> N <sub>2</sub> O <sub>5</sub> S M.W. 260.3	50-60 mCi/mmol 1.85-2.22 GBq/mml	Sterile water 0.1 mCi/ml	<b>ARC 1218-10</b> μCi / 370 kBq <b>ARC 1218-50</b> μCi / 1.85 MBq <b>ARC 1218-250</b> μCi / 9.25 MBq	107,000 176,000 339,000
<b>2-Thioxo-4-thiazolidinone-3-acetic acid [5-<sup>14</sup>C]</b> See Rhodanine-3-acetic acid [5- <sup>14</sup> C]			<b>ARC 1386</b>	
<b>THIP [<sup>3</sup>H(G)]</b> See Gaboxadol [ <sup>3</sup> H(G)]			<b>ART 1712</b>	
<b>Thiram [thionyl-<sup>14</sup>C]</b> <b>(Bis(dimethylthiocarbamoyl) disulfide)</b> (CH <sub>3</sub> ) <sub>2</sub> NCSS <sub>2</sub> CN(CH <sub>3</sub> ) <sub>2</sub> M.W. 240.43 <i>Exclusive</i>	20-30 mCi/mmol 0.74-1.11 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3405-50</b> μCi / 1.85 MBq	299,000

T



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Threitol, D-[1-<sup>14</sup>C]</b> 毒 HOCH <sub>2</sub> CH(OH) <sub>2</sub> CH <sub>2</sub> OH M.W. 122.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (9:1) 0.1 mCi/ml	<b>ARC 1784-50</b> μCi / 1.85 MBq	269,000
<b>Threonine, L-[1-<sup>14</sup>C]</b> CH <sub>3</sub> CH(OH)CH(NH <sub>2</sub> )COOH M.W. 119.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0506-50</b> μCi / 1.85 MBq <b>ARC 0506-250</b> μCi / 9.25 MBq	135,000 408,000
<b>Threonine, L-[<sup>14</sup>C(U)]</b> CH <sub>3</sub> CHOHCH(NH <sub>2</sub> )COOH M.W. 119.1 <i>Exclusive</i>	150-200 mCi/mmol 5.55-7.4 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0677-50</b> μCi / 1.85 MBq <b>ARC 0677-250</b> μCi / 9.25 MBq	111,000 389,000
<b>Threonine, allo-[<sup>3</sup>H(G)]</b> CH <sub>3</sub> CH(OH)CH(NH <sub>2</sub> )COOH M.W. 119.1 <i>Exclusive</i>	15-25 Ci/mmol 0.555-0.925 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0867-250</b> μCi / 9.25 MBq <b>ART 0867-1</b> mCi / 37 MBq <b>ART 0867-5</b> mCi / 185 MBq	51,000 85,000 164,000
<b>Threonine, L-[3-<sup>3</sup>H]</b> CH <sub>3</sub> CH(OH)CH(NH <sub>2</sub> )COOH M.W. 119.1 <i>Exclusive</i>	15-25 Ci/mmol 0.555-0.925 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0330-250</b> μCi / 9.25 MBq <b>ART 0330-1</b> mCi / 37 MBq <b>ART 0330-5</b> mCi / 185 MBq	52,000 85,000 164,000
<b>Threonine phosphate, L-[<sup>14</sup>C(U)]</b> CH <sub>3</sub> CH(OPO <sub>2</sub> OH)CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 199.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	200-300 mCi/mmol 7.4-11.1 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1539-50</b> μCi / 1.85 MBq	324,000
<b>Thymidine [2-<sup>14</sup>C]</b> M.W. 242.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1219-10</b> μCi / 370 kBq <b>ARC 1219-50</b> μCi / 1.85 MBq <b>ARC 1219-250</b> μCi / 9.25 MBq	92,000 205,000 Inquire
<b>Thymidine [methyl-<sup>14</sup>C]</b> M.W. 242.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0268-50</b> μCi / 1.85 MBq <b>ARC 0268-250</b> μCi / 9.25 MBq	184,000 457,000
<b>Thymidine [5'-<sup>3</sup>H]</b> M.W. 242.2 <i>Shipped in Dry Ice</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1241-250</b> μCi / 9.25 MBq <b>ART 1241-1</b> mCi / 37 MBq <b>ART 1241-5</b> mCi / 185 MBq	68,000 116,000 249,000
<b>Thymidine [6-<sup>3</sup>H]</b> M.W. 242.2	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0729-250</b> μCi / 9.25 MBq <b>ART 0729-1</b> mCi / 37 MBq <b>ART 0729-5</b> mCi / 185 MBq	53,000 95,000 210,000
<b>Thymidine [methyl-<sup>3</sup>H]</b> M.W. 242.2	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0178-250</b> μCi / 9.25 MBq <b>ART 0178-1</b> mCi / 37 MBq <b>ART 0178-5</b> mCi / 185 MBq	39,000 59,000 Inquire
<b>Thymidine [methyl-<sup>3</sup>H]</b> M.W. 242.2	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0178A-250</b> μCi / 9.25 MBq <b>ART 0178A-1</b> mCi / 37 MBq <b>ART 0178A-5</b> mCi / 185 MBq	39,000 59,000 Inquire
<b>Thymidine [methyl-<sup>3</sup>H]</b> M.W. 242.2	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0178B-250</b> μCi / 9.25 MBq <b>ART 0178B-1</b> mCi / 37 MBq <b>ART 0178B-5</b> mCi / 185 MBq	39,000 59,000 Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
Thymidine [methyl- <sup>3</sup> H] M.W. 242.2	20 Ci/mmol 0.74 TBq/mmol	Sterile water 1 mCi/ml	ART 0178C-250 μCi / 9.25 MBq ART 0178C-1 mCi / 37 MBq ART 0178C-5 mCi / 185 MBq	39,000 59,000 Inquire
Thymidine [methyl- <sup>3</sup> H] M.W. 242.2	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol:water (1:9) 1 mCi/ml	ART 0178D-250 μCi / 9.25 MBq ART 0178D-1 mCi / 37 MBq ART 0178D-5 mCi / 185 MBq	39,000 59,000 Inquire
Thymidine [methyl- <sup>3</sup> H] M.W. 242.2	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Sterile saline 1 mCi/ml	ART 0178E-250 μCi / 9.25 MBq ART 0178E-1 mCi / 37 MBq ART 0178E-5 mCi / 185 MBq	39,000 59,000 Inquire
Thymidine [methyl- <sup>3</sup> H] M.W. 242.2	7 Ci/mmol 0.259 TBq/mmol	Sterile water 1 mCi/ml	ART 0178F-250 μCi / 9.25 MBq ART 0178F-1 mCi / 37 MBq ART 0178F-5 mCi / 185 MBq	39,000 59,000 Inquire
Thymidine [methyl- <sup>3</sup> H] M.W. 242.2	25 Ci/mmol 0.925 TBq/mmol	Sterile water 1 mCi/ml	ART 0178G-250 μCi / 9.25 MBq ART 0178G-1 mCi / 37 MBq ART 0178G-5 mCi / 185 MBq	39,000 59,000 Inquire
Thymidine [methyl- <sup>3</sup> H] M.W. 242.2	1-2 Ci/mmol 37-74 GBq/mmol	Sterile water 1 mCi/ml	ART 0178H-250 μCi / 9.25 MBq ART 0178H-1 mCi / 37 MBq ART 0178H-5 mCi / 185 MBq	39,000 59,000 Inquire
Thymidine [methyl- <sup>3</sup> H] M.W. 242.2	5 Ci/mmol 0.185 TBq/mmol	Sterile water 1 mCi/ml	ART 0178I-250 μCi / 9.25 MBq ART 0178I-1 mCi / 37 MBq ART 0178I-5 mCi / 185 MBq	39,000 59,000 Inquire
Thymidine [methyl- <sup>3</sup> H] M.W. 242.2	60-80 Ci/mmol 2.22-2.96 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	ART 0178J-250 μCi / 9.25 MBq ART 0178J-1 mCi / 37 MBq ART 0178J-5 mCi / 185 MBq	39,000 59,000 Inquire
Thymidine [methyl- <sup>3</sup> H] M.W. 242.2	25 Ci/mmol 0.925 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	ART 0178K-250 μCi / 9.25 MBq ART 0178K-1 mCi / 37 MBq ART 0178K-5 mCi / 185 MBq	39,000 59,000 Inquire
Thymidine [methyl- <sup>3</sup> H] M.W. 242.2 <i>NEW!</i>	20 Ci/mmol 0.74 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	ART 0178L-250 μCi / 9.25 MBq ART 0178L-1 mCi / 37 MBq ART 0178L-5 mCi / 185 MBq	39,000 59,000 Inquire
Thymidine [methyl-1',2'- <sup>3</sup> H] M.W. 242.2 <i>Exclusive</i>	100-130 Ci/mmol 3.7-4.81 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	ART 1929-1 mCi / 37 MBq	74,000
Thymidine 5'-[α- <sup>32</sup> P] triphosphate disodium salt TTP [α- <sup>32</sup> P] M.W. 527.2 <i>Shipped in Dry Ice</i>	3000 Ci/mmol 111 TBq/mmol	10mM tricine (pH 7.6) 10 mCi/ml	ARP 0115A-250 μCi / 9.25 MBq ARP 0115A-1 mCi / 37 MBq	Inquire Inquire
Thymidine 5'-[α- <sup>32</sup> P] triphosphate disodium salt TTP [α- <sup>32</sup> P] M.W. 527.2 <i>Shipped in Dry Ice, store at 4°C</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	ARP 0115B-250 μCi / 9.25 MBq ARP 0115B-1 mCi / 37 MBq	Inquire Inquire

T

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Thymidine 5'-[methyl-1',2'-<sup>3</sup>H] triphosphate ammonium salt</b> TTP [methyl-1',2'- <sup>3</sup> H] M.W. 501.21 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	80-120 Ci/mmol 2.96-4.44 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1930-1</b> mCi / 37 MBq	203,000
<b>Thymidine 5'-[methyl-<sup>3</sup>H] triphosphate tetrasodium salt</b> TTP [methyl- <sup>3</sup> H] M.W. 570.0 <i>Shipped in Dry Ice</i>	50-80 Ci/mmol 1.85-2.96 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0308-250</b> μCi / 9.25 MBq <b>ART 0308-1</b> mCi / 37 MBq <b>ART 0308-5</b> mCi / 185 MBq	88,000 164,000 362,000
<b>Thymine [2-<sup>14</sup>C]</b> M.W. 126.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1347-50</b> μCi / 1.85 MBq <b>ARC 1347-250</b> μCi / 9.25 MBq <b>ARC 1347-1</b> mCi / 37 MBq	65,000 215,000 434,000
<b>Thymine [methyl-<sup>14</sup>C]</b> M.W. 126.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0267-50</b> μCi / 1.85 MBq <b>ARC 0267-250</b> μCi / 9.25 MBq	116,000 Inquire
<b>Thymine [methyl-<sup>3</sup>H]</b> M.W. 126.1	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0352-1</b> mCi / 37 MBq <b>ART 0352-5</b> mCi / 185 MBq	182,000 382,000
<b>Thyrotropin Releasing Hormone [Pro-3,4-<sup>3</sup>H]</b> M.W. 376.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0705-50</b> μCi / 1.85 MBq <b>ART 0705-250</b> μCi / 9.25 MBq	180,000 459,000
<b>Thyrotropin Releasing Hormone (3-methyl-histidine<sup>2</sup>) [L-histidyl-4-<sup>3</sup>H(N), L-prolyl-3,4-<sup>3</sup>H(N)]</b> M.W. 376.4 <i>Shipped in Dry Ice</i>	50-90 Ci/mmol 1.85-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1416-50</b> μCi / 1.85 MBq <b>ART 1416-250</b> μCi / 9.25 MBq	249,000 Inquire
<b>Thyroxine, L-[T<sub>4</sub>-<sup>125</sup>I]</b> C <sub>15</sub> H <sub>11</sub> I <sub>4</sub> NO <sub>4</sub> M.W. 776.9	120-160 μCi/μg 4.44-5.92 MBq/μg	1-propanol:water (1:1) 0.3 mCi/ml	<b>ARI 0120-100</b> μCi / 3.7 MBq <b>ARI 0120-250</b> μCi / 9.25 MBq <b>ARI 0120-500</b> μCi / 18.5 MBq	91,000 141,000 253,000
<b>Thyroxine, L-[T<sub>4</sub>-<sup>125</sup>I]</b> C <sub>15</sub> H <sub>11</sub> I <sub>4</sub> NO <sub>4</sub> M.W. 776.9	1000-1400 μCi/μg 37-51.8 MBq/μg	1-propanol:water (1:1) 0.3 mCi/ml	<b>ARI 0120A-100</b> μCi / 3.7 MBq <b>ARI 0120A-250</b> μCi / 9.25 MBq <b>ARI 0120A-500</b> μCi / 18.5 MBq	125,000 239,000 345,000
<b>Thyroxine, L-[T<sub>4</sub>-<sup>125</sup>I]</b> C <sub>15</sub> H <sub>11</sub> I <sub>4</sub> NO <sub>4</sub> M.W. 776.9	> 5000 μCi/μg > 185 MBq/μg	1-propanol:water (1:1) 0.3 mCi/ml	<b>ARI 0120B-100</b> μCi / 3.7 MBq <b>ARI 0120B-500</b> μCi / 18.5 MBq	129,000 375,000
<b>Tobramycin "cold"</b>		Solid	<b>ARCD 0721-100</b> mg	48,000
<b>Tobramycin [<sup>3</sup>H(G)]</b> C <sub>18</sub> H <sub>37</sub> N <sub>5</sub> O <sub>9</sub> M.W. 467.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	200-250 mCi/mmol 7.4-9.25 GBq/mmol	Ethanol:Water(2:98) 1 mCi/ml	<b>ART 1927-50</b> μCi / 1.85 MBq	209,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>α-Tocopherol [6,7-<sup>3</sup>H]</b> C <sub>29</sub> H <sub>50</sub> O <sub>2</sub> M.W. 430.71 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 Ci/mmol 1.85-2.22 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1485-10</b> μCi / 370 kBq <b>ART 1485-50</b> μCi / 1.85 MBq	311,000 576,000
<b>(+)-α-Tocopherol acetate [acetyl-1-<sup>14</sup>C]</b> <b>(Vitamin E acetate)</b> M.W. 472.76 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	25-50 mCi/mmol 0.925-1.85 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1323-10</b> μCi / 370 kBq <b>ARC 1323-50</b> μCi / 1.85 MBq	305,000 548,000
<b>α-Tocopherol [6,7-<sup>3</sup>H] acetate</b> <b>(Vitamin E acetate)</b> C <sub>31</sub> H <sub>52</sub> O <sub>3</sub> M.W. 472.46 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-50 Ci/mmol 1.48-1.85 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1372-10</b> μCi / 370 kBq <b>ART 1372-50</b> μCi / 1.85 MBq	288,000 524,000
<b>α-Tocopherol glycinate, DL-[glycine-1-<sup>14</sup>C]</b> C <sub>31</sub> H <sub>54</sub> O <sub>5</sub> N M.W. 524.23 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1610-10</b> μCi / 370 kBq	311,000
<b>Tolbutamide [carbonyl-<sup>14</sup>C]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> SO <sub>2</sub> NHCONH(CH <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub> M.W. 270.34 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0863-50</b> μCi / 1.85 MBq	170,000
<b>Toluene [methyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> M.W. 92.1 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0549-250</b> μCi / 9.25 MBq <b>ARC 0549-1</b> mCi / 37 MBq	269,000 479,000
<b>Toluene [methyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> M.W. 92.1 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0549A-250</b> μCi / 9.25 MBq <b>ARC 0549A-1</b> mCi / 37 MBq	269,000 479,000
<b>Toluene [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> M.W. 92.1 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ARC 0526-250</b> μCi / 9.25 MBq <b>ARC 0526-1</b> mCi / 37 MBq	269,000 563,000
<b>Toluene [<sup>14</sup>C] 劇</b> <i>Calibration source for liquid scintillation counting</i> <i>Exclusive</i>	4.0 x 10 <sup>5</sup> dpm/ml	Toluene 0.18 μCi/ml	<b>ARC 0282-10</b> ml	83,000
<b>Toluene [<sup>3</sup>H] 劇</b> <i>Calibration source for liquid scintillation counting</i> <i>Exclusive</i>	2.22 x 10 <sup>6</sup> dpm/ml	Toluene 1 μCi/ml	<b>ART 0182-10</b> ml	83,000
<b>Toluene [4-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> M.W. 92.1 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ART 0837-250</b> μCi / 9.25 MBq <b>ART 0837-1</b> mCi / 37 MBq	107,000 212,000

T





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>4-Toluene sulfonyl chloride [methyl-<sup>14</sup>C]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> SO <sub>2</sub> Cl M.W. 190.6 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid in sealed ampoule	<b>ARC 0652-250</b> μCi / 9.25 MBq	479,000
<b>2-Toluic acid [carboxyl-<sup>14</sup>C]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 136.20 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1049-50</b> μCi / 1.85 MBq <b>ARC 1049-250</b> μCi / 9.25 MBq <b>ARC 1049-1</b> mCi / 37 MBq	93,000 185,000 374,000
<b>2-Toluic acid [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 136.20 <i>Exclusive</i>	60-90 mCi/mmol 2.22-3.33 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3384-50</b> μCi / 1.85 MBq <b>ARC 3384-250</b> μCi / 9.25 MBq	202,000 382,000
<b>3-Toluic acid [carboxyl-<sup>14</sup>C]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 136.20 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1773-50</b> μCi / 1.85 MBq <b>ARC 1773-250</b> μCi / 9.25 MBq	100,000 198,000
<b>4-Toluic acid [carboxyl-<sup>14</sup>C]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 136.20 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3393-50</b> μCi / 1.85 MBq <b>ARC 3393-250</b> μCi / 9.25 MBq	192,000 333,000
<b>4-Toluic acid [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> H M.W. 136.20 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3804-50</b> μCi / 1.85 MBq	443,000
<b>2-Toluidine [methyl-<sup>14</sup>C]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> M.W. 107.16 <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0638-50</b> μCi / 1.85 MBq	164,000
<b>2-Toluidine [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> M.W. 107.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1597-50</b> μCi / 1.85 MBq	164,000
<b>3-Toluidine [ring-<sup>14</sup>C(U)]</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> M.W. 107.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1598-50</b> μCi / 1.85 MBq	164,000
<b>4-Toluidine [ring-<sup>14</sup>C(U)]</b> <b>(4-Methylaniline)</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> M.W. 107.16 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1599-50</b> μCi / 1.85 MBq	164,000
<b>4-Tolunitrile [ring-<sup>14</sup>C(U)]</b> 劇 <b>(Cyanotoluene)</b> CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CN M.W. 117.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1614-50</b> μCi / 1.85 MBq	164,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Topiramate [<sup>3</sup>H(G)]</b> C <sub>12</sub> H <sub>21</sub> N <sub>3</sub> O <sub>6</sub> S M.W. 339.36 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1831-50</b> μCi / 1.85 MBq	419,000
<b>Travoprost [15-<sup>3</sup>H]</b> <b>(Fluprostenol isopropyl ester)</b> C <sub>26</sub> H <sub>35</sub> F <sub>3</sub> O <sub>6</sub> M.W. 500.6 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2132-50</b> μCi / 1.85 MBq	356,000
<b>Trehalose, α-D-[<sup>14</sup>C(U)]</b> M.W. 378.3 <i>Exclusive</i>	500-700 mCi/mmol 18.5-25.9 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1249-50</b> μCi / 1.85 MBq	381,000
<b>1,2,3-Triazole [<sup>14</sup>C]</b> M.W. 69.07 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3625-250</b> μCi / 9.25 MBq	629,000
<b>1,2,4-Triazole [5-<sup>14</sup>C]</b> M.W. 69.07 <i>Exclusive</i>	20-60 mCi/mmol 0.74-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0746-250</b> μCi / 9.25 MBq	386,000
<b>1,2,4-Triazole-3-thiol [5-<sup>14</sup>C]</b> <b>(3-Mercapto-14-1,2,4-triazole)</b> M.W. 101.13 <i>Exclusive</i>	20-60 mCi/mmol 0.74-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0745-250</b> μCi / 9.25 MBq	381,000
<b>Tributylphosphate [n-butyl-1-<sup>14</sup>C]</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> CH <sub>2</sub> O] <sub>3</sub> PO M.W. 266.32 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in sealed ampoule 0.1 mCi/ml	<b>ARC 0547-250</b> μCi / 9.25 MBq <b>ARC 0547-1</b> mCi / 37 MBq	296,000 563,000
<b>Tributylphosphate [butyl-2,3-<sup>3</sup>H]</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> O] <sub>3</sub> PO M.W. 266.32 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2007-250</b> μCi / 9.25 MBq	209,000
<b>Tri-n-butyltin hydride [<sup>3</sup>H]</b> (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> ) <sub>3</sub> SnH M.W. 291.05 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Cyclohexane in sealed ampoule 100 mCi/ml	<b>ART 0852-500</b> mCi / 18.5 GBq	Inquire
<b>Tributyryn [butyric-1-<sup>14</sup>C]</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub> CO] <sub>3</sub> O <sub>3</sub> C <sub>3</sub> H <sub>5</sub> M.W. 302.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	2-10 mCi/mmol 0.074-0.37 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0798-50</b> μCi / 1.85 MBq <b>ARC 0798-250</b> μCi / 9.25 MBq	296,000 Inquire
<b>Tricaprin "cold"</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> COOCH <sub>2</sub> ] <sub>2</sub> CHOCO(CH <sub>2</sub> ) <sub>8</sub> CH <sub>3</sub> M.W. 554.85 CAS # 621-71-6 <i>NEW!-Exclusive</i>		Ethanol 1 mg/ml	<b>ARCD 1024-10</b> mg	420,000

T



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Tricaprin [carboxyl-<sup>14</sup>C]</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> CO <sub>2</sub> ] <sub>3</sub> C <sub>3</sub> H <sub>5</sub> M.W. 554.85 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 TBq/mmol	Toluene: ethanol (1:1) under argon 0.1 mCi/ml	<b>ARC 1783-50</b> μCi / 1.85 MBq	303,000
<b>1,2,3-Tricapryloylglycerol [octanoate-1-<sup>14</sup>C]</b> See Glycerol trioctanoate [octanoate-1- <sup>14</sup> C]			<b>ARC 1675</b>	
<b>Trichloroacetic acid [1-<sup>14</sup>C]</b> Cl <sub>3</sub> CCOOH M.W. 163.40	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ether in sealed ampoule 1 mCi/ml	<b>ARC 0361-250</b> μCi / 9.25 MBq <b>ARC 0361-1</b> mCi / 37 MBq	212,000 506,000
<b>Trichloroacrylic acid [1-<sup>14</sup>C]</b> Cl <sub>3</sub> C=CHCO <sub>2</sub> H M.W. 175.4 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3620-50</b> μCi / 1.85 MBq	209,000
<b>2,4,5-Trichloroaniline [<sup>14</sup>C(U)]</b> 2,4,5-Cl <sub>3</sub> C <sub>6</sub> H <sub>2</sub> NH <sub>2</sub> M.W. 196.46 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3233-50</b> μCi / 1.85 MBq	303,000
<b>2,4,6-Trichloroaniline [<sup>14</sup>C(U)]</b> 2,4,6-Cl <sub>3</sub> C <sub>6</sub> H <sub>2</sub> NH <sub>2</sub> M.W. 196.46 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3235-50</b> μCi / 1.85 MBq	303,000
<b>1,2,3-Trichlorobenzene [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>3</sub> Cl <sub>3</sub> M.W. 181.50 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0777-1</b> mCi / 37 MBq	Inquire
<b>1,2,4-Trichlorobenzene [<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>3</sub> Cl <sub>3</sub> M.W. 181.50 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Ethanol 1 mCi/ml	<b>ARC 3215-1</b> mCi / 37 MBq	Inquire
<b>Trichloroethylene [1,2-<sup>14</sup>C]</b> Cl <sub>2</sub> C=CHCl M.W. 131.4 <i>Exclusive</i>	1-15 mCi/mmol 37-555 MBq/mmol	Methanol 0.1 mCi/ml	<b>ARC 1101-250</b> μCi / 9.25 MBq	479,000
<b>2,4,5-Trichlorophenol [ring-<sup>14</sup>C(U)]</b> M.W. 196.46 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	2-10 mCi/mmol 74-370 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0893-50</b> μCi / 1.85 MBq	365,000
<b>2,4,5-Trichlorophenoxyacetic acid [carboxyl-<sup>14</sup>C]</b> 劇 2,4,5-Cl <sub>3</sub> C <sub>6</sub> H <sub>2</sub> OCH <sub>2</sub> COOH M.W. 255.48 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3234-50</b> μCi / 1.85 MBq	303,000
<b>2,3,6-Trichloropyridine [2,6-<sup>14</sup>C]</b> M.W. 182.44 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1014-50</b> μCi / 1.85 MBq <b>ARC 1014-250</b> μCi / 9.25 MBq	240,000 395,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>2,4,6-Trichloro-1,3,5-triazine [<sup>14</sup>C(U)]</b> See Cyanuric chloride [ <sup>14</sup> C(U)]			<b>ARC 0616</b>	
<b>Triclocarban [3,4-dichlorophenyl ring-<sup>14</sup>C(U)]</b> <b>(3,4,4'-Trichlorocarbanilide)</b> <chem>Cl2C6H3NHCONHC6H4Cl</chem> M.W. 315.58 <i>Exclusive</i>	20-30 mCi/mmol 0.74-1.11 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3406-50</b> μCi / 1.85 MBq	902,000
<b>Tridecane [1-<sup>14</sup>C]</b> <chem>CH3(CH2)11CH3</chem> M.W. 184.36 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3408-50</b> μCi / 1.85 MBq	601,000
<b>Tridecane [1,2-<sup>3</sup>H]</b> <chem>CH3(CH2)10CH2CH3</chem> M.W. 184.36 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1236-250</b> μCi / 9.25 MBq <b>ART 1236-1</b> mCi / 37 MBq	156,000 296,000
<b>Tridecane [1,13-<sup>14</sup>C]</b> <chem>CH3(CH2)11CH3</chem> M.W. 184.36 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Cyclopentane 0.1 mCi/ml	<b>ARC 3407-50</b> μCi / 1.85 MBq	573,000
<b>Triethanolamine [1-<sup>14</sup>C] hydrochloride</b> <chem>(HOCH2CH2)3N·HCl</chem> M.W. 185.45 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1754-50</b> μCi / 1.85 MBq	269,000
<b>Triethanolamine [1,2-<sup>14</sup>C] hydrochloride</b> <chem>(HOCH2CH2)3N</chem> M.W. 185.45 <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3487-50</b> μCi / 1.85 MBq	335,000
<b>Triethylamine [ethyl-1-<sup>14</sup>C]</b> <chem>(C2H5)2NCH2CH3</chem> M.W. 137.7 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Methylene chloride in sealed ampoule 0.1 mCi/ml	<b>ARC 1153-250</b> μCi / 9.25 MBq	381,000
<b>Triethylamine [ethyl-1-<sup>14</sup>C] hydrochloride</b> <chem>(C2H5)2NCH2CH3·HCl</chem> M.W. 137.7 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1153A-50</b> μCi / 1.85 MBq <b>ARC 1153A-250</b> μCi / 9.25 MBq	198,000 381,000
<b>1,3,5-Triethylhexahydro-s-triazine [methylene-<sup>14</sup>C]</b> M.W. 121.28 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 mCi/mmol 1.85-2.22 TBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1541-50</b> μCi / 1.85 MBq	170,000
<b>Triethylorthoacetate [acetate 1-<sup>14</sup>C]</b> <chem>CH3C(OC2H5)3</chem> M.W. 162.23 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ether in sealed ampoule 10 mCi/ml	<b>ARC 1149-1</b> mCi / 37 MBq	353,000

T

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Triethylorthoformate [formate-<sup>14</sup>C]</b> CH(OC <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> M.W. 148.20 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ether in sealed ampoule 10 mCi/ml	<b>ARC 0697-1</b> mCi / 37 MBq	365,000
<b>Triethylorthopropionate [propyl-1-<sup>14</sup>C]</b> CH <sub>3</sub> CH <sub>2</sub> C(OCH <sub>2</sub> CH <sub>3</sub> ) <sub>3</sub> M.W. 176.26 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ether in sealed ampoule 10 mCi/ml	<b>ARC 1250-1</b> mCi / 37 MBq	365,000
<b>Triethyl phosphonoacetate [acetate-1,2-<sup>14</sup>C]</b> (C <sub>2</sub> H <sub>5</sub> O) <sub>2</sub> P(O)CH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> M.W. 224.19 <i>Exclusive</i>	80-120 mCi/mmol 2.96-4.44 GBq/mmol	Ether in sealed ampoule 10 mCi/ml	<b>ARC 0799-250</b> μCi / 9.25 MBq	365,000
<b>Trifluoperazine [methyl-<sup>14</sup>C] dihydrochloride</b> C <sub>21</sub> H <sub>24</sub> F <sub>3</sub> N <sub>3</sub> S · 2 HCl M.W. 480.42 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3756</b>	Inquire
<b>Trifluoperazine [methyl-<sup>3</sup>H] dihydrochloride</b> C <sub>21</sub> H <sub>24</sub> F <sub>3</sub> N <sub>3</sub> S · 2HCl M.W. 480.42 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	60-85 Ci/mmol 2.22-3.145 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2109</b>	Inquire
<b>Trifluoroacetic acid [1-<sup>14</sup>C] sodium salt</b> CF <sub>3</sub> COONa M.W. 136.03 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 1079-250</b> μCi / 9.25 MBq	254,000
<b>α,α,α-Trifluoro-<i>o</i>-cresol [ring-<sup>14</sup>C(U)] (2-Trifluoromethylphenol; 2-Hydroxybenzo trifluoride)</b> CF <sub>3</sub> C <sub>6</sub> H <sub>4</sub> OH M.W. 162.11 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-80 mCi/mmol 1.48-2.96 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1886-50</b> μCi / 1.85 MBq	269,000
<b>4-Trifluoromethoxy benzoic acid [carboxyl-<sup>14</sup>C]</b> CF <sub>3</sub> OC <sub>6</sub> H <sub>4</sub> COOH M.W. 206.12 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1789-50</b> μCi / 1.85 MBq	177,000
<b>4-Trifluoromethoxy benzyl alcohol [1-<sup>14</sup>C]</b> CF <sub>3</sub> OC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> OH M.W. 192.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1790-50</b> μCi / 1.85 MBq	191,000
<b>4-(Trifluoromethoxy) benzyl bromide [methylene-<sup>14</sup>C]</b> CF <sub>3</sub> OC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> Br M.W. 255.03 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Toluene 0.1 mCi/ml	<b>ARC 1791-250</b> μCi / 9.25 MBq	282,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>3'-Trifluoromethyl acetophenone</b> [carbonyl- <sup>14</sup> C] CF <sub>3</sub> C <sub>6</sub> H <sub>4</sub> COCH <sub>3</sub> M.W. 188.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1406-50</b> μCi / 1.85 MBq	206,000
<b>3'-Trifluoromethyl acetophenone</b> [ring- <sup>14</sup> C(U)] CF <sub>3</sub> C <sub>6</sub> H <sub>4</sub> COCH <sub>3</sub> M.W. 188.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethyl ether in sealed ampoule 0.1 mCi/ml	<b>ARC 0779-250</b> μCi / 9.25 MBq	365,000
<b>3-(Trifluoromethyl) aniline</b> [ring- <sup>14</sup> C(U)] CF <sub>3</sub> C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> M.W. 161.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3031-50</b> μCi / 1.85 MBq	293,000
<b>4-(Trifluoromethyl)benzoic acid</b> [carboxyl- <sup>14</sup> C] CF <sub>3</sub> C <sub>6</sub> H <sub>4</sub> COOH M.W. 190.10 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3290-50</b> μCi / 1.85 MBq	299,000
<b>4-(Trifluoromethyl)benzyl alcohol</b> [7- <sup>14</sup> C] CF <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> OH M.W. 176.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 3436-50</b> μCi / 1.85 MBq	229,000
<b>4-(Trifluoromethyl)benzyl bromide</b> [7- <sup>14</sup> C] CF <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> Br M.W. 239.03 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 3435-50</b> μCi / 1.85 MBq	229,000
<b>4-Trifluoromethylphenyl guanidine</b> [ <sup>14</sup> C] <b>hydrochloride</b> C <sub>7</sub> H <sub>7</sub> N <sub>2</sub> F <sub>3</sub> 2HCl M.W. 173.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1521-50</b> μCi / 1.85 MBq	296,000
<b>4-(Trifluoromethyl)styrene</b> [methylene- <sup>14</sup> C] <b>(4-Vinylbenzotrifluoride)</b> CF <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CH=CH <sub>2</sub> M.W. 172.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.5 mCi/ml	<b>ARC 3449-50</b> μCi / 1.85 MBq	229,000
<b>(α,α,α-Trifluoro-<i>o</i>-tolyl) acetic acid</b> [1- <sup>14</sup> C] CF <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> CO <sub>2</sub> H M.W. 204.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 1275-1</b> mCi / 37 MBq	293,000
<b>Trifluralin</b> [ring- <sup>14</sup> C(U)] C <sub>13</sub> H <sub>16</sub> F <sub>3</sub> N <sub>3</sub> O <sub>4</sub> M.W. 335.28 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3409-50</b> μCi / 1.85 MBq	419,000
<b>4',5,7-Trihydroxyisoflavone</b> [ <sup>3</sup> H(G)] See Genestein [ <sup>3</sup> H(G)]			<b>ART 0762</b>	

T



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Triiodothyronine, L-3,5,3'-[T<sub>3</sub>-<sup>125</sup>I]</b> C <sub>15</sub> H <sub>12</sub> I <sub>3</sub> NO <sub>4</sub> M.W. 649	1000-1400 μCi/μg 37-51.8 MBq/μg	1-propanol:water (1:1) 0.3 mCi/ml	<b>ARI 0121</b> -100 μCi / 3.7 MBq <b>ARI 0121</b> -250 μCi / 9.25 MBq <b>ARI 0121</b> -500 μCi / 18.5 MBq	117,000 231,000 Inquire
<b>Triiodothyronine, L-3,5,3'-[T<sub>3</sub>-<sup>125</sup>I]</b> C <sub>15</sub> H <sub>12</sub> I <sub>3</sub> NO <sub>4</sub> M.W. 649	> 3000 μCi/μg 111 MBq/μg	1-propanol:water (1:1) 0.3 mCi/ml	<b>ARI 0121A</b> -100 μCi / 3.7 MBq <b>ARI 0121A</b> -250 μCi / 9.25 MBq <b>ARI 0121A</b> -500 μCi / 18.5 MBq	117,000 231,000 Inquire
<b>2,4,6-Triisopropyl benzoic acid [carboxyl-<sup>14</sup>C]</b> 2,4,6-C <sub>6</sub> H <sub>2</sub> (CH(CH <sub>3</sub> ) <sub>2</sub> ) <sub>3</sub> COOH M.W. 248.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0764</b> -250 μCi / 9.25 MBq <b>ARC 0764</b> -1 mCi / 37 MBq	239,000 419,000
<b>Trilinolein [linoleic-1-<sup>14</sup>C]</b> C <sub>57</sub> H <sub>98</sub> O <sub>6</sub> M.W. 879.4 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3790</b> -50 μCi / 1.85 MBq	336,000
<b>Trilinolein, 1,3-[linoleic acid-9,10,12,13-<sup>3</sup>H]</b> C <sub>57</sub> H <sub>98</sub> O <sub>6</sub> M.W. 879.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-120 Ci/mmol 2.22-4.44 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2012</b> -250 μCi / 9.25 MBq	671,000
<b>Trilinolein, 2-[linoleic acid-9,10,12,13-<sup>3</sup>H]</b> C <sub>57</sub> H <sub>98</sub> O <sub>6</sub> M.W. 879.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-120 Ci/mmol 2.22-4.44 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1820</b> -50 μCi / 1.85 MBq <b>ART 1820</b> -250 μCi / 9.25 MBq	209,000 419,000
<b>Trilinolenin [linolenic-1-<sup>14</sup>C]</b> C <sub>57</sub> H <sub>98</sub> O <sub>6</sub> M.W. 873.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1240</b> -50 μCi / 1.85 MBq <b>ARC 1240</b> -250 μCi / 9.25 MBq	206,000 419,000
<b>Trimellitic acid [carboxyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>3</sub> (CO <sub>2</sub> H) <sub>3</sub> M.W. 210.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1503</b> -50 μCi / 1.85 MBq <b>ARC 1503</b> -250 μCi / 9.25 MBq	177,000 324,000
<b>Trimesic acid [carboxyl-<sup>14</sup>C]</b> (Benzene-1,3,5-tricarboxylic acid) C <sub>6</sub> H <sub>3</sub> (CO <sub>2</sub> H) <sub>3</sub> M.W. 210.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3584</b> -50 μCi / 1.85 MBq	209,000
<b>3,4,5-Trimethoxybenzoic acid [1-<sup>14</sup>C]</b> (CH <sub>3</sub> O) <sub>3</sub> C <sub>6</sub> H <sub>2</sub> CO <sub>2</sub> H M.W. 212.0 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3056</b> -50 μCi / 1.85 MBq	156,000
<b>3,4,5-Trimethoxybenzyl alcohol [1-<sup>14</sup>C]</b> (CH <sub>3</sub> O) <sub>3</sub> C <sub>6</sub> H <sub>2</sub> CH <sub>2</sub> OH M.W. 198.22 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3057</b> -50 μCi / 1.85 MBq	156,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Trimethylacetic acid [1-<sup>14</sup>C]</b> (Pivalic acid) (CH <sub>3</sub> ) <sub>3</sub> CCO <sub>2</sub> H M.W. 102.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1120-1</b> mCi / 37 MBq	381,000
<b>Trimethylamine [<sup>14</sup>C] hydrochloride</b> (CH <sub>3</sub> ) <sub>3</sub> N · HCl M.W. 95.6	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 0347-250</b> μCi / 9.25 MBq	282,000
<b>Trimethylamine [<sup>3</sup>H] hydrochloride</b> (CH <sub>3</sub> ) <sub>3</sub> N · HCl M.W. 95.57 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1692-250</b> μCi / 9.25 MBq <b>ART 1692-1</b> mCi / 37 MBq	198,000 419,000
<b>Trimethylamine N-oxide [N-methyl-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>3</sub> N(O) M.W. 75.11 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	60-87 Ci/mmol 2.22-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2101-50</b> μCi / 1.85 MBq	173,000
<b>N,N,N-Trimethylglycine [glycine-1-<sup>14</sup>C]</b> See Betaine [glycine-1- <sup>14</sup> C]			<b>ARC 0748</b>	
<b>N,N,N-Trimethylglycine [methyl-<sup>14</sup>C]</b> See Betaine [methyl- <sup>14</sup> C]			<b>ARC 1432</b>	
<b>Trimethyl phosphate [methyl-<sup>14</sup>C]</b> (CH <sub>3</sub> O) <sub>3</sub> PO M.W. 140.07 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3745-50</b> μCi / 1.85 MBq	209,000
<b>Trimethylsilylcyanide [<sup>14</sup>C]</b> 劇 (CH <sub>3</sub> ) <sub>3</sub> SiCN M.W. 99.21 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Neat liquid in sealed ampoule	<b>ARC 0585-5</b> mCi / 185 MBq	Inquire
<b>Trimethyl L, lysine, N-[N-methyl-<sup>3</sup>H]</b> C <sub>9</sub> H <sub>20</sub> N <sub>2</sub> O <sub>2</sub> M.W. 188.27 <i>Exclusive</i>	60-87 Ci/mmol 2.22-3.21 TBq/mmol	Ethanol	<b>ART 1610-250</b> μCi / 9.25 MBq	195,000
<b>Trimethyl orthoacetate [acetyl-1-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>12</sub> O <sub>3</sub> M.W. 120.15 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ether in sealed ampoule 10 mCi/ml	<b>ARC 3091-1</b> mCi / 37 MBq	381,000
<b>N,N,N-Trimethylsphingosine [N-methyl-<sup>14</sup>C]</b> C <sub>21</sub> H <sub>44</sub> NO <sub>2</sub> M.W. 342.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1492-10</b> μCi / 370 kBq	Inquire

T

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>N,N,N-Trimethylsphingosine [N-methyl-<sup>3</sup>H]</b> C <sub>21</sub> H <sub>44</sub> NO <sub>2</sub> M.W. 342.6 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-85 Ci/mmol 2.22-3.15 TBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1138-10</b> μCi / 370 kBq <b>ART 1138-50</b> μCi / 1.85 MBq	184,000 336,000
<b>Trimipramine [N-methyl-<sup>3</sup>H] hydrochloride</b> M.W. 329.9 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0804-50</b> μCi / 1.85 MBq	339,000
<b>Trimyristin [glycerol-<sup>14</sup>C(U)]</b> <b>(Glycerol trimyristate)</b> M.W. 723.16 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 3411-10</b> μCi / 370 kBq	312,000
<b>Trimyristin [myristic-<sup>14</sup>C]</b> <b>(Glycerol trimyristate)</b> M.W. 723.16 <i>Exclusive</i>	20-60 mCi/mmol 0.74-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 0581-250</b> μCi / 9.25 MBq	269,000
<b>1,3,5-Trinitrobenzene [<sup>14</sup>C(U)]</b> M.W. 213.11 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Ethanol:water (4:1) 0.1 mCi/ml	<b>ARC 0810-50</b> μCi / 1.85 MBq	311,000
<b>2,4,6-Trinitrophenol [ring-<sup>14</sup>C(U)]</b> <b>(Picric acid)</b> (O <sub>2</sub> N) <sub>3</sub> C <sub>6</sub> H <sub>2</sub> OH M.W. 229.11 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1513-50</b> μCi / 1.85 MBq <b>ARC 1513-250</b> μCi / 9.25 MBq	311,000 549,000
<b>2,4,6-Trinitrotoluene [ring-<sup>14</sup>C(U)]</b> M.W. 227.13 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Ethanol:water (4:1) 0.1 mCi/ml	<b>ARC 0830-50</b> μCi / 1.85 MBq	549,000
<b>Triolein [carboxyl-<sup>14</sup>C]</b> <b>(Glycerol trioleate)</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO] <sub>3</sub> O <sub>3</sub> C <sub>3</sub> H <sub>5</sub> M.W. 885.4 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 0291-50</b> μCi / 1.85 MBq <b>ARC 0291-250</b> μCi / 9.25 MBq	142,000 379,000
<b>Triolein [glycerol-<sup>14</sup>C(U)]</b> <b>(Glycerol trioleate)</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO] <sub>3</sub> O <sub>3</sub> C <sub>3</sub> H <sub>5</sub> M.W. 885.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-100 mCi/mmol 1.85-3.7 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 3076-50</b> μCi / 1.85 MBq <b>ARC 3076-250</b> μCi / 9.25 MBq	242,000 473,000
<b>Triolein [glycerol-1,2,3-<sup>3</sup>H]</b> <b>(Glycerol trioleate)</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO] <sub>3</sub> O <sub>3</sub> C <sub>3</sub> H <sub>5</sub> M.W. 885.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:toluene (1:1) under nitrogen 1 mCi/ml	<b>ART 0413-250</b> μCi / 9.25 MBq <b>ART 0413-1</b> mCi / 37 MBq	149,000 254,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Triolein [9,10-<sup>3</sup>H(N)] (Glycerol trioleate)</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH=CH(CH <sub>2</sub> ) <sub>7</sub> CO] <sub>3</sub> O <sub>3</sub> C <sub>3</sub> H <sub>5</sub> M.W. 885.4 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:toluene (1:1) under nitrogen 1 mCi/ml	<b>ART 0199-1</b> mCi / 37 MBq <b>ART 0199-5</b> mCi / 185 MBq	82,000 209,000
<b>Tripalmitin, 1,3-[palmitoyl-1-<sup>14</sup>C] (Glycerol tripalmitate)</b> M.W. 807.32 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-60 mCi/mmol 0.74-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 0580-250</b> μCi / 9.25 MBq	239,000
<b>Tripalmitin, 2-[palmitoyl-1-<sup>14</sup>C] (Glycerol tripalmitate)</b> M.W. 807.32 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-60 mCi/mmol 0.74-2.22 GBq/mmol	Ethanol:toluene (1:1) 0.1 mCi/ml	<b>ARC 3412-10</b> μCi / 370 kBq	342,000
<b>Triphosgene [carbonyl-<sup>14</sup>C] (Bis(trichloromethyl) carbonate)</b> Cl <sub>3</sub> COCOCCl <sub>3</sub> M.W. 296.75 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 3819-1</b> mCi / 37 MBq <b>ARC 3819-5</b> mCi / 185 MBq	Inquire 839,000
<b>Triptolide [<sup>3</sup>H(G)]</b> C <sub>20</sub> H <sub>24</sub> O <sub>6</sub> M.W. 360.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 370-740 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2008-50</b> μCi / 1.85 MBq	619,000
<b>Tristearin [stearoyl 9,10-<sup>3</sup>H(N)]</b> [CH <sub>3</sub> (CH <sub>2</sub> ) <sub>16</sub> COOCH <sub>2</sub> ] <sub>2</sub> CHOCO(CH <sub>2</sub> ) <sub>16</sub> M.W. 891.48 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	100-120 Ci/mmol 3.7-4.44 TBq/mmol	Ethanol:toluene (1:1) 1 mCi/ml	<b>ART 1521-50</b> μCi / 1.85 MBq <b>ART 1521-250</b> μCi / 9.25 MBq <b>ART 1521-1</b> mCi / 37 MBq	85,000 155,000 269,000
<b>Tritium (gas, carrier free)</b> <i>Exclusive</i>	2.6 Ci/cc 96 GBq/cc	Gas in break seal	<b>ART 0514-1</b> Ci / 37 GBq <b>ART 0514-2</b> Ci / 74 GBq <b>ART 0514-10</b> Ci / 370 GBq <b>ART 0514-25</b> Ci / 925 GBq <b>ART 0514-50</b> Ci / 1850 GBq	154,000 209,000 329,000 439,000 659,000
<b>Tritium (gas, carrier free)</b> <i>Exclusive</i>	2.6 Ci/cc 96 GBq/cc	Gas in stainless steel cylinder	<b>ART 0514A-10</b> Ci / 370 GBq <b>ART 0514A-25</b> Ci / 925 GBq <b>ART 0514A-50</b> Ci / 1850 GBq	524,000 Inquire Inquire
<b>Triton X-100 [<sup>3</sup>H]</b> M.W. 647.0 <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Sterile water 1 mCi/ml	<b>ART 0892-50</b> μCi / 1.85 MBq	184,000
<b>Troglitazone "cold"</b>		Solid	<b>ARCD 0277-10</b> mg	36,000
<b>Troglitazone [<sup>3</sup>H(G)]</b> C <sub>24</sub> H <sub>27</sub> NO <sub>5</sub> S M.W. 441.54 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	0.5-1 Ci/mmol 18.5-37 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ART 1681-10</b> μCi / 370 kBq <b>ART 1681-50</b> μCi / 1.85 MBq	419,000 629,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Tromethamine [methylene-<sup>14</sup>C] tris (hydroxymethyl) aminomethane</b> (HOCH <sub>2</sub> ) <sub>3</sub> CNH <sub>2</sub> M.W. 121.14 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0644-250</b> μCi / 9.25 MBq	506,000
<b>Trypsin inhibitor [methyl-<sup>14</sup>C] methylated from soybean</b> <i>Shipped in Dry Ice</i> <i>Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mmol	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.01 mCi/ml	<b>ARC 3413-1</b> μCi / 37 kBq <b>ARC 3413-5</b> μCi / 185 kBq	142,000 362,000
<b>Trypsin inhibitor [methyl-<sup>14</sup>C] methylated from soybean (Type I-S)</b> M.W. ~20 kDa <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	3-30 μCi/mg 111-1111 kBq/mg	0.01M NaH <sub>2</sub> PO <sub>4</sub> (pH 7.2) buffer 0.05 mCi/ml	<b>ARC 3723-5</b> μCi / 185 kBq	362,000
<b>Tryptamine bisuccinate, [side chain-2-<sup>14</sup>C]</b> C <sub>8</sub> H <sub>6</sub> NCH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> (CH <sub>2</sub> CO <sub>2</sub> H) <sub>2</sub> M.W. 278.3 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0253-50</b> μCi / 1.85 MBq <b>ARC 0253-250</b> μCi / 9.25 MBq	120,000 365,000
<b>Tryptophan, D-[5-<sup>3</sup>H]</b> M.W. 204.2 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (1:1) under argon 1 mCi/ml	<b>ART 1440-250</b> μCi / 9.25 MBq	248,000
<b>Tryptophan, D-[side chain-3-<sup>14</sup>C]</b> C <sub>8</sub> H <sub>6</sub> NCH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 204.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 1625-10</b> μCi / 370 kBq <b>ARC 1625-50</b> μCi / 1.85 MBq	155,000 339,000
<b>Tryptophan, DL-[side chain-3-<sup>14</sup>C]</b> C <sub>8</sub> H <sub>6</sub> NCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 204.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) under argon 0.1 mCi/ml	<b>ARC 1863-50</b> μCi / 1.85 MBq	209,000
<b>Tryptophan, L-[5-<sup>3</sup>H]</b> M.W. 204.2 <i>Exclusive</i>	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Ethanol:water (1:1) under argon 1 mCi/ml	<b>ART 0244-250</b> μCi / 9.25 MBq <b>ART 0244-1</b> mCi / 37 MBq <b>ART 0244-5</b> mCi / 185 MBq	48,000 75,000 153,000
<b>Tryptophan, L-[side chain-1-<sup>14</sup>C]</b> C <sub>8</sub> H <sub>6</sub> NCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 204.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0255-10</b> μCi / 370 kBq <b>ARC 0255-50</b> μCi / 1.85 MBq	155,000 353,000
<b>Tryptophan, L-[side chain-3-<sup>14</sup>C]</b> C <sub>8</sub> H <sub>6</sub> NCH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 204.2 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0254-10</b> μCi / 370 kBq <b>ARC 0254-50</b> μCi / 1.85 MBq	82,000 191,000
<b>Tubercidin [5-<sup>3</sup>H] (7-Deazaadenosine)</b> C <sub>11</sub> H <sub>14</sub> N <sub>4</sub> O <sub>4</sub> M.W. 266.25	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1506-250</b> μCi / 9.25 MBq <b>ART 1506-1</b> mCi / 37 MBq	142,000 296,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Tubercidin [8-<sup>3</sup>H] (7-Deazaadenosine)</b> C <sub>11</sub> H <sub>14</sub> N <sub>4</sub> O <sub>4</sub> M.W. 266.25 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1816-250</b> μCi / 9.25 MBq <b>ART 1816-1</b> mCi / 37 MBq	Inquire Inquire
<b>Tyramine [7-<sup>14</sup>C] hydrochloride</b> HOCH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 173.65 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3414-50</b> μCi / 1.85 MBq	Inquire
<b>Tyramine [8-<sup>14</sup>C] hydrochloride</b> HOCH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 173.65 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl in amber vial 0.1 mCi/ml	<b>ARC 0611-50</b> μCi / 1.85 MBq <b>ARC 0611-250</b> μCi / 9.25 MBq	149,000 339,000
<b>Tyramine [ring-3,5-<sup>3</sup>H] hydrochloride</b> p-HOC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> CH <sub>2</sub> NH <sub>2</sub> ·HCl M.W. 173.65 <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	0.01N HCl under nitrogen in sealed ampoule 1 mCi/ml	<b>ART 0425-250</b> μCi / 9.25 MBq <b>ART 0425-1</b> mCi / 37 MBq	136,000 269,000
<b>Tyrosine, D-[1-<sup>14</sup>C]</b> p-HOC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 181.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1050-50</b> μCi / 1.85 MBq	278,000
<b>Tyrosine, DL-[1-<sup>14</sup>C]</b> p-HOC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )CO <sub>2</sub> H M.W. 181.2	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 3028-50</b> μCi / 1.85 MBq <b>ARC 3028-250</b> μCi / 9.25 MBq	73,000 234,000
<b>Tyrosine, L-[1-<sup>14</sup>C]</b> p-HOC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 181.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0507-50</b> μCi / 1.85 MBq <b>ARC 0507-250</b> μCi / 9.25 MBq	128,000 293,000
<b>Tyrosine, L-[1-<sup>14</sup>C(U)]</b> p-HOC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> CH(NH <sub>2</sub> )COOH M.W. 181.2 <i>Exclusive</i>	400-500 mCi/mmol 14.8-18.5 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0655-50</b> μCi / 1.85 MBq <b>ARC 0655-250</b> μCi / 9.25 MBq <b>ARC 0655-1</b> mCi / 37 MBq	76,000 207,000 419,000
<b>Tyrosine, L-[ring-3,5-<sup>3</sup>H]</b> M.W. 181.2	40-60 Ci/mmol 1.48-2.22 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0195-250</b> μCi / 9.25 MBq <b>ART 0195-1</b> mCi / 37 MBq <b>ART 0195-5</b> mCi / 185 MBq	41,000 62,000 119,000
<b>Tyrosine, L-[ring-3,5-<sup>3</sup>H]</b> M.W. 181.2	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0195A-250</b> μCi / 9.25 MBq <b>ART 0195A-1</b> mCi / 37 MBq <b>ART 0195A-5</b> mCi / 185 MBq	41,000 62,000 119,000
<b>Tyrosine, D-[side chain-2,3-<sup>3</sup>H]</b> p-HOC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> CH <sub>2</sub> (NH <sub>2</sub> )COOH M.W. 181.2 <i>Exclusive</i>	30-50 Ci/mmol 1.11-1.85 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 1528-250</b> μCi / 9.25 MBq <b>ART 1528-1</b> mCi / 37 MBq	143,000 329,000
<b>Tyrosine, DL-[side chain-2,3-<sup>3</sup>H]</b> p-HOC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> CH <sub>2</sub> (NH <sub>2</sub> )COOH M.W. 181.2 <i>Exclusive</i>	30-50 Ci/mmol 1.11-1.85 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 1532-250</b> μCi / 9.25 MBq <b>ART 1532-1</b> mCi / 37 MBq	53,000 74,000

T



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Tyrosine, L-[side chain-2,3-<sup>3</sup>H]</b> $\rho$ -HOC <sub>6</sub> H <sub>4</sub> CH <sub>2</sub> CH <sub>2</sub> (NH <sub>2</sub> )COOH M.W. 181.2 <i>Exclusive</i>	30-50 Ci/mmol 1.11-1.85 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0399-250</b> μCi / 9.25 MBq <b>ART 0399-1</b> mCi / 37 MBq	93,000 198,000
<b>U-69593 [phenyl-2,6-<sup>3</sup>H]</b> C <sub>22</sub> H <sub>32</sub> N <sub>2</sub> O <sub>2</sub> M.W. 356.5 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1791-25</b> μCi / 925 kBq <b>ART 1791-250</b> μCi / 9.25 MBq	107,000 334,000
<b>Undecane [1-<sup>3</sup>H]</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>9</sub> CH <sub>3</sub> M.W. 156.31 <i>NEW!-Exclusive</i>	10-30 Ci/mmol 0.37-1.11 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 2139-250</b> μCi / 9.25 MBq	251,000
<b>2-Undecanone [2-<sup>14</sup>C]</b> <b>(Methylnonylketone)</b> CH <sub>3</sub> (CH <sub>2</sub> ) <sub>8</sub> COCH <sub>3</sub> M.W. 170.30 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol in sealed ampoule 0.1 mCi/ml	<b>ARC 1160-50</b> μCi / 1.85 MBq <b>ARC 1160-250</b> μCi / 9.25 MBq	155,000 353,000
<b>Undecaprenol "cold"</b> <b>(Prenol C<sub>55</sub>)</b> M.W. 767.3		Hexane in sealed ampoule	<b>ARCD 0126-5</b> mg <b>ARCD 0126-10</b> mg	84,000 142,000
<b>Undecaprenol [1-<sup>3</sup>H]</b> C <sub>55</sub> H <sub>90</sub> O M.W. 7673 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ART 1414-50</b> μCi / 1.85 MBq	164,000
<b>Undecaprenyl [1-<sup>3</sup>H] monophosphate diammonium salt</b> 劇 M.W. 881.40 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 1 mCi/ml	<b>ART 1415-50</b> μCi / 1.85 MBq	269,000
<b>Undecaprenylphosphate diammonium salt "cold"</b> M.W. 881.4 <i>Exclusive</i>		Chloroform:methanol (2:1) containing 3% ammonia	<b>ARCD 0125-1</b> mg <b>ARCD 0125-2</b> mg	193,000 253,000
<b>Undecaprenyl pyrophosphate [1-<sup>3</sup>H]</b> 劇 M.W. 978.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Isopropanol:NH <sub>4</sub> OH: water (6:3:1) 0.1 mCi/ml	<b>ART 1649-50</b> μCi / 1.85 MBq	299,000
<b>Undecylenic acid [1-<sup>14</sup>C]</b> <b>(10-Undecenoic acid)</b> CH <sub>2</sub> =CH(CH <sub>2</sub> ) <sub>8</sub> COOH M.W. 184.28 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3179-50</b> μCi / 1.85 MBq	234,000
<b>Undecylenoyl phenylalanine [ring-<sup>14</sup>C(U)]</b> M.W. 332.0 <i>Exclusive</i>	250-300 mCi/mmol 9.25-11.1 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3181</b>	Inquire

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Uracil [2-<sup>14</sup>C]</b> M.W. 112.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0171-50</b> μCi / 1.85 MBq <b>ARC 0171-250</b> μCi / 9.25 MBq <b>ARC 0171-1</b> mCi / 37 MBq	51,000 138,000 356,000
<b>Uracil [5,6-<sup>3</sup>H]</b> M.W. 112.1	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0282-250</b> μCi / 9.25 MBq <b>ART 0282-1</b> mCi / 37 MBq <b>ART 0282-5</b> mCi / 185 MBq	45,000 80,000 225,000
<b>Uracil [5,6-<sup>3</sup>H]</b> M.W. 112.1	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0282A-250</b> μCi / 9.25 MBq <b>ART 0282A-1</b> mCi / 37 MBq <b>ART 0282A-5</b> mCi / 185 MBq	45,000 80,000 225,000
<b>Uracil [6-<sup>14</sup>C]</b> M.W. 112.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 0679-50</b> μCi / 1.85 MBq <b>ARC 0679-250</b> μCi / 9.25 MBq	113,000 282,000
<b>Uracil [6-<sup>3</sup>H]</b> M.W. 112.1	20-30 Ci/mmol 0.74-1.11 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 1782-250</b> μCi / 9.25 MBq <b>ART 1782-1</b> mCi / 37 MBq <b>ART 1782-5</b> mCi / 185 MBq	62,000 79,000 177,000
<b>Urea [<sup>14</sup>C]</b> H <sub>2</sub> NCONH <sub>2</sub> M.W. 60.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 1 mCi/ml	<b>ARC 0150-250</b> μCi / 9.25 MBq <b>ARC 0150-1</b> mCi / 37 MBq <b>ARC 0150-5</b> mCi / 185 MBq	75,000 160,000 335,000
<b>Urea [<sup>14</sup>C]</b> H <sub>2</sub> NCONH <sub>2</sub> M.W. 60.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0150A-250</b> μCi / 9.25 MBq <b>ARC 0150A-1</b> mCi / 37 MBq <b>ARC 0150A-5</b> mCi / 185 MBq	75,000 160,000 335,000
<b>Urethane [carbonyl-<sup>14</sup>C]</b> H <sub>2</sub> NCO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> M.W. 89.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 1456-250</b> μCi / 9.25 MBq <b>ARC 1456-1</b> mCi / 37 MBq	189,000 459,000
<b>Urethane [ethyl-1-<sup>14</sup>C]</b> H <sub>2</sub> NCO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> M.W. 89.09 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0800-250</b> μCi / 9.25 MBq <b>ARC 0800-1</b> mCi / 37 MBq	212,000 563,000
<b>Uric acid [8-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O <sub>3</sub> M.W. 168.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 0513-250</b> μCi / 9.25 MBq	178,000
<b>Uric acid [8-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O <sub>3</sub> M.W. 168.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	10mM dibasic K <sub>2</sub> HPO <sub>4</sub> , 1M potassium hydroxide 0.5 mCi/ml	<b>ARC 0513A-50</b> μCi / 1.85 MBq <b>ARC 0513A-250</b> μCi / 9.25 MBq	93,000 178,000
<b>Uridine [2-<sup>14</sup>C]</b> M.W. 244.2 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Sterile water 0.1 mCi/ml	<b>ARC 1227-50</b> μCi / 1.85 MBq <b>ARC 1227-250</b> μCi / 9.25 MBq	142,000 377,000
<b>Uridine [<sup>14</sup>C(U)]</b> M.W. 244.2	250-360 mCi/mmol 9.25-13.3 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3465-50</b> μCi / 1.85 MBq	167,000

U



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Uridine [5-<sup>3</sup>H]</b> C <sub>9</sub> H <sub>12</sub> N <sub>2</sub> O <sub>6</sub> M.W. 244.2	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0154-250</b> μCi / 9.25 MBq <b>ART 0154-1</b> mCi / 37 MBq <b>ART 0154-5</b> mCi / 185 MBq	45,000 65,000 216,000
<b>Uridine [5,6-<sup>3</sup>H]</b> M.W. 244.2	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0283-250</b> μCi / 9.25 MBq <b>ART 0283-1</b> mCi / 37 MBq <b>ART 0283-5</b> mCi / 185 MBq	45,000 65,000 Inquire
<b>Uridine diphosphate N-acetyl-[1-<sup>14</sup>C] D-galactosamine</b> M.W. 607.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 1379-10</b> μCi / 370 kBq	266,000
<b>Uridine diphosphate N-acetyl-D-galactosamine [galactosamine-6-<sup>3</sup>H(N)]</b> M.W. 607.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0156-50</b> μCi / 1.85 MBq <b>ART 0156-250</b> μCi / 9.25 MBq	155,000 308,000
<b>Uridine diphosphate N-acetyl-[1-<sup>14</sup>C] D-glucosamine</b> M.W. 607.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0151-5</b> μCi / 185 kBq <b>ARC 0151-25</b> μCi / 925 kBq	184,000 278,000
<b>Uridine diphosphate N-acetyl-D-glucosamine [glucosamine-<sup>14</sup>C(U)]</b> M.W. 607.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	250-300 mCi/mmol 9.25-11.1 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0152-5</b> μCi / 185 kBq <b>ARC 0152-25</b> μCi / 925 kBq	199,000 344,000
<b>Uridine diphosphate N-acetyl-D-glucosamine [1-<sup>3</sup>H]</b> M.W. 607.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 1136-50</b> μCi / 1.85 MBq <b>ART 1136-250</b> μCi / 9.25 MBq	155,000 265,000
<b>Uridine diphosphate N-acetyl-D-glucosamine [1-<sup>3</sup>H]</b> M.W. 607.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 1136A-50</b> μCi / 1.85 MBq <b>ART 1136A-250</b> μCi / 9.25 MBq	155,000 265,000
<b>Uridine diphosphate N-acetyl-D-glucosamine [glucosamine-6-<sup>3</sup>H(N)]</b> M.W. 607.4 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0128-50</b> μCi / 1.85 MBq <b>ART 0128-250</b> μCi / 9.25 MBq	149,000 Inquire
<b>Uridine diphosphate N-acetyl-D-glucosamine [glucosamine-6-<sup>3</sup>H(N)]</b> M.W. 607.4 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0128A-50</b> μCi / 1.85 MBq <b>ART 0128A-250</b> μCi / 9.25 MBq	149,000 Inquire
<b>Uridine 5'-diphosphate galactose [1-<sup>14</sup>C]</b> M.W. 566.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 3472-10</b> μCi / 370 kBq <b>ARC 3472-50</b> μCi / 1.85 MBq	167,000 419,000

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Uridine 5'-diphosphate galactose [1-<sup>3</sup>H]</b> M.W. 566.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0737-50</b> μCi / 1.85 MBq <b>ART 0737-250</b> μCi / 9.25 MBq <b>ART 0737-1</b> mCi / 37 MBq	107,000 171,000 415,000
<b>Uridine 5'-diphosphate galactose [6-<sup>3</sup>H]</b> M.W. 566.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0131-50</b> μCi / 1.85 MBq <b>ART 0131-250</b> μCi / 9.25 MBq <b>ART 0131-1</b> mCi / 37 MBq	108,000 172,000 418,000
<b>Uridine 5'-diphosphate galactose [6-<sup>3</sup>H] ammonium salt</b> M.W. 584.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0131A-50</b> μCi / 1.85 MBq <b>ART 0131A-250</b> μCi / 9.25 MBq <b>ART 0131A-1</b> mCi / 37 MBq	108,000 172,000 418,000
<b>Uridine 5'-diphosphate glucosamine [glucosamine-<sup>14</sup>C(U)]</b> M.W. 609.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	250-300 mCi/mmol 9.25-13.32 GBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 1490-50</b> μCi / 1.85 MBq	296,000
<b>Uridine diphosphate D-glucosamine [6-<sup>3</sup>H]</b> M.W. 609.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 1200-50</b> μCi / 1.85 MBq <b>ART 1200-250</b> μCi / 9.25 MBq	198,000 366,000
<b>Uridine diphosphate glucose [<sup>14</sup>C(U)]</b> M.W. 566.3 <i>Shipped in Dry Ice</i>	300-360 mCi/mmol 11.1-13.32 TBq/mmol	Ethanol:water (7:3) 0.1 mCi/ml	<b>ARC 0154-10</b> μCi / 370 kBq <b>ARC 0154-25</b> μCi / 925 kBq <b>ARC 0154-50</b> μCi / 1.85 MBq	149,000 249,000 Inquire
<b>Uridine diphosphate glucose [1-<sup>3</sup>H]</b> M.W. 566.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	15-20 Ci/mmol 0.555-0.74 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0525-50</b> μCi / 1.85 MBq <b>ART 0525-250</b> μCi / 9.25 MBq	65,000 164,000
<b>Uridine diphosphate glucose [6-<sup>3</sup>H]</b> M.W. 566.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 0127-50</b> μCi / 1.85 MBq <b>ART 0127-250</b> μCi / 9.25 MBq	67,000 154,000
<b>Uridine diphosphate glucose [6-<sup>3</sup>H]</b> M.W. 566.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0127A-50</b> μCi / 1.85 MBq <b>ART 0127A-250</b> μCi / 9.25 MBq	67,000 154,000
<b>Uridine diphosphate glucuronic acid [glucuronyl-<sup>14</sup>C(U)]</b> M.W. 580.4 <i>Shipped in Dry Ice</i>	300-350 mCi/mmol 11.1-12.9 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 0289-10</b> μCi / 370 kBq <b>ARC 0289-50</b> μCi / 1.85 MBq	137,000 380,000
<b>Uridine diphosphate glucuronic acid [glucuronyl-1-<sup>3</sup>H]</b> M.W. 580.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (2:98) 1 mCi/ml	<b>ART 0484-50</b> μCi / 1.85 MBq	408,000

U



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Uridine 5'-[5,6-<sup>3</sup>H] diphosphate tetrasodium salt</b> UDP [5,6- <sup>3</sup> H] M.W. 427.16 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1914-250</b> μCi / 9.25 MBq <b>ART 1914-1</b> mCi / 37 MBq	251,000 503,000
<b>Uridine 5'-[5-<sup>3</sup>H] diphosphate trisodium salt</b> UDP [5- <sup>3</sup> H] M.W. 404.16 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	25-50 Ci/mmol 0.925-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1686-250</b> μCi / 9.25 MBq <b>ART 1686-1</b> mCi / 37 MBq	209,000 419,000
<b>Uridine 5'-monophosphate [2-<sup>14</sup>C] diammonium salt</b> UMP [2- <sup>14</sup> C] M.W. 324.2 <i>Shipped in Dry Ice</i>	45-60 mCi/mmol 1.67-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1230-10</b> μCi / 370 kBq <b>ARC 1230-25</b> μCi / 925 kBq <b>ARC 1230-50</b> μCi / 1.85 MBq	135,000 218,000 339,000
<b>Uridine 5'-(α-thio) triphosphate [α-<sup>35</sup>S]</b> UTP [α- <sup>35</sup> S] M.W. 500.1 <i>Shipped in Dry Ice</i>	1250 Ci/mmol 46.25 TBq/mmol	Aqueous solution containing 10mM tricine (pH 7.6) with 1mM DTT 12.5 mCi/ml	<b>ARS 0126-250</b> μCi / 9.25 MBq <b>ARS 0126-1</b> mCi / 37 MBq	95,000 216,000
<b>Uridine 5'-(α-thio) triphosphate [α-<sup>35</sup>S]</b> UTP [α- <sup>35</sup> S] M.W. 500.1 <i>Shipped w/o Dry Ice, store at 4°C</i>	1250 Ci/mmol 46.25 TBq/mmol	Aqueous solution with stabilizer 12.5 mCi/ml	<b>ARS 0126A-250</b> μCi / 9.25 MBq <b>ARS 0126A-1</b> mCi / 37 MBq	95,000 216,000
<b>Uridine 5'-[2-<sup>14</sup>C] triphosphate trisodium salt</b> UTP [2- <sup>14</sup> C] M.W. 550.1 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1546-10</b> μCi / 370 kBq <b>ARC 1546-50</b> μCi / 1.85 MBq	149,000 296,000
<b>Uridine 5'-[2-<sup>14</sup>C] triphosphate tetraammonium salt</b> UTP [2- <sup>14</sup> C] M.W. 484.2 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 1287-10</b> μCi / 370 kBq	155,000
<b>Uridine 5'-[5-<sup>3</sup>H] triphosphate tetrasodium salt</b> UTP [5- <sup>3</sup> H] M.W. 572.3 <i>Shipped in Dry Ice</i>	25-50 Ci/mmol 0.925-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0241-250</b> μCi / 9.25 MBq <b>ART 0241-1</b> mCi / 37 MBq <b>ART 0241-5</b> mCi / 185 MBq	79,000 113,000 296,000
<b>Uridine 5'-[5,6-<sup>3</sup>H] triphosphate tetrasodium salt</b> UTP [5,6- <sup>3</sup> H] M.W. 572.3 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (7:3) 1 mCi/ml	<b>ART 1105-250</b> μCi / 9.25 MBq <b>ART 1105-1</b> mCi / 37 MBq <b>ART 1105-5</b> mCi / 1.85 MBq	118,000 169,000 Inquire
<b>Uridine 5'-[5,6-<sup>3</sup>H] triphosphate tetrasodium salt</b> UTP [5,6- <sup>3</sup> H] M.W. 572.3 <i>Shipped in Dry Ice</i>	30-60 Ci/mmol 1.11-2.22 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1105A-250</b> μCi / 9.25 MBq <b>ART 1105A-1</b> mCi / 37 MBq <b>ART 1105A-5</b> mCi / 1.85 MBq	118,000 169,000 Inquire



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Uridine 5'-[<math>\alpha</math>-<sup>32</sup>P] triphosphate tetra (triethylammonium) salt</b> UTP [ $\alpha$ - <sup>32</sup> P] M.W. 888.9 <i>Shipped in Dry Ice</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0106A-250</b> $\mu$ Ci / 9.25 MBq <b>ARP 0106A-500</b> $\mu$ Ci / 9.25 MBq <b>ARP 0106A-1</b> mCi / 37 MBq	Inquire Inquire Inquire
<b>Uridine 5'-[<math>\alpha</math>-<sup>32</sup>P] triphosphate tetra (triethylammonium) salt</b> UTP [ $\alpha$ - <sup>32</sup> P] M.W. 888.9 <i>Shipped in Dry Ice</i>	6000 Ci/mmol 222 TBq/mmol	50mM tricine (pH 7.6) 40 mCi/ml	<b>ARP 0106C-1</b> mCi / 37 MBq	Inquire
<b>Uridine 5'-[<math>\alpha</math>-<sup>32</sup>P] triphosphate tetra (triethylammonium) salt</b> UTP [ $\alpha$ - <sup>32</sup> P] M.W. 888.9 <i>Shipped in Dry Ice, store at 4°C</i>	>6000 Ci/mmol >222 TBq/mmol	50mM tricine (pH 7.6) 40 mCi/ml	<b>ARP 0106D-1</b> mCi / 37 MBq	Inquire
<b>Uridine 5'-triphosphate [<math>\alpha</math>-<sup>33</sup>P] tetra (triethylammonium) salt</b> UTP [ $\alpha$ - <sup>33</sup> P] M.W. 888.9 <i>Shipped in Dry Ice</i>	3000 Ci/mmol 111 TBq/mmol	10mM tricine (pH 7.6) 10 mCi/ml	<b>ARP 0129-250</b> $\mu$ Ci / 9.25 MBq <b>ARP 0129-1</b> mCi / 37 MBq	Inquire Inquire
<b>Uridine 5'-[<math>\alpha</math>-<sup>33</sup>P] triphosphate tetra (triethylammonium) salt</b> UTP [ $\alpha$ - <sup>33</sup> P] M.W. 888.9 <i>Shipped in Dry Ice, store at 4°C</i>	3000 Ci/mmol 111 TBq/mmol	50mM tricine (pH 7.6) with stabilizer 10 mCi/ml	<b>ARP 0129B-250</b> $\mu$ Ci / 9.25 MBq <b>ARP 0129B-1</b> mCi / 37 MBq	Inquire Inquire
<b>Urotensin II, Tyr<sup>9</sup>-[<sup>125</sup>I] (human) 毒</b> Glu-Thr-Pro-Asp-Cys-Phe-Trp-Lys-Tyr-Cys-Val M.W. ~1514 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Buffered solution 0.1 mCi/ml	<b>ARI 0200-10</b> $\mu$ Ci / 370 kBq <b>ARI 0200-25</b> $\mu$ Ci / 925 kBq	229,000 341,000
<b><math>\Delta</math>-11-<i>cis</i> Vaccenic acid [1-<sup>14</sup>C] (18:1) (11-Octadecenoic acid)</b> C <sub>18</sub> H <sub>34</sub> O <sub>2</sub> M.W. 282.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3693-10</b> $\mu$ Ci / 370 kBq	219,000
<b><math>\Delta</math>-11-<i>trans</i>-Vaccenic acid [1-<sup>14</sup>C] (18:1) (11-Octadecenoic acid)</b> C <sub>18</sub> H <sub>34</sub> O <sub>2</sub> M.W. 282.5 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1752-10</b> $\mu$ Ci / 370 kBq	166,000
<b>Vaccenoyl [1-<sup>14</sup>C] Coenzyme A (11-Octadecenoyl Coenzyme A)</b> M.W. 1082.4 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01M NaOAc (pH 5.2):ethanol (1:1) 0.1 mCi/ml	<b>ARC 3692-10</b> $\mu$ Ci / 370 kBq	439,000
<b>Valaciclovir [<sup>3</sup>H]</b> C <sub>13</sub> H <sub>20</sub> N <sub>6</sub> O <sub>4</sub> M.W. 324.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1683-500</b> $\mu$ Ci / 18.5 MBq <b>ART 1683-1</b> mCi / 37 MBq	155,000 282,000

U  
V

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Valeric acid [1-<sup>14</sup>C] sodium salt</b> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> COONa M.W. 124.1 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1178-50</b> μCi / 1.85 MBq <b>ARC 1178-250</b> μCi / 9.25 MBq	164,000 339,000
<b>Valine, D-[1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH(NH <sub>2</sub> )COOH M.W. 117.2 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0434-50</b> μCi / 1.85 MBq	212,000
<b>Valine, DL-[1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH(NH <sub>2</sub> )COOH M.W. 117.2 <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 3724-50</b> μCi / 1.85 MBq <b>ARC 3724-250</b> μCi / 9.25 MBq	62,000 209,000
<b>Valine, L-[1-<sup>14</sup>C]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH(NH <sub>2</sub> )COOH M.W. 117.2 <i>Exclusive</i>	40-60 mCi/mmol 1.48-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0277-50</b> μCi / 1.85 MBq <b>ARC 0277-250</b> μCi / 9.25 MBq	113,000 339,000
<b>Valine, L-[<sup>14</sup>C(U)]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH(NH <sub>2</sub> )COOH M.W. 117.2	150-250 mCi/mmol 5.5-9.2 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 0678-50</b> μCi / 1.85 MBq <b>ARC 0678-250</b> μCi / 9.25 MBq	96,000 Inquire
<b>Valine, L-[2,3,4-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH(NH <sub>2</sub> )COOH M.W. 117.2 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 0466-250</b> μCi / 9.25 MBq <b>ART 0466-1</b> mCi / 37 MBq <b>ART 0466-5</b> mCi / 185 MBq	48,000 66,000 136,000
<b>Valine, D-[2,3,4-<sup>3</sup>H]</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH(NH <sub>2</sub> )COOH M.W. 117.2 <i>Exclusive</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ART 1235-250</b> μCi / 9.25 MBq <b>ART 1235-1</b> mCi / 37 MBq	230,000 Inquire
<b>L-Valine-L-aspartic acid [<sup>14</sup>C(U)] dipeptide</b> M.W. 232.31 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	200-250 mCi/mmol 7.4-9.25 GBq/mmol	Ethanol:water (2:98) 0.1 mCi/ml	<b>ARC 3682-1</b> μCi / 37 kBq	219,000
<b>L-Valine-L-proline [<sup>14</sup>C(U)] L-proline</b> M.W. 311.37 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	20-50 mCi/mmol 0.92-1.85 TBq/mmol	0.01N HCl 1 mCi/ml	<b>ARC 1325-50</b> μCi / 1.85 MBq	Inquire
<b>L-Valine [<sup>14</sup>C(U)] L-proline-L-proline</b> M.W. 311.37 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N HCl 0.1 mCi/ml	<b>ARC 1666-50</b> μCi / 1.85 MBq	Inquire
<b>Valinol, L [1-<sup>14</sup>C]</b> <b>((S)-(+)-2-Amino-3-methyl-1-butanol)</b> (CH <sub>3</sub> ) <sub>2</sub> CHCH(NH <sub>2</sub> )CH <sub>2</sub> OH M.W. 103.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1447-50</b> μCi / 1.85 MBq	184,000
<b>Valium [N-methyl-<sup>14</sup>C]</b> See Diazepam [N-methyl- <sup>14</sup> C]			<b>ARC 1442</b>	

# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Valium [N-methyl-<sup>3</sup>H]</b> See Diazepam [N-methyl- <sup>3</sup> H]			<b>ART 0653</b>	
<b>Valproic acid [carboxyl-<sup>14</sup>C] sodium salt</b> (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> CHCOONa M.W. 166.21 <i>Exclusive</i> <i>The anticonvulsant valproic acid concentrates in the olfactory bulb: Selective laminae localization. Hoepfner J., Brain Research, 532, 326-328 (1990)</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (4:1) 0.1 mCi/ml	<b>ARC 0351-50</b> μCi / 1.85 MBq <b>ARC 0351-250</b> μCi / 9.25 MBq	206,000 533,000
<b>Valproic acid [2-<sup>3</sup>H] sodium salt</b> (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> CHCO <sub>2</sub> Na M.W. 166.21 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (4:1) 1 mCi/ml	<b>ART 0356-250</b> μCi / 9.25 MBq <b>ART 0356-1</b> mCi / 37 MBq	207,000 438,000
<b>Valproic acid [4,5-<sup>3</sup>H] sodium salt</b> (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> ) <sub>2</sub> CHCO <sub>2</sub> Na M.W. 166.21	100-150 Ci/mmol 3.7-5.55 TBq/mmol	Ethanol:water (4:1) 1 mCi/ml	<b>ART 2043-250</b> μCi / 9.25 MBq	192,000
<b>Vancomycin hydrochloride "cold"</b>		Solid	<b>ARCD 0751-100</b> mg	36,000
<b>Vancomycin [<sup>3</sup>H(G)] hydrochloride</b> C <sub>66</sub> H <sub>75</sub> Cl <sub>2</sub> N <sub>9</sub> O <sub>24</sub> ·HCl M.W. 1485.71 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	200-250 mCi/mmol 7.4-9.25 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1965-50</b> μCi / 1.85 MBq	242,000
<b>Vanillic acid [1-<sup>14</sup>C]</b> See 4-Hydroxy-3-methoxybenzoic acid [1- <sup>14</sup> C]			<b>ARC 1133</b>	
<b>Vanillin [carbonyl-<sup>14</sup>C]</b> M.W. 152.15 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1463-50</b> μCi / 1.85 MBq	184,000
<b>Vasopressin, Arg<sup>8</sup>-[phenylalanyl-3,4,5-<sup>3</sup>H(N)]</b> C <sub>46</sub> H <sub>65</sub> N <sub>15</sub> O <sub>12</sub> S <sub>2</sub> M.W. 1085.2 <i>Shipped in Dry Ice</i>	35-85 Ci/mmol 1.295-3.145 TBq/mmol	Ethanol: 0.05N NaOAc (7:3) 1 mCi/ml	<b>ART 1748-25</b> μCi / 925 kBq <b>ART 1748-250</b> μCi / 9.25 MBq	97,000 267,000
<b>Vasopressin, Arg<sup>8</sup>-[tyrosyl-3,5-<sup>3</sup>H]</b> M.W. 1085.2 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	60-85 Ci/mmol 2.22-3.15 TBq/mmol	Ethanol: 0.05N HOAc (7:3) 1 mCi/ml	<b>ART 0703-25</b> μCi / 925 kBq <b>ART 0703-250</b> μCi / 9.25 MBq	113,000 296,000
<b>Vasopressin [Pro-3,4-<sup>3</sup>H, Tyr-3,5-<sup>3</sup>H]</b> (Phenyl-Acetyl-D-Tyr(me)Phe-Gln-Asn-Arg-[3,4- <sup>3</sup> H-Pro]-[3,5- <sup>3</sup> H-Tyr]-NH <sub>2</sub> ) M.W. 1119.18 <i>Shipped in Dry Ice</i>	80-120 Ci/mmol 2.96-4.44 TBq/mmol	Ethanol: 0.05N HOAc(7:3) 1 mCi/ml	<b>ART 1232-25</b> μCi / 925 kBq <b>ART 1232-250</b> μCi / 9.25 MBq	107,000 282,000
<b>Vasopressin, Tyr<sup>2</sup>, Arg<sup>8</sup>-[<sup>125</sup>I]</b> M.W. 1208 <i>Shipped in Dry Ice</i>	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0124-10</b> μCi / 370 kBq <b>ARI 0124-50</b> μCi / 1.85 MBq	135,000 331,000
<b>Vasopressin (linear), V<sub>1A</sub> antagonist</b> (Phenylacetyl <sup>1</sup> , O-Me-D-Tyr <sup>2</sup> ) Arg <sup>6</sup> -[ <sup>125</sup> I] M.W. 1274	2200 Ci/mmol 81.4 TBq/mmol	Lyophilized solid	<b>ARI 0145-10</b> μCi / 370 kBq <b>ARI 0145-50</b> μCi / 1.85 MBq	141,000 314,000

V





# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Verapamil [N-methyl-<sup>3</sup>H] hydrochloride</b> M.W. 491.0 劇 <i>Shipped in Dry Ice</i> <i>Calcium channel, L-type antagonist</i>	60-85 Ci/mmol 2.22-3.15 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0667-25</b> μCi / 925 kBq <b>ART 0667-250</b> μCi / 9.25 MBq	69,000 224,000
<b>Verapamil [<sup>3</sup>H(G)] hydrochloride</b> 劇 M.W. 491.0 <i>Shipped in Dry Ice</i> <i>Exclusive</i> <i>Calcium channel, L-type antagonist</i>	5-10 Ci/mmol 0.185-0.37 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1115-25</b> μCi / 925 kBq <b>ART 1115-250</b> μCi / 9.25 MBq	95,000 221,000
<b>Veratrole [ring-<sup>14</sup>C(U)]</b> $C_8H_4(OCH_3)_2$ M.W. 138.17 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 1405-50</b> μCi / 1.85 MBq	212,000
<b>Vesamicol [piperidiny-3,4-<sup>3</sup>H]</b> See AH5183, L-[piperidiny-3,4- <sup>3</sup> H]			<b>ART 1798</b>	
<b>Vinblastine sulfate "cold"</b>		Solid	<b>ARCD 0236-10</b> mg	36,000
<b>Vinblastine sulfate [<sup>3</sup>H(G)]</b> $C_{46}H_{58}N_4O_9 \cdot H_2SO_4$ M.W. 909.05 <i>Shipped in Dry Ice</i>	5-25 Ci/mmol 0.185-0.925 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1194-50</b> μCi / 1.85 MBq <b>ART 1194-250</b> μCi / 9.25 MBq	149,000 Inquire
<b>Vincristine sulfate "cold"</b> M.W. 923.04		Solid	<b>ARCD 0237-10</b> mg <b>ARCD 0237-50</b> mg	41,000 138,000
<b>Vincristine sulfate [<sup>3</sup>H(G)]</b> $C_{46}H_{56}N_4O_{10} \cdot H_2SO_4$ M.W. 923.04 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-25 Ci/mmol 1.85-9.25 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1310-50</b> μCi / 1.85 MBq	164,000
<b>Vinorelbine [<sup>3</sup>H(G)]</b> $C_{45}H_{54}N_4O_8$ M.W. 1079.1 <i>Shipped in Dry Ice</i>	5-25 Ci/mmol 1.85-9.25 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 1309-50</b> μCi / 1.85 MBq	282,000
<b>Vinyl [1,2-<sup>14</sup>C] acetate</b> $CH_3CO_2CH_2=CH_2$ M.W. 86.09 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-10 mCi/mmol 185-370 MBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3051-250</b> μCi / 9.25 MBq	709,000
<b>4-Vinylbenzotrifluoride [methylene-<sup>14</sup>C]</b> See 4-(Trifluoromethyl)styrene [methylene- <sup>14</sup> C]			<b>ARC 3449</b>	
<b>Vinylcaprolactam, N-[vinyl-1,2-<sup>14</sup>C]</b> $CH_2=CH-C_6H_{10}NO$ M.W. 139.19 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	2-10 mCi/mmol 74-370 MBq/mmol	Solid in sealed ampoule	<b>ARC 3052-50</b> μCi / 1.85 MBq	365,000



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Vinyl chloride [1,2-<sup>14</sup>C]</b> H <sub>2</sub> C=CHCl M.W. 62.50 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 mCi/mmol 37-185 MBq/mmol	Chloroform 0.1 mCi/ml	<b>ARC 1706-50</b> μCi / 1.85 MBq	311,000
<b>1-Vinyl-2-pyrrolidone [5-<sup>14</sup>C]</b> M.W. 111.14 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Acetone in sealed ampoule 0.1 mCi/ml	<b>ARC 3129</b>	Inquire
<b>4-Vinyltoluene [methylene-<sup>14</sup>C]</b> See 4-Methylstyrene [methylene- <sup>14</sup> C]			<b>ARC 3448</b>	
<b>Vitamin A acetate [1-<sup>14</sup>C]</b> See Retinyl acetate [1- <sup>14</sup> C]			<b>ARC 3444</b>	
<b>Vitamin A propionate [1-<sup>14</sup>C]</b> See Retinyl propionate [1- <sup>14</sup> C]			<b>ARC 3443</b>	
<b>Vitamin D<sub>3</sub> "cold"</b> See Cholecalciferol			<b>ARCD 0445</b>	
<b>Vitamin D<sub>3</sub> palmitate "cold"</b> See Cholecalciferol palmitate			<b>ARCD 0766</b>	
<b>Vitamin D<sub>3</sub> palmitate [palmitate-9,10-<sup>3</sup>H]</b> See Cholecalciferol palmitate [palmitate-9,10- <sup>3</sup> H]			<b>ART 2001</b>	
<b>Vitamin D<sub>3</sub> stearate [stearate-9,10-<sup>3</sup>H]</b> See Cholecalciferol stearate [stearate-9,10- <sup>3</sup> H]			<b>ART 2003</b>	
<b>Vitamin H [8,9-<sup>3</sup>H(N)]</b> See Biotin, D-[8,9- <sup>3</sup> H(N)]			<b>ART 1361</b>	
<b>Vorinostat [<sup>3</sup>H(G)]</b> C <sub>14</sub> H <sub>20</sub> N <sub>2</sub> O <sub>3</sub> M.W. 264.3 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Ethanol 1 mCi/ml	<b>ART 2155-50</b> μCi / 1.85 MBq	566,000
<b>Warfarin, RS- [<sup>14</sup>C]</b> C <sub>19</sub> H <sub>16</sub> O <sub>4</sub> M.W. 308.33 <i>Shipped in Dry Ice</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid	<b>ARC 3467-50</b> μCi / 1.85 MBq	272,000
<b>Warfarin, RS-[phenyl-4-<sup>3</sup>H]</b> C <sub>19</sub> H <sub>16</sub> O <sub>4</sub> M.W. 308.33 <i>Shipped in Dry Ice</i>	20-40 Ci/mmol 0.74-1.48 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1765-250</b> μCi / 9.25 MBq	251,000
<b>Water [<sup>3</sup>H] biological grade</b> H <sub>2</sub> O M.W. 18.0	50-100 mCi/ml 1.85-3.7 GBq/ml	Water 50-100 mCi/ml	<b>ART 0194-100</b> mCi / 3.7 GBq <b>ART 0194-500</b> mCi / 18.5 GBq <b>ART 0194-1</b> Ci / 37 GBq <b>ART 0194-5</b> Ci / 185 GBq	70,000 125,000 158,000 203,000
<b>Water [<sup>3</sup>H] biological grade</b> H <sub>2</sub> O M.W. 18.0	1 mCi/ml 37 MBq/mmol	Water 1 mCi/ml	<b>ART 0194A-1</b> mCi / 37 MBq <b>ART 0194A-5</b> mCi / 185 MBq	50,000 65,000

V  
W



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Water [<sup>3</sup>H] biological grade</b> H <sub>2</sub> O M.W. 18.0	1-5 Ci/ml 37-185 GBq/mmol	Water 1-5 Ci/ml	<b>ART 0194B-500</b> mCi / 18.5 GBq <b>ART 0194B-1</b> Ci / 37 GBq <b>ART 0194B-5</b> Ci / 185 GBq	115,000 158,000 222,000
<b>Water [<sup>3</sup>H] for scintillation counting</b> <i>Calibration source for liquid scintillation counting</i> <i>Exclusive</i>	2.22 x 10 <sup>6</sup> dpm/ml	Water	<b>ART 0393-10</b> ml	79,000
<b>WAY 100635 [methoxy-<sup>3</sup>H]</b> C <sub>25</sub> H <sub>34</sub> N <sub>4</sub> O <sub>2</sub> C <sub>4</sub> H <sub>4</sub> O <sub>4</sub> M.W. 538.64 <i>Shipped in Dry Ice</i>	60-120 Ci/mmol 2.22-4.44 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1554-50</b> μCi / 1.85 MBq <b>ART 1554-250</b> μCi / 9.25 MBq	172,000 362,000
<b>WAY 100635 trihydrochloride "cold"</b> M.W. 721.14 CAS # 146714-97-8		Solid	<b>ARCD 0628-5</b> mg	65,000
<b>WIN 35,428 "cold"</b>		Solid	<b>ARCD 0720-1</b> mg	39,000
<b>WIN 35,428 [N-methyl-<sup>14</sup>C]</b> <b>(-)-2-β-Carbomethoxy-3-β-(4-fluorophenyl) tropane; β-CFT)</b> M.W. 277.3 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol 0.1 mCi/ml	<b>ARC 3578-25</b> μCi / 925 kBq <b>ARC 3578-50</b> μCi / 1.85 MBq	268,000 478,000
<b>WIN 35,428 [N-methyl-<sup>3</sup>H]</b> <b>(-)-2-β-Carbomethoxy-3-β-(4-fluorophenyl) tropane; β-CFT)</b> M.W. 277.30 <i>Shipped in Dry Ice</i>	60-90 Ci/mmol 2.22-3.33 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1660-25</b> μCi / 925 kBq <b>ART 1660-250</b> μCi / 9.25 MBq <b>ART 1660-1</b> mCi / 37 MBq	97,000 344,000 Inquire
<b>WIN 55,212-2 [5,7-naphthyl-<sup>3</sup>H]</b> C <sub>27</sub> H <sub>26</sub> N <sub>2</sub> O <sub>3</sub> M.W. 426 <i>Shipped in Dry Ice</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1806-25</b> μCi / 925 kBq <b>ART 1806-250</b> μCi / 9.25 MBq <b>ART 1806-1</b> mCi / 37 MBq	107,000 419,000 Inquire
<b>WY-14643 [<sup>3</sup>H(G)]</b> <b>(4-Chloro-6-(2,3-xylidino)-2-pyrimidinylthio acetic acid)</b> M.W. 323.79 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	5-15 Ci/mmol 0.185-0.555 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 0868-50</b> μCi / 1.85 MBq <b>ART 0868-250</b> μCi / 9.25 MBq	164,000 339,000
<b>Xanthine [2-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O <sub>2</sub> M.W. 152.1	40-60 mCi/mmol 1.48-2.22 GBq/mmol	0.01N NH <sub>4</sub> OH under nitrogen 0.1 mCi/ml	<b>ARC 3417-50</b> μCi / 1.85 MBq	261,000
<b>Xanthine [8-<sup>14</sup>C]</b> C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O <sub>2</sub> M.W. 152.1	50-60 mCi/mmol 1.85-2.22 GBq/mmol	0.01N NH <sub>4</sub> OH under nitrogen 0.1 mCi/ml	<b>ARC 0845-50</b> μCi / 1.85 MBq	189,000
<b>Xanthine [8-<sup>3</sup>H]</b> C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O <sub>2</sub> M.W. 152.1 <i>Exclusive</i>	15-30 Ci/mmol 0.555-1.11 TBq/mmol	Sterile water 1 mCi/ml	<b>ART 0511-250</b> μCi / 9.25 MBq <b>ART 0511-1</b> mCi / 37 MBq	239,000 339,000
<b>Xanthosine [8-<sup>3</sup>H]</b> M.W. 284.2 <i>Exclusive</i>	5-10 Ci/mmol 185-370 GBq/mmol	Sterile water 1 mCi/ml	<b>ART 1817-250</b> μCi / 9.25 MBq <b>ART 1817-1</b> mCi / 37 MBq	72,000 114,000

W  
X



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Xanthurenic acid [ring-5,7-<sup>3</sup>H]</b> C <sub>10</sub> H <sub>7</sub> NO <sub>4</sub> M.W. 205.17 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	40-60 Ci/mmol 1.48-2.22 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1760-250</b> μCi / 9.25 MBq <b>ART 1760-1</b> mCi / 37 MBq	107,000 259,000
<b>m-Xylene [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> ) <sub>2</sub> M.W. 106.17 <i>Exclusive</i>	2-20 mCi/mmol 74-740 MBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 1769-10</b> μCi / 370 kBq <b>ARC 1769-10</b> μCi / 370 kBq	259,000 459,000
<b>o-Xylene [methyl-<sup>14</sup>C]</b> C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> ) <sub>2</sub> M.W. 160.17 <i>Exclusive</i>	5-15 mCi/mmol 185-555 MBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 3385-50</b> μCi / 1.85 MBq	282,000
<b>o-Xylene [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> ) <sub>2</sub> M.W. 160.17 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 3386-10</b> μCi / 370 kBq <b>ARC 3386-50</b> μCi / 1.85 MBq	282,000 485,000
<b>o-Xylene [methyl-<sup>3</sup>H]</b> C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> ) <sub>2</sub> M.W. 106.17 <i>Exclusive</i>	15-25 Ci/mmol 5.55-9.25 GBq/mmol	Hexane in sealed ampoule 1 mCi/ml	<b>ART 1127-1</b> mCi / 37 MBq <b>ART 1127-5</b> mCi / 185 MBq	149,000 381,000
<b>p-Xylene [ring-<sup>14</sup>C(U)]</b> C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> ) <sub>2</sub> M.W. 106.17 <i>Exclusive</i>	1-10 mCi/mmol 37-370 MBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 3395-10</b> μCi / 370 kBq <b>ARC 3395-50</b> μCi / 1.85 MBq	282,000 482,000
<b>2,5-Xylenol [ring-<sup>14</sup>C(U)]</b> (CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OH M.W. 122.16 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Solid in sealed ampoule	<b>ARC 3754-50</b> μCi / 1.85 MBq	419,000
<b>2,5-Xylenol [ring-<sup>14</sup>C(U)]</b> (CH <sub>3</sub> ) <sub>2</sub> C <sub>6</sub> H <sub>3</sub> OH M.W. 122.16 <i>Shipped in Dry Ice</i> <i>NEW!-Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Hexane in sealed ampoule 0.1 mCi/ml	<b>ARC 3754A-50</b> μCi / 1.85 MBq	419,000
<b>Xylitol, D-[1-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> OH M.W. 152.13 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0506-250</b> μCi / 9.25 MBq <b>ART 0506-1</b> mCi / 37 MBq	93,000 184,000
<b>Xylose, D-[1-<sup>14</sup>C]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CH <sub>2</sub> OH M.W. 150.13 <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (1:1) 0.1 mCi/ml	<b>ARC 0525-50</b> μCi / 1.85 MBq <b>ARC 0525-250</b> μCi / 9.25 MBq	164,000 408,000
<b>Xylose, D-[1-<sup>3</sup>H]</b> HOCH <sub>2</sub> (CHOH) <sub>3</sub> CHO M.W. 150.13 <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol:water (9:1) 1 mCi/ml	<b>ART 0482-250</b> μCi / 9.25 MBq <b>ART 0482-1</b> mCi / 37 MBq	87,000 199,000
<b>Y-27632 "cold"</b>		Solid	<b>ARCD 0412-1</b> mg	34,000

W  
X  
Y



# ALPHABETICAL LISTING OF CHEMICALS

Product Description	Specific Activity	Solvent/ Concentration	Catalog Number/ Package Size	Price
<b>Y-27632 [<sup>3</sup>H]</b> (+)-(R)- <i>trans</i> -(Aminoethyl)-N-(4-pyridyl)- cyclohexanecarboxamide dihydrochloride) M.W. 338.3 <i>Shipped in Dry Ice</i> <i>Rho kinase inhibitor</i> <i>Exclusive</i>	10-20 Ci/mmol 0.37-0.74 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1636-50</b> μCi / 1.85 MBq	439,000
<b>YM-09151-2 [N-methyl-<sup>3</sup>H]</b> M.W. 387.90 <i>Shipped in Dry Ice</i>	70-87 Ci/mmol 2.59-3.219 TBq/mmol	Ethanol 1 mCi/ml	<b>ART 1703-25</b> μCi / 925 kBq <b>ART 1703-250</b> μCi / 9.25 MBq	93,000 Inquire
<b>YM-298198 [<sup>3</sup>H]</b> (6-Amino-N-cyclohexyl-N,3-dimethylthiazolo [3,2-α] benzimidazole-2-carboxamide hydrochloride) M.W. 378.92 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	70-87 Ci/mmol 2.59-3.21 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1539-50</b> μCi / 1.85 MBq	333,000
<b>Yohimbine [methyl-<sup>3</sup>H] hydrochloride</b> M.W. 390.90 <i>Shipped in Dry Ice</i>	70-90 Ci/mmol 2.59-3.33 GBq/mmol	Ethanol containing 0.25% ascorbic acid 1 mCi/ml	<b>ART 1428-25</b> μCi / 925 kBq <b>ART 1428-250</b> μCi / 9.25 MBq	77,000 249,000
<b>Zanamivir hydrate [<sup>3</sup>H]</b> M.W. 332.31 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	1-5 Ci/mmol 37-185 GBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 1600</b>	Inquire
<b><i>trans</i>-Zeatin [8-<sup>14</sup>C]</b> M.W. 219.24 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	50-60 mCi/mmol 1.85-2.22 GBq/mmol	Ethanol:water (95:5) 0.1 mCi/ml	<b>ARC 3418-10</b> μCi / 370 kBq <b>ARC 3418-50</b> μCi / 1.85 MBq	292,000 804,000
<b>Zinc cyanide [<sup>14</sup>C] 毒</b> Zn(CN) <sub>2</sub> M.W. 117.41 <i>Exclusive</i>	100-120 mCi/ml 3.7-4.44 GBq/mmol	Solid	<b>ARC 1528-5</b> mCi / 185 MBq	341,000
<b>Ziram [thionyl-<sup>14</sup>C]</b> (Zinc dimethyldithiocarbamate) (CH <sub>3</sub> ) <sub>2</sub> NCSSZnSCSN(CH <sub>3</sub> ) <sub>2</sub> M.W. 305.82 <i>Exclusive</i>	20-30 mCi/mmol 0.74-1.11 GBq/mmol	Ethanol 0.1 mCi/ml		Inquire
<b>ZM 241385 "cold"</b> M.W. 337.34 CAS # 139180-30-6		Solid	<b>ARCD 0379-10</b> mg <b>ARCD 0379-50</b> mg	41,000 181,000
<b>ZM 241385 [<sup>3</sup>H]</b> (4-(2-[7-Amino-2-(2-furyl)-[1,2,4] triazolo-[2,3-a] [1,3,5] triazin-5-ylamino]ethyl)phenol) M.W. 337.34 <i>Shipped in Dry Ice</i> <i>Exclusive</i>	10-50 Ci/mmol 0.37-1.85 TBq/mmol	Ethanol:water (1:1) 1 mCi/ml	<b>ART 0884-50</b> μCi / 1.85 MBq <b>ART 0884-250</b> μCi / 9.25 MBq	264,000 443,000

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number Product Description

Catalog Number Product Description

## *Carbon-14 Labeled Compounds*

ARC 0101, A, B, D	Acetic acid [1- <sup>14</sup> C] sodium salt
ARC 0102, A, B, C	Acetic anhydride [1- <sup>14</sup> C]
ARC 0103	Acetyl-D-galactosamine, N-[1- <sup>14</sup> C]
ARC 0105	Acetyl-D-glucosamine, N-[1- <sup>14</sup> C]
ARC 0106	Acetyl-D-mannosamine, N-[1- <sup>14</sup> C]
ARC 0107	Aminobutyric acid, $\gamma$ -[1- <sup>14</sup> C]
ARC 0108	Antipyrine [N-methyl- <sup>14</sup> C]
ARC 0109A	Barium carbonate [ <sup>14</sup> C]
ARC 0110, A	Cellulose [ <sup>14</sup> C(U)] ( <i>Nicotiana tobacum</i> )
ARC 0111, A, B, C	Deoxy-D-glucose, 2-[1- <sup>14</sup> C]
ARC 0112, A, B, C, D	Deoxy-D-glucose, 2-[ <sup>14</sup> C(U)]
ARC 0114, A, B	2-Fluoro-2-deoxy-D-glucose [ <sup>14</sup> C(U)]
ARC 0115	Dextran [carboxyl- <sup>14</sup> C]
ARC 0116, A	Fructose, D-[ <sup>14</sup> C(U)]
ARC 0117A	Galactose, D-[1- <sup>14</sup> C]
ARC 0118A	Glucosamine, D-[1- <sup>14</sup> C] hydrochloride
ARC 0119	Glucosamine, D-[ <sup>14</sup> C(U)] hydrochloride
ARC 0120A	Glucose, D-[1- <sup>14</sup> C]
ARC 0121A, B	Glucose, D-[6- <sup>14</sup> C]
ARC 0122, A, B, D, E, G, H	Glucose, D-[ <sup>14</sup> C(U)]
ARC 0123	Glucose, D-[ <sup>14</sup> C(U)] 6-phosphate, disodium salt
ARC 0124, A	Inulin carboxyl [carboxyl- <sup>14</sup> C]
ARC 0125	Inulin methoxy [methoxy- <sup>14</sup> C]
ARC 0126, A	Iodoantipyrine, 4-[N-methyl- <sup>14</sup> C]
ARC 0127, A, B	Mannitol, D-[1- <sup>14</sup> C]
ARC 0128	Mannosamine, D-[1- <sup>14</sup> C] hydrochloride
ARC 0129, B	Mannose, D-[1- <sup>14</sup> C]
ARC 0130, A, B	Methanol [ <sup>14</sup> C]
ARC 0131, A	Methyl- $\alpha$ -D-glucopyranoside [glucose- <sup>14</sup> C(U)]
ARC 0132	3-O-Methyl [ <sup>14</sup> C] D-glucose
ARC 0133	3-O-Methyl-D-glucose [ <sup>14</sup> C(U)]
ARC 0134, A, E	Methyl iodide [ <sup>14</sup> C]
ARC 0135	Nicotine, L-[N-methyl- <sup>14</sup> C]
ARC 0136, A	Potassium cyanide [ <sup>14</sup> C]
ARC 0137	Ribose, D-[1- <sup>14</sup> C]
ARC 0138A, B, C, D	Sodium bicarbonate [ <sup>14</sup> C]
ARC 0139A	Sodium carbonate [ <sup>14</sup> C]
ARC 0140A	Sodium cyanide [ <sup>14</sup> C]
ARC 0141A	Sorbitol, D-[ <sup>14</sup> C(U)]
ARC 0142	Starch [ <sup>14</sup> C(U)] ( <i>Nicotiana tobacum</i> )
ARC 0143, A, C	Sucrose [ <sup>14</sup> C(U)]
ARC 0144	Thiourea [ <sup>14</sup> C]
ARC 0145, A, B	Aminoisobutyric acid, $\alpha$ -[1- <sup>14</sup> C]
ARC 0146, A, B, C, D, E, F, H, I, J, M, N, R, S, T	Carbon-14 Standards for Autoradiography
ARC 0147	Glucose, D-[2- <sup>14</sup> C]

ARC 0149	Octanoic acid [1- <sup>14</sup> C] sodium salt
ARC 0150, A	Urea [ <sup>14</sup> C]
ARC 0151	Uridine diphosphate N-acetyl [1- <sup>14</sup> C] D-glucosamine
ARC 0152	Uridine diphosphate N-acetyl-D-glucosamine [glucosamine- <sup>14</sup> C(U)]
ARC 0153	Uridine diphosphate galactose [galactose- <sup>14</sup> C(U)]
ARC 0154	Uridine diphosphate glucose [glucose- <sup>14</sup> C(U)]
ARC 0156A, C	Leucine, L-[1- <sup>14</sup> C]
ARC 0157	Ribitol, D-[1- <sup>14</sup> C]
ARC 0158A, B	Acetic acid [2- <sup>14</sup> C] sodium salt
ARC 0159	Isobutyric acid [carboxyl- <sup>14</sup> C] sodium salt
ARC 0160	Indole-3-acetic acid [1- <sup>14</sup> C]
ARC 0161	Galactose, L-[1- <sup>14</sup> C]
ARC 0162	4-Aminohippuric acid [glycyl-1- <sup>14</sup> C]
ARC 0163A, B	Formic acid [ <sup>14</sup> C] sodium salt
ARC 0164	Glucose, L-[1- <sup>14</sup> C]
ARC 0165A	Glutamic acid, L-[ <sup>14</sup> C(U)]
ARC 0166	Glycine [1- <sup>14</sup> C]
ARC 0167	Methylamine [ <sup>14</sup> C] hydrochloride
ARC 0168, B	Oxalic acid [ <sup>14</sup> C(U)]
ARC 0169A	Potassium cyanate [ <sup>14</sup> C]
ARC 0170	Succinic acid [1,4- <sup>14</sup> C]
ARC 0171	Uracil [2- <sup>14</sup> C]
ARC 0172A	Palmitic acid [1- <sup>14</sup> C]
ARC 0173, A, B	Acetic acid [1,2- <sup>14</sup> C] sodium salt
ARC 0174	Acetone [2- <sup>14</sup> C]
ARC 0175, B	Sodium thiocyanate [ <sup>14</sup> C]
ARC 0176	Creatine [4- <sup>14</sup> C]
ARC 0177	Creatinine [2- <sup>14</sup> C]
ARC 0179	Potassium thiocyanate [ <sup>14</sup> C]
ARC 0180	Acetyl chloride [1- <sup>14</sup> C]
ARC 0181	Acetylcholine iodide [acetyl-1- <sup>14</sup> C]
ARC 0182	Acetylsalicylic acid [carboxyl- <sup>14</sup> C]
ARC 0183	Alanine, $\beta$ -[1- <sup>14</sup> C]
ARC 0185, A	Benzene [ <sup>14</sup> C(U)]
ARC 0186, A	Benzoic acid [7- <sup>14</sup> C]
ARC 0187, A	Benzoic acid [ring- <sup>14</sup> C(U)]
ARC 0188	Bromoacetic acid [1- <sup>14</sup> C]
ARC 0189	Bromoacetic acid [2- <sup>14</sup> C]
ARC 0190, A, B	Butanol, <i>n</i> -[1- <sup>14</sup> C]
ARC 0191	Butyric acid, <i>n</i> -[1- <sup>14</sup> C] sodium salt
ARC 0192	Cyanamide [ <sup>14</sup> C]
ARC 0193	Cytidine 5'-monophosphate sialic acid [sialic-6- <sup>14</sup> C]
ARC 0194	Dimethyloxazolidine-2,4-dione-5,5-[2- <sup>14</sup> C]
ARC 0195, A	Ethanol [1- <sup>14</sup> C]
ARC 0196	Glutamine, L-[ <sup>14</sup> C(U)]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 0197	Malonic acid [2- <sup>14</sup> C]	ARC 0255	Tryptophan, L-[side chain-1- <sup>14</sup> C]
ARC 0198	Myristic acid [1- <sup>14</sup> C]	ARC 0256	Lactic acid, DL-[1- <sup>14</sup> C] sodium salt
ARC 0199	Ornithine, L-[1- <sup>14</sup> C]	ARC 0257	Lauric acid [1- <sup>14</sup> C]
ARC 0200	Ornithine, DL-[1- <sup>14</sup> C]	ARC 0258	Stearic acid [1- <sup>14</sup> C]
ARC 0202, A, C	Phenol [ <sup>14</sup> C(U)]	ARC 0260	Cholic acid [carboxyl- <sup>14</sup> C]
ARC 0203, A	Propionic acid [1- <sup>14</sup> C] sodium salt	ARC 0264	Pentanoic acid [1- <sup>14</sup> C] sodium salt
ARC 0204	Sialic acid [4- <sup>14</sup> C]	ARC 0265	Hexanoic acid, n-[1- <sup>14</sup> C] sodium salt
ARC 0205	Methyltriphenylphosphonium iodide [methyl- <sup>14</sup> C]	ARC 0266	Heptanoic acid [1- <sup>14</sup> C] sodium salt
ARC 0206	Succinic acid [2,3- <sup>14</sup> C]	ARC 0267	Thymine [methyl- <sup>14</sup> C]
ARC 0207	4-Aminobenzoic acid [carboxyl- <sup>14</sup> C]	ARC 0268	Thymidine [methyl- <sup>14</sup> C]
ARC 0208	Choline chloride [methyl- <sup>14</sup> C]	ARC 0271, A	Methionine, L-[1- <sup>14</sup> C]
ARC 0209	Iodoacetic acid [1- <sup>14</sup> C]	ARC 0273	Propanol, n-[1- <sup>14</sup> C]
ARC 0210	Glyceraldehyde [ <sup>14</sup> C(U)]	ARC 0274	Pentanol, n-[1- <sup>14</sup> C]
ARC 0211	Glucose, D-[3,4- <sup>14</sup> C]	ARC 0275	Heptanol [1- <sup>14</sup> C]
ARC 0212	Phenylalanine, L-[1- <sup>14</sup> C]	ARC 0276, A	Acetyl [1- <sup>14</sup> C] Coenzyme A
ARC 0213	Aspartic acid, D-[4- <sup>14</sup> C]	ARC 0277	Valine, L-[1- <sup>14</sup> C]
ARC 0214	Phenylacetic acid [1- <sup>14</sup> C]	ARC 0278	Iodoacetic acid [2- <sup>14</sup> C]
ARC 0215	Benzylpenicillin [benzyl- <sup>14</sup> C] potassium	ARC 0279	Dihydroxyphenylethylamine, 3,4-[8- <sup>14</sup> C]
ARC 0216	Iodoacetamide [1- <sup>14</sup> C]	ARC 0281A	Propionic acid [2- <sup>14</sup> C] sodium salt
ARC 0217	Glycerol [ <sup>14</sup> C(U)]	ARC 0282	Toluene [ <sup>14</sup> C]
ARC 0218	1-Methyl [ <sup>14</sup> C] 4-phenyl-1,2,3,6 tetra- hydropyridine	ARC 0283	Methylaminoisobutyric acid, α-[1- <sup>14</sup> C]
ARC 0219	Methyl [ <sup>14</sup> C] 4-phenylpyridinium iodide	ARC 0285	Hexadecyltrimethyl ammonium iodide [methyl- <sup>14</sup> C]
ARC 0220	Pyruvic acid [3- <sup>14</sup> C] sodium salt	ARC 0286	Acetaldehyde [1,2- <sup>14</sup> C]
ARC 0221	Octyl-β-D-glucopyranoside [glucose- <sup>14</sup> C(U)]	ARC 0287	Salicylic acid [phenyl- <sup>14</sup> C(U)]
ARC 0222	Pyruvic acid [2- <sup>14</sup> C] sodium salt	ARC 0289	Uridine diphosphate glucuronic acid [glucuronyl- <sup>14</sup> C(U)]
ARC 0223	Pyruvic acid [1- <sup>14</sup> C] sodium salt	ARC 0290	Arachidonic acid [1- <sup>14</sup> C]
ARC 0224, A	Octanol, n-[1- <sup>14</sup> C]	ARC 0291	Triolein [carboxyl- <sup>14</sup> C]
ARC 0225, A	Hexanol, n-[1- <sup>14</sup> C]	ARC 0292	Glycine [ <sup>14</sup> C(U)]
ARC 0226	Aspartic acid, L-[4- <sup>14</sup> C]	ARC 0294	Linoleic acid 9,12 [1- <sup>14</sup> C]
ARC 0230	Ethyl bromoacetate [1- <sup>14</sup> C]	ARC 0297	Oleic acid [1- <sup>14</sup> C]
ARC 0231	Alanine, L-[1- <sup>14</sup> C]	ARC 0298A	4-Nitrophenol [ <sup>14</sup> C(U)]
ARC 0232	Inositol, <i>myo</i> -[ <sup>14</sup> C(U)]	ARC 0299A	2-Nitrophenol [ <sup>14</sup> C(U)]
ARC 0233	Inositol, D-[ <sup>14</sup> C(U)] 1-phosphate	ARC 0300	Succinic anhydride [1,4- <sup>14</sup> C]
ARC 0235	Caffeine [1-methyl- <sup>14</sup> C]	ARC 0302	Alanine, L-[ <sup>14</sup> C(U)]
ARC 0236A	Formaldehyde [ <sup>14</sup> C]	ARC 0306	Benzylamine [7- <sup>14</sup> C] hydrochloride
ARC 0237	Fluorouracil, 5-[2- <sup>14</sup> C]	ARC 0307	Carbon dioxide [ <sup>14</sup> C]
ARC 0239	Ornithine, L-[5- <sup>14</sup> C]	ARC 0308	Carnitine L-[N-methyl <sup>14</sup> C] hydrochloride
ARC 0240, A	Glutamic acid, L-[1- <sup>14</sup> C]	ARC 0310	Choline chloride [1,2- <sup>14</sup> C]
ARC 0241	Glutamic acid, L-[5- <sup>14</sup> C]	ARC 0311	Ethanolamine [1,2- <sup>14</sup> C] hydrochloride
ARC 0243	2-Cyanoacetamide [2- <sup>14</sup> C]	ARC 0312	Galactose, D-[ <sup>14</sup> C(U)] 1-phosphate
ARC 0244	Glycine [1- <sup>14</sup> C] ethyl ester hydrochloride	ARC 0313	Glucose, α-D-[ <sup>14</sup> C(U)] 1-phosphate, dipotassium salt
ARC 0245	Putrescine [1,4- <sup>14</sup> C] dihydrochloride	ARC 0314	Glutamic acid, D-[1- <sup>14</sup> C]
ARC 0246A, B	Bromobenzene [ <sup>14</sup> C(U)]	ARC 0315	Glutamic acid, D-[5- <sup>14</sup> C]
ARC 0249, A	Phenylethylamine, β-[ethyl-1- <sup>14</sup> C] hydrochloride	ARC 0316	Glycerol, L-[ <sup>14</sup> C(U)] 3-phosphate disodium salt
ARC 0250	Hydroxytryptamine binoxalate, 5-[2- <sup>14</sup> C]	ARC 0317	Glycine [2- <sup>14</sup> C]
ARC 0251	Resorcinol [ <sup>14</sup> C(U)]		
ARC 0253	Tryptamine bisuccinate [side chain-2- <sup>14</sup> C]		
ARC 0254	Tryptophan, L-[side chain-3- <sup>14</sup> C]		



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 0319	Ketoglutaric acid, $\alpha$ -[1- <sup>14</sup> C] sodium salt	ARC 0385	Octadecatrienoic acid 6,9,12 [1- <sup>14</sup> C]
ARC 0321	Ketoglutaric acid, $\alpha$ -[ <sup>14</sup> C(U)] sodium salt	ARC 0386	Octadecatetraenoic acid 6,9,12,15 [1- <sup>14</sup> C]
ARC 0322	Methyl [ <sup>14</sup> C] $\beta$ -D-thiogalactopyranoside	ARC 0387A	Acetamide [1- <sup>14</sup> C]
ARC 0323	Nitrobenzene [ <sup>14</sup> C(U)]	ARC 0388A	Acetanilide [ring- <sup>14</sup> C(U)]
ARC 0324	Salicylic acid [7- <sup>14</sup> C]	ARC 0389	Acetonitrile [1- <sup>14</sup> C]
ARC 0325	Diethyl malonate [2- <sup>14</sup> C]	ARC 0390	Acrylic acid [1- <sup>14</sup> C]
ARC 0326	Isoleucine, L-[1- <sup>14</sup> C]	ARC 0391	Ethylenediamine [ <sup>14</sup> C(U)] dihydrochloride
ARC 0327	Calcium carbide [ <sup>14</sup> C]	ARC 0392	Ethylenediamine tetraacetic acid [2- <sup>14</sup> C] sodium salt
ARC 0328	Adenine [8- <sup>14</sup> C] hydrochloride	ARC 0393	Adipic acid [1,6- <sup>14</sup> C]
ARC 0329	Guanine [8- <sup>14</sup> C] hydrochloride	ARC 0394	Cyclopentylbromide [1- <sup>14</sup> C]
ARC 0330, A	Carbon disulfide [ <sup>14</sup> C]	ARC 0397	Inosine [8- <sup>14</sup> C]
ARC 0331	Adenosine [8- <sup>14</sup> C]	ARC 0398	Ethylene glycol [1,2- <sup>14</sup> C]
ARC 0332, A	Polyethylene glycol [1,2- <sup>14</sup> C]	ARC 0399	Chloramphenicol [dichloroacetyl-1- <sup>14</sup> C] D- <i>threo</i>
ARC 0333	Benzoquinone [ <sup>14</sup> C(U)]	ARC 0400	Chloramphenicol [dichloroacetyl-1,2- <sup>14</sup> C] D- <i>threo</i> (CAT Assay Grade)
ARC 0334	Hydroquinone [ <sup>14</sup> C(U)]	ARC 0401	Chloramphenico [dichloroacetyl-1- <sup>14</sup> C] D- <i>threo</i> (CAT Assay Grade)
ARC 0336, A	Glycerol [1,3- <sup>14</sup> C]	ARC 0402, A	Paraformaldehyde [ <sup>14</sup> C]
ARC 0337	Glycerol [2- <sup>14</sup> C]	ARC 0403	Ethyl acetate [1- <sup>14</sup> C]
ARC 0338	Arginine, L-[1- <sup>14</sup> C]	ARC 0406	Taurine [1,2- <sup>14</sup> C]
ARC 0340	Theophylline [8- <sup>14</sup> C]	ARC 0407	Cyclopentanone [1- <sup>14</sup> C]
ARC 0341, A	Alanine, D-[1- <sup>14</sup> C]	ARC 0408	Cyclopentanol [1- <sup>14</sup> C]
ARC 0342	Eicosapentaenoic acid 5,8,11,14,17 [1- <sup>14</sup> C]	ARC 0410, A	Ethylene [ <sup>14</sup> C(U)]
ARC 0343	Adenosyl-L-methionine, S-[carboxyl- <sup>14</sup> C]	ARC 0411, A	Benzaldehyde [ring- <sup>14</sup> C(U)]
ARC 0344	Adenosyl-L-methionine, S-[methyl- <sup>14</sup> C]	ARC 0415	Propionic anhydride [1- <sup>14</sup> C]
ARC 0345	Methionine, L-[methyl- <sup>14</sup> C]	ARC 0416	Acetophenone [carbonyl- <sup>14</sup> C]
ARC 0346	Ethyl bromoacetate [2- <sup>14</sup> C]	ARC 0419	Dimethylamine [ <sup>14</sup> C] hydrochloride
ARC 0347	Trimethylamine hydrochloride [ <sup>14</sup> C]	ARC 0421	Chloroacetyl chloride [1- <sup>14</sup> C]
ARC 0349	4-Aminobenzoic acid [ <sup>14</sup> C(U)]	ARC 0422	Albumin [methyl- <sup>14</sup> C] methylated (bovine serum)
ARC 0350A	Guanidine [ <sup>14</sup> C(U)] hydrochloride	ARC 0425	Carbonic anhydrase [methyl- <sup>14</sup> C] methylated
ARC 0351	Valproic acid [carboxyl- <sup>14</sup> C] sodium salt	ARC 0426	$\beta$ -Casein [methyl- <sup>14</sup> C] methylated
ARC 0358	Dodecyltrimethyl ammonium iodide [methyl- <sup>14</sup> C]	ARC 0427	Cytochrome C [methyl- <sup>14</sup> C] methylated
ARC 0359	Triphenylphosphate [ <sup>14</sup> C(U)]	ARC 0428	Globulins [methyl- <sup>14</sup> C] methylated
ARC 0361	Trichloroacetic acid [1- <sup>14</sup> C]	ARC 0429	Lactoglobulin A-[ $\beta$ -methyl- <sup>14</sup> C] methylated
ARC 0362	Dichloroacetic acid [1- <sup>14</sup> C]	ARC 0430	Protein molecular weight markers [ <sup>14</sup> C]
ARC 0363	Glucuronic acid, D-[6- <sup>14</sup> C]	ARC 0431	Ovalbumin [methyl- <sup>14</sup> C] methylated
ARC 0364	Hypoxanthine [8- <sup>14</sup> C]	ARC 0432	Phosphorylase B [methyl- <sup>14</sup> C] methylated
ARC 0365, A, B	Aniline [ <sup>14</sup> C(U)] hydrochloride	ARC 0433	Myosin [methyl- <sup>14</sup> C] methylated
ARC 0372	2-Cyanoacetamide [cyano- <sup>14</sup> C]	ARC 0434	Valine, D-[1- <sup>14</sup> C]
ARC 0373	Chloroacetic acid [1- <sup>14</sup> C]	ARC 0435	Galactosamine, D-[1- <sup>14</sup> C] hydrochloride
ARC 0374	Serine, L-[1- <sup>14</sup> C]	ARC 0436	Mannose, D-[2- <sup>14</sup> C]
ARC 0375	Acrylamide [1- <sup>14</sup> C]	ARC 0437	Fluorouracil, 5-[6- <sup>14</sup> C]
ARC 0376	Phosphatidylcholine, L- $\alpha$ -dipalmitoyl [choline methyl- <sup>14</sup> C]	ARC 0452	Mevalonolactone, RS-[2- <sup>14</sup> C]
ARC 0377	Serine, D-[1- <sup>14</sup> C]	ARC 0453	Docosanol, N-[1- <sup>14</sup> C]
ARC 0378	Eicosatrienoic acid 5,8,11 [1- <sup>14</sup> C]	ARC 0454	Docosanoic acid [1- <sup>14</sup> C]
ARC 0379	$\alpha$ -Linolenic acid 9,12,15 [1- <sup>14</sup> C]	ARC 0455	Benzoyl peroxide [carbonyl- <sup>14</sup> C]
ARC 0380	Docosahexaenoic acid 4,7,10,13,16,19 [1- <sup>14</sup> C] (22:6, n-3)	ARC 0456	Benzoic acid [ring- <sup>14</sup> C(U)] methyl ester
ARC 0381	Eicosatrienoic acid 8,11,14 [1- <sup>14</sup> C]	ARC 0458, A	Isopropanol [2- <sup>14</sup> C]
ARC 0384	Indole-3-acetic acid [2- <sup>14</sup> C]		



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 0459	Lysine, L-[1- <sup>14</sup> C]	ARC 0514	Aminocyclopentane-1-carboxylic acid, 1-[carboxyl- <sup>14</sup> C]
ARC 0460	Arabinose, D-[1- <sup>14</sup> C]	ARC 0515, A	Ethanol [2- <sup>14</sup> C]
ARC 0462	2,4-Dichloroaniline [ <sup>14</sup> C(U)] hydrochloride	ARC 0516	Palmitoyl [1- <sup>14</sup> C] Coenzyme A
ARC 0463	4-Chloroaniline [ <sup>14</sup> C(U)] hydrochloride	ARC 0517	Palmitoyl [1- <sup>14</sup> C] L-carnitine chloride
ARC 0464	2-Chloroaniline [ <sup>14</sup> C(U)] hydrochloride	ARC 0518	Myristoyl [1- <sup>14</sup> C] Coenzyme A
ARC 0465	Phosphorylcholine [methyl- <sup>14</sup> C]	ARC 0519	Arachidonyl [1- <sup>14</sup> C] Coenzyme A
ARC 0466	Lactose [D-glucose 1- <sup>14</sup> C]	ARC 0520	Glyceraldehyde [ <sup>14</sup> C(U)] 3-phosphate disodium salt
ARC 0467	Erythromycin [N-methyl- <sup>14</sup> C]	ARC 0521	Malononitrile [1- <sup>14</sup> C]
ARC 0469	Acetone [1,3- <sup>14</sup> C]	ARC 0522	Mevalonic acid, RS-[2- <sup>14</sup> C] DBED salt
ARC 0470	Dodecylguanidine [ <sup>14</sup> C] acetate	ARC 0523	Sodium dimethyl dithiocarbamate [methyl- <sup>14</sup> C]
ARC 0471	Sucrose [fructose- <sup>14</sup> C(U)]	ARC 0524	Dihydroxyacetone [2- <sup>14</sup> C]
ARC 0472	Sucrose [glucose- <sup>14</sup> C(U)]	ARC 0525, A	Xylose, D-[1- <sup>14</sup> C]
ARC 0473	Acetylsalicylic acid [acetyl- <sup>14</sup> C]	ARC 0526	Toluene [ring- <sup>14</sup> C(U)]
ARC 0474	L-Amino acid mixture [ <sup>14</sup> C(U)]	ARC 0527	Oleoyl [1- <sup>14</sup> C] Coenzyme A
ARC 0475	Carbon monoxide [ <sup>14</sup> C]	ARC 0528	Malonyl [2- <sup>14</sup> C] Coenzyme A
ARC 0476	Heptadecanoic acid [1- <sup>14</sup> C]	ARC 0529	Cytidine diphosphocholine [methyl- <sup>14</sup> C]
ARC 0478	Lactic acid, D-[1- <sup>14</sup> C] sodium salt	ARC 0531A	$\alpha$ -Naphthol [1- <sup>14</sup> C]
ARC 0479	Lactic acid, L-[1- <sup>14</sup> C] sodium salt	ARC 0532	Formamide [ <sup>14</sup> C]
ARC 0480	Decanoic acid [1- <sup>14</sup> C]	ARC 0533	Thiopental [2- <sup>14</sup> C]
ARC 0481	Decyl alcohol [1- <sup>14</sup> C]	ARC 0535	Piperazine [2,3- <sup>14</sup> C] dihydrochloride
ARC 0482, A	Ethyl iodide [1- <sup>14</sup> C]	ARC 0536	Bromoacetyl chloride [1- <sup>14</sup> C]
ARC 0483	Glutaric acid [1,5- <sup>14</sup> C]	ARC 0537	Hydroxyurea [ <sup>14</sup> C]
ARC 0484	Glycolic acid [1,2- <sup>14</sup> C] calcium salt	ARC 0538	4-Fluorophenol [ring- <sup>14</sup> C(U)]
ARC 0485	Glycolic acid [1- <sup>14</sup> C] calcium salt	ARC 0540	Squalene [ <sup>14</sup> C]
ARC 0486	Glycolic acid [2- <sup>14</sup> C] calcium salt	ARC 0541	Isopentenyl pyrophosphate [1- <sup>14</sup> C] triammonium salt
ARC 0487	Lauryl alcohol [1- <sup>14</sup> C]	ARC 0542	Dimethyl malonate [2- <sup>14</sup> C]
ARC 0488	Maltose [ <sup>14</sup> C(U)]	ARC 0543	Dansyl chloride [methyl- <sup>14</sup> C]
ARC 0489	Pimelic acid [1,7- <sup>14</sup> C]	ARC 0544	Di- <i>n</i> -propylamine [ <i>n</i> -propyl-1- <sup>14</sup> C] hydrochloride
ARC 0490	4-Chlorobenzoic acid [carboxyl- <sup>14</sup> C]	ARC 0545	4-Aminophenol [ <sup>14</sup> C(U)] hydrochloride
ARC 0491	Citric acid [1,5- <sup>14</sup> C]	ARC 0546	Glyceric acid, DL-[1- <sup>14</sup> C] calcium salt
ARC 0492	Diethyl pyrocarbonate [carbonyl- <sup>14</sup> C]	ARC 0547	Tributylphosphate [ <i>n</i> -butyl-1- <sup>14</sup> C]
ARC 0493	Aminopyrine [methyl- <sup>14</sup> C]	ARC 0548	Gluconic acid, D-[1- <sup>14</sup> C]
ARC 0494	N-FMOC-L-Alanine [1- <sup>14</sup> C]	ARC 0549	Toluene [methyl- <sup>14</sup> C]
ARC 0495	N-FMOC-Glycine [1- <sup>14</sup> C]	ARC 0550	4-Fluoroaniline [ <sup>14</sup> C(U)]
ARC 0496	Octadecylamine [1- <sup>14</sup> C] hydrochloride	ARC 0551	Methyl chloride [1- <sup>14</sup> C]
ARC 0497	Cyanoacetic acid [2- <sup>14</sup> C]	ARC 0554	Acetyl [1,2- <sup>14</sup> C] Coenzyme A
ARC 0498	Dimethyl sulfate [ <sup>14</sup> C]	ARC 0555	Lyso-3-phosphatidylcholine, L-1-[methyl- <sup>14</sup> C]
ARC 0502	Glycocholic acid [glycine 1- <sup>14</sup> C]	ARC 0556	Hexadecane, n-[1- <sup>14</sup> C]
ARC 0503	Histidine, L-[carboxyl- <sup>14</sup> C]	ARC 0557	Decyl aldehyde [1- <sup>14</sup> C]
ARC 0504	Lidocaine [carbonyl- <sup>14</sup> C] hydrochloride	ARC 0561	3,4-Dichloroaniline [ <sup>14</sup> C(U)] hydrochloride
ARC 0504A	Lidocaine [carbonyl- <sup>14</sup> C]	ARC 0562	Leucine, D-[1- <sup>14</sup> C]
ARC 0505	Tetraphenylphosphonium bromide [phenyl- <sup>14</sup> C]	ARC 0563	Benzyl chloride [7- <sup>14</sup> C]
ARC 0506	Threonine, L-[1- <sup>14</sup> C]	ARC 0564	Benzyl alcohol [7- <sup>14</sup> C]
ARC 0507	Tyrosine, L-[1- <sup>14</sup> C]	ARC 0565	Phosgene [ <sup>14</sup> C]
ARC 0508	Citrulline, L-[ureido- <sup>14</sup> C]	ARC 0567	Fumaric acid [1,4- <sup>14</sup> C]
ARC 0509	Pentadecanol, 1-[1- <sup>14</sup> C]		
ARC 0510	Pentadecanoic acid [carboxyl- <sup>14</sup> C]		
ARC 0512	Cuprous cyanide [ <sup>14</sup> C]		
ARC 0513, A	Uric acid [8- <sup>14</sup> C]		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 0569	Maleic anhydride [1,4- <sup>14</sup> C]	ARC 0625	Ornithine, D-[1- <sup>14</sup> C]
ARC 0571A	Succinic anhydride [2,3- <sup>14</sup> C]	ARC 0626	Lyxose, D-[1- <sup>14</sup> C]
ARC 0572	Erucic acid [1- <sup>14</sup> C]	ARC 0627	Maltotriose [ <sup>14</sup> C(U)]
ARC 0573	Docosatetraenoic acid 7,10,13,16 [1- <sup>14</sup> C]	ARC 0628	Ethyl bromoacetate [1,2- <sup>14</sup> C]
ARC 0574	Docosapentaenoic acid 4,7,10,13,16 [1- <sup>14</sup> C]	ARC 0629	<i>trans,trans</i> Farnesol [1,2- <sup>14</sup> C]
ARC 0575	Butyryl [1- <sup>14</sup> C] Coenzyme A ( <i>CAT Assay Grade</i> )	ARC 0630	Butylamine, <i>l</i> -[1- <sup>14</sup> C] hydrochloride
ARC 0576	Hexadecane, n-[1- <sup>14</sup> C]	ARC 0631	Butanol, <i>l</i> -[1- <sup>14</sup> C]
ARC 0577	Tetraethylammonium bromide [ethyl-1- <sup>14</sup> C]	ARC 0633	6-Methyl [ <sup>14</sup> C] anthranilic acid
ARC 0578	Octadecanol [1- <sup>14</sup> C]	ARC 0634	2-Methyl [ <sup>14</sup> C] 6-nitrobenzoic acid
ARC 0579	Butylamine, <i>n</i> -[1- <sup>14</sup> C] hydrochloride	ARC 0636	2-Methyl [ <sup>14</sup> C] 6-nitroaniline
ARC 0580	Tripalmitin, 1,3-[palmitoyl-1- <sup>14</sup> C]	ARC 0638	2-Toluidine [methyl- <sup>14</sup> C]
ARC 0581	Trimyristin [myristoyl-1- <sup>14</sup> C]	ARC 0639	Anthranilic acid [carboxyl- <sup>14</sup> C]
ARC 0582	N-Ethylmaleimide [ethyl-1- <sup>14</sup> C]	ARC 0640	2-Aminobenzyl alcohol, 2-[1- <sup>14</sup> C]
ARC 0583	Glutamic acid, DL-[1- <sup>14</sup> C]	ARC 0641	2-Methyl [ <sup>14</sup> C] 4-nitroaniline
ARC 0585	Trimethylsilylcyanide [ <sup>14</sup> C]	ARC 0642	Benzene [ <sup>14</sup> C(U)] sulfonyl chloride
ARC 0586	Sarcosine [glycine-1- <sup>14</sup> C]	ARC 0644	Tromethamine [methylene- <sup>14</sup> C] tris (hydroxymethyl) aminomethane
ARC 0588	2,6-Dichloroaniline [ <sup>14</sup> C(U)] hydrochloride	ARC 0646, A	Diethyl malonate [1,3- <sup>14</sup> C]
ARC 0589	1,3-Dinitrobenzene [ <sup>14</sup> C(U)]	ARC 0648	1-Bromododecane [1- <sup>14</sup> C]
ARC 0590	3-Nitroaniline [ <sup>14</sup> C(U)]	ARC 0649	Ethyl 3-bromopropionate [2,3- <sup>14</sup> C]
ARC 0591	1-Chloro-3-nitrobenzene [ <sup>14</sup> C(U)]	ARC 0650	4,6-Dichloro-2-methylthio-pyrimidine [4-6- <sup>14</sup> C]
ARC 0592	3-Chloroaniline [ <sup>14</sup> C(U)] hydrochloride	ARC 0651	1,2-Dichlorobenzene [ <sup>14</sup> C(U)]
ARC 0593	Lactic acid, L-[ <sup>14</sup> C(U)] sodium salt	ARC 0652	4-Toluenesulfonyl chloride [methyl- <sup>14</sup> C]
ARC 0594	Maleic acid [2,3- <sup>14</sup> C]	ARC 0653	Pantothenic acid, D-[1- <sup>14</sup> C] sodium salt
ARC 0595	Maleic anhydride [2,3- <sup>14</sup> C]	ARC 0654A	Proline, L-[ <sup>14</sup> C(U)]
ARC 0596	Fumaric acid [2,3- <sup>14</sup> C]	ARC 0655	Tyrosine, L-[ <sup>14</sup> C(U)]
ARC 0597	Methylbromoacetate [2- <sup>14</sup> C]	ARC 0656A	Leucine, L-[ <sup>14</sup> C(U)]
ARC 0599	Phenylacetic acid [1,2- <sup>14</sup> C]	ARC 0657	Phosphatidylcholine L- $\alpha$ -dipalmitoyl [dipalmitoyl-1- <sup>14</sup> C]
ARC 0600	Lysine, D-[1- <sup>14</sup> C]	ARC 0658	Galactose, D-[14C(U)]
ARC 0601	1-Iodoprop-1-yn-3-yl N- <i>n</i> -butylcarbamate [carbamate- <sup>14</sup> C]	ARC 0659	Lactose [D-galactose- <sup>14</sup> C(U)]
ARC 0602	Serine, DL-[1- <sup>14</sup> C] methyl ester hydrochloride	ARC 0660	Lactose [ <sup>14</sup> C(U)]
ARC 0603	Serine, L-[3- <sup>14</sup> C]	ARC 0661	N-FMOC-L-Valine [1- <sup>14</sup> C]
ARC 0607	2,6-Dimethoxybenzoic acid [ring- <sup>14</sup> C(U)]	ARC 0662	N-FMOC-L-Leucine [1- <sup>14</sup> C]
ARC 0608	1,3-Dimethoxybenzene [ring- <sup>14</sup> C(U)]	ARC 0663	4-Bromoaniline [ <sup>14</sup> C(U)] hydrochloride
ARC 0609	Chloroacetic acid [2- <sup>14</sup> C]	ARC 0664	Hydroxybutyric acid, $\beta$ -[1- <sup>14</sup> C] potassium salt
ARC 0610	Cyclohexylamine [ <sup>14</sup> C(U)] hydrochloride	ARC 0669	Arginine, L-[ <sup>14</sup> C(U)]
ARC 0611	Tyramine [8- <sup>14</sup> C] hydrochloride	ARC 0670	Aspartic acid, L-[ <sup>14</sup> C(U)]
ARC 0612	Methoxyamine [ <sup>14</sup> C] hydrochloride	ARC 0672	Isoleucine, L-[ <sup>14</sup> C(U)]
ARC 0614	Glyoxylic acid [ <sup>14</sup> C(U)] methyl ester	ARC 0673	Lysine, L-[ <sup>14</sup> C(U)]
ARC 0615	3-Bromo-1,2-propanediol [2- <sup>14</sup> C]	ARC 0675	Phenylalanine, L-[ <sup>14</sup> C(U)]
ARC 0616	Cyanuric [ <sup>14</sup> C(U)] chloride	ARC 0676	Serine, L-[ <sup>14</sup> C(U)]
ARC 0617	2-Chloroethyl [1,2- <sup>14</sup> C] isocyanate	ARC 0677	Threonine, L-[ <sup>14</sup> C(U)]
ARC 0618	Ethyl 4-aminobenzoate [ring- <sup>14</sup> C(U)]	ARC 0678	Valine, L-[ <sup>14</sup> C(U)]
ARC 0619	Cyclohexene carboxylic acid, 1-[7- <sup>14</sup> C]	ARC 0679	Uracil [6- <sup>14</sup> C]
ARC 0620	<i>trans,trans</i> Farnesyl [1- <sup>14</sup> C] pyrophosphate triammonium salt	ARC 0680	4-Amino-2-methoxybenzoic acid [carboxyl- <sup>14</sup> C]
ARC 0621	2-Chloroethylamine [1,2- <sup>14</sup> C] hydrochloride	ARC 0681	Methyl chloroacetate [1- <sup>14</sup> C]
ARC 0623	Acetyl bromide [1- <sup>14</sup> C]	ARC 0682	Ethyl chloroformate [carboxyl- <sup>14</sup> C]
ARC 0624	Chloroacetonitrile [1- <sup>14</sup> C]		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 0683	<i>trans,trans</i> Farnesyl [1- <sup>14</sup> C] monophosphate diammonium salt	ARC 0735	Docosanol, N-[13- <sup>14</sup> C]
ARC 0684	Dichloroacetic acid [2- <sup>14</sup> C]	ARC 0736	Iodobenzene [ <sup>14</sup> C(U)]
ARC 0687	4-Methyl pyridine-2-carboxylic acid [carboxyl- <sup>14</sup> C]	ARC 0737	Ethyl acetoacetate [3- <sup>14</sup> C]
ARC 0688	Ethyl cyanoacetate [2- <sup>14</sup> C]	ARC 0738	4-Nitroaniline [ <sup>14</sup> C(U)]
ARC 0689	Cholesteryl oleate [1- <sup>14</sup> C]	ARC 0739	2-Nitroaniline [ <sup>14</sup> C(U)]
ARC 0691	Isopentenyl monophosphate [1- <sup>14</sup> C] triammonium salt	ARC 0741	N,N-Dimethylformamide [carbonyl- <sup>14</sup> C]
ARC 0692	<i>trans,trans</i> Farnesyl [1- <sup>14</sup> C] triphosphate triammonium salt	ARC 0742	4-Hydroxycyclohexane carboxylic acid [carboxyl- <sup>14</sup> C]
ARC 0693, A	Aminobutyric acid, $\gamma$ -[4- <sup>14</sup> C]	ARC 0743	Malonic acid [1,3- <sup>14</sup> C]
ARC 0694	2-Pyrrolidinone [5- <sup>14</sup> C]	ARC 0744	Dimethyl malonate [1,3- <sup>14</sup> C]
ARC 0695	Pyrrolidine [2- <sup>14</sup> C]	ARC 0745	1,2,4 Triazole-3-thiol [5- <sup>14</sup> C]
ARC 0697	Triethylorthoformate [formate- <sup>14</sup> C]	ARC 0746	1,2,4 Triazole [5- <sup>14</sup> C]
ARC 0698	Ethyl cyanoacetate [cyano- <sup>14</sup> C]	ARC 0747	Fluoroacetic acid [1- <sup>14</sup> C] ethyl ester
ARC 0699	4-Hydroxybenzoic acid [carboxyl- <sup>14</sup> C]	ARC 0748	Betaine [glycine-1- <sup>14</sup> C]
ARC 0700	Guanosine diphosphate mannose, D-[1- <sup>14</sup> C]	ARC 0749	Cyanoacetic acid [1- <sup>14</sup> C]
ARC 0702	Mevalonic acid-5-phosphate, R-[2- <sup>14</sup> C]	ARC 0751	Phenylalanine, L-[1- <sup>14</sup> C] ethyl ester hydrochloride
ARC 0704	Pyridine-2,4-dicarboxylic acid [2-carboxyl- <sup>14</sup> C]	ARC 0753	Fluoroacetic acid [1- <sup>14</sup> C] sodium salt
ARC 0705	Alanine, $\beta$ -[3- <sup>14</sup> C]	ARC 0755	Malonyl [1,3- <sup>14</sup> C] Coenzyme A
ARC 0706	Methyl anthranilate [ring- <sup>14</sup> C(U)]	ARC 0756	Stearoyl [1- <sup>14</sup> C] Coenzyme A
ARC 0707	Anthranilic acid [ring- <sup>14</sup> C(U)]	ARC 0757	1-Aminocyclohexane-1-carboxylic acid [carboxyl- <sup>14</sup> C]
ARC 0708	4-Bromobutyric acid [1- <sup>14</sup> C]	ARC 0758	Acetyl, N-[1- <sup>14</sup> C] lactosamine
ARC 0709	Cysteamine [1,2- <sup>14</sup> C] hydrochloride	ARC 0761	Ethylbenzene [methylene <sup>14</sup> C]
ARC 0711	2,6-Dichloro-4-nitroaniline [ <sup>14</sup> C(U)]	ARC 0762	<i>n</i> -Hexylamine [1- <sup>14</sup> C] hydrochloride
ARC 0712	Glycine [2- <sup>14</sup> C] ethyl ester hydrochloride	ARC 0764	2,4,6-Triisopropyl benzoic acid [carboxyl- <sup>14</sup> C]
ARC 0713	Ethylamine [1,2- <sup>14</sup> C] hydrochloride	ARC 0766	1-Mono oleoyl [1- <sup>14</sup> C] <i>rac</i> glycerol
ARC 0714	Glycerol [2- <sup>14</sup> C] trinitrate	ARC 0767	1,3-Dioleoylglycerol [oleoyl-1- <sup>14</sup> C]
ARC 0715	Phosphatidylcholine, -L- $\alpha$ -dipalmitoyl [2-palmitoyl-1- <sup>14</sup> C]	ARC 0768	2-Chloroacetamide [carbonyl- <sup>14</sup> C]
ARC 0717	N-Methyl-N-methoxy propionamide [1- <sup>14</sup> C]	ARC 0770	Glutamic acid, L-[1,5- <sup>14</sup> C]
ARC 0718	2,4-Dichlorophenoxy acetic acid [methylene- <sup>14</sup> C]	ARC 0771	Malic acid, L-[ <sup>14</sup> C(U)]
ARC 0719	4-Chlorobenzaldehyde [carbonyl- <sup>14</sup> C]	ARC 0772	Sphingomyelin [choline methyl- <sup>14</sup> C] (bovine)
ARC 0721	3-Chloropropionic acid [1- <sup>14</sup> C]	ARC 0773	2-Amino-5-chlorobenzoic acid [carboxyl- <sup>14</sup> C]
ARC 0722	2,4-Dichlorophenoxy acetic acid [carboxyl- <sup>14</sup> C]	ARC 0774	Sulfanilamide [ring- <sup>14</sup> C(U)]
ARC 0723	2,4-Dichlorophenoxy acetic acid [ring- <sup>14</sup> C(U)]	ARC 0775	Sulfanilic acid [ring- <sup>14</sup> C(U)]
ARC 0724	3-Methoxy benzyl alcohol [methylene- <sup>14</sup> C]	ARC 0776	2,6-Difluorobenzoic acid [ring- <sup>14</sup> C(U)]
ARC 0726	3-Anisaldehyde [carbonyl- <sup>14</sup> C]	ARC 0777	1,2,3-Trichlorobenzene [ring- <sup>14</sup> C(U)]
ARC 0727	Palmitic anhydride [carbonyl- <sup>14</sup> C]	ARC 0778	Methyl acetoacetate [3- <sup>14</sup> C]
ARC 0728	Nicotinic acid [carboxyl- <sup>14</sup> C]	ARC 0779	3'-Trifluoromethyl acetophenone [ring- <sup>14</sup> C]
ARC 0729	Propylene glycol [1- <sup>14</sup> C]	ARC 0780	Cholesteryl arachidonate [1- <sup>14</sup> C]
ARC 0730	1,2-Propanediol dinitrate [1- <sup>14</sup> C]	ARC 0781	Cholesteryl linoleate [1- <sup>14</sup> C]
ARC 0731	6,7-Dimethoxy-1,2,3,4-tetrahydroisoquinoline [1- <sup>14</sup> C] hydrochloride	ARC 0782	Chloroform [ <sup>14</sup> C]
ARC 0732	Isovaleric acid [1- <sup>14</sup> C] sodium salt	ARC 0784	Acetophenone [methyl- <sup>14</sup> C]
ARC 0733	Oxalic acid [carboxyl- <sup>14</sup> C] dimethyl ester	ARC 0785	Acetylene dicarboxylic acid [2,3- <sup>14</sup> C]
ARC 0734	Hexanoic acid, <i>n</i> -[1- <sup>14</sup> C] N-hydroxysuccinimide ester	ARC 0788	4-Cyanobenzoic acid [cyano- <sup>14</sup> C]
		ARC 0790	Chloroacetone [2- <sup>14</sup> C]
		ARC 0791	Acetylacetone [2- <sup>14</sup> C]
		ARC 0792	Acetyl chloride [2- <sup>14</sup> C]
		ARC 0793	2,4-Dichlorophenol [ <sup>14</sup> C(U)]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 0794	Nicotinamide [carbonyl- <sup>14</sup> C]	ARC 0848	Lithocholic acid [carboxyl- <sup>14</sup> C]
ARC 0795	3,3-Dimethylacrylic acid [1- <sup>14</sup> C]	ARC 0849	Nitrosodimethylamine, N-[methyl- <sup>14</sup> C]
ARC 0796	3,3-Dimethylallyl alcohol [1- <sup>14</sup> C]	ARC 0850	Phosphatidylcholine, L- $\alpha$ -dioleoyl [dioleoyl-1- <sup>14</sup> C]
ARC 0797	Dimethylallyl pyrophosphate [1- <sup>14</sup> C]	ARC 0852	Phosphatidylcholine, L- $\alpha$ -1-palmitoyl-2-arachidonoyl [arachidonoyl-1- <sup>14</sup> C]
ARC 0798	Tributylin [butyric-1- <sup>14</sup> C]	ARC 0853	Phosphatidylcholine, L- $\alpha$ -1-palmitoyl-2-linoleoyl [linoleoyl-1- <sup>14</sup> C]
ARC 0799	Triethyl phosphonoacetate [acetate-1,2- <sup>14</sup> C]	ARC 0854	Phosphatidylcholine, L- $\alpha$ -1-palmitoyl-2-oleoyl [oleoyl-1- <sup>14</sup> C]
ARC 0800	Urethane [ethyl-1- <sup>14</sup> C]	ARC 0855	Phosphatidylethanolamine, L- $\alpha$ -1-palmitoyl-2-arachidonoyl [arachidonoyl-1- <sup>14</sup> C]
ARC 0801	Ethyl [1- <sup>14</sup> C] chloroformate	ARC 0856	Chenodeoxycholic acid [carboxyl- <sup>14</sup> C]
ARC 0803	Fucose, L-[1- <sup>14</sup> C]	ARC 0857	Cholesterol [4- <sup>14</sup> C]
ARC 0804	2-Methyl-2-thiopseudo urea sulfate [ <sup>14</sup> C]	ARC 0858	Testosterone [4- <sup>14</sup> C]
ARC 0805	Lignoceric acid [1- <sup>14</sup> C]	ARC 0860	2-Hydroxyoctanoic acid [1- <sup>14</sup> C]
ARC 0806	Oxalyl chloride [ <sup>14</sup> C(U)]	ARC 0861	4-Hydroxybutyric acid [1- <sup>14</sup> C] sodium salt
ARC 0807	Azelaic acid [1- <sup>14</sup> C]	ARC 0862	Benzophenone [ring- <sup>14</sup> C(U)]
ARC 0808	Retinyl palmitate [1- <sup>14</sup> C]	ARC 0863	Tolbutamide [carbonyl- <sup>14</sup> C]
ARC 0809	Alanine, $\beta$ -[1- <sup>14</sup> C] ethyl ester hydrochloride	ARC 0864	3-(4-Chlorobutyl) [1- <sup>14</sup> C] 5-cyanoindole
ARC 0810	1,3,5-Trinitrobenzene [ <sup>14</sup> C(U)]	ARC 0865	Isopentanol [1- <sup>14</sup> C]
ARC 0811	1,3-Propanediol [2- <sup>14</sup> C]	ARC 0867	Phenanthrene [9- <sup>14</sup> C]
ARC 0813	N-Methyl-N-nitroguanidine [ <sup>14</sup> C]	ARC 0868	Benzophenone [carbonyl- <sup>14</sup> C]
ARC 0814	Cyclobutane [1- <sup>14</sup> C] carboxylic acid	ARC 0869	Ethyl malonate [2- <sup>14</sup> C] potassium salt
ARC 0815	Cyclobutane [1- <sup>14</sup> C] carbonyl chloride	ARC 0870	Benzoic acid [ <sup>14</sup> C(U)]
ARC 0816	Tetracosanol [1- <sup>14</sup> C]	ARC 0871	2,2-Dichloroacetamide [1- <sup>14</sup> C]
ARC 0818	N-Oleoyl [1- <sup>14</sup> C] D-sphingosine	ARC 0875	Methyl [ <sup>14</sup> C] carbamate
ARC 0819	2,3-Benzofuran [2- <sup>14</sup> C]	ARC 0876	Methyl [ <sup>14</sup> C] chloroformate
ARC 0820	4-Chlorobutyric acid [1- <sup>14</sup> C]	ARC 0879	Phenanthrene [ring- <sup>14</sup> C(U), 9- <sup>14</sup> C]
ARC 0821	Cholesterol [26- <sup>14</sup> C]	ARC 0880	Propyl iodide, n-[1- <sup>14</sup> C]
ARC 0822	Ethyl formate [carboxyl- <sup>14</sup> C]	ARC 0881	Acetyl glycine, N-[1- <sup>14</sup> C]
ARC 0823	Phthalic acid [ring- <sup>14</sup> C(U)]	ARC 0884	Nicotinic acid [2- <sup>14</sup> C]
ARC 0824	<i>all trans</i> Geraniol [1- <sup>14</sup> C]	ARC 0885	Hydroxydiphenylmethane [methylene- <sup>14</sup> C]
ARC 0825	<i>all trans</i> Geranyl geraniol [1- <sup>14</sup> C]	ARC 0886	2-Nitrobenzoic acid [carboxyl- <sup>14</sup> C]
ARC 0827	2-Chloro-5-aminophenol [ <sup>14</sup> C(U)] hydrochloride	ARC 0887	3-Dimethylaminopropylamine [1- <sup>14</sup> C] hydrochloride
ARC 0828	4-Chloro-5-aminophenol [ <sup>14</sup> C(U)] hydrochloride	ARC 0888	Methyl cyanoacetate [cyano- <sup>14</sup> C]
ARC 0829	4-Acetamidophenol [ring- <sup>14</sup> C(U)]	ARC 0889	Nonanoic acid, n-[carboxyl- <sup>14</sup> C]
ARC 0830	2,4,6-Trinitrotoluene [ring- <sup>14</sup> C(U)]	ARC 0890	6-Aminocaproic acid [carboxyl- <sup>14</sup> C]
ARC 0831	N-Palmitoyl [1- <sup>14</sup> C] sphingosine, <i>D-erythro</i>	ARC 0892	3-Fluoro-4-methoxy acetophenone [carbonyl- <sup>14</sup> C]
ARC 0832	Lauroyl [1- <sup>14</sup> C] Coenzyme A	ARC 0893	2,4,5-Trichlorophenol [ring- <sup>14</sup> C(U)]
ARC 0833	Lauryl sulfate [1- <sup>14</sup> C] sodium salt	ARC 0896	Linoleoyl [1- <sup>14</sup> C] ethanolamide
ARC 0834	Dextran sulfate [carboxyl- <sup>14</sup> C]	ARC 0897	Pyroglutamic acid, DL-[1- <sup>14</sup> C]
ARC 0835	1,2-Dichloroethane [1,2- <sup>14</sup> C]	ARC 0898	Conjugated dienoic derivative of linoleic acid [1- <sup>14</sup> C]
ARC 0836	Ethyl oxalyl chloride [carbonyl- <sup>14</sup> C]	ARC 0900	4-Nonylphenol [ring- <sup>14</sup> C(U)]
ARC 0837	N-Acetyl L-serine [1- <sup>14</sup> C]	ARC 0900A	2-Nonylphenol [ <sup>14</sup> C(U)]
ARC 0838	N-Acetyl L-cysteine [1- <sup>14</sup> C]	ARC 0908	Glycerol dinitrate [2- <sup>14</sup> C]
ARC 0839	3-Aminophenol [ <sup>14</sup> C(U)] hydrochloride		
ARC 0840	3-Nitrophenol [ <sup>14</sup> C(U)]		
ARC 0841	Cysteine, L-[1- <sup>14</sup> C]		
ARC 0843	Taurocholic acid [24- <sup>14</sup> C]		
ARC 0844	Baclofen (-) [butyl-4- <sup>14</sup> C]		
ARC 0845	Xanthine [8- <sup>14</sup> C]		
ARC 0846	Methylmalonic acid [methyl- <sup>14</sup> C]		
ARC 0847	Methylmalonyl, DL-2-[methyl- <sup>14</sup> C] Coenzyme A		



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 1000	Hydroxy-3-methylglutaryl, DL-3-[3- <sup>14</sup> C] Coenzyme A	ARC 1058	Ammonium bicarbonate [ <sup>14</sup> C]
ARC 1001	n-Butylbromide [1- <sup>14</sup> C] (1-Bromobutane [1- <sup>14</sup> C])	ARC 1059	Ribose, L-[1- <sup>14</sup> C]
ARC 1002	Phenylglycine, D-[1- <sup>14</sup> C]	ARC 1060	4-Methoxybenzene sulfonyl chloride [ring- <sup>14</sup> C(U)]
ARC 1003	Phenylglycine, L-[1- <sup>14</sup> C]	ARC 1063	Anisole [ring- <sup>14</sup> C(U)]
ARC 1004	Phenylglycine, DL-[1- <sup>14</sup> C]	ARC 1064	4-Methoxybenzene sulfonic acid [ring- <sup>14</sup> C(U)]
ARC 1006	2,3,5,6-Tetrachloropyridine [2,6- <sup>14</sup> C]	ARC 1065	5-Hydroxybenzoic acid [carboxyl- <sup>14</sup> C]
ARC 1007	Pentachloropyridine [2,6- <sup>14</sup> C]	ARC 1066	9-Fluorencarboxylic acid [carboxyl- <sup>14</sup> C]
ARC 1009	Cyanogen bromide [ <sup>14</sup> C]	ARC 1067	Benzyl bromide [ring- <sup>14</sup> C(U)]
ARC 1011	2-Methylisoborneol [methyl- <sup>14</sup> C]	ARC 1070	Phthalic anhydride [ring- <sup>14</sup> C(U)]
ARC 1012	4-Cyano 2,6-diiodophenol [cyano- <sup>14</sup> C]	ARC 1071	5-Amino-2,4-dichlorophenol [ <sup>14</sup> C(U)]
ARC 1013	Oxamic acid [ <sup>14</sup> C(U)]	ARC 1072	Hippuric acid [glycyl-1- <sup>14</sup> C]
ARC 1014	2,3,6-Trichloropyridine [2,6- <sup>14</sup> C]	ARC 1073	N-Octanoyl [1- <sup>14</sup> C] sphingosine-D- <i>erythro</i>
ARC 1015	Ethyl 3-hydroxybenzoate [carboxyl- <sup>14</sup> C]	ARC 1074	Benzaldehyde [carbonyl- <sup>14</sup> C]
ARC 1016	Acrylamide [2,3- <sup>14</sup> C]	ARC 1076	N-Hexanoyl [1- <sup>14</sup> C] sphingosine-D- <i>erythro</i>
ARC 1017	Bromoacetyl bromide [1- <sup>14</sup> C]	ARC 1077	Potassium carbonate [ <sup>14</sup> C]
ARC 1018	<i>trans,cis</i> Farnesyl [1- <sup>14</sup> C] pyrophosphate triammonium salt	ARC 1078	Propionic acid [3- <sup>14</sup> C] sodium salt
ARC 1020	(±)-1,2-Butanediol [1- <sup>14</sup> C]	ARC 1079	Trifluoroacetic acid [1- <sup>14</sup> C] sodium salt
ARC 1021	2-Hydroxybutyric acid [1- <sup>14</sup> C] sodium salt	ARC 1080	3-Methylxanthine [8- <sup>14</sup> C]
ARC 1023	Benzyl alcohol [ring- <sup>14</sup> C(U)]	ARC 1081	Arginine, DL-[1- <sup>14</sup> C]
ARC 1024	N-Acetyl [1- <sup>14</sup> C] sphingosine-D- <i>erythro</i>	ARC 1082	Methyl bromoacetate [1- <sup>14</sup> C]
ARC 1025	Hydroxybutyric acid, D-(-)-β-[3- <sup>14</sup> C] potassium salt	ARC 1083	Benzyl methyl malonate [2- <sup>14</sup> C]
ARC 1030	2,6-Dichloropyridine [2,6- <sup>14</sup> C]	ARC 1085	Mevalonolactone, RS-[1- <sup>14</sup> C]
ARC 1031	2,6-Diaminopimelic acid [carboxyl- <sup>14</sup> C]	ARC 1087	Benzamide [7- <sup>14</sup> C]
ARC 1032	3-Nitrosalicylic acid [ring- <sup>14</sup> C(U)]	ARC 1088	Aspartic acid, DL-[4- <sup>14</sup> C]
ARC 1033	N-FMOC-L-Phenylalanine [1- <sup>14</sup> C]	ARC 1089	1,2-Phosphatidylcholine, L-α-diarachidonyl [diarachidonyl-1- <sup>14</sup> C]
ARC 1034	Isopropylamine [2- <sup>14</sup> C] hydrochloride	ARC 1090	2,2-Dichloroethanol [1- <sup>14</sup> C]
ARC 1035	4-Nitroanthranilic acid [carboxyl- <sup>14</sup> C]	ARC 1091	2,4-Thiazolidinedione [2- <sup>14</sup> C]
ARC 1036	γ-Linolenic acid 6,9,12 [1- <sup>14</sup> C]	ARC 1092	1,1,2,2-Tetrachloroethylene [1,2- <sup>14</sup> C]
ARC 1037	Tartaric acid, DL-[1,4- <sup>14</sup> C]	ARC 1093	1-Hexadecanol, n-[1- <sup>14</sup> C]
ARC 1038	Putrescine [2,3- <sup>14</sup> C] dihydrochloride	ARC 1094	N-FMOC-D-Leucine [1- <sup>14</sup> C]
ARC 1040	Bicuculline methyl chloride, (-)-[methyl- <sup>14</sup> C]	ARC 1096	4-Methylvaleric acid [1- <sup>14</sup> C]
ARC 1041	Arabinose, L-[1- <sup>14</sup> C]	ARC 1097	Methyl dichloroacetate [1- <sup>14</sup> C]
ARC 1042	4-Cyanophenol [cyano- <sup>14</sup> C]	ARC 1098	4,4'-Methylenedianiline [ring- <sup>14</sup> C(U)]
ARC 1043	Phenylguanidine bicarbonate [ <sup>14</sup> C]	ARC 1100	1,1,2,2-Tetrachloroethane [1,2- <sup>14</sup> C]
ARC 1044	Ibuprofen, R(-)-[carboxyl- <sup>14</sup> C]	ARC 1101	Trichloroethylene [1,2- <sup>14</sup> C]
ARC 1045	Ibuprofen, S(+)-[carboxyl- <sup>14</sup> C]	ARC 1103	4,6-Dinitro- <i>o</i> -cresol [ring- <sup>14</sup> C(U)]
ARC 1046	Ibuprofen, RS-[carboxyl- <sup>14</sup> C]	ARC 1104	Phosphoryl ethanolamine [1,2- <sup>14</sup> C]
ARC 1047	Phthalic anhydride [carbonyl- <sup>14</sup> C]	ARC 1105	4-Nitrobenzoic acid [carboxyl- <sup>14</sup> C]
ARC 1048	Sulphatide [stearoyl-1- <sup>14</sup> C]	ARC 1106	1-Bromooctane [1- <sup>14</sup> C]
ARC 1049	2-Toluic acid [carboxyl- <sup>14</sup> C]	ARC 1109	N-FMOC-D-Phenylalanine [1- <sup>14</sup> C]
ARC 1050	Tyrosine, D-[1- <sup>14</sup> C]	ARC 1110	N-FMOC-D-Alanine [1- <sup>14</sup> C]
ARC 1051	D-Phenylalanine L-glutamic acid [ <sup>14</sup> C(U)]	ARC 1111	4-Phenylbutyric acid [1- <sup>14</sup> C]
ARC 1053	N-FMOC-L-Aspartic acid [ <sup>14</sup> C(U)]	ARC 1112	α-Tetralone [1- <sup>14</sup> C]
ARC 1054	5-Nitrosalicylic acid [ring- <sup>14</sup> C(U)]	ARC 1113	Catechol [ <sup>14</sup> C(U)]
ARC 1056	Deoxybenzoin [benzene- <sup>14</sup> C(U)]	ARC 1114	Formic acid [ <sup>14</sup> C]
ARC 1057	Phthalic acid [carboxyl- <sup>14</sup> C]	ARC 1115	Phenacetin [ring- <sup>14</sup> C(U)]
		ARC 1116	Phenylalanine, D-[1- <sup>14</sup> C]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 1117	Polyaspartic acid, L-[ <sup>14</sup> C(U)] sodium salt	ARC 1169	3,4-Dimethoxybenzoic acid [carboxyl- <sup>14</sup> C]
ARC 1118	Hydrocortisone [4- <sup>14</sup> C]	ARC 1170	t-Butyl chloride [1- <sup>14</sup> C]
ARC 1119	Diphenylacetic acid [1- <sup>14</sup> C]	ARC 1171	Myristyl alcohol [1- <sup>14</sup> C]
ARC 1120	Trimethylacetic acid [1- <sup>14</sup> C]	ARC 1172	1H (3,5-Dimethylpyrazole)-1-carboxamide, [ <sup>14</sup> C] hydrochloride
ARC 1121	Fructose [ <sup>14</sup> C(U)] 6-phosphate disodium salt	ARC 1174	2-Chloropropionic acid [1- <sup>14</sup> C]
ARC 1122	Cyclohexanone [1- <sup>14</sup> C]	ARC 1175	1-Amino-cyclopropane-1-carboxylic acid, [carboxyl- <sup>14</sup> C]
ARC 1124	Methyl trimethylacetate [1- <sup>14</sup> C]	ARC 1176	Carbohydrazide [carbonyl- <sup>14</sup> C]
ARC 1125	Cyanoguanidine [ <sup>14</sup> C(U)]	ARC 1177	16 $\alpha$ -Bromo-3 $\beta$ -hydroxy-5 $\alpha$ -[4- <sup>14</sup> C] androstane-17-one
ARC 1126	Propylamine, n-[1- <sup>14</sup> C] hydrochloride	ARC 1178	Valeric acid [1- <sup>14</sup> C] sodium salt
ARC 1127	Diethyl oxalate [ <sup>14</sup> C]	ARC 1180	Adenosine 5'-monophosphate [8- <sup>14</sup> C] diammonium salt
ARC 1128	2-Mercaptoethanol [1- <sup>14</sup> C]	ARC 1181	Mannose, D-[1- <sup>14</sup> C] 6-phosphate disodium salt
ARC 1129	Carbamyl phosphate [ <sup>14</sup> C] dilithium salt	ARC 1182	N-t-BOC-Glycine [1- <sup>14</sup> C]
ARC 1130	3,4-Dihydroxybenzoic acid [carboxyl- <sup>14</sup> C]	ARC 1183	Thiosemicarbazide [ <sup>14</sup> C]
ARC 1131	Diethyl methylphosphonate [methyl- <sup>14</sup> C]	ARC 1184	5-Benzylisothiosemicarbazide [carbazide- <sup>14</sup> C] hydrobromide
ARC 1132	Carbon tetrachloride [ <sup>14</sup> C]	ARC 1185	Anandamide [arachidonoyl-1- <sup>14</sup> C]
ARC 1133	4-Hydroxy-3-methoxybenzoic acid [1- <sup>14</sup> C]	ARC 1186	Hexanoyl [1- <sup>14</sup> C] Coenzyme A
ARC 1134	Pentachlorophenol [ <sup>14</sup> C(U)]	ARC 1187	Homoserine, DL-[1- <sup>14</sup> C]
ARC 1135	Nerol [1- <sup>14</sup> C]	ARC 1188	tert-Butyl acetoacetate, t-[3- <sup>14</sup> C]
ARC 1136	Lactic acid, L-[ <sup>14</sup> C(U)] methyl ester	ARC 1189	Decane, n-[1- <sup>14</sup> C]
ARC 1137	N,N-Dimethylbutylamine [methyl- <sup>14</sup> C] hydrochloride	ARC 1190	Glyoxal [ <sup>14</sup> C(U)]
ARC 1139	2-Bromoethanol [1- <sup>14</sup> C]	ARC 1191	Eicosadienoic acid 11,14 [1- <sup>14</sup> C]
ARC 1140	2-Hydroxynicotinic acid [2- <sup>14</sup> C]	ARC 1192	Methyl acetimidate [ <sup>14</sup> C] hydrochloride
ARC 1141	1,3-Dimethyl-2-thiourea [2- <sup>14</sup> C]	ARC 1193	4-Isopropylbenzoic acid [carboxyl- <sup>14</sup> C]
ARC 1143	1,3-Dicyclohexylcarbodiimide [ <sup>14</sup> C]	ARC 1195	Linoleoyl 9,12 [1- <sup>14</sup> C] Coenzyme A
ARC 1144	1,2-Diheptanoyl- <i>sn</i> -glycero-3-phosphocholine [methyl- <sup>14</sup> C]	ARC 1196	Docosapentaenoic acid 7,10,13,16,19 [1- <sup>14</sup> C]
ARC 1146	2-(S)-Methylsulfonyloxypropionic acid [ <sup>14</sup> C(U)] methyl ester	ARC 1197	2,4-Dichlorobenzoic acid [ring- <sup>14</sup> C(U)]
ARC 1147	$\Delta$ -11 Eicosenoic acid [1- <sup>14</sup> C]	ARC 1198	2-Ethylhexyl acrylate [1- <sup>14</sup> C]
ARC 1148	Chloropropamide [propyl-1- <sup>14</sup> C]	ARC 1199	Hydroxy-3-methylglutaric acid [3- <sup>14</sup> C]
ARC 1149	Triethylorthoacetate [acetate-1- <sup>14</sup> C]	ARC 1200	6,7-Dimethoxy 3',3',5'-trihydroxyflavone [3- <sup>14</sup> C]
ARC 1150	Methionine, L-[1- <sup>14</sup> C] methyl ester hydrochloride	ARC 1201	3-Chlorobenzoic acid [carboxyl- <sup>14</sup> C]
ARC 1151	1-Methyl-2-thiourea [2- <sup>14</sup> C]	ARC 1202	3-Chlorobenzyl alcohol [methylene- <sup>14</sup> C]
ARC 1152	Lactose [D-glucose- <sup>14</sup> C(U)]	ARC 1203	3-Chlorobenzaldehyde [carbonyl- <sup>14</sup> C]
ARC 1153	Triethylamine [ethyl-1- <sup>14</sup> C]	ARC 1204	5-Chloro-2-nitrobenzaldehyde [carbonyl- <sup>14</sup> C]
ARC 1153A	Triethylamine [ethyl-1- <sup>14</sup> C] hydrochloride	ARC 1205	D-Alanine D-alanine [1- <sup>14</sup> C]
ARC 1155	N,N-Diethylamide [1- <sup>14</sup> C]	ARC 1206	3-Methyl [3- <sup>14</sup> C] 1,2,4-triazole
ARC 1157	Ricinoleic acid [1- <sup>14</sup> C]	ARC 1209	Tetracosatetraenoic acid 9,12,15,18 [1- <sup>14</sup> C] (24:4, n-6)
ARC 1158	Glycyl [1- <sup>14</sup> C] sarcosine	ARC 1210	5-Methoxy-1,3,4-thiadiazol-[2H] one-1 [carbonyl- <sup>14</sup> C]
ARC 1159	Octyl aldehyde [carbonyl- <sup>14</sup> C]	ARC 1212	Butyric anhydride, n-[1- <sup>14</sup> C]
ARC 1160	2-Undecanone [2- <sup>14</sup> C]	ARC 1213	Ketoglutaric acid, $\alpha$ -[5- <sup>14</sup> C] sodium salt
ARC 1161	Platelet activating factor [acetyl- <sup>14</sup> C]	ARC 1214	Arginine, L-[guanido- <sup>14</sup> C]
ARC 1162	2,4-Diaminotoluene [ring- <sup>14</sup> C(U)]	ARC 1215	Octacosanoic acid [1- <sup>14</sup> C]
ARC 1163	2,4-Dinitrotoluene [ring- <sup>14</sup> C(U)]	ARC 1216	Colchicine [ring-C, methoxy- <sup>14</sup> C]
ARC 1165	Elaidic acid [1- <sup>14</sup> C]		
ARC 1166	4-Bromophenyl isocyanate [carbonyl- <sup>14</sup> C]		
ARC 1167	Potassium bicarbonate [ <sup>14</sup> C]		
ARC 1168	5-Aminotetrazole [5- <sup>14</sup> C]		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 1217	Guanosine diphosphate mannose, D-[ <sup>14</sup> C(U)]	ARC 1280	Propylene oxide [1,2- <sup>14</sup> C]
ARC 1218	4-Thiouridine [2- <sup>14</sup> C]	ARC 1281	Nicotine, DL-[N-methyl] <sup>14</sup> C]
ARC 1219	Thymidine [2- <sup>14</sup> C]	ARC 1282	Picolinic acid [carboxy- <sup>14</sup> C]
ARC 1221	Glyoxime [ <sup>14</sup> C(U)]	ARC 1283	Eicosatetraenoic acid 8,11,14,17 [1- <sup>14</sup> C]
ARC 1222	4-Hexylresorcinol [resorcinol- <sup>14</sup> C(U)]	ARC 1287	Uridine 5'-triphosphate [2- <sup>14</sup> C] tetra-ammonium salt
ARC 1227	Uridine [2- <sup>14</sup> C]	ARC 1288	Parathion [ring- <sup>14</sup> C(U)]
ARC 1228	Agmatine [guanido- <sup>14</sup> C]	ARC 1291	N-t-BOC-D-Serine [1- <sup>14</sup> C]
ARC 1229	Lindane [ <sup>14</sup> C(U)]	ARC 1292	N-t-BOC-L-Serine [1- <sup>14</sup> C]
ARC 1230	Uridine 5'-monophosphate [2- <sup>14</sup> C] diammonium salt	ARC 1293	Methyl parathion [ring- <sup>14</sup> C(U)]
ARC 1231	Thiouracil [2- <sup>14</sup> C]	ARC 1294	Propanil [carbonyl- <sup>14</sup> C]
ARC 1232	Tetradecenoic acid [1- <sup>14</sup> C] (5-14:1)	ARC 1297	Methane [ <sup>14</sup> C]
ARC 1233	Tetradecadienoic acid 5,8 [1- <sup>14</sup> C] (14:2)	ARC 1298	2-Acetamidophenol [ring- <sup>14</sup> C(U)]
ARC 1234	N-Benzyl [7- <sup>14</sup> C] 4-phenylpyridinium bromide	ARC 1301	Codeine [N-methyl- <sup>14</sup> C]
ARC 1237	N-Lauroyl [1- <sup>14</sup> C] sphingosine-D- <i>erythro</i>	ARC 1302	Methylmercury (II) chloride [ <sup>14</sup> C]
ARC 1238	Methyl-2-bromopropionate [2- <sup>14</sup> C]	ARC 1303	Phosphatidic acid, L- $\alpha$ -dioleoyl [2-oleoyl-1- <sup>14</sup> C]
ARC 1240	Trilinolenin [linolenic-1- <sup>14</sup> C]	ARC 1307	Methoxychlor [ring- <sup>14</sup> C(U)]
ARC 1242	4-Anisic acid [carboxyl- <sup>14</sup> C]	ARC 1308	Mepiquat chloride [N-methyl- <sup>14</sup> C]
ARC 1243	Imidazole [2- <sup>14</sup> C]	ARC 1309	4,4'-DDE [ring- <sup>14</sup> C(U)]
ARC 1244	Asparagine, L-[ <sup>14</sup> C(U)]	ARC 1310	4,4'-DDT [ring- <sup>14</sup> C(U)]
ARC 1245	Phenylglycine, D-[1- <sup>14</sup> C] methyl ester hydrochloride	ARC 1311	Paraquat [methyl- <sup>14</sup> C] dichloride hydrate
ARC 1246	Hydroxypalmitic acid, $\alpha$ -DL-[1- <sup>14</sup> C]	ARC 1312	Glyphosate [glycine-2- <sup>14</sup> C]
ARC 1248	2-(2,3,4,6-Tetramethylphenyl) acetic acid [2- <sup>14</sup> C]	ARC 1313	Glyphosate [phosphonomethyl- <sup>14</sup> C]
ARC 1249	Trehalose, $\alpha$ -D-[ <sup>14</sup> C(U)]	ARC 1314	Sarcosine [N-methyl- <sup>14</sup> C]
ARC 1250	Triethylorthopropionate [propyl-1- <sup>14</sup> C]	ARC 1315	Guanidine [ <sup>14</sup> C(U)] carbonate
ARC 1251	S-Methyl-N-nitro isothiourea [ <sup>14</sup> C]	ARC 1316	Methionine, D-[methyl- <sup>14</sup> C]
ARC 1252	Nicotine, D-[N-methyl] <sup>14</sup> C]	ARC 1317	Methionine, D-[1- <sup>14</sup> C]
ARC 1253	Hexacosanoic acid [1- <sup>14</sup> C]	ARC 1318	Neopentyl alcohol [1- <sup>14</sup> C]
ARC 1254	3-Anisic acid [carboxyl- <sup>14</sup> C]	ARC 1319	Deoxy-D-glucose, 2-[1- <sup>14</sup> C] 6-phosphate disodium salt
ARC 1258	Thiophenol [ <sup>14</sup> C(U)]	ARC 1321	Citronellol, DL-[1- <sup>14</sup> C]
ARC 1259	1,1' Carbonyldiimidazole [carbonyl- <sup>14</sup> C]	ARC 1322	n-Decanoyl [1- <sup>14</sup> C] Coenzyme A
ARC 1260	Naphthalene [1- <sup>14</sup> C]	ARC 1323	(+)- $\alpha$ -Tocopherol acetate [acetyl-1- <sup>14</sup> C]
ARC 1261	Octadecane [1- <sup>14</sup> C]	ARC 1324, A	17 $\beta$ -Estradiol [4- <sup>14</sup> C]
ARC 1262	Sodium cyanate [ <sup>14</sup> C]	ARC 1325	L-Valine L-proline [ <sup>14</sup> C(U)] L-proline
ARC 1263, B	Polyethylene glycol [ <sup>14</sup> C]	ARC 1327	2-Hydroxy-4-(methylthio) butyric acid, DL-[1- <sup>14</sup> C]
ARC 1264	Butylbenzyl phthalate [ring- <sup>14</sup> C(U)]	ARC 1328	Methionine, DL-[1- <sup>14</sup> C]
ARC 1265	4-Bromophenol [ring- <sup>14</sup> C(U)]	ARC 1329	Diethyl phthalate [carbonyl- <sup>14</sup> C]
ARC 1267	Meldrum's acid [1- <sup>14</sup> C]	ARC 1331	Glucocerebroside [stearoyl-1- <sup>14</sup> C]
ARC 1268	Hydroxycholesterol, 25-[26- <sup>14</sup> C]	ARC 1332	N-Acetyl [1- <sup>14</sup> C] L-aspartic acid
ARC 1270	Mevalonic acid-5-phosphate, R-[1- <sup>14</sup> C]	ARC 1333	Cytidine 5'-monophosphate [2- <sup>14</sup> C] diammonium salt
ARC 1271	1-Aminocyclobutane-1-carboxylic acid [carboxyl <sup>14</sup> C]	ARC 1334	2'-Deoxyuridine [2- <sup>14</sup> C]
ARC 1272	2-Methylthiophene [methyl- <sup>14</sup> C]	ARC 1336	Hexadecylhexadecanoate [carbonyl- <sup>14</sup> C]
ARC 1273	Cyclohexane carboxylic acid [carboxyl- <sup>14</sup> C]	ARC 1337	Pyridostigmine iodide [pyridine N-methyl- <sup>14</sup> C]
ARC 1275	( $\alpha,\alpha,\alpha$ -Trifluoro- <i>o</i> -tolyl) acetic acid [1- <sup>14</sup> C]	ARC 1338	Phenylhydrazine [ring- <sup>14</sup> C(U)] hydrochloride
ARC 1277	Arginine, D-[1- <sup>14</sup> C]	ARC 1341	Diethyl carbonate [carbonyl <sup>14</sup> C]
ARC 1278	Carnosine, L-[ $\beta$ -alanine-3- <sup>14</sup> C]	ARC 1342	Nitroethane [1- <sup>14</sup> C]
ARC 1279	N-Methyldiethanolamine [methyl- <sup>14</sup> C]		



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 1344	<i>t</i> -Butyl bromoacetate [2- <sup>14</sup> C]	ARC 1398, A	Progesterone [4- <sup>14</sup> C]
ARC 1345	Fyrol FR-2 [ <sup>14</sup> C]	ARC 1399	Carboxymethyl starch [methyl- <sup>14</sup> C]
ARC 1346	Thiothymine [2- <sup>14</sup> C]	ARC 1400	Cysteine, D-[1- <sup>14</sup> C]
ARC 1347	Thymine [2- <sup>14</sup> C]	ARC 1401	3-Bromoaniline [ <sup>14</sup> C(U)] hydrochloride
ARC 1348	Ethyl isothiocyanatoformate [1- <sup>14</sup> C]	ARC 1402	3-Bromophenol [ring- <sup>14</sup> C(U)]
ARC 1349	N-FMOC-Aminocyclohexane carboxylic acid, 1-[carboxyl- <sup>14</sup> C]	ARC 1403	3-Bromoanisole [ring- <sup>14</sup> C(U)]
ARC 1350	2-Nitroacetanilide [ring- <sup>14</sup> C(U)]	ARC 1404	3-Bromonitrobenzene [ring- <sup>14</sup> C(U)]
ARC 1351	Chlorpyrifos [pyridine-2,6- <sup>14</sup> C]	ARC 1405	Veratrole [ring- <sup>14</sup> C(U)]
ARC 1352	Hexadecatrienoic acid 4,7,10 [1- <sup>14</sup> C]	ARC 1406	3'-Trifluoromethyl acetophenone [carbonyl- <sup>14</sup> C]
ARC 1353	Tetracosatetraenoic acid 9,12,15,18 [3- <sup>14</sup> C] (24:4, n-6)	ARC 1407	Nitroguanidine [ <sup>14</sup> C]
ARC 1355	Docosatetraenoic acid 7,10,13,16 [3- <sup>14</sup> C] (22:4)	ARC 1409	Pyridine [2,6- <sup>14</sup> C] hydrochloride
ARC 1356	Tetracosapentaenoic acid 9,12,15,18,21 [3- <sup>14</sup> C] (24:5, n-3)	ARC 1410	Dextran [methyl- <sup>14</sup> C]
ARC 1358	Eicosatrienoic acid 5,11,14 [1- <sup>14</sup> C] (20:3)	ARC 1411	3-Pyridinecarboxaldehyde [carbonyl- <sup>14</sup> C]
ARC 1360, A	Terephthalic acid [carboxyl- <sup>14</sup> C]	ARC 1412	Procainamide [carbonyl- <sup>14</sup> C] hydrochloride
ARC 1361	1,2-Benzenedimethanol [methylene- <sup>14</sup> C]	ARC 1413	Cortisone [4- <sup>14</sup> C]
ARC 1362	$\alpha,\alpha'$ -Dichloro- <i>p</i> -xylene [methylene- <sup>14</sup> C]	ARC 1414	4-Hydroxybenzoic acid [carboxyl- <sup>14</sup> C] methyl ester
ARC 1364	Phenylpiperidine, 4-[phenyl- <sup>14</sup> C(U)]	ARC 1415	Phthalic dicarboxaldehyde [ring- <sup>14</sup> C(U)]
ARC 1365	Norleucine, D-[1- <sup>14</sup> C]	ARC 1416	<i>t</i> -Butyl bromoacetate [1,2- <sup>14</sup> C]
ARC 1366	Norleucine, L-[1- <sup>14</sup> C]	ARC 1418	1,2-Dichloroethylene, ( <i>cis,trans</i> ) [1,2- <sup>14</sup> C]
ARC 1367	Semicarbazide [ <sup>14</sup> C] hydrochloride	ARC 1419	Ethyl 3,4-dihydroxybenzoate [carboxyl- <sup>14</sup> C]
ARC 1370	2-Amino-4,6-dimethoxypyrimidine [2- <sup>14</sup> C]	ARC 1420	3-Aminopropanol [1- <sup>14</sup> C]
ARC 1371	Thiophene [2,5- <sup>14</sup> C]	ARC 1421	Methyl nicotinate [carboxyl- <sup>14</sup> C]
ARC 1372	Carboxymethylcellulose [methyl- <sup>14</sup> C]	ARC 1422	2'-Deoxyadenosine [8- <sup>14</sup> C]
ARC 1374	1,2-Dioctanoyl [1- <sup>14</sup> C] <i>rac</i> -glycerol	ARC 1423	3,4-Diaminobenzoic acid [1- <sup>14</sup> C]
ARC 1376	Ethylamine [1- <sup>14</sup> C] hydrochloride	ARC 1424	3-Hydroxydecanoic acid [1- <sup>14</sup> C]
ARC 1377	Caffeine [8- <sup>14</sup> C]	ARC 1425	N-FMOC-L-Phenylalanine [ <sup>14</sup> C(U)]
ARC 1378	4-Fluorobenzaldehyde [carbonyl- <sup>14</sup> C]	ARC 1426	Diethyl phthalate [ring- <sup>14</sup> C(U)]
ARC 1379	Uridine diphosphate N-acetyl [1- <sup>14</sup> C] D-galactosamine	ARC 1427	1,2-Benzene dimethanol [ring- <sup>14</sup> C(U)]
ARC 1380	Alanine, $\beta$ -[2,3- <sup>14</sup> C]	ARC 1428	3-Bromobenzonitrile [cyano- <sup>14</sup> C]
ARC 1381	N-Acetyl-5'-methoxy [O-methyl- <sup>14</sup> C] tryptamine	ARC 1429	Bromoacetic acid [1,2- <sup>14</sup> C]
ARC 1382	Anandamide [ethanolamine-1,2- <sup>14</sup> C]	ARC 1430	5-Methoxy indole-3-carboxaldehyde [3- <sup>14</sup> C]
ARC 1383	4-Fluorobenzonitrile [nitrile- <sup>14</sup> C]	ARC 1431	3-Bromobenzaldehyde [carbonyl- <sup>14</sup> C]
ARC 1384	2-Bromoacetamide [1- <sup>14</sup> C]	ARC 1432	Betaine [methyl- <sup>14</sup> C]
ARC 1385	5-Bromopyrimidine [2- <sup>14</sup> C]	ARC 1433	Phosphatidylcholine, L- $\alpha$ -1-palmitoyl-2-erucoyl [erucoyl-1- <sup>14</sup> C]
ARC 1386	Rhodanine-3-acetic acid [5- <sup>14</sup> C]	ARC 1434	3-Bromobenzoic acid [7- <sup>14</sup> C]
ARC 1387	2-Phenylethylbromide [ring- <sup>14</sup> C(U)]	ARC 1435	3-Bromobenzyl alcohol [7- <sup>14</sup> C]
ARC 1388	1,3-Diaminopropane [1,3- <sup>14</sup> C] dihydrochloride	ARC 1436	3-Hydroxybutyryl [1- <sup>14</sup> C] Coenzyme A
ARC 1389	(R)-(-)-2-Amino-1-propanol [D-alaninol-1- <sup>14</sup> C] hydrochloride	ARC 1437	3-Hydroxydecanoyl [1- <sup>14</sup> C] Coenzyme A
ARC 1390	(R)-(+)-Methanandamide [1- <sup>14</sup> C]	ARC 1438	Amobarbital [2- <sup>14</sup> C]
ARC 1392	Androst-4-ene-3,17-dione [4- <sup>14</sup> C]	ARC 1439	Methionine, DL-[methyl- <sup>14</sup> C]
ARC 1393	Cholesteryl [4- <sup>14</sup> C] oleate	ARC 1440	Methallyl chloride [ <sup>14</sup> C]
ARC 1394	Dehydroepiandrosterone [4- <sup>14</sup> C]	ARC 1441	Taxol [2-benzoyl ring- <sup>14</sup> C(U)]
ARC 1396	Dihydrotestosterone [4- <sup>14</sup> C]	ARC 1442	Diazepam [N-methyl- <sup>14</sup> C]
ARC 1397	Estrone [4- <sup>14</sup> C]	ARC 1443	4,4-Dichlorobenzophenone [carbonyl- <sup>14</sup> C]
		ARC 1444	Methoxy [ <sup>14</sup> C] polyethylene glycol
		ARC 1445	Dextromethorphan [O-methyl- <sup>14</sup> C]
		ARC 1446	Naproxen [O-methyl- <sup>14</sup> C]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 1447	Valinol [1- <sup>14</sup> C]	ARC 1505	N-t-BOC-L-Alaninol [1- <sup>14</sup> C]
ARC 1448	n-Eicosanoic acid [1- <sup>14</sup> C]	ARC 1506	2-Bromoacetamide [2- <sup>14</sup> C]
ARC 1449	Metronidazole [hydroxyethyl-1- <sup>14</sup> C]	ARC 1507	3,5-Dichlorobenzene [ring- <sup>14</sup> C(U)] sulfonyl chloride
ARC 1451	3-Phenyl propionic acid [1- <sup>14</sup> C]	ARC 1508	N-Methyl [ <sup>14</sup> C] D-aspartic acid
ARC 1452	4-Bromotoluene [ring- <sup>14</sup> C(U)]	ARC 1509	3-Amino-5-hydroxybenzoic acid [1- <sup>14</sup> C]
ARC 1453	Galactocerebroside [stearoyl-1- <sup>14</sup> C]	ARC 1510	Cotinine, L-[N-methyl- <sup>14</sup> C]
ARC 1454	Cyclopentanecarboxylic acid [carboxyl-- <sup>14</sup> C]	ARC 1511	N-t-BOC-L-Valine [ <sup>14</sup> C(U)]
ARC 1455	3-Hydroxybutyric acid [1- <sup>14</sup> C] sodium salt	ARC 1512	Iodoacetamide [2- <sup>14</sup> C]
ARC 1456	Urethane [carbonyl- <sup>14</sup> C]	ARC 1513	2,4,6-Trinitrophenol [ring- <sup>14</sup> C(U)]
ARC 1457	1-Cyano-1 <i>H</i> -1,2,3-benzotriazole [cyano- <sup>14</sup> C]	ARC 1514	Cystine, L-[1- <sup>14</sup> C]
ARC 1460	Acetophenone [ring- <sup>14</sup> C(U)]	ARC 1515	Pyroglutamic acid, L-[ <sup>14</sup> C(U)]
ARC 1461	2-Phenyl propionic acid [1- <sup>14</sup> C]	ARC 1516	Ethanol [ <sup>14</sup> C(U)]
ARC 1462	3,5-Dimethyl- <i>p</i> -hydroxybenzaldehyde [carbonyl- <sup>14</sup> C]	ARC 1517	Piperidine [2,6- <sup>14</sup> C] dihydrochloride
ARC 1463	Vanillin [carbonyl- <sup>14</sup> C]	ARC 1518	2-Aminophenol [ring- <sup>14</sup> C(U)] hydrochloride
ARC 1464	Phosphatidylcholine, L- $\alpha$ -dimyristoyl [choline methyl- <sup>14</sup> C]	ARC 1520	Myristyl sulfate [1- <sup>14</sup> C] sodium salt
ARC 1465	N-Isopropylaniline [ring- <sup>14</sup> C(U)] hydrochloride	ARC 1521	4-Trifluoromethylphenyl guanidine [ <sup>14</sup> C] hydrochloride
ARC 1466	Methyl-2-cyaniondole-7-carboxylate, [cyano- <sup>14</sup> C]	ARC 1522	Procystein [L-cystein-1- <sup>14</sup> C]
ARC 1467	2,4-Dichlorobenzoic acid [carboxyl- <sup>14</sup> C]	ARC 1523	N-Methyl piperidone [carbonyl- <sup>14</sup> C] hydrochloride
ARC 1468	Isovaleramide [1- <sup>14</sup> C]	ARC 1524	N-FMOC-L-Valine [ <sup>14</sup> C(U)]
ARC 1469	N-Hexadecylamine [1- <sup>14</sup> C] hydrochloride	ARC 1525	Scopolamine [N-methyl- <sup>14</sup> C] hydrochloride
ARC 1470	2-Ethylaniline [ring- <sup>14</sup> C(U)] hydrochloride	ARC 1528	Zinc cyanide [ <sup>14</sup> C]
ARC 1471	3-Hydroxyacetophenone [ring- <sup>14</sup> C(U)]	ARC 1529	4-Chlorobenzylamine [1- <sup>14</sup> C] hydrochloride
ARC 1472	Dichloroacetyl [2- <sup>14</sup> C] chloride	ARC 1530	$\alpha$ -Naphthoic acid [1- <sup>14</sup> C]
ARC 1473	Isovaleraldehyde [1- <sup>14</sup> C]	ARC 1531	Procystein [D-cystein-1- <sup>14</sup> C]
ARC 1474	4,4,4-Ethyl-trifluoroacetate [2- <sup>14</sup> C]	ARC 1532	N-Methyl-N [1-naphthyl-1- <sup>14</sup> C] amine hydrochloride
ARC 1475	1,3-Dichloroacetone [2- <sup>14</sup> C]	ARC 1535	3-Methyl-butanol [1- <sup>14</sup> C]
ARC 1480	2'-Deoxycytidine [2- <sup>14</sup> C]	ARC 1536	Isovaleryl chloride [1- <sup>14</sup> C]
ARC 1481	2'-Deoxyguanosine [8- <sup>14</sup> C]	ARC 1537	5-Methoxy-3-isopropylindole [2- <sup>14</sup> C]
ARC 1482	2'-Deoxyinosine [8- <sup>14</sup> C]	ARC 1539	Threonine phosphate, L-[ <sup>14</sup> C(U)]
ARC 1483	<i>n</i> -Octanoyl [1- <sup>14</sup> C] Coenzyme A	ARC 1540	Tetraethylammonium chloride [ethyl-1- <sup>14</sup> C]
ARC 1485	4-Bromobenzoic acid [carboxyl- <sup>14</sup> C]	ARC 1541	1,3,5-Triethylhexahydro-s-triazine, [methylene- <sup>14</sup> C]
ARC 1486	4-Bromobenzyl bromide [7- <sup>14</sup> C]	ARC 1542	Phenylglycine, L-[1- <sup>14</sup> C] methyl ester hydrochloride
ARC 1487	2-Anisidine [ring- <sup>14</sup> C(U)]	ARC 1543	4'-Bromoacetophenone [ring- <sup>14</sup> C(U)]
ARC 1488	4-Anisidine [ring- <sup>14</sup> C(U)]	ARC 1544	Diclofenac sodium [carboxyl- <sup>14</sup> C]
ARC 1490	Uridine 5'-diphosphate glucosamine [glucosamine- <sup>14</sup> C(U)]	ARC 1545	3-Hydroxybutyric acid [3- <sup>14</sup> C] sodium salt
ARC 1491	Adenosine 5'-diphospho-D-glucosamine [8- <sup>14</sup> C]	ARC 1546	Uridine 5'-triphosphate [2- <sup>14</sup> C] trisodium salt
ARC 1492	N,N,N-Trimethylsphingosine [N-methyl- <sup>14</sup> C]	ARC 1547	Graphite [ <sup>14</sup> C]
ARC 1497	Methylglyoxal [2- <sup>14</sup> C]	ARC 1548	Diethylstilbestrol [ring- <sup>14</sup> C(U)]
ARC 1498	Diisopropylamine [2- <sup>14</sup> C] hydrochloride	ARC 1550	5-Aminolevulinic acid [4- <sup>14</sup> C] hydrochloride
ARC 1501	1,4-Phenylene diamine [ring- <sup>14</sup> C(U)] dihydrochloride	ARC 1551	4-Methoxy-2-methyl acetanilide [ <sup>14</sup> C(U)]
ARC 1502	3,4-Dimethyl benzoic acid [1- <sup>14</sup> C]	ARC 1552	4-Methoxy-2-methyl aniline [ring- <sup>14</sup> C(U)]
ARC 1503	Trimellitic acid [carboxyl- <sup>14</sup> C]	ARC 1553	Phosphatidylcholine, L- $\alpha$ -1-palmitoyl-2-lineoleoyl [methyl- <sup>14</sup> C]
ARC 1504	N-t-BOC-L-Alanine [1- <sup>14</sup> C]		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 1554	Phosphatidylcholine, L- $\alpha$ -1-palmitoyl-2 lignoceryl [lignoceryl-1- $^{14}\text{C}$ ]	ARC 1605	<i>trans</i> -Cinnamic acid [ring- $^{14}\text{C}$ (U)]
ARC 1555	Dodecanethiol [1- $^{14}\text{C}$ ]	ARC 1607	2-Iodopropane [2- $^{14}\text{C}$ ]
ARC 1556	Dibutyl maleate [2,3- $^{14}\text{C}$ ]	ARC 1608	Pamidronic acid [1- $^{14}\text{C}$ ]
ARC 1557	5-Chloro-1-indanone [1- $^{14}\text{C}$ ]	ARC 1609	Mepiquat chloride [ring-2,6- $^{14}\text{C}$ ]
ARC 1558	Dibutyl [1- $^{14}\text{C}$ ] maleate	ARC 1610	$\alpha$ -Tocopherol glycinate, DL-[glycine-1- $^{14}\text{C}$ ]
ARC 1559	1-Octanethiol [1- $^{14}\text{C}$ ]	ARC 1611	Hexane, n-[1- $^{14}\text{C}$ ]
ARC 1561	2-Amino-5-fluorobenzoic acid [1- $^{14}\text{C}$ ]	ARC 1613	Cyclohexanol [1- $^{14}\text{C}$ ]
ARC 1562	Decylamine [1- $^{14}\text{C}$ ] hydrochloride	ARC 1614	4-Tolunitrile [ring- $^{14}\text{C}$ (U)]
ARC 1563	Didecylamine [1- $^{14}\text{C}$ ] hydrochloride	ARC 1615	3-O-Acetyl [1- $^{14}\text{C}$ ] L-carnitine hydrochloride
ARC 1564	N,N-Dimethylformamide [carbonyl- $^{14}\text{C}$ ] dimethyl acetal	ARC 1616	Ketoconazole [acetyl-1- $^{14}\text{C}$ ]
ARC 1565	Polyethylene glycol [1,2- $^{14}\text{C}$ ]	ARC 1617	3- <i>O</i> -Octanoyl [1- $^{14}\text{C}$ ] L-carnitine hydrochloride
ARC 1566	Ethyl amidinoacetate [ $^{14}\text{C}$ ] hydrochloride	ARC 1618, A	Alanine, D-[ $^{14}\text{C}$ (U)]
ARC 1568	Propionyl [1- $^{14}\text{C}$ ] Coenzyme A	ARC 1619	Phenylalanine, D-[ $^{14}\text{C}$ (U)]
ARC 1569	Ascorbic acid, L-[1- $^{14}\text{C}$ ]	ARC 1620	Alanine, DL-[1- $^{14}\text{C}$ ]
ARC 1570	4-Hydroxybenzoic acid [ring- $^{14}\text{C}$ (U)]	ARC 1621	Fenthion [ring- $^{14}\text{C}$ (U)]
ARC 1571	4-(2-Aminoethyl) morpholine [1- $^{14}\text{C}$ ]	ARC 1622	Propazine [ring- $^{14}\text{C}$ (U)]
ARC 1572	2-Ethyl-6-methylaniline [ring- $^{14}\text{C}$ (U)] hydrochloride	ARC 1623	Methyl-2-bromopropionate [1- $^{14}\text{C}$ ]
ARC 1574	Phosphatidic acid, L- $\alpha$ -dipalmitoyl [2-palmitoyl-1- $^{14}\text{C}$ ]	ARC 1624	Propanil [ring- $^{14}\text{C}$ (U)]
ARC 1576	Panthenol, D-[1- $^{14}\text{C}$ ]	ARC 1625	Tryptophan, D-[side chain-3- $^{14}\text{C}$ ]
ARC 1577	Caffeine [3-methyl- $^{14}\text{C}$ ]	ARC 1626	N,N-Dimethylethanolamine [1- $^{14}\text{C}$ ] hydrochloride
ARC 1578	5-Methyl-1H-benzotriazole [ring- $^{14}\text{C}$ (U)]	ARC 1627	Docetaxel [2-benzoyl, ring- $^{14}\text{C}$ (U)]
ARC 1579	2-Methylquinoline-4-carboxylic acid [2- $^{14}\text{C}$ ]	ARC 1628	2-Mono oleoyl [1- $^{14}\text{C}$ ] glycerol
ARC 1581	Bis-(2-ethylhexyl) terephthalate [carboxyl- $^{14}\text{C}$ ]	ARC 1629	<i>p</i> -Anisoyl chloride [carboxyl- $^{14}\text{C}$ ]
ARC 1582	Guanosine diphosphate glucose, D-[glucose- $^{14}\text{C}$ (U)]	ARC 1630	1,2-Dichloro-4-iodobenzene [ring- $^{14}\text{C}$ (U)]
ARC 1584	Thioacetamide [1- $^{14}\text{C}$ ]	ARC 1631	RS-(Tetrazol-5-yl) glycine [glycine-1- $^{14}\text{C}$ ]
ARC 1585	Acetonitrile [2- $^{14}\text{C}$ ]	ARC 1632	(RL)-Propamocarb 3-[dimethylamino propylamine-1- $^{14}\text{C}$ ] hydrochloride
ARC 1588	Aminobutyric acid, S-2-[carboxyl- $^{14}\text{C}$ ]	ARC 1635	N,N-Dimethylglycine [1- $^{14}\text{C}$ ] ethyl ester
ARC 1589	Aminobutyric acid, R-2-[carboxyl- $^{14}\text{C}$ ]	ARC 1637	3-Hydroxybenzophenone [ring- $^{14}\text{C}$ (U)]
ARC 1590	2-Amino-1-butanol, (S)-(+)-[1- $^{14}\text{C}$ ]	ARC 1638	3-Aminoacetophenone [ring- $^{14}\text{C}$ (U)]
ARC 1591	2-Amino-1-butanol, (R)-(-)-[1- $^{14}\text{C}$ ]	ARC 1639	3-Nitrobenzyl alcohol [ring- $^{14}\text{C}$ (U)]
ARC 1592	<i>t</i> -Butyl bromoacetate [1- $^{14}\text{C}$ ]	ARC 1640	3-Nitrotoluene [ring- $^{14}\text{C}$ (U)]
ARC 1593	Hexamethyldisilazane [methyl- $^{14}\text{C}$ ]	ARC 1641	<i>m</i> -Cresol [ring- $^{14}\text{C}$ (U)]
ARC 1594	3-Benzoylpropionic acid [ring- $^{14}\text{C}$ (U)]	ARC 1644	Cysteine, D-[1- $^{14}\text{C}$ ]
ARC 1595	1,4-Dihydroxynaphthalene [ring- $^{14}\text{C}$ (U)]	ARC 1647	2-Methyl-1,3-propanediol [methyl- $^{14}\text{C}$ ]
ARC 1596	Eicosatrienoyl 8,11,14 [1- $^{14}\text{C}$ ] Coenzyme A	ARC 1648	5-Chlorosalicylic acid [ring- $^{14}\text{C}$ (U)]
ARC 1597	2-Toluidine [ring- $^{14}\text{C}$ (U)]	ARC 1649	N-Octanoyl [1- $^{14}\text{C}$ ] phytosphingosine
ARC 1598	3-Toluidine [ring- $^{14}\text{C}$ (U)]	ARC 1650	N-Oleoyl [1- $^{14}\text{C}$ ] phytosphingosine
ARC 1599	4-Toluidine [ring- $^{14}\text{C}$ (U)]	ARC 1651	Acetyl [1- $^{14}\text{C}$ ] phytosphingosine, N
ARC 1600	3-Nitrobenzoic acid [ring- $^{14}\text{C}$ (U)]	ARC 1652	Acetyl [1- $^{14}\text{C}$ ] phytosphingosine-N-1-phosphate
ARC 1601	3,4-Diaminotoluene [ring- $^{14}\text{C}$ (U)]	ARC 1653	N-Octanoyl [1- $^{14}\text{C}$ ] phytosphingosine-1-phosphate
ARC 1602	4-Nitrotoluene [ring- $^{14}\text{C}$ (U)]	ARC 1654	N-Oleoyl [1- $^{14}\text{C}$ ] phytosphingosine-1-phosphate
ARC 1603	2-Nitrotoluene [ring- $^{14}\text{C}$ (U)]	ARC 1655	N-Acetyl [1- $^{14}\text{C}$ ] sphingosine-D- <i>erythro</i> -1-phosphate
ARC 1604	Phosphatidylcholine, L- $\alpha$ -1-palmitoyl-2-myristoyl [myristoyl-1- $^{14}\text{C}$ ]	ARC 1656	N-Octanoyl [1- $^{14}\text{C}$ ] sphingosine-D- <i>erythro</i> -1-phosphate
		ARC 1657	13(S)-HODE [1- $^{14}\text{C}$ ]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 1658	13(S)-HpODE [1- <sup>14</sup> C]	ARC 1712	Cholesteryl palmitate [1- <sup>14</sup> C]
ARC 1659	15(S)-HETE [1- <sup>14</sup> C]	ARC 1713	2-Chloro-5-nitroaniline [ring- <sup>14</sup> C(U)]
ARC 1660	15(S)-HpETE [1- <sup>14</sup> C]	ARC 1714	4-Chloro-5-nitrobenzene [ring- <sup>14</sup> C(U)]
ARC 1661	1-Bromohexane [1- <sup>14</sup> C]	ARC 1715	Diphenylacetic acid [ring- <sup>14</sup> C(U)]
ARC 1662	3-Chlorosalicylic acid [ring- <sup>14</sup> C(U)]	ARC 1716	Diphenyl methane [ring- <sup>14</sup> C(U)]
ARC 1663	Palmitoleic acid [1- <sup>14</sup> C]	ARC 1718	Carnitine, DL-[N-methyl- <sup>14</sup> C] hydrochloride
ARC 1664	Dimethyl phthalate [ring- <sup>14</sup> C(U)]	ARC 1720	Linolenoyl 9,12,15 [1- <sup>14</sup> C] Coenzyme A
ARC 1665	Trimethylsulfoxonium iodide [methyl- <sup>14</sup> C]	ARC 1721	4,6-Dichloropyrimidine [5- <sup>14</sup> C]
ARC 1666	L-Valine [ <sup>14</sup> C(U)] L-proline-L-proline	ARC 1722	Simazine [ring- <sup>14</sup> C(U)]
ARC 1667	Formamidine [1- <sup>14</sup> C] hydrochloride	ARC 1728	3,5-Dimethylaniline [ring- <sup>14</sup> C(U)] hydrochloride
ARC 1668	1,1-Diphenylacetone [ring- <sup>14</sup> C(U)]	ARC 1729	2,6-Dimethyl-4-nitroaniline [ring- <sup>14</sup> C(U)] hydrochloride
ARC 1669	Acetamidine [1- <sup>14</sup> C] hydrochloride	ARC 1730	3,5-Dimethylnitrobenzene [ring- <sup>14</sup> C(U)]
ARC 1671	Bisphenol A [ring- <sup>14</sup> C(U)]	ARC 1732	N-Isobutylpiperazine [ring- <sup>14</sup> C(U)] hydrochloride
ARC 1672	Benzenesulfonic acid [ring- <sup>14</sup> C(U)] sodium salt	ARC 1737	Propiolic acid [1- <sup>14</sup> C] sodium salt
ARC 1673	5-Fluoro-2'-deoxyuridine [2- <sup>14</sup> C]	ARC 1738	Metformin [biguanido- <sup>14</sup> C] hydrochloride
ARC 1674	[Carboxymethylene] triphenyl phosphorane [1- <sup>14</sup> C]	ARC 1739	Isonicotine acid [1- <sup>14</sup> C]
ARC 1675	Glycerol trioctanoate [octanoate-1- <sup>14</sup> C]	ARC 1740	Chlorothalonil [ring- <sup>14</sup> C(U)]
ARC 1676	2,4-Dichlorophenoxy acetic acid [ring- <sup>14</sup> C(U)] ethyl ester	ARC 1741	Erucyl [1- <sup>14</sup> C] Coenzyme A
ARC 1677	Phenyltrimethylammonium chloride [methyl- <sup>14</sup> C]	ARC 1742	Hexadecatrienoyl [1- <sup>14</sup> C] Coenzyme A
ARC 1678	3-Ethylaniline [ring- <sup>14</sup> C(U)] hydrochloride	ARC 1743	15(S)-HpEPE [1- <sup>14</sup> C]
ARC 1681	2,4-Dichlorophenoxy acetic acid [ring- <sup>14</sup> C(U)] ethylhexanyl ester	ARC 1745	Acrylonitrile [1- <sup>14</sup> C]
ARC 1682	2-Cyanophenol [ring- <sup>14</sup> C(U)]	ARC 1747	1-Methyl [methyl- <sup>14</sup> C] indole
ARC 1683	2,6-Dimethylaniline [ring- <sup>14</sup> C(U)] hydrochloride	ARC 1748	N-[3-(1H-Indole-4yl)-5-pyridine-3-carbonyl-phenyl] acetamide [1- <sup>14</sup> C]
ARC 1684	1-Methylxanthine [ <sup>14</sup> C]	ARC 1749	Dimethyl disulfide [methyl- <sup>14</sup> C]
ARC 1685	3-Indolemethanol [methyl- <sup>14</sup> C]	ARC 1750	Capsaicin [benzyl-7- <sup>14</sup> C]
ARC 1686	<i>cis,trans</i> Crotonic acid [1- <sup>14</sup> C]	ARC 1751	Clarithromycin [N-methyl- <sup>14</sup> C]
ARC 1687	Nonadecanoic acid [1- <sup>14</sup> C]	ARC 1752	$\Delta$ -11- <i>trans</i> -Vaccenic acid [1- <sup>14</sup> C] (18:1)
ARC 1688	Crotonyl [1- <sup>14</sup> C] Coenzyme A trilithium salt	ARC 1753	Pivaloyloxymethyl butyrate [butyric acid-2- <sup>14</sup> C]
ARC 1689	Heptadecanoyl [1- <sup>14</sup> C] Coenzyme A	ARC 1754	Triethanolamine [ <sup>14</sup> C] hydrochloride
ARC 1690	Nonadecanoyl [1- <sup>14</sup> C] Coenzyme A	ARC 1755	Chlorobenzene [ <sup>14</sup> C(U)]
ARC 1691	5(S),15(S)-DiHETE [1- <sup>14</sup> C]	ARC 1756	N-Acetyl [1- <sup>14</sup> C] procainamide hydrochloride
ARC 1692	8(S),15(S)-DiHETE [1- <sup>14</sup> C]	ARC 1757	Phosphatidylcholine, L- $\alpha$ -1-arachidonoyl 2-erucoyl [erucoyl-1- <sup>14</sup> C]
ARC 1693	15(S)-HEDE [1- <sup>14</sup> C]	ARC 1758	Methylmalonic acid [carboxyl 1,3- <sup>14</sup> C]
ARC 1694	5(S)-HEPE [1- <sup>14</sup> C]	ARC 1759	Phosphatidylcholine, L- $\alpha$ -1-erucoyl-2-erucoyl [erucoyl-1- <sup>14</sup> C]
ARC 1695	12(S)-HEPE [1- <sup>14</sup> C]	ARC 1760	4-Iodophenol [ring- <sup>14</sup> C(U)]
ARC 1697	Octacosanoyl [1- <sup>14</sup> C] Coenzyme A	ARC 1761	2-Iodophenol [ring- <sup>14</sup> C(U)]
ARC 1699	9(S)-HOTrE [1- <sup>14</sup> C]	ARC 1762	2,4-Diodophenol [ <sup>14</sup> C(U)]
ARC 1701	Calcium carbonate [ <sup>14</sup> C]	ARC 1763	4-Hydroxyphenyl acetic acid [ring- <sup>14</sup> C]
ARC 1702	Atrazine [ring- <sup>14</sup> C(U)]	ARC 1764	Methylmalonyl, DL-2-[1,3- <sup>14</sup> C] Coenzyme A
ARC 1703, A	Acetic acid [1- <sup>14</sup> C]	ARC 1769	<i>m</i> -Xylene [ring- <sup>14</sup> C(U)]
ARC 1704	Sulfadiazine [phenyl ring- <sup>14</sup> C(U)]	ARC 1771	3-Methylbenzyl bromide [1- <sup>14</sup> C]
ARC 1705	Ethyl [1- <sup>14</sup> C] phosphonium iodide	ARC 1772	3-Methylbenzyl alcohol [1- <sup>14</sup> C]
ARC 1706	Vinyl chloride [1,2- <sup>14</sup> C]	ARC 1773	3-Toluic acid [carboxyl- <sup>14</sup> C]
ARC 1708	2-Aminobenzenesulfonamide [ring- <sup>14</sup> C(U)]	ARC 1775	Tetrachloroethane [1,2- <sup>14</sup> C]
ARC 1710	4-Chlorophenol [ring- <sup>14</sup> C(U)]	ARC 1776	Erythritol, D-[1- <sup>14</sup> C]
ARC 1711	Cholesteryl [4- <sup>14</sup> C] hexadecyl ether		



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 1777	Glyoxylic acid [ <sup>14</sup> C(U)] sodium salt	ARC 1832	Amphetamine, L-[7- <sup>14</sup> C] hydrochloride
ARC 1778	Butyric acid, n-[2- <sup>14</sup> C] sodium salt	ARC 1833	Amphetamine, D-[7- <sup>14</sup> C] hydrochloride
ARC 1780	Dichloromethane [ <sup>14</sup> C]	ARC 1834	Dicyclopentadiene [1- <sup>14</sup> C]
ARC 1782	4-Fluoro-1-iodobenzene [ring- <sup>14</sup> C(U)]	ARC 1835	Octylamine, n-[1- <sup>14</sup> C]
ARC 1783	Tricaprin [carboxyl- <sup>14</sup> C]	ARC 1836	Diacetone alcohol [2,4- <sup>14</sup> C]
ARC 1784	Threitol, D-[1- <sup>14</sup> C]	ARC 1837	N-FMOC-L-Proline [ <sup>14</sup> C(U)]
ARC 1785	8-Hydroxyquinoline [ring- <sup>14</sup> C(U)]	ARC 1838	2,6-Dihydroxy-3,4-dimethylpyridine [ring- <sup>14</sup> C(U)]
ARC 1786	O-Phospho-L-serine [1- <sup>14</sup> C]	ARC 1840	2-Fluoro-2-deoxy-D-mannose [ <sup>14</sup> C(U)]
ARC 1787	4-Chlorophenylhydrazine [ <sup>14</sup> C(U)] hydrochloride	ARC 1841	4-Hydroxyphenyl acetic acid [1- <sup>14</sup> C]
ARC 1788	Thioglycolic acid [ <sup>14</sup> C] sodium salt	ARC 1842	Chlorocholine [methyl- <sup>14</sup> C] chloride
ARC 1789	4-Trifluoromethoxy benzoic acid [carboxyl- <sup>14</sup> C]	ARC 1843	Acetylsalicylic acid [acetyl-1,2- <sup>14</sup> C]
ARC 1790	4-Trifluoromethoxy benzyl alcohol [1- <sup>14</sup> C]	ARC 1844	N-Benzylmaleimide [7- <sup>14</sup> C]
ARC 1791	4-(Trifluoromethoxy) benzyl bromide [methylene- <sup>14</sup> C]	ARC 1845	Oleoyl [1- <sup>14</sup> C] ethanolamide
ARC 1792	Albumin [methyl- <sup>14</sup> C] methylated (human)	ARC 1846	Palmitoyl ethanolamide [1,2- <sup>14</sup> C]
ARC 1794	Polyethylene glycol [ <sup>14</sup> C]	ARC 1847	Palmitoyl [1- <sup>14</sup> C] ethanolamide
ARC 1795	Phthalimide [carbonyl- <sup>14</sup> C]	ARC 1849	Acetic acid [2- <sup>14</sup> C]
ARC 1796	Phthalimide [ring- <sup>14</sup> C(U)]	ARC 1850	Styrene [methylene- <sup>14</sup> C]
ARC 1798	Linolenoyl 6,9,12 [1- <sup>14</sup> C] Coenzyme A	ARC 1851	4-Bromostyrene [methylene- <sup>14</sup> C]
ARC 1800	Glucosamine, D-[1- <sup>14</sup> C] 1-phosphate	ARC 1852	4-Fluorostyrene [methylene- <sup>14</sup> C]
ARC 1801	Acetyl-D-glucosamine, N-[1- <sup>14</sup> C] 1-phosphate disodium salt	ARC 1853	Acetoacetic acid [3- <sup>14</sup> C]
ARC 1802	4-Hydroxy-coumarin [ring- <sup>14</sup> C(U)]	ARC 1854	Acetoacetyl [3- <sup>14</sup> C] Coenzyme A
ARC 1803	Benzyl bromide [7- <sup>14</sup> C]	ARC 1856	n-Decyl [1- <sup>14</sup> C] β-D-thiomaltopyranoside
ARC 1804	Dimethyl [ <sup>14</sup> C] sulfoxide	ARC 1857	Decyl bromide [1- <sup>14</sup> C]
ARC 1805	t-BOC-D-Cyclohexylglycine [carboxyl- <sup>14</sup> C]	ARC 1859	3-Hydroxypalmitic acid, L-[1- <sup>14</sup> C]
ARC 1808	Cholesteryl acetate [1- <sup>14</sup> C]	ARC 1860	3-Hydroxypalmitoyl [1- <sup>14</sup> C] Coenzyme A
ARC 1809	Lysozyme [methyl <sup>14</sup> C] methylated	ARC 1861	4-Chlorobiphenyl [ring- <sup>14</sup> C(U)]
ARC 1810	Phenacetin [O-ethyl- <sup>14</sup> C]	ARC 1862	Hexachlorobenzene [ <sup>14</sup> C(U)]
ARC 1811	1,2-Phenylene diamine [ <sup>14</sup> C(U)]	ARC 1863	Tryptophan, DL-[side chain-3- <sup>14</sup> C]
ARC 1812	Diethylamine [1- <sup>14</sup> C] hydrochloride	ARC 1864	Diiodomethane [ <sup>14</sup> C]
ARC 1813	2-Ethylbutyryl chloride [1- <sup>14</sup> C]	ARC 1865	Sphingosylphosphoryl choline [methyl- <sup>14</sup> C]
ARC 1814	1,1-Dimethylurea [carbonyl- <sup>14</sup> C]	ARC 1866	Methyl [ <sup>14</sup> C] nosylate
ARC 1815	N-Stearoyl [1- <sup>14</sup> C] sphingosine-D- <i>erythro</i>	ARC 1869	Eicosadienoic acid 8,11 [1- <sup>14</sup> C]
ARC 1816	N-Arachidonyl [1- <sup>14</sup> C] phosphatidyl ethanolamine	ARC 1871	17α-Octadecynoic acid [1- <sup>14</sup> C]
ARC 1817	N-Palmitoyl [1- <sup>14</sup> C] phosphatidyl ethanolamine	ARC 1872	Eicosatetraenoic acid 5,8,11,14 [1- <sup>14</sup> C]
ARC 1818	Hexacosanoyl [1- <sup>14</sup> C] Coenzyme A	ARC 1874	Eicosatrienoic acid 11,14,17 [1- <sup>14</sup> C]
ARC 1819	Tetrahydrofuran [2,5- <sup>14</sup> C]	ARC 1876	2-Palmitoyl [1- <sup>14</sup> C] glycerol
ARC 1820	4-Methoxyphenol [ring- <sup>14</sup> C(U)]	ARC 1877	2-Stearoyl [1- <sup>14</sup> C] glycerol
ARC 1821	N-FMOC D-Valine [1- <sup>14</sup> C]	ARC 1878	Formamidine [1- <sup>14</sup> C]
ARC 1822	Isophorone [ <sup>14</sup> C]	ARC 1879	4-Fluoro-3-nitrobenzoic acid [carboxyl- <sup>14</sup> C] methyl ester
ARC 1824	2,3,4,6 Tetra- <i>o</i> -benzyl-D-glucopyranose [ <sup>14</sup> C(U)]	ARC 1880	Sphingomyelin [stearoyl-1- <sup>14</sup> C]
ARC 1826	2-Phenylethyl isothiocyanate [1- <sup>14</sup> C]	ARC 1881	Sphingomyelin [palmitoyl-1- <sup>14</sup> C]
ARC 1827	3-Amino-2-methylamino-6-methoxy pyridine [2,6- <sup>14</sup> C] dihydrochloride	ARC 1882	Ethylene oxide [1,2- <sup>14</sup> C]
ARC 1829	2-Amino-6-nitrobenzoic acid [ring- <sup>14</sup> C(U)]	ARC 1883	Testosterone palmitate [4- <sup>14</sup> C]
ARC 1830	Sodium cocoyl isethionate [palmitoyl-1- <sup>14</sup> C]	ARC 1884	Iodoform [ <sup>14</sup> C]
ARC 1831	N-Methylformamide [carbonyl- <sup>14</sup> C]	ARC 1885	4-Fluorobenzoic acid [carbonyl- <sup>14</sup> C]
		ARC 1886	α,α,α-Trifluoro- <i>o</i> -cresol [ring- <sup>14</sup> C(U)]
		ARC 1887	4-Fluoro-3-nitrobenzoic acid [carboxyl- <sup>14</sup> C]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 1888	3-Fluoro-4-trifluoromethylphenyl acetic acid [carboxyl- <sup>14</sup> C]	ARC 3042	β-N-Methylamino-L-alanine [1- <sup>14</sup> C]
ARC 1889	3-Fluoro-4-trifluoromethylphenyl benzyl bromide [carboxyl- <sup>14</sup> C]	ARC 3044	Methamphetamine, D-[methyl- <sup>14</sup> C] hydrochloride
ARC 1891	2-Bromophenol [ring- <sup>14</sup> C(U)]	ARC 3045	Methamphetamine, L-[methyl- <sup>14</sup> C] hydrochloride
ARC 1892	1,2,3,4-Tetrahydronaphthalene [ring- <sup>14</sup> C(U)]	ARC 3046	Perfluorooctanoic acid [1- <sup>14</sup> C]
ARC 1893	N-Methylformamide [methyl- <sup>14</sup> C]	ARC 3047	Isatin [ring- <sup>14</sup> C(U)]
ARC 1894	Ethynylestradiol, 17α-[4- <sup>14</sup> C]	ARC 3048	3,5-Dichlorobenzoyl chloride [1- <sup>14</sup> C]
ARC 1895	2-Chlorophenol [ring- <sup>14</sup> C(U)]	ARC 3049	3,5-Dichlorobenzoic acid [carboxyl- <sup>14</sup> C]
ARC 1896	Ethyl mercuric chloride [ethyl-1- <sup>14</sup> C]	ARC 3050	2-Chloroethanesulfonyl chloride [1,2- <sup>14</sup> C]
ARC 1897	Bisnoralcohol [4- <sup>14</sup> C]	ARC 3051	Vinyl [1,2- <sup>14</sup> C] acetate
ARC 1898	Methyl acrylate [2,3- <sup>14</sup> C]	ARC 3052	Vinylcaprolactam, N-[vinyl-1,2- <sup>14</sup> C]
ARC 1899	4-Chlorobenzoic acid [ring- <sup>14</sup> C(U)]	ARC 3053	N-Methylurea [carbonyl- <sup>14</sup> C]
ARC 3001	Amino acetylaldehyde [1- <sup>14</sup> C] dimethyl acetal	ARC 3054	Dextran [carboxyl- <sup>14</sup> C]
ARC 3002	3-Methoxyphenyl boronic acid [ring- <sup>14</sup> C(U)]	ARC 3055	Acetyl-D-galactosamine, N-[1- <sup>14</sup> C] 6-phosphate disodium salt
ARC 3003	Conjugated derivative of linoleic acid [1- <sup>14</sup> C] Coenzyme A	ARC 3056	3,4,5-Trimethoxybenzoic acid [1- <sup>14</sup> C]
ARC 3004	Propafenone [n-propyl-3- <sup>14</sup> C] trifluoroacetate	ARC 3057	3,4,5-Trimethoxybenzyl alcohol [1- <sup>14</sup> C]
ARC 3005	Propionic acid [ <sup>14</sup> C(U)] sodium salt	ARC 3058	Acetyl sulfadiazine, N-[phenyl-ring- <sup>14</sup> C(U)]
ARC 3006	Methyl t-butyl ether [α,α'- <sup>14</sup> C]	ARC 3059	Alanine, D-[2- <sup>14</sup> C]
ARC 3007	Dehydrocortisone-21-acetate [4- <sup>14</sup> C]	ARC 3060	Alanine, L-[2- <sup>14</sup> C]
ARC 3010	CBZ Glycine, N-[1- <sup>14</sup> C]	ARC 3061	Alanine, D-[3- <sup>14</sup> C]
ARC 3011	Galactonic acid, D-[1- <sup>14</sup> C]	ARC 3062	Alanine, L-[3- <sup>14</sup> C]
ARC 3013	4-Fluoro-phenylboronic acid [ring- <sup>14</sup> C(U)]	ARC 3063	N-Acetylsulfanilil chloride [ring- <sup>14</sup> C(U)]
ARC 3014	Methane [ <sup>14</sup> C] sulfonyl chloride	ARC 3064	Acetyl sulfamethazine [phenyl-ring- <sup>14</sup> C(U)]
ARC 3015	1-Fluoro-4-bromo benzene [ring- <sup>14</sup> C(U)]	ARC 3065	Sulfamethazine [phenyl-ring- <sup>14</sup> C(U)]
ARC 3016	2-Fluoro-phenylboronic acid [ring- <sup>14</sup> C(U)]	ARC 3066	Docosanoyl [1- <sup>14</sup> C] Coenzyme A
ARC 3017	Phenylpiperazine [ring- <sup>14</sup> C(U)] hydrochloride	ARC 3067	N-Decanoyl [1- <sup>14</sup> C] sphingosine-D-erythro
ARC 3018	Dodecane [1- <sup>14</sup> C]	ARC 3069	Chloroacetyl chloride [2- <sup>14</sup> C]
ARC 3019	Tetradecane [1- <sup>14</sup> C]	ARC 3070	L-3-Phosphatidylethanolamine, 1-acyl-2-arachidonoyl [arachidonoyl-1- <sup>14</sup> C]
ARC 3020	2-Fluorobenzoic acid [carboxyl- <sup>14</sup> C]	ARC 3071	Tenofovir [adenine-8- <sup>14</sup> C]
ARC 3021	2-Fluoro-5-nitrobenzoic acid [carboxyl- <sup>14</sup> C]	ARC 3072	Ethylene [ <sup>14</sup> C(U)] dibromide
ARC 3022	Formic hydrazide [carbonyl- <sup>14</sup> C]	ARC 3074	1,2-Dioleoyl- <i>rac</i> -glycerol [ <sup>14</sup> C(U)]
ARC 3023	Acetyl-D-galactosamine, N-[1- <sup>14</sup> C] 1-phosphate sodium salt	ARC 3075	2-Mono oleoyl- <i>rac</i> glycerol [ <sup>14</sup> C(U)]
ARC 3024	Leucine, D-[2- <sup>14</sup> C]	ARC 3076	Triolein [glycerol- <sup>14</sup> C(U)]
ARC 3025	Leucine, L-[2- <sup>14</sup> C]	ARC 3077	Phosphatidic acid, L-α-dipalmitoyl [glycerol- <sup>14</sup> C(U)]
ARC 3026	Ethyl malonyl [2- <sup>14</sup> C] chloride	ARC 3078	L-3-Phosphatidylethanolamine, 1-palmitoyl 2-linoleoyl [linoleoyl-1- <sup>14</sup> C]
ARC 3027	Ethylene [ <sup>14</sup> C(U)] mercury perchlorate complex	ARC 3079	L-3-Phosphatidyl [2- <sup>14</sup> C] ethanolamine, 1,2-dioleoyl
ARC 3028	Tyrosine, DL-[1- <sup>14</sup> C]	ARC 3080	7-Ethoxy [ <sup>14</sup> C] coumarin
ARC 3029	1,3-Dicaprin [carboxyl- <sup>14</sup> C]	ARC 3081	Lactic acid, L-[3- <sup>14</sup> C] sodium salt
ARC 3030	Phenyl chloroformate [carbonyl- <sup>14</sup> C]	ARC 3082	1,3-Dioleoyl- <i>rac</i> -glycerol [ <sup>14</sup> C(U)]
ARC 3031	3-(Trifluoromethyl) aniline [ring- <sup>14</sup> C(U)]	ARC 3083	Androst-5-ene-3β,17β-diol [4- <sup>14</sup> C]
ARC 3032	4-Methylphenyl piperazine [ring- <sup>14</sup> C(U)] dihydrochloride	ARC 3084	3,4-Dichlorobenzoic acid [carboxyl- <sup>14</sup> C]
ARC 3033	N-FMOC-D-Alanine [ <sup>14</sup> C(U)]	ARC 3085	Maleimide [carbonyl- <sup>14</sup> C]
ARC 3034	N-FMOC-D-Phenylalanine [ <sup>14</sup> C(U)]	ARC 3086	Ethane [1,2- <sup>14</sup> C]
ARC 3039	Icthyocollagen [methyl- <sup>14</sup> C]		
ARC 3040	Fluoxetine [N-methyl- <sup>14</sup> C] hydrochloride		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 3087	Allyl acetic acid [1- <sup>14</sup> C]	ARC 3140	3,5-Bis(trifluoromethyl) [7- <sup>14</sup> C] benzyl alcohol
ARC 3088	5-Bromopentanoic acid [1- <sup>14</sup> C]	ARC 3141	3,5-Bis(trifluoromethyl) [7- <sup>14</sup> C] benzoic acid
ARC 3091	Trimethyl orthoacetate [acetyl-1- <sup>14</sup> C]	ARC 3142	1-0-Palmitoyl- <i>rac</i> -glycerol [ <sup>14</sup> C(U)]
ARC 3092	Metaldehyde [ <sup>14</sup> C(U)]	ARC 3143	$\Delta$ -11-Eicosenoyl [1- <sup>14</sup> C] Coenzyme A
ARC 3093	Isovanillic acid [carboxyl- <sup>14</sup> C] methyl ester	ARC 3144	2-Mono oleoyl glycerol [1- <sup>14</sup> C]
ARC 3094	Lysophosphatidylcholine, L- $\alpha$ -oleoyl [oleoyl-1- <sup>14</sup> C]	ARC 3145	$\alpha$ -Bromoisobutyric acid [1- <sup>14</sup> C]
ARC 3095	Lysophosphatidylcholine, L- $\alpha$ -oleoyl [methyl- <sup>14</sup> C]	ARC 3146	Insulin [methyl- <sup>14</sup> C] (human)
ARC 3096	Ricinoleoyl [1- <sup>14</sup> C] Coenzyme A	ARC 3147	Guanosine 3',5'-[8- <sup>14</sup> C] cyclic monophosphate ammonium salt
ARC 3098	DOTAP [methyl- <sup>14</sup> C] chloride	ARC 3148	Morpholine [2- <sup>14</sup> C] hydrochloride
ARC 3099	Diisopropyl ether [isopropyl-2- <sup>14</sup> C]	ARC 3149	Nicosulfuron [pyrimidine- <sup>14</sup> C]
ARC 3101	Phthalic acid [ring- <sup>14</sup> C(U)] dibutyl ester	ARC 3150	4-Nitrobenzyl alcohol [methylene- <sup>14</sup> C]
ARC 3102	Terbinafine [ <sup>14</sup> C] hydrochloride	ARC 3151	3-Bromopyridine [2,6- <sup>14</sup> C] hydrochloride
ARC 3103	Methyl methane sulfonate [ <sup>14</sup> C]	ARC 3152	9-Decynoic acid [1- <sup>14</sup> C]
ARC 3104	Butenafine [ <sup>14</sup> C] hydrochloride	ARC 3153	2-Chlorothiophene-5-carboxylic acid [1- <sup>14</sup> C]
ARC 3105	1-Indanone [1- <sup>14</sup> C]	ARC 3155	Diethanolamine [2- <sup>14</sup> C]
ARC 3107	4-Bromobenzyl alcohol [methylene- <sup>14</sup> C]	ARC 3157	Acetaldehyde [1- <sup>14</sup> C]
ARC 3108	Methyl- $\beta$ -D-glucopyranoside [glucose- <sup>14</sup> C(U)]	ARC 3158	N-t-BOC-L-Phenylalanine [ring- <sup>14</sup> C(U)]
ARC 3109	Benzo [ $\alpha$ ] pyrene [7- <sup>14</sup> C]	ARC 3159	5-Aminosalicylic acid [ring- <sup>14</sup> C(U)]
ARC 3111	Succinyl [1,4- <sup>14</sup> C] Coenzyme A	ARC 3160	3-Aminosalicylic acid [ring- <sup>14</sup> C(U)]
ARC 3112	Ethyl acrylate [2,3- <sup>14</sup> C]	ARC 3161	Indole [phenyl- <sup>14</sup> C(U)]
ARC 3113	Isobutyric acid [1- <sup>14</sup> C]	ARC 3162	4-Nitrobenzyl chloride [methylene- <sup>14</sup> C]
ARC 3114	Nitromethane [ <sup>14</sup> C]	ARC 3163	Di(2-ethylhexyl) phthalate [ring- <sup>14</sup> C(U)]
ARC 3115	Maltotetraose [ <sup>14</sup> C(U)]	ARC 3165	Isophthalic acid [ring- <sup>14</sup> C(U)]
ARC 3116	3-Fluorobenzoic acid [carbonyl- <sup>14</sup> C]	ARC 3166	Oleoyl [1- <sup>14</sup> C] alcohol
ARC 3117	3-Fluorobenzylbromide [methylene- <sup>14</sup> C]	ARC 3167	Thiophene-2-methanol [methylene- <sup>14</sup> C]
ARC 3118	3-Fluorobenzylalcohol [methylene- <sup>14</sup> C]	ARC 3168	Thiophene-2-carboxaldehyde [2- <sup>14</sup> C]
ARC 3119	Phosphatidylcholine, L- $\alpha$ -dimyristoyl [2-myristoyl-1- <sup>14</sup> C]	ARC 3169	1-0-Palmityl [1- <sup>14</sup> C] <i>rac</i> -glycerol
ARC 3120	Adenosine 5'-diphosphate [8- <sup>14</sup> C] sodium salt	ARC 3170	$\Lambda^6$ -Benzyladenine [8- <sup>14</sup> C]
ARC 3121	Phosphatidylcholine, L- $\alpha$ -distearoyl [2-stearoyl-1- <sup>14</sup> C]	ARC 3172	Decyl [1- <sup>14</sup> C] sulfate sodium
ARC 3123	4-Nitrophenyl chloroformate [ <sup>14</sup> C]	ARC 3173	Octyl [1- <sup>14</sup> C] sulfate sodium
ARC 3124	1-Fluoro-2-nitrobenzene [ring- <sup>14</sup> C(U)]	ARC 3174	Benzyl cyanide [7- <sup>14</sup> C]
ARC 3125	Fructose, D-[ <sup>14</sup> C(U)] 1,6 diphosphate tetra-sodium salt	ARC 3175	Testosterone heptanoate [heptanoic-1- <sup>14</sup> C]
ARC 3126	1-0-Palmitoyl [1- <sup>14</sup> C] <i>rac</i> -glycerol	ARC 3176	3-Acetamidophenol [ring- <sup>14</sup> C(U)]
ARC 3127	Mannosylphosphoryldolichol [mannose-1- <sup>14</sup> C]	ARC 3177	1-Arachidonyl [1- <sup>14</sup> C] 2-stearoyl glycerol
ARC 3129	1-Vinyl-2-pyrrolidone [5- <sup>14</sup> C]	ARC 3178	Guanosine 5'-[8- <sup>14</sup> C] monophosphate
ARC 3130	Arachidonyl alcohol [1- <sup>14</sup> C]	ARC 3179	Undecylenic acid [1- <sup>14</sup> C]
ARC 3131	2-Fluorophenol [ring- <sup>14</sup> C(U)]	ARC 3180	Ethylenediamine tetraacetic acid [2- <sup>14</sup> C] ethyl ester
ARC 3132	Phenylglycine, D-[2- <sup>14</sup> C]	ARC 3181	Undecylenoyl phenylalanine [ring- <sup>14</sup> C(U)]
ARC 3133	Thebaine [N-methyl- <sup>14</sup> C] hydrochloride	ARC 3182	1-BOC-4-Piperidone [carbonyl- <sup>14</sup> C]
ARC 3134	Thebaine [O-methyl- <sup>14</sup> C] hydrochloride	ARC 3183	Talose, D-[1- <sup>14</sup> C]
ARC 3136	Phenylglycine, L-[2- <sup>14</sup> C]	ARC 3184	2,4-Dimethylphenol [phenol ring- <sup>14</sup> C(U)]
ARC 3137	Acetylene monocarboxylic acid [2,3- <sup>14</sup> C]	ARC 3185	Resveratrol [ring- <sup>14</sup> C(U)]
ARC 3138	Spermidine [ <sup>14</sup> C] trihydrochloride	ARC 3186	Methyl isothiocyanate [ <sup>14</sup> C]
ARC 3139	Spermine [ <sup>14</sup> C] tetrahydrochloride	ARC 3187	D-Alanine D-alanine D-alanine [1- <sup>14</sup> C]
		ARC 3188	3-Chlorobenzenesulfonamide [ring- <sup>14</sup> C(U)]
		ARC 3189	Sucrose-1,6-dilaurate [lauryl-1- <sup>14</sup> C]
		ARC 3190	Perfluorooctane [1- <sup>14</sup> C] sulfonate



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 3191	$\alpha$ -Keto-isovaleric acid [1- <sup>14</sup> C] sodium salt	ARC 3236	2,4-Difluoronitrobenzene [ring- <sup>14</sup> C(U)]
ARC 3192	2-Hydroxyisobutyric acid [1- <sup>14</sup> C]	ARC 3237	2,4-Dinitroaniline [ <sup>14</sup> C(U)]
ARC 3193	Oxycodone [N-methyl- <sup>14</sup> C] hydrochloride	ARC 3238	2,4-Dinitrochlorobenzene [ <sup>14</sup> C(U)]
ARC 3194	Palmitoleoyl [1- <sup>14</sup> C] Coenzyme A	ARC 3239	2,4-Dinitrophenol [ <sup>14</sup> C(U)]
ARC 3195	Insulin [methyl- <sup>14</sup> C] (bovine)	ARC 3240	2,6-Dichlorobenzonitrile [ring- <sup>14</sup> C(U)]
ARC 3196	Methyl salicylate [ring- <sup>14</sup> C(U)]	ARC 3241	2,6-Di- <i>t</i> -butyl-4-nitrophenol [ring- <sup>14</sup> C(U)]
ARC 3197	3-Aminobenzenesulfonamide [ring- <sup>14</sup> C(U)]	ARC 3242	2,6-Di- <i>t</i> -butylphenol [ring- <sup>14</sup> C(U)]
ARC 3198	3-Nitrobenzenesulfonamide [ring- <sup>14</sup> C(U)]	ARC 3243	2-Acetylthiophene [carboxyl- <sup>14</sup> C]
ARC 3199	3-Nitrobenzenesulfonyl chloride [ring- <sup>14</sup> C(U)]	ARC 3244	2-Chlorobiphenyl [ring- <sup>14</sup> C(U)]
ARC 3200	3-Nitrobenzenesulfonic acid [ring- <sup>14</sup> C(U)]	ARC 3245	2-Ethylhexanoic acid [1- <sup>14</sup> C]
ARC 3201	2,6-Dihydroxybenzoic acid [1- <sup>14</sup> C]	ARC 3246	2-Ethylhexanol [ <sup>14</sup> C]
ARC 3202	2,6-Dihydroxybenzoic acid [ring- <sup>14</sup> C(U)]	ARC 3247	2-Ethylhexyl salicylate [carboxyl- <sup>14</sup> C]
ARC 3203	2,6-Dimethoxybenzoic acid [1- <sup>14</sup> C]	ARC 3248	2-Iminobiotin [2- <sup>14</sup> C]
ARC 3204	2,4-Thiazolidenone [2- <sup>14</sup> C]	ARC 3249	2'-Methylacetanilide [ring- <sup>14</sup> C(U)]
ARC 3205	2,6-Dimethoxybenzoic acid [ring- <sup>14</sup> C(U)] methyl ester	ARC 3250	2-Methylnaphthalene [8- <sup>14</sup> C]
ARC 3206	2,6-Dimethoxybenzoic acid [1- <sup>14</sup> C] methyl ester	ARC 3251	2-Nitrobenzoic acid [ring- <sup>14</sup> C(U)]
ARC 3207	4-Phenoxyphenol [phenol rings- <sup>14</sup> C]	ARC 3252	2-Nitrofluorene [9- <sup>14</sup> C]
ARC 3208	Acyclovir [8- <sup>14</sup> C]	ARC 3253	2-Thiobarbituric acid [2- <sup>14</sup> C]
ARC 3209	n-Octanoyl [1- <sup>14</sup> C] dihydrosphingosine	ARC 3254	3,3',4,4',5,5'-Hexachlorobiphenyl [ <sup>14</sup> C(U)]
ARC 3210	$\alpha$ -Tetralone [ring- <sup>14</sup> C(U)]	ARC 3255	3,3',4,4',5-Pentachlorobiphenyl [3,4,5-phenyl ring- <sup>14</sup> C(U)]
ARC 3211	1,12-Dodecanedioic acid [carboxyl- <sup>14</sup> C]	ARC 3256	3,3',4,4'-Tetrachlorobiphenyl [ <sup>14</sup> C(U)]
ARC 3212	1,12-Dodecanediol [1,2- <sup>14</sup> C]	ARC 3257	3,3'-Dichlorobenzidine [ <sup>14</sup> C(U)]
ARC 3213	1,2,3,4,7-Pentachlorodibenzo- <i>p</i> -dioxin tetra chlorophenyl [ring- <sup>14</sup> C(U)]	ARC 3258	3,3'-Dimethylbenzidine [ring- <sup>14</sup> C(U)]
ARC 3214	1,2,4,5-Tetrachlorobenzene [ <sup>14</sup> C(U)]	ARC 3259	3,4-Dichlorobenzotrifluoride [ring- <sup>14</sup> C(U)]
ARC 3215	1,2,4-Trichlorobenzene [ <sup>14</sup> C(U)]	ARC 3260	3,4-Dichlorophenol [ <sup>14</sup> C(U)]
ARC 3216	But-3-enoyl [1- <sup>14</sup> C] Coenzyme A	ARC 3261	3,4-Dimethoxyphenylacetic acid [2- <sup>14</sup> C]
ARC 3217	1,2-Dichloro-4-nitrobenzene [ <sup>14</sup> C(U)]	ARC 3262	3,5-Dichlorobenzoic acid [ring- <sup>14</sup> C(U)]
ARC 3218	1,4-Dichlorobenzene [ <sup>14</sup> C(U)]	ARC 3263	3'-Azido-3'-deoxythymidine [2- <sup>14</sup> C]
ARC 3219	1,6-Hexanediamine [1,6- <sup>14</sup> C] dihydrochloride	ARC 3264	3'-Azido-3'-deoxythymidine-5'-[2- <sup>14</sup> C] monophosphate diammonium salt
ARC 3220	1,6-Hexanediol [1,6- <sup>14</sup> C]	ARC 3265	3-Bromopropionic acid [carboxyl- <sup>14</sup> C]
ARC 3221	1-Chloro-2,4-dinitrobenzene [ <sup>14</sup> C(U)]	ARC 3266	3-Chloro-4-methylaniline [ring- <sup>14</sup> C(U)] hydrochloride
ARC 3222	1-Chloro-2-methylnaphthalene [8- <sup>14</sup> C]	ARC 3267	3-Chlorobenzoic acid [ring- <sup>14</sup> C(U)]
ARC 3223	1-Fluoro-2,4-dinitrobenzene [ <sup>14</sup> C(U)]	ARC 3268	3-Chlorobiphenyl [ring- <sup>14</sup> C(U)]
ARC 3224	2,2',3,3',5,5'-Hexachlorobiphenyl [ <sup>14</sup> C(U)]	ARC 3269	3-Hydroxybenzoic acid [ring- <sup>14</sup> C]
ARC 3225	2,2',4,4',5,5'-Hexachlorobiphenyl [ <sup>14</sup> C(U)]	ARC 3270	3-Hydroxyl-5-oxo [1,2,6- <sup>14</sup> C] cyclohe-3-ene- carboxylic acid
ARC 3226	2,2',4,4'-Tetrachlorobiphenyl [ <sup>14</sup> C(U)]	ARC 3271	4-(Di [methyl- <sup>14</sup> C] amino) antipyrone
ARC 3227	2,2',5,5'-Tetrachlorobiphenyl [ <sup>14</sup> C(U)]	ARC 3272	4,4'-DDA [ring- <sup>14</sup> C(U)]
ARC 3228	2',3,3',4,5-Pentachlorobiphenyl [3,4,5-phenyl ring- <sup>14</sup> C(U)]	ARC 3273	4,4'-DDD [ring- <sup>14</sup> C(U)]
ARC 3229	2',3'-Dideoxyadenosine [8- <sup>14</sup> C]	ARC 3274	4,4'-Dichlorobenzil [ring- <sup>14</sup> C(U)]
ARC 3230	2',3'-Dideoxycytidine [2- <sup>14</sup> C]	ARC 3275	4,4'-Dichlorobiphenyl [ <sup>14</sup> C(U)]
ARC 3231	Isobutyryl [1- <sup>14</sup> C] Coenzyme A	ARC 3276	4,4-Dimethylchroman-6-yl methyl ketone [carbonyl- <sup>14</sup> C]
ARC 3232	2',3'-Dideoxyuridine [2- <sup>14</sup> C]	ARC 3277	4-Acetamidophenyl [ring- <sup>14</sup> C(U)] glucuronide sodium salt
ARC 3233	2,4,5-Trichloroaniline [ <sup>14</sup> C(U)]	ARC 3278	4-Aminobiphenyl [ <sup>14</sup> C(U)]
ARC 3234	2,4,5-Trichlorophenoxyacetic acid [carboxyl- <sup>14</sup> C]		
ARC 3235	2,4,6-Trichloroaniline [ <sup>14</sup> C(U)]		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 3279	4-Carbomethoxybenzenesulfonamide [ring- <sup>14</sup> C(U)]	ARC 3324	Chloramine, <i>t</i> -[ring- <sup>14</sup> C(U)]
ARC 3280	4-Chloro-2-toluidine [ring- <sup>14</sup> C(U)] hydrochloride	ARC 3325	Chlordane [ <sup>14</sup> C(U)]
ARC 3281	4-Chlorobenzyl alcohol [ring- <sup>14</sup> C(U)]	ARC 3326	Chlorhexidine [ring- <sup>14</sup> C(U)] diacetate
ARC 3282	4-Chlorobenzylamine [ring- <sup>14</sup> C(U)] hydrochloride	ARC 3328	Concanavalin A [methyl- <sup>14</sup> C] methylated from canavalia ensiformis
ARC 3283	4-Chloronitrobenzene [ <sup>14</sup> C(U)]	ARC 3330	Counter ethyl [ <sup>14</sup> C]
ARC 3284	4-Chlorotoluene [ring- <sup>14</sup> C(U)]	ARC 3331	Cytidine 5'-[2- <sup>14</sup> C] triphosphate ammonium salt
ARC 3285	4-Fluorobenzoic acid [ring- <sup>14</sup> C(U)]	ARC 3332	Cytidine [2- <sup>14</sup> C]
ARC 3286	Acetyl chloride [1,2- <sup>14</sup> C]	ARC 3333	Cytosine [2- <sup>14</sup> C]
ARC 3287	4-Hydroxyacetophenone [ring- <sup>14</sup> C(U)]	ARC 3334	Decanedioic acid [carboxyl- <sup>14</sup> C]
ARC 3288	4-Hydroxybenzaldehyde [ <sup>14</sup> C(U)]	ARC 3335	Dextran [methyl- <sup>14</sup> C]
ARC 3289	4-Nitrobiphenyl [ring- <sup>14</sup> C(U)]	ARC 3336	Dextran sulfate [carboxyl- <sup>14</sup> C]
ARC 3290	4-Trifluoromethylbenzoic acid [carboxyl- <sup>14</sup> C]	ARC 3337	Dextran sulfate [carboxyl- <sup>14</sup> C]
ARC 3291	5,5-Dimethylhydantoin [4- <sup>14</sup> C]	ARC 3338	Dextran [methyl- <sup>14</sup> C]
ARC 3292	5-Bromo-2'-deoxyuridine [2- <sup>14</sup> C]	ARC 3339	Dextran [methyl- <sup>14</sup> C]
ARC 3294	Hydroxytryptamine 5-[2- <sup>14</sup> C] hydrochloride	ARC 3340	Dextran [methyl- <sup>14</sup> C]
ARC 3295	5-Iodo-2'-deoxyuridine [2- <sup>14</sup> C]	ARC 3341	Diflubenzuron-4-chloroaniline [ring- <sup>14</sup> C(U)]
ARC 3296	5-Methyl-2-hexanone [carbonyl- <sup>14</sup> C]	ARC 3342	Di- <i>n</i> -butylamine [1- <sup>14</sup> C]
ARC 3297	Adenosine 5'-diphosphoD-glucose [D-glucose- <sup>14</sup> C(U)] ammonium salt	ARC 3343	Lactic acid, DL [carbonyl- <sup>14</sup> C] ethyl ester
ARC 3298	Casein, $\alpha$ -[methyl- <sup>14</sup> C] methylated	ARC 3344	Dotriacontane [16,17- <sup>14</sup> C]
ARC 3300	Acetylcholine [methyl- <sup>14</sup> C] chloride	ARC 3345	EPN [phenylphosphonothionic ring- <sup>14</sup> C(U)]
ARC 3301	Adenine [ <sup>14</sup> C(U)] hydrochloride	ARC 3346	Ethalfuralin [ring- <sup>14</sup> C(U)]
ARC 3302	Adenosine 3',5'-[8- <sup>14</sup> C] cyclic monophosphate ammonium salt	ARC 3347	Ethylbenzene [ring- <sup>14</sup> C(U)]
ARC 3303	Lactalbumin, $\alpha$ -[methyl- <sup>14</sup> C] methylated from bovine milk	ARC 3348	2-Bromoethanol [1,2- <sup>14</sup> C]
ARC 3305	1-Naphthylacetic acid [carboxyl- <sup>14</sup> C]	ARC 3349	2-Chloroethanol [1,2- <sup>14</sup> C]
ARC 3306	Phosphatidylcholine, L- $\alpha$ -1-stearoyl-2-arachidonyl [arachidonyl-1- <sup>14</sup> C]	ARC 3350	Fluorobenzene [ <sup>14</sup> C(U)]
ARC 3308	Antipyrine [3- <sup>14</sup> C]	ARC 3351	Glyceraldehyde 3-phosphate dehydrogenase [methyl- <sup>14</sup> C] methylated
ARC 3309	Apraclonidine [benzene ring- <sup>14</sup> C(U)]	ARC 3352	Hemoglobin (bovine) [methyl- <sup>14</sup> C] methylated
ARC 3310	Azidoatrazine [ring- <sup>14</sup> C(U)]	ARC 3353	Hemoglobin (human) [methyl- <sup>14</sup> C] methylated
ARC 3311	Alanine, $\beta$ -[2- <sup>14</sup> C]	ARC 3354	Heptachlor [ <sup>14</sup> C]
ARC 3312	Amylase, $\beta$ -[methyl- <sup>14</sup> C] methylated from sweet potato	ARC 3355	Hexachlorocyclopentadiene [ <sup>14</sup> C(U)]
ARC 3313	Benzamide [ring- <sup>14</sup> C(U)]	ARC 3356	Hexachlorophene [ring- <sup>14</sup> C(U)]
ARC 3314	Benzidine [ <sup>14</sup> C(U)]	ARC 3357	Inosine 5'-[8- <sup>14</sup> C] monophosphate diammonium salt
ARC 3315	Benzil [ring- <sup>14</sup> C(U)]	ARC 3359	MCPB ethyl [ring- <sup>14</sup> C(U)]
ARC 3316	Isoleucine, D-[1- <sup>14</sup> C]	ARC 3360	Methanesulfonyl fluoride [ <sup>14</sup> C]
ARC 3317	Benzoyl chloride [carbonyl- <sup>14</sup> C]	ARC 3361	Methyl-2-nitrobenzoic acid [ring- <sup>14</sup> C(U)]
ARC 3318	Benzoyl chloride [ring- <sup>14</sup> C(U)]	ARC 3362	Methylinosine 5'-[8- <sup>14</sup> C] monophosphate ammonium salt
ARC 3319	Galactosidase, $\beta$ -[methyl- <sup>14</sup> C] methylated from Escherichia coli	ARC 3363	Mirex [ <sup>14</sup> C]
ARC 3320	Naphthol, $\beta$ -[8- <sup>14</sup> C]	ARC 3364	N-Methyl [ <sup>14</sup> C] L-aspartic acid
ARC 3321	Cadaverine [1,5- <sup>14</sup> C] dihydrochloride	ARC 3366	N,N-Diethyl-m-toluamide [carboxyl- <sup>14</sup> C]
ARC 3322	Carbamazepine [carbonyl- <sup>14</sup> C]	ARC 3368	N,N-Dimethylaniline [ring- <sup>14</sup> C(U)]
ARC 3323	Carbaryl naphthalene [1- <sup>14</sup> C]	ARC 3369	$\alpha$ -Amino-3-hydroxy-5-methyl-4-isoxazole-propionic acid [1- <sup>14</sup> C]
		ARC 3370	Naphthalene [ring- <sup>14</sup> C(U)]
		ARC 3371	Napropamide [naphthyl-1- <sup>14</sup> C]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 3372	N-FMOC-Glycine [ <sup>14</sup> C(U)]	ARC 3422	Cetylpyridinium chloride [pyridine-2,6- <sup>14</sup> C]
ARC 3373	N-FMOC-L-Alanine [ <sup>14</sup> C(U)]	ARC 3423	Octacosane [1- <sup>14</sup> C]
ARC 3374	Nitazoxanide [phenyl ring- <sup>14</sup> C(U)]	ARC 3424	L-Alanine L-alanine L-alanine [1- <sup>14</sup> C]
ARC 3375	Nonane [1- <sup>14</sup> C]	ARC 3425	L-Alanine L-alanine [1- <sup>14</sup> C]
ARC 3376	NP-0730-PP [acetoxy-1,2- <sup>14</sup> C]	ARC 3426	Ethylchloroacetate [2- <sup>14</sup> C]
ARC 3377	N-Succinimidyl-6-maleimido [2,3- <sup>14</sup> C] caproate	ARC 3427	Hydroxyethyl starch [ <sup>14</sup> C]
ARC 3378	N-t-BOC-Glutamic acid [ <sup>14</sup> C(U)]	ARC 3428	2-Aminopyridine [2,6- <sup>14</sup> C]
ARC 3379	N-t-BOC-L-Alanine [ <sup>14</sup> C(U)]	ARC 3430	Hexadecane [1,2- <sup>14</sup> C]
ARC 3380	N-t-BOC-L-Aspartic acid [ <sup>14</sup> C(U)]	ARC 3431	2,4-Dimethylaniline [ring- <sup>14</sup> C(U)] hydrochloride
ARC 3381	<i>o</i> -Cresol [ring- <sup>14</sup> C(U)]	ARC 3432	Catalase [methyl- <sup>14</sup> C] methylated
ARC 3382	Octachlorocyclopentene [ <sup>14</sup> C]	ARC 3433	Hydroxyphenylpyruvic acid [carboxyl- <sup>14</sup> C]
ARC 3383	Octanedioic acid [carboxyl- <sup>14</sup> C]	ARC 3434	Fluoroethanol [1- <sup>14</sup> C]
ARC 3384	2-Toluic acid [ring- <sup>14</sup> C(U)]	ARC 3435	4-(Trifluoromethyl)benzyl bromide [7- <sup>14</sup> C]
ARC 3385	<i>o</i> -Xylene [methyl- <sup>14</sup> C]	ARC 3436	4-(Trifluoromethyl)benzyl alcohol [7- <sup>14</sup> C]
ARC 3386	<i>o</i> -Xylene [ring- <sup>14</sup> C(U)]	ARC 3437	Mephenytoin, S-[4- <sup>14</sup> C]
ARC 3387	<i>p</i> -Cresol [methyl- <sup>14</sup> C]	ARC 3438	Methyl mercaptoacetate [2- <sup>14</sup> C]
ARC 3388	<i>p</i> -Cresol [ring- <sup>14</sup> C(U)]	ARC 3439	Dextromethorphan [N-methyl- <sup>14</sup> C]
ARC 3389	Pentachloronitrobenzene [ <sup>14</sup> C(U)]	ARC 3440	Pyrazole [2- <sup>14</sup> C]
ARC 3390	Pentylene-tetrazole [10- <sup>14</sup> C]	ARC 3441	2,5-Dihydroxybenzoic acid [carboxyl- <sup>14</sup> C]
ARC 3391	Phenacetin [methyl- <sup>14</sup> C]	ARC 3442	4-Iodopyrazole [3- <sup>14</sup> C]
ARC 3392	Procaine [ring- <sup>14</sup> C(U)] hydrochloride	ARC 3443	Retinyl propionate [1- <sup>14</sup> C]
ARC 3393	4-Toluic acid [carboxyl- <sup>14</sup> C]	ARC 3444	Retinyl acetate [1- <sup>14</sup> C]
ARC 3394	PXD101 [aniline- <sup>14</sup> C(U)]	ARC 3445	1-Bromo-3,5-dichlorobenzene [ring- <sup>14</sup> C(U)]
ARC 3395	<i>p</i> -Xylene [ring- <sup>14</sup> C(U)]	ARC 3446	1-Stearoyl [1- <sup>14</sup> C] 2-arachidonyl glycerol
ARC 3397	Saccharin [ring- <sup>14</sup> C(U)]	ARC 3447	Dimethoxybenzoic acid [carboxyl- <sup>14</sup> C]
ARC 3398	Salicylic acid [carbonyl- <sup>14</sup> C] tridecyl ester	ARC 3448	4-Methylstyrene [methylene- <sup>14</sup> C]
ARC 3400	Simetryn [ring- <sup>14</sup> C(U)]	ARC 3449	4-(Trifluoromethyl)styrene [methylene- <sup>14</sup> C]
ARC 3402	Styrene oxide [8- <sup>14</sup> C]	ARC 3450	<i>trans</i> -Cinnamic acid [7- <sup>14</sup> C]
ARC 3403	T2000 [ <sup>14</sup> C] from urea	ARC 3451	Fluoroacetaldehyde [1- <sup>14</sup> C]
ARC 3404	Tetrabromophenyl blue [phenol rings- <sup>14</sup> C(U)]	ARC 3452	Pyruvic acid [ <sup>14</sup> C(U)] sodium salt
ARC 3405	Thiram [thionyl- <sup>14</sup> C]	ARC 3454	Ganciclovir [8- <sup>14</sup> C]
ARC 3406	Triclocarban [3,4-dichlorophenyl ring- <sup>14</sup> C(U)]	ARC 3455	Pyridin-2-yl-acetic acid [ <sup>14</sup> C] methyl ester
ARC 3407	Tridecane [1,13- <sup>14</sup> C]	ARC 3456	2-Bromoisobutyric acid [carboxyl- <sup>14</sup> C] methyl ester
ARC 3408	Tridecane [1- <sup>14</sup> C]	ARC 3457	5-Bromopentanoic acid [1- <sup>14</sup> C] methyl ester
ARC 3409	Trifluralin [ring- <sup>14</sup> C(U)]	ARC 3458	Sodium oxalate [ <sup>14</sup> C]
ARC 3410	Hydromorphone [N-methyl- <sup>14</sup> C]	ARC 3459	1-Oleoyl [1- <sup>14</sup> C] 2-arachidonyl glycerol
ARC 3411	Trimyristin [glycerol- <sup>14</sup> C(U)]	ARC 3461	1-Bromo-cyclobutanecarboxylic acid [1- <sup>14</sup> C]
ARC 3412	Tripalmitin, 2-[palmitin-1- <sup>14</sup> C]	ARC 3462	Carvedilol [methyl- <sup>14</sup> C]
ARC 3413	Trypsin inhibitor [methyl- <sup>14</sup> C] methylated from soybean	ARC 3463	Olanzapine [methyl- <sup>14</sup> C]
ARC 3414	Tyramine [7- <sup>14</sup> C] hydrochloride	ARC 3464	Adenosine [ <sup>14</sup> C(U)]
ARC 3415	UC781 [prenyl-1- <sup>14</sup> C]	ARC 3465	Uridine [ <sup>14</sup> C(U)]
ARC 3416	Versetamide [ <sup>14</sup> C] monocalcium monosodium salt	ARC 3466	Barium cyanamide [ <sup>14</sup> C]
ARC 3417	Xanthine [2- <sup>14</sup> C]	ARC 3467	Warfarin [ <sup>14</sup> C]
ARC 3418	<i>trans</i> -Zeatin [8- <sup>14</sup> C]	ARC 3468	7-Ethoxycoumarin [3- <sup>14</sup> C]
ARC 3419	Ziram [thionyl- <sup>14</sup> C]	ARC 3469	Nicotinamide adenine dinucleotide [carbonyl- <sup>14</sup> C] ammonium salt
ARC 3420	Morphine [N-methyl- <sup>14</sup> C]	ARC 3470	Linoleoyl ethanolamide [1,2- <sup>14</sup> C]
ARC 3421	Methacrylic acid [carboxyl- <sup>14</sup> C]	ARC 3471	Glutaryl [1,5- <sup>14</sup> C] Coenzyme A

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 3472	Uridine 5'-diphosphate galactose [1- <sup>14</sup> C]	ARC 3529	Alanine, L-[1- <sup>14</sup> C] benzyl ester hydrochloride
ARC 3473	Galactose, D-[1- <sup>14</sup> C] 1-phosphate	ARC 3530	Diethyloxalate [oxalic acid-1,2- <sup>14</sup> C]
ARC 3476	(R)-(-)-1-(4-Bromophenyl)ethylamine [ring- <sup>14</sup> C(U)] hydrochloride	ARC 3532	Indole [2- <sup>14</sup> C]
ARC 3477	(RS)-1-(4-Bromophenyl)ethylamine [ring- <sup>14</sup> C(U)] hydrochloride	ARC 3533	Benzyl chloroformate [carbonyl- <sup>14</sup> C]
ARC 3478	Bromfenvinfos [1 <sup>4</sup> C]	ARC 3535	Cocaine [methyl- <sup>14</sup> C] hydrochloride
ARC 3479	Protein molecular weight markers [1 <sup>4</sup> C]	ARC 3537	Phytanic acid [1- <sup>14</sup> C]
ARC 3481	Galactose, D-[1- <sup>14</sup> C] 6-phosphate	ARC 3539	17 $\alpha$ -Estradiol [4- <sup>14</sup> C]
ARC 3482	Palmitic acid [1 <sup>4</sup> C(U)]	ARC 3540	Cholesteryl [4- <sup>14</sup> C] 3-sulfate
ARC 3484	Colistin sulfate [1 <sup>4</sup> C]	ARC 3543	Chlorhexidine [ring- <sup>14</sup> C(U)] digluconate
ARC 3485	2-Naphthoxyacetic acid [1- <sup>14</sup> C]	ARC 3544	Biphenyl [1 <sup>4</sup> C(U)]
ARC 3487	Triethanolamine [1,2- <sup>14</sup> C] hydrochloride	ARC 3546	4-Phenyl $\alpha$ -D-aminopentanoic acid [1- <sup>14</sup> C]
ARC 3488	Isopropyltriphenylphosphonium [2- <sup>14</sup> C] iodide	ARC 3547	4-Phenyl $\alpha$ -L-aminopentanoic acid [1- <sup>14</sup> C]
ARC 3489	Taurocholic acid [taurine-1,2- <sup>14</sup> C]	ARC 3548	[ring- <sup>14</sup> C(U)]
ARC 3490	Ornithine, D-[5- <sup>14</sup> C]	ARC 3549	Cyclohexanone [1- <sup>14</sup> C] oxime
ARC 3491	(S)-(+)-1-(4-Bromophenyl)ethylamine [ring- <sup>14</sup> C(U)] hydrochloride	ARC 3550	Di(2-ethylhexyl) hexahydrophthalate [ring- <sup>14</sup> C(U)]
ARC 3492	4-Aminophenylboronic acid [ring- <sup>14</sup> C(U)] pinacol ester	ARC 3551	2-Chloroadenosine [8- <sup>14</sup> C]
ARC 3495	Laurylaldehyde [1- <sup>14</sup> C]	ARC 3552	2,5-Dimethylindole [ring- <sup>14</sup> C(U)]
ARC 3496	1H-Pyrazolecarboxamidine[carboxamidine- <sup>14</sup> C] hydrochloride	ARC 3555	Polyethylene glycol [1 <sup>4</sup> C]
ARC 3498	2,6-Dichlorobenzyl bromide [methylene- <sup>14</sup> C]	ARC 3557	Polyethylene glycol [1 <sup>4</sup> C]
ARC 3499	Lysophosphatidic acid, L- $\alpha$ -1-oleoyl [oleoyl-1- <sup>14</sup> C]	ARC 3558	Benzylamine [ring- <sup>14</sup> C(U)] hydrochloride
ARC 3501	2-Methylthioadenosine [adenine-8- <sup>14</sup> C]	ARC 3560	2-Mercaptobenzothiazole [2- <sup>14</sup> C]
ARC 3502	Isopentenyl pyrophosphate [4- <sup>14</sup> C] triammonium salt	ARC 3561	Phosphatidylcholine, L- $\alpha$ -1-palmitoyl- 2-linoleoyl [palmitoyl-1- <sup>14</sup> C]
ARC 3503	3,5-Dimethoxybenzaldehyde [carboxyl- <sup>14</sup> C]	ARC 3562	Glutamine, L-[5- <sup>14</sup> C]
ARC 3504	Cholesteryl [4- <sup>14</sup> C] oleoyl ether	ARC 3564	2,4-Dichloroanisole [1 <sup>4</sup> C(U)]
ARC 3505	Doxorubicin [14- <sup>14</sup> C] hydrochloride	ARC 3565	Punicic acid [1- <sup>14</sup> C]
ARC 3511	Phosphatidylcholine, L- $\alpha$ -dipalmitoyl [1-palmitoyl-1- <sup>14</sup> C]	ARC 3566	4-Chloroanisole [1 <sup>4</sup> C(U)]
ARC 3512, A	2-Fluoro-2-deoxy-D-galactose [1- <sup>14</sup> C]	ARC 3568	2,6-Dichlorophenol [1 <sup>4</sup> C(U)]
ARC 3513	2-Picoline [methyl- <sup>14</sup> C]	ARC 3569	Hexahydropyridazine [3,6- <sup>14</sup> C] dihydrochloride
ARC 3514	2-Amino-6-bromopyridine [2,6- <sup>14</sup> C]	ARC 3570	Clozapine [N-methyl- <sup>14</sup> C]
ARC 3515	2,6-Diaminopyridine [2,6- <sup>14</sup> C]	ARC 3572	Proline, D-[1- <sup>14</sup> C]
ARC 3516	Phenazopyridine [2,6-pyridine- <sup>14</sup> C]	ARC 3573	Proline, L-[1- <sup>14</sup> C]
ARC 3517	Phenazopyridine [phenyl ring- <sup>14</sup> C(U)]	ARC 3575	Mannose, D-[1 <sup>4</sup> C(U)]
ARC 3518	Phenazopyridine [2,6-pyridine- <sup>14</sup> C, phenyl ring- <sup>14</sup> C(U)]	ARC 3576	Histidine, L-[1 <sup>4</sup> C(U)]
ARC 3519	2-Chloro-4-nitroaniline [1 <sup>4</sup> C(U)]	ARC 3577	Acryloyl chloride [1- <sup>14</sup> C]
ARC 3520	3,4-Dichloronitrobenzene [ring- <sup>14</sup> C(U)]	ARC 3578	WIN 35,428 [N-methyl <sup>14</sup> C]
ARC 3523	2,4-Dichloroacetophenone [ring- <sup>14</sup> C(U)]	ARC 3582	Ethyl acrylate [1- <sup>14</sup> C]
ARC 3524	Simvastatin [methyl- <sup>14</sup> C] ammonium salt	ARC 3583	Cystine, L-[3,3'- <sup>14</sup> C]
ARC 3526	Methyl formate [carbonyl- <sup>14</sup> C]	ARC 3584	Trimesic acid [carboxyl- <sup>14</sup> C]
ARC 3527	Glucosyl phytanylglycerol [glucose- <sup>14</sup> C(U)]	ARC 3586	$\alpha$ -Naphthylamine [1- <sup>14</sup> C] hydrochloride
ARC 3528	Dimethyl [methyl- <sup>14</sup> C] methylphosphonate	ARC 3587	N,S-Diacetyl-L-cysteine [S-acetyl- <sup>14</sup> C]
		ARC 3591	N-Octanoyl [1- <sup>14</sup> C] glucocerebroside
		ARC 3593	Succinic acid [1 <sup>4</sup> C(U)]
		ARC 3595	1-(4-Methoxybenzyl)-1H-Pyrazole-4-carboxylic acid [carboxyl- <sup>14</sup> C]
		ARC 3597	<i>p</i> -Nitroacetophenone [carbonyl- <sup>14</sup> C]
		ARC 3598	L-Alanine-L-alanine-L-alanine-L-alanine [1- <sup>14</sup> C]



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 3599	L-Alanine-L-alanine-L-alanine-L-alanine L-alanine [1- <sup>14</sup> C]	ARC 3649	Riboflavin [ <sup>14</sup> C]
ARC 3600	Eicosapentaenoyl 5,8,11,14,17-[1- <sup>14</sup> C] Coenzyme A	ARC 3650	Menthol, (-)-[9,10- <sup>14</sup> C]
ARC 3601	Docosahexaenoyl [4,7,10,13,16,19- <sup>14</sup> C] Coenzyme A	ARC 3651	Citric acid [6- <sup>14</sup> C]
ARC 3603	D-Alanine-D-alanine-D-alanine-D-alanine [1- <sup>14</sup> C]	ARC 3653	Sulfamethoxazole [ring- <sup>14</sup> C(U)]
ARC 3604	D-Alanine-D-alanine-D-alanine-D-alanine D-alanine [1- <sup>14</sup> C]	ARC 3654	Estradiol [ <sup>14</sup> C] 17-β-D-glucopyranoside
ARC 3605	Dihydroxyphenylalanine, L-3,4-[alanine-3- <sup>14</sup> C]	ARC 3655	Estrone 3-sulfate [ <sup>14</sup> C] sodium salt
ARC 3607	2-Fluoroaniline [ <sup>14</sup> C(U)]	ARC 3656	Glycerol monolaurate [lauryl-1- <sup>14</sup> C]
ARC 3608	Salicyl [1- <sup>14</sup> C] Coenzyme A	ARC 3657	Chloropicrin [ <sup>14</sup> C]
ARC 3609	Glutamine, L-[1- <sup>14</sup> C]	ARC 3658	2-Amino-3-hydroxypyridine [2- <sup>14</sup> C]
ARC 3610	2,4,6-Trichlorophenol [ring- <sup>14</sup> C(U)]	ARC 3662	Aspartic Acid, DL-[3- <sup>14</sup> C]
ARC 3612	Proteins isolated from tobacco leaves [ <sup>14</sup> C]	ARC 3663	1,4-Butanediol [1,4- <sup>14</sup> C]
ARC 3613	2,5-Dichlorobenzoic acid [carboxyl- <sup>14</sup> C]	ARC 3664	5-Bromobenzof[d]oxazol-2-amine [ <sup>14</sup> C]
ARC 3614	1,3-Dicyanobenzene [ring- <sup>14</sup> C(U)]	ARC 3665	Acrylonitrile [2,3- <sup>14</sup> C]
ARC 3615	Dihydroxyphenylalanine, D-3,4-[alanine-3- <sup>14</sup> C]	ARC 3666	1,4-Dioxane [ <sup>14</sup> C(U)]
ARC 3617	3-(3-Hydroxyphenyl) propionic acid [carboxyl- <sup>14</sup> C]	ARC 3667	1-Myristoyl [1- <sup>14</sup> C] 2-hydroxy-sn-glycero-3- phosphocholine
ARC 3618	β-N-Methylamino-D-alanine [1- <sup>14</sup> C]	ARC 3668	2,4-Difluoromethylbenzoic acid ester [carboxyl- <sup>14</sup> C]
ARC 3619	Enrofloxacin [ethyl-1- <sup>14</sup> C]	ARC 3669	2,4-Difluorobenzoic acid [carboxyl- <sup>14</sup> C]
ARC 3620	Trichloroacrylic acid [1- <sup>14</sup> C]	ARC 3672	1,3-Dichloropropan-2-ol [2- <sup>14</sup> C]
ARC 3621	Acrolein [2,3- <sup>14</sup> C]	ARC 3673	Epichlorohydrin [2- <sup>14</sup> C]
ARC 3622	n-Dodecyl-β-D-maltoside [maltose- <sup>14</sup> C(U)]	ARC 3674	Decyl alcohol [6- <sup>14</sup> C]
ARC 3623	R-2-Bromopalmitic acid [1- <sup>14</sup> C]	ARC 3675	Decanoic acid [6- <sup>14</sup> C]
ARC 3624	S-2-Bromopalmitic acid [1- <sup>14</sup> C]	ARC 3676	2,4-Dimethoxyaniline [ring- <sup>14</sup> C(U)]
ARC 3625	1,2,3-Triazole [ <sup>14</sup> C]	ARC 3677	Acrolein [1- <sup>14</sup> C]
ARC 3626	Hydroxyprogesterone, 17α-[4- <sup>14</sup> C]	ARC 3678	p-Coumaric acid [carboxyl- <sup>14</sup> C]
ARC 3627	11-Deoxycortisol [4- <sup>14</sup> C]	ARC 3679	6-Bromoimidazo [1,2-a] pyridine-3- carboxylic acid [pyrazole-2- <sup>14</sup> C]
ARC 3628	Succinimidyl propionate, N-[propionate-1- <sup>14</sup> C]	ARC 3680	2,2-Difluoropropionic acid [carboxyl- <sup>14</sup> C]
ARC 3629	Metoprolol [methyl- <sup>14</sup> C]	ARC 3682	L-Valine L-aspartic acid [ <sup>14</sup> C(U)] dipeptide
ARC 3630	2,4-Dichlorophenoxyacetic acid [carboxyl- <sup>14</sup> C] 2-butoxyethyl ester	ARC 3683	4,4'-Difluorobenzophenone [carbonyl- <sup>14</sup> C]
ARC 3631	Dimethylsulfide [ <sup>14</sup> C]	ARC 3685	Bispyribac sodium [2,6-dihydroxybenzoic acid ring- <sup>14</sup> C(U)]
ARC 3633	3-Pyridylboronic acid [2,6- <sup>14</sup> C]	ARC 3686	β-Lactoglobulin [methyl- <sup>14</sup> C] methylated (mixture of A & B Lactoglobulins)
ARC 3634	Octyl [1- <sup>14</sup> C] β-D-glucopyranoside	ARC 3687	Phosphatidylcholine, L-α-1-oleoyl-2-ricinoleoyl [ricinoleic-1- <sup>14</sup> C]
ARC 3635	Phosphatidylserine, L-α-dioleoyl [oleoyl-1- <sup>14</sup> C]	ARC 3688	Phosphatidylcholine, L-α-1-oleoyl-2-linolenoyl [linolenic-1- <sup>14</sup> C]
ARC 3637	Phosphatidylcholine, L-α-dioleoyl [2-oleoyl-1- <sup>14</sup> C]	ARC 3689	Tamoxifen [N-methyl- <sup>14</sup> C]
ARC 3638	Cimetidine [ <sup>14</sup> C]	ARC 3690	Imipramine [methyl- <sup>14</sup> C] hydrochloride
ARC 3640	Lactic acid, D-[3- <sup>14</sup> C] sodium salt	ARC 3691	Taxol [N-benzoyl- <sup>14</sup> C(U)]
ARC 3642	Nervonic acid [1- <sup>14</sup> C]	ARC 3692	Vaccenoyl [1- <sup>14</sup> C] Coenzyme A
ARC 3643	Nervonoyl [1- <sup>14</sup> C] Coenzyme A	ARC 3693	Δ-11-cis Vaccenic acid [1- <sup>14</sup> C]
ARC 3644	Loratadine [carbonyl- <sup>14</sup> C]	ARC 3694	Dextran [carboxyl- <sup>14</sup> C]
ARC 3645	Palmitoyl-L-carnitine [N-methyl- <sup>14</sup> C] chloride	ARC 3695	Ethyl-2-chloro [3- <sup>14</sup> C] acetoacetate
ARC 3646	1,4-Dibutyl [1- <sup>14</sup> C] terephthalic acid [1,4- <sup>14</sup> C]	ARC 3696	2,4-Dinitroanisole [ring- <sup>14</sup> C(U)]
ARC 3647	Octyl [1- <sup>14</sup> C] α-D-glucopyranoside	ARC 3699	Diglycolic acid [ <sup>14</sup> C]
ARC 3648	Barbituric acid [ <sup>14</sup> C]	ARC 3700	5-Bromo-6-chloronicotinic acid [carboxyl- <sup>14</sup> C]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 3701	Ethylchloroacetate [1- <sup>14</sup> C]	ARC 3761	Lysophosphatidylcholine, L- $\alpha$ -1-docosahexaenoyl [1- <sup>14</sup> C]
ARC 3702	Fructose, D-[1- <sup>14</sup> C]	ARC 3762	Glyphosate [phosphonomethyl- <sup>14</sup> C] isopropylamine salt
ARC 3703	Fructose, D-[6- <sup>14</sup> C]	ARC 3763	Phosphatidylcholine, L- $\alpha$ -1,2-didocosahexaenoyl [1- <sup>14</sup> C]
ARC 3704	2-Methoxyethanol [1- <sup>14</sup> C]	ARC 3764	Erythrose, D-[1- <sup>14</sup> C]
ARC 3705	Diethylene [1- <sup>14</sup> C] glycol monobutyl ether	ARC 3765	Threose, D-[1- <sup>14</sup> C]
ARC 3716	Diethylaminetriamine pentaethyl ester [carbonyl- <sup>14</sup> C]	ARC 3766	Methyl glycerate [1- <sup>14</sup> C]
ARC 3717	Diethylaminetriamine diethyl ester [carbonyl- <sup>14</sup> C]	ARC 3767	Arabinose, D-[1,2- <sup>14</sup> C]
ARC 3718	Acrylic acid [1- <sup>14</sup> C] sodium salt	ARC 3768	Ribose, D-[1,2- <sup>14</sup> C]
ARC 3719	Dicamba [carboxyl- <sup>14</sup> C]	ARC 3769	Isophthalic acid [carboxyl- <sup>14</sup> C]
ARC 3720	2-Methyl-4-chlorophenoxyacetic acid [ring- <sup>14</sup> C(U)]	ARC 3770	Pyridine-N-oxide [2,6- <sup>14</sup> C]
ARC 3721	Apsartic acid, D-[3- <sup>14</sup> C]	ARC 3771	4-Nitropyridine [2,6- <sup>14</sup> C]
ARC 3722	Apsartic acid, L-[3- <sup>14</sup> C]	ARC 3773	Cetrimonium bromide [ <sup>14</sup> C]
ARC 3723	Trypsin inhibitor [methyl- <sup>14</sup> C] methylated	ARC 3774	Glycerol trilaurate [1- <sup>14</sup> C]
ARC 3724	Valine, DL-[1- <sup>14</sup> C]	ARC 3776	Fusidic acid [acetyl-1- <sup>14</sup> C]
ARC 3725	Oxycodone [O-methyl- <sup>14</sup> C] hydrochloride	ARC 3777	Triclosan [ring- <sup>14</sup> C(U)]
ARC 3726	Monosodium methane arsonate [methyl- <sup>14</sup> C]	ARC 3778	2-Bromo-1-(4-bromophenyl)ethanone [carbonyl- <sup>14</sup> C]
ARC 3729	Rosuvastatin [N-methyl- <sup>14</sup> C] calcium salt	ARC 3779	Pantothenic acid, D-[1- <sup>14</sup> C] methyl ester
ARC 3730	4-Aminopyridine [2,6- <sup>14</sup> C]	ARC 3780	Norfentanyl [ring- <sup>14</sup> C(U)]
ARC 3731	N-Benzoyl cytosine [2- <sup>14</sup> C]	ARC 3781	Nicotinamide riboside [carbonyl- <sup>14</sup> C]
ARC 3732	Diethylene glycol [1- <sup>14</sup> C]	ARC 3782	Dextran [carboxyl- <sup>14</sup> C]
ARC 3733	Diethylene [1- <sup>14</sup> C] glycol dibutyl ether	ARC 3783	Hexadecanedioic acid [16- <sup>14</sup> C]
ARC 3734	7-Ethoxycoumarin [phenyl ring- <sup>14</sup> C(U)]	ARC 3786	4-Hexanoyl resorcinol [resorcinol- <sup>14</sup> C(U)]
ARC 3735	Propionaldehyde [1- <sup>14</sup> C]	ARC 3787	Diethyl ethoxymethylenemalonate [1- <sup>14</sup> C]
ARC 3736	7-Hydroxycoumarin [phenyl ring- <sup>14</sup> C(U)]	ARC 3788	4,4'-Methylenebis (2,6-di-tert-butylphenol) [ring- <sup>14</sup> C(U)]
ARC 3737	3-Fluoro-4-aminopyridine [ <sup>14</sup> C]	ARC 3790	Trilinolein [linoleic-1- <sup>14</sup> C]
ARC 3738	2-Fluoro-4-aminopyridine [ <sup>14</sup> C]	ARC 3791	6-Hydroxynicotinic acid [carboxyl- <sup>14</sup> C]
ARC 3740	Malathion [carboxyl- <sup>14</sup> C]	ARC 3792	6-Chloronicotinic acid [carboxyl- <sup>14</sup> C]
ARC 3742	Diethyl pimelate [1,7- <sup>14</sup> C]	ARC 3793	6-Hydroxy-5-bromonicotinic acid [carboxyl- <sup>14</sup> C]
ARC 3743	Dimethyl methylphosphonate [methyl- <sup>14</sup> C]	ARC 3794	6-Chloro-3-cyanopyridine [cyano- <sup>14</sup> C]
ARC 3744	Diisopropyl methylphosphonate [methyl- <sup>14</sup> C]	ARC 3795	Lactic acid, L-[carbonyl- <sup>14</sup> C] butyl ester
ARC 3745	Trimethyl phosphate [methoxy- <sup>14</sup> C]	ARC 3796	Lactic acid, L-[carbonyl- <sup>14</sup> C] ethyl ester
ARC 3746	Diethyl ethylphosphonate [ethyl- <sup>14</sup> C]	ARC 3797	Pyruvic acid [carboxyl- <sup>14</sup> C] butyl ester
ARC 3747	Glutamic acid, D-[1,5- <sup>14</sup> C]	ARC 3798	Pyruvic acid [carboxyl- <sup>14</sup> C] ethyl ester
ARC 3748	Glutamine, L-[1,5- <sup>14</sup> C]	ARC 3799	2,2-Difluoropropionic acid [carboxyl- <sup>14</sup> C]
ARC 3749	1-BOC-S-Prolinamide [1- <sup>14</sup> C]	ARC 3800	Bis(4-fluorophenyl) methane [methylene- <sup>14</sup> C]
ARC 3750	Eicosatetraenoyl 8,11,14,17 [1- <sup>14</sup> C] Coenzyme A	ARC 3801	4'-Bromoacetophenone [carboxyl- <sup>14</sup> C]
ARC 3751	Docosapentanoyl CoA 7,10,13,16,19 [1- <sup>14</sup> C]	ARC 3802	2-Amino-4,6-dihydroxypyrimidine [2- <sup>14</sup> C]
ARC 3752	Benzoic acid [7- <sup>14</sup> C] sodium salt	ARC 3803	2-Amino-4,6-dichloropyrimidine [2- <sup>14</sup> C]
ARC 3753	Benzoic acid [ring- <sup>14</sup> C(U)] sodium salt	ARC 3804	4-Toluic acid [ring- <sup>14</sup> C(U)]
ARC 3754	2,5-Xylenol [ring- <sup>14</sup> C(U)]	ARC 3805	2,5-Dimethylaniline [ring- <sup>14</sup> C(U)] hydrochloride
ARC 3755	2-Amino-2-methyl-1-propanol [1- <sup>14</sup> C] hydrochloride	ARC 3806	2,5-Dimethyl-4-nitrobenzene [ring- <sup>14</sup> C(U)]
ARC 3756	Trifluoperazine [methyl- <sup>14</sup> C] dihydrochloride	ARC 3807	Benzylidene acetone [olefinic- <sup>14</sup> C]
ARC 3757	Proline, DL-[1- <sup>14</sup> C]	ARC 3808	Lysophosphatic acid, L- $\alpha$ -1-lauroyl [lauroyl-1- <sup>14</sup> C] sodium salt
ARC 3758	Amoxicillin [ <sup>14</sup> C]		
ARC 3759	Phorate [methylene- <sup>14</sup> C]		
ARC 3760	Paraoxon [ring- <sup>14</sup> C(U)]		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARC 3809	Lysophosphatidic acid, L- $\alpha$ -1-palmitoyl [palmitoyl-1- $^{14}$ C] sodium salt	<i>Unlabeled and Stable Labeled Compounds</i>	
ARC 3810	Lysophosphatidic acid, L- $\alpha$ -1-stearoyl [stearoyl-1- $^{14}$ C] sodium salt	ARCD 0101	<i>trans,trans</i> Farnesyl pyrophosphate triammonium salt
ARC 3811	Lysophosphatidic acid, L- $\alpha$ -1-arachdionyl [arachidonyl-1- $^{14}$ C] sodium salt	ARCD 0102	<i>all trans</i> Geranyl geranyl pyrophosphate triammonium salt
ARC 3812	Phosphatidic acid, L- $\alpha$ -dilauroyl [2-lauroyl-1- $^{14}$ C] sodium salt sodium salt	ARCD 0103	Geranyl pyrophosphate triammonium salt
ARC 3813	Phosphatidic acid, L- $\alpha$ -distearoyl [2-stearoyl-1- $^{14}$ C] sodium salt	ARCD 0104	Isopentenyl pyrophosphate triammonium salt
ARC 3814	Phosphatidic acid, L- $\alpha$ -diarachdionyl [2-arachidonyl-1- $^{14}$ C] sodium salt	ARCD 0105	Dimethylallyl pyrophosphate tetrammonium salt
ARC 3815	2-Butynoic acid [1- $^{14}$ C]	ARCD 0106	<i>all trans</i> Geranyl geraniol
ARC 3816	5,5-Diphenylhydantoin [4- $^{14}$ C]	ARCD 0108	Inositol- <i>myo</i> D-1,4,5-triphosphate hexaphosphate salt
ARC 3817	Dextran [carboxyl- $^{14}$ C]	ARCD 0109	Inositol- <i>myo</i> L-1,4,5-triphosphate hexaphosphate salt
ARC 3818	Dextran [carboxyl- $^{14}$ C]	ARCD 0110	<i>trans,trans</i> Farnesyl monophosphate diammonium salt
ARC 3819	Triphosgene [carbonyl- $^{14}$ C]	ARCD 0111	Solanesyl pyrophosphate
ARC 3820	Diclofenac sodium [phenyl ring- $^{14}$ C(U)]	ARCD 0113	Mevalonic acid-5-phosphate
ARC 3821	Dextran [carboxyl- $^{14}$ C]	ARCD 0114	Mevalonic acid, R pyrophosphate
ARC 3822	Propionyl chloride [1- $^{14}$ C]	ARCD 0116	Octaprenyl pyrophosphate triammonium salt
ARC 3823	Maytansine [methyl- $^{14}$ C]	ARCD 0117	Farnesyl cysteine
		ARCD 0119	Geranyl geranyl bromide
		ARCD 0125	Undecaprenyl phosphate diammonium salt
		ARCD 0126	Undecaprenol
		ARCD 0131	Phosphatidylinositol 4,5-bisphosphate ammonium salt
		ARCD 0137	$\alpha$ -Dihydrotetabenazine
		ARCD 0138	Docosapentaenoic acid 4,7,10,13,16
		ARCD 0140	Farnesyl cysteine methyl ester
		ARCD 0153	Rosiglitazone
		ARCD 0156	Stearoyl Coenzyme A lithium salt
		ARCD 0157	Tetracosapentaenoic acid 9,12,15,18,21 (24:5,n-3)
		ARCD 0159	Eicosatetraenoic acid 8,11,14,17
		ARCD 0160	Geranyl geranyl cysteine
		ARCD 0165	Phytol diphosphate
		ARCD 0166	Inositol, D- <i>myo</i> -1-phosphate sodium salt
		ARCD 0167	Dolichyl C <sub>95</sub> MPDA monophosphate
		ARCD 0168	Mannosylphosphoryldolichol <sub>(95)</sub>
		ARCD 0169	Sphingosine, D- <i>erythro</i> -1-phosphate
		ARCD 0170	Dihydrosphingosine, D- <i>erythro</i> -1-phosphate
		ARCD 0171	Dolichol C <sub>95</sub>
		ARCD 0172	Sulfatide (stearoyl) sodium salt (bovine)
		ARCD 0190	Lignoceryl Coenzyme A
		ARCD 0191	Tetabenazine
		ARCD 0192	Isopentenol
		ARCD 0207	7-Azi-5 $\alpha$ -stigmastan-3 $\beta$ -ol
		ARCD 0208	Eicosatrienoyl 8,11,14 Coenzyme A
		ARCD 0210	Dihydrokainic acid



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARCD 0211	Taxol	ARCD 0296	Butyryl Coenzyme A lithium salt
ARCD 0213	Docetaxel	ARCD 0299	n-Decanoyl Coenzyme A
ARCD 0215	7-Azi-5 $\alpha$ -cholestan-3 $\beta$ -ol	ARCD 0304	Oleoyl Coenzyme A lithium salt
ARCD 0216	6-Azi-5 $\alpha$ -cholestan-3 $\beta$ -ol	ARCD 0307	Arachidonyl Coenzyme A lithium salt
ARCD 0218	Docosanoyl Coenzyme A	ARCD 0309	2-Arachidonyl glycerol
ARCD 0219	Hexacosanoyl Coenzyme A	ARCD 0315	Simvastatin lactone
ARCD 0220	Ganglioside G <sub>M1</sub>	ARCD 0316	Simvastatin acid sodium salt
ARCD 0221	Phytosphingosine	ARCD 0318	Dolichol C <sub>100</sub>
ARCD 0224	24(S)-Hydroxycholesterol	ARCD 0319	Dolichyl C <sub>100</sub> MPDA monophosphate
ARCD 0227	( $\pm$ )-Geosmin	ARCD 0320	Heptaprenol
ARCD 0230	Coenzyme A lithium salt	ARCD 0321	Heptaprenyl MPDA
ARCD 0231	Octadecatetraenoic acid 6,9,12,15	ARCD 0341	Oseltamivir phosphate
ARCD 0232	Ganglioside G <sub>M2</sub>	ARCD 0343	CGP 37157
ARCD 0233	Gabapentin	ARCD 0345	Clozapine
ARCD 0234	n-Decaprenol	ARCD 0351	5,7-Dichlorokynurenic acid
ARCD 0235	Lovastatin acid sodium salt	ARCD 0353	MK-801, (+) maleate
ARCD 0236	Vinblastine sulfate	ARCD 0356	PPADS
ARCD 0237	Vincristine sulfate	ARCD 0357	( $\pm$ )-Rolipram
ARCD 0239	Ritonavir	ARCD 0359	( $\pm$ )-Thalidomide
ARCD 0240	Saquinavir	ARCD 0362	Atorvastatin calcium
ARCD 0241	Amprenavir	ARCD 0364	Pravastatin sodium salt
ARCD 0242	Lovastatin lactone	ARCD 0365	3-Hydroxypalmitoyl Coenzyme A
ARCD 0243	Rapamycin	ARCD 0367	Pioglitazone hydrochloride
ARCD 0244	(R)-(-)- $\alpha$ -Methylhistamine dihydrobromide	ARCD 0368	Tacrolimus
ARCD 0247	Hexaprenol	ARCD 0379	ZM 241385
ARCD 0248	Ibotenic acid	ARCD 0380	Lopinavir
ARCD 0249	Androst-4-ene-3, 17-dione	ARCD 0381	Montelukast
ARCD 0252	Cilostamide	ARCD 0383	Finasteride
ARCD 0253	Kyunerinic acid	ARCD 0386	2-Fluoro-2-deoxy-D-glucose
ARCD 0256	MPEP hydrochloride	ARCD 0388	Solanesol
ARCD 0258	Coenzyme A free acid	ARCD 0394	$\beta$ -D-Glucosyl ceramide
ARCD 0259	Dihydrosphingosine, D-erythro	ARCD 0395	17 $\alpha$ -Octadecynoic acid
ARCD 0267	WY-14643	ARCD 0396	Homoquinolinic acid
ARCD 0271	Lignoceric acid	ARCD 0397	Tetrodotoxin
ARCD 0273	Monasterol	ARCD 0401	Tenofovir
ARCD 0274	Sphingosine, D-erythro	ARCD 0402	Cerivastatin lactone
ARCD 0275	N-Acetyl-sphingosine, D-erythro	ARCD 0403	Cerivastatin sodium salt
ARCD 0276	MRS 1754	ARCD 0404	Fluvastatin lactone
ARCD 0277	Troglitazone	ARCD 0405	Fluvastatin sodium salt
ARCD 0279	Cycloamine	ARCD 0406	Pitavastatin lactone
ARCD 0280	3-Hydroxypalmitic acid	ARCD 0407	Pitavastatin calcium
ARCD 0281	Pravastatin lactone	ARCD 0408	Rosuvastatin lactone
ARCD 0283	Atorvastatin lactone	ARCD 0409	Rosuvastatin calcium
ARCD 0285	Amitriptyline hydrochloride	ARCD 0410	Cholesteryl oleoyl ether
ARCD 0286	Phytol	ARCD 0412	Y-27632
ARCD 0287	Arachidonic acid	ARCD 0413	2,3,7,8-Tetrachlorodibenzo- <i>p</i> -dioxin
ARCD 0288	4-Hydroxytamoxifen methiodide	ARCD 0414	24-Ketocholesterol
ARCD 0294	Acetyl Coenzyme A lithium salt	ARCD 0415	Terbinafine hydrochloride
ARCD 0295	Propionyl Coenzyme A-n lithium salt	ARCD 0416	11-Dehydrocorticosterone

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARCD 0417	Butenafine hydrochloride	ARCD 0521	(S)-ATPA
ARCD 0418	Glycerol-3-phosphate	ARCD 0522	(R)-AMPA
ARCD 0419	Clarithromycin	ARCD 0523	(RS)-AMPA
ARCD 0423	N-Isobutylpiperazine	ARCD 0524	(S)-AMPA
ARCD 0427	9-Decynoic acid	ARCD 0525	Saclofen
ARCD 0429	Mitoxantrone dihydrochloride	ARCD 0526	D-AP4
ARCD 0430	Dolichol C <sub>90</sub>	ARCD 0527	DL-AP4
ARCD 0431	Dolichol C <sub>105</sub>	ARCD 0528	L-AP4
ARCD 0432	Dolichol C <sub>115</sub>	ARCD 0529	D-AP7
ARCD 0437	Entecavir	ARCD 0530	DL-AP7
ARCD 0440	Indinavir sulfate	ARCD 0532	D-AP5
ARCD 0444	Tangeretin	ARCD 0533	DL-AP5
ARCD 0445	Cholecalciferol	ARCD 0534	D-AP3
ARCD 0446	Dolichyl C <sub>90</sub> MPDA	ARCD 0535	DL-AP3
ARCD 0449	Aflatoxin M <sub>1</sub>	ARCD 0536	L-AP3
ARCD 0454	Ciglitazone	ARCD 0537	SKF 97541
ARCD 0456	Sumatriptan succinate	ARCD 0540	L-CCG-I
ARCD 0457	L-689,560	ARCD 0541	(-)- $\alpha$ -Kainic acid
ARCD 0460	Gallein	ARCD 0542	(RS)-4-CPG
ARCD 0462	Ezetimibe $\beta$ -D gluconuride	ARCD 0544	(RS)-CPP
ARCD 0463	Betamethasone acetate	ARCD 0545	Capsazepine
ARCD 0465	Bisphenol A	ARCD 0546	Cyclothiazide
ARCD 0466	Tetrabromobisphenol A	ARCD 0553	NBQX
ARCD 0467	Methotrexate	ARCD 0555	( $\pm$ )- <i>cis,trans</i> -Abscisic acid
ARCD 0468	Decaprenyl pyrophosphate	ARCD 0556	(RS)-3,5-DHPG
ARCD 0471	22(S)-Hydroxycholesterol	ARCD 0557	KN-62
ARCD 0472	CGP 54626 hydrochloride	ARCD 0559	NMDA
ARCD 0473	Octacosanoyl Coenzyme A	ARCD 0560	NMLA
ARCD 0475	Lanosterol	ARCD 0562	(RS)-MCPG
ARCD 0476	Alimta sodium salt	ARCD 0565	DNQX
ARCD 0477	Astemizole	ARCD 0566	Dotarizine
ARCD 0484	Everolimus	ARCD 0568	(RS)-Piperazine-2-carboxylic acid
ARCD 0491	SR 141716A	ARCD 0570	L- <i>trans</i> -4-Carboxy-L-proline
ARCD 0492	3-Aminopropylphosphinic acid	ARCD 0571	L(+)-Quisqualic acid
ARCD 0496	Ezetimibe	ARCD 0572	( $\pm$ )- <i>trans,trans</i> -Abscisic acid
ARCD 0499	Climbazole	ARCD 0573	Doxorubicin
ARCD 0501	(RS)-4-Bromohomoibotenic acid	ARCD 0577	Daunomycin hydrochloride
ARCD 0502	(S)-4-Bromohomoibotenic acid	ARCD 0628	WAY 100635 trihydrochloride
ARCD 0506	(1R,3R)-homo-ACPD	ARCD 0640	Tetrodotoxin citrate
ARCD 0507	(1R,3S)-homo-ACPD	ARCD 0645	SQ 29,548
ARCD 0508	(1S,3R)-homo-ACPD	ARCD 0648	Anandamide
ARCD 0510	2-Hydroxysaclofen	ARCD 0649	Capsaicin
ARCD 0512	<i>cis</i> -1,2-ACPD	ARCD 0655	Guanosine 5'-diphosphate L-fucose
ARCD 0513	<i>cis</i> -1,3-ACPD	ARCD 0657	Leelamine
ARCD 0514	<i>trans</i> -1,2-ACPD	ARCD 0658	Sphingomyelin (bovine)
ARCD 0515	<i>trans</i> -1,3-ACPD	ARCD 0659	2-Fluoro-2-deoxy-D-galactose
ARCD 0517	(1S,3R)-ACPD	ARCD 0682	( $\pm$ )-Cyanopindolol hemifumarate
ARCD 0518	(1S,3S)-ACPD	ARCD 0683	L-Erythrose
ARCD 0519	(R)-ATPA		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARCD 0686	Mesulergine hydrochloride	ARCD 0780	(+)-Abscisic acid
ARCD 0688	Dihydroctacrolimus	ARCD 0781	Adenosine diphospho D-glucose disodium salt
ARCD 0690	Oxotremorine-M	ARCD 0782	Itraconazole
ARCD 0700	Atorvastatin sodium salt	ARCD 0783	Ropivacaine hydrochloride
ARCD 0703	Brassinolide	ARCD 0784	1-Cyano-1 <i>H</i> -1,2,3-benzotriazole
ARCD 0704	Efavirenz	ARCD 0788	S-(5'-Adenosyl)-L-methionine [methyl- <sup>13</sup> C]
ARCD 0708	Di(2-ethylhexyl) hexahydrophthalate	ARCD 0790	Psychosine [galactose-6-D]
ARCD 0716	Atazanavir	ARCD 0791	Inositol, <i>myo</i> -[1,2-D <sub>2</sub> ]
ARCD 0717	Donepezil hydrochloride	ARCD 0792	<i>all trans</i> Geranyl geranyl pyrophosphate [1,2-D <sub>2</sub> ] triammonium salt
ARCD 0718	Gemcitabine hydrochloride	ARCD 0793	<i>trans,trans</i> Farnesyl pyrophosphate [1,2-D <sub>2</sub> ] triammonium salt
ARCD 0720	WIN 35,428	ARCD 0794	<i>trans,trans</i> Farnesol [1,2-D <sub>2</sub> ]
ARCD 0721	Tobramycin	ARCD 0795	<i>all trans</i> Geranyl geraniol [1,2-D <sub>2</sub> ]
ARCD 0722	Neomycin sulfate	ARCD 1000	<i>trans,trans</i> Farnesyl pyrophosphate [1,2,3-D <sub>3</sub> ] diammonium salt
ARCD 0724	Benzoylbenzoyl ATP	ARCD 1008	<i>all trans</i> Geranyl geranyl pyrophosphate [1,2,3-D <sub>3</sub> ] triammonium salt
ARCD 0725	N-Succinimidyl propionate	ARCD 1012	Eicosatrienoic acid 5,8,11
ARCD 0726	MDL 100907	ARCD 1013	3'-Phosphoadenosine 5'-phosphosulfate lithium salt hydrate
ARCD 0728	Glycerol trinitrate	ARCD 1014	Jasmonic acid [2,4,4-d <sub>3</sub> ; acetyl-2,2-d <sub>2</sub> ]
ARCD 0729	Aflatoxin B <sub>1</sub>	ARCD 1016	Acetyl [1,2- <sup>13</sup> C <sub>2</sub> ] Coenzyme A lithium salt
ARCD 0730	Aflatoxin B <sub>2</sub>	ARCD 1024	Tricaprin
ARCD 0735	PHA 665752	ARCD 1025	Bexarotene (free acid)
ARCD 0736	MS-275	ARCD 1027	Atrazine
ARCD 0738	Ketoconazole	ARCD 1028	Phorate
ARCD 0739	Nicardipine	ARCD 1029	Oseltamivir carboxylate
ARCD 0740	7,8-Dihydroxyflavone	ARCD 1030	Fusidic acid
ARCD 0741	Saxitoxin dihydrochloride (STX)	ARCD 1031	Parathion
ARCD 0744	SYM 2081	ARCD 1032	Paraoxon
ARCD 0746	LY 354740	ARCD 1033	D-Biotin
ARCD 0748	Ketotifen fumarate	ARCD 1034	Carboxy S-adenosyl-L-methionine
ARCD 0751	Vancomycin hydrochloride	ARCD 1035	n-Hexadecane [ <sup>13</sup> C(U)]
ARCD 0752	Acacetin	ARCD 1036	Cyanine 3-dUTP
ARCD 0753	Amphotericin B	ARCD 1037	Cyanine 5-dUTP
ARCD 0756	L-Amino acid mixture	ARCD 1038	Sitagliptin phosphate
ARCD 0758	20 $\alpha$ -Hydroxyprogesterone	ARCD 1039	SCH 58261
ARCD 0762	Minoxidil	ARCD 1041	Linagliptin
ARCD 0763	Olmesartan acid	ARCD 1042	Itaconic acid
ARCD 0764	4-Aminosalicylic acid [ <sup>13</sup> C <sub>6</sub> ]	ARCD 1043	N-Desethyl amodiaquine
ARCD 0765	4-Aminobenzoic acid [ <sup>13</sup> C <sub>6</sub> ]	ARCD 1044	Simvastatin [methyl-D <sub>3</sub> ] ammonium salt
ARCD 0766	Cholecalciferol palmitate	ARCD 1045	Rosuvastatin [N-methyl-D <sub>3</sub> ] calcium salt
ARCD 0767	S-(5'-Adenosyl)-L-methionine chloride		
ARCD 0768	S-(5'-Adenosyl)-L-methionine		
ARCD 0769	Loratadine		
ARCD 0770	Estradiol 17- $\beta$ -D-glucuronide sodium salt		
ARCD 0772	Tamoxifen methiodide		
ARCD 0774	4-Aminohippuric acid		
ARCD 0775	(R)-Norapomorphine hydrobromide		
ARCD 0776	(R)-(-)- $\alpha$ -Methylhistamine dihydrochloride		
ARCD 0777	5-Aminosalicylic acid [ <sup>13</sup> C <sub>6</sub> ]		
ARCD 0778	Methyllycaconitine citrate		
ARCD 0779	Crizotinib		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
<i>32P, 33P, 35S, 36Cl, 45Ca, 51Cr, 55Fe, 59Fe, 125I Labeled Compounds and Radionuclides</i>			
ARI 0102, A	Iodine-125 radionuclide as sodium iodide	ARI 0156	Exendin (9-39) [ <sup>125</sup> I] Bolton-Hunter Labeled
ARI 0103, A, B	Bolton-Hunter Reagent [ <sup>125</sup> I]	ARI 0157	TARC [ <sup>125</sup> I] (human, recombinant)
ARI 0107	Epibatidine [ <sup>125</sup> I]	ARI 0158	Melanin-Concentrating Hormone, Phe <sup>13</sup> , Tyr <sup>19</sup> -[ <sup>125</sup> I] (human, mouse, rat)
ARI 0109	Leptin [ <sup>125</sup> I]	ARI 0161	MIP-3α [ <sup>125</sup> I] (human, recombinant)
ARI 0112	Albumin [ <sup>125</sup> I] (bovine serum)	ARI 0162	Antisauvagine-30, [( <sup>125</sup> I)-1-His <sup>2</sup> ]
ARI 0113	Lysergic acid [ <sup>125</sup> I] diethylamide	ARI 0169	Angiotensin I, Tyr <sup>4</sup> -[ <sup>125</sup> I] (human)
ARI 0114	Ghrelin, His-[ <sup>125</sup> I] (human)	ARI 0170	Angiotensin II, Tyr <sup>4</sup> -[ <sup>125</sup> I] (human)
ARI 0116	Adrenomedullin, Tyr-[ <sup>125</sup> I] (human)	ARI 0172	Angiotensin IV, Tyr <sup>2</sup> -[ <sup>125</sup> I] (human)
ARI 0118	Calcitonin gene-related peptide [ <sup>125</sup> I] (human)	ARI 0176	Triiodothyronine, L-3,3',5'-[ <sup>125</sup> I]
ARI 0119	AB-MECA [ <sup>125</sup> I]	ARI 0177	Bombesin, Tyr-[ <sup>125</sup> I]
ARI 0120, A, B	Thyroxine, L-[T <sub>4</sub> - <sup>125</sup> I]	ARI 0178	β-Amyloid 1-40 [ <sup>125</sup> I]
ARI 0121, A, B	Triiodothyronine, L-3,5,3'-[T <sub>3</sub> - <sup>125</sup> I]	ARI 0179	Somatostatin-14, Tyr <sup>11</sup> -[ <sup>125</sup> I]
ARI 0122	Pancreatic polypeptide [ <sup>125</sup> I] (human)	ARI 0183	Iodoproxyfan [ <sup>125</sup> I]
ARI 0123	Epidermal growth factor [ <sup>125</sup> I] (murine)	ARI 0186	Iodo(-)-cyanopindolol [ <sup>125</sup> I]
ARI 0124	Vasopressin, Tyr <sup>2</sup> , Arg <sup>8</sup> -[ <sup>125</sup> I]	ARI 0188	CGP 42112A [ <sup>125</sup> I]
ARI 0125	Iodo-melatonin, 2-[ <sup>125</sup> I]	ARI 0190	Gastrin, Tyr <sup>12</sup> -[ <sup>125</sup> I] (human)
ARI 0126	Neurotensin, Tyr <sup>3</sup> -[ <sup>125</sup> I]	ARI 0191	Ornithine Vasotocin Analog [ <sup>125</sup> I]
ARI 0127	Substance P, Tyr <sup>8</sup> -[ <sup>125</sup> I]	ARI 0192	Adenosine 5'-[ <sup>125</sup> I] cyclic monophosphate
ARI 0128	Insulin [ <sup>125</sup> I] (human, recombinant)	ARI 0194	QRFP-43 [ <sup>125</sup> I] (human)
ARI 0129	SDF-1α [ <sup>125</sup> I] (human, recombinant)	ARI 0196	HEAT [ <sup>125</sup> I] hydrochloride
ARI 0130	Prolactin [ <sup>125</sup> I] (rat)	ARI 0200	Urotensin II, Tyr <sup>9</sup> -[ <sup>125</sup> I] (human)
ARI 0131	RANTES [ <sup>125</sup> I] (human, recombinant)	ARI 0203	MPPI, ρ-[ <sup>125</sup> I]
ARI 0132	Interleukin-8 [ <sup>125</sup> I] (human, recombinant)	ARI 0204	Galanin [ <sup>125</sup> I] (human)
ARI 0133, A	Iodine-125 Standards for Autoradiography	ARI 0205	Interleukin-6 [ <sup>125</sup> I] (human, recombinant)
ARI 0134	Angiotensin II, Sar <sup>1</sup> , Ile <sup>8</sup> -[ <sup>125</sup> I] (human)	ARI 0206	Apelin-13, Glp <sup>65</sup> , Nle <sup>75</sup> , Tyr <sup>77</sup> -[ <sup>125</sup> I]
ARI 0135	Cholecystokinin octapeptide [ <sup>125</sup> I] Bolton-Hunter Labeled	ARI 0209	RTI-121 [ <sup>125</sup> I]
ARI 0137	Endothelin 1, Tyr <sup>13</sup> -[ <sup>125</sup> I] (human, porcine)	ARI 0210	Neuropeptide FF, [D-Tyr <sup>1</sup> [ <sup>125</sup> I],N-MePhe <sup>3</sup> ]
ARI 0138	Gastric inhibitory polypeptide [ <sup>125</sup> I] (human)	ART 0211	Nerve growth factor, β-[ <sup>125</sup> I] (human, recombinant)
ARI 0139	Glucagon [ <sup>125</sup> I] <i>Receptor Grade</i>	ARI 0212	Luteinizing hormone-releasing hormone, D-Trp <sup>6</sup> -[ <sup>125</sup> I]
ARI 0140	Motilin [ <sup>125</sup> I]	ARI 0214	Diferric transferrin [ <sup>125</sup> I] (human)
ARI 0142	α-MSH, Nle <sup>4</sup> , D-Phe <sup>7</sup> -[ <sup>125</sup> I]	ARI 0215	Tumor necrosis factor α-[ <sup>125</sup> I] (human, recombinant)
ARI 0143	Peptide YY [ <sup>125</sup> I] (human)	ARI 0216	Vascular endothelial growth factor [ <sup>125</sup> I] (human, recombinant)
ARI 0144	Sauvagine, Tyr <sup>0</sup> -[ <sup>125</sup> I]	ARI 0217	Epidermal growth factor [ <sup>125</sup> I] (human, recombinant)
ARI 0145	Vasopressin (linear), V <sub>1A</sub> antagonist (Phenylacetyl <sup>1</sup> , O-Me-D-Tyr <sup>2</sup> ) Arg <sup>6</sup> -[ <sup>125</sup> I]	ARP 0101, A, B, C	Adenosine 5'-triphosphate [α- <sup>32</sup> P] tetra (triethylammonium) salt
ARI 0146	α-Bungarotoxin, Tyr <sup>54</sup> -[ <sup>125</sup> I]	ARP 0102A, B, C, D	Adenosine 5'-triphosphate [γ- <sup>32</sup> P] tetra F, G (triethylammonium) salt
ARI 0147	(±)-DOI [ <sup>125</sup> I]	ARP 0103, A, B	Phosphorus-32 radionuclide as orthophosphoric acid
ARI 0148	RTI-55 [ <sup>125</sup> I]	ARP 0104A, B, C	Cytidine 5'-triphosphate [α- <sup>32</sup> P]
ARI 0149	MIP-1α [ <sup>125</sup> I] (human, recombinant)	ARP 0106A, B, C, D	Uridine 5'-triphosphate [α- <sup>32</sup> P] tetra F (triethylammonium) salt
ARI 0150	MIP-1β, Leu <sup>3</sup> , Gly <sup>47</sup> -[ <sup>125</sup> I]		
ARI 0151	R-(+)- <i>trans</i> -7-Hydroxy-PIPAT [ <sup>125</sup> I]		
ARI 0152	GLP-1 (7-36), Tyr-[ <sup>125</sup> I]		
ARI 0153	I-TAC [ <sup>125</sup> I] (human, recombinant)		
ARI 0154	Eotaxin [ <sup>125</sup> I] (human, recombinant)		
ARI 0155	MCP-1 [ <sup>125</sup> I] Bolton-Hunter Labeled		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ARP 0109A	Guanosine 5'-triphosphate [ $\gamma$ - $^{32}\text{P}$ ] disodium salt	ARS 0111, A, B	Deoxyadenosine 5'-( $\alpha$ -thio)-triphosphate [ $\alpha$ - $^{35}\text{S}$ ]
ARP 0110A, B	Guanosine 5'-triphosphate [ $\alpha$ - $^{32}\text{P}$ ] disodium salt	ARS 0113	Adenosine 5'-( $\alpha$ -thio) triphosphate [ $\alpha$ - $^{35}\text{S}$ ]
ARP 0115A, B	Thymidine 5'-triphosphate [ $\alpha$ - $^{32}\text{P}$ ] disodium salt	ARS 0119	Methionine, L-[ $^{35}\text{S}$ ]
ARP 0118A, B	Deoxyadenosine 5'-triphosphate [ $\alpha$ - $^{32}\text{P}$ ] tetra (triethylammonium salt)	ARS 0121	3'-Phosphoadenosine-5'-phosphosulfate [ $^{35}\text{S}$ ]
ARP 0120A, B, C, D, F	Deoxycytidine 5'-triphosphate [ $\alpha$ - $^{32}\text{P}$ ] disodium salt	ARS 0122, A	Adenosine 5'-( $\gamma$ -thio)-triphosphate [ $\gamma$ - $^{35}\text{S}$ ]
ARP 0127A	Deoxyadenosine 5'-triphosphate [ $\alpha$ - $^{32}\text{P}$ ] tetra (triethylammonium salt)	ARS 0123	Glutathione, L-[ $^{35}\text{S}$ ]
ARP 0128	Adenosine 5'-[ $\gamma$ - $^{33}\text{P}$ ] triphosphate	ARS 0124	Guanosine 5'-( $\gamma$ -thio) triphosphate [ $\gamma$ - $^{35}\text{S}$ ]
ARP 0129, B	Uridine 5'-triphosphate [ $\alpha$ - $^{33}\text{P}$ ] tetra (triethylammonium) salt	ARS 0126, A	Uridine 5'-( $\alpha$ -thio) triphosphate [ $\alpha$ - $^{35}\text{S}$ ]
ARP 0130, A	Deoxycytidine 5'-triphosphate [ $\alpha$ - $^{33}\text{P}$ ] tetra (triethylammonium) salt	ARS 0127	Cystine, L-[ $^{35}\text{S}$ ]
ARP 0131	Adenosine 5'-triphosphate [ $\alpha$ - $^{33}\text{P}$ ] tetra (triethylammonium) salt	ARS 0128	Sodium sulfide [ $^{35}\text{S}$ ]
ARP 0133	Phosphorus-33 radionuclide as orthophosphoric acid	ARS 0129	t-Butyl bicyclophosphorothionate [ $^{35}\text{S}$ ]
ARP 0136	Adenosine 5'-[ $\gamma$ - $^{33}\text{P}$ ] triphosphate	ARS 0130	Adenosyl-L-methionine, S-[ $^{35}\text{S}$ ]
ARP 0139	Cytidine 3',5'-bis(triphosphate) [ $5'$ - $^{33}\text{P}$ ]	ARS 0133	Cysteine, L-[ $^{35}\text{S}$ ]
ARP 0140, A	Deoxyguanosine-5'-triphosphate [ $\alpha$ - $^{32}\text{P}$ ] tetra (triethylammonium salt)	ARS 0134	Ammonium sulfate [ $^{35}\text{S}$ ]
ARP 0141	Nicotinamide Adenine Dinucleotide, [adenylate- $^{32}\text{P}$ ] dipotassium salt	ARX 0101, A	Chromium-51 radionuclide as sodium chromate
ARP 0143	Thymidine 5'-triphosphate [ $\alpha$ - $^{33}\text{P}$ ] disodium salt	ARX 0102	Calcium-45 radionuclide as calcium chloride
ARP 0144, A	Sphingosine, D-erythro-1-phosphate [ $^{33}\text{P}$ ]	ARX 0103	Chlorine-36 radionuclide as hydrogen chloride
ARP 0145	Deoxyguanosine-5'-triphosphate [ $\alpha$ - $^{33}\text{P}$ ]	ARX 0104	Chlorine-36 radionuclide as sodium chloride
ARP 0146	Lysophosphatidic acid, L- $\alpha$ -[ $^{33}\text{P}$ ]	ARX 0110	Glycerol [ $^{45}\text{Ca}$ ] phosphate calcium salt
ARP 0148	Ceramide-D-erythro-1-phosphate [ $^{33}\text{P}$ ]	ARX 0111	Chlorine-36 radionuclide as potassium chloride
ARP 0151	Glyceraldehyde [ $^{33}\text{P}$ ] 3-phosphate		
ARP 0152	Sodium dihydrogen phosphate [ $^{32}\text{P}$ ]		
ARP 0153	Dipotassium hydrogen phosphate [ $^{33}\text{P}$ ]		
ARP 0154	Cytidine 5'-[ $\alpha$ - $^{33}\text{P}$ ] triphosphate		
ARP 0155	Guanosine 5'-[ $\alpha$ - $^{33}\text{P}$ ] triphosphate		
ARP 0175	Deoxythymidine 5'-[ $\alpha$ - $^{32}\text{P}$ ] triphosphate		
ARP 0176	Biotin sphingosine, D-erythro-1-phosphate [ $^{33}\text{P}$ ]		
ARP 0177	Glucose [ $^{33}\text{P}$ ] 6-phosphate		
ARP 0179, A	Adenosine 5'-[ $\gamma$ - $^{32}\text{P}$ ] monophosphate		
ARP 0181	Inosine 5'-[ $\alpha$ - $^{32}\text{P}$ ] triphosphate		
ARP 0182	Adenosine 5'-[ $\alpha$ - $^{32}\text{P}$ ] diphosphate		
ARP 0183	Cytidine 5'-[ $\gamma$ - $^{33}\text{P}$ ] triphosphate		
ARP 0184	Phosphatidic acid, L- $\alpha$ -[ $^{33}\text{P}$ ]		
ARP 0185	3'-Deoxyadenosine 5'-[ $\alpha$ - $^{32}\text{P}$ ] triphosphate		
ARS 0101	Cysteine, L-[ $^{35}\text{S}$ ]		
ARS 0104A	Methionine, L-[ $^{35}\text{S}$ ]		
ARS 0105	Sulfur-35 as sodium sulfate		
ARS 0106	Sulfur-35 as sulfuric acid		
ARS 0110, A	Met- $^{35}\text{S}$ -Label		



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
<i>Tritium Labeled Compounds</i>			
ART 0101	Acetyl-D-glucosamine, N-[6- <sup>3</sup> H]	ART 0137, A	Glucosamine, D-[1,6- <sup>3</sup> H(N)] hydrochloride
ART 0102	Acetyl-D-mannosamine, N-[6- <sup>3</sup> H]	ART 0138	Aminoisobutyric acid, α-[methyl- <sup>3</sup> H]
ART 0103, A	Deoxy-D-glucose, 2-[1,2- <sup>3</sup> H(N)]	ART 0139	Naloxone [N-allyl 2,3- <sup>3</sup> H]
ART 0104, A	Deoxy-D-glucose, 2-[ <sup>3</sup> H(G)]	ART 0140, A	Leucine, L-[4,5- <sup>3</sup> H(N)]
ART 0105, A	2-Fluoro-2-deoxy-D-glucose [5,6- <sup>3</sup> H]	ART 0141	Myristic acid [9,10- <sup>3</sup> H(N)]
ART 0106, A	Fucose, L-[5,6- <sup>3</sup> H]	ART 0142	Acetyl-D-glucosamine, N-[1,6- <sup>3</sup> H(N)]
ART 0107	Fucose, L-[6- <sup>3</sup> H]	ART 0143, A	Adenine [8- <sup>3</sup> H]
ART 0108A	Galactose, D-[1- <sup>3</sup> H(N)]	ART 0145A	Arabinose, D-[5- <sup>3</sup> H]
ART 0109A	Galactose, D-[6- <sup>3</sup> H(N)]	ART 0146	Cytidine [5- <sup>3</sup> H]
ART 0110, A	Glucosamine, D-[6- <sup>3</sup> H] hydrochloride	ART 0147	Cytidine 5'-monophosphate sialic acid [sialic-6- <sup>3</sup> H]
ART 0111, A	Glucose, D-[1- <sup>3</sup> H(N)]	ART 0148	Galactosamine, D-[1- <sup>3</sup> H(N)] hydrochloride
ART 0112	Glucose, D-[2- <sup>3</sup> H(N)]	ART 0149, A	Glutamine, L-[2,3,4- <sup>3</sup> H]
ART 0113, A	Glucose, D-[6- <sup>3</sup> H(N)]	ART 0150	Methyl-4-phenylpyridinium iodide, 1-[methyl- <sup>3</sup> H]
ART 0114, A	Glucose, L-[1- <sup>3</sup> H(N)]	ART 0151	Nicotine, L-[N-methyl- <sup>3</sup> H]
ART 0115	Glucose, D-[5- <sup>3</sup> H(N)]	ART 0152	Ribose, D-[1- <sup>3</sup> H]
ART 0116, A, B	Inositol, <i>myo</i> -[2- <sup>3</sup> H(N)]	ART 0153	Sialic acid [6- <sup>3</sup> H]
ART 0117	Inulin [ <sup>3</sup> H(G)]	ART 0154	Uridine [5- <sup>3</sup> H]
ART 0118	Mannitol, D-[1- <sup>3</sup> H(N)]	ART 0156	Uridine diphosphate N-acetyl-D-galactosamine [galactosamine-6- <sup>3</sup> H(N)]
ART 0119	Mannosamine, D-[6- <sup>3</sup> H] hydrochloride	ART 0157	Proline, L-[3,4- <sup>3</sup> H(N)]
ART 0120, A	Mannose, D-[2- <sup>3</sup> H(N)]	ART 0158	Dolichol [1- <sup>3</sup> H]
ART 0121, A, B, C, D, E	Sodium borohydride [ <sup>3</sup> H]	ART 0159	Acetyl-D-galactosamine, N-[1- <sup>3</sup> H]
ART 0122	Sorbitol, D-[1- <sup>3</sup> H(N)]	ART 0161A	Glycine [2- <sup>3</sup> H]
ART 0123, A, B, C	Tritium Standards for Autoradiography	ART 0162	Glucose, D-[6- <sup>3</sup> H] 6-phosphate disodium salt
ART 0124	Glucose, D-[3- <sup>3</sup> H]	ART 0163	Adenosine-3',5'-cyclic phosphate [2,8- <sup>3</sup> H] ammonium salt
ART 0125	Folic acid [3,5,7,9- <sup>3</sup> H] sodium salt	ART 0164	Adenosine 5'-triphosphate [2,8- <sup>3</sup> H] tetrasodium salt
ART 0126	3-O-Methyl [ <sup>3</sup> H] D-glucose	ART 0166	Guanosine [8- <sup>3</sup> H] 5' triphosphate, tetrasodium salt
ART 0127, A	Uridine diphosphate glucose [glucose-6- <sup>3</sup> H]	ART 0168	Methotrexate [3',5',7'- <sup>3</sup> H] sodium salt
ART 0128, A	Uridine diphosphate N-acetyl-D-glucosamine [glucosamine-6- <sup>3</sup> H(N)]	ART 0169	Methionine, L-[methyl- <sup>3</sup> H]
ART 0129, A	Palmitic acid [9,10- <sup>3</sup> H(N)]	ART 0171	Inositol, D-[2- <sup>3</sup> H] 1-phosphate (1-IP)
ART 0130	Glutamic acid, L-[ <sup>3</sup> H(G)]	ART 0172	Norepinephrine, DL-[7- <sup>3</sup> H] hydrochloride
ART 0131	Uridine diphosphate galactose [6- <sup>3</sup> H]	ART 0173	Orotic acid [5- <sup>3</sup> H]
ART 0131A	Uridine diphosphate galactose [6- <sup>3</sup> H] ammonium salt	ART 0174	Dihydroxyphenylethylamine, 3,4-[7,8- <sup>3</sup> H(N)]
ART 0132	Glutamic acid, L-[2,3,4- <sup>3</sup> H]	ART 0178, A, B, C, D, E, F, G, H, J, K, L	Thymidine [methyl- <sup>3</sup> H]
ART 0133	Kainic acid [vinylidine- <sup>3</sup> H]	ART 0179	Alanine, D-[2,3- <sup>3</sup> H]
ART 0134	Dihydroalprenolol, levo-[propyl-1,2,3- <sup>3</sup> H] hydrochloride	ART 0180	Alanine, L-[2,3- <sup>3</sup> H]
ART 0135, A	Succinimidyl propionate, N-[propionate-2,3- <sup>3</sup> H]	ART 0181	Iodoantipyrine, 4-[N-methyl- <sup>3</sup> H]
ART 0136	Methyl-4-phenyl 1,2,3,6-tetrahydropyridine, 1-[methyl- <sup>3</sup> H]	ART 0182	Toluene [ <sup>3</sup> H]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 0183	Phosphatidylinositol 4,5-biphosphate, [myo-inositol-2- <sup>3</sup> H(N)]	ART 0247	Aflatoxin B <sub>1</sub> [ <sup>3</sup> H(G)]
ART 0184	Phosphatidylinositol, L- $\alpha$ -[myo-inositol-2- <sup>3</sup> H(N)]	ART 0249	Polyethylene glycol [1,2- <sup>3</sup> H]
ART 0188A, B	Glycerol [2- <sup>3</sup> H]	ART 0255	Cholesterol [1,2- <sup>3</sup> H(N)]
ART 0194, A, B	Water [ <sup>3</sup> H] biological grade	ART 0257	Cholesterol [7- <sup>3</sup> H(N)]
ART 0195, A	Tyrosine, L-[ring-3,5- <sup>3</sup> H]	ART 0261, A	Inositol, myo-[1,2- <sup>3</sup> H(N)]
ART 0196, A	Arachidonic acid [5,6,8,9,11,12,14,15- <sup>3</sup> H(N)]	ART 0262, A, B, E, F	Methyl iodide [ <sup>3</sup> H]
ART 0197	Choline chloride [methyl- <sup>3</sup> H]	ART 0263, B	Mannitol, D-[2- <sup>3</sup> H]
ART 0198	Oleic acid [9,10- <sup>3</sup> H(N)]	ART 0264	Inositol, scyllo-[2- <sup>3</sup> H(N)]
ART 0199	Triolein [9,10- <sup>3</sup> H(N)]	ART 0266, A	Hypoxanthine [8- <sup>3</sup> H] monohydrochloride
ART 0200, A, B, C	Deoxy-D-glucose, 2-[2,6- <sup>3</sup> H]	ART 0268	Inositol, D-[2- <sup>3</sup> H(N)] 3-phosphate
ART 0202, B	Acetic acid [ <sup>3</sup> H] sodium salt	ART 0270	Inositol 1,4,5-trisphosphate, D-[inositol-1- <sup>3</sup> H(N)]
ART 0203A, B, D	Acetic anhydride [ <sup>3</sup> H]	ART 0274	Procaine [3,5- <sup>3</sup> H] hydrochloride
ART 0204	Acetylcholine iodide [acetyl- <sup>3</sup> H]	ART 0278	Inulin methoxy [ <sup>3</sup> H]
ART 0205	Alanine, $\beta$ -[3- <sup>3</sup> H(N)]	ART 0279	Putrescine [2,3- <sup>3</sup> H(N)] dihydrochloride
ART 0206	4-Aminobenzoic acid [3,5- <sup>3</sup> H]	ART 0281	2'-Deoxyuridine [5- <sup>3</sup> H]
ART 0207, A	Aminobutyric acid, $\gamma$ -[2,3- <sup>3</sup> H(N)]	ART 0282, A	Uracil [5,6- <sup>3</sup> H]
ART 0209	4-Aminohippuric acid [glycyl-2- <sup>3</sup> H]	ART 0283	Uridine [5,6- <sup>3</sup> H]
ART 0210	Arginine, L-[2,3- <sup>3</sup> H]	ART 0284, A	Phosphatidylcholine L- $\alpha$ -dipalmitoyl [choline methyl- <sup>3</sup> H]
ART 0211	Aspartic acid, L-[2,3- <sup>3</sup> H]	ART 0285	Heparin [ <sup>3</sup> H(G)] sodium salt
ART 0212	Aspartic acid, D-[2,3- <sup>3</sup> H]	ART 0287, A	Adenosine [2,8- <sup>3</sup> H]
ART 0213A, B	Acetyl [ <sup>3</sup> H] Coenzyme A	ART 0288, A	Adenosyl-L-methionine, S-[methyl- <sup>3</sup> H]
ART 0215	Dextran [ <sup>3</sup> H]	ART 0290	Ganglioside [galactose-6- <sup>3</sup> H]
ART 0216, A	Ethanolamine [1- <sup>3</sup> H] hydrochloride	ART 0292A	Glucosamine, D-[1- <sup>3</sup> H] hydrochloride
ART 0218A	Glycerol [1,2,3- <sup>3</sup> H]	ART 0293	Camitine, L-[N-methyl- <sup>3</sup> H] hydrochloride
ART 0219	Glycerol, L-[2- <sup>3</sup> H(N)] 3-phosphate disodium salt	ART 0294	Methylaminoisobutyric acid [N-methyl- <sup>3</sup> H]
ART 0226	Ornithine, L-[2,3- <sup>3</sup> H]	ART 0295	Ethylene glycol [1,2- <sup>3</sup> H]
ART 0229	Raffinose [galactose-6- <sup>3</sup> H]	ART 0297, A	Stearic acid [9,10- <sup>3</sup> H]
ART 0231	<i>trans</i> -4-Hydroxy-L-proline [4- <sup>3</sup> H]	ART 0300	Taurine [2- <sup>3</sup> H]
ART 0232	Glutamic acid, D-[2,3,4- <sup>3</sup> H]	ART 0308	Thymidine 5'-triphosphate [methyl- <sup>3</sup> H] tetrasodium salt
ART 0233	Isoleucine, L-[4,5- <sup>3</sup> H(N)]	ART 0309	<i>trans</i> -Stilbene oxide [ <sup>3</sup> H]
ART 0234	Histidine, L-[ring-2,5- <sup>3</sup> H]	ART 0310	Fluorouracil, 5-[6- <sup>3</sup> H]
ART 0235	Dihydroxyphenylalanine, L-3,4-[ring-2,5,6- <sup>3</sup> H]	ART 0311	Formaldehyde [ <sup>3</sup> H]
ART 0237	Dihydromorphine [1,7,8- <sup>3</sup> H]	ART 0312	Glucose, D-[5,6- <sup>3</sup> H]
ART 0238	Deoxycytidine [5- <sup>3</sup> H]	ART 0313	2'-Deoxyuridine [5- <sup>3</sup> H] triphosphate trisodium salt
ART 0239A	Tetracycline [7- <sup>3</sup> H(N)]	ART 0314	Scopolamine [N-methyl- <sup>3</sup> H] hydrochloride
ART 0240	Deoxycytidine 5'-triphosphate [5- <sup>3</sup> H] tetrasodium salt	ART 0315, A, B	Mevalonolactone, RS-[5- <sup>3</sup> H]
ART 0241	Uridine 5'-triphosphate [5- <sup>3</sup> H] tetrasodium salt	ART 0316	N-Methyl [ <sup>3</sup> H] 4-piperidyl benzilate
ART 0243	Lysine, L-[4,5- <sup>3</sup> H(N)]	ART 0317	Acetylcholine chloride [methyl- <sup>3</sup> H]
ART 0244	Tryptophan, L-[5- <sup>3</sup> H]	ART 0318	Lactose [D-galactose-6- <sup>3</sup> H]
ART 0246	Serine, L-[3- <sup>3</sup> H]	ART 0319	Mannose, D-[2,6- <sup>3</sup> H]
		ART 0320	Mannose, D-[6- <sup>3</sup> H]



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 0321	Lactulose [D-galactose 6- <sup>3</sup> H]	ART 0376	Mannose, D-[1- <sup>3</sup> H]
ART 0324, A	<i>trans,trans</i> Farnesyl [1- <sup>3</sup> H]pyrophosphate triammonium salt	ART 0377, A	Isopentenyl pyrophosphate [1- <sup>3</sup> H] triammonium salt (IPP)
ART 0326A	Butanol, <i>n</i> -[1- <sup>3</sup> H]	ART 0378	Polyethylene glycol [1,2- <sup>3</sup> H]
ART 0327	Sucrose [glucose 6- <sup>3</sup> H]	ART 0379	Imipramine [N-methyl- <sup>3</sup> H] hydrochloride
ART 0328	L-Amino acid mixture [ <sup>3</sup> H]	ART 0380	Cyano-imipramine [N-methyl- <sup>3</sup> H] hydrochloride
ART 0329	Fructose, D-[ <sup>3</sup> H(G)]	ART 0382	Nisoxetine [N-methyl- <sup>3</sup> H]
ART 0330	Threonine, L-[3- <sup>3</sup> H]	ART 0384	Methylcarbaryl choline iodide [N-methyl- <sup>3</sup> H]
ART 0331	Linolenic acid [9,10,12,13,15,16- <sup>3</sup> H]	ART 0385	Nicotine, DL-[N-methyl- <sup>3</sup> H]
ART 0332	Linoleic acid [9,10,12,13- <sup>3</sup> H]	ART 0386	Adenosine 5'-diphosphate [2,8- <sup>3</sup> H] trisodium salt
ART 0334	Mevalonic acid, RS-[5- <sup>3</sup> H] triethylammonium salt	ART 0387	Lactitol [ <sup>3</sup> H]
ART 0335, A	Ethanol [1- <sup>3</sup> H]	ART 0388	Hyaluronic acid [ <sup>3</sup> H(G)] sodium salt
ART 0336	Myristoyl [9,10- <sup>3</sup> H] Coenzyme A	ART 0390, A	Stearoyl [9,10- <sup>3</sup> H] Coenzyme A
ART 0337	Lactic acid, DL-[2- <sup>3</sup> H] sodium salt	ART 0391	(RS)-Ketoprofen [ <sup>3</sup> H(G)]
ART 0339	Palmitoyl [9,10- <sup>3</sup> H] Coenzyme A	ART 0392	Ibuprofen, RS-[ <sup>3</sup> H(G)]
ART 0340	Indole-3-acetic acid [5- <sup>3</sup> H]	ART 0393	Water [ <sup>3</sup> H] for scintillation counting
ART 0341	Theophylline [8- <sup>3</sup> H]	ART 0394, A	<i>all trans</i> Geranyl geraniol [1- <sup>3</sup> H]
ART 0342	Cytidine-5'-monophosphate [5- <sup>3</sup> H] sodium salt	ART 0395	<i>all trans</i> Geranyl geranyl monophosphate [1- <sup>3</sup> H] diammonium salt (GGP)
ART 0343	Cytidine-5'-triphosphate [5- <sup>3</sup> H] disodium salt	ART 0396, A	<i>trans,trans</i> Farnesol [1- <sup>3</sup> H]
ART 0345	Aminolevulinic acid, D-[3,5- <sup>3</sup> H(N)]	ART 0397	Glutaraldehyde [ <sup>3</sup> H] (Glutaric dialdehyde)
ART 0347	Phenylacetic acid [methylene- <sup>3</sup> H]	ART 0399	Tyrosine, L-[side chain-2,3- <sup>3</sup> H]
ART 0348, A	<i>all trans</i> Geranyl geranyl pyrophosphate [1- <sup>3</sup> H] triammonium salt	ART 0400	2-Mono-oleoyl <i>rac</i> glycerol [1,2,3- <sup>3</sup> H]
ART 0350	Hydroxytyrptamine creatinine sulfate, 5-[1,2- <sup>3</sup> H]	ART 0401	N-FMOC-L-alanine [2,3- <sup>3</sup> H]
ART 0351	Tetraphenylphosphonium bromide [phenyl- <sup>3</sup> H]	ART 0402	Camptothecin [12- <sup>3</sup> H]
ART 0352	Thymine [methyl- <sup>3</sup> H]	ART 0403	<i>trans,trans</i> Farnesyl [1- <sup>3</sup> H] monophosphate diammonium salt
ART 0353	Propanol, <i>n</i> -[1- <sup>3</sup> H]	ART 0404	Solanesyl pyrophosphate [1- <sup>3</sup> H]
ART 0354	Riboflavin [ <sup>3</sup> H(G)]	ART 0405	Palmitoleic acid [9,10- <sup>3</sup> H]
ART 0355	Squalene [3- <sup>3</sup> H]	ART 0406	Mevalonic acid-5-phosphate, R-[5- <sup>3</sup> H]
ART 0356	Valproic acid [2- <sup>3</sup> H] sodium salt	ART 0410	N-FMOC-L-phenylalanine [4- <sup>3</sup> H]
ART 0361	Sitostanol [5,6- <sup>3</sup> H]	ART 0411	Phenylalanine, L-[4- <sup>3</sup> H]
ART 0362	Dimethylallyl pyrophosphate [1- <sup>3</sup> H] triammonium salt (DMAPP)	ART 0413	Triolein [glycerol-1,2,3- <sup>3</sup> H]
ART 0363	Geranyl pyrophosphate [1- <sup>3</sup> H] triammonium salt	ART 0415	N-FMOC-L-leucine [4,5- <sup>3</sup> H]
ART 0364	3'-Azido-3'-deoxythymidine 5'-triphosphate [ <sup>3</sup> H] tetraethylammonium salt	ART 0416	N-FMOC-glycine [2- <sup>3</sup> H]
ART 0365	4-Hydroxybutyric acid [2,3- <sup>3</sup> H] sodium salt	ART 0424	N-Acetyl-5'-methoxy [O-methyl- <sup>3</sup> H] tryptamine
ART 0366	Phenol [ring- <sup>3</sup> H]	ART 0425	Tyramine [ring-3,5- <sup>3</sup> H] hydrochloride
ART 0369	Glucuronic acid, D-[ <sup>3</sup> H(G)]	ART 0428	Geraniol [1- <sup>3</sup> H]
ART 0370	Methylamine [methyl- <sup>3</sup> H] hydrochloride	ART 0429	Lactic acid, D-[2- <sup>3</sup> H] sodium salt
ART 0372	Guanosine [8- <sup>3</sup> H] 3',5'-cyclic phosphate	ART 0430	Lactic acid, L-[2- <sup>3</sup> H] sodium salt
ART 0373	2'-Deoxyuridine [5- <sup>3</sup> H] monophosphate	ART 0431A	Nicotinamide adenine [2,8- <sup>3</sup> H] dinucleotide
ART 0374	Hexadecane, <i>n</i> -[1,2- <sup>3</sup> H]	ART 0432	Cholesteryl oleate [9,10- <sup>3</sup> H]
ART 0375	Iodoacetic acid [ <sup>3</sup> H]	ART 0434	<i>trans,trans</i> Farnesyl [1- <sup>3</sup> H] triphosphate tetraammonium salt

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 0439	Guanosine diphosphate fucose [2- <sup>3</sup> H(N)]	ART 0492	Arachidonyl [5,6,8,9,11,12,14,15- <sup>3</sup> H(N)] Coenzyme A
ART 0440	Guanosine diphosphate mannose [2- <sup>3</sup> H]	ART 0493	Cholesteryl arachidonate [5,6,8,9,11,12,14,15- <sup>3</sup> H]
ART 0441	Dimethyl sulfate [ <sup>3</sup> H]	ART 0494	Acyclovir [side chain-2- <sup>3</sup> H]
ART 0442	2,6-Diaminopimelic acid [2,6- <sup>3</sup> H]	ART 0495	Naphthol, 1-[ring- <sup>3</sup> H]
ART 0444	Phthalic anhydride [2,3,4,5- <sup>3</sup> H]	ART 0496	(±)-α-Dihydrotetrabenazine [2- <sup>3</sup> H]
ART 0445	Phthalic acid [2,3,4,5- <sup>3</sup> H]	ART 0497	(±)-β-Dihydrotetrabenazine [2- <sup>3</sup> H]
ART 0446	Naphthylphthalamic acid [2,3,4,5- <sup>3</sup> H]	ART 0498	N-FMOC-L-tyrosine [3,5- <sup>3</sup> H]
ART 0447	Cyclohexane [1- <sup>3</sup> H]	ART 0499	Phosphoryl ethanolamine [1- <sup>3</sup> H]
ART 0448	Brefeldin-A [7- <sup>3</sup> H]	ART 0500	Asparagine, L-[ <sup>3</sup> H(G)]
ART 0449	Docosanol, N-[1- <sup>3</sup> H] (Behinol [1- <sup>3</sup> H])	ART 0501	N-FMOC-L-proline [3,4- <sup>3</sup> H]
ART 0450	Dihydrostreptomycin [ <sup>3</sup> H(G)]	ART 0502	Polyethylene glycol [1,2- <sup>3</sup> H]
ART 0451	Quinine [9- <sup>3</sup> H]	ART 0503	Octadecyl [ <sup>3</sup> H] glycol
ART 0452	Quinidine [9- <sup>3</sup> H]	ART 0504	Pyrene [3,5,8,10- <sup>3</sup> H]
ART 0453	N-Acetyl-dihydrosphingosine-D- <i>erythro</i> [4,5- <sup>3</sup> H]	ART 0506	Xylitol, D-[1- <sup>3</sup> H]
ART 0455	Octaprenyl [1- <sup>3</sup> H] pyrophosphate triammonium salt	ART 0507	Allylamine [2,3- <sup>3</sup> H] hydrochloride
ART 0457	Acetylsalicylic acid [ring-2,5- <sup>3</sup> H]	ART 0508	Propylamine, n-[2,3- <sup>3</sup> H] hydrochloride
ART 0458	<i>cis</i> -4-Hydroxy-L-proline [4- <sup>3</sup> H]	ART 0509	Ethyl 3-aminobenzoate [4- <sup>3</sup> H]
ART 0459	Enoxaparin [ <sup>3</sup> H]	ART 0510	3-Aminobenzoic acid [4- <sup>3</sup> H]
ART 0460	Dihydrosphingosine, D- <i>erythro</i> [4,5- <sup>3</sup> H]	ART 0511	Xanthine [8- <sup>3</sup> H]
ART 0461	Salicylic acid [ring- <sup>3</sup> H]	ART 0512	N,N-Dimethylethanolamine [methyl- <sup>3</sup> H] hydrochloride
ART 0462	Emopamil [N-methyl- <sup>3</sup> H]	ART 0513	N-methyl ethanolamine, (2-(methylamino) ethanol) [methyl- <sup>3</sup> H] hydrochloride
ART 0463	<i>trans,trans</i> Farnesyl bromide [1- <sup>3</sup> H]	ART 0514, A	Tritium, (gas, carrier free)
ART 0465	<i>all trans</i> Geranyl geranyl [1- <sup>3</sup> H] bromide	ART 0515	<i>trans,trans,cis</i> Geranyl geraniol [1- <sup>3</sup> H]
ART 0466	Valine, L-[2,3,4- <sup>3</sup> H]	ART 0516	Taurocholic acid [taurine 2- <sup>3</sup> H]
ART 0469	Acetyl-D-lactosamine, N-[glucosamine 6- <sup>3</sup> H]	ART 0517	Cholic acid [2,4- <sup>3</sup> H]
ART 0470	Leucine, L-[3,4,5- <sup>3</sup> H]	ART 0519	Clozapine [N-methyl- <sup>3</sup> H]
ART 0471	Spermine tetrahydrochloride [terminal methylene- <sup>3</sup> H]	ART 0520	Cyclopentyl-1,3-dipropyl xanthine, 8- [dipropyl-2,3- <sup>3</sup> H]
ART 0474	Maltose [ <sup>3</sup> H(G)]	ART 0521	SCH 23390 [N-methyl- <sup>3</sup> H]
ART 0475	Proline, L-[2,3,4,5- <sup>3</sup> H]	ART 0522	Anandamide [arachidonyl-5,6,8,9,11,12,14, 15- <sup>3</sup> H]
ART 0477	Dolichol [1- <sup>3</sup> H] monophosphate	ART 0523	Baclofen (-) [butyl-4- <sup>3</sup> H(N)]
ART 0478	Dolichol [1- <sup>3</sup> H] monophosphate	ART 0524	Tetradecenoic acid, 5-Z [5,6- <sup>3</sup> H]
ART 0479	Ethylamine [1- <sup>3</sup> H] hydrochloride	ART 0525	Uridine diphosphate glucose [glucose-1- <sup>3</sup> H]
ART 0480	Lauric acid [11,12- <sup>3</sup> H]	ART 0527	N-FMOC-L-valine [3,4- <sup>3</sup> H]
ART 0481	Sphingomyelin (bovine) [choline methyl- <sup>3</sup> H]	ART 0529	Neryl [1- <sup>3</sup> H] pyrophosphate
ART 0482	Xylose, D-[1- <sup>3</sup> H]	ART 0530	Nerol [1- <sup>3</sup> H]
ART 0484	Uridine diphosphate glucuronic acid [glucuronyl-1- <sup>3</sup> H]	ART 0532	Phosphatidylcholine, L-α-dipalmitoyl [2-palmitoyl 9,10- <sup>3</sup> H(N)]
ART 0485	Phorbol-12,13-dibutyrate [20- <sup>3</sup> H(N)] (PDBu)		
ART 0486	Phorbol-12, myristate-13-acetate [20- <sup>3</sup> H(N)]		
ART 0487	Phorbol-12,13 diacetate [20- <sup>3</sup> H(N)]		
ART 0490	Sphingosine D- <i>erythro</i> [3- <sup>3</sup> H]		
ART 0491, A	Dimethyl sulfoxide [ <sup>3</sup> H(G)]		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 0533	Phosphatidylcholine, L- $\alpha$ -1-hexadecyl-2-arachidonyl [5,6,8,9,11,12,14,15- <sup>3</sup> H(N)]	ART 0600	N-Hexanoyl-D- <i>erythro</i> -dihydrosphingosine [4,5- <sup>3</sup> H]
ART 0534	L-AP4 [3H]	ART 0601	N-Octanoyl-D- <i>erythro</i> -dihydrosphingosine [4,5- <sup>3</sup> H]
ART 0535	D-AP5 [ <sup>3</sup> H]	ART 0603	leu-Enkephalin [tyrosyl-3,5- <sup>3</sup> H(N)]
ART 0539	Fluorowillardiine, (S)-(-)-[ <sup>3</sup> H]	ART 0604	Prostaglandin F <sub>2</sub> $\alpha$ [5,6,8,9,12,14,15- <sup>3</sup> H]
ART 0541	2,2'-Thiodiethanol [1- <sup>3</sup> H]	ART 0606	Rhamnose, L-[ <sup>3</sup> H(G)]
ART 0542	Ponasterone A [24,25,26,27- <sup>3</sup> H(N)]	ART 0607	Daunomycin [ <sup>3</sup> H(G)]
ART 0543	Isopentanol [1- <sup>3</sup> H]	ART 0609	1-Naphthalenemethanol [methylene- <sup>3</sup> H]
ART 0544	Guanine [8- <sup>3</sup> H]	ART 0610	1-Naphthylacetic acid [4- <sup>3</sup> H]
ART 0545	Guanosine [8- <sup>3</sup> H]	ART 0611	p-Hydroxyacetanilide [ring-3,5- <sup>3</sup> H]
ART 0546A	Lanosterol [3- <sup>3</sup> H]	ART 0612	4-Aminophenol [2,6- <sup>3</sup> H] hydrochloride
ART 0549	Naltrindole [5',7'- <sup>3</sup> H]	ART 0614	Phenylalanine, L-[3,4,5- <sup>3</sup> H]
ART 0550	L-Leucine L-leucine [4,5- <sup>3</sup> H]	ART 0615	N-t-BOC-Phenylalanine [3,4,5- <sup>3</sup> H]
ART 0551	Galactiol, D-[1- <sup>3</sup> H]	ART 0616	Aflatoxin M <sub>1</sub> [ <sup>3</sup> H(G)]
ART 0554	N-Acetyl-4 hydroxy-L-proline [ <sup>3</sup> H(G)]	ART 0617	Aflatoxin B <sub>2</sub> [ <sup>3</sup> H(G)]
ART 0555	L-Quinuclidinyl [phenyl-4- <sup>3</sup> H] benzilate	ART 0618	Dihydrosphingosine-D- <i>erythro</i> [4,5- <sup>3</sup> H] 1-phosphate
ART 0556, A	<i>all trans</i> Retinol [15- <sup>3</sup> H(N)]	ART 0619	Monensin [ <sup>3</sup> H(G)]
ART 0557	Benzilic acid [2,2'- <sup>3</sup> H]	ART 0621	Phosphatidylethanolamine-N-arachidonyl [5,6,8,9,11,12,14,15- <sup>3</sup> H(N)]
ART 0558	Retinyl [15- <sup>3</sup> H] palmitate	ART 0622	$\alpha$ -Methyl tryptophan, L-[methyl- <sup>3</sup> H]
ART 0559	2,4-Dichlorophenoxy acetic acid [5- <sup>3</sup> H]	ART 0623	Hesperetin [ <sup>3</sup> H(G)]
ART 0561	Phosphorylcholine [methyl- <sup>3</sup> H]	ART 0624	DTG [5- <sup>3</sup> H]
ART 0563	Phthalimide [2,3,4,5- <sup>3</sup> H]	ART 0625	CBZ-L-Leucine, N-[leu 4,5- <sup>3</sup> H]
ART 0564	Dihydroorotic acid [5,6- <sup>3</sup> H]	ART 0626	Anandamide [ethanolamine 1- <sup>3</sup> H]
ART 0565	Psychosine [galactose 6- <sup>3</sup> H]	ART 0627, A	Methanol [ <sup>3</sup> H]
ART 0566	<i>all trans</i> Retinol [11,12- <sup>3</sup> H(N)]	ART 0628	Deoxy-D-glucose, 2-[1,6- <sup>3</sup> H]
ART 0568	N-Ethyl [1- <sup>3</sup> H] (2-hydroxyethyl) nitrosamine	ART 0629	Rolipram [6- <sup>3</sup> H]
ART 0569	2-Ethylaminoethanol [ethyl-1- <sup>3</sup> H]	ART 0630	tert-Butoxyacetic acid, <i>n</i> -[ <sup>3</sup> H(G)]
ART 0571	Octanoic acid, <i>n</i> -[8- <sup>3</sup> H] sodium salt	ART 0631	Butyl-4-aminobenzoate [ring-3,5- <sup>3</sup> H]
ART 0572	Dihydrosolasodine [5,6- <sup>3</sup> H]	ART 0632	Clofazimine [ <sup>3</sup> H(G)]
ART 0574	<i>cis,cis</i> Farnesol [1- <sup>3</sup> H]	ART 0633	<i>all trans</i> Retinoic acid [11,12- <sup>3</sup> H]
ART 0575	Allyl alcohol [2,3- <sup>3</sup> H]	ART 0634	Dihydrosphingosine [4,5- <sup>3</sup> H] phosphocholine
ART 0576	Bicuculline methylchloride (-) [methyl- <sup>3</sup> H]	ART 0635	2-Methoxy-3,6-dichlorobenzoic acid [methyl- <sup>3</sup> H]
ART 0577	Flunitrazepam [methyl- <sup>3</sup> H]	ART 0637	Corticosterone [1,2- <sup>3</sup> H(N)]
ART 0578	Octanol, <i>n</i> -[5,6- <sup>3</sup> H]	ART 0638	Hydroxyprogesterone, 17 $\alpha$ -[1,2,6,7- <sup>3</sup> H]
ART 0579	Sodium cyanoborohydride [ <sup>3</sup> H]	ART 0639	Tangeritin [ <sup>3</sup> H(G)]
ART 0580	Lithium aluminum hydride [ <sup>3</sup> H]	ART 0640	Acacetin [ <sup>3</sup> H(G)]
ART 0581	N-FMOC-L-lysine [4,5- <sup>3</sup> H]	ART 0641	3,4,5,6,7,8-Hexamethoxyflavone [ <sup>3</sup> H(G)]
ART 0582	4-Methylanisole [methyl- <sup>3</sup> H]	ART 0642	Gardenin E [ <sup>3</sup> H(G)]
ART 0584	L-Carnosine [ $\beta$ -alanine 3- <sup>3</sup> H]	ART 0643	Dioleoyl [9,10- <sup>3</sup> H] <i>rac</i> -glycerol
ART 0585	Glycyl [2- <sup>3</sup> H] sarcosine	ART 0644	N-t-BOC-glycine [2- <sup>3</sup> H]
ART 0595	Acyclovir [8- <sup>3</sup> H]		
ART 0596	Ganciclovir [8- <sup>3</sup> H]		
ART 0598	N-Hexanoyl [6- <sup>3</sup> H] sphingosine-D- <i>erythro</i>		
ART 0599	N-Octanoyl [8- <sup>3</sup> H] sphingosine-D- <i>erythro</i>		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 0646	(±)-2-Jasmonic acid [2,3- <sup>3</sup> H]	ART 0697	Octopamine, DL-[2- <sup>3</sup> H] hydrochloride
ART 0647	N-Acetoxyphthalimide [acetoxy- <sup>3</sup> H]	ART 0698	Antipyrine [ <sup>3</sup> H(G)]
ART 0648	Androst-4-ene-3,17-dione [1β,2β- <sup>3</sup> H]	ART 0699	Oxytetracycline [ <sup>3</sup> H(G)]
ART 0649	Androst-4-ene-3,17-dione [1,2,6,7- <sup>3</sup> H]	ART 0700	Angiotensin II, (5-L-isoleucine) [tyrosyl-3,5- <sup>3</sup> H(N)]
ART 0650	Borane [ <sup>3</sup> H] THF complex	ART 0701	Bradykinin [2,3-prolyl-3,4- <sup>3</sup> H(N)]
ART 0651	Cocaine [N-methyl- <sup>3</sup> H]	ART 0702	DAMGO [tyrosyl-3,5- <sup>3</sup> H, (DAGO)]
ART 0652	Corticosterone [1,2,6,7- <sup>3</sup> H(N)]	ART 0703	Vasopressin [Arg <sup>8</sup> , tyrosyl-3,5- <sup>3</sup> H]
ART 0653	Diazepam [N-methyl- <sup>3</sup> H] (Valium, Ro 5-2807)	ART 0705	Thyrotropin Releasing Hormone [Pro-3,4- <sup>3</sup> H]
ART 0657	Leukotriene B <sub>4</sub> [5,6,8,9,11,12,14,15- <sup>3</sup> H]	ART 0710	Thiamine hydrochloride [ <sup>3</sup> H(G)]
ART 0658	Lithium triethylborohydride [ <sup>3</sup> H]	ART 0711	Minoxidil [piperyl-3,4- <sup>3</sup> H]
ART 0659	Morphine [N-methyl- <sup>3</sup> H]	ART 0712	Oleoyl ethanolamide [1- <sup>3</sup> H]
ART 0660	Methylspiperone [N-methyl- <sup>3</sup> H]	ART 0713	Pantothenyl triacetate [ <sup>3</sup> H]
ART 0661	MK-801,(+)-[3- <sup>3</sup> H]	ART 0714	Caffeine [1-methyl- <sup>3</sup> H]
ART 0662	Prostaglandin D <sub>2</sub> [5,6,8,9,12,14,15- <sup>3</sup> H]	ART 0715	CGP 54626 [ <sup>3</sup> H]
ART 0663	Progesterone [1,2- <sup>3</sup> H]	ART 0716	N,N-Dimethylamine [ <sup>3</sup> H] hydrochloride
ART 0664	Prostaglandin E <sub>2</sub> [5,6,8,9,11,12,14,15- <sup>3</sup> H]	ART 0717	Cholesteryl [1,2,6,7- <sup>3</sup> H] 3-sulfate
ART 0665	Shikimic acid [3- <sup>3</sup> H]	ART 0718	N <sub>3</sub> DTG [ <sup>3</sup> H]
ART 0667	Verapamil [N-methyl <sup>3</sup> H] hydrochloride	ART 0719	Piperidine [3,4- <sup>3</sup> H] hydrochloride
ART 0668	<i>sn</i> -Glycero-3-phosphoserine, dipalmitoyl 1-0-hexa/octadecyl [1,2- <sup>3</sup> H]	ART 0720	Bumetanide [ <sup>3</sup> H(G)]
ART 0669	<i>sn</i> -Glycero-3-phosphocholine, dipalmitoyl-1-0-hexa/octadecyl [1,2- <sup>3</sup> H]	ART 0721	Methionine, L-[methyl- <sup>3</sup> H] methyl ester hydrochloride
ART 0670	Diethylstilbestrol [ <sup>3</sup> H(G)]	ART 0722	Colchicine [ring C, methoxy- <sup>3</sup> H]
ART 0671	N-t-BOC-Valine [2,3,4- <sup>3</sup> H]	ART 0723	Guanosine diphosphate mannose, D-[6- <sup>3</sup> H]
ART 0672	Benzo[α]pyrene [ <sup>3</sup> H(G)]	ART 0724	Methyltriphenyl phosphonium iodide [methyl- <sup>3</sup> H]
ART 0673	Benzypenicillin [phenyl-4- <sup>3</sup> H]	ART 0725	Nociceptin, Tyr <sup>14</sup> -[tyrosyl 3,5- <sup>3</sup> H]
ART 0677	Lyso-3-phosphatidylcholine, L-1-[methyl- <sup>3</sup> H]	ART 0726	Nociceptin [leucyl 3,4,5- <sup>3</sup> H]
ART 0678	Rubber [ <sup>3</sup> H(G)]	ART 0727	Platelet activating factor [acetyl- <sup>3</sup> H]
ART 0679	4-Acetamidophenol [2,6- <sup>3</sup> H]	ART 0728	Serine, D-[3- <sup>3</sup> H]
ART 0680	7-Keto cholesterol [1,2,6- <sup>3</sup> H]	ART 0729	Thymidine [6- <sup>3</sup> H]
ART 0682	Glycerol [1,3- <sup>3</sup> H]	ART 0730	Alanine, β-[2- <sup>3</sup> H] ethyl ester hydrochloride
ART 0683	n-Butanyl-3(4',4"-difluorodiphenyl methoxy tropane) [butanyl-3,4- <sup>3</sup> H]	ART 0731	Pantothenic acid, D-[2,3- <sup>3</sup> H] sodium salt
ART 0684	Tamoxifen methiodide [N-methyl- <sup>3</sup> H]	ART 0732	Palmitoyl [9,10- <sup>3</sup> H(N)] ethanolamide
ART 0685	D-Alanine D-alanine [2,3- <sup>3</sup> H]	ART 0736	Nociceptin [p- <sup>3</sup> H-phe <sup>1</sup> ]
ART 0687	Methylsuccinic acid [2,5- <sup>3</sup> H]	ART 0737	Uridine 5'-diphosphate galactose [1- <sup>3</sup> H]
ART 0688	Glucose [6- <sup>3</sup> H] 1-phosphate disodium salt	ART 0738	Inosine [8- <sup>3</sup> H]
ART 0689	Nicotinic acid [5,6- <sup>3</sup> H]	ART 0739	3-O-Acetyl-L-carnitine [N-methyl- <sup>3</sup> H] hydrochloride
ART 0690	Gentamicin [ <sup>3</sup> H(G)] sulfate	ART 0740	Doxycycline [ <sup>3</sup> H(G)]
ART 0691	MSX-2 [methyl- <sup>3</sup> H]	ART 0741	Palmitoyl ethanolamide [1- <sup>3</sup> H]
ART 0692	Substance P [leucyl 3,4,5- <sup>3</sup> H]	ART 0742	Arachidonyl [5,6,8,9,11,12,14,15- <sup>3</sup> H] 4-hydroxyphenylamide
ART 0693	Substance P [2-L-Pro-3,4- <sup>3</sup> H]	ART 0743	Cortisone [1,2- <sup>3</sup> H]
ART 0694	D-Phenylalanine L-alanine [2,3- <sup>3</sup> H]	ART 0744	Ethyl iodide [1- <sup>3</sup> H]
ART 0695	Hexanoic acid n-[6- <sup>3</sup> H-] sodium salt		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 0746	RO5-4864 [N-methyl- <sup>3</sup> H]	ART 0792	N-Octanoyl-D- <i>erythro</i> -dihydrosphingosine [4,5- <sup>3</sup> H] 1-phosphate
ART 0747	Squalene epoxide [3- <sup>3</sup> H]	ART 0794	Ketoconazole [ <sup>3</sup> H(G)]
ART 0748	Squalene diepoxide [3- <sup>3</sup> H]	ART 0795	Progesterone [1,2,6,7- <sup>3</sup> H]
ART 0749	Chloroquine [ <sup>3</sup> H(G)]	ART 0796	Dihydrotestosterone [1,2,4,5,6,7- <sup>3</sup> H]
ART 0750	8-Hydroxy-DPAT [propyl-2,3 ring-1,2,3- <sup>3</sup> H]	ART 0797	Lysine, D-[4,5- <sup>3</sup> H]
ART 0751	Perillyl alcohol, RS-[1- <sup>3</sup> H]	ART 0800	Guanosine [8- <sup>3</sup> H] monophosphate
ART 0752	Biochanin A [6,8,3',5'- <sup>3</sup> H(N)]	ART 0801	Doxepin [N-methyl- <sup>3</sup> H] hydrochloride
ART 0753	Finasteride [ <sup>3</sup> H(G)]	ART 0802	Metazocine [N-methyl- <sup>3</sup> H]
ART 0755	Methyl palmitate [9,10- <sup>3</sup> H]	ART 0803	(R)-(-)-Deprenyl [N-methyl- <sup>3</sup> H] hydrochloride
ART 0756	Nocistatin [pro-3,4- <sup>3</sup> H] (bovine)	ART 0804	Trimipramine [N-methyl- <sup>3</sup> H] hydrochloride
ART 0757	5-fluoro 2'-deoxyuridine [6- <sup>3</sup> H]	ART 0805	(S)-Raclopride [methoxy- <sup>3</sup> H]
ART 0758	β-Casein [methyl <sup>3</sup> H] methylated	ART 0806	Arabinose, L-[1- <sup>3</sup> H]
ART 0759	Pipecolic acid [2,3,4,5,6- <sup>3</sup> H]	ART 0808	R(-) Apomorphine [N-methyl- <sup>3</sup> H] hydrochloride
ART 0760	Dihydroxyphenylethylamine 3,4 [ring-2,5,6- <sup>3</sup> H]	ART 0809	(-) Epinephrine, L-[N-methyl- <sup>3</sup> H]
ART 0761	Styrene [methylene- <sup>3</sup> H]	ART 0810	Lidocaine, N-ethyl bromide [N-ethyl-1- <sup>3</sup> H] quaternary salt
ART 0762	Genistein [ <sup>3</sup> H(G)]	ART 0811, A	R(-)-N-Propylnorapomorphine, [N-propyl- <sup>3</sup> H] hydrochloride
ART 0765	Formycin B [ <sup>3</sup> H(G)]	ART 0812	Metanephrine [N-methyl- <sup>3</sup> H] hydrochloride
ART 0766, A	Hydroxycholesterol 25-[26,27- <sup>3</sup> H]	ART 0813	(-) Ephedrine, L-[N-methyl- <sup>3</sup> H]
ART 0767	2-Amino-2-methyl-1-propranolol [1- <sup>3</sup> H] hydrochloride	ART 0814	Codeine [N-methyl- <sup>3</sup> H]
ART 0768	Testosterone [1,2,6,7- <sup>3</sup> H]	ART 0815	Meperidine [N-methyl- <sup>3</sup> H] hydrochloride
ART 0769	Dihydrotestosterone [1,2- <sup>3</sup> H]	ART 0817	4-Amino-1-decylquinaldinium iodide [decyl-5,6- <sup>3</sup> H]
ART 0770	<i>cis</i> -Stilbene oxide [ <sup>3</sup> H]	ART 0818	17β-Estradiol [2- <sup>3</sup> H(N)]
ART 0771	Mitoxantrone [ <sup>3</sup> H(G)]	ART 0819	Estrone [6,7- <sup>3</sup> H(N)]
ART 0772	<i>cis</i> -(Z)-Flupenthixol [ <sup>3</sup> H(G)] dihydrochloride	ART 0820	17β-Estradiol [6,7- <sup>3</sup> H(N)]
ART 0773	<i>trans</i> -(E)-Flupenthixol [ <sup>3</sup> H(G)] dihydrochloride	ART 0821	Estrone 3-sulfate [6,7- <sup>3</sup> H(N)] ammonium salt
ART 0774	Hydroxycholesterol, 22(RS)-[22- <sup>3</sup> H]	ART 0822	Arabinose, D-[1- <sup>3</sup> H]
ART 0776	Hydrocortisone [1,2- <sup>3</sup> H]	ART 0823	Phenylalanine, L-[ring-2,4- <sup>3</sup> H]
ART 0777	2,4'-Dichlorobiphenyl [ <sup>3</sup> H(G)]	ART 0824	Phytol [1- <sup>3</sup> H] diphosphate
ART 0778	Sphingosine, D- <i>erythro</i> [3- <sup>3</sup> H] 1-phosphate	ART 0825	N-t-Boc-D-Alanine [2,3- <sup>3</sup> H]
ART 0779	Phosphatidylcholine, L-α-dimyrystoyl [choline methyl- <sup>3</sup> H]	ART 0826	Ethyl acetate [acetyl- <sup>3</sup> H]
ART 0780	Testosterone [1α,2α- <sup>3</sup> H]	ART 0828	Adenine [2,8- <sup>3</sup> H]
ART 0782	Benzoic acid [4- <sup>3</sup> H]	ART 0829	Ceramide trihexosides [galactose-6- <sup>3</sup> H]
ART 0783	Hydroxycholesterol, 24(S) [22,23- <sup>3</sup> H]	ART 0830	Galactosyl ceramide [galactose-6- <sup>3</sup> H]
ART 0784	Cytidine diphosphocholine [methyl- <sup>3</sup> H]	ART 0832	L-Leucine-L-leucine-L-leucine [4,5- <sup>3</sup> H]
ART 0785	2'-Deoxycytidine monophosphate [5- <sup>3</sup> H] diammonium salt	ART 0833	Methyltributylammonium iodide [methyl- <sup>3</sup> H]
ART 0787	(±) 4-Aminobenzovesamicol, RS-[3',4'- <sup>3</sup> H]	ART 0834	Ethyl acetate [ethyl-2- <sup>3</sup> H]
ART 0789, A	Chondroitin 4-sulphate [ <sup>3</sup> H(G)]	ART 0835	Factor X [ <sup>3</sup> H]
ART 0790	2'-Fluoro-2'-deoxyuridine [5'- <sup>3</sup> H]	ART 0836	Prednisone [ <sup>3</sup> H(G)]
ART 0791	Mannosylphosphoryldolichol <sub>95</sub> [D-mannose 6- <sup>3</sup> H]	ART 0837	Toluene [4- <sup>3</sup> H]
		ART 0838	Lauryl alcohol [11,12- <sup>3</sup> H]



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 0839	Leucine, D-[2,3,4,5- <sup>3</sup> H]	ART 0886	Docosapentaenoic acid, 4,7,10,13,16 [4,5,7,8,10,11,13,14,16,17- <sup>3</sup> H]
ART 0840	Leucine, L-[2,3,4,5- <sup>3</sup> H]	ART 0888	Ethylene [ <sup>3</sup> H]
ART 0841	Arginine, L-[4,5- <sup>3</sup> H]	ART 0890	Lysergic acid [N-methyl- <sup>3</sup> H] diethylamide
ART 0842	Arginine, D-[4,5- <sup>3</sup> H]	ART 0891	Hydroxyprogesterone, 20 $\alpha$ -[1,2- <sup>3</sup> H(N)]
ART 0843	Adenosine 5'-monophosphate [2,8- <sup>3</sup> H]	ART 0892	Triton X-100 [ <sup>3</sup> H]
ART 0844	Methane [ <sup>3</sup> H]	ART 0893	L-Alanine L-alanine [2,3- <sup>3</sup> H]
ART 0845	2-Arachidonyl [5,6,8,9,11,12,14,15- <sup>3</sup> H(N)] glycerol	ART 0894	Deoxycholic acid [12- <sup>3</sup> H(N)]
ART 0846	1,1-Dimethyltryptamine [ $\alpha$ , $\beta$ - <sup>3</sup> H] as TFA salt	ART 0895	2,3-Dimethylhydroquinone [5,6- <sup>3</sup> H]
ART 0847	Propionic acid [3- <sup>3</sup> H] sodium salt	ART 0896	Pyridoxine [methylene- <sup>3</sup> H]
ART 0848	Strychnine [ <sup>3</sup> H(G)]	ART 0897	RU-486 (mifepristone) [N-methyl- <sup>3</sup> H]
ART 0849	Methyl [ <sup>3</sup> H] 4-phenylpyridinium acetate, N	ART 0898	Ochratoxin, B- [ <sup>3</sup> H(G)]
ART 0850	Homogentisic acid [ring- <sup>3</sup> H]	ART 0899	N-Palmitoyl [9,10- <sup>3</sup> H] sphingosine
ART 0851	Borane methyl [ <sup>3</sup> H] sulfide complex	ART 1102	Isopropanol [2- <sup>3</sup> H]
ART 0852	Tri-n-butyltin hydride [butyl-1- <sup>3</sup> H]	ART 1104	Alanine-L [2,3-- <sup>3</sup> H] methyl ester hydrochloride
ART 0853	Lithium borohydride [ <sup>3</sup> H]	ART 1105, A	Uridine 5-triphosphate [5,6- <sup>3</sup> H] tetrasodium salt
ART 0855	Taxol [ <sup>3</sup> H(G)]	ART 1106	4-Hydroxytamoxifen methiodide [N-methyl- <sup>3</sup> H]
ART 0856	Phytol [1- <sup>3</sup> H]	ART 1107	Dexamethasone [1,2,4- <sup>3</sup> H(N)]
ART 0857	(S)-(+)-Ketoprofen [ <sup>3</sup> H(G)]	ART 1108	3,3',4,4',5-Pentachlorobiphenyl [ <sup>3</sup> H(G)]
ART 0858	Heptadecanoic acid [10,11- <sup>3</sup> H]	ART 1110	Dexamethasone mesylate [1,2,4- <sup>3</sup> H(N)]
ART 0859	Sphingosine, D- <i>threo</i> [3- <sup>3</sup> H]	ART 1112	Indole-3-butyric acid [ring- <sup>3</sup> H]
ART 0860	Rhodamine B [ <sup>3</sup> H(G)] hexyl ester perchlorate	ART 1113	IDN-5109 [ <sup>3</sup> H]
ART 0861	Sulforhodamine, B [ <sup>3</sup> H(G)]	ART 1114	NCS-382 [ <sup>3</sup> H]
ART 0862	Methyl triflate [methyl- <sup>3</sup> H]	ART 1115	Verapamil [ <sup>3</sup> H(G)]
ART 0863	9-BBN [B- <sup>3</sup> H] (9-Borabicyclo [3.3.1] nonane)	ART 1116	Sarcosine [N-methyl- <sup>3</sup> H]
ART 0864	Avermectin, B <sub>1A</sub> -[5- <sup>3</sup> H] (Abamectin [5- <sup>3</sup> H])	ART 1117	Ochratoxin, A- [ <sup>3</sup> H(G)]
ART 0865	Lignoceric acid [15,16- <sup>3</sup> H]	ART 1118	Ricinoleic acid [12- <sup>3</sup> H]
ART 0866	12-Hydroxystearic acid [9,10- <sup>3</sup> H]	ART 1126	2-Methylpyrrolidine, R- [ <sup>3</sup> H] hydrochloride
ART 0867	Threonine, <i>allo</i> -[3- <sup>3</sup> H(G)]	ART 1127	<i>o</i> -Xylene [methyl- <sup>3</sup> H]
ART 0868	WY-14643 [ <sup>3</sup> H(G)]	ART 1128	2'-Deoxycytidine [6- <sup>3</sup> H]
ART 0869	Lovastatin lactone [ <sup>3</sup> H(G)]	ART 1130	Creatine [N-methyl- <sup>3</sup> H]
ART 0870	N-Acetyl-aspartyl-glutamate [glutamate-3,4,4- <sup>3</sup> H]	ART 1131	Creatinine [N-methyl- <sup>3</sup> H]
ART 0871	3-Keto-dihydrosphingosine (2S) [4,5- <sup>3</sup> H] hydrochloride	ART 1133	Aldosterone, D-[1,2,6,7- <sup>3</sup> H(N)]
ART 0873	(R)-(-)-2-Amino-1-propanol [1- <sup>3</sup> H]	ART 1136, A	Uridine diphosphate N-acetyl-D-glucosamine [1- <sup>3</sup> H]
ART 0874	(R)-(+)-Methanandamide [1- <sup>3</sup> H] ([R-(all-Z)] N-	ART 1138	N,N,N-Trimethylsphingosine [N-methyl- <sup>3</sup> H]
ART 0875	Homoquinolinic acid [ <sup>3</sup> H]	ART 1139	Ornithine, D-[4,5- <sup>3</sup> H]
ART 0878	SNC 121 [ <sup>3</sup> H]	ART 1140	Ornithine, L-[4,5- <sup>3</sup> H]
ART 0879	SYM 2081 [ <sup>3</sup> H]	ART 1143, A	Muscimol [methylene- <sup>3</sup> H(N)]
ART 0880	ICI 118,551 [5- <sup>3</sup> H]	ART 1155	Chloramphenicol [ <sup>3</sup> H(G)] <i>D-threo</i>
ART 0881	L-689,560 [ <sup>3</sup> H]	ART 1156	Fluocinolone acetonide [1,2- <sup>3</sup> H]
ART 0882, A	Methyllycaconitine [ <sup>3</sup> H]	ART 1157	Phenanthrene [9- <sup>3</sup> H]
ART 0884	ZM 241385 [ <sup>3</sup> H]	ART 1158	2-Mono-oleoyl [9,10- <sup>3</sup> H(N)] glycerol
ART 0885	Desmosine [ <sup>3</sup> H(G)]	ART 1159	IDN-5390 [ <sup>3</sup> H]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 1160	Nicotinic acid [ <sup>3</sup> H(G)]	ART 1214	Scopolamine methyl chloride [N-methyl- <sup>3</sup> H]
ART 1162	Oxymorphone [7,8- <sup>3</sup> H]	ART 1215	Testosterone [1 $\beta$ ,2 $\beta$ - <sup>3</sup> H(N)]
ART 1163	Cotinine, L-[N-methyl- <sup>3</sup> H]	ART 1216	3,3',4,4'-Tetrachloroethane [ <sup>3</sup> H(G)]
ART 1164	Hydroxycholesterol, 24(S)-[24- <sup>3</sup> H]	ART 1217	3,4,4',5-Tetrachlorobiphenyl [ <sup>3</sup> H(G)]
ART 1165	Hydroxycholesterol, 24(R)-[24- <sup>3</sup> H]	ART 1218	3,3',4,4',5,5'-Hexachlorobiphenyl [ <sup>3</sup> H(G)]
ART 1166	TCPOBOP 580563 [ <sup>3</sup> H]	ART 1223	Hexadecane, n-[1,2- <sup>3</sup> H]
ART 1167	11-Hydroxystearic acid, RS-[11- <sup>3</sup> H]	ART 1224	Acetyl chloride [ <sup>3</sup> H]
ART 1168	Palmitoyl sphingosine, D- <i>erythro</i> -[3- <sup>3</sup> H]	ART 1225	PrRP-20 (human) [Pro <sup>2,6,16</sup> -3,4- <sup>3</sup> H]
ART 1169	N-Oleoyl [9,10- <sup>3</sup> H(N)] D-sphingosine	ART 1226	OFQ (human, rat, mouse, ox) [Phe <sup>1,4</sup> -3,4,5- <sup>3</sup> H]
ART 1170	Citronellol, DL-[1- <sup>3</sup> H]	ART 1227	Endomorphin 1 [Tyr-3,5- <sup>3</sup> H]
ART 1171	Dehydroepiandrosterone [1,2- <sup>3</sup> H]	ART 1228	Endomorphin 2 [Tyr-3,5- <sup>3</sup> H]
ART 1172	Androsterone [9,11- <sup>3</sup> H]	ART 1229	[Tyr <sup>4</sup> ] Neuropeptide FF (human) [Tyr-3,5-Pro-3,4- <sup>3</sup> H]
ART 1173	$\beta$ -Sitosterol [22,23- <sup>3</sup> H]	ART 1231	Rosiglitazone [benzylidene- <sup>3</sup> H]
ART 1174	7-Keto cholesterol [1,2- <sup>3</sup> H]	ART 1232	Vasopressin [Pro, 3,4- <sup>3</sup> H, Tyr 3,5- <sup>3</sup> H]
ART 1175	Docosanoic acid [13,14- <sup>3</sup> H]	ART 1233	Hydroxypregnenolone, 17 $\alpha$ -[1,2- <sup>3</sup> H]
ART 1176	Lysosphingomyelin [choline methyl- <sup>3</sup> H]	ART 1235	Valine, D-[3,4- <sup>3</sup> H]
ART 1177	Lignoceryl [15,16- <sup>3</sup> H] Coenzyme A	ART 1236	Tridecane [1,2- <sup>3</sup> H]
ART 1178	6-Azi-5 $\alpha$ -cholestan-3 $\beta$ -ol [3 $\alpha$ - <sup>3</sup> H]	ART 1237	Isobutyryl [2- <sup>3</sup> H] Coenzyme A
ART 1179	6-Azi-5 $\alpha$ -cholestan-3 $\alpha$ -ol [3 $\beta$ - <sup>3</sup> H]	ART 1238	Ivermectin-B1 $\alpha$ [22,23- <sup>3</sup> H]
ART 1180	Glutathione [glycine-2- <sup>3</sup> H]	ART 1239	Triphenylmethylimidazole [ <sup>3</sup> H]
ART 1181	Methyl [ <sup>3</sup> H] methanethiosulfonate	ART 1240	Glycocholic acid [glycine 2- <sup>3</sup> H]
ART 1182	N- $\alpha$ -Methyl-(L)-arginine [4,5- <sup>3</sup> H]	ART 1241	Thymidine [5'- <sup>3</sup> H]
ART 1183	Spironolactone [1,2- <sup>3</sup> H]	ART 1242	Piperazine [2,3,5,6- <sup>3</sup> H] dihydrochloride
ART 1184	Deoxycorticosterone [1,2- <sup>3</sup> H]	ART 1243	Benzylamine [ring-2,3,5- <sup>3</sup> H] hydrochloride
ART 1185	Diazofluorenone [2- <sup>3</sup> H]	ART 1244	Nonane [1,2- <sup>3</sup> H]
ART 1186	( $\pm$ ) Abscisic acid [ <sup>3</sup> H(G)]	ART 1245	Dodecane [1,2- <sup>3</sup> H]
ART 1190	Pentanol, n-[4,5- <sup>3</sup> H]	ART 1246	Tetradecane [1,2- <sup>3</sup> H]
ART 1191	Dimethylsphingosine [3- <sup>3</sup> H]	ART 1247	Decane, n-[1,2- <sup>3</sup> H]
ART 1193, A	Spiperone [benzene ring- <sup>3</sup> H]	ART 1248	Propionaldehyde [3- <sup>3</sup> H]
ART 1194	Vinblastine sulfate [ <sup>3</sup> H(G)]	ART 1249	Benzoic acid [ring-2,3,5- <sup>3</sup> H]
ART 1195	Taxol [2-benzoyl ring- <sup>3</sup> H]	ART 1250	Benzyl alcohol [ring-2,3,5- <sup>3</sup> H]
ART 1198	MFZ 2-12 [ <sup>3</sup> H]	ART 1251	Proline, D-[3,4- <sup>3</sup> H(N)]
ART 1199	2-Nitropropane [methyl- <sup>3</sup> H]	ART 1252	Dextromethorphan [O-methyl- <sup>3</sup> H]
ART 1200	Uridine diphosphate D-glucosamine [6- <sup>3</sup> H]	ART 1253	Androst-5-ene-17-one [1,2- <sup>3</sup> H]
ART 1201	3-Deazaadenosine [8- <sup>3</sup> H]	ART 1254	7-Azi-5 $\alpha$ -cholestan-3 $\beta$ -ol [3,5,6- <sup>3</sup> H]
ART 1202	3-Deazaaristeromycin [8- <sup>3</sup> H(N)]	ART 1256	Suramin [ <sup>3</sup> H(G)] hexasodium salt
ART 1203	Cholesteryl [1,2,6,7- <sup>3</sup> H(N)] linoleate	ART 1257	10,12-Pentacosadiynoic acid [2- <sup>3</sup> H]
ART 1204	Cholesteryl [1,2,6,7- <sup>3</sup> H(N)] oleate	ART 1258	7-Azi-5 $\alpha$ -cholestan-3 $\alpha$ -ol [5,6- <sup>3</sup> H]
ART 1206	DCGV IV [ <sup>3</sup> H]	ART 1259	Diindolyl [ <sup>3</sup> H] methane
ART 1207	L-655,708 [ <sup>3</sup> H]	ART 1260	Polyethylene glycol [1,2- <sup>3</sup> H]
ART 1209	MPEP [ <sup>3</sup> H]	ART 1261	Lauroyl [11,12- <sup>3</sup> H] Coenzyme A
ART 1210	P4MPA [ <sup>3</sup> H]	ART 1262	Dihydrorotenone [2-isopropyl- <sup>3</sup> H(N)]
ART 1212	Pregnenolone [7- <sup>3</sup> H(N)]	ART 1263	Lithocholic acid [11,12- <sup>3</sup> H]
ART 1213	SB 222200 [ <sup>3</sup> H]		



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 1264	7-Azi-5 $\alpha$ -cholestan-3 $\beta$ -ol [5,6- <sup>3</sup> H]	ART 1310	Vincristine sulfate [ <sup>3</sup> H(G)]
ART 1265	<i>all trans</i> Retinal [15- <sup>3</sup> H(N)]	ART 1311	Cholesteryl [1,2- <sup>3</sup> H] palmitate
ART 1266	S-2-Bromopalmitic acid [9,10- <sup>3</sup> H]	ART 1312	Cholesteryl stearate [9,10- <sup>3</sup> H]
ART 1267	Docetaxel [2-benzoyl 2,3,5- <sup>3</sup> H]	ART 1315	2,6-Dimethylaniline [4- <sup>3</sup> H] hydrochloride
ART 1268	Quinoline [3- <sup>3</sup> H]	ART 1316	Hydrocortisone [11- <sup>3</sup> H] (Cortisol)
ART 1269	Betamethasone [1,2,4- <sup>3</sup> H]	ART 1317	Norfloxacin [ <sup>3</sup> H(G)] hydrochloride
ART 1270	R-2-Bromopalmitic acid [9,10- <sup>3</sup> H]	ART 1318	Amino-3-hydroxy-5-methylisoxazole-4-propionic acid, DL- $\alpha$ -[5-methyl- <sup>3</sup> H]
ART 1272	7-Azi-5 $\alpha$ -stigmasteran-3 $\beta$ -ol [5,6,22,23- <sup>3</sup> H]	ART 1319	Cholesteryl [1 $\alpha$ ,2 $\alpha$ (n)- <sup>3</sup> H] oleoyl ether
ART 1273	11-Deoxycortisol [1,2- <sup>3</sup> H]	ART 1320	Estradiol [6,7- <sup>3</sup> H(N)] 17 $\beta$ -D-glucuronide
ART 1274	Isopropylamine [2- <sup>3</sup> H]	ART 1321	Ethinylestradiol, 17 $\alpha$ -[6,7- <sup>3</sup> H(N)]
ART 1275	Diuretic hormone analogue [ <sup>3</sup> H]	ART 1322	Ouabain [ <sup>3</sup> H(G)]
ART 1276	Phosphatidylcholine, L- $\alpha$ -1-palmitoyl-2-stearoyl [9,10- <sup>3</sup> H]	ART 1323	Digoxin [ <sup>3</sup> H(G)]
ART 1277	Phosphatidylcholine 1,2-stearoyl [9,10- <sup>3</sup> H]	ART 1325	Lovastatin acid [ <sup>3</sup> H(G)] sodium salt
ART 1278	Hydroxycholesterol, 24(R)-[22,23- <sup>3</sup> H]	ART 1327	Buprenorphine [ring- <sup>3</sup> H] hydrochloride
ART 1279	15(S)-HETE- <sup>3</sup> H]	ART 1328	(+)-Pseudoephedrine [N-methyl- <sup>3</sup> H]
ART 1280	15(S)-HpETE [ <sup>3</sup> H]	ART 1329	Fentanyl [ <sup>3</sup> H(G)] as TFA salt
ART 1281	Methionine, D-[methyl- <sup>3</sup> H]	ART 1330	( $\pm$ )-Ketamine [N-methyl- <sup>3</sup> H] hydrochloride
ART 1282	Nicotine, D-[N-methyl- <sup>3</sup> H]	ART 1331	Fluoxetine [N-methyl- <sup>3</sup> H] hydrochloride
ART 1283	Sphingosine, D- <i>threo</i> [3- <sup>3</sup> H] 1-phosphate	ART 1332	(+)-Propoxyphene [N-methyl- <sup>3</sup> H]
ART 1284	Dofetilide [N-methyl- <sup>3</sup> H]	ART 1333	Benzoyllecgonine [N-methyl- <sup>3</sup> H]
ART 1286	Erythromycin [N-methyl- <sup>3</sup> H]	ART 1334	Rapamycin [ <sup>3</sup> H]
ART 1288	2-Methoxyestradiol [6,7- <sup>3</sup> H]	ART 1335	Fludiazepam [N-methyl- <sup>3</sup> H]
ART 1289	1,2,3,5-Tetramethyl benzene [ring- <sup>3</sup> H]	ART 1337	Dihydrodiadzein [2,3- <sup>3</sup> H]
ART 1290	Estrone [2,4,6,7- <sup>3</sup> H(N)]	ART 1338	Ritonavir [ <sup>3</sup> H(G)]
ART 1291	Boc- $\beta$ -Alanine [3- <sup>3</sup> H]	ART 1339	Saquinavir [ <sup>3</sup> H(G)]
ART 1292	N,N-Diacetyl chitobiose [ <sup>3</sup> H(G)]	ART 1340	Amprenavir [ <sup>3</sup> H(G)]
ART 1293	Dihydrosphingosine, L- <i>threo</i> [4,5- <sup>3</sup> H]	ART 1342	(R)- $\alpha$ -Methyl histamine [methyl- <sup>3</sup> H]
ART 1294	Dihydrosphingosine, L- <i>erythro</i> [4,5- <sup>3</sup> H]	ART 1343	(R)-(-)-Ketoprofen [ <sup>3</sup> H(G)]
ART 1295	Octanoic acid, n-[2,2',3,3'- <sup>3</sup> H] sodium salt	ART 1345	Piperaquine [ <sup>3</sup> H]
ART 1296	n-Octanoyl [2,2',3,3'- <sup>3</sup> H] Coenzyme A	ART 1346	Solanesol [1- <sup>3</sup> H]
ART 1298	12-Deoxyphorbol 13 phenyl acetate [20- <sup>3</sup> H]	ART 1348	Fluorocholine [1,2- <sup>3</sup> H] chloride
ART 1299	Glucosylphosphoryldolichol <sub>(95)</sub> [glucose-1- <sup>3</sup> H]	ART 1349	Clarithromycin [N-methyl- <sup>3</sup> H]
ART 1300	Phenylalanine, D-[3,4,5- <sup>3</sup> H]	ART 1350	11 $\beta$ -Hydroxyandrostenedione [1,2- <sup>3</sup> H]
ART 1301	Saxitoxin [11- <sup>3</sup> H]	ART 1351	21-Deoxy corticosterone [1,2- <sup>3</sup> H]
ART 1303	Gabapentin [ <sup>3</sup> H]	ART 1352	21-Deoxycortisol [1,2- <sup>3</sup> H]
ART 1304	2-Indomethacin [ <sup>3</sup> H(G)]	ART 1353	Glucose, D-[ <sup>3</sup> H(U)]
ART 1305	Dihydroganglioside G <sub>M1</sub> [dihydrosphingosine-4,5- <sup>3</sup> H]	ART 1354	Ergosterol [3- <sup>3</sup> H]
ART 1306	Dihydroganglioside G <sub>M2</sub> [dihydrosphingosine-4,5- <sup>3</sup> H]	ART 1355	2-Fluoro-2'-deoxyadenosine [8- <sup>3</sup> H]
ART 1307	Cholesteryl [1,2- <sup>3</sup> H] hexadecyl ether	ART 1356	(S)-1-[3-Hydroxy-2-(phosphonyl-methoxy)propyl] cytosine [5- <sup>3</sup> H]
ART 1308	Cholesteryl palmitate [9,10- <sup>3</sup> H]	ART 1357	Simvastatin acid [ <sup>3</sup> H(G)] sodium salt
ART 1309	Vinorelbine [ <sup>3</sup> H(G)]	ART 1359	Chlorambucil [ <sup>3</sup> H(G)]
		ART 1360	7,7-Azocholestane-3 $\beta$ -25-diol [3 $\beta$ - <sup>3</sup> H]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 1361	Biotin, D-[8,9- <sup>3</sup> H(N)]	ART 1406	Decaprenyl [1- <sup>3</sup> H] monophosphate diammonium salt
ART 1363	Fluoranthene [ <sup>3</sup> H(G)]	ART 1407	11-Dehydrocorticosterone [1,2- <sup>3</sup> H]
ART 1364	7,7-Azocholestane-3 $\alpha$ -25-diol [3,6,7- <sup>3</sup> H]	ART 1408	N-Stearoyl [9,10- <sup>3</sup> H] sphingosine, <i>D-erythro</i> (C-18 Ceramide)
ART 1366	7,7-Azocholestane-3 $\beta$ -25-diol [3,6,7- <sup>3</sup> H]	ART 1411	Dihydrocapsaicin [monamide <sup>3</sup> H]
ART 1367	Taurocholic acid [cholic acid-2,4- <sup>3</sup> H]	ART 1412	Betamethasone acetate [1,2,4- <sup>3</sup> H]
ART 1368	Taurocholic acid [ <sup>3</sup> H(G)]	ART 1413	n-Decaprenol [1- <sup>3</sup> H]
ART 1369	( $\pm$ )Epibatidine [5,6-bicycloheptyl <sup>3</sup> H]	ART 1414	Undecaprenol [1- <sup>3</sup> H]
ART 1370	$\alpha$ -N-t-BOC-D-Arginine [4,5- <sup>3</sup> H]	ART 1415	Undecaprenyl [1- <sup>3</sup> H] monophosphate diammonium salt
ART 1371	$\alpha$ -N-t-BOC-L-Arginine [4,5- <sup>3</sup> H]	ART 1416	Thyrotropin Releasing Hormone (3-methyl-histidine <sup>2</sup> [L-histidyl-4- <sup>3</sup> H(N), L-prolyl-3,4- <sup>3</sup> H(N)])
ART 1372	$\alpha$ -Tocopherol [6,7- <sup>3</sup> H] acetate	ART 1417	7-(Dimethylamino)-3,4-dihydrophenanthren-1(2 <i>H</i> )-one [ <sup>3</sup> H(G)]
ART 1373	Dextran [ <sup>3</sup> H]	ART 1418	Hexafluoro-2-methyl [ <sup>3</sup> H] 2-propanol
ART 1374	(-)-Epigallocatechin gallate [ <sup>3</sup> H(G)]	ART 1419	Oleoyl [9,10- <sup>3</sup> H] Coenzyme A
ART 1375	Simvastatin lactone [ <sup>3</sup> H(G)]	ART 1420	Retinyl palmitate [9,10- <sup>3</sup> H]
ART 1376	Atorvastatin [ <sup>3</sup> H(G)] calcium salt	ART 1421	Arginine, L-[2,3,4,5- <sup>3</sup> H]
ART 1377	Glucosamine, D-[6- <sup>3</sup> H] 6-phosphate	ART 1422	N-(2-Fluoroethyl)-6,11-dihydro-8-methoxy-5H-benzo(a) carbazol-3-amine [ethyl- <sup>3</sup> H]
ART 1378	Fructose, D-[ <sup>3</sup> H(G)] 6-phosphate disodium salt	ART 1423	N-t-BOC-L-Alanine [2,3- <sup>3</sup> H]
ART 1379	Phosphatidylcholine, L- $\alpha$ -1-stearoyl-2-arachidonyl [archidonyl-5,6,8,9,11,12,14,15- <sup>3</sup> H(N)]	ART 1424	Ardeparin [ <sup>3</sup> H(G)]
ART 1380	Prednisone [1,2- <sup>3</sup> H]	ART 1428	Yohimbine [N-methyl- <sup>3</sup> H] hydrochloride
ART 1381	Rivastigmine [ <sup>3</sup> H(G)]	ART 1429	Ketanserin [ethylene- <sup>3</sup> H] hydrochloride
ART 1382	Candesartan cilexetil [ <sup>3</sup> H(G)]	ART 1430	Prazosin [7-Methoxy- <sup>3</sup> H]
ART 1383	Choline [1- <sup>3</sup> H] chloride	ART 1431	Pyrilamine [pyridinyl 5- <sup>3</sup> H]
ART 1385	Maltodextrin [ <sup>3</sup> H(G)]	ART 1432	Histamine [ring, methylene- <sup>3</sup> H(N)] dihydrochloride
ART 1386	Polyethylene glycol [1,2- <sup>3</sup> H]	ART 1433	Tiotidine [methyl- <sup>3</sup> H] (ICI 125,211)
ART 1387	Pregnenolone [7- <sup>3</sup> H(N)] 3-sulfate sodium salt	ART 1435	N- $\alpha$ -Methyl [ <sup>3</sup> H] histamine dihydrochloride
ART 1388	Latanoprost [15R- <sup>3</sup> H]	ART 1436	Citalopram [N-Methyl- <sup>3</sup> H] hydrochloride
ART 1389	Latanoprost [15- <sup>3</sup> H] free acid	ART 1437	Isatin [5- <sup>3</sup> H]
ART 1390	5-Fluoro 2'deoxyuridine 5' monophosphate [6- <sup>3</sup> H] sodium salt	ART 1438	Halofantrine [ <sup>3</sup> H(G)] hydrochloride
ART 1391	PhTx-56 [ <sup>3</sup> H]	ART 1439	LY 341495 [ <sup>3</sup> H]
ART 1392	Resiniferatoxin [6- <sup>3</sup> H]	ART 1440	Tryptophan, D-[5- <sup>3</sup> H]
ART 1393	2-Arachidonyl glycerol [1,3- <sup>3</sup> H]	ART 1442	Ifenprodil [3,5- <sup>3</sup> H]
ART 1394	Methyl sulfonyl methane [ <sup>3</sup> H(G)]	ART 1443	MRS-1754 [ <sup>3</sup> H]
ART 1395	2-Phenylethanol [ethanol 2- <sup>3</sup> H]	ART 1444	Naltriben [ <sup>3</sup> H]
ART 1396	Coenzyme A [4'-phosphopantetheine- <sup>3</sup> H]	ART 1445	Polyoxyethylene-15 glycerol monolaurate [ <sup>3</sup> H]
ART 1397	2-Stearoyl glycerol [1,3- <sup>3</sup> H]	ART 1446	PPT [ <sup>3</sup> H]
ART 1398	2-Palmitoyl glycerol [1,3- <sup>3</sup> H]	ART 1447	SB 206606 [ <sup>3</sup> H]
ART 1399	Glucosamine, D-[6- <sup>3</sup> H] 1-phosphate	ART 1448	Tetrahydrocannabinol [ <sup>3</sup> H]
ART 1400	Acetyl-D-glucosamine [6- <sup>3</sup> H] 1-phosphate disodium salt	ART 1449, A	CP 55,940 [side chain-2,3,4- <sup>3</sup> H]
ART 1401	FLB-457 [methyl- <sup>3</sup> H]		
ART 1402	Azidoimipramine [methyl- <sup>3</sup> H]		
ART 1404	Desmosterol [ <sup>3</sup> H(G)]		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 1450	(S)-3,4-DCPG [ <sup>3</sup> H]	ART 1504	N-Acetyl-5'-methoxytryptamine [2- <sup>3</sup> H]
ART 1451	Curcumin I [ <sup>3</sup> H(G)]	ART 1505	Cyclopentyladenosine [2- <sup>3</sup> H]
ART 1452	Amphetamine, D-[ring-2,3,5- <sup>3</sup> H] hydrochloride	ART 1506	Tubercidin [5- <sup>3</sup> H]
ART 1453	Amphetamine, l-[ring-2,3,5- <sup>3</sup> H] hydrochloride	ART 1507	Amphotericin, B-[ <sup>3</sup> H(G)]
ART 1454	Cholesterol [1,2- <sup>3</sup> H] HDL ester	ART 1508	β-Methylamino-L-alanine [methyl- <sup>3</sup> H]
ART 1455	BIIE 0246 [ <sup>3</sup> H]	ART 1509	Sphingomyelin [stearoyl-9,10- <sup>3</sup> H]
ART 1456	HEMADO [ <sup>3</sup> H]	ART 1510	Sphingomyelin [palmitoyl-9,10- <sup>3</sup> H]
ART 1457	Flumazenil [N-methyl- <sup>3</sup> H]	ART 1511	Sphingomyelin [arachidonyl-5,6,8,9,11,12,14,15- <sup>3</sup> H]
ART 1458	Amitriptyline [N-methyl- <sup>3</sup> H] hydrochloride	ART 1513	Diethanolamine [1- <sup>3</sup> H]
ART 1459	Decaprenyl pyrophosphate [1- <sup>3</sup> H] triammonium salt	ART 1514	15-Methyl hexadecanoic acid [2- <sup>3</sup> H]
ART 1460	Oxytocin [tyrosyl-2,6- <sup>3</sup> H]	ART 1518	Hydromorphone [N-methyl- <sup>3</sup> H]
ART 1461	N-(2-Phenylethyl)-indomethacinamide [ <sup>3</sup> H(G)]	ART 1519	Hydrocodone [N-methyl- <sup>3</sup> H]
ART 1462	LM-5201 [ <sup>3</sup> H(G)]	ART 1520	Atorvastatin lactone [ <sup>3</sup> H(G)]
ART 1463	Ezetimibe [ <sup>3</sup> H(G)]	ART 1521	Tristearin [stearoyl 9,10- <sup>3</sup> H(N)]
ART 1464	LPD179 [ <sup>3</sup> H]	ART 1522	Busulfan [2,3- <sup>3</sup> H]
ART 1465	11-Oxoethiocholanone [5,6- <sup>3</sup> H]	ART 1523	DASB [N-methyl- <sup>3</sup> H]
ART 1467	Polyoxyethylene-4 glycerol monolaurate [ <sup>3</sup> H]	ART 1524	Phloridzin [ <sup>3</sup> H(G)]
ART 1468	Melibiose [galactose-6- <sup>3</sup> H]	ART 1525	Iodoacetamide [ <sup>3</sup> H]
ART 1469	Tacrolimus [ <sup>3</sup> H(G)]	ART 1526	Decanoic acid [2,3- <sup>3</sup> H]
ART 1470	4-Cyanoaniline [2,6- <sup>3</sup> H]	ART 1527	Montelukast [ <sup>3</sup> H(G)]
ART 1471	Sphingosylphosphoryl choline [choline methyl- <sup>3</sup> H]	ART 1528	Tyrosine, D-[side chain-2,3- <sup>3</sup> H]
ART 1473	Cyclopamine [3- <sup>3</sup> H]	ART 1529	N-Methyl-4-(quinolin-2-yl)aniline [N-methyl- <sup>3</sup> H]
ART 1474	7-Aminoflunitrazepam [methyl- <sup>3</sup> H]	ART 1530	D <sub>2</sub> -1 [N-methyl- <sup>3</sup> H]
ART 1475	Pravastatin [ <sup>3</sup> H(G)] lactone	ART 1532	Tyrosine, DL-[side chain-2,3- <sup>3</sup> H]
ART 1476	Mevastatin [ <sup>3</sup> H(G)]	ART 1534	Dextran [ <sup>3</sup> H]
ART 1484	Telmisartan [ <sup>3</sup> H(G)]	ART 1535	Norgestrel, DL-[15,16- <sup>3</sup> H]
ART 1485	α-Tocopherol [6,7- <sup>3</sup> H]	ART 1536	Methylsuccinic acid, R-[2,5- <sup>3</sup> H]
ART 1487	RS102221 [ <sup>3</sup> H] hydrochloride	ART 1537	Methylsuccinic acid, S-[2,5- <sup>3</sup> H]
ART 1488	6-Thioguanosine [8- <sup>3</sup> H(G)]	ART 1538	4-Estren-11β-methyl-17β-ol-3-one [15,16- <sup>3</sup> H]
ART 1489, A	Methyl [ <sup>3</sup> H] nosylate	ART 1539	YM-298198 [ <sup>3</sup> H]
ART 1491	Dihydrosphingosine, C18 [3- <sup>3</sup> H]	ART 1540	Allylamino geladanamycin [ <sup>3</sup> H(G)]
ART 1492	Dihydrosphingosine, C6 [3- <sup>3</sup> H]	ART 1541	Allylamino [1,2- <sup>3</sup> H] geladanamycin
ART 1493	Dihydrosphingosine, C8 [3- <sup>3</sup> H]	ART 1542	N-Oleoyl-D-sphingosine [3- <sup>3</sup> H]
ART 1494	Dihydrosphingosine, C12 [3- <sup>3</sup> H]	ART 1543	2-Fluoro-2-Deoxy-D-glucose [ <sup>3</sup> H(G)]
ART 1495	2-Palmitoyl [9,10- <sup>3</sup> H(N)] glycerol	ART 1544	2-Stearoyl [9,10- <sup>3</sup> H] 1-arachidonyl glycerol
ART 1496	2-Stearoyl [9,10- <sup>3</sup> H] glycerol	ART 1546	Phenylalanine, L-[2,3,4,5,6- <sup>3</sup> H]
ART 1498	Eicosadienoic acid, 8,11-[8,9,11,12- <sup>3</sup> H]	ART 1547	Campesterol [22,23- <sup>3</sup> H]
ART 1499	Eicosatetraenoic acid, 5,8,11,14-[5,6,8,9,11,12,14,15- <sup>3</sup> H]	ART 1548	Cimetidine [N-methyl- <sup>3</sup> H]
ART 1500	Eicosatrienoic acid, 5,8,11-[5,6,8,9,11,12- <sup>3</sup> H]	ART 1549	17β-Estradiol [2,4,6,7,16,17- <sup>3</sup> H]
ART 1501	Latanoprost, 5- <i>trans</i> -(free acid) [15- <sup>3</sup> H]	ART 1550	Polyethylene glycol [1,2- <sup>3</sup> H]
ART 1503	Kynurenic acid [5,7- <sup>3</sup> H]	ART 1551	5-Hydroxytryptamine [ <sup>3</sup> H] trifluoroacetate
		ART 1553	SR 141716A [ <sup>3</sup> H]
		ART 1554	WAY 100635 [methoxy- <sup>3</sup> H]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 1555	17 $\beta$ -Estradiol [2,4,6,7- <sup>3</sup> H]	ART 1602	Lopinavir [ <sup>3</sup> H(G)]
ART 1557	Deoxyguanosine 5'-triphosphate [8- <sup>3</sup> H] ammonium salt	ART 1603	Nelfinavir mesylate [ <sup>3</sup> H]
ART 1558, A, B	Deoxy-D-glucose, 2-[1- <sup>3</sup> H(N)]	ART 1604	Dioleoyl- <i>rac</i> -glycerol [1,2,3- <sup>3</sup> H] (Diolein)
ART 1559	Methyl-17 $\alpha$ -hydroxyprogesterone acetate, 6 $\alpha$ -[1,2- <sup>3</sup> H(N)]	ART 1605	Ceramide-D- <i>erythro</i> -1-phosphate [N-stearoyl-9,10- <sup>3</sup> H]
ART 1560	Dexamethasone [1,2,4,6,7- <sup>3</sup> H(N)]	ART 1606	Ryanodine [9,21(N)- <sup>3</sup> H]
ART 1561	Hydrocortisone [1,2,6,7- <sup>3</sup> H]	ART 1607	Dehydroepiandrosterone [1,2,6,7- <sup>3</sup> H(N)]
ART 1562	Deoxyadenosine 5'-triphosphate [2,8- <sup>3</sup> H] tetra (triethylammonium salt)	ART 1608	Dehydroepiandrosterone sulfate [1,2,6,7- <sup>3</sup> H] sodium salt
ART 1563	Norepinephrine, levo-[ring-2,5,6- <sup>3</sup> H]	ART 1610	Trimethyl L, lysine, N-[N-methyl- <sup>3</sup> H]
ART 1565	Cocaine methiodide [N-methyl- <sup>3</sup> H]	ART 1611	Mibolerone [17 $\alpha$ -methyl- <sup>3</sup> H]
ART 1566	Diprenorphine [15,16- <sup>3</sup> H]	ART 1612	Neurotensin [3,11-tyrosyl-3,5- <sup>3</sup> H(N)]
ART 1567	( $\pm$ )-4-Amino-3-(5-chloro-2-thienyl)-butanoic acid [ <sup>3</sup> H]	ART 1613	Rauwolfscine [methyl- <sup>3</sup> H]
ART 1568	$\alpha$ -Lipoic acid, R-(+)-[ <sup>3</sup> H]	ART 1614	Propranolol, L-(-)-[4- <sup>3</sup> H]
ART 1570	Azithromycin [N-methyl- <sup>3</sup> H]	ART 1615	Lysophosphatidic acid, L- $\alpha$ -1-oleoyl [9,10- <sup>3</sup> H]
ART 1571	Methoxy-PEPy [ <sup>3</sup> H]	ART 1616, A	N-Methyl- <i>N</i> -nitrosoourea [ <sup>3</sup> H]
ART 1572	NSC73306 [ <sup>3</sup> H]	ART 1617	Ethylamine [ethyl-1- <sup>3</sup> H]
ART 1573	N- $\alpha$ -Methyl-(D)-arginine [4,5- <sup>3</sup> H]	ART 1618	Quisqualic acid [ <sup>3</sup> H]
ART 1574	N- $\alpha$ -Methyl-(DL)-arginine [4,5- <sup>3</sup> H]	ART 1619, A	Sumatriptan [ <sup>3</sup> H]
ART 1575	R-214127 [ <sup>3</sup> H]	ART 1620	Cerivastatin lactone [ <sup>3</sup> H(G)]
ART 1576	17- $\alpha$ -Octadecynoic acid [17,18- <sup>3</sup> H]	ART 1621	Cerivastatin [ <sup>3</sup> H(G)] sodium salt
ART 1577	Ethanol [1,2- <sup>3</sup> H]	ART 1622	Fluvastatin lactone [ <sup>3</sup> H(G)]
ART 1578	Campestanol [5,6- <sup>3</sup> H]	ART 1623	Fluvastatin [ <sup>3</sup> H(G)] sodium salt
ART 1579	Adipic acid [2,3,4,5- <sup>3</sup> H]	ART 1624	Mevastatin acid [ <sup>3</sup> H(G)] sodium salt
ART 1581	3-Aminopropylphosphinic acid [2,3- <sup>3</sup> H]	ART 1625	Pitavastatin lactone [ <sup>3</sup> H(G)]
ART 1582	Dexamethasone-21-phosphate [1,2,4- <sup>3</sup> H(N)] disodium salt	ART 1626	Pitavastatin [ <sup>3</sup> H(G)] calcium salt
ART 1583	Kallidin [Des-Arg <sup>10</sup> ] [3,4-prolyl-3,4- <sup>3</sup> H(N)]	ART 1627	Rosuvastatin lactone [ <sup>3</sup> H(G)]
ART 1585	(+) Pentazocine [ring-1,3- <sup>3</sup> H]	ART 1628	Rosuvastatin [ <sup>3</sup> H(G)] calcium salt
ART 1586	Phenazocine [ring-1,3- <sup>3</sup> H]	ART 1629	Pravastatin [ <sup>3</sup> H(G)] sodium salt
ART 1587	Metazocine [ring-1,3- <sup>3</sup> H]	ART 1630	Clotrimazole [ <sup>3</sup> H]
ART 1588	Cyclazocine [ring-1,3- <sup>3</sup> H] hydrochloride	ART 1631	Gluconic acid, D-[2- <sup>3</sup> H]
ART 1589	Normetazocine [ring-1,3- <sup>3</sup> H]	ART 1632	$\alpha$ -Lipoic acid, S-(-)-[ <sup>3</sup> H]
ART 1590	Glucagon [tyr-3,5- <sup>3</sup> H]	ART 1633	Oleoyl [9,10- <sup>3</sup> H] ethanolamide
ART 1592	Chloroacetic acid [ <sup>3</sup> H]	ART 1635	Androst-5-ene-3 $\beta$ ,17 $\beta$ -diol [1,2- <sup>3</sup> H(N)]
ART 1594	Nonanoic acid, n-[9- <sup>3</sup> H]	ART 1636	Y-27632 [ <sup>3</sup> H]
ART 1595	Penciclovir [8- <sup>3</sup> H]	ART 1637	Phosphatidylglycerol, 1-palmitoyl-2-stearoyl-[9,10- <sup>3</sup> H]
ART 1597	Sulfamethazine [3,5- <sup>3</sup> H]	ART 1638	Honokiol [ring- <sup>3</sup> H]
ART 1598	Tenofovir [adenine-2,8- <sup>3</sup> H]	ART 1639	Mannosamine, D-[1- <sup>3</sup> H] hydrochloride
ART 1599	Platelet activating factor, 1-0-[ <sup>3</sup> H] octadecyl	ART 1640	17 $\alpha$ -20 $\beta$ -Dihydroxyprogesterone [ <sup>3</sup> H]
ART 1600	Zanamivir hydrate [ <sup>3</sup> H]	ART 1642	2,3,7,8-Tetrachlorodibenzo- <i>p</i> -dioxin [ <sup>3</sup> H(G)]
ART 1601	Oseltamivir [ <sup>3</sup> H(G)]	ART 1643	2-Methoxy antimycin A [ <sup>3</sup> H]
		ART 1644	AMN 107 [ <sup>3</sup> H]
		ART 1647	(R)-(-)-Gossypol [4,4'- <sup>3</sup> H]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 1648	(S)-(+)-Gossypol [4,4'- <sup>3</sup> H]	ART 1699	Phosphatidylcholine, L- $\alpha$ -1-arachidonyl-2-stearoyl [stearoyl-9,10- <sup>3</sup> H]
ART 1649	Undecaprenyl pyrophosphate [1- <sup>3</sup> H]	ART 1700	Succinic acid [2,3- <sup>3</sup> H]
ART 1650	<i>n</i> -Butyryl [2,3- <sup>3</sup> H] Coenzyme A	ART 1701	Everolimus [ <sup>3</sup> H(G)]
ART 1651	Propionyl [2,3- <sup>3</sup> H] Coenzyme A	ART 1702	Sulpiride [methoxy- <sup>3</sup> H]
ART 1652	Butyric acid, <i>n</i> -[2,3- <sup>3</sup> H]	ART 1703	YM-09151-2 [N-methyl- <sup>3</sup> H]
ART 1653	Propionic acid [2,3- <sup>3</sup> H]	ART 1704	Palmitoleoyl [9,10- <sup>3</sup> H] Coenzyme A
ART 1654	(-)-Desmethoxyverapamil [N-methyl- <sup>3</sup> H]	ART 1705	Phosphatidylcholine, L- $\alpha$ -1-arachidonyl-2-stearoyl [arachidonyl-6,8,9,11,12,14,15- <sup>3</sup> H(N)]
ART 1655	S-( <i>p</i> -Nitrobenzyl)-6-thioinosine [ <sup>3</sup> H]	ART 1706	Palmitoleic acid [9,10- <sup>3</sup> H] sodium salt
ART 1656	13(S)-HODE [9,10,11,12- <sup>3</sup> H]	ART 1707	Gallein [ <sup>3</sup> H(G)]
ART 1657	5 $\alpha$ -Androstane-3 $\alpha$ ,17 $\beta$ -diol [ <sup>3</sup> H]	ART 1708	Guanosine 3',5'-[5',8- <sup>3</sup> H] cyclic phosphate ammonium salt
ART 1658	5 $\alpha$ -Androstane-3 $\beta$ ,17 $\beta$ -diol [ <sup>3</sup> H]	ART 1709	Nifurtimox [ <sup>3</sup> H]
ART 1659	Pioglitazone [ <sup>3</sup> H(G)] hydrochloride	ART 1710	Nicotinamide [5,6- <sup>3</sup> H]
ART 1660	WIN 35,428 [N-methyl- <sup>3</sup> H]	ART 1711	Cytochalasin B [4- <sup>3</sup> H(N)]
ART 1661	Antimycin A [ <sup>3</sup> H(G)]	ART 1712	Gaboxadol [ <sup>3</sup> H(G)]
ART 1662	CGP 39653 [propyl-2,3- <sup>3</sup> H]	ART 1713	Metoprolol [O-methyl- <sup>3</sup> H]
ART 1663	Hydroxypregnenolone, 17 $\alpha$ -[21- <sup>3</sup> H]	ART 1714	Cytidine 5'-[5'- <sup>3</sup> H] diphosphate
ART 1664	3'-Dephospho [ <sup>3</sup> H(G)] Coenzyme A	ART 1715	Ezetimibe $\beta$ -D Glucuronide [ <sup>3</sup> H(G)]
ART 1665	Astemizole [O-methyl- <sup>3</sup> H]	ART 1716	Androstanediol glucuronide [ <sup>3</sup> H(G)]
ART 1667	Thebaine [N-methyl- <sup>3</sup> H] hydrochloride	ART 1717	Cyclosporin A [MEBMT- $\beta$ - <sup>3</sup> H]
ART 1668	Thebaine [O-methyl- <sup>3</sup> H] hydrochloride	ART 1719	Dodecanedioic acid [3,10- <sup>3</sup> H]
ART 1670	BTA-1 [N-methyl- <sup>3</sup> H]	ART 1720	Cytosine [5- <sup>3</sup> H]
ART 1671	CGS 21680 [carboxylethyl- <sup>3</sup> H(N)]	ART 1721	Cytosine [6- <sup>3</sup> H]
ART 1672	Leukotriene C <sub>4</sub> [14,15,19,20- <sup>3</sup> H]	ART 1722	Doxorubicin [ <sup>3</sup> H(G)]
ART 1673	Androst-4-ene-3,17-dione [1 $\beta$ - <sup>3</sup> H(N)]	ART 1723	Glycerol, L-[1,2,3- <sup>3</sup> H] 3-phosphate disodium salt
ART 1674	Desethyl chloroquine [ <sup>3</sup> H(G)]	ART 1724	Bradykinin, Lys-[3,4-prolyl-3,4- <sup>3</sup> H(N)]
ART 1675	Mesulgerine [ <i>n</i> <sub>6</sub> -methyl- <sup>3</sup> H]	ART 1726	Resveratrol [ring- <sup>3</sup> H]
ART 1676	Bisphenol A [ <sup>3</sup> H(G)]	ART 1727	GR-24 [ <sup>3</sup> H(G)]
ART 1679	Diisobutyl aluminum hydride [ <sup>3</sup> H]	ART 1728	Quercetin [ <sup>3</sup> H(G)]
ART 1680	Adefovir dipivoxil [adenine-8- <sup>3</sup> H]	ART 1729	Haloperidol [ <sup>3</sup> H(G)]
ART 1681	Troglitazone [ <sup>3</sup> H]	ART 1730	Loperamide [N-methyl- <sup>3</sup> H]
ART 1683	Valaciclovir [ <sup>3</sup> H]	ART 1731	Desmethyl loperamide [N-methyl- <sup>3</sup> H]
ART 1684	P1075 [ <sup>3</sup> H]	ART 1732	6-keto-Prostaglandin F <sub>1<math>\alpha</math></sub> [17,18- <sup>3</sup> H]
ART 1685	Iloprost [ <sup>3</sup> H]	ART 1733	Alimta [ <sup>3</sup> H(G)]
ART 1686	Uridine 5'-[5- <sup>3</sup> H] diphosphate trisodium salt	ART 1735	Imidacloprid [ <sup>3</sup> H]
ART 1687	Domperidone [ <sup>3</sup> H]	ART 1736, A	Guanosine 5'-[5',8- <sup>3</sup> H] diphosphate trisodium salt
ART 1688	Estriol [2,4- <sup>3</sup> H]	ART 1737	Phenylacetic acid [ring- <sup>3</sup> H]
ART 1689	Mitomycin F [ <sup>3</sup> H(G)]	ART 1738	Glidine [propionyl- <sup>3</sup> H]
ART 1690	Bimatoprost [15- <sup>3</sup> H]	ART 1739	7 $\alpha$ -Hydroxycholesterol [7- <sup>3</sup> H]
ART 1691	Cytisine [3,5- <sup>3</sup> H(N)] hydrochloride	ART 1740	7 $\beta$ -Hydroxycholesterol [7- <sup>3</sup> H]
ART 1692	Trimethylamine [ <sup>3</sup> H] hydrochloride		
ART 1695	Galacturonic acid, D-[ <sup>3</sup> H(G)]		
ART 1696	24,25-Dihydrolanosterol [24,25- <sup>3</sup> H]		
ART 1697	Dehydroepiandrosterone [1,2- <sup>3</sup> H] 3-acetate		
ART 1698	2,6-Diisopropylphenol [ring- <sup>3</sup> H]		



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 1741	Lysoplatelet activating factor [ <sup>3</sup> H]	ART 1781	Deoxyadenosine 5'-[2,8- <sup>3</sup> H] diphosphate tetra (triethylammonium) salt
ART 1742	1,1'-Diethyl-2,2'-cyanine iodide [ <sup>3</sup> H(G)]	ART 1782	Uracil [6- <sup>3</sup> H]
ART 1743	α,β-Methylene adenosine triphosphate [2,8- <sup>3</sup> H] tetrasodium salt	ART 1783	2-Arachidonyl [5,6,8,9,11,12,14,15- <sup>3</sup> H(N)] 1,3-distearoyl glycerol
ART 1744	Imipramine [benzene ring- <sup>3</sup> H(N)] hydrochloride	ART 1784	Gemcitabine [5- <sup>3</sup> H]
ART 1745	Desmethylimipramine [benzene ring-10,11- <sup>3</sup> H] hydrochloride	ART 1785	Atorvastatin [3- <sup>3</sup> H] sodium salt
ART 1746, A	Hexanoyl [5,6- <sup>3</sup> H] Coenzyme A	ART 1786	Atorvastatin [5- <sup>3</sup> H] sodium salt
ART 1747	Pirenzepine [N-methyl- <sup>3</sup> H]	ART 1787	Carvedilol [methyl- <sup>3</sup> H]
ART 1748	Vasopressin, Arg <sup>8</sup> [phenylalanyl-3,4,5- <sup>3</sup> H(N)]	ART 1788	Olanzapine [methyl- <sup>3</sup> H]
ART 1749	Spermidine [terminal methylenes- <sup>3</sup> H(N)] trihydrochloride	ART 1789	Lisinopril [prolyl-4,5- <sup>3</sup> H]
ART 1750	Potassium borohydride [ <sup>3</sup> H]	ART 1790	Adenosine 3',5'-cyclic monophosphate [5',8- <sup>3</sup> H] ammonium salt
ART 1751	RX 821002 [ <sup>3</sup> H]	ART 1791	U-69593 [phenyl-2,6- <sup>3</sup> H]
ART 1752	(-)-CGP 12177 [5,7- <sup>3</sup> H]	ART 1792	RS-79948-197 [ <sup>3</sup> H]
ART 1753	MK-912 [methyl- <sup>3</sup> H]	ART 1793	(+)-PD128907 [ring- <sup>3</sup> H]
ART 1754	Hexanoic acid [5,6- <sup>3</sup> H] sodium salt	ART 1794	GR 113808 [N-methyl- <sup>3</sup> H]
ART 1755	CUMI-101 [methyl- <sup>3</sup> H]	ART 1795	Leukotriene D <sub>4</sub> [14,15,19,20- <sup>3</sup> H(N)]
ART 1756	Tarividar [methyl- <sup>3</sup> H]	ART 1796	Inosine 5'-[8- <sup>3</sup> H] monophosphate diammonium salt
ART 1757	Bupropion [ring- <sup>3</sup> H]	ART 1797	Cilastatin [ <sup>3</sup> H(G)] sodium salt
ART 1760	Xanthurenic acid [ring-5,7- <sup>3</sup> H]	ART 1798	Vesamicol [piperidiny-3,4- <sup>3</sup> H]
ART 1761	Xanthurenic acid [ring-5,7- <sup>3</sup> H] methyl ester	ART 1799	Epoxycholesterol, 24(S), 25-[26,27- <sup>3</sup> H]
ART 1762	Midazolam [ <sup>3</sup> H(G)]	ART 1800	EBOB [propyl-2,3- <sup>3</sup> H]
ART 1764	PRN-8402 [ <sup>3</sup> H]	ART 1801	KAPA [5,6- <sup>3</sup> H] hydrochloride
ART 1765	Warfarin [ring- <sup>3</sup> H]	ART 1802	Linoleoyl ethanolamide [1- <sup>3</sup> H]
ART 1766	Terfenadine [ring- <sup>3</sup> H]	ART 1803	Linoleoyl [9,10,12,13,15,16- <sup>3</sup> H] ethanolamide
ART 1767	Albuterol [ring- <sup>3</sup> H]	ART 1805	Oxotremorine-M acetate [methyl- <sup>3</sup> H]
ART 1768	Flurazepam [N-methyl- <sup>3</sup> H]	ART 1806	WIN 55,212-2 [5,7-naphthyl- <sup>3</sup> H]
ART 1769	MTSET [methyl- <sup>3</sup> H]	ART 1807	SR 95531 [butyryl-2,3- <sup>3</sup> H]
ART 1770	SQ 29,548 [ <sup>3</sup> H(G)]	ART 1808	Pregnan-3α-ol-20-one, 5α-[ <sup>3</sup> H(G)]
ART 1771	Climbazole [ring- <sup>3</sup> H]	ART 1809	Lysophosphatidylcholine [palmitoyl-9,10- <sup>3</sup> H]
ART 1772	Hemicholinium [methyl- <sup>3</sup> H] 3-diacetate salt	ART 1810	Phosphatidylcholine, L-α-dipalmitoyl [dipalmitoyl-9,10- <sup>3</sup> H]
ART 1773	Ethylcarboxamidoadenosine, 5'-N-[adenine-2,8- <sup>3</sup> H]	ART 1811	5α-Androstene-3,17-dione [5,6- <sup>3</sup> H]
ART 1774	(R,S)-NNK [pyridyl-5- <sup>3</sup> H]	ART 1812	Adenosine [5',8- <sup>3</sup> H]
ART 1775	7-Hydroxycoumarin [ring- <sup>3</sup> H]	ART 1813	Mazindol [4'- <sup>3</sup> H]
ART 1776	CP 55,950 [phenyl-4- <sup>3</sup> H]	ART 1814	Juvenile Hormone III [10- <sup>3</sup> H(N)]
ART 1777	Paroxetine [phenyl-6'- <sup>3</sup> H]	ART 1815	GBR 12935 [proylene-2,3- <sup>3</sup> H]
ART 1778	Amphetamine, DL-[ring-2,3,5- <sup>3</sup> H] hydrochloride	ART 1816	Tubercidin [8- <sup>3</sup> H]
ART 1779	N-(2-Chlorophenyl)-4-nitrobenzenesulfonamide [pyridyl- <sup>3</sup> H]	ART 1817	Xanthosine [8- <sup>3</sup> H]
ART 1780	Deoxyadenosine 5'-[2,8- <sup>3</sup> H] monophosphate tetra (triethylammonium) salt	ART 1818	5-Carboxamidotryptamine [1,2- <sup>3</sup> H]
		ART 1819	RO 15-4513 [7,9- <sup>3</sup> H]
		ART 1820	Trilinolein, 2-[linoleic acid-9,10,12,13- <sup>3</sup> H]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 1821	R-(+)-7-Hydroxy DPAT [ <sup>3</sup> H]	ART 1885	T-0901317 [ring- <sup>3</sup> H]
ART 1822	4-DAMP [N-methyl- <sup>3</sup> H]	ART 1886	BRL-43694 [9-methyl- <sup>3</sup> H]
ART 1823	Diltiazem, <i>cis</i> -(+)-[N-nethyl- <sup>3</sup> H]	ART 1887	Clonidine [benzene ring- <sup>3</sup> H] hydrochloride
ART 1825	Enkephalin [tyrosyl-2,6- <sup>3</sup> H(N)]	ART 1888	Cocaine, <i>levo</i> -[benzoyl-3,4- <sup>3</sup> H(N)]
ART 1826	Aspartic acid, DL-[2,3- <sup>3</sup> H]	ART 1889	Deltorphan II (2-D-Ala) [tyrosyl-3,5- <sup>3</sup> H]
ART 1827	2-Picolinic acid [6- <sup>3</sup> H]	ART 1890	GR 65630 [N-methyl- <sup>3</sup> H]
ART 1828	SB 269970 [ <sup>3</sup> H] hydrochloride	ART 1891	Brevetoxin-3 [side chain- <sup>3</sup> H]
ART 1829	Efavirenz [ <sup>3</sup> H(G)]	ART 1892	Isobutyric acid [2- <sup>3</sup> H]
ART 1830	Lamotrigine [ <sup>3</sup> H(G)]	ART 1896	Betaine [glycine-2- <sup>3</sup> H]
ART 1831	Topiramate [ <sup>3</sup> H(G)]	ART 1898	RX 781094 [ <sup>3</sup> H]
ART 1832	Levetiracetam [ <sup>3</sup> H(G)]	ART 1899	(R)-(-)-Rolipram [methyl- <sup>3</sup> H]
ART 1835	Dextromethorphan [N-methyl- <sup>3</sup> H]	ART 1901	AF-DX 384 [2,3-dipropylamino- <sup>3</sup> H]
ART 1836	GW0742 [ <sup>3</sup> H(G)]	ART 1902	2-Chloroadenosine [8- <sup>3</sup> H]
ART 1845	Picolinol [6- <sup>3</sup> H]	ART 1903	Betaine [methyl- <sup>3</sup> H]
ART 1849	Leelamine [ring- <sup>3</sup> H]	ART 1905	Polyethylene glycol [1,2- <sup>3</sup> H]
ART 1850	Benzidine [3,3'- <sup>3</sup> H]	ART 1906	Brassinolide [25,26- <sup>3</sup> H]
ART 1854	Phosphatidylethanolamine [dioleoyl-9,10- <sup>3</sup> H]	ART 1907	Menadione [ <sup>3</sup> H(G)]
ART 1855	Methyltrienolone [17 $\alpha$ -methyl- <sup>3</sup> H]	ART 1908	Ropivacaine [ <sup>3</sup> H(G)] hydrochloride
ART 1856	Amodiaquine [ <sup>3</sup> H]	ART 1909	Sulfamethoxazole [ <sup>3</sup> H(G)]
ART 1857	4-Azidosalicylic acid [ring-5- <sup>3</sup> H]	ART 1910	Nociceptin [2-phe,1-leu- <sup>3</sup> H]
ART 1858	CCK-8 (sulphated) propionylated [propionyl- <sup>3</sup> H(N)]	ART 1911	n-Decanoyl [2,3- <sup>3</sup> H] Coenzyme A
ART 1859	Norepinephrine, <i>levo</i> -[7- <sup>3</sup> H]	ART 1912	Simvastatin [methyl- <sup>3</sup> H] ammonium salt
ART 1860	Cyclic AMP [ <sup>3</sup> H] assay system	ART 1914	Uridine 5'-[5,6- <sup>3</sup> H] diphosphate tetrasodium salt
ART 1861	Cyclic GMP [ <sup>3</sup> H] assay system	ART 1915	Phytic acid [ <sup>3</sup> H]
ART 1862	IP <sub>3</sub> [ <sup>3</sup> H] assay system	ART 1916	(R,S)-NNN [pyridyl-5- <sup>3</sup> H]
ART 1863	GR 125743 [N-methyl- <sup>3</sup> H]	ART 1917	Thiamine diphosphate [ <sup>3</sup> H(G)]
ART 1864	MDL 105,519 [ <sup>3</sup> H]	ART 1918	Thiamine monophosphate [ <sup>3</sup> H(G)]
ART 1865	Lipoprotein, low-density (LDL) [cholesteryl oleate-1,2,3,6,7- <sup>3</sup> H]	ART 1919	ABP-688 [methyl- <sup>3</sup> H]
ART 1866	Lipoprotein, high-density (HDL) [cholesteryl oleate-1,2,3,6,7- <sup>3</sup> H]	ART 1921	Phosphatidylcholine, dilauroyl [2-lauroyl-11,12- <sup>3</sup> H]
ART 1867	Chloroquine [ethyl- <sup>3</sup> H]	ART 1923	SQ 29,548, dihydro-[5,6- <sup>3</sup> H]
ART 1869	$\alpha$ -Bungarotoxin [ <sup>3</sup> H]	ART 1925	Neomycin [ <sup>3</sup> H(G)]
ART 1871	3-Methylcholanthrene [ <sup>3</sup> H]	ART 1927	Tobramycin [ <sup>3</sup> H(G)]
ART 1874	PK 11195 [N-methyl- <sup>3</sup> H]	ART 1928	1 $\alpha$ ,25-Dihydroxycholecalciferol [26,27-methyl- <sup>3</sup> H]
ART 1876	Sertraline [N-methyl- <sup>3</sup> H] hydrochloride	ART 1929	Thymidine [methyl-1',2'- <sup>3</sup> H]
ART 1877, A	<i>epi</i> -Inositol [2- <sup>3</sup> H(N)]	ART 1930	Thymidine 5'-[methyl-1',2'- <sup>3</sup> H] triphosphate ammonium salt
ART 1878	Tetrapentylammonium chloride [pentyl- <sup>3</sup> H]	ART 1932, A	Ketotifen fumarate [N-methyl- <sup>3</sup> H]
ART 1880	Cyanopindolol [ring- <sup>3</sup> H]	ART 1933	GS 39783 [cyclopentyl-3,4- <sup>3</sup> H]
ART 1881, A	Deoxythymidine 5'-[methyl- <sup>3</sup> H] triphosphate tetrasodium salt	ART 1934	CGP 7930 [ <sup>3</sup> H]
ART 1882	Dihydrotacrolimus [propyl-2,3- <sup>3</sup> H]	ART 1936	2-Hexyldecanol [ <sup>3</sup> H]
ART 1883	6-keto-Prostaglandin F <sub>1<math>\alpha</math></sub> [5,8,9,11,12,14,15- <sup>3</sup> H]	ART 1938	PiB [N-methyl- <sup>3</sup> H]
		ART 1939	DAA-1106 [methyl- <sup>3</sup> H]



# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 1940	Cholesteryl stearate [cholesterol-1,2- <sup>3</sup> H]	ART 2006	Phosphatidylserine, L- $\alpha$ -dioleoyl [oleoyl-9,10- <sup>3</sup> H]
ART 1941	MDL 100907 [methyl- <sup>3</sup> H]	ART 2007	Tributylphosphate [butyl-2,3- <sup>3</sup> H]
ART 1942	Glibenclamide [cyclohexyl-2, 3- <sup>3</sup> H(N)]	ART 2008	Triptolide [ <sup>3</sup> H(G)]
ART 1943	Phosphatidylethanolamine, 2-hexadecyl [2-hexadecyl-9,10- <sup>3</sup> H]	ART 2009	Loratadine [ <sup>3</sup> H(G)]
ART 1944	24R,25-Dihydroxy [ <sup>3</sup> H] cholecalciferol	ART 2010	4-Cyanoaniline [2,6- <sup>3</sup> H]
ART 1945	25-Hydroxy [26,27-methyl- <sup>3</sup> H] cholecalciferol	ART 2011	Phosphatidylcholine, L- $\alpha$ -dioleoyl [oleoyl-9,10- <sup>3</sup> H]
ART 1946	Pitavastatin [3- <sup>3</sup> H]	ART 2012	Trilinolein, 1,3-[linoleic acid-9,10,12,13- <sup>3</sup> H]
ART 1947	Pitavastatin [5- <sup>3</sup> H]	ART 2013	Methyl $\alpha$ -D-glucopyranoside [glucose-1- <sup>3</sup> H]
ART 1948	Rosuvastatin [5- <sup>3</sup> H] sodium salt	ART 2014	2-Oleoyl [9,10- <sup>3</sup> H] 1-palmitoyl-sn-glycero-3-phospho-L-serine sodium salt
ART 1950	Nitrendipine [5-methyl- <sup>3</sup> H]	ART 2015	Diminazene aceturate [ <sup>3</sup> H]
ART 1951	PN200-110, (+)-[5-methyl- <sup>3</sup> H]	ART 2016	DB 075 [ <sup>3</sup> H]
ART 1953	Quinpirole [N-propyl- <sup>3</sup> H]	ART 2019	<i>p</i> -Coumaric acid [ring- <sup>3</sup> H]
ART 1954	Senktide [phenylalanyl-3,4,5- <sup>3</sup> H]	ART 2020	$\beta$ -Nicotyrine [pyridine ring- <sup>3</sup> H]
ART 1955	UK-14,304 [imidazolyl-4,5- <sup>3</sup> H]	ART 2021	GPV576 (MM444) [ <sup>3</sup> H]
ART 1958	Cabazitaxel [ <sup>3</sup> H(G)]	ART 2022	Phenethylhydrazine [ring- <sup>3</sup> H] hydrochloride
ART 1959	N-t-BOC-L-proline [3,4- <sup>3</sup> H]	ART 2023	Itraconazole [ <sup>3</sup> H(G)]
ART 1960	Tetrahydrobiopterin, L-[6,7- <sup>3</sup> H] hydrochloride	ART 2024	Albumin [methyl- <sup>3</sup> H] methylated (rat)
ART 1965	Vancomycin [ <sup>3</sup> H(G)] hydrochloride	ART 2025	Albumin [methyl- <sup>3</sup> H] methylated (bovine serum)
ART 1966	Bromobenzene [ring-2,4,6- <sup>3</sup> H]	ART 2026	Albumin [methyl- <sup>3</sup> H] methylated (human)
ART 1967	Aniline [2,4,6- <sup>3</sup> H] hydrochloride	ART 2027	Bryostatin-1 [ <sup>3</sup> H(G)]
ART 1968	AM580 [ <sup>3</sup> H(G)]	ART 2028	Palmitoyl [9,10- <sup>3</sup> H] L-carnitine chloride
ART 1969	Pravastatin [ <sup>3</sup> H(G)] calcium salt	ART 2029	Palmitoyl L-carnitine [N-methyl- <sup>3</sup> H] chloride
ART 1970	Lipopolysaccharide [ <sup>3</sup> H]	ART 2030	4-Hydroxybenzaldehyde [ring-2- <sup>3</sup> H]
ART 1972	CGP 35348 [ <sup>3</sup> H]	ART 2031	Phenylhydrazine [ring- <sup>3</sup> H]
ART 1974	Acridine orange [ <sup>3</sup> H(G)]	ART 2032, A	Kynurenine, L-[phenyl-3,5- <sup>3</sup> H]
ART 1975	6-Methoxy-BTA-0 [N-methyl- <sup>3</sup> H]	ART 2033	Ranitidine [ <sup>3</sup> H(G)] hydrochloride
ART 1976	Olmesartan acid [ring- <sup>3</sup> H(G)]	ART 2034	Piroxicam [ <sup>3</sup> H(G)]
ART 1977	3-Phenacyluridine [5- <sup>3</sup> H]	ART 2035	PLP 139-151 [leu-4,5- <sup>3</sup> H]
ART 1979	Entecavir [ <sup>3</sup> H]	ART 2036	OVA 323-339 [ <sup>3</sup> H(G)]
ART 1980	Norgestrel, D-(-)-[15,16- <sup>3</sup> H]	ART 2037	4-Aminopyridine [2- <sup>3</sup> H]
ART 1981	Benzophenone-2 [ring- <sup>3</sup> H]	ART 2038	Hexanoyl D- <i>erythro</i> sphingosine [3- <sup>3</sup> H]
ART 1982	Bilirubin [10- <sup>3</sup> H]	ART 2039	Enalaprilate [prolyl-4,5- <sup>3</sup> H]
ART 1983	Bilirubin ditaurate [taurine-2- <sup>3</sup> H]	ART 2040	Cytomodulin [ <sup>3</sup> H(G)]
ART 1984	Bilirubin [10- <sup>3</sup> H] ditaurate	ART 2043	Valproic acid [4,5- <sup>3</sup> H] sodium salt
ART 1985	Palmitic acid [2- <sup>3</sup> H]	ART 2044	Phenacetin [ <sup>3</sup> H(G)]
ART 1986	Palmitic acid [16- <sup>3</sup> H]	ART 2045	Diclofenac [ <sup>3</sup> H]
ART 1987	Cholesterol [24,25- <sup>3</sup> H]	ART 2046	Paclitaxel [N-benzoyl-4- <sup>3</sup> H]
ART 2001	Cholecalciferol palmitate [palmitate-9,10- <sup>3</sup> H]	ART 2047	Lumefantrine [ <sup>3</sup> H(G)]
ART 2002	Bromosulfalein [ <sup>3</sup> H]	ART 2048	Phosphingosine, D- <i>erythro</i> [3- <sup>3</sup> H]
ART 2003	Cholecalciferol stearate [stearate -9,10- <sup>3</sup> H]	ART 2049	Phosphingosine, L- <i>threo</i> [3- <sup>3</sup> H]
ART 2004	Quinidine [methyl- <sup>3</sup> H]	ART 2050	Nadolol [ring- <sup>3</sup> H]
ART 2005	Quinine [methyl- <sup>3</sup> H]		

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 2051	4-Fluoro-3-cyanoaniline [ring- <sup>3</sup> H]	ART 2101	Trimethylamine N-oxide [N-methyl- <sup>3</sup> H]
ART 2052	Cyclopentanol [1- <sup>3</sup> H]	ART 2102	Naphthalene [1,4- <sup>3</sup> H]
ART 2053	N-Arachidonyl [5,6,8,9,11,12,14,15- <sup>3</sup> H(N)] glycine	ART 2103	Atorvastatin [ring- <sup>3</sup> H] lactone
ART 2054	Glucose, D-[5- <sup>3</sup> H] 6-phosphate disodium salt	ART 2104	Atorvastatin [ring- <sup>3</sup> H] calcium salt
ART 2055	15-mer D-amino acid [ <sup>3</sup> H]	ART 2105	Phenylglycine, D-[2- <sup>3</sup> H]
ART 2056	Acetyl Coenzyme A [Coenzyme A- <sup>3</sup> H(G)]	ART 2106	Phenylglycine, L-[2- <sup>3</sup> H]
ART 2057	Oleoyl Coenzyme A [Coenzyme A- <sup>3</sup> H(G)]	ART 2107	Rotenone [2-isopropyl- <sup>3</sup> H(N)]
ART 2058	Talinolol [ring- <sup>3</sup> H]	ART 2108	Oseltamivir carboxylate [ <sup>3</sup> H(G)]
ART 2059	Cellobiose [ <sup>3</sup> H(G)]	ART 2109	Trifluoperazine [methyl- <sup>3</sup> H] dihydrochloride
ART 2060	Glutamic acid, L-[3,4- <sup>3</sup> H]	ART 2110	Bexarotene [ring- <sup>3</sup> H]
ART 2062	Phosphatidic acid, L- $\alpha$ -dioleoyl [2-oleoyl-9,10- <sup>3</sup> H]	ART 2111	S107 [N-methyl <sup>3</sup> H]
ART 2063	Phosphatidic acid, L- $\alpha$ -dipalmitoyl [2-palmitoyl-9,10- <sup>3</sup> H]	ART 2112	Amoxicillin [ <sup>3</sup> H(G)]
ART 2074	2,2-Difluoropropionic acid [ <sup>3</sup> H]	ART 2113	Kynuramine [ <sup>3</sup> H(G)] dihydrobromide
ART 2075	Glucose, D-[3- <sup>3</sup> H] 6-phosphate	ART 2114	Fusidic acid [ <sup>3</sup> H(G)]
ART 2076	Allose, D-[3- <sup>3</sup> H]	ART 2115	CP 55,940 [ring- <sup>3</sup> H]
ART 2077	Crizotinib [ <sup>3</sup> H(G)]	ART 2116	Fallypride [methyl- <sup>3</sup> H] tartrate salt
ART 2078	Mephentoin, (S)-(+)-[methyl- <sup>3</sup> H]	ART 2117	Dextran [ <sup>3</sup> H]
ART 2079	Sitagliptin phosphate [ <sup>3</sup> H(G)]	ART 2118	Fumonisin B <sub>1</sub> [ <sup>3</sup> H(G)]
ART 2080	Luciferin [ <sup>3</sup> H(G)] 6'-methyl ester	ART 2119	(+)- $\alpha$ -Dihydrotetraabenazine [9-O-methyl- <sup>3</sup> H]
ART 2081	Dynorphin A [leu-4,5- <sup>3</sup> H]	ART 2120	(+)- $\beta$ -Dihydrotetraabenazine [9-O-methyl- <sup>3</sup> H]
ART 2082	Stigmasterol [ <sup>3</sup> H(G)]	ART 2121	L-Quinuclidinylbenzilate [methyl- <sup>3</sup> H]
ART 2083	Ivermectin B1 $\beta$ [22,23- <sup>3</sup> H]	ART 2122	Iperoxo [methyl- <sup>3</sup> H]
ART 2084	Nimodipine [ <sup>3</sup> H(G)]	ART 2123	Acetic acid [ <sup>3</sup> H] (free acid)
ART 2085	Histidine, L-[ring-2,5- <sup>3</sup> H] methyl ester dihydrochloride	ART 2124	Tetrahydrofolic acid [3,5,7,9- <sup>3</sup> H]
ART 2086	5-Chloroisatin [7- <sup>3</sup> H]	ART 2125	Latanoprost, [15S- <sup>3</sup> H]
ART 2087	HP101 [ <sup>3</sup> H(G)]	ART 2126	N-Methyl [ <sup>3</sup> H] D-aspartic acid
ART 2088	1,10-Phenanthroline [ <sup>3</sup> H(G)]	ART 2127	N-Methyl [ <sup>3</sup> H] L-aspartic acid
ART 2089	Carboxy S-adenosyl-L-methionine [ <sup>3</sup> H]	ART 2128	SCH 58261 [ <sup>3</sup> H(G)]
ART 2090	Octopirox [ <sup>3</sup> H(G)]	ART 2130	L-Alanine L-alanine L-alanine [2,3- <sup>3</sup> H]
ART 2092	$\beta$ -Sitosteryl oleate [oleate-9,10- <sup>3</sup> H]	ART 2131	Dextran [ <sup>3</sup> H]
ART 2093	Oxycodone [N-methyl- <sup>3</sup> H] hydrochloride	ART 2132	Travoprost [15- <sup>3</sup> H]
ART 2094	Glycyrrhetic acid [ <sup>3</sup> H(G)]	ART 2133	Cholesterol [1,2,7- <sup>3</sup> H]
ART 2095	Nifene [ <sup>3</sup> H(G)]	ART 2134	DOTAP [methyl- <sup>3</sup> H] chloride
ART 2096	Propranolol, DL-[4- <sup>3</sup> H]	ART 2135	PDP PE [dipalmitoyl-9,10- <sup>3</sup> H]
ART 2097	Atorvastatin [3- <sup>3</sup> H] calcium salt	ART 2136	PDP PE [dioleoyl-9,10- <sup>3</sup> H]
ART 2098	Atorvastatin [5- <sup>3</sup> H] calcium salt	ART 2137	17 $\alpha$ -Hydroxypregnenolone [3 $\alpha$ - <sup>3</sup> H]
ART 2099	2-Chloro-5-chloro-methyl pyridine [methylene- <sup>3</sup> H]	ART 2138	Pregnenolone [3 $\alpha$ - <sup>3</sup> H]
ART 2100	6-Chloro-2-hydroxypyridine [ <sup>3</sup> H]	ART 2139	Undecane [1- <sup>3</sup> H]
		ART 2140	Testosterone [6- <sup>3</sup> H]
		ART 2141	Octadecane [1- <sup>3</sup> H]
		ART 2142	Eicosane [1- <sup>3</sup> H]
		ART 2143	Docosane, n-[1- <sup>3</sup> H]
		ART 2144	Tetracosane, n-[1- <sup>3</sup> H]
		ART 2145	Linagliptin [ <sup>3</sup> H(G)]

# PRODUCT LISTING BY CATALOG NUMBER

Catalog Number	Product Description	Catalog Number	Product Description
ART 2146	Nicotinamide [ring- <sup>3</sup> H] riboside		
ART 2147	Dextran [ <sup>3</sup> H]		
ART 2148	N-Desethyl amodiaquine [ <sup>3</sup> H(G)]		
ART 2149	Betulinic acid [3- <sup>3</sup> H]		
ART 2150	Itaconic acid [ <sup>3</sup> H(G)]		
ART 2151	Adenosine 5'-( $\beta,\gamma$ -imido)triphosphate [ $\beta$ - <sup>3</sup> H]		
ART 2152	( $\pm$ )-Jasmonic acid [ <sup>3</sup> H(G)]		
ART 2153	Ibuprofen, R-[ring- <sup>3</sup> H]		
ART 2154	Ibuprofen, S-[ring- <sup>3</sup> H]		
ART 2155	Vorinostat [ <sup>3</sup> H(G)]		
ART 2156	Panobinostat [ <sup>3</sup> H(G)]		
ART 2157	Raltegravir [ <sup>3</sup> H(G)]		
ART 2158	Pentostatin [ <sup>3</sup> H(G)]		
ART 2159	Orlistat [ <sup>3</sup> H(G)]		
ART 2161	Nystatin [ <sup>3</sup> H(G)]		
ART 2162	Pyridine-2-aldoxime methochloride [ <sup>3</sup> H]		
ART 2163	Rosuvastatin [N-methyl- <sup>3</sup> H] calcium salt		
ART 2164	Rosuvastatin [5- <sup>3</sup> H] calcium salt		
ART 2165	Bromoacetic acid [2- <sup>3</sup> H]		
ART 2166	Lysophosphatidic acid, L- $\alpha$ -1-lauroyl [11,12- <sup>3</sup> H] sodium salt		
ART 2167	Lysophosphatidic acid, L- $\alpha$ -1-stearoyl [9,10- <sup>3</sup> H] sodium salt		
ART 2168	Lysophosphatidic acid, L- $\alpha$ -1-arachdionyl [arachidonyl-5,6,8,9,11,12,14,15- <sup>3</sup> H] sodium salt		
ART 2169	Phosphatidic acid, L- $\alpha$ -dilauroyl [2-lauroyl-11,12- <sup>3</sup> H] sodium salt		
ART 2170	Phosphatidic acid, L- $\alpha$ -distearoyl [2-stearoyl-9,10- <sup>3</sup> H] sodium salt		
ART 2171	Phosphatidic acid, L- $\alpha$ -diarachdionyl [2-arachidonyl-5,6,8,9,11,12,14,15- <sup>3</sup> H] sodium salt		
ART 2172	Fluconazole [ <sup>3</sup> H(G)]		
ART 2173	Chlorpromazine [phenyl- <sup>3</sup> H] hydrochloride		
ART 2174	Glycerol trilaurate [lauryl-11,12- <sup>3</sup> H]		
ART 2175	Rosuvastatin lactone [N-methyl- <sup>3</sup> H]		
ART 2176	Dextran [ <sup>3</sup> H]		
ART 2177	Dextran [ <sup>3</sup> H]		
ART 2178	Maytansine [methyl- <sup>3</sup> H]		
ART 2179	Maytansinol [methyl- <sup>3</sup> H]		
ART 2183	Saxitoxin [11- <sup>3</sup> H] kit for RBA testing		



## **[125I] Customer-Specific Labelling Service**

ANAWA Trading SA, Switzerland labels biologically active substances with 125I to customers' requirements. Our specialty is the monoiodination of peptides at specific and defined positions. Using most up-to-date high performance liquid chromatography (HPLC), we are granting highest chemical and radiochemical purity, including the separation of the moniodinated peptide from its eventually oxidized form containing a methionine sulphoxide residue. Each batch will be documented with an analytical data sheet and a HPLC- chromatogram.

For the iodination we usually require ca. 0,5-1,0 mg of the cold compound.

### Description

#### **Basic Iodination including**

- Iodination (1 mCi Iodine 125) using Chloramin-T, Lactoperoxidase or Iodogen
- HPLC-purification and lyophilisation included

#### **Bolton-Hunter Iodination (1 mCi)**

- HPLC-purification and lyophilisation included

Preparations involving highly labile substances should be discussed with us and a specific quotation will be given. In the unlikely event of a failed iodination the preparation will be repeated using fresh reagents. If still unsuccessful, it will be assumed that the compound was unsuitable and the basic fee will be charged.

However, no guarantee can be given or implied that the product will be suitable for the intended purpose e.g. unaltered biological activity.



Founded in 1959, the Institute of Isotopes of the Hungarian Academy of Sciences began to produce radioactive isotopes in 1964. It became a major Hungarian centre for the research, development and production of radioisotopes. With effect from 1993 a part of the former Institute has been operating as the Institute of Isotopes Co., Ltd. (IZOTOP).

Code	Product	Sp.Act.
I-RB-31	Clear, colourless solution containing $^{125}\text{I}$ sodium iodide in 0.04 M NaOH. Non-carrier added. No reducing agents added.	Carrier Free ( $>600\text{GBq/mg}$ )

Radionuclidic impurities:  $^{126}\text{I} < 0.9 \%$

Radioactive concentration: 1110 - 7400 MBq/ml

Radiochemical purity:  $> 95 \%$

pH: 8 – 10

---

I-RB-4	Clear, colourless solution containing $^{125}\text{I}$ sodium iodide in 0.04 M NaOH. Non-carrier added. No reducing agents added.	Carrier Free ( $>600\text{GBq/mg}$ )
--------	--	---

Radionuclidic impurities:  $^{126}\text{I} < 0.9 \%$

Radioactive concentration:  $> 7400 \text{ MBq/ml}$

Radiochemical purity:  $> 95 \%$

pH: 8 – 10

---

*Expiry date: 60 days from dispatch*

*Other information: For labelling purposes*

*Storage: Store at room temperature in its own container, in accordance with the regulations on radioactive materials.*

*Packaging: Supplied in plastic vial placed in a lead container (KT 1- 3). The lead container is packed in a labelled tear-off metal can, which contains plastic insert (Type A packaging).*

※受注生産となりますので、価格と納期は室町機械(株)までお問い合わせください



**Figure 1 : Vial & Packing**

<b>CERTIFICATE</b> of radioactive preparation	
Isotope	I-125
Denomination	SODIUM-IODIDE SOLUTION
Manufacturer	Institute of Isotopes Co., Ltd.
Code	I-RB-4
Pos. No./Item	XXXXX
Commodcode	2844403000
specific activity	>600 GBq/mg
Radioactive contr.	18500 0000 MBq/ml
Activity	1 x 185 00 MBq (1 x 5.00 mCi)
Amount	1 x 0.0100 ml
Activity date	12 May, 2017
Expiry date	1 Jul. 2017
Filled in	Nucleotid tube
Serial No.	02080514020517
Ident.No.	0805/02
Descrb.	Pure, colourless NaI solution in 0.04 M NaOH. Non carrier added.
pH	8- 10
Shield type	LEI
Material	lead
Container	sealed can + paper box
Packed by	IE/12
Declaration regarding the transportation	The "A" type packing is in accordance with the regulations of the transport of radioactive materials.
Pack No.	170102042
Note	For labelling purposes. I-126 < 0.005 %.

**Figure 2 : Certificate**



## RADIO-ISOTOPE CUSTOM SYNTHESIS SERVICES AT BLYCHEM LABORATORIES

Metabolism, toxicological, environmental, and other health-related studies require well-characterised, highly pure compounds of diverse chemical classes. Very often the subject compounds are not available from commercial sources, especially when these compounds must be radio-labelled at specific positions to meet customers' requirements.

### **CUSTOM SYNTHESIS SERVICES:-**

To satisfy client-specific requirements, **BlyChem** can provide a cost effective mechanism for supplying the selected compounds and associated chemical services to our clients. **BlyChem** possesses the technical expertise and the facilities needed to operate such services. Experienced chemists, many already known to you will ensure synthesis is completed with the state of the art efficiency. Our main products use Carbon-14 and Tritium isotopes but we are able to supply other on request.

### **COMMUNICATION:-**

To identify your requirements we encourage dialogue between clients and our chemists (study directors). This eliminates the restricting barriers imposed when mediating through a sales office and ensures that your precise specifications are met efficiently.

### **CONFIDENTIAL SERVICE:-**

A confidential service is of paramount importance to our customers and all information received by us is always treated as confidential. We are able to enter into formal confidential agreements if required.

### **ANALYTICAL PACKAGES:-**

Each custom synthesis product is supplied with its own analytical package, containing authenticated copies of all original data held in our archives. An extensive range of physical techniques including HPLC, TLC, GLC, High field NMR, MS/GC-MS and FTIR is available to fully characterise the product. In most cases our products are supplied to radiochemical purity greater than 98% .

### **CARBON-14 SYNTHESIS:-**

Experience of vast range of Carbon-14 Syntheses has been gained over many years. These have varied in complexity from manufacture of simple starting materials to multistage syntheses of complex modules. The amounts produced vary between mega to tetra Becquerel quantities of radiolabelled products. **BlyChem Radiochemical** specialises in synthesis of labelled natural product from Amino acids to Xanthenes. Our product portfolio encompasses Aliphatics, Aromatics, Heterocyclics, Chiral, Agrochemical and Pharmaceutical compounds.

### **VACUUM LINE TECHNIQUES:-**

Specialised vacuum handling techniques are regularly employed in the early stages of synthesis to incorporate volatile radio-labelled materials. All of our Carbon-14 syntheses begin with [C-14] barium Carbonate. This gives **BlyChem** total control over the whole synthesis.