Fujitsu recommends Windows 10 Pro for business.



Data Sheet FUJITSU Tablet STYLISTIC Q7310

Tablet Mobility Meets Notebook Productivity

The FUJITSU Tablet STYLISTIC Q7310 is a highly durable and secure 2-in-1 detachable that meets the demands of today's mobile professionals. Its 33.8 cm (13.3-inch) FHD anti-glare display comes with pen and touch support. The latest 10th generation Intel® Core™ i7 processor technology ensure excellent performance, even when you're on the go.

Combined tablet mobility and notebook productivity in one device

Allows you to be productive even in unconventional working environments

- Highly durable 2-in-1 detachable with reinforced corners
- Robust housing which is MIL-STD-810H tested
- Port caps that protect the interfaces from water spills (IP42 compliant)
- Additional backlit keyboard dock with LAN and charging port
- Optional TPU cover for more robustness
- Always connected and instantly ready thanks to the new Modern Standby technology

Ultimate Security Options

Secure your device from unauthorized access

- IR Camera supporting Windows Hello
- Fingerprint sensor
- Smartcard reader
- Kensington lock support

Convenience at work

Enjoy the viewing angle of a large screen even when you are mobile

- 33.8 cm (13.3-inch) Full HD anti-glare touch display
- Supporting pen with 4K pressure levels
- Pen garage with inductive charging function

Long battery life

All-day battery life lets you be productive even when you are on the move

■ Up to 10 hours of battery backup

Lean and agile

More freedom to work from anywhere at anytime

■ Weight starting at 796 grams, the device offers you ultimate portability

















Components

Base unit	STYLISTIC Q7310
Operating systems	
Operating system pre-installed	Windows 10 Pro
Operating system compatible	Windows 10
Operating system notes	Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at http://support.ts.fujitsu.com.
Processor	Intel® Core™ i7-10610U processor (4 Cores / 8 Threads, 1.9 GHz, up to 4.8 GHz)
	Intel® Core™ i5-10310U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.1 GHz)
	Intel® Core™ i5-10210U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.1 GHz)
	*Processor only for retail, SMB, education and government
Memory	8 GB onboard Memory LPDDR3 16 GB onboard Memory LPDDR3 No DIMM
WLAN	Intel WiFi 6 AX201 & BT5
Bluetooth	V5.1
3G/4G	Sierra Wireless EM7455 (Cat 6)
Hard disk drives (internal)	SSD PCIe, 1024 GB, M.2 module
	SSD PCIe, 512 GB, M.2 module
	SSD PCIe, 256 GB, M.2 module
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery
Interface add on cards/components (optional)	
4G/ LTE (optional)	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)
	LTE Sierra Wireless EM7421 (Cat. 7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s)
Display	33.8 cm (13.3-inch),IPS,(Full HD),Anti-glare display,magnesium,1,920 x 1,080 pixel,1000:1,330 cd/m²
Multimedia	
Camera	Front: HD Cam (0.9M) with LED Front: IR (0.9M) supporting Windows Hello and SecureBIO with LED Rear: 5M with LED

Base unit

Base unit	STYLISTIC Q7310
General system information	
Chipset	Integrated in CPU
Supported capacity RAM (min.)	8 GB
Supported capacity RAM (max.)	16 GB
Memory slots	LPDDR3 (2133 MHz)
Memory notes	8 GB onboard or 16 GB onboard LPDDR3 (2,133 MHz)

General system information	
LAN notes	LAN connector via optional keyboard dock, cradle or optional USB adapter cable, virtual MAC address
Integrated WLAN	Intel WiFi 6 AX201 with integrated BT 5.1
BIOS version	UEFI Specification 2.7
BIOS features	InsydeH20 BIOS
Audio type	On board
Audio cype Audio codec	Realtek ALC255
Audio codec Audio features	
	Built-in array microphone, 2x built-in speakers (stereo) IP42
Waterproof / Spillproof	
MIL-STD tested	Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
Display	
Display	33.8 cm (13.3-inch),IPS,Full HD,Anti-glare touchscreen,1,920 x 1,080 pixel,1500:1,400 cd/m²
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	Ambient Light Sensor Compass Gyroscope Proximity
Aspect ratio	16:9
Brightness - typical	400 cd/m ²
Contrast - typical	1500:1
Digitizer / Touch Technology	Wacom Digitizer for pen (AES) input plus capacitive 10 finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	178°/178°
Graphics	
Base unit	STYLISTIC Q7310
FFT resolution (HDMI)	up to 4,096 x 2,160 @ 60 Hz
FFT resolution (VGA)	1,920 x 1,200 pixel
Graphics brand name	Intel® UHD Graphics
Graphics features	3 Display Support (2 external, 1 internal) HDCP support DirectX® 12 OpenGL® 4.5
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator
Interfaces	
DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
nternal microphones	2x digital array microphones
JSB 3.1 Gen1 (USB 3.0) total	1
JSB 3.1 Gen2 total	1 (USB Type C)
JSB Type-C	1 with power delivery
HDMI	1
Ethernet (RJ-45)	-
Memory card slots	1 (USH-I) SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB
SmartCard slot	optional

Interfaces	
SIM card slot	1 (MicroSIM - only for models with integrated 4G/LTE)
nterface Module notes	LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)
Docking connector for Port Replicator	1
Kensington Lock support	1
	<u>'</u>
Cradle (Charging or Functional)	1 /10//
DC-in	1 (19V)
Audio: line-in	1
Audio: line-out	1
JSB 3.1 Gen1 (USB 3.0) total	3
DisplayPort	1
/GA	1
Kensington Lock support	
nterface Module notes	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.
Vireless technologies	
ıntennas	2x dual band for WLAN, 2x for LTE, Bluetooth shared with WLAN
ntegrated WLAN	Intel WiFi 6 AX201 with integrated BT 5.1
VLAN encryption	WEP, WPA, WPA2
VLAN notes	Import and usage according to country-specific regulations.
ntegrated LTE or UMTS	LTE Sierra Wireless EM7455 (Cat6) LTE Sierra wireless EM7421 (Cat7)
TE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations. LTE Connection Manager (if configured with 4G/LTE)
GPS .	Embedded in 4G module if configured with WWAN
ower supply	
C adapter	19 V / 65 W (3.42 A)#20 V / 65 W (3.25 A) Type C
lotes	65W AC Adapter for usage with system/ min. 90W AC Adapter for usage with Cradle
ated voltage range	100 V - 240 V (AC Input)
ated frequency range	50 Hz - 60 Hz
st battery	Li-Ion battery 3-cell, 38 Wh, 38 Wh
attery features	Quick Charge: 80% in 1h
untime 1st battery	10 h
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	315 x 200.9 x 10.5 mm
	12.4 x 0.79 x 0.42 inch
Veight .	from 0.796 kg slate only, weight of keyboard docking from 0.568 kg
Veight (lbs)	from 1.75 lbs slate only , weight of keyboard docking from 1.25 lbs
Veight notes	Weight may vary depending on actual configuration
perating ambient temperature	5 - 35 °C (41 - 95 °F); Packed -10 - 60 °C (14 - 140 °F)
perating relative humidity	Running: 20 - 80% (relative humidity); Packed: 20 - 80% (relative humidity)
Product	STYLISTIC Q7310
Model	7013A1
Germany	GS
Europe	CE
-uiohc	CL

Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) TCO Certified 8.0 (depending on configuration) EPEAT® Bronze (dedicated regions) MIL-STD-810H tested
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Fujitsu Display Manager Fujitsu DeskUpdate (driver and utility tool) ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.)
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) optional CyberLink PowerDVD BD (playback software for Blu-ray Disc™) CyberLink PowerDVD DVD (playback software for DVD) CyberLink YouCam (webcam software) Nero (backup and burning software)
Manageability	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology iAMT 14.0 (depending on processor)
Manageability software	DeskView Client DeskView Instant BIOS Management
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) WBEM (Web Based Enterprise Management) BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Absolute Persistence® technology capable BIOS EraseDisk Trusted Platform Module (TPM 2.0)
User Security	Embedded fingerprint sensor (optional) Smartcard reader (optional) Hard disk password User and supervisor BIOS password SystemLock BIOS SmartCard security Workplace Protect (secure authentication solution)

Warranty	
Warranty period	2 years (for countries within EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions Product Support Services - the perfe	http://www.fujitsu.com/warranty ect extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

UCDT CD ID II I 2	Connect to your peripherals. Adopt to the test, as demand. The well-serial.		
USB Type-C Port Replicator 2	Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C connection helps you to get your peripheral devices connected easily. Enhance your USB connection options, connect your displays via HDMI, DisplayPort or VGA and charge your device without an additional charger.	Order Code: S26391-F3327-L100	
STYLISTIC Q7310 and STYLISTIC Q5010 Family Cradle	Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.	Order Code: S26391-F3397-L100	
USB Type-C AC Adapter	Recharge your notebook or tablet at work, at home or on the road with this USB Type-C power source easily.	Order Code: S26391-F3326-L502	
USB to VGA Conversion Cable	The FUJITSU USB to VGA Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments. (Picture similar to product)	S26391-F1418-L810	
LAN Conversion Cable (USB to LAN) for STYLISTIC Q	The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)	Order Code: S26391-F3398-L840	
AES Pen	Take your creativity to the next level, with the most natural pen experience with the AES Pen with replacement stylus tips. With pen nibs that are very thin, you can experience the writing and signing behavior of an ink pen. The pen fits in the device's integrated pen garage.	Order Code: S26391-F3389-L500	
Bumper Case Kit	The protective bumper case kit is designed to prevent damages to your STYLISTIC Q7310. Openings of the cover allow you to access all ports and buttons whilest the hand strap on the back of the case gives you a firm grip while working with your tablet outside the office. The integrated stand solution enhances your productivity.	Order Code: S26391-F3396-L200	

Folio Cover STYLISTIC Q7310



The Folio Cover for the STYLISTIC Q7310 is a thin, tailored protective sleeve Order Code: for your Fujitsu tablet. It keeps the device safe from damage on the go, and S26391-F3509-L100 brings a touch of style to your daily work. It can even be used as a stand if you need to display a presentation or watch a clip and fits even the device is connected to its keyboard dock.

Back-lit Keyboard Dock for STYLISTIC Q7310



Flexibility, expandability, desktop replacement, investment protection – to S26391-F3399-L221 name just a few benefits of Fujitsu's docking options.

More information

Fujitsu products, solutions & services

In addition to FUJITSU Tablet STYLISTIC Q7310, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Tablet STYLISTIC Q7310, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/products/computing/pc/tablets

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html

Copyright 2020 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2020-11-12 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2020 Fujitsu Technology Solutions GmbH