

**NASA TECHNICAL  
MEMORANDUM**

**NASA TM-78930**

NASA TM-78930

(NASA-TM-78930) COMPUTER PROGRAMS FOR  
CALCULATING TWO-DIMENSIONAL POTENTIAL FLOW  
IN AND ABOUT PROPULSION SYSTEM INLETS (NASA)  
366 p HC A16/MF A01

CSCL 01A

N78-27083

Unclassified  
G3/02 25194

**COMPUTER PROGRAMS FOR CALCULATING TWO-DIMENSIONAL  
POTENTIAL FLOW IN AND ABOUT PROPULSION  
SYSTEM INLETS**

by J. Dennis Hawk, Norbert O. Stockman,  
and Charles A. Farrell, Jr.  
Lewis Research Center  
Cleveland, Ohio  
June 1978



## CONTENTS

	Page
INTRODUCTION . . . . .	1
SYMBOLS . . . . .	2
PROBLEM AND SOLUTION DESCRIPTION . . . . .	2
Statement of the Problem . . . . .	2
Description of Solution Steps and Programs . . . . .	3
Geometric representation - Program SCIRCL . . . . .	3
Incompressible potential flow basic solutions - Program 23Y . .	4
Combined solution - Program COMBIN-2D . . . . .	4
Sample Results . . . . .	5
INPUT AND OUTPUT FORMAT . . . . .	6
SCIRCL Input . . . . .	6
SCIRCL Output . . . . .	16
COMBIN-2D Input . . . . .	20
COMBIN-2D Output . . . . .	24
DESCRIPTION OF SUBROUTINES . . . . .	32
Program SCIRCL . . . . .	32
Program COMBIN-2D . . . . .	35
INPUT/OUTPUT UNITS . . . . .	36
LISTING OF PROGRAMS . . . . .	38
Program SCIRCL . . . . .	39
Program 23Y . . . . .	110
Program COMBIN-2D . . . . .	189
TEST CASE INPUT AND OUTPUT . . . . .	241
Program SCIRCL . . . . .	242
Program 23Y . . . . .	252
Program COMBIN-2D . . . . .	329
REFERENCES . . . . .	344

## INTRODUCTION

Proposed V/STOL aircraft require propulsion systems that operate efficiently over wide ranges of free-stream velocity, incidence angle and inlet throat Mach number (mass flow rate). A major component determining the efficiency of operation at these flow conditions is the inlet. An important tool in the design of an efficient inlet is the capability to theoretically analyze the inlet flow.

Many of the proposed V/STOL inlets are three-dimensional (fig. 1). Since the capability for a full three-dimensional inlet analysis does not exist at this time, simpler but approximate methods for modeling these inlets were developed. The flow about some of these inlet shapes (e.g., fig. 1(a)) can be approximated by calculating the flow about a group of axi-symmetric geometries having shroud profiles corresponding to several circumferential angles. Methods for analyzing axisymmetric geometries exist (ref. 1) and are in use at the Lewis Research Center. However, inlets such as shown in figures 1(b) and (c) are not adequately approximated axi-symmetrically. These inlets are better approximated by two-dimensional geometries. Therefore, a procedure for calculating two-dimensional potential flows was developed. Figure 2 shows the two-dimensional approximations made for analyzing the three-dimensional inlets shown in figures 1(b) and (c).

The procedure developed utilizes three computer programs and is similar to the procedure for calculating axisymmetric flows (ref. 1). The chief program is the Douglas two-dimensional potential flow program (ref. 2) called 23Y at Lewis, which calculates the incompressible potential flow about arbitrary two-dimensional bodies. The other two programs, original with Lewis are called SCIRCL (ref. 1) and COMBIN-2D. Program SCIRCL generates input for 23Y from various specified analytical shapes or sets of coordinate points for the inlet components. Program COMBIN-2D takes the basic solutions output by 23Y and combines them into solutions of interest, and if desired applies a compressibility correction. Figure 3 is a schematic representation of these solution steps.

This paper consists of a statement of the problem to be solved, a description of each of the programs, sample results and sufficient documentation, including a test case, to enable the user to run the programs.

## SYMBOLS

$A, B, C, D$  combination coefficients

$M$  Mach number

$V$  velocity

$\dot{W}$  inlet mass flow

$\alpha$  inlet incidence angle

### Subscripts:

$c$  control station

$i$  incompressible

$S_1$  passage between lower shroud and centerbody

$S_2$  passage between upper shroud and centerbody

$\infty$  free stream value

## PROBLEM AND SOLUTION DESCRIPTION

### Statement of the Problem

The basic problem to be solved is to calculate either the compressible or incompressible potential flow in and about an arbitrary two-dimensional inlet at any combination of operating conditions of free stream velocity  $V_\infty$ , inlet incidence angle  $\alpha$ , and inlet mass flow rates  $\dot{W}_c$ ,  $\dot{W}_{S1}$ , or  $\dot{W}_{S2}$ . Figure 4 shows four possible combinations of inlet geometries and weight flow specifications to be analyzed. Figure 4(a) shows the single inlet passage where the free stream conditions  $V_\infty$ ,  $\alpha$ , and inlet weight flow rate,

$\dot{W}_c$  are specified. Figure 4(b) shows a single inlet with dual passages where  $V_\infty$ ,  $\alpha$ , and the two passage weight flow rates  $\dot{W}_{S1}$  and  $\dot{W}_{S2}$  are specified. Figure 4(c) shows the same inlet and free stream flow conditions,  $V_\infty$ ,  $\alpha$ , as figure 4(b). However, in this case the total inlet and one passage weight flow rate,  $\dot{W}_c$  and  $\dot{W}_{S1}$  are specified. Figure 4(d) shows a dual inlet configuration where  $V_\infty$ ,  $\alpha$ ,  $\dot{W}_{S1}$ , and  $\dot{W}_{S2}$  are specified. The two dimensional flow problem is solved in several steps (programs).

1. Geometric representation (Program SCIRCL)
2. Incompressible potential flow basic solutions (Program 23Y)
3. Combined solutions with compressibility correction  
(Program COMBIN-2D).

Each step and its corresponding program is described in the following section.

### Description of Solution Steps and Programs

Geometric representation - Program SCIRCL. - The inlet is assumed to be two-dimensional. The body profiles are broken into segments at convenient tangential points (fig. 5). Each segment may be defined by an analytic expression or by a set of points. The inlet duct walls and outer surfaces must be extended far downstream (fig. 5) to facilitate obtaining accurate potential flow solutions in the inlet in the region of interest. The geometry program SCIRCL prepares coordinate-point input for efficient use of the potential flow program and also prints out information such as curvature, wall angles, etc., which is useful in preliminary screening of proposed inlet shapes.

In addition to the surface points, sets of points perpendicular to the inlet axis, called rakes, are needed at axial locations where velocity profiles or streamlines are desired. At least one set of rake points is required, corresponding to the axial location where the inlet weight flow is specified, as discussed with regard to figure 4. Such rakes are called control stations.

Program SCIRCL generates the coordinates of the rake points for 23Y. Program SCIRCL will also produce a Calcomp plot of the inlet geometry and rake points.

Incompressible potential flow basic solutions - Program 23Y. - Program 23Y is the Douglas incompressible potential flow computer program for single or multiple two-dimensional bodies. Briefly, the program utilizes a distribution of sources and sinks of initially unknown strength to represent the inlet profile. The continuous distribution is approximated by representing the inlet as a finite number of discrete flat elements having constant source strength and characterized by the mid point of the element (called the control point). This approximation results in a set of linear algebraic equations for source strength at the control points that are solved by matrix methods. Velocities at the control points and at specified off-body points (rake points) are then calculated from the source/sink distribution.

In the two passage case, the program is used to obtain five basic solutions which are used in linear combination in order to satisfy the prescribed operating conditions (fig. 4). The first basic solution is axial flow, the second is a  $90^\circ$  cross flow, the third, fourth, and fifth solutions are vorticity solutions about the lower shroud, centerbody, and upper shroud, respectively. In the single passage case, only four solutions are generated. The first two are the same as the two-passage case while the third and fourth are vorticity solutions about the lower and upper shrouds respectively.

Combined solution - Program COMBIN-2D. - This program combines the basic solutions  $\bar{V}_j$ ,  $j=1, 2, 3, 4, 5$  from 23Y into any number of solutions of interest. A solution of interest is one having specific values of free stream velocity,  $V_\infty$ , angle of attack of inlet,  $\alpha$ , and weight flow,  $\dot{W}$ , through the control stations described previously. Optional inputs for  $\dot{W}$  are average axial velocity at the control stations ( $V_c$ ,  $V_{S1}$ , or  $V_{S2}$ ) or average Mach numbers ( $M_c$ ,  $M_{S1}$  or  $M_{S2}$ ). If either  $\dot{W}$  or  $M_c$  are specified, they are converted to velocities for use in the combination solutions. Temperature and pressure must also be specified if other than standard conditions are used.

The method of combination of the basic solutions is shown in figure 6. A compressibility correction, if desired, is then applied to the velocities. The compressibility correction used is that of Lieblein-Stockman (ref. 3).

$$V_{\text{com}} = V_{\text{inc}} \left( \frac{\rho_t}{\rho_s} \right)^{V_{\text{inc}}/\bar{V}_{\text{inc}}}$$

where the terms on the right hand side are obtained from the incompressible solution. This correction requires no alteration of the inlet geometry and can handle locally sonic or supersonic flows. Flow properties (Mach number, pressure ratio, etc.) are calculated for either the compressible or incompressible cases depending on the version desired. The compressibility correction is actuated by setting ICOMP1 to 0. The incompressible version is generated by setting ICOMP1 to 1. If two passages are specified, two of the rakes mentioned under SCIRCL are used as control stations by COMBIN-2D. A control station is the rake where the average inlet axial velocity of the combined solution is specified. The possible choices of control stations for two passage cases are shown in figures 4(b) to (d). If only one passage is specified (fig. 4(a)), then any rake can be used as a control station. However, it should be noted that the compressible solution is most accurate in the vicinity of the control station since the compressibility correction does not exactly satisfy continuity.

When the velocity on the inlet surface becomes locally supersonic, the agreement between theory and experiment is generally not as good as when the flow remains subsonic. To improve the agreement, an optional supersonic correction has been incorporated into the program. The supersonic correction is actuated by specifying NX as 1 on input.

### Sample Results

To illustrate the results of the present calculation procedure, the graphic output for the Test Case is presented next.

The graphic output of SCIRCL is illustrated in figure 7 and consists of a plot of the inlet geometry and the computational point spacing, and the location of the rakes and their point spacing. In addition to its reference value the plot is useful for troubleshooting for mistakes in the geometry input and for validating the satisfactory distribution of body points and rake points.

The graphic output of COMBIN-2D is illustrated in figures 8 to 10. Figure 8 shows the pressure distribution on both the internal and external surfaces of the upper shroud. Similar plots can be obtained for the lower shroud and for the centerbody when there is one.

Figure 9 shows the surface Mach number distribution. The comments made above for the pressure plots apply also to Mach number plots.

Figure 10 shows a plot of the flow field vectors. Whenever rake points are specified (see fig. 7) velocity vectors are calculated and can be plotted. Note that velocity vectors can be obtained outside the inlet as well as inside.

## INPUT AND OUTPUT FORMAT

### SCIRCL Input

Card no.	Format	Col. no.	FORTRAN name	Description
9A6	1-54	ARE		= title for area plots. "CROSS-SECTIONAL AREA, SQ. IN."
9A6	1-54	EX		= title for x-axis. "AXIAL POSITION, IN."
9A6	1-54	CURVO		= title for curvature plots. "CURVATURE ON SHROUD"
9A6	1-54	SURFAC		= title for x-axis with surface distance plots. "DISTANCE ALONG SURFACE FROM DOWN-STREAM END OF SHROUD, IN."

These first four cards above will be unchanged for all runs and can be made a part of the execution setup deck, or replaced with data statements.

Card	Format	Column	FORTRAN name	Description
1	9A6	1-54	TITLE	Description of Case

#### FOR CALCOMP PLOTTING OF INLET PICTURES

2	6F10.2	1-10	XX	Length, in plot-inches, of X-axis required.
		11-20	XMIN	Value, in data-inches, of far left X-point.
		21-30	EXEP	Data-inch per plot-inch along X-axis.
		31-40	YY	Length, in plot-inches, of Y-axis required.
		41-50	YMIN	Value, in data-inches, of bottom Y-point.
		51-60	ORD	Data-inch per plot-inch along Y-axis (usually equal to EXEP).

#### FOR INFORMATION USED BY SCIRCL

3	-	-	-	Blank
4	2A6,I4, 2I1,2I2, 10X,I1, 9X,3I1, 2I2	1-6	IDENT	Six-character tag for case I. D.
		7-12	PROG	23Y
		13-16	NO6	0
(Flag 'A')		17	LPNCHO	1, Do not save output for 23Y on Unit 17.

Card	Format	Column	FORTRAN	Description
Flag B		18	IPLOTA	Plot inlet area against X-position (used only for axisymmetric case).
Flag C		19-20	IPLOTC	-1, Plot curvature versus X +1, Plot curvature versus S (Used only for axisymmetric case)
Flag D		21-22	IREAD	0 (Obsolete)

**ALL FLAGS**

are 'on' when  
=1, unless otherwise noted. (Either E or J or neither can be on but not both).

Flag J	33	IAB	Redo geometry from point (XAA, YAA) to (XBB, YBB).
Flag E	43	IREDON(1)	Redo entire geometry via direct interpolation
Flag F	44	IREDON(2)	LPNCHO for any redo
Flag G	45	IREDON(3)	IPLOTA for any redo
Flag H	46-47	IREDON(4)	IPLOTC for any redo
Flag I	48-49	IREDON(5)	IREAD for any redo

Skip card 5 if J=0.

5	4F12.5	1-12	XAA	X position of starting point for partial redo.
		13-24	YAA	Y position of starting point for partial redo.
		25-36	XBB	X position of ending point for partial redo.
		37-48	YBB	Y position of ending point for partial redo.

Card	Format	Column	FORTRAN	Description
6	4F10.2	1-10	ANBDYS	Number of bodies
		11-20	DELS	Spacing between points in region of interest.
		21-30	DELSMX	Maximum spacing far from region of interest.
		31-40	XRI	Axial distance at which surface distance equals zero.
7	I4	1-4	NRAKE	Number of axial locations at which data across the passage is desired. (Cannot be greater than 25).
8	3F8.5,I3	1-8	XRAK	Axial location of rake.
		9-16	YLO	Y value of first point (lowest point) on rake at XRAK.

(Note: There is one card for each rake)

9	3F10.2	17-24	YHI	Y value of last point (highest point) on rake at XRAK.
		25-27	NY	Number of points in rake at XRAK: Restriction $NY \leq 200$ . Rake points are equally spaced, $\Delta Y$ , between YHI and YLO where $\Delta Y = \frac{YHI - YLO}{(NY - 1)}$
9	3F10.2	1-10	TYPBDY	Body number. However, if the inlet is symmetrical, then any body can be input as a mirror image of any other body. That can be accomplished by setting TYPBDY = -M.N where M is the number of the body to be created and N is the number of the body to be copied. ANSEG is set to the Y value of the line about which body N is to be mirrored. No other input is required for this body.

Card	Format	Column	FORTRAN	Description
		11-20	ANSEG	= Number of segments for the particular body, except as stated in TYPBDY.
		21-30	DELNEW	= -1., Delta S spacing is set to original value of DELS. = 0., Delta S is set to value of DELS from previous body. = + number, Delta S is set to value of input DELNEW.
10	3F10.2	1-10	ENREED	Code indicating type of curve to be fitted through given points. = 0., for bisuperellipses. See Table I and figure 11 for available options. Input 4, 5, or 6 (XIN, YIN) points as directed. = 1000. Same as = 0 but with finer point spacing near one end of segment (two such segments required). Usually used to give finer spacing at the highlight. The superellipse going into the highlight and the one coming out should have this flag. For bisuperellipses where the '1000.' option is to be used, the rate at which the point spacing, ds, changes near one end $dS_i = dS_{i-1} - (\text{Rate})(dS_{i-1})$ can be specified on input.

Card Format Column FORTRAN

Description

The rate (program name = PACE) is entered as the fractional part of ENREED for each such segment. For example, if ENREED were input as 1000.06, the spacing for consecutive points would be evaluated as follows:

$$DS_i = DS_{i-1} - (0.06) DS_{i-1}$$

if segment is to go from large-to-small spacing, or:

$$DS_i = DS_{i-1} + 1.5 (0.06) DS_{i-1} \text{ if segment is going from small-to-large spacing.}$$

If PACE is entered as zero (i. e., ENREED = 1000.), the default value, 0.05, is used.

(PACE  $\leq 0.133$ )

\* The first '1000' superellipse ON A BODY reduces the point spacing as far as possible, down to a limit of 2 percent of the ds value at the beginning of the segment.

\* All subsequent '1000' superellipses input will increase ds as far as possible up to the input value of DELS.

\* Any number or types of segments may be input between the first and subsequent '1000' bisuperellipses, with the exception of a normal bisuperellipse (ENREED=0).

Card	Format	Column	FORTRAN	Description
			= 1,	is a straight line, input 2 coordinates (XIN(1), YIN(1), XIN(2), YIN(2)) (fig. 12).
				The first and last straight lines on bodies 2 and 3 and the last straight line on body 1 will automatically have their spacing increased from approximately DELS near the region of interest to approximately DELSMX away from the region of interest. To get this type of spacing in the first straight line of body 1, ENREED must be specified as 10..
				The first straight segment of a body must be equal in axial length to the last straight segment on the previous body. (If the actual straight lines are not equal in length, the longer should be input as two segments).
			= 10.,	special straight line used for initial straight line on lower shroud. The straight line starts with large spacing (DELSMX) and ends with small spacing (DELS), (fig. 12).
			= -1.,	fits a lemniscate between a straight line and a point. Input is three coordinates (fig. 12).
			= -3.,	fits a cubic between two straight lines. Input 4 coordinates (fig. 12).

Card	Format	Column	FORTRAN	Description
			= -4.0,	generates a segment which is a mirrored image of all the points from (XIN(1), YIN(1)) to (XIN(2), YIN(2)) about the line $Y = YIN(3)$ . See cards 11 and 12 for XIN and YIN formats.
			= 99.,	for direct interpolation option over one segment (see input instructions for card 12).
		11-20	REEDEN(1)	(See table I). Input exponent of x-term for bisuperellipse equation. Blank for all other segment types.
		21-30	REEDEN(2)	(See table I). Input exponent for y-term of bisuperellipse.
11	6F12.5	1-72	XIN(I)	X-coordinate for specified points.
12	6F12.5	1-72	YIN(I)	Y-coordinate for specified points.
				Note: If ENREED = 99, instead of cards 11 and 12, input the following cards.

Card	Format	Column	FORTRAN	Description
11a	Namelist/\$BODYIN/		Z(I)	Z is a complex array containing the X value (in the real part) and Y value (imaginary part) of each given point along the segment. The namelist will normally be longer than one card.
12a	Namelist/\$AUXIN/		DONE	= A logical variable which should be input as = .TRUE.  Note: If ANSEG=0 and TYPBDY ≠ 0, skip card No. 10, and substitute 11a for 11 and 12a for 12..

Input Deck Structure

Card

1

2

3

4

5 (only if flag J &gt; 0)

6

7

8

.

.

.

8

9

10

11

12

Number of '8' cards = NRAKES

Number of '9' cards = ANBDYS

Number of '10-11-12' groups for each '9'  
card = ANSEG\* If ENREED = 99 on card 10, use 11a and 12a  
instead of 11 and 12\* If ANSEG = 0 and TYPBDY ≠ 0 on card 9,  
skip 10 and substitute 11a and 12a for 11 and 12Figure 13 shows an SCIRCL input form, reflect-  
ing the above instructions.

## SCIRCL Output

Printed Output

Input file dump (a list of input cards)

Case number and title

Input card 3

Input card 4 (case I.D. and SCIRCL flags)

Input card 6 (number of bodies, DELS, DELSMX, and XRI)

Total number of points for all bodies should not exceed 500.

Total for any one segment of a body should not exceed 200.

An error message will indicate if these limits have been exceeded.

Total number of off-body points must not exceed 200.

Body 1 segment data (actually lower shroud data for two-dimensional case), body 2 segment data (centerbody data for two-dimensional case), and body 3 segment data. For each segment:

ENREED (as input) and type of segment

Data depending on type of segment.

Straight Line

X	X(1)	X(2)
Y	Y(1)	Y(2)

Last point data\*

BisuperellipseExponents

P as read in	X	X(1)	X(2)	X(3)	X(6)	X(4)	X(5)
--------------	---	------	------	------	------	------	------

Q as read in	Y	Y(1)	Y(2)	Y(3)	Y(6)	Y(4)	Y(5)
--------------	---	------	------	------	------	------	------

P as used	A	XO
-----------	---	----

Q as used	B	YO	OMEGA
-----------	---	----	-------

where A and B = Semimajor and minor axes of transformed superellipse

XO and YO = Center of the transformed superellipse

OMEGA = The difference (in radians) between the slopes of the end point slope lines minus  $\pi/2$  (i.e., OMEGA is a measure of the nonperpendicularity of the slope lines).

Number of iterations\*\*

Iteration data\*\*\*

Last data point\*

'Magic triangle' messages refer to the triangle formed by extending the superellipses slope lines toward each other and drawing a chordline between input points number (X2, Y2) and (X4, Y4). Input points (X3, Y3) and (X6, Y6) must lie within this triangle, or, for certain special cases, may lie in a similar triangle on the opposite side of the chordline.

If input points (X3, Y3) and/or (X6, Y6) fall outside the magic triangle, the following message (or messages) is/are printed:

"This point is below the magic triangle . . . "

"This point is outside the magic triangle . . . "

### Cubic

X	X(1)	X(2)	X(3)	X(4)
Y	Y(1)	Y(2)	Y(3)	Y(4)
A	B	C	D	

where A, B, C, D are the coefficients of the cubic equation.

Number of iterations\*\*

Iteration data\*\*\*

Last point data\*

### Lemniscate

X	X(1)	X(2)	X(3)
Y	Y(1)	Y(2)	Y(3)
THETMX	CALC	ACALC	

where THETMX CALC = angle between line 1 - 3 and line 1 - 2.

ACALC from equation  $R^2 = 2(ACALC)^2 \sin 2 \theta$  where

$$\theta = \text{THETMX} \text{ and } R^2 = [XIN(3) - XIN(2)]^2 + [YIN(3) - YIN(2)]^2$$

Number of iterations\*\*

Iteration data\*\*\*

Last point data\*

\* Last point data. This is the coordinate point data for the last point of the segment. It is presented here because it is overwritten by the first point of the following segment and therefore does not appear in the point-by-point array below.

\*\*Number of iterations is the number of iterations required to achieve a satisfactory point spacing for 23Y and have the calculated last point of the segment coincide with the input endpoint (to within a prescribed tolerance of 0.1 DELS). If this satisfactory spacing and end point matching is not achieved within 150 iterations, the following message is printed out above the number of iterations:

"This set of data exceeded 150 iterations. Calculations stopped XBRK YBRK.

X(1), Y(1), X(2), Y(2), X(3), Y(3), X(4), Y(4), X(5), Y(5). "

\*\*\* Iteration data

DELS IN	Value of ds at end of previous segment
DELS	Value used to start final iteration for this segment
DELS OUT	Value of ds at end of this segment, to be passed on to the next segment
DSTEST	Distance from last calculated point to input segment endpoint
FINAL PACE	The value of PACE at the conclusion (or termination) of the point-spacing iteration for bisuperellipses with ENREED 1000

#### INPUT FOR THE 2D-COMBINATION PROGRAM

For three body case

NT(1) = , NT(2) = , NT(3) = , NHUBMX = , NSPLMX =  
NP =

For two body case

NT(1) = , NT(2) = , NHUBMX = , NP =

(See 2D-COMBIN input section)

Body coordinates (a separate set for each body)

- Point number
- X-axial distance
- Y-radial distance
- KAPPA-curvature
- DY/DX-slope
- ALPHA-slope angle in degrees
- S-surface distance measured from first point of each body
- S- S(2) - surface distance measured from XRI
- DELTA S-distance between points

#### Rake Information

- XRAK - axial location of rake
- YLO - Y value of first location on rake
- YHI - Y value of last location on rake
- NDY - number of Y points on the rake, as input

File output. - The file output (UNIT 17), written by SCIRCL, is used directly as input to 23Y. The file is primarily in 6E13.8 format, consisting of the on-body point coordinates and rake points.

Graphic output. - Standard Calcomp can be produced for each geometry run as follows:

- (1) For all cases: an X - Y 'picture' of the inlet with SCIRCL-generated on-body points denoted by the '+' symbol and connected with straight lines; segment end points have a large octagonal symbol; off-body rake points are denoted by a small square symbol (see fig. 7).
- (2) For cases with IPLOTC  $\neq 0$  (used only for axisymmetric cases): a graph of upper shroud body curvature against axial position (IPLOTC = -1) or against distance along shroud (IPLOTC = +1).

## COMBIN-2D Input

English engineering units are used throughout the program.

Length, in.

Velocities, ft/sec

Angles, deg

Pressure, lb/ft<sup>2</sup>

Temperatures, °R

Densities, slug/ft<sup>3</sup>

Force, lb

Weight flow, lb/sec

Card	Format	Column	FORTRAN Name	Description
1	3A6	1-18	TITLE	Title card
2	9I4	1-4	NT	Total number of on-body points (for three body input NT(3). For two body input NT(2).)
		5-8	NS1	Number of on-body points on the lower shroud (NHUBMX from SCIRCL).
		9-12	NH	Number of on-body points on the lower shroud plus hub (for three bodies, NSPLMX from SCIRCL-- For two bodies, NHUBMX from SCIRCL).
		13-16	NP	Total number of off-body points (NP from SCIRCL).
		17-20	IW	Flag for type of input through the control station: = 0, weight flow = 1, Mach number = 2, velocity
		21-24	NX	= 1, apply supersonic velocity correction to data

Card	Format	Column	FORTRAN Name	Description
		25-28	KND	Flag for scaling variables. All input lengths are divided by ELND. If KND = -1, ELND = YCU = 0, ELND = 1 = 1, ELND = YCU - YCL = 2, ELND = the read-in value from card 4.
		29-32	ICOMP1	Type of solution to be computed: = 0, compressible = 1, incompressible
		33-36	IHUB	IHUB = 0, no hub input $\neq 0$ , three body input
3	10F8.0	1-8	VC	Average axial velocity at the control station between lower and upper shrouds upstream of the centerbody
		9-16	VS1	Average axial velocity at the control station between the centerbody and lower shroud
		17-24	VS2	Average axial velocity at the control station between the centerbody and upper shroud. Note if IW=2, then two of the three velocities must be input for the two passage case
		25-32	VINF	Free stream velocity
		33-40	ALFA	Angle between free stream velocity and X-axis of the inlet
		41-48	MC	Average Mach number at the control station between lower and upper shrouds
		49-56	MC1	Average Mach number at the control station between the centerbody and lower shroud

Card	Format	Column	FORTRAN Name	Description
4	10F8.0	57-64	MC2	Average Mach number at the control section between the centerbody and upper shroud. If IW=1 then two of the three Mach numbers must be input for the two passage case
		65-72	TTOTAL	Total temperature. If TTOTAL = TSTAT=0, then TTOTAL = 518.67 will be used.
		73-80	PT	Total pressure. If PT=0.0 and PSTAT≠0.0, the program will calculate PT. If PT = 0.0 and PSTAT=0.0, PT is set to 2116.
		1-8	ELND	ELND is the arbitrary length used for scaling or normalizing. Refer to KND input.
		9-16	WDOTC	Weight flow at the control station between the upper and lower shrouds
		17-24	WDOTC1	Weight flow at the control station between the centerbody and lower shroud
		25-32	WDOTC2	Weight flow at the control station between the centerbody and upper shroud. If IW=0, then two of the three weight flows must be input for the two passage case.
		33-40	PSTAT	Static pressure
		41-48	TSTAT	Static temperature. If PSTAT and TSTAT are not 0.0, total temperature and total pressure will be calculated using PSTAT and TSTAT.
		49-56	CUTOF1	If CUTOF1 ≠ 0, then the pressure ratio $P_S/P_T$ on the lower shroud will be plotted against a dimensionless surface distance $S/CUTOF1$ starting at $X = XR1$ for a distance of $S = CUTOF1$ .

Card	Format	Column	FORTRAN Name	Description
		57-64	CUTOF2	Same as CUTOF1 except for upper shroud
		65-72	CUTOFH	Same as CUTOF1 except for the hub.
		73-80	VPERIN	If VPERIN is greater than zero then a CALCOMP plot of the inlet showing rake point flow field data will be produced. VPERIN is the value of a unit vector in ft/sec/in.. If VPERIN not equal to zero, card "5" must be input.
4A	6F10.0	1-10	XX	The length in plot inches of the abscissa of the velocity plot.
		11-20	XMIN	Value, in data inches, of far left X-point.
		21-30	EXEP	Data inch per plot inch along X-axis.
		31-40	YY	Length, in plot inches, of the ordinate.
		41-50	YMIN	Value, in data-inches, of bottom Y point.
		51-60	ORD	Data inch per plot inch along Y-axis.
5	3F10.0	1-10	XTEST	Axial location of the control station upstream of the centerbody between lower and upper shrouds
		11-20	YCL	Y on the lower shroud at XTEST
		21-30	YCU	Y on the upper shroud at XTEST
6	3F10.0	1-10	XTEST1	Axial location of the control station between the centerbody and lower shroud
		11-20	YCL1	Y on the lower shroud at XTEST1.
		21-30	YCU1	Y on the centerbody at XTEST1.
7	3F10.0	1-10	XTEST2	Axial location of the control station between the centerbody and upper shroud.
		11-20	XCL2	Y on the centerbody at XTEST2.
		21-30	YCU2	Y on the upper shroud at XTEST2.

Note: Cards "6" and "7" are not used for a single-passage case.

Card	Format	Column	FORTRAN	Description
			Name	
8	3F10.0	1-10	XR1	Axial location on the lower shroud where $S = 0$ . (Must be at the highlight).
		11-20	XR2	Axial location on the upper shroud where $S = 0$ . (Must be at the highlight).
		21-30	XRH	Axial location on the hub where $S = 0$ . Leave blank for two body case. (Must be at the highlight).
9	3F10.0	1-10	YR1	Y on the lower shroud at XR1.
		11-20	YR2	Y on the upper shroud at XR2.
		21-30	YRH	Y on the centerbody XRH.

Figure 14 is the input form for COMBIN-2D.

### COMBIN-2D Output

#### Printed Output

Input file dump

TITLE - followed by 2-D COMBINATION SOLUTION

Version of run (i. e., compressible or incompressible)

A list of the basic flow solutions obtained from 23Y

In the table that follows, several functions of four different velocities are given. The velocities are:

Control: VC, average axial velocity at upstream control station

Lower passage: VS1, average axial velocity at control station between hub and lower shroud.

Upper passage: VS2, average axial velocity at control station between hub and upper shroud.

Free stream:  $V_\infty$ , free stream velocity

The rest of the table is self-explanatory perhaps with the exception of the terms INC and COMP. INC means calculated from the incompressible equations and COMP means calculated from the compressible equations.

The rest of the output will be defined by its name.

ALPHA	Angle of attack of inlet
VINF/VC	$V_\infty/V_c$
VSONIC	Critical velocity uncorrected for compressibility
VSONICC	Critical velocity
WDOTCR	Corrected weight flow at upstream control station $\frac{WDOT \times \sqrt{\ThetaET}}{DEL}$
WDOTLCR	Corrected weight flow at control station between center - body and lower shroud
WDOTUCR	Corrected weight flow at control station between center - body and upper shroud
TSTAT	Free stream static temperature
PSTAT	Free stream static incompressible pressure
PSTATC	Free stream static compressible pressure
ASTAT	Free stream static speed of sound
RHOSTAT	Free stream static density
WDOTC	Input mass flow at upstream control station
WDOTL	Input mass flow at downstream lower control station
WDOTU	Input mass flow at downstream upper control station
VIC	Incompressible average velocity at upstream control station
VICL	Incompressible average velocity at downstream lower control station
VICU	Incompressible average velocity at downstream upper control station
TTOT	Free stream total temperature

PTOT	Free stream total pressure incompressible
PTOTC	Free stream total pressure compressible
ATOT	Free stream stagnation speed of sound
RHOTOT	Free stream stagnation density
TTHET	TTOT/518.67
DEL	PTOTC/2116.22
XRI1	Input
YRI1	Input
XRI2	Input
YRI2	Input
XTEST	Input
YCL	Input
YCU	Input
LND	Length used for scaling
XTEST1	Input
YCL1	Input
YCU1	Input
XTEST2	Input
YCL2	Input
YCU2	Input
HUB-TIP L	Lower passage hub to tip ratio
HUB-TIP U	Upper passage hub to tip ratio

P - S CUTOFF L - CUTOF1	Input
P - S CUTOFF HUB - CUTOFH	Input
P - S CUTOFF U - CUTOF2	Input
NT	Input
NP	Input
NS1	Input
NH	Input
KND	Input
IW	Input
NX	Input
ICOMP1	Input
IHUB	Input
V1	Average axial velocity at specified control station for basic solution 1 from 23Y
V2	Same as V1 except for basic 23Y solution 2
V3	Same as V1 except for basic 23Y solution 3
V4	Same as V1 except for basic 23Y solution 4
V5	Same as V1 except for basic 23Y solution 5

23Y basic solutions 1 and 2 are axial and crossflow solutions. For a three body case, solutions 3, 4, and 5 are vorticity solutions about the lower shroud, centerbody, and upper shroud, respectively. For a two body case, solutions 3 and 4 are the vorticity solutions about the lower shroud and upper shroud. Note there is no 5 solution for this case.

A, B, C, D

VINFP

Coefficients of combination

Incompressible free stream velocity "uncorrected"  
for compressibility if the input value was  
compressible

OTHER MESSAGES:

"VRESON = \_\_\_\_\_ IS GREATER THAN VMAX.  
 $V_{CONC} = \frac{\gamma - 1}{2} \left( \frac{V_{RES0N}}{a_{tot}} \right)^2.$ " The velocity at a certain on-body point exceeds the allowable value for the local expansion condition so that the isentropic ratio term:  $1 - V_{CONC}$  is less than zero. Where,

$$V_{CONC} = \frac{\gamma - 1}{2} \left( \frac{V_{RES0N}}{a_{tot}} \right)^2.$$

"I EXCEEDS 20 ITERATIONS FOR RHOBAR.  
 $V_{BAR} = \underline{\hspace{2cm}}, V_{COMP} = \underline{\hspace{2cm}}, RHOBAR = \underline{\hspace{2cm}}.$  VBAR HAS BEEN REDUCED TO  
 $V_{COMP} * RHOBAR/RHOTOT$ ". Subroutine VBARIT attempts to find the average density at each axial location using the isentropic density ratio, the stagnation density (RHOTOT) and the average incompressible VBAR (based on weight flow and the cross section). It has failed. VCOMP is the 20th attempt at finding the compressible velocity and has been used to compute the RHOBAR that will be returned. The normally unchanged VBAR is adjusted to agree with these abbreviated results.

For NX = +1, supersonic velocity correction is operating and a message to that effect will appear each time a region of local supersonic flow is encountered on the body, and also when it ends. The body point number where these transitions occur will also be printed.

## ON-BODY POINTS

Lower shroud, centerbody or upper shroud

For both compressible and incompressible versions,

I      The index number of the point

X      Axial distance

Y      Height

S      Surface distance from XRI

## Compressible version

VCOM    Resultant velocity with compressibility correction applied

VBAR    Average incompressible velocity at a given axial location

MACH    Mach number

CP      Compressible pressure coefficient     $\left( \frac{p_i - p_o}{q_o} \right)$

RB/RT     $\bar{\rho}_c / \rho_t$

PS/PT    Static to total pressure ratio,  $\left[ 1 - 0.2 \left( \frac{V}{a_t} \right)^2 \right]^{3.5}$

## Incompressible version

VINC    Resultant incompressible velocity

MACH    Mach number (based on incompressible velocity and compressible flow equations)

CP      Incompressible pressure coefficient     $\left[ 1 - \left( \frac{V_i}{V_o} \right)^2 \right]$

PS/PT    Static to total pressure ratio,  $1.0 - \frac{1/2 \rho V^2}{P_t}$

## OFF-BODY POINTS

For both incompressible and compressible versions:

Rake number

I Number of the point (points without numbers are interpolated values at a body)

X Axial location

V Vertical location

THETA Flow angle,  $\tan^{-1} \left( \frac{VY}{VX} \right)$

MACH Mach number

WFRAC<sub>T</sub> Local cumulative weight flow at a given points on a rake divided by total weight flow at the rake

## Compressible version

VX Axial velocity corrected for compressibility

VY Vertical velocity corrected for compressibility

VRE Resultant velocity =  $\sqrt{VX^2 + VY^2}$

VBL Average incompressible velocity at given axial location

RB/RT  $\bar{\rho}/\rho_t$

PS/PT Same as ON-BODY POINTS

## Incompressible version

VX Incompressible axial velocity

VY Incompressible vertical velocity

VRE Resultant velocity =  $\sqrt{VX^2 + VY^2}$

PS/PT Same as ON-BODY POINTS

## RAKE WEIGHT FLOW DATA

For each rake the following data are given:

I	Number of rake
X	Axial location of rake
IRAK	Parameter to describe location of rake on the inlet = 1; upstream of inlet = 2; on lower shroud of "scoop" inlet upstream of upper shroud = 3; upstream of centerbody between upper and lower shrouds = 4; downstream of centerbody highlight in upper passage = 5; downstream of centerbody highlight in lower passage = 6; outside and below inlet = 7; outside and above inlet
WDOT	Integrated weight flow for rake
WDOTCA	Specific corrected weight flow at each rake
MACH	One-dimensional Mach number at each rake based on WDOTCA

## Graphic Output

Standard CALCOMP plots of PS/PT (fig. 8) and Mach number (fig. 9) distribution against S/CUTOF1, S/CUTOF2, or S/CUTOFH are made for any body whose value of cutoff is not zero. Two curves appear on each plot; one curve is the internal distribution and the other is the external distribution.

If VPERIN not equal to zero, then a plot will be made of the velocity flow field at the off-body points (see fig. 10). At each off-body point a vector will be drawn showing flow angularity and magnitude. Magnitude will be shown by relative size of the vectors (a unit vector will have a magnitude of VPERIN).

## DESCRIPTION OF SUBROUTINES.

Figure 15 illustrates the calling relations between the main program and their subroutines.

### Program SCIRCL

- (A) MAIN SCIRCL     Read all input, call required subroutines for each segment as requested, plot each segment after points are generated by subroutine; list points; test for reworking of geometry if required.

#### Straight Lines

- (B) STRAIT     Generate points on a general straight line segment  
 (C) FNSTRH     Generate points on final straight segment of a body  
 (D) FRSTSH     Generate points on first straight segment of a body

#### Bisuper Ellipses

- (E) TEST     Test superellipse input to see if mirroring about y-axis is required.  
 (F) PRELPS     Mirror superellipse input data about y-axis so that slope  $(1, 2)$  is greater than the slope  $(1, 4)$  (fig. 11(a))  
 (G) SUPERC     Generates points on a general bisuperellipse (table I)  
 (H) FONISØ     Iterate on input conditions to find bisuperellipse exponents

#### Other Curves

- (I) CUBIC     Fit a cubic polynomial between two nonvertical parallel lines

(J) SIMQ	Simultaneous solution of equations to obtain coefficients of the cubic polynomial
(K) LEM	Generates points on a general Lemniscate
(L) MIRROR	Mirror the hub points to obtain the shroud
	Direct Interpolation
(M) XYCALC	Executive routine for the following modules: purpose is to generate points "correctly" spaced along the curve defined by a list of input points. Inputs are used to develop double 3-point interpolating polynominal in successive regions along the curve. Polynomials are then used to suggest points, derivatives, etc. which can be tested for spacing as defined by standard criterion (see comments in SPGEN listing)
(N) SGEN	
(O) DSTRP	
(P) SPGEN	
(Q) DNTRPC	
(R) FNTRP	
(S) FSTRP	
(T) FNTRPC	
(U) FNTRPA	
(V) TLU	
(W) LIMIT	

Refer to listing for comment card description

## Special Calculations; Output to 23Y

(X) WPUNCH      Generate rake points at requested positions;  
                  plot rakes

(Y) WRTXY      Write all X, Y coordinates

(Z) AREA A      Compute area

## Picture Plotting

(Z1) DRAW      Plot X-Y meridional plane picture of each  
                  inlet segment

(Z2) PLOSSIS    Plot frames for inlet picture and label axis

## Utility

(Z3) SINTP      Lagrange three-point interpolation

(Z4) SORTXY     Rearrange the values in an array, x, to in-  
                  crease with increasing index (ascending  
                  order); sort y accordingly

## System Library

ERTRAN      Routine which gives FORTRAN access to  
                  several UNIVAC 1110 operating system  
                  commands. Can be eliminated by defining  
                  unit 25 before execution

SYMBOL

SCALE

LINE

NUMBER

PLOT

}      Standard CALCOMP routines needed for  
                  all plotting.

## Program COMBIN-2D

- (A) MAIN COMBIN-2D      Executive calls to INPTR, SEARCH, ANGLEF, SOLVE, OFBDY, and if compressibility correction desired COMCOR. Also, this program calls PLTER if output plots are desired
- (B) INPTR      Reads input parameters from unit 5. Also reads 23Y output coordinates and basic flow solution velocities.
- (C) CONST      Calculates most constants and intermediate parameters and prints results.
- (D) SEARCH      Finds the highlight on each body and calculates areas for all on- and off-body (rake) points. These areas are used in the compressibility correction
- (E) ANGLEF      Finds the body surface angle for each point on the inlet
- (F) SURF      Calculates surface distance along body as a function of X
- (G) SOLVE      Computes linear combination coefficients A, B, C, and D to satisfy input flow conditions. Also calculates the incompressible velocities and average velocity  $\bar{V}_i$  (used in compressibility correction) for each point
- (H) COMCOR      Applies Lieblein-Stockman compressibility correction
- (I) ONBODY      Uses velocities and densities to calculate: pressure ratios, Mach number, flow angles and list all results for points on the body

(J) OFBDY	Same as ONBODY for rakes. Also calculates local fractional weight flows for each rake point
(J) VBARIT	Calculates average density ratio for compressibility correction
(L) INTER	See SCIRCL routine SINTP (duplicate)
(M) SORTXY	See SCIRCL routine SORTXY (duplicate)
(N) INTER2	Calls INTER
(O) INTER3	Calls INTER
(P) INTEG	Performs trapezoidal integration
(Q) CALTIT	Titles plots of pressure and Mach number versus surface distance
(R) PLTER	Plots pressure and Mach number versus surface distance

#### INPUT/OUTPUT UNITS

SCIRCL	5 - Standard card input 6 - Standard output list 4 - Temporary storage; if flag J or E is 1, input to direct interpolation routines is written here 17 - Saved. If flag A is 0, input for 23Y consisting of X, Y points is written here (6E13.8)
23Y	5 - Input (= 17 from SCIRCL) 6 - Standard output list 7 - Saved. Input for COMBIN-2D is written here (6 E 13.8) X, Y, V1, V2, V3, etc. 2-4 } Temporary storage 8-18 }

COMBIN-2D    5 - Standard card input, flow conditions, etc.  
              6 - Standard output list  
              7 - Input from 23Y  
              12 - Saved. Input data (for lower shroud) for boundary  
                    layer program  
              13 - Saved. Input data (for upper shroud) for boundary  
                    layer program  
              14 - Temporary storage

**LISTING OF PROGRAMS.**

ORIGINAL PAGE IS  
OF POOR QUALITY

PROGRAM SCIRL

```

C      PREPARE INPUT DATA FOR DOUGLAS POTENTIAL FLOW PROGRAMS EOD AND 23YA    0000
C      ---- SECOND VERSION --- SPACING SPECIFIED                                A 0010
C      DIMENSION REEDEN(2),ARE(9),EX(9),CURVO(9),SURFAC(9)                      A 0020
C      DIMENSION CAPPER(200),DIST(200),KAY(9),TYPE(9),IREDON(4)                  A 0030
C      DIMENSION SD(500), S(500), NY(25)                                         A 0040
C      COMMON /SPREP/ KPREP,NIN
C      COMMON /MNSD/ NNSD,NSDBDY(10)
C      COMMON /NHIGH/ NSPHG,NLAST,XLAST(500),YLAST(500)
C      COMMON /MWRTE/ IFLAG,NDY4,PROG,TITLE(9),BODIES(4),IDENT,YLO(25),YHA
C      11(25),NDY(25),XRAK(25),NBDPTS(9),NO6,NRAKES
C      COMMON /FOR3SS/ IO,DELS,XBK(20),YBK(20),XON(500),YON(500),DYDX0(500A
C      13),ALPHA(500),CAPPA(500),SON(500),PI0180
C      COMMON /FOREOD/ IGEOMF,ISIGF,ICURVN,NONEWF,IVORT,ALPHER
C      COMMON /SUPF/ IFED
C      COMMON /SEGNO/ NSEG,J
C      COMMON /MAIN/-XIN(10),YIN(10),DELSMX,PI02,DELS1,IHUB,DELNEW
C      COMMON /SS/ NBDY1,NBODY2,TYPBDY,NBDYS
C      ***** THE GENERAL PLOTTING VARIABLES
C      COMMON/ LOT/XMIN,YMIN,ORD,EXEP,XX,YY,LPNCHO,IPLOTA,MH
C      COMMON/TITL/ TTITL(9,6)
C      COMMON/TOL/BAGS(15),BAGX(15),ZAP(15),NZAP(15)
C      COMMON/SENSE/ X{2},Y{2},A,B
C      COMMON/PAC/ PACE,DELSHL
C      DATA D2TEST/6H ?3Y/
C      DATA BLANK/6H /
C      DATA EODFF/6HENDOFF/
C      DATA REDONE/6HREDONE/
C      PI=3.14159265
C      PI0180=PI/180.
C      PI02=PI/2.
C      WHEN NO6 = 1, A FLAG IN CARD COLUMN 6 IS PUNCHED FOR 500
C      ONLY BASIC DATA WILL BE GIVEN IN 500 PROGRAM

```

```

C
    CALL PLOTID
C((((( READ AXIS LABELS FOR THE MOST POPULAR PLOTTED VARIABLES
    READ (5,500)ARE
    READ (5,500)EX
    READ (5,500)CURVO
    READ (5,500)SURFAC
    CALL ECHO
10 NIN=25
    READ (25,500,END=630)TITLE
    IF (FLD(0,36,TITLE(1)).EQ.FLD(0,36,EODFF)) GO TO 630
    REWIND 4
    LOWER=0
C((((( READ GENERAL PLOTTING VARIABLES
    READ (25,555)XX,XMIN,EXEP,YY,YMIN,OPD
15 FORMAT(4I1,F10.2,I1)
    RFAD (25,15)IGEOFH,ISIGF,ICURVN,NONEWF,ALPHER,IVORT
20 READ (NIN,490)IDENT,PROG,N06,LPNCHO,IPLOTA,IPLOTC,IREAD,IAB,(IREDONA
    2N(I),I=1,5)
    LPDUM=LPNCHO
    IF(LPDUM.EQ.0)LPNCHO=1
    IF(LPDUM.EQ.1)LPNCHO=0
25 JSTART=0
    JSTOP=0
    PACE=0.
    IF (IAB.LE.0) GO TO 30
    READ (NIN,625)XAA,YAA,XBB,YBB
    IBUMB=0
    WRITE (4,495)IDENT,PROG,N06,(IREDON(I),I=2,4),IBUMB,(IREDON(I),I=2A
    2,4)
C((((( LEEHI WILL CONTAIN THE VALUE OF N AT THE HIGHLIGHT. NEEDED TO SPA
C((((( THE CURVATURE VS. X PLOTS INTO INTERNAL AND EXTERNAL PORTIONS A
C((((( MH COUNTS THE NO. OF SEGMENTS ON SHROUD AS PLOTTING PROCEEDS A
30 MH=0
    LEEHI=9000
C((((( LOAD AXIS LABELS INTO COMMON
    IF (NIN.EQ.4) GO TO 40
    DO 35 I=1,9
    TTITLE(I,1)=TITLE(I)
    TTITLE(I,2)=BLANK
    TTITLE(I,3)=ARE(I)
    TTITLE(I,4)=EX(I)
    TTITLE(I,5)=CURVO(I)
35 TTITLE(I,6)=SURFAC(I)
40 WRITE (6,525)IDENT,TITLE
    IF (NIN.EQ.4) WRITE (6,470)
    IF (NIN.EQ.4) GO TO 55
    WRITE (6,45)IGEOFH,ISIGF,ICURVN,NONEWF,IVORT
45 FORMAT(1H ,6DHFLAG INPUT, 1ST RECORD - FOREOD. 2ND - PUNCH,PLOT,REA
    1DO FLAGS/1H ,4I1,10X,I1)
    IF (IVORT.EQ.0) GO TO 50
    IVORT=0
    GO TO 55
50 IVORT=1
55 WRITE (6,60)IDENT,PROG,N06,LPNCHO,IPLOTA,IPLOTC,IREAD,IAB,(IREDON(A
    I1),I=1,5)
60 FORMAT(1H      2A6,I4,2I1,2I2,1DX,I1,9X,3I1,2I2)

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

IF(ABS(XX).GT.100.) WRITE(6,64) XX
64 FORMAT(13H0XLEN (XX) = ,F10.2,30H.GT. 100.. CHECK FORMATS,INPUT) A 0914
IF(ABS(XX).GT.100.) STOP
C((((( PLOT THE AXES NEEDED FOR THE INLET PICTURE, AND LABEL THE CASE A 0918
65 CALL PLOXIS(XX,YY,EXEP,ORD,XMIN,YMIN,.25,.25,0,0,1,2,1,1) A 0920
CALL SYMBOL(-.3,YY-.5,.25,IDENT,0.,6) A 0930
CALL SYMBOL(XX-1.50,.5,.25,IDENT,0.,6) A 0940
IF(NIN.EQ.4)CALL SYMBOL(XX/2.,YY-.5,.25,REDONE,0.,6) A 0950
IF (NIN.EQ.4) GO TO 75 A 0960
A 0970
C READ INPUT CARDS FOR SUPERCIRCLE A 0980
C 1 -- CASE HEADFR CARD -- NO. OF BODIES,CASE NO.,DELS,DELSMX A 0990
C OFF-BODY A 1000
C 2 -- NRAKES = NUMBER OF RAKES {TOTAL NUMBER CANNOT EXCEED 25} A 1010
C 3 -- X,YLO,YHI, NY {DATA FOR EACH RAKE} A 1020
C X = X OF THE RAKE, A 1030
C YLO = Y OF THE FIRST PT. ON RAKE CLOSEST TO THE HUB - SHOULD BE A 1040
C ABOUT DS GREATER THAN Y ON HUB A 1050
C YHI = Y OF THE LAST PT ON RAKE CLOSEST TO THE SHROUD - SHOULD BE A 1060
C , ABOUT DS LESS THAN Y ON SHROUD A 1070
C NY = NO. OF PTS TO GENERATE FOR THAT RAKE A 1080
C ON-BODY A 1090
C FOR EACH SEGMENT A DESCRIPTION CARD IS NEEDED, A 1100
C THIS CARD DENOTES THE TYPE OF LINE, AND THE A 1110
C COORDINATES OF THE LINE (UP TO 6 SETS) A 1120
A 1130
C READ (NIN,555,END=630)ANBDYS,DELS,DELSMX,XRI,ANNSD A 1140
HOLYDS=DELS
READ (NIN,485)NRAKES A 1150
READ (NIN,550)(XRAK(I),YLO(I),YHI(I),NY(I),I=1,NRAKES) A 1160
WRITE (6,480)ANBDYS,DELS,DELSMX,XRI A 1170
DO 70 I=1,NRAKES A 1180
A 1190
70 NDY(I)=NY(I)-1 A 1200
75 NLAST=0 A 1210
NSPHG=0 A 1220
DSAVF=DELS A 1230
DFLS2=DELS A 1240
DELS1=DELS A 1250
NBDYS=ANBDYS A 1260
NNSD=ANN$D A 1270
A 1280
C K = COUNTER FOR THE NUMBER OF ONBODY POINTS GENERATED A 1290
C IHUB = 0, WHEN THERE IS ONLY ONE BODY-- IF THERE IS ONE BODY A 1300
C IT MUST BE THE SHROUD A 1310
C IFLAG = 0, IF THERE IS MORE THAN ONE BODY A 1320
A 1330
C K=0 A 1340
C IHUB=0 A 1350
C IFLAG=1 A 1370
C NZ LOOP IS FOR THE NUMBER OF BODIES A 1380
C DO 225 NZ=1,NBDYS A 1390
IF (NZ.GE.2) IFLAG=0 A 1400
IF (NZ.GE.2) IHUB=1 A 1410
A 1420

```

```

C                                         A 1430
C                                         A 1500
READ (NIN,555)TYPBDY,ANSEG,DELNEW
NUMBOD=IABS(IFIX(TYPBDY))
WRITE(6,626) NUMBOD
IF (TAB.GT.0) WRITE (4,555)TYPBDY,ANSEG,DELNEW
NSEG=ANSEG
IF(DELNEW.LT.0.)DELS1=HOLYDS
IF(DELNEW.GT.0.)DELS1=DELNEW
K=K+1
IF (TYPBDY.LE.0.0) GO TO 215
SON(K)=0.0
C                                         A 1530
C                                         A 1600
IF(NZ.EQ.MBD)NSEG=NSEG-LOWER
C SEGMENT LOOP
C                                         A 1610
C                                         A 1620
C                                         A 1630
C                                         A 1640
C                                         A 1650
C                                         A 1660
C DIRECT INTERPOLATION FLAG--
80 IF (NSEG.EQ.0) GO TO 155
READ (NIN,555)ENREED,(REEDEN(I),I=1,2)
IF (ENREED.EQ.0..OR.ENREED.GT.900.) WRITE (6,85)ENREED
85 FORMAT(1H ,8HENREED=,F9.2)
IF (TAB.GT.0) WRITE (4,555)ENREED,(REEDEN(I),I=1,2)
IF (ENREED.EQ.99.) GO TO 155
READ (NIN,625)(XIN(I),I=1,3),XIN(6),(XIN(I),I=4,5)
READ (NIN,625)(YIN(I),I=1,3),YIN(6),(YIN(I),I=4,5)
IF (TAB.GT.0) WRITE (4,625)(XIN(I),I=1,3),XIN(6),(XIN(I),I=4,5)
IF (TAB.GT.0) WRITE (4,625)(YIN(I),I=1,3),YIN(6),(YIN(I),I=4,5)
90 KSV=K
CAPPA(K)=0.0
IF (ENREED.NE.1.0.AND.ENREED.NE.10.) GO TO 105
XON(K)=XIN(1)
YON(K)=YIN(1)
WRITE (6,570)ENREED,(XIN(I),I=1,2),(YIN(I),I=1,2)
C KK= FIRST POINT ON CURRENT SEGMENT TO BE PLOTTED
KK=K
IF (TYPBDY.GE.2.0) GO TO 100
IF (ENREED.EQ.1.0.AND.J.EQ.NSEG) CALL FNSTRH (K)
IF (ENREED.EQ.1.0.AND.J.NE.NSEG) CALL STRAIT (K,0.0)

IF (ENREED.EQ.10.) CALL FRSTSH (K)
95 DYDX0(KSV)=DYDX0(KSV+1)
ALPHA(KSV)=ALPHA(KSV+1)
C KR= TOTAL NO. OF POINTS TO BE PLOTTED FOR THIS SEGMENT
KR=K-KK
C PLOT CURRENT SEGMENT
CALL DRAW(KR,KK)
GO TO 160
100 IF (J.EQ.1) CALL FRSTSH (K)
IF (J.EQ.NSEG) CALL FNSTRH (K)
IF (J.NE.1.'.' .NSEG) CALL STRAIT (K,0.0)
GO TO 95
105 IF(ENREED.LT.-3.0)GO TO 216
IF (ENREED.LT.-2.0) GO TO 150
IF (ENREED.LT.-1.0) GO TO 140
                                         A 1670
                                         A 1680
                                         A 1690
                                         A 1700
                                         A 1710
                                         A 1720
                                         A 1730
                                         A 1740
                                         A 1750
                                         A 1760
                                         A 1770
                                         A 1780
                                         A 1790
                                         A 1800
                                         A 1810
                                         A 1820
                                         A 1830
                                         A 1840
                                         A 1850
                                         A 1860
                                         A 1870
                                         A 1880
                                         A 1890
                                         A 1900
                                         A 1910
                                         A 1920
                                         A 1930
                                         A 1940
                                         A 1950
                                         A 1960
                                         A 1970
                                         A 2020
                                         A 2030
                                         A 2040
                                         A 2050
                                         A 2060
                                         A 2080
                                         A 2090

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

C     IF (ENREED.LT.0.0) GO TO 135
C
C     SET-UP SUPER ELLIPSE
C
KPREP=0
ENRD=ENREED-1000.
IF (ENRD.LT.0.0) GO TO 110
PACE=ENREED-1000.
IF (PACE.LE.0.) PACE=.05
ENREED=0.
IFL0=IFL0+1
GO TO 115
110 IFL0=0
115 WRITE (6,575) REEDEN(1),(XIN(I),I=1,3),XIN(6),(XIN(I),I=4,5),REEDEN
     1(2),(YIN(I),I=1,3),YIN(6),(YIN(I),I=4,5)
CALL TEST (5)
ISTART=K
K1=K
KK=K
CALL SUPERC(XIN,YIN,REEDEN,DELS1,ISTART)
K=IO-1
IF (NZ.EQ.1) GO TO 125
KKKK=K-1
DO 120 JE=ISTART,KKKK
IF (XON(JE).EQ.XON(JE+1)) GO TO 120
IF ((DYDX0(JE)-DYDX0(JE+1))/(XON(JE)-XON(JE+1))*CAPPA(JE).LT.0.)CAPA
     1PA(JE)=CAPPA(JE)
120 CONTINUE
125 K2=K
IDUM=0
IF (KPREP.EQ.0) GO TO 130
CALL PRELPS (IDUM,1,5,K1,K2)
130 KR=K-KK
CALL DRAW(KR,KK)
GO TO 160
C
C     SET-UP LEMNISCATE
C
135 WRITE (6,580) ENREED,(XIN(I),I=1,3),(YIN(I),I=1,3)
KK=K
CALL LEM (K)
K=K+1
KR=K-KK
CALL DRAW(KR,KK)
GO TO 160
C
C     SET-UP ELLIPSE
C
140 WRITE (6,585) ENREED,(XIN(I),I=1,4),(YIN(I),I=1,4)
KPREP=0
CALL TEST (4)
K1=K
KK=K
CALL FLIPSE (K)
K=K+1
K2=K

```

A	2100
A	2110
A	2120
A	2130
A	2140
A	2150
A	2160
A	2170
A	2180
A	2190
A	2200
A	2210
A	2220
A	2230
A	2240
A	2250
A	2260
A	2270
A	2280
A	2290
A	2300
A	2310
A	2320
A	2330
A	2340
A	2350
A	2360
A	2370
A	2380
A	2390
A	2400
A	2410
A	2420
A	2430
A	2440
A	2450
A	2460
A	2470
A	2480
A	2490
A	2500
A	2510
A	2520
A	2530
A	2540
A	2550
A	2560
A	2570
A	2610
A	2620
A	2630
A	2640
A	2650
A	2660
A	2670
A	2680
A	2690
A	2700
A	2710
A	2720

```

IDUM=0                                A 2730
IF (KPREP.EQ.0) GO TO 145              A 2740
CALL PRELPS (IDUM,1,4,K1,K2)          A 2750
145 KR=K-KK                            A 2760
CALL DRAW(KR,KK)                      A 2770
GO TO 160                            A 2810
C
C      SET-UP CUBIC                     A 2820
C
150 WRITE (6,605)ENREED,(XIN(I),I=1,4),(YIN(I),I=1,4)    A 2830
KK=K                                  A 2840
CALL CUBIC (K)                        A 2850
K=K+1                                 A 2860
KR=K-KK                            A 2870
CALL DRAW(KR,KK)                      A 2880
GO TO 160                            A 2890
C{{{{{{ NEW LINEAR INTEGRATION OPTION, BODY OR FULL INLET   A 2900
155 KK=K                            A 2940
KSV=K                                A 2950
CAPPA(K)=0.0                          A 2960
IF (NSEG.EQ.0)DELS1=DELSHX           A 2970
CALL XYCALC(K,K2,NIN)               A 2980
K=K2                                 A 2990
KR=K-KK                            A 3000
CALL DRAW(KR,KK)                      A 3010
GOTO160                            A 3020
A 3030
216 KTOT=0
KBEGIN=0
KSTOP=0
DO 219 JBOP=1,K
IF(XIN(1).EQ.XON(JBOP).AND.YIN(1).EQ.YON(JBOP))KBEGIN=JBOP
IF(XIN(2).EQ.XON(JBOP).AND.YIN(2).EQ.YON(JBOP))KSTOP=JBOP
IF(KSTOP*KBEGIN.NE.0)GOTO221
219 CONTINUE
WRITE(6,222)KBEGIN,KSTOP
221 KTOT=KSTOP-KBEGIN+1
YCL=YTN(3)
WRITE(6,223)YCL,ENREED,(XIN(L2),L2=1,2),(YIN(L2),L2=1,2)
KK=K
CALL MIRROR(K,KTOT,KBEGIN,YCL)
KK=K-KK
CALL DRAW(KR,KK)
218 FORMAT('BODY NO. *,I4,* WILL BE GENERATED AS A MIRROR IMAGE OF *,
1'BODY NO. *,I4,*ABOUT AN AXIS AT Y= *,E15.4)
222 FORMAT('DSEARCH FOR SEGMENT TO BE MIRRORED HAS FAILED',2I4)
223 FORMAT(1H0,10X,'ENREED THIS SEGMENT IS A MIRROR IMAGE ABOUT THE*
1,'Y= *,1P1E15.4,'LINE'/20X,' THE ORIGINAL SEGMENT LIES BETWEEN*,
2' THE FOLLOWING POINTS'/1IX,F6.3,5X,2HX,1P2E15.4/22X,1HY,1P2E15.4)
160 IF (IAB.LE.0) GO TO 200            A 3040
IF(ABS(XONE(KK))-XAA+YON(KK)-YAA).LE.1.E-7)JSTART=KK        A 2910
IF(ABS(XONE(K))-XBB+YON(K)-YBB).LE.1.E-7)JSTOP=K           A 2920
IF((JSTART.EQ.KK)IMBD=NZ             A 2930
IF ((JSTART+JSTOP).EQ.0.OR.(JSTOP.GT.0.AND.K.GT.JSTOP)) GO TO 200 A 3050
DO 165 K9=1,3                         A 3060
165 BACKSPACE 4                      A 3070
IF (JSTART.NE.KK) GO TO 180          A 3080
WRITE (4,170)                         A 3090

```

```

170 FORMAT(3X,3H99.,74X)
    WPITE (4,445)XON(KK),YON(KK)
    KK1=KK+1
    DO 175 K9=KK1,K
175 WRITE (4,450)XON(K9),YON(K9)
    BACKSPACE 4
    IF (JSTOP.NE.K) GO TO 180
    WRITE (4,455)XON(K),YON(K)
    GO TO 200
180 IF (JSTOP.NE.K) GO TO 190
    LOWER=LOWER+1
    KM1=K-1
    DO 185 K9=KK,KM1
185 WRITE (4,450)XON(K9),YON(K9)
    WRITE (4,455)XON(K),YON(K)
    GO TO 200
190 IF (JSTART.EQ.KK.AND.JSTOP.EQ.0) GO TO 200
    LOWER=LOWER+1
    KM1=K-1
    DO 195 K9=KK,KM1
195 WRITE (4,450)XON(K9),YON(K9)
200 WRITE (6,205)K,XON(K),YON(K),CAPP(A(K),DYDX0(K),ALPHA(K))
205 FORMAT(1H0,3X,11HLAST POINT ,2HK=,15,4H, X=E12.5,4H, Y=E12.5,7H,A
1KAPP=A,E12.5,7H,DY/DX=E12.5,7H,ALPHA=A, E12.5)
C
C      END OF SEGMENT LOOP
C
210 GOT0220
215 MIRBOD=IFIX(ABS(TYPBDY)-FLOAT(NUMBOD))*10.1
    YCL=ANSEG
    KTOT=NBDPTS(MIRBOD)-NBDPTS(MIRBOD-1)
    KBEGIN=NBDPTS(MIRBOD-1)+1
    IF(MIRBOD.EQ.1)KBEGIN=1
    IF(MIRBOD.EQ.1)KTOT=NBDPTS(1)
    WRITE(6,218)NUMBOD,MIRBOD,YCL
    KK=K
    CALL MIRROR(K,KTOT,KBEGIN,YCL)
    KR=K-KK
    CALL DRAW(KR,KK)
220 NBDPTS(NZ)=K
    NBODY1=NBDPTS(1)
    NBODY2=NBDPTS(2)
    TYP(NZ)=TYPBDY
    KAY(NZ)=K
225 CONTINUE
C
C      END OF BODY LOOP
C
    ITOP12=K
    IF(IFLAG.EQ.1)NBODY2=ITOP12
    DELSND =DELS
    IF (IFLAG.EQ.1) NBODY1=0
C9
C      CO-ORDINATES OF POINTS ON DOWNSTREAM CLOSURE
C
C

```

ORIGINAL PAGE IS  
OF POOR QUALITY

A	3100
A	3110
A	3120
A	3130
A	3140
A	3150
A	3160
A	3170
A	3180
A	3190
A	3200
A	3210
A	3220
A	3230
A	3240
A	3250
A	3260
A	3270
A	3280
A	3290
A	3300
A	3310
A	3320
A	3330
A	3340
A	3350
A	3360
A	3390
A	3400
A	3410
A	3420
A	3430
A	3440
A	3450
A	3460
A	3470
A	3480
A	3490
A	3500
A	3510
A	3520
A	3530
A	3540
A	3550
A	3560

```

C      STRAIGHT SECTION BETWEEN HUB AND SHROUD OR SPLITTER          A  3570
C                                                               A  3580
C                                                               A  3590
C
I TOPT4=K+1
I TOPT5=K+1
I TOPT6=K+2
I TOPT7=K+2
IF(IVORT.EQ.1) GOTO 255
IF (NBDY1.EQ.0) GO TO 230
YNBDY1=YON(NBDY1)
Y4SAVE=YON(NBDY1)
Y5SAVE=YON(NBDY1+1)
Y6SAVE=YON(NBODY2)
Y7SAVE=YON(NBODY2+1)
GO TO 235
230 YNBDY1=0.0
Y4SAVE=0.0
235 NDY4=(YON(NBDY1+1)-YNBDY1)*1.5/DELSMX
ENDY4=NDY4
NPTS=NDY4+1
NBDPTS(NBDYS+1)=NPTS+NBDPTS(NBDYS)
DY4=(YON(NBDY1+1)-YNBDY1)/ENDY4
DO 240 I=1,NPTS
AYEH=I-1
IPN=I+K
XON(IPN)=XON(NBDY1+1)
YON(IPN)=YNBDY1+AYEH*DY4
240 CONTINUE
245 ITOPT4=K+1
ITOPT5=ITOPT4+NDY4
IF (NBDYS.LE.2) GO TO 255
C      STRAIGHT SECTION BETWEEN FLOW SPLITTER AND SHROUD          A  3600
C                                                               A  3610
C                                                               A  3620
C                                                               A  3630
C                                                               A  3640
C                                                               A  3650
C                                                               A  3660
C                                                               A  3670
C                                                               A  3680
C                                                               A  3690
C                                                               A  3700
C                                                               A  3710
C                                                               A  3720
C                                                               A  3730
C                                                               A  3740
C                                                               A  3750
C                                                               A  3760
C                                                               A  3770
C                                                               A  3780
C                                                               A  3790
C                                                               A  3800
C                                                               A  3810
C                                                               A  3820
C                                                               A  3830
C                                                               A  3840
C                                                               A  3850
C                                                               A  3860
C
YNBDY2=Y6SAVE
NDY5=(Y7SAVE-Y6SAVE)*1.5/DELSMX
ENDYS=NDY5
NPTS=NDY5+1
NBDPTS(NBDYS+2)=NPTS+NBDPTS(NBDYS+1)
DYS=(Y7SAVE-Y6SAVE)/ENDYS
DO 250 I=1,NPTS
AYEH=I-1
IPN=I+ITOPT5
XON(IPN)=XON(NBODY2+1)
YON(IPN)=YNBDY2+AYEH*DYS
250 CONTINUE
ITOPT6=ITOPT5+1
ITOPT7=ITOPT6+NDY5
C      CALL SUBROUTINE TO WRITE AND PUNCH CARDS                  A  3870
C                                                               A  3880
C                                                               A  3890
C                                                               A  3900
C                                                               A  3910
C                                                               A  3920
C                                                               A  3930
C                                                               A  3940
C                                                               A  3950
C                                                               A  3960
C                                                               A  3970
C                                                               A  3980
C                                                               A  3990
C                                                               A  4000
C                                                               A  4010
C                                                               A  4020
C                                                               A  4030
C
255 CALL WPUNCH
IF (NBDYS.GT.2) GO TO 260
NT1=ITOPT5-3
NT2=K-2

```

```

      GO TO 265
260 NT1=ITOPT7-5          A 4090
      NT2=ITOPT5-4          A 4100
      NT3=K-3               A 4110
      NSPLMX=NBODY2-2       A 4120
265 NHUBMX=NBODY1-1       A 4130
      NP=0                  A 4140
      DO 270 I=1,NRAKES     A 4150
      NP=NP+NDY(I)+1        A 4160
270 CONTINUE              A 4170
      '   '   : "
      IF (NBDYS.LE.2) GO TO 275  A 4180
      WRITE (6,565)NT1,NT2,NT3,NHUBMX,NSPLMX,NP  A 4190
      GO TO 285              A 4200
275 IF (NHUBMX.GT.0) GO TO 280  A 4210
      NHUBMX=NHUBMX+1        A 4220
      NT1=NT1+1               A 4230
      NT2=NT2+1               A 4240
280 WRITE (6,540)NT1,NT2,NHUBMX,NP           A 4250
C
C      CALCULATING HUB SURFACE DISTANCE (S=S(2))
C
285 CALL SINTP (XON,SON,NBODY1,XRI,S2)        A 4260
      WRITE (6,505)             A 4270
      IF (IFLAG.EQ.1) GO TO 295  A 4280
      SDEL=0.0                 A 4290
      DO 290 I=1,NBODY1         A 4300
      IF (I.NE.1) SDEL=SON(I)-SON(I-1)  A 4310
      SD(I)=SON(I)-S2          A 4320
290 WRITE (6,520)I,XON(I),YON(I),CAPPA(I),DYDX0(I),ALPHA(I),SON(I),SD(I)  A 4330
      11),SDEL                A 4340
C
C      CALCULATION SHROUD OR LOWER FLOW SPLITTER SURFACE DISTANCE
C
295 NBP1=NBODY1+1          A 4350
      IF (NBDYS.EQ.1) NBODY2=ITOPT12  A 4360
      DO 300 I=NBP1,NBODY2        A 4370
      JJ=I
      IF (XON(I).LT.XON(I+1)) GO TO 305  A 4380
300 CONTINUE              A 4390
305 CALL SINTP (XON(NBP1),SON(NBP1),JJ-NBODY1,XRI,S22)  A 4400
      IF (IFLAG.EQ.1) GO TO 310  A 4410
      WRITE (6,510)             A 4420
310 IF (NBDYS.LE.2) JJ=NBODY2  A 4430
      SDEL=0.0                 A 4440
      DO 315 I=NBP1,JJ          A 4450
      IF (I.NE.NBP1) SDEL=SON(I)-SON(I-1)  A 4460
      S(I)=S22-SON(I)          A 4470
315 WRITE (6,520)I,XON(I),YON(I),CAPPA(I),DYDX0(I),ALPHA(I),SON(I),S(I)  A 4480
      11),SDEL                A 4490
      IF (NBDYS.LE.2) GO TO 340  A 4500
C
C      CALCULATING FLOW SPLITTER UPPER SURFACE DISTANCE
C
      JJ=JJ+1                 A 4510
      WRITE (6,530)             A 4520
      CALL SINTP (XON(JJ),SON(JJ),NBODY2-JJ,XRI,S23)  A 4530

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

SDEL=0.0
DO 320 I=JJ,NBODY2
IF (I.NE.JJ) SDEL=SON(I)-SON(I-1)
S(I)=SON(I)-S23
320 WRITE (6,520) I,XON(I),YON(I),CAPPA(I),DYDXO(I),ALPHA(I),SON(I),S(IA
1),SDEL
C
C      CALCULATING SHROUD SURFACE DISTANCE (IF THERE IS A FLOW SPLITTER) A
C
NBP1=NBODY2+1
DO 325 I=NBP1,ITOPT12
JJ=1
IF (XON(I).LT.XON(I+1)) GO TO 330
325 CONTINUE
330 CALL SINTP (XON(NBP1),SON(NBP1),JJ-NBODY2,XRI,S33)
WRITE (6,535)
SDEL=0.0
DO 335 I=NBP1,ITOPT12
IF (I.NE.NBP1) SDEL=SON(I)-SON(I-1)
S(I)=S33-SON(I)
335 WRITE (6,520) I,XON(I),YON(I),CAPPA(I),DYDXO(I),ALPHA(I),SON(I),S(IA
1),SDEL
C
340 NBDSV=NBDYS
IF (NNSD.EQ.0) GO TO 350
NS=1
345 IBD=NBDYS+NS
INSD=I+NSDBDY(NS)
IBNSD=I+1
WRITE (6,610) IBD
WRITE (6,615)(I,XON(I),YON(I),CAPPA(I),DYDXO(I),ALPHA(I),SON(I),I=A
LIBNSD,INSD)
NS=NS+1
IF (NS.LE.NNSD) GO TO 345
NBDYS=IBD
C
C      WRITE OUT CLOSURE COORDINATES
C
350 IBD=NBDYS+1
IF (IVORT.EQ.1) GOTO 355
WRITE (6,515) IBD,FI,XON(I),YON(I),I=ITOPT4,ITOPT5
IF (NBDSV.NE.3) GO TO 355
IBD=IBD+1
WRITE (6,515) IBD,(I,XON(I),YON(I),I=ITOPT6,ITOPT7)
355 WRITE (6,545)(XRAK(I),YLO(I),YHI(I),NY(I),I=1,NRAKES)
IF (PROG.NE.D2TEST) CALL AREA
C
C{*****      CURVATURE PLOTS      *****}
C
LEL=6
C{***** IF IPLOTC IS NOT ZERO, PLOT THE CURVATURE VS. S(IF IPLOTC .GT.0A
C{***** OR VS.X (IF IPLOTC .LT.0A
IF (IPLOTC.EQ.0) GO TO 405
IF (IPLOTC.LT.0) LEL=4
LEL=0

```

ORIGINAL PAGE IS  
OF POOR QUALITY

49

```

C((((( LEA = LAST PT. ON SHROUD          A 5220
    LEA=ITOPT4-1                         A 5230
    LL=1                                  A 5240
C(((( TEST EACH SHROUD PT. FOR           1) IN RANGE OF X-AXIS      A 5250
C((((                           2) BEFORE OR AFTER HIGHLIGHT   A 5260
C((((                           3) FINITE CURVATURE       A 5270
    360 LEE=LL+NBDPTS(1)                  A 5280
        IF (XON(LEE).GT.(XX*EXEP+XMIN)) GO TO 375      A 5290
        IF (XON(LEE).LT.XON(LEE+1).AND.LEE.LT.LEEHII) GO TO 365      A 5300
        IF (CAPPA(LEE).EQ.99999.) GO TO 375      A 5310
        LF=LE+1                                A 5320
        DIST(LE)= SON(LEE)                      A 5330
        CAPPER(LE)= CAPPA(LEE)                   A 5340
C(((( FLAG THE HIGHLIGHT                 A 5350
        IF (XON(LEE).GT.XON(LEE+1)) GO TO 370      A 5360
    365 IF(LEE.LT.LEEHII) LEEHI=LEE          A 5370
C(((( USE ABSOLUTE VALUE OF CURVATURE ON EXTERIOR OF SHROUD     A 5380
        IF(CAPPER(LE).LT.0.) CAPPER(LE)=-CAPPER(LE)      A 5390
    370 IF(IPLOTC.LT.0) DIST=XON(LEE)          A 5400
C(((( IF CURVAT.-VS.-X PLOT IS NEEDED AND HIGHLIGHT HAS BEEN REACHED, A 5410
C(((( PLOT THE FIRST FRAME (INTERNAL SHROUD PTS.)                A 5420
        IF (IPLOTC.LT.0.AND.LEE.EQ.LEEHII) GO TO 380      A 5430
    375 LL=LL+1                                A 5440
    -   IF (LL.LE.(ITOPT4-1-NBDPTS(1))) GO TO 360      A 5450
    380 CALL PLOT(XX,0.,-3)                    A 5460
C(((( IF THE SECOND X-CURVE (EXTERNAL PTS.) IS BEING PLOTTED, DO NOT A 5470
C(((( GENERATE NEW SCALE FACTORS. USE THOSE OF THE INTERNAL PLOT.      A 5480
        IF (LFE.GT.LEEHII.AND.IPLOTC.LT.0) GO TO 385      A 5490
        CALL CSCALE(CAPPER,YY,LE,1,10,EXMIN,DEEX)      A 5500
    385 CAPPER(LE+1)=EXMIN                     A 5510
        CAPPER(LE+2)=DEEX                      A 5520
        IF (LEE.GT.LEEHII.AND.IPLOTC.LT.0) GO TO 390      A 5530
        CALL CSCALE(DIST ,YY,LE,1,10,EXMIND,DEEXD)      A 5540
    390 DIST(LE+1)=FXMIND                     A 5550
        DIST(LE+2)=DEEXD                      A 5560
        IF(IPLOTC.LT.0) DIST(LE+1)= XMIN      A 5570
        IF(IPLOTC.LT.0) DIST(LE+2)= EXEP      A 5580
C(((( DRAW AXES FOR CURVATURE PLOT          A 5590
        CALL PLOXIS(XX,YY,DIST(LE+2),CAPPER(LE+2),DIST(LE+1),CAPPER(LE+1),A 5600
        1.25,.25,0,0,LEL,5,1,2)                 A 5610
        CALL LINE(DIST,CAPPFR,LE,1,1,3,DIST(LE+1),DIST(LE+2),CAPPER(LE+1),A 5620
        1CAPPER(LE+2))                        A 5630
C(((( DRAW SEGMENT MARKERS                 A 5640
        DO 400 MEM=1,MM                      A 5650
        IF(IPLOTC.LT.0) BAGS(MEM)=BAGX(MEM)      A 5660
        IF(ZAP(MEM).LT.0..AND.NZAP(MEM).GT.LEEHII) ZAP(MEM)=-ZAP(MEM)      A 5670
        IF(ZAP(MEM).EQ.99999.) ZAP(MEM)=YY*CAPPER(LE+2) + CAPPER(LE+1)      A 5680
        IF (LEE.GT.LEEHII.AND.IPLOTC.LT.0) GO TO 395      A 5690
        BAGS(MEM)=(BAGS(MEM)-DIST(LE+1))/DIST(LE+2)      A 5700
        ZAP(MEM)=(ZAP(MEM)-CAPPER(LE+1)) /CAPPER(LE+2)      A 5710
        IF(IPLOTC.GT.0.AND. NZAP(MEM).LT.LEEHII) CALL SYMBOL(BAGS(MEM),ZAP(A 5720
        1MEM),.2,1,0.,-1)                      A 5730
    395 IF (IPLOTC.LT.0.AND.BAGS(MEM).GT.(XX*EXEP+XMIN)) GO TO 400      A 5740
        IF((NZAP(MEM).LE.LEEHII.AND.LEE.EQ.LEEHII).OR.(NZAP(MEM).GE.LEEHII.AND. A 5750
        1D.LEE.NE.LEEHII)) CALL SYMBOL(BAGS(MEM),ZAP(MEM),.2,1,0.,-1)      A 5760
    400 CONTINUE                                A 5770
        IF (LL.GT.(ITOPT4-1-NBDPTS(1)).OR.LEE.GT.LEEHII.OR.XON(LEE).EQ.XON(A 5780

```

```

1LEA)) GO TO 405
    LE=0
    CALL SYMBOL(XX=.5,YY=.5,.3,.52,0.,-1)
    GO TO 375
C
C***** ADVANCE THE PLOT ORIGIN FOR THE NEXT CASE
405 CALL PLOT(XX,0.,-3)
C***** IF THE CASE IS NOT TO BE REWORKED VIA FESSLER, BEGIN NEXT JOB
    IF (IAB.LE.0) GO TO 410
    REWIND 4
    NIN=4
    DELS =DSAVE
    GO TO 20
410 IF (IREDON(1).EQ.0) GO TO 10
    REWIND 4
    LPNCHO= IREDON(2)
    IPLOTA= IREDON(3)
    IPLOTC= IREDON(4)
    IREAD = IREDON(5)
    IREDON(1)= IREDON(1)- 1
C((((( WRITE THE ORIGINAL CASE OUTPUT ON UNIT 4 FOR ACCEPTANCE AS INPUTA
C BY DIRECT INTERPOLATION OPTION(XYCALC,FESSLER)
    WRITE (4,475)IDENT,PROG,N06,LPNCHO,IPLOTA,IPLOTC,IAB,(IREDON(I),I=A
21,4)
    DO 425 I=1,NBDYS
    IF(NBDYS.EQ.2.AND.I.EQ.2) TYP(I)=2.
    IF (I.EQ.1) GO TO 415
    KA= KAY(I-1)*2
    GO TO 420
415 KA=2
420 WRITE (4,440)TYP(I)
    KB= KAY(I)-1
    KAB=KA-1
    WRITE (4,445)XON(KAB),YON(KAB)
    WRITE (4,450)(XON(J),YON(J),J=KA,KB)
    KC=KAY(I)
    WRITE (4,455)XON(KC),YON(KC)
425 CONTINUE
    IF (NNSD.EQ.0) GO TO 435
    WRITE (4,460)DELSND
    NTOT=0
    DO 430 N=1,NNSD
    NKA1=KAY(NBDYS)+ NTOT +1
    NTOT= NTOT+ NSDBDY(N)
    WRITE (4,465)XON(NKA1),YON(NKA1)
    NA =NKA1+1
    NB =NKA1+ NSDBDY(N) -2
    WRITE (4,450)(XON(J),YON(J),J=NA,NB)
    NC =NB+1
    WRITE (4,455)XON(NC),YON(NC)
430 CONTINUE
435 NIN=4
    REWIND 4
    GO TO 20
440 FORMAT(F10.2,10H    0.

```

```

445 FORMAT(1X,11H$BODYIN Z={(,F10.6,1H,,F10.6,4H}, ) A 6360
450 FORMAT(12X,1H{(,F10.6,1H,,F10.6,3H), } A 6370
455 FORMAT(12X,1H{(,F10.6,1H,,F10.6,3H) S/1X,20H$AUXIN DONE=.TRUE. S} A 6380
460 FORMAT(8F10.2) A 6390
465 FORMAT(3X,7H-1 /1X,11H$BODYIN Z={(,F10.6,1H,,F10.6,4H}, ) A 6400
470 FORMAT(1H+,13X,6HREDONE) A 6410
475 FORMAT( 2A6,I4,2I1, I2,12X,I1,9X,3I1, I2) A 6420
C A 6430
C FORMATS A 6440
C A 6450
C A 6460
480 FORMAT (1H0,10X,16HNO. OF BODIES = ,F2.0,5X,7HDELS = ,F6.3,5X,9HDEA A 6470
1L$MX = ,F6.3,5X,6HXR1 = ,F10.6) A 6480
485 FORMAT (20I4) A 6490
490 FORMAT( 2A6,I4,2I1,2I2,10X,I1,9X,3I1,2I2) A 6500
495 FORMAT( 2A6,I4,2I1, I2,12X,1H0,9X,3I1, I2) A 6510
500 FORMAT (9A6) A 6520
505 FORMAT (1X/1X23HBODY 1 CO-ORDINATES - X12X1HY10X5HKAPPA10X5HDY/DX1A 6530
10X5HALPHA5X1HS8X6HS-S(2),8X,6HDELTA5/1X) A 6540
510 FORMAT (1X/1X23HBODY 2 CO-ORDINATES - X12X1HY10X5HKAPPA10X5HDY/DX1A 6550
10X5HALPHA5X1HS,8X,7HS*(2)-S,8X,6HDELTA5/1X) A 6560
515 FORMAT (1X/1X5HBODY I1,17H CO-ORDINATES - X12X1HY/1X/(9XI4,3XE12.5A A 6570
1,E13.5)) A 6580
520 FORMAT (9XI4,3XE12.5,7E13.5) A 6590
525 FORMAT (6H1CASE A6,10X,9A6/1X) A 6600
530 FORMAT (1H0) A 6610
535 FORMAT (1X/1X,23HBODY 3 CO-ORDINATES - X,12X,1HY,10X,5HKAPPA,10X,5A A 6620
1HDY/DX,10X,5HALPHA,5X,1HS,8X,6HS-S(3),8X,6HDELTA5/1X) A 6630
540 FORMAT (/10X,30H INPUT FOR THE COMBINE PROGRAM,7H NT(1)=,I4,7H NT(A A 6640
12)=,I4,8H NHUBMX=,I4,4H NP=,I4/) A 6650
545 FORMAT (1X,4HXRAK,10X,3HYLO,11X,3HYHI,16X,3HNDY//,(3E14.5,5X,I3)) A 6660
550 FORMAT (3E8.5,I3) A 6670
555 FORMAT (8F10.2) A 6680
560 FORMAT( F10.2,10F7.4/F7.5,F7.2) A 6690
565 FORMAT (/5X,30H INPUT FOR THE COMBINE PROGRAM,7H NT(1)=,I4,7H NT(2A A 6700
1)=,I4,7H NT(3)=,I4,8H NIIRMX ,I4,8H NSPLMX=,I4,4H NP=,I4/) A 6710
570 FORMAT (1H0,10X,6HENREED,10X,13HSTRAIGHT LINE/11X,F6.3,5X,1HX,1P2EA A 6720
115.4/22X,1HY,1P2E15.4) A 6730
575 FORMAT(1H0,7X,9HEXPONENTS,10X,12HSUPERELLIPE/7X,4HP = ,F6.3,5X,1HA A 6740
1X,1P6E15.4/7X,4HQ = ,OPF6.3,5X,1HY,1P6E15.4) A 6750
580 FORMAT (1H0,10X,6HENREED,10X,10HLEHNISCATE/11X,F6.3,5X,1HX,1P3E15.A A 6760
14/22X,1HY,1P3E15.4) A 6770
585 FORMAT (1H0,10X,6HENREED,10X,7HELLIPSE/11X,F6.3,5X,1HX,1P4E15.4/22A A 6780
1X,1HY,1P4E15.4) A 6790
590 FORMAT (1H0,2X,18H**** HUB *****) A 6800
595 FORMAT (1H0,2X,18H**** SHROUD *****) A 6810
600 FORMAT (1H0,2X,18H**** SPLITTER ****) A 6820
605 FORMAT (1H0,10X,6HENREED,10X,5HCUBIC/11X,F6.3,5X,1HX,1P4E15.4/22X,A A 6830
11HY,1P4E15.4) A 6840
610 FORMAT (1X/1X,5HBODY,I2,17H CO-ORDINATES - X,12X,1HY,10X,5HKAPPA,1A A 6850
10X,5HDY/DX,10X,5HALPHA,5X,1HS,8X,6HS-S(2),8X,6HDELTA5/1X) A 6860
615 FORMAT (9X,I4,3X,E12.5,5E13.5) A 6870
620 FORMAT(2F10.7) A 6880
626 FORMAT(8HG BODY ,I2) A 6890
625 FORMAT(6F12.5) A 6900
630 CALL PLOT(3.,0.,-3) A 6910
CALL PLOTID

```

STOP  
END

A 6920  
A 6930

ORIGINAL PAGE IS  
OF POOR QUALITY

53

```

C METHOD K 0290
C METHOD OF SOLUTION IS BY ELIMINATION USING LARGEST PIVOTAL K 0300
C DIVISOR. EACH STAGE OF ELIMINATION CONSISTS OF INTERCHANGINGK K 0310
C ROWS WHEN NECESSARY TO AVOID DIVISION BY ZERO OR SMALL K 0320
C ELEMENTS. K 0330
C THE FORWARD SOLUTION TO OBTAIN VARIABLE N IS DONE IN K 0340
C N STAGES. THE BACK SOLUTION FOR THE OTHER VARIABLES IS K 0350
C CALCULATED BY SUCCESSIVE SUBSTITUTIONS. FINAL SOLUTION K 0360
C VALUES ARE DEVELOPED IN VECTOR B, WITH VARIABLE 1 IN B(1), K 0370
C VARIABLE 2 IN B(2),....., VARIABLE N IN B(N). K 0380
C IF NO PIVOT CAN BE FOUND EXCEEDING A TOLERANCE OF 0.0, K 0390
C THE MATRIX IS CONSIDERED SINGULAR AND KS IS SET TO 1. THIS K 0400
C TOLERANCE CAN BE MODIFIED BY REPLACING THE FIRST STATEMENT. K 0410
C
C **** K 0420
C
C SUBROUTINE SIMQ (A,B,N,KS) K 0430
C DIMENSION A(1), B(1) K 0440
C
C FORWARD SOLUTION K 0450
C
C TOL=0.0 K 0460
C KS=0 K 0470
C JJ=N K 0480
C DO 45 J=1,N K 0490
C JY=J+1 K 0500
C JJ=JJ+N+1 K 0510
C BIGA=0 K 0520
C IT=JJ-J K 0530
C DO 15 I=J,N K 0540
C
C SEARCH FOR MAXIMUM COEFFICIENT IN COLUMN K 0550
C
C IJ=IT+I K 0560
C IF (ABS(BIGA)-ABS(A(IJ))) 10,15,15 K 0570
C 10 BIGA=A(IJ) K 0580
C IMAX=I K 0590
C 15 CONTINUE K 0600
C
C TEST FOR PIVOT LESS THAN TOLERANCE (SINGULAR MATRIX) K 0610
C
C IF (ABS(BIGA)-TOL) 20,20,25 K 0620
C 20 KS=1 K 0630
C RETURN K 0640
C
C INTERCHANGE ROWS IF NECESSARY K 0650
C
C 25 I1=J+N*(J-2) K 0660
C IT=IMAX-J K 0670
C DO 30 K=J,N K 0680
C I2=I1+N K 0690
C I1=I1+IT K 0700
C SAVE=A(I1) K 0710
C A(I1)=A(I2) K 0720
C A(I2)=SAVE K 0730
C
C
```

C DIVIDE EQUATION BY LEADING COEFFICIENT K 0860  
C 3G A(I1)=A(I1)/BIGA K 0870  
SAVE=B(IMAX) K 0880  
B(IMAX)=B(J) K 0890  
B(J)=SAVE/BIGA K 0900  
C ELIMINATE NEXT VARIABLE K 0910  
C IF (J-N) 35,50,35 K 0920  
35 IQS=N\*(J-1) K 0930  
DO 45 IX=JY,N K 0940  
IXJ=IQS+IX K 0950  
IT=J-IX K 0960  
DO 40 JX=JY,N K 0970  
IXJX=N\*(JX-1)+IX K 0980  
JJX=IXJX+IT K 0990  
40 A(IXJX)=A(IXJX)-(A(IXJ)\*A(JJX)) K 1000  
45 B(IX)=B(IX)-(B(J)\*A(IXJ)) K 1010  
C BACK SOLUTION K 1020  
C 50 NY=N-1 K 1030  
IT=N\*N K 1040  
DO 55 J=1,NY K 1050  
IA=IT-J K 1060  
IP=N-J K 1070  
IC=N K 1080  
DC 55 K=1,J K 1090  
B(IR)=B(IR)-A(IA)\*B(IC) K 1100  
IA=IA-N K 1110  
55 IC=IC-1 K 1120  
RETURN K 1130  
END K 1140  
K 1150  
K 1160  
K 1170  
K 1180  
K 1190

*ORIGINAL PAGE IS  
OF POOR QUALITY*

```

SUBROUTINE STRAIT (K,ISHR)
A REGULAR STRAIGHT SEGMENT

COMMON /MAIN/ XIN(10),YIN(10),DELSMX,PIO2,DELS1,IHUB
COMMON /FOR3SS/I0,DELS,XBK(20),YBK(20),XON(5-10),YON(5-10),DYDX0(5-10)
1),ALPHA(500),CAPPA(500),SON(500),PIO180-
COMMON /SS/ NBODY1,NBODY2,TYPBDY,NRDYS
COMMON /FNST/ NFIRST
COMMON /NHIGH/ NSPHG,NLAST,XLAST(500)
KFIRST=K
XTEST=XIN(2)-XIN(1)
YTEST=YIN(2)-YIN(1)
IF (XTEST.EQ.0.0) GO TO 1E
DYDXC=YTEST/XTEST
ALPHAC=ATAN(YTEST/XTEST)
GO TO 15
10 DYDXC=99999.
ALPHAC=PIO2

CALCULATE DELSNW

15 STOT=SQRT(XTEST**2+YTEST**2)
ANDS=STOT/DELS1
AINDS=AINT(ANDS)
TEST=ANDS-AINDS
IF (TEST.GE..5) AINDS=ATNDS+1.0
DELSNW=STOT/AINDS
DELS1=.1*(DELSNW)
DELS1=DELSNW
DELS=DELS1
IF (YTEST) 20,35,20
20 IF (XTEST.EQ.0.0) GO TO 50
DYDX0(K+1)=DYDXC
ALPHA(K+1)=ALPHAC
SIGN=1.C
IF (XTEST.LT.0.C) SIGN=-1.C
YON(K+1)=YON(K)+SIGN*DELSNW*SIN(ALPHA(K+1))
IF (NSPHG.EQ.1) GO TO 25
XON(K+1)=XON(NLAST-1)
NLAST=NLAST-1
GO TO 35
25 XON(K+1)=XON(K)+SIGN*DELSNW*COS(ALPHA(K+1))
30 SON(K+1)=SON(K)+SQRT((XON(K+1)-XON(K))**2+(YON(K+1)-YON(K))**2)
CAPPA(K+1)=D.C
IF (XTEST.LT.0.C.AND.XON(K+1).LE.XIN(2).OR.XTEST.GT.0.C.AND.XON(K+1).GE.XIN(2)) GO TO 55
IF (APS(XON(K+1)-XIN(2)).LE.1.CE-4*DELS.AND.ABS(YON(K+1)-YIN(2)).LE.
1E.1.CE-4*DELS) GO TO 62
K=K+1
GO TO 20
35 DYDX0(K+1)=0.0
ALPHA(K+1)=C.C
SIGN=1.C
IF (XTEST.LT.0.C) SIGN=-1.C
IF (NSPHG.EQ.1) GO TO 40
XON(K+1)=XON(NLAST-1)
NLAST=NLAST-1

```

```

GC TO 45
40 XON(K+1)=XON(K)+SIGN*DELSNW          F C58C
45 YON(K+1)=YON(K)                      E C59C
      SON(K+1)=SON(K)+SQR((XON(K+1)-XON(K))**2+(YCN(K+1)-YON(K))**2)   B C60C
      CAPPA(K+1)=C.0                         P C610
      IF (XTEST.LT.0.0.AND.XON(K+1).LE.XIN(2).OR.XTEST.GT.0.0.AND.XON(K+E
11).GE.XIN(2)) GO TO 55                  B C620
      IF (ABS(XON(K+1)-XIN(2)).LE.1.0E-4*DELS.AND.ABS(YCN(K+1)-YIN(2)).LE
1E-1.0E-4*DELS) GO TO 60                  B C630
      K=K+1                                     B C640
      GO TO 35                                     B C650
50 DDX0(K+1)=99999.                      B C660
      ALPHA(K+1)=PI02                        B C670
      SIGN=1.0                                B C680
      IF (YTEST.LT.0.0) SIGN=-1.0            B C690
      XON(K+1)=XON(K)                      F C70C
      YON(K+1)=YON(K)+SIGN*DELSNW          F C71C
      SON(K+1)=SON(K)+SQR((XON(K+1)-XON(K))**2+(YON(K+1)-YON(K))**2)   B C72C
      CAPPA(K+1)=0.0                         B C73C
      IF (YTEST.LT.0.0.AND.YON(K+1).LE.YIN(2).OR.YTEST.GT.0.0.AND.YON(K+E
11).GE.YIN(2)) GO TO 55                  B C74C
      IF (ABS(XON(K+1)-XIN(2)).LE.1.0E-4*DELS.AND.ABS(YCN(K+1)-YIN(2)).LE
1E-1.0E-4*DELS) GO TO 60                  B C75C
      K=K+1                                     B C760
      GO TO 50                                     B C770
55 IF (ABS(XON(K+1)-XIN(2)).LE.1.0E-3*DELS.AND.ABS(YCN(K+1)-YIN(2)).LE
1E-1.0E-3*DELS) GO TO 60                  B C780
      K=K-1                                     B C79C
      K=K+1                                     F C80C
      DO 65 KAL=KFIRST,K                     E C81C
65 ALPHA(KAL)=ALPHA(KAL)/PI01BD          B C82C
      RETURN                                    E C83C
      END                                     E C84C
                                         B C85C
                                         F C86C
                                         E C87C
                                         B C88C
                                         B C89C
                                         E C90C

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

      SUBROUTINE FNSTRH (K)                                C E000
C
C      FINAL STRAIGHT SEGMENT ON THE HUB AND SHROUD       C E010
C
C      COMMON /MAIN/ XIN(10),YIN(10),DELSMX,PIO2,DELS1,IHUB   C E020
C      COMMON /FORSS/IO,DELS,XBK(20),YBK(20),XON(500),YON(500),DYDX0(500) C E030
1),ALPHA(500),CAPPA(500),SON(500),PIO180               C E040
C      COMMON /SS/ NBDY1,NBODY2,TYPBDY,NBDYS                C E050
C      COMMON /FNST/ NFIRST                                 C E060
NFIRST=K
DS=DELS1
DELSTR=DELSMX
YTEST=YIN(2)-YIN(1)
XTEST=XIN(2)-XIN(1)
ASIGN=1.0
IF (XTEST.LT.0.0) ASIGN=-1.0
ISTARE
SSEG=SQRT(XTEST**2+YTEST**2)
IF (XTEST.EQ.0.0) GO TO 10
IF (YTEST.EQ.0.0) GO TO 15
DYDXC=YTEST/XTEST
ALPHAC=ATAN(YTEST/XTEST)
SINAL=SIN(ALPHAC)
COSAL=COS(ALPHAC)
GO TO 25
10 DYDXC=SIGN(99999.,YTEST)
ALPHAC=SIGN(PIO2,YTEST)
SINAL=1.0
COSAL=0.0
GO TO 25
15 DYDXC=0.0
ALPHAC=0.0
SINAL=0.0
COSAL=1.0
20 DYDX0(K+1)=DYDXC
ALPHA(K+1)=ALPHAC
IF (DS.GT.DELSMX) GO TO 25
GO TO 45
25 IF (ISTAR.NE.0) GO TO 45
DSLAST=DS
XON(K+1)=XON(K)
YON(K+1)=YON(K)
ICOUNT=0
30 XSAVE=XON(K+1)-XIN(1)
YSAVE=YON(K+1)-YIN(1)
SSTAR=SQRT(XSAVE**2+YSAVE**2)
ASTAR=(SSEG-SSTAR)/DELSTR
ATEST=ASTAR-FLOAT(IFIX(ASTAR))
IF (ATEST.GT.0.5) ASTAR=ASTAR+1.0
NSTAR=IFIX(ASTAR)
ISTAR=1
IF (NSTAR.EQ.0) GO TO 35
DS=(SSEG-SSTAR)/FLOAT(NSTAR)
IF (DS.GT.DSLAST) GO TO 35
IF (ICOUNT.GT.0) K=K+1
GO TO 45
35 K=K-1
IF (K.GT.NFIRST) GO TO 40
K=NFIRST
CALL STRAIT (K,0)
K=K-1
GO TO 50

```

```

42 D$LAST=SQRT((XON(K-1)-XON(K))**2+(YON(K-1)-YCN(K))**2)*1.2      C  C62C
    DELSTR=D$LAST
    ICOUNT=ICOUNT+1
    GO TO 3C
45 XON(K+1)=XON(K)+ASIGN*DS*COSAL
    YON(K+1)=YON(K)+ASIGN*DS*SINAL
    SON(K+1)=SON(K)+SQRT((XON(K+1)-XON(K))**2+(YCN(K+1)-YON(K))**2)   C  C63C
    CAPPA(K+1)=0.0
    IF (APS(XON(K+1)-XIN(2)).LE..001*DS.AND.XTEST.NE.0.0) GO TO 5C   C  C64C
    IF (APS(YON(K+1)-YIN(2)).LE..001*DS.AND.XTFSR.EQ.0.0) GO TO 5C   C  C65C
    C
    C((((( IS THE CURRENT POINT PAST THE NEAREST ENDPOINT OF SEGMENT (PFC C  C66C
    C((((( VVIOUS TESTS WERE ONLY FOR ABSOLUTE PROXIMITY TO ENDPOINT) C  C67C
    IF (APS(YON(K+1)-YIN(1)).GT.ABS(YTEST))GOTO5C
    IF (APS(XON(K+1)-XIN(1)).GT.ABS(XTEST))GOTO5C
    K=K+1
    IF (ISTAR.EQ.0) DS=DS*1.2
    GO TO 2D
5C DELSI=DELS
    XON(K+1)=XIN(2)
    YCN(K+1)=YIN(2)
    NFDYI=K+1
    K=K+1
    DC 55 KAL=NFIRST,K
55 ALPHA(KAL)=ALPHA(KAL)/PI0183
    RETURN
    E*D

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

SUBROUTINE FRSTSH (K) . . . . . D 0000
C . . . . . D 0010
C FIRST STRAIGHT SEGMENT SHROUD . . . . . D 0020
C . . . . . D 0030
C IF THERE IS NO HUB INTERCHANGE POINTS (X1,Y1) AND (X2,Y2) . . . . . D 0040
C AND TREAT LIKE FINAL STRAIGHT SECTION ON THE HUB. . . . . D 0050
C THEN REVERSE XON AND YON ARRAYS . . . . . D 0060
C . . . . . D 0070
C . . . . . D 0080
COMMON /MAIN/ XIN(10),YIN(10),DELSH,PIO2,DELS1,IHUB,DELNEW
COMMON /FOR3SS/I0,DELS,XBK(20),YBK(20),XON(500),YON(500),DYDXO(500D 0100
1),ALPHA(500),CAPPA(500),SON(500),PIO180
COMMON /SS/ NBDY1,NBODY2,TYPBDY,NBDYS . . . . . D 0110
COMMON /FNST/ NFIRST . . . . . D 0120
DIMENSION XA(2), YA(2), DSV(500), ASV(500), XSV(500), YSV(500), SSD 0140
1V(500)
SON(K)=0.0 . . . . . D 0150
IF (IHUB.EQ.1.AND.DELNEW.EQ.0.) GOTO25 . . . . . D 0160
DO 10 I=1,2 . . . . . D 0180
XA(I)=XIN(I) . . . . . D 0190
10 YAI)=YIN(I) . . . . . D 0200
XIN(1)=XA(2) . . . . . D 0210
XIN(2)=XA(1) . . . . . D 0220
YIN(1)=YA(2) . . . . . D 0230
YIN(2)=YA(1) . . . . . D 0240
NFB2=K . . . . . D 0250
YON(K)=YIN(1) . . . . . D 0260
XON(K)=XIN(1) . . . . . D 0270
CALL FNSTRH (K) . . . . . D 0280
KSVEK . . . . . D 0290
KTOT=KSVE-NFB2+1 . . . . .
DO 15 I1=1,KTOT . . . . .
I=NFB2+I1-1 . . . . .
KSR=KSVE+1-I1 . . . . .
DSV(KSR)=DYDXO(I) . . . . . D 0320
ASV(KSR)=ALPHA(I) . . . . . D 0330
XSV(KSR)=XON(I) . . . . . D 0340
YSV(KSR)=YON(I) . . . . . D 0350
15 SSV(I)=SON(I) . . . . . D 0360
DO 20 I=NFB2,KSVE . . . . . D 0370
DYDXO(I)=DSV(I) . . . . . D 0380
ALPHA(I)=ASV(I) . . . . . D 0390

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

XON(I)=XSV(I) D 0400
YON(I)=YSV(I) D 0410
SON(I)=SSV(KSV)-SSV(KSV+1-I) D 0420
CAPPA(I)=0.0 D 0430
20 CONTINUE D 0440
DELS1=ABS(SON(KSV)-SON(KSV-1)) D 0450
RETURN D 0470
C D 0480
C IF THERE IS A HUB, USE X VALUES FROM FINAL STRAIGHT D 0490
C SECTION ON THE HUB FOR FIRST STRAIGHT SECTION ON D 0500
C SHROUD D 0510
C D 0520
25 XTEST=XIN(1)-XIN(2) D 0530
YTEST=YIN(1)-YIN(2) D 0540
IF (XTEST.EQ.0.0) GO TO 30 D 0550
DYDXC=YTEST/XTEST D 0560
ALPHAC=ATAN2(YTEST,XTEST) D 0570
GO TO 35 D 0580
30 DYDXC=99999. D 0590
ALPHAC=PI02 D 0600
35 K=K-1 D 0610
NBDC=NBDY1 D 0620
IF (TYPBDY.EQ.3.0.AND.NBDYS.EQ.3) NBDC=NBODY2 D 0630
DO 50 I=NFIRST,NBDC D 0640
KEEP=NBDC+NFIRST-I D 0650
XON(K+1)=XON(KEEP) D 0660
DYDXO(K+1)=DYDXC D 0670
ALPHA(K+1)=ALPHAC D 0680
IF (I.EQ.NFIRST) GO TO 40 D 0690
YON(K+1)=YON(K)+(XON(K+1)-XON(K))*DYDXC D 0700
IF(COS(ALPHAC).EQ.0.) WRITE(6,44) D 0710
IF(COS(ALPHAC).EQ.0.) STOP D 0720
44 FORMAT(53HORIZONTAL LINE NOT PERMITTED AS FIRST SEGMENT ON BODY 1)
SON(K+1)=SON(K)+(XON(K)-XON(K+1))/COS(ALPHAC) D 0730
GO TO 45 D 0740
40 YON(K+1)=YIN(1)+(XON(K+1)-XIN(1))*DYDXC D 0750
45 CAPPA(K+1)=0.0 D 0760
ALPHA(K+1)=ALPHA(K+1)/PI018D D 0770
K=K+1 D 0780
50 CONTINUE D 0790
DELS1=SON(K)-SON(K-1) D 0800
RETURN
END

```

```

SUBROUTINE TEST (IA)
COMMON /MAIN/ XIN(10),YIN(10),DELSMX,PI02,DELS1,IHUP E ECCCC
COMMON /FOR3SS/I0,DFLS,XBK(20),YBK(20),XON(500),YON(500),PYDX0(500) E CC13
I ),ALPHA(500),CAPPA(500),SON(500),PI018C E CC20
COMMON /SPREP/ KPREP E CC30
H=IA-1 E CC40
IF (XIN(2).EQ.XIN(1)) GO TO 10 E CC50
SLP1=(YIN(2)-YIN(1))/(XIN(2)-XIN(1)) E CC60
GO TO 15 E CC70
10 TEST1=(YIN(2)-YIN(1))/(XIN(M)-XIN(1)) E CC80
SLP1=SIGN(99999.,TEST1) E CC90
15 IF ((XIN(1).LT.XIN(M).AND.XIN(1).LE.XIN(2)).OR.(XIN(1).GE.XIN(2).AE C100
1NC.XIN(1).GT.XIN(M))) GO TO 20 E C110
TIP=XIN(1)-XIN(2) E C120
XIN(1)=XIN(1)+SIGN(50.,TIP) E C130
YIN(1)=(YIN(2)-YIN(1))*E C140
1 (XIN(1)-XIN(2))/(XIN(2)-XIN(1))+SIGN(50.,TIP))+YIN(2) E C150
20 SLP2=(YIN(M)-YIN(1))/(XIN(M)-XIN(1)) E C160
C C ROTATION ONLY E C170
C 25 IF (SLP1.GT.SLP2) RETURN E C180
C E C190
C E C200
C E C210
C E C220

C MIRROR INTO XIN(1) E C230
C 30 CALL PRELPS (2,0,IA,1,1) E C240
RETURN E C250
END E C260
E C270

```

ORIGINAL PAGE IS  
OF POOR QUALITY

63

```

S1) ROUTINE PRELPS (K0PE,KAT,IA,K1,K2) F C00
COMMON /MAIN/ XIN(10),YIN(10),DELSMX,PIO2,DELS1,1HUE F C01
COMMON /FOR3SS/ID,DELS,XBK(20),YBK(20),XON(500),YON(500),DYDXO(500) F C02
1),ALPHA(500),CAPPA(500),SON(500),PIO1PC F C03
COMMON /SPREP/ KPREP F C04
KPR[P] F C05
IL=IA F C06
IF (IA.EQ.1) GO TO 60 F C07
K1C=KODE F C08
X1=XIN(1) F C09
Y1=YIN(1) F C10
IF (IA.EQ.5) GO TO 10 F C11
XC=XIN(4) F C12
YC=YIN(4) F C13
GC TO 15 F C14
10 XC=XIN(5) F C15
YC=YIN(5) F C16
IL=IA+1 F C17
15 DC 45 IB=1,7L F C18

IF (IP.NE.6) GO TO 20 F C19
IF (ABS(XIN(6))+ABSE(YIN(6)).LE.1.E-15.0D.YIN(1).EQ.20.) GO TO 45 F C20
IF (YIN(6).NE.-100.) GO TO 20 F C21
YIN(6)=-XIN(6) F C22
GC TO 45 F C23
20 GC TO (25,30,35,40,30,40),KODE F C24
25 YIN(IP)=YIN(IA)-(YIN(IB)-YIN(IA)) F C25
30 GC TO 45 F C26
30 YIN(IP)=XIN(1)-(XIN(IP)-XIN(1)) F C27
30 GC TO 45 F C28
35 YIN(IP)=YIN(1)-(YIN(IP)-YIN(1)) F C29
30 GC TO 45 F C30
40 XIN(IP)=XIN(IA)-(XIN(IP)-XIN(IA)) F C31
45 CONTINUE F C32
IF (KODE.EQ.5) GO TO 50 F C33
IF (KODE.EQ.6) GO TO 55 F C34
RETURN F C35
50 KODE=1 F C36
50 TO 15 F C37
55 KODE=2 F C38
55 TO 15 F C39
60 DC 90 IB=K1,K2 F C40
60 TO (65,70,75,80,65,75),PID F C41
65 YON(IP)=YC-(YON(IB)-YC) F C42
60 TO 85 F C43
70 XON(IP)=XI-(XON(IP)-XI) F C44
60 TO 85 F C45
75 YON(IP)=Y1-(YON(IP)-Y1) F C46
60 TO 85 F C47
80 XON(IP)=XC-(XON(IP)-XC) F C48
85 DYDXO(IP)=-DYDXO(IP) F C49
90 CONTINUE F C50
IF (KID.EQ.5) GO TO 95 F C51
IF (KID.EQ.6) GO TO 100 F C52
RETURN F C53
95 KID=2 F C54
95 TO 60 F C55
100 KID=4 F C56
100 TO 60 F C57
END F C58

```

```

      SUBROUTINE ELLIPSE (K)                               G C000
C   'THIS SUBROUTINE FITS A SEGMENT OF AN ELLIPSE TO TWO ARBITRARILY G C010
C   ORIENTED STRAIGHT LINES NOT MORE THAN 90 DEGREES APART G C020
C
C   COMMON /MATR/ XIN(10),YIN(10),DELSMX,PIO2;DELS1,IHUB       G C030
C   COMMON /FOR3SS/10,DELS,XBK(20),YBK(20),XON(500),YON(500),DYDXC(500) G C040
1),ALPHA(500),CAPPA(500),SON(500),PIO18C               G C050
C   COMMON /SS/ NBDY1,NPODY2,TYPBDY,NBDYS                  G C060
C
C   TRANSLATE INPUT BREAK POINTS SO THAT POINT NO. 2 BECOMES G C070
C   THE ORIGIN                                              G C080
C
C   DELSIN=DELS1                                             G C090
C   KOUNT=0                                                 G C100
C   DELS=DELS1                                             G C110
C   PI=3.141592653                                         G C120
C   K=K-1                                                 G C130
C   KSTART=K                                              G C140
C   X2=XIN(2)                                              G C150
C   Y2=YIN(2)                                              G C160
C   DO 10 I=1,4                                           G C170
C   XTN(I)=XIN(I)-X2                                     G C180
C   10 YIN(I)=YIN(I)-Y2                                   G C190
C
C   ROTATE THE TRANSLATED BREAK POINTS SO THAT THE SLOPE OF THE G C200
C   FIRST STRAIGHT LINE IS ZERO                           G C210
C
C   IF (XIN(2).NE.XIN(1)) GO TO 15                         G C220
C   SLOPE=99999.                                            G C230
C   PHI=-PIO2                                              G C240
C   IF (YIN(1).GT.YIN(2)) PHI=PIO2                         G C250
C   GO TO 20                                              G C260
C
C   15 SLOPE=(YIN(2)-YIN(1))/(XIN(2)-XIN(1))             G C270
C   PHI=ATAN(SLOPE)                                         G C280
C   IF (XIN(1).LT.XIN(2)) PHI=PI+ATAN(SLOPE)              G C290
C
C   20 DO 25 I=1,4                                         G C300
C   XA=XIN(I)                                              G C310
C   XIN(I)=XA*COS(PHI)+YIN(I)*SIN(PHI)                   G C320
C   25 YIN(I)=-XA*SIN(PHI)+YIN(I)*COS(PHI)                G C330
C
C   DETERMINE THE ELLIPSE                                 G C340
C
C   IF (XIN(4).NE.XIN(3)) GO TO 30                         G C350
C   B=YIN(3)                                              G C360
C   A=ABS(XIN(3))                                         G C370
C   PHIAB=PIO2                                              G C380
C   GO TO 35                                              G C390
C
C   30 SLOP2=(YIN(4)-YIN(3))/(XIN(4)-XIN(3))             G C400
C   IF (SLOP2.LE.2.0*YIN(3)/XIN(3)) GO TO 135            G C410
C   C3=XIN(3)*SLOP2/YIN(3)                                G C420
C   PHIAB=2.0*ATAN(SQRT((C3-2.0)/C3))                   G C430
C   A=-XIN(3)/SIN(PHIAB)                                  G C440
C   B=YIN(3)/(1.0-COS(PHIAB))                            G C450
C
C   35 THETMX=PHIAB-PIO2                                  G C460
C   THETHXD=THETMX/PIO180                                 G C470
C   WRITE (6,140)A,B,XIN(1),YIN(1),PHI,THETMXD           G C480
C
C   INITIALIZE THE FIRST POINT ON THE ELLIPSE            G C490
C

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

40 K=KSTART
  XON(K+1)=XIN(2)
  YON(K+1)=YIN(2)
  CAPPA(K+1)=-B/(A**2)
  ALPFA(K+1)=0.0
  DYDXO(K+1)=E.0
  KOUNT=KOUNT+1
  THE T=-PI02
  DSAVE=DELS
  DS=DELS/(1.0+.2*TANH(ABS(CAPPA(I))))
  DTHET=DS/ABS(A)
  THE T=THE T+DTHET
C
C   GENERATE THE POINTS ON THE ELLIPSE
C
45 K=K+1
50 XON(K+1)=-A*COS(THET)
  YON(K+1)=B*(1.0+SIN(THET))
  SON(K+1)=SON(K)+SQRT((XON(K+1)-XON(K))**2+(YON(K+1)-YON(K))**2)
  IF (APS(SON(K+1)-SON(K)).GT.1.05*DS) GO TO 55
  IF (APS(SON(K+1)-SON(K)).LT..95*DS) GO TO 65
  GO TO 65
55 THET=THE T-.02*DTHET
  GO TO 50
60 THET=THE T+.02*DTHET
  GO TO 50
65 IF (THET.E0.0) GO TO 70
  DYDXO(K+1)=B*COTAN(THET)/A
  ALPHA(K+1)=ATAN(DYDXO(K+1))
  GO TO 75
70 DYDXO(K+1)=99999.
  ALPHA(K+1)=PI02
75 CAPPA(K+1)=-A*B/(B*B*COS(THET)**2+A*A*SIN(THET)**2)**1.5
  DS=DELS/(1.0+.2*TANH(APS(CAPPA(I))))
  IF (APS(DS-DELS).GT..2*DELS) DS=DELS+SIGN(.2*DELS,DS-DELS)
  DSAVE=DS
80 DTHET=DS/SQRT(B*B*COS(THET)**2+A*A*SIN(THET)**2)
  DTS=DTHET
  THE T=THE T+DTHET/2.0
  DTHET=DS/SQRT(B*B*COS(THET)**2+A*A*SIN(THET)**2)
  IF (APS(DTHET-DTS).LT..001*DTS) GO TO 85
  GO TO 85
85 IF (THE T.LE.THE TMX-DTHET/2.0) GO TO 45
  IF (KOUNT.GT.100) GO TO 115
  DELSS=DELS
  DSTEST=((XON(K+1)-XIN(3))**2+(YON(K+1)-YIN(3))**2)**.5
  IF (APS(DS-DTEST).LT..01*DS) GO TO 90
  IF (DTEST.GT.DS) GO TO 110
  IF (DTEST.LT..01*DS) GO TO 95
  IF (DTEST-.5*DS) 105,90,100
90 K=K+1
95 XON(K+1)=XIN(3)
  YON(K+1)=YIN(3)
  GO TO 115
100 DELS=(FLOAT(K+1-KSTART)*DELS+DTEST)/FLOAT(K+2-KSTART)
  IF (KOUNT.GE.10) DELS=(DELS+DELSS)/2.0
  GO TO 40

```

```

105 DELS=DELS+DTEST/FLOAT(K+2-KSTART)          F 117C
IF (KOUNT.GE.10) DELS=(DELS+DELSS)/2.C        G 118C
GO TO 40                                     G 119C
110 DELS=.8*DELS                                G 120C
GO TO 40                                     G 121C
115 DELS1=DS*1.2                               C 122C
IF (DELS1.GT.DELS) DELS1=DELS                C 123C
WPITE (6,145)KOUNT                           G 124C
WPITE (6,155)DELSIN,DELS,DELS1,DTEST         G 125C
KFND=K+1                                      C 126C
KSTART=KSTART+1                             G 127C
C
C      ROTATE AND TRANSLATE BACK               G 128C
C
DC 131 KROT=KSTART,KEND                      G 129C
XA=X0H(KROT)                                 G 130C
XCN(KROT)=XA*COS(PHI)-YON(KPOT)*SIN(PHI)+X2  G 131C
YCN(KPOT)=XA*SIN(PHI)+YON(KPOT)*COS(PHI)+Y2  G 132C
ALPHA(KROT)=ALPHA(KROT)+PHI                  C 133C
IF (ALPHA(KROT).EQ.PI02) GO TO 125          C 134C
DYDX0(KROT)=TAN(ALPHA(KROT))                 G 135C
GO TO 125                                      G 136C
122 DYDX0(KPOT)=99999.                         G 137C
125 ALPHA(KROT)=ALPHA(KROT)/PI018C           C 138C
130 CONTINUE                                    C 139C
RETURN                                         G 140C
135 WPITE (6,150)SLOP2,YIN(3),YIN(3)        G 141C
STOP                                           G 142C
C
C
140 FORMAT (1H0,10X,4HA  =,1PE10.3,5X,4HB  = ,1PE10.3,5X,5HX0  = ,1PE10.6
13,5X,7HY_  = ,1PE10.3/0X,7HPHI  = ,1PE10.3,5X,9HTHETPX = ,1PE10.3G
2)                                              G 143C
145 FORMAT (11X,I3,2X,13HITERATIONS---)       C 144C
150 FORMAT (1H0,10X,42HCOMBINATION OF SLOPE, X , Y NOT COMPATIRLE/5X,9G
1HSLOPE2 = ,F7.3,3X,9HXIN(3) = ,F7.3,3X,9HYIN(3) = ,F7.3)   G 145C
155 FORMAT (11X,10HDELS IN = ,F8.5,3X,7HDELS = ,F8.5,3X,11HDELS OUT =
1,F8.5,3X,9HDTEST = ,F8.5)                   C 146C
END                                            G 147C
                                         C 148C
                                         G 149C
                                         C 150C
                                         G 151C
                                         C 152C
                                         G 153C
                                         C 154C
                                         G 155C

```

```

SUBROUTINE SUPERC (XBRK,YBRK,ENRFED,DELS1,ISTART)
DIMENSION ENREED(2)
DIMENSION XBRK(6), YBRK(6), XBK1(13), YBK1(13)
REAL LOGXOA,LOGYOB
COMMON /SUPF/ IFLD
COMMON /FOR3SS/ IO,DELS,XBK(2),YBK(2),XON(500),YON(500),DYDX0(500)
11,ALPHA(500),CAPPA(500),SON(500),PIO18C
COMMON/SUPN/ XOA(2),YOB(2),LOGXOA(2),LOGYOB(2)
COMMON /NHIGH/ NSPHG,NLAST,XLAST(500),YLAST(500)
COMMON/SENSE/ X8(2),Y8(2),A,B,INFLEC
COMMON /SPREP/ KPPEP
COMMON/PAC/ PACE,DELSHL
COMMON/TRYFIT/KOJNT
IPI=C
PI=3.14159265
IF (IFLD.E0.1) DELSHL=DELS1
DELS1=DELS1
DELS2=DELS1
KOUNT=C
10 I1=ISTART
IF (IFLD.GE.1) DS=DELS2
KCUNT=KOUNT+1
I=ISTART
X4T=XBRK(4)
Y4T=YBRK(4)
C||||| FOR SUBSEQUENT ITERATIONS, SKIP 1E INITIAL INITIATION.
IF (ELL.GE.5.OR.LL.LT.-5).AND.KOUNT.NE.1) GO TO 50
LL=C
C||||| FLAG FOR ENDPT. CURVATURE MATCH IS YBRK(6)=200.
H C000
H C010
H C020
H C030
H C040
H C050
H C060
H C070
H C080
H C090
H C100
H C110
H C120
H C130
H C140
H C150
H C160
H C170
H C180
H C190
H C200
H C210
H C220
H C230
H C240
H C250
H C260
H C270
H C280

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

      IF (YPRK(6)=200.) 40,15,40          H   C290
15  CAP=ABS(XBRK(6))                  H   C300
    LL=-8                                H   C310
    IF (XPRK(6).NE.999.) GO TO 50        H   C320
    IF (XPRK(3).NE.XBRK(2)).GO TO 2C      H   C330
C((((( IF THE PT. WHERE CURVATURES MUST MATCH HAS INFIN. SLOPE,
C((((( OBTAIN CURVATURE FROM PREVIOUS SEGMENT'S EXPONENTS.      H   C340
    IF (XPRK(2).NE.XBRK(1)) GO TO 25      H   C350
    LL=-8                                H   C360
    CAP=2.*A/X8(1)/B/B                  H   C370
    GO TO 50                                H   C380
20  IF (XPRK(5).NE.XBRK(4)) GO TO 25      H   C390
    LL=-8                                H   C400
    CAP=2.*A/X8(1)/B/B                  H   C410
    GO TO 50                                H   C420
25  IF (XPRK(6).EQ.999.) XBRK(6)= CAPP(ISTART)      H   C430
    IF (XPRK(6).EQ.0..OR.ABS(XBRK(6)).GE.99999.) GO TO 30      H   C440
    CAP=ABS(XBRK(6))                  H   C450
    GO TO 50                                H   C460
30  WRITE (6,35)                          H   C470
35  FORMAT(1HD,3X,99HPEQUEST FOR SPECIFIC CURVATURE MUST BE MODIFIED H   C480
    1R WITHDRAWN. DESIRED CURVATURE CAN'T=C. OR INFINITY)      H   C490
    STOP                                 H   C500
C(((((( POINT-PLUS-SLOPE FLAG IS YBRK(6)= -100.      H   C510
40  IF (YPRK(6)+100.) 50,45,50          H   C520
45  LL= 5                                H   C530
C(((((( ADDITIONAL FLAG FOR INFLECTION-POINT-PLUS-SLOPE IS YBRK(3)= 100H      H   C540
    IF (YBRK(3).EQ.100.) LL=6            H   C550
C((((((FOR INITIAL GUESS OF UNKNOWN Y AT INFLECTION POINT,USE ENDPT. AVG.H      H   C560
    IF (LL.EQ.6) YBRK(3)= YBRK(2)+(XBRK(2)-XBRK(3))/(XERK(2)-XBRK(4))*EH      H   C570
    IYERK(4)-YBRK(2))                  H   C580
C(((((( CREATE A DUMMY POINT TO SIMULATE THE GIVEN SLOPE THROUGH      H   C590
C (XBRK(3),YERK(3))                  H   C600
    YFRK(4)= XBRK(6)*(XBRK(3)+5.)-XBRK(3)) +YBRK(3)      H   C610
    XERK(6)= XBRK(3)+5.                  H   C620
50  DO 55 J=1,6                          H   C630
    XFK1(J+7)=XPRK(J)                  H   C640
    YBK1(J+7)=YBRK(J)                  H   C650
55  CONTINUE                            H   C660
    IF (XFK1(9).NE.XBK1(8)) GO TO 65      H   C670
    IF (YBK1(8).LT.YBK1(9)) GO TO 60      H   C680
    SLOP=-9999.                          H   C690
    SINATD=1.0                            H   C700
    SLOPE=99999.                          H   C710
    ATDYDD=90.                            H   C720
    COSATD=C+D                          H   C730
    GO TO 80                                H   C740
60  SLOPE=-99999.                      H   C750
    SINATD=-1.0                           H   C760
    SLOPE=-99999.                          H   C770
    ATDYDD=-90.                           H   C780
    COSATD=C-D                           H   C790
    GO TO 80                                H   C800
65  SLOPE=(YBK1(9)-YBK1(8))/(XBK1(9)-XBK1(8))      H   C810
    SLOPE=ATAN(SLOP)                    H   C820
    ATDYDP=SLOPE/PI01PD                  H   C830
    IF (XPK1(8)-XBK1(9)) 70,75,75      H   C840
                                         H   C850

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

70 SLOPE=PI+SLOPE          H C660
    ATDYDD=-ATEYDD          H C670
    IPI=1                   H C880
75 SINATD=SIN(SLOPE)       H C890
    COSATD=COS(SLOPE)       H C900
80 CONTINUE                 H C910
    INFLEC = APS(INT(SINATD)) H C920
    XPK(8)=XBK1(8)          H C930
    YBK(8)=YBK1(8)          H C940
    DO 85 J=9,13             H C950
    XP=XBK1(J)-XBK1(8)      H C960
    YP=YBK1(J)-YBK1(8)      H C970
    XPK(J)=XBK1(8)+XP*COSATD+YP*SINATD H C980
    YBK(J)=YBK1(8)-XP*SINATD+YP*COSATD H C990
85 CONTINUE                 H 1000
    Q=1.                     H 1010
    P=1.                     P 1020
    XPK(5)=XPK(8)           H 1030
    YPK(5)=YBK(8)           H 1040
    XEK(6)=XBK1(9)          H 1050
    YPK(6)=YPK(9)           H 1060
    XPK(9)=XPK(10)          H 1070
    YBK(9)=YBK(10)          P 1080
    DELS=DELS                H 1090
    DSSAVE=DELS              H 1100
    XTM=XPK1(9)              H 1120
    YTM=YBK1(9)              H 1130
                                H 1140
    RE=YRK(11)-YRK(6)        H 1150
    TOMECA=(XEK(12)-XBK(11))/(YRK(12)-YRK(11)) H 1160
    IF (.APS(TOMECA).LF..0001) TOMECA=0.          H 1170
    OMEGA=ATAN(TOMECA)       H 1180
    XC=XPK(6)+B*TOMECA      H 1190
    YC=YRK(11)                H 1200
    A=XC-XBK(11)              H 1210
    XI9=XC-XBK(9)            H 1220
    ETA9=YC-YBK(9)           H 1230
    YB(1)=ETA9               H 1240
    X8(1)=XI9-ETA9*TOMECA   H 1250
    X8(2)=XC-XBK(13)-TOMECA*(Y3-YRK(13)) H 1260
    Y8(2)=YC-YBK(13)         H 1270
    BOA=B/A                  H 1280
    IF (LL.GE.5) GO TO 90     H 1290
    IF (LL.LF.-5) GO TO 105   H 1300
    LL=1                     H 1310
    IF(ENREED(1).GT.0.) P=ENREED(1)   H 1320
    IF(ENREED(2).GT.0.) Q=ENREED(2)   H 1330
    IF(P.EQ.1.) LL=1          H 1340
    IF(Q.EQ.1.) LL=LL+2       H 1350
    IF(LL.EQ.0) GO TO 115    H 1360
90 XOA(1)=X8(1)/A          H 1370
    YOB(1)=Y8(1)/B           H 1380
    LOGXOA(1)= ALOG(XOA(1)) H 1390
    LOGYOB(1)= ALOG(YOB(1)) H 1400
    IF (XPK(6).EQ.0..AND.LL.EQ.3) GO TO 95   H 1410
    IF (LL.NE.3) GO TO 100    H 1420

```

```

XOA(2)=XB(2)/A          H 143C
YOB(2)=YB(2)/B          H 144C
LOGXOA(2)=ALOG(XOA(2)) H 145C
LOGYOB(2)=ALOG(YOB(2)) H 146C
GO TO 105                H 147C
95 LL=4                  H 148C
100 CALL FON150(P,Q,LL) H 149C
GO TO 115                H 150C
C((((( FOR CUPVATURE MATCH, NO ITERATION REQD. BUT ONE EXPONENT MUST=2H 151C
105 IF (XBRK(3).EQ.XPRK(2))P=2. H 152C
IF (XBRK(3).EQ.XPRK(4))Q=2. H 153C
C((((( OBTAIN OTHER EXPONENT FROM ENDPOINT CURVATURE RELATION H 154C
110 IF (P .EQ. 2.) Q=-2.*B/CAP/A/A H 155C
IF (Q .EQ. 2.) .AND. P .NE. 2.) P=-2.*A/CAP/B/B H 156C
115 IF (KOUNT.NF.1) GO TO 120 H 157C
WPITE (6,475)P,A,XO,Q,B,YO,OMEGA H 158C
120 J=I                  H 159C
ILO=I                  H 160C
XON(I)=XON(I1)          H 161C
CION=1./P              H 162C
PT=B*TOMEGA            H 163C
DX1=DELS*COSATD        H 164C
XP=XT-XRK1(8)          H 165C
YP=YTM-YRK1(8)          H 166C
XJ1ROT=XRK1(8)+XP*COSATD+YP*SINATD H 167C
XJ=XC-XJ1ROT           H 168C
Y=YC-YRK1(8)           H 169C
X=XI-Y*TOMEGA          H 170C
IF (X.LT.0.) X=0.0      H 171C
DSM=SON(I)-SON(I-1)    H 172C
125 XOATON=(X/A)**P     H 173C
YOBTON=(Y/B)**Q         H 174C
C((((( AVOID (.LE. 0.)*(.LE. 0.)) H 175C
IF (P.GE.1.) GO TO 135  H 176C
IF (X.NE.0.) GO TO 130  H 177C
XNHOAN=99999.           H 178C
GO TO 140                H 179C
130 XNHOAN=(1./Y)**(1.-P)/A**P H 180C
GO TO 140                H 181C
135 XNHOAN=X**(P-1.)/A**P H 182C
140 IF (Q.GE.1.) GO TO 150  H 183C
IF (Y.NE.0.) GO TO 145  H 184C
YNHOBN=9999.             H 185C
GO TO 155                H 186C
145 YNHOBN=(1./Y)**(1.-Q)/B**Q H 187C
GO TO 155                H 188C
150 YNHOBN=Y**(Q-1.)/B**Q H 189C
155 FOFY=XOATON+YOBTON-1. H 190C
IF (ABS(FOFY).LE.1.0E-5) GO TO 160 H 191C
FOFY=Y=Q*YNHOBN-TOMEGA+P*XNHOAN H 192C
YNEW=Y-FOFY/FOFY          H 193C
GO TO 165                H 194C
160 YNEW=Y               H 195C
165 IF (ABS(Y-YNEW)/YNEW-.1E-4) 175,175,170 H 196C
170 Y=YNEW                H 197C
X=XI-Y*TOMEGA           H 198C
GO TO 125                H 199C

```

```

175 Y=YNEW
    X=XI-Y*TOMEGA
180 ETA=Y
    DFLS=DELS2
    IPN=I
    IF (X.LT.0.0) X=0.0
C((((( AVOID (.LE. 0.)**(.LE. 0.)
    IF (P.GE.1.) GO TO 190
    IF (X.NE.0.) GO TO 185
    X0ANM1= 99999.
    GO TO 195
195 X0ANM1=(X/X)**(1.-P)
    GO TO 195
190 X0ANM1=(X/A)**(P-1.)
195 IF (0.GE.1.) GO TO 205
    IF (Y.NE.0.) GO TO 200
    Y0BNM1= 99999.
    GO TO 210
200 Y0BNM1= (Y/Y)**(1.-0)
    GO TO 210
205 Y0BNM1=(Y/B)**(0-I.)
210 F1=(X0ANM1/A)*P
    F2=(Y0BNM1/B)*Q
    F7=TOMEGA*FI
    IF (X.EQ.0.0) GO TO 225
    IF (P.GE.2.) GO TO 215
    F10X=P*(1./X)**(2.-P)/A**P
    GO TO 220
215 F10X=P*X**(P-2.)/A**P
220 GO TO 230
225 IF (P.GE.2.) F10X=2.0/(A*A)
    IF (P.GT.2.) F10X=0.0
230 IF (Y.EQ.0.0) GO TO 240
    IF (0.GE.2.) GO TO 235
    F20Y=0*(1./Y)**(2.-0)/B**0
    GO TO 245
235 F20Y=0*Y**(0-2.)/B**0
    GO TO 245
240 IF (0.GE.2.) F20Y=2.0/(B*B)
    IF (0.GT.2.) F20Y=C.
245 DEN=F2-F3
    IF (DEN.NE.0.0) GO TO 250
    DETDXI=99999.
    GO TO 255
250 DETDXI=-F1/DEN
255 DYDXO(IPN)=DETDXI
    C1MEPT=1.-DETDXI*TOMEGA
    IF (IPN.EQ.1START.AND.LL.LE.-6) GO TO 260
C((((( ELIMINATE CASES OF UNDEFINED CURVATURE
    IF (X.EQ.0..AND.P.LT.2.) GO TO 265
    IF (Y.EQ.0..AND.Q.LT.2.) GO TO 265
    G1=(P-1.)*F10X*C1MEPT
    SAND1=GEN*C1
    SAND2=F1*((0 -1.)*F20Y*DETDXI-G1*TOMEGA)
    IF (ABS(DETDXI).GT.1.E 11) DETDXI=1.E 11
    BKT=(1.+DETDXI**2)**1.5
    CAPPA(IPN)=(SAND2-SAND1)/DEN**2/BKT

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

IF(P.FQ.2..AND.X.EQ.0.)CAPPAC(IPN)=-2.*P/Q/A/A H 257C
IF(Q.FQ.2..AND.ABS(Y).LT.1.E-4)CAPPAC(IPN)=-2.*A/P/P/B H 258C
GO TO 27C H 259C
260 IF(P.EQ.2.)CAPPAC(IPN)=-2.*B/Q/A/A H 260C
IF(Q.EQ.2.)CAPPAC(IPN)=-2.*A/P/B/B H 261C
GO TO 27C H 262C
265 CAPPAC(IPN)=99999. H 263C
270 ALPHA(IPN)=ATAN(DYDXO(IPN))/PIQ18F H 264C
XON(IPN)=XO-XI H 265C
YON(IPN)=YC-ETA H 266C
DY1=DELS*SINATO H 267C
IF(IFLD.GE.1) GO TO 275 H 268C
DS=DELS/(1.C+2D*TANH(APS(CAPPAC(I)))) H 269C
GO TO 285 H 270C
275 IF(IFLD.GT.1.AND.(IPN-ISTART).GT.3) GO TO 28C H 271C
DS=DS-PACE*DS H 272C
GO TO 29C H 273C
28C DS=DS+1.5*PACE*DS H 274C
IF(DS.GT.DELSHL) DS=DELSHL H 275C
GO TO 29C H 276C
285 IF(ABS(DS-DELS).GT..2G*DELS) DS=DELS+SIGN(.2G*DELS,DS-DELS) H 277C
29C IF(DS.LT..C2*DELS2) DS=.02*DELS2 H 278C
IF(IFLD.GT.0.AND.(I-ISTART).GT.200) GO TO 41C H 279C
IF(NSPHG.EQ.0) GO TO 295 H 280C
DX1=APS(XLAST(NLAST)-XLAST(NLAST-1)) H 281C
DX11=DX1 H 282C
DY1=APS(YLAST(NLAST)-YLAST(NLAST-1)) H 283C
NLAST=NLAST-1 H 284C
295 IF(ABS(DETDXI)-1.) 32C,32G,320 H 285C
300 DY1=DS/SQRT(1.+1./DETDXI**2) H 286C
IF(NSPHG.NE.0) DY1=DX1 H 287C
305 YTM=YON(I)+DY1 H 288C
IF(YTM-YBK(11)) 31D,39G,390 H 289C
310 ETA=Y~-YTM H 290C
Y=ETA H 291C
C STRAIGHT SECTION BETWEEN POINTS 11 AND 12 MUST HAVE SLOPE ABOVE 1 H 292C
C H 293C
C X MAY NOT BE TESTED AGAINST XBK(11) H 294C
C H 295C
C H 296C
X=A*(1.-EY/E)**Q)**C10N H 297C
XI=X+Y*TOMEGA H 298C
XTM=XI-XI H 299C
DX1=XTM-XON(1) H 300C
DELTAS=SQRT(DY1**2+DX1**2) H 301C
IF(DELTAS.GT.1.02*DS.AND.IPN.NE.1.AND.NSPHG.FQ.0) GO TO 315 H 302C
GO TO 39C H 303C
315 DY1=DS*DY1/DELTAS H 304C
GO TO 30E H 305C
32C DX1=DS/SQRT(1.+DETDXI**2) H 306C
IF(NSPHG.NF.0) DX1=DY1 H 307C
IF(NSPHG.NE.0.AND.IPI.FQ.1) DX1=DX11 H 308C
325 XTM=XON(I)+SIGN(DX1,DETDXI) H 309C
IF(DETDXI.EQ.0.) XTM=XON(I)-DX1 H 310C
XI=XG-XTP H 311C
Y=YC-YON(I) H 312C
H 313C

```

330 X=XI-Y\*TOMEGA  
 IF (X.LT.0.0) X=0.0  
 X0ATON=(X/A)\*\*P  
 Y0BT0N=(Y/B)\*\*Q  
 C((((( Avcid (.LE. 0.)\*(.LE. 2.)  
 IF (P.GE.1.0) GO TO 340  
 IF (X.NE.0.) GO TO 335.  
 XNHOAN=99999.  
 GO TO 345  
 335 XNHOAN=(1./X)\*\*(1.-P)/A\*\*P  
 GO TO 345  
 340 XNPOAN=X\*\*(P-1.)/A\*\*P  
 345 IF (0.GE.1.0) GO TO 355  
 IF (Y.NE.0.) GO TO 350  
 YNHCEN=9999.  
 GO TO 360  
 350 YNMOGN=(1./Y)\*\*(1.-0)/B\*\*Q  
 GO TO 360  
 355 YNMOBN=Y\*\*(0-1.)/B\*\*Q  
 360 FOFY=X0ATON+Y0BT0N-1.  
 IF (APS(FOFY).LE.1.0E-5) GO TO 365  
 FPOFY=0\*YNMOBN-TOMEGA\*P\*XNHOAN  
 YNEW=Y-FOFY/FPOFY  
 GO TO 370  
 365 YNEW=Y  
 370 TF (ABS(Y-YNEW)/YNEW-.1E-4) 380,380,375  
 375 Y=YNEW  
 GO TO 330  
 380 Y=YNEW  
 X=XI-Y\*TOMEGA  
 YTM=YC-Y  
 XI=X+Y\*TOMEGA  
 C DY1=YTM-YON(I-1)  
 DY1=YTM-YON(I)  
 DELTAS=SORT(DY1\*\*2+DX1\*\*2)  
 IF (DELTAS.ET.1.02\*DS.AND.IPN.NE.1.AND.NSPHG.EQ.2) GO TO 385  
 GO TO 390  
 385 DX1=DS\*DX1/DELTAS  
 GO TO 325  
 390 SON(I)=SON(I-1)+DSH  
 DSH=DS  
 IF (NSPHG.NF.0) DS=DX1  
 IF (APS(YTM-YBK(11)).LT..001\*DS) GO TO 400  
 I=I+1  
 IF (YTM-YBK(11)) 180,395,395  
 395 IH1=I-1  
 GO TO 405  
 400 IH1=I  
 I=I+1  
 405 XTM=XBK(11)  
 IH1=IH1  
 410 IF ((IFLD.LE.0.OR.(I-ISTART).LT.200) GO TO 415  
 IF(IFLD.EQ.1) PACE=PACE-.25\*PACE  
 IF(IFLD.EQ.2) PACE=PACE+.25\*PACE  
 I=IL0-1  
 GO TO 10  
 415 DO 455 J=IL0,IHI

ORIGINAL PAGE IS  
OF POOR QUALITY

H 3140  
 H 3150  
 H 3160  
 H 3170  
 H 3180  
 H 3190  
 H 3200  
 H 3210  
 H 3220  
 H 3230  
 H 3240  
 H 3250  
 H 3260  
 H 3270  
 H 3280  
 H 3290  
 H 3300  
 H 3310  
 H 3320  
 H 3330  
 H 3340  
 H 3350  
 H 3360  
 H 3370  
 H 3380  
 H 3390  
 H 3400  
 H 3410  
 H 3420  
 H 3430  
 H 3440  
 H 3450  
 H 3460  
 H 3470  
 H 3480  
 H 3490  
 H 3500  
 H 3510  
 H 3520  
 H 3530  
 H 3540  
 H 3550  
 H 3560  
 H 3570  
 H 3580  
 H 3590  
 H 3600  
 H 3610  
 H 3620  
 H 3630  
 H 3640  
 H 3650  
 H 3660  
 H 3670  
 H 3680  
 H 3690  
 H 3700

```

XF=XON(J)-XBK1(8)
YP=YON(J)-YBK1(8)
XCN(J)=XBK1(8)+XP*COSATD-YP*SINATD
YON(J)=YBK1(8)+XP*SINATD+YP*COSATD
DEL22=DELS2
IF (J.NE.IHI) GO TO 445
DTEST=((XON(IHI)-X4T)**2+(YON(IHI)-Y4T)**2)**.5
IF (KOUNT.GT.15C) GO TO 445
IF (APS(DS-DTEST).LT..1*DS) GO TO 42C
IF (DTEST.LT..01*DS) GO TO 425
IF (IHI.EQ.ILO) GO TO 446
IF (APS(DELS2-DSTEST).LT..001*DS) GO TO 435
IF (DTEST.LT..5*DS) GO TO 435
IF (DTEST.GT..5*DS) GO TO 43C
C88.0(( VIA BUTTON 1/5/74
42C IHI=IHI+1
I=3+1
IONE=IHI-1
SON(IHI)=SON(IONE)+DTEST
425 IHI=IHI+1
IONE=IHI-1
XON(IONE)=X4T
YON(IONE)=Y4T
GO TO 445
43C IF (IFLD.GT.1) GO TO 435
DELS2=(IFLOAT(IHI-ILO)*DELS2+DTEST)/FLOAT(IHI+1-ILO)
IF (KOUNT.GE.10) DELS2=(DELS2+DEL22)/2.0
I=ILO-1
GO TO 1C
435 DELS2=DELS2+DTEST/FLOAT(IHI-ILO)
IF (KOUNT.GE.10) DELS2=(DELS2+DEL22)/2.0
IF (IFLD.GT.1.AND.(DS/DEL22).GT.2.)
1PACE=PACE*(1.+DTEST/DEL22)/(FLOAT(IHI-ILO)*(1.+1.5*PACE)**FLOAT(IHI
2I-ILO-1)-(1.+1.5*PACE)**FLOAT(IHI-ILO-1.)/1.5/PACE))
IF (IFLD.GT.1.AND.(DS/DEL22).GT.2.)DELS2=DEL22
I=ILO-1
GO TO 1C
443 DELS2=.8*DELS2
I=ILO-1
GO TO 1C
445 ALPHA(J)=ALPHA(J)-ATDYDD
IF (ABS(ABSEALPHA(J))-90.).LE.+1.0E-4) GO TO 45C
DYDX0(J)=TAN(ALPHA(J)*PI018C)
GO TO 455
450 DYDX0(J)=SIGN(999.,ALPHA(J))
455 CONTINUE
IHI=IONE
IF (KOUNT.GT.150) WRITE (6,480)(XPRK(IU8),YPRK(IU8),IU8=1,5)
DELS1=DS
IF (IFLD.E0.0) DELS1=1.1*DS
IF (DELS1.GT.DELS2.AND.IFLD.LE.1)DELS1=DELS2
DC 465 J=ILO,IHI
IF (J.EQ.1) GO TO 46C
SON(J)=SON(J-1)+SORT((XON(J)-XON(J-1))**2+(YON(J)-YON(J-1))**2)
GO TO 465
46C SON(J)=0.0
465 CONTINUE

```

```

      WRITE (6,485)KOUNT          H 428
      WRITE (6,490)DELSIN,DELS2,DELS1,DTEST          H 429I
      IF (IFLD.GT.0) WRITE (6,470)PACE          H 430I
470 FORMAT(1H+,87X,*FINAL PACE= *,F8.5)          H 431I
      IC=J          H 432I
      X8(1)=P          H 433I
      X8(2)=0          H 434I
      XDIF=XBRK(4)-XBRK(5)          H 435C
      IF(ABS(XDIF).LT.1.E-15)XDIF=SIGN(1.E-15,XDIF)          H 436C
      DYDX0(IC-1)=(YBRK(4)-YBRK(5))/XDIF          H 437C
      IF(ABS(DYDX0(IC-1)).GT.99999.)DYDX0(IC-1)=SIGN(99999.,DYDX0(IC-1))H 438C
      ALPHA(IC-1)=ATAN(DYDX0(IC-1))/PI018C          H 439C
      IF(CAPPA(IC-1).EQ.0..AND.P.EQ.2..AND.0.EQ.2.)CAPPA(IC-1)=-2.*A/P/SH 440C
      1/P          H 441C
      RETURN          H 442C
C          H 443C
C          H 444C
475 FFORMAT(1X/4X,4HP = ,E16.8,4X,4HA = ,E16.8,7X,5HXC = ,E16.8/4X,4HD H 445C
      1= ,E16.8,4X,4HB = ,E16.8,7X,5HYO = ,E16.8,3X,8HOMEGA = ,E16.8/1X) H 446C
480 FORMAT (1HD,6CHTHIS SET OF DATA EXCEEDED 150 ITERATIONS CALCULATIONH 447C
      IS STOPPED/5X,4HXBRK,5X,4HYERK/5X,1P10E10.3)          H 448C
485 FORMAT (1X,5X,I3,2X,13HITERATIONS---)          H 449C
490 FORMAT (6X,10HDELS IN = ,F8.5,3X,7HDELS = ,F8.5,3X,11HDELS OUT = ,H 450C
      1FF.5,3X,9HDTEST = ,F8.5)          H 451C
      END          H 452C

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

SUBROUTINE FONISQ(P,Q,LL)                                I C00F
C
C   FOR THE BI-SUPERELLIIPSE; F(P,Q) = (X/A)**P + (Y/B)**Q - 1 = 0.  I C010
C
C   IF LL =      AND GIVEN      FIND          I C020
C   1           Q,X1,Y1       P          I C030
C   2           P,X1,Y1       Q          I C040
C   3           X1,Y1,X2,Y2     P AND Q  I C050
C   4           X1,Y1           P ≈ Q ≈ N  I C060
C   5           X1,Y1,SLOPE AT(X1,Y1) P AND Q  I C070
C   6           (X1, I=INFLECTION PT, P,Q,AND Y1  I C080
C
C           PLUS SLOPE AT (X1, )  I C090
C
C   REAL LOGXOA,LOGYOB                                I C100
C   DIMENSION OX(2),OY(2)                                I C110
C   COMMON/TRYFIT/KOUNT                                I C120
C   COMMON /MAIN/ XIN(10),YIN(10),DELSMX,PI02,DELS1,IHUB  I C130
C   COMMON/SUPRN/ XOA(2),YOB(2),LOGXOA(2),LOGYOB(2)    I C140
C   COMMON/SENSE/ X(2),Y(2),A,B,INFLÉC                 I C150
C   DATA TOL/.1E-6/                                     I C160
C
C   YI=Y(1)                                              I C170
C   XT=X(1)                                              I C180
C   OX(1)= XIN(3)                                         I C190
C   OX(2)=XIN(6)                                         I C200
C   OY(1)= YIN(3)                                         I C210
C   OY(2)=YIN(6)                                         I C220
C
C   DO 20 I=1,2
C   IF (KOUNT.GT.1) GO TO 20
C   IF (I.EQ.2.AND.LL.NE.3) GO TO 20
C   OA= XOA(I)
C   OB= YOB(I)
C   IF ((OB+OA).LE.1.0) GO TO 13
C   IF ((OB.GE.1.0.OR.OA.GE.1.0) GO TO 15
C   GO TO 20
C 10 WRITE (6,9990X(I),OY(I))
C   GO TO 20
C 15 WRITE (6,8590X(I),OY(I))
C   STOP
C 20 CONTINUE
C   IF (LL.NE.6) GO TO 25
C   P=1.5
C   Q=.5
C 25 IF (LL.NE.6) GO TO 30
C   YOB(1)= Y(1)/P
C   LOGYOB(1)= ALOG(YOB(1))
C   XOA(1)=X(1)/A
C   LOGXOA(1)= ALOG(XOA(1))
C 30 XCATP1= XOA(1)**P
C   YOBTO1= YOB(1)**Q
C   DFDPA1= XOA(1)*LOGXOA(1)
C   F1= XOA(1) + YOBTO1 - 1.
C   DFDQA1 = YOBTO1*LOGYOB(1)
C   GO TO (55,60,35,65,70,70),LL
C 75 XOA(2)= XOA(2)**P
C   YOB(2)= YOB(2)**Q
C   DFDQA2 = YOB(2)*LOGYOB(2)
C   F2 = XOA(2) + YOB(2) - 1.
C   DFDPA2= XOA(2)*LOGXOA(2)
C 40 QN = (F1*DFDPA2*(DFDQA2*DFDPA1)-F2*DFDQA1)/(F1 - DFDPA2*DFDQA1/(DFP
C   1DPA1*DFDQA2)) + Q
C   PN =((Q-QN)*DFDQA1 -F1)/DFDPA1 * P
C 45 TESTP=ABS(PN-P)/P -TOL
C   TESTQ=ABS(QN-Q)/Q -TOL
C   Q=QN

```

```

P=PN
IF (TESTP.GT.0..OR.TEST0.GT.0.) GO TO 25
50 RETURN
55 PX= -F1/DFDPA1 + P
TESTP=ABS(PN-P)/P -TOL
P=PN
IF (TESTP) 50,25,25
60 QN= -F1/DFDQA1 +Q
TEST0=ABS(QN-Q)/Q -TOL
Q=QN
IF (TESTQ) 50,25,25
65 DFDQA1= Y0BTQ1*LOGY0B(1)
PN= -F1/(DFDPA1+DFDQA1) +P
TESTP= ABS(PN-P)/P -TOL
P=PN
Q=P
IF (TESTP) 50,25,25
70 DYDX= (Y(2)-Y1 ) / (X(2)-X1 )
F2=DYDX+ P*X0ATP1*Y(1)/Q/Y0BTQ1/X(1)
EOCALD= - P*X0ATP1*Y(1)/Q/Y0BTQ1/X(1)
DFDQA2= - (ALOG(B)-1./Q-ALOG(Y(1)))*EOCALD
DFDPA2= - (1./P-ALOG(A)+ ALOG(X(1)))*EOCALD
IF (LL.E0.6) GO TO 75
GO TO 40
75 EOCALD= - P*X0ATP1*Y(1)/Q/Y0BTQ1/X(1)
G=F2
DFDP= DFDPA2
DFDQ= DFDQA2
H = EOCALD*((P-1.)/X(1)+((1.-Q)/Y(1))*EOCALD)
DHDQ = EOCALD*((P-1.)/X(1)+((1.-Q)/Y(1))*EOCALD)*(1./P-ALOG(A)+ALI
1LOG(X(1)))*EOCALD*(1./X(1) +((1.-Q)/Y(1))*EOCALD*(1./P-ALOG(A)+ALGI
2(X(1))) )
DHDO = EOCALD*((P-1.)/X(1)+((1.-Q)/Y(1))*EOCALD)*(-1./Q+ALOG(P)-AI
1LOG(Y(1)))+EOCALD*(-EOCALD/Y(1)+((1.-Q)/Y(1))*EOCALD*(-1./Q+ALOG(B)
2ALOG(Y(1))) )
DFDY= Q/Y(1)*Y0BTQ1
IF (INFLEC.E0.1) DFDY=P/X(1)*X0ATP1
DCDY= EOCALD*(Q-1.)/Y(1)
IF (INFLEC.E0.1)
1          DGDY= EOCALD*(1.-P)/X(1)
EOCAL2=2.*EOCALD
DHDY= EOCALD*((P-1.)/X(1)+((1.-Q)/Y(1))*EOCAL2)*(1.-Q)/Y(1)+EOCAL1
1D*(Q-1.)/Y(1)/Y(1)
IF (INFLEC.E0.1)
1          DHDY= EOCALD/X(1)*(P-1.)*(P-2.)/X(1)+2.*EOCALD*(1.-Q)/Y
1(I)
WRONSK=DFDPA1*(DGDQ*DHDY-DGDY*DHDQ)-DFDQA1*(FDGP*DHDY-DGDY*DHDQ)+ I
1DFDY*(DGDP*DHDQ-DGDQ*DHDQ)
QN=Q+FI*(DGDP*DHDY-DGDY*DHDQ)-G+(DFDPA1*DHDY-DFDY*DHDQ)+H*(DFDPA1
1*DGDY-DFDY*DGDQ))/WRONSK
PN=P+(-F1*(DGDP*DHDY-DGDY*DHDQ)+G+(DFDQA1*DHDY-DFDY*DHDQ)-H*(DFDQA1
11*DGDY-DFDY*DGDQ))/WRONSK
YN=Y(1)+(DHDQ*(P-PN)+DHDQ*(Q-QN)-H)/DHDY
IF (INFLEC.E0.1)
1          YN=X(1)+(DHDQ*(P-PN)+DHDQ*(Q-QN)-H)/DHDY
TESTY=ABS(YN-Y(1))/Y(1) - 1.E-05
IF (INFLEC.E0.1)
1          I 1210
I 1200
I 1190
I 1180
I 1170
I 1160
I 1150
I 1140
I 1130
I 1120
I 1110
I 1100
I 1090
I 1080
I 1070
I 1060
I 1050
I 1040
I 1030
I 1020
I 1010
I 1000
I 990
I 980
I 970
I 960
I 950
I 940
I 930
I 920
I 910
I 900
I 890
I 880
I 870
I 860
I 850
I 840
I 830
I 820
I 810
I 800
I 790
I 780
I 770
I 760
I 750
I 740
I 730
I 720
I 710
I 700
I 690
I 680
I 670
I 660
I 650

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

1      TESTY=APS(YN-X(1))/X(1) - 3.E-05          I 1220
IF(INFLC.NE.1) Y(1)=YN                      I 1230
IF(INFLC.EQ.1)                                I 1240
1X(1)=YN                                      I 1250
IF (TESTY) 45,45,80                          I 1260
20 Q=QN                                       I 1270
P=PN                                         I 1280
60 TO 25                                     I 1290
85 FORMAT(1HD,42H THIS POINT IS OUTSIDE THE MAGIC TRIANGLE,,2E15.4/ I 1300
2                                              52H1 1310
1 THIS CONDITION IS NOT VALID FOR ANY CASE. REVISE          ) I 1320
90 FORMAT(1HD,42H THIS POINT IS BELOW THE MAGIC TRIANGLE,,2E15.4/52I 1330
1H THIS CONDITION IS VALID ONLY FOR THE BISUPERELLIPSE/72H WITH INFI 1340
1LECTION(P OR 0 LESS THAN 1.). SUCH A CURVE HAS BEEN GENERATED ) I 1350
C((((((((((((((((( ))))))))))))))))))))))))))))) I 1360
END                                           I 1370

```

```

SUBROUTINE CUBIC (K) J 000
C J CCC
C FIT A CUBIC BETWEEN 2 STRAIGHT LINES -- RESTRICTION-- THE STRAIGHJ J 0010
C LINES CANNOT BE VERTICAL J CC20
C J 0030
C J 0040
C J 0050
C DIMENSION AA(4,4), BB(4) J 0060
C COMMON /MAIN/ XIN(10),YIN(10),DELSMX,PI02,DELS1,IMUB J 0070
C COMMON /FOR3SS/I0,DELS,XBK(20),YBK(20),XON(500),YON(500),DYDX0(500) J 0080
C 1,ALPHA(500),CAPPA(500),SON(500),PI0180 J 0090
C COMMON /SS/ NBDY1,NBODY2,TYPBDY,NBODYS J 0100
C DELS1=DELS1 J 0110
C DELS=DELS1 J 0120
C KOUNT=0 J 0130
C K=K-1 J 0140
C KSTART=K J 0150
C X2=XIN(2) J 0160
C X3=XIN(3) J 0170
C Y2=YIN(2) J 0180
C Y3=YIN(3) J 0190
C SLOP2=(YIN(4)-Y3)/(XIN(4)-X3) J 0200
C
C SETUP 4 X 4 MATRIX OF COEFFICIENTS J 0210
C
C AA(1,1)=1.0 J 0220
C AA(1,2)=X2 J 0230
C AA(1,3)=X2*X2 J 0240
C AA(1,4)=X2**3 J 0250
C AA(2,1)=0.0 J 0260
C AA(2,2)=1.0 J 0270
C AA(2,3)=2.0*X2 J 0280
C AA(2,4)=3.0*X2**2 J 0290
C AA(3,1)=1.0 J 0300
C AA(3,2)=X3 J 0310
C AA(3,3)=X3**2 J 0320
C AA(3,4)=X3**3 J 0330
C AA(4,1)=0.0 J 0340
C AA(4,2)=1.0 J 0350
C AA(4,3)=2.0*X3 J 0360
C AA(4,4)=3.0*X3**2 J 0370
C DO 10 II=1,4 J 0380
10 CONTINUE J 0390
C
C SETUP VECTOR OF ORIGINAL CONSTANTS -- BB J 0400
C
C BE(1)=Y2 J 0410
C BE(2)=(Y2-YIN(1))/(X2-XIN(1)) J 0420
C BE(3)=Y3 J 0430
C BE(4)=(YIN(4)-Y3)/(XIN(4)-X3) J 0440
C NSIM=4 J 0450
C KSIM=2 J 0460
C CALL SIMO (AA,BB,NSIM,KSIM) J 0470
C D=BB(1) J 0480
C E=BB(2) J 0490
C A=BB(3) J 0500
C C=BB(4) J 0510
C B=BB(1) J 0520
C 15 K=KSTART J 0530
C KOUNT=KOUNT+1 J 0540
C XON(K+1)=XIN(2) J 0550
C J 0560
C J 0570
C J 0580

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

YON(K+1)=YIN(2) J C59G
DYDX0(K+1)=3.0*A*XON(K+1)**2+2.0*B*XON(K+1)+C J C60G
CAPPA(K+1)=(6.0*A*XON(K+1)+2.0*B)/((1.0+DYDX0(K+1)**2)**1.5) J C610
ALPHA(K+1)=ATAN(DYDX0(K+1)) J C620
DS=DELS/(1.0+.2*TANH(ABS(CAPPA(K+1)))) J C630
20 K=K+1 J C640
DXKP1=DS/(SORT(1.0+DYDX0(K))) J C650
IF (XIN(3).LT.XIN(2)) DXKP1=-DXKP1 J C660
XON(K+1)=XON(K)+DXKP1 J C670
YON(K+1)=A*XON(K+1)**3+B*XON(K+1)**2+C*XON(K+1)+D J C68C
DYDX0(K+1)=3.0*A*XON(K+1)**2+2.0*B*XON(K+1)+C J C69C
CAPPA(K+1)=(6.0*A*XON(K+1)+2.0*B)/((1.0+DYDX0(K+1)**2)**1.5) J C700
DS=DELS/(1.0+.2*TANH(ABS(CAPPA(K+1)))) J C710
ALPHA(K+1)=ATAN(DYDX0(K+1)) J C720
SCN(K+1)=SON(K)+SORT((XON(K+1)-XON(K))**2+(YON(K+1)-YON(K))**2) J C73C
IF (SLOP2.GT.1.0) GO TO 25 J C740
IF (XIN(4).GE.X3.AND.XON(K+1).GT.X3) GO TO 30 J C75C
IF (XIN(4).LT.Y3.AND.YON(K+1).LE.Y3) GO TO 30 J C760
GO TO 20 J C770
25 IF (YIN(4).GE.Y3.AND.YON(K+1).GT.Y3) GO TO 30 J C78C
IF (YIN(4).LT.Y3.AND.YON(K+1).LE.Y3) GO TO 30 J C79C
GO TO 20 J C800
30 IF (KOUNT.GT.100) GO TO 55 J C810
DELSS=DELS J C820
DTEST=((XON(K+1)-XIN(3))**2+(YON(K+1)-YIN(3))**2)**.5 J C830
IF (APS(DS-DTEST).LT..51*DS) GO TO 35 J C840
IF (DTEST.LT..01*DS) GO TO 40 J C850
IF (DTEST-.5*DS) 50,45,45 J C860
35 K=K-1 J C870
40 XON(K+1)=XIN(3) J C880
YON(K+1)=YIN(3) J C890
GO TO 55 J C900
45 DELS=DELS+(DS-DTEST)/FLOAT(K-1-KSTART) J C910
IF (KOUNT.GE.10) DELS=(DELS+DELSS)/2.0 J C920
GO TO 15 J C930
50 DELS=DELS-DTEST/FLOAT(K-KSTART) J C940
IF (KOUNT.GE.10) DELS=(DELS+DELSS)/2.0 J C950
GO TO 15 J C960
55 DELS1=DS*.1.2 J C970
IF (DELS1.GT.DELS) DELS1=DELS J C980
WRITE (6,65) KOUNT,A,B,C,D J C990
WPITE (6,70) DFLSIN,DELS,DELS1,DTEST J 1000
KEND=K+1 J 1010
KSTART=KSTART+1 J 1020
DO 60 I=KSTART,KEND J 1030
ALPHA(I)=ALPHA(I)/PT0180 J 1040
60 CONTINUE J 1050
RETURN J 1060
C J 1070
C J 1080
65 FORMAT (1HO,2X,14,2X,10HITERATIONS,2X,4HA = ,1PE12.5,2X,4HB = ,1PEJ 1090
112.5,2X,4HC = ,1PE12.5,2X,4HD = ,1PF12.5) J 1100
70 FORMAT (3X,10HDELS IN = ,F8.5,3X,7HDELS = ,F8.5,3X,11HDELS OUT = ,J 1110
1F8.5,3X,9HDEST = ,F8.5) J 1120
END J 1130

```

```

C      SUBROUTINE LEM (K)          L  E0CC
C      SUBROUTINE TO CALCULATE POINTS ON A LEMNISCATE   L  E01C
C
C      COMMON /FOR3SS/IO,DELS,XBK(20),YBK(20),XON(500),YCN(500),DYDXO(500)
11,ALPHA(500),CAPPA(500),SON(500),PI0180   L  E020
C      COMMON /SS/ NBDY1,NBODY2,TYPBDY,NBDYS   L  E030
C      COMMON /MAIN/ XIN(10),YIN(10),DELSHX,PI02,DELS1,IHUB
DELSIN=DELS1   L  E040
K=K-1   L  E050
KSTART=K   L  E060
DELS=DELS1   L  E070
KOUNT=0   L  E080
IF (YIN(1).EQ.YIN(2)) GO TO 30   L  E090
IF (XIN(1).EQ.XIN(2)) GO TO 10   L  E100
SLOPE=(YIN(2)-YIN(1))/(XIN(2)-XIN(1))   L  E110
AROT=-TAN(SLOPE)   L  E120
GO TO 15   L  E130
10 SLOPE=99999.   L  E140
AROT=-PI02   L  E150
15 DC 20 IROT=1,3   L  E160
XIN=XIN(IROT)   L  E170
XIN(IROT)=XN+COS(AROT)-YIN(IROT)*SIN(AROT)   L  E180
20 YIN(IROT)=XN*SIN(AROT)+YIN(IROT)*COS(AROT)   L  E190
25 K=KSTART   L  E200
30 XON(K+1)=XIN(2)   L  E210
THE TMX=ATAN(ABS(YIN(3)-YIN(2))/(XIN(3)-XIN(2)))   L  E220
A=SQRT((XIN(3)-XIN(2))**2+(YIN(3)-YIN(2))**2)/E2.C*SIN(2.D*THE TMXL
1))   L  E230
YON(K+1)=YIN(2)   L  E240
CAPPA(K+1)=0.0   L  E250
DYDXO(K+1)=0.0   L  E260
ALPHA(K+1)=0.0   L  E270
KOUNT=KOUNT+1   L  E280
DSSAVE=DELS   L  E290
DS=DELS   L  E300
DTHET=DS**2/A**2   L  E310
THET=DTHET*.5   L  E320
35 R=A+SQRT(2.D*SIN(2.D*THET))   L  E330
DSCHFK=R*COS(THET)   L  E340
IF (DC>CHEK.GT.1.1*DS) GO TO 40   L  E350
IF (DC>CHEK.LT..9*DS) GO TO 45   L  E360
DELS=DS   L  E370
GO TO 50   L  E380
40 THET=THET-.02*DTHET   L  E390
GO TO 35   L  E400
45 THET=THET+.02*DTHET   L  E410
GO TO 35   L  E420
50 K=K+1   L  E430
55 R=A+SQRT(2.D*SIN(2.D*THET))   L  E440
XCN(K+1)=XIN(2)-R*COS(THET)   L  E450
YCN(K+1)=YIN(2)+R*SIN(THET)   L  E460
SON(K+1)=SON(K)+SQRT((XON(K+1)-XON(K))**2+(YCN(K+1)-YON(K))**2)   L  E470
IF (ABS(SON(K+1)-SON(K)).GT.1.05*DS) GO TO 60   L  E480
IF (ABS(SON(K+1)-SON(K)).LT..95*DS) GO TO 65   L  E490
GO TO 70   L  E500
60 THET=THET-.02*DTHET   L  E510
GO TO 55   L  E520
65 THET=THET+.02*DTHET   L  E530

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

6C TO 55
7C DYDXC(K+1)=-TAN(3.0*THET)
ALPHA(K+1)=-3.0*THET
CAPPA(K+1)=3.0*SQRT(SIN(2.0*THET)/2.0)/A
DS=DELS/SORT(1.0+ABS(CAPPA(K+1)))
IF (ARS(DS-DSSAVE).GT..25*DSSAVE) DS=DSSAVE+SIGNL.25*DSSAVE,DS=DSSL
1AVE
DSSAVE=DS
DTHET=DS*SQRT(SIN(2.0*THET)/2.0)/A
THE T=THE T+DTHET
IF (THE T.LE.THETMX) GO TO 52
IF (KOUNT.EQ.50) GO TO 95
DTEST=((XON(K+1)-XIN(3))**2+(YON(K+1)-YIN(3))**2)**.5.
IF (DTEST.GT.DS) GO TO 90
IF (DTEST.LT..001*DS) GO TO 75
IF (DSTEST-.5*DS) 85,85,87
75 YON(K+1)=YIN(3)
XON(K+1)=XIN(3)
GO TO 95
8C DELS=DELS-DTEST/FLOAT(K+1-KSTART)
GO TO 25
8S DELS=DELS+DTEST/FLOAT(K+1-KSTART)
GO TO 25
9C DELS=.8*DELS
GO TO 25
95 DFLS1=DS*1.2
IF (DELS1.GT.DELS) DELS1=DELS
WRITE (6,115) KOUNT,THETMX,A
WRITE (6,120) DELSIN,DELS,DELS1,DTEST
KEND=K+1
KSTART=KSTART+1
IF (YIN(2).EQ.YIN(1)) GO TO 105
DO 107 KROT=KSTART,KEND
XN=XON(KROT)
XON(KROT)=XN*COS(AROT)+YON(KROT)*SIN(AROT)
YON(KROT)=YON(KROT)*COS(AROT)-XN*SIN(AROT)
ALPHA(KROT)=ALPHA(KROT)-AROT
DYDX0(KROT)=TAN(ALPHA(KROT))
105 CONTINUE
105 DO 115 KAL=KSTART,KEND
112 ALPHA(KAL)=ALPHA(KAL)/PI0180
RETURN
C
C
115 FORMAT (3X,I3,2X,13HTEPATIONS---,3X,13HTHETPCALC = ,F10.5,3X,8HAL
1CALC = ,F10.5)
120 FORMAT (3X,10HDELS IN = ,F8.5,3X,7HDELS = ,F8.5,3X,11HDELS OUT = ,L
1F8.5,7X,9HDTEST = ,F8.5)
END

```

```

SUBROUTINE MIRROR (K,YCL)                                M C002
C THIS SUBROUTINE MIRRORS THE HUB TO OBTAIN THE POINTS ON SHROUD M C010
C USED FOR 22Y - 2-D INLETS                            M C020
C M C030
C M C040
COMMON /FOR3SS/ID,DELS,XBK(20),YBK(20),XON(500),YCN(500),DYDX0(500)
1),ALPHA(500),CAPPA(500),SON(500),PI018G               M C050
COMMON /SS/ NBDY1,NBODY2,TYPBDY,NPDYS                  M C060
DO 10 J=1,NBDY1                                         M C070
K=K+1
ISTAR=1+NBDY1-J
XON(K)=XON(ISTAR)
YCN(K)=2.0*YCL-YON(ISTAR)
CAPPA(K)=-CAPPA(ISTAR)
DYDX0(K)=-DYDX0(ISTAR)
ALPHA(K)=-ALPHA(ISTAR)
SON(K)=SON(ISTAR)
10 CONTINUE
WRITE (6,15)YCL
RETURN
15 FORMAT(34HCHUB MIRRORED INTO Y CENTERLINE = ,FB.3)
END
M C100
M C110
M C120
M C130
M C140
M C150
M C160
M C170
M C180
M C190
M C200
M C220

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

SUBROUTINE XYCALC(KSTART,K2,NIN)          N ECCC
  -- XYCALC --
C.....GENERATES DATA FILES FOR ON-BODY POINTS. N CC1C
  N C620
  N C630
  N C640
  N C650
  N C660
  N C670
  N C680
  N C690
  N C100
  N C110
  N C120
  N C130
  N C140
  N C150
  N C160
  N C170
  N C180
  N C190
  N C200
  N C210
  N C220
  N C230
  N C240
  N C250
  N C260
  N C270
  N C280
  N C290
  N C300
  N C310
  N C320
  N C330
  N C340
  N C350
  N C360
  N C370
  N C380
  N C390
  N C400
  N C410
  N C420
  N C430
  N C440
  N C450
  N C460
  N C470
  N C480
  N C490
  N C500
  N C510
  N C520
  N C530
  N C540
  N C550
  N C560

INTEGER SGEN
REAL X(300),Y(300), C(300),S(300),SP(400)
COMPLFX Z(300),DZ(300),DZZ,ZZ,FZTRP,DZTRP
LOGICAL THIN,EVEN,SPGEN,DONE
COMMON/SEGNO/NSEG,J
COMMON /MAIN/ XIN(10),YIN(10),DELSMX,P102,DELS1,IHUB
COMMON /SPGENC/ A,DSMAX,RMAX,THIN,B,THIN,DSEND
COMMON /FOR3SS/ ID,DELS,XBK(25),YEK(20),XON(50),YON(50),DYDX0(50)
1,ALPHA(500),CAPPA(500),SON(500),PI018C
DATA NSMAX,NSS,EMPTY,ONF/300,200,1.0E20,1.0001/
NAMELIST /BODYIN/ Z,S1
NAMELIST /AUXIN/ A,DSMAX,RMAX,TMIN,B,NFIN,SP,NSP,PSEND,DONE,
1 EVEN,THIN

C.....INITIALIZE PROGRAM.
10 DO 15 I=1,NSMAX
15 Z(I)=EMPTY
S1=C.0
MAX=400
A=.17
DSMAX=DELSMX
THIN=.FALSE.
RMAX=1.2
DSEND=DSMAX
DONE=.FALSE.
EVEN=.FALSE.
REC=3
TMIN=0.1
NFIN=0
NSP=0

C.....INPUT BODY POINTS AND BODY TYPE.
20 READ (NIN,BODYIN)
DO 25 I=1,NSMAX
IF (PEAL(Z(I)).EQ.EMPTY) GO TO 30
25 NS=I
30 S(I)=S1
IPAD=SGEN(S,Z,NS)
IF (IPAD.NE.C) WRITE (6,125)IPAD

C.....SET UP DERIVATIVES + CURVATURES.
DO 35 I=1,NC
35 DZ(I)=DZTRP(S,Z,S(I),NS)
DO 40 I=1,NS
DZZ=DZTRP(S,DZ,S(I),NS)
40 C(I)=AIMAG((CONJG(DZ(I))*DZZ)/CABS(DZ(I))**3)

C.....INPUT AUXILLIARY (CONTROL) DATA.
45 READ (NIN,AUXIN)
IF (NFIN.EQ.0) NFIN=NS
SFIN=S(NFIN)
DSMAX=AMAX1(DSMAX,DSEND)
IF (EVEN) GO TO 50

```

```

C.....GENERATE BODY POINTS ON A SEGMENT.
IF (.NOT.SPGEN(S,Z,C,NS,SP,NSP,SPIN,NMAX)) GO TO 130
GO TO 80

C.....GENERATE UPPER AND LOWER SURFACES TOGETHER (EVEN).
50 SHALF=SPIN/2.0
IF (NSP.LT.1) GO TO 55
IF (SP(NSP).GE.SHALF/ONE) GO TO 60
55 IF (.NOT.SPGEN(S,Z,C,NS,SP,NSP,SHALF,NMAX)) GO TO 140
60 SREM=(SPIN-SP(NSP))/ONE
DE 65 I=1,NSP
IF (SP(I).GE.SREM) GO TO 70
65 CONTINUE
GO TO 140
70 IF (NSP+I-1.GT.NMAX) EO TO 150
75 I=I-1
IF (I.LT.1) GO TO 85
NSP=NSP+1
SP(NSP)=SPIN-SP(I)
GO TO 75

C.....TEST FOR FINISH.
80 IF (DCNE) GO TO 85
GO TO 45

C.....OUTPUT RESULTING ON-BODY POINTS.
85 DO 90 I=1,NSP
ZZ=FZTRP(S,Z,SP(I),NS)
DZ(I)=DZTRP(S,Z,SP(I),NS)
D2Z=DZTRP(S,DZ,SP(I),NS)
C(I)= AIMAG(CONJG(DZ(I))*D2Z)/CARS(DZ(I))**3
X(I)=PEAL(ZZ)
90 Y(I)=AIHAG(ZZ)
K1=KSTART
K2=NSP+KSTART-1
DO 110 I=K1,K2
II=I-KSTART+1
XON(II)=X(II)
YON(II)=Y(II)
CAPPA(I)=C(II)
IF(ABSC(CAPPA(I)).LT..EC01)CAPPA(I)=0.
IF (REAL(DZ(II)).EQ.0.) GO TO 100
DYDXO(II)=AIMAG(DZ(II))/REAL(DZ(II))
IF (ABS(DYDXO(II)).GT.999.) GO TO 100
IF (ABS(DYDXO(II)).LT..0001) GO TO 95
ALPHA(I)=ATAN(DYDXO(I))*180./3.14157
GO TO 105
95 DYDXO(I)=0.
ALPHA(I)=0.
GO TO 105
100 DYDXO(II)=999.
ALPHA(II)=90.
105 SON(I)=0.
IF(I.NE.1)SON(I)=SON(I-1)+SQR((XON(I)-XON(I-1))**2+(YON(I)-YON(I-1))**2)
IF((NSEG.EQ.0.AND.II.EQ.1).OR.(I.EQ.1.AND.II.EQ.1))SON(I)=0.

```

ORIGINAL PAGE IS  
IF POOR QUALITY

N	C570
N	C580
N	C590
N	C600
N	C610
N	C620
N	C630
N	C640
N	C650
N	C660
N	C670
N	C680
N	C690
N	C700
N	C710
N	C720
N	C730
N	C740
N	C750
N	C760
N	C770
N	C780
N	C790
N	C800
N	C810
N	C820
N	C830
N	C840
N	C850
N	C860
N	C870
N	C880
N	C890
N	C900
N	C910
N	C920
N	C930
N	C940
N	C950
N	C960
N	C970
N	C980
N	C990
N	1000
N	1010
N	1020
N	1030
N	1040
N	1050
N	1060
N	1070
N	1080
N	1090
N	1100
N	1110
N	1120
N	1130

```

IF (I.EQ.K1) GO TO 110                                N 1140
IF (XON(I).EQ.XON(I-1)) CAPP(A(I)=CAPP(A(I-1))      N 1150
IF (XON(I).EQ.XON(I-1)) GO TO 110                  N 1160
IF ((DYDX0(I)-DYDX0(I-1))/(XON(I)-XON(I-1))*CAPP(A(I).LT.0.) CAPP(A(I))N 1170
I=CAPP(A(I))
IF (I.EQ.(K1+1)) CAPP(A(I-1)=SIGN(CAPP(A(I-1)),CAPP(A(I))) N 1180
IF (DYDX0(I)*DYDX0(I-1).LT.0.. AND.DYDX0(I).GT.0.) CAPP(A(I))=-ABS(CAPP(N 1200
A(I)))
IF (I.LT.(K1+2)) GO TO 110                          N 1210
IF (DYDX0(I)*DYDX0(I-2).LT.0.) GO TO 110          N 1220
IF ((DYDX0(I-1).GT.DYDX0(I).AND.DYDX0(I-1).LT.DYDX0(I-2)).OR.(DYDX0(N 1230
I-1).LT.DYDX0(I).AND.DYDX0(I-1).GT.DYDX0(I-2))) GO TO 110 N 1240
IF ((CAPP(A(I-1).LE.CAPP(A(I).AND.CAPP(A(I-1).GE.CAPP(A(I-2)).OR.(CAPP(N 1250
A(I-1).GE.CAPP(A(I).AND.CAPP(A(I-1).LE.CAPP(A(I-2)))) GO TO 110 N 1260
CAPP(A(I-1))=-CAPP(A(I-1))

110 CONTINUE                                         N 1270
      WRITE(6,115)NS,NSP,DSMAX,X(I),Y(I),X(NSP),Y(NSP) N 1280
115 FORMAT(1HC,7X,1
      58HDIRECT INTERPOLATION. FULL POINT-SPACING REQUIREMENT 1320
      ITS MET./24X,19HNO. OF INPUT PTS.= ,I4,2X,20HNO. OF OUTPUT PTS.= ,IN 1330
      24,2X,16HDSMAX = DSEND = ,F10.2/24X,14HSTART(X,Y) = ,F10.6,1H,,F10N 1340
      3.6,1H)/24X,12HENDE(X,Y) = ,(F10.6,1H,,F10.6,1H) N 1350
      IF (DONE) GO TO 120                                N 1360
120 RETURN                                            N 1370
C.....ERROR MESSAGES.
125 FORMAT(20HSGEN FAILED. IRAE= ,I3)               N 1380
130 WRITE(6,135)                                     N 1390
135 FORMAT(33HSPGEN UNABLE TO COMPLETE SEGMENT )     N 1400
      STOP                                              N 1410
140 WRITE(6,145)                                     N 1420
145 FORMAT(29HSPGEN UNABLE TO DO EVEN BODY )       N 1430
      STOP                                              N 1440
150 WRITE(6,155)NSP                                N 1450
155 FORMAT(44HTOO MANY POINTS FOR BOTH SURFACES; NLOWER= ,I4) N 1460
      STOP                                              N 1470
      END                                               N 1480
                                         N 1490

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

LOGICAL FUNCTION SPGEN (S,Z,C,NS,SP,NSP,SPIN,NMAX)      Q  C02C
C.....GENERATES TABLE SP HAVING VALUES OF PARAMETER S AS WIDELY SPACED  Q  C01C
C  AS POSSIBLE AND YET SATISFYING THE FOLLOWING CONDITIONS ON DS  Q  C020
C    1  NSP .LE. NMAX                                Q  C03C
C    2  DS .LE. A/C(S)     (C=CURVATURE)             Q  C04C
C    3  DS .LE. DSMAX                               Q  C05C
C    4A  DS(I) .LE. DS(I-1)*RMAX                  Q  C06C
C    4B  DS(I) .GE. DS(I-1)/RMAX                  Q  C07C
C  FOR THIN SECTIONS, AN ADDITIONAL CONDITION IS        Q  C08C
C    DS .LE. B*TLOC      (TLOC=LOCAL THICKNESS)       Q  C09C
C.....SPGEN = .TRUE. IF ALL CONDITIONS HAVE BEEN SATISFIED.  Q  C10C
Q  C11C
REAL S(NS),C(NS),SP(NMAX)                            Q  C12C
COMPLEX Z(NS),FZTRP                                Q  C13C
LOGICAL THIN,FIN                                     Q  C14C
COMMON /SPGENC/      A,DSMAX,RMAX,THIN,P,THIN,DSEND  Q  C15C
COMMON /MAIN/ XIN(1D),YIN(1D),DELSMX,PIO2,DELS1,IMUR  Q  C16C
DATA ONE,CMIN/1.0001,1.E-6/                          Q  C17C
Q  C18C

```

```

C.....INITIALIZATION SECTION.          Q 019C
  SPGEN=.FALSE.                      Q 020C
  J1=MAX0(NSP,2)+1                  Q 021C
  IF (NSP.GT.1) GO TO 15             Q 022C
  IF (NSP.LT.1) SP(1)=S(1)          Q 023C
  DS1=      DELS1                  Q 024C
  1B SP(2)=SP(1)+DS1                Q 025C

C.....BEGIN MAIN LOOP.               Q 026C
  15 DO 45 J=J1,NMAX               Q 027C
  .   L=J
  20 I=L
  25 DSLAST=SP(I-1)-SP(I-2)        Q 028C
  .   SBAR=SP(I-1)+DSLAST/2.0
  .   CA=AMAX1(CMIN,ABS(FNTPP(S,C,SBAR,NS)))
  .   DSLIM=A MINI(DS1 ,DSLAST/RMAX)
  .   IF (.NOT.THIN) GO TO 3C
  .   TLOC=CABS(FZTRP(S,Z,SEAR,NS)-FZTRP(S,Z,S(NS))-SBAR,NS)
  .   DSLIM=A MINI(DSLIM,B*AMAX1(TLOC,TMIN))
  30 DSFIN=SFIN-SP(I-1)            Q 029C
  .   NEVEN=DSFIN/DSLIM/ONE+1.0
  .   DSEVEN=DSFIN/FLOAT(NEVEN)
  .   DS=A MINI(A/CA,DSEVEN)
  .   IF (I.NE.J) DS=A MINI(DS,DSLAST/RMAX)    Q 030C

C.....CALCULATED VALUE OF DS SATISFIES CONDITIONS 2 THRU 4A. TEST FOR 4B. Q 043C
  .   IF (DS.GE.DSLAST/RMAX) GO TO 40          Q 044C
  .   C.....IF CONDITION 4B IS NOT SATISFIED, RE-DO EARLIER INTERVALS Q 045C
  .   C.....USING SMALLER VALUES OF DS. IF RE-DOING ALL INTERVALS WON'T Q 046C
  .   C.....WORK, START OVER USING SMALLER STARTING VALUE OF DS (DS1). Q 047C
  35 L=L-1                         Q 048C
  .   IF (L.GE.J1) GO TO 2C
  .   IF (NSP.GT.1) RETURN           Q 049C
  .   DS1=DS1/RMAX
  .   GO TO 10                         Q 050C

C.....IF CONDITIONS 2 THRU 4B ARE SATISFIED, TEST FOR FINISH.          Q 051C
  4C SP(1)=SP(I-1)+DS              Q 052C
  .   FIN=SFIN/SP(I).LE.ONE
  .   IF (FIN.AND.DS.GT.DSEND) GO TO 35
  .   IF (FIN) GO TO 50
  .   IF (I.GE.J) GO TO 45
  .   I=I+1
  .   GO TO 25
  45 CONTINUE
C.....SPGEN =.FALSE. IF CONDITION 1 CANNOT BE SATISFIED.          Q 053C
  .   RETURN                           Q 054C

C.....IF CONDITIONS ARE SATISFIED, UPDATE NSP.          Q 055C
  5C NSP=I
  .   DELS1=DS
  .   SPGEN=.TRUE.
  .   RETURN
  FNC

```

```

INTEGER FUNCTION SGEN (S,F,NS)          0   C0CC
C.....GENERATES THE PARAMETER ARRAY S FOR THE SET OF POINT-PAIRS F SUCH 0   C01C
C.....THAT S(I) GIVES THE LINE INTEGRAL ON THE CURVE OF FZTRP (S,F,X,NS)0   C020
C.....WHEN X=S(I).          0   C030
      REAL S(NS)          0   C040
      COMPLEX F(NS),DZTRP          0   C050
      DATA MAX,N,FN,TEST/4,10,10.0,0.01/ 0   C060
      DO 10 I=2,NS          0   C070
10  S(I)=S(I-1)+CABS(F(I)-F(I-1))          0   C080
      DO 30 K=1,MAX          0   C090
      SGEN=0          0   C100
      DC 25 I=2,NS          0   C110
      DS=S(I)-S(I-1)          0   C120
      DARG=DS/FN          0   C130
      APGD=S(I-1)-DARG/2.0          0   C140
      SUM=C.0          0   C150
      DO 15 J=1,N          0   C160
      ARG=APGD+FLOAT(J)*DARG          0   C170
15  SUM=SUM+(CABS(DZTRP(S,F,ARG,NS))-1.0)          0   C180
      SUM=SUM/FN          0   C190
      ERROR=ABS(SUM)          0   C200
      DS=DS*SUM          0   C210
      DO 20 J=1,NS          0   C220
20  S(J)=S(J)+DS          0   C230
      IF (ERROR.GT.TEST.AND.SGEN.EQ.0) SGEN=I          0   C240
25  CONTINUE          0   C250
      IF (SGEN.EQ.0) RETURN          0   C260
30  CONTINUE          0   C270
C.....SGEN=INDEX IF IT DOESN'T CONVERGE.          0   C280
      RETURN          0   C290
      END          0   C300

```

ORIGINAL PAGE IS  
OF POOR QUALITY.

```

      ' COMPLEX FUNCTION DZTRP (A,F,X,NA)
C....COMPLEX DERIVATIVE EVALUATION FOR DOUBLE 3-POINT INTERPOLATION,
      COMPLEX F(NA)
      COMMON /NTRPC3/ I1,I2,C(4)
C....FIRST EVALUATE FUNCTION COEFFICIENTS.
      CALL FNTRPA (A,X,NA)
      CALL DNTRPC
C....THEN EVALUATE FUNCTION VALUE.
      DZTRP=D.5
      J=0
      DC 10 I=I1,I2
      J=J+1
10  DZTRP=DZTRP+C(J)*F(I)
      RETURN
      END
      P   C000
      P   C010
      P   C020
      P   C030
      P   C040
      P   C050
      P   C060
      P   C070
      P   C080
      P   C090
      P   C100
      P   C110
      P   C120
      P   C130
      P   C140

```

```

      SUBROUTINE DNTRPC          R  C000
C.....CALCULATION OF C COEFFICIENTS FOR DERIVATIVES OF DOUBLE    R  CC10
C.....3-POINT INTERPOLATION.          R  0020
      COMMON /NTRPC1/ L,I,A11,A12,A13,A14,A22,A23,A24,A33,A34,A44    R  C030
      COMMON /NTRPC3/ I1,I2,C1,C2,C3,C4          R  CC40
      IF (L.LE.1) GO TO 25          R  CC50
      IF (L-3) 20,15,10          R  CC60
C....FOR DOUBLE 3-POINT INTERPOLATION.          R  CC70
      10 C1=+(A22+A33+A22)/A23*A33/A12/A13          R  CC80
      C4=-(A33+A22+A33)/A23*A22/A34/A24          R  C090
      P=A23*A23          R  C100
      C2=-((A11+A33+A11)*A33/A12+(A33*A44+A22*A44+A22*A33)/A24)/P          R  C110
      C3=+(A44+A22+A44)*A22/A34+(A22*A11+A33*A11+A33*A22)/A13)/P          R  C120
      GO TO 30          R  C130
C....FOR SIMPLE 3-POINT INTERPOLATION.          R  C140
      15 C1=+(A33+A22)/A12/A13          R  C150
      C2=-(A33+A11)/A12/A23          R  C160
      C3=+(A22+A11)/A13/A23          R  C170
      GO TO 30          R  C180
C....FOR 2-POINT INTERPOLATION.          R  C190
      20 C1=1.0/A12          R  C200
      C2=-C1          R  C210
      GO TO 30          R  C220
C....ONLY ONE TABLE VALUE GIVEN.          R  C230
      25 C1=C.1          R  C240
      30 I1=I
      I2=I+L-1
      RETURN
      END          R  C250
                                         R  C260
                                         R  C270
                                         R  C280

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

      FNTRP(A,F,X,NA)
C.....FUNCTION EVALUATION FOR DOUBLE 3-POINT INTERPOLATION.
      REAL F(NA)
COMMON /NTRPC2/ I1,I2,C(4)
C.....FIRST EVALUATE FUNCTION COEFFICIENTS.
      CALL FNTRPA-(A,X,NA)
      CALL FNTRPC
C.....THEN EVALUATE FUNCTION VALUE.
      ENTRY FNTRP1 (F)
      FNTRP=C(1)
      J=0
      DO 10 I=I1,I2
      JEJ+1
10    FNTRP=FNTRP+C(J)*F(I)
      RETURN
      END
      S  CC00
      S  CC10
      S  CC20
      S  CC30
      S  CC40
      S  CC50
      S  CC60
      S  CC70
      S  CC80
      S  CC90
      S  C100
      S  C110
      S  C120
      S  C130
      S  C140
      S  C150

```

```

COMPLFX FUNCTION FZTRP (A,F,X,NA)          T  C000
C.....COMPLFX FUNCTION EVALUATION BY DOUBLE 3-POINT INTERPOLATION.   T  C010
COMPLEX F(NA)                                T  C020
COMMON /NTRPC2/ I1,I2,C(4)                   T  C030
C.....FIRST EVALUATE FUNCTION COEFFICIENTS.    T  C040
CALL FNTRPA (A,X,NA)                         T  C050
CALL FNTRPC                                     T  C060
C.....THEN EVALUATE FUNCTION VALUE.            T  C070
FZTRP=0.C                                      T  C080
J=0                                            T  C090
DO 10 I=I1,I2
J=J+1
10 FZTRP=FZTRP+C(J)*F(I)
RETURN
END

```

ORIGINAL PAGE IS  
(IF POOR QUALITY)

```

SUBROUTINE FNTRPC          U CCCS
C.....CALCULATION OF C COEFFICIENTS FOR FUNCTION VALUES BY DOUBLE   U C010
C.....3-POINT INTERPOLATION.   U CC20
COMMON /NTRPC1/L,I,A11,A12,A13,A19,A22,A23,A24,A33,A34,A44   U C030
COMMON /NTRPC2/ I1,I2,C1,C2,C3,C4   U C040
IF (L.LE.1) GO TO 25   U C050
IF (L-3) 25,15,10   U C060
C.....FOR DOUBLE 3-POINT INTERPOLATION.   U C070
10 C1=-A33/A23*A22/A12*A33/A13   U C080
    C4=-A22/A23*A33/A34*A22/A24   U C090
    P2=A33/A23*A11/A23   U C100
    P3=A22/A23*A44/A23   U C110
    C2=-A33*(P2/A12+P3/A24)   U C120
    C3=-A22*(P3/A34+P2/A13)   U C130
    GO TO 30   U C140
C.....FOR SIMPLE 3-POINT INTERPOLATION.   U C150
15 C1=-A22/A12*A33/A13   U C160
    C2=-A11/A12*A33/A23   U C170
    C3=-A11/A13*A22/A23   U C180
    GO TO 30   U C190
C.....FOR 2-POINT INTERPOLATION.   U C200
20 C1=-A22/A12   U C210
    C2=-A11/A12   U C220
    GO TO 30   U C230
C.....ONLY ONE TABLE VALUE GIVEN.   U C240
25 C1=1.0   U C250
30 I1=I
    I2=I+L-1   U C260
    RETURN   U C270
    END   U C280
                                U C290

```

```

SUBROUTINE FNTRPA (A,X,NA)                                V  CC0C
C.....COMMON SUBROUTINE EVALUATES A COEFFICIENTS IN DOUBLE   V  C01C
C.....3-POINT INTERPOLATIONS.                               V  C02C
C      L=NO. OF POINTS IN THE FIT                           V  C03C
C      I=INDEX TO FIRST POINT                            V  C04C
REAL A(NA)                                              V  C05C
COMMON /NTRPC1/ L,I,A11,A12,A13,A14,A22,A23,A24,A33,A34,A44   V  C06C
C.....GET I AND L BY TABLE LOOK-UP.                      V  C07C
L=LIMIT (1,NA,3)                                         V  C08C
M=MAX(1,NA-2)                                           V  C09C
CALL TLU (A,X,NA,J)                                     V  C10C
IF (J.EQ.LIMIT(2,J,M)) L=4                           V  C11C
I=LIMIT(1,J-1,M)                                       V  C12C
V
C.....CALCULATE A-ARRAY.                                V  C13C
A11=A(I)                                              V  C14C
A22=A(I+1)                                            V  C15C
A33=A(J+2)                                            V  C16C
IF (L.NE.4) IF (L-2) 20,15,10                         V  C17C
A44=A(I+3)                                            V  C18C
A14=A11-A44                                         V  C19C
A24=A22-A44                                         V  C20C
A34=A33-A44                                         V  C21C
A44=X-A44                                           V  C22C
10 A13=A11-A33                                         V  C23C
A23=A22-A33                                         V  C24C
A33=X-A33                                           V  C25C
15 A12=A11-A22                                         V  C26C
A22=X-A22                                         V  C27C
A11=X-A11                                         V  C28C
20 RETURN                                              V  C29C
END

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

SUBROUTINE TLU (TABLE,ARG,N,I)
C.....TABLE LOOK UP FINDS I SUCH THAT
C     APG.GE.TABLE(I).AND.APG.LT.TABLE(I+1)
C     IF I=0, ARG.LT.TABLE(1)
C     IF I=N, ARG.GE.TABLE(N)
PEAL TABLE(N)
I=LIMIT(1,I,N)
IF (ARG.GE.TABLE(I)) GO TO 15
C.....DESCEND IN TABLE.
10 I=I-1
    IF (I.LF.P) RETURN
    IF (ARG.GE.TABLE(I)) RETURN
    GO TO 10
C.....ASCEND IN TABLE.
15 IF (I.GE.N) RETURN
    IF (ARG.LT.TABLE(I+1)) RETURN
    I=I+1
    GO TO 15
END

```

*C-2*

W	CCCC
W	CC16
W	CD20
W	CD30
W	CD40
W	CC50
W	CD60
W	CD70
W	CD80
W	CD90
W	C100
W	C110
W	C120
W	C130
W	C140
W	C150
W	C160
W	C170
W	C180

```
FUNCTION LIMIT (I,J,K)
C.....INTEGER FUNCTION LIMITS J BETWEEN I AND K.
LIMIT=I
IF (J.LT.LIMIT) RETURN
LIMIT=K
IF (J.GT.LIMIT) RETURN
LIMIT=J
RETURN
END
```

```
X 5008
X CC10
X C020
X C030
X C040
X CC50
X C060
X CC70
X CC80
```

```

SUBROUTINE WPUNCH          Y . CCCC
COMMON /FOREOD/ &GEOMF,ISIGF,ICURVN,NONEWF,IVCRT,AL      Y
COMMON /SS/ NBDY1,NBODY2,TYPBDY,NBDBS      Y CEC20
COMMON /FOR3SS/ JO,DFLS,XBK(20),YRK(20),XON(5EC),YCN(5CD),DYDXO(5CCY) Y EG3C
11,ALPHA(5CD),CAPPA(5CD),SON(500),PI018C      Y CG4C
C     VMWRTE/ IFLAG,NDY4,PROG,TITLF(9),BODIES(4)-IDENT,YL0(25),YHY Y CG50
11(25),NDY(25),XRAK(25),NBDPPTS(5),ND6,NRAKES      Y CG60
COMMON/ LD/T/XMIN,YMIN,ORD,EXEP,XX,YY,LPNCH0,IPLOTA,MH      Y CG7C
DIMENSION YOFF(200), XOFF(200), FI(50C)      Y CG8C
DIMENSION X(25),Y(25)      Y CG9C
COMMON /MNSD/ NNSD,NSDBDY(10)      Y C10C
DATA BODYD/6H-BODY/,IFLAG1/4H 111/,IFLAG2/4F 1 1/,T22Y/6H 23Y/,Y C11C
1IFLG2A/1H /,IFLG2B/1H1/      Y C12C
C
C     IF YLC AND YHI ARE READ IN AS ZERO, CALCULATE THEM FOR THAT RAKE      Y C13C
C     (FOR HUB AND SHROUD CASES ONLY) 1/4/73      Y C14C
C
C     FIND HIGHLIGHT ON THE SHROUD      Y C15C
C
C     NINE=9      Y C16C
C     NEIGHT=8      Y C17C
C     I21=21      Y C18C
C     IONE=1
C     ITWO=2
C     IZER=0
NE=NBDPPTS(1)+1      Y G19C
IF(IFLAG.EQ.1)NE=1      Y C20C
NE=NBDPPTS(2)      Y C21C
C   SET JMIN=LAST SHROUD PT., IN CASE X NEVER INCREASES ON SHROUD(VTOL) Y C22C
JMINE=NE      Y C23C
DO 10 I=NB,NE      Y C24C
IF (XON(I+1).LT.XON(I)) GO TO 10      Y C25C
JMINT=7      Y C26C
GO TO 15      Y C27C
10 CONTINUE      Y C28C
15 DO 20 I=1,NF      Y C29C
20 FI(I)=I      Y C30C
NOFF=F      Y C31C
IF (NRAKES.EQ.0) GO TO 70      Y C32C
DO 65 I=1,NRAKES      Y C33C
NLO=NOFF+1      Y C34C
NOFF=NLO+NDY(I)      Y C35C
ENDY=NDY(I)
IF (YHI(I).EQ.0.0.OR.YL0(I).EQ.0.0) GO TO 25      Y C36C
GO TO 35      Y C37C
25 IF (YHI(I).NE.0.0) GO TO 30      Y C38C
CALL SINTP (XON(NB),YON(NB),JMINT-NB+1,XRAK(I),YH)      Y C39C
CALL SINTP (XON(NB),FI(NB),JMINT-NB+1,XRAK(I),FI)      Y C40C
IF=FII      Y C41C
DS=SORT((XON(IF)-XON(IF+1))*#2+(YON(IF)-YON(IF+1))*#2)      Y C42C
YHI(I)=YH-DS      Y C43C

```

```

30 IF (YLO(I).NE.0.0.OR.XRAK(I),LT.XON(I)) GO TO 35
CALL SINTP (XON,YON,NBDPTS(1),XRAK(I),YL)
CALL SINTP (XON,FI,NBDPTS(1),XRAK(I),FII)      .
IF=FI
DS=SQRT((XON(IF)-XON(IF+1))**2+(YON(IF)-YON(IF+1))**2)
YLO(I)=YL+DS
35 DYI=(YHI(I)-YLO(I))/ENDY
K=0
DO 55 J=NLO,NOFF
DJM=J-NLO
XOFF(J)=XRAK(I)
YOFF(J)=YLO(I)+DYI*DJM
YMAN=YY*ORD+YMIN
IF(LPNCHO.EQ.2) YOFF(J)=YMAN-(YOFF(J)-YMAN)
IF (XOFF(J)-XMIN) 55,40,4C
40 IF (XOFF(J)-XX*XEXP-XMIN) 45,45,55
45 IF (YOFF(J)-YY*ORD-YMIN) 50,50,55
50 K=K+1
X(K)=XOFF(J)
Y(K)=YOFF(J)
55 CONTINUE
C
C***** PLOT OFF-BODY POINTS (RAKES)
C
60 CALL LINE(X,Y,K,I,-I,C,XMIN,XEXP,YMIN,ORD)
65 CONTINUE
C
C***** PUNCH OPTION *****
C
IF (LPNCHO.EQ.0) RETURN
70 NTBDY=NBDYS+NNSD+1-IVORT
NLOOP=2-IVORT
IF (NBDYS.EQ.3.AND.PROG.NE.T22Y3G0T075
GO TO 80
75 NTBDY=NTBDY+1
NLOOP=3
80 K=0
IF(PROG,FC,T22Y) NLOOP=1
DC 11 I=1,NLOOP
M=NTBDY-I+1
IFLAGG=IFLAG2
IF (M.EQ.NTBDY
     .OR.NBDYS.EQ.3.AND.M.EQ.3) IFLAGG=IFLY
1AF1
IF (PROG.EQ.T22Y) GO TO 92
WRITE (17,115)(TITLF(L),L=1,9),M,P0DYD,IDENT
WPITE (17,125)M,IFLAGG,N06,IVORT,IDENT
90 CONTINUE
          WRITE (17,125)IDENT
92 NA=1
NS=C
IF (I.NE.1) K=1
DO 105 J=1,M
IF (J.GT.NBDYS.AND.NNSD.NE.0) GO TO 95
NP=NBDPTS(J)
GO TO 102
95 NS=NS+1
IF (NS.GT.NNSD) NSDBDY(NS)=NBDPTS(NBDYS+1)-NBDPTS(NBDYS)

```

```

NE=NSDBDY(NS)+NA-1
150 NP=NB-NA+1
    IF( PROG .NE. T22Y ) GOT0102
    LASBOD=0
    NO1BOD=2
    IF( J.EQ.1 ) NO1BOD=1
    IF( J.F0.M ) LASBOD=1
    IF( J.EQ.1 ) ICURVN=1-ICURVN
        WRITE(17,130) J,IGEOF,ICURVN, (TITLE(L),L=1,6),NO1BOD,
        IIVORT,LASBOD,IONE
C   TRANSF "
102 CALL WRTXY (NP,IDENT,J,K,XON,YON,NA,NB,PROG)
    NA=NB+1
105 CONTINUE
    IF( PROG.NE.T22Y ) GOT0107
    WPITE(17,140) (TITLE(L),L=1,6),NEIGHT
    V2=2.
    WPITE(17,145) AL,TONE,IONE,V2,IZEP,NINE
    WPITE(17,155) XX,XMIN,EXEP,YY,YMIN,ORD
137 K=0
    NA=1
    J=0
    NE=NOFF
    IF( PROG.NF.T22Y ) GOT0108
    IF( NB.GT.100 ) NB=100
    ISEC
    IF( NOFF.LE.100 ) IG=1
        WRITE(17,150) TONE,(TITLE(L),L=1,6),IG,I21
C   TRANSF "
108 CALL WRTXY (NCFF,IDENT,J,K,XOFF,YOFF,NA,NF,PROG)
    , IF ( PROG.NE.T22Y ) GO TO 110
    , IF( NOFF.LE.100 ) GOT0115
    , WPITE(17,150) ITWO,(TITLE(L),L=1,6),TONE,I21
C   TRANSF "
    NCF=NOFF-100
    NA=NB+1
    NF=NOFF
    CALL WRTXY (NOF,IDENT,J,K,XOFF,YOFF,NA,NB,PROG)
110 CONTINUE
    RETURN
C
C   FORMATS
C
C
115 FORMAT ( 9A6,I1,A6,2X,A6)
120 FORMAT ( I1,A4,I1,8X,I1,47X,A6,I1X)
125 FORMAT ( 62X,A6,I1X)
130 FORMAT( 3(I1,2X),1X,6A6,12X,T1,5X,I1,2X,I1,3X,I1)
135 FORMAT( 3H0.0,7X,3H0.0,7X,3H90.0)
140 FORMAT(10X,6A6,25X,I1)
145 FORMAT(5X,F10.2,19X,I1,9X,I1,10X,F9.3,5X,I1,1X,I1)
150 FORMAT(I1,8X,6A6,22X,I1,2X,I2)
155 FORMAT(8F10.3)
    END
Y   1030
Y   1040
Y   1070
Y   1080
Y   1100
Y   1110
Y   1120
Y   1130
Y   1150
Y   1200
Y   1210
Y   1220
Y   1230
Y   1240
Y   1250
Y   1260
Y   1270
Y   1280
Y   1290
Y   1310
Y   1320
Y   1330

```

```

SUBROUTINE WRTXY (NP, IDENT, J, K, X, Y, NA, NB, PROG)
20   ECCC
C
20   CC10
C     WRITE X AND Y COORDINATES
20   EC2C
C
20   CD3C
DIMENSION X(1), Y(1)
COMMON /FOREOD/ IGEOMF, ISIGMF, ICURVN, NONEWF, IWORT
20   CD4C
DIMENSION V(8)
20   CD5C
DATA T22Y/6H 23Y/
20   CD6C
DATA V/6H{ ,6H      ,6HF10.5+,6H      ,6HX, ,6H4X,I1,*,
16H2X,I1,,6H3X,I1}/
IF (PROG.NE.T22Y) GO TO 10
LASY=1
NFUL=(NB-NA+1)/6
NFULL=NFUL *6
NREST=NA+NFULL-1
NLIFF=NB-NA+1-NFULL
NRESTI=NREST+1

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

IT=3
NAA=NAA-6
DO 2 LC=1,NFUL
NAA=NAA+6
NSTOP=NAA+5
IF(NSTOP.EQ.NB)GOTO5
WFITE(17,40)(X(L),L=NAA,NSTOP),IT
2    CONTINUE
IF(NDIF.EQ.0)GOTO6
NDIFH=(6-NDIF)*10
ENCODF(6,56,DUMP)NDIF
ENCODE(6,56,DUMP2)NDIFH
DECODE(6,59,DUMP)VEE
DECODE(6,59,DUMP2)VE2
V(2)=VEE
V(4)=VE2
WRITE(17,V) (X(LL),LL=NREST1,NP),NDIF,LASY,IT
GOTO6
5   WPITE(17,45)(Y(L),L=NAA,NSTOP),LASY,IT
45   FORMAT(6F10.5,7X,I1,3X,I1)
6   IT=4
NAA=NAA-6
DO 303 LC=1,NFUL
NAA=NAA+6
NSTOP=NAA+5
IF(NSTOP.EQ.NP)GOTO7
WRITE(17,40)(Y(L),L=NAA,NSTOP),IT
300  CONTINUE
IF(NDIF.EQ.0)RETURN
WPITE(17,V) (Y(LL),LL=NREST1,NB),NDIF,LASY,IT
RETURN
7   WRITE(17,45)(Y(L),L=NAA,NSTOP),LASY,IT
RETURN
10  WRITE(17,25)IGEOF,FISIGF,ICURVN,NONEWF,NP,ICFN1
15  WPITE(17,30)J,K,IDENT
20  IF (K.EQ.1) RETURN
    WFITE(17,35)(X(L),L=NA,NP)
    WPITE(17,35)(Y(L),L=NA,NB)
    RETURN
C
C   FORMAT STATEMENTS
C
C
25  FORMAT(4I1,3X,I3,52X,A6,11X)
30  FORMAT(      9X,I1,9X,I1,42X,A6,11X)
35  FORMAT(6E13.8)
40  FORMAT(6F10.5,11X,I1)
55  FORMAT(1H*,64X,I1,2X,I1,3X,I1)
56  FORMAT(I6)
59  FORMAT(A6)
END
Z0  C070
Z0  C140
Z0  C150
Z0  C160
Z0  C170
Z0  C180
Z0  C190
Z0  C200
Z0  C210
Z0  C220
Z0  C230
Z0  C240
Z0  C250
Z0  C260
Z0  C290

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

SUBROUTINE AREA A
COMMON /SS/ NBODY1,NBODY2,TYPBDY,NBODYS          ZI  CCCC
COMMON /FOR3SS/IO,DELS,XBK(20),YBK(20),XON(500),YON(500),DYDX0(500)ZI  C01C
COMMON /MNSD/ NNSD,NSDBDY(10)                      ZI  C02C
1>,ALPHA(500),CAPPA(500),SON(500),PIO180          ZI  C03C
COMMON /MNSD/ NNSD,NSDBDY(10)                      ZI  C04C
COMMON/ LOT/XMIN,YMIN,ORD,EXEP,XX,YY,LPNCHO,IPLOTA,MM   ZI  C05C
DIMENSION JMAX(20), JMIN(20), AREAS(20), YAR(20)ZI  C06C
1,XXA(200), DISC(200),ANULUS(200)                 ZI  C07C
PI=3.14159265                                         ZI  C08C
JPLA=0                                                 ZI  C09C
NPB1=NBODY1+1                                         ZI  C10C
DO 10 J=NBP1,NBODY2                                  ZI  C11C
JJ=J                                                 ZI  C12C
C((((( .LT. CHANGED TO LE. TO AVOID AREA PLOTS FROM GOING UP VSTOL LIPZI  C13C
IF (XON(J).LE.XON(J+1)) GO TO 15                  ZI  C14C
10 CONTINUE                                           ZI  C15C
15 WRITE (6,75)                                     ZI  C16C
IF (NNSD.EQ.0) GO TO 40                            ZI  C17C
C
C SEARCH FOR MINIMUM AND MAXIMUM X ON EACH NSD (SPLITTER)
C
NE=NBODY2+1                                         ZI  C18C
NF=NBODY2+NSDBDY(1)                                ZI  C19C
DO 35 I=1,NNSD                                      ZI  C20C
XMIN=XON(NB)                                         ZI  C21C
JMIN(I)=NE                                         ZI  C22C
XMAX=XON(NB)                                         ZI  C23C
JMAX(I)=NP                                         ZI  C24C
NEM1=NE-1                                           ZI  C25C
NEH1=NE-1                                           ZI  C26C
DO 30 J=NE,NEM1                                     ZI  C27C
IF (XON(J).GT.XMAX) GO TO 20                         ZI  C28C
IF (XON(J).LT.XMIN) GO TO 25                         ZI  C29C
GO TO 30                                           ZI  C30C
20 XMAX=XON(J)                                       ZI  C31C
JMAX(I)=J                                         ZI  C32C
GO TO 30                                           ZI  C33C
25 XMIN=XON(J)                                       ZI  C34C
JMIN(I)=J                                         ZI  C35C
30 CONTINUE                                           ZI  C36C
NP=NE+1                                             ZI  C37C
NE=NE+NSDBDY(I+1)                                    ZI  C38C
WRITE (6,80)XMIN,XMAX,JMIN(I),JMAX(I)              ZI  C39C
35 CONTINUE                                           ZI  C40C
40 DO -65 J=NBP1,JJ
IA=1                                               ZI  C41C
YAR(IA)=0.                                          ZI  C42C
IF(NBODY1.EQ.0)GOTO50
CALL SINTP (XON,YON,NRDY1,XON(J),YAR(IA))        ZI  C43C
IF (NNSD.EQ.0) GO TO 50                            ZI  C44C
JEND=NBODY2                                         ZI  C45C
DO 45 I=1,NNSD                                      ZI  C46C
JPI=JMIN(I)                                         ZI  C47C
JMA=JMAX(I)                                         ZI  C48C
JEND=NSDBDY(I)+JEND                               ZI  C49C
IF (XON(J).GT.XON(JMA).OR.XON(JPI).LT.XON(J-1)) GO TO 45  ZI  C50C
IA=IA+1                                             ZI  C51C
CALL SINTP (XON(JMA),YON(JMA),JMA-JMA+1,XON(1),YAR(IA))  ZI  C52C
IA=IA+1                                             ZI  C53C
CALL SINTP (XON(JMI),YON(JMI),JEND-JMI+1,XON(1),YAR(IA))  ZI  C54C
45 CONTINUE                                           ZI  C55C
50 IA=IA+1                                           ZI  C56C

```

```

      YAR(IA)=YON(J)
      IS=0
      AREA=0.0
      DO 55 I=1,IA,2
      IS=IS+1
      APEAS(IS)=(YAR(I+1)**2-YAR(I)**2)*PI
      APEA=AREA+AREAS(IS)
55    CONTINUE
      AREA=AREA+YAR(1)**2*PI
      ENSUBK=CAPPA(J)*(YON(J)-YAR(1))/SORT(1.+YAR(1)/YON(J))
      IF(CAPPA(J).GT.90000.)ENSUBK=99999.
      IF (ENSD.EQ.0) GO TO 6C
      WRITE (6,85)(AREAS(I),I=1,IS)
6C    WRITE (6,90) J,XON(J),YON(J),YAR(1),AREA,AREAD,ENSUBK
      WRITE (6,95)
      IF (XON(J).GT.(XX+EXEP+XMIN)) GO TO 65
      JPLA=JPLA+1
      XXA(JPLA)=XON(J)
      ANULUS(JPLA)=AREA
      DISC(JPLA)=AREAD
65    CONTINUE
C     IF AREA PLOT IS NOT REQUIRED, GO TO 7C
      IF (IPLOTA.LE.0) GO TO 7D
      CALL CSCALE(DISC,YY,JPLA,1,10,FXMHN,DEEX)
      CALL CSCALE(ANULUS,YY,JPLA,1,10,EXMIN,DEEX)
      DISC(JPLA+1)=EXMIN
      DISC(JPLA+2)=DEEX
      CALL PLOT(XX,0.,-3)
      CALL PLOXIS(XX,YY,EXEP,DISC(JPLA+2),XMIN,DISC(JPLA+1),.25,.25,0,0,21
      14,3,E,0)
C     PLOT THE DISC AREA VS. X
      CALL LINE(XXA,DISC,JPLA,1,1,3,XMIN,FXEP,D7SC(JPLA+1),DISC(JPLA+2))
C     PLOT THE ANNULUS AREA VS. X
      CALL LINE(XXA,ANULUS,JPLA,1,1,3,XMIN,EXEP,DISC(JPLA+1),DISC(JPLA+2))
      1)
7D    RETURN
C
      75 FORMAT (1H1//9X,1H1,14X,3HXON,18X,3HYON,16X,4HYONH,12X,4HAREA,14X,21
      19HDISC AREA,1CX,6HENSUBK)
      8D FORMAT (1H2,5X,7Hxmin = ,1PE14.5,5X,7Hxmax = ,1PE14.5,5X,7Hjmin = 21
      1,I6,5X,7Hjmax = ,I6)
      85 FORMAT (74X,1PE19.4)
      90 FORMAT (8X,I3,3P6E19.4)
      95 FORMAT (1H3)
      END

```

Z1 C593 1CD  
 Z1 C600 11C  
 Z1 C610 12C  
 Z1 C620 13C  
 Z1 C630 14C  
 Z1 C640 15C  
 Z1 C650 16C  
 Z1 C660 17C  
 Z1 C670 18C  
 Z1 C680 19C  
 Z1 C690 20C  
 Z1 C700 20C  
 Z1 C710 20C  
 Z1 C720 30C  
 Z1 C730 40C  
 Z1 C740 50C  
 Z1 C750 50C  
 Z1 C760 50C  
 Z1 C770 50C  
 Z1 C780 50C  
 Z1 C790 50C  
 Z1 C800 10C  
 Z1 C810 10C  
 Z1 C820 10C  
 Z1 C830 0C  
 Z1 C840 0C  
 Z1 C850 .0C  
 Z1 C860 0C  
 Z1 C870 0C  
 Z1 C880 0C  
 Z1 C890 0C  
 Z1 C900 0C  
 Z1 C910 0C  
 Z1 C920 0C  
 Z1 C930 0C  
 Z1 C940 0C  
 Z1 C950 0C  
 Z1 C960 0C  
 Z1 C970 0C  
 Z1 C980 0C  
 Z1 C990 0C  
 Z1 1000 0C  
 Z1 1010 0C  
 Z1 1020 0C  
 Z1 1030 0C

ORIGINAL PAGE IS  
OF POOR QUALITY

105

```

SUBROUTINE DRAW(KR,KK)
C***** SUBROUTINE ADDED TO DRAW PICTURE OF INLET VIA CALCOMP PLOTTER.    Z2  E000
C***** CALLED ONCE FOR EACH SEGMENT                                         Z2  E010
C                                         Z2  E020
C                                         Z2  E030
C                                         Z2  E040
C                                         Z2  E050
C                                         Z2  E060
C                                         Z2  E070
C                                         Z2  E080
C                                         Z2  E090
C                                         Z2  E100
C                                         Z2  E110
C                                         Z2  E120
C                                         Z2  E130
C                                         Z2  E140
C
DIMENSION X(200),Y(200)                                                 Z2  E040
COMMON /SS/ NBDY1,NBODY2,TYPBDY,NBDYS                                     Z2  E050
COMMON /FOR3SS/IO,DELS,XBK(20),YBK(20),XON(500),YON(500),DYDX0(500)Z2  E060
11,ALPHA(500),CAPPA(500),SON(500),PI0180                                Z2  E070
COMMON/ LOT/XMIN,YMIN,ORD,EXEP,XX,YY,LPNCHO,IPLOTA,MM                  Z2  E080
COMMON/TOL/BAGS(15),BAGX(15),ZAP(15),NZAP(15)                           Z2  E090
KL=KR+1                                                               Z2  E100
II=I
DO 20 I=1,KL                                                       Z2  E110
N=KK+I-1                                                               Z2  E120
IF (II.GE.200.OR.N.GT.500) GO TO 30                                    Z2  E130
IF (II.GE.200.OR.N.GT.500) GO TO 30                                    Z2  E140
C
C***** TEST EACH (X,Y) PT. EXCLUDE THOSE BEYOND (XX*EXEP+XMIN) INCHES      Z2  E150
YMAN=YY*ORD+YMIN
IF(LPNCHO.EQ.2) YON(N)=YMAN-(YON(N)-YMAN)
IF (XON(N)-XX*EXEP+XMIN) 10,1E,20                                      Z2  E160
10 IF (YON(N)-YY*ORD-YMIN) 15,15,20                                      Z2  E170
15 II=II+1                                                               Z2  E180
X(II)=XON(N)                                                       Z2  E190
Y(II)=YON(N)                                                       Z2  E200
IF (II.NE.1.OR.TYPBDY.EQ.1.) GO TO 20                                  Z2  E210
C
C***** STORE CURVATURE VALUES OF SEGMENT'S FIRST PT. FOR USE WITH      Z2  E220
C SUBSEQUENT CURVATURE PLOTS.                                              Z2  E230
MM=MM+1                                                               Z2  E240
BAGX(MM)=XON(N)                                                       Z2  E250
BAGS(MM)=SON(N)                                                       Z2  E260
ZAP(MM)=CAPPA(N)                                                       Z2  E270
NZAP(MM)=N                                                               Z2  E280
20 CONTINUE
C
C***** DRAW A SEGMENT MARKER AT FIRST PT. OF SEGMENT                   Z2  E290
IF (XON(KK).GT.(XX*EXEP+XMIN).OR.YON(KK).GT.(YY*ORD+YMIN)) GO TO 222 E310
*5
XSYH=(X(1)-XMIN)/EXEP                                              Z2  E320
YSYH=(Y(1)-YMIN)/ORD                                              Z2  E330
CALL SYMBOL(XSYH,YSYH,.2,.1,.0,-1)                                     Z2  E340
25 CALL LINE(X,Y,II,1,1,3,XMIN,EXEP,YMIN,ORD)
RETURN
30 WRITE (6,35)II,N
35 FORMAT(1HD,* SCIRCLE ERROR EXIT - DATA POINTS EXCEED 200 ON A SEG Z2  E390
10P EXCEED 500 ON TOTAL INLET - * /2IB)
STOP
END

```

```

SUBROUTINE PLOXIS(XX,YY,EXEP,ORD,OFSETA,OFSEI,SLET,RS,SNOSZ,K5,K6,KZ3
1,L,NK,NL) . . .
C . . .
C#####SUBROUTINE ADDED TO DRAW AND LABEL AXIS FRAMES FOR ALL PLOTS #####
C##### COMMON/TITLE/ TTITLE(9,6)
C##### UP =11.-YY-2.*SNOSZ
M1=XX
M2=YY
CALL PLOT(4.,-11.,-3) . . .
CALL PLOT(0.,UP,-3) . . .
DO 25 I=1,M1 . . .
X=I
P=EXEP*X +OFSETA
CALL PLOT(X,0.,2)
CALL PLOT(X, .2,2)
M=I/2
P=FLOAT(I)-FLOAT(M)-X/2.
IF (6) 10,15,20
10 IF (K5) 15,15,20
15 CALL NUMPERIX-SNOSZ,-SNOSZ-.1D,SNOSZ,P,C.,NK)
GO TO 25
20 SN = 1.333*SNOSZ
25

```

CCCC  
C010  
C020  
C030  
C040  
C050  
C060  
C070  
C080  
C090  
C100  
C110  
C120  
C130  
C140  
C150  
C160  
C170  
C180  
C190  
C200  
C210  
C220

```
CALL NUMBER(XX-SNOSZ-SNOSZ,-SN-SNOSZ-.10,SN,1C.,0.,-1)      23 C230
CALL NUMBER(999.0,-SNOSZ -.10,SNOSZ,P,0.,NM) . . .           23 C240
25 CALL PLOT(X,G.,3)                                         23 C250
B = (XX-54.*SLETRS)/2.                                       23 C260
CALL SYMBOL(B,-SNOSZ-SLFTRS-.15-.6,SLETRS,TTITLE(1,K),G.,54) 23 C270
CALL PLOT(B.,C.,3)                                         23 C280
DO 45 J=1,M2                                              23 C290
Y=J
D=ORD*Y+OFFSET
CALL PLOT(2.,Y,2)                                         23 C310
CALL PLOT(-2,Y,2)                                         23 C320
N=J/2
E=FLOAT(J)-FLOAT(N)-Y/2.
IF (B) 30,30,45                                         23 C360
30 IF (K6) 35,35,40                                         23 C370
35 CALL NUMBER(-4.*SNOSZ          -.15,Y,SNOSZ,0,C.,NL) 23 C380
GO TO 45                                              23 C390
40 SN = 1.333*SNOSZ                                         23 C400
CALL NUMBER(-.15 -SN-SN-SN ,Y-SNOSZ,SN,10.,C.,-1)        23 C410
CALL NUMBER(999.0,Y+SN-SNOSZ,SNOSZ,0,C.,NL)             23 C420
45 CALL PLOT(B.,Y,3)                                         23 C430
C = (YY-54.*SLETRS)/2.
CALL SYMBOL(-SNOSZ-SNOSZ-SNOSZ-.15-.6,C,SLETRS,TTITLE(1,L1,90.,54)) 23 C450
CALL PLOT(B.,YY,3)                                         23 C460
CALL PLOT(XX,YY,2)                                         23 C470
CALL PLOT(XX,C.,2)                                         23 C480
DO 50 J=1,M2,2                                              23 C490
Y=J
IF (Y.EQ.YY) GO TO 55                                         23 C510
CALL PLOT(XX,Y,3)                                         23 C520
CALL PLOT(B.,Y,2)                                         23 C530
IF ((Y+1.)EQ.YY) GO TO 55                                         23 C540
CALL PLOT(B.,Y+1.,3)                                         23 C550
50 CALL PLOT(XX,Y+1.,2)                                         23 C560
55 CONTINUE                                              23 C570
DC 60 J=1,M1,2                                              23 C580
X=J
IF (X.EQ.XX) GO TO 65                                         23 C600
CALL PLOT(XX-X,YY,3)                                         23 C610
CALL PLOT(XX-X,C.,2)                                         23 C620
IF ((XX-X-1.).EQ.0.) GO TO 65                                         23 C630
CALL PLOT(XX-X-1.,0.,3)                                         23 C640
60 CALL PLOT(XX-X-1.,YY,2)                                         23 C650
65 RETURN,                                                 23 C660
END                                         23 C670
```

```

SUBROUTINE SINTP'(Z,W,N,X1,Y1)
C((((( ENLARGED FROM THE ORIGINAL (200)
DIMENSION A(13)
DIMENSTION X(250), Y(250), Z(250), W(250)
DATA EODFF/6HENDOFF/
DC 1C I=1,N
X(I)=Z(I)
12 Y(I)=W(I)
CALL SORTXY (X,Y,N)
C
DC 15 I=1,N
K=J
IF (X1.GT.X(I)) GO TO 15
IF (X1.EQ.X(I)) GO TO 20
IF (X1.LT.X(I)) GO TO 25
15 CONTINUE
20 Y1=Y(K)
GO TO 30
25 IF (K.EQ.1) GO TO 35
IF (K.EQ.N) K=N-1
W1=(X1-X(K))*(X1-X(K+1))/(X(K-1)-X(K))/(X(K)-X(K+1))
W2=(X1-X(K-1))*(X1-X(K+1))/(X(K)-X(K-1))/(X(K)-X(K+1))
W3=(X1-X(K-1))*(X1-X(K))/(X(K+1)-X(K-1))/(X(K+1)-X(K))
Y1=Y(K-1)*W1+Y(K)*W2+Y(K+1)*W3
30 RETURN
35 Y1=G
RETURN
EMPTY ECHO
CALL ERTRAN(16,*$AS6,T 25. . . )
WFITE (6,40)
40 FORMAT(1H1,23X,* INPUT FILE DUMP*)
45 READ (5,50,END=60)A
50 FCRMAT(13A6)
WFITE (6,55)A
WFITE (25,50)A
55 FORMAT(1H ,13A6)
GO TO 45
60 WFITE (25,50)FODFF
REWIND 25
RETURN
END

```

24 C000  
24 C010  
24 C020  
24 C030  
24 C040  
24 C050  
24 C060  
24 C070  
24 C080  
24 C090  
24 C100  
24 C110  
24 C120  
24 C130  
24 C140  
24 C150  
24 C160  
24 C170  
24 C180  
24 C190  
24 C200  
24 C210  
24 C220  
24 C230  
24 C240  
24 C250 !  
24 C260  
24 C270  
24 C280  
24 C290  
24 C300  
24 C310  
24 C320  
24 C330  
24 C340  
24 C350  
24 C360  
24 C370  
24 C380  
24 C390  
24 C400

ORIGINAL PAGE IS  
OF POOR QUALITY

```

SUBROUTINE SORTXY(X,Y,NPTS)
DIMENSION X(100),Y(100)
10 N=NPTS
15 NN=N-1
20 DO 55 KT=1,NN
    XMIN=X(KT)
    JAD=KT
    JKL=KT+1
25 DO 45 JK=JKL,N
30 IF (XMIN-X(JK)) 45,45,35
35 XMIN=X(JK)
40 JAD=JK
45 CONTINUE
50 YMIN=Y(JAD)
    X(JAD)=X(KT)
    Y(JAD)=Y(KT)
    X(KT)=XMIN
    Y(KT)=YMIN
55 CONTINUE
RETURN
END

```

25	E000
25	C010
25	C020
25	C030
25	C040
25	C050
25	C060
25	E070
25	C080
25	C090
25	C100
25	C110
25	C120
25	C130
25	C140
25	C150
25	C160
25	C170
25	C180
25	C190
25	C200

## PROGRAM 23Y

```

C NEWMAN PROGRAM - TWO DIMENSIONAL MULTIELEMENT AIRFOILS          EXECCC1
C .                      EXECCC2
C THIS IS THE EXECUTIVE ROUTINE FOR THE NEW NEUMANN             EXECCC3
C .                      EXECCC4
C COMMON /BFLAG/ IDB(10), INL(10), IFL(10), NL(10), LIFT(10),      EXECCC5
1           IBMF(10), ISAV1(10), ISAV2(10), ISAV3(10),               EXECCC6
2           BTITLE(10, 7), IBT, IBST, IBTOT, NELTOT,                 EXECCC7
3           ITAB(10), INMB(10), CHORDB(10), IBC(10), LIFTOT        EXECCC8
4           ,IPRB(10), IFST(10), ISEC(10), FTITLE(15), IPVR(10)    EXECCC9
C .                      EXECCC10
C COMMON /COMBOD/CCL, INCLT, CLT, ALPHA, SUMDS(10), TLU(10,12), IND   EXECCC11
1           , ALPHAO, CNU(10), SMDSWF(10), M10(10)                EXECCC12
C .                      EXECCC13
C COMMON /FILEID/ IFILE1, IFILE2, IFILE3, IFILE4, IFILES,          EXECCC14
1           IFILE6, IFILE7, IFILE8, IFILE9, IFIL10,                  EXECCC15
2           IFIL11, IFIL12, IFIL13, IFIL14, IFIL15,                  EXECCC16
3           ,IFIL16, IFIL17, IFIL18, IFIL19, IFIL20                 EXECCC17
COMMON/PICTUR/VPERIN,XX,XMIN,EXEP,YY,YMIN,ORD
COMMON /MRDATA/ ISOL,IOFF,NONU,NBNU,IPRINT,MORE,M
COMMON/ROTAT/NROT, ROTRAD(10)                                     EXECCC18
EXECCC19
C SET UP THE VARIOUS STORAGE UNITS REQUIRED BY THE PROGRAM       EXECCC20
CALL FILES                                                       EXECCC21
10 CONTINUE                                                       EXECCC22
REWIND IFILE1                                                       EXECCC23
REWIND IFILE2                                                       EXECCC24
REWIND IFILE3                                                       EXECCC25
REWIND IFILE4                                                       EXECCC26
REWIND IFILE8                                                       EXECCC27
REWIND IFILE9                                                       EXECCC28
REWIND IFIL10                                                       EXECCC29
REWIND IFIL11                                                       EXECCC30
REWIND IFIL12                                                       EXECCC31
REWIND IFIL13                                                       EXECCC32
REWIND IFIL14                                                       EXECCC33
REWIND IFIL15                                                       EXECCC34
REWIND IFIL16                                                       EXECCC35
REWIND IFIL17                                                       EXECCC36
CALL TSERV                                                       EXECCC37
C .                      EXECCC38
C CALL MAIN1                                                       EXECCC39
C .                      EXECCC40
C OBTAIN SIGMA SOLUTIONS                                         EXECCC41
ISIZE = 11413                                                       EXECCC42
CALL SOLVE (NELTOT, M, ISIZE, ISOL)                                EXECCC43
EXECCC44
C .                      EXECCC45
CALL TINV(T)                                                       EXECCC46
WPI(T,6,7) T
7D FORMAT (1HD, "SOLVE COMPLETE, READ FLOW TITLE & CONTROL CARD, ",  EXECCC47
1           "CALL COMBO, T = *.*F9.3, *SECONDS.")                   EXECCC48
C .                      EXECCC49
CALL MAIN3                                                       EXECCC50
C .                      EXECCC51

```

```
IF (MORE .EQ. 1) GO TO 10
IF (VPERIN.GT.0.AND.IOFF.EQ.1) CALL PLOT(XX+4.,D,,,-3)
IF (VPERIN.GT.0.AND.IOFF.EQ.1) CALL PLOTID
STOP
END
```

EXEC C59  
EXEC C60

EXEC C61  
EXEC C62

ORIGINAL PAGE IS  
OF POOR QUALITY

```
'SUBROUTINE TIMEV(T)
T=0.
RETURN
END
```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

C SUBROUTINE ASSEMB
C
C THIS ROUTINE READS IN NORMAL AND TANGENTIAL ONSET FLOWS
C IN ROW ORDER, AND ASSEMBLES THEM IN COLUMN ORDER AND WRITES
C THEM BACK OUT
C
C NORMAL ONSET FLOWS ON UNIT IF11
C
C TANGENTIAL ONSET FLOWS ON UNIT IF12
C
C THE NORMAL ONSET FLOWS ARE ALSO WRITTEN ON IFC4 (RHS TAPE)
C FOR USE IN MATRIX SOLUTION.
C
C ALSO, NON-UNIFORM ONSET FLOWS ARE READ IN AND WRITTEN ON UNITS.
C
C
C DIMENSION VN(500,12), VNUF(500), VTUF(500), II(5), IE(5)
C DIMENSION XO(500), YO(500), DS(500), SA(500), CA(500)
C
C EQUIVALENCE (VN(1,1), VNUF(1)), (VN(1,2), VTUF(1))
C
C
C COMMON /COMBOD/CCL, INCLT, CLT, ALPHA, SUMDS(10), TLU(10,12), IND
C           + ALPHAO, CNU(10), SMDSWF(10), MIO(10)
C
C COMMON /BFLAG/ IDR(10), INL(10), IFL(10), NL(10), LIFT(10),
C           IBMF(10), ISAV1(10), ISAV2(10), ISAV3(10),
C           BTITLE(10, 7), IBT, IPST, IBTOT, NELTOT,
C           ITRB(10), INMB(10), CHORDB(10), IBD(10), LIFTOT
C           ,IPRB(10), IFST(10), ISEC(10), FTITLE(10), IPVR(10)
C
C COMMON /FILEID/ IF01, IF02, IF03, IFC4, IF05,
C           IF06, IF07, IF08, IF09, IF10,
C           IF11, IF12, IF13, IF14, IF15
C           ,IF16, IF17, IF18, IF19, IF20
C
C COMMON/ROTRAT/NROT, ROTRAD(10)
C COMMON /MDATA/ ISOL, IOFF, NONU, NBNU, IPRINT, MORE, M
C COMMON/ELDATA/ XO, YO, DS, SA, CUPV(500), DL(500)
C
C NORMAL ONSET FLOWS
C      REWIND IF11
C      DO 10 I = 1, NELTOT
C      READ(IF11) (VN(I,K), K=1,M)

```

```

REWIND IF11          ASEMC45
REWIND IFC4          ASEMC46
MTOT = M            ASEMC47
IF (NONU .GT. 0) MTOT = MTOT + NONU
WRITE(IF04) MTOT    ASEMC48
DO 20 K = 1,M      ASEMC49
CALL SAVE(IF11, 1, 1, NELTOT, VN(1,K), 1, VNA)
20 CALL SAVE(IF04, 1, 1, NELTOT, VN(1,K), 1, VNA) ASEMC50
C TANGENTIAL ONSET FLOWS ASEMC51
REWIND IF12          ASEMC52
DO 30 I = 1,NELTOT ASEMC53
30 READ(IF12) (VN(I,K), K= 1,M ) ASEMC54
REWIND IF12          ASEMC55
DO 40 K = 1,M      ASEMC56
40 CALL SAVE(IF12, 1, 1, NELTOT, VN(1,K), 1, VNA) ASEMC57
C CHECK IF NON-UNIFORM ONSET FLOWS INPUT ASEMC58
340 IF (NONU .LE. 0) RETURN ASEMC59
C DO 565 L = 1,NONU ASEMC60
M = M + 1           ASEMC61
C PRESET ALL VELOCITIES TO ZERO ASEMC62
DO 350 I = 1,NELTOT ASEMC63
VNUF(I) = 0.0        ASEMC64
350 VTUF(I) = 0.0    ASEMC65
CALL SAVE(IF11, 1, 1, NELTOT, VNUF, 1, VN) ASEMC66
C PRESET TLU ARRAYS TO ZERO ASEMC67
DO 355 I = 1,IBTOT ASEMC68
355 TLU(I,M) = 0.0  ASEMC69
C READ IN COMBINATION CONSTANTS FOR NON-UNIFORM FLOWS ASEMC70
ITYP = 1C           ASEMC71
360 READ(5,340) (CNUI(I), I = 1, 6), ITYPE ASEMC72
IF (ITYPE .NE. ITYP) CALL TYPE(ITYP, ITYPE)
C DO 465 NP = 1,NBNU ASEMC73
LR = ?              ASEMC74
C READ BODY CONTROL CARD FOR NON-UNIFORM FLOW ASEMC75
ITYP = 1I           ASEMC76
READ(5,370) IBOD, IN, IT,NN, (II(I),IE(I), I = 1,5),CB, ITYPE ASEMC77
370 FORMAT (II,1XII, 1G(2XI3), F10.5, SXI2) ASEMC78
IF (ITYPE .NE. ITYP) CALL TYPE(ITYP, ITYPE)
C SEARCH FOR BODY ID AND SET LIFTING BODY COUNTER ASEMC79
DO 380 IB = 1,IPTOT ASEMC80
IF (LIFTIB) .NE. 0? LB = LB + 1 ASEMC81
IIB = IB           ASEMC82
IF (IBOD .EQ. IOB(IB)) GO TO 420 ASEMC83
380 CONTINUE         ASEMC84
WRITE(6,390) IBOD ASEMC85
390 FORMAT(1HG, *NON-UNIFORM FLOW INPUT, BODY WITH ID = *, II, ASEMC86

```

```

1           * DOES NOT EXIST.  RUN TERMINATED. *)
ASEM1C2
STOP
ASEM1D3
C
4E3 MO = MIO(IIP) - 1
IF (NPOT .GT. 0) GO TO 455
ASEM1D4
C
DO 450 LL= 1,NN
IO = MO + JI(LL)
IF = MO + IE(LL)
ASEM1D5
ASEM1D6
ASEM1C7
ASEM1D7
ASEM1D8
ASEM1D9
ASEM11G
ASEM111
ASEM112
ASEM113
ASEM114
ASEM115
ASEM116
ASEM117
ASEM118
ASEM119
ASEM120
ASEM121
ASEM122
ASEM123
ASEM124
ASEM125
ASEM126
ASEM127
ASEM128
ASEM129
ASEM130
ASEM131
ASEM132
ASEM133
ASEM134
ASEM135
ASEM136
ASEM137
ASEM138
ASEM139
ASEM140
ASEM141
ASEM142
ASEM143
ASEM144
ASEM145
ASEM146
ASEM147
ASEM148
ASEM149
ASEM150
ASEM151
ASEM152
ASEM153
ASEM154
ASEM155
ASEM156
ASEM157
ASEM158

C
READ(5,44C) (VNUF(I), I = M1,M2), ITYPE
IF (ITYPE .NE. ITYP) CALL TYPE(ITYP, ITYPE)
IF (M2 .LT. IF) GO TO 410
420 IF (IT .EQ. 0) GO TO 450
C
READ IN NORMAL VELOCITIES
ITYP = 12
M2 = IO - 1
410 M1 = M2 + 1
M2 = M1 + 5
READ(5,44C) (VNUF(I), I = M1,M2), ITYPE
IF (ITYPE .NE. ITYP) CALL TYPE(ITYP, ITYPE)
IF (M2 .LT. IF) GO TO 410
420 IF (IT .EQ. 0) GO TO 450
C
READ IN TANGENTIAL VELOCITIES
ITYP = 13
M2 = IO - 1
430 M1 = M2 + 1
M2 = M1 + 5
READ(5,44C) (VTUF(I), I = M1,M2), ITYPE
440 FORMAT( 6F1B,D, 1DX12)
IF (ITYPE .NE. ITYP) CALL TYPE(ITYP, ITYPE)
IF (M2 .LT. IF) GO TO 430
450 CONTINUE
GO TO 457
C
SPFCIAL ROTATING FLOW - INPUT GENERATED
455 CONTINUE
C
COUNTERS FOR MATRIX STORAGE
IO = MO + I
IF = MO + NL(IIP)
ASEM137
ASEM138
ASEM139
ASEM140
ASEM141
ASEM142
ASEM143
ASEM144
ASEM145
ASEM146
ASEM147
ASEM148
ASEM149
ASEM150
ASEM151
ASEM152
ASEM153
ASEM154
ASEM155
ASEM156
ASEM157
ASEM158

C
COUNTER FOR BODY GEOMETRY
JI = INL(IIP) - 1
C
ROTATION RADIUS
ROTRAD(IIP) = CB
CP = 1.0/CB
DC 456 I = IO,IF
JI = JI + 1
VNUF(I) = -YO(JI)*SA(JI) - XO(JI)*CA(JI)
VTUF(I) = YO(JI)*CA(JI) - XO(JI)*SA(JI)
456 CONTINUE
WRITE(6,999) NONU,NROT,NBNU,L,NB,IO,IF
999 FORMAT(1HC, 7HNNU = ,I3,5X7HNROT = ,I3,5X7HARNU = ,I3,
1 4HL = ,I3,5X5HNP = ,I3, 5X5HIQ = ,I3,5X5HIC = ,I3)
457 CONTINUE
C
ALL NON-U VELOCITIES FOR BODY ID=IBOD READ IN.
C
SCALE VELOCITIES

```

```

IF (ABS(CB) .LT. 1.E-6) GO TO 480
DO 470 I = 10,IF
  VNUF(I) = VNUF(I)*CB
470 VTUF(I) = VTUF(I)*CB
480 CONTINUE

C
C  RESET TLU IF LIFTING BODY
  IF (LIFT(1IB) .EQ. 0) GO TO 460
  IO = MO + 1
  IF = MO + NL(1IB)
  TLU(LB,M) = VTUF(IO) + VTUF(IF)
460 CONTINUE

C
C  ALL VELOCITIES FOR A GIVEN NON-U FLOW READ IN.
  CALL SAVE(IF04, 1, 1, NELTOT, VNUF, 1, VN)
  CALL SAVE(IF12, 1, 1, NELTOT, VTUF, 1, VN)

C
C
490 J2 = C
495 WRITE(6,500)
500 FORMAT(1H1)
      WRITE(6,510) L, M
510 FORMAT(1H0, 15X, *NON-UNIFORM FLOW NUMBER *, J2, *, M = *, I3/I
      1           T15,*I*, T27,* VN*, T44,* VT*,*
      2           T75,*I*, T87,* VN*, T104,* VT*)
      J1 = J2 + 1
      JMX = J1 + 49
      N2 = (NELTOT + 1 + J2)/2
      IF (JMX .GT. N2) JMX = N2
      J2 = JMX
      DC 530 J = J1,JMX
      J2 = J2 + 1
      IF (J2 .GT. NELTOT) GO TO 540
      WRITE(6,520) J, VNUF(J1), VTUF(J1), J2, VNUF(J2), VTUF(J2)
520 FORMAT(1H , 11X13, 2{5XF12.6}, 23X13, 2{5XF12.6})
530 CONTINUE
      IF (J2 .LT. NELTOT) GO TO 495
      GO TO 550
540 WRITE(6,520) J, VNUF(J), VTUF(J)
550 CONTINUE

C
C
560 : : :
C
C
      RETURN
      END

```

ASEM159  
ASEM160  
ASEM161  
ASEM162  
ASEM163  
ASEM164  
ASEM165  
ASEM166  
ASEM167  
ASEM168  
ASEM169  
ASEM170  
ASEM171  
ASEM172  
ASEM173  
ASEM174  
ASEM175  
ASEM176  
ASEM177  
ASEM178  
ASEM179  
ASEM180  
ASEM181  
ASEM182  
ASEM183  
ASEM184  
ASEM185  
ASEM186  
ASEM187  
ASEM188  
ASEM189  
ASEM190  
ASEM191  
ASEM192  
ASEM193  
ASEM194  
ASEM195  
ASEM196  
ASEM197  
ASEM198  
ASEM199  
ASEM200  
ASEM201  
ASEM202  
ASEM203  
ASEM204  
ASEM205

```

C      SUBROUTINE GETT(IU, IT, N1, A1, N2, A2)
C      DIMENSION A1(N1), A2(N2)
C      GO TO (10,20,30,40), IT
C
C      READ A1
10     PEAD(IU) A1
        RETURN
C
C      READ N1 AND A1
20     READ(IU) N1, A1
        RETURN
C
C      READ A1 AND A2
30     PEAD(IU) A1, A2
        RETURN
C
C      READ IDUM AND A1
40     READ(IU) IDUM, A1
        RETURN
        FND

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

GETTC01
GETTC02
GETTC03
GETTC04
GETTC05
GETTC06
GETTC07
GETTC08
GETTC09
GETTC10
GETTC11
GETTC12
GETTC13
GETTC14
GETTC15
GETTC16
GETTC17
GETTC18
GETTC19
GETTC20
GETTC21
GETTC22

```

```

FUNCTION ABFORM (XI, YI, DSI, SINI, COSI,
1           XJ, YJ, DSJ, SINJ, COSJ, BC)          ABFOC01
.          ABFOC02
.          ABFOC03
.          ABFOC04
C          ABFOC05
C THIS ROUTINE ACTUALLY CALCULATES THE INDUCED VELOCITY      ABFOC06
C ARRAY ELEMENTS A AND B.                                     ABFOC07
C
C          ABFOC08
C          DATA E1,E2/169.0,11.111/,E0,EY/0.0001,0.01/     ABFOC09
C
C          ABFOC10
C          DX = XI - XJ                                     ABFOC11
C          DY = YI - YJ                                     ABFOC12
C          R0SQ = DX**2 + DY**2                            ABFOC13
C          DSJSQ = DSJ**2                                  ABFOC14
C
C          IF (R0SQ .LT. DSJSQ*E1) GO TO 10                 ABFOC15
C
C          USE FAR FIELD FORMULAS                         ABFOC16
C          VX = 2.*DSJ/R0SQ                               ABFOC17
C          VY = VX*DY                                     ABFOC18
C          VX = VX*DX                                     ABFOC19
C          AO = -VX*SINI + VY*COSI                     ABFOC20
C          ABFORM = AO                                    ABFOC21
C          EO = -VX*COSI + VY*SINI                     ABFOC22
C          RETURN                                         ABFOC23
C
C          USE NEAR FIELD FORMULAS                      ABFOC24
C          IC X = DX*COSJ + DY*SINJ                   ABFOC25
C          Y = DY*COSJ - DX*SINJ                       ABFOC26
C          S = SINI*COSJ - COSI*SINJ                  ABFOC27
C          C = COSI*COSJ + SINI*SINJ                  ABFOC28
C
C          IF (R0SQ .GT. DSJSQ*E2) GO TO 20             ABFOC29
C
C

```

```

C USE EXACT FORMULAS ABFOC36
  XB = X/DSJ ABFOC37
  YB = Y/DSJ ABFOC38
  R0 = XB**2 + YB**2 ABFOC39
  PR = XB**2 - YB**2 ABFOC40
  R1 = P0 + XB + 0.25 ABFOC41
  R2 = R0 - XB + 0.25 ABFOC42
C ABFOC43
  VX = +ALOG((ROS0+DSJ*X+0.25*DSJSQ)/(ROS0-DSJ*X+0.25*DSJSQ)) ABFOC44
  Y = Y*DSJ ABFOC45
  X = ROS0 - 0.25*DSJSQ ABFOC46
  VY = 2.0*ATAN2(Y,X) ABFOC47
C ABFOC48
  GO TO 30 ABFOC49
C ABFOC50
C ABFOC51
C USE MULTIPOLE FORMULAS ABFOC52
  23 AE = X*DSJ/ROS0 ABFOC53
  BE = Y*DSJ/ROS0 ABFOC54
  ASQ = X**2/POS0 ABFOC55
  ESQ = DSJSQ/ROS0 ABFOC56
  VX = 2.0*AE*(1.0 + (ASQ - 0.75)*ESQ/3.0) ABFOC57
  VY = 2.0*BE*(1.0 + (ASQ - 0.25)*ESQ/3.0) ABFOC58
C ABFOC59
C ABFOC60
  31 CONTINUE ABFOC61
  ABFORM = -S*VX + C*VY ABFOC62
  EO = C*VX + S*VY ABFOC63
C ABFOC64
C ABFOC65
  RETURN ABFOC66
  END ABFOC67

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

      SUBROUTINE MAFORM ( M, NONU, NBNU, ISCL, IPRINT)          MAFOC1
C
C
C THIS ROUTINE FORMS AND STORES MATRICES A AND B           MAFOC2
C ALSO CALCULATES AND STORES ALPHA AND CIRCULATORY ONSET VELOCITIES MAFOC3
C
C THIS IS FIRST ATTEMPT AND IS SIMPLE ONE-TIME PASS.        MAFOC4
C CAPABILITY TO ONLY CHANGE SELECTED ARRAY ITEMS            MAFOC5
C WILL BE ADDED LATER.                                     MAFOC6
C
C
C     REAL*4 N                                         MAFOC7
C
C
C     DIMENSION    A(500),    B(500),    X0(500),    Y0(500),    MAFOC8
C     1          DS(500),    SA(500),    CA(500),    BLU(500),    MAFOC9
C     2          N(12),     T(12)                   MAFOC10
C
C     COMMON /COMPROD/CCL, INCLT, CLT, ALPHA, SUMDS(10), TLU(10,12),IND MAFOC11
C     1           , ALPHAO, CNU(10), SMDSWF(10), HIO(10)          MAFOC12
C
C     COMMON /BFLAG/ TDB(10), INL(10), IFL(10), NL(10), LIFT(10), MAFOC13
C     1           IBMF(10), ISAV1(10), ISAV2(10), ISAV3(10),          MAFOC14
C     2           BTITLE(10, 7), IBT, IBST, IBTOT, NELTOT,          MAFOC15
C     3           ITRB(10), INMB(10), CHORDB(10), IBD(10), LIFTOT MAFOC16
C     4           ,IPRB(10), IFST(10), ISEC(10), FTITLE(15), IPVR(10) MAFOC17
C     COMMON /FILEID/ IF01, IF02, IF03, IF04, IF05,          MAFOC18
C     1           IF06, IF07, IF08, IF09, IF10,          MAFOC19
C     2           IF11, IF12, IF13, IF14, IF15,          MAFOC20
C     3           ,IF16, IF17, IF18, IF19, IF20          MAFOC21
C     COMMON/ROTAT/NROT, ROTRAD(10)                         MAFOC22
C
C     COMMON/ELDATA/ X0, Y0, DS, SA, CA, CURV(500), DL(500) MAFOC23
C     COMMON/GCOEFS/ WF(500)                                MAFOC24
C
C     BEGIN NEW CASE. II IS ROW COUNT, JJ IS COLUMN COUNT. MAFOC25
C     REWIND IF09                                MAFOC26
C     REWIND IF10                                MAFOC27
C     REWIND IF11                                MAFOC28
C     REWIND IF12                                MAFOC29
C     REWIND IF13                                MAFOC30
C     M = LIFTOT + 2                            MAFOC31
C     I2 = 5                                    MAFOC32
C     II = 0                                    MAFOC33
C     LP = 0                                    MAFOC34
C     INT = 0                                    MAFOC35
C     NROT = 0                                  MAFOC36
C
C     INPUT VALUE OF NONU .GT. 6 IS USED TO FLAG MAFOC37

```

```

C A ROTATING NON-UNIFORM FLOW          MAF0C50
IF (NONU .LE. 6) GO TO 5           MAF0C51
NRGT = I                           MAF0C52
NONU = I                           MAF0C53
5 CONTINUE                         MAF0C54
DO 210 IIB = 1,IBTOT             MAF0C55
C CHECK IF BODY IIB IS STILL IN DATA SFT.   ORIGINAL PAGE IS
IF (IPMF(IIP) .LT. 0) GO TO 210     OF POOR QUALITY.
IWT = IWT + 1                     MAF0C56
C
C
IO = INL(IIR)
IF = IO + NL(IIB)- 1
MIO(IIB) = II + 1
DO 180 I = IO,IF
JJ = ?
K = 2
II = II + 1
IF (IPRINT .EQ. 2)
1 WRITE (6,12) II
12 FORMAT(1H1, T4,*I = *,I3/IH0, T4,*J*, T15,*AO*, T31,*BO*)
C
DC 15C IB = 1,IBTOT
IF (IBMF(IB) .LT. 0) GO TO 150
C COUNTER FOR ELEMENT GEOMETRY
J = INL(IB) - 1
C COUNTERS FOR A,E ARRAYS
JI = JJ + 1
JF = JJ + NL(IB)
C JJ IS COUNTER FOR THE CURRENT ELEMENT
C
C ZERO OUT A+E ARRAYS
DC 2C JJ1 = JI,JF
A(JJ1) = 0.0
2C P(JJ1) = 0.0
C
JJ = JT
JJ1 = JJ + 1
JJ3 = JJ1 + 1
6C TO 4C
3D JJ3 = JJ + 1
4C J = J + 1
AC = ARFORM(XO(I),YO(I),DL(I),SA(I),CA(I),
1                               XO(J),YO(J),DL(J),SA(J),CA(J),BO)
P(JJ) = P(JJ) + BO
A(JJ) = A(JJ) + AO
C
IF (IPRINT .EQ. 2)
1 WRITE (6,50) JJ, AO, BO
50 FORMAT(1H , I3, 2(4XF12.6))
C
C
113 JJ1 = JJ
JJ = JJ + 1
IF (JJ - JF)3D,120,130

```

```

C
120 JJ3 = JJ1 - 1
      GO TO 40
130 JJ = JJ - 1
C
C
C   IF LIFTING BODY, SAVE FIRST AND LAST B. ALSO CALCULATE N AND T.
    IF (LIFT(1IB) .EQ. 0) GO TO 150
    VN = C.0
    VT = C.0
    SMDSWF(1B) = B.0
    IF ((JW1 .EQ. 1) .AND. (I .EQ. IO))
      1CALL WEIGHT(SUMDS(1B), DS, JT, JF, WF, IPVR(1B))
      DO 140 J = JI,JF
        SMDSWF(1B) = SMDSWF(1B) + DS(J) * WF(J)
        VN = VN + B(J)*WF(J)
      140 VT = VT + A(J)*WF(J)
C
      K = K + 1
      N(K) = VN
      T(K) = VT
C
C
150 CONTINUE
C
C   A COMPLETE ROW OF BOTH A AND B HAS BEEN GENERATED:
C   SAVE A ON UNIT 9, A AND B ON UNIT 10.
      CALL SAVE(IF10, 1, 1, JJ, A, 1, VN)
      CALL SAVE(IF10, 1, 1, JJ, B, 1, VN)
C
C
C   SET ALPHA ONSET FLOWS
C   ALPHA = I
      N(1) = SA(I)
      T(1) = CA(I)
C
C   ALPHA = 9
      N(2) = CA(I)
      T(2) = SA(I)
C
C
      DO 160 K = 1,M
      JJ = JJ + 1
160 A(JJ) = N(K)
C
C   THE A-ARPAY IS SAVED ON IF09 IN AUGMENTED FORM
      CALL SAVE(IF09, 1, 1, JJ, A, 1, VN)
C
C
C   ALSO SET UP TLU ARPAY
      IF (LIFT(1IB) .EQ. 0) GO TO 203
      IF (I .NE. IO) GO TO 201
      LP = LB + 1
      DO 220 K = 1,M
220 TLU(LA,K) = T(K)
C
      201 IF (I .NE. IF) GO TO 203

```

MAFO107  
MAFO108  
MAFO109  
MAFO110  
MAFO111  
MAFO112  
MAFO113  
MAFO114  
MAFO115  
MAFO116  
MAFO117  
MAFO118  
MAFO119  
MAFO120  
MAFO121  
MAFO122  
MAFO123  
MAFO124  
MAFO125  
MAFO126  
MAFO127  
MAFO128  
MAFO129  
MAFO130  
MAFO131  
MAFO132  
MAFO133  
MAFO134  
MAFO135  
MAFO136  
MAFO137  
MAFO138  
MAFO139  
MAFO140  
MAFO141  
MAFO142  
MAFO143  
MAFO144  
MAFO145  
MAFO146  
MAFO147  
MAFO148  
MAFO149  
MAFO150  
MAFO151  
MAFO152  
MAFO153  
MAFO154  
MAFO155  
MAFO156  
MAFO157  
MAFO158  
MAFO159  
MAFO15A  
MAFO15B  
MAFO15C  
MAFO15D  
MAFO15E  
MAFO15F  
MAFO15G  
MAFO15H  
MAFO15I  
MAFO15J  
MAFO15K  
MAFO15L  
MAFO15M  
MAFO15N  
MAFO15O  
MAFO15P  
MAFO15Q  
MAFO15R  
MAFO15S  
MAFO15T  
MAFO15U  
MAFO15V  
MAFO15W  
MAFO15X  
MAFO15Y  
MAFO15Z  
MAFO160  
MAFO161  
MAFO162

ORIGINAL PAGE IS  
OF POOR QUALITY

DO 202 K = 1,M  
 202 TLU(LP,K) = TLU(LP,K) + T(K)  
 203 CONTINUE  
 C  
 C  
 C SAVE NORMAL AND TANGENTIAL ONSET VELOCITIES.  
 NORHALS ON UNIT 11, TANGENTIALS ON UNIT 12  
 C  
 WRITE(IF11) N  
 WPITE(IF12) T  
 C  
 C IF I=10 AND LIFTING BODY, SFT BLU  
 IF (I .NE. 10) GO TO 180  
 IF (LIFT(IIR) .EQ. 0) GO TO 180  
 DO 170 J = 1, NELTOT  
 170 BLU(J) = B(J)  
 C  
 C  
 180 CONTINUE  
 C IF LIFTING BODY, SUM BLU  
 IF (LIFT(IIR) .EQ. 2) GO TO 210  
 DO 190 J = 1, NELTOT  
 190 BLU(J) = BLU(J) + B(J)  
 C  
 C  
 STORE BLU ON UNIT 13  
 CALL SAVE(IF13, 1, 1, NELTOT, BLU, 1, VN)  
 C  
 210 CONTINUE  
 C  
 C  
 C  
 243 CONTINUE  
 IF (IPRINT .NE. 2) GO TO 340  
 WRITE (6,250)  
 250 FORMAT(1H1)  
 WRITE (6,250)  
 REWIND IF10  
 JF = NELTOT  
 DO 330 J = 1,JF  
 CALL GETI(IF10, 1, JF, A, 1, VN)  
 CALL GETI(IF10, 1, JF, B, 1, VN)  
 WRITE (6,300) J  
 300 FCPMATT1HG, T4,"A(\*, T3,\*, J)\*")  
 WPITE (6,310) (A(I),I=1,JF)  
 310 FORMAT(8(4XF12.6))  
 C  
 WRITE (6,320) J  
 320 FORMAT(1HG, T4,"B(\*, T3,\*, J)\*")  
 WPITE (6,310) (B(I),I=1,JF)  
 C  
 330 CONTINUE  
 C  
 C  
 340 CONTINUE  
 C  
 C  
 RETURN  
 END

```

SUBROUTINE MAIN3                                MAN3C01
C
COMMON /BFLAG/ IDB(10), INL(10), IFL(10), NL(10), LIFT(10),
1           IBMF(10), ISAV1(10), ISAV2(10), ISAV3(10),      MAN3C02
2           BTITLE(10, 7), IBT, TBST, IBTCT, NELTOT,      MAN3C03
3           ITRR(10), INMB(10), CHOPDB(10), IBD(10), LIFTOT      MAN3C04
4           ,IPRB(10), IFST(10), ISEC(10), FTITLE(15), TPVR(10)      MAN3C05
C
C
COMMON /COMBOD/CCL, INCLT, CLT, ALPHA, SUMDS(10), TLU(10,12), IND
1           , ALPHAO, CNU(10), SHDSWF(10), MIO(10)      MAN3C06
C
COMMON /FILEID/ IFILE1, IFILE2, IFILE3, IFILE4, IFILES,
1           IFILE6, IFILE7, IFILE8, IFILE9, IFILE10,      MAN3C07
2           IFILE11, IFILE12, IFILE13, IFILE14, IFILE15      MAN3C08
3           ,IFIL16, IFIL17, IFIL18, IFIL19, IFIL20      MAN3C09
COMMON /MDATA/ ISOL,IOFF,NONU,NBNU,IPRINT,MORE,M      MAN3C10
C
C CALCULATE COMBINATION CONSTANTS
CALL COMBO (NELTOT, LIFTOT, M, NONU)          MAN3C11
C
CALL TIMEV(T)
WRITE(6,60) T
!C FORMAT(1HC, *COMPO COMPLETE, CALL FLOWS, T = *,F9.3,*SECONDS.*)
C
CALL FLOWS(NELTOT, M, IPRINT)                  MAN3C12
CALL TIMEV(T)
WFITE(6,9C) T
!C FORMAT(1HC, *FLOWS COMPLETE, T = *, F9.3, *SECONDS.*)
C
C CHECK FOR OFFBODY POINTS
IF (IOFF .NE. 1) GO TO 110
C
CALL OFFBOD(NELTOT, M, CHOPDB, IDB, IBTOT)      MAN3C13
CALL TIMEV(T)
WRITE(6,100) T
!C FORMAT(1HC, *OFFBODY POINTS COMPLETE, T = *, F9.3,* SECONDS.*)
C
C
110 CONTINUE
C
RETURN
END

```

MAN3C14  
MAN3C15  
MAN3C16  
MAN3C17  
MAN3C18  
MAN3C19  
MAN3C20  
MAN3C21  
MAN3C22  
MAN3C23  
MAN3C24  
MAN3C25  
MAN3C26  
MAN3C27  
MAN3C28  
MAN3C29  
MAN3C30  
MAN3C31  
MAN3C32  
MAN3C33  
MAN3C34  
MAN3C35  
MAN3C36  
MAN3C37  
MAN3C38  
MAN3C39  
MAN3C40  
MAN3C41  
MAN3C42  
MAN3C43  
MAN3C44  
MAN3C45

ORIGINAL PAGE IS  
OF POOR QUALITY

```

SUBROUTINE MIS1 ( A, N, ND, B, MD, NERR, D ) MIS1C01
C
C   A REAL*4      SUBROUTINE TO MIS1C02
C   INVERT A MATRIX AND/OR SOLVE SIMULTANEOUS EQUATIONS MIS1C03
C
C   INPUT, MIS1C04
C   A = NAME OF INPUT MATRIX, DIMENSIONED A(ND,NE) MIS1C05
C   N = IS THE ORDER OF THE MATRIX A MIS1C06
C   ND = IS THE DIMENSION OF THE SQUARE ARRAY A MIS1C07
C   B = NAME OF INPUT MATRIX, DIMENSIONED B(ND,MD) MIS1C08
C   ( B(ND) IS ALLOWED IF MD=1 ) MIS1C09
C   MD = IS THE NUMBER OF COLUMNS IN THE RECTANGULAR ARRAY B MIS1C10
C   D = SCALE FACTOR FOR VALUE OF DETERMINANT (=1., FOR NO SCALING) MIS1C11
C
C   OUTPUT, MIS1C12
C   A(I,J) = GARBAGE MIS1C13
C   B(I,J) = A-INVERSE * B MIS1C14
C   NERR = 0--OK, 1--A IS SINGULAR MIS1C15
C   D = SCALED VALUE OF DETERMINANT MIS1C16
C
C   RFAL*4      A,B,D,AIJMAX,ARAT MIS1C17
C   DIMENSION A(ND,ND), B(ND,MD) MIS1C18
C   EQUIVALENCE (L,FL), (K,FR) MIS1C19
C   DATA EPS/1.E-25/ MIS1C20
C   START REDUCTION OF MATRIX A MIS1C21
C
C   DO 80  I=1,N MIS1C22
C
C   SEARCH FOR MAXIMUM ELEMENT IN ITH ROW OF A-MATRIX MIS1C23
C
C
C   AIJMAX = A(I,1) MIS1C24
C   JMAX = 1 MIS1C25
C   DO 10  J=2,N MIS1C26
C   IF ( ABS(A(I,J)) .LE. ABS(AIJMAX)) GO TO 10 MIS1C27
C   AIJMAX = A(I,J) MIS1C28
C   JMAX = J MIS1C29
C   10 CONTINUE MIS1C30
C
C   IF AIJMAX IS ZERO, THE MATRIX IS SINGULAR MIS1C31
C
C   IF (ABS(AIJMAX) .GT. EPS) GO TO 20 MIS1C32
C   D = 0.0D0 MIS1C33
C   NERR = 1 MIS1C34
C   RETURN MIS1C35
C
C   NORMALIZE ITH ROW BY AIJMAX (JMAX ELEMENT OF ITH ROW) MIS1C36
C
C   20 DO 30  J=1,N MIS1C37
C   30 A(I,J) = A(I,J) / AIJMAX MIS1C38
C   D = D/AIJMAX MIS1C39
C
C   NORMALIZE ITH ROW OF B MIS1C40
C
C   DO 40  J=1,MD MIS1C41
C   40 B(I,J) = B(I,J) / AIJMAX MIS1C42

```

```

C      USE ROW TRANSFORMATIONS TO GET ZEROS ABOVE AND BELOW THE JMAX      MIS1C5E
C      ELEMENT OF THE ITH ROW OF A.  APPLY SAME ROW TRANSFORMATIONS      MIS1C57
C      TO THE B MATRIX.      MIS1C58
C      MIS1C59
C      MIS1C60
C      MIS1C61
C      MIS1C62
C      MIS1C63
C      MIS1C64
C      MIS1C65
C      MIS1C66
C      MIS1C67
C      MIS1C68
C      MIS1C69
C      MIS1C70
C      MIS1C71
C      MIS1C72
C      MIS1C73
C      MIS1C74
C      MIS1C75
C      MIS1C76
C      MIS1C77
C      MIS1C78
C      MIS1C79
C      MIS1C80
C      MIS1C81
C      MIS1C82
C      MIS1C83
C      MIS1C84
C      MIS1C85
C      MIS1C86
C      MIS1C87
C      MIS1C88
C      MIS1C89
C      MIS1C90
C      MIS1C91
C      MIS1C92
C      MIS1C93
C      MIS1C94
C      MIS1C95
C      MIS1C96
C      MIS1C97
C      MIS1C98
C      MIS1C99
C      MIS1C100
C      MIS1C101
C      MIS1C102
C      MIS1C103
C      MIS1C104
C      MIS1C105
C
C      DO 70 K=1,N
C      IF (K .EQ. I) GO TO 70
C      ARAT = -A(K,JMAX)
C      DO 50 J=1,N
C      IF (ABS(A(I,J)) .LT. EPS) GO TO 50
C      A(K,J) = ARAT * A(I,J) + A(K,J)
C      50 CONTINUE
C      A(I,KMAX) = 0.0E0
C      DO 60 J=1,MD
C      IF (ABS(B(I,J)) .LT. EPS) GO TO 60
C      B(K,J) = ARAT * B(I,J) + B(K,J)
C      60 CONTINUE
C      70 CONTINUE
C
C      STOP ROW COUNTER (I) IN TOP ELEMENT OF JMAX COLUMN.  THUS,      MIS1C74
C      THE TOP ROW OF A WILL CONTAIN THE LOC OF THE PIVOT (UNITY)      MIS1C75
C      ELEMENT OF EACH COLUMN (AFTER REDUCTION).      MIS1C76
C      MIS1C77
C      MIS1C78
C      MIS1C79
C      MIS1C80
C      MIS1C81
C      MIS1C82
C      MIS1C83
C      MIS1C84
C      MIS1C85
C      MIS1C86
C      MIS1C87
C      MIS1C88
C      MIS1C89
C      MIS1C90
C      MIS1C91
C      MIS1C92
C      MIS1C93
C      MIS1C94
C      MIS1C95
C      MIS1C96
C      MIS1C97
C      MIS1C98
C      MIS1C99
C      MIS1C100
C
C      L = I
C      PC A(I,JMAX) = FL
C      THIS STORES INTEGER I IN TOP POW OF A
C
C      THE REDUCTION OF A IS NOW COMPLETE.  PERFORM ROW INTERCHANGES      MIS1C80
C      AS INDICATED IN THE FIRST ROW OF A.
C
C      DO 120 J=1,N
C      K = I
C
C      90 FK = A(1,K)
C      THIS PUTS THE INTEGER VALUE IN A INTO K
C      IF (K-I)90,120,100
C
C      IF K(1,I) IS LESS THAN I, THEN THAT ROW HAS ALREADY BEEN      MIS1C81
C      INVOLVED IN AN INTERCHANGE, AND WE USE K(1,K) UNTIL WE GET      MIS1C82
C      A VALUE OF K GREATER THAN I (CORRESPONDING TO A POW STORED      MIS1C83
C      BELOW THE ITH ROW.  (CLEAR AS HUP)
C
C      100 DO 110 J=1,MD
C      APAT = B(I,J)
C      B(I,J) = FK
C      110 B(K,J) = APAT
C      D = -D
C      120 CONTINUE
C      NERR = 0
C      RETURN
C      END
C
C      MIS1C84
C      MIS1C85
C      MIS1C86
C      MIS1C87
C      MIS1C88
C      MIS1C89
C      MIS1C90
C      MIS1C91
C      MIS1C92
C      MIS1C93
C      MIS1C94
C      MIS1C95
C      MIS1C96
C      MIS1C97
C      MIS1C98
C      MIS1C99
C      MIS1C100
C      MIS1C101
C      MIS1C102
C      MIS1C103
C      MIS1C104
C      MIS1C105

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

SUBROUTINE MIS2 ( A, N, ND, B, MD, MX, NERR, D) MIS2C01
C MIS2C02
C A REAL*4      SUBROUTINE TO MIS2C03
C INVERT A MATRIX AND/OR SOLVE SIMULTANEOUS EQUATIONS MIS2C04
C MIS2C05
C INPUT, MIS2C06
C A = NAME OF INPUT MATRIX, DIMENSIONED A(ND,NC) MIS2C07
C N = IS THE ORDER OF THE MATRIX A MIS2C08
C ND = IS THE DIMENSION OF THE SQUARE ARRAY A MIS2C09
C B = NAME OF INPUT MATRIX, DIMENSIONED B(ND,MD) MIS2C10
C   ( B(ND) IS ALLOWED IF MD=1 ) MIS2C11
C MD = IS THE NUMBER OF COLUMNS IN THE RECTANGULAR ARRAY B MIS2C12
C D = SCALE FACTOR FOR VALUE OF DETERMINANT (:1., FOR NO SCALING) HIS2C13
C MIS2C14
C OUTPUT, MIS2C15
C A(I,J) = GARBAGE MIS2C16
C B(I,J) = A-INVERSE * B MIS2C17
C NERP = 0--OK, 1--A IS SINGULAR MIS2C18
C D = SCALED VALUE OF DETERMINANT MIS2C19
C MIS2C20
C RREAL*4      A,B,D,AIJMAX,ARAT MIS2C21
C DIMENSION A(ND,ND), B(ND,MX) MIS2C22
C EQUIVALENCE (L,FL), (K,FK) MIS2C23
C DATA EPS/1.E-25/ MIS2C24
C START REDUCTION OF MATRIX A MIS2C25
C MIS2C26
C DO 20 I=1,N MIS2C27
C SEARCH FOR MAXIMUM ELEMENT IN ITH ROW OF A-MATRIX MIS2C28
C MIS2C29
C AIJMAX = A(I,1) MIS2C30
C JMAX = 1 MIS2C31
C DO 10 J=2,N MIS2C32
C IF ( ABS(A(I,J)) .LE. ARS(AIJMAX)) GO TO 10 MIS2C33
C AIJMAX = A(I,J) MIS2C34
C JMAX = J MIS2C35
C 10 CONTINUE MIS2C36
C MIS2C37
C IF AIJMAX IS ZERO, THE MATRIX IS SINGULAR MIS2C38
C MIS2C39
C IF (APS(AIJMAX) .GT. EPS) GO TO 20 MIS2C40
C D = D*SEC MIS2C41
C NFRR = 1 MIS2C42
C RRETURN MIS2C43
C MIS2C44
C NORMALIZE ITH ROW BY AIJMAX (JMAX ELEMENT OF ITH ROW) MIS2C45
C MIS2C46
C 20 DO 30 J=1,N MIS2C47
C 30 A(I,J) = A(I,J) / AIJMAX MIS2C48
C D = D*AIJMAX MIS2C49
C MIS2C50
C NORMALIZE ITH ROW OF B MIS2C51
C MIS2C52
C DO 40 J=1,MD MIS2C53
C 40 B(I,J) = B(I,J) / AIJMAX MIS2C54
C MIS2C55
C

```

```

C USE ROW TRANSFORMATIONS TO GET ZEROS ABOVE AND BELOW THE JMAX      MIS2C5
C ELEMENT OF THE ITH ROW OF A.  APPLY SAME ROW TRANSFORMATIONS      MIS2C5
C TO THE B MATRIX.      MIS2C5
C
C DO 70 K=1,N      MIS2C61
C IF (K .EQ. J) GO TO 70      MIS2C62
C APAT = -A(K,JMAX)      MIS2C63
C DO 50 J=1,N      MIS2C64
C IF (ABS(A(I,J)) .LT. EPS) GO TO 50      MIS2C65
C A(K,J) = ARAT * A(I,J) + A(K,J)      MIS2C66
C 50 CONTINUE      MIS2C67
C A(K,JMAX) = 0.0E0      MIS2C68
C DO 60 J=1,MD      MIS2C69
C IF (ABS(B(I,J)) .LT. EPS) GO TO 60      MIS2C70
C B(K,J) = ARAT * B(I,J) + B(K,J)      MIS2C71
C 60 CONTINUE      MIS2C72
C 70 CONTINUE      MIS2C73
C
C STORE ROW COUNTER (I) IN TOP ELEMENT OF JMAX COLUMN; THUS,      MIS2C74
C THE TOP ROW OF A WILL CONTAIN THE LOC OF THE PIVOT (UNITY)      MIS2C75
C ELEMENT OF EACH COLUMN (AFTER REDUCTION).      MIS2C76
C
C L = I      MIS2C77
C A(1,JMAX) = FL      MIS2C78
C          THIS STORES INTEGER I IN TOP ROW OF A      MIS2C79
C
C THE REDUCTION OF A IS NOW COMPLETE.  PERFORM ROW INTERCHANGES      MIS2C80
C AS INDICATED IN THE FIRST ROW OF A.      MIS2C81
C
C DO 120 I=1,N      MIS2C82
C K = I      MIS2C83
C
C 90 FK = A(1,K)      MIS2C84
C          THIS PUTS THE INTEGER VALUE IN A INTO K      MIS2C85
C IF (K-I)9C,120,100      MIS2C86
C
C IF K(1,I) IS LESS THAN I, THEN THAT ROW HAS ALREADY BEEN      MIS2C87
C INVOLVED IN AN INTEPCHANGE, AND WE USE K(1,K) UNTIL WE GET      MIS2C88
C A VALUE OF K GREATER THAN I (CORRESPONDING TO A ROW STORED      MIS2C89
C BELOW THE ITH ROW). (CLEAP AS HWD)      MIS2C90
C
C 100 DO 110 J=1,MD      MIS2C91
C APAT = B(I,J)      MIS2C92
C R(I,J) = B(K,J)      MIS2C93
C 110 R(K,J) = ARAT      MIS2C94
C D = -D      MIS2C95
C 120 CONTINUE      MIS2C96
C NFRR = C      MIS2C97
C RETURN      MIS2C98
C END      MIS2C99

```

ORIGINAL PAGE IS  
OF POOR QUALITY

129

```
C SUBROUTINE OFFBODY(N, M, CHORDB, IDB, IBTOT) OFFPCC1
C          DIMENSION X(100), Y(100), TITLE(7) OFFRC02
C          1 ,CHORDB(10), IDP(10) OFFBC03
C          COMMON/COMBOD/CCL,INCLT,CLT,ALPHA,SUMDS(1C),TLU(1C,12),IND OFFBG04
C          1 , ALPHA0, CNU(10), SMDSWF(10), PI0(10) OFFBC05
C          READ IN OFFBODY POINTS (IN BLOCKS OF UP TO 100) OFFBC06
C          10 CALL OFFPTS(NO, X, Y, -TITLE, LAST, CHORDB, ICB, IRTOT) OFFBC07
C          NOW CALCULATE VX AND VY OFFBC08
C          CALL VXYOFF(N, M, NO, X, Y) OFFBC09
C          PRINT OFFBODY POINTS AND VELOCITIES OFFBC10
C          CALL VPROFF(N, M, NO, X, Y, TITLE, IND) OFFBC11
C          CHECK IF MORE POINTS AND CYCLE IF SO OFFBC12
C          IF (LAST .NE. 1) GO TO 10 OFFBC13
C
C          RETURN OFFBC14
C
C          END OFFBC15
C
C          OFFBC16
C
C          OFFBC17
C
C          OFFBC18
C
C          OFFBC19
C
C          OFFBC20
C
C          OFFBC21
C
C          OFFBC22
C
C          OFFBC23
```

```

SUBROUTINE PRINTG (IP, N, ID, BTITLE) . . .
C THIS SUBROUTINE WRITES OUT THE BODY COORDINATE DATA-
C
C DIMENSION BTITLE ( 7 ), A(2)
C COMMON /GEOMD/ X(500), Y(500)
C DATA A(1),A(2)/'UNTR',' TR'
C
C J2 = 0
10 WPITE (6,30)
    WPITE (6,20) A(IP), ID, BTITLE
20 FORMAT(1HC,15XA4,'ANSFORMED COORDINATE DATA FOR BODY ID = ',I2,
      1     ',   ', 7A4//T15,'I', T27,'X(I)', T44,'Y(I)',,
      2           775,'I', T87,'Y(I)',T104,'Y(I)')
30 FORMAT (1H1)
C
J1 = J2 + 1
JPX = J1 + 49
N2 = (N + 1 + J2)/2
IF (JMX .GT. N2) JMX = N2
J? = JMX

DO 50 J = J1,JMX
J2 = J2 + 1
IF (J2 .GT. N) GO TO 60
WRITE (6,40) J, X(J), Y(J), J2, X(J2), Y(J2)
40 FORMAT (1H ,1IX13, 2(5XF12.6), 23XI3, 2(5XF12.6))
50 CONTINUE
C
C
IF (J2 .LT. N) GO TO 10
RETURN
C
C
60 WRITE (6,40) J, X(J), Y(J)
RETURN
END

```

PRNGC01  
 PRNGC02  
 PRNGC03  
 PRNGC04  
 PRNGC05  
 PRNGC06  
 PRNGC07  
 PRNGC08  
 PRNGC09  
 PRNGC10  
 PRNGC11  
 PRNGC12  
 PRNGC13  
 PRNGC14  
 PRNGC15  
 PRNGC16  
 PRNGC17  
 PRNGC18  
 PRNGC19  
 PRNGC20  
 PRNGC21  
 PRNGC22  
 PRNGC23  
 PRNGC24  
 PRNGC25  
 PRNGC26  
 PRNGC27  
 PRNGC28  
 PRNGC29  
 PRNGC30  
 PRNGC31  
 PRNGC32  
 PRNGC33  
 PRNGC34  
 PRNGC35  
 PRNGC36  
 PRNGC37  
 PRNGC38  
 PRNGC39  
 PRNGC40  
 PRNGC41

ORIGINAL PAGE IS  
OF POOR QUALITY.

```

SUBROUTINE PRNTEL                               PRNL001
C
C
DIMENSION AN(10)                                PRNL002
REAL NEW,NO,NCHGE                                PRNL003
C
COMMON /BFLAG/ IDB(10), INL(10), JFL(10), NL(10), LIFT(10),
1      IBMF(10), ISAV1(10), ISAV2(10), ISAV3(10),          PRNL004
2      BTITLE(10, 7), IBT, IPST, IBDTOT, NELTOT,          PRNL005
3      ITRE(10), INMB(10), CHORDB(10), IBD(10), LIFTOT          PRNL006
4      ,IPRB(10), IFST(10), ISEC(10), FTITLE(15), IPVR(10)          PRNL011
C
C
DATA NEW,OLD,YES,NO,SAVED,BLANK/* NEW', ' OLD ', ' YES ', ' NO ',
1      ' S ',' /*,CHGE,NCHGE/*CHGE', ' NC ',AN/* 0 ',' 1 ',          PRNL014
2      ' 2 ',' 3 ',' 4 ',' 5 ',' 6 ',' 7 ',' 8 ',' 9 /*          PRNL015
PRNL016

3      , AP, AL/* P *, * L */                               PRNL017
C
C
WRITE HEADING FOR BODY GEOMETRY SUMMARY          PRNL018
WRITE (6,10)                                     PRNL019
10 FORMAT (1H1, T51,'BODY GEOMETRY SUMMARY'//          PRNL020
1      1H0,T33,'BODY LIFT',T99,'SIGMA',          PRNL021
2      T114,'ELEMENT STORAGE'/
3      T6,'BODY DESCRIPTI0N',T34,'ID      TYPE',          PRNL022
4      T5G,'N/O    SID   TFORM  NORM     CHORD      TYPE',          PRNL023
5      T97,'F C   S C   N/O    FIRST    NO.')          PRNL024
PRNL025
PRNL026
PRNL027
PRNL028
PRNL029
PRNL030
PRNL031
PRNL032
PRNL033
PRNL034
PRNL035
PRNL036
PRNL037
PRNL038
PRNL039
PRNL040
PRNL041
PRNL042
PRNL043
PRNL044
PRNL045
PRNL046
PRNL047
PRNL048
PRNL049
PRNL050
PRNL051
PRNL052
PRNL053
PRNL054
PRNL055
PRNL056
PRNL057
PRNL058
PRNL059

```

```

70 A7 = AP          PRNLC
    I8 = 1          PRNLC
    I9 = 1          PRNLC
    I10= 1          PRNLC
    I11= 1          PRNLC
C
    IF (IPR2(IB) .NE. 1) A7 = AL          PRNLC
    IF (IFST(IB) = 2) 80,90,100          PRNLC
    8G I9 = 0          PRNLC
    IF (IFST(IB) .EQ. 1) GO TO 100        PRNLC
    90 I8 = 0          PRNLC
    100 IF (ISEC(IB) = 2) 110,120,130      PRNLC
    110 I11 = 0          PRNLC
    IF (ISEC(IB) .EQ. 1) GO TO 130        PRNLC

    120 I10 = 0          PRNLC
    130 CONTINUE          PRNLC
C
    IPDTOT = IBDTOT + 1          PRNLC
    NELTOT = NELTOT + NL(IB)          PRNLC
    IF (LIFT(IB) .EQ. 1) LIFTOT = LIFTOT + 1          PRNLC
    WRITE (6,140) (BTITLE(IB,I), I=1,7), IDB(IB), A1, A2, A3,
    1           A4, A5, CHORDS(IB), A7, I8, I9, I10, I11, A6,          PRNLC
    2           INL(IB)          PRNLC
    140 FORMAT (1HO, 7A4, 4XI2, 5XA4, 4XA4, 3XA4, 3XA4, 2XF12.6, PRNLC
    1           3XA4, 3XI1, 2XI1, 3XI1, 3XA4, SXI4, 4XI4)          PRNLC
C
    150 CONTINUE          PRNLC
C
C
    WRITE (6,160) IBDTOT, NELTOT          PRNLC
    160 FORMAT (1HO, //T53, "TOTAL NUMBER OF BODIES = ", I3/          PRNLC
    1           1HO, //T51, "TOTAL NUMBER OF ELEMENTS = ", I3)          PRNLC
C
C
    RETURN          PRNLC
    END          PRNLC

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

FUNCTION RMAX (NL, X, Y, THAX)
C
DIMENSION X(NL), Y(NL)
C
ID = 1
I1 = NL/2
I3 = I1 + ID
R1 = SQRT((X(I1)-X(1))**2 + (Y(I1)-Y(1))**2)
R2 = SQRT((X(I3)-X(1))**2 + (Y(I3)-Y(1))**2)
IF (R2 .GT. R1) GO TO 20
C
R3 = R1
I3 = I1
ID = -ID
C
10 R1 = R2
R2 = R3
20 I3 = I3 + ID
R3 = SQRT((X(I3)-X(1))**2 + (Y(I3)-Y(1))**2)
IF (R3 .LT. R2) GO TO 10
C
C CALCULATE ANGLES
I2 = I3 - ID
I1 = T2 - ID
T1 = ARSIN((Y(I1)-Y(1))/R1)
T2 = ARSIN((Y(I2)-Y(1))/R2)
T3 = ARSIN((Y(I3)-Y(1))/R3)
C
C CALCULATE MAXIMUM RADIUS (CHORD)
T2 = T2 - T1

T7 = T3 - T1
A3 = T2*T3*(T3 - T2)
R2 = R2 - R1
R3 = R3 - R1
A1 = (R3*T2 - R2*T3)/A3
A2 = (R2*T3**2 - R3*T2**2)/A3
C
C
RMAX = -C.25*A2**2/A1 + R1
THAX = -C.5*A2/A1 + T1
C
RETURN
END

```

RMAXC01  
 RMAXC02  
 RMAXC03  
 RMAXC04  
 RMAXC05  
 RMAXC06  
 RMAXC07  
 RMAXC08  
 RMAXC09  
 RMAXC10  
 RMAXC11  
 RMAXC12  
 RMAXC13  
 RMAXC14  
 RMAXC15  
 RMAXC16  
 RMAXC17  
 RMAXC18  
 RMAXC19  
 RMAXC20  
 RMAXC21  
 RMAXC22  
 RMAXC23  
 RMAXC24  
 RMAXC25  
 RMAXC26  
 RMAXC27  
 RMAXC28  
 RMAXC29  
 RMAXC30  
 RMAXC31  
 RMAXC32  
 RMAXC33  
 RMAXC34  
 RMAXC35  
 RMAXC36  
 RMAXC37  
 RMAXC38  
 RMAXC39  
 RMAXC40  
 RMAXC41  
 RMAXC42  
 RMAXC43

```

C   SUBROUTINE SAVE(IU, IT, N, N1, A1, N2, A2)
SAVECC1
C   DIMENSION A1(N1), A2(N2)
SAVECC2
C   GO TO (10,20,30,40), IT
SAVECC3
SAVECC4
SAVECC5
SAVECC6
SAVECC7
SAVECC8
SAVECC9
SAVECC10
SAVECC11
SAVECC12
SAVECC13
SAVECC14
SAVECC15
SAVECC16
SAVECC17
SAVECC18
SAVECC19
SAVECC20
SAVECC21
SAVECC22

C   WRITE #1
10 WRITE(IU) A1
RETURN

C   WRITE N AND A1
20 WRITE(IU) N, A1
RETURN

C   WRITE A1 AND A2
30 WRITE(IU) A1, A2
RETURN

C   WRITE N, A1, AND A2
40 WRITE(IU) N, A1, A2
RETURN
END

```

```

SUBROUTINE SOLVIT (A, ND, MD, KD, NI, MH, NG, NW, *)          SLVT001
C                                                               SLVT002
C                                                               SLVT003
C                                                               SLVT004
C                                                               SLVT005
C                                                               SLVT006
C                                                               SLVT007
C                                                               SLVT008
C                                                               SLVT009
C                                                               SLVT010
C                                                               SLVT011
C                                                               SLVT012
C                                                               SLVT013
C                                                               SLVT014
C                                                               SLVT015
C                                                               SLVT016
C                                                               SLVT017
C                                                               SLVT018
C                                                               SLVT019
C                                                               SLVT020
C                                                               SLVT021
C                                                               SLVT022
C                                                               SLVT023
C                                                               SLVT024
C                                                               SLVT025
C                                                               SLVT026
C                                                               SLVT027
C                                                               SLVT028
C                                                               SLVT029
C                                                               SLVT030
C                                                               SLVT031
C                                                               SLVT032
C                                                               SLVT033
C                                                               SLVT034
C                                                               SLVT035
C                                                               SLVT036
C                                                               SLVT037
C                                                               SLVT038
C                                                               SLVT039
C                                                               SLVT040
C                                                               SLVT041
C                                                               SLVT042
C                                                               SLVT043
C                                                               SLVT044
C                                                               SLVT045
C                                                               SLVT046
C                                                               SLVT047
C                                                               SLVT048
C                                                               SLVT049
C                                                               SLVT050
C                                                               SLVT051
C                                                               SLVT052
C                                                               SLVT053
C                                                               SLVT054
C                                                               SLVT055
C                                                               SLVT056
C                                                               SLVT057
C                                                               SLVT058
C                                                               SLVT059
C                                                               SLVT060
C                                                               SLVT061
C                                                               SLVT062
C                                                               SLVT063
C                                                               SLVT064
C                                                               SLVT065
C
C               ****   ***/   *****   ****   *   ***/   *
C               *   *   *   /*   *   *   *   /*   *   ****   *
C               ****   *   /   *   *   ***   *   *   /   *   ****   *   *
C               *   *   /   *   *   *   *   *   /   *   ***   *
C               *   /   ***   *   *   *   ****   /   ***   *   *
C
C               D I R E C T   M A T R I X   S O L U T I O N
C
C               WRITTEN BY J. L. HESS * PROGRAMMED BY T. M. RIDDELL
C
C               DIMENSION A ( KD )
C
C               LOGICAL LAST.
C
C               CALL TIMEV(AAI)
C               IF (AAI .EQ. 0.)      CALL TSETV
C               N = ND
C               M = MD
C               KORE = KD
C               NPM = N + M
C               IF (MAXG(3 * NPM, M * N) .GT. KORE) RETURN 1
C               MT = MH
C               REWIND MT
C               NIN = NI
C               REWIND NIN
C               NOUT = NO
C               REWIND NCUT
C               MP1 = M + 1
C               NN = N
C               NEL = NPM
C
C               -- CALCULATE THE MAXIMUM NO. OF ROWS, "K"
C               10 K = (KORE - NEL) / NEL
C
C               -- TEST TO SEE IF THE REST OF THE MATRIX WILL FIT IN CORE
C
C               LAST = K .GE. NN
C               IF (LAST) K = NN
C
C               -- READ "K" ROWS OF THE AUGMENTED "A" MATRIX
C
C               20 NT = 0
C               DO 30 IB = 1, K
C               NS = NT + 1
C               NT = NT + NEL
C               30 CALL GETT(NIN, 1, NEL, A(NS), 1, AA2)
C
C               -- CHECK TO SEE IF WE WERE UNLUCKY ENOUGH TO END UP WITH ONLY ONE ROW
C
C               IF (K .EQ. 1) GO TO 90
C
C               -- "K" IS GREATER THAN "1" SO WE CAN START THE TRIANGULARIZATION
C
C               NELP1 = NEL + 1
C               NS = - NEL
C               NELP2 = NELP1 + 1
C
C               -- FORM THE "TRAPEZOIDAL" ARRAY, (8)
C
C               DO 40 IB = 2, K
C               NP = NELP2 - IB
C
C               ORIGINAL PAGE IS
C               OF POOR QUALITY

```

```

RS = NS + NELP1          SLVTC66
NT = NS                   SLVTC67
DO 4C IO = 1B, K         SLVTC68
NT = NT + NEL             SLVTC69
MN = NT                   SLVTC70
NF = NS                   SLVTC71
A(NT) = (-A(NT)) / A(NS) SLVTC72
DO 4C NF = 2, NP          SLVTC73
MN = MN + 1               SLVTC74
NE = NF + 1               SLVTC75
4D A(MN) = A(MN) + A(NT) * A(NB) SLVTC76
IF (LAST) GO TO 90        SLVTC77
C
C -- WRITE THE "TRAPEZOIDAL" MATRIX ON TAPE
C
      NT = C              SLVTC78
      NP = NEL              SLVTC79
      NS = - NEL             SLVTC80
      DO 5C IO = 1, K        SLVTC81
      NE = NS + NELP1        SLVTC82
      NT = NT + NEL          SLVTC83
      CALL SAVE(MT, 2, NP, NP, A(NS), 1, AA2) SLVTC84
      5D NP = NP - 1          SLVTC85
      NF = NP - M             SLVTC86
      NS = KORE - NEL + 1     SLVTC87
C
C -- READ ANOTHER ROW
C
      * DO 6C IO = 1, NP      SLVTC88
      CALL GETT(NIN, 1, NEL, A(NS), 1, AA2) SLVTC89
C
C -- MODIFY THIS ROW BY THE "TRAPEZOIDAL" ARRAY
C
      NT = 1                 SLVTC90
      MN = NS                 SLVTC91
      DO 7C IP = 1, K        SLVTC92
      NP = NT                 SLVTC93
      NF = MN + 1             SLVTC94
      A(MN) = (-A(MN)) / A(NT) SLVTC95
      DO 6D NN = NF, KORE    SLVTC96
      NF = NF + 1             SLVTC97
      6D A(NN) = A(NN) + A(MN) * A(NB) SLVTC98
      MN = NF                 SLVTC99
      7C NT = NT + NELP1       SLVT100
C
C -- WRITE THE MODIFIED ROW ON TAPE
C
      NN1 = KORE - MN + 1     SLVT101
      8D CALL SAVE(NOUT, 1, NN1, NN1, A(MN), 1, AA2) SLVT102
      REWIND NOUT              SLVT103
      REWIND NIN                SLVT104
C
C -- SWITCH THE TAPES
C
      NT = NIN                SLVT105
      NIN = NOUT               SLVT106
      NOUT = NT                 SLVT107

```

ORIGINAL PAGE IS  
OF POOR QUALITY

137

```
C SLVT123
C -- RE-CALCULATE ROW LENGTH AND LOOP BACK SLVT124
C SLVT125
    NEL = NEL - K SLVT126
    NN = NEL - M SLVT127
    GO TO 10 SLVT128
C SLVT129
C -- REWIND ALL TAPES SLVT130
C SLVT131
    90 REWIND MT SLVT132
    REWIND NIN SLVT133
    REWIND NOUT SLVT134
C SLVT135
C -- CONDENSE THE MATRIX SLVT136
C SLVT137
    NN = NEL SLVT138
    NL = NEL + 1 SLVT139
    IF (K .EQ. 1) GO TO 110 SLVT140
    NS = 1 SLVT141
    NT = NEL SLVT142
    DO 100 IP = 2, K SLVT143
    NS = NS + NELP1 SLVT144
    NT = NT + NFL SLVT145
    DO 100 IO = NS, NT SLVT146
    A(NL) = A(IO) SLVT147
100 NL = NL + 1 SLVT148
110 N1 = KORE - K * M + 1 SLVT149
C SLVT150
C -- THERE, NOW WE CAN START THE BACK-SOLUTION SLVT151
C * * NOTE..THE FIRST AVAILABLE LOCATION FOR THE SOLUTIONS IS A(N1) SLVT152
C SLVT153
    NREM = N SLVT154
    NEL = NPP SLVT155
    LAST = K .EO. N SLVT156
    NPASS = C SLVT157
C SLVT158
C -- SOLVE FOR THE ANSWERS CORRESPONDING TO "K" PWS SLVT159
C SLVT160
    120 KM1 = K - 1 SLVT161
    KP1 = K + 1 SLVT162
    NS = NL - MP1 SLVT163
    NPASS = NPASS + 1 SLVT164
    DO 150 MN = 1, M SLVT165
    NF = NS + MN SLVT166
    A(NF) = A(NF) / AFNS SLVT167
    NT = NS SLVT168
    IF (KM1 .EQ. C) GO TO 150 SLVT169
    DO 140 JB = 1, KM1 SLVT170
    NF = NF - IR - M SLVT171
    NT = NT - MP1 - IB SLVT172
    SUM = 0.0 SLVT173
    NP = NF SLVT174
    N2 = MP1 + IB SLVT175
    DO 130 IO = 1, JB SLVT176
    NN = NT + IO SLVT177
    NP = NP + N2 - IO SLVT178
130 SUM = SUM + A(NN) * A(NP) SLVT179
```

```

14C A(NF) = (A(NF) - SUM) / A(NT)          SLVT18C
150 CONTINUE
C
C -- MOVE THE SOLUTIONS TO CONTIGUOUS LOCATIONS STARTING AT A(N1)   SLVT181
C
C     N1 = KORE + 1                         SLVT182
DO 170 NN = 1, K                         SLVT183
DO 160 MN = 1, M                         SLVT184
NL = NL - 1                           SLVT185
N1 = N1 - 1                           SLVT186
160 A(N1) = A(NL)                      SLVT187
170 NL = NL - NN                      SLVT188
C
C -- WRITE THE SOLUTIONS ON TAPE        SLVT189
C
C     WRITE (NIN) K                      SLVT190
NS = N1 - 1                           SLVT191
DO 180 MN = 1, M                      SLVT192
NT = NS + MN                          SLVT193
180 WRITE (NIN ) (A(I0), I0 = NT, KORE, M) SLVT194
C
C -- TEST IF THIS IS THE LAST PASS    SLVT195
C
C     IF (LAST) GO TO 260               SLVT196
C
C -- WE MUST NOW MODIFY THE TRIANGULAR MATRIX TO REFLECT THE EFFECT OF SLVT197
C     THE SOLUTIONS OBTAINED SO FAR (EC 21)   SLVT198
C * * NOTE..LOCATIONS A(1) TO A(N1-1) ARE NOW FREE TO USE   SLVT199
C
C -- CALCULATE THE NEXT VALUES OF *NEL* AND *NREM*   SLVT200
C
NELOLD = NEL                         SLVT201
KOLD = K                            SLVT202
NEL = NEL - K                        SLVT203
NREM = NREM - K                      SLVT204
C
C$$$ CALCULATE NEW K. B AND C (REAL) WILL ALWAYS BE INTEGERS.   SLVT205
C     K WILL BE CALCULATED REAL AND TRUNCATED -- GOOD.   SLVT206
C
B = 1 + 2*M                         SLVT207
C = 2*(KOLD*(M+1) - KORE)           SLVT208
K = (-B + SQRT(B**2 - 4*C))/2.0    SLVT209
NROW = NREM - K + 1                 SLVT210
IF (K .LT. NREM) GO TO 190         SLVT211
LAST = .TRUE.                         SLVT212
NROW = 1                            SLVT213
K = NREM                           SLVT214
190 NS = 1                           SLVT215
NT = NELOLD + 1                     SLVT216
C
C -- READ IN THE ROWS TO BE MODIFIED   SLVT217
C
DO 250 IB = 1, NREM                 SLVT218
NT = NT - 1                         SLVT219
IF (IB .LE. NROW) GO TO 200         SLVT220
NS = NS + NN                         SLVT221
NT = NT + NN                         SLVT222
250

```

ORIGINAL PAGE IS  
OF POOR QUALITY.

```

200 CALL GETT(MT, 2, NN, A(NS), 1, AA2)           SLVT237
      NP = N1 - 1                                SLVT238
      NF = NT - H - KOLD                         SLVT239
      NN = NN - KOLD                            SLVT240
      DO 220 MN = 1, M                          SLVT241
      N2 = NF                                    SLVT242
      NA = NP + MN                            SLVT243
      NB = NA                                    SLVT244
      SUM = 0.0                                  SLVT245
      DO 210 IO = 1, KOLD                      SLVT246
      SUM = SUM + A(N2) * A(NA)                  SLVT247
      N2 = N2 + 1                                SLVT248
  210  NA = NA + M                           SLVT249
      N2 = N2 + MN - 1                         SLVT250
  220  A(N2) = A(N2) - SUM                   SLVT251
C
C -- WRITE THE MODIFIED ROW ON TAPE OR CONDENSE THE ROW
C
      NL = NT - H + 1                           SLVT252
      IF (IP .GE. NROW) GO TO 23C              SLVT253
      NF = NL - KP1                            SLVT254
      NN1 = NF - NS + 1                         SLVT255
      NN2 = NT - NL + 1                         SLVT256
      CALL SAVEINOUT, 4, NN, NN1, A(NS), NN2, A(NL)) SLVT257
      GO TO 250                                 SLVT258
  23C  NF = NL - KOLD                         SLVT259
      DO 240 MN = NL, NT                      SLVT260
      A(NF) = A(MN)                            SLVT261
  240  NF = NF + 1                            SLVT262
  250
      REWIND MT                                SLVT263
      REWIND NOUT                             SLVT264
C
C -- SWITCH THE TAPES
C
      NT = MT                                  SLVT265
      MT = NOUT                               SLVT266
      NOUT = NT                               SLVT267
C
C -- LOOP BACK THRU THE SOLUTION
C
      NL = NF                                  SLVT268
      GO TO 120                               SLVT269
C
C -- START TO WRAP IT UP
C
  260  REWIND NIN                           SLVT270
      N2 = N
C
C * * NOTE.. AT THIS POINT ALL LOCATIONS A(1) THRU A(KORE) ARE FREE
C
      DO 280 I1 = 1, NPASS
      READ (NIN) K
      N1 = N2 - K + 1
      NS = N1
      NT = N2
C

```

```

C -- READ IN THE SOLUTIONS          SLVT294
C
C . DC 270 IO = 1, M               SLVT295
C     NM = NT - NS + 1             SLVT296
C     CALL GETT(NIN, 1,NM, A(NS), 1, AA2),
C     NT = NT + N                 SLVT297
C     270 NS = NS + N             SLVT298
C     280 N2 = N1 - 1             SLVT299
C
C -- WRITE THE SOLUTIONS ON TAPE   SLVT300
C
C     NT = 0                      SLVT301
C     DO 290 IO = 1, M             SLVT302
C     NS = NT + 1                 SLVT303
C     NT = NT + N                 SLVT304
C     290 CALL SAVE(NW, 1, N, N, A(NS), 1, AA2)   SLVT305
C
C     CALL TIMEV(AA2)             SLVT306
C     BE = (AA2 - AA1) / 60.       SLVT307
C     WRITE (6,300) N, N, M, BB   SLVT308
C     300 FORMAT (4H0THE IS, 2H X 15, 12H MATRIX WITH 14, 35H RIGHT SIDES WAS
C     IS SOLVED DIRECTLY IN F8.3, 9H MINUTES. ) SLVT309
C     RETURN                       SLVT310
C     END                         SLVT311

```

```

C      SUBROUTINE    TYPE(IGOOD, IBAD)          TYPECC1
C
C      WRITE(6,10)  IGOOD, IBAD
10 FORMAT (1H1, *AN ATTEMPT HAS BEEN MADE TO READ A TYPE *,I2,
1           * CARD, HOWEVER A TYPE *,I2, * CARD WAS FOUND.*/1H3,
2           *CHECK OVER THE INPUT DATA CARD SEQUENCE FOR *,
3           *COMPATIBILITY WITH DESIRED OPTIONS.*)
C
C      20 WRITE (6,30)
30 FORMAT (1HC, *BECAUSE OF THE ABOVE ERROR, THIS RUN IS TERMINATED*) TYPECC12
C
C      STOP
END                                         TYPECC13
                                              TYPECC14
                                              TYPECC15

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

C .. SUBROUTINE WEIGHT & SUMDS, DS, JI, JF, WF, IPVOR
C
C     DIMENSION    DS (1),    WF (1)
C     IF ( IPVOR .EQ. 0)  GO TO 20.
C
C     WRITE ( 6, 1000 )
C 1000 FORMAT ( 1H1, *VORTICITY WEIGHTING FUNCTION = S/L*(1 - S/L)**//)
C
C     S1 = 0.0
C     SD1= 0.0
C     SDN= 1.0
C
C     DO 10 J = JI, JF
C     SD = DS (J) / (2.0 * SUMDS)
C     S = S1 + SD
C     SI = S + SD
C     WF (J) = (S - SD1) * (SDN - S)
C 10 CONTINUE
C
C     WRITE ( 6, 1010 ) ( WF (J), J = JI, JF )
C 1010 FORMAT ( 1H , 6F18.6 )
C
C     RETURN
C
C     20 CONTINUE
C     DO 30 J = JI, JF
C 30 WF (J) = 1.0
C
C     WRITE ( 6, 1020 )
C 1020 FORMAT ( 1H1, *VORTICITY WEIGHTING FUNCTION CONSTANT = 1.0* //)
C
C     RETURN
C     END

```

WEIGC01  
WEIGC02  
WEIGC03  
WEIGC04  
WEIGC05  
WEIGC06  
WEIGC07  
WEIGC08  
WEIGC09  
WEIGC10  
WEIGC11  
WEIGC12  
WEIGC13  
WEIGC14  
WEIGC15  
WEIGC16  
WEIGC17  
WEIGC18  
WEIGC19  
WEIGC20  
WEIGC21  
WEIGC22  
WEIGC23  
WEIGC24  
WEIGC25  
WEIGC26  
WEIGC27  
WEIGC28  
WEIGC29  
WEIGC30  
WEIGC31  
WEIGC32  
WEIGC33

```

FUNCTION XYFORM (XI, YI, DS1, SINI, COSI,
1           XJ, YJ, DSJ, SINJ, COSJ, BC) XYFOCC1
C XYFOCC2
C THIS ROUTINE ACTUALLY CALCULATES THE INDUCED VELOCITY XYFOCC3
C ARRAY ELEMENTS A AND B. XYFOCC4
C XYFOCC5
C DATA E1,E2/169.0,11.111/,E0,EY/0.0001,0.01/ XYFOCC6
C XYFOCC7
C XYFOCC8
C XYFOCC9
C XYFOCC10
C XYFOCC11
C XYFOCC12
C XYFOCC13
C XYFOCC14
C XYFOCC15
C XYFOCC16
C XYFOCC17
C XYFOCC18
C XYFOCC19
C USE FAR FIELD FORMULAS XYFOCC20
C XYFOCC21
C VY = 2.*DSJ/RSQ XYFOCC22
C XYFOCC23
C VY = VX*DY XYFOCC24
C XYFOCC25
C VX = VX*DX XYFOCC26
C XYFOCC27
C AO = -VX*SINI + VY*COSI XYFOCC28
C XYFOCC29
C XYFORM = AO XYFOCC30
C XYFOCC31
C BO = VX*COSI + VY*SINI XYFOCC32
C RETURN
C USE NEAR FIELD FORMULAS
10 X = DX*COSJ + DY*SINJ
Y = DY*COSJ - DX*SINJ
S = SINI*COSJ - COSI*SINJ
C = COSI*COSJ + SINI*SINJ

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

C      IF (ROS0 .GT. DSJSQ+E2) GO TO 20          XYFOC33
C USE EXACT FORMULAS           XYFOC34
C      XE = X/DSJ           XYFOC35
C      YE = Y/DSJ           XYFOC36
C      R0 = XB**2 + YB**2   XYFOC37
C      RD = XB**2 - YB**2   XYFOC38
C      R1 = R0 + XB + 0.25  XYFOC39
C      R2 = R0 - XB + 0.25  XYFOC40
C
C      VX = +ALOG((ROS0+DSJ*X+0.25*DSJSQ)/(ROS0-DSJ*X+0.25*DSJSQ)) XYFOC41
C      Y = Y*DSJ           XYFOC42
C      X = ROS0 - 0.25*DSJSQ XYFOC43
C      VY = 2.0*ATAN2(Y,X) XYFOC44
C
C      GO TO 30           XYFOC45
C
C USE MULTIPOLE FORMULAS      XYFOC46
C
C      20 AE = X*DSJ/ROSQ  XYFOC47
C      BF = Y*DSJ/ROSQ  XYFOC48
C      ASQ = X**2/ROSQ   XYFOC49
C      ESQ = DSJSQ/ROSQ  XYFOC50
C      VX = 2.0*AE*(1.0 + (ASQ - 0.75)*ESQ/3.0) XYFOC51
C      VY = 2.0*BF*(1.0 + (ASQ - 0.25)*ESQ/3.0) XYFOC52
C
C      30 CONTINUE          XYFOC53
C      XYFORM = -S*VX + C*VY XYFOC54
C      R0 = C*VX + S*VY   XYFOC55
C
C      RETURN             XYFOC56
C      END                 XYFOC57
XYFOC58
XYFOC59
XYFOC60
XYFOC61
XYFOC62
XYFOC63
XYFOC64
XYFOC65
XYFOC66
XYFOC67

```

```

C          SUBROUTINE E1FORM (SUMDS)
C
C          DIMENSION X(500),Y(500),X0(500),Y0(500),DS(500),SA(500),CA(500),
C          IDR(10), INL(10), IFL(10), NL(10), LIFT(10), IBMF(10),
C          JSAV1(10), JSAV2(10), JSAV3(10), TTITLE( 7),
C          BTITLE(10, 7), SUMDS(10)
C
C          COMMON /ELDATA/ X0, Y0, DS, SA, CA, CURV(500), DL(500)
C          COMMON /ECODEFS/ WF(500)
C
C          COMMON /FILEID/ IF1, IF2, IF3, IF4, IFS, IF6, IF7, IF8, IF9,
C          1 IF10, IF11, IF12, IF13, IF14, IF15, IF16, IF17, IF18, IF19, IF20
C          COMMON /PFLAG/ JDB, INL, IFL, NL, LIFT, IBMF, JSAV1, JSAV2,
C          1           JSAV3, BTITLE, IBT, IBST
C          2           ,TBDTOT, NELTOT, ITRB(10), INME(10), CHORDB(10),
C          3           IBD(10), LIFTOT
C          4           ,IPRB(10), IFST(10), ISEC(10), FTITLE(15), IPVR(10)
C
C          COMMON /GEOMD/ X, Y
C
C          DATA      TBMAX,MAXEL/      10, 500/, DR/1.74532925E-2/
C          1      , EPS/1.E-7/
C
C          ISAVU = IF8

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

C READ IN BODY TITLE AND CONTROL CARD
10 ITYP = 1
    READ (5,2C) ID, ISV, JLEFT, TTITLE
    1           ,IPARA, IFIRST, ISECND
    2           ,ITR, INORM, IROD, IDOLD, IPVOR, LAST
    3           ,ITYPE
    IFIRST = C
    ISECND = C
    IPARA = C

C 20 FORMAT (3(I1,2X), 1X7A4, 5X9(I1,2X), 1X1)
    IF (ITYPE .NE. ITYP) CALL TYPE(ITYP, ITYPE)

C READ IN COORDINATE TRANSFORMATION CARD IF REQUIRED
    ITYP = 2
    CHORD = E.D
    IF (ITR.EQ.C .OR. ITR.EQ.2 .OR. ITR.EQ.4) GO TO 45
    READ (5,3C) CHORD, XMULT, YMULT, DX, DY, THETA, XTO, YTO, ITYPE
30 FORMAT (7(F8.0,IX), F8.0, I1)
    IF (ITYPE .NE. ITYP) CALL TYPE(ITYP, ITYPE)

C DETERMINE STORAGE SEQUENCE
    IF(IPOD.LT.1.OR.IPOD.GT.6) GOTO 49
40 GO TO (60,70,100,140,140,210), IBOD

C 49 WRITE (6,50) IBOD
50 FORMAT (1H1,'THE OPTION IPOD = *,I3,* IS NOT LEGITIMATE.')
    GO TO 640

C NEW GEOMETRY, START A NEW SEQUENCE
60 IIT = 0
    IFST = C
    IPS = C
    REWIND ISAVU

C NEW GEOMETRY, CONTINUE SEQUENCE
70 IPT = IIT + 1
    IF (IPT .GT. 10) GO TO 80
    IE = IIT
    IEMF(TB) = 1
    GC TO 25C
80 WPITE (6,9C) IBT, IPMAX
90 FORMAT (1H1, *ATTEMPTED TO LOAD THE *,I2,*TH BODY.
    1           *ALLOWABLE NUMBER OF BODIES IS *,I2)
    GO TO 640

C NEW GEOMETRY, OLD SEQUENCE
100 IF (IPT .LE. 0) GO TO 120
    DO 110 IE = 1,IPT
    IF (IDBB(IE) .EQ. IDOLD) GO TO 240
110 CONTINUE
120 WPITE (6,13D) IBOD, IDOLD
130 FORMAT (1H1, *OPTION IPOD = *,I3,*, GEOMETRY WITH ID = *, I3,
    1           * NOT PREVIOUSLY LOADED.*)
    GO TO 640

```

```

C OLD GEOMETRY, OLD (OR CONTINUE) SEQUENCE          ELF0E89
140 IF (IPT .LE. 0) GO TO 120                      ELF0E90
    DO 150 IB = 1,IBT                                ELF0E91
        IF (IDB(IB) .EQ. IDOLD) GO TO 160            ELF0E92
    150 CONTINUE                                         ELF0E93
        GO TO 120                                         ELF0C94
C DESIPE OLD GEOMETRY. IF SAVED, RETRIEVE           ELF0C95
160 IF (ISAV3(IB) .LT. 0) GO TO 190                  ELF0C96
    IES = ISAV3(IB)
    REWIND ISAVU
    DO 170 I = 1,IBS
        LX = ISAV2(IES)
        CALL GETT(ISAVU, 3, LX, X, LX, Y)
    170 CONTINUE
        IF (IBOD .EQ. 5) GO TO 180
        IPMF(IB) = 2
        GO TO 360
    180 IET = IET + 1
        IF (IPT .GT. 10) GO TO 80
        IB = IET
        IPMF(IB) = 1
        ISAV1(IB) = IDOLD
        ISAV3(IB) = -1
        GO TO 360
C 190 WRITE (6,200) IBOD, IDOLD
200 FORMAT (1H1,"OPTION IBOD = ",I3,", GEOMETRY WITH ID = ",I3,
1           " * NOT PPREVIOUSLY SAVED.*")
    GO TO 640
C DELETE AN EXISTING BODY
210 IF (IET .LE. 0) GO TO 120
    DO 220 IB = 1,IBT
        IF (IPR(IB) .EQ. IDOLD) GO TO 230
    220 CONTINUE
    230 IPMF(IB) = -1
    GO TO 600
C NEW GEOMETRY TO BE READ IN.
240 IPMF(IB) = 2
C POSITION SAVE UNIT IF NEW GEOMETRY TO BE SAVED.
250 IF (ISV .EQ. 0) GO TO 270
    IF (IBS .EQ. IBST) GO TO 270
    DO 260 IT = IBS,IBST
        LX = ISAV2(IT)
    260 CALL GETT(ISAVU, 3, LX, X, LY, Y)
    270 CONTINUE
C CHECK IF ELLIPSE TO BE GENERATED
    IF (ITR .GT. 1) GO TO 320
C DATA ON UNIT 5. X-COORDS FIRST
    L = 0
    ITYP = 3
280 READ (5,290) (X(L+I), I=1,6), IN0, ISTAT, ITYPE      ELF0139
                                                               ELF0140
                                                               ELF0141
                                                               ELF0142
                                                               ELF0143
                                                               ELF0144
                                                               ELF0145

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

29L FORMAT (6F10.0, 4XII, 2XII, 3XI)
    IF (ITYPE .NE. ITYP) CALL TYPE(ITYP, ITYPE)
    IF (INO .LE. 0 .OR. INO .GT. 6) INO = 6
    L = L + INO
    IF (ISTAT .EQ. 0) GO TO 280
    LX = L
C
C NOW READ IN Y-CORDS
    L = C
    ITYP = 4
300 READ (5,290) (Y(L+I), I=1,6), INO, ISTAT, ITYPE
    IF (ITYPE .NE. ITYP) CALL TYPE(ITYP, ITYPE)
    IF (INO .LE. 0 .OR. INO .GT. 6) INO = 6
    L = L + INO
    IF (ISTAT .EQ. 0) GO TO 300
    LY = L
C
C CHECK FOR INPUT CONSISTENCY
    IF (LY .EQ. LX) GO TO 350
    WRITE (6,310) LY, LX
310 FORMAT (1H1,'THE NUMBER OF Y-CORDINATES (*,13,*) READ DOES *',
1           '      NOT EQUAL THE NUMBER OF X-CORDINATES READ.(*,13,*)')
    GO TO 640
C
C ELLIPSE TO BE GENERATED. READ IN DEFINITION CARD.
320 ITYP = 5
    READ (5,330) LX, ELPSTH, ITYPE
330 FORMAT (2XI3, 5XF10.5, 5IXII)
    IF (ITYPE .NE. ITYP) CALL TYPE(ITYP, ITYPE)
    ITR = ITR - 2
    IF (ITR .NE. 1) ITR = 0
C
    DANGLE = 6.2831853072/(LX - 1)
    ANGLE = DANGLE
    DO 340 I = 1,LX
        ANGLE = ANGLE - DANGLE
        X(I) = COS(ANGLE)
340 Y(I) = SIN(ANGLE)*ELPSTH
C
C SAVE THE BASIC GEOMETRY IF REQUESTED
350 ISAV3(IP) = -1
    IF (ISV .EQ. 0) GO TO 360
C
    IBST = IBST + 1
    IRS = IBST
    ISAV1(IB) = ID
    ISAV2(IBS) = LX
    ISAV3(IB) = IRS
    CALL SAVE(ISAVU, 3, 1, LX, X, LY, Y)
C
C
360 CONTINUE
C
C WRITE OUT BASIC GEOMETRY DATA
    IP = 1

```

ELF0146  
ELF0147  
ELF0148  
ELF0149  
ELF0150  
ELF0151  
ELF0152  
ELF0153  
ELF0154  
ELF0155  
ELF0156  
ELF0157  
ELF0158  
ELF0159  
ELF0160  
ELF0161  
ELF0162  
ELF0163  
ELF0164  
ELF0165  
ELF0166  
ELF0167  
ELF0168  
ELF0169  
ELF0170  
ELF0171  
ELF0172  
ELF0173  
ELF0174  
ELF0175  
ELF0176  
ELF0177  
ELF0178  
ELF0179  
ELF0180  
ELF0181  
ELF0182  
ELF0183  
ELF0184  
ELF0185  
ELF0186  
ELF0187  
ELF0188  
ELF0189  
ELF0190  
ELF0191  
ELF0192  
ELF0193  
ELF0194  
ELF0195  
ELF0196  
ELF0197  
ELF0198  
ELF0199  
ELF0200  
ELF0201  
ELF0202

CALL PRINTG (IP, LX, ID, TTITLE) ELF0203  
 C ELF0204  
 C ELF0205  
 C TRANSFORM COORDINATES IF REQUESTED ELF0206  
 IF (ITR .EQ. 1) GO TO 370 ELF0207  
 IF (INORM .EQ. 0) GO TO 410 ELF0208  
 XMULT = 0.0 ELF0209  
 YMULT = 0.0 ELF0210  
 XTO = 0.0 ELF0211  
 YTO = 0.0 ELF0212  
 THETA = 0.0 ELF0213  
 DX = 0.0 ELF0214  
 DY = 0.0 ELF0215  
 370 CONTINUE ELF0216  
 C ELF0217  
 IF (APS(XMULT) .LT. EPS) XMULT = 1.0 ELF0218  
 IF (APS(YMULT) .LT. EPS) YMULT = 1.0 ELF0219  
 XSF = XMULT ELF0220  
 YSF = YMULT ELF0221  
 IF (INORM .EQ. 0) GO TO 390 ELF0222  
 C ELF0223  
 IF (APS(Chord) .GT. EPS) GO TO 380 ELF0224  
 CHORD = RMAX (LX, X, Y, THAX)  
 380 XSF = XSF/CHORD ELF0225  
 YSF = YSF/CHORD ELF0226  
 C ELF0227  
 390 COST = COS(THETA\*DR) ELF0228  
 SINT = SIN(THETA\*DR) ELF0229  
 DO 400 I = 1,LX ELF0230  
 \* XTO = X(I) - XTO ELF0231  
 YTOD = Y(I) - YTO ELF0232  
 X(I) = XTO + XTOD\*COST - YTOD\*SINT + DX\*I\*XSF ELF0233  
 Y(I) = YTOD + YTOD\*SINT + YTOD\*COST + DY\*I\*YSF ELF0234  
 400 CONTINUE ELF0235  
 C ELF0236  
 C ELF0237  
 C FORM ELEMENT DATA FOR THIS BODY. ELF0238  
 C DEFINE STORAGE LOCATIONS AND CROSS CHECK ELF0239  
 410 IST = 0 ELF0240  
 IF (IB .GT. 1) IST = IFL(IB-1) ELF0241  
 LX1 = LX-1 ELF0242  
 C FIRST CHECK AGAINST EXCEEDING MAXIMUM STORAGE ELF0243  
 IF ((IST + LX1) .LE. MAXEL) GO TO 430 ELF0244  
 WRITE (6,420) LX1, ID, MAXEL ELF0245  
 420 FORMAT (1H1,'THE NUMBER OF ELEMENTS (',I4,') FOR BODY ID = ',I2,  
 1 ' WILL EXCEED ALLOWABLE STORAGE (',I4,') WHEN ADDED ',  
 2 ' TO THE DATA SET.') ELF0246  
 GO TO 640 ELF0247  
 C ELF0248  
 C NOW, IF USING OLD STORAGE SEQUENCE, CHECK THAT NEW GEOMETRY ELF0249  
 C DOES NOT RUN INTO THE NEXT BODY. ELF0250  
 430 IF (IP .EQ. IBT) GO TO 450 ELF0251  
 IF ((IST + LX1) .LT. INL(IB+1)) GO TO 460 ELF0252  
 WRITE (6,440) LX1, ID, NL(IB), IDOLD ELF0253  
 440 FORMAT (1H1,'THE NUMBER OF ELEMENTS (',I4,') FOR THE NEW BODY ',  
 1 'ID = ',I2,' EXCEEDS THE NUMBER (',I4,') FOR THE BODY ',  
 2 'IT IS REPLACING, IDOLD = ',I2) ELF0254  
 ELF0255  
 ELF0256  
 ELF0257  
 ELF0258  
 ELF0259

ORIGINAL PAGE IS  
OF POOR QUALITY

```

      GO TO 640          ELF0260
C
C
450 INL(IP) = IST + 1          ELF0261
     IFL(IP) = IST + LY1        ELF0262
460 NL(IB) = LX1              ELF0263
     LIFT(IB) = ILIFT           ELF0264
     IDE(IP) = ID               ELF0265
     ITRP(IP) = ITR              ELF0266
     INMP(IP) = INORM            ELF0267
     IFD(IP) = IBOD              ELF0268
     CHORDP(IP) = CHORD          ELF0269
     IPRE(IP) = IPARA             ELF0270
     IFST(IP) = IFIRST            ELF0271
     ISEC(IP) = ISECND            ELF0272
     IPVR(IP) = IPVOR             ELF0273
     IPVR(IP) = IPVOR             ELF0274
     IPVR(IP) = IPVOR             ELF0275
C
PC 470 I = 1,7                ELF0276
470 BTITLE(IB,I) = TTITLE(I)   ELF0277
C
C CALCULATE ELEMENT DATA AND PRINT RESULTS.    ELF0278
C
DC 480 I = 2,LX              ELF0279
IST = IST + 1                  ELF0280
X0(IST) = 0.5*(X(I) + X(I-1))  ELF0281
Y0(IST) = 0.5*(Y(I) + Y(I-1))  ELF0282
XD = X(I) - X(I-1)             ELF0283
YD = Y(I) - Y(I-1)             ELF0284
DL(IST) = SQRT(XD**2 + YD**2)  ELF0285
DS(IST) = DL(IST)              ELF0286
SP(IST) = YD/DL(IST)            ELF0287
CA(IST) = XD/DL(IST)            ELF0288
CURV(IST) = 0.0                 ELF0289
480 CONTINUE                   ELF0290
C
I1 = INL(IP)                  ELF0291
I2 = IFL(IP)                  ELF0292
C
C PRINT ELEMENT DATA          ELF0293
560 I = 1                      ELF0294
     WRITE(6,610) IDR(IP),TTITLE  ELF0295
     WRITE(6,620) I, X(I), Y(I)   ELF0296
LCNT = 1                        ELF0297
SUMDS(IP) = 0.0                 ELF0298
ALPH1 = C.C                     ELF0299
DO 580 IST = I1, I2             ELF0300
I = I + 1                       ELF0301
IF (LCNT .LT. 49) GO TO 570    ELF0302
LCNT = C                        ELF0303
      WRITE(6,610) IDR(IP),TTITLE  ELF0304
      SUMDS(IP) = SUMDS(IP) + DS(IST)
      ALPHA = ATAN2(SA(IST), CA(IST))/DR
      ALPH1 = ALPHA
      CURV2 = 2.0*CURV(IST)
      WRITE(6,630) X0(IST), Y0(IST), DL(IST), DS(IST),
1           SA(IST), CA(IST), CURV2  ELF0305
                                         ELF0306
                                         ELF0307
                                         ELF0308
                                         ELF0309
                                         ELF0310
                                         ELF0311
                                         ELF0312
                                         ELF0313
                                         ELF0314
                                         ELF0315
                                         ELF0316

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

      WRITE (6,620) I, X(I), Y(I)
      LCNT = LCNT + 2
580 CONTINUE
C
C
      WRITE (6,590) SUMDS(IR)
590 FORMAT(1H0, T13, *SUMPS = *, F12.6)
C
C
C     CHECK IF MORE BODIES TO BE INPUT
600 IF (LAST .NE. 1) GO TO 1C
C
C
C     WRITE OUT BODY SUMMARY
      CALL PRNTEL
C
      GO TO 660
C
C
C
610 FORMAT (1H1, 20X,*ELEMENT COORDINATE DATA FOR BODY ID = *, I2,
1      '      ', 7A4//T10,'I', T22,'X(I)', T39,'Y(I)', T56,'DL',
2      T73,'DS', T86,' SIN(ALF) ', T105,'COS(ALF) ',
3      T121,'CURVATURE'//)
C
620 FORMAT (1H , 6X,I3, 2(5XF12.6))
C
630 FORMAT (1H , 9X,    7(5XF12.6))
C
640 WRITE (6,650)
650 FORMAT (1H2, *BECAUSE OF THE ABOVE ERROR, THIS RUN IS TERMINATED*)ELF0348
      STOP
C
C
660 CONTINUE
C
      RETURN
END

```

ELF0317  
ELF0318  
ELF0319  
ELF0320  
ELF0321  
ELF0322  
ELF0323  
ELF0324  
ELF0325  
ELF0326  
ELF0327  
ELF0328  
ELF0329  
ELF0330  
ELF0331  
ELF0332  
ELF0333  
ELF0334  
ELF0335  
ELF0336  
ELF0337  
ELF0338  
ELF0339  
ELF0340  
ELF0341  
ELF0342  
ELF0343  
ELF0344  
ELF0345  
ELF0346  
ELF0347  
ELF0348  
ELF0349  
ELF0350  
ELF0351  
ELF0352  
ELF0353  
ELF0354  
ELF0355

```

SUBROUTINE FILES
COMMON /FILEID/ IFILE1, IFILE2, IFILE3, IFILE4, IFILES,
1           IFILE6, IFILE7, IFILE8, IFILE9, IFIL10,
2           IFIL11, IFIL12, IFIL13, IFIL14, IFIL15
3           ,IFIL16, IFIL17, IFIL18, IFIL19, IFIL20
C
C   IFILE1, IFILE2, AND IFILE3 ARE TEMPORARY SCRATCH UNITS USED IN QUASI FILEFC07
    IFILE1 = 18
    IFILE2 = 2
    IFILE3 = 3
C   IFILE4 IS INPUT FILE FOR RIGHT SIDE MATRIX IN QUASI
    IFILE4 = 4
C
C   IFILES, IFILE6, AND IFILE7 ARE STANDARD SYSTEM I/O
    IFILES = 5
    IFILE6 = 6
    IFILE7 = 7
C
C   IFILE8 IS INPUT GEOMETRY SAVE UNIT
    IFILE8 = 8
C
C   IFILE9 IS MATRIX A(I,J)
C   IFIL10 IS MATRIX B(I,J)
    IFILE9 = 9
    IFIL10 = 10
C   IFIL11 IS INDUCED NORMAL VELOCITY N(I).
C   IFIL12 IS INDUCED TANGENTIAL VELOCITY T(I)
    IFIL11 = 11
    IFIL12 = 12
C
C   IFIL13 IS SPECIAL P ROWS FOR LIFTING BODIES, BLG(J)
    IFIL13 = 13
C
C   IFIL14 CONTAINS SIGMA SOLUTIONS ON OUTPUT FROM QUASI
    IFIL14 = 14
C
C   IFIL15 CONTAINS BOTH UPPER AND LOWER TRIANGULAR MATRICES
C   ON OUTPUT FROM QUASI
    IFIL15 = 15
C
C   IFIL16 IS USED FOR OFFBODY CALCULATIONS. /ELDATA/ AND /GCDEFS/
C   ARE STORED (SEE SUBROUTINE ELFOPM).
    IFIL16 = 16
C
C   IFIL17 IS USED TO SAVE SURFACE COORDS (X, Y, AND DS) AT WHICH
C   THE FLOW VELOCITY IS ASSUMED TO ACT.
    IFIL17 = 17
C
C   IFIL18, 19, AND 20 HAVE NOT BEEN ASSIGNED.
C
      RETURN
      END

```

FILECC1  
FILECC2  
FILECC3  
FILECC4  
FILECC5  
FILECC6  
FILECC7  
FILECC8  
FILECC9  
FILEC10  
FILEC11  
FILEC12  
FILEC13  
FILEC14  
FILEC15  
FILEC16  
FILEC17  
FILEC18  
FILEC19  
FILEC20  
FILEC21  
FILEC22  
FILEC23  
FILEC24  
FILEC25  
FILEC26  
FILEC27  
FILEC28  
FILEC29  
FILEC30  
FILEC31  
FILEC32  
FILEC33  
FILEC34  
FILEC35  
FILEC36  
FILEC37  
FILEC38  
FILEC39  
FILEC40  
FILEC41  
FILEC42  
FILEC43  
FILEC44  
FILEC45  
FILEC46  
FILEC47  
FILEC48  
FILEC49  
FILEC50  
FILEC51  
FILEC52

```

SUBROUTINE QUASI (A,ND,KD,NI,MM,NO,NAT,NW,LTAPE,RHSTAP,*) QUASCC1
C
C
C      ***    ***/ ****     *      ***/          *      QUASCC2
C      *   *   * / *   *   *   *   * / *   ****     *      QUASCC3
C      ***   ***   * / *   *   ***   *   * / *   ***   *   *   QUASCC4
C      *   **/   *   *   *   *   *   * / *   ***   ***   QUASCC5
C      *   /***   *   *   *   *   *   *   * / ***   *   *   QUASCC6
C      *   /***   *   *   *   *   *   *   * / ***   *   *   QUASCC7
C      *   /***   *   *   *   *   *   *   * / ***   *   *   QUASCC8
C
C      D I R E C T   M A T R I X   S O L U T I O N   QUASCC9
C
C*** ***LTAPE IS THE TAPE THE L(I,J) MATRIX WILL BE PUT ON QUASC12
C*** ***RHSTAP IS THE TAPE THAT THE RIGHT HAND SIDES ARE INPUT ON QUASC13
C      INTEGER RHSTAP QUASC14
C*** ***NATAPE IS A SCRATCH TAPE QUASC15
C*** ***THE TRIANGULAR MATRIX EXCEPT FOR THE LAST K ROWS WILL BE KEPT ON QUASC16
C*** ***TAPE MM QUASC17
C*** ***THE LAST K ROWS OF THE TRIANGULAR MATRIX WILL BE PUT ON THE QUASC18
C*** ***LTAPE BEHIND THE RHS MATRIX QUASC19
C
C      COMPLEX A,SUM QUASC20
C      DIMENSION A ( KD ) QUASC21
C
C      LOGICAL JPASS1 QUASC22
C      LOGICAL LASTRS QUASC23
C      LOGICAL LAST QUASC24
C
C      CALL TIMEV(RA1) QUASC25
C      CONTINUE QUASC26
C      REWIND LTAPE QUASC27
C      NATAPE = NAT QUASC28
C      REWIND NATAPE QUASC29
C      N = NP QUASC30
C      KORE = KD QUASC31
C*** *  RHSTAP = C IF THERE ARE NO RHS TO BE PROCESSED THIS RUN QUASC32
C      IF(IFHSTAP .NE. 0 )GO TO 20 QUASC33
C      MRHS = 0 QUASC34
C      GO TO 30 QUASC35
C 20 REWIND RHSTAP QUASC36
C      READ(PHSTAP)MRHS QUASC37
C      %C M = KORE / N - 1 QUASC38
C      MMAX = MIN(MRHS,M) QUASC39
C      NPM = N + MMAX QUASC40
C      IF( (3*NPM) .GT. KORE )RETURN 1 QUASC41
C      M = 0 QUASC42
C      NPM = N QUASC43
C      MT = M QUASC44
C      REWIND MT QUASC45
C      NIN = NI QUASC46
C      REWIND NIN QUASC47
C      NOUT = NO QUASC48
C      REWIND NOUT QUASC49
C      MPI = M + 1 QUASC50
C      NN = N QUASC51
C      NEL = NPM QUASC52
C      NLCNT = 0 QUASC53
C      QUASC54
C      QUASC55
C      QUASC56

```

```

C   C = --CALCULATE THE MAXIMUM NO. OF ROWS, *K*
C   40 K = (KORE - NEL) / NEL
C   -- TEST TO SEE IF THE REST OF THE MATRIX WILL FIT IN CORE
C
C   LAST = K .GF. NN
C   IF1 .NOT. LAST ) GO TO 50
C   K = NN
C   B = 3 + MMAX*2
C   C = 2 * (1 + MMAX - KORF )
C   KTEMP = ( -B + SQRT(B**2 - 4 * C ) ) / 2
C   IF(KTEMP .GF. K) GO TO 50
C
C*** * WE MUST REDUCE THE FINAL K
C
C   K = KTEMP
C   LAST = .FALSE.
C
C   -- READ 'K' ROWS OF THE AUGMENTED 'A' MATRIX
C
C   50 NT = C
C   DO 60 IB = 1, K
C   NS = NT + 1
C   NT = NT + NEL
C   60 CALL GETTIN(NIN, 1, NEL, ATNS), 1, AA2)
C
C   -- CHECK TO SEE IF WE WERE UNLUCKY ENOUGH TO END UP WITH ONLY ONE ROW
C
C   IF (K .EC. 1) GO TO 130
C
C   -- *K* IS GREATER THAN '1' SO WE CAN START THE TRIANGULARIZATION
C
C   NELP1 = NFL + 1
C   NS = - NEL
C   NELP2 = NELP1 + 1
C
C   -- FORM THE 'TRAPEZOIDAL' ARRAY (8)
C
C   DO 70 IB = 2, K
C   NP = NELP2 - IB
C   NS = NS + NELP1
C   NT = NS
C   DO 70 IO = IB, K
C   NT = NT + NEL
C   MN = NT
C   NP = NS
C   A(NT) = A(NT) / A(NS)
C   DO 70 NF = 2, NP
C   MN = MN + 1
C   NR = NB + 1
C   70 A(MN) = A(MN) - A(NT) * A(NB)
C*** ***WRITE PART OF THE LMATRIX ON LTAPE (TRIANGULAR PART)
C   WTAP(EJK
C   NLCNT = NLCNT + 1
C   LPEE = NELP1

```

QUASC57  
QUASC58  
QUASC59  
QUASC60  
QUASC61  
QUASC62  
QUASC63  
QUASC64  
QUASC65  
QUASC66  
QUASC67  
QUASC68  
QUASC69  
QUASC70  
QUASC71  
QUASC72  
QUASC73  
QUASC74  
QUASC75  
QUASC76  
QUASC77  
QUASC78  
QUASC79  
QUASC80  
QUASC81  
QUASC82  
QUASC83  
QUASC84  
QUASC85  
QUASC86  
QUASC87  
QUASC88  
QUASC89  
QUASC90  
QUASC91  
QUASC92  
QUASC93  
QUASC94  
QUASC95  
QUASC96  
QUASC97  
QUASC98  
QUASC99  
QUAS100  
QUAS101  
QUAS102  
QUAS103  
QUAS104  
QUAS105  
QUAS106  
QUAS107  
QUAS108  
QUAS109  
QUAS110  
QUAS111  
QUAS112  
QUAS113

ORIGINAL PAGE IS  
OF POOR QUALITY

155

```

KMI = K - 1 . . . . . QUAS114
DO 80 IP = 1,KMI QUAS115
LEND = LBEG + IB - 1 QUAS116
CALL SAVE(LTAPE, 1, IR, IP, A(LPREG), 1, AA2) QUAS117
80 LPREG = LBEG + NN QUAS118
C QUAS119
C -- WRITE THE "TRAPEZOIDAL" MATRIX ON TAPE QUAS120
C QUAS121
NT = 0 QUAS122
NP = NEL QUAS123
NS = - NEL QUAS124
DO 90 IO = 1, K QUAS125
NS = NS + NELP1 QUAS126
NT = NT + NEL QUAS127
CALL SAVE(MT, 2, NP, NP, A(NS), 1, AA2) QUAS128
90 NP = NP - 1 QUAS129
IF (LAST) GO TO 130 QUAS130
NP = NP - M QUAS131
NS = KORE - NEL + 1 QUAS132
C QUAS133
C -- READ ANOTHER ROW QUAS134
C QUAS135
DC 12C IO = 1, NP QUAS136
CALL GETTNIN, 1, NEL, A(NS), 1, AA2) QUAS137
C QUAS138
C -- MODIFY THIS ROW BY THE "TRAPEZOIDAL" ARRAY QUAS139
C QUAS140
NT = 1 QUAS141
MA = NS QUAS142
DC 11C IF = 1, K QUAS143
NB = NT QUAS144
NF = MN + 1 QUAS145
A(MN) = A(MN) / A(NT) QUAS146
DO 100 MN = NF, KORE QUAS147
NP = NB + 1 QUAS148
100 A(NN) = A(NN) - A(MN) * A(NB) QUAS149
MA = NF QUAS150
110 NT = NT + NELP1 QUAS151
C QUAS152
C -- WRITE THE MODIFIED ROW ON TAPE QUAS153
C QUAS154
C*** ***WRITE REST OF MATRIX ON LTAPE QUAS155
MMI = MN - 1 QUAS156
NN1 = MM1 - NS + 1 QUAS157
CALL SAVE(LTAPE, 1, NN1, NN1, A(NS), 1, AA2) QUAS158
N1 = KORE - MN + 1 QUAS159
120 CALL SAVE(INOUT, 1, NN1, NN1, A(MN), 1, AA2) QUAS160
REWIND NOUT QUAS161
REWIND NIN QUAS162
C QUAS163
C -- SWITCH THE TAPES QUAS164
C QUAS165
NT = NIN QUAS166
NIN = NOUT QUAS167
NOUT = NT QUAS168
C QUAS169
C -- RE-CALCULATE ROW LENGTH AND LOOP PACK QUAS170

```

```

C
      NEL = NEL - K          QUAS171
      NN = NEL - M          QUAS172
      GO TO 4C               QUAS173
C
C -- REWIND ALL TAPES      QUAS174
C
      130 REWIND NIN          QUAS175
      REWIND NOUT             QUAS176
C
      140 N1 = KORE - K * M + 1 QUAS177
      REWIND LTAPE             QUAS178
      REWIND MT               QUAS179
C*** ***CALCULATE THE NUMBER OF COLUMNS TO BRING OFF OF THE RHS TAPE QUAS180
      MTOTAL = C               QUAS181
      M = MMAX                 QUAS182
      IF(M .EQ. 0) GO TO 520    QUAS183
C*** ***MTOTAL IS THE TOTAL NUMBER OF RHS COLUMNS ALREADY BROUGHT IN QUAS184
      150 MTOTAL = MTOTAL + M   QUAS185
      LASTRS = MTOTAL.GE. MRHS
      MTOTAL = MTOTAL - M
      IF (LASTRS)M = MRHS - MTOTAL
      MTOTAL = MTOTAL + M
C*** ***BPING IN M COLUMNS OF RHS           QUAS186
      KINIT = KORE - (M*N)      QUAS187
      IINIT = KINTT
      NPEG = KINIT + 1          QUAS188
      NEND = KINIT+ N           QUAS189
      DO 160 J =1,M              QUAS190
      CALL GETT(RHSTAP, 1, N, A(NBEG), 1, AA2)
      NPEG = NEND + 1           QUAS191
      160 NEND = NEND + N       QUAS192
C*** ***BRING IN L(I,J) MATRIX AND APPLY IT TO RHS
      NREG = 1 + KINIT          QUAS193
      NEND = 1 + (M-1) * N + KINIT
      KSUM = 0                   QUAS194
C*** ***DO TRIANGULAR SECTION OF LMATRIX
      170 READ (LTAPE)K          QUAS195
C*** ***KSUM IS THE TOTAL NUMBER OF L ROWS THAT WILL
C*** ***BE READ AFTER THIS TRIANGULAR SECTION IS FINISHED
      KSUM = KSUM + K           QUAS196
      KM1 = K - 1                QUAS197
C***   ***NOTE THAT KM1 CAN'T BE 0 SINCE K CAN'T BE 1 AND STILL HAVE SOM
C***   ***ON THE LTape           QUAS198
      DO 230 I = 1,KM1           QUAS199
      NREG = NBEG + 1            QUAS200
      NEND = NEND + 1            QUAS201
C*** ***READ 1 ROW OF L(I,J) FROM LTape---K-1 TIMES---EACH TIME
C*** ***STARTING WITH L(1)      QUAS202
      CALL GETT(LTape, 1, I, A, 1, AA2)
      JCNT = -1                  QUAS203
C*** ***REDUCE THE RHS BY GOING ACROSS A SOLUTION ROW (WHICH
C*** ***ARE NOT IN CONSECUTIVE ORDER, BUT A(1), A(N+1), A(2N+1) ETC.)
      DO 190 NPP = NBEG,NEND,N   QUAS204
      JCNT = JCNT + 1            QUAS205
      SUM = 0.0                  QUAS206
      NROW = KINIT + ( JCNT * N ) QUAS207

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

DO 180 NN=1,I
NPOW = NROW + 1
180 SUM = SUM + ( A(NN)*A(NROW) )
190 A(NPP) = A(NPP) - SUH
200 CONTINUE
IF (KSUM .EQ. N) GO TO 240
*** ***KSUM = N IF YOU HAVE READ ENTIRE LMATRIX AND
*** THERE IS NO CONSTANT SECTION LEFT
NTBEG = NSEG
NTEND = NEND
KSUMP1 = KSUM + 1
*** READ REST OF LROWS 1 ROW AT A TIME FOR CONSTANT SECTION
DO 230 I=KSUMP1,N
NTBEG = NTBEG + 1
NTEND = NTEND + 1
CALL GETT(LTAPE, 1, K, A, 1, AA2)
JCNT = -1
*** PARTIALLY REDUCE A RHS ACROSS A RHS ROW BY APPLYING K NUMBER
*** OF L(I,J)'S
DO 220 NPP = NTBEG,NTEND,N
JCNT = JCNT + 1
SUM = 0.0
NROW = KINIT + ( JCNT * N )
DO 210 NN = 1,K
NROW = NPOW + 1
210 SUM = SUM + ( A(NN) * A(NROW) )
220 A(NPP) = A(NPP) - SUM
230 CONTINUE
NSEG = NSEG + 1
NEND = NEND + 1
*** KINIT IS HOW FAR DOWN A COLUMN OF RHS TO START MULTIPLYING BY
*** L(I,J) AT EACH PASS THROUGH
KINIT = KINIT + K
*** IF KSUMP1 = N THERE ARE NO MORE L(I,J)'S LEFT
IF(KSUMP1 .LT. N) GO TO 170
*** WRITE OUT ALL BUT LAST K ROWS OF RHS IN ROW ORDER ON NATAPE
240 B = 4*H + 3
C = -2 * KORE
K = (-B + SQRT( B**2 - 4*C )) / 2
IF(K .GT. ND) K = ND
KF = K
KPI = K - 1
KLEFT = N - KF + JINIT
INITP1 = IINIT + 1
NEND = (M-1)*N + IINIT
DO 250 NPP = INITP1,KLEFT
NEND = NEND + 1
250 WRITE(NATAPE) ( A(J),J=NPP,NEND,N)
REWIND NATAPE
*** JPASS1 IS TRUE ON 1ST PASS THRU BACK SOLUTION
JPASS1 = .TRUE.
C
*** PUT REMAINING RHS IN CONTIGUOUS LOCATIONS BY COLUMNS
*** FROM KORE - (M * KF) + 1 TO KORE
C
NNEW = KORE - KF + 1
MM1 = M - 1

```

QUAS226  
 QUAS229  
 QUAS230  
 QUAS231  
 QUAS232  
 QUAS233  
 QUAS234  
 QUAS235  
 QUAS236  
 QUAS237  
 QUAS238  
 QUAS239  
 QUAS240  
 QUAS241  
 QUAS242  
 QUAS243  
 QUAS244  
 QUAS245  
 QUAS246  
 QUAS247  
 QUAS248  
 QUAS249  
 QUAS250  
 QUAS251  
 QUAS252  
 QUAS253  
 QUAS254  
 QUAS255  
 QUAS256  
 QUAS257  
 QUAS258  
 QUAS259  
 QUAS260  
 QUAS261  
 QUAS262  
 QUAS263  
 QUAS264  
 QUAS265  
 QUAS266  
 QUAS267  
 QUAS268  
 QUAS269  
 QUAS270  
 QUAS271  
 QUAS272  
 QUAS273  
 QUAS274  
 QUAS275  
 QUAS276  
 QUAS277  
 QUAS278  
 QUAS279  
 QUAS280  
 QUAS281  
 QUAS282  
 QUAS283  
 QUAS284

```

C ***
***IF M = I, THE ELTS OF THE 1 RHS COLUMN ARE ALREADY IN CONTIGUOUS
C ***
***LOCATIONS
C
IF(I-M .EQ. 1) GO TO 262
DO 265 I = 1,MM1
NOLD = KORE - (I*N) + 1
DO 265 J = 1,KF
NNEW = NNEW - 1
NOLD = NOLD - 1
A(NNEW) = A(NOLD)
260 CONTINUE
C
C ***
***NOW NNEW = KORE - (**KF) + 1
C ***
***NOW NOLD = KORE - (P - 1) * N + 1 - KF
C *** SKIP 1ST PART OF TRAPEZOIDAL MATRIX + READ LAST K ROWS
C *** ATTACH RHS TO IT SO THAT EVERYTHING IS IN CONSECUTIVE ORDER,
262 NREMAN = ND - K
IF(NREMAN .EQ. 0) GO TO 280
DO 270 I = 1,NREMAN
270 READ(MT) IDUMMY
280 NEND = D
KCNT = K
NNEW = NNEW - 1
C ***
***NOTE THAT K = KF WHICH IS ALREADY KNOWN IN CORE
DO 290 JCNT = 1,K
NEEG = NEND + 1
CALL GET(MT, 4; KCNT, A(NBE(S)), 1; AA2)
KCNT = KCNT + 1
NEND = NNEG + KCNT
NNEW = NNEW + 1
KFND = (MM1 * KF) + NNEW
DO 295 NPP=NNEW,KEND,KF
NEND = NEND + 1
290 A(NEND) = A(NPP)
REWIND LTAPF
REWIND MT
C
C -- THERE, NOW WE CAN START THE BACK-SOLUTION
C ** NOTE..THE FIRST AVAILABLE LOCATION FOR THE SOLUTIONS IS A(NI)
C
C ***
***NL IS THE LAST SUBSCRIPT + 1 OF THE TRAPEZOIDAL A MATRIX THAT
C ***
***CORE
C
NL = NEND + 1
NREM = N
NPM = N + K
NEL = NPM
MP1 = M + 1
LAST = K .EO. N
NPASS = C
C
C -- SOLVE FOR THE ANSWERS CORRESPONDING TO 'K' ROWS
C
300 KMI = K - 1
KPI = K + 1

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

NS = NL - MP1           QUAS342
NPASS = NPASS + 1       QUAS343
DO 330 MN = 1, M        QUAS344
NF = NS + MN            QUAS345
A(NF) = A(NF) / A(NS)   QUAS346
NT = NS                 QUAS347
IF (KMH1 .EQ. 0) GO TO 330 QUAS348
DO 320 IB = 1, KMH1     QUAS349
NF = NF - IB - M        QUAS350
NT = NT - MP1 - IB      QUAS351
SUM = 0.0                QUAS352
NP = NF                 QUAS353
N2 = MP1 + IB            QUAS354
DO 310 IO = 1, IB        QUAS355
NN = NT + IO              QUAS356
NP = NP + N2 - IO        QUAS357
310 SUM = SUM + A(NN) * A(NP) QUAS358
320 A(NF) = (A(NF) - SUM) / A(NT) QUAS359
330 CONTINUE               QUAS360
C                         QUAS361
C -- MOVE THE SOLUTIONS TO CONTIGUOUS LOCATIONS STARTING AT A(N1) QUAS362
C                         QUAS363
C   N1 = KORE + 1          QUAS364
C   DO 350 NN = 1, K        QUAS365
C   DO 340 MN = 1, M        QUAS366
C   NL = NL - 1             QUAS367
C   N1 = N1 - 1             QUAS368
340 A(N1) = A(NL)          QUAS369
350 NL = NL - NN          QUAS370
C                         QUAS371
C -- WRITE THE SOLUTIONS ON TAPE          QUAS372
C
      WRITE (NIN1) K          QUAS373
      NS = N1 - 1             QUAS374
      DO 360 MN = 1, M        QUAS375
      NT = NS + MN            QUAS376
      360 WRITE (NIN1) (A(IO), IO = NT, KORE, M) QUAS377
C                         QUAS378
C -- TEST IF THIS IS THE LAST PASS        QUAS379
C
      IF (LAST) GO TO 470      QUAS380
C
C -- WE MUST NOW MODIFY THE TRIANGULAR MATRIX TO REFLECT THE EFFECT OF QUAS381
C THE SOLUTIONS OBTAINED SO FAR (EQ 21)          QUAS382
C * * NOTE..LOCATIONS A(1) TO A(N1-1) ARE NOW FREE TO USE QUAS383
C
C -- CALCULATE THE NEXT VALUES OF "NEL" AND "NPEM" QUAS384
C
      NELOLD = NEL             QUAS385
      KOLD = K                 QUAS386
      NEL = NEL - K            QUAS387
      NREM = NREM - K          QUAS388
C
      NROW = NPEM - K + 1      QUAS389
      IF (K .LT. NREM) GO TO 370 QUAS390
      LAST = .TRUE.             QUAS391
      NROW = 1                  QUAS392

```

```

      K = NREM
      370 NS = 1
      NT = NELOLD + 1
C
C -- READ IN THE ROWS TO BE MODIFIED
C
      DO 450 IP = 1, NREM
      NT = NT - 1
      IF (IP .LE. NROW) GO TO 380
      NS = NS + NN
      NT = NT + NN
      380 IF (.NOT. JPASS1) GO TO 390
      NBEG = NT - M + 1
C*** ***READ RHS FROM NATAPE
      CALL GETT(NATAPE, 1, M, A(NBEG), 1, AA2)
      NT = NT - M
      390 CALL GETT(MT, 2, NN, A(NS), 1, AA2)
      IF (.NOT. JPASS1) GO TO 400
      NT = NT + M
      NN = NN + M
      400 NP = N1 - 1
      NF = NT - M - KOLD
      NN = NN - KOLD
      DO 420 MN = 1, M
      N2 = NF
      NA = NP + MN
      NE = NA
      SUM = 0.0
      DO 410 IO = 1, KOLD
      SUM = SUM + A(N2) * A(NA)
      N2 = N2 + 1
      410 NA = NA + 1
      N2 = N2 + MN - 1
      420 A(N2) = A(N2) - SUM
C
C -- WRITE THE MODIFIED ROW ON TAPE OR CONDENSE THE ROW
C
      NL = NT - M + 1
      IF (IP .GE. NROW) GO TO 430
      NF = NL - KPI
      NN1 = NF - NS + 1
      NN2 = NT - NL + 1
      CALL SAVE(NOUT, 4, NN, NN1,      A(NS), NN2, A(NL))
      GO TO 450
      430 NF = NL - KOLD
      DO 440 MN = NL, NT
      A(NF) = A(MN)
      440 NF = NF + 1
      450 CONTINUE
C*** ***IF 1ST TIME THRU BACK SOLN, SWITCH TAPES SO THAT MT WHICH HAS THE QUAS448
C*** ***ORIGINAL TRAPEZOIDAL MATRIX ON IT BECOME NATAPE AND IS NOT TO QUAS449
C*** ***TAPE PART IN ALTERNATING SHRINKING MATRICES. NATAPE BECOMES MT QUAS450
C*** ***AND THIS NOW DOES THE ALTERNATING WITH NOUT. QUAS451
      IF (.NOT. JPASS1) GO TO 460
      NTEMP = MT
      MT = NATAPE
      NATAPF = NTEMP
      QUAS452
      QUAS453
      QUAS454
      QUAS455

```

ORIGINAL PAGE IS  
OF POOR QUALITY.

```

JPASS1= .FALSE.
REWIND NATAPE
46C REWIND MT
REWIND NOUT
C
C -- SWITCH THE TAPES
C
    NT = MT
    MT = NOUT
    NOUT = NT
C
C -- LOOP BACK THRU THE SOLUTION
C
    NL = NF
    GO TO 300
C
C -- START TO WRAP IT UP
C
47C REWIND NIN
N2 = N
C
C * * NOTE.. AT THIS POINT ALL LOCATIONS A(1) THRU A(KORE) ARE FREE
C
    DG 49C IB = 1, NPASS .
    READ (NIN) K
    N1 = N2 - K + 1
    NS = N1
    NT = N2
C
C -- READ IN THE SOLUTIONS
C
    DG 48C IO = 1, M
    CALL GETT(NIN, 1, K, A(NS), 1, AA2)
    NT = NT + N
48C NS = NS + N
49C N2 = N1 - 1
C
C --- REWIND ALL INPUT TAPES
    PEWIND NIN
    REWIND MT
    PEWIND NOUT
C -- WRITE THE SOLUTIONS ON TAPE
C
    NT = C
    DG 50C IO = 1, M
    NS = NT + 1
    NT = NT + N
    50C CALL SAVE(NW, 1, N, N, A(NS), 1, AA2)
C *** IF TAPE WAS NEVER SWITCHED IT WOULD BE FOOLISH TO SWITCH BACK
    IF(JPASS1)GO TO 510
C
C*** ***SWITCH TAPES
C*** ***REACK SO THAT MT WILL CONAIN THE TRAPEZOIDAL MATRIX
C*** ***NATAPE WILL HAVE NOTHING USEFUL ON IT.
    'NTEMP = NATAPE
    NATAPE = MT
    MT = NTEMP

```

QUAS456  
QUAS457  
QUAS458  
QUAS459  
QUAS460  
QUAS461  
QUAS462  
QUAS463  
QUAS464  
QUAS465  
QUAS466  
QUAS467  
QUAS468  
QUAS469  
QUAS470  
QUAS471  
QUAS472  
QUAS473  
QUAS474  
QUAS475  
QUAS476  
QUAS477  
QUAS478  
QUAS479  
QUAS480  
QUAS481  
QUAS482  
QUAS483  
QUAS484  
QUAS485  
QUAS486  
QUAS487  
QUAS488  
QUAS489  
QUAS490  
QUAS491  
QUAS492  
QUAS493  
QUAS494  
QUAS495  
QUAS496  
QUAS497  
QUAS498  
QUAS499  
QUASSCC  
QUASSCI  
QUASSC2  
QUASSC3  
QUASSC4  
QUASSC5  
QUASSC6  
QUASSC7  
QUASSC8  
QUASSC9  
QUASSC10  
QUASS11  
QUASS12

```

REWIND NATAPE
510 IFI .NOT. LASTRS) GO TO 150          QUASS513
520 REWIND LTAPE                         QUASS514
REWIND MT                                QUASS515
KRED = 0                                  QUASS516
DO 540 I=1,NLCNT                         QUASS517
READ(LTAPE)KREAD                         QUASS518
530 CONTINUE                               QUASS519
KRED = KRED + KREAD                      QUASS520
KREAD = KREAD + ( N - KRED - 1 )          QUASS521
DO 540 LREAD=1,KREAD                     QUASS522
540 READ(LTape)
DO 550 NROW = 1,ND                         QUASS523
CALL GETINT, 2, ICNT, A(1), 1, AA2)        QUASS524
550 CALL SAVE(LTape, 2, ICNT, ICNT, A, 1, AA2) QUASS525
C *** REWIND ALL FILES EXCEPT THE OUTPUT FILE NW QUASS526
REWIND LTAPE                           QUASS527
REWIND NI                               QUASS528
REWIND MM                               QUASS529
REWIND NO                               QUASS530
REWIND NAT                               QUASS531
IFI( RHSTAP ,NE, 0 ) REWIND RHSTAP      QUASS532
CALL TIMEV(AA2)                         QUASS533
MD = MTOTAL                            QUASS534
RB = (AA2 - AA1) / 60.                  QUASS535
WRITE(6,560)N,M,MTOTAL,RB              QUASS536
560 FORMAT (4H0THE IS, 2H X I5, 12H MATPIX WITH I4, 35H RIGHT SIDES W) QUASS537
IS SOLVED DIRECTLY IN F8.3, 9H MINUTES. } QUASS538
570 CONTINUE                               QUASS539
RETURN
END

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```
SUBROUTINE TSETV
RETURN
END
```

```
FUNCTION ARSIN(X)
APSIN=ASIN(X)
RETURN
END
```

```

      SLBROUTINE COMBOIN, LT, MT, NONU           COMBC01
C                                         COMBC02
C                                         COMBC03
C CALCULATE COMBINATION CONSTANTS CCK, SYSTEM ANGLE OF ATTACK   COMBC04
C AND CL, SYSTEM LIFT CURVE CONSTANTS (K1, K2, + K3), AND CK CONSTANTS. COMBC05
C                                         COMRC06
C N = TOTAL NUMBER OF ELEMENTS          COMBC07
C LT = NUMBER OF LIFTING BODIES         COMBC08
C MT = NUMBER OF ONSET FLOWS           ...
C MT1 = MT + 1                         COMBC09
C CCL = CHORD FOR CLT CALCULATION     COMBC10
C INCLT FLAG, = 0, ALPHA INPUT (COMES IN AS CLT)    COMBC11
C      NOT = 0, CLT INPUT               COMBC12
C                                         COMBC13
C                                         COMBC14
C                                         COMBC15
C DIMENSION BLU(500), DV(10,12), A(10,10), CCK(10,12), SIG(500) COMBC16
C                                         COMBC17
C                                         COMBC18
C COMMON /FILEID/ IF01, IF02, IF03, IF04, IF05, IF06, IF07, IF08, COMBC19
C                   , IF09, IF10, IF11, IF12, IF13, IF14, IF15
C                   , IFIL16, IFIL17, IFIL18, IFIL19, IFIL20 COMBC20
C                                         COMBC21
C                                         COMBC22
C                                         COMBC23
C COMMON /COMBOD/CCL, INCLT, CLT, ALPHA, SUMDS(10), TLU(10,12), IND COMBC24
C                   , ALPHA0, CNUI10); SMDSWF(10), M10(10)
C COMMON /SIGMAS/CSIG(500), CK(12)           COMBC26
C EQUIVALENCE (BLU(1), CSIG(1))             COMBC27
C                                         COMBC28
C DATA PI, RC/3.1415927, 1.7453293E-2/    COMBC29
C MRHS = 2                                COMBC30
C IF (NONU .GT. 0)  MRHS = 3                COMBC31
C                                         COMBC32
C PIC = 0.0                                COMBC33
C RK1 = 0.0                                COMBC34
C RK2 = 0.0                                COMBC35
C RK3 = 0.0                                COMBC36
C ALPHA0 = 0.0                             COMBC37
C IF (LT .EQ. 0)  GO TO 140                COMBC38
C                                         COMBC39
C                                         COMBC40
C CALCULATE TRAILING EDGE VELOCITY DIFFERENCE ARRAY COMBC41
C                                         COMBC42
C INITIALIZE DV ARRAY TO TLU VALUES        COMBC43
C DO 5 L = 1,LT                            COMBC44
C DO 5 K = 1,MT                            COMBC45
C 5 DV(L,K) = TLU(L,K)                    COMBC46
C                                         COMBC47
C REWIND IF13                               COMBC48
C DO 30 L = 1,LT                           COMBC49
C CALL GETT (IF13, 1, N, BLU, 1, D)       COMBC50
C REWIND IF14                               COMBC51
C DO 20 K = 1,MT                           COMBC52
C CALL GETT (IF14, 1, N, SIG, 1, D)       COMBC53
C DO 10 J = 1,N                           COMBC54
C 10 DV(L,K) = DV(L,K) + BLU(J)*SIG(J)  COMBC55
C 20 CONTINUE                               COMBC56
C 30 CONTINUE                               COMBC57
C                                         COMBC58
C                                         COMBC59

```

```

C SET ARRAYS TO OBTAIN COMBINATION CONSTANTS CCK. USE MIS1           COMBG6C
C A(LT,LT) IS COEF. ARRAY                                         COMBG61
C CCK(LT,3) IS INPUT AS RHS, RETURNED AS CCK.                      COMBG62
C
C DO 70 L = 1,LT
C   CCK(L,1) = -DV(L,1)
C   CCK(L,2) = -DV(L,2)
C   CCK(L,3) = 0.0
C   IF (NONU .LE.0) GO TO 50
C   M = LT + 2
C   DO 40 K = 1,NONU
C     M = M + 1
C   40 CCK(L,3) = CCK(L,3) - DV(L,M)*CNU(K)
C   50 CONTINUE
C
C   DO 60 K = 1,LT
C     K2 = K + 2
C   60 A(L,K) = DV(L,K2).
C
C   70 CONTINUE
C
C   IF (LT .GT. 1) GO TO 90
C
C ONLY ONE LIFTING BODY. CALCULATE COMBINATION
C CONSTANTS STRAIGHT AWAY.
DO 80 K = 1,MRHS
  80 CCK(1,K) = CCK(1,K)/A(1,1)
  60 TO 110
C
C CALL MIS1 FOR SOLUTION
90 CCNTINUE
  D = 1.0
  LIC = 10
  CALL MIS1 (A, LT,LIC, CCK, MRHS, NEPP, D)
C
C CHECK FOR SINGULAR CASE
  WRITE (6,100) NERR
100 FORMAT(1HC, 'ON RETURN FROM MIS1, NERR = ', I2)
C
C CALCULATE SYSTEM ANGLE OF ATTACK (ALPHA) AND TOTAL LIFT (CLT).
C
110 CONTINUE
  DO 130 L = 1,LT
    RK1 = RK1 + SMDSWF(L) * CCK(L,1)
    RK2 = RK2 + SMDSWF(L) * CCK(L,2)
  120 RK3 = RK3 + SMDSWF(L) * CCK(L,3)
C
130 CONTINUE
C
  PIC = 8.*PI/CCL
  ALPHA0 = ATAN2(RK1, RK2)
C
C CHECK IF ALPHA OR CLT INPUT
  IF (INCLT .EQ. 0) GO TO 140
C
C CLT INPUT, DETERMINE ALPHA
  RK4 = (CLT/PIC - RK3)/SQR(RK1**2 + RK2**2)

```

```

        ALPHA = -ALPHAO + ARSIN(RK4)           COMB117
        GO TO 150                               COMB118
C
C   ALPHA INPUT, CALCULATE CLT (REPEATED IF INPUTS)    COMB119
140  ALPHA = ALPHA*RC                           COMB120
150  COSA = COS(ALPHA)                         COMB121
      SINA = SIN(ALPHA)                         COMB122
      IF (INCLT .EQ. 0)                          COMB123
      1CLT = PIC*(RK1*COSA + RK2*SINA + RK3)    COMB124
      ALPHA = ALPHA/RC                           COMB125
      ALPHA0 = ALPHA0/RC                          COMB126
      ALPHA = ALPHA0/RC                          COMB127
C
C   CALCULATE COEFFICIENTS CK(K) FOR LIFTING BODIES    COMB128
      CK(1) = COSA                            COMB129
      CK(2) = SINA                            COMB130
C
      IF (LT .LE. 0)  GO TO 165                COMB131
      DC 160 L = 1,LT                          COMB132
      K = L + 2                                COMB133
      CK(K) = CCK(L,1)*COSA + CCK(L,2)*SINA + CCK(L,3)  COMB134
160
C
C   SET NON-U FLOW CK'S TO ASSUMED VALUE OF 1.0          COMB135
165  CONTINUE                                COMB136
      IF (NCNU .LE. 0)  GO TO 180              COMB137
      K = LT + 2                                COMB138
      DC 170 J = 1,NONU                      COMB139
      K = K + 1                                COMB140
170  CK(K) = CNUL(J)                        COMB141
180  CONTINUE                                COMB142
C
C   CALCULATE COMBINED SIGMAS                  COMB143
      DO 190 J = 1,N                          COMB144
190  CSIG(J) = C.G                         COMB145
      REWIND IF14                            COMB146
      DO 210 K = 1,MT                      COMB147
      CALL 'GETT (IF14, 1, N, SIG, 1, D)    COMB148
      DC 200 J = 1,N                         COMB149
      200 CSIG(J) = CSIG(J) + SIG(J)*CK(K)  COMB150
      210 CONTINUE                            COMB151
C
C   PRINT OUT SOME STUFF FOR CHECKOUT PURPOSES       COMB152
      WRITE (6,220)  ALPHA                   COMB153
220  FORMAT (1H1, 'COMBINATION CONSTANTS',//T10,'ALPHA = ',  COMB154
      1           T30,'0*', T50,'90', T64, F12.6)  COMB155
C
      IF (LT .LE. 0)  GO TO 245                COMB156
      DO 230 L = 1,LT                          COMB157
      K = L + 2                                COMB158
230  WRITE (6,240)  L, CCK(L,1), CCK(L,2), CK(K)  COMB159
240  FORMAT (1H0, T14,I2, T24,F12.6, T44,F12.6, T64,F12.6)  COMB160
C
      245 CONTINUE                            COMB161
      WRITE (6,250) RK1, RK2, RK3, ALPHA0, ALPHA, CLT  COMB162
250  FORMAT (1H0, //'* LIFT CURVE CONSTANTS//T10,'RK1 = ',F12.6,  COMB163
      1           T30,'PK2 = ',F12.6, T50,'RK3 = ',F12.6//T10,  COMB164
                                         COMP165
                                         COMP166
                                         COMP167
                                         COMP168
                                         COMP169
                                         COMP170
                                         COMP171
                                         COMP172
                                         COMP173

```

```
2      'ALPHAO = ', F12.6//T10,'ALPHA  = ',F12.6//T10,
3      'CLT   = ', F12.6}
C
C
C
RETURN
END
```

COMB174  
COMB175  
COMB176  
COMB177  
COMB178  
COMB179  
COMB180

ORIGINAL PAGE IS  
OF POOR QUALITY

```

C   SUBROUTINE OFFPIS(NO, X, Y, TITLE, LAST, CHORDB, IDB, IBTOT)      OFFPC01
C   DIMENSION X(1), Y(1), TITLE(7)                                         OFFPC02
C   1     ,CHORDB(10), IDB(10)                                           OFFPC03
C
C   DATA EPS/1.0E-77                                                       OFFPC04
C   DF=3.14159265/180.                                                    OFFPC05
C   READ IN BODY TITLE AND CONTROL CARD                                     OFFPC06
10 ITYP = 21                                                               OFFPC07
    READ(5,20) ID, TITLE, ITR, INORM, IDOLD, LAST, ITYPE                  OFFPC08
20 FORMAT(1I1, 9X7A4, 12X, 2(2XI1), 2(5XI1), 2XJ2)                      OFFPC09
    IF (ITYPE .NE. ITYP) CALL TYPE(ITYP, ITYPE)                           OFFPC10
C   READ IN COORDINATE TRANSFORMATION CARD IF REQUIRED                   OFFPC11
C

```

ORIGINAL PAGE IS  
OF POOR QUALITY.

169

```

ITYP = 22                               OFFPC16
CHORD = 0.0                             OFFPC17
IF (ITR .EQ. 0 .OR. ITR .EQ. 2) GO TO 40
READ (5,30) CHORD, XMULT, YMULT, DX, DY, THETA, XTO, YTO, ITYPE
30 FORMAT (7(F8.0,1X), F8.0, I1)
IF (ITYPE .NE. (ITYP-20)) CALL TYPE(ITYP, ITYPE)

C
40 CONTINUE

C CHECK IF ELLIPSE TO BE GENERATED
IF (ITR .GT. 1) GO TO 90

C DATA ON UNIT 5. X-COORDS FIRST
L = 0                                     OFFPC22
ITYP = 23                                 OFFPC23
53 READ (5,60) (X(L+I), I=1,6), IN0, ISTAT, ITYPE
60 FORMAT (6F10.0, 4XI1, 2XI1, 3XI1)
IF (ITYPE .NE. (ITYP-20)) CALL TYPE(ITYP, ITYPE)
IF (IN0 .LE. 0 .OR. IN0 .GT. 6) IN0 = 6
L = L + IN0                                OFFPC24
IF (ISTAT .EQ. 0) GO TO 50
LY = L                                     OFFPC25
OFFPC26
OFFPC27
OFFPC28
OFFPC29
OFFPC30
OFFPC31
OFFPC32
OFFPC33
OFFPC34
OFFPC35
OFFPC36
OFFPC37
OFFPC38
OFFPC39
OFFPC40
OFFPC41
OFFPC42
OFFPC43
OFFPC44
OFFPC45
OFFPC46
OFFPC47
OFFPC48
OFFPC49
OFFPC50
OFFPC51
OFFPC52
OFFPC53
OFFPC54
OFFPC55
OFFPC56
OFFPC57
OFFPC58
OFFPC59
OFFPC60
OFFPC61
OFFPC62
OFFPC63
OFFPC64
OFFPC65
OFFPC66
OFFPC67
OFFPC68
OFFPC69
OFFPC70
OFFPC71
OFFPC72

C NOW READ IN Y-COORDS
L = 0                                     OFFPC40
ITYP = 24                                 OFFPC41
70 READ (5,60) (Y(L+I), I=1,6), IN0, ISTAT, ITYPE
IF (ITYPE .NE. (ITYP-20)) CALL TYPE(ITYP, ITYPE)
IF (IN0 .LE. 0 .OR. IN0 .GT. 6) IN0 = 6
L = L + IN0                                OFFPC42
IF (ISTAT .EQ. 0) GO TO 70
LY = L                                     OFFPC43
OFFPC44
OFFPC45
OFFPC46
OFFPC47
OFFPC48
OFFPC49
OFFPC50
OFFPC51
OFFPC52
OFFPC53
OFFPC54
OFFPC55
OFFPC56
OFFPC57
OFFPC58
OFFPC59
OFFPC60
OFFPC61
OFFPC62
OFFPC63
OFFPC64
OFFPC65
OFFPC66
OFFPC67
OFFPC68
OFFPC69
OFFPC70
OFFPC71
OFFPC72

C CHECK FOR INPUT CONSISTENCY
IF (LY .EQ. LX) GO TO 120
WRITE (6,82) LY, LX
82 FORMAT (1H1,'THE NUMBER OF Y-CORDINATES (*,I3,") READ DOES *',
          1           'NOT EQUAL THE NUMBER OF X-CORDINATES READ (*,I3,")')
GO TO 200

C ELLIPSE TO BE GENERATED. READ IN DEFINITION CARD.
90 ITYP = 25
READ (5,10C) LX, ELPSTH, ITYPF
10C FORMAT (2XI3, 5XF10.5, 5XI1)
IF (ITYPE .NE. (ITYP-20)) CALL TYPE(ITYP, ITYPE)
ITR = ITR - 2
IF (ITR .NE. 1) ITR = 0

C
DANGLE = 6.2831853072/(LX - 1)
ANGLE = DANGLE
DO 110 I = 1,LX
ANGLE = ANGLE - DANGLE
X(I) = COS(ANGLE)
11C Y(I) = SIN(ANGLE)*ELPSTH

C
120 CONTINUE

```

```

C WRITE OUT BASIC GEOMETRY DATA          OFFPC73
IP = 1                                OFFPC74
C
C TRANSFORM COORDINATES IF REQUESTED   OFFPC75
IF (ITR .EQ. 1) GO TO 130               OFFPC76
IF (INORM .EQ. 0) GO TO 220             OFFPC77
XMULT = 0.0                             OFFPC78
YMULT = 0.0                             OFFPC79
XTO = 0.0                               OFFPC80
YTO = 0.0                               OFFPC81
THETA = 0.0                            OFFPC82
DX = 0.0                                OFFPC83
DY = 0.0                                OFFPC84
130 CONTINUE                           OFFPC85
C
C     IF (ARS(XMULT) .LT. EPS)      XMULT = 1.0
C     IF (ARS(YMULT) .LT. EPS)      YMULT = 1.0
C     XSF = XMULT                  OFFPC86
C     YSF = YMULT                  OFFPC87
C     IF (INORM .EQ. 0)  GO TO 180
C
C     IF (IDOLD .LE. 0)  GO TO 160
C     DO 140 IP = 1,IBTOT
C     IF (IDB(IB) .EQ. IDOLD)  GO TO 150
C
140 CONTINUE                           OFFPC88
GO TO 160                           OFFPC89
C
150 CHORD = CHORDB(IB)                OFFPC90
160 IF (ABS(CHORD) .LE. EPS)  GO TO 180
170 XSF = XSF/CHORD                  OFFPC91
YSF = YSF/CHORD                  OFFPC92
C
180 COST = COS(THETA*DR)
SINT = SIN(THETA*DR)                 OFFPC93
DO 190 I = 1,LX                     OFFPC94
XTOD = X(I) - XTO                   OFFPC95
YTOD = Y(I) - YTO                   OFFPC96
X(I) = (XTOD + XTOD*COST - YTOD*SINT + DX)*XSF
Y(I) = (YTOD + YTOD*SINT + YTOD*COST + DY)*YSF
190 CONTINUE                           OFFPC97
GO TO 220                           OFFPC98
C
200 WRITE (6,210)
210 FORMAT (IHC, *BECAUSE OF THE ABOVE ERROR, THIS RUN IS TERMINATED*) OFFPC99
STOP                                 OFFPC100
C
C
220 CONTINUE                           OFFPC101
NO = LX                               OFFPC102
RETURN                                OFFPC103
END                                  OFFPC104

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

SUBROUTINE SOLVE(N, M, ISIZE, ISOL)          SOLVC01
C
C THIS ROUTINE OBTAINS THE SIGMA SOLUTIONS      SOLVC02
C FROM EITHER SOLVIT (ISOL=0), QUASI (ISOL=1), OR MIS1 (ISOL=2)  SOLVC03
C
C COMMON /SPACER/ WKAREA(11413)                SOLVC04
C
C DIMENSION A(101,101), SIG(101,12)            SOLVC05
C
C *** EQUIVALENCE (A(1,1),WKAREA(1)), (SIG(1,1), WKAREA(10202))  SOLVC06
C
C COMMON /FILEID/ IFILE1, IFILE2, IFILE3, IFILE4, IFILE5,      SOLVC07
C                  IFILE6, IFILE7, IFILE8, IFILE9, IFIL10,      SOLVC08
C                  1           IFILE11, IFILE12, IFILE13, IFILE14, IFILE15  SOLVC09
C                  2           ,IFIL16, IFILE17, IFILE18, IFILE19, IFILE20  SOLVC10
C                  3
C
C IF (ISOL .EQ. 2) GO TO 70                   SOLVC11
C MM = M
C CALL TIMEV(T)
C 15 IF (ISOL .NE. 0) GO TO 30
C
C 15 CONTINUE
C
C WRITE(6,20) T
C 20 FORMAT(1HO, *SOLVIT TIME = *, F9.3, * SECONDS.*)
C
C CALL SOLVIT (WKAREA, N, MM, ISIZE, IFILE9, IFILE1,
C               1           IFILE2, IFIL14, +50)
C CALL TIMEV(T)
C WRITE(6,20) T
C RETURN
C
C 30 WRITE(6,40) T
C CALL QUASI(WKAREA, N,MM, ISIZE, IFILE9, IFILE1, IFILE2,
C               1           IFILE3, IFIL14, IFILE15, IFILE4,+50)
C CALL TIMEV(T)
C WRITE(6,40) T
C 40 FORMAT(1HO, *QUASI TIME = *, F9.3,*SECONDS.*)
C RETURN
C
C
C USE MIS1 (MIS2)
C
C A-ARFAT STORED ON IFIL10
C
C PHS STORED ON IFILE4
C
C SIGMAS SAVED ON IF14
C

```

SOLVC12  
SOLVC13  
SOLVC14  
SOLVC15  
SOLVC16  
SOLVC17  
SOLVC18  
SOLVC19  
SOLVC20  
SOLVC21  
SOLVC22  
SOLVC23  
SOLVC24  
SOLVC25  
SOLVC26  
SOLVC27  
SOLVC28  
SOLVC29  
SOLVC30  
SOLVC31  
SOLVC32  
SOLVC33  
SOLVC34  
SOLVC35  
SOLVC36  
SOLVC37  
SOLVC38  
SOLVC39  
SOLVC40  
SOLVC41  
SOLVC42  
SOLVC43  
SOLVC44  
SOLVC45  
SOLVC46  
SOLVC47  
SOLVC48  
SOLVC49  
SOLVC50  
SOLVC51  
SOLVC52  
SOLVC53  
SOLVC54  
SOLVC55

```

C
70 NMAX = 101           SOLVC56
IF14= IFIL14             SOLVC57
REWIND IFIL10             SOLVC58
REWIND IFILE4             SOLVC59
REWIND IF14               SOLVC60
IF (N .LE. NMAX) GO TO 90   SOLVC61
WRITE(6,80) N, NMAX       SOLVC62
80 FORMAT(1HD,'THE SIZE OF ARRAY (*,IS,*) EXCEEDS LIMIT OF ', I4)
GO TO 15                 SOLVC63
SOLVC64
SOLVC65
SOLVC66
SOLVC67
SOLVC68
SOLVC69
SOLVC70
SOLVC71
SOLVC72
SOLVC73
SOLVC74
SOLVC75
SOLVC76
SOLVC77
SOLVC78
SOLVC79
SOLVC80
SOLVC81
SOLVC82
SOLVC83
SOLVC84
SOLVC85
SOLVC86
SOLVC87
SOLVC88
SOLVC89
SOLVC90
SOLVC91
SOLVC92

C 90 CONTINUE
C
D = 1.0
C
C READ IN A-ARRAY
DO 100 I = 1,N           SOLVC70
READ(IFIL10) A(I,J),J=1,N   SOLVC71
100 READ (IFIL10)
C
C READ IN PHS IN SIG ARRAY
READ(IFILE4) MDUM          SOLVC72
DO 110 K = 1,M              SOLVC73
110 READ(IFILE4) (SIG(I,K),I=1,N)   SOLVC74
C
CALL MIS2(A, N, NMAX, SIG, M, NERR, D)           SOLVC75
C
WRITE (6,120) NEPR          SOLVC76
120 FORMAT(1HD,'ON RETURN FROM MIS2, NERR = ', I2)
C
C SAVE SIGMAS
DO 130 J = 1,M              SOLVC77
130 WRITE(IF14) (SIG(I,J), I=1,N)   SOLVC78
RETURN
C
C
END

```

```

SUBROUTINE VXYOFF(N, M, NO, X, Y) VXYOC01
C
C      DIMENSION SIG(500), X(1), Y(1), A(500), P(500)
C      1      ,VX(12), VY(12), VXT(12), VYN(12) VXYOC02
C
C      COMMON/ELD/   X0(500), Y0(500), DS(500), SA(500), CA(500),
C      1      CURV(500), DL(500) VXYOC03
C
C      COMMON/COMBOD/CCL,INCLT,CLT,ALPHA,SUMDS(10),TLU(10,12),IND VXYOC04
C      1      , ALPHAO, CHU(10), SMDSWF(10), PIO(10) VXYOC05
C      COMMON /SIGMAS/ CSIG(500), CK(12) VXYOC06
C      COMMON /GCF/ WF(500) VXYOC07
C
C      COMMON/BFLAG/ IDB(10), INL(10), IFL(10), NL(10), LIFT(10),
C      1      IBMF(10), ISAV1(10), ISAV2(10), ISAV3(10), VXYOC08
C      2      BTITLE(10, 7), IBT, IBST, IBTOT, NELTOT, VXYOC09
C      3      ITRB(10), INMB(10), CHORD(10), JBD(10), LIFTOT VXYOC10
C      4      ,IPRB(10), IFST(10), ISEC(10), FITLE(15), IPVR(15) VXYOC11
C
C      COMMON /FILEID/  IF01, IF02, IF03, IF04, IF05,
C      1      IF06, IF07, IF08, IF09, IF10, VXYOC12
C      2      IF01, IF02, IF13, IF14, IF15 VXYOC13
C      3      ,IF16, IF17, IF18, IF19, IF20 VXYOC14
C      REWIND IF01 VXYOC15
C      REWIND IF02 VXYOC16
C
C      SET SOME QUANTITIES VXYOC17
C      20 SAI = 0.0 VXYOC18
C      CAI = 1.0 VXYOC19
C      DSI = 0.0 VXYOC20
C
C      DC 23C I = 1,NO VXYOC21
C      JJ = 0 VXYOC22
C      K = 2 VXYOC23
C
C      DC 15C IB = 1,IBTOT VXYOC24
C      IF (IPMF(IB) .LT. 0) GO TO 15D VXYOC25
C
C      COUNTER FOR ELEMENT GEOMETRY VXYOC26
C      J = INL(IB) - 1 VXYOC27
C
C      COUNTERS FOR A,B APRAYS VXYOC28
C      JJ = JJ + 1 VXYOC29
C      JF = JJ + NL(IB) VXYOC30
C
C      JJ IS COUNTER FOR THE CURRENT ELEMENT VXYOC31
C
C      ZERO OUT A&B ARRAYS VXYOC32
C      DO 30 JJ1 = JI,JF VXYOC33
C      A(JJ1) = 0.0 VXYOC34
C      30 B(JJ1) = 0.0 VXYOC35
C
C      JJ = JI VXYOC36
C      JJ1 = JJ + 1 VXYOC37

```



```

C   CHECK IF INDIVIDUAL FLOWS DESIRED
    IF (IND .NE. 1) GO TO 200
    REWIND IF14
C
C   CALCULATE INDIVIDUAL FLOWS
    DO 190 K = 1,M
    CALL GETT(IF14, 1, N, SIG(1), 1, VN)
    VY(K) = VXT(K)
    VY(K) = VYN(K)
C
    DO 180 J = 1,N
    VX(K) = VX(K) + B(J)*SIG(J)
180  VY(K) = VY(K) + A(J)*SIG(J)
190  CONTINUE
C
C   SAVE VELOCITIES
    WRITE(IF02)  (VX(K), VY(K), K = 1,M)
C
C   CALCULATE COMBINED FLOW
200  VXC = 0.0
    VYC = 0.0
    DO 210 K = 1,M
    VYC = VXC + VXT(K)*CK(K)
210  VYC = VYC + VYN(K)*CK(K)
C
    DO 220 J = 1,N
    VXC = VXC + B(J)*CSIG(J)
220  VYC = VYC + A(J)*CSIG(J)
C
C   SAVE VELOCITIES
    WRITE(IFC1)  VXC, VYC
C
C
230  CONTINUE
C
C
RRETURN
END

```



---

```

CALL NUMBER(XX-SNOSZ-SNOSZ,-SN-SNOSZ--10,SN,10.,0.,-1) U 0230
CALL NUMBER(999.0,-SNOSZ -.10,SNOSZ,P,0.,NL) U 0240
25 CALL PLOT(XX,0.,3) U 0250
B = (XX-54.*SLETRS)/2. U 0260
CALL SYMBOL(B,-SNOSZ-SLETRS-,15-.6,SLETRS,TTITLE{1,K},0.,54) U 0270
CALL PLOT(0.,0.,3) U 0280
DO 45 J=1,M2 U 0290
Y=J U 0300
D=ORD+Y+OFFSET U 0310
CALL PLOT(0.,Y,2) U 0320
CALL PLOT(.2,Y,2) U 0330
N=J/2 U 0340
B=FLOAT(J)-FLOAT(N)-Y/2. U 0350
IF (B) 30,30,45 U 0360
30 IF (K6) 35,35,40 U 0370
35 CALL NUMBER(-4,*SNOSZ -.15,Y,SNOSZ,0,0.,NL) U 0380
60 TO 45 U 0390
40 SN = 1.333*SNOSZ U 0400
CALL NUMBER(-.15 -SN-SN-SN ,Y-SNOSZ,SN,10.,0.,-1) U 0410
CALL NUMBER(999.-0,Y+SN-SNOSZ,SNOSZ,0,0.,NL) U 0420
45 CALL PLOT(0.,Y,3) U 0430
C = (YY-54.*SLETRS)/2. U 0440
CALL SYMBOL(-SNOSZ-SNOSZ-SNOSZ-.15-.6,C,SLETRS,TTITLE{1,L},90.,54) U 0450
CALL PLOT(0.,YY,3) U 0460
CALL PLOT(XX,YY,2) U 0470
CALL PLOT(XX,0.,2) U 0480
DO 5C J=1,M2,2 U 0490
Y=J U 0500
IF (Y.EQ.YY) GO TO 55 U 0510
CALL PLOT(XX,Y,3) U 0520
CALL PLOT(0.,Y,2) U 0530
IF ((Y+1.).EQ.YY) GO TO 55 U 0540
CALL PLOT(0.,Y+1.,3) U 0550
50 CALL PLOT(XX,Y+1.,2) U 0560
55 CONTINUE U 0570
DO 6C J=1,M1,2 U 0580
X=J U 0590
IF (X.EQ.XX) GO TO 65 U 0600
CALL PLOT(XX-X,YY,3) U 0610
CALL PLOT(XX-X,0.,2) U 0620
IF ((XX-X-1.).EQ.0.) GO TO 65 U 0630
CALL PLOT(XX-X-1.,0.,3) U 0640
60 CALL PLOT(XX-X-1.,YY,2) U 0650
65 RETURN U 0660
END U 0670

```

---

```

SUBROUTINE ARROW(VX,VY,X,Y,VPER)
COMMON/PICTUR/BUNNHJ,XX,XMIN,EXEP,YY,YMIN,ORD
DIMENSION PINFO(1),PLABEL(1)
PI0180=3.14159265/180.
SIZE=SQRT(VX*VX+VY*VY)/VPER
IF(VX.EQ.0.)VX=1.E-9
ANGLE=-SIGN(90.,VX)+ATAN(VY/VX)/PI0180
XP=(X-XMIN)/EXEP
YP=(Y-YMIN)/ORD
IF(XP.GT.XX.OR.XP.LT.0..OR.YP.GT.YY.OR.YP.LT.0.)RETURN
SIZ=A MIN(4./21.*SIZE,.15)
SIZ2=SIZE-.5*SIZ
XHEAD=XP+VX/VPER/SIZE*SIZ2
YHEAD=YP+VY/VPER/SIZE*SIZ2
CALL SYMBOL(XP,YP,SIZ2,16,ANGLE,-1)
CALL SYMBOL(XHEAD,YHEAD,SIZ2,2,ANGLE,-1)
RETURN
ENTRY NOTES(PINFO,PLABEL,N)
DO 10 I=1,N
  YPO=(FLOAT(N)-FLOAT(I))*.3
  CALL SYMBOL(XX+.1,YPO,.2,PLABEL(I),0.,6)
  CALL NUMBER(XX+.2,YPO,.2,PINFO(I),0.,2)
10 RETURN
END

```

```

SUBROUTINE VPROFFIN, M, NO, X, Y, TITLE, INC)          VPROC1
C VPROC2
COMMON/PICTUR/VPERIN,XX,XMIN,EXEP,YY,YMIN,ORD.      VPROC3
COMMON /FILEID/ IFA1, IFA2, IF03, IF04, IF05,        VPROC4
1           IF06, IF07, IF08, IF09, IF10,              VPROC5
2           IF01, IF02, IF13, IF14, IF15              VPROC6
3           ,IF16, IF17, IF18, IF19, IF20
DIMENSION X(1), Y(1), TITLE(7), V(1200),V1X(200),V2X(200),
1           V3X(200),V4X(200),V5X(200),V1Y(200),V2Y(200),
2           V3Y(200),V4Y(200),V5Y(200)                VPROC8
C DATA RD/57.2957797/                                VPROC9
C VX AND VY HAVE BEEN SAVED ON UNIT IF02            VPROC10
REWIND IF01                                         VPROC11
REWIND IF02                                         VPROC12
C IF (IND .NE. 1) GO TO 40                          VPROC13
C INDIVIDUAL FLOWS                                 VPROC14
M2 = M + M                                         VPROC15
I1 = I - M2                                       VPROC16
I2 = 0                                         VPROC17
DO 10 J = 1,NO                                     VPROC18
I1 = I1 + M2                                       VPROC19
I2 = I2 + M2                                       VPROC20
C 10 READ(IFC2)  (V(K), K = I1,I2)                 VPROC21
C DO 30 K = 1,M                                     VPROC22
WRITE(6,60)  K, TITLE                            VPROC23
C DO 20 I = 1,NO                                     VPROC24
IX = (I-1)*M2 + 2*K - 1                           VPROC25
IY = IX + 1                                       VPROC26
VT = SQRT(V(IX)**2 + V(IY)**2)                   VPROC27
TH = ATAN2(V(IY), V(IX))*RD                      VPROC28
IF(K.EQ.1) V1X(I) = V(IX)                         VPROC29
IF(K.EQ.1) V1Y(I) = V(IY)
IF(K.EQ.2) V2X(I) = V(IX)
IF(K.EQ.2) V2Y(I) = V(IY)
IF(K.EQ.3) V3X(I) = V(IX)
IF(K.EQ.3) V3Y(I) = V(IY)
IF(K.EQ.4) V4X(I) = V(IX)
IF(K.EQ.4) V4Y(I) = V(IY)
IF(K.EQ.5) V5X(I) = V(IX)
IF(K.EQ.5) V5Y(I) = V(IY)
C 20 WRITE(6,70)  I, X(I), Y(I), V(IX), V(IY), VT, TH   VPROC30
C 30 CONTINUE
      WRITE(7,1500) (X(J),J=1,NO)
      WRITE(7,1500) (Y(J),J=1,NO)
      WRITF(7,1500) (V1X(J),J=1,NO)
      WRITE(7,1500) (V2X(J),J=1,NO)
      WRITF(7,1500) (V3X(J),J=1,NO)
      WRITE(7,1500) (V4X(J),J=1,NO)
      WRITE(7,1500) (V5X(J),J=1,NO)                  VPROC35
      VPROC36
      VPROC37
      VPROC38

```

```

      WRITE(7,1500) (V1Y(J),J=1,NO)
      WRITE(7,1500) (V2Y(J),J=1,NO)
      WRITE(7,1500) (V3Y(J),J=1,NO)
      WRITE(7,1500) (V4Y(J),J=1,NO)
      WRITE(7,1500) (V5Y(J),J=1,NO)
1500 FORMAT(0P6E13.8)
C
C   COMBINED FLOW
40 WRITE(6,8C)  TITLE
C
      DO 50 I = 1,NO
      READ(IFD1) V(1), V(2)
      VT = SQRT(V(1)**2 + V(2)**2)
      IF(VPERIN.NE.0.)CALL ARROW(V(1),V(2),X(I),Y(I),2.)
      TH = ATAN2(V(2), V(1))*RD
50 WRITE(6,7C)  I, X(I), Y(I), V(1), V(2), VT, TH
C
      60 FORMAT(1H1, 2GX *INDIVIDUAL FLOW NO. *,I2, 5X*OFFBODY POINTS*,
     1      5X,7A4//T15,'I', T27,'X(I)', T44,'Y(I)', T61,'VX',
     2      T78,'VY', T95,'VT', T109,'THETA(DEG)'//)
70 FORMAT(1H , 1IXI3, 6(5XF12.6))
20 FORMAT(1H1, 2GX *COMBINED FLOW FOR OFFBODY POINTS*, 5X,7A4//,
     1      T15,'I', T27,'X(I)', T44,'Y(I)', T61,'VX',
     2      T78,'VY', T95,'VT', T109,'THETA(DEG)'//)
C
      RETURN
END

```

VPROC39  
 VPROC40  
 VPROC41  
 VPROC42  
 VPROC43  
 VPROC44  
 VPROC45  
 VPROC46  
 VPROC47  
 VPROC48  
 VPROC49  
 VPROC50  
 VPROC51  
 VPROC52  
 VPROC53  
 VPROC54  
 VPROC55  
 VPROC56  
 VPROC57  
 VPROC58  
 VPROC59

ORIGINAL PAGE IS  
OF POOR QUALITY

181

```
SUBROUTINE DRAW(KR,KK )          Z2  CCCC
C((((( SUBROUTINE ADDED TO DRAW PICTURE OF INLET VIA CALCOMP PLOTTER. Z2  0010
C                                         Z2  0030
C
DIMENSION X(400),Y(400)           Z2  0100
COMMON/PICTUR/VPERIN,XX,XMIN,EXEP,YY,YMIN,ORD
COMMON /ELDDATA/ XON(500),YON(500)
KL=KR+1                           Z2  0110
II=0                               Z2  0120
DO 20 I=1,KL                      Z2  0130
N=KK+I-1
IF (II.GE.400.OR.N.GT.500) GO TO 30
C((( ( TEST EACH (X,Y) PT. EXCLUDE THOSE BEYOND (XXX*EXEP+XMIN) INCHES Z2  C150
YMAN=YY*ORD+YMIN
IF(LPNCHO.EQ.2) YON(N)=YMAN-(YON(N)-YMAN)
IF (XON(N)-XX*EXEP-XMIN) 10,10,20
10 IF (YON(N)-YY*ORD-YMIN) 15,15,20
15 II=II+1
X(II)=XON(N)
Y(II)=YON(N)
20 CONTINUE
25 CALL LINE(X,Y,II,1,0,3,XMIN,EXEP,YMIN,ORD)
RETURN
30 WRITE (6,35)II,N
35 FORMAT(1HC,' SCIRCLE ERROR EXIT - DATA POINTS EXCEED 200 ON A SEG Z2  C380
    10R EXCEED 500 ON TOTAL INLET - * /218)
STOP
END
```

```

      CALL NUMBER(XX-SNOSZ-SNOSZ,-SN-SNOSZ-.1D,SN,1E+,0.,-1)          U 0230
      CALL NUMBER(999.0,-SNOSZ -.1D,SNOSZ,P,0.,NK)           . . . . . U 0240
25   CALL PLOT(X,0.,3)           . . . . . U 0250
      B = (XX-54.*SLETRS)/2.           . . . . . U 0260
      CALL SYMBOL(B,-SNOSZ-SLETRS-.15-.6,SLETRS,TITLE(1,K),0.,54)    U 0270
      CALL PLOT(0.,0.,3)           . . . . . U 0280
      DO 45 J=1,M2           . . . . . U 0290
      Y=J           . . . . . U 0300
      C=ORD*Y+OFSFT           . . . . . U 0310
      CALL PLOT(0.,Y,2)           . . . . . U 0320
      CALL PLOT(.2,Y,2)           . . . . . U 0330
      N=J/2           . . . . . U 0340
      B=FLOAT(J)-FLOAT(N)-Y/2.           . . . . . U 0350
      IF (B> 30,30,45           . . . . . U 0360
.30   IF (K6) 35,35,40           . . . . . U 0370
      35   CALL NUMBER(-4.*SNOSZ      -15,Y,SNOSZ,0,C.,NL)           U 0380
      GO TO 45           . . . . . U 0390
40   SN = 1.333*SNOSZ           . . . . . U 0400
      CALL NUMBER(-.15 -SN-SN-SN +Y-SNOSZ,SN,.1D+,0.,-1)          U 0410
      CALL NUMBER(999.0,Y+SN-SNOSZ,SNOSZ,0,0.,NL)           . . . . . U 0420
45   CALL PLOT(0.,Y,3)           . . . . . U 0430
      C = (YY-54.*SLETRS)/2.           . . . . . U 0440
      CALL SYMBOL(-SNOSZ-SNOSZ-SNOSZ-.15-.6,C,SLETRS,TITLE(1,L),90.,54) U 0450
      CALL PLOT(0.,YY,3)           . . . . . U 0460
      CALL PLOT(XX,YY,2)           . . . . . U 0470
      CALL PLOT(XX,0.,2)           . . . . . U 0480
      DO 50 J=1,M2;2           . . . . . U 0490
      Y=J           . . . . . U 0500
      IF (Y>E0,YY) GO TO 55           . . . . . U 0510
      CALL PLOT(XX,Y,3)           . . . . . U 0520
      CALL PLOT(0.,Y,2)           . . . . . U 0530
      IF ((Y+1)>E0,YY) GO TO 55           . . . . . U 0540
      CALL PLOT(0.,Y+1.,3)           . . . . . U 0550
55   CALL PLOT(XX,Y+1.,2)           . . . . . U 0560
55   CONTINUE           . . . . . U 0570
      DO 60 J=1,M1;2           . . . . . U 0580
      X=J           . . . . . U 0590
      IF (X>E0,XX) GO TO 65           . . . . . U 0600
      CALL PLOT(XX-X,YY,3)           . . . . . U 0610
      CALL PLOT(XX-X,0.,2)           . . . . . U 0620
      IF ((XX-X-1.)>E0,0.) GO TO 65           . . . . . U 0630
      CALL PLOT(XX-X-1.,0.,3)           . . . . . U 0640
60   CALL PLOT(XX-X-1.,YY,2)           . . . . . U 0650
65   RETURN           . . . . . U 0660
      END           . . . . . U 0670

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

SUBROUTINE FLOWS (N, M, IPUN) FLOWC01
C INDIVIDUAL FLOWS (IND = 1) AND COMBINED FLOWS CALCULATED. FLOWC02
C
C DIMENSION A(500), B(500), VN(500), VT(500), VNC(500), VTC(500), FLOWC03
1 SIG(500) FLOWC04
2 , X(500), Y(500), DS(500), SA(500), CA(500) FLOWC05
DIMENSION ELGC(3500), ELGD(500), CPJ(500), XP(500), YP(500), FLOWC06
1 V1(500), V2(500), V3(500), V4(500), V5(500) FLOWC07
C COMMON /BFLAG/ IDB(1C), INL(10), IFL(10), NL(1C), LIFT(1G), FLOWC08
1 IRMF(10), ISAV1(10), ISAV2(10), ISAV3(10), FLOWC09
2 BTITLE(10, 7), IBT, IBST, IBTOT, NELTOT, FLOWC10
3 ITRB(1G), INMB(1D), CHORD(1C), IBD(1C), LIFTOT, FLOWC11
4 IPRB(1C), IFST(10), ISEC(10), FTITLE(15), IPVR(1C) FLOWC12
C COMMON /SIGMAS/ CSIG(500), CK(12) FLOWC13
COMMON /FILEID/ IF01, IF02, IF03, IF04, IF05, IF06, IF07, IF08, FLOWC14
1 IF09, IF10, IF11, IF12, IF13, IF14, IF15 FLOWC15
2 , IF16, IF17, IF18, IF19, IF20 FLOWC16
COMMON /COMBOD/ CCL, INCLT, CLT, ALPHA, SUMDS(10), TLU(10,12), IND FLOWC17
1 , ALPHAO, CNU(10), SMDSWF(10), MI0(1C) FLOWC18
COMMON/ROTAT/NROT, ROTRAD(10) FLOWC19
COMMON /GCF/ WF(500) FLOWC20
COMMON /ELD/ X, Y, DS, SA, CA, CURV(500), DL(500) FLOWC21
EQUIVALENCE (ELGC(1), X(1)), (ELGD(1), WF(1)) FLOWC22
EQUIVALENCE (A(1),XP(1)), (B(1),YP(1)) FLOWC23
C REWIND UNITS FOR NORMAL AND TANGENTIAL ONSET VELOCITIES FLOWC24
REWIND IF11 FLOWC25
REWIND IF12 FLOWC26
C REWIND SIGMA UNIT FLOWC27
REWIND IF14 FLOWC28
C ZERO OUT VNC AND VTC ARRAYS FLOWC29
DO 10 I = 1,N FLOWC30
  VNC(I) = 0.0 FLOWC31
10 VTC(I) = 0.0 FLOWC32
C
C THE PROCEDURE IS TO FIRST CALCULATE THE INDIVIDUAL FLOWS FLOWC33
C AND THEN THE COMBINED FLOW. THE ONSET VELOCITIES ARE FLOWC34
C COMBINED DURING THE INDIVIDUAL FLOWS CYCLE. FLOWC35

```

```

C FLOWC45
C READ IN SURFACE COORDS AND GEOMETRY COEFFICIENTS FROM UNIT 16
C REWIND IF16 FLOWC46
C READ(IF16) ELGC, ELGD FLOWC47
C FLOWC48
C FLOWC49
C FLOWC50
C FLOWC51
C FLOWC52
C FLOWC53
C FLOWC54
C FLOWC55
C FLOWC56
C FLOWC57
C FLOWC58
C FLOWC59
C FLOWC60
C FLOWC61
C FLOWC62
C FLOWC63
C FLOWC64
C FLOWC65
C FLOWC66
C FLOWC67
C FLOWC68
C FLOWC69
C FLOWC70
C FLOWC71
C FLOWC72
C FLOWC73
C FLOWC74
C FLOWC75
C FLOWC76
C FLOWC77
C FLOWC78
C FLOWC79
C FLOWC80
C FLOWC81
C FLOWC82
C FLOWC83
C FLOWC84
C FLOWC85
C FLOWC86
C FLOWC87
C FLOWC88
C FLOWC89
C FLOWC90
C FLOWC91
C FLOWC92
C FLOWC93
C FLOWC94
C FLOWC95
C FLOWC96

C BEGIN INDIVIDUAL FLOWS CYCLE
VNA = 0.0
DO 90 K = 1,M
C
C READ IN NORMAL AND TANGENTIAL ONSET VELOCITIES.
CALL GETT(IF11, 1, N, VN, 1, VNA)
CALL GETT(IF12, 1, N, VT, 1, VNA)
C
C CALCULATE COMBINED NORMAL + TANGENTIAL VELOCITIES
DO 30 I = 1,N
VNC(I) = VN(I) - VN(I)*CK(K)
30 VTC(I) = VT(I) + VT(I)*CK(K)
C
C CHECK IF INDIVIDUAL FLOW DESIRED
IF (IND .NE. 1) GO TO 90
C
C REWIND A,B ARRAY UNITS
REWIND IF10
C
C READ IN ROW OF SIGMAS
CALL GETT(IF14, 1, N, SIG,1, VNA)
C
DO 50 I = 1,N
C
C READ IN ROW OF A,B ARRAYS
CALL GETT(IF10, 1, N, A, 1, VNA)
CALL GETT(IF10, 1, N, B, 1, VNA)
C
VN(I) = -VN(I)
VNA = 0.0
VTB = 0.0
DO 40 J = 1,N
VNA = VNA + A(J)*SIG(J)
40 VTB = VTB + B(J)*SIG(J)
C
VN(I) = VN(I) + VNA
50 VTC(I) = VT(I) + VTB
C
C PRINT OUT INDIVIDUAL FLOW
WRITE (6,60) K
60 FORMAT(1H1, "INDIVIDUAL FLOW NUMBER", I3//", PT.NO.",,
1      T19,"VN", T39, "VT", T58, "SIGMA")
DO 70 I = 1,N
IF(K.EQ.1) V1(I) = VT(I)
IF(K.EQ.2) V2(I) = VT(I)
IF(K.EQ.3) V3(I) = VT(I)
IF(K.EQ.4) V4(I) = VT(I)
IF(K.EQ.5) V5(I) = VT(I)
70 WRITE(6,80) I, VN(I), VT(I), SIG(I)

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

80 FORMAT(1H , I4, 3F8XF12.6)
C FLOWC97
C FLOWC98
C FLOWC99
C FLOW1G0
C FLOW1G1
C FLOW1G2
C FLOW1G3
C FLOW1G4
C FLOW1G5
C FLOW1G6
C FLOW1G7
C FLOW1G8
C FLOW1G9
C FLOW1I0
C FLOW1I1
C FLOW1I2
C FLOW1I3
C FLOW1I4
C FLOW1I5
C FLOW1I6
C FLOW1I7
C FLOW1I8
C FLOW1I9
C FLOW120
C FLOW121
C FLOW122
C FLOW123
C FLOW124
C FLOW125
C FLOW126
C FLOW127
C FLOW128
C FLOW129
C FLOW130
C FLOW131
C FLOW132
C FLOW133
C FLOW134
C FLOW135
C FLOW136
C FLOW137
C FLOW138
C FLOW139
C FLOW140
C FLOW141
C FLOW142
C FLOW143
C FLOW144
C FLOW145
C FLOW146
C FLOW147
C FLOW148
C FLOW150
C FLOW151
C FLOW152

90 CONTINUE
C INDIVIDUAL FLOWS COMPLETE. NOW DO COMBINED FLOW
C REWIND IF10
DO 11C I = 1,N
CALL GETT(IF10, 1, N, A, 1, VNA)
CALL GETT(IF10, 1, N, B, 1, VNA)
C VNA = 0.0
VTB = 0.0
DO 100 J = 1,N
VNA = VNA + A(J)*CSIG(J)
100 VTB = VTB + B(J)*CSIG(J)
C VN(I) = VNC(I) + VNA
VT(I) = VTC(I) + VTB
110 CONTINUE
C PRINT THE OUTPUT DATA (PER BODY).
ALPH = ALPHA*0.017453293
COSA = COS(ALPH)
SINA = SIN(ALPH)
CMT = 0.0
XM = C.0
YM = 0.0
NI = 0
NF = 0
C DO 160 IB = 1,IBTOT
IF (IBMF(IB) .LT. 0) GO TO 160
NB = NL(IB)
NI = NF
NF = NF + NB
J2 = NI
S = 0.0
S1 = 0.0
I = C
CX = C.0
CN = C.0
CML = 0.0
C IF (NROT .NE. 0) ROT2 = ROTRAD(IB)**2
C 120 J1 = J2 + 1
J2 = J1 + 40
IF (J2 .GT. NF) J2 = NF
WPITE(IF06,130)(FTITLE(I),I=1,11),
1           ALPHA, ALPHAO, IBTOJ, CLT, CCL,
1   NELTOT, IDB(IB), (BTITLE(IB,II),II=1,7), NB
C 130 FORMAT(1H1,* DOUGLAS AIRCRAFT COMPANY TWO-DIMENSIONAL *,
```

```

1   "POTENTIAL FLOW PROGRAM"/1H0,"COMBINED FLOW      ", 11A6/    FLOW15
2   1H0, "ALPHA =", F11.6, T3D,"ALPHA 0 =", F11.6,    FLOW154
3   T60,"NO. OF BODIES  ", I2/                         FLOW155
4   1H0, " CL  =", F11.6, T3D," CHORD  =", F11.6,    FLOW156
5   T60,"TOTAL ELEMENTS  ", I3/                        FLOW157
6   1H0,"BODY ID  =", I2, T2D, T4, T60,"NO. OF ELEMENTS  ", I3/  FLOW158
7   1H0, T4,"I", T14,"X", T28,"Y", T42,"S", T56,"VT",    FLOW159
8   T72,"CP", T93,"J", T101,"SIGMA", T117,"VN")        FLOW160
C
DC 14C J = J1,J2                                     FLOW161
I = I + 1                                         FLOW162
SD = PS(J)/E2.0*SUMDS(IR))                      FLOW163
S = S1 + SD                                       FLOW164
S1 = S + SD                                       FLOW165
CP = 1.0 - VT(J)**2                                FLOW166
CPJ(J) = CP                                      FLOW167
DCP = D.CP                                         FLOW168
DCP = D.CP                                         FLOW169
IF (NR0T .EQ. 0)  GO TO 145                      FLOW170
DCP = (X(J)**2 + Y(J)**2)/ROT2                  FLOW171
DCP = DCP - 2.0*(X(J)*SINA - Y(J)*COSA)/ROTRAD(1B)  FLOW172
145 CP = CP + DCP                                FLOW173
T = CP*DS(J)                                     FLOW174
CN = CN - T*CA(J)                                FLOW175
CX = CX + T*SA(J)                                FLOW176
CML = CML + T*(CA(J)*(X(J)-XM) + SA(J)*(Y(J)-YM))  FLOW177
IF (IPUN .EQ. 7)  WRITE(7, 155) X (J), Y (J), CP, I  FLOW178
146 WPITE(IF06,150) I, X (J), Y (J), S, VT(J), CP, J, CSIG(J), VN(J)  FLOW179
150 FORMAT(1H + I3, 5(3XF11.6), 16XI3, 2(3XF11.6))  FLOW180
C
155 FORMAT(3F10.5, 46XI4)                           FLOW181
C
IF (J2 .NE. NF)  GO TO 120                      FLOW182
CLI = CN*COSA - CX*SINA                         FLOW183
CCI = CN*SINA + CX*COSA                         FLOW184
WRITE(6,200) CN, CX, CLI, CDT, CML            FLOW185
200 FORMAT(1H0,17HINTEGRATED VALUES/          FLOW186
1       1H0, 5HCY = , F10.5, 5X5HCX = , F10.5/    FLOW187
2       1H0, 5HCL = , F10.5, 5X5HCD = , F10.5, 5X5HCM = , F10.5)  FLOW188
CMT = CMT + CML                                FLOW189
C
C
160 CONTINUE
WRITE(6,210) CMT                                FLOW190
REWIND 7
WRITE(7,15C0) (X(J),J=1,N)
WRITE(7,15C0) (Y(J),J=1,N)
WRITE(7,15C0) (V1(J),J=1,N)
WRITE(7,15C0) (V2(J),J=1,N)
WRITE(7,15C0) (V3(J),J=1,N)
WRITE(7,15C0) (V4(J),J=1,N)
WRITE(7,15C0) (VS(J),J=1,N)
210 FORMAT(1H0,11HTOTAL CM = , F10.5)           FLOW191
1500 FORMAT(0P6E13.8)                            FLOW192
C
RETURN
END

```

SUBROUTINE MAIN1 MAN1C01  
C  
DIMENSION X0(500), Y0(500), DS(500), SA(500), CA(500),  
1 ELGC(3500), ELGD(500) MAN1C02  
C  
COMMON /TITLE/ TTITLE(9,6)  
COMMON /PICTUR/VPERIN, XX, XMIN, EXEP, YY, YMIN, ORG  
COMMON /BFLAG/ IDB(10), INL(10), IFL(10), NL(10), LIFT(10),  
1 IBMF(10), ISAV1(10), ISAV2(10), ISAV3(10), MAN1C06  
2 BTITLE(10, 7), IBT, IBST, IBTOT, NELTOT, MAN1C07  
3 ITRB(10), INMB(10), CHORDB(10), IBD(10), LIFTOT MAN1C08  
4 ,IPRB(10), IFST(10), ISEC(10), FTITLE(15), IPVR(10) MAN1C09  
C  
C  
C  
COMMON /COMBOD/CCL, INCLT, CLT, ALPHA, SUMDS(10), TLU(10,12), IND  
1 , ALPHAO, CNU(10), SMDSWF(10), HIO(10) MAN1C14  
C  
COMMON /FILEID/ IFILE1, IFILE2, IFILE3, IFILE4, IFILE5,  
1 IFILE6, IFILE7, IFILE8, IFILE9, IFILE10, MAN1C17  
2 IFILE11, IFILE12, IFILE13, IFILE14, IFILE15, MAN1C18  
3 ,IFIL16, IFIL17, IFIL18, IFIL19, IFIL20, MAN1C19  
COMMON /HDATA/ ISOL, IOFF, NONU, NBNR, IPRINT, MORE, H MAN1C20  
COMMON /ELDATA/ X0, Y0, DS, SA, CA, CURV(500), DL(500) MAN1C21  
COMMON /SCOFFS/ WF(500) MAN1C22  
EQUIVALENCE (ELGC(1), X0(1)), (ELGD(1), WF(1)) MAN1C23  
DATA PLANK,PLABEL/6H ,6HALPHA=/ MAN1C24  
C  
C FORM ELEMENTS MAN1C25  
CALL TIMEV(T) MAN1C26  
WRITE(6,20) T MAN1C27  
20 FORMAT (1HD, 'CALL EFORM, T = ', F9.3, \*SECONDS.')  
IF(MORE.NE.1)CALL EFORM(SUMDS) MAN1C28  
C  
C READ IN FLOW TITLE CARD MAN1C29  
ITYP = 8  
READ(5,30) FTITLE(I),I=1,11,ITYPE  
30 FORMAT (11A6, 5X11)  
IF (ITYPE .NE. ITYP) CALL TYPE(ITYP, ITYPE) MAN1C31  
C  
DO 35 I=1,9  
TTITLE(I,2)=PLANK  
35 TTITLE(I,1)=FTITLE(I)  
IF(MORE.EQ.1.AND.VPERIN.NE.0..AND.IOFF.EQ.1)CALL PLOT(XX+4.,0.,-3) MAN1C32  
C READ IN FLOW CONTROL CARD MAN1C33  
MAN1C34  
MAN1C35  
MAN1C36  
MAN1C37  
MAN1C38

```

ITYP = 9
READ (5,40) INCLT, CLT, ICHORD, CCL, IND, ISCL, IOFF, NONU,          MAN1C39
      NBNM, VPERIN, IPRINT, MORE, ITYPE
1     IF(VPERIN.NE.C.) CALL PLOTIO
IF(VPERIN.NE.C.) CALL PLOTIO
40 FORMAT (1I, 4XF10.5, 2XI1, 2XF10.5, 5(4XI19,F9.3,I1,4XI1, 1XI1)' M
IF (ITYPE .NE. ITYP) CALL TYPE(ITYP, ITYPE)                         MAN1C43
IF(VPERIN.EQ.0.)GOTO 45
READ(5,191)XX,XMIN,EXEP,YY,YMIN,ORD
191 FORMAT(8F10.3)
CALL PLOXIS(XX,YY,EXEP,ORD,XMIN,YMIN,.15,.1,C,O,1,2,1,1)
NSTART =1
DC 43 IBOD=1,IBT
IPS=IFL(IBOD)-INL(IBOD)
CALL DRAW(IPS,NSTART)
43 NSTART=NSTART+IPS*1
CALL NOTES(CLT,PLABEL,1)
45 IF (NONU .NE. 0) ISOL = 1                                         MAN1C44
IF (INCLT .EQ. 0) ALPHA = CLT                                         MAN1C45
IF (ICHORD .EQ. 0) CCL = 1.0                                         MAN1C46
C
5 FORM MATPICES
CALL TIMEV(T)
WRITE(6,50) T
50 FORMAT (1HO, *ELFORM COMPLETE, CALL MAFORM, T = *,F9.3,*SECONDS.* )MAN1C51
      CALL MAFORM      ( M, NONU, NBNM, ISOL, IPRIAT)                   MAN1C52
      MAN1C53
      CALL TIMEV(T)
      WRITE (6,60) T
60 FORMAT (1HO, *MAFORM COMPLETE, CALL SOLVE, T = *,F9.3,*SECONDS.* )MAN1C56
      MAN1C57
      CALL ASSEM
      ,MAN1C58
      SAVE ELDATA AND GCOEFS DATA
      REWIND IFIL16
      WRITE(IFIL16) ELGC, ELGD
      MAN1C61
      MAN1C62
      MAN1C63
      RETURN
      MAN1C64
END
      MAN1C65

```

ORIGINAL PAGE IS  
OF POOR QUALITY

### PROGRAM COMBIN-2D

```

C
C THIS IS THE MAIN PROGRAM WHICH CALLS THE SUBROUTINES TO
C COMPUTE THE 2-D COMBINATION SOLUTIONS FOR BOTH COMPRESSIBLE
C AND INCOMPRESSIBLE VERSIONS.
C
C
COMMON /COORD/ XON(700),YON(700),XOFF(200),YOFF(200),S(700),
1           S1(700),XTEST,XTFST1,XTEST2,YCL,YCL1,YCL2,YCLU,
2           YCU2,XR1,XR2,XRH,YR1,YR2,YRH,CUTOF1,CUTOF2,CUTOFH,
3           ELND,ANG(700),AR(700),AROFF(200)
COMMON /VELOC/ V1(700),V2(700),V3(700),V4(700),V5(700),V1X(200),
1           V2X(200),V3X(200),V4X(200),V5X(200),V1Y(200),
2           V2Y(200),V3Y(200),V4Y(200),V5Y(200)
COMMON /CONT/ VC,VS1,VS2,XMC,XMC1,XMC2,WDOTC,WDOTC1,WDOTC2,
1           TITLE(3),VINF,ALFA,A,B,C,D,A1C,A2C,A3C,A4C,A5C,A11,
2           A21,A31,A41,A51,A12,A22,A32,A42,A52,VIC,VIC1,VIC2
COMMON /COUT/ NT,NSI,NH,NP,IW,NX,KND,ICOMP,K,NXHI1,NXHI2,NXHI3,
1           NST2,NST3,NST7,NPPR(30),IRAK(30),M1,M2,ICOMP1,IPL,
2           IHUB
COMMON /CONDIT/ TTOTAL,PT,PSTAT,TSTAT,PSTATC,ATOTAL,PTC,RHOST,
1           RHOTOT,ASTAT,QCINF
COMMON /WRIT/ AA1C,AA2C,AA3C,AA4C,AA5C,AA11,AA21,AA31,AA41,AA51,
1           AA12,AA22,AA32,AA42,AA52
COMMON /SOLUT/ VBAR(700),VBAR0(200),VINC(700),VXINC(200),
1           VYINC(200),RHOB(700),RPORT(700),RHOB0(200),
2           VCOM(700),REOOT(200),VRE(200),VRECOM(200),
3           VXCOM(200),VYCOM(200),THETA(200),PSOPTC(700),
4           PSOPT(700),CMACH(700),XMACH(700),CPI(700),CPC(700),
5           RHGI(700)
COMMON /SOLUTO/ PSOFP(200),PSOFP(200),CHACO(200),XMACO(200),
1           RHOOI(200)

```

```

COMMON /PICT/ VPERIN,XX,XMIN,FXEP,YY,YMIN,OPD,EHSTOP,AL,AAAA
COMMON /CLPLOT/ XOPEN,YPEN,NX6,NY,IPEN,XLABEL(10),YLABEL(10)
C -----
      DIMENSION XPLOT(700),YPL0T(700),KKK(8),P(14)
      CALL INPTR
      CALL SEARCH
      CALL ANGLEF
      AAAA=VINF
      VSAVE = VINF
      IF(ICOMP1.EQ.1) ICOMP=2
      IF(ICOMP1.EQ.0) ICOMP=1
      IF(ICOMP .EQ.1) VINF=VINF*(1.0-0.2*(VINF/PTOTAL)**2)**2.5
      VCSAVF=VC
      VC1S=VS1
      VC2S=VS2
      VC=VIC
      VS1=VTC1
      VS2=VTC2
1     CALL SOLVE
      VC = VCSAVF
      VS1=VC1S
      VS2=VC2S
      VINFP=VINF
      VINF=VSAVE
      IF(IHUE.EQ.1) GO TO 11
      WPITF(6,100)
      IF(M1.EQ.1) WPITF(6,105) A11,A21,A31,A41,A51,A12,A22,A32,
      A42,A52
      IF(M2.EQ.1) WPITF(6,110) A1C,A2C,A3C,A4C,A5C,A12,A22,A32,
      A42,A52
      IF((M1.EQ.1).AND.(M2.EQ.1)) WRITE(6,115) A1C,A2C,A3C,A4C,A5C,
      A11,A21,A31,A41,A51
      WPITF(6,120) A,B,C,D,VINFP
      GO TO 12
11    WRITE(6,100)
      WRITE(6,102) A1C,A2C,A3C,A4C
      WRITE(6,103) A,B,C,VINFP
12    IF(ICOMP.EQ.1) CALL COMCOP
      CALL ONBODY
      CALL OFBDY
C THE FOLLOWING CODE PLOTS PS/PT VS S AND MACH NUMBER VS S.
C
      IF(CUTOFF1.LE.0.0) GO TO 20
      DO 15 I=1,NS1
      IF(S(I).LT.0.0) S1(I)=S(I)/CUTOFF1
      IF(S(I).GE.1.0) S1(I)=S(I)/CUTOFF1
15    CONTINUE
      J=1
      J1=0

```

```

DO 16 I=1,NS1
IF(S1(I).GT.1.0) GO TO 16
IF(J.LT.NXHI1) J=J+1
IF(J.EQ.1) IS=I
IF(I.GE.NXHI1) J1=J1+1
16 CONTINUE
IPL=1
CALL PLTER(J1,J,NXHT1,IS,1)
20 IF(CUTOFH.LE.E.C) GO TO 30
IN=NS1+1
IT=NH
DO 25 I=IN,IT
IF(S(I).LT.D.0) S1(I)=-S(I)/CUTOFH
IF(S(I).GE.D.0) S1(I)= S(I)/CUTOFH
25 CONTINUE
J=I
J1=0
DO 26 I=IN,IT
IF(S1(I).GT.1.0) GO TO 26
IF(I.LE.NXHI2) J=J+1
IF(J.EQ.1) IS=I
IF(I.GT.NXHI2) J1=J1+1
26 CONTINUE
IPL=2
CALL PLTER(J1,J,NXHI2,IS,1)
70 IF(CUTOF2.LE.E.C) GO TO 37
IN=NH+1
DO 35 I=IN,NT
IF(S(I).LT.D.C) S1(I)=-S(I)/CUTOF2
IF(S(I).GE.D.C) S1(I)= S(I)/CUTOF2
35 CONTINUE
J=I
J1=0
DO 36 I=IN,NT
IF(S1(I).GT.1.0) GO TO 36
IF(I.LE.NXHT3) J=J+1
IF(J.EQ.1) IS=I
IF(I.GT.NXHT3) J1=J1+1
36 CONTINUE
IPL=3
CALL PLTER(J,J1,NXHT3,IS,2)
37 IPL=1F
IF(VPRIN.EQ.5) GO TO 40
KKK(1)=4
KKK(2)=0
KKK(3)=3
IF(IHUB.EQ.1) KKK(3)=2
KKK(4)=1
KKK(5)=1
P(1)=3.C
P(2)=XX
P(3)=XMIN
P(4)=XPIN+XX*EXEP
P(5)=YY
P(6)=YMIN
P(7)=YMIN+YY*ORD
P(8)=1..0

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

P(9) = 0.0
P(10) = 0.0
P(11) = 0.0
P(12) = 0.0
P(13) = 0.0
P(14) = -9E-0
II=0
III=0
DC 200 I=1,NS1
IF(XON(I).LT.XMIN) GO TO 200
IF(YON(I).LT.YMIN) GO TO 200
IF(XON(I)-XX*FXEP-XMIN) 130,130,200
130 IF(YON(I)-YY*FYEP-YMIN) 135,135,200
135 II=II+1
III=III+1
XPL0T(III)=XON(I)
YPL0T(III)=YON(I)
200 CONTINUE
KKK(6)=II
II=1
IF(IHUB.FQ.=) GO TO 250
NN=NS1+1
DO 240 I=NN,NH
IF(XON(I).LT.XMIN) GO TO 240
IF(YON(I).LT.YMIN) GO TO 240
IF(XON(I)-XX*EXEP-XMIN) 230,230,240
230 IF(YCN(I)-YY*ERYP-YMIN) 235,235,240
235 II=II+1
III=III+1
XPL0T(III)=XON(I)
YPL0T(III)=YON(I)
240 CONTINUE
KKK(7) = II
250 II=1
NN=NH+1
DO 270 I=NN,NT
IF(XON(I).LT.XMIN) GO TO 270
IF(YON(I).LT.YMIN) GO TO 270
IF(XON(I)-XX*EXEP-XMIN) 260,260,270
260 IF(YCN(I)-YY*ERYP-YMIN) 265,265,270
265 II=II+1
III=III+1
XPL0T(III)=XON(I)
YPL0T(III)=YON(I)
270 CONTINUE
IF(IHUB.E0.0) KKK(7)=II
IF(IHUB.NE.0) KKK(8)=II
DO 280 I=1,3
XLABEL(I)=TITLE(I)
280 CONTINUE
XPEN=0.0
YPEN=0.0
IPEN=-3
NX6=-18
NY=5
CALL CALPLT(XPL0T,YPL0T,KKK,IP)
40 STOP

```

ORIGINAL PAGE IS  
OF POOR QUALITY

193--

```
100 FORMAT(/,16X,'V1',12X,'V2',12X,'V3',12X,'V4',12X,'V5',/)  
101 FORMAT(/,16X,'V1',12X,'V2',12X,'V3',12X,'V4',/)  
102 FORMAT(2X,'CONTROL',3X,4(1PE10.3,4X))  
103 FORMAT(/,10X,'A',13X,'B',13X,'C',11X,'VINFP',/,6X,4(1PE10.3,4X))  
105 FORMAT(2X,'LOWER',/,2X,'PASSAGE',3X,5(1PE10.3,4X),/,2X,'UPPER',/,  
1      2X,'PASSAGE',3X,5(1PE10.3,4X))  
110 FORMAT(2X,'CONTROL',3X,5(1PE10.3,4X),/,2X,'UPPER',/,2X,'PASSAGE',  
1      3X,5(1PE10.3,4X))  
115 FORMAT(2X,'CONTROL',3X,5(1PE10.3,4X),/,2X,'LOWER',/,2X,'PASSAGE',  
1      3X,5(1PE10.3,4X))  
120 FORMAT(/,10X,'A',13X,'B',13X,'C',13X,'D',11X,  
1      'VINFP',/,6X,5(1PE10.3,4X))  
END
```

C-3

```

SUBROUTINE INPTR
COMMON /COOPD/ XON(700),YON(700),XOFF(200),YOFF(200),S(700),
1           S1(700),XTEST,XTEST1,XTEST2,YCL,YCU,YCL1,YCL2,YCU1,
2           YCU2,XR1,XR2,XPH,YR1,YR2,YRH,CUTOF1,CUTOF2,CUTOFH,
3           ELND,ANG(700),AR(700),AROFF(200)
COMMON /VELOC/ V1(700),V2(700),V3(700),V4(700),V5(700),V6(700),
1           V2X(200),V3X(200),V4X(200),V5X(200),V1Y(200),
2           V2Y(200),V3Y(200),V4Y(200),V5Y(200)
COMMON /CONT/ VC,VS1,VS2,XMC,XMC1,XMC2,WDOTC,WDOTC1,WDOTC2,
1           TITLE(3),VINF,ALFA,A,B,C,D,A1C,A2C,A3C,A4C,ASC,A11,
2           A21,A31,A41,A51,A12,A22,A32,A42,A52,VIC,VIC1,VIC2
COMMON /COUT/ NT,NS1,NH,NP,IW,NX,KND,ICOMP,K,NXHI1,NXHI2,NXHI3,
1           NST2,NST3,NST7,NPPR(30),IRAK(30),M1,M2,ICOMP1,IPL,
2           IHUB
COMMON /CONDIT/ TTOTAL,PT,PSTAT,TSTAT,PSTATC,ATOTAL,PTC,RHOST,
1           RHOTOT,ASTAT,QCINF
COMMON/PICT/VPERIN,XX,XMIN,FXER,YY,YMIN,OPD,EMSTOR,AL,AAAA
*-----*
C
C THIS SUBROUTINE READS DATA FROM BOTH CARDS AND DISK FILES.
C
      READ(5,130) TITLE
      WRITE(6,101) TITLE
      READ(5,110) NT,NS1,NH,NP,IW,NX,KND,ICOMP1,IHUB
      WRITE(6,111) NT,NS1,NH,NP,IW,NX,KND,ICOMP1,IHUB
      PFAC(5,120) VC,VS1,VS2,VINF,ALFA,XMC,XMC1,XMC2,TTOTAL,PT
      WRITE(6,121) VC,VS1,VS2,VINF,ALFA,XMC,XMC1,XMC2,TTOTAL,PT
      RFAB(5,120) ELND,WDOTC,WDOTC1,WDOTC2,PSTAT,TSTAT,CUTOF1,CUTOF2,
1           ,CUTOFH,VPERIN
      WRITE(6,121) ELND,WDOTC,WDOTC1,WDOTC2,PSTAT,TSTAT,CUTOF1,CUTOF2,
1           CUTOFH,VPERIN
      IF(VPERIN.NE.0) READ(5,130) XX,XMIN,EXEP,YY,YMIN,OPD
      IF(VPERIN.NE.0) WRITE(6,131) XX,XMIN,EXEP,YY,YMIN,OPD

C
C NT = TOTAL NUMBER OF ON-BODY POINTS.
C NS1 = TOTAL NUMBER OF ON-BODY POINTS ON LOWER SHROUD
C NH = TOTAL NUMBER OF ON-BODY POINTS ON LOWER SHROUD AND
C     HUB.
C
C TW = C - WEIGHT FLOW DATA AT CONTROL STATIONS INPUT
C     = 1 - MACH NUMBERS AT CONTROL STATIONS INPUT
C     = 2 - VELOCITIES AT CONTROL STATIONS INPUT
C
C NX = 1 SUPERSONIC VELOCITY CORRECTION-APPLIES.

```

```

C KND = C DATA NOT SCALED,
C      = 6 DATA SCALED BY CONTROL STATION PASSAGE HEIGHT.
C ICOMP1 = C COMPRESSIBLE VERSION
C      = 1 INCOMPRESSIBLE VERSION
C NOTE -- TWO OF THE THREE CONTROL STATIONS' DATA MUST BE INPUT, IF IHUB NE C
C THUB = C NO HUB
C
C
      RFAD(5,140) XTEST,YCL,YCU
      WRITE(6,141) XTEST,YCL,YCU
      IF(IHUB.EQ.7) GO TO 3
      READ(5,140) XTEST1,YCL1,YCU1
      WRITE(6,141) XTEST1,YCL1,YCU1
      READ(5,140) XTEST2,YCL2,YCU2
      WPITE(6,141) XTEST2,YCL2,YCU2
      3 READ(5,140) XR1,XR2,XRH
      WRITE(6,141) XR1,XR2,XRH
      READ(5,140) YR1,YR2,YRH
      WFITE(6,141) YR1,YR2,YRH
C XTEST,XTEST1,XTEST2 ARE THE LOCATIONS OF THE CONTROL STATIONS
C DOWNSTREAM OF THE HUB, BETWEEN THE HUB AND LOWER SHROUD,
C AND BETWEEN THE HUB AND UPPER SHROUD, RESPECTIVELY.
C XR1,XRH,XR2 ARE THE POINTS ON EACH OF THE BODIES WHERE
C SURFACE DISTANCE EQUALS ZERO.
      READ(7,150) (YON(J),J=1,NT)
      READ(7,150) (YON(J),J=1,NT)
      READ(7,150) (V1(J),J=1,NT)
      READ(7,150) (V2(J),J=1,NT)
      READ(7,150) (V3(J),J=1,NT)
      READ(7,150) (V4(J),J=1,NT)
      READ(7,150) (V5(J),J=1,NT)
      IF(NP.GT.1E7) GO TO 4
      READ(7,150) (XOFF(J),J=1,NP)
      RFAD(7,150) (YOFF(J),J=1,NP)
      READ(7,150) ( V1X(J),J=1,NP)
      PFAD(7,150) ( V2X(J),J=1,NP)
      READ(7,150) ( V3X(J),J=1,NP)
      READ(7,150) ( V4X(J),J=1,NP)
      RFAD(7,150) ( V5X(J),J=1,NP)
      READ(7,150) ( V1Y(J),J=1,NP)
      READ(7,150) ( V2Y(J),J=1,NP)
      RFAD(7,150) ( V3Y(J),J=1,NP)
      RFAD(7,150) ( V4Y(J),J=1,NP)
      READ(7,150) ( V5Y(J),J=1,NP)
      GO TO 5
      4 READ(7,150) (XOFF(J),J=1,100)
      READ(7,150) (YOFF(J),J=1,100)
      READ(7,150) ( V1X(J),J=1,100)
      READ(7,150) ( V2X(J),J=1,100)
      RFAD(7,150) ( V3X(J),J=1,100)
      READ(7,150) ( V4X(J),J=1,100)
      READ(7,150) ( V5X(J),J=1,100)
      READ(7,150) ( V1Y(J),J=1,100)
      RFAD(7,150) ( V2Y(J),J=1,100)
      RFAD(7,150) ( V3Y(J),J=1,100)
      READ(7,150) ( V4Y(J),J=1,100)
      READ(7,150) ( V5Y(J),J=1,100)

```

```

RFAD(7,150) (XOFF(J),J=101,NP)
RFAD(7,150) (YOFF(J),J=101,NP)
READ(7,150) (V1X(J),J=101,NP)
READ(7,150) (V2X(J),J=101,NP)
READ(7,150) (V3X(J),J=101,NP)
READ(7,150) (V4X(J),J=101,NP)
RFAD(7,150) (V5X(J),J=101,NP)
READ(7,150) (V1Y(J),J=101,NP)
RFAD(7,150) (V2Y(J),J=101,NP)
READ(7,150) (V3Y(J),J=101,NP)
READ(7,150) (V4Y(J),J=101,NP)
READ(7,150) (V5Y(J),J=101,NP)
5 WPITE(6,160) TITLE
WPITE(6,170)
IF(ICOMP1.EQ.0) WRITE(6,185)
IF(ICOMP1.EQ.1) WRITE(6,175)
IF(IHUB.F0.EQ.0) WPITE(6,189)
IF(IHUB.NE.0) WRITE(6,190)
IF(FLND.EQ.F0) ELND=1.0
AL = ALFA
CALL CONST
C THE FOLLOWING SCALES THE DATA BY THE VALUE OF ELND.
DO 15 I=1,NT
XON(I)=XON(I)/ELND
YON(I)=YON(I)/ELND
15 CONTINUE
DO 25 I=1,NP
XOFF(I)=XOFF(I)/ELND
YOFF(I)=YOFF(I)/ELND
25 CONTINUE
RETURN
C ****FORMATS*****
1C0 FFORMAT(3A6)
1C1 FFORMAT(1H ,3A6)
1I0 FORMAT(9I4)
1I1 FORMAT(1H ,9I4)
1Z0 FORMAT(CP15F8.0)
1Z1 FORMAT(1H ,CP10F8.3)
1Z2 FORMAT(CP6F10.0)
1Z3 FORMAT(1H ,CP6F10.3)
1A0 FORMAT(DP3F10.0)
1A1 FORMAT(1H ,DP3F10.3)
1Z4 FORMAT(CP6E13.8)
1Z5 FORMAT(1H1,4DX,3A6)
1Z6 FORMAT(1H1,4DX,3A6)
1Z7 FORMAT(//,2X,*2-D COMBINATION SOLUTION*)
1Z8 FORMAT(//,6X,*INCOMPRESSIBLE VERSION*)
1Z9 FORMAT(//,6X,*COMPRESSIBLE VERSION*)
1Z90 FORMAT(//,6X,*COMBINATION OF THE FOLLOWING BASIC SOLUTIONS*,/,9X,
1           '1. UNIFORM AXIAL',/,9X,'2. UNIFORM CROSSFLOW',/,9X,
2           '3. VORTICITY ABOUT LOWER SHROUD',/,9X,'4. VORTICITY ABOU
3 T SHROUD',/,)
1Z91 FORMAT(//,6X,*COMBINATION OF THE FOLLOWING BASIC SOLUTIONS*,/,9X,
1           '1. UNIFORM AXIAL',/,9X,'2. UNIFORM CROSSFLOW',/,9X,
2           '3. VORTICITY ABOUT LOWER SHROUD',/,9X,'4. VORTICITY ABOU
3 T HUB',/,9X,'5. VORTICITY ABOUT UPPER SHROUD',/,)
END

```

ORIGINAL PAGE IS  
OF POOR QUALITY

197

```
SUBROUTINE CONST
COMMON /COORD/ XON(700),YON(700),XOFF(200),YOFF(200),S(700),
1           S1(700),XTEST,XTEST1,XTEST2,YCL,YCU,YCL1,YCL2,YCU1,
2           YCU2,XR1,XR2,XRH,YR1,YR2,YRH,CUTOF1,CUTOF2,CUTOFH,
3           ELND,ANG(700),AR(700),AROFF(200)
COMMON /CONT/ VC,VS1,VS2,XMC,XMC1,XMC2,WDOTC,WDOTC1,WDOTC2,
1           TITLE(3),VINF,ALFA,A,B,C,D,A1C,A2C,A3C,A4C,A5C,A11,
2           A21,A31,A41,A51,A12,A22,A32,A42,A52,VIC,VIC1,VIC2
COMMON /COUT/ NT,NS1,NH,NP,TW,NX,KND,ICOMP,K,NXHI1,NXHI2,NXHI3,
1           NST2,NST3,NST7,NPPR(30),IRAK(30),M1,M2,ICOMP1,IPL,
2           IHUB
COMMON /CONDIT/ TTOTAL,PT,PSTAT,TSTAT,PSTATC,ATOTAL,PTC,RHOST,
1           RHOTOT,ASTAT,QCINF
C -----
C THIS SUBROUTINE CALCULATES THE CONSTANTS USED IN THE PROGRAM
C
PI=3.141592654
M1=0
M2=0
IF(IHUB.EQ.0) GO TO 5
IF((IW.EQ.0).AND.(WDOTC.EQ.0.0)) M1=1
IF((IW.EQ.1).AND.(WDOTC1.EQ.0.0)) M2=1
IF((IW.EQ.1).AND.(XMC.EQ.0.0)) M1=1
IF((IW.EQ.1).AND.(XMC1.EQ.0.0)) M2=1
IF((IW.EQ.2).AND.(VC.EQ.0.0)) M1=1
IF((IW.EQ.2).AND.(VS1.EQ.0.0)) M2=1
5 PI018=PI/180.0
R2156P= 1716.06
G = 32.174
PSTAT = PSTAT
IF((PSTAT.NE.0.0).AND.(TSTAT.NE.0.0)) GO TO 10
IF(PT.EQ.0.0) PT = 2116.23
IF(TTOTAL.EQ.0.0) TTOTAL = 518.69
ATOTAL = 49.09*SQRT(TTOTAL)
CATOT = 1.0-(.2*(VINF/ATOTAL)**2
PSTATC = PT*CATOT**3.5
PTC = PT
RHOTOT = PT/(R2156P*TTOTAL)
TSTAT = TTOTAL*CATOT
RHOST = PSTATC/(R2156P*TSTAT)
PSTAT = PT-.5*RHOTOT*VINF*VINF
ASTAT = 49.09*SQRT(TSTAT)
```

```

      GO TO 15
10 ASTAT = 49.0E9*SQRT(TSTAT)
      RHOST = PSTAT/(R21568*TSTAT) -
      AMINF = VINF/ASTAT
      CAMINF = 1.0+0.2*AMINF**2
      PTC = PSTAT*CAMINF**3.5
      PSTAT = PTC-0.5*RHOTOT*VINF*VINF
      PT=PTC
      TTOTAL = TSTAT*CAMINF
      RHOTOT = PT/(R21568*TTOTAL)
      ATOTAL = 49.0E9*SQRT(TTOTAL)
15 AC = YCU-YCL
      VSONIC = ATOTAL/1.728
      VSONCC = ATOTAL/SQRT(1.2)
      IF(IHUB.EQ.0) GO TO 16
      AS1 = YCU1-YCL1
      AS2 = YCU2-YCL2
      IF((IW.EQ.0).AND.(WDOTC.EQ.0.0)) WDOTC = WDOTC1+WDOTC2
      IF((IW.EQ.0).AND.(WDOTC1.EQ.0.0)) WDOTC1 = WDOTC-WDOTC2
      IF((IW.EQ.0).AND.(WDOTC2.EQ.0.0)) WDOTC2 = -WDOTC-WDOTC1
16 IF((IW.EQ.1)) GO TO 4E
      GO TO 5E
4E VC = ATOTAL*XMC/SQRT(1.0+XMC**2/5.0)
      IF(IHUB.EQ.1) GO TO 25
      VS1 = ATOTAL*XMC1/SQRT(1.0+XMC1**2/5.0)
      VS2 = ATOTAL*XMC2/SQRT(1.0+XMC2**2/5.0)
      GO TO 25
5E IF(IW.EQ.2) GO TO 25
      VIC = WDOTC/(G*RHOTOT*AC)*12.0
      CALL VEARIT(VIC,ATOTAL,RHOTOT,RHOC)
      VC = WDOTC/(G*RHOC*AC)*12.0
      IF(IHUB.EQ.1) GO TO 25
      VIC1 = WDOTC1/(G*RHOTOT*AS1)*12.0
      VIC2 = WDOTC2/(G*RHOTOT*AS2)*12.0
      CALL VEARIT(VIC1,ATOTAL,RHOTOT,RHOC1)
      CALL VEARIT(VIC2,ATOTAL,RHOTOT,RHOC2)
      VS1 = WDOTC1/(G*RHOC1*AS1)*12.0
      VS2 = WDOTC2/(G*RHOC2*AS2)*12.0
25 IF(VC.GT.VSONCC) WRITE(6,116) VC
      IF(VC.GT.VSONCC) VC = VSONCC
      IF(IHUB.EQ.1) GO TO 26
      IF(VS1.GT.VSONCC) WRITE(6,117) VS1
      IF(VS1.GT.VSONCC) VS1 = VSONCC
      IF(VS2.GT.VSONCC) WRITE(6,118) VS2
      IF(VS2.GT.VSONCC) VS2 = VSONCC
26 IF(KND.GE.8) GO TO 35
35 IF((KND.EQ.-1).OR.((KND.EQ.4))) ELND = YCU
      IF((KND.EQ.-1).OR.((KND.EQ.6))) ELND = YCU-YCL
      IF((KND.EQ.0).OR.((KND.EQ.5))) ELND = 1.0
      AC = AC/ELND
      YCU = YCU/ELND
      YCL = YCL/ELND
      XR1 = XR1/ELND
      XR2 = XR2/ELND
      YR1 = YR1/ELND
      YR2 = YR2/ELND
      XTEST = XTEST/ELND

```

```

IF(IHUB.EQ.0) GO TO 35
AS1 = AS1/ELND
AS2 = AS2/ELND
YCU1 = YCU1/ELND
YCU2 = YCU2/ELND
YCL1 = YCL1/ELND
YCL2 = YCL2/ELND
XRH = XRH/ELND
YRH = YRH/ELND
XTEST1 = XTEST1/ELND
XTEST2 = XTEST2/ELND
35 PTOT = R21568*TTOTAL
GRHO = G*PT/TTOTAL
C1G2RT = 0.5*RHOST/PT
VFOAT = VINF/ATOTAL
VCOAT = VC/ATOTAL
VS10AT = VS1/ATOTAL
VS20AT = VS2/ATOTAL
CON1 = 1.0-0.2*VCOAT**2
CON2 = 1.0-0.2*VFOAT**2
CON11 = 1.0-0.2*VS10AT**2
CON21 = 1.0-0.2*VS20AT**2
RSORTF = CON2**2.5
RSORTC = CON1**2.5
RSORTI1 = CON11**2.5
RSORTI2 = CON21**2.5
IF((IW.EQ.1).OR.(IW.EQ.2)) VIC = VC*RSORTC
IF((IW.EQ.1).OR.(IW.EQ.2)) VIC1 = VS1*RSOPT1
IF((IW.EQ.1).OR.(IW.EQ.2)) VIC2 = VS2*RSORT2
IF((IW.EQ.1).OR.(IW.EQ.2)) WDOTC = VIC*G*RHOTOT*AC/12.0
IF((IW.EQ.1).OR.(IW.EQ.2)) WDOTC1 = VIC1*G*RHOTOT*AS1/12.0
IF((IW.EQ.1).OR.(IW.EQ.2)) WDOTC2 = VIC2*G*RHOTOT*AS2/12.0
IF(IHUB.EQ.0) GO TO 36
F = WDOTC1+WDOTC2
IF(WDOTC.EQ.0.0) VIC = F/(G*RHOTOT*AC/12.0)
IF(WDOTC.EQ.0.0) CALL VRARIT(VIC,ATOTAL,RHOTOT,RHOC)
IF(WDOTC.EQ.0.0) VC = F/(G*PHOC*AC)*12.0
IF(WDOTC.EQ.0.0) VCOAT = VC/ATOTAL
IF(WDOTC.EQ.0.0) CON1 = 1.0-0.2*VCOAT**2
IF(WDOTC.EQ.0.0) RSORTC = CON1**2.5
IF(WDOTC.EQ.0.0) WDOTC = F
F = WDOTC-WDOTC2
IF(WDOTC1.EQ.0.0) VTC1= F/(G*RHOTOT*AS1/12.0)
IF(WDOTC1.EQ.0.0) CALL VRARIT(VIC1,ATOTAL,RHOTOT,PHOC)
IF(WDOTC1.EQ.0.0) VS1 = F/(G*RHOC*AS1)*12.0
IF(WDOTC1.EQ.0.0) VS10AT = VS1/ATOTAL
IF(WDOTC1.EQ.0.0) CON11 = 1.0-0.2*VS10AT**2
IF(WDOTC1.EQ.0.0) RSORTI1 = CON11**2.5
IF(WDOTC1.EQ.0.0) WDOTC1= F
F = WDOTC-WDOTC1
IF(WDOTC2.EQ.0.0) VIC2= F/(G*RHOTOT*AS2/12.0)
IF(WDOTC2.EQ.0.0) CALL VBARTT(VIC2,ATOTAL,RHOTOT,RHOC)
IF(WDOTC2.EQ.0.0) VS2 = F/(G*RHOC*AS2)*12.0
IF(WDOTC2.EQ.0.0) VS20AT = VS2/ATOTAL
IF(WDOTC2.EQ.0.0) CON21 = 1.0-0.2*VS20AT**2
IF(WDOTC2.EQ.0.0) RSORT2 = CON21**2.5
IF(WDOTC2.EQ.0.0) WDOTC2= F

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

IF(IICOMP1.EQ.1) VS1 = VIC1
IF(IICOMP1.EQ.1) VS2 = VIC2
36 IF(IICOMP1.EQ.1) VC = VIC
VNF0VC = VINF/VC
IF(KND.LT.8) WDOTC = WDOTC/FLND
IF(KND.LT.8) WDOTC1 = WDOTC1/ELND
IF(KND.LT.8) WDOTC2 = WDOTC2/ELND
PSPTC = 1.0-C1C2RT*VC**2
PSPTC1 = 1.0-C1C2RT*VS1**2
PSPTC2 = 1.0-C1C2RT*VS2**2
PSPTJF = 1.0-C1C2RT*VINF**2
PSPTCT = RSORTF*CON2
PSPT1 = RSORT1*CON11
PSPT2 = RSORT2*CON21
PSPTCC = RSORTC*CON1
X*INF = VFOAT/(CON2**0.5)
IF(XMC.EQ.0.0) XMC = VCOAT/(CON1**0.5)
IF(XMC1.EQ.0.0) XMC1 = VS10AT/(CON11**0.5)
IF(XMC2.EQ.0.0) XMC2 = VS20AT/(CON21**0.5)
QINF = PT*(1.0-PSPTJF)
QCINF = PTC*(C.7*VFOAT**2*RSORTF)
QC = PT*(1.0-PSPTC)
QC0 = PTC*(C.7*VCOAT**2*RSORTC)
QC1 = PT*(1.0-PSPTC1)
QC2 = PT*(1.0-PSPTC2)
QC1C = PTC*(C.7*VS10AT**2*RSORT1)
QC2C = PTC*(C.7*VS20AT**2*RSORT2)
THETC = TTOTAL/518.69
DFL = PTC/2116.23
IF(IHUB.EQ.0) GO TO 37
HTPR1 = YCH1/YCL1
HTPR2 = YCL2/YCU2
WDOT1R = WDOTC1*SORT(THETC)/DFL
WDOT2R = WDOTC2*SORT(THETC)/DFL
37 WDOTCP = WDOTC*SORT(THETC)/DFL
IF(IICOMP1.EQ.0) GO TO 41
WPITE(6,111)
WPITE(6,111) VC,XMC,QC,PSPTC
IF(IHUB.EQ.0) GO TO 39
WPITE(6,121) VS1,XMC1,OC1,PSPTC1
WPITE(6,131) VS2,XMC2,OC2,PSPTC2
38 WPITE(6,141) VINF,XMINF,QINF,PSPTJF
GO TO 51
41 WPITE(6,150)
WRITE(6,110) VC,XMC,OC,OC0,PSPTC,PSPTCC,RSORTC
IF(IHUB.EQ.0) GO TO 39
WRITE(6,120) VS1,XMC1,OC1,OC1C,PSPTC1,PSPT1,RSORT1
WRITE(6,130) VS2,XMC2,OC2,OC2C,PSPTC2,PSPT2,RSORT2
39 WRITE(6,140) VINF,XMINF,QINF,OCINF,PSPTIF,PSPTC1,RSORTF
51 WRITE(6,150)
WRITE(6,151) ALFA,VNF0VC,VSONIC,VSONCC,WDOTCR,WDOT1R,WDOT2R
WRITE(6,160)
WRITE(6,165)
WRITE(6,170) TSTAT,PSTAT,PSTATC,ASTAT,RHOST,WDOTC,WDOTC1,WDOTC2
WRITE(6,175) VIC,VIC1,VIC2
WRITE(6,180)
WRJTE(6,155) TTOTAL,PT,PTC,ATOTAL,RHOTOT,THETC,DEL

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

      WRITE(6,160)
      WRITE(6,185)
      WRITE(6,170) XRI,YR1,XR2,YR2,XTEST,YCL,YCU,ELND
      WRITE(6,190)
      WRITE(6,170) XTEST1,YCL1,YCU1,XTEST2,YCL2,YCU2,HTPR1,HTPR2
      WRITE(6,210) CUTOF1,CUTOFH,CUTOF2
      WRITE(6,160)
      WRITE(6,200) NT,NP,NS1,NH,KND,IW,NX,ICOMP1,IHUB
      WRITE(6,160)
      ALFA = ALFA*PIO187
C * ****FORMATS*****
120 FORMAT(1HD,27X,'MACH',11X,'DYNAMIC PRESSURE',13X,'PRESSURE RATIO',
     1      ,8X,'DENSITY RATIO',/,14X,'VELOCITY',7X,'NO.',9X,'INC',10X,
     2      'COMP',11X,'INC',8X,'COMP',/)
121 FORMAT(1HD,27X,'MACH',11X,'DYNAMIC PRESSURE',13X,'PRESSURE RATIO',
     1      ,/,14X,'VELOCITY',7X,'NO.',17X,'INC',25X,'INC',/)
112 FORMAT(3X,'CONTROL ',1PE10.3,2X,2(1PE10.3,5X,1PE1C.3,3X),1PE1C.3,
     1      6X,1PE10.3,/)
111 FORMAT(3X,'CONTROL ',1PE10.5,2X,1PE10.3,9X,1PE1C.3,20X,1PE10.3,/)
116 FORMAT(2X,'CONTROL STATION VELOCITY = ',1PE13.4,' EXCEEDS VSONIC.'
     1      ,/, " PROCEEDING WITH VC = VSONIC. IF THE CONTROL STATION "
     2      " IS NOT AT THE THROAT, RESUBMIT WITH A LOWER VC.")
117 FORMAT(2X,'CONTROL STATION VELOCITY = ',1PE13.4,' EXCEEDS VSONIC.'
     1      ,/, " PROCEEDING WITH VSI = VSONIC. RESUBMIT WITH A LOWER "
     2      " VS1.")
118 FORMAT(2X,'CONTROL STATION VELOCITY = ',1PE13.4,' EXCEEDS VSONIC.'
     1      ,/, " PROCEEDING WITH VS2 = VSONIC. RESUBMIT WITH A LOWER "
     2      " VS2.")
120 FORMAT(3X,'LOWER',/,3X,'PASSAGE ',1PE10.3,2X,2(1PE10.3,5X,1PE1C.3
     1      ,3X),1PE10.3,6X,1PE1C.3,/)
121 FORMAT(3X,'LOWER',/,3X,'PASSAGE ',1PE10.3,2X,1PE1C.3,9X,1PE10.3,
     1      20X,1PE10.3,/)
130 FORMAT(3X,'UPPER',/,3X,'PASSAGE ',1PE10.3,2X,2(1PE10.3,5X,1PE1C.3
     1      ,3X),1PE10.3,6X,1PE1C.3,/)
131 FORMAT(3Y,'UPPER',/,3X,'PASSAGE ',1PF10.3,2X,1PE1C.3,9X,1PE10.3,
     1      20X,1PE1C.3,/)
140 FORMAT(3X,'FREE ',/,3X,'STREAM ',1PE1C.3,2X,1PE10.3,9X,1PE1C.3
     1      ,3X),1PE10.3,6X,1PE1C.3,/)
141 FORMAT(3X,'FREE ',/,3X,'STREAM ',1PE1C.3,2X,1PE10.3,9X,1PE1C.3,
     1      20X,1PE10.3,/)
150 FORMAT(/,9X,'ALPHA',9X,'VINF/VC',7X,'VSONIC',8X,'VSONICC',7X,
     1      'WDOTCR',8X,'WDOTLCR',8X,'WDOTUCR')
155 FORMAT(7X,7(1PE10.3,4X))
160 FORMAT(/,1X,'-----'
     1      '-----',/,)
165 FORMAT(/,9X,'TSTAT',9X,'PSTAT',9X,'PSTATC',8X,'ASTAT',9X,'RHOSTAT'
     1      ,7X,'WDOTC',9X,'WDOTL',7X,'WDOTU')
170 FORMAT(7X,8(1PE10.3,4X))
175 FORMAT(/,9X,'VIC',11X,'VICL',10X,'VICU',/,7X,3(1PF10.3,4X))
180 FORMAT(/,9X,'TIOT',10X,'PTOT',10X,'PTOTC',8X,'ATOT',10X,'RHOTOT',
     1      8X,'THET',10X,'DEL')
185 FORMAT(/,10X,'XRI1',11X,'YRI1',10X,'XRI2',9X,'YR12',9X,'XTEST',10X
     1      ,9X,'YCL',11X,'YCU',10X,'LND')
190 FORMAT(/,9X,'XTEST1',10X,'YCL1',10X,'YCU1',8X,'XTEST2',10X,'YCL2',
     1      10X,'YCU2',5X,'HUB-TIP L',6X,'HUB-TIP U')
200 FORMAT(/,10X,'NT',5X,'NP',5X,'NS1',5X,'NH',5X,'KAP',5X,'IW',5X,
     1      'NX',5X,'ICOMP1',5X,'IHUB',/,9X,I3,4X,I3,5X,I3,4X,I3,5X,

```

```
2      I3,4X,I3,5X,I2,7X,I1,9X,I3)
210 FORMAT(/,7X,"P-S CUTOFF L",3X,"P-S CUTOFF HUB  P-S CUTOFF U",/,  
1      8X,1PE10.3,5X,1PE10.3,5X,1PE10.3)
END
```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

SUBROUTINE SEARCH
COMMON /COORD/ XON(700),YON(700),XOFF(200),YOFF(200),S(700),
1           S1(700),XTEST,XTEST1,XTEST2,YCL,YCL1,YCL2,YCL1,
2           YCL2,YCL1,YCL2,YCL1,YCL2,YCL1,YCL2,YCL1,
3           YCL2,YCL1,YCL2,YCL1,YCL2,YCL1,YCL2,YCL1,
ELND,ANG(700),AR(700),AROFF(200)
COMMON /COUT/ NT,NS1,NH,NP,JW,NX,KND,JCOMP,K,NXHI1,NXHI2,NXHI3,
1           NST2,NST3,NST7,NPPR(30),TRAK(30),M1,M2,ICOMP1,IPL,
2           IHUB
COMMON /CONT/ VC,VS1,VS2,XMC,XMC1,XMC2,WDOTC,WDOTCI,WDOTC2,
1           TIT,LF(31),VINF,ALFA,A,B,C,D,A1C,A2C,A3C,A4C,A5C,A11,
2           A21,A31,A41,A51,A12,A22,A32,A42,A52,VIC,VIC1,VIC2
COMMON /CONDIT/ TTOTAL,PT,PSTAT,TSTAT,PSTAIC,ATOTAL,PTC,RHOST,
1           RHOTOT,ASTAT,QCINF

C -----
C
C THIS SUBROUTINE FINDS THE HIGHLIGHT ON EACH BODY AND
C CALCULATES AREAS FOR ALL THE ON- AND OFF-BODY POINTS.
C
C PI = 3.141592654
C
C ON-BODY POINT CALCULATIONS
C
JJ = NS1+1
JJJ = NH + 1
DO 10 J = 2,NS1
IF(XON(JJ).GE.XON(J-1)) GO TO 10
NXHI1 = J
10 CONTINUE
IF(IHUB.EQ.0) GO TO 21
J1 = JJ + 1
J2 = JJJ-1
DO 20 J = J1,J2,
IF(XON(J).GE.XON(J-1)) GO TO 20
NXHI2 = J
XHI2=XON(NXHI2)
20 CONTINUE
21 J2 = JJJ+1
DO 30 J = J2,NT
IF(XON(J).GE.XON(J-1)) GO TO 30
NXHI3 = J
30 CONTINUE
NST3=NXHI3
CALL SURF
IF(IHUB.EQ.0) XHI2=99999.
YHI2=(YON(NXHI3)+YON(NXHI1))/2.0
DO 40 J = 1,NXHI1
R = SORT((XON(J)-XON(NXHI1))**2 + (YON(J)-YHI2)**2)

```

```

    THETA = ACOS((XON(J)-XON(NXHI1))/R)
    THETAP = THETA + 0.570796*(XON(J)-XON(1))/(XON(NXHI1)-XON(1))
    AR(J) = 2.0*(PI-THETAP)*R
40 CONTINUE
    I1 = NXHI1+1
    DO 60 I = I1,NS1
    IF((ABS(XON(NXHI1)-XON(NXHI3)).GT.0.0).AND.(XON(I).LT.XON(NXHI3))
    1   .AND.(XON(I).LT.XHI2)) GO TO 85
    IF(XON(I).GT.XHI2) GO TO 50
    NN = NH+1
    CALL INTER(XON,YON,NN,NXHI3,XON(I),Y)
    AR(I) = Y-YON(I)
    NST3 = I
    GO TO 60
50 CALL INTER(XON,YON,JJ,NXHI2,XON(I),Y)
    AR(I) = Y-YON(I)
    GO TO 60
45 AP(I) = YON(NXHI3)-YON(I)
    IF(XHI2.LE.XON(NXHI3)) NST3=I
60 CONTINUE
    IF(IHUB.EQ.0) GO TO 71
    DO 70 I = JJ,NXHI2
    CALL INTER(XON,YON,NST3,NS1,XON(I),Y)
    AR(I) = YON(I)-Y
70 CONTINUE
71 DO 80 I = JJJ,NXHI3
    IF(XON(I).LT.XHI2) GO TO 85
    NST7 = I
    JUP = JJJ-1
    CALL INTER(XON,YON,NXHI2,JUP,XON(I),Y)
    AR(I) = YON(I)-Y
    GO TO 80
85 CALL INTER(XON,YON,NXHI1,NS1,XON(I),Y)
    AR(I) = YON(I)-Y
80 CONTINUE
    IF(IHUB.EQ.0) GO TO 91
    I1 = NXHI2+1
    JUP = JJJ-1
    DO 90 I = I1,JUP
    NST1 = NST7+1
    CALL INTER(XON,YON,JJJ,NST1,XON(I),Y)
    AR(I) = Y-YON(I)
    IF(XON(I).GE.XON(NXHI3)) GO TO 90
    AP(I)=AR(NXHI3)
90 CONTINUE
91 NS = NXHI3+1
    DO 100 I = NS,NT
    R = SQRT((XON(I)-XON(NXHI3))**2+(YON(I)-YHI2)**2)
    THETA = ACOS((XON(I)-XON(NXHI3))/R)
    THETAP = THETA + 0.570796*(XON(I)-XON(NT))/(XON(NXHI3)-XON(NT))
    AR(I) = 2.0*(PI-THETAP)*R
100 CONTINUE
C
C OFF-BODY POINT CALCULATIONS
C
    K =0
    NP1=NP-1

```

```

DO 105 I = 1,NP1
IF(XOFF(I).LT.XHI2) GO TO 101
IF(I.EQ.1) GO TO 101
L=L+1
IF(L.EQ.L1) GO TO 101
AA=YOFF(I+1)-YOFF(I)
AB=YOFF(I)-YOFF(I-1)
IF(ABS(AA-AB).GT.0.001) GO TO 102
101 IF(XOFF(I).EQ.XOFF(I+1)) GO TO 105
102 K=K+1
NPPR(K) = I
L=NPPR(K)
L1=L+1
105 CONTINUE
K=K+1
NPPR(K)=NP
DO 110 I=1,NP
IC =0
IF(I.LE.NPPR(1)) K1=1
IF(I.LE.NPPR(1)) GO TO 112
DO 111 J=2,K
IF((I.LE.NPPR(J)).AND.(I.GT.NPPR(J-1))) K1=J
111 CONTINUE
112 IF(XOFF(I).LT.XON(NXHI1)) GO TO 200
CALL INTER(XON,YON,I,NXHI1,XOFF(I),Y1)
CALL INTER(XON,YON,NXHI1,NS1,XOFF(I),Y2)
N1=NS1+1
CALL INTER(XON,YON,JJJ,NXHI3,XOFF(I),Y3)
CALL INTER(XON,YON,NXHI3,NT,XOFF(I),Y4)
IF(IHUB.NE.0) CALL INTER(XON,YON,N1,NXHI2,XOFF(I),Y5)
IF(XOFF(I).LT.XON(NXHI3)) GO TO 115
IC=1
115 IF(IC.EQ.0) GO TO 140
IF(YOFF(I).GT.Y2) GO TO 120
GO TO 130
120 CALL INTER(XON,AR,NXHI1,NS1,XOFF(I),Y1)
AROFF(I)=Y
IPAK(K1) = 2
IF(XOFF(I).GT.XHI2) GO TO 180
GO TO 110
130 R = SORT((XOFF(I)-XON(NXHI1))**2+(YOFF(I)-YHI2)**2)
THETA = ACOS((XOFF(I)-XON(NXHI1))/R)
THETAP = THETA + 0.570796*(XOFF(I)-XON(I))/(XON(NXHI1)-XON(I))
AROFF(I) = 2.0 *(PI-THETAP)*R
135 CONTINUE
IRAK(K1) = 6
GO TO 110
140 IF(YOFF(I).GT.Y1) GO TO 145
IRAK(K1)=6
R = SORT((XOFF(I)-XON(NXHI1))**2+(YOFF(I)-YHI2)**2)
THETA = ACOS((XOFF(I)-XON(NXHI1))/R)
THETAP = THETA + 0.570796*(XOFF(I)-XON(I))/(XON(NXHI1)-XON(I))
AROFF(I) = 2.0 *(PI-THETAP)*R
150 CONTINUE
GO TO 110
145 IF(YOFF(I).LT.Y4) GO TO 170
R = SQRT((XOFF(I)-XON(NXHI3))**2+(YOFF(I)-YHI2)**2)

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

THETA = ACOS((XOFF(I)-XON(NXHI3))/R)
THETAP = THETA + 0.570796*(XOFF(I)-XON(NT))/((XON(NXHI3)-XON(NT))
AROFF(I) = 2.0 *(PI-THETAP)*R
IRAK(K1) = 7
160 CONTINUE
GO TO 110
170 IF(XOFF(I).GT.XH12) GO TO 180
IRAK(K1)=3
AROFF(I) = Y3-Y2
175 CONTINUE
GO TO 110
180 IF(YOFF(I).LT.Y5) GO TO 190
IRAK(K1) = 4
NS7 = NH
CALL INTER(XON,YON,NXHI2,NS7,XOFF(I),Y6)
AROFF(I) = Y3-Y6
CALL INTFR(XON,AR,NXHI2,NH,XOFF(I),Y)
IF(XOFF(I).LT.XON(NXHI3)) AROFF(I)=Y
185 CONTINUE
GO TO 110
190 APOFF(I) = Y5-Y2
195 CONTINUE
IRAK(K1) = 5
GO TO 110
200 IRAK(K1) = 1
AROFF(I) = AR(NXHI1)
205 CONTINUE
110 CONTINUE
RETURN
END

```

ORIGINAL PAGE IS  
OF POOR QUALITY

207

```
SUBROUTINE ANGLEF
COMMON /COORD/ XON(700),YON(700),XOFF(200),YOFF(200),S1(700),
1           S1(700),XTEST,XTEST1,XTEST2,YCL,YCL1,YCL2,YCL1,
2           YCL2,YCL1,XR1,XR2,XPH,YR1,YR2,YRH,CUTOF1,CUTOF2,CUTOFH,
3           FLND,ANG(700),AR(700),AROFF(200)
COMMON /COUT/ NT,NS1,NH,NP,IW,NX,KND,ICOMP,K,NXHI1,NXHI2,NXHI3,
1           NST2,NST3,NST7,NPPR(30),IRAK(30),M1,M2,ICOMP1,IPL,
2           IHUB
C -----
C THIS SUBROUTINE CALCULATES THE ANGLE OF THE BODY SURFACE
C
11 NS = NS1-1
DO 11 I = 1,NS
  ANG(I) = ATAN((YON(I+1)-YON(I))/(XON(I+1)-XON(I)))
11 CONTINUE
NT2 = NH-1
TF(IHUB.EQ.1) GO TO 21
N = NS1+1
DO 21 I = N,NT2
  ANG(I) = ATAN((YON(I+1)-YON(I))/(XON(I+1)-XON(I)))
21 CONTINUE
21 N = NT2+2
NT3 = NT-1
DO 30 I = N,NT3
  ANG(I) = ATAN((YON(I+1)-YON(I))/(XON(I+1)-XON(I)))
30 CONTINUE
RETURN
END
```

```

SUBROUTINE SURF
COMMON /COORD/ XON(700),YON(700),XOFF(200),YOFF(200),S(700),
1           S1(700),XTEST,XTEST1,XTEST2,YCL,YCU,YCL1,YCL2,YCU1,
2           YCU2,XR1,XR2,XRH,YR1,YR2,YRH,CUTOF1,CUTOF2,CUTOFH,
3           ELND,ANG(700),AR(700),AROFF(200)
COMMON /COUT/ NT,NST1,NH,NP,IM,NX,KND,ICOMP,K,NXHI1,NXHI2,NXHI3,
1           NST2,NST3,NST7,NPPR(30),IRAK(30),M1,M2,ICOMP1,IPL,
2           IHUB
C -----
C
C THIS SUBROUTINE CALCULATES THE SURFACE DISTANCE ON EACH BODY
C FROM ITS HIGHLIGHT
C
IF(YON(NXHI1).GT.YP1) GO TO 1
S(NXHI1)= -SQRT((XON(NXHI1)-XR1)**2+(YON(NXHI1)-YR1)**2)
NXHI1=NXHI1+2

```

```

NN2 = NXHI1-1
S(NN1-1) = SQRT((XON(NN1-1)-XR1)**2+(YON(NN1-1)-YR1)**2)
GO TO 25
1C S(NXHI1) = SQRT((XON(NXHI1)-XR1)**2+(YON(NXHI1)-YR1)**2)
NN1 = NXHI1+1
NN2 = NXHI1-2
S(NN2+1) = -SQRT((XON(NN2+1)-XR1)**2+(YON(NN2+1)-YR1)**2)
2C DO 30 I = NN1,NS4
S(I) = S(I-1)+SQRT((XON(I)-XON(I-1))**2+(YON(I)-YON(I-1))**2)
30 CONTINUE
DO 4C II = 1,NN2
I = NN2+1-II
S(I) = S(I+1)-SQRT((XON(I)-XON(I+1))**2+(YON(I)-YON(I+1))**2)
4C CONTINUE
IF(IHUB.EQ.0) GO TO 81
IF(YON(NXHI2).GT.YRH) GO TO 5C
S(NXHI2) = -SQRT((XON(NXHI2)-XRH)**2+(YON(NXHI2)-YRH)**2)
NN1 = NXHI2+2
NN2 = NXHI2-1
S(NN1-1) = SQRT((XON(NN1-1)-XRH)**2+(YON(NN1-1)-YRH)**2)
GO TO 6C
5C S(NXHI2) = SQRT((YON(NXHI2)-XRH)**2+(YON(NXHI2)-YRH)**2)
NN1 = NXHI2+1
NN2 = NXHI2-2
S(NN2+1) = -SQRT((XON(NN2+1)-XRH)**2+(YON(NN2+1)-YRH)**2)
6C IS = NS1+1
IS2 = NH
DO 7C I = NN1,IS2
S(I) = S(I-1)+SQRT((XON(I)-XON(I-1))**2+(YON(I)-YON(I-1))**2)
7C CONTINUE
DO 8C II = IS,NN2
I = NN2+IS-II
S(I) = S(I+1)-SQRT((XON(I)-XON(I+1))**2+(YON(I)-YON(I+1))**2)
8C CONTINUE
9C IF(YON(NXHI3).LE.YR2) GO TO 9D
S(NYHI3) = -SQRT((XON(NYHI3)-XR2)**2+(YON(NYHI3)-YR2)**2)
NN1 = NXHI3+1
NN2 = NXHI3-2
S(NN2+1) = SQRT((XON(NN2+1)-XR2)**2+(YON(NN2+1)-YR2)**2)
GO TO 10C
9D S(NXHI3) = SQRT((XON(NXHI3)-XR2)**2+(YON(NXHI3)-YR2)**2)
NN1 = NXHI3+2
NN2 = NXHI3-1
S(NN1-1) = -SQRT((XON(NN1-1)-XR2)**2+(YON(NN1-1)-YR2)**2)
10C IS = NH+1
DO 11C I=NN1,NT
S(I) = S(I-1)-SQRT((XON(I)-XON(I-1))**2+(YON(I)-YON(I-1))**2)
11C CONTINUE
DO 12C II = IS,NN2
I = NN2+IS-II
S(I) = S(I+1)+SQRT((XON(I)-XON(I+1))**2+(YON(I)-YON(I+1))**2)
12C CONTINUE
RETURN
END

```

```

SUBROUTINE SOLVE
COMMON /COORDS/ XON(700),YON(700),XOFF(200),YOFF(200),S(700),
1           S1(700),XTEST,XTEST1,XTEST2,YCL,YCU,YCL1,YCL2,YCU1,
2           YCU2,XR1,XR2,XRH,YR1,YR2,YRH,CUTOF1,CUTOF2,CUTOFH,
3           ELND,ANG(700),AR(700),AROFF(200)
COMMON /VELOC/ V1(700),V2(700),V3(700),V4(700),V5(700),V1X(200),
1           V2X(200),V3X(200),V4X(200),V5X(200),V1Y(200),
2           V2Y(200),V3Y(200),V4Y(200),V5Y(200)
COMMON /CONT/ VC,VS1,VS2,XMC,XMC1,XMC2,W00TC,W00TC1,W00TC2,
1           TITLE(3),VINF,ALFA,A,B,C,D,A1C,A2C,A3C,A4C,A5C,A11,
2           A21,A31,A41,A51,A12,A22,A32,A42,A52,VIC,VIC1,VIC2
COMMON /SCOUT/ NT,NS1,NH,NP,IN,NX,KND,ICOMP,K,NXHI1,NXHI2,NXHI3,
1           NST2,NST3,NST7,NPPR(30),IRAK(30),M1,M2,ICOMP1,IPL,
2           IHUB
COMMON /CONDIT/ TTOTAL,PT,PSTAT,TSTAT,PSTATC,ATOTAL,PTC,RHOST,
1           RHOTOT,ASTAT,OCINF
COMMON /WRIT/ AA1C,AA2C,AA3C,AA4C,AA5C,AA11,AA21,AA31,AA41,AA51,
1           AA12,AA22,AA32,AA42,AA52
COMMON /SOLUT/ VBAR(700),VBAR0(200),VINC(700),VXINC(200),
1           VYINC(200),RHOB(700),RBORT(700),RHOB0(200),
2           VCOM(700),RB00T(200),VRE(200),VRECOH(200),
3           VXCOM(200),VYCOM(200),THETA(200),PSOPTC(700),
4           PSOPT(700),CHACH(700),XHACH(700),CPI(700),CP(700),
5           RHOI(700)

C -----
C
C THIS SUBROUTINE SOLVES FOR THE COEFFICIENTS A,B,C, AND D AND
C SOLVES FOR VBAR AND V INCOMPRESSIBLE FOR BOTH ON- AND OFF-BODY

```

ORIGINAL PAGE IS  
OF POOR QUALITY

## POINTS

```
DIMENSION YNEW(50),VNEW1(50),VNEW2(50),VNEW3(50),VNEW4(50),
1          VNEW5(50)
G = 32.174
IF(M1.EQ.1) GO TO 30
THE FOLLOWING CALCULATIONS ARE FOR THE CONTROL STATION
UPSTREAM OF THE HUB
A = XTEST
NPL = 0
NH1 = NH+1
DO 5 I10=NXHI1,NS1
IF((A.GE.XON(I10)).AND.(A.LT.XON(I10+1))) THEAL = ANG(I10)
5 CONTINUE
DO 6 I10=NH1,NXHI3
IF((A.LE.XON(I10)).AND.(A.GT.XON(I10+1))) THEAH = ANG(I10)
6 CONTINUE
CALL INTER2(NXHI1,NS1,A,YL,V1L,V2L,V3L,V4L,V5L)
CALL INTER2(NH1,NXHI3,A,YH,V1H,V2H,V3H,V4H,V5H)
DO 10 II = 1,K
IF(II.EQ.1) I=1
IF(II.EQ.1) GO TO 12
I=NPPR(II-1)+1
12 IF(A.NE.YOFF(I)) GO TO 10
IF(II.EQ.1) NPL = 1
IF(II.EQ.1) NPH = NPPR(I)
IF(II.EQ.1) J3 = NPPR(I)
DO 15 J =2,K
IF(II.EQ.J) NPL = I
IF(II.EQ.J) NPH = NPPR(J)-NPPR(J-1)
IF(II.EQ.J) J3 = NPPR(J)
15 CONTINUE
10 CONTINUE
IF(NPL.EQ.0) WRITE(6,1000)
IF(NPL.EQ.0) STOP
DO 20 JJ = NPL,J3
YNEW(JJ+2-NPL) = YOFF(JJ)
VNEW1(JJ+2-NPL) = V1X(JJ)
VNEW2(JJ+2-NPL) = V2X(JJ)
VNEW3(JJ+2-NPL) = V3X(JJ)
VNEW4(JJ+2-NPL) = V4X(JJ)
IF(IHUB.NE.0) VNEW5(JJ+2-NPL) = V5X(JJ)
20 CONTINUE
YNEW(1) = YL
VNEW1(1) = V1L*COS(THEAL)
VNEW2(1) = V2L*COS(THEAL)
VNEW3(1) = V3L*COS(THEAL)
VNEW4(1) = V4L*COS(THEAL)
IF(IHUB.NE.0) VNEW5(1) = V5L*COS(THEAL)
YNEW(NPH+2) = YH
VNEW1(NPH+2) = -V1H*COS(THEAH)
VNEW2(NPH+2) = -V2H*COS(THEAH)
VNEW3(NPH+2) = -V3H*COS(THEAH)
VNEW4(NPH+2) = -V4H*COS(THEAH)
IF(IHUB.NE.0) VNEW5(NPH+2) = -V5H*COS(THEAH)
NPT = NPH+2
CALL INTEG(VNEW1,YNEW,AA1C,NPT)
```

```

CALL INTEG(VNEW2,YNEW,AA2C,NPT)
CALL INTEG(VNEW3,YNEW,AA3C,NPT)
CALL INTEG(VNEW4,YNEW,AA4C,NPT)
IF(IHUB.NE.0) CALL INTEG(VNEWS,YNEW,AA5C,NPT)
A1C = AA1C/AROFF(NPL)
A2C = AA2C/AROFF(NPL)
A3C = AA3C/AROFF(NPL)
A4C = AA4C/AROFF(NPL)
IF(IHUB.EQ.0) A5C = AA5C/AROFF(NPL)
IF(IHUB.EQ.0) GO TO 215

C THE FOLLOWING CALCULATIONS ARE FOR THE LOWER CONTROL STATION
30 IF(M1.EQ.1) GO TO 40
    IF(M2.EQ.1) GO TO 70
    90 A = XTEST1
    NPL = 0
    NH1 = NS1+1
    CALL INTER2(NST3,NS1,A,VNEW1(1),VNEW1(1),VNEW2(1),VNEW3(1),VNEW4(1)
    ,VNEW5(1))
    DO 41 I10=NST3,NS1
    IF((A.GE.XON(I10)).AND.(A.LT.XON(I10+1))) THEAL = ANG(I10)
41 CONTINUE
    DO 42 I10=NH1,NXH1Z
    IF((A.LE.XON(I10)).AND.(A.GT.XON(I10+1))) THEAH = ANG(I10)
42 CONTINUE
    VNEW1(1) = VNEW1(1)*COS(THEAL)
    VNEW2(1) = VNEW2(1)*COS(THEAL)
    VNEW3(1) = VNEW3(1)*COS(THEAL)
    VNEW4(1) = VNEW4(1)*COS(THEAL)
    VNEW5(1) = VNEW5(1)*COS(THEAL)
    CALL INTER2(NH1,NXH1Z,A,YH,V1H,V2H,V3H,V4H,V5H)
    DO 50 II = 1,K
    IF(II.EQ.1) IF1
    IF(II.EQ.1) GO TO 45
    I = NPPR(II-1)+1
45 IF((A.NE.XOFF(I)).OR.(YOFF(I).GT.YCU1)) GO TO 50
    IF(II.EQ.1) NPL = 1
    IF(II.EQ.1) NPH = NPPR(1)
    IF(II.EQ.1) J3 = NPPR(1)
    DO 46 JJ=2,K
    IF(II.EQ.JJ) NPL = NPPR(J-1)+1
    IF(II.EQ.JJ) NPH = NPPR(J)-NPPR(J-1)
    IF(II.EQ.JJ) J3 = NPPR(J)
46 CONTINUE
50 CONTINUE
    IF(NPL.EQ.0) WRITE(6,1001)
    IF(NPL.EQ.0) STOP
    DO 60 JJ = NPL,J3
    YNEW1(JJ+2-NPL) = YOFF(JJ)
    VNEW1(JJ+2-NPL) = V1X(JJ)
    VNEW2(JJ+2-NPL) = V2X(JJ)
    VNEW3(JJ+2-NPL) = V3X(JJ)
    VNEW4(JJ+2-NPL) = V4X(JJ)
    VNEW5(JJ+2-NPL) = V5X(JJ)
60 CONTINUE
    YNEW(NPH+2) = YH
    VNEW1(NPH+2) = -V1H*COS(THEAH)
    VNEW2(NPH+2) = -V2H*COS(THEAH)

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

VNEW3(NPH+2) = -V3H*COS(THEAH)
VNEW4(NPH+2) = -V4H*COS(THEAH)
VNEW5(NPH+2) = -V5H*COS(THEAH)
NPT=NPH+2
CALL INTEG(VNEW1,YNEW,AA11,NPT)
CALL INTEG(VNEW2,YNEW,AA21,NPT)
CALL INTEG(VNEW3,YNEW,AA31,NPT)
CALL INTEG(VNEW4,YNEW,AA41,NPT)
CALL INTEG(VNEW5,YNEW,AA51,NPT)
A11 = AA11/AROFF(NPL)
A21 = AA21/AROFF(NPL)
A31 = AA31/AROFF(NPL)
A41 = AA41/AROFF(NPL)
A51 = AA51/AROFF(NPL)

C THE FOLLOWING CALCULATIONS ARE FOR THE UPPER CONTROL STATION
70 IF((M1.EQ.01).AND.(M2.EQ.0)) GO TO 80
    A = XTEST2
    NPL = 0
    NH1 = NH+1
    NSH= NH
    CALL INTER2(NXHI2,NSH,A,YNEW(1),VNEW1(1),VNEW2(1),VNEW3(1),
1           VNEW4(1),VNEW5(1))
    DO 71 I10 = NXHI2,NSH
    IF((A.GE.XON(I10)).AND.(A.LT.XON(I10+1))) THEAL = ANG(I10)
71 CONTINUE
    DO 72 I10=NH1,NST7
    IF((A.LE.XON(I10)).AND.(A.GT.XON(I10+1))) THEAH = ANG(I10)
72 CONTINUE
    VNEW1(1) = VNEW1(1)*COS(THEAL)
    VNEW2(1) = VNEW2(1)*COS(THEAL)
    VNEW3(1) = VNEW3(1)*COS(THEAL)
    VNEW4(1) = VNEW4(1)*COS(THEAL)
    VNEW5(1) = VNEW5(1)*COS(THEAL)
    DO 90 II = 1,K
    IF(II.EQ.1) I=1
    IF(II.EQ.1) GO TO 95
    I = NPPR(II-1)+1
95  IF((A.NE.XOFF(I)),OR,(IRAK(II).NE.4)) GO TO 90
    IF(II.EQ.1) NPL=1
    IF(II.EQ.1) NPH = NPPR(1)
    IF(II.EQ.1) J3 = NPPR(1)
    DO 96 J=2,K
    IF(II.EQ.J) NPL=I
    IF(II.EQ.J) NPH = NPPR(J)-NPPR(J-1)
    IF(II.EQ.J) J3 = NPPR(J)
96 CONTINUE
90 CONTINUE
    IF(NPL.EQ.0) WRITE(6,1002)
    IF(NPL.EQ.0) STOP
    NPT = NPH+2
    CALL INTER2(NH1,NST7,A,YNEW(NPT),VNEW1(NPT),VNEW2(NPT),VNEW3(NPT),
1           VNEW4(NPT),VNEW5(NPT))
    VNEW1(NPT) = -VNEW1(NPT)*COS(THEAH)
    VNEW2(NPT) = -VNEW2(NPT)*COS(THEAH)
    VNEW3(NPT) = -VNEW3(NPT)*COS(THEAH)
    VNEW4(NPT) = -VNEW4(NPT)*COS(THEAH)
    VNEW5(NPT) = -VNEW5(NPT)*COS(THEAH)

```

```

      DD JBC JJ = NPL,J3
      YNEW(JJ+2-NPL) = YOFF(JJ)
      VNEW1(JJ+2-NPL) = V1X(JJ)
      VNEW2(JJ+2-NPL) = V2X(JJ)
      VNEW3(JJ+2-NPL) = V3X(JJ)
      VNEW4(JJ+2-NPL) = V4X(JJ)
      VNEW5(JJ+2-NPL) = V5X(JJ)
100  CONTINUE
      CALL INTEG(VNEW1,YNEW,AA12,NPT)
      CALL INTEG(VNEW2,YNEW,AA22,NPT)
      CALL INTEG(VNEW3,YNEW,AA32,NPT)
      CALL INTEG(VNEW4,YNEW,AA42,NPT)
      CALL INTEG(VNEW5,YNEW,AA52,NPT)
      A12 = AA12/AROFF(NPL)
      A22 = AA22/AROFF(NPL)
      A32 = AA32/AROFF(NPL)
      A42 = AA42/AROFF(NPL)
      A52 = AA52/AROFF(NPL)
80   IF(M1.EQ.1) GO TO 200
     IF(M2.EQ.1) GO TO 210
C   THE FOLLOWING IS FOR THE CASE WHERE UPSTREAM AND LOWER
C   CONTROL STATIONS ARE INPUT
      VCL = A3C-A4C
      VL1= A31-A41
      VU1 = A51-A41
      VCU = A5C-A4C
      A = VINF*COS(ALFA)
      B = VINF*SIN(ALFA)
      D= (VS1*VCL-VC*VL1+(A*A1C+B*A2C)*VL1-(A*A11+B*A21)*VCL)/(VU1*VCL-
1      VCU*VL1)
      C = (VS1-(A*A11+B*A21)-D*VU1)/VL1
      GO TO 220
C   THE FOLLOWING IS FOR THE CASE WHERE UPPER AND LOWER
C   CONTROL STATIONS ARE INPUT
200  A = VINF*COS(ALFA)
      B = VINF*SIN(ALFA)
      VL2 = A32-A42
      VU1 = A31-A41
      VU2 = A51-A41
      VCL = A5C-A4C
      D = (VS1*VL2-VS2*VL1+(A*A12+B*A22)*VL1-(A*A11+B*A21)*VL2)/(VU1*VL2-
1      -VU2*VL1)
      C = (VS1-(A*A11+B*A21)-D*VU1)/VL1
      GO TO 220
C   THE FOLLOWING IS FOR THE CASE WHERE UPSTREAM AND UPPER
C   CONTROL STATIONS ARE INPUT
210  A = VINF*COS(ALFA)
      B = VINF*SIN(ALFA)
      VCL = A3C-A4C
      VL2 = A32-A42
      VU2 = A52-A42
      VCU = A5C-A4C
      D = (VS2*VCL-VC*VL2+(A*A1C+B*A2C)*VL2-(A*A12+B*A22)*VCL)/(VU2*VCL-
1      VCU*VL2)
      C = (VS2-(A*A12+B*A22)-D*VU2)/VL2
      GO TO 220
215  A = VINF*COS(ALFA)

```

```

B = VINF*SIN(ALFA)
C = (VC-A*A1C-B*A2C)/(A3C-A4C)
C THE FOLLOWING ARE THE CALCULATIONS FOR V AND VBAR
220 DO 230 I=1,NT
  IF(IHUB.EQ.0) VINC(I)=A*V1(I)+B*V2(I)+C*(V3(I)-V4(I))
  IF(IHUB.EQ.0) GO TO 230
  VINC(I) = A*V1(I)+B*V2(I)+C*(V3(I)-V4(I))+D*(V5(I)-V4(I))
230 CONTINUE
  DO 240 I =1,NP
    IF(IHUB.EQ.0) VXINC(I)=A*V1X(I)+B*V2X(I)+C*(V3X(I)-V4X(I))
    IF(IHUB.EQ.0) VYINC(I)=A*V1Y(I)+B*V2Y(I)+C*(V3Y(I)-V4Y(I))
    IF(IHUB.EQ.0) GO TO 235
    VXINC(I)= A*V1X(I)+B*V2X(I)+C*(V3X(I)-V4X(I))+D*(V5X(I)-V4X(I))
    VYINC(I)= A*V1Y(I)+B*V2Y(I)+C*(V3Y(I)-V4Y(I))+D*(V5Y(I)-V4Y(I))
235  VRE(I) = SQRT(VXINC(I)**2+VYINC(I)**2)
    THETA(I) = ATAN(VYINC(I)/VXINC(I))/3.141592654*180.0
240 CONTINUE
  DO 250 I = 1,NT
    VBAR(I)=WDOTC/RHOTOT/AR(I)*12.0/G
    IF(IHUB.EQ.0) GO TO 245
    IF((I.GT.NST3).AND.(I.LE.NXHI2)) VBAR(I) = WDOTC1/RHOTOT/
    1      AR(I)*12.0/G
    IF((I.GT.NXHI2).AND.(I.LE.NST7)) VBAR(I) = WDOTC2/RHOTOT/
    1      AR(I)*12.0/G
    XHI2=XON(NXHI2)
    IF((XHI2.LT.XON(NXHI3)).AND.(XON(I).LT.XON(NXHI3)).AND.(I.GT.NXHI2
    1      ).AND.(VBAR(I).LT.VINF)) VBAR(I)=VINF
    IF(XHI2.GT.XON(NXHI3)) GO TO 245
    IF(I.LT.NXHI2) VBAR(I)=WDOTC1/RHOTOT/AR(I)*12.0
    1      /G
245  IF(((I.LT.NXHI1).OR.(I.GT.NXHI3)).AND.(VBAR(I).LT.VINF)) VBAR(I) =
    1      VINF
    IF(IHUB.EQ.0) XHI2=99999.
    IF((ABS(XON(NXHI1)-XON(NXHI3)).GT.0.01).AND.(XON(I).LT.XHI2).
    1      .AND.(XON(I).LT.XON(NXHI3)).AND.(VBAR(I).LT.VINF)) VBAR(I)=VINF
250 CONTINUE
  DO 260 I = 1,NP
    VBAR0(I) = WDOTC/RHOTOT/AROFF(I)*12.0/G
    IF(I.LE.NPPR(I)) NCHK=1
    DO 255 J=2,K
      IF((I.LE.NPPR(J)).AND.(I.GT.NPPR(J-1))) NCHK = J
255 CONTINUE
    IF(IRAK(NCHK).EQ.4) VBAR0(I) = WDOTC2/RHOTOT/AROFF(I)*12.0/G
    IF(IRAK(NCHK).EQ.5) VBAR0(I) = WDOTC1/RHOTOT/AROFF(I)*12.0/G
    IF((IRAK(NCHK).EQ.2).AND.(XHI2.LT.XON(NXHI3))) VBAR0(I)=WDOTC1/
    1      RHOTOT/AROFF(I)*12.0/G
    IF((IRAK(NCHK).EQ.1).AND.(XHI2.LT.XON(NXHI3))) VBAR0(I)=WDOTC1/
    1      RHOTOT/AROFF(I)*12.0/G
    IF(((IRAK(NCHK).EQ.1).OR.(IRAK(NCHK).EQ.2).OR.(IRAK(NCHK).EQ.6)
    1      .OR.(IRAK(NCHK).EQ.7)).AND.(VBAR0(I).LT.VINF)) VBAR0(I)=VINF
    IRT=NPPR(NCHK)
    IF((IRAK(NCHK).EQ.4).AND.(XOFF(IRT).LT.XON(NXHI3)).AND.(VBAR0(I).
    1      LT.VINF)) VBAR0(I) = VINF
260 CONTINUE
1000 FORMAT(//,10X,"THERE IS NO RAKE LOCATED AT THE DOWNSTREAM "
    1      "CONTROL STATION.  ",/,10X,"CHECK INPUT LOCATION OF "
    2      "CONTROL STATION.  RUN TERMINATED.")

```

```
1001 FORMAT///,10X,"THERE IS NO RAKE LOCATED AT THE LOWER."
1      "CONTROL STATION." ,/,10X,"CHECK INPUT LOCATION OF "
2      "CONTROL STATION. RUN TERMINATED.")
1002 FORMAT///,10X,"THERE IS NO RAKE LOCATED AT THE UPPER."
1      "CONTROL STATION." ,/,10X,"CHECK INPUT LOCATION OF "
2      "CONTROL STATION. RUN TERMINATED.")
END
```

```

SUBROUTINE COMCOR
COMMON /COUT/ NT,NS1,NH,NP,IW,NX,KND,TCOMP,K,NXHI1,NXHI2,NXHI3,
1           NST2,NST3,NST7,NPPR(3C),IRAF(30),M1,M2,ICOMP1,IPL,
2           THUB
COMMON /CONDIT/ TTOTAL,PT,PSTAT,TSTAT,PSTATC,ATOTAL,PTC,RHOST,
1           RHOTOT,ASTAT,DCINF
COMMON /SOLUT/ VBAR(700),VBARCI(200),VINC(700),VXINC(200),
1           VYINC(200),RHOP(700),RBORT(700),RHOP0(200),
2           VCOM(700),RB00T(200),VRE(200),VRECOM(200),
3           VXCOM(200),VYCOM(200),THETA(200),PSOPTC(700),
4           PSOPT(700),CMACH(700),XMACH(700),CPI(700),CPC(700),
5           RHOI(700).
C -----
C THIS SUBROUTINE APPLIES THE COMPRESSIBILITY CORRECTION TO THE SOLUTION
C
EXCON = 1.095*ATOTAL*125.0/216.0
PI = 3.141592654
PI180 = 180.0/PI
VCHK = ATOTAL/SQRT(1.2)
DO 15 I=1,NT
A9 = 1.0
CALL VPARIT(VBAR(I),ATOTAL,PHOTOT,PHOP(I))
RPORT(I) = PHOB(I)/PHOTOT
VCOM(I) = VINC(I)/RPORT(I)**(ABS(VINC(I)/VBAR(I)))
VA = 1.2*(VCOM(I)/ATOTAL)**2
IF(VA.GT.1.0) GO TO 25
PSO = (1.0-1.2*(VCOM(I)/ATOTAL)**2)**3.5
GO TO 30
25 PSO = 0.0
30 IF((ABS(VCOM(I)).LT.VCHK).OR.(ARS(NX).NE.1)) GO TO 10
VSAVE = ABS(VCOM(I))
IF((VSAVE/VCHK).GT.2.0) GO TO 10
PHOPTC = VSAVE*PSO**0.715/EXCON
IF(PHOPTC.EQ.0.0) RHOPTC = 1.0
IF(VCOM(I).LT.0.0) A9=-1.0
VCOM(I) = VCHK*(1.0+(VSAVE/VCHK-1.0)**(1.0/RHOPTC))*A9
10 CONTINUE
DO 20 I =1,NP
CALL VPARIT(VPAR0(I),ATOTAL,RHOTOT,RHOBO(I))
RPC0T(I) = RHOBO(I)/RHOTOT
VFCOM(I) = VPE(I)/PB00T(I)**(VRE(I)/VBAR0(I))
VA = 1.2*(VFCOM(I)/ATOTAL)**2
IF(VA.GT.1.0) GO TO 35
PSI = (1.0-1.2*(VRECOM(I)/ATOTAL)**2)**3.5
GO TO 40
35 PSI = 0.0
40 IF((VFCOM(I).LT.VCHK).OR.(ABS(NX).NE.1)) GO TO 15
VSAVE = VRECOM(I)
IF((VSAVE/VCHK).GT.2.0) GO TO 15
RHOPTC = VSAVE*PSI**0.715/EXCON
IF(RHOPTC.EQ.0.0) RHOPTC = 1.0
VFCOM(I) = VCHK*(1.0+(VSAVE/VCHK-1.0)**(1.0/RHOPTC))
15 VXCOM(I) = VINC(I)*VRECOM(I)/VRE(I)
VYCOM(I) = VYINC(I)*VRECOM(I)/VRE(I)
THETA(I) = ATAN(VYCOM(I)/VXCOM(I))*PI180
20 CONTINUE
RETURN
END

```

```

S16POINTINE ONBODY
COMMON /COORD/ XON(700),YON(700),XOFF(200),YOFF(200),S(700),
1           S1(700),XTEST,XTEST1,XTEST2,YCL,YCL1,YCL2,YCL1,
2           YCL2,XR1,XR2,XRH,YR1,YR2,YPH,CUTOF1,CUTOF2,CUTOFH,
3           ELND,ANG(700),AR(700),AROFF(200)
COMMON /CONT/ VC,VS1,VS2,XMC,XMC1,XMC2,WDOTC,WDOTC1,WDOTC2,
1           TITLE(3),VINF,ALFA,A,R,C,D,A1C,A2C,A3C,A4C,A5C,A11,
2           A21,A31,AH1,A51,A12,A22,A32,A42,A52,VIC,VIC1,VIC2
COMMON /COUT/ NT,NS1,NH,NP,IW,NX,KND,ICOMP,K,NXHI1,NXHI2,NXHI3,
1           NST2,NST3,NST7,NPPR(30),IRAK(30),M1,M2,ICOMP1,IPL,
2           IHUB
COMMON /CONDIT/ TTOTAL,PT,PSTAT,TSTAT,PSTATC,ATOTAL,RTC,RHOST,
1           RHOTOT,ASTAT,QCINF
COMMON /SOLUT/ VBAR(700),VYEAR0(200),VINC(700),VYINC(200),
1           VYINCL(200),RHOP(700),REPORT(700),RHOB0(200),
2           VCOM(700),RBOOT(200),VPE(200),VFROM(200),
3           VXCOM(200),VYCOM(200),THETA(200),PSOPTC(700),
4           PSOPT(700),CMACH(700),XMACH(700),CPI(700),CPC(700),
5           RH01(700)

C -----
C THIS SUBROUTINE CALCULATES THE ON-BODY PROPERTIES
C
DIMENSION DIPDUM(5)
DC 1C I =1,NT
VCONC = 3.2*(ABS(VCOM(I))/ATOTAL))**2
VCON = 1.2*(ABS(VINC(I))/ATOTAL))**2
IF(VINF.EQ.0.0) CPI(I) = 99.99.E
IF(VINF.EQ.1.0) CPC(I) = 99.99.E
IF(VINF.EQ.2.0) GO TO 4
CPI(I) = 1.0-(ABS(VINC(I))/VINP))**2
CPC(I) = (PT-PSTAT-(3.5*RHOP(I)*VCOM(J)**2))/QCINF
4 IF(VCONC.GT.1.0) PSOPTC(I) = 0.0
IF(VCONC.GT.1.0) CMACH(I) = 999.0
IF(VCON.GT.1.0) XMACH(I) = 999.0
IF(VCON.GT.1.0) PSOPT(I) = 0.0
IF(VCON.GT.1.0) RH01(I) = 200.0
IF((VCONC.GT.1.0).AND.(VCON.GT.1.0)) GO TO 10
IF(VCONC.GT.1.0) GO TO 5
PSOPTC(I) = (1.0-VCONC)**3.5
CMACH(I) = ABS(VCOM(I))/ATOTAL/SQRT(1.0-VCONC)
IF(VCON.GT.1.0) GO TO 10

```

```
5 PSOPT(I) = (1.0-0.5*RHOTOT*VINC(I)**2/PT)
  XMACH(I) = ABS(VINC(I))/ATOTAL/SQRT(1.0-VCON )
10 CONTINUE
  WRITE(6,100)
  J=0
  DO 15 I=1,NS1
    IF(ICOMP.EQ.0) GO TO 11
    IF((CMACH(I).LT.1.0).OR.(ABS(NX).NE.1)) GO TO 12
    IF((CMACH(I-1).LT.1.0)) WRITE(6,160) I
    IF((CMACH(I-1).LT.1.0)) J = 3
    GO TO 12
11 IF((XMACH(I).LT.1.0).OR.(ABS(NX).NE.1)) GO TO 12
  IF(XMACH(I-1).LT.1.0) WRITE(6,160) I
  IF(XMACH(I-1).LT.1.0) J = 3
12 IF(ICOMP.EQ.0) GO TO 13
  IF((CMACH(I).LT.1.0).AND.(CMACH(I-1).GE.1.0).AND.(ABS(NX).EQ.1))
1   WRITE(6,170) I
  IF((CMACH(I).LT.1.0).AND.(CMACH(I-1).GE.1.0).AND.(ABS(NX).EQ.1))
1   J = J+2
  GO TO 15
13 IF((XMACH(I).LT.1.0).AND.(XMACH(I-1).GE.1.0).AND.(ABS(NX).EQ.1))
1   WRITE(6,170) I
  IF((XMACH(I).LT.1.0).AND.(XMACH(I-1).GE.1.0).AND.(ABS(NX).EQ.1))
1   J = J+2
15 CONTINUE
  IF(ICOMP.EQ.0) WRITE(6,105)
  IF(ICOMP.EQ.1) WRITE(6,106)
  DO 20 I = 1,NS1
    J=J+1
    IF(J.EQ.51) WRITE(6,95)
    IF((J.EQ.51).AND.(ICOMP.EQ.0)) WRITE(6,105)
    IF((J.EQ.51).AND.(ICOMP.EQ.1)) WRITE(6,106)
    IF(J.EQ.51) J=1
    IF(ICOMP.EQ.0) WRITE(6,110) I,XON(I),YON(I),S(I),VINC(I),XMACH(I),
1      CPI(I),PSOPT(I)
    IF(ICOMP.EQ.1) WRITE(6,115) I,XON(I),YON(I),S(I),VCOM(I),VBAR(I),
1      CHACH(I),CPC(I),RBORT(I),PSOPTC(I)
20 CONTINUE
  IF(IHUB.EQ.0) GO TO 26
  WRITE(6,120)
  IS = NS1+1
  IST = NH
  J=0
  DO 25 I=IS,IST
    IF(ICOMP.EQ.0) GO TO 21
    IF((CMACH(I).LT.1.0).OR.(ABS(NX).NE.1)) GO TO 22
    IF((CMACH(I-1).LT.1.0)) WRITE(6,160) I
    IF((CMACH(I-1).LT.1.0)) J = 3
    GO TO 22
21 IF((XMACH(I).LT.1.0).OR.(ABS(NX).NE.1)) GO TO 22
  IF(XMACH(I-1).LT.1.0) WRITE(6,160) I
  IF(XMACH(I-1).LT.1.0) J = 3
22 IF(ICOMP.EQ.0) GO TO 23
  IF((CMACH(I).LT.1.0).AND.(CMACH(I-1).GE.1.0).AND.(ABS(NX).EQ.1))
1   WRITE(6,170) I
  IF((CMACH(I).LT.1.0).AND.(CMACH(I-1).GE.1.0).AND.(ABS(NX).EQ.1))
1   J = J+2
```

```

60 TO 25
23 IF((XMACH(I).LT.1.0).AND.(XMACH(I-1).GE.1.0).AND.(ABS(NX).EQ.1))
1   WRITE(6,170) I
  IF((XMACH(I).LT.1.0).AND.(XMACH(I-1).GE.1.0).AND.(ABS(NX).EQ.1))
1   J =J+2
25 CONTINUE
  IF(ICOMP.EQ.0) WRITE(6,105)
  IF(ICOMP.EQ.1) WRITE(6,106)
DO 30 I = IS,IST
  J=J+1
  IF(J.EQ.51) WRITE(6,95)
  IF((J.EQ.51).AND.(ICOMP.EQ.0)) WRITE(6,105)
  IF((J.EQ.51).AND.(ICOMP.EQ.1)) WRITE(6,106)
  IF(J.EQ.51) J=1
  IF(ICOMP.EQ.0) WRITE(6,110) I,XON(I),YON(I),S(I),VINC(I),XMACH(I),
1                           CPI(I),PSOPT(I)
  IF(ICOMP.EQ.1) WRITE(6,115) I,XON(I),YON(I),S(I),VCOM(I),VBAR(I),
1                           CHACH(I),CPC(I),RBORT(I),PSOPTC(I)
30 CONTINUE
26 IS = NH+1
  WRITE(6,130)
  J=0
DO 35 I=IS,NT
  IF(ICOMP.EQ.0) GO TO 31
  IF((CMACH(I).LT.1.0).OR.(ABS(NX).NE.1)) GO TO 32
  IF(CMACH(I-1).LT.1.0) WRITE(6,160) I
  IF(CMACH(I-1).LT.1.0) J = 3
  GO TO 32
31 IF((XMACH(I).LT.1.0).OR.(ABS(NX).NE.1)) GO TO 32
  IF(XMACH(I-1).LT.1.0) WRITE(6,160) I
  IF(XMACH(I-1).LT.1.0) J = 3
32 IF(ICOMP.EQ.0) GO TO 33
  IF((CMACH(I).LT.1.0).AND.(CMACH(I-1).GE.1.0).AND.(ABS(NX).EQ.1))
1   WRITE(6,170) I
  IF((CMACH(I).LT.1.0).AND.(CMACH(I-1).GE.1.0).AND.(ABS(NX).EQ.1))
1   J = J+2
  GO TO 35
33 IF((XMACH(I).LT.1.0).AND.(XMACH(I-1).GE.1.0).AND.(ABS(NX).EQ.1))
1   WRITE(6,170) I
  IF((XMACH(I).LT.1.0).AND.(XMACH(I-1).GE.1.0).AND.(ABS(NX).EQ.1))
1   J =J+2
35 CONTINUE
  IF(ICOMP.EQ.0) WRITE(6,105)
  IF(ICOMP.EQ.1) WRITE(6,106)
DO 40 I=IS,NT
  J=J+1
  IF(J.EQ.51) WRITE(6,95)
  IF((J.EQ.51).AND.(ICOMP.EQ.0)) WRITE(6,105)
  IF((J.EQ.51).AND.(ICOMP.EQ.1)) WRITE(6,106)
  IF(J.EQ.51) J=1
  IF(ICOMP.EQ.0) WRITE(6,110) I,XON(I),YON(I),S(I),VINC(I),XMACH(I),
1                           CPI(I),PSOPT(I)
  IF(ICOMP.EQ.1) WRITE(6,115) I,XON(I),YON(I),S(I),VCOM(I),VBAR(I),
1                           CHACH(I),CPC(I),RBORT(I),PSOPTC(I)
40 CONTINUE
C THE FOLLOWING WRITES DATA TAPES FOR THE BOUNDARY LAYER PROGRAM
  ISTAG = 0

```

```
ISTAF =0
REWIND 12
REWIND 14
DO 50 II = 1,NS1
I = NS1+1-II
IF(VINC(I).LT.0.0) GO TO 45
IF((ISTAF.EQ.0).AND.(ICOMP.EQ.0)) WRITE(14,140) XON(I),YON(I),
1 VINC(I),XMACH(I),PSOPT(I)
IF((ISTAF.EQ.0).AND.(ICOMP.EQ.1)) WRITE(14,140) XON(I),YON(I),
1 VCOM(I),CHACH(I),PSOPTC(I)
IF(ISTAF.EQ.0) ISTAG=ISTAG+1
GO TO 50
45 IF((VINC(I)*VINC(I+1).LT.0.0).AND.(ICOMP.EQ.0).AND.(ISTAF.EQ.0))
1 WRITE(14,140) XON(I),YON(I),VINC(I),XMACH(I),PSOPT(I)
IF((VINC(I)*VINC(I+1).LT.0.0).AND.(ICOMP.EQ.1).AND.(ISTAF.EQ.0))
1 WRITE(14,140) XON(I),YON(I),VCOM(I),CHACH(I),PSOPTC(I)
ISTAF=1
50 CONTINUE
REWIND 14
IF(ISTAF.EQ.1) ISTAG = ISTAG+1
WRITE(12,150) ISTAG
DO 55 I=1,ISTAG
READ(14,140) DIMDUM
WRITE(12,140) DIMDUM
55 CONTINUE
ISTAG =0
ISTAF =0
NSTA = NH+1
REWIND 12
REWIND 13
REWIND 14
DO 60 I=NSTA,NT
IF(VINC(I).GT.0.0) GO TO 56
IF((ISTAF.EQ.0).AND.(ICOMP.EQ.0)) WRITE(14,140) XON(I),YON(I),
1 VINC(I),XMACH(I),PSOPT(I)
IF((ISTAF.EQ.0).AND.(ICOMP.EQ.1)) WRITE(14,140) XON(I),YON(I),
1 VCOM(I),CHACH(I),PSOPTC(I)
IF(ISTAF.EQ.0) ISTAG=ISTAG+1
GO TO 60
56 IF((VINC(I)*VINC(I-1).LT.0.0).AND.(ISTAF.EQ.0).AND.(ICOMP.EQ.0))
1 WRITE(14,140) XON(I),YON(I),VINC(I),XMACH(I),PSOPT(I)
IF((VINC(I)*VINC(I-1).LT.0.0).AND.(ISTAF.EQ.0).AND.(ICOMP.EQ.1))
1 WRITE(14,140) XON(I),YON(I),VCOM(I),CHACH(I),PSOPTC(I)
ISTAF=1
60 CONTINUE
REWIND 14
IF(ISTAF.EQ.1) ISTAG=ISTAG+1
WRITE(13,150) ISTAG
DO 65 I=1,ISTAG
READ(14,140) DIMDUM
WRITE(13,140) DIMDUM
65 CONTINUE
REWIND 13
RETURN
C *****FORMATS*****
95 FORMAT(1H1)
100 FORMAT(1H1,10X,*LOWER SHROUD*,/,10X,*ON-BODY POINTS*)
```

```
105 FORMAT(/,2X,'I',7X,'X!',11X,'Y!',11X,'S',11X,!VINC!,8X,!MACH!,8X,
1      'CP',6X,'PS/PT',/)
106 FORMAT(/,2X,'I',7X,'X',11X,'Y',11X,'S',11X,'VCOM',8X,!VBAR!,8X,
1      'MACH',8X,'CP',6X,'RB/RT',3X,'PS/PT',/)
110 FORMAT(I4,1P6E12.3,OPF8.4)
115 FORMAT(I4,1P7F12.3,OP2F8.4)
120 FORMAT(I1H1,10X,'HUB',/,10X,'ON-BODY POINTS')
130 FCRMAT(I1H1,10X,'UPPER SHROUD',/,10X,'ON-BODY POINTS')
140 FORMAT(OP5F10.4)
150 FORMAT(I3)
160 FORMAT(/,2X,'ON-BODY SUPERSONIC VELOCITY CORRECTION START',!
1      'I = ',I4,/)
170 FORMAT(2X,'SUPERSONIC VELOCITY CORRECTION STOP, I = ',I4,/)
END
```

```
SLEPOUTINE OFFBDY
COMMON /COORD/ XON(700),YON(700),XOFF(200),YOFF(200),S(700),
1           S1(700),XTEST,XTEST1,XTEST2,YCL,YCL1,YCL2,YCL1,
2           YCU2,XR1,XR2,XRH,YR1,YR2,YPH,CUTOF1,CUTOF2,CUTOFH,
3           FLND,ANG(700),AR(700),AROFF(200)
COMMON /SCOUT/ NT,N51,NH,NP,IW,NX,KNP,ICOMP,K,NXHI1,NXHI2,NXHI3,
1           NST2,NST3,NST7,NPPRE3D),IRAK(3D),M1,M2,ICOMP1,IPL,
2           THUB
COMMON /CONDIT/ TTOTAL,PT,PSTAT,TSTAT,PSTATC,ATOTAL,PTC,RHOST,
1           RHOTOT,ASTAT,QCINF
COMMON /SOLUT/ VBAR(700),VBAR0(200),VINC(700),VXINC(200),
1           VYINC(200),RHOR(700),RBORT(700),RHOB0(200),
2           VCPM(700),RBCOT(200),VRE(200),VRECOM(200),
3           VXCOM(200),VYCOM(200),THETA(200),PSOPTC(700),
4           PSOPT(700),CMACH(700),XMAC(700),CPI(700),CPC(700),
5           RHOI(700)
COMMON /SOLUTO/ PSOFP(200),PSCFP(200),CMAC0(200),XMAC0(200),
1           RHOP(200)
COMMON/PICT/VPERIN,XX,XMIN,EXEP,YY,YMIN,ORD,EMSTOP,AL,AAAA
C -----
C THIS SUBROUTINE CALCULATES OFF-BODY PROPERTIES
C
      DIMENSION WTOT(30),YINT(200),RV(200),WFRAC(200)
      WRITE(6,1)
      1      DC 1G I =1,NP
      VCONC = 0.2*(VRECOM(I)/ATOTAL)**2
      VCON = 0.2*(VRE(I)/ATOTAL)**2
      IF(VCONC.GT.1.0) PSOFP(I) = 0.0
      IF(VCONC.GT.1.0) CMAC0(I) = 999.0
      IF(VCON.GT.1.0) XMAC0(I) = 999.0
```

```

IF(VCON.GT.1.0) PSOFP(I) = 0.0
IF(VCON.GT.1.0) RHOOI(I) = 2000.0
IF((VCONC.GT.1.0).AND.(VCON.GT.1.0)) GO TO 10
IF(VCONC.GT.1.0) GO TO 5
PSOFP(I) = (1.0-VCONC)**3.5
CMACO(I) = VRECOM(I)/ATOTAL/SQRT(1.0-VCONC)
IF(VCON.GT.1.0) GO TO 10
5 PSOFP(I) = (1.0-0.5*RHOTOT*VRE(I)**2/PT)
XMACO(I) = VRE(I)/ATOTAL/SQRT(1.0-VCONC)
10 CONTINUE
DO 50 I=1,K
IF(I.EQ.1) NPH = NPPR(I),
IF(I.EQ.1) NPL = I
IF(I.EQ.1) J3 = NPH
II = NPPR(I-1)+1
20 DO 30 J=2,K
IF(I.NE.J) GO TO 30
NPL = II
NPH = NPPR(J)-NPPR(J-1)
J3 = NPPR(J)
30 CONTINUE
C
C IRAK = 1 RAKE IS UPSTREAM OF BODY
C = 2 RAKE IS ON LOWER EXTENDED LIP
C = 3 RAKE IS COMPLETELY IN INLET UPSTREAM OF HUB
C = 4 RAKE IS DOWNSTREAM OF AND ABOVE HUB
C = 5 RAKE IS DOWNSTREAM OF AND BELOW HUB
C = 6 RAKE IS OUTSIDE AND BELOW INLET
C = 7 RAKE IS OUTSIDE AND ABOVE INLET
THEAL = 0.0
THEAH = 0.0
IF(IRAK(I).EQ.1) GO TO 40
IF(IRAK(I).EQ.2) GO TO 60
IF(IRAK(I).EQ.3) GO TO 70
IF(IRAK(I).EQ.4) GO TO 80
IF(IRAK(I).EQ.5) GO TO 90
IF(IRAK(I).EQ.6) GO TO 220
IF(IRAK(I).EQ.7) GO TO 230
40 WRITE(6,500) I
IF(ICOMP.EQ.0) WRITE(6,521)
IF(ICOMP.EQ.1) WRITE(6,522)
DO 45 L = NPL,J3
LL = L-NPL+1
YINT(LL) = YOFF(L)
IF(ICOMP.EQ.0) RV(LL) = VXINC(L)*RHOTOT
RHO = (PSOFP(I)**(1./1.4))
IF(ICOMP.EQ.1) RV(LL) = VXCOM(L)*RHO*RHOTOT
45 CONTINUE
CALL INTEG(RV,YINT,WTOT(I),LL)
L1 = NPL+1
DO 46 L = L1,J3
LL = L-NPL+1
CALL INTEG(RV,YINT,W,LL)
WFRAC(LL) = W/WTOT(I)
46 CONTINUE
WFRAC(1) = 0.0
DO 100 N = NPL,J3

```

```
NW = N-NPL+1
IF(ICOMP.EQ.0) WRITE(6,550) NW,XOFF(N),YOFF(N),VXINC(N),VYINC(N),
1 VRE(N),THETA(N),XMACO(N),PSOFP(N),WFRAC(NW)
IF(ICOMP.EQ.1) WRITE(6,560) NW,XOFF(N),YOFF(N),VXCOM(N),VYCOM(N),
1 VRECOM(N),THETA(N),VBARO(N),CHACO(N),RBOOT(N),PSOFP(N),WFRAC(NW)
100 CONTINUE
GO TO 50
60 WRITE(6,500) I
IF(ICOMP.EQ.0) WRITE(6,521)
IF(ICOMP.EQ.1) WRITE(6,522)
DO 110 I10 = NXHI1,NS1
IF((XOFF(NPL).GE.XON(I10)).AND.(XOFF(NPL).LT.XON(I10+1))) THEAL =
1 ANG(I10)
110 CONTINUE
CALL INTER3(XON,NXHI1,NS1,XOFF(NPL),YINT(1),VLC,VLI,ROC,VBL,
1 CML,XML,PL,PIL)
VЛИX = VLI*COS(THEAL)
VLIY = VLI*SIN(THEAL)
VLCX = VLC*COS(THEAL)
VLCY = VLC*SIN(THEAL)
THEAL = THEAL*180.0/3.141592654
IF(ICOMP.EQ.0) RV(1) = VЛИX*RHOTOT
IF(ICOMP.EQ.1) RV(1) = VLCX*PL**(.1./1.4)*RHOTOT
DO 120 L = NPL,J3
NW = L-NPL+2
YINT(NW) = YOFF(L)
IF(ICOMP.EQ.0) RV(NW) = VXINC(L)*RHOTOT
RHO=(PSOFP(L)**(.1./1.4))
IF(ICOMP.EQ.1) RV(NW) = RHO*VXCOM(L)*RHOTOT
120 CONTINUE
121 X3 = 0.0
CALL INTEG(RV,YINT,WTOT(I),NW)
IF(ICOMP.EQ.0) WRITE(6,530) XOFF(NPL),YINT(1),VЛИX,VLIY,VLI,THEAL,
1 XML,PIL,X3
IF(ICOMP.EQ.1) WRITE(6,540) XOFF(NPL),YINT(1),VLCX,VLCY,VLC,THEAL,
1 VBL,CML,ROC,PL,X3
DO 130 L=NPL,J3
LL = L-NPL+2
CALL INTEG(RV,YINT,W,LL)
L1 = L-NPL+1
WFRAC(L1) = W/WTOT(I)
IF(ICOMP.EQ.0) WRITE(6,550) L1,XOFF(L),YOFF(L),VXINC(L),VYINC(L),
1 VRE(L),THETAL,XMACO(L),PSOFP(L),WFRAC(L)
IF(ICOMP.EQ.1) WRITE(6,560) L1,XOFF(L),YOFF(L),VXCOM(L),VYCOM(L),
1 VRECOM(L),THETA(L),VBARO(L),CHACO(L),RBOOT(L),PSOFP(L),
2 WFRAC(L1)
130 CONTINUE
GO TO 50
70 DO 140 I10 = NXHI1,NS1
IF((XOFF(NPL).GE.XON(I10)).AND.(XOFF(NPL).LT.XON(I10+1))) THEAL =
1 ANG(I10)
140 CONTINUE
NNS = NH+1
DO 150 I10 = NNS,NXHI3
IF((XOFF(NPL).LE.XON(I10)).AND.(XOFF(NPL).GT.XON(I10+1))) THEAH =
1 ANG(I10)
150 CONTINUE
```

```

NHI = NPH+2
CALL INTER3(XON,NXHII,NSI,XOFF(NPL),YINT(1),VLC,VLI,ROC,VBL,
1           CML,XML,PL,PIL)
CALL INTER3(XON,NNI,NXI3,XOFF(NPL),YINT(NHI),VUC,VUI,ROCU,
1           VBU,CHU,XMUI,PIU)
160 VUC = -VUC
VUI = -VUI
VLIX = VLI*COS(THEAL)
VLIY = VLI*SIN(THEAL)
VLCX = VLC*COS(THEAL)
VLCY = VLC*SIN(THEAL)
VUIX = VUI*COS(THEAH)
VUIY = VUI*SIN(THEAH)
VUCX = VUC*COS(THEAH)
VUCY = VUC*SIN(THEAH)
THEAL = THEAL*180.0/3.141592654
THEAH = THEAH*180.0/3.141592654
WRITE(6,500) I
IF(ICOMP.EQ.0) WRITE(6,521)
IF(ICOMP.EQ.1) WRITE(6,522)
IF(ICOMP.EQ.1) RV(1) = VLCX*PL**(.1./1.4)*RHOTOT
IF(ICOMP.EQ.0) RV(1) = VLIY*RHOTOT
IF(ICOMP.EQ.0) RV(NHI) = VUIX*RHOTOT
IF(ICOMP.EQ.1) RV(NHI) = VUCX*PU**(.1./1.4)*RHOTOT
DO 165 L = NPL,J3
LL = L-NPL+2
IF(ICOMP.EQ.0) RV(LL) = VXINC(L)*RHOTOT
YINT(LL) = YOFF(L)
RH0=(PSOFPCL)**(.1./1.4)
IF(ICOMP.EQ.1) RV(LL) = VXCOM(L)*RH0*RHOTOT
165 CONTINUE
NW=LL
IRT=NPPR(I)
IF((IRAK(I)-EQ.4).AND.(XOFF(IRT).LT.XON(NXI3))) GO TO 121
X3=0.0
CALL INTEG(RV,VINT,WTOT(I),NHI)
1 IF(ICOMP.EQ.0) WRITE(6,530) XOFF(NPL),YINT(1);VLIX,VLIY,VLI;THEAL,
1           XML,PIL,X3
1 IF(ICOMP.EQ.1) WRITE(6,540) XOFF(NPL),YINT(1);VLCX,VLCY,VLC,THEAL,
1           VBL,CML,ROC,PL;X3
DO 170 L = NPL,J3
LL = L-NPL+2
CALL INTEG(RV,YINT,W,LL)
L1 = L-NPL+1
WFRAC(L1) = W/WTOT(I)
1 IF(ICOMP.EQ.0) WRITE(6,550) L1,XOFF(L),YOFF(L),VXINC(L);VYINC(L),
1           VRE(L),THETA(L),XHACO(L),PSOFP(L);WFRAC(L1)
1 IF(ICOMP.EQ.1) WRITE(6,560) L1,XOFF(L),YOFF(L),VXCOM(L);VYCOM(L),
1           VRECOM(L),THETA(L),VBARO(L),CHACO(L),RBOOT(L),PSOFPCL,
2           WFRAC(L1)
170 CONTINUE
L1=L1+1
WFRAC(L1) = 1.0
1 IF(ICOMP.EQ.0) WRITE(6,530) XOFF(NPL),YINT(NHI),VUIX,VUIY,VUI,
1           THEAH,XMUI,PIU,WFRAC(L1)
1 IF(ICOMP.EQ.1) WRITE(6,540) XOFF(NPL),YINT(NHI),VUCX,VUCY,VUC,
1           THEAH,VBU,CHU,ROCU,PU,WFRAC(L1)

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

GO TO 50
80 NT1 = NH
DO 180 I10 = NXHI2,NT1
IF((XOFF(NPL).GE.XON(I10)).AND.(XOFF(NPL).LT.XON(I10+1))) THEAL =
1 ANG(I10)
180 CONTINUE
NNN = NH+1
DO 190 I10 = NNN,NXHI3
IF((XOFF(NPL).LE.XON(I10)).AND.(XOFF(NPL).GT.XON(I10+1))) THEAH =
1 ANG(I10)
190 CONTINUE
NH1 = NPH+2
CALL INTER3(XON,NXHI2,NT1,XOFF(NPL),YINT(1),VLC,VLI,ROC,VBL,
1 CML,XML,PL,PIL)
CALL INTER3(XON,NNN,NXHI3,XOFF(NPL),YINT(NH1),VUC,VUI,ROCU,
1 VBU,CMU,XMUI,PU,PIU)
GO TO 160
90 DO 200 I10 = NXHI1,NS1
IF((XOFF(NPL).GE.XON(I10)).AND.(XOFF(NPL).LT.XON(I10+1))) THEAL =
1 ANG(I10)
200 CONTINUE
NNN = NS1+1
DO 210 I10 = NNN,NXHI2
IF((XOFF(NPL).LE.XON(I10)).AND.(XOFF(NPL).GT.XON(I10+1))) THEAH =
1 ANG(I10)
210 CONTINUE
NH1 = NPH+2
CALL INTER3(XON,NXHI1,NS1,XOFF(NPL),YINT(1),VLC,VLI,ROC,VBL,
1 CML,XML,PL,PIL)
CALL INTER3(XON,NNN,NXHI2,XOFF(NPL),YINT(NH1),VUC,VUI,ROCU,
1 VBU,CMU,XMUI,PU,PIU)
GO TO 160
220 DO 221 I10 = 1,NXHI1
IF((XOFF(NPL).LE.XON(I10)).AND.(XOFF(NPL).GT.XON(I10+1))) THEAH =
1 ANG(I10)
221 CONTINUE
WRITE(6,500) I
IF(ICOMP.EQ.0) WRITE(6,521)
IF(ICOMP.EQ.1) WRITE(6,522)
NH1 = NPH+1
CALL INTER3(XON,1, NXHI1,XOFF(NPL),YINT(NH1),VUC,VUI,ROCU,
1 VBU,CMU,XMUI,PU,PIU)
IF(ICOMP.EQ.0) RV(NH1) = -VUI*COS(THEAH)*RHOTOT
IF(ICOMP.EQ.1) RV(NH1) = -VUC*COS(THEAH)*PU*(1./1.4)*RHOTOT
VUIX = -VUI*COS(THEAH)
VUIY = -VUI*SIN(THEAH)
VUCX = -VUC*COS(THEAH)
VUCY = -VUC*SIN(THEAH)
VUI = -VUI
VUC = -VUC
THEAH = THEAH*180.0/3.141592654
DO 222 JJ = NPL,J3
J1 = JJ-NPL +1
IF(ICOMP.EQ.0) RV(J1) = VXINC(JJ)*RHOTOT
RHO=(PSOFP(CJJ)*(1./1.4))
IF(ICOMP.EQ.1) RV(J1) = RHO*VXCOM(JJ)*RHOTOT
YINT(J1) = YOFF(JJ)

```

```

222 CONTINUE
  CALL INTEG(RV,YINT,WTOT(I),NH1)
  DO 223 J = NPL,J3
    J1 = J-NPL+2
    CALL INTEG(RV,YINT,W,J1)
    WFRAC(J1) = W/WTOT(I)
    WFRAC(1) = 0.0
    J2 = J1-1
    IF(ICOMP.EQ.0) WRITE(6,550) J2,XOFF(J),YOFF(J),VXINC(J),VYINC(J),
    1 VRE(J),THETA(J),XMAC0(J),PSOFP(J),WFRAC(J2)
    IF(ICOMP.EQ.1) WRITE(6,560) J2,XOFF(J),YOFF(J),VXCOM(J),VYCOM(J),
    1 VRECOM(J),THETA(J),VBAR0(J),CMAC0(J),RBOOT(J),PSOFP(J),WFRAC(J2)
223 CONTINUE
  J2 = J2+1
  IF(ICOMP.EQ.0) WRITE(6,550) J2,XOFF(NPL),YINT(NH1),VUIX,VUIY,VUI,
  1 THEAH,XMUI,PIU,WFRAC(J2)
  IF(ICOMP.EQ.1) WRITE(6,560) J2,XOFF(NPL),YINT(NH1),VUCX,VUCY,VUC,
  1 THEAH,VBU,CHU,ROCU,PU,WFRAC(J2)
  GO TO 50
230 WRITE(6,500) I
  IF(ICOMP.EQ.0) WRITE(6,521)
  IF(ICOMP.EQ.1) WRITE(6,522)
  DO 231 I10 = NXHI3,NT
    IF((XOFF(NPL).GE.XON(I10)).AND.(XOFF(NPL).LT.XON(I10+1))) THEAL =
    1 ANG(I10)
231 CONTINUE
  NH1 = NPH+1
  CALL INTER3(XON,NXHI3,NT ,XOFF(NPL),YINT(1),VLC,VLI,ROC,VBL,
  1 CML,XML,PL,PIL)
  VLIX = VLI*COS(THEAL)
  VLIY = VLI*SIN(THEAL)
  VLCX = VLC*COS(THEAL)
  VLCY = VLC*SIN(THEAL)
  THEAL = THEAL+180.0/3.141592654
  IF(ICOMP.EQ.0) RV(1) = VLIX*RHOTOT
  IF(ICOMP.EQ.1) RV(1) = VLCX*PL**(.1./1.4)*RHOTOT
  DO 232 J = NPL,J3
    J1 = J-NPL+2
    IF(ICOMP.EQ.0) RV(J1) = VXINC(J)*RHOTOT
    RHO=(PSOFP(J)**(.1./1.4))
    IF(ICOMP.EQ.1) RV(J1) = RHO*VXCOM(J)*RHOTOT
    YINT(J1) = YOFF(J)
232 CONTINUE
  CALL INTEG(RV,YINT,WTOT(I),NH1)
  WFRAC(1) = 0.0
  IF(ICOMP.EQ.0) WRITE(6,530) XOFF(NPL),YINT(1),VLIX,VLIY,VLI,THEAL,
  1 XML,PIL,WFRAC(1)
  IF(ICOMP.EQ.1) WRITE(6,540) XOFF(NPL),YINT(1),VLCX,VLCY,VLC,THEAL,
  1 VBL,CML,ROC,PL,WFRAC(1)
  DO 233 J = NPL,J3
    J1 = J-NPL+2
    CALL INTEG(RV,YINT,W,J1)
    WFRAC(J1) = W/WTOT(I)
    J2 = J1-1
    IF(ICOMP.EQ.0) WRITE(6,550) J2,XOFF(J),YOFF(J),VXINC(J),VYINC(J),
    1 VRE(J),THETA(J),XMAC0(J),PSOFP(J),WFRAC(J1)
    IF(ICOMP.EQ.1) WRITE(6,560) J2,XOFF(J),YOFF(J),VXCOM(J),VYCOM(J),

```

ORIGINAL PAGE IS  
OF POOR QUALITY

229

```
1 VRECOM(J), THETA(J), VBARO(J), CHACO(J), RBOOT(J), PSOPC(J), WFRAC(J)
233 CONTINUE
50 CONTINUE
C THE FOLLOWING CALCULATES INTEGRATED RAKE WEIGHT FLOW DATA
  WRITE(6,570)
  DO 240 I=1,K
    WTOT(I) = WTOT(I)*32.174/12.0
    IF(I.EQ.1) NPL = 1
    IF(I.NE.1) NPL = NPPR(I-1) + 1
    I9 = NPPR(I)
    IF(IRAK(I).EQ.1) AREA = YOFF(I9)-YOFF(NPL)
    IF(IRAK(I).EQ.2) CALL INTER(XON,YON,NXHI1,NST3,XOFF(NPL),YL)
    IF(IRAK(I).EQ.2) AREA = YOFF(I9)-YL
    IF(IRAK(I).EQ.3).OR.(IRAK(I).EQ.4).OR.(IRAK(I).EQ.5)) AREA =
    IF((IRAK(I).EQ.3).OR.(IRAK(I).EQ.4).OR.(IRAK(I).EQ.5)) AREA =
      AROFF(NPL)
    IF((IRAK(I).EQ.4) CALL INTER(XON,YON,NXHI2,NH,XOFF(NPL),Y)
    IF((IRAK(I).EQ.4).AND.(XOFF(I9).LT.XON(NXHI3))) AREA=YOFF(I9)-Y
    IF((IRAK(I).EQ.6) CALL INTER(XON,YON,1, NXHI1,XOFF(NPL),YH)
    IF((IRAK(I).EQ.6) AREA = YH-YOFF(NPL)
    IF((IRAK(I).EQ.7) CALL INTER(XON,YON,NXHI3,NT, XOFF(NPL),YL)
    IF((IRAK(I).EQ.7) AREA = YOFF(I9)-YL
    WDOTCA = WTOT(I)/AREA*12.0*SQRT(TTOTAL/518.67)/PTC*2116.23
    EM=0.0
235 EF = 85.3848*EM/(1.0+0.2*EM*EM)**3.0-WDOTCA
    DFDM = 85.3848/(1.0+0.2*EM*EM)**3.0*(1.0-1.2*EM*EM/(1.0+0.2*EM*EM))
    1
    EM = EM-EF/DFDM
    IF(ABS(EF/DFDM/(EM+EF/DFDM)).GT.0.01) GO TO 235
    WRITE(6,580) I,XOFF(NPL),IRAK(I),WTOT(I),WDOTCA,EM
    IF(XOFF(NPL).EQ.XTEST) EMSTOR=EM
240 CONTINUE
  RETURN
C *****FORMATS*****
 1 FORMAT(1H1)
500 FORMAT(//,10X,"RAKE NUMBER ",I2)
521 FORMAT(/,2X,"I",6X,"X",10X,"Y",9X,"VX",9X,"VY",9X,"VRE",7X,"THETA"
 1 ,6X,"MACH",6X,"PS/PT",4X,"WFRAC",/)
522 FORMAT(/,2X,"I",6X,"X",10X,"Y",9X,"VX",9X,"VY",9X,"VRE",7X,"THETA"
 1 ,7X,"VBL",7X,"MACH",6X,"RB/RT",3X,"PS/PT",4X,"WFRAC",/)
530 FORMAT(4X,1P7E11.3,0PF8.4,1PE11.3)
540 FORMAT(4X,1P8E11.3,0P2F8.4,1PE11.3)
550 FORMAT(I4,1P7E11.3,0PF8.4,1PE11.3)
560 FORMAT(I4,1P8E11.3,0P2F8.4,1PE11.3)
570 FORMAT(//,10X,"RAKE WEIGHT FLOW DATA",/,3X,"I",8X,"X",4X,"IRAK",
 1 ,4X,"WDOT",10X,"WDOTCA",8X,"MACH",/)
580 FORMAT(I4,5X,0PF8.4,I4,1P3E14.5)
  END
```

```

      SUBROUTINE VBARIT(VBAP,ATOTAL,RHOTOT,RHOBAR)
C THIS SUBROUTINE ITERATIVELY CALCULATES RHORAP
C
      VCRIT = ATOTAL/SQRT(1.2)
      I=1
      VGUES = VBAP
10   VGUESA = (VGUES/ATOTAL)**2
      A = 1.0-0.2*VGUESA
      R = A -VGUESA
      VCOMP = (VRAR-A**2+5*VGUES)/(A**1.5*B)+VGUES
      IF(ABS((VCOMP-VGUES)/VCOMP).LT.0.0001) GO TO 15
      I =I+1
      IF(VCOMP.GE.VCRIT) VCOMP = 0.5*(VGUES + VCRIT)
      VGUES = VCOMP
      IF(I.GT.2C) GO TO 15
      GO TO 12
15   PHOEAR = (1.0-0.2*(VCOMP/ATOTAL)**2)**2.5*RHOTOT
      IF(I.GT.2C) WRITE(6,2C) VPAP,VCOMP,RHORAR
      IF(I.GT.2C) VPAR = VCOMP*RHOBAR/RHOTOT
      RETURN
C *****FORMATS*****
2L  FORMAT(1H0,'I EXCEPDS 20 ITÉRATIONS FOR RHORAR',EX,'VEAR = '
      1      1PE1C.3,2X,'VCOMP = ',1PE10.3,2X,'RHOBAR = ',1PE10.3,/,,
      2      ' VEAR HAS BEEN REDUCED TO VCOMP*RHOBAR/RHOTOT, WHERE '
      3      'VCOMP = VCRITICAL')
      F1D

```

```
SUBROUTINE INTERP(A,B,N1,N2,C,D)
C THIS SUBROUTINE INTERPOLATES ARRAY "A" FOR THE VALUE "C".
C AND RETURNS IN "D" THE CORRESPONDING VALUE FROM "B".
C
DIMENSION X(700),Y(700),A(1),B(1)
N = N2-N1+1
DO 10 I=1,N
X(I)=A(N1+I-1)
Y(I)=B(N1+I-1)
10 CONTINUE
CALL SORTXY(X,Y,N)
DO 15 I=1,N
K=I
IF(C-X(I)) 25,25,15
15 CONTINUE
20 D = Y(K)
GO TO 30
25 IF(K,FQ,1) GO TO 35
IF(K,FQ,N) K=N-1
IF(X(K).EQ.X(K+1)) K=K-1
W1 = (C-X(K))*(C-X(K+1))/(X(K-1)-X(K))/(X(K-1)-X(K+1))
W2 = (C-X(K-1))*(C-X(K+1))/(X(K)-X(K-1))/(X(K)-X(K+1))
W3 = (C-X(K-1))*(C-X(K))/(X(K+1)-X(K-1))/(X(K+1)-X(K))
D = Y(K-1)*W1+Y(K)*W2+Y(K+1)*W3
30 RETURN
35 D = Y(1)
RETURN,
END
```

```
SUBROUTINE SORTXY(X,Y,NPTS)
C THIS SUBROUTINE SORTS "X" INTO ASCENDING ORDER
C
      DIMENSION X(300),Y(300)
      N = NPTS
      NP = 1-1
      DO 15 KT = 1,NN
      XMIN = X(KT)
      JAD = KT
      JKL = KT+1
      DO 25 JK = JKL,N
      IF(XMIN-X(JK)) 20,27,25
 25   XPIN = X(JK)
      JAD = JK
 26   CONTINUE
      YMIN = Y(JAD)
      X(JAD) = X(KT)
      Y(JAD) = Y(KT)
      X(KT) = XMIN
      Y(KT) = YMIN
 27   CONTINUE
      RETURN
      END
```

```
SUBROUTINE INTER2(I1,I2,A,B,C,D,E,F,G)
COMMON /COORD/ XON(700),YON(700),XOFF(200),YOFF(200),S(700),
1           S1(700),XTEST,XTEST1,XTEST2,YCL,YCL1,YCL2,YCL1,
2           YCL2,XR1,XR2,XRH,YR1,YR2,YRH,CUTOFF1,CUTOFF2,CUTOFF,
3           CUTOFF,ANG(700),AR(700),AROFF(200)
COMMON /VFLOC/ V1(700),V2(700),V3(700),V4(700),V5(700),V1X(200),
1           V2X(200),V3X(200),V4X(200),V5X(200),V1Y(200),
2           V2Y(200),V3Y(200),V4Y(200),V5Y(200)
COMMON /COUT/ NT,NS1,NH,NP,IW,NX,KND,ICOMP,K,NXHI1,NXHI2,NXHI3,
1           NST2,NST3,NST7,NPPR(30),IRAK(30),M1,M2,ICOMP1,IPL,
2           IHUB
C -----
CALL INTER(XON,YON,I1,I2,A,F)
CALL INTER(XON,V1,I1,I2,A,C)
CALL INTER(XON,V2,I1,I2,A,D)
CALL INTER(XON,V3,I1,I2,A,E)
CALL INTER(XON,V4,I1,I2,A,F)
IF(IHUB.NE.0) CALL INTER(XON,V5,I1,I2,A,G)
IF(IHUB.EQ.0) G=0.0
RETURN
END
```

```

SUBROUTINE INTER3(A,I1,I2,C,D,E,F,H,P,Q,R,S2,T)
COMMON /COOPD/ XON(700),YON(700),XOFF(200),YOFF(200),S(700),
1           S1(700),XTEST,XTEST1,XTEST2,YCL,YCL1,YCL2,YCLU,
2           YCU2,XR1,XR2,XRH,YR1,YR2,YRH,CUTOF1,CUTOF2,CUTOFH,
3           ELND,ANG(700),AR(700),AROFF(200)
COMMON /SOLUT/ VBAR(700),VBAR0(200),VINC(700),VXINC(200),
1           VYINC(200),RHOP(700),RBOP(700),RHOB0(200),
2           VCOM(700),RB00T(200),VRE(200),VRECOP(200),
3           VXCOM(200),VYCOM(200),THETA(200),PSOPTC(700),
4           PSOPT(700),CMACH(700),XMACH(700),CPI(700),CPC(700),
5           RH0I(700)

C -----
DIMENSION A(700)
CALL INTER(A,YON, I1,I2,C,D)
CALL INTFR(A,VCOM, I1,I2,C,E)
CALL INTER(A,VINC, I1,I2,C,F)
CALL INTER(A,RBORT,I1,I2,C,H)
CALL INTER(A,VBAR, I1,I2,C,P)
CALL TINTER(A,CHACH,I1,I2,C,O)
CALL TINTER(A,XMACH,I1,I2,C,R)
CALL INTEP(A,PSOPTC,I1,I2,C,S2)
CALL INTER(A,PSOPT, I1,I2,C,T)
RETURN
END

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```
SUBROUTINE INTEG(B,A,C,I1)
C THIS SUBROUTINE IS A TRAPEZOIDAL INTEGRATION ROUTINE
C
DIMENSION A(700),B(700)
SUM = 0.0
DO 10 I=2,I1
SUM = SUM + 0.5*(B(I)+B(I-1))*(A(I)-A(I-1))
10 CONTINUE
C = SUM
RETURN
END
```

```

SUBROUTINE CALTIT
COMMON/VELOC/ V1(700),V2(700),V3(700),V4(700),V5(700),V1X(200),
1           V2X(200),V3X(200),V4X(200),V5X(200),V1Y(200),
2           V2Y(200),V3Y(200),V4Y(200),V5Y(200)
COMMON/PICT/VPEPIN,XX,XPIN,EXP,YY,YMIN,OPD,EPSTOR,AL,AAAA
COMMON /COORD/ XON(700),YON(700),XOFF(200),YOFF(200),S(700),
1           S1(700),XTEST,XTEST1,XTEST2,YCL,YCL1,YCL2,YCU1,
2           YCU2,XR1,XR2,XRH,YR1,YR2,YRH,CUTOF1,CUTOF2,CUTOFH,
3           FLND,ANG(700),AR(700),AROFF(200)
COMMON /COUT/ NT,NS1,NH,NP,IW,NX,KNO,ICOMP,K,NXHI1,NXHI2,NXHI3,
1           NST2,NST3,NST7,NPPR(30),IRAK(30),M1,M2,ICOMP1,IPL,
2           IHUB
COMMON/SOLUT/ VPAR(700),VBAP0(200),VINC(700),VXINC(200),
1           VYINC(200),RHOB(700),RBORT(700),RHOB0(200),
2           VC0M(700),RB00T(200),VRE(200),VREC0M(200),
3           VXCOM(200),VYCOM(200),THETA(200),PSOPTC(700),
4           PSOPT(700),CMACH(700),XMACH(700),CPI(700),CPC(700),
5           RHOI(700)

C -----
C THIS SUBROUTINE TITLES THE PLOTS OF PS/PT AND MACH NUMBER VS S
C

DIMENSION BN(2),BD1(1),RD2(2),BT(3),BT2(1),BTIT(1),X(30),Y(30),
1           BT1(3)
DATA AA,AB,AC,AD,AE/*ANGLE=*,'VINF =','MACH =','AT X =',
1           'SCALE='/
DATA E1/*UPPER */,'SHROUD'/
DATA E0/* HUB */
DATA PC2/*LOWER */,'SHROUD'/
DATA PT/*INNER */,'SURFACE','E
DATA PT1/*OUTER */,'SURFACE','E
DATA ST2/*SREF */
DATA ST1/*</SREF*/
IF(IPL.EQ.1).GO TO 60
TH = 0.
NS = 12
HF = 5.25
DC 10 J = 3,10
X(1) = 0.
10 CONTINUE
Y(1) = 1.0
DO 20 I = 1,19,4
X(I) = 1.0
X(I+1) = 10.0
20 CONTINUE
K = 1
DO 30 I=2,19,2
K=K+1
Y(I) = 1.0*K
Y(I+1) = 1.0*K

```

ORIGINAL PAGE IS  
OF POOR QUALITY

```

3C CONTINUE
  CALL PLOT(B,0,1.0,3)
  DO 4C I= 1,19,2
  CALL PLOT(X(I),Y(I),2)
  CALL PLOT(X(I+1),Y(I+1),3)
4C CONTINUE
  CALL PLOT(0,G,10,0,2)
  CALL PLOT(1,C,0,3)
  DO 5C I=1,19,2
  CALL PLOT(Y(I),X(I),2)
  CALL PLOT(Y(I+1),X(I+1),3)
5C CONTINUE
  CALL PLOT(10,0,C,0,2)
  CALL PLOT(0,C,G,0,3)
A = 7.1
B = 1.3
IF(IPL.EQ.1) CALL SYMPOL(A,B,HE,BD2,TH,12)
IF(IPL.EQ.2) CALL SYMROL(A,B,HE,BD1,TH,6)
IF(IPL.EQ.3) CALL SYMPOL(A,B,HE,BD, TH,12)
IF(IPL.EQ.2) GO TO 55
A=6.1
B=8.3
HE = C.15
CALL SYMBOL(A,B,HE,1,TH,-1)
A=6.5
B=8.2
CALL SYMBOL(A,B,HE,23,TH,-1)
A=6.8
CALL SYMBOL(A,B,HE,PT,TH,18)
A=6.1
B=7.8
CALL SYMBOL(A,B,HE,2,TH,-1)
A=6.5
B=7.7
CALL SYMBOL(A,B,HE,23,TH,-1)
A=6.8
CALL SYMBOL(A,B,HE,RT1,TH,12)
55 A=7.1
B=8.6
HE=C.25
CALL SYMBOL(A,B,HE,BT2,TH,6)
A=8.4
IF(IPL.EQ.1) CALL NUMBER(A,B,HE,CUTOF1,TH,3)
IF(IPL.EQ.2) CALL NUMBER(A,B,HE,CUTOFH,TH,3)
IF(IPL.EQ.3) CALL NUMBER(A,B,HE,CUTOF2,TH,3)
A=4.65
B=3.5
HE=C.15
CALL SYMBOL(A,B,HE,RTIT,TH,6)
GO TO 100
6C XST=C.0
YST=G.0
YST1=YST
CALL PLOT(XST,YST,3)
IX=INT(XX)
IY=INT(YY)
CALL PLOT(XX,YST,2)

```

```

DO 70 I=1,IX,2
YST=YST+1.0
CALL PLOT(XX,YST,3)
CALL PLOT(0.0,YST,2)
YST=YST+1.0
IF(YST.GT.YY) GO TO 70
CALL PLOT(0.0,YST,3)
CALL PLOT(XX,YST,2)
70 CONTINUE
CALL PLOT(0.0,YST1,3)
CALL PLOT(0.0,YY,2)
DO 75 I=1,IX,2
XST=XST+1.0
CALL PLOT(XST,YY,3)
CALL PLOT(XST,0.0,2)
XST=XST+1.0
IF(XST.GT.XX) GO TO 75
CALL PLOT(XST,0.0,3)
CALL PLOT(XST,YY,2)
75 CONTINUE
CALL PLOT(0.0,YST1,3)
PIO=3.141592654/180.0
DO 80 I=1,NP
IF(ICOMP.EQ.0) GO TO 76
VX=VXC0M(I)
VY=VYCOM(I)
VRES=VRECOM(I)
GO TO 77 .
76 VX=VXINC(I)
VY=VYINC(I)
VPES=VPE(I)
77 SJZ2=VRES/VPERIN
IF(VX.EQ.0) VX=.000000000
ANGLE=-SIGN(90.,VX)+ATAN(VY/VX)/PIO
XP=(XOFF(I)-XMIN)/EXEP
YP=(YOFF(I)-YMIN)/ORD
IF(XP.GT.XX.OR.XP.LT.-.C.0.OR.YP.GT.YY.OR.YP.LT.-.C.) GO TO 80
SIZ=AMIN1(.4/.21.*SIZE,.15)
SIZ2=SIZE-0.5*SIZ
XHEAD=XP+VX/VPERIN/SIZE*SIZ2
YHEAD=YP+VY/VPERIN/SIZE*SIZ2
CALL SYMBOL(XP,YP,SIZ2,16,ANGLE,-1)
CALL SYMBOL(XHEAD,YHEAD,SIZ2,ANGLE,-1)
80 CONTINUE
CALL SYMBOL(XY+.15,.4,.0.2,AA,.C.,6)
CALL NUMBER(XX+1.25,.4,.0.2,AL,0.,3)
CALL SYMBOL(XX+.15,.3.5,.0.2,AB,.C.,6)
CALL NUMBER(XX+1.25,.3.5,.0.2,AAAA,.C.,3)
CALL SYMBOL(XX+.15,.3.,.0.2,AC,.C.,6)
CALL NUMBER(XX+1.25,.3.,.0.2,EMSTOR,0.,3)
CALL SYMBOL(XX+.15,.2.7,.0.2,AD,.C.,6)
CALL NUMBER(XX+1.25,.2.7,.0.2,XTEST,0.,3)
CALL SYMBOL(XX+.15,.2.2,.0.2,AE,.C.,6)
CALL NUMBER(XX+1.25,.2.2,.0.2,VPERIN,0.,3)
170 RETURN
END

```

```
SUBROUTINE PLTER(N1,N11,NHI,IS,K1)
COMMON /CLPLOT/ XOPEN,YOPEN,NX6,NY,IPFN,XLAPEL(1G),YLABEL(1G)
COMMON /COORD/ XON(700),YON(700),XOFF(200),YOFF(200),S(700),
1           S1(700),XTEST,XTEST1,XTEST2,YCL,YCU,YCL1,YCL2,YCU1,
2           YCU2,XR1,XR2,XRH,YR1,YR2,YRH,CUTOF1,CUTOF2,CUTOFH,
3           ELND,ANG(700),AR(700),AROFF(200)
COMMON /CONT/ VC,VS1,VS2,XMC,XMC1,XMC2,WDOTC,WDOTC1,WDOTC2,
1           TITLE(3),VINF,ALFA,A,B,C,D,A1C,A2C,A3C,A4C,A5C,A11,
2           A21,A31,A41,A51,A12,A22,A32,A42,A52,VIC,VIC1,VIC2
COMMON /COUT/ NT,NS1,NH,NP,IW,NX,KND,ICOMP,K,NXHI1,NXHI2,NXHI3,
1           NST2,NST3,NST7,NPPR(30),IRAK(30),M1,M2,ICOMP1,IPL,
2           IHUP
COMMON /SOLUT/ VBAR(700),VBAR0(200),VINC(700),VXINC(200),
1           VYINC(200),RHOB(700),RBORT(700),RHOB0(200),
2           VCOM(700),PB00T(200),VRE(200),VRECOM(200),
3           VXCOM(200),VYCOM(200),THETA(200),PSOPTC(700),
4           PSOPT(700),CMACH(700),XMACH(700),CPI(700),CPC(700),
5           RHOI(700)
C -----
C THIS SUBROUTINE PLOTS PS/PT AND MACH NUMBER VS S
C
      DIMENSION YD(4),YDD(3),XPLOT(500),YPLOT(500),KKK(7),P(14)
      KKK(1) = 4
      KKK(2) = 1
      KKK(3) = 2
      KKK(4) = 1
      KKK(5) = 1
      KKK(6) = N1
      KKK(7) = N11
      P(1) = 3.0
      P(2) = 10.0
      P(3) = 6.0
      P(4) = 1.0
      P(5) = 10.0
      P(6) = 0.5
      P(7) = 1.0
      P(8) = 10.0
      P(9) = 0.5
      P(10)=0.0
      P(11)=0.0
      P(12)=0.0
      P(13)=0.0
      P(14)=91.0
      DATA YD(1),YD(2),YD(3),YD(4) /'PRESSU','RE RAT','ID, PS','PTC'/
1      /
      DATA YDD(1),YDD(2),YDD(3)/ 'LOCAL ','MACH N','0.      '/
      DO 10 I=1,4
      YLABEL(I) = YD(I)
10  CONTINUE
      XLAPEL(1) = TITLE(1)
      XLAPEL(2) = TITLE(2)
      XLAPEL(3) = TITLE(3)
      XOPEN = 0.0
      YOPEN = 0.0
      IPEN = -3
      NX6=-18
```

```

NY=24
IF(K1.EQ.2) GO TO 31
DO 20 I=1,N1
XPL0T(I)=S1(NHI+I-1)
IF(ICOMP.EQ.0) YPL0T(I)=PSOPT(NHI+I-1)
IF(ICOMP.EQ.1) YPL0T(I)=PSOPTC(NHI+I-1)
20 CONTINUE
DO 30 I=1,N11
XPL0T(N1+I)=S1(IS+I-1)
IF(ICOMP.EQ.0) YPL0T(N1+I)=PSOPT(IS+I-1)
IF(ICOMP.EQ.1) YPL0T(N1+I)=PSOPTC(IS+I-1)
30 CONTINUE
GO TO 35
31 DO 32 I=1,N1
XPL0T(I)=S1(NHI-I+1)
IF(ICOMP.EQ.0) YPL0T(I)=PSOPT(NHI-I+1)
IF(ICOMP.EQ.1) YPL0T(I)=PSOPTC(NHI-I+1)
32 CONTINUE
33 DO 34 I=1,N11
XPL0T(N1+I)=S1(NHI+I)
IF(ICOMP.EQ.0) YPL0T(N1+I)=PSOPT(NHI+I)
IF(ICOMP.EQ.1) YPL0T(N1+I)=PSOPTC(NHI+I)
34 CONTINUE
35 CALL CALPLT(XPL0T,YPL0T,KKK,P)
IF(K1.EQ.2) GO TO 61
DO 40 I=1,N1
IF(ICOMP.EQ.0) YPL0T(I)=XMACH(NHI+I-1)
IF(ICOMP.EQ.1) YPL0T(I)=CMACH(NHI+I-1)
40 CONTINUE
DO 50 I=1,N11
IF(ICOMP.EQ.0) YPL0T(N1+I)=XMACH(IS+I-1)
IF(ICOMP.EQ.1) YPL0T(N1+I)=CMACH(IS+I-1)
50 CONTINUE
51 TO 65
61 DO 62 I=1,N1
IF(ICOMP.EQ.0) YPL0T(I)=XMACH(NHI-I+1)
IF(ICOMP.EQ.1) YPL0T(I)=CMACH(NHI-I+1)
62 CONTINUE
DO 63 I=1,N11
IF(ICOMP.EQ.0) YPL0T(N1+I)=XMACH(NHI+I)
IF(ICOMP.EQ.1) YPL0T(N1+I)=CMACH(NHI+I)
63 CONTINUE
64 DO 65 I=1,3
YLAPEL(I)=YDD(I)
65 CONTINUE
NY=18
P(7)=2.0
CALL CALPLT(XPL0T,YPL0T,KKK,P)
RTUPA
END

```

241

TEST CASE INPUT AND OUTPUT

ORIGINAL PAGE IS  
OF POOR QUALITY

PROGRAM SCIRCL

GEOOMETRY ONLY, SCIRCLE RELEASE 2-5 FRESH DELS AT START OF EACH BODY

INPUT FILE DUMP

2-D OCSEE MOD 3A					
16.0	-2.0	1.0	8.0	-4.0	1.0
<u>OLSH3A</u>	<u>234</u>				
2.0	-3	.75	0.0		
6					
-1.0	-5.0	5.0	20		
-0.5	-5.0	5.0	20		
1.0	-2.2	2.2	20		
2.096	-2.1	2.1	20		
4.096	-2.1	2.1	20		
12.009	-3.1	3.1	20		
1.	b.				
10.					
36.0		12.009			
-3.9603		-3.9603			
1.0					
12.009	2.669				
-3.9603	-3.9603				
1000.	1.7667	2.2463			
4.0	2.669		0.0	0.0	
-3.9603	-3.9603		-3.326	0.0	
1000.	2.	2.			
0.0	0.0		2.096	4.0	
-5.0	-3.326		-2.278	-2.278	
-3.0					
0.0	2.096	12.009	14.0		
-2.278	-2.278	-3.287	-3.287		
1.0					
12.009	36.0				
-3.287	-3.287				
0.0	0.0				

ORIGINAL PAGE IS  
OF POOR QUALITY

GEOMETRY ONLY, SCIPOL RELEASE 2+5 FRESH DFLS AT START OF EACH BODY

CASE "QCSM3A" 2-0 UCSEF HOD 3A

FLAG INPUT, 1ST RECORD - FOREOD, 2ND - PUNCH,PLOT,REDO FLAGS

0000

QCSM3A 23Y 010 0 0 0 0 0 0 0

NO. OF BODIES = 2 DELS = .300 DELSMX = .750 XRI = .0000000

\*\*\*\*\* HUB \*\*\*\*\*

ENREED STRAIGHT LINE  
 $\begin{array}{ll} 10.160 & X = 2.6000+01 \\ Y = -3.9603+00 & \end{array}$  1.2009+01 -3.9603+00

LAST POINT K= 35, X= .12009+02, Y= -.39603+01, KAPPA= .00000, DY/DX= .00000, ALPHA= .00000

ENREED STRAIGHT LINE  
 $\begin{array}{ll} 1.000 & X = 1.2009+01 \\ Y = -3.9603+00 & \end{array}$  2.6690+00 -3.9603+00

LAST POINT K= 66, X= .26690+01, Y= -.39603+01, KAPPA= .00000, DY/DX= .00000, ALPHA= .00000  
 ENREED= 1000+40

EXPONENTS		SUPERELLIPSE					
P = 1.767	X = .00000+00	2.6690+00	0.0000	0.0000	0.0000	0.0000	0.0000
Q = 2.246	Y = -3.9603+00	-3.9603+00	.0.0000	0.0000	-3.3260+00	.0.0000	
P = .17667000+01	A = .26690000+01	X0 = .26690000+01					
Q = .22463000+01	B = .63429999+00	Y0 = -.13326000+01					
OMEGA = .00000000							

8 ITERATIONS  
 DELS IN = .30129 DELS = .24226 DELS OUT = .08685 DSTEST = .00055 FINAL PAGE = .05000

LAST POINT K= 85, X= .00000, Y= -.35260+01, KAPPA= -.10483+01, DY/DX= -.99999+05, ALPHA= -.89999+02  
 ENREED= 1000+00

EXPONENTS		SUPERELLIPSE					
P = 2.000	X = .0.0000	0.0000	0.0000	0.0000	2.0960+00	4.0000+00	
Q = 2.000	Y = .0.0000+00	-3.3260+00	0.0000	0.0000	-2.2780+00	-2.2780+00	
P = .20000000+01	A = .10480000+01	X0 = -.16740000+01					
Q = .20000000+01	B = .20960000+01	Y0 = .29040000+01					
OMEGA = .00000000							

8 ITERATIONS  
 DELS IN = .08685 DELS = .08685 DFLS OUT = .25072 DSTEST = .00249 FINAL PAGE = .05185

LAST POINT K= 105, X= .20960+01, Y= -.22780+01, KAPPA= -.23855+00, DY/DX= .00000, ALPHA= .00000

ENREED CUPIC  
 $\begin{array}{ll} -3.00 & X = 0.0000 \\ Y = -2.2780+00 & \end{array}$  2.0960+00 1.2009+01 1.4000+01

2 ITERATIONS A = 2.07160+03 B = -4.38299+02 C = 1.56432+01 D = -2.43246+00  
 DELS IN = .25072 DELS = .24871 DFLS OUT = .24871 DSTEST = .00073

LAST POINT K= 143, X= .12009+02, Y= -.32870+01, KAPPA= .61616-01, DY/DX= .44860-04, ALPHA= .25703-02

GEOOMETRY ONLY, SCIRCLE RELEASE 2-5 FRESH DFLS AT START OF EACH BODY

ENREED STRAIGHT LINE  
 1.000 X 1.2009+01 3.6000+01  
 V -3.2870+00 -3.2870+00  
 LAST POINT K= 178, X= .36000+02, Y= -.32870+01, KAPPA= .00000, DY/DX= .00000, ALPHA= .00000  
 \*\*\*\* SHROUD \*\*\*\*

HUB MIRRORED INTO Y CENTERLINE = .0000

INPUT FOR THE COMBINE PROGRAM NT(1)= 367 NT(2)= 354 NHUBMX= 177 NP= 120

BODY 1 CO-ORDINATES - X	Y	KAPPA	DY/DX	ALPHA	S	S-S(2)	DELTA S
1	.36000+02	-.39603+01	.00000	.00000	.00000	-.36185+02	.00000
2	.35250+02	-.39603+01	.00000	.00000	.75043+00	-.35435+02	.75043+00
3	.34499+02	-.39603+01	.00000	.00000	.15009+01	-.34684+02	.75043+00
4	.33749+02	-.39603+01	.00000	.00000	.22513+01	-.33934+02	.75043+00
5	.32998+02	-.39603+01	.00000	.00000	.30017+01	-.33184+02	.75043+00
6	.32248+02	-.39603+01	.00000	.00000	.37521+01	-.32433+02	.75043+00
7	.31497+02	-.39603+01	.00000	.00000	.45026+01	-.31683+02	.75043+00
8	.30747+02	-.39603+01	.00000	.00000	.52530+01	-.30932+02	.75043+00
9	.29997+02	-.39603+01	.00000	.00000	.60034+01	-.30182+02	.75043+00
10	.29246+02	-.39603+01	.00000	.00000	.67539+01	-.29431+02	.75043+00
11	.28496+02	-.39603+01	.00000	.00000	.75043+01	-.28681+02	.75043+00
12	.27745+02	-.39603+01	.00000	.00000	.82547+01	-.27931+02	.75043+00
13	.26995+02	-.39603+01	.00000	.00000	.90052+01	-.27180+02	.75043+00
14	.26244+02	-.39603+01	.00000	.00000	.97554+01	-.26430+02	.75043+00
15	.25494+02	-.39603+01	.00000	.00000	.10506+02	-.25679+02	.75043+00
16	.24744+02	-.39603+01	.00000	.00000	.11256+02	-.24929+02	.75043+00
17	.23993+02	-.39603+01	.00000	.00000	.12007+02	-.24178+02	.75043+00
18	.23243+02	-.39603+01	.00000	.00000	.12757+02	-.23428+02	.75043+00
19	.22492+02	-.39603+01	.00000	.00000	.13504+02	-.22678+02	.75043+00
20	.21742+02	-.39603+01	.00000	.00000	.14258+02	-.21927+02	.75043+00
21	.20991+02	-.39603+01	.00000	.00000	.15019+02	-.21177+02	.75043+00
22	.20241+02	-.39603+01	.00000	.00000	.15756+02	-.20426+02	.75043+00
23	.19491+02	-.39603+01	.00000	.00000	.16509+02	-.19676+02	.75043+00
24	.18740+02	-.39603+01	.00000	.00000	.17260+02	-.18925+02	.75043+00
25	.17990+02	-.39603+01	.00000	.00000	.18010+02	-.18175+02	.75043+00
26	.17239+02	-.39603+01	.00000	.00000	.18761+02	-.17425+02	.75043+00
27	.16489+02	-.39603+01	.00000	.00000	.19511+02	-.16674+02	.75043+00
28	.15738+02	-.39603+01	.00000	.00000	.20262+02	-.15924+02	.75043+00
29	.14988+02	-.39603+01	.00000	.00000	.21012+02	-.15173+02	.75043+00
30	.14241+02	-.39603+01	.00000	.00000	.21759+02	-.14427+02	.74650+00
31	.13492+02	-.39603+01	.00000	.00000	.22381+02	-.13805+02	.62208+00
32	.13101+02	-.39603+01	.00000	.00000	.22899+02	-.13286+02	.51840+00
33	.12669+02	-.39603+01	.00000	.00000	.23331+02	-.12854+02	.43200+00
34	.12309+02	-.39603+01	.00000	.00000	.23691+02	-.12494+02	.33600+00
35	.12009+02	-.39603+01	.00000	.00000	.23991+02	-.12194+02	.33000+00
36	.11718+02	-.39603+01	.00000	.00000	.24292+02	-.11893+02	.30129+00
37	.11406+02	-.39603+01	.00000	.00000	.24594+02	-.11592+02	.30129+00
38	.11105+02	-.39603+01	.00000	.00000	.24895+02	-.11290+02	.30129+00
39	.10804+02	-.39603+01	.00000	.00000	.25196+02	-.10989+02	.30129+00
40	.10503+02	-.39603+01	.00000	.00000	.25497+02	-.10688+02	.30129+00
41	.10201+02	-.39603+01	.00000	.00000	.25799+02	-.10387+02	.30129+00
42	.99000+01	-.39603+01	.00000	.00000	.26100+02	-.10085+02	.30129+00

-----  
 GEOMETRY ONLY, SOURCE RELEASE 2-5 FRESH DEL'S AT START OF EACH BODY

43	.95987+01	-39603+01	.00000	.00000	.CD000	.26401+02	-.97840+01	.30129+00
44	.92974+01	-39603+01	.00000	.00000	.LC000	.26703+02	-.94827+01	.30129+00
45	.89961+01	-39603+01	.00000	.00000	.00000	.27004+02	-.91814+01	.30129+00
46	.86948+01	-39603+01	.00000	.00000	.00000	.27305+02	-.88801+01	.30129+00
47	.83935+01	-39603+01	.00000	.00000	.00000	.27606+02	-.65789+01	.30129+00
48	.80922+01	-39603+01	.00000	.00000	.00000	.27908+02	-.82776+01	.30129+00
49	.77909+01	-39603+01	.00000	.00000	.00000	.28209+02	-.79713+01	.30129+00
50	.74896+01	-39603+01	.00000	.00000	.00000	.28510+02	-.76750+01	.30129+00
51	.71884+01	-39603+01	.00000	.00000	.00000	.28812+02	-.73737+01	.30129+00
52	.68871+01	-39603+01	.00000	.00000	.00000	.29113+02	-.70724+01	.30129+00
53	.65858+01	-39603+01	.00000	.00000	.00000	.29414+02	-.67711+01	.30129+00
54	.62845+01	-39603+01	.00000	.00000	.00000	.29716+02	-.64698+01	.30129+00
55	.59832+01	-39603+01	.00000	.00000	.00000	.30017+02	-.61685+01	.30129+00
56	.56819+01	-39603+01	.00000	.00000	.00000	.30318+02	-.58672+01	.30129+00
57	.53806+01	-39603+01	.00000	.00000	.00000	.30619+02	-.55660+01	.30129+00
58	.50793+01	-39603+01	.00000	.00000	.00000	.30921+02	-.52647+01	.30129+00
59	.47780+01	-39603+01	.00000	.00000	.00000	.31222+02	-.49634+01	.30129+00
60	.44767+01	-39603+01	.00000	.00000	.00000	.31523+02	-.46621+01	.30129+00
61	.41755+01	-39603+01	.00000	.00000	.00000	.31825+02	-.43608+01	.30129+00
62	.38742+01	-39603+01	.00000	.00000	.00000	.32126+02	-.40595+01	.30129+00
63	.35729+01	-39603+01	.00000	.00000	.00000	.32427+02	-.37582+01	.30129+00
64	.32716+01	-39603+01	.00000	.00000	.00000	.32728+02	-.34569+01	.30129+00
65	.29703+01	-39603+01	.00000	.00000	.00000	.33030+02	-.31556+01	.30129+00
66	.26690+01	-39603+01	.99999+05	.00000	.00000	.33331+02	-.28543+01	.30129+00
67	.24389+01	-39566+01	-.97327+01	-.28761+01	-.16474+01	.33561+02	-.26242+01	.23017+00
68	.22203+01	-39481+01	-.87852+01	-.48804+01	-.27941+01	.33780+02	-.24055+01	.21871+00
69	.20129+01	-39360+C1	-.86760+01	-.66920+01	-.38285+01	.33988+02	-.21977+01	.20780+00
70	.18160+01	-39212+01	-.89803+01	-.64391+01	-.48238+01	.34185+02	-.20002+01	.19744+00
71	.16292+01	-39038+01	-.96059+01	-.10192+00	-.50196+01	.34373+02	-.18126+01	.18760+00
72	.14520+01	-38841+01	-.10553+00	-.12005+00	-.68457+01	.34551+02	-.16344+01	.17825+00
73	.12841+01	-38624+01	-.11872+00	-.13929+00	-.79299+00	.34726+02	-.14656+01	.16937+00
74	.11249+01	-38386+01	-.13667+00	-.16022+00	-.91027+01	.34881+02	-.13040+01	.16095+00
75	.97412+00	-38127+01	-.16109+00	-.18355+00	-.10401+02	.35034+02	-.11511+01	.15296+00
76	.83145+00	-37847+01	-.19479+00	-.21027+00	-.11874+02	.35180+02	-.10057+01	.14539+00
77	.69661+00	-37543+01	-.24254+00	-.24180+00	-.13593+02	.35318+02	-.86747+00	.13823+00
78	.56937+00	-37212+01	-.31277+00	-.28042+00	-.15665+02	.35449+02	-.73599+00	.13147+00
79	.44963+C0	-36846+01	-.42159+00	-.31300+00	-.18264+02	.35574+02	-.61085+00	.12515+00
80	.33744+00	-36443+01	-.60257+00	-.39803+00	-.21704+02	.35694+02	-.49155+00	.11930+00
81	.23316+00	-35979+C1	-.79346+00	-.50007+00	-.26605+02	.35808+02	-.37742+00	.11412+00
82	.14096+00	-35446+01	-.15981+01	-.67616+00	-.34065+02	.35914+02	-.27095+00	.10647+00
83	.63937+01	-34806+01	-.130351+01	-.10661+01	-.46833+02	.36015+02	-.17076+00	.10202+00
84	.16302+01	-34104+01	-.49974+01	-.22986+01	-.66489+02	.36099+02	-.85934+01	.84823+01
85	.CF000	-33260+01	-.19084+01	.99900+03	.90000+02	.36185+02	-.00000	.85934+01
86	.64698-C2	-32437+01	-.18566+01	.63440+01	.81042+02	.36268+02	-.82596+01	.82596+01
87	.24406+01	-.31665+01	-.117255+01	.12477+01	.72886+02	.36347+02	-.16178+00	.79179+01
88	.56514+01	-.30973+01	-.15626+01	.72361+01	.65905+02	.36421+02	-.23576+00	.73988+01
89	.82491-L1	-.30349+01	-.13964+01	.17291+01	.59950+02	.36491+02	-.30593+00	.70138+01
90	.12358+00	-.29715+01	-.112257+01	.13908+01	.54284+02	.36567+02	-.38147+00	.75566+01
91	.17420+00	-.29077+01	-.10621+01	.11486+01	.48956+02	.36648+02	-.46280+00	.81413+01
92	.27467+00	-.28442+01	-.91354+00	.96575+00	.44002+02	.36736+02	-.55659+00	.87711+01
93	.30279+00	-.27834+01	-.78751+00	.82623+C0	.39564+02	.36827+02	-.64187+00	.91278+01
94	.38147+C0	-.27232+01	-.67846+00	.71103+00	.35414+02	.36926+02	-.74997+00	.99097+01
95	.47113+00	-.26640+01	-.58600+00	.61362+00	.31534+02	.37034+02	-.84839+00	.10742+00
96	.57218+00	-.26064+01	-.50871+00	.52941+00	.27897+02	.37150+02	-.96469+00	.11630+00
97	.68511+00	-.25510+01	-.44473+00	.45551+00	.24741+02	.37276+02	-.10905+01	.12580+00
98	.81466+00	-.24983+01	-.39220+00	.38827+00	.21220+02	.37412+02	-.12265+01	.13598+00
99	.94882+00	-.24489+01	-.34942+00	.32698+00	.18107+02	.37559+02	-.13734+01	.14691+00

"GEOMETRY ONLY, SCIRCLE RELEASE 2-5 FRESH DELS AT START OF EACH BODY"

100	.11009+01	.24036+01	.31494+00	.26972+00	.15095+02	.37717+02	.15320+01	.15864+00
101	.12673+01	.-23634+01	.-28761+00	.21521+00	.12145+02	.37889+02	.17033+01	.17126+00
102	.14490+01	.-23292+01	.-26661+00	.16227+00	.92168+01	.38073+02	.16881+01	.16485+00
103	.16467+01	.-23024+01	.-25144+00	.10973+00	.62623+01	.38273+02	.20876+01	.19950+00
104	.18612+01	.-22646+01	.-24196+00	.56356+01	.32255+01	.38486+02	.23029+01	.21529+00
105	.20760+01	.-22780+01	.-61607+01	.18626+08	.10672+06	.38723+02	.25378+01	.23485+00
106	.23177+01	.-22798+01	.-58534+01	.-14761+01	.84568+00	.38969+02	.27835+01	.24569+00
107	.25894+01	.-22852+01	.-55406+01	.-28882+01	.-16543+01	.39217+02	.30312+01	.24773+00
108	.28390+01	.-22942+01	.-52232+01	.-42342+01	.-24246+01	.39466+02	.32810+01	.24978+00
109	.30905+01	.-23064+01	.-49022+01	.-55122+01	.-31551+01	.39718+02	.35320+01	.25182+00
110	.33439+01	.-23219+01	.-45786+01	.-67201+01	.-38445+01	.39972+02	.37867+01	.25385+00
111	.35991+01	.-23406+01	.-42531+01	.-78559+01	.-44919+01	.40228+02	.40425+01	.25586+00
112	.38586+01	.-23621+01	.-39262+01	.-89177+01	.-50960+01	.40486+02	.43003+01	.25781+00
113	.41145+01	.-23865+01	.-35987+01	.-99035+01	.-56558+01	.40745+02	.45600+01	.25972+00
114	.43747+01	.-24134+01	.-32709+01	.-10811+00	.-61705+01	.41007+02	.48216+01	.26155+00
115	.46363+01	.-24280+01	.-29432+01	.-11640+00	.-66392+01	.41270+02	.50849+01	.26329+00
116	.48994+01	.-24744+01	.-26158+01	.-12387+00	.-70611+01	.41535+02	.53496+01	.26493+00
117	.51637+01	.-25081+01	.-22890+01	.-13051+00	.-74355+01	.41802+02	.56163+01	.26646+00
118	.54292+01	.-25435+01	.-19627+01	.-13630+00	.-77617+01	.42069+02	.58841+01	.26786+00
119	.56958+01	.-25805+01	.-16371+01	.-14124+00	.-80392+01	.42339+02	.61533+01	.26913+00
120	.59633+01	.-26189+01	.-13121+01	.-14531+00	.-82675+01	.42609+02	.64235+01	.27024+00
121	.62316+01	.-26583+01	.-98749+02	.-14849+00	.-84462+01	.42880+02	.66947+01	.27120+00
122	.65006+01	.-26986+01	.-66324+02	.-15079+00	.-85748+01	.43152+02	.69667+01	.27199+00
123	.67701+01	.-27394+01	.-33912+02	.-15218+00	.-86530+01	.43425+02	.72393+01	.27261+00
124	.70401+01	.-27806+01	.-14931+03	.-15268+00	.-86807+01	.43698+02	.75129+01	.27305+00
125	.73102+01	.-28218+01	.-30954+02	.-15227+00	.-86577+01	.43971+02	.77857+01	.27331+00
126	.75802+01	.-28628+01	.-63412+02	.-15095+00	.-85839+01	.44244+02	.80587+01	.27305+00
127	.78498+01	.-29032+01	.-95899+02	.-14673+00	.-84595+01	.44517+02	.83313+01	.27259+00
128	.81168+01	.-29428+01	.-12843+01	.-14561+00	.-82847+01	.44789+02	.86032+01	.27195+00
129	.83872+01	.-29914+01	.-16103+01	.-14161+00	.-80599+01	.45060+02	.88744+01	.27114+00
130	.86548+01	.-30186+01	.-19370+01	.-13672+00	.-77054+01	.45330+02	.91445+01	.27016+00
131	.89214+01	.-30543+01	.-22645+01	.-13097+00	.-74616+01	.45599+02	.94136+01	.26903+00
132	.91870+01	.-30882+01	.-25928+01	.-12436+00	.-70890+01	.45867+02	.96813+01	.26775+00
133	.94514+01	.-31202+01	.-29217+01	.-11691+00	.-66683+01	.46133+02	.99477+01	.26633+00
134	.97146+01	.-31499+01	.-32511+01	.-10864+00	.-62001+01	.46398+02	.10212+02	.26480+00
135	.99763+01	.-31771+01	.-35808+01	.-99550+01	.-56851+01	.46661+02	.10476+02	.26315+00
136	.-10237+02	.-32013+01	.-39704+01	.-89672+01	.-51241+01	.46922+02	.10737+02	.26190+00
137	.-10495+02	.-32236+01	.-42394+01	.-79020+01	.-45181+01	.47182+02	.10997+02	.25957+00
138	.-10752+02	.-32425+01	.-45672+01	.-67613+01	.-36681+01	.47440+02	.11254+02	.25767+00
139	.-11007+02	.-32582+01	.-48932+01	.-55471+01	.-31750+01	.47695+02	.11510+02	.25572+00
140	.-11261+02	.-32706+01	.-52166+01	.-42613+01	.-24401+01	.47949+02	.11764+02	.25374+00
141	.-11512+02	.-32797+01	.-65+01	.-29061+01	.-16646+01	.48201+02	.12015+02	.25173+00
142	.-11762+02	.-32852+01	.-18+01	.-14835+01	.-81992+00	.48450+02	.12265+02	.24970+00
143	.-12009+02	.-32870+01	.-00	.00000	.00000	.48698+02	.12513+02	.24769+00
144	.-12253+02	.-32870+01	.-00	.00000	.00000	.48947+02	.12762+02	.24871+00
145	.-12556+02	.-32870+01	.-0000	.00000	.00000	.49245+02	.13160+02	.29845+00
146	.-12914+02	.-32870+01	.-00000	.00000	.00000	.49603+02	.13418+02	.35814+00
147	.-13344+02	.-32870+01	.-00000	.00000	.00000	.50033+02	.13848+02	.42977+00
148	.-13860+02	.-32870+01	.-00000	.00000	.00000	.50549+02	.14364+02	.51573+00
149	.-14479+02	.-32870+01	.-00000	.00000	.00000	.51168+02	.14982+02	.61887+00
150	.-15221+02	.-32870+01	.-00000	.00000	.00000	.51910+02	.15725+02	.74265+00
151	.-15963+02	.-32870+01	.-01600	.00000	.00000	.52653+02	.16467+02	.74210+00
152	.-16706+02	.-32870+01	.-00000	.00000	.00000	.53395+02	.17209+02	.74210+00
153	.-17448+02	.-32870+01	.-00000	.00000	.00000	.54137+02	.17951+02	.74210+00
154	.-18190+02	.-32870+01	.-00000	.00000	.00000	.54879+02	.18694+02	.74210+00
155	.-18932+02	.-32870+01	.-00000	.00000	.00000	.55621+02	.19436+02	.74210+00
156	.-19674+02	.-32870+01	.-00000	.00000	.00000	.56363+02	.20178+02	.74210+00

ORIGINAL PAGE IS  
OF POOR QUALITY

GEOMETRY ONLY, SCIRCLE RELEASE 2-5 FRESH DEFLS AT START OF EACH BODY

157	.20416+02	-32870+01	.00000	.00000	.10100	.57105+02	.20920+02	.74210+00
158	.21158+02	-32870+01	.00000	.00000	.00000	.57847+02	.21662+02	.74210+00
159	.21900+02	-32870+01	.00000	.00000	.00000	.58589+02	.22404+02	.74210+00
160	.22642+02	-32870+01	.00000	.00000	.00000	.59331+02	.23146+02	.74210+00
161	.23364+02	-32870+01	.00000	.00000	.00000	.60074+02	.23886+02	.74210+00
162	.24126+02	-32870+01	.00000	.00000	.00000	.60816+02	.24630+02	.74210+00
163	.24869+02	-32870+01	.00000	.00000	.00000	.61558+02	.25372+02	.74210+00
164	.25611+02	-32870+01	.00000	.00000	.00000	.62300+02	.26114+02	.74210+00
165	.26353+02	-32870+01	.00000	.00000	.00000	.63042+02	.26857+02	.74210+00
166	.27095+02	-32870+01	.00000	.00000	.00000	.63784+02	.27599+02	.74210+00
167	.27837+02	-32870+01	.00000	.00000	.00000	.64526+02	.28341+02	.74209+00
168	.28579+02	-32870+01	.00000	.00000	.00000	.65268+02	.29083+02	.74209+00
169	.29321+02	-32870+01	.00000	.00000	.00000	.66010+02	.29825+02	.74209+00
170	.30063+02	-32870+01	.00000	.00000	.00000	.66752+02	.30567+02	.74209+00
171	.30805+02	-32870+01	.00000	.00000	.00000	.67494+02	.31309+02	.74209+00
172	.31547+02	-32870+01	.00000	.00000	.00000	.68237+02	.32051+02	.74209+00
173	.32290+02	-32870+01	.00000	.00000	.00000	.68979+02	.32793+02	.74209+00
174	.33032+02	-32870+01	.00000	.00000	.00000	.69721+02	.33535+02	.74209+00
175	.33774+02	-32870+01	.00000	.00000	.00000	.70463+02	.34278+02	.74209+00
176	.34516+02	-32870+01	.00000	.00000	.00000	.71205+02	.35020+02	.74209+00
177	.35258+02	-32870+01	.00000	.00000	.00000	.71947+02	.35762+02	.74209+00
178	.36000+02	-32870+01	.00000	.00000	.00000	.72689+02	.36504+02	.74209+00

BODY 2 CO-ORDINATES - X	Y	KAPPA	DY/DX	ALPHA	S	S*(21-S)	DELTA S	
179	.36000+02	-32870+01	.00000	.00000	.00000	.72689+02	.-36504+02	.00000
180	.35258+02	-32870+01	.00000	.00000	.00000	.71947+02	.-35762+02	.-74209+00
181	.34516+02	-32870+01	.00000	.00000	.00000	.71205+02	.-35020+02	.-74209+00
182	.33774+02	-32870+01	.00000	.00000	.00000	.70463+02	.-34278+02	.-74209+00
183	.33032+02	-32870+01	.00000	.00000	.00000	.69721+02	.-33535+02	.-74209+00
184	.32290+02	-32870+01	.00000	.00000	.00000	.68979+02	.-32793+02	.-74209+00
185	.31547+02	-32870+01	.00000	.00000	.00000	.68237+02	.-32051+02	.-74209+00
186	.30805+02	-32870+01	.00000	.00000	.00000	.67494+02	.-31309+02	.-74209+00
187	.30063+02	-32870+01	.00000	.00000	.00000	.66010+02	.-29825+02	.-74209+00
188	.29321+02	-32870+01	.00000	.00000	.00000	.65268+02	.-29083+02	.-74209+00
189	.28579+02	-32870+01	.00000	.00000	.00000	.64526+02	.-28341+02	.-74209+00
190	.27837+02	-32870+01	.00000	.00000	.00000	.63784+02	.-27599+02	.-74209+00
191	.27095+02	-32870+01	.00000	.00000	.00000	.63042+02	.-26857+02	.-74210+00
192	.26353+02	-32870+01	.00000	.00000	.00000	.62300+02	.-26114+02	.-74210+00
193	.25611+02	-32870+01	.00000	.00000	.00000	.61558+02	.-25372+02	.-74210+00
194	.24869+02	-32870+01	.00000	.00000	.00000	.60816+02	.-24630+02	.-74210+00
195	.24126+02	-32870+01	.00000	.00000	.00000	.60074+02	.-23886+02	.-74210+00
196	.23384+02	-32870+01	.00000	.00000	.00000	.59331+02	.-23146+02	.-74210+00
197	.22642+02	-32870+01	.00000	.00000	.00000	.58589+02	.-22404+02	.-74210+00
198	.21900+02	-32870+01	.00000	.00000	.00000	.57847+02	.-21662+02	.-74210+00
199	.21158+02	-32870+01	.00000	.00000	.00000	.57105+02	.-20920+02	.-74210+00
200	.20416+02	-32870+01	.00000	.00000	.00000	.56363+02	.-20178+02	.-74210+00
201	.19674+02	-32870+01	.00000	.00000	.00000	.55621+02	.-19436+02	.-74210+00
202	.18932+02	-32870+01	.00000	.00000	.00000	.54879+02	.-18694+02	.-74210+00
203	.18190+02	-32870+01	.00000	.00000	.00000	.54137+02	.-17951+02	.-74210+00
204	.17448+02	-32870+01	.00000	.00000	.00000	.53395+02	.-17209+02	.-74210+00
205	.16706+02	-32870+01	.00000	.00000	.00000	.52653+02	.-16467+02	.-74210+00
206	.15963+02	-32870+01	.00000	.00000	.00000	.51910+02	.-15725+02	.-74210+00
207	.15221+02	-32870+01	.00000	.00000	.00000	.51168+02	.-14982+02	.-74265+00
208	.14479+02	-32870+01	.00000	.00000	.00000	.50549+02	.-14364+02	.-61887+00
209	.13860+02	-32870+01	.00000	.00000	.00000	.50033+02	.-13848+02	.-51573+00
210	.13344+02	-32870+01	.00000	.00000	.00000			

-- GEOMETRY ONLY, SCIRCLE RELEASE "Z=5 FRESH" DFLS AT START OF EACH BODY

211	.12914+02	.32870+01	.000000	.00000	.00000	.49603+02	.-13418+02	.-42977+00
212	.12556+02	.32870+01	.00000	.00000	.00000	.49245+02	.-13667+02	.-35814+00
213	.12258+02	.32870+01	.00000	.00000	.00000	.48947+02	.-12762+02	.-29845+00
214	.12009+02	.32870+01	.00000	.00000	.00000	.48698+02	.-12513+02	.-24871+00
215	.11762+02	.32852+01	.-58516-01	.-14835-01	.-64992+00	.48450+02	.-12265+02	.-24769+00
216	.11512+02	.32797+01	.-55365-01	.-29061-01	.-16649+01	.48201+02	.-12015+02	.-24970+00
217	.11261+02	.32706+01	.-52166-01	.-42613-01	.-24401+01	.47949+02	.-11764+02	.-25173+00
218	.11007+02	.32592+01	.-48932-01	.-55471-01	.-31750+01	.47695+02	.-11510+02	.-25374+00
219	.10752+02	.32425+01	.-45672-01	.-67613-01	.-38681+01	.47440+02	.-11254+02	.-25572+00
220	.10495+02	.32236+01	.-42394-01	.-79020-01	.-45181+01	.47182+02	.-10997+02	.-25767+00
221	.10237+02	.32018+01	.-39104-01	.-89672-01	.-51241+01	.46922+02	.-10737+02	.-25957+00
222	.99763+01	.31771+01	.-35808-01	.-99550-01	.-56851+01	.46661+02	.-10476+02	.-26140+00
223	.97146+01	.31499+01	.-32511-01	.-10864+00	.-62001+01	.46398+02	.-10212+02	.-26315+00
224	.94514+01	.31262+01	.-29217-01	.-11691+00	.-66683+01	.46133+02	.-99477+01	.-26480+00
225	.91870+01	.30882+01	.-25928-01	.-12436+00	.-70890+01	.45867+02	.-96813+01	.-26633+00
226	.89214+01	.30543+01	.-22645-01	.-13097+00	.-74616+01	.45599+02	.-94136+01	.-26775+00
227	.86548+01	.30186+01	.-19370-01	.-13672+00	.-77654+01	.45330+02	.-91445+01	.-26903+00
228	.83872+01	.29814+01	.-16103-01	.-14161+00	.-80599+01	.45060+02	.-88744+01	.-27016+00
229	.81188+01	.29428+01	.-12843-01	.-14561+00	.-82847+01	.44789+02	.-86632+01	.-27114+00
230	.78498+01	.29032+01	.-95099-02	.-14783+00	.-84595+01	.44517+02	.-83313+01	.-27195+00
231	.75802+01	.28628+01	.-63412-02	.-15095+00	.-85839+01	.44244+02	.-80587+01	.-27259+00
232	.73102+01	.28218+01	.-30594-02	.-15227+00	.-86577+01	.43971+02	.-77857+01	.-27305+00
233	.70401+01	.27806+01	.-14931-03	.-15268+00	.-86867+01	.43698+02	.-75124+01	.-27331+00
234	.67701+01	.27394+01	.-33912-02	.-15218+00	.-86530+01	.43425+02	.-72393+01	.-27305+00
235	.65506+01	.26966+01	.-66324-02	.-15079+00	.-85748+01	.43152+02	.-69667+01	.-27261+00
236	.62316+01	.26583+C1	.-98749-02	.-14849+00	.-84462+01	.42880+02	.-69497+01	.-27199+00
237	.59633+C1	.26189+C1	.-13121-01	.-14531+00	.-82675+01	.42609+02	.-64235+01	.-27120+00
238	.56958+C1	.25805+C1	.-16371-01	.-14124+00	.-80392+01	.42339+02	.-61533+C1	.-27024+00
239	.54292+C1	.25435+C1	.-19627-01	.-13630+00	.-77617+01	.42069+02	.-58841+C1	.-26913+00
240	.51637+C1	.25081+C1	.-22690-01	.-13051+00	.-74355+01	.41802+02	.-56163+C1	.-26786+00
241	.48994+C1	.24744+C1	.-26158-01	.-12387+00	.-70611+01	.41535+02	.-53498+C1	.-26646+00
242	.46363+C1	.24428+C1	.-29432-01	.-11640+00	.-66392+01	.41270+02	.-50849+01	.-26493+00
243	.43747+C1	.24134+C1	.-32709-01	.-10811+00	.-61705+01	.41007+02	.-48216+C1	.-26329+00
244	.41145+C1	.23865+C1	.-35978-01	.-99035-01	.-56558+01	.40745+C2	.-45600+01	.-26155+00
245	.38566+C1	.23621+C1	.-39262-01	.-89177-01	.-50960+01	.40486+C2	.-43003+01	.-25972+00
246	.35991+C1	.23406+C1	.-42531-01	.-78559-01	.-44919+C1	.40228+C2	.-40425+C1	.-25781+00
247	.33439+C1	.23219+C1	.-45786-01	.-67201+C1	.-38495+C1	.39972+C2	.-37867+C1	.-25586+C0
248	.31905+C1	.23064+C1	.-49022-01	.-55122-01	.-31551+C1	.39718+C2	.-35328+C1	.-25385+C0
249	.28390+C1	.22942+C1	.-52232-01	.-42324-01	.-24246+C1	.39466+C2	.-32810+C1	.-25182+C0
250	.25894+C1	.22852+C1	.-55406+C1	.-28882-01	.-16543+C1	.39217+C2	.-30312+C1	.-24974+C0
251	.23417+C1	.22798+C1	.-58534-01	.-14761-C1	.-84568+C0	.38969+C2	.-27835+C1	.-24773+C0
252	.20960+C1	.22780+C1	.-61607-01	.-18626-C8	.-10672-06	.38723+C2	.-25378+C1	.-24569+C0
253	.18612+C1	.22846+C1	.-24196+C6	.-56356-C1	.-32255+C1	.38488+C2	.-23029+C1	.-23485+C0
254	.16467+C1	.23024+C1	.-25144+C0	.-10973+C0	.-62623+C1	.38273+C2	.-20876+C1	.-21529+C0
255	.14949+C1	.23292+C1	.-26661+C0	.-16227+C0	.-92168+C1	.38033+C2	.-18881+C1	.-19950+C0
256	.12673+C1	.23634+C1	.-28761+C0	.-21521+C0	.-12145+C2	.37889+C2	.-17033+C1	.-18485+C0
257	.11009+C1	.24036+C1	.-31494+C0	.-26972+C0	.-15095+C2	.37717+C2	.-15320+C1	.-17126+C0
258	.94882+C1	.24489+C1	.-34942+C0	.-32498+C0	.-18107+C2	.37559+C2	.-13734+C1	.-15861+C0
259	.81046+C0	.24983+C1	.-39220+C0	.-38827+C0	.-21220+C2	.37412+C2	.-12265+C1	.-14691+C0
260	.60511+C0	.25510+C1	.-44473+C0	.-45511+C0	.-24471+C2	.37276+C2	.-10905+C1	.-13598+C0
261	.57218+C0	.26064+C1	.-50871+C0	.-52941+C0	.-27897+C2	.37150+C2	.-96469+C0	.-12580+C0
262	.47113+C0	.26644+C1	.-58601+C0	.-61362+C0	.-31534+C2	.37034+C2	.-84839+C0	.-11630+C0
263	.34147+C0	.27232+C1	.-67846+C0	.-71103+C0	.-35414+C2	.36926+C2	.-74097+C0	.-10772+C0
264	.32729+C0	.27134+C1	.-78751+LG	.-P2623+C0	.-39564+G2	.36827+C2	.-64187+C0	.-9097+C0
265	.23467+C0	.28442+C1	.-91354+C0	.-96575+C0	.-44022+C2	.36736+C2	.-55059+C0	.-91278+C0
266	.17420+C0	.29777+C1	.-10621+C1	.-11486+C1	.-48956+C2	.36694+C2	.-46288+C0	.-87711+C0
267	.12358+C0	.29715+C1	.-12257+C1	.-13908+C1	.-54284+C2	.36567+C2	.-38147+C0	.-81413+C0

ORIGINAL PAGE IS  
OF POOR QUALITY

\*\* GEOMETRY ONLY, SCIRCLE RELEASE 2-5 FRESH DELS AT START OF EACH BODY

266	.82491+01	.310349+01	.13964+01	.17291+01	-.59958+02	.36491+02	.30590+00	-.74566+01
269	.57514+01	.30973+01	.15621+01	-.22361+01	-.65905+02	.36421+02	.23576+00	-.70138+01
270	.24406+01	.31665+01	.17255+01	-.32477+01	-.72886+02	.36347+02	.16178+00	-.73988+01
271	.64698+02	.32437+01	.19566+01	-.63440+01	-.81042+02	.36268+02	.82596+01	-.79179+01
272	.00000	.33260+01	.19088+01	-.99900+03	-.90000+02	.36185+02	.00000	-.82596+01
273	.16312+01	.34104+01	.40970+01	-.22986+01	.66489+02	.36099+02	.85934+01	-.85934+01
274	.63937+01	.34806+01	.30351+01	.10661+01	.46833+02	.36015+02	.17076+00	-.84823+01
275	.14096+00	.35446+01	.15981+01	.67616+00	.34065+02	.35914+02	.27095+00	-.10020+00
276	.23316+00	.35979+01	.93469+00	-.50087+00	.26605+02	.35808+02	.37742+00	-.1667+00
277	.33744+00	.36447+01	.60257+00	.39803+00	.21704+02	.35694+02	.49155+00	-.14142+00
278	.44963+00	.36846+01	.42159+00	.33003+00	.18264+02	.35574+02	.61085+00	-.11930+00
279	.56937+00	.37212+01	.31277+00	.28042+00	.15665+02	.35449+02	.73599+00	-.12515+00
280	.76966+00	.37543+01	.24254+00	.29180+00	.13593+02	.35318+02	.86747+00	-.13147+00
281	.883145+00	.37847+01	.19479+00	.21027+00	.11874+02	.35180+02	.10057+01	-.3823+00
282	.97412+00	.38127+01	.16109+00	.18355+00	.10401+02	.35034+02	.11511+01	-.14539+00
283	.11249+01	.38386+01	.13667+00	.16022+00	.91027+01	.34861+02	.13040+01	-.15296+00
284	.12841+01	.38624+01	.11872+00	.13929+00	.79299+01	.34720+02	.14650+01	-.16095+00
285	.14520+01	.38841+01	.10553+00	.12005+00	.68457+01	.34551+02	.16344+01	-.16937+00
286	.16292+01	.39038+01	.96159+01	.10192+00	.58196+01	.34373+02	.18126+L1	-.17825+00
287	.18160+01	.39212+01	.89003+01	.84391+01	.48238+01	.34185+02	.20002+01	-.18760+00
288	.20219+01	.39360+01	.86760+01	.66920+01	.38285+01	.33988+02	.21977+01	-.19744+00
289	.22203+01	.39481+01	.87852+01	.48804+01	.27941+01	.33780+02	.24055+01	-.20780+00
290	.24356+01	.39566+01	.97327+01	.29761+01	.16474+01	.33561+02	.26242+01	-.21871+00
291	.26690+01	.39603+01	-.99999+05	.00000	.00000	.33331+02	.28543+01	-.23017+00
292	.29701+01	.39603+01	.00000	.00000	.00000	.33030+02	.31556+01	-.30129+00
293	.32716+01	.39603+01	.00000	.00000	.00000	.32728+02	.34569+01	-.30129+00
294	.35729+01	.39603+01	.00000	.00000	.00000	.32427+02	.37582+01	-.30129+00
295	.38742+01	.39603+01	.00000	.00000	.00000	.32126+02	.40595+01	-.30129+00
296	.41755+01	.39603+01	.00000	.00000	.00000	.31825+02	.43608+01	-.30129+00
297	.44767+01	.39603+01	.00000	.00000	.00000	.31523+02	.46621+01	-.30129+00
298	.47766+01	.39603+01	.00000	.00000	.00000	.31222+02	.49634+01	-.30129+00
299	.50793+01	.39603+01	.00000	.00000	.00000	.30921+02	.52647+01	-.30129+00
300	.53806+01	.39603+01	.00000	.00000	.00000	.30619+02	.55666+01	-.30129+00
301	.56819+01	.39603+01	.00000	.00000	.00000	.30318+02	.58672+01	-.30129+00
302	.59832+01	.39603+01	.00000	.00000	.00000	.30017+02	.61685+01	-.30129+00
303	.62845+01	.39603+01	.00000	.00000	.00000	.29716+02	.64698+01	-.30129+00
304	.65858+01	.39603+01	.00000	.00000	.00000	.29414+02	.67711+01	-.30129+00
305	.68871+01	.39603+01	.00000	.00000	.00000	.29113+02	.70724+01	-.30129+00
306	.71884+01	.39603+01	.00000	.00000	.00000	.28812+02	.73737+01	-.30129+00
307	.74896+01	.39603+01	.00000	.00000	.00000	.28510+02	.76750+01	-.30129+00
308	.77919+01	.39603+01	.00000	.00000	.00000	.28209+02	.79763+01	-.30129+00
309	.80922+01	.39603+01	.00000	.00000	.00000	.27908+02	.82776+01	-.30129+00
310	.83935+01	.39603+01	.00000	.00000	.00000	.27606+02	.85789+01	-.30129+00
311	.86948+01	.39603+01	.00000	.00000	.00000	.27305+02	.88801+01	-.30129+00
312	.89961+01	.39603+01	.00000	.00000	.00000	.27004+02	.91814+01	-.30129+00
313	.92974+01	.39603+01	.00000	.00000	.00000	.26713+02	.94827+01	-.30129+00
314	.95987+01	.39603+01	.00000	.00000	.00000	.26411+02	.97840+01	-.30129+00
315	.99330+01	.39603+01	.00000	.00000	.00000	.26100+02	.10085+02	-.30129+00
316	.10201+02	.39603+01	.00000	.00000	.00000	.25799+02	.10387+02	-.30129+00
317	.10503+02	.39603+01	.00000	.00000	.00000	.25497+02	.10688+02	-.30129+00
318	.10804+02	.39603+01	.00000	.00000	.00000	.25196+02	.10989+02	-.30129+00
319	.11165+02	.39603+01	.00000	.00000	.00000	.24895+02	.11290+02	-.30129+00
320	.11466+02	.39603+01	.00000	.00000	.00000	.24594+02	.11592+02	-.30129+00
321	.11708+02	.39603+01	.00000	.00000	.00000	.24292+02	.11893+02	-.30129+00
322	.12019+02	.39603+01	.00000	.00000	.00000	.23991+02	.12194+02	-.30129+00
323	.12319+02	.39603+01	.00000	.00000	.00000	.23691+02	.12494+02	-.30000+00
324	.12669+02	.39603+01	.00000	.00000	.00000	.23331+02	.12854+02	-.36000+00

## \*\* GEOMETRY ONLY, SCIRCLE RELEASE 2-5 FRESH DFLS AT START OF EACH BODY

325	.13101+02	.39603+01	.00000	.00000	.00000	.22899+02	.13286+02	-.43200+00
326	.13619+02	.39603+01	.00000	.00000	.00000	.22381+02	.13805+02	-.51840+00
327	.14241+02	.39603+01	.00000	.00000	.00000	.21759+02	.14427+02	-.62208+00
328	.14988+02	.39603+01	.00000	.00000	.00000	.21012+02	.15173+02	-.74650+00
329	.15738+02	.39603+01	.00000	.00000	.00000	.20262+02	.15924+02	-.75C43+00
330	.16489+02	.39603+01	.00000	.00000	.00000	.19511+02	.16674+02	-.75C43+00
331	.17239+02	.39603+01	.00000	.00000	.00000	.18761+02	.17425+02	-.75C43+00
332	.17990+02	.39603+01	.00000	.00000	.00000	.18010+02	.18175+02	-.75043+00
333	.18740+02	.39603+01	.00000	.00000	.00000	.17260+02	.18925+02	-.75043+00
334	.19491+02	.39603+01	.00000	.00000	.00000	.16509+02	.19676+02	-.75C43+00
335	.20241+02	.39603+01	.00000	.00000	.00000	.15759+02	.20426+02	-.75C43+00
336	.20991+02	.39603+01	.00000	.00000	.00000	.15n09+02	.21177+02	-.75C43+00
337	.21742+02	.39603+01	.00000	.00000	.00000	.14258+02	.21927+02	-.75043+00
338	.22492+02	.39603+01	.00000	.00000	.00000	.13508+02	.22674+02	-.75043+00
339	.23243+02	.39603+01	.00000	.00000	.00000	.12757+02	.23428+02	-.75043+00
340	.23993+02	.39603+01	.00000	.00000	.00000	.12007+02	.24178+02	-.75043+00
341	.24744+02	.39603+01	.00000	.00000	.00000	.11256+02	.24929+02	-.75043+00
342	.25494+02	.39603+01	.00000	.00000	.00000	.10506+02	.25679+02	-.75C43+00
343	.26244+02	.39603+01	.00000	.00000	.00000	.97556+01	.26430+02	-.75043+00
344	.26995+02	.39603+01	.00000	.00000	.00000	.90052+01	.27180+02	-.75C43+00
345	.27745+02	.39603+01	.00000	.00000	.00000	.82547+01	.27931+02	-.75043+00
346	.28496+02	.39603+01	.00000	.00000	.00000	.75043+01	.28681+02	-.75043+00
347	.29246+02	.39603+01	.00000	.00000	.00000	.67539+01	.29431+02	-.75C43+00
348	.29997+02	.39603+01	.00000	.00000	.00000	.60034+01	.30182+02	-.75C43+00
349	.30747+02	.39603+01	.00000	.00000	.00000	.52530+01	.30932+02	-.75043+00
350	.31497+02	.39603+01	.00000	.00000	.00000	.45026+01	.31683+02	-.75043+00
351	.32248+02	.39603+01	.00000	.00000	.00000	.37521+01	.32433+02	-.75043+00
352	.32998+02	.39603+01	.00000	.00000	.00000	.30017+01	.33184+02	-.75043+00
353	.33749+02	.39603+01	.00000	.00000	.00000	.22513+01	.33934+02	-.75043+00
354	.34499+02	.39603+01	.00000	.00000	.00000	.15059+01	.34684+02	-.75043+00
355	.35250+02	.39603+01	.00000	.00000	.00000	.75047+00	.35435+02	-.75043+00
356	.36000+02	.39603+01	.00000	.00000	.00000	.00000	.36185+02	-.75043+00

## BODY 3 CO-ORDINATES - X Y Z

357	.36000+02	-.32870+01	
358	.36000+02	-.27813+01	
359	.36000+02	.22756+01	
360	.36000+02	-.17699+01	
361	.36000+02	.12647+01	
362	.36000+02	-.75854+00	
363	.36000+02	.25285+00	
364	.36000+02	.25785+00	
365	.36000+02	.75854+00	
366	.36000+02	.12642+01	
367	.36000+02	.17699+01	
368	.36000+02	.22756+01	
369	.36000+02	.27813+01	
370	.36000+02	.32870+01	

## XRAK YL0 YH1 NDY

-.10000+01	-.50000+01	.50000+01	.20
-.50000+00	-.50000+01	.50000+01	.20
-.10000+01	-.22000+01	.22000+01	.20
-.20960+01	-.21000+01	.21000+01	.20
-.40960+01	-.21000+01	.21000+01	.20
-.12609+02	-.31000+01	.31000+01	.20

GEOGRAPHY ONLY, "SCIRCLE" RELEASE 2-5 FRESH DFLS AT START OF EACH BODY

OFIN

251

ORIGINAL PAGE IS  
OF POOR QUALITY

PROGRAM .. 23Y

POTENTIAL FLOW -- 2-D , 23Y RELEASE D-1-1 FLOW FIELD PLOTS

UNTRANSFORMED COORDINATE DATA FOR BODY ID = 1,			2-D QCSEE	
I	X(I)	Y(I)	I	X(I)
1	36.000000	-3.960300	51	7.188360
2	35.249570	-3.960300	52	6.6887070
3	34.499140	-3.960300	53	6.585780
4	33.748710	-3.960300	54	6.284480
5	32.998280	-3.960300	55	5.983190
6	32.247850	-3.960300	56	5.681900
7	31.497420	-3.960300	57	5.380610
8	30.746990	-3.960300	58	5.079320
9	29.996560	-3.960300	59	4.778030
10	29.246130	-3.960300	60	4.476740
11	28.495700	-3.960300	61	4.175450
12	27.745280	-3.960300	62	3.874160
13	26.994850	-3.960300	63	3.572870
14	26.244420	-3.960300	64	3.271580
15	25.493990	-3.960300	65	2.970290
16	24.743560	-3.960300	66	2.669000
17	23.993130	-3.960300	67	2.438860
18	23.242700	-3.960300	68	2.220310
19	22.492270	-3.960300	69	2.012650
20	21.741140	-3.960300	70	1.815980
21	20.991110	-3.960300	71	1.629190
22	20.240980	-3.960300	72	1.452020
23	19.490650	-3.960300	73	1.284050
24	18.740120	-3.960300	74	1.124870
25	17.989690	-3.960300	75	.974120
26	17.239260	-3.960300	76	.831450
27	16.488830	-3.960300	77	.696610
28	15.738400	-3.960300	78	.569370
29	14.987980	-3.960300	79	.449630
30	14.241480	-3.960300	80	.337440
31	13.491960	-3.960300	81	.233160
32	13.101700	-3.960300	82	.140960
33	12.669100	-3.960300	83	.063940
34	12.309700	-3.960300	84	.016300
35	12.009700	-3.960300	85	.006600
36	11.707710	-3.960300	86	.006700
37	11.406420	-3.960300	87	.024410
38	11.105130	-3.960300	88	.050510
39	10.803840	-3.960300	89	.082490
40	10.502550	-3.960300	90	.123580
41	10.201260	-3.960300	91	.174200
42	9.899970	-3.960300	92	.234670
43	9.598660	-3.960300	93	.302790
44	9.297390	-3.960300	94	.381470
45	8.996100	-3.960300	95	.471130
46	8.694810	-3.960300	96	.572180
47	8.393520	-3.960300	97	.685110
48	8.092230	-3.960300	98	.810460
49	7.790940	-3.960300	99	.948820
50	7.489650	-3.960300	100	1.100870

"POTENTIAL FLOW" - Z-R, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

UNTRANSFORMED COORDINATE DATA FOR BODY ID = 1,

I	X(I)	Y(I)	I	X(I)	Y(I)
1C1	1.267340	-2.363380	140	11.260840	-3.270630
1C2	1.449700	-2.329180	141	11.512400	-3.279660
1C3	1.646690	-2.302360	142	11.762050	-3.285150
1C4	1.861240	-2.284590	143	12.009000	-3.287000
1C5	2.096700	-2.278000	144	12.257710	-3.287000
1C6	2.341690	-2.279830	145	12.556160	-3.287000
1C7	2.589760	-2.285250	146	12.914310	-3.287000
1C8	2.838980	-2.299150	147	13.344680	-3.287000
1C9	3.090500	-2.306430	148	13.859800	-3.287000
1C10	3.343680	-2.321940	149	14.478680	-3.287000
1C11	3.599660	-2.340560	150	15.221320	-3.287000
1C12	3.855970	-2.362120	151	15.963420	-3.287000
1C13	4.114540	-2.386470	152	16.705510	-3.287000
1C14	4.374700	-2.413440	153	17.447610	-3.287000
1C15	4.636340	-2.442220	154	18.189760	-3.287000
1C16	4.899380	-2.474440	155	18.931800	-3.287000
1C17	5.163700	-2.508080	156	19.673900	-3.287000
1C18	5.429210	-2.543520	157	20.415990	-3.287000
1C19	5.695780	-2.580530	158	21.158090	-3.287000
1C20	5.963290	-2.618880	159	21.900180	-3.287000
1C21	6.231610	-2.658310	160	22.642280	-3.287000
1C22	6.506600	-2.698590	161	23.384370	-3.287000
1C23	6.770140	-2.739440	162	24.126470	-3.287000
1C24	7.040060	-2.780600	163	24.868560	-3.287000
1C25	7.310250	-2.821820	164	25.610660	-3.287000
1C26	7.580200	-2.862760	165	26.352750	-3.287000
1C27	7.849780	-2.903180	166	27.094850	-3.287000
1C28	8.118820	-2.942790	167	27.836950	-3.287000
1C29	8.387210	-2.981360	168	28.579040	-3.287000
1C30	8.654790	-3.018610	169	29.321140	-3.287000
1C31	8.921440	-3.054320	170	30.063230	-3.287000
1C32	9.187830	-3.086250	171	30.805330	-3.287000
1C33	9.451940	-3.120170	172	31.547420	-3.287000
1C34	9.714570	-3.149860	173	32.289520	-3.287000
1C35	9.976100	-3.177120	174	33.031610	-3.287000
1C36	10.236530	-3.201760	175	33.773710	-3.287000
1C37	10.495180	-3.223600	176	34.515860	-3.287000
1C38	10.752170	-3.242450	177	35.257900	-3.287000
1C39	11.007410	-3.258180	178	36.000000	-3.287000

253

ORIGINAL  
OF POOR PAGE IS  
QUALITY

"POTENTIAL FLOW 2-0, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS"

ELEMENT COORDINATE DATA FOR BODY ID = 1,				2-0 OCSEE			
I	X(I)	Y(I)	DL	DS	SIN(ALF)	COS(ALF)	CURVATUR
1	36.000000	-3.960300					
	35.624785	-3.960300	.750430	.750430	.000000	-1.000000	.000000
2	35.249570	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	34.874355	-3.960300	.750430	.750430	.000000	-1.000000	.000000
3	34.599140	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	34.123925	-3.960300	.750430	.750430	.000000	-1.000000	.000000
4	33.748710	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	33.373495	-3.960300	.750430	.750430	.000000	-1.000000	.000000
5	32.998280	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	32.623065	-3.960300	.750430	.750430	.000000	-1.000000	.000000
6	32.247850	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	31.872635	-3.960300	.750430	.750430	.000000	-1.000000	.000000
7	31.497420	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	31.122225	-3.960300	.750430	.750430	.000000	-1.000000	.000000
8	30.746990	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	30.371715	-3.960300	.750430	.750430	.000000	-1.000000	.000000
9	29.996560	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	29.621345	-3.960300	.750430	.750430	.000000	-1.000000	.000000
10	29.246130	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	28.870915	-3.960300	.750430	.750430	.000000	-1.000000	.000000
11	28.495700	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	28.120490	-3.960300	.750420	.750420	.000000	-1.000000	.000000
12	27.745280	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	27.370065	-3.960300	.750430	.750430	.000000	-1.000000	.000000
13	26.994850	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	26.619635	-3.960300	.750430	.750430	.000000	-1.000000	.000000
14	26.244420	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	25.869215	-3.960300	.750430	.750430	.000000	-1.000000	.000000
15	25.493990	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	25.118775	-3.960300	.750430	.750430	.000000	-1.000000	.000000
16	24.743560	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	24.368345	-3.960300	.750430	.750430	.000000	-1.000000	.000000
17	23.993130	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	23.617915	-3.960300	.750430	.750430	.000000	-1.000000	.000000
18	23.242700	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	22.867485	-3.960300	.750430	.750430	.000000	-1.000000	.000000
19	22.492270	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	22.117655	-3.960300	.750430	.750430	.000000	-1.000000	.000000
20	21.741840	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	21.366625	-3.960300	.750430	.750430	.000000	-1.000000	.000000
21	20.991410	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	20.616195	-3.960300	.750430	.750430	.000000	-1.000000	.000000
22	20.240960	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	19.865765	-3.960300	.750430	.750430	.000000	-1.000000	.000000
23	19.490550	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	19.115335	-3.960300	.750430	.750430	.000000	-1.000000	.000000
24	18.740120	-3.960300	.750430	.750430	.000000	-1.000000	.000000
	18.364905	-3.960300	.750430	.750430	.000000	-1.000000	.000000
25	17.982694	-3.960300					

## POTENTIAL FLOW = 2-0, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

I	ELEMENT COORDINATE DATA FOR BODY ID = 1		2-D QCSEE				
	X(I)	Y(I)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE
26	17.614475	-3.960300	.750430	.750430	.000000	-1.000000	.000000
27	17.239260	-3.960300	.750430	.750430	.000000	-1.000000	.000000
28	16.864045	-3.960300	.750430	.750430	.000000	-1.000000	.000000
29	16.488836	-3.960300	.750430	.750430	.000000	-1.000000	.000000
30	16.113615	-3.960300	.750430	.750430	.000000	-1.000000	.000000
31	15.738406	-3.960300	.750420	.750420	.000000	-1.000000	.000000
32	15.363190	-3.960300	.750420	.750420	.000000	-1.000000	.000000
33	14.987900	-3.960300	.746500	.746500	.000000	-1.000000	.000000
34	14.614730	-3.960300	.746500	.746500	.000000	-1.000000	.000000
35	14.241480	-3.960300	.622080	.622080	.000000	-1.000000	.000000
36	13.860446	-3.960300	.622080	.622080	.000000	-1.000000	.000000
37	13.619460	-3.960300	.518400	.518400	.000000	-1.000000	.000000
38	13.362260	-3.960300	.518400	.518400	.000000	-1.000000	.000000
39	13.101070	-3.960300	.432000	.432000	.000000	-1.000000	.000000
40	12.865000	-3.960300	.432000	.432000	.000000	-1.000000	.000000
41	12.669000	-3.960300	.360000	.360000	.000000	-1.004000	.000000
42	12.489000	-3.960300	.360000	.360000	.000000	-1.004000	.000000
43	12.309000	-3.960300	.300000	.300000	.000000	-1.006000	.000000
44	12.159000	-3.960300	.300000	.300000	.000000	-1.006000	.000000
45	12.009000	-3.960300	.301290	.301290	.000000	-1.000000	.000000
46	11.858355	-3.960300	.301290	.301290	.000000	-1.000000	.000000
47	11.707710	-3.960300	.301290	.301290	.000000	-1.000000	.000000
48	11.557065	-3.960300	.301290	.301290	.000000	-1.000000	.000000
49	11.406420	-3.960300	.301290	.301290	.000000	-1.000000	.000000
50	11.255775	-3.960300	.301290	.301290	.000000	-1.000000	.000000
51	11.105130	-3.960300	.301290	.301290	.000000	-1.000000	.000000
52	10.954485	-3.960300	.301290	.301290	.000000	-1.000000	.000000
53	10.803840	-3.960300	.301290	.301290	.000000	-1.000000	.000000
54	10.653195	-3.960300	.301290	.301290	.000000	-1.000000	.000000
55	10.502550	-3.960300	.301290	.301290	.000000	-1.000000	.000000
56	10.351955	-3.960300	.301290	.301290	.000000	-1.000000	.000000
57	10.201260	-3.960300	.301290	.301290	.000000	-1.000000	.000000
58	10.050615	-3.960300	.301290	.301290	.000000	-1.000000	.000000
59	9.899970	-3.960300	.301290	.301290	.000000	-1.000000	.000000
60	9.749325	-3.960300	.301290	.301290	.000000	-1.000000	.000000
61	9.598690	-3.960300	.301290	.301290	.000000	-1.000000	.000000
62	9.448035	-3.960300	.301290	.301290	.000000	-1.000000	.000000
63	9.297390	-3.960300	.301290	.301290	.000000	-1.000000	.000000
64	9.146745	-3.960300	.301290	.301290	.000000	-1.000000	.000000
65	8.996170	-3.960300	.301290	.301290	.000000	-1.000000	.000000
66	8.845455	-3.960300	.301290	.301290	.000000	-1.000000	.000000
67	8.694813	-3.960300	.301290	.301290	.000000	-1.000000	.000000
68	8.544165	-3.960300	.301290	.301290	.000000	-1.000000	.000000
69	8.393520	-3.960300	.301290	.301290	.000000	-1.000000	.000000
70	8.242975	-3.960300	.301290	.301290	.000000	-1.000000	.000000
71	8.092230	-3.960300	.301290	.301290	.000000	-1.000000	.000000
72	7.941595	-3.960300	.301290	.301290	.000000	-1.000000	.000000
73	7.790940	-3.960300	.301290	.301290	.000000	-1.000000	.000000
74	7.640295	-3.960300	.301290	.301290	.000000	-1.000000	.000000
75	7.489650	-3.960300	.301290	.301290	.000000	-1.000000	.000000

POTENTIAL FLOW -- 2-D, 23Y RELEASE 3-1-1 FLOW FIELD PLOTS

	X(1)	Y(1)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE
ELEMENT COORDINATE DATA FOR BODY ID = 1, 2-D OCSE							
51	7.339075	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	7.188360	-3.960300					
52	7.037715	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	6.887070	-3.960300					
53	6.736425	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	6.585740	-3.960300					
54	6.435130	-3.960300	.301300	.301300	.000000	-1.000000	.000000
	6.284480	-3.960300					
55	6.133835	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	5.983190	-3.960300					
56	5.832545	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	5.681940	-3.960300					
57	5.531240	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	5.380610	-3.960300					
58	5.229965	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	5.079320	-3.960300					
59	4.928675	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	4.778030	-3.960300					
60	4.627385	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	4.476740	-3.960300					
61	4.326095	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	4.175450	-3.960300					
62	4.024815	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	3.874160	-3.960300					
63	3.723515	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	3.572870	-3.960300					
64	3.422225	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	3.271580	-3.960300					
65	3.120935	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	2.970290	-3.960300					
66	2.819645	-3.960300	.301290	.301290	.000000	-1.000000	.000000
	2.669000	-3.960300					
67	2.518390	-3.958435	.230170	.230170	.016205	-999.869	.000000
	2.428860	-3.956570					
68	2.329585	-3.952315	.218716	.218716	.038909	-999.243	.000000
	2.2720310	-3.948060					
69	2.116580	-3.942055	.207897	.207807	.057794	-998.329	.000000
	2.012850	-3.936050					
70	1.914415	-3.928610	.197432	.197432	.075369	-992.156	.000000
	1.815980	-3.921170					
71	1.722585	-3.912475	.187598	.187598	.092698	-995.624	.000000
	1.629190	-3.903780					
72	1.540615	-3.893965	.178254	.178254	.110124	-993.918	.000000
	1.452020	-3.884150					
73	1.368035	-3.873275	.169372	.169372	.128415	-991.720	.000000
	1.284050	-3.862400					
74	1.204460	-3.850500	.160949	.160949	.147872	-989.006	.000000
	1.124870	-3.838600					
75	1.049495	-3.825670	.152952	.152952	.169073	-986.699	.000000
	.974120	-3.812740					

## POTENTIAL FLOW = 2-D, 23Y RELEASE D-1-1 FLOW FIELD PLOTS

ELEMENT COORDINATE DATA FOR BODY ID = 1,				2-D QCSEE			
I	X(I)	Y(I)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE
76	.902785	-3.798730	.145395	.145395	.192716	-.981255	.000000
	.831450	-3.784720					
	.764030	-3.769520	.138224	.138224	.219932	-.975515	.000000
77	.696610	-3.754320					
	.632990	-3.737770	.131475	.131475	.251759	-.961790	.000000
78	.569370	-3.721220					
	.509510	-3.703025	.125148	.125148	.290777	-.956791	.000000
79	.449630	-3.684830					
	.393535	-3.664545	.119300	.119300	.340067	-.940401	.000000
80	.337440	-3.644260					
	.285300	-3.621075	.114125	.114125	.406309	-.913736	.000000
81	.233160	-3.597890					
	.187060	-3.571270	.106468	.106468	.500059	-.865992	.000000
82	.140960	-3.544650					
	.102450	-3.512605	.100198	.100198	.639634	-.768679	.000000
83	.063940	-3.480560					
	.0040120	-3.444545	.084830	.084830	.827415	-.561591	.000000
84	.016300	-3.410370					
	.008150	-3.368185	.085930	.085930	.981844	-.189689	.000000
85	.000000	-3.326000					
	.003235	-3.284830	.082594	.082594	.996927	-.078335	.000000
86	.006470	-3.243660					
	.015450	-3.205100	.079179	.079179	.973994	-.226575	.000000
87	.024410	-3.166540					
	.037460	-3.131925	.073986	.073986	.935711	.352767	.000000
88	.050510	-3.097310					
	.066500	-3.066095	.070144	.070144	.890022	.455917	.000000
89	.082490	-3.034860					
	.103035	-3.003170	.075568	.075568	.839247	.543751	.000000
90	.123580	-2.971460					
	.148690	-2.939580	.081411	.081411	.783188	.621785	.000000
91	.174200	-2.907700					
	.204435	-2.875930	.087715	.087715	.724390	.469390	.000000
92	.234670	-2.844160					
	.268730	-2.813785	.091274	.091274	.665580	.746326	.000000
93	.302790	-2.783410					
	.342130	-2.753290	.099093	.099093	.607914	.794002	.000000
94	.381470	-2.723170					
	.426300	-2.693580	.107430	.107430	.550871	.834590	.000000
95	.471130	-2.663990					
	.521655	-2.635205	.116299	.116299	.495018	.868883	.000000
96	.572180	-2.606420					
	.628645	-2.578700	.125805	.125805	.440684	.897662	.000000
97	.685110	-2.550980					
	.747785	-2.524620	.135985	.135985	.387689	-.921790	.000000
98	.810460	-2.498260					
	.879640	-2.473580	.146901	.146901	.336009	.241859	.000000
99	.948820	-2.448900					
	.1024845	-2.426275	.158640	.158640	.285237	.958457	.000000
100	1.100870	-2.403650					

POTENTIAL FLOW = 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

ELEMENT COORDINATE DATA FOR BODY ID = 1, 2-D OCSEE				CURVATURE				
T	X(T)	Y(T)	DL	DS	SIN(ALF)	COS(ALF)		
101	1.184105	-2.383615	.171272	.171272	.235174	.971965	,000000	
102	1.267340	-2.363380	.184851	.184851	.185014	.982736	,000000	
103	1.358170	-2.346280	.144900	.2329180	.2315770	.134435	.990922	,000000
104	1.449000	-2.329180	.199501	.199501	.199501	.082542	.996588	,000000
105	1.547845	-2.315770	.1646690	.2302360	.2302360	.293475	.215285	.215285
106	1.646690	-2.302360	.1753965	.2293475	.2293475	.1861240	.2284590	.2284590
107	1.753965	-2.281295	.1978670	.2096010	.2096010	.218845	.2278000	.2278000
108	1.861240	-2.261295	.218845	.218845	.218845	.2046010	.2278000	.2278000
109	1.978670	-2.241690	.2341690	.245697	.245697	.2341690	.245697	.245697
110	2.096010	-2.227800	.245697	.245697	.245697	.2341690	.245697	.245697
111	2.218845	-2.218845	.247729	.247729	.247729	.247729	.247729	.247729
112	2.341690	-2.202547	.249779	.249779	.249779	.249779	.249779	.249779
113	2.465525	-2.202547	.2589360	.2589360	.2589360	.247729	.247729	.247729
114	2.589360	-2.202547	.2714170	.249779	.249779	.249779	.249779	.249779
115	2.714170	-2.289700	.2894150	.2894150	.2894150	.2894150	.2894150	.2894150
116	2.838980	-2.289700	.3064740	.251820	.251820	.2894150	.251820	.251820
117	2.964740	-2.300290	.3090560	.253854	.253854	.2894150	.253854	.253854
118	3.090560	-2.306430	.3217190	.253854	.253854	.3090560	.3217190	.3217190
119	3.217190	-2.314185	.3343880	.253854	.253854	.3217190	.3343880	.3343880
120	3.343880	-2.321940	.3471470	.255858	.255858	.321940	.3471470	.3471470
121	3.471470	-2.331250	.3599060	.255858	.255858	.3471470	.3599060	.3599060
122	3.607751	-2.340560	.3727515	.257813	.257813	.3599060	.3727515	.3727515
123	3.741340	-2.351340	.3855970	.257813	.257813	.3727515	.3855970	.3855970
124	3.885525	-2.362120	.3985255	.259714	.259714	.3855970	.3985255	.3985255
125	4.114540	-2.386470	.4114540	.259714	.259714	.3985255	.4114540	.4114540
126	4.244620	-2.399555	.4244620	.261554	.261554	.4114540	.4244620	.4244620
127	4.374760	-2.413440	.4374760	.263284	.263284	.4244620	.4374760	.4374760
128	4.506520	-2.428130	.4506520	.263284	.263284	.4374760	.4506520	.4506520
129	4.636340	-2.442820	.4636340	.264934	.264934	.4506520	.4636340	.4636340
130	4.767860	-2.458630	.4767860	.264934	.264934	.4636340	.4767860	.4767860
131	4.899380	-2.474440	.4899380	.264934	.264934	.4767860	.4899380	.4899380
132	5.031540	-2.491760	.5031540	.266452	.266452	.4899380	.5031540	.5031540
133	5.163710	-2.508080	.5163710	.266452	.266452	.5031540	.5163710	.5163710
134	5.296455	-2.525800	.5296455	.267865	.267865	.5163710	.5296455	.5296455
135	5.429210	-2.543520	.5429210	.269127	.269127	.5296455	.5429210	.5429210
136	5.562455	-2.562025	.5562455	.269127	.269127	.5429210	.5562455	.5562455
137	5.695780	-2.580530	.5695780	.269127	.269127	.5562455	.5695780	.5695780
138	5.829535	-2.599705	.5829535	.270245	.270245	.5695780	.5829535	.5829535
139	5.963290	-2.618880	.5963290	.270245	.270245	.5829535	.5963290	.5963290
140	6.097440	-2.638595	.6097440	.271202	.271202	.5963290	.6097440	.6097440
141	6.231610	-2.658310	.6231610	.271202	.271202	.6097440	.6231610	.6231610
142	6.366150	-2.678450	.6366150	.271989	.271989	.6231610	.6366150	.6366150
143	6.500670	-2.698590	.6500670	.271989	.271989	.6366150	.6500670	.6500670
144	6.635370	-2.719015	.6635370	.272618	.272618	.6500670	.6635370	.6635370
145	6.770140	-2.739440	.6770140	.273040	.273040	.6635370	.6770140	.6770140
146	6.905110	-2.760020	.6801710	.273040	.273040	.6770140	.6801710	.6801710
147	7.040060	-2.780000	.6801710	.273316	.273316	.6801710	.688562	.688562
148	7.175155	-2.801710	.688562	.273316	.273316	.688562	.6988572	.6988572
149	7.310250	-2.821820	.6988572	.273316	.273316	.6988572	.70814	.70814

## POTENTIAL FLOW -- 2-D , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

ELEMENT COORDINATE DATA FOR BODY ID = 1,				2-D QCSEE			
	X(I)	Y(I)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE
126	7.445225	-2.842793	.273037	.273037	-.149943	.988695	.000000
	7.580210	-2.862760					
127	7.714996	-2.882970	.272593	.272593	-.148279	.988946	.000000
	7.849780	-2.903180					
128	7.984360	-2.922985	.271940	.271940	-.145657	.989335	.000000
	8.116820	-2.942790					
	8.253015	-2.962075					
129	8.387210	-2.981366	.271147	.271147	-.142247	.989831	.000000
	8.521010	-2.999985					
130	8.654790	-3.018610	.270160	.270160	-.137881	.990449	.000000
	8.788115	-3.036465					
131	8.921440	-3.054320	.269030	.269030	-.132736	.991151	.000000
	9.054235	-3.071285					
132	9.187030	-3.088250	.267749	.267749	-.126123	.991930	.000000
	9.319235	-3.104210					
133	9.451440	-3.120170	.266330	.266330	-.119851	.992792	.000000
	9.583015	-3.135015					
134	9.714570	-3.149860	.264800	.264800	-.112122	.993694	.000000
	9.845435	-3.163490					
135	9.976310	-3.177120	.263146	.263146	-.103993	.994620	.000000
	10.106415	-3.189440					
136	10.236530	-3.201760	.261394	.261394	-.094264	.995547	.000000
	10.365855	-3.212680					
137	10.495180	-3.223600	.259570	.259570	-.084139	.996454	.000000
	10.623675	-3.233025					
138	10.752170	-3.242450	.257680	.257680	-.073153	.997321	.000000
	10.879790	-3.250315					
139	11.007410	-3.258180	.255724	.255724	-.061512	.998106	.000000
	11.134125	-3.264405					
140	11.260040	-3.270630	.253736	.253736	-.049067	.998796	.000000
	11.386620	-3.275145					
141	11.512470	-3.279660	.251722	.251722	-.035873	.999356	.000000
	11.637225	-3.282405					
142	11.762050	-3.285150	.249710	.249710	-.021985	.999758	.000000
	11.885525	-3.286075					
143	12.009000	-3.287000	.246957	.246957	-.007491	.999972	.000000
	12.133355	-3.287000					
144	12.257710	-3.287000	.243710	.243710	-.000000	1.000000	.000000
	12.406935	-3.287000					
145	12.556160	-3.287000	.240450	.240450	-.000000	1.000000	.000000
	12.735275	-3.287000					
146	12.914310	-3.287000	.238150	.238150	-.000000	1.000000	.000000
	13.129195	-3.287000					
147	13.344090	-3.287000	.235770	.235770	-.000000	1.000000	.000000
	13.601940	-3.287000					
148	13.859870	-3.287000	.233520	.233520	-.000000	1.000000	.000000
	14.169240	-3.287000					
149	14.478660	-3.287000	.231880	.231880	-.000000	1.000000	.000000
	14.850010	-3.287000					
150	15.221320	-3.287000	.230260	.230260	-.000000	1.000000	.000000

 ORIGINAL PAGE IS  
OF POOR QUALITY

## POTENTIAL FLOW -- 2-D , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

ELEMENT COORDINATE DATA FOR BODY ID = 1,								2-D OCSEE	
I	X(I)	Y(I)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE		
151	15.592370	-3.287000	.742100	.742100	.000000	1.000000	.000000		
	15.963420	-3.287000							
152	16.334465	-3.287000	.742090	.742090	.000000	1.000000	.000000		
	16.735514	-3.287000							
153	17.076560	-3.287000	.742100	.742100	.000000	1.000000	.000000		
	17.487610	-3.287000							
	17.818655	-3.287000	.742090	.742090	.000000	1.000000	.000000		
154	18.189710	-3.287000							
	18.560750	-3.287000	.742100	.742100	.000000	1.000000	.000000		
155	18.931800	-3.287000							
	19.302850	-3.287000	.742100	.742100	.000000	1.000000	.000000		
156	19.673910	-3.287000							
	20.044945	-3.287000	.742090	.742090	.000000	1.000000	.000000		
157	20.415990	-3.287000							
	20.787040	-3.287000	.742100	.742100	.000000	1.000000	.000000		
158	21.158090	-3.287000							
	21.529135	-3.287000	.742090	.742090	.000000	1.000000	.000000		
159	21.900180	-3.287000							
	22.271120	-3.287000	.742100	.742100	.000000	1.000000	.000000		
160	22.642220	-3.287000							
	23.013325	-3.287000	.742090	.742090	.000000	1.000000	.000000		
161	23.384370	-3.287000							
	23.755420	-3.287000	.742100	.742100	.000040	1.000000	.000000		
162	24.126470	-3.287000							
	24.497515	-3.287000	.742090	.742090	.000000	1.000000	.000000		
163	24.868560	-3.287000							
	25.239610	-3.287000	.742100	.742100	.000000	1.000000	.000000		
164	25.610660	-3.287000							
	25.981715	-3.287000	.742090	.742090	.000000	1.000000	.000000		
165	26.352750	-3.287000							
	26.723810	-3.287000	.742100	.742100	.000000	1.000000	.000000		
166	26.994850	-3.287000							
	27.465910	-3.287000	.742100	.742100	.000000	1.000000	.000000		
167	28.363950	-3.287000							
	28.207995	-3.287000	.742090	.742090	.000000	1.000000	.000000		
168	28.579040	-3.287000							
	28.950095	-3.287000	.742100	.742100	.000000	1.000000	.000000		
169	29.321140	-3.287000							
	29.692185	-3.287000	.742090	.742090	.000000	1.000000	.000000		
170	30.063230	-3.287000							
	30.434280	-3.287000	.742100	.742100	.000000	1.000000	.000000		
171	30.805330	-3.287000							
	31.176375	-3.287000	.742090	.742090	.000000	1.000000	.000000		
172	31.547420	-3.287000							
	31.918470	-3.287000	.742100	.742100	.000000	1.000000	.000000		
173	32.289520	-3.287000							
	32.660565	-3.287000	.742090	.742090	.000000	1.000000	.000000		
174	33.031610	-3.287000							
	33.402660	-3.287000	.742100	.742100	.000000	1.000000	.000000		
175	33.773710	-3.287000							

## POTENTIAL FLOW - - 2-D , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

ELEMENT COORDINATE DATA FOR BODY ID = 1				2-D QCSEE			
	X(I)	Y(I)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE
176	34.144755	-3.287000	.742090	.742090	.000000	1.000000	.000000
	34.515800	-3.287000					
177	34.886850	-3.287000	.742100	.742100	.000000	1.000000	.000000
	35.257900	-3.287000					
178	35.628950	-3.287000	.742100	.742100	.000000	1.000000	.000000
	36.000000	-3.287000					

SUMS = 72.688411

THE INTERPRETATION OF MEANINGLESS INPUT WAS ATTEMPTED.  
 THE FOLLOWING RECORD IS ERRONEOUS OR DOES NOT CORRESPOND TO FORMAT SPECIFICATIONS  
 2 0 1 2-D QCSEE MOD 3A 2 1 1 1  
 I/O CALLED AT SEQUENCE NUMBER 000120 OF EFORM

264

ORIGINAL PAGE IS  
OR POOR QUALITY

POTENTIAL FLOW -- 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

UNTRANSFORMED COORDINATE DATA FOR BODY ID = 2,

I	X(I)	Y(I)	I	X(I)	Y(I)
1	36.060000	3.287000	51	8.116820	2.942790
2	35.257900	3.287000	52	7.849780	2.903180
3	34.515900	3.287000	53	7.580200	2.862760
4	33.773710	3.287000	54	7.310250	2.821820
5	33.031610	3.287000	55	7.040060	2.780600
6	32.289520	3.287000	56	6.770140	2.739440
7	31.547420	3.287000	57	6.500660	2.698590
8	30.805330	3.287000	58	6.231610	2.658310
9	30.063230	3.287000	59	5.963290	2.619880
10	29.321140	3.287000	60	5.695780	2.580530
11	28.579040	3.287000	61	5.429210	2.543520
12	27.836950	3.287000	62	5.163700	2.508080
13	27.194850	3.287000	63	4.899280	2.474440
14	26.352750	3.287000	64	4.636340	2.442620
15	25.611660	3.287000	65	4.374700	2.413440
16	24.868560	3.287000	66	4.114540	2.386470
17	24.126470	3.287000	67	3.855970	2.356210
18	23.384370	3.287000	68	3.599060	2.340560
19	22.644220	3.287000	69	3.343880	2.321940
20	21.901180	3.287000	70	3.090500	2.306430
21	21.158090	3.287000	71	2.838980	2.294150
22	20.415990	3.287000	72	2.589360	2.285250
23	19.673900	3.287000	73	2.341690	2.279030
24	18.931800	3.287000	74	2.096000	2.278000
25	18.189700	3.287000	75	1.861240	2.284590
26	17.447610	3.287000	76	1.646690	2.302360
27	16.705510	3.287000	77	1.449000	2.329180
28	15.963420	3.287000	78	1.267340	2.363380
29	15.221320	3.287000	79	1.100870	2.403650
30	14.478680	3.287000	80	.948820	2.448900
31	13.859800	3.287000	81	.810460	2.498260
32	13.134480	3.287000	82	.685110	2.555080
33	12.914310	3.287000	83	.572180	2.604200
34	12.556160	3.287000	84	.471130	2.663990
35	12.257710	3.287000	85	.381470	2.723170
36	12.009300	3.287000	86	.302790	2.783410
37	11.762750	3.285150	87	.234670	2.844160
38	11.512400	3.279660	88	.174200	2.907700
39	11.260940	3.270630	89	.123580	2.971460
40	11.007410	3.258180	90	.082490	3.034880
41	10.752170	3.242450	91	.050510	3.097310
42	10.495180	3.223600	92	.024410	3.166540
43	10.236530	3.201760	93	.006470	3.243660
44	9.976300	3.177120	94	.000900	3.326000
45	9.714570	3.149660	95	.016300	3.410370
46	9.453440	3.120170	96	.063940	3.480560
47	9.197330	3.088250	97	.14960	3.544650
48	8.921440	3.054320	98	.233160	3.597890
49	8.654790	3.018610	99	.337440	3.644260
50	8.387710	2.981360	100	.449630	3.664830

## POTENTIAL FLOW -- 2-D, 23Y RELEASE C-1-1 FLOW FIELD PLOTS

UNTRANSFORMED COORDINATE DATA FOR BODY ID = 2,			2-D QCSEE		
I	X(I)	Y(I)	I	X(I)	Y(I)
101	.569370	3.721220	140	10.803840	3.960300
102	.696610	3.754320	141	11.105130	3.960300
103	.831450	3.784720	142	11.406420	3.960300
104	.974120	3.812740	143	11.707710	3.960300
105	1.124970	3.838600	144	12.009000	3.960300
106	1.284950	3.862400	145	12.309200	3.960300
107	1.452120	3.884150	146	12.666900	3.960300
108	1.629190	3.903780	147	13.101000	3.960300
109	1.815980	3.921170	148	13.619000	3.960300
110	2.012450	3.936050	149	14.241900	3.960300
111	2.220310	3.948060	150	14.987980	3.960300
112	2.438960	3.956570	151	15.738400	3.960300
113	2.669100	3.960300	152	16.428830	3.960300
114	2.970290	3.960300	153	17.239260	3.960300
115	3.271580	3.960300	154	17.989690	3.960300
116	3.572970	3.960300	155	18.740120	3.960300
117	3.874160	3.960300	156	19.490550	3.960300
118	4.175450	3.960300	157	20.240980	3.960300
119	4.476740	3.960300	158	20.991410	3.960300
120	4.778430	3.960300	159	21.741840	3.960300
121	5.079320	3.960300	160	22.492270	3.960300
122	5.380610	3.960300	161	23.242700	3.960300
123	5.681900	3.960300	162	23.993130	3.960300
124	5.983190	3.960300	163	24.743560	3.960300
125	6.284480	3.960300	164	25.493990	3.960300
126	6.585760	3.960300	165	26.244420	3.960300
127	6.887770	3.960300	166	26.994850	3.960300
128	7.188760	3.960300	167	27.745280	3.960300
129	7.489650	3.960300	168	28.495700	3.960300
130	7.790440	3.960300	169	29.246130	3.960300
131	8.092230	3.960300	170	29.996560	3.960300
132	8.393520	3.960300	171	30.746990	3.960300
133	8.694410	3.960300	172	31.497420	3.960300
134	8.996100	3.960300	173	32.247850	3.960300
135	9.297390	3.960300	174	32.998280	3.960300
136	9.598680	3.960300	175	33.748710	3.960300
137	9.899970	3.960300	176	34.499140	3.960300
138	10.201260	3.960300	177	35.249570	3.960300
139	10.502550	3.960300	178	36.000000	3.960300

ORIGINAL PAGE IS  
OF POOR  
QUALITY

POTENTIAL FLOW - - 2-0 , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

ELEMENT COORDINATE DATA FOR BODY ID = 2:				2-D OCSEE			
I	X(I)	Y(I)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE
1	36.00000	3.287000					
	35.626950	3.287000					
2	35.257950	3.287000	.742100	.742100	.000000	-1.000000	.000000
	34.886850	3.287000					
3	34.515850	3.287000	.742100	.742100	.000000	-1.000000	.000000
	34.144755	3.287000					
4	33.773710	3.287000	.742090	.742090	.000000	-1.000000	.000000
	33.426650	3.287000					
5	33.031610	3.287000	.742100	.742100	.000000	-1.000000	.000000
	32.660565	3.287000					
6	32.289520	3.287000	.742090	.742090	.000000	-1.000000	.000000
	31.918470	3.287000	.742100	.742100	.000000	-1.000000	.000000
7	31.547420	3.287000					
	31.176375	3.287000	.742090	.742090	.000000	-1.000000	.000000
8	30.805330	3.287000					
	30.434280	3.287000					
9	30.063230	3.287000	.742100	.742100	.000000	-1.000000	.000000
	29.692195	3.287000					
10	29.321140	3.287000	.742090	.742090	.000000	-1.000000	.000000
	28.950090	3.287000					
11	28.579040	3.287000	.742100	.742100	.000000	-1.000000	.000000
	28.207955	3.287000					
12	27.836950	3.287000	.742090	.742090	.000000	-1.000000	.000000
	27.465950	3.287000					
13	27.094850	3.287000	.742100	.742100	.000000	-1.000000	.000000
	26.723810	3.287000					
14	26.352750	3.287000	.742100	.742100	.000000	-1.000000	.000000
	25.981755	3.287000					
15	25.610660	3.287000	.742090	.742090	.000000	-1.000000	.000000
	25.239610	3.287000					
16	24.868560	3.287000	.742100	.742100	.000000	-1.000000	.000000
	24.497515	3.287000					
17	24.126470	3.287000	.742090	.742090	.000000	-1.000000	.000000
	23.755420	3.287000					
18	23.384370	3.287000	.742100	.742100	.000000	-1.000000	.000000
	23.013325	3.287000					
19	22.642280	3.287000	.742090	.742090	.000000	-1.000000	.000000
	22.271230	3.287000					
20	21.900180	3.287000	.742100	.742100	.000000	-1.000000	.000000
	21.529135	3.287000					
21	21.158090	3.287000	.742090	.742090	.000000	-1.000000	.000000
	20.787040	3.287000					
22	20.415950	3.287000	.742100	.742100	.000000	-1.000000	.000000
	20.044945	3.287000					
23	19.673970	3.287000	.742090	.742090	.000000	-1.000000	.000000
	19.302850	3.287000					
24	18.931810	3.287000	.742100	.742100	.000000	-1.000000	.000000
	18.560750	3.287000					
25	18.189710	3.287000	.742100	.742100	.000000	-1.000000	.000000

## POTENTIAL FLOW - - 2-D , 23Y RELEASE D-1-1 FLOW FIELD PLOTS

ELEMENT COORDINATE DATA FOR BODY ID = 2,								2-D QCSEE	
I	X(I)	Y(I)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE		
26	17.818655	3.287000	.742090	.742090	.000000	-1.000000	.000000		
	17.447610	3.287000							
	17.076560	3.287000	.742100	.742100	.000000	-1.000000	.000000		
27	16.705510	3.287000							
	16.334465	3.287000	.742090	.742090	.000000	-1.000000	.000000		
28	15.963420	3.287000							
	15.592370	3.287000	.742100	.742100	.000000	-1.000000	.000000		
29	15.221320	3.287000							
	14.850000	3.287000	.742640	.742640	.000000	-1.000000	.000000		
30	14.478680	3.287000							
	14.169240	3.287000	.618880	.618880	.000000	-1.000000	.000000		
31	13.859800	3.287000							
	13.601940	3.287000	.515720	.515720	.000000	-1.000000	.000000		
32	13.344080	3.287000							
	13.129195	3.287000	.429770	.429770	.000000	-1.000000	.000000		
33	12.914310	3.287000							
	12.735235	3.287000	.358150	.358150	.000000	-1.000000	.000000		
34	12.556160	3.287000							
	12.406935	3.287000	.298450	.298450	.000000	-1.000000	.000000		
35	12.257710	3.287000							
	12.133356	3.287000	.248710	.248710	.000000	-1.000000	.000000		
36	12.009000	3.287000							
	11.885525	3.286075	.246957	.246957	.007491	-999972	.000000		
37	11.762050	3.285150							
	11.637225	3.282405	.249710	.249710	.021985	-999758	.000000		
38	11.512460	3.279660							
	11.386620	3.275145	.251722	.251722	.035873	-999356	.000000		
39	11.260840	3.270630							
	11.134125	3.264405	.253736	.253736	.049067	-998796	.000000		
40	11.074110	3.258180							
	10.879790	3.250315	.255724	.255724	.061512	-998106	.000000		
41	10.752170	3.242450							
	10.623675	3.233025	.257680	.257680	.073153	-997321	.000000		
42	10.495180	3.223600							
	10.365855	3.212680	.259570	.259570	.084139	-996454	.000000		
43	10.236530	3.201760							
	10.106415	3.189410	.261394	.261394	.094264	-995587	.000000		
44	9.976310	3.177120							
	9.845435	3.163490	.263146	.263146	.103593	-994620	.000000		
45	9.714570	3.149860							
	9.583065	3.135015	.264800	.264800	.112122	-993694	.000000		
46	9.451440	3.120170							
	9.319235	3.104210	.266330	.266330	.119851	-992792	.000000		
47	9.187030	3.088250							
	9.054235	3.071285	.267749	.267749	.126723	-991938	.000000		
48	8.921490	3.054320							
	8.788115	3.036465	.269030	.269030	.132736	-991151	.000000		
49	8.654790	3.018610							
	8.521070	2.999965	.270160	.270160	.137881	-990449	.000000		
50	8.387210	2.981360							

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - 2-D, 23Y RELEASE G-1-P FLOW FIELD PLOTS

	ELEMENT COORDINATE DATA FOR BODY ID = 2,			2-D OCSEE			
	X(i)	Y(i)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE
51	8.253015	2.962074	+271147	+271147	-0.142247	-0.989831	000000
	8.118826	2.942790					
	7.984360	2.922985	+271940	+271940	-0.145657	-0.989335	000000
52	7.849740	2.903180					
	7.714996	2.882970	+272563	+272593	-0.148279	-0.988946	000000
53	7.586200	2.862760					
	7.445225	2.842290	+273037	+273037	-0.149943	-0.988695	000000
54	7.310250	2.821620					
	7.175155	2.801210	+273316	+273316	-0.150814	-0.988562	000000
55	7.040060	2.780600					
	6.905100	2.760020	+273040	+273040	-0.150747	-0.988572	000000
56	6.770140	2.739440					
	6.635370	2.719015	+272618	+272618	-0.149843	-0.988710	000000
57	6.516600	2.698590					
	6.386105	2.678450	+271989	+271989	-0.148094	-0.988973	000000
58	6.231610	2.658310					
	6.097450	2.638595	+271202	+271202	-0.145390	-0.989374	000000
59	5.963290	2.610880					
	5.829575	2.599704	+270245	+270245	-0.141908	-0.989880	000000
60	5.695780	2.580530					
	5.562495	2.562025	+269127	+269127	-0.137519	-0.990499	000000
61	5.429210	2.543520					
	5.296455	2.525800	+267865	+267865	-0.132306	-0.991209	000000
62	5.163700	2.508820					
	5.031540	2.491260	+266452	+266452	-0.126252	-0.991998	000000
63	4.899380	2.474440					
	4.767860	2.458630	+264934	+264934	-0.119351	-0.992852	000000
64	4.636340	2.442820					
	4.505520	2.428130	+263284	+263284	-0.111590	-0.993754	000000
65	4.374770	2.413440					
	4.244620	2.399955	+261554	+261554	-0.103114	-0.994670	000000
66	4.114540	2.386470					
	3.985255	2.374295	+259714	+259714	-0.093757	-0.995595	000000
67	3.855970	2.362120					
	3.727515	2.351340	+257813	+257813	-0.083627	-0.996497	000000
68	3.599040	2.340560					
	3.471470	2.331250	+255858	+255858	-0.072775	-0.997348	000000
69	3.343880	2.321940					
	3.217190	2.314185	+253854	+253854	-0.061098	-0.998132	000000
70	3.090570	2.306430					
	2.964740	2.300290	+251820	+251820	-0.048765	-0.998810	000000
71	2.838970	2.294150					
	2.714170	2.289700	+249779	+249779	-0.035632	-0.999365	000000
72	2.589360	2.285250					
	2.465575	2.282540	+247729	+247729	-0.021879	-0.999761	000000
73	2.341690	2.279830					
	2.216845	2.278915	+245697	+245697	-0.007448	-0.999972	000000
74	2.096000	2.278000					
	1.978620	2.281295	+234852	+234852	-0.028060	-0.999606	000000
75	1.861240	2.284590					

## POTENTIAL FLOW - 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

## ELEMENT COORDINATE DATA FOR BODY ID = 2,

## 2-D QCSEE

I	X(I)	Y(I)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE
76	1.753965	2.293475	.215285	.215285	.082542	-.996588	.000000
	1.646690	2.302360					
	1.547845	2.315770	.199501	.199501	.134435	-.990922	.000000
77	1.449000	2.329180					
	1.358170	2.346280	.184851	.184851	.185014	-.982736	.000000
78	1.267340	2.363380					
	1.184115	2.383515	.171272	.171272	.235124	-.971965	.000000
79	1.108870	2.403650					
	1.024845	2.426275	.158640	.158640	.295237	-.958457	.000000
80	.948820	2.448900					
	.879640	2.473580	.146901	.146901	.336009	-.941859	.000000
81	.810460	2.498260					
	.747785	2.524620	.135985	.135985	.387689	-.921790	.000000
82	.665110	2.550980					
	.628645	2.578700	.125805	.125805	.440684	-.897662	.000000
83	.572180	2.606420					
	.521655	2.635205	.116299	.116299	.495018	-.869883	.000000
84	.471130	2.663990					
	.426300	2.693580	.107430	.107430	.550871	-.834590	.000000
85	.381970	2.723170					
	.342130	2.753290	.099093	.099093	.607914	-.794002	.000000
86	.302790	2.783410					
	.268730	2.813785	.091274	.091274	.665580	-.746326	.000000
87	.234670	2.844160					
	.204935	2.875930	.087715	.087715	.724390	-.689390	.000000
88	.174200	2.907700					
	.146890	2.939580	.081411	.081411	.783188	-.621785	.000000
89	.123580	2.971460					
	.103035	3.003170	.075568	.075568	.839247	-.543751	.000000
90	.082490	3.034880					
	.066500	3.066095	.070144	.070144	.890022	-.455917	.000000
91	.051510	3.097310					
	.037460	3.131925	.073986	.073986	.935711	-.352767	.000000
92	.024410	3.166540					
	.015440	3.205100	.079179	.079179	.973994	-.226575	.000000
93	.006470	3.243660					
	.003235	3.284830	.082594	.082594	.996927	-.078335	.000000
94	.000000	3.326000					
	.008150	3.368185	.085930	.085930	.981844	-.189689	.000000
95	.016300	3.410370					
	.040120	3.445465	.084830	.084830	.827415	-.561591	.000000
96	.063940	3.480560					
	.102450	3.512605	.100198	.100198	.639634	-.768679	.000000
97	.143960	3.544650					
	.187060	3.571270	.106468	.106468	.500059	-.865992	.000000
98	.233160	3.597890					
	.285370	3.621075	.114125	.114125	.406309	-.913736	.000000
99	.337440	3.644260					
	.393535	3.6664545	.119300	.119300	.340067	-.940401	.000000
100	.449670	3.684630					

ORIGINAL PAGE IS  
OF POOR QUALITY

## POTENTIAL FLOW - - 2-D , 23Y RELEASE '0-1-1' FLOW FIELD PLOTS

ELEMENT COORDINATE DATA FOR BODY ID = 2, 2-D OCSEF							
	X(I)	Y(I)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE
101	.509500	3.703025	.125148	.125148	.290777	.956791	.000000
	.569370	3.721220					
	.632970	3.737770	.131475	.131475	.251759	.967790	.000000
102	.696610	3.754320					
	.764030	3.769520	.138224	.138224	.219932	.975515	.000000
	.831450	3.784720					
103	.902785	3.798730	.145395	.145395	.192716	.981255	.000000
	.974120	3.812740					
	1.049455	3.828567	.152952	.152952	.169073	.985604	.000000
105	1.124870	3.838600					
	1.204460	3.850500	.160949	.160949	.147072	.989006	.000000
106	1.284050	3.862400					
	1.368035	3.873275	.169372	.169372	.128415	.991720	.000000
107	1.452020	3.884150					
	1.540615	3.893965	.178254	.178254	.110124	.993918	.000000
	1.629190	3.903780					
108	1.722585	3.912475	.187598	.187598	.092698	.995694	.000000
	1.815980	3.921170					
	1.918415	3.928610	.197432	.197432	.075368	.997156	.000000
109	2.012850	3.936750					
	2.116580	3.942055	.207807	.207807	.057794	.998329	.000000
110	2.220310	3.948060					
	2.329585	3.952315	.218716	.218716	.038209	.999243	.000000
111	2.438860	3.956570					
	2.553930	3.958435	.230170	.230170	.016205	.999869	.000000
112	2.669000	3.960300					
	2.819645	3.960300	.301290	.301290	.000000	1.000000	.000000
114	2.970290	3.960300					
	3.120938	3.960300	.301290	.301290	.000000	1.000000	.000000
115	3.271580	3.960300					
	3.422225	3.960300	.301290	.301290	.000000	1.000000	.000000
116	3.572870	3.960300					
	3.723515	3.960300	.301290	.301290	.000000	1.000000	.000000
117	3.874160	3.960300					
	4.0248C5	3.960300	.301290	.301290	.000000	1.000000	.000000
118	4.175450	3.960300					
	4.326095	3.960300	.301290	.301290	.000000	1.000000	.000000
119	4.476740	3.960300					
	4.627385	3.960300	.301290	.301290	.000000	1.000000	.000000
120	4.778030	3.960300					
	4.928675	3.960300	.301290	.301290	.000000	1.000000	.000000
121	5.079326	3.960300					
	5.229965	3.960300	.301290	.301290	.000000	1.000000	.000000
122	5.386610	3.960300					
	5.531255	3.960300	.301290	.301290	.000000	1.000000	.000000
123	5.681910	3.960300					
	5.832545	3.960300	.301290	.301290	.000000	1.000000	.000000
124	5.983190	3.960300					
	6.133835	3.960300	.301290	.301290	.000000	1.000000	.000000
125	6.284480	3.960300					

## POTENTIAL FLOW - 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

## ELEMENT COORDINATE DATA FOR BODY ID = 2,

2-D UCSEE

I	X(I)	Y(I)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE
126	6.435130	3.960300	.301300	.301300	.000000	1.000000	.000000
	6.585780	3.960300					
	6.736425	3.960300	.301290	.301290	.000000	1.000000	.000000
127	6.887070	3.960300					
	7.037715	3.960300	.301290	.301290	.000000	1.000000	.000000
128	7.188360	3.960300					
	7.339075	3.960300	.301290	.301290	.000000	1.000000	.000000
129	7.489650	3.960300					
	7.640295	3.960300	.301290	.301290	.000000	1.000000	.000000
130	7.790940	3.960300					
	7.941585	3.960300	.301290	.301290	.000000	1.000000	.000000
131	8.092230	3.960300					
	8.242875	3.960300	.301290	.301290	.000000	1.000000	.000000
132	8.393520	3.960300					
	8.544165	3.960300	.301290	.301290	.000000	1.000000	.000000
133	8.694810	3.960300					
	8.845455	3.960300	.301290	.301290	.000000	1.000000	.000000
134	8.996180	3.960300					
	9.146745	3.960300	.301290	.301290	.000000	1.000000	.000000
135	9.297390	3.960300					
	9.448035	3.960300	.301290	.301290	.000000	1.000000	.000000
136	9.598680	3.960300					
	9.749325	3.960300	.301290	.301290	.000000	1.000000	.000000
137	9.899970	3.960300					
	10.050615	3.960300	.301290	.301290	.000000	1.000000	.000000
138	10.201260	3.960300					
	10.351945	3.960300	.301290	.301290	.000000	1.000000	.000000
139	10.502550	3.960300					
	10.653195	3.960300	.301290	.301290	.000000	1.000000	.000000
140	10.803840	3.960300					
	10.9485	3.960300	.301290	.301290	.000000	1.000000	.000000
141	11. 5130	3.960300					
	11. 5775	3.960300	.301290	.301290	.000000	1.000000	.000000
142	11. 6420	3.960300					
	11. 557065	3.960300	.301290	.301290	.000000	1.000000	.000000
143	11. 707710	3.960300					
	11. 858355	3.960300	.301290	.301290	.000000	1.000000	.000000
144	12.09000	3.960300					
	12.159000	3.960300	.300000	.300000	.000000	1.000000	.000000
145	12.309000	3.960300					
	12.489000	3.960300	.360000	.360000	.000000	1.000000	.000000
146	12.669000	3.960300					
	12.885000	3.960300	.432000	.432000	.000000	1.000000	.000000
147	13.101000	3.960300					
	13.360200	3.960300	.518400	.518400	.000000	1.000000	.000000
148	13.619400	3.960300					
	13.930440	3.960300	.622080	.622080	.000000	1.000000	.000000
149	14.241480	3.960300					
	14.618730	3.960300	.746500	.746500	.000000	1.000000	.000000
150	14.987980	3.960300					

ORIGINAL PAGE IS  
OF POOR QUALITY

## POTENTIAL FLOW - 2-D , 23Y RELEASE 0-1-1- FLOW FIELD PLOTS

ELEMENT COORDINATE DATA FOR "BODY" ID = 2,						2-D UCSEE		
I	X(I)	Y(I)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE	
151	15.763190	3.960300	.750430	.750430	.000000	1.000000	.000000	
	15.738400	3.960300						
152	16.113615	3.960300	.750430	.750430	.000000	1.000000	.000000	
	16.488830	3.960300						
153	16.864045	3.960300	.750430	.750430	.000000	1.000000	.000000	
	17.239260	3.960300						
	17.614475	3.960300	.750430	.750430	.000000	1.000000	.000000	
154	17.989690	3.960300						
	18.364945	3.960300	.750430	.750430	.000000	1.000000	.000000	
155	18.740120	3.960300						
	19.115335	3.960300	.750430	.750430	.000000	1.000000	.000000	
156	19.490550	3.960300						
	19.865765	3.960300	.750430	.750430	.000000	1.000000	.000000	
157	20.240980	3.960300						
	20.616195	3.960300	.750430	.750430	.000000	1.000000	.000000	
158	20.991410	3.960300						
	21.366625	3.960300	.750430	.750430	.000000	1.000000	.000000	
159	21.741840	3.960300						
	22.117055	3.960300	.750430	.750430	.000000	1.000000	.000000	
160	22.492270	3.960300						
	22.867485	3.960300	.750430	.750430	.000000	1.000000	.000000	
161	23.242700	3.960300						
	23.617179	3.960300	.750430	.750430	.000000	1.000000	.000000	
162	23.9931	3.960300						
	24.3683	3.960300	.750430	.750430	.000000	1.000000	.000000	
163	24.7435	3.960300						
	25.118775	3.960300	.750430	.750430	.000000	1.000000	.000000	
164	25.493990	3.960300						
	25.869215	3.960300	.750430	.750430	.000000	1.000000	.000000	
165	26.244420	3.960300						
	26.613635	3.960300	.750430	.750430	.000000	1.000000	.000000	
166	26.994850	3.960300						
	27.3700	3.960300	.750430	.750430	.000000	1.000000	.000000	
167	27.7452	3.960300						
	28.1204	3.960300	.750420	.750420	.000000	1.000000	.000000	
168	28.4957	3.960300						
	28.8769	3.960300	.750430	.750430	.000000	1.000000	.000000	
169	29.2461	3.960300						
	29.6213	3.960300	.750430	.750430	.000000	1.000000	.000000	
	29.9965	3.960300						
170	30.371775	3.960300						
	30.748690	3.960300	.750430	.750430	.000000	1.000000	.000000	
171	31.122215	3.960300						
	31.497420	3.960300	.750430	.750430	.000000	1.000000	.000000	
	31.872635	3.960300						
173	32.247850	3.960300	.750430	.750430	.000000	1.000000	.000000	
	32.623065	3.960300						
174	32.998280	3.960300	.750430	.750430	.000000	1.000000	.000000	
	33.373495	3.960300						
175	33.748710	3.960300	.750430	.750430	.000000	1.000000	.000000	

POTENTIAL FLOW - 2-0 , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

ELEMENT COORDINATE DATA FOR BODY ID = 2,

2-0 OCSEE

I	X(I)	Y(I)	DL	DS	SIN(ALF)	COS(ALF)	CURVATURE
176	34.123925	3.960300	.750430	.750430	.000000	1.000000	.000000
	34.499140	3.960300					
	34.874355	3.960300	.750430	.750430	.000000	1.000000	.000000
177	35.249570	3.960300	.750430	.750430	.000000	1.000000	.000000
	35.624785	3.960300					
178	36.000000	3.960300					

SUMDS = 72.668405

274

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - 2-D , 23Y RELEASE Q-1-14 FLOW FIELD PLOTS

BODY GEOMETRY SUMMARY

BODY DESCRIPTION	BODY ID	LIFT TYPE	N/O STD	TFORH NORM	CHORD	TYPE	SIGMA F C S C	ELEMENT N/O	STORAGE FIRST NO.
2-D QCSEE	1	YES	NEW	NO	NO	L	0 0 0 0	NEW	1 177
2-D QCSEF	2	YES	NEW	NO	NO	L	0 0 0 0	NEW	178 177

TOTAL NUMBER OF BODIES = 2

TOTAL NUMBER OF ELEMENTS = 354

FLFORM COMPLETE, CALL MAFORM, I.E., CROSS SECONDS

"POTENTIAL FLOW" 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

VORTICITY WEIGHTING FUNCTION =  $S/L * (1 - S/L)$

.005135	.015246	.025144	.034828	.044299	.053557
.062602	.071434	.080053	.088458	.096650	.104629
.112395	.119948	.127268	.134414	.141327	.148027
.154514	.160788	.166849	.172696	.178330	.183752
.188959	.193958	.198736	.203304	.207648	.211434
.214454	.216876	.218830	.220412	.221818	.223192
.224533	.225838	.227110	.228347	.229549	.230718
.231852	.232951	.234017	.235047	.236644	.237006
.237934	.238827	.239686	.240511	.241301	.242057
.242779	.243466	.244119	.244738	.245322	.245872
.246387	.246468	.247315	.247727	.248105	.248410
.248647	.248854	.249035	.249193	.249329	.249448
.249549	.249636	.249710	.249773	.249825	.249869
.249905	.249933	.249956	.249973	.249984	.249992
.249997	.250000	.250000	.249998	.249994	.249987
.249977	.249964	.249946	.249923	.249894	.249857
.249811	.249754	.249683	.249597	.249493	.249367
.249215	.249032	.248815	.248570	.248300	.248003
.247680	.247330	.246953	.246547	.246113	.245650
.245157	.244635	.244083	.243501	.242889	.242247
.241575	.240874	.240142	.239382	.238593	.237777
.236935	.236067	.235174	.234257	.233317	.232355
.231371	.230366	.229342	.228299	.227238	.226160
.225066	.223956	.222630	.221692	.220534	.219227
.217622	.215642	.213169	.210133	.206306	.201932
.197351	.192561	.187564	.182357	.176943	.171320
.165488	.159448	.153199	.146742	.140677	.133203
.126120	.118830	.111330	.103623	.095706	.087582
.079249	.070707	.061957	.052990	.043812	.034456
.024872	.015080	.005079			

273

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW = '2-E', 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

VORTICITY WEIGHTING FUNCTION =  $S/L \cdot (1 - S/L)$

.05079	.015070	.024872	.034456	.043031	.052998
.461957	.070707	.079248	.087581	.095736	.103622
.111330	.118829	.126120	.133203	.140077	.146742
.153199	.159448	.165488	.171319	.176943	.182357
.167564	.192561	.197351	.201932	.206306	.210133
.213189	.215642	.217622	.219227	.220533	.221692
.222830	.223955	.225066	.226160	.227238	.228299
.229342	.230366	.231371	.232355	.233317	.234257
.235174	.236067	.236935	.237777	.238593	.239382
.240142	.240874	.241575	.242247	.242889	.243501
.244083	.244615	.245157	.245650	.246113	.246547
.246953	.247330	.247680	.248003	.248300	.248570
.248815	.249032	.249215	.249367	.249493	.249597
.249683	.249754	.249811	.249857	.249894	.249923
.249946	.249964	.249977	.249987	.249994	.249998
.250000	.250000	.249997	.249992	.249984	.249973
.249956	.249933	.249905	.249869	.249825	.249773
.249710	.249636	.249549	.249448	.249329	.249193
.249035	.248854	.248697	.248410	.248105	.247727
.247315	.246868	.246347	.245872	.245322	.244738
.244119	.243466	.242779	.242057	.241302	.240511
.239686	.238877	.237934	.237006	.236044	.235047
.234017	.232951	.231852	.230718	.229550	.228347
.227110	.225838	.224533	.223193	.221818	.220412
.210830	.216876	.214454	.211434	.207648	.203304
.198736	.193954	.188659	.183752	.178336	.172696
.166849	.160788	.154514	.148028	.141327	.134414
.127288	.119948	.112395	.104629	.096650	.088458
.080053	.071434	.062603	.053558	.044299	.034828
.025144	.015246	.005135			

'MAOPM COMPLETE; CALL SOLVE; T = .000SECONDS.

SOLVIT TIME = .000 SECONDS.

THE 354 X 354 MATRIX WITH 4 RIGHT SIDES WAS SOLVED DIRECTLY IN .000 MINUTES.

SOLVIT TIME = .000 SECONDS.

SOLVFC COMPLETE; READ FLOW TITLE & CONTROL CARD, CALL COMBO, T = .000SECONDS.

ON RETURN FROM MIS1, NERR = 0

POTENTIAL FLOW -- 2-D , 23Y RELEASE D-1-1 FLOW FIELD PLOTS

COMBINATION CONSTANTS

ALPHA =	90	.000000
1	.017023	.457723
2	-.017023	.457724
		-.017023

LIFT CURVE CONSTANTS

RK1 =	.000000	RK2 =	11.090788	RK3 =	.000000
ALPHAO =	.000003				
ALPHA =	.000000				
CLT =	.003013				

COMBO COMPLETE, CALL FLOWS, T = .000SECONDS.

275

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - - Z=0', 23Y RELEASE A-1-1 FLOW FIELD PLOTS

INDIVIDUAL FLOW NUMBER")

PI.NO.	VN	VT	SIGMA
1	-000000	-1.028939	.017604
2	-000000	-1.017134	.025033
3	-000000	-1.013142	.031440
4	-000000	-1.010961	.037387
5	-000000	-1.009585	.043035
6	-000000	-1.008648	.048551
7	-000000	-1.007983	.053968
8	-000000	-1.007504	.059320
9	-000000	-1.007158	.064627
10	-000000	-1.006913	.069902
11	-000000	-1.006748	.075156
12	-000000	-1.006646	.080397
13	-000000	-1.006587	.085630
14	-000000	-1.006597	.090861
15	-000000	-1.006625	.096094
16	-000000	-1.006702	.101332
17	-000000	-1.006828	.106580
18	-000000	-1.006975	.111840
19	-000000	-1.007142	.117116
20	-000000	-1.007371	.122412
21	-000000	-1.007619	.127731
22	-000000	-1.007889	.133077
23	-000001	-1.008207	.138453
24	-000000	-1.008566	.143866
25	-000000	-1.008964	.149317
26	-000000	-1.009398	.154415
27	-000001	-1.009815	.160365
28	-000001	-1.010299	.165977
29	-000001	-1.010563	.171649
30	-000001	-1.013049	.177026
31	-000001	-1.014866	.181713
32	-000001	-1.016373	.185817
33	-000001	-1.017760	.189410
34	-000001	-1.019399	.192433
35	-000001	-1.020229	.194910
36	-000001	-1.022106	.196650
37	-000001	-1.024473	.197240
38	-000001	-1.026886	.196531
39	-000001	-1.029261	.194549
40	-000001	-1.031412	.191416
41	-000001	-1.033370	.187296
42	-000001	-1.035129	.182367
43	-000001	-1.036660	.176800
44	-000001	-1.038101	.170749
45	-000001	-1.039363	.164352
46	-000001	-1.040586	.157723
47	-000001	-1.041802	.150956
48	-000001	-1.042986	.144122
49	-000001	-1.044232	.137280
50	-000001	-1.045573	.130467
51	-000001	-1.046951	.123718
52	-000000	-1.048456	.117049
53	-000000	-1.050169	.115975
54	-000000	-1.052061	.104000

## POTENTIAL FLOW - 2-D , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

55	-.003000	-1.054281	.097628
56	-.003000	-1.056650	.091357
57	-.003000	-1.059446	.085182
58	-.003000	-1.062685	.079095
59	-.003000	-1.066521	.073084
60	-.003000	-1.071090	.067132
61	-.003000	-1.076668	.061220
62	-.003000	-1.083655	.055315
63	-.003000	-1.092768	.049368
64	-.003000	-1.105541	.043303
65	-.003000	-1.127428	.036946
66	-.003000	-1.146571	.034096
67	-.003000	-1.158263	.033594
68	-.003000	-1.164203	.032722
69	-.003000	-1.168313	.031732
70	-.003000	-1.171433	.030753
71	-.003000	-1.174023	.029801
72	-.003000	-1.176226	.028977
73	-.003000	-1.178099	.028294
74	-.003000	-1.179694	.027801
75	-.003000	-1.181016	.027560
76	-.003000	-1.181785	.027689
77	-.003000	-1.181818	.028246
78	-.003000	-1.180365	.029519
79	-.003000	-1.176067	.031787
80	-.003000	-1.165318	.035839
81	-.003000	-1.139250	.043076
82	-.003000	-1.066648	.056895
83	-.003000	-883540	.080265
84	-.003000	-469298	.111408
85	-.003000	-071968	.120359
86	-.003000	.206345	.120556
87	-.003000	.435827	.116030
88	-.003000	.617725	.109918
89	-.003000	.769241	.103417
90	-.003000	.994231	.095888
91	-.003000	1.021464	.087816
92	-.003000	1.121053	.079483
93	-.003000	1.204016	.071306
94	-.003000	1.275528	.063040
95	-.003000	1.336625	.054766
96	-.003000	1.398660	.046521
97	-.003000	1.432809	.038234
98	-.003000	1.469863	.029688
99	-.003000	1.500415	.021373
100	-.003000	1.524594	.012614
101	-.003000	1.541987	.003425
102	-.003000	1.551225	-.006353
103	-.003000	1.549216	-.017014
104	-.003000	1.524991	-.029137
105	-.003000	1.486527	-.037708
106	-.003000	1.456704	-.042041
107	-.003000	1.436392	-.046635
108	-.003000	1.418850	-.051492
109	-.003000	1.402057	-.056533
110	-.003000	1.385084	-.061754
111	-.003000	1.367562	-.067090

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - 2-D, 23V RELEASE 0-1-1 FLOW FIELD PLOTS

112	.000000	1.349306	-.072537
113	.000000	1.330236	-.078068
114	.000000	1.310513	-.083641
115	.000000	1.290132	-.089280
116	.000000	1.269211	-.094956
117	.000000	1.247967	-.100662
118	.000000	1.226507	-.106402
119	.000000	1.204921	-.112181
120	.000000	1.183450	-.117983
121	.000000	1.162103	-.123835
122	.000000	1.141098	-.129703
123	.000000	1.120532	-.135604
124	.000000	1.100155	-.141535
125	.000000	1.081056	-.147464
126	.000000	1.062325	-.153392
127	.000000	1.044465	-.159267
128	.000000	1.027421	-.165087
129	.000000	1.011904	-.170776
130	.000000	.996361	-.176304
131	.000000	.982416	-.181604
132	.000000	.969582	-.186596
133	.000000	.957995	-.191181
134	.000000	.947711	-.195271
135	.000000	.938751	-.198761
136	.000000	.931223	-.201532
137	.000000	.925368	-.203456
138	.000000	.921057	-.204460
139	.000000	.918648	-.204425
140	.000000	.918525	-.203259
141	.000001	.921513	-.200866
142	.000000	.931033	-.196964
143	.000000	.940086	-.193005
144	.000000	.945235	-.189996
145	.000000	.949876	-.186954
146	.000000	.953665	-.183546
147	.000000	.956832	-.179627
148	.000000	.959568	-.175099
149	.000000	.962316	-.169872
150	.000000	.962312	-.164276
151	.000001	.962352	-.158798
152	.000000	.962355	-.153276
153	.000001	.962346	-.147851
154	.000000	.962289	-.142470
155	.000001	.962253	-.137126
156	.000000	.962205	-.131815
157	.000000	.962172	-.126534
158	.000001	.962139	-.121279
159	.000000	.962107	-.116045
160	.000000	.962048	-.110829
161	.000000	.962043	-.105629
162	.000000	.962005	-.100439
163	.000000	.961991	-.095268
164	.000000	.961993	-.090082
165	.000000	.961976	-.084908
166	.000001	.961989	-.079730
167	.000000	.961985	-.074543
168	.000000	.961998	-.069342

POTENTIAL FLOW = 2-0, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

169	.000000	.962026	-.064119
170	.000000	.962032	-.058864
171	.000000	.962044	-.053562
172	.000000	.961999	-.048193
173	.000000	.961873	-.042725
174	.000000	.961499	-.037102
175	.000000	.960577	-.031221
176	.000000	.958078	-.024860
177	.000000	.948073	-.017482
178	.000000	.948073	-.017482
179	.000000	.958978	-.024860
180	.000000	.960577	-.031221
181	.000000	.961499	-.037102
182	.000000	.961873	-.042725
183	.000000	.961999	-.048193
184	.000000	.962044	-.053561
185	.000000	.962032	-.058863
186	.000000	.962025	-.064118
187	.000000	.961998	-.069342
188	.000000	.961985	-.074542
189	.000000	.961988	-.079729
190	.000000	.961976	-.084907
191	.000000	.961993	-.090082
192	.000000	.961991	-.095257
193	.000000	.962005	-.100438
194	.000000	.962043	-.105628
195	.000000	.962068	-.110829
196	.000000	.962106	-.116044
197	.000000	.962139	-.121278
198	.000000	.962172	-.126533
199	.000000	.962205	-.131815
200	.000000	.962253	-.137125
201	.000000	.962289	-.142469
202	.000000	.962346	-.147850
203	.000000	.962355	-.153275
204	.000000	.962352	-.158747
205	.000000	.962312	-.164275
206	.000000	.962316	-.169871
207	.000000	.959568	-.175098
208	.000000	.956832	-.179626
209	.000000	.953645	-.183545
210	.000000	.949876	-.186953
211	.000000	.945235	-.189996
212	.000000	.940085	-.193005
213	.000000	.931033	-.196963
214	.000000	.921513	-.200865
215	.000000	.918525	-.203258
216	.000000	.918649	-.204424
217	.000000	.921057	-.204459
218	.000000	.925368	-.203456
219	.000000	.931223	-.201531
220	.000000	.938751	-.198760
221	.000000	.947712	-.195271
222	.000000	.957995	-.191181
223	.000000	.969582	-.186595
224	.000000	.982916	-.181604
225	.000000	.996362	-.176304

279

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW -- 2-D , 23Y RELEASE '0-1-1 FLOW FIELD PLOTS

226	.000000	-1.011405	.170775
227	.000000	-1.027421	.165086
228	.000001	-1.044465	.159266
229	.000000	-1.067326	.153391
230	.000001	-1.081056	.147964
231	.000000	-1.100456	.141534
232	.000001	-1.120532	.135603
233	.000001	-1.141098	.129703
234	.000000	-1.162103	.123834
235	.000000	-1.183450	.117982
236	.000000	-1.204921	.112181
237	.000000	-1.226507	.106401
238	.000000	-1.247967	.100662
239	.000000	-1.269211	.094955
240	.000000	-1.290132	.088280
241	.000000	-1.310510	.083640
242	.000000	-1.330235	.078068
243	.000000	-1.349376	.072537
244	.000000	-1.367562	.067090
245	.000000	-1.385084	.061754
246	.000000	-1.402057	.056533
247	.000000	-1.418850	.051492
248	.000000	-1.436392	.046635
249	.000000	-1.456704	.042041
250	.000000	-1.486527	.037707
251	.000000	-1.524991	.029137
252	.000000	-1.549216	.017014
253	.000000	-1.551224	.006352
254	.000000	-1.541987	.003425
255	.000000	-1.524594	.012614
256	.000000	-1.500415	.021374
257	.000000	-1.469862	.029889
258	.000000	-1.432869	.038235
259	.000000	-1.388660	.046521
260	.000000	-1.336624	.054766
261	.000000	-1.275527	.063040
262	.000000	-1.204016	.071306
263	.000000	-1.121052	.079483
264	.000000	-1.021464	.087816
265	.000000	.904230	.095888
266	.000000	.769240	.103417
267	.000001	.617723	.109918
268	.000000	.435926	.116030
269	.000001	.206343	.120556
270	.000001	.071970	.120359
271	.000001	.469300	.111408
272	.000000	.883542	.080265
273	.000000	1.066651	.056895
274	.000000	1.139251	.043076
275	.000000	1.165320	.035839
276	.000000	1.176069	.031786
277	.000000	1.180366	.029519
278	.000000	1.181819	.028246
279	.000000	1.181796	.027689
280	.000000	1.181017	.027566
281	.000000	1.179695	.027801
282	.000000	1.178100	.028294

POTENTIAL FLOW = 2-B , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

283	-000000	1.176277	.028977
284	-000000	1.174074	.029801
285	-000000	1.171433	.030753
286	-000000	1.168314	.031732
287	-000000	1.164204	.032722
288	-000000	1.158263	.033594
289	-000000	1.146575	.034095
290	-000000	1.127428	.036946
291	-000000	1.105542	.043303
292	-000000	1.092769	.049368
293	-000000	1.083655	.055315
294	-000000	1.076668	.061220
295	-000000	1.071090	.067132
296	-000000	1.066521	.073084
297	-000000	1.062686	.079095
298	-000001	1.059446	.085102
299	-000001	1.056650	.091357
300	-000001	1.054201	.097628
301	-000001	1.052061	.104000
302	-000001	1.050170	.110474
303	-000001	1.048456	.117049
304	-000001	1.046951	.123717
305	-000001	1.045503	.130466
306	-000001	1.044233	.137279
307	-000001	1.042986	.144121
308	-000001	1.041802	.150955
309	-000001	1.040586	.157722
310	-000001	1.039363	.164351
311	-000001	1.038101	.170749
312	-000001	1.036660	.176800
313	-000001	1.035129	.182368
314	-000001	1.033370	.187296
315	-000001	1.031412	.191415
316	-000001	1.029261	.194548
317	-000001	1.026886	.196530
318	-000001	1.024473	.197240
319	-000001	1.022107	.196649
320	-000001	1.020229	.194989
321	-000001	1.019399	.192432
322	-000001	1.017760	.189409
323	-000001	1.016374	.185816
324	-000001	1.014866	.181713
325	-000001	1.013049	.177025
326	-000001	1.010563	.171649
327	-000001	1.010299	.165976
328	-000001	1.009816	.160365
329	-000001	1.009398	.154814
330	-000001	1.008964	.149316
331	-000001	1.008566	.143865
332	-000001	1.008207	.138452
333	-000001	1.007889	.133076
334	-000001	1.007619	.127730
335	-000001	1.007371	.122411
336	-000001	1.007142	.117115
337	-000001	1.006974	.111639
338	-000001	1.006828	.106579
339	-000001	1.006702	.101331

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - 2-D , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

340	-0.007001	1.006625	.096493
341	-0.007461	1.006597	.090860
342	-0.006661	1.006587	.085629
343	-0.006001	1.006646	.080396
344	-0.006001	1.006747	.075156
345	-0.006001	1.006912	.069901
346	-0.006001	1.007157	.064626
347	-0.006001	1.007504	.059319
348	-0.006001	1.007982	.053967
349	-0.000 0	1.008647	.048550
350	-0.000 0	1.009585	.043035
351	-0.000 0	1.010961	.037366
352	-0.000 0	1.013141	.031439
353	-0.000 0	1.017133	.025033
354	-0.000 0	1.028938	.017604

" POTENTIAL FLOW = -2-D , 23Y RELEASE Q-1-1' FLOW FIELD PLOTS "

INDIVIDUAL FLOW NUMBER 2

PT.NO.	VN	VT	SIGMA
1	.000002	-2.549278	1.060326
2	.000004	-1.682437	1.403896
3	.000005	-1.351711	1.647885
4	.000005	-1.149978	1.835504
5	.000004	-1.005758	1.986534
6	.000006	-.893086	2.111722
7	.000006	-.800092	2.217672
8	.000005	-.720486	2.308757
9	.000005	-.650612	2.387992
10	.000005	-.587991	2.457532
11	.000003	-.531049	2.518931
12	.000007	-.478626	2.573336
13	.000007	-.420676	2.621601
14	.000007	-.384096	2.664372
15	.000009	-.340654	2.702145
16	.000008	-.299490	2.735302
17	.000008	-.260275	2.764131
18	.000007	-.222261	2.788871
19	.000007	-.185231	2.809686
20	.000007	-.149624	2.826764
21	.000006	-.114565	2.840201
22	.000006	-.080245	2.850497
23	.000005	-.046086	2.856453
24	.000006	-.012358	2.859340
25	.000004	-.D21881	2.858756
26	.000005	-.055616	2.854713
27	.000004	-.090431	2.847159
28	.000006	-.123952	2.835993
29	.000005	-.157749	2.821380
30	.000002	-.196638	2.804530
31	.000004	-.230684	2.787761
32	.000003	-.260518	2.771530
33	.000004	-.284378	2.755449
34	.000002	-.302632	2.737727
35	.000003	-.303657	2.713357
36	.000002	-.299307	2.675980
37	.000001	-.295255	2.622961
38	.000002	-.295097	2.555090
39	.000001	-.300101	2.475083
40	.000000	-.309956	2.385979
41	.000000	-.324995	2.290915
42	.000001	-.343636	2.192633
43	.000000	-.366313	2.093382
44	.000001	-.391709	1.995054
45	.000000	-.419851	1.898975
46	.000000	-.449624	1.806246
47	.000000	-.481026	1.717573
48	.000001	-.514052	1.633301
49	.000000	-.547709	1.553709
50	.000000	-.583211	1.478795
51	.000000	-.618632	1.408585
52	.000001	-.656312	1.342887
53	.000001	-.694698	1.281520
54	.000001	-.734831	1.224246

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - "Z-D.", 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

55	-0.00000	-776630	1.170813
56	.00000	.820177	1.120955
57	-.00000	.866353	1.074363
58	-.00000	.915456	1.030815
59	.00000	.967491	.989944
60	-.00000	1.023743	.951459
61	.00000	1.084640	.915046
62	-.00000	1.152031	.880311
63	.00000	1.226970	.846735
64	0	1.311367	.813447
65	0	1.398413	.777822
66	0	1.558176	.741249
67	0	1.685705	.716232
68	0	1.799193	.697150
69	.000001	1.906094	.680930
70	.000000	2.025253	.666628
71	.000000	2.153349	.653809
72	.000001	2.294158	.642027
73	.000001	2.449633	.631092
74	.000000	2.624191	.620638
75	.000000	2.822878	.610307
76	.000000	3.053728	.599612
77	.000000	3.326179	.588031
78	.000000	3.658453	.574325
79	.000001	4.075058	.556845
80	.000001	4.422932	.531528
81	.000001	5.368721	.489036
82	.000001	6.383450	.406851
83	.000001	7.527764	.228064
84	.000002	7.675782	.084415
85	.000002	6.903519	.240811
86	.000002	6.260056	.289418
87	.000002	5.787414	.333797
88	.000002	5.375353	.371302
89	.000002	4.971159	.405375
90	.000002	4.564025	.435665
91	.000002	4.163982	.461961
92	.000002	3.787869	.483682
93	.000002	3.432995	.502698
94	.000002	3.094938	.519121
95	.000003	2.776069	.533436
96	.000003	2.477319	.516015
97	.000002	2.197728	.557381
98	.000002	1.937174	.567871
99	.000002	1.694007	.578020
100	.000003	1.467786	.588247
101	.000002	1.256716	.599270
102	.000003	1.059364	.612067
103	.000003	.871763	.628367
104	.000003	.667172	.653188
105	.000003	.512204	.683564
106	.000003	.427535	.711523
107	.000004	.346872	.736102
108	.000003	.278631	.760380
109	.000004	.221786	.785311
110	.000003	.173867	.811347
111	.000004	.133864	.838817

POTENTIAL FLOW - - 2-D , 23Y RELEASE D-1-1 FLOW FIELD PLOTS

112	.000003	.099924	-1.867904
113	.000004	.070970	-1.898842
114	.000004	.046600	-1.931758
115	.000004	.025191	-1.966843
116	.000004	.006361	-1.004342
117	.000004	-.00787	-1.044371
118	.000005	.024293	-1.087154
119	.000005	-.037857	-1.132905
120	.000005	.049800	-1.181791
121	.000005	.061331	-1.234018
122	.000005	-.071873	-1.289773
123	.000004	-.081933	-1.349217
124	.000004	.091688	-1.412513
125	.000006	.100440	-1.479726
126	.000005	-.109226	-1.550865
127	.000006	-.117527	-1.625959
128	.000006	-.125064	-1.704793
129	.000004	-.131214	-1.767218
130	.000006	-.137410	-1.872813
131	.000007	-.141564	-1.961123
132	.000009	-.143757	-2.051375
133	.000008	-.144643	-2.142707
134	.000010	-.142726	-2.233865
135	.000012	-.138030	-2.323460
136	.000012	-.130967	-2.409998
137	.000010	-.118261	-2.491466
138	.000010	-.102887	-2.565913
139	.000011	-.082972	-2.631418
140	.000010	-.056666	-2.685519
141	.000011	-.021305	-2.725570
142	.000009	.048392	-2.746130
143	.000003	.066151	-2.750302
144	.000005	.022218	-2.754711
145	.000007	.007156	-2.765630
146	.000005	-.001820	-2.779071
147	.000008	.008548	-2.793923
148	.000002	-.017598	-2.809469
149	.000007	-.017764	-2.825000
150	.000007	-.012892	-2.838416
151	.000009	-.008979	-2.844340
152	.000007	-.004813	-2.854829
153	.000005	-.000814	-2.857888
154	.000004	.003083	-2.857539
155	.000008	.007979	-2.853820
156	.000010	.012047	-2.866676
157	.000010	.016489	-2.86076
158	.000009	.020476	-2.821948
159	.000006	.024926	-2.804284
160	.000007	.028781	-2.782897
161	.000004	.032716	-2.757652
162	.000006	.035822	-2.728358
163	.000001	.038847	-2.694791
164	.000006	.041117	-2.656653
165	.000014	.041701	-2.613563
166	.000009	.040848	-2.565028
167	.000008	.036816	-2.510407
168	.000007	.026996	-2.448850

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW = -2-0 , 21Y RELEASE C-1-1 FLOW FIELD PLOTS

169	.000511	.015505	-2.379230
170	.000009	.006808	-2.299991
171	.000010	.040943	-2.09020
172	.000008	.093389	-2.103334
173	.000001	.172060	-1.978612
174	.000000	.292458	-1.828318
175	.000000	.482619	-1.641827
176	.000001	.818638	-1.399587
177	.000007	.714709	-1.059353
178	.000002	.714773	1.059369
179	.000005	.818690	1.399608
180	.000006	.482670	1.641852
181	.000005	.292507	1.828348
182	.000004	.172109	1.978645
183	.000004	.093437	2.103371
184	.000002	.040985	2.209361
185	.000003	.006846	2.300035
186	.000012	.015471	2.379276
187	.000001	.028963	2.448900
188	.000009	.036774	2.510459
189	.000010	.040816	2.565084
190	.000010	.041672	2.613622
191	.000010	.041093	2.656715
192	.000009	.038825	2.694854
193	.000010	.035802	2.728424
194	.000009	.032697	2.757719
195	.000010	.028765	2.782967
196	.000008	.024913	2.804356
197	.000008	.020468	2.822022
198	.000007	.016484	2.836445
199	.000007	.012047	2.846751
200	.000007	.007982	2.853896
201	.000005	.003086	2.857614
202	.000008	.000808	2.857964
203	.000007	.-004805	2.854905
204	.000009	.008965	2.848417
205	.000008	.-012874	2.838491
206	.000010	.-017743	2.825074
207	.000008	.-013576	2.809562
208	.000008	.-009524	2.793996
209	.000007	.-001793	2.779142
210	.000007	.007189	2.765700
211	.000008	.022251	2.754781
212	.000007	.066182	2.750371
213	.000005	.048424	2.746198
214	.000005	.021272	2.725637
215	.000002	.056834	2.665585
216	.000002	.082940	2.631482
217	.000001	.102854	2.565975
218	.000003	.118228	2.491526
219	.000001	.130935	2.410056
220	.000003	.137995	2.323535
221	.000002	.142690	2.233918
222	.000002	.144606	2.142757
223	.000004	.143720	2.051423
224	.000003	.141525	1.961168
225	.000003	.137371	1.872855

POTENTIAL FLOW - 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

226	.000004	-.131173	1.787258
227	-.000004	-.125025	1.794831
228	-.000004	-.117486	1.625994
229	-.000004	-.109184	1.580899
230	-.000004	-.100399	1.479758
231	-.000004	-.091645	1.412543
232	-.000005	-.081689	1.349245
233	-.000005	-.071828	1.289800
234	-.000005	-.061284	1.234043
235	-.000004	-.049751	1.181815
236	-.000004	-.037808	1.132927
237	-.000004	-.024243	1.087175
238	-.000004	-.009736	1.044391
239	-.000005	.006413	1.004360
240	-.000004	.025244	.966861
241	-.000004	.046654	.931775
242	-.000004	.071023	.898858
243	-.000004	.099978	.867919
244	-.000004	.133920	.838831
245	-.000004	.173923	.811360
246	-.000004	.221842	.785325
247	-.000003	.278687	.760392
248	-.000003	.346931	.736113
249	-.000003	.427594	.711534
250	-.000003	.512264	.683574
251	-.000001	.667234	.653197
252	-.000001	.871828	.628375
253	-.000001	1.059430	.612074
254	-.000001	1.256782	.599277
255	-.000000	1.467853	.588253
256	-.000001	1.694074	.578026
257	-.000001	1.937243	.567976
258	-.000001	2.197797	.557386
259	-.000001	2.477388	.546019
260	-.000001	2.776078	.533440
261	-.000001	3.095009	.519125
262	-.000001	3.433066	.502701
263	-.000002	3.787941	.483684
264	-.000001	4.164053	.461963
265	-.000002	4.586497	.435666
266	-.000002	4.971230	.405376
267	-.000002	5.375424	.371102
268	-.000002	5.787484	.333797
269	-.000003	6.260126	.289417
270	-.000002	6.903588	.240810
271	-.000001	7.675844	.084413
272	-.000001	7.527816	.228069
273	-.000000	8.383487	.406856
274	-.000000	5.368747	.489042
275	-.000000	4.622951	.531534
276	-.000001	4.075071	.556851
277	-.000001	3.658463	.574331
278	-.000001	3.326188	.586038
279	-.000001	3.053733	.599619
280	-.000002	2.822882	.610314
281	-.000001	2.624193	.620646
282	-.000002	2.449632	.631100

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - 2-D , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

283	.000002	2.294156	-1.7642035
284	.000003	2.153396	-1.653818
285	.000003	2.025249	-1.666636
286	.000003	1.906000	-1.680939
287	.000003	1.794098	-1.697159
288	.000004	1.685699	-1.716242
289	.000003	1.556170	-1.741959
290	.000003	1.398406	-1.777834
291	.000004	1.311361	-1.813460
292	.000004	1.226962	-1.846748
293	.000004	1.152023	-1.880325
294	.000004	1.084832	-1.915061
295	.000004	1.023733	-1.951475
296	.000005	.967481	-1.989961
297	.000005	.915446	-1.030834
298	.000005	.866343	-1.074403
299	.000005	.820167	-1.120975
300	.000005	.776619	-1.170835
301	.000005	.734821	-1.224270
302	.000004	.694688	-1.281546
303	.000006	.656300	-1.342915
304	.000005	.618619	-1.408614
305	.000007	.583198	-1.478826
306	.000006	.547696	-1.553741
307	.000008	.514038	-1.633336
308	.000007	.481011	-1.717610
309	.000009	.449609	-1.806285
310	.000007	.419835	-1.899017
311	.000009	.391692	-1.995098
312	.000009	.366298	-2.093429
313	.000010	.343619	-2.192683
314	.000011	.324478	-2.290968
315	.000010	.309939	-2.386034
316	.000011	.300085	-2.475141
317	.000011	.295082	-2.555150
318	.000011	.295243	-2.623023
319	.000011	.299294	-2.676044
320	.000011	.303646	-2.713423
321	.000009	.302620	-2.737794
322	.000011	.284365	-2.755516
323	.000012	.260507	-2.771598
324	.000013	.230673	-2.787831
325	.000010	.196628	-2.804601
326	.000009	.157738	-2.821452
327	.000009	.123941	-2.836065
328	.000009	.090421	-2.847232
329	.000012	.055607	-2.854787
330	.000013	.021874	-2.858830
331	.000011	.012365	-2.859413
332	.000013	.046093	-2.856526
333	.000013	.080251	-2.850170
334	.000012	.114569	-2.840273
335	.000013	.149626	-2.826835
336	.000015	.185232	-2.809755
337	.000012	.222260	-2.788938
338	.000013	.260274	-2.764197
339	.000012	.299488	-2.735365

## POTENTIAL FLOW - 2-D , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

340	.000015	-340653	-2.702206
341	.000016	-384094	-2.664431
342	.000018	-429672	-2.621657
343	.000016	-478621	-2.573389
344	.000017	-531043	-2.518981
345	.000017	-587984	-2.457579
346	.000016	-650603	-2.388036
347	.000017	-720475	-2.308798
348	.000015	-800079	-2.217710
349	.000016	-893070	-2.111756
350	.000011	-1.005741	-1.986566
351	.000008	-1.199960	-1.835532
352	.000001	-1.351697	-1.647910
353	.000002	-1.682428	-1.403917
354	.000002	-2.549279	-1.060341

289

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - 2-D, 23Y RELEASE D-1x1 FLOW FIELD PLOTS

INDIVIDUAL FLOW NUMBER

PT.NO.	VN	VT	SIGMA
1	.0000101	3.640523	-1.637056
2	.000001	2.461864	-2.216020
3	.000001	2.062309	-2.644001
4	.000000	1.846575	-2.981577
5	.000001	1.711591	-3.255777
6	.000002	1.620283	-3.480953
7	.000003	1.555826	-3.665826
8	.000003	1.509351	-3.816184
9	.000001	1.475766	-3.936107
10	.000004	1.461404	-4.028616
11	.000005	1.434414	-4.096023
12	.000002	1.423124	-4.140165
13	.000004	1.416248	-4.162549
14	.000002	1.413461	-4.164448
15	.000002	1.413513	-4.146962
16	.000003	1.416430	-4.111079
17	.000003	1.421816	-4.057683
18	.000003	1.428969	-3.987604
19	.000004	1.437773	-3.901595
20	.000002	1.448592	-3.800477
21	.000004	1.460661	-3.684939
22	.000004	1.474094	-3.555697
23	.000005	1.488809	-3.413415
24	.000004	1.505145	-3.258813
25	.000006	1.522219	-3.092560
26	.000005	1.541471	-2.915412
27	.000003	1.561740	-2.728114
28	.000003	1.586210	-2.531618
29	.001004	1.619604	-2.327888
30	.000003	1.569342	-2.132730
31	.000004	1.534851	-1.963310
32	.000003	1.506862	-1.817578
33	.000005	1.483353	-1.692590
34	.000003	1.459890	-1.584693
35	.000005	1.488889	-1.481284
36	.000002	1.512161	-1.371290
37	.000002	1.531672	-1.255089
38	.000002	1.546763	-1.134777
39	.000002	1.558537	-1.013169
40	.000002	1.566744	-0.892832
41	.000002	1.573431	-0.775942
42	.000002	1.578587	-0.664111
43	.000001	1.583092	-0.558427
44	.000001	1.588409	-0.459541
45	.000001	1.593946	-0.367724
46	.000001	1.601237	-0.282989
47	.000001	1.610118	-0.205152
48	.000001	1.620518	-0.133851
49	.000000	1.633580	-0.086690
50	.000000	1.648244	-0.009172
51	.000000	1.666219	-0.05142
52	.000000	1.686087	-0.094771
53	.000000	1.709037	-0.10151
54	.000000	1.735070	-0.181732

## POTENTIAL FLOW - P-P , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

55	-000000	1.764425	.219910
56	-000000	1.797659	.255046
57	-000000	1.834868	.287483
58	-000000	1.876663	.317515
59	-000000	1.929249	.345367
60	-000000	1.978090	.371271
61	-000000	2.039727	.395360
62	-000000	2.111002	.417721
63	-000000	2.194726	.438297
64	-000000	2.294234	.456746
65	-000000	2.417580	.471493
66	-000000	2.571567	.479379
67	-000000	2.716289	.487312
68	-000000	2.845674	.497561
69	-000001	2.981259	.508235
70	-000001	3.128509	.519018
71	-000001	3.290094	.529881
72	-000001	3.470495	.540715
73	-000001	3.673406	.551572
74	-000001	3.904896	.562355
75	-000001	4.172721	.572915
76	-000001	4.488265	.582975
77	-000001	4.866422	.592198
78	-000001	5.333349	.599497
79	-000001	5.926923	.603285
80	-000001	6.716230	.599206
81	-000001	7.800850	.575984
82	-000000	9.289690	.504857
83	-000001	11.002215	.309458
84	-000001	11.368463	.062393
85	-000001	10.432299	.242062
86	-000001	9.629290	.287611
87	-000001	9.077781	.331508
88	-000002	8.5993313	.368646
89	-000001	8.122381	.401221
90	-000001	7.642805	.428722
91	-000001	7.171932	.450737
92	-000001	6.731381	.466901
93	-000001	6.316654	.479087
94	-000002	5.925387	.487501
95	-000002	5.560328	.492726
96	-000002	5.222760	.495226
97	-000001	4.911418	.495633
98	-000002	4.626226	.494322
99	-000001	4.361577	.491813
100	-000002	4.118308	.488061
101	-000001	3.891531	.484838
102	-000001	3.676625	.481545
103	-000001	3.464549	.479657
104	-000001	3.220221	.482182
105	-000001	3.006610	.482298
106	-000002	2.851391	.475176
107	-000001	2.732169	.464521
108	-000002	2.633747	.452361
109	-000002	2.550073	.439108
110	-000002	2.476758	.424861
111	-000001	2.411519	.409554

POTENTIAL FLOW -- 2-D, 9, 23Y RELEASE D-TYPE FLOW FIELD PLOTS.

112	.000002	2.352321	-1393090
113	.000002	2.297763	-1375350
114	.000002	2.247177	-1356137
115	.000002	2.199612	-1335319
116	.000002	2.154954	-1312705
117	.000002	2.112265	-1288097
118	.000001	2.071926	-1261204
119	.000001	2.033732	-1231997
120	.000001	1.9971371	-1200009
121	.000001	1.952643	-1165052
122	.000001	1.930178	-1126798
123	.000001	1.899478	-1084942
124	.000000	1.870646	-1039173
125	.000000	1.844003	-910847
126	.000000	1.819103	-865384
127	.000000	1.796686	-829790
128	.000001	1.775662	-789310
129	.000001	1.756769	-759223
130	.000002	1.739845	-734666
131	.000002	1.724026	-715755
132	.000003	1.709915	-692438
133	.000003	1.697210	-6594509
134	.000003	1.684885	-691631
135	.000004	1.673258	-792870
136	.000005	1.662035	-897636
137	.000006	1.649469	-1.004602
138	.000007	1.636974	-1.112293
139	.000008	1.623368	-1.219022
140	.000009	1.607349	-1.322645
141	.000010	1.588124	-1.420640
142	.000010	1.551011	-1.508434
143	.000011	1.542951	-1.586219
144	.000013	1.604598	-1.670154
145	.000012	1.645721	-1.772668
146	.000012	1.665583	-1.894199
147	.000015	1.728085	-2.036747
148	.000013	1.775784	-2.202454
149	.000015	1.838598	-2.392502
150	.000017	1.810603	-2.592537
151	.000021	1.793294	-2.784183
152	.000019	1.776314	-2.966530
153	.000022	1.759239	-3.138730
154	.000021	1.742074	-3.300068
155	.000024	1.723359	-3.449855
156	.000024	1.704699	-3.587413
157	.000027	1.684695	-3.712059
158	.000027	1.664511	-3.823147
159	.000026	1.643094	-3.920005
160	.000028	1.621658	-4.001887
161	.000030	1.599157	-4.068068
162	.000029	1.576830	-4.117781
163	.000030	1.553694	-4.150222
164	.000031	1.530580	-4.164518
165	.000031	1.504347	-4.159706
166	.000033	1.486728	-4.134694
167	.000030	1.467530	-4.088239
168	.000031	1.451334	-4.018647

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - 2-D , 2:Y RELEASE 0-1-1 FLOW FIELD PLOTS

169	-1.000029	1.440018	3.924712
170	-1.000028	1.437114	3.803544
171	-1.000027	1.445734	3.652362
172	-1.000028	1.473448	3.467138
173	-1.000024	1.529675	3.242139
174	-1.000022	1.634366	2.968740
175	-1.000018	1.825469	2.632734
176	-1.000015	2.210768	2.207389
177	-1.000011	3.392448	1.633349
178	.000000	.019577	.614304
179	.000002	.614671	.779824
180	.000002	.888733	.878150
181	.000004	-1.059573	-1.936740
182	.000002	-1.175740	-1.969012
183	.000003	-1.256825	-1.982686
184	.000003	-1.313997	-1.982739
185	.000003	-1.354208	-1.972579
186	.000004	-1.382558	-1.954626
187	.000002	-1.402464	-1.930617
188	.000003	-1.416374	-1.901863
189	.000002	-1.426145	-1.869314
190	.000002	-1.432981	-1.833693
191	.000003	-1.437866	-1.795558
192	.000002	-1.441340	-1.755344
193	.000003	-1.443843	-1.713400
194	.000002	-1.445859	-1.670011
195	.000002	-1.447322	-1.625413
196	.000002	-1.448860	-1.579808
197	.000002	-1.449646	-1.533374
198	.000001	-1.450810	-1.486300
199	.000001	-1.451690	-1.438693
200	.000001	-1.452654	-1.398700
201	.000000	-1.453238	-1.342444
202	.000001	-1.454009	-1.294086
203	.000001	-1.454734	-1.245738
204	.000000	-1.454924	-1.197569
205	.000000	-1.454400	-1.149777
206	.000000	-1.451187	-1.102943
207	.000001	-1.466838	-1.059841
208	.000001	-1.476003	-1.024295
209	.000001	-1.481412	-1.005096
210	.000001	-1.482943	-1.029237
211	.000001	-1.481209	-1.049179
212	.000000	-1.473638	-1.065732
213	.000001	-1.458929	-1.078945
214	.000001	-1.452498	-1.090029
215	.000000	-1.452857	-1.004095
216	.000001	-1.457779	-1.101112
217	.000001	-1.466145	-1.191111
218	.000001	-1.476743	-1.27328
219	.000000	-1.469974	-1.34811
220	.000001	-1.505519	-1.41629
221	.000001	-1.522349	-1.47758
222	.000001	-1.541088	-1.53329
223	.000001	-1.561517	-1.58403
224	.000001	-1.582948	-1.62998
225	.000001	-1.606120	-1.67273

POTENTIAL FLOW - - 2-0 , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

226	-000001	-1.630596	.171297
227	-000001	-1.656045	.175069
228	-000001	-1.682467	.178700
229	-000001	-1.710171	.182274
230	-000001	-1.738279	.185830
231	-000001	-1.767027	.189366
232	-000001	-1.796256	.193011
233	-000001	-1.825561	.196753
234	-000001	-1.854788	.200621
235	-000001	-1.883354	.204680
236	-000001	-1.911112	.208905
237	-000001	-1.937502	.213351
238	-000001	-1.962059	.218009
239	-000001	-1.984186	.222893
240	-000001	-2.003270	.228001
241	-000001	-2.018461	.233343
242	-000001	-2.029178	.238844
243	-000001	-2.034373	.244575
244	-000001	-2.033149	.250324
245	-000001	-2.026442	.256145
246	-000001	-2.007735	.261937
247	-000001	-1.981827	.267485
248	-000001	-1.946346	.272579
249	-000001	-1.902734	.276631
250	-000000	-1.863306	.278092
251	-000000	-1.793912	.283306
252	-000001	-1.672206	.294486
253	-000001	-1.522526	.306225
254	-000001	-1.349607	.317126
255	-000001	-1.157505	.326818
256	.000001	-0.948851	.335320
257	.000000	-0.724543	.342424
258	.000001	-0.485289	.348150
259	.000000	-0.230528	.352432
260	.000000	.039817	.355180
261	.000000	.326828	.356264
262	.000000	.630590	.355504
263	.000000	.951162	.352626
264	.000000	1.293022	.347839
265	.000000	1.661036	.339778
266	.000001	2.043314	.328465
267	.000001	2.432449	.313777
268	.000001	2.846768	.296458
269	.000001	3.330535	.273379
270	.000000	3.942800	.243357
271	.000001	4.716332	.145227
272	.000001	4.970851	.058099
273	.000001	4.9460078	.177279
274	.000001	3.929743	.232746
275	.000001	3.515249	.259632
276	.000001	3.202155	.273737
277	.000001	2.959874	.201587
278	.000001	2.764531	.286137
279	.000001	2.603000	.288541
280	.000001	2.466509	.289708
281	.000001	2.346676	.289949
282	.000001	2.242058	.289606

294

POTENTIAL FLOW - 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

283	.000001	2.149801	-.288872
284	.000002	2.064383	-.287950
285	.000001	1.987443	-.286898
286	.000001	1.915928	-.285965
287	.000001	1.848534	-.285299
288	.000001	1.787637	-.285348
289	.000001	1.704614	-.287814
290	.000001	1.614836	-.290232
291	.000001	1.546694	-.286961
292	.000001	1.490542	-.282115
293	.000001	1.443436	-.276701
294	.000001	1.402911	-.271016
295	.000001	1.367390	-.265208
296	.000001	1.335853	-.259362
297	.000002	1.307561	-.253541
298	.000002	1.282014	-.247778
299	.000001	1.258765	-.242108
300	.000002	1.237526	-.236542
301	.000001	1.214024	-.231083
302	.000001	1.200059	-.225723
303	.000002	1.183530	-.220445
304	.000001	1.168217	-.215223
305	.000001	1.154036	-.210020
306	.000001	1.140916	-.204790
307	.000002	1.128730	-.199473
308	.000002	1.117579	-.194006
309	.000002	1.107253	-.188306
310	.000001	1.097568	-.182269
311	.000002	1.088628	-.175789
312	.000001	1.080694	-.168787
313	.000002	1.073157	-.161085
314	.000002	1.066626	-.152616
315	.000001	1.060429	-.143211
316	.000001	1.054737	-.132760
317	.000001	1.050009	-.121201
318	.000001	1.045202	-.109418
319	.000001	1.041080	-.094422
320	.000001	1.036644	-.079148
321	.000001	1.030646	-.062735
322	.000001	1.033180	-.043753
323	.000001	1.035246	-.029043
324	.000000	1.038724	-.009049
325	.000001	1.041956	.044648
326	.000001	1.054307	.087699
327	.000001	1.047076	.135016
328	.000000	1.042473	.183238
329	.000000	1.039535	.231086
330	.000000	1.037671	.280770
331	.000001	1.037226	.329720
332	.000002	1.037606	.378592
333	.000001	1.039179	.427239
334	.000003	1.041703	.475517
335	.000002	1.045539	.523307
336	.000003	1.050614	.570452
337	.000004	1.057015	.616796
338	.000004	1.064804	.662141
339	.000004	1.074080	.706290

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - P=0 , 23%RELEASE Q=1-1 FLOW FIELD PLOTS

340	-0.000004	1.085004	.749003
341	-0.000006	1.097764	.789992
342	-0.000006	1.112572	.826904
343	-0.000005	1.129682	.865298
344	-0.000007	1.149442	.898610
345	-0.000007	1.172329	.928103
346	-0.000008	1.198964	.952805
347	-0.000007	1.230200	.971408
348	-0.000008	1.267563	.982118
349	-0.000008	1.313042	.982483
350	-0.000006	1.370493	.990339
351	-0.000004	1.446964	.936741
352	-0.000001	1.558301	.877768
353	-0.000001	1.748321	.778489
354	-0.000001	2.263176	.610515

## POTENTIAL FLOW -- 2-D, 23Y RELEASE 6-1-1 FLOW FIELD PLOTS

INDIVIDUAL FLOW NUMBER 4

PT.NO.	VN	VT	SIGMA
1	.000001	2.263151	-.610495
2	.000001	1.748310	-.778462
3	.000001	1.556295	-.877735
4	.000001	1.446961	-.936703
5	.000001	1.370491	-.968997
6	.000001	1.313081	-.982437
7	.000002	1.267561	-.982068
8	.000001	1.230197	-.971355
9	.000001	1.198961	-.952748
10	.000001	1.172325	-.928043
11	.000001	1.149418	-.898547
12	.000002	1.129678	-.865233
13	.000002	1.112566	-.828836
14	.000002	1.097758	-.789922
15	.000002	1.084998	-.748931
16	.000002	1.074074	-.708217
17	.000002	1.064798	-.662067
18	.000001	1.057009	-.616721
19	.000002	1.056609	-.570376
20	.000002	1.045533	-.523231
21	.000002	1.041696	-.475441
22	.000001	1.039172	-.427163
23	.000002	1.037599	-.378516
24	.000002	1.037219	-.329645
25	.000001	1.037664	-.280696
26	.000001	1.039528	-.231814
27	.000002	1.047467	-.183167
28	.000001	1.047059	-.139946
29	.000001	1.054301	-.087630
30	.000001	1.043951	-.044581
31	.000001	1.038719	-.009024
32	.000001	1.035292	.020107
33	.000001	1.033175	.043816
34	.000002	1.030644	.062798
35	.000001	1.036641	.079209
36	.000002	1.041075	.094482
37	.000001	1.045197	.108476
38	.000001	1.050005	.121257
39	.000001	1.054733	.132015
40	.000001	1.060424	.143262
41	.000001	1.066620	.152666
42	.000000	1.073153	.161131
43	.000001	1.080690	.166831
44	.000000	1.088623	.175831
45	.000001	1.097584	.182308
46	.000001	1.107250	.188343
47	.000001	1.117507	.194035
48	.000001	1.128728	.199505
49	.000000	1.140913	.204820
50	.000001	1.154034	.210049
51	.000000	1.168216	.215250
52	.000001	1.183529	.220470
53	.000000	1.200057	.225746
54	.000000	1.218023	.231105

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - 2-D , 23Y RELEASE D-I-1 FLOW FIELD PLOTS

55	.00000	1.237521	.236563
56	.00001	1.258766	.242127
57	.00000	1.282015	.247796
58	.00000	1.307562	.253559
59	.00000	1.335854	.259179
60	.00000	1.367392	.265223
61	.00000	1.402914	.271030
62	.00000	1.443438	.276714
63	.00000	1.490545	.282127
64	.00000	1.546697	.286973
65	.00000	1.614840	.290242
66	.00000	1.704620	.287824
67	.00000	1.782643	.285357
68	.00000	1.848582	.285308
69	.00000	1.915936	.285974
70	.00000	1.987452	.286906
71	.00000	2.064393	.287958
72	.00000	2.148813	.288880
73	.00000	2.242070	.289608
74	.00000	2.334650	.289956
75	.00000	2.465524	.289715
76	.00000	2.603016	.288547
77	.00000	2.764550	.286144
78	.00000	2.959896	.281593
79	.00000	3.202180	.273743
80	.00000	3.515319	.259638
81	.00000	3.929779	.232752
82	.00000	4.460124	.177283
83	.00000	4.970909	.058102
84	.00001	4.716397	.195226
85	.00001	3.942863	.243358
86	.00002	3.330596	.273384
87	.00002	2.846828	.296459
88	.00002	2.362509	.313779
89	.00001	2.043373	.328467
90	.00002	1.661093	.339740
91	.00001	1.293079	.347841
92	.00002	.950217	.352623
93	.00002	.630645	.365508
94	.00002	.326881	.356267
95	.00002	.039870	.355184
96	.00001	.-230876	.352936
97	.00001	.-485238	.348154
98	.00001	.-724492	.342429
99	.00001	.-948802	.335326
100	.00001	.-1.157455	.326883
101	.00001	.-1.349559	.317132
102	.00001	.-1.522471	.306231
103	.00001	.-1.672150	.294493
104	.00001	.-1.793865	.283314
105	.00000	.-1.863262	.276101
106	.00000	.-1.902690	.276641
107	.00001	.-1.946304	.272589
108	.00000	.-1.981786	.267426
109	.00001	.-2.007694	.261948
110	.00001	.-2.024602	.256157
111	.00001	.-2.033110	.250337

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - - P-0 , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

112	.000001	-2.074334	-.244538
113	.000001	-2.029139	-.238859
114	.000001	-2.018423	-.233358
115	.000000	-2.001232	-.228017
116	.000001	-1.984150	-.222910
117	.000000	-1.962023	-.218027
118	.000000	-1.937467	-.213370
119	.000001	-1.911078	-.208925
120	.000000	-1.883320	-.204702
121	.000000	-1.854756	-.200644
122	.000001	-1.825528	-.196777
123	.000000	-1.796277	-.193037
124	.000000	-1.766997	-.189393
125	.000001	-1.738249	-.185859
126	.000000	-1.710141	-.182305
127	.000001	-1.682439	-.178733
128	.000001	-1.656057	-.175103
129	.000002	-1.630571	-.171334
130	.000001	-1.606095	-.167312
131	.000000	-1.582924	-.163039
132	.000000	-1.561493	-.158447
133	.000001	-1.541064	-.153374
134	.000001	-1.522327	-.147806
135	.000000	-1.505497	-.141679
136	.000001	-1.489552	-.134863
137	.000001	-1.476720	-.127382
138	.000001	-1.466121	-.119168
139	.000002	-1.457755	-.110170
140	.000000	-1.452830	-.100465
141	.000002	-1.452473	-.090091
142	.000000	-1.458904	-.079008
143	.000002	-1.477612	-.065795
144	.000002	-1.481184	-.049242
145	.000004	-1.482920	-.029302
146	.000001	-1.481390	-.005161
147	.000000	-1.475982	.024224
148	.000001	-1.466816	.059773
149	.000003	-1.451167	.102473
150	.000003	-1.454382	.149706
151	.000003	-1.454977	.197497
152	.000001	-1.454718	.245665
153	.000001	-1.453994	.294012
154	.000004	-1.453224	.342370
155	.000005	-1.452641	.390624
156	.000009	-1.451680	.438616
157	.000006	-1.450873	.486224
158	.000007	-1.449641	.533298
159	.000008	-1.448659	.579732
160	.000006	-1.447323	.625338
161	.000007	-1.445862	.669937
162	.000004	-1.447846	.713328
163	.000012	-1.441345	.755271
164	.000009	-1.437970	.795488
165	.000011	-1.432993	.833624
166	.000014	-1.426163	.869247
167	.000004	-1.416393	.901801
168	.000012	-1.402465	.930556

POTENTIAL FLOW - - 2-0 , 23Y RELEASE Q=1-1, FLOW-FIELD PLOTS

169	-000007	-1.382582	.954568
170	-000010	-1.354276	.972525
171	-000008	-1.314027	.982688
172	-000008	-1.256856	.982639
173	-000005	-1.175774	.968970
174	-000007	-1.059609	.936701
175	-000010	-0.888774	.878116
176	-000008	-0.614718	.779796
177	-000007	-0.195115	.614284
178	+000002	3.392499	-1.633360
179	+000003	2.210815	-2.207405
180	+000001	1.025516	-2.632753
181	+000005	1.634411	-2.968762
182	+000005	1.529716	-3.242164
183	+000006	1.473484	-3.467165
184	+000006	1.445766	-3.652391
185	+000008	1.437143	-3.803575
186	+000011	1.440096	-3.924744
187	+000010	1.451359	-4.018882
188	+000011	1.467551	-4.088275
189	+000009	1.486747	-4.134733
190	+000009	1.508361	-4.159747
191	+000007	1.530591	-4.164560
192	+000007	1.553701	-4.150266
193	+000007	1.576833	-4.117827
194	+000010	1.599156	-4.068114
195	+000009	1.621651	-4.001934
196	+000010	1.643098	-3.920052
197	+000009	1.664503	-3.823194
198	+000011	1.684684	-3.712107
199	+000011	1.704686	-3.587461
200	+000010	1.723343	-3.449903
201	+000010	1.742057	-3.300116
202	+000009	1.759223	-3.138778
203	+000008	1.776297	-2.966578
204	+000006	1.793274	-2.784231
205	+000008	1.810580	-2.592587
206	+000006	1.838573	-2.392548
207	+000006	1.779757	-2.202499
208	+000005	1.728658	-2.036792
209	+000005	1.686555	-1.894243
210	+000006	1.645692	-1.772711
211	+000007	1.604570	-1.670186
212	+000004	1.542922	-1.586261
213	+000006	1.580984	-1.508475
214	+000005	1.588098	-1.420681
215	+000004	1.607320	-1.322686
216	+000004	1.623341	-1.219062
217	+000003	1.636947	-1.112331
218	+000004	1.649441	-1.004639
219	+000003	1.662007	-0.897671
220	+000002	1.673229	-0.742904
221	+000002	1.684657	-0.691563
222	+000002	1.697182	-0.594539
223	+000002	1.709886	-0.502467
224	+000001	1.723995	-0.415783
225	+000001	1.739814	-0.334692

## POTENTIAL FLOW - 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

226	.000001	1.756739	.259248
227	.000001	1.775631	.189333
228	.000001	1.796655	.124812
229	.001001	1.819072	.065405
230	.000000	1.843971	.010867
231	.000000	1.870614	.039155
232	.000000	1.899444	.084925
233	.000000	1.930144	.126781
234	.000000	1.962609	.165036
235	.000000	1.997336	.199994
236	.000000	2.033696	.231984
237	.000000	2.071890	.261261
238	.000000	2.117220	.288085
239	.000000	2.154916	.312694
240	.000000	2.19575	.335308
241	.000000	2.247140	.356127
242	.000000	2.297774	.375341
243	.000000	2.352282	.393082
244	.000000	2.411480	.409586
245	.000000	2.476718	.424853
246	.000000	2.550033	.439101
247	.000000	2.633706	.452353
248	.000001	2.732130	.464515
249	.000001	2.851349	.475170
250	.000000	3.000567	.482293
251	.000001	3.220178	.482177
252	.000001	3.464505	.479653
253	.000001	3.676581	.481581
254	.000001	3.891487	.484835
255	.000001	4.118265	.488458
256	.000001	4.361536	.491810
257	.000000	4.625185	.494320
258	.000001	4.911377	.495631
259	.000000	5.222719	.495225
260	.000000	5.560288	.492724
261	.000000	5.925347	.498750
262	.000000	6.316614	.479086
263	.000000	6.731342	.566900
264	.000000	7.171894	.450736
265	.000000	7.642767	.428722
266	.000001	8.122344	.401221
267	.000000	8.599276	.368646
268	.000000	9.077747	.331589
269	.000001	9.629257	.287612
270	.000000	10.432266	.242063
271	.000000	11.368436	.062394
272	.000000	11.002193	.309456
273	.000001	9.289676	.504854
274	.000000	7.800841	.575981
275	.000000	6.716224	.599203
276	.000000	5.926919	.603282
277	.000001	5.333456	.599493
278	.000000	4.866421	.592194
279	.000000	4.488265	.582972
280	.000000	4.172722	.572912
281	.000000	3.904896	.562351
282	.000001	3.673408	.551568

 ORIGINAL  
OF  
POOR  
PAGE IS  
QUALITY

POTENTIAL FLOW - 2-D, 239 RELEASE '0-1-1' FLOW FIELD PLOTS

283	.000001	3.670498	-540711
284	.000001	3.629096	-529876
285	.000001	3.6128513	-519013
286	.000001	2.981264	-508230
287	.000001	2.845478	-497556
288	.000001	2.716294	-487306
289	.000001	2.571572	-479373
290	.000002	2.417587	-471486
291	.000001	2.295242	-456738
292	.000002	2.194733	-438269
293	.000001	2.111011	-4.17712
294	.000001	2.039738	-395351
295	.000001	1.978100	-371261
296	.000001	1.924257	-345357
297	.000001	1.876673	-317503
298	.000001	1.834878	-287471
299	.000001	1.797669	-256033
300	.000001	1.764435	-219896
301	.000000	1.735083	-181718
302	.000000	1.709050	-140136
303	.000000	1.686100	-1094754
304	.000000	1.666232	-765125
305	.000001	1.648258	.009191
306	.000001	1.633593	.068711
307	.000001	1.620533	.133872
308	.000002	1.610134	.205175
309	.000002	1.601252	.263013
310	.000003	1.593961	.367746
311	.000003	1.588425	.459568
312	.000003	1.583109	.558456
313	.000005	1.578604	.664142
314	.000005	1.573448	.775975
315	.000005	1.566761	.892866
316	.000006	1.561554	.1.013205
317	.000006	1.546780	.1.134814
318	.000007	1.531686	.1.255127
319	.000008	1.512175	.1.371330
320	.000009	1.488903	.1.481325
321	.000008	1.459906	.1.584734
322	.000010	1.483369	.1.692632
323	.000011	1.506877	.1.817620
324	.000011	1.534866	.1.963353
325	.000011	1.569356	2.132774
326	.000011	1.619622	2.327932
327	.000014	1.586226	2.531663
328	.000015	1.561756	2.728159
329	.000018	1.511487	2.915458
330	.000020	1.522234	3.092606
331	.000019	1.505159	3.258858
332	.000022	1.488823	3.413461
333	.000022	1.474108	3.555742
334	.000026	1.460674	3.684983
335	.000024	1.448602	3.800521
336	.000025	1.437782	3.901639
337	.000027	1.428976	3.987647
338	.000028	1.421812	4.057726
339	.000026	1.4116435	4.111121

"POTENTIAL FLOW - 2-D , 23Y RELEASE D-1-1 FLOW FIELD PLOTS"

340	-0.000029	1.413517	4.147002
341	-0.000031	1.413462	4.164486
342	-0.000033	1.416246	4.162505
343	-0.000030	1.423121	4.140200
344	-0.000033	1.434408	4.096055
345	-0.000033	1.451394	4.028647
346	-0.000031	1.475644	3.936136
347	-0.000031	1.509336	3.816211
348	-0.000029	1.555809	3.665651
349	-0.000028	1.620263	3.460976
350	-0.000019	1.711567	3.255799
351	-0.000015	1.846549	2.981597
352	-0.000005	2.062288	2.644019
353	-0.000004	2.461849	2.216035
354	-0.000003	3.640516	1.637067

303

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW -- 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

DOUGLAS AIRCRAFT COMPANY TWO-DIMENSIONAL POTENTIAL FLOW PROGRAM

"COMBINED FLOW"

2-D OCSEE MOD 3A

ALPHA = .000000

ALPHA G = .000003

NO. OF BODIES 2

CL = .000013

CHORD = 1.000000

TOTAL ELEMENTS 354

BODY ID = 1

2-D OCSEE

NO. OF ELEMENTS 177

	X	Y	S	VT	CP	J	SIGMA	VN
1	35.624785	-3.960700	.005162	-1.005492	-.01013	1	.000129	.000000
2	34.674355	-3.960300	.015486	-1.004987	-.009998	2	.000561	.000000
3	34.123925	-3.960300	.025810	-1.004562	-.009145	3	.001372	.000000
4	33.373495	-3.960700	.016134	-1.004159	-.008335	4	.002556	.000000
5	32.623065	-3.961300	.016458	-1.003779	-.007572	5	.004107	.000000
6	31.872635	-3.961300	.056782	-1.003418	-.006848	6	.006018	.000000
7	31.122205	-3.960300	.067106	-1.003076	-.006161	7	.008262	.000000
8	30.371775	-3.960300	.077429	-1.002752	-.005512	8	.010891	.000000
9	29.621345	-3.960300	.087753	-1.002447	-.004901	9	.013840	.000000
10	28.870915	-3.960300	.098077	-1.002162	-.004329	10	.017120	.000000
11	28.120490	-3.960700	.108401	-1.001896	-.003796	11	.020725	.000000
12	27.370065	-3.960300	.118725	-1.001651	-.003304	12	.024647	.000000
13	26.619635	-3.960300	.129049	-1.001418	-.002838	13	.028879	.000000
14	25.869205	-3.960300	.139373	-1.001223	-.002447	14	.033415	.000000
15	25.118775	-3.960300	.149697	-1.001033	-.002067	15	.036248	.000000
16	24.368345	-3.960300	.160021	-1.000874	-.001749	16	.043370	.000000
17	23.617915	-3.960300	.170345	-1.000750	-.001501	17	.048775	.000000
18	22.867485	-3.960300	.180669	-1.000643	-.001286	18	.054457	.000000
19	22.117055	-3.960300	.190993	-1.000551	-.001063	19	.060408	.000000
20	21.366625	-3.960300	.201316	-1.000510	-.001020	20	.066622	.000000
21	20.616195	-3.960300	.211640	-1.000487	-.000978	21	.073095	.000000
22	19.865765	-3.960300	.221964	-1.000465	-.000971	22	.079819	.000000
23	19.115335	-3.960300	.232288	-1.000526	-.001053	23	.086789	.000000
24	18.364905	-3.960700	.242612	-1.000601	-.001202	24	.094002	.000000
25	17.614475	-3.960300	.252936	-1.000715	-.001430	25	.101450	.000000
26	16.864045	-3.960300	.263260	-1.000853	-.001706	26	.109131	.000000
27	16.113615	-3.960300	.273584	-1.000976	-.001952	27	.117092	.000000
28	15.363190	-3.960300	.283908	-1.001121	-.002242	28	.125177	.000001
29	14.614730	-3.960700	.294205	-1.000939	-.011880	29	.133513	.000001
30	13.936440	-3.960300	.303619	-1.0004105	-.008226	30	.141479	.000001
31	13.360200	-3.960300	.311464	-1.0006420	-.012882	31	.148445	.000000
32	12.885000	-3.960300	.318001	-1.0008345	-.016759	32	.154534	.000001
33	12.489000	-3.960300	.323449	-1.010096	-.020294	33	.159051	.000001
34	12.159000	-3.960300	.327989	-1.012092	-.024329	34	.164387	.000001
35	11.858355	-3.960300	.332125	-1.012530	-.025218	35	.168345	.000001
36	11.557065	-3.960300	.336270	-1.014087	-.028372	36	.171697	.000001
37	11.255775	-3.960300	.340415	-1.016191	-.032645	37	.174028	.000001
38	10.954485	-3.960300	.344560	-1.018429	-.037198	38	.175149	.000001
39	10.653195	-3.960300	.348705	-1.020684	-.041797	39	.175040	.000001
40	10.351985	-3.960300	.352850	-1.022793	-.046105	40	.173778	.000001
41	10.050615	-3.960300	.356995	-1.024742	-.050027	41	.171888	.000001

F08

## POTENTIAL FLOW - 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

## DOUGLAS AIRCRAFT COMPANY TWO-DIMENSIONAL POTENTIAL FLOW PROGRAM

COMBINED FLOW

2-D OCSEE MOD 3A

ALPHA = .000000 ALPHA 0 = .000003 NO. OF BODIES 2

CL = .000013 CHORD = 1.000000 TOTAL ELEMENTS 354

BODY ID = 1 2-D OCSEE NO. OF ELEMENTS 177

I	X	Y	S	VT	CP	J	SIGMA	VN
42	9.789325	-3.961300	.361140	-1.026525	.053753	42	.168316	.000001
43	9.448035	-3.960300	.365285	-1.028107	.057005	43	.164420	.000001
44	9.146745	-3.960300	.369430	-1.029593	.060062	44	.159933	.000001
45	8.845455	-3.960300	.373575	-1.030913	.062783	45	.154988	.000001
46	8.544165	-3.960300	.377719	-1.032176	.065388	46	.149699	.000001
47	8.242875	-3.960300	.381864	-1.033416	.067948	47	.144160	.000000
48	7.941585	-3.960300	.386009	-1.034614	.070426	48	.138447	.000000
49	7.640295	-3.960300	.390154	-1.035846	.072976	49	.132624	.000001
50	7.339005	-3.960300	.394299	-1.037090	.075555	50	.126735	.000001
51	7.037715	-3.960300	.398444	-1.038473	.078426	51	.120822	.000001
52	6.736425	-3.960300	.402589	-1.039900	.081393	52	.114909	.000000
53	6.435130	-3.960300	.406734	-1.041605	.084732	53	.109018	.000000
54	6.133835	-3.960300	.410879	-1.044329	.088389	54	.103160	.000000
55	5.832545	-3.960300	.415024	-1.045231	.092508	55	.097345	.000000
56	5.531255	-3.960300	.419169	-1.047476	.097206	56	.091577	.000000
57	5.229965	-3.960300	.423314	-1.050035	.102573	57	.085858	.000000
58	4.928675	-3.960300	.427459	-1.052997	.106803	58	.080184	.000000
59	4.627385	-3.960300	.431604	-1.056504	.116201	59	.074548	.000000
60	4.326095	-3.960300	.435749	-1.060693	.125070	60	.068938	.000000
61	4.024805	-3.960300	.439894	-1.065827	.135987	61	.063337	.000000
62	3.723515	-3.960300	.444039	-1.072290	.149867	62	.057715	.000000
63	3.422225	-3.960300	.448184	-1.080780	.168086	63	.052027	.000000
64	3.120935	-3.960300	.452329	-1.092799	.194209	64	.046194	.000000
65	2.819645	-3.960300	.456474	-1.113762	.240466	65	.040032	.000000
66	2.553930	-3.958435	.460129	-1.131816	.281068	66	.037357	.000000
67	2.329585	-3.952315	.463217	-1.142369	.305007	67	.037032	.000000
68	2.116580	-3.942055	.466151	-1.147232	.316142	68	.036335	.000000
69	1.914415	-3.928610	.468939	-1.150178	.322968	69	.035515	.000000
70	1.722585	-3.912475	.471587	-1.152008	.327123	70	.034705	.000000
71	1.546605	-3.893965	.474104	-1.153157	.329772	71	.033919	.000000
72	1.368035	-3.873275	.476495	-1.153727	.331086	72	.033264	.000000
73	1.204460	-3.850500	.478767	-1.153737	.331101	73	.032753	.000000
74	1.049495	-3.825670	.480926	-1.153168	.329796	74	.032438	.000000
75	.992785	-3.798730	.482978	-1.151954	.326997	75	.032381	.000000
76	.764030	-3.769520	.484929	-1.149691	.321790	76	.032702	.000000
77	.612990	-3.737770	.486785	-1.146037	.313480	77	.033456	.000000
78	.509500	-3.707225	.488550	-1.139959	.299505	78	.034931	.000000
79	.393535	-3.664945	.490231	-1.129683	.276184	79	.037397	.000000
80	.285300	-3.621075	.491837	-1.110826	.233939	80	.041620	.000000
81	.187060	-3.571770	.493354	-1.073351	.152082	81	.048919	.000000
82	.102450	-3.512605	.494776	-.984433	.030893	82	.062472	.000000

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW -- 2-D , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

DOUGLAS AIRCRAFT COMPANY TWO-DIMENSIONAL POTENTIAL FLOW PROGRAM

COMBINED FLOW

2-D OCSEE MOD 3A

ALPHA = .000000

ALPHA 0 = .000003

NO. OF BODIES 2

CL = .000013

CHORD = 1.000000

TOTAL ELEMENTS 354

BODY ID = 1

2-D OCSEE

NO. OF ELEMENTS 177

I	X	Y	S	V1	CP	J	SIGHA	VN
83	.040120	-3.445465	.496049	-.780867	.590247	83	.084544	.000000
84	.006150	-3.368185	.497223	-.356058	.873223	84	.112818	.000000
85	.003235	-3.284950	.498382	.036503	.998517	85	.120381	.000000
86	.015440	-3.205100	.499495	.313570	.916174	86	.120313	.000000
87	.037460	-3.131925	.500549	.541899	.726346	87	.115432	.000000
88	.066500	-3.066095	.501540	.722704	.477699	88	.168984	.000000
89	.123035	-3.003170	.502542	.872726	.238349	89	.162179	.000000
90	.148890	-2.939580	.503622	1.086059	.012155	90	.094373	.000000
91	.204435	-2.875930	.504786	1.121542	.257856	91	.086064	.000000
92	.268730	-2.813785	.506017	1.219468	.487101	92	.077537	.000000
93	.342130	-2.753290	.507326	1.300811	.692110	93	.069202	.000000
94	.426300	-2.69	.508747	1.370833	.879184	94	.060806	.000000
95	.521655	-2.63	.510286	1.430601	.146620	95	.052429	.000000
96	.628645	-2.57	.511951	1.481149	.194820	96	.044090	.000000
97	.747785	-2.52	.513752	1.524678	.324643	97	.035724	.000000
98	.879640	-2.47	.515698	1.560932	.436510	98	.027303	.000000
99	1.024845	-2.426275	.517800	1.590815	.530693	99	.018709	.000000
100	1.180105	-2.383515	.520069	1.614405	.606302	100	.009863	.000000
101	1.358170	-2.346280	.522519	1.631208	.660838	101	.005050	.000000
102	1.547845	-2.315770	.525162	1.639730	.687115	102	.009337	.000000
103	1.753965	-2.293475	.528016	1.636660	.678656	103	.020167	.000000
104	1.978620	-2.261295	.531112	1.610347	.593219	104	.032523	.000000
105	2.218845	-2.278915	.534417	1.569326	.462785	105	.041184	.000000
106	2.465525	-2.252540	.537812	1.537634	.1364320	106	.045421	.000000
107	2.719170	-2.289700	.541234	1.5146035	.1298361	107	.049902	.000000
108	2.966740	-2.300290	.544680	1.497422	.1242272	108	.054639	.000000
109	3.217190	-2.314185	.548162	1.479646	.189351	109	.059549	.000000
110	3.471970	-2.331250	.551669	1.461712	.136601	110	.064626	.000000
111	3.727515	-2.351340	.555202	1.443224	.082895	111	.069800	.000000
112	3.985255	-2.374295	.558762	1.423982	.027723	112	.075066	.000000
113	4.244620	-2.419955	.562347	1.403894	.970917	113	.080392	.000000
114	4.505520	-2.428130	.565958	1.383125	.913035	114	.085731	.000000
115	4.767860	-2.458630	.569591	1.361679	.854168	115	.091107	.000000
116	5.031540	-2.491260	.573246	1.339672	.794721	116	.096484	.000000
117	5.296455	-2.525600	.576922	1.317325	.735344	117	.101855	.000000
118	5.562495	-2.562725	.580615	1.294767	.674603	118	.107217	.000000
119	5.829535	-2.599705	.584326	1.272074	.618173	119	.112574	.000000
120	6.097450	-2.638595	.588050	1.249512	.561280	120	.117903	.000000
121	6.366105	-2.678450	.591786	1.227088	.505745	121	.123229	.000000
122	6.635370	-2.719015	.595533	1.205032	.452103	122	.128512	.000000
123	6.905100	-2.760220	.599286	1.183445	.406541	123	.133764	.000000

## POTENTIAL FLOW - 2-D, 23Y RELEASE 0-1-1 FLOW FIFLO PLOTS

## DOUGLAS AIRCRAFT COMPANY TWO-DIMENSIONAL POTENTIAL FLOW PROGRAM

COMBINED FLOW

2-D OCSEE MOD 3A

ALPHA = .000000

ALPHA 0 = .000003

NO. OF BODIES 2

CL = .000013

CHORD = 1.000000

TOTAL ELEMENTS 354

BODY ID = 1

2-D OCSEE

NO. OF ELEMENTS 177

I	X	Y	S	VT	CP	J	SIGMA	VN
124	7.175155	-2.801210	.603044	1.162380	-.351127	124	-.138977	.000000
125	7.445225	-2.802290	.606802	1.142037	-.304249	125	-.144116	.000000
126	7.714990	-2.802970	.610556	1.122405	-.259792	126	-.149175	.000000
127	7.984300	-2.922985	.614301	1.103691	-.218135	127	-.154100	.000000
128	8.253015	-2.962075	.618037	1.085840	-.179049	128	-.158883	.000000
129	8.521000	-2.999985	.621760	1.069068	-.142907	129	-.163446	.000000
130	8.780115	-3.036465	.625469	1.053320	-.109483	130	-.167759	.000000
131	9.058235	-3.071785	.629162	1.038711	-.078920	131	-.171751	.000000
132	9.319235	-3.114210	.632835	1.025272	-.051182	132	-.175345	.000000
133	9.583005	-3.135015	.636489	1.013121	-.026414	133	-.178450	.000000
134	9.845435	-3.163490	.640120	1.002309	-.004623	134	-.180983	.000000
135	10.116645	-3.189940	.643729	.992864	-.014222	135	-.182851	.000000
136	10.365855	-3.212680	.647312	.984880	-.030012	136	-.183955	.000000
137	10.623675	-3.233025	.650870	.978586	-.042370	137	-.184186	.000000
138	10.879790	-3.250315	.654402	.973881	-.051555	138	-.183497	.000000
139	11.134125	-3.264405	.657906	.971099	-.056966	139	-.181798	.000001
140	11.386620	-3.275145	.661383	.970619	-.057898	140	-.179013	.000000
141	11.637225	-3.282405	.664832	.973274	-.052738	141	-.175148	.000001
142	11.845525	-3.286775	.668248	.982272	-.051453	142	-.169941	.000000
143	12.133355	-3.287700	.671658	.991437	-.017052	143	-.164883	.000001
144	12.406935	-3.287700	.675422	.997765	-.004466	144	-.160727	.000000
145	12.736235	-3.287700	.679938	1.003136	-.006282	145	-.156278	.000000
146	13.129195	-3.287700	.683558	1.007577	-.015212	146	-.151213	.000000
147	13.601940	-3.287700	.691862	1.011376	-.022881	147	-.145367	.000000
148	14.169240	-3.287700	.699666	1.014768	-.029754	148	-.138623	.000000
149	14.850000	-3.287700	.709032	1.018318	-.036972	149	-.130888	.000000
150	15.592370	-3.287700	.719245	1.017893	-.036106	150	-.122691	.000000
151	16.334465	-3.287700	.729454	1.017647	-.035605	151	-.114714	.000000
152	17.076560	-3.287700	.739663	1.017358	-.035017	152	-.106958	.000000
153	17.818655	-3.287700	.749873	1.017046	-.034382	153	-.099425	.000000
154	18.560750	-3.287700	.760082	1.016683	-.033645	154	-.092120	.000000
155	19.312850	-3.287700	.770291	1.016319	-.032904	155	-.085048	.000000
156	20.044945	-3.287700	.780500	1.015937	-.032127	156	-.078213	.000000
157	20.787040	-3.287700	.790710	1.015548	-.031338	157	-.071619	.000000
158	21.529135	-3.287700	.800919	1.015152	-.030533	158	-.065275	.000000
159	22.271230	-3.287700	.811128	1.014738	-.029964	159	-.059183	.000000
160	23.013325	-3.287700	.811337	1.014317	-.029830	160	-.053349	.000000
161	23.755620	-3.287700	.831547	1.013879	-.027950	161	-.047781	.000000
162	24.497515	-3.287700	.841756	1.013427	-.027033	162	-.042484	.000000
163	25.239610	-3.287700	.851965	1.012977	-.026122	163	-.037465	.000000
164	25.981705	-3.287700	.862174	1.012525	-.025208	164	-.032730	.000000

ORIGINAL PAGE  
OF POOR QUALITY

POTENTIAL FLOW = 2-D, 23V RELEASE, 0-1-1 FLOW FIELD PLOTS.

DOUGLAS AIRCRAFT COMPANY TWO-DIMENSIONAL POTENTIAL FLOW PROGRAM

COMBINED FLOW

2-D, QCSEE MOD. 3A

ALPHA = .000000

ALPHA, 0' = .000003

NO. OF BODIES 2

CL = .00013

CHORD = 1.000000

TOTAL ELEMENTS 354

BODY ID = 1

2-D, QCSEE

NO. OF ELEMENTS 177

I	X	Y	S	VT	CP	J	SIGMA	VN
165	26.7238E0	-3.287700	.872384	1.012047	.024240	165	.028287	.000000
166	27.4659E0	-3.287700	.882593	1.011576	.023265	166	.024141	.000000
167	28.2079E0	-3.287700	.892802	1.011079	.022280	167	.020300	.000000
168	28.9500E0	-3.287700	.903012	1.010579	.021271	168	.016769	.000000
169	29.6921E0	-3.287700	.913221	1.010075	.020252	169	.013557	.000000
170	30.4342E0	-3.287700	.923430	1.009560	.019191	170	.010670	.000000
171	31.1763E0	-3.287700	.933639	1.009024	.018129	171	.008116	.000000
172	31.9184E0	-3.287700	.943849	1.008478	.017027	172	.005899	.000000
173	32.6605E0	-3.287700	.954058	1.007929	.015920	173	.004028	.000000
174	33.4026E0	-3.287700	.964267	1.007359	.014773	174	.002510	.000000
175	34.1447E0	-3.287700	.974476	1.006782	.013610	175	.001352	.000000
176	34.8868E0	-3.287700	.984686	1.006177	.012393	176	.000558	.000000
177	35.6289E0	-3.287700	.994895	1.005592	.011013	177	.000135	.000000

INTEGRATED VALUES

CY = 6.33279

CX = -0.00672

CL = 6.33279

CD = -.00672

CM = -28.72288

63  
808

## POTENTIAL FLOW - - 2-D , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

DOUGLAS AIRCRAFT COMPANY TWO-DIMENSIONAL POTENTIAL FLOW PROGRAM

COMBINED FLOW

2-D OCSEE MOD 3A

ALPHA = .00000

ALPHA 0 = .000003

NO. OF BODIES 2

CL = .000013

CHORD = 1.000000

TOTAL ELEMENTS 354

BODY ID = 2

2-D OCSEE

NO. OF ELEMENTS 177

I	X	Y	S	VT	CP	J	SIGMA	VN
1	35.676950	3.287700	.005105	-1.005492	.011013	178	-.000135	.000000
2	34.886850	3.287700	.015314	-1.006177	-.012393	179	-.000558	.000000
3	34.144755	3.287700	.025523	-1.006782	-.013611	180	-.001352	.000000
4	33.422660	3.287700	.035733	-1.007359	-.014773	181	-.002510	.000000
5	32.660565	3.287700	.045942	-1.007929	-.015920	182	-.004028	.000000
6	31.918470	3.287700	.056151	-1.008478	-.017027	183	-.005899	.000000
7	31.176375	3.287700	.066360	-.009024	-.018129	184	-.0115	.000000
8	30.434280	3.287700	.076570	-1.009550	-.019190	185	-.01670	.000000
9	29.692185	3.287700	.086779	-1.010075	-.020252	186	-.013557	.000000
10	28.950090	3.287700	.096988	-1.010579	-.021271	187	-.016769	.000000
11	28.217995	3.287700	.107197	-1.011078	-.022280	188	-.020299	.000000
12	27.465900	3.287700	.117407	-1.011575	-.023285	189	-.024141	.000000
13	26.723800	3.287700	.127616	-1.012047	-.024240	190	-.028287	.000000
14	25.981705	3.287700	.137825	-1.012525	-.025208	191	-.032730	.000000
15	25.239610	3.287700	.148034	-1.012977	-.026122	192	-.037465	.000000
16	24.497515	3.287700	.158244	-1.013426	-.027033	193	-.042484	.000000
17	23.755420	3.287700	.168453	-1.013879	-.027950	194	-.047781	.000000
18	23.013325	3.287700	.178662	-1.014312	-.028829	195	-.053349	.000000
19	22.271230	3.287700	.188872	-1.014738	-.029698	196	-.059183	.000000
20	21.529135	3.287700	.199081	-1.015152	-.030533	197	-.065275	.000000
21	20.787040	3.287700	.209290	-1.015548	-.031338	198	-.071619	.000000
22	20.044945	3.287700	.219499	-1.015937	-.032127	199	-.078212	.000000
23	19.303285	3.287700	.229709	-1.016319	-.032904	200	-.085047	.000000
24	18.560750	3.287700	.239918	-1.016683	-.033645	201	-.092120	.000000
25	17.818655	3.287700	.250127	-1.017046	-.034382	202	-.099424	.000000
26	17.076560	3.287700	.260336	-1.017358	-.035017	203	-.106957	.000000
27	16.334465	3.287700	.270546	-1.017647	-.035605	204	-.114713	.000000
28	15.592370	3.287700	.280755	-1.017893	-.036106	205	-.122690	.000000
29	14.654000	3.287700	.290968	-1.018318	-.036972	206	-.130808	.000000
30	14.169240	3.287700	.300333	-1.014768	-.029754	207	-.138623	.000000
31	13.519190	3.287700	.308138	-1.011376	-.022881	208	-.145367	.000000
32	13.129195	3.287700	.311642	-1.007577	-.015211	209	-.151212	.000000
33	12.735235	3.287700	.320062	-1.003136	-.006281	210	-.156278	.000000
34	12.406935	3.287700	.324578	-.997765	.004466	211	-.160726	.000000
35	12.113355	3.287700	.328342	-.991437	.017052	212	-.164882	.000000
36	11.885525	3.286775	.331751	-.982272	.035143	213	-.169940	.000000
37	11.617225	3.282405	.335168	-.973274	.052738	214	-.175148	.000000
38	11.386620	3.275145	.338617	-.970619	.057898	215	-.179032	.000000
39	11.134125	3.264405	.342094	-.971100	.056966	216	-.181797	.000000
40	10.879790	3.250315	.345598	-.973882	.051554	217	-.183496	.000000
41	10.623675	3.233025	.349130	-.978586	.042369	218	-.184186	.000000

ORIGINAL PAGE IS  
OF POOR QUALITY

## POTENTIAL FLOW -- 2-D, 23Y RELEASE 0-1r1, FLOW FIELD PLOTS

DOUGLAS AIRCRAFT COMPANY TWO-DIMENSIONAL POTENTIAL FLOW PROGRAM

COMBINED FLOW

2-D OCSEF MOD 3A

ALPHA = .000000

ALPHA+0 = .000003

NO.

OF BODIES

2

CL = .00013

CHORD = 1.000000

TOTAL

ELEMENTS 354

BODY ID = 2

2-D OCSEF

NO.

OF ELEMENTS 177

I X

Y

S

VT

CP

J

SIGNAR

VN

42 10.365855

3.212680

.352688

.352688

.036011

219

-.183955

.000000

43 10.176415

3.189440

.356271

.356271

.014221

220

-.182651

.000000

44 9.845435

3.163490

.359879

.359879

-1.002309

221

-.180983

.000000

45 9.593005

3.135015

.363511

.363511

-1.013121

222

-.178449

.000000

46 9.319235

3.104210

.367164

.367164

-1.025272

223

-.175345

.000000

47 9.054235

3.071285

.370838

.370838

-1.038711

224

-.171751

.000000

48 8.788115

3.036465

.374630

.374630

-1.053320

225

-.167759

.000000

49 8.521030

2.999985

.378239

.378239

-1.069068

226

-.163346

.000000

50 8.253015

2.962275

.381963

.381963

-1.085840

227

-.158885

.000000

51 7.984300

2.922985

.385699

.385699

-1.03692

228

-.154899

.000000

52 7.711990

2.882970

.389444

.389444

-1.122405

229

-.149175

.000000

53 7.445225

2.842290

.393197

.393197

-1.142037

230

-.144116

.000000

54 7.175155

2.801210

.396956

.396956

-1.162380

231

-.138977

.000000

55 6.905100

2.760020

.400714

.400714

-1.183445

232

-.133763

.000000

56 6.635370

2.678450

.404467

.404467

-1.205032

233

-.128512

.000000

57 6.366105

2.678450

.405673

.405673

-1.227088

234

-.123229

.000000

58 97450

2.38575

.411950

.411950

-1.249512

235

-.117903

.000000

59 29535

2.9705

.415674

.415674

-1.272074

236

-.112574

.000000

60 62495

2.62125

.419384

.419384

-1.294760

237

-.107217

.000000

61 96455

2.25800

.423078

.423078

-1.317325

238

-.101855

.000000

62 5.D31540

2.491260

.426754

.426754

-1.339672

239

-.096484

.000000

63 4.767860

2.4548630

.430409

.430409

-1.361679

240

-.091107

.000000

64 4 20

2.481320

.434042

.434042

-1.383125

241

-.085731

.000000

65 4 20

2.399955

.437652

.437652

-1.403894

242

-.080392

.000000

66 3 55

2.374

.441238

.441238

-1.423982

243

-.075066

.000000

67 3 15

2.351

.444798

.444798

-1.443242

244

-.069800

.000000

68 3.471470

2.331

.448331

.448331

-1.461712

245

-.064625

.000000

69 3.217190

2.314

.451838

.451838

-1.479646

246

-.059549

.000000

70 2.964740

2.330

.455316

.455316

-1.497422

247

-.054639

.000000

71 2.714170

2.21289

.458766

.458766

-1.516035

248

-.049902

.000000

72 2.465525

2.282590

.462188

.462188

-1.537634

249

-.045421

.000000

73 2.218645

2.278915

.465583

.465583

-1.569326

250

-.041183

.000000

74 1.978620

2.281795

.468488

.468488

-1.610347

251

-.032522

.000000

75 1.753965

2.293475

.471984

.471984

-1.636660

252

-.020166

.000000

76 1.547845

2.315770

.474838

.474838

-1.639730

253

-.009337

.000000

77 1.358170

2.346260

.477481

.477481

-1.631208

254

-.000570

.000000

78 1.184105

2.383515

.479931

.479931

-1.634404

255

-.009868

.000000

79 1.024845

2.42627

## POTENTIAL FLOW -- 2-D, 23Y RELEASE D-1-I FLOW FIELD PLOTS

DOUGLAS AIRCRAFT COMPANY TWO-DIMENSIONAL POTENTIAL FLOW PROGRAM

COMBINED FLOW

2-D OCSEE MOD 3A

ALPHA = .000000

ALPHA 0 = .000003

NO. OF BODIES 2

CL = .000013

CHORD = 1.000000

TOTAL ELEMENTS 354

BODY ID = 2

2-D OCSEE

NO. OF ELEMENTS 177

	X	Y	S	V1	CP	J	SIGMA	VN
83	.521655	2.635205	.489714	-1.430601	-1.046618	260	.052424	.000000
84	.426300	2.693580	.491253	-1.370832	-1.879182	261	.060806	.000000
85	.342130	2.753290	.492674	-1.300810	-1.692108	262	.069202	.000000
86	.268730	2.813785	.493983	-1.219467	-1.467099	263	.077537	.000000
87	.204435	2.875930	.495214	-1.121541	-1.257854	264	.086664	.000000
88	.148890	2.939580	.496378	-1.006058	-1.012153	265	.094373	.000000
89	.103035	3.003170	.497458	-872725	-2.38351	266	.102179	.000001
90	.666500	3.066695	.498460	-722703	-4.77701	267	.108984	.000001
91	.037460	3.131925	.499451	-541897	-7.76347	268	.115432	.000001
92	.015440	3.205100	.500505	-313568	-9.01675	269	.120313	.000001
93	.003235	3.284830	.501618	-0.386502	-9.98518	270	.120381	.000001
94	.008150	3.368185	.502777	-356059	-8.73222	271	.112818	.000001
95	.046120	3.445465	.503951	.780869	-3.90244	272	.084544	.000000
96	.102450	3.512605	.505224	.980434	-0.30889	273	.062472	.000001
97	.187660	3.571170	.506646	1.073353	-1.52086	274	.048919	.000000
98	.285300	3.621175	.508163	1.110830	-2.33942	275	.041620	.000000
99	.393535	3.664745	.509769	1.129684	-2.76187	276	.037396	.000000
100	.519580	3.703025	.511450	1.139960	-2.99568	277	.034931	.000000
101	.632990	3.737770	.513215	1.146038	-3.13402	278	.033456	.000000
102	.764030	3.769520	.515071	1.149692	-3.21793	279	.032701	.000000
103	.912785	3.798730	.517022	1.151955	-3.27060	280	.032381	.000000
104	1.049495	3.825670	.519074	1.153169	-3.29798	281	.032438	.000000
105	1.204460	3.850500	.521233	1.153734	-3.31102	282	.032753	.000000
106	1.368035	3.873275	.523505	1.153728	-3.31088	283	.033264	.000000
107	1.540605	3.893965	.525896	1.153158	-3.29774	284	.033919	.000000
108	1.722505	3.912475	.528413	1.152009	-3.27124	285	.034704	.000000
109	1.914415	3.928610	.531061	1.150178	-3.22910	286	.035515	.000000
110	2.116580	3.942055	.533849	1.147233	-3.16144	287	.036335	.000000
111	2.329585	3.952315	.536783	1.142370	-3.05008	288	.037032	.000000
112	2.553930	3.958435	.539871	1.131817	-2.80109	289	.037356	.000000
113	2.819645	3.960300	.543526	1.113763	-2.49468	290	.040032	.000000
114	3.120935	3.960300	.547671	1.092799	-1.94210	291	.046193	.000000
115	3.422225	3.960300	.551816	1.080781	-1.68088	292	.052627	.000000
116	3.723515	3.960300	.555961	1.072291	-1.49818	293	.057715	.000000
117	4.024805	3.960300	.560106	1.065827	-1.35988	294	.063337	.000000
118	4.326095	3.960300	.564251	1.060694	-1.25071	295	.068937	.000000
119	4.627305	3.960300	.568396	1.056505	-1.16202	296	.074548	.000000
120	4.928675	3.960300	.572541	1.052997	-1.08804	297	.080184	.000001
121	5.229965	3.960300	.576686	1.050035	-1.02574	298	.085858	.000001
122	5.511255	3.960300	.580831	1.047476	-0.97207	299	.091577	.000001
123	5.812545	3.960300	.584976	1.045231	-0.92599	300	.097344	.000001

ORIGINAL PAGE IS  
OR POOR QUALITY

POTENTIAL FLOW = 2=0 , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

DOUGLAS AIRCRAFT COMPANY TWO-DIMENSIONAL POTENTIAL FLOW PROGRAM

COMBINED FLOW

2-D OCSEE MOD 3A

ALPHA = .000000

ALPHA 0 = .000003.

NO. OF BODIES 2

CL = .000013

CHORD = 1.000000

TOTAL ELEMENTS 354

BODY ID = 2

2-D OCSEE

NO. OF ELEMENTS 177

	X	Y	S	WT	CP	J	SIGNA	VN
124	6.13835	3.960300	.569121	1.0013259	-.088390	301	.103159	.000001
125	6.435130	3.960300	.593266	1.041505	-.044733	302	.109017	.000001
126	6.736425	3.960300	.597411	1.039901	-.0481393	303	.114909	.000001
127	7.037715	3.960300	.601556	1.038473	-.078427	304	.120822	.000001
128	7.319005	3.960300	.605701	1.037090	-.075556	305	.126735	.000001
129	7.640295	3.960300	.609846	1.035846	-.072977	306	.132624	.000001
130	7.941585	3.960300	.613991	1.034619	-.070426	307	.138547	.000001
131	8.242875	3.960300	.618136	1.033416	-.067949	308	.144160	.000001
132	8.544165	3.960300	.622280	1.032176	-.065368	309	.149699	.000001
133	8.845455	3.960300	.626425	1.030914	-.062783	310	.154988	.000001
134	9.146745	3.960300	.630570	1.029593	-.060062	311	.159933	.000001
135	9.448035	3.960300	.634715	1.028108	-.057005	312	.164420	.000001
136	9.749325	3.960300	.638860	1.026525	-.053753	313	.168318	.000001
137	10.050615	3.960300	.643005	1.024742	-.050097	314	.171488	.000001
138	10.352195	3.960300	.647150	1.022793	-.046106	315	.173777	.000001
139	10.653195	3.960300	.651295	1.020685	-.041797	316	.175440	.000001
140	10.954485	3.960300	.655440	1.018430	-.037199	317	.175148	.000001
141	11.255775	3.960300	.659585	1.016191	-.032645	318	.174028	.000001
142	11.557065	3.960300	.663730	1.014087	-.028373	319	.171697	.000001
143	11.858355	3.960300	.667875	1.012531	-.026218	320	.168344	.000001
144	12.159000	3.960300	.672011	1.011292	-.024329	321	.164387	.000001
145	12.459000	3.960300	.676151	1.010096	-.020294	322	.159850	.000001
146	12.859000	3.960300	.681199	1.008345	-.016759	323	.154533	.000001
147	13.360200	3.960300	.685336	1.006420	-.012882	324	.148445	.000001
148	13.931040	3.960300	.696381	1.004105	-.008226	325	.141479	.000001
149	14.614730	3.960300	.705795	1.000939	-.001880	326	.133512	.000001
150	15.385190	3.960300	.716092	1.001121	-.002243	327	.125177	.000001
151	16.113615	3.960300	.726416	1.000976	-.001952	328	.117042	.000001
152	16.954045	3.960300	.736740	1.000853	-.001706	329	.109131	.000001
153	17.614475	3.960300	.747064	1.000715	-.001430	330	.101449	.000001
154	18.364905	3.960300	.757388	1.000601	-.001202	331	.094001	.000001
155	19.115335	3.960300	.767712	1.000526	-.001053	332	.086789	.000001
156	19.865765	3.960300	.778036	1.000485	-.000971	333	.079818	.000001
157	20.616195	3.960300	.788359	1.000487	-.000974	334	.073094	.000001
158	21.366625	3.960300	.798683	1.000510	-.001020	335	.066622	.000001
159	22.117055	3.960300	.809007	1.000551	-.001103	336	.060407	.000001
160	22.867485	3.960300	.819331	1.000642	-.001205	337	.054456	.000000
161	23.617915	3.960300	.829655	1.000750	-.001301	338	.048775	.000000
162	24.368345	3.960300	.839979	1.000874	-.001478	339	.043370	.000000
163	25.118775	3.960300	.850303	1.001033	-.002066	340	.038248	.000000
164	25.869205	3.960300	.860627	1.001223	-.002447	341	.033415	.000000

POTENTIAL FLOW - - 2-D + 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

DATE 121377 PAGE 67

DOUGLAS AIRCRAFT COMPANY TWO-DIMENSIONAL POTENTIAL FLOW PROGRAM

COMBINED FLOW

2-D OCSEE MOD 3A

ALPHA = .000000

ALPHA 0 = .000003

NO. OF BODIES 2

"CL" = .00013

CHORD = 1.000000

TOTAL ELEMENTS 354

BODY ID = 2

2-D OCSEE

NO. OF ELEMENTS 177

I	X	Y	S	V1	CP	J	SIGNA	VN
165	26.619635	3.960300	.870051	1.001418	-.0C2838	342	.028879	.000000
166	27.376065	3.960300	.881275	1.001651	-.0F3304	343	.024647	.000000
167	28.120490	3.960300	.891599	1.001896	-.0D3796	344	.020725	.000000
168	28.870915	3.960300	.901923	1.002162	-.0C4328	345	.C17120	.000000
169	29.621345	3.960300	.912246	1.002447	-.0F4901	346	.013840	.000000
170	30.371775	3.960300	.922570	1.002752	-.0D5512	347	.010891	.000000
171	31.122205	3.960300	.932894	1.003076	-.0D6161	348	.C0281	.000000
172	31.872635	3.960300	.943218	1.003418	-.0C6847	349	.006018	.000000
173	32.623065	3.960300	.953542	1.003779	-.0F7572	350	.C04107	.000000
174	33.373495	3.960300	.963866	1.004159	-.008335	351	.002556	.000000
175	34.123925	3.960300	.974190	1.004562	-.0F9145	352	.001372	.000000
176	34.874355	3.960300	.984514	1.004987	-.0E9998	353	.C00561	.000000
177	35.624785	3.960300	.994838	1.005492	-.011013	354	.000129	.000000

INTEGRATED VALUES

CY = -6.33278 CX = -.00672

CL = -6.33278 CD = -.00672 CH = 28.72265

TOTAL CH = -.00003

FLOWS COMPLETE, T = .0000000

ORIGINAL PAGE  
OF POOR QUALITY

POTENTIAL FLOW - - 2-D , 23Y RELEASE U-1-I FLOW FIELD PLOTS

INDIVIDUAL FLOW NO. 1 OFFBODY POINTS

2-D OCSEE H

I	X(I)	Y(I)	VX	YY	VT	THETA(DEG)
1	-1.000000	-5.000000	.940398	-.091222	.944812	-5.540534
2	-1.000000	-4.473680	.908096	-.095138	.913066	-5.980829
3	-1.000000	-3.947370	.860565	-.079828	.864259	-5.299719
4	-1.000000	-3.421050	.818050	-.020685	.818311	-1.448458
5	-1.000000	-2.894740	.832969	.064662	.835475	4.438910
6	-1.000000	-2.368420	.898062	.111079	.904905	7.050947
7	-1.000000	-1.842110	.962161	.110147	.968445	6.530725
8	-1.000000	-1.315790	1.006348	.085588	1.009981	4.861190
9	-1.000000	-.789470	1.032085	.052754	1.033452	2.926096
10	-1.000000	-.263160	1.043706	.017708	1.043856	.972022
11	-1.000000	.263160	1.043706	.017708	1.043856	-.972006
12	-1.000000	.789470	1.032085	.052754	1.033452	-2.926081
13	-1.000000	1.315790	1.006348	.085588	1.009981	-4.861171
14	-1.000000	1.842110	.962161	.110147	.968445	-6.530703
15	-1.000000	2.368420	.898062	.111078	.904905	-7.050918
16	-1.000000	2.894740	.832968	-.064662	.835475	-4.438873
17	-1.000000	3.421050	.818050	.020686	.818312	1.448496
18	-1.000000	3.947370	.860565	.079828	.864259	5.299754
19	-1.000000	4.473680	.908096	.095138	.913066	5.980850
20	-1.000000	5.000000	.940399	.091222	.944813	5.540548
21	-5.000000	-5.000000	.954100	-.115935	.961118	-6.928189
22	-5.000000	-4.473680	.917347	-.140253	.928007	-8.692607
23	-5.000000	-3.947370	.836306	-.157574	.851022	-10.670391
24	-5.000000	-3.421050	.694492	-.070695	.698661	-5.812312
25	-5.000000	-2.894740	.730347	.148429	.745277	11.487798
26	-5.000000	-2.368420	.888537	.208325	.912178	13.072862
27	-5.000000	-1.842110	.991049	.171842	1.005837	9.836967
28	-5.000000	-1.315790	1.044783	.120370	1.051694	6.572089
29	-5.000000	-.789470	1.071424	1.070995	1.073715	3.743104
30	-5.000000	-.263160	1.082463	.022947	1.082706	1.214406
31	-5.000000	.263160	1.082463	.022946	1.082706	-.1214395
32	-5.000000	.789470	1.071424	1.070995	1.073714	-3.743090
33	-5.000000	1.315790	1.044782	.120369	1.051693	-6.572073
34	-5.000000	1.842110	.991049	.171842	1.005837	9.836944
35	-5.000000	2.368420	.888536	.206325	.912177	-13.072830
36	-1.500000	2.894740	.730347	.148428	.745277	-11.487746
37	-5.000000	3.421050	.694492	.070695	.698681	5.812380
38	-5.000000	3.947370	.836307	.157575	.851022	10.670426
39	-5.000000	4.473680	.917347	-.140253	.928007	-8.692622
40	-5.000000	5.000000	.954100	.115935	.961118	6.928020
41	1.000000	-.200000	1.378976	.352311	1.423270	14.331767
42	1.000000	-1.968420	1.336399	.281449	1.365714	11.892823
43	1.000000	-1.736840	1.306041	.225456	.325358	9.794199
44	1.000000	-1.505260	1.283957	.180264	.296550	7.919120
45	1.000000	-1.273680	1.267708	.142787	.1275724	6.426350
46	1.000000	-1.042110	1.255753	.110808	.1260633	5.042750
47	1.000000	-.810530	1.2447075	.082725	.1249815	3.795162
48	1.000000	-.578950	1.241018	.057345	.1242339	2.645655
49	1.000000	-.347370	1.237177	.033740	1.237637	1.562192
50	1.000000	-.115790	1.235310	.011137	1.235360	.516547
51	1.000000	.115790	1.235389	-.011137	1.235360	-.516544
52	1.000000	.347370	1.237177	-.033740	1.237637	-1.562190

314

## POTENTIAL FLOW - 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

53	1.000000	.578950	1.241015	.057345	1.242339	-2.645651
54	1.000000	.810530	1.247075	.082725	1.249815	-3.795157
55	1.000000	1.042110	1.255753	.110808	1.280633	+5.042747
56	1.000000	1.273680	1.267708	.142767	1.275724	-6.426346
57	1.000000	1.505260	1.283957	.180264	1.296550	-7.991917
58	1.000000	1.736840	1.306040	.225456	1.325357	-9.794197
59	1.000000	1.968420	1.336399	.281448	1.365714	-11.892817
60	1.000000	2.200000	1.378976	.352311	1.423275	-14.331765
61	2.096000	-2.100000	1.480821	.038679	1.481227	1.341556
62	2.096000	-1.878950	1.440542	.047232	1.441316	1.877923
63	2.096000	-1.657890	1.407529	.050276	1.408426	2.045698
64	2.096000	-1.436840	1.380746	.048220	1.381588	2.000142
65	2.096000	-1.215790	1.359339	.043280	1.366028	1.823635
66	2.096000	-.994740	1.342565	.036698	1.343066	1.565750
67	2.096000	-.773680	1.329809	.029145	1.330129	1.255551
68	2.096000	-.552630	1.320621	.021081	1.320790	.914520
69	2.096000	-.331580	1.314670	.012732	1.314732	.554650
70	2.096000	-.110530	1.311743	.004260	1.311750	.186055
71	2.096000	.110530	1.311743	.004260	1.311750	-.186056
72	2.096000	.331580	1.314670	.012732	1.314732	.554653
73	2.096000	.552630	1.320621	.021081	1.320790	.914521
74	2.096000	.773680	1.329809	.029145	1.330129	1.255553
75	2.096000	.994740	1.342565	.036698	1.343066	1.565752
76	2.096000	1.215790	1.359339	.043280	1.366028	1.823638
77	2.096000	1.436840	1.380746	.048220	1.381587	2.000144
78	2.096000	1.657890	1.407529	.050276	1.408426	2.045702
79	2.096000	1.878950	1.440541	.047232	1.441215	1.877927
80	2.096000	2.100000	1.480821	.034679	1.481227	1.341561
81	4.096000	-2.100000	1.332972	.111111	1.337595	4.766911
82	4.096000	-.878950	1.326077	.095584	1.329517	-.8122787
83	4.096000	-.657890	1.319601	.081242	1.322099	-3.522984
84	4.096000	-.436840	1.313663	.067984	1.315421	-2.962487
85	4.096000	-.215790	1.308351	.055734	1.309537	-2.439251
86	4.096000	-.994740	1.303753	.044359	1.304507	-1.948670
87	4.096000	-.773680	1.299961	.033749	1.300399	-1.487147
88	4.096000	-.552630	1.297052	.023693	1.297268	-1.046507
89	4.096000	-.331580	1.295082	.014065	1.295158	-.622245
90	4.096000	-.110530	1.294084	.004669	1.294092	.206717
91	4.096000	.110530	1.294084	.004669	1.294093	.206714
92	4.096000	.331580	1.295082	.014065	1.295158	.622240
93	4.096000	.552630	1.297052	.023693	1.297268	1.046503
94	4.096000	.773680	1.299961	.033749	1.300399	1.487142
95	4.096000	.994740	1.303753	.044359	1.304507	1.948666
96	4.096000	1.215790	1.308351	.055734	1.309537	2.439248
97	4.096000	1.436840	1.313663	.067984	1.315421	2.962485
98	4.096000	1.657890	1.319601	.081242	1.322100	3.522981
99	4.096000	1.878950	1.326076	.095584	1.329517	4.122785
100	4.096000	2.100000	1.332972	.111111	1.337594	4.766911

ORIGINAL PAGE IS  
OF POOR  
QUALITY

POTENTIAL FLOW = 2-D, 23Y RELEASE '0-1-1 FLOW FIELD PLOTS

INDIVIDUAL FLOW NO. 2 OFFBODY POINTS

2-D QCSEE H

I	X(I)	Y(I)	VX	VY	VT	THETA (DEG)
1	-1.000000	-5.000000	-1.126133	1.792109	2.116561	122.144608
2	-1.000000	-4.473680	-1.122394	2.070846	2.355856	118.457595
3	-1.000000	-3.947370	-0.969402	2.425466	2.612015	111.785430
4	-1.000000	-3.421050	-0.552617	2.698962	2.754956	101.571471
5	-1.000000	-2.994740	-0.40496	2.626535	2.626847	90.883317
6	-1.000000	-2.368420	-0.242242	2.319998	2.332611	84.039077
7	-1.000000	-1.842110	-0.299225	2.031496	2.053414	81.562E975
8	-1.000000	-1.315790	-0.240775	1.833512	1.850312	82.273176
9	-1.000000	-0.789470	-0.157962	1.716417	1.723670	84.741879
10	-1.000000	-0.263160	-0.053671	1.662654	1.663520	88.151107
11	-1.000000	-0.263160	-0.053766	1.662656	1.663523	91.85C075
12	-1.000000	-0.789470	-0.157995	1.716423	1.723679	95.259194
13	-1.000000	-1.315790	-0.2488C9	1.833522	1.850327	97.172780
14	-1.000000	-1.842110	-0.299256	2.031510	2.053433	98.379821
15	-1.000000	-2.368420	-0.242269	2.320B18	2.332633	95.961527
16	-1.000000	-2.894740	-0.040476	2.626559	2.626870	89.117134
17	-1.000000	-3.421050	-0.552603	2.698985	2.754975	78.6428901
18	-1.000000	-3.947370	-0.969393	2.425485	2.612030	68.214908
19	-1.000000	-4.473680	-1.122387	2.070862	2.355866	61.542752
20	-1.000000	5.000000	-1.126125	1.792122	2.116568	57.855785
21	-0.500000	-5.000000	-1.365016	1.715638	2.192415	128.5C6887
22	-0.500000	-4.473680	-1.494716	2.059304	2.544584	125.973474
23	-0.500000	-3.947370	-1.498321	2.861419	3.071640	119.195547
24	-0.500000	-3.421050	-0.775024	3.486694	3.571792	102.531990
25	-0.500000	-2.894740	-0.395103	3.158311	3.182939	82.867951
26	-0.500000	-2.368420	-0.673530	2.492461	2.509717	74.406905
27	-0.500000	-1.842110	-0.574280	1.960206	2.042598	73.671050
28	-0.500000	-1.315790	-0.407623	1.717554	1.765261	76.649133
29	-0.000000	-0.789470	-0.239764	1.591228	1.609191	81.431200
30	-0.000000	-0.263160	-0.078913	1.536670	1.538695	87.060241
31	-0.000000	-0.263160	-0.078952	1.536672	1.538699	92.941186
32	-0.000000	-0.789470	-0.239807	1.591235	1.609203	98.570102
33	-0.000000	-1.315790	-0.407660	1.717566	1.765281	103.351956
34	-0.000000	-1.842110	-0.574316	1.960223	2.042624	106.329783
35	-0.000000	-2.368420	-0.673563	2.412485	2.504750	105.599661
36	-0.000000	-2.894740	-0.395206	3.158343	3.182973	97.132398
37	-0.000000	-3.421050	-0.775015	3.586725	3.71820	77.868255
38	-0.500000	-3.947370	-1.498317	2.681441	2.716557	60.8C4709
39	-0.500000	-4.473680	-1.494712	2.859320	2.944595	54.026808
40	-0.500000	5.000000	-1.365011	1.715651	1.762422	51.493444
41	-1.000000	-2.200000	-1.390947	.643206	1.522464	24.816929
42	-1.000000	-1.968420	-1.148990	.748471	1.371272	33.080894
43	-1.000000	-1.736840	-0.945606	.815093	1.248418	40.760653
44	-1.000000	-1.505260	-0.772499	1.858291	1.154737	48.011398
45	-1.000000	-1.273680	-0.622334	1.886673	1.083277	54.935949
46	-1.000000	-1.042110	-0.489476	1.905495	1.029324	61.606041
47	-1.000000	-810530	-0.369115	1.917963	1.989391	68.055338
48	-1.000000	-578950	-0.257749	1.926137	1.961334	74.7447845
49	-1.000000	-347370	-1.152303	1.931013	1.943380	80.7C9350
50	-1.000000	-115790	-0.950394	1.933216	1.934576	86.918986
51	-1.000000	-115790	-0.705443	1.933217	1.934579	93.093992
52	-1.000000	-0.347370	-0.152353	1.931015	1.943398	99.293598

## POTENTIAL FLOW - - P-T , 23Y RELEASE P-1-1 FLOW FIELD PLOTS

53	1.000000	.578950	-1.257798	.926140	-.961351	105.554955
54	1.000000	.810530	-.369156	.917967	.989414	111.907285
55	1.000000	1.042110	-.489527	.905502	1.029354	118.396298
56	1.000000	1.273680	-.622387	.886681	1.083314	125.066113
57	1.000000	1.405260	-.772554	.858301	1.154781	131.990267
58	1.000000	1.736840	-.945661	.815104	1.248467	139.240599
59	1.000000	1.968420	-1.149049	.748485	1.371329	146.919970
60	1.000000	2.200000	-1.391008	.643222	1.532527	155.183500
61	2.096000	-2.100000	.615629	.073672	.620022	6.824145
62	2.096000	-1.879550	.572877	.180631	.600679	17.500276
63	2.096000	-1.657890	.516830	.266599	.581540	27.286255
64	2.096000	-1.436840	.453011	.335645	.563816	36.535491
65	2.096000	-1.215790	.385246	.390299	.548405	45.373299
66	2.096000	-.997470	.315681	.432855	.535682	53.905376
67	2.096000	-.773680	.245448	.464925	.525737	62.169095
68	2.096000	-.552630	.175164	.487890	.518382	70.250645
69	2.096000	-.331580	.104915	.502642	.513475	78.210113
70	2.096000	-.110530	.034898	.510026	.511218	86.085718
71	2.096000	.110530	-.034953	.510026	.511222	93.920423
72	2.096000	.331580	-.104968	.502643	.513486	101.795731
73	2.096000	.552630	-.175219	.487891	.518401	109.754973
74	2.096000	.773680	-.245502	.464926	.525764	117.836095
75	2.096000	.994740	-.315637	.432857	.535716	126.099350
76	2.096000	1.215790	-.385302	.390301	.548446	134.630733
77	2.096000	1.436840	-.453067	.335648	.563852	143.467659
78	2.096000	1.657890	-.516888	.266601	.581592	152.716192
79	2.096000	1.878950	-.572937	.180632	.600673	162.5C1257
80	2.096000	2.100000	-.615690	.073673	.620082	173.176445
81	4.096000	-2.100000	.129883	.004115	.129948	1.814602
82	4.096000	-1.878950	.127075	.026103	.129728	11.6C7909
83	4.096000	-1.657890	.120746	.047038	.129585	21.283760
84	4.096000	-1.436840	.111302	.066614	.129713	30.900400
85	4.096000	-1.215790	.099026	.084048	.129885	40.322680
86	4.096000	-.994740	.084241	.099345	.130254	49.7C3465
87	4.096000	-.773680	.067568	.112123	.130948	58.925870
88	4.096000	-.552630	.049329	.121944	.131543	67.975729
89	4.096000	-.331580	.029975	.128463	.131914	76.865662
90	4.096000	-.110530	.010011	.132036	.132415	85.664248
91	4.096000	.110530	-.010063	.132036	.132419	94.358155
92	4.096000	.331580	-.030029	.128463	.131926	103.156960
93	4.096000	.552630	-.049382	.121943	.131562	112.045826
94	4.096000	.773680	-.067621	.112122	.130934	121.094283
95	4.096000	.994740	-.084294	.099344	.13287	130.314806
96	4.096000	1.215790	-.099079	.084046	.129924	139.692795
97	4.096000	1.436840	-.111357	.066611	.129759	149.113132
98	4.096000	1.657890	-.120801	.047035	.129634	158.725067
99	4.096000	1.878950	-.127129	.026099	.129780	168.398434
100	4.096000	2.100000	-.129937	.004110	.130902	178.180139

ORIGINAL PAGE IS  
ON POOR QUALITY

317

POTENTIAL FLOW -- 2-D, 25Y RELEASE C-1-1 FLOW FIELD PLOTS

I	X (E)	Y (E)	INDIVIDUAL FLOW NO. 3 OFFBODY POINTS			2-D OFSEE H	THETA (DFG)
			VX	VY	VT		
1	-1.000000	-5.000000	-1.533458	2.352738	2.988357	123.045336	
2	-1.025000	-4.473680	-1.467013	2.803262	3.164061	117.628932	
3	-1.050000	-3.947370	-1.163603	3.372500	3.567594	109.035802	
4	-1.075000	-3.421050	-0.436187	3.824670	3.849463	96.506224	
5	-1.000000	-2.894740	.480896	3.737815	3.768624	82.668772	
6	-1.000000	-2.364420	1.078714	3.240342	3.415178	71.587339	
7	-1.000000	-1.842110	1.321491	2.713705	3.018366	64.035345	
8	-1.000000	-1.315790	1.373367	2.290765	2.670966	59.056325	
9	-1.000000	-0.789470	1.339110	1.970987	2.382857	55.807383	
10	-1.000000	-0.263160	1.265272	1.730774	2.143943	53.031540	
11	-1.000000	.263160	1.170382	1.551706	1.943601	52.914382	
12	-1.000000	.789470	1.061088	1.424902	1.776504	53.325897	
13	-1.000000	1.315790	.990896	1.351957	1.647138	55.164147	
14	-1.025000	1.447210	.819633	1.346435	1.576288	58.669329	
15	-1.050000	2.368420	.753150	1.429399	1.606452	62.846358	
16	-1.075000	2.894740	.768354	1.505184	1.761583	64.140073	
17	-1.000000	3.421050	.980819	1.6684803	1.932246	59.495524	
18	-1.000000	3.947370	1.200685	1.542101	1.954410	52.095550	
19	-1.000000	4.473680	1.288395	1.343317	1.861307	46.595548	
20	-1.000000	5.000000	1.288427	1.173319	1.742620	42.322869	
21	-5.000000	-5.000000	-1.924968	2.289304	2.991056	130.058903	01
22	-5.000000	-4.473680	-2.063847	2.846286	3.515794	125.945935	08
23	-5.000000	-3.947370	-2.006237	3.80298	4.323907	117.644690	
24	-5.000000	-3.421050	-.841035	5.127395	5.195914	99.315145	
25	-5.000000	-2.894740	1.122777	4.737974	4.869391	76.668307	
26	-5.000000	-2.368420	1.006864	3.571005	4.602103	63.161414	
27	-5.000000	-1.842110	1.859260	2.755467	3.324071	55.995366	
28	-5.000000	-1.315790	1.753796	2.231420	2.838139	51.834243	
29	-5.000000	-0.789470	1.614254	1.875960	2.474882	49.288179	
30	-5.000000	-0.263160	1.468996	1.620713	2.187387	47.611177	
31	-5.000000	.263160	1.320753	1.430871	1.947250	47.291712	
32	-5.000000	.789470	1.163417	1.291250	1.738064	47.981126	
33	-5.000000	1.315790	.986350	1.202634	1.555382	50.642836	
34	-5.000000	1.842110	.778136	1.189380	1.421309	56.805820	
35	-5.000000	2.368420	.550596	1.324550	1.434430	67.428067	
36	-5.000000	2.894740	.474119	1.736124	1.799698	74.725224	
37	-5.000000	3.421050	1.016978	2.089493	2.323844	69.047391	
38	-5.000000	3.947370	1.485095	1.707553	2.263017	48.985627	
39	-5.000000	4.473680	1.511239	1.342807	2.021627	41.622589	
40	-5.000000	5.000000	1.440393	1.126886	1.828826	38.037716	
41	1.000000	-2.200000	3.773601	1.339177	4.04180	19.538782	
42	1.000000	-1.968420	3.401274	1.352087	3.660164	21.678990	
43	1.000000	-1.376349	3.096975	1.331632	3.371127	23.266649	
44	1.000000	-1.605260	2.846071	1.293741	3.126322	24.445164	
45	1.000000	-1.273680	2.636259	1.246561	2.916123	25.307242	
46	1.000000	-1.042110	2.458196	1.194488	2.733044	25.916073	
47	1.000000	-.810530	2.304508	1.139838	2.570990	26.317558	
48	1.000000	-.578950	2.169773	1.0483749	2.425372	26.541003	
49	1.000000	-.347370	2.049749	1.026520	2.292426	26.801835	
50	1.000000	-.115790	1.941198	.968090	2.169204	26.505771	
51	1.000000	-.015790	1.841328	.908131	2.053093	26.252218	
52	1.000000	.347370	1.747926	.845942	1.941871	25.825548	

## POTENTIAL FLOW - 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

53	1.000000	.578950	1.658928	.780390	1.833317	25.193158
54	1.000000	.810530	1.572576	.710052	1.725448	24.3CC199
55	1.000000	1.042110	1.486905	.632927	1.616069	23.057655
56	1.000000	1.271680	1.400138	.546103	1.502888	21.3C7255
57	1.000000	1.505260	1.310192	.445299	1.383797	18.771498
58	1.000000	1.736840	1.214802	.324070	1.257285	14.936831
59	1.000000	1.968420	1.111521	.172578	1.124938	6.824681
60	1.000000	2.200000	.998880	.024635	.999184	-1.412754
61	2.096000	-2.100000	3.039026	.152455	3.042848	2.871086
62	2.096000	-1.878950	2.923413	.287712	2.937536	5.62C741
63	2.096000	-1.657890	2.804449	.384309	2.836659	7.802962
64	2.096000	-1.436840	2.687391	.452648	2.725245	9.561020
65	2.096000	-1.215790	2.575419	.499124	2.623339	10.968122
66	2.096000	-.994740	2.469968	.528287	2.525833	12.072745
67	2.096000	-.773680	2.371797	.543485	2.433269	12.906232
68	2.096000	-.552630	2.280887	.547283	2.345627	13.492638
69	2.096000	-.331580	2.197160	.541521	2.262909	13.845407
70	2.096000	-.110530	2.120952	.527629	2.185111	13.973055
71	2.096000	.110530	2.050485	.506259	2.112058	13.868802
72	2.096000	.331580	1.987194	.478056	2.043791	13.527164
73	2.096000	.552630	1.930275	.443394	1.980545	12.936730
74	2.096000	.773680	1.880325	.402272	1.922874	12.075685
75	2.096000	.994740	1.837806	.354551	1.871693	10.919400
76	2.096000	1.215790	1.803403	.300069	1.828197	9.446922
77	2.096000	1.436840	1.778924	.238747	1.794873	7.643920
78	2.096000	1.657890	1.766776	.170857	1.775018	5.523659
79	2.096000	1.878950	1.770724	.097831	1.773425	3.162330
80	2.096000	2.100000	1.796155	.023447	1.796508	7.477797
81	4.096000	-2.100000	2.282189	-.166848	2.288280	-4.181393
82	4.096000	-1.878950	2.267955	-.119761	2.271115	-3.022742
83	4.096000	-1.657890	2.250721	-.075699	2.251993	-1.926310
84	4.096000	-1.436840	2.230919	-.034942	2.231192	-8.27331
85	4.096000	-1.215790	2.209197	.002056	2.209198	.053325
86	4.096000	-.994740	2.186104	.035181	2.186387	.921989
87	4.096000	-.773680	2.162344	.064386	2.163302	1.705530
88	4.096000	-.552630	2.138450	.089616	2.140327	2.399683
89	4.096000	-.331580	2.115103	.110957	2.118011	3.022960
90	4.096000	-.110530	2.092855	.128767	2.096813	3.52C789
91	4.096000	.110530	2.072142	.143154	2.077081	3.952013
92	4.096000	.331580	2.053320	.154401	2.059117	4.JCC293
93	4.096000	.552630	2.0895	.163060	2.043411	4.576949
94	4.096000	.773680	2.0253	.169423	2.030734	4.786613
95	4.096000	.994740	2.0792	.173967	2.020296	4.939828
96	4.096000	1.215790	2.0619	.177302	2.013440	5.051955
97	4.096000	1.436840	2.002036	.179928	2.016105	5.135520
98	4.096000	1.657890	2.002252	.182317	2.010535	5.202787
99	4.096000	1.878950	2.006434	.185194	2.014958	5.212035
100	4.096000	2.100000	2.014658	.188964	2.023500	5.358369

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - 2-D, 23N RELEASE D-1-1 FLOW FIELD PLOTS

INDIVIDUAL FLOW NO. "4" OFFBODY POINTS

2-D OCSEE N

I	X(I)	Y(I)	VX	vy	VT	THETA(4DEG)
1	-1.000000	-5.000000	-1.288429	1.173330	1.702628	137.676
2	-1.000000	-4.473680	-1.288396	1.343331	1.861318	133.804
3	-1.000000	-3.947370	-1.200683	1.542119	1.954423	127.904
4	-1.000000	-3.421050	-1.980814	1.664825	1.932262	120.548
5	-1.000000	-2.894740	-1.768342	1.588205	1.761597	115.859249
6	-1.000000	-2.368420	-1.733132	1.429417	1.616461	117.152787
7	-1.000000	-1.842110	-1.819613	1.346450	1.576291	121.329766
8	-1.000000	-1.315790	-1.940868	1.351969	1.647135	124.35007
9	-1.000000	-0.789470	-1.061065	1.424909	1.776577	126.673375
10	-1.000000	-0.263160	-1.170360	1.551710	1.943591	127.025008
11	-1.000000	-0.263160	-1.265250	1.730776	2.143931	126.167946
12	-1.000000	-0.789470	-1.339088	1.970986	2.382843	124.192191
13	-1.000000	-1.315790	-1.373346	2.290760	2.670891	120.93329
14	-1.000000	-1.842110	-1.321472	2.713698	3.018352	115.964388
15	-1.000000	-2.368420	-1.078697	3.240333	3.415164	108.912450
16	-1.000000	-2.894740	-1.480883	3.737805	3.768611	97.331057
17	-1.000000	-3.421050	-1.436196	3.824660	3.849453	83.493623
18	-1.000000	-3.947370	-1.163609	3.372492	3.567588	70.964057
19	-1.000000	-4.473680	-1.467319	2.803256	3.164059	62.370924
20	-1.000000	-5.000000	-1.533463	2.352733	2.808355	56.945094
21	-0.000000	-5.000000	-1.440397	1.126897	1.828836	141.962082
22	-1.000000	-4.473680	-1.511244	1.342821	2.021640	138.377199
23	-1.500000	-3.947370	-1.495100	1.707574	2.263036	131.013931
24	-1.500000	-3.421050	-1.016977	2.09528	2.323670	115.952272
25	-1.500000	-2.894740	-1.474104	1.736154	1.799723	105.273787
26	-1.500000	-2.368420	-1.550579	1.324573	1.434442	112.570766
27	-1.500000	-1.842110	-1.778111	1.189397	1.421310	123.192966
28	-1.500000	-1.315790	-1.986324	1.202646	1.555375	129.356157
29	-1.500000	-0.789470	-1.13392	1.291258	1.730053	1.018097
30	-1.500000	-0.263160	-1.1.0727	1.430875	1.947235	1.717645
31	-1.500000	-0.263160	-1.8971	1.620714	2.187371	1.188314
32	-1.500000	-0.789470	-1.4229	1.875958	2.474865	1.711420
33	-1.500000	-1.315790	-1.3772	2.231415	2.838121	1.165445
34	-1.500000	-1.842110	-1.9238	2.755459	3.324052	1.009398
35	-1.500000	-2.368420	-1.606845	3.570992	4.002083	1.838428
36	-1.500000	-2.894740	-1.122764	4.737959	4.869174	143.331578
37	-1.500000	-3.421050	-0.841041	5.127381	5.195901	80.684759
38	-1.500000	-3.947370	-2.006241	3.830289	4.323901	62.355209
39	-1.500000	-4.473680	-2.063850	2.846280	3.515791	54.053963
40	-1.500000	-5.000000	-1.924972	2.289299	2.9991055	49.946971
41	1.000000	-2.200000	-0.998836	1.24621	.999139	178.587978
42	1.000000	-1.964920	-1.111579	1.172590	1.124898	171.174383
43	1.200000	-1.736940	-1.214762	1.324081	1.257249	165.062235
44	1.000000	-1.605260	-1.310153	1.445308	1.303763	161.227623
45	1.000000	-1.271680	-1.403121	1.546111	1.502856	158.651942
46	1.000000	-1.042110	-1.486870	1.632933	1.615978	156.941439
47	1.000000	-810530	-1.572541	1.710057	1.725418	155.699169
48	1.000000	-578950	-1.658094	1.780394	1.833288	158.8626276
49	1.000000	-767370	-1.747892	1.845945	1.941842	154.173937
50	1.000000	-1156790	-1.841294	1.908133	2.053063	153.747314
51	1.000000	-105790	-1.941165	1.968090	2.169175	153.493822
52	1.000000	-347370	-2.049716	1.026520	2.292396	153.397797

## POTENTIAL FLOW - 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

53	1.000000	.578950	-2.169740	1.083747	2.425341	153.458672
54	1.000000	.810530	-2.304475	1.139835	2.570959	153.682161
55	1.000000	1.042110	-2.458162	1.194485	2.733012	154.083677
56	1.000000	1.273680	-2.636224	1.246556	2.916090	154.692568
57	1.000000	1.505260	-2.846037	1.293735	3.126288	155.554689
58	1.000000	1.736840	-3.096940	1.331623	3.371092	156.733248
59	1.000000	1.964420	-3.401237	1.352076	3.660126	158.320948
60	1.000000	2.200000	-3.773563	1.339165	4.004140	160.461203
61	2.096000	-2.100000	-1.796309	.023448	1.796962	179.252140
62	2.096000	-1.878950	-1.770680	.097833	1.773381	176.837524
63	2.096000	-1.657890	-1.766734	.170860	1.774976	174.476135
64	2.096000	-1.436840	-1.778882	.238749	1.794833	172.355835
65	2.096000	-1.215790	-1.803363	.300071	1.828158	170.552809
66	2.096000	-.994740	-1.837766	.354553	1.871655	169.040303
67	2.096000	-.773680	-1.880286	.402274	1.922837	167.924023
68	2.096000	-.552630	-1.936236	.443396	1.980507	167.062984
69	2.096000	-.331580	-1.987056	.478057	2.043754	166.472557
70	2.096000	-.110530	-2.050448	.506260	2.112022	166.130936
71	2.096000	.110530	-2.120415	.527629	2.185075	166.026705
72	2.096000	.31580	-2.197123	.541521	2.262873	166.154375
73	2.096000	.552630	-2.280850	.547282	2.345590	166.567168
74	2.096000	.773680	-2.371759	.543484	2.433232	167.093597
75	2.096000	.994740	-2.469930	.528285	2.525795	167.927114
76	2.096000	1.215790	-2.575381	.499122	2.623361	169.031765
77	2.096000	1.436840	-2.687353	.452645	2.725207	170.439102
78	2.096000	1.657890	-2.804409	.384306	2.830619	172.196989
79	2.096000	1.878950	-2.923372	.287708	2.937496	178.379248
80	2.096000	2.100000	-3.038984	.152452	3.042806	177.128136
81	4.096000	-2.100000	-2.014618	.188961	2.023460	178.641626
82	4.096000	-.878950	-.006395	.185140	2.044918	179.727953
83	4.096000	-.657890	-2.002212	.182315	2.010495	174.797188
84	4.096000	-.436840	-2.401998	.179926	2.010067	178.864435
85	4.096000	-.215790	-2.005580	.177300	2.013402	178.947998
86	4.096000	-.994740	-2.012754	.173965	2.020258	175.061118
87	4.096000	-.773680	-2.023215	.169420	2.030296	175.213331
88	4.096000	-.552630	-2.036857	.163059	2.043373	175.422995
89	4.096000	-.331580	-2.053282	.154400	2.059079	175.699652
90	4.096000	-.110530	-2.072104	.143154	2.077043	176.042930
91	4.096000	.110530	-2.092817	.128766	2.096774	176.979160
92	4.096000	.331580	-2.115064	.110957	2.117973	176.996988
93	4.096000	.552630	-2.138413	.089616	2.140290	177.600273
94	4.096000	.773680	-2.162306	.064386	2.163264	178.298936
95	4.096000	.994740	-2.186065	.035182	2.186348	179.077986
96	4.096000	1.215790	-2.209159	.002057	2.209160	179.946659
97	4.096000	1.436840	-2.230881	-.034941	2.231155	179.026763
98	4.096000	1.657890	-2.250683	-.075698	2.251955	178.073683
99	4.096000	1.878950	-2.267916	-.119760	2.271076	176.977238
100	4.096000	2.100000	-2.282151	-.166847	2.288242	175.818579

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - 2-D 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

COMBINED FLOW FOR OFFBODY POINTS				2-D OCSEE H		
I	X(I)	Y(I)	VX	VY	VT	THETA(DEG)
1	-1.000000	-5.000000	.936227	.071194	.938926	-4.345569
2	-1.000000	-4.473680	.905050	.070285	.907775	-4.444580
3	-1.000000	-3.947370	.861196	.048669	.862570	-3.234515
4	-1.000000	-3.421050	.827321	.016083	.827478	1.113662
5	-1.000000	-2.894740	.854235	.101307	.862221	6.763345
6	-1.000000	-2.368420	.928906	.141907	.939683	8.685791
7	-1.000000	-1.842110	.998610	.133422	.1007483	7.61C110
8	-1.000000	-1.315790	1.045744	.101569	1.050665	5.547529
9	-1.000000	-0.789470	1.072944	.062051	1.074736	3.3C9848
10	-1.000000	-0.263160	1.085169	.120756	1.085367	1.095785
11	-1.000000	.263160	1.085168	.020756	1.085367	-1.095771
12	-1.000000	.789470	1.072944	.062050	1.074736	-3.3C9832
13	-1.000000	1.315790	1.045744	.101569	1.050665	5.547510
14	-1.000000	1.842110	.998609	.133422	.1007483	-7.610089
15	-1.000000	2.368420	.928905	.141906	.939682	-8.685762
16	-1.000000	2.894740	.854235	.101307	.860221	6.763307
17	-1.000000	3.421050	.827321	.016082	.827478	-1.113626
18	-1.000000	3.947370	.861196	.048669	.862570	3.234549
19	-1.000000	4.473680	.905050	.070285	.907775	4.444602
20	-1.000000	5.000000	.936227	.071194	.938926	9.345585
21	-5.000000	-5.000000	.945851	.096147	.950725	-5.804258
22	-5.000000	-4.473680	.907940	.114659	.915151	-7.197468
23	-5.000000	-3.947370	.827435	.121438	.836299	-8.349396
24	-5.000000	-3.421050	.697487	.018980	.697745	-1.558756
25	-5.000000	-2.894740	.757531	.199530	.783368	14.756255
26	-5.000000	-2.368420	.928668	.1244567	.986332	14.753990
27	-5.000000	-1.842110	1.035946	.198502	1.054792	10.847218
28	-5.000000	-1.315790	1.091429	.137883	1.100104	7.20C178
29	-5.000000	-0.789470	1.118709	.080049	1.121569	4.092810
30	-5.000000	-0.263160	1.129953	.026178	1.130256	1.327171
31	-5.000000	.263160	1.129953	.026178	1.130256	-1.327159
32	-5.000000	.789470	1.118709	.080049	1.121569	-4.092797
33	-5.000000	1.315790	1.091428	.137883	1.100103	7.20C160
34	-5.000000	1.842110	1.035946	.198502	1.054792	-10.847196
35	-5.000000	2.368420	.928668	.1244567	.960332	14.753964
36	-5.000000	2.894740	.757531	.199529	.783368	-14.756209
37	-5.000000	3.421050	.697487	.018981	.697745	1.558819
38	-5.000000	3.947370	.827435	.121439	.836299	8.349433
39	-5.000000	4.473680	.907940	.114659	.915151	7.197487
40	-5.000000	5.000000	.945851	.096147	.950726	5.804272
41	1.000000	-2.200000	1.460219	.375527	1.507733	-14.622336
42	1.000000	-1.968420	1.413223	.301528	1.445032	12.044126
43	1.000000	-1.736840	1.379441	.242608	1.400612	9.974841
44	1.000000	-1.505260	1.336470	.194707	1.368631	8.178878
45	1.000000	-1.273680	1.336421	.154711	1.345346	6.6C3448
46	1.000000	-1.042110	1.322911	.120368	1.328376	5.198863
47	1.000000	-0.810530	1.313075	.090041	1.316158	3.922789
48	1.000000	-0.578950	1.306192	.062509	1.307667	2.739862
49	1.000000	-0.347370	1.301825	.036815	1.302396	1.619844
50	1.000000	-0.115790	1.299700	.012158	1.299757	1.535950
51	1.000000	.115790	1.299700	.012158	1.299757	-.535946
52	1.000000	.347370	1.301825	.036814	1.302346	-1.619840

## POTENTIAL FLOW - - 2-t , 234 RELEASE 0-1-1 FLOW FIELD PLOTS

53	1.000000	.578950	1.300192	-062509	1.307686	-2.739857
54	1.000000	.810530	1.313075	-090041	1.316158	-3.922782
55	1.000000	1.042110	1.322911	-120368	1.328376	-5.198859
56	1.000000	1.273680	1.336420	-154711	1.345346	-6.603443
57	1.000000	1.505260	1.354710	-194707	1.368631	-8.178873
58	1.000000	1.736640	1.379440	-242608	1.400612	-9.974836
59	1.000000	1.968420	1.413222	-301527	1.445032	-12.044119
60	1.000000	2.200000	1.460218	-375527	1.507733	-14.422332
61	2.096000	-2.100000	1.563134	.036875	1.563569	1.351390
62	2.096000	-1.878950	1.520450	.050464	1.521288	1.908972
63	2.096000	-1.657890	1.485345	.053910	1.486323	2.078601
64	2.096000	-1.436840	1.456776	.051861	1.457699	2.030873
65	2.096000	-1.215790	1.433880	.046669	1.434640	1.864159
66	2.096000	-994740	1.415897	.039658	1.416452	1.604287
67	2.096000	-773680	1.402194	.031549	1.402549	1.288936
68	2.096000	-.552630	1.392308	.022849	1.392496	.94C199
69	2.096000	-.331580	1.385899	.013812	1.385968	.57C997
70	2.096000	-.110530	1.382736	.004623	1.382753	.191576
71	2.096000	.110530	1.382746	.004623	1.382753	.191576
72	2.096000	.331580	1.385899	.013812	1.385968	.57C997
73	2.096000	.552630	1.392308	.022849	1.392496	.94C198
74	2.096000	.773680	1.402194	.031549	1.402549	1.288938
75	2.096000	.994740	1.415897	.039656	1.416452	1.604288
76	2.096000	1.215790	1.433881	.046669	1.434640	1.864161
77	2.096000	1.436840	1.456776	.051861	1.457699	-2.030875
78	2.096000	1.657890	1.485345	.053910	1.486323	-2.078603
79	2.096000	1.878950	1.520450	.050464	1.521288	1.908975
80	2.096000	2.100000	1.563134	.036875	1.563569	1.351394
81	4.096000	-2.100000	1.406117	.117168	1.410991	4.763291
82	4.096000	-1.878950	1.398840	.100775	1.402465	4.12C569
83	4.096000	-.657890	1.392000	.085634	1.394631	3.520318
84	4.096000	-.436840	1.385721	.071642	1.387572	2.959547
85	4.096000	-.215790	1.380100	.058717	1.381348	2.436217
86	4.096000	-.994740	1.375731	.046721	1.376242	1.945783
87	4.096000	-.773680	1.371213	.035537	1.371673	1.484566
88	4.096000	-.552630	1.368129	.024943	1.368357	1.044491
89	4.096000	-.331580	1.366041	.014805	1.366122	-.62C938
90	4.096000	-.110530	1.364985	.004914	1.364994	-.2C6261
91	4.096000	.110530	1.364985	.004914	1.364994	.2C6256
92	4.096000	.331580	1.366042	.014805	1.366122	.62C935
93	4.096000	.552630	1.368129	.024943	1.368357	1.044489
94	4.096000	.773680	1.371213	.035537	1.371673	1.484563
95	4.096000	.994740	1.375231	.046721	1.376024	1.945779
96	4.096000	1.215790	1.380100	.058717	1.381348	2.436213
97	4.096000	1.436840	1.385721	.071641	1.387572	2.959545
98	4.096000	1.657890	1.392000	.085634	1.394631	3.520315
99	4.096000	1.878950	1.398840	.100775	1.402465	4.12C567
100	4.096000	2.100000	1.406118	.117168	1.410991	4.763289

ORIGINAL PAGE IS  
OF POOR QUALITY

POTENTIAL FLOW - 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

I	INDIVIDUAL FLOW NO. 1 OFFRODY POINTS			2-D QCSEE H		
	X(I)	Y(I)	VX	VY	VT	THETA (DEG)
1	12.009000	-3.100000	.933406	.006683	.933430	-410225
2	12.009000	-2.773480	.939955	.012256	.940035	-747013
3	12.009000	-2.447370	.945959	.014546	.946080	-881982
4	12.009000	-2.121050	.951180	.015042	.951299	-905977
5	12.009000	-1.794740	.955629	.014266	.955735	-855220
6	12.009000	-1.468420	.959313	.012611	.959396	-753178
7	12.009000	-1.142110	.962241	.010378	.962297	-617912
8	12.009000	-.815790	.964421	.007692	.964452	-456987
9	12.009000	-.489470	.965867	.004714	.965879	-279646
10	12.009000	-.163160	.966576	.001571	.966578	-093104
11	12.009000	,163160	.966576	.001571	.966578	-093125
12	12.009000	,489470	.965867	.004714	.965879	-279662
13	12.009000	,815790	.964421	.007692	.964452	-457005
14	12.009000	1.142110	.962241	.010378	.962297	-617928
15	12.009000	1.468420	.959313	.012612	.959396	-753196
16	12.009000	1.794740	.955629	.014266	.955735	-855243
17	12.009000	2.121050	.951180	.015042	.951299	-906000
18	12.009000	2.447370	.945959	.014547	.946080	-881999
19	12.009000	2.773480	.939955	.012256	.940035	-747035
20	12.009000	3.100000	.933406	.006684	.933430	-410250

## POTENTIAL FLOW = 2-T, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

	INDIVIDUAL FLOW NO. 2 OFFBODY POINTS			2-D QCSEE N		
I	X(I)	Y(I)	VX	VY	VT	THETA(DEG)
1	12.009000	-3.100000	.042654	.028470	.051282	33.721675
2	12.009700	-2.773680	.026042	.024554	.035821	43.276887
3	12.009400	-2.447370	.018308	.022547	.029044	50.923736
4	12.009700	-2.121050	.013537	.020625	.024671	56.721114
5	12.009700	-1.794740	.010113	.019444	.021917	62.521472
6	12.009700	-1.468420	.007339	.018508	.019910	68.37049
7	12.009700	-1.142110	.005673	.017928	.018774	72.733020
8	12.009700	-.815790	.003869	.017516	.017938	77.545349
9	1.009700	-.489470	.002310	.017285	.017439	82.387851
10	1.009700	-.163160	.000869	.017230	.017252	87.111159
11	1.009700	.163160	-.000901	.017228	.017252	92.992550
12	1.009700	.489470	-.002340	.017283	.017441	97.711426
13	1.009700	.815790	-.003920	.017513	.017942	102.555872
14	1.009700	1.142110	-.005604	.017925	.018780	107.361099
15	1.009700	1.468420	-.007370	.018501	.019915	111.719223
16	1.009700	1.794740	-.010144	.019439	.021926	117.558303
17	1.009700	2.121050	-.013568	.020618	.024682	123.347213
18	1.009700	2.447370	-.018339	.022539	.029057	129.134394
19	1.009700	2.773680	-.026115	.024547	.035841	136.772654
20	12.009700	3.100000	-.042686	.028465	.051307	146.302763

325

ORIGINAL PAGE IS  
OF POOR QUALITY

"POTENTIAL FLOW" - 2-D, 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

INDIVIDUAL FLOW NO. 3    OFFBODY POINTS

2-0 .QCSEE™

I	X(I)	Y(I)	WX	WY	WT	THETA(DEG)
1	12.009000	-3.100000	1.457999	-0.25921	1.456229	-1.018524
2	12.009000	-2.773680	1.484513	-0.28967	1.484796	-1.117850
3	1.009000	-2.447370	1.501085	-0.29924	1.501383	-1.142042
4	1.009000	-2.121050	1.513790	-0.284480	1.514058	-1.077804
5	1.009000	-1.794740	1.523809	-0.25842	1.524028	-0.971585
6	1.009000	-1.466420	1.531676	-0.22308	1.532041	-0.834302
7	1.009000	-1.142110	1.537702	-0.17656	1.537803	-0.657090
8	1.009000	-0.815790	1.542149	-0.12600	1.542200	-0.468131
9	1.009000	-0.489470	1.545133	-0.07229	1.545150	-0.268057
10	1.009000	-0.163160	1.546791	-0.01686	1.546792	-0.062437
11	1.009000	-0.163160	1.547269	-0.004167	1.547275	-0.154307
12	12.009000	-0.489470	1.5456	-0.09781	1.546220	-0.362427
13	12.009000	-0.815790	1.5453	-0.15092	1.544009	-0.560038
14	12.009000	-1.142110	1.5540	-0.21994	1.540506	-0.746880
15	12.009000	-1.466420	1.5535	-0.24109	1.535712	-0.89509
16	12.009000	-1.794740	1.5529	-0.27110	1.522945	-1.015384
17	12.009000	-2.121050	1.522316	-0.28790	1.522588	-0.893458
18	12.009000	-2.447370	1.513618	-0.28611	1.513889	-1.002914
19	12.009000	-2.773680	1.503856	-0.25287	1.504068	-0.963311
20	12.009000	-3.100000	1.492318	-0.16008	1.492404	-0.614577

## POTENTIAL FLOW - 7-C , 23Y RELEASE 0-1-1 FLOW FIELD PLOTS

I	X(I)	Y(I)	VX	VY	VT	2-D QCSEE K	
						INDIVIDUAL FLOW NO. 4	OFFBODY POINTS
1	12.009000	-3.100000	-1.492291	.016006	1.492377	179.385496	
2	12.009000	-2.773680	-1.503830	.025285	1.504042	179.036716	
3	12.009000	-2.447370	-1.513592	.028611	1.513863	178.917093	
4	12.009000	-2.121050	-1.522291	.028790	1.522563	178.916548	
5	12.009000	-1.794740	-1.529579	.027110	1.529819	178.986608	
6	12.009000	-1.464920	-1.535497	.024109	1.535687	179.100479	
7	12.009000	-1.142110	-1.540352	.019914	1.540480	179.259302	
8	12.009000	-.815790	-1.543909	.015093	1.543983	179.439913	
9	12.009000	-.489470	-1.546163	.009783	1.546195	179.637491	
10	12.009000	-.163160	-1.547242	.004169	1.547248	179.845631	
11	12.009000	.163160	-1.546765	.001683	1.546766	179.937668	
12	12.009000	.489470	-1.545105	.007226	1.545122	179.732058	
13	12.009000	.815790	-1.542122	.012598	1.542174	179.531948	
14	12.009000	1.142110	-1.537674	.017631	1.537775	179.343056	
15	12.009000	1.464920	-1.531851	.022303	1.532013	179.165852	
16	12.009000	1.794740	-1.523780	.025838	1.523999	179.028563	
17	12.009000	2.121050	-1.513762	.028476	1.514030	178.922316	
18	12.009000	2.447370	-1.501055	.029920	1.501353	178.858076	
19	12.009000	2.773680	-1.484404	.028962	1.484766	178.882298	
20	12.009000	3.100000	-1.457970	.025916	1.458200	178.981646	

ORIGINAL PAGE  
OF POOR QUALITY

POTENTIAL FLOW - 2-D, 23° RELEASED 0-1-1 FLOW FIELD PLOTS

I	COMINFOR FLOW FOR OFFBODY POINTS			2-D OCSEE N			
	X(I)	Y(I)	VX	VY	VT	THETA (DEG)	
1	12.009000	-3.100000	.983629	.007396	.983657	-43.0833	
2	12.019000	-2.773680	.990827	.013179	.990914	-76.2048	
3	12.009000	-2.447370	.997286	.015583	.997409	-89.2878	
4	12.009000	-2.121050	1.002864	.016017	1.002992	-91.4985	
5	12.009000	-1.794740	1.007607	.015167	1.007722	-86.2358	
6	12.019000	-1.468420	1.011530	.013401	1.011618	-75.9049	
7	12.009000	-1.142110	1.014640	.011017	1.014629	-62.2095	
8	12.009100	-.815790	1.016956	.008164	1.016989	-45.9943	
9	12.009000	-.489470	1.018491	.005004	1.018503	-28.1485	
10	12.009000	-.163160	1.019247	.002670	1.019248	-0.93895	
11	12.019100	+.163160	1.019247	.001671	1.019248	-0.93907	
12	12.009000	+.489470	1.018491	.005004	1.018503	-28.1496	
13	12.009100	+.815790	1.016956	.008164	1.016989	-45.9955	
14	12.009000	1.142110	1.014640	.011017	1.014629	-62.2109	
15	12.009000	1.468420	1.011530	.013402	1.011618	-75.9065	
16	12.009000	1.794740	1.007607	.015167	1.007722	-86.2370	
17	12.019000	2.121050	1.002864	.016017	1.002992	-91.5000	
18	12.009000	2.447370	.997286	.015583	.997409	-89.2896	
19	12.009000	2.773680	.990827	.013179	.990914	-76.2068	
20	12.009000	3.100000	.983629	.007397	.983657	-43.0858	

OFFBODY POINTS COMPLETE, T = .000 SECONDS.

OFIN

PROGRAM COMBIN-2D

8X0T .P906C  
2-0 005EE H00 3A  
-354 177 177 120 1 1 0 0 0  
.000 .000 145.530 .000 .790 .000 .000 541.5732049.900  
.000 .000 .000 .000 .000 .000 12.513 .000 933.500  
.000 .000 .000 .000 .000 .000 .000 .000

16.000 -2.033 1.033 8.003 -4.000 -1.000  
2.096 -2.279 2.278  
-2.000 .000 .000  
-3.326 3.326 .000

329

ORIGINAL PAGE IS  
OF POOR QUALITY

## 2-D WCGSEE MOD 3A

## 2-D COMBINATION SOLUTION

## COMPRESSIBLE VERSION

## COMBINATION OF THE FOLLOWING BASIC SOLUTIONS

1. UNIFORM AXIAL
2. UNIFORM CROSSFLOW
3. VORTICITY ABOUT LOWER SHROUD
4. VORTICITY ABOUT UPPER SHROUD

	VELOCITY	MACH NO.	DYNAMIC PRESSURE INC COMP	PRESSURE RATIO INC COMP	DENSITY RATIO		
CONTROL	8.495+02	7.900+01	7.895+02	5.933+02	6.149+01	6.625+01	7.452+01
FREE STREAM	1.455+02	1.278+01	2.317+01	2.317+01	9.897+01	9.886+01	9.919+01

ALPHA	VINF/VC	VSONIC	VSONICC	WDOOTCR	WDOOTLCR	WDOOTUR
0.000	1.713+01	6.600+02	1.341+03	1.799+01	0.303	0.000

TSTAT	PSTAT	PSTATC	ASTAT	RHOSTAT	WDOOTC	WDOOTL	WDOOTU
5.398+32	2.327+33	2.027+03	1.139+03	2.109+03	1.706+01	0.000	0.000
VICL	VICL	VICL					
6.333+02	0.000	0.000					

ITOT	PTOT	PTOTC	ATOT	RHOTOT	THET	DEL
5.416+02	2.059+03	2.050+03	1.141+03	2.206+03	1.044+00	9.617+01

XRI1	YRI1	XRI2	YRI2	XTEST	YCL	YCLU	LND
0.000	-3.326+00	0.000	3.326+00	2.396+03	-2.278+33	2.278+00	1.000+03
XTEST1	YCL1	YCL1	XTEST2	YCL2	YCL2	HUB-TIP L	HUB-TIP U
0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

P-S CUTOFF L	P-S CUTOFF HUB	P-S CUTOFF U
0.000	0.000	1.251+01

NT	NP	NSI	NH	KNO	ID	NY	TCOHPI	IHUB
354	120	177	177	0	1	1	0	0

331

ORIGINAL PAGE IS  
OF POOR QUALITY

	V1	V2	V3	V4			
CONTROL	1.373+00	-2.825-05	2.212+00	-2.212+00			
A	1.443+02	B	0.300	C	9.830+01	VINFP	1.443+02

LOWER SHROUD  
ON-BODY POINTS

I	X	Y	Z	WCOM	VBAR	MACH	CP	RB/RT	PS/PT
1	3.562+01	-3.963+00	-3.581+01	-1.313+01	1.443+02	1.152-02	1.998-01	.9919	.9999
2	3.487+01	-3.963+00	-3.505+01	-7.701+01	1.443+02	6.755-02	7.280-01	.9919	.9968
3	3.412+01	-3.963+00	-3.431+01	-9.723+01	1.443+02	8.531-02	5.617-01	.9919	.9949
4	3.337+01	-3.963+00	-3.356+01	-21.073+02	1.443+02	9.416-02	6.645-01	.9919	.9938
5	3.262+01	-3.963+00	-3.283+01	-1.129+02	1.443+02	9.913-02	6.061-01	.9919	.9932
6	3.187+01	-3.963+00	-3.205+01	-1.162+02	1.443+02	1.019-01	3.711-01	.9919	.9928
7	3.112+01	-3.963+00	-3.130+01	-1.179+02	1.443+02	1.055-01	3.513-01	.9919	.9925
8	3.037+01	-3.963+00	-3.055+01	-1.168+02	1.443+02	1.043-01	3.423-01	.9919	.9924
9	2.962+01	-3.953+00	-2.980+01	-1.193+02	1.443+02	1.044-01	3.398-01	.9919	.9924
10	2.887+01	-3.963+00	-2.905+01	-1.187+02	1.443+02	1.042-01	3.428-01	.9919	.9924
11	2.812+01	-3.963+00	-2.830+01	-1.181+02	1.443+02	1.038-01	3.497-01	.9919	.9925
12	2.737+01	-3.963+00	-2.755+01	-1.173+02	1.443+02	1.029-01	3.592-01	.9919	.9926
13	2.662+01	-3.963+00	-2.683+01	-1.162+02	1.443+02	1.023-01	3.715-01	.9919	.9928
14	2.587+01	-3.963+00	-2.605+01	-1.153+02	1.443+02	1.009-01	3.836-01	.9919	.9929
15	2.512+01	-3.963+00	-2.533+01	-1.137+02	1.443+02	9.982-02	3.973-01	.9919	.9931
16	2.437+01	-3.963+00	-2.455+01	-1.124+02	1.443+02	9.862-02	4.119-01	.9919	.9932
17	2.362+01	-3.963+00	-2.380+01	-1.109+02	1.443+02	9.735-02	4.271-01	.9919	.9934
18	2.287+01	-3.963+00	-2.305+01	-1.195+02	1.443+02	9.606-02	4.423-01	.9919	.9936
19	2.212+01	-3.953+00	-2.230+01	-1.083+02	1.443+02	9.475-02	4.576-01	.9919	.9937
20	2.137+01	-3.963+00	-2.155+01	-1.064+02	1.443+02	9.339-02	4.733-01	.9919	.9939
21	2.062+01	-3.963+00	-2.080+01	-1.049+02	1.443+02	9.203-02	4.887-01	.9919	.9941
22	1.987+01	-3.963+00	-2.005+01	-1.033+02	1.443+02	9.067-02	5.039-01	.9919	.9943
23	1.912+01	-3.963+00	-1.933+01	-1.018+02	1.443+02	8.929-02	5.192-01	.9919	.9944
24	1.836+01	-3.963+00	-1.855+01	-1.001+02	1.443+02	8.788-02	5.345-01	.9919	.9946
25	1.761+01	-3.963+00	-1.780+01	-9.855+01	1.443+02	8.647-02	5.495-01	.9919	.9948
26	1.686+01	-3.963+00	-1.705+01	-9.689+01	1.443+02	8.551-02	5.648-01	.9919	.9950
27	1.611+01	-3.963+00	-1.630+01	-9.523+01	1.443+02	8.355-02	5.799-01	.9919	.9951
28	1.536+01	-3.963+00	-1.555+01	-9.332+01	1.443+02	8.188-02	5.968-01	.9919	.9953
29	1.461+01	-3.963+00	-1.480+01	-9.076+01	1.443+02	7.983-02	6.191-01	.9919	.9956
30	1.393+01	-3.963+00	-1.411+01	-9.059+01	1.443+02	7.843-02	5.811-01	.9919	.9951
31	1.336+01	-3.963+00	-1.354+01	-9.026+01	1.443+02	7.622-02	5.521-01	.9919	.9948
32	1.278+01	-3.963+00	-1.307+01	-1.039+02	1.443+02	7.055-02	5.272-01	.9919	.9945
33	1.229+01	-3.963+00	-1.267+01	-1.033+02	1.443+02	9.061-02	5.047-01	.9919	.9943
34	1.216+01	-3.963+00	-1.234+01	-1.056+02	1.443+02	9.265-02	4.818-01	.9919	.9940
35	1.186+01	-3.963+00	-1.204+01	-1.034+02	1.443+02	9.074-02	5.031-01	.9919	.9943
36	1.156+01	-3.963+00	-1.174+01	-1.018+02	1.443+02	8.934-02	5.186-01	.9919	.9944
37	1.126+01	-3.963+00	-1.144+01	-1.006+02	1.443+02	8.830-02	5.300-01	.9919	.9946
38	1.095+01	-3.963+00	-1.110+01	-9.996+01	1.443+02	8.771-02	5.363-01	.9919	.9946
39	1.065+01	-3.963+00	-1.084+01	-9.961+01	1.443+02	8.743-02	5.396-01	.9919	.9947
40	1.035+01	-3.963+00	-1.053+01	-9.967+01	1.443+02	8.746-02	5.390-01	.9919	.9947
41	1.035+01	-3.963+00	-1.023+01	-9.991+01	1.443+02	8.766-02	5.368-01	.9919	.9946
42	9.749+00	-3.963+00	-9.931+00	-1.003+02	1.443+02	8.601-02	5.331-01	.9919	.9946
43	9.448+00	-3.963+00	-9.630+00	-1.008+02	1.443+02	8.647-02	5.281-01	.9919	.9945
44	9.147+00	-3.963+00	-9.329+00	-1.013+02	1.443+02	8.688-02	5.236-01	.9919	.9945
45	8.845+00	-3.953+00	-9.027+00	-1.018+02	1.443+02	8.934-02	5.186-01	.9919	.9944
46	8.544+00	-3.963+00	-8.726+00	-1.022+02	1.443+02	8.971-02	5.146-01	.9919	.9944
47	8.243+00	-3.963+00	-8.425+00	-1.025+02	1.443+02	8.998-02	5.115-01	.9919	.9944
48	7.942+00	-3.963+00	-8.123+00	-1.028+02	1.443+02	9.021-02	5.091-01	.9919	.9943
49	7.640+00	-3.963+00	-7.822+00	-1.029+02	1.443+02	9.029-02	5.082-01	.9919	.9943

ORIGINAL PAGE IS  
OF POOR QUALITY

I	X	Y	S	VCOM	VBAR	HACH	CP	RB/RT	PS/PT
50	7.339+03	-3.963+03	-7.521+00	-1.029+02	1.443+02	9.032+02	5.078+01	.9919	.9943
51	7.038+00	-3.963+03	-7.220+00	-1.028+02	1.443+02	9.017+02	5.395+01	.9919	.9943
52	6.736+00	-3.963+03	-6.918+00	-1.025+02	1.443+02	8.997+02	5.111+01	.9919	.9944
53	6.435+03	-3.963+03	-6.617+00	-1.021+02	1.443+02	8.963+02	5.155+01	.9919	.9944
54	6.134+03	-3.963+03	-6.316+00	-1.016+02	1.443+02	8.916+02	5.205+01	.9919	.9945
55	5.833+00	-3.963+03	-6.014+00	-1.009+02	1.443+02	8.858+02	5.269+01	.9919	.9945
56	5.531+03	-3.963+03	-5.713+00	-1.331+02	1.443+02	8.784+02	5.348+01	.9919	.9946
57	5.233+00	-3.963+03	-5.412+00	-9.913+01	1.443+02	8.698+02	5.440+01	.9919	.9947
58	4.929+03	-3.963+03	-5.111+00	-9.799+01	1.443+02	8.598+02	5.547+01	.9919	.9948
59	4.627+00	-3.963+03	-4.809+00	-9.663+01	1.443+02	8.479+02	5.671+01	.9919	.9950
60	4.326+00	-3.963+03	-4.508+00	-9.508+01	1.443+02	8.343+02	5.812+01	.9919	.9951
61	4.025+00	-3.963+03	-4.207+00	-9.333+01	1.443+02	8.186+02	5.973+01	.9919	.9953
62	3.724+00	-3.963+03	-3.905+00	-9.127+01	1.463+02	8.008+02	6.148+01	.9917	.9955
63	3.422+03	-3.963+03	-3.604+00	-8.903+01	1.563+02	7.908+02	6.346+01	.9905	.9957
64	3.121+00	-3.963+03	-3.303+00	-8.649+01	1.667+02	7.587+02	6.556+01	.9891	.9960
65	2.820+00	-3.963+03	-3.002+00	-8.433+01	1.784+02	7.398+02	6.737+01	.9875	.9962
66	2.559+03	-3.958+03	-2.736+00	-8.177+01	1.898+02	7.085+02	7.019+01	.9858	.9965
67	2.332+00	-3.952+03	-2.511+00	-7.587+01	2.004+02	6.655+02	7.383+01	.9841	.9969
68	2.117+03	-3.942+03	-2.298+00	-7.046+01	2.113+02	6.181+02	7.758+01	.9823	.9973
69	1.914+03	-3.929+03	-2.096+00	-6.429+01	2.225+02	5.636+02	8.151+01	.9803	.9978
70	1.723+00	-3.912+03	-1.903+00	-5.723+01	2.341+02	5.019+02	8.555+01	.9781	.9982
71	1.541+03	-3.894+03	-1.723+03	-4.922+01	2.463+02	4.316+02	8.954+01	.9758	.9987
72	1.368+03	-3.673+03	-1.546+00	-4.003+01	2.581+02	3.510+02	9.337+01	.9732	.9991
73	1.204+00	-3.853+03	-1.301+00	-2.945+01	2.705+02	2.502+02	9.679+01	.9704	.9995
74	1.049+03	-3.825+03	-1.224+00	-1.714+01	2.833+02	1.533+02	9.944+01	.9676	.9998
75	9.028+01	-3.799+00	-1.075+00	-2.655+00	2.953+02	2.328+03	1.008+00	.9641	1.0000
76	7.647+01	-3.773+03	-9.332+01	-1.477+01	3.096+02	1.295+02	9.980+01	.9605	.9999
77	6.330+01	-3.738+00	-7.984+01	-3.621+01	3.233+02	3.175+02	9.482+01	.9567	.9993
78	5.095+01	-3.703+00	-6.701+01	-6.352+01	3.373+02	5.571+02	8.250+01	.9525	.9978
79	3.935+01	-3.665+03	-5.479+01	-9.956+01	3.518+02	8.736+02	5.638+01	.9479	.9947
80	2.763+01	-3.621+00	-4.313+01	-1.499+02	3.669+02	1.317+01	-7.182+04	.9426	.9880
81	1.671+01	-3.571+00	-3.212+01	-2.242+02	3.825+02	1.973+01	-1.233+00	.9372	.9732
82	1.025+01	-3.513+03	-2.162+01	-3.398+02	3.985+02	3.036+01	-4.138+03	.9311	.9392
83	4.012+02	-3.445+00	-1.266+01	-5.081+02	4.139+02	4.545+01	-1.036+01	.9248	.8678
84	8.151+03	-3.369+03	-4.297+02	-6.583+02	4.275+02	5.974+01	-1.794+01	.9188	.7856
85	3.235+03	-3.285+00	-4.130+02	-7.141+02	4.391+02	6.522+01	-2.116+01	.9136	.7514
86	1.544+02	-3.205+00	-3.220+01	-7.455+02	4.530+02	6.835+01	-2.332+01	.9083	.7315
87	3.746+02	-3.132+03	1.984+01	7.844+02	4.605+02	7.228+01	-2.544+01	.9030	.7062
88	6.655+02	-3.065+00	2.703+01	8.155+02	4.734+02	7.547+01	-2.741+01	.8978	.6855
89	1.337+01	-3.003+03	3.431+01	8.383+02	4.802+02	7.783+01	-2.884+01	.8924	.6702
90	1.489+01	-2.943+00	4.215+01	8.574+02	4.906+02	7.982+01	-3.000+01	.8864	.6572
91	2.044+01	-2.876+00	5.060+01	8.731+02	5.015+02	8.147+01	-3.090+01	.8797	.6464
92	2.687+01	-2.814+03	5.954+01	8.865+02	5.126+02	8.293+01	-3.163+01	.8726	.6371
93	3.421+01	-2.753+00	6.905+01	9.977+02	5.238+02	8.403+01	-3.216+01	.8649	.6294
94	4.263+01	-2.694+03	7.937+01	9.184+02	5.354+02	8.524+01	-3.263+01	.8565	.6220
95	5.217+01	-2.635+00	9.055+01	9.192+02	5.473+02	8.643+01	-3.336+01	.8472	.6144
96	6.286+01	-2.579+03	1.026+00	9.307+02	5.593+02	8.765+01	-3.351+01	.8372	.6064
97	7.478+01	-2.525+03	1.157+00	9.433+02	5.713+02	8.932+01	-3.398+01	.8263	.5976
98	8.706+01	-2.474+00	1.299+00	9.569+02	5.831+02	9.052+01	-3.449+01	.8145	.5880

I	X	Y	Z	VCOM	VBAR	MACH	CP	RB/RT	PS/PT
99	1.025+00	-2.425+00	1.451+00	9.715+02	5.944+02	9.213+01	-3.512+01	.8921	.5777
100	1.184+00	-2.384+00	1.616+00	9.865+02	5.051+02	9.379+01	-3.553+01	.7891	.5671
101	1.358+00	-2.345+00	1.794+00	1.030+03	6.147+02	9.535+01	-3.595+01	.7760	.5872
102	1.548+00	-2.315+00	1.986+00	1.011+03	6.226+02	9.650+01	-3.610+01	.7636	.5500
103	1.754+00	-2.293+00	2.194+00	1.012+03	6.288+02	9.664+01	-3.569+01	.7532	.5492
104	1.979+00	-2.281+00	2.419+00	9.938+02	6.322+02	9.428+01	-3.389+01	.7470	.5640
105	2.219+00	-2.279+00	2.659+00	9.553+02	5.329+02	9.031+01	-3.136+01	.7457	.5893
106	2.466+01	-2.283+00	2.906+00	9.256+02	6.319+02	8.709+01	-2.948+01	.7477	.6100
107	2.714+00	-2.293+00	3.154+00	9.033+02	6.299+02	8.463+01	-2.817+01	.7514	.6255
108	2.965+00	-2.303+00	3.405+00	8.828+02	6.273+02	8.250+01	-2.755+01	.7565	.6397
109	3.217+00	-2.319+00	3.658+00	8.627+02	6.232+02	8.038+01	-2.632+01	.7629	.6535
110	3.471+00	-2.331+00	3.913+00	8.427+02	6.197+02	7.828+01	-2.502+01	.7701	.6672
111	3.728+00	-2.351+00	4.170+00	8.225+02	6.134+02	7.619+01	-2.404+01	.7779	.6808
112	3.985+00	-2.374+00	4.429+00	8.023+02	6.074+02	7.411+01	-2.337+01	.7860	.6944
113	4.245+00	-2.403+00	4.689+00	7.822+02	6.009+02	7.205+01	-2.212+01	.7943	.7077
114	4.506+00	-2.428+00	4.952+00	7.623+02	5.943+02	7.004+01	-2.119+01	.8026	.7207
115	4.768+00	-2.459+00	5.214+00	7.427+02	5.865+02	6.807+01	-2.027+01	.8108	.7333
116	5.132+00	-2.491+00	5.461+00	7.235+02	5.789+02	6.615+01	-1.939+01	.8188	.7455
117	5.296+00	-2.525+00	5.745+00	7.048+02	5.715+02	6.433+01	-1.853+01	.8265	.7572
118	5.562+00	-2.562+00	6.017+00	6.867+02	5.529+02	6.252+01	-1.771+01	.8343	.7684
119	5.833+00	-2.602+00	6.287+00	6.693+02	5.358+02	5.982+01	-1.692+01	.8411	.7790
120	6.097+00	-2.639+00	6.557+00	6.526+02	5.466+02	5.919+01	-1.618+01	.8478	.7890
121	6.366+00	-2.678+00	6.829+00	6.366+02	5.385+02	5.754+01	-1.546+01	.8542	.7984
122	6.635+00	-2.719+00	7.101+00	6.213+02	5.304+02	5.617+01	-1.481+01	.8602	.8072
123	6.905+00	-2.760+00	7.374+00	6.068+02	5.225+02	5.478+01	-1.417+01	.8658	.8155
124	7.175+00	-2.801+00	7.647+00	5.931+02	5.149+02	5.347+01	-1.358+01	.8711	.8231
125	7.445+00	-2.842+00	7.921+00	5.803+02	5.074+02	5.225+01	-1.303+01	.8760	.8302
126	7.715+00	-2.883+00	8.193+00	5.682+02	5.003+02	5.110+01	-1.252+01	.8805	.8368
127	7.984+00	-2.923+00	8.465+00	5.569+02	4.934+02	5.034+01	-1.235+01	.8847	.8428
128	8.253+00	-2.962+00	8.737+00	5.461+02	4.869+02	4.905+01	-1.162+01	.8885	.8483
129	8.521+00	-3.003+00	9.008+00	5.367+02	4.807+02	4.814+01	-1.122+01	.8921	.8534
130	8.788+00	-3.035+00	9.277+00	5.277+02	4.750+02	4.730+01	-1.086+01	.8953	.8580
131	9.054+00	-3.071+00	9.556+00	5.195+02	4.696+02	4.652+01	-1.053+01	.8982	.8622
132	9.319+00	-3.104+00	9.813+00	5.123+02	4.646+02	4.582+01	-1.023+01	.9009	.8659
133	9.583+00	-3.135+00	1.008+01	5.051+02	4.600+02	4.519+01	-9.961+00	.9033	.8693
134	9.845+00	-3.165+00	1.134+01	4.989+02	4.559+02	4.461+01	-9.717+00	.9054	.8723
135	1.011+01	-3.189+00	1.060+01	4.934+02	4.522+02	4.409+01	-9.511+00	.9072	.8750
136	1.037+01	-3.213+00	1.087+01	4.884+02	4.489+02	4.363+01	-9.307+00	.9088	.8774
137	1.062+01	-3.233+00	1.112+01	4.838+02	4.461+02	4.321+01	-9.133+00	.9102	.8796
138	1.088+01	-3.253+00	1.138+01	4.803+02	4.437+02	4.285+01	-8.986+00	.9114	.8814
139	1.113+01	-3.264+00	1.164+01	4.767+02	4.418+02	4.255+01	-8.860+00	.9123	.8829
140	1.139+01	-3.275+00	1.189+01	4.731+02	4.404+02	4.230+01	-8.756+00	.9130	.8842
141	1.164+01	-3.282+00	1.214+01	4.721+02	4.394+02	4.212+01	-8.662+00	.9134	.8851
142	1.189+01	-3.285+00	1.239+01	4.701+02	4.389+02	4.194+01	-8.622+00	.9136	.8860
143	1.213+01	-3.287+00	1.263+01	4.672+02	4.388+02	4.215+01	-8.597+00	.9137	.8850
144	1.241+01	-3.287+00	1.291+01	4.641+02	4.388+02	4.298+01	-8.070+00	.9137	.8807
145	1.279+01	-3.287+00	1.324+01	4.673+02	4.368+02	4.352+01	-9.316+00	.9137	.8780
146	1.313+01	-3.287+00	1.363+01	4.692+02	4.388+02	4.400+01	-9.536+00	.9137	.8755
147	1.363+01	-3.287+00	1.410+01	4.973+02	4.388+02	4.446+01	-9.748+00	.9137	.8731

	X	Y	Z	VCOM	VBAR	MACH	CP	RR/RT	PS/PT
148	1.417+01	-3.287+30	1.467+01	5.024+02	4.388+02	4.493+01	-9.966+00	.9137	.8706
149	1.485+01	-3.287+30	1.535+01	5.384+02	4.388+02	4.549+01	-1.023+31	.9137	.8677
150	1.559+01	-3.287+00	1.609+01	5.055+02	4.388+02	4.522+01	-1.010+01	.9137	.8691
151	1.633+01	-3.287+30	1.684+01	5.155+02	4.388+02	4.503+01	-1.002+01	.9137	.8701
152	1.708+01	-3.287+00	1.758+01	5.015+02	4.388+02	4.485+01	-9.928+00	.9137	.8711
153	1.782+01	-3.287+30	1.832+01	4.994+02	4.388+02	4.465+01	-9.836+00	.9137	.8721
154	1.856+01	-3.287+30	1.906+01	4.973+02	4.388+02	4.445+01	-9.744+33	.9137	.8731
155	1.930+01	-3.287+00	1.980+01	4.953+02	4.388+02	4.424+01	-9.646+00	.9137	.8743
156	2.004+01	-3.287+30	2.055+01	4.927+02	4.388+02	4.402+01	-9.546+00	.9137	.8754
157	2.079+01	-3.287+30	2.129+01	4.902+02	4.388+02	4.380+01	-9.441+00	.9137	.8766
158	2.153+01	-3.287+30	2.203+01	4.877+02	4.388+02	4.356+01	-9.334+00	.9137	.8778
159	2.227+01	-3.287+30	2.277+01	4.853+02	4.388+02	4.332+01	-9.222+33	.9137	.8790
160	2.301+01	-3.287+00	2.351+01	4.824+02	4.388+02	4.307+01	-9.109+00	.9137	.8803
161	2.375+01	-3.287+30	2.426+01	4.795+02	4.388+02	4.281+01	-8.991+00	.9137	.8816
162	2.450+01	-3.287+30	2.750+01	4.767+02	4.388+02	4.254+31	-8.873+33	.9137	.8839
163	2.524+01	-3.287+30	2.574+01	4.737+02	4.388+02	4.227+01	-8.768+00	.9137	.8844
164	2.598+01	-3.287+30	2.640+01	4.706+02	4.388+02	4.198+31	-8.621+33	.9137	.8858
165	2.672+01	-3.287+00	2.723+01	4.674+02	4.388+02	4.169+01	-8.491+00	.9137	.8873
166	2.747+01	-3.287+00	2.797+01	4.641+02	4.388+02	4.139+01	-8.357+00	.9137	.8888
167	2.821+01	-3.287+30	2.871+01	4.607+02	4.388+02	4.107+31	-8.221+33	.9137	.8904
168	2.895+01	-3.287+30	2.945+01	4.572+02	4.388+02	4.075+01	-8.081+00	.9137	.8920
169	2.969+01	-3.287+30	3.019+01	4.536+02	4.388+02	4.041+01	-7.938+00	.9137	.8936
170	3.043+01	-3.287+00	3.094+01	4.499+02	4.388+02	4.008+01	-7.795+00	.9137	.8952
171	3.118+01	-3.287+30	3.168+01	4.463+02	4.388+02	3.974+01	-7.652+00	.9137	.8969
172	3.192+01	-3.287+30	3.242+01	4.426+02	4.388+02	3.943+31	-7.523+33	.9137	.8984
173	3.266+01	-3.287+00	3.316+01	4.399+02	4.388+02	3.916+01	-7.439+00	.9137	.8997
174	3.343+01	-3.287+30	3.393+01	4.368+02	4.388+02	3.903+01	-7.355+00	.9137	.9003
175	3.414+01	-3.287+00	3.465+01	4.407+02	4.388+02	3.923+01	-7.439+00	.9137	.8993
176	3.489+01	-3.287+30	3.539+01	4.532+02	4.388+02	4.038+01	-7.924+00	.9137	.8938
177	3.563+01	-3.287+30	3.613+01	5.158+02	4.388+02	4.618+31	-1.356+31	.9137	.8640

ORIGINAL PAGE IS  
OF POOR QUALITY

UPPER SHROUD  
DN-300Y POINTS

I	X	Y	Z	VCOM	VBAR	HACH	CP	RB/RT	PS/PT
178	3.563+01	3.287+00	3.613+01	-5.158+02	4.388+02	4.618+01	-1.056+01	.9137	.8640
179	3.489+01	3.287+00	3.539+01	-4.532+02	4.398+02	4.038+01	-7.924+03	.9137	.8938
180	3.414+01	3.287+00	3.465+01	-4.457+02	4.388+02	3.923+01	-7.439+00	.9137	.8993
181	3.343+01	3.287+00	3.393+01	-4.386+02	4.388+02	3.903+01	-7.355+00	.9137	.9003
182	3.266+01	3.287+00	3.316+01	-4.399+02	4.388+02	3.915+01	-7.049+00	.9137	.8997
183	3.192+01	3.287+00	3.242+01	-4.328+02	4.388+02	3.943+01	-7.523+00	.9137	.8984
184	3.118+01	3.287+00	3.168+01	-4.363+02	4.388+02	3.974+01	-7.652+03	.9137	.8969
185	3.043+01	3.287+00	3.094+01	-4.399+02	4.388+02	4.008+01	-7.795+03	.9137	.8952
186	2.969+01	3.287+00	3.019+01	-4.536+02	4.388+02	4.041+01	-7.938+00	.9137	.8936
187	2.895+01	3.287+00	2.945+01	-4.572+02	4.388+02	4.075+01	-8.081+00	.9137	.8929
188	2.821+01	3.287+00	2.871+01	-4.607+02	4.388+02	4.107+01	-8.221+00	.9137	.8904
189	2.747+01	3.287+00	2.797+01	-4.641+02	4.388+02	4.138+01	-8.357+03	.9137	.8888
190	2.672+01	3.287+00	2.723+01	-4.674+02	4.388+02	4.169+01	-8.491+00	.9137	.8873
191	2.598+01	3.287+00	2.648+01	-4.736+02	4.388+02	4.198+01	-8.621+00	.9137	.8858
192	2.524+01	3.287+00	2.574+01	-4.737+02	4.388+02	4.227+01	-8.748+00	.9137	.8844
193	2.450+01	3.287+00	2.500+01	-4.767+02	4.388+02	4.254+01	-8.873+00	.9137	.8830
194	2.376+01	3.287+00	2.426+01	-4.795+02	4.388+02	4.281-01	-8.991+03	.9137	.8816
195	2.301+01	3.287+00	2.351+01	-4.824+02	4.388+02	4.307+01	-9.119+00	.9137	.8803
196	2.227+01	3.287+00	2.277+01	-4.853+02	4.388+02	4.332+01	-9.222+00	.9137	.8790
197	2.153+01	3.287+00	2.203+01	-4.877+02	4.388+02	4.356+01	-9.334+03	.9137	.8778
198	2.079+01	3.287+00	2.129+01	-4.902+02	4.388+02	4.380+01	-9.441+00	.9137	.8766
199	2.004+01	3.287+00	2.055+01	-4.927+02	4.388+02	4.402+01	-9.546+03	.9137	.8754
200	1.930+01	3.287+00	1.980+01	-4.953+02	4.388+02	4.424+01	-9.646+00	.9137	.8743
201	1.856+01	3.287+00	1.906+01	-4.973+02	4.388+02	4.445+01	-9.744+00	.9137	.8731
202	1.782+01	3.287+00	1.832+01	-4.994+02	4.388+02	4.465+01	-9.836+00	.9137	.8721
203	1.708+01	3.287+00	1.759+01	-5.015+02	4.388+02	4.485+01	-9.928+00	.9137	.8711
204	1.633+01	3.287+00	1.684+01	-5.135+02	4.388+02	4.533+01	-1.032+01	.9137	.8701
205	1.559+01	3.287+00	1.609+01	-5.055+02	4.388+02	4.522+01	-1.010+01	.9137	.8691
206	1.485+01	3.287+00	1.535+01	-5.184+02	4.388+02	4.549+01	-1.023+01	.9137	.8677
207	1.417+01	3.287+00	1.467+01	-5.024+02	4.388+02	4.493+01	-9.966+00	.9137	.8707
208	1.360+01	3.287+00	1.410+01	-4.973+02	4.388+02	4.446+01	-9.748+00	.9137	.8731
209	1.313+01	3.287+00	1.363+01	-4.924+02	4.388+02	4.430+01	-9.536+03	.9137	.8755
210	1.274+01	3.287+00	1.324+01	-4.873+02	4.388+02	4.352+01	-9.316+00	.9137	.8780
211	1.241+01	3.287+00	1.291+01	-4.814+02	4.388+02	4.298+01	-9.070+00	.9137	.8807
212	1.213+01	3.287+00	1.263+01	-4.724+02	4.388+02	4.215+01	-8.697+00	.9137	.8850
213	1.189+01	3.286+00	1.239+01	-4.701+02	4.389+02	4.194+01	-8.632+00	.9136	.8860
214	1.164+01	3.282+00	1.214+01	-4.721+02	4.394+02	4.212+01	-8.682+03	.9134	.8851
215	1.139+01	3.275+00	1.189+01	-4.741+02	4.404+02	4.230+01	-8.756+00	.9130	.8842
216	1.113+01	3.264+00	1.164+01	-4.767+02	4.419+02	4.255+01	-8.860+00	.9123	.8829
217	1.088+01	3.250+00	1.138+01	-4.803+02	4.437+02	4.285+01	-8.986+00	.9114	.8814
218	1.062+01	3.233+00	1.112+01	-4.838+02	4.461+02	4.321+01	-9.133+00	.9102	.8796
219	1.037+01	3.213+00	1.087+01	-4.883+02	4.489+02	4.363+01	-9.337+03	.9088	.8774
220	1.011+01	3.189+00	1.063+01	-4.934+02	4.522+02	4.409+01	-9.531+00	.9072	.8760
221	9.845+01	3.153+00	1.034+01	-4.989+02	4.559+02	4.461+01	-9.717+00	.9054	.8723
222	9.583+00	3.135+00	1.008+01	-5.051+02	4.603+02	4.519+01	-9.961+00	.9033	.8693
223	9.319+00	3.104+00	9.813+00	-5.120+02	4.646+02	4.582+01	-1.023+01	.9009	.8659
224	9.054+00	3.071+00	9.546+00	-5.195+02	4.695+02	4.652+01	-1.053+01	.8982	.8622
225	8.788+00	3.035+00	9.277+00	-5.277+02	4.750+02	4.730+01	-1.086+01	.8953	.8580
226	8.521+00	3.001+00	9.008+00	-5.367+02	4.807+02	4.814+01	-1.122+01	.8921	.8534

ORIGINAL PAGE IS  
OF POOR QUALITY

I	X	Y	S	VCOM	VBAR	MACH	CP	RR/RY	PS/PT
227	8.253+00	2.962+00	3.737+00	-5.464+02	4.869+02	4.905-01	-1.162+01	.8865	.8483
228	7.984+00	2.923+00	8.466+00	-5.569+02	4.934+02	5.034-01	-1.235+01	.8847	.8428
229	7.715+00	2.883+00	5.193+00	-5.682+02	5.003+02	5.110-01	-1.252+01	.8805	.8368
230	7.445+00	2.842+00	7.921+00	-5.803+02	5.079+02	5.225-01	-1.303+01	.8760	.8302
231	7.175+00	2.801+00	7.647+00	-5.931+02	5.159+02	5.347-01	-1.358+01	.8711	.8231
232	6.905+00	2.763+00	7.374+00	-6.068+02	5.225+02	5.478-01	-1.417+01	.8658	.8155
233	6.635+00	2.721+00	7.101+00	-6.213+02	5.334+02	5.617-01	-1.483+01	.8602	.8072
234	6.366+00	2.673+00	5.823+00	-6.366+02	5.385+02	5.764-01	-1.546+01	.8542	.7984
235	6.197+00	2.639+00	5.557+00	-6.526+02	5.466+02	5.919-01	-1.618+01	.8478	.7890
236	5.830+00	2.603+00	5.287+00	-6.693+02	5.548+02	6.082-01	-1.692+01	.8411	.7790
237	5.562+00	2.562+00	5.017+00	-6.867+02	5.629+02	6.252-01	-1.771+01	.8340	.7684
238	5.296+00	2.525+00	5.749+00	-7.148+02	5.713+02	6.433-01	-1.853+01	.8265	.7572
239	5.032+00	2.491+00	5.481+00	-7.235+02	5.789+02	6.615-01	-1.939+01	.8188	.7455
240	4.768+00	2.459+00	5.216+00	-7.427+02	5.866+02	6.807-01	-2.027+01	.8108	.7333
241	4.506+00	2.428+00	4.952+00	-7.623+02	5.943+02	7.034-01	-2.119+01	.8026	.7207
242	4.245+00	2.403+00	4.689+00	-7.822+02	6.009+02	7.205-01	-2.212+01	.7943	.7077
243	3.985+00	2.374+00	4.429+00	-8.023+02	6.076+02	7.411-01	-2.307+01	.7860	.6944
244	3.728+00	2.351+00	4.170+00	-8.225+02	6.134+02	7.619-01	-2.404+01	.7779	.6808
245	3.471+00	2.331+00	3.913+00	-8.427+02	6.187+02	7.829-01	-2.502+01	.7701	.6672
246	3.217+00	2.314+00	3.658+00	-8.627+02	6.232+02	8.038-01	-2.612+01	.7629	.6535
247	2.965+00	2.300+00	3.405+00	-8.828+02	6.273+02	8.250-01	-2.705+01	.7555	.6397
248	2.714+00	2.293+00	3.154+00	-9.033+02	6.299+02	8.469-01	-2.817+01	.7514	.6255
249	2.466+00	2.283+00	2.7906+00	-9.256+02	6.319+02	8.739-01	-2.908+01	.7477	.6100
250	2.219+00	2.279+00	2.659+00	-9.553+02	6.329+02	9.031-01	-3.136+01	.7457	.5893
251	1.979+00	2.281+00	2.419+00	-9.938+02	6.322+02	9.428-01	-3.389+01	.7470	.5640
252	1.754+00	2.293+00	2.194+00	-1.012+03	5.288+02	9.664-01	-3.569+01	.7532	.5492
253	1.548+00	2.315+00	1.986+00	-1.011+03	6.226+02	9.650-01	-3.610+01	.7636	.5500
254	1.358+00	2.345+00	1.794+00	-1.000+03	6.147+02	9.535-01	-3.595+01	.7763	.5572
255	1.184+00	2.383+00	1.616+00	-9.865+02	5.051+02	9.379-01	-3.553+01	.7891	.5671
256	1.025+00	2.425+00	1.451+00	-9.715+02	5.944+02	9.213-01	-3.502+01	.8021	.5777
257	8.796-01	2.474+00	1.299+00	-9.569+02	5.831+02	9.052-01	-3.449+01	.8145	.5680
258	7.478-01	2.525+00	1.157+00	-9.433+02	5.713+02	8.902-01	-3.308+01	.8263	.5976
259	6.286-01	2.579+00	1.026+00	-9.337+02	5.593+02	8.765-01	-3.351+01	.8372	.6064
260	5.217-01	2.635+00	9.055-01	-9.192+02	5.473+02	8.640-01	-3.326+01	.8472	.6144
261	4.263-01	2.694+00	7.937-01	-9.084+02	5.354+02	8.524-01	-3.263+01	.8565	.6220
262	3.421-01	2.753+00	6.905-01	-8.977+02	5.238+02	8.409-01	-3.216+01	.8649	.6294
263	2.687-01	2.814+00	5.954-01	-8.865+02	5.126+02	8.290-01	-3.163+01	.8726	.6371
264	2.044-01	2.875+00	5.060-01	-8.731+02	5.015+02	8.147-01	-3.093+01	.8797	.6464
265	1.489-01	2.940+00	4.215-01	-8.574+02	4.935+02	7.932-01	-3.000+01	.8864	.6572
266	1.333-01	3.003+00	3.431-01	-8.383+02	4.802+02	7.703-01	-2.884+01	.8924	.6702
267	6.655-02	3.065+00	2.703-01	-8.155+02	4.704+02	7.547-01	-2.741+01	.8978	.6655
268	3.746-02	3.132+00	1.984-01	-7.885+02	4.605+02	7.228-01	-2.544+01	.9030	.7062
269	1.544-02	3.205+00	1.222-01	-7.455+02	4.503+02	6.835-01	-2.312+01	.9083	.7315
270	3.235-03	3.285+00	4.130-02	-7.141+02	4.391+02	6.522-01	-2.116+01	.9136	.7514
271	8.152-03	3.368+00	4.297-02	-6.583+02	4.275+02	5.974-01	-1.794+01	.9188	.7856
272	4.012-02	3.445+00	1.266-01	-5.081+02	4.139+02	4.586-01	-1.536+01	.9248	.8678
273	1.025-01	3.513+00	2.182-01	-3.396+02	3.985+02	3.006-01	-4.158+00	.9311	.9392
274	1.871-01	3.571+00	3.212-01	-2.242+02	3.826+02	1.973-01	-1.233+00	.9372	.9732
275	2.853-01	3.621+00	4.313-01	-1.499+02	3.669+02	1.317-01	-7.454-04	.9428	.9880

I	X	Y	S	VCOM	VBAR	MACH	CP	RB/R7	PS/PT
276	3.935+01	3.665+00	-5.479+01	-9.957+01	3.518+02	8.736+02	5.677+01	.9479	.9947
277	5.095+01	3.703+00	-6.701+01	-6.352+01	3.373+02	5.571+02	8.250+01	.9525	.9978
278	6.330+01	3.738+00	-7.964+01	-3.1621+01	3.233+02	3.175+02	9.482+01	.9567	.9993
279	7.640+01	3.775+00	-9.332+01	-1.477+01	3.095+02	1.295+02	9.980+01	.9605	.9999
280	9.328+01	3.799+00	-1.075+00	2.654+00	2.963+02	2.327+03	1.008+00	.9641	1.0000
281	1.049+02	3.825+00	-1.224+00	1.714+01	2.833+02	1.503+32	9.944+01	.9674	.9998
282	1.209+02	3.850+00	-1.381+00	2.945+01	2.705+02	2.582+02	9.679+01	.9704	.9995
283	1.368+02	3.873+00	-1.546+00	4.033+01	2.581+02	3.510+02	9.337+01	.9732	.9991
284	1.541+02	3.894+00	-1.720+00	6.922+01	2.463+02	4.315+02	8.955+01	.9758	.9987
285	1.723+02	3.912+00	-1.903+00	5.723+01	2.341+02	5.019+02	8.555+01	.9781	.9982
286	1.914+02	3.929+00	-2.396+00	6.428+01	2.225+02	5.638+02	8.151+01	.9803	.9978
287	2.117+02	3.942+00	-2.298+00	7.046+01	2.113+02	6.181+02	7.758+01	.9823	.9973
288	2.333+02	3.952+00	-2.511+00	7.587+01	2.004+02	6.455+02	7.384+01	.9841	.9969
289	2.554+02	3.958+00	-2.735+00	8.077+01	1.898+02	7.085+02	7.019+01	.9858	.9965
290	2.802+02	3.963+00	-3.002+00	8.433+01	1.784+02	7.398+02	6.737+01	.9875	.9962
291	3.121+02	3.963+00	-3.303+00	8.648+01	1.667+02	7.587+02	6.558+01	.9891	.9960
292	3.422+02	3.963+00	-3.604+00	8.903+01	1.563+02	7.808+02	6.346+01	.9905	.9957
293	3.724+02	3.963+00	-3.905+00	9.127+01	1.463+02	8.003+02	6.148+01	.9917	.9955
294	4.025+02	3.963+00	-4.207+00	9.330+01	1.443+02	8.186+02	5.973+01	.9919	.9953
295	4.326+02	3.960+00	-4.508+00	9.558+01	1.443+02	8.342+02	5.812+01	.9919	.9951
296	4.627+02	3.963+00	-4.809+00	9.863+01	1.443+02	8.479+02	5.672+01	.9919	.9950
297	4.929+02	3.963+00	-5.111+00	9.799+01	1.443+02	8.598+02	5.547+01	.9919	.9948
298	5.230+02	3.963+00	-5.412+00	9.913+01	1.443+02	8.698+02	5.441+01	.9919	.9947
299	5.531+02	3.963+00	-5.713+00	1.031+02	1.443+02	8.784+02	5.348+01	.9919	.9946
300	5.833+02	3.963+00	-6.014+00	1.009+02	1.443+02	8.858+02	5.269+01	.9919	.9945
301	6.134+02	3.963+00	-6.318+00	1.016+02	1.443+02	8.916+02	5.205+01	.9919	.9945
302	6.435+02	3.963+00	-6.617+00	1.022+02	1.443+02	8.963+02	5.155+01	.9919	.9944
303	6.736+02	3.963+00	-6.918+00	1.025+02	1.443+02	8.997+02	5.117+01	.9919	.9944
304	7.038+02	3.963+00	-7.223+00	1.028+02	1.443+02	9.017+02	5.095+01	.9919	.9943
305	7.339+02	3.963+00	-7.521+00	1.029+02	1.443+02	9.032+02	5.079+01	.9919	.9943
306	7.643+02	3.963+00	-7.822+00	1.029+02	1.443+02	9.029+02	5.082+01	.9919	.9943
307	7.942+02	3.963+00	-8.123+00	1.028+02	1.443+02	9.021+02	5.091+01	.9919	.9943
308	8.243+02	3.963+00	-8.425+00	1.025+02	1.443+02	9.096+02	5.116+01	.9919	.9944
309	8.544+02	3.961+00	-8.726+00	1.022+02	1.443+02	9.196+02	5.116+01	.9919	.9944
310	8.845+02	3.963+00	-9.027+00	1.018+02	1.443+02	9.271+02	5.146+01	.9919	.9944
311	9.147+02	3.963+00	-9.329+00	1.013+02	1.443+02	9.334+02	5.186+01	.9919	.9944
312	9.448+02	3.963+00	-9.630+00	1.008+02	1.443+02	9.389+02	5.236+01	.9919	.9945
313	9.749+02	3.963+00	-9.931+00	1.003+02	1.443+02	9.447+02	5.281+01	.9919	.9945
314	1.035+03	3.963+00	-1.023+01	9.993+01	1.443+02	9.601+02	5.331+01	.9919	.9946
315	1.035+03	3.963+00	-1.053+01	9.966+01	1.443+02	9.766+02	5.368+01	.9919	.9946
316	1.365+01	3.963+00	-1.069+01	9.963+01	1.443+02	9.715+02	5.390+01	.9919	.9947
317	1.095+01	3.963+00	-1.114+01	9.995+01	1.443+02	9.740+02	5.396+01	.9919	.9947
318	1.126+01	3.963+00	-1.194+01	1.005+02	1.443+02	9.771+02	5.363+01	.9919	.9946
319	1.156+01	3.963+00	-1.174+01	1.018+02	1.443+02	9.830+02	5.308+01	.9919	.9946
320	1.186+01	3.963+00	-1.204+01	1.034+02	1.443+02	9.934+02	5.186+01	.9919	.9944
321	1.216+01	3.963+00	-1.234+01	1.056+02	1.443+02	9.074+02	5.032+01	.9919	.9943
322	1.249+01	3.963+00	-1.267+01	1.033+02	1.443+02	9.265+02	4.818+01	.9919	.9940
323	1.288+01	3.963+00	-1.307+01	1.039+02	1.443+02	9.061+02	5.047+01	.9919	.9943
324	1.336+01	3.963+00	-1.354+01	9.826+01	1.443+02	8.855+02	5.272+01	.9919	.9945

I	X	Y	S	VCOM	VBAR	HACH	CP	RB/RT	PS/PT
325	1.393+01	3.963+30	-1.411+01	9.509+01	1.443+02	0.343+02	5.811+01	.9919	.9951
326	1.461+01	3.963+33	-1.483+01	9.376+01	1.443+02	7.963+02	6.191+31	.9919	.9956
327	1.536+01	3.963+30	-1.555+01	9.332+01	1.443+02	8.188+02	5.968+01	.9919	.9953
328	1.611+01	3.963+30	-1.630+01	9.523+01	1.443+02	8.355+02	5.799+01	.9919	.9951
329	1.686+01	3.963+30	-1.705+01	9.689+01	1.443+02	8.501+02	5.646+31	.9919	.9950
330	1.761+01	3.963+30	-1.780+01	9.855+01	1.443+02	8.768+02	5.345+01	.9919	.9946
331	1.836+01	3.963+33	-1.855+01	1.031+02	1.443+02	8.929+02	5.192+01	.9919	.9944
332	1.912+01	3.963+30	-1.930+01	1.018+02	1.443+02	9.057+02	5.039+01	.9919	.9943
333	1.987+01	3.963+30	-2.005+01	1.033+02	1.443+02	9.233+32	4.887+31	.9919	.9941
334	2.062+01	3.963+30	-2.083+01	1.149+02	1.443+02	9.339+02	4.733+01	.9919	.9939
335	2.137+01	3.963+30	-2.165+01	1.064+02	1.443+02	9.475+02	4.576+01	.9919	.9937
336	2.212+01	3.963+30	-2.235+01	1.183+02	1.443+02	9.605+02	4.423+31	.9919	.9936
337	2.287+01	3.963+30	-2.305+01	1.095+02	1.443+02	9.735+02	4.271+01	.9919	.9934
338	2.362+01	3.963+30	-2.380+01	1.109+02	1.443+02	9.862+32	4.119+31	.9919	.9932
339	2.437+01	3.963+33	-2.455+01	1.124+02	1.443+02	9.982+02	3.973+01	.9919	.9931
340	2.512+01	3.963+30	-2.530+01	1.137+02	1.443+02	1.009+01	3.836+01	.9919	.9929
341	2.587+01	3.963+30	-2.605+01	1.150+02	1.443+02	1.023+01	3.715+31	.9919	.9928
342	2.662+01	3.963+30	-2.680+01	1.162+02	1.443+02	1.029+01	3.592+01	.9919	.9926
343	2.737+01	3.963+30	-2.755+01	1.172+02	1.443+02	1.037+31	3.497+31	.9919	.9925
344	2.812+01	3.963+33	-2.833+01	1.181+02	1.443+02	1.042+01	3.428+01	.9919	.9924
345	2.887+01	3.955+30	-2.905+01	1.187+02	1.443+02	1.044+01	3.398+01	.9919	.9924
346	2.962+01	3.963+00	-2.980+01	1.190+02	1.443+02	1.043+01	3.419+01	.9919	.9924
347	3.037+01	3.963+30	-3.055+01	1.188+02	1.443+02	1.035+01	3.513+01	.9919	.9925
348	3.112+01	3.963+33	-3.130+01	1.179+02	1.443+02	1.019+01	3.711+01	.9919	.9926
349	3.187+01	3.963+33	-3.205+01	1.162+02	1.443+02	9.910+02	4.061+01	.9919	.9932
350	3.262+01	3.963+00	-3.280+01	1.129+02	1.443+02	9.415+02	4.645+01	.9919	.9938
351	3.337+01	3.963+30	-3.356+01	1.073+02	1.443+02	8.531+02	5.617+31	.9919	.9949
352	3.412+01	3.963+33	-3.431+01	9.723+01	1.443+02	6.765+02	7.280+01	.9919	.9968
353	3.487+01	3.963+00	-3.505+01	7.701+01	1.443+02	1.152+02	9.998+01	.9919	.9999
354	3.562+01	3.963+33	-3.581+01	1.314+01	1.443+02	1.152+02	9.998+01	.9919	.9999

ORIGINAL PAGE IS  
OF POOR QUALITY

## RAKE NUMBER 1

I	X	Y	VX	vy	VRE	THETA	VBL	MACH	RB/RT	PS/PT	WFRACT
1	-1.333+00	-5.000+00	1.152+02	1.363+02	1.566+02	4.263+01	4.391+02	1.375-01	.9136	.9869	0.000
2	-1.000+00	-4.479+00	1.176+02	1.345+02	1.786+02	4.883+01	4.391+02	1.570-01	.9136	.9829	2.153-02
3	-1.000+00	-3.947+00	1.336+02	1.759+02	2.239+02	5.279+01	4.391+02	1.944-01	.9136	.9740	4.476-02
4	-1.000+00	-3.421+00	1.815+02	2.213+02	2.862+02	5.365+01	4.391+02	2.525-01	.9136	.9566	7.389-02
5	-1.000+00	-2.895+00	2.600+02	2.364+02	3.514+02	4.227+01	4.391+02	3.111-01	.9136	.9351	1.147-01
6	-1.000+00	-2.368+00	3.317+02	2.391+02	3.921+02	3.223+01	4.391+02	3.479-01	.9136	.9197	1.694-01
7	-1.000+00	-1.842+00	3.778+02	1.625+02	4.113+02	2.329+01	4.391+02	3.654-01	.9136	.9119	2.351-01
8	-1.000+00	-1.316+00	4.037+02	1.133+02	4.193+02	1.558+01	4.391+02	3.727-01	.9136	.9085	3.073-01
9	-1.000+00	-7.895-01	4.171+02	6.642+01	4.223+02	9.348+00	4.391+02	3.755-01	.9136	.9073	3.832-01
10	-1.000+00	-2.532-01	6.225+02	2.185+02	4.233+02	2.958+00	4.391+02	3.764-01	.9136	.9068	4.609-01
11	-1.333+00	2.532-01	4.226+02	-2.185+01	4.233+02	-2.958+00	4.391+02	3.764-01	.9136	.9068	5.391-01
12	-1.000+00	7.695-01	4.171+02	-6.642+01	4.223+02	-9.348+00	4.391+02	3.755-01	.9136	.9073	6.168-01
13	-1.000+00	1.316+00	6.037+02	-1.133+02	4.193+02	-1.558+01	4.391+02	3.727-01	.9136	.9085	6.927-01
14	-1.333+00	1.802+00	3.778+02	-1.625+02	4.113+02	-2.329+01	4.391+02	3.654-01	.9136	.9119	7.649-01
15	-1.000+00	2.368+00	3.317+02	-2.091+02	3.921+02	-3.223+01	4.391+02	3.479-01	.9136	.9197	8.306-01
16	-1.333+00	2.695+00	2.600+02	-2.364+02	3.514+02	-4.227+01	4.391+02	3.111-01	.9136	.9351	8.853-01
17	-1.000+00	3.421+00	1.815+02	-2.213+02	2.862+02	-5.355+01	4.391+02	2.525-01	.9136	.9566	9.261-01
18	-1.000+00	3.947+00	1.336+02	-1.759+02	2.239+02	-5.279+01	4.391+02	1.984-01	.9136	.9740	9.552-01
19	-1.333+00	4.374+00	1.176+02	-1.345+02	1.786+02	-4.893+01	4.391+02	1.570-01	.9136	.9829	9.785-01
20	-1.000+00	5.000+00	1.152+02	-1.060+02	1.566+02	-4.253+01	4.391+02	1.375-01	.9136	.9869	1.000+00

## RAKE NUMBER 2

I	X	Y	VX	vy	VRE	THETA	VBL	MACH	RB/RT	PS/PT	WFRACT
1	-5.000+01	-5.000+00	9.258+01	4.002+02	1.365+02	4.727+01	4.391+02	1.198-01	.9136	.9930	0.000
2	-5.000+01	-4.744+00	8.054+01	1.315+02	1.542+02	5.852+01	4.391+02	1.355-01	.9136	.9873	1.523-02
3	-5.000+01	-3.947+00	7.239+01	1.937+02	2.368+02	6.951+01	4.391+02	1.819-01	.9136	.9772	2.868-02
4	-5.000+01	-3.421+00	1.253+02	3.075+02	3.321+02	6.793+01	4.391+02	2.397-01	.9136	.9419	4.607-02
5	-5.000+01	-2.995+00	2.856+02	3.445+02	4.475+02	5.034+01	4.391+02	3.985-01	.9136	.8963	8.221-02
6	-5.000+01	-2.368+00	3.794+02	2.2743+02	4.811+02	3.984+01	4.391+02	4.286-01	.9136	.8814	1.023-01
7	-5.000+01	-1.842+00	4.405+02	1.957+02	4.820+02	2.396+01	4.391+02	4.394-01	.9136	.8805	2.154-01
8	-5.000+01	-1.316+00	4.597+02	1.297+02	4.776+02	1.575+01	4.391+02	4.263-01	.9136	.8825	2.946-01
9	-5.000+01	-7.695+00	4.676+02	7.393+01	4.734+02	8.931+00	4.391+02	4.224-01	.9136	.8845	3.761-01
10	-5.000+01	-2.4532+01	4.704+02	2.401+01	4.711+02	2.922+00	4.391+02	4.202-01	.9136	.8856	4.586-01
11	-5.000+01	-2.632+01	4.704+02	-2.401+01	4.711+02	-2.922+00	4.391+02	4.232-01	.9136	.8856	5.414-01
12	-5.000+01	-7.895+01	4.676+02	-7.390+01	4.734+02	-8.931+00	4.391+02	4.224-01	.9136	.8845	6.239-01
13	-5.000+01	-1.316+00	4.597+02	-1.297+02	4.776+02	-1.575+01	4.391+02	4.263+01	.9136	.8825	7.054-01
14	-5.000+01	-1.842+00	4.405+02	-1.957+02	4.820+02	-2.396+01	4.391+02	4.334-01	.9136	.8835	7.846-01
15	-5.000+01	2.368+00	3.990+02	-2.743+02	4.801+02	-3.484+01	4.391+02	4.286-01	.9136	.8814	8.580-01
16	-5.000+01	2.895+00	2.955+02	-3.445+02	4.475+02	-5.334+01	4.390+02	3.985-01	.9136	.8963	9.178-01
17	-5.000+01	3.421+00	1.253+02	-3.075+02	3.321+02	-6.733+01	4.391+02	2.937-01	.9136	.9419	9.539-01
18	-5.000+01	3.907+00	7.239+01	-1.937+02	2.368+02	-6.951+01	4.398+02	1.819-01	.9136	.9772	9.713-01
19	-5.000+01	4.474+00	8.054+01	-1.315+02	1.542+02	-5.852+01	4.391+02	1.355-01	.9136	.9873	9.848-01
20	-5.000+01	5.000+00	9.258+01	-1.002+02	1.365+02	-4.727+01	4.391+02	1.198-01	.9136	.9900	1.000+00

340

## RAKE NUMBER 3

	X	Y	VX	YY	VRE	THETA	V3L	MACH	RB/RT	PS/PT	WFRACT
1	1.000+00	-2.434+00	9.214+02	3.332+32	9.591+32	1.634+31	5.926+32	9.186-31	.8941	.5794	0.003
1	1.000+00	-2.230+30	8.623+02	2.386+02	8.947+02	1.547+01	5.926+02	8.377-01	.8042	.6315	5.773-02
2	1.000+00	-1.968+30	8.131+02	1.993+02	8.342+02	1.382+01	5.926+02	7.740-01	.8042	.66729	1.113-01
3	1.000+00	-1.737+30	7.710+02	1.657+02	7.886+02	1.213+01	5.926+02	7.271-01	.8042	.7034	1.623-01
4	1.000+00	-1.750+30	7.416+02	1.336+02	7.581+02	1.044+01	5.926+02	6.921-01	.8042	.7260	2.105-01
5	1.000+00	-1.274+30	7.194+02	1.113+32	7.279+32	8.772+33	5.926+32	6.659-01	.8042	.7427	2.574-01
6	1.000+00	-1.134+00	7.027+02	8.799+01	7.082+02	7.131+00	5.926+02	6.464-01	.8042	.7551	3.030-01
7	1.000+00	-8.105+31	6.904+02	6.668+01	6.936+02	5.916+00	5.926+02	6.320-01	.8042	.7641	3.476-01
8	1.000+00	-5.790+31	6.818+02	4.676+01	6.834+02	3.923+33	5.926+32	6.219-31	.8042	.7734	3.916-01
9	1.000+00	-3.474+31	6.762+02	2.777+01	6.768+02	2.347+00	5.926+02	6.155-01	.8042	.7744	4.351-01
10	1.000+00	-1.615+31	6.735+02	9.184+33	6.736+02	7.812-01	5.926+02	6.124-01	.8042	.7764	4.7764-01
11	1.000+00	1.158+31	6.735+02	9.184+00	6.736+02	7.012-01	5.926+02	6.124-01	.8042	.7764	5.216-01
12	1.000+00	3.474+31	6.762+02	-2.772+01	6.768+02	-2.347+00	5.926+02	6.155-01	.8042	.7744	5.649-01
13	1.000+00	5.790+31	6.818+02	-4.676+01	6.834+02	-3.923+33	5.926+32	6.219-31	.8042	.7704	6.084-01
14	1.000+00	8.105+31	6.904+02	-6.668+01	6.936+02	-5.916+00	5.926+02	6.320-01	.8042	.7641	6.524-01
15	1.000+00	1.342+31	7.327+02	-8.792+31	7.182+02	-7.131+01	5.926+32	6.464-01	.8042	.7551	6.970-01
16	1.000+00	1.274+30	7.194+02	-1.110+02	7.279+02	-8.6772+03	5.926+02	6.659-01	.8042	.7427	7.826-01
17	1.000+00	1.505+30	7.416+02	-1.366+02	7.541+02	-1.044+01	5.926+02	6.921-01	.8042	.7260	7.895-01
18	1.000+00	1.737+30	7.710+02	-1.657+02	7.886+02	-2.1213+01	5.926+32	7.271-31	.8042	.7034	8.383-01
19	1.000+00	1.968+30	8.101+02	-1.993+02	8.342+02	-1.382+01	5.926+02	7.763-01	.8042	.6729	8.887-01
20	1.000+00	2.200+30	8.623+02	-2.386+32	8.947+02	-1.657+01	5.926+02	8.377-01	.8042	.6315	9.423-01
	1.000+00	2.434+30	9.214+02	-3.002+02	9.691+02	-1.804+01	5.926+02	9.186-01	.8041	.5794	1.000+00

## RAKE NUMBER 4

	X	Y	VX	YY	VRE	THETA	V3L	MACH	RB/RT	PS/PT	WFRACT
1	2.096+00	-2.279+30	9.724+02	9.634+00	9.725+02	5.676-01	6.327+02	9.224-01	.7460	.5770	0.003
1	2.096+00	-2.100+30	9.482+02	2.434+01	9.406+02	1.470+00	6.327+02	8.963-01	.7460	.5938	4.448-02
2	2.096+00	-1.879+30	9.129+02	3.475+31	9.135+32	2.193+03	6.327+02	8.579+01	.7460	.6184	9.758-02
3	2.096+00	-1.558+00	8.830+02	3.822+01	8.839+02	2.478+00	6.327+02	8.262-01	.7460	.6390	1.488-01
4	2.096+31	-1.437+30	8.582+02	3.763+31	8.590+02	2.510+00	6.327+02	7.999+01	.7460	.6561	1.985-01
5	2.096+00	-1.216+30	8.379+02	3.452+01	8.386+02	2.359+00	6.327+02	7.786-31	.7460	.6730	2.469-31
6	2.096+00	-9.947+31	8.217+02	2.979+01	8.222+02	2.076+00	6.327+02	7.616-01	.7460	.6810	2.943-01
7	2.096+00	-7.737+31	8.092+02	2.400+31	8.095+02	1.699+33	6.327+02	7.485-31	.7460	.6896	3.408-01
8	2.096+00	-5.526+31	8.000+02	1.754+01	8.032+02	1.256+00	6.327+02	7.389-01	.7460	.6958	3.867-01
9	2.096+31	-3.316+31	7.991+02	1.067+01	7.991+02	7.698-01	6.327+02	7.327-01	.7460	.6998	4.322-01
10	2.096+00	-1.105+31	7.911+02	3.584+00	7.911+02	2.596-01	6.327+02	7.297-31	.7460	.7018	4.774-31
11	2.096+00	1.105+31	7.911+02	-3.584+00	7.911+02	-2.596+01	6.327+02	7.297-01	.7460	.7018	5.226-01
12	2.096+31	3.316+31	7.941+02	-1.167+31	7.941+02	-7.698+31	6.327+02	7.327-01	.7460	.6998	5.678-01
13	2.096+00	5.526+31	8.000+02	-1.754+01	8.002+02	-1.256+00	6.327+02	7.389-01	.7460	.6958	6.133-01
14	2.096+31	7.737+31	8.092+02	-2.400+01	8.095+02	-1.699+00	6.327+02	7.485-01	.7460	.6896	6.592-01
15	2.096+00	9.947+31	8.217+02	-2.979+01	8.222+02	-2.376+33	6.327+02	7.615-31	.7460	.6810	7.057-31
16	2.096+00	1.216+30	8.379+02	-3.452+01	8.386+02	-2.359+00	6.327+02	7.786-01	.7460	.6700	7.531-01
17	2.096+31	1.437+30	8.582+02	-3.763+31	8.593+02	-2.510+00	6.327+02	7.999-01	.7460	.6561	8.015-01
18	2.096+00	1.558+30	8.830+02	-3.822+01	8.839+02	-2.478+00	6.327+02	8.262-01	.7460	.6390	8.512-01

ORIGINAL PAGE IS  
OF POOR QUALITY

19	2.096+00	1.879+30	-9.129+02	-3.475+01	-9.135+02	-2.130+00	6.327+02	-8.579-01	-7460	.6184	9.024-01
20	2.096+00	2.100+30	9.462+02	-2.434+01	9.488+02	-1.470+00	6.327+02	8.960-01	.7460	.5938	9.555-01
	2.096+00	2.279+30	9.724+02	-9.634+01	9.725+02	-5.676-01	6.327+02	9.224-01	.7460	.5770	1.000+00

#### RAKE NUMBER 5

I	X	Y	VX	YY	VRE	THETA	VBL	MACH	RB/RT	PS/PT	WFRACT
1	4.096+00	-2.100+30	7.898+02	-7.814+01	7.937+02	-5.650+00	6.347+02	7.323-01	.7895	.7001	0.000
2	4.096+00	-1.879+30	7.724+02	-5.562+01	7.792+02	-4.394+00	6.047+02	7.175-01	.7895	.7096	1.085-01
3	4.096+00	-1.658+30	7.723+02	-4.707+01	7.737+02	-3.488+00	6.347+02	7.119-01	.7895	.7132	1.554-01
4	4.096+00	-1.437+30	7.678+02	-3.921+01	7.688+02	-2.924+00	6.047+02	7.069-01	.7895	.7165	2.020-01
5	4.096+00	-1.216+30	7.637+02	-3.231+01	7.644+02	-2.399+00	6.047+02	7.025-01	.7895	.7193	2.483-01
6	4.096+00	-9.947-01	7.601+02	-2.536+01	7.606+02	-1.911+00	6.047+02	6.986-01	.7895	.7218	2.944-01
7	4.096+00	-7.737-01	7.572+02	-1.921+01	7.574+02	-1.745+00	6.047+02	6.955-01	.7895	.7238	3.403-01
8	4.096+00	-5.526-01	7.549+02	-1.344+01	7.551+02	-1.320+00	6.347+02	6.931-01	.7895	.7254	3.663-01
9	4.096+00	-3.316-01	7.534+02	-7.956+00	7.535+02	-6.050+01	6.047+02	6.915-01	.7895	.7264	4.317-01
10	4.096+00	-1.105-01	7.527+02	-2.636+00	7.527+02	-2.337+01	6.347+02	6.907-01	.7895	.7269	4.772-01
11	4.096+00	-1.105-01	7.527+02	-2.636+00	7.527+02	-2.337+01	6.047+02	6.907-01	.7895	.7269	5.228-01
12	4.096+00	3.316-01	7.534+02	7.956+00	7.535+02	6.050-01	6.047+02	6.915-01	.7895	.7264	5.683-01
13	4.096+00	5.526-01	7.534+02	1.344+01	7.535+02	1.320+00	6.047+02	6.931-01	.7895	.7254	6.140-01
14	4.096+00	7.737-01	7.572+02	1.921+01	7.574+02	1.453+00	6.047+02	6.955-01	.7895	.7238	6.597-01
15	4.096+00	9.947-01	7.631+02	2.536+01	7.636+02	1.911+00	6.047+02	6.986-01	.7895	.7218	7.056-01
16	4.096+00	1.216+00	7.637+02	3.200+01	7.644+02	2.399+00	6.047+02	7.025-01	.7895	.7193	7.517-01
17	4.096+00	1.437+00	7.678+02	3.921+01	7.688+02	-2.924+00	6.047+02	7.069-01	.7895	.7165	7.980-01
18	4.096+00	1.658+00	7.723+02	4.737+01	7.737+02	3.488+01	6.047+02	7.119-01	.7895	.7132	8.446-01
19	4.096+00	1.879+00	7.772+02	5.562+01	7.792+02	4.094+00	6.047+02	7.175-01	.7895	.7096	8.915-01
20	4.096+00	2.100+00	7.824+02	6.492+01	7.851+02	4.744+00	6.047+02	7.235-01	.7895	.7058	9.387-01
	4.096+00	2.385+00	7.898+02	7.814+01	7.937+02	-5.650+00	6.047+02	7.323-01	.7895	.7031	1.000+00

#### RAKE NUMBER 6

I	X	Y	VX	YY	VRE	THETA	VBL	MACH	RB/RT	PS/PT	WFRACT
1	1.201+01	-3.287+30	4.706+02	-1.756+01	4.736+02	-2.139-01	4.388+02	4.198-01	.9137	.8856	0.000
1	1.201+01	-3.100+30	4.635+02	-5.551+01	4.636+02	-6.850-01	4.388+02	4.134-01	.9137	.8807	2.772-02
2	1.201+01	-2.774+30	4.691+02	-7.758+01	4.692+02	-9.475-01	4.388+02	4.185-01	.9137	.8865	7.610-02
3	1.201+01	-2.447+30	4.732+02	-8.586+00	4.733+02	-1.039+01	4.388+02	4.223-01	.9137	.8845	1.250-01
4	1.201+01	-2.121+30	4.766+02	-8.533+00	4.767+02	-1.026+01	4.388+02	4.255-01	.9137	.8830	1.743-01
5	1.201+01	-1.795+30	4.794+02	-7.953+00	4.795+02	-9.533-01	4.388+02	4.280-01	.9137	.8816	2.239-01
6	1.201+01	-1.468+30	4.817+02	-6.968+00	4.818+02	-8.311-01	4.388+02	4.301-01	.9137	.8806	2.737-01
7	1.201+01	-1.142+30	4.835+02	-5.683+00	4.835+02	-6.739-01	4.388+02	4.318-01	.9137	.8798	3.238-01
8	1.201+01	-8.158+31	4.848+02	-4.198+00	4.848+02	-4.952-01	4.388+02	4.330-01	.9137	.8791	3.743-01
9	1.201+01	-4.895+31	4.856+02	-2.577+00	4.856+02	-3.041-01	4.388+02	4.337-01	.9137	.8787	4.244-01
10	1.201+01	-1.632+31	4.861+02	-8.789+31	4.861+02	-1.036-01	4.388+02	4.341-01	.9137	.8785	4.748-01
11	1.201+01	-1.632+31	4.861+02	8.785+01	4.861+02	1.035-01	4.388+02	4.341-01	.9137	.8785	5.252-01
12	1.201+01	4.395+31	4.865+02	2.577+00	4.865+02	3.340-01	4.388+02	4.337-01	.9137	.8787	5.756-01
13	1.201+01	8.158+31	4.848+02	4.198+00	4.848+02	4.961-01	4.388+02	4.330-01	.9137	.8791	6.263-01
14	1.201+01	1.142+30	4.835+02	5.682+00	4.835+02	6.734-01	4.388+02	4.318-01	.9137	.8798	6.762-01
15	1.201+01	1.468+30	4.817+02	6.988+01	4.818+02	8.311-01	4.388+02	4.301-01	.9137	.8806	7.263-01

--	16	"	1.231+31	1.795+30	4.794+02	7.949+00	4.795+02	9.479-01	4.388+02	4.280-01	.9137	.8816	7.761-01
	17		1.201+31	2.121+30	4.756+02	8.532+00	4.767+02	1.026+00	4.388+02	4.255-01	.9137	.8830	8.257-01
	18		1.201+31	2.447+30	4.732+02	8.585+00	4.733+02	1.039+00	4.388+02	4.223-01	.9137	.8845	8.760-01
	19		1.201+01	2.774+30	4.693+02	7.758+00	4.692+02	9.475-01	4.388+02	4.185-01	.9137	.8865	9.239-01
	20		1.201+01	3.100+30	4.635+02	5.550+00	4.636+02	6.950-01	4.388+02	4.134-01	.9137	.8890	9.723-01
												.8850	1.000+00

RAKE WEIGHT FLOW DATA

I	K	IRAK	WDOT	WDOTCA	HAC4
1	-1.0000	1	1.53738+01	1.94614+01	2.35601-01
2	-5333	1	1.61647+01	2.34626+01	2.48653-01
3	1.0000	3	1.71770+01	4.66710+01	6.84418-01
4	2.3963	3	1.73888+01	4.74519+01	7.92717-01
5	4.0963	3	1.73588+01	4.52721+01	7.34050-01
6	12.0093	3	1.69936+01	3.27263+01	4.25691-01

APNQ,E

AFIN

343

ORIGINAL PAGE IS  
OR  
POOR QUALITY

## RÉFÉRENCES

1. Stockman, Norbert O.; and Farrell, Charles A. Jr.: Computer Programs for Calculating Potential Flow in Propulsion System Inlets. NASA TM-73728, 1977.
- 2: Hess, J. L.; and Smith, Apollo M. O.: Calculations of Potential Flow about Arbitrary Bodies. Progress in Aeronautical Sciences, Vol. 8, D. Kuchemann, ed.; Pergamon Press, 1967, pp. 1-138.
3. Lieblein, Seymour; and Stockman, Norbert O.: Compressibility Correction for Internal Flow Solutions. J. Aircraft, Vol. 9, No. 4, April 1972, pp. 312-314.

TABLE I. - BISUPERELLISSPE INPUT OPTIONS

[To fit a bisuperellipse,  $(X/A)^P + (Y/B)^Q = 1$ , between two given points (XIN(2), YIN(2)) and (XIN(4), YIN(4)), tangent (except case f) to the specified endlines (lines 1-2 and 4-5),<sup>a</sup> and <sup>b</sup> and <sup>c</sup> and <sup>d</sup> and <sup>e</sup> and <sup>f</sup> listed conditions, set the input as indicated. (Do not input P, Q, or N as 1.0.)]


Figure 11	Given	Input the following				
		REEDEN		XIN(3)	YIN(3)	XIN(6)
		(1)	(2)			YIN(6)
a	One point (X <sub>3</sub> , Y <sub>3</sub> ) (Superellipse)			X <sub>3</sub>	Y <sub>3</sub>	
b	One exponent, N (P = Q = N) (Superellipse)	N	N			
b	Two exponents, P and Q <sup>d</sup>	P	Q			
c	One exponent P and one point (X <sub>3</sub> , Y <sub>3</sub> ) <sup>d</sup>	P		X <sub>3</sub>	Y <sub>3</sub>	
c	One exponent Q and one point (X <sub>3</sub> , Y <sub>3</sub> ) <sup>d</sup>		Q	X <sub>3</sub>	Y <sub>3</sub>	
d	Two points (X <sub>3</sub> , Y <sub>3</sub> ) and (X <sub>6</sub> , Y <sub>6</sub> )			X <sub>3</sub>	Y <sub>3</sub>	X <sub>6</sub>
e	One point (X <sub>3</sub> , Y <sub>3</sub> ) and its slope <sup>b</sup>			X <sub>3</sub>	Y <sub>3</sub>	-100.
f	X-location of inflection point X <sub>3</sub> and its slope (dy/dx) <sub>3</sub> <sup>b</sup>			X <sub>3</sub>	+100.	(dy/dx) <sub>3</sub>
g	Curvature CAP at an endpoint (X <sub>E</sub> , Y <sub>E</sub> ) where (X <sub>E</sub> , Y <sub>E</sub> ) may be either (XIN(2), YIN(2)) or (XIN(4), YIN(4)) <sup>c</sup>			X <sub>E</sub>	Y <sub>E</sub>	CAP
h	Curvature at end point (XIN(2), YIN(2)) is to be set equal to curvature at last point of previous segment <sup>c</sup>			XIN(2)	YIN(2)	999.
						200.

<sup>a</sup>In general, lines 1-2 and 4-5 need not be orthogonal (fig. 6). If they are not, the bisuperellipse equation is  $\left(\frac{X' + Y' \tan w}{A}\right)^P + \left(\frac{Y'}{B}\right)^Q = 1$ , where  $Y' = Y$  and  $X' = X + Y \tan w$  and  $w$  is the angle of deviation from the lines. The angle  $w$  may be positive or negative depending on whether the angle  $\beta$  (fig. 6(a)) between lines 1-2 and 4-5 is acute or obtuse, ( $w = 90^\circ - \beta$ ).

<sup>b</sup>For this option: (1) no shear is allowed, i.e., the endlines 1-2 and 4-5 must be orthogonal; (2) one endline must be horizontal; (3) only one endline is tangent to the curve; the other endline is orthogonal to the curve. See figure 7(f) for detailed restrictions. In general, a bisuperellipse will have an inflection if either P or Q is less than 1 and the other is greater than 1.


<sup>c</sup>For curvature options: (1) no shear are allowed; (2) desired curvature, whether via input CAP (g) or previous segment (h), cannot be zero or infinite; (3) for curvature matching option (h) the slope angle at the curvature match endpoint cannot be  $90^\circ$  unless the previous segment is also a bisuperellipse.

<sup>d</sup>A problem can arise in setting bisuperellipse exponents P and/or Q. The standard SCIRCL orientation is that of a typical inlet internal lip as shown in the sketch:



Standard SCIRCL C. . . . .


Typical User Orientation  
and Equation




$$\left(\frac{x}{A}\right)^P + \left(\frac{y}{B}\right)^Q = 1$$

$$\left(\frac{x}{a}\right)^p + \left(\frac{y}{b}\right)^q = 1$$


The user's orientation is arbitrary and if different from the standard orientation will be transformed to the standard within SCIRCL by rotation and/or mirroring. For some user orientations the transformations will result in an interchange of exponents  $P$  and  $Q$  and  $p$  and  $q$ . Since the curvature at point 2 is controlled largely by  $P$  and at point 4 by  $Q$ , the user must input  $p$  as  $Q$  and  $q$  as  $P$  to get the desired curvature. (Whenever  $P = q$  and  $Q = p$  then  $x = y$  and  $Y = x$  and  $A = b$  and  $B = a$ ; however,  $A$  and  $B$  as such are not input but the output will reflect this interchange.) The important factor in determining the relationship between  $P$ ,  $Q$  and  $p$ ,  $q$  is the angle of rotation required to bring the user's line 1-2 to a horizontal position. If that angle is an odd multiple of  $90^\circ$  then  $P = q$  and  $Q = p$ . If the angle is an even multiple of  $90^\circ$  then  $P = p$  and  $Q = q$  and there is no problem.



(a) Variable contraction ratio.



(b) Scoop inlet.




(c) Dual inlet.


CD-12249-01

Figure 1. - Sample V/STOL three dimensional inlets.

ORIGINAL PAGE IS  
OF POOR QUALITY



(a) Scoop inlet.



(b) Dual inlet.

Figure 2. - Two-dimensional approximations.




Figure 3. - Schematic of overall programs.







Figure 4. - Inlet geometries and flow conditions for combined solution: inlet mass flow rate,  $\dot{W}$ ; free stream velocity,  $V_\infty$ ; and inlet incidence angle,  $\alpha$ .




Figure 5. - Typical inlet segmentation.

At any point


$$\bar{V} = A\bar{V}_1 + B\bar{V}_2 + C(\bar{V}_3 - \bar{V}_4)$$

where A, B, and C are determined by specifying values of:

$v_c$  average axial velocities at the control station

$v_\infty$  free stream velocity

$\alpha$  direction of free stream velocity relative to inlet axis



(a) Single passage inlet.

At any point


$$\bar{V} = A\bar{V}_1 + B\bar{V}_2 + C(\bar{V}_3 - \bar{V}_4) + D(\bar{V}_5 - \bar{V}_4)$$

where A, B, C, and D are determined by specifying values of:

$v_c, v_{s1}, v_{s2}$  average axial velocities at any two of the three control stations

$v_\infty$  free stream velocity

$\alpha$  direction of free stream velocity relative to inlet axis



(b) Two passage inlet.

Figure 6. - Combined solution,  $\bar{V}$ .




Figure 7: - Graphic output from program SCIRCL




Figure 8. - Surface static pressure ratio from program COMBIN-2D.




Figure 9. - Surface Mach number distribution from program COMBIN-2D.





Figure 10. - Vector flow field from program COMBIN-2D.

- Segment endpoints
- ◇ Slope line endpoints (length of slope line is arbitrary)
- △ Optional superellipse point
- ▽ Optional bisuperellipse point
- ▷ Optional bisuperellipse inflection point



(a) Superellipse optional point  $(X_3, Y_3)$  specified. Exponent N calculated.


(b) Superellipse exponent N or bisuperellipse exponents P and Q specified.

(c) Optional point  $(X_3, Y_3)$  and exponent P or Q specified. Exponent Q or P respectively calculated.

(d) Optional points  $(X_3, Y_3)$  and  $(X_6, Y_6)$  specified. Exponents P and Q calculated.

(e) Optional point  $(X_3, Y_3)$  and slope  $(dy/dx)_3$ . Exponents P and Q calculated.

Figure 11. - Sketches for SCIRCL input. Bisuperellipse options.



$(P < 1, Q > 1)$

$(P > 1, Q < 1)$







Figure 11. - Concluded.



(a) Straight line



(b) Straight line for closed body



(c) Lemiscate



(d) Cubic

Figure 12. – Sketches for SCIRCL input options except bisuperellipse.

(a) Title, control and rake data cards.

Figure 13. - SCIRCL input layout.


CUT PAGE

(b) Body and segment data cards.

**Figure 13.** - Concluded.

Figure 14. - COMBIN-2D input form.

ELL  
PAGE



#### Calcomp Routines Referenced:

5 = I/O Unit No.  
 B = Rewind  
 W = Write  
 R = Read

(L) - Line  
 (P) - Plot  
 (S) - Symbol  
 (SC) - Scale  
 (N) - Number

Figure 15.- Call Sequences.

5'R  
23Y  
2-4, 6  
8-18:R, W  
7:B, W

(b) 23Y.




Figure 15. - Concluded.

1. Report No. NASA TM-78930	2. Government Accession No	3. Recipient's Catalog No
4. Title and Subtitle <b>COMPUTER PROGRAMS FOR CALCULATING TWO-DIMENSIONAL POTENTIAL FLOW IN AND ABOUT PROPULSION SYSTEM INLETS</b>		5. Report Date
7. Author(s) J. Dennis Hawk, Norbert O. Stockman, and Charles A. Farrell, Jr.		6. Performing Organization Code
9. Performing Organization Name and Address National Aeronautics and Space Administration Lewis Research Center Cleveland, Ohio 44135		8. Performing Organization Report No E-9671
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546		10. Work Unit No
15. Supplementary Notes		
16. Abstract Computer programs to calculate the incompressible potential flow, corrected for compressibility, in two-dimensional inlets at arbitrary operating conditions are presented. Included are a statement of the problem to be solved, a description of each of the computer programs, and sufficient documentation, including a test case, to enable a user to run the program.		
17. Key Words (Suggested by Author(s)) Two-dimensional; Potential flow; Inlet flow; Propulsion system; Computer programs		18. Distribution Statement Unclassified - unlimited STAR Category 02
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages
		22. Price*

\* For sale by the National Technical Information Service, Springfield, Virginia 22161

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION  
WASHINGTON, D.C. 20546

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300

SPECIAL FOURTH-CLASS RATE  
BOOK

POSTAGE AND FEES PAID  
NATIONAL AERONAUTICS AND  
SPACE ADMINISTRATION  
451



POSTMASTER : If Undeliverable (Section 158  
Postal Manual) Do Not Return

---