



Coleman® LX Series Split System Air Conditioners

- **Save up to 41 cents per dollar** and potentially qualify for utility rebates (see your contractor for details) with our enhanced-efficiency 16 and 17 SEER systems versus older, 10 SEER units.
- Reliable operation with robust compressor technology proven in our extreme, five-year accelerated test facility.
- **Long-lasting, powder coat paint** provides a durable, automotive-quality finish that looks great, even after years of outdoor exposure.
- **Durable steel coil guards** provide protection against coil damage.
- 5 **Quiet, direct-drive fan design** minimizes vibration and sound.
- **Coil options** with effective airflow and heat transfer.
- **Compact cabinet** puts advanced performance in less space.





Tested to be tough. More than 215,000 hours of research, five years of accelerated field trials and extreme weather testing ensure reliable performance that lasts.

Advanced manufacturing.
State-of-the-art quality control
and assembly processes built upon
the manufacturing expertise of
Johnson Controls.

Optimized efficiency.

Matched components do more
with less, which is why Coleman® products
fit perfectly in your home while delivering
advanced levels of efficiency.

Space and budget friendly.
Quiet, small-footprint cabinets
deliver big performance with features that
meet your needs and fit your budget.

Safe for the environment, inside and out. We use R-410A refrigerant, which doesn't harm the ozone and keeps your system safe and efficient.

Quality is home grown



Coleman® air conditioners and heaters are adaptable to even the most punishing climates – and we prove it right here in our North American factories. We put our systems through extreme weather temperatures and corrosive environments to ensure that your

system is built for the long haul. But don't just take our word for it. Take the word of those who have trusted the Coleman® name for decades.

LX Series Split System Air Conditioners







^{* 10-}Years parts limited warranty requires online registration within 90 days of installation. Otherwise, the warranty reverts to the standard 5-Years parts limited warranty.

LX Series TC3 Split System Air Conditioners 208/230-1-60

MODEL	TONS	EER	SEER	COOLING BTUH (nominal)
TC3B1821SA	1.5	11.0	13	17,500
TC3B2421SA	2.0	11.0	13	23,600
TC3B3021SA	2.5	11.0	13	29,000
TC3B3621SA	3.0	11.0	13	34,400
TC3B4221SA	3.5	11.0	13	41,000
TC3B4821SA	4.0	11.0	13	46,000
TC3B6021SA	5.0	11.0	13	55,000

LX Series TF4 Split System Air Conditioners 208/230-1-60

TONS	EER	SEER	COOLING BTUH (nominal)
1.5	11.7	14	17,800
2.0	11.7	14	24,000
2.5	11.7	14	29,000
3.0	11.7	14	35,000
3.5	11.7	14	40,000
4.0	11.7	14	46,500
5.0	11.7	14	56,000
	1.5 2.0 2.5 3.0 3.5 4.0	1.5 11.7 2.0 11.7 2.5 11.7 3.0 11.7 3.5 11.7 4.0 11.7	1.5 11.7 14 2.0 11.7 14 2.5 11.7 14 3.0 11.7 14 3.5 11.7 14 4.0 11.7 14

LX Series CC7 Split System Air Conditioners 208/230-1-3-60

MODEL	TONS	EER	SEER
CC7	1.5 – 5	Up to 13.5	Up to 17

NWHVAC Service 14004 NE 82nd Ave Vancouver, WA 98662 phone: 360-576-9679 fax: 360-576-1588

Email: office@nwhvac.net WA Lic. #NWHVASI018BE

OR Lic. #134155

LX Series TC4 Split System Air Conditioners 208/230-1-60

MODEL	TONS	EER	SEER	COOLING BTUH (nominal)
TC4B1821HA	1.5	11.7	14	18,600
TC4B2421HA	2.0	11.7	14	23,000
TC4B3021HA	2.5	11.7	14	29,400
TC4B3621HA	3.0	11.7	14	34,600
TC4B4221HA	3.5	11.7	14	40,500
TC4B4821SA	4.0	11.7	14	47,500
TC4B6021SA	5.0	11.7	14	56,000

LX Series TW4 Split System Air Conditioners 208/230-1-60

MODEL*	TONS	EER	SEER	COOLING BTUH (nominal)
TW4B1821SA	1.5	12.2	14	18,000
TW4B2421SA	2.0	12.2	14	24,000
TW4B3021SA	2.5	12.2	14	28,800
TW4B3621SA	3.0	12.2	14	35,000
TW4B4221SA	3.5	12.2	14	40,000
TW4B4821SA	4.0	11.7	14	46,500
TW4B6021SA	5.0	11.7	14	56,000

^{*} TW4B models meet California requirements for central split system air conditioners of 12.2 EER for capacities smaller than 45,000 Btu/hr and 11.7 EER for larger capacities.





^{** 1-}Year labor limited warranty requires registration within 90 days of installation.