WorkForce Pro WF-R8590D3TWFC



Print up to A3+ with this revolutionary 4-in-1 business inkjet, featuring predictable printing costs and minimal user intervention.

Available exclusively through an Epson-approved managed print service provider, this breakthrough business printer features Epson's Replaceable Ink Pack System (RIPS) to deliver super-high-yield printing. With this A3+ workgroup printer, offices can benefit from the increased productivity of a local distributed print fleet that requires minimal intervention while providing predictable print costs.

Print 75,000 pages uninterrupted

Print up to 75,000 pages in both black and colour without replacing the ink¹ thanks to super-high-yield ink supply units.

Built for business

PrecisionCore technology powers the output quality that Epson is known for, at the speeds required for office, commercial and industrial printing. Prints dry fast thanks to the DURABrite Pro ink. PDL printing emulations help this printer easily integrate into business environments. A smartphone-like 12.7cm colour touchscreen is easy to use, while scan-to functions and LDAP address book compatibility make it ideal for any office to share documents. Users can also securely print using a PIN code to release confidential documents.

Energy efficient

The WF-R8590DTWF uses up to 80 percent less power than competitive colour lasers² thanks to its no heat technology. No ozone gas is emitted, and an improved quiet print mode and no fan noise during or after printing make it ideal for the working environment. And there are fewer parts to replace than a laser.

DATASHEET























KEY FEATURES

- Super-high-yield printing
 Print up to 75,000 pages without replacing the ink1
- Ecological
 Uses up to 80 percent less power than competitive colour lasers²
- Save time
 Automatic double-sided printing, scanning, copying and faxing
- Built for business
 Scan-to functions, LDAP address book support and PDL emulations
- PrecisionCore technology
 Epson's most advanced printhead technology



PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method PrecisionCore™ Print Head Replaceable Ink Pack System (RIPS) Ink Technology

PRINT

First Page Out Monochrome 7 Seconds, Colour 7 Seconds Printing Speed ISO/IEC 24734 24 pages/min Monochrome, 24 pages/min Colour **Duplex Printing Speed** 16 A4 pages/min Monochrome, 16 A4 pages/min Colour

ISO/IEC 24734

Printing Speed ISO/IEC 24734 13 pages/min Monochrome, 13 pages/min Colour

Duplex Printing Speed

11 A4 pages/min Monochrome, 11 A4 pages/min Colour

ISO/IEC 24734 (A3)

Max Duty cycle 75,000 pages per month

SCAN

Single-sided scan speed (A4 300 dpi (with ADF): . 23 ipm with ADF scan 200 dpi (flatbed) 5 sec. with flatbed scan

black)

E-mail, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft SharePoint Advanced document

integration with Epson Document Capture Pro, USB Memory Device

FAX

Walk-up black and white and colour fax capability Type of fax

Fax Transmission Speed Up to 33.6kbps / Approx. 3 sec/page Page memory Up to 550 pages/ 6MB (ITU-T No. 1 chart)

COPY

Copy Speed up to 22 ipm Black, up to 21 ipm Colour

*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)

Reduction / Enlargement 25 % - 400 % Auto fit function

Maximum Copy Size

CONNECTIVITY

LPR. FTP. IPP. LPD. Port 9100, WSD. Net BIOS over TCP/IP. TCP/IPv4, TCP/IPv6, IPSec **Network Printing Protocols** Network Management ${\sf SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping, IEEE}$

Protocols

Interfaces Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-

Base TX/ 10-Base-T), USB host, Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct

WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise WI AN Security

PAPER / MEDIA HANDLING

Paper Formats A3+, A3, A4, A5, A6, B5, C4 (Envelope), C6 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm,

13 x 18 cm, 20 x 25 cm, 16:9, Legal

Automatic Document Feeder 50 pages

Duplex Yes

1,831 Sheets Standard, 81 Sheets MP tray, 1,750 Sheets paper tray Standard Paper input

Output Tray Capacity 250 Sheets

Paper Tray Capacity 1,831 Sheets Standard, 1,831 Sheets maximum

Rear paper path (special

Yes

media)

Number of paper trays

GENERAL

18 W (Ready), 0.4 W (Power off), ENERGY STAR® qualified, 40 W (standalone copying, **Energy Use**

ISO/IEC 24712 pattern), 2.4 W (sleep mode), TEC 0.621 kWh/week

Product dimensions 767 x 794 x 1,132 mm (Width x Depth x Height) Product weight 95.4 kg

Compatible Operating

Systems

Linux, Mac OS 10.6+, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Microsoft Windows XP (Home Edition / Prof / Prof X64 / Vista), Windows 10, Windows 7, Windows 7 x64, Windows 8

(32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows

Server 2012 R2, Windows Vista, Windows Vista x64, Windows server 2003 R2

Sound Pressure Operation: 52 dB (A)

OTHER

Warranty 12 months On site service

Optional warranty extension available

WorkForce Pro WF-R8590D3TWFC

WHAT'S IN THE BOX

- Quick Setup Guide
- Main unit
- Warranty Documents
- User manual (CD)
- Power cable
- Individual Ink Supply Units
- Paper tray



SUPPLIES

Black XXL Ink Supply Unit	C13T869140	75,000 pages
Cyan XXL Ink Supply Unit	C13T869240	75,000 pages
Magenta XXL Ink Supply Unit	C13T869340	75,000 pages
Yellow XXL Ink Supply Unit	C13T869440	75,000 pages
Black XL Ink Supply Unit	C13T839140	20,000 pages
Cyan XL Ink Supply Unit	C13T839240	20,000 pages
Magenta XL Ink Supply Unit	C13T839340	20,000 pages
Yellow XL Ink Supply Unit	C13T839440	20,000 pages
Standard Cassette Maintenance Roller	C13S990011	200,000
		pages
Optional Cassette Maintenance Roller	C13S990021	200,000
		pages
Maintenance Box	C13T671200	
Business Paper 80gsm 500 sheets A4	C13S450075	

LOGISTICS INFORMATION

SKU	C11CE25401BZ	
EAN code	8715946545950	
Multiple Order Quantity	1 Units	
Pallet Size Euro	1 Units	
Pallet Size Block	1 Units	

WorkForce Pro WF-R8590D3TWFC

INK YIELD DATA



● 20,000 pages* 75,000 pages*

20,000 pages* 75,000 pages*

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield







For more information please contact:

Telephone: 01952 607111 (UK)+ 01 436 7742 (Republic of Ireland) E-mail: enquiries@epson.co.uk Chat: etalk.epson-europe.com Fax: 0871 222 6740 + Local call rate. Web: www.epson.co.uk www.epson.ie

 Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield
 For more information visit www.epson.eu/inkjetsaving

please visit www.epson.eu/testing

 For more information visit www.epson.eu/inkjetsaving
 Determined in accordance with ISO/IEC 24734 showing the average of ESAT from the Office Category Test for default A4 simplex and duplex. For more information,

