Fujitsu recommends Windows 10 Pro.

Data Sheet FUJITSU Notebook LIFEBOOK U757

Ultra-Mobile Meets Ultra Secure

The new LIFEBOOK U757, based on the 7th generation Intel® Core™ processor is a slim and light ultra-mobile notebook for business professionals supporting ergonomics in the office. With its 39.6 cm (15.6-inch) and light weight of only 1.72 kg (3.79 lbs.) it provides excellent mobility. Ergonomic viewing is guaranteed with the anti-glare HD, FHD or optional FHD touch display options and the embedded palm vein or finger print sensor provide outstanding security. Smart design combines legacy interfaces like full-size VGA and easy upgradeability with a thin and durable housing. The common port replicator of the LIFEBOOK U family facilitates workplace sharing within today's modern workstyle.

Premium connectivity

Stay flexible and productive within a modern Workplace environment

- Full set of interfaces with, full-size LAN connector, full-size VGA port and USB Type-C
- Embedded 4G/LTE, WLAN and Bluetooth

Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

Embedded palm vein or finger print sensor, Trusted Platform Module 2.0, integrated SmartCard reader

Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

A remarkable slim 19.2 mm ultra-mobile notebook starting from 1.72 kg, HD or FHD display, anti-glare, FHD touch panel option, aluminum/magnesium housing, optional backlit keyboard and num pad

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

Shared components such as the same classic or USB Type-C port replicator, AC Adapter, keyboard layout, BIOS and bit image across the ultra-mobile LIFEBOOK U family

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

Battery, memory and internal storage can be changed easily









Components

Base unit	LIFEBOOK U757 non vPro	LIFEBOOK U757 vPro
Operating systems		
Operating system	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home
Processor	Intel® Core™ i7-7600U processor (2.9 GHz, up to 3.9 GHz, 4 MB)	
	Intel® Core™ i7-7500U processor (2.7 GHz, up to 3.5 GHz, 4 MB) *	
	Intel® Core™ i5-7300U processor (2.6 GHz, up to 3.5 GHz, 3 MB)	
	Intel® Core™ i5-7200U processor (2.5 GHz, up to 3.1 GHz, 3 MB) *	
	Intel® Core™ i3-7100U processor (2.4 GHz, 3 MB) *	
	*Processor only for retail, SMB, education and governme	nt
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,133 MHz, SO DIMM	
	8 GB (1 module(s) 8 GB) DDR4, 2,133 MHz, SO DIMM	
	16 GB (1 module(s) 16 GB) DDR4, 2,133 MHz, SO DIMM	
Hard disk drives (internal)	SSD SATA III, 512 GB, M.2 module, SED	
	SSD SATA III, 256 GB, M.2 module, SED	
	SSD SATA III, 256 GB, M.2 module	
	SSD SATA III, 128 GB, M.2 module	
	PCIe-SSD, 512 GB, M.2 module, SED	
	PCIe-SSD, 256 GB, M.2 module, SED	
	HDD SATA III, 5,400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.	
	HDD SATA III, 5,400 rpm, 1 TB, 2.5-inch, S.M.A.R.T.	
Hard disk notes	One Gigabyte equals one billion bytes, when referring to	
	Accessible capacity may vary, also depending on used software.	
	Up to 20 GB of HDD space is reserved for system recovery	
	Internal storage interface: S-ATA III or PCIe If configured with an HDD, the drive has an integrated shock sensor.	
Interface add on cards/components		
Interface add on cards/components (optional)		
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up	to 300 Mbit/s, Uplink speed up to 50 Mbit/s)
	LTE Sierra Wireless EM7305 (Cat. 3) (Downlink speed up	
WLAN (optional)	Intel [®] Dual Band Wireless-AC8265 11ac with integrated f	
Display	39.6 cm (15.6-inch),LED backlight,(UHD/4K),Anti-glare c	lisplay,magnesium,3,840 x 2,160 pixel,700:1,300 cd/m²
- 1 -7	39.6 cm (15.6-inch),LED backlight, (HD),Anti-glare display,magnesium,1,366 x 768 pixel,350:1,220 cd/m ²	
	39.6 cm (15.6-inch),LED backlight, (Full HD),Anti-glare touchscreen,magnesium,1,920 x 1,080 pixel,700:1,300 cd/m	
	39.6 cm (15.6-inch),LED backlight, (Full HD),Anti-glare display,magnesium,1,920 x 1,080 pixel,700:1,300 cd/m ²	
Multimedia		
Camera	Optional: Built-in webcam, HD (Microsoft® Lync™)	

Base unit

Base unit	LIFEBOOK U757 non vPro	LIFEBOOK U757 vPro
General system information		
Chipset	Integrated	Integrated

General system information		
Chipset notes		Supports iAMT 11.6
		Intel® vPro™ requires Core i5-73xx & i7-76xx CPU, Intel WLAN 8265ac, TPM module
Supported capacity RAM (max.)	32 GB	32 GB
Memory slots	2 DIMM (DDR4)	2 DIMM (DDR4)
Memory notes	DDR4 - 2133 MHz	DDR4 - 2133 MHz
LAN	10/100/1,000 MBit/s Intel® I219V	10/100/1,000 MBit/s Intel® I219LM
BIOS features	InsydeH20 Bios	InsydeH20 Bios
Audio type	On board	On board
Audio codec	Realtek ALC255	Realtek ALC255
Audio features	Stereo speakers	Stereo speakers
Display		
Display notes	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45% FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gammut: 72% UHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gammut: 72%	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45% FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gammut: 72% UHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gammut: 72%
Graphics		
Base unit	LIFEBOOK U757 non vPro	LIFEBOOK U757 vPro
TFT resolution (DisplayPort)	up to 4,096 × 2,160	up to 4,096 × 2,160
TFT resolution (HDMI)	up to 1,920 x 1,200	up to 1,920 x 1,200
TFT resolution (VGA)	up to 1,920 x 1,200	up to 1,920 x 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200	up to 1,920 x 1,200
Graphics brand name	Intel [®] HD Graphics 620	Intel [®] HD Graphics 620
Graphics features	3 Display Support	3 Display Support
Graphics notes	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system
Interfaces		
DC-in	1	
Audio: line-out / headphone	1 (combo port with Audio line-in)	
Audio: line-in / microphone	1 (combo port with Audio line-out)	
Internal microphones	2x digital array microphones (optional)	
USB 3.0 (= USB 3.1 Gen 1) total	2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality)	
VGA	1	
DisplayPort	1 (exclusive with HDMI)	
HDMI	1 (exclusive with DP)	
Ethernet (RJ-45)	1 (with status LED)	
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)	
SmartCard slot	1 (optional)	
SIM card slot	1 (only for models with integrated 4G/LTE module)	
Port Replicator interfaces (optional)		
DC-in	1 (19V)	
Power on switch	1	
Audio: headphone	1	
Audio: microphone	1	
USB 3.0 (= USB 3.1 Gen 1) total	4х Туре-А 2х Туре-С	
DisplayPort	2	
VGA	1	
DVI	1	

Port Replicator interfaces (optional)		
Ethernet (RJ-45)	1 (10/100/1000)	
Kensington Lock support	1 (Portrep only, Portrep option with key lock to secure Portrep & System)	
Keyboard and pointing devices		
	Keyboard w/o touchstick (spill-resistant), Keyboard w/ touchstick, Backlight keyboard w/o touchstick (spill-resistant)	
	Number of keyboard keys: 106, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm	
	Multi gesture touchpad with two mouse buttons	
	Status LED Power Button	
Wireless technologies		
Antennas	2 Dual band WLAN antennas, 2 LTE antennas optional	
Bluetooth	v4.1	
WLAN encryption	WEP, WPA, WPA2	
WLAN notes	Import and usage according to country-specific regulations.	
Power supply		
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter	
	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology	
	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter	
Notes	65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator	
1st battery options	Lithium polymer battery 4-cell, 50 Wh	
Runtime 1st battery	up to 10 h	
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.	
Noise emission		
Noise emission	Please refer to the Eco Declaration Please refer to the Eco Declaration	
Dimensions / Weight / Environmental		
Dimensions (W x D x H)	378 x 256 x 19.2mm (non-touch), 19.6mm (touch) mm	
	14.88 x 10.08 x 0.76 (non-touch), 0.77 (touch) inch	
Weight	From 1.72 kg	
Weight (lbs)	From 3.79 lbs	
Weight notes	Weight may vary depending on actual configuration	
Operating ambient temperature	5 - 35 °C (41 - 95 °F)	
Operating relative humidity	20 - 80 %	
Compliance with standards		
Germany	GS planned (Full HD Display only)	
Europe	CE CB	
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 6.1 EPEAT® Gold (dedicated regions) (planned)	

Additional Software		
Additional software (preinstalled)	McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)	
Additional software (optional)	LTE / UMTS Connection Manager (if configured with 4G/LTE or 3G/UMTS) Microsoft Office (buy license to activate the pre-installed Microsoft Office) CyberLink YouCam (webcam software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®	
Manageability		
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology iAMT 11.6 (depending on processor)
Manageability software	DeskView Client DeskView Instant BIOS Management	
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management	
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)	
Manageability link	http://www.fujitsu.com/fts/manageability	
Security		
System and BIOS Security	Absolute Persistence® technology capable BIOS Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional)	Absolute Persistence® technology capable BIOS Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional)
User Security	Integrated palm vein sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)	Integrated palm vein sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)
Warranty		
Warranty period	2 years (for countries within EMEIA)	
Warranty type Warranty Terms & Conditions Product Support Services - the perfect	Collect & Return Service / Bring-in Service (depending on c http://support.ts.fujitsu.com/warranty t extension	ουπαγ
Recommended Service	9x5, Onsite Response Time: Next Business Day	
Spare Parts availability	5 years after end of product life	
Convice Weblink	http://te fuilter com/Supportersuice	

htttp://ts.fujitsu.com/Supportservice

Service Weblink

Recommended Accessories

		Order Code: S26391-F1607-L209
		Order Code: S26391-F1667-L100
Sneaker Sleeve 15.6	The Sneaker Sleeve 15.6 protects notebooks with up to 15.6-inch screens The front half of the bag has dedicated compartments for your notebook power cord, office supplies and personal items. The back half of the bag an expanding, divided compartment for your files.	, S26391-F1194-L501
Prestige Case 15	The Prestige Case 15 protects notebooks with up to 15.6-inch screens. The front half of the bag has compartments for your notebook, power cord an office supplies. Through the nylon pockets you can see your modular bay accessories. The back half of the bag has a divided file compartment.	nd S26391-F1194-L60

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Notebook LIFEBOOK U757, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK U757, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

© 2017 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2017-02-14 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms

© 2017 Fujitsu Technology Solutions GmbH