Fujitsu recommends Windows 10 Pro.



Data Sheet FUJITSU Notebook LIFEBOOK U757

Ultra-Mobile Meets Ultra Secure

The new LIFEBOOK U757, based on the 7th generation Intel® Core™ processor is a slim and light ultra-mobile notebook for business professionals supporting ergonomics in the office. With its 39.6 cm (15.6-inch) and light weight of only 1.72 kg (3.79 lbs.) it provides excellent mobility. Ergonomic viewing is guaranteed with the anti-glare HD, FHD or optional FHD touch display options and the embedded palm vein or finger print sensor provide outstanding security. Smart design combines legacy interfaces like full-size VGA and easy upgradeability with a thin and durable housing. The common port replicator of the LIFEBOOK U family facilitates workplace sharing within today's modern workstyle.

Premium connectivity

Stay flexible and productive within a modern Workplace environment

- Full set of interfaces with, full-size LAN connector, full-size VGA port and USB Type-C
- Embedded 4G/LTE, WLAN and Bluetooth

Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

 Embedded palm vein or finger print sensor, Trusted Platform Module 2.0, integrated SmartCard reader

Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

A remarkable slim 19.2 mm ultra-mobile notebook starting from 1.72 kg, HD or FHD display, anti-glare, FHD touch panel option, aluminum/magnesium housing, optional backlit keyboard and num pad

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

 Shared components such as the same classic or USB Type-C port replicator, AC Adapter, keyboard layout, BIOS and bit image across the ultra-mobile LIFEBOOK U family

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

■ Battery, memory and internal storage can be changed easily











Components

Base unit	LIFEBOOK U757 non vPro	LIFEBOOK U757 vPro	LIFEBOOK U757 6th Gen
Operating systems			
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home Windows 7 Professional (available through downgrade rights from Windows 10 Pro)
Operating system notes	MS OS support information: Systems with 7th generation Intel processor receive support from Microsoft with Windows 10 Home / Windows 10 Pro only. For more information, please see MS Support Lifecycle.	MS OS support information: Systems with 7th generation Intel processor receive support from Microsoft with Windows 10 Home / Windows 10 Pro only. For more information, please see MS Support Lifecycle.	
Processor	Intel® Core™ i7-7600U processor (2.9 C	GHz, up to 3.9 GHz, 4 MB)	
	Intel® Core™ i7-7500U processor (2.7 C	•	
	Intel® Core™ i5-7300U processor (2.6 C		
	Intel® Core™ i5-7200U processor (2.5 C	•	
	Intel® Core™ i3-7100U processor (2.4 C		
	*Processor only for retail, SMB, educat	ion and government	
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,133		
	8 GB (1 module(s) 8 GB) DDR4, 2,133		
	16 GB (1 module(s) 16 GB) DDR4, 2,13	33 MHz, SO DIMM	
Hard disk drives (internal)	SSD SATA III, 512 GB, M.2 module, SED		
	SSD SATA III, 256 GB, M.2 module, SED		
	SSD SATA III, 256 GB, M.2 module		
	SSD SATA III, 128 GB, M.2 module		
	PCIe-SSD, 512 GB, M.2 module, SED		
	PCIe-SSD, 256 GB, M.2 module, SED		
	HDD SATA III, 5,400 rpm, 500 GB, 2.5-i		
	HDD SATA III, 5,400 rpm, 1 TB, 2.5-inch	ո, S.M.A.R.I.	
Hard disk notes	One Gigabyte equals one billion bytes, Accessible capacity may vary, also dep Up to 20 GB of HDD space is reserved f		ity.
	Internal storage interface: S-ATA III or PCle If configured with an HDD, the drive has an integrated shock sensor.		
	If configured with an HDD, the drive ha	as an integrated shock sensor.	
Interface add on cards/components (optional)			
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat. 6) (D	ownlink speed up to 300 Mbit/s, Uplink	speed up to 50 Mbit/s)
		ownlink speed up to 100 Mbit/s, Uplink	speed up to 50 Mbit/s)
WLAN (optional)	Intel® Dual Band Wireless-AC8265 11a	c with integrated Bluetooth 4.2	
Display		HD/4K),Anti-glare IPS display,magnesiur D),Anti-glare display,magnesium,1,366	•
			esium,1,920 x 1,080 pixel,700:1,300 cd/
		II HD),Anti-glare IPS display,magnesium	n,1,920 x 1,080 pixel,700:1,300 cd/m ²
Maritim o din			
Multimedia			

Page 2 / 8 www.fujitsu.com/fts/mobile

Base unit

Base unit	LIFEBOOK U757 non vPro	LIFEBOOK U757 vPro	LIFEBOOK U757 6th Gen
General system information			
Chipset	Integrated	Integrated	Integrated
Chipset notes		Supports iAMT 11.6 Intel® vPro™ requires Core i5-73xx & i7-76xx CPU, Intel WLAN 8265ac, TPM module	Supports iAMT 11.0 Intel® vPro™ requires Core i5-63xx & i7-66xx CPU, Intel WLAN 8260ac, TPM module
Supported capacity RAM (max.)	32 GB	32 GB	32 GB
Memory slots	2 DIMM (DDR4)	2 DIMM (DDR4)	2 DIMM (DDR4)
Memory notes	DDR4 - 2133 MHz	DDR4 - 2133 MHz	DDR4 - 2133 MHz
LAN	10/100/1,000 MBit/s Intel® I219V	10/100/1,000 MBit/s Intel® I219LM	10/100/1,000 MBit/s Intel® I219LM
BIOS features	InsydeH20 Bios	InsydeH20 Bios	InsydeH20 Bios
Audio type	On board	On board	On board
Audio codec	Realtek ALC255	Realtek ALC255	Realtek ALC255
Audio features	Stereo speakers	Stereo speakers	Stereo speakers
MIL-STD tested	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
Display			
Display notes	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45% FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gammut: 72% UHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gammut: 72%	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45% FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gammut: 72% UHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gammut: 72%	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, To 20°, Bottom 40°; Color Gammut: 45% FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gammut: 72% UHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gammut: 72%
Graphics			
Base unit	LIFEBOOK U757 non vPro	LIFEBOOK U757 vPro	LIFEBOOK U757 6th Gen
TFT resolution (DisplayPort)	up to 4,096 × 2,160	up to 4,096 × 2,160	up to 4,096 × 2,160
TFT resolution (HDMI)	up to 1,920 x 1,200	up to 1,920 x 1,200	up to 1,920 x 1,200
TFT resolution (VGA)	up to 1,920 x 1,200	up to 1,920 x 1,200	up to 1,920 x 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200	up to 1,920 x 1,200	up to 1,920 x 1,200
Graphics brand name	Intel® HD Graphics 620	Intel® HD Graphics 620	Intel® HD Graphics 520
Graphics features	3 Display Support	3 Display Support	3 Display Support
Graphics notes	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system
Interfaces			
DC-in	1		
Audio: line-out / headphone	1 (combo port with Audio line-in)		
Audio: line-in / microphone	1 (combo port with Audio line-out)		
Internal microphones	2x digital array microphones (optional)	
USB 3.1 Gen1 (USB 3.0) total	2x Type-A (1 with Anytime USB charge		

Page 3 / 8 www.fujitsu.com/fts/mobile

laboria			
Interfaces			
VGA	1		
DisplayPort	1 (exclusive with HDMI)		
HDMI	1 (exclusive with DP)		
Ethernet (RJ-45)	1 (with status LED)		
Memory card slots	1 microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 128GB Speed Class: up to UHS-I		
SmartCard slot	1 (optional)		
SIM card slot	1 (only for models with integrated 4G/LTE module)		
Port Replicator interfaces (optional)			
DC-in	1 (19V)		
Power on switch	1		
Audio: headphone	1		
Audio: microphone	1		
USB 3.1 Gen1 (USB 3.0) total	4x Type-A 2x Type-C		
DisplayPort	2		
VGA	1		
DVI	1		
Ethernet (RJ-45)	1 (10/100/1000)		
Kensington Lock support	1 (Portrep only, Portrep option with key lock to secure Portrep & System)		
Keyboard and pointing devices			
keyboard and pointing devices	Keyboard w/o touchstick (spill-resistant), Keyboard w/ touchstick, Backlight keyboard w/o touchstick (spill-resistant)		
	Number of keyboard keys: 106, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm Multi gesture touchpad with two mouse buttons Status LED		
	Power Button		
Wireless technologies			
Antennas	2 Dual band WLAN antennas, 2 LTE antennas optional		
Bluetooth	v4.2		
WLAN encryption	WEP, WPA, WPA2		
WLAN notes	Import and usage according to country-specific regulations.		
GPS	Embedded in 3G/4G module if configured with WWAN		
Power supply			
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter		
AcAdapter	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology		
	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter		
Notes	65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator		
1st battery options	Lithium polymer battery 4-cell, 50 Wh		
Battery features	Quick Charge: 80% in 1 h		
Runtime 1st battery	up to 10 h		
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity).		
battery notes	Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between		
	manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.		
Noise emission			
Noise emission	Please refer to the Eco Declaration		
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	378 x 256 x 19 2mm (non-touch) 19 6mm (touch) mm		
אין כווטוכווסווויט (אין א דען אווווכווסווווע (אין א דען	378 x 256 x 19.2mm (non-touch), 19.6mm (touch) mm		
Weight	14.88 x 10.08 x 0.76 (non-touch), 0.77 (touch) inch From 1.72 kg		
weight	TIVIII 1.72 NY		

Page 4 / 8 www.fujitsu.com/fts/mobile

Dimensions / Weight / Environmental			
Weight (lbs)	From 3.79 lbs		
Weight notes	Weight may vary depending on actu	al configuration	
Operating ambient temperature	5 - 35 °C (41 - 95 °F)	<u>-</u>	
Operating relative humidity	20 - 80 %		
Compliance with standards			
Germany	GS planned (Full HD Display only)		
Europe	CE CB		
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 6.1 EPEAT® Gold (dedicated regions) (planned)		
Compliance link	https://sp.ts.fujitsu.com/sites/certific	ates	
Additional Software			
Additional software (preinstalled)	McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)		
Additional software (optional)	LTE / UMTS Connection Manager (if configured with 4G/LTE or 3G/UMTS) Microsoft Office (buy license to activate the pre-installed Microsoft Office) CyberLink YouCam (webcam software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®		
Manageability			
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology iAMT 11.6 (depending on processor)	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) iAMT 11.0 (depending on processor)
Manageability software	DeskView Client DeskView Instant BIOS Management		
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management		
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)		
Manageability link	http://www.fujitsu.com/fts/managea	bility	
 Security			
System and BIOS Security	Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional)	Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional)	Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional)

Page 5 / 8 www.fujitsu.com/fts/mobile

Security

User Security

Integrated palm vein sensor (optional) Integrated palm vein sensor (optional) Integrated palm vein sensor (optional)

Embedded fingerprint sensor Embedded fingerprint sensor Embedded fingerprint sensor

(optional) (optional) (optional)

Access protection via internal Access protection via internal Access protection via internal SmartCard reader (optional) SmartCard reader (optional) SmartCard reader (optional) Hard disk password Hard disk password Hard disk password

User and supervisor BIOS password User and supervisor BIOS password User and supervisor BIOS password

Workplace Protect (secure Workplace Protect (secure Workplace Protect (secure authentication solution) authentication solution) authentication solution)

Warranty	
Warranty period	2 years (for countries within EMEIA)
Warranty type	Collect & Return Service / Bring-in Service (depending on country)
Warranty Terms & Conditions Product Support Services - the perfe	http://support.ts.fujitsu.com/warranty ect extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life

htttp://ts.fujitsu.com/Supportservice

Recommended Accessories

Order Code: S26391-F1607-L209
Order Code: S26361-F1650-L202

Sneaker Sleeve 15.6

Service Weblink



The Sneaker Sleeve 15.6 protects notebooks with up to 15.6-inch screens. The front half of the bag has dedicated compartments for your notebook, power cord, office supplies and personal items. The back half of the bag has an expanding, divided compartment for your files.

Order Code: S26391-F1194-L501

Wireless Mouse WI200



The Wireless Mouse WI200 uses the latest wireless 2.4 GHz technology, and a high-resolution 1000 dpi optical sensor to give you the precision and S26381-K462-L100 reliability you need. Sporting a compact design with a stylish black finish, the WI200 wireless mouse is well suited to all environments and to each user whether right or left handed.

Order Code:

UC&C USB Value Headset



The FUJITSU UC&C USB Value Headset is a lightweight bi-aural full-size stereo headset with high wearing comfort. This Lync-tested USB-Headset has an appropriate Inline-Controller which supports easy call management. A noise cancelling microphone facilitates undisturbing clear phone calls.

Order Code: S26391-F7139-L20

Page 6 / 8 www.fujitsu.com/fts/mobile

Wireless Keyboard Set LX901



The Wireless Keyboard LX901 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption.

S26381-K565-L4** (**: Country specific variation)

Page 7 / 8 www.fujitsu.com/fts/mobile

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Notebook LIFEBOOK U757, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK U757, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

© 2017 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2017-05-18 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2017 Fujitsu Technology Solutions GmbH