XEROX® VERSALINK® PRINTERS AND MULTIFUNCTION PRINTERS

Evaluator Guide







Table of Contents

This Evaluator Guide introduces you to the Xerox[®] VersaLink[®] Printers and Multifunction Printers and explains their key features and performance advantages.

INTRODUCING XEROX® CONNECTKEY® TECHNOLOGY

3 Overview

INTRODUCING OUR VERSALINK FAMILY OF PRODUCTS

4 Overview

EVALUATING WORKGROUP PRINTERS AND MULTIFUNCTION PRINTERS

- 5 Count On It
- 10 Well Connected
- 12 Make It Yours
- 13 Introducing Xerox® VersaLink Printers and Multifunction Printers

SPECIFICATIONS, CONFIGURATION SUMMARIES AND OPTIONS

AWARDS

23 Xerox[®] ConnectKey Awards

- 14 Xerox® VersaLink® B400 Printer and B405 Multifunction Printer
- 15 Xerox® VersaLink® C400 Color Printer and C405 Color Multifunction Printer
- 16 Xerox® VersaLink® C500 Color Printer and C505 Color Multifunction Printer
- 17 Xerox® VersaLink® B600 Printer and B605 Multifunction Printer
- 18 Xerox® VersaLink® B610 Printer and B615 Multifunction Printer
- 19 Xerox[®] VersaLink[®] C600 Color Printer and C605 Color Multifunction Printer
- 20 Xerox® VersaLink® B7025/ B7030/B7035 Multifunction Printer
- 21 Xerox® VersaLink® C7000 Color Printer
- 22 Xerox® VersaLink® C7020/ C7025/C7030 Color Multifunction Printer

2 Xerox® VersaLink® Printers and Multifunction Printers Evaluator Guide

Xerox[®] Connectkey[®] Technology—the nexus of your complete productivity ecosystem

Today's workplace has evolved beyond the ability of any single machine to fulfill productivity needs of the modern, mobile, always connected workforce. It's time to stop thinking about printers as stand-alone, task-specific workhorses, and start demanding more up-to-date, useful—and useable—solutions.



INTUITIVE USER EXPERIENCE

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

MOBILE AND CLOUD READY

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

BENCHMARK SECURITY

Comprehensive multi-level protection for intrusion, device, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

ENABLES NEXT GENERATION SERVICES

Work more efficiently and manage resources more effectively. Easy integration of Xerox[®] Managed Print Services enables remote monitoring of service delivery and consumables, plus remote configuration for even more time savings.

GATEWAY TO NEW POSSIBILITIES

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at **www.connectkey.com**.

Xerox[®] VersaLink[®] Family of Products

The Perfect Assistant for Every Office

The VersaLink family of products offers a truly compelling value with an affordable total cost of ownership. The innovative functionality built into each product extends its value beyond the printer and multifunction printer (MFP), and maximizes your investment by enabling greater freedom to get work done on your terms.



COUNT ON IT

VersaLink devices consistently and flawlessly deliver the performance and reliability that even the most demanding offices rely on to get their work done more efficiently.

VersaLink devices offer complete dependability through both reliability and benchmark security.

- Highly dependable—hardware and software reliability
- Hassle-free productivity
- Solid data security to safeguard customers' data, delivering the security capabilities that every type of business demands today.
- Inspire confidence—it just works every time
- Simplified device installation and management, without the need for IT support



WELL CONNECTED

Connect to what you want, how you want. Wherever your work takes you, Xerox gives you the freedom and convenience to work when you want, where you want, with the devices you use every day.

In line with the shift toward mobile device reliance, VersaLink devices meet the expectation of the most advanced office technologies.

- Enable mobile workers to leverage the capabilities of printers and MFPs in the manner that works best for them (secure mobile connectivity)
- Extend traditional MFP functionality to mobile platforms with the Xerox® Mobile Link App
- Connect users to the services they use today, such as cloud repositories and popular third-party apps (speed up information sharing and streamline multistep workflows)



MAKE IT YOURS

VersaLink devices provide a balance of simplicity and efficiency, presented in a familiar and comfortable interface that makes accomplishing tasks intuitive. It means less time learning and more time doing.

VersaLink product design intent is heavily influenced by ongoing changes in workforce behavior.

- Highly intuitive user experience strikes a balance between simplicity and efficiency with the ability to personalize and customize for each user
- Range of useful built-in apps with the ability to add more (build your own)
- Blending the expected performance of today's devices with the unique needs of using a printer or MFP

Reliable, productive and easy to use. With Xerox[®] VersaLink[®] printers and multifunction printers, you'll consistently and flawlessly perform the tasks that make your business work more efficiently.

RELIABLE

With a range of features and functionality you'll use every day, VersaLink devices take reliability and workplace efficiency to a new level of ease and automation right out of the box.

- Xerox® Standard Accounting. Manage, track and report device usage to control print quantities and chargeback options for print, scan, copy and fax. Advanced solutions are available for Network Accounting from Xerox Business Innovation Partners, delivering even more helpful tools, such as ID and proximity card systems for larger office environments.
- **Duplex printing.** With automatic two-sided printing (standard on DN configurations), multi-page print jobs are automatically printed on the front and back side of each sheet of paper for increased efficiency and reduced paper usage.
- Single-Pass Duplex Automatic Document Feeder. With many of our VersaLink multifunction printers, you can get even more reliability and longevity with fewer moving parts on our Single-Pass Duplex Automatic Document Feeder (DADF).
- Auto-Color Scanning (ACS). This feature allows the device controller to check if the document is color or black-and-white, and then adjust accordingly.

- Genuine Xerox® supplies. Using genuine Xerox® toner in your VersaLink printer or multifunction printer will ensure that prints are delivered with consistent quality and keep your device running at optimal level and free from damage by inferior thirdparty supplies. Testing conducted by independent printer evaluation laboratories proved genuine Xerox® supplies are more reliable and deliver up to 27% higher page yields than aftermarket alternatives. When non-Xerox® supplies are detected by the device, a warning screen will appear informing the customer that genuine Xerox® supplies were not detected.
- Automated supplies notification and ordering. Customers enrolling or participating in one of the excellent metered or managed print service programs get the added benefit of Automated Supplies Replenishment (ASR). With ASR, our VersaLink devices can automatically talk to our ordering systems, giving you a Xerox virtual administrator that continuously watches over your fleet so you don't have to—at no extra cost. No need to react when the device tells you that toner is running low. The ASR service will instantly put in an order for the supplies, without human intervention.
- Front of device access. Customer replaceable toner cartridges are especially easy to replace on VersaLink devices. No need to rotate or move the device when performing routine maintenance tasks.

- Remote Service Functionality. Users can perform troubleshooting and diagnostics right from their computer, eliminating multiple trips to the printer or multifunction printer. Troubleshooting hints and tips are also provided to the user, right at the device UI, keeping the device up and running without additional trips.
- Remote Services Upgrade. Using this feature, administrators can perform firmware upgrades to VersaLink printers and multifunction printers from a central location, rather than traveling to the actual site of the device.
- ENERGY STAR[®] qualified. VersaLink printers and multifunction printers meet the stringent ENERGY STAR requirements for energy use and the EPEAT[®] comprehensive environmental rating system.
- Certifications and sustainability. At Xerox, we work to ensure that our devices meet or exceed standards so that Xerox[®] devices are engineered in an environmentally smart and sustainable way. Learn more by visiting www.xerox.com/environment.
- Energy management. With Cisco EnergyWise[®], enabled by Xerox[®] Power MIB (Management Information Base), you can control, manage and report your device's power consumption information, and set optimal power states and timeout intervals.

(CONTINUED)

PRODUCTIVE

Revolutionize your workflow—and get more done—with time-saving productivity enhancers and new capabilities that work without additional IT investment.

- Print Around. Print Around is an automatically enabled feature that eliminates print bottlenecks and directs print job flow. If a job needs resources, (such as mismatched media type, color or size), other print jobs will go around the held job. This keeps jobs moving when there is an issue with one print job.
- Consistent operation across products. A common look and feel across all VersaLink devices makes it easy and intuitive for users to go from one Xerox[®] product to another without additional training.
- LAN Fax. Use this feature to send faxes directly from your PC without printing the document or going to your Xerox[®] multifunction printer. Through the driver for the multifunction printer, you can send a document via fax to other fax machines. This feature requires the installation of Walk-up Fax.
- Fax Forward to Email. When sending and/ or receiving faxes, this feature allows a copy of the fax to be forwarded to an email address; enabling archiving as well as saving paper retrieval and distribution time.
- Print from and Scan to USB. Conveniently print your document directly from your USB device or scan your document directly to it, right from the main screen of the user interface.
- Saved Job. Saved Job is the perfect solution for files that need to be printed on a regular basis. These documents are stored on the printer or MFP and can be reprinted on demand from the front panel.
- Digitize your current paper-based workflows. VersaLink multifunction printers can scan documents to create textsearchable PDFs and single and multi-page PDFs for easy archiving, organizing and searching. This is made possible with built-in

optical character recognition (OCR), a critical component in digitizing any paper-based workflow.

- True multi-tasking. With this feature, VersaLink multifunction printers can copy, print, fax and scan at the same time. There is no wasted time for walkup users at the device and all jobs are held in the same queue.
- Scan and Fax Preview. With VersaLink multifunction printers, users can ensure accuracy by previewing the scanned file before sending it. This feature also allows users to rotate pages, as well as add additional pages to the scan or fax prior to sending.
- Annotation. Annotation allows users to add Page Numbers, Comments, or Dates onto copies. Annotation also supports Bates Stamping, allowing placement of identifying numbers commonly used in the legal and medical fields of copied documents.
- Common Driver Platform. VersaLink printers and multifunction printers include common print drivers, which feature clear graphical user interfaces that provide for easy, intuitive interaction with the device. The drivers provide immediate desktop access to all Xerox[®] device output functions, as well as bidirectional information, indicating device and job status, currently loaded paper sizes and types, and installed options, eliminating the need to consult other software for information. Easy-tounderstand icons access the most commonly used functions, such as paper selection and document finishing. With the Saved Settings feature, frequently used print job parameters can be stored for reuse.
- Bi-directional Real-time Status. Bi-directional communication between the printer or multifunction printer and computer provides real-time notification on the status of jobs, paper trays and other supplies. Users stay more productive as there's no need to be in front of the device. Bi-directional communication will also

auto-configure the printer driver, providing access to installable options (additional trays, finishing, etc)—no need for users to manually configure printer drivers.

- Xerox® Global Print Driver®. This truly universal print driver lets IT administrators install, upgrade and manage Xerox® and non-Xerox® devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls and simplifying print services management.
- Concurrent wired and wireless support. VersaLink devices support both an Ethernet connection and a Wi-Fi® connection (via an optional wireless network adapter) at the same time. VersaLink printers and MFPs can then be discovered via Apple® AirPrint® or Mopria® Print Service, even when connected to the wired network. This also allows you to make the printer or MFP available to guest users via Wi-Fi Direct®, even when your guests are not connected to your wireless network.
- Scan to App. This feature provides access to all scan destinations and features in one, easy-to-find location at the touchscreen UI.
- Xerox[®] ConnectKey[®] for DocuShare[®]. Scan files directly into Xerox[®] DocuShare[®] folders from your VersaLink multifunction printer. This workflow solution automatically converts documents into intelligent, structured data with easy file naming and routing tools.
- Earth-smart printing. Our innovative Earth Smart feature in our print drivers allows you to reduce costs while choosing the most environmentally sensitive options for your print jobs.
- Booklet Layout. Booklet Layout automatically scales and reorients pages of a print job to create a booklet. Print jobs can be printed onto different paper sizes, with margins adjusted and page borders added. Additionally, spacing can be adjusted to allow for folding and stapling as well as the reading order of pages within the job.

(CONTINUED)

INSTALLATION

With Xerox[®] VersaLink[®] devices, you're ready to go—hassle free—right out of the box, even in environments with little-to-no IT support.

- Initial Install Wizard. Installation is easy with the initial install wizard that provides step-by-step instructions and configuration options right from the user interface. This wizard guides users through settings from basic to advanced settings.
- Customer Replaceable Units. We engineered our VersaLink printers and multifunction printers with a simplified design so you can stay up and running. Easily and quickly replace components, such as the imaging drum or toner cartridge.
- Driver deployment. Print and scan drivers can be deployed centrally, eliminating the need for IT staff to perform desk-to-desk manual installation of the driver software. In many cases, existing Xerox® drivers on your network can work with your new hardware, potentially saving the step of updating your driver software. Wizards provided within Xerox® CentreWare® Web aid in installing, troubleshooting and upgrading your driver software, freeing up your IT staff for more pressing projects. The Xerox[®] Global Print Driver[®] supports Xerox[®] and non-Xerox[®] devices on the network. eliminating the need for other print drivers and saving hours of downtime.

• Configure once, apply fleet wide.

VersaLink device configurations can be cloned and distributed to all similar devices on your network, eliminating the need to configure and manage each device individually. Cloning can be completed using several different methods. Users can utilize the Embedded Web Server or there are a variety of managed print services tools for customers enrolled in a managed service program.

- Embedded Web Server. Allows networked users to connect to their printer or multifunction printer via any standard web browser to install print drivers, monitor printer status, view the print job queue, manage settings and properties, and access troubleshooting and support resources.
- LDAP Mapping. LDAP servers display different results depending on how they implement mappings. You can complete simple email address searches with LDAP and Scan to Email jobs. Our full integration is the differentiator. Our LDAP Mapping integrates with the address book, User Permissions and Scan to Home. In addition, this feature automatically suggests contacts by searching the device address book and LDAP as characters are entered.
- Xerox[®] CentreWare Web Software. This free, device management solution for IT makes it easy to install, configure, manage, monitor and pull reports from networked and multifunction printers throughout an enterprise, regardless of the manufacturer.
- A help desk at your fingertips. Get quick, easy, step-by-step troubleshooting assistance with embedded help videos right on the user interface.
- Xerox® Remote Print Services with install wizard. Customers enrolling or participating in one of our metered or managed print service programs get the added benefit of Automated Supplies Replenishment (ASR). Save time with our suite of remote services, and let us manage your devices for you. This includes:
 - Xerox[®] MeterAssistant[®] Service.
 Automates the process of collecting and submitting meter reads for tracking and billing of Xerox[®] device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time.
 - Xerox[®] SuppliesAssistant[®] Service.
 Automatically orders supplies for Xerox[®] output devices based on actual usage, eliminating the need to manually manage supplies inventory.

• On-demand reset to factory defaults. To ensure the security of your data, VersaLink devices can be fully reset back to a factory state.

INTRODUCING TOUCHSCREEN SUPERIORITY

Meet our tiltable, capacitive color touchscreen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with our VersaLink printers and multifunction printers get more work done, faster.



View a demo of our VersaLink device touchscreen at www.xerox.com/ VersaLinkUIDemo.

(CONTINUED)

SECURITY: A HOLISTIC PROTECTION FOR YOUR PRINTER OR MULTIFUNCTION PRINTER.

Xerox has long ago recognized and embraced this shift in technology and the evolving needs of the workplace. We offer a comprehensive set of security features to keep your printers and your data safe. Xerox secures every part of the data chain, including print, copy, scan, fax, file downloads and system software. There are four key aspects to our multilayered approach.

Intrusion Prevention

ConnectKey Technology utilizes a comprehensive set of capabilities that prevents malicious attacks, the proliferation of malware, and misuse of/unauthorized access to the printer, whether from transmitted data or direct interaction at the device.

All possible access points are secure, including the user interface and input ports accessible to walkup users as well as PC, server, mobile devices or cloud connections.

Device Detection

Xerox[®] ConnectKey[®] Technology runs a comprehensive Firmware Verification test, either at start-up or when activated by authorized users. This provides alerts if any harmful changes to the printer have been detected.

Document and Data Protection

Our comprehensive security measures don't stop with preventing unauthorized access to your printer and securing your information from the inside. ConnectKey Technology provides capabilities to prevent intentional or unintentional transmission of critical data to unauthorized parties.

From protecting printed materials by not releasing documents until the right user is at the device, to preventing scanned information reaching beyond its intended recipient, ConnectKey Technology offers the safeguards you need to keep your most critical data assets safe and secure.

Xerox also protects all your stored information, using the highest levels of encryption. You can delete any processed or stored data that is no longer required using National Institute of Standards and Technology (NIST), and U.S. Department of Defense approved data clearing and sanitization algorithms¹.

External Partnerships

ConnectKey Technology provides extra security standards through our partnership with Cisco. We measure our performance against international standards with certifications like Common Criteria and FIPS 140-2 to ensure our devices are trusted in even the most secure environments.

¹ Applies to devices with hard disk drives only



Intrusion Prevention



Device Detection



Document & Data Protection



External Partnerships

(CONTINUED)

VERSALINK SECURITY FEATURES

Xerox[®] VersaLink[®] devices include the following features, technologies and solutions to ensure your data and network is kept secure.

- Secure Print with print queue deletion. With this feature, users are required to enter a passcode at the device to release a job or can delete jobs from their queue. That means fewer documents are unnecessarily printed and left at the device.
- Personal and Secure Jobs. Personal and Secure Jobs ensure sensitive or confidential documents do not pose a security risk by sitting in the output tray for anyone to pick up. Users enter a 4-10 digit passcode when submitting their print job, and then simply enter this same passcode at the front panel of the printer or MFP to print their private job that's been held.
- Hard Disk and SSD encryption. This feature effectively safeguards your data from unauthorized access while it's being processed, transmitted or stored in the printer or multifunction printer.
- Protect your information. With Immediate Image Overwrite, the VersaLink C400 Color Printer and VersaLink C405 Color Multifunction Printer can automatically erase image data from the device after each job.
- Secure Email with TLS 1.2. Securely scan and send email to third-party mail service providers with Transport Layer Security (TLS). With this security feature, your VersaLink multifunction printer will keep emails safe and free from unauthorized access.
- Simultaneous HTTP/HTTPS with Self-signed Certificates. Support for simultaneous HTTP/HTTPS connections allows HTTP and HTTPS connections, services and functions. Communications that depend on and require HTTPS functionality will also work seamlessly without the need to first enable HTTPS and configure certificates; eliminating complicated manual setup and configuration.

- Stay compliant with regulations. Our VersaLink devices comply with the latest security standards, including the Federal Information Processing Standard (FIPS) 140-2, Department of Defense (DoD) Security standards and undergo the full-system Common Criteria (undergoing evaluation) certification process. Controls are available to match your security needs and conform to any standards across industries, government, finance and healthcare.
- Password Protected PDF. Users have the option to encrypt PDF files with a password when using the Scan to Email service on VersaLink multifunction printers. This technology provides protection outside of your firewall, securing data in an unsecure environment using industry-standard protocols such as Secure PDF.
- Role-based permissions. Assign different levels of access to users in environments where Administrator-level security isn't necessary.
- Prevent attacks. VersaLink devices give administrators the ability to set lockout limits for users logging in. For example, if the administrator sets a limit of three attempts and all three fail, that user will be locked out for a set period of time. This prevents automated dictionary-style attacks to gain access.
- Audit Logs. Track access and activity by document, user and function on VersaLink printers and multifunction printers. The Audit Log is disabled by default; it can be enabled and disabled in the Embedded Web Server.
- Common Access Card Support

(CAC/PIV). This ensures secure printing using Common Access Card (CAC)/Personal Identity Verification (PIV) card technologies and attaches the print-job sender's identity certificate to the print job. At the device, the user must authenticate with the user's CAC/PIV card before releasing the job.

- USB card-based authentication. VersaLink devices can be upgraded with optional solutions to deliver even greater cost control capabilities. They support many USB card-based authentication technologies that enable users to log into the device using a proximity card, student ID or security card, providing a secure method of authentication, tracking usage and billing.
- Authentication, authorization and accounting (AAA). VersaLink devices support a robust set of features that help you control access, enforce policies, monitor usage and obtain information so you can bill for services.
- **Print User ID in the print margin.** With this feature, user information is printed in the margin of the first page to quickly help users identify which pages are theirs, as well as eliminating costly and wasteful banner pages.
- Xerox® Print Management and Mobility Suite, Xerox® Print Management and Mobility Service. This is a modular set of workflows designed to save customers time and money by providing effective control over their print fleet, while enabling worker productivity and mobility through a set of robust workflows. Xerox enables ultimate customer flexibility by offering these capabilities in both an on-premises server version and with a cloud based-version of this solution.
- Cisco[®] Identity Services Engine (ISE) Integration. Centrally manage and deploy printer security policies. Our partnership with Cisco provides greater Xerox® print device detection capabilities, resulting in finer-grain security policy enforcement. Xerox[®] devices are automatically recognized and classified by Cisco ISE, permitting network access control and reduction of overhead by eliminating manual entry of printer attributes. Our profiling of printers with Cisco ISE thwarts spoofing attempts by saboteurs to gain unfettered access to sensitive systems. Xerox® print device integration with Cisco ISE provides an operationally efficient approach to meeting security policy objectives.

Well Connected

Mobile-ready and cloud-connected. The office of the future is here today. Xerox[®] VersaLink[®] printers and multifunction printers enable the advanced connectivity mobile workforces need to collaborate, share and process the documents and information that keep your business running.

MOBILITY

VersaLink devices provide unprecedented mobile access from any device, with multiple connectivity options and no complicated setup.

Standard Mobility Solutions

- Apple[®] AirPrint[®]. With AirPrint, you can print emails, photos and important office documents directly from your favorite Apple devices, including iPhone[®], iPad[®] and your Mac®. Additionally, Mac users can scan via AirPrint. With AirPrint, your iPhone, iPad or Mac automatically locates and connects to the AirPrint-enabled device over your Wi-Fi® and/or Ethernet network. For enhanced security and controllable printing, Apple AirPrint offers accounting support as well as IPP attributes, which enables more complicated finishing options and print settings, such as two-sided printing, page range, quantity and color or black-andwhite.
- Mopria® Print Service. This allows Android[™] device users to easily and wirelessly discover and print to Mopriacertified Xerox® and non-Xerox® printers or multifunction printers without installing drivers or downloading additional apps or software. As a founding member of the Mopria Alliance, Xerox continues to shape innovation in the mobile printing arena and ensures that both our current and future technologies are keeping up with the ever-evolving mobile landscape.
- Wi-Fi Network Adapter (Wi-Fi Kit). With this optional hardware, you can easily set up and place your VersaLink printer or multifunction printer anywhere you need it without costly additional network reconfiguration and wiring.

- Xerox® Mobile Link App. This free app allows you to scan, email and fax from your Android or iOS-based mobile device to VersaLink multifunction printers and send data to and print data from cloud storage. Downloaded from the Google Play™ Store or Apple App Store, Mobile Link resides on your mobile device. Once installed, easily create Mobile Link one-touch workflows between a mobile device and a VersaLink Multifunction printer. Use a manual address or allow automatic device discovery to find and pair your mobile device with a nearby Xerox® multifunction printer.
- Xerox® Mobile Express Driver®. This feature makes it easy for mobile users to find, use and manage Xerox® and non-Xerox® devices in every new location. Plug into a new network, and Xerox® Mobile Express Driver automatically discovers available printers and provides status and capability information. Save a list of "favorite" printers for each location, store application print settings for use on any printer in any network and greatly reduce mobile support calls to IT.
- NFC Tap-to-Pair. With Near Field Communications (NFC) Tap-to-Pair, users can simply tap their Android device to a VersaLink printer or multifunction printer to establish a direct connection. Once established, printing is handled using a wireless connection if the optional wireless network adapter has been installed. If the wireless network adapter is not installed, printing is handled via the Ethernet network. This feature allows for greater security and results in less waste as users are in direct proximity to the device.¹



- Wi-Fi Direct[®]. This ensures that you can print to VersaLink printers and multifunction printers from your mobile device without having to connect to a network. Adding the optional wireless network adapter enables this connection and allows for both an Ethernet connection and Wi-Fi Direct connection to be enabled at the same time.
- Xerox® Print Service Plug-in for Android™. This unique, full-featured plug-in for KitKat (4.4 or greater) devices streamlines mobile printing without third-party apps or additional print drivers. After downloading this free plug-in from the Google Play™ Store, you can easily print photos, Web pages and documents when your mobile device is connected to VersaLink multifunction printers using a wireless network. Robust printing options include color or black-and-white printing, number of copies, paper orientation, two-sided printing, stapling, Secure Print/ Secure Code Release and more.
- **TWAIN scanning push and pull.** This feature further simplifies network TWAIN scanning by allowing users to pull the scan back to their PC without the need for a password.
- ¹ If the Wireless network Adapter is not present, print jobs submitted from an Android device will route via Ethernet only if the customer has configured their network appropriately.

Well Connected

(CONTINUED)

Advanced Mobility Solutions

- Xerox® Mobile Print. We offer many options that enable secure, accurate printing from most mobile devices to any printer or multifunction printer, regardless of brand, making it easy to print Microsoft® PowerPoint®, Word and other standard files from wireless and mobile devices. Our IT-friendly optional capabilities include PIN code access and multiple mobile operating systems. Whether off site or on site, learn why we are the only choice for today's mobile professionals by visiting www.xerox.com/mobile.
 - Choose Xerox[®] Mobile Print Solution with an on-site server for your internal network, or behind your network's firewall for added control and higher volume use.
 - Choose Xerox[®] Mobile Print Cloud to easily manage local and remote locations, and control visitors' printing access. Mobile Printing through the

cloud is offered as a free service or a more advanced for-fee solution. The Basic version offers a ConnectKey® App resident on the user panel and enables a simple email to the cloud to pull print jobs to the multifunction printer. The Enhanced version offers the app with a Mobile Print Cloud license, providing convenient authentication that locks and unlocks a device, via a mobile app, without authentication cards.




Visit **www.xerox.com/MobileDemo** to view a demo of the Xerox[®] Mobile Print Solution.

CLOUD

Reach new heights of mobile productivity with cloud-ready apps that keep your workforce connected from any location.

- Support for Google Cloud Print™ 2.0. Xerox® VersaLink printers and multifunction printers are enabled with secure cloud printing, an ideal solution for workers on the go. Securely and directly connect and register with the Google Cloud Print service and your smartphone, tablet, laptop or traditional desktop device will always be available wherever you are. No need to install and maintain print drivers or additional software.
- Cloud connections. VersaLink multifunction printers come standard with embedded apps, such as DropBox[™], Microsoft[®] OneDrive[®] and Google Drive[™] online storage service so users can easily print from and scan to the locations they use every day.



For more information, go to www.xerox.com/MobileLink.

Apple[®] AirPrint[®] and Xerox[®] Print Service Plug-in for Android[™] are standard/free-of-charge protocols for Apple iOS, Android and Xerox[®] ConnectKey[®]-enabled devices. Xerox[®] Mobile Print is an add-on software product that allows users to print to Xerox[®] print devices.

Make It Yours

Time-saving apps and a personalized user experience. Be prepared to interact with VersaLink[®] printers and multifunction printers in a whole new way. Create customized workflows with easy-to-use apps and configure your interface to keep the functions you use most front and center.

APPS

VersaLink multifunction printers come preloaded with mobile-like apps that simplify common tasks and allow for easy customization. Download additional apps based on your business needs, or engage our partners to build new business-specific apps to reduce complicated workflows to singletouch simplicity.

- Xerox® ConnectKey® Apps and Xerox App Gallery. With the touch of a button, you can go to our Xerox App Gallery and download these lightweight, serverless apps to your VersaLink printer or multifunction printer to increase user productivity and shorten everyday tasks. ConnectKey Apps empower you to easily customize your workflow with apps such as @PrintByXerox, Xerox® Easy Translator Service and Xerox® Healthcare MFP¹.
- Xerox® App Studio. Customize your workflow even further by having your partner or reseller use the Xerox® App Studio tool to build new ConnectKey Apps for your business. Scan and send documents to multiple locations at the same time, or create information apps that communicate business-critical information, such as promotions, business updates, marketing campaigns and more—right at the user interface. The possibilities are limitless.
- Native apps. VersaLink multifunction printers have ready-to-use embedded apps preloaded on the device that allow you to easily scan your documents and send them to DropBox[™], Google Drive[™] or Microsoft[®] OneDrive[®] without tedious setup.
- Xerox Extensible Interface Platform[®]. Our VersaLink printers and multifunction printers come equipped with an open platform that is customizable to fit your

work environment and needs. This key unlocks your ability to simplify everyday tasks that make the MFP easier to use and allows the MFP to run third-party solutions that enable an even more tailored workflow.

• Xerox® Easy Translator Service. This service allows customers to scan a document and receive a translated print of the document or email notification. Users can also send a digital image from a mobile device or a PC that is forwarded for translation. This is offered for both iOS and Android[™] devices. For more information, visit https://xeroxtranslates.com.

PERSONALIZATION

Configure your VersaLink printers and multifunction printers to make the user experience personal by machine, fleet, workgroup or individual.


- Familiar app-style user interface. Our VersaLink printers and multifunction printers feature a user interface that behaves much like the mobile devices we're all accustomed to using. To simplify the user interface even further, a highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center.
- Customized UI Support. Customize and simplify each user's experience by moving and hiding icons based on user logins and creating presets for common workflows. Users can access the functions they use most with just one touch.
- 1-Touch Apps. 1-Touch Apps simplify and automate lengthy multi-step workflows by allowing users to save common tasks and their respective job settings as an "app" that

appears on the device home screen. Users simply tap their new app to accomplish their task with a single touch.

- Unified Address Book. The unified address book lets you seamlessly import your existing contacts and roll them out to multiple VersaLink multifunction printers.
- **Personal Favorites.** Personal Favorites allows each user to create and quickly access their favorite contacts from the unified address book. No need to browse through multiple contacts, favorites are front and center!
- Intelligent Search. This feature allows users to type in the first few letters of a contact's name and then the VersaLink device will suggest contacts which meet similar search criteria.
- Jobs service. Easily manage jobs and view their status from the Xerox[®] Embedded Web Server, print driver or device front panel. Our clear graphical interfaces provide for easy, intuitive interaction with the printer or multifunction printer.
- Application defaults. Adjust settings for specific applications, such as always printing Microsoft[®] PowerPoint[®] files 2-up and in black-and-white.
- Maintain control. With User Permissions, you can restrict access to print features by user, group, time of day and application. To limit color printing, you simply select a rule that makes all Microsoft[®] Outlook[®] emails automatically print in black-and-white and in duplex mode.
- Feature Access Control. This feature allows administrators to control costs by limiting features to certain users and makes it easier for those users to see only the services they use.

¹ Xerox[®] Healthcare MFP is available in the U.S. only.

Introducing Xerox[®] VersaLink[®] Printers and Multifunction Printers



Specifications, Configuration Summaries and Options

XEROX® VERSALINK® B400 PRINTER AND B405 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B400N	VersaLink B400DN	VersaLink B405DN
peed	Up to 47 ppm letter/Up to 45 ppm A4		
uty Cycle ¹	Up to 110,000 pages/month ¹		
ocessor/Memory	1.05 GHz Dual Core/2 GB		
onnectivity	Ethernet 10/100/1000 Base-T, High-spee supported), NFC Tap-to-Pair	ed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with a	optional Wi-Fi Kit (concurrent wired and wireless connections
ontroller Features			ble Interface Platform®, Xerox App Gallery, Xerox® Standard
Paper Handling Paper Input Standard	NA		Reversing Automatic Document Feeder (RADF): 60 sheets; Custom sizes: 5.5 x 5.5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)
		sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216	
Intional		5.8 x 8.3 in. to 8.5 x 14 in./148 x 210 mm to 216 x	
ptional	700 sheets/2.350 sheets	ach; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./148	x 21011111110 210 x 55011111
otal Capacity (std./max.)			
aper Output	250 sheets		
utomatic Two-sided Output	N/A	Standard	
rint and Copy esolution	Print: Up to 1200 x 1200 dpi (enhanced))	Print: Up to 1200 x 1200 dpi (enhanced) Copy: Up to 600 x 600 dpi
rst-page-out Time Is fast as)	Print: As fast as 8 seconds		Print: As fast as 8 seconds Copy: As fast as 6 seconds
age Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-G	L/Adobe [®] PostScript [®] 3™	
NTUITIVE USER EX			
ustomize and Personalize	Walkup customization, Personalize Home Gallery and Xerox® App Studio	e Screen by User, Multiple Home Screens with Si	mple ID, Customize by Site, Function or Workflow with Xerox App
int Drivers	Job Identification, Bi-directional Status, J	lob Monitoring, Xerox® Global Print Driver® and	Mobile Express Driver®
erox [®] Embedded Web Server	PC or mobile—Status Information, Resp	onsive Design, Settings, Device Management, C	loning
eview	NA	5 5 5	Preview of Scan/Fax with Zoom, Rotate, Add Pa
rint Features			Driver Settings, Job Identification, Booklet Creation, Store and Recaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mod
ican and Fax ²	NA		Scan to USB/Email/Network (FTP/SMB), Scan Fi Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenie Features: Scan to Home, Searchable PDF, Single Multi-Page PDF/XPS/TIFF/Password Protected F Fax Features: Walk-up Fax includes LAN Fax, Dir Fax, Fax Forward to Email), Unified Address Boc Optical Character Recognition (OCR)
OBILE AND CLOUD	READY		
lobile Printing	Apple [®] AirPrint ^{® 5} , Google Cloud Print [™] Re	eady, Xerox [®] Print Service and Mopria [®] Print Ser	vice Plug-ins for Android™, @PrintByXerox
lobility Options		ud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ , Xer	
loud Connectors ³			5 [®] , Box [®] , Xerox [®] DocuShare [®] Platform ⁴ and more
ENCHMARK SECUR	5	,,,	
letwork Security	1	Authentication, SNMPv3, SSL/TLS, Security Cer	tificates, Pre-installed Self-signed Certificates, Cisco® Identity
evice Access		iternal firewall, Port/IP/Domain Filtering, Audit L Reader Bay	og, Access Controls, User Permissions, Smart Card Enabled
Oata Protection	Setup/Security Wizards, Job Level Encryp	tion via HTTPS/IPPS submission, Encrypted har)8) (undergoing evaluation), Encrypted Apps wit	
ocument Security		mail (B405), Password Protected PDF (B405)	and a second part of the second se
	ERATION SERVICES		
int Management	Xerox [®] Print Management and Mobility	Suite ⁴ , Configuration Cloning, Xerox [®] Standard A	Accounting, Equitrac ⁴ , Y Soft ⁴ and more
anaging Print	-	Assistance, Auto Meter Read, Managed Print Se	
ustainability	Cisco EnergyWise [®] , Earth Smart Printing		
	55		
ATEWAY TO NEW P	Xerox [®] Fasy Translator (R405) ⁴ Xerox [®] H	ealthcare MEP (B405–LLS only) ⁴ CanturePoint	
Cloud Services ferox App Gallery		ealthcare MFP (B405 – U.S. only) ⁴ , CapturePoin Visit www.xerox.com/appgallery for a growin	g selection of Xerox® apps available for adding functions to the

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications		Options 550-sheet Feeder (B400) 550-sheet Feeder (B405) Productivity Kit with 16 GB Solid State Drive	497K13620 497K13630 097S04913	^a Nverage standard pages. Declared tield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode. ⁸ Approximate pages. Declared yield will vary depending
Supplies Standard Capacity Toner Cartridge: 5,900 pages ⁷ High Capacity Toner Cartridge: 13,900 pages ⁷	106R03580 106R03582	Stand Wireless Network Adapter (Wi-Fi Kit) External Card Reader/RFID Kit (B400)	497K13660 497K16750 497K18380	on job run length, media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF.
Extra High Capacity Toner Cartridge: 24,600 pages ⁷ Drum Cartridge: 65,000 pages ⁸	106R03584 101R00554	Internal Card Reader/RFID Kit (B405)	497K18120	Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersalinkB400Specs or www.xerox.com/VersalinkB405Specs.

XEROX® VERSALINK® C400 COLOR PRINTER AND C405 COLOR MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink C400/N	VersaLink C400/DN	VersaLink C405/N	VersaLink C405/DN		
Speed	Up to 36 ppm color and black-and-white (Letter)/35 ppm color and black-and-white (A4)					
Duty Cycle ¹	Up to 80,000 pages/month ¹					
rocessor/Memory	1.05 GHz Dual-Core/2 GB					
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair					
Controller Features	Unified Address Book (C405), Configuration Cloning, Scan Preview (C405), Xerox Extensible Interface Platform [®] , Xerox App Gallery, Xerox [®] Standard Accounting, Online Support (accessed from the user interface and print driver)					
Paper Handling Paper Input Standard	NA		Single-pass Duplex Auton Custom Sizes: 5.5 x 5.5 in. to	natic Document Feeder (DADF): 50 sheets: o 8.5 x 14 in./140 x 140 mm to 216 x 356 mm		
	Bypass Tray: 150 sheets; Custo	om sizes: 3 x 5 in. to 8.5 x 14 in./76 x 12	7 mm to 216 x 356 mm			
	Tray 1: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in./148 x 210 mm to 216 x 356 mm					
Optional	Tray 2: 550 sheets; Custom size	es: 5.8 x 8.3 in. to 8.5 x 14 in./148 x 210	mm to 216 x 356 mm			
aper Output	250 sheets					
utomatic Two-sided Printing	N/A	Standard	N/A	Standard		
rint and Copy Resolution	Print: Up to 600 x 600 x 8 dpi		Print: Up to 600 x 600 x 8 d	lpi; Copy: Up to 600 x 600 dpi		
irst-print-out Time	As fast as 13 seconds color/12 s	seconds black-and-white				
irst-copy-out Time	As fast as 11 seconds color/8 se	conds black-and-white				
age Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JF	PEG/HP-GL/Adobe [®] PostScript [®] 3™				
NTUITIVE USER EX	PERIENCE	·				
Customize and Personalize	Walkup customization, Personc Gallery and Xerox® App Studio	alize Home Screen by User, Multiple Hon	ne Screens with Simple ID, Customize	by Site, Function or Workflow with Xerox App		
rint Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®					
erox [®] Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning					
review	NA		Preview of Scan/Fax with Zo	oom, Rotate, Add Page		
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox [®] Earth Smart Driver Settings, Job Identification, Booket Creation, Store and Reca Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode					
Scan and Fax ²	NA Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Sing Multi-Page PDF/XPS/TIFF/Password Protected PDF, Fax Features: Walk- includes LAN Fax, Direct Fax, Fax Forward to Email), Unified Address Bo Optical Character Recognition (OCR)					
MOBILE AND CLOUD	READY					
Mobile Printing	Apple [®] AirPrint ^{®5} , Google Cloud	d Print™ Ready, Xerox® Print Service and	Mopria® Print Service Plug-ins for An	droid™, @PrintByXerox		
Mobility Options	Xerox [®] Mobile Print and Mobile Visit www.xerox.com/officem	e Print Cloud ⁴ , Connect via NFC/Wi-Fi Di I obileapps for available apps.	rect Printing ⁴ , Xerox [®] Mobile Link App	o (C405) ³ .		
Cloud Connectors ³	Print from/Scan to ⁶ Google Driv	ve™, Microsoft® OneDrive®, Dropbox™, N	licrosoft Office 365 [®] , Box [®] , Xerox [®] Do	ocuShare® Platform ⁴ and more		
ENCHMARK SECURI	ТҮ					
Vetwork Security	IPsec, HTTPS, encrypted email. Services Engine (ISE) integratic		/TLS, Security Certificates, Pre-installe	ed Self-signed Certificates, Cisco® Identity		
Device Access	Firmware Verification, User acc PIV/.NET), Xerox® Integrated C		n Filtering, Audit Log, Access Controls	, User Permissions, Smart Card Enabled (CAC/		
Data Protection		vel Encryption via HTTPS/IPPS submissi 8) (undergoing evaluation), Encrypted /		FIPS 140-2) and image overwrite, Common port		
Ocument Security	Secure Print, Secure Fax (C405)	, Secure Email (C405), Password Protect	ed PDF (C405)			
NABLES NEXT GENE	RATION SERVICES					
rint Management	Xerox [®] Print Management and	Mobility Suite ⁴ , Configuration Cloning,	Xerox® Standard Accounting, Equitra	c ⁴ , Y Soft ⁴ and more		
lanaging Print	Xerox® Device Manager, Xerox®	[®] Support Assistance, Auto Meter Read,	Managed Print Services tools			
ustainability	Cisco EnergyWise®, Earth Smar	t Printing, Print User ID on margins				
GATEWAY TO NEW P	OSSIBILITIES					
Cloud Services	Xerox [®] Easy Translator (C405) ⁴	, Xerox® Healthcare MFP (C405 – U.S. or	nly)4, CapturePoint™ (C405)4, many a	dditional services available		
	Many apps and cloud services of					

www.xerox.com/xeroxappgallery; ⁴ Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list; ⁶ Scan to available for C405.

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications Supplies Extra High Capacity Print Cartridges: Black: 10,500 std. pages ⁷ Cyan: 8,000 std. pages ⁷	106R03524 106R03526	Standard Capacity Print Cartridges: Black: 2,500 std. pages ⁷ Cyan: 2,500 std. pages ⁷ Magenta: 2,500 std. pages ⁷ Yellow: 2,500 std. pages ⁷ Routine Maintenance Items: Imaging Unit (includes 4 imaging units):	106R03500 106R03502 106R03503 106R03501	Options 550-sheet Feeder Productivity Kit with 320 GB HDD Stand Wireless Network Adapter (Wi-Fi Kit) External Card Reader/RFID Kit (C400) Internal Card Reader/RFID Kit (C405)	097S04400 097S04914 497K13660 497K16750 497K18380 497K18320
Magenta: 8,000 std. pages ⁷ Yellow: 8,000 std. pages ⁷	106R03527 106R03525	60,000 std. pages each ⁸ Waste Cartridge: 30,000 std. pages ⁸	108R01121 108R01124	⁷ Average standard pages. Declared Yield in accor ISO/IEC 19798. Yield will vary based on image,	
High Capacity Print Cartridges: Black: 5,000 std. pages ⁷ Cyan: 4,800 std. pages ⁷ Magenta: 4,800 std. pages ⁷ Yellow: 4,800 std. pages ⁷	106R03512 106R03514 106R03515 106R03513			and print mode. ⁸ Approximate pages. Declared yield will vary depe on job run length and media size/orientation a machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF	nd

For more detailed specifications, go to www.xerox.com/VersalinkC400Specs or www.xerox.com/VersalinkC405Specs.

XEROX® VERSALINK® C500 COLOR PRINTER AND C505 COLOR MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink C500/N	VersaLink C500/DN	VersaLink C505/S	VersaLink C505/X	
Speed	Up to 45 ppm letter/Up to 43 ppm A	44			
Duty Cycle ¹	Up to 120,000 pages/month ¹				
Processor/Memory/Hard Drive	1.05 GHz/2 GB/optional 250 GB HD	D	1.05 GHz/4 GB/optional 250 G	GB HDD 1.05 GHz/4 GB/standard 250 GB HDI	
Connectivity	Ethernet 10/100/1000 Base-T, High supported), NFC Tap-to-Pair	-speed USB 3.0, Wi-Fi 802.11n and	Wi-Fi Direct with optional Wi-Fi Kit (con	current wired and wireless connections	
Controller Features	Unified Address Book (C505), Config Xerox® Standard Accounting, Online		05), Xerox Extensible Interface Platform	®, Xerox App Gallery,	
Paper Handling Paper Input Standard	NA			tic Document Feeder (DADF): 100 sheets; .5 x 14 in./140 x 140 mm to 216 x 356 mm	
	Bypass Tray: Up to 150 sheets; Cus Tray 1: Up to 550 sheets; Custom si	tom sizes: 3 x 5 in. to 8.5 x 14 in./7 zes: 3 x 7.5 in. to 8.5 x 14 in./76 x 1	5 x 127 mm to 216 x 356 mm 90 mm to 216 x 356 mm		
Optional	Up to 4 Additional Trays: Up to 55 High Capacity Feeder: Up to 2,000	50 sheets; Custom sizes: 3 x 7.5 in. t 0 sheets; 8.5 x 11 in. to 8.27 x 11.69	o 8.5 x 14 in./76 x 190 mm to 216 x 356 i in./216 x 356 mm to 210 x 297 mm	mm	
Paper Output Standard	500 sheets		400 sheets		
Automatic Two-sided Output	N/A	Standard			
Copy and Print Resolution	Print: Up to 1200 x 2400 dpi		Print: Up to 1200 x 2400 dpi;	Copy: Up to 600 x 400 dpi	
First-page-out Time (as fast as)	Print: As fast as 10 seconds color/8.	5 seconds black-and-white	Print: As fast as 9 seconds col Copy: As fast as 7 seconds co		
Page Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/	'HP-GL/Adobe [®] PostScript [®] 3™			
INTUITIVE USER EXPE	RIENCE				
Customize and Personalize	Walkup customization, Personalize H Gallery and Xerox® App Studio	Home Screen by User, Multiple Hor	ne Screens with Simple ID, Customize by	y Site, Function or Workflow with Xerox App	
Print Drivers	Job Identification, Bi-directional Sta	tus, Job Monitoring, Xerox® Globa	Print Driver [®] and Mobile Express Driver	0	
Xerox [®] Embedded Web Server	PC or mobile—Status Information,	Responsive Design, Settings, Devic	e Management, Cloning		
Preview	NA Preview of Scan/Fax with Zoom, Rotate, Add Page				
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox [®] Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Reca Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode				
Scan	NA Optical Character Recognition (OCR), Scan to USB/Email/Net SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Conven Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/T Protected PDF				
Fax ²	NA		Fax Features (C505/X only): W Forward to Email)	/alk-up Fax (includes LAN Fax, Direct Fax, Fax	
MOBILE AND CLOUD R	EADY		· · · · ·		
Mobile Printing	Apple [®] AirPrint ^{®5} , Google Cloud Prin	it™ Ready, Xerox® Print Service and	Mopria® Print Service Plug-ins for Andro	oid™, @PrintByXerox	
Mobility Options	Xerox [®] Mobile Print and Mobile Prin Visit www.xerox.com/officemobil		rect Printing ⁴ , Xerox [®] Mobile Link App (0	2505) ³ .	
Cloud Connectors ³	Print from/Scan to ⁶ Google Drive™, N	Microsoft [®] OneDrive [®] , Dropbox [™] , N	licrosoft Office 365 [®] , Box [®] , Xerox [®] Docu	uShare® Platform4 and more	
BENCHMARK SECURIT	Y				
Network Security	IPsec, HTTPS, encrypted email. Net Cisco® Identity Services Engine (ISE		/TLS, Security Certificates, Pre-installed	Self-signed Certificates,	
Device Access	Firmware Verification, User access a (CAC/PIV/.NET), Integrated Card Re		n Filtering, Audit Log, Access Controls, L	Jser Permissions, Smart Card Enabled	
Data Protection	Setup/Security Wizards, Job Level Er Criteria Certification (ISO 15408) (u	ncryption via HTTPS/IPPS submissi ndergoing evaluation), Encrypted	on, Encrypted hard disk (AES 256-bit, FI Apps with Embedded Certificate Suppor	IPS 140-2) and image overwrite, Common rt	
Document Security	Secure Print, Secure Fax (C505/X), S	ecure Email (C505), Password Prot	ected PDF (C505)		
ENABLES NEXT GENER	ATION SERVICES				
Print Management	Xerox [®] Print Management and Mob	ility Suite4, Configuration Cloning,	Xerox [®] Standard Accounting, Equitrac ⁴ ,	Y Soft ⁴ and more	
Managing Print	Xerox [®] Device Manager, Xerox [®] Sup	port Assistance, Auto Meter Read,	Managed Print Services tools		
Sustainability	Cisco EnergyWise®, Earth Smart Prir	nting, Print User ID on margins			
GATEWAY TO NEW POS	SSIBILITIES				
Cloud Services	Xerox [®] Easy Translator (C505) ⁴ , Xero	ox [®] Healthcare MFP (C505 − U.S. o	nly) ⁴ , CapturePoint™ (C505) ⁴ , many add	itional services available	
Xerox App Gallery	Many apps and cloud services availe Printer/MFP.	able. Visit www.xerox.com/appg	llery for a growing selection of Xerox® a	apps available for adding functions to the	

Certifications Extra High Capacity Toner Cartridges: Stand/Caster Base 097S04954 Cyan: 9,000 pages 106R03866 Productivity Kit with 250 GB HDD 497K18360 To view the latest list of certifications, go to www.xerox.com/OfficeCertifications Magenta: 9,000 pages⁷ 106R03867 Wireless Network Adapter (Wi-Fi Kit) 497K16750 Yellow: 9,000 pages⁷ Cyan Drum Cartridge: 40,000 pages⁸ 106R03868 External Card Reader / RFID Kit 497K18380 **Supplies** 108R01481 Internal Card Reader / RFID Kit 497K18120 Standard Capacity Toner Cartridges: Magenta Drum Cartridge: 40,000 pages⁸ Yellow Drum Cartridge: 40,000 pages⁸ Black Drum Cartridge: 40,000 pages⁸ 108R01482 Black: 5,000 pages⁷ 106R03862 ⁷ Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage 108R01483 Cyan: 2,400 pages⁷ Magenta: 2,400 pages⁷ 106R03859 108R01484 106R03860 and print mode. Waste Cartridge: 30,000 pages⁸ 108R01416 Yellow: 2,400 pages⁷ 106R03861 ⁸ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. Options High Capacity Toner Cartridges: 550-sheet Feeder 097504949 For more information, visit http://www.office.xerox.com/latest/ Black: 12,100 pages⁷ 106R03869 2,000-sheet High Capacity Feeder SUPGL-01.PDF. Cyan: 5,200 pages⁷ 106R03863 (includes Stand/Caster Base) 097504948 Magenta: 5,200 pages⁷ 106R03864 Configurations vary by geography. 097S04955 Cabinet (includes Stand/Caster Base) Yellow: 5,200 pages⁷ 106R03865

For more detailed specifications, go to www.xerox.com/VersaLinkC500Specs or www.xerox.com/VersaLinkC505Specs.

XEROX® VERSALINK® B600 PRINTER AND B605 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B600 Printer DN, DT, DX, DXF, DXP	VersaLink B605 Multifunction Printer S, X, SF, SP, XF, XP, XTF, XTP				
peed	Up to 58 ppm letter/Up to 55 ppm A4					
Duty Cycle ¹	Up to 250,000 pages/month ¹					
Processor/Memory/Hard Drive	1.05 GHz ARM Dual Core/2 GB/Optional 250 GB HDD	1.05 GHz ARM Dual Core/2 GB/250 GB HDD				
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi D supported), NFC Tap-to-Pair	irect with optional Wi-Fi Kit (concurrent wired and wireless connections				
Controller Features	Unified Address Book (B605), Configuration Cloning, Scan Preview (B605), Xerox Extensible Interface Platform®, Xerox® App Gallery, Xerox® Standard Accounting, Online Support (accessed from the user interface and print driver)					
Paper Handling Paper Input Standard	NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm				
Paper Input Standard	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127	mm to 216 x 356 mm				
Optional	Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm Up to 4 Additional Trays (1 Additional Tray standard on B600/DT): Up to 55					
	356 mm High Capacity Feeder (Standard on DX, DXF and DXP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4	High Capacity Feeder (Standard on XTF and XTP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4				
Paper Output Standard	500 sheets	400 sheets without finishing options; 500 sheets with finishing options				
Optional	Finisher (Standard on DXF, not available on DXP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on DXP, not available on DXF): Four 100-sheet bins	Finisher (Standard on SF, XF, XTF; not available on S, X, SP, XP, XTP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on SP, XP, XTP, not available on S, X, SF, XF, XTF): Four 100-sheet bins				
Automatic Two-sided Output	Standard					
Copy and Print Resolution	Print: Up to 1200 x 1200 dpi	Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi				
irst-page-out Time	Print: As fast as 6.3 seconds	Print: As fast as 7.5 seconds; Copy: As fast as 5.8 seconds from the Platen				
Page Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]					
NTUITIVE USER EXPE	RIENCE					
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Scree Gallery and Xerox $^{\otimes}$ App Studio	ens with Simple ID, Customize by Site, Function or Workflow with Xerox App				
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print D	river® and Mobile Express Driver®				
Kerox [®] Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning					
Preview	NA Preview of Scan/Fax with Zoom, Rotate, Add Page					
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox [®] Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft					
Scan	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/ SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Feature Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF				
Fax ²	NA	Fax Features (B605/X, XF, XP, XTF, XTP only): Walk-up Fax (includes LAN Fax Direct Fax, Fax Forward to Email)				
MOBILE AND CLOUD RE	ADY					
Mobile Printing	Apple [®] AirPrint ^{®5} , Google Cloud Print [™] Ready, Xerox [®] Print Service and Mopric	[®] Print Service Plug-ins for Android™, @PrintByXerox				
Mobility Options	Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Pri Visit www.xerox.com/officemobileapps for available apps.					
Cloud Connectors ³	Print from/Scan to ⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsof	ft Office 365®, Box®, Xerox® DocuShare® Platform4 and more				
BENCHMARK SECURITY						
	IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity					
	Services Engine (ISE) integration	Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled				
Network Security	Services Engine (ISÉ) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri	ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled				
Network Security Device Access	Services Engine (ISÉ) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common				
Network Security Device Access Data Protection	Services Engine (ISÉ) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support				
Network Security Device Access Data Protection Document Security	Services Engine (ISÉ) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wi Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support				
Network Security Device Access Data Protection Document Security ENABLES NEXT GENER	Services Engine (ISÉ) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wi Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support ^c (B605)				
Network Security Device Access Data Protection Document Security ENABLES NEXT GENER/ Print Management	Services Engine (ISÉ) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox [®] Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wi Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF ATION SERVICES	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support F (B605) Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more				
Network Security Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Managing Print	Services Engine (ISÉ) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox [®] Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wi Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF ATION SERVICES Xerox [®] Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox [®]	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support F (B605) Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more				
Network Security Device Access Data Protection Document Security ENABLES NEXT GENER / Print Management Managing Print Sustainability	Services Engine (ISÉ) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wi Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF ATION SERVICES Xerox® Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox® Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Manag Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support F (B605) Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more				
Network Security Device Access Data Protection Document Security ENABLES NEXT GENER Print Management Managing Print Sustainability GATEWAY TO NEW POS	Services Engine (ISÉ) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wi Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF ATION SERVICES Xerox® Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox® Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Manag Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins SIBILITIES	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support ? (B605) Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more ged Print Services tools				
Network Security Device Access Data Protection Document Security ENABLES NEXT GENER/ Print Management Managing Print Sustainability GATEWAY TO NEW POS Cloud Services Xerox App Gallery	Services Engine (ISÉ) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wi Secure Print, Secure Fax (B605), Secure Email (B605), Password Protected PDF ATION SERVICES Xerox® Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox® Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Manag Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins	rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support ? (B605) Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more ged Print Services tools				

Certifications Options To view the latest list of certifications, go to 550-sheet Feeder www.xerox.com/OfficeCertifications. 2,000-sheet High Capacity Feeder Supplies (includes Stand/Caster Base) Standard Capacity Toner Cartridge: Cabinet (includes Stand/Caster Base) Black: 10,300 pages ⁷ 106R03940 Stand/caster Joner Cartridge: Finisher (500 sheets, 50-sheet stap Black: 25,900 pages ⁷ 106R03942 Extra High Capacity Toner Cartridge: Wireless Network Adapter (Wi-Fi Ki Black: 46,700 pages ⁷ 106R03944 Productivity Kit with 250 GB HDD Productivity Kit with 250 GB HDD Drum Cartridge: BITD Card Reader Kit	097S04954 http://www.office.xerox.com/latest/SUPGL-01.PDF.
---	--

For more detailed specifications, go to www.xerox.com/VersaLinkB600Specs or www.xerox.com/VersaLinkB605Specs.

XEROX® VERSALINK® B610 PRINTER AND B615 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B610 Printer DN, DT, DX, DXF, DXP	VersaLink B615 Multifunction Printer SF, SP, XF, XP, XTF, XTP			
Speed	Up to 65 ppm letter/Up to 63 ppm A4				
Duty Cycle ¹	Up to 275,000 pages/month ¹				
Processor/Memory/Hard Disk Drive	1.05 GHz ARM Dual Core/2 GB/Optional 250 GB HDD	1.05 GHz ARM Dual Core/2 GB/250 GB HDD			
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair				
Controller Features	Unified Address Book (B615), Configuration Cloning, Scan Preview (B615), Xerc Accounting, Online Support (accessed from the user interface and print driver)				
Paper Handling Paper Input Standard	NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 5.5 in. to 8.5 x 14 in./140 x 140 mm to 216 x 356 mm			
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 8.5 in. to 8.5 x 14 in./76 x 19 Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm				
Optional	Up to 4 Additional Trays (1 Additional Tray standard on B610/DT): Up to 550	sheets each; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 m			
	High Capacity Feeder (Standard on DX, DXF and DXP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4	High Capacity Feeder (Standard on XTF, XTP): Up to 2,000 sheets; Standard sizes: 8.5 x 11 in./A4			
aper Output Standard	500 sheets	400 sheets without finishing options; 500 sheets with finishing options			
Optional	Finisher (Standard on DXF, not available on DXP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on DXP, not available on DXF): Four 100-sheet bins	Finisher (Standard on SF, XF, XTF; not available on SP, XP, XTP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on SP, XP, XTP; not available on SF, XF, XTF): Four 100-sheet bins			
utomatic Two-sided Output	Standard				
Copy and Print Resolution	Print: Up to 1200 x 1200 dpi	Print: Up to 1200 x 1200 dpi; Copy: Up to 600 x 600 dpi			
irst-page-out Time	Print: As fast as 7.1 seconds	Print: As fast as 6.6 seconds; Copy: As fast as 5.4 seconds from the Platen			
age Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]				
NTUITIVE USER EX					
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Scree Gallery and Xerox® App Studio				
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print D	•			
Kerox [®] Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Mana				
Preview	NA	Preview of Scan/Fax with Zoom, Rotate, Add Page			
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox [®] Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft				
Scan	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/ SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF			
	NA Fax Features (XF, XP, XTF, XTP only): Walk-up Fax (includes LA				
ax ²	NA	Fax, Fax Forward to Email)			
OBILE AND CLOUD		Fax, Fax Forward to Email)			
AOBILE AND CLOUD Nobile Printing	READY	Fax, Fax Forward to Email) [®] Print Service Plug-ins for Android™, @PrintByXerox			
AOBILE AND CLOUD Nobile Printing Nobility Options	R E A D Y Apple® AirPrint®5, Google Cloud Print™ Ready, Xerox® Print Service and Mopria Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Prin	Fax, Fax Forward to Email) ® Print Service Plug-ins for Android™, @PrintByXerox nting4, Xerox® Mobile Link App (B615)3.			
MOBILE AND CLOUD Mobile Printing Mobility Options Cloud Connectors ³	R E A D Y Apple® AirPrint® ⁵ , Google Cloud Print™ Ready, Xerox® Print Service and Mopria Xerox® Mobile Print and Mobile Print Cloud ⁶ , Connect via NFC/Wi-Fi Direct Print Visit www.xerox.com/officemobileapps for available apps. Print from/Scan to ⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft	Fax, Fax Forward to Email) ® Print Service Plug-ins for Android™, @PrintByXerox nting4, Xerox® Mobile Link App (B615)3.			
ax ² MOBILE AND CLOUD Mobile Printing Mobility Options Cloud Connectors ³ BENCHMARK SECURI Network Security	R E A D Y Apple® AirPrint® ⁵ , Google Cloud Print™ Ready, Xerox® Print Service and Mopria Xerox® Mobile Print and Mobile Print Cloud ⁶ , Connect via NFC/Wi-Fi Direct Print Visit www.xerox.com/officemobileapps for available apps. Print from/Scan to ⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft	Fax, Fax Forward to Email) [®] Print Service Plug-ins for Android [™] , @PrintByXerox hting ⁴ , Xerox [®] Mobile Link App (B615) ³ . t Office 365 [®] , Box [®] , Xerox [®] DocuShare [®] Platform ⁴ and more			
MOBILE AND CLOUD Mobile Printing Mobility Options Cloud Connectors ³ BENCHMARK SECURI	R E A D Y Apple® AirPrint® ⁵ , Google Cloud Print™ Ready, Xerox® Print Service and Mopria Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Print Visit www.xerox.com/officemobileapps for available apps. Print from/Scan to ⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft T Y IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filterii (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay	Fax, Fax Forward to Email) [®] Print Service Plug-ins for Android [™] , @PrintByXerox nting ⁴ , Xerox [®] Mobile Link App (B615) ³ . t Office 365 [®] , Box [®] , Xerox [®] DocuShare [®] Platform ⁴ and more ecurity Certificates, Pre-installed Self-signed Certificates, Cisco [®] Identity ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled			
MOBILE AND CLOUD Mobile Printing Mobility Options Cloud Connectors ³ BENCHMARK SECURI Vetwork Security Device Access	R E A D Y Apple® AirPrint® ⁵ , Google Cloud Print™ Ready, Xerox® Print Service and Mopria Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Print Visit www.xerox.com/officemobileapps for available apps. Print from/Scan to ⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft T Y IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri	Fax, Fax Forward to Email) [®] Print Service Plug-ins for Android [™] , @PrintByXerox titing ⁴ , Xerox [®] Mobile Link App (B615) ³ . t Office 365 [®] , Box [®] , Xerox [®] DocuShare [®] Platform ⁴ and more ecurity Certificates, Pre-installed Self-signed Certificates, Cisco [®] Identity ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common			
A OBILE AND CLOUD Aobile Printing Aobility Options Cloud Connectors ³ BENCHMARK SECURI Network Security Device Access Data Protection	R E A D Y Apple® AirPrint® ⁵ , Google Cloud Print™ Ready, Xerox® Print Service and Mopria Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Print Visit www.xerox.com/officemobileapps for available apps. Print from/Scan to ⁶ Google Drive [™] , Microsoft® OneDrive [®] , Dropbox [™] , Microsoft T Y IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox [®] Integrated Card Reader Bay Setup/Security Wizards. Job Level Encryption via HTTPS/IPPS submission. Encl	Fax, Fax Forward to Email) Print Service Plug-ins for Android™, @PrintByXerox nting ⁴ , Xerox® Mobile Link App (B615) ³ . t Office 365®, Box®, Xerox® DocuShare® Platform ⁴ and more ecurity Certificates, Pre-installed Self-signed Certificates, Cisco® Identity ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support			
A OBILE AND CLOUD Abile Printing Ability Options Cloud Connectors ³ ENCHMARK SECURI Jetwork Security Device Access Data Protection Document Security	R E A D Y Apple® AirPrint® ⁵ , Google Cloud Print™ Ready, Xerox® Print Service and Mopria Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Print Visit www.xerox.com/officemobileapps for available apps. Print from/Scan to ⁶ Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft T Y IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filterii (CAC/PIVI.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encr Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wi Secure Print, Secure Fax (B615), Secure Email (B615), Password Protected PDF	Fax, Fax Forward to Email) Print Service Plug-ins for Android™, @PrintByXerox nting ⁴ , Xerox® Mobile Link App (B615) ³ . t Office 365®, Box®, Xerox® DocuShare® Platform ⁶ and more ecurity Certificates, Pre-installed Self-signed Certificates, Cisco® Identity ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support			
A OBILE AND CLOUD Aobile Printing Aobility Options Ioud Connectors ³ ENCHMARK SECURI letwork Security vevice Access Data Protection Document Security NABLES NEXT GENE rint Management	R E A D Y Apple® AirPrint®5, Google Cloud Print™ Ready, Xerox® Print Service and Mopria Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Print Visit www.xerox.com/officemobileapps for available apps. Print from/Scan to ⁶ Google Drive [™] , Microsoft® OneDrive [®] , Dropbox [™] , Microsoft T Y IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filteri (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Enc Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wi Secure Print, Secure Fax (B615), Secure Email (B615), Password Protected PDF RATION SERVICES Xerox [®] Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox [®]	Fax, Fax Forward to Email) [®] Print Service Plug-ins for Android [™] , [®] PrintByXerox nting ⁴ , Xerox [®] Mobile Link App (B615) ³ . t Office 365 [®] , Box [®] , Xerox [®] DocuShare [®] Platform ⁴ and more ecurity Certificates, Pre-installed Self-signed Certificates, Cisco [®] Identity ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support (B615) Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more			
A OBILE AND CLOUD Aobile Printing Aobility Options Cloud Connectors ³ BENCHMARK SECURI Network Security Device Access Data Protection Document Security ENABLES NEXT GENE rint Management Aanaging Print	R E A D Y Apple® AirPrint®5, Google Cloud Print™ Ready, Xerox® Print Service and Mopria Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Print Visit www.xerox.com/officemobileapps for available apps. Print from/Scan to ⁶ Google Drive [™] , Microsoft® OneDrive [®] , Dropbox [™] , Microsoft T Y IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filterii (CAC/PIV/.NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encry Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wi Secure Print, Secure Fax (B615), Secure Email (B615), Password Protected PDF E ATION SERVICES Xerox [®] Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox [®] Xerox [®] Device Manager, Xerox [®] Support Assistance, Auto Meter Read, Manag	Fax, Fax Forward to Email) [®] Print Service Plug-ins for Android [™] , [®] PrintByXerox nting ⁴ , Xerox [®] Mobile Link App (B615) ³ . t Office 365 [®] , Box [®] , Xerox [®] DocuShare [®] Platform ⁴ and more ecurity Certificates, Pre-installed Self-signed Certificates, Cisco [®] Identity ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support (B615) Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more			
MOBILE AND CLOUD Aobile Printing Mobility Options Cloud Connectors ³ BENCHMARK SECURI Network Security Device Access Data Protection Document Security Print Management Managing Print Sustainability	R E A D Y Apple® AirPrint® ⁵ , Google Cloud Print™ Ready, Xerox® Print Service and Mopria Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Print Visit www.xerox.com/officemobileapps for available apps. Print from/Scan to ⁶ Google Drive [™] , Microsoft® OneDrive [®] , Dropbox [™] , Microsoft T Y IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filterii (CAC/PIV/.NET), Xerox [®] Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encr Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wi Secure Print, Secure Fax (B615), Secure Email (B615), Password Protected PDF E RATION SERVICES Xerox [®] Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox [®] Xerox [®] Device Manager, Xerox [®] Support Assistance, Auto Meter Read, Manag Cisco EnergyWise [®] , Earth Smart Printing, Print User ID on margins	Fax, Fax Forward to Email) [®] Print Service Plug-ins for Android [™] , [®] PrintByXerox tting ⁴ , Xerox [®] Mobile Link App (B615) ³ . t Office 365 [®] , Box [®] , Xerox [®] DocuShare [®] Platform ⁴ and more ecurity Certificates, Pre-installed Self-signed Certificates, Cisco [®] Identity ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support (B615) Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more			
MOBILE AND CLOUD Mobile Printing Mobility Options Cloud Connectors ³ BENCHMARK SECURI Network Security Device Access Data Protection Document Security ENABLES NEXT GENE Print Management Managing Print Sustainability SATEWAY TO NEW P	READY Apple® AirPrint® ⁵ , Google Cloud Print™ Ready, Xerox® Print Service and Mopria Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Print Visit www.xerox.com/officemobileapps for available apps. Print from/Scan to ⁶ Google Drive [™] , Microsoft® OneDrive [®] , Dropbox [™] , Microsoft T T IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filterii (CAC/PIV/NET), Xerox® Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encry Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wi Secure Print, Secure Fax (B615), Secure Email (B615), Password Protected PDF ERATION SERVICES Xerox [®] Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox [®] Xerox [®] Device Manager, Xerox [®] Support Assistance, Auto Meter Read, Manag Cisco EnergyWise [®] , Earth Smart Printing, Print User ID on margins DSSIBILITIES	Fax, Fax, Forward to Email) [®] Print Service Plug-ins for Android [™] , @PrintByXerox tting ⁴ , Xerox [®] Mobile Link App (B615) ³ . t Office 365 [®] , Box [®] , Xerox [®] DocuShare [®] Platform ⁴ and more ecurity Certificates, Pre-installed Self-signed Certificates, Cisco [®] Identity ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support (B615) Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more ed Print Services tools			
MOBILE AND CLOUD Aobile Printing Mobility Options Cloud Connectors ³ BENCHMARK SECURI Network Security Device Access Data Protection Document Security Print Management Managing Print Sustainability	R E A D Y Apple® AirPrint® ⁵ , Google Cloud Print™ Ready, Xerox® Print Service and Mopria Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Print Visit www.xerox.com/officemobileapps for available apps. Print from/Scan to ⁶ Google Drive [™] , Microsoft® OneDrive [®] , Dropbox [™] , Microsoft T Y IPsec, HTTPS, encrypted email. Network Authentication, SNMPv3, SSL/TLS, Se Services Engine (ISE) integration Firmware Verification, User access and internal firewall, Port/IP/Domain Filterii (CAC/PIV/.NET), Xerox [®] Integrated Card Reader Bay Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encr Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps wi Secure Print, Secure Fax (B615), Secure Email (B615), Password Protected PDF E RATION SERVICES Xerox [®] Print Management and Mobility Suite ⁴ , Configuration Cloning, Xerox [®] Xerox [®] Device Manager, Xerox [®] Support Assistance, Auto Meter Read, Manag Cisco EnergyWise [®] , Earth Smart Printing, Print User ID on margins	Fax, Fax, Forward to Email) [®] Print Service Plug-ins for Android [™] , @PrintByXerox tting ⁴ , Xerox [®] Mobile Link App (B615) ³ . t Office 365 [®] , Box [®] , Xerox [®] DocuShare [®] Platform ⁴ and more ecurity Certificates, Pre-installed Self-signed Certificates, Cisco [®] Identity ng, Audit Log, Access Controls, User Permissions, Smart Card Enabled rypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common th Embedded Certificate Support (B615) Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more ed Print Services tools			

Certifications To view the latest list of certifications, go to www.xerox.com/OfficeCertifications. Supplies Standard Capacity Toner Cartridge: Black: 10,300 pages ⁷ 11 High Capacity Toner Cartridge:	106R03940	Options 550-sheet Feeder 2,000-sheet High Capacity Feeder (includes Stand/Caster Base) Cabinet (includes Stand/Caster Base) Stand/Caster Base Finisher (500 sheets, 50-sheet stapler)	097S04949 097S04948 097S04955 097S04954 097S04952	⁷ Average standard pages. Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and print mode. ⁸ Approximate pages. Declared yield will vary depending on job run length and media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF.
Black: 25,900 pages ⁷ 1 Extra High Capacity Toner Cartridge: Black: 46,700 pages ⁷ 1	106R03942 106R03944	4-Bin Mailbox (100 sheets per bin) Wireless Network Adapter (Wi-Fi Kit) Productivity Kit with 250 GB HDD RFID Card Reader Kit	097S04953 497K16750 497K18360 497K18380	Configurations vary by geography.
Drum Cartridge: 60,000 pages ⁸	101R00582			

For more detailed specifications, go to www.xerox.com/VersaLinkB610Specs or www.xerox.com/VersaLinkB615Specs.

DEVICE SPECIFICATIONS	VersaLink C600 Color Printer N, DN, DT, DX, DXF, DXP	VersaLink C605 Color Multifunction Printer X, XP, XF, XTF, XTP
Speed	Up to 55 ppm letter/Up to 53 ppm A4	
Duty Cycle ¹	Up to 120,000 pages/month ¹	
Processor/Memory/Hard Drive	1.05 GHz/2 GB/optional 250 GB HDD	1.05 GHz/4 GB/standard 250 GB HDD
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and supported), NFC Tap-to-Pair	Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections
Controller Features		D5), Xerox Extensible Interface Platform $^{\circ}$, Xerox App Gallery, Xerox $^{\circ}$ Standard
Paper Handling Paper Input Standard	NA	Single-Pass Duplex Automatic Document Feeder (DADF): 100 sheets; Custom sizes: 5.5 x 8 in. to 8.5 x 14 in./140 x 203 mm to 216 x 356 mm
	Bypass Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 Tray 1: Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 19	
Optional	Up to 4 Additional Trays (1 Additional Tray standard on C600/DT): U	p to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm
	High Capacity Feeder (Standard on DX, DXF, DXP): Up to 2,000 sheets; 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm	High Capacity Feeder (Standard on XTF and XTP): Up to 2,000 sheets; 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm
Paper Output Standard	500 sheets	C605X: 400 sheets; C605XP/XF/XTF/XTP: 500 sheets
Optional (Choose One)	Finisher (Standard on DXF, not available on DXP): 500-sheet tray, 50-sheet stapling Mailbox (Standard on DXP, not available on DXF): Four 100-sheet bins	Finisher (Standard on XF and XTF, not available on X, XP, XTP): 500-sheet tray, 50-sheet stapling) Mailbox (Standard on XP and XTP, not available on X, XF, XTF): Four 100-sheet bins
Automatic Two-sided Output	Standard (not available on N configuration)	
Copy and Print Resolution	Print: Up to 1200 x 2400 dpi	Print: Up to 1200 x 2400 dpi; Copy: Up to 600 x 400 dpi
First-page-out Time (as fast as)	Print: As fast as 8 seconds color and black-and-white	Print: As fast as 10 seconds color and black-and-white Copy: As fast as 7 seconds color/5 seconds black-and-white
Page Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]	
INTUITIVE USER EXPE	RIENCE	
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Hom Gallery and Xerox® App Studio	ne Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global	Print Driver® and Mobile Express Driver®
Kerox [®] Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device	
Preview	NA	Preview of Scan/Fax with Zoom, Rotate, Add Page
Print Features		ox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall
		, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode
Scan	NA	Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF
Fax ²	NA	Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)
MOBILE AND CLOUD R	EADY	
Mobile Printing	Apple [®] AirPrint ^{®5} , Google Cloud Print [™] Ready, Xerox [®] Print Service and	Mopria® Print Service Plua-ins for Android™. @PrintBvXerox
Mobility Options	Xerox [®] Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Dir Visit www.xerox.com/officemobileapps for available apps.	
Cloud Connectors ³	Print from/Scan to ⁶ Google Drive [™] , Microsoft [®] OneDrive [®] , Dropbox [™] , M	licrosoft Office 365 [®] , Box [®] , Xerox [®] DocuShare [®] Platform ⁴ and more
BENCHMARK SECURIT		
Network Security		TLS, Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity
Device Access		n Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled
Data Protection		on, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common pops with Embedded Certificate Support
Document Security	Secure Print, Secure Fax (C605), Secure Email (C605), Password Protect	
ENABLES NEXT GENER		
Print Management	Xerox [®] Print Management and Mobility Suite ⁴ , Configuration Cloning, 3	Kerox® Standard Accounting Equitrac ⁴ Y Soft ⁴ and more
Managing Print	Xerox [®] Device Manager, Xerox [®] Support Assistance, Auto Meter Read,	
Sustainability	Cisco EnergyWise [®] , Earth Smart Printing, Print User ID on margins	
GATEWAY TO NEW POS		
Cloud Services	Xerox® Easy Translator (C605) ⁴ , Xerox® Healthcare MFP (C605 – U.S. or	lv)4. CapturePoint™ (C605)4. many additional services available
Xerox App Gallery	-	llery for a growing selection of Xerox [®] apps available for adding functions
¹ Maximum volume capacity expe		res analog phone line; ³ Free optional download from Xerox App Gallery to the Printer—
Certifications	Extra High Capacity Toner Cartridges:	550-sheet Feeder 09750494
To view the latest list of certifica		106R03919 2,000-sheet High Capacity Feeder
www.xerox.com/OfficeCertifi		106R03916 (includes Stand/Caster Base) 097S0494
Supplies and Options	C600: Magenta: 16,800 pages ⁷	106R03917 Cabinet (includes Stand/Caster Base) 097S0495
The second should be second	C600: Yellow: 16 800 pages ⁷	106R03918 Stand/Caster Base 097S0495

Supplies and Options		C600: Magenta: 16,800 pages ⁷	106R03917	Cabinet (includes Stand/Caster Base)	097S04955
Standard Capacity Toner Cartridges:		C600: Yellow: 16,800 pages ⁷	106R03918	Stand/Caster Base	097S04954
Black: 6,000 pages ⁷	106R03899	C605: Black: 16,900 pages ⁷	106R03931	Productivity Kit with 250 GB HDD	497K18360
Cyan: 6,000 pages ⁷	106R03896	C605: Cyan: 16,800 pages ⁷	106R03928	Wireless Network Adapter (Wi-Fi Kit)	497K16750
Magenta: $6,000 \text{ pages}^7$	106R03897	C605: Magenta: 16,800 pages ⁷	106R03929	External Card Reader / RFID Kit (C600)	497K18380
Yellow: 6,000 pages ⁷	106R03898	C605: Yellow: 16,800 pages ⁷	106R03930	Internal Card Reader / RFID Kit (C605)	497K18120
High Capacity Toner Cartridges: Black: 12,200 pages ⁷ Cyan: 10,100 pages ⁷ Magenta: 10,100 pages ⁷ Yellow: 10,100 pages ⁷	106R03903 106R03900 106R03901 106R03902	Cyan Drum Cartridge: 40,000 pages ⁸ Magenta Drum Cartridge: 40,000 pages ⁸ Yellow Drum Cartridge: 40,000 pages ⁸ Black Drum Cartridge: 40,000 pages ⁸ Waste Cartridge: 30,000 pages ⁸	108R01485 108R01486 108R01487 108R01488 108R01416	⁷ Average standard pages. Declared Yield in accorr 19798. Yield will vary based on image, area cover ⁸ Approximate pages. Declared yield will vary da on job run length, media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-1	age and print mode. epending

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersaLinkC600Specs or www.xerox.com/VersaLinkC605Specs.

XEROX® VERSALINK® B7025/B7030/B7035 MULTIFUNCTION PRINTER

DEVICE SPECIFICATIONS	VersaLink B7025	VersaLink B7030	VersaLink B7035					
Speed	Up to 25 ppm	Up to 30 ppm	Up to 35 ppm					
Monthly Duty Cycle ¹	Up to 107,000 pages	Up to 129,000 pages	Up to 153,000 pages					
Hard Drive/Processor/Memory	320 GB HDD²/1.05 GHz Dual-core/2 GB m	320 GB HDD ² /1.05 GHz Dual-core/2 GB memory						
Connectivity	Ethernet 10/100/1000 Base-T, High-spee	d USB 3.0, Wi-Fi® and Wi-Fi Direct® with optior	al Wi-Fi Kit					
Controller Features	Unified Address Book, Configuration Cloning, Scan Preview, Xerox Extensible Interface Platform®, Xerox App Gallery, Xerox® Standard Accounting, Role Based Permissions, Convenience Authentication Enabled, Online Support							
Copy and Print Resolution	Copy: Up to 600 x 600 dpi; Print: Up to 1200 x 1200 dpi							
First-copy-out Time (as fast as)	As fast as 6.8 seconds							
First-print-out Time	As fast as 10.4 seconds	fast as 10.4 seconds As fast as 9.1 seconds As fast as 9.1 seconds						
Page Description Languages	PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-G	CL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/optional Adobe [®] PostScript [®] 3™						
Paper Input Standard	ndard Duplex Automatic Document Feeder (DADF): 110 sheets: Standard sizes: 5.5 x 8.5 in. to 11 x 17 in./A5 to A3; Custom size 11.69 x 17 in./125 x 110 mm to 297 x 431.8 mm; Custom sizes (simplex): 4.92 x 3.35 in. to 11.69 x 17 in./125 x 85 mm to 297 x							
	Bypass Tray: 100 sheets; Custom sizes: 3	.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to	297 x 431.8 mm					
	Tray 1: 520 sheets; Custom sizes: 5.5 x 7.1	7 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x	431.8 mm					
Choose One	Single Tray with Stand: 520 sheets; Cus Three Tray Module (1,560 sheets): 520 s High-Capacity Tandem Tray (2,520 she Tray 3: 870 sheets; Standard sizes: 8,5 x 1	1 in. and 7.25 x 10.5 in./A4 or B5; Tray 4: 1,130 s	182 mm to 297 x 431.8 mm 9 x 17 in./139.7 x 182 mm to 297 x 431.8 mm 7 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm; .heets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in./A4 or B5					
Optional		commercial, Monarch, DL, CS; Custom sizes: 3. ets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5	9 x 5.8 in. to 6.4 x 9.5 in./98 x 148 mm to 162 x 241 mm in./A4 or B5					
Paper Output/ Standard	Dual Catch Tray ² : 250 sheets each; Low	er tray offsets						
Finishing Optional	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (score, saddle stitch) Convenience Stapler with Work Surface: Staples 50 sheets							
NTUITIVE USER EXP	ERIENCE							
Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio							
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®							
Kerox® Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning							
Preview	Preview of Scan/Fax with Zoom, Rotate, Add Page							
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Re Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mo							
Scan	5 6 6	n to USB/Email/Network (FTP/SMB), Scan File I ge PDF/XPS/TIFF/Password Protected PDF	Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Sco					
Fax ³	Optional Walk-up Fax (one-line or three-li	ne options available, includes LAN Fax, Direct F	Fax, Fax Forward to Email), optional Fax Over IP					
MOBILE AND CLOUD R	EADY							
Aobile Printing	Apple [®] AirPrint ^{®6} , Google Cloud Print [™] Re	ady, Xerox® Print Service and Mopria® Print Ser	vice Plug-ins for Android™, @PrintByXerox					
Mobility Options	Xerox [®] Mobile Print and Mobile Print Clouvisit www.xerox.com/officemobileapp	d ^s , Connect via NFC/Wi-Fi Direct Printing ^s , Xer s for available apps.	∞x [®] Mobile Link App ⁴ .					
Cloud Connectors ⁴			5°, Box°, Xerox° DocuShare° Platform ^s and more					
BENCHMARK SECURIT	Y	•						
Network Security	IPsec, HTTPS, encrypted email. Network Services Engine (ISE) integration	Authentication, SNMPv3, SSL/TLS, Security Cer	tificates, Pre-installed Self-signed Certificates, Cisco® Identity					
Device Access		-	.og, Access Controls, User Permissions, Smart Card Enabled					
Data Protection	Setup/Security Wizards, Job Level Encrypt		d disk (AES 256-bit, FIPS 140-2) and image overwrite, Common ded Certificate Support					
Document Security	Secure Print, Secure Fax, Secure Email, Pa							
ENABLES NEXT GENER								
Print Management		uite ⁵ , Configuration Cloning, Xerox® Standard /	Accounting, Equitrac ⁵ , Y Soft ⁵ and more					
Managing Print		Assistance, Auto Meter Read, Managed Print Se						
Sustainability	Cisco EnergyWise [®] , Earth Smart Printing,							
GATEWAY TO NEW PO								
Cloud Services		e MFP (U.S. only)⁵, CapturePoint™⁵, many addi	tional services available					
Xerox App Gallery			g selection of Xerox® apps available for adding functions to the					
Maximum volume can acity evpected		d on a regular basis: ² HDD and Dual Catch Trav are	optional on Desktop model; ³ Requires analog phone line; ⁴ Free optic					

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD and Dual Catch Tray are optional on Desktop model; ³ Requires analog phone line; ⁴ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁵ Purchased option; ⁶ Visit www.apple.com for AirPrint Certification list.

For more detailed specifications, go to www.xerox.com/VersaLinkB7000Specs.

XEROX[®] VERSALINK[®] C7000 COLOR PRINTER

DEVICE SPECIFIC	ATIONS	VersaLink C7000N VersaLink C700DN				
Speed		Up to 35 ppm				
Ionthly Duty Cycle ¹		Up to 153,000 pages				
Hard Drive/Processor/Memory		320 GB HDD ² /1.05 GHz Dual-core/2 GB memory				
onnectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi® and Wi-Fi Direct® with optional Wi-Fi Kit, NFC Tap-to-Pair				
Controller Features		Configuration Cloning, Xerox Extensible Interface Platform [®] , Xerox App Gallery, Xerox [®] Standard Accounting Tool, Role Based Permissions, Convenience Authentication Enabled, Online Support				
Print Re	esolution	Up to 1200 x 2400 dpi				
irst-print-out Time		As fast as 7.6 seconds color / 5.1 seconds black-and-white				
Page Description Languages		PCL [®] 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe [®] PostScript [®] 3 [™]				
Paper Input	Standard	Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm Tray 1: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm				
	Optional	Single Tray Module: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Single Tray with Stand: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Three Tray Module (1,560 sheets): 520 sheets each; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Envelope Tray: Up to 60 envelopes: #10 commercial, Monarch, DL, C5; Custom sizes: 3.9 x 5.8 in. to 6.4 x 9.5 in./98 x 148 mm to 162 x 241 mm				
aper Output/						
		Catch Tray: 500 sheets, offsets				
	Optional	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling				
utomatic Two-sided Prin	inting	NA Standard				
NTUITIVE USE	REXPE	RIENCE				
Customize and Personali	ize	Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio				
rint Drivers		Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®				
Embedded Web Server		PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning				
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (DN configuration), Skip Blan Pages, Draft Mode				
MOBILE AND CL	OUD R	-				
Aobile Printing		Apple® AirPrint® ^s , Google Cloud Print™ Ready, Xerox® Print Service and Mopria® Print Service Plug-ins for Android™, @PrintByXerox				
Mobility Options		Xerox® Mobile Print and Mobile Print Cloud ⁴ , Connect via NFC/Wi-Fi Direct Printing ⁴ Visit www.xerox.com/officemobileapps for available apps.				
Cloud Connectors ³		Print from Google Drive®, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform4 and more				
ENCHMARK SE	CURITY	Ý				
Network Security		IPsec, HTTPS, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-signed Certificates, Cisco® Identity Services Engine (ISE) integration				
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader Bay				
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite ² , Encrypted Apps with Embedded Certificate Support				
Document Security		Secure Print				
NABLES NEXT	GENER	ATION SERVICES				
Print Management		Xerox [®] Print Management and Mobility Suite/Service ⁴ , Configuration Cloning, Xerox [®] Standard Accounting, Equitrac ⁴ , Y Soft ⁴ and more				
Managing Print		Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools				
Sustainability		Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins				
GATEWAY TO NE	EW POS	SIBILITIES				
		Many apps and cloud services available. Visit www.xerox.com/appgallery for a growing selection of Xerox® apps available for adding functions.				

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² www.xerox.com/xeroxappgallery; ^e Purchased option; ⁵ Visit www.apple.com for AirPrint Certification list.

Certifications		CMYK Drum Cartridge: 82,200 pages ⁷	113R00782	⁶ Average standard pages. Declared Yield in accordance with ISO/
To view the latest list of certifications, go to		Waste Toner Bottle: 21,200 pages ⁷	115R00129	IEC 19798, Yield will vary based on image, area coverage and
www.xerox.com/OfficeCertifications		120V Fuser	115R00137	print mode. ⁷ Approximate pages. Declared yield will vary depending
Supplies Standard Capacity Toner Cartridges: Black: 5,300 pages ⁶ Cyan: 3,300 pages ⁶ Magenta: 3,300 pages ⁶ Yellow: 3,300 pages ⁶ High Capacity Toner Cartridges: Black: 10,700 pages ⁶ Cyan: 10,100 pages ⁶ Magenta: 10,100 pages ⁶ Yellow: 10,100 pages ⁶	106R03761 106R03764 106R03763 106R03762 106R03760 106R03759 106R03759 106R03758	Options Single Tray Module Single Tray with Stand Module Three Tray Module Envelope Tray (Replaces Tray 1) HDD (320 GB Hard Drive) Wireless Network Adapter (Wi-Fi Kit) Internal Card Reader / RFID Kit	097S04910 097S04907 097S04908 497K17720 497K17740 497K16750 497K18120	on job run length, media size/orientation and machine speed. For more information, visit http://www.office.xerox.com/latest/SUPGL-01.PDF. Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/C7000PrinterSpecs.

XEROX[®] VERSALINK[®] C7020/C7025/C7030 COLOR MULTIFUNCTION PRINTER

DEVICE SPECIF	ICATIONS	VersaLink C7020	VersaLink C7025	VersaLink C7030				
Speed		Up to 20 ppm	Up to 25 ppm	Up to 30 ppm				
Monthly Duty Cycle	1	Up to 87,000 pages	Up to 107,000 pages	Up to 129,000 pages				
Hard Drive/Processo	or/Memory	320 GB HDD²/1.05 GHz Dual-core/4 GB memory						
Connectivity		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi [®] and Wi-Fi Direct [®] with optional Wi-Fi Kit, NFC Tap-to-Pair						
Controller Features		tform®, Xerox App Gallery, Xerox® Standard Accounting Tool,						
Copy and Print	Resolution	Copy: Up to 600 x 600 dpi; Print: Up to	to 1200 x 2400 dpi					
First-copy-out Time	(as fast as)	As fast as 9.0 seconds color/6.9 seconds black-and-white As fast as 7.2 seconds color/						
				5.8 seconds black-and-white				
First-print-out Time		As fast as 9.4 seconds color/ 7.2 seconds black-and-white	As fast as 9.4 seconds color/ 7.1 seconds black-and-white	As fast as 7.3 seconds color/ 5.6 seconds black-and-white				
Page Description Languages		PCL® 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/optional Adobe® PostScript® 3™						
Paper Input	Standard	Duplex Automatic Document Feeder (DADF): 110 sheets: Speed: up to 55 ipm; Custom sizes (duplex): 4.92 x 4.33 in. to 11.69 x 17 in./ 125 x 110 mm to 297 x 431.8 mm; Custom sizes (simplex): 4.92 x 3.35 in. to 11.69 x 17 in./125 x 85 mm to 297 x 431.8 mm						
		Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.87 in. to 11.69 x 17 in./88.9 x 98.4 mm to 297 x 431.8 mm						
		Tray 1: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm						
Choose One		Single Tray Module: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Single Tray with Stand: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm Three Tray Module (1,560 sheets): 520 sheets each; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm High-Capacity Tandem Tray (2,520 sheets): Tray 2: 520 sheets; Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in./139.7 x 182 mm to 297 x 431.8 mm; Tray 3: 870 sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in./A4 or B5; Tray 4: 1,130 sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in./A4 or B5						
	Optional	Envelope Tray: Up to 60 envelopes: #10 commercial, Monarch, DL, C5; Custom sizes: 3.9 x 5.8 in. to 6.4 x 9.5 in./98 x 148 mm to 162 x 241 mm High-Capacity Feeder (HCF): 2,000 sheets; Standard sizes: 8.5 x 11 in. and 7.25 x 10.5 in./A4 or B5						
Paper Output/	Standard	Dual Catch Tray ² : 250 sheets each;	ower tray offsets					
Finishing	Optional	Integrated Office Finisher: 500-sheet stacker, 50 sheets stapled, single-position stapling Office Finisher LX: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (score, saddle stitch Convenience Stapler and Work Surface: Staples 50 sheets						
INTUITIVE	JSER EXPE							
Customize and Pers	mize and Personalize Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio							
Print Drivers Job Identification, Bi-directional Status, Job Monitoring, Xerox [®] Global Print Driver [®] and Mobile Express Driver [®]				lobile Express Driver®				
Embedded Web Ser	rver	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning						
Preview		Preview of Scan/Fax with Zoom, Rotate, Add Page						
Print Features		Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Rec Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Moc						
Scan		Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF						
Fax ³		Optional Walk-up Fax (one-line or thre	e-line options available, includes LAN Fax, Direct Fa	x, Fax Forward to Email), optional Fax Over IP				
MOBILE AND	CLOUD R	EADY						
Mobile Printing		Apple [®] AirPrint ^{®6} , Google Cloud Print [™]	Ready, Xerox [®] Print Service and Mopria [®] Print Servi	ce Plug-ins for Android™, @PrintByXerox				
Mobility Options		Xerox [®] Mobile Print and Mobile Print Cloud ^s , Connect via NFC/Wi-Fi Direct Printing ^s , Xerox [®] Mobile Link App ⁴ . Visit www.xerox.com/officemobileapps for available apps.						
Cloud Connectors ⁴		Print from/Scan to Google Drive™, Mic	rosoft® OneDrive®, Dropbox™, Microsoft Office 365®	^o , Box [®] , Xerox [®] DocuShare [®] Platform ⁵ and more				
BENCHMARK	SECURIT	_						
Network Security		IPsec, HTTPS, encrypted email. Netwo Services Engine (ISE) integration	rk Authentication, SNMPv3, SSL/TLS, Security Certif	icates, Pre-installed Self-signed Certificates, Cisco® Identity				
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/NET), Integrated Card Reader Bay						
Data Protection		Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common Criteria Certification (ISO 15408) (undergoing evaluation), Encrypted Apps with Embedded Certificate Support						
Document Security		Secure Print, Secure Fax, Secure Email						
		ATION SERVICES						
Print Management				counting Tool, Equitrac ⁵ , Y Soft ⁵ and more				
Managing Print								
Sustainability		Cisco EnergyWise®, Earth Smart Printi						
GATEWAY TO	NEW PO							
Cloud Services		Xerox® Easy Translator ⁵ , Xerox® Health	icare MFP Solution (U.S. only)⁵, CapturePoint™₅, mar	ny additional services available				
Xerox App Gallery		-		selection of Xerox® apps available for adding functions.				
	apacity expected			ptional on Desktop model; ³ Requires analogue phone line;				

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² HDD and Dual Catch Tray are optional on Desktop model; ³ Requires analogue phone ⁴ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁵ Purchased option; ⁶ Visit www.apple.com for AirPrint Certification list.

For more detailed specifications, go to www.xerox.com/VersaLinkC7000Specs.

2018 Winter Pick Awards



XEROX[®] VERSALINK[®] C505 Outstanding Color Multifunction

Printer for Mid-Size Workgroups

2018 Article 2018 Certificate



XEROX[®] VERSALINK[®] C7025

Outstanding 25-ppm Color Copier MFP

2018 Article 2018 Certificate

2018 Better Buys for Business Innovative Products of the Year Award 2018 BLI Winter Pick Awards for Exceptional Color Printers and MFPs

XEROX® VERSALINK®

XEROX® VERSALINK® B7025/B7030/B7035 Black-and-white MFP category

2018 BLI Monochrome Printer/MFP Line of

the Year 🗇

B600/B605

XEROX[®] VERSALINK[®]

y Outstanding Color Printer for Mid-Size Workgroups

C500

XEROX® VERSALINK® C600 Outstanding Color Printer for Large Workgroups

XEROX[®] VERSALINK[®]

Outstanding Tabloid Color Printer for Mid-Size Workgroups

2017 Summer Pick Awards



XEROX[®] VERSALINK B400

Outstanding Printer for Mid-Size Workgroups

2017 Article 2017 Certificate



XEROX® VERSALINK C400 Outstanding Color Printer for

Mid-Size Workgroups
2017 Article 2017 Certificate



XEROX[®] VERSALINK C405

Outstanding Color Multifunction Printer for Mid-Size Workgroups

2017 Article 2017 Certificate

2018 BLI Winter Pick Awards for Exceptional Copier MFPs

XEROX® VERSALINK® B7025/B7035 Outstanding 25-ppm and 35-ppm Copier MFPs

XEROX[®] VERSALINK[®]

C7020 Outstanding 20-ppm Color Copier MFP 2017 Better Buys for Business Editor's Choice Awards

XEROX[®] VERSALINK[®] B400/B405

XEROX[®] VERSALINK[®] B7025/B7030/B7035

XEROX[®] VERSALINK[®] C400/C405

Awards

2017 - 2018 BLI PaceSetter Awards



DOCUMENT IMAGING SECURITY CATEGORY

2017 Article 2017 Certificate

MOBILE PRINT CATEGORY

2017 Article 2017 Certificate



MFP PLATFORMS AND APP ECOSYSTEMS CATEGORY

2017 Article 2017 Certificate



XEROX[®] CONNECTKEY[®] TECHNOLOGY

Outstanding Achievement in Innovation, Summer 2016

2016 Article 2016 Certificate



XEROX® EASY TRANSLATOR SERVICE

Outstanding Achievement in Innovation, Summer 2016

2016 Article 2016 Certificate



XEROX[®] APP STUDIO

Outstanding Achievement in Innovation, 2015

2015 Article 2015 Certificate



2014, 2015, 2016 AND 2017 BLI DOCUMENT IMAGING SOFTWARE LINE OF THE YEAR

2017 Article 2017 Certificate

Read more about our award winning products and solutions in our **Awards Brochure**.

For more information visit us at www.connectkey.com.

©2018 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, ConnectKey®, DocuShare®, Global Print Driver®, MeterAssistant®, Mobile Express Driver®, SuppliesAssistant®, Xerox Extensible Interface Platform® and VersaLink® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. Updated 3/18 BR21342 XOGEG-06UI

