# HP LaserJet MFP M439 series



## Count on legendary HP performance and reliability at an affordable price.

Surpass your office printer expectations with the speed, quality, and efficiency of the M439 series office printers.



HP LaserJet MFP M439n

HP LaserJet MFP M439dn



HP LaserJet MFP M439nda

### A printer to handle your printing volume needs

- Simplify workflows with automatic paper-handling solutions, efficient scan solutions, and copying. 1,2
- Conserve resources with automatic two-sided printing and copying—consume up to 50% less paper.
- Capture both sides of the page with ease, using the 100-sheet reversing automatic document feeder.
- Launch tasks at the device—streamline copying; capture a two-sided ID; and darken, enlarge, or reduce images.

### Reliable and productive

- Bring together remote monitoring and shared resources to help optimize your print environment.<sup>3</sup>
- Identify new devices and gain insight into printing with HP Web Jetadmin remote discovery and monitoring.<sup>3</sup>
- Easily set up, print, and share printing resources with built-in Ethernet networking.

## Get great value from your office printer


- Help maximize value and minimize budget impact with an attractive purchase price and affordable running costs.
- Help save budget and put affordable MFP performance to work for your business.
- Help protect your investment and get affordable running costs, using Original HP toner cartridges.

## Get to know the HP LaserJet MFP M439 series

## HP Laser Jet MFP M439nda shown



## Series at a glance



<sup>&</sup>lt;sup>1</sup> Automatic two-sided printing is standard on the HP LaserJet MFP M439 dn and nda models only. Automatic two-sided copying is standard on the M439nda model only

<sup>&</sup>lt;sup>2</sup> Reversing automatic document feeder is standard on the HP LaserJet MFP M439nda model only. It requires a separate purchase and Care Pack installation for the HP LaserJet MFP M439n and M439dn models.

<sup>&</sup>lt;sup>3</sup> Measured using ISO/IEC 24734 and excludes the first set of test documents. For more information, see <a href="hp.com/qo/printerclaims">hp.com/qo/printerclaims</a>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>&</sup>lt;sup>4</sup> All LaserJet Pro, Enterprise, Managed, and PageWide products with introductions beginning in September 2019 will include consistent worldwide default duplex settings (across bundles/drivers); product introductions before September 2019 may have inconsistent default duplex settings across drivers.

<sup>&</sup>lt;sup>5</sup> Scan speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

<sup>&</sup>lt;sup>6</sup> The optional 250-sheet paper tray is a service part that requires a Care Pack installation.

<sup>&</sup>lt;sup>7</sup> Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <a href="https://documents.ncb/hp.com/go/learnaboutsupplies">https://documents.ncb/hp.com/go/learnaboutsupplies</a>. Ships with one HP Original Black LaserJet Introductory Toner cartridge (yield ~4,000 pages) and one HP Original Imaging Drum (yield ~80,000 pages).

#### **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

## Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

#### Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

#### Basic Care (minimum recommended support):

Next Business Day Onsite Support

#### 4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

#### Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

#### Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

#### Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/qo/printservices







### Top features

With high speed printing, 100-sheet capacity, and a high yield toner and drum. Count on the capable M439 series office printers to meet your demanding printing needs.

A reliable printing system for the modern office, supporting tasks and administrative processes to keep the team moving.

A feature rich printing system that delivers great value to your business for years to come.

Product			
7ZB22A 7ZB23A 7ZB24A	HP LaserJet MFP M439n HP LaserJet MFP M439dn HP LaserJet MFP M439nda		

#### Supplies

W1333A HP 333A Black Original LaserJet Toner Cartridge (7,400 pages)

W1333X HP 333X High Yield Black Original LaserJet Toner Cartridge (13,700 pages)
W1334A HP 334A Black Original LaserJet Toner Cartridge (7,400 pages)

W1334X HP 334X High Yield Black Original LaserJet Toner Cartridge (13,700 pages)

#### **HP Care Packs**

U9JT4E HP 3 year Next Business Day w/DMR Service
U9JT5E HP 4 year Next Business Day w/DMR Service
U9JT6E HP 5 year Next Business Day w/DMR Service
U9JT7E HP 3 year 4 hour 9x5 w/DMR Service
U9JT9E HP 5 year 4 hour 9x5 w/DMR Service
U9JT9E HP 5 year 4 hour 9x5 w/DMR Service

U9JU3PE HP 1 year Post Warranty Next Business Day w/DMR Service
U9JU4PE HP 1 year Post Warranty 4 hour 9x5 w/DMR Service

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

#### Paper

Contact HP via phone: Asia: 65 6253 8500

#### Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

## HP LaserJet MFP M439 series

	Luni	LIDI LINEDIMADOL	LIDI LINEDIMADO I		
Model	HP LaserJet MFP M439n	HP LaserJet MFP M439dn	HP LaserJet MFP M439nda		
Product number Functions	7ZB22A Print, Copy, Scan	7ZB23A	7ZB24A		
Print	Ріпіт, сору, эсап				
Duplex print options		Automatic (standard)			
	Black (A4, normal): Up to 24 ppm; Black (letter, normal): Up to		24 ppm; Black (A4, duplex): Up to 12 ppm; Black (letter, duplex): Up		
Print speed	24 ppm Black (A3, normal): Up to 13 ppm; Black (letter, normal): Up to 13 ppm	to 12 ppm Black (A3, normal): Up to 13 ppm; Black (letter, normal): Up to 13 ppm; Black (A3, duplex): Up to 8 ppm; Black (letter, duplex): Up to 8 ppm			
First page out	Black (A4, ready): As fast as 8.6 sec; Black (A4, sleep): As fast as				
Print technology	Laser				
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 6	500 dpi; <b>Black (fine lines)</b> Up to 1200 x 1200 dpi			
Number of Print Cartridge models	2 (black)				
Standard print languages	PCL6, PS				
Printer management	HP Web Jetadmin				
Scan			Type: Flatbed, ADF; Technology: Digital-CMOS Image Sensors		
Scan technology	Type: riatived, recliniousy. Digital-timos liniage sensors (D-CIS)				
Scan speed	Normal (A4): Up to 33 ipm(b&w); Up to 33 ipm(color)				
Scan resolution Digital sending	<b>Enhanced:</b> Up to 4800 × 4800 dpi; <b>Hardware:</b> Up to 600 × 600 dpi; <b>Optical:</b> Up to 600 dpi				
standard features	Scan to E-mail; Send to FTP; Send to SMB; Local Address Book; S	SMTP over SSL/TLS			
Color scanning	Yes				
Scan Size	<b>Flatbed:</b> 297 x 432 mm		Flatbed: 297 x 432 mm; ADF: 297 x 432 mm		
Scan file format	PDF, JPEG, TIFF				
Copy Copier smart software					
features	ID Copy, Book Copy, N-UP, Reduce/Enlarge				
First copy out	Black (A4): As fast as 7.1 sec; Black (A4, sleep): As fast as 21.6 sec; Black (letter): As fast as 7.1 sec; Black (letter, sleep): As fast as 21.6 sec				
Max no of copies	Up to 999 copies				
Copier resize	25 to 400%				
Copier settings	600 x 600 dpi x 2 bit; Originals content settings: Text, Text/Photo, Photo, Map; Reduce/Enlarge scaling: 25 to 400%; Copy qty settings: 1 to 999; Darkness controls: 11 levels (Light, Normal, Dark) Collation: Yes (Limited); N-up: A3: 2/4/8/16-up; A4: 2/4/8-up				
Connectivity	Collation: 163 (Elimited), 14 ap. 13. 2/4/0/10 ap, 14. 2/4/0 ap				
Standard connectivity	Hi-Speed USB 2.0 Device, Ethernet 10/100 Base TX				
Wireless capability	No				
Network capabilities	Standard (build-in 10/100 Base TX Ethernet)				
Memory	Standard: 256 MB	Standard: 512 MB			
Processor speed	600 MHz	-h5-2000 t- 5000			
Duty cycle (monthly) <sup>4</sup> Paper handling	Up to 50,000 pages per month; Recommended monthly page v	olume*: 2000 to 5000			
Paper handling		oume*: 2000 to 5000			
	Tray 1: 100 sheet, Tray 2: 250 sheet Up to 250 Sheets	owner: 2000 to 5000			
Paper handling Input	Tray 1: 100 sheet, Tray 2: 250 sheet				
Paper handling Input Output Media types Media weight	Tray 1: 100 sheet, Tray 2: 250 sheet Up to 250 Sheets Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recyc Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m²	eled, Intermediate, Letterhead, Prepunched			
Paper handling Input Output Media types Media weight Media Sizes Custom	Tray 1: 100 sheet, Tray 2: 250 sheet Up to 250 Sheets Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recyc Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m² Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3	eled, Intermediate, Letterhead, Prepunched			
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h)	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recyc Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m² Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm	eled, Intermediate, Letterhead, Prepunched	560 × 583 × 505 mm		
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recyclary 1: 60 to 163 g/m², Tray 2: 60 to 110 g/m²  Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3  560 x 540 x 417 mm  25 kg (includes supplies)	eled, Intermediate, Letterhead, Prepunched	560 × 583 × 505 mm 30 kg (includes supplies)		
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h)	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recyc Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m² Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm	eled, Intermediate, Letterhead, Prepunched 154 mm;			
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box <sup>1</sup>	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets  Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recyc Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m² Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm 25 kg (includes supplies)  Power cord; Toner Cartridge; User Guide	eled, Intermediate, Letterhead, Prepunched 154 mm;			
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box <sup>1</sup> Software included	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets  Plain, Nid-weight, Light, HP LaserJet, Colored, Preprinted, Recyc Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m² Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm 25 kg (includes supplies) Power cord; Toner Cartridge; User Guide Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive	eled, Intermediate, Letterhead, Prepunched 154 mm;			
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box¹ Software included Warranty features	Tray 1: 100 sheet, Tray 2: 250 sheet Up to 250 Sheets Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycling 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m² Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm 25 kg (includes supplies) Power cord; Toner Cartridge; User Guide Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive One-year, on-site limited warranty  Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (3 5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, op	eled, Intermediate, Letterhead, Prepunched 154 mm; 154 mm; 157, HP MFP Scan, HP Scan to PC Lite 1764 bit), Windows 8.1 (32/64 bit), Windows 10 (32/64 bit), Windows 11 (32/64 bit), Windows 12, 12, 11.4, 12.1, 121.2, 12.3, 13.1, 13.2, 42.1, Ubuntu	30 kg (includes supplies)  dows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10,		
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box <sup>1</sup> Software included Warranty features Systems Compatible operating	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycling 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m² Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm 25 kg (includes supplies) Power cord; Toner Cartridge; User Guide Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive One-year, on-site limited warranty  Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (3	er, HP MFP Scan, HP Scan to PC Lite  2/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/54 bit), Windows 11. (32/54 bit), Windows 8.1 (32/54 bit),	30 kg (includes supplies)  dows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux : 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16, 17, 18		
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box <sup>1</sup> Software included Warranty features Systems Compatible operating systems' Minimum system	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recyctray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m² Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm 25 kg (includes supplies) Power cord; Toner Cartridge; User Guide Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive One-year, on-site limited warranty  Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (3 5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, op 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux En PC:CD-ROM or DVD drive, or Internet connection; dedicated USB microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2), Embedded Web Server: password protection/encryption, Secure Authentication, Support for WJA-10, IPv4/V6/mac address filter	er, HP MFP Scan, HP Scan to PC Lite  2/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/64 bit), Windows 11.1, 12.1, 121.2, 12.3, 13.1, 13.2, 42.1, Ubuntuterprise Desktop: 10, 11, 12, Debian: 6, 7, 8, 9, Linux Mint: 15, or network connection or Wireless connection; 200 MB availably 7 RAM 512 MB (1 GB) / Free HDD space 1 GB (2 GB) for Linux Erses of Client Data, configurable login failure policy, configura	30 kg (includes supplies)  idows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux : 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16, 17, 18 e hard disk space; (For OS hardware requirements see		
Paper handling Input Output Media types Media Sizes Custom Dimensions (w x d x h) Weight What's in the box¹ Software included Warranty features Systems Compatible operating systems <sup>7</sup> Minimum system requirements Security management	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recyc Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m² Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm 25 kg (includes supplies) Power cord; Toner Cartridge; User Guide Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive One-year, on-site limited warranty  Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (3 5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, op 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux En PC:CD-ROM or DVD drive, or Internet connection; dedicated USB microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2), Embedded Web Server; password protection/encryption, Secure Authentication, Support for WJA-10, IPv4/v6/mac address filteri over SSL/TLS, IPsec, SIMPy3	er, HP MFP Scan, HP Scan to PC Lite  2/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/64 bit), Windows 11.1, 12.1, 121.2, 12.3, 13.1, 13.2, 42.1, Ubuntuterprise Desktop: 10, 11, 12, Debian: 6, 7, 8, 9, Linux Mint: 15, or network connection or Wireless connection; 200 MB availably 7 RAM 512 MB (1 GB) / Free HDD space 1 GB (2 GB) for Linux Erses of Client Data, configurable login failure policy, configura	30 kg (includes supplies)  idows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16, 17, 18 e hard disk space; (For OS hardware requirements see ble auto logout, Certificate Management, Pre-Shared Key		
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box¹ Software included Warranty features Systems Compatible operating systems Minimum system requirements Security management Fonts and typefaces	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets  Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recyc Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m²  Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3  560 x 540 x 417 mm  25 kg (includes supplies)  Power cord; Toner Cartridge; User Guide  Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive  One-year, on-site limited warranty  Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (3  5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 0  16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux En  PC:CD-ROM or DVD drive, or Internet connection; dedicated USB microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2), Embedded Web Server: password protection/encryption, Secure Authentication, Support for WJA-10, IPv4/v6/mac address filteri over SSL/TLS, IPsec, SNMPv3  49 Scalable Fonts / 1 Bitmap  4-Line LCD, power button LED (White 1EA) Navi. Key LED (White	er, HP MFP Scan, HP Scan to PC Lite  2/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/64 bit), Windo	30 kg (includes supplies)  idows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16, 17, 18 e hard disk space; (For OS hardware requirements see ble auto logout, Certificate Management, Pre-Shared Key Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP		
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box¹ Software included Warranty features Systems Compatible operating systems' Minimum system requirements Security management Fonts and typefaces Control panel	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycling Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m² Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm 25 kg (includes supplies) Power cord; Toner Cartridge; User Guide Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive One-year, on-site limited warranty  Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (3 5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, op 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux En PC:CD-R0M or DVD drive, or Internet connection; dedicated USB microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2), Embedded Web Server: password protection/encryption, Secure Authenticann, Support for WJA-10, IPv4/v6/mac address filteri over SSL/TLS, IPsec, SNMPv3 49 Scalable Fonts / 1 Bitmap 4-Line LCD, power button LED (White 1EA) Navi, Key LED (White (4EA),OK key, menu key (2EA),nnode key (2EA),function key (4EA	er, HP MFP Scan, HP Scan to PC Lite  2/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/64 bit), Windo	30 kg (includes supplies)  idows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16, 17, 18 e hard disk space; (For OS hardware requirements see ble auto logout, Certificate Management, Pre-Shared Key storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP		
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box <sup>1</sup> Software included Warranty features Systems Compatible operating systems <sup>7</sup> Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets  Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recyc Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m²  Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3  560 x 540 x 417 mm  25 kg (includes supplies)  Power cord; Toner Cartridge; User Guide  Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive  One-year, on-site limited warranty  Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (3  5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 0  16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux En  PC:CD-ROM or DVD drive, or Internet connection; dedicated USB microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2), Embedded Web Server: password protection/encryption, Secure Authentication, Support for WJA-10, IPv4/v6/mac address filteri over SSL/TLS, IPsec, SNMPv3  49 Scalable Fonts / 1 Bitmap  4-Line LCD, power button LED (White 1EA) Navi. Key LED (White	er, HP MFP Scan, HP Scan to PC Lite  2/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/64 bit), Windo	30 kg (includes supplies)  idows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16, 17, 18 e hard disk space; (For OS hardware requirements see ble auto logout, Certificate Management, Pre-Shared Key Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP		
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box¹ Software included Warranty features Systems Compatible operating systems Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency compliance ENERGY STAR	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recyc Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m² Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm 25 kg (includes supplies) Power cord; Toner Cartridge; User Guide Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive One-year, on-site limited warranty  Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (3 5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, op 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, 5USE Linux En PC:CD-ROM or DVD drive, or Internet connection; dedicated USB microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Cor™2), Embedded Web Server: password protection/encryption, Secure Authentication, Support for WJA-10, IPv4/v6/mac address filteri over SSL/TLS, IPsec, SNMPv3 49 Scalable Fonts / 1 Bitmap 4-Line LCD power button LED (White 1EA) Navi. Key LED (White (4EA),OK key, menu key (2EA),mode key (2EA),function key (4EA	er, HP MFP Scan, HP Scan to PC Lite  2/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/64 bit), Windo	30 kg (includes supplies)  idows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16, 17, 18 e hard disk space; (For OS hardware requirements see ble auto logout, Certificate Management, Pre-Shared Key Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP		
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box¹ Software included Warranty features Systems Compatible operating systems' Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency compliance	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recyc Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m²  Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm 25 kg (includes supplies) Power cord; Toner Cartridge; User Guide Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive One-year, on-site limited warranty Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (3 5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, op 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux En PC:CD-ROM or DVD drive, or Internet connection; dedicated US microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2), Embedded Web Server: password protection/encryption, Secure Authentication, Support for WJA-10, IPv4/v6/mac address filteri over SSL/TLS, IPsec, SNMPV3 49 Scalable Fonts / 1 Bitmap 4-Line LCD, power button LED (White 1EA) Navi. Key LED (White (4EA),OK key, menu key (2EA),mode key (2EA),function key (4EA 4-line LCD SEPA; CECP No	er, HP MFP Scan, HP Scan to PC Lite  2/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/54 bit), Windows 15: 112, 11.4, 12.1, 121.2, 12.3, 13.1, 13.2, 42.1, Ubuntu terprise Desktop: 10, 11, 12, Debian: 6, 7, 8, 9, Linux Mint: 15, or network connection or Wireless connection; 200 MB available (RAM 512 MB (1 GB) / Free HDD space 1 GB (2 GB) for Linux errang, SMTP server Certificate Validation, Encrypted Customer Data (4EA) status LED (Green 1EA, Orange 1EA), power key, start key, so the validation of the control	30 kg (includes supplies)  adows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16, 17, 18 e hard disk space; (For OS hardware requirements see ble auto logout, Certificate Management, Pre-Shared Key a Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP  stop key, cancel key, reset key, numerical key (12EA),Navi. Key		
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box¹ Software included Warranty features Systems Compatible operating systems' Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency compliance ENERGY STAR Qualified	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycling Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m² Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm 25 kg (includes supplies) Power cord; Toner Cartridge; User Guide Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive One-year, on-site limited warranty  Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (3 5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, op 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux En PC:CD-R0M or DVD drive, or Internet connection; dedicated USB microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2), Embedded Webn Server: password protection/encryption, Secure Authenticani, Support for WJA-10, IPv4/v6/mac address filteri over SSL/TLS, IPsec, SNMPv3 49 Scalable Fonts / 1 Bitmag 4-Line LCD, Dower button LED (White 1EA) Navi. Key LED (White (4EA),OK key, menu key (2EA),mode key (2EA),function key (4EA 4-line LCD  SEPA; CECP  No  Power supply type: Built-in Universal Power supply; Power supp 0.350 kWh/Week (22PPM: 0.310 kWh/Week 23PPM: 0.330 kWh 0.7 watts (Sleep), 0.2 watts (Off); Typical Electricity Consumptio Acoustic power emissions: 6.6 B(A) (printing at 24 ppm); Acoustic power emissions: 6.6 B(A) (printing at 24 ppm); Acoustic	er, HP MFP Scan, HP Scan to PC Lite  2/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/64 bit), Windo	30 kg (includes supplies)  adows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16, 17.18  e hard disk space; (For OS hardware requirements see  ble auto logout, Certificate Management, Pre-Shared Key a Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP  stop key, cancel key, reset key, numerical key (12EA),Navi. Key  Ready 80W, Max/Peak 1.1 kWh, Sleep/Power Off 1W/0.2W, TEC  wer consumption?: 580 watts (Active Printing), 80 watts (Ready)		
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box¹ Software included Warranty features Systems Compatible operating systems? Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency compliance ENERGY STAR Qualified Power	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets  Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycling Tray 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m²  Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm  25 kg (includes supplies)  Power cord; Toner Cartridge; User Guide  Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive One-year, on-site limited warranty  Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (3 5,6 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, op 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux En PC:CD-ROM or DVD drive, or Internet connection; dedicated USB microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2). Embedded Web Server: password protection/encryption, Secure Authentication, Support for WJA-10, IPv4/v6/mac address filteriover SSL/TLS, IPsec, SIMPN3  49 Scalable Fonts / 1 Bitmap  4-Line LCD, power button LED (White 1EA) Navi. Key LED (White (4EA),OK key, menu key (2EA),mode key (2EA),function key (4EA 4-line LCD  SEPA; CECP  No  Power supply type: Built-in Universal Power supply; Power supp 0.350 kWh/Week (22PPM: 0.310 kWh/Week 23PPM: 0.330 kWf 0.7 watts (Sleep), 0.2 watts (Off); Typical Electricity Consumptio Acoustic power emissions: 6.6 B(A) (printing at 24 ppm); Acoust emissions bystander (ready): Inaudible	er, HP MFP Scan, HP Scan to PC Lite  2/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/64 bit), Windows 10: 10: 12/64 bit), Windows 10: 1	30 kg (includes supplies)  adows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16, 17.18  e hard disk space; (For OS hardware requirements see  ble auto logout, Certificate Management, Pre-Shared Key a Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP  stop key, cancel key, reset key, numerical key (12EA),Navi. Key  Ready 80W, Max/Peak 1.1 kWh, Sleep/Power Off 1W/0.2W, TEC  wer consumption?: 580 watts (Active Printing), 80 watts (Ready)		
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box¹ Software included Warranty features Systems Compatible operating systems? Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency compliance ENERGY STAR Qualified Power  Acoustics Environmental ranges Safety approvals and requirements	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets  Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycling, Wid-weight, Light, HP LaserJet, Colored, Preprinted, Recycling, 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m²  Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm  25 kg (includes supplies)  Power cord; Toner Cartridge; User Guide  Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive One-year, on-site limited warranty  Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (3 5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, op 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux En Pct.CD-R0M or DVD drive, or Internet connection; dedicated USB microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2), Embedded Web Server: password protection/encryption, Secure Authentication, Support for WIA-10, IPv4/v6/mac address filteri over SSL/TLS, IPsec, SNMPv3  49 Scalable Fonts / 1 Bitmap  4-Line LCD, Dower button LED (White 1EA) Navi. Key LED (White 4EA), Ok key, menu key (2EA), mode key (2EA), function key (4EA 4-line LCD  SEPA; CECP  No  Power supply type: Built-in Universal Power supply; Power supp 0.350 kWh/Week (22PPM: 0.310 kWh/Week 23PPM: 0.330 kWh 0.7 watts (Sleep), 0.2 watts (Off); Typical Electricity Consumption Acoustic power emissions: 6.6 B(A) (printing at 24 ppm); Acoust emissions bystander (ready): Inaudible  Operating temperature range: 10 to 30°C; Recommended oper. IEC 60950-1:2005 +A1:2009 +A2:2013 (International), EN 6099 Voltage Directive 2014/35/EU with CE Marking (Europe) G8494	iled, Intermediate, Letterhead, Prepunched  2/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/64 bit	dows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16, 17, 18 e hard disk space; (For OS hardware requirements see ble auto logout, Certificate Management, Pre-Shared Key a Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP stop key, cancel key, reset key, numerical key (12EA),Navi. Key  Ready 80W, Max/Peak 1.1 kWh, Sleep/Power Off 1W/0.2W, TEC ower consumption?: 580 watts (Active Printing), 80 watts (Ready) ons bystander (active, printing): 51 dB(A); Acoustic pressure  80% RH; Recommended operating humidity range: 20 to 80% RH - C0825-1:2014, EN60825-1:2014 (Class 1 Laser/LED Device), Low ries		
Paper handling Input Output Media types Media weight Media Sizes Custom Dimensions (w x d x h) Weight What's in the box¹ Software included Warranty features Systems Compatible operating systems? Minimum system requirements Security management Fonts and typefaces Control panel Display Energy efficiency compliance ENERGY STAR Qualified Power  Acoustics Environmental ranges Safety approvals and	Tray 1: 100 sheet, Tray 2: 250 sheet  Up to 250 Sheets  Plain, Mid-weight, Light, HP LaserJet, Colored, Preprinted, Recycling, Wid-weight, Light, HP LaserJet, Colored, Preprinted, Recycling, 1: 60 to 163 g/m²; Tray 2: 60 to 110 g/m²  Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 3 560 x 540 x 417 mm  25 kg (includes supplies)  Power cord; Toner Cartridge; User Guide  Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Drive One-year, on-site limited warranty  Windows 7 (32/64 bit), Windows 2008 Server R2, Windows 8 (3 5, 6, 7, Fedora: 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, op 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04, SUSE Linux En Pct.CD-R0M or DVD drive, or Internet connection; dedicated USB microsoft.com) for Windows, Pentium IV 2.4GHz (Intel Core™2), Embedded Web Server: password protection/encryption, Secure Authentication, Support for WIA-10, IPv4/v6/mac address filteri over SSL/TLS, IPsec, SNMPv3  49 Scalable Fonts / 1 Bitmap  4-Line LCD, Dower button LED (White 1EA) Navi. Key LED (White 4EA), Ok key, menu key (2EA), mode key (2EA), function key (4EA 4-line LCD  SEPA; CECP  No  Power supply type: Built-in Universal Power supply; Power supp 0.350 kWh/Week (22PPM: 0.310 kWh/Week 23PPM: 0.330 kWh 0.7 watts (Sleep), 0.2 watts (Off); Typical Electricity Consumption Acoustic power emissions: 6.6 B(A) (printing at 24 ppm); Acoust emissions bystander (ready): Inaudible  Operating temperature range: 10 to 30°C; Recommended oper. IEC 60950-1:2005 +A1:2009 +A2:2013 (International), EN 6099 Voltage Directive 2014/35/EU with CE Marking (Europe) G8494	Isled, Intermediate, Letterhead, Prepunched  2/64 bit), Windows 8.1 (32/64 bit), Windows 10 (32/54 bit	30 kg (includes supplies)  dows 2012 Server, Windows 2016 Server, Red Hat Enterprise Linux: 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16, 17, 18 e hard disk space; (For OS hardware requirements see ble auto logout, Certificate Management, Pre-Shared Key 1 Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP stop key, cancel key, reset key, numerical key (12EA),Navi. Key  Ready 80W, Max/Peak 1.1 kWh, Sleep/Power Off 1W/0.2W, TEC 100 were consumption 5: 580 watts (Active Printing), 80 watts (Ready) ons bystander (active, printing): 51 dB(A); Acoustic pressure  80% RH; Recommended operating humidity range: 20 to 80% RH 60825-1:2014, EN60825-1:2014 (Class 1 Laser/LED Device), Low ries  00), TCP/IP (9100)v6, LPR, LPRv6, IPP, WSD; Management Protocol:		

#### Footnotes

- $^{\rm 1}$  Automatic two-sided printing is standard on the HP LaserJet MFP M437dn and M437nda only.
- <sup>2</sup> Reversing automatic document feeder is standard on the HP LaserJet MFP M437nda only. Requires a separate purchase for the HP LaserJet MFP M437dn. Installation from HP Authorized service provider only.
- <sup>3</sup> Not all HP Web Jetadmin features are supported on the HP LaserJet MFP M437. HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin

#### Technical specifications disclaimers

- 1 Ships with One HP Original Black LaserJet Introductory Toner cartridge (yield ~4,000 pages), One HP Original Imaging Drum ( yield ~80,000 pages). Declared yield value in accordance with ISO/IEC 19752 in continuous printing. Actual yields vary considerably based on images printed and other factors. For more information visit: http://www.hp.com/go/learnaboutsupplies

  Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on
- <sup>3</sup> Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies
- Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 5 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- <sup>6</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 230V for Blue Angel.
- 7 Windows 7 or higher

