HP Color LaserJet Enterprise MFP M578 Printer series



HP's mid-level Enterprise-class color MFP with speeds up to 38 ppm⁶ and strongest security.²

Ideal for 5-15 people printing up to 10,000 pages per month who want premium color at fast speeds plus quick scanning and copying into workflows.



HP Color LaserJet Enterprise MFP M578dn



HP Color LaserJet Enterprise MFP M578f



HP Color LaserJet Enterprise Flow MFP M578z

The world's most secure printing²

- The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.
- Common Criteria certified³ to continually monitor memory activity to detect and stop attacks in real time.
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.

Easy to use, simple to manage

- HP FutureSmart firmware can be updated with the latest features¹ to optimize your investment for years to come.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.⁵
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons.
- Expect consistent, high-quality results with technology that automatically adjusts print settings to paper type.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages

 —every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Accurately capture and edit text, then save as a Microsoft® Word or searchable PDF with built-in OCR software. Available only on M578c and M578z models

Sustainability is smart business

- Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.⁹
- Help reduce wasted paper and toner by only printing jobs that are truly needed, using HP Roam for Business.¹⁰
- Help save energy intelligently by using only the power you need with HP Auto-On/Auto-Off Technology.¹¹
- Help reduce your impact. Count on easy cartridge recycling at no charge with HP Planet Partners.¹²

Product walkaround

- 1. 100-sheet automatic document feeder (ADF)
- 2. Hardware Integration Pocket (for connecting accessory and thirdparty devices)¹
- 3. Easy-access USB port 2
- 4. 250-sheet output bin
- 5. Automatic two-sided printing (default)³
- 6. 20.3 cm (8.0-inch) colour touchscreen
- 7. Pull-out keyboard
- 8. Convenience stapler
- 9. Convenient front on/off switch
- 10. Right door, access to print path
- 11. Front door, access to HP JetIntelligence cartridges
- 12. 100-sheet multipurpose tray 1
- 13. 550-sheet tray 2
- 14. Fax port
- 15. Gigabit Ethernet network port
- 16. Hi-Speed USB 2.0 port for third-party devices
- 17. Hi-Speed USB 2.0 printing port





HP Color LaserJet Enterprise Flow MFP M578zshown

Rear I/O panel close-up

Series at a glance







Model	HP Color LaserJet Enterprise MFP M578dn	HP Color LaserJet Enterprise MFP M578f	HP Color LaserJet Enterprise Flow MFP M578z
Product number	7ZU85A	7ZU86A	7ZU88A
Print speed (A4) ⁴	Up to 38 ppm		
Automatic two-sided printing (default) ³	Yes		
100-sheet multipurpose tray 1 and 550-sheet input tray 2	Yes		
500-sheet input trays 3, 4, and 5	Optional		
100-sheet ADF	Yes		Yes (plus HP EveryPage)
Convenience stapler	Not available	standard	
Advanced workflow features	Not available		Yes
Input capacity (standard/maximum)	Up to 650/2300 sheets		
Printer stand	Optional		
Control panel	Colour touchscreen		Colour touchscreen and integrated keyboard
Fax	Optional	Ye	25
HP High-Performance Secure Hard Disk	Yes		
Dual-band Wi-Fi with Bluetooth® Low Energy, Wi-Fi Direct®5	Optional		Yes
ENERGY STAR® qualified (Blue Angel certified)	Yes		

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices















HD Care Dark

Top features

HP printers have the industry's strongest security² because they're always on guard, continually stopping threats while adapting to new ones. And only HP printers can automatically self-heal from attacks, so IT doesn't need to intervene.

Set up workgroups for success without adding more to your plate. Help teams thrive while allowing IT the control it needs to quickly handle business fleet-wide, using a streamlined MFP built for straightforward use and management.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 68 ipm⁷—and avoid extra steps with a Flow MFP designed for maximum productivity.

Business is all about resource management, and finding efficiencies is everyone's responsibility. HP LaserJet MFPs are designed with the environment in mind, so workgroups can complete tasks quickly while helping to conserve energy wherever possible.

Product

7ZU88A HP Color LaserJet Enterprise Flow MFP M578z
7ZU85A HP Color LaserJet Enterprise MFP M578dn
7ZU86A HP Color LaserJet Enterprise MFP M578f

Accessories

2NR12A HP Removable Hard Drive Enclosure
3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory

8FP31A HP Jetdirect LAN Accessory

A7W12A HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional

A7W14A Chinese HP LaserJet Swedish Overlay Keyboard

B5L28AHP Internal USB PortsB5L31AHP Foreign Interface HarnessB5L34AHP Color LaserJet 550-sheet Media TrayB5L51AHP Color LaserJet Printer CabinetB5L53AHP LaserJet MFP Analog Fax Accessory 600E5K48AHP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM

E5K49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM
Q7432A HP Staple Cartridge Pack
W5U23A HP 200 ADF Roller Replacement Kit
X3D03A HP Universal USB Proximity Card Reader

Y7C05A HP HIP2 Keystroke Reader

Supplies

HP Color LaserJet B5L35A 110V Fuser Kit (Approximately 150,000 pages) B5I 35A B5L36A HP Color LaserJet B5L36A 220V Fuser Kit (Approximately 150,000 pages) B5L37A HP Color LaserJet B5L37A Toner Collection Unit (Approximately 54,000 pages) W2120A HP 212A Black Original LaserJet Toner Cartridge (5,500 pages) W2120X HP 212X High Yield Black Original LaserJet Toner Cartridge (~13,000 pages) W2121A HP 212A Cyan Original LaserJet Toner Cartridge (Per cartridge: 4,500 pages) W2121X HP 212X High Yield Cyan Original LaserJet Toner Cartridge (Per cartridge: 10,000 pages) W2122A HP 212A Yellow Original Laser let Toner Cartridge (Per cartridge: 4.500 pages) W2122X HP 212X High Yield Yellow Original LaserJet Toner Cartridge (Per cartridge: 10,000 pages) W2123A HP 212A Magenta Original LaserJet Toner Cartridge (Per cartridge: 4,500 pages) W2123X HP 212X High Yield Magenta Original LaserJet Toner Cartridge (Per cartridge: 10,000 pages)

HP Care Packs

U8TH7F HP 3 year Next Business Day Service for ColorLaserJet M57x MFP U8TH8E HP 4 year Next Business Day Service for ColorLaserJet M57x MFP U8TH9F HP 5 year Next Business Day Service for ColorLaserJet M57x MFP **U8TJ0E** HP 3 year 4 hour 9x5 Service for ColorLaserJet M57x MFP U8TJ1E HP 4 year 4 hour 9x5 Service for ColorLaserJet M57x MFP U8TI2F HP 5 year 4 hour 9x5 Service for ColorLaserJet M57x MFP U8TI6F HP 3 year Parts Exchange Service for ColorLaserJet M57x MFP U8TI7F HP 4 year Parts Exchange Service for ColorLaserJet M57x MFP U8TJ8E HP 5 year Parts Exchange Service for ColorLaserJet M57x MFP U8TK8PE

U8TK8PEHP 1 year Post Warranty Next Business Day Service for ColorLaserJet M57x MFPU8TK9PEHP 2 year Post Warranty Next Business Day Service for ColorLaserJet M57x MFPU8TL0PEHP 1 year Post Warranty 4 hour 9x5 Service for ColorLaserJet M57x MFPU8TL2PEHP 1 year Post Warranty Parts Exchange Service for ColorLaserJet M57x MFP

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

HP Color LaserJet Enterprise MFP M578 Printer series

Model	HP Color LaserJet Enterprise MFP M578dn	HP Color LaserJet Enterprise MFP M578f	HP Color LaserJet Enterprise Flow MFP M578z			
Product number Functions	7ZU85A Print, copy, scan, fax (optional)	7ZU86A Print, copy, scan, fax	7ZU88A			
Print						
Duplex print options	uplex print options Automatic (standard) Black (A4, normal): Up to 38 ppm; Black (letter, normal): Up to 40 ppm; Black (A4, duplex): Up to 38 ipm; Black (letter, duplex): Up to 40 ipm					
Print speed ^b	Color (A4, normal): Up to 38 ppm; Color (letter, normal): Up to 40 ppm; Color (A4, duplex): Up to 38 ipm; Color (letter, duplex): Up to 40 ipm					
First page out ⁷ Print technology	Black (A4, ready): As fast as 7.0 sec; Color (A4, ready): As fast as 7.9 sec; Black (A4, sleep): As fast as 10.7 sec; Color (A4, sleep): As fast as 11.7 sec Laser					
Print resolution	Black (best) HP ImageREt 3600; Black (normal) Up to 600×600 dpi; Black (fine lines) Up to 1200×1200 dpi					
Print resolution technology	Color (best): HP ImageREt 3600; Color (normal): Úp to 600 x 600 dpi; Color (fine lines): Úp to 1200 x 1200 dpi HP ImageREt 3600, Pantone Calibrated					
Print cartridges number	4 (1 each black, cyan, magenta, yellow)					
Standard print languages	XPS, HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7) HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource					
Printer management	Kit for HP Universal Print Driver (Driver Configuration Utility -	Driver Deployment Utility - Managed Printing Administrator)	gent, ne ws eto etoxy Agent, ennter Administrator Resource			
Scan Scan technology	Type: Flatbed, ADF (two-sided, single-pass); Technology: Contact Image Sensor (CIS)					
Scan speed ¹⁰	Normal (A1): Up to 45 ppm/64 ipm (b8w) up to 45 ppm/69					
Scan resolution	Normal (A4): Up to 43 ppm/43 ipm (b&w), up to 38 ppm/38 ipm (color) Enhanced: Up to 600 dpi; Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi		ipm (color)			
Scarresolation		Standard: Send to Sharepoint; Scan to E-mail; Save-to-				
Digital sending standard features	Standard: Send to Sharepoint; scan to E-mail; Save-to- Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Standard: Send to Sharepoint; Scan to E-mail; Save-to- Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF Plus: Send to LAN Fax	Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF Plus: Send to LAN Fax; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Grop To Page; OCR			
Color scanning	Yes					
Scan Size	Flatbed: 216 x 356 mm; ADF: 216 x 356 mm Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user					
Scan input modes	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Upen Extensibility Platform (UXP) applications; HP Scan or User application via TWAIN					
Copy	Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job					
Copier smart software features	build	,,				
First copy out	Black (A4): As fast as 6.0 sec; Color (A4): As fast as 9.1sec; Black (A4, sleep): As fast as 12.0 sec; Color (A4, sleep): As fast as 14.5 sec; Black (letter): As fast as 5.6 sec; Color (letter): As fast as 8.7 sec; Black (letter, sleep): As fast as 11.6 sec		Black (A4): As fast as 6.2 sec; Color (A4): As fast as 9.1 sec; Black (A4, sleep): As fast as 12.0 sec; Color (A4, sleep): As fast as 14.7 sec; Black (letter): As fast as 5.8 sec; Color (letter): As fast as 8.7 sec; Black (letter, sleep): As fast as 11.6 sec			
Copy resolution	Color (text and graphics): Up to 600 x 600 dpi					
Max no of copies Copier resize	Up to 9999 copies 25 to 400%					
Copier settings	Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-					
Fax	edge; Job storage; ID Copy; Book Copy; A-to-B Copy (different media sizes)					
Fax speed		33.6 kbps / 3 sec per page				
Fax memory	Fax memory (A4); Dependent on the amount of available disk space; Fax memory (letter); Dependent on the amount of available disk space					
Fax resolution		Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received	faxes only); Black (standard): 204 x 98 dpi; Black and white			
Fax Features	(fine): 204 x 196 dpi; Black photo grayscale: 300 x 300 dpi (400 x 400 dpi for received faxes only) Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Junk barrier supported: Yes; Maximum speed dialing numbers: Up to 1000 numbers; PC interfero supported: Yes; Fax delayed for the presence of th					
Fax smart software features	interface supported: Yes, Fax polling supported: Yes (poll to receive only) Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation;					
Connectivity		Holiday fax schedule				
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket		Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; 1 Wireless 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio; Hardware Integration Pocket			
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™ Certified; NFC Touch-to-print (optional); Roam optional		HP ePrint; Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); Roam capable for easy printing			
Wireless capability	Optional, enabled with purchase of a wireless hardware acces available with HP Jetdirect 3100w BLE/NFC/Wireless Accesso	sory. Dual-band Wireless Station and Wi-Fi Direct functionality rv 3 IN69A	Embedded Dual-band Station and Wi-Fi Direct Functionality			
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio wireless networking (optional)		Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; lPsec (standard); 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio wireless networking (standard)			
Memory ⁴	Standard: 1.25 GB (printer), 512 MB (scanner); Maximum: 3.7					
Hard disk	Files, Secure Erase-Job Data, Secure ATA Erase-Disk); U.S. Gov	Standard, embedded HP High-Performance Secure Hard Disk, minimum 500 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk); U.S. Government: Standard, FIPS 140-2 validated hard disk, minimum 500 GB				
Processor speed Duty cycle (monthly) Paper handling	1.2 GHz Up to 80,000 pages; Recommended monthly page volume: 2000 to 10000					
Input	100-sheet multipurpose tray, 550-sheet input tray 2	100-sheet multipurpose tray, 550-sheet input tray 2				
Output	250-sheet output bin 250-sheet output bin, convenience stapler					
Media types	envelope, preprinted, prepunched, colored, rough, opaque filr	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined				
Media weight	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Trays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automatic Duplexer: 60 to 163 g/m²					
Media Sizes Custom	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 356 mm					
Dimensions (w x d x h) Weight	482 x 504 x 583 mm 38.1 kg	38.3 kg	38.6 kg			
What's in the box ¹	Printer; Four preinstalled HP LaserJet toner cartridges (yield ~5,500 pages black, ~3,500 pages cyan, magenta, yellow composite); Toner collection unit; In-box documentation; one collection unit; In-box documentation; Power Cord; fax cable					
Software included	Power Cord No software solutions are included in the Box, only on http://hp.com, http://123.hp.com;					
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP					
Systems	award winning service and support options in your region.					
Compatible operating systems	Windows Client OS (32/64 bit)-, Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android, Mac-, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Apple® macOS Catalina v10.15, Discrete PCL6 Printer Driver-, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers-, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see www.hp.com/go/upd PC2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;					
Minimum system requirements	Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see interosort.com, Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com					

Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party adva IPsec/firewall with Certificate; Pre-Shared Key, and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; Certificates; Access Control List; Data: Storage Encryption; Encrypted PF & Email (uses FIPS 140 validated cryptographic if Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware Integration Pocket for security solutions (Constant in-device monitoring for attacks); HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability Embedded Trusted Platform Module (TPM); HP Connection Inspector; Security management: Compatible with HP JetAdvan processed and accessible in Arcsight and Splunk SIEMs	802.1X authentication (EAP-PEAP, EAP-TLS); SNMPv3; HTTPS; braries from Microsoft); Secure Erase; SSL/TLS (HTTPS); ; Intrusion Detection with Red Balloon Security Technology); Whitelisting (loads only known good code DLLs, EXEs, etc.);			
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts				
Control panel	8.0-in (20.3 cm) color touchscreen; adjustable angle display with gesturing; illuminated Home button (for quick return to the Home menu)	8.0-in (20.3 cm) color touchscreen; adjustable angle display with gesturing; illuminated Home button (for quick return to the Home menu) and integrated keyboard			
Display	8" color touchscreen				
Energy efficiency compliance	Blue Angel; EPEAT® Silver; CECP; ENERGY STAR® certified ³				
ENERGY STAR Qualified	Yes				
Power	Power supply type: Built-in 115V or 220V Power Supply; Power supply required: Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier); Power consumption: 617 watts (Printing), 40 watts (Ready), 5.4 watts (Sleep), 0.07 watts (Auto-Off/Manuel On), 0.58 watts (Auto-Off/Auto-On/Wake on LAN); Typical Electricity Consumption number 3: 1.555 kWh/Week (Blue Angel); 0.501 kWh/Week (Energy Star 3.0)				
Acoustics	Acoustic power emissions: 6.5 B(A) (printing at 38 ppm); Acoustic power emissions (ready): 4.7 B(A); Acoustic pressure emissions bystander (active, printing): 51 dB(A) (printing at 38 ppm); Acoustic pressure emissions bystander (ready): 32 dB(A)				
Environmental ranges	Operating temperature range: 10 to 32.5 °C; Recommended operating temperature: 15 to 27 °C; Operating humidity range to 70% RH	:: 10 to 80% RH; Recommended operating humidity range: 30			
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Euroj CoC (US/Canada); CAN/CSA C22,2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040 No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.	pe); IEC 62471:2006 / EN 62471:2008; UL/cUL Listed and UC			
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutolP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x				

Footnotes

FOOTIONES

Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

2HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800–193 guidelines for device cyber resiliency. For a list of compatible products, visit hp.com/go/PrinterSecurityClaims

3 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

4Use of the HP Trusted Platform Module may require a firmware upgrade.

5HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

6Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

document complexity.

7 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

⁸Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections

9Dependent upon country setup specifications.

10To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit

¹⁰To enable HP Roam, some devices may require imminde to be application.

The part of properties of the properties of

Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
An administrator must enable the easy-access USB port before use.
Dependent upon country setup specifications.

Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Mobile device needs to be connected directly to the signal of a Wi-Fi Direct supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wi-Fi Direct is a registered trademark of

Wi-Fi Alliance. For details, see hp.com/go/mobileprinting. Technical specifications disclaimers

Technical specifications disclaimers

1 Average black and color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. HP Color Laser.let Enterprise M554, M555, and MFP / Flow MFP M578 in-box color cartridges may have higher yield than stated for printer units manufactured before 2021.

2 Average black and color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://http://www.hp.com/go/toneryield

3 EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

4 Maximum physical memory present is reported. Actual usable amount by firmware might be less.

5 Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

6 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

7 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, of the product warranty. Blue Angel value typically based on measurement of 230V device.

230V device

² Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

¹⁰ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.



