

Instructions for Presenters

- This presentation is designed to provide emergency medical services trainers with the information and guidance necessary to conduct a basic training on vicarious trauma.
- This presentation includes clearly outlined speaking points for each slide, as well as exercises, to lead a workshop for 1–1.5 hours.
- Please review the notes attached to each slide. You may choose to skip certain exercises, add your own, or pull out particular slides to conduct a shorter, more focused training for staff.



Introduction to Vicarious Trauma for Emergency Medical Services

This product was produced by Northeastern University's Institute on Urban Health Research and Practice, in collaboration with the Center for Violence Prevention and Recovery at the Beth Israel Deaconess Medical Center and the National Association of State EMS Officials, and supported by grant number 2013-VF-GX-K011, awarded by the Office for Victims of Crime, Office of Justice Programs, U.S. Department of Justice. The opinions, findings, and conclusions or recommendations expressed in this product are those of the contributors and do not necessarily represent the official position or policies of the U.S. Department of Justice.



Today, we will—

- define vicarious trauma and traumatization, secondary traumatic stress, compassion fatigue, burnout, resilience, and vicarious resilience;
- discuss how working with a traumatized population affects emergency medical services staff;
- discuss the impact of vicarious trauma on organizations; and
- identify particular strategies that enhance both personal and professional resilience.



“The expectation that we can be immersed in suffering and loss daily and not be touched by it is as unrealistic as expecting to be able to walk through water without getting wet.”

(Remen, 2006)



DEFINITIONS PHRASES TAG
TERMS DESCRIPTIONS GLOSSARY
VERNACULAR NAMES WORDS
LABELS

TERMINOLOGY

- Stress
 - Acute
 - Chronic
 - Traumatic stress
- Vicarious trauma
 - Critical incident stress
 - Vicarious traumatization
 - Secondary traumatic stress
 - Compassion fatigue
 - Burnout




STRESS




Stress is pressure exerted upon an object that can either strengthen or weaken it.

(Webster's Dictionary)



Stress

STRESS CURVE





The Stress Response

The brain and body's alarmed and alert response to a threatening situation.

Integral to the life of every living organism.

Our natural defense against danger.





Cumulative Stress





Taking a Closer Look...

- Trauma
- Traumatic stress
- Vicarious traumatization





Human

Homicide

Sexual Assault

Assault/attack

War

Natural

Hurricane

Earthquake

Flood

Fire

On the job

Fight or physical attack

Threat of physical harm

Accident

Traumatic Events





What Makes an Event Traumatic?

- It involves a threat—real or perceived—to one's physical or emotional well-being.
- It is overwhelming.
- It results in intense feelings of fear and lack of control.
- It leaves one feeling helpless.
- It changes the way a person understands the world, themselves, and others.

(American Psychiatric Association, 2000)

Defining Traumatic Stress



Traumatic Stress is the stress response to a traumatic event(s) in which one is a victim or witness.

- Repeated stressful and/or traumatic events can chronically elevate the body's stress response.
- 4 percent of victims suffer about 44 percent of the offenses.

(Farrell and Pease, 1993)



Work-Related Trauma Exposure: How Does it Affect Us?

- Vicarious Trauma
- Empathic Strain
- Compassion Fatigue
- PTSD
- Secondary Traumatic Stress
- Critical Incident Stress
- Indirect Trauma
- Burnout





Understanding the Difference Between Traumatic Stress and Vicarious Traumatization

Traumatic Stress

- Extreme emotionality or absence of emotion
- Fearful, jumpy, exaggerated startle response
- Flashbacks

Vicarious Traumatization

- Overly involved with or avoidance of victim/survivor
- Hypervigilance and fear for one's own safety (the world no longer feels safe and people can't be trusted)
- Intrusive thoughts and images, or nightmares from victims' stories



Work-Related Trauma Exposure

DIRECT
exposure to
trauma


- Post Traumatic Stress Disorder (PTSD)
- Post Traumatic Stress Symptoms
- Critical Incident Stress

INDIRECT
exposure to
trauma

- Post Traumatic Stress Disorder DSM-V, 2013)
- Post Traumatic Stress Symptoms
- Empathic Strain
- Secondary Traumatic Stress Symptoms
- Vicarious Traumatization
- Compassion Fatigue



Vicarious Trauma Toolkit Model





Change in World View

“...the transformation or change in a helper’s inner experience as a result of responsibility for and empathic engagement with traumatized clients.”

(Saakvitne et al, 2000)



It's the shift in how we view the world, view others, and sense danger around us...





Prevalence of Vicarious Traumatization among First Responders

- Across sectors, 40–80 percent of helping professionals experience high rates of secondary trauma.
- Among 28 global studies of PTSD, rescuers (fire fighters, ambulance personnel, police, search and rescue teams) had a prevalence rate of 10 percent compared with 4.4 percent within the general population in developed countries.
- Prevalence studies show rates of symptoms among first responders are much higher than 10 percent.



Compassion Fatigue



“A combination of physical, emotional, and spiritual depletion associated with caring for patients in significant emotional pain and physical distress.”

(Anewalt, 2009; Figley, 1995)



What About Burnout?





Examples of Vicarious Traumatization: Personal

- Physical
 - Rapid pulse/breathing, headaches, impaired immune system, fatigue, aches
- Emotional
 - Feelings of powerlessness, numbness, anxiety, guilt, fear, anger, depletion, hypersensitivity, sadness, helplessness, severe emotional distress or physical reactions to reminders
- Behavioral
 - Irritability, sleep and appetite changes, isolate from friends and family, self destructive behavior, impatience, nightmares, hypervigilance, moody, easily startled or frightened
- Spiritual
 - Loss of purpose, loss of meaning, questioning goodness versus evil, disillusionment, questioning prior religious beliefs, pervasive hopelessness
- Cognitive
 - Diminished concentration, cynicism, pessimism, preoccupation with clients, traumatic imagery, inattention, self doubt, racing thoughts, recurrent and unwanted distressing thoughts
- Relational
 - Withdrawn, decreased interest in intimacy or sex, isolation from friends or family, minimization of others' concerns, projection of anger or blame, intolerance, mistrust



Examples of Vicarious Traumatization: Professional

- Performance
 - Decrease in quality/quantity of work, low motivation, task avoidance or obsession with detail, working too hard, setting perfectionist standards, difficulty with inattention, forgetfulness
- Morale
 - Decrease in confidence, decrease in interest, negative attitude, apathy, dissatisfaction, demoralization, feeling undervalued and unappreciated, disconnected, reduced compassion
- Relational
 - Detached/withdrawn from co-workers, poor communication, conflict, impatience, intolerance of others, sense of being the “only one who can do the job”
- Behavioral
 - Calling out, arriving late, overwork, exhaustion, irresponsibility, poor follow-through

(Adapted from J. Yassen in Figley, 1995)



Contemplating the Effects

Personal Effects

- Physical
- Behavioral
- Emotional
- Spiritual
- Cognitive
- Relational

Professional Effects

- Performance
- Morale
- Relational
- Behavioral





Risk Factors

Personal

- Trauma history
- Pre-existing psychological disorder
- Young age
- Isolation, inadequate support system
- Loss in last 12 months

Professional

- Lack of quality supervision
- High percentage of trauma survivors in caseload
- Little experience
- Worker/organization mismatch
- Lack of professional support system
- Inadequate orientation and training for role

(Bonach and Heckert, 2012; Slattery and Goodman, 2009; Bell, Kulkarni, et al, 2003; Cornille and Meyers, 1999)




What is Self-Care?

Self-care is what people do for themselves to establish and maintain health, and to prevent and deal with illness.

It is a broad concept encompassing hygiene (general and personal), nutrition (type and quality of food eaten), lifestyle (sporting activities, leisure, etc.), environmental factors (living conditions, social habits, etc.) socio-economic factors (income level, cultural beliefs, etc.), and self-medication.'

(World Health Organization, 1998)

Personal Self Care Strategies...



Resilience

Resilience is the process of **adapting** well in the face of adversity, trauma, tragedy, threats, or even significant sources of stress, such as family and relationship problems, serious health problems, or workplace and financial stressors.

It means “bouncing back” from difficult experiences.

(American Psychological Association)





Vicarious resilience

Involves the process of learning about overcoming adversity from the trauma survivor and the resulting positive transformation and empowerment through their empathy and interaction.

(Hernandez, Gangsei, and Engstrom, 2007)

Impact of Vicarious Resilience

- Greater perspective and appreciation of own problems
- More optimistic, motivated, efficacious, and reenergized
- Increased sense of hope, understanding, and belief in the possibility of recovery from trauma and other serious challenges
- Profound sense of commitment to, and finding meaning from the work



(Hernandez, et al, 2007; Engstrom, et al, 2008)



Acknowledging the Positive:

Compassion Satisfaction
Vicarious Transformation



Self-Care Isn't Everything...



Vicarious trauma is an occupational challenge for those working with trauma survivors

Organizations have an ethical mandate of a “**duty to train,**” wherein workers are taught about the potential negative effects of the work and how to cope.

(Munroe, J. F., in Figley, Compassion Fatigue, 1995)



Vicarious Trauma-Informed Organization

Vicarious trauma (VT), the exposure to the trauma experiences of others, is an occupational challenge for the fields of victim services, emergency medical services, fire services, law enforcement, and others. Working with victims of violence and trauma has been shown to change the worldview of responders and can also put individuals and organizations at risk for a range of negative consequences.

A vicarious trauma-informed organization recognizes these challenges and assumes the responsibility for proactively addressing the impact of vicarious trauma through policies, procedures, practices, and programs.

Key Aspects of a Healthy Organization

- **Leadership and Mission**
 - Effective leadership, clarity, and alignment with mission
- **Management and Supervision**
 - Clear, respectful, quality, inclusive of VT
- **Employee Empowerment and Work Environment**
 - Promotes peer support, team effectiveness
- **Training and Professional Development**
 - Adequate, ongoing, inclusive of VT
- **Staff Health and Wellness**
 - Devotes priority and resources to sustaining practices





Organizational



- Creating a healthy work environment/organizational culture
- Providing supportive leadership
- Providing quality supervision
- Debriefing staff
- Hosting staff/team meetings, retreats, formal and informal opportunities to socialize
- Encouraging formal and informal peer support
Acknowledging stress, STS, and VT as real issues
- Providing training and education, including orientation to the organization and role
- Encouraging staff health and wellness (e.g., practices, programs, policies)


Peer Support

- Teach effective communication skills
- Encourage trusting, mutual relationships
- Model conflict resolution
- Emphasize collaboration and teamwork





I've got your back!





What Happens When Organizations Don't Address Vicarious Trauma?





“First responders bear witness to
damaging and cruel treatment
experienced by others, shattering any
assumptions of invulnerability.”

(Janoff-Bulman, 1992)



The VTT and VT-ORG

The Vicarious Trauma Toolkit (VTT) is an online, state-of-the-art, evidence-informed toolkit to support agencies' responses to vicarious trauma in victim assistance professionals, law enforcement officers, firefighters, EMS, and other first responders who work with victims of crime.

Learn more about the VTT and the Vicarious Trauma Organizational Readiness Guide (VT-ORG) at <https://vtt.ovc.ojp.gov/>.



References

- Bell, Holly, Shanti Kulkarni, and Lisa Dalton. 2003. “Organizational Prevention of Vicarious Trauma.” *Families in Society: The Journal of Contemporary Social Services* 84(4):463–470. doi:10.1606/1044-3894.131.
- Berger, William, Evandro Coutinho, Ivan Figueira, Carla Marques-Portella, Mariana Pires Luz, Thomas C. Neylan, Charles R. Marmar, and Mauro Vitor Mendlowicz. 2011. “Rescuers at Risk: A Systematic Review and Meta-Regression Analysis of the Worldwide Current Prevalence and Correlates of PTSD in Rescue Workers.” *Social Psychiatry and Psychiatric Epidemiology* 47(6): 1001–1011. doi:10.1007/s00127-011-0408-2.
- Bonach, Kathryn, and Alex Heckert. 2012. “Predictors of Secondary Traumatic Stress Among Children’s Advocacy Center Forensic Interviewers.” *Journal of Child Sexual Abuse* 21(3): 295–314. doi:10.1080/10538712.2012.647263.
- Bride, Brian E., Melissa Radey, and Charles R. Figley. 2007. “Measuring Compassion Fatigue.” *Clinical Social Work Journal* 35(3):155–163. doi:10.1007/s10615-007-0091-7.

References (cont.)

- Conrad, David, and Yvonne Kellar-Guenther. 2006. "Compassion Fatigue, Burnout, and Compassion Satisfaction Among Colorado Child Protection Workers." *Child Abuse & Neglect* 30(10): 1071–1080. doi:10.1016/j.chiabu.2006.03.009.
- Cornille, Thomas A., and Tracy Woodard Meyers. 1999. "Secondary Traumatic Stress Among Child Protective Service Workers: Prevalence, Severity and Predictive Factors." *Traumatology* 5(1): 15–31. doi:10.1177/153476569900500105.
- Engstrom, David, Pilar Hernandez, and David Gangsei. 2008. "Vicarious Resilience: A Qualitative Investigation Into Its Description." *Traumatology* 14(3): 13–21. doi:10.1177/1534765608319323.
- Farrell, Graham, and Ken Pease. 1993. *Once Bitten, Twice Bitten: Repeat Victimization and Its Implications for Crime Prevention*. London: Home Office Police Research Group.
- Figley, Charles R. 1995. *Compassion Fatigue: Coping With Secondary Traumatic Stress Disorder In Those Who Treat The Traumatized*. 1st edition. New York: Routledge.

References (cont.)

- Gilfus, Mary E. 1999. “The Price of the Ticket: A Survivor-Centered Appraisal of Trauma Theory.” *Violence Against Women* 5(11): 1238–57. doi:10.1177/1077801299005011002
- Hernández, Pilar, David Gangsei, and David Engstrom. 2007. “Vicarious Resilience: A New Concept in Work With Those Who Survive Trauma.” *Family Process* 46(2): 229–241. doi:10.1111/j.1545-5300.2007.00206.x.
- Hudnall , Beth. 2002. “Measuring Compassion Satisfaction as Well as Fatigue: Developmental History of the Compassion Satisfaction and Fatigue Test.” In *Treating Compassion Fatigue*, 107–19. Psychosocial Stress Series, No. 24. New York, NY, US: Brunner-Routledge.
- Janoff-Bulman, Ronnie. 1992. *Shattered Assumptions: Towards a New Psychology of Trauma*. New York: Free Press.
- Kessler, Ronald C., Johan Ormel, Maria Petukhova, Katie A. McLaughlin, Jennifer Greif Green, Leo J. Russo, Dan J. Stein, et al. 2011. “Development of Lifetime Comorbidity in the World Health Organization World Mental Health Surveys.” *Archives of General Psychiatry* 68(1): 90–100. doi:10.1001/archgenpsychiatry.2010.180.

References (cont.)

- Mathieu, Françoise. 2012. “Compassion Fatigue.” In *Encyclopedia of Trauma: An Interdisciplinary Guide*, edited by Charles R. Figley, 1st edition, 904. Thousand Oaks, CA: SAGE Publications, Inc.
- Munroe, James F., Jonathan Shay, Lisa Fisher, Christine Makary, Kathryn Rapperport, and Rose Zimering. 1995. “Preventing Compassion Fatigue: A Team Treatment Model.” In *Compassion Fatigue: Coping With Secondary Traumatic Stress Disorder in Those Who Treat the Traumatized*, edited by Charles R Figley, 209–231. New York: Brunner-Routledge.
- Pearlman, Laurie Anne. 2016. “Headington Institute.” *Headington Institute*. Accessed November 8, 2016. www.headington-institute.org/.
- Remen, Rachel Naomi. 2006. *Kitchen Table Wisdom: Stories That Heal, 10th Anniversary Edition*. New York: Riverhead Books.
- Saakvitne, Karen W. 1999. *Risking Connection: A Training Curriculum for Working With Survivors of Childhood Abuse*. Lutherville, MD: Sidran Press.

References (cont.)

- Slattery, Suzanne M., and Lisa A. Goodman. 2009. “Secondary Traumatic Stress Among Domestic Violence Advocates: Workplace Risk and Protective Factors.” *Violence Against Women* 15(11): 1358–1379. doi:10.1177/1077801209347469.
- Yassen, Janet. 1995. “Preventing Secondary Traumatic Stress Disorder.” In *Compassion Fatigue: Coping With Secondary Traumatic Stress Disorder In Those Who Treat The Traumatized*, edited by Charles R. Figley, 1st edition, 178–208. New York: Routledge.