ProductSheet HP 260 G4 Desktop Mini PC (23H36EA)

An affordable, essential commercial desktop PC

Get a terrific balance of entry-level performance, productivity, and reliability at a budget-friendly price point with the HP 260 G4 Desktop Mini.



HP recommends Windows 11 Pro for business Optimized performance and expandability

Experience business-grade performance for your everyday tasks from an Intel® processor[2] and

high-speed DDR4 memory.

Versatile deployment

Make the most of your Mini. Attach behind an HP monitor[3] for streamlined setups or mount your Mini securely with the optional security lock box and VESA sleeve.[3]

Flexible connectivity

Deploy a PC that integrates easily into your environment with a range of ports.

Featuring

Windows 11

Work anywhere without compromising on performance or security with Windows 11 powered by HP's collaboration and connectivity technology.

Fast performance, connectivity, and responsiveness

Get the exceptional combination of responsive performance, connectivity and speed with a 10th Gen Intel® Core™ processor that lets you launch, create, and connect fast and reliably. ^[2]

Help secure critical data

The Trusted Platform Module (TPM) embedded security chip provides hardware-based encryption keys to help secure your data, e-mail, and user credentials.

Help secure your drive

Help keep unauthorized users from accessing data on your SSD. Prevent your PC SSD drive from running without entering a password using HP DriveLock. ^[1]

Specifications

Operating system Windows 11 Pro ^[1] Processor family Toth Generation Intel® Core® is processor Processor Intel® Core® is Tot2100 (1: 6 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 6 MB L3 cache, 4 coreg/§-7.1 Memory B 66 DBA+-2666 MHz RAM (1 x 8 GB) Memory Stots 2 Sto GB Pc1e® WMe® M.2 SSD Internal Storage 256 GB Pc1e® WMe® M.2 SSD Internal drive bays One 2.5" Graphics Integrated Graphics (Integrated) Integrated Scored, Internal Speaker, combo microphone/headphonejack Minimum dimensions (W x D xH) 7.7 x 17.5 x 3.4 cm Minimum dimensions (W x D XH) 5.97 x 6.89 x 1.34 in Weight (Exact weight depends on configuration.) Weight (Exact weight depends on configuration.) Weight 1.0 SB wired optical mouse Ports 1 headphone/microphone combot; 1 Super Speed USB Type-C 10Gbps signaling rate; 1 Super Speed USB Type-A 480Mbps signaling rate; 2 USB Type-A 480Mbps signalin	Form factor	Mini
Intel® Cores™ 15-10210U (1.6 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 6 MB L3 cache, 4 cores;(4.7) Memory 8 GE DDRA-2666 MHz RAM (1 x 8 GB) Memory Slots 2 SODIMM Internal Storage 256 GB CLe® NUME® M. 2 SSD Internal drive bays One 2.5" Graphics Integrated Graphics (Integrated) Intel® UHD Graphics Audio Reatter ALC 3205 codec, Internal speaker, combo microphone/headphone jack Minimum dimensions (W x Dx H) 1.7 x 17.5 x 3.4 cm Minimum dimensions (W x Dx H) 1.7 x 17.5 x 3.4 cm Weight (<i>Exact weight depends on configuration.</i>) Vegipt (<i>Exact weight depends on configuration.</i>) Keyboard USB wired exploard Ports 1 headphone/microphone combo: 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 1 SuperSpeed USB Type-A 480Mbps signaling rate; 2 USB Type-A	Operating system	Windows 11 Pro ^[1]
Processor 4 cores/6x1 Memory 8 GB DDR4-2666 MHz RAM (1 x 8 GB) Memory Solis 2 SODI/M Internal Storage 256 GB PCIe® NVMe™ M.2 SSD Internal drive bays One 2.5" Graphics Intel® UMD Graphics Audio Reattek ALC3205 codec, internal speaker, combo microphone/headphone jack Minimum dimensions (W x D x H) 1.7 x 17.5 x 3.4 cm Minimum dimensions (W x D x H) 1.7 x 17.5 x 3.4 cm Minimum dimensions (W x D x H) 1.7 x 17.5 x 3.4 cm Weight (<i>Exact weight depends on configuration.</i>) Keyboard USB wired keyboard Pointing device HP USB wired optical mouse Ports 1 headphone/microphone combo: 1 SuperSpeed USB Type-C® 10Gbps signaling rate; 1 SuperSpeed USB Type-A 3Gbps signaling rate; 1 SuperSpeed USB Type-A 4Gbbps signaling rate; 2 USB Type-A 4B0Mbps signaling rate; 2 USB Type-A 4B0M	Processor family	10th Generation Intel® Core™ i5 processor
Memory Slots 2 SODIMM Internal Storage 256 GB PC (e® NVMe™ M.2 SSD Internal drive bays One 2.5° Graphics Integrated Graphics Integrated Graphics Integrated Minimum dimensions (W x D xH) 17.7 x 17.5 x 3.4 cm Minimum dimensions (W x D xH) 6.97 x 6.89 x 1.34 in Weight 2.74 lb Weight 2.74 lb Keyboard USB wired keyboard Pointing device HP USB wired optical mouse Ports 1 headphone/microphone combo: 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 1 SuperSpeed USB Type-A 5Gbps signaling rate; 1 SuperSpeed USB Type-A 5Gbps signaling rate; 1 M.2 2280.3 KTA storage connector ¹¹¹ Ports 1 RJ-45; 1 VGA; 1 serial; 1 HDMI 1.4; 2 SuperSpeed USB Type-C* 10Gbps signaling rate; 2 USB Type-A 480Mbps signaling rate; 2 USB Type-A 480Mbps signaling rate; 2 USB Type-A 480Mbps signaling rate; 3 signaling rate; 2 USB Type-A 480Mbps signaling rate; 3 signaling rate; 3 signaling rate; 1 RJ-45; 1 VGA; 1 serial; 1 HDMI 1.4; 2 SuperSpeed USB Type-C* 10Gbps signaling rate; 2 USB Type-A 480Mbps signaling rate; 4 SuperSpeed USB Type-A 480Mbps signaling rate; 3 signaling rate; 3 signaling rate; 3 signaling rate; 3 signaling rate; 1 SuperSpeed USB Type-A 480Mbps signaling rate; 2 USB Type-A 480Mbps signaling rate; 3 signaling rate; 2 USB Type-A 480Mbps signaling ra	Processor	
Internal Storage 256 GB PCLe® NVMe™ M.2 SSD Internal drive bays One 2.5" Graphics Integrated Graphics (integrated) Intel® UHD Graphics Audio Reattek ALC3205 codec, internal speaker, combo microphone/headphone jack Minimum dimensions (W x D x H) 17.7 x 17.5 x 3.4 cm Minimum dimensions (W x D x H) 12.5 kg (Exact weight depends on configuration.) Weight (Exact weight depends on configuration.) Keyboard USB wired keyboard Pointing device HP USB wired optical mouse Pointing device HP USB wired optical mouse Ports 1 headphone/incrophone combo; 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 1 SuperSpeed USB Type-A Sobps signaling rate; 1 US Type A 480Mbps signaling rate SuperSpeed USB Type-A Ports 1 headphone/incrophone combo; 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 2 USB Type-A 480Mbps signaling rate Package weight 3.40 kg Network interface type WLAN Wireless Reattek RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-Fi* and Bluetooth* 4.2 combo Power 65 W external AC power adapter Ecolabels TCO Certified Management Kabl Cole Keiv	Memory	8 GB DDR4-2666 MHz RAM (1 x 8 GB)
Internal drive bays One 2.5° Graphics Integrated Graphics (integrated) Intel® UHD Graphics Audio Reattek ALC3205 codec, internal speaker, combo microphone/headphone jack Minimum dimensions (W x D x H) 17.7 x 17.5 x 3.4 cm Minimum dimensions (W x D x H) 6.97 x 6.89 x 1.34 in Weight 1.25 kg (Exact weight depends on configuration.) Weight 2.74 lb (Exact weight depends on configuration.) Keyboard USB wired keyboard Pointing device HP USB wired keyboard Points 1 headphone/microphone combo: 1 SuperSpeed USB Type-C ⁶ 10Gbps signaling rate; 1 SuperSpeed USB Type-A SGbps signaling rate; 2 USB Type-A 480Mbps signaling rate; 1 SuperSpeed USB Type-A SGbps signaling rate; 2 USB Type-A 480Mbps signaling rate; 1 SuperSpeed USB Type-A SGbps signaling rate; 2 USB Type-A 480Mbps signaling ra	Memory Slots	2 SODIMM
Graphics Integrated Graphics (integrated) Intel® UHD Graphics Audio Reatex ALC3205 codec, internal speaker, combo microphone/headphone jack Minimum dimensions (W x D x H) 17.7 x 17.5 x 3.4 cm Minimum dimensions (W x D x H) 6.97 x 6.89 x 1.34 in Weight 1.25 kg (Exact: weight depends on configuration.) Keyboard USB wired keyboard Pointing device HP USB wired keyboard Ports 1 headphone/microphone combo; 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 1 SuperSpeed USB Type-A 400Mbps signaling rate Expansion slots 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[11] (1 M.2 230; for WLAN and 1 M.2 2280 slots for storage.) Ports 1 R-45; 1 VGA; 1 serial; 1 HDMI 1.4; 2 SuperSpeed USB Type-A 360bps signaling rate; 2 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.8 x 23.5 x 13.2 cm Package weight 3.40 kg Network interface type WLAN Wireless Reattex RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-Fi* and Bluetooth* 4.2 combo Power 65 W external AC power adapter Ecolabels T C Certified Management features HP Cloud Recovery ^[20] Sustainable impact specifications Low halogen	Internal Storage	256 GB PCIe [®] NVMe™ M.2 SSD
Graphics (integrated) Intel® UHD Graphics Audio Realtek ALC3205 codec, internal speaker, combo microphone/headphone jack Minimum dimensions (W x Dx H) 1.7.7 x 17.5 x 3.4 cm Minimum dimensions (W x Dx H) 6.97 x 6.89 x 1.34 in Weight (Exact weight depends on configuration.) Weight (Exact weight depends on configuration.) Keyboard USB wired keyboard Pointing device HP USB wired optical mouse Ports 1 headphone/microphone combo: 1 SuperSpeed USB Type-C® 10Gbps signaling rate; 1 SuperSpeed USB Type-A SGbps signaling rate; 1 SuperSpeed USB Type-A SGbps signaling rate; 2 uSB Type-A 480Mbps signaling rate Ports 1 headphone/microphone combo: 1 SuperSpeed USB Type-A SGbps signaling rate; 2 uSB Type-A 480Mbps signaling rate	Internal drive bays	One 2.5"
Audio Reattek ALC3205 codec, internat speaker, combo microphone/headphone jack Minimum dimensions (W x D x H) 17.7 x 17.5 x 3.4 cm Minimum dimensions (W x D x H) 6.97 x 6.89 x 1.34 in Weight 1.25 kg (Exact weight depends on configuration.) Weight 2.74 lb (Exact weight depends on configuration.) Keyboard USB wired keyboard Pointing device HP USB wired optical mouse Ports 1 headphone/microphone combo; 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 1 SuperSpeed USB Type-A 506bps signaling rate; 1 USB Type-A 480Mbps signaling rate Expansion slots 1 M.2 2230; 1 M.2 2230; 1 SATA storage connector ⁽¹¹⁾ (1 M.2 slot for VULAN and 1 M.2 2280 slots for storage.) Ports 1 RJ-45; 1 VGG; 1 serial; 1 HDMI 1.4; 2 SuperSpeed USB Type-A 56bps signaling rate; 2 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.8 x 23.5 x 13.2 cm Package weight 3.40 kg Network interface type WLAN Wireless Reatek RTL8821CE 802.11 a/b/g/n/ac (1x1) Wi-Fi* and Bluetooth* 4.2 combo Power 65 W external AC power adapter Ecolabels TCO Certified Management features HP Cloud Recovery ^[20] Sustainable impact specifications Low halogen Power-on	Graphics	Integrated
Minimum dimensions (W x D x H) 17.7 x 17.5 x 3.4 cm Minimum dimensions (W x D x H) 6.97 x 6.89 x 1.34 in Weight 1.25 kg (Exact weight depends on configuration.) Weight 2.74 lb (Exact weight depends on configuration.) Keyboard USB wired keyboard Pointing device HP USB wired optical mouse Ports 1 headphone/microphone combo; 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 1 SuperSpeed USB Type-A 480Mbps signaling rate; 1 SuperSpeed USB Type-A 5Gbps signaling rate; 2 SuperSpeed USB Type-A 480Mbps signaling rate; 2 SuperSpeed USB Type-A 480Mbps signaling rate; 2 USB type A 480Mbps signaling rate; 2 USB Type-A 480Mbps signaling rate; 2 USB type A 480Mbps signaling rat	Graphics (integrated)	Intel® UHD Graphics
Minimum dimensions (W x D x H) 6.97 x 6.89 x 1.34 in Weight 1.25 kg (Exact weight depends on configuration.) Weight 2.74 lb (Exact weight depends on configuration.) Keyboard USB wired keyboard Pointing device HP USB wired keyboard Ports 1 headphone/microphone combo; 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 1 SuperSpeed USB Type-A 480Mbps signaling rate; 1 SuperSpeed USB Type-A 480Mbps signaling rate; 2 SuperSpeed USB Type-A 480Mbps signaling rate; 2 USB type A 480Mbps signaling rate; 2 USB Type-A 480Mbps signaling rate; 2 USB type A 480Mbps signaling rate; 2 USB type A 480Mbps Signaling rate; 2 USB type A 480Mbps Signaling rate; 2	Audio	Realtek ALC3205 codec, internal speaker, combo microphone/headphone jack
Weight 1.25 kg (Exact weight depends on configuration.) Weight 2.74 lb (Exact weight depends on configuration.) Keyboard USB wired keyboard Pointing device HP USB wired optical mouse Ports 1 headphone/microphone combo: 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 1 SuperSpeed USB Type-A Expansion slots 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^{[111} (<i>1 M.2 230;</i> 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[111] (<i>1 M.2 230;</i> 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[111] (<i>1 M.2 230;</i> 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[111] (<i>1 M.2 230;</i> 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[111] (<i>1 M.2 230;</i> 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[111] (<i>1 M.2 230;</i> 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[111] (<i>1 M.2 230;</i> 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[111] (<i>1 M.2 230;</i> 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[111] (<i>1 M.2 230;</i> 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[111] (<i>1 M.2 230;</i> 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[111] (<i>1 M.2 230;</i> 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[111] (<i>1 M.2 230;</i> 1 M.2 235, x 13.2 cm Package weight 3.40 kg Network interface type WLAN Wireless Reattek RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-FI® and Bluetooth® 4.2 combo Power 65 W external AC power adapter Ecolabels TCO Certified Management features HP Cloud Recovery ^[20] Sustainable impact spe	Minimum dimensions (W x D x H)	17.7 x 17.5 x 3.4 cm
Weight (Exact weight depends on configuration.) Weight 2.74 lb (Exact weight depends on configuration.) Keyboard USB wired keyboard Pointing device HP USB wired optical mouse Ports 1 headphone/microphone combo; 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 1 SuperSpeed USB Type-A SGbps signaling rate; 1 USB Type-A 480Mbps signaling rate SuperSpeed USB Type-C* 10Gbps signaling rate; 1 SuperSpeed USB Type-A Expansion slots 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[11] (1 M.2 siot for WLAN and 1 M.2 2280 slots for storage.) Ports 1 RJ-45; 1 VGA; 1 serial; 1 HDMI 1.4; 2 SuperSpeed USB Type-A 5Gbps signaling rate; 2 USB Type-A 480Mbps signaling rate; 3.40 kg Package dimensions (W x D x H) 49.8 x 23.5 x 13.2 cm Package weight 3.40 kg Network interface type WLAN Wireless Realtek RTLB821CE 802.11a/b/g/n/ac (1x1) Wi-Fi* and Bluetooth* 4.2 combo Power 65 W external AC power adapter Ecolabels TCO Certified Management features HP Cloud Recovery ^[20] Sustainable impact specifications Low halogen Power-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable	Minimum dimensions (W x D x H)	6.97 x 6.89 x 1.34 in
Weight (Exact weight depends on configuration.) Keyboard USB wired keyboard Pointing device HP USB wired optical mouse Ports 1 headphone/microphone combo; 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 1 SuperSpeed USB Type-A SGbps signaling rate; 1 USB Type-A 480Mbps signaling rate SGbps signaling rate; 1 USB Type-A 480Mbps signaling rate Expansion slots 1 M.2 2230; 1 N.2 2280; 1 SATA storage connector ^[111] (1 M.2 slot for WLAN and 1 M.2 2280 slots for storage.) Ports 1 RJ-45; 1 VGA; 1 serial; 1 HDMI 1.4; 2 SuperSpeed USB Type-A 5Gbps signaling rate; 2 USB Type-A 480Mbps signaling rate; 3.40 kg Package dimensions (W x D x H) 49.8 x 23.5 x 13.2 cm Package weight 3.40 kg Network interface type WLAN Wireless Realtek RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-Fi* and Bluetooth* 4.2 combo Power 65 W external AC power adapter Ecolabels TC0 Certified Management features HP Cloud Recovery ^[20] Sustainable impact specifications Low halogen Power- on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via	Weight	
Pointing device HP USB wired optical mouse Ports 1 headphone/microphone combo; 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 1 SuperSpeed USB Type-A SGbps signaling rate; 1 USB Type-A 480Mbps signaling rate 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[11] (1 M.2 s20); 1 M.2 2280; 1 SATA storage connector ^[11] (1 M.2 s20); 1 M.2 2280; 1 SATA storage connector ^[11] Ports 1 RJ-45; 1 VGA; 1 serial; 1 HDMI 1.4; 2 SuperSpeed USB Type-A 5Gbps signaling rate; 2 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.8 x 23.5 x 13.2 cm Package weight 3.40 kg Network interface type WLAN Wireless Realtek RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-Fi* and Bluetooth* 4.2 combo Power 65 W external AC power adapter Ecolabels TCO Certified Management features HP Cloud Recovery ^[20] Sustainable impact specifications Low halogen Power-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padicoks and cable lock devices; USB enable/disable (via BIOS); Setup password (via BIOS); Support for chassis padicoks and cable lock devices; USB enable/disable (via BIOS); Setup password (via BIOS); Support for chassis podicoks and cable lock devices; USB enable/disable (via BIOS); Setup password (via BIOS); Support for chassis podicoks and cable lock devices; USB enable/disable	Weight	
Ports 1 headphone/microphone combo; 1 SuperSpeed USB Type-C® 10Gbps signaling rate; 1 SuperSpeed USB Type-A 5Gbps signaling rate; 1 USB Type-A 480Mbps signaling rate Expansion slots 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[11] (2 M.2 slot for WLAN and 1 M.2 2280 slots for storage.) Ports 1 RJ-45; 1 VGA; 1 serial; 1 HDMI 1.4; 2 SuperSpeed USB Type-A 5Gbps signaling rate; 2 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.8 x 23.5 x 13.2 cm Package weight 3.40 kg Network interface type WLAN Wireless Realtek RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-Fi® and Bluetooth® 4.2 combo Power 65 W external AC power adapter Ecolabels TC0 Certified Management features HP Cloud Recovery ^[20] Sustainable impact specifications Low halogen Power- on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10. (Common Criteria EAL4+ Certified) ^[21] Software included HP Support Assistant; Buy Office (sold separately); HP JumpStarts; HP Desktop Support Utilities; Xerox® DocuShare® 30 day free trial offer ^[18,19,23] UPC number (A20) 1951611770876; (ABD) 19569720923; (ACB) 195161770883; (ACD) 196068844825;	Keyboard	USB wired keyboard
Ports 5Gbps signaling rate; 1 USB Type-A 480Mbps signaling rate Expansion slots 1 M.2 2230; 1 M.2 2280; 1 SATA storage connector ^[11] (1 M.2 slot for WLAN and 1 M.2 2280 slots for storage.) Ports 1 RJ-45; 1 VGA; 1 serial; 1 HDMI 1.4; 2 SuperSpeed USB Type-A 5Gbps signaling rate; 2 USB Type-A 480Mbps signaling rate Package dimensions (W x D x H) 49.8 x 23.5 x 13.2 cm Package weight 3.40 kg Network interface type WLAN Wireless Realtek RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-Fi® and Bluetooth® 4.2 combo Power 65 W external AC power adapter Ecolabels TCO Certified Management features HP Cloud Recovery ^[20] Sustainable impact specifications Low halogen Power-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via BIOS); Setup pasword (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10. (Common Criteria EAL4+ Certified) ^[21] Software included HP Support Assistant; Buy Office (sold separately); HP JumpStarts; HP Desktop Support Utilities; Xerox® DocuShare® 30 day free trial offer ^[18,19,23] UPC number (A2Q) 195161770876; (ABB) 196068844844; (ABF) 195697290923; (ACB) 195161475436; (ABU) 196068844825;	Pointing device	HP USB wired optical mouse
Explanation Stock(1 M.2 slot for WLAN and 1 M.2 2280 slots for storage.)Ports1 RJ-45; 1 VGA; 1 serial; 1 HDMI 1.4; 2 SuperSpeed USB Type-A 5Gbps signaling rate; 2 USB Type-A 480Mbps signaling ratePackage dimensions (W x D x H)49.8 x 23.5 x 13.2 cmPackage weight3.40 kgNetwork interface typeWLANWirelessRealtek RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-Fi® and Bluetooth® 4.2 comboPower65 W external AC power adapterEcolabelsTC0 CertifiedManagement featuresHP Cloud Recovery ^[20] Sustainable impact specificationsLow halogenPower-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; US Benable/disable (via BIOS); Setup password (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10. (Common Criteria EAL4+ Certified) ^[21] Software includedHP Support Assistant; Buy Office (sold separately); HP JumpStarts; HP Desktop Support Utilities; Xerox® DocuShare® 30 day free trial offer ^[18,19,23] UPC number(A2Q) 195161770876; (ABB) 196068844844; (ABF) 195697290923; (ACB) 195161475436; (ABU) 196068844882;	Ports	
Ports signaling rate Package dimensions (W x D x H) 49.8 x 23.5 x 13.2 cm Package weight 3.40 kg Network interface type WLAN Wireless Realtek RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-Fi® and Bluetooth® 4.2 combo Power 65 W external AC power adapter Ecolabels TCO Certified Management features HP Cloud Recovery ^[20] Sustainable impact specifications Low halogen Power-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via BIOS); Serial enable/disable (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10. (Common Criteria EAL4 + Certified) ^[21] Software included HP Support Assistant; Buy Office (sold separately); HP JumpStarts; HP Desktop Support Utilities; Xerox® DocuShare® 30 day free trial offer ^[18,19,23] (A2Q) 195161770876; (ABB) 195068844844; (ABF) 195697290923; (ABT) 195161475436; (ABU) 196068844882;	Expansion slots	
Package weight3.40 kgNetwork interface typeWLANWirelessRealtek RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-Fi® and Bluetooth® 4.2 comboPower65 W external AC power adapterEcolabelsTCO CertifiedManagement featuresHP Cloud Recovery ^[20] Sustainable impact specificationsLow halogenPower-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via BIOS); Serial enable/disable (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10. (Common Criteria EAL4+ Certified) ^[21] Software includedHP Support Assistant; Buy Office (sold separately); HP JumpStarts; HP Desktop Support Utilities; Xerox® DocuShare® 30 day free trial offer ^[18,19,23] UPC number(A2Q) 195161770876; (ABB) 196068844844; (ABF) 195697290923; (ABT) 195161475436; (ABU) 196068844882;	Ports	
Network interface typeWLANWirelessRealtek RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-Fi® and Bluetooth® 4.2 comboPower65 W external AC power adapterEcolabelsTCO CertifiedManagement featuresHP Cloud Recovery ^[20] Sustainable impact specificationsLow halogenPower-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via BIOS); Setup password (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10. (Common Criteria EAL4+ Certified) ^[21] Software includedHP Support Assistant; Buy Office (sold separately); HP JumpStarts; HP Desktop Support Utilities; Xerox® DocuShare® 30 day free trial offer ^[18,19,23] UPC number(A2Q) 195161770876; (ABB) 196068844844; (ABF) 195697290923; (ABT) 195161475436; (ABU) 196068844882;	Package dimensions (W x D x H)	49.8 x 23.5 x 13.2 cm
Wireless Realtek RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-Fi® and Bluetooth® 4.2 combo Power 65 W external AC power adapter Ecolabels TCO Certified Management features HP Cloud Recovery ^[20] Sustainable impact specifications Low halogen Power-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via BIOS); Setup password (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10. (Common Criteria EAL4+ Certified) ^[21] Software included HP Support Assistant; Buy Office (sold separately); HP JumpStarts; HP Desktop Support Utilities; Xerox® DocuShare® 30 day free trial offer ^[18,19,23] UPC number (A2Q) 195161770876; (ABB) 196068844844; (ABF) 195697290923; (ABT) 195161475436; (ABU) 196068844882;	Package weight	3.40 kg
Power65 W external AC power adapterEcolabelsTCO CertifiedManagement featuresHP Cloud Recovery ^[20] Sustainable impact specificationsLow halogenSecurity managementPower-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via BIOS); Serial enable/disable (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10. (Common Criteria EAL4+ Certified) ^[21] Software includedHP Support Assistant; Buy Office (sold separately); HP JumpStarts; HP Desktop Support Utilities; Xerox® DocuShare® 30 day free trial offer ^[18,19,23] UPC number(A2Q) 195161770876; (ABB) 196068844844; (ABF) 195697290923; (ABT) 195161475436; (ABU) 196068844882;	Network interface type	WLAN
EcolabelsTC0 CertifiedManagement featuresHP Cloud Recovery [20]Sustainable impact specificationsLow halogenPower-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via BIOS); Serial enable/disable (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10. (Common Criteria EAL4+ Certified)Software includedHP Support Assistant; Buy Office (sold separately); HP JumpStarts; HP Desktop Support Utilities; Xerox® DocuShare® 30 day free trial offer (18,19,23]UPC number(A2Q) 195161770876; (ABB) 196068844844; (ABF) 195697290923; (ABT) 195161475436; (ABU) 196068844882;	Wireless	Realtek RTL8821CE 802.11a/b/g/n/ac (1x1) Wi-Fi® and Bluetooth® 4.2 combo
Management features HP Cloud Recovery ^[20] Sustainable impact specifications Low halogen Power-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via BIOS); Serial enable/disable (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10. (Common Criteria EAL4+ Certified) ^[21] Software included HP Support Assistant; Buy Office (sold separately); HP JumpStarts; HP Desktop Support Utilities; Xerox® DocuShare® 30 day free trial offer ^[18,19,23] UPC number (A2Q) 195161770876; (ABB) 196068844844; (ABF) 195697290923; (ABT) 195161475436; (ABU) 196068844882;	Power	65 W external AC power adapter
Sustainable impact specifications Low halogen Security management Power-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via BIOS); Serial enable/disable (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10. (Common Criteria EAL4+ Certified) ^[21] Software included HP Support Assistant; Buy Office (sold separately); HP JumpStarts; HP Desktop Support Utilities; Xerox® DocuShare® 30 day free trial offer ^[18,19,23] UPC number (A2Q) 195161770876; (ABB) 196068844844; (ABF) 195697290923; (ABT) 195161475436; (ABU) 196068844882;	Ecolabels	TCO Certified
Security managementPower-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; USB enable/disable (via BIOS); Serial enable/disable (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10. (Common Criteria EAL4+ Certified) ^[21] Software includedHP Support Assistant; Buy Office (sold separately); HP JumpStarts; HP Desktop Support Utilities; Xerox® DocuShare® 30 day free trial offer ^[18,19,23] UPC number(A2Q) 195161770876; (ABB) 196068844844; (ABF) 195697290923; (ABT) 195161475436; (ABU) 196068844882;	Management features	HP Cloud Recovery ^[20]
Security managementpadlocks and cable lock devices; USB enable/disable (via BIOS); Serial enable/disable (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10. (Common Criteria EAL4+ Certified) ^[21] Software includedHP Support Assistant; Buy Office (sold separately); HP JumpStarts; HP Desktop Support Utilities; Xerox® DocuShare® 30 day free trial offer ^[18,19,23] UPC number(A2Q) 195161770876; (ABB) 196068844844; (ABF) 195697290923; (ABT) 195161475436; (ABU) 196068844882;	Sustainable impact specifications	Low halogen
Software included DocuShare® 30 day free trial offer ^[18,19,23] (A2Q) 195161770876; (ABB) 196068844844; (ABF) 195697290923; (ABT) 195161475436; (ABU) 196068844875; UPC number (ABV) 195161475443; (ABZ) 195697083389; (ACB) 195161770883; (AKD) 196188017579; (AKQ) 196068844882;	Security management	padlocks and cable lock devices; USB enable/disable (via BIOS); Serial enable/disable (via BIOS); HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10.
UPC number (ABV) 195161475443; (ABZ) 195697083389; (ACB) 195161770883; (AKD) 196188017579; (AKQ) 196068844882;	Software included	
	UPC number	(ABV) 195161475443; (ABZ) 195697083389; (ACB) 195161770883; (AKD) 196188017579; (AKQ) 196068844882;

Top Recommended Displays, Accessories and Services

P-Series

HP P24h G4 FHD Monitor

7VH44AA

Messaging Footnotes

[1] HP DriveLock requires a 10th generation Intel[®] Core[™] processor and is not supported on NVMe drives.

[2] Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

[3] Sold separately or as an optional feature.

Technical Specifications Footnotes

[1] Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.

[6] Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

[7] Intel® Turbo Boost performance varies depending on hardware, software and overall system configuration. See http://www.intel.com/technology/turboboost/ for more information.

[11] For Desktop Mini with M.2 Storage configuration, there will be no SATA drive bracket. If you require or will upgrade the storage with any 2.5" SATA drive, please select a DM 35W SATA Drive Bracket.

[18] HP Support Assistant requires Windows and Internet access.

[19] McAfee LiveSafe™: 1 year subscription. Availability may vary by country.

[20] HP Cloud Recovery is available for HP Elite and Pro desktops and laptops PCs with Intel® or AMD processors and requires an open, wired network connection. Note: You must back up important files, data, photos, videos, etc. before use to avoid loss of data. Detail please refer to: https://support.hp.com/us-en/document/c05115630.

[21] Storage Drivelock does not work with Self Encrypting or Optane based storage.

[23] Simply sign up and start using Xerox[®] DocuShare[®] Go. No credit card. No obligation. Data will become unavailable unless a subscription is entered before the end of the 30 day free trial period. See visit www.xerox.com/docusharego for details.

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Bluetooth is a trademark of its proprietor and used by HP Inc. under license. Intel, Core and Intel vPro are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. NVIDIA, the NVIDIA logo, and GeForce are trademarks and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. All other trademarks are the property of their respective owners.

