

Manufactured by: Backyard Discovery 3305 Airport Drive, Pittsburg, KS 66762 800-856-4445

Basepoint Business Centre: Rivermead Drive, Westlea, Swindon SN5 7EX Phone: 0800-118-2476 J.P. Coenstraat 7, The Bridge, The Hague, 2595 WP, Netherlands Phone: 08005678990

14x10 Barrington Gazebo

MODEL #: 2306042

THE ASSEMBLY MANUAL MUST BE RETAINED SINCE IT CONTAINS IMPORTANT INFORMATION





Please visit www.backyarddiscovery.com

For the most up to date assembly manual, to register your product, or to order replacement parts Para obtener instrucciones en español, visite www.backyarddiscovery.com



EASY STEP-BY-STEP

3D INTERACTIVE INSTRUCTIONS
DOWNLOAD THE FREE APP






OWNER'S MANUAL - BASIC SETUP DIMENSIONS & ASSEMBLY NOTES

It is critically important that you start with square and level footings, concrete pad or deck to attach your structure


- Pay close attention to the items needed for each step. Make sure you are using the correct hardware for each step. Using incorrect hardware may result in improper assembly
- Remember to double check for underground utilities and overhead electrical lines

Post mounts are provided with your structure which allows you to permanently install your structure to a pre-existing or new wood or concrete surface. See Anchor Instructions for further details and recommendations.

- The hardware to attach the post mounts to the structure is included.
- The hardware to mount the structure permanently to a concrete surface is included.
- The hardware to mount the structure permanently to a wood deck is NOT included and will need to be purchased separately. You must ensure there is ample structural support under the deck before permanently attaching.





OWNER'S MANUAL - ANCHORING LAYOUT




Wood Components (Not to Scale) • H01 |ROOF JOIST-W4L16295 (2) 1"x3 3/8"x"88 3/16" (24x86x2240) **H02** | ROOF JOIST- W4L16283 (2) | 1"x3 3/8"x46 3/4" (24x86x1188) H03 | PURLIN - W4L16281 (2) 1"x3 3/8"x68 3/8" (24x86x1736) **H04** | PURLIN - W4L16921 | 1"x3 3/8"x29 5/8" (24x86x752) H05|PURLIN-W4L16291 (4) 1"x3 3/8"x65 1/2" (24x86x1664) H07 | PURLIN-W4L16292 (4) 1"x3 3/8"x59 7/16" (24x86x1509) H08 | PURLIN-W4L16293 (4) 1"x3 3/8"x 43 11/16" (24x86x1110) •

H09 | ROOF JOIST-W4L16296 (2) | 1"X3 3/8"X88 1/8" (24x86x2240)







Wood Components (Not to Scale)




P02 | POST-W2A03572 (x2) | 6"x6"x89 1/2" (152x152x2274)




Hardware Components







A4M01191 PANEL BRACKET




 $\underset{(x8)}{\textbf{A4M01793}} | \ \textbf{POST ANCHOR PLATE}$




A4M01192 PANEL BRACKET



A4M01194 PANEL BRACKET




 $\mathop{\hbox{A4M01794}}\limits_{(x8)}|\mathop{\hbox{POST PLATE}}$




A4M01193 PANEL BRACKET



A4M01228 RAFTER CLIP



A6P00308 6X6 POST FOOT




A4M01184 PANEL SUPPORT BRACKET






A4M01185 CORNER BRACKET



A4M01234 POST CLIP






A4M01202 EDGE TRIM CORNER SPLICE



A4M01205 METAL SPACER





A4M01201 EDGE TRIM SPLICE



A4M01204 RIDGE PEAK CAP















 $A4M01177-1 \mid 29 \text{ GA STEEL SHEETING}$



PRE-ASSEMBLY STEP 1 - SORTING PARTS

It is critical for ease of assembly that you take the time to sort and organize the wood and hardware.

WOOD PARTS:

- Organize wood parts by the three-digit, alpha-numeric number stamped on each board (ex. P01).
- If there are multiple boards with the same stamped number, stack those pieces together.
- Stamps can be found on the flat surface of the boards or on the end of the boards.
- Allow yourself plenty of room the wood pieces can take up a significant amount of space.

NOTE: CARTONS ARE NOT ORGANIZED BY BOARD NUMBER.





HARDWARE PARTS:

- We recommend that you have a separate table to organize the hardware.
- Hardware bags are printed with a seven-digit, alpha-numeric part number.
- You can organize your hardware by part number or group by hardware type (i.e. bolts, nuts, etc.).
- During assembly you only need to reference the last four digits of the number.



PRE-ASSEMBLY STEP 2 - TOOLS REQUIRED






PRE-ASSEMBLY STEP 3 - CHOOSE YOUR ASSEMBLY METHOD


There are several types of assembly instructions available to you.

- 1. Printed Assembly Manual included with your set
- 2. BILT APP 3D interactive instructions
- 3. Combination of the Printed Manual and BILT APP (Note: Step numbers can differ between the two methods)



STEP 1 - 10FT POST ASSEMBLY






QTY	PART NUMBER	DESCRIPTION
8	H100200	SCREW PFH 8x1 1/2 BLK


TIP:

 FOR EASE OF ASSEMBLY, SAW HORSES ARE RECOMMENDED FOR STEPS 1 THROUGH 3




STEP 2 - 10FT POST ASSEMBLY


	Qty	PART NUMBER	DESCRIPTION
	8	H100198	WASHER LOCK EXT 8X19 BLK
	8	H100195	BOLT WH 5/16 X 2 3/4 BLK
ſ	8	H100379	T-NUT 5/16 BLK



HAND TIGHTEN BOLTS UNTIL STEP 3




STEP 3 - 10FT POST ASSEMBLY



Qty	PART NUMBER	DESCRIPTION
8	H100198	WASHER LOCK EXT 8X19 BLK
8	H100196	BOLT WH 5/16 X 7 1/4 BLK
8	H100379	T-NUT 5/16 BLK
2	H100405	WASHER LOCK EXT 6X15 BLK
2	H100792	LAG SCREW WH 1/4 X 3 BLK

TIPS:

- INSERT BOLTS FIRST FOLLOW BY LAG SCREWS
 TO AVOID WOOD SPLITTING, MAKE SURE LAG SCREWS GO INTO PILOT HOLES



SET 10FT ASSEMBLY TO THE SIDE AND REPEAT STEPS 1 THROUGH 3.

STEP 4 - 14FT BEAM ASSEMBLY

۵	D	0 0	a a	ь
	D	n o	a a	ь

Qty	PART NUMBER	DESCRIPTION
8	H100198	WASHER LOCK EXT 8X19 BLK
8	H100378	BOLT WH 5/16 X 1 3/4 BLK
8	H100379	T-NUT 5/16 BLK


G03 | BEAM - W4L16925

(2) 15/16"x5 1/4"x77" (24x134x1956)

+	+	+ +
+	+	+ +

G02 | MID BRACE BEAM - W4L16924

(1) 15/16"x5 1/4"x47 5/8" (24x134x1210)




STEP 5 - 14FT BEAM ASSEMBLY

Q	ه ه	۰
٥	o •	a


G01 | BEAM - W4L16923

(2) 15/16"x5 1/4"x53 3/16" (24x134x1351)

Qty	PART NUMBER	DESCRIPTION
4	H100198	WASHER LOCK EXT 8X19 BLK
4	H100378	BOLT WH 5/16 X 1 3/4 BLK
4	H100379	T-NUT 5/16 BLK




STEP 6 - 14FT BEAM ASSEMBLY




Qty	PART NUMBER	DESCRIPTION
8	H100198	WASHER LOCK EXT 8X19 BLK
8	H100484	BOLT WH 5/16 X 3 1/4 BLK
8	H100379	T-NUT 5/16 BLK

TIP:
TWO "C01" PARTS WILL BE USED ON OTHER SIDE



STEP 7 - 14FT BEAM ASSEMBLY




Qty	PART NUMBER	DESCRIPTION
8	H100198	WASHER LOCK EXT 8X19 BLK
8	H100963	BOLT WH 5/16 X 7 3/4
8	H100379	T-NUT 5/16 BLK
2	H100405	WASHER LOCK EXT 6X15 BLK
2	H100792	LAG SCREW WH 1/4 X 3 BLK

TIPS:

- THREE PEOPLE ARE HELPFUL FOR THIS STEP.
- MOVE THE 10FT POST ASSEMBLIES TO THEIR FINAL LOCATION WITH SOMEONE HOLDING EACH ASSEMBLY UPRIGHT. USING A THIRD PERSON, CONNECT THE 14FT BEAM ASSEMBLY TO THE POSTS TO MAKE THE GAZEBO FRAME.


- INSERT BOLTS FIRST, FOLLOWED BY LAG SCREWS TO AVOID WOOD SPLITTING, MAKE SURE LAG SCREWS GO INTO PILOT HOLES




SET 14FT UPRIGHT ASSEMBLY TO THE SIDE AND REPEAT STEPS 4 THROUGH 7.

STEP 8A: SQUARE STRUCTURE

CRITICAL: SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS. ONCE SQUARE, TIGHTEN ALL HARDWARE.




STEP 8B - ROOF SUPPORT ASSEMBLY



QTY	PART NUMBER	DESCRIPTION
16	H100460	LAG SCREW WH 1/4x1 BLK

DO NOT OVERTIGHTEN




STEP 9 - ROOF SUPPORT ASSEMBLY




QTY	PART NUMBER	DESCRIPTION
2	H100379	T-NUT 5/16 BLK
8	H100385	SCREW PFH 8x1 BLK





A4M01184 PANEL SUPPORT BRACKET



STEP 10 - ROOF SUPPORT ASSEMBLY




 QTY
 PART NUMBER
 DESCRIPTION


 4
 H100379
 T-NUT 5/16 BLK

 16
 H100385
 SCREW PFH 8x1 BLK

REPEAT ON ON OPPOSITE END OF ROOF SUPPORT BOARD



STEP 11 - ROOF SUPPORT ASSEMBLY




QTY	PART NUMBER	DESCRIPTION
4	H101034	WEATHER PROOFING WASHER
4	H100792	LAG SCREW WH 1/4x3 BLK

TIPS:


- REMOVE PROTECTIVE BLUE FILM BEFORE ASSEMBLY
- ALIGN RIDGE PEAK CAP AND METAL SPACER WITH PILOT HOLES BEFORE INSERTING LAG SCREWS

WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES



STEP 12 SUPPORT ASSEMBLY


- THREE PEOPLE ARE HELPFUL FOR THIS STEP.
- POSITION A PERSON ON A LADDER IN THE CENTER OF THE BASE.
- LIFT ROOF SUPPORT UP AND OVER THE 14FT SIDE AND INSERT INTO CORNER POST CLIPS.



STEP 13 ROOF SUPPORT ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
12	H100385	SCREW PFH 8x1 BLK


REPEAT ON ALL POSTS



STEP 14 - 14FT ROOF PANEL ASSEMBLY



H02 | ROOF JOIST- W4L16283
(1) | 1"x3 3/8"x46 3/4" (24x86x1188)








A4M01191 PANEL BRACKET

QTY	PART NUMBER	DESCRIPTION
4	H100398	T-NUT 1/4 BLK
4	H100171	BOLT WH 1/4x1 BLK




STEP 15 - 14FT ROOF PANEL ASSEMBLY


		4	3	*	0	•	
H01 ROOF JOIST-W4L16295							
(1) "x3 3/8"x"88 3/16" (24x86x2240)							
		٥	6 6	o	€ €	0	://


H09 | ROOF JOIST-W4L16296 (1) | "X3 3/8" X88 1/8" (24x86x2240)

QTY	PART NUMBER	DESCRIPTION
4	H100398	T-NUT 1/4 BLK
4	H100171	BOLT WH 1/4x1 BLK



STEP 16 - 14FT ROOF PANEL ASSEMBLY






STEP 17A - 14FT ROOF PANEL ASSEMBLY

•	•	•	•		•		
		(2) "x4 7/16"x84 9/16" (24x112x2148)		QTY PAF	RT NUMBER	DESCRIPTION	
				COLL LVI	THOMBEN	DEGOTAL HON	

QTY PART NUMBER DESCRIPTION 4 H100382 SCREW PFH 8x1 3/4 BLK 14 H101030 SCREW 2" CONFIRMAT BLK


TIP:

• RAFTERS MAY NEED TO BE LOOSENED TO ATTACH Q01 TO H01/H09



STEP 17B - 14FT ROOF PANEL ASSEMBLY

- USING THE Q01 BOARD AS A GUIDE AND A 1/8" DRILL BIT, DRILL PILOT HOLES INTO THE H01 BOARD USING THE DIMENSION BELOW.
- REPEAT ON OPPOSITE END WITH H09 BOARD.




STEP 17C - 14FT ROOF PANEL ASSEMBLY

TIP:


• LOOSEN HARDWARE TO ADJUST FOR SQUARING IF NEEDED

CRITICAL:

- SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS.
- THE BELOW DIMENSIONS ARE CRITICAL TO THE FINAL ROOF ASSEMBLY.
- MEASUREMENTS SHOULD BE WITHIN +/- 1/4".
- MEASUREMENTS OUTSIDE OF TOLERANCE WILL LEAD TO THE INABILITY TO ASSEMBLE THE ROOF.




STEP 18 - 14FT ROOF PANEL ASSEMBLY




:	•	
H05 PURLIN-W4L10	6291	
(2) 1"x3 3/8"x65 1/2" (2-	4x86x1664)	
<u>/: : </u>	÷	
H04 PURLIN - W4L (2) 1"x3 3/8"x29 5/8"	L16921 "(24x86x752)	

Qty	PART NUMBER	DESCRIPTION
56	H100391	SCREW PFH 8 X 2 BLK
3	H100200	SCREW PFH 8 X 1 1/2 BLK




STEP 19 - 14FT ROOF PANEL ASSEMBLY




TIPS:

REMOVE PROTECTIVE BLUE FILM




STEP 20 - 14FT ROOF PANEL ASSEMBLY




QTY	PART NUMBER	DESCRIPTION
8	H100833	SCREW WOODGRIP 10-16x3/4"

- POSITION THE RIDGE CAP CHANNEL OVER THE EDGE OF THE ROOF PANELS WITH THE WIDER SIDE OF THE CHANNEL ON THE BOTTOM.
- MAKE SURE THE PANELS ARE FULLY SEATED INTO THE CHANNEL.
- FLUSH THE TOP OF THE CHANNEL WITH THE TOP OF THE METAL PANELS.




STEP 21 - 14FT ROOF PANEL ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
44	H100833	SCREW WOODGRIP 10-16x3/4"




REPEAT 14FT ROOF PANEL ASSEMBLY STEPS 14 THROUGH 21

STEP 22 - 10FT ROOF PANEL ASSEMBLY








A4M01194 PANEL BRACKET


QTY	PART NUMBER	DESCRIPTION
4	H100398	T-NUT 1/4 BLK
4	H100171	BOLT WH 1/4x1 BLK



H11 | ROOF JOIST- W4L16297




STEP 23 - 10FT ROOF PANEL ASSEMBLY





H10 | ROOF JOIST-W4L16309 (1) | 1"x3 3/8"x76 7/8" (24x86x1952)

QTY	PART NUMBER	DESCRIPTION
4	H100398	T-NUT 1/4 BLK
4	H100171	BOLT WH 1/4x1 BLK



STEP 24 - 10FT ROOF PANEL ASSEMBLY






STEP 25A - 10FT ROOF PANEL ASSEMBLY

•	•	•	۰
•	•	•	•
Q02 ROOF JOIST-W4L16307			
/2	1"x4 7/16"x61 1/2" (24x112	×1562)	

QTY	PART NUMBER	DESCRIPTION
4	H100382	SCREW PFH 8x1 3/4 BLK
10	H101030	SCREW 2" CONFIRMAT BLK


TIP:

• RAFTERS MAY NEED TO BE LOOSENED TO ATTACH Q02 TO H12/H10



STEP 25B - 10FT ROOF PANEL ASSEMBLY

- USING THE Q02 BOARD AS A GUIDE AND A 1/8" DRILL BIT, DRILL PILOT HOLES INTO THE H12 BOARD USING THE DIMENSION BELOW.
- REPEAT ON OPPOSITE END WITH H10 BOARD.




STEP 25C - 10FT ROOF PANEL ASSEMBLY

TIP:

• LOOSEN HARDWARE TO ADJUST FOR SQUARING IF NEEDED

CRITICAL:

- SQUARE UNIT BEFORE PROCEEDING TO NEXT STEPS.
- THE BELOW DIMENSIONS ARE CRITICAL TO THE FINAL ROOF ASSEMBLY.
- MEASUREMENTS SHOULD BE WITHIN +/- 1/4".
- MEASUREMENTS OUTSIDE OF TOLERANCE WILL LEAD TO THE INABILITY TO ASSEMBLE THE ROOF.



STEP 26 - 10FT ROOF PANEL ASSEMBLY

H15 | PURLIN - W4L16305 (1) | 1"x3 3/8"x79 7/8" (24x86x2030)


Qty	PART NUMBER	DESCRIPTION
38	H100391	SCREW PFH 8 X 2 BLK


TIPS:

- ALIGN PURLIN PILOT HOLES WITH RAFTER PILOT HOLES
- ATTACH SCREWS FROM THE CENTER AND WORK OUTWARD


(2) 1"x3 3/8"x56" (24x86x1423)

- H12 AND H10 BOARDS DO NOT HAVE PILOT HOLES FOR OUTSIDE EDGE SCREWS.
- USING THE PURLINS AS A GUIDE AND A 1/8" DRILL BIT, DRILL PILOT HOLES INTO H12/H10 BOARDS.






STEP 27 - 10FT ROOF PANEL ASSEMBLY




TIPS:

- REMOVE PROTECTIVE BLUE FILM
- STARTING IN THE CENTER, PLACE PANELS AS SHOWN BELOW.
- OVERLAP PANELS BY ONE RIDGE.
- PANELS SHOULD BE FLUSH WITH PURLIN ENDS AND Q02 ROOF JOIST.
- ONCE SHEETING IS IN PLACE, IT IS RECOMMENDED TO ADD H100833 SCREWS IN THE MIDDLE TO HOLD SHEETING FOR THE NEXT STEP.

WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES




STEP 28 - 10FT ROOF PANEL ASSEMBLY




QTY	PART NUMBER	DESCRIPTION
8	H100833	SCREW WOODGRIP 10-16x3/4"

- POSITION THE RIDGE CAP CHANNEL OVER THE EDGE OF THE ROOF PANELS WITH THE WIDER SIDE OF THE CHANNEL ON THE BOTTOM.
- MAKE SURE THE PANELS ARE FULLY SEATED INTO THE CHANNEL.
- FLUSH THE TOP OF THE CHANNEL WITH THE TOP OF THE METAL PANELS.



STEP 29 - 10FT ROOF PANEL ASSEMBLY

QTY	PART NUMBER	DESCRIPTION
20	H100833	SCREW WOODGRIP 10-16x3/4"




REPEAT 10FT ROOF PANEL ASSEMBLY STEPS 22 THROUGH 29

STEP 30 - 10FT ROOF PANEL ATTACHMENT

TIPS:

- THREE PEOPLE ARE HELPFUL FOR THIS STEP.
- POSITION A PERSON ON A LADDER IN THE CENTER OF THE GAZEBO TO HELP SUPPORT THE ROOF PANEL.
- WITH TWO PEOPLE, WORK THE PANEL UP WITHOUT SLIDING OR DRAGGING, UNTIL IT MEETS THE ROOF SUPPORT FRAME.
- MAKE SURE THE ROOF PANEL SLIDES UNDERNEATH THE RIDGE CAP.


WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES



STEP 31 - 10FT ROOF PANEL ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
2	H100198	WASHER LOCK EXT 8X19 BLK
2	H100378	BOLT WH 5/16x1 3/4 BLK

- IF NECESSARY, USE A LONG SCREWDRIVER OR CLAMPS TO HOLD PANELS IN PLACE.
- INSERT BOLTS INTO THE SECOND HOLE FROM THE TOP OF THE H10 & H12 BOARDS.




REPEAT 10FT ROOF PANEL INSTALLATION STEPS 30 & 31

STEP 32 - 14FT ROOF PANEL ATTACHMENT

TIPS:

- THREE PEOPLE ARE HELPFUL FOR THIS STEP.
- POSITION A PERSON ON A LADDER IN THE CENTER OF THE GAZEBO TO HELP SUPPORT THE ROOF PANEL.
- WITH TWO PEOPLE, WORK THE PANEL UP, WITHOUT SLIDING OR DRAGGING, UNTIL IT MEETS THE ROOF SUPPORT FRAME.
- MAKE SURE THE ROOF PANEL SLIDES UNDERNEATH THE RIDGE CAP.

WARNING: GLOVES ARE RECOMMENDED WHEN HANDLING STEEL ROOF PIECES




STEP 33 - 14FT ROOF PANEL ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
2	H100198	WASHER LOCK EXT 8x19
2	H100378	BOLT WH 5/16x1 3/4 BLK


TIPS:

• IF NECESSARY, USE A LONG SCREWDRIVER OR CLAMPS TO HOLD PANELS IN PLACE.




STEP 34A - ROOF PANEL ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
4	H100198	WASHER LOCK EXT 8X19 BLK
4	H100770	WASHER FLAT 5/16 BLK
4	H100479	NUT LOCK 5/16 BLK
4	H100415	BOLT WH 5/16x3 3/4 BLK




STEP 34B - ROOF PANEL ATTACHMENT

QTY	PART NUMBER	DESCRIPTION
12	H100198	WASHER LOCK EXT 8X19 BLK
12	H100770	WASHER FLAT 5/16 BLK
12	H100479	NUT LOCK 5/16 BLK
12	H100415	BOLT WH 5/16x3 3/4 BLK



STEP 35 - ROOF PANEL ATTACHMENT


TIGHTEN ALL THE HARDWARE IN THE ORDER SHOWN BELOW.
START AT THE TOP AND WORK YOUR WAY DOWN.



STEP 36 - ROOF ASSEMBLY



		2.1
QTY	PART NUMBER	DESCRIPTION
18	H100630	WASHER FLAT 8x19 BLK
36	H100536	SCREW PWH 8x1 1/4 BLK
18	H100653	NUT LOCK 1/4 BLK
18	H100488	BOLT WH 1/4x2 BLK




STEP 37 - ROOF ASSEMBLY




A4M01185 CORNER BRACKET

QTY	PART NUMBER	DESCRIPTION
16	H100392	SCREW PWH 8x3/4 BLK



STEP 38 - 14FT ROOF TRIM







A4M01201 EDGE TRIM SPLICE




A4M01202 EDGE TRIM CORNER SPLICE

QTY	PART NUMBER	DESCRIPTION
24	H100759	SCREW SELF TAPPING 1/4x3/4

A4M01203 EDGE TRIM SHORT

- START ON THE LEFT SIDE OF A 14FT PANEL.
- SLIDE EDGE TRIM PIECES TOGETHER AS SHOWN BELOW.
- MAKE SURE ALL PANELS ARE COVERED BEFORE INSTALLING SCREWS.
- INSTALL H100759 AS SHOWN



STEP 39 - 10FT ROOF TRIM




A4M01201 EDGE TRIM SPLICE


A4M01200	EDGE TRIM LONG
(4)]

QTY	PART NUMBER	DESCRIPTION
16	H100759	SCREW SELF TAPPING 1/4x3/4


- START ON THE LEFT SIDE OF A 10FT PANEL.
- SLIDE EDGE TRIM PIECES TOGETHER AS SHOWN BELOW.
- MAKE SURE ALL PANELS ARE COVERED BEFORE INSTALLING SCREWS.
- INSTALL H100759 SCREWS AS SHOWN.



STEP 40 - ROOF ASSEMBLY



- SLIDE CORNER RIDGE CAP ONTO ROOF RIDGE CAP CHANNEL AS SHOWN.
- DO NOT PUSH ALL THE WAY TO THE TOP. FLUSH WITH CORNER OF GAZEBO AS SHOWN.



STEP 41 - GAZEBO ASSEMBLY



 $\mathop{\hbox{A4M01793}}_{(x8)}|\mathop{\hbox{POST ANCHOR PLATE}}$




Qty	PART NUMBER	BOM DESCRIPTION (config)
32	H100471	LAG SCREW WH 5/16x1 1/2 BLK

 $\underset{(x8)}{\textbf{A4M01794}}|\operatorname*{\textbf{POST PLATE}}$

NOTE:

- ALL 794 STEEL POST PLATES GO ON THE INSIDES OF THE POSTS AS SHOWN.
- ALL 793 STEEL POST ANCHORING PLATES GO ON THE OUTSIDES OF THE POSTS AS SHOWN.



STEP 42 - GAZEBO ASSEMBLY



Qty	PART NUMBER	BOM DESCRIPTION (config)
2	H100200	SCREW PFH 8x1 1/2 BLK




STEP 43 - GAZEBO ASSEMBLY


Qty	PART NUMBER	BOM DESCRIPTION (config)
16	H100120	CONCRETE ANCHOR 1/4"x2"
16	H100630	WASHER FLAT 8x19 BLK

NOTES:
MANUFACTURER RECOMMENDS INSTALLATION ON CONCRETE SURFACE OR
CONCRETE POST PADS. SEE BELOW.

FOR INSTALLATION ON A WOOD DECK, YOU MUST ENSURE THERE IS AMPLE STRUCTURAL SUPPORT UNDER DECK. SCREWS ARE NOT PROVIDED TO ATTACH TO A DECK.



PowerPort™



FOR POWERPORT INSTALLATION REFER TO ASSEMBLY INSTRUCTIONS THAT COME PACKAGED WITH THE POWERPORT KIT. INSTALL ON ANY POST THAT IS DESIRED. FOLLOW DIRECTIONS FOR PROPER INSTALLATION.