



## 2015-2016 Equipment

**Enhance your workflow**  
**quality, reliability, versatility**

**ThermoFisher**  
SCIENTIFIC



# Accelerating Research Driving Productivity

## Laboratory **Solutions**

India

- Chemicals
- Consumables
- Equipment
- Life Science
- Microbiology
- Organics

Laboratories globally are challenged with need for getting products faster to market and at the same time achieve high productivity.

**When science is your Passion.  
Quality is our Commitment.**

**ThermoFisher**  
SCIENTIFIC

# Contents

|   |           |  |
|---|-----------|--|
| <b>Balance, Weight &amp; Accessories .....</b>                            | <b>1</b>  | ■ Balance ..... 1<br>■ Moisture Balance HAL ..... 4<br>■ Moisture Balance IR ..... 4<br>■ Weights and Measures ..... 4   |
| <b>Baths, Chillers &amp; Circulator .....</b>                             | <b>7</b>  | ■ Chillers & Circulator ..... 7  |
| <b>Chart Recorder &amp; Data Loggers .....</b>                            | <b>9</b>  | ■ Chart Recorder ..... 9   |
| <b>Chart Recorder &amp; Data Loggers .....</b>                            | <b>11</b> | ■ Chart Recorder ..... 11<br>■ Data logger ..... 14<br>■ Software ..... 15   |
| <b>Clamps, Holders, and Apparatus .....</b>                               | <b>15</b> | ■ Knives ..... 15<br>■ Labeling ..... 15<br>■ Lamps/Lighting ..... 15<br>■ Magnifiers ..... 15<br>■ Stationery ..... 16<br>■ Tools ..... 16  |
| <b>Electro-chemistry (PH/PX). ....</b>                                    | <b>16</b> | ■ Connectors ..... 16<br>■ Electrodes (PH/PX) ..... 16<br>■ Mouse ..... 19<br>■ Paddle ..... 19<br>■ pH Meter ..... 19<br>■ pH Meter Hanna ..... 20<br>■ pH Meter Adapter ..... 20<br>■ pH Meter Kit ..... 20<br>■ pH Standards ..... 21<br>■ Power Supply ..... 21<br>■ Printer ..... 21<br>■ Turbidity Meter ..... 21  |
| <b>Electrophoresis System and Accessories .....</b>                       | <b>21</b> | ■ Electrophoresis-Blotting Cassette ..... 21<br>■ Electrophoresis-Blotting Pad ..... 21<br>■ Electrophoresis-Blotting Unit ..... 21<br>■ Electrophoresis-Cables ..... 21<br>■ Electrophoresis-Capillary Tubes ..... 21<br>■ Electrophoresis-Caster ..... 22<br>■ Electrophoresis-Casting gates ..... 22<br>■ Electrophoresis-Casting Tray ..... 22<br>■ Electrophoresis-Casting Tray Dam ..... 23<br>■ Electrophoresis-Cellulose Acetate ..... 23<br>■ Electrophoresis-Comb ..... 23<br>■ Electrophoresis-Cooling Plate ..... 33<br>■ Electrophoresis-Dummy Plate ..... 33<br>■ Electrophoresis-Electrode ..... 33<br>■ Electrophoresis-Gel casting system - vertical33<br>■ Electrophoresis-Gel Dryer ..... 33<br>■ Electrophoresis-Gel Casting Unit - Horizontal33<br>■ Electrophoresis-Gel Casting Unit - Vertical.33<br>■ Electrophoresis-Gel Modules ..... 33<br>■ Electrophoresis-Glass Plate ..... 34<br>■ Electrophoresis-Gradient Mixer ..... 34<br>■ Electrophoresis-IEF Unit ..... 34<br>■ Electrophoresis-Lid ..... 35                           |
| <b>Electrophoresis-Misc Accessories.....</b>                              | <b>35</b> | ■ Electrophoresis-PAGE System ..... 36<br>■ Electrophoresis-Power Supply ..... 36<br>■ Electrophoresis-Seal ..... 36<br>■ Electrophoresis-Spacer ..... 36<br>■ Electrophoresis-Tank ..... 37<br>■ Electrophoresis-Tank Lid ..... 37  |
| <b>Fume Hoods &amp; Enclosures .....</b>                                  | <b>37</b> | ■ PCR Enclosure ..... 37   |
| <b>Glassware Washer .....</b>   | <b>38</b> | ■ Glassware Washer ..... 38  |
| <b>Heating, Mixing and Stirring .....</b>                                 | <b>38</b> | ■ Bag Mixer / Stomacher ..... 38<br>■ Furnaces ..... 39<br>■ Homogenizers ..... 39<br>■ Hotplates ..... 40<br>■ HPS ..... 40<br>■ Magnetic Stirrer ..... 42<br>■ MPT - Vortexer ..... 42<br>■ Nutating Mixer ..... 42<br>■ Overhead Stirrer ..... 42<br>■ Rotary Mixer ..... 43<br>■ Tube Mixer ..... 43<br>■ Tube Vortexer ..... 43   |
| <b>Personal and Lab Safety .....</b>                                      | <b>44</b> | ■ Brushes ..... 44<br>■ Wipers ..... 44  |
| <b>Pumps,Tubings and Accessories .....</b>                                | <b>44</b> | ■ Clamps and Ties ..... 44<br>■ Flow Meters ..... 44<br>■ Peristaltic Pumps ..... 51<br>■ Peristaltic Pumps Accessories ..... 51<br>■ Tubing Connectors ..... 51<br>■ Tubings ..... 52<br>■ Vacuum Pump ..... 61   |
| <b>Sample Collection, Storage and Disposal .....</b>                      | <b>62</b> | ■ Racks ..... 62<br>■ Wrapping Film ..... 62   |
| <b>Sample Handling and Processing .....</b>                               | <b>63</b> | ■ Calorimeter ..... 63<br>■ Colony Counter ..... 63<br>■ Colorimeter ..... 63<br>■ Heating Mantle ..... 63<br>■ Penetrometer ..... 63<br>■ Refractometers ..... 63<br>■ Sieve Shaker ..... 65<br>■ Touch Counter ..... 65<br>■ Turbidity ..... 65<br>■ Viscometer ..... 65   |
| <b>Sonicator .....</b>  | <b>66</b> | ■ Sonic Dismembrators ..... 66<br>■ Ultrasonic Bath ..... 67   |
| <b>Sterilizer .....</b>   | <b>71</b> | ■ Autoclave ..... 71<br>■ Sterilizer ..... 71  |
| <b>Traceable Products .....</b>   | <b>71</b> | ■ Anemometers ..... 71   |
| <b>Barometers .....</b>   | <b>72</b> | ■ Barometers ..... 72<br>■ Battery ..... 72<br>■ Calculators ..... 72<br>■ Calipers ..... 72<br>■ Carts ..... 72<br>■ Conductivity ..... 72<br>■ Controller ..... 73<br>■ Counters ..... 73<br>■ Desiccators ..... 73<br>■ Dessicants ..... 73<br>■ Dissecting ..... 73<br>■ Electrical Equipment ..... 73<br>■ Envirometer ..... 73<br>■ Humidity Monitors ..... 74<br>■ Hygrometers ..... 74<br>■ Light Meters ..... 74<br>■ Logger ..... 74<br>■ Microscope ..... 75<br>■ Moisture meter ..... 75<br>■ Multimeter ..... 75<br>■ Oxygen Meter ..... 75<br>■ Probes ..... 75<br>■ Rulers and Measuring Devices ..... 75<br>■ Safety ..... 75<br>■ Scoop ..... 75<br>■ Slidie Holder ..... 75<br>■ Slide Holder Cabinet ..... 75<br>■ Sound Meter ..... 75<br>■ Spatulas ..... 75<br>■ Sprayer ..... 75<br>■ Stationery ..... 75<br>■ Stopwatch ..... 76<br>■ Tachometers ..... 76<br>■ Thermometer ..... 76<br>■ Timers ..... 80<br>■ Touch Counter ..... 80<br>■ Transreciever ..... 81<br>■ Vacuum Guages / Manometers ..... 81<br>■ Wash Bottle ..... 81 |
| <b>Laboratory Incubators.....</b>   | <b>82</b> |  |
| <b>Refrigerated Incubators .....</b>                                      | <b>82</b> |  |
| <b>General Laboratory Ovens .....</b>                                     | <b>82</b> |  |
| <b>Vacuum Ovens .....</b>   | <b>82</b> |  |
| <b>Benchtop Furnaces .....</b>  | <b>82</b> |  |
| <b>Hybridization Ovens .....</b>  | <b>82</b> |  |
| <b>Rockers Rotators Mixers .....</b>                                      | <b>82</b> |  |
| <b>Vortex Mixer Accessories .....</b>                                     | <b>83</b> |  |
| <b>Shakers .....</b>  | <b>83</b> |  |
| <b>Heating Cooling Dry Bath .....</b>                                     | <b>83</b> |  |
| <b>Heating Cooling Dry Bath Accessories .....</b>                         | <b>83</b> |  |
| <b>Shaking Dry Bath .....</b>   | <b>83</b> |  |
| <b>General Purpose Refrigerators .....</b>                                | <b>86</b> |  |
| <b>General Purpose Freezers .....</b>                                     | <b>86</b> |  |
| <b>Combination Freezer-Refrigerator .....</b>                             | <b>86</b> |  |
| <b>Flame Proof and Explosion Proof Refrigerators/Freezers/Combo .....</b> | <b>86</b> |  |
| <b>Accessories .....</b>  | <b>86</b> |  |

# General Conditions for Sale

1. The prices quoted are Ex Works. Octroi, road permit, entry tax will be charge as per statutory requirement. These prices do not include pre installation requisites like computer, stabilizer, plumbing, ducting, UPS, printer, plumbing, gas cylinders/regulators, consumables & supplies. These must be arranged by the customers on his own. Please request for a copy of PIR(Pre-Installation Requisite) while placing order.
2. We will also encourage customers to discuss on CBW and SICOI related transaction with our local sales representative.
3. Payment: 100% payment should be made prior to delivery of the goods, unless specifically agreed to otherwise by Thermo Fisher Scientific India Pvt. Ltd. (Thermo Fisher Scientific) in this Invoice.
4. In case of any delay in payments, the Buyer agrees to pay interest at 24% p.a. from the due date till the date of payment.
5. In case of default in payment, Thermo Fisher Scientific shall have absolute right to repossess the goods, without any further notice.
6. Any addition/ increase in levies, charges, taxes, cesses etc., which become applicable as on the date on which the property in goods is transferred to the Buyer, shall be paid by the Buyer.
7. Thermo Fisher Scientific shall not be liable for delays in delivery of goods or services if caused by factors beyond Thermo Fisher Scientific's reasonable control. Delays shall not excuse the Buyer's obligation to make payment for such goods.
8. No claim for any discrepancies in goods shall be considered unless it is made in writing to Thermo Fisher Scientific within seven (7) days of delivery. Lodgement of a claim shall not excuse the Buyer's obligation to make payment for such goods.
9. Thermo Fisher Scientific shall not be liable for any third party claims arising out of the use of invoiced goods. The Buyer Thermo Fisher Scientific all keep indemnified from / against such claims.
10. Warranty: The product warranty on the items included in this invoice shall be as per the warranty provisions stated in the terms and conditions including those appearing on the package.
11. The goods included in this invoice shall not be resold, diverted, transferred, trans-shipped or otherwise disposed of to any other country, either in their original form or after being incorporated through an intermediate process into other end items without prior written approval to Thermo Fisher Scientific.
12. Shall have no further liability or responsibility for any direct, indirect or consequential injury, loss or damage whatsoever and howsoever arising except to the extent allowed by law, Thermo Fisher Scientific's liability to the Buyer in any case of defect or fault shall be limited to and at the sole option of Thermo Fisher Scientific to either:
  - a) Replace the goods or supply equivalent goods
  - b) Repair the goods
  - c) Pay the cost of replacing acquiring equivalent goods
  - d) Pay to repair the goods
13. Packing will be done carefully but Thermo Fisher Scientific accepts no responsibility for breakages, damage/loss after goods leave the godown.
14. All transactions arising out of this sale will be subject to the courts in Mumbai.
15. Thermo Fisher Scientific hereby certifies that our registration certificate under the Maharashtra Value Added Tax Act, 2002 is in force on the date on which the sale of goods specified in this tax invoice is made by us and that the transaction of sale covered by this tax invoice has been effected by us in this tax invoice is made by us and it shall be accounted for in the turnover of sale while filling of return and the due tax, if any, payable on the sale has been paid or shall be paid.
16. The Buyer on taking the delivery of the goods agrees that the sale of the goods is subject to the terms & conditions contained herein and any terms and conditions endorsed on any other document pertaining to any other request and, in particular, on any order form or request form produced by the Buyer are expressly negated and do not form part of the contract between the parties unless has Thermo Fisher Scientific specifically adopted in writing those terms and conditions.
17. Since the concessional rate of sales tax/vat through D Form has been questioned by the Sales Tax Authorities and the matter is sub-judice, the Buyer undertakes to pay the full sales tax/vat liability in the event the Sales Tax/VAT Authorities rejects the concession of sales through D Form.



**For further details or assistance, please feel free to contact us:**

**Thermo Fisher Scientific India Pvt. Ltd.**  
403-404 B-Wing, Delphi, Hiranandani Business Park,  
Mumbai 400 076.  
Phone No: 022-6680 3000 • Fax: 022 -6680 3001/02  
India Toll free no.: 1-800-222-230  
Email: laboratorysolutions@thermofisher.com / ininfo@thermofisher.com(for service related complaints)



| Cat. No.                                 | Description   | Pack | Price in ₹ |
|--|---|------|------------|
| <b>Balance, Weight &amp; Accessories</b> |   |      |            |
|  | <b>Balance</b>  |      |            |
| OHDV114C                                 | OHAUS Discovery Analytical Balance Model DV114C Capacity (g) : 110 , Least Count (mg) : 0.1 , Platform/Pan Size (mm) : 90 Dia                         | EA   | 247656     |
| OHDV214C                                 | OHAUS Discovery Analytical Balance Model DV214C Capacity (g) : 210 , Least Count (mg) : 0.1 , Platform/Pan Size (mm) : 90 Dia                         | EA   | 247656     |
| OHDV314C                                 | OHAUS Discovery Analytical Balance Model DV314C Capacity (g) : 310 , Least Count (mg) : 0.1 , Platform/Pan Size (mm) : 90 Dia                         | EA   | 247656     |
| OHDV215CD                                | OHAUS Discovery Semi Micro Balance Model DV215CD Capacity (g) : 81*/210 (Fine Range) , Least Count (mg) : 0.01*/0.1 , Platform/Pan Size (mm) : 90 Dia | EA   | 247656     |
| OHEX124G                                 | Explorer Analytical Balance Model: EX124G, Capacity (g): 120, Least Count (g): 0.0001, Platform/Pan Size (mm): 90 Dia                                 | EA   | 199719     |
| OHEX224G                                 | Explorer Analytical Balance Model: EX224G, Capacity (g): 220, Least Count (g): 0.0001, Platform/Pan Size (mm): 90 Dia                                 | EA   | 221194     |
| OHEX324G                                 | Explorer Analytical Balance Model: EX324G, Capacity (g): 320, Least Count (g): 0.0001, Platform/Pan Size (mm): 90 Dia                                 | EA   | 242670     |
| OHEX223G                                 | Explorer Precision Balance Model: EX223G, Capacity (g): 220, Least Count (g): 0.001, Platform/Pan Size (mm): 130 Dia                                  | EA   | 182539     |
| OHEX423G                                 | Explorer Precision Balance Model: EX423G, Capacity (g): 420, Least Count (g): 0.001, Platform/Pan Size (mm): 130 Dia                                  | EA   | 191128     |
| OHEX623G                                 | Explorer Precision Balance Model: EX623G, Capacity (g): 620, Least Count (g): 0.001, Platform/Pan Size (mm): 130 Dia                                  | EA   | 212602     |
| OHEX1103G                                | Explorer Precision Balance Model: EX1103G, Capacity (g): 1100, Least Count (g): 0.001, Platform/Pan Size (mm): 130 Dia                                | EA   | 268440     |
| OHEX2202G                                | Explorer Precision Balance Model: EX2202G, Capacity (g): 2200, Least Count (g): 0.01, Platform/Pan Size (mm): 190 x 200                               | EA   | 191128     |
| OHEX4202G                                | Explorer Precision Balance Model: EX4202G, Capacity (g): 4200, Least Count (g): 0.01, Platform/Pan Size (mm): 190 x 200                               | EA   | 212602     |
| OHEX6202G                                | Explorer Precision Balance Model: EX6202G, Capacity (g): 6200, Least Count (g): 0.01, Platform/Pan Size (mm): 190 x 200                               | EA   | 236227     |
| OHEX6201G                                | Explorer Precision Balance Model: EX6201G, Capacity (g): 6200, Least Count (g): 0.1, Platform/Pan Size (mm): 190 x 200                                | EA   | 212602     |
| OHEX10202G                               | Explorer Precision Balance Model: EX10202G, Capacity (g): 10200, Least Count (g): 0.01, Platform/Pan Size (mm): 190 x 200                             | EA   | 268440     |
| OHEX10201G                               | Explorer Precision Balance Model: EX10201G, Capacity (g): 10200, Least Count (g): 0.1, Platform/Pan Size (mm): 190 x 200                              | EA   | 246964     |
| OHEX124/AD                               | Explorer Analytical Balance with Auto Door Model: EX124/AD, Capacity (g): 120, Least Count (g): 0.0001, Platform/Pan Size (mm): 90 Dia                | EA   | 227681     |
| OHEX224/AD                               | Explorer Analytical Balance with Auto Door Model: EX224/AD, Capacity (g): 220, Least Count (g): 0.0001, Platform/Pan Size (mm): 90 Dia                | EA   | 243389     |
| OHEX324/AD                               | Explorer Analytical Balance with Auto Door Model: EX324/AD, Capacity (g): 320, Least Count (g): 0.0001, Platform/Pan Size (mm): 90 Dia                | EA   | 258905     |
| OHEX125D                                 | Explorer Semi Micro Balance Model: EX125D, Capacity (g): 52*/ 120, Least Count (g): 0.01*/ 0.1mg, Platform/Pan Size (mm): 80 Dia                      | EA   | 313670     |
| OHEX125                                  | Explorer Semi Micro Balance Model: EX125, Capacity (g): 120, Least Count (g): 0.01mg, Platform/Pan Size (mm): 80 Dia                                  | EA   | 369024     |
| OHEX225D                                 | Explorer Semi Micro Balance Model: EX225D, Capacity (g): 120*/ 220, Least Count (g): 0.01*/ 0.1mg, Platform/Pan Size (mm): 80 Dia                     | EA   | 405926     |
| OHEX225D/AD                              | Explorer Semi Micro Balance Model: EX225D/AD, Capacity (g): 120*/ 220, Least Count (g): 0.01*/ 0.1mg, Platform/Pan Size (mm): 80 Dia                  | EA   | 701146     |
| OHEX225/AD                               | Explorer Semi Micro Balance Model: EX225/AD, Capacity (g): 220, Least Count (g): 0.01mg, Platform/Pan Size (mm): 80 Dia                               | EA   | 738048     |
| OHION-100A                               | Explorer Static Ionizer Model: Static Ionizer, ION-100A   | EA   | 64579      |
| OHEX12001G                               | OHAUS Explorer High Capacity Precision Balance Model: EX12001G, Capacity (g): 12000, Least Count (g): 0.1, Platform/Pan Size : 377 x 311 mm           | EA   | 266550     |

PK - Pack

EA - Each



## Equipment

| Cat. No.      | Description   | Pack | Price in ₹ |
|---------------|---|------|------------|
| OHEX24001G    | OHAUS Explorer High Capacity Precision Balance Model: EX24001G, Capacity (g): 24000, Least Count (g): 0.1, : 377 x 311 mm   | EA   | 276770     |
| OHEX35001G    | OHAUS Explorer High Capacity Precision Balance Model: EX35001G, Capacity (g): 35000, Least Count (g): 0.1, 377 x 311 mm: 377 x 311 mm                               | EA   | 286991     |
| OPA64         | OHAUS Pioneer Basic Level Analytical Balance with External Calibration Model : PAG64*, Capacity (g): 65, Least Count (mg): 0.1, Platform / PAN Size (mm) Dia: 90    | EA   | 78057      |
| OPA114        | OHAUS Pioneer Basic Level Analytical Balance with External Calibration Model : PAG114*, Capacity (g): 114, Least Count (mg): 0.1, Platform / PAN Size (mm) Dia: 90  | EA   | 90772      |
| OPA114C       | OHAUS Pioneer Basic Level Analytical Balance with Internal Calibration Model : PAG114C*, Capacity (g): 114, Least Count (mg): 0.1, Platform / PAN Size (mm) Dia: 90 | EA   | 99742      |
| OPA214        | OHAUS Pioneer Basic Level Analytical Balance with External Calibration Model : PAG214*, Capacity (g): 210, Least Count (mg): 0.1, Platform / PAN Size (mm) Dia: 90  | EA   | 88676      |
| OPA214C       | OHAUS Pioneer Basic Level Analytical Balance with Internal Calibration Model : PAG214C*, Capacity (g): 210, Least Count (mg): 0.1, Platform / PAN Size (mm) Dia: 90 | EA   | 107331     |
| OPA213        | OHAUS Pioneer Basic Level Precision Balance with External Calibration Model : PAG213*, Capacity (g): 210, Least Count (mg): 1, Platform / PAN Size (mm) Dia: 120    | EA   | 46359      |
| OPA213C       | OHAUS Pioneer Basic Level Precision Balance with Internal Calibration Model : PAG213C*, Capacity (g): 210, Least Count (mg): 1, Platform / PAN Size (mm) Dia: 120   | EA   | 62985      |
| OPA413        | OHAUS Pioneer Basic Level Precision Balance with External Calibration Model : PAG413*, Capacity (g): 410, Least Count (mg): 1, Platform / PAN Size (mm) Dia: 120    | EA   | 50431      |
| OPA413C       | OHAUS Pioneer Basic Level Precision with Internal Calibration Model : PAG413C*, Capacity (g): 410, Least Count (mg): 1, Platform / PAN Size (mm) Dia: 120           | EA   | 71584      |
| OPA2102       | OHAUS Pioneer Basic Level Precision with External Calibration Model : PAG2102, Capacity (g): 2100, Least Count (mg): 10, Platform / PAN Size (mm) Dia: 180          | EA   | 45608      |
| OPA2102C      | OHAUS Pioneer Basic Level Precision Balance with Internal Calibration Model : PAG2102C, Capacity (g): 2100, Least Count (mg): 10, Platform / PAN Size (mm) Dia: 180 | EA   | 62985      |
| OPA4102       | OHAUS Pioneer Basic Level Precision Balance with External Calibration Model : PAG4102, Capacity (g): 4100, Least Count (mg): 10, Platform / PAN Size (mm) Dia: 180  | EA   | 50431      |
| OPA4102C      | OHAUS Pioneer Basic Level Precision Balance with Internal Calibration Model : PAG4102C, Capacity (g): 4100, Least Count (mg): 10, Platform / PAN Size (mm) Dia: 180 | EA   | 71584      |
| OHSP202       | OHAUS SCOUT PRO Model SP202 IN, Capacity (g): 200, Least Count (g): 0.01, Platform / Pan Size (mm): 120 Dia   | EA   | 11841      |
| OHSP602       | OHAUS SCOUT PRO Model SP602 IN, Capacity (g): 600, Least Count (g): 0.01, Platform / Pan Size (mm): 120 Dia   | EA   | 20830      |
| OHSP401       | OHAUS SCOUT PRO Model SP401 IN, Capacity (g): 400, Least Count (g): 0.1, Platform / Pan Size (mm): 120 Dia  | EA   | 9782       |
| OHSP601       | OHAUS SCOUT PRO Model SP601 IN, Capacity (g): 600, Least Count (g): 0.1, Platform / Pan Size (mm): 165x142  | EA   | 10836      |
| OHSP2001      | OHAUS SCOUT PRO Model SP2001 IN, Capacity (g): 2000, Least Count (g): 0.1, Platform / Pan Size (mm): 165x142  | EA   | 11841      |
| OHSP6001      | OHAUS SCOUT PRO Model SP6001 IN, Capacity (g): 6000, Least Count (g): 0.1, Platform / Pan Size (mm): 165x142  | EA   | 20830      |
| OHSP6000      | OHAUS SCOUT PRO Model SP6000 IN, Capacity (g): 6000, Least Count (g): 1, Platform / Pan Size (mm): 165x142  | EA   | 8990       |
| OHNVT1601G/3  | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVT1601G/3, Capacity (g): 1600g, Least Count (g): 0.1g, Platform / Pan Size : 230 x 174 mm                             | EA   | 12935      |
| OHNVT3201G/3  | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVT3201G/3, Capacity (g): 3200g, Least Count (g): 0.2g, Platform / Pan Size : 230 x 174 mm                             | EA   | 12935      |
| OHNVT6401G/3  | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVT6401G/3, Capacity (g): 6400g, Least Count (g): 0.5g, Platform / Pan Size : 230 x 174 mm                             | EA   | 12935      |
| OHNVT10001G/3 | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVT10001G/3, Capacity (g): 10000g, Least Count (g): 0.5g, Platform / Pan Size : 230 x 174 mm                           | EA   | 12935      |
| OHNVT16000G/3 | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVT16000G/3, Capacity (g): 16000g, Least Count (g): 1g, Platform / Pan Size : 230 x 174 mm                             | EA   | 12935      |
| OHNVL511G/3   | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVL511G/3, Capacity (g): 510g, Least Count (g): 0.1g, Platform / Pan Size : 194 x 203 mm                               | EA   | 12935      |
| OHNVL1101G/3  | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVL1101G/3, Capacity (g): 1100g, Least Count (g): 0.1g, Platform / Pan Size : 194 x 203 mm                             | EA   | 12935      |

# Explorer® Semi-Micro Balances



## Full-Range Performance

0.00001g readability  
up to 220g capacity  
on select models



## Connectivity Options

USB host and device ports,  
RS232, and available Ethernet  
and 2nd RS232 options



## Built-In Ionizer

Eliminates static electricity  
to ensure accurate weighing  
(available on select models)



## 4 Touchless Sensors

Hands-free activation of  
automatic doors, weighing,  
printing, and more

*Ingeniously Practical*

**ThermoFisher**  
SCIENTIFIC

# Balances and Moisture analyzer

Moisture Analyzers combine high quality and durable construction into sleek, compact designs



◀ Laboratories requiring accuracy and looking for innovative technology to obtain measurement results can find both in Explorer semi-micro balances.

With a color touchscreen, GLP/GMP compliance  
capabilities, two USB ports, ingenious draftshield,  
and much more, Adventurer is the most complete  
balance in its class



◀ With the right combination of performance and features, the OHAUS Pioneer offers uncomplicated performance for all your basic weighing needs.

| Cat. No.      | Description   | Pack | Price in ₹ |
|---------------|---|------|------------|
| OHNVL2101G/3  | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVL2101G/3, Capacity (g): 2100g, Least Count (g): 0.1g, Platform / Pan Size : 194 x 203 mm | EA   | 12935      |
| OHNVL5101G/3  | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVL5101G/3, Capacity (g): 5100g, Least Count (g): 0.5g, Platform / Pan Size : 194 x 203 mm | EA   | 12935      |
| OHNVL10000G/3 | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVL10000G/3, Capacity (g): 10000g, Least Count (g): 1g, Platform / Pan Size : 194 x 203 mm | EA   | 12935      |
| OHNVL20000G/3 | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVL20000G/3, Capacity (g): 20000g, Least Count (g): 1g, Platform / Pan Size : 194 x 203 mm | EA   | 12935      |
| OHNV511G/2    | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NV511G/2, Capacity (g): 510g, Least Count (g): 0.1g, Platform / Pan Size : 190 x 138 mm    | EA   | 11183      |
| OHNV1101G/2   | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NV1101G/2, Capacity (g): 1100g, Least Count (g): 0.1g, Platform / Pan Size : 190 x 138 mm  | EA   | 11183      |
| OHNV2101G/2   | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NV2101G/2, Capacity (g): 2100g, Least Count (g): 0.1g, Platform / Pan Size : 190 x 138 mm  | EA   | 11183      |
| OHNV4101G/2   | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NV4101G/2, Capacity (g): 4100g, Least Count (g): 0.2g, Platform / Pan Size : 190 x 138 mm  | EA   | 11183      |
| OHNV5101G/2   | OHAUS NAVIGATOR PORTABLE BALANCES Model Name NV5101G/2, Capacity (g): 5100g, Least Count (g): 0.5g, Platform / Pan Size : 190 x 138 mm  | EA   | 11183      |
| OHAX124       | OHAUS ADVENTURER Analytical Balance Model AX124 , Capacity (g) : 120 , Readability (mg) : 0.1 , Platform / Pan Size in mm : 90 Dia      | EA   | 127149     |
| OHAX124/E     | OHAUS ADVENTURER Analytical Balance Model AX124/E , Capacity (g) : 120 , Readability (mg) : 0.1 , Platform / Pan Size in mm : 90 Dia    | EA   | 115768     |
| OHAX224       | OHAUS ADVENTURER Analytical Balance Model AX224 , Capacity (g) : 220 , Readability (mg) : 0.1 , Platform / Pan Size in mm : 90 Dia      | EA   | 144612     |
| OHAX224/E     | OHAUS ADVENTURER Analytical Balance Model AX224/E , Capacity (g) : 220 , Readability (mg) : 0.1 , Platform / Pan Size in mm : 90 Dia    | EA   | 130288     |
| OHAX324       | OHAUS ADVENTURER Analytical Balance Model AX324 , Capacity (g) : 320 , Readability (mg) : 0.1 , Platform / Pan Size in mm : 130 Dia     | EA   | 151319     |
| OHAX223       | OHAUS ADVENTURER Precision Balance Model AX223 , Capacity (g) : 220 , Readability (mg) : 1 , Platform / Pan Size in mm : 130 Dia        | EA   | 106350     |
| OHAX223/E     | OHAUS ADVENTURER Precision Balance Model AX223/E , Capacity (g) : 220 , Readability (mg) : 1 , Platform / Pan Size in mm : 130 Dia      | EA   | 95165      |
| OHAX423       | OHAUS ADVENTURER Precision Balance Model AX423 , Capacity (g) : 420 , Readability (mg) : 1 , Platform / Pan Size in mm : 130 Dia        | EA   | 106350     |
| OHAX423/E     | OHAUS ADVENTURER Precision Balance Model AX423/E , Capacity (g) : 420 , Readability (mg) : 1 , Platform / Pan Size in mm : 130 Dia      | EA   | 95165      |
| OHAX523       | OHAUS ADVENTURER Precision Balance Model AX523 , Capacity (g) : 520 , Readability (mg) : 1 , Platform / Pan Size in mm : 130 Dia        | EA   | 115481     |
| OHAX523/E     | OHAUS ADVENTURER Precision Balance Model AX523/E , Capacity (g) : 520 , Readability (mg) : 1 , Platform / Pan Size in mm : 130 Dia      | EA   | 100071     |
| OHAX622       | OHAUS ADVENTURER Precision Balance Model AX622 , Capacity (g) : 620 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195       | EA   | 92222      |
| OHAX622/E     | OHAUS ADVENTURER Precision Balance Model AX622/E , Capacity (g) : 620 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195     | EA   | 83392      |
| OHAX1502      | OHAUS ADVENTURER Precision Balance Model AX1502 , Capacity (g) : 1520 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195     | EA   | 92222      |
| OHAX1502/E    | OHAUS ADVENTURER Precision Balance Model AX1502/E , Capacity (g) : 1520 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195   | EA   | 83392      |
| OHAX2202      | OHAUS ADVENTURER Precision Balance Model AX2202 , Capacity (g) : 2200 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195     | EA   | 101249     |
| OHAX2202/E    | OHAUS ADVENTURER Precision Balance Model AX2202/E , Capacity (g) : 2200 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195   | EA   | 85944      |
| OHAX4202      | OHAUS ADVENTURER Precision Balance Model AX4202 , Capacity (g) : 4200 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195     | EA   | 101249     |
| OHAX4202/E    | OHAUS ADVENTURER Precision Balance Model AX4202/E , Capacity (g) : 4200 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195   | EA   | 85944      |
| OHAX5202      | OHAUS ADVENTURER Precision Balance Model AX5202 , Capacity (g) : 5200 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195     | EA   | 123444     |

PK - Pack

EA - Each



## Equipment

| Cat. No.                    | Description  | Pack | Price in ₹ |
|-----------------------------|--|------|------------|
| OHAX4201                    | OHAUS ADVENTURER Precision Balance Model AX4201 , Capacity (g) : 4200 , Readability (mg) : 100 , Platform / Pan Size in mm : 175X195   | EA   | 94969      |
| OHAX4201/E                  | OHAUS ADVENTURER Precision Balance Model AX4201/E , Capacity (g) : 4200 , Readability (mg) : 100 , Platform / Pan Size in mm : 175X195   | EA   | 68676      |
| OHAX8201                    | OHAUS ADVENTURER Precision Balance Model AX8201 , Capacity (g) : 8200 , Readability (mg) : 100 , Platform / Pan Size in mm : 175X195   | EA   | 125187     |
| OHAX8201/E                  | OHAUS ADVENTURER Precision Balance Model AX8201/E , Capacity (g) : 8200 , Readability (mg) : 100 , Platform / Pan Size in mm : 175X195   | EA   | 88298      |
| 14648231                    | Traceable® SpatulaBalance™   | EA   | 5688       |
| <b>Moisture Balance HAL</b> |  |      |            |
| OHMB45                      | OHAUS Moisture Analyser Model MB45, Capacity (g): 45, Least Count (g): 0.01%/0.001, Platform / Pan Size (in/cm): 3.5/90 with Sample Pan Handler                                | EA   | 169488     |
| OHMB35                      | OHAUS Moisture Analyser Model MB35, Capacity (g): 35, Least Count (g): 0.02%/0.002, Platform / Pan Size (in/cm): 3.5/90 Sample Pan Handler Optional                            | EA   | 154355     |
| OHMB25                      | OHAUS Moisture Analyser Model MB25, Capacity (g): 110, Least Count : 0.05%/0.005g, Heating Technology: Halogen, Platform / Pan Size (in/cm): 3.5/90 with Sample Pan Handler    | EA   | 105245     |
| <b>Moisture Balance IR</b>  |  |      |            |
| OHMB23                      | OHAUS Moisture Analyser Model MB23, Capacity (g): 110, Least Count : 0.1%/0.01g, Heating Technology: InfraRed, Platform / Pan Size (in/cm): 3.5/90 Sample Pan Handler Optional | EA   | 78934      |
| <b>Weights and Measures</b> |  |      |            |
| FB67755                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 9445       |
| FB67756                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 10387      |
| FB67757                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 11143      |
| FB67758                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 11709      |
| FB67759                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 13222      |
| FB67760                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 16811      |
| FB67761                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 18321      |
| FB67762                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 22479      |
| FB67763                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 35512      |
| FB67764                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 53457      |
| FB67765                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 81980      |
| FB67766                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 120516     |
| FB67768                     | Calibration weight Fisherbrand cylindrical F1  | EA   | 6609       |
| FB67769                     | Calibration weight Fisherbrand cylindrical F1  | EA   | 6986       |
| FB67771                     | Calibration weight Fisherbrand cylindrical F1  | EA   | 8500       |
| FB67772                     | Calibration weight Fisherbrand cylindrical F1  | EA   | 10767      |
| FB67773                     | Calibration weight Fisherbrand cylindrical F1  | EA   | 12842      |
| FB67774                     | Calibration weight Fisherbrand cylindrical F1  | EA   | 15678      |
| FB67775                     | Calibration weight Fisherbrand cylindrical F1  | EA   | 29041      |
| FB67776                     | Calibration weight Fisherbrand cylindrical F1  | EA   | 32112      |
| FB67777                     | Calibration weight Fisherbrand cylindrical F1  | EA   | 51190      |
| FB67778                     | Calibration weight Fisherbrand cylindrical F1  | EA   | 74234      |
| FB67779                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 16054      |
| FB67780                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 16999      |
| FB67781                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 17756      |
| FB67782                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 18321      |
| FB67783                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 19832      |
| FB67784                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 23420      |
| FB67785                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 24934      |
| FB67786                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 29088      |
| FB67787                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 42122      |
| FB67788                     | Calibration weight Fisherbrand cylindrical E2  | EA   | 60066      |

PK - Pack  
EA - Each



| Cat. No. | Description                                       | Pack | Price in ₹ |
|----------|---|------|------------|
| FB67789  | Calibration weight Fisherbrand cylindrical E2     | EA   | 88593      |
| FB67790  | Calibration weight Fisherbrand cylindrical E2     | EA   | 127126     |
| FB67791  | Calibration weight Fisherbrand cylindrical F1     | EA   | 11332      |
| FB67792  | Calibration weight Fisherbrand cylindrical F1     | EA   | 11520      |
| FB67793  | Calibration weight Fisherbrand cylindrical F1     | EA   | 11900      |
| FB67794  | Calibration weight Fisherbrand cylindrical F1     | EA   | 12654      |
| FB67795  | Calibration weight Fisherbrand cylindrical F1     | EA   | 13410      |
| FB67796  | Calibration weight Fisherbrand cylindrical F1     | EA   | 15678      |
| FB67797  | Calibration weight Fisherbrand cylindrical F1     | EA   | 17756      |
| FB67798  | Calibration weight Fisherbrand cylindrical F1     | EA   | 20588      |
| FB67799  | Calibration weight Fisherbrand cylindrical F1     | EA   | 34473      |
| FB67800  | Calibration weight Fisherbrand cylindrical F1     | EA   | 37023      |
| FB67801  | Calibration weight Fisherbrand cylindrical F1     | EA   | 56101      |
| FB67802  | Calibration weight Fisherbrand cylindrical F1     | EA   | 79148      |
| FB67803  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 5664       |
| FB67804  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 5664       |
| FB67805  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 5664       |
| FB67806  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 5664       |
| FB67807  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 5664       |
| FB67808  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 5664       |
| FB67809  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 5664       |
| FB67810  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 5664       |
| FB67811  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 5664       |
| FB67812  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 12277      |
| FB67813  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 12277      |
| FB67814  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 12277      |
| FB67815  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 12277      |
| FB67816  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 12277      |
| FB67817  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 12277      |
| FB67818  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 12277      |
| FB67819  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 12277      |
| FB67820  | Calibration weight Fisherbrand Leaf E2 stainless  | EA   | 12277      |
| FB67821  | Calibration weight set Fisherbrand cylindrical E2 | EA   | 132228     |
| FB67822  | Calibration weight set Fisherbrand cylindrical F1 | EA   | 75936      |
| FB67823  | Calibration weight set Fisherbrand cylindrical E2 | EA   | 166038     |
| FB67824  | Calibration weight set Fisherbrand cylindrical F1 | EA   | 98791      |
| FB67825  | Calibration weight set Fisherbrand Leaf F1 1mg    | EA   | 37399      |
| FB67826  | Calibration weight set Fisherbrand Leaf F1        | EA   | 60066      |
| FB67827  | Calibration weight set Fisherbrand Leaf F2 1mg    | EA   | 27009      |
| FB67828  | Calibration weight set Fisherbrand Leaf F2        | EA   | 49680      |
| FB67829  | Calibration weight set Fisherbrand Leaf M1 1mg    | EA   | 15109      |
| FB67830  | Calibration weight set Fisherbrand Leaf M2        | EA   | 39666      |
| FB67831  | Calibration weight set Fisherbrand Leaf E2 1mg    | EA   | 59501      |
| FB67832  | Calibration weight set Fisherbrand Leaf E2        | EA   | 102003     |
| FB67833  | Calibration weight set Fisherbrand cylindrical F2 | EA   | 52889      |
| FB67834  | Calibration weight set Fisherbrand cylindrical F2 | EA   | 73669      |
| FB67835  | Calibration weight set Fisherbrand cylindrical M1 | EA   | 22432      |
| FB67836  | Calibration weight set Fisherbrand cylindrical M1 | EA   | 42502      |
| FB67837  | Calibration weight set Fisherbrand cylindrical E2 | EA   | 155840     |
| FB67838  | Calibration weight set Fisherbrand cylindrical E2 | EA   | 195318     |
| FB67839  | Calibration weight set Fisherbrand cylindrical E2 | EA   | 253121     |
| FB67840  | Calibration weight set Fisherbrand cylindrical E2 | EA   | 298455     |
| FB67841  | Calibration weight set Fisherbrand cylindrical F1 | EA   | 164340     |



## Equipment

| Cat. No. | Description                                       | Pack | Price in ₹ |
|----------|---|------|------------|
| FB67842  | Calibration weight set Fisherbrand cylindrical F1 | EA   | 187952     |
| FB67843  | Calibration weight set Fisherbrand cylindrical F2 | EA   | 107671     |
| FB67844  | Calibration weight set Fisherbrand cylindrical F2 | EA   | 134115     |
| FB67845  | Calibration weight set Fisherbrand cylindrical M1 | EA   | 53834      |
| FB67846  | Calibration weight set Fisherbrand cylindrical M1 | EA   | 76501      |
| FB67847  | Calibration weight set Fisherbrand cylindrical E2 | EA   | 498687     |
| FB67849  | Calibration weight set Fisherbrand cylindrical F1 | EA   | 332457     |
| FB67850  | Calibration weight set Fisherbrand cylindrical F1 | EA   | 361737     |
| FB67851  | Calibration weight set Fisherbrand cylindrical F2 | EA   | 188517     |
| FB67852  | Calibration weight set Fisherbrand cylindrical F2 | EA   | 217232     |
| FB67853  | Calibration weight set Fisherbrand M1 brass 1g    | EA   | 119003     |
| FB67854  | Calibration weight set Fisherbrand cylindrical M1 | EA   | 149227     |
| FB67855  | Calibration weight Fisherbrand cylindrical F2     | EA   | 4531       |
| FB67856  | Calibration weight Fisherbrand cylindrical F2     | EA   | 9445       |
| FB67857  | Calibration weight Fisherbrand cylindrical M1     | EA   | 1510       |
| FB67858  | Calibration weight Fisherbrand cylindrical M1     | EA   | 6421       |
| FB67859  | Calibration weight Fisherbrand cylindrical F2     | EA   | 4722       |
| FB67860  | Calibration weight Fisherbrand cylindrical F2     | EA   | 9633       |
| FB67861  | Calibration weight Fisherbrand cylindrical M1     | EA   | 1510       |
| FB67862  | Calibration weight Fisherbrand cylindrical M1     | EA   | 6421       |
| FB67863  | Calibration weight Fisherbrand cylindrical F2     | EA   | 4911       |
| FB67864  | Calibration weight Fisherbrand cylindrical F2     | EA   | 9822       |
| FB67865  | Calibration weight Fisherbrand cylindrical M1     | EA   | 1699       |
| FB67866  | Calibration weight Fisherbrand cylindrical M1     | EA   | 6609       |
| FB67867  | Calibration weight Fisherbrand cylindrical F2     | EA   | 5288       |
| FB67868  | Calibration weight Fisherbrand cylindrical F2     | EA   | 10198      |
| FB67869  | Calibration weight Fisherbrand cylindrical M1     | EA   | 1699       |
| FB67870  | Calibration weight Fisherbrand cylindrical M1     | EA   | 6609       |
| FB67871  | Calibration weight Fisherbrand cylindrical F2     | EA   | 5664       |
| FB67872  | Calibration weight Fisherbrand cylindrical F2     | EA   | 10575      |
| FB67873  | Calibration weight Fisherbrand cylindrical M1     | EA   | 1887       |
| FB67874  | Calibration weight Fisherbrand cylindrical M1     | EA   | 6798       |
| FB67875  | Calibration weight Fisherbrand cylindrical F2     | EA   | 6044       |
| FB67876  | Calibration weight Fisherbrand cylindrical F2     | EA   | 10955      |
| FB67877  | Calibration weight Fisherbrand cylindrical M1     | EA   | 2075       |
| FB67878  | Calibration weight Fisherbrand cylindrical M1     | EA   | 6986       |
| FB67879  | Calibration weight Fisherbrand cylindrical F2     | EA   | 6798       |
| FB67880  | Calibration weight Fisherbrand cylindrical F2     | EA   | 11709      |
| FB67881  | Calibration weight Fisherbrand cylindrical M1     | EA   | 3777       |
| FB67882  | Calibration weight Fisherbrand cylindrical M1     | EA   | 8688       |
| FB67883  | Calibration weight Fisherbrand cylindrical F2     | EA   | 9065       |
| FB67884  | Calibration weight Fisherbrand cylindrical F2     | EA   | 13976      |
| FB67885  | Calibration weight Fisherbrand cylindrical M1     | EA   | 4911       |
| FB67886  | Calibration weight Fisherbrand cylindrical M1     | EA   | 9822       |
| FB67887  | Calibration weight Fisherbrand cylindrical F2     | EA   | 16054      |
| FB67888  | Calibration weight Fisherbrand cylindrical F2     | EA   | 21251      |
| FB67889  | Calibration weight Fisherbrand cylindrical M1     | EA   | 8971       |
| FB67890  | Calibration weight Fisherbrand cylindrical M1     | EA   | 14167      |
| FB67891  | Calibration weight Fisherbrand cylindrical F2     | EA   | 17376      |
| FB67892  | Calibration weight Fisherbrand cylindrical F2     | EA   | 22287      |
| FB67893  | Calibration weight Fisherbrand cylindrical M1     | EA   | 10198      |
| FB67894  | Calibration weight Fisherbrand cylindrical M1     | EA   | 15109      |
| FB67895  | Calibration weight Fisherbrand cylindrical F2     | EA   | 25499      |

PK - Pack  
EA - Each



| Cat. No. | Description                                   | Pack | Price in ₹ |
|----------|---|------|------------|
| FB67896  | Calibration weight Fisherbrand cylindrical F2 | EA   | 30410      |
| FB67897  | Calibration weight Fisherbrand cylindrical M1 | EA   | 16243      |
| FB67898  | Calibration weight Fisherbrand cylindrical M1 | EA   | 21153      |
| FB67899  | Calibration weight Fisherbrand cylindrical F2 | EA   | 42502      |
| FB67900  | Calibration weight Fisherbrand cylindrical F2 | EA   | 47413      |
| FB67901  | Calibration weight Fisherbrand cylindrical M1 | EA   | 34379      |
| FB67902  | Calibration weight Fisherbrand cylindrical M1 | EA   | 39290      |
| FB67903  | Calibration weight Fisherbrand cylindrical E2 | EA   | 178319     |
| FB67904  | Calibration weight Fisherbrand cylindrical E2 | EA   | 184928     |
| FB67905  | Calibration weight Fisherbrand cylindrical F1 | EA   | 135437     |
| FB67906  | Calibration weight Fisherbrand cylindrical F1 | EA   | 140348     |
| FB67907  | Calibration weight Fisherbrand cylindrical F2 | EA   | 83113      |
| FB67908  | Calibration weight Fisherbrand cylindrical F2 | EA   | 88024      |
| FB67909  | Calibration weight Fisherbrand cylindrical M1 | EA   | 62145      |
| FB67910  | Calibration weight Fisherbrand cylindrical M1 | EA   | 68758      |

### Baths, Chillers & Circulator

| Chillers & Circulator |  |    |        |
|-----------------------|--|----|--------|
| 13255651              | Insert, Rack; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Includes top and bottom panel that will hold up to 13 test tubes that are 25mm dia.              | EA | 28225  |
| 13255652              | Insert, Rack; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Includes top and bottom panel with no holes  | EA | 22419  |
| 13255653              | Rack, Tube; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Universal stainless-steel rack for bath types S13, S12T, S15.                                      | EA | 37027  |
| 13255654              | Insert, Rack; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Includes top and bottom panels that will hold up to 39 test tubes that are 10 mm dia.            | EA | 26775  |
| 13255655              | Insert, Rack; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Includes top and bottom panel that will hold up to 20 test tubes that are 16mm dia.              | EA | 28225  |
| 13255656              | Insert, Rack; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Includes top and bottom panel that will hold up to 8 test tubes that are 25mm dia.               | EA | 28345  |
| 13265114              | Coil, Cooling; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Tap water cooling coil for SC100, SC150, AC150, AC200 , PC200, PC201, PC300 with S13, S15, S21, | EA | 35895  |
| 13265119              | Coil, Cooling; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Tap water cooling coil for SC100 or SC 150 controller with S5P                                  | EA | 69114  |
| 13265120              | Coil, Cooling; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Tap water cooling coil for SC100 or SC150 controller with S6T                                   | EA | 57076  |
| 13265123              | Coil, Cooling; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Tap water cooling coil for AC150 or AC200 controller with S3 or S7                              | EA | 69114  |
| 13265124              | Bridge, Bath; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Adjustable bridge in widths between 300 and 800 mm, for SC, AC & PC immersion circulators        | EA | 49199  |
| 13265155              | Bath Fluid, Ethylene glycol; For Thermo Scientific Neslab baths; For low-temperature applications to 30deg.C   | EA | 47125  |
| 13265202              | Fluid, Bath; Fisher Scientific; Isotemp; Sil 100 Silicone oil bath liquid; Temp. range: -75 to +75C; 5L  | EA | 91117  |
| 13265203              | Fluid, Bath; Fisher Scientific; Isotemp; Sil 100 Silicone oil bath liquid; Temp. range: -75 to +75C; 10L   | EA | 181589 |
| 13265204              | Fluid, Bath; Fisher Scientific; Isotemp; Sil 180 Silicone oil bath liquid; Temp. range -40 to +200C; 5L  | EA | 47836  |
| 13265205              | Fluid, Bath; Fisher Scientific; Isotemp; Sil 300 Silicone oil bath liquid, temperature range 80 to 300deg. , 5L  | EA | 193053 |
| 13265206              | Fluid, Bath; Fisher Scientific; Isotemp; Sil 300 Silicone oil bath liquid, temperature range 80 to 300deg. , 10L   | EA | 268943 |
| 13265207              | Fluid, Bath; Fisher Scientific; Isotemp; Sil 180 Silicone oil bath liquid; Temp. range -40 to +200C; 10L   | EA | 103236 |
| 13265214              | Plumbing kit; Fisher Scientific; Isotemp; For use with Isotemp Circulating Baths; Viton plumbing package; Temp. range -25 to +100C; Uninsulated  | EA | 48268  |
| 13265215              | Plumbing kit; Fisher Scientific; Isotemp; For use with Isotemp Circulating Baths; Viton plumbing package; Temp. range -25 to +100C; Uninsulated  | EA | 53316  |
| 13265232              | Sensor, PT100; Fisher Scientific; Isotemp; Bath circulators; For use with 6200 controller  | EA | 60572  |

PK - Pack

EA - Each



## Equipment

| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 13265233 | Pressure reducer, External; Fisher Scientific; Isotemp; For use w/Isotemp I and II chillers; Limits maximum outlet pressure of the chiller; For circulating to applications sensitive to higher pressures/when circulating through glass     | EA   | 53702      |
| 13265234 | Rack, Test Tube; Bel Art; Fisherbrand Poxygrid; Three deck; Epoxy-coated steel; Resist corrosion, organic, acid, alkali; Withstand temp. to 121deg.C; 11.62L x 7.37W x 3.25 in. H(29.5 x 18.7 x 8.3cm); Blue; For tube size: 22 to 25mm      | EA   | 53702      |
| 13265235 | Installation Kit; Fisher Scientific; Isotemp; Chillers; Includes: (2) 1/2 x 1/2 in. mpt fittings, 25 ft. of 5/8 in. I.D. Polybraid hose, (2) hose clamps and hose insulation   | EA   | 42715      |
| 13872270 | Insert, Rack; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Includes top and bottom panel with no holes  | EA   | 21273      |
| 13872271 | Bridge, Bath; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Extension bridge for S15, S21, S30, S45 liftplate  | EA   | 30383      |
| 13872275 | Platform, Lifting; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Lifting platform, stainless-steel for S21, S30, S45   | EA   | 69083      |
| 13873870 | Cover, Work Area; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Stainless-steel work area cover for S5P  | EA   | 12649      |
| 13873871 | Cover, Work Area; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Stainless-steel work area cover for S14P   | EA   | 13494      |
| 13873872 | Cover, Work Area; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Stainless-steel work area cover for S21P bath  | EA   | 16740      |
| 13873881 | Adapter, Communications; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; RS232 Adapter   | EA   | 51559      |
| 13873884 | Adapter, Tubing; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Adapter M16x1 female 1/4 in. NPTF male  | EA   | 14432      |
| 13874041 | ISOTEMP 4100 H7 HEAT BATH 230V   | EA   | 304892     |
| 13874042 | ISOTEMP 4100 H11 HEAT BATH 230V  | EA   | 323601     |
| 13874043 | ISOTEMP 4100H24 HEAT BATH-230V   | EA   | 390605     |
| 13874044 | ISOTEMP 4100 H5P HEAT BATH 230V  | EA   | 260400     |
| 13874045 | ISOTEMP 4100 H14P HEAT BATH 230V   | EA   | 283821     |
| 13874046 | ISOTEMP 4100 H21P HEAT BATH 230V   | EA   | 307415     |
| 13874047 | ISOTEMP 4100 H6A HEAT BATH 230V  | EA   | 255683     |
| 13874048 | ISOTEMP 4100 H12A HEAT BATH 230V   | EA   | 276306     |
| 13874049 | ISOTEMP 4100 H19A HEAT BATH 230V   | EA   | 296229     |
| 13874050 | ISOTEMP 4100 R20 REF BATH 230V   | EA   | 368709     |
| 13874051 | ISOTEMP 4100 R20F REF BATH 230V  | EA   | 472988     |
| 13874052 | ISOTEMP 4100 R28 REF BATH 230V   | EA   | 523626     |
| 13874053 | ISOTEMP 4100R35 REF BATH-230V  | EA   | 625838     |
| 13874054 | ISOTEMP 5150 H7 HEAT BATH 230V   | EA   | 338747     |
| 13874055 | ISOTEMP 5150 H11 HEAT BATH 230V  | EA   | 357590     |
| 13874056 | ISOTEMP 5150 H24 HEAT BATH 230V  | EA   | 426250     |
| 13874059 | ISOTEMP 5150 R28 REF. BATH 230V  | EA   | 555263     |
| 13874060 | ISOTEMP 5150 R35 (230V/50Hz)   | EA   | 665256     |
| 13874244 | Chiller, Recirculating; Thermo Scientific; Isotemp; Isotemp III; 10deg. to 35deg.C; Stability: +/-0.5deg.C; Cooling: 2000w/6830 BTU; Reservoir: 19L; Pump pressure: 5.3L/min.; 1.4 gpm; 28 x 17 x 23in.; Pump: PD-1; 208-230V/60Hz; 160 lb.  | EA   | 782875     |
| 13874245 | Chiller, Recirculating; Thermo Scientific; Isotemp; Isotemp III; 10deg. to 35deg.C; Stability: +/-0.5deg.C; Cooling: 2000w/6830 BTU; Reservoir: 19L; Pump pressure: 13.6L/min.; 3.6 gpm; 28 x 17 x 23in.; Pump: PD-2; 208-230V/60Hz; 160 lb. | EA   | 778580     |
| 13874433 | ISOTEMP 5150C IMM. CIRC. 230V  | EA   | 210768     |
| 13874439 | ISOTEMP 5150B IMM. CIRC. 50HZ  | EA   | 220205     |
| 13874441 | ISOTEMP 6200B CIRC. W/CP 50HZ  | EA   | 304617     |
| 1387460B | Bath, Filler; Fisherbrand Dow Corning; Silicone bath fluid DC510; Temp. range: 50deg.C to 150deg.C (122deg.F to 302deg.F); Freezing point: -70deg.C; Viscosity: 5  | EA   | 133247     |
| 1387460C | Bath, Filler; Fisherbrand Dow Corning; Silicone bath fluid DC550; Temp. range: 100deg.C to 200deg.C (212deg.F to 392deg.F); Freezing point: -50deg.C   | EA   | 101318     |
| 1387460D | Bath, Filler; Fisherbrand Dow Corning; Silicone bath fluid DC710; Temp. range: 150deg.C to 250deg.C (302deg.F to 482deg.F); Freezing point: -22deg.C   | EA   | 117022     |

PK - Pack  
EA - Each

# Fisher Scientific Recirculating Water Baths and Chillers

## Choose the temperature control option that delivers the best value for your lab

Isotemp temperature control products offer a wide range of configurations that deliver the best value and performance for a wide array of applications with temperatures ranging from -35°C to +200°C. You can count on the latest in technology, features and options to deliver the ideal combination of performance, ease of use, and reliability.

Choose the appropriate product for your liquid temperature control requirements:

**Heated Immersion Circulators:** (Ambient to +200°C) For use with a user supplied open bath work area for circulation internally or to circulate fluid externally to an application.

Refrigerated/Heated Bath Circulators: (-35°C to +200°C) A complete system made up of an immersion circulator and a refrigerated bath. Use as a temperature controlled bath or to circulate fluid externally to an application.

**Heated Bath Circulators:** (Ambient to +200°C) A complete system made up of an immersion circulator and a bath. Use as a temperature controlled bath or to circulate fluid externally to an application.

**Cooling/Heating Recirculating Chillers:** Circulate fluid externally to applications that do not require a bath work area.

**Recirculating Chillers:** (-10°C to +30°C) Circulate fluid externally to applications where higher cooling capacity and higher pumping capacity are required.

### Units are available to accommodate a variety of lab applications, including:

- » Sample Preparation
- » Rotary Evaporators
- » Condensers
- » Analytical Instrumentation
- » Fermenters
- » Bio-reactors
- » General Laboratory Cooling
- » Lasers
- » Histology

### Performance

- » Wide range of available configurations and performance options for an optimized temperature control solution
- » Minimum space requirements to maximize work space efficiency
- » Robust design for trouble-free operation


### Ease of Use

- » Intuitive controllers with simplified user interface ensure quick and easy operation
- » Innovative features and options to maximize efficiency
- » A variety of available accessories to meet your application needs



### Reliability

- » Robust product design ensures years of reliable operation
- » Inventive design features to maximize product reliability
- » Unparalleled product and service support



# Fisher Scientific Traceable® Logger-Trac™ Temp. Datalogger

From an ISO/IEC 17025 (1750.01) A2LA accredited calibration laboratory • NIST certified

## New Fisher Scientific Traceable® Logger-Trac™ Temp. Datalogger



Logger-Trac™ is the ultimate monitoring partner—displays, records, and reports data every step of the way



MaxiThermal Software—ideal solution for managing and analyzing data

Fisher Scientific Traceable® Logger-Trac™ Temperature is perfect for monitoring material during storage, handling, transportation. Reusable device with active LCD allows cumulative duration of temperature excursion from user-selected MIN/MAX values to be viewed immediately and downloaded if needed.

- » Displays cumulative Alarm Duration from user selected MIN/MAX values
- » Reusable/Re-programmable
- » Perfect for monitoring material during transportation
- » Integrates with MaxiThermal Software for complete data analysis
- » Size: 2.56 x 1.34 x 0.35 inches; lightweight: 0.65 ounces
- » Individual Logger-Trac™ Thermometers are pre-programmed with alarm values of 2°C (low) and 8°C (high) and a recording interval to allow for 30 days of recording (readings are logged every 5 minutes, 33 seconds)
- » To assure accuracy an individually serial-numbered Traceable® Certificate is provided from an ISO/IEC 17025 (1750.01) calibration laboratory accredited by A2LA. It indicates traceability to standards provided by NIST.

| Fisher Scientific Catalog No. | Range                                 | Resolution | Accuracy                                 |
|-------------------------------|---------------------------------------|------------|--|
| 15-081-144                    | -35.0 to 50.0°C<br>(-31.0 to 122.0°F) | 0.1°       | ±0.2°C from 0 to 10°C;<br>±1°C otherwise |

### Accessories

| Fisher Scientific Catalog No. | Description                         |
|-------------------------------|-------------------------------------|
| 15-081-145                    | Logger-Trac™ Paper sleeves (100/pk) |
| 15-081-150                    | MaxiThermal Software                |
| 15-081-148                    | Logger-Trac™ Cradle/Cable           |

Traceable is a registered Trademark of Control3. Logger-Trac™ is a Trademark of Control3.

### Know the Temperature Excursion Duration immediately, no data download required

### Active LCD shows the following important data:

- Current, MIN/MAX temperatures
- Recording status
- Run Time
- Alarm (Excursion) Cumulative Time
- Quarantine status
- Alarm Tally

### SPECIFICATIONS

- Storage Capacity: 7,680 readings
- Supplied: battery, Traceable® Certificate

### ALARM TALLY

LCD shows the running alarm tally based on the acceptable temperature range and recording interval. Alarm tally is incremented when reading goes outside acceptable parameters during recording interval.

### QUARANTINE

Once an alarm condition has occurred, Alarm Tally, "ALARM" notification appears, cumulative alarm time. If too many Alarm events occur within pre-set parameters, "QUARANTINE" will appear on the display.

### Traceable to NIST for accuracy

An individually-numbered Traceable® Certificate is provided which assures accuracy from an ISO/IEC 17025 (1750.01) calibration laboratory accredited by A2LA. It indicates traceability to standards provided by NIST (National Institute of Standards and Technology).



| Cat. No. | Description | Pack | Price in ₹ |
|----------|-------------|------|------------|
|----------|-------------|------|------------|

### Chart Recorder & Data Loggers

| <b>Chart Recorder</b> |   |    |        |
|-----------------------|---|----|--------|
| 13904201              | Chart, 24-Hour; Dickson; Circular; Dia: 6 in. (152mm); Range: -50C to 50degC; Works with 6 in. (152mm) temperature chart recorder   | PK | 8957   |
| 13904202              | Chart, 24-Hour; Dickson; Circular; Range: 50deg. to 100deg.F/C; Works with 6 in. (152mm) temperature chart recorder   | PK | 8690   |
| 1390475               | Cable, Interface, for SX100 Temperature Datalogger, includes Manual, 50ft. Long   | EA | 22134  |
| 1390476               | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +/-100; 24-Hour  | PK | 8894   |
| 1390477               | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +200deg.F/ 0 to 100% RH; 24-Hour   | PK | 8690   |
| 1390478               | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +50deg.C/0 to 100% RH; 24-Hour   | PK | 8897   |
| 1390479               | Chart Recorder; Dickson ET8; Universal input; Takes four different inputs from a transducer or transmitter and translates that into varied output ranges for measuring temperature, pH, current.                                    | EA | 139923 |
| 1390480               | Recorder, Chart; Dickson; Multiple features; 6 in. readable chart; AC power; Battery backup; User selectable recording times; Temperature range: 0 to 50 deg. C (32 to 100 deg. F); No display; Response time: min; Wt.: 2.16 lb.   | EA | 106978 |
| 1390481               | Recorder, Chart; Dickson; Multiple features; 6 in. readable chart; AC power; Battery backup; User selectable recording times; Temperature range: 0 to 50 deg. C (32 to 100 deg. F); With display; Response time: min; Wt.: 2.16 lb. | EA | 124476 |
| 1390482               | Recorder, Chart; Dickson; 6 in. (152mm) readable chart; w/Display, Probe and Alarm; AC power; Battery backup; User selectable recording times; Temp. range: 0deg to 50degC; Humidity range: 0-95% RH non-condensing                 | EA | 148571 |
| 139401000             | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to +120deg.F/7 day; Pack of: 60  | PK | 8740   |
| 139401001             | Chart, Replacement; Dickson; Recorder paper; For TempTrace; Used with 15-074-25   | PK | 8915   |
| 139401002             | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 50deg.C/7 day; Pack of: 60  | PK | 8734   |
| 139401004             | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 40 to 111deg.F/7 day; Pack of: 60  | PK | 8742   |
| 139401006             | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 5 to 40deg.C/7 day; Pack of: 60  | PK | 8742   |
| 139401007             | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 120deg.F/31 day; Pack of: 60  | PK | 8742   |
| 139401008             | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 40 to 110deg.F/31 day; Pack of: 60   | PK | 8960   |
| 139401009             | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 50deg.C/31 day; Pack of: 60   | PK | 8960   |
| 139401010             | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 5 to 40deg.C/31 day; Pack of: 60   | PK | 8742   |
| 139401012             | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: -150 to + 250 or -.15 to + .25; 24-Hour   | PK | 8690   |
| 139401018             | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 1000; 7-Day  | PK | 8690   |
| 139401019             | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 1000; 24-Hour  | PK | 8897   |
| 139401020             | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 2000; 24-Hour  | PK | 8690   |
| 139401021             | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 2000; 7-Day  | PK | 8690   |
| 13940980              | Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, 0deg. to 45deg.F; Recording time, 7 days   | PK | 8844   |
| 13940981              | Charts; for Chart Recorders; Dickson; Size: 4 in.; Range: 0 to 45; 24-Hour  | PK | 8690   |
| 13940982              | Chart, Replacement; Dickson; F/sl4100f7/sm4100f7; For TempTrace; Used with 15-074-22  | PK | 8907   |
| 13940983              | Chart, Replacement; Dickson; SI4100f24/sm4100f2; For TempTrace; Used with 15-074-23   | PK | 9007   |
| 13940984              | Chart, Replacement; Dickson; F/sl4120f7/sm4120f7; For TempTrace; Used with 15-074-24  | PK | 8907   |
| 13940987              | Chart, Replacement; Dickson; F/sl4350c7/sm4350c7; For TempTrace; Used with 15-074-26  | PK | 8873   |
| 13940988              | Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, 0deg. to + 250deg.F; Recording time, 7 days  | PK | 8690   |
| 13940989              | Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, -50deg. to +50deg.F; Recording time, 7 days  | PK | 8850   |
| 13940990              | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +50deg.C/0 to 100% RH; 7-Day   | PK | 8894   |
| 13940991              | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +200deg.F/0 to 100% RH; 7-Day  | PK | 8894   |

PK - Pack

EA - Each



## Equipment

| Cat. No.  | Description  | Pack | Price in ₹ |
|-----------|--|------|------------|
| 13940997  | Recorder Pen, replacement pen for Fisher Scientific Isotemp Large Capacity Refrigerated Incubator, Red   | PK   | 9618       |
| 13940997A | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; > Replcmnt Pens For Temp/rh; Pens (3 red, 3 blue); Pack of: 6   | PK   | 9511       |
| 13940998  | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 125 deg.1 day; Pack of: 60   | PK   | 8690       |
| 13940999  | Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, -10deg. to +40deg.C, 0-100% RH; Recording time, 7 days  | PK   | 8981       |
| 15074118  | Kit, Plug; Dickson; Universal; For AC adapter; with 4 different international connections; Input: 100V - 240V, 50-60Hz; Output: DC 12V 2A; Compatible with all Dickson units; Unit Weight: 2 lb. | EA   | 7182       |
| 1507447   | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: -50 to +50; 24-Hour  | EA   | 8690       |
| 1507448   | Chart, for KTx Temperature Recorders, 7-Day Rotation, -50 to +50deg.F/C  | PK   | 8852       |
| 1507449   | Charts, Recorder Replacement, Dickson; 8 in. dia.; Range, 0deg. to 500deg.F; Recording time, 24 hrs  | PK   | 8852       |
| 1507451   | Chart, for KTx and KTxA Temperature Recorders, 7-Day Rotation, 0 to 100deg.F/C   | PK   | 8852       |
| 1507461   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -14deg. to 32deg.F; Replacement for Super-Compact SC3  | PK   | 8915       |
| 1507462   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -25deg. to 0deg.C; Replacement for Super-Compact SC3   | PK   | 8915       |
| 1507464   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 4deg. to 50deg.F; Replacement for Super-Compact SC3  | PK   | 8915       |
| 1507465   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -15deg. to 10deg.C; Replacement for Super-Compact SC3  | PK   | 8915       |
| 1507467   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 50deg. to 96deg.F; Replacement for Super-Compact SC3   | PK   | 8915       |
| 1507468   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 10deg. to 35deg.C; Replacement for Super-Compact SC3   | PK   | 8803       |
| 1507470   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 76deg. to 122deg.F; Replacement for Super-Compact SC3  | PK   | 8915       |
| 1507471   | For 15-074-69; Description: Celsius Chart  | PK   | 8863       |
| 1507473   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 22deg. to 68deg.F; Replacement for Super-Compact SC3   | PK   | 8915       |
| 1507474   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -5deg. to 20deg.C; Replacement for Super-Compact SC3   | PK   | 8915       |
| 1507479   | Chart, Temperature recorder; Dickson; To archive monitoring history; 6 in. (152mm); 7-Day; -50deg. to 50deg.C/F  | PK   | 9007       |
| 1507480   | Pen Line Resolution to: 0.5deg. F/C; Ruled to: 1deg. F/C; Range: -50deg. to 0deg. or 0deg. to 50deg. F/C   | PK   | 9007       |
| 1507481   | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: +50 to +100; 7-Day   | PK   | 8894       |
| 1507482   | Charts, Recorder Replacement, Dickson; 6 in. dia.; Range, 0deg. to 100deg.F; Humidity, 0 to 100deg.; 7 day chart; Recording time, 24 hrs   | PK   | 8847       |
| 1507484   | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +500; 7-Day   | PK   | 8690       |
| 1507487   | Traceable Calibration; Dickson; N100; NIST; 1-Point; Includes documentation to pre-selected point after calibration; Offers proof of accuracy for Dickson instruments                            | EA   | 21995      |
| 1507488   | Traceable Calibration; Dickson; N300; NIST; 3-Point; Includes documentation to pre-selected point after calibration; Offers proof of accuracy for Dickson instruments                            | EA   | 34012      |
| 15075100  | Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: -25deg. to 0deg.C; Fahrenheit Range: -14deg. to +32deg.F  | EA   | 48567      |
| 15075101  | Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: -5deg. to +20deg.C; Fahrenheit Range: +22deg. to +68deg.F   | EA   | 48767      |
| 15075102  | Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: +10deg. to +35deg.C; Fahrenheit Range: +50deg. to +96deg.F  | EA   | 48507      |
| 15075103  | Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: -15deg. to +10deg.C; Fahrenheit Range: +4deg. to +50deg.F   | EA   | 48462      |
| 15075104  | Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: +25deg. to +50deg.C; Fahrenheit Range: +76deg. to +122deg.F   | EA   | 48462      |
| 15075106  | Chart Recorder, Vaccine; Fahrenheit  | EA   | 89268      |
| 15075110  | Recorder, Chart; Dickson; 8 in. (203mm) readable chart; Recorder with battery operation; Temp. range: 0deg to 50degC (32deg to 120degF); Humidity range: 0-95% RH non-condensing                 | EA   | 107568     |

PK - Pack  
EA - Each



| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 15075115 | Memory Card; Dickson; A210; Removable SD flash card; Compatible w/SM300 series, TM320, FT500 series, PR125, PR325, and PR525; Data capacity: 2GB; Unit weight: 1 lb.                                   | EA   | 18591      |
| 15075116 | Kit, Card Reader; Dickson; w/USB memory card reader and one flash memory card; Compatible w/SM300 series, TM320, TM325, FT500 series, PR125, PR325, and PR525; Data capacity: 2 GB; Unit Weight: 1 lb. | PK   | 26956      |
| 15075143 | Recorder; Dickson; Replacement charts; 4 in.; 0 to 200psi; 7-day; 60 charts per box  | PK   | 8928       |
| 15075144 | Recorder; Dickson; Replacement charts; 4 in.; 0 to 200psi; 24-hour; 60 charts per box  | PK   | 9167       |
| 15075145 | Recorder; Dickson; Replacement charts; 0 to 300psi; 7-day; 60 charts per box   | PK   | 8928       |
| 15075146 | Recorder; Dickson; Replacement charts; 4 in.; 0 to 300psi; 24-hour; 60 charts per box  | PK   | 8690       |
| 15075147 | Recorder; Dickson; Replacement charts; 4 in.; 0 to 500psi; 24-hour; 60 charts per box  | PK   | 8690       |
| 15075151 | Recorder; Dickson; Replacement charts; 8 in.; 0 to 200psi; 7-day; 60 charts per box  | PK   | 8690       |
| 15075152 | Recorder; Dickson; Replacement charts; 8 in.; 0 to 200psi; 24-hour; 60 charts per box  | PK   | 8928       |
| 15075246 | Chart, 24-Hour; Dickson; Circular; Range: Odeg. to 250deg.F/C; Works with 6 in. (152mm) temperature chart recorder   | PK   | 9170       |
| 15075247 | Chart, 24-Hour; Dickson; Range: 25deg. to 50deg.C; Works with 3 in. (76mm) temperature chart recorder  | PK   | 2108       |
| 15075248 | Pen; Dickson; Humidity only; Color: Blue; Weight: 1 lb.  | PK   | 9802       |
| 15075249 | AC Adapter; Dickson; Compatible with all Dickson units; Voltage Input: 120 to 240V; Voltage Output Upper: 12VDC; Unit weight: 2 lb.  | EA   | 7161       |
| 15174205 | Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: -5.55 deg. to +50 deg. C (-22 deg. to +122 deg. F); Recording time: 7 days   | PK   | 8939       |
| 15174206 | Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: -18 deg. to +37 deg.C (-64.4 deg. to +98.6 deg. F); Recording time: 7 days   | PK   | 8939       |
| 15174207 | Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: +7 deg. to +32 deg. C (+44.6 deg. to + 89.6 deg. F); Recording time: 7 days  | PK   | 8939       |
| 15174208 | Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: -5.55 deg. to +50 deg. C (-22 deg. to +122 deg. F); Recording time: 24 hours   | PK   | 8939       |
| 15174209 | 4 INCH CHART PK/604 INCH CHAR  | PK   | 8690       |
| 15174210 | Chart, 24-Hour; Dickson; Circular; Range: -18deg.C to 37deg.C; Works with 4 in. (101mm) temperature chart recorder   | PK   | 8957       |
| 15174211 | Chart, 24-Hour; Dickson; Circular; Works with 4 in. (101mm) temperature chart recorder; Range: 7deg. to 32deg.C  | PK   | 8690       |
| 22025492 | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: -20 to +50/0 to 100% RH; 24-Hour   | PK   | 8894       |
| 22279809 | Charts, Recorder Replacement, Dickson; 4 in. dia.; Range, -45deg. to +90deg.F; Recording time, 7 days  | PK   | 8839       |

### Chart Recorder & Data Loggers

| Chart Recorder |   |    |        |
|----------------|---|----|--------|
| 13904201       | Chart, 24-Hour; Dickson; Circular; Dia: 6 in. (152mm); Range: -50C to 50degC; Works with 6 in. (152mm) temperature chart recorder   | PK | 8957   |
| 13904202       | Chart, 24-Hour; Dickson; Circular; Range: 50deg. to 100deg.F/C; Works with 6 in. (152mm) temperature chart recorder   | PK | 8690   |
| 1390475        | Cable, Interface, for SX100 Temperature Datalogger, includes Manual, 50ft. Long   | EA | 22134  |
| 1390476        | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +/-100; 24-Hour  | PK | 8894   |
| 1390477        | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +200deg.F/ 0 to 100% RH; 24-Hour   | PK | 8690   |
| 1390478        | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +50deg.C/0 to 100% RH; 24-Hour   | PK | 8897   |
| 1390479        | Chart Recorder; Dickson ET8; Universal input; Takes four different inputs from a transducer or transmitter and translates that into varied output ranges for measuring temperature, pH, current.                                    | EA | 139923 |
| 1390480        | Recorder, Chart; Dickson; Multiple features; 6 in. readable chart; AC power; Battery backup; User selectable recording times; Temperature range: 0 to 50 deg. C (32 to 100 deg. F); No display; Response time: min; Wt.: 2.16 lb.   | EA | 106978 |
| 1390481        | Recorder, Chart; Dickson; Multiple features; 6 in. readable chart; AC power; Battery backup; User selectable recording times; Temperature range: 0 to 50 deg. C (32 to 100 deg. F); With display; Response time: min; Wt.: 2.16 lb. | EA | 124476 |
| 1390482        | Recorder, Chart; Dickson; 6 in. (152mm) readable chart; w/Display, Probe and Alarm; AC power; Battery backup; User selectable recording times; Temp. range: Odeg to 50degC; Humidity range: 0-95% RH non-condensing                 | EA | 148571 |



## Equipment

| Cat. No.  | Description  | Pack | Price in ₹ |
|-----------|--|------|------------|
| 139401000 | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to +120deg.F/7 day; Pack of: 60   | PK   | 8740       |
| 139401001 | Chart, Replacement; Dickson; Recorder paper; For TempTrace; Used with 15-074-25  | PK   | 8915       |
| 139401002 | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 50deg.C/7 day; Pack of: 60   | PK   | 8734       |
| 139401004 | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 40 to 111deg.F/7 day; Pack of: 60   | PK   | 8742       |
| 139401006 | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 5 to 40deg.C/7 day; Pack of: 60   | PK   | 8742       |
| 139401007 | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 120deg.F/31 day; Pack of: 60   | PK   | 8742       |
| 139401008 | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 40 to 110deg.F/31 day; Pack of: 60  | PK   | 8960       |
| 139401009 | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 50deg.C/31 day; Pack of: 60  | PK   | 8960       |
| 139401010 | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 5 to 40deg.C/31 day; Pack of: 60  | PK   | 8742       |
| 139401012 | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: -150 to +250 or -.15 to +.25; 24-Hour  | PK   | 8690       |
| 139401018 | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 1000; 7-Day   | PK   | 8690       |
| 139401019 | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 1000; 24-Hour   | PK   | 8897       |
| 139401020 | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 2000; 24-Hour   | PK   | 8690       |
| 139401021 | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 2000; 7-Day   | PK   | 8690       |
| 13940980  | Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, Odeg. to 45deg.F; Recording time, 7 days  | PK   | 8844       |
| 13940981  | Charts; for Chart Recorders; Dickson; Size: 4 in.; Range: 0 to 45; 24-Hour   | PK   | 8690       |
| 13940982  | Chart, Replacement; Dickson; F/sl4100f7/sm4100f7; For TempTrace; Used with 15-074-22   | PK   | 8907       |
| 13940983  | Chart, Replacement; Dickson; SI4100f24/sm4100f2; For TempTrace; Used with 15-074-23  | PK   | 9007       |
| 13940984  | Chart, Replacement; Dickson; F/sl4120f7/sm4120f7; For TempTrace; Used with 15-074-24   | PK   | 8907       |
| 13940987  | Chart, Replacement; Dickson; F/sl4350c7/sm4350c7; For TempTrace; Used with 15-074-26   | PK   | 8873       |
| 13940988  | Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, Odeg. to +250deg.F; Recording time, 7 days  | PK   | 8690       |
| 13940989  | Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, -50deg. to +50deg.F; Recording time, 7 days   | PK   | 8850       |
| 13940990  | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +50deg.C/0 to 100% RH; 7-Day  | PK   | 8894       |
| 13940991  | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +200deg.F/0 to 100% RH; 7-Day   | PK   | 8894       |
| 13940997  | Recorder Pen, replacement pen for Fisher Scientific Isotemp Large Capacity Refrigerated Incubator, Red   | PK   | 9618       |
| 13940997A | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; > Replcmnt Pens For Temp/rh; Pens (3 red, 3 blue); Pack of: 6   | PK   | 9511       |
| 13940998  | Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 125 deg.1 day; Pack of: 60   | PK   | 8690       |
| 13940999  | Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, -10deg. to +40deg.C, 0-100% RH; Recording time, 7 days  | PK   | 8981       |
| 15074118  | Kit, Plug; Dickson; Universal; For AC adapter; with 4 different international connections; Input: 100V - 240V, 50-60Hz; Output: DC 12V 2A; Compatible with all Dickson units; Unit Weight: 2 lb. | EA   | 7182       |
| 1507447   | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: -50 to +50; 24-Hour  | EA   | 8690       |
| 1507448   | Chart, for KTx Temperature Recorders, 7-Day Rotation, -50 to +50deg.F/C  | PK   | 8852       |
| 1507449   | Charts, Recorder Replacement, Dickson; 8 in. dia.; Range, Odeg. to 500deg.F; Recording time, 24 hrs  | PK   | 8852       |
| 1507451   | Chart, for KTx and KTxA Temperature Recorders, 7-Day Rotation, 0 to 100deg.F/C   | PK   | 8852       |
| 1507461   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -14deg. to 32deg.F; Replacement for Super-Compact SC3  | PK   | 8915       |
| 1507462   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -25deg. to 0deg.C; Replacement for Super-Compact SC3   | PK   | 8915       |
| 1507464   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 4deg. to 50deg.F; Replacement for Super-Compact SC3  | PK   | 8915       |
| 1507465   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -15deg. to 10deg.C; Replacement for Super-Compact SC3  | PK   | 8915       |
| 1507467   | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 50deg. to 96deg.F; Replacement for Super-Compact SC3   | PK   | 8915       |



| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 1507468  | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 10deg. to 35deg.C; Replacement for Super-Compact SC3   | PK   | 8803       |
| 1507470  | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 76deg. to 122deg.F; Replacement for Super-Compact SC3  | PK   | 8915       |
| 1507471  | For 15-074-69; Description: Celsius Chart  | PK   | 8863       |
| 1507473  | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 22deg. to 68deg.F; Replacement for Super-Compact SC3   | PK   | 8915       |
| 1507474  | Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -5deg. to 20deg.C; Replacement for Super-Compact SC3   | PK   | 8915       |
| 1507479  | Chart, Temperature recorder; Dickson; To archive monitoring history; 6 in. (152mm); 7-Day; -50deg. to 50deg.C/F  | PK   | 9007       |
| 1507480  | Pen Line Resolution to: 0.5deg. F/C; Ruled to: 1deg. F/C; Range: -50deg. to 0deg. or 0deg. to 50deg. F/C   | PK   | 9007       |
| 1507481  | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: +50 to +100; 7-Day   | PK   | 8894       |
| 1507482  | Charts, Recorder Replacement, Dickson; 6 in. dia.; Range, 0deg. to 100deg.F; Humidity, 0 to 100deg.; 7 day chart; Recording time, 24 hrs   | PK   | 8847       |
| 1507484  | Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +500; 7-Day   | PK   | 8690       |
| 1507487  | Traceable Calibration; Dickson; N100; NIST; 1-Point; Includes documentation to pre-selected point after calibration; Offers proof of accuracy for Dickson instruments                                  | EA   | 21995      |
| 1507488  | Traceable Calibration; Dickson; N300; NIST; 3-Point; Includes documentation to pre-selected point after calibration; Offers proof of accuracy for Dickson instruments                                  | EA   | 34012      |
| 15075100 | Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: -25deg. to 0deg.C; Fahrenheit Range: -14deg. to +32deg.F  | EA   | 48567      |
| 15075101 | Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: -5deg. to +20deg.C; Fahrenheit Range: +22deg. to +68deg.F   | EA   | 48767      |
| 15075102 | Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: +10deg. to +35deg.C; Fahrenheit Range: +50deg. to +96deg.F  | EA   | 48507      |
| 15075103 | Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: -15deg. to +10deg.C; Fahrenheit Range: +4deg. to +50deg.F   | EA   | 48462      |
| 15075104 | Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: +25deg. to +50deg.C; Fahrenheit Range: +76deg. to +122deg.F   | EA   | 48462      |
| 15075106 | Chart Recorder, Vaccine; Fahrenheit  | EA   | 89268      |
| 15075110 | Recorder, Chart; Dickson; 8 in. (203mm) readable chart; Recorder with battery operation; Temp. range: 0deg to 50degC (32deg to 120degF); Humidity range: 0-95% RH non-condensing                       | EA   | 107568     |
| 15075115 | Memory Card; Dickson; A210; Removable SD flash card; Compatible w/SM300 series, TM320, FT500 series, PR125, PR325, and PR525; Data capacity: 2GB; Unit weight: 1 lb.                                   | EA   | 18591      |
| 15075116 | Kit, Card Reader; Dickson; w/USB memory card reader and one flash memory card; Compatible w/SM300 series, TM320, TM325, FT500 series, PR125, PR325, and PR525; Data capacity: 2 GB; Unit Weight: 1 lb. | PK   | 26956      |
| 15075143 | Recorder; Dickson; Replacement charts; 4 in.; 0 to 200psi; 7-day; 60 charts per box  | PK   | 8928       |
| 15075144 | Recorder; Dickson; Replacement charts; 4 in.; 0 to 200psi; 24-hour; 60 charts per box  | PK   | 9167       |
| 15075145 | Recorder; Dickson; Replacement charts; 0 to 300psi; 7-day; 60 charts per box   | PK   | 8928       |
| 15075146 | Recorder; Dickson; Replacement charts; 4 in.; 0 to 300psi; 24-hour; 60 charts per box  | PK   | 8690       |
| 15075147 | Recorder; Dickson; Replacement charts; 4 in.; 0 to 500psi; 24-hour; 60 charts per box  | PK   | 8690       |
| 15075151 | Recorder; Dickson; Replacement charts; 8 in.; 0 to 200psi; 7-day; 60 charts per box  | PK   | 8690       |
| 15075152 | Recorder; Dickson; Replacement charts; 8 in.; 0 to 200psi; 24-hour; 60 charts per box  | PK   | 8928       |
| 15075246 | Chart, 24-Hour; Dickson; Circular; Range: 0deg. to 250deg.F/C; Works with 6 in. (152mm) temperature chart recorder   | PK   | 9170       |
| 15075247 | Chart, 24-Hour; Dickson; Range: 25deg. to 50deg.C; Works with 3 in. (76mm) temperature chart recorder  | PK   | 2108       |
| 15075248 | Pen; Dickson; Humidity only; Color: Blue; Weight: 1 lb.  | PK   | 9802       |
| 15075249 | AC Adapter; Dickson; Compatible with all Dickson units; Voltage Input: 120 to 240V; Voltage Output Upper: 12VDC; Unit weight: 2 lb.  | EA   | 7161       |
| 15174205 | Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: -5.55 deg. to +50 deg. C (-22 deg. to +122 deg. F); Recording time: 7 days   | PK   | 8939       |
| 15174206 | Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: -18 deg. to +37 deg.C (-64.4 deg. to +98.6 deg. F); Recording time: 7 days   | PK   | 8939       |
| 15174207 | Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: +7 deg. to +32 deg. C (+44.6 deg. to + 89.6 deg. F); Recording time: 7 days  | PK   | 8939       |

PK - Pack

EA - Each



## Equipment

| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 15174208 | Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: -5.55 deg. to +50 deg. C (-22 deg. to +122 deg. F); Recording time: 24 hours | PK   | 8939       |
| 15174209 | 4 Inch Chart Pk/604 Inch Char  | PK   | 8690       |
| 15174210 | Chart, 24-Hour; Dickson; Circular; Range: -18deg.C to 37deg.C; Works with 4 in. (101mm) temperature chart recorder   | PK   | 8957       |
| 15174211 | Chart, 24-Hour; Dickson; Circular; Works with 4 in. (101mm) temperature chart recorder; Range: 7deg. to 32deg.C  | PK   | 8690       |
| 22025492 | Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: -20 to +50/0 to 100% RH; 24-Hour   | PK   | 8894       |
| 22279809 | Charts, Recorder Replacement, Dickson; 4 in. dia.; Range, -45deg. to +90deg.F; Recording time, 7 days  | PK   | 8839       |

### Data logger

|          |  |    |        |
|----------|--|----|--------|
| 0666272  | Data-Logger  | EA | 48038  |
| 15059303 | Datalogger, High-Temperature; Fisherbrand; Exact-Temp; Extended range; Records up to 32,767 temperatures; Autoclave data recorder  | EA | 28699  |
| 15059501 | Logger, Temperature; Fisher Scientific; RFOT Wireless Meat Temperature Logger  | EA | 71965  |
| 15059502 | Interface Cable Package; for RFOT and Therm-A-Lert Data Loggers; Includes MadgeTech Software CD, Software Manual, Quick Start Guide, USB to mini USB adapter and RFC1000 wireless receiver   | EA | 36102  |
| 15075130 | Data Logger, Temperature; Dickson; Start and Stop button; Digital display; 32KB data storage; Battery powered; Temp. range: -20deg to 70degC (-4deg to 158degF)  | EA | 35630  |
| 15075131 | Datalogger, Temperature and Humidity; Dickson; w/Digital display and Start/Stop button; 32KB data storage; Battery powered; Temp. range: -20deg to 70degC (-4deg to 158degF); Humidity range: 0-95% RH noncondensing                   | EA | 55823  |
| 15075132 | Datalogger, Temperature; Dickson; Food grade Stainless steel; Waterproof; HACCP and FDA Compliant; w/USB download; Replaceable 1-year battery; Temp. range: 125degC (257degF)  | EA | 63102  |
| 15075133 | Datalogger, Temperature; Dickson; w/Piercing Probe: 2.36 in. (60mm); Food grade stainless steel; Waterproof; HACCP and FDA Compliant; w/USB download; Replaceable 1-year battery; Temp. range: 125degC (257degF)                       | EA | 76627  |
| 15075134 | WATERTIGHT HIGH TEMP LOGGER  | EA | 79553  |
| 15075135 | Cable, Extension; Dickson; D617; K-TC straight probe cable; Range: -185degC to 260degC; Length: 10 ft. (304.8cm)   | EA | 11632  |
| 15174110 | Datalogger; Temperature; Pro Series; Single-channel; USB Connectivity; high/low LED alarm; Internal sensor; Temp accuracy: +/-1.2deg.F   | EA | 26578  |
| 15174111 | Datalogger; Temperature; Pro Series; Two-channel; Equipped with external K-Thermocouple sensor; USB Connectivity; high/low LED alarm; Internal sensor; Temp accuracy: +/-1.8deg.F  | EA | 50120  |
| 15174112 | Datalogger; Temperature and Humidity; Pro Series; USB connectivity; high/low LED alarm; with internal sensor for monitoring temp and humidity  | EA | 44511  |
| 15174113 | Datalogger; Temperature; Dickson; Jumbo LCD display; High-Low alarm; MinMax display; Accuracy: +/-0.8deg.F   | EA | 54638  |
| 15174114 | Datalogger; Temperature; Dickson; Jumbo LCD display; High-Low alarm; Min/Max display; Accuracy: +/- 1.8F; 1 K-Thermocouple probe. USB enabled; Flash memory; Audio and Visual alarms; NOTE: The A203 probe temp. readings up to +2100F | EA | 67373  |
| 15174115 | Datalogger; Temperature; Dickson; Jumbo LCD display; High-Low alarm; MinMax display; Accuracy: +/-1.8deg.F; 2 K-Thermocouple probe   | EA | 86449  |
| 15174116 | Datalogger; Temperature; Dickson; Jumbo LCD display; High-Low alarm; MinMax display; Accuracy: +/-0.5deg.F; 1 Platinum RTD probe   | EA | 112464 |
| 15174119 | Datalogger; Temperature and Humidity; Dickson; Jumbo LCD display; High-Low alarm; Min-Max display; Temp. Accuracy: +/-0.8deg.F; No remote probe  | EA | 66854  |
| 15174120 | Datalogger; Temperature and Humidity; Dickson; Jumbo LCD display; High-Low alarm; Min-Max display; Temp. Accuracy: +/-0.8deg.F; Remote probe   | EA | 88862  |
| 15174126 | Recorder, Temperature/Humidity/Dew Point; Remote Sensing; TH805  | EA | 160370 |
| 15174129 | Thermometer, Alarm; Dickson; MM120 Refrigerator/Freezer; Thermistor temp. sensor; Temp. range: -50deg. to +70deg.C (+58deg. to +158deg.F); Accuracy: +/-1.8 over 0deg. to 122deg.F; Includes 2 AA batteries; One probe                 | EA | 11076  |
| 15174130 | Thermometer, Alarm; Dickson; MM125 Refrigerator/Freezer; Thermistor temp. sensor; Temp. range: -50deg. to +70deg.C (+58deg. to +158deg.F); Accuracy: +/-1.8 over 0deg. to 122deg.F; Includes 2 AA batteries; Two probes                | EA | 13221  |
| 15174175 | Datalogger, Pressure; Dickson; Provides data retrieval without having to move unit; Flash card option for data retrieval; 0-100psi; IP68 enclosure; 1-sec. sampling rate; Delayed start; USB connectivity                              | EA | 108116 |
| 15174176 | 0 -300 PSI Display Logger  | EA | 109611 |

PK - Pack  
EA - Each



| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 15174177 | 0 -500 PSI Display Logger  | EA   | 115671     |
| 15174180 | Locking Case   | EA   | 16782      |
| 15174181 | Pressure Fitting Accessories   | EA   | 29827      |
| 15174182 | Fire Hydrant Adapter Kit   | EA   | 30511      |
| 15174183 | Filter Kit   | EA   | 5795       |
| 15174184 | Siphon, Pigtail; Dickson; For monitoring pressure of steam; Act as barrier between sensor and steam; NPTM brass; Includes one steam pressure pigtail; Dimension: 0.25 x 0.25 in (0.63 x 0.63cm); 2 lb. | EA   | 7531       |
| 15174200 | Recorder, Temperature Chart; Dickson SL4; -22 to +122deg.F / -30 to +50deg.C   | EA   | 53607      |
| 15174202 | Recorder, Temperature Chart; Dickson SL4; 0 to +100deg.F / -18 to +37deg.C   | EA   | 53348      |

### Software

|          |  |    |       |
|----------|--|----|-------|
| FA06580  | MaxiThermo Software (Use with 6540, 6550 and 6560)   | EA | 25331 |
| 1507770  | Data Acquisition Kit   | EA | 47031 |
| 1507771  | Data Acquisition System for 4000   | EA | 29813 |
| 1507772  | Data Acquisition System  | EA | 11834 |
| 1507773  | Data Aquisition System   | EA | 23602 |
| 11603430 | Software; Dickson; DicksonWare; 21CFR11 Compliance; Password protected; Requires MS Windows 98 or newer, 4 MB RAM, USB port, CD drive; w/Data encryption, labelled chart; USB download cable; Cable: 6 ft.; 1 lb.              | PK | 44558 |
| 11603431 | Software; Dickson; DicksonWare; For data visualization; Easy installation, logger setup, data downloads; USB download cable; USB: Male Series A plug to 5 pin Male Series B mini plug; w/Tables and graphs; Cable: 6ft.; 1 lb. | PK | 22325 |

### Clamps, Holders, and Apparatus

| Knives         |  |    |       |
|----------------|--|----|-------|
| 088505         | Lab Knife Set                              | EA | 9605  |
| Labeling       |  |    |       |
| 15078203       | Lab Label Maker™                           | PK | 2284  |
| 15078204       | Lab Label Tape™ Black                      | EA | 1423  |
| 15078205       | Lab Label Tape™ Red                        | PK | 1423  |
| 15078206       | Lab Label Tape™ Blue                       | PK | 1423  |
| 15078207       | Lab Label Tape™ Green                      | PK | 1423  |
| 0666257        | Write-On Aluminum Tags (48/pack)           | PK | 5170  |
| Lamps/Lighting |  |    |       |
| 1507765        | Flexible Arm Light                         | EA | 11210 |
| 1507766        | Flexible Arm Light, long                   | EA | 9932  |
| 15079601       | Replacement Halogen Bulb for 3095 and 3096 | EA | 2950  |

### Magnifiers

|         |   |    |      |
|---------|---|----|------|
| 120716A | Illuminated Magnifier (Large)             | EA | 3208 |
| 120716B | Illuminated Magnifier (Medium)            | EA | 3540 |
| 120716C | Adjustable Focus Magnifier                | EA | 1794 |
| 1464819 | Illuminated Fold-Up Magnifier 4.3" (2.5X) | EA | 8095 |
| 1464820 | Illuminated Fold-Up Magnifier 3.5" (2.5X) | EA | 7289 |
| 1464821 | Fold-Up Magnifier 3.0" (3X)               | EA | 6411 |
| 1464822 | Fold-Up Magnifier 2.0" (3.5X)             | EA | 5667 |
| 1464823 | Fold-Up Magnifier 1.2" (5X)               | EA | 4899 |
| 1464824 | Fold-Up Magnifier 0.8" (7X)               | EA | 4046 |
| 1464825 | Illuminated Pocket Magnifier 0.5" (10X)   | EA | 4276 |

PK - Pack

EA - Each



## Equipment

| Cat. No.          | Description                                      | Pack | Price in ₹ |
|-------------------|--|------|------------|
| <b>Stationery</b> |  |      |            |
| 133831            | Scientific Technical Pens - Assortment (12/Pack) | EA   | 3381       |
| 133831A           | Scientific Technical Pens - 0.2mm Black (6-Pack) | EA   | 1764       |
| 133831B           | Scientific Technical Pens - 0.4mm Black (6-Pack) | EA   | 1764       |
| 133831C           | Scientific Technical Pens - 0.2mm Red (6-Pack)   | EA   | 1764       |
| 133831D           | Scientific Technical Pens - 0.4mm Red (6-Pack)   | EA   | 1755       |
| 133831E           | Scientific Technical Pens - 0.2mm Blue (6-Pack)  | EA   | 1764       |
| 133831F           | Scientific Technical Pens - 0.4mm Blue (6-Pack)  | EA   | 1764       |
| 133831G           | Scientific Technical Pens - 0.2mm Green (6-Pack) | EA   | 1764       |
| 133831H           | Scientific Technical Pens - 0.4mm Green (6-Pack) | EA   | 1764       |
| 13383             | Marking Pens Assortment (12/pack)                | PK   | 3401       |
| 13383C            | Marking Pens - Black (6/pack)                    | EA   | 1822       |
| 13383D            | Marking Pens - Red (6/pack)                      | EA   | 1822       |
| 13383E            | Marking Pens - Blue (6/pack)                     | EA   | 1822       |
| 13383F            | Marking Pens - Green (6/pack)                    | EA   | 1822       |
| 144336            | Copier Lab Graph Notebook                        | EA   | 2846       |
| 079055            | Disposable Pens, Assorted Colors, (5/pack)       | EA   | 6955       |
| 119941            | Laser Pointer                                    | EA   | 12730      |
| 119942            | Key-Chain Laser                                  | PK   | 7146       |
| 024016            | Laser Key-Chain                                  | PK   | 2022       |
| <b>Tools</b>      |  |      |            |
| 1522320           | Glassware-Rescuer™                               | EA   | 5050       |
| 152261            | Original Labtool                                 | EA   | 10589      |
| 1464975           | Labtool II                                       | EA   | 4720       |
| 1464976           | Mini-Labtool II                                  | EA   | 2411       |

### Electro-chemistry (PH/PX)

| Connectors         |  |    |       |
|--------------------|--|----|-------|
| 13620489           | BNC/Pin Plugs To Single BNC Input Jack | EA | 8018  |
| 13620549           | ACCUMET ELECTRODE LEAD BNC COMBO       | EA | 69048 |
| 13620850           | ACCUMET pH MICRO 3x38mm DJ BNC         | EA | 31401 |
| 13620851           | ACCUMET pH MICRO 3x150 DJ BNC          | EA | 34489 |
| 13620852           | ACCUMET 6mm GLASS pH DJ BNC            | EA | 22967 |
| Electrodes (PH/PX) |  |    |       |
| 136201             | ELECTRODE GLASS FULL RANGE             | EA | 16308 |
| 13620100           | 2 CELL COND W/ATC K=1.0                | EA | 44058 |
| 13620101           | 2 CELL COND W/ATC K=0.1                | EA | 43448 |
| 13620102           | 2 CELL COND W/ATC K=10.0               | EA | 44094 |
| 13620104A          | ELECTRODE ACCUMET PH US STD            | EA | 12714 |
| 13620106           | ELECTRODE POLY GEL COMBO               | EA | 12309 |
| 13620108A          | ELECTRODE ACCUMET PH BNC               | EA | 12501 |
| 13620111           | PH ELECTRODE ATC COMBO                 | EA | 30221 |
| 13620111T          | ELECTRODE PH/ATC DOUBLE JUNCT          | EA | 28050 |
| 13620112           | ELECTRODE COMBO/ATE 1/4IN              | EA | 32975 |
| 13620113           | ELECTRODE ACCUPHAST W/ATC              | EA | 46182 |
| 13620115           | ELECTRODE PLATINUM PROBE               | EA | 23099 |
| 13620122           | ELECTRODE SILVER BILLET                | EA | 21287 |
| 13620123           | ELECTRODE DUAL PLATINUM                | EA | 28077 |
| 13620130           | ACCUCAP GLASS ELECTRODE REFIL          | EA | 47845 |
| 13620131           | ACCUCAP GLASS ELECTRODE GEL            | EA | 37221 |

PK - Pack  
EA - Each



| Cat. No.  | Description                     | Pack | Price in ₹ |
|-----------|---------------------------------|------|------------|
| 13620132  | ACCUCAP PLAST ELECTRODE GEL     | EA   | 23600      |
| 13620133  | ACCUCAP GLASS ELECTRODE GEL     | EA   | 44223      |
| 13620149  | ELECTRODE DUAL PLATINUM PLATE   | EA   | 36510      |
| 13620155  | CONDUCTIVITY CELL 1.0CM         | EA   | 33814      |
| 13620156  | CONDUCTIVITY CELL 0.1CM         | EA   | 36139      |
| 13620157  | CONDUCTIVITY CELL 10.0CM        | EA   | 36139      |
| 13620158  | ELECTRODE BULB PROTECTOR 12MM   | EA   | 1041       |
| 1362016   | ELECTRODE AUTOM TEMP CONPENSTR  | EA   | 22554      |
| 13620160  | CONDUCTIVITY CELL EPOXY 1.0CM   | EA   | 30866      |
| 13620161  | CONDUCTIVITY CELL EPOXY 0.1CM   | EA   | 33171      |
| 13620162  | CONDUCTIVITY CELL EPOXY 10.0CM  | EA   | 30866      |
| 13620163  | CONDUC PROBE GLS 4-CELL 1.0/CM  | EA   | 52203      |
| 13620164  | CONDUC PROBE GLS 4-CELL 10/CM   | EA   | 49656      |
| 13620165  | CONDUC PROBE EPO 4-CELL 1.0/CM  | EA   | 49456      |
| 13620166  | CONDUC PROBE EPO 4-CELL 10/CM   | EA   | 47550      |
| 13620167  | PORT CONDUCTIVITY CELL 2CELL.1  | EA   | 33979      |
| 13620168  | PORT CONDUCTIVITY CELL 2CELL 1  | EA   | 28283      |
| 13620180  | COMBO AG/AGCL RUGGED BULB STD   | EA   | 22367      |
| 13620181  | COMBO AG/AGCL RUGGED BULB BNC   | EA   | 20660      |
| 13620182A | ELECTRODE ACCUTUPH PH US STD    | EA   | 23231      |
| 13620183A | ELECTRODE ACCUTUPH PH BNC       | EA   | 22589      |
| 13620185  | ACCUTUPH RUGGED BULB COMBO BNC  | EA   | 38975      |
| 13620186  | ELECTRODE RUGGED BULB US STD    | EA   | 18421      |
| 13620187  | ELECTRODE RUGGED BULB BNC       | EA   | 17997      |
| 1362019   | PROBE ATC 1000 SERIES           | EA   | 18058      |
| 13620195  | ACCUPHASTR STD GLAS BODY TRIS   | EA   | 41020      |
| 13620196  | ACCUPHASTR EPOXY FLUSHBLE TRIS  | EA   | 49238      |
| 13620197  | ACCUPHASTR GLASS FLUSHBLE TRIS  | EA   | 46639      |
| 13620216  | ELECTRODE AG/AGC1 REFERENCE     | EA   | 13456      |
| 13620220  | POLY DBL JUNC COMBO US STD      | EA   | 18252      |
| 13620221  | POLY DBL JUNC COMBO BNC         | EA   | 18032      |
| 13620223A | ELECTRODE PH DOUBLE JUNCTION    | EA   | 20389      |
| 13620252  | ELECTRODE PENCIL GEL COMBO      | EA   | 17993      |
| 13620256  | ELECTRODE POLY GLASS MEMBRANE   | EA   | 14112      |
| 13620258  | ELECTRODE POLY CAL REF LIQUID   | EA   | 15192      |
| 13620259  | ELECTRODE POLY CAL REF GEL      | EA   | 14970      |
| 13620270  | ELECTRODE CALOMEL MICROPROBE    | EA   | 23475      |
| 13620273  | ELECTRODE DOUBLE JUNCTION REF   | EA   | 22414      |
| 13620279  | ELECTRODE POLY ACCUPHST STD     | EA   | 33177      |
| 13620280  | ELECTRODE MICRO ACCUPHAST       | EA   | 46223      |
| 13620281  | ELECTRODE GLAS ACCUPHAST STD    | EA   | 36997      |
| 13620283A | ELECTRODE ACCUMET PH US STD     | EA   | 17223      |
| 13620284  | ELECTRODE INDICATING UNIVER BNC | EA   | 15163      |
| 13620285  | GLASS PH ELECTRODE COMBO BNC    | EA   | 19753      |
| 13620287A | ELECTRODE ACCUMET PH BNC        | EA   | 15286      |
| 13620288  | ELECTRODE POLY COMBO/CAL REF    | EA   | 18924      |
| 13620289  | ELECTRODE POLY FLAT SURFACE     | EA   | 23390      |
| 13620290  | ELECTRODE PENCIL GEL COMBO      | EA   | 17775      |
| 13620291  | ELECTRODE MICROPROBE 5" BODY    | EA   | 23276      |
| 13620292  | ELECTRODE MICROPROBE 7" BODY    | EA   | 23276      |
| 13620293  | ELECTRODE CALOMEL MICROPROBE    | EA   | 23235      |
| 13620294  | PH INDICATING POLY BODY BNC     | EA   | 13229      |
| 13620295  | ELECTRODE FULL RANGE BNC 30IN   | EA   | 14858      |



## Equipment

| Cat. No.  | Description                         | Pack | Price in ₹ |
|-----------|-------------------------------------|------|------------|
| 13620296  | ELECTRODE GLASS ACCUPHAST BNC       | EA   | 36153      |
| 13620297  | ELECTRODE MICRO ACCUPHAST BNC       | EA   | 45769      |
| 13620298  | ELECTRODE POLY ACCUPHAST BNC        | EA   | 34423      |
| 13620299A | ELECTRODE ACCUMET PH BNC            | EA   | 16345      |
| 136203    | ELECTRODE GLS UNIVERS 30"LEAD       | EA   | 16003      |
| 13620300  | ELECTRODE POLY CAL COMB W/BULB PRO  | EA   | 19421      |
| 1362031C  | ACCUMET 3N1 ELECTRODE F/CORN        | EA   | 17027      |
| 136204    | ELECTRODE GLS UNIVERS 60"LEAD       | EA   | 15583      |
| 13620431  | FILLING SOLUTION ACCUMET FLUORIDE   | EA   | 9062       |
| 13620432  | FILLING SOLUTION ACCUMET CHLORIDE   | EA   | 9062       |
| 13620433  | FILLING SOLUTION ACCUMET D/J INNER  | EA   | 8247       |
| 13620434  | FILLING SOLUTION ACCUMET D/J OUTER  | EA   | 8503       |
| 1362045   | ELECTRODE GLS SIDEARM AG/AGCI       | EA   | 16430      |
| 1362046   | ELECTRODE ANNULAR REF SING JNC      | EA   | 24718      |
| 13620499  | RESERVOIR BOTTLE                    | EA   | 2455       |
| 13620500  | ELECTRODE SODIUM GLASS              | EA   | 39207      |
| 13620501  | ELECTRODE SODIUM GLASS W/BNC        | EA   | 38791      |
| 13620503A | ELECTRODE SODIUM WITH BNC           | EA   | 52201      |
| 13620508  | ELECTROD AMMONIA COMB US STD        | EA   | 63858      |
| 13620509  | ELECTRODE AMMONIA COMB BNC          | EA   | 63240      |
| 1362051   | ELECTRODE CALOMEL REF DRI-PAK       | EA   | 13401      |
| 13620511  | ACCUMET ELECTRODE, CO2 ISE BNC      | EA   | 71019      |
| 13620512  | AMMONIA MEMBRANE CAP 12MM 3/PK      | EA   | 15214      |
| 13620519  | ELECTRODE CHLORIDE W/BNC            | EA   | 56825      |
| 1362052   | ELECTRODE CALOMEL REF 30" LEAD      | EA   | 13603      |
| 13620521  | ELECTRODE BROMIDE W/BNC             | EA   | 52649      |
| 13620522  | ELECTRODE FLORIDE                   | EA   | 54107      |
| 13620523  | ELECTRODE FLORIDE BNC CONNECT       | EA   | 53068      |
| 13620525  | ELECTRODE BROMIDE COMB BNC          | EA   | 85428      |
| 13620526  | ELECTRODE CHLORIDE COMB STD         | EA   | 85206      |
| 13620528  | ELECTRODE FLORIDE COMB STD          | EA   | 76462      |
| 1362053   | ELECTRODE AG/AGCl REF HI TEMP       | EA   | 13456      |
| 13620530A | ELECTRODE PH WITH TEMPERATURE       | EA   | 17761      |
| 13620532  | ELECTRODE POTASSIUM COMBO BNC       | EA   | 75403      |
| 13620534  | ELECTRODE NITRATE COMBO BNC         | EA   | 76028      |
| 13620536  | ELECTRODE CALCIUM COMBO BNC         | EA   | 72241      |
| 13620538  | ELECTRODE CYANIDE COMBO BNC         | EA   | 64703      |
| 13620545  | ACCUMET ELECTRODE SILVER/SULFID BNC | EA   | 58064      |
| 13620546  | ACCUMET ELECTRODE CUPRC USSTD COMBO | EA   | 80885      |
| 13620547  | ACCUMET ELECTRODE CUPRC BNC COMBO   | EA   | 80934      |
| 13620551  | ACCUMET SILVER/SULFIDE BNC COMBO    | EA   | 74523      |
| 1362057   | ELECTRODE CALOMEL RED CRK BEAD      | EA   | 15514      |
| 1362061   | ELECTRODE CAL REF REVERSE SLEV      | EA   | 22948      |
| 1362062   | ELECTRODE CAL REF SLEEVE JNC        | EA   | 20183      |
| 13620627  | ELECTRODE CHLORIDE COMBINATION      | EA   | 83151      |
| 13620629  | ELECTRODE FLUORIDE COMBINATION      | EA   | 74955      |
| 13620631  | ELECTRODE PH/ATC DOUBLE JUNC        | EA   | 19183      |
| 1362064   | ELECTRODE CALOMEL REF 60" LEAD      | EA   | 15082      |
| 13620658  | ELECTRODE REFERENCE D/J             | EA   | 26443      |
| 13620700  | ACCUFET CONETIP PH ELECTRODE        | EA   | 115808     |
| 13620710  | ACCUFET CUPTIP PH ELECTRODE         | EA   | 114007     |
| 13620750  | AMMONIA MEMBRANE CAP 3/PK           | EA   | 17319      |
| 13620755  | ACCUFET ELECTRODE DIN CONNECTR      | EA   | 92303      |

PK - Pack  
EA - Each

# Accumet pH Meter

Fisher Scientific puts more into its electrochemical instrument line – so you can get more out of it

AP125



AB150



XL600



AP125

## Innovative new products, extensive product offering

**Fisher Scientific™ accumet™ XL benchtop meters** bring advanced features with simplicity to your laboratory. The color touch screen is stunningly vivid and is sure to make a great first impression that doesn't stop. Some newly added features include two stirring probe ports, a 3-position electrode holder, upgradeable software, and USB & RS232 connectivity.

**Fisher Scientific accumet AB benchtop meters** have been the top selling pH meter year after year. That was before we added backlight, multiple views, date/time for GLP requirements, expanded memory, custom buffer calibration options, a calibration alarm, 3-position electrode holder, stirring capability, upgradeable software, and wall-mounting to name a few new features. We have added two new models – the AB250 with ISE capability, and the AB200, our first AB multiparameter instrument for pH & conductivity. AB basic meters offer great accuracies, simplified performance, and many popular features at an economical price and are poised to continue their success as the top selling pH meter for years to come.

**Fisher Scientific accumet waterproof portable meters** are the choice of demanding professionals who require rugged, dependable, and feature-rich instruments. These IP67-rated meters deliver exceptional performance and versatility as well as customizable calibration, setup, and measurement capabilities.

**Fisher Scientific accumet electrodes** meet almost any application. Innovative products like Fisher Scientific™ AccuCap™, accu•pHast™ R electrodes, and accuTupH™ XL probes improve performance in tough applications.

13-620-BSP  
Stirrer



13-620-632  
accuTupH pH/  
ATC electrode



# Accumet pH Meter - XL and AB series

Our most popular instruments are now better than ever!

Whether you are measuring pH, mV (ORP), ion selective concentration, conductivity, total dissolved solids (TDS), dissolved oxygen, temperature or all of the above, Fisher Scientific Accumet has been offering the products you need since 1965. For more information, contact our Fisher Scientific sales representatives around the globe or visit [www.fishersci.com](http://www.fishersci.com).

AB150 Bench Meter



XL600 Bench Meter



| Fisher Scientific accumet<br>XL & AB Meter Series     | XL600 | XL500 | XL250 | XL200 | XL150 | AB200 | AB250 | AB150 |
|---|-------|-------|-------|-------|-------|-------|-------|-------|
| Model   | XL600 | XL500 | XL250 | XL200 | XL150 | AB200 | AB250 | AB150 |
| Color Touch Screen                                    | ✓     | ✓     | ✓     | ✓     | ✓     |       |       |       |
| pH-mV (BNC) / Temp                                    | ✓✓    | ✓✓    | ✓✓    | ✓     | ✓     | ✓     | ✓     | ✓     |
| Ion Selective-mV (BNC) / Temp                         | ✓✓    | ✓✓    | ✓✓    |       |       |       | ✓     |       |
| Conductivity / TDS / Resistivity<br>/ Salinity / Temp | ✓     | ✓     |       | ✓     |       | ✓     |       |       |
| Dissolved Oxygen / Temp                               | ✓     |       |       |       |       |       |       |       |
| Stirring Probe  | ✓✓    | ✓✓    | ✓✓    | ✓✓    | ✓     | ✓     | ✓     | ✓     |
| USB Device / RS-232                                   | ✓     | ✓     | ✓     | ✓     | ✓     | ✓     | ✓     | ✓     |
| USB Host / RS-232 / RJ-45<br>(Ethernet)               | ✓     | ✓     | ✓     | ✓     | ✓     |       |       |       |

✓✓ = Dual Channel Capacity



| Cat. No.   | Description   | Pack | Price in ₹ |
|------------|---|------|------------|
| 13620758   | ACCUFET SOLID STATE ELECTRODE   | EA   | 98253      |
| 1362079    | ELECTRODE MINI CALOMEL REFERNC  | EA   | 12959      |
| 1362081    | ELECTRODE PLATINUM COMBO BNC  | EA   | 35232      |
| 1362082    | ELECTRODE PLATINUM COMBO  | EA   | 35664      |
| 1362090    | PH ELECTRODE COMBO US STD   | EA   | 19973      |
| 1362091    | ELECTRODE COMBO 60° LEAD  | EA   | 19545      |
| 1362092    | ELECTRODE MICROPROBE 5" BODY  | EA   | 23685      |
| 1362093    | ELECTRODE MICROPROBE 7" BODY  | EA   | 23265      |
| 1362094    | ELECTRODE MINI MICROPROBE   | EA   | 23685      |
| 1362095    | ACCUMET MICROELECTRDE 6" STEM   | EA   | 34892      |
| 1362096    | ACCUMET MCROELECTRDE 1.5" STEM  | EA   | 31767      |
| 1362097A   | ELECTRODE ACCUMET PH US STD   | EA   | 16129      |
| 1362099    | BNC SHORTING STRAP W/ PLUG  | EA   | 1424       |
| 13620AP50A | ELECTRODE PH WITH TEMPERATURE   | EA   | 18317      |
| 13620AP52  | ELECTRODE DBL JUNC PH/ATC F/AP60 S  | EA   | 31918      |
| 13620AP53  | ATC PROBE F/ ACCUMET AP60 SERIES  | EA   | 17828      |
| 13620AP54  | ACCUMET CND PRB F/WTRPRF MTRS   | EA   | 30089      |
| 13620AP55  | ELECTRODE AG/AGCL PH/ATC AP70 SER   | EA   | 20778      |
| 13620AP61  | ELECTRODE PH/ATC DOUBLE JUNC  | EA   | 19364      |
| 13620SSP   | DISSOLVED OXYGEN ELECTRODE STR  | EA   | 107062     |
| 13621701   | ELECTRODE PH/ATC DBL JUNC   | EA   | 28050      |
| 13621702   | ELECTRODE PH/ATC DOUBLE JUNC  | EA   | 28050      |
| 13621703   | ELECTRODE PH/ATC DOUBLE JUNC  | EA   | 28050      |
| 13636430   | ACCUCAP ELECTRODE FILL SOLUTION   | EA   | 6171       |
| 13620632   | ACCUMET ACCUTUPH GLASS DJ REFILL pH/ATC   | EA   | 30257      |
| 13620853   | ACCUMET INDICATING GLASS REF  | EA   | 14987      |
| 13620854   | ACCUMET ACCUTUPH GLASS REF  | EA   | 17790      |
| 13620855   | ACCUMET DJ GLASS REFILL REF   | EA   | 13447      |
| 13620856   | ACCUMET DJ GLS SLEEVE REF   | EA   | 22715      |
| 13620857   | ACCUMET DJ MINI GLS REFILL REF  | EA   | 12809      |
| 13620858   | ACCUMET DJ PLASTIC REFILL REF   | EA   | 15016      |
| 13620859   | ACCUMET DJ EPOXY GEL REF  | EA   | 14949      |
| 13620114   | ELCTRDE ACCPHST W/ATC (AR/AB)   | EA   | 42982      |
| 136201003  | Electrode, Process; Fisher Scientific accumet; pH combination; 3K temp. sensor; No solution ground; 150psig; 3m lead, BNC/Spade Lugs/3/4 in. MNPT connectors; CVPC housing; Glass electrode body; FS-5 glass pH membrane; 0 to 80deg. C range | EA   | 27092      |
| 13620BSP   | ACCUMET BENCH STIRRING PROBE  | EA   | 19641      |
| 13637671   | ELCTR D RPLC ARM MDLS 5 THRU 50   | EA   | 10799      |
| 22286439   | Electrode Holder  | EA   | 10146      |

**Mouse**

|          |                             |    |      |
|----------|-----------------------------|----|------|
| 13637692 | Fisher Scientific USB Mouse | EA | 2571 |
|----------|-----------------------------|----|------|

**Paddle**

|         |                    |    |      |
|---------|--------------------|----|------|
| 13620RP | Replacement Paddle | EA | 3143 |
|---------|--------------------|----|------|

**pH Meter**

|             |                                |    |        |
|-------------|--------------------------------|----|--------|
| 13636AB150A | ACCUMET AB150 PH METER         | EA | 70632  |
| 13636AB200A | ACCUMET AB200 PH/CON METER     | EA | 106521 |
| 13636AB250A | ACCUMET AB250 PH/ISE METER     | EA | 90562  |
| 13636AP110A | ACCUMET AP110 PH/MV/TEMP METER | EA | 63573  |
| 13636AP115A | ACCUMET AP115 PH/MV/TEMP METER | EA | 74259  |
| 13636AP125A | ACCUMET AP125 PH/MV/ISE METER  | EA | 95905  |
| 13636AP69   | ACCUMET PORTABLE LAB FOR AP60  | EA | 9324   |

PK - Pack

EA - Each



## Equipment

| Cat. No.    | Description                     | Pack | Price in ₹ |
|-------------|---------------------------------|------|------------|
| 13636AP71A  | AP71 PH METER ONLY WTRPRF       | EA   | 70212      |
| 13636AP72A  | AP72 PH METER ONLY WTRPRF       | EA   | 77041      |
| 13636AP74A  | AP74A DO METER/PROBE WTRPRF     | EA   | 102032     |
| 13636AP75A  | AP75 COND METER/PROBE WTRPRF    | EA   | 89164      |
| 13636AP84A  | AP84 PH/DO METER/PROBE WTRPRF   | EA   | 151156     |
| 13636AP85A  | AP85A PH/COND MTR/PRB WTRPRF    | EA   | 115476     |
| 13636XL150A | ACCU MET XL150 PH METER         | EA   | 114615     |
| 13636XL200A | ACCU MET XL200 PH/CON METER     | EA   | 146762     |
| 13636XL250A | ACCU MET XL250 PH/ISE METER     | EA   | 142028     |
| 13636XL500A | ACCU MET XL500 PH/ISE/CON METER | EA   | 186392     |
| 13636XL600A | ACCU MET XL600 4 CHANNEL METER  | EA   | 221288     |
| 13636XL40A  | ACCU MET XL40 DO/BOD MTR        | EA   | 155412     |

### pH Meter Hanna

|          |  |    |       |
|----------|--|----|-------|
| 11692110 | PH/EC/TDS/T PROBE HANNA FOR HI-98115 AND HI-9812-5 | EA | 18243 |
| 10546571 | Shockproof rubber holster                          | EA | 6699  |
| 10228510 | Software Compatible With Window 3.11 And 95        | EA | 15008 |
| FB58259  | X2 Stirring rod Fisherbrand PTFE 150mm x 8mm       | EA | 690   |
| FB58260  | X2 Stirring rod Fisherbrand PTFE 200mm x 8mm       | EA | 827   |
| FB58261  | X2 Stirring rod Fisherbrand PTFE 250mm x 8mm       | EA | 965   |
| FB58262  | X2 Stirring rod Fisherbrand PTFE 300mm x 8mm       | EA | 1103  |
| 10440225 | PH/EC/TDS/C METER HANNA HI-9812-5 PORTABLE,        | EA | 39889 |

### pH Meter Adapter

|             |                                 |    |       |
|-------------|---------------------------------|----|-------|
| 13620488    | ADAPTER DUAL FEMALE PIN TO BNC  | EA | 8406  |
| 13620490    | ADAPTER PIN TO BNC              | EA | 5342  |
| 13620491    | ADAPTER BNC TO US STD FEMALE    | EA | 9624  |
| 13620493    | ADAPTER US STD TO RADIOMETER 7  | EA | 9703  |
| 13620498    | ADAPTER US STD TO BNC MALE      | EA | 9820  |
| 13637DOADPT | ADAPTER FOR YSI PROBES/ACCU MET | EA | 19496 |

### pH Meter Kit

|             |                                 |    |        |
|-------------|---------------------------------|----|--------|
| 13636AB150  | ACCU MET AB150 PH KIT           | EA | 79337  |
| 13636AB150B | ACCU MET AB150 PH BIO KIT       | EA | 87355  |
| 13636AB200  | ACCU MET AB200 PH/CON KIT       | EA | 122480 |
| 13636AB250  | ACCU MET AB250 PH/ISE KIT       | EA | 99343  |
| 13636AP110  | ACCU MET AP110 METER KIT        | EA | 76052  |
| 13636AP115  | ACCU MET AP115 METER KIT        | EA | 87677  |
| 13636AP125  | ACCU MET AP125 METER KIT        | EA | 107893 |
| 13636AP71   | AP71 PH METER W/KIT WTRPRF      | EA | 83183  |
| 13636AP72   | AP72 PH METER W/KIT WTRPRF      | EA | 90941  |
| 13636AP74   | AP74 DO METER KIT WTRPRF        | EA | 113418 |
| 13636AP75   | AP75 COND METER KIT WTRPRF      | EA | 100785 |
| 13636AP84   | AP84 PH/DO METER KIT WTRPRF     | EA | 165411 |
| 13636AP85   | AP85 PH/COND METER KIT WTRPRF   | EA | 124478 |
| 13636XL150  | ACCU MET XL150 PH KIT           | EA | 126527 |
| 13636XL200  | ACCU MET XL200 PH/CON KIT       | EA | 167302 |
| 13636XL250  | ACCU MET XL250 PH/ISE KIT       | EA | 154627 |
| 13636XL250F | ACCU MET XL250 FLUORIDE KIT     | EA | 173717 |
| 13636XL250N | ACCU MET XL250 AMMONIA KIT      | EA | 205405 |
| 13636XL500  | ACCU MET XL500 PH/ISE/CON KIT   | EA | 207773 |
| 13636XL600  | ACCU MET XL600 4 CHANNEL KIT    | EA | 237934 |
| 13636XL600D | ACCU MET XL600 4 CHANNEL DO KIT | EA | 292607 |
| 13637DOM    | DO MEMBRANE KIT 6 PER KIT       | EA | 16816  |

PK - Pack  
EA - Each



| Cat. No.   | Description                     | Pack | Price in ₹ |
|------------|---------------------------------|------|------------|
| 13636XL30S | ACCUMET XL30 KIT W/ SOFTWARE    | EA   | 162956     |
| 13637674   | ACCUMET CONDUCT CALIBRATION KIT | EA   | 30058      |

### pH Standards

|          |  |    |      |
|----------|--|----|------|
| 06664259 | Traceable® pH Standard Certified Reference Material (CRM) 4.005 each                   | EA | 2139 |
| 06664260 | Traceable® pH Standard Certified Reference Material (CRM) 7.000 each                   | EA | 2139 |
| 06664261 | Traceable® pH Standard Certified Reference Material (CRM) 10.012 each                  | EA | 2139 |
| 06664262 | Traceable® pH One-Shot™ Standard Certified Reference Material (CRM) 4.005 (pack of 6)  | EA | 2425 |
| 06664263 | Traceable® pH One-Shot™ Standard Certified Reference Material (CRM) 7.000 (pack of 6)  | EA | 2425 |
| 06664264 | Traceable® pH One-Shot™ Standard Certified Reference Material (CRM) 10.012 (pack of 6) | EA | 2425 |

### Power Supply

|          |                                |    |      |
|----------|--------------------------------|----|------|
| 13636102 | POWER SUPPLY F/ACCUMET 230V EU | EA | 6285 |
| 13636104 | 110/230V POWER SUPPLY, 9V, 18W | EA | 4983 |

### Printer

|          |                                    |    |        |
|----------|------------------------------------|----|--------|
| 13637667 | ACCUMET PRINTER/AR CABLE           | EA | 4274   |
| 13637668 | ACCUMET PRINTER REPLACEMENT RIBBON | EA | 2382   |
| 13637669 | ACCUMET PRINTER PAPER              | EA | 1503   |
| 13637681 | RS232 OUTPUT CABLE, PC PRINTER     | EA | 2802   |
| 13637690 | ACCUMET AB XL PRINTER 100-240V     | EA | 104047 |
| 13637691 | PRINTER PAPER ROLLS 2 PACK         | EA | 2997   |

### Turbidity Meter

|          |   |    |        |
|----------|---|----|--------|
| 13140623 | Turbidity meter HF Scientific Micro TPI infra red | EA | 123972 |
|----------|---|----|--------|

## Electrophoresis System and Accessories

| Electrophoresis-Blotting Cassette |                                     |    |      |
|-----------------------------------|-------------------------------------|----|------|
| FB79422                           | Blotting Cassette For 100mm X 100mm | EA | 3204 |

### Electrophoresis-Blotting Pad

|         |   |    |      |
|---------|---|----|------|
| FB79423 | X8 Fibre pad Fisherbrand for blotting 100mm | EA | 3204 |
|---------|---|----|------|

### Electrophoresis-Blotting Unit

|         |  |    |        |
|---------|--|----|--------|
| FB57729 | Dot Blot Fisherbrand Dot blotter, 48 wells Acrylic | EA | 70941  |
| FB57731 | Dot Blot 96 Wells                                  | EA | 77900  |
| FB57735 | Slot Blot Fisherbrand Slot blotter, 48 wells       | EA | 92044  |
| FB57793 | Semi-dry blotting system, 1/Cs, MA: FB57793        | EA | 99003  |
| FB57794 | Semi-dry blotting system, 1/Cs, MA: FB57794        | EA | 189923 |
| FB59579 | Blotting unit 28cmx 26cm, 1/Cs, MA: FB59579        | EA | 45347  |
| FB59598 | Electroblotting Modul, fÃ¼r Fisherbrand FTV100     | EA | 82435  |
| FB59800 | Modular Blotting System For Both                   | EA | 165544 |
| FB69639 | Electroblotting Modul                              | EA | 95411  |
| FB79408 | Blotting Module Verti-Gel Mini Options             | EA | 40374  |

### Electrophoresis-Cables

|         |   |    |      |
|---------|---|----|------|
| FB57059 | Power cord CABLE-4with output connectors 55V 50Hz | EA | 8510 |
|---------|---|----|------|

### Electrophoresis-Capillary Tubes

|         |   |    |       |
|---------|---|----|-------|
| FB57132 | Capillary tubes x 10 (set of 10), 10/Cs       | EA | 21325 |
| FB57136 | Capillary tubes x 10, 10/Cs, MA: FB57136      | EA | 11450 |
| FB79420 | X10 Capillary tube Fisherbrand 75mm long, 1mm | EA | 5339  |



## Equipment

| Cat. No.                             | Description  | Pack | Price in ₹ |
|--------------------------------------|--|------|------------|
| <b>Electrophoresis-Caster</b>        |  |      |            |
| FB57645                              | Caster10 gel multicaster10 x 10cm gels complete    | EA   | 70941      |
| FB79020                              | Gel Caster Horizontal External                     | EA   | 19736      |
| FB79221                              | Gel Caster External With Adjustable                | EA   | 24672      |
| FB79415                              | Caster Stand Verti-Gel Mini Dual                   | EA   | 7988       |
| FB79416                              | Gel Caster Verti-Gel Mini Dual Vertical            | EA   | 22707      |
| FB79417                              | Caster Base Verti-Gel Mini Dual Vertical           | EA   | 17087      |
| FB79418                              | Caster Mat Replacement Silicone                    | EA   | 4485       |
| <b>Electrophoresis-Casting gates</b> |  |      |            |
| FB57003                              | X2 Casting Gates For Battery Operated              | EA   | 2018       |
| FB57044                              | X2 Gel Casting Gates Pack Of 2 (Pack of 2)         | EA   | 2018       |
| FB57096                              | Silicone Casting Gates For Mini Horozontal Gel     | EA   | 5237       |
| FB57158                              | Silicone Casting Gates For Mini-Plushorizontal     | EA   | 4262       |
| FB57198                              | Silicone Casting Gates For Midi Horizontal Gel     | EA   | 5160       |
| FB57234                              | Gel Casting Gates For Maxi Standard And Cooled     | EA   | 10474      |
| FB57254                              | Gel Casting Gate Fisherbrand® For Maxi Standard    | EA   | 10474      |
| FB59902                              | X2 Gel Casting Gates Wide Format                   | EA   | 4036       |
| FB59905                              | X2 Gel Casting Gates                               | EA   | 4262       |
| FB59908                              | X2 Gel Casting Gates Fisherbrand                   | EA   | 6959       |
| FB60109                              | X2 Casting Gates Accessory For 15cm                | EA   | 4191       |
| FB60176                              | X2 Casting Gates Accessory For 7cm                 | EA   | 2694       |
| FB60511                              | X2 Casting Gate Fisherbrand With Integral Silicone | EA   | 3912       |
| FB60563                              | X2 Casting Gate Fisherbrand With Integral Silicone | EA   | 3912       |
| <b>Electrophoresis-Casting Tray</b>  |  |      |            |
| FB57099                              | Casting Tray For Mh-675, Mh-675-X,                 | EA   | 9428       |
| FB57123                              | Gel Casting Traywide Format For Use With Fb57121   | EA   | 14719      |
| FB57155                              | Casting Tray For Fhu-10 Gel Units                  | EA   | 9428       |
| FB57195                              | Casting Tray For Mh-1510, Mh-1510-X                | EA   | 10736      |
| FB57231                              | Casting Tray For Mh-2520, Mh-2520-X                | EA   | 23572      |
| FB57251                              | Casting Tray For Mh-3025, Mh-3025-X                | EA   | 30383      |
| FB59007                              | Gel Casting Tray Fisherbrand For Use With Fb57125  | EA   | 14366      |
| FB59904                              | Gel Casting Tray Fisherbrand Wide Format For Use   | EA   | 15715      |
| FB60105                              | Gel Tray Fisherbrand Accessory For 15cm Wide       | EA   | 8116       |
| FB60106                              | Gel Tray Fisherbrand Accessory For 15cm Wide       | EA   | 9428       |
| FB60107                              | Gel Tray Fisherbrand Accessory For 15cm Wide       | EA   | 11261      |
| FB60108                              | Gel Tray Fisherbrand Accessory For 15cm Wide       | EA   | 14140      |
| FB60140                              | Gel Tray Fisherbrand Accessory For 10cm Wide       | EA   | 7595       |
| FB60141                              | Gel Tray Fisherbrand Accessory For 10cm Wide       | EA   | 8903       |
| FB60142                              | Gel Tray Fisherbrand Accessory For 10cm Wide       | EA   | 10736      |
| FB60174                              | Gel Tray Fisherbrand Accessory For 7cm Wide Vari-G | EA   | 7857       |
| FB60175                              | Gel Tray Fisherbrand Accessory For 7cm Wide Vari-G | EA   | 8116       |
| FB60510                              | Gel Tray Fisherbrand Uv Transparent Plus Casting   | EA   | 11476      |
| FB60560                              | Gel Tray Fisherbrand Uv Transparent Plus Casting   | EA   | 14719      |
| FB60561                              | Gel Tray Fisherbrand Uv Transparent Plus Casting   | EA   | 15977      |
| FB79011                              | Gel Tray 70mm X 70mm UV Transparent                | EA   | 4485       |
| FB79012                              | Gel Tray 70mm X 100mm UV Transparent               | EA   | 5619       |
| FB79111                              | Gel Tray 100mm X 70mm UV Transparent               | EA   | 5830       |
| FB79112                              | Gel Tray 100mm X 100mm UV Transparent              | EA   | 6512       |
| FB79113                              | Gel Tray 100mm X 120mm UV Transparent              | EA   | 7988       |
| FB79211                              | Gel Tray 150mm X 70mm UV Transparent               | EA   | 7175       |
| FB79212                              | Gel Tray 150mm X 100mm UV Transparent              | EA   | 7175       |



| Cat. No. | Description                           | Pack | Price in ₹ |
|----------|---------------------------------------|------|------------|
| FB79213  | Gel Tray 150mm X 150mm UV Transparent | EA   | 7175       |
| FB79311  | Gel Tray 200mm X 100mm UV Transparent | EA   | 9866       |
| FB79312  | Gel Tray 200mm X 200mm UV Transparent | EA   | 9866       |
| FB79313  | Gel Tray 200mm X 250mm UV Transparent | EA   | 13454      |

### Electrophoresis-Casting Tray Dam

|         |   |    |      |
|---------|---|----|------|
| FB79013 | X2 Gel tray dam Fisherbrand casting 70mm        | EA | 4485 |
| FB79114 | X2 Gel tray dam Fisherbrand casting 100mm       | EA | 5619 |
| FB79214 | X2 Gel tray dams Fisherbrand 150mm casting dams | EA | 5619 |
| FB79314 | X2 Gel tray dams Fisherbrand casting 200mm      | EA | 6730 |

### Electrophoresis-Cellulose Acetate

|         |  |    |       |
|---------|--|----|-------|
| FB57060 | Cellulose Acetate SystemCA-SYS for cellulose | EA | 77900 |
|---------|--|----|-------|

### Electrophoresis-Comb

|         |  |    |      |
|---------|--|----|------|
| FB57004 | Comb 1.0mm 8 sample, 1/Cs, MA: FB57004           | EA | 3592 |
| FB57005 | Comb, 1.0mm, 4 samples                           | EA | 3824 |
| FB57006 | Comb, 1.0 mm, 12 Samples, 1/Cs, MA: FB57006      | EA | 3592 |
| FB57007 | Comb, 1.0mm, 8 samples                           | EA | 4036 |
| FB57009 | Comb , Accessory For FB57063                     | EA | 4036 |
| FB57011 | Comb, 1.0mm, 16 samples                          | EA | 4036 |
| FB57024 | Comb 1.0mm 8 sample                              | EA | 2916 |
| FB57025 | Comb, 1.0mm, 4 samples                           | EA | 3824 |
| FB57026 | Comb 1.0mm 12 sample                             | EA | 2916 |
| FB57027 | Comb, 1.0mm, 8 samples                           | EA | 4036 |
| FB57028 | Comb 1.0mmn 16 Sample                            | EA | 2916 |
| FB57029 | Comb Fisherbrand accessory for FB57111           | EA | 4036 |
| FB57030 | Comb 1.0mm 20 sample                             | EA | 2916 |
| FB57031 | Comb, 1.0mm, 16 samples                          | EA | 4036 |
| FB57032 | Comb 1.5mm single sample with dye track Comb     | EA | 2916 |
| FB57033 | Comb, 1.0mm, 20 samples                          | EA | 4036 |
| FB57036 | Comb 1.5mm 8 sample                              | EA | 2916 |
| FB57038 | Comb Thickness 1,5 mm 12 Wells                   | EA | 2916 |
| FB57039 | Comb, 1.5mm, 4 samples                           | EA | 3868 |
| FB57040 | Comb 1.5mm 16 sample                             | EA | 2916 |
| FB57041 | Comb, 1.5mm, 8 samples                           | EA | 4036 |
| FB57042 | Comb 1.5mm 20 sample                             | EA | 2916 |
| FB57043 | Comb Fisherbrand accessory for FB57111           | EA | 4036 |
| FB57045 | Comb Fisherbrand accessory for FB57111           | EA | 4036 |
| FB57047 | Comb Fisherbrand accessory for FB57111           | EA | 4036 |
| FB57081 | Comb, 1.0mm, 4 samples                           | EA | 3868 |
| FB57083 | Comb, 1.5mm, 8 samples                           | EA | 4036 |
| FB57085 | Comb, 1.5mm, 12 samples                          | EA | 4036 |
| FB57087 | Comb, 1.5mm, 16 samples                          | EA | 4036 |
| FB57089 | Comb, 2.0mm, 4 samples                           | EA | 3912 |
| FB57091 | Comb, 2.0mm, 8 samples                           | EA | 4036 |
| FB57093 | Comb, 2.0mm, 12 samples                          | EA | 4036 |
| FB57094 | Comb, 2.0 mm, 16 Samples, 1/Cs, MA: FB57094      | EA | 4036 |
| FB57114 | Comb Thickness 0.35mm 40 Samples For             | EA | 5385 |
| FB57115 | 10cm wide comb for vertical gels 0.75mm thick 16 | EA | 3818 |
| FB57116 | Comb for vertical gels 10mm wide 1.0mm thick 16  | EA | 3818 |
| FB57117 | Comb for vertical gels 10mm wide 1.5mm thick 16  | EA | 3818 |
| FB57118 | Comb for vertical gels 20mm wide 0.25mm thick 24 | EA | 4077 |
| FB57119 | Comb for vertical gels 20mm wide 0.25 thick 36   | EA | 4077 |



## Equipment

| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| FB57120  | Comb for vertical gels 20mm wide 0.75mm thick,     | EA   | 4262       |
| FB57122  | Comb, 20 mm, 18 Sample, 1/Cs, MA: FB57122          | EA   | 4262       |
| FB57124  | Comb for vertical gels 20mm wide 1.5mm thick 18    | EA   | 4262       |
| FB57125  | Comb for vertical gels 20mm wide 1.5mm thick 48    | EA   | 4262       |
| FB57126  | Comb for vertical gels 20mm wide 2.0mm thick 18    | EA   | 4289       |
| FB57145  | Comb, 2.0mm, 4 samples                             | EA   | 4161       |
| FB57147  | Comb, 2.0mm, 8 samples                             | EA   | 4036       |
| FB57153  | Comb, 2.0mm, 20 samples                            | EA   | 4036       |
| FB57167  | Comb Accessory For FB57161, 1/CS, MA: FB57167      | EA   | 5160       |
| FB57169  | Comb, 1.0mm, 16 samples                            | EA   | 5160       |
| FB57171  | Comb, 1.0mm, 20 samples                            | EA   | 5160       |
| FB57177  | Comb, 1.5mm, 10 samples                            | EA   | 5160       |
| FB57179  | Comb, 1.5 mm, 12 Samples, 1/Cs, MA: FB57179        | EA   | 5160       |
| FB57181  | Comb, 1.5mm, 16 samples                            | EA   | 5160       |
| FB57189  | Comb, 2.0 mm, 12 Samples, 1/Cs, Ma: FB57189        | EA   | 5160       |
| FB57193  | Comb For MH-1510MH-1510-X gel units HIPS           | EA   | 5160       |
| FB57207  | Comb, 1.0mm, 16 samples                            | EA   | 5385       |
| FB57209  | Comb, 1.0mm, 20 samples                            | EA   | 5385       |
| FB57211  | Comb, 1.0mm, 28 samples                            | EA   | 5385       |
| FB57213  | Comb Accessory For FB57203 and Fb58315             | EA   | 5385       |
| FB57215  | Comb, 1.5mm, 16 samples                            | EA   | 5385       |
| FB57217  | Comb, 1.5mm, 20 Samples                            | EA   | 5298       |
| FB57219  | Comb Fisherbrand accessory for FB57203 and FB58315 | EA   | 5385       |
| FB57221  | Comb, 1.5mm, 40 samples                            | EA   | 5385       |
| FB57223  | Comb, 2.0mm, 16 samples                            | EA   | 5385       |
| FB57225  | Comb, 2.0mm, 20 samples                            | EA   | 5385       |
| FB57227  | Comb, 2.0mm, 28 samples                            | EA   | 5385       |
| FB57229  | Comb, 2.0mm, 40 samples                            | EA   | 5385       |
| FB57242  | Comb, 1 mm, 26 Samples, 1/Cs, MA: FB57242          | EA   | 7632       |
| FB57244  | Comb accessory for FB58317 and FB57239, 1/Cs       | EA   | 7632       |
| FB57247  | Comb 2.0mm, 26 samples                             | EA   | 7632       |
| FB57249  | Comb 2.0mm, 52 samples                             | EA   | 7632       |
| FB57407  | Comb 100 x 0.75 mm 10 samples                      | EA   | 3818       |
| FB57409  | Comb 100 x 0.75 mm 12 samples                      | EA   | 3818       |
| FB57421  | Comb 100 x 1.0 mm 10 samples                       | EA   | 3818       |
| FB57423  | Comb 100 x 1.0 mm 12 samples                       | EA   | 3818       |
| FB57435  | Comb 100 x 1.5 mm 10 samples                       | EA   | 3818       |
| FB57437  | Comb 100 x 1.5 mm 12 samples                       | EA   | 3818       |
| FB57449  | Comb 100 x 2.0 mm 10 samples                       | EA   | 3818       |
| FB57451  | Comb For 10cm Wide Vertical Gels Hips              | EA   | 3818       |
| FB57454  | Comb for vertical gels 10mm wide 2.0mm 16          | EA   | 3740       |
| FB57501  | Comb 200 x 0.75 mm 10 samples                      | EA   | 4161       |
| FB57507  | Comb 200 x 0.75 mm 24 samples                      | EA   | 4262       |
| FB57513  | Comb 200 x 0.75 mm 36 samples                      | EA   | 4262       |
| FB57515  | Comb For 20cm widevertical gels HIPS White         | EA   | 4161       |
| FB57522  | Comb for vertical electrophoresis gels 20cm        | EA   | 4204       |
| FB57527  | Comb 200 x 1.0 mm 24 samples                       | EA   | 4262       |
| FB57533  | Comb 200 x 1.0 mm 36 samples                       | EA   | 4262       |
| FB57535  | Comb For 20cm widevertical gels HIPS White         | EA   | 4262       |
| FB57541  | Comb 200 x 1.5 mm 10 samples                       | EA   | 4245       |
| FB57547  | Comb 200 x 1.5 mm 10 samples                       | EA   | 4262       |
| FB57553  | Comb 200 x 1.5 mm 30 samples                       | EA   | 4262       |
| FB57561  | Comb 200 x 2.0 mm 40 samples                       | EA   | 4289       |

PK - Pack  
EA - Each



| Cat. No. | Description                                   | Pack | Price in ₹ |
|----------|---|------|------------|
| FB57567  | Comb 200 x 2.0 mm 24 samples                  | EA   | 4289       |
| FB57573  | Comb 200 x 2.0 mm 36 samples                  | EA   | 4289       |
| FB57575  | Comb For 20cm widevertical gels HIPS White    | EA   | 4289       |
| FB57577  | Comb 330 x 0.25 mm 40 samples                 | EA   | 5170       |
| FB57579  | Comb 330x0.25 mm 60 samples                   | EA   | 5170       |
| FB57585  | Comb Thickness 0.35mm 80 Samples For          | EA   | 5210       |
| FB57589  | Combs Shark Teeth 20cm 0.25 Samples 30        | EA   | 6475       |
| FB57593  | Combs Shark Teeth 20cm 0.25 Samples 48        | EA   | 6475       |
| FB57595  | Combs Shark Teeth 20cm 0.35 Samples 24        | EA   | 6515       |
| FB57601  | Combs Shark Teeth 20cm 0.35 Samples 48        | EA   | 6508       |
| FB57603  | Combs Shark Teeth 33cm 0.25 Samples 40        | EA   | 8617       |
| FB57623  | Combs Shark Teeth 33cm 0.25 Samples 60        | EA   | 8617       |
| FB57625  | Combs Shark Teeth 33cm 0.25 Samples 96        | EA   | 8617       |
| FB57627  | Combs Shark Teeth 33cm 0.35 Samples 48        | EA   | 8752       |
| FB57629  | Combs Shark Teeth 33cm 0.35 Samples 60        | EA   | 8752       |
| FB57631  | Combs Shark Teeth 33cm 0.35 Samples 96        | EA   | 8752       |
| FB58303  | Comb, 2.0mm, 12 samples                       | EA   | 4036       |
| FB58305  | Comb, 2.0mm, 16 samples                       | EA   | 4036       |
| FB58311  | Comb Accessory For FB58317 And FB57239        | EA   | 7632       |
| FB58313  | Comb, 1.5mm, 52 samples                       | EA   | 7632       |
| FB58325  | Comb, 1.0mm, 10 samples                       | EA   | 5160       |
| FB58327  | Comb, 1.0mm, 24 samples                       | EA   | 5160       |
| FB58329  | Comb, 1.0mm, 28 samples                       | EA   | 5160       |
| FB58331  | Comb, 1.5mm, 20 samples                       | EA   | 5160       |
| FB58333  | Comb, 1.5mm, 24 samples                       | EA   | 5160       |
| FB58335  | Comb, 1.5mm, 28 samples                       | EA   | 5160       |
| FB58337  | Comb, 2.0mm, 10 samples                       | EA   | 5160       |
| FB58339  | Comb, 2.0mm, 16 samples                       | EA   | 5160       |
| FB58341  | Comb, 2.0mm, 24 samples                       | EA   | 5160       |
| FB58343  | Comb, 2.0mm, 28 samples                       | EA   | 5160       |
| FB58361  | Comb 200 x 0.35 mm 24 samples                 | EA   | 4262       |
| FB58365  | Comb 200 x 0.35 mm 36 samples                 | EA   | 4077       |
| FB59660  | Comb accessory for FB59900, 1/Cs, MA: FB59660 | EA   | 5089       |
| FB59661  | Comb, 1.0 mm, 8 Samples, 1/Cs, MA: FB59661    | EA   | 5089       |
| FB59662  | Comb, 1.0 mm, 10 Samples, 1/Cs, MA: FB59662   | EA   | 5089       |
| FB59663  | Comb, 1.0 mm, 12 Samples, 1/Cs, MA: FB59663   | EA   | 5089       |
| FB59664  | Comb, 1.0 mm, 16 Samples, 1/Cs, MA: FB59664   | EA   | 5089       |
| FB59665  | Comb, 1.0 mm, 20 Samples, 1/Cs, MA: FB59665   | EA   | 5610       |
| FB59666  | Comb accessory for FB59900, 1/Cs, MA: FB59666 | EA   | 5126       |
| FB59667  | Comb accessory for FB59900, 1/Cs, MA: FB59667 | EA   | 5126       |
| FB59668  | Comb accessory for FB59900, 1/Cs, MA: FB59668 | EA   | 5126       |
| FB59669  | Comb accessory for FB59900, 1/Cs, MA: FB59669 | EA   | 5126       |
| FB59670  | Comb, 1.5 mm, 16 Samples, 1/Cs, MA: FB59670   | EA   | 5126       |
| FB59671  | Comb, 1.5 mm, 20 Samples, 1/Cs, MA: FB59671   | EA   | 5610       |
| FB59672  | Comb accessory for FB59900, 1/Cs, MA: FB59672 | EA   | 5170       |
| FB59673  | Comb accessory for FB59900, 1/Cs, MA: FB59673 | EA   | 5170       |
| FB59674  | Comb accessory for FB59900, 1/Cs, MA: FB59674 | EA   | 5170       |
| FB59675  | Comb accessory for FB59900, 1/Cs, MA: FB59675 | EA   | 5170       |
| FB59676  | Comb accessory for FB59900, 1/Cs, MA: FB59676 | EA   | 5170       |
| FB59677  | Comb, 2.0 mm, 20 Samples, 1/Cs, MA: FB59677   | EA   | 5610       |
| FB59678  | Comb accessory for FB59903, 1/Cs, MA: FB59678 | EA   | 7191       |
| FB59679  | Comb accessory for FB59903, 1/Cs, MA: FB59679 | EA   | 7191       |
| FB59680  | Comb accessory for FB59903, 1/Cs, MA: FB59680 | EA   | 7191       |



## Equipment

| Cat. No. | Description                                     | Pack | Price in ₹ |
|----------|---|------|------------|
| FB59681  | Comb, 1.0 mm, 25 sample                         | EA   | 7185       |
| FB59682  | Comb accessory for FB59903, 1/Cs, MA: FB59682   | EA   | 7191       |
| FB59683  | Comb accessory for FB59903, 1/Cs, MA: FB59683   | EA   | 7191       |
| FB59684  | Comb, 1.0 mm, 50 sample                         | EA   | 7185       |
| FB59685  | Comb accessory for FB59903, 1/Cs, MA: FB59685   | EA   | 7232       |
| FB59686  | Comb accessory for FB59903, 1/Cs, MA: FB59686   | EA   | 7232       |
| FB59687  | Comb accessory for FB59903, 1/Cs, MA: FB59687   | EA   | 7232       |
| FB59688  | Comb Fisherbrand accessory for FB59903          | EA   | 7185       |
| FB59689  | Comb accessory for FB59903, 1/Cs, MA: FB59689   | EA   | 7232       |
| FB59690  | Comb accessory for FB59903, 1/Cs, MA: FB59690   | EA   | 7232       |
| FB59691  | Comb Fisherbrand accessory for FB59903          | EA   | 7185       |
| FB59692  | Comb accessory for FB59903, 1/Cs, MA: FB59692   | EA   | 7275       |
| FB59693  | Comb accessory for FB59903, 1/Cs, MA: FB59693   | EA   | 7275       |
| FB59694  | Comb accessory for FB59903, 1/Cs, MA: FB59694   | EA   | 7275       |
| FB59695  | Comb accessory for FB59903, 1/Cs, MA: FB59695   | EA   | 7275       |
| FB59696  | Comb accessory for FB59903, 1/Cs, MA: FB59696   | EA   | 7275       |
| FB59697  | Comb Fisherbrand accessory for FB59903          | EA   | 7185       |
| FB59698  | Comb accessory for FB59903, 1/Cs, MA: FB59698   | EA   | 7185       |
| FB59699  | Comb, 1.0 mm, 8 Samples, 1/Cs, MA: FB59699      | EA   | 4329       |
| FB59700  | Comb accessory for FB59906, 1/Cs, MA: FB59700   | EA   | 4329       |
| FB59701  | Comb accessory for FB59906, 1/Cs, MA: FB59701   | EA   | 4329       |
| FB59702  | Comb accessory for FB59906, 1/Cs, MA: FB59702   | EA   | 4329       |
| FB59703  | Comb, 1.0 mm, 16 Samples, 1/Cs, MA: FB59703     | EA   | 4329       |
| FB59704  | Comb, 1.0 mm, 20 Samples, 1/Cs, MA: FB59704     | EA   | 4329       |
| FB59705  | Comb accessory for FB59906, 1/Cs, MA: FB59705   | EA   | 4329       |
| FB59706  | Comb, 1.0 mm, 28 Samples, 1/Cs, MA: FB59706     | EA   | 4487       |
| FB59707  | Comb accessory for FB59906, 1/Cs, MA: FB59707   | EA   | 4373       |
| FB59708  | Comb accessory for FB59906, 1/Cs, MA: FB59708   | EA   | 4373       |
| FB59709  | Comb, 1.5 mm, 12 Samples, 1/Cs, MA: FB59709     | EA   | 4373       |
| FB59710  | Comb accessory for FB59906, 1/Cs, MA: FB59710   | EA   | 4373       |
| FB59711  | Comb accessory for FB59906, 1/Cs, MA: FB59711   | EA   | 4373       |
| FB59712  | Comb accessory for FB59906, 1/Cs, MA: FB59712   | EA   | 4373       |
| FB59713  | Comb, 1.5 mm, 24 Samples, 1/Cs, MA: FB59713     | EA   | 4373       |
| FB59714  | Comb Fisherbrand accessory for FB59906          | EA   | 4487       |
| FB59715  | Comb accessory for FB59906, 1/Cs, MA: FB59715   | EA   | 4416       |
| FB59716  | Comb, 2.0 mm, 10 Samples, 1/Cs, MA: FB59716     | EA   | 4416       |
| FB59717  | Comb accessory for FB59906, 1/Cs, MA: FB59717   | EA   | 4416       |
| FB59718  | Comb accessory for FB59906, 1/Cs, MA: FB59718   | EA   | 4416       |
| FB59719  | Comb accessory for FB59906, 1/Cs, MA: FB59719   | EA   | 4416       |
| FB59720  | Comb accessory for FB59906, 1/Cs, MA: FB59720   | EA   | 4416       |
| FB59721  | Comb accessory for FB59906, 1/Cs, MA: FB59721   | EA   | 4416       |
| FB59722  | Comb accessory for FB59906, 1/Cs, MA: FB59722   | EA   | 4487       |
| FB59779  | Comb single sample 10cm wide 0.75mm thick, 1/Cs | EA   | 3616       |
| FB59780  | Comb 20 sample 10cm wide 0.75mm thick, 1/Cs     | EA   | 3616       |
| FB59781  | Comb single sample 10cm wide 1mm thick, 1/Cs    | EA   | 3656       |
| FB59782  | Comb 20 sample 10cm wide 1mm thick, 1/Cs        | EA   | 3818       |
| FB59783  | Comb single sample 10cm wide 1.5mm thick, 1/Cs  | EA   | 3700       |
| FB59784  | Comb 20 sample 10cm wide 1.5mm thick, 1/Cs      | EA   | 3700       |
| FB59785  | Comb single sample 10cm wide 2mm thick, 1/Cs    | EA   | 3740       |
| FB59786  | Comb 20 sample 10cm wide 2mm thick, 1/Cs        | EA   | 3740       |
| FB59787  | Comb single sample 20cm wide 0.75mm thick, 1/Cs | EA   | 4161       |
| FB59788  | Comb single sample 20cm wide 1mm thick, 1/Cs    | EA   | 4204       |
| FB59789  | Comb single sample 20cm wide 1.5mm thick, 1/Cs  | EA   | 4245       |

PK - Pack  
EA - Each



| Cat. No. | Description                                       | Pack | Price in ₹ |
|----------|---|------|------------|
| FB59790  | Comb single sample 20cm wide 2mm thick, 1/Cs      | EA   | 4289       |
| FB59791  | Comb 60 sample multi channel compatible 33cm wide | EA   | 5385       |
| FB59792  | Comb 40 sample 33cm wide 0.75mm thick, 1/Cs       | EA   | 5254       |
| FB59793  | Comb 60 sample multi channel compatible 33cm wide | EA   | 5417       |
| FB59794  | Comb 40 sample 33cm wide 1mm thick, 1/Cs          | EA   | 5298       |
| FB59795  | Comb 60 sample multi channel compatible 33cm wide | EA   | 5298       |
| FB59796  | Comb 40 sample 33cm wide 1.5mm thick, 1/Cs        | EA   | 5338       |
| FB59797  | Comb 60 sample multi channel compatible 33cm wide | EA   | 5338       |
| FB59798  | Comb 40 sample 33cm wide 2mm thick, 1/Cs          | EA   | 5382       |
| FB59799  | Comb 60 sample multi channel compatible 33cm wide | EA   | 5382       |
| FB59897  | Comb multi-channel pipette                        | EA   | 4117       |
| FB59898  | Comb, 1.5 mm, 10 Samples, 1/Cs, MA: FB59898       | EA   | 4036       |
| FB59899  | Comb multi-channel pipette                        | EA   | 4036       |
| FB60112  | Comb Fisherbrand accessory for 15cm wide Vari-gel | EA   | 5160       |
| FB60113  | Comb Fisherbrand accessory for 15cm wide Vari-gel | EA   | 5160       |
| FB60115  | Comb accessory for 15cm wide Vari-gel tank 1.0mm  | EA   | 5160       |
| FB60116  | Comb Fisherbrand accessory for 15cm wide Vari-gel | EA   | 5160       |
| FB60117  | Comb Fisherbrand accessory for 15cm wide Vari-gel | EA   | 5160       |
| FB60118  | Comb accessory For 15cm Wide Vari-Gel Tank 1.0mm  | EA   | 5160       |
| FB60119  | Comb Fisherbrand accessory for 15cm wide Vari-gel | EA   | 5160       |
| FB60123  | Comb accessory for 15cm wide Vari-gel tank 1.5mm  | EA   | 5160       |
| FB60125  | Comb Fisherbrand accessory for 15cm wide Vari-gel | EA   | 5160       |
| FB60126  | Comb Fisherbrand accessory for 15cm wide Vari-gel | EA   | 5160       |
| FB60127  | Comb Fisherbrand accessory for 15cm wide Vari-gel | EA   | 5160       |
| FB60131  | Comb accessory for 15cm wide Vari-gel tank 2.0mm  | EA   | 5385       |
| FB60132  | Comb Fisherbrand accessory for 15cm wide Vari-gel | EA   | 5385       |
| FB60133  | Comb Fisherbrand accessory for 15cm wide Vari-gel | EA   | 5385       |
| FB60134  | Comb Fisherbrand accessory for 15cm wide Vari-gel | EA   | 5385       |
| FB60135  | Comb Fisherbrand accessory for 15cm wide Vari-gel | EA   | 5385       |
| FB60136  | Vari-gel tank system 2 combs 1mm 15 well2         | EA   | 66841      |
| FB60147  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60150  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60151  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60152  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60153  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60154  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60157  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60158  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60159  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60160  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60161  | Comb accessory for 10cm wide Vari-gel tank 1.5mm  | EA   | 4938       |
| FB60162  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60163  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60165  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60166  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60167  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60168  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60170  | Comb Fisherbrand accessory for 10cm wide Vari-gel | EA   | 4938       |
| FB60171  | Vari-gel tank system Fisherbrand 2 combs 1mm 15   | EA   | 54490      |
| FB60181  | Comb Fisherbrand accessory for 7cm wide Vari-gel  | EA   | 4712       |
| FB60182  | Comb Fisherbrand accessory for 7cm wide Vari-gel  | EA   | 4712       |
| FB60183  | Comb Fisherbrand accessory for 7cm wide Vari-gel  | EA   | 4712       |
| FB60184  | Comb accessory for 7cm wide Vari-gel tank 1.0mm   | EA   | 4712       |



## Equipment

| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| FB60185  | Comb Fisherbrand accessory for 7cm wide Vari-gel   | EA   | 4712       |
| FB60186  | Comb Fisherbrand accessory for 7cm wide Vari-gel   | EA   | 4712       |
| FB60187  | Comb Fisherbrand accessory for 7cm wide Vari-gel   | EA   | 4712       |
| FB60188  | Comb Fisherbrand accessory for 7cm wide Vari-gel   | EA   | 4712       |
| FB60189  | Comb Fisherbrand accessory for 7cm wide Vari-gel   | EA   | 4712       |
| FB60190  | Comb Fisherbrand accessory for 7cm wide Vari-gel   | EA   | 4712       |
| FB60193  | Comb Fisherbrand accessory for 7cm wide Vari-gel   | EA   | 4938       |
| FB60194  | Comb Fisherbrand accessory for 7cm wide Vari-gel   | EA   | 4938       |
| FB60195  | Comb Fisherbrand accessory for 7cm wide Vari-gel   | EA   | 4938       |
| FB60516  | Comb 4 Sample 1mm thick For Mini-Plus              | EA   | 5089       |
| FB60517  | Comb Fisherbrand 8 Sample Multichannel Compatible  | EA   | 5089       |
| FB60518  | Comb 10 Sample 1mm Thick For Mini-Plus             | EA   | 5369       |
| FB60519  | Comb 12 Sample 1mm Thick For Mini-Plus             | EA   | 5089       |
| FB60520  | Comb Fisherbrand 16 Sample Multichannel Compatible | EA   | 5089       |
| FB60521  | Comb 20 Sample 1mm Thick For Mini-Plus             | EA   | 5369       |
| FB60522  | Comb 26 Sample 1mm Thick For Mini-Plus             | EA   | 5089       |
| FB60523  | Comb Fisherbrand 32 Sample Multichannel Compatible | EA   | 5369       |
| FB60524  | Comb 4 Sample 1.5mm Thick For Mini-Plus            | EA   | 5411       |
| FB60525  | Comb Fisherbrand 8 Sample Multichannel Compatible  | EA   | 5126       |
| FB60526  | Comb 10 Sample 1.5mm Thick For Mini-Plus           | EA   | 5411       |
| FB60527  | Comb 12 Sample 1.5mm Thick For Mini-Plus           | EA   | 5126       |
| FB60528  | Comb Fisherbrand 16 Sample Multichannel Compatible | EA   | 5126       |
| FB60529  | Comb 20 Sample 1.5mm Thick For Mini-Plus           | EA   | 5126       |
| FB60530  | Comb 26 Sample 1.5mm Thick For Mini-Plus           | EA   | 5126       |
| FB60531  | Comb Fisherbrand 32 Sample Multichannel Compatible | EA   | 5411       |
| FB60532  | Comb 4 Sample 2mm Thick For Mini-Plus              | EA   | 5170       |
| FB60533  | Comb Fisherbrand 8 Sample Multichannel Compatible  | EA   | 5170       |
| FB60534  | Comb 10 Sample 2mm Thick For Mini-Plus             | EA   | 5170       |
| FB60535  | Comb 12 Sample 2mm Thick For Mini-Plus             | EA   | 5170       |
| FB60536  | Comb Fisherbrand 16 Sample Multichannel Compatible | EA   | 5456       |
| FB60537  | Comb 20 Sample 2mm Thick For Mini-Plus             | EA   | 5170       |
| FB60538  | Comb 26 Sample 2mm Thick For Mini-Plus             | EA   | 5170       |
| FB60539  | Comb Fisherbrand 32 Sample Multichannel Compatible | EA   | 5170       |
| FB60565  | Comb Fisherbrand 12 Sample Multichannel Compatible | EA   | 7191       |
| FB60566  | Comb 16 Sample 1mm Thick For Midi-Plus             | EA   | 7191       |
| FB60567  | Comb 20 Sample 1mm Thick For Midi-Plus             | EA   | 7585       |
| FB60568  | Comb Fisherbrand 25 Sample Multichannel Compatible | EA   | 7191       |
| FB60569  | Comb 28 Sample 1mm Thick For Midi-Plus             | EA   | 7191       |
| FB60570  | Comb 40 Sample 1mm Thick For Midi-Plus             | EA   | 7585       |
| FB60571  | Comb Fisherbrand 50 Sample Multichannel Compatible | EA   | 7232       |
| FB60572  | Comb Fisherbrand 12 Sample Multichannel Compatible | EA   | 7634       |
| FB60573  | Comb 16 Sample 1.5mm Thick For Midi-Plus           | EA   | 7232       |
| FB60574  | Comb 20 Sample 1.5mm Thick For Midi-Plus           | EA   | 7232       |
| FB60575  | Comb Fisherbrand 25 Sample Multichannel Compatible | EA   | 7232       |
| FB60576  | Comb 28 Sample 1.5mm Thick For Midi-Plus           | EA   | 7634       |
| FB60577  | Comb 40 Sample 1.5mm Thick For Midi-Plus           | EA   | 7634       |
| FB60578  | Comb Fisherbrand 50 Sample Multichannel Compatible | EA   | 7634       |
| FB60579  | Comb Fisherbrand 12 Sample Multichannel Compatible | EA   | 7275       |
| FB60580  | Comb 16 Sample 2mm Thick For Midi-Plus             | EA   | 7275       |
| FB60581  | Comb 20 Sample 2mm Thick For Midi-Plus             | EA   | 7275       |
| FB60582  | Comb Fisherbrand 25 Sample Multichannel Compatible | EA   | 7275       |
| FB60583  | Comb 28 Sample 2mm Thick For Midi-Plus             | EA   | 7275       |
| FB60584  | Comb 40 Sample 2mm Thick For Midi-Plus             | EA   | 7673       |

PK - Pack  
EA - Each



| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| FB60585  | Comb Fisherbrand 50 Sample Multichannel Compatible | EA   | 7673       |
| FB79022  | Comb Prep1, Marker1, 0.75mm Thick                  | EA   | 2710       |
| FB79023  | Comb Prep2, Marker2, 0.75mm Thick                  | EA   | 2710       |
| FB79024  | Comb Prep4, Marker2, 0.75mm Thick                  | EA   | 2710       |
| FB79025  | Comb 8 Sample Mc 0.75mm Thick                      | EA   | 2710       |
| FB79026  | Comb 8 Sample, 0.75mm Thick                        | EA   | 2710       |
| FB79027  | Comb 10 Sample, 0.75mm Thick                       | EA   | 2710       |
| FB79028  | Comb 12 Sample Mc, 0.75mm Thick                    | EA   | 2710       |
| FB79029  | Comb 16 Sample, 0.75mm Thick                       | EA   | 2710       |
| FB79030  | Comb Prep 1, Marker 1, 1mm Thick                   | EA   | 2821       |
| FB79031  | Comb Prep 2, Marker 2, 1mm Thick                   | EA   | 2821       |
| FB79032  | Comb Prep 4, Marker 2, 1mm Thick                   | EA   | 2821       |
| FB79033  | Comb 8 Sample Mc, 1mm Thick                        | EA   | 2821       |
| FB79034  | Comb 8 Sample, 1mm Thick                           | EA   | 2821       |
| FB79035  | Comb 10 Sample, 1mm Thick                          | EA   | 2821       |
| FB79036  | Comb 12 Sample Mc, 1mm Thick                       | EA   | 2821       |
| FB79037  | Comb 16 Sample, 1mm Thick                          | EA   | 2821       |
| FB79038  | Comb Prep 1, Marker 1, 1.5mm Thick                 | EA   | 2947       |
| FB79039  | Comb Prep 2, Marker 2, 1.5mm Thick                 | EA   | 2947       |
| FB79040  | Comb Prep 4, Marker 2, 1.5mm Thick                 | EA   | 2947       |
| FB79041  | Comb 8 Sample Mc, 1.5mm Thick                      | EA   | 2947       |
| FB79042  | Comb 8 Sample, 1.5mm Thick                         | EA   | 2947       |
| FB79043  | Comb 10 Sample, 1.5mm Thick                        | EA   | 2947       |
| FB79044  | Comb 12 Sample Mc, 1.5mm Thick                     | EA   | 2947       |
| FB79045  | Comb 16 Sample, 1.5mm Thick                        | EA   | 2947       |
| FB79046  | Comb Prep 1, Marker 1, 2mm Thick                   | EA   | 3051       |
| FB79047  | Comb Prep 2, Marker 2, 2mm Thick                   | EA   | 3051       |
| FB79048  | Comb Prep 4, Marker 2, 2mm Thick                   | EA   | 3051       |
| FB79049  | Comb 8 Sample Mc, 2mm Thick                        | EA   | 3051       |
| FB79050  | Comb 8 Sample, 2mm Thick                           | EA   | 3051       |
| FB79051  | Comb 10 Sample, 2mm Thick                          | EA   | 3051       |
| FB79052  | Comb 12 Sample Mc, 2mm Thick                       | EA   | 3051       |
| FB79053  | Comb 16 Sample, 2mm Thick                          | EA   | 3051       |
| FB79123  | Comb Prep1, Marker1, 0.75mm Thick                  | EA   | 3136       |
| FB79124  | Comb Prep2, Marker2, 0.75mm Thick                  | EA   | 3136       |
| FB79125  | Comb Prep4, Marker2, 0.75mm Thick                  | EA   | 3136       |
| FB79126  | Comb 8 Sample, 0.75mm Thick                        | EA   | 3136       |
| FB79127  | Comb 10 Sample Mc, 0.75mm Thick                    | EA   | 3136       |
| FB79128  | Comb 12 Sample, 0.75mm Thick                       | EA   | 3136       |
| FB79129  | Comb 16 Sample, 0.75mm Thick                       | EA   | 3136       |
| FB79130  | Comb 20 Sample Mc, 0.75mm Thick                    | EA   | 3136       |
| FB79131  | Comb 25 Sample, 0.75mm Thick                       | EA   | 3136       |
| FB79132  | Comb Prep 1, Marker 1, 1mm Thick                   | EA   | 3250       |
| FB79133  | Comb Prep 2, Marker 2, 1mm Thick                   | EA   | 3250       |
| FB79134  | Comb Prep 4, Marker 2, 1mm Thick                   | EA   | 3250       |
| FB79135  | Comb 8 Sample, 1mm Thick                           | EA   | 3250       |
| FB79136  | Comb 10 Sample Mc, 1mm Thick                       | EA   | 3250       |
| FB79137  | Comb 12 Sample, 1mm Thick                          | EA   | 3250       |
| FB79138  | Comb 16 Sample, 1mm Thick                          | EA   | 3250       |
| FB79139  | Comb 20 Sample Mc, 1mm Thick                       | EA   | 3250       |
| FB79140  | Comb 25 Sample, 1mm Thick                          | EA   | 3250       |
| FB79141  | Comb Prep 1, Marker 1, 1.5mm Thick                 | EA   | 3412       |
| FB79142  | Comb Prep 2, Marker 2, 1.5mm Thick                 | EA   | 3412       |



## Equipment

| Cat. No. | Description                        | Pack | Price in ₹ |
|----------|------------------------------------|------|------------|
| FB79143  | Comb Prep 4, Marker 2, 1.5mm Thick | EA   | 3412       |
| FB79144  | Comb 8 Sample, 1.5mm Thick         | EA   | 3412       |
| FB79145  | Comb 10 Sample Mc, 1.5mm Thick     | EA   | 3412       |
| FB79146  | Comb 12 Sample, 1.5mm Thick        | EA   | 3412       |
| FB79147  | Comb 16 Sample, 1.5mm Thick        | EA   | 3412       |
| FB79148  | Comb 20 Sample Mc, 1.5mm Thick     | EA   | 3412       |
| FB79149  | Comb 25 Sample, 1.5mm Thick        | EA   | 3412       |
| FB79150  | Comb Prep 1, Marker 1, 2mm Thick   | EA   | 3526       |
| FB79151  | Comb Prep 2, Marker 2, 2mm Thick   | EA   | 3526       |
| FB79152  | Comb Prep 4, Marker 2, 2mm Thick   | EA   | 3526       |
| FB79153  | Comb 8 Sample, 2mm Thick           | EA   | 3526       |
| FB79154  | Comb $\mu$ t 10 Sample, 2mm Thick  | EA   | 3526       |
| FB79155  | Comb 12 Sample, 2mm Thick          | EA   | 3526       |
| FB79156  | Comb 16 Sample, 2mm Thick          | EA   | 3526       |
| FB79157  | Comb 20 Sample Mc, 2mm Thick       | EA   | 3526       |
| FB79158  | Comb 25 Sample, 2mm Thick          | EA   | 3526       |
| FB79159  | 96 Comb 8 Sample Mc,Marker1,1mm    | EA   | 17168      |
| FB79160  | 96Comb 8Sample Mc, Marker1, 1.5mm  | EA   | 19164      |
| FB79161  | 96 Comb 8 Sample Mc,Marker2, 1mm   | EA   | 17168      |
| FB79162  | 96 Comb 8 Sample Mc,Marker2, 1.5mm | EA   | 19164      |
| FB79163  | 96 Comb 8 Sample Mc,Marker1,1mm    | EA   | 2795       |
| FB79164  | 96 Comb 8 Sample Mc,Marker1, 1.5mm | EA   | 2993       |
| FB79165  | 96 Comb 8 Sample Mc, Marker2, 1mm  | EA   | 2795       |
| FB79166  | 96 Comb 8 Sample Mc,Marker2, 1.5mm | EA   | 2993       |
| FB79223  | Comb Prep1, Marker1, 0.75mm Thick  | EA   | 3584       |
| FB79224  | Comb Prep2, Marker2, 0.75mm Thick  | EA   | 3584       |
| FB79225  | Comb Prep4, Marker2, 0.75mm Thick  | EA   | 3584       |
| FB79226  | Comb 10 Sample, 0.75mm Thick       | EA   | 3584       |
| FB79227  | Comb 12 Sample, 0.75mm Thick       | EA   | 3584       |
| FB79228  | Comb 20 Sample, 0.75mm Thick       | EA   | 3584       |
| FB79229  | Comb 35 Sample, 0.75mm Thick       | EA   | 3584       |
| FB79230  | Comb 10 Sample Mc, 0.75mm Thick    | EA   | 3584       |
| FB79231  | Comb 14 Sample Mc, 0.75mm Thick    | EA   | 3584       |
| FB79232  | Comb 16 Sample Mc, 0.75mm Thick    | EA   | 3584       |
| FB79233  | Comb 18 Sample Mc, 0.75mm Thick    | EA   | 3584       |
| FB79234  | Comb 28 Sample Mc, 0.75mm Thick    | EA   | 3584       |
| FB79235  | Comb 30 Sample Mc, 0.75mm Thick    | EA   | 3584       |
| FB79236  | Comb Prep 1, Marker 1, 1mm Thick   | EA   | 3737       |
| FB79237  | Comb Prep 2, Marker 2, 1mm Thick   | EA   | 3737       |
| FB79238  | Comb Prep 4, Marker 2, 1mm Thick   | EA   | 3737       |
| FB79239  | Comb 10 Sample, 1mm Thick          | EA   | 3737       |
| FB79240  | Comb 12 Sample, 1mm Thick          | EA   | 3737       |
| FB79241  | Comb 20 Sample, 1mm Thick          | EA   | 3737       |
| FB79242  | Comb 35 Sample, 1mm Thick          | EA   | 3737       |
| FB79243  | Comb 10 Sample Mc, 1mm Thick       | EA   | 3737       |
| FB79244  | Comb 14 Sample Mc, 1mm Thick       | EA   | 3737       |
| FB79245  | Comb 16 Sample Mc, 1mm Thick       | EA   | 3737       |
| FB79246  | Comb 18 Sample Mc, 1mm Thick       | EA   | 3737       |
| FB79247  | Comb 28 Sample Mc, 1mm Thick       | EA   | 3737       |
| FB79248  | Comb 30 Sample Mc, 1mm Thick       | EA   | 3737       |
| FB79249  | Comb Prep 1, Marker 1, 1.5mm Thick | EA   | 3841       |
| FB79251  | Comb Prep 4, Marker 2, 1.5mm Thick | EA   | 3841       |
| FB79252  | Comb 10 Sample, 1.5mm Thick        | EA   | 3841       |



| Cat. No. | Description                        | Pack | Price in ₹ |
|----------|------------------------------------|------|------------|
| FB79253  | Comb 12 Sample, 1.5mm Thick        | EA   | 3841       |
| FB79254  | Comb 20 Sample, 1.5mm Thick        | EA   | 3841       |
| FB79255  | Comb 35 Sample, 1.5mm Thick        | EA   | 3841       |
| FB79256  | Comb 10 Sample Mc, 1.5mm Thick     | EA   | 3841       |
| FB79257  | Comb 14 Sample Mc, 1.5mm Thick     | EA   | 3841       |
| FB79258  | Comb 16 Sample Mc, 1.5mm Thick     | EA   | 3841       |
| FB79259  | Comb 18 Sample Mc, 1.5mm Thick     | EA   | 3643       |
| FB79260  | Comb 28 Sample Mc, 1.5mm Thick     | EA   | 3841       |
| FB79261  | Comb 30 Sample Mc, 1.5mm Thick     | EA   | 3841       |
| FB79262  | Comb Prep 1, Marker 1, 2mm Thick   | EA   | 3952       |
| FB79263  | Comb Prep 2, Marker 2, 2mm Thick   | EA   | 3952       |
| FB79264  | Comb Prep 4, Marker 2, 2mm Thick   | EA   | 3952       |
| FB79265  | Comb 10 Sample, 2mm Thick          | EA   | 3952       |
| FB79266  | Comb 12 Sample, 2mm Thick          | EA   | 3952       |
| FB79267  | Comb 16 Sample Mc, 2mm Thick       | EA   | 3952       |
| FB79268  | Comb 20 Sample, 2mm Thick          | EA   | 3952       |
| FB79269  | Comb 30 Sample Mc, 2mm Thick       | EA   | 3952       |
| FB79270  | Comb 10 Sample Mc, 2mm Thick       | EA   | 3952       |
| FB79271  | Comb 14 Sample Mc, 2mm Thick       | EA   | 3952       |
| FB79272  | Comb 18 Sample Mc, 2mm Thick       | EA   | 3952       |
| FB79273  | Comb 28 Sample Mc, 2mm Thick       | EA   | 3952       |
| FB79274  | Comb 35 Sample, 2mm Thick          | EA   | 3952       |
| FB79323  | Comb Prep1, Marker1, 0.75mm Thick  | EA   | 4530       |
| FB79324  | Comb Prep2, Marker2, 0.75mm Thick  | EA   | 4530       |
| FB79325  | Comb Prep4, Marker2, 0.75mm Thick  | EA   | 4530       |
| FB79326  | Comb 10 Sample, 0.75mm Thick       | EA   | 4530       |
| FB79327  | Comb 16 Sample, 0.75mm Thick       | EA   | 4530       |
| FB79328  | Comb 20 Sample Mc, 0.75mm Thick    | EA   | 4530       |
| FB79329  | Comb 25 Sample, 0.75mm Thick       | EA   | 4530       |
| FB79330  | Comb 30 Sample, 0.75mm Thick       | EA   | 4530       |
| FB79331  | Comb 36 Sample, 0.75mm Thick       | EA   | 4530       |
| FB79332  | Comb 40 Sample Mc, 0.75mm Thick    | EA   | 4530       |
| FB79333  | Comb 50 Sample, 0.75mm Thick       | EA   | 4530       |
| FB79334  | Comb Prep 1, Marker 1, 1mm Thick   | EA   | 4634       |
| FB79335  | Comb Prep 2, Marker 2, 1mm Thick   | EA   | 4634       |
| FB79336  | Comb Prep 4, Marker 2, 1mm Thick   | EA   | 4634       |
| FB79337  | Comb 10 Sample, 1mm Thick          | EA   | 4634       |
| FB79338  | Comb 16 Sample, 1mm Thick          | EA   | 4634       |
| FB79339  | Comb 20 Sample Mc, 1mm Thick       | EA   | 4634       |
| FB79340  | Comb 25 Sample, 1mm Thick          | EA   | 4634       |
| FB79341  | Comb 30 Sample, 1mm Thick          | EA   | 4634       |
| FB79342  | Comb 36 Sample, 1mm Thick          | EA   | 4634       |
| FB79343  | Comb 40 Sample Mc, 1mm Thick       | EA   | 4634       |
| FB79344  | Comb 50 Sample, 1mm Thick          | EA   | 4634       |
| FB79345  | Comb Prep 1, Marker 1, 1.5mm Thick | EA   | 4702       |
| FB79346  | Comb Prep 2, Marker 2, 1.5mm Thick | EA   | 4702       |
| FB79347  | Comb Prep 4, Marker 2, 1.5mm Thick | EA   | 4702       |
| FB79348  | Comb 10 Sample, 1.5mm Thick        | EA   | 4702       |
| FB79349  | Comb 16 Sample, 1.5mm Thick        | EA   | 4702       |
| FB79350  | Comb 20 Sample Mc, 1.5mm Thick     | EA   | 4702       |
| FB79351  | Comb 25 Sample, 1.5mm Thick        | EA   | 4702       |
| FB79352  | Comb 30 Sample, 1.5mm Thick        | EA   | 4702       |
| FB79353  | Comb 36 Sample, 1.5mm Thick        | EA   | 4702       |



## Equipment

| Cat. No. | Description                            | Pack | Price in ₹ |
|----------|--|------|------------|
| FB79354  | Comb 40 Sample Mc, 1.5mm Thick         | EA   | 4702       |
| FB79355  | Comb 50 Sample, 1.5mm Thick            | EA   | 4702       |
| FB79356  | Comb Prep 1, Marker 1, 2mm Thick       | EA   | 4829       |
| FB79357  | Comb Prep 2, Marker 2, 2mm Thick       | EA   | 4829       |
| FB79358  | Comb Prep 4, Marker 2, 2mm Thick       | EA   | 4829       |
| FB79359  | Comb 10 Sample, 2mm Thick              | EA   | 4829       |
| FB79360  | Comb 16 Sample, 2mm Thick              | EA   | 4829       |
| FB79361  | Comb 20 Sample Mc, 2mm Thick           | EA   | 4829       |
| FB79362  | Comb 25 Sample, 2mm Thick              | EA   | 4829       |
| FB79363  | Comb 30 Sample, 2mm Thick              | EA   | 4829       |
| FB79364  | Comb 36 Sample, 2mm Thick              | EA   | 4829       |
| FB79365  | Comb 40 Sample Mc, 2mm Thick           | EA   | 4829       |
| FB79366  | Comb 50 Sample, 2mm Thick              | EA   | 4829       |
| FB79444  | Preparative Comb Page, With 1 X Sample | EA   | 2688       |
| FB79445  | Comb 5 Sample, 0.5mm Thick             | EA   | 2688       |
| FB79446  | Comb 8 Sample Mc, 0.5mm Thick          | EA   | 2688       |
| FB79447  | Comb 9 Sample, 0.5mm Thick             | EA   | 2688       |
| FB79448  | Comb 10 Sample, 0.5mm Thick            | EA   | 2688       |
| FB79449  | Comb 12 Sample, 0.5mm Thick            | EA   | 2688       |
| FB79450  | Comb 16 Sample Mc, 0.5mm Thick         | EA   | 2688       |
| FB79451  | Comb 20 Sample, 0.5mm Thick            | EA   | 2688       |
| FB79452  | Comb 1Prep, 1Marker, 0.75mm Thick      | EA   | 2688       |
| FB79453  | Comb 5 Sample, 0.75mm Thick            | EA   | 2688       |
| FB79454  | Comb 8 Sample Mc, 0.75mm Thick         | EA   | 2688       |
| FB79455  | Comb 9 Sample, 0.75mm Thick            | EA   | 2688       |
| FB79456  | Comb 10 Sample, 0.75mm Thick           | EA   | 2688       |
| FB79457  | Comb 12 Sample, 0.75mm Thick           | EA   | 2688       |
| FB79458  | Comb 16 Sample Mc, 0.75mm Thick        | EA   | 2688       |
| FB79459  | Comb 20 Sample, 0.75mm Thick           | EA   | 2688       |
| FB79460  | Comb 1 Prep, 1 Marker, 1mm Thick       | EA   | 2801       |
| FB79461  | Comb 5 Sample, 1mm Thick               | EA   | 2801       |
| FB79462  | Comb 8 Sample Mc, 1mm Thick            | EA   | 2801       |
| FB79463  | Comb 9 Sample, 1mm Thick               | EA   | 2801       |
| FB79464  | Comb 10 Sample, 1mm Thick              | EA   | 2801       |
| FB79465  | Comb 12 Sample, 1mm Thick              | EA   | 2801       |
| FB79466  | Comb 16 Sampl Mc, 1mm Thick            | EA   | 2801       |
| FB79467  | Comb 20 Sample, 1mm Thick              | EA   | 2801       |
| FB79468  | Comb 1 Prep, 1 Marker, 1.5mm Thick     | EA   | 2915       |
| FB79469  | Comb 5 Sample, 1.5mm Thick             | EA   | 2915       |
| FB79470  | Comb 8 Sample Mc, 1.5mm Thick          | EA   | 2915       |
| FB79471  | Comb 9 Sample, 1.5mm Thick             | EA   | 2915       |
| FB79472  | Comb 10 Sample, 1.5mm Thick            | EA   | 2915       |
| FB79473  | Comb 12 Sample, 1.5mm Thick            | EA   | 2915       |
| FB79474  | Comb 16 Sampl Mc, 1.5mm Thick          | EA   | 2915       |
| FB79475  | Comb 20 Sample, 1.5mm Thick            | EA   | 2915       |
| FB79476  | Comb 1 Prep, 1 Marker, 2mm Thick       | EA   | 3029       |
| FB79477  | Comb 5 Sample, 2mm Thick               | EA   | 3029       |
| FB79478  | Comb 8 Sample Mc, 2mm Thick            | EA   | 3029       |
| FB79479  | Comb 9 Sample, 2mm Thick               | EA   | 3029       |
| FB79480  | Comb 10 Sample, 2mm Thick              | EA   | 3029       |
| FB79481  | Comb 12 Sample, 2mm Thick              | EA   | 3029       |
| FB79482  | Comb 16 Sample Mc, 2mm Thick           | EA   | 3029       |
| FB79483  | Comb 20 Sample, 2mm Thick              | EA   | 3029       |

PK - Pack  
EA - Each



| Cat. No.   | Description   | Pack | Price in ₹ |
|--|---|------|------------|
| <b>Electrophoresis-Cooling Plate</b>                 |   |      |            |
| FB58121  | Cooling Plate 270 mm X 270 mm   | EA   | 57880      |
| <b>Electrophoresis-Dummy Plate</b>                   |   |      |            |
| FB79437  | Dummy Plate, 10 X 10cm  | EA   | 1706       |
| <b>Electrophoresis-Electrode</b>                     |   |      |            |
| FB57019  | Electrode For Battery Operated Horizon                                      | EA   | 15432      |
| FB58122  | Glass Electrode Frame   | EA   | 49760      |
| FB58123  | Cathode Electrode   | EA   | 33000      |
| FB58124  | Anode Electrode   | EA   | 33000      |
| FB60514  | Platinum Electrode Wire, For Mini-Plus Wide Mk2                             | EA   | 11169      |
| FB79014  | Multi Sub Mini Positive Electrode   | EA   | 7175       |
| FB79015  | Multi Sub Mini Negative Electrode   | EA   | 7175       |
| FB79115  | Multi Sub Midi Positive Electrode   | EA   | 8072       |
| FB79116  | Multi Sub Midi Negative Electrode   | EA   | 8072       |
| FB79215  | Multisub Choice Positive Electrode  | EA   | 8969       |
| FB79216  | Multisub Choice Negative Electrode  | EA   | 8969       |
| FB79315  | Multi Sub Maxi Positive Electrode   | EA   | 10318      |
| FB79316  | Multi Sub Maxi Negative Electrode   | EA   | 10318      |
| FB79443  | Electrode Wire Replacement Platinum   | EA   | 11091      |
| <b>Electrophoresis-Gel casting system - vertical</b> |   |      |            |
| FB59580  | Vertikales Mini-Gel Dual Elektrophorese- System                             | EA   | 76195      |
| FB59581  | Vertikales Mini-Gel Dual Elektrophorese- System                             | EA   | 109443     |
| <b>Electrophoresis-Gel Dryer</b>                     |   |      |            |
| FB57737  | Gel Dryer 45x34 cm  | EA   | 254285     |
| FB57739  | Stainless steel sieve for gel dryer   | EA   | 21325      |
| FB57747  | Gel Dryer 50x40cm   | EA   | 311596     |
| FBGD31   | Gel Drying System Accessory, Trapping Fluid, Replacement; FisherBiotech; 1L | EA   | 7901       |
| <b>Electrophoresis-Gel Casting Unit - Horizontal</b> |   |      |            |
| FB57001  | Gel Unit . Horizontal FB57001   | EA   | 33514      |
| FB58301  | Gel Casting Unit HU6-Cu   | EA   | 9203       |
| FB58307  | Gel Casting Unit HU10-Cu  | EA   | 10773      |
| FB58315  | Horizontal Unit Max Cooled CHU-20   | EA   | 106204     |
| FB58317  | Horizontal Unit Maxi Plus Cooled  | EA   | 128141     |
| FB58383  | Gel Casting Unit HU13-CU  | EA   | 12344      |
| <b>Electrophoresis-Gel Casting Unit - Vertical</b>   |   |      |            |
| FB59582  | Complete Gel Casting Unit With 2 X 2mm                                      | EA   | 103900     |
| FB59741  | Gel Unit Designed For Either Manual DNA                                     | EA   | 241500     |
| FB69602  | Gel Unit Vertical Complete For Precast                                      | EA   | 161966     |
| FB69632  | Gel Unit Complete Vertical For Precast                                      | EA   | 162006     |
| <b>Electrophoresis-Gel Modules</b>                   |   |      |            |
| FB69605  | Gel running module for precast or handcast gels                             | EA   | 73336      |
| FB69623  | Capillary gel modulefor Precast or handcast gels                            | EA   | 70941      |
| FB69638  | Gel running module  | EA   | 85081      |
| FB69640  | Capillary gel modulefor precast or handcast gels                            | EA   | 106184     |
| FB79407  | Tube Gel Module Verti-Gel Mini Optional                                     | EA   | 35887      |
| FB79412  | Inner Running Module Verti-Gel Mini   | EA   | 38132      |
| FB59584  | Gel running module forFTV100, 1/Cs, MA: FB59584                             | EA   | 62858      |



## Equipment

| Cat. No.                              | Description  | Pack      | Price in ₹ |
|---------------------------------------|--|-----------|------------|
| <b>Electrophoresis-Glass Plate</b>    |  |           |            |
| Fisher Code                           | Product Description                                  | Pack Size | LP 2015    |
| FB57261                               | Notched glass plate, 2 mm                            | EA        | 6959       |
| FB57263                               | Blank glass plate, 2 mm                              | EA        | 3142       |
| FB57267                               | Offset plate   | EA        | 2432       |
| FB57291                               | Notched glass plate, 4 mm                            | EA        | 8083       |
| FB57293                               | Blank glass plate, 4 mm                              | EA        | 5385       |
| FB57299                               | Offset glass plate                                   | EA        | 6539       |
| FB59591                               | Glass plates & 0.75 mm spacers, 2/Cs, MA: FB59591    | EA        | 6734       |
| FB59592                               | Plain glass plates 10cm x 10cm with fixed 1.0mm      | EA        | 6734       |
| FB59593                               | Plain glass plates 10cm x 10cm with fixed 1.5mm      | EA        | 6734       |
| FB59594                               | Plain glass plates 10cm x 10cm with fixed 2.0mm      | EA        | 6734       |
| FB59595                               | X2 Notched Glass Plate 10 cm X 10 cm                 | EA        | 6959       |
| FB59596                               | X2 Plain Glass Plates 10 cm X 10 cm For              | EA        | 3142       |
| FB59743                               | Glass plate, for FB59740, plain, 2/Cs, MA: FB59743   | EA        | 8752       |
| FB59745                               | Glass plateaccessory for FB59741 plain, 2/Cs         | EA        | 10636      |
| FB59746                               | Glass plate, for FB59740, notched, 2/Cs              | EA        | 13511      |
| FB59753                               | Glass plateaccessory for FB59741 notched, 2/Cs       | EA        | 10101      |
| FB69595                               | Gel Unit Vertical Mini Single Plate                  | EA        | 63447      |
| FB69612                               | Platesplain accessory for 20cm x 10cm gel units      | EA        | 6508       |
| FB69613                               | Platesplain accessory for 20cm x 10cm gel units      | EA        | 6508       |
| FB69614                               | Platesplain accessory for 20cm x 10cm gel units      | EA        | 6508       |
| FB69615                               | Platesplain accessory for 20cm x 10cm gel units      | EA        | 6508       |
| FB69616                               | X2 Plates Notched Accessory For 20 cm                | EA        | 10773      |
| FB69617                               | Plate, for 200mm x 100mm gel units, 2/Cs             | EA        | 4712       |
| FB69648                               | X2 Plates Fisherbrand plain accessory for 205mm x 20 | EA        | 5836       |
| FB69651                               | X2 Plates Notched Accessory For 205mm                | EA        | 8083       |
| FB69652                               | Platesplain accessory for 20cm x 20cm gel units      | EA        | 5385       |
| FB79425                               | X2 Glass plate Fisherbrand 100mm x 100mm, notched    | EA        | 3094       |
| FB79426                               | X2 Glass plate Fisherbrand 100mm x 100mm, plain      | EA        | 2018       |
| FB79427                               | X2 Glass plate Fisherbrand 100mm x 100mm, plain      | EA        | 2801       |
| FB79428                               | X2 Glass plate Fisherbrand 100mm x 100mm, plain      | EA        | 2801       |
| FB79429                               | X2 Glass plate Fisherbrand 100mm x 100mm, plain      | EA        | 2801       |
| FB79430                               | X2 Glass plate Fisherbrand 100mm x 100mm, plain      | EA        | 2801       |
| FB79431                               | X2 Glass plate Fisherbrand 100mm x 100mm, plain      | EA        | 2801       |
| FB79432                               | X2 Glass plate Fisherbrand 100mm x 100mm notched     | EA        | 5382       |
| FB79433                               | X2 Glass plate Fisherbrand 100mm x 100mm notched     | EA        | 5382       |
| FB79434                               | X2 Glass plate Fisherbrand 100mm x 100mm notched     | EA        | 5382       |
| FB79435                               | X2 Glass plate Fisherbrand 100mm x 100mm notched     | EA        | 5382       |
| FB79436                               | X2 Glass plate Fisherbrand 100mm x 100mm notched     | EA        | 5382       |
| <b>Electrophoresis-Gradient Mixer</b> |  |           |            |
| FB57633                               | 15 ml Gradient Mixer Gradient Mixer,                 | EA        | 54328      |
| FB57635                               | 25 ml Gradient Mixer Gradient Mixer,                 | EA        | 56693      |
| FB57637                               | 50 ml Gradient Mixer Gradient Mixer,                 | EA        | 61735      |
| FB57639                               | 100 ml Gradient Mixer Gradient Mixer,                | EA        | 70043      |
| FB57640                               | Gradient Mixer                                       | EA        | 63756      |
| <b>Electrophoresis-IEF Unit</b>       |  |           |            |
| FB58120                               | COMPLETE IEF UNIT INCLUDES RUNNING                   | EA        | 241106     |

PK - Pack  
EA - Each



| Cat. No.                                | Description  | Pack | Price in ₹ |
|---|--|------|------------|
| <b>Electrophoresis-Lid</b>              |  |      |            |
| FB60144                                 | Lid accessory for 10cm wide Vari-gel tank          | EA   | 23572      |
| FB79167                                 | Ms10 Blue Lid (No Cables)                          | EA   | 13454      |
| FB79275                                 | Ms15 Blue Lid (No Cables)                          | EA   | 13454      |
| FB79367                                 | Ms20 Blue Lid (No Cables)                          | EA   | 24672      |
| FB79484                                 | Lid Verti-Gel Mini Replacement                     | EA   | 6730       |
| <b>Electrophoresis-Misc Accessories</b> |  |      |            |
| FB57073                                 | Buffer recirculation ports for horizontal unit     | EA   | 3888       |
| FB57098                                 | GASKET SILICONE FOR GEL CASTING                    | EA   | 2095       |
| FB57133                                 | Blanking port x 10, 1/Cs, MA: FB57133              | EA   | 3888       |
| FB57641                                 | Gel leveling table                                 | EA   | 23346      |
| FB57662                                 | X2 SEPARATION SHEETS 1MM (PACK OF 2)               | EA   | 2243       |
| FB57693                                 | X2 SILICONE SEALS FOR MV1-SC2 MULTICAS             | EA   | 2018       |
| FB57741                                 | Mylar Sheet Fisherbrand For FGD-4534 Mylar White   | EA   | 5836       |
| FB57743                                 | Porous Polypropylene Sheet Fisherbrand For FGD-453 | EA   | 15715      |
| FB57745                                 | Silicon Rubber Overlay Fisherbrand For FGD-4534    | EA   | 22448      |
| FB57749                                 | SheetFor FGD-5040Stainless steel Silver FB57749,   | EA   | 26266      |
| FB57751                                 | Mylar SheetFor FGD-5040 Mylar White FB57751, 1/Cs  | EA   | 6508       |
| FB57753                                 | Porous PP SheetFor FGD-5040 PE White FB57753, 1/Cs | EA   | 22448      |
| FB57755                                 | Silicon Rubber OverlayFor FGD-5040 Silicone        | EA   | 24561      |
| FB57773                                 | X2 ADAPTOR ADAPTOR PACK OF 2 BLACK                 | EA   | 2671       |
| FB57781                                 | CASTING BASE WITH2 X SEALS, 2 X CAMS,              | EA   | 34123      |
| FB57788                                 | Gel scoop for 6 cm wide gels, 1/Cs, MA: FB57788    | EA   | 7333       |
| FB57789                                 | Gel scoop for 10cm wide gels                       | EA   | 7857       |
| FB57790                                 | Gel scoop for 13cm wide gels                       | EA   | 7629       |
| FB57791                                 | Gel scoop for 20 cm wide gels, 1/Cs, MA: FB57791   | EA   | 9166       |
| FB57792                                 | Gel scoop for 25cm wide gels, 1/Cs, MA: FB57792    | EA   | 10474      |
| FB59589                                 | X4 REPLACEMENT SCREW SET FOR FB59588               | EA   | 5758       |
| FB59590                                 | X8 REPLACEMENT GASKET SET FOR FB59584              | EA   | 11450      |
| FB59597                                 | CASTING BASE WITH SILICONE SEALS                   | EA   | 29633      |
| FB59742                                 | Gasket, silicone rubber, accessory for FB59740,    | EA   | 6021       |
| FB59744                                 | Gasketsilicone rubber accessory for FB59741, 2/Cs  | EA   | 9428       |
| FB59770                                 | Gel extraction platformaccessory                   | EA   | 8752       |
| FB59775                                 | X2 Cam casting system Fisherbrand for 10 x 10cm    | EA   | 56572      |
| FB59778                                 | Gel extraction platformaccessory                   | EA   | 5610       |
| FB60111                                 | Loading stripsaccessory for 15cm wide Vari-gel     | EA   | 2243       |
| FB60145                                 | Loading stripsaccessory for 10cm wide Vari-gel     | EA   | 2190       |
| FB60178                                 | Loading stripsaccessory for 7cm wide Vari-gel      | EA   | 2018       |
| FB60512                                 | GASKET REPLACEMENTSILICONE 1M                      | EA   | 1598       |
| FB60513                                 | Gel scoop Fisherbrand for Mini-plus wide MK2 gels  | EA   | 4329       |
| FB60515                                 | X2 POWER LEAD REPLACEMENT WITH 4MM                 | EA   | 8339       |
| FB60562                                 | X2 BUFFER RECIRCULATION PORT                       | EA   | 3364       |
| FB60564                                 | Gel scoop Fisherbrand forMidi-plus wide MK2 gels   | EA   | 4329       |
| FB69611                                 | Gasket setreplacement accessory for 20cmx 10cm     | EA   | 13357      |
| FB69624                                 | Complete 2D system for Precast or handcast gels    | EA   | 165544     |
| FB69625                                 | Complete modular system, 1/Cs, MA: FB69625         | EA   | 207074     |
| FB69630                                 | VERTIKALES MAXI-GEL DUAL ELEKTROPHORESE- SYSTEM,   | EA   | 135329     |
| FB69636                                 | 2D systemcompletefor precast or handcast gels up   | EA   | 246841     |
| FB69645                                 | X6 SCREW SET ACCESSORY FOR 205MMX200MM             | EA   | 4938       |
| FB69646                                 | Gasket setreplacement accessory for 20cmx 20cm     | EA   | 19307      |
| FB69647                                 | Satz Platten 20 x 20 cm mit 0,75 mm Abstandhalter  | EA   | 5836       |
| FB69649                                 | Satz Platten 20 x 20 cm mit 1,5 mm Abstandhalter   | EA   | 5836       |



## Equipment

| Cat. No. | Description                                      | Pack | Price in ₹ |
|----------|--|------|------------|
| FB69653  | CASTING BASE ACCESSORY FOR 205MMX200MM           | EA   | 34123      |
| FB79016  | ADHESIVE LOADING GUIDES                          | EA   | 1495       |
| FB79017  | VIEWING PLATFORM                                 | EA   | 1238       |
| FB79018  | COOL-PACK AND PLATFORM                           | EA   | 8969       |
| FB79019  | X2 Buffer saver block Fisherbrand reduces buffer | EA   | 4702       |
| FB79021  | GEL SCOOP FOR 70MM GELS 70MM                     | EA   | 3136       |
| FB79117  | LOADING GUIDES                                   | EA   | 1345       |
| FB79118  | VIEWING PLATFORM                                 | EA   | 1345       |
| FB79119  | Cool-Pack And Platform For MSMIDI                | EA   | 11215      |
| FB79120  | X2 Buffer saver block Fisherbrand reduces buffer | EA   | 5554       |
| FB79122  | Gel Scoop For 100mm Gels 100mm                   | EA   | 4036       |
| FB79217  | Adhesive Loading Guides                          | EA   | 1384       |
| FB79218  | Viewing Platform                                 | EA   | 1345       |
| FB79219  | Cool-Pack & Platform For Mschoice                | EA   | 12817      |
| FB79220  | X2 Buffer saver block Fisherbrand reduces buffer | EA   | 6408       |
| FB79222  | Gel Scoop For 150mm Gels 150mm                   | EA   | 5382       |
| FB79317  | Adhesive Loading Guides                          | EA   | 1566       |
| FB79318  | Viewing Platform                                 | EA   | 1566       |
| FB79319  | Cool-Pack And Platform For MSMAXI                | EA   | 13672      |
| FB79320  | X2 Buffer saver block Fisherbrand reduces buffer | EA   | 7689       |
| FB79322  | Gel Scoop For 200mm Gels 200mm                   | EA   | 5382       |
| FB79421  | X10 Blanking port Fisher Scientific              | EA   | 1758       |
| FB79424  | Cooling Pack 100mm X 100mm, For Cooling          | EA   | 4056       |

### Electrophoresis-PAGE System

|         |                            |    |       |
|---------|----------------------------|----|-------|
| FB79400 | COMPLETE MINI PAGE SYSTEM  | EA | 74019 |
| FB79401 | OMNIPAGE MINI 10X10CM DUAL | EA | 56077 |

### Electrophoresis-Power Supply

|         |  |    |        |
|---------|--|----|--------|
| FB16100 | Power supply Power 300 400mAmps 300V 120W      | EA | 89171  |
| FB16101 | Power supply Power 600 800mAmps 600V 300W      | EA | 241994 |
| FB16102 | Power supply, Power 3000 electrophoresis, 1/Cs | EA | 311139 |
| FB79520 | POWER SUPPLY MINI300V PLUS 300V,               | EA | 54634  |
| FB79530 | POWER SUPPLY MIDI300V/4 300V, 700MA,           | EA | 88148  |

### Electrophoresis-Seal

|         |  |    |      |
|---------|--|----|------|
| FB57703 | X2 SEALS FOR V2-SC2 MULTICASTER SILICO | EA | 3592 |
|---------|--|----|------|

### Electrophoresis-Spacer

|         |  |    |      |
|---------|--|----|------|
| FB57273 | Set of 0.75 mm spacers                 | EA | 2469 |
| FB57275 | Set of 1.0 mm spacers                  | EA | 2469 |
| FB57277 | Set of 1.5 mm spacers                  | EA | 2469 |
| FB57279 | Set of 2.0 mm spacers                  | EA | 2469 |
| FB57313 | 0.75mm Spacer Set For 20mm X 200mm     | EA | 2775 |
| FB57315 | 1.0mm Spacer Set For 20mm X 200mm      | EA | 2916 |
| FB57317 | 1.5mm Spacer Set For 20mm X 200mm      | EA | 2916 |
| FB57319 | 2.0mm Spacer Set For 20mm X 200mm      | EA | 2916 |
| FB59747 | X2 Spacer Accessory For FB59740 0.25mm | EA | 3323 |
| FB59748 | X2 Spacer Accessory for FB59740 0.35mm | EA | 3323 |
| FB59749 | X2 Spacer Accessory for FB59740 0.75mm | EA | 3323 |
| FB59750 | X2 Spacer Accessory for FB59740 1mm    | EA | 3592 |
| FB59751 | X2 Spacer Accessory For FB59740 1.5mm  | EA | 3323 |
| FB59752 | X2 Spacer Accessory For FB59740 2mm    | EA | 3323 |
| FB59754 | X2 Spacer Accessory For FB59741 0.25mm | EA | 3323 |



| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| FB59755  | X2 Spacer Accessory for FB59741 0.35mm             | EA   | 3592       |
| FB59756  | X2 Spacer Accessory for FB59741 0.75mm             | EA   | 3323       |
| FB59757  | X2 Spacer Accessory for FB59741 1mm                | EA   | 3323       |
| FB59758  | X2 Spacer Accessory For FB59741 1.5mm              | EA   | 3323       |
| FB59759  | X2 Spacer Accessory For FB59741 2mm                | EA   | 3323       |
| FB59771  | X2 Spacer Accessory For FB59580                    | EA   | 2469       |
| FB79438  | X2 Spacer Fisherbrand 10mm X 100mm (W X H) Spacers | EA   | 1794       |
| FB79439  | X2 Spacer Fisherbrand 10mm X 100mm (W X H) Spacers | EA   | 1794       |
| FB79440  | X2 Spacer Fisherbrand 10mm x 100mm (w x h) spacers | EA   | 1878       |
| FB79441  | X2 Spacer Fisherbrand 10mm x 100mm (w x h) spacers | EA   | 2005       |
| FB79442  | X2 Spacer Fisherbrand 10mm x 100mm (w x h) spacers | EA   | 2093       |

### Electrophoresis-Tank

|         |   |    |        |
|---------|---|----|--------|
| FB57021 | Electrophoresis Tank MH-1070 Horizontal             | EA | 42932  |
| FB57063 | Electrophoresis Tank MH-675 Horizontal              | EA | 48432  |
| FB57111 | Electrophoresis Tank Fisherbrand MH-1010 Horizontal | EA | 53037  |
| FB57161 | Electrophoresis Tank MH-1510 Horizontal             | EA | 63208  |
| FB57203 | Electrophoresis Tank MH-2520 Horizontal             | EA | 94449  |
| FB57239 | Electrophoresis Tank MH-3025 Horizontal             | EA | 103530 |
| FB59583 | Vertical Tank And Running Module With               | EA | 124680 |
| FB59586 | Supercooled replacement tankforFTV100, 1/Cs         | EA | 69853  |
| FB59730 | ElectroPrep tankfor electro-elution (tanklidtest    | EA | 144572 |
| FB60100 | Vari-gel tank system Fisherbrand and 15cm wide, 2   | EA | 87664  |
| FB60500 | Horizontal Gel Tank Mini-Plus Wide                  | EA | 55460  |
| FB60550 | Horizontal Gel Tank Midi-Plus Wide                  | EA | 86514  |
| FB69600 | Vertical tank & running module, 1/Cs, MA: FB69600   | EA | 126892 |
| FB69631 | Tank And Running Module Supercooled                 | EA | 163819 |
| FB69633 | Gel Tank Complete Supercooled                       | EA | 195477 |
| FB69635 | Gel Tank Complete Supercooled (FB69633) For Gels    | EA | 246841 |
| FB69637 | Modular system complete for supercooled tank, 1/Cs  | EA | 277063 |
| FB79000 | Horizontal Gel Tank Sub-Gel Mini                    | EA | 38132  |
| FB79055 | Ms7 Tank (Including Electrodes)                     | EA | 24672  |
| FB79100 | Horizontal Gel Tank Sub-Gel Midi                    | EA | 41268  |
| FB79101 | Electrophoresis Tank Fisherbrand Sub-Gel Midi96     | EA | 47478  |
| FB79168 | Gel Tank Base Replacement Tank                      | EA | 26914  |
| FB79200 | Horizontal Gel Tank Sub-Gel Midi-Plus               | EA | 47101  |
| FB79276 | Gel Tank Base Tank With Electrodes                  | EA | 35887  |
| FB79300 | Horizontal Gel Tank Sub-Gel Maxi                    | EA | 80749  |
| FB79368 | Ms20 Tank (Including Electrodes)                    | EA | 49347  |
| FB79402 | 1 Set Vertical Gel Tank Verti-Gel                   | EA | 103178 |
| FB79485 | Gel Tank Verti-Gel Mini Replacement                 | EA | 8969   |

### Electrophoresis-Tank Lid

|         |                          |    |       |
|---------|--------------------------|----|-------|
| FB79054 | GEL TANK LID REPLACEMENT | EA | 11215 |
|---------|--------------------------|----|-------|

### Fume Hoods & Enclosures

| PCR Enclosure |   |    |        |
|---------------|---|----|--------|
| FB59896       | PCR Cabinet For PCR Reactions 560mm                               | EA | 335397 |
| FB58615       | X25 Liner Fisherbrand for tray environmentally                    | EA | 19842  |
| FB58603       | Tray radiation hazard easy clean yellow 680mm x 540mm Fisherbrand | EA | 14789  |



## Equipment

| Cat. No. | Description | Pack | Price in ₹ |
|----------|-------------|------|------------|
|----------|-------------|------|------------|

### Glassware Washer

| Glassware Washer |   |    |     |
|------------------|---|----|-----|
| FL4400321        | SteamScrubber Glassware Washer, undercounter with high heat, 208/230V, 50/60 Hz               | EA | POR |
| FL4400331        | SteamScrubber Glassware Washer, undercounter with window and high heat, 208/230V, 50/60 Hz    | EA | POR |
| FL4400421        | SteamScrubber Glassware Washer, freestanding with high heat, 208/230V, 50/60 Hz               | EA | POR |
| FL4400431        | SteamScrubber Glassware Washer, freestanding with window and high heat, 208/230V, 50/60 Hz    | EA | POR |
| FL4420321        | FlaskScrubber Glassware Washer, undercounter with high heat, 208/230V, 50/60 Hz               | EA | POR |
| FL4420331        | FlaskScrubber Glassware Washer, undercounter with window and high heat, 208/230V, 50/60 Hz    | EA | POR |
| FL4420421        | FlaskScrubber Glassware Washer, freestanding with high heat, 208/230V, 50/60 Hz               | EA | POR |
| FL4420431        | FlaskScrubber Glassware Washer, freestanding with window and high heat, 208/230V, 50/60 Hz    | EA | POR |
| FL4540031        | FlaskScrubber Vantage Series Glassware Washer, 208/230V, 50/60 Hz                             | EA | POR |
| FL4578021        | SteamScrubber 33 Glassware Washer, undercounter with high heat, 208/230V, 50/60 Hz            | EA | POR |
| FL4578031        | SteamScrubber 33 Glassware Washer, undercounter with window and high heat, 208/230V, 50/60 Hz | EA | POR |
| FL4578121        | FlaskScrubber 33 Glassware Washer, undercounter with high heat, 208/230V, 50/60 Hz            | EA | POR |
| FL4578131        | FlaskScrubber 33 Glassware Washer, undercounter with window and high heat, 208/230V, 50/60 Hz | EA | POR |

### Heating, Mixing and Stirring

| Bag Mixer / Stomacher |  |    |         |
|-----------------------|--|----|---------|
| FB11151               | Blender Bagmixer 3500P Without Window  | EA | 1805868 |
| FB51655               | Blender Bagmixer 3500W With Window   | EA | 2159886 |
| FB51683               | X100 Bag Bagpage 3500 Filter Bags (Pack Of 100)                                    | EA | 32284   |
| FB51689               | X1000 Bag Bagtips Pipet Straw (Pack Of 1000)                                       | EA | 8586    |
| FB51685               | X500 Bag Baglight 3500 Without Filter (Pack Of                                     | EA | 40527   |
| FB51681               | X100 Bag Bagfilter 3500 Filter Bags (Pack Of 100)                                  | EA | 32284   |
| FB51687               | Bag Bagpipet Automatic Pipet (Pack Of)   | EA | 48770   |
| FB11152               | BagMixer 400P  | EA | 401495  |
| FB51658               | BagMixer 400 VW, Window door, timer, variable                                      | EA | 567382  |
| FB51664               | BagRack 100 Fisherbrand for FB51658  | EA | 24231   |
| FB51673               | X500 Bag Bagfiletr P Filter Bags (Pack Of 500)                                     | EA | 46709   |
| FB51663               | X50 Clip Bagclip 400 (Case Of 50)  | EA | 17770   |
| FB51665               | BagRack  | EA | 26168   |
| FB51659               | Blender BagOpen 400 Bagopener  | EA | 17124   |
| FB51675               | X500 bag bagfilter s filter bags (pack of 500)                                     | EA | 53235   |
| FB51671               | X1000 bag baglight 400 without filter (pack of                                     | EA | 18204   |
| FB51677               | X500 bag bagpage plus filter bags (pack of 500)                                    | EA | 47053   |
| FB11150               | Blender Minimix 100P without window  | EA | 470185  |
| FB51667               | X500 bag bagpage 100 with filter (pack of 500)                                     | EA | 46365   |
| FB51661               | X50 closing clips for bags bagclip 100 (case of                                    | EA | 17770   |
| FB51657               | BagOpen 80/100 Ständer f. 80/100ml-Beutel,hält                                     | EA | 17124   |
| FB51669               | X500 bag baglight 100 without filter (pack of 500)                                 | EA | 11678   |
| 12303308              | Blender stomacher 400 circulator   | EA | 641547  |
| 10576064              | X500 Bags for Stomacher 400 Circulator, Bag, round ended, 177mm x 304mm, 500/Pk    | EA | 7349    |
| 10547394              | X250 Closure bags for Stomacher 400 Circulator, round ended, 177mm x 304mm, 250/Pk | EA | 9885    |
| 10746855              | X500 Stomacher Circulator Bag; Strainer bag, round ended, 177mm x 304mm, 200/Pk    | EA | 12421   |
| 10658165              | X200 Seward BA6041/STR strainer bags for 400, square ended, 177mm x 304mm, 200/Pk  | EA | 12338   |
| 11894523              | X500 Bags for Stomacher 400 Circulator sachets of 5, 500/Pk                        | EA | 11330   |
| 10748898              | Rack for Stomacher bags, 10 place, 1 /Pk   | EA | 13959   |
| FB51650               | X1000 Straw Pipette Sterile By Irradiation polystyrene, Volume 1 ML                | EA | 4914    |
| FB51651               | X6000 Straw pipette sterile by irradia, Volume 2.2 ml                              | EA | 29455   |

PK - Pack

EA - Each

# Glassware Washer



|   | <b>FlaskScrubber Vantage Series</b>   | <b>FlaskScrubber</b>  | <b>SteamScrubber</b>   |
|---|---|---|--|
| Primary Application                               | Washing and drying primarily narrowneck glassware such as volumetric flasks. Advanced features for contamination-sensitive research | Washing and drying primarily narrowneck glassware such as volumetric flasks | Washing and drying primarily beakers and other wide-mouth or specialized glassware . |
| Electrical Configuration                          | 208/230 volts, 50/60 Hz   | 208/230 volts, 50/60 Hz   | 208/230 volts, 50/60 Hz  |
| Undercounter Available                            | convertible to undercounter   | •   | •  |
| Freestanding Available                            | •   | •   | •  |
| Freestanding to Mobile Conversion                 | No  |   |  |
| Maximum Internal Water Temperature                | 93° C (199° F)  | 93° C (199° F)  | 93° C (199° F)   |
| Washing   | Through Spindles & Two Wash Arms  | Through Spindles & Two Wash Arms  | Through Three Wash Arms  |
| Forced Hot Air Drying                             |   |   | Throughout Tank  |
| <b>ADVANCED FEATURES:</b>                         |   |   |  |
| HEPA Filtered Drying                              | •   |   |  |
| Water Conductivity Sensor                         | •   |   |  |
| RS-232 Port                                       | •   |   |  |
| Automatic Liquid Detergent Dispenser              | •   |   |  |
| Automatic Rinse Aid Dispenser                     | •   |   |  |
| Racks Included                                    | Lower 36-spindle rack   | Lower 36-spindle rack   | Upper and lower standard open racks  |
| Viewing window with light                         | Standard  | Optional  | Optional   |
| <b>ACCOMMODATES OPTIONAL RACKS:</b>               |   |   |  |
| Upper Spindle Rack                                | •   | •   | •  |
| Lower Spindle Rack                                | Included  | Included  |  |
| Upper Standard Rack                               | •   | •   | Included   |
| Lower Standard Rack                               | •   | •   | Included   |
| Lower Test Tube Spindle Rack                      | •   | •   | •  |
| <b>ACCOMMODATES OPTIONAL BASKETS and INSERTS:</b> |   |   |  |
| Utensil Holder                                    | •   | •   | •  |
| Utensil Basket                                    | •   | •   | •  |
| Bulk Tube Insert                                  | •   | •   | •  |
| Culture Tube Insert                               | •   | •   | •  |
| Labware Inserts                                   | •   | •   | •  |
| BOD Bottle Insert                                 | •   | •   | •  |
| 48-Pin Insert                                     | •   | •   | •  |
| Petri Dish Insert                                 | •   | •   | •  |
| DNA Sequencing Plate Insert                       | •   | •   | •  |
| Tray Insert                                       | •   | •   | •  |
| Pipette Insert                                    | •   | •   | •  |



**FlaskScrubber® Vantage® Series  
Laboratory Glassware Washers**

**FlaskScrubber® Laboratory  
Glassware Washers**

**SteamScrubber® Laboratory  
Glassware Washers**



# Chemical Fume Hoods and Ductless Carbon-Filtered Enclosures



## Protector® Laboratory Hoods

- » XStream® for High Performance
- » Premier® and XL for
- » General Chemistry
- » ClassMate® for Education
- » Perchloric Acid
- » Radioisotope
- » Floor-mounted
- » Pass-Through

## Basic Laboratory Hoods

Protector® Demonstration Hoods

Protector® XVS Ventilation Hoods

Paramount® Ductless Enclosures

Protector® Work Stations

Fume Adsorbers

FilterMate™ Portable Exhausters

Canopy Hoods



## Protector® Glove Boxes

- » Controlled Atmosphere
- » HEPA-Filtered
- » Combination
- » Double

Precise Controlled Atmosphere Glove Boxes protect sensitive materials from exposure to oxygen or moisture.

## Precise® Glove Boxes

- » Basic
- » Controlled Atmosphere
- » HEPA-filtered

Xpert® Weigh Boxes  
Xpert® Balance  
Enclosures, Systems and Stations  
Xpert® Bulk Powder  
Enclosures, Systems and Stations  
Xpert® Nano Enclosures

Precise Glove Boxes offer a physical barrier between the researcher and samples.





| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 12819405 | Stomacher Lab Blender,Model 80 5-80ML 240V 50HZ.MA | EA   | 469124     |
| FB51914  | X4500 Stomacher bags for Model 80                  | EA   | 35422      |
| FB51919  | X200 Stomacher Bag Clips For All models polyethyle | EA   | 17060      |
| 12819405 | Stomacher Lab Blender,Model 80 5-80ML 240V 50HZ.MA | EA   | 469124     |
| 11815390 | X4500 Stomacher bags for Model 80                  | EA   | 35422      |
| 11522882 | X200 Stomacher Bag Clips For All models polyethyle | EA   | 17060      |

### Furnaces

|          |   |    |      |
|----------|---|----|------|
| 11474210 | Boat, Combustion; Fisher; Heavy-gauge nickel; 3 1/2 x 5/8 x 3/8 in. | EA | 2419 |
|----------|---|----|------|

### Homogenizers

|          |  |    |        |
|----------|--|----|--------|
| 10764233 | Homogeniser Polytron PT1300 D hand held digital display variable speed for volumes between 0.1mL and 250mL 7,000rpm to 30,000rpm 230V 50/60Hz 100W Kinematica  | EA | 320414 |
| 10540753 | PT-ST 1301 Hinge Stand Flexible PT1300 D   | EA | 105376 |
| 10103703 | Homogeniser Polytron PT-MR 10-35GT bench-top 230V 50Hz 800W 95mm x 210mm x 247mm (w x d x h) 50 to 30,000rpm working volume 0.1 to 4,000mL Kinematica  | EA | 294124 |
| 10233152 | Safety collar for PT-ST 2101   | EA | 3116   |
| 10163793 | PT-DA/PTA adapter Polytron for dispersing tools used with the old PT10-35/PT-K   | EA | 69924  |
| 13497639 | Stand electric driven (GB plug) KINEMATICA AG  | EA | 256918 |
| 13160633 | Homogeniser Polytron PT1200E hand held with power supply 100-240V 50/60Hz 100W 25000rpm Kinematica   | EA | 177252 |
| 10283722 | HOLDER SYSTEM POLYTRON HS1200E FOR HOMOGENISER   | EA | 21423  |
| 11955418 | Dispersing aggregate Polytron PT-DA1207/2 SYN-E thermoplastic disposable 0.3 to 10mL 82mm x 7.8mm Kinematica   | EA | 85704  |
| 10217372 | Dispersing aggregate Polytron PT-DA1212/2 EC-E 2 to 250mL 115mm x 12mm Kinematica  | EA | 184656 |
| 10489563 | Dispersing aggregate Polytron PT-DA1207/2 EC-E 0.3 to 10mL 107mm x 7.8mm Kinematica  | EA | 173354 |
| 10795524 | Dispersing aggregate Polytron PT-DA1205/2 EC-E 0.1 to 5mL 80mm x 5.6mm Kinematica  | EA | 164981 |
| 10223822 | Homogeniser Polytron PT 2100 Stand fixed 230V 50/60Hz 500W   | EA | 228675 |
| 10099681 | Holder vessel with boss head for PT-ST 2103 plate stand Kinematica   | EA | 22204  |
| 10141342 | Dispersing tool for aggregates for 100mL - 2000mL working volume 22mm I.D. minimu 178mm x 20mm (15mm tip diameter) 20 m/s tip speed Kinematica   | EA | 185625 |
| 10233202 | Dispersing tool for aggregates for 0.3mL - 10mL working volume 86mm x 7.5mm (5mm tip diameter) tip speed 6.5 m/s Kinematica  | EA | 168292 |
| 10293242 | Dispersing tool for aggregates for 2mL - 250mL working volume 138mm x 12mm (9mm tip diameter) tip speed 12 m/s Kinematica  | EA | 175108 |
| 10438032 | Dispersing tool Polytron for tough and fibrous materials for minimum vessel size 14mm inner diameter for use with PT 2100 2mL-250mL working volume 138mm x 10mm Kinematica                                 | EA | 212506 |
| 10612863 | Dispersing tool for aggregates for 0.1mL - 5mL working volume 61mm x 5.5mm (3mm tip diameter) tip speed 4 m/s Kinematica   | EA | 172187 |
| 10683623 | Dispersing tool Polytron for tough and fibrous materials for minimum vessel size 22mm inner diameter for use with PT 3100 100mL to 1000mL working volume 178mm x 20mm Kinematica                           | EA | 262564 |
| 13180673 | Homogeniser PT3100D 130mm x 240mm x 265mm fixed with power supply, PC software and RS232 cable   | EA | 447025 |
| 10345212 | Dispersing tool Polytron PT-DA3030/2WEC for tough and fibrous materials for minimum vessel size 35mm inner diameter for use with PT 3100 100mL-3000mL working volume 205mm x 30mm Kinematica               | EA | 336389 |
| 10530373 | Dispersing tool Polytron PT-DA3020/2WEC for tough and fibrous materials for minimum vessel size 25mm inner diameter for use with PT 3100 10mL-2000mL working volume 205mm x 20mm Kinematica                | EA | 260420 |
| 10263582 | Dispersing tool Polytron for tough and fibrous materials for minimum vessel size 8mm inner diameter for use with PT 3100 3mL to 250mL working volume 110mm x 7.5mm Kinematica                              | EA | 234710 |
| 10365212 | Dispersing tool for aggregates easy clean for 2mL - 250mL working volume 170mm x 12mm (9mm tip diameter) tip speed 13.5 m/s Kinematica   | EA | 194975 |
| 10435922 | Dispersing tool for aggregates M Generator (knives for precutting), Easy Clean for 2mL - 250mL working volume 170mm x 12mm (9mm tip diameter) tip speed 13.5 m/s Kinematica                                | EA | 210168 |
| 10495342 | Stand PT-ST 3001 H type with adjustable work platform for PT 3100 Kinematica   | EA | 217763 |
| 10520373 | Dispersing tool for aggregates M Generator (knives for precutting), Easy Clean for 10mL - 2000mL working volume 25mm I.D. minimum vessel size 205mm x 20mm (15mm tip diameter) 21 m/s tip speed Kinematica | EA | 236079 |
| 10530563 | Dispersing tool Polytron PT-DA3030/4WEC for plant,human,animal tissue for minimum vessel size 35mm inner diameter for use with PT 3100 100mL to 3000mL working volume 250mm x 30mm Kinematica              | EA | 350998 |



## Equipment

| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 10141582 | Dispersing tool for aggregates easy clean for 10mL - 2000mL working volume 25mm I.D. minimum vessel size 205mm x 20mm (15mm tip dia) 21 m/s tip speed Kinematica   | EA   | 216988     |
| 10223442 | Dispersing tool for aggregates easy clean for 0.1mL - 0.3mL working volume 110mm x 5.5mm (4mm tip diameter) tip speed 6 m/s Kinematica   | EA   | 173159     |
| 10535613 | Dispersing tool for aggregates easy clean for 0.3mL - 10mL working volume 110mm x 7.5mm (5mm tip diameter) tip speed 7.5 m/s Kinematica  | EA   | 188356     |
| 13150673 | Dispersing tool for aggregates G design (for pressure,vacuum,anti foam, with mech for 100mL - 3000mL working volume 35mm I.D. minimum vessel size 250mm x 30mm (23mm tip diameter) 36 m/s tip speed Kinematica | EA   | 363075     |
| 10384421 | Homogeniser T20, S20-25-NK-19G basic dispersing tool 230V 50Hz   | EA   | 141462     |
| 13100663 | Homogeniser Polytron PT-MR 4000 stand fixed for working volumes 0.1mL to 2000mL 220V 50Hz 500W   | EA   | 614733     |
| 10155512 | Dispersing tool for 0.3mL-10mL working volume minimum vessel size 8mm I.d. 80mm x 7.8mm 5mm tip diameter Kinematica  | EA   | 173354     |
| 11905418 | Dispersing tool for 0.1mL-5mL working volume minimum vessel size 5.5mm I.d. 55mm x 5.5mm 3mm tip diameter Kinematica   | EA   | 164981     |
| 12821486 | Homogeniser B-400 with stainless steel knives 230V 50Hz 1900W  | EA   | 1765034    |
| 12831486 | Homogeniser B-400 with ceramic knives 230V 50Hz 1900W  | EA   | 1926828    |
| 12809405 | Dispersing drive Ultra Turrax T 50 basic 230V 50/60Hz 1100W 100mm x 120mm x 350mm (w x d x h)  | EA   | 473800     |
| 10038110 | Stirring shaft R1405 for R50 rotor diameter 45mm working range 0.25L to 10L propellor head   | EA   | 30259      |
| 10233031 | Telescopic stand R 2723 620-1010mm height 10kg load capacity   | EA   | 204442     |
| 10314681 | Mixer stand R2722 H shape for T50 maximum load 10kg 34mm diameter x 1010mm height  | EA   | 104065     |
| 10354771 | Bosshead R 271 cast aluminium  | EA   | 26814      |
| 10483151 | Stirring shaft R1402 for R50 rotor diameter 45mm working range 1L to 30L Dissolver head  | EA   | 41576      |
| 10508361 | Stirring shaft R50 for T50 depth 180mm working range 0.25L to 30L high speed   | EA   | 288334     |
| 10618972 | Clamp RH5 strap stainless steel  | EA   | 50926      |
| 10499862 | Dispersing element S 50 N-G 45 G 0.5L to 20L working range for T 50 basic  | EA   | 410852     |
| 10049110 | Dispersing element S 50 N-G 45 F for T 50 basic 40mm rotor diameter  | EA   | 474327     |
| 11865702 | Drive control drive only 100-240V 50/60Hz 122mm x 54mm x 178mm   | EA   | 182404     |
| 10094062 | Tube disperser Ultra-Turrax digital display drive only incl. removal hook for the DT-20 tube   | EA   | 96473      |
| 10763304 | Dispersing tube for Ultra-Turrax tube drive (TWK-615-010V or TWK-615-020S) DT-20   | EA   | 27675      |
| 10678962 | Homogeniser 160mm x 210mm x 105mm stand fixed Ultra-Turrax T65D  | EA   | 766868     |

## Hotplates

|          |   |    |        |
|----------|---|----|--------|
| FB65301  | Hotplate ceramic plate heating surface 110mm x 100mm 220-240V 50/60Hz 690W ambient to 540°C 140mm x 250mm x 100mm (w x d x h)             | EA | 60019  |
| FB65302  | Hotplate heating surface 260mm x 260mm 220-240V 50/60Hz 298mm x 431mm x 95mm (w x d x h) ambient to 400°C ceramic Fisherbrand             | EA | 88596  |
| FB65303  | Hotplate digital heating surface 184mm x 184mm 220-240V 50/60Hz 219mm x 331mm x 95mm (w x d x h) 30°C to 540°C ceramic Fisherbrand        | EA | 124475 |
| FB65305  | Hotplate Basic heating surface 184mm x 184mm 220-240V 50/60Hz 219mm x 331mm x 95mm (w x d x h) 30°C to 380°C aluminium Fisherbrand        | EA | 71539  |
| FB68050  | Hotplate VELP single top  | EA | 25922  |
| FB68052  | Double Top Hotplate RC2 155mm dia plate UK plug   | EA | 44974  |
| FB65300  | Hotplate ceramic plate heating surface 110mm x 100mm 220-240V 50/60Hz 690W ambient to 540°C 140mm x 250mm x 100mm (w x d x h) Fisherbrand | EA | 58916  |
| 1110216H | Hotplate, Isotemp; Ceramic top; 4 x 4 in. heating surface; Temp. control to 540deg.C; 230V 50/60Hz  | EA | 49611  |
| 1110249H | Hotplate, Isotemp; Ceramic top; 7 x 7 in. heating surface; Temp. control to 540deg.C; 230V 50/60Hz  | EA | 49034  |
| 1120249H | Hotplate; Fisher Scientific; Isotemp; Aluminum top; 7 x 7in. heating surface; Temp. control to 380deg.C; 230V 50/60Hz                     | EA | 61581  |

## HPS

|          |   |    |       |
|----------|---|----|-------|
| 15218834 | Stirrer, magnetic, RT Basic series, medium 230V, international plug | EA | 26491 |
| FB15001  | Magnetic stirrer hotplate 230V 50Hz 630W metal top                  | EA | 41624 |
| 15238834 | Stirrer, magnetic, RT Basics eries, large, 230V, international plug | EA | 35700 |
| 15258834 | Stirrer, RT touch, medium, 230V, international plug                 | EA | 43940 |

PK - Pack  
EA - Each



| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 15125996 | Hot plate stirrer AREX, aluminium plate, diameter 155mm, ambient to 370°C, 1200rpm maximum stir speed, Velp  | EA   | 44667      |
| 10224264 | Hotplate PC400D digital ceramic top 230V 50/60Hz 5°C to 550°C plate size 127mm x 178mm Corning   | EA   | 48731      |
| 15278834 | Stirrer, magnetic, RT Touch, 230V, International plug  | EA   | 48948      |
| 11956558 | Magnetic hotplate stirrer US152 coated aluminium 230V 50/60Hz 178mm x 248mm x 122mm (w x d x h) 15L stirring capacity, 450°C, 100 to 2,000rpm Bibby Scientific                       | EA   | 61940      |
| 13487626 | AREC.X Hotplate stirrer with connection for contact thermometer, 15 L H2O, 1300 RPM, 200 x 200 mm, 3.9 KG  | EA   | 62623      |
| 12917266 | Magnetic hotplate stirrer Undergrad UC152 ceramic top, analogue 230V 50Hz plate size 150mm x 150mm, stirring capacity 15L 172mm x 248mm x 122mm (w x d x h) 100rpm to 2000rpm Stuart | EA   | 64077      |
| 15199222 | Magnetic hotplate stirrer Clifton CH-1E  | EA   | 65455      |
| 12539525 | Magnetic stirrer MSH-1 heated one place aluminium 220-240V 50/60Hz 425W 200mm x 260mm x 135mm Clifton  | EA   | 67178      |
| FB65311  | Magnetic stirrer hotplate heating surface 108mm x 108mm 230V 50/60Hz 143mm x 252mm x 95mm (w x d x h) ambient to 540°C, 60 to 1,200rpm ceramic Fisherbrand                           | EA   | 79736      |
| 10756065 | Magnetic stirrer hotplate PC420D digital ceramic top 230V 50/60Hz 5°C to 550°C, 60 to 1150rpm plate size 127mm x 178mm Corning   | EA   | 72795      |
| FB65312  | Magnetic stirrer hotplate heating surface 184mm x 184mm 230V 50/60Hz 219mm x 331mm x 95mm (w x d x h) ambient to 540°C, 60 to 1,200rpm ceramic Fisherbrand                           | EA   | 88596      |
| 10367894 | Magnetic hotplate stirrer C-MAG HS 4 digital glass ceramic top stirring capacity 5L (H2O) 230V 50/60Hz 150mm(w) x 260mm(d) x 105mm(h) 100 to 1500rpm, 50°C to 500°C                  | EA   | 83647      |
| 10610762 | Flask Spinflask for Cellspin biological stirrer system 500mL Integra Biosciences   | EA   | 83962      |
| FB65316  | Magnetic stirrer hotplate heating surface 184mm x 184mm 230V 50/60Hz 219mm x 331mm x 95mm (w x d x h) 30°C to 380°C, 60 to 1,200rpm aluminium Fisherbrand                            | EA   | 103655     |
| 10506464 | Magnetic stirrer hotplate PC620D digital ceramic top 230V 50/60Hz 5°C to 550°C, 60 to 1150rpm plate size 254mm x 254mm Corning   | EA   | 94782      |
| FB65313  | Magnetic stirrer hotplate heating surface 260mm x 260mm 230V 50/60Hz 298mm x 431mm x 95mm (w x d x h) ambient to 400°C, 60 to 1,200rpm ceramic Fisherbrand                           | EA   | 110964     |
| 15119712 | Magnetic hotplate stirrer US152 with coated aluminium top and SCT1 temperature controller Stuart , 230V  | EA   | 104039     |
| 15268824 | Hotplate stirrer, RT2 advanced, 230V   | EA   | 105165     |
| 15129712 | Magnetic hotplate stirrer UC152 with ceramic top and SCT1 temperature controller Stuart  | EA   | 106106     |
| 12907246 | Hotplate C-MAG HP 10 300mm(w) x 415mm(d) x 105mm(h) digital 50°C to 500°C  | EA   | 120795     |
| FB65314  | Magnetic stirrer hotplate digital heating surface 184mm x 184mm 230V 50/60Hz 219mm x 331mm x 95mm (w x d x h) 30°C to 540°C, 50 to 1,200rpm ceramic Fisherbrand                      | EA   | 147956     |
| 10414452 | Magnetic hotplate stirrer RCT basic 160mm(w) x 270mm(d) x 85mm(h) 230V 50/60Hz safety control  | EA   | 131867     |
| 12997226 | Magnetic stirrer hotplate SB302 aluminium top 230V 50Hz  | EA   | 133705     |
| 12987226 | Magnetic stirrer hotplate CB302 ceramic top 230V 50Hz  | EA   | 134987     |
| 15119232 | Magnetic hotplate stirrer Clifton CHS-2E   | EA   | 136078     |
| 11486598 | Magnetic stirrer hotplate SD162 metal top digital 90-250V 50Hz 700W 190mm x 300mm x 110mm maximum temperature 300°C Stuart   | EA   | 143105     |
| 11416608 | Magnetic stirrer hotplate CD162 ceramic top digital 90-250V 50Hz 500W 190mm x 300mm x 110mm maximum temperature 450°C Stuart   | EA   | 148445     |
| 12945010 | Magnetic stirrer hotplate package, includes RCT basic hotplate stirrer, ETS-D5 230V 50/60Hz  | EA   | 149826     |
| 11456518 | Magnetic stirrer hotplate CR302 infra red ceramic top 300mm x 300mm plate diameter 140mm dia heated area 230V 50/60Hz 300mm x 365mm x 105mm (w x d x h) Stuart                       | EA   | 153143     |
| 12907226 | Magnetic stirrer hotplate digital 140mm diameter hotplate 230V 50/60Hz 400W 200mm x 295mm x 135mm (w x d x h) +10°C to 350°C 100rpm to 1500 rpm 1 place aluminium plate Clifton      | EA   | 175695     |
| 11436538 | Magnetic stirrer hotplate aluminium alloy 230V 50Hz 2250W blue 600mm x 270mm x 110mm 325°C, 100 to 1500rpm 3 position Stuart   | EA   | 178132     |
| 15109232 | Magnetic hotplate stirrer Clifton CHS-1E   | EA   | 179140     |
| 12997216 | Magnetic stirrer MSH-3 heated three places aluminium plate 220-240V 50/60Hz 1275W 545mm x 260mm x 135mm Clifton  | EA   | 184136     |
| 12947246 | Magnetic stirrer RET basic digital with heating 160mm (w) x 270mm (d) x 95mm (h) 220-230V 50/60Hz 50 to 1,700rpm, 50C to 340C 135mm plate dia, 20L (H2O) stirring capacity           | EA   | 193861     |
| 13531890 | Hotplate stirrer RO15 10-place with wear-free magnetic coils, error code display 230V 50/60Hz 0rpm to 1,200rpm 190mm x 570mm x 60mm  | EA   | 219205     |
| 13551890 | Hotplate stirrer RO15 15-place with wear-free magnetic coils, error code display 230V 50/60Hz 0rpm to 1,200rpm 280mm x 570mm x 60mm  | EA   | 308264     |



## Equipment

| Cat. No.                | Description   | Pack | Price in ₹ |
|-------------------------|---|------|------------|
| 11102100H               | Hotplate, Isotemp; Ceramic top; 10 x 10 in. heating surface; Temp. control to 400deg.C; 230V 50/60Hz  | EA   | 78022      |
| 1102100SH               | Hotplate, Stirring; Fisher Scientific; Isotemp; Ceramic top; 10 x 10 in. (25.4 x 25.4cm) heating surface; Temp. control to 400deg.C; Stirring range 0 to 1200rpm; 230V 50/60Hz  | EA   | 88255      |
| 1110216SH               | Stirring Hotplate, Isotemp; Ceramic top; 4 x 4 in. heating surface; Temp. control to 540deg.C; Stirring range 0-1200rpm; 230V 50/60Hz   | EA   | 69369      |
| 1110249SH               | Hotplate, Stirring; Fisher Scientific; Isotemp; Ceramic top; 7 x 7 in. (17.7 x 17.7cm) heating surface; Temp. control to 540deg.C; Stirring range 0 to 1200rpm; 230V 50/60Hz  | EA   | 74288      |
| 1120249SH               | Stirring Hotplate; Isotemp; Aluminum top; 7 x 7 in. heating surface; Temp. control to 380deg.C; Stirring range 0-1200rpm; 230V 50/60Hz  | EA   | 87910      |
| 1152016SH               | Hotplate, Stirring; Fisherbrand; Ceramic top; Top plate dimensions: 4 x 4 in.; Overall dimensions: 7.9 x 5.7 x 5 in.  | EA   | 58138      |
| 1152049SH               | Hotplate, Stirring; Fisherbrand; Ceramic top; Top plate dimensions: 7 x 7 in.; Overall dimensions: 11.1 x 8.3 x 5.1 in.   | EA   | 63084      |
| FB65403                 | Support rod AREC.T digital hot plate stirrer  | EA   | 4605       |
| 12937246                | Mains lead for magnetic hotplate stirrers H11   | EA   | 4797       |
| 11416508                | Protective cover for digital hotplate stirrer Stuart  | EA   | 6833       |
| 12937256                | Protective cover for digital hotplate only  | EA   | 6833       |
| 10001114                | Insert H 135.410 for 10mL round flask for RCT Synthesis Package 2   | EA   | 15876      |
| <b>Magnetic Stirrer</b> |   |      |            |
| FB65309                 | Magnetic stirrer digital plate size 184mm x 184mm   | EA   | 129793     |
| FB65308                 | Magnetic stirrer plate size 260mm x 260mm 60 to 1   | EA   | 88818      |
| FB65310                 | Magnetic stirrer plate size 184mm x 184mm 60 to 1   | EA   | 71539      |
| FB65307                 | Magnetic stirrer plate 184x184mm  | EA   | 59804      |
| FB65306                 | Magnetic stirrer plate size 108mm x 108mm 143mm   | EA   | 58916      |
| FB70800                 | Basic mini stirrer mini max cap1L   | EA   | 24258      |
| FB15045                 | Stirrer age magnetic with metal top 220-240V  | EA   | 23841      |
| FB70807                 | Stirrer Fisherbrand magnetic unheated polypropylene   | EA   | 22111      |
| FB70805                 | Stirrer Fisherbrand magnetic unheated polypropylene   | EA   | 22111      |
| FB70806                 | Stirrer Fisherbrand magnetic unheated polypropylene   | EA   | 22111      |
| FB70802                 | Stirrer, bacteria magnetic, unheated  | EA   | 22111      |
| FB70803                 | Stirrer Fisherbrand magnetic unheated polypropylene   | EA   | 22111      |
| FB70804                 | Stirrer Fisherbrand magnetic unheated polypropylene   | EA   | 22111      |
| 14511210                | Stirrers, Magnetic; Fisherbrand; Stirrer Magnet Non-electric; Turbine Stirrer; Includes: 6 ft. (1.8m) length of vinyl tubing for inlet and outlet and fitting for connecting stirrer to pressure line                                       | EA   | 9841       |
| <b>MPT - Vortexer</b>   |   |      |            |
| FB68460                 | Mixer whirlimixer plus vortex base unit only  | EA   | 66841      |
| FB68462                 | Platform for whirlimixer plus for microtitre plate  | EA   | 7992       |
| FB68465                 | Platform for whirlimixer plus for PCR plate   | EA   | 13622      |
| FB68464                 | Cup for whirlimixer plus for mixing tubes   | EA   | 5449       |
| FB68463                 | Platform for whirlimixer plus for 1.5mL micro   | EA   | 7084       |
| FB68461                 | Platform for clips, 1/Cs, MA: FB68461   | EA   | 8718       |
| <b>Nutating Mixer</b>   |   |      |            |
| 22 363 153              | Shakers, Rotating; Fisher Scientific; Removable dimpled rubber mat; Load capacity: 1.75 lb.; Operating range: 4 to 40deg.C; 10.8 x 7.2 x 6.5 in.; Tray: 9.75 x 5.25 in.; Electrical requirements: 230V, 50Hz; Fixed Speed (20rpm at 20deg.) | EA   | 38718      |
| <b>Overhead Stirrer</b> |   |      |            |
| FB15031                 | Overhead stirrer 80mm x 230mm x 196mm LH/DLH  | EA   | 160735     |
| 12912560                | ES Overhead Stirrer for low/medium viscosity  | EA   | 65567      |
| FB70167                 | Stirring shaft stainless steel Velp w/propeller   | EA   | 12597      |
| FB70166                 | Clamp for use with PW overhead stirrers   | EA   | 7999       |

PK - Pack  
EA - Each



| Cat. No. | Description                                  | Pack | Price in ₹ |
|----------|--|------|------------|
| FB70165  | Support rod and base Velp Scientifica        | EA   | 32972      |
| FB70168  | Stirring shaft for overhead                  | EA   | 13395      |
| FB70169  | Stirring shaft, overhead stirrers, stainless | EA   | 10178      |

### Rotary Mixer

|          |  |    |       |
|----------|--|----|-------|
| FB68780  | Mixer rotary for general use with adjustable angle 200mm x 250mm x 175mm                       | EA | 80100 |
| FB68914  | 3 tier disc assembly complete with 12 clips for FB68780 15mm to 17mm tube diameter Fisherbrand | EA | 35781 |
| 11756577 | Stainless Steel Clip For 100mL Conical Flask   | EA | 2239  |
| 11766577 | Stainless Steel Clip For 250mL Conical Flask   | EA | 3273  |
| FB68784  | Carousel For Tubes Up To 16mm  | EA | 24339 |
| FB68785  | Carousel for 25mm tubes, 1/Cs, MA: FB68785   | EA | 24339 |
| FB68781  | Disc Rotary Mixer Autoclavable   | EA | 17073 |
| FB68782  | Disc rotary mixer autoclavable   | EA | 17073 |
| FB68783  | Disc rotary mixer, use with the RM-2 with 6  | EA | 17073 |
| 11746577 | Stainless steel clip for 50ml conical flask  | EA | 2067  |
| FB68913  | 3 tier disc assembly complete with 24 clips  | EA | 36326 |
| 11736577 | Stainless steel clip for 25ml conical flask  | EA | 2067  |
| FB68915  | Rotary mixer disc for FB68780, 1/Cs, MA: FB68915   | EA | 16017 |
| FB68916  | Clips for FB68915 for 8-11mm diameter tubes, 1/Cs  | EA | 545   |
| FB68917  | Clips for FB68915 for 15-17mm diameter tubes, 1/Cs   | EA | 1053  |
| FB68918  | Clips for FB68915 for 27-30mm diameter tubes, 1/Cs   | EA | 1053  |

### Tube Mixer

|            |  |    |        |
|------------|--|----|--------|
| 23 024 720 | Mixer, Biological Samples; Vital Diagnostics; Excite Duo-Mix; 40-positions; 8-10mm tubes; Performs mixing of blood samples, controls and other biological liquids; H x W x D: 6.5 x 14 x 6.5 in.; Weight: 4.4 lbs.                   | EA | 144503 |
| 23 024 721 | Mixer, Biological Samples; Vital Diagnostics; Excite Duo-Mix; 40-positions; 13mm tubes; Performs mixing of blood samples, controls and other biological liquids; H x W x D: 6.5 x 14 x 6.5 in.; Weight: 4.4 lbs.                     | EA | 143898 |
| 23 024 722 | Mixer, Biological Samples; Vital Diagnostics; Excite Duo-Mix; 40-positions; 20 each, 8-10mm and 13mm tubes; Performs mixing of blood samples, controls and other biological liquids; H x W x D: 6.5 x 14 x 6.5 in.; Weight: 4.4 lbs. | EA | 144166 |

### Tube Vortexer

|            |   |    |       |
|------------|---|----|-------|
| FB15012    | Vortex Mixer ZX Classic 220-240V 50Hz Supplied  | EA | 27819 |
| FB15013    | Vortex Mixer ZX Wizard 220-240V 50Hz Supplied   | EA | 35032 |
| 14 955 152 | Mixer, Mini Vortex; Fisher Scientific; Fixed speed, 2800rpm; Orbit 4.5mm; Dimensions 3.8x3.8x2.5in; Weight 1lb (0.5kg); Electrical 230V, 50-60Hz; 2 year warranty | EA | 30068 |
| FB15034    | Microvial attachment and 1.5mL Micro tubes  | EA | 7213  |
| FB15035    | Customizable Foam Top Dia 94mm  | EA | 5152  |
| FB15036    | Test Tube Attachment For No 5 Tubes   | EA | 7213  |
| FB15037    | Microtitre Attachment   | EA | 7213  |
| FB15038    | Rubber Plate Dia 50mm   | EA | 3606  |
| FB15039    | Foam Plate Dia 94mm   | EA | 4121  |
| FB15040    | Test Tube Attachment For 4 X Tubes  | EA | 7213  |
| FB15033    | Mixing cup, spare for FB15024 vortex mixer, 1/Cs  | EA | 1752  |
| 13214789   | Vortex mixer, speed 0-3000rpm   | EA | 21490 |
| FB69404    | Plate Supporting 90mm Dia For Use With FB69401  | EA | 5924  |
| 2215388    | Kit, Foam Tube Holder; Troemner; With retainer; Includes Holder for 9 to 13mm, 14 to 19mm and 20 to 25mm tubes, flat form insert, vessel harness, insert retainer | EA | 19947 |
| 02 215 372 | Vortex Mixer-Deluxe 230V UK   | EA | 46076 |
| 02 215 391 | Vortex Mixer Accessory; Insert Retainer; secures vessel harness and foam insert   | EA | 11961 |
| 02 215 392 | Vortex Mixer Accessory; Tube Holder; Vessel Harness; holds vessels firmly in place during continuous vortexing  | EA | 755   |

PK - Pack

EA - Each



## Equipment

| Cat. No.   | Description  | Pack | Price in ₹ |
|------------|--|------|------------|
| 02 215 393 | Vortex Mixer Accessory; Tube Holder; Foam Insert Set for 9-13mm Tubes  | EA   | 3218       |
| 02 215 394 | Vortex Mixer Accessory; Tube Holder; Foam Insert Set for 14-19mm Tubes | EA   | 4403       |
| 02 215 395 | Vortex Mixer Accessory; Tube Holder; Foam Insert Set for 20-25mm Tubes | EA   | 4108       |

## Personal and Lab Safety

### Brushes

|          |  |    |      |
|----------|--|----|------|
| 034051   | Anti-Static StaticAway™ Brush                                | EA | 3574 |
| 15078212 | Anti-Static, Static-Away™ Brush, 1-inch brush, 5-inch handle | EA | 2590 |
| 15078213 | Anti-Static, Static-Away™ Brush, 2-inch brush, 5-inch handle | EA | 2732 |
| 15078214 | Anti-Static, Static-Away™ Brush, 3-inch brush, 6-inch handle | EA | 2853 |

### Wipers

|          |                                      |    |       |
|----------|--------------------------------------|----|-------|
| 0666529  | Cheesecloth Wipes (2 ea - 60/packs)  | PK | 9532  |
| 22055053 | Cheesecloth Bolt                     | PK | 10579 |
| 0666528  | Mini-Cheesecloth Wipes (200/pack)    | PK | 3811  |
| 0666523  | Premoistened Lab Wipes™ (DI)         | PK | 1804  |
| 0666414  | Dry Clean-Wipes                      | EA | 1538  |
| 0666524  | Premoistened Lab Wipes™ (Alcohol/DI) | PK | 2868  |
| 1507763  | Optik Wipes™                         | EA | 2342  |

## Pumps, Tubings and Accessories

### Clamps and Ties

|          |                                 |    |      |
|----------|---------------------------------|----|------|
| 058151A  | Hose/Tubing Clamp (100/pack)    | EA | 3774 |
| 058151B  | Hose/Tubing Clamp (100/pack)    | EA | 3774 |
| 058151C  | Hose/Tubing Clamp (100/pack)    | EA | 3774 |
| 058151D  | Hose/Tubing Clamp (100/pack)    | EA | 3774 |
| 058151E  | Hose/Tubing Clamp (100/pack)    | EA | 3774 |
| 058151F  | Hose/Tubing Clamp (100/pack)    | EA | 3855 |
| 058151G  | Hose/Tubing Clamp (100/pack)    | EA | 4486 |
| 058151H  | Hose/Tubing Clamp (100/pack)    | EA | 4486 |
| 058151J  | Hose/Tubing Clamp (100/pack)    | EA | 4486 |
| 058151K  | Hose/Tubing Clamp (100/pack)    | EA | 5391 |
| 058151L  | Hose/Tubing Clamp (100/pack)    | EA | 5391 |
| 058151M  | Hose/Tubing Clamp (100/pack)    | EA | 6250 |
| 05815    | Hose/Tubing Clamp Assortment    | EA | 6630 |
| FA03288  | Tight-Ties™ - 8" (100/pack)     | EA | 1207 |
| 0666258  | Tight-Ties™ Assortment          | EA | 3708 |
| 17012357 | Tight-Ties™ - 5 5/8" (100/pack) | EA | 1207 |
| 14649122 | Tight-Ties™ - 11" (50/pack)     | EA | 1207 |

### Flow Meters

|            |  |    |       |
|------------|--|----|-------|
| 06664253   | Traceable® Ultra-Low Flow Meter  | EA | 43404 |
| 11 163 70A | Flowmeters; Scienceware Riteflow; Unmounted; Size 1; Plain ends; Two floats (one glass and one stainless steel); 7.5 in. long (19cm); Maximum pressure: 200; Maximum temperature: 121deg.C | EA | 27285 |
| 11 163 70C | Flowmeters; Scienceware Riteflow; Unmounted; Size 2; Plain ends; Two floats (one glass and one stainless steel); 7.5 in. long (19cm); Maximum pressure: 200; Maximum temperature: 121deg.C | EA | 27285 |
| 11 163 70E | Flowmeters; Scienceware Riteflow; Unmounted; Size 3; Plain ends; Two floats (one glass and one stainless steel); 7.5 in. long (19cm); Maximum pressure: 200; Maximum temperature: 121deg.C | EA | 27285 |

PK - Pack  
EA - Each



| Cat. No.   | Description   | Pack | Price in ₹ |
|------------|---|------|------------|
| 11 163 70J | Flowmeters; Scienceware Riteflow; Unmounted; Size 5; Plain ends; Two floats (one glass and one Carboloy); 7.5 in. long (19cm); Maximum pressure: 200; Maximum temperature: 121deg.C                                       | EA   | 35445      |
| 11 163 70K | Flowmeter; Bel-Art; Riteflow; Plain ends; Maximum pressure is 200psig; 121deg.C maximum operating temperature; Size 1; 9.5mm O.D. inlet; 9.5mm O.D. outlet  | EA   | 16586      |
| 11 163 70L | Flowmeter; Bel-Art; Riteflow; Plain ends; Maximum pressure is 200psig; 121deg.C maximum operating temperature; Size 2; 9.5mm O.D. inlet; 9.5mm O.D. outlet  | EA   | 16595      |
| 11 163 70M | Flowmeter; Bel-Art; Riteflow; Plain ends; Maximum pressure is 200psig; 121deg.C maximum operating temperature; Size 3; 9.5mm O.D. inlet; 9.5mm O.D. outlet  | EA   | 16586      |
| 11 163 70P | Flowmeter; Bel-Art; Riteflow; Plain ends; Maximum pressure is 200psig; 121deg.C maximum operating temperature; Size 4; 9.5mm O.D. inlet; 9.5mm O.D. outlet  | EA   | 16586      |
| 11 163 70Q | Flowmeter; Bel-Art; Riteflow; Plain ends; Maximum pressure is 200psig; 121deg.C maximum operating temperature; Size 5; 12.3mm O.D. inlet; 11.9mm O.D. outlet  | EA   | 19206      |
| 11 163 70R | Flowmeter; Bel-Art; Riteflow; Plain ends; Maximum pressure is 200psig; 121deg.C maximum operating temperature; Size 6; 14.2mm O.D. inlet; 12.7mm O.D. outlet  | EA   | 19206      |
| 11 163 72C | Flowmeters; Scienceware Riteflow; Unmounted; Size 2; Threaded ends; Two floats (one glass and one stainless steel); 10.375 in. long (27cm); Maximum pressure: 200; Maximum temperature: 65.5deg.C                         | EA   | 54969      |
| 11 163 72G | Flowmeters; Scienceware Riteflow; Unmounted; Size 4; Threaded ends; Two floats (one glass and one stainless steel); 10.375 in. long (27cm); Maximum pressure: 200; Maximum temperature: 65.5deg.C                         | EA   | 56803      |
| 11 163 72K | Flowtubes, Guarded; Bel-Art Scienceware; Riteflow; Plastic cylindrical guard; Two end bushings; 6.3mm NPT fittings; O.D. of 25mm; Maximum operating pressure 200psig; Maximum operating temperature of 65.5deg. C; Size 2 | EA   | 43819      |
| 11 163 72M | Flowtubes, Guarded; Bel-Art Scienceware; Riteflow; Plastic cylindrical guard; Two end bushings; 6.3mm NPT fittings; O.D. of 25mm; Maximum operating pressure 200psig; Maximum operating temperature of 65.5deg. C; Size 3 | EA   | 43819      |
| 11 163 72N | Flowtubes, Guarded; Bel-Art Scienceware; Riteflow; Plastic cylindrical guard; Two end bushings; 6.3mm NPT fittings; O.D. of 25mm; Maximum operating pressure 200psig; Maximum operating temperature of 65.5deg. C; Size 4 | EA   | 44962      |
| 11 163 72P | Flowtubes, Guarded; Bel-Art Scienceware; Riteflow; Plastic cylindrical guard; Two end bushings; 6.3mm NPT fittings; O.D. of 25mm; Maximum operating pressure 200psig; Maximum operating temperature of 65.5deg. C; Size 5 | EA   | 44962      |
| 11 163 72Q | Flowtubes, Guarded; Bel-Art Scienceware; Riteflow; Plastic cylindrical guard; Two end bushings; 6.3mm NPT fittings; O.D. of 25mm; Maximum operating pressure 200psig; Maximum operating temperature of 65.5deg. C; Size 6 | EA   | 46305      |
| 11 163 75C | Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 1; Magnified 150mm scale    | EA   | 51716      |
| 11 163 75E | Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 2; Magnified 150mm scale    | EA   | 51716      |
| 11 163 75F | Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 3; Magnified 150mm scale    | EA   | 51716      |
| 11 163 75G | Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 4; Magnified 150mm scale    | EA   | 55003      |
| 11 163 75J | Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 3 floats; PP barbs for tubing 8-9.5mm I.D; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 5; Magnified 150mm scale    | EA   | 61639      |
| 11 163 75K | Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D; Accepts 1/8 female NPT fitting; Max. 200psi; Max. 121 deg. C; Size 1; Magnified 65mm scale    | EA   | 43831      |
| 11 163 75L | Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 2; Magnified 65mm scale     | EA   | 43831      |
| 11 163 75M | Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS & Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 3; Magnified 65mm scale       | EA   | 43858      |
| 11 163 75N | Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 4; Magnified 65mm scale     | EA   | 43858      |
| 11 163 75P | Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 3 floats; PP barbs for tubing 8-9.5mm I.D; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 5; Magnified 65mm scale     | EA   | 43819      |
| 11 163 75Q | Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 6; Magnified 65mm scale     | EA   | 43819      |
| 11 163 77E | Flowmeter, Mounted; Scienceware Riteflow; Al frame; PTFE K-Fel control valve; 2 floats; Straight glass connectors; Max. 100psi; Max 65 deg. C; Size 2; Magnified 150mm scale  | EA   | 109084     |
| 11 163 77G | Flowmeter, Mounted; Scienceware Riteflow; Al frame; PTFE K-Fel control valve; 2 floats; Straight glass connectors; Max. 100psi; Max 65 deg. C; Size 3; Magnified 65mm scale   | EA   | 109018     |

PK - Pack

EA - Each



## Equipment

| Cat. No.   | Description  | Pack | Price in ₹ |
|------------|--|------|------------|
| 11 163 77M | Flowmeter, Mounted; Scienceware Riteflow; Al frame; PTFE K-Fel control valve; 3 floats; Straight glass connectors; Max. 100psi; Max 65 deg. C; Size 5; Magnified 150mm scale   | EA   | 116263     |
| 11 163 77N | Flowmeter, Mounted; Scienceware Riteflow; Al frame; PTFE K-Fel control valve; 2 floats; Straight glass connectors; Max. 100psi; Max 65 deg. C; Size 1; Magnified 65mm scale  | EA   | 86313      |
| 11 163 80  | Anemometers, accessories; Scienceware; Riteflow; Leveling base kit; Mounting kit; Bel-Art; Bench; For Scienceware flowmeters Catalog Nos.: 11-163-75 and -77 Series; Three mounting points   | EA   | 20109      |
| 06 710 511 | Flowmeter, Bubble; Soap film; Restek; Flows between 0.1 and 10cc/min.; w/reservoir bulb; 64 in. of 0.25 in. ID tubing; Adaptor tubes: for 0.125 in. tubing and 0.53mm ID capillary column; Velcro fasteners; Volume: 1mL               | EA   | 11796      |
| 06 710 512 | Flowmeter, Bubble; Restek; Soap film; For flows between 10 and 300 cc/min.; Vol.: 50mL; Includes reservoir bulb, 0.5 in. ID tubing (60cm), adaptor tubes for 1/8 in. tubing and 0.53 mm ID capillary columns, Velcro fasteners         | EA   | 12541      |
| 15 094 46  | Flowmeter, Bubble; Restek; Soap film; For flows between 10 and 300 cc/min.; Vol.: 50mL; Includes reservoir bulb, 0.5 in. ID tubing (60cm), adaptor tubes for 1/8 in. tubing and 0.53 mm ID capillary columns, Velcro fasteners         | EA   | 51347      |
| 16 108 431 | Flowmeter; Labconco; For inline drying train connection, provides visual confirmation of drying train circulation; Wt.: 2.5 lb. (1.1kg)  | EA   | 97908      |
| 06 716 200 | Flowmeter, Electronic; Restek; ProFLOW 6000; 0.5 to 500mL gases/min.; Auto shut-off; Bench-top/hand-held; Over range warning indicator; With hard-sided carrying case; Accuracy: +/-2%; Ex rating for hydrogen and related gas types   | EA   | 140131     |
| 03 052 545 | Flowmeter, Electronic; Thermo Scientific; GFM Pro; Measures volumetric flow of gases; Uses 2 AA batteries; Measurement range: 0.5 to 500mL/min.; Humidity range: 0 to 97%; Operating temp.: Odeg. to 48deg.C (32deg. to 120deg. F)     | EA   | 161356     |
| 13310343   | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: SS; Water flow rate: 0.025 to 0.59mL/min.                            | EA   | 29101      |
| 13310353   | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: brass; Air flow rate: 2000 to 40,000SmL/min.                         | EA   | 31408      |
| 13310357   | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 20 to 250SmL/min.                                     | EA   | 35601      |
| 13310365   | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 2000 to 40,000SmL/min.                                | EA   | 35973      |
| 13310371   | Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/o valve; Valve: Stainless-steel; Air Flow Rate: 20 to 500 SmL/min.; Repeatability: 0.25% of scale reading  | EA   | 51169      |
| 13310372   | Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/o valve; Valve: Aluminium; Air Flow Rate: 10 to 1000SmL/min.; Repeatability: 0.25% of scale reading  | EA   | 51284      |
| 13310373   | Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/o valve; Air flow rate: 1 to 25SmL; SS made; Float Material: Black Glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading                 | EA   | 51140      |
| 13310380   | Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/standard valve; Air Flow Rate: 5 to 100 SmL/min.; Float Material: Black Glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading            | EA   | 54871      |
| 13310381   | Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/std. valve; Valve: Brass; Air Flow Rate: 20 to 250 SmL/min.; Float Material: Black Glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading | EA   | 54840      |
| 13310382   | Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/standard valve; SS made; Water flow rate: 0.4 to 6SmL/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading  | EA   | 54695      |
| 13310383   | Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/std. valve; SS made; Air flow rate: 20 to 500SmL/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading       | EA   | 54871      |
| 13310384   | Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/std. valve; Brass made; Air flow rate: 100 to 1000SmL/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading; | EA   | 55055      |
| 13310385   | Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/standard valve; Air flow rate: 1 to 25SmL/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading;             | EA   | 54695      |
| 13310386   | Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/standard valve; Air flow rate: 5 to 60SmL/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading              | EA   | 54871      |
| 13310388   | Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/standard valve; Air flow rate: 20 to 250SmL/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading            | EA   | 58196      |



| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 13310389 | Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/standard valve; Air flow rate: 2000 to 40,000Sml/min.; Repeatability: 0.25% of scale reading; Float material: Black glass, 316SS or Tungsten Carbide | EA   | 58196      |
| 13310390 | Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/std. valve; Air flow rate: 100 to 1500Sml/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading        | EA   | 54871      |
| 13310391 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 1 to 100Sml/min.                     | EA   | 37756      |
| 13310392 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 20 to 200Sml/min.                    | EA   | 37206      |
| 13310394 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 50 to 800Sml/min.                    | EA   | 37405      |
| 13310396 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 200 to 2500Sml/min.                  | EA   | 37206      |
| 13310398 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 400 to 4800Sml/min.                  | EA   | 37229      |
| 13310399 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 800 to 10,000Sml/min.                | EA   | 37381      |
| 13310401 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 1000 to 23,000Sml/min.               | EA   | 40001      |
| 13310404 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Water flow rate: 150 to 1200Sml/min.                | EA   | 40001      |
| 13310405 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 1 to 100Sml/min.                            | EA   | 40402      |
| 13310406 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 20 to 200Sml/min.                           | EA   | 40381      |
| 13310408 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 50 to 800Sml/min.                           | EA   | 40376      |
| 13310410 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 200 to 2500Sml/min.                         | EA   | 40402      |
| 13310412 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 400 to 4800Sml/min.                         | EA   | 40381      |
| 13310413 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 800 to 10,000Sml/min.                       | EA   | 40376      |
| 13310414 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Water flow rate: 10 to 200Sml/min.                         | EA   | 40557      |
| 13310415 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 1000 to 23,000Sml/min.                      | EA   | 43761      |
| 13310416 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Water flow rate: 20 to 500Sml/min.                         | EA   | 43383      |
| 13310417 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 5000 to 60,000Sml/min.                      | EA   | 43761      |
| 13310419 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 1 to 100Sml/min.                       | EA   | 54695      |
| 13310422 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 50 to 800Sml/min.                      | EA   | 54871      |
| 13310425 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Water flow rate: 1 to 50Sml/min.                      | EA   | 54669      |
| 13310427 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 800 to 10,000Sml/min.                  | EA   | 54845      |
| 13310431 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 5000 to 60,000Sml/min.                 | EA   | 54635      |
| 13310433 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Brass; Air flow rate: 1 to 100Sml/min.                        | EA   | 38976      |
| 13310434 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Brass; Air flow rate: 20 to 200Sml/min.                       | EA   | 9563       |
| 13310442 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Brass; Water flow rate: 10 to 200Sml/min.                     | EA   | 39649      |



## Equipment

| Cat. No. | Description   | Pack | Price in ₹ |
|----------|---|------|------------|
| 13310446 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Brass; Water flow rate: 150 to 1200SmL/min.                                    | EA   | 42321      |
| 13310447 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 1 to 100SmL/min.  | EA   | 45877      |
| 13310448 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 20 to 200SmL/min.   | EA   | 46029      |
| 13310454 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 400 to 4800SmL/min.   | EA   | 45290      |
| 13310459 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 5000 to 60,000SmL/min.  | EA   | 48318      |
| 13310469 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 800 to 10,000SmL/min.                                      | EA   | 58513      |
| 13310473 | Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 5000 to 60,000SmL/min.                                     | EA   | 61012      |
| 15078171 | Flow Rate Analysis Software   | EA   | 16790      |
| 15078172 | Flowmeter, 65mm, Aluminum, 8-turn Valve. Flowrates: Air 6082 to 58,500smL/min. and Water 176 to 1866mL/min. 1/8 in. FNPT, Tungsten Carbide Float. Max. Pressure 200psig. Accuracy +/- 5%. Repeatability 0.25%.                                    | EA   | 31230      |
| 15078175 | Tripod, Flowmeter; Thermo Scientific Barnant; Gilmont; Bubble level, Three threaded levelers; Mounts one flowmeter; For 65mm and 150mm size flowmeters  | EA   | 14338      |
| 15176132 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm; Aluminum; Calibrated; Four-turn standard valve; Air flow rate 480 to 4562   | EA   | 40402      |
| 15176133 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 65mm; Aluminum; Calibrated; Four-turn standard valve; Air flow rate 845 to 6318  | EA   | 27700      |
| 15176137 | Certification, Flowmeter; Thermo Scientific; Barnant; Gilmont; NIST 5-Point Flowmeter Certificate   | EA   | 59672      |
| 15176140 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 65mm; Aluminum; Calibrated; Four-turn standard valve; Air flow rate 1973 to 12,058   | EA   | 27687      |
| 15178120 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: brass; Air flow rate: 33 to 264SmL/min.; Water flow rate: 0.28 to 4.7SmL/min.      | EA   | 38422      |
| 15178126 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: brass; Air flow rate: 3542 to 59,494SmL/min.; Water flow rate: 103 to 1881SmL/min. | EA   | 41944      |
| 15178128 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 33 to 264SmL/min.; Water flow rate: 0.28 to 4.7SmL/min.             | EA   | 45701      |
| 15178132 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 288 to 7590SmL/min.; Water flow rate: 6 to 217SmL/min.              | EA   | 45701      |
| 15178136 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 33 to 264SmL/min.; Water flow rate: 0.28 to 4.7SmL/min.        | EA   | 45678      |
| 15178137 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 70 to 825SmL/min.; Water flow rate: 0.8 to 16SmL/min.          | EA   | 45672      |
| 15178140 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 288 to 7590SmL/min.; Water flow rate: 6 to 217SmL/min.         | EA   | 45345      |
| 15178142 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 3542 to 59,494SmL/min.; Water flow rate: 103 to 1881SmL/min.   | EA   | 61012      |
| 15178147 | Flowmeter, Calibrated; Thermo scientific; Gilmont; 150mm construction; Industrial purpose; w/o valve; 0.25% of scale reading; Valve: aluminum; Flow rate: 0.12 to 2.34SmL/min.  | EA   | 37185      |
| 15178149 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: aluminum; Air flow rate: 70 to 825SmL/min.; Water flow rate: 0.8 to 16SmL/min.     | EA   | 37536      |
| 15178154 | Flowmeter, Calibrated; Thermo scientific; Gilmont; 150mm construction; Industrial purpose; w/o valve; 0.25% of scale reading; Valve: aluminum; Flow rate: 103 to 1881SmL/min.   | EA   | 40179      |



| Cat. No. | Description   | Pack | Price in ₹ |
|----------|---|------|------------|
| 15178155 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 8.1 to 140SmL/min.; Water flow rate: 0.12 to 2.34SmL/min.      | EA   | 40557      |
| 15178156 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 33 to 264SmL/min.; Water flow rate: 0.28 to 4.7SmL/min.        | EA   | 40530      |
| 15178158 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 201 to 1682SmL/min.; Water flow rate: 3.5 to 46SmL/min.        | EA   | 40381      |
| 15178159 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm; Aluminum; Calibrated; Four-turn standard valve; Air flow rate 288 to 7590   | EA   | 40402      |
| 15178160 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm; Aluminum; Calibrated; Four-turn standard valve; Air flow rate 462 to 22,536   | EA   | 43761      |
| 15178162 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 8.1 to 140SmL/min.; Water flow rate: 0.12 to 2.34SmL/min. | EA   | 55196      |
| 15178164 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 70 to 825SmL/min.; Water flow rate: 0.8 to 16SmL/min.     | EA   | 54811      |
| 15178167 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm; Aluminum; Calibrated; 15-turn high-accuracy valve; Air flow rate 288 to 7590  | EA   | 53641      |
| 15178168 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm; Aluminum; Calibrated; 15-turn high-accuracy valve; Air flow rate 462 to 22,536  | EA   | 55201      |
| 15179127 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: SS; Air flow rate: 3542 to 59,494SmL/min.; Water flow rate: 103 to 1881SmL/min.  | EA   | 71729      |
| 15179128 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 8.1 to 140SmL/min.; Water flow rate: 0.12 to 2.34SmL/min.            | EA   | 69086      |
| 15179129 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 33 to 264SmL/min.; Water flow rate: 0.28 to 4.7SmL/min.              | EA   | 69086      |
| 15179130 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 70 to 825SmL/min.; Water flow rate: 0.8 to 16SmL/min.                | EA   | 68776      |
| 15179131 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 201 to 1682SmL/min.; Water flow rate: 3.5 to 46SmL/min.              | EA   | 65779      |
| 15179132 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm; Stainless steel; Calibrated; Four-turn standard valve; Air flow rate 480 to 4562  | EA   | 68944      |
| 15179135 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 3542 to 59,494SmL/min.; Water flow rate: 103 to 1881SmL/min.         | EA   | 71550      |
| 15179136 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 8.1 to 140SmL/min.; Water flow rate: 0.12 to 2.34SmL/min.       | EA   | 97221      |
| 15179137 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 33 to 264SmL/min.; Water flow rate: 0.28 to 4.7SmL/min.         | EA   | 97169      |
| 15179138 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 70 to 825SmL/min.; Water flow rate: 0.8 to 16SmL/min.           | EA   | 97638      |
| 15179139 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 201 to 1682SmL/min.; Water flow rate: 3.5 to 46SmL/min.         | EA   | 98215      |
| 15179141 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm, Stainless steel; Calibrated; 15-turn high-accuracy valve; Air flow rate 288 to 7590   | EA   | 98215      |
| 15179142 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm, Stainless steel; Calibrated; 15-turn high-accuracy valve; Air flow rate 462 to 22,536   | EA   | 104734     |



## Equipment

| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 15179143 | Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 3542 to 59,494SmL/min.; Water flow rate: 103 to 1881SmL/min. | EA   | 101047     |
| 15179200 | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: aluminum; Water flow rate: 0.025 to 0.5SmL/min.                            | EA   | 23085      |
| 15179201 | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: aluminum; Air flow rate: 5 to 100SmL/min.                                  | EA   | 23109      |
| 15179202 | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: aluminum; Air flow rate: 20 to 250SmL/min.                                 | EA   | 23109      |
| 15179204 | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: aluminum; Air flow rate: 20 to 500SmL/min.                                 | EA   | 23098      |
| 15179213 | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 5 to 100SmL/min.   | EA   | 26819      |
| 15179214 | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 20 to 250SmL/min.  | EA   | 26819      |
| 15179215 | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Water flow rate: 0.4 to 6SmL/min.                                       | EA   | 23098      |
| 15179216 | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 20 to 500SmL/min.  | EA   | 26819      |
| 15179217 | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 100 to 1000SmL/min.                                      | EA   | 26819      |
| 15179218 | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Water flow rate: 1 to 25SmL/min.  | EA   | 26628      |
| 15179219 | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Water flow rate: 5 to 60SmL/min.  | EA   | 26790      |
| 15179220 | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 500 to 10,000SmL/min.                                    | EA   | 26819      |
| 15179222 | Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 2000 to 40,000SmL/min.                                   | EA   | 30346      |
| 15179250 | Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Without valve; Pressure rating: 150psig at 200deg.F max. operating; Valve: Brass; Air flow rate: 20 to 140L/min.; Water flow rate: 0.5 to 4L/min.                             | EA   | 110675     |
| 15179251 | Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Without valve; Pressure rating: 150psig at 200deg.F max. operating; Valve: Brass; Air flow rate: 30 to 280L/min.; Water flow rate: 1 to 8L/min.                               | EA   | 110675     |
| 15179253 | Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Without valve; Pressure rating: 150psig at 200deg.F max. operating; Valve: Brass; Air flow rate: 25 to 575L/min.; Water flow rate: 1 to 15L/min.                              | EA   | 112443     |
| 15179255 | Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Standard brass valve; Pressure rating: 150psig at 200deg.F max. operating; Air flow rate: 20 to 140L/min.; Water flow rate: 0.5 to 4L/min.                                    | EA   | 131301     |
| 15179256 | Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Without valve; Pressure rating: 150psig at 200deg.F max. operating; Valve: SS; Air flow rate: 30 to 280L/min.; Water flow rate: 1 to 8L/min.                                  | EA   | 130420     |
| 15179257 | Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Standard brass valve; Pressure rating: 150psig at 200deg.F max. operating; Air flow rate: 25 to 425L/min.; Water flow rate: 1 to 11L/min.                                     | EA   | 131126     |
| 15179258 | Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Standard brass valve; Pressure rating: 150psig at 200deg.F max. operating; Air flow rate: 25 to 575L/min.; Water flow rate: 1 to 15L/min.                                     | EA   | 129363     |
| 15179259 | Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Without valve; Pressure rating: 150psig at 200deg.F max. operating; Valve: SS; Air flow rate: 50 to 900L/min.; Water flow rate: 1 to 20L/min.                                 | EA   | 131369     |
| 15179261 | Gilmont Industrial Flowmeter, 127mm one-piece frame, Stainless Steel, No Valve, Direct Read, Flow Rate Air: 30-280L/min, Flow Rate Water: 1-8L/min. 3/8 in. NPT connections, Float Material: 316SS , Max Pressure: 150psi, Max Temp: 250F    | EA   | 160389     |
| 15179263 | Gilmont Industrial Flowmeter, 127mm one-piece frame, Stainless Steel, No Valve, Direct Read. Flow Rate Air: 25-575L/min, Flow Rate Water: 1-15L/min. 3/8 in. NPT connections, Float Material: 316SS , Max Pressure: 150psi, Max Temp: 250F   | EA   | 162673     |
| 15179265 | Flowmeter, Industrial, 127mm, Stainless steel, Standard valve  | EA   | 178185     |
| 15179266 | Flowmeter, Industrial, 127mm, Stainless steel, Standard valve  | EA   | 177831     |
| 15179269 | Flowmeter, Industrial, 127mm, Stainless steel, Standard valve  | EA   | 177831     |
| 15179275 | Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: SS; Air flow rate: 845 to 6318SmL/min.; Water flow rate: 4 to 147SmL/min.      | EA   | 49700      |



| Cat. No. | Description   | Pack | Price in ₹ |
|----------|---|------|------------|
| 15179276 | Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: SS; Air flow rate: 1973 to 12,058SmL/min.; Water flow rate: 42 to 364SmL/min.   | EA   | 49729      |
| 15179278 | Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: SS; Air flow rate: 6082 to 58,500SmL/min.; Water flow rate: 176 to 1866SmL/min. | EA   | 52519      |
| 15179279 | Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 8.1 to 145SmL/min.; Water flow rate: 0.1 to 2.4SmL/min.             | EA   | 54845      |
| 15179280 | Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 30.2 to 298SmL/min.; Water flow rate: 0.46 to 7.7SmL/min.           | EA   | 54845      |
| 15179281 | Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 45 to 522SmL/min.; Water flow rate: 0.8 to 12SmL/min.               | EA   | 54840      |
| 15179282 | Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 28 to 1249SmL/min.; Water flow rate: 0.6 to 27SmL/min.              | EA   | 54840      |
| 15179283 | Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 90 to 2520SmL/min.; Water flow rate: 3.7 to 71SmL/min.              | EA   | 54845      |
| 15179284 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 65mm; Stainless steel; Calibrated; Four-turn standard valve; Air flow rate 845 to 6318   | EA   | 54840      |
| 15179285 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 65mm; Stainless steel; Calibrated; Four-turn standard valve; Air flow rate 973 to 12,058   | EA   | 54840      |
| 15179286 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 65mm; Stainless steel; Calibrated; Four-turn standard valve; Air flow rate 2272 to 24,680  | EA   | 55026      |
| 15179287 | Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 65mm; Stainless steel; Calibrated; Four-turn standard valve; Air flow rate 2000-49,000   | EA   | 58191      |

### Peristaltic Pumps

|          |   |    |       |
|----------|---|----|-------|
| 13310119 | Pump Head; Masterflex; Easy-Load; 600rpm; Fixed Occlusion; Polysulfone Housing; Stainless-Steel Rollers/ Bearings; Short Shaft; For L/S 13, 14, 16, 25, 17 and 18 tubing                            | EA | 58091 |
| 13310121 | Pump, Peristaltic; Thermo Scientific; Masterflex; L/S; Easy-Load; For high-performance precision tubing; Polysulfone housing; Cold-rolled steel rotors; Three rollers; For L/S 15 and L/S 25 tubing | EA | 44298 |
| 13310259 | Pump, Peristaltic; Thermo Scientific; Masterflex; L/S standard pump head; For L/S 14 tubing; Clear polycarbonate housing; Cold-rolled steel rotor; 126mL/min.                                       | EA | 27797 |
| 13310260 | Pump, Peristaltic; Thermo Scientific; Masterflex; L/S standard pump head; For L/S 15 tubing; Clear polycarbonate housing; Cold-rolled steel rotor; 1000mL/min.                                      | EA | 27797 |
| 13310261 | Pump, Peristaltic; Thermo Scientific; Masterflex; L/S standard pump head; For L/S 17 tubing; Clear polycarbonate housing; Cold-rolled steel rotor; 1680mL/min.                                      | EA | 27797 |
| 13310620 | Accessories and Replacement Parts; Thermo Scientific; Tubing for Pumps; FH100X; High Resilience; Flowrange: 14 to 1200mL/min; Inside Dia. 4.8mm; Material: ePTFE; 24mm wall; Size 15; Style 400 FKM | EA | 57543 |

### Peristaltic Pumps Accessories

|          |   |    |       |
|----------|---|----|-------|
| 13310622 | Tip, Dispensing; Manostat; Accessory for pumps and dispensers; Autoclavable; Made of glass; For 0.187 in. and 0.25 in. tubing           | EA | 13161 |
| 13310623 | Tip, Dispensing; Manostat; Accessory for pumps and dispensers; Autoclavable; Made of polypropylene; For 0.0625 in. and 0.125 in. tubing | EA | 6036  |
| 13310625 | Foot switch; Thermo Scientific; For use with FH100 series pumps   | EA | 31217 |
| 13310821 | ACC FT SWTCH FOR FH100/FH100X   | EA | 29342 |
| 13310822 | ACC FT SWTCH FOR FH100D/FH100DX   | EA | 35024 |
| 1531533A | Check Valves; Fisherbrand; Polypropylene; Tapered, serrated ends; Fits Tubing I.D. 1/4 to 3/8 in.                                       | CS | 18874 |
| 1531533B | Check Valves; Fisherbrand; Polypropylene; Tapered, serrated ends; Fits Tubing I.D. 7/16 to 5/8 in.                                      | CS | 27252 |

### Tubing Connectors

|          |  |    |       |
|----------|--|----|-------|
| 1531526A | Connector, Tubing; Fisherbrand; Polypropylene; T-Shaped; Fits Tubing I.D.: 0.156 in. (4mm) | CS | 10030 |
| 1531526B | Connector, Tubing; Fisherbrand; Polypropylene; T-Shaped; Fits Tubing I.D.: 0.218 in. (6mm) | CS | 11267 |
| 1531526C | Connector, Tubing; Fisherbrand; Polypropylene; T-Shaped; Fits Tubing I.D.: 0.312 in. (8mm) | CS | 11739 |



## Equipment

| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 1531526D | Connector, Tubing; Fisherbrand; Polypropylene; T-Shaped; Fits Tubing I.D.: 0.375 in. (10mm)                                | CS   | 15769      |
| 1531526F | Connector, Tubing; Fisherbrand; Polypropylene; T-Shaped; Fits Tubing I.D.: 0.562 in. (14mm)                                | CS   | 19876      |
| 1531527C | Connector, Quick-Disconnects; Fisherbrand; Polyethylene; Tight-fitting; Tapered ends; Fits Tubing I.D.: 0.25 to 0.375 in.  | CS   | 22508      |
| 1531527D | Connector, Quick-Disconnects; Fisherbrand; Polyethylene; Tight-fitting; Tapered ends; Fits Tubing I.D.: 0.375 to 0.437 in. | CS   | 26387      |
| 1531527E | Connector, Quick-Disconnects; Fisherbrand; Polyethylene; Tight-fitting; Tapered ends; Fits Tubing I.D.: 0.437 to 0.562 in. | CS   | 32979      |
| 1531527F | Connectors, Quick-Disconnects; Fisherbrand; Polyethylene; Tight-fitting; Tapered ends; Fits Tubing I.D.: 0.5 to 0.625      | CS   | 35504      |
| 1531528A | Connector, Tubing; Fisherbrand; Straight; Polypropylene; Fits Tubing I.D.: 1/8 to 7/32 in. (3.2 to 5.5mm)                  | CS   | 8684       |
| 1531528B | Connector, Tubing; Fisherbrand; Straight; Polypropylene; Fits Tubing I.D.: 3/16 to 5/16 in. (4.8 to 7.9mm)                 | CS   | 10543      |
| 1531528C | Connector, Tubing; Fisherbrand; Straight; Polypropylene; Fits Tubing I.D.: 1/4 to 3/8 in. (6.4 to 9.5mm)                   | CS   | 11495      |
| 1531528D | Connector, Tubing; Fisherbrand; Straight; Polypropylene; Fits Tubing I.D.: 3/8 to 7/16 in. (9.5 to 11mm)                   | CS   | 11032      |
| 1531528E | Connector, Tubing; Fisherbrand; Straight; Polypropylene; Fits Tubing I.D.: 7/16 to 9/16 in. (11 to 14mm)                   | CS   | 13130      |
| 1531528F | Connector, Tubing; Fisherbrand; Straight; Polypropylene; Fits Tubing I.D.: 1/2 to 5/8 in. (12.7 to 15.9mm)                 | CS   | 16844      |
| 1531529A | Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 5/32 in. (4mm)                                  | CS   | 6296       |
| 1531529B | Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 7/32 in. (6mm)                                  | CS   | 6099       |
| 1531529C | Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 5/16 in. (8mm)                                  | CS   | 8297       |
| 1531529D | Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 3/8 in. (10mm)                                  | CS   | 9440       |
| 1531529E | Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 7/16 in. (12mm)                                 | CS   | 10677      |
| 1531529F | Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 9/16 in. (14mm)                                 | CS   | 14427      |
| 1531529G | Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 5/8 in. (16mm)                                  | CS   | 14301      |
| 1531530A | Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 5/32 in. (4mm)                                  | CS   | 10030      |
| 1531530B | Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 7/32 in. (6mm)                                  | CS   | 11833      |
| 1531530C | Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 5/16 in. (8mm)                                  | CS   | 12326      |
| 1531530D | Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 3/8 in. (10mm)                                  | CS   | 16548      |
| 1531530E | Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 7/16 in. (12mm)                                 | CS   | 17362      |
| 1531530F | Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 9/16 in. (14mm)                                 | CS   | 20473      |
| 1531530G | Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 5/8 in. (16mm)                                  | CS   | 24863      |
| 1531531A | Connector, Tubing; Fisherbrand; Equal angle Y-shaped; Polypropylene; Fits Tubing I.D.: 1/8 to 7/32 in. (3.2 to 5.5mm)      | CS   | 18536      |
| 1531531B | Connector, Tubing; Fisherbrand; Equal angle Y-shaped; Polypropylene; Fits Tubing I.D.: 3/16 to 7/32 in. (4.8 to 5.5mm)     | CS   | 22165      |
| 1531531C | Connector, Tubing; Fisherbrand; Equal angle Y-shaped; Polypropylene; Fits Tubing I.D.: 1/4 to 3/8 in. (6.4 to 9.5mm)       | CS   | 21973      |
| 1531531D | Connector, Tubing; Fisherbrand; Equal angle Y-shaped; Polypropylene; Fits Tubing I.D.: 3/8 to 7/16 in. (9.5 to 11mm)       | CS   | 26730      |
| 1531531E | Connector, Tubing; Fisherbrand; Equal angle Y-shaped; Polypropylene; Fits Tubing I.D.: 7/16 to 9/16 in. (11 to 14mm)       | CS   | 36010      |
| 1531531F | Connector, Tubing; Fisherbrand; Equal angle Y-shaped; Polypropylene; Fits Tubing I.D.: 1/2 to 5/8 in. (12.7 to 15.9mm)     | CS   | 36574      |
| 1531532A | Connector, Tubing; Fisherbrand; 4-Way; Polypropylene; Fits Tubing I.D.: 5/32 in. (4mm)                                     | CS   | 18937      |
| 1531532B | Connector, Tubing; Fisherbrand; 4-Way; Polypropylene; Fits Tubing I.D.: 7/32 in. (6mm)                                     | PK   | 3320       |
| 1531532C | Connector, Tubing; Fisherbrand; 4-Way; Polypropylene; Fits Tubing I.D.: 5/16 in. (8mm)                                     | CS   | 20833      |
| 1531532D | Connector, Tubing; Fisherbrand; 4-Way; Polypropylene; Fits Tubing I.D.: 3/8 in. (10mm)                                     | CS   | 26132      |
| 1531532E | Connector, Tubing; Fisherbrand; 4-Way; Polypropylene; Fits Tubing I.D.: 7/16 in. (12mm)                                    | CS   | 38438      |

### Tubings

|         |  |    |      |
|---------|--|----|------|
| FA03362 | 1/16" ID Silicone Tubing, 25 feet          | EA | 5138 |
| FA03364 | 3/16" ID Silicone Tubing, 25 feet          | EA | 7065 |
| FA03365 | 1/4" ID Silicone Tubing, 25 feet           | EA | 7065 |
| FA03366 | 1/4" ID, 5/16" OD Silicone Tubing, 25 feet | EA | 7065 |
| FA03370 | Tubing Set - Pump I and II                 | EA | 6045 |
| FA03372 | Replacement Silicone Tubing and Connectors | EA | 1709 |

PK - Pack  
EA - Each



| Cat. No. | Description                                       | Pack | Price in ₹ |
|----------|---|------|------------|
| FA03375  | 1/4" Replacement Silicone Tubing and Connectors   | EA   | 1709       |
| FA03376  | Replacement Silicone Tubing and Connectors        | EA   | 1709       |
| FA03377  | Replacement Tubing Set - Medium Flow              | EA   | 6050       |
| FA03378  | Replacement Tubing Set                            | EA   | 6050       |
| FA03394  | 1/4" Tubing and Connectors                        | EA   | 1709       |
| 15079606 | 1/50" ID Silicone Tubing, 25 feet                 | EA   | 10093      |
| 15079608 | 1/32" ID Silicone Tubing, 25 feet                 | EA   | 10093      |
| 15079605 | 3/32" ID Silicone Tubing, 25 feet                 | EA   | 5138       |
| 15079607 | Replacement Silicone Tubing and Connectors        | EA   | 1709       |
| 15079604 | Replacement Silicone Tubing and Connectors        | EA   | 1709       |
| 15079600 | Replacement Silicone Tubing and Connectors        | EA   | 1709       |
| FB50703  | 10M Rubber Tubing 3 X 4,5mm                       | EA   | 1709       |
| FB50705  | 10 M Tubing, Natural Red Rubber, Normal           | EA   | 2196       |
| FB50707  | 10M Rubber Tubing 6,5 X 9,5 mm                    | EA   | 2381       |
| FB50709  | 10M Rubber Tubing 8 X 12 mm                       | EA   | 3068       |
| FB50711  | 10M Rubber Tubing 10 X 14 mm                      | EA   | 3599       |
| FB50713  | 10M Rubber Tube 12,5 X 17 mm                      | EA   | 4726       |
| FB50717  | 10M Rubber Tubing 16 X 26,5 mm                    | EA   | 8432       |
| FB50719  | 10M Rubber Tubing 20 X 26,5mm                     | EA   | 10810      |
| FB50721  | 10M Rubber Tubing 25 X 31,5mm                     | EA   | 15913      |
| FB50731  | 10 M Tubing Natural Red Rubber Medium             | EA   | 3397       |
| FB50733  | 10 M Tubing, Natural Red Rubber Medium            | EA   | 7642       |
| FB50735  | 10 M Tubing,Fisherbrand Natural Red Rubber Medium | EA   | 8782       |
| FB50737  | 10 M Tubing,Fisherbrand Natural Red Rubber Medium | EA   | 7084       |
| FB50739  | 10 M Tubing,Fisherbrand Natural Red Rubber Medium | EA   | 8974       |
| FB50753  | 10 M Tubing Natural Red Rubber Heavy              | EA   | 2926       |
| FB50755  | 10 M Tubing,Fisherbrand Natural Red Rubber Heavy  | EA   | 5214       |
| FB50757  | Slang Vakuum Gummi Rā-D 6,5 X 16,5 mm FP=10M      | EA   | 7750       |
| FB50759  | 10m Tubing heavy wall BS 2775 rubber red 20mm     | EA   | 10915      |
| FB50761  | 10 M Tubing,Fisherbrand Natural Red Rubber Heavy  | EA   | 15005      |
| FB50763  | 10 M Tubing,Fisherbrand Natural Red Rubber Heavy  | EA   | 24736      |
| FB50773  | 10M Tubing Neoprene 3,0X4,5mm                     | EA   | 1658       |
| FB50775  | 10M Tubing Neoprene 5X8mm                         | EA   | 2445       |
| FB50777  | 10 M Tubing Neoprene Normal Wall                  | EA   | 2610       |
| FB50779  | 10M Tubing Neoprene 8X10mm                        | EA   | 4104       |
| FB50781  | 10M Tubing Neoprene 10X12mm                       | EA   | 5227       |
| FB50783  | 10M Tubing Neoprene 12,5X17mm                     | EA   | 6586       |
| FB50785  | 10M Tubing Neoprene 16X22,5mm                     | EA   | 11793      |
| FB50787  | 10M Tubing Neoprene 20X26,5mm                     | EA   | 14843      |
| FB50789  | 10M Tubing Neoprene 25X31,5mm                     | EA   | 18291      |
| FB50803  | 10M Tubing Neoprene 3X9mm                         | EA   | 3945       |
| FB50805  | 10M Tubing Neoprene 5X13mm                        | EA   | 7487       |
| FB50807  | 10M Tubing Neoprene 6,5X10mm                      | EA   | 12227      |
| FB50809  | 10M Tubing Neoprene 8X20mm                        | EA   | 16357      |
| FB50811  | X10 Slang Neopren 10X24mm Grā... 10M/FP           | EA   | 21722      |
| FB50813  | X10 Slang Neopren 12,5X29,5 Grā... 10M/FP         | EA   | 47372      |
| FB50823  | 450M Tubing Neoprene For Bunsen B                 | EA   | 683        |
| FB50825  | 600 mm Tubing Neoprene Bunsen B                   | EA   | 844        |
| FB50827  | 750 mm Tubing Neoprene Bunsen B                   | EA   | 992        |
| FB50829  | 900 mm Tubing Neoprene Bunsen B                   | EA   | 972        |
| FB50843  | 2 M Tubing Neoprene Gas Burner Tube               | EA   | 1191       |
| FB50845  | 10 M Tubing Neoprene .25 Inch X .50 Inch,Bunsen   | EA   | 6646       |
| FB50853  | 10 M Tubing Silicone Rubber 1.0 1.0mm             | EA   | 1016       |



## Equipment

| Cat. No. | Description   | Pack | Price in ₹ |
|----------|---|------|------------|
| FB50855  | 10 M Tubing Silicone Rubber 2.0 1.0mm   | EA   | 1319       |
| FB50857  | 10 M Tubing Silicone Rubber 3.0 0.75mm  | EA   | 1319       |
| FB50859  | 10 M Tubing Silicone Rubber 3.0 1.0mm   | EA   | 1534       |
| FB50861  | 10 M Tubing Silicone Rubber 4.0 1.0mm   | EA   | 1736       |
| FB50863  | 10 M Tubing,Silicone, Translucent,4mm   | EA   | 1736       |
| FB50865  | 10 M Tubing Silicone Rubber 5.0 Inner   | EA   | 3377       |
| FB50867  | 10 M Tubing Silicone Rubber 6.0 1.5mm   | EA   | 3569       |
| FB50869  | 10 M Tubing Silicone Rubber 6.5 1.5mm   | EA   | 3670       |
| FB50871  | 10 M Tubing Silicone Rubber 8.0 2.0mm   | EA   | 5819       |
| FB50873  | 10 M Tubing Silicone Rubber 9.0 2.0mm   | EA   | 6313       |
| FB50875  | 10 M Tubing Silicone Rubber 10.0  | EA   | 7908       |
| FB50877  | 10 M Tubing Silicone Rubber 12.5  | EA   | 11581      |
| FB50879  | 10 M Tubing Silicone Rubber 16.0  | EA   | 24823      |
| FB56463  | 15 M Tubing Fisherbrand peristaltic pump silicone   | EA   | 4009       |
| FB56465  | Fisherbrand Peristaltik Pumpenschlauch, Silikon,  | EA   | 4315       |
| FB56467  | 15 M Tubing Fisherbrand peristalticpump silicone  | EA   | 7269       |
| FB56469  | 15 M Tubing Fisherbrand peristalticpump silicone  | EA   | 5294       |
| FB56471  | 15 M Tubing Fisherbrand peristaltic pump silicone   | EA   | 6895       |
| FB56473  | 15 M Tubing Fisherbrand peristaltic pump silicone   | EA   | 8998       |
| FB56475  | 15 M Tubing Fisherbrand peristaltic pump silicone   | EA   | 10101      |
| FB56487  | 15 M Tubing Fisherbrand peristaltic pump silicone   | EA   | 10000      |
| FB56489  | 15 M Tubing Fisherbrand peristaltic pump silicone   | EA   | 10969      |
| FB56491  | 15 M Tubing Fisherbrand peristaltic pump silicone   | EA   | 14198      |
| FB56493  | 15 M Tubing Fisherbrand peristaltic pump silicone   | EA   | 17245      |
| FB56495  | 15 M Tubing Fisherbrand peristaltic pump silicone   | EA   | 21315      |
| FB56497  | 15 M Tubing Fisherbrand peristaltic pump silicone   | EA   | 25001      |
| FB56507  | 15 M Tubing Fisherbrand peristaltic pump santopren  | EA   | 14719      |
| FB56509  | 15 M Tubing Fisherbrand peristaltic pump santopren  | EA   | 14806      |
| FB56511  | 15 M Tubing Fisherbrand peristaltic pump santopren  | EA   | 15439      |
| FB56513  | 15 M Tubing Fisherbrand peristaltic pump santopren  | EA   | 26444      |
| FB56515  | 15 M Tubing Fisherbrand peristaltic pump santopren  | EA   | 30339      |
| FB56531  | 15 M Tubing Fisherbrand peristaltic pump santopren  | EA   | 47655      |
| FB56533  | 15 M Tubing Fisherbrand peristaltic pump santopren  | EA   | 57783      |
| FB56537  | 15 M Tubing Fisherbrand peristaltic pump santopren  | EA   | 22297      |
| 13310108 | Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (peroxide) Tubing; L/S 16; I.D. 3.2mm; 25 ft.   | PK   | 11912      |
| 13310110 | Tubing, Plastic; Masterflex; Platinum-cured silicone; For use with E/S portable or composite samplers; Size L/S 15; 25 ft. (7.6m) length  | PK   | 19622      |
| 13310111 | Tubing; Masterflex; L/S Precision Tubing; Precision Norprene Food (A 60 F) Tubing; L/S 17; 50 ft.   | PK   | 21111      |
| 13310112 | Tubing; Masterflex; L/S Precision Tubing; Precision Norprene (A 60 G) Tubing; L/S 14; 50 ft.  | PK   | 10376      |
| 13310113 | Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (platinum) Tubing; L/S 18; I.D. 9.5mm; 25 ft.   | PK   | 22377      |
| 13310114 | Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (platinum) Tubing; L/S 13; I.D. 1.6mm; 25 ft.   | PK   | 11663      |
| 13310115 | Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (platinum) Tubing; L/S 14; I.D. 1.6mm; 25 ft.   | PK   | 12408      |
| 13310117 | Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (platinum) Tubing; L/S 17; I.D. 6.4mm; 25 ft.   | PK   | 20141      |
| 13310118 | Tubing; Pump; MasterFlex I/P 73 Precision; Column extruded; Optically inspected; Platinum-cured Silicone; I.D.: 0.38; Hose Barb: 0.37 in.   | PK   | 39783      |
| 13310143 | Tubing; Pump; MasterFlex I/P 26 Precision; Column extruded; Optically inspected; Peroxide-cured Silicone; I.D.: 0.25; Hose Barb: 0.25 in.   | PK   | 30737      |
| 13310148 | Tubing, Precision pump; Thermo Scientific Barnant; MasterFlex I/P; Extruded; Masterflex Norprene; Firm; Beige; -75deg. to 275deg.F (-59deg. to 135deg.C); Fits Masterflex I/P Pump head; Size 73, 25 ft. (7.6m) | PK   | 40916      |

PK - Pack  
EA - Each



| Cat. No. | Description   | Pack | Price in ₹ |
|----------|---|------|------------|
| 13310155 | Tubing, Precision pump; Thermo Scientific Barnant; MasterFlex PharMed; Extruded; Firm; Beige; -75deg. to 275deg.F (-59deg. to 135deg.C); Fits Masterflex I/P Pump head; Size 82; 12.7mm I/D   | PK   | 50851      |
| 13310158 | Tubing; Pump; MasterFlex I/P 83 Precision; Column extruded; Optically inspected; Peroxide-cured Silicone; I.D.: 0.5; Hose Barb: 0.5 in.   | PK   | 57412      |
| 13310160 | Tubing, Pump; Thermo Scientific; FH15 and FH30; Pharmed BPT; Size: 14; Flowrange 2.8 to 14mL/min.; Inside Dia. 1.6mm; Material: TPE   | PK   | 20885      |
| 13310161 | Tubing, Extruded, Masterflex PharMed, Firm, Beige, -75 to 275deg.F (-59 to 135deg.C), Size 16   | PK   | 21630      |
| 13310162 | Tubing, Extruded, Masterflex PharMed, Firm, Beige, -75 to 275deg.F (-59 to 135deg.C), Size 25   | PK   | 22128      |
| 13310163 | Tubing, Extruded, Masterflex PharMed, Firm, Beige, -75 to 275deg.F (-59 to 135deg.C), Size 17   | PK   | 26450      |
| 13310164 | Tubing, Extruded, for Tissue and Cell Work, PharMed, Nonhemolytic, Opaque Beige, Firm, -75 to 275deg.F Range, fits Masterflex Pump Head, Size 18  | PK   | 28025      |
| 13310165 | Tubing, Extruded, Masterflex PharMed, Firm, Beige, -75 to 275deg.F (-59 to 135deg.C), Size 15   | PK   | 21384      |
| 13310166 | Tubing, Precision pump; Thermo Scientific Barnant; MasterFlex PharMed; Extruded; Masterflex Norprene; Firm; Beige; -75deg. to 275deg.F (-59deg. to 135deg.C); Fits Masterflex I/P Pump head; Size 24, 25 ft. (7.6m)                     | PK   | 30286      |
| 13310168 | Tubing; Masterflex; L/S Precision Tubing; Precision Norprene (A 60 G) Tubing; L/S 16; 50 ft.  | PK   | 10916      |
| 13310172 | Tubing, Precision pump; MasterFlex L/S; Thermo Scientific Barnant; Autoclavable; Norprene; Black; 3/16 in.; -59deg. to +135deg.C (-75deg. to 275deg.F); Fits Masterflex pump head, hose b; Size 25                                      | PK   | 17133      |
| 13310173 | Tubing, Precision pump; MasterFlex L/S; Thermo Scientific Barnant; Autoclavable; Norprene Black; Thermoplastic elastomer Firm 50 ft.; -59deg. to +135deg.C (-75deg. to 275deg.F); Fits Masterflex pump head; Size 24                    | PK   | 21630      |
| 13310176 | Tubing; Masterflex; L/S Precision Tubing; Precision Norprene Food (A 60 F) Tubing; L/S 16; 50 ft.   | PK   | 12953      |
| 13310179 | Tubing; Masterflex; L/S Precision Tubing; High-Performance Precision Norprene Food (A 60 F) Tubing; L/S 15; 50 ft.  | PK   | 23054      |
| 13310181 | Tubing; Masterflex; L/S Precision tubing; C-Flex (50 A); Combines biocompatibility of silicone with chemical resistance similar to Tygon; Very low protein binding; Heat sealable, weldable; Economical; L/S 13; 25 ft.                 | PK   | 6964       |
| 13310182 | Tubing, Plastic; Thermo Scientific; MasterFlex L/S; L/S 14; 0.06 in. I.D.; Length 1.3 to 130mL/m in. Flow Range; 1.7 bar Maximum Continuous Pressure; 660mmHG Maximum Vacuum; C-Flex Tubing (50A); 25 ft. Length                        | PK   | 7958       |
| 13310183 | Autoclavable C-Flex White FDA and USP Class VI standards 1/8 in. 25ft. -73 to 135deg.C (-100 to 275deg.F ), Size 16, hose barb 1/8  | PK   | 9133       |
| 13310185 | Tubing; Masterflex; L/S Precision tubing; C-Flex (50 A); Combines biocompatibility of silicone with chemical resistance similar to Tygon; Very low protein binding; Heat sealable, weldable; Economical; L/S 17; 25 ft.                 | PK   | 12408      |
| 13310186 | Tubing; Masterflex; L/S Precision tubing; C-Flex (50 A); Combines biocompatibility of silicone with chemical resistance similar to Tygon; Very low protein binding; Heat sealable, weldable; Economical; L/S 18; 25 ft.                 | PK   | 13695      |
| 13310187 | Tubing, Plastic; Thermo Scientific; MasterFlex L/S; L/S 15; 0.19 in. I.D.; Length 10 to 1000mL/m in. Flow Range; 1.7 bar Maximum Continuous Pressure; 660mmHG Maximum Vacuum; C-Flex Tubing (50A); 25 ft. Length                        | PK   | 12953      |
| 13310188 | Tubing, C-Flex; Thermo Scientific Barnant; White; FDA and USP Class VI standards; 25 ft., -73deg. to +135deg.C (-100deg. to +275deg.F); Size 24, Fits masterflex pump head  | PK   | 16386      |
| 13310189 | Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (peroxide) Tubing; L/S 25; I.D. 4.8mm; 25 ft.   | PK   | 15935      |
| 13310190 | Tubing; Masterflex; L/S Precision Tubing; High-Performance Precision Silicone (peroxide) Tubing; L/S 24; 25 ft.   | PK   | 21111      |
| 13310194 | Fuel; Thermo Scientific; Tygon; Translucent yellow formulation for pumping fuels and lubricants; I.D.: 1/16 in.; Length: 50ft.; O.D.: 3/16 in.; -37 to 74C  | PK   | 10895      |
| 13310195 | Tubing; Masterflex; L/S Precision Tubing; Precision Tygon Fuel and Lubricant (F-4040-A) Tubing; L/S 16; 50 ft.  | PK   | 13176      |
| 13310197 | Tubing, Plastic; Thermo Scientific; MasterFlex L/S; L/S 17; 0.25 in. I.D.; Length 17 to 1700mL/m in. Flow Range; 1.0 bar Maximum Continuous Pressure; 510mmHG Maximum Vacuum; Tygon Fuel and Lubricant Tubing (F-4040-A); 50 ft. Length | PK   | 22377      |
| 13310277 | Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (peroxide) Tubing; L/S 14; I.D. 1.6mm; 25 ft.   | PK   | 9901       |
| 13310281 | Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; High-Performance Precision Silicone (peroxide) Tubing; L/S 15; 25 ft.  | PK   | 16908      |
| 13310282 | Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (platinum) Tubing; L/S 16; I.D. 3.2mm; 25 ft.   | PK   | 12657      |
| 13310296 | Tubing; Pump; MasterFlex I/P 26 Precision; Column extruded; Optically inspected; Peroxide-cured Silicone; I.D.: 0.25; Hose Barb: 0.25 in.   | PK   | 37290      |
| 13310300 | Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (peroxide) Tubing; L/S 18; I.D. 9.5mm; 25 ft.   | PK   | 19147      |



## Equipment

| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 13310309 | Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (peroxide) Tubing; L/S 17; I.D. 6.4mm; 25 ft.  | PK   | 16386      |
| 13310336 | Tubing, Extension; Thermo Scientific Barnant; Silicone (Platinum cured); Tubing I.D.: 0.06 in.; Hose Barb: 0.06 in.; Easily connects pumping links to pump system; For use with Barnant Manostat and CompuLab 3 Pumps. | EA   | 14149      |
| 13310337 | Tubing, Extension; Thermo Scientific Barnant; Silicone (Platinum cured); Tubing I.D.: 0.13 in.; Hose Barb: 0.13 in.; Easily connects pumping links to pump system; For use with Barnant Manostat and CompuLab 3 Pumps. | EA   | 16320      |
| 13310338 | Tubing, Extension; Thermo Scientific Barnant; Silicone (Platinum cured); Tubing I.D.: 0.19 in.; Hose Barb: 0.19 in.; Easily connects pumping links to pump system; For use with Barnant Manostat and CompuLab 3 Pumps. | EA   | 19354      |
| 13310339 | Tubing, Extension; Thermo Scientific Barnant; Silicone (Platinum cured); Tubing I.D.: 0.25 in.; Hose Barb: 0.25 in.; Easily connects pumping links to pump system; For use with Barnant Manostat and CompuLab 3 Pumps. | EA   | 21557      |
| 13310340 | Tubing, Extension; Thermo Scientific Barnant; Silicone (Platinum cured); Tubing I.D.: 0.31 in.; Hose Barb: 0.38 in.; Easily connects pumping links to pump system; For use with Barnant Manostat and CompuLab 3 Pumps. | EA   | 25498      |
| 13310478 | Tubing; Thermo Scientific Barnant; Tygon Pumping Links; Tubing I.D.: 0.25 in.; Hose Barb: 0.25 in.; Load inside pump for accurate flowrates; For use with Barnant Manostat and CompuLab 3 Pumps.                       | PK   | 24294      |
| 13310479 | Tubing; Thermo Scientific Barnant; Tygon Pumping Links; Tubing I.D.: 0.19 in.; Hose Barb: 0.19 in.; Load inside pump for accurate flowrates; For use with Barnant Manostat and CompuLab 3 Pumps.                       | PK   | 23581      |
| 13310483 | Tubing; Thermo Scientific Barnant; Spencer, Compulab RD2; Tubing I.D.: 0.19 in.; Hose Barb: 0.19 in.; For use with Barnant Manostat and CompuLab 3 Pumps.  | PK   | 26935      |
| 13310503 | Sinker; Thermo Scientific; Accessory for pumps and dispensers; Large; 4.57 and 6.35mm (0.1875 and 0.25 in.)  | EA   | 10371      |
| 13310513 | Pump, Tubing; Thermo Scientific; Peristaltic; FH10; 50 to 300rpm; Complete with power supply; 0.07 to 50mL/min; Powder-coated steel; Uses micro-biore auto analysis tubing size 0.19mm to 2.79mm ID                    | EA   | 159180     |
| 13310516 | Tubing, Pump; Thermo Scientific; FH100; General purpose; BioPharm Silicone; Size 14; Flowrange: 2.0 to 150mL/min.; Inside Dia. 1.6mm; Material: Silicone (platinum-cured)  | EA   | 20704      |
| 13310517 | Tubing, Pump; Thermo Scientific; FH100; General purpose; BioPharm Silicone; Size 16; Flowrange: 6.5 to 550mL/min.; Inside Dia. 3.2mm; Material: Silicone (platinum-cured)  | EA   | 26625      |
| 13310518 | Tubing, Pump; Thermo Scientific; FH100; General purpose; BioPharm Silicone; Size 25; Flowrange: 14 to 2000mL/min.; Inside Dia. 4.8mm; Material: Silicone (platinum-cured)  | EA   | 33920      |
| 13310519 | Tubing, Pump; Thermo Scientific; FH100; General purpose; BioPharm Silicone; Size 17; Flowrange: 24 to 2000mL/min.; Inside Dia. 6.4mm; Material: Silicone (platinum-cured)  | EA   | 36096      |
| 13310520 | Tubing; Pump; Thermo Scientific; FH100; General purpose; BioPharm Silicone; Flowrange: 36 to 3000mL/min.; Size 18; Inside Dia. 8.0mm; Material: Silicone (platinum-cured)  | EA   | 47322      |
| 13310521 | Tubing, Pump; Thermo Scientific; FH100X; General purpose; BioPharm Silicone; Size 15; Flowrange: 14 to 1200mL/min.; Inside Dia. 4.8mm; Material: Silicone (platinum-cured)   | EA   | 48573      |
| 13310522 | Tubing, Pump; Thermo Scientific; FH100X; General purpose; BioPharm Silicone; Size 24; Flowrange: 24 to 2000mL/min.; Inside Dia. 6.4mm; Material: Silicone (platinum-cured)   | EA   | 54278      |
| 13310523 | Tubing, Pump; Thermo Scientific; FH100X; General purpose; BioPharm; Size 35; Flowrange 36 to 3000mL/min.; Inside Dia. 8.0mm; Material: Silicone (platinum-cured)   | EA   | 65071      |
| 13310524 | Tubing, Pump; Thermo Scientific; FH100X; General purpose; Size 36; Flowrange: 48 to 4000mL/min.; Inside Dia. 9.5mm; Material: Silicone (platinum-cured)  | EA   | 73231      |
| 13310526 | Tubing, Pump; Thermo Scientific; FH100; General purpose; Pharmed BPT; Size 14; Flowrange: 2.0 to 150mL/min.; Inside Dia. 1.6mm; Material: TPE  | EA   | 20982      |
| 13310527 | Tubing, Pump; Thermo Scientific; FH100; General purpose; Pharmed BPT; Size 16; Flowrange: 6.8 to 550mL/min.; Inside Dia. 3.2mm; Material: TPE  | EA   | 23062      |
| 13310528 | Tubing, Pump; Thermo Scientific; FH100; General purpose; Pharmed BPT; Size 25; Flowrange: 15 to 1200mL/min.; Inside Dia. 4.8mm; Material: TPE  | EA   | 23589      |
| 13310529 | Tubing, Pump; Thermo Scientific; FH100; General purpose; Pharmed BPT; Size 17; Flowrange: 25 to 2000mL/min.; Inside Dia. 6.4mm; Material: TPE  | EA   | 27609      |
| 13310530 | Tubing, Pump; Thermo Scientific; FH100; General purpose; Pharmed BPT; Size 18; Flowrange: 38 to 3000mL/min.; Inside Dia. 8.0mm; Material: TPE  | EA   | 28951      |
| 13310531 | Tubing, Pump; Thermo Scientific; FH100; General purpose; Norprene Food; Size 14; Flowrange: 1.9 to 150mL/min.; Inside Dia 1.6mm; Material: TPE   | EA   | 12745      |
| 13310532 | Tubing, Pump; Thermo Scientific; FH100; General purpose; Norprene; Size 16; Flowrange: 6.5 to 550mL/min.; Inside Dia. 3.2mm; Material:TPE  | EA   | 13072      |
| 13310533 | Tubing, Pump; Thermo Scientific; FH100; General purpose; Norprene Food; Size 25; Flowrange 14 to 1200mL/min; Inside Dia. 4.8mm; Material: TPE  | EA   | 21557      |
| 13310534 | Tubing, Pump; Thermo Scientific; FH100; General purpose; Norprene Food; Size 17; Flowrange: 24 to 2000mL/min.; Inside Dia. 6.4mm; Material: TPE  | EA   | 21439      |

PK - Pack  
EA - Each



| Cat. No. | Description   | Pack | Price in ₹ |
|----------|---|------|------------|
| 13310535 | Tubing, Pump; Thermo Scientific; FH100; General purpose; Norprene Food; Size 18; Flowrange: 36 to 3000mL/min.; Inside Dia. 8.0mm; Material:TPE  | EA   | 24105      |
| 13310584 | Tubing Links, BioPharm; Silicone; Thermo Scientific; Precision; Size 13; 12/pk.   | EA   | 35310      |
| 13310585 | Tubing Links, BioPharm; Silicone; Thermo Scientific; Precision; Size 13; 12/pk.   | EA   | 40554      |
| 13310586 | Tubing Links, BioPharm; Silicone; Thermo Scientific; Precision; Size 13; 12/pk.   | EA   | 39534      |
| 13310593 | Tubing, Pump; Thermo Scientific; High Resilience; FH100; Flowrange: 2.0 to 150mL/min; Inside Dia. 1.6mm; Material: ePTFE; Style 100 SC; Size 14   | EA   | 46755      |
| 13310594 | Tubing, Pump; Thermo Scientific; High Resilience; FH100; Flowrange: 6.5 to 550mL/min; Inside Dia. 3.2mm; Material: ePTFE/Silicone; Style 100 SC; Size 16  | EA   | 46755      |
| 13310595 | Tubing, Pump; Thermo Scientific; High Resilience; Flowrange: to 14 to 120mL/min; Inside Dia: 4.8mm; Material:ePTFE/silicone; FH100; Style 100 SC; Size 25   | EA   | 47589      |
| 13310596 | Tubing, Pump; Thermo Scientific; FH100; Flowrange: 24 to 2000mL/min; Inside Dia. 6.4mm; material: ePTFE/ Silicone; Style 100 SC; Size 17  | EA   | 44815      |
| 13310597 | Tubing, Pump; Thermo Scientific; FH100; High Resilience; Flowrange: 36 to 3000mL/min; I.D.: 8.0mm; Material: PTFE /Silicone; Style 100 SC; Size 18  | EA   | 44784      |
| 13310598 | Tubing, Pump; Thermo Scientific; FH100X; High Resilience; Flowrange: 14 to 2000mL/min; Inside Dia. 4.8mm; Material: ePTFE; Style 100 SC; Size 15  | EA   | 44818      |
| 13310599 | Tubing, Pump; Thermo Scientific; FH100; High Resilience; Flowrange: 36 to 3000mL/min; I.D.: 8.0mm; Material: PTFE /Silicone; Style 100 SC; Size 24  | EA   | 44818      |
| 13310600 | Tubing, Pump; Thermo Scientific; High Resilience; FH100X; Flowrange: to 14 to 120mL/min; Inside Dia: 4.8mm; Material:ePTFE/silicone; Style 100 SC; Size 35  | EA   | 44773      |
| 13310601 | Tubing, Pump; Thermo Scientific; High Resilience; FH100X; High Resilience; Flowrange: 48 to 4000mL/min; Inside Dia. 9.5mm; material: ePTFE/silicone; Style 100 SC; Size 36  | EA   | 55036      |
| 13310619 | Tubing, Pump; Thermo Scientific; FH100; High Resilience; Flowrange: 6.5 to 550mL/min; Inside Dia. 3.2mm; Material: ePTFE; Style 400 FKM; Size 16  | EA   | 57506      |
| 13310621 | Tubing, Pump; Thermo Scientific; FH100X; High Resilience; Flowrange 24 to 2000mL/min;Inside Dia. 6.4mm; Material: ePTFE; Style 400 FKM; Size 24   | EA   | 63477      |
| 1331078  | Tubing, Plastic; Masterflex; Platinum-cured silicone; For use with E/S portable or composite samplers; Size L/S 24; 25 ft. (7.6m) length  | CS   | 24635      |
| 1331079  | Tubing; Pump; MasterFlex I/P 73 Precision; Column extruded; Optically inspected; Peroxide-cured Silicone; I.D.: 0.38; Hose Barb: 0.37 in.   | PK   | 34361      |
| 13310823 | TBE 0.8MM ID PHARMED 25FT/PK  | PK   | 14558      |
| 13310824 | TBE, LINK 0.8MMID SILI 12FT/PK  | PK   | 30855      |
| 13310825 | TBE, LINK 1.6MMID SILI 12FT/PK  | PK   | 31613      |
| 13310826 | TBE, LINK 3.2MMID SILI 12FT/PK  | PK   | 33886      |
| 13310827 | TBE, LINK 4.8MMID SILI 12FT/PK  | PK   | 35210      |
| 13310828 | TBE, LINK 6.4MMID SILI 12FT/PK  | PK   | 37292      |
| 13310829 | TBE, LINK 8.0MMID SILI 12FT/PK  | PK   | 38619      |
| 13310830 | TBE, LINK 9.5MMID SILI 12FT/PK  | PK   | 44865      |
| 13310831 | TBE LNK0.8MMID PHARMED 12FT/PK  | PK   | 30100      |
| 13310832 | TBE LNK1.6MMID PHARMED 12FT/PK  | PK   | 30855      |
| 13310833 | TBE LNK3.2MMID PHARMED 12FT/PK  | PK   | 31804      |
| 13310834 | TBE LNK4.8MMID PHARMED 12FT/PK  | PK   | 32751      |
| 13310835 | TBE LNK6.4MMID PHARMED 12FT/PK  | PK   | 31993      |
| 13310836 | TBE LNK8.0MMID PHARMED 12FT/PK  | PK   | 33886      |
| 13310837 | TBE LNK4.8MMID PHARMED 12FT/PK  | PK   | 32751      |
| 13310838 | TBE LNK6.4MMID PHARMED 12FT/PK  | PK   | 35590      |
| 13310839 | TBE LNK8.0MMID PHARMED 12FT/PK  | PK   | 41836      |
| 13310840 | TBE LNK9.5MMID PHARMED 12FT/PK  | PK   | 46189      |
| 141502A  | Tubing; Fisherbrand; General-Purpose; Rubber; on 50 ft Reel; Red; Thick wall; I.D.: 1/4 in.   | EA   | 4793       |
| 141502E  | Tubing; Fisherbrand; General-Purpose; Rubber; on 50 ft Reel; Black; Thick wall; I.D.: 3/8 in.   | EA   | 9807       |
| 141505A  | Tubing, Natural Rubber; Fisherbrand; 12-ft lengths; Talc-free, autoclavable; Meets Fed. Spec. ZZ-T-831D Types I and III; Color: Black, thin wall; I.D.: 0.125 in. (3.2mm); Wall thickness: 0.0312 in. (0.8mm); O.D.: 0.1875 in. (4.8mm); 1/ea | EA   | 595        |

PK - Pack

EA - Each



## Equipment

| Cat. No. | Description   | Pack | Price in ₹ |
|----------|---|------|------------|
| 141505C  | Tubing, Natural Rubber; Fisherbrand; 12-ft lengths; Talc-free, autoclavable; Meets Fed. Spec. ZZ-T-831D Types I and III; Color: Black, thin wall; I.D.: 0.25 in. (6.4mm); Wall thickness: 0.0625 in. (1.6mm); O.D.: 0.375 in. (9.5mm); 1/ea | EA   | 918        |
| 14157C   | Tubing, Rubber; Fisherbrand; Black, Thick Wall; 0.25 in. (6.4mm) I.D.; 0.0625 in. wall thickness; 0.375 in. O.D.  | EA   | 1078       |
| 14158D   | Tubing, Rubber; Fisherbrand; Black, Thick Wall; 0.25 in. I.D.; 0.093 in. wall thickness; 0.43 in. O.D.  | EA   | 1371       |
| 14158E   | Tubing, Rubber; Fisherbrand; Black, Thick Wall; 0.312 in. I.D.; 0.09 in. wall thickness; 0.5 in. O.D.   | EA   | 1537       |
| 14158F   | Tubing, Rubber; Fisherbrand; Black; Thick wall; 0.375 in. I.D.; 0.125 in. wall thickness; 0.625 in. O.D.  | EA   | 2203       |
| 14166D   | Tubing, Rubber; Fisherbrand; Red, Thin Wall; 0.312 in. I.D.; 0.062 in. wall thickness; 0.437 in. O.D.   | EA   | 1193       |
| 14166E   | Tubing, Rubber; Fisherbrand; Red, Thin Wall; 0.375 in. I.D.; 0.093 in. wall thickness; 0.562 in. O.D.   | EA   | 1757       |
| 14167G   | Tubing, Rubber; Fisherbrand; Red, Thick Wall; 0.5 in. I.D.; 0.125 in. wall thickness; 0.75 in. O.D.   | EA   | 2656       |
| 14168B   | Tubing; Butyl Rubber; Fisherbrand; Heavy wall; Wall thickness: 0.125 in.; I.D. x O.D.: 0.25 x 0.5 in.   | PK   | 3404       |
| 141697A  | Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.125 in. (3.2mm); Wall Thickness: 0.0625 in.; O.D.: 0.25 in.; In 50 ft. Lengths   | PK   | 1479       |
| 141697B  | Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.19 in.; Wall Thickness: 0.06 in.; O.D.: 0.31 in.; Length: 50 ft.   | PK   | 1607       |
| 141697C  | Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.25 in.; Wall thickness: 0.06 in.; O.D.: 0.38 in.; Length: 50 ft.; Maximum operating temperature: 73.8deg.C (165deg.F)  | PK   | 1655       |
| 141697D  | Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.25 in.; Wall Thickness: 0.093 in.; O.D.: 0.437 in. (11mm); In 50 ft. lengths   | PK   | 2617       |
| 141697E  | Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.25 in.; Wall thickness: 0.13 in.; O.D.: 0.5 in.; Length: 50 ft.  | PK   | 3147       |
| 141697F  | Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.31 in.; Wall thickness: 0.06 in.; O.D.: 0.44 in.; Clear; Durometer hardness: Shore A, 65; Maximum operating temperature: 73.8deg.C (165deg.F)  | PK   | 2043       |
| 141697G  | Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.38 in.; Wall thickness: 0.06 in.; O.D.: 0.5 in. (12.7mm); Length: 50 ft.   | PK   | 2363       |
| 141697H  | Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.375 in.; Wall Thickness: 0.125 in.; O.D.: 0.625 in. (15.9mm); In 50 ft. lengths  | PK   | 4227       |
| 141697J  | Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.5 in.; Wall thickness: 0.06 in.; O.D. 0.63 in. (15.9mm); Length: 50 ft.  | PK   | 3758       |
| 141697K  | Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.5 in.; Wall Thickness: 0.093 in.; O.D.: 0.687 in.; In 50 ft. Lengths   | PK   | 4625       |
| 141697L  | Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.5 in.; Wall Thickness: 0.125 in.; O.D.: 0.75 in. (19mm); In 50' lengths  | PK   | 5973       |
| 141697M  | Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.625 in.; Wall Thickness: 0.125 in.; O.D.: 0.875 in.; In 50 ft. Lengths   | PK   | 6220       |
| 141697N  | Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.75 in.; Wall Thickness: 0.125 in.; O.D.: 1 in.; In 50 ft. Lengths  | PK   | 7646       |
| 141741A  | Tubing, Plastic; Fisherbrand; Kit; I.D.: 0.187 in.; O.D.: 0.312 in.; Wall Thickness: 0.0625 in.; Contains 50 ft. (15.2m) of tubing; 4 polypropylene connectors; polypropylene tubing clamp  | EA   | 3098       |
| 141741C  | Tubing, Plastic; Fisherbrand; Kit; I.D.: 0.25 in. (6.4mm); O.D.: 0.375 in. (9.5mm); Wall Thickness: 0.0625 in.; Contains 50 ft. (15.2m) of tubing; 4 polypropylene connectors; polypropylene tubing clamp                                   | PK   | 3440       |
| 141741E  | Tubing, Plastic; Fisherbrand; Kit; I.D.: 0.312 in. (7.9mm); O.D.: 0.437 in. (11mm); Wall Thickness: 0.0625 in.; Contains 50 ft. (15.2m) of tubing; 4 polypropylene connectors; 2 polypropylene tubing clamps                                | EA   | 4457       |
| 141741G  | Tubing, Plastic; Fisherbrand; Kit; I.D.: 0.375 in. (9.5mm); O.D.: 0.5 in. (12.7mm); Wall Thickness: 0.0625 in.; Contains 50 ft. (15.2m) of tubing; 4 polypropylene connectors; 2 polypropylene tubing clamp                                 | PK   | 4885       |
| 141741J  | Tubing, Plastic; Fisherbrand; Kit; I.D.: 0.375 in.; O.D.: 0.5 in.; Wall Thickness: 0.0625 in.; Contains 50 ft. (15.2m) of tubing; 4 polypropylene connectors; polypropylene tubing clamp  | PK   | 9109       |
| 141741M  | Tubing, Plastic; Fisherbrand; Kit; I.D.: 0.5 in.; O.D.: 0.0625 in.; Wall Thickness: 0.0625 in.; Contains 50 ft. (15.2m) of tubing; 4 polypropylene connectors; polypropylene tubing clamp   | EA   | 6016       |
| 141782AA | Tubing, Rubber; Fisherbrand; Amber; Thick wall; Talc free; Nontacky; Autoclavable; I.D.: 1/8 in. (3.2mm); Length: 50 ft.  | EA   | 4615       |
| 141782B  | Tubing, Rubber; Fisherbrand; Amber; Thin Wall; Talc free; Nontacky; Autoclavable; I.D.: 3/16 in. (4.8mm); Length: 50 ft.  | EA   | 3836       |
| 141782BB | Tubing, Rubber; Fisherbrand; Amber; Thick Wall; Talc free; Nontacky; Autoclavable; I.D.: 3/16 in. (4.8mm); Length: 50 ft.   | EA   | 5509       |
| 141782C  | Tubing, Rubber; Fisherbrand; Amber; Thin wall; I.D.: 1/4 in. (6.4mm); Wall thickness: 1/16 in. (1.6mm); O.D.: 3/8 in. (9.5mm)   | EA   | 4283       |
| 141782CC | Tubing, Rubber; Fisherbrand; Amber, Thick Wall; Talc free; Nontacky; Autoclavable; I.D.: 1/4 in. (6.4mm); Length: 50 ft.  | EA   | 5480       |
| 141782D  | Tubing, Rubber; Fisherbrand; Amber; Thin wall; I.D.: 5/16 (7.9mm); Wall thickness: 1/16 in. (1.6mm); O.D.: 7/16 in. (11.1mm)  | EA   | 5221       |

PK - Pack  
EA - Each



| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 141785A  | Tubing, Natural Rubber; Fisherbrand; 12-ft lengths; Talc-free, autoclavable; Meets Fed. Spec. ZZ-T-831D Types I and III; Color: Amber, thick wall; I.D.: 0.0625 in. (1.6mm); Wall thickness: 0.0312 in. (0.8mm); O.D.: 0.125 in. (3.2mm); 1/ea   | EA   | 573        |
| 141785B  | Tubing, Natural Rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thick wall; I.D. x O.D.: 0.125 x 0.25 in. (3.2 x 6.4mm); Wall thickness: 0.0625 in. (1.6mm); 12 ft. (3.7m)  | EA   | 851        |
| 141785C  | Tubing, Natural Rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thick wall; I.D. x O.D.: 0.187 x 0.375 in. (4.8 x 9.5mm); Wall thickness: 0.094 in. (2.4mm); 12 ft. (3.7m)  | EA   | 1369       |
| 141785D  | Tubing, Natural Rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thick wall; I.D. x O.D.: 0.25 x 0.437 in. (6.4 x 11.1mm); Wall thickness: 0.094 in. (2.4mm); 12 ft. (3.7m)  | EA   | 1594       |
| 141785E  | Tubing, Natural Rubber; Fisherbrand; Amber; Thick Wall; I.D.: 0.3125 in. (7.9mm); Wall Thickness: 3/32 in. (2.4mm); O.D.: 0.5 in. (12.7mm); In 12 ft. lengths  | PK   | 1765       |
| 141785F  | Tubing, Natural rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thick wall; I.D. x O.D.: 0.375 x 0.625 in. (9.5 x 15.9mm); Wall thickness: 0.125 in. (3.2mm); 12 ft. (3.7m) | EA   | 2542       |
| 141785G  | Tubing, Natural Rubber; Fisherbrand; 12-ft lengths; Talc-free, autoclavable; Meets Fed. Spec. ZZ-T-831D Types I and III; Color: Amber, thick wall; I.D.: 1/2 in. (12.7mm); Wall thickness: 1/8 in. (3.2mm); O.D.: 3/4 in. (19.1mm); 1/ea         | EA   | 3375       |
| 14178A   | Tubing, Natural Rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thin wall; I.D. x O.D.: 0.156 x 0.25 in. (4 x 6.4mm); Wall thickness: 0.047 in. (1.2mm); 12 ft. (3.7m)      | EA   | 776        |
| 14178B   | Tubing, Natural Rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thin wall; I.D. x O.D.: 0.187 x 0.312 in. (4.8 x 7.9mm); Wall thickness: 0.062 in. (1.6mm); 12 ft. (3.7m)   | EA   | 999        |
| 14178C   | Tubing, Natural Rubber; Fisherbrand; 12-ft lengths; Talc-free, autoclavable; Meets Fed. Spec. ZZ-T-831D Types I and III; Color: Amber, thin wall; I.D.: 0.25 in. (6.4mm); Wall thickness: 0.0625 in. (1.6mm); O.D.: 0.375 in. (9.5mm); 1/ea      | EA   | 1127       |
| 14178D   | Tubing, Natural Rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thin wall; I.D. x O.D.: 0.312 x 0.437 in. (7.9 x 11.1mm); Wall thickness: 0.062 in. (1.6mm); 12 ft. (3.7m)  | EA   | 1295       |
| 14178E   | Tubing, Rubber; Fisherbrand; Amber; Thin Wall; I.D.: 3/8 in. (9.5mm); Wall Thickness: 0.0625 in. (1.6mm); O.D.: 0.5 in. (12.7mm); In 12 ft. lengths  | EA   | 1366       |
| 14178F   | Tubing, Natural rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thin wall; I.D. x O.D.: 0.5 x 0.687 in. (12.7 x 17.5mm); Wall thickness: 0.094 in. (2.4mm); 12 ft. (3.7m)   | EA   | 2509       |
| 14190500 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Orange-Blue; I.D.: 0.25mm; Length: 16 in. (41cm); Two-stop   | PK   | 3006       |
| 14190501 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Orange-Green; I.D.: 0.38mm; Length: 16 in. (41cm); Two-stop  | PK   | 3006       |
| 14190502 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Orange-Yellow; I.D.: 0.51mm; Length: 16 in. (41cm); Two-stop   | PK   | 3006       |
| 14190503 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Orange-White; I.D.: 0.64mm; Length: 16 in. (41cm); Two-stop  | PK   | 3006       |
| 14190504 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Black-Black; I.D.: 0.76mm; Length: 16 in. (41cm); Two-stop   | PK   | 3006       |
| 14190505 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Orange-Orange; I.D.: 0.89mm; Length: 16 in. (41cm); Two-stop   | PK   | 3006       |
| 14190506 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: White-White; I.D.: 1.02mm; Length: 16 in. (41cm); Two-stop   | PK   | 3006       |
| 14190507 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Red-Red; I.D.: 1.14mm; Length: 16 in. (41cm); Two-stop   | PK   | 3006       |
| 14190508 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Gray-Gray; I.D.: 1.30mm; Length: 16 in. (41cm); Two-stop   | PK   | 3006       |
| 14190509 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Yellow-Yellow; I.D.: 1.42mm; Length: 16 in. (41cm); Two-stop   | PK   | 3006       |
| 14190510 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Yellow-Blue; I.D.: 1.52mm; Length: 16 in. (41cm); Two-stop   | PK   | 3006       |

PK - Pack

EA - Each



## Equipment

| Cat. No. | Description   | Pack | Price in ₹ |
|----------|---|------|------------|
| 14190511 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Blue-Blue; I.D.: 1.65mm; Length: 16 in. (41cm); Two-stop  | PK   | 3006       |
| 14190512 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Green-Green; I.D.: 1.85mm; Length: 16 in. (41cm); Two-stop  | PK   | 3006       |
| 14190513 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Purple-Purple; I.D.: 2.06mm; Length: 16 in. (41cm); Two-stop  | PK   | 3006       |
| 14190514 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Purple-Black; I.D.: 2.29mm; Length: 16 in. (41cm); Two-stop   | PK   | 3006       |
| 14190515 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Purple-Orange; I.D.: 2.54mm; Length: 16 in. (41cm); Two-stop  | PK   | 3006       |
| 14190516 | Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Purple-White; I.D.: 2.79mm; Length: 16 in. (41cm); Two-stop   | PK   | 3006       |
| 14190517 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Orange-Blue; I.D.: 0.25mm; Length: 16 in. (41cm); Two-stop   | PK   | 3351       |
| 14190518 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Orange-green; I.D.: 0.015 in. (0.38mm); Length: 16 in. (41cm); Two-stop  | PK   | 3351       |
| 14190519 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Orange-Yellow; I.D.: 0.51mm; Length: 16 in. (41cm); Two-stop   | PK   | 3351       |
| 14190520 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Orange-White; I.D.: 0.64mm; Length: 16 in. (41cm); Two-stop  | PK   | 3351       |
| 14190521 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Black-Black; I.D.: 0.76mm; Length: 16 in. (41cm); Two-stop   | PK   | 3351       |
| 14190522 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Orange-Orange; I.D.: 0.89mm; Length: 16 in. (41cm); Two-stop   | PK   | 3351       |
| 14190523 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: White-White; I.D.: 1.02mm; Length: 16 in. (41cm); Two-stop   | PK   | 3351       |
| 14190524 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Red-red; I.D.: 0.045 in (1.14mm); Length: 16 in. (41cm)  | PK   | 3351       |
| 14190525 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Grey-Grey; I.D.: 1.30mm; Length: 16 in. (41cm); Two-stop   | PK   | 3351       |
| 14190526 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Yellow-Yellow; I.D.: 1.42mm; Length: 16 in. (41cm); Two-stop   | PK   | 3351       |
| 14190527 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Yellow-blue; I.D.: 0.060 in (1.52mm); Length: 16 in. (41cm)  | PK   | 3351       |
| 14190528 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Blue-Blue; I.D.: 1.65mm; Length: 16 in. (41cm); Two-stop   | PK   | 3351       |
| 14190529 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Green-Green; I.D.: 1.85mm; Length: 16 in. (41cm); Two-stop   | PK   | 3351       |
| 14190530 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Purple-Purple; I.D.: 2.06mm; Length: 16 in. (41cm); Two-stop   | PK   | 3351       |
| 14190531 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Purple-Black; I.D.: 2.29mm; Length: 16 in. (41cm); Two-stop  | PK   | 3351       |
| 14190532 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Purple-Orange; I.D.: 2.54mm; Length: 16 in. (41cm); Two-stop; Accu-rated   | PK   | 3351       |
| 14190533 | Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Purple-White; I.D.: 2.79mm; Length: 16 in. (41cm); Two-stop; Accu-rated  | PK   | 3351       |
| 14190534 | Tubing, Pump; Fisherbrand; Hema Stain; Silicone tubing kit; Labeled for easy size identification; Contains: One each of 240mm (sticker no. 1), 265mm (sticker no. 2), and 365mm (sticker no. 3) length tubing | PK   | 3351       |
| 14190535 | Tubing, Platen; Fisherbrand; Hema Stain; Solva; Highly resistant to oil, gasoline, kerosene; Flexible translucent yellow; I.D.: 0.89mm; Length: 240mm; Pack of 6  | PK   | 3351       |
| 141502H  | Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 50 ft. (15.2m); I.D. x O.D.: 0.5 x 1 in. (12.7 x 25.4mm); Wall thickness: 0.25 in. (6.4mm)  | EA   | 21154      |
| 141502J  | Tubing, Rubber; Fisherbrand Pressure and Vacuum; Black; Tubing on reel of 50 ft. (15.2m); I.D. x O.D.: 0.25 x 0.625 in. (6.4 x 15.9mm); Wall thickness: 0.187 in. (4.8mm)                                     | EA   | 13352      |
| 141502K  | Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 50 ft. (15.2m); I.D. x O.D.: 0.312 x 0.687 in. (7.9 x 17.5mm); Wall thickness: 0.187 in. (4.8mm)  | EA   | 13816      |
| 141502L  | Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 50 ft. (15.2m); I.D. x O.D.: 0.375 x 0.875 in. (9.5 x 22.2mm); Wall thickness: 0.25 in. (6.4mm)   | EA   | 18107      |

PK - Pack  
EA - Each

# FreeZone® Freeze Dry Systems



## Selection Guide

| System Capacity | Style           | Application Requirements and User Preferences  | -50° C (-58°F) Collector/Refrigeration   | -84° C (-119° F) Cascade Collector/ Refrigeration  | -105° C (-157°F)** Cascade Collector/ Refrigeration  | Purge Valve, Mini Vacuum Drying Chamber & Shell   |
|-----------------|-----------------|--|--|--|--|---|
| 1 Liter         | Benchtop        | <ul style="list-style-type: none"> <li>• Light sample loads</li> <li>• Limited floor space</li> <li>• Economical</li> </ul>                                      | <ul style="list-style-type: none"> <li>• 1/3 hp refrigeration system</li> <li>• Removes 1 liter of water in 24 hours*</li> </ul>       |  |  |   |
| 2.5 Liters      | Benchtop        | <ul style="list-style-type: none"> <li>• Light sample loads</li> <li>• Limited floor space</li> </ul>  | <ul style="list-style-type: none"> <li>• 1/3 hp refrigeration system</li> <li>• Removes 2 liters of water in 24 hours*</li> </ul>      | <ul style="list-style-type: none"> <li>• Two 1/3 hp refrigeration systems</li> <li>• Removes 2.2 liters of water in 24 hours*</li> </ul>     |  |   |
| 2.5 Liters      | Console         | <ul style="list-style-type: none"> <li>• Light sample loads</li> <li>• Low eutectic point samples</li> </ul>   |  | <ul style="list-style-type: none"> <li>• Two 1/3 hp refrigeration systems</li> <li>• Removes 2.2 liters of water in 24 hours*</li> </ul>     |  |   |
| 2.5 Liters      | Benchtop Triad™ | <ul style="list-style-type: none"> <li>• Light sample loads</li> <li>• Low eutectic point samples</li> <li>• Stoppers samples in bottles under vacuum</li> </ul> |  | <ul style="list-style-type: none"> <li>• Two 1/3 hp refrigeration systems</li> <li>• Removes 1.8 liters of water in 24 hours*</li> </ul>     | <ul style="list-style-type: none"> <li>• Two 1/3 hp refrigeration systems</li> <li>• Removes 2.5 liters of water in 24 hours*</li> </ul> |   |
| 4.5 Liters      | Benchtop        | <ul style="list-style-type: none"> <li>• Light to moderate sample loads</li> <li>• Limited floor space</li> </ul>  | <ul style="list-style-type: none"> <li>• 1/3 hp refrigeration system</li> <li>• Removes over 2 liters of water in 24 hours*</li> </ul> | <ul style="list-style-type: none"> <li>• Two 1/3 hp refrigeration systems</li> <li>• Removes 4 liters of water in 24 hours*</li> </ul>       |  |   |
| 4.5 Liters      | Console         | <ul style="list-style-type: none"> <li>• Light to moderate sample loads</li> </ul>   | <ul style="list-style-type: none"> <li>• 1/3 hp refrigeration system</li> <li>• Removes over 2 liters of water in 24 hours*</li> </ul> | <ul style="list-style-type: none"> <li>• Two 1/3 hp refrigeration systems</li> <li>• Removes 4 liters of water in 24 hours*</li> </ul>       |  |   |
| 6 Liters        | Benchtop        | <ul style="list-style-type: none"> <li>• Moderate sample loads</li> <li>• Limited floor space</li> <li>• Available with Stoppering Tray Dryer</li> </ul>         | <ul style="list-style-type: none"> <li>• 3/4 hp refrigeration system</li> <li>• Removes 4 liters of water in 24 hours*</li> </ul>      |  |  |   |
| 6 Liters        | Console         | <ul style="list-style-type: none"> <li>• Moderate sample loads</li> <li>• Broadest range of options</li> <li>• Available with Stoppering Tray Dryer</li> </ul>   | <ul style="list-style-type: none"> <li>• 3/4 hp refrigeration system</li> <li>• Removes 4 liters of water in 24 hours*</li> </ul>      | <ul style="list-style-type: none"> <li>• Two 1/3 hp refrigeration systems</li> <li>• Removes 4 liters of water in 24 hours*</li> </ul>       |  | <ul style="list-style-type: none"> <li>• Purge Valve available</li> <li>• Mini Vacuum Drying Chamber available</li> <li>• Shell Freezer available with -50° C models</li> </ul> |
| 12 Liters       | Console         | <ul style="list-style-type: none"> <li>• Sample loads of varying volumes</li> <li>• Available with Stoppering Tray Dryer</li> </ul>                              | <ul style="list-style-type: none"> <li>• 1 hp refrigeration system</li> <li>• Removes 8 liters of water in 24 hours*</li> </ul>        | <ul style="list-style-type: none"> <li>• Two 3/4 hp refrigeration systems</li> <li>• Removes up to 4 liters of water in 24 hours*</li> </ul> |  | <ul style="list-style-type: none"> <li>• Purge Valve available</li> <li>• Mini Vacuum Drying Chamber available</li> </ul>   |
| 18 Liters       | Console         | <ul style="list-style-type: none"> <li>• Large volumes of material or numerous sample batches</li> </ul>   | <ul style="list-style-type: none"> <li>• 1-1/2 hp refrigeration system</li> <li>• Removes 10 liters of water in 24 hours*</li> </ul>   |  |  | <ul style="list-style-type: none"> <li>• Purge Valve available</li> <li>• Mini Vacuum Drying Chamber available</li> </ul>   |

\*Freeze drying rate will be lower for samples other than shell-frozen plain water.

# Fisher Scientific Vacuum Pumps

Find the correct vacuum pump/system to address your application needs. The Fisher Scientific product line offers a wide range of vacuum pumps – each expertly designed for optimum function in your application.

| Application  | Fisher Scientific Pumps & Systems                       | Pumping Speed X Vacuum             | Model  |
|--|---|------------------------------------|--|
| <b>General Vacuum Work</b>   | Dry running pump, compact and portable                  | 38L/min<br>8 mbar                  |  FB65453  |
| <b>Vacuum/Pressure Filtration</b><br>Glass Filtration Assemblies                   | Vacuum or pressure capability                           | 15L/min<br>100 mbar                |  FB65499  |
| <b>Degassing,</b><br>Dessication,<br>Solvent Degasification                        | Compact, portable and maintenance-free                  | 15L/min<br>100 mbar                |  FB65499  |
| <b>Rotary Evaporator</b><br>Volatile, Low B.P.<br>B.P. <100°C<br>Samples 0-5 Liter | Powerful with optional vacuum regulation                | 38L/min<br>8 mbar                  |  FB65453  |
| <b>Rotary Evaporator</b><br>Volatile, Low B.P.<br>B.P. <100°C<br>Samples 0-1 Liter | System with vacuum control package and solvent recovery | 16L/min<br>8 mbar                  |  FB65500  |
| <b>Vacuum Oven</b><br>Drying<br>Degassing  | Aqueous, acidic or basic samples                        | 36L/min<br>8 mbar                  |  FB65453   |
| <b>Vacuum Concentrator</b>   | Minimum maintenance                                     | 36L/min<br>2 mbar                  |  FB65454   |
|  | With cold trap  | 77L/min<br>$2 \times 10^{-3}$ mbar |  FB65459  |
| <b>Freeze Dryer</b><br>Lyophilizing  | Direct driven pump                                      | 97L/min<br>$2 \times 10^{-3}$ mbar |  FB65459  |
| <b>Vacuum Manifold</b><br>Schlenk Line   | Compact Vacuum pump                                     | 97L/min<br>$2 \times 10^{-3}$ mbar |  FB65459  |
| <b>Gel Dryer</b>   | Excellent chemical compatible                           | 16L/min<br>8 mbar                  |  FB65500  |
| <b>Replace Water Jet Pumps</b>   | Dry running pump, portable and compact                  | 38L/min<br>8 mbar                  |  FB65453  |
| <b>Replace House Vacuum Ports</b><br>Replacing up to 4 ports                       | Muti-user vacuum line for vacuum on demand              | 38L/min<br>8 mbar                  |  +  FB65453 |



| Cat. No. | Description   | Pack | Price in ₹ |
|----------|---|------|------------|
| 14173C   | Tubing; Rubber; Fisherband; Pressure and Vacuum; Red; 12 ft.; 0.25 in I.D. x 0.187 in. thick  | EA   | 2990       |
| 14173D   | Tubing, Rubber; Fisherbrand; Thick walls for pressure and vacuum work; Red; I.D. x O.D.: 0.375 x 1 in. (9.5 x 25.4mm); Wall thickness: 0.312 in. (7.9mm); 12-ft. length/ea. | EA   | 6175       |
| 14175B   | Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 12 ft. (3.7m); I.D. x O.D.: 0.187 x 0.562 in. (4.8 x 14.3mm); Wall thickness: 0.187 in. (4.8mm)           | EA   | 2517       |
| 14175C   | Tubing, Rubber; Fisherbrand; Pressure and Vacuum; Color: Black; I.D.: 0.25 in. (6.4mm)  | EA   | 2975       |
| 14175D   | Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 12 ft. (3.7m); I.D. x O.D.: 0.312 x 0.687 in. (7.9 x 17.5mm); Wall thickness: 0.187 in. (4.8mm)           | EA   | 3118       |
| 14175E   | Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 12 ft. (3.7m); I.D. x O.D.: 0.375 x 0.875 in. (9.5 x 22.2mm); Wall thickness: 0.25 in. (6.4mm)            | EA   | 4787       |
| 14175F   | Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 12 ft. (3.7m); I.D. x O.D.: 0.5 x 1 in. (12.7 x 25.4mm); Wall thickness: 0.25 in. (6.4mm)                 | EA   | 7242       |
| 14175G   | Tubing, Rubber; Fisherbrand; Pressure and Vacuum; Color: Black; I.D.: 0.625 in. (15.9mm)  | EA   | 12256      |
| 14182C   | Tubing, Gum Rubber; Fisherbrand; Heavy Wall; Red; Low vapor pressure; For vacuum; 12 ft. Long; I.D. x O.D.: 0.5 x 1.25 in. (12.7 x 31.75mm)                                 | EA   | 9576       |
| 14182D   | Tubing, Gum Rubber; Fisherbrand; Heavy Wall; Red; Low vapor pressure; For vacuum; 12 ft. Long; I.D. x O.D.: 0.75 x 1.5 in. (44.45 x 38mm)                                   | EA   | 12169      |
| 14182E   | Tubing, Gum Rubber; Fisherbrand; Heavy Wall; Red; Low vapor pressure; For vacuum; 12 ft. Long; I.D. x O.D.: 1 x 1.75 in. (25.4 x 44.45mm)                                   | EA   | 9529       |

### Vacuum Pump

|          |  |    |        |
|----------|--|----|--------|
| 125712   | Kit, Hose Adapter; Fisher Scientific; Pump Inlet O.D.: 0.37 to 0.43 in.; For Maxima C Plus vacuum pump   | EA | 30594  |
| 0125717A | Pump, vacuum; Fisher Scientific; Kits, pump repair; For minor pump repairs; Include gasket set, exhaust valves, valve springs, lip seals, O-rings, motor coupling; For models M2C and M4C1;                  | EA | 26909  |
| 0125717B | Pump, vacuum; Fisher Scientific; Kits, pump repair; For minor pump repairs; Include gasket set, exhaust valves, valve springs, lip seals, O-rings, motor coupling; For models M8C1; and M12C                 | EA | 47337  |
| 0125717C | Pump, vacuum; Fisher Scientific; Kits, pump repair; For minor pump repairs; Include gasket set, exhaust valves, valve springs, lip seals, O-rings, motor coupling; For model M16C                            | EA | 46836  |
| 125749   | Pump, vacuum; Fisher Scientific; Kits, Minor rebuild and repair; Includes coupling element, O' rings, gaskets, shaft seals and other components need for a light overhaul; For model M8C                     | EA | 45469  |
| 125785   | Pump, Rotary vacuum; Fisher Scientific Maxima C Plus; M12C, single phase, 7.7cfm; 3 x 10-4 torr; 20.5L x 7.125W x 10.75 in. H; 63 lb.; 230V 50Hz; CE, CSA  | EA | 490859 |
| 1388015  | Pump, Vacuum; Fisher Scientific MaximaDry; Oil Free; Single-Stage; 230V, 50Hz; 1/6hp; 15psig; 20L/min.; 75 torr  | EA | 213644 |
| 1388019  | Pump, Vacuum; Fisher Scientific MaximaDry; Oil Free; 2-Stage; 230V, 50Hz; 1/6hp; 15psig; 20L/min.; 6 torr  | EA | 268190 |
| 1388021  | Pump, Vacuum; Fisher Scientific MaximaDry; Oil Free; 2-Stage; 230V, 50Hz; 1/3hp; 15psig; 35L/min.; 6 torr  | EA | 359103 |
| FBGDPX20 | Pump, vacuum; FisherBiotech; For gel drying systems; For quick gel drying; As supplied with FBGDX1 systems; Work with most gel dryers like Bio-Rad, Hoefer Scientific, Labconco; Schuko line cord; 230V 50Hz | EA | 412264 |
| FB70155  | General Duty Vacuum Pump, 9.2/11 l/min, 290 mbar, 2.3 bar, 230V, 50/60Hz, with Schuko and UK plug leads  | EA | 32000  |
| FB70157  | Compact Station, 9.2/11 l/min, 290 mbar, 3.3 bar, 230V, 50/60Hz, with Schuko and UK plug leads   | EA | 104910 |
| FB70159  | High Flow Station, 28/34 l/min, 93 mbar, 230V, 50/60Hz, with Schuko and UK plug leads  | EA | 157364 |
| FB65499  | General Duty Vacuum Pump, 15 l/min, 100 mbar, 2,5 bar, 90-260V, 50/60Hz, with AC/DC Adapter, Schuko, UK and US plug adapters   | EA | 68140  |
| FB65452  | Chemical Duty Diaphragm Vacuum Pump, 16/18 L/min, 8 mbar, 230V, 50/60Hz, 1 Ph with Schuko and UK plug leads  | EA | 123166 |
| FB65453  | Chemical Duty Diaphragm Vacuum Pump, 38/41 L/min, 8 mbar, 230V, 50/60Hz, 1 Ph with Schuko and UK plug leads  | EA | 160707 |
| FB65454  | Chemical Duty Diaphragm Vacuum Pump, 33/36 L/min, 2 mbar, 230V, 50/60Hz, 1 Ph with Schuko and UK plug leads  | EA | 222418 |
| FB65500  | Vacuum System, 16/18 L/min, 8 mbar, 230V, 50/60Hz, 1 Ph with Schuko and UK plug leads  | EA | 336070 |
| FB65458  | Rotary Vane Vacuum Pump, 30/36 l/min, 1x10^-2 mbar, 230V, 50/60Hz, 1 Ph with Schuko and UK plug leads  | EA | 153764 |
| FB65459  | Rotary Vane Vacuum Pump, 77/92 l/min, 1x10^-3 mbar, 100-120V/220-240V, 50/60Hz, 1 Ph with Schuko, UK and US plug leads   | EA | 210333 |
| FB65460  | Rotary Vane Vacuum Pump, 97/100 l/min, 1x10^-3 mbar, 100-120V/220-240V, 50/60Hz, 1 Ph with Schuko, UK and US plug leads  | EA | 214962 |



## Equipment

| Cat. No.  | Description  | Pack | Price in ₹ |
|-----------|--|------|------------|
| FB65461   | Rotary Vane Vacuum Pump, 120/143 l/min, 2x10^-3 mbar, 100-120V/220-240V, 50/60Hz, 1 Ph with Schuko, UK and US plug leads                                 | EA   | 235789     |
| FB65464   | Rotary Vane Vacuum Pump, 183/220 l/min, 2x10^-3 mbar, 100-120V/200-240V, 50/60Hz, 1 Ph with Schuko, UK and US plug leads                                 | EA   | 291330     |
| FB65471   | Vacuum Pump Oil Labovac 10, Mineral oil, 1 liter   | EA   | 3086       |
| FB65462   | Vacuum Pump Oil Labovac 10, Mineral oil, 5 liter   | EA   | 12500      |
| FB65463   | Vacuum Pump Oil Labovac 10, Mineral oil, 20 liter  | EA   | 40627      |
| 402008    | Service kit for FB65452, FB65500, include diaphragms, valves, O-Rings  | EA   | 19943      |
| 402041    | Service kit for FB65453, include diaphragms, valves, O-Rings   | EA   | 25055      |
| 402015    | Service kit for FB65454, include diaphragms, valves, O-Rings   | EA   | 43252      |
| 302012-1  | Service kit for FB65458, include diaphragms, valves, O-Rings   | EA   | 30149      |
| 302075    | Service kit for FB65459, include diaphragms, valves, O-Rings   | EA   | 35854      |
| 302076    | Service kit for FB65460, include diaphragms, valves, O-Rings   | EA   | 39958      |
| 302077    | Service kit for FB65461, include diaphragms, valves, O-Rings   | EA   | 47086      |
| 302079    | Service kit for FB65464, include diaphragms, valves, O-Rings   | EA   | 54880      |
| 112575    | Kit 1 - Rotary Evaporator kit with vacuum hose 18/8x5 mm, cooling water & chiller connection hose, clamps  | EA   | 17171      |
| 320015    | Oil Mist Separator AKD 16, DN 16 KF  | EA   | 38068      |
| 320017    | Oil Mist Separator AKD 25, DN 25 KF  | EA   | 44152      |
| 330031    | Kit 5 - Freeze Dryer Adapter kit, DN 16 KF   | EA   | 64005      |
| 330032    | Kit 6 - Freeze Dryer Adapter kit, DN 25 KF   | EA   | 80168      |
| 330051    | Kit 7 - Vacuum Concentrator Adapter kit, DN 16 KF  | EA   | 148943     |
| 330052    | Kit 8 - Vacuum Concentrator Adapter kit, DN 25 KF  | EA   | 165197     |
| 330053    | Kit 9 - Vacuum Pump Measurement Package with PIZA 111, DN 16 KF  | EA   | 382179     |
| 330054    | Kit 10 - Vacuum Pump Measurement Package with PIZA 111, DN 25 KF   | EA   | 410813     |
| 340003    | Oil change starter kit for Fisher Scientific Rotary vane pumps   | EA   | 14903      |
| 404005    | Kit 2 - Vacuum oven kit, DN 16+25 KF - DN 8, vacuum hose, hose connector and clamps  | EA   | 14903      |
| 404006    | Kit 3 - Advanced Vacuum oven kit, DN 16+25 KF - DN 8 with vacuum hose, dust filter, hose connector and clamps  | EA   | 45952      |
| 404008    | Kit 4 - Filtration kit & Dessicator kit- vacuum hose and hydrophorb inline filter, for DN 6 & 8 hose adapter   | EA   | 8856       |
| 600053    | Digital Vacuum Control Box VCB 521 cv, 1100 - 1 mbar, 90-260V, 50/60Hz with Schuko, UK and US plug leads   | EA   | 202851     |
| 600074    | Handheld advanced chemical resistant vacuum gauge PIZA 111 cr Gold, 1050 - 10-3mbar, 90-260V, 50/60Hz with AC/DC adapter, Schuko, UK and US plug adapter | EA   | 129054     |
| 600074-1  | Meter kit PIZA 111 cr Gold with carrying case, vacuum pump adapter kit and vacuum hose   | EA   | 139854     |
| 700010    | Exhaust filter OME 10/16, DN 16 KF   | EA   | 16865      |
| 700011    | Exhaust filter OME 10/25, DN 25 KF   | EA   | 20843      |
| 700458    | Vacuum Regulator with Dial Gauge for FB65452, FB65453 & FB65454  | EA   | 35872      |
| 701702    | Hose connector adapter DN 16 KF - DN 12  | EA   | 3582       |
| 701704    | Hose connector adapter DN 25 KF - DN 20  | EA   | 5418       |
| 710209    | Hose connector adapter DN 25 KF - DN 12  | EA   | 5328       |
| 800160    | Replacement element for OME 10/16, OME 20/25, AKD 16 and AKD 25  | EA   | 4518       |
| 700458-02 | Vacuum regulator with dial gauge for FB65499   | EA   | 26189      |
| 701712-02 | Hose connector adapter DN 16 KF - DN 20  | EA   | 6408       |
| 828310-4  | Vacuum/Pressure Hose, Rubber red, 18/8x5 mm, meter   | EA   | 2682       |
| L955112   | Factory calibration certificate for vacuum gauges  | EA   | 25405      |

### Sample Collection, Storage and Disposal

| Racks         |                        |    |      |
|---------------|------------------------|----|------|
| 024019        | Spill Tray/Drying Rack | EA | 2789 |
| Wrapping Film |                        |    |      |
| 22305654      | Plastic Wrap           | EA | 840  |

PK - Pack  
EA - Each



| Cat. No. | Description | Pack | Price in ₹ |
|----------|-------------|------|------------|
|----------|-------------|------|------------|

### Sample Handling and Processing

| <b>Calorimeter</b>    |   |    |         |
|-----------------------|---|----|---------|
| 1269                  | Calorimeter, Spare Parts Kit; Parr; For 1266 Calorimeter  | EA | 83582   |
| 2811                  | Pellet Press; Parr; For use with Parr calorimeters; 0.5 in.   | EA | 190348  |
| 1108CL                | Oxygen Bomb; Parr; For Chlorine Service; For 6100/6200 calorimeters; 342mL  | EA | 638479  |
| 1341EE                | Calorimeter, Bomb; Parr; Model: 1341; Plain jacket; For broad range of solid and liquid combustible samples; Molded fiberglass jacket formed with double walls and a double cover; With 1108 oxygen bomb; 230V 50/60Hz          | EA | 1504020 |
| 6400EF                | Calorimeter, Automatic Isoperibol; Parr; 6400; Automatic bucket and jacket fill; Automated vessel fill and rinse; Operator time approx. 1 min.; Fixed 1138 Oxygen Bomb of Alloy 20; 230V  | EA | 5628476 |
| 6400CLEF              | Calorimeter, Automatic Isoperibol; Parr; 6400; Automatic bucket and jacket fill; Automated vessel fill and rinse; Operator time approx. 1 min.; Fixed 1138 Oxygen Bomb of Alloy G30; 230V                                       | EA | 5836582 |
| <b>Colony Counter</b> |   |    |         |
| 12618695              | Colony counter Scan 1200 automatic HD CCD colour camera 1000 colonies/sec 100-240V 50/60Hz 0.05mm minimum size of colony 270mm x 270mm x 380mm (w x l x h) Interscience   | EA | 2303686 |
| 12813998              | Automatic colony counting system zone sizing included includes touch screen panel PC 25kg 650mm x 540mm x 670mm ProtoCOL  | EA | 2614761 |
| 10787455              | Colony counter Darkfield Quebec manual 230V 50Hz Reichert   | EA | 311008  |
| 10546285              | Lens auxiliary 1.5 x 1.5x Leica   | EA | 39066   |
| 12772585              | Counting probe with magnetic ground updates to 3328 Leica   | EA | 29499   |
| 12782585              | Counter push button Leica   | EA | 22960   |
| 10359994              | Colony counter Darkfield Quebec manual with Wolffheugel counting plate 230V 50Hz Reichert   | EA | 156263  |
| <b>Colorimeter</b>    |   |    |         |
| FB68270               | Colorimeter Digital With 240V Transformer With  | EA | 99060   |
| 12722675              | X8 filters set of 8 -4.4047E+20 (pack of 8)   | EA | 18791   |
| 12963826              | X2 WPA tube adaptors 1 x 10mm and 1 x 12mm (pack  | EA | 7177    |
| 11815962              | Lamp Spare For FB68270  | EA | 7857    |
| <b>Heating Mantle</b> |   |    |         |
| FB68925               | Heating Mantle 2L   | EA | 58597   |
| <b>Penetrometer</b>   |   |    |         |
| H1280                 | Needle, Penetrometer; Humboldt; For bituminous materials; Standard hardened stainless steel; Certified to ASTM accuracy; Length: 1.6 to 1.8 in. (40 to 45mm); Weight: 0.09 oz. (2.5g)   | EA | 13053   |
| K2050000000           | Needle, Penetrometer; Koehler; For ASTM and related methods   | EA | 8974    |
| K19500                | Penetrometer; Koehler Instrument; For ASTM penetration tests on petroleum/food products; Full penetration range: 0 to 62.0mm with 1/10mm subdivisions; Includes: Plunger (47.5g), Weights (50 and 100g)                         | EA | 462450  |
| K9559000000           | Penetrometer, Digital; Koehler; Tests consistency of lubricating greases, petroleum waxes, bitumens, pastes, creams; Includes plunger; Electrical Req.: 220-240V 50/60Hz; Overall Dim.: 12.5 x 14 x 18 in.; Net weight: 21 lb.. | EA | 1935908 |
| <b>Refractometers</b> |   |    |         |
| 1394620               | Refractometer, Handheld; Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; 0deg. to 18deg. Brix range in 0.1deg. Divisions; 0.1deg. Accuracy                       | EA | 16828   |
| 1394621               | Refractometer, Handheld; Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; 0deg. to 32deg. Brix range in 0.2deg. Divisions; 0.2deg. Accuracy                       | EA | 16822   |
| 1394622               | Refractometer, Handheld; Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; 28deg. to 62deg. Brix range in 0.2deg. Divisions; 0.2deg. Accuracy                      | EA | 18961   |
| 1394623               | Refractometer, Handheld, Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; 45deg. to 82deg. Brix range in 0.5deg. Divisions; 0.3deg. Accuracy                      | EA | 19619   |
| 1394624               | Refractometer, Handheld, Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; 58deg. to 90deg. Brix range in 1.0deg. Divisions; 0.5deg. Accuracy                      | EA | 20202   |
| 1394625               | Refractometer, Handheld; Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; With ATC; 0deg. to 10deg. Brix range in 0.1deg. Divisions; 0.1 accuracy                 | EA | 20500   |

PK - Pack

EA - Each



## Equipment

| Cat. No.  | Description  | Pack | Price in ₹ |
|-----------|--|------|------------|
| 1394626   | Refractometer, Handheld; Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; With ATC; Odeg to 32 deg Brix range in 0.2deg Divisions; 0.2 accuracy                                  | EA   | 20500      |
| 1394627   | Refractometer, Handheld; Fisherbrand; For saltwater/brine; Salinity 0 to 100ppt; Specific gravity: 1.0 to 1.07; With ATC; Divisions: 1.0ppt; Accuracy: 1.0ppt, 0.001; Includes: Soft-sided, foam-lined storage, calibration screwdriver        | EA   | 16595      |
| 1394628   | Refractometer, Handheld; Fisherbrand; Automotive; Scale Range:Propylene Glycol to 32degF, Ethylene Glycol to +32 deg F; Accuracy 5.0deg F ; Includes: Soft-sided, foam-lined storage case, calibration screwdriver                             | EA   | 16822      |
| 1360000   | DIGITAL CLINICAL TS METER  | EA   | 282143     |
| 13940018  | REFRACTOMETER,VET360-CHEK  | EA   | 75630      |
| 13940019  | REFRACTOMETER, USG-CHEK  | EA   | 74322      |
| 13940020  | REFRACTOMETER, SALT-CHEK   | EA   | 76386      |
| 13940021  | REFRACTOMETER, CLINIC-CHEK   | EA   | 77676      |
| 13940022  | REFRACTOMETER, GLYCERIN-CHEK(F)  | EA   | 64594      |
| 13940023  | REFRACTOMETER, GLYCERIN-CHEK(C)  | EA   | 64402      |
| 13940024  | REFRACTOMETER, EG-CHEK(F)  | EA   | 64555      |
| 13940025  | REFRACTOMETER, EG-CHEK(C)  | EA   | 64402      |
| 13940026  | REFRACTOMETER, PG-CHEK(F)  | EA   | 64594      |
| 13940027  | REFRACTOMETER, PG-CHEK(C)  | EA   | 64402      |
| 13946100  | Refractometer; Reichert; Goldberg Clinical Handheld; Total solids meter; Uses Goldberg method; Magnified, focusable scales; Scale reading: Urine Specific Gravity with 0.001 divisions; Specific gravity: 1.000 to 1.035; Accuracy: 0.001      | EA   | 246293     |
| 13975105A | Lamp; Reichert; Replacement bayonet-type; Long-life bulb illuminates both the eyepiece and the sample; Adjustable; For use with Mark II/Mark II Plus refractometers  | PK   | 7727       |
| 13975107  | Refractometer, Handheld, Reichert; Rhino; Ranges: 1.100-1.400 Specific Gravity; Antifreeze Protection, Odeg.C to minus48deg.C; Coolant Concentration, 0 to 70% Ethylene Glycol, 0 to 61% Propylene Glycol; Refractive Index: 1.3330-1.4048     | EA   | 27931      |
| 13975108  | Refractometer, Handheld, Reichert; Rhino; Ranges: 1.100-1.400 Specific Gravity; Antifreeze Protection, 32deg.F to minus60deg.F; Coolant Concentration, 0 to 70% Ethylene Glycol, 0 to 63% Propylene Glycol; Refractive Index: 1.3330-1.4048    | EA   | 27994      |
| 13975109B | Refractometer, Handheld, Reichert; Ultra-Durable; Brix 30; 0 to 30 Brix  | EA   | 32769      |
| 13975110  | Refractometers, Handheld; Reichert; Ultra-Durable; Brix50 Model; 0 to 50 % Brix scale reading; 1.4201-1.5177 refractive index range  | EA   | 32769      |
| 13975111  | Refractometer, Handheld, Reichert; AR200 Digital; Without IR Communications Package; 1.3300 to 1.5600, 0 to 95% Brix ranges; LCD readout; 225 datapoint storage; Accuracy 0.1% Brix  | EA   | 277832     |
| 13975112  | Refractometer, Handheld; Reichert; Industrial Fluid Tester, IFT 10HP High Precision Series; 0 to 10% scale, 0.2% divisions; RI range 1.3330 to 1.3478nD; 15 to 38 deg C ATC range; Accuracy 0.2  | EA   | 80516      |
| 13975117  | Refractometer/Handheld/Clinical/Reichert/TS400/Urine Specific Gravity/Serum Plasma Protein, Instant Readings   | EA   | 80516      |
| 13975118  | Refractometer; Reichert; AR700; Reads, Brix (0 to 85% ICUMSA), RI (1.33000-1.60000n(D), 0.00005 RI accuracy, 0.03% Brix accuracy, Conc., Peltier temp.-controlled (10 to 100deg. C); Sapphire prism  | EA   | 2498638    |
| 13975122  | Sample Press AR700   | EA   | 146704     |
| 13975125  | Flow Cell, Funnel; Reichert; Suited for applications that require quick and rapid measurements in a high throughput environment; Accessory for AR60 and AR600 series   | EA   | 255782     |
| 13975126  | Refractometer, Handheld, Reichert; Ultra-Durable; Brix90; 50 to 90 Brix  | EA   | 32777      |
| 13975127  | Refractometer, Handheld; Reichert; Ultra-Durable; VET360; 1.000 to 1.060 Specific Gravity; 2 to 14g/100mL Serum/Plasma/Protein ranges  | EA   | 32640      |
| 13975128  | Refractometer, Handheld, Reichert; AR200 Digital; 1.3300 to 1.5600, 0 to 95% Brix ranges; LCD readout; 225 datapoint storage; With IR Communications Package   | EA   | 370816     |
| 13975132  | Refractometer, Digital; Reichert; AR70; Automatic; Benchtop; Sapphire prism; Flexible; Peltier temp. control: Odeg. to 100 deg.C; Brix range: 0 to 95%; Calibration history log; Refractive index: 1.3300 to 1.6000; For broad range of sample | EA   | 2168051    |
| 13975133  | Lamp, Pre focus; Reichert; 6.5V; 2.75A   | EA   | 5153       |
| 13975150  | Refractometer, Manual Benchtop; Reichert; Abbe Mark III; Ranges: RI, 1.3000 to 1.7000nD; 0.0 to 95.0% Brix; 10 to 80deg. C temperature compensation; 5-Button Operation; Automatic sample equilibration detection; two RS-232-C ports          | EA   | 1289979    |
| 13975202  | Refractometer, Handheld, Reichert; DEF-Chek  | EA   | 65168      |
| 13975203  | Refractometer, Handheld, Reichert; Multi-Chek (F)  | EA   | 64589      |



| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 13975204 | Refractometer, Handheld, Reichert; Multi-Chek (C)  | EA   | 65168      |
| 13975205 | Refractometer, Handheld, Reichert; Brake-Chek (F)  | EA   | 65168      |
| 13975206 | Refractometer, Handheld, Reichert; Brake-Chek (C)  | EA   | 64552      |
| 13975207 | Case, Holster; Reichert; For Pocket Digital Refractometer Units  | EA   | 3270       |
| 13975410 | Refractometer, Compact Digital Benchtop; Reichert; Model r2i300; Temperature-compensated ranges: 1.3300 to 1.5600 RI, 0 to 95.0% Brix; Accuracy to 0.001 RI, 0.1% Brix; Stores 1000 readings; RS-232 and printer ports; 5-point calibration    | EA   | 1038136    |
| 13975411 | Refractometer, Handheld; Reichert; Brix/RI-Chek; Digital refractometer 1.3330 to 1.4465 RI, 0.0 to 62.0% Brix ranges; LCD readout switchable between RI, Brix; IP65 water-resistant, dustproof; 3.9L x 2.13W x 1.06D; 2 AAA alkaline batteries | EA   | 71165      |
| 22312528 | Cuvet, Calibration, Bilirubinometer; Reichert Low-Level Check Cuvette  | EA   | 86321      |
| A010310C | Bilirubin Analyzer; Unistat Bilirubinometer; Monitors total bilirubin level 24 hr. w/o warmup; 3 steps for testing; Disposable cuvets reduce cross contamination; Uses undiluted serum; No sample prep required                                | EA   | 1348582    |
| A03331   | Lens, Magnifying; Reichert; Auxiliary; 1.5x; Combines with the colony counter lens; Doubles the total magnification from 1.5X to 3.0X; Aids in strain-free visual identification of colonies   | EA   | 53340      |
| BL10419  | Refractometer, Handheld; Reichert; Goldberg Ultra-Precision Salinity; Focusable Glass Eyepiece; Direct-Read Scales; 1.3330-1.3730 R.I.; Scale Range Opt ; Division 0.0002nD /2ppt; Accuracy 0.0002nD/2ppt                                      | EA   | 246471     |
| RE10214  | Bilirubin Analyzer, Accessories; Unistat Bilirubinometer; Disposable Cuvettes  | PK   | 13593      |
| RE10423  | Refractometer, Handheld; Reichert; Brix; Focusable Glass Eyepiece; Direct-Read Scales; 1.333011 R.I.; Scale Range Division 0.1%; Accuracy: 0.05  | EA   | 250412     |
| RE10440  | Refractometer, Handheld; Reichert; Industrial Fluid Tester; IFT40 Rhino Ultra-Durable Series; 0 to 30% scale, 0.5% divisions, RI range 1.3330 to 1.3860nD, 15 to 38 deg C ATC range; Accuracy 0.20   | EA   | 32711      |
| RE10504  | Bulb, Replacement; Reichert; For refractometers  | EA   | 8053       |

### Sieve Shaker

|           |  |    |        |
|-----------|--|----|--------|
| 10254362  | Sieve shaker maintenance-free analytical easy operation, ergonomic design 100-240V 50/60Hz 400mm x 230mm x 350mm Retsch        | EA | 587288 |
| 10278610  | Test sieve rack for use with AS-200 sieve shaker Retsch  | EA | 58651  |
| 10670452  | Sieve stack for use with AS-200 sieve shaker 200mm Retsch  | EA | 214452 |
| 300151001 | Retsch™ AS 200 Series Vibratory Sieve Shakers, digit, 230V   | EA | 721677 |
| 048815H   | Fisherbrand U.S. Standard Brass Test Sieves, 8 in. dia. x 1 in.D, Nominal opening 1.7mm; U.S. Std. No. 12; 10 Tyler Equivalent | EA | 7081   |
| 048815L   | Fisherbrand U.S. Standard Brass Test Sieves, 8 in. dia. x 1 in.D, Nominal opening 1mm; US Std. No. 18; Tyler No. 16            | EA | 7081   |
| 048815J   | Fisherbrand U.S. Standard Brass Test Sieves, 8 in. dia. x 1 in.D, Nominal opening 1.4mm; US Std. No. 14 ; Tyler No. 12         | EA | 7081   |
| 048815F   | Fisherbrand U.S. Standard Brass Test Sieves, 8 in. dia. x 1 in.D, Nominal opening 2.36mm; US Std. No. 8; Tyler No. 8           | EA | 7081   |
| 048815G   | Fisherbrand U.S. Standard Brass Test Sieves, 8 in. dia. x 1 in.D, Nominal opening 2mm; US Std. No. 10; Tyler No. 9             | EA | 7081   |

### Touch Counter

|          |   |    |       |
|----------|---|----|-------|
| 11724406 | Touch counter digital 1 to 9999 180mm x 50mm x 40mm Fisherbrand | EA | 12673 |
|----------|---|----|-------|

### Turbidity

|         |   |    |        |
|---------|---|----|--------|
| 1970ISO | Meter, Turbidity; LaMotte; 2020 we; Compact handheld water analysis instrument; Waterproof IP67; Response time: <5 seconds; CE marked; Model: 2020 wi | EA | 163387 |
| 1970EPA | Meter, Turbidity; LaMotte; 2020 we; Compact handheld water analysis instrument; Waterproof IP67; Response time: <5 seconds; CE marked; Model: 2020 we | EA | 164129 |

### Viscometer

|          |   |    |       |
|----------|---|----|-------|
| 15078159 | Viscometer, Falling-ball; Thermo Scientific Gilmont; GV-2100; Size No. 1; Range in centipoise: Glass (0.2 to 2), Stainless-Steel (1 to 10), Tantalum (2 to 20)          | EA | 44642 |
| 15078160 | Viscometer, Falling-ball; Thermo Scientific Gilmont; GV-2200; Size No. 2; Range in centipoise: Glass (2 to 20), Stainless-Steel (10 to 100), Tantalum (20 to 200)       | EA | 44642 |
| 15078161 | Viscometer, Falling-ball; Thermo Scientific Gilmont; GV-2200; Size No. 3; Range in centipoise: Glass (20 to 200), Stainless-Steel (100 to 1000), Tantalum (200 to 2000) | EA | 45166 |

PK - Pack

EA - Each



## Equipment

| Cat. No.                   | Description  | Pack | Price in ₹ |
|----------------------------|--|------|------------|
| <b>Sonicator</b>           |  |      |            |
| <b>Sonic Dismembrators</b> |  |      |            |
| 15 345 119                 | Sonic Dismembrator, Digital; Branson; Sonifier SLP; SLP Energy; LED display and parameter entry; Continuous or pulsed mode; Built-in auto-tuning; Memory retains last settings; Stores frequency at end of each cycle; 240V 50/60Hz, 1A    | EA   | 586704     |
| FB120220                   | Dismembrator, Sonic; Fisher Scientific; Model 120; Both manual and Programmable operation for consistent and reproducible results; Voltage: 230V, 50/60Hz; With 1/8 in. probe; 2-year warranty   | EA   | 453518     |
| FB120A220                  | Dismembrator, Sonic; Fisher Scientific; Model 120; Both manual and Programmable operation for consistent and reproducible results; 230V, 50/60Hz; No Probe; 2-year warranty  | EA   | 418384     |
| FB357                      | Stand, Jack; Fisher Scientific; Accessory for Model 500 Sonic Dismembrator; Dimension: 6 x 6 in.   | EA   | 44128      |
| FB4004                     | Switch, Foot; Fisher Scientific; Accessory for Model 50 Sonic Dismembrator   | EA   | 15688      |
| FB4207                     | Probe; Fisher Scientific; For Model 505 Sonic Dismembrator; Probe: 0.75 in.; Processing volume: 25 to 500mL; With replaceable tip  | EA   | 104922     |
| FB4208                     | Probe; Fisher Scientific; For Model 505 Sonic Dismembrator; Probe: 0.75 in. solid probe; Processing volume: 25 to 500mL; For low surface tension liquids (i.e. organic solvents)   | EA   | 104922     |
| FB4209                     | Probe; Fisher Scientific; For Model 505 Sonic Dismembrator; Probe: 1 in. solid probe; Processing volume: 50 to 1,000mL; For low surface tension liquids (i.e. organic solvents)  | EA   | 110807     |
| FB4210                     | Probe; Fisher Scientific; For Model 705 Sonic Dismembrator; Probe: 1 in.; Processing volume: 50 to 1,000mL; With replaceable tip   | EA   | 110807     |
| FB4219                     | Probe; Fisher Scientific; For Model 505 Sonic Dismembrator; Probe: 0.5 in. solid probe; Processing volume: 10 to 250mL; For low surface tension liquids (i.e. organic solvents)  | EA   | 102961     |
| FB4220                     | Probe; for Fisher Scientific Sonic Dismembrators FB505, FB705; Tip dia: 1/2 in.; Processing volume: 10-250mL; Replaceable tip  | EA   | 102961     |
| FB432A                     | Enclosure, Sound; Fisher Scientific; Accessory for Model 120 Sonic Dismembrator; With clamp; For sound reduction; Dimension: 20 x 10 x 10 in.; Can also be used with model 50  | EA   | 136299     |
| FB432B2                    | Sound Enclosure; for Fisher Scientific Models 505/705 Sonic Dismembrators; Significantly reduces noise   | EA   | 148445     |
| FB4406                     | Tip, Replacement; Fisher Scientific; For Model 505 Sonic Dismembrator; 0.5 in. probe   | EA   | 11768      |
| FB4407                     | Replacement tip; for Fisher Scientific Sonic Dismembrators; Tip dia: 3/4 in.; for FB505, FB705   | EA   | 13727      |
| FB4408                     | Replacement tip; for Fisher Scientific Model 705 Sonic Dismembrator; Tip dia: 1 in.  | EA   | 15688      |
| FB4417                     | Probe; Fisher Scientific; For Model 705 Sonic Dismembrator; 0.16 in. probe; Processing volume: 0.2 to 5mL  | EA   | 67659      |
| FB4418                     | Probe; Fisher Scientific; For Model 505 Sonic Dismembrator; 0.125 in. probe; Processing volume: 0.5 to 15mL  | EA   | 56874      |
| FB4420                     | Probe; Fisher Scientific; For Model 505 Sonic Dismembrator; Probe: 0.25 in. microtip; Processing volume: 5 to 50mL   | EA   | 56874      |
| FB4422                     | Probe; Fisher Scientific; For Model 120 Sonic Dismembrator; 1/8 in. probe; Processing volume: 0.5 to 15mL  | EA   | 49029      |
| FB4423                     | Probe; Fisher Scientific; For Models 50 and 120 Sonic Dismembrators; 5/64 in. probe; Processing volume: 0.2 to 5mL   | EA   | 54913      |
| FB4435                     | Probe; Fisher Scientific; For Model 120 Sonic Dismembrator; 1/4 in. probe; Processing volume: 5 to 50mL  | EA   | 54913      |
| FB4438                     | Stand, Adjustable; Qsonica; For 4611 96-tip horn; For use w/Fisher Scientific FB705 sonic dismembrator; Heavy duty; Vertically adjustable; Keeps horn level, allows adjustment of horn in, out of the microplate                           | EA   | 72563      |
| FB459                      | Stand; Fisher Scientific; Accessory for Model 500 Sonic Dismembrator; With clamp   | EA   | 19611      |
| FB4599                     | Replacement tips for 96 tip horn (FB4611); for Fisher Scientific Models 505 and 705 Sonic Dismembrators  | EA   | 4846       |
| FB460                      | Stand; Fisher Scientific; Accessory for Model 120 Sonic Dismembrator; With clamp   | EA   | 19611      |
| FB4602                     | Horn, Tip; Fisher Scientific; For Model 120 Sonic Dismembrator; 8 channel  | EA   | 254954     |
| FB4608                     | Cup Horn; for Fisher Scientific Model 120 Sonic Dismembrator; for indirect processing of individual sealed tubes or vials. 1.5 in. cup diameter.   | EA   | 155915     |
| FB4611                     | 96-Tip Horn; Fisher Scientific; For Fisher Scientific Model 505 and 705 Sonic Dismembrator; Process of 96 well plates; Tip: 0.69 in. long, use with standard and deep well microplates; Use w/FB4438 support stand, FB432B sound enclosure | EA   | 660195     |
| FB50220                    | Dismembrator, Sonic; Fisher Scientific; Model 50; Small volume cell disruptor; Voltage: 230V, 50/60Hz; 50 watts; Includes: Generator (8 in. W x 7 in. L x 5 in. H), converter, 1/8 in. probe, cables, wrench set, manual, 2-year warranty  | EA   | 339767     |
| FB505220                   | Dismembrator, Sonic; Fisher Scientific; Model 505; High power, programmable system; For both small and large sample; Voltage: 230V, 50/60Hz; Includes 1/2 in. probe  | EA   | 696698     |

# Fisher Scientific Sonic Dismembrators

Cell Disruptors / Homogenizers

- » Processes 0.2 – 50 ml
- » 50 watts
- » Continuous or Remote operation (footswitch optional)
- » Lightweight converter for hand-held operation

**INCLUDES:** Generator, converter, 1/8" probe, cables, wrench set, manual, 2-year warranty

## Model 50 Sonic Dismembrator

Compact, portable and extremely simple to operate. Weighing less than 4 pounds, this model is the smallest unit on the market and is highly effective for cell disruption, sample preparation and many other small volume applications.



- » Processes 0.2 – 1,000 ml
- » 700 watts
- » Touch screen display
- » Programmable from 1 second to 99 hours
- » Save up to 10 different programs
- » Overload protection
- » Pulse mode (1 second to 24 hours)
- » Energy display (real-time watts and cumulative Joules)
- » Temperature monitoring (requires optional temperature probe)
- » Full amplitude control from 1-100%

**INCLUDES:** Generator, converter, 1/2" probe, cables, wrench set, manual, 2-year warranty

## Model 705 Sonic Dismembrator

Model 705 is a full-featured, programmable ultrasonic processor with easy to use touch screen controls. The additional power and variety of accessories accommodates the widest range of sample volumes and applications. 96-tip Horn and Cup Horn accessories offer time saving, high-throughput solutions to repetitive, individual sample processing.



# Fisher Scientific Sonicator Bath


Elmasonic P,  
available in 6 different sizes



## Elmasonic P



Ultrasonic multi-frequency units with extra strong power,  
exceptionally silent, the right solution for every laboratory



Normal

Pulse

Sweep

Degas

### Technical details

|   | P 30 H             | P 60 H             | P 70 H             | P 120 H     | P 180 H     | P 300 H     |
|---|--------------------|--------------------|--------------------|-------------|-------------|-------------|
| Tank max. capacity (litre)                  | 2.75               | 5.75               | 6.9                | 12.75       | 18.0        | 28.0        |
| Tank internal dimensions W/H/D (mm)         | 240x137x100        | 300x151x150        | 505x137x100        | 300x240x200 | 327x300x200 | 505x300x200 |
| Unit external dimensions W/H/D (mm)         | 300x179x221        | 365x186x271        | 568x179x221        | 365x278x321 | 390x340x321 | 568x340x321 |
| Basket (accessory) internal dim. W/H/D (mm) | 198x106x50         | 255x115x75         | 465x106x50         | 250x190x115 | 280x250x115 | 455x250x115 |
| Voltage (V)                                 | 115-120<br>220-240 | 115-120<br>220-240 | 115-120<br>220-240 | 220-240     | 220-240     | 220-240     |
| Power consumption total (W)                 | 320/300            | 580/550            | 820                | 1130        | 1130        | 1580        |
| Ultrasonic frequency                        | 37/80              | 37/80              | 37/80              | 37/80       | 37/80       | 37/80       |
| Ultrasonic power effective (W)              | 120 / 100          | 180 / 150          | 220                | 330         | 330         | 380         |
| Ultrasonic peak power (W)                   | 480 / 400          | 720 / 600          | 880                | 1320        | 1320        | 1520        |
| Sweep                                       | integrated         | integrated         | integrated         | integrated  | integrated  | integrated  |
| Pulse                                       | activatable        | activatable        | activatable        | activatable | activatable | activatable |
| Heating power (W)                           | 200                | 400                | 600                | 800         | 800         | 1200        |
| Drain duct V4A ("")                         | 3/8                | 3/8                | 3/8                | 3/8         | 3/8         | 3/8         |



| Cat. No.   | Description  | Pack | Price in ₹ |
|------------|--|------|------------|
| FB505A220  | Dismembrator, Sonic; Fisher Scientific; Model 505; High power, programmable system; For both small and large sample; 230V, 50/60Hz; No Probe   | EA   | 663531     |
| FB50A220   | Dismembrator, Sonic; Fisher Scientific; Model 50; Small volume cell disruptor; Voltage: 230V, 50/60Hz; 50 watts; Includes: Generator (8 in. W x 7 in. L x 5 in. H), converter, cables, wrench set, manual; No Probe; 2-year warranty | EA   | 306925     |
| FB705220   | Dismembrator, Sonic; Fisher Scientific; Model 705; Ultra high power with advanced programming; DNA shearing/ChIP and all liquid processing applications; Voltage: 230V, 50/60Hz; Includes 1/2 in. probe                              | EA   | 916667     |
| FB705A220  | Dismembrator, Sonic; Fisher Scientific; Model 705; Ultra high power with advanced programming; DNA shearing/ChIP and all liquid processing applications; 230V, 50/60Hz; No Probe   | EA   | 866183     |
| FB81600061 | Power cable; for Fisher Scientific Sonic Dismembrators; for FB120-220, FB505-220, FB705-220  | EA   | 35299      |
| FBCL18     | Replacement converter; for Fisher Scientific Model 120 Sonic Dismembrator, FB120   | EA   | 160816     |
| FBCL334    | Replacement converter for Fisher Scientific Models 505 and 705 Sonic Dismembrators   | EA   | 285350     |
| FB4102     | Temperature Probe For FB705  | EA   | 29250      |
| FB4103     | Thermocouple For FB705   | EA   | 24205      |
| FB4118     | 1/8" Tip For Model 500   | EA   | 53326      |
| FB4140     | 1/8" 40Khz Tip For Model 150   | EA   | 55010      |
| FB4405     | 3/16" Microtip   | EA   | 54913      |
| FB4659     | 4 Tip Horn   | EA   | 312601     |
| FB431C2    | 5.5" Cup Horn  | EA   | 369182     |
| FB80500044 | Replacment Pwr Cbl 110V-Mdl 50   | EA   | 35299      |
| FB81600056 | Replacement Power Cable 110V   | EA   | 36311      |
| 15338259   | Cup Horn 1 1/2"  | EA   | 160116     |
| 15338261   | Convertor For S3000  | EA   | 278632     |
| 15338262   | Convertor For XI2000   | EA   | 215682     |
| 15338265   | Convertor Cable 6'   | EA   | 41739      |
| 15338266   | 1/8" Microprobe  | EA   | 59266      |
| 15338267   | 3/16" Microprobe   | EA   | 62895      |
| 15338268   | 3/32" Microprobe   | EA   | 64780      |
| 15338269   | 1/4" Microprobe  | EA   | 64780      |
| 1533878    | STAND FOR CUP HORN   | EA   | 92646      |
| FB4900     | Air-Cooled Recirculating Chiller   | EA   | 908665     |
| FB4910     | Tubing and Connector Set for Cup Horn  | EA   | 22454      |

### Ultrasonic Bath

|         |  |    |        |
|---------|--|----|--------|
| FB15047 | "Ultrasonic bath,Elmasonic S 10/(H) Ultrasonic frequency: 37 kHz Tank capacity: 0,8 l<br>Tank internal dimensions (W/D/H): 190x85x60 mm"                             | EA | 43580  |
| FB15151 | BasketS 150  | EA | 23015  |
| FB15051 | "Ultrasonic bath,Elmasonic S 30/(H) Ultrasonic frequency: 37 kHz Tank capacity: 2,75 l<br>Tank internal dimensions (W/D/H): 240x137x100 mm "                         | EA | 81031  |
| FB15053 | "Ultrasonic bath,Elmasonic S 40/(H) Ultrasonic frequency: 37 kHz Tank capacity: 4,25 l<br>Tank internal dimensions (W/D/H): 240x137x150 mm "                         | EA | 120525 |
| FB15049 | "Ultrasonic bath,Elmasonic S 15/(H) Ultrasonic frequency: 37 kHz Tank capacity: 1,75 l<br>Tank internal dimensions (W/D/H): 151x137x100 mm "                         | EA | 76264  |
| FB15057 | "Ultrasonic bath,Elmasonic S 70/(H) Ultrasonic frequency: 37 kHz Tank capacity: 6,9 l<br>Tank internal dimensions (W/D/H): 505x137x100 mm "                          | EA | 151848 |
| FB15059 | "Ultrasonic bath,Elmasonic S 80/(H) Ultrasonic frequency: 37 kHz Tank capacity: 9,4 l<br>Tank internal dimensions (W/D/H): 505x137x150 mm .Product profile S 80 / H" | EA | 175680 |
| FB15055 | "Ultrasonic bath,Elmasonic S 60/(H) Ultrasonic frequency: 37 kHz Tank capacity: 5,75 l<br>Tank internal dimensions (W/D/H): 300x151x150 mm "                         | EA | 141634 |
| FB15061 | "Ultrasonic bath,Elmasonic S 100/(H) Ultrasonic frequency: 37 kHz Tank capacity: 9,5 l<br>Tank internal dimensions (W/D/H): 300x240x150 mm "                         | EA | 168871 |
| FB15063 | "Ultrasonic bath,Elmasonic S 120/(H) Ultrasonic frequency: 37 kHz Tank capacity: 12,75 l<br>Tank internal dimensions (W/D/H): 300x240x200 mm "                       | EA | 217898 |
| FB15065 | "Ultrasonic bath,Elmasonic S 180/(H) Ultrasonic frequency: 37 kHz Tank capacity: 18 l<br>Tank internal dimensions (W/D/H): 327x300x200 mm"                           | EA | 238326 |
| FB15081 | CoverS 10  | EA | 1702   |



## Equipment

| Cat. No.  | Description  | Pack | Price in ₹ |
|-----------|--|------|------------|
| FB15082   | CoverS 15  | EA   | 2383       |
| FB15083   | CoverS 30 / S 40   | EA   | 2656       |
| FB15084   | CoverS 60  | EA   | 3337       |
| FB15085   | CoverS 70 / S 80   | EA   | 4358       |
| FB15086   | CoverS 100 / S 120   | EA   | 4358       |
| FB15087   | CoverS 180   | EA   | 4630       |
| FB15088   | CoverS 300 / S 150   | EA   | 5447       |
| FB15068   | "Ultrasonic bath,Elmasonic S 450/(H) Ultrasonic frequency: 37 kHz Tank capacity: 45 l<br>Tank internal dimensions (W/D/H): 500x300x300 mm "                      | EA   | 392217     |
| FB15069   | Ultrasonic bath, S 900 H   | EA   | 603305     |
| FB15070   | Baskets 10   | EA   | 4630       |
| FB15072   | Baskets 30   | EA   | 5856       |
| FB15077   | Baskets 100  | EA   | 17704      |
| FB15071   | Baskets 15   | EA   | 5039       |
| FB15073   | Baskets 40   | EA   | 6673       |
| FB15074   | Baskets 60   | EA   | 8307       |
| FB15075   | Baskets 70   | EA   | 19475      |
| FB15076   | Baskets 80   | EA   | 22743      |
| FB15080   | Baskets 300  | EA   | 23015      |
| FB15079   | Baskets 180  | EA   | 20156      |
| FB15078   | Baskets 120  | EA   | 17704      |
| FB15048   | "Ultrasonic bath,Elmasonic S 15/ Ultrasonic frequency: 37 kHz Tank capacity: 1,75 l<br>Tank internal dimensions (W/D/H): 151x137x100 mm "                        | EA   | 64008      |
| FB15050   | "Ultrasonic bath,Elmasonic S 30/ Ultrasonic frequency: 37 kHz Tank capacity: 2,75 l<br>Tank internal dimensions (W/D/H): 240x137x100 mm "                        | EA   | 72860      |
| FB15052   | "Ultrasonic bath,Elmasonic S 40/ Ultrasonic frequency: 37 kHz Tank capacity: 4,25 l<br>Tank internal dimensions (W/D/H): 240x137x150 mm "                        | EA   | 104863     |
| FB15054   | "Ultrasonic bath,Elmasonic S 60/ Ultrasonic frequency: 37 kHz Tank capacity: 5,75 l<br>Tank internal dimensions (W/D/H): 300x151x150 mm "                        | EA   | 120525     |
| FB15056   | "Ultrasonic bath,Elmasonic S 70/ Ultrasonic frequency: 37 kHz Tank capacity: 6,9 l<br>Tank internal dimensions (W/D/H): 505x137x100 mm "                         | EA   | 138910     |
| FB15058   | "Ultrasonic bath,Elmasonic S 80/ Ultrasonic frequency: 37 kHz Tank capacity: 9,4 l<br>Tank internal dimensions (W/D/H): 505x137x150 mm .Product profile S 80/ H" | EA   | 151848     |
| FB15060   | "Ultrasonic bath,Elmasonic S 100/ Ultrasonic frequency: 37 kHz Tank capacity: 9,5 l<br>Tank internal dimensions (W/D/H): 300x240x150 mm "                        | EA   | 138910     |
| FB15062   | "Ultrasonic bath,Elmasonic S 120/ Ultrasonic frequency: 37 kHz Tank capacity: 12,75 l<br>Tank internal dimensions (W/D/H): 300x240x200 mm "                      | EA   | 178404     |
| FB15064   | "Ultrasonic bath,Elmasonic S 180/ Ultrasonic frequency: 37 kHz Tank capacity: 18 l<br>Tank internal dimensions (W/D/H): 327x300x200 mm"                          | EA   | 206322     |
| FB15046   | "Ultrasonic bath,Elmasonic S 10/(Non Heated) Ultrasonic frequency: 37 kHz Tank capacity: 0,8 l<br>Tank internal dimensions (W/D/H): 190x85x60 mm "               | EA   | 35408      |
| FB13003   | Immersionbasketstainlesssteel/diam.=78mmh=60mm   | EA   | 5584       |
| FB13018   | Clamps for Erlenmeyer flasks 50mlall types   | EA   | 2792       |
| FB13019   | Clamps for Erlenmeyer flasks 250mlall types  | EA   | 3609       |
| FB13020   | Clamps for Erlenmeyer flasks 500mlall types  | EA   | 4290       |
| FB13021   | Clamps for Erlenmeyer flasks1000mlall types  | EA   | 5189       |
| 1007938   | Jewellery rack with 10 adjustable hooks  | EA   | 1458       |
| 1008962   | Din medical tray holder  | EA   | 14580      |
| FB15094   | Baskets 450  | EA   | 36089      |
| FB1009035 | Baskets 900  | EA   | 48210      |
| FB15093   | CoverS 450   | EA   | 9669       |
| FB1009058 | CoverS 900   | EA   | 17840      |
| 1009550   | Stainless-steel cover for 1 glass beaker with rubber ring for Elmasonic S 90   | EA   | 4741       |
| 1009778   | Dental tray holder for semi trays for Elmasonic S 90   | EA   | 5808       |
| 1009780   | Stainless-steel basket with plastic-coated handles for Elmasonic 90  | EA   | 8298       |

PK - Pack  
EA - Each



| Cat. No.  | Description   | Pack | Price in ₹ |
|-----------|---|------|------------|
| 1009781   | Stainless steel holder basket 1/2 size for Elmasonic S 90   | EA   | 9246       |
| 1009782   | Dental tray holder for for Elmasonic S 130  | EA   | 11380      |
| 1009783   | Stainless-steel basket with plastic-coated handles for Elmasonic 130                                      | EA   | 10787      |
| 1009785   | Stainless-steel basket with 4 partitions for Elmasonic S130   | EA   | 12091      |
| 1009786   | Stainless steel holder basket 1/2 size for Elmasonic S 130  | EA   | 10431      |
| 1010081   | Stainless Steel Cover for Elmasonic 90  | EA   | 4979       |
| 1010085   | Stainless Steel Cover for Elmasonic 130   | EA   | 5571       |
| FB11205   | Sonic bath dual freq.P 70 H   | EA   | 174319     |
| FB11201   | Sonic bath dual freq.P 30 H   | EA   | 119844     |
| FB11203   | Sonic bath dual freq.P 60 H   | EA   | 165466     |
| FB11207   | Sonic bath dual freq.P 120 H  | EA   | 249902     |
| FB11209   | Sonic bath dual freq.P 180 H  | EA   | 275096     |
| FB11211   | Sonic bath dual freq.P 300 H  | EA   | 319357     |
| 1022225   | Cover for residual dirt analysis for 1 glass bowl for Elmasonic 120 / Transsonic TI-H 10                  | EA   | 12091      |
| 1022226   | Cover for residual dirt analysis for 2 glass beakers for Elmasonic 120 / Transsonic TI-H 10               | EA   | 12091      |
| 1022246   | Glass bowl for residual dirt analysis   | EA   | 14224      |
| FB11303   | "X-tra basic 550Sonic bath dual freq.multi-frequency (25/45 kHz, switchable), bottom sound and heating."  | EA   | 534835     |
| 102 65 84 | 550 Basket  | EA   | 40747      |
| 102 65 95 | 550 Cover standard  | EA   | 9779       |
| 102 66 88 | 550 Hinged cover (noise prot.)  | EA   | 43859      |
| FB11305   | "X-tra basic 800Sonic bath dual freq.multi-frequency (25/45 kHz, switchable), bottom sound and heating."  | EA   | 651595     |
| FB11301   | "X-tra basic 300Sonic bath dual freq.multi-frequency (25/45 kHz, switchable), bottom sound and heating."  | EA   | 427868     |
| FB11307   | "X-tra basic 1200Sonic bath dual freq.multi-frequency (25/45 kHz, switchable), bottom sound and heating." | EA   | 787187     |
| 102 72 80 | 300 Hinged cover (noise prot.)  | EA   | 40747      |
| 102 72 97 | 1200 Hinged cover (noise prot.)   | EA   | 57490      |
| 102 73 05 | 2500 Hinged cover (noise prot.)   | EA   | 63417      |
| 102 73 25 | 300 Cover standard  | EA   | 7260       |
| 102 73 30 | 1200 Cover standard   | EA   | 21040      |
| 102 73 32 | 2500 Cover standard   | EA   | 23411      |
| 102 73 39 | 300 Basket  | EA   | 29486      |
| 102 73 49 | 800 Basket  | EA   | 49934      |
| 102 73 50 | 1200 Basket   | EA   | 49934      |
| 102 73 51 | 1600 Basket   | EA   | 52897      |
| 102 73 52 | 2500 Basket   | EA   | 63417      |
| FB11309   | "X-tra basic 1600Sonic bath dual freq.multi-frequency (25/45 kHz, switchable), bottom sound and heating." | EA   | 1008654    |
| FB11311   | "X-tra basic 2500Sonic bath dual freq.multi-frequency (25/45 kHz, switchable), bottom sound and heating." | EA   | 1367973    |
| 1031243   | Stainless-steel basket with plastic-coated handles for Elmasonic 150                                      | EA   | 20033      |
| 1031429   | Stainless-steel cover for 2 glass beaker with rubber ring for Elmasonic S130                              | EA   | 5808       |
| 1031451   | Stainless Steel Cover 1/2 Size for Elmasonic 130  | EA   | 10787      |
| 1032059   | Basket coated for watch servicing purposes,Suitable for Elmasonic 30 / 40 / 60 / 100 /120                 | EA   | 23470      |
| 1033905   | Noise protection box for Elmasonic 10 - 60 / X-tra 30 ; 50  | EA   | 63654      |
| FB13023   | Cooling coil, stainless steelS 60 / 80-130 / 180 / 300  | EA   | 26420      |
| FB13022   | Cooling coil, stainless steelS 30 / 40 / 70 / 150   | EA   | 20564      |
| FB1042706 | Cooling coil, stainless steelS 60 / 80-130 / 180 / 300  | EA   | 137548     |
| FB1045437 | Ultrasonic bath, S 50 R   | EA   | 109630     |
| 1045676   | Separate lid for glass beaker 207 036 1000 for  | EA   | 545        |
| 1045677   | Separate lid for glass beakers 2070341000 / 2070351000  | EA   | 593        |
| FB13027   | Basket 50 R   | EA   | 10486      |
| FB13024   | Cover 50 R  | EA   | 3405       |
| FB13012   | Glass beaker, 600 ml with lidall types except S 10  | EA   | 1702       |
| FB13013   | Glass beaker, 1000 ml with lidall types except S 10   | EA   | 3541       |
| FB13011   | Glass beaker, diam. = 80 mm with lids 10  | EA   | 1798       |
| 1049017   | Ultrasonic bath Elma Type S 300 H   | EA   | 260188     |



## Equipment

| Cat. No.   | Description   | Pack | Price in ₹ |
|------------|---|------|------------|
| FB15066    | "Ultrasonic bath, Elmasonic S 300/ Ultrasonic frequency: 37 kHz Tank capacity: 28 l Tank internal dimensions (W/D/H): 505x300x200 mm" | EA   | 267606     |
| 1049341    | "Rack for Elmasonic S 500 HM"   | EA   | 20151      |
| 1049365    | Stainless-steel basket with plastic-coated handles for Elmasonic 500 HM   | EA   | 21929      |
| 1049370    | Plastic Cover for Elmasonic 500 HM  | EA   | 5334       |
| FB13026    | Sieve holder 50 R   | EA   | 7626       |
| FB13028    | Fixation for Labor glasses 50 R   | EA   | 6537       |
| FB13025    | Plastic lid for beaker 50 R   | EA   | 3405       |
| 10499135   | Ultrasonic bath Elma Type S 150   | EA   | 213958     |
| 2000000168 | Silicon nap mat to insert into the basket for Elmasonic 180 / 130   | EA   | 11617      |
| 2000000368 | Noise protection box for Elmasonic 90 - 130 / X-tra 70 / TI-H 5   | EA   | 68988      |
| 2000000995 | TI-H 5 basket   | EA   | 16379      |
| 2000000996 | TI-H 10 basket  | EA   | 23180      |
| 2000000997 | TI-H 15 basket  | EA   | 23180      |
| 2000000998 | TI-H 20 basket  | EA   | 24707      |
| 2000001216 | Plastic Cover for Elmasonic one   | EA   | 1055       |
| 2000001230 | Plastic basket for Elmasonic One  | EA   | 1422       |
| 2000001536 | Forceps, plastic  | EA   | 213        |
| 2000001581 | Plastic cleaning cup with cover   | EA   | 664        |
| 2000001582 | Plastic cleaning cup with cover   | EA   | 664        |
| FB13029    | Rubber ring for glass 600ml/1000ml  | EA   | 300        |
| FB13009    | Acid resistant plastic tub with covers 300  | EA   | 28735      |
| FB11036    | Cover with holes, stainless steelS 15   | EA   | 4426       |
| FB11037    | Cover with holes, stainless steelS 30 / S 40  | EA   | 5584       |
| FB13015    | Glass beaker, without lid all types except 10   | EA   | 1021       |
| 2070351000 | Glass beaker without lid for all unit types (except S 10)   | EA   | 2726       |
| FB13014    | Glass Beaker, diam. = 80mm with lidS 10   | EA   | 1307       |
| FB13001    | Immersion basket Hostalen/diam. = 74mmh=50mm  | EA   | 1212       |
| FB13004    | Hostalen tubS 15  | EA   | 2220       |
| FB13005    | Hostalen tubS 30  | EA   | 2506       |
| 2070450000 | Stand for glass beakers not for S 10  | EA   | 1932       |
| 2070460000 | Ring holder   | EA   | 1458       |
| 2070470000 | Clamping device for flexible metal watch straps   | EA   | 1814       |
| FB11035    | Cover with holes, stainless steelS 10   | EA   | 3473       |
| FB13002    | Immersion basket stainless steel/diam. = 59mmh=60mm   | EA   | 4767       |
| 2070600000 | Hostalen tub with long straps for Elmasonic 40  | EA   | 2181       |
| 2070610000 | Ring hook   | EA   | 356        |
| FB13016    | "Bottle Holder, stainless steelS 30/ S 40 S 60/ S 70 S 80"  | EA   | 3337       |
| FB13017    | "Test Tube Holder, stainless steel, 16 Tubess 30/ S 40 S 60/ S 70 S 80"   | EA   | 8444       |
| FB13010    | Acid resistant plastic tub with coverS 450  | EA   | 33229      |
| FB11040    | Transparent coverS 15   | EA   | 3064       |
| FB11041    | Transparent cover 30/40   | EA   | 3615       |
| FB11042    | Transparent coverS 60   | EA   | 4698       |
| FB11055    | Transparent coverS 100 / S 120  | EA   | 6265       |
| 2070830000 | Transparent Plastic cover for Elmasonic 180   | EA   | 6401       |
| FB11056    | Transparent coverS 300 / S 150  | EA   | 9669       |
| FB13006    | "Acid resistant plastic tub with coverS 30 / S40 S 60"  | EA   | 6265       |
| FB13007    | Acid resistant plastic tub with coverS100/ S120   | EA   | 18113      |
| FB13008    | Acid resistant plastic tub with covers 180  | EA   | 23969      |
| FB13000    | Cover with holes, stainless steelS 60 / S 150   | EA   | 6673       |
| 2101000130 | Movable rack for Elmasonic S 900  | EA   | 35442      |
| 2101000131 | Movable rack for Elmasonic S 450  | EA   | 29753      |
| FB11160    | TI-H 5 MF3Sonic bath dual freq.multi-frequency 35 / 130 kHz (MF3).  | EA   | 217277     |

PK - Pack  
EA - Each



| Cat. No.   | Description   | Pack | Price in ₹ |
|------------|---|------|------------|
| FB11161    | TI-H 5 MF2Sonic bath dual freq.multi-frequency 25 / 45 kHz (MF2)    | EA   | 217277     |
| 2390100050 | TI-H 5 cover  | EA   | 5136       |
| 2390150000 | TI-H 5 hinged lid   | EA   | 31785      |
| FB11163    | TI-H 10 MF3Sonic bath dual freq.multi-frequency 25 / 45 kHz (MF2)   | EA   | 243593     |
| FB11164    | TI-H 10 MF2Sonic bath dual freq.multi-frequency 25 / 45 kHz (MF2)   | EA   | 243593     |
| 2390200050 | TI-H 10 / TI-H 15cover  | EA   | 5830       |
| FB11166    | TI-H 15 MF3Sonic bath dual freq.multi-frequency 35 / 130 kHz (MF3). | EA   | 273464     |
| FB11167    | TI-H 15 MF2Sonic bath dual freq.multi-frequency 35 / 130 kHz (MF3). | EA   | 273464     |
| 2390350000 | TI-H 10 / TI-H 15hinged lid   | EA   | 36782      |
| FB11169    | TI-H 20 MF3Sonic bath dual freq.multi-frequency 35 / 130 kHz (MF3). | EA   | 286977     |
| FB11170    | TI-H 20 MF2Sonic bath dual freq.multi-frequency 25 / 45 kHz (MF2)   | EA   | 286977     |
| 2390400050 | TI-H 20 cover   | EA   | 6524       |
| 2390450000 | TI-H 20 hinged lid  | EA   | 38864      |
| 3750100000 | Electric hot air dryer, 190 x 167 x 130 mm                          | EA   | 30819      |

### Sterilizer

| Autoclave |                                 |    |         |
|-----------|---------------------------------|----|---------|
| AVS1505   | Autoclave Validation System     | EA | 596327  |
| 023210053 | Tuttnauer Autoclave 1730M 220V  | EA | 921562  |
| 023210151 | Tuttnauer Autoclave 2340M 220V  | EA | 1063854 |
| 023210355 | Tuttnauer Autoclave 2540M 220V  | EA | 1219725 |
| 023210258 | Tuttnauer Autoclave 2340E 220V  | EA | 1305293 |
| 023210461 | Tuttnauer Autoclave 2540EP 220V | EA | 1557265 |
| 023210915 | Vertical Autoclave 2840ELV      | EA | 2600364 |
| 023210916 | Vertical Autoclave 2840ELVC     | EA | 2982771 |
| 023210606 | Autoclave Tuttnav M#3870E 220V  | EA | 4175565 |
| 023210950 | Vertical Autoclave 3870ELVC     | EA | 4746758 |

### Sterilizer

|           |                                |    |         |
|-----------|--------------------------------|----|---------|
| 956060    | Sterilizer Stand Ss 29 In High | EA | 163053  |
| E400220   | Ozilla Ozone Sterilizer 220V   | EA | 800472  |
| SM310     | Sterilizer W/Dry 1.2Cuft 220V  | EA | 1605343 |
| 023210380 | 2540Eap Electronic Sterilizer  | EA | 1859498 |
| 952678    | Sterilizer Fixed 121C          | EA | 2062418 |
| 952902    | Sterilizer, Steam,50Hz,85L Cap | EA | 2108153 |
| 952903    | Sterilizer, Steam,50Hz,85L Cap | EA | 2151780 |
| 956300    | Steam Sterilizer 208/240V 60Hz | EA | 2390586 |
| 956301    | Steam Sterilizer 220/380V 50Hz | EA | 2494210 |
| 023210673 | 3870EAP Electronic Sterilizer  | EA | 4362003 |

### Traceable Products

| Anemometers |  |    |       |
|-------------|--|----|-------|
| 01241       | Traceable® Digital Anemometer w/Temperature    | EA | 30635 |
| 0666273     | Traceable® Hot Wire Anemometer w/RS-232 Output | EA | 58078 |
| 1166116     | Traceable® Digital Anemometer w/Memory         | EA | 45530 |
| 15078208    | Chemical-Resistant Check Valve 1/8-inch        | EA | 4725  |
| 15078209    | Chemical-Resistant Check Valve 3/16-inch       | EA | 4725  |
| 15078210    | Chemical-Resistant Check Valve 1/4-inch        | EA | 4725  |
| 15078211    | Chemical-Resistant Check Valve 3/8-inch        | EA | 4725  |



## Equipment

| Cat. No.            | Description   | Pack | Price in ₹ |
|---------------------|---|------|------------|
| <b>Barometers</b>   |   |      |            |
| 02406               | Traceable® Handheld Digital Barometer                                       | EA   | 29242      |
| 1464851             | Traceable® Dial Barometer   | EA   | 16520      |
| 15078196            | Traceable® Vane Anemometer/Thermometer/Hygrometer/Dew Point / Barometer Pen | EA   | 36291      |
| 15078198            | Traceable® Hygrometer/Thermometer/Barometer/Dew Point Pen                   | EA   | 24957      |
| 15079610            | Traceable® Workstation Barometer with Clock                                 | EA   | 6621       |
| 02402               | Weather System  | EA   | 67158      |
| <b>Battery</b>      |   |      |            |
| 024401E             | Battery 4030/4031   | EA   | 470        |
| FA01102             | 1.5V Battery  | EA   | 484        |
| <b>Calculators</b>  |   |      |            |
| 12099               | Solar Metric Converter  | EA   | 8656       |
| 1464850             | Solar Pocket Metric Converter   | EA   | 4406       |
| 14648100            | Scientific Clipboard  | EA   | 6950       |
| 1209920             | Big-Digit Solar Calculator  | EA   | 1476       |
| 1209921             | Scientific Calculator   | EA   | 2565       |
| 1209923             | 12-Digit Computer   | EA   | 6638       |
| 1209912             | Universal Converter   | EA   | 3362       |
| 1209924             | Solar Calculator 8 Digit  | EA   | 2478       |
| 1209925             | Solar Calculator 12 Digit   | EA   | 2823       |
| <b>Calipers</b>     |   |      |            |
| 1464817             | Traceable® Digital Calipers   | EA   | 12376      |
| 0666416             | Traceable® Digital Calipers (8 inch)  | EA   | 16956      |
| 15077957            | Traceable® Digital Carbon Fiber Calipers, 4 inch                            | EA   | 3933       |
| 15077958            | Traceable® Digital Carbon Fiber Calipers, 6 inch                            | EA   | 4375       |
| <b>Carts</b>        |   |      |            |
| 04681               | Mini-Dolly Folding Cart   | PK   | 16749      |
| 119281              | Aluminum Fold-Up Cart   | EA   | 21090      |
| 119282              | Aluminum Fold-Up Hand Truck   | EA   | 18607      |
| <b>Conductivity</b> |   |      |            |
| 22278143            | Accessory Conductivity Probe (Plastic)                                      | EA   | 28516      |
| 093262A             | Replacement Conductivity Probe (Glass)                                      | EA   | 25732      |
| 093262              | Traceable® Bench/Portable Conductivity Meter                                | EA   | 114828     |
| 093281              | Traceable® Conductivity Standard (10 µS)                                    | EA   | 3478       |
| 093282              | Traceable® Conductivity Standard (100 µS)                                   | EA   | 3265       |
| 093283              | Traceable® Conductivity Standard (1000 µS)                                  | EA   | 3265       |
| 093284              | Traceable® Conductivity Standard (10,000 µS)                                | EA   | 3265       |
| 093285              | Traceable® Conductivity Standard (100,000 µS)                               | EA   | 3265       |
| 09327               | Traceable® Conductivity Meter   | EA   | 47437      |
| 22278141            | Accessory Conductivity Probe (Plastic)                                      | EA   | 23190      |
| 093271              | Replacement Conductivity Probe (Glass)                                      | EA   | 28095      |
| 15079609            | Replacement Probe for 4132 Model  | EA   | 20037      |
| 1166123             | Easy-Use™ Accessory Adaptor (115 VAC)                                       | EA   | 5202       |
| 06664265            | Traceable® Conductivity Standard (150,000 µS)                               | EA   | 3265       |
| 06664266            | Traceable® Conductivity Standard (200,000 µS)                               | EA   | 3265       |
| 09330               | Traceable® Bench Conductivity Meter   | EA   | 132638     |
| 0666259             | Ph/Conductivity Universal Flow-Thru Adaptor                                 | EA   | 10473      |
| 0666262             | Traceable® Pure H2O Tester  | EA   | 33401      |
| 0666261             | Traceable® Dual Display Cond. Meter w/RS-232 Output                         | EA   | 44526      |

PK - Pack  
EA - Each

# Fisher Scientific™ Certified Reference Materials (CRM) Traceable™

From an ISO/IEC 17025 A2LA accredited calibration laboratory • NIST certified



Fisher Scientific™ Certified Reference Materials (CRM) Traceable™ pH Buffer Standards

| Size                       | Cat. No.   | pH Value | Price   |
|----------------------------|------------|----------|---------|
|                            | 06-664-259 | 4.005    | \$17.46 |
| 16 fl.oz. Bottle           | 06-664-260 | 7.000    | \$17.46 |
|                            | 06-664-261 | 10.012   | \$17.46 |
| 100 ml One-Shot™ (pk of 6) | 06-664-262 | 4.005    | \$19.80 |
|                            | 06-664-263 | 7.000    | \$19.80 |
|                            | 06-664-264 | 10.012   | \$19.80 |

- » Have an accuracy:  $\pm 0.010$  pH (at 25°C)—the most precise available
- » Are compared directly to NMI (National Metrology Institute)
- » Are 100% compatible with all makes of pH meters, electrodes
- » Include values manufactured to IUPAC (International Union of Pure and Applied Chemistry) formulation
- » Have a triple-layered proprietary packaging (aluminum foil, PET and low-density polyethylene bag) prevents contamination

## Only Traceable™ Conductivity Standards (CRM):



| Fisher Scientific™ Traceable™ Conductivity Standards, Certified Reference Material Accredited |   |   |   |          |         |
|---|---|---|---|----------|---------|
| ISO Guide 34,<br>ISO Guide 35,<br>ISO Guide<br>31, ISO/IEC<br>17025                           | Cat. No.<br>Individually<br>Tested 16 oz.<br>bottle | Cat. No. 100<br>ml<br>One-Shot™<br>(6-pack) | Microsiem-<br>mens/Mi-<br>cromhos   | Megohms  | TDS/PPM |
| 15-077-945  | 15-077-946  | —   | 1   | 1        | 0.66    |
| 06-664-24   | 15-077-947  | 06-664-25                                   | 5   | 0.2      | 3.3     |
| 09-328-1  | 15-077-948  | 09-328-6                                    | 10  | 0.1      | 6.6     |
| 09-328-2  | 15-077-949  | 09-328-7                                    | 100   | 0.01     | 66      |
| 09-328-3  | 15-077-950  | 09-328-8                                    | 1000  | 0.001    | 666     |
| 09-328-11   | 15-077-951  | 09-328-12                                   | 1413  | 0.00071  | 933     |
| 09-328-4  | 15-077-952  | 09-328-9                                    | 10000   | 0.0001   | 6666    |
| 09-328-5  | 15-077-953  | 09-328-10                                   | 100000  | 0.00001  | 66666   |
| 06-664-265  | 06-664-267  | 06-664-268                                  | 150000  | 0.000006 | 100000  |
| 06-664-266  | 06-664-274  | 06-664-275                                  | 200000  | 0.000005 | 133333  |
| —   | —   | 09-328-20                                   | Assortment (one each of the above, except 06-664-25, 06-664-268, or 06-664-269) |          |         |

- » Are 100% compatible with all conductivity meters
- » Have an accuracy certificate stated uncertainty, or  $\pm 0.25$  microsiemens or  $\pm 0.25$

# Fisher Scientific Traceable® Dishwasher Metal Thermometer

From an ISO/IEC 17025 (1750.01) A2LA accredited calibration laboratory • NIST certified

Reports maximum temperatures achieved during dishwashing



## New Fisher Scientific Traceable® Dishwasher Metal Thermometer

- » Validates that the 180°F (82°C) temperature regulation standards were achieved during the dishwashing process
- » Range: -58 to 302°F (-50 to 150°C)
- » Resolution: 0.1°
- » Accuracy: ±1°C (-20 to 150°C)
- » Waterproof/metal construction are ideal for dishwashers and other wet applications
- » Use it in food, pharmaceutical, clean rooms, industrial labs
- » Size: 1 1/4" diameter x 3/4"; weight: 1 ounce
- » Supplied: battery, metal hanger or metal probe cover, Traceable® Certificate
- » To assure accuracy an individually serial-numbered Traceable® Certificate is provided from an ISO 17025 calibration laboratory accredited by A2LA. It indicates traceability to standards provided by NIST (National Institute of Standards and Technology).

| Catalog No. | Description   |
|-------------|---|
| 14-648-61   | Fisher Scientific Traceable® Dishwasher Metal Thermometer |
| 14-648-62   | Fisher Scientific Traceable® Metal Thermometer            |

Traceable is a registered Trademark of Control3.

## Alchemist Series™

Stainless-steel probe and sealed metal housing construction make it the most rugged thermometer ever designed for wet environments.

### Records minimum/maximum reading

Features include °F/°C switch, minimum and maximum memory readings over any time period, and a HOLD switch (freezes the display to capture a temperature). Large, bright 3/8-inch-high LCD is easy to read. Probe model: stainless-steel stem is 5-inches and overall length is 6 inches.



| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 093301   | Redi-Stor™ Conductivity Probe Storage Solution     | EA   | 3265       |
| 0932820  | Traceable One-Shot® Assortment (6/pk)              | EA   | 4023       |
| 0932811  | Traceable® Conductivity Calibration Std. (1413 µS) | PK   | 3265       |
| 0932812  | Traceable One-Shot® Standard (6/pk 1413 µS)        | EA   | 4023       |
| 093286   | Traceable One-Shot® Standard (6/pk 10 µS)          | EA   | 4023       |
| 093287   | Traceable One-Shot® Standard (6/pk 100 µS)         | EA   | 4023       |
| 093288   | Traceable One-Shot® Standard (6/pk 1000 µS)        | EA   | 4023       |
| 093289   | Traceable One-Shot® Standard (6/pk 10,000 µS)      | EA   | 4023       |
| 0932810  | Traceable One-Shot® Standard (6/pk 100,000 µS)     | PK   | 4023       |
| 0666424  | Traceable® Conductivity Standard (5 µS)            | EA   | 8914       |
| 0666425  | Traceable One-Shot® Standard (6/pk 5 µS)           | EA   | 11344      |
| 15077945 | Traceable® Conductivity Standard (1 µS)            | EA   | 8914       |
| 15078200 | Traceable® Conductivity Pen                        | PK   | 7717       |
| 15078201 | Traceable® Conductivity/Total Dissolved Oxygen Pen | PK   | 8562       |
| 15078202 | Traceable® Salinity Pen                            | EA   | 8861       |
| 06664267 | Traceable® A2LA Conductivity Std. 150,000          | EA   | 10952      |
| 06664274 | Traceable® A2LA Conductivity Std. 200,000          | EA   | 10952      |
| 15077948 | Traceable® A2LA Conductivity Std. 10               | EA   | 10952      |
| 15077949 | Traceable® A2LA Conductivity Std. 100              | EA   | 10952      |
| 15077950 | Traceable® A2LA Conductivity Std. 1000             | EA   | 10952      |
| 15077952 | Traceable® A2LA Conductivity Std. 10,000           | EA   | 10952      |
| 15077953 | Traceable® A2LA Conductivity Std. 100,000          | EA   | 10952      |
| 15077947 | Traceable® A2LA Conductivity Std. 5                | EA   | 14662      |
| 15077951 | Traceable® A2LA Conductivity Std. 1413             | EA   | 10952      |
| 15077946 | Traceable® A2LA Conductivity Std. 1                | EA   | 14662      |
| 06664268 | Traceable One-Shot® Standard (6/pk 150,000 µS)     | EA   | 4023       |
| 06664275 | Traceable One-Shot® Standard (6/pk 200,000 µS)     | EA   | 4023       |

### Controller

|          |                                   |    |       |
|----------|-----------------------------------|----|-------|
| 1146347A | Traceable® Temperature Controller | EA | 18826 |
|----------|-----------------------------------|----|-------|

### Counters

|         |                                     |    |      |
|---------|-------------------------------------|----|------|
| 079052  | Digital Counter                     | EA | 2381 |
| 079056  | Hand Tally Counter                  | PK | 804  |
| 1464978 | Digital Key-Chain Wristband Counter | EA | 1495 |
| 1464977 | Counter Pen                         | EA | 2381 |

### Desiccators

|          |                               |    |      |
|----------|-------------------------------|----|------|
| 086645A  | Desi-Vac Container™ (600 ml)  | PK | 2826 |
| 086645B  | Desi-Vac Container™ (850 ml)  | PK | 3199 |
| 086645C  | Desi-Vac Container™ (1100 ml) | PK | 3523 |
| 15077955 | Desi-Vac Container™ (3.0 L)   | PK | 5329 |

### Dessicants

|        |  |    |      |
|--------|--|----|------|
| 07580  | Humidity Sponge™ - Indicating (40/pack)  | EA | 4868 |
| 075801 | Humidity Sponge™ - Regenerable (40/pack) | EA | 4880 |

### Dissecting

|       |                      |    |      |
|-------|----------------------|----|------|
| 08850 | Microprobes (6/pack) | EA | 8620 |
|-------|----------------------|----|------|

### Electrical Equipment

|         |                       |    |      |
|---------|-----------------------|----|------|
| FA04236 | AC Adaptor            | EA | 3945 |
| 1464816 | Analog Battery Tester | EA | 3827 |

### Envirometer

|        |             |    |       |
|--------|-------------|----|-------|
| 024015 | Envirometer | EA | 19003 |
|--------|-------------|----|-------|

PK - Pack

EA - Each



## Equipment

| Cat. No.                 | Description   | Pack | Price in ₹ |
|--------------------------|---|------|------------|
| <b>Humidity Monitors</b> |   |      |            |
| 06664272                 | 33% RH Calibration Std.   | EA   | 6093       |
| 06664273                 | 75% RH Calibration Std.   | EA   | 6093       |
| 066624                   | Traceable® Thermometer Clock Humidity Monitor                             | EA   | 5412       |
| 116619                   | Traceable® Memory Humidity/Temperature Monitor                            | EA   | 10844      |
| 0666410                  | Traceable® Analog Clock w/Temp. & Humidity                                | EA   | 3305       |
| 1166111                  | Traceable® Digital Humidity/Temperature                                   | EA   | 6706       |
| 1166113                  | Traceable® Memory Humidity/Temperature                                    | EA   | 7028       |
| 1166119                  | Traceable® Jumbo Humidity/Temperature Meter                               | EA   | 7673       |
| 1166120                  | Traceable® Humidity/Temp. Meter w/Output                                  | EA   | 28740      |
| 1464827                  | Traceable® Humidity Controller  | EA   | 15270      |
| 1464852                  | Traceable® Radio Humidity   | EA   | 10474      |
| 1464853                  | Traceable® Humidity Module  | EA   | 5172       |
| 15079614                 | Traceable® Digital Humidity/Temperature/Dew Point Meter                   | EA   | 6008       |
| <b>Hygrometers</b>       |   |      |            |
| 116618                   | Traceable® General Purpose Hygrometer                                     | EA   | 27446      |
| 1166114                  | Traceable® Pen Hygrometer   | EA   | 7079       |
| 1166118                  | Traceable® Memory Hygrometer/Termometer                                   | EA   | 18497      |
| 1166121                  | Traceable® Hygrometer/Termometer w/RS-232 Output                          | EA   | 34046      |
| 15078195                 | Traceable® Vane Anemometer/Termometer/Hygrometer/Dew Point Pen            | EA   | 17274      |
| 1166117A                 | Traceable® Printing Hygrometer °F   | EA   | 68425      |
| 116616B                  | Analog Hygrometer/Termometer  | EA   | 8785       |
| 024401A                  | 3 Volt Lithium Battery  | PK   | 603        |
| 024401B                  | Battery   | EA   | 470        |
| 024401C                  | Alkaline Battery  | EA   | 470        |
| 024402A                  | 9 Volt Rechargeable Battery   | PK   | 2128       |
| 024402B                  | AA Nickel Cadmium Battery   | EA   | 940        |
| 024401D                  | Button Cell 1.5V Battery  | PK   | 484        |
| 024403A                  | AAA Alkaline Battery  | PK   | 484        |
| 116617A                  | Traceable® RH/Temp/Dew Point Meter (Universal)                            | EA   | 51490      |
| 116617B                  | Traceable® RH/Temp/Dew Point Meter (Fast)                                 | EA   | 69705      |
| 1507751                  | Traceable® Remote Sensor Module w/Probe                                   | PK   | 5511       |
| 1507752                  | Traceable® Accessory Stainless Steel Probe                                | PK   | 7680       |
| 1507753                  | Accessory Traceable® External Bottle Probe                                | PK   | 5835       |
| 1464984                  | Traceable® Remote Alarm RH/Temperature Monitor                            | EA   | 8896       |
| 1464849                  | Traceable® RH-on-a-card   | EA   | 5987       |
| 15077963                 | Traceable® Dew-Point/Wet-Bulb/RH/Temp Alarm                               | EA   | 7367       |
| <b>Light Meters</b>      |   |      |            |
| 0666263                  | Traceable® Dual Range Light Meter w/Outputs                               | EA   | 16735      |
| 0666264                  | Traceable® Light Meter w/RS-232 Output                                    | EA   | 27098      |
| 0666265                  | Traceable® UVA Light Meter w/RS-232 Output                                | EA   | 79495      |
| 15078189                 | Traceable® Light Meter Pen  | EA   | 14372      |
| <b>Logger</b>            |   |      |            |
| FA06590                  | USB Cable for Logger-Trac LN2 and RH/Temperature (Use with 6550 and 6560) | EA   | 2763       |
| FA06540                  | Traceable® Logger-Trac™ Temperature                                       | EA   | 9396       |
| FA06545                  | Logger-Trac™ Sleeves (100/pk)   | EA   | 4606       |
| FA06550                  | Traceable® Logger-Trac™ RH/Temperature                                    | EA   | 24180      |
| FA06560                  | Traceable® Logger-Trac™ LN2   | EA   | 79449      |
| FA06570                  | Logger-Trac™ Cradle & Cable (Use with 6540)                               | EA   | 6909       |

PK - Pack  
EA - Each



| Cat. No.                            | Description   | Pack | Price in ₹ |
|-------------------------------------|---|------|------------|
| <b>Microscope</b>                   |   |      |            |
| 120716D                             | Illuminated Microscope (60X-100X Zoom)                | EA   | 5916       |
| 120716E                             | Illuminated Microscope (30X)                          | EA   | 5310       |
| <b>Moisture meter</b>               |   |      |            |
| 0666267                             | Traceable® Moisture Meter                             | EA   | 45184      |
| <b>Multimeter</b>                   |   |      |            |
| 012411                              | Auto-Range Multimeter                                 | EA   | 5126       |
| <b>Oxygen Meter</b>                 |   |      |            |
| 0666266                             | Traceable® Dissolved Oxygen Meter                     | EA   | 65560      |
| 15078199                            | Traceable® Dissolved Oxygen Pen                       | EA   | 43404      |
| <b>Probes</b>                       |   |      |            |
| 02441                               | Microprobe for Model 4000                             | EA   | 2181       |
| 1507712                             | Accessory Probe                                       | EA   | 6694       |
| 15081122                            | Replacement Probe for 4000 Model                      | EA   | 9580       |
| 15077722                            | Accessory Traceable® External 5 mL Bottle Probe       | EA   | 6128       |
| FA04112                             | Micro Probe for 4000 Model                            | EA   | 14745      |
| FA04124                             | Bottle Probe  | EA   | 3312       |
| FA04231                             | Replacement Probe for 4230                            | EA   | 4309       |
| FA04361                             | Replacement Conductivity Probe (Glass/Platinum)       | EA   | 17023      |
| FA04362                             | Replacement Conductivity Probe (Unbreakable E[pxoy])  | EA   | 14163      |
| <b>Rulers and Measuring Devices</b> |   |      |            |
| 0666417                             | Measureing Meter                                      | EA   | 8012       |
| <b>Safety</b>                       |   |      |            |
| 20324                               | Liquid Alarm  | PK   | 5292       |
| <b>Scoop</b>                        |   |      |            |
| FA03476                             | 40mL Scoop for Traceable® SpatulaBalance™             | EA   | 2411       |
| FA07050                             | Replacement Scoop for 3475 Traceable® SpatulaBalance™ | EA   | 2411       |
| <b>Slide Holder</b>                 |   |      |            |
| 1258820                             | Slide Holder Cards (12/pack) & Box                    | EA   | 1656       |
| 1258825                             | Slide Holder Cards (12/pack)                          | EA   | 1640       |
| <b>Slide Holder Cabinet</b>         |   |      |            |
| 1258830                             | Slide Holder Cabinet (1 drawer)                       | EA   | 10087      |
| <b>Sound Meter</b>                  |   |      |            |
| 116616A                             | Traceable® Sound Level Meter                          | EA   | 33099      |
| <b>Spatulas</b>                     |   |      |            |
| 143725                              | Micro-Spatulas (4/pack)                               | EA   | 4138       |
| <b>Sprayer</b>                      |   |      |            |
| 1464848                             | Trigger Sprayer                                       | EA   | 1672       |
| FA03341                             | Replacement Sprayer                                   | EA   | 1948       |
| <b>Stationery</b>                   |   |      |            |
| 1464959                             | Dust-It Blower, 3 pack                                | EA   | 4099       |
| 3132                                | Disposable Pens, All Black, (5/pack)                  | EA   | 6955       |
| 3135                                | Black Replacement Pen for 3133                        | EA   | 783        |

PK - Pack

EA - Each



## Equipment

| Cat. No.           | Description   | Pack | Price in ₹ |
|--------------------|---|------|------------|
| <b>Stopwatch</b>   |   |      |            |
| 14649              | Traceable® 8-Memory Digital Stopwatch   | EA   | 14649      |
| 14648              | Traceable® Dual Display Digital Stopwatch   | EA   | 9453       |
| 146481             | Traceable® Stopwatch/Chronograph  | EA   | 1223       |
| 146483             | Traceable® Jumbo-Digit Stopwatch  | EA   | 3621       |
| 146484             | Traceable® 300 Memory All Function Stopwatch  | EA   | 7276       |
| 146495             | Traceable® Digital Stopwatch  | EA   | 7277       |
| 146497             | Traceable® Big Digit Stopwatch  | EA   | 3929       |
| 146498             | Traceable® Universal Stopwatch  | EA   | 6820       |
| 146499             | Traceable® 60 Memory Stopwatch  | EA   | 4657       |
| 666256             | Traceable® Waterproof/Shockproof Stopwatch  | EA   | 2111       |
| 146480             | Traceable® Alarm Timer/Stopwatch  | EA   | 488        |
| 1464911            | Traceable® Water/Shock Resistant Stopwatch  | EA   | 1828       |
| 1464913            | Traceable® Countdown Stopwatch  | EA   | 5062       |
| 1464915            | Traceable® Alarm Timer/Stopwatch  | EA   | 2715       |
| 1464918            | Traceable® Jumbo-Digit Stopwatch  | EA   | 1223       |
| 1464919            | Traceable® 3-Button Stopwatch   | EA   | 967        |
| 1464950            | Traceable® Kaleidoscope Stopwatch, Red, 3-pack  | EA   | 3141       |
| 1464951            | Traceable® Kaleidoscope Stopwatch, Yellow, 3-pack   | EA   | 3141       |
| 1464952            | Traceable® Kaleidoscope Stopwatch, Blue, 3-pack   | EA   | 3141       |
| 1464953            | Traceable® Kaleidoscope Stopwatch, Green, 3-pack  | EA   | 3141       |
| 1464954            | Traceable® Kaleidoscope Stopwatch, Purple, 3-pack   | EA   | 3141       |
| 1464955            | Traceable® Kaleidoscope Stopwatch, Gray, 3-pack   | EA   | 3839       |
| 1464956            | Traceable® Kaleidoscope Stopwatch, Assorted Colors  | EA   | 6280       |
| 22231837           | Traceable® Stopwatch/Chronograph  | EA   | 5741       |
| <b>Tachometers</b> |   |      |            |
| 024012             | Traceable® Tachometer Touch   | EA   | 13057      |
| 024013             | Traceable® Tachometer Laser   | EA   | 15340      |
| 0502823            | Traceable® Photo/Contact Tachometer   | EA   | 39549      |
| 0502824            | Traceable® Photo Tachometer   | EA   | 36378      |
| <b>Thermometer</b> |   |      |            |
| 15077723           | Traceable® Recording Thermometer with 5 mL Bottle Probe   | EA   | 5476       |
| 15081123           | Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 1 bottle probe             | EA   | 16942      |
| 15081124           | Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 2 bottle probes            | EA   | 18229      |
| 15081125           | Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 1 Bullet™ probe            | EA   | 16300      |
| 15081126           | Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 2 Bullet™ probes           | EA   | 17585      |
| 15081127           | Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 1 bottle & 1 Bullet™ probe | EA   | 18229      |
| 15081128           | Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 1 stainless steel probe    | EA   | 18229      |
| 15081129           | Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 2 stainless steel probes   | EA   | 19514      |
| 15081130           | Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 1 bottle probe                 | EA   | 19514      |
| 15081131           | Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 2 bottle probes                | EA   | 20799      |
| 15081132           | Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 1 Bullet™ probe                | EA   | 18872      |
| 15081133           | Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 2 Bullet™ probes               | EA   | 20157      |
| 15081134           | Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 1 bottle & 1 Bullet™ probe     | EA   | 20799      |
| 15081135           | Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 1 stainless steel probe        | EA   | 20799      |
| 15081136           | Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 2 stainless steel probes       | EA   | 22084      |
| 024011             | Mini IR Traceable® Thermometer  | EA   | 5877       |
| 024020             | Traceable® Water Proof Thermometer Ultra  | EA   | 7080       |
| 146485             | Traceable® Clock/Termometer/Calendar  | EA   | 8463       |
| 150778             | Traceable® Digital Thermometer  | EA   | 54037      |
| 150782             | Traceable® Memory Wide Range Thermometer  | EA   | 57892      |

PK - Pack  
EA - Each

# Fisher Scientific Traceable® Refrigerator/Freezer Thermometers



| Catalog Number  | 15-077-720 | 06-664-270 | 15-077-721 | 15-078-215<br>15-078-176 | 15-081-106 | 15-081-110 | 15-081-123<br>15-081-124 | 15-081-134<br>15-081-130 |
|---|------------|------------|------------|--------------------------|------------|------------|--------------------------|--------------------------|
| <b>CDC Requirements</b>   |            |            |            |                          |            |            |                          |                          |
| Traceable® Certificate supplied   | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| Calibration Report Included   | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| Annual Recalibration by ILAC/MRA accredited laboratory available                | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| <b>CDC Recommendations</b>  |            |            |            |                          |            |            |                          |                          |
| Glycol encased probe  | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| Certificate of Calibration includes methods and procedure documentation         | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| Certificate of Calibration includes stated uncertainties                        | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| Certificate of Calibration includes measurement results                         | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| Minimum/Maximum Memory  | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| Capable of displaying current temperature and minimum/maximum memories          | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| Minimum/Maximum Memory reset  | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| Detachable probe  | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| High/Low Alarm  | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| Read storage unit temperatures without opening the door                         | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| ±0.5°C (±1°F) Accuracy  | ±1°C       | ±1°C       | ±0.5°C     | ±0.3°C                   | ±0.1°C     | ±0.5°C     | ±0.25°C                  | ±0.25°C                  |
| Low battery indicator   | ✓          | ✓          | ✓          | ✓                        | ✓          | ✓          | ✓                        | ✓                        |
| Data Logger with Continuous Monitoring and Active Display                       |            |            |            |                          | ✓          | ✓          | ✓                        | ✓                        |
| Data Logger with user programmable logging intervals                            |            |            |            |                          |            | ✓          | ✓                        |                          |
| Data Logger capable of storing 4,000 readings that will not overwrite when full |            |            |            |                          |            | ✓          |                          | ✓                        |

All Fisher Scientific Traceable® digital thermometers fulfil the current CDC/VFC requirements.

Each individual state/local health department immunization program may have specific requirements—Consult your immunization program for more information

Data represented above is accurate as of 12/15/2013. Recommendations and requirements are subject to change without prior notice.

#### Traceable to NIST for accuracy:

To assure accuracy, all Traceable® Thermometers are supplied with an individually serial-numbered Traceable® Certificate provided from an ISO/IEC 17025 calibration laboratory accredited by A2LA. It indicates traceability to standards provided by NIST.

# Fisher Scientific Traceable® Thermometer

## Traceable® Lollipop™ Shock/Waterproof Thermometer

- » Shock/waterproof unit delivers reading updates every second
- » One-key operation recalls MIN/MAX temperature results, °F/°C switchable

| Catalog No. | Range                       | Resolution                               | Accuracy                |
|-------------|-----------------------------|--|-------------------------|
| 14-648-44   | -58 to 572°F (-50 to 300°C) | 0.1° from -20 to 200°C; or 1°C elsewhere | ±1°C                    |
| 06-664-27   | -58 to 572°F (-50 to 300°C) | 0.1° from -20 to 200°C; or 1°C elsewhere | ±0.4°C at tested points |



## Traceable® Extra-Extra Long-Probe Waterproof Thermometer

- » Extra-long 20-inch probe created for deep vessels
- » Waterproof to a depth of 10 feet (meter/probe/cable)

| Catalog No. | Range                              | Resolution | Accuracy | Probe  |
|-------------|------------------------------------|------------|----------|--|
| 15-081-101  | 14.0 to 230.0°F (-10.0 to 110.0°C) | 0.1        | ±1°C     | 20" length x 0.2" dia. 10' waterproof cable, stainless-steel |

## Traceable® Waterproof Type-K Thermometer

Rubber boot covers thermocouple to maintain waterproof integrity with thermocouple attached

- » MIN/MAX key rapidly recalls highest and lowest temperature reading achieved
- » Unique differential feature shows the difference in temperature from a set point
- » Back-lighting key (BKLT) allows for reading in dark areas, large-digit display is readable from 10 feet away
- » Probe range (supplied with unit): -40 to 250°C continuous or 300°C short-term; uses all Type-K thermocouples

| Catalog No. | Range                           | Resolution  | Accuracy   |
|-------------|---------------------------------|-------------|--|
| 15-078-186  | -328 to 2372°F (-200 to 1300°C) | 0.1° and 1° | ±0.3% of reading + 1°C between -200°C to 1000°C, otherwise 0.5% of reading + 1°C |



## Traceable® Water-resistant/Steamproof Timer

Affix timer anywhere using removable suction cup

- » Features: countdown/up, memory, stopwatch mode, water-resistant, steamproof
- » Ideal for use in wash-down areas, wet labs, manufacturing plants or field work
- » Impressive memory remembers most-recently-programmed setting for recurring lab experiments
- » Supplied: stand, removable suction-cup, battery, Traceable® Certificate

| Catalog No. | Range                 | Resolution | Accuracy |
|-------------|-----------------------|------------|----------|
| 15-081-120  | 99 minutes,59 seconds | 1 second   | 0.01%    |

### Traceable to NIST for accuracy:

To assure accuracy, all Traceable® Thermometers are supplied with an individually serial numbered Traceable® Certificate provided from an ISO/IEC 17025 calibration laboratory accredited by A2LA. It indicates traceability to standards provided by NIST.



| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 0666411  | Traceable® Refrigerator/Freezer Thermometer                                      | EA   | 6248       |
| 0666426  | Traceable® Flipstick Thermometer Ultra   | EA   | 6713       |
| 0666427  | Traceable® Waterproof Thermometer  | EA   | 7482       |
| 0666428  | Traceable® Anemometer Thermometer  | EA   | 21988      |
| 0666432  | Traceable® Robo-Thermometer™ Ultra   | EA   | 7799       |
| 0666433  | Traceable® Pocket Thermometer Ultra  | EA   | 7148       |
| 0666435  | Traceable® Waterproof Thermometer Ultra  | EA   | 6646       |
| 0666438  | Traceable® IR Thermometer Gun  | EA   | 13981      |
| 0666439  | Traceable® IR Thermometer with Laser   | EA   | 18082      |
| 0666450  | Traceable® Clock/Termometer/Humdity  | EA   | 8875       |
| 1464812  | Traceable® Long-Stem Digital ULTRA™ Thermometer                                  | EA   | 6980       |
| 1464826  | Traceable® Recording Thermometer   | EA   | 4894       |
| 1464843  | Traceable® Food Thermometer  | EA   | 3058       |
| 1464844  | Traceable® Waterproof Thermometer  | EA   | 3293       |
| 1464845  | Traceable® Flipstick Thermometer   | EA   | 3576       |
| 1464846  | Traceable® 10-Memory Thermometer   | EA   | 5462       |
| 1464847  | Traceable® Jumbo Display Dial Thermometer  | EA   | 6500       |
| 1464861  | Traceable® Dishwasher Metal Thermometer  | EA   | 4313       |
| 1464862  | Traceable® General Purpose Metal Thermometer                                     | EA   | 4230       |
| 1464979  | Traceable® Kangaroo Thermometer  | EA   | 4145       |
| 1464980  | Traceable® Pocket-Size K Thermometer °F  | EA   | 3770       |
| 1464981  | Traceable® Pocket-Size K Thermometer °C  | EA   | 3770       |
| 1464982  | Traceable® Workhorse Thermometer   | EA   | 5960       |
| 1507710  | Traceable® Expanded Range Thermometer °F   | EA   | 12921      |
| 1507711  | Traceable® Expanded Range Thermometer °C   | EA   | 12921      |
| 1507714  | Traceable® Wide Range Thermometer  | EA   | 15657      |
| 1507715  | Traceable® Printing Thermometer  | EA   | 62903      |
| 1507716  | Traceable® Printing Thermometer  | EA   | 62903      |
| 1507719  | Traceable® Solar Thermometer   | EA   | 3293       |
| 1507720  | Traceable® Solar Thermometer w/Probe   | EA   | 3447       |
| 1507722  | Traceable® Big-Digit Thermometer   | EA   | 5152       |
| 1507723  | Traceable® Full-Scale Thermometer  | EA   | 5580       |
| 1507726  | Traceable® Double Thermometer w/RS-232 Output                                    | EA   | 21780      |
| 1507729  | Traceable® Alarm Thermometer/Timer   | EA   | 3954       |
| 1507732  | Traceable® Mini-Thermometer  | EA   | 3998       |
| 1507750  | Traceable® Radio Signal Remote Thermometer                                       | EA   | 10777      |
| 1507754  | Traceable® Robo-Thermometer™   | EA   | 3864       |
| 1507755  | Traceable® Platinum RTD Thermometer  | EA   | 39969      |
| 1507757  | Traceable® Infrared Digital Thermometer  | EA   | 44682      |
| 1507758  | Traceable® Key Chain Thermometer   | EA   | 3054       |
| 1507760  | Traceable® Surface Dial Thermometer  | EA   | 5347       |
| 1507838  | Traceable® Thermometer w/Recorder Output   | EA   | 16042      |
| 06664254 | Traceable® Infrared Dual Lasers Thermometer w/Type-K Probe                       | EA   | 17847      |
| 06664255 | Traceable® Digital-Bottle™ Refrigerator/Freezer Thermometer                      | EA   | 5681       |
| 06664256 | Traceable® Digital-Bottle™ Ultra™ Refrigerator/Freezer Thermometer               | EA   | 7102       |
| 06664257 | Traceable® Digital-Bottle™ Refrigerator/Freezer Thermometer (glass beads)        | EA   | 5681       |
| 06664258 | Traceable® Digital-Bottle™ Ultra™ Refrigerator/Freezer Thermometer (glass beads) | EA   | 7102       |
| 06664269 | Traceable® Memory Monitoring Plus™ Thermometer                                   | EA   | 7130       |
| 06664270 | Traceable® 5ml Vaccine Jumbo Thermometer   | EA   | 7832       |
| 14648232 | Traceable® Jumbo Memory Monitoring Thermometer                                   | EA   | 7234       |
| 14648233 | Traceable® Jumbo Refrigerator/Freezer Thermometer                                | EA   | 7832       |
| 14649100 | Traceable® Waterproof Food Thermometer   | EA   | 2720       |
| 14649101 | Traceable® Ultra Waterproof Food Thermometer                                     | EA   | 3834       |



## Equipment

| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 14649102 | Traceable® Waterproof Food HACCP Thermometer                                       | EA   | 17511      |
| 15077720 | Traceable® Refrigerator/Freezer Thermometer 5 mL Bottle Probe                      | EA   | 6464       |
| 15077724 | Traceable® Sentry™ Thermometer °C with 5 mL Bottle Probe                           | EA   | 6158       |
| 15077725 | Traceable® Sentry™ Thermometer °F with 5 mL Bottle Probe                           | EA   | 6158       |
| 15077941 | Traceable® Sentry™ Thermometer °C with Bottle Probe                                | EA   | 6158       |
| 15077942 | Traceable® Sentry™ Thermometer °F with Bottle Probe                                | EA   | 6158       |
| 15077943 | Traceable® Snap-in-Thermometer Module  | EA   | 3148       |
| 15077944 | Econo Traceable® Refrigerator Thermometer  | EA   | 2063       |
| 15077959 | Big-Digit See-Thru Traceable® Thermometer °F                                       | EA   | 3272       |
| 15077960 | Big-Digit See-Thru Traceable® Thermometer °C                                       | EA   | 3272       |
| 15077961 | Traceable® -100 Platinum Freezer Thermometer                                       | EA   | 8209       |
| 15077966 | Traceable® Infrared Thermometer with Pocket Clip                                   | EA   | 5237       |
| 15077967 | Traceable® Infrared Thermometer with Wristband                                     | EA   | 9872       |
| 15077968 | Traceable® Infrared Thermometer with Trigger                                       | EA   | 16258      |
| 15077969 | Traceable® Infrared Thermometer Gun  | EA   | 29067      |
| 15077970 | Traceable® Infrared Thermometer Plus Gun   | EA   | 36358      |
| 15077975 | Econo Traceable® Refrigerator Thermometer Ultra                                    | EA   | 3491       |
| 15077976 | Traceable® Recording Thermometer with Bottle Probe                                 | EA   | 5591       |
| 15078176 | Traceable® Hi-accuracy 0.01° Refrigerator Thermometer, 2 bottle probes             | EA   | 12942      |
| 15078177 | Traceable® Hi-accuracy 0.01° Thermometer, 2 probes                                 | EA   | 10036      |
| 15078178 | Traceable® Extreme-Accuracy Standards Thermometer 0.00°                            | EA   | 12944      |
| 15078179 | Traceable® Extreme-Accuracy Standards Thermometer 25.00°                           | EA   | 12944      |
| 15078180 | Traceable® Extreme-Accuracy Standards Thermometer 37.00°                           | EA   | 12944      |
| 15078181 | Traceable® Extreme-Accuracy Standards Thermometer 0.00°, 25.00°, 37.00°            | EA   | 14119      |
| 15078182 | Traceable® Big-Digit Refrigerator Thermometer                                      | EA   | 2330       |
| 15078183 | Traceable® Big-Digit Ultra™ Refrigerator Thermometer                               | EA   | 3549       |
| 15078184 | Traceable® Dual Thermometer, 2 bottle probes                                       | EA   | 7224       |
| 15078185 | Traceable® Dual Thermometer, 2 probes  | EA   | 4299       |
| 15078186 | Traceable® Waterproof Type K Thermometer   | EA   | 18216      |
| 15078187 | Traceable® Big-Digit Type K Thermometer  | EA   | 9743       |
| 15078194 | Traceable® Vane Anemometer/Termometer Pen  | EA   | 14372      |
| 15078197 | Traceable® Micro-Anemometer/Termometer   | EA   | 9290       |
| 15078215 | Traceable® Hi-accuracy 0.01° Refrigerator Thermometer, 1 bottle probe              | EA   | 12390      |
| 15078250 | Traceable® High-Accuracy Dual Thermometer with One Stainless-Steel Probe           | EA   | 12944      |
| 15078251 | Traceable® High-Accuracy Dual Thermometer with Two Stainless-Steel Probe           | EA   | 15853      |
| 15081101 | Traceable® Extra-Extra Long-Probe Waterproof Thermometer                           | EA   | 18216      |
| 15081102 | Traceable® Platinum Ultra-Accurate Digital Thermometer with Handle Probe           | EA   | 48828      |
| 15081103 | Traceable® Platinum Ultra-Accurate Digital Thermometer with Bullet Probe           | EA   | 48828      |
| 15081106 | Traceable® Platinum High-Accuracy Refrigerator Thermometer with Bottle Probe       | EA   | 15894      |
| 15081107 | Traceable® Platinum High-Accuracy Refrigerator Thermometer                         | EA   | 15894      |
| 15081108 | Traceable® Platinum High-Accuracy Thermometer with Stainless Steel Probe           | EA   | 18041      |
| 15081109 | Traceable® Platinum High-Accuracy Freezer Thermometer with Bottle Probe            | EA   | 18041      |
| 15081110 | Traceable® Memory-Card Refrigerator/Freezer Thermometer                            | EA   | 32558      |
| 15081111 | Traceable® Memory-Card Refrigerator/Freezer Thermometer with Stainless Steel Probe | EA   | 32558      |
| 15081113 | Traceable® Wireless-Signal Refrigerator Thermometer                                | EA   | 16991      |
| 1507717A | Traceable® Sentry™ Thermometer °F  | EA   | 5412       |
| 1507717B | Traceable® Sentry™ Thermometer °C  | EA   | 5412       |
| 150778A  | Traceable® Digital Thermometer   | EA   | 6724       |
| 150778B  | Alarm Thermometer with Probe   | EA   | 6724       |
| 150778C  | Traceable® Monitoring Thermometer  | EA   | 4488       |
| 150778D  | Traceable® Memory Monitoring Thermometer   | EA   | 7080       |
| 150779D  | Traceable® Water Resistant Thermometer   | EA   | 4940       |
| 150779E  | Traceable® Water Resistant Thermometer   | EA   | 4940       |

PK - Pack  
EA - Each



| Cat. No. | Description  | Pack | Price in ₹ |
|----------|--|------|------------|
| 150783A  | Traceable® Dual Channel Thermometer  | EA   | 21813      |
| 15078B   | Traceable® Digital Dial Thermometer °C   | EA   | 3620       |
| 15078D   | Traceable® Digital Dial Thermometer °F   | EA   | 3351       |
| 15078E   | Traceable® Dial Thermometer  | EA   | 3125       |
| 15078F   | Traceable® Digital Dial Thermometer °C   | EA   | 3351       |
| 15078G   | Traceable® Pocket Thermometer °F/°C  | EA   | 3998       |
| 15078H   | Traceable® Pocket Thermometer °F/°C  | EA   | 3998       |
| 15078J   | Traceable® Long Stem Thermometer   | EA   | 3482       |
| 15078L   | Traceable® Jumbo Display Dial Thermometer  | EA   | 3528       |
| 150782A  | Surface Probe, Type-K  | EA   | 20696      |
| 150782B  | Stainless Steel Type-K Probe   | EA   | 6694       |
| 150779A  | Micro Probe  | EA   | 14745      |
| 1507745  | Beaded Probe, Type-K   | EA   | 3058       |
| 1507839  | Traceable® Two-Channel Therm w/Offsets   | EA   | 17265      |
| 1166122  | Data Acquisition System  | EA   | 12825      |
| 1507727  | Traceable® Big-Digit, 4 Alert Alarm Therm °C   | EA   | 3728       |
| 1507728  | Traceable® Big-Digit, 4 Alert Alarm Therm °F   | EA   | 3728       |
| 1464840  | Traceable® Therm. Disp. Rec., 5 days   | EA   | 4829       |
| 1464841  | Traceable® Therm. Disp. Rec., 10 days  | EA   | 4829       |
| 1464842  | Traceable® Therm. Disp. Rec., 45 days  | EA   | 4829       |
| 0666423  | Traceable® Refrigerator/Freezer Therm 0.1  | EA   | 7581       |
| 15077940 | Traceable® Full-Scale Therm 0.2°C  | EA   | 7484       |
| 0666430  | Traceable® Dial Therm F Ultra  | EA   | 7058       |
| 0666431  | Traceable® Dial Therm C Ultra  | EA   | 7058       |
| 1507759  | Traceable® Long-Stem Digital Therm Wide  | EA   | 4189       |
| 1507761  | Traceable® Long-Stem Digital ULTRA™ Therm Wide   | EA   | 7058       |
| 15077977 | Traceable® Expanded Range Conductivity Meter   | EA   | 45157      |
| 0666434  | Traceable® Full Scale Therm 0.2 °C   | EA   | 8470       |
| 0666436  | Traceable® Full Scale Therm 0.2 °C   | EA   | 6462       |
| 06664271 | Traceable® Mem Rh/Temp/Dew Point Meter   | EA   | 39791      |
| 0666437  | Traceable® Rh Meter with Dew Point   | EA   | 12885      |
| 15077721 | Traceable® Refrigerator/Freezer Therm 0.1 5 mL Bottle Probe  | EA   | 7825       |
| 15081112 | Traceable® Memory-Card Humdity/Temperatur/Dew Point  | EA   | 32662      |
| 15081104 | Replacement Platinum RSD Stainless-Steel Probe   | EA   | 35865      |
| 15081105 | Replacement Platinum RSD Bullet Probe  | EA   | 35865      |
| 15081114 | Additional Traceable® Remote Refrigerator Bottle Probe Module  | EA   | 8461       |
| FB58531  | Thermometer low temperature total immersion mercury filled in glass engraved stem white backed -40°C to 40°C x 0.5°C 300mm Fisherbrand       | EA   | 1201       |
| FB58533  | Thermometer Spirit Filled 300Mm Total Immersion  | EA   | 2809       |
| FB58537  | Thermometer -100 To 50 X 1 Spirit In Glass,Length  | EA   | 2654       |
| FB58541  | General Purpose/Stirring Thermometer, Red Spirit   | EA   | 363        |
| FB58543  | General Purpose/Stirring Thermometer, Red Spirit   | EA   | 259        |
| FB58545  | General Purpose/Stirring Thermometer, Red Spirit   | EA   | 363        |
| FB58547  | General Purpose/Stirring Thermometer, Red Spirit   | EA   | 363        |
| FB58549  | Thermometer general purpose/stirring 76 mm immersion red spirit filled amber graduations white backed -10°C to 110°C x 1°C 305mm Fisherbrand | EA   | 259        |
| FB58551  | General Purpose/Stirring Thermometer, Red Spirit   | EA   | 367        |
| FB58553  | General Purpose/Stirring Thermometer, Red Spirit   | EA   | 336        |
| FB58555  | General Purpose/Stirring Thermometer, Red Spirit   | EA   | 239        |
| FB60080  | Datalogger Prolog44 outputs without probes 9VV   | EA   | 229428     |
| FB60089  | Calibration certificate3 point UKAS for channel  | EA   | 12062      |
| FB60091  | Calibration certificate3 point UKAS for channel  | EA   | 12062      |
| FB60092  | Calibration certificate3 point UKAS for channel  | EA   | 12062      |



## Equipment

| Cat. No.             | Description  | Pack | Price in ₹ |
|----------------------|--|------|------------|
| <b>Timers</b>        |  |      |            |
| 15081120             | Traceable® Waterproof/Steamproof Timer                     | EA   | 2837       |
| 024017               | Traceable® 99Min/59S Timer                                 | EA   | 2556       |
| 024018               | Traceable® Keyboard Timer                                  | EA   | 2648       |
| 066622               | Traceable® Touch Timer™                                    | EA   | 1713       |
| 066623               | Traceable® Triple Display Timer                            | EA   | 3415       |
| 066625               | Traceable® 3-Channel Alarm Timer                           | EA   | 5907       |
| 066626               | 8-Channel Alarm Timer                                      | EA   | 21698      |
| 066628               | Traceable® Memory Timer                                    | EA   | 2747       |
| 066629               | Traceable® 100-Hour Timer                                  | EA   | 3599       |
| 0666210              | 60 Minute Timer  | EA   | 2342       |
| 0666211              | Traceable® Timer Plus™                                     | EA   | 2796       |
| 0666216              | Traceable® Advanced Memory Timer™                          | EA   | 3254       |
| 0666223              | Traceable® Clip-It Timer™                                  | EA   | 2144       |
| 0666225              | Traceable® Key Chain Timer                                 | EA   | 2372       |
| 0666226              | Traceable® Fingertip Timer™                                | EA   | 1822       |
| 0666240              | Traceable® Digital Bench Timer                             | EA   | 12558      |
| 0666244              | Traceable® Two-Memory Timer                                | EA   | 2614       |
| 0666245              | Traceable® Lab-Top Timer                                   | EA   | 2324       |
| 0666246              | Traceable® 3-Channel Jumbo Timer                           | EA   | 4069       |
| 0666247              | Traceable® Jumbo Timer (Black)                             | EA   | 2466       |
| 0666248              | Traceable® Jumbo Timer (White)                             | EA   | 2466       |
| 0666249              | Traceable® QC Timer™                                       | EA   | 1964       |
| 0666250              | Traceable® Triple-Purpose Timer™                           | EA   | 2455       |
| 0666251              | Traceable® 99M/59S Timer™                                  | EA   | 1895       |
| 0666252              | Traceable® Tie Timer™                                      | EA   | 2651       |
| 0666255              | Traceable® Original Lab Timer                              | EA   | 5660       |
| 0666440              | Traceable® Water Resistant Timer                           | EA   | 2579       |
| 1464835              | Traceable® Talking Timer                                   | EA   | 3148       |
| 1464914              | Traceable® Mini-Alarm Timer                                | EA   | 2789       |
| 1464917              | Traceable® Big Digit 4-Channel Timer                       | EA   | 3519       |
| 1464957              | Wind-Up Timer, 3-pack                                      | EA   | 4334       |
| 1464958              | SX Timer, 3-pack   | EA   | 4334       |
| 1464983              | Traceable® Nano Timer                                      | EA   | 1877       |
| 1464985              | Traceable® Continuous Visual Alarm Timer                   | EA   | 1776       |
| 02261839             | Traceable® GIANT-DIGIT™ Timer                              | EA   | 2318       |
| 02261840             | Traceable® Multi-Colored™ Timer                            | EA   | 3127       |
| 06664251             | Traceable® Flashing LED Alert Big-Digit Alarm Timer        | EA   | 3058       |
| 06664252             | Traceable® Flashing LED Alert Big-Digit Dual Channel Timer | EA   | 3212       |
| 14648230             | Clipboard with calculator and Traceable® Timer             | EA   | 6982       |
| 14649121             | Traceable® Seymour Blue Timer                              | EA   | 3097       |
| 15081100             | Traceable® Extra, Extra Large Digit Timer                  | EA   | 2784       |
| 15078188             | Traceable® Stick-It™ Mini-Clock                            | EA   | 1720       |
| 06659                | Compact Timer  | EA   | 3001       |
| 06662                | Traceable® Bench Timer                                     | EA   | 3215       |
| 066649               | Traceable® Wall Clock                                      | PK   | 2393       |
| 0666420              | Traceable® Splash Resistant Wall Clock                     | PK   | 2413       |
| 0666451              | Traceable® Waterproof In/Outdoor Clock                     | PK   | 7652       |
| 14649120             | Traceable® 'Blue Is Good' Wall Clock                       | EA   | 6015       |
| <b>Touch Counter</b> |  |      |            |
| 079051               | Touch-Counter  | EA   | 12726      |

PK - Pack  
EA - Each

# Fisher Scientific Digital Timers and Clocks



## Traceable® Flashing LED Big-Digit Timers

- » Flashing LEDs
- » Unique green light flashes every 10 seconds while in countdown mode; red light flashes when zero has been reached when the alarm is sounding
- » Alarm has three switch positions which allow setting to a high decibel for noisy areas, low decibel for quiet environments, or off (muted) for silent visual flashing LED only operation
- » Programmable memory -- up to 2 memories can be stored at any time

| Cat. No.   | Timing Capacity                  | Resolution | Accuracy | Channels |
|------------|----------------------------------|------------|----------|----------|
| 06-664-252 | 99 hours, 59 minutes, 59 seconds | 1 second   | 0.01%    | 2        |
| 06-664-251 | 99 minutes, 59 seconds           | 1 second   | 0.01%    | 1        |



## Traceable® Clip-It™ Timer

- » Features: count up/down, alarm, time in/out
- » Helpful memory saves last programmed setting for quick recall—useful for repetitive timing events

| Cat. No.  | Timing Capacity                  | Resolution | Accuracy              | Channels |
|-----------|----------------------------------|------------|-----------------------|----------|
| 06-662-23 | 99 hours, 59 minutes, 59 seconds | 1 second   | 0.005% quartz-crystal | 1        |

## Traceable® Jumbo-Digit Compact Radio-Controlled Atomic Clock

Jumbo sized 3½ inch clock digits in a compact case

- » Features: radio signal from NIST's Colorado atomic clock automatically sets correct date/time; calendar displays month/date and day
- » Temperature range: 23 to 122°F (-5 to 50°C); resolution: 0.1°; accuracy: ±1°C Cat. No. Time feature Resolution Accuracy Size/Weight



| Cat. No.   | Time feature | Resolution | Accuracy        | Size/Weight                  |
|------------|--------------|------------|-----------------|------------------------------|
| 15-079-612 | 12/24 hours  | 1 second   | 1/10,000 second | 9 x 5 x 1¼ inches; 15 ounces |

## Traceable® Workstation Barometer with Clock

Altitude adjustment feature makes this a great tool for blood gas analysis

- » Ideal for recording ambient changes in lab, monitoring conditions affecting sample analysis, and assisting in prediction of weather changes
- » Includes a barometer, thermometer, clock, altitude adjustment, and weather symbol forecasting symbols
- » Adjustable altitude compensation from -900 to 3600 feet (-300 to 1200 meters)



Traceable® to  
NIST for Accuracy

| Cat. No.   | Function Range      | Range  | Resolution           | Accuracy   |
|------------|---------------------|--|----------------------|--|
| 15-079-610 | Barometric pressure | 23.62 to 31.01 inHg<br>800 to 1050 mbar<br>(hPa) | 0.063 inHg<br>1 mbar | ±6 mb (890 to 1020 mb); otherwise ±10 mb           |
|            | Temperature         | -22 to 158°F<br>-9 to 70°C                       | 0.5°                 | ±1°C (32 to 104°F and 0 to 40°C)<br>±2°C elsewhere |

# Fisher Scientific Digital Timers and Clocks

## Fisher Scientific™ Traceable® Four-Channel Alarm Timer

- » Features: count up/down, time in/out, memories, alarm, 12/24 hour clock
- » Remarkable memory returns display to previously programmed countdown time at the touch of a button
- » Extra-loud, high decibel alarms for 1 minute or can be silenced manually
- » Supplied: clip, stand, magnet, battery, Traceable® Certificate

| Cat. No.  | Timing Capacity                | Resolution | Accuracy | Channels |
|-----------|--------------------------------|------------|----------|----------|
| 14-649-17 | 99 hours 59 minutes 59 seconds | 1 second   | 0.01%    | 4        |



## Fisher Scientific™ Traceable® Multi-Colored™ Timer

- » 3-bright colorful supplied frames permit personalization of timer
- » Unique memory returns channel to previously programmed setting at touch of a key
- » Counts up during alarming indicating elapsed time since alarming, 12/24 hour clock
- » Supplied: bench stand, magnetic back, battery, Traceable® Certificate

| Cat. No.      | Timing Capacity             | Resolution | Accuracy | Channels |
|---------------|-----------------------------|------------|----------|----------|
| 02-261-840 99 | hours 59 minutes 59 seconds | 1 second   | 0.01%    | 4        |



## Fisher Scientific™ Traceable® Flashing LED Alert Big-Digit Alarm Timer

- » Features: 1" display, count up/down, flashing LED, adjustable volume, 3 countdown memories
- » Green light flashes every second after timing reaches 10 seconds; red LED indicator flashes when zero is reached and shows time elapsed since alarm
- » Adjustable volume: high decibel, low decibel, or off for silent visual flashing LED operation
- » Supplied: batteries, magnetic back, flip-open stand/clip, opening for lanyard, Traceable® Certificate

| Cat. No.   | Timing Capacity       | Resolution | Accuracy | Channels |
|------------|-----------------------|------------|----------|----------|
| 06-664-251 | 99 minutes 59 seconds | 1 second   | 0.01%    | 1        |



## Fisher Scientific™ Traceable® Clip-It™ Timer

Perennial favorite multi-tasking timer attaches to any lab surface

- » Functions: count up/down, time in/out
- » Helpful memory saves last programmed setting for quick recall—useful for repetitive timing events
- » Supplied: clip, magnet, opening for lanyard, battery, Traceable® Certificate

| Cat. No.  | Timing Capacity | Resolution | Accuracy              | Channels |
|-----------|-----------------|------------|-----------------------|----------|
| 06-662-23 | 100 hours       | 1 second   | 0.005% quartz-crystal | 1        |



### Traceable to NIST for accuracy:

To assure accuracy, all Traceable® Timers are provided with an individually serial-numbered Traceable® Certificate is provided from an ISO/IEC 17025 calibration laboratory accredited by A2LA. It indicates traceability to standards provided by NIST (National Institute of Standards and Technology).



| Cat. No.                          | Description   | Pack | Price in ₹ |
|-----------------------------------|---|------|------------|
| <b>Transreciever</b>              |   |      |            |
| 1507776                           | Universal Radio Signal Trans.                                 | EA   | 64169      |
| <b>Vacuum Guages / Manometers</b> |   |      |            |
| 0666268                           | Traceable® Pressure/Vacuum Guage                              | EA   | 70008      |
| 0666269                           | Traceable® Pressure/Vacuum Guage                              | EA   | 53072      |
| 0666418                           | Traceable® Manometer/Pressure/Vacuum Gauge 0-5 PSI            | EA   | 25672      |
| 0666419                           | Traceable® Manometer/Pressure/Vacuum Gauge 0-15 PSI           | EA   | 25672      |
| 0666421                           | Traceable® Manometer/Pressure/Vacuum Gauge 0-30 PSI           | EA   | 25672      |
| 0666422                           | Traceable® Manometer/Pressure/Vacuum Gauge 0-100 PSI          | EA   | 25672      |
| 15078190                          | Traceable® Manometer/Pressure/Vacuum Printing Gauge 0-5 PSI   | EA   | 59078      |
| 15078193                          | Traceable® Manometer/Pressure/Vacuum Printing Gauge 0-100 PSI | EA   | 59078      |
| <b>Wash Bottle</b>                |   |      |            |
| 03405                             | Wash Bottle (1000 ml)   | EA   | 4152       |
| 03405A                            | Wash Bottle (235 ml/3 pack)                                   | EA   | 2330       |



## Equipment

| Part Number                     | Product Line   | Pack | Price in ₹ |
|---------------------------------|--|------|------------|
| <b>Laboratory Incubators</b>    |  |      |            |
| 50125882                        | IMC18 - Compact Incubator Incubator - 18L              | Each | 63199      |
| 51028130                        | IGS60 - Incubator - GP, 60L                            | Each | POR        |
| 51028131                        | IGS100 - Incubator - GP, 100L                          | Each | POR        |
| 51028133                        | IMH60 - Incubator - AP, 60L                            | Each | POR        |
| 51028134                        | IMH100 - Incubator - AP, 100L                          | Each | POR        |
| <b>Refrigerated Incubators</b>  |  |      |            |
| PR205740R                       | Precision Refrigerated Incubator - 170L                | Each | POR        |
| 51008404                        | BK 6160 - Refrigerated Incubator - 166L                | Each | POR        |
| 50120350                        | BK 800 - Refrigerated Incubator - 220L                 | Each | POR        |
| <b>General Laboratory Ovens</b> |  |      |            |
| 51028139                        | OGS60 - Oven - Gravity, GP, 60L                        | Each | 99999      |
| 51028140                        | OGS100 - Oven - Gravity, GP, 100L                      | Each | POR        |
| 51028142                        | OGH60 - Oven - Gravity, AP, 60L                        | Each | POR        |
| 51028143                        | OGH100 - Oven - Gravity, AP, 100L                      | Each | POR        |
| 51028148                        | OMS60 - Oven - Mechanical, GP, 60L                     | Each | POR        |
| 51028149                        | OMS100 - Oven - Mechanical, GP, 100L                   | Each | POR        |
| 51028151                        | OMH60 - Oven - Mechanical, AP, 60L                     | Each | POR        |
| 51028152                        | OMH100 - Oven - Mechanical, AP, 100L                   | Each | POR        |
| <b>Vacuum Ovens</b>             |  |      |            |
| V0914C                          | Lindberg/Blue M Vacuum Oven, 18.6L, 260 C              | Each | POR        |
| 51014550                        | Heraeus Vacutherm Vacuum Oven, 25L, 200 C              | Each | POR        |
| <b>Benchtop Furnaces</b>        |  |      |            |
| FB1410M                         | Thermolyne Benchtop Muffle Furnaces, 2.1L, 1100 C      | Each | POR        |
| F48010‡                         | Thermolyne Benchtop Muffle Furnaces, 5.8L, 1200 C      | Each | POR        |
| F6020C-33                       | Thermolyne Large Muffle Furnaces, 14L, 1200 C          | Each | POR        |
| BF51748C-1                      | Lindberg/Blue MMoldatherm Box Furnaces, 1.99L, 1100 C  | Each | POR        |
| BF51766C-1                      | Lindberg/Blue MMoldatherm Box Furnaces, 5.3L, 1100 C   | Each | POR        |
| BF51794C-1                      | Lindberg/Blue MMoldatherm Box Furnaces, 18.4L, 1100 C  | Each | POR        |
| BF51728C-1                      | Lindberg/Blue MMoldatherm Box Furnaces, 42.5L, 1100 C  | Each | POR        |
| 50040485                        | HeraeusM 104 Muffle Furnace, 3.5L, 1000 C              | Each | POR        |
| 50040491                        | HeraeusK114 Chamber Furnaces, 3.5L, 1100 C             | Each | POR        |
| 51010272                        | HeraeusM110 Muffle Furnaces, 9L, 1100 C                | Each | POR        |
| TF55030C-1                      | Lindberg/Blue MMini-Mite Tube Furnaces, 12" OD, 1100 C | Each | POR        |
| <b>Hybridization Ovens</b>      |  |      |            |
| 6240                            | Hybaid Hybridization Ovens                             | Each | POR        |
| <b>Rockers Rotators Mixers</b>  |  |      |            |
| 88881004                        | Bottle/Tube Roller                                     | Each | POR        |
| 88881002                        | Tube Revolver  | Each | 22599      |
| 88880020                        | Digital Rocker   | Each | 77299      |
| 88880022                        | Waving Rotator   | Each | 77299      |
| 88880024                        | Microplate Shaker                                      | Each | 83799      |
| 88880026+88880104               | Mini Rotator   | Each | POR        |
| 88880018                        | LP Vortex Mixer  | Each | 28399      |

# Thermo Scientific MaxQ Shakers

## APPLICATIONS

- Cell culture
- Solubility studies
- Extraction procedures
- Diagnostic tests
- General mixing
- Bacterial suspensions
- Staining and destaining
- Washing procedures
- Hybridization

Obtain reproducible results each and every time!

## MaxQ means maximum performance



You'll get outstanding reliability, flexibility and simplicity with Thermo Scientific™ MaxQ shakers. Our innovative product features translate to multiple benefits for your team and lab, ensuring your effectiveness and productivity. With a wide range of shaker options including analog or digital, incubated or refrigerated, and benchtop or floor model – Thermo Fisher Scientific makes it easy to find the right shaker solution for your laboratory.

### Reliability

Our triple eccentric drive mechanism gives you continuous 24-hour operation and allows you to shake and stir large and uneven loads, smoothly and uniformly. Plus, it's guaranteed for life.

### Simplicity

Easy-to-use controls let you precisely adjust individual displays for temperature, speed and time. View all parameters simultaneously to prevent risk of error while establishing running conditions. Easy operation – no instruction manual required.

### Flexibility

Digital or analog bench-top, floor and stackable models are available, fully equipped with incubation, refrigeration and water bath options to accommodate many applications and budgets. Platforms come with numerous mounting holes to allow the addition and interchangeability of clamps that hold various sizes of Erlenmeyer flasks, beakers, microwell plates, test tube racks and separatory funnels.

## Please use our new PROMOTIONAL PACKAGE CODES to avail attractive prices"

Package code is a combination of Main Unit + Platform + Starter Clamp Kit

## Introducing our new CO<sub>2</sub> Resistant Shaker

Thermo Scientific™ CO<sub>2</sub> resistant orbital shakers provide reliable around-the-clock operation ideally suited to keep your cells alive and flourishing within your working environment.



**ThermoFisher**  
SCIENTIFIC

# Thermo Scientific Compact Dry Bath / Block Heater



Maximize valuable bench space with our compact, light weight dry bath / block heater, available with multiple combinations of block sizes for tube size versatility.



Digital temperature controls and display

Small footprint and lightweight

## Reliable, No-Compromise Stirring Performance

Thermo Scientific magnetic stirrers are designed to provide excellent reliability, safety and performance.

Thermo Scientific stirrers are available in a range of sizes, with drive systems to match the application or process need. Powerful magnetic couplings ensure precise, reproducible stirring performance for both general and specialty applications.



Submersible in 95°C Bath



Submersible in 95°C Bath



Submersible in 95°C Bath



Submersible in 95°C Bath


## Vacuum Ovens

Ideal for applications that require temperatures ranging from -6°C above ambient upto 260°C with excellent stability


### The fast and gentle choice



Model M – Jacket Heating



Model P – Shelf Heating



#### Well thought-out

- Gentle drying of heat-sensitive materials
- Significantly reduced drying times
- Residue-free drying of intricately designed parts
- Elimination of oxidation associated with heat treatment
- Safe drying of flammable solvents
- Targeted recovery of degassed products

#### Two Types of Heating

A choice of jacket- (model M) or shelfheating (model P) ensure that ovens can meet your application requirements.

- Model M transfers heat from the vacuum chamber via the shelves to the load and is rated to 200 °C.
- Through shelf heating, model P uses direct energy transportation, reducing drying process times by as much as six-fold compared to standard methods. Their rated temperature is 300/400 °C.

#### Specialized vacuum ovens – for flammable solvents

The Thermo Scientific Heraeus Vacutherm BL versions deliver optimal safety features for drying applications using flammable solvents.

#### Ask for additional information on our BL versions:

- **Pressure Heat Activation:** automatic heat shut off when pressure is too high
- **Permanent Control Panel Ventilation:** prevents solvent leakage using two independent generating fans



#### Thermo Scientific Smart-Vue Wireless Monitoring

Smart. Scalable. Simple.

## Heratherm Heating and Drying Ovens

Heating and drying ovens are designed for maximum efficiency, safety and simplicity.

**efficient, safe, easy**



### Heratherm General Protocol Heating and Drying Ovens

- Optimally suited to everyday heating and drying applications up to 250°C
- Low energy consumption and timer function deliver cost effective efficiency

### Heratherm Advanced Protocol Heating and Drying Ovens

- Offer additional features beyond the General Protocol ovens, providing even more flexibility, accuracy and dependability
- Capable of operating at temperatures up to 330°C, there is no compromise in meeting the highest levels of temperature uniformity
- Our sophisticated features include an adjustable fan for application-related airflow, and programmable controller for temperature ramps and dwells, allowing protocols to run with great accuracy

### Heratherm Advanced Protocol Security Heating and Drying Ovens

- Deliver an extra layer of security for applications where process reliability and security are paramount
- Door alarm and additional under-temperature alarm provide peace of mind when protecting precious samples
- Auto-dry function with optional sample sensor deactivates the oven when the samples are dry
- Sophisticated stainless steel exterior is available for your demanding needs

**Thermo Scientific Smart-Vue Wireless Monitoring**  
**Smart. Scalable. Simple.**



| Part Number                                 | Product Line   | Pack | Price in ₹ |
|---|--|------|------------|
| <b>Vortex Mixer Accessories</b>             |  |      |            |
| 88880117                                    | Microplate Tray  | Each | 1799       |
| 88880118                                    | Rubber Platform  | Each | 1799       |
| 88880119                                    | Tube Holder with Insert Retainer                                     | Each | 1799       |
| 88880120                                    | Tube Holder with Insert Retainer (Ø10 mm)                            | Each | 1799       |
| 88880121                                    | Tube Holder with Insert Retainer (Ø 12 mm)                           | Each | 1799       |
| 88880122                                    | Tube Holder with Insert Retainer (Ø 15 mm)                           | Each | 1799       |
| 88880123                                    | Tube Holder with Insert Retainer (Ø 20 mm)                           | Each | 1799       |
| 88880124                                    | Tube Holder with Insert Retainer (Ø 25 mm)                           | Each | 1799       |
| <b>Shakers</b>                              |  |      |            |
| SHKE2000-1CEPR                              | Max Q - Open Air Shaker (with platform & clamps)                     | Each | POR        |
| SHKE3000-1CEPR                              | Max Q - Open Air Shaker (with platform & clamps)                     | Each | POR        |
| SHKE4450-1CEPR                              | Max Q - Small Benchtop Incubated Shaker                              | Each | POR        |
| SHKE4000-1CEPR                              | Max Q - Benchtop Incubated Shaker                                    | Each | POR        |
| SHKE4000-6CEPR                              | Max Q - Benchtop Hi temperature Incubated Shaker                     | Each | POR        |
| SHKE4000-8CEPR                              | Max Q - Benchtop Refrigerated Incubated Shaker                       | Each | POR        |
| SHKE6000-1CEPR                              | Max Q - Stackable Incubated Shaker                                   | Each | POR        |
| SHKE6000-1CEPR1                             | Max Q - Stackable Incubated Shaker (with dual platform)              | Each | POR        |
| SHKE6000-8CEPR                              | Max Q - Stackable Refrigerated Incubated Shaker                      | Each | POR        |
| SHKE6000-8CEPR1                             | Max Q - Stackable Refrigerated Incubated Shaker (with dual platform) | Each | POR        |
| SHKE8000-1CEPR1                             | Max Q - Stackable high throughput Incubated Shaker                   | Each | POR        |
| SHKE8000-8CEPR1                             | Max Q - Stackable high throughput Refrigerated Incubated Shaker      | Each | POR        |
| SHKE416HPPR                                 | Max Q - Hi performance open air shaker                               | Each | POR        |
| SHKE430HPPR                                 | Max Q - Hi performance open air shaker                               | Each | POR        |
| SHKE420HPPR                                 | Max Q - Hi performance benchtop incubated shaker                     | Each | POR        |
| <b>Heating Cooling Dry Bath</b>             |  |      |            |
| 88880030                                    | Digital Cooling & Heating Dry Bath (w/o block)                       | Each | POR        |
| <b>Heating Cooling Dry Bath Accessories</b> |  |      |            |
| 88880129                                    | Block microtube 0.5 ml   | Each | 13799      |
| 88880130                                    | Block microtube 1.5 ml   | Each | 13799      |
| 88880131                                    | Block centrifuge tube 15 ml  | Each | 13799      |
| 88880132                                    | Block centrifuge tube 50 ml short                                    | Each | 23899      |
| 88880133                                    | Block centrifuge tube 50 ml tall                                     | Each | 32399      |
| 88880134                                    | Block Ø10mm tube   | Each | 19699      |
| 88880135                                    | Block Ø12mm tube   | Each | 19699      |
| 88880136                                    | Block Ø13mm tube   | Each | 19699      |
| 88880137                                    | Block Ø15mm tube   | Each | 19699      |
| 88880138                                    | Block Ø16mm tube   | Each | 19699      |
| 88880139                                    | Block Ø18mm tube   | Each | 19699      |
| 88880140                                    | Block Ø20mm tube   | Each | 19699      |
| <b>Shaking Dry Bath</b>                     |  |      |            |
| 88880028                                    | Digital Shaking Dry Bath (w/o block)                                 | Each | POR        |

| Part Number                          | Product Line  | Pack | Price in ₹ |
|--------------------------------------|---|------|------------|
| <b>Shaking Dry Bath Accessories</b>  |   |      |            |
| 88880125                             | Block 96 well   | Each | 29499      |
| 88880126                             | Block 0.5 well  | Each | 14799      |
| 88880127                             | Block 1.5 ml  | Each | 25599      |
| 88880128                             | Block 50 ml   | Each | 25599      |
| <b>Laboratory Incubators</b>         |   |      |            |
| 88870004                             | Single block: digital control, 4LED, Easy timer, 200-240V (w/o block)                       | Each | 36899      |
| 88870005                             | Dual blocks: digital control, 4LED, Easy timer, 200-240V (w/o block)                        | Each | 40799      |
| 88870006                             | Four blocks: digital control, 4LED, Easy timer, 200-240V (w/o block)                        | Each | 48999      |
| 88870010                             | Single block: digital control, Timer, programmable, 4.3' touch screen, 200-240V (w/o block) | Each | 57599      |
| 88870011                             | Dual blocks: digital control, Timer, programmable, 4.3' touch screen, 200-240V (w/o block)  | Each | 65299      |
| 88870012                             | Four blocks: digital control, Timer, programmable, 4.3' touch screen, 200-240V (w/o block)  | Each | 79599      |
| <b>Dry Bath Accessories</b>          |   |      |            |
| 88870101                             | 46 x 6mm dia block  | Each | 7699       |
| 88870102                             | 28 x 10mm dia block   | Each | 7699       |
| 88870103                             | 28x 1.5ml block   | Each | 7099       |
| 88870104                             | 28 x 2.0ml block  | Each | 7099       |
| 88870105                             | 24 x 13mm dia block   | Each | 7899       |
| 88870106                             | 15 x 16mm dia block   | Each | 9499       |
| 88870107                             | 12 x 18mm dia block   | Each | 9499       |
| 88870108                             | 8 x 20mm dia block  | Each | 7699       |
| 88870109                             | 6 x 25mm dia block  | Each | 7699       |
| 88870110                             | 40 x 0.5ml block  | Each | 8399       |
| 88870111                             | 1 x 96well Elisa block  | Each | 7099       |
| 88870112                             | Mixed block 32 x 6mm dia + 21 x 10mm dia  | Each | 9999       |
| 88870113                             | Mixed block 18 x 1.5ml + 10 x 2.0ml   | Each | 9999       |
| 88870114                             | Mixed block 3 x 25mm dia + 12 x 12~13mm dia+ 6 x 6mm dia                                    | Each | 13699      |
| 88870115                             | Mixed block 30 x 0.5ml + 20 x 0.2ml   | Each | 13699      |
| 88870116                             | Flat bottom, 15 x 15ml block  | Each | 16399      |
| 88870117                             | Flat bottom 4 x 50ml block  | Each | 16399      |
| 88870118                             | Conical bottom, 15 x 15ml block   | Each | 32999      |
| 88870119                             | Conical bottom, 4 x 50ml  | Each | 32999      |
| 88870120                             | 1 x 96 * 0.2 ml none skirted PCR plate block  | Each | 18399      |
| 88870121                             | 1 x 96 * 0.2 ml, half or full skirted PCR plate block                                       | Each | 21099      |
| 88870122                             | Temperature Probe, PT1000, stainless steel  | Each | 3099       |
| <b>Compact Dry Bath</b>              |   |      |            |
| 88871001                             | Compact Drybath, S 100-240V, US Style Plug (w/o block)                                      | Each | POR        |
| 88871002                             | Compact Drybath, D 100-240V, US Style Plug (w/o block)                                      | Each | POR        |
| 88871003                             | Compact Drybath, S 100-240V (w/o block)   | Each | 29599      |
| 88871004                             | Compact Drybath, D 100-240V (w/o block)   | Each | 39699      |
| <b>Compact Dry Baths Accessories</b> |   |      |            |
| 88871101                             | 24 x 0.2ml Block for Compact Dry Bath   | Each | 2499       |
| 88871102                             | 12 x 0.5ml Block for Compact Dry Bath   | Each | 2199       |

# Incubators

## Heratherm Microbiological Incubators

**Successful incubation depends on the right environmental conditions.**

You need to know that your valuable samples are maintained in a safe and efficient manner.

Thermo Scientific™ Heratherm™ microbiological incubators are easy to use and available in four different models, offering three different airflow technologies and a choice of four sizes. All models offer advanced designs for outstanding results, with sample protection as the top priority.

Each of our NEW Thermo Scientific  
Heratherm microbiological incubators  
is designed for maximum sample protection.



Heratherm Incubators are designed for routine applications in pharmaceutical, medical and research laboratories. Gravity convection provides gentle air flow and minimal drying out, with high temperature uniformity and stability.



Heratherm Advanced Protocol Incubators provide outstanding temperature performance for demanding applications. With a broad temperature range up to 105°C, the units are even suitable for drying applications. Our NEW dual convection technology allows an adjustable fan speed from 0 to 100%, providing great versatility for applications.

Heratherm Advanced Protocol Security Incubators incorporate additional safety features for ultimate sample protection, such as 140°C push button decontamination technology that can even supersede autoclaving of interior fittings. These models are optionally available with sophisticated stainless steel exteriors.

Heratherm Compact Incubator for small volume applications: This 18 L capacity unit is ideal for personalized workspaces and space-restricted labs. High temperature accuracy makes the Heratherm Compact incubator the perfect solution for applications at- or below ambient temperatures.

**Thermo Scientific Smart-Vue Wireless Monitoring**  
**Smart. Scalable. Simple.**

**ThermoFisher**  
SCIENTIFIC

# Vacuum Concentrators

Selecting the right Savant™ SpeedVac™ is now easier than ever with the introduction of our SpeedVac Kits, combining everything you need under one part number.



State-of-the-art technology for removing solvents and concentrating samples.

## quick, efficient

### Savant SpeedVac Kits:

#### DNA120, DNA120-OP and ISS110

Easy-to-use, kits ideal for nucleic acid applications.

#### SPD1010 and SPD2010

These integrated models include a microprocessor control panel with digital display, a concentrator, refrigerated trap, vacuum gauge and a diaphragm pump - all in one compact unit. Typical applications include HPLC fractions with water/0.1% trifluoracetic acid and reversed-phase SPE eluants.

#### SPD111V

Modular concentrators offer added flexibility for limited benchtop space. Perfect for evaporation of non-aggressive organics such as methanol, acetonitrile, water and HPLC fractions. Choose the SPD111VP1 for standard evaporation or the SPD111VP2 when you want to lyophilize.

#### SPD121P, SPD131DDA

Reliable and versatile, our SPD121P and 131DDA SpeedVac Kits can be used with a wide variety of solvents. The SPD131DDA kits offer resistance to TFA, DMSO and other aggressive solvents used in combinatorial chemistry applications.

#### Savant SpeedVac Kit SC210

Easy-to-use, large capacity concentrator. Use the complete kit package for HPLC fraction and reversed-phase SPE eluant applications.

#### Savant SpeedVac Kit SPD250EXP

Large-capacity kit with everything you need to effectively concentrate high boiling point solvents and strong acids and bases. Dual vacuum control provides flexibility to use many solvent types.

| Part Number                          | Product Line  | Pack | Price in ₹ |
|--------------------------------------|---|------|------------|
| 88871103                             | 6 x 1.5ml Block for Compact Dry Bath  | Each | 1999       |
| 88871104                             | 6 x 2.0ml Block for Compact Dry Bath  | Each | 1999       |
| 88871105                             | 6 x 15ml Block for Compact Dry Bath   | Each | 6799       |
| 88871106                             | 3 x 50ml Block for Compact Dry Bath   | Each | 6799       |
| 88871107                             | 96-well / Flat Bottom Block for Compact Dry Bath  | Each | 8499       |
| 88871108                             | Heat Insulator for 2 blk  | Each | 999        |
| 88871109                             | Heat Insulator for 4blk   | Each | 1599       |
| 88871110                             | Plastic Lid 1   | Each | POR        |
| 88871111                             | Plastic Lid 2   | Each | POR        |
| <b>Hot Plates Stirrers</b>           |   |      |            |
| SP131820-33Q                         | Super NovaDigital Stirring Hotplates, 7.25 × 7.25in., 50 to 1200rpm, Ceramic, 1° to 370°C | Each | POR        |
| SP135930-33Q                         | Super NovaDigital Stirring Hotplates, 4Position 220-240V                                  | Each | POR        |
| 50094596                             | Cimarec iPoly 15 - multipoint stirrer   | Each | 78499      |
| 50093557                             | Cimarec iMultipoint 6 Stirrer   | Each | POR        |
| 50093538                             | Cimarec iMultipoint 15 Stirrer  | Each | POR        |
| 50088077                             | Cimarec iTelesystem Multipoint Stirrers   | Each | POR        |
| 50088078                             | Cimarec iTelesystem Multipoint Stirrers   | Each | POR        |
| 50088034                             | Cimarec iTelesystem Multipoint Stirrers   | Each | POR        |
| 50088036                             | Cimarec iTelesystem Multipoint Stirrers   | Each | POR        |
| 50088009                             | Cimarec iTelesystem Multipoint Stirrers   | Each | POR        |
| 50088011                             | Cimarec iTelesystem Multipoint Stirrers   | Each | POR        |
| 50088057                             | Cimarec iBiosystem Direct Slow Speed Stirrer  | Each | 57899      |
| 50088061                             | Cimarec iBiosystem Direct Slow Speed Stirrer  | Each | POR        |
| 88880005                             | RT2 Advanced Hotplate Stirrer   | Each | 66699      |
| <b>Hotplate Stirrers Accessories</b> |   |      |            |
| 88880143                             | Support Rod (Ø12mm, 400mm, M10)   | Each | 4199       |
| 88880147                             | Temperature Probe (PT 100, SN-8-4 connector sensor)                                       | Each | 8499       |
| 88880148                             | C-5, Clamp Holder (PP body, Ø12 mm)   | Each | 899        |
| 88880149                             | 3 Prong Clamp ( 60mm grip)  | Each | 1699       |
| 88880150                             | Temperature Probe (PT100, A Class, 400°C)   | Each | 18299      |
| <b>Vacuum Concentrators</b>          |   |      |            |
| DNA120-230                           | SavantDNA120 concentrator with integrated pump includes RD36 rotor                        | Each | POR        |
| DNA120OP-230                         | SavantDNA120 concentrator with integrated pump for Oligos includes RD36 rotor             | Each | POR        |
| ISS110P1                             | SavantISS110 A concentrator with integrated pump and cold trap, includes RH200 rotor      | Each | POR        |



## Cold Storage

| Part No.   | Description  | Pack | Price in ₹ |
|--|--|------|------------|
| <b>General Purpose Refrigerators (+1°C to +12°C)</b>                                   |  |      |            |
| 288R-AEV-TS  | 288L Thermo Scientific ES Series Lab Refrigerators (Temperature Range: +1°C to +10°C), automatic Defrost, Includes:-3 shelves, 1 basket  | Each | 120,820.00 |
| R700-SAEV-TS   | 700L Solid Door Thermo Scientific GPS Series Lab Refrigerators (Temperature Range: +1°C to +11°C), automatic Defrost, Includes:-3 shelves  | Each | 203,081.00 |
| 151R-AEV-TS  | 151L Undercounter Thermo Scientific ES Series Lab Refrigerators (Temperature Range: +1°C to +10°C), automatic Defrost, Includes:-3 shelves, 1 basket   | Each | 83,195.00  |
| R14X-SAEV-TS   | 1400L Solid Door Thermo Scientific GPS Series Lab Refrigerators (Temperature Range: +1°C to +11°C), automatic Defrost, Includes:-6 shelves   | Each | 302,752.00 |
| R700-GAEV-TS   | 700L Glass Door Thermo Scientific GPS Series Lab Refrigerators (Temperature Range: +1°C to +11°C), automatic Defrost, Includes:-3 shelves.   | Each | 272,488.00 |
| R14X-GAEV-TS   | 1400L Glass Door Thermo Scientific GPS Series Lab Refrigerators (Temperature Range: +1°C to +11°C), automatic Defrost, Includes:-6 shelves   | Each | 480,227.00 |
| R400-GAEV-TS   | 400L Glass Door Thermo Scientific GPS Series Lab Refrigerators (Temperature Range: +1°C to +11°C), automatic Defrost, Includes:-3 shelves.   | Each | 234,396.00 |
| R400-SAEV-TS   | 400L Solid Door Thermo Scientific GPS Series Lab Refrigerators (Temperature Range: +1°C to +11°C), automatic Defrost, Includes:-3 shelves.   | Each | 183,334.00 |
| PLR1006  | PL6500 Series +4 Refrigerator (Temperature range of +1°C to +12°C) 1006 Litres Capacity  | Each | 340,602.00 |
| PLR221   | PL6500 Series +4 (Temperature range of +1°C to +12°C) Refrigerator 221 Litres Capacity   | Each | 124,913.00 |
| PLR386   | PL6500 Series +4 (Temperature range of +1°C to +12°C) Refrigerator 386 Litres Capacity   | Each | 192,995.00 |
| <b>General Purpose Freezers (-12°C to -25°C) / (-18°C to -25°C) / (-20°C to -40°C)</b> |  |      |            |
| F700-SAEV-TS   | 700L Thermo Scientific GPS Series Lab Freezers (Temperature Range: -12°C to -25°C), Factory preset: -20°C, automatic Defrost   | Each | 231,942.00 |
| F400-SAEV-TS   | 400L Thermo Scientific GPS Series Lab Freezers (Temperature Range: -12°C to -25°C), Factory preset: -20°C, automatic Defrost   | Each | 198,056.00 |
| F14X-SAEV-TS   | 1400L Thermo Scientific GPS Series Lab Freezers (Temperature Range: -12°C to -25°C), Factory preset: -20°C, automatic Defrost  | Each | 322,265.00 |
| 232F-AEV-TS  | 232L Thermo Scientific ES Series Lab Freezers (Temperature Range: -18°C to -25°C), Includes: 2 shelves, 3 baskets  | Each | 118,250.00 |
| 151F-AEV-TS  | 151L Undercounter Thermo Scientific ES Series Lab Freezers (Temperature Range: -18°C to -25°C), Includes: 3 baskets  | Each | 83,195.00  |
| PLF276   | PL6500 (-20°C to -40°C) freezer 276 Litres   | Each | 317,908.00 |
| <b>Combination Freezer-Refrigerator</b>  |  |      |            |
| 263C-AEV-TS  | 263L Combo Thermo Scientific ES Series Combination Lab Refrigerator/Freezer (Temperature Range Ref.: +1°C to +10°C, Frz.: -18°C to -25°C), Includes: 3 shelves, 2 half baskets /1 shelf, 2 baskets (frz)                               | Each | 153,888.00 |
| <b>Flame Proof and Explosion Proof Refrigerators/Freezers/Combo</b>                    |  |      |            |
| 263C-AXV-TSC   | 263L Combo, FlameProof ATEX, EU plug Thermo Scientific ES Series FMS Combination Lab Refrigerator/Freezer (Temperature Range Ref.: +1°C to +10°C, Frz.: -18°C to -25°C), Includes: 3 shelves, 2 half baskets /1 shelf, 2 baskets (frz) | Each | 219,440.00 |
| 232F-AXV-TSC   | 232L Manual Frz, FlameProof ATEX, EU plug, Thermo Scientific ES Series FMS Lab Freezers (Temperature Range: -18°C to -25°C), Includes: 2 shelves, 3 baskets  | Each | 171,298.00 |
| 151F-AXV-TSC   | 151L Manual Frz, FlameProof ATEX, EU plug, Thermo Scientific ES Series FMS Lab Freezers (Temperature Range: -18°C to -25°C), Includes: 3 baskets   | Each | 123,975.00 |
| 288R-AXV-TSC   | 288L Auto Ref, FlameProof ATEX, EU plug, Thermo Scientific ES Series FMS Lab Refrigerators (Temperature Range: +1°C to +10°C), Includes: 5 shelves, 1 basket   | Each | 171,298.00 |
| 151R-AXV-TSC   | 151L Auto Ref, FlameProof ATEX, EU plug, Thermo Scientific ES Series FMS Lab Refrigerators (Temperature Range: +1°C to +10°C), Includes: 3 shelves, 1 basket   | Each | 123,975.00 |
| 3557-1   | EXPLOSION PROOF Refrigerator 5.5 CU FT 240V/50HZ   | Each | 350,061.00 |
| 3551-1   | EXPLOSION PROOF Refrigerator/Freezer Combo 11 CU FT 230V/50Hz  | Each | 446,680.00 |
| <b>Accessories</b>   |  |      |            |
| 316543H01  | Free-Standing Chart Recorder   | Each | 58,758.00  |
| 322181H01  | Freezer Drawer Insert for PLF276   | Each | 31,190.00  |

# Cold Storage Equipment



High-Performance Lab Refrigerators and Freezers  
(-30°C to 12°C)-Regulated Market



Ultra-Low Temperature Freezers  
-40°C to -86°C



Mechanical Cryogenic Freezers  
-140°C to -150°C



General-Purpose Lab Refrigerators and Freezers  
-40°C to 10°C  
Listed in Price Book



LN2 Cryogenic(-190°C)



Wireless 21CFR Part 11  
Data Logger

- General Purpose Lab Refrigerators
- General Purpose Lab Freezers
- Flammable storage Freezers and Refrigerators (ATEX)
- Explosion Proof Freezers and Refrigerators

# Cold Storage Equipment

## General-Purpose Lab Refrigerators and Freezers - 40°C to 10°C Thermo Scientific ES and GPS Series

Refrigerators: Available in 151 to 1400 Litres Capacities (+1 to +10°C)

Freezers: Available in 151 to 1400 Litres Capacities (-18°C to -25°C)

### Key Features of ES Series:

- Digital temp display
- Hydrocarbon refrigerant (R600a)
- Adjustable audio/visual alarms
- Door lock & Door ajar alarm
- Remote alarm contacts
- Field reversible solid doors
- HCFC and CFC free insulation
- 16mm access port
- CE/ATEX marking
- Interior HIPS (High Impact Polystyrene)

### Key Features of GPS Series:

- Digital display
- High and low temperature alarms
- Remote alarm contacts
- Access ports
- Forced air circulation
- CE marked
- HCFC- and CFC-free insulation
- Interior fluorescent lighting
- Interior made of "Sanisteel" with active antibacterial properties

### PL6500 Series lab refrigerators and freezers

(-20°C to - 40°C) / (+1°C to 12°C)

- Suited for routine laboratory applications in non-regulated environments
- Advanced air stability: +/- 3°C
- Digital temperature controller with intuitive interface
- High and low visual temperature and audio alarms
- High-density, fluorine free insulation
- Heavy-duty construction
- Standard casters



ES Series

| Cat No. | Description                                   |
|---------|---|
| PLR221  | 221 Litres, +1 to 12°C, (factory set +4°C)    |
| PLR386  | 386 Litres, +1 to 12°C, (factory set +4°C)    |
| PLR1006 | 1006 Litres, +1 to 12°C, (factory set +4°C)   |
| PLR276  | 276 Litres, -20 to -40°C, (factory set -40°C) |

# Centrifugation



## mySPIN 12 mini centrifuge

|  |   |
|--|---|
| • Compact design   | • Compact design  |
| • Easy to operate  | • Easy to operate   |
| • Quiet operation, low vibration   | • Quiet operation, low vibration                              |
| • Tool-free, quick rotor exchange  | • Tool-free, quick rotor exchange                             |
| • Quick-spin feature   | • Tool-free, quick rotor exchange                             |
| • Safety features: imbalance and tilt safety cut-out; safety interlock lid prevents opening while rotor is turning | • Quick-spin feature  |
| • Able to perform fast spins with higher RCF requirements up to 9,800 x g  | • Safety features: unit will not operate without lid in place |
| • Back-lit, customizable display can be set for rpm or RCF   | • Quick tube extraction                                       |

**Packed with possibilities, the Thermo Scientific mySPIN 12 mini centrifuge is designed to give you maximum speed and flexibility in a minimized footprint.**

Its compact, ergonomic design fits on any workstation and is comfortable and easy for anyone to operate. Safety features help ensure it will not operate when the lid is open, a rotor is jammed, or the unit is out of balance. Ideal for most protocols requiring fast spins (12,500 rpm / 9,800 x g), and appropriate for PCR, microfilter cell separation, and HPLC protocols.

## mySPIN 6 mini centrifuge

|   |   |
|---|---|
| • Compact design  | • Compact design  |
| • Easy to operate   | • Easy to operate   |
| • Quiet operation, low vibration                              | • Quiet operation, low vibration                              |
| • Tool-free, quick rotor exchange                             | • Tool-free, quick rotor exchange                             |
| • Quick-spin feature  | • Quick-spin feature  |
| • Safety features: unit will not operate without lid in place | • Safety features: unit will not operate without lid in place |
| • Back-lit, customizable display can be set for rpm or RCF    | • Quick tube extraction                                       |

**Bring efficiency and user comfort to your lab stations with the Thermo Scientific mySPIN 6 mini centrifuge.** Ergonomic design, tool-free rotors, and quick-spin options make it fast and easy to use. Efficient, compact footprint fits into a variety of workstations. Ideal for microfilter cell separations and HPLC samples, with adapters to accommodate all major microtube and PCR tube styles (2.0, 1.5, 0.5, 0.2 mL) for customized use.

# Centrifugation



**Thermo Scientific Microcentrifuge Series** combines power, versatility and convenience in a safe, compact, easy-to-use lab instrument. Available in both ventilated and refrigerated models, the microcentrifuge is designed to accelerate your routine sample preparation processes by providing high speed and generous capacity along with outstanding safety and convenience.

## Details

- **Unique ClickSeal biocontainment rotor lid** “clicks” in place, providing certified assurance that samples are securely contained, and with one click opening, shortens retrieval time compared to screw-on lids
- **24 spin columns in standard rotor**
- **Intuitive controls and easy-to-read display simplifies operation**
- **Unique dual row rotor** holds 18 x 1.5/2.0mL and 18 x 0.5mL tubes, eliminating the need for adapters
- **Wide range of rotors for future upgrade**
- Conforms to the latest clinical and safety standards, including **In Vitro Diagnostics (IVD) compliance**
- **Faster processing times** offer unmatched acceleration and deceleration rates
- **Ideal for PCR, mini-preps, spin-columns**

| Code     | Description                                 | Price    |
|----------|---|----------|
| 75002410 | Heraeus Pico 17                             | 1,88,942 |
| 75002414 | Heraeus Pico 17, 230V Dual Row Rotor        | 1,88,942 |
| 75002430 | LEGEND MICRO 17 230V 50/60HZ                | 1,88,942 |
| 75002433 | Sorvall Legend Micro17, 230V Dual Row Rotor | 1,88,942 |
| 75002415 | Heraeus Pico 21                             | 2,39,187 |
| 75002553 | Pico 21 with dual rotor                     | 2,39,187 |
| 75002435 | LEGEND MICRO 21 230V 50/60HZ                | 2,39,187 |
| 75002557 | Legend Micro 21 with dual rotor             | 2,39,187 |
| 75002420 | Heraeus Fresco 17                           | 3,89,521 |
| 75002423 | Heraeus Fresco 17, 230V Dual Row            | 3,89,521 |
| 75002440 | LEGEND MICRO 17R 230V 50/60HZ               | 3,89,521 |
| 75002443 | Sorvall Legend Micro17R, 230V Dual Row      | 3,89,521 |
| 75002425 | Heraeus Fresco 21                           | 4,35,552 |
| 75002555 | Fresco 21 with dual row rotor               | 4,35,552 |
| 75002445 | LEGEND MICRO 21/R 230V 50/60HZ              | 4,35,552 |
| 75002544 | Legend Micro 21R with dual rotor            | 4,35,552 |
| 75004061 | MySPIN 6 Mini Centrifuge                    | 26,374   |
| 75004081 | MySPIN 12 Mini Centrifuge                   | 1,11,860 |

# Sample Preparation & Analysis



## Multiskan FC

Microplate Photometer

- Reliable and robust ELISA reader for research and routine applications
- Large color screen for easy stand alone use
- Stand-alone or PC control in multiple languages
- Advanced SkanIt Software
- Reads 96- or 384-well plates

| Cat. No. | Model                                  | Price ₹ |
|----------|--|---------|
| 51119010 | Multiskan FC (IVD), 100-240 V          | POR     |
| 51119100 | Multiskan FC with incubator, 100-240 V | POR     |



## Multiskan GO

UV/Vis Microplate and Cuvette Spectrophotometer

- Reads 96- and 384-well plates and various types of cuvettes
- Wavelength selection from 200 to 1000 nm in 1 nm increments
- Stand-alone or PC control in multiple languages
- Fast spectral and end-point measurements
- Continuous self diagnostics and calibration
- Automatic power save mode
- In-built incubation & plate shaking option.
- μDrop Plate for low volume (2μl to 10μl) sample analysis

| Cat. No. | Model                                   | Price ₹ |
|----------|---|---------|
| 51119200 | Multiskan GO without cuvette, 100-240 V | POR     |
| 51119300 | Multiskan GO with cuvette, 100-240 V    | POR     |
| N12391   | μDrop Plate                             | POR     |



## Wellwash (IVD)

Microplate Washer

- Large color display for ease-of-use
- Intuitive graphical user interface with multiple language versions
- Optimal washing performance with low residual volumes
- Un-pressurized bottles for safety and convenience

| Cat. No. | Model          | Price ₹ |
|----------|----------------|---------|
| 5165060  | Wellwash (IVD) | POR     |



## Wellwash Versa

Dual Strip Microplate Washer

- Large color display for ease-of-use
- Intuitive graphical user interface with multiple language versions
- Optimal washing performance with low residual volumes
- Un-pressurized bottles for safety and convenience
- Cell washing and 384-well plate washing for increased flexibility
- Robot compatibility for increased throughput

| Cat. No. | Model                     | Price ₹ |
|----------|---------------------------|---------|
| 5165010  | Wellwash Versa, 100-240 V | POR     |

# Sample Preparation & Analysis

## iEMS® Incubator/Shaker

Microplate Incubator and Orbital Shaker

- Exceptional temperature uniformity across the plate
- Efficient orbital shaking
- Superior sensitivity and specificity for EIA assays
- Temp range up to 40°C, and up to 69°C on HT
- Capacity of up to 9 plates, 3 plates on the HT



| Cat. No. | Model  | Price ₹ |
|----------|--|---------|
| 5112250  | iEMS Incubator/Shaker HT, 1-cabin, 220-240 V | POR     |
| 5112257  | iEMS Incubator/Shaker HT, 1-cabin, 100-120 V | POR     |
| 5112200  | iEMS Incubator/Shaker, 3-cabin, 220-240 V    | POR     |
| 5112207  | iEMS Incubator/Shaker, 3-cabin, 100-120 V    | POR     |

## Multidrop Combi nl

Reagent Dispenser

- 96 - 384 - and 1536 well plate formats
- Volume range: 50nl -50µl
- Precise and reliable dispensing
- Designed for ease-of-use
- Robotic compatible



| Cat. No. | Model                         | Price ₹ |
|----------|-------------------------------|---------|
| 5840400  | Multidrop Combi nl, 220-240 V | POR     |

## Multidrop Combi

Reagent Dispenser

- Volume range: 0.5 - 2500 µl
- Flexible plate height 5 - 50 mm
- 6 - 1536-well plate formats
- Ultimate versatility for reagent dispensing
- Easy to use visual user interface with color display
- Multidrop Combi SMART with inbuilt tracking system for real time tracking of dispensing cassette usage
- Robotic compatible



| Cat. No. | Model  | Price ₹ |
|----------|--|---------|
| 5840300  | Multidrop Combi, 100-240V                    | POR     |
| 5840310  | Multidrop Combi with SMART option, 100-240 V | POR     |

# Sample Preparation & Analysis



## RapidStak®

Automated Microplate Stacker

- Works seamlessly with Multiskan FC, Multiskan GO, Wellwash Versa, Multidrop Combi and Multidrop 384
- Schedule and automate any two instruments with the Thermo Scientific Polara RS software
- Capacity from 30 to 150 plates
- Quick and easy setup

| Cat. No. | Model         | Price ₹ |
|----------|---------------|---------|
| F01351   | RapidStak 2x  | POR     |
| F01436   | 30 Plate Stak | POR     |
| F01437   | 50 Plate Stak | POR     |
| Inquire  | Polara® RS    | POR     |



## Orbitor RS Microplate mover

- Works seamlessly with Multiskan FC, Mutiskan GO, Wellwash Versa, Kingfisher Flex and Multidrop Combi
- Schedule and automate one or more instruments with Thermo Scientific Momentum Workflow Software
- Reliable, high speed bench-top plate mover with superior reach and plate handling capabilities



## ELISA Kits and Reagents

- Complete target-specific ELISA kits - A variety of immunoassay kit configurations provide reagents for 96-well microplate assays for quantitative measurement of individual cytokine, chemokine and other markers
- Individual ELISA components – includes pre-coated and custom plate-coating services, blocking and wash buffers and antibodies and secondary detection reagents



## KingFisher Flex

KingFishers are magnetic particle processors for DNA, RNA, protein and cell isolation from variable starting materials. With high-throughput or processing volume up to 5 mL, Flex system offers truly versatile purification of **nucleic acids and proteins**. The range of volumes is 20-5000 µL depending on the magnet head with 96- or 24-well format. Use predefined protocols or customize your own for special applications.



## KingFisher Pure DNA/RNA Kits

Now, with optimized Thermo Scientific KingFisher Pure purification kits, you can easily perform extraction of DNA or RNA from blood, cells and tissues or plant samples, as well as viral NA and plasmid DNA purification. KingFisher instruments, software, kits and consumables deliver unparalleled performance.

# Sample Preparation & Analysis

## KingFisher Duo Prime

The newest to the KingFisher family, Duo system delivers advanced functionality in a compact, mid-throughput capacity instrument for isolation applications. Its small footprint and big functionality, including traceability and data management, make it a perfect fit for research and routine laboratories. Two protocols can run sequentially without interruption, raising throughput up to 24 samples per load. Duo system also includes large volume processing up to 5 mL.



## New features

- UV-lamp for decontamination
- Bar code reader capability
- Improved elution strip

## KingFisher mL

The economical choice for easy operation up to 15 samples. Processing volumes from 50 to 1000 µL carried out in tube strips.



## KingFisher

The first in the family, KingFisher system allows to purify small-scale samples economically. Run up to 24 samples in 20-200 µL. All purification and processing steps, programmed using simple push-button operation, are carried out in microstrips.



## Thermo Scientific™ Pierce Magnetic Beads™

The high-performance, iron oxide, superparamagnetic particles are available for immunoprecipitation, affinity purification as well as creating custom magnetic particles.




## Varioskan LUX

Varioskan LUX is a versatile tool for busy labs. Configure the instrument to your needs, then upgrade when your research focus changes. Supports the following measurement technologies:

- Absorbance (UV-Vis, including pathlength correction)
- Fluorescence Intensity (including FRET)
- Luminescence (direct and filtered, including BRET)
- AlphaScreen / AlphaLISA
- Five measurement modes: end-point, kinetic, spectra, multipoint and kinetic spectra
- Spectral scanning for assay optimization
- Integrated gas module for atmospheric control of CO<sub>2</sub> and O<sub>2</sub> for cell-based assays
- Simultaneous dispensing and measurement for follow-up of fast reactions right from the reaction start
- Paired with Thermo Scientific™ SkanIt™ software for intuitive instrument control and easy data handling
- Smart safety controls help protect instrument and samples from user error
- Automatic dynamic range selects optimal reading range based on signal intensity
- Autocalibration and self-diagnostics for confidence in results





## Customer Service Representatives are ready to meet your exacting demands.

- ▶ Enquiry
- ▶ Product Specifications
- ▶ MSDS
- ▶ CoAs
- ▶ Lead Time
- ▶ Delivery Status
- ▶ Status on order
- ▶ Representative visit
- ▶ Customer complaints & Feedback



India Toll Free  
**1-800-222-230**

Serving Customers... We Enjoy it!



## Contact :

### **Mumbai**

Thermo Fisher Scientific India Pvt. Ltd.  
403/404, Delphi, 'B' Wing,  
Hiranandani Business Park, Powai,  
Mumbai - 400076. INDIA  
Tel: +91-22-66803000  
Fax: +91-22-66803001/02

### **Ahmedabad**

Thermo Fisher Scientific India Pvt. Ltd.  
B - 303, Shapath-IV  
Opp. Karnavati Club,  
S. G. Road, Ahmedabad - 380051.  
Tel: +91-79-66527303/05  
Fax: +91-79-66527304

### **Bengaluru**

Thermo Fisher Scientific India Pvt. Ltd.  
2nd & 3rd Floor, "Prestige Sapphire"  
#159, 9th Main Road, 17th Cross,  
Jayanagar III Block, Bengaluru - 560011.  
Tel: +91-80-67398000  
Fax: +91-80-67398001

### **Chennai**

Thermo Fisher Scientific India Pvt. Ltd.  
Sun Centre, 4th Floor, No:2, Tank Bund Road,  
Opp Loyola College,  
Numgambakkam, Chennai - 600 034.  
Tel: +91-44-66094400  
Fax: +91-44-66094428

### **Hyderabad**

Thermo Fisher Scientific India Pvt. Ltd.  
Brij Tarang Tower - 1st Floor,  
6-3-119/101191/6, Beside White House Bldg.,  
Green Lands, Begumpet, Hyderabad - 500016.  
Tel: +91-40-67202700  
Fax: +91-40-67202701

### **Kolkata**

Thermo Fisher Scientific India Pvt. Ltd.  
Macmet House, 6th Floor,  
10B, O.C. Ganguly Sarani,  
Kolkata - 700 020.  
Tel: +91-33-40133900  
Fax: +91-33-40133938

### **Nasik**

Thermo Fisher Scientific India Pvt. Ltd.  
D-96, MIDC, C Road, Satpur,  
Nasik - 422007.  
Tel: +91-253-2350640/2351974

### **Noida**

Thermo Fisher Scientific India Pvt. Ltd.  
A-34, Ground Floor, Sector-2,  
Noida - 201301.  
Tel: +91-120-4640600  
Fax: +91-120-4640630

### **Pune**

Thermo Fisher Scientific India Pvt. Ltd.  
101/102, Pride Portal, Shivaji Housing Society,  
Village Bhamburda, Off Senapati Bapat Road,  
Pune - 411016.  
Tel: +91-20-66267000  
Fax: +91-20-66267001

**For customer service, call India toll-free 1-800-222-230**

**To fax an order, use 022 6680 3001 or 3002.**

**Email:** [laboratorysolutions@thermofisher.com](mailto:laboratorysolutions@thermofisher.com)

© 2015 Thermo Fisher Scientific Inc. All rights reserved.

**ThermoFisher**  
SCIENTIFIC