




2015-2016  
**Consumables & Equipment**

**Enhance your workflow**  
quality, reliability, versatility

**ThermoFisher**  
SCIENTIFIC



# Accelerating **Research** Driving **Productivity**

## Laboratory **Solutions**


I n d i a

- Chemicals
- Consumables
- Equipment
- Life Science
- Microbiology
- Organics

Laboratories globally are challenged with need for getting products faster to market and at the same time achieve high productivity.

**When science is your Passion.  
Quality is our Commitment.**

**ThermoFisher**  
S C I E N T I F I C



# CONSUMABLES

# Terms & Conditions

## Prices

This price list is effective from 1<sup>st</sup> April 2015 and cancels all previous pricelists.

Prices mentioned in this Price List are in Indian Rupees and are ruling at the time of printing of the Price List and are subject to change without prior notice. Invoices will be made on the basis of prices ruling on the date of dispatch/delivery of goods.

## Supplies

The supplies will be made through our authorised distributor / dealer in your area or if necessary directly by us.

## Payments

Payments are to be made by Demand Drafts drawn on "Thermo Fisher Scientific India Pvt. Ltd." payable at Mumbai only crossed 'On Payees Account'.

In the event of payments through bank the customer has to retire documents within 10 (ten) days-failing which the customer has to pay overdue interest as stipulated in the bill forwarding letter.

## Taxes

Central Sales Tax (CST) / Value Added Tax (VAT) Service Tax will be charged extra as applicable.

Customers eligible for CST/VAT concession must submit appropriate applicable concessional form along with each order itself, enabling to charge concessional CST. Otherwise CST NAT will be charged in full. Any other taxes applicable will be charged extra as applicable.

## Octroi

Octroi and other State levies, if any will be borne by the buyers.

In the event octroi paid by Courier Service / Transport, that octroi amount has to be paid to the concerned Courier Service / Transport in cash, while taking delivery of the consignment.

## Dispatch / Delivery

1. Prices quoted in the Price List are on Ex-godown basis.
2. All efforts will be made to dispatch the goods within 45 days from the date of receipt of firm orders.
3. Orders above Rs. 25,000/- value will be supplied on F.O.R. customer's city/town basis by the cheapest mode of transport upto the transporter's godown. Carrying the material from transporter's godown to customer's site will be customer's responsibility.

## Damage or Loss In Transit

Materials are packed with utmost care under expert supervision. Our responsibility will cease after a consignment is accepted by the Transporters / Courier / Post office in good condition and no responsibility is taken by the company for any damage or loss in transit.

## Discount

Enquiries for bulk quantities are solicited from the Actual users and for which special prices can be quoted.

## Special Notice

1. This price list is valid only for territory of Republic of India.
2. No amendment or cancellation of order will be accepted once the goods are despatched.
3. The terms of supplies are subject to Mumbai Jurisdiction only and are subject to force major clause.
4. Specifications and Prices are subject to change without prior notice.

# Contents

## Balance Weight & Accessories

- Balance Supplies ..... 1

## Chromatography & Filtration

- Chromatography ..... 1
- Filtration..... 2

## Clamps, Dissecting Essentials, Holders and Lab Accessories

- Animal Care ..... 10
- Arsenic Testing ..... 10
- BUNGS ..... 10
- Clamps and Supports..... 10
- Dissection ..... 12
- Forceps..... 13
- Gas Accessories ..... 14
- Ice/Insulated Containers ..... 16
- Knives ..... 16
- Labels / Tapes ..... 17
- Rulers and Measuring Devices ..... 24
- Scissors ..... 25
- Spatulas..... 26
- Sponges..... 28
- Stationery ..... 28
- Stoppers..... 29
- Surface Tension ..... 37
- Tongs ..... 37
- Tools..... 38

## Electrochemistry (PH/PX)

- Electrochemistry (PH/PX)..... 38
- Test Kits ..... 39

## Glass & Plastics

- Ampules..... 42
- Basins ..... 42
- Baskets ..... 42
- Beakers ..... 42
- Bottles, Jar & Jugs ..... 46
- Buckets ..... 75
- Burettes ..... 75
- Caps ..... 75
- Carboys ..... 77
- Cylinders ..... 77
- Dishes ..... 80
- Flasks ..... 82
- Funnels..... 85
- Graduates ..... 86
- Microplates ..... 87
- Pen..... 88

- Rod..... 88
- Tubes and Closures ..... 88
- Vials ..... 104
- Watch Glasses..... 115

## Mixing and Stirring

- Homogenizers ..... 116

## Liquid Handling

- Dispensers/Diluters..... 116
- Pipettes Tips and Fillers..... 117

## Microscope Supplies

- Cell Spreaders ..... 126
- Microscopy ..... 126
- Haemocytometer ..... 137

## Personal and Lab Safety

- Apparel ..... 137
- Bouffant Cap and Beard Cover ..... 138
- Bench Protectors ..... 139
- Brushes ..... 139
- Cleaners..... 141
- Cleaners / Disinfectants ..... 141
- Cleanroom Supplies..... 142
- Dispensers/Diluters..... 153
- Dusters..... 154
- Floor Mats ..... 154
- Gloves ..... 154
- Hairnets ..... 160
- Mask ..... 160
- Respiratory Protection ..... 160
- Shoe Covers..... 160
- Safety - General..... 161
- Safety - Radiation ..... 164
- Safety - Gloves ..... 167
- Safety - Ear Wear ..... 167
- Safety - Eye Wear ..... 167
- Safety - Protective Garment ..... 169
- Soap/Sanitizer /Air Neutralizer ..... 169
- Tissue..... 170
- Towelettes ..... 170
- Washers/Dryers..... 171
- Wipers ..... 171

# Contents

## Sample Collection, Storage and Disposal

■ Aluminum Foil	172
■ Bags	172
■ Containers	179
■ Cryogenics	181
■ Histology	187
■ Mailers	189
■ Racks	190
■ Sample Cups	196
■ Samplers	196
■ Specimen Collection	197
■ Trays and Troughs	199
■ Waste Disposal	200
■ Wrapping Film	201

## Sample Handling and Processing

■ Box	201
■ Burners	201
■ Cell Culture	201
■ Cell Strainer	202
■ Corks	202
■ Counters	204
■ Crucibles	204
■ Desiccators	205
■ Dialysis	206
■ Electroporator Consumables	207
■ Flowmeter Consumables	207
■ Glass Joint Sleeves	207
■ Grease and Lubricants	207
■ Microbiology Application	207
■ Sieves	208
■ Spectrophotometer Consumables	210
■ Stirrers	211
■ Water/Wastewater	216
■ Water Purification	216

## Glassware

■ Low form Beakers	217
■ Tall Form Beakers	217
■ Reagent Bottles Plain	217
■ Reagent Bottles Amber	217
■ Media Bottles Plain	218
■ Media Bottles Amber	218
■ B.O.D. Bottles	218
■ Relative Density Bottles	218
■ Weighing Bottles	219
■ Tooled Neck Bottles Plain	219
■ Tooled Neck Bottles Amber	219
■ Burettes	219

■ Nessler's Cylinders	220
■ Measuring Cylinders	220
■ Extration Apparatus	221
■ Extractors	221
■ Condensers	221
■ Desiccators	222
■ Flasks	222
■ Volumetric Flasks	225
■ Funnels	228
■ Museum Jars	229
■ Petri Dishes	229
■ Pipettes	229
■ Tubes	231

## Liquid Handling Consumables

■ Thermo Fisher Clip Tip System	233
■ Finnpiptette F1	235
■ Finnpiptette F2	236
■ Finnpiptette Digital Pipette	236
■ Finnpiptette F3	237
■ NABL Precalibrated F2 and F3 Pipettes	237
■ Finnpiptette Stepper	238
■ Finnpiptette Novus	239
■ Finnpiptette Dispenser	239
■ Serological Pipette Filler	239
■ Finntips	240
■ Finntip Flex	241
■ Matrix Tips	242
■ Matrix Regent Reservoir	243
■ Thermo Fisher QSP Tips and MCT	243
■ Thermo Fisher ART Barrier/ Non Filter Tips	244
■ Thermo Fisher PCR Tubes and PCR Plates	248
■ Thermo Fisher Electroporation Cuvette	248
■ Thermo Fisher Microcentrifuge Tubes and Screw Cap Tubes	248
■ Thermo Fisher Microcentrifuge Tubes and PCR Tubes Racks	249
■ DNA Away/ Rnase Away	250
■ Automation Consumables	250
■ Thermo Scientific Pipette Lab NABL Calibration Services	254
■ Service of Thermo Scientific Finnpiptette®	254

# Contents

## Laboratory Equipment

■ Laboratory Incubators	255
■ Refrigerated Incubators	255
■ General Laboratory Ovens	255
■ Hybridization Ovens	255
■ Rockers Rotators Mixers	255
■ Vortex Mixer Accessories	255
■ Shakers	255
■ Heating Cooling Dry Bath	256
■ Heating Cooling Dry Bath Accessories	256
■ Shaking Dry Bath	256
■ Shaking Dry Bath Accessories	256
■ Dry Baths	256
■ Dry Bath Accessories	256
■ Compact Dry Bath	257
■ Compact Dry Baths Accessories	257
■ Hot Plates Stirrers	257
■ Hotplate Stirrers Accessories	258
■ Vacuum Concentrators	258

## Balance, Weight & Accessories

■ Balance	259
■ Moisture Balance HAL	262
■ Moisture Balance IR	262
■ Weights and Measures	262

## Baths, Chillers & Circulator

■ Chillers & Circulator	265
-------------------------	-----

## Chart Recorder & Data Loggers

■ Chart Recorder	267
------------------	-----

## Chart Recorder & Data Loggers

■ Chart Recorder	269
■ Data logger	272
■ Software	273

## Clamps, Holders, and Apparatus

■ Knives	273
■ Labeling	273
■ Lamps/Lighting	273
■ Magnifiers	273
■ Stationery	274
■ Tools	274

## Electro-chemistry (PH/PX)

■ Connectors	274
■ Electrodes (PH/PX)	274
■ Mouse	277
■ Paddle	277

■ pH Meter	277
■ pH Meter Hanna	278
■ pH Meter Adapter	278
■ pH Meter Kit	278
■ pH Standards	279
■ Power Supply	279
■ Printer	279
■ Turbidity Meter	279

## Electrophoresis System and Accessories

■ Electrophoresis-Blotting Cassette	279
■ Electrophoresis-Blotting Pad	279
■ Electrophoresis-Blotting Unit	279
■ Electrophoresis-Cables	279
■ Electrophoresis-Capillary Tubes	279
■ Electrophoresis-Caster	280
■ Electrophoresis-Casting gates	280
■ Electrophoresis-Casting Tray	280
■ Electrophoresis-Casting Tray Dam	281
■ Electrophoresis-Cellulose Acetate	281
■ Electrophoresis-Comb	281
■ Electrophoresis-Cooling Plate	291
■ Electrophoresis-Dummy Plate	291
■ Electrophoresis-Electrode	291
■ Electrophoresis-Gel casting system - vertical	291
■ Electrophoresis-Gel Dryer	291
■ Electrophoresis-Gel Casting Unit - Horizontal	291
■ Electrophoresis-Gel Casting Unit - Vertical	291
■ Electrophoresis-Gel Modules	291
■ Electrophoresis-Glass Plate	292
■ Electrophoresis-Gradient Mixer	292
■ Electrophoresis-IEF Unit	292
■ Electrophoresis-Lid	293
■ Electrophoresis-Misc Accessories	293
■ Electrophoresis-PAGE System	294
■ Electrophoresis-Power Supply	294
■ Electrophoresis-Seal	294
■ Electrophoresis-Spacer	294
■ Electrophoresis-Tank	295
■ Electrophoresis-Tank Lid	295

## Fume Hoods & Enclosures

■ PCR Enclosure	295
-----------------	-----

## Glassware Washer

■ Glassware Washer	296
--------------------	-----

## Heating, Mixing and Stirring

■ Bag Mixer / Stomacher	296
■ Furnaces	297

# Contents

■ Homogenizers .....	297	<b>Traceable Products</b>	
■ Hotplates .....	298	■ Anemometers .....	329
■ HPS .....	298	■ Barometers .....	330
■ Magnetic Stirrer .....	300	■ Battery .....	330
■ MPT - Vortexer .....	300	■ Calculators .....	330
■ Nutating Mixer .....	300	■ Calipers .....	330
■ Overhead Stirrer .....	300	■ Carts .....	330
■ Rotary Mixer .....	301	■ Conductivity .....	330
■ Tube Mixer .....	301	■ Controller .....	331
■ Tube Vortexer .....	301	■ Counters .....	331
<b>Personal and Lab Safety</b>		■ Desiccators .....	331
■ Brushes .....	302	■ Dessicants .....	331
■ Wipers .....	302	■ Dissecting .....	331
<b>Pumps, Tubings and Accessories</b>		■ Electrical Equipment .....	331
■ Clamps and Ties .....	302	■ Envirometer .....	331
■ Flow Meters .....	302	■ Humidity Monitors .....	332
■ Peristaltic Pumps .....	309	■ Hygrometers .....	332
■ Peristaltic Pumps Accessories .....	309	■ Light Meters .....	332
■ Tubing Connectors .....	309	■ Logger .....	332
■ Tubings .....	310	■ Microscope .....	333
■ Vacuum Pump .....	319	■ Moisture meter .....	333
<b>Sample Collection, Storage and Disposal</b>		■ Multimeter .....	333
■ Racks .....	320	■ Oxygen Meter .....	333
■ Wrapping Film .....	320	■ Probes .....	333
<b>Sample Handling and Processing</b>		■ Rulers and Measuring Devices .....	333
■ Calorimeter .....	321	■ Safety .....	333
■ Colony Counter .....	321	■ Scoop .....	333
■ Colorimeter .....	321	■ Slide Holder .....	333
■ Heating Mantle .....	321	■ Slide Holder Cabinet .....	333
■ Penetrometer .....	321	■ Sound Meter .....	333
■ Refractometers .....	321	■ Spatulas .....	333
■ Sieve Shaker .....	323	■ Sprayer .....	333
■ Touch Counter .....	323	■ Stationery .....	333
■ Turbidity .....	323	■ Stopwatch .....	334
■ Viscometer .....	323	■ Tachometers .....	334
<b>Sonicator</b>		■ Thermometer .....	334
■ Sonic Dismembrators .....	324	■ Timers .....	338
■ Ultrasonic Bath .....	325	■ Touch Counter .....	338
<b>Sterilizer</b>		■ Transciever .....	339
■ Autoclave .....	329	■ Vacuum Guages / Manometers .....	339
■ Sterilizer .....	329	■ Wash Bottle .....	339



Cat. No.	Description	Pack	Price in ₹
<b>Balance Weight &amp; Accessories</b>			
<b>Balance Supplies</b>			
02202100	Dish, Weighing; Fisherbrand; Hexagonal; Flat bottom with sloping sides; Polystyrene; For solids or liquids; Top I.D.: 1.4 in. (3.6cm); Base I.D.: 0.9 in. (2.4cm); Depth: 0.4 in. (0.95cm); Approx. wt.: 0.02 oz. (0.6g)	PK	1322
02202102	Dish, Weighing; Fisherbrand; Hexagonal; Flat bottom with sloping sides; Polystyrene; For solids or liquids; Top I.D.: 4 in. (10.2cm); Base I.D.: 3.3 in. (8.5cm); Depth: 0.875 in. (2.2cm); Approx. wt.: 0.02 oz. (0.6g)	PK	7090
02202103	Dish, Weighing; Fisherbrand; Hexagonal; Flat bottom with sloping sides; Polystyrene; For solids or liquids; Top I.D.: 5.1 in. (13.2cm); Base I.D.: 3.6 in. (9.2cm); Depth: 1.25 in. (3.2cm); Approx. wt.: 0.25 oz. (7.1g); 500/Pk., 4 Pk./Cs.	PK	7156
08732100	Dishes, Weighing; Fisherbrand; Aluminum; With fluted sides; Capacity: 1.062 fl. oz.	PK	576
08732101	Dish, Weighing; Fisherbrand; Aluminum; With fluted sides; Capacity: 1.375 fl. oz.	PK	676
08732102	Dishes, Weighing; Fisherbrand; Aluminum; With fluted sides; Capacity: 2.875 fl. oz.	PK	656
08732103	Dishes, Weighing; Fisherbrand; Aluminum; With smooth sides; 2.375 fl. oz.	PK	795
08732104	Dishes, Weighing; Fisherbrand; Aluminum; With smooth sides; 5 fl. oz.	PK	2547
08732112	Dish, Weighing; Fisherbrand; Anti-Static; 12mil thick Polystyrene; Standard Style; Natural; Disposable; Flat bottom; 1.625L x 1.625W x 0.312 in. H (4.12 x 4.12 x 0.79cm)	PK	1635
08732113	Dish, Weighing; Fisherbrand; Anti-Static; 12mil thick polystyrene; Standard style; Natural; disposable; Flat bottom; Bottom I.D.: 2.4 in. (6.1cm); 3.5L x 3.5W x 1 in. H (8.12 x 8.12 x 2.54cm); 500/Cs.	CS	2914
08732114	Dish, Weighing; Fisherbrand; Anti-static; 12 mil. thick polystyrene; Standard style; Blue; Disposable; Flat bottom; 3.5L x 3.5W x 1 in. H (8.12 x 8.12 x 2.54cm)	CS	3183
08732115	Dish, Weighing; Fisherbrand; Anti-Static; 12mil thick polystyrene; Standard style; Natural; Disposable; Flat bottom; 5.5L x 5.5W x 1 in. (13.96 x 13.96 x 2.54cm)	CS	5259
08732116	Dish, Weighing; Fisherbrand; Anti-static; 12 mil. thick polystyrene; Pour boat; Natural; Disposable; Flat bottom; 1.62L x 1.25W x 0.312 in. H (4.11 x 3.17 x 0.79cm)	PK	1422
08732117	Dish; Weighing; Fisherbrand; Anti-static; 12 mil. thick polystyrene; Pour boat; Natural; Disposable; Flat bottom; 3.5L x 5.25 W x 1 in. H (8.89 x 13.33 x 2.54cm)	CS	2681
08732118	Dish, Weighing; Fisherbrand; Anti-static; 12 mil. thick polystyrene; Pour boat; Natural; Disposable; Flat bottom; 4.75 L x 7.75W x 1 in. H (12.06 x 12.06 x 2.54cm)	CS	4117
0989812A	Paper, Weighing; Fisherbrand; Low nitrogen; Sufficient body to support sample; Smooth textured; Does not absorb moisture; 3 x 3 in. (76 x 76mm); 500 sheets per pack	PK	674
0989812B	Paper, Weighing; Fisherbrand; Low nitrogen; Sufficient body to support sample; Smooth textured; Does not absorb moisture; 4 x 4 in. (100 x 100mm)	PK	1133
0989812C	Paper, Weighing; Fisherbrand; Low nitrogen; Sufficient body to support sample; Smooth textured; Does not absorb moisture; 6 x 6 in. (152 x 152mm); 500 sheets per pack	PK	1929
14353B	Funnel, Weighing; Fisherbrand; Borosilicate glass; Tapered pouring neck; Flat Bottom; Use in temperatures to 454 deg.C (849 deg.F); Dia. x L: 15 x 40mm	PK	10127
14353D	Funnel, Weighing; Fisherbrand; Borosilicate glass; Tapered pouring neck; Flat bottom; Use in temperatures to 454 deg.C (849 deg.F); Dia. x L: 25 x 55mm	PK	11962
14353F	Funnel, Weighing; Fisherbrand; Assortment pack includes one each of the following (dia. x L): 10 x 35mm, 15 x 40mm, 20 x 45mm, 25 x 55mm and 32 x 68mm	PK	13195
FB13071	Paper wrap for sterilisation of instruments 500mm x 500mm	Pack of 500	10403

**Chromatography & Filtration**

<b>Chromatography</b>			
05685A	Charcoal; Activated Carbon; 1 lb.; 6 to 14 mesh; Fisherbrand	EA	2140
05685B	Carbon, Activated; Fisherbrand; 4 lbs.; 6 to 14 mesh; Charcoal	EA	7300
05690A	Fisherbrand Activated Carbon Charcoal, 1 lb.; 50 to 200 mesh	EA	2171
05690B	Fisherbrand Activated Carbon Charcoal, 4 lb.; 50 to 200 mesh	EA	7248
FBA801020	Tank, TLC Developing Tank; Fisher Scientific; Rectangular; Standard lid; Molded glass bricks with clear sides; Beveled edges; Raised ridge inside bottom; Centering baffle; Shorty; Use with plate size 10mm width x 20mm height	CS	27609

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
P446	Fisherbrand™ PrepSep™ Large-Volume SPE Columns Empty Prep Sep 12mL 50/Pk.	PK	14731
P447	Fisherbrand™ PrepSep™ Large-Volume SPE Columns Empty Prep Sep 14mL 30/Pk.	PK	15064
P449R	Fisherbrand™ PrepSep™ Large-Volume SPE Columns Empty Prep Sep R 5mL 120/Pk.	PK	38580
P452	Extraction Products; Solid Phase; Columns; Fisherbrand Prepsep; C8; Reservoir capacity: 12mL; Large-volume; Economically disposable; Conical shape for easy filling; Primary CAS: 75-77-4	PK	24276
P464R	Columns; Large-Volume SPE Extraction; Fisherbrand PrepSep R; Florisil, 1g; Versatile design provides rapid flowthrough using syringe, vacuum box, or robot technology; 200/Pk; Primary CAS: 1343-88-0	PK	67177
P466R	Columns; Large-Volume SPE Extraction; Fisherbrand PrepSep R; Florisil, 1g; Versatile design provides rapid flowthrough using syringe, vacuum box, or robot technology; 120/Pk; Primary CAS: 1343-88-0	PK	15319
P467R	Columns; Large-Volume SPE Extraction; Fisherbrand PrepSep R; Alumina, 1g; Versatile design provides rapid flowthrough using syringe, vacuum box, or robot technology; 120/Pk; Primary CAS: 1344-28-1	PK	64953
P476	Extraction Products; Solid Phase; Columns; Fisherbrand Prepsep; Florisil; Reservoir capacity: 14mL; Large-volume; Economically disposable; Conical shape for easy filling; Primary CAS: 1343-88-0	PK	16533
P477	Extraction Products; Solid Phase; Columns; Fisherbrand Prepsep; Alumina; Reservoir capacity: 14mL; Large-volume; Economically disposable; Conical shape for easy filling; Primary CAS: 1344-28-1	PK	21218
057141	Fisherbrand* Chromatography Products, Paper; Thickness: 0.19mm (thin); Pure Cellulose; 46 x 57cm (18 x 22 in.) sheets	Pack of 100	8194
057144	Fisherbrand* Chromatography Products, Paper; Thickness: 0.35mm (Thick); Pure Cellulose; 46 x 57cm (18 x 22 in.) Sheets	Pack of 100	17112
<b>Filtration</b>			
09753102	Filter Holder, Vacuum; Fisherbrand; Glass; Microanalysis; with fritted glass support; Filter size: 47mm; Max. capacity: 1000mL; Connection: standard taper 40/35 (09-753-102) for 1L flask or manifold	EA	50188
097531A	Holder, Vacuum Filter; Fisherbrand; No. 8 Silicone Stopper; For 1L flask/manifold.; Microanalysis filter; 47mm; Fritted base; Graduated top funnel; Filtration: 9.6 sq. cm; Grad. Vol.: 300mL; Prefilter: 35mm; Cap.: 320m	EA	24792
097531C	Filter Holder, Vacuum; Fisherbrand; Glass; Microanalysis; With steel support (100 mesh); Filter size: 47mm; Max. capacity: 300mL; Connection: No. 8 silicone stopper for 1L flask or manifold	CS	24420
097531E	Connector; Kimble Chase; No. 8 silicone stopper for 1L flask or manifold; Glass Microanalysis filter, 47mm; For analyzing liquids/wastewater analysis, pharmaceutical QC, yeast and mold detection, prep	EA	33055
097531G	Holder, Vacuum Filter; Fisherbrand; For sterility testing of antibiotics, pharmaceuticals; Glass funnel; Base w/integral fritted glass support; No. 8 silicone stopper; Filtration area: 9.6cmsuperscript1; Max. capac.: 300mL; Filter size:47mm	EA	60126
097531J	Holder, Filter; Fisherbrand; Material: Stainless-Steel; For Microanalysis Vacuum; Size: 47mm	EA	178243
097532	Holder, Vacuum Filter; Fisherbrand; No. 8 Silicone Stopper; For 1L flask/manifold.; Microanalysis filter; 90mm; Fritted glass support; Graduated top funnel; Filtration: 38.5 sq. cm; Prefilter: 70mm; Cap.: 1000mL; Filter: 90mm	EA	69683
0975350	Forcep, Filter; Fisherbrand; Stainless-steel construction; Serrated grip on blades; Will not corrode in acids or acidic atmospheres; Length: 4.5 in.	EA	1666
09753A	Holder, Vacuum Filter; Fisherbrand; No. 5 silicone stopper; For 125mL flasks; Glass Microanalysis; 13mm; Fritted glass support; Ungraduated 100mL funnel; Anodized aluminum spring clamp; Filtration 1.1cm <sup>2</sup> ; No prefilter; 100mL; Filter 2	EA	23334
09753C	Holder, Vacuum Filter; Fisherbrand; No. 5 silicone stopper; For 125mL flasks; Glass Microanalysis; 13mm; Fritted glass support; Ungraduated 13/100mL funnel; Anodized aluminum spring clamp; Filtration 1.1cm <sup>2</sup> ; No prefilter; 100mL; Filter 2	EA	35239
09753E	Holder, Vacuum Filter; Fisherbrand; No. 5 Silicone Stopper; For 125mL flask; Microanalysis filter; 25mm; Fritted glass support; Flare-top graduated 15mL Funnel; Base; Spring Clamp; Filtration 2.1 sq. cm; Prefilter 16mm; 25mL; Filter 2	EA	21703
09753G	Holder, Vacuum Filter; Fisherbrand; No. 5 Silicone Stopper; For 125mL flask; Microanalysis filter; 25mm; SS mesh support; Flare-top graduated 15mL Funnel; Base; Spring Clamp; Filtration 2.1 sq. cm; Prefilter 16mm; Capac.: 25mL; Filter 2	EA	23253
FBA10353	Funnel, Cytology; Double; Fisherbrand; With White Filter Card; volumes up to 0.25mL or less; sealing caps included; two deposition areas on each slide; For the Shandon CytoSpin Centrifuge; Case	CS	188949
FBA10354	Funnel, Cytology; Single; Fisherbrand; With White Filter Card; volumes up to 0.4mL or less; sealing caps included; two deposition areas on each slide; For the Shandon CytoSpin Centrifuge; Pack	PK	12369
FBA10355	Funnel, Cytology; Single; Fisherbrand; With White Filter Card; volumes up to 0.4mL or less; sealing caps included; two deposition areas on each slide; For the Shandon CytoSpin Centrifuge; Case	CS	94553
FBA10356	Funnel, Cytology; Double; Fisherbrand; With White Filter Card; volumes up to 0.25mL or less; sealing caps included; two deposition areas on each slide; For the Shandon CytoSpin Centrifuge; Pack	PK	12447

Cat. No.	Description	Pack	Price in ₹
FBA10358	Funnel, Cytology; Single; Fisherbrand; With Brown Filter Card; volumes up to 0.25mL or less; sealing caps included; two deposition areas on each slide; For the Shandon CytoSpin Centrifuge; Case	PK	11509
1138750	Column, Filter; Fisherbrand; Disposable; Polypropylene; Filter out interfering materials from blood serum or urine; Filters 200 to 300um; Graduated in 0.5mL divisions	CS	29103
15078152	Syringe, Micrometer; Fisherbrand; 2.0mL	EA	37381
22260105	Ring, Lead, C-Shaped; Fisherbrand; Chemical-resistant coating; Stabilizes immersed flasks; Fits flasks from 1000 to 4000mL; Inside Dia.: 71mm; Weight: 900g	EA	7038
0980421A	Fisherbrand* Filters, Fiberglass Circles; Chemically and biologically inert; Autoclavable; Usable to 500 deg. C (932 deg. F); Grade G6; Diameter: 21mm; Particle Retention: 1.6microm; Fast flowrate; Thickness: 1.6mm	Pack of 100	1560
0980421C	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 21mm; Grade G4	Pack of 100	2179
0980421D	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 21mm; Grade G8	Pack of 100	2677
097192A	Fisherbrand* Filter, Membrane; Pure, Cellulose acetate and cellulose nitrate (MCE); Compatible with dilute acids and bases, aliphatic and aromatic hydrocarbons, and nonpolar liquids; Diameter: 25mm; Pore Size: 0.2um	Pack of 100	8220
097192D	Fisherbrand* Filter, Membrane; Pure, Cellulose acetate and cellulose nitrate (MCE); Compatible with dilute acids and bases, aliphatic and aromatic hydrocarbons, and nonpolar liquids; Diameter: 25mm; Pore Size: 0.45um	Pack of 100	7942
097192E	Fisherbrand* Filter; Membrane; Diameter: 47mm; Pore Size: 0.45um	Pack of 100	12775
09719555	Fisherbrand* Membrane Filters, Water-Testing	Pack of 600	42765
0979014D	Fisherbrand* Filter Paper; Fluted; Qualitative Circles; Diameter: 12.5cm; Grade: P8--Fluted	Pack of 100	4289
0979014E	Fisherbrand* Filter Paper; Qualitative Circles; Diameter: 15cm; Grade: P8--Fluted	Pack of 100	4675
0979014F	Fisherbrand* Filter Paper; Qualitative Circles; Diameter: 18.5cm; Grade: P8--Fluted	Pack of 100	5111
0979014G	Fisherbrand* Filter Papers; Fluted; Qualitative Circles; For use with conical funnels; High wet strength; Grade: P8-Fluted; Diameter: 24cm	Pack of 100	5812
0979012D	Fisherbrand* Filter Paper; Qualitative; Wet-Strengthened; Circles; Coarse cellulose fiber; Creped surface; Fast flowrate; Particle Retention >25microm; Diameter: 11cm	Pack of 100	517
0979012E	Fisherbrand* Filter Paper; Qualitative; Wet-Strengthened; Circles; Coarse cellulose fiber; Creped surface; Fast flowrate; Particle Retention >25microm; Diameter: 12.5cm	Pack of 100	574
0979012F	Fisherbrand* Filter Paper; Qualitative; Wet-Strengthened; Circles; Coarse cellulose fiber; Creped surface; Fast flowrate; Particle Retention >25microm; Diameter: 15cm	Pack of 100	860
0979012G	Fisherbrand* Filter Paper; Qualitative; Wet-Strengthened; Circles; Coarse cellulose fiber; Creped surface; Fast flowrate; Particle Retention >25microm; Diameter: 18.5cm	Pack of 100	1180
09804110A	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 110mm; Grade G6	Pack of 100	4691
09804125A	Fisherbrand* Filters; Glass Fiber; Circles; Ideal as prefilters and for gravimetric analyses; Low hygroscopicity; No organic binders; Autoclavable and usable to 500 deg. C; Particle retention: 1.6microm; Diameter: 125mm; Grade G6	Pack of 100	6010
09804150A	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 150mm; Grade G6	Pack of 100	6907
0980421B	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 21mm; Grade G2	Pack of 100	2003
0980424A	Fisherbrand* Filters; Glass Fiber; Circles; Ideal as prefilters and for gravimetric analyses; Low hygroscopicity; No organic binders; Autoclavable and usable to 500 deg. C; Particle retention: 1.6microm; Diameter: 24mm; Grade G6	Pack of 100	897
0980424C	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 24mm; Grade G4	Pack of 100	957
0980425D	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 25mm; Grade G8	Pack of 100	1322
0980442A	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 42.5mm; Grade G6	Pack of 100	1366
0980442C	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 42.5mm; Grade G4	Pack of 100	2344
0980442D	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 42.5mm; Grade G8	Pack of 100	2300

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
0980455A	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 55mm; Grade G6	Pack of 100	2074
0980455B	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 55mm; Grade G2	Pack of 100	4009
0980455C	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 55mm; Grade G4	Pack of 100	3005
0980470A	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 70mm; Grade G6	Pack of 100	2672
0980470C	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 70mm; Grade G4	Pack of 100	4009
0980470D	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 70mm; Grade G8	Pack of 100	5680
0980490A	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 90mm; Grade G6	Pack of 100	3516
0980490C	Fisherbrand* Filters; Glass Fiber Circles; Ideal as prefilters and for gravimetric analyses; Fast flow; High retention; Diameter: 90mm; Grade G4	Pack of 100	5011
097192B	Fisherbrand* Filter; Membrane; Diameter: 47mm; Pore Size: 0.2um	Pack of 100	13328
097192F	Fisherbrand* Filters; General Filtration Membrane; Diameter: 142mm; Pack of: 50; Pore Size: 0.45um	Pack of 50	35386
097192G	Fisherbrand* Filter, Membrane; Pure, Cellulose acetate and cellulose nitrate (MCE); Compatible with dilute acids and bases, aliphatic and aromatic hydrocarbons, and nonpolar liquids; Diameter: 25mm; Pack of: 100; Pore Size: 0.8um	Pack of 100	8441
097192H	Fisherbrand* Filter, Membrane; Plain; White; Biologically inert mixture of cellulose acetate and cellulose nitrate (MCE); Autoclavable; For most filter applications; Pore Size: 0.8um; Diameter: 47mm	Pack of 100	13866
097197	Fisherbrand* Filters, Syringe; Inlet has female Luer-Lok; Outlet has male Luer slip; Membrane: PTFE; Pore size: 0.45microm; Diameter: 25mm; Nonsterile; Pack of 1000	Pack of 1000	263601
09719C	Fisherbrand* Filters, Syringe; Low hold-up volume; Membrane: Nylon; Pore Size: 0.22microm; Diameter: 25mm; Sterile	Pack of 50	12345
09719D	Fisherbrand* Filters, Syringe; Low hold-up volume; Membrane: Nylon; Pore Size: 0.45microm; Diameter: 25mm; Sterile	Pack of 50	12141
09719G	Fisherbrand* Filters; Syringe; Nonsterile; Material: Polytetrafluoroethylene (PTFE); Pore size: 0.22um; Diameter: 25mm; Great temperature resistance; Hydrophobic; Low hold-up volume	Pack of 50	9542
09719H	Fisherbrand* Filters; Syringe; Nonsterile; Material: Polytetrafluoroethylene (PTFE); Pore size: 0.45microm; Diameter: 25mm; Great temperature resistance; Hydrophobic; Low hold-up volume	Pack of 50	10103
097203	Fisherbrand* Filters, Syringe; Low hold-up volume; Membrane: PVDF; Pore Size: 0.22microm; Diameter: 13mm; Sterile	Pack of 100	32021
097204	Fisherbrand* Filters, Syringe; Low hold-up volume; Membrane: PVDF; Pore Size: 0.45microm; Diameter: 13mm; Sterile	Pack of 100	2604
097208	Fisherbrand* Filters; Syringe; Nonsterile; Material: Polytetrafluoroethylene (PTFE); Pore size: 0.45microm; Diameter: 13mm; Great temperature resistance; Hydrophobic; Low hold-up volume	Pack of 100	20055
0973017	Fisherbrand* Filters; Syringe; in Wall-Mount Dispenser; Wall-mount; With 25mm syringe filters; Velcro fastening strips; Reclosable tip-out drawer; Membrane Type: Nylon; Pore Size: 0.45um	Pack of 150	34472
0973019	Fisherbrand* Filters; Syringe; in Wall-Mount Dispenser; w/25mm syringe filters; with Velcro fastening strips; Reclosable tip-out drawer; Membrane type: PTFE; Pore size: 0.2um; Low protein binding and great temp. resistance	Pack of 150	41123
0973021	Fisherbrand* Filters; Syringe; in Wall-Mount Dispenser; Wall-mount; With 25mm syringe filters; Velcro fastening strips; Reclosable tip-out drawer; Membrane Type: PTFE; Pore Size: 0.45um	Pack of 150	40935
0975336A	Fisherbrand* Manifold, Hydrolab; Material: Stainless-Steel; Overall L x W x H: 18 x 6 x 6-1/2 in.; Type: 3 Place	EA	225832
FB59010	Filter paper qualitative QL100 15mm diameter Fisherbrand	EA	4498
FB59011	Filter paper QL 100 qualitative medium retention medium/fast flow rate cellulose 42.5mm diameter Fisherbrand	Pack of 100	357
FB59015	Filter paper QL 100 qualitative medium retention medium/fast flow rate cellulose 55mm diameter Fisherbrand	Pack of 100 circles	356
FB59017	Filter paper QL 100 qualitative medium retention medium/fast flow rate cellulose 70mm diameter Fisherbrand	Pack of 100 circles	394
FB59019	Filter paper QL 100 qualitative medium retention medium/fast flow rate cellulose 85mm diameter Fisherbrand	Pack of 100	431

Cat. No.	Description	Pack	Price in ₹
FB59021	Filter paper QL 100 qualitative medium retention medium/fast flow rate cellulose 90mm diameter Fisherbrand	Pack of 100 circles	431
FB59023	Filter paper QL 100 qualitative medium retention medium/fast flow rate cellulose 110mm diameter Fisherbrand	Pack of 100 circles	489
FB59025	Filter paper QL 100 qualitative medium retention medium/fast flow rate cellulose 125mm diameter Fisherbrand	Pack of 100 circles	563
FB59027	Filter paper QL 100 qualitative medium retention medium/fast flow rate cellulose 150mm diameter Fisherbrand	Pack of 100 circles	787
FB59031	Filter paper QL 100 qualitative medium retention medium/fast flow rate cellulose 240mm diameter Fisherbrand	Pack of 100 circles	1239
FB59033	Filter paper QL 100 qualitative medium retention medium/fast flow rate cellulose 270mm diameter Fisherbrand	Pack of 100 circles	1429
FB59035	Filter paper QL 100 qualitative medium retention medium/fast flow rate cellulose 320mm diameter Fisherbrand	Pack of 100	1742
FB59037	Filter paper QL 100 qualitative medium retention medium/fast flow rate cellulose 460mm x 570mm Fisherbrand	100 sheets	3614
FB59041	Filter paper QL 110 qualitative medium/fine retention and medium flow rate cellulose 70mm diameter Fisherbrand	Pack of 100	460
FB59043	Filter paper QL 110 qualitative medium/fine retention and medium flow rate cellulose 70mm diameter Fisherbrand	Pack of 100	845
FB59045	Filter paper QL 110 qualitative medium/fine retention and medium flow rate cellulose 150mm diameter Fisherbrand	Pack of 100	992
FB59047	Filter paper QL 110 qualitative medium/fine retention and medium flow rate cellulose 150mm diameter Fisherbrand	Pack of 100	1294
FB59049	Filter paper QL 110 qualitative medium/fine retention and medium flow rate cellulose 185mm diameter Fisherbrand	Pack of 100	2061
FB59051	Filter paper QL 110 qualitative medium/fine retention and medium flow rate cellulose 270mm diameter Fisherbrand	Pack of 100	3150
FB59055	Filter paper QL 110 qualitative medium/fine retention and medium flow rate cellulose 460mm x 570mm Fisherbrand	100 Sheets	9814
FB59061	Filter paper QL 115 qualitative same as QL110 already folded cellulose 125mm diameter Fisherbrand	Pack of 100	2624
FB59063	Filter paper QL 115 qualitative same as QL110 already folded cellulose 150mm diameter Fisherbrand	Pack of 100	2811
FB59065	Filter paper QL 115 qualitative same as QL110 already folded cellulose 185mm diameter Fisherbrand	Pack of 100	3113
FB59067	Filter paper QL 115 qualitative same as QL110 already folded cellulose 185mm diameter Fisherbrand	Pack of 100	4347
FB59075	Filter paper QL 120 qualitative medium/fine retention and high loading capacity cellulose 70mm diameter Fisherbrand	Pack of 100	823
FB59077	Filter paper QL 120 qualitative medium/fine retention and high loading capacity cellulose 90mm diameter Fisherbrand	Pack of 100	1032
FB59081	Filter paper QL 120 qualitative medium/fine retention and high loading capacity cellulose 125mm diameter Fisherbrand	Pack of 100	1348
FB59083	Filter paper QL 120 qualitative medium/fine retention and high loading capacity cellulose 150mm diameter Fisherbrand	Pack of 100	2532
FB59091	Filter paper QL 125 qualitative coarse retention and fast flow rate cellulose 42.5mm diameter Fisherbrand	Pack of 100	374
FB59093	Filter paper QL 125 qualitative coarse retention and fast flow rate cellulose 55mm diameter Fisherbrand	Pack of 100	431
FB59095	Filter paper QL 125 qualitative coarse retention and fast flow rate cellulose 70mm diameter Fisherbrand	Pack of 100	460
FB59097	Filter paper QL 125 qualitative coarse retention and fast flow rate cellulose 90mm diameter Fisherbrand	Pack of 100	563
FB59099	Filter paper QL 125 qualitative coarse retention and fast flow rate cellulose 110mm diameter Fisherbrand	Pack of 100	676
FB59101	Filter paper QL 125 qualitative coarse retention and fast flow rate cellulose 125mm diameter Fisherbrand	Pack of 100	845
FB59103	Filter paper QL 125 qualitative coarse retention and fast flow rate cellulose 125mm diameter Fisherbrand	Pack of 100	992
FB59105	Filter paper QL 125 qualitative coarse retention and fast flow rate cellulose 185mm diameter Fisherbrand	Pack of 100	1294
FB59107	Filter paper QL 125 qualitative coarse retention and fast flow rate cellulose 240mm diameter Fisherbrand	Pack of 100	2061
FB59121	Filter paper QL 135 qualitative fine retention and medium slow flow rate cellulose 125mm diameter Fisherbrand	Pack of 100	845
FB59123	Filter paper QL 135 qualitative fine retention and medium slow flow rate cellulose 185mm diameter Fisherbrand	Pack of 100	1294

Cat. No.	Description	Pack	Price in ₹
FB59141	Filter paper QL 145 qualitative coarse retention and fast flow rate, folded cellulose 125mm diameter Fisherbrand	Pack of 100	4910
FB59143	Filter paper QL 145 qualitative coarse retention and fast flow rate, folded cellulose 150mm diameter Fisherbrand	Pack of 100	5097
FB59147	Filter paper QL 145 qualitative coarse retention and fast flow rate, folded cellulose 150mm diameter Fisherbrand	Pack of 100	6934
FB59149	Filter paper QL 145 qualitative coarse retention and fast flow rate, folded cellulose 320mm diameter Fisherbrand	Pack of 100	9897
FB59153	Filter paper QL 145 qualitative coarse retention and fast flow rate, folded cellulose 500mm diameter Fisherbrand	Pack of 100	17429
FB59201	Filter paper QT 200 quantitative/low ash medium retention medium flow rate cellulose 55mm diameter Fisherbrand	Pack of 100	552
FB59203	Filter paper QT 200 quantitative/low ash medium retention medium flow rate cellulose 70mm diameter Fisherbrand	Pack of 100	661
FB59205	Filter paper QT 200 quantitative/low ash medium retention medium flow rate cellulose 90mm diameter Fisherbrand	Pack of 100	926
FB59207	Filter paper QT 200 quantitative/low ash medium retention medium flow rate cellulose 110mm diameter Fisherbrand	Pack of 100	1276
FB59209	Filter paper QT 200 quantitative/low ash medium retention medium flow rate cellulose 125mm diameter Fisherbrand	Pack of 100	1596
FB59211	Filter paper QT 200 quantitative/low ash medium retention medium flow rate cellulose 150mm diameter Fisherbrand	Pack of 100	2323
FB59213	Filter paper QT 200 quantitative/low ash medium retention medium flow rate cellulose 185mm diameter Fisherbrand	Pack of 100	2998
FB59221	Filter paper QT 205 quantitative/low ash fast flow rate for coarse particles cellulose 55mm diameter Fisherbrand	Pack of 100	552
FB59225	Filter paper QT 205 quantitative/low ash fast flow rate for coarse particles cellulose 90mm diameter Fisherbrand	Pack of 100	926
FB59227	Filter paper QT 205 quantitative/low ash fast flow rate for coarse particles cellulose 110mm diameter Fisherbrand	Pack of 100	1276
FB59229	Filter paper QT 205 quantitative/low ash fast flow rate for coarse particles cellulose 125mm diameter Fisherbrand	Pack of 100	1536
FB59243	Filter paper QT 210 quantitative/low ash fine retention and slow flow rate cellulose 70mm diameter Fisherbrand	Pack of 100	661
FB59245	Filter paper QT 210 quantitative/low ash fine retention and slow flow rate cellulose 90mm diameter Fisherbrand	Pack of 100	926
FB59247	Filter paper QT 210 quantitative/low ash fine retention and slow flow rate cellulose 110mm diameter Fisherbrand	Pack of 100	1276
FB59249	Filter paper QT 210 quantitative/low ash fine retention and slow flow rate cellulose 125mm diameter Fisherbrand	Pack of 100	1536
FB59251	Filter paper QT 210 quantitative/low ash fine retention and slow flow rate cellulose 150mm diameter Fisherbrand	Pack of 100	2323
FB59253	Filter paper QT 210 quantitative/low ash fine retention and slow flow rate cellulose 185mm diameter Fisherbrand	Pack of 100	2998
FB59255	Filter paper QT 210 quantitative/low ash fine retention and slow flow rate cellulose 240mm diameter Fisherbrand	Pack of 100	6186
FB59261	Seed germination paper wet strengthened paper 160g/m2 55mm diameter Fisherbrand	Pack of 100	1325
FB59262	Seed germination paper wet strengthened paper 160g/m2 90mm dia Fisherbrand	Pack of 100	1325
FB59263	Seed germination paper wet strengthened paper 160g/m2 175mm x 155mm Fisherbrand	Pack of 100	2755
FB59271	Filter paper QL 260 hardened grade for analysis in acid solutions, or filtration under high pressure 42.5mm diameter Fisherbrand	Pack of 100	431
FB59273	Filter paper QL 260 hardened grade for analysis in acid solutions, or filtration under high pressure 55mm diameter Fisherbrand	Pack of 100	489
FB59275	Filter paper QL 260 hardened grade for analysis in acid solutions, or filtration under high pressure 70mm diameter Fisherbrand	Pack of 100	526
FB59277	Filter paper QL 260 hardened grade for analysis in acid solutions, or filtration under high pressure 90mm diameter Fisherbrand	Pack of 100	635

Cat. No.	Description	Pack	Price in ₹
FB59279	Filter paper QL 260 hardened grade for analysis in acid solutions, or filtration under high pressure 110mm diameter Fisherbrand	Pack of 100	713
FB59281	Filter paper QL 260 hardened grade for analysis in acid solutions, or filtration under high pressure 125mm diameter Fisherbrand	Pack of 100	882
FB59283	Filter paper QL 260 hardened grade for analysis in acid solutions, or filtration under high pressure 150mm diameter Fisherbrand	Pack of 100	1052
FB59285	Filter paper QL 260 hardened grade for analysis in acid solutions, or filtration under high pressure 185mm diameter Fisherbrand	Pack of 100	1311
FB59287	Filter paper QL 260 hardened grade for analysis in acid solutions, or filtration under high pressure 240mm diameter Fisherbrand	Pack of 100	2061
FB59291	Filter paper QT 270 quantitative/hardened low ash medium retention medium flow rate cellulose 90mm diameter Fisherbrand	Pack of 100	1011
FB59293	Filter paper QT 270 quantitative/hardened low ash medium retention medium flow rate cellulose 110mm diameter Fisherbrand	Pack of 100	1310
FB59295	Filter paper QT 270 quantitative/hardened low ash medium retention medium flow rate cellulose 125mm diameter Fisherbrand	Pack of 100	1625
FB59297	Filter paper QT 270 quantitative/hardened low ash medium retention medium flow rate cellulose 125mm diameter Fisherbrand	Pack of 100	2323
FB59299	Filter paper QT 270 quantitative/hardened low ash medium retention medium flow rate cellulose 185mm diameter Fisherbrand	Pack of 100	2998
FB59303	Filter paper QT 280 quantitative/hardened low ash coarse retention and fast flow rate cellulose 55mm diameter Fisherbrand	Pack of 100	614
FB59305	Filter paper QT 280 quantitative/hardened low ash coarse retention and fast flow rate cellulose 70mm diameter Fisherbrand	Pack of 100	750
FB59307	Filter paper QT 280 quantitative/hardened low ash coarse retention and fast flow rate cellulose 90mm diameter Fisherbrand	Pack of 100	1011
FB59309	Filter paper QT 280 quantitative/hardened low ash coarse retention and fast flow rate cellulose 110mm diameter Fisherbrand	Pack of 100	1310
FB59311	Filter paper QT 280 quantitative/hardened low ash coarse retention and fast flow rate cellulose 150mm diameter Fisherbrand	Pack of 100	1625
FB59313	Filter paper QT 280 quantitative/hardened low ash coarse retention and fast flow rate cellulose 150mm diameter Fisherbrand	Pack of 100	2323
FB59315	Filter paper QT 280 quantitative/hardened low ash coarse retention and fast flow rate cellulose 240mm diameter Fisherbrand	Pack of 100	2998
FB59317	Filter paper QT 280 quantitative/hardened low ash coarse retention and fast flow rate cellulose 240mm diameter Fisherbrand	Pack of 100	6186
FB59323	Filter paper QT 290 quantitative/hardened low ash fine retention and slow flow rate cellulose 110mm diameter Fisherbrand	Pack of 100	1310
FB59325	Filter paper QT 290 quantitative/hardened low ash fine retention and slow flow rate cellulose 150mm diameter Fisherbrand	Pack of 100	1625
FB59327	Filter paper QT 290 quantitative/hardened low ash fine retention and slow flow rate cellulose 150mm diameter Fisherbrand	Pack of 100	2323
FB59329	Filter paper QT 290 quantitative/hardened low ash fine retention and slow flow rate cellulose 185mm diameter Fisherbrand	Pack of 100	2998
FB59331	Filter paper QT 290 quantitative/hardened low ash fine retention and slow flow rate cellulose 240mm diameter Fisherbrand	Pack of 100	6186
FB59371	Filter paper phase separation 90mm diameter Fisherbrand	Pack of 100	2661
FB59373	Filter paper phase separation 110mm diameter Fisherbrand	Pack of 100	3711
FB59375	Filter paper phase separation 125mm diameter Fisherbrand	Pack of 100	4498
FB59377	Filter paper phase separation 150mm diameter Fisherbrand	Pack of 100	6560
FB59379	Filter paper phase separation 185mm diameter Fisherbrand	Pack of 100	10308
FB59390	Microfibre filter MF150 medium filtration speed (200s) for concentrated suspensions/industrial effluents, glass microfibre 143g/m <sup>2</sup> mass, 700µm thickness, 1.0µm retention 25mm diameter Fisherbrand	Pack of 50	1836
FB59391	Microfibre filter MF150 medium filtration speed (200s) for concentrated suspensions/industrial effluents, glass microfibre 143g/m <sup>2</sup> mass, 700µm thickness, 1.0µm retention 47mm diameter Fisherbrand	Pack of 50	1901
FB59392	Microfibre filter MF150 medium filtration speed (200s) for concentrated suspensions/industrial effluents, glass microfibre 143g/m <sup>2</sup> mass, 700µm thickness, 1.0µm retention 55mm diameter Fisherbrand	Pack of 50	3354

Cat. No.	Description	Pack	Price in ₹
FB59393	Microfibre filter MF150 medium filtration speed (200s) for concentrated suspensions/industrial effluents, glass microfibre 143g/m <sup>2</sup> mass, 700µm thickness, 1.0µm retention 70mm diameter Fisherbrand	Pack of 50	3490
FB59394	Microfibre filter MF150 medium filtration speed (200s) for concentrated suspensions/industrial effluents, glass microfibre 143g/m <sup>2</sup> mass, 700µm thickness, 1.0µm retention 90mm diameter Fisherbrand	Pack of 50	6197
FB59395	Microfibre filter MF150 medium filtration speed (200s) for concentrated suspensions/industrial effluents, glass microfibre 143g/m <sup>2</sup> mass, 700µm thickness, 1.0µm retention 110mm diameter Fisherbrand	Pack of 25	4059
FB59396	Microfibre filter MF150 medium filtration speed (200s) for concentrated suspensions/industrial effluents, glass microfibre 143g/m <sup>2</sup> mass, 700µm thickness, 1.0µm retention 125mm diameter Fisherbrand	Pack of 25	5966
FB59397	Microfibre filter MF150 medium filtration speed (200s) for concentrated suspensions/industrial effluents, glass microfibre 143g/m <sup>2</sup> mass, 700µm thickness, 1.0µm retention 150mm diameter Fisherbrand	Pack of 25	7884
FB59401	Microfibre filter MF 100 fast filtration speed (60s) for scintillation counting/petroleum analysis glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.6µm retention 38mm diameter Fisherbrand	Pack of 100	1160
FB59403	Microfibre filter MF 100 fast filtration speed (60s) for scintillation counting/petroleum analysis glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.6µm retention 38mm diameter Fisherbrand	Pack of 100	1462
FB59405	Microfibre filter MF 100 fast filtration speed (60s) for scintillation counting/petroleum analysis glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.6µm retention 42.5mm diameter Fisherbrand	Pack of 100	2080
FB59407	Microfibre filter MF 100 fast filtration speed (60s) for scintillation counting/petroleum analysis glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.6µm retention 47mm diameter Fisherbrand	Pack of 100	1761
FB59409	Microfibre filter MF 100 fast filtration speed (60s) for scintillation counting/petroleum analysis glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.6µm retention 55mm diameter Fisherbrand	Pack of 100	2077
FB59411	Microfibre filter MF 100 fast filtration speed (60s) for scintillation counting/petroleum analysis glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.6µm retention 60mm diameter Fisherbrand	Pack of 100	2431
FB59413	Microfibre filter MF 100 fast filtration speed (60s) for scintillation counting/petroleum analysis glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.6µm retention 70mm diameter Fisherbrand	Pack of 100	2798
FB59415	Microfibre filter MF 100 fast filtration speed (60s) for scintillation counting/petroleum analysis glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.6µm retention 90mm diameter Fisherbrand	Pack of 100	3974
FB59417	Microfibre filter MF 100 fast filtration speed (60s) for scintillation counting/petroleum analysis glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.6µm retention 110mm diameter Fisherbrand	Pack of 100	6022
FB59419	Microfibre filter MF 100 fast filtration speed (60s) for scintillation counting/petroleum analysis glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.6µm retention 125mm diameter Fisherbrand	Pack of 100	6299
FB59421	Microfibre filter MF 100 fast filtration speed (60s) for scintillation counting/petroleum analysis glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.6µm retention 150mm diameter Fisherbrand	Pack of 100	9820
FB59431	Microfibre filter MF 200 medium to fast filtration speed (100s) for water analysis/solids in water, glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.2µm retention 25mm diameter Fisherbrand	Pack of 100	1160
FB59435	Microfibre filter MF 200 medium to fast filtration speed (100s) for water analysis/solids in water, glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.2µm retention 70mm diameter Fisherbrand	Pack of 100	2753
FB59437	Microfibre filter MF 200 medium to fast filtration speed (100s) for water analysis/solids in water, glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.2µm retention 90mm diameter Fisherbrand	Pack of 100	4150
FB59439	Microfibre filter MF 200 medium to fast filtration speed (100s) for water analysis/solids in water, glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.2µm retention 90mm diameter Fisherbrand	Pack of 100	6714
FB59441	Microfibre filter MF 200 medium to fast filtration speed (100s) for water analysis/solids in water, glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.2µm retention 125mm diameter Fisherbrand	Pack of 100	6689
FB59443	Microfibre filter MF 200 medium to fast filtration speed (100s) for water analysis/solids in water, glass microfibre 52g/m <sup>2</sup> mass 260µm thickness 1.2µm retention 150mm diameter Fisherbrand	Pack of 100	12567
FB59451	Microfibre filter MF 300 medium to slow filtration speed (310s) for biochemical/HPLC filtration, glass microfibre 75g/m <sup>2</sup> mass 450µm thickness 0.7µm retention 25mm diameter Fisherbrand	Pack of 100	2652
FB59453	Microfibre filter MF 300 medium to slow filtration speed (310s) for biochemical/HPLC filtration, glass microfibre 75g/m <sup>2</sup> mass 450µm thickness 0.7µm retention 42.5mm diameter Fisherbrand	Pack of 100	5134
FB59455	Microfibre filter MF 300 medium to slow filtration speed (310s) for biochemical/HPLC filtration, glass microfibre 75g/m <sup>2</sup> mass 450µm thickness 0.7µm retention 47mm diameter Fisherbrand	Pack of 100	5755
FB59457	Microfibre filter MF 300 medium to slow filtration speed (310s) for biochemical/HPLC filtration, glass microfibre 75g/m <sup>2</sup> mass 450µm thickness 0.7µm retention 55mm diameter Fisherbrand	Pack of 100	7236
FB59459	Microfibre filter MF 300 medium to slow filtration speed (310s) for biochemical/HPLC filtration, glass microfibre 75g/m <sup>2</sup> mass 450µm thickness 0.7µm retention 70mm diameter Fisherbrand	Pack of 100	11470
FB59461	Microfibre filter MF 300 medium to slow filtration speed (310s) for biochemical/HPLC filtration, glass microfibre 75g/m <sup>2</sup> mass 450µm thickness 0.7µm retention 90mm diameter Fisherbrand	Pack of 25	5060
FB59463	Microfibre filter MF 300 medium to slow filtration speed (310s) for biochemical/HPLC filtration, glass microfibre 75g/m <sup>2</sup> mass 450µm thickness 0.7µm retention 110mm diameter Fisherbrand	Pack of 25	6971



Cat. No.	Description	Pack	Price in ₹
FB59465	Microfibre filter MF 300 medium to slow filtration speed (310s) for biochemical/HPLC filtration, glass microfibre 75g/m <sup>2</sup> mass 450µm thickness 0.7µm retention 110mm diameter Fisherbrand	Pack of 25	8695
FB59467	Microfibre filter MF 300 medium to slow filtration speed (310s) for biochemical/HPLC filtration, glass microfibre 75g/m <sup>2</sup> mass 450µm thickness 0.7µm retention 150mm diameter Fisherbrand	Pack of 25	14468
FB59473	Extraction thimble single thickness for use in Soxhlet extractors cellulose 19mm x 90mm Fisherbrand	Pack of 25	6203
FB59475	Extraction thimble single thickness for use in Soxhlet extractors cellulose 22mm x 80mm Fisherbrand	Pack of 25	6821
FB59477	Extraction thimble single thickness for use in Soxhlet extractors cellulose 25mm x 80mm Fisherbrand	Pack of 25	7031
FB59479	Extraction thimble single thickness for use in Soxhlet extractors cellulose 25mm x 100mm Fisherbrand	Pack of 25	7647
FB59481	Extraction thimble single thickness for use in Soxhlet extractors cellulose 26mm x 60mm Fisherbrand	Pack of 25	7031
FB59483	Extraction thimble single thickness for use in Soxhlet extractors cellulose 28mm x 80mm Fisherbrand	Pack of 25	7442
FB59485	Extraction thimble single thickness for use in Soxhlet extractors cellulose 28mm x 100mm Fisherbrand	Pack of 25	7647
FB59487	Extraction thimble single thickness for use in Soxhlet extractors cellulose 28mm x 120mm Fisherbrand	Pack of 25	9092
FB59489	Extraction thimble single thickness for use in Soxhlet extractors cellulose 30mm x 100mm Fisherbrand	Pack of 25	7647
FB59491	Extraction thimble single thickness for use in Soxhlet extractors cellulose 33mm x 80mm Fisherbrand	Pack of 25	7647
FB59493	Extraction thimble single thickness for use in Soxhlet extractors cellulose 33mm x 100mm Fisherbrand	Pack of 25	9092
FB59495	Extraction thimble single thickness for use in Soxhlet extractors cellulose 37mm x 130mm Fisherbrand	Pack of 25	10326
FB59497	Extraction thimble single thickness for use in Soxhlet extractors cellulose 41mm x 123mm Fisherbrand	Pack of 25	10326
FB59501	Chromatography paper CHR 100 for No1 CHR or Scheicher and schuell No 2043a 200mm x 200mm Fisherbrand	Pack of 100	4746
FB59515	Chromatography paper CHR 100 for No1 CHR or Scheicher and schuell No 2043a 200mm x 200mm Fisherbrand	Pack of 100	26666
N1120	Filter Aids-2101	500 GM	8160
88011	615A equivalent to grade 1	100 Circle	734
88151	640W equivalent to grade 41	100 Circle	2565
88061	617 equivalent to grade 4	100 Circle	1156
88071	618 equivalent to grade 3	100 Circle	1107
88021	615A equivalent to grade 1	100 Sheets	7461
88155	640md equivalent to grade 40	100 Circle	2392
88001	615A equivalent to grade 1	100 Circle	632
88195	640de equivalent to grade 42	100 Circle	2716
89391	1670 equivalent to Grade 54	100 Circle	2647
88081	618 equivalent to grade 3	100 Circle	1627
88031	615A equivalent to grade 1	100 Sheets	10200
89414	1672 equivalent to Grade 52	100 Circle	3075
89415	1672 equivalent to Grade 52	100 Circle	3422
88212	1640m equivalent to Grade 541	100 Circle	4789
88002	615A equivalent to grade 1	100 Circle	571
89444	1674 equivalent to Grade 50	100 Circle	2902
88012	615A equivalent to grade 1	100 Circle	943
89450	1674 equivalent to Grade 50	100 Circle	17804
88216	1640d equivalent to Grade 540	100 Circle	4906
88193	640de equivalent to grade 42	100 Circle	1627
89445	1674 equivalent to Grade 50	100 Circle	3075
88211	1640m equivalent to Grade 541	100 Circle	2851
88152	640w equivalent to grade 41	100 Circle	3330
88153	640md equivalent to grade 40	100 Circle	1627
88154	640md equivalent to grade 40	100 Circle	1963
88156	640md equivalent to grade 40	100 Circle	3167
88121	619de equivalent to grade 5	100 Circle	1198
88196	640de equivalent to grade 42	100 Circle	3570
88140	640w equivalent to grade 41	100 Circle	1708
86031	Chromatography paper MN261 equivalent to Grade 20 CHR	25 Sheets	12551
88194	640de equivalent to grade 42	100 Circle	2142
88051	617 equivalent to grade 4	100 Circle	969

Cat. No.	Description	Pack	Price in ₹
88695	619eh equivalent to grade 6	100 Circle	1362
89455	1674 equivalent to Grade 50	100 Circle	25975
89395	1670 equivalent to Grade 54	100 Circle	52387
88215	1640 d equivalent to Grade 540	100 Circle	4452
88235	1640de equivalent to Grade 542	100 Circle	3422
88236	1640de equivalent to Grade 542	100 Circle	5044
729227	Chromafil Xtra CA-45/25	100/ Pack	35709
M203009	640m equivalent to grade 43	100 Circle	1963
M203011	640m equivalent to grade 43	100 Circle	2647
M203012	640m equivalent to grade 43	100 Circle	3060
M203015	640m equivalent to grade 43	100 Circle	4187
M206009	640dd equivalent to grade 44	100 Circle	2142
M206011	640dd equivalent to grade 44	100 Circle	2907
M206012	640dd equivalent to grade 44	100 Circle	3570
M206015	640dd equivalent to grade 44	100 Circle	4896
88141	640w equivalent to grade 41	100 Circle	2218
88065	616md equivalent to grade 2	100 Circle	933
203012	Filter Paper Circles MN 640 m 12,5 cm diameter OEM presentation pack of 100	100 circles	2566

### Clamps, Dissecting Essentials, Holders and Lab Accessories

Animal Care			
0120887	Needle, Feeding; Fisherbrand; Animal; Disposable; Sterile; 20G x 1.50 in. (3.81cm)	PK	51706
0120888	Needle, Feeding; Fisherbrand; Animal; Disposable; Sterile; 18G x 2 in. (5.08cm)	PK	51706
0120889	Needle, Feeding; Fisherbrand; Animal; Disposable; Sterile; 15G x 3 in. (7.6cm)	PK	51706
13812200	Tag, Animal; Fisherbrand; Animal Surgery Supplies; Ear tags with washers; Set numbered 1 to 100; Aluminum	PK	3552
13812201	Punch, Ear tag; Fisherbrand; Animal; Animal Surgery Supplies; For punching holes into thin part of animals ear	EA	979
Arsenic Testing			
FBA01405	Generator, Arsine; Fisherbrand; Clear-seal joint; Standard taper 24/40; Scrubber tube; Socket joint; Wheaton 33 low extractable borosilicate glass; Absorber joint; 125mL erlenmeyer flask; Requires Size 12 ball joint clamp	EA	18984
0140510	Unit, Absorber; Fisherbrand; Replacement part for arsine generator	EA	8032
014052	Flask; Fisherbrand; Replacement part for arsine generator; Low extractable; Capacity: 125mL; Borosilicate glass; 24/40 joints	EA	6673
014055	Unit, Scrubber; Fisherbrand; Replacement part for arsine generator	EA	9025
S66625	Silver Diethyldithiocarbamate; Green - khaki powder; 25g; Fisherbrand; F.W. 256.13; C5H10AgNS2; M.P. 172deg. to 175deg.C; CAS: 1470-61-7	EA	51454
BUNGS			
FB51019	Stopper solid neoprene grey 19mm bottom diameter Fisherbrand	Pack of 10	848
FB51021	Stopper solid neoprene grey 21mm bottom diameter Fisherbrand	Pack of 10	972
FB51023	Stopper solid neoprene grey 23mm bottom diameter Fisherbrand	Pack of 10	1191
FB51025	Stopper solid neoprene grey 25mm bottom diameter Fisherbrand	Pack of 10	1339
FB51027	Stopper solid neoprene grey 27mm bottom diameter Fisherbrand	Pack of 10	1806
FB51029	Stopper solid neoprene grey 29mm bottom diameter Fisherbrand	Pack of 10	1981
Clamps and Supports			
05745Q	Clamp, Chain; Fisher Scientific; Castaloy; Holds 3 to 6.5 in. (76 to 165mm) bottles and large objects; Stainless-steel loop; Arm is 6 in. (15cm) long and 0.5 in. (13mm) diameter	EA	5783
05754Q	Holder, Clamp; Fisher Scientific; Castaloy; Regular; Diecast aluminum; 45deg. angle thumbscrews; Holds flat shelf or panel up to 0.75 in. (19mm) thick; Grips rods up to 0.87 in. (22mm) diameter	EA	1507

## Easy tests for all purposes



Test papers and test strips



Colorimetric and titrimetric test kits



Filter papers and extraction thimbles

**MACHEREY-NAGEL**  
[www.mn-net.com](http://www.mn-net.com)



**APPAREL**

- Coveralls
- Vinyl aprons
- Hairnets
- Bouffant caps
- Beard covers
- Facemasks
- Shoe covers



**BAGS**

- Biohazard bags
- Bitran TM specimen storage bags
- Transport bags
- Sterilization pouches
- Lab blender bags
- Infecon TM Infectious substance shipper
- Autoclavable bags
- LDPE/PE bags
- Biopsy bags
- Tamper evident closure bags



**CRUCIBLES**

- Nickel chromium crucibles
- Nickel crucibles
- PTFE crucibles
- Crucible covers
- Porcelain crucibles
- Alumina crucible
- Zirconium crucibles



**FILTRATION**

- P8,P5,P4,P2
- Qualitative grade filter paper circles
- Q8,Q5,Q2 Qualitative grade filter paper circles
- Wet Strengthened Qualitative circles
- Water testing membrane filters
- Qualitative Fluted circles
- Qualitative wet strengthened circles
- Pure cellulose chromatography paper



**HISTOLOGY**

- HistoPrep TM Modular file drawer
- Histosette TM Tissue and Biopsy cassettes



**LABELING**

- Tamper evident labels
- HMIG and NFR write on labels
- Colored label tapes
- White autoclave tapes
- Microscope slide labels



Cat. No.	Description	Pack	Price in ₹
05757Q	Clamp, Holder; Fisher Scientific; Castaloy; Jumbo; With 45deg. angle thumbscrews; Diecast aluminum; For heavy loads; Shelf or rod diameter; Grips rods up to 0.9 in. (22mm) diameter	EA	2509
05762Q	Clamp, Holder; Fisher Scientific; Castaloy; Swivel; Tilts any angle in parallel planes; 45deg. angle thumbscrews; Stays intact when setscrew is loose grips rods up to 0.75 in.	EA	3555
057691Q	Clamp; Fisher Scientific; Castaloy; Fixed Angle; Jaw type: flat; Maximum grip size: 1.5 in. (38mm)	EA	3694
057692Q	Clamp; Fisher Castaloy; Fixed Angle; Jaw type: three-prong; Maximum grip size: 2.25 in. (57mm)	EA	4236
057693Q	Clamp, Extension; Fisher Scientific; Castaloy; Two-Prong; Without clamp holder; Length: 9 in. (23cm); Maximum grip size: 2.5 in. (64mm); Extension arm length: 5.1 in. (13cm); Ext. arm O.D.: 0.43 in. (1.1cm)	EA	3087
057694Q	Clamp, Extension; Fisher Scientific; Castaloy; Two-Prong; Without clamp holder; Length: 8 in. (20cm); Maximum grip size: 1.5 in. (38mm); Extension arm length: 4.25 in. (1.1cm); Ext. arm O.D.: 0.43 in. (1.1cm)	EA	2450
057695Q	Clamp; Fisher Scientific; Castaloy; Adjustable angle; Jaw type: flat; Maximum grip size: 1.5 in. (38mm); Clamp extension: 0.5 in. (13mm)	EA	2762
057696Q	Clamp, Extension; Fisher Scientific; Castaloy; Three-prong; Without clamp holder; Max. grip size: 1 in. (25mm); Length: 6.5 in. (11cm); Extension arm: 4.25 in. (11cm); Extension arm O.D.: 0.31 in. (0.8cm)	EA	3259
057697Q	Clamp, Extension; Fisher Scientific; Castaloy; Three-prong; Without clamp holder; Max. grip size: 2.25 in. (57mm); Length: 8.75 in. (22cm); Extension arm: 5.12 in. (13cm); Extension arm O.D.: 0.43 in. (1.1cm)	EA	3051
057698Q	Clamp, Extension; Fisher Scientific; Castaloy; Three-prong; Without clamp holder; Max. grip size: 3.50 in. (89mm); Length: 10.5 in. (27cm); Extension arm: 6 in. (15cm); Extension arm O.D.: 0.50 in. (1.3cm)	EA	2589
05769Q	Clamp; Fisher Scientific; Castaloy; Adjustable angle; Jaw type: three-prong; Maximum grip size: 2.25 in. (57mm); Clamp extension: 0.62 in. (16mm)	EA	3729
05779Q	Clamp, Double-Burette; Fisher Scientific; Castaloy; Max. Burette O.D.: 0.70 in. (18mm)	EA	4805
05807Q	Clamp, Suspension; Fisher Scientific; Castaloy; Holds thermometers, potash bulbs, and drying tubes 4.2 in. (11cm) from support rod; Attaches to rods up to 0.75 in. (19mm) diameter	EA	3109
0580910Q	Clamp, Thermometer; Fisher Scientific; Castaloy; Extension type; Holds thermometers up to 7 in. (18cm) from support rod; Overall length: 7.7 in. (20cm); Extension arm: 0.43 in. (11mm) diameter	EA	2907
05809Q	Clamp, Thermometer; Fisher Scientific; Castaloy; Standard type; Integral clamp holder; Holds thermometers up to 3.87 in. (10cm) from support rod; Large thumbscrew	EA	3617
05847Q	Clamp, Regular hosecock; Fisher Scientific; Castaloy; Concave lower bearing surface; Convex upper; For Tubing up to 0.75 in. O.D.	EA	1879
05848Q	Clamp, Hosecock; Fisher Scientific; Castaloy; With mounting bracket; Concave lower bearing surface; Convex upper; For Tubing up to 0.75 in. O.D.	EA	3264
058495Q	Pinchcock; Fisher Scientific; Castaloy; Vari-Flow; With thumbscrew and locking nut for selecting degree of closure; Use effectively on up to 0.75 in. (9.5mm) O.D. flexible tubing	EA	2845
05849AQ	Pinchcock, Regular; Fisher Scientific; Castaloy; Opens when plunger is compressed to accommodate 0.25 in. (6mm) O.D. heavy-wall tubing	EA	2141
05849BQ	Pinchcock, Heavy-duty; Fisher Scientific; Castaloy; Works well with stiff tubing; Used in gas and water connections	EA	2607
FBA05869	Clamp; Fisherbrand; White polypropylene; With flow control, Autoclavable; With 15-position control; Rustproof; Fits 0.12 to 0.5 in. (3.2 to 13mm) O.D.; 12/pk; 12/case	PK	511
09490Q	Clamp, Support; Fisher Scientific; Castaloy; Supports tubing up to 0.75 in. (19mm) dia.; Length: 6 in. (152mm)	EA	7452
11474207	Stand, Support; Fisher Scientific; Cast-iron; Nickel-plated steel rod; L-shaped base; With 3-mounting holes; Includes one 24L x 0.5 in. (610 x 13mm) diameter	EA	9784
11474215	Rod, Support; Fisher Scientific; Cast-iron; Nickel-plated steel; Rod Length: 36 in. (91cm); Rod Diameter: 0.5 in. (13mm)	EA	2209
13640282Q	Clamp, Support and rod; Fisher Scientific; Castaloy; Includes 0.25 in. (6.4mm) diameter support rod mounted at right angle; Grips support rods up to 0.68 in. (18mm) diameter; Resists corrosion	EA	5192
14050AQ	Ring; Fisher Scientific; Cast-iron; Ring O.D. x I.D.: 2 x 1.43 in. (51 x 36mm)	EA	2379
14050BQ	Ring; Fisher Scientific; Cast-iron; Ring O.D. x I.D.: 3 x 2.37 in. (76 x 60mm)	EA	2036
14050CQ	Ring; Fisher Scientific; Cast-iron; Ring O.D. x I.D.: 4 x 3.31 in. (100 x 84mm)	EA	2280
14050DQ	Ring; Fisher Scientific; Cast-iron; Ring O.D. x I.D.: 5 x 4.25 in. (130 x 110mm)	EA	3248
14050EQ	Ring; Fisher Scientific; Cast-iron; Ring O.D. x I.D.: 6 x 5.25 in. (150 x 130mm)	EA	3803
14052AQ	Ring, Split; Fisher Scientific; Cast-brass; With vinyl-coated sheath and integral clamp; Ring O.D.: 2 in. (51mm)	EA	6350

Cat. No.	Description	Pack	Price in ₹
14675AQ	Support, Tripod-base; Fisher Scientific; Low-cost; Cast-iron; Rugged; Rod dia. x length: 0.31 x 18 in.	EA	6953
14675BQ	Support, Tripod-base; Fisher Scientific; Low-cost; Cast-iron; Rugged; Rod dia. x length: 0.37 x 20 in.	EA	8879
14675CQ	Support, Tripod-base; Fisher Scientific; Low-cost; Cast-iron; Rugged; Rod dia. x length: 0.43 x 24 in.	EA	9163
14675DQ	Support, Tripod-base; Fisher Scientific; Low-cost; Cast-iron; Rugged; Rod dia. x length: 0.5 x 36 in.	EA	4985
FBA14735	Support, Six-funnel; Fisherbrand; Slotted wood. Allows easy mounting and removing, Adjustable for various funnel lengths; 36L x 4.75W x 5.5 to 10 in. H (91 x 12 x 14 to 25cm)	EA	15028
14740Q	Arm, Support; Fisher Scientific; Four-funnel; Wood; With metal clamp and setscrew; Dimensions: 13.75L x 2.37W x 0.56 in. H (35 x 6 x 1.4cm); 60deg. angled holes	EA	4500
14750Q	Plate, Cast-iron; Fisher Scientific; Can be heated with burner; Can be locked firmly; Plate dia.: 4.75 in. (12cm)	EA	4464
15280A	Triangle, Iron-wire; Fisherbrand; Side length: 1.5 in. (38mm); 12/pk.	PK	3490
15280B	Triangle, Iron-wire; Fisherbrand; Side length: 2 in. (51mm); 12/pk.	PK	3234
15280C	Triangle, Iron-wire; Fisherbrand; Side length: 2.5 in. (64mm); 12/pk.	PK	3234
15300AQ	Tripods, Iron-ring; Fisherbrand; Ring I.D.: 3 in. (7.6cm); Ring O.D.: 5 in. (13cm)	EA	5306
15300BQ	Tripods, Iron-ring; Fisherbrand; Ring I.D.: 4.5 in. (11.4cm); Ring O.D.: 6 in. (15cm)	EA	5309
1544570Q	Clamp, Water bath; Fisher Scientific; Castaloy; Type: 3-prong; With vinyl sleeves; Accepts objects to 1 in. (2.5cm) dia.; Overall length, 3.87 in. (10cm)	EA	4092
1544580Q	Clamp, Water Bath; Fisher Scientific; Castaloy; Type: small; Clamp jaws tighten with wingnut; Holds firmly; Suspends thermometers 0.2 to 0.4 in. (4.8 to 9.5mm) diameter; Overall length: 3.25 in. (8cm)	EA	3004
<b>Dissection</b>			
FBA08855	Set, Dissecting; Fisherbrand; Dissecting equipment; 8-piece student; Includes forceps, scissors, dissecting knife handle, knife blades, dropping pipet, bent dissecting needle, straight dissecting needle, vinylite ruler: 6 in. (15cm)	EA	1783
089135	Blade, Disposable; Fisherbrand; Flat with corrugated grip; For dissecting knife handles; Re-usable handles; Length: 4.87 in.; Size: 3	EA	1895
089145	Blade, Disposable; Fisherbrand; Slender; Contoured; For dissecting knife handles; Re-usable handles; Length: 6.31 in.; Size: 7	EA	1803
08920A	Scalpel, Dissecting; Fisherbrand; Material: metal; Easy to clean; Retains cutting edge; Cutting Edge: 1 in.	EA	1346
08920B	Scalpel, Dissecting; Fisherbrand; Material: metal; Easy-to-clean; Retains cutting edge; Cutting Edge: 1.5 in. (3.8cm)	EA	1071
089275A	Scalpel; Fisherbrand; Single-use; Sterile, surgical quality; Disposable; Stainless-steel blade attached to plastic handle; Plastic guard protects cutting edge and prevents package puncture; Includes Blade No.: 10; 20/Pk.	PK	3922
089275B	Scalpel, Single-use; Fisherbrand; Sterile, surgical quality; Disposable; Stainless-steel blade attached to plastic handle; Plastic guard protects cutting edge and prevents package puncture; Includes Blade No.: 11	PK	3900
089275C	Scalpel, Single-use; Fisherbrand; Sterile, surgical quality; Disposable; Stainless-steel blade attached to plastic handle; Plastic guard protects cutting edge and prevents package puncture; Includes Blade No.: 15	PK	3976
089275D	Scalpel, Single-use; Fisherbrand; Sterile, surgical quality; Disposable; Stainless-steel blade attached to plastic handle; Plastic guard protects cutting edge and prevents package puncture; Includes Blade No.: 21; 20/pk.; 100/case	PK	3537
FBA08955	Holder, Needle; Fisherbrand; Dissecting equipment; Material: metal; For use with 08-960 series Fisherbrand dissecting needles; Overall length: 3.125 in. (80mm)	EA	314
08960A	Needle, Dissecting; Fisherbrand; Dissecting equipment; Needles only; Material: steel; With sharp points; For use with 08-955 Fisherbrand metal needle holder; Type: straight; Length: 2 in. (50mm)	PK	1035
08960B	Needle, Dissecting; Fisherbrand; Dissecting equipment; Needles only; Material: steel; With sharp points; For use with 08-955 Fisherbrand metal needle holder; Type: curved; Length: 2 in. (50mm)	PK	923
FBA08966	Holder, Needle; Fisherbrand; Mayo-Hegar; Dissecting equipment; Forged; Surgical-grade stainless steel; Box-lock joint; Autoclavable up to 135deg.C; Sterilizable by EtO/gamma radiation; Rockwell hardness: 40-45 HRC; Length: 6 in. (152cm)	EA	1599
FBA08990	Shear; Fisherbrand; Dissecting equipment; Self-opening; Stainless steel; Blade length: 1.125 in. (30mm); Sterilizable by EtO/gamma radiation; Rockwell Hardness: 50-55 HRC; Length: 5.5 in. (139.7mm)	EA	1037
FBA08995	Seeker; Fisherbrand; Equipment, Dissecting; With bent end; Nickel-plated steel probe with round handle; Curved point tapered and blunt at end; Overall length: 6 in. (152mm)	EA	314

Cat. No.	Description	Pack	Price in ₹
0900224A	Dissecting equipment; Fisherbrand; Board, cutting; High-density polyethylene; White; 12 x 18 x 0.5 in. (30 x 46 x 1.3cm)	EA	3611
0900224B	Dissecting equipment; Fisherbrand; Board, cutting; High-density polyethylene; White; 15 x 20 x 0.5 in. (38 x 51 x 1.3cm)	EA	4515
0900224C	Dissecting equipment; Fisherbrand; Board, cutting; High-density polyethylene; White; 18 x 24 x 0.5 in. (46 x 61 x 1.3cm)	EA	6141
0900224D	Dissecting equipment; Fisherbrand; Board, cutting; High-density polyethylene; White; 18 x 24 x 0.75 in. (46 x 61 x 1.9cm)	EA	8606
<b>Forceps</b>			
02617158	Forceps, PTFE; Fisherbrand; General purpose; Style: With square tips; Length: 3.93 in.	EA	5792
02617159	Forceps, PTFE; Fisherbrand; General purpose; Style: With square tips; Length: 5.87 in.	EA	6949
02617160	Forceps, PTFE; Fisherbrand; General purpose; Style: With square tips; Length: 7.87 in.	EA	7843
02617161	Forceps, PTFE; Fisherbrand; General purpose; Style: With sharp tips; Length: 3.93 in.	EA	5792
02617162	Forceps, PTFE; Fisherbrand; General purpose; Style: With sharp tips; Length: 5.87 in.	EA	6949
02617163	Forceps, PTFE; Fisherbrand; General purpose; Style: With sharp tips; Length: 7.87 in.	EA	10131
FBA08875	Forceps, Dissecting; Fisherbrand; Fine-Pointed; Stainless-steel; Passivated; Style: Curved, Serrated; 4.5 in. (114mm)	EA	838
FBA08880	Forceps, Dissecting; Fisherbrand; Fine-Pointed; Stainless-steel; Passivated; Style: Straight	EA	842
FBA08882	Forceps, Thoracic; Fisherbrand; Medium curved; Stainless steel; 9 in. (22.9cm); 2.37 in. (6.1cm) long jaws	EA	853
FBA08885	Forcep, Medium-pointed; Fisherbrand; Stainless-steel; Highly polished; Serrated tips with guide pins; Corrugated handles; Style: Straight; ASTM standard; 4.5 in. long (11.4cm)	EA	748
FBA08887	Forcep, Dissecting; Fisherbrand; Blunt-Pointed; Length: 5 in. (12.7cm); Style: Curved	EA	681
FBA08890	Forcep, Dissecting; Fisherbrand; Blunt-Pointed; Length: 5 in. (12.7cm); Style: Straight	EA	1037
FBA08895	Forcep, Dissecting; Fisherbrand; Blunt-pointed; Length: 4.12 in. (10.4cm); Style: Straight	EA	894
FBA08900	Forceps, Dissecting; Fisherbrand; Medium-pointed; Straight; ASTM Standard Stainless Steel	EA	934
FBA08902	Forcep, Dissecting; Fisherbrand; Chrome; Straight	EA	726
FBA08905	Forcep, Self-closing; Fisherbrand; Serrated tips; Blunt points; Length: 2.25 in. Curved	EA	997
FBA08906	Forceps, Dissecting; Fisherbrand; Self-Closing; Reverse action; Stainless steel	EA	961
FBA08907	Forceps, Kelly; Fisherbrand; Serrated jaws; Box-lock joint; Length: 5.5 in.; Straight	EA	1391
08953A	Forcep, Dissecting; Fisherbrand; FDA certified stainless-steel construction; Autoclavable; Patterned grip handles; Length: 4.75 in.	EA	2791
08953B	Microforcep; Fisherbrand; Patterned grip handles; FDA-certified material; Autoclavable; Passivated; Length: 8 in.; Smooth jaw	EA	6982
08953C	Forcep, Dissecting; Fisherbrand; FDA certified stainless-steel construction; Autoclavable; Patterned grip handles; Length: 7 in. (17.8cm)	EA	2728
08953D	Microforcep; Fisherbrand; Patterned grip handles; FDA-certified material; Autoclavable; Passivated; Length: 7.87 in.; Curved, serrated tip	EA	5322
08953E	Forcep, Dissecting; Fisherbrand; FDA certified, stainless steel; Straight, ultrathin, smooth tips; Autoclavable; Smooth handles; Length: 4.5 in.	EA	1507
08953F	Forceps; Dissecting; Fisherbrand; Jewelers; Microforceps; Length: 4.5; Style: Curved	EA	1348
08953G	Forceps; Tissue Disecting; Fisherbrand; Stainless Steel; 8 in.	EA	3494
FBA10270	Forcep, Pinning; Fisherbrand; Stainless-steel; Extra-passivated; Style: Curved, Serrated; Length: 4.5 in. (11.4cm)	EA	638
FBA10275	Forceps; Fisherbrand; Stainless Steel; Curved; Autoclavable; Length: 5.87 in.	EA	1048
FBA10280	Forcep, General-purpose; Fisherbrand; For students; Straight; Length: 5 in. (12.7cm)	PK	2993
FBA10285	Forceps; Fisherbrand; Straight; no.507 Pint Tipped	EA	56916
FBA10295	Forcep, General-purpose; Fisherbrand; Offset-tipped; FDA certified stainless-steel; Grooved handles; Latex-free; Length: 4.37 in. (11.1cm)	EA	676
FBA10300	Forceps, General-purpose; Fisherbrand; Broad-tipped; Highly polished, ASTM standard stainless-steel; Grooved handles; Latex-free; Autoclavable; Passivated; Length: 4.5 in. (11.4cm)	EA	435
10316A	Forcep, General-Purpose; Fisherbrand; Extra-Long; Chromium-plated steel; Autoclavable; Length: 7.87 in. (20cm)	EA	1561
10316B	Forceps, General-purpose; Fisherbrand; Extra-long; Chromium-plated steel; Autoclavable; Length: 9.87 in. (25cm)	EA	1989

Cat. No.	Description	Pack	Price in ₹
10316C	Forceps, General-purpose; Fisherbrand; FDA certified stainless steel; Autoclavable up to 135deg.C; Rounded, serrated tips have guide pins; Extra long for deep bottles or jars; Length: 11.81 in.	EA	2139
1381210	Forceps, Mosquito; Fisherbrand; Passivated; Serrated Jaws; Box-lock joint; Curved; Length: 5.12 in.	EA	2800
1381214	Forceps, Kelly; Fisherbrand; Serrated jaws; Box-lock joint; Length: 5.5 in.; Straight	EA	2475
1381216	Forceps, Rochester-Ochsner; Fisherbrand; Serrated jaws; Box-lock joint; Length 6.25 in.	EA	2907
1381218	Forceps, Rochester-Ochsner; Fisherbrand; Serrated jaws; Box-lock joint; Length 7.25 in.	EA	3835
1381224	Forceps, Rochester-Pean; Fisherbrand; Serrated jaws; Autoclaveable; Straight; Length: 5.5 in.	EA	2385
1381226	Forceps, Rochester-Pean; Fisherbrand; Serrated jaws; Autoclaveable; Straight; Length: 6.25 in.	EA	3922
1381227	Forceps, Rochester-Pean; Fisherbrand; Serrated jaws; Autoclaveable; Curved; Length: 7.25 in.	EA	4603
1381236	Forcep, Tissue Dissecting; Fisherbrand; Stainless-steel; Straight, serrated; Length: 5.5 in. (14cm)	EA	1113
1381238	Forcep, Tissue Dissecting; Fisherbrand; Stainless-steel; Straight, serrated; Length: 8 in. (20.3cm); Autoclavable up to 135deg.C; Latex free; Can be sterilized by EtO/gamma radiation	EA	3315
1381239	Forcep, Dressing; Fisherbrand; Forged, surgical-grade stainless-steel; Corrosion resistant treating; Serrated Tips; Length: 4.5 in. (11.4cm)	EA	721
138124	Forcep, Self-closing; Fisherbrand; Serrated tips; Blunt points; Length: 2.25 in. Straight	EA	3093
1381240	Forcep, Dressing; Fisherbrand; Forged, surgical-grade stainless-steel; Corrosion resistant treating; Length: 6 in. (15.2cm)	EA	800
1381241	Forcep, Tissue Dissecting; Fisherbrand; Stainless-steel; Straight, serrated ;Length: 4.5 in. (11.4cm); Rockwell hardness (HRC): 40-45; Autoclavable up to 135deg.C; Latex-free; 1 x 2 teeth grip tissue securely; Patterned handles	EA	1355
1381242	Forcep, Splinter; Fisherbrand; Extra-fine pointed; Treated for increased resistance to corrosion; Passivated; Surgical-quality stainless-steel; Hand polished; Latex-free; Length: 4.5 in. (11.4cm)	EA	1331
1381245	Forceps, Rankin; Fisherbrand; Stainless steel; Length: 6.25 in.	EA	3396
138128	Forceps, Mosquito; Fisherbrand; Passivated; Serrated Jaws; Box-lock joint; Straight; Length: 5 in.	EA	2112
FB65132	Forceps PTFE coated stainless steel with guide pin, serrated jaws 115mm sharp ends Fisherbrand	EA	2344
FB65133	Forceps PTFE coated stainless steel with guide pin 130mm sharp ends Fisherbrand	EA	2368
FB65134	Forceps PTFE coated stainless steel with guide pin 160mm sharp ends Fisherbrand	EA	2513
FB65135	Forceps PTFE coated stainless steel with guide pin 115mm blunt ends Fisherbrand	EA	2334
FB65136	Forceps PTFE coated stainless steel with guide pin 130mm blunt ends Fisherbrand	EA	2344
FB65137	Forceps PTFE coated stainless steel with guide pin 160mm blunt ends Fisherbrand	EA	2452
<b>Gas Accessories</b>			
10575103	Regulator, Gas, Fisherbrand; Single-stage; 0 to 100psi delivery range; 1/8 NPT needle valve; Flow capacity to 1000 SCFH; 170 CGA inlet (internal thread). 1/8 NPT valve and body outlet	EA	23237
10575104	Regulator, Gas, Fisherbrand; Single-stage; Delivery Range 2-15psi; Two 1-1/2 in. chrome-plated gauges and a 1-1/4 in. neoprene diaphragm	EA	19663
10575105	Regulator, Gas, Fisherbrand; Single-stage; Delivery Range 4-60psi; Two 1-1/2 in. chrome-plated gauges and a 1-1/4 in. neoprene diaphragm	EA	20883
10575106	Regulator, Gas; Fisherbrand; Heavy-Duty; Single-stage; Acetylene; Delivery Range 2-15psi(MPa); outlet needle valve with 0.25 NPT male thread	EA	23232
10575108	Regulator, Gas; Fisherbrand; Heavy-Duty; Single-stage; Air; Delivery Range 2-40psi(MPa); outlet needle valve with 0.25 NPT male thread	EA	23223
10575109	Regulator, Gas; Fisherbrand; Heavy-Duty; Single-stage; Air; Delivery Range 2-40psi(MPa); outlet needle valve with 0.25 NPT male thread	EA	23223
10575110	Regulator, Gas; Fisherbrand; Heavy-Duty; Single-stage; Argon, Nitrogen, Helium; Delivery Range 2-15psi(MPa); outlet needle valve with 0.25 NPT male thread	EA	23223
10575111	Regulator, Gas; Fisherbrand; Heavy-Duty; Single-stage; Argon, Nitrogen, Helium; Delivery Range 5-125psi (MPa); outlet needle valve with 0.25 NPT male thread	EA	23223
10575112	Regulator, Gas; Fisherbrand; Heavy-Duty; Single-stage; Carbon Dioxide; Delivery Range 2-40psi(MPa); outlet needle valve with 0.25 NPT male thread	EA	23223
10575113	Regulator, Gas; Fisherbrand; Heavy-Duty; Single-stage; Carbon Dioxide; Delivery Range 5-125psi(MPa); outlet needle valve with 0.25 NPT male thread	EA	23223
10575114	Regulator, Gas; Fisherbrand; Heavy-Duty; Single-stage; Hydrogen; Delivery Range 2-40psi(MPa); outlet needle valve with 0.25 NPT male thread	EA	23053
10575115	Regulator, Gas; Fisherbrand; Heavy-Duty; Single-stage; Hydrogen; Delivery Range 5-125psi(MPa); outlet needle valve with 0.25 NPT male thread	EA	23053



Cat. No.	Description	Pack	Price in ₹
10575116	Regulator, Gas; Fisherbrand; Heavy-Duty; Single-stage; Oxygen; Delivery Range 2-40psi(MPa); outlet needle valve with 0.25 NPT male thread	EA	23223
10575117	Regulator, Gas; Fisherbrand; Heavy-Duty; Single-stage; Oxygen; Delivery Range 5-125psi(MPa); outlet needle valve with 0.25 NPT male thread	EA	23223
10575118	Regulator, Gas; Fisherbrand; Heavy-Duty; Single-stage; Propane; Delivery Range 2-40psi(MPa); outlet needle valve with 0.25 NPT male thread	EA	23002
10575119	Regulator, Gas; Fisherbrand; Heavy-Duty; Single-stage; Nitrous Oxide; Delivery Range 2-40psi(MPa); outlet needle valve with 0.25 NPT male thread	EA	24572
10575120	Regulator, Gas; Fisherbrand; Single-stage; High Pressure; Hydrogen; Delivery Range 100-1500psi(MPa); outlet with 0.25 in. stainless-steel Swagelok fitting	EA	48033
10575121	Regulator, Gas; Fisherbrand; Single-stage; High Pressure; Nitrogen; Delivery Range 100-1500psi(MPa); outlet with 0.25 in. stainless-steel Swagelok fitting	EA	45551
10575122	Regulator, Gas; Fisherbrand; Single-stage; High Pressure; Nitrogen; Delivery Range 200-3000psi(MPa); outlet with 0.25 in. stainless-steel Swagelok fitting	EA	45557
10575123	Regulator, Gas; Fisherbrand; Single-stage; High Purity; Brass; Delivery Range 2-40psi(MPa); 0.25 NPT outlet port	EA	66581
10575124	Regulator, Gas; Fisherbrand; Single-stage; High Purity; Brass; Delivery Range 5-125psi(MPa); 0.25 NPT outlet port	EA	65717
10575125	Regulator, Gas; Fisherbrand; Single-stage; High Purity; Brass; Delivery Range 10-300psi(MPa); 0.25 NPT outlet port	EA	66581
10575126	Regulator, Gas; Fisherbrand; Single-stage; High Purity; Brass; Delivery Range 20-500psi(MPa); 0.25 NPT outlet port	EA	66581
10575127	Regulator, Gas; Fisherbrand; Single-stage; High Purity; Stainless Steel; Delivery Range 2-40psi(MPa); 0.25 NPT outlet port	EA	82597
10575128	Regulator, Gas; Fisherbrand; Single-stage; High Purity; Stainless Steel; Delivery Range 5-125psi(MPa); 0.25 NPT outlet port	EA	85325
10575129	Regulator, Gas; Fisherbrand; Single-stage; High Purity; Stainless Steel; Delivery Range 10-300psi(MPa); 0.25 NPT outlet port	EA	85305
10575130	Regulator, Gas; Fisherbrand; Single-stage; High Purity; Stainless Steel; Delivery Range 20-500psi(MPa); 0.25 NPT outlet port	EA	73223
10575131	Regulator, Cylinder; Fisherbrand; Multistage; For acetylene; Neoprene diaphragm, dual-scale gauge; Outlet needle valve with 0.25 NPT male thread; Max. inlet pressure: 400 psig; Delivery gauge range: 1-15 psig; CGA: 510	EA	30514
10575132	Regulator, Cylinder; Fisherbrand; Multistage; For acetylene; Neoprene diaphragm, dual-scale gauge; Outlet needle valve with 0.25 NPT male thread; Max. inlet pressure: 400 psig; Delivery gauge range: 1-15 psig; CGA: 300	EA	32118
10575133	Regulator, Cylinder; Fisherbrand; Multistage; For air, breathing; Neoprene diaphragm, dual-scale gauge; Outlet needle valve with 0.25 NPT male thread; Max. inlet pressure: 3000 psig; Delivery gauge range: 1-40 psig; CGA: 346	EA	34667
10575134	Regulator, Cylinder; Fisherbrand; Multistage; Outlet needle valve with 1/4 in. NPT male thread; For air industrial; Max. Inlet Pressure psig (MPa): 3000 (20.7); Delivery Pressure Range psig (MPa): 1-40 (0.006-0.27); CGA: 590	EA	34665
10575135	Regulator, Cylinder; Fisherbrand; Multistage; Outlet needle valve with 1/4 in. NPT male thread; For argon, nitrogen, He; Max. Inlet Pressure psig (MPa): 3000 (20.7); Delivery Pressure Range psig (MPa): 1-40 (0.006-0.27); CGA: 580	EA	29108
10575136	Regulator, Cylinder; Fisherbrand; Multistage; Outlet needle valve with 1/4 in. NPT male thread; For argon, nitrogen, He; Max. Inlet Pressure psig (MPa): 3000 (20.7); Delivery Pressure Range psig (MPa): 1-125 (0.006-0.8); CGA: 580	EA	30514
10575137	Regulator, Cylinder; Fisherbrand; Multistage; Outlet needle valve with 1/4 in. NPT male thread; For argon, nitrogen, He; Max. Inlet Pressure psig (MPa): 3000 (20.7); Delivery Pressure Range psig (MPa): 1-250 (0.006-1.7); CGA: 580	EA	26138
10575138	Regulator, Cylinder; Fisherbrand; Multistage; Outlet needle valve with 1/4 in. NPT male thread; For argon, nitrogen, He; Max. Inlet Pressure psig (MPa): 3000 (20.7); Delivery Pressure Range psig (MPa): 1-250 (0.006-2.24); CGA: 580	EA	32877
10575139	Regulator, Cylinder; Fisherbrand; Multistage; For: CO <sub>2</sub> ; Max. inlet pressure: 3000psi (20.7MPa); Delivery pressure range psi (MPa): 1 to 40 (0.006 to 0.276); Outlet pressure range psi (Mpa): 2 to 60 (0.0138 to 0.41); CGA: 320	EA	29737

Cat. No.	Description	Pack	Price in ₹
10575140	Regulator, Cylinder; Fisherbrand; Multistage; Outlet needle valve with 1/4 in. NPT male thread; For carbon dioxide; Max. Inlet Pressure psig (MPa): 3000 (20.7); Delivery Pressure Range psig (MPa): 1-125 (0.006-0.8); CGA: 320	EA	30155
10575141	Regulator, Cylinder; Fisherbrand; Multistage; Outlet needle valve with 1/4 in. NPT male thread; For hydrogen; Max. Inlet Pressure psig (MPa): 3000 (20.7); Delivery Pressure Range psig (MPa): 1-40 (0.006-0.27); CGA: 350	EA	30962
10575142	Regulator, Cylinder; Fisherbrand; Multistage; Outlet needle valve with 1/4 in. NPT male thread; For hydrogen; Max. Inlet Pressure psig (MPa): 3000 (20.7); Delivery Pressure Range psig (MPa): 1-125 (0.006-0.8); CGA: 350	EA	34712
10575143	Regulator, Cylinder; Fisherbrand; Multistage; For nitrous oxide; Neoprene diaphragm, dual-scale gauge; Outlet needle valve with 0.25 NPT male thread; Max. inlet pressure: 3000 psig; Delivery gauge range: 1-40 psig; Inlet CGA: 326	EA	34667
10575144	Regulator, Cylinder; Fisherbrand; Multistage; Outlet needle valve with 1/4 in. NPT male thread; For oxygen; Max. Inlet Pressure psig (MPa): 3000 (20.7); Delivery Pressure Range psig (MPa): 1-40 (0.006-0.27); CGA: 540	EA	32658
10575145	Regulator, Cylinder; Fisherbrand; Multistage; For oxygen; Neoprene diaphragm, dual-scale gauge; Outlet needle valve with 0.25 NPT male thread; Max. inlet pressure: 3000 psig; Delivery gauge range: 1-125 psig; Inlet CGA: 540	EA	32333
10575146	Regulator, Cylinder; Fisherbrand; Multistage; For oxygen; Neoprene diaphragm, dual-scale gauge; Outlet needle valve with 0.25 NPT male thread; Max. inlet pressure: 3000 psig; Delivery gauge range: 1-325 psig; Inlet CGA: 540	EA	25875
10575147	Regulator, Cylinder; Fisherbrand; Multistage; For oxygen mix, medical; Neoprene diaphragm, dual-scale gauge; Outlet needle valve with 0.25 NPT male thread; Max. inlet pressure: 3000 psig; Delivery gauge range: 1-40 psig; Inlet CGA: 280	EA	34712
10575148	Regulator, Cylinder; Fisherbrand; Multistage; For oxygen mix, medical; Neoprene diaphragm, dual-scale gauge; Outlet needle valve with 0.25 NPT male thread; Max. inlet pressure: 3000 psig; Delivery gauge range: 1-125 psig; Inlet CGA: 280	EA	34712
10575149	Regulator, Cylinder; Fisherbrand; Multistage; For oxygen mix, medical; Neoprene diaphragm, dual-scale gauge; Outlet needle valve with 0.25 NPT male thread; Max. inlet pressure: 3000 psig; Delivery gauge range: 1-40 psig; Inlet CGA: 500	EA	34712
10575150	Regulator, Cylinder; Fisherbrand; Multistage; For oxygen mix, medical; Neoprene diaphragm, dual-scale gauge; Outlet needle valve with 0.25 NPT male thread; Max. inlet pressure: 3000 psig; Delivery gauge range: 1-125 psig; Inlet CGA: 500	EA	34712
10575151	Regulator, Cylinder; Fisherbrand; Multistage; For oxygen mix, industrial; Neoprene diaphragm, dual-scale gauge; Outlet needle valve with 0.25 NPT male thread; Max. inlet pressure: 3000 psig; Delivery gauge range: 1-40 psig; Inlet CGA: 296	EA	34665
10575152	Regulator, Cylinder; Fisherbrand; Multistage; For oxygen mix, industrial; Neoprene diaphragm, dual-scale gauge; Outlet needle valve with 0.25 NPT male thread; Max. inlet pressure: 3000 psig; Delivery gauge range: 1-125 psig; Inlet CGA: 296	EA	32297
10595Q	Support, Gas cylinder; Fisherbrand; Holds 4.5 to 11 in. diameter (11.4 to 28cm) cylinders upright; Attach to benches up to 2.25 in. thick (5.7cm)	EA	7750
11139A	Stone, Gas diffusing; Fisherbrand ; Porous, fused crystalline alumina; Average Pore Size: 60um; Particle Retention: 25um; Dia.: 1 in.; Spherical	EA	6576
11139B	Stone, Gas diffusing; Fisherbrand ; Porous, fused crystalline alumina; Average Pore Size: 60um; Particle Retention: 25um; Dia.: 0.875 in.; Cylindrical	EA	6154
<b>Ice/Insulated Containers</b>			
0259144	Bucket, Ice; Fisherbrand; Polyurethane; Rigid; Molded handles; For use with liquid nitrogen, dry ice, water ice and salt solutions; Color: Black; Capacity: 4.5L	EA	15279
0259145	Bucket, Ice; Fisherbrand; Polyurethane; Rigid; Molded handles; For use with liquid nitrogen, dry ice, water ice and salt solutions; Color: Blue; Capacity: 4.5L	EA	15279
0259146	Bucket, Ice; Fisherbrand; Polyurethane; Rigid; Molded handles; For use with liquid nitrogen, dry ice, water ice and salt solutions; Color: Red; Capacity: 4.5L	EA	15279
<b>Knives</b>			
FBA12640	Blade, Razor; Fisherbrand; Single-edged carbon steel blade; Cutting edge on each blade protected by paper shell; 100/Pk.	PK	1478
089165B	Blade, Dissecting knife handle; Fisherbrand; Surgical quality; Stainless steel; Sterile; Individually foil-wrapped; Strong and uniformly sharp; For handle sizes 3, 5, 7; Blade size: 11; Length: 1.562 in. (4cm)	PK	5515

Cat. No.	Description	Pack	Price in ₹
089165A	Blade, Knife handle; Fisherbrand; Surgical quality, stainless steel; Sterile; Individually foil-wrapped; Strong and uniformly sharp; For handle sizes 3, 5, 7; Blade size: 10; Length: 1.562 in. (4cm)	PK	5515
089165C	Blade, Knife handle; Fisherbrand; Surgical quality, stainless steel; Sterile; Individually foil-wrapped; Strong and uniformly sharp; For handle sizes: 3, 5, 7; Blade size: 12; Length: 1.375 in. (3.5cm)	PK	6294
089165D	Blade, Knife handle; Fisherbrand; Surgical quality, stainless steel; Sterile; Individually foil-wrapped; Strong and uniformly sharp; For handle sizes: 3, 5, 7; Blade size: 15; Length: 1.375 in. (3.5cm)	PK	5515
089175	Blade, Disposable; Fisherbrand; Flat with corrugated grip; For dissecting knife handles; Re-usable handles; Length: 5.28 in.; Size: 4	EA	1275
089185A	Blade, Knife handle; Fisherbrand; Surgical quality, stainless steel; Sterile; Individually foil-wrapped; Strong and uniformly sharp; For handle sizes: 4, 6; Blade size: 20; Length: 1.562 in. (4cm)	PK	6516
089185B	Blade, Knife handle; Fisherbrand; Surgical quality, stainless steel; Sterile; Individually foil-wrapped; Strong and uniformly sharp; For handle sizes: 4, 6; Blade size: 21; Length: 1.562 in. (4cm)	PK	6516
089185C	Blade, Knife handle; Fisherbrand; Surgical quality, stainless steel; Sterile; Individually foil-wrapped; Strong and uniformly sharp; For handle sizes: 4, 6; Blade size: 22; Length: 1.375 in. (3.5cm)	PK	5515
089185D	Blade, Knife handle; Fisherbrand; Surgical quality, stainless steel; Sterile; Individually foil-wrapped; Strong and uniformly sharp; For handle sizes: 4, 6; Blade size: 23; Length: 1.375 in. (3.5cm)	PK	4681
<b>Labels / Tapes</b>			
11850A	Label, Self adhesive; Fisherbrand; Mark with pencil, pen, marker; L x W: 3 x 1.75 in. (76 x 44mm); White with red border in dispenser box	PK	892
11850B	Label, Self adhesive; Fisherbrand; Mark with pencil, pen, marker; L x W: 2 x 1.25 in. (51 x 38mm); Type: White with red border in dispenser box	PK	892
11850C	Label, Self adhesive; Fisherbrand; Mark with pencil, pen, marker; L x W: 1.62 x 1.25 in. (41 x 32mm); Type: White with red border in dispenser box	PK	892
11850D	Label, Self adhesive; Fisherbrand; Mark with pencil, pen, marker; L x W: 1.37 x 1 in. (35 x 25mm); Type: White with red border in dispenser box	PK	784
11850E	Label, Self-adhesive; Fisherbrand; Mark with pencil, pen, marker; L x W: 1.25 x 1 in. (32 x 25mm); Type: White with red border in dispenser box	PK	724
11850F	Label, Self adhesive; Fisherbrand; Mark with pencil, pen, marker; L x W: 1 x 0.75 in. (25 x 19mm); Type: White with red border in dispenser box	PK	724
11863B	Label, Self adhesive; Fisherbrand; Mark with pencil, pen, marker; L x W: 0.75 x 0.50 in. (19 x 13mm); Type: Rectangular plain white	PK	524
11863C	Label, Self adhesive; Fisherbrand; Mark with pencil, pen, marker; L x W: 0.87 x 0.87 in. (22 x 22mm); Type: Rectangular plain white	PK	524
11863D	Label, Self adhesive; Fisherbrand; Mark with pencil, pen, marker; L x W: 1 x 0.75 in. (25 x 19mm); Type: Rectangular plain white	PK	524
11863E	Label, Self adhesive; Fisherbrand; Mark with pencil, pen, marker; L x W: 1.50 x 0.75 in. (38 x 19mm); Type: Rectangular plain white	PK	524
FBA11870	Label, Self adhesive; Fisherbrand; Mark with pencil, pen, marker; L x W: 1 x 1 in.; Type: Labels with blue border	PK	899
FBA11885	Label; Fisherbrand; Microscope slide; White peel-off labels are die-cut on paper backing; 0.93 in. (2.4cm) square	PK	2994
1188911	Tape, Indicator; Fisherbrand; Strate-Line; Autoclavable; For steam sterilization; Crepe-embossed paper with pressure-sensitive adhesive; White stripes turn black; 0.75 in. x 60 yd. (1.9cm x 55.5m); 48/Cs.	EA	653
1590110F	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Orange; 1 in. (25mm)	PK	1660
1590110G	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Blue; W: 25mm	PK	1673
1590110H	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Aqua; 1 in. (25mm) wide; 14 yd. (13m) rolls	PK	1662
1590110J	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Copper; Size: 1 in. (25mm); 14 yd. (13m) roll	PK	1662
1590110K	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Gray; Size: 1 in. (25mm); 14 yd. (13m) roll	PK	1662

Cat. No.	Description	Pack	Price in ₹
1590110L	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Lavender; 1 in. (25mm); 14 yd. (13m)	PK	1660
1590110M	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Lime; 1 in. (25mm) wide; 14 yd. (13m) roll	PK	1660
1590110N	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Rose; Size: 1 in. (25mm); 14 yd. (13m) roll	PK	1662
1590110Q	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Violet; 1 in. (25mm); 14 yd. (13m) roll	PK	1660
1590110R	Tape, Colored Label; Fisherbrand; Water-resistant; Oil, acid resistant; Strong; Durable; Includes 1 blue, 2 pink, 2 green, 2 red, 1 orange, 2 yellow, 2 white; Width: 1 in. (25mm); 14 yd. (13m) rolls; Rainbow pack of 12 tapes	PK	7074
1590115A	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; White; 13 x 55mm	PK	4650
1590115B	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Yellow; 13 x 55mm	PK	4650
1590110A	Tape, Label; Fisherbrand; Colored; Water/oil/acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; White; 1 in. (25mm) wide; 14 yd. (13m) rolls	PK	1660
1590110B	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Yellow; Width: 1 in.	PK	1673
1590110C	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Green; W: 25mm	PK	1673
1590110D	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Pink; Width: 1 in.	PK	1662
1590110E	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Red; 1 in. (25mm) wid	PK	1660
1590115C	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Green; 13 x 55mm	PK	4650
1590115D	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Pink; 13 x 55mm	PK	4652
1590115E	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Red; 13 x 55mm	PK	4646
1590115F	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Orange; 13 x 55mm	PK	4650
1590115G	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Blue; 13 x 55mm	PK	4650
1590115H	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Aqua; 13 x 55mm	PK	4650
1590115J	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Copper; 13 x 55mm	PK	4646
1590115K	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Gray; 13 x 55mm	PK	4646
1590115L	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Lavender; 13 x 55mm	PK	4652
1590115M	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Lime; 13 x 55mm	PK	4641
1590115N	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Rose; 13 x 55mm	PK	4616
1590115Q	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Violet; 13 x 55mm	PK	4646
1590120A	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; White; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	3676

Cat. No.	Description	Pack	Price in ₹
1590120B	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Yellow; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	3678
1590120C	Tape, Label; Fisherbrand; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Green; 0.75 in. (19mm) wide x 55m long; 14 yd. (13m) rolls	PK	3346
1590120D	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Pink; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	3344
1590120E	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Red; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	3344
1590120F	Tape, Label; Fisherbrand; Water/oil/acid resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Orange; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	3344
1590120G	Tape, Label; Fisherbrand; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Blue; 0.75 in. (19mm) wide x 55m long; 14 yd. (13m) rolls	PK	3351
1590120H	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Aqua;0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	3671
1590120J	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Copper; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	3669
1590120K	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Gray; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	3671
1590120L	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Lavender; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	3669
1590120M	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Lime; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	3669
1590120N	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Rose; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	3671
1590120Q	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Violet;0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	3671
1590125A	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; White; 1 in. (25mm) wide; 60 yd. (55m) roll	PK	3376
1590125B	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Yellow; 1 in. (25mm); 60 yd. (55m) roll	PK	3373
1590125C	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Green; 1 in. (25mm) W	PK	3358
1590125D	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Pink; 1 in. (25mm) wide; 60 yd. (55m) roll	PK	3360
1590125E	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Red; 1 in. (25mm) wide; 60 yd. (55m) roll	PK	3371
1590125F	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Orange; 1 in. (25mm); 60 yd. (55m) roll	PK	3373
1590125G	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Blue; 1 in. (25mm) wide; 60 yd. (55m) roll	PK	3371

Cat. No.	Description	Pack	Price in ₹
1590125H	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Aqua; 1 in. (25mm) wide; 60 yd. (55m) roll	PK	3360
1590125J	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Copper; 1 in. (25mm); 60 yd. (55m) roll	PK	3364
1590125K	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Gray; 1 in. (25mm) wide; 60 yd. (55m) roll	PK	3362
1590125L	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, or permanent marker; Lavender; 1 in. (25mm); 60 yd. (55m) roll	PK	3358
1590125M	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Lime; 1 in. (25mm) wide; 60 yd. (55m) roll	PK	3362
1590125N	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Rose; 1 in. (25mm) wide; 60 yd. (55m) roll	PK	3358
1590125Q	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Violet; 1 in. (25mm); 60 yd. (55m) roll	PK	3360
1590130B	Tape, Identification; Fisherbrand; Autoclavable; Vinyl; Color coded; Adheres to any clean surface; Resist water, oil, and acids; Nontoxic; Width: 0.37 in. (9.6mm); Length: 16 ft. (4.87m); Color: Yellow	EA	670
1590130C	Tape, Identification; Fisherbrand; Autoclavable; Vinyl; Color coded; Adheres to any clean surface; Resist water, oil, and acids; Nontoxic; Width: 0.37 in. (9.6mm); Length: 16 ft. (4.87m); Color: Green	EA	674
1590130D	Tape, Identification; Fisherbrand; Autoclavable; Vinyl; Color coded; Adheres to any clean surface; Resist water, oil, and acids; Nontoxic; Width: 0.37 in. (9.6mm); Length: 16 ft. (4.87m); Color: Red	EA	670
1590130E	Tape, Identification; Fisherbrand; Autoclavable; Vinyl; Color coded; Adheres to any clean surface; Resist water, oil, and acids; Nontoxic; Width: 0.37 in. (9.6mm); Length: 16 ft. (4.87m); Color: Orange	EA	670
1590130F	Tape, Identification; Fisherbrand; Autoclavable; Vinyl; Color coded; Adheres to any clean surface; Resist water, oil, and acids; Nontoxic; Width: 0.37 in. (9.6mm); Length: 16 ft. (4.87m); Color: Blue	EA	670
1590130G	Tape, Identification; Fisherbrand; Autoclavable; Vinyl; Color coded; Adheres to any clean surface; Resist water, oil, and acids; Nontoxic; Width: 0.37 in. (9.6mm); Length: 16 ft. (4.87m); Color: Brown	EA	674
1590130H	Tape, Identification; Fisherbrand; Autoclavable; Vinyl; Color coded; Adheres to any clean surface; Resist water, oil, and acids; Nontoxic; Width: 0.37 in. (9.6mm); Length: 16 ft. (4.87m); Color: Aluminum	EA	674
1590130K	Tape, Identification; Fisherbrand; Autoclavable; Vinyl; Color coded; Adheres to any clean surface; Resist water, oil, and acids; Nontoxic; Width: 0.37 in. (9.6mm); Length: 16 ft. (4.87m); Color: Black	EA	670
1590130L	Label; Fisherbrand; For Handheld labeling system; Autoclavable adhesive; Withstands temperatures up to 132deg.C for 20 min.; With (Expires) imprint; 1000/pk.	PK	2999
1590130M	Label; Fisherbrand; For Handheld labeling system; Autoclavable adhesive; Withstands temperatures up to 132deg.C for 20 min.; With (Received Opened) imprint; 1000/pk.	PK	2988
1590130N	Label; Fisherbrand; For Handheld labeling system; Autoclavable adhesive; Withstands temperatures up to 132deg. C for 20 min.; With (Sterile) imprint; 1000/pk.	PK	2948
1590130P	Label, Blank; Fisherbrand; For Handheld labeling system; Autoclavable adhesive; Withstands temperatures up to 132deg.C for 20 min.; 1000/pk.	PK	2930
159015A	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121C; Stick to most surfaces; Write on with pen, pencil, permanent marker; White; 0.75 in. (19mm)	PK	1597
159015B	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Yellow; 0.75 in. (19mm)	PK	1597
159015C	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Green; 0.75 in. (19mm)	PK	1597
159015D	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Pink; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	1597
159015E	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Red; 0.75 in. (19mm)	PK	1597
159015F	Tape, Label; Fisherbrand; Water/oil/acid resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Orange; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	1597

Cat. No.	Description	Pack	Price in ₹
159015G	Tape, Label; Fisherbrand; Colored; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121°C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Blue; 0.75 in. (19mm)	PK	1597
159015H	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Aqua; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	1597
159015J	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Copper; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	1597
159015K	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Gray; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	1597
159015L	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Lavender; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	1597
159015M	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Lime; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	1597
159015N	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Rose; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	1597
159015Q	Tape, Label; Fisherbrand; Water-, oil- and acid-resistant; Withstand temperatures from -23 to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Violet; 0.75 in. (19mm) wide; 14 yd. (13m) rolls	PK	1597
159015R	Case, Coloured Label; Fisherbrand; Durable; Oil, acid resistant; Includes 2 blue, 2 pink, 2 green, 2 red, 2 yellow, 2 orange, 4 white; Strong; Width: 0.75 in. (19mm); 14 yd. (13m) rolls; Rainbow case of 16 tapes	PK	7103
15901A	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; White; 13 x 13mm	PK	1982
15901B	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Yellow; 13 x 13mm	PK	1982
15901C	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Green; 13 x 13mm	PK	1982
15901D	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Pink; 13 x 13mm	PK	1982
15901E	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Red; 13 x 13mm	PK	1980
15901F	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Orange; 13 x 13mm	PK	1982
15901G	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Blue; 13 x 13mm	PK	1985
15901H	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Aqua; 13 x 13mm	PK	1982
15901J	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Copper; 13 x 13mm	PK	1980
15901K	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Gray; 13 x 13mm	PK	1982
15901L	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Lavender; 13 x 13mm	PK	1982
15901M	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Lime; 13 x 13mm	PK	2000
15901N	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Rose; 13 x 13mm	PK	1980
15901Q	Tape, Label; Fisherbrand; Colored; Water/oil/acid resistant; Withstand temperatures from -23deg. to +121deg.C; Stick to most surfaces; Write on with pen, pencil, permanent marker; Violet; 13 x 13mm	PK	1982
15901R	Tape, Colored Label; Fisherbrand; Strong; Durable; Oil, acid resistant; Includes 3 blue, 3 pink, 3 green, 3 red, 4 yellow, 3 orange, 5 white; Width: 0.50 in. (13mm); 14 yd. (13m) rolls; Rainbow pack of 24 tapes	PK	7152
FBA15903	Tape, Autoclavable; Fisherbrand; For steam sterilization; White steam-sensitive stripes turn black indicating sterilization; No residue; Size: 60 yd. L x 0.50 in. W (55m x 1.2cm)	EA	791

Cat. No.	Description	Pack	Price in ₹
FBA15904	Tape, Autoclavable; Fisherbrand; For steam sterilization; White steam-sensitive stripes turn black indicating sterilization; No residue; Size: 60 yd. L x 0.75 in. W (55m x 1.9cm)	EA	871
FBA15905	Tape, Autoclavable; Fisherbrand; For steam sterilization; White steam-sensitive stripes turn black indicating sterilization; No residue; Size: 60 yd. L x 1 in. W (55m x 2.5cm)	EA	1133
FBA15906	Tape, Identification; Fisherbrand; Autoclavable; Vinyl; Color coded; Adheres to any clean surface; Resist water, oil, and acids; Nontoxic; Width: 0.37 in. (9.6mm); Length: 16 ft. (4.87m); Color: White	EA	609
FBA15907	Tape, Inventory Label; Fisherbrand; Legend: Date Received, Date Opened, Date Expired, Reorder Number; Remove without residue; White with dark blue imprint; 1 in. x 14 yd. (2.5cm x 13m)	PK	12427
FBA15909	Dispenser, Tape; Fisherbrand; Multiple-rolls; Metal; Bore: 3 in. (7.62cm); For rolls with: 60 yd. (55m) tape	EA	7036
FBA15910	Label; Fisherbrand; Microscope slide; White peel-off labels are die-cut on paper backing; 0.87 in. (2.2cm) square	PK	1413
FBA15912	Dispenser, Tape; Fisherbrand; Multiple-rolls; Plastic; Fits 1 and 3 in. cores; Accommodates 0.50, 0.75, or 1 in. wide (13, 19, or 25mm) tapes; For dispensing width 9.50 in. (24cm); With bottom suction cups; For rolls: 14 yd. (13m) tape	EA	4312
FBA15915	System, Labeling; Fisherbrand; Handheld; Easy-to-use, lightweight, dating and coding system for laboratory use; Label size: 0.62 x 0.93 in. (1.6 x 2.4 cm)	EA	41913
FBA15916	Label, Stat; Fisherbrand; Indicate tests are urgent; Bright red; With permanent adhesion; 1 x 1.50 in. (2.54 x 3.81cm); Butt cut; 1000/pk.	PK	741
FBA15917	Label, Stat; Fisherbrand; Indicate tests are urgent; Bright red; With permanent adhesion; 1 x 1.50 x 0.37 in. (2.54 x 3.81 x 0.93); Stripped only; 1000/pk.	PK	1015
FBA15918	Ink Roll; Fisherbrand; Replacement; For Handheld labeling system	EA	2780
FBA15920	Label, Patient ID; Fisherbrand; Addressograph; Removable; Dimensions: 1 x 3 in. (2.5 x 7.6cm); 1000/pk.	PK	3217
FBA15921	Label, Patient ID; Fisherbrand; Addressograph; Removable; Dimensions: 1.5 x 3.5 in. (3.81 x 8.89cm); 1000/pk.	PK	3456
FBA15922	Label; Fisherbrand; Lab Labl; Peel off; No residue; Permanent adhesive; Do not stick to latex, vinyl gloves; Can be used in freezers, water baths; 3L x 1.93 in. W(76 x 49mm)	PK	3337
FBA15923	Label; Fisherbrand; Lab Labl; Peel off; No residue; Permanent adhesive; Do not stick to latex, vinyl gloves; Can be used in freezers, water baths; 1.50L x 0.43 in. W (38 x 11mm)	PK	880
FBA15924	Label; Fisherbrand; Lab Labl; Peel off; No residue; Permanent adhesive; Do not stick to latex, vinyl gloves; Can be used in freezers, water baths; 3L x 0.75 in. W (76 x 19mm)	PK	1998
FBA15925	Dispenser, Tape; Fisherbrand; Lab hazard warning label; Includes 4 rolls with preprinted warnings: Corrosive (black on yellow), Flammable (red on white), Poison (yellow on black), Radioactive (red on yellow); Approx. 200 imprints per roll	EA	9759
FBA15926	Label, Biohazard; Fisherbrand; Pressure-sensitive adhesive; 1L x 1 in. W (2.5 x 2.5cm); 1000/pk.	PK	1286
FBA15927	Label, Biohazard; Fisherbrand; Pressure-sensitive adhesive; 3L x 2 in. W (7.6 x 5.1cm); 500/Pk.	PK	2256
FBA15928	Label, Biohazard; Fisherbrand; Pressure-sensitive adhesive; 5L x 5 in. W (12.7 x 12.7cm); 250/Pk.	PK	4637
FBA15929	Tape, Specimen; Fisherbrand; White with black lettering; Printed headings for Name, Room No., Hospital No. and Date; 2.25 x 500 in. (5.71 x 1270cm)	EA	540
FBA15930	Tape, Specimen; Fisherbrand; White with black lettering; Printed headings for Name, Room No., and Date; 2.25 x 500 in. (5.71 x 1270cm)	EA	540
FBA15931	Tape, Refill; Fisherbrand; Lab hazard warning label; Preprinted with warning: Radioactive; 0.50 x 800 in. (1.27 x 2030cm)	EA	208
FBA15932	Tape, Refill; Fisherbrand; Lab hazard warning label; Preprinted with warning: Poison; 0.50 x 800 in. (1.27 x 2030cm)	EA	208
FBA15933	Tape, Refill; Fisherbrand; Lab hazard warning label; Preprinted with warning: Corrosive; 0.50 x 800 in. (1.27 x 2030cm)	EA	208
FBA15934	Tape, Refill; Fisherbrand; Lab hazard warning label; Preprinted with warning: Flammable; 0.50 x 800 in. (1.27 x 2030cm)	EA	683
FBA15935	Tape, Label; Fisherbrand; Self-adhesive; Sticks to most surfaces; For use in autoclave, refrigerator/freezer, sterilizer, incubator; Resists oil, water, acid; White; 1 in. x 60 yd. (2.5cm x 55m)	EA	1496
FBA15936	Dispenser, Tape; Fisherbrand; Single-roll with; Holds tapes on 3 in. (7.6cm) core; Fits 60 yd. (55m) roll of 0.50, 0.75, or 1 in. wide (1.3, 1.9, or 2.5cm) tapes	EA	4831
FBA15937	Tape, Label; Fisherbrand; Self-adhesive; Sticks to most surfaces; For use in autoclave, refrigerator/freezer, sterilizer, incubator; Resists oil, water, acid; White; 0.5 in. x 14 yd. (1.3cm x 13m)	EA	806
FBA15938	Tape, Label; Fisherbrand; Self-adhesive; Sticks to most surfaces; For use in autoclave, refrigerator/freezer, sterilizer, incubator; Resists oil, water, acid; White; 0.75 in. x 14 yd. (1.9cm x 13m)	EA	887



Cat. No.	Description	Pack	Price in ₹
FBA15939	Tape, Label; Fisherbrand; Self-adhesive; Sticks to most surfaces; For use in autoclave, refrigerator/freezer, sterilizer, incubator; Resists oil, water, acid; White; 1 in. x 14 yd. (2.5cm x 13m)	EA	520
FBA15940	Tape, Label; Fisherbrand; Self-adhesive; Sticks to most surfaces; For use in autoclave, refrigerator/freezer, sterilizer, incubator; Resists oil, water, acid; White; 1.5 in. x 14 yd. (3.8cm x 13m)	EA	703
FBA15941	Tape, Label; Fisherbrand; Self-adhesive; Sticks to most surfaces; For use in autoclave, refrigerator/freezer, sterilizer, incubator; Resists oil, water, acid; White; 2 in. x 14 yd. (5cm x 13m)	EA	849
FBA15942	Dispenser, Tape; Fisherbrand; Handheld; Plastic construction; Single roll; For 0.50, 0.75, or 1 in. wide (1.3, 1.9, or 2.5cm) tapes on 1 in. (2.5cm) core	EA	1046
FBA15943	Tape, Radioactive; Fisherbrand; Imprint: CAUTION RADIOACTIVE MATERIAL; w/Radiation symbol and headings for Isotope, Amount, and Date; 0.75 in. x 14 yd. (1.9cm x13m) roll	EA	1059
FBA15944	Label, ACA; Fisherbrand; For use with Automated Clinical Analyzers; Red; Message: Not Calibrated--Do Not Use	PK	3976
FBA15945	Label, ACA; Fisherbrand; For use with Automated Clinical Analyzers; Yellow; Message: Calibrated--Not in Use	PK	3920
FBA15946	Label, ACA; Fisherbrand; For use with Automated Clinical Analyzers; Green; Message: Ready for Use	PK	2872
FBA15947	Tape, High-low temperature; Fisherbrand; Withstands temperatures: High: 287.8deg.C (550deg.F), low: -211.7deg.C (-384.8deg.F); Self adhesive; Surface can be st	EA	2847
FBA15948	Tape, Write-on; Fisherbrand; For use in autoclaves, refrigerator/freezer, sterilizers, incubators; Easily marked with pencil, pen, markers; No residue; White; 1.50 in. x 14 yd. (3.8cm x 13m)	EA	1546
FBA15949	Tape, Write-on; Fisherbrand; For use in autoclaves, refrigerator/freezer, sterilizers, incubators; Easily marked with pencil, pen, markers; No residue; White; 0.50 in. x 60 yd. (1.3cm x 55m)	EA	713
FBA15950	Tape, Label; Fisherbrand; Colored; Water/oil/acid/temperature resistant; Can be written; Stick to most surfaces; White; 2 in. x 14 yd. (5cm x 13m)	EA	498
FBA15951	Tape, Label; Fisherbrand; Colored; Water-, oil- acid-, and temperature-resistant; Can be written; Stick to most surfaces; Core width: 1 in.; Yellow; 2 in. x 14 yd. (5cm x 13m)	EA	498
FBA15952	Tape, Label; Fisherbrand; Colored; Water-, oil- acid-, and temperature-resistant; Can be written; Stick to most surfaces; Core width: 1 in.; Green; 2 in. x 14 yd. (5cm x 13m)	EA	1416
FBA15953	Tape, Label; Fisherbrand; Colored; Water-, oil- acid-, and temperature-resistant; Can be written; Stick to most surfaces; Core width: 1 in.; Blue; 2 in. x 14 yd. (5cm x 13m)	EA	498
FBA15954	Tape, Label; Fisherbrand; Colored; Water-, oil- acid-, and temperature-resistant; Can be written; Stick to most surfaces; Core width: 1 in.; Red; 2 in. x 14 yd. (5cm x 13m)	EA	498
FBA15955	Label, Tamper Evident; Fisherbrand; White paperstock; Imprinted with Do Not Use If Protective Seal Is Broken in red; L x W: 3.87 x 0.50 in. (9.8 x 1.8cm)	PK	2312
FBA15956	Label, Tamper Evident; Fisherbrand; Blank red acetate; L x W: 5.50 x 0.50 in. (14 x 1.3cm)	PK	6236
FBA15958	Tape, Label; Fisherbrand; Colored; Water-, oil- acid-, and temperature-resistant; Can be written; Stick to most surfaces; Core width: 1 in.; White; 1.50 in. x 14 yd. (3.81cm x 13m)	EA	1219
FBA15959	Tape, Label; Fisherbrand; Colored; Water-, oil- acid-, and temperature-resistant; Can be written on; Sticks to most surfaces; Core width: 1 in.; Salmon; 0.75 in. x 14 yd. (1.9cm x 13m)	EA	257
FBA15960	Label, Hazard Communication; Fisherbrand; Type: (CORROSIVE); Label dimensions: 0.50 x 4 in. (1.3 x 10.2cm); Rolls are 500 ft. (12.7m) in length; Black/Orange; 125/Pk.	PK	654
FBA15961	Label, Hazard Communication; Fisherbrand; Type: (CONTAMINATED); Label dimensions: 0.50 x 4 in. (1.3 x 10.2cm); Rolls are 500 ft. (12.7m) in length; Black/Green	PK	652
FBA15962	Label, Hazard Communication; Fisherbrand; Type: (FLAMMABLE); Label dimensions: 0.50 x 4 in. (1.3 x 10.2cm); Rolls are 500 ft. (12.7m) in length; Yellow/Red	PK	654
FBA15963	Label, Hazard Communication; Fisherbrand; Type: (POISON); Label dimensions: 0.50 x 4 in. (1.3 x 10.2cm); Rolls are 500 ft. (12.7m) in length; Chr/Black	PK	654
FBA15964	Label, Hazard Communication; Fisherbrand; Type: (RADIOACTIVE); Label dimensions: 0.50 x 4 in. (1.3 x 10.2cm); Rolls are 500 ft. (12.7m) in length; Red/Yellow	PK	654
FBA15965	Tape, Biohazard Warning; Fisherbrand; Adhesive; Legend: Biohazard with symbol (repeating); Can be cut; Black on fluorescent red; 500L x 0.50 in.W (1270 x 1.3cm) in roll	EA	611
FBA15966	Tape, Label; Fisherbrand; Strong, durable, and water-resistant; Resists oil and acid; Withstands temperatures from -23deg.C to +121deg.C (-10deg. to 250deg.F)	EA	1886
FBA15967	Tape, Radioactive; Fisherbrand; Imprint: CAUTION RADIOACTIVE MATERIAL; w/Radiation symbol; Without headings; 0.75 in. x 14 yd. (1.9cm x13m) roll	EA	1154
17987171B	Label, DOT Shipping; Fisherbrand; For class 9 miscellaneous dangerous goods; Legend: Top, vertical stripes; Bottom, blank; Meet HM-215B; Size: 4 x 4 in. diamond; Material: pressure-sensitive paper (not weather-resistant); Pack of 25	EA	2204

Cat. No.	Description	Pack	Price in ₹
17987172A	Label, DOT Shipping; Fisherbrand; For class 6 toxic (poisonous) and infectious substances; Legend: Infectious substances in case of damage or leakage; Size: 4 x 4 in. diamond; Material: pressure-sensitive vinyl; Pack of 25	EA	5745
18025025	Tag, Data; Fisherbrand; Bitran; For identifying specimens; Attaches easily to bag; Allow hanging storage; 250/pk.; 4/cs.	PK	27637
18999784	Label, HMIG Dispenser; Fisherbrand; With write-on area for specific hazard information; 0.87 x 2.87 in. (2 x 7.2cm); Roll of 500	PK	949
18999785	Label, HMIG Dispenser; Fisherbrand; With write-on area for specific hazard information; 0.87 x 0.87 (2 x 2cm); Roll of 750	PK	687
18999786	Label, NFR Dispenser; Fisherbrand; 0.87 x 2.87 in. (2 x 7.2cm); Writeable; Roll of 500	PK	949
18999787	Label, NFR Dispenser; Fisherbrand; With NFR legend; 0.87 x 0.87 (2 x 2cm); Roll of 750	PK	687
18999788	Label, Write-On; Fisherbrand; Hazardous Materials Identification Guide (HMIG); Large to include the chemical name, common name and manufacturer name; 3.88L x 1.5 in. W (9.8 x 3.8cm)	PK	3527
18999789	Label, Write-On; Fisherbrand; National Fire Ratin; Chemical name, owner, date and hazard rating can be written; 3.87L x 1.50 in. W (9.8 x 3.8cm); Roll of 1000	PK	3527
18999790	Label, Self-Laminating; Fisherbrand; NFR; For use on bottles, drums, or any containers holding hazardous substances; H x W: 2 x 3.5 in. (5 x 9cm); 25/pk.	PK	1046
18999791	Label, Self-Laminating; Fisherbrand; NFR; For use on bottles, drums, or any containers holding hazardous substances; H x W: 3 x 5 in. (8 x 13cm); 25/pk.	PK	1607
18999792	Tag, Cylinder; Fisherbrand; Gas; Status; Tear off perforated section to indicate if tank status: full, in service, or empty; With wire tie; Yellow; Size: 6.25H x 3.12 in. W (15.8 x 7.92cm)	PK	1188
18999926	Label; Fisherbrand; 10% Formalin; Adhesive; Meet OSHA requirements; Bright red fluorescent paper; Size: 0.87 x 3 in. (2.20 x 7.62cm)	EA	1143
18999927	Label; Fisherbrand; 10% Formalin; Adhesive; Meet OSHA requirements; Bright red fluorescent paper; Size: 0.50 x 1.50 in. (1.27 x 3.81cm)	EA	1057
18999928	Label, Biohazard; Fisherbrand; Contains Formaldehyde with biohazard symbol; Size: 0.87 x 3 in. (2.20 x 7.62cm)	EA	1143
18999929	Label, Biohazard; Fisherbrand; Contains Formaldehyde with biohazard symbol; Size: 0.50 x 1.50 in. (1.27 x 3.81cm)	EA	1057
18999930	Label, Biohazard; Fisherbrand; Square, Small; Meet OSHA requirements; Made from bright red fluorescent paper for maximum visibility; Size: 0.93 x 0.93 in. (2.36 x 2.36cm)	EA	1057
18999931	Label, Biohazard; Fisherbrand; Round, Small; Meet OSHA requirements; Made from bright red fluorescent paper for maximum visibility; Size: 1 in. dia. (2.54cm)	EA	1057
18999932	Label, Biohazard; Fisherbrand; Legend: Biohazard Hazard Identity; Strong adhesive; Bright red fluorescent paper for maximum visibility; Size: 0.87 x 3 in. (2.20 x 7.62cm); 320/roll	EA	1143
18999933	Label, Biohazard; Fisherbrand; Legend: Biohazard Hazard Identity; Strong adhesive; Bright red fluorescent paper for maximum visibility; Size: 0.50 x 1.50 in. (1.27 x 3.81cm); 640/roll	EA	1057
18999934	Label, Biohazard; Fisherbrand; Vertical; Large; Strong adhesive; Made of bright red fluorescent paper for maximum visibility; Size: 3 x 1.93 in. (7.62 x 4.90cm); 320/roll	PK	1374
18999935	Label, Biohazard; Fisherbrand; Large; Meet OSHA requirements; Made from bright red fluorescent paper for maximum visibility; Size: 0.5 x 1.5 in. (1.3 x 3.8cm); 640/roll	EA	1057
18999936	Label, Biohazard; Fisherbrand; Made from bright red fluorescent paper for maximum visibility; Meet OSHA requirements; Large; Size: 3 x 3 in. (7.6 x 7.6cm); 320/roll	PK	1374
18999937	Label, Blank; Fisherbrand; Large; Writable; Biohazard Identity; Meet OSHA requirements; Made from bright red fluorescent paper for maximum visibility; Size: 3 x 1.93 in. (7.62 x 4.60cm)	EA	1374
19038302A	Label, Shipping; Fisherbrand; Infectious substance; 2 x 2 in. (5 x 5cm); 50/pack	PK	1581
19038302C	Label, Shipping; Fisherbrand; Dry-ice; Class 9; Mini Super; 6 x 6 in. (15.24 x 15.24cm); 12/pack	PK	1851
19038302E	Label, Shipping; Fisherbrand; Inner packaging complies; 4 x 2.75 in. (10.2 x 7cm); 12/pack	PK	1177
19038302F	Label, Shipping; Fisherbrand; Cargo aircraft only; 4.27 x 4.5 in. (10.84 x 11.43cm); 12/pack	PK	1851
23287202	Label, Formaldehyde Warning; Fisher Diagnostics; Peel-off size; 1H x 2 in. W (2.5 x 5cm); 1000/roll	EA	13431
<b>Rulers and Measuring Devices</b>			
FBA09016	Ruler; Fisherbrand; Vinyl; 6 in. long (150mm); 0.062 in.; Pack of 100	PK	5792

Cat. No.	Description	Pack	Price in ₹
<b>Scissors</b>			
FBA08935	Scissor, Dissecting; Fisherbrand; Sharp-pointed; Finely finished; Narrow blades; 1 in. edge; Sharp/sharp; FDA-certified material; Sterilizable; Passivated; Autoclavable; HRC 46-50 deg.; Curved; Length: 4.1 in. (10.4cm)	EA	1272
FBA08940	Scissor, Dissecting; Fisherbrand; Sharp-pointed; Finely finished; Narrow blades; 1 in. edge; Sharp/sharp; FDA-certified material; Sterilizable; Passivated; Autoclavable; HRC 46-50 deg.; Straight; Length: 4.5 in. (11.4cm)	EA	426
FBA08945	Scissor, Utility; Fisherbrand; For general use; ASTM F899-84 stainless steel; FDA-certified material; Passivated; Autoclavable; Rockwell: HRC 46-50deg.; Sterilizable; Straight; Length: 4.5 in. (11.4cm)	EA	1176
FBA08951	Scissors, Bandage; Fisherbrand; Angled; 1 round tip, 1 flattened; ASTM (F899-84) chrome-plated stainless steel; Passivated; Autoclavable; Rockwell: HRC 46-50deg.; Sterilizable; 4.5 in.	EA	1727
0895110	Scissors, Dissecting; Fisherbrand; Forged surgical-grade stainless steel; FDA certified material; Can be sterilized; Passivated; Autoclavable; Rockwell: HRC 46-50deg.; 4.5 in.; Curved	EA	2175
0895120	Scissor, Dissecting; Fisherbrand; Forged surgical-grade stainless steel; FDA certified material; Can be sterilized; Passivated; Autoclavable; Rockwell: HRC 46-50deg.; Straight; Length: 6 in. (150mm)	EA	2103
0895125	Scissors, Dissecting; Fisherbrand; Forged surgical-grade stainless steel; FDA certified material; Can be sterilized; Passivated; Autoclavable; Rockwell: HRC 46-50deg.; Length: 5.125 in. (130mm); Curved	EA	2997
0895130	Scissors, Universal; Fisherbrand; W/footplate; FDA-certified material; Autoclavable; HRC 46-50deg.; Type 4, Grade 420, stainless steel; 1 blade serrated, other has footplate; Plastic handles; 7 in.L	EA	1183
089515	Scissor, Dissecting; Fisherbrand; Forged surgical-grade stainless steel; FDA certified material; Can be sterilized; Passivated; Autoclavable; Rockwell: HRC 46-50deg.; Straight; Length: 4.5 in. (11.4cm)	EA	2390
FBA08952	Scissors, Bandage; Fisherbrand; Angled; 1 round tip, 1 flattened; ASTM (F899-84) stainless steel; Passivated; Autoclavable; Rockwell: HRC 46-50deg.; Sterilizable; 5-1/2 in.	EA	981
089531B	Microscissors, Straight; Fisherbrand; Stainless-steel blades; FDA-certified material; Sterilizable; Passivated; Autoclavable; HRC 46-50deg.; 4.75 in. (120mm)L	EA	5638
1380412	Scissors, Dissecting; Fisherbrand; Mayo style; Forged surgical-grade stainless steel; FDA certified material; Can be sterilized; Passivated; Autoclavable; Rockwell: HRC 46-50deg.; 6.75 in.; Curved	EA	2099
1380418	Scissors, Iris; Fisherbrand; Angled; Sharp/blunt points; Surgical-grade stainless steel; 4.5 in.; FDA-certified material; Sterilizable; Passivate; Autoclavable; HRC 46-50deg.	EA	2757
138042	Scissors, Abdominal; Fisherbrand; Doyen; Forged from surgical-grade stainless steel; FDA certified material; Can be sterilized; Passivated; Autoclavable; Rockwell: HRC 46-50deg.; Straight	EA	4345
1380420	Scissors, Operating; Fisherbrand; Curved; Passivated; Rockwell hardness: 46-50deg.; Autoclavable to 135deg.C; Sterilizable; Produced under ISO9001, GMP, cGMP guidelines; One sharp point, one blunt; 5-1/2 in.	EA	1494
1380421	Scissors, Operating; Fisherbrand; Curved; Passivated; Rockwell hardness: 46-50deg.; Autoclavable to 135deg.C; Sterilizable; Produced under ISO9001, GMP, cGMP guidelines; One sharp point, one blunt; 6-1/2 in.	EA	2571
1380422	Scissors, Operating; Fisherbrand; Curved; Passivated; Rockwell hardness: 46-50deg.; Autoclavable to 135deg.C; Sterilizable; Produced under ISO9001, GMP, cGMP guidelines; Two sharp points; 5-1/2 in.	EA	1425
138044	Scissors, Abdominal; Fisherbrand; Doyen; Forged from surgical-grade stainless steel; FDA certified material; Can be sterilized; Passivated; Autoclavable; Rockwell: HRC 46-50deg.; Curved	EA	4935
138045	Scissors, Dissecting; Fisherbrand; Mayo style; Forged surgical-grade stainless steel; FDA certified material; Can be sterilized; Passivated; Autoclavable; Rockwell: HRC 46-50deg.; 5.5 in.; Curved	EA	1998
138046	Scissors, Dissecting; Fisherbrand; Mayo style; Forged surgical-grade stainless steel; FDA certified material; Can be sterilized; Passivated; Autoclavable; Rockwell: HRC 46-50deg.; 5.5 in.; Straight	EA	2191
138048	Scissors, Dissecting; Fisherbrand; Mayo style; Forged surgical-grade stainless steel; FDA certified material; Can be sterilized; Passivated; Autoclavable; Rockwell: HRC 46-50deg.; 6.75 in.; Straight	EA	2999
FBA13806	Scissor, Operating; Fisherbrand; Straight-blade; Surgical-grade stainless steel; Sterilizable; Passivated; Autoclavable; HRC 46-50deg.; Blunt/blunt; Length: 4.5 in. (11.4cm)	EA	3223
138062	Scissors, Operating; Fisherbrand; Straight-blade; Surgical-grade stainless steel; Sterilizable; Passivated; Autoclavable; HRC 46-50deg.; Blunt/sharp; Length: 4.5 in.	EA	1456
138064	Scissor, Operating; Fisherbrand; Straight-blade; Surgical-grade stainless steel; Sterilizable; Passivated; Autoclavable; HRC 46-50deg.; Sharp/sharp; Length: 4.5 in. (11.4cm)	EA	2529
138082	Scissors, Operating; Fisherbrand; Straight-blade; Surgical-grade stainless steel; Sterilizable; Passivated; Autoclavable; HRC 46-50deg.; Blunt/sharp; Length: 5.5 in.	EA	1743
138084	Scissors, Operating; Fisherbrand; Straight-blade; Surgical-grade stainless steel; Sterilizable; Passivated; Autoclavable; HRC 46-50deg.; Sharp/sharp; Length: 5.5 in.	EA	2677

Cat. No.	Description	Pack	Price in ₹
138102	Scissors, Operating; Fisherbrand; Straight-blade; Surgical-grade stainless steel; Sterilizable; Passivated; Autoclavable; HRC 46-50deg.; Blunt/sharp; Length: 6.5 in.	EA	1996
138104	Scissors, Operating; Fisherbrand; Straight-blade; Surgical-grade stainless steel; Sterilizable; Passivated; Autoclavable; HRC 46-50deg.; Sharp/sharp; Length: 6.5 in.	EA	1774
14275A	Scissors, Short-Blade; Heavyweight; Fisherbrand; Overall Length: 6 in.; Cut Length: 2.75 in.; Hot-hammer forged, hardened and tempered of special cutlery steel; Double-plated chrome over nickel with black enameled handles	EA	3165
14275B	Scissors, Short-blade; Heavyweight; Fisherbrand; Hot-hammer forged, hardened and tempered of special cutlery steel; Double-plated chrome over nickel with black enameled handles; Overall length: 8 in.; Cut length: 4 in.	EA	4041
14275C	Scissors, Heavyweight; Fisherbrand; Long-blade; Special cutlery steel; Double-plated chrome over nickel; Black enameled handles; 10 in.L; 5.375 in. cut	EA	4724
FBA14277	Scissor, Utility Cutter; Fisherbrand; Short-angled stainless steel blade; Polycarbonate handle; 1 blade finely serrated; Length: 7 in. (180mm)	EA	1219
FBA14285	Scissors, Heavyweight; Fisherbrand; Long-handle; Short blades; Forbed molybdenum-alloy steel; Fitted w/screw/nut; Chromium over nickel-plated blades; Black enameled handles; 7.5 in.L; 2.75 in. cut	EA	2968
<b>Spatulas</b>			
14357Q	Spatula; Fisherbrand; Scoopula; Stainless steel; Minimizes spilling in handling small amounts of material; Rust-proof; One pointed end, one blunt end; Length: 6 in. (15cm)	PK	1843
FBA14358	Handle, Wooden; Fisherbrand; Scoopula; Fastens to either end of spatula; Extends reach; Added prying power; Length: 4 in. (10cm)	EA	488
14360A	Spatula, Low-priced; Fisherbrand; Flexible carbon-steel blade; Riveted hardwood handle; Blade length: 3 in. (7.62cm)	EA	923
14360B	Spatula, Low-priced; Fisherbrand; Flexible carbon-steel blade; Riveted hardwood handle; Blade length: 4 in. (10.16cm)	EA	992
14360C	Spatula, Low-priced; Fisherbrand; Flexible carbon-steel blade; Riveted hardwood handle; Blade length: 5 in. (12.7cm)	EA	997
14360D	Spatula, Low-priced; Fisherbrand; Flexible carbon-steel blade; Riveted hardwood handle; Blade length: 6 in. (15.24cm)	EA	1239
14360E	Spatula, Low-priced; Fisherbrand; Flexible carbon-steel blade; Riveted hardwood handle; Blade length: 8 in. (20.32cm)	EA	1402
14360F	Spatula, Low-priced; Fisherbrand; Flexible carbon-steel blade; Riveted hardwood handle; Blade length: 10 in. (25.4cm)	EA	1799
14360G	Spatula, Low-priced; Fisherbrand; Flexible carbon-steel blade; Riveted hardwood handle; Blade length: 12 in. (30.48cm)	EA	2112
14365A	Spatula; Fisherbrand; With stainless steel, non-stick blade; Bright finish; Riveted hardwood handle; Rust and corrode resistant; Blade length: 3 in. (7.6cm)	EA	456
14365B	Spatula; Fisherbrand; With stainless steel, non-stick blade; Riveted hardwood handle; Rust and corrode resistant; Blade length: 4 in. (10.16cm)	EA	992
14365C	Spatula; Fisherbrand; With stainless steel, non-stick blade; Riveted hardwood handle; Rust and corrode resistant; Blade length: 5 in. (12.7cm)	EA	1095
14365D	Spatula; Fisherbrand; With stainless steel, non-stick blade; Riveted hardwood handle; Rust and corrode resistant; Blade length: 6 in. (15.24cm)	EA	1297
14365E	Spatula; Fisherbrand; With stainless steel, non-stick blade; Riveted hardwood handle; Rust and corrode resistant; Blade length: 8 in. (20.32cm)	EA	1680
14365F	Spatula; Fisherbrand; With stainless steel, non-stick blade; Riveted hardwood handle; Rust and corrode resistant; Blade length: 10 in. (25.4cm)	EA	2455
14365G	Spatula; Fisherbrand; With stainless steel, non-stick blade; Riveted hardwood handle; Rust and corrode resistant; Blade length: 12 in. (30.48cm)	EA	2744
14366A	Spatula; Fisherbrand; Handi-Hold; PVC handle; SS blade; Resists deterioration by boiling water, acids and most solvents; Blade length: 3 in. (7.6cm)	EA	988
14366B	Spatula; Fisherbrand; Handi-Hold; PVC handle; SS blade; Resists deterioration by boiling water, acids and most solvents; Blade length: 4 in. (10cm)	EA	1057

Cat. No.	Description	Pack	Price in ₹
14366C	Spatula; Fisherbrand; Handi-Hold; PVC handle; SS blade; Resists deterioration by boiling water, acids and most solvents; Blade length: 5 in. (13cm)	EA	1189
14366D	Spatula; Fisherbrand; Handi-Hold; PVC handle; SS blade; Resists deterioration by boiling water, acids and most solvents; Blade length: 6 in. (15cm)	EA	1225
14366E	Spatula; Fisherbrand; Handi-Hold; PVC handle; SS blade; Resists deterioration by boiling water, acids and most solvents; Blade length: 8 in. (20cm)	EA	1420
14371A	Spatula, Weighing; Fisherbrand; SS; w/Bright satin finish; Riveted hardwood handle; Flexible, tapered blade; Easily handles materials to be weighed; Blade length: 3 in. (7.6cm)	EA	941
14371B	Spatula, Weighing; Fisherbrand; SS; w/Bright satin finish; Riveted hardwood handle; Flexible, tapered blade; Easily handles materials to be weighed; Blade length: 4 in. (10cm)	EA	1035
14371C	Spatula, Weighing; Fisherbrand; SS; w/Bright satin finish; Riveted hardwood handle; Flexible, tapered blade; Easily handles materials to be weighed; Blade length: 5 in. (13cm)	EA	1189
FBA14373	Spatula; Fisherbrand; Chemi-Scraper; Type 410 stainless steel with bright satin finish; One rounded and one square end; Length: 7 in. (18cm)	EA	925
1437325A	Spatula; Fisherbrand; Type 18-8 nickel stainless steel; For heavier work; Stem dia.: 0.156 in. (4mm); One rounded, one squared; Length: 12 in. (31cm)	EA	2114
1437325B	Spatula; Fisherbrand; Type 18-8 nickel stainless steel; For heavier work; Stem dia.: 0.156 in. (4mm); One rounded, one squared; Length: 18 in. (46cm)	EA	2945
FBA14374	Spatula, Semimicro; Fisherbrand; SS; With one tapered end, one rounded end; Tip thickness: 0.035 in. (0.89mm); Length: 7 in. (18cm)	EA	674
1437510	Spoon, Lab; Fisherbrand; Polished stainless steel; For transferring crystalline materials, crushing lumps, scraping or chopping; Snag-free; Spoon end: 1.25L x 0.56 in. W; Spatula end: 2L x 0.31 in. W; Length: 9 in. (23cm); 6/Pk.	PK	4195
1437520	Spatula, Double ended; Fisherbrand; Polished stainless steel; Spoon end: 1.25L x 0.56 in. W (32 x 14mm); Spatula end: 2L x 0.31 in. W (51 x 7.9mm); Length: 7.25 in. (18.4cm)	EA	753
2140110	Spatula, Micro; Fisherbrand; Stainless-steel blade; Double ended; One end tapered to 0.125 in., one end rounded; Blades approx.: 2L x 0.31 in. W; Length: 8 in. (20cm)	PK	4435
2140115	Spatula, Micro; Fisherbrand; Handi-Hold; Length: 5.5 in. (14cm); Spoon-like stainless-steel blade; Cushion-grip vinyl handle for easy holding; Blade: 0.75L x 0.18 in.W (19 x 4.8mm); 12/Pk.	PK	3938
2140120	Spatula, Micro; Fisherbrand; w/Long, flat-ended SS blade; Cushion-grip vinyl handle; Blade: 2L x 0.31 in.W (51 x 7.9mm); Length: 5.5 in. (14cm); 12/pk.	PK	3267
2140125A	Spatula, Micro; Fisherbrand; Hayman style; Nickel stainless steel blade; Spatula end: 1.25L x 0.125 in. W (32 x 3.2mm); Spoon end: 0.5L x 0.125 in.W (13 x 3.2mm); Stem dia.: 0.103 in. (2.6mm); Length: 6.25 in. (16cm)	EA	862
2140125B	Spatula, Micro; Fisherbrand; Hayman style; Nickel stainless steel blade; w/V-shaped spoon; Spatula end: 1.25L x 0.125 in. W (32 x 3.2mm); Spoon end: 0.5L x 0.125 in.W (13 x 3.2mm); Stemdia.: 0.103 in. (2.6mm); Length: 6.5 in. (17cm)	EA	797
214015	Spatula, Micro; Fisherbrand; Stainless steel; Double flat ends; w/Thin, flexible, rounded blades; Blades approx.: 2L x 0.31 in.W; Length: 8 in. (20cm); 12/pk.	PK	3886
FB65018	Spatula 2262 drawn out to form narrow, bent blade at one end nickel 165mm Fisherbrand	Pack of 5	6357
FB65019	Spatula 2121 lightweight, flat with rounded ends stainless steel 90mm x 20mm Fisherbrand	Pack of 5	3179
FB65021	Spatula 2123 lightweight, flat with rounded ends stainless steel 150mm x 30mm Fisherbrand	Pack of 5	4087
FB65023	Spatula 2010 heavyweight, with one spatulate and one spoon end. stainless steel 120mm x 18mm Fisherbrand	Pack of 5	3431
FB65026	Spatula 2011 spoon one end stainless steel 150mm x 18mm Fisherbrand	Pack of 5	3777
FB65027	Spatula 2013 spoon one end stainless steel 210mm x 18mm Fisherbrand	EA	1218
FB65029	Spatula 2210 Chattaway medium nickel 100mm x 10mm Fisherbrand	Pack of 5	5631
FB65031	Spatula 2212 Chattaway medium nickel 150mm x 10mm Fisherbrand	Pack of 5	6539
FB65033	Spatula 2213 Chattaway medium nickel 180mm x 10mm Fisherbrand	Pack of 5	7084
FB65035	Spatula 2214 Chattaway medium nickel 200mm x 10mm Fisherbrand	Pack of 5	7538
FB65036	Spatula 2215 Chattaway medium nickel 230mm x 10mm Fisherbrand	Pack of 5	8173
FB65037	Spatula 2310 Chattaway medium stainless steel 100mm x 10mm Fisherbrand	Pack of 5	2815
FB65039	Spatula 2312 Chattaway medium stainless steel 150mm x 10mm Fisherbrand	Pack of 5	3105
FB65041	Spatula 2313 Chattaway medium stainless steel 180mm x 10mm Fisherbrand	Pack of 5	3303
FB65043	Spatula 2315 Chattaway medium stainless steel 230mm x 10mm Fisherbrand	Pack of 5	3848
FB65045	Spatula SP/92 double spoon one end nickel 120mm x 14mm Fisherbrand	EA	1796
FB65047	Spatula 2002 double spoon one end nickel 150mm x 17mm Fisherbrand	EA	2018

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
FB65049	Spatula 2003 double spoon one end nickel 180mm x 17mm Fisherbrand	EA	2603
FB65051	Spatula 2004 double spoon one end nickel 210mm x 18mm Fisherbrand	EA	3185
FB65053	Microspatula, nickel, 100mm	Pack of 5	4847
FB65055	Spatula 2251 Chattaway micro nickel 130mm x 4mm Fisherbrand	Pack of 5	4938
FB65057	Spatula 2252 Chattaway micro nickel 150mm x 4mm Fisherbrand	Pack of 5	5012
FB65059	Spatula 2254 Chattaway micro nickel 200mm x 4mm Fisherbrand	Pack of 5	5267
FB65061	Spatula 2350 Chattaway micro stainless steel 100mm x 4mm Fisherbrand	Pack of 5	2122
FB65063	Spatula 2351 Chattaway micro stainless steel 130mm x 4mm Fisherbrand	Pack of 5	2778
FB65065	Spatula 2352 Chattaway micro stainless steel 150mm x 4mm Fisherbrand	Pack of 5	2378
FB65067	Spatula 2354 Chattaway micro stainless steel 200mm x 4mm Fisherbrand	Pack of 5	2815
FB65069	Spatula 2303 Chattaway medium stainless steel 150mm x 8mm Fisherbrand	Pack of 5	3088
FB65071	Spatula 2314 Chattaway medium stainless steel 200mm x 10mm Fisherbrand	Pack of 5	3031
FB65073	Spatula 8044 microspoon spoon size 8 x 6 x 1.5mm deep stainless steel 100mm x 4mm Fisherbrand	Pack of 5	5267
FB65075	Spatula 8045 microspoon spoon size 8 x 6 x 1.5mm deep stainless steel 150mm x 4mm Fisherbrand	Pack of 5	5375
FB65077	Spatula 8202 trough trough size 8 x 50 x 1.5mm deep stainless steel 150mm x 8mm Fisherbrand	Pack of 5	4268
FB65079	Spatula 6850 Nuffield scoop at one end narrow bent blade at the other stainless steel 140mm x 10mm Fisherbrand	Pack of 10	1561
FB65081	Spatula 9370 trulla stainless steel 176mm x 20mm Fisherbrand	Pack of 5	2122
FB65083	Spatula 8205 deep, offset spoon stainless steel 190mm x 20mm Fisherbrand	EA	1335
FB65091	Spatula 2103 flat taper blade nickel 120mm x 25mm Fisherbrand	Pack of 5	14531
FB65093	Spatula 2105 flat taper blade nickel 180mm x 35mm Fisherbrand	EA	5812
FB65098	Spatula Chattaway nickel 270mm Fisherbrand	Pack of 5	8900
FB65099	Spatula 2317 Chattaway stainless steel 300mm Fisherbrand	Pack of 5	5210
FB65100	Spatula Chattaway stainless steel 350mm Fisherbrand	Pack of 5	5664
FB65110	Spatula Chattaway light PTFE coated stainless steel 150mm Fisherbrand	EA	1578
FB65111	Spatula Chattaway light PTFE coated stainless steel 200mm Fisherbrand	EA	821
FB65112	Spatula Chattaway medium PTFE coated stainless steel 100mm Fisherbrand	EA	1618
FB65113	Spatula Chattaway medium PTFE coated stainless steel 150mm Fisherbrand	EA	1692
FB65114	Spatula Chattaway medium PTFE coated stainless steel 180mm Fisherbrand	EA	2099
FB65115	Spatula Chattaway medium PTFE coated stainless steel 200mm Fisherbrand	EA	2163
FB65116	Spatula Chattaway medium PTFE coated stainless steel 230mm Fisherbrand	EA	1890
FB65117	Spatula Chattaway medium PTFE coated stainless steel 350mm Fisherbrand	EA	2173
FB65118	Spatula Chattaway micro PTFE coated stainless steel 100mm Fisherbrand	EA	1480
FB65119	Spatula Chattaway micro PTFE coated stainless steel 150mm Fisherbrand	EA	1574
FB65120	Spatula Chattaway micro PTFE coated stainless steel 200mm Fisherbrand	EA	1645
FB65121	Spatula trough PTFE coated stainless steel 150mm Fisherbrand	EA	1978
FB65122	Spatula trulla PTFE coated stainless steel 175mm Fisherbrand	EA	1689
FB65123	Spatula spoon one end PTFE coated stainless steel 120mm Fisherbrand	EA	1749
FB65124	Spatula PTFE coated stainless steel 150mm spoon one end Fisherbrand	EA	1894
FB65125	Spatula spoon one end PTFE coated stainless steel 210mm Fisherbrand	EA	2452
FB65126	Spatula micro spoon PTFE coated stainless steel 100mm Fisherbrand	EA	2025
FB65127	Spatula micro spoon PTFE coated stainless steel 150mm Fisherbrand	EA	2186
<b>Sponges</b>			
FBA14417	Sponge, Cellulose; Fisherbrand; For general-duty cleaning; Synthetic; Wood-fiber material; Greater uniformity, absorption, wear resistance than natural sponge; 6L x 3.5W x 1 in. H (15 x 8.9 x 2.5cm); Individually packed; 12/Pk.	PK	2063
<b>Stationery</b>			
133794	Pen, Marking; Fisherbrand; Fine tip; Fast drying; Odorless; Ink is permanent on plastic, wood, and ceramic; Ink color: black; 10/Pk.	PK	2221
133795	Pen, Marking; Fisherbrand; Quick-drying; No unpleasant odor; Writes on cold and damp surfaces; Permanent on most surfaces; Resistant to abrasion, water, and alcohol; Fine tip; Ink color: red; 10/Pk.	PK	2221
133796	Pen, Marking; Fisherbrand; Fine tip; Fast drying; Odorless; Ink is permanent on plastic, wood, and ceramic; Ink color: blue; 10/Pk.	PK	2221

Cat. No.	Description	Pack	Price in ₹
133797	Pen, Marking; Fisherbrand; Highly resistant to abrasion and water; Designed to write on cold and damp surfaces; Proven permanent on most surfaces; Tip type: fine tip; Ink color: Green; 10/pk.	PK	2221
<b>Stoppers</b>			
097041	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; No U.S. size no.; European Size No.: 6D	PK	692
097041A	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; No U.S. size no.; European Size No.: 8D	PK	551
097041B	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; No U.S. size no.; European Size No.: 10D	PK	820
097041C	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 000; European Size No.: 13D	PK	902
097041D	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 00; European Size No.: 15D	PK	1259
097041E	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 0; European Size No.: 16D	PK	1293
097041F	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 1; European Size No.: 18D	PK	2007
097041G	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 2; European Size No.: 21D	PK	1649
097041H	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 3; European Size No.: 24D	PK	3129
097041I	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 4; European Size No.: 27D	PK	4101
097041J	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 5; European Size No.: 29D	PK	3897
097041K	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 6; European Size No.: 31D	PK	4563
097041L	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 61/2; European Size No.: 34D	PK	5934
097041M	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 7; European Size No.: 38D	PK	6694
097041N	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 8; European Size No.: 41D	PK	11854
097041P	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 9; European Size No.: 45D	PK	14877
097041Q	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 10; European Size No.: 49D	PK	9305
097041R	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 101/2; European Size No.: 54D	PK	8556
097041S	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 11; European Size No.: 60D	PK	15063
097041T	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 111/2; European Size No.: 65	EA	3217
097041V	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: No; European Size No.: 75D	EA	5226
097041W	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: No; European Size No.: 83D	EA	7727
097041Y	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 15; European Size No.: 100D	EA	13540
097043	Stopper, Silicone; Fisherbrand; Solid; Resist particle buildup; U.S. Size No.: 13; European Size No.: 70D	EA	3868
141301	Stopper; Fisherbrand; Solid rubber construction; Size No. 16	CS	14364
14130A	Stopper; Fisherbrand; Solid rubber construction; Black; Size No. 00	PK	1497
14130B	Stopper; Fisherbrand; Solid rubber construction; Black; Size No. 0	PK	1437
14130C	Stopper; Fisherbrand; Solid rubber construction; Black; Size No. 1	PK	1487
14130D	Stopper; Fisherbrand; Solid rubber construction; Size No. 2	PK	1461
14130E	Stopper; Fisherbrand; Solid rubber construction; Black; Size No. 3	PK	1382
14130F	Stopper; Fisherbrand; Solid rubber construction; Black; Size No. 4	PK	1348
14130G	Stopper; Fisherbrand; Solid rubber construction; Size No. 5	PK	1474
14130H	Stopper; Fisherbrand; Solid rubber construction; Black; Size No. 5-1/2	PK	1474
14130J	Stopper; Fisherbrand; Solid rubber construction; Black; Size No. 6	PK	1361
14130K	Stopper; Fisherbrand; Solid rubber construction; Size No. 6-1/2	PK	1516
14130L	Stopper; Fisherbrand; Solid rubber construction; Black; Size No. 7	PK	1356
14130M	Stopper; Fisherbrand; Solid rubber construction; Black; Size No. 8	PK	1476
14130N	Stopper; Fisherbrand; Solid rubber construction; Size No. 9	PK	1678
14130P	Stopper; Fisherbrand; Solid rubber construction; Size No. 10	PK	1647
14130Q	Stopper; Fisherbrand; Solid rubber construction; Size No. 10-1/2	PK	1618
14130R	Stopper; Fisherbrand; Solid rubber construction; Black; Size No. 11	PK	1584
14130S	Stopper; Fisherbrand; Solid rubber construction; Size No. 11-1/2	PK	1752
14130T	Stopper; Fisherbrand; Solid rubber construction; Black; Size No. 12	PK	1749
14130U	Stopper; Fisherbrand; Solid rubber construction; Size No. 13	PK	1704
14130UU	Stopper; Fisherbrand; Solid rubber construction; Size No. 13-1/2	EA	629

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
14130V	Stopper; Fisherbrand; Solid rubber construction; Size No. 14	EA	1193
14130W	Stopper; Fisherbrand; Solid rubber construction; Size No. 15	EA	1691
14131A	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Two holes; Tested at 30 in. of Hg; Black; Size: 3	PK	2795
14131B	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Two holes; Tested at 30 in. of Hg; Black; Size: 4	CS	27949
14131C	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Three holes; Tested at 30 in. of Hg; Black; Size: 5	PK	2795
14131D	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Three holes; Tested at 30 in. of Hg; Black; Size: 6	PK	2795
14131E	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Three holes; Tested at 30 in. of Hg; Black; Size: 7	PK	2795
14131F	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Three holes; Tested at 30 in. of Hg; Black; Size: 8	PK	2795
14131G	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Three holes; Tested at 30 in. of Hg; Black; Size: 9	PK	2795
14131H	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Three holes; Tested at 30 in. of Hg; Black; Size: 10	PK	2795
14131J	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Assorted sizes; Tested at 30 in. of Hg; Black	PK	3076
14132	Stopper, Rubber; Fisherbrand; Solid; Assorted sizes 00 to 8; Size in raised figures on top; 5 lb. per pack	PK	11364
14132A	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Two holes; Tested at 30 in. of Hg; White; Size: 3	PK	3333
14132B	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Two holes; Tested at 30 in. of Hg; White; Size: 4	PK	3251
14132C	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Three holes; Tested at 30 in. of Hg; White; Size: 5	PK	3333
14132D	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Three holes; Tested at 30 in. of Hg; White; Size: 6	PK	3333
14132E	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Three holes; Tested at 30 in. of Hg; White; Size: 7	PK	3333
14132F	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Three holes; Tested at 30 in. of Hg; White; Size: 8	PK	3333
14132G	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Three holes; Tested at 30 in. of Hg; White; Size: 9	PK	3333
14132H	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Three holes; Tested at 30 in. of Hg; White; Size: 10	PK	3333
14132J	Stopper, Rubber; Fisherbrand; Twistit; Has twist-off seal on each hole; Assorted size; Tested at 30 in. of Hg; White	PK	3603
141351A	Stopper; Fisherbrand; Solid rubber construction; Black; Size No. 000	PK	1872
14135A	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size No.: 00; Hole Size: 3mm	PK	1597
14135B	Stopper, Rubber; Fisherbrand; For general use; Black; One hole rubber stopper; Size No.: 0; Hole diameter: 3mm	PK	1516
14135C	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size no.: 1; Hole size: 4mm	PK	1605
14135D	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size no.: 2; Hole size: 5mm	PK	1594
14135E	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size No.: 3; Hole Size: 5mm	PK	1495
14135F	Stopper, Rubber; Fisherbrand; For general use; Black; One hole rubber stopper; Size No.: 4; Hole diameter: 5mm	PK	1466
14135G	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size No.: 5; Hole Size: 5mm	PK	1610
14135H	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size No.: 51/2; Hole Size: 5mm	PK	1610
14135J	Stopper, Rubber; Fisherbrand; For general use; Black; One hole rubber stopper; Size No.: 6; Hole diameter: 5mm	PK	1482
14135K	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size No.: 61/2; Hole Size: 5mm	PK	1502
14135L	Stopper, Rubber; Fisherbrand; For general use; Black; One hole rubber stopper; Size No.: 7; Hole diameter: 5mm	PK	1447
14135M	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size No.: 8; Hole Size: 5mm	PK	1575



Cat. No.	Description	Pack	Price in ₹
14135N	Stopper, Rubber; Fisherbrand; For general use; Black; One hole rubber stopper; Size No.: 9; Hole diameter: 5mm	PK	1728
14135P	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size No.: 10; Hole Size: 5mm	PK	1704
14135Q	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size No.: 11; Hole Size: 5mm	PK	2006
14135R	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size No.: 12; Hole Size: 5mm	PK	2006
14135S	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size No.: 13; Hole Size: 5mm	PK	2006
14135T	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size No.: 14; Hole Size: 5mm	EA	1293
14135U	Stopper, Rubber; Fisherbrand; One hole rubber stopper; Size No.: 15; Hole Size: 5mm	EA	1961
14140A	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 00; Hole size: 3mm	PK	1670
14140B	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 0; Hole size: 3mm	PK	1573
14140C	Stopper, Rubber; Fisherbrand; Two hole; Size no.: 1; Hole size: 4mm	PK	1676
14140D	Stopper, Rubber; Fisherbrand; Two hole; Size no.: 2; Hole size: 5mm	PK	1676
14140E	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 3; Hole size: 5mm	PK	1605
14140F	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 4; Hole size: 5mm	PK	1560
14140G	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 5; Hole size: 5mm	PK	1589
14140H	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 6; Hole size: 5mm	PK	1466
14140J	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 7; Hole size: 5mm	PK	1450
14140K	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 8; Hole size: 5mm	PK	1623
14140L	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 9; Hole size: 5mm	PK	1704
14140M	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 10; Hole size: 5mm	PK	1995
14140N	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 11; Hole size: 5mm	PK	2006
14140P	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 12; Hole size: 5mm	PK	1836
14140Q	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 13; Hole size: 5mm	PK	1940
14140R	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 14; Hole size: 5mm	EA	1356
14140S	Stopper, Rubber; Fisherbrand; Two hole; Size No.: 15; Hole size: 5mm	EA	1904
14141A	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 0	PK	2229
14141B	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 1	PK	2315
14141C	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 2	PK	2213
14141D	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 3	PK	2161
14141E	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 4	PK	2103
14141F	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 5	PK	2247
14141G	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 6	PK	2268
14141H	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 61/2	PK	2231
14141J	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 7	PK	2169
14141K	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 8	PK	2334
14141L	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 9	PK	2441
14141M	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 10	PK	2420
14141N	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 101/2	PK	2423
14141P	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 11	PK	2386
14141Q	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 111/2	PK	2533

Cat. No.	Description	Pack	Price in ₹
14141R	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 12	PK	2567
14141S	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 13	PK	2376
14141T	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 131/2	EA	813
14141V	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 14	EA	1413
14141W	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 15	CS	18274
14141X	Stopper, Rubber; Fisherbrand; Solid neoprene; Resists petroleum products, fats, oils, and organic chemicals; Size No.: 16	CS	18945
14385995	Stopper, Disposable; Fisherbrand; Round; 16mm Dia.; Polyethylene; Use with Culture and General-Purpose Tubes	CS	5478
14385999	Stopper, Disposable; Fisherbrand; Square; 10.75 x 10.75mm; Polypropylene; Use with cuvetts	CS	11884
FBA21381	Stopper, Rubber; Fisherbrand; Solid; Top diameter: 12.7mm; Bottom diameter: 3mm; Length: 50mm; For Microchemical apparatus M21	PK	1817
FB57872	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; No size number; For I.D openings: 7.75 to 8.25mm; 9mm overall; 6.5mm plug diameter; Red	PK	1282
FB57873	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; No size number; For I.D openings: 9.25 to 9.75mm; 13mm overall; 8.0mm plug diameter; Red	PK	1408
FB57874	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 00; For I.D openings: 11.0 to 11.50mm; 17mm overall; 9.5mm plug diameter; Red	PK	1322
FB57875	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 00; For I.D openings: 12 to 13mm; 21mm overall; 11.00mm plug diameter; Red	PK	1463
FB57876	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 0; For I.D. openings: 13 to 13.50mm; 25mm overall; 12.5mm plug diameter; Red	PK	1311
FB57877	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Turnover; No size number; For I.D openings: 15.00 to 16.00mm; 29mm overall; Red	PK	1350
FB57878	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 2; For I.D openings: 17 to 17.50mm; 33mm overall; 16mm plug diameter; Red	PK	1673
FB57879	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 3; For I.D openings: 17.75 to 18.75mm; 37mm overall; 17.5mm plug diameter; Red	PK	1956
FB57880	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 4; For I.D openings: 20.00 to 21.00mm; 41mm overall; 19.0mm plug diameter; Red	PK	2449
FB57881	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 4; For I.D openings: 22.0 to 23.0mm; 45mm overall; 20.5mm plug diameter; Red	PK	2292
FB57882	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; No size number; For I.D openings: 7.75 to 8.25mm; 49mm overall; 6.5mm plug diameter; Red	PK	3002
FB57883	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 51/2; For I.D openings: 25.50 to 26.50mm; 53mm overall; 24mm plug diameter; Red	PK	3910
FB57884	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 6; For I.D openings: 26.50 to 27.50mm; 57mm overall; 25.50mm plug diameter; Red	PK	3752
FB57895	Stoppers, Rubber; Fisherbrand; Silicone; Recessed Septum; Nontoxic and autoclavable; Externally serrated to create effective internal seal; Elliptical flange to allow efficient removal; No Size no.; For I.D openings: 9.25 to 9.75mm	PK	1704
FB57896	Stoppers, Rubber; Fisherbrand; Silicone; Recessed Septum; Nontoxic and autoclavable; Externally serrated to create effective internal seal; Elliptical flange to allow efficient removal; Size no.: 0; For I.D openings: 13.75 to 14.25mm	PK	2740
FB57897	Stoppers, Rubber; Fisherbrand; Silicone; Recessed Septum; Nontoxic and autoclavable; Externally serrated to create effective internal seal; Elliptical flange to allow efficient removal; Size no.: 1; For I.D openings: 14.50 to 15.50mm	PK	2651
FB57898	Stoppers, Rubber; Fisherbrand; Silicone; Recessed Septum; Nontoxic and autoclavable; Externally serrated to create effective internal seal; Elliptical flange to allow efficient removal; Size no.: 3; For I.D openings: 20.00 to 21.00mm	PK	6070
FB68680	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; No size number; For I.D openings: 7.75 to 8.25mm; 9mm overall; 6.5mm plug diameter; Cream	PK	1282

Cat. No.	Description	Pack	Price in ₹
FB68681	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; No size number; For I.D openings: 9.25 to 9.75mm; 13mm overall; 8.0mm plug diameter; Cream	PK	1408
FB68682	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 00; For I.D openings: 11.00 to 11.50mm; 17mm overall; 9.5mm plug diameter; Cream	PK	1322
FB68683	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 00; For I.D openings: 11.00 to 11.50mm; 21mm overall; 11.0mm plug diameter; Cream	PK	1463
FB68684	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 0; For I.D openings: 13.00 to 13.50mm; 25mm overall; 12.5mm plug diameter; Cream	PK	1350
FB68685	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 1; For I.D openings: 15.00 to 16.00mm; 29mm overall; 14.0mm plug diameter; Cream	PK	1350
FB68686	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 2; For I.D openings: 17.00 to 17.50mm; 33mm overall; 16.0mm plug diameter; Cream	PK	1673
FB68687	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 3; For I.D openings: 17.75 to 18.75mm; 37mm overall; 17.5mm plug diameter; Cream	PK	1956
FB68688	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 4; For I.D openings: 20.00 to 21.00mm; 41mm overall; 19.0mm plug diameter; Cream	PK	2449
FB68689	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 4; For I.D openings: 22.00 to 23.00mm; 45mm overall; 20.5mm plug diameter; Cream	PK	2599
FB68690	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 5; For I.D openings: 23.50 to 24.50mm; 49mm overall; 22.0mm plug diameter; Cream	PK	3002
FB68691	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Size: 51/2; For I.D openings: 25.50 to 26.50mm; 53mm overall; 24.0mm plug diameter; Cream	PK	3910
FB68692	Stopper, Rubber; Fisherbrand; Easily perforated with hypodermic needles; Cream stoppers; Size No.: 6; For I.D openings: 26.50 to 27.50mm; 57mm Overall, 25.50mm Plug diameter	PK	3752
FB51003	Stopper solid neoprene grey 3mm bottom diameter Fisherbrand	Pack of 50	848
FB51004	Stopper solid neoprene grey 4mm bottom diameter Fisherbrand	Pack of 50	848
FB51005	Stopper solid neoprene grey 5mm bottom diameter Fisherbrand	Pack of 20	478
FB51006	Stopper solid neoprene grey 6mm bottom diameter Fisherbrand	Pack of 20	501
FB51007	Stopper solid neoprene grey 7mm bottom diameter Fisherbrand	Pack of 20	518
FB51008	Stopper solid neoprene grey 8mm bottom diameter Fisherbrand	Pack of 20	619
FB51009	Stopper solid neoprene grey 9mm bottom diameter Fisherbrand	Pack of 20	656
FB51010	Stopper solid neoprene grey 10mm bottom diameter Fisherbrand	Pack of 20	730
FB51011	Stopper solid neoprene grey 11mm bottom diameter Fisherbrand	Pack of 20	834
FB51013	Stopper solid neoprene grey 13mm bottom diameter Fisherbrand	Pack of 20	915
FB51015	Stopper solid neoprene grey 15mm bottom diameter Fisherbrand	Pack of 20	1029
FB51017	Stopper solid neoprene grey 17mm bottom diameter Fisherbrand	Pack of 20	1460
FB51031	Stopper solid neoprene grey 31mm bottom diameter Fisherbrand	Pack of 5	1386
FB51033	Stopper solid neoprene grey 33mm bottom diameter Fisherbrand	Pack of 5	1625
FB51035	Stopper solid neoprene grey 35mm bottom diameter Fisherbrand	Pack of 5	1779
FB51037	Stopper solid neoprene grey 37mm bottom diameter Fisherbrand	Pack of 5	1927
FB51039	Stopper solid neoprene grey 39mm bottom diameter Fisherbrand	Pack of 5	2227
FB51041	Stopper solid neoprene grey 41mm bottom diameter Fisherbrand	Pack of 2	1130
FB51043	Stopper solid neoprene grey 43mm bottom diameter Fisherbrand	Pack of 2	1208
FB51045	Stopper solid neoprene grey 45mm bottom diameter Fisherbrand	Pack of 2	1298
FB51049	Stopper solid neoprene grey 49mm bottom diameter Fisherbrand	Pack of 2	1443
FB51053	Stopper solid neoprene grey 53mm bottom diameter Fisherbrand	EA	942
FB51057	Stopper solid neoprene grey 57mm bottom diameter Fisherbrand	EA	1204
FB51062	Stopper solid neoprene grey 62mm bottom diameter Fisherbrand	EA	1615
FB51067	Stopper solid neoprene grey 67mm bottom diameter Fisherbrand	EA	1763
FB51071	Stopper solid neoprene grey 71mm bottom diameter Fisherbrand	EA	1978
FB51075	Stopper solid neoprene grey 75mm bottom diameter Fisherbrand	EA	2297
FB51079	Stopper solid neoprene grey 79mm bottom diameter Fisherbrand	EA	3374
FB51086	Stopper solid neoprene grey 86mm bottom diameter Fisherbrand	EA	3505
FB51092	Stopper solid neoprene grey 92mm bottom diameter Fisherbrand	EA	3972
FB51099	Stopper solid neoprene grey 99mm bottom diameter Fisherbrand	EA	4477

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
FB52003	Stopper solid BS 2775 rubber red 3mm bottom diameter Fisherbrand	Pack of 50	807
FB52004	Stopper solid BS 2775 rubber red 4mm bottom diameter Fisherbrand	Pack of 50	807
FB52005	Stopper solid BS 2775 rubber red 5mm bottom diameter Fisherbrand	Pack of 50	1187
FB52006	Stopper solid BS 2775 rubber red 6mm bottom diameter Fisherbrand	Pack of 50	1187
FB52007	Stopper solid BS 2775 rubber red 7mm bottom diameter Fisherbrand	Pack of 20	505
FB52008	Stopper solid BS 2775 rubber red 8mm bottom diameter Fisherbrand	Pack of 20	562
FB52009	Stopper solid BS 2775 rubber red 9mm bottom diameter Fisherbrand	Pack of 20	602
FB52010	Stopper solid BS 2775 rubber red 10mm bottom diameter Fisherbrand	Pack of 20	622
FB52011	Stopper solid BS 2775 rubber red 11mm bottom diameter Fisherbrand	Pack of 20	673
FB52013	Stopper solid BS 2775 rubber red 13mm bottom diameter Fisherbrand	Pack of 20	676
FB52015	Stopper solid BS 2775 rubber red 15mm bottom diameter Fisherbrand	Pack of 20	797
FB52017	Stopper solid BS 2775 rubber red 17mm bottom diameter Fisherbrand	Pack of 20	1123
FB52019	Stopper solid BS 2775 rubber red 19mm bottom diameter Fisherbrand	Pack of 20	1258
FB52021	Stopper solid BS 2775 rubber red 21mm bottom diameter Fisherbrand	Pack of 20	1463
FB52023	Stopper solid BS 2775 rubber red 23mm bottom diameter Fisherbrand	Pack of 20	1773
FB52025	Stopper solid BS 2775 rubber red 25mm bottom diameter Fisherbrand	Pack of 20	2025
FB52027	Stopper solid BS 2775 rubber red 27mm bottom diameter Fisherbrand	Pack of 10	1332
FB52029	Stopper solid BS 2775 rubber red 29mm bottom diameter Fisherbrand	Pack of 10	1467
FB52031	Stopper solid BS 2775 rubber red 31mm bottom diameter Fisherbrand	Pack of 10	2119
FB52033	Stopper solid BS 2775 rubber red 33mm bottom diameter Fisherbrand	Pack of 10	2489
FB52035	Stopper solid BS 2775 rubber red 35mm bottom diameter Fisherbrand	Pack of 10	2694
FB52037	Stopper solid BS 2775 rubber red 35mm bottom diameter Fisherbrand	Pack of 10	2926
FB52039	Stopper solid BS 2775 rubber red 37mm bottom diameter Fisherbrand	Pack of 10	3390
FB52041	Stopper solid BS 2775 rubber red 41mm bottom diameter Fisherbrand	Pack of 5	2217
FB52043	Stopper solid BS 2775 rubber red 43mm bottom diameter Fisherbrand	Pack of 5	2321
FB52045	Stopper solid BS 2775 rubber red 45mm bottom diameter Fisherbrand	Pack of 5	2553
FB52049	Stopper solid BS 2775 rubber red 49mm bottom diameter Fisherbrand	Pack of 5	2775
FB52053	Stopper solid BS 2775 rubber red 53mm bottom diameter Fisherbrand	Pack of 2	1480
FB52057	Stopper solid BS 2775 rubber red 57mm bottom diameter Fisherbrand	Pack of 2	1843
FB52062	Stopper solid BS 2775 rubber red 61mm bottom diameter Fisherbrand	Pack of 2	2671
FB52067	Stopper solid BS 2775 rubber red 67mm bottom diameter Fisherbrand	Pack of 2	2788
FB52071	Stopper solid BS 2775 rubber red 71mm bottom diameter Fisherbrand	EA	1578
FB52075	Stopper solid BS 2775 rubber red 75mm bottom diameter Fisherbrand	EA	1796
FB52079	Stopper solid BS 2775 rubber red 79mm bottom diameter Fisherbrand	EA	2842
FB52086	Stopper solid BS 2775 rubber red 86mm bottom diameter Fisherbrand	EA	2936
FB52092	Stopper solid BS 2775 rubber red 92mm bottom diameter Fisherbrand	EA	3286
FB52099	Stopper solid BS 2775 rubber red 99mm bottom diameter Fisherbrand	EA	3727
FB52105	Stopper solid BS 2775 rubber red 105mm bottom diameter Fisherbrand	EA	4289
FB53005	Stopper 1 hole BS 2775 rubber red 5mm bottom diameter Fisherbrand	Pack of 50	1187
FB53006	Stopper 1 hole BS 2775 rubber red 6mm bottom diameter Fisherbrand	Pack of 50	1187
FB53007	Stopper 1 hole BS 2775 rubber red 7mm bottom diameter Fisherbrand	Pack of 20	505
FB53008	Stopper 1 hole BS 2775 rubber red 8mm bottom diameter Fisherbrand	Pack of 20	562
FB53009	Stopper 1 hole BS 2775 rubber red 9mm bottom diameter Fisherbrand	Pack of 20	602
FB53010	Stopper 1 hole BS 2775 rubber red 10mm bottom diameter Fisherbrand	Pack of 20	622
FB53011	Stopper 1 hole BS 2775 rubber red 11mm bottom diameter Fisherbrand	Pack of 20	673
FB53013	Stopper 1 hole BS 2775 rubber red 13mm bottom diameter Fisherbrand	Pack of 20	696
FB53015	Stopper 1 hole BS 2775 rubber red 15mm bottom diameter Fisherbrand	Pack of 20	797
FB53017	Stopper 1 hole BS 2775 rubber red 17mm bottom diameter Fisherbrand	Pack of 20	1123
FB53019	Stopper 1 hole BS 2775 rubber red 19mm bottom diameter Fisherbrand	Pack of 20	1258
FB53021	Stopper 1 hole BS 2775 rubber red 21mm bottom diameter Fisherbrand	Pack of 20	1463
FB53023	Stopper 1 hole BS 2775 rubber red 23mm bottom diameter Fisherbrand	Pack of 20	1773
FB53025	Stopper 1 hole BS 2775 rubber red 25mm bottom diameter Fisherbrand	Pack of 20	2025
FB53027	Stopper 1 hole BS 2775 rubber red 27mm bottom diameter Fisherbrand	Pack of 10	1332

Cat. No.	Description	Pack	Price in ₹
FB53029	Stopper 1 hole BS 2775 rubber red 29mm bottom diameter Fisherbrand	Pack of 10	1467
FB53031	Stopper 1 hole BS 2775 rubber red 31mm bottom diameter Fisherbrand	Pack of 10	2119
FB53033	Stopper 1 hole BS 2775 rubber red 33mm bottom diameter Fisherbrand	Pack of 10	2489
FB53035	Stopper 1 hole BS 2775 rubber red 35mm bottom diameter Fisherbrand	Pack of 10	2694
FB53037	Stopper 1 hole BS 2775 rubber red 37mm bottom diameter Fisherbrand	Pack of 10	2926
FB53039	Stopper 1 hole BS 2775 rubber red 39mm bottom diameter Fisherbrand	Pack of 10	3390
FB53041	Stopper 1 hole BS 2775 rubber red 41mm bottom diameter Fisherbrand	Pack of 5	2217
FB53043	Stopper 1 hole BS 2775 rubber red 43mm bottom diameter Fisherbrand	Pack of 5	2321
FB53045	Stopper 1 hole BS 2775 rubber red 45mm bottom diameter Fisherbrand	Pack of 5	2553
FB53049	Stopper 1 hole BS 2775 rubber red 47mm bottom diameter Fisherbrand	Pack of 5	2775
FB53053	Stopper 1 hole BS 2775 rubber red 53mm bottom diameter Fisherbrand	Pack of 2	1480
FB53057	Stopper 1 hole BS 2775 rubber red 57mm bottom diameter Fisherbrand	Pack of 2	1884
FB53062	Stopper 1 hole BS 2775 rubber red 62mm bottom diameter Fisherbrand	Pack of 2	2671
FB53067	Stopper 1 hole BS 2775 rubber red 67mm bottom diameter Fisherbrand	Pack of 2	2849
FB53071	Stopper 1 hole BS 2775 rubber red 71mm bottom diameter Fisherbrand	EA	1578
FB53075	Stopper 1 hole BS 2775 rubber red 75mm bottom diameter Fisherbrand	EA	1796
FB53079	Stopper 1 hole BS 2775 rubber red 79mm bottom diameter Fisherbrand	EA	2842
FB53092	Stopper 1 hole BS 2775 rubber red 92mm bottom diameter Fisherbrand	EA	3286
FB53099	Stopper 1 hole BS 2775 rubber red 99mm bottom diameter Fisherbrand	EA	3727
FB53105	Stopper 1 hole BS 2775 rubber red 105mm bottom diameter Fisherbrand	EA	4289
FB54015	Stopper 2 hole BS 2775 rubber red 15mm bottom diameter Fisherbrand	Pack of 20	797
FB54017	Stopper 2 hole BS 2775 rubber red 17mm bottom diameter Fisherbrand	Pack of 20	1123
FB54019	Stopper 2 hole BS 2775 rubber red 19mm bottom diameter Fisherbrand	Pack of 20	1258
FB54021	Stopper 2 hole BS 2775 rubber red 21mm bottom diameter Fisherbrand	Pack of 20	1463
FB54023	Stopper 2 hole BS 2775 rubber red 23mm bottom diameter Fisherbrand	Pack of 20	1773
FB54025	Stopper 2 hole BS 2775 rubber red 25mm bottom diameter Fisherbrand	Pack of 20	2025
FB54027	Stopper 2 hole BS 2775 rubber red 27mm bottom diameter Fisherbrand	Pack of 10	1332
FB54029	Stopper 2 hole BS 2775 rubber red 29mm bottom diameter Fisherbrand	Pack of 10	1467
FB54031	Stopper 2 hole BS 2775 rubber red 31mm bottom diameter Fisherbrand	Pack of 10	2119
FB54033	Stopper 2 hole BS 2775 rubber red 33mm bottom diameter Fisherbrand	Pack of 10	2489
FB54035	Stopper 2 hole BS 2775 rubber red 35mm bottom diameter Fisherbrand	Pack of 10	2694
FB54037	Stopper 2 hole BS 2775 rubber red 37mm bottom diameter Fisherbrand	Pack of 10	2926
FB54039	Stopper 2 hole BS 2775 rubber red 39mm bottom diameter Fisherbrand	Pack of 10	3390
FB54041	Stopper 2 hole BS 2775 rubber red 41mm bottom diameter Fisherbrand	Pack of 5	2217
FB54043	Stopper 2 hole BS 2775 rubber red 43mm bottom diameter Fisherbrand	Pack of 5	2321
FB54045	Stopper 2 hole BS 2775 rubber red 45mm bottom diameter Fisherbrand	Pack of 5	2553
FB54049	Stopper 2 hole BS 2775 rubber red 49mm bottom diameter Fisherbrand	Pack of 5	2775
FB54053	Stopper 2 hole BS 2775 rubber red 53mm bottom diameter Fisherbrand	Pack of 2	1480
FB54057	Stopper 2 hole BS 2775 rubber red 57mm bottom diameter Fisherbrand	Pack of 2	1884
FB54062	Stopper 2 hole BS 2775 rubber red 62mm bottom diameter Fisherbrand	Pack of 2	2671
FB54067	Stopper 2 hole BS 2775 rubber red 67mm bottom diameter Fisherbrand	Pack of 2	2849
FB54071	Stopper 2 hole BS 2775 rubber red 71mm bottom diameter Fisherbrand	Pack of 2	1578
FB54075	Stopper 2 hole BS 2775 rubber red 75mm bottom diameter Fisherbrand	EA	1796
FB54079	Stopper 2 hole BS 2775 rubber red 79mm bottom diameter Fisherbrand	EA	2842
FB54092	Stopper 2 hole BS 2775 rubber red 92mm bottom diameter Fisherbrand	EA	3286
FB54099	Stopper 2 hole BS 2775 rubber red 99mm bottom diameter Fisherbrand	EA	3727
FB54105	Stopper 2 hole BS 2775 rubber red 105mm bottom diameter Fisherbrand	EA	4289
FB54113	Stopper solid BS 2775 rubber BS 2775 assorted red Fisherbrand	Pack of 67	5099
FB54115	Stopper 1 hole BS 2775 rubber assorted red Fisherbrand	Pack of 67	5099
FB54117	Stopper 2 hole BS 2775 rubber assorted red Fisherbrand	Pack of 48	5099
FB55003	Stopper solid silicone 3mm bottom diameter Fisherbrand	Pack of 50	1282
FB55004	Stopper solid silicone 4mm bottom diameter Fisherbrand	Pack of 50	1282
FB55005	Stopper solid silicone 5mm bottom diameter Fisherbrand	Pack of 50	1443

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
FB55006	Stopper solid silicone 6mm bottom diameter Fisherbrand	Pack of 50	1611
FB55007	Stopper solid silicone 7mm bottom diameter Fisherbrand	Pack of 50	1816
FB55008	Stopper solid silicone 8mm bottom diameter Fisherbrand	Pack of 20	1060
FB55009	Stopper solid silicone 9mm bottom diameter Fisherbrand	Pack of 20	1221
FB55010	Stopper solid silicone 10mm bottom diameter Fisherbrand	Pack of 20	1483
FB55011	Stopper solid silicone 11mm bottom diameter Fisherbrand	Pack of 10	1073
FB55013	Stopper solid silicone 13mm bottom diameter Fisherbrand	Pack of 10	1366
FB55015	Stopper solid silicone 15mm bottom diameter Fisherbrand	Pack of 10	1783
FB55017	Stopper solid silicone 17mm bottom diameter Fisherbrand	Pack of 10	2338
FB55019	Stopper solid silicone 19mm bottom diameter Fisherbrand	Pack of 5	1567
FB55021	Stopper solid silicone 21mm bottom diameter Fisherbrand	Pack of 5	1749
FB55023	Stopper solid silicone 23mm bottom diameter Fisherbrand	Pack of 5	2186
FB55025	Stopper solid silicone 25mm bottom diameter Fisherbrand	Pack of 2	942
FB55027	Stopper solid silicone 27mm bottom diameter Fisherbrand	Pack of 2	1322
FB55029	Stopper solid silicone 29mm bottom diameter Fisherbrand	Pack of 2	1440
FB55031	Stopper solid silicone 31mm bottom diameter Fisherbrand	Pack of 2	1931
FB55033	Stopper solid silicone 33mm bottom diameter Fisherbrand	Pack of 2	2294
FB55035	Stopper solid silicone 35mm bottom diameter Fisherbrand	EA	1349
FB55037	Stopper solid silicone 37mm bottom diameter Fisherbrand	EA	1463
FB55039	Stopper solid silicone 39mm bottom diameter Fisherbrand	EA	1645
FB55041	Stopper solid silicone 41mm bottom diameter Fisherbrand	EA	2011
FB55043	Stopper solid silicone 43mm bottom diameter Fisherbrand	EA	2206
FB55045	Stopper solid silicone 45mm bottom diameter Fisherbrand	EA	2334
FB55049	Stopper solid silicone 49mm bottom diameter Fisherbrand	EA	2694
FB55053	Stopper solid silicone 53mm bottom diameter Fisherbrand	EA	3364
FB55057	Stopper solid silicone 57mm bottom diameter Fisherbrand	EA	4211
FB55062	Stopper solid silicone 62mm bottom diameter Fisherbrand	EA	5362
FB55067	Stopper solid silicone 67mm bottom diameter Fisherbrand	EA	6048
FB55071	Stopper solid silicone 71mm bottom diameter Fisherbrand	EA	6774
FB55086	Stopper solid silicone 86mm bottom diameter Fisherbrand	EA	11006
FB55099	Stopper solid silicone 99mm bottom diameter Fisherbrand	EA	14194
FB55105	Stopper solid silicone 105mm bottom diameter Fisherbrand	EA	18782
FB57872	Stopper turnover flange and serrations rubber red 6.5mm plug diameter Fisherbrand	Pack of 10	774
FB57873	Stopper turnover flange and serrations rubber red 8mm plug diameter Fisherbrand	Pack of 10	811
FB57874	Stopper turnover flange and serrations rubber red 9.5mm plug diameter Fisherbrand	Pack of 10	784
FB57875	Stopper turnover flange and serrations rubber red 11mm plug diameter Fisherbrand	Pack of 10	881
FB57876	Stopper turnover flange and serrations rubber red 12.5mm plug diameter Fisherbrand	Pack of 10	824
FB57877	Stopper turnover flange and serrations rubber red 14mm plug diameter Fisherbrand	Pack of 10	868
FB57878	Stopper turnover flange and serrations rubber red 16mm plug diameter Fisherbrand	Pack of 10	1070
FB57879	Stopper turnover flange and serrations rubber red 17.5mm plug diameter Fisherbrand	Pack of 10	1474
FB57880	Stopper turnover flange and serrations rubber red 19mm plug diameter Fisherbrand	Pack of 10	1591
FB57881	Stopper turnover flange and serrations rubber red 20.5mm plug diameter Fisherbrand	Pack of 10	1641
FB57882	Stopper turnover flange and serrations rubber red 22mm plug diameter Fisherbrand	Pack of 10	2262
FB57883	Stopper turnover flange and serrations rubber red 24mm plug diameter Fisherbrand	Pack of 10	2536
FB57884	Stopper turnover flange and serrations rubber red 25.5mm plug diameter Fisherbrand	Pack of 10	2499
FB57895	Stopper push-in type non-toxic silicone autoclavable 10.7mm plug diameter Fisherbrand	Pack of 10	1312
FB57896	Stopper push-in type non-toxic silicone autoclavable 15mm plug diameter Fisherbrand	Pack of 10	2062
FB57897	Stopper push-in type non-toxic silicone autoclavable 16mm fits tube diameter of 14mm to 16mm Fisherbrand	Pack of 10	2062
FB57898	Stopper push-in type non-toxic silicone autoclavable 16mm fits tube diameter of 23mm to 16mm Fisherbrand	Pack of 10	12425
FB68680	Stopper push-in type non-toxic silicone autoclavable 16mm fits tube diameter of 14mm to 16mm Fisherbrand	Pack of 10	774

Cat. No.	Description	Pack	Price in ₹
FB68681	Stopper turnover flange and serrations rubber white 8mm plug diameter Fisherbrand	Pack of 10	811
FB68682	Stopper turnover flange and serrations rubber white 9.5mm plug diameter Fisherbrand	Pack of 10	784
FB68683	Stopper turnover flange and serrations rubber white 11mm plug diameter Fisherbrand	Pack of 10	881
FB68684	Stopper turnover flange and serrations rubber white 12.5mm plug diameter Fisherbrand	Pack of 10	841
FB68685	Stopper turnover flange and serrations rubber white 14mm plug diameter Fisherbrand	Pack of 10	868
FB68686	Stopper turnover flange and serrations rubber white 16mm plug diameter Fisherbrand	Pack of 10	1049
FB68687	Stopper turnover flange and serrations rubber white 17.5mm plug diameter Fisherbrand	Pack of 10	1232
FB68688	Stopper turnover flange and serrations rubber white 19mm plug diameter Fisherbrand	Pack of 10	1625
FB68689	Stopper turnover flange and serrations rubber white 20.5mm plug diameter Fisherbrand	Pack of 10	1641
FB68690	Stopper turnover flange and serrations rubber white 22mm plug diameter Fisherbrand	Pack of 10	1947
FB68691	Stopper turnover flange and serrations rubber white 22.5mm plug diameter Fisherbrand	Pack of 10	2597
FB68692	Stopper turnover flange and serrations rubber white 25mm plug diameter Fisherbrand	Pack of 10	2442
<b>Surface Tension</b>			
FBA14818	Apparatus, Surface Tension; Fisher Scientific; 250mm borosilicate glass capillary tube; Engraved graduations, 0 to 10cm, in 1mm divisions; Cork holds capillary tube inside outer tube	EA	18035
14818A	Tube, Capillary; Kimble; Replacement; For Surface tension apparatus; With scale	EA	12804
<b>Tongs</b>			
FBA02620	Tongs, Beaker; Fisherbrand; With Fiberglass-covered jaws; Stainless steel; Handles beakers from 100 - 1500mL; Length: 13 in. (33cm)	EA	4271
FBA02621	Covering, Tong; Fisherbrand; Replaceable; Ceramic Sleeves	PK	3682
FBA02622	Tong, Beaker; Fisherbrand; Deluxe; With Fiberglass-covered jaws; Handles beakers from 100 to 2000mL; Jaws are 3 in. (7.6cm) lower than handgrip; Hand is a safe 6 in. (15cm) from beaker; Length: 13 in. (33cm)	EA	17937
FBA08725	Tongs, Dish; Fisherbrand; Stainless steel; Handles 70 to 250mL evaporating dishes, or 3 to 4.75 in. dia. (7.5 to 12.0cm) vessels; Length: 9.5 in. (24cm)	EA	12456
FBA10062	Tong, Flask; Fisherbrand; Stainless steel; For Erlenmeyer or Florence flasks taking the number 4 or 8 stopper	EA	3570
FBA10063	Tongs, Deluxe Flask; Fisherbrand; Holds any Erlenmeyer, Florence, or round-bottom flask taking number 4 or larger stoppers; Stainless steel jaws open to 4.25 in. (11cm) maximum; Overall Length: 9.5 in. (24cm)	EA	17129
FBA15186	Tongs, Crucible; Fisherbrand; Stainless steel; Tapered/Serrated tips with precision closure; Length: 9 in. (23cm)	EA	1066
FBA15193	Tongs, Crucible; Fisherbrand; Stainless Steel; Corrosion resistant; Fastened with a spun rivet; Length: 9 in. (23cm)	EA	2347
FBA15200	Tong, Crucible; Fisherbrand; Budget-Priced; Cadmium plated steel; Length: 9 in. (23cm)	EA	871
FBA15205	Tongs, Crucible; Fisherbrand; With platinum shoes; For very high-temperature work; Contamination-free gripping surface; Approx. weight: 0.062 oz. (2.5g); Length: 10 in. (25cm)	EA	99510
FBA15207	Tongs, Crucible; Fisherbrand; Jumbo; Stainless Steel; Fabricated with integral forefinger and thumb openings; Meets OSHA standards; Length: 18 in. (46cm)	EA	5996
FBA15210	Tongs, Crucible; Fisherbrand; Julian-style; Nickel-plated steel; For use in muffle furnaces; Curved ends; Length: 22 in. (56cm)	EA	5022
FBA15211	Tong, Beaker; Fisherbrand; Flat riveted joint; Made of 0.25 in. dia. (6mm) nickel-plated steel wire; Plastisol coated; Handles beakers of 50 to 1500mL capacity; 4.50 in. Opening; Length: 9 in. (23cm)	EA	1418
FBA15212	Tongs, Beaker; Fisherbrand; 3 Prong; Securely grip irregularly shaped containers and beakers up to 2000mL; Nickel-plated 0.25 in. dia. (6mm) steel wire; Length: 9.25 in. (23.5cm)	EA	2168
FB65085	Tongs 3021 crucible without bow, flat hinge nickel 200mm Fisherbrand	EA	5049
FB65087	Tongs 3061 crucible with bow, flat hinge stainless steel 200mm Fisherbrand	EA	1164
FB65089	Tongs 3051 crucible with bow, flat hinge nickel 200mm Fisherbrand	EA	5049
FB65095	Tongs 3030 crucible without bow, straight flat hinge stainless steel 150mm Fisherbrand	EA	868
FB65097	Tongs 3031 crucible without bow, straight flat hinge stainless steel 200mm Fisherbrand	EA	1070
FB65128	Tongs straight PTFE coated stainless steel 150mm Fisherbrand	EA	2062
FB65129	Tongs straight PTFE coated stainless steel 200mm Fisherbrand	EA	2435
FB65130	Tongs bow PTFE coated stainless steel 150mm Fisherbrand	EA	2119
FB65131	Tongs bow PTFE coated stainless steel 200mm Fisherbrand	EA	2435

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
<b>Tools</b>			
FBA15226	Kit, Tool; Fisherbrand; Heavy blue vinyl case with clear, heavy-duty vinyl compartments; Total of 14 high-quality, precision-made tools	EA	28910
FBA15230	Kit, Instrument Repair; Fisherbrand; Professional tool kit includes 46 precision-engineered tools (see list at right) on two removable, custom-fitted pallets; 6 H x 19 W x 14.5 in.L	EA	112571

### Electrochemistry (PH/PX)

Electrochemistry (PH/PX)			
13300147	Solutions, p, Electrochemistry, Fisher Scientific; Assortment of 5 each: pH 4, pH 7, pH 10 Buffers and Rinse Solution	EA	5538
FBA14844	Test Strips; pH indicator; Fisherbrand; Acid/Alkali test papers; Litmus blue; Turns red in acid; 100 strips per vial; 24 vials	PK	3317
FBA14845	Test Strips; pH indicator; Fisherbrand; Acid/Alkali test papers; Litmus red; Turns blue in base; 100 strips per vial	PK	3380
FBA14850	Test Strips; pH indicator; Fisherbrand; Acid/Alkali test papers; Litmus neutral; Turns red in acid, blue in base; 100 strips per vial	PK	3317
FBA14860	Test Strips; Special Purpose; Fisherbrand, Test papers for Potassium Iodide/Starch detection; Turns blue in presence of free iodine, In vials of 100	PK	4038
FBA14861	Test Strips; pH indicator; Fisherbrand; Acid/Alkali test papers; Congo red; Turns blue in acid, not for weak acid solutions; 100 strips per vial	PK	4327
FBA14862	Test Paper Lead Acetate, Fisherbrand, CAS: (301-04-2)	PK	3605
FBAA979	Paper; pH Indicator; Format: Ribbons; Range: Alkacid Wide Range, pH 2 to 10; Packaging: 3 spools/pk	PK	5286
FBAA980	Test strips; pH; Fisherbrand; Alkacid; Wide pH range: 2, 4, 6, 8, 10; With color-comparison chart; Packaging: amber vials; Quantity: 12 x 100 strips	PK	6443
FBAI180	Chart, Color; Fisher Scientific; Replacement; For universal pH indicators system	EA	12906
FBASI601	pH Indicator Solution, Universal; Fisher Scientific; Rapid determinations; With color chart; For pH determinations from 4.0-10.0; Volume: 1L; Primary CAS: 67-63-0	EA	17023
FB33003	pH indicator paper stick non-bleeding supplied with colour comparison chart 0pH to 14pH 85mm x 6mm Fisherbrand	100 sticks	1228
FB33005	pH indicator paper stick non-bleeding supplied with colour comparison chart 0pH to 6pH 85mm x 6mm Fisherbrand	100 sticks	1228
FB33007	pH indicator paper stick non-bleeding supplied with colour comparison chart 1.7pH to 3.8pH 85mm x 6mm Fisherbrand	100 sticks	1228
FB33009	pH indicator paper stick non-bleeding supplied with colour comparison chart 3.6pH to 6.1pH 85mm x 6mm Fisherbrand	100 sticks	1228
FB33011	pH indicator paper stick non-bleeding supplied with colour comparison chart 4.5pH to 10pH 85mm x 6mm Fisherbrand	100 sticks	1228
FB33013	pH indicator paper stick non-bleeding supplied with colour comparison chart 6.0pH to 7.7pH 85mm x 6mm Fisherbrand	100 sticks	1228
FB33015	pH indicator paper stick non-bleeding supplied with colour comparison chart 7.0pH to 14pH 85mm x 6mm Fisherbrand	100 sticks	1228
FB33033	pH indicator paper reel litmus red colour change red-blue 5pH to 8pH 5m x 7mm Fisherbrand	4 reels	2340
FB33035	pH indicator paper reel litmus blue colour change blue-red 5pH to 8pH 5m x 7mm Fisherbrand	4 reels	2340
FB33041	pH Indicator paper, reel 5m x 7mm Fisherbrand	4 reels	2340
FB33043	pH indicator paper reel 1pH to 11pH 5m x 7mm Fisherbrand	4 reels	2340
FB33045	pH indicator paper reel 0.5pH to 5.5pH 5m x 7mm Fisherbrand	4 reels	2340
FB33047	pH indicator paper reel 4pH to 7pH 5m x 7mm Fisherbrand	4 reels	2337
FB33049	pH indicator paper reel 6.4pH to 8pH 5m x 7mm Fisherbrand	4 reels	2340
FB33051	pH indicator paper reel 8pH to 10pH 5m x 7mm Fisherbrand	4 reels	2340
FB33053	pH indicator paper reel 9pH to 13pH 5m x 7mm Fisherbrand	4 reels	2340
FB33055	pH indicator paper reel 12pH to 14pH 5m x 7mm Fisherbrand	4 reels	1989
FB33057	pH indicator paper reel three colour 1pH to 11pH 5m x 10mm Fisherbrand	4 reels	4263
FB56601	pH indicator paper litmus 2 to 12pH 50mm x 10mm Fisherbrand	10X20 sleeves	702
FB56603	pH indicator paper 0.5 step pH 0.5 to pH 5 50mm x 10mm x 20 leaves Fisherbrand	EA	702



Cat. No.	Description	Pack	Price in ₹
FB56604	pH indicator paper 0.5 step pH 5 to pH 9 50mm x 10mm x 20 leaves Fisherbrand	EA	728
FB56605	pH indicator paper 0.5 step pH6.5 to pH10 50mm x 10mm x 20 leaves	EA	728
FB56606	pH indicator paper 0.5 step pH9 to pH13 50mm x 10mm x 20 leaves Fisherbrand	EA	728
FB56607	pH indicator paper 0.5 step pH10 to pH12 50mm x 10mm x 20 leaves Fisherbrand	EA	702
FB56608	pH indicator paper 1 step pH1 to pH14 50mm x 10mm x 20 leaves	EA	702
FB56609	pH indicator paper 1 step pH0 to pH10 50mm x 10mm x 20 leaves Fisherbrand	EA	728
FB56610	pH indicator paper 1 step pH1 to pH11 50mm x 10mm x 20 leaves Fisherbrand	EA	702
FB56613	pH indicator paper litmus colour change red-blue 5pH to 8pH 50mm x 10mm Fisherbrand	Pack of 10 X 20 leaves	702
FB56615	pH indicator paper litmus colour change blue-red 5pH to 9pH 60mm x 10mm Fisherbrand	Pack of 10 X 20 leaves	702
FB56617	pH indicator paper litmus 60mm x 10mm colour change neutral-red or blue Fisherbrand	Pack of 10 X 20 leaves	702
FB56627	Indicator paper starch / iodide colour change white- blue oxidising agents 60mm x 10mm Fisherbrand	Pack of 10 X 20 leaves	702
<b>Test Kits</b>			
M1307	Quantofix (Water Testing Strips) Aluminium* 0 - 5 - 20 - 50 - 200 - 500	100 Tests	5788
M1315	Quantofix (Water Testing Strips) Ammonium* -785	100 Tests	5935
M1332	Quantofix (Water Testing Strips) Arsenic* 0 - 0.05 - 0.1 - 0.5 - 1.0 - 1.7 - 3.0	100 Tests	9171
M1334	Quantofix (Water Testing Strips) Arsenic (Low Range)* 0-0.01 - 0.025 - 0.05 - 0.1 - 0.5100	100 Tests	9609
M1314	Quantofix (Water Testing Strips) Ascorbic Acid0-50-100-200-300-500-1000-2000	100 Tests	3886
M1324	Quantofix (Water Testing Strips) Calcium* 0 - 10 - 25 - 50 - 100	100 Tests	7187
M1323	Quantofix (Water Testing Strips) Carbonate Hardness0 - 3 - 6 - 10 - 15 - 20 OD**	100 Tests	3561
M1321	Quantofix (Water Testing Strips) Chloride 0 - 500 - 1000 - 1500 - 2000 - >3000	100 Tests	4228
M1317	Quantofix (Water Testing Strips) Chlorine* 0 - 1 - 3 - 10 - 30 - 100	100 Tests	7105
M1301	Quantofix (Water Testing Strips) Chromate* 0 - 3 - 10 - 30 - 100	100 Tests	4537
M1303	Quantofix (Water Testing Strips) Cobalt 0 - 10 - 25 - 50 - 100 - 250 - 500 - 1000	100 Tests	4179
M1304	Quantofix (Water Testing Strips) Copper 0 - 10 - 30 - 100 - 300	100 Tests	3929
M1318	Quantofix (Water Testing Strips) Cyanide* 0 - 1 - 3 - 10 - 30	100 Tests	7057
M1328	Quantofix (Water Testing Strips) Formaldehyde* 0 - 10 - 20 - 40 - 60 - 100 - 200	100 Tests	6195
M1325	Quantofix (Water Testing Strips) Molybdenum* 0 - 5 - 20 - 50 - 100 - 250	100 Tests	7935
M1305	Quantofix (Water Testing Strips) Nickel 0 - 10 - 25 - 50 - 100 - 250 - 500 - 1000	100 Tests	3512
M1313	Quantofix (Water Testing Strips) Nitrate/Nitrite 0 - 10 - 25 - 50 - 100 - 250 - 500	100 Tests	3659
M1311	Quantofix (Water Testing Strips) Nitrite0 - 1 - 5 - 10 - 20 - 40 - 80	100 Tests	3528
M1322	Quantofix (Water Testing Strips) Nitrite 3000 0 - 0.1 - 0.3 - 0.6 - 1.0 - 2.0 - 3.0	100 Tests	3528
M1333	Quantofix (Water Testing Strips) Peroxide 10000 - 50 - 150 - 300 - 500 - 800 - 1000	100 Tests	3602
M1312	Quantofix (Water Testing Strips) Peroxide 1000 - 1 - 3 - 10 - 30 - 100	100 Tests	3382
M1319	Quantofix (Water Testing Strips) Peroxide 250 - 0.5 - 2 - 5 - 10 - 25	100 Tests	3382
M1320	Quantofix (Water Testing Strips) Phosphate* 0 - 3 - 10 - 25 - 50 - 100	100 Tests	5301
M1316	Quantofix (Water Testing Strips) Potassium* 0 - 200 - 400 - 700 - 1000 - 1500	100 Tests	5692
M1329	Quantofix (Water Testing Strips) Sulphate0 - 400 - 800 - 1200 - 1600	100 Tests	3724
M1306	Quantofix (Water Testing Strips) Sulphite0 - 10 - 25 - 50 - 100 - 250 - 500 - 1000	100 Tests	3512
M1309	Quantofix (Water Testing Strips) Tin0 - 10 - 25 - 50 - 100 - 250 - 500	100 Tests	5139
M1310	Quantofix (Water Testing Strips) Zinc* 0 - 2 - 5 - 10 - 25 - 50 - 100	100 Tests	5334
M1326	Multistick For Aquarium Total Hardness / Carbonate / Ph	100 Tests	5073
M1201	Aquadur-Water Hardness 0-5-10-15- 20 - 25 OD**	100 Tests	3464
M0734	Fluoride (Discs)* 0 - 2 - 5 - 10 - 20 - 50 - 100	30 Tests	10000
M5006	Visocolor Kits Titrationacidity Ac 7 (Base Capacity) (0.2-7.0 Mmol/L)	200 Tests	6565
M5206	Visocolor Kits Titrationacidity Ac 7-Refill (0.2-7.0 Mmol/L)	200 Tests	4382
M5007	Visocolor Kits Titrationalkalinity Ac 7 (Total) (0.2-7.0 Mmol/L)	200 Tests	6565
M5207	Visocolor Kits Titrationalkalinity Ac 7-Refill (0.2-7.0 Mmol/L)	200 Tests	4382
M5010	Visocolor Kits Titrationcalcium Ca 20 (0.1-3.6 Mmol/L)	200 Tests	6565
M5210	Visocolor Kits Titrationcalcium Ca 20-Refill (0.1-3.6 Mmol/L)	200 Tests	4382

Cat. No.	Description	Pack	Price in ₹
M5003	Visocolor Kits Titrationcarbonate Hardness C 20 (0.2-7.0 Mmol/L)	200 Tests	6565
M5203	Visocolor Kits Titrationcarb Hard C 20-Refill (0.2-7.0 Mmol/L)	200 Tests	4382
M5004	Visocolor Kits Titrationchloride Cl 500 (5-500 Mg/L)	300 Tests	8943
M5204	Visocolor Kits Titrationchloride Cl 500-Refill (5-500 Mg/L)	300 Tests	6224
M5009	Visocolor Kits Titrationoxygen S.A 10 (0.2-10 Mg/L)	100 Tests	12502
M5209	Visocolor Kits Titrationoxygen S.A 10-Refill (0.2-10 Mg/L)	100 Tests	9534
M5008	Visocolor Kits Titrationsulphite Su 100 (2-100 Mg/L)	100 Tests	9641
M5208	Visocolor Kits Titrationsulphite Su 100-Refill (2-100 Mg/L)	100 Tests	7208
M5005	Visocolor Kits Titrationtotal Hardness H 20 F (0.1-3.6 Mg/L)	200 Tests	6565
M5205	Visocolor Kits Titrationtotal Hardness H 20 F-Refill (0.1-3.6 Mg/L)	200 Tests	4382
M5002	Visocolor Kits Titrationtotal Hardness H 2 (Residual) (0.01-0.36 Mmol/L)	200 Tests	6565
M5202	Visocolor Kits Titrationtotal Hardness H 2-Refill (0.01-0.36 Mmol/L)	200 Tests	4382
M1008	Visocolor Eco Ammonium (0.2-3.0 Mg/L)	50 Tests	7208
M1208	Visocolor Eco Ammonium -Refill (0.2-3.0 Mg/L)	50 Tests	3864
M1018	Visocolor Eco Chloride (1.0-60 Mg/L)	90 Tests	7441
M1218	Visocolor Eco Chloride-Refill (1.0-60 Mg/L)	90 Tests	5044
M1015	VisocolorEco Chlorine (0.1-2 Mg/L)	150 Tests	6332
M1215	VisocolorEco Chlorine-Refill (0.1-2 Mg/L)	150 Tests	3774
M1020	VisocolorEco Chromium (Vi) (0.02-0.5 Mg/L)	140 Tests	7584
M1220	Visocolor Eco Chromium (Vi)-Refill (0.02-0.5 Mg/L)	140 Tests	5348
M1037	Visocolor Eco Copper (0.1-1.5 Mg/L)	100 Tests	7226
M1237	Visocolor Eco Copper-Refill (0.1-1.5 Mg/L)	100 Tests	4025
M1022	Visocolor Eco Cyanide (0.01-0.20 Mg/L)	100 Tests	10696
M1023	Visocolor Eco Cyanuric Acid (10-100 Mg/L)	100 Tests	12181
M1223	VisocolorEco Cyanuric Acid-Refill (10-100 Mg/L)	100 Tests	5831
M1026	Visocolor Eco Iron (0.04-1 Mg/L)	100 Tests	6565
M1226	Visocolor Eco Iron-Refill (0.04-1 Mg/L)	100 Tests	4954
M1038	Visocolor Eco Manganese (0.1-1.5 Mg/L)	70 Tests	8728
M1238	Visocolor Eco Manganese-Refill (0.1-1.5 Mg/L)	70 Tests	5670
M1040	Visocolor Eco Nickel (0.1-1.5 Mg/L)	150 Tests	12442
M1240	Visocolor Eco Nickel-Refill (0.1-1.5 Mg/L)	150 Tests	6582
M1041	Visocolor Eco Nitrate (4-120 Mg/L)	120 Tests	6207
M1241	Visocolor Eco Nitrate-Refill (4-120 Mg/L)	120 Tests	2987
M1044	Visocolor Eco Nitrite (0.02-0.5 Mg/L)	150 Tests	6332
M1244	Visocolor Eco Nitrite-Refill (0.02-0.5 Mg/L)	150 Tests	3648
M1088	Visocolor Eco Oxygen (1-10 Mg/L)	50 Tests	7835
M1288	Visocolor Eco Oxygen-Refill (1-10 Mg/L)	50 Tests	5742
M1084	Visocolor Eco Phosphate (0.2-5 Mg/L)	100 Tests	6207
M1284	Visocolor Eco Phosphate-Refill (0.2-5 Mg/L)	100 Tests	3541
M1033	Visocolor Eco Silica / Silicon (0.2-3.0 Mg/L)	100 Tests	8478
M1233	Visocolor Eco Silica- / Silicon-Refill (0.2-3.0 Mg/L)	100 Tests	5187
M0006	Visocolor He Ammonium (0.02-0.5 Mg/L)	110 Tests	13558
M0106	Visocolor He Ammonium -Refill (0.02-0.5 Mg/L)	110 Tests	8496
M0015	Visocolor He Chlorine(Free + Total) (0.02-0.60 Mg/L)	160 Tests	13558
M0115	Visocolor He Chlorine(Free + Total)-Refill (0.02-0.60 Mg/L)	160 Tests	8496
M0050	Visocolor He Copper (0.04-0.5 Mg/L)	150 Tests	13558
M0150	Visocolor He Copper-Refill (0.04-0.5 Mg/L)	150 Tests	8496
M0028	Visocolor He Cyanide (0.002-0.04 Mg/L)	55 Tests	13325
M0128	Visocolor He Cyanide-Refill (0.002-0.04 Mg/L)	55 Tests	8371
M0040	Visocolor He Iron (0.01-0.2 Mg/L)	300 Tests	14188
M0140	Visocolor He Iron-Refill (0.01-0.2 Mg/L)	300 Tests	8496
M0055	Visocolor He Manganese (0.03-0.5 Mg/L)	100 Tests	13325
M0155	Visocolor He Manganese-Refill (0.03-0.5 Mg/L)	100 Tests	8371

Cat. No.	Description	Pack	Price in ₹
M0063	VisocolorHe Nitrite (0.005-0.1 Mg/L)	150 Tests	13558
M0163	Visocolor He Nitrite-Refill (0.005-0.1 Mg/L)	150 Tests	8496
M0082	Visocolor He Phosphate (0.05-1 Mg/L)	300 Tests	13558
M0182	Visocolor He Phosphate-Refill (0.05-1 Mg/L)	300 Tests	8496
M0080	Visocolor He Phosphate (Dev) (0.01-0.25 Mg/L)	100 Tests	13325
M0180	Visocolor He Phosphate (Dev)-Refill (0.01-0.25 Mg/L)	100 Tests	8371
M0087	Visocolor He Silica / Silicon (0.01-0.3 Mg/L)	120 Tests	13558
M0187	He Silica / Silicon-Refill (0.01-0.3 Mg/L)	120 Tests	8496
M0204	Universal Indicator Papers Ph 1-14	1 Reel	2888
M0224	Universal Indicator Papers Ph 1-14 (Refill)	3 Reels	4649
M0201	Universal Indicator Papers Ph 1-11	1 Reel	2888
M0202	Universal Indicator Papers Ph 1-11 (Refill)	3 Reels	4649
M0205	Special Indicator Papers Ph 0.5-5.5 (Gradations 0.5 -1.0 -1.5 -2.0 -2.5 -3.0 -3.5 -4.0 -4.5 -5.0 -5.5)	1 Reel	2888
M0225	Special Indicator Papers Ph 0.5-5.5 (Refill)	3 Reels	4649
M0206	Special Indicator Papers Ph 3.8-5.8 (Gradations <3.8 -3.8 -4.1 -4.3 -4.5 -4.7 -4.9 -5.2 -5.5 -5.8 ->5.8)	1 Reel	2888
M0226	Special Indicator Papers Ph 3.8-5.8 (Refill)	3 Reels	4649
M0207	Special Indicator Papers Ph 4.0-7.0 (Gradations 4.0 -4.3 -4.6 -4.9 -5.2 -5.5 -5.8 -6.1 -6.4 -6.7 -7.0)	1 Reel	2888
M0227	Special Indicator Papers Ph 4.0-7.0 (Refill)	3 Reels	4649
M0208	Special Indicator Papers Ph 5.4-7.0 (Gradations <5.4 -5.4 -5.7 -6.0 -6.2 -6.4 -7.0>7.0)	1 Reel	2888
M0228	Special Indicator Papers Ph 5.4-7.0 (Refill)	3 Reels	4649
M0209	Special Indicator Papers Ph 5.5-9.0 (Gradations 5.5 -6.0 -6.5 -7.0 -7.5 -8.0 -8.5 -9.0)	1 Reel	2888
M0229	Special Indicator Papers Ph 5.5-9.0 (Refill)	3 Reels	4649
M0210	Special Indicator Papers Ph 6.4-8.0 (Gradations <6.4 -6.4 -6.6 -6.8 -7.0 -7.2 -7.4 -7.6 -7.8 -8.0>8.0)	1 Reel	2888
M0230	Special Indicator Papers Ph 6.4-8.0 (Refill)	3 Reels	4649
M0211	Special Indicator Papers Ph 7.2-9.7 (Gradations <7.2 -7.2 -7.5 -7.8 -8.1 -8.4 -8.7 -9.0 -9.3 -9.7 ->9.7)	1 Reel	2888
M0231	Special Indicator Papers Ph 7.2-9.7 (Refill)	3 Reels	4649
M0212	Special Indicator Papers Ph 8.0-10.0 (Gradations 8.0 -8.2 -8.4 -8.7 -9.0 -9.2 -9.6 -10.0)	1 Reel	2888
M0232	Special Indicator Papers Ph 8.0-10.0 (Refill)	3 Reels	4649
M0213	Special Indicator Papers Ph 9.0-13.0 (Gradations 9.0 -9.5 -10.0 -10.5 -11.0 -11.5 -12.0 -12.5 -13.0)	1 Reel	2888
M0233	Special Indicator Papers Ph 9.0-13.0 (Refill)	3 Reels	4649
M0214	Special Indicator Papers Ph 12.0-14.0 (Gradations 12.0 -12.5 -13.0 -13.5 -14.0)	1 Reel	2888
M0234	Special Indicator Papers Ph 12.0-14.0 (Refill)	3 Reels	4649
M0401	Pehanon Indicator Papers Ph 1.0-12.0 (Gradations 1 -2 -3 -5 -6 -7 -8 -9 -10 -12)	200 Tests	3055
M0411	Pehanon Indicator Papers Ph 0.0-1.8 (Gradations 0-0.3-0.6 -0.8 -1.0 -1.2 -1.4 -1.6 -1.8)	200 Tests	4125
M0412	Pehanon Indicator Papers Ph 1.0-2.8 (Gradations 1.0 -1.3 -1.6 -1.8 -2.0 -2.2 -2.5 -2.8)	200 Tests	4125
M0413	Pehanon Indicator Papers Ph 1.8-3.8 (Gradations 1.8 -2.1 -2.4 -2.7 -3.0 -3.32 -3.5 -3.8)	200 Tests	2129
M0414	Pehanon Indicator Papers Ph 2.8-4.6 (Gradations 2.8 -3.1 -3.4 -3.6 -3.8 -4.0 -4.3 -4.6)	200 Tests	2129
M0415	Pehanon Indicator Papers Ph 3.8-5.5 (Gradations 3.8 -4.0 -4.2 -4.4 -4.6 -4.9 -5.2 -5.5)	200 Tests	2129
M0424	Pehanon Indicator Papers Ph 4.0-9.0 (Gradations 4.0 -4.5 -5.0 -5.5 -6.0 -6.5 -7.0 -7.5 -8.0 -8.5 -9.0)	200 Tests	2426
M0416	Pehanon Indicator Papers Ph 5.2-6.8 (Gradations 5.2 -5.5 -5.7 -5.9 -6.1 -6.3 -6.5 -6.8)	200 Tests	2129
M0417	Pehanon Indicator Papers Ph 6.0-8.1 (Gradations 6.0 -6.3 -6.6 -6.9 -7.2 -7.5 -7.8 -8.1)	200 Tests	2129
M0419	Pehanon Indicator Papers Ph 7.2-8.8 (Gradations 7.2 -7.4 -7.6 -7.8 -8.0 -8.2 -8.5 -8.8)	200 Tests	2129
M0420	Pehanon Indicator Papers Ph 8.0-9.7 (Gradations 8.0 -8.2 -8.4 -8.6 -8.8 -9.1 -9.4 -9.7)	200 Tests	2129
M0421	Pehanon Indicator Papers Ph 9.5-12.0 (Gradations 9.5 -10.0 -10.5 -11.0 -11.5 -12.0)	200 Tests	2129
M0422	Pehanon Indicator Papers Ph 10.5-13.0 (Gradations 10.5 -11.0 -11.5 -12.0 -12.5 -13.0)	200 Tests	2129
M0423	Pehanon Indicator Papers Ph 12.0-14.0 (Gradations 12.0 -12.5 -13.0 -13.5 -14.0)	200 Tests	2129
M2110	Ph-Fix Indicator Papers (Non-Bleeding) Ph 0 - 14 (0 -1 -2 -3 -4 -5 -6 -7 -8 -9 -10 -11 -12 -13 -14)	100 Tests	3274
M2115	Ph-Fix Indicator Papers (Non-Bleeding) Ph 0 - 6 (0-0.5-1.0-1.5 -2.0-2.5 -3.0-3.5 -4.0 -4.5 -5.0-5.5 -6.0)	100 Tests	2313
M2118	Ph-Fix Indicator Papers (Non-Bleeding) Ph 2 - 9 (2.0-2.5-3.0-3.5-4.0-4.5-5.0-5.5-6.0-6.5-7.0-7.5-8.0-8.5-9.0)	100 Tests	3274

Cat. No.	Description	Pack	Price in ₹
M2120	Ph-Fix Indicator Papers (Non-Bleeding) Ph 4.5 - 10 (4.5 -5.0 -5.5 -6.0 -6.5 -7.0 -7.5 -8.0 -8.5 -9.0 -9.5 -10.0)	100 Tests	2313
M2125	Ph-Fix Indicator Papers (Non-Bleeding) Ph 7 - 14 (7.0-7.5-8.0-8.5-9.0-9.5-10.0-10.5-11.0-11.5-12.0-12.5-13.0-13.5-14.0)	100 Tests	3274
M2180	Ph-Fix Indicator Papers (Non-Bleeding) Ph 0.3 - 2.3 (0.3 -0.7 -1.0 -1.3 -1.6 -1.9 -2.3 )	100 Tests	2313
M2190	Ph-Fix Indicator Papers (Non-Bleeding) Ph 1.7 - 3.8 (1.7 -2.0 -2.3 -2.6 -2.9 -3.2 -3.5 -3.8)	100 Tests	2313
M2130	Ph-Fix Indicator Papers (Non-Bleeding) Ph 3.6 - 6.1 (3.6 -4.1 -4.4 -4.7 -5.0 -5.3 -5.6-6.1)	100 Tests	2313
M2140	Ph-Fix Indicator Papers (Non-Bleeding) Ph 5.1 - 7.2 (5.1 -5.4 -5.7 -6.0 -6.6 -6.9 -7.2)	100 Tests	2313
M2150	Ph-Fix Indicator Papers (Non-Bleeding) Ph 6.0 - 7.7 (6.0 -6.4 -6.7 -7.0 -7.3 -7.7)	100 Tests	2313
M2160	Ph-Fix Indicator Papers (Non-Bleeding) Ph 7.5 - 9.5 (7.5 -7.9 -8.2 -8.4 -8.6 -8.8 -9.1 -9.5)	100 Tests	2313
M2170	Ph-Fix Indicator Papers (Non-Bleeding) Ph 7.9 - 9.8 (7.9 -8.3 -8.6 -8.9 -9.1 -9.4 -9.8)	100 Tests	2313

### Glass & Plastics

Ampules			
012161	Opener, Ampule; Fisherbrand; Safesnap; Accessory; Disposable; Polyethylene; Facilitate in opening pre-scored glass ampule; For ampule size: 1 to 4mL	PK	11273
012162	Opener, Ampule; Fisherbrand; Safesnap; Accessory; Disposable; Polyethylene; Facilitate in opening pre-scored glass ampule; For ampule size: 5 to 10mL	PK	11336
Basins			
FB35101	X10 Crystallising basin Fisherbrand with spout	Pack of 10	7366
FB35103	Basin crystallising with spout 40mL	Pack of 10	7430
FB35105	Basin crystallising with spout 60mL	Pack of 10	7655
FB35107	Basin crystallising with spout 100mL	Pack of 10	8110
FB35109	Basin crystallising with spout 150mL	Pack of 10	8594
FB35111	Basin crystallising with spout 300mL	Pack of 10	9657
FB35113	Basin crystallising with spout 500mL	Pack of 10	12597
FB35115	Basin crystallising with spout 900mL	Pack of 10	18930
FB35117	Basin crystallising with spout 2L	Pack of 4	11049
FB35119	Basin crystallising without spout 40mL	Pack of 4	22045
FB35135	Basin crystallising without spout 60mL	Pack of 10	7655
FB35137	Basin crystallising without spout 100mL	Pack of 10	8110
FB35139	Basin crystallising without spout 150mL	Pack of 10	8594
FB35141	Basin crystallising without spout 300mL	Pack of 10	9657
FB35143	Basin crystallising without spout 500mL	Pack of 10	12597
FB35145	Basin crystallising without spout 900mL	Pack of 10	18930
FB35147	Basin crystallising without spout 2L	Pack of 4	11049
FB35149	Basin crystallising without spout 3.5L	Pack of 4	22045
Baskets			
FB50290	Basket perforated polypropylene 400mm x 300mm x 100mm	EA	624
FB50294	Basket perforated polypropylene 500mm x 340mm x 110mm	EA	808
FB56565	Draining basket 340mm x 240mm x 100mm polypropylene 6L white	EA	466
Beakers			
0129110	Beaker, Disposable; Fisherbrand; Polypropylene; Rib construction; Unbreakable; Dripleless lip; Base; Graduated in mL and oz.; Capacity: 50mL; Graduations: 5mL/0.25 oz.	PK	2421
0129111	Beaker, Disposable; Fisherbrand; Polypropylene; Rib construction; Unbreakable; Dripleless lip; Base; Graduated in mL and oz.; Capacity: 150mL; Graduations: 5mL/0.5 oz.	PK	5853
0129112	Beaker, Disposable; Fisherbrand; Polypropylene; Rib construction; Unbreakable; Dripleless lip; Base; Graduated in mL and oz.; Capacity: 400mL; Graduations: 25mL/1 oz.	PK	5853
012915	Beaker, Polypropylene, Fisherbrand; Disposable, w/Pour spout; Unbreakable; Steam-autoclavable; Resistant to strong acids, organic solvents, other common reagents; Dripleless lip; Stacking ribs; Grad. in mL and oz; 250mL	PK	5674

Cat. No.	Description	Pack	Price in ₹
012916	Beaker, Disposable; Fisherbrand; Polypropylene; Unbreakable; Dripless lip; Rib construction; Base; Graduated in mL and oz.; Capacity: 600mL; Graduations: 10mL/1 oz.	PK	3182
012917	Beaker, Disposable; Fisherbrand; Polypropylene; Unbreakable; Dripless lip; Rib construction; Base; Graduated in mL and oz.; Capacity: 100mL; Graduations: 50mL/0.5 oz.	PK	3530
012918	Beaker, Disposable; Fisherbrand; Polypropylene; Unbreakable; Dripless lip; Rib construction; Base; Graduated in mL and oz.; Capacity: 15mL; Graduations: 5mL/0.125 oz.	PK	3530
012919	Beaker, Disposable; Fisherbrand; Polypropylene; Unbreakable; Dripless lip; Rib construction; Base; Graduated in mL and oz.; Capacity: 30mL; Graduations: 5mL/0.25 oz.	PK	2475
0254336B	Beaker, Low Form; Fisherbrand; Polypropylene; With handle; Capacity: 500mL	CS	15988
0254336C	Beaker, Low Form; Fisherbrand; Polypropylene; With handle; Capacity: 1000mL	CS	13070
0254336D	Beaker, Low Form; Fisherbrand; Polypropylene; With handle; Capacity: 2000mL	CS	13050
0254336E	Beaker, Low Form; Fisherbrand; Polypropylene; With handle; Capacity: 3000mL	CS	17142
0254336F	Beaker, Low Form; Fisherbrand; Polypropylene; With handle; Capacity: 5000mL	CS	51800
0259116	Set, Beaker; Fisherbrand; Polypropylene w/pouring spout; With permanently colored graduation scales and marking areas; Straight sides; Withstand temperatures to 135deg.C (275deg.F); Autoclavable	PK	2238
0259117D	Beaker; Fisherbrand; Polypropylene w/pouring spout; With permanently colored graduation scales and marking areas; Straight sides; Withstand temperatures to 135deg.C (275deg.F); Autoclavable; 500mL capacity	PK	1830
0259125	Beaker, Polypropylene; Fisherbrand; Low-form; w/Blue printed graduations; Shatter resistant; Withstand temperature up to 121deg.C; Smooth, tapered and w/anti-lock feature; Autoclavable; (No Flame) symbol	PK	4222
0259126	Beaker, Polypropylene; Fisherbrand; Low-form; w/Blue printed graduations; Shatter resistant; Withstand temperature up to 121deg.C; Smooth, tapered and w/anti-lock feature; Autoclavable; (No Flame) symbol	PK	4222
0259127	Beaker, Polypropylene; Fisherbrand; Low-form; w/Blue printed graduations; Shatter resistant; Withstands temperature up to 121deg.C; Smooth, tapered and w/anti-lock feature; Autoclavable; No Flame symbol; Capacity: 100mL	PK	5226
0259128	Beaker, Polypropylene; Fisherbrand; Low-form; w/Blue printed graduations; Shatter resistant; Withstands temperature up to 121deg.C; Smooth, tapered and w/anti-lock feature; Autoclavable; No Flame symbol; Capacity: 250mL	PK	8371
0259129	Beaker, Polypropylene; Fisherbrand; Low-form; w/Blue printed graduations; Shatter resistant; Withstand temperature up to 121deg.C; Smooth, tapered and w/anti-lock feature; Autoclavable; (No Flame) symbol	PK	12080
0259130	Beaker, Polypropylene; Fisherbrand; Low-form; w/Blue printed graduations; Shatter resistant; Withstand temperature up to 121deg.C; Smooth, tapered and w/anti-lock feature; Autoclavable; (No Flame) symbol; Capacity: 500mL	PK	13323
0259131	Beaker, Polypropylene; Fisherbrand; Low-form; w/Blue printed graduations; Shatter resistant; Withstand temperature up to 121deg.C; Smooth, tapered and w/anti-lock feature; Autoclavable; (No Flame) symbol; ; Capacity: 600mL	PK	7728
0259132	Beaker, Polypropylene; Fisherbrand; Low-form; w/Blue printed graduations; Shatter resistant; Withstands temperature up to 121deg.C; Smooth, tapered and w/anti-lock feature; Autoclavable; No Flame symbol; Capacity: 1000mL	PK	11468
0259133	Beaker, Polypropylene; Fisherbrand; Low-form; w/Blue printed graduations; Shatter resistant; Withstand temperature up to 121deg.C; Smooth, tapered and w/anti-lock feature; Autoclavable; (No Flame) symbol	EA	4379
0259134	Beaker, Polypropylene; Fisherbrand; Low-form; w/Blue printed graduations; Shatter resistant; Withstand temperature up to 121deg.C; Smooth, tapered and w/anti-lock feature; Autoclavable; (No Flame) symbol	EA	4728
0259135	Beaker, Polypropylene; Fisherbrand; Low-form; w/Blue printed graduations; Shatter resistant; Withstand temperature up to 121deg.C; Smooth, tapered and w/anti-lock feature; Autoclavable; (No Flame) symbol	EA	6572
0259136	Beaker, Intermediate form; Fisherbrand; Made of Polypropylene; Chemical-resistant with convenient pouring spout; Ergonomic comfortable handle; Blue printed liters and mL graduations; Slide and suction resistant; Autoclavable; Capacity: 50mL	PK	4164
0259137	Beaker, Intermediate form; Fisherbrand; Made of Polypropylene; Chemical-resistant w/convenient pouring spout; Ergonomic comfortable handle; Blue printed liters and mL graduations; Slide and suction resistant; Autoclavable; Capacity: 100mL	PK	4408
0259138	Beaker, Polypropylene; Fisherbrand; Intermediate form; w/Handle; Transparent; Pouring spout; Ergonomic; Non-slide anti-suction base; Blue printed graduations w/50mL sub div.; Autoclavable; Top: 90mm dia.; 4.3L x3W x3.8 in.H; Capac.: 250mL	EA	1317
0259139	Beaker, Intermediate form; Fisherbrand; Polypropylene; Chemical-resistant with convenient pouring spout; Ergonomic comfortable handle; Blue printed liters and mL graduations; Slide and suction resistant; Autoclavable; Capacity: 500mL	EA	1339

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
0259140	Beaker, Polypropylene; Fisherbrand; Intermediate form; w/Handle; Chemical-resistant with convenient pouring spout; Blue printed liters and mL graduations; Slide and suction resistant; Autoclavable; Capacity: 1000mL	EA	1599
0259141	Beaker, Intermediate form; Dynalab; w/handle; Polypropylene; Transparent; Pouring spout; Ergonomic; Non-slide anti-suction base; Blue printed graduation, 100mL sub division; Autoclavable; Top: 151mm dia.; 7.75L x6W x7.5 in.H; Capac.: 2000mL	EA	1929
0259142	Beaker, Polypropylene; Fisherbrand; Intermediate form; w/Handle; Transparent; Pouring spout; Ergonomic; Non-slide anti-suction base; Blue printed graduation, 200mL sub div.; Autoclavable; Top: 172mm dia.; 6L x6.6W x8.4 in.H; Capac.: 3000mL	EA	2244
0259143	Beaker, Intermediate form; Dynalab; w/handle; Polypropylene; Transparent; Pouring spout; Ergonomic; Non-slide anti-suction base; Blue printed graduation, 200mL sub division; Autoclavable; Top: 199mm dia.; 7.8W x 10 in.H; Capac.: 5000mL	EA	5934
08732119	Beakers, Disposable; Fisherbrand; Made of polystyrene; Ideal for use as sample containers; Used in atomic absorption spectroscopy, flame photometry; Capacity: 5mL	PK	2394
08732120	Beakers, Disposable; Fisherbrand; Made of polystyrene; Ideal for use as sample containers; Used for flame photometry; Capacity: 20mL	PK	3183
08732121	Beakers, Disposable; Fisherbrand; Made of polystyrene; Ideal for use as sample containers; Inside Dia.: 1.16 in.; Outside Dia.: 1.38 in.; Capacity: 10mL	PK	3550
08732122	Beakers, Disposable; Fisherbrand; Made of polystyrene; Ideal for use as sample containers; Capacity: 50mL	PK	4422
08732123	Beakers, Disposable; Fisherbrand; Polystyrene; Graduated (mL and oz.); 150mL; Four way pour spout; Base Diameter: 2.17 in. Top Diameter: 3.25 in. Height: 2.56 in.	CS	2238
08732124	Beakers, Disposable; Fisherbrand; Polystyrene; Graduated (mL and oz.); 250mL; Four way pour spout; Base Diameter: 2.60 in. Top Diameter: 3.62 in. Height: 3.19 in.	CS	2668
08732125	Beakers, Disposable; Fisherbrand; Polystyrene; Graduated (mL and oz.); 800mL; Four way pour spout; Base Diameter: 3.98 in. Top Diameter: 5.10 in. Height: 4.17 in.	CS	6131
08732126	Beakers, Disposable; Fisherbrand; Polystyrene; Graduated (mL and oz.); 1000mL; Four way pour spout; Base Diameter: 4.02 in. Top Diameter: 5.35 in. Height: 4.25 in.	CS	7531
14955111A	Beakers, Disposable; Fisherbrand; Tri-cornered lip; Polypropylene; 50mL; Resistant to commonly used acids, alkalis and solvents; Graduated; Autoclavable	CS	1705
14955111B	Beakers, Disposable; Fisherbrand; Tri-cornered lip; Polypropylene; 100mL; Resistant to commonly used acids, alkalis and solvents; Graduated; Autoclavable	CS	2256
14955111C	Beakers, Disposable; Fisherbrand; Tri-cornered lip; Polypropylene; 250mL; Resistant to commonly used acids, alkalis and solvents; Graduated; Autoclavable	CS	2874
14955111D	Beaker, Disposable; Fisherbrand; Tri-cornered lip; Polypropylene; 400mL; Resistant to commonly used acids, alkalis and solvents; Graduated; Autoclavable	CS	6373
14955111E	Beakers, Disposable; Fisherbrand; Tri-cornered lip; Polypropylene; 800mL; Resistant to commonly used acids, alkalis and solvents; Graduated; Autoclavable	CS	6702
14955111F	Beaker, Disposable; Fisherbrand; Tri-cornered lip; Polypropylene; 1000mL; Resistant to commonly used acids, alkalis and solvents; Graduated; Autoclavable	CS	9273
14955112	Beakers, Disposable; Fisherbrand; Polystyrene with pouring lip; 6.5 oz./190mL; No lid; Graduated in oz., cc and mL; Resistant to dilute or weak acids	CS	10864
1533560B	Cover, Beaker; Fisher Scientific; For use with 6 qt. (5.7L) capacity ultrasonic cleaner; Accommodates three 600mL beaker	EA	7221
FB100100	Beaker, Glass; Fisherbrand; Griffin; Reusable; Low form; Capacity: 100mL; Graduated 20 to 80mL in 10mL increments; Durable, matte-finish marking area; Designed from ASTM Specification E 960 Type I	PK	5653
FB1001000	Beaker, Glass; Fisherbrand; Griffin; Reusable; Low form; Capacity: 1000mL; Graduated 100 to 1000mL in 50mL increments; Durable, matte-finish marking area; Designed from ASTM Specification E 960 Type I	PK	7607
FB100150	Beaker, Glass; Fisherbrand; Griffin; Reusable; Low form; Capacity: 150mL Graduated 20 to 140mL in 20mL increments; Durable, matte-finish marking area; Designed from ASTM Specification E 960 Type I	PK	5420
FB100250	Beaker, Glass; Fisherbrand; Griffin; Reusable; Low form; Capacity: 250mL; Graduated 25 to 200mL in 25mL increments; Durable, matte-finish marking area; Designed from ASTM Specification E 960 Type I	PK	5341
FB100400	Beaker, Glass; Fisherbrand; Griffin; Reusable; Low form; Capacity: 400mL; Graduated 50 to 325mL in 25mL increments; Durable, matte-finish marking area; Designed from ASTM Specification E 960 Type I	PK	6388
FB10050	Beaker, Glass; Fisherbrand; Griffin; Reusable; Low form; Capacity: 50mL; Graduated 10 to 40mL in 10mL increments; Durable, matte-finish marking area; Designed from ASTM Specification E 960 Type I	PK	5769
FB100600	Beaker, Glass; Fisherbrand; Griffin; Reusable; Low form; Capacity: 600mL; Graduated 50 to 500mL in 50mL increments; Durable, matte-finish marking area; Designed from ASTM Specification E 960 Type I	PK	4182

Cat. No.	Description	Pack	Price in ₹
FB1011000	Beaker, Glass; Fisherbrand; Reusable; Heavy-duty; Low form; Capacity 1000mL; Graduated 100 to 1000mL in 50mL increments; Marking area; ASTM E 960 Type II; Not for use with hotplates	PK	15177
FB1012000	Beaker, Glass; Fisherbrand; Reusable; Heavy-duty; Low form; Capacity 2000mL; Graduated 200 to 1800mL in 200mL increments; Marking area; ASTM E 960 Type II; Not for use with hotplates	PK	20969
FB101250	Beaker, Glass; Fisherbrand; Reusable; Heavy-duty; Low form; Capacity 250mL; Graduated 25 to 250mL in 25mL increments; Marking area; ASTM E 960 Type II; Not for use with hotplates	PK	10494
FB101400	Beaker, Glass; Fisherbrand; Reusable; Heavy-duty; Low form; Capacity 400mL; Graduated 25 to 400mL in 25mL increments; Marking area; ASTM E 960 Type II; Not for use with hotplates	PK	13512
FB1014000	Beaker, Glass; Fisherbrand; Reusable; Heavy-duty; Low form; Capacity 4000mL; Graduated 500 to 3500mL in 500mL increments; Marking area; ASTM E 960 Type II; Not for use with hotplates	EA	10224
FB101600	Beaker, Glass; Fisherbrand; Reusable; Heavy-duty; Low form; Capacity 600mL; Graduated 50 to 500mL in 50mL increments; Marking area; ASTM E 960 Type II; Not for use with hotplates	PK	8071
FB102100	Beaker, Reusable glass; Fisherbrand; Berzelius; Capacity 100mL; Graduated 20 to 80mL in 10mL increments; Marking area; ASTM E 960 Type III	PK	6621
FB1021000	Beaker, Reusable glass; Fisherbrand; Berzelius; Capacity 1000mL; Graduated 50 to 950mL in 50mL increments; Marking area; ASTM E 960 Type III	PK	8323
FB102200	Beaker, Reusable glass; Fisherbrand; Berzelius; Capacity 200mL; Graduated 25 to 150mL in 25mL increments; Marking area; ASTM E 960 Type III	PK	7085
FB102300	Beaker, Reusable glass; Fisherbrand; Berzelius; Capacity 300mL; Graduated 25 to 250mL in 25mL increments; Marking area; ASTM E 960 Type III	PK	7977
FB102400	Beaker, Reusable glass; Fisherbrand; Berzelius; Capacity 400mL; Graduated 25 to 325mL in 25mL increments; Marking area; ASTM E 960 Type III	PK	4316
FB102600	Beaker, Reusable glass; Fisherbrand; Berzelius; Capacity 600mL; Graduated 50 to 500mL in 50mL increments; Marking area; ASTM E 960 Type III	PK	6096
FB33108	Beaker squat form with graduations and spout 25mL-Borosilicate glass	Pack of 10	1988
FB33109	Beaker squat form with graduations and spout 50mL-Borosilicate glass	Pack of 10	2448
FB33110	LOW FORM BEAKER 100ML FORM SPOUTED,GRADUATED,100ML	Pack of 10	2448
FB33111	Beaker squat form with graduations and spout borosilicate glass 150mL Fisherbrand	Pack of 10	2644
FB33112	Beaker squat form with graduations and spout borosilicate glass 250mL Fisherbrand	Pack of 10	2682
FB33113	Beaker squat form with graduations and spout borosilicate glass 400mL Fisherbrand	Pack of 10	3226
FB33114	LOW FORM BEAKER 600ML FORM SPOUTED,GRADUATED,600ML	Pack of 10	3965
FB33115	Beaker squat form with graduations and spout borosilicate glass 800mL Fisherbrand	Pack of 10	5481
FB33116	Beaker squat form with graduations and spout borosilicate glass 1L Fisherbrand	EA	823
FB33117	Beaker squat form with graduations and spout borosilicate glass 2L Fisherbrand	EA	1400
FB33118	Beaker squat form with graduations and spout borosilicate glass 3L Fisherbrand	EA	2592
FB33119	Beaker squat form with graduations and spout borosilicate glass 5L Fisherbrand	EA	4202
FB33120	Beaker tall form with graduations and spout borosilicate glass 50mL Fisherbrand	Pack of 10	2448
FB33121	Beaker tall form with graduations and spout borosilicate glass 100mL Fisherbrand	Pack of 10	2644
FB33122	Beaker tall form with graduations and spout borosilicate glass 150mL Fisherbrand	Pack of 10	2682
FB33123	Beaker tall form with graduations and spout borosilicate glass 250mL Fisherbrand	Pack of 10	2798
FB33124	TALL FORM BEAKER 400ML FORM SPOUTED,GRADUATED,400ML	Pack of 10	3303
FB33125	Beaker tall form with graduations and spout borosilicate glass 600mL Fisherbrand	Pack of 10	4042
FB33126	Beaker tall form with graduations and spout borosilicate glass 800mL Fisherbrand	EA	5792
FB33127	Beaker tall form with graduations and spout borosilicate glass 1L Fisherbrand	EA	939
FB33128	Beaker tall form with graduations and spout borosilicate glass 2L Fisherbrand	EA	2041
FB33129	Beaker tall form with graduations and spout borosilicate glass 3L Fisherbrand	EA	2655
FB33183	Beaker squat form with graduations and spout borosilicate glass 10,000mL Fisherbrand	EA	9448
FB72361	Beaker heavy duty, low form, with spout and graduations, borosilicate glass, clear 150mL Fisherbrand	Pack of 10	4006
FB72363	Beaker heavy duty, low form, with spout and graduations, borosilicate glass, clear 250mL Fisherbrand	Pack of 10	4588
FB72365	Beaker heavy duty, low form, with spout and graduations, borosilicate glass, clear 400mL Fisherbrand	Pack of 10	4608
FB72367	Beaker heavy duty, low form, with spout and graduations, borosilicate glass, clear 600mL Fisherbrand	Pack of 10	6976
FB72369	Beaker heavy duty, low form, with spout and graduations, borosilicate glass, clear 600mL Fisherbrand	Pack of 10	10239
FB72371	Beaker heavy duty, low form, with spout and graduations, borosilicate glass, clear 2000mL Fisherbrand	Pack of 4	10881
FB72375	Beaker heavy duty, low form, with spout and graduations, borosilicate glass, clear 4000mL Fisherbrand	EA	5318

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
<b>Bottles, Jar &amp; Jugs</b>			
02911379	Bottles; Fisherbrand; Clear french squares with polyvinyl-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 0.5 oz. (15mL); 48/case; 20mm-400 screw cap size	CS	5557
02911380	Bottles; Fisherbrand; Clear french squares with polyvinyl-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 1 oz. (30mL); 48/case; 24mm-400 screw cap size	CS	5403
02911381	Bottles; Fisherbrand; Clear french squares with polyvinyl-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 2 oz. (60mL); 48/case; 28mm-400 screw cap size	CS	5810
02911382	Bottles; Fisherbrand; Clear french squares with polyvinyl-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 4 oz. (125mL); 24/case; 33mm-400 screw cap size	CS	3647
02911383	Bottles; Fisherbrand; Clear french squares with polyvinyl-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 8 oz. (250mL); 24/case; 43mm-400 screw cap size	CS	5383
02911384	Bottles; Fisherbrand; Clear french squares with polyvinyl-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 16 oz. (500mL); 24/case; 48mm-400 screw cap size	CS	6558
02911385	Bottles; Fisherbrand; Clear french square; With attached PTFE faced PE-lined closures; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 0.5 oz. (15mL); 20mm-400 screw cap size	CS	6321
02912061	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 28mm-400 screw cap size; 12/pk.	PK	679
02912062	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 33mm-400 screw cap size; 12/pk.	PK	847
02912063	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 38mm-400 screw cap size; 12/pk.	PK	1335
02912064	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 13mm-425 screw cap size; 100/pk.	PK	3297
02912065	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 15mm-425 screw cap size; 500/cs.	CS	14889
02912066	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 18mm-400 screw cap size; 100/pk.	PK	4556
02912067	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 20mm-400 screw cap size; 100/pk.	PK	5154
02912068	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 22mm-400 screw cap size; 500/cs.	CS	25687
02912069	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 24mm-400 screw cap size; 100/pk.	PK	7569
02912070	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 28mm-400 screw cap size; 100/pk.	PK	8431
02912071	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 33mm-400 screw cap size; 100/pk.	PK	11415
0261713	Bottle; Fisherbrand; Wide-mouth; PTFE; Nonstick; Airtight; Chemical resistant; Withstand temperature from -270deg. to +260deg.C (-454 to +500deg.F); Capacity: 0.03 oz. (1mL)	EA	4337
0261714	Bottle; Fisherbrand; Wide-mouth; PTFE; Nonstick; Airtight; Chemical resistant; Withstand temperature from -270deg. to +260deg.C (-454 to +500deg.F); Capacity: 0.18 oz. (5mL)	EA	5014
0261715	Bottle; Fisherbrand; Wide-mouth; PTFE; Nonstick; Airtight; Chemical resistant; Withstand temperature from -270deg. to +260deg.C (-454 to +500deg.F); Capacity: 0.31 oz. (10mL)	EA	5690
0261716	Bottle; Fisherbrand; Wide-mouth; PTFE; Nonstick; Airtight; Chemical resistant; Withstand temperature from -270deg. to +260deg.C (-454 to +500deg.F); Capacity: 1.18 oz. (25mL)	EA	6831
0261717	Bottle; Fisherbrand; Wide-mouth; PTFE; Nonstick; Airtight; Chemical resistant; Withstand temperature from -270deg. to +260deg.C (-454 to +500deg.F); Capacity: 1.68 oz. (50mL)	EA	9025
0261718	Bottle; Fisherbrand; Wide-mouth; PTFE; Nonstick; Airtight; Chemical resistant; Withstand temperature from -270deg. to +260deg.C (-454 to +500deg.F); Capacity: 3.5 oz. (100mL)	EA	12235
0261719	Bottle; Fisherbrand; Wide-mouth; PTFE; Nonstick; Airtight; Chemical resistant; Withstand temperature from -270deg. to +260deg.C (-454 to +500deg.F); Capacity: 8 oz. (250mL)	EA	16672
0261720	Bottle; Fisherbrand; Wide-mouth; PTFE; Nonstick; Airtight; Chemical resistant; Withstand temperature from -270deg. to +260deg.C (-454 to +500deg.F); Capacity: 16 oz. (500mL)	EA	30086
0261721	Bottle; Fisherbrand; Wide-mouth; PTFE; Nonstick; Airtight; Chemical resistant; Withstand temperature from -270deg. to +260deg.C (-454 to +500deg.F); Capacity: 32 oz. (1000mL)	EA	39411
0261722	Bottle; Fisherbrand; Wide-mouth; PTFE; Nonstick; Airtight; Chemical resistant; Withstand temperature from -270deg. to +260deg.C (-454 to +500deg.F); Capacity: 64 oz. (2000mL)	EA	61599



Cat. No.	Description	Pack	Price in ₹
0261724	Bottle, Drop-dispensing; Fisherbrand; PTFE; Chemical resistant; Leak proof; With PTFE cap; Non-sticking; Working temp.: Cryogenic to 260deg.C (500deg.F); Capacity: 1.69 oz. (50mL); 3.94H x 1.7 in. W (100 x 43mm); 1/cs.	EA	11206
02891A	Jar; Wide mouth; Fisherbrand; PP; Screw cap size: 43mm; Capacity: 1 oz. (30mL); Handles up to 135deg.C (275deg.F) short periods, 100deg.C (212deg.F) continuously; Chemical resistant; w/PP linerle	CS	4434
02891B	Jar; Wide mouth; Fisherbrand; PP; Screw cap size: 53mm; Capacity: 2 oz. (60mL); Handles up to 135deg.C (275deg.F) short periods, 100deg.C (212deg.F) continuously; Chemical resistant; w/PP linerle	CS	3821
02891C	Jar; Wide mouth; Fisherbrand; PP; Screw cap size: 70mm; Capacity: 4 oz. (125mL); Handles up to 135deg.C (275deg.F) short periods, 100deg.C (212deg.F) continuously; Chemical resistant; w/PP liner	CS	4171
02891D	Jar; Wide mouth; Fisherbrand; PP; Screw cap size: 89mm; Capacity: 8 oz. (250mL); Handles up to 135deg.C (275deg.F) short periods, 100deg.C (212deg.F) continuously; Chemical resistant; w/PP liner	CS	6585
02891E	Jar; Wide mouth; Fisherbrand; PP; Screw cap size: 89mm; Capacity: 16 oz. (500mL); Handles up to 135deg.C (275deg.F) short periods, 100deg.C (212deg.F) continuously; Chemical resistant; w/PP liner	CS	5114
02891F	Jar; Wide mouth; Fisherbrand; PP; Screw cap size: 120mm; Capacity: 32 oz. (1000mL); Handles up to 135deg.C (275deg.F) short periods, 100deg.C (212deg.F) continuously; Chemical resistant; w/PP liner	CS	10429
02911386	Bottles; Fisherbrand; Clear french square; With attached PTFE faced PE-lined closures; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 1 oz. (30mL); 24mm-400 screw cap size	CS	6590
02911387	Bottles; Fisherbrand; Clear french square; With attached PTFE faced PE-lined closures; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 2 oz. (60mL); 28mm-400 screw cap size	CS	7403
02911388	Bottles; Fisherbrand; Clear french square; With attached PTFE faced PE-lined closures; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 4 oz. (125mL); 33mm-400 screw cap size	CS	4383
02911389	Bottles; Fisherbrand; Clear french square; With attached PTFE faced PE-lined closures; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 8 oz. (250mL); 43mm-400 screw cap size	CS	6287
02911390	Bottles; Fisherbrand; Clear french square; With attached PTFE faced PE-lined closures; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 16 oz. (500mL); 48mm-400 screw cap size	CS	9275
02911391	Bottles; Fisherbrand; Clear french square; With rubber-lined caps; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 0.5 oz. (15mL); 20mm-400 screw cap size	CS	6558
02911392	Bottles; Fisherbrand; Clear french square; With rubber-lined caps; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 1 oz. (30mL); 24mm-400 screw cap size	CS	6861
02911393	Bottles; Fisherbrand; Clear french square; With rubber-lined caps; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 2 oz. (60mL); 28mm-400 screw cap size	CS	7578
02911394	Bottles; Fisherbrand; Clear french square; With rubber-lined caps; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 4 oz. (125mL); 33mm-400 screw cap size	CS	4641
02911395	Bottles; Fisherbrand; Clear french square; With rubber-lined caps; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 8 oz. (250mL); 43mm-400 screw cap size	CS	6637
02911396	Bottles; Fisherbrand; Clear french square; With rubber-lined caps; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 16 oz. (500mL); 48mm-400 screw cap size	CS	9366
02911397	Bottles; Fisherbrand; Clear french squares with polyvinyl-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 1 oz. (30mL); 280/case; 24mm-400 screw cap size	CS	28510
02911398	Bottles; Fisherbrand; Clear french squares with polyvinyl-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 2 oz. (60mL); 240/case; 28mm-400 screw cap size	CS	25293
02911399	Bottles; Fisherbrand; Clear french squares with polyvinyl-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 4 oz. (125mL); 120/case; 33mm-400 screw cap size	CS	12363
02911400	Bottles; Fisherbrand; Clear french squares with polyvinyl-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 8 oz. (250mL); 84/case; 43mm-400 screw cap size	CS	11296
02911401	Bottle, French square; Fisherbrand; Clear; Polyvinyl-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; Capacity: 16 oz. (500mL); 48mm-400 screw cap size	CS	8771
02911402	Bottle; Fisherbrand; Clear french squares with Poly-seal-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; Capacity: 0.5 oz. (15mL); 48/case; 20mm-400 screw cap size	CS	6493
02911403	Bottle; Fisherbrand; Clear french squares with Poly-seal-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; Capacity: 1 oz. (30mL); 48/case; 24mm-400 screw cap size	CS	6735

Cat. No.	Description	Pack	Price in ₹
02911404	Bottle; Fisherbrand; Clear french squares with Poly-seal-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; Capacity: 2 oz. (60mL); 48/case; 28mm-400 screw cap size	CS	6464
02911405	Bottle; Fisherbrand; Clear french squares with Poly-seal-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; Capacity: 4 oz. (125mL); 24/case; 33mm-400 screw cap size	CS	4271
02911432	Packer, Amber; Fisherbrand; Wide-mouth; w/Attached polyvinyl-lined closure; 28mm-400 screw cap size; Capacity: 1 oz. (30mL); 24/cs.	CS	2265
02911433	Packer, Amber; Fisherbrand; Wide-mouth; w/Attached polyvinyl-lined closure; 33mm-400 screw cap; Capacity: 2 oz. (60mL); 24/cs.	CS	2683
02911434	Packer, Amber; Fisherbrand; Wide-mouth; With attached polyvinyl-lined closure; 38mm-400 screw cap; Capacity: 4 oz. (125mL); 24/cs.	CS	3315
02911435	Packer, Amber; Fisherbrand; Wide-mouth; w/Attached polyvinyl-lined closure; 45mm-400 screw cap; Capacity: 8 oz. (250mL); 24/cs.	CS	3891
02911436	Packer, Amber; Fisherbrand; Wide-mouth; w/Attached polyvinyl-lined closure; 53mm-400 screw cap; Capacity: 16 oz. (500mL)	CS	2789
02911437	Packer, Amber; Fisherbrand; Wide-mouth; w/Attached polyvinyl-lined closure; 53mm-400 screw cap; Capacity: 32 oz. (1000mL); 12/cs.	CS	3976
02911438	Packer, Wide Mouth; Fisherbrand; Amber; With attached PTFE Faced PE-lined closure; 28mm-400 screw cap size; Capacity: 1 oz. (30mL); 24/cs.	CS	2925
02911439	Packer, Wide mouth; Fisherbrand; Amber; w/Attached PTFE Faced PE-lined closure; 33mm-400 screw cap size; Capacity: 2 oz. (60mL); 24/cs.	CS	3620
02911440	Packer, Wide mouth; Fisherbrand; Amber; w/Attached PTFE Faced PE-lined closure; 38mm-400 screw cap size; Capacity: 4 oz. (125mL); 24/cs.	CS	4534
02911441	Packer, Wide Mouth; Fisherbrand; Amber; With attached PTFE Faced PE-lined closure; 45mm-400 screw cap size; Capacity: 8 oz. (250mL); 24/cs.	CS	5564
02911442	Packer, Wide-mouth; Fisherbrand; Amber; With attached PTFE Faced PE-lined closure; 53mm-400 screw cap size; Capacity: 16 oz. (500mL); 12/cs.	CS	4157
02911443	Packer, Wide mouth; Fisherbrand; Amber; w/Attached PTFE Faced PE-lined closure; 53mm-400 screw cap size; Capacity: 32 oz. (1000mL); 12/cs.	CS	5353
02911444	Packer, Wide mouth; Fisherbrand; Amber; w/Attached poly-seal-lined closure; For light sensitive powders; Easy to fill and remove the contents; Capacity: 1 oz. (30mL); 28mm-400 screw cap size; 24/cs.	CS	2820
02911445	Packer, Wide mouth; Fisherbrand; Amber; w/Attached poly-seal-lined closure; For light sensitive powders; Easy to fill and remove the contents; Capacity: 2 oz. (60mL); 33mm-400 screw cap size; 24/cs.	CS	3024
02911446	Packer, Wide mouth; Fisherbrand; Amber; w/Attached poly-seal-lined closure; For light sensitive powders; Easy to fill and remove the contents; Capacity: 4 oz. (125mL); 38mm-400 screw cap size; 24/cs.	CS	3685
02911447	Packer, Amber; Fisherbrand; Wide-mouth; w/Attached polyvinyl-lined closure; 28mm-400 screw cap; Capacity: 1 oz. (30mL); 432/cs.	CS	33446
02911448	Packer, Amber; Fisherbrand; Wide-mouth; w/Attached polyvinyl-lined closure; 33mm-400 screw cap; Capacity: 2 oz. (60mL); 216/cs.	CS	19553
02911449	Packer, Amber; Fisherbrand; Wide-mouth; With attached polyvinyl-lined closure; 38mm-400 screw cap; Capacity: 4 oz. (125mL); 180/cs.	CS	19928
02911450	Packer, Amber; Fisherbrand; Wide-mouth; w/Attached polyvinyl-lined closure; 45mm-400 screw cap; Capacity: 8 oz. (250mL); 84/cs.	CS	14358
02911451	Packer, Amber; Fisherbrand; Wide-mouth; w/Attached polyvinyl-lined closure; 53mm-400 screw cap; Capacity: 16 oz. (500mL); 60/cs.	CS	11818
02911452	Packer, Amber; Fisherbrand; Wide-mouth; w/Attached polyvinyl-lined closure; 53mm-400 screw cap; Capacity: 32 oz. (1000mL); 36/cs.	CS	9152
02911453	Bottle, Graduated; Fisherbrand; Valumatic; Glass; Wide mouth; Clear; Round; w/Attached polyvinyl-lined closures; 33mm-400 screw cap size; Capacity: 1 oz. (30mL); 48/cs.	CS	6081
02911454	Bottle, Graduated; Fisherbrand; Valumatic; Glass; Wide mouth; Clear; Round; w/Attached polyvinyl-lined closures; 38mm-400 screw cap size; Capacity: 2 oz. (60mL); 48/cs.	CS	6894
02911455	Bottle, Graduated; Fisherbrand; Valumatic; Glass; Wide mouth; Clear; Round; w/Attached polyvinyl-lined closures; 48mm-400 screw cap size; Capacity: 4 oz. (125mL); 24/cs.	CS	4238
02911456	Bottle, Graduated; Fisherbrand; Valumatic; Glass; Wide mouth; Clear; Round; w/Attached polyvinyl-lined closures; 58mm-400 screw cap size; Capacity: 8 oz. (250mL); 24/cs.	CS	5049
02911457	Bottle, Graduated; Fisherbrand; Valumatic; Glass; Wide mouth; Clear; Round; w/Attached polyvinyl-lined closures; 70mm-400 screw cap size; Capacity: 16 oz. (500mL); 24/cs.	CS	7308
02911458	Bottle, Graduated; Fisherbrand; Valumatic; Glass; Wide mouth; Clear; w/Attached PTFE Faced PE-lined closures; 33mm-400 screw cap size; Capacity: 1 oz. (30mL); 48/cs.	CS	8338

Cat. No.	Description	Pack	Price in ₹
02911459	Bottle, Graduated; Fisherbrand; Valumetric; Glass; Wide mouth; Clear; w/Attached PTFE Faced PE-lined closures; 38mm-400 screw cap size; Capacity: 2 oz. (60mL); 48/cs.	CS	9750
02911460	Bottle, Graduated; Fisherbrand; Valumetric; Glass; Wide mouth; Clear; w/Attached PTFE Faced PE-lined closures; 48mm-400 screw cap size; Capacity: 4 oz. (125mL); 24/cs.	CS	7119
02911461	Bottle, Graduated; Fisherbrand; Valumetric; Glass; Wide mouth; Clear; w/Attached PTFE Faced PE-lined closures; 58mm-400 screw cap size; Capacity: 8 oz. (250mL); 24/cs.	CS	9180
02911462	Bottle, Graduated; Fisherbrand; Valumetric; Glass; Wide mouth; Clear; w/Attached PTFE Faced PE-lined closures; 70mm-400 screw cap size; Capacity: 16 oz. (500mL); 24/cs.	CS	12188
02911463	Bottle, Graduated; Fisherbrand; Valumetric; Glass; Wide mouth; Clear; w/Attached poly-seal-lined closures; 33mm-400 screw cap size; Capacity: 1 oz. (30mL); 48/cs.	CS	7324
02911464	Bottle, Graduated; Fisherbrand; Valumetric; Glass; Wide mouth; Clear; w/Attached poly-seal-lined closures; 38mm-400 screw cap size; Capacity: 2 oz. (60mL); 48/cs.	CS	8209
02911465	Bottle, Graduated; Fisherbrand; Valumetric; Glass; Wide mouth; Clear; Round; w/Attached polyvinyl-lined closures; 33mm-400 screw cap size; Capacity: 1 oz. (30mL); 432/cs.	CS	46026
02911466	Bottle, Graduated; Fisherbrand; Valumetric; Glass; Wide mouth; Clear; Round; w/Attached polyvinyl-lined closures; 38mm-400 screw cap size; Capacity: 2 oz. (60mL); 288/cs.	CS	36967
02911467	Bottle, Graduated; Fisherbrand; Valumetric; Glass; Wide mouth; Clear; Round; w/Attached polyvinyl-lined closures; 48mm-400 screw cap size; Capacity: 4 oz. (125mL); 144/cs.	CS	21530
02911468	Bottle, Graduated; Fisherbrand; Valumetric; Glass; Wide mouth; Clear; Round; w/Attached polyvinyl-lined closures; 58mm-400 screw cap size; Capacity: 8 oz. (250mL); 96/cs.	CS	17756
02911469	Bottle, Graduated; Fisherbrand; Valumetric; Glass; Wide mouth; Clear; Round; w/Attached polyvinyl-lined closures; 70mm-400 screw cap size; Capacity: 16 oz. (500mL); 48/cs.	CS	12078
02911470	Bottle, Graduated; Fisherbrand; Valumetric; Glass; Wide mouth; Clear; w/Attached poly-seal-lined closures; 33mm-400 screw cap size; Capacity: 1 oz. (30mL); 432/cs.	CS	52636
02911471	Bottle, Graduated; Fisherbrand; Valumetric; Glass; Wide mouth; Clear; w/Attached poly-seal-lined closures; 38mm-400 screw cap size; Capacity: 2 oz. (60mL); 288/cs.	CS	44773
02911472	Bottle, Sample; Fisherbrand; Clear oil; Clear glass; Capacity: 4 oz. (125mL); With cork plug; Case of 144	CS	34394
02911473	Bottle, Graduated; Fisherbrand; Valumetric; Clear glass; w/Attached rubber-lined closure; 33mm-400 screw cap size; Wide-mouth for easy filling; Autoclavable; Capacity: 1 oz. (30mL); 48/cs.	CS	7890
02911474	Bottle, Graduated; Fisherbrand; Valumetric; Clear glass; w/Attached rubber-lined closure; 38mm-400 screw cap size; Wide-mouth for easy filling; Autoclavable; Capacity: 2 oz. (60mL); 48/cs.	CS	8736
02911475	Bottle, Graduated; Fisherbrand; Valumetric; Clear glass; w/Attached rubber-lined closure; 48mm to 400mm screw cap size; Wide-mouth for easy filling; Autoclavable; Capacity: 4 oz. (125mL); 24/cs.	CS	5918
02911476	Bottle, Graduated; Fisherbrand; Valumetric; Clear glass; w/Attached rubber-lined closure; 58mm to 400mm screw cap size; Wide-mouth for easy filling; Autoclavable; Capacity: 8 oz. (250mL); 24/cs.	CS	7059
02911721	Jar; Wide-mouth; Fisherbrand; Clear; Safety-coated; With PTFE-faced PE-lined cap; Capacity: 32 oz. (1000mL), 70mm-400 screw cap size; 12/cs.	CS	14898
02911723	Bottle; Fisherbrand; Amber boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals and samples; Capacity: 4 oz. (125mL); 160/case; 22mm-400 screw cap size	CS	16170
02911724	Bottle; Fisherbrand; Amber boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals and samples; Capacity: 8 oz. (250mL); 108/case; 24mm-400 screw cap size	CS	11912
02911725	Bottle; Fisherbrand; Amber boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals and samples; Capacity: 16 oz. (500mL); 60/case; 28mm-400 screw cap size	CS	10504
02911726	Bottle; Fisherbrand; Clear boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; Clear for easy viewing of contents; Capacity: 16 oz. (500mL); 60/case; 28mm-400 screw cap size	CS	10713
02911727	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 38mm-400 screw cap size; 1600/cs.	CS	86010
02911729	Bottle; Fisherbrand; Amber boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals and samples; Capacity: 32 oz. (1000mL); 30/case; 33mm-400 screw cap size	CS	8297
02911730	Bottle; Fisherbrand; Clear boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; Clear for easy viewing of contents; Capacity: 4 oz. (125mL); 160/case; 22mm-400 screw cap size	CS	15888

Cat. No.	Description	Pack	Price in ₹
02911731	Bottle, Wide-mouth; Fisherbrand; Clear standard; Type III soda-lime glass; with attached Polyvinyl-lined closure; For storing dry materials and specimens; Capacity: 4 oz. (125mL); 48mm-400 screw cap size; 24/cs.	CS	3136
02911732	Bottle; Fisherbrand; Clear boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; Clear for easy viewing of contents; Capacity: 8 oz. (250mL); 108/case; 24mm-400 screw cap size	CS	14175
02911734	Bottle, Narrow-mouth; Fisherbrand; Amber boston round; With attached poly-seal-lined closures; Type III soda lime glass; Capacity: 2 oz. (60mL); 20mm-400 screw cap size; 24/cs.	CS	2607
02911735	Bottle, Narrow-mouth; Fisherbrand; Amber boston round; With attached poly-seal-lined closures; Type III soda lime glass; Capacity: 4 oz. (125mL); 22mm-400 screw cap size; 24/cs.	CS	3325
02911736	Bottle, Narrow-mouth; Fisherbrand; Amber boston round; With attached poly-seal-lined closures; Type III soda lime glass; Capacity: 8 oz. (250mL); 24mm-400 screw cap size; 12/cs.	CS	3443
02911737	Bottle, Boston round; Fisherbrand; Amber; Narrow mouth; With attached PTFE faced PE-lined closures; For light sensitive solvents, chemicals and samples; Capacity: 2 oz. (60mL); 20mm-400 screw cap size; 24/cs.	CS	2847
02911738	Bottle, Boston round; Fisherbrand; Amber; Narrow mouth; With attached PTFE faced PE-lined closures; For light sensitive solvents, chemicals and samples; Capacity: 16 oz. (500mL); 28mm-400 screw cap size; 12/cs.	CS	3223
02911739	Bottle, Boston round; Fisherbrand; Amber; Narrow mouth; With attached PTFE faced PE-lined closures; For light sensitive solvents, chemicals and samples; Capacity: 32 oz. (1000mL); 33mm-400 screw cap size; 12/cs.	CS	3976
02911740	Bottle, Boston round; Fisherbrand; Amber; Narrow mouth; With attached PTFE faced PE-lined closures; For light sensitive solvents, chemicals and samples; Capacity: 4 oz. (125mL); 22mm-400 screw cap size; 24/cs.	CS	3369
02911741	Bottle, Boston round; Fisherbrand; Amber; Narrow mouth; With attached PTFE faced PE-lined closures; For light sensitive solvents, chemicals and samples; Capacity: 8 oz. (250mL); 24mm-400 screw cap size; 12/cs.	CS	2126
02911742	Bottle; Fisherbrand; Amber boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals and samples; Capacity: 2 oz. (60mL); 288/case; 20mm-400 screw cap size	CS	23152
02911743	Bottle, Narrow-mouth; Fisherbrand; Amber boston round; With attached Poly-seal-lined closures; Type III soda lime glass; Capacity: 16 oz. (500mL); 28mm-400 screw cap size; 12/cs.	CS	2499
02911744	Bottle, Narrow-mouth; Fisherbrand; Amber boston round; With attached poly-seal-lined closures; Type III soda lime glass; Capacity: 32 oz. (1000mL); 33mm-400 screw cap size; 12/cs.	CS	3725
02911745	Bottle; Fisherbrand; Amber boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals and samples; Capacity: 16 oz. (500mL); 12/case; 28mm-400 screw cap size	CS	3033
02911746	Bottle; Fisherbrand; Amber boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals and samples; Capacity: 2 oz. (60mL); 24/case; 20mm-400 screw cap size	CS	3402
02911747	Bottle; Fisherbrand; Amber boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals, and samples; Capacity: 32 oz. (1000mL); 12/case; 33mm-400 screw cap size	CS	3794
02911748	Bottle; Fisherbrand; Amber boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals and samples; Capacity: 4 oz. (125mL); 24/case; 22mm-400 screw cap size	CS	3584
02911749	Bottle; Fisherbrand; Amber boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals and samples; Capacity: 8 oz. (250mL); 12/case; 24mm-400 screw cap size	CS	2742
02911750	Bottle, Boston round; Fisherbrand; Clear; Narrow mouth; w/Attached Poly-Seal-lined closure; Capacity: 16 oz. (500mL); 28mm-400 screw cap size; 12/cs.	CS	2415
02911751	Bottle, Boston round; Fisherbrand; Clear; Narrow mouth; w/Attached Poly-Seal-lined closure; Capacity: 32 oz. (1000mL); 33mm-400 screw cap size; 12/cs.	CS	3432
02911752	Bottle; Fisherbrand; Clear boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; Clear for easy viewing of contents; Capacity: 2 oz. (60mL); 24/case; 20mm-400 screw cap size	CS	2545
02911753	Bottle, Boston round; Fisherbrand; Clear; Narrow-mouth; With attached PTFE faced PE-lined closures; Type III soda lime glass; Capacity: 16 oz. (500mL); 12/case; 28mm-400 screw cap size	CS	2809
02911754	Bottle, Boston round; Fisherbrand; Clear; Narrow-mouth; With attached PTFE faced PE-lined closures; Type III soda lime glass; Capacity: 32 oz. (1000mL); 12/case; 33mm-400 screw cap size	CS	3797

Cat. No.	Description	Pack	Price in ₹
02911755	Bottle, Boston round; Fisherbrand; Clear; Narrow-mouth; With attached rubber-lined closures; Type III soda lime glass; Capacity: 16 oz. (500mL); 12/case; 28mm-400 screw cap size	CS	2334
02911756	Bottle, Boston round; Fisherbrand; Clear; Narrow-mouth; With attached rubber-lined closures; Type III soda lime glass; Capacity: 1 oz. (30mL); 48/case; 20mm-400 screw cap size	CS	4219
02911757	Bottle, Boston round; Fisherbrand; Clear; Narrow-mouth; With attached rubber-lined closures; Type III soda lime glass; Capacity: 2 oz. (60mL); 24/case; 20mm-400 screw cap size	CS	2775
02911758	Bottle, Boston round; Fisherbrand; Clear; Narrow-mouth; With attached rubber-lined closures; Type III soda lime glass; Capacity: 32 oz. (1000mL); 12/case; 33mm-400 screw cap size	CS	3447
02911759	Bottle, Boston round; Fisherbrand; Clear; Narrow-mouth; With attached rubber-lined closures; Type III soda lime glass; Capacity: 4 oz. (125mL); 24/case; 22mm-400 screw cap size	CS	3057
02911760	Bottle, Boston round; Fisherbrand; Clear; Narrow-mouth; With attached rubber-lined closures; Type III soda lime glass; Capacity: 8 oz. (250mL); 12/case; 24mm-400 screw cap size	CS	2113
02911761	Jar, Clear; Fisherbrand; Straight-sided; Wide-mouth; With attached PTFE-faced, PE-lined closure; Screw cap size: 89mm-400; Capacity: 16 oz. (500mL); 12/cs.	CS	6989
02911762	Jar, Clear; Fisherbrand; Straight-sided; Wide-mouth; With attached PTFE-faced, PE-lined closure; Screw cap size: 89mm-400; Capacity: 32 oz. (1000mL); 12/cs.	CS	7492
02911763	Jar, Clear; Fisherbrand; Straight-sided; Wide-mouth; With attached PTFE-faced, PE-lined closure; Screw cap size: 53mm-400; Capacity: 2 oz. (60mL); 24/cs.	CS	5391
02911764	Jar, Clear; Fisherbrand; Straight-sided; Wide-mouth; With attached PTFE-faced, PE-lined closure; Screw cap size: 58mm-400; Capacity: 4 oz. (125mL); 24/cs.	CS	6272
02911765	Jar, Clear; Fisherbrand; Straight-sided; Wide-mouth; With attached PTFE-faced, PE-lined closure; Screw cap size: 70mm-400; Capacity: 8 oz. (250mL); 12/cs.	CS	5288
02911766	Bottle, Clear; Fisherbrand; Standard wide-mouth; Type-III soda-lime glass; With attached PTFE Faced PE-lined closure; Capacity: 129 oz. (3810mL); 89mm-400 screw cap size; 4/cs.	CS	4151
02911767	Bottle, Clear; Fisherbrand; Standard wide-mouth; Type-III soda-lime glass; With attached PTFE Faced PE-lined closure; Capacity: 16 oz. (500mL); 63mm-400 screw cap size; 24/cs.	CS	9157
02911768	Bottle, Clear; Fisherbrand; Standard wide-mouth; Type-III soda-lime glass; With attached PTFE Faced PE-lined closure; Capacity: 4 oz. (125mL); 48mm-400 screw cap size; 24/cs.	CS	5357
02911769	Bottle, Clear; Fisherbrand; Standard wide-mouth; Type-III soda-lime glass; With attached PTFE Faced PE-lined closure; Capacity: 64 oz. (2000mL); 83mm-400 screw cap size; 6/cs.	CS	4736
02911770	Bottle, Clear; Fisherbrand; Standard wide-mouth; Type-III soda-lime glass; With attached PTFE Faced PE-lined closure; Capacity: 8 oz. (250mL); 58mm-400 screw cap size; 24/cs.	CS	7581
02911772	Jar, Straight-sided; Fisherbrand; Clear; Wide-mouth; w/Attached Polyvinyl-lined closure; Capacity: 16 oz. (500mL); 89mm-400 screw cap size; 12/cs.	CS	3091
02911773	Jar, Straight-sided; Fisherbrand; Clear; Wide-mouth; w/Attached Polyvinyl-lined closure; Capacity: 2 oz. (60mL); 53mm-400 screw cap size; 24/cs.	CS	3100
02911774	Jar, Straight-sided; Fisherbrand; Clear; Wide-mouth; w/Attached Polyvinyl-lined closure; Capacity: 32 oz. (1000mL); 89mm-400 screw cap size; 12/cs.	CS	3649
02911775	Jar, Straight-sided; Fisherbrand; Clear; Wide-mouth; w/Attached Polyvinyl-lined closure; Capacity: 4 oz. (125mL); 58mm-400 screw cap size; 24/cs.	CS	3015
02911776	Jar, Straight-sided; Fisherbrand; Clear; Wide-mouth; w/Attached Polyvinyl-lined closure; Capacity: 8 oz. (250mL); 70mm-400 screw cap size; 12/cs.	CS	2372
02911777	Bottle, Narrow-mouth; Fisherbrand; Boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Clear; Capacity: 16 oz. (500mL); 12/case; 28mm-400 screw cap size	CS	2262
02911778	Bottle; Fisherbrand; Clear Boston Round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; Clear for easy viewing of contents; Capacity: 32 oz. (1000mL); 12/case; 33mm-400 screw cap size	CS	3660
02911779	Bottle; Fisherbrand; Clear boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; Clear for easy viewing of contents; Capacity: 1 oz. (30mL); 48/case; 20mm-400 screw cap size	CS	5624
02911780	Bottle; Fisherbrand; Clear boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; Clear for easy viewing of contents; Capacity: 4 oz. (125mL); 24/case; 22mm-400 screw cap size	CS	2771
02911781	Bottle; Fisherbrand; Clear boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; Clear for easy viewing of contents; Capacity: 8 oz. (250mL); 12/case; 24mm-400 screw cap size	CS	1927
02911782	Bottle, Boston round; Fisherbrand; Clear; Narrow mouth; w/Attached Poly-Seal-lined closure; Capacity: 1 oz. (30mL); 20mm-400 screw cap size; 48/cs.	CS	4124

Cat. No.	Description	Pack	Price in ₹
02911783	Bottle, Boston round; Fisherbrand; Clear; Narrow mouth; w/Attached Poly-Seal-lined closure; Capacity: 2 oz. (60mL); 20mm-400 screw cap size; 24/cs.	CS	2634
02911784	Bottle, Boston round; Fisherbrand; Clear; Narrow mouth; w/Attached Poly-Seal-lined closure; Capacity: 4 oz. (125mL); 22mm-400 screw cap size; 24/cs.	CS	3337
02911785	Bottle, Boston round; Fisherbrand; Clear; Narrow mouth; w/Attached Poly-Seal-lined closure; Capacity: 8 oz. (250mL); 24mm-400 screw cap size; 12/cs.	CS	1864
02911786	Bottle, Boston round; Fisherbrand; Clear; Narrow-mouth; With attached PTFE faced PE-lined closures; Type III soda lime glass; Capacity: 1 oz. (30mL); 48/case; 20mm-400 screw cap size	CS	5358
02911787	Bottle, Boston round; Fisherbrand; Clear; Narrow-mouth; With attached PTFE faced PE-lined closures; Type III soda lime glass; Capacity: 2 oz. (60mL); 24/case; 20mm-400 screw cap size	CS	2981
02911788	Bottle, Boston round; Fisherbrand; Clear; Narrow-mouth; With attached PTFE faced PE-lined closures; Type III soda lime glass; Capacity: 4 oz. (125mL); 24/case; 22mm-400 screw cap size	CS	3384
02911789	Bottle, Boston round; Fisherbrand; Clear; Narrow-mouth; With attached PTFE faced PE-lined closures; Type III soda lime glass; Capacity: 8 oz. (250mL); 12/case; 24mm-400 screw cap size	CS	2252
02911790	Bottle; Fisherbrand; Clear boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; Clear for easy viewing of contents; Capacity: 2 oz. (60mL); 288/case; 20mm-400 screw cap size	CS	19890
02911791	Jar, Clear; Fisherbrand; Straight-sided; Wide-mouth; With attached PTFE-faced, PE-lined closure; Screw cap size: 53mm-400; Capacity: 2 oz. (60mL); 144/cs.	CS	19655
02911792	Jar, Polystyrene; Fisherbrand; Clear; With foamed PE-lined caps; Capacity: 1 oz. (30mL); 43mm-400 screw cap size; 72/cs.	CS	6715
02911793	Bottle; Fisherbrand; Amber boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals and samples; Capacity: 0.5 oz. (15mL); 720/case; 18mm-400 screw cap size	CS	60666
02911794	Bottle, Boston round; Fisherbrand; Amber; Without closure; Type III soda lime glass; Narrow mouth; For light sensitive solvents, chemicals, samples; Capacity: 0.5 oz. (15mL); 720/case; 18mm-400 screw cap size	CS	51087
02911795	Packer, Wide-mouth; Fisherbrand; PET; Clear; With attached foamed PE-lined closures; Capacity: 4 oz. (120mL); 38mm-400 screw cap size; 48/cs.	CS	3857
02911796	Packer, Wide mouth; Fisherbrand; Amber; w/Attached PTFE Faced PE-lined closure; 70mm-400 screw cap size; Capacity: 42 oz. (1250mL); 6/cs.	CS	4668
02911798	Packer, Wide-mouth; Fisherbrand; Amber; Without closure; For light sensitive powders; Easy to fill and remove the contents; Capacity: 0.5 oz. (15mL); 28mm-400 screw cap size; 624/cs.	CS	56457
02911799	Packer, Amber; Fisherbrand; Wide-mouth; w/Attached polyvinyl-lined closure; 28mm-400 screw cap; Capacity: 0.5 oz. (15mL); 624/cs.	CS	79469
02911800	Bottle, HDPE; Fisherbrand; Cylinder round; Rigid; Translucent; Narrow-mouth; Natural color; Without closure; Capacity: 16 oz. (500mL); 24mm-410 screw cap size; 180/cs.	CS	17480
02911803	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 20mm-400 screw cap size; 5500/cs.	CS	140395
02911804	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 20mm-400 screw cap size; 576/cs.	CS	17183
02911806	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 24mm-400 screw cap size; 4200/cs.	CS	108389
02911807	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 24mm-410 screw cap size; 500/cs.	CS	5497
02911808	Packer, Wide-mouth; Fisherbrand; PET; Clear; With attached foamed PE-lined closures; Capacity: 8 oz. (250mL); 45mm-400 screw cap size; 48/cs.	CS	6944
02911809	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 28mm-400 screw cap size; 500/cs.	CS	5527
02911812	Bottle, Boston round; Fisherbrand; Amber; Safety coated; With attached polyvinyl-lined closures; Narrow-mouth; Capacity: 16 oz. (500mL); 28mm to 400mm screw cap size	CS	8373
02911813	Bottle, Boston round; Fisherbrand; Amber; Safety coated; With attached polyvinyl-lined closures; Narrow-mouth; Capacity: 8 oz. (250mL); 24mm to 400mm screw cap size	CS	7040
02911814	Bottle, Boston round; Fisherbrand; Amber; Safety coated; With PTFE-lined closures; Narrow-mouth; Capacity: 32 oz. (1000mL); 33mm-400 screw cap size	CS	12405
02911815	Bottle, Boston round; Fisherbrand; Amber; Safety coated; With PTFE-lined closures; Narrow-mouth; Capacity: 8 oz. (250mL); 24mm-400 screw cap size	CS	6862

Cat. No.	Description	Pack	Price in ₹
02911816	Bottle, Boston round; Fisherbrand; Amber; Safety coated; With attached polyvinyl-lined closures; Narrow-mouth; Capacity: 32 oz. (1000mL); 33mm to 400mm screw cap size	CS	11794
02911817	Bottle, Boston round; Fisherbrand; Amber; Safety coated; With PTFE-lined closures; Narrow-mouth; Capacity: 16 oz. (500mL); 28mm-400 screw cap size	CS	8737
02911818	Bottle, Boston round; Fisherbrand; Clear; Safety coated; With attached Polyvinyl-lined closures; Shatter-resistant; Non-slip coating; Not autoclavable; Capacity: 8 oz. (250mL); 24mm-400 screw cap size	CS	9352
02911819	Bottle, Boston round; Fisherbrand; Clear; Safety coated; With attached Polyvinyl-lined closures; Shatter-resistant; Non-slip coating; Not autoclavable; capacity: 16 oz. (500mL); 28mm-400 screw cap size	CS	8165
02911820	Bottle, Boston round; Fisherbrand; Clear; Safety coated; With attached Polyvinyl-lined closures; Shatter-resistant; Non-slip coating; Not autoclavable; capacity: 32 oz. (1000mL); 33mm-400 screw cap size	CS	11802
02911821	Bottle, Boston round; Fisherbrand; Clear; Safety coated; With attached PTFE-lined closures; Shatter-resistant; Non-slip coating; Not autoclavable; capacity: 8 oz. (250mL); 24mm-400 screw cap size	CS	9092
02911822	Bottle, Boston round; Fisherbrand; Clear; Safety coated; With attached PTFE-lined closures; Shatter-resistant; Non-slip coating; Not autoclavable; capacity: 16 oz. (500mL); 28mm-400 screw cap size	CS	8727
02911823	Bottle, Boston round; Fisherbrand; Clear; Safety coated; With attached PTFE-lined closures; Shatter-resistant; Non-slip coating; Not autoclavable; capacity: 32 oz. (1000mL); 33mm-400 screw cap size	CS	12453
02911824	Jar; Wide-mouth; Fisherbrand; Clear; Safety-coated; With attached Polyvinyl-lined closure; Capacity: 16 oz. (500mL); 70mm-400 screw cap size; 12/cs.	CS	18271
02911825	Jar; Wide-mouth; Fisherbrand; Clear; Safety-coated; With attached Polyvinyl-lined closure; Capacity: 8 oz. (250mL); 70mm-400 screw cap size; 12/cs.	CS	7403
02911827	Jar; Wide-mouth; Fisherbrand; Clear; Safety-coated; With PTFE-faced PE-lined cap; Capacity: 8 oz. (250mL); 70mm-400 screw cap size; 12/cs.	CS	12812
02911828	Packer, Wide-mouth; Fisherbrand; Safety-coated; Amber glass; Not autoclavable; Shatter-resistance; Nonslip coating; With attached polyvinyl-lined closures; capacity: 16 oz. (500mL); 53mm-400 screw cap size; 12/cs.	CS	11105
02911829	Packer, Wide-mouth; Fisherbrand; Safety-coated; Amber glass; Not autoclavable; Shatter-resistance; Nonslip coating; With attached polyvinyl-lined closures; capacity: 32 oz. (1000mL); 53mm-400 screw cap size; 12/cs.	CS	13995
02911830	Packer, Wide-mouth; Fisherbrand; Safety-coated; Amber glass; Not autoclavable; Shatter-resistance; Nonslip coating; With PTFE-faced PE-lined caps; capacity: 16 oz. (500mL); 53mm-400 screw cap size; 12/cs.	CS	13016
02911831	Packer, Wide-mouth; Fisherbrand; Safety-coated; Amber glass; Not autoclavable; Shatter-resistance; Nonslip coating; With PTFE-faced PE-lined caps; capacity: 32 oz. (1000mL); 53mm-400 screw cap size; 12/cs.	CS	15706
02911832	Packer, Wide-mouth; Fisherbrand; Safety-coated; Amber glass; Not autoclavable; Shatter-resistance; Nonslip coating; With polyvinyl-lined caps; capacity: 8 oz. (250mL); 45mm-400 screw cap size; 24/cs.	CS	23983
02911833	Bottle, Boston round; Fisherbrand; Amber; Certified clean; With attached faced PE-lined closures; Capacity: 34 oz. (1000mL); 33mm-400 screw cap size; 12/cs.	CS	6014
02911836	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 33mm-400 screw cap size; 2100/cs.	CS	190661
02911837	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 33mm-400 screw cap size; 576/cs.	CS	12779
02911840	Cap, Plastic; Fisherbrand; Black; Unlined; 43mm-400 screw cap size; 576/cs.	CS	12328
02911844	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 53mm-400 screw cap size; 1080/cs.	CS	58932
02911845	Cap, Plastic; Fisherbrand; Black; Unlined; 53mm-400 screw cap size; 288/cs.	CS	7383
02911847	Cap, Plastic; Fisherbrand; Black; Unlined; 58mm-400 screw cap size; 288/cs.	CS	7454
02911848	Cap, Plastic; Fisher Scientific; Black; 14B white rubber-lined; Autoclavable; 58mm-400 screw cap size	CS	44272
02911849	Packer, Wide-mouth; Fisherbrand; PET; Clear; With attached foamed PE-lined closures; Capacity: 2 oz. (60mL); 33mm-400 screw cap size; 48/cs.	CS	3802
02911851	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 63mm-400 screw cap size; 288/cs.	CS	15278
02911852	Packer, Amber; Fisherbrand; Wide-mouth; w/Attached polyvinyl-lined closure; 20mm-400 screw cap; Capacity: 0.20 oz. (6mL); 720/cs.	CS	60919
02911853	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 70mm-400 screw cap size; 640/cs.	CS	65291
02911854	Packer, Wide mouth; Fisherbrand; Amber; w/Attached PTFE Faced PE-lined closure; 70mm-400 screw cap size; Capacity: 85 oz. (2500mL); 12/cs.	CS	19516

Cat. No.	Description	Pack	Price in ₹
02911856	Cap, Plastic; Fisherbrand; Black; Unlined; 89mm-400 screw cap size; 144/cs.	CS	7795
02911857	Packer, Amber; Fisherbrand; Wide-mouth; w/Attached polyvinyl-lined closure; 20mm-400 screw cap; Capacity: 0.27 oz. (8mL); 912/cs.	CS	71543
02911859	Jar, Straight-sided; Fisherbrand; Type III soda-lime glass; Wide mouth; With PTFE-faced PE-lined cap; Screw cap size: 70mm-400; Capacity: 8 oz. (250mL)	CS	5011
02911860	Bottle, Boston round; Fisherbrand; Clear; Safety coated; Without closures; Shatter-resistant; Non-slip coating; Not autoclavable; capacity: 8 oz. (250mL); 24mm-400 screw cap size	CS	41569
02911861	Bottle, Narrow-mouth; Fisherbrand; Amber boston round; With attached poly-seal-lined closures; Type III soda lime glass; Capacity: 0.5 oz. (15mL); 18mm-400 screw cap size; 720/cs.	CS	84129
02911863	Packer, Wide-mouth; Fisherbrand; Safety-coated; Amber glass; Not autoclavable; Shatter-resistance; Nonslip coating; With With PTFE-faced PE-lined caps; capacity: 8 oz. (250mL); 45mm-400 screw cap size; 24/cs.	CS	27607
02911865	Bottle, Graduated; Fisherbrand; Certified low-particulate volumetric; With PTFE cap; Containers and caps cleaned with USP purified water; Capacity: 1 oz. (30mL); Screw cap size: 33mm-400	CS	38128
02911866	Bottle, Graduated; Fisherbrand; Certified low-particulate volumetric; With PTFE cap; Containers and caps cleaned with USP purified water; Capacity: 2 oz. (60mL); Screw cap size: 38mm-400	CS	40760
02911867	Jar; Wide-mouth; Fisherbrand; Clear; Safety-coated; With attached Polyvinyl-lined closure; Capacity: 32 oz. (1000mL); 70mm-400 screw cap size; 12/cs.	CS	14335
02911868	Jar; Wide-mouth; Fisherbrand; Clear; Safety-coated; With PTFE-faced PE-lined cap; Capacity: 16 oz. (500mL); 70mm-400 screw cap size; 12/cs.	CS	22233
02911869	Bottle, Wide-mouth; Fisherbrand; Clear; Standard; Without closure; For general reservoir requirements; Capacity: 64 oz. (2000mL); 83mm-400 screw cap size	CS	2929
02911871	Bottle, Wide-mouth; Fisherbrand; Clear; Standard; Without closure; For general reservoir requirements; Capacity: 16 oz. (500mL); 63mm-400 screw cap size	CS	3922
02911872	Bottle, Boston round; Fisherbrand; Clear; Without closures; Type III soda lime glass; Narrow-mouth; Capacity: 8 oz. (250mL); 108/case; Screw cap size: 24mm-400	CS	11836
02911873	Bottle, Boston round; Fisherbrand; Low-density polyethylene; With attached Poly-seal-lined closures; Narrow-mouth; Natural color; Capacity: 32 oz. (1000mL); Screw cap size: 38mm-430	CS	11009
02911874	Bottle, Wide-mouth; Fisherbrand; High-density polyethylene; Round; Without closure; Natural color; Translucent; Capacity: 130 oz. (3840mL); Screw cap size: 89mm-400	CS	1908
02911875	Bottle; Fisherbrand; Clear french squares with Poly-seal-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; Capacity: 4 oz. (125mL); 120/case; 33mm-400 screw cap size	CS	18295
02911876	Jar, Straight-sided; Fisherbrand; Clear; Wide mouth; Without closure; Capacity: 8 oz. (250mL); Screw cap size: 70mm-400	CS	2397
02911877	Bottle, Wide-mouth; Fisherbrand; Clear; French square; Without cap; Capacity: 16 oz. (500mL); Screw cap size: 48mm-400	CS	7735
02911878	Bottle, Narrow-mouth; Fisherbrand; Amber boston round; With attached poly-seal-lined closures; Type III soda lime glass; Capacity: 16 oz. (500mL); 28mm-400 screw cap size; 60/cs.	CS	14047
02911879	Bottle, Boston round; Fisherbrand; Clear; Certified low-particulate; With attached polyvinyl-lined closure; Narrow mouth; Capacity: 16 oz. (500mL); Screw cap size: 28mm-400	CS	13133
02911881	Bottle, Glass; Fisherbrand; Clear; Tablet square; With polyvinyl lined cap; Capacity: 1 oz. (30mL); 33mm-400 screw cap size	CS	29484
02911883	Jar, Testing; Fisherbrand; Clear; Glass; With polyvinyl-lined cap; Capacity: 2 oz. (60mL); 43mm-400 screw cap size	CS	26854
02911884	Bottle, Wide-mouth; Fisherbrand; Clear; French square; Without cap; Capacity: 32 oz. (1000mL); Screw cap size: 58mm-400	CS	9285
02911885	Bottle; Fisherbrand; Certified low-particulate; Clear French; Containers, caps cleaned w/USP purified water; w/PTFE-lined cap; Certificate of analysis included w/each case; Capac.: 32 oz. (1000mL); 63mm-415 screw cap size	CS	19648
02911886	Bottle, Wide-mouth; Fisherbrand; High-density polyethylene; Round; Without closure; Natural color; Translucent; Capacity: 4 oz. (125mL); Screw cap size: 38mm-400	CS	36673
02911887	Bottle, Wide-mouth; Fisherbrand; Clear; French square; Without cap; Capacity: 4 oz. (125mL); Screw cap size: 33mm-400	CS	12817
02911888	Packer, Wide-mouth; Fisherbrand; Amber; Without closure; For light sensitive powders; Easy to fill and remove the contents; Capacity: 4 oz. (125mL); 38mm-400 screw cap size; 180/cs.	CS	15086
02911889	Bottle, Boston round; Fisherbrand; Clear; Certified low-particulate; With attached polyvinyl-lined closure; Narrow mouth; Capacity: 4 oz. (125mL); Screw cap size: 22mm-400	CS	20565



Cat. No.	Description	Pack	Price in ₹
02911890	Bottle; Fisherbrand; Certified low-particulate; Clear French; Containers, caps cleaned w/USP purified water; w/PTFE-lined cap; Certificate of analysis included w/each case; Capac.: 4 oz. (125mL); 33mm-415 screw cap size	CS	19691
02911891	Bottle, Wide-mouth; Fisherbrand; Clear standard; Type III soda-lime glass; w/Attached Polyvinyl-lined closure; For storing dry materials and specimens; Capacity: 64 oz. (2000mL); 83mm-400 screw cap size; 6/Cs.	CS	2905
02911892	Bottle, Boston round; Fisherbrand; Clear; Certified low-particulate; With attached polyvinyl-lined closure; Narrow mouth; Capacity: 8 oz. (250mL); Screw cap size: 24mm-400	CS	17626
02911893	Bottle; Fisherbrand; Certified low-particulate; Clear French; Containers, caps cleaned w/USP purified water; w/PTFE-lined cap; Certificate of analysis included w/each case; Capac.: 8 oz. (250mL); 43mm-415 screw cap size	CS	22412
02911894	Bottle, Boston round; Fisherbrand; Amber; Safety coated; With PTFE-lined closures; Narrow-mouth; Capacity: 4 oz. (125mL); 22mm-400 screw cap size	CS	12181
02911895	Bottle, Narrow-mouth; Fisherbrand; Amber boston round; With attached Poly-seal-lined closures; Type III soda lime glass; Capacity: 4 oz. (125mL); 22mm-400 screw cap size; 160/cs.	CS	23337
02911896	Bottle, Boston round; Fisherbrand; Amber; Safety coated; With attached Poly-seal-lined closures; Narrow-mouth; Capacity: 4 oz. (125mL); 22mm-400 screw cap size	CS	11244
02911897	Bottle, Boston round; Fisherbrand; Amber; Safety coated; With attached polyvinyl-lined closures; Narrow-mouth; Capacity: 4 oz. (125mL); 22mm to 400mm screw cap size	CS	11076
02911898	Bottle, Narrow-mouth; Fisherbrand; Amber boston round; With attached poly-seal-lined closures; Type III soda lime glass; Capacity: 2 oz. (60mL); 20mm-400 screw cap size; 288/cs.	CS	36228
02911899	Bottle, Narrow-mouth; Fisherbrand; Amber boston round; With attached poly-seal-lined closures; Type III soda lime glass; Capacity: 32 oz. (1000mL); 33mm-400 screw cap size; 30/cs.	CS	10523
02911900	Bottle, Narrow-mouth; Fisherbrand; Amber boston round; With attached poly-seal-lined closures; Type III soda lime glass; Capacity: 8 oz. (250mL); 24mm-400 screw cap size; 108/cs.	CS	18788
02911901	Bottle, Boston round; Fisherbrand; Amber; Safety coated; With attached polyvinyl-lined closures; Narrow-mouth; Capacity: 32 oz. (1000mL); 33mm-400 screw cap size	CS	11836
02911902	Bottle, Boston round; Fisherbrand; Amber; Without closure; Type III soda lime glass; Narrow mouth; For light sensitive solvents, chemicals, samples; Capacity: 16 oz. (500mL); 60/case; 33mm to 400mm screw cap size	CS	10082
02911903	Bottle, Boston round; Fisherbrand; Amber; Without closure; Type III soda lime glass; Narrow mouth; For light sensitive solvents, chemicals, samples; Capacity: 32 oz. (1000mL); 30/case; 33mm to 400mm screw cap size	CS	8121
02911904	Bottle; Boston round; Fisherbrand; Amber; Without closure; Type III soda lime glass; Narrow mouth; For light sensitive solvents, chemicals, samples; Capacity: 4 oz. (125mL); 160/case; 22mm to 400mm screw cap size	CS	15182
02911905	Bottle, Boston round; Fisherbrand; Amber; Without closure; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals, samples; Capacity: 8 oz. (250mL); 108/case; 24mm to 400mm screw cap size	CS	12738
02911906	Packer, Wide-mouth; Fisherbrand; Safety-coated; Amber glass; Not autoclavable; Shatter-resistance; Nonslip coating; Bottle only; capacity: 16 oz. (500mL); 53mm-400 screw cap size; 12/cs.	CS	9605
02911907	Packer, Wide-mouth; Fisherbrand; Safety-coated; Amber glass; Not autoclavable; Shatter-resistance; Nonslip coating; Bottle only; capacity: 32 oz. (1000mL); 53mm-400 screw cap size; 12/cs.	CS	11186
02911908	Bottle, Boston round; Fisherbrand; Amber; Without closure; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals, samples; Capacity: 2 oz. (60mL); 288/case; 20mm-400 screw cap size	CS	22897
02911909	Bottle, Boston round; Fisherbrand; Low-density polyethylene; With attached Poly-seal-lined closures; Narrow-mouth; Natural color; Capacity: 16 oz. (500mL); Screw cap size: 28mm-430	CS	8016
02911910	Bottle, Boston round; Fisherbrand; Clear; Safety coated; With attached rubber-lined closures; Shatter-resistant; Non-slip coating; Not autoclavable; capacity: 8 oz. (250mL); 24mm-400 screw cap size	CS	13095
02911911	Bottle, Graduated; Fisherbrand; Volumetric; With attached Foil-lined closures; Wide-mouth; Capacity: 16 oz. (500mL); Screw cap size: 70mm-400	CS	8918
02911912	Jar, Clear; Fisherbrand; Straight-sided; Wide-mouth; With attached PTFE-faced, PE-lined closure; Screw cap size: 43mm-400; Capacity: 1 oz. (30mL); 48/cs.	CS	11556
02911913	Bottle, Clear; Fisherbrand; Standard wide-mouth; Type-III soda-lime glass; With attached PTFE Faced PE-lined closure; Capacity: 32 oz. (1000mL); 70mm-400 screw cap size; 12/cs.	CS	6424
02911914	Bottle, Boston round; Fisherbrand; Clear; Certified low-particulate; With attached polyvinyl-lined closure; Narrow mouth; Capacity: 32 oz. (1000mL); Screw cap size: 33mm-400	CS	14781

Cat. No.	Description	Pack	Price in ₹
02911916	Bottle, Wide-mouth; Fisherbrand; Clear standard; Type III soda-lime glass; Attached Polyvinyl-lined closure; For storing dry materials and specimens; Capacity: 8 oz. (250mL); 58mm-400 screw cap size; 24/cs.	CS	3770
02911917	Bottle, Wide-mouth; Fisherbrand; Clear standard; Type III soda-lime glass; Attached Polyvinyl-lined closure; For storing dry materials and specimens; Capacity: 16 oz. (500mL); 63mm-400 screw cap size; 24/cs.	CS	4406
02911918	Bottle, Wide-mouth; Fisherbrand; Clear standard; Type III soda-lime glass; w/Attached Polyvinyl-lined closure; For storing dry materials and specimens; Capacity: 129 oz. (3810mL); 89mm-400 screw cap size; 4/cs.	CS	2932
02911919	Bottle, Wide-mouth; Fisherbrand; Clear standard; Type III soda-lime glass; Attached Polyvinyl-lined closure; For storing dry materials and specimens; Capacity: 32 oz. (1000mL); 70mm-400 screw cap size; 12/Cs.	CS	4085
02911920	Jar, Straight-sided; Fisherbrand; Clear; Wide-mouth; w/Attached Polyvinyl-lined closure; Capacity: 1 oz. (30mL); 43mm-400 screw cap size; 48/cs.	CS	7183
02911921	Bottle, Boston round; Fisherbrand; Clear; Safety coated; Without closures; Shatter-resistant; Non-slip coating; Not autoclavable; capacity: 16 oz. (500mL); 28mm-400 screw cap size	CS	30726
02911922	Bottle, Boston round; Fisherbrand; Clear; Safety coated; Without closures; Shatter-resistant; Non-slip coating; Not autoclavable; capacity: 32 oz. (1000mL); 33mm-400 screw cap size	CS	23211
02911923	Bottle, Graduated; Fisherbrand; Valumetric; With attached Foil-lined closures; Wide-mouth; Capacity: 1 oz. (30mL); Screw cap size: 33mm-400	CS	8139
02911924	Bottle, Graduated; Fisherbrand; Valumetric; With attached Foil-lined closures; Wide-mouth; Capacity: 2 oz. (60mL); Screw cap size: 38mm-400	CS	8559
02911925	Bottle, Graduated; Fisherbrand; Valumetric; With attached Foil-lined closures; Wide-mouth; Capacity: 4 oz. (125mL); Screw cap size: 48mm-400	CS	5444
02911926	Bottle, Graduated; Fisherbrand; Valumetric; With attached Foil-lined closures; Wide-mouth; Capacity: 8 oz. (250mL); Screw cap size: 58mm-400	CS	6555
02911927	Bottle, Boston round; Fisherbrand; Clear; Without closures; Type III soda lime glass; Narrow-mouth; Capacity: 32 oz. (1000mL); 12/case; Screw cap size: 33mm-400	CS	3477
02911928	Bottle, Boston round; Fisherbrand; Amber; Certified clean; With attached faced PE-lined closures; capacity: 8 oz. (250mL); 24mm-400 screw cap size; 12/cs.	CS	4708
02911929	Bottle; Fisherbrand; Amber; Wide-mouth packer; Custom cleaned; w/Attached PTFE faced PE-lined closure; Containers, caps noncertified, precleaned w/USP Purified Water; Capacity: 16 oz. (500mL); 53mm-400 screw cap size	CS	6198
02911930	Bottle; Fisherbrand; Amber; Wide-mouth packer; Custom cleaned; w/Attached PTFE faced PE-lined closure; Containers, caps noncertified, precleaned w/USP Purified Water; Capacity: 2 oz. (60mL); 33mm-400 screw cap size	CS	8971
02911931	Bottle; Fisherbrand; Amber; Wide-mouth packer; Custom cleaned; w/Attached PTFE faced PE-lined closure; Containers, caps noncertified, precleaned w/USP Purified Water; Capacity: 32 oz. (1000mL); 53mm-400 screw cap size	CS	7045
02911932	Bottle; Fisherbrand; Amber; Wide-mouth packer; Custom cleaned; w/Attached PTFE faced PE-lined closure; Containers, caps noncertified, precleaned w/USP Purified Water; Capacity: 4 oz. (125mL); 38mm-400 screw cap size	CS	8931
02911933	Bottle; Fisherbrand; Amber; Wide-mouth packer; Custom cleaned; w/Attached PTFE faced PE-lined closure; Containers, caps noncertified, precleaned w/USP Purified Water; Capacity: 8 oz. (250mL); 45mm-400 screw cap size	CS	10601
02911934	Packer, Wide-mouth; Fisherbrand; Amber; Without closure; For light sensitive powders; Easy to fill and remove the contents; Capacity: 16 oz. (500mL); 53mm-400 screw cap size; 60/cs.	CS	10174
02911935	Packer, Wide-mouth; Fisherbrand; Amber; Without closure; For light sensitive powders; Easy to fill and remove the contents; Capacity: 1 oz. (30mL); 28mm-400 screw cap size; 432/cs.	CS	28330
02911936	Packer, Wide-mouth; Fisherbrand; Amber; Without closure; For light sensitive powders; Easy to fill and remove the contents; Capacity: 2 oz. (60mL); 33mm-400 screw cap size; 216/cs.	CS	17128
02911937	Packer, Wide-mouth; Fisherbrand; Amber; Without closure; For light sensitive powders; Easy to fill and remove the contents; Capacity: 32 oz. (1000mL); 53mm-400 screw cap size; 36/cs.	CS	8949
02911938	Packer, Wide-mouth; Fisherbrand; Amber; Without closure; For light sensitive powders; Easy to fill and remove the contents; Capacity: 8 oz. (250mL); 45mm-400 screw cap size; 84/cs.	CS	9836
02911939	Bottle, Boston round; Fisherbrand; Clear; Without closures; Type III soda lime glass; Narrow-mouth; Capacity: 16 oz. (500mL); 60/case; Screw cap size: 28mm-400	CS	9081
02911940	Bottle, Boston round; Fisherbrand; Clear; Without closures; Type III soda lime glass; Narrow-mouth; Capacity: 1 oz. (30mL); 432/case; Screw cap size: 20mm-400	CS	28330

Cat. No.	Description	Pack	Price in ₹
02911941	Bottle, Glass; Fisherbrand; Graduated volumetric; Without closures; Wide-mouth for easy filling; Capacity: 1 oz. (30mL); 33mm-400 screw cap size	CS	31634
02911942	Bottle, Wide-mouth; Fisherbrand; Clear; Standard; Without closure; For general reservoir requirements; Capacity: 4 oz. (125mL); 48mm-400 screw cap size	CS	2061
02911943	Bottle, Wide-mouth; Fisherbrand; Clear; Standard; Without closure; For general reservoir requirements; Capacity: 8 oz. (250mL); 58mm-400 screw cap size	CS	2953
02911944	Bottle, Boston round; Fisherbrand; Clear; Without closures; Type III soda lime glass; Narrow-mouth; Capacity: 2 oz. (60mL); 288/case; Screw cap size: 20mm-400	CS	22834
02911945	Bottle, Boston round; Fisherbrand; Clear; Without closures; Type III soda lime glass; Narrow-mouth; Capacity: 4 oz. (125mL); 160/case; Screw cap size: 22mm-400	CS	13513
02911946	Bottle, Wide-mouth; Fisherbrand; Clear; French square; Without cap; Capacity: 1 oz. (30mL); Screw cap size: 24mm-400	CS	20631
02911947	Bottle, Wide-mouth; Fisherbrand; Clear; French square; Without cap; Capacity: 2 oz. (60mL); Screw cap size: 28mm-400	CS	19543
02911948	Bottle, HDPE; Fisherbrand; Wide-Mouth; Oblong; With attached Foamed PE-lined closures; Color: Natural; 32 oz. (1000mL); 53mm-400 screw cap size; 116/pk.	CS	34701
02911949	Bottle, HDPE; Fisherbrand; Wide-mouth; Oblong; With attached Foamed PE-lined closures; Color: Natural; 32 oz. (1000mL); Screw cap size: 53-400mm; 12/pk.	CS	4646
02911950	Bottle, HDPE; Fisherbrand; Wide-mouth; Oblong; With foamed PE-lined caps; Color: Natural; Capacity: 42 oz. (1250mL); Screw cap size: 53-400mm; 6/pk.	CS	3487
02911952	Bottle, HDPE; Fisherbrand; Wide-Mouth; Oblong; With attached Foamed PE-lined closures; Color: Natural; 4 oz. (125mL); Screw cap size: 38-400mm; 48/pk.	CS	5938
02911953	Bottle, HDPE; Fisherbrand; Wide-mouth; Oblong; With foamed PE-lined caps; Color: Natural; 4 oz. (125mL); Screw cap size: 38-400mm; 500/pk.	CS	38549
02911954	Bottle, HDPE; Fisherbrand; Wide-mouth; Oblong; With foamed PE-lined caps; Color: Natural; 5.5 oz. (160mL); Screw cap size: 38-400mm; 48/pk.	CS	6660
02911956	Bottle, HDPE; Fisherbrand; Wide-Mouth; Oblong; With attached Foamed PE-lined closures; Color: Natural; 8 oz. (250mL); Screw cap size: 43-400mm; 250/pk.	CS	28879
02911957	Bottle, HDPE; Fisherbrand; Wide-Mouth; Oblong; With attached Foamed PE-lined closures; Color: Natural; 8 oz. (250mL); Screw cap size: 43-400mm; 48/pk.	CS	8257
02911959	Bottle, HDPE; Fisherbrand; Wide-Mouth; Oblong; With attached Foamed PE-lined closures; Color: Natural; 16 oz. (500mL); Screw cap size: 43-400mm; 168/pk.	CS	26180
02911960	Bottle, HDPE; Fisherbrand; Wide-mouth; Oblong; With foamed PE-lined caps; Color: Natural; 16 oz. (500mL); Screw cap size: 43-400mm; 24/pk.	CS	5624
02911962	Bottle, HDPE; Fisherbrand; Cylinder round; Rigid; Translucent; Narrow-mouth; Natural color; With attached foamed PE-lined closure; Capacity: 8 oz. (250mL); 24mm-410 screw cap size; 230/cs.	CS	19104
02911963	Bottle, HDPE; Fisherbrand; Cylinder round; Rigid; Translucent; Narrow-mouth; Natural color; Without closure; Capacity: 8 oz. (250mL); 24mm-410 screw cap size; 230/cs.	CS	19073
02911964	Jar, Testing; Fisherbrand; Clear; Glass; With attached PTFE-faced PE-lined closures; Capacity: 2 oz. (60mL); 43mm-400 screw cap size	CS	40213
02911965	Bottle, Boston round; Fisherbrand; Low-density polyethylene; With attached Poly-seal-lined closures; Narrow-mouth; Natural color; Capacity: 2 oz. (60mL); Screw cap size: 18mm-430	CS	6462
02911966	Bottle, Boston round; Fisherbrand; Low-density polyethylene; With attached Poly-seal-lined closures; Narrow-mouth; Natural color; Capacity: 4 oz. (125mL); Screw cap size: 24mm-410	CS	8690
02911967	Bottle, Boston round; Fisherbrand; Low-density polyethylene; With attached Poly-seal-lined closures; Narrow-mouth; Natural color; Capacity: 8 oz. (250mL); Screw cap size: 24mm-430	CS	11808
02911969	Bottle, Boston round; Fisherbrand; Amber; Safety coated; With attached Poly-seal-lined closures; Narrow-mouth; Capacity: 16 oz. (500mL); 28mm-400 screw cap size	CS	8412
02911970	Bottle, Boston round; Fisherbrand; Amber; Safety coated; With attached Poly-seal-lined closures; Narrow-mouth; Capacity: 8 oz. (250mL); 24mm-400 screw cap size	CS	11656
02911971	Bottle, Boston round; Fisherbrand; Clear; Safety coated; With attached Poly-seal-lined closures; Shatter-resistant; Non-slip coating; Not autoclavable; capacity: 16 oz. (500mL); 28mm-400 screw cap size	CS	8373
02911972	Bottle, Boston round; Fisherbrand; Clear; Safety coated; With attached Poly-seal-lined closures; Shatter-resistant; Non-slip coating; Not autoclavable; capacity: 32 oz. (1000mL); 33mm-400 screw cap size	CS	12009
02911973	Bottle, Boston round; Fisherbrand; Clear; Safety coated; With attached Poly-seal-lined closures; Shatter-resistant; Non-slip coating; Not autoclavable; capacity: 8 oz. (250mL); 24mm-400 screw cap size	CS	11952
02911978	Bottle, HDPE; Fisherbrand; Wide-Mouth; Oblong; With attached Foamed PE-lined closures; Color: Natural; 2 oz. (60mL); Screw cap size: 33-400mm; 950/pk.	CS	63996

Cat. No.	Description	Pack	Price in ₹
02911979	Bottle, HDPE; Fisherbrand; Cylinder round; Rigid; Translucent; Narrow-mouth; Natural color; With attached foamed PE-lined closure; Capacity: 2 oz. (60mL); 24mm-410 screw cap size; 48/cs.	CS	4867
02911980	Bottle, HDPE; Fisherbrand; Cylinder round; Rigid; Translucent; Narrow-mouth; Natural color; With attached foamed PE-lined closure; Capacity: 4 oz. (125mL); 24mm-410 screw cap size; 48/cs.	CS	6592
02911981	Bottle, HDPE; Fisherbrand; Cylinder round; Rigid; Translucent; Narrow-mouth; Natural color; With attached foamed PE-lined closure; Capacity: 8 oz. (250mL); 24mm-410 screw cap size; 48/cs.	CS	6558
02911982	Bottle, HDPE; Fisherbrand; Cylinder round; Rigid; Translucent; Narrow-mouth; Natural color; With attached foamed PE-lined closure; Capacity: 16 oz. (500mL); 24mm-410 screw cap size; 24/cs.	CS	4028
02911983	Bottle, HDPE; Fisherbrand; Cylinder round; Rigid; Translucent; Narrow-mouth; Natural color; With attached foamed PE-lined closure; Capacity: 32 oz. (1000mL); 24mm-410 screw cap size; 12/cs.	CS	2692
02911988	Bottle, HDPE; Fisherbrand; Cylinder round; Rigid; Translucent; Narrow-mouth; Natural color; Without closure; Capacity: 32 oz. (1000mL); 28mm-400 screw cap size; 162/cs.	CS	19700
02911989	Bottle, HDPE; Fisherbrand; Cylinder round; Rigid; Translucent; Narrow-mouth; Natural color; Without closure; Capacity: 4 oz. (125mL); 24mm-410 screw cap size; 425/cs.	CS	26258
02911990	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; For storing solids or liquids; 64 oz. (2000mL); Screw cap size: 89-400mm; 75/pk.	CS	34194
02911992	Jug; Fisherbrand; HDPE; Square; Attached foamed PE-lined closure; 1 gal. (4L); Screw cap size: 38mm-400	CS	3062
02911993	Bottle, Glass; Fisherbrand; Clear; Tablet square; With Poly-Seal-lined cap; Capacity: 1 oz. (30mL); 33mm-400 screw cap size	CS	36636
02911994	Bottle, Glass; Fisherbrand; Clear; Tablet square; With PTFE-faced, PE-lined cap; Capacity: 2 oz. (60mL); 33mm-400 screw cap size; Case of 288	CS	45902
02911995	Bottle, Glass; Fisherbrand; Clear; Tablet square; With PTFE-faced, PE-lined cap; Capacity: 2 oz. (60mL); 33mm-400 screw cap size; Case of 144	CS	24097
02911996	Jar, Straight-sided; Fisherbrand; Clear; Wide mouth; Without closure; Capacity: 2 oz. (60mL); Screw cap size: 53mm-400	CS	12172
02911997	Jar, Straight-sided; Fisherbrand; Clear; Wide mouth; Without closure; Capacity: 4 oz. (125mL); Screw cap size: 58mm-400	CS	2294
02911998	Bottle; Fisherbrand; Amber boston round; Custom clean; With attached PTFE-faced, PE-lined closures; Noncertified; 16 oz. (500mL); Screw cap size: 28mm-400; 12/pk.	CS	5017
02911999	Bottle; Fisherbrand; Amber boston round; Custom clean; With attached PTFE-faced, PE-lined closures; Noncertified; 2 oz. (60mL); Screw cap size: 20mm-400; 24/pk.	CS	5774
02912000	Bottle; Fisherbrand; Amber boston round; Custom clean; With attached PTFE-faced, PE-lined closures; Noncertified; 32 oz. (1000mL); Screw cap size: 33mm-400; 12/pk.	CS	7161
02912001	Bottle; Fisherbrand; Amber boston round; Custom clean; With attached PTFE-faced, PE-lined closures; Noncertified; 4 oz. (125mL); Screw cap size: 22mm-400; 24/pk.	CS	6072
02912002	Bottle; Fisherbrand; Amber boston round; Custom clean; With attached PTFE-faced, PE-lined closures; Noncertified; 8 oz. (250mL); Screw cap size: 24mm-400; 12/pk.	CS	4283
02912003	Bottle; Fisherbrand; Amber; Wide mouth packers; Certified clean; With attached PTFE-faced, PE-lined caps; Cleaned per EPA guidelines; 16 oz. (500mL); Screw cap size: 53mm-400	CS	6283
02912004	Bottle; Fisherbrand; Amber; Wide mouth packers; Certified clean; With attached PTFE-faced, PE-lined caps; Cleaned per EPA guidelines; 1 oz. (30mL); Screw cap size: 28mm-400	CS	5660
02912005	Bottle; Fisherbrand; Amber; Wide mouth packers; Certified clean; With attached PTFE-faced, PE-lined caps; Cleaned per EPA guidelines; 2 oz. (60mL); Screw cap size: 33mm-400	CS	6856
02912006	Bottle; Fisherbrand; Amber; Wide mouth packers; Certified clean; With attached PTFE-faced, PE-lined caps; Cleaned per EPA guidelines; 32 oz. (950mL); Screw cap size: 43mm-400	CS	8057
02912007	Bottle; Fisherbrand; Amber; Wide mouth packers; Certified clean; With attached PTFE-faced, PE-lined caps; Cleaned per EPA guidelines; 4 oz. (125mL); Screw cap size: 38mm-400	CS	4296
02912008	Bottle; Fisherbrand; Amber; Wide mouth packers; Certified clean; With attached PTFE-faced, PE-lined caps; Cleaned per EPA guidelines; 8 oz. (250mL); Screw cap size: 45mm-400	CS	5369
02912009	Bottle; Fisherbrand; Clear boston round; Custom clean; With attached PTFE-faced, PE-lined closures; Noncertified; 1 oz. (30mL); Screw cap size: 20mm-400	CS	8727
02912010	Bottle; Fisherbrand; Clear boston round; Custom clean; With attached PTFE-faced, PE-lined closures; Noncertified; 2 oz. (60mL); Screw cap size: 20mm-400	CS	5394
02912011	Bottle; Fisherbrand; Clear boston round; Custom clean; With attached PTFE-faced, PE-lined closures; Noncertified; 4 oz. (125mL); Screw cap size: 22mm-400	CS	6366
02912012	Bottle; Fisherbrand; Clear boston round; Custom clean; With attached PTFE-faced, PE-lined closures; Noncertified; 8 oz. (250mL); Screw cap size: 24mm-400	CS	3958

Cat. No.	Description	Pack	Price in ₹
02912013	Bottle; Fisherbrand; Clear boston round; Custom clean; With attached PTFE-faced, PE-lined closures; Noncertified; 16 oz. (500mL); Screw cap size: 28mm-400	CS	5029
02912014	Bottle; Fisherbrand; Clear boston round; Custom clean; With attached PTFE-faced, PE-lined closures; Noncertified; 32 oz. (1000mL); Screw cap size: 33mm-400	CS	7186
02912015	Bottle, Boston round; Fisherbrand; Low-density polyethylene; With attached Poly-seal-lined closures; Narrow-mouth; Natural color; Capacity: 1 oz. (30mL); Screw cap size: 18mm-430	CS	7405
02912016	Bottles; Fisherbrand; Clear french square; With attached PTFE faced PE-lined closures; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 32 oz. (1000mL); 58mm-400 screw cap size	CS	8926
02912017	Bottles; Fisherbrand; Clear french squares with polyvinyl-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 32 oz. (1000mL); 12/case; 58mm-400 screw cap size	CS	7654
02912018	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 16 oz. (500mL); Screw cap size: 53-400mm; 137/pk.	CS	18693
02912019	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 2 oz. (60mL); Screw cap size: 33-400mm; 950/pk.	CS	60975
02912020	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 32 oz. (1000mL); Screw cap size: 53-400mm; 72/pk.	CS	13556
02912021	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 4 oz. (125mL); Screw cap size: 38-400mm; 500/pk.	CS	37418
02912022	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 8 oz. (250mL); Screw cap size: 53-400mm; 260/pk.	CS	28118
02912023	Bottle, Wide-mouth; Fisherbrand; High-density polyethylene; Round; Without closure; Natural color; Translucent; Capacity: 32 oz. (1000mL); Screw cap size: 53mm-400	CS	17252
02912024	Jar; Fisherbrand; Polypropylene; With attached linerless cap; Color: natural; 16 oz. (500mL); Screw cap size: 89mm-400	CS	6610
02912025	Jar; Fisherbrand; Polypropylene; With attached linerless cap; Color: natural; 1 oz. (30mL); Screw cap size: 43mm-400	CS	6384
02912026	Jar; Fisherbrand; Polypropylene; With attached linerless cap; Color: natural; 2 oz. (60mL); Screw cap size: 43mm-400	CS	5154
02912027	Jar; Fisherbrand; Polypropylene; With attached linerless cap; Color: natural; 32 oz. (1000mL); Screw cap size: 120mm-400	CS	11430
02912028	Jar; Fisherbrand; Polypropylene; With attached linerless cap; Color: natural; 4 oz. (125mL); Screw cap size: 58mm-400	CS	4970
02912029	Jar; Fisherbrand; Polypropylene; With attached linerless cap; Color: natural; 8 oz. (250mL); Screw cap size: 89mm-400	CS	7873
02912030	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 16 oz. (500mL); Screw cap size: 53-400mm; 24/pk.	CS	5035
02912031	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 2 oz. (60mL); Screw cap size: 33-400mm; 48/pk.	CS	5071
02912032	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 4 oz. (125mL); Screw cap size: 38-400mm; 48/pk.	CS	6047
02912033	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 64 oz. (2000mL); Screw cap size: 89-400mm; 6/pk.	CS	3598
02912034	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 8 oz. (250mL); Screw cap size: 53-400mm; 48/pk.	CS	8147
02912035	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 96 oz. (3000mL); Screw cap size: 100-400mm; 4/pk.	CS	3296
02912036	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 130 oz. (3840mL); Screw cap size: 89-400mm; 4/pk.	CS	2176
02912037	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 1 oz. (30mL); Screw cap size: 28-400mm; 48/pk.	CS	5126
02912038	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 32 oz. (1000mL); Screw cap size: 53-400mm; 12/pk.	CS	3776
02912040	Bottle, Graduated; Fisherbrand; Certified low-particulate volumetric; With PTFE cap; Containers and caps cleaned with USP purified water; Capacity: 8 oz. (250mL); Screw cap size: 58mm-400	CS	25203
02912045	Jar, Straight-sided; Fisherbrand; Type III soda-lime glass; Wide mouth; With PTFE-faced PE-lined cap; Screw cap size: 58mm-400; Capacity: 4 oz. (125mL)	CS	6630
02912047	Cap, Plastic; Fisher Scientific; Black; 14B white rubber-lined; Autoclavable; 20mm-400 screw cap size	CS	21151

Cat. No.	Description	Pack	Price in ₹
02912048	Cap, Plastic; Fisher Scientific; Black; 14B white rubber-lined; Autoclavable; 22mm-400 screw cap size	CS	26549
02912050	Cap, Plastic; Fisher Scientific; Black; 14B white rubber-lined; Autoclavable; 28mm-400 screw cap size	CS	29067
02912051	Cap, Plastic; Fisher Scientific; Black; 14B white rubber-lined; Autoclavable; 33mm-400 screw cap size	CS	43614
02912052	Cap, Plastic; Fisher Scientific; Black; 14B white rubber-lined; Autoclavable; 38mm-400 screw cap size	CS	47490
02912053	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 38mm-400 screw cap size; 2250/cs.	CS	20365
02912054	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 20mm-400 screw cap size; 576/cs.	CS	22247
02912055	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 24mm-400 screw cap size; 12/pk.	PK	620
02912056	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 22mm-400 screw cap size; 12/pk.	PK	611
02912057	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 13mm-425 screw cap size; 576/cs.	CS	21151
02912058	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 15mm-425 screw cap size; 576/cs.	CS	20054
02912059	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 18mm-400 screw cap size; 12/pk.	PK	627
02912060	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 24mm-410 screw cap size; 576/cs.	CS	29829
02912072	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 38mm-400 screw cap size; 500/cs.	CS	56484
02912073	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 43mm-400 screw cap size; 500/cs.	CS	67598
02912074	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 45mm-400 screw cap size; 500/cs.	CS	73258
02912075	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 48mm-400 screw cap size; 100/pk.	PK	22061
02912076	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 53mm-400 screw cap size; 100/pk.	PK	26252
02912077	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 58mm-400 screw cap size; 100/pk.	PK	29605
02912078	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 70mm-400 screw cap size; 144/cs.	CS	48438
02912079	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 83mm-400 screw cap size; 144/cs.	CS	85207
02912080	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 89mm-400 screw cap size; 144/cs.	CS	92328
02912081	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 13mm-425 screw cap size; 576/cs.	CS	13590
02912085	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 63mm-400 screw cap size; 288/cs.	CS	82527
02912086	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 58mm-400 screw cap size; 12/pk.	PK	3882
02912087	Cap, General-Purpose; Fisherbrand; White; Plastic; Polyvinyl-lined; 63mm-400 screw cap size; For wide range of applications; For mild acids, alkalis, solvents, alcohols, oils and aqueous products	CS	31914
02912088	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 70mm-400 screw cap size; 12/pk.	PK	1575
02912089	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 83mm-400 screw cap size; 144/cs.	CS	19100
02912090	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 89mm-400 screw cap size; 144/cs.	CS	21080
02912091	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 33mm-400 screw cap size; 2300/cs.	CS	87932
02912092	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 24mm-410 screw cap size; 3500/cs.	CS	27495
02912093	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 53mm-400 screw cap size; 1300/cs.	CS	28332

Cat. No.	Description	Pack	Price in ₹
02912094	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 89mm-400 screw cap size; 370/cs.	CS	27983
02912095	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 28mm-400 screw cap size; 4300/cs.	CS	29815
02912097	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 38mm-400 screw cap size; 500/cs.	CS	6612
02912098	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 48mm-400 screw cap size; 1700/cs.	CS	26677
02912099	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 53mm-400 screw cap size; 500/cs.	CS	11632
02912100	Cap, Plastic; Fisherbrand; Black; Unlined; 70mm-400 screw cap size; 760/cs.	CS	14288
02912101	Cap, Plastic; Fisherbrand; LDPE; Poly-Seal-lined; Black; Stress-crack resistant; General-purpose; 28mm-400 screw cap size; 3100/cs.	CS	92069
02912102	Cap, Screw; Fisherbrand; PP; PTFE faced PE-lined; For analytical lab samples, high-purity chemicals, strong acids and solvents; 8mm-425 screw cap size; 500/cs.	CS	15332
02912103	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 96 oz. (3000mL); Screw cap size: 100-400mm; 33/pk.	CS	17933
02912104	Bottle, HDPE; Fisherbrand; Translucent; Wide mouth; Used for storing solids or liquids; 1 oz. (30mL); Screw cap size: 28-400mm; 1650/pk.	CS	96747
02912105	Bottle, Wide-mouth; Fisherbrand; High-density polyethylene; Round; Without closure; Natural color; Translucent; Capacity: 8 oz. (250mL); Screw cap size: 53mm-400	CS	31510
02912106	Bottle, HDPE; Fisherbrand; Wide mouth; Oblong; Translucent; Without closure; Color: natural; 5 oz. (125mL); Screw cap size: 38mm-400	CS	29509
02912107	Bottle, HDPE; Fisherbrand; Wide mouth; Oblong; Translucent; Without closure; Color: natural; 16 oz. (500mL); Screw cap size: 43mm-400	CS	23922
02912108	Bottle, HDPE; Fisherbrand; Wide mouth; Oblong; Translucent; Without closure; Color: natural; 32 oz. (1000mL); Screw cap size: 53mm-400	CS	27889
02912110	Bottle, Wide-mouth; Fisherbrand; High-density polyethylene; Round; Without closure; Natural color; Translucent; Capacity: 16 oz. (500mL); Screw cap size: 53mm-400	CS	21821
02912112	Bottle, HDPE; Fisherbrand; Cylinder round; Rigid; Translucent; Narrow-mouth; Natural color; With attached foamed PE-lined closure; Capacity: 2 oz. (60mL); 24mm-410 screw cap size; 800/cs.	CS	48993
02912114	Bottle, Wide-mouth; Fisherbrand; Clear; Standard; Without closure; For general reservoir requirements; Capacity: 32 oz. (1000mL); 70mm-400 screw cap size	CS	2630
02912115	Jug, HDPE; Fisherbrand; Round; Attached foamed PE-lined closure; 0.5 gal. (2L); Screw cap size: 38mm-400	CS	15478
02912116	Jar, Testing; Fisherbrand; Clear; Glass; Jar only; Capacity: 2 oz. (60mL); 43mm-400 screw cap size	CS	14501
02912117	Bottle, Wide-mouth; Fisherbrand; Clear; Standard; Without closure; For general reservoir requirements; Capacity: 129 oz. (3810mL); 89mm-400 screw cap size	CS	2588
02912118	Jar, Straight-sided; Fisherbrand; Clear; Wide mouth; Without closure; Capacity: 16 oz. (500mL); Screw cap size: 89mm-400	CS	1990
02912119	Bottle, Glass; Fisherbrand; Graduated valumetric; Without closures; Wide-mouth for easy filling; Capacity: 16 oz. (500mL); 70mm-400 screw cap size	CS	8304
02912255	Bottle, Glass; Fisherbrand; Graduated valumetric; Without closures; Wide-mouth for easy filling; Capacity: 2 oz. (60mL); 38mm-400 screw cap size	CS	23651
02912256	Bottle, Glass; Fisherbrand; Graduated valumetric; Without closures; Wide-mouth for easy filling; Capacity: 4 oz. (125mL); 48mm-400 screw cap size	CS	13332
02912257	Bottle, Glass; Fisherbrand; Graduated valumetric; Without closures; Wide-mouth for easy filling; Capacity: 8 oz. (250mL); 58mm-400 screw cap size	CS	12497
02912258	Jar; Fisherbrand; Polypropylene; Jar only; Color: natural; 8 oz. (250mL); Screw cap size: 89mm-400	CS	12178
02912260	Jar; Fisherbrand; Polypropylene; Jar only; Color: natural; 2 oz. (60mL); Screw cap size: 53mm-400	CS	22409
02912261	Jar; Fisherbrand; Polypropylene; Jar only; Color: natural; 4 oz. (125mL); Screw cap size: 58mm-400	CS	26064
02912262	Jar, Polystyrene; Fisherbrand; Clear; Without cap; Capacity: 16 oz. (500mL); 89mm-400 screw cap size; 112/cs.	CS	17238
02912263	Jar, Polystyrene; Fisherbrand; Clear; Without cap; Capacity: 8 oz. (250mL); 89mm-400 screw cap size; 168/cs.	CS	21751
02912265	Jar, Polystyrene; Fisherbrand; Clear; With foamed PE-lined caps; Capacity: 16 oz. (500mL); 89mm-400 screw cap size; 24/cs.	CS	6968

Cat. No.	Description	Pack	Price in ₹
02912266	Jar, Polystyrene; Fisherbrand; Clear; With foamed PE-lined caps; Capacity: 32 oz. (1000mL); 120mm-400 screw cap size; 24/cs.	CS	12472
02912267	Jar, Polystyrene; Fisherbrand; Clear; With foamed PE-lined caps; Capacity: 2 oz. (60mL); 53mm-400 screw cap size; 48/cs.	CS	5512
02912268	Jar, Polystyrene; Fisherbrand; Clear; With foamed PE-lined caps; Capacity: 4 oz. (125mL); 58mm-400 screw cap size; 36/cs.	CS	5369
02912269	Jar, Polystyrene; Fisherbrand; Clear; With foamed PE-lined caps; Capacity: 8 oz. (250mL); 89mm-400 screw cap size; 36/cs.	CS	8975
02912271	Jug, Glass; Fisherbrand; Amber; With PTFE-faced polyethylene cap lining; Capac.: 80 oz. (2365mL); Screw cap size: 38mm-400	CS	8019
02912272	Jug, Glass; Fisherbrand; Clear; Narrow mouth; Cap lining: Poly-Seal; 130 oz. (3840mL); Screw cap size: 38mm-400	CS	3689
02912273	Jug, Glass; Fisherbrand; Clear; Narrow mouth; Cap lining: Polyvinyl; 130 oz. (3840mL); Screw cap size: 38mm-400	CS	3519
02912274	Jug, Glass; Fisherbrand; Clear; Narrow mouth; Cap lining: rubber; 130 oz. (3840mL); Screw cap size: 38mm-400	CS	4334
02912275	Jug, Glass; Fisherbrand; Clear; Narrow mouth; Cap lining: rubber; 64 oz. (2000mL); Screw cap size: 38mm-400	CS	4327
02912278	Jug, Glass; Fisherbrand; Clear; Narrow mouth; Cap lining: PTFE-faced polyethylene; 130 oz. (3840mL); Screw cap size: 38mm-400	CS	3738
02912279	Jug, Glass; Fisherbrand; Clear; Narrow mouth; Cap lining: polyvinyl; 64 oz. (2000mL); Screw cap size: 38mm-400	CS	4319
02912280	Jug, Glass; Fisherbrand; Clear; Narrow mouth; Cap lining: PTFE-faced polyethylene; 64 oz. (2000mL); Screw cap size: 38mm-400	CS	4619
02912285	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 24mm-400 screw cap size; 12/pk.	PK	482
02912286	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 28mm-400 screw cap size; 576/cs.	CS	20704
02912287	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 33mm-400 screw cap size; 12/pk.	CS	127831
02912288	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 38mm-400 screw cap size; 576/cs.	CS	28310
02912289	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 43mm-400 screw cap size; 576/cs.	CS	32877
02912290	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 45mm-400 screw cap size; 576/cs.	CS	32723
02912291	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 48mm-400 screw cap size; 12/pk.	PK	850
02912292	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 53mm-400 screw cap size; 12/pk.	PK	1046
02912293	Bottle, HDPE; Fisherbrand; Cylinder round; Rigid; Translucent; Narrow-mouth; Natural color; With attached foamed PE-lined closure; Capacity: 16 oz. (500mL); 24mm-410 screw cap size; 180/cs.	CS	20754
02912294	Bottle, HDPE; Fisherbrand; Cylinder round; Rigid; Translucent; Narrow-mouth; Natural color; With attached foamed PE-lined closure; Capacity: 32 oz. (1000mL); 28mm-400 screw cap size; 77/cs.	CS	12633
02912296	Bottle, Glass; Fisherbrand; Clear; Tablet square; Bottle only; Capacity: 2 oz. (60mL); 33mm-400 screw cap size	CS	12062
02912297	Bottle, Wide-mouth; Fisherbrand; Clear; French square; Without cap; Capacity: 8 oz. (250mL); Screw cap size: 43mm-400	CS	12466
02912298	Jar, Straight-sided; Fisherbrand; Type III soda-lime glass; Wide mouth; Screw cap size: 58mm-400; Capacity: 4 oz. (125mL)	CS	2745
02912300	Bottles; Fisherbrand; Clear french square; With rubber-lined caps; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 32 oz. (1000mL); 58mm-400 screw cap size	CS	8629
02912301	Bottle, Wide-mouth; Fisherbrand; Clear; French square; Without cap; Capacity: 0.5 oz. (15mL); Screw cap size: 20mm-400	CS	41432
02912302	Bottles; Fisherbrand; Clear french squares with polyvinyl-lined; Wide-mouth; Easy to fill; Clear glass allow easy viewing of contents; capacity: 0.5 oz. (15mL); 576/case; 20mm-400 screw cap size	CS	51189
02912303	Bottle, Graduated; Fisherbrand; Volumetric; Clear glass; w/Attached rubber-lined closure; 70mm to 400mm screw cap size; Wide-mouth for easy filling; Autoclavable; Capacity: 16 oz. (500mL); 24/cs.	CS	8876



Cat. No.	Description	Pack	Price in ₹
02912304	Jar, Straight-sided; Fisherbrand; Clear; Wide mouth; Without closure; Capacity: 1 oz. (30mL); Screw cap size: 43mm-400	CS	28196
02912305	Jar, Straight-sided; Fisherbrand; Clear; Wide mouth; Without closure; Capacity: 32 oz. (1000mL); Screw cap size: 89mm-400	CS	2974
02912306	Jar, Clear; Fisherbrand; Straight-sided; Wide-mouth; With attached PTFE-faced, PE-lined closure; Screw cap size: 43mm-400; Capacity: 1 oz. (30mL); 384/cs.	CS	60634
02912307	Jug, Glass; Fisherbrand; Clear; Narrow mouth; Cap lining: Poly-Seal; 64 oz. (2000mL); Screw cap size: 38mm-400	CS	4177
02912308	Bottle, Glass; Fisherbrand; Clear; Tablet square; With Poly-Seal-lined cap; Capacity: 2 oz. (60mL); 33mm-400 screw cap size	CS	21929
02912309	Jug, Glass; Fisherbrand; Clear; Straight sided; Certified; 2 oz. (60mL); Screw cap size: 53-400mm	CS	10003
02912310	Jug, Glass; Fisherbrand; Clear; Straight sided; Certified; 4 oz. (125mL); Screw cap size: 58-400mm	CS	10313
02912311	Jug, Glass; Fisherbrand; Clear; Straight sided; Certified; 8 oz. (250mL); Screw cap size: 70-400mm	CS	7647
02912312	Jug, Glass; Fisherbrand; Clear; Straight sided; Certified; 17 oz. (500mL); Screw cap size: 89-400mm	CS	7302
02912313	Jug, Glass; Fisherbrand; Clear; Straight sided; Certified; 34 oz. (1000mL); Screw cap size: 89-400mm	CS	9544
02912314	Bottle, Graduated; Fisherbrand; Certified low-particulate volumetric; With PTFE-faced PE-lined cap; Containers and caps cleaned with USP purified water; Capacity: 4 oz. (125mL); Screw cap size: 48mm-400	CS	23817
02912316	Bottle, Graduated; Fisherbrand; Certified low-particulate volumetric; With PTFE-faced PE-lined cap; Containers and caps cleaned with USP purified water; Capacity:16 oz. (500mL); Screw cap size: 70mm-400	CS	15962
02912317	Packer, Wide-mouth; Fisherbrand; Safety-coated; Amber glass; Not autoclavable; Shatter-resistance; Nonslip coating; Bottle only; capacity: 8 oz. (250mL); 45mm-400 screw cap size; 24/cs.	CS	13737
02912318	Bottle, Boston round; Fisherbrand; Clear; Safety coated; With attached rubber-lined closures; Shatter-resistant; Non-slip coating; Not autoclavable; capacity: 16 oz. (500mL); 28mm-400 screw cap size	CS	8787
02912325	Cap, Plastic; Fisherbrand; White; Polyvinyl-lined; Suitable for mild acids, alkalis, solvents, alcohols, oils and aqueous products; 15mm-425 screw cap size; 576/cs.	CS	12251
02912328	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 58mm-400 screw cap size; 1000/cs.	CS	23096
02912330	Cap, Plastic; Fisherbrand; White; Foamed PE-lined; General purpose; 89mm-400 screw cap size; 12/cs.	CS	16407
02912331	Cap, Plastic; Fisherbrand; Black; Unlined; 43mm-400 screw cap size; 2200/cs.	CS	18459
02912332	Cap, Plastic; Fisherbrand; Black; Unlined; 48mm-400 screw cap size; 1700/cs.	CS	19344
02912334	Cap, Plastic; Fisherbrand; Black; Unlined; 58mm-400 screw cap size; 1100/cs.	CS	14349
02912336	Cap, Plastic; Fisherbrand; Black; Unlined; 89mm-400 screw cap size; 456/cs.	CS	13415
02912337	Bottle; Fisherbrand; Amber boston round; With attached polyvinyl-lined closures; Type III soda lime glass; Narrow-mouth; For light sensitive solvents, chemicals and samples; Capacity: 1 oz. (30mL); 48/case; 20mm-400 screw cap size	CS	4455
02912338	Bottle, Boston round; Fisherbrand; Amber; Narrow mouth; With attached PTFE faced PE-lined closures; For light sensitive solvents, chemicals and samples; Capacity: 1 oz. (30mL); 20mm-400 screw cap size; 48/cs.	CS	5575
02912339	Bottle, Narrow-mouth; Fisherbrand; Amber boston round; With attached poly-seal-lined closures; Type III soda lime glass; Capacity: 1 oz. (30mL); 20mm-400 screw cap size; 48/cs.	CS	4502
02912340	Bottle; Fisherbrand; Narrow mouth; Amber boston round; With attached rubber-lined closures; Type III soda lime glass; 2 oz. (60mL); Screw cap size: 20-400mm	CS	3661
02912341	Bottle; Fisherbrand; Narrow mouth; Amber boston round; With attached rubber-lined closures; Type III soda lime glass; 4 oz. (125mL); Screw cap size: 22-400mm	CS	3855
02912342	Bottle; Fisherbrand; Narrow mouth; Amber boston round; With attached rubber-lined closures; Type III soda lime glass; 8 oz. (250mL); Screw cap size: 24-400mm	CS	2706
02912343	Bottle; Fisherbrand; Narrow mouth; Amber boston round; With attached rubber-lined closures; Type III soda lime glass; 16 oz. (500mL); Screw cap size: 28-400mm	CS	3210
02912344	Bottle; Fisherbrand; Narrow mouth; Amber boston round; With attached rubber-lined closures; Type III soda lime glass; 32 oz. (1000mL); Screw cap size: 33-400mm	CS	4854
02912345	Jar; Fisherbrand; Clear; Straight-Sided; With attached Rubber-lined closures, 4 oz. (125mL); Screw cap size: 58-400mm	CS	5800
02912350	Packer, Wide-mouth; Fisherbrand; PET; Clear; With attached foamed PTFE-lined closures; Capacity: 4 oz. (120mL); 38mm-400 screw cap size; 576/cs.	CS	30204
02983A	Bottle, Dropping; Fisherbrand; Amber glass; For light-sensitive chemicals; Half-moon shape prevents rolling; Capacity: 1 oz. (30mL); 72/Cs.	CS	32090

Cat. No.	Description	Pack	Price in ₹
02983B	Bottle, Dropping; Fisherbrand; Amber glass; For light-sensitive chemicals; Half-moon shape prevents rolling; Capacity: 2 oz. (60mL); 36/Cs.	CS	17639
033113A	Bottle; Fisherbrand; Graduated square; HDPE; Save space; Wide-mouth; Leakproof; 19mm neck I.D.; Capacity: 0.87 oz. (25mL)	PK	1634
033113B	Bottle; Fisherbrand; Graduated square; HDPE; Save space; Wide-mouth; Leakproof; 19mm neck I.D.; Capacity: 1.7 oz. (50mL)	PK	1836
033113C	Bottle; Fisherbrand; Graduated square; HDPE; Save space; Wide-mouth; Leakproof; 19mm neck I.D.; Capacity: 3.37 oz. (100mL)	PK	3210
033113D	Bottle; Fisherbrand; Graduated square; HDPE; Save space; Wide-mouth; Leakproof; 19mm neck I.D.; Capacity: 8 oz. (250mL)	PK	3015
033113E	Bottle; Fisherbrand; Graduated square; HDPE; Save space; Wide-mouth; Leakproof; 19mm neck I.D.; Capacity: 16 oz. (500mL)	PK	2361
033113F	Bottle; Fisherbrand; Graduated square; HDPE; Save space; Wide-mouth; Leakproof; 19mm neck I.D.; Capacity: 32 oz. (1000mL)	PK	4041
033113G	Bottle; Fisherbrand; Graduated square; HDPE; Save space; Wide-mouth; Leakproof; 19mm neck I.D.; Capacity: 64 oz. (2000mL)	PK	7307
034382	Carrier, Bottle; Fisherbrand; Economical, transports up to six 3.5 in. dia. bottles; Deep compartments; Approx. dimensions: 13 x 9.75 x 4.25 in.; Handle height: Approx. 6 in. (15.2cm)	EA	2963
03402A	Bottle, LDPE; Fisherbrand; Dispensing; Sealer snaps; Spout openings: 0.03 in. (0.08cm); 0.5 oz. (15mL); Screw cap size: 15-415mm; 4/pk.	PK	999
03402B	Bottle, LDPE; Fisherbrand; Dispensing; Sealer snaps; Spout openings: 0.03 in. (0.08cm); 1 oz. (30mL); Screw cap size: 18-400mm; 12/pk.	PK	1160
03402C	Bottle, LDPE; Fisherbrand; Dispensing; Sealer snaps; Spout openings: 0.03 in. (0.08cm); 2 oz. (60mL); Screw cap size: 18-400mm; 12/pk.	PK	1310
03402D	Bottle, LDPE; Fisherbrand; Dispensing; Sealer snaps; Spout openings: 0.03 in. (0.08cm); 4 oz. (125mL); Screw cap size: 24-400mm; 12/pk.	PK	1718
03402E	Bottle, LDPE; Fisherbrand; Dispensing; Sealer snaps; Spout openings: 0.03 in. (0.08cm); 6 oz. (180mL); Screw cap size: 24-400mm; 12/pk.	PK	1875
03402F	Bottle, LDPE; Fisherbrand; Dispensing; Sealer snaps; Spout openings: 0.03 in. (0.08cm); 8 oz. (250mL); Screw cap size: 24-400mm; 12/pk.	PK	2363
03402G	Bottle, LDPE; Fisherbrand; Dispensing; Sealer snaps; Spout openings: 0.03 in. (0.08cm); 16 oz. (500mL); Screw cap size: 28-400mm; 12/pk.	PK	3467
0340531	Bottle, Laboratory; Fisherbrand; Printed graduations; Autoclavable; Polypropylene; Leakproof; Wide mouth; Chemical resistant; With large white marker space; Shrink wrapped; 4 oz. (125mL)	PK	5559
0340532	Bottle, Laboratory; Fisherbrand; Printed graduations; Autoclavable; Polypropylene; Leakproof; Wide mouth; Chemical resistant; With large white marker space; Shrink wrapped; 8 oz. (250mL)	PK	6964
0340533	Bottle, Laboratory; Fisherbrand; Printed graduations; Autoclavable; Polypropylene; Leakproof; Wide mouth; Chemical resistant; With large white marker space; Shrink wrapped; 16 oz. (500mL)	PK	9185
0340534	Bottle, Laboratory; Fisherbrand; Printed graduations; Autoclavable; Polypropylene; Leakproof; Wide mouth; Chemical resistant; With large white marker space; Shrink wrapped; 32 oz. (1000mL)	PK	4665
0340916A	Bottle, Wash; Fisherbrand; Dispensing; Polyethylene; Polypropylene cap and nozzle; Rigid spout; Tip may be cut back to increase flow; capacity: 8 oz. (250mL)	PK	2182
0340916B	Bottle, Wash; Fisherbrand; Dispensing; Polyethylene; Polypropylene cap and nozzle; Rigid spout; Tip may be cut back to increase flow; capacity: 16 oz. (500mL)	PK	2195
0340922A	Bottle, Wash; Fisherbrand; Versatile; LDPE with one-piece; Polypropylene cap and nozzle; Tip may be cut back to increase flow; Translucent white; Capacity: 4 oz. (125mL)	PK	1633
0340922C	Bottle, Wash; Fisherbrand; Versatile; LDPE with one-piece; Polypropylene cap and nozzle; Tip may be cut back to increase flow; Translucent white; Capacity: 16 oz. (500mL)	PK	2074
0340922D	Bottle, Wash; Fisherbrand; Versatile; LDPE with one-piece; Polypropylene cap and nozzle; Tip may be cut back to increase flow; Translucent white; Capacity: 32 oz. (1000mL)	PK	1850
0340923A	Bottle, Wash; Fisherbrand; Low-Density polyethylene; Wide-Mouth; Color-coded label; 17 oz. (500mL); For Acetone	PK	2715
0340923B	Bottle, Wash; Fisherbrand; Low-Density polyethylene; Wide-mouth; Color-coded label; For Ethanol; 17 oz. (500mL)	PK	2715
0340923C	Bottle, Wash; Fisherbrand; Polyethylene; Wide Mouth; Color-coded label; 17 oz. (500mL); For Isopropanol	PK	2715
0340923D	Bottle, Wash; Fisherbrand; Low-Density polyethylene; Wide-Mouth; Color-coded label; For Methanol; 17 oz. (500mL)	PK	2715

Cat. No.	Description	Pack	Price in ₹
0340923E	Bottle, Wash; Fisherbrand; Polyethylene; Wide Mouth; Color-coded label; 17 oz. (500mL); for Toluene	PK	2715
0340923G	Bottle, Wash; Fisherbrand; Polyethylene; Wide Mouth; Color-coded label; 17 oz. (500mL); for Water	PK	2715
0340923H	Bottle, Wash; Fisherbrand; Polyethylene; Wide Mouth; Color-coded label; 17 oz. (500mL); 6 bottle Variety Pack; Includes: methanol, isopropanol, water, acetone, toluene, ethanol)	PK	2715
0340923J	Bottle, Wash; Fisherbrand; Polyethylene; Wide Mouth; Color-coded label; 17 oz. (500mL); for Saline	PK	2715
0340923K	Bottle, Wash; Fisherbrand; Polyethylene; Wide Mouth; Color-coded label; For Distilled Water; 17 oz. (500mL)	PK	2715
0340923L	Bottle, Wash; Fisherbrand; Polyethylene; Wide Mouth; Color-coded label; For Bleach; 17 oz. (500mL)	PK	2715
0340923M	Bottle, Wash; Fisherbrand; Polyethylene; Wide Mouth; Color-coded label; 17 oz. (500mL); Deionized Water	PK	2715
0340923N	Bottle, Wash; Fisherbrand; Polyethylene; Wide Mouth; Color-coded label; 17 oz. (500mL); Universal	PK	2715
0340923P	Bottle, Wash; Fisherbrand; Polyethylene; Wide Mouth; Color-coded label; 17 oz. (500mL); for Soap	PK	2715
0340923Q	Bottle, Wash; Fisherbrand; Polyethylene; Wide Mouth; Color-coded label; 32 oz. (1000mL); Acetone	PK	3013
0340923R	Bottle, Wash; Fisherbrand; Polyethylene; Wide Mouth; Color-coded label; 17 oz. (500mL); Machine Oil	PK	2715
0340923S	Bottle, Wash; Fisherbrand; Labeled; Polyethylene; 17 oz. (500mL); Methyl Ethyl Ketone	PK	2704
0340923T	Bottle, Wash; Fisherbrand; Versatile; LDPE with one-piece; Polypropylene cap and nozzle; Tip may be cut back to increase flow; Translucent white; Capacity: 8 oz. (250mL)	PK	1622
0340930	Bottle, Wash; Fisherbrand; Solvent-venting; LDPE; Wide-mouth; Polypropylene closures are color-coded; Capacity: 16 oz. (500mL); Ethyl Acetate	PK	2912
0340931	Bottle, Wash; Fisherbrand; Solvent-venting; LDPE; Wide-mouth; Polypropylene closures are color-coded; Capacity: 16 oz. (500mL); Methyl Ethyl Ketone (MEK)	PK	2912
0340933	Bottle, Wash; Fisherbrand; Solvent-venting; LDPE; Wide-mouth; Polypropylene closures are color-coded; Capacity: 16 oz. (500mL); Methanol	PK	2912
0340934	Bottle, Wash; Fisherbrand; Solvent-venting; LDPE; Wide-mouth; Polypropylene closures are color-coded; Capacity: 16 oz. (500mL); Unlabeled	PK	2488
0340935	Bottle, Wash; Fisherbrand; Solvent-venting; LDPE; Wide-mouth; Polypropylene closures are color-coded; Capacity: 16 oz. (500mL); Isopropanol	PK	2488
0340936	Bottle, Wash; Fisherbrand; Solvent-venting; LDPE; Wide-mouth; Polypropylene closures are color-coded; Capacity: 16 oz. (500mL); Ethanol	PK	2912
0340937	Bottle, Wash; Fisherbrand; Solvent-venting; LDPE; Wide-mouth; Polypropylene closures are color-coded; Capacity: 16 oz. (500mL); Acetone	PK	2912
03415500	Bottle, LDPE; Fisherbrand; Translucent; Round plastic wide mouth; Used for general storage of liquids and powders; Molded pouring lip and seal; Leakproof fit; 4 oz. (125mL); Screw cap size: 38mm	DZ	2829
03415501	Bottle, LDPE; Fisherbrand; Translucent; Round plastic wide mouth; Used for general storage of liquids and powders; Molded pouring lip and seal; Leakproof fit; 8 oz. (250mL); Screw cap size: 45mm	DZ	3558
03415502	Bottle, LDPE; Fisherbrand; Translucent; Round plastic wide mouth; Used for general storage of liquids and powders; Molded pouring lip and seal; Leakproof fit; 16 oz. (500mL); Screw cap size: 53mm	PK	1850
03415503	Bottle, LDPE; Fisherbrand; Translucent; Round plastic wide mouth; Used for general storage of liquids and powders; Molded pouring lip and seal; Leakproof fit; 32 oz. (1000mL); Screw cap size: 53mm	PK	3053
03415B	Bottle, Weighing; Fisherbrand; Lamp-blown glass; Sturdy bottoms; 25 I.D. x 40mm H; Tall, Cylindrical form; 0.3 oz. (10mL)	EA	2245
03415C	Bottle, Weighing; Fisherbrand; Lamp-blown glass; Sturdy bottoms; 25 I.D. x 50mm H; Tall, cylindrical form; 0.5 oz. (16mL)	EA	2355
03415E	Bottle, Weighing; Fisherbrand; Lamp-blown glass; Sturdy bottoms; 30 I.D. x 60mm H; Tall, cylindrical form; 1 oz. (30mL)	EA	2871
03415H	Bottle, Weighing; Fisherbrand; Lamp-blown glass; Sturdy bottoms; 40 I.D. x 80mm H; Tall, cylindrical form; 2 oz. (70mL)	EA	4090
03420A	Bottle, Weighing; Fisherbrand; Lamp-blown glass; Sturdy bottoms; 50 I.D. x 30mm H; Low, flat form; 1 oz. (35mL)	EA	6912
03420B	Bottle, Weighing; Fisherbrand; Lamp-blown glass; Sturdy bottoms; 60 I.D. x 30mm H; Low, flat form; 2 oz. (50mL)	EA	8320
03420C	Bottle, Weighing; Fisherbrand; Lamp-blown glass; Sturdy bottoms; 70 I.D. x 33mm H; Low, flat form; 3 oz. (82mL)	EA	9458
0343975A	Carrier, Bottle; Fisherbrand; Heavy duty; HDPE; 14.5 L x 7.5 W x 6.25 in. H (36.8 x 19.1 x 15.9cm); Unpartitioned	EA	14862
0343975B	Carrier, Bottle; Fisherbrand; Heavy duty; HDPE; 14.5 L x 7.5 W x 6.25 in. H (36.8 x 19.1 x 15.9cm); 6 compartments	EA	21137

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
0343975C	Carrier, Bottle; Fisherbrand; Heavy duty; HDPE; 14.5 L x 7.5 W x 6.25 in. H (36.8 x 19.1 x 15.9cm); 2 compartments	EA	20319
0343975D	Carrier, Bottle; Fisherbrand; Heavy duty; HDPE; 14.5 L x 7.5 W x 6.25 in. H (36.8 x 19.1 x 15.9cm); 8 compartments	EA	21869
14375350	Bottle, Centrifuge; Fisherbrand; Graduated; Polypropylene; Wide mouth; Autoclavable to 121deg.C (248deg.F); 8 oz. (250mL); Screw cap	PK	3492
14375351	Bottle, Centrifuge; Fisherbrand; Graduated; Polypropylene; Wide mouth; Autoclavable to 121deg.C (248deg.F); 8 oz. (250mL); Noryl sealing cap	PK	5645
14375352	Bottle, Centrifuge; Fisherbrand; Graduated; Polycarbonate; Wide mouth; Autoclavable to 121deg.C (248deg.F); 8 oz. (250mL); Screw Cap	PK	4184
14375353	Bottle, Centrifuge; Fisherbrand; Graduated; Polycarbonate; Wide mouth; Autoclavable to 121deg.C (248deg.F); 8 oz. (250mL); Noryl sealing cap	PK	6301
14375354	Bottle, Centrifuge; Fisherbrand; Graduated; Polypropylene; Wide mouth; Autoclavable to 121deg.C (248deg.F); 16 oz. (500mL); Noryl sealing cap	PK	7578
14375355	Bottle, Centrifuge; Fisherbrand; Graduated; Polypropylene; Wide mouth; Autoclavable to 121deg.C (248deg.F); 16 oz. (500mL); Screw cap	PK	4119
14375356	Bottle, Centrifuge; Fisherbrand; Graduated; Polycarbonate; Wide mouth; Autoclavable to 121deg.C (248deg.F); 16 oz. (500mL); Noryl sealing cap	PK	7609
14375359	Bottle, Centrifuge; Fisherbrand; Graduated; Polycarbonate; Wide mouth; Autoclavable to 121deg.C (248deg.F); 16 oz. (500mL); Screw cap	PK	5808
0300746	Fisherbrand* Bottles; Narrow-mouth; HDPE; Amber; High-density polyethylene; With polypropylene screw caps; Meet U.S. pharmacopoeia 661; capacity: 4 oz. (125mL); Screw cap size: 24mm-400;	Pack of 12	1327
02912319	Fisherbrand* Bottles; High-density polyethylene bottles; Narrow-mouth; With attached linerless closures; Natural color; capacity: 1 oz. (30mL); 20mm-410 screw cap size	Cs of 72	8322
02912320	Fisherbrand* Bottles; High-density polyethylene bottles; Narrow-mouth; With attached linerless closures; Natural color; capacity: 2 oz. (60mL); 20mm-410 screw cap size	Cs of 72	5567
02912322	Fisherbrand* Bottles; High-density polyethylene bottles; Narrow-mouth; With attached linerless closures; Natural color; capacity: 8 oz. (250mL); 24mm-410 screw cap size	Cs of 72	10470
02912323	Fisherbrand* Bottles; High-density polyethylene bottles; Narrow-mouth; With attached linerless closures; Natural color; capacity: 16 oz. (500mL); 28mm-410 screw cap size	Cs of 48	9951
02912324	Fisherbrand* Bottles; High-density polyethylene bottles; Narrow-mouth; With attached linerless closures; Natural color; capacity: 32 oz. (1000mL); 38mm-410 screw cap size	Cs of 24	8682
02895A	Fisherbrand* Bottles; Field-Sample; HDPE; Bulk-packaged; Chemical resistance; Rigid; Translucent; Ideal for field sampling; Screw capacity: 4 oz. (125mL); Case of: 500; cap size: 24mm	Cs of 500	43859
02895D	Fisherbrand* Bottles; Field-Sample; HDPE; Bulk-packaged; Chemical resistance; Rigid; Translucent; Ideal for field sampling; Screw capacity: 32 oz. (1000mL); Case of: 50; cap size: 38-40mm	Cs of 50	15400
0300753	Fisherbrand* Bottles; Wide-mouth; HDPE; Amber; Polyethylene; Reduces turbulence when filling; With polypropylene screw caps; Meets U.S pharmacopoeia; capacity: 8 oz. (250mL)	Pack of 12	2447
0300755	Fisherbrand* Bottles; Wide-mouth; HDPE; Amber; Polyethylene; Reduces turbulence when filling; With polypropylene screw caps; Meets U.S pharmacopoeia; capacity: 32 oz. (1000mL)	Pack of 6	3278
028962A	Fisherbrand* Bottles; HDPE; Round; Leakproof; Not autoclavable; Chemical resistance; Polypropylene screw caps included; capacity: 1 oz. (30mL); 28mm screw cap size	Pack of 12	1494
028962B	Fisherbrand* Bottles; HDPE; Round; Leakproof; Not autoclavable; Chemical resistance; Polypropylene screw caps included; capacity: 2 oz. (60mL); 28mm screw cap size	Pack of 12	1526
028962E	Fisherbrand* Bottles, HDPE; Round; Translucent; Screw Cap Size: 53mm; Capacity: 16 oz.	Pack of 12	3803
028962F	Fisherbrand* Bottles, HDPE; Round; Translucent; Screw Cap Size: 63mm; Capacity: 32 oz.	Pack of 6	3288
028951D	Fisherbrand* Bottle; HDPE; Field-Sample; Bulk-Packaged; Screw Cap Size: 63mm; Case of: 50; Capacity: 32 oz.	Cs of 50	17941
028971	Fisherbrand* Bottles, Wash; Easy Squeeze; 500mL; LDPE, Color-Coded, Acetone, Closure size is 38-415, Red color closure, Closure is made of PP with PTFE membrane, Bottles will not drip and are sputter-free during use	Cs of 6	4759
0289711	Fisherbrand* Bottles, Wash; Easy Squeeze; 500mL; LDPE, Color-Coded, Water, Closure size is 38-415, Blue color closure, Closure is made of PP with PTFE membrane, Bottles will not drip and are sputter-free during use	Cs of 6	4759
028972	Fisherbrand* Bottles, Wash; Easy Squeeze; 500mL; LDPE, Color-Coded, Bleach, Closure size is 38-415, Natural color closure; Closure is made of HDPE with PTFE membrane; Bottles will not drip and are sputter-free during use	Cs of 6	4759

Cat. No.	Description	Pack	Price in ₹
028975	Fisherbrand* Bottles, Wash; Easy Squeeze; 500mL; LDPE, Color-Coded, Ethanol, Closure size is 38-415, Natural color closure; Closure is made of PP with PTFE membrane; Bottles will not drip and are sputter-free during use	Cs of 6	4759
028976	Fisherbrand* Bottles, Wash; Easy Squeeze; 500mL; LDPE, Color-Coded, Isopropanol, Closure size is 38-415, Yellow color closure; Closure is made of PP with PTFE membrane; Bottles will not drip and are sputter-free during use	Cs of 6	4759
028978	Fisherbrand* Bottles, Wash; Easy Squeeze; 500mL; LDPE, Color-Coded, Saline, Closure size is 38-415, Natural color closure; Closure is made of PP with PTFE membrane; Bottles will not drip and are sputter-free during use	Cs of 6	4759
FB50487	Cap polypropylene GL45 blue Fisherbrand	Pack of 10	1752
FB50488	Cap polypropylene GL45 green Fisherbrand	Pack of 10	1749
FB50489	Cap polypropylene GL45 yellow Fisherbrand	Pack of 10	1749
FB50494	Pouring ring polypropylene GL45 green Fisherbrand	Pack of 10	546
FB50495	Pouring ring polypropylene GL45 yellow Fisherbrand	Pack of 10	546
FB51439	Cap spare for 54mm neck O.D. polypropylene tamper evident blue Fisherbrand	Pack of 10	875
FB51440	Cap spare for 80mm neck O.D. polypropylene tamper evident blue Fisherbrand	Pack of 5	881
FB51441	Bottle Winchester wide neck HDPE UN approved Fisherbrand	Pack of 4	1752
FB51442	Bottle Winchester wide neck HDPE UN approved Fisherbrand	Pack of 4	2758
FB51443	Bottle Winchester wide neck HDPE UN approved Fisherbrand	Pack of 4	1285
FB51445	Bottle Winchester wide neck HDPE UN approved black Fisherbrand	Pack of 4	2402
FB51446	Bottle Winchester wide neck HDPE UN approved black Fisherbrand	EA	1285
FB51459	Cap vented polypropylene black 45mm Fisherbrand	Pack of 10	2432
FB55995	Bottle wide neck graduated polypropylene 250mL Fisherbrand	Pack of 10	2529
FB55997	Bottle wide neck graduated polypropylene 500mL Fisherbrand	Pack of 10	2846
FB57928	Wash bottle safety labelled bottles, wide necked, vented low density polyethylene pack of 3 translucent 500mL solvent labelled for ethanol Fisherbrand	Pack of 3	2338
FB58130	Bottle PTFE white 5mL Fisherbrand	EA	1255
FB58131	Bottle PTFE white 10mL Fisherbrand	EA	1672
FB58132	Bottle PTFE white 25mL Fisherbrand	EA	2190
FB58133	Bottle PTFE white 50mL Fisherbrand	EA	2550
FB58134	Bottle PTFE white 100mL Fisherbrand	EA	3626
FB58135	Bottle PTFE white 150mL Fisherbrand	EA	3885
FB58136	Bottle PTFE white 250mL Fisherbrand	EA	4850
FB58137	Bottle PTFE white 500mL Fisherbrand	EA	7507
FB58138	Bottle PTFE white 1000mL Fisherbrand	EA	11867
FB58139	Bottle PTFE white 2000mL Fisherbrand	EA	23612
FB59602	Bottle wide neck HDPE cap size 38/R3 translucent 93mm height, 50mm O.D 125mL Fisherbrand	Pack of 12	1258
FB59603	Bottle wide neck HDPE cap size 58/R3 translucent 114mm height, 61mm O.D 250mL Fisherbrand	Pack of 12	1480
FB59604	Bottle wide neck HDPE cap size 58/R3 translucent 140mm height, 76mm O.D 500mL Fisherbrand	Pack of 12	2382
FB59605	Bottle wide neck HDPE cap size 70/R3 translucent 200mm height, 90mm O.D 1L Fisherbrand	Pack of 6	1589
FB59636	Bottle wide neck flexible LDPE cap size 33/R3 translucent 45mm height, 36mm O.D 30mL Fisherbrand	Pack of 12	938
FB59637	Bottle wide neck flexible LDPE cap size 33/R3 translucent 80mm height, 36mm O.D 60mL Fisherbrand	Pack of 12	979
FB59638	Bottle wide neck flexible LDPE cap size 33/R3 translucent 80mm height, 36mm O.D 60mL Fisherbrand	Pack of 12	1167
FB59639	Bottle wide neck flexible LDPE cap size 58/R3 translucent 114mm height, 61mm O.D 250mL Fisherbrand	Pack of 12	1463
FB59640	Bottle wide neck flexible LDPE cap size 58/R3 translucent 140mm height, 76mm O.D 500mL Fisherbrand	Pack of 12	2371
FB59641	Bottle wide neck flexible LDPE cap size 70/R3 translucent 200mm height, 90mm O.D 1L Fisherbrand	Pack of 6	1591
FB59642	Bottle wide neck heavy duty polypropylene cap size 33/R3 clear 45mm height, 36mm O.D 30mL Fisherbrand	Pack of 10	753
FB59643	Bottle wide neck heavy duty polypropylene cap size 33/R3 clear 80mm height, 36mm O.D 60mL Fisherbrand	Pack of 10	686
FB59644	Bottle wide neck heavy duty polypropylene cap size 38/R3 clear 93mm height, 50mm O.D 125mL Fisherbrand	Pack of 10	895

Cat. No.	Description	Pack	Price in ₹
FB59645	Bottle wide neck heavy duty polypropylene cap size 58/R3 clear 68mm height, 60mm O.D 150mL Fisherbrand	Pack of 10	932
FB59646	Bottle wide neck heavy duty polypropylene cap size 58/R3 clear 114mm height, 61mm O.D 250mL Fisherbrand	Pack of 10	1635
FB59647	Bottle wide neck heavy duty polypropylene cap size 58/R3 clear 140mm height, 76mm O.D 500mL Fisherbrand	Pack of 10	2153
FB59648	Bottle wide neck heavy duty polypropylene cap size 70/R3 clear 200mm height, 90mm O.D 1L Fisherbrand	Pack of 5	1978
FB60682	Wash bottle safety labelled, wide necked colour coded, labelled for distilled water low density polyethylene translucent 500mL Fisherbrand	Pack of 6	2647
FB60684	Wash bottle safety labelled, wide necked colour coded, labelled for isopropanol low density polyethylene translucent 500mL Fisherbrand	Pack of 6	2647
FB60685	Wash bottle safety labelled, wide necked colour coded, labelled for methanol low density polyethylene translucent 500mL Fisherbrand	Pack of 6	2647
FB60686	Wash bottle safety labelled, wide necked, colour coded labelled for sodium hypochlorite (bleach) low density polyethylene white 500mL Fisherbrand	Pack of 4	2647
FB60687	Wash bottle safety labelled, wide necked colour coded, labelled for distilled water low density polyethylene translucent 1000mL Fisherbrand	Pack of 4	1897
FB60689	Wash bottle safety labelled, wide necked colour coded, labelled for isopropanol low density polyethylene translucent 1000mL Fisherbrand	Pack of 4	1897
FB60690	Wash bottle safety labelled, wide necked colour coded, labelled for methanol low density polyethylene translucent 1000mL Fisherbrand	Pack of 4	1897
FB60691	Wash bottle safety labelled, wide necked, colour coded labelled for sodium hypochlorite (bleach) low density polyethylene white 1000mL Fisherbrand	Pack of 4	1897
FB60692	Wash bottle safety labelled, wide necked colour coded, labelled for acetone low density polyethylene translucent 500mL Fisherbrand	Pack of 6	2647
FB60694	Wash bottle safety labelled bottles, wide necked low density polyethylene pack of 5 assorted translucent 500mL RTK colour coded, assorted pack Fisherbrand	Pack of 5	2435
FB60695	Wash bottle safety labelled bottles, wide necked, non-vented low density polyethylene pack of 6 translucent 500mL RTK colour coded, labelled for ethanol Fisherbrand	Pack of 6	2647
FB60696	Wash bottle safety labelled bottles, wide necked low density polyethylene pack of 4 translucent 1000mL RTK colour coded, labelled for ethanol Fisherbrand	Pack of 4	1897
FB60697	Wash bottle safety labelled bottles, wide necked, vented low density polyethylene pack of 6 assorted translucent 500mL RTK colour coded, assorted pack, vented Fisherbrand	Pack of 6	4790
FB60698	Wash bottle safety labelled bottles, wide necked, vented low density polyethylene pack of 6 translucent 500mL RTK colour coded, labelled for ethanol vented Fisherbrand	Pack of 6	4790
FB60704	Wash bottle safety labelled, wide necked, vented colour coded, labelled for isopropanol low density polyethylene translucent 500mL Fisherbrand	Pack of 6	4790
FB60705	Wash bottle safety labelled, wide necked, vented colour coded, labelled for methanol low density polyethylene translucent 500mL Fisherbrand	Pack of 6	4790
FB60706	Wash bottle safety labelled, wide necked, vented colour coded sodium hypochlorite (bleach) labelled low density polyethylene white 500mL Fisherbrand	Pack of 6	4790
FB60707	Wash bottle safety labelled, wide necked, vented colour coded, labelled for distilled water low density polyethylene translucent 500mL Fisherbrand	Pack of 6	4790
FB60708	Wash bottle safety labelled bottles, wide necked, vented low density polyethylene pack of 6 translucent 500mL RTK colour coded, labelled for acetone vented Fisherbrand	Pack of 6	4790
FB67711	Bottle narrow mouth screw closure high density polyethylene leakproof resistant to most acids bases & alcohols translucent 60mL Fisherbrand	Pack of 12	582
FB67712	Bottle narrow mouth screw closure high density polyethylene leakproof resistant to most acids bases & alcohols translucent 120mL Fisherbrand	Pack of 12	737
FB67723	Bottle wide mouth screw closure high density polyethylene leakproof resistant to most acids bases & alcohols translucent 120mL Fisherbrand	Pack of 12	1561
FB67740	Wash bottle coloured screw closure high density polyethylene comes with vented 38mm closure translucent with red closure 500mL vented, acetone Fisherbrand	Pack of 6	4077
FB67741	Wash bottle coloured screw closure high density polyethylene comes with vented 38mm closure translucent with white closure 500mL vented, bleach Fisherbrand	Pack of 6	4077
FB67742	Wash bottle coloured screw closure high density polyethylene comes with vented 38mm closure translucent with natural closure 500mL vented, deionised water Fisherbrand	Pack of 6	4077

Cat. No.	Description	Pack	Price in ₹
FB67745	Wash bottle coloured screw closure high density polyethylene comes with vented 38mm closure translucent with yellow closure 500mL vented, isopropanol Fisherbrand	Pack of 6	4077
FB67746	Wash bottle coloured screw closure high density polyethylene comes with vented 38mm closure translucent with green closure 500mL vented, methanol Fisherbrand	Pack of 6	4077
FB67747	Wash bottle coloured screw closure high density polyethylene comes with vented 38mm closure translucent with natural closure 500mL vented, saline Fisherbrand	Pack of 6	4077
FB67748	Wash bottle coloured screw closure high density polyethylene comes with vented 38mm closure translucent with natural closure 500mL vented, soap Fisherbrand	Pack of 6	4077
FB67749	Wash bottle coloured screw closure high density polyethylene comes with vented 38mm closure translucent with natural closure 500mL vented, universal Fisherbrand	Pack of 6	4077
FB67750	Wash bottle coloured screw closure high density polyethylene comes with vented 38mm closure translucent with natural closure 500mL vented, water Fisherbrand	Pack of 6	4077
FB67751	Wash bottle coloured screw closure high density polyethylene comes with vented 38mm closure translucent with natural closure 500mL vented, solvent Fisherbrand	Pack of 6	4077
FB67752	Wash bottle coloured screw closure high density polyethylene comes with vented 38mm closure translucent with natural closure 500mL vented, cleaning Fisherbrand	Pack of 6	4077
FB73001	Bottle Boston round with polyvinyl lined 20/400 white cap attached glass clear 30mL Fisherbrand	Pack of 48	3515
FB73003	Bottle Boston round with polyvinyl lined 20/400 white cap attached glass clear 60mL Fisherbrand	Pack of 24	2203
FB73004	Bottle Boston round with polyvinyl lined 20/400 white cap attached glass clear 60mL Fisherbrand	Pack of 288	16492
FB73005	Bottle Boston round with polyvinyl lined 22/400 white cap attached glass clear 125mL Fisherbrand	Pack of 24	2472
FB73006	Bottle Boston round with polyvinyl lined 22/400 white cap attached glass clear 125mL Fisherbrand	Pack of 160	14191
FB73007	Bottle Boston round with polyvinyl lined 24/400 white cap attached glass clear 250mL Fisherbrand	Pack of 12	1719
FB73008	Bottle Boston round with polyvinyl lined 24/400 white cap attached glass clear 250mL Fisherbrand	Pack of 108	12664
FB73009	Bottle Boston round with polyvinyl lined 28/400 white cap attached glass clear 500mL Fisherbrand	Pack of 12	1850
FB73010	Bottle Boston round with polyvinyl lined 28/400 white cap attached glass clear 500mL Fisherbrand	Pack of 60	6892
FB73011	Bottle Boston round with polyvinyl lined 33/400 white cap attached glass clear 1L Fisherbrand	Pack of 12	2802
FB73013	Bottle Boston round with polyseal/cone lined 20/400 black cap attached glass clear 30mL Fisherbrand	Pack of 48	3636
FB73014	Bottle Boston round with polyseal/cone lined 20/400 black cap attached glass clear 60mL Fisherbrand	Pack of 24	2190
FB73015	Bottle Boston round with polyseal/cone lined 22/400 black cap attached glass clear 125mL Fisherbrand	Pack of 24	2933
FB73016	Bottle Boston round with polyseal/cone lined 24/400 black cap attached glass clear 250mL Fisherbrand	Pack of 12	1662
FB73017	Bottle Boston round with polyseal/cone lined 28/400 black cap attached glass clear 500mL Fisherbrand	Pack of 12	1766
FB73018	Bottle Boston round with polyseal/cone lined 33/400 black cap attached glass clear 1L Fisherbrand	Pack of 12	2610
FB73021	Bottle Boston round with PTFE lined 20/400 white cap attached glass clear 30mL Fisherbrand	Pack of 48	3952
FB73022	Bottle Boston round with PTFE lined 20/400 white cap attached glass clear 60mL Fisherbrand	Pack of 24	2351
FB73023	Bottle Boston round with PTFE lined 22/400 white cap attached glass clear 125mL Fisherbrand	Pack of 24	2711
FB73024	Bottle Boston round with PTFE lined 24/400 white cap attached glass clear 250mL Fisherbrand	Pack of 12	2011
FB73025	Bottle Boston round with PTFE lined 28/400 white cap attached glass clear 500mL Fisherbrand	Pack of 12	2048
FB73026	Bottle Boston round with PTFE lined 33/400 white cap attached glass clear 1L Fisherbrand	Pack of 12	3044
FB73028	Bottle Boston round bottle only for screw cap size 20/400 glass clear 30mL Fisherbrand	Pack of 432	25311
FB73029	Bottle Boston round bottle only for screw cap size 20/400 glass clear 60mL Fisherbrand	Pack of 288	20397
FB73030	Bottle Boston round bottle only for screw cap size 22/400 glass clear 125mL Fisherbrand	Pack of 160	11766
FB73031	Bottle Boston round bottle only for screw cap size 24/400 glass clear 250mL Fisherbrand	Pack of 108	10625
FB73032	Bottle Boston round bottle only for screw cap size 28/400 glass clear 500mL Fisherbrand	Pack of 60	7874
FB73033	Bottle Boston round bottle only for screw cap size 33/400 glass clear 1L Fisherbrand	Pack of 12	3105
FB73035	Bottle Boston round with PTFE lined 20/400 white cap attached glass custom cleaned clear 30mL Fisherbrand	Pack of 48	10081
FB73036	Bottle Boston round with PTFE lined 20/400 white cap attached glass custom cleaned clear 60mL Fisherbrand	Pack of 24	6233
FB73038	Bottle Boston round with PTFE lined 24/400 white cap attached glass custom cleaned clear 250mL Fisherbrand	Pack of 12	4574
FB73039	Bottle Boston round with PTFE lined 28/400 white cap attached glass custom cleaned clear 500mL Fisherbrand	Pack of 12	5816
FB73040	Bottle Boston round with PTFE lined 33/400 white cap attached glass custom cleaned clear 1L Fisherbrand	Pack of 12	8301

Cat. No.	Description	Pack	Price in ₹
FB73042	Bottle Boston round with polyvinyl lined 22/400 white cap attached glass certified low particulate clear 125mL Fisherbrand	Pack of 24	23767
FB73043	Bottle Boston round with polyvinyl lined 24/400 white cap attached glass certified low particulate clear 250mL Fisherbrand	Pack of 12	20370
FB73044	Bottle Boston round with polyvinyl lined 28/400 white cap attached glass certified low particulate clear 500mL Fisherbrand	Pack of 12	15176
FB73045	Bottle Boston round with polyvinyl lined 33/400 white cap attached glass certified low particulate clear 1L Fisherbrand	Pack of 12	17087
FB73047	Bottle Boston round with polyseal/cone lined 24/400 black cap attached glass safety coated clear 250mL Fisherbrand	Pack of 12	5691
FB73048	Bottle Boston round with polyseal/cone lined 28/400 black cap attached glass safety coated clear 500mL Fisherbrand	Pack of 12	7396
FB73051	Bottle Boston round with PTFE lined 24/400 white cap attached glass safety coated clear 250mL Fisherbrand	Pack of 12	5805
FB73052	Bottle Boston round with PTFE lined 28/400 white cap attached glass safety coated clear 500mL Fisherbrand	Pack of 12	7733
FB73053	Bottle Boston round with PTFE lined 33/400 white cap attached glass safety coated clear 1L Fisherbrand	Pack of 12	11127
FB73055	Bottle Boston round bottle only for screw cap size 24/400 glass safety coated clear 250mL Fisherbrand	Pack of 108	37130
FB73056	Bottle Boston round bottle only for screw cap size 28/400 glass safety coated clear 500mL Fisherbrand	Pack of 60	27450
FB73057	Bottle Boston round bottle only for screw cap size 33/400 glass safety coated clear 1L Fisherbrand	Pack of 30	20736
FB73060	Bottle Boston round with polyvinyl lined 18/400 white cap attached glass amber 15mL Fisherbrand	Pack of 720	54197
FB73061	Bottle Boston round with polyvinyl lined 20/400 white cap attached glass amber 30mL Fisherbrand	Pack of 48	3979
FB73063	Bottle Boston round with polyvinyl lined 20/400 white cap attached glass amber 60mL Fisherbrand	Pack of 24	2284
FB73064	Bottle Boston round with polyvinyl lined 20/400 white cap attached glass amber 60mL Fisherbrand	Pack of 288	19734
FB73065	Bottle Boston round with polyvinyl lined 20/400 white cap attached glass amber 60mL Fisherbrand	Pack of 24	2667
FB73066	Bottle Boston round with polyvinyl lined 22/400 white cap attached glass amber 125mL Fisherbrand	Pack of 160	13740
FB73067	Bottle Boston round with polyvinyl lined 24/400 white cap attached glass amber 250mL Fisherbrand	Pack of 12	1702
FB73068	Bottle Boston round with polyvinyl lined 24/400 white cap attached glass amber 250mL Fisherbrand	Pack of 108	10770
FB73069	Bottle Boston round with polyvinyl lined 28/400 white cap attached glass amber 500mL Fisherbrand	Pack of 12	2186
FB73070	Bottle Boston round with polyvinyl lined 28/400 white cap attached glass amber 500mL Fisherbrand	Pack of 60	9381
FB73071	Bottle Boston round with polyvinyl lined 33/400 white cap attached glass amber 1L Fisherbrand	Pack of 12	3387
FB73072	Bottle Boston round with polyvinyl lined 33/400 white cap attached glass amber 1L Fisherbrand	Pack of 30	7501
FB73075	Bottle Boston round with polyseal/cone lined 18/400 white cap attached glass amber 15mL Fisherbrand	Pack of 720	75159
FB73076	Bottle Boston round with polyseal/cone lined 20/400 white cap attached glass amber 30mL Fisherbrand	Pack of 48	4019
FB73078	Bottle Boston round with polyseal/cone lined 20/400 white cap attached glass amber 60mL Fisherbrand	Pack of 24	2220
FB73079	Bottle Boston round with polyseal/cone lined 20/400 white cap attached glass amber 60mL Fisherbrand	Pack of 288	32364
FB73080	Bottle Boston round with polyseal/cone lined 22/400 white cap attached glass amber 125mL Fisherbrand	Pack of 24	2970
FB73081	Bottle Boston round with polyseal/cone lined 22/400 white cap attached glass amber 125mL Fisherbrand	Pack of 160	20851
FB73082	Bottle Boston round with polyseal/cone lined 24/400 white cap attached glass amber 250mL Fisherbrand	Pack of 12	1682
FB73083	Bottle Boston round with polyseal/cone lined 24/400 white cap attached glass amber 250mL Fisherbrand	Pack of 108	16784
FB73084	Bottle Boston round with polyseal/cone lined 28/400 white cap attached glass amber 500mL Fisherbrand	Pack of 12	2230
FB73085	Bottle Boston round with polyseal/cone lined 28/400 white cap attached glass amber 500mL Fisherbrand	Pack of 60	12546
FB73086	Bottle Boston round with polyseal/cone lined 33/400 white cap attached glass amber 1L Fisherbrand	Pack of 12	3189
FB73087	Bottle Boston round with polyseal/cone lined 33/400 white cap attached glass amber 1L Fisherbrand	Pack of 30	9401
FB73090	Bottle Boston round with PTFE lined 20/400 white cap attached glass amber 30mL Fisherbrand	Pack of 48	4978
FB73091	Bottle Boston round with PTFE lined 20/400 white cap attached glass amber 60mL Fisherbrand	Pack of 24	2502
FB73092	Bottle Boston round with PTFE lined 22/400 white cap attached glass amber 125mL Fisherbrand	Pack of 24	2862
FB73093	Bottle Boston round with PTFE lined 24/400 white cap attached glass amber 250mL Fisherbrand	Pack of 12	1689
FB73094	Bottle Boston round with PTFE lined 28/400 white cap attached glass amber 500mL Fisherbrand	Pack of 12	2489



Cat. No.	Description	Pack	Price in ₹
FB73095	Bottle Boston round with PTFE lined 33/400 white cap attached glass amber 1L Fisherbrand	Pack of 12	3212
FB73098	Bottle Boston round bottle only for screw cap size 20/400 glass amber 15mL Fisherbrand	Pack of 720	45643
FB73100	Bottle Boston round bottle only for screw cap size 20/400 glass amber 60mL Fisherbrand	Pack of 288	20457
FB73101	Bottle Boston round bottle only for screw cap size 22/400 glass amber 125mL Fisherbrand	Pack of 160	13558
FB73102	Bottle Boston round bottle only for screw cap size 24/400 glass amber 250mL Fisherbrand	Pack of 108	11379
FB73103	Bottle Boston round bottle only for screw cap size 28/400 glass amber 500mL Fisherbrand	Pack of 60	9008
FB73104	Bottle Boston round bottle only for screw cap size 33/400 glass amber 1L Fisherbrand	Pack of 30	7252
FB73107	Bottle Boston round with PTFE lined 20/400 white cap attached glass custom cleaned amber 60mL Fisherbrand	Pack of 24	6677
FB73108	Bottle Boston round with PTFE lined 22/400 white cap attached glass custom cleaned amber 125mL Fisherbrand	Pack of 24	7013
FB73109	Bottle Boston round with PTFE lined 24/400 white cap attached glass custom cleaned amber 250mL Fisherbrand	Pack of 12	4951
FB73110	Bottle Boston round with PTFE lined 28/400 white cap attached glass custom cleaned amber 500mL Fisherbrand	Pack of 12	5799
FB73111	Bottle Boston round with PTFE lined 33/400 white cap attached glass custom cleaned amber 1L Fisherbrand	Pack of 12	8274
FB73113	Bottle Boston round with PTFE lined 24/400 white cap attached glass certified clean amber 250mL Fisherbrand	Pack of 12	5442
FB73114	Bottle Boston round with PTFE lined 33/400 white cap attached glass certified clean amber 1L Fisherbrand	Pack of 12	6949
FB73116	Bottle Boston round with polyseal/cone lined 22/400 black cap attached glass safety coated amber 125mL Fisherbrand	Pack of 24	9838
FB73117	Bottle Boston round with polyseal/cone lined 24/400 black cap attached glass safety coated amber 250mL Fisherbrand	Pack of 12	5953
FB73118	Bottle Boston round with polyseal/cone lined 28/400 black cap attached glass safety coated amber 500mL Fisherbrand	Pack of 12	7511
FB73119	Bottle Boston round with polyseal/cone lined 33/400 black cap attached glass safety coated amber 1L Fisherbrand	Pack of 12	10693
FB73121	Bottle Boston round with PTFE lined 22/400 white cap attached glass safety coated amber 125mL Fisherbrand	Pack of 24	9875
FB73122	Bottle Boston round with PTFE lined 24/400 white cap attached glass safety coated amber 250mL Fisherbrand	Pack of 12	6132
FB73123	Bottle Boston round with PTFE lined 28/400 white cap attached glass safety coated amber 500mL Fisherbrand	Pack of 12	7803
FB73124	Bottle Boston round with PTFE lined 33/400 white cap attached glass safety coated amber 1L Fisherbrand	Pack of 12	11083
FB73126	Bottle Boston round bottle only for screw cap size 22/400 glass safety coated amber 125mL Fisherbrand	Pack of 160	58610
FB73131	Bottle wide mouth packer with polyvinyl lined 48/400 white cap attached glass clear 125mL Fisherbrand	Pack of 24	2701
FB73132	Bottle wide mouth packer with polyvinyl lined 58/400 white cap attached glass clear 250mL Fisherbrand	Pack of 24	3303
FB73133	Bottle wide mouth packer with polyvinyl lined 63/400 white cap attached glass clear 500mL Fisherbrand	Pack of 24	3942
FB73134	Bottle wide mouth packer with polyvinyl lined 70/400 white cap attached glass clear 1L Fisherbrand	Pack of 12	3649
FB73135	Bottle wide mouth packer with polyvinyl lined 83/400 white cap attached glass clear 2L Fisherbrand	Pack of 6	2247
FB73136	Bottle wide mouth packer with polyvinyl lined 89/400 white cap attached glass clear 3,810mL Fisherbrand	Pack of 4	2617
FB73138	Bottle wide mouth packer with PTFE lined 48/400 white cap attached glass clear 125mL Fisherbrand	Pack of 24	4786
FB73139	Bottle wide mouth packer with PTFE lined 58/400 white cap attached glass clear 250mL Fisherbrand	Pack of 24	6771
FB73140	Bottle wide mouth packer with PTFE lined 63/400 white cap attached glass clear 500mL Fisherbrand	Pack of 24	8177
FB73141	Bottle wide mouth packer with PTFE lined 70/400 white cap attached glass clear 1L Fisherbrand	Pack of 12	5563
FB73142	Bottle wide mouth packer with PTFE lined 83/400 white cap attached glass clear 2L Fisherbrand	Pack of 6	4231
FB73143	Bottle wide mouth packer with PTFE lined 89/400 white cap attached glass clear 3,810mL Fisherbrand	Pack of 4	3707
FB73145	Bottle wide mouth packer bottle only for screw cap size 48/400 glass clear 125mL Fisherbrand	Pack of 24	1752
FB73146	Bottle wide mouth packer bottle only for screw cap size 58/400 glass clear 250mL Fisherbrand	Pack of 24	2637
FB73147	Bottle wide mouth packer bottle only for screw cap size 63/400 glass clear 500mL Fisherbrand	Pack of 24	3007
FB73148	Bottle wide mouth packer bottle only for screw cap size 70/400 glass clear 1L Fisherbrand	Pack of 12	2348

Cat. No.	Description	Pack	Price in ₹
FB73149	Bottle wide mouth packer bottle only for screw cap size 83/400 glass clear 2L Fisherbrand	Pack of 6	2613
FB73150	Bottle wide mouth packer bottle only for screw cap size 89/400 glass clear 3,810mL Fisherbrand	Pack of 4	2311
FB73153	Bottle wide mouth packer with polyvinyl lined 20/400 white cap attached glass amber 6mL Fisherbrand	Pack of 720	55085
FB73154	Bottle wide mouth packer with polyvinyl lined 20/400 white cap attached glass amber 8mL Fisherbrand	Pack of 912	63918
FB73155	Bottle wide mouth packer with polyvinyl lined 28/400 white cap attached glass amber 15mL Fisherbrand	Pack of 624	50598
FB73156	Bottle wide mouth packer with polyvinyl lined 28/400 white cap attached glass amber 30mL Fisherbrand	Pack of 24	1931
FB73157	Bottle wide mouth packer with polyvinyl lined 28/400 white cap attached glass amber 30mL Fisherbrand	Pack of 432	29246
FB73158	Bottle wide mouth packer with polyvinyl lined 33/400 white cap attached glass amber 60mL Fisherbrand	Pack of 24	2153
FB73159	Bottle wide mouth packer with polyvinyl lined 33/400 white cap attached glass amber 60mL Fisherbrand	Pack of 216	17467
FB73160	Bottle wide mouth packer with polyvinyl lined 38/400 white cap attached glass amber 125mL Fisherbrand	Pack of 24	2502
FB73161	Bottle wide mouth packer with polyvinyl lined 38/400 white cap attached glass amber 125mL Fisherbrand	Pack of 180	16687
FB73162	Bottle wide mouth packer with polyvinyl lined 45/400 white cap attached glass amber 250mL Fisherbrand	Pack of 24	2990
FB73163	Bottle wide mouth packer with polyvinyl lined 45/400 white cap attached glass amber 250mL Fisherbrand	Pack of 84	9970
FB73164	Bottle wide mouth packer with polyvinyl lined 53/400 white cap attached glass amber 500mL Fisherbrand	Pack of 12	2371
FB73165	Bottle wide mouth packer with polyvinyl lined 53/400 white cap attached glass amber 500mL Fisherbrand	Pack of 60	9822
FB73166	Bottle wide mouth packer with polyvinyl lined 53/400 white cap attached glass amber 1L Fisherbrand	Pack of 12	3555
FB73167	Bottle wide mouth packer with polyvinyl lined 53/400 white cap attached glass amber 1L Fisherbrand	Pack of 36	8143
FB73169	Bottle wide mouth packer with polyseal/cone lined 28/400 attached glass amber 30mL Fisherbrand	Pack of 24	2257
FB73170	Bottle wide mouth packer with polyseal/cone lined 33/400 cap attached glass cap colour black amber 60mL Fisherbrand	Pack of 24	2391
FB73171	Bottle wide mouth packer with polyseal/cone lined 38/400 cap attached glass amber 125mL Fisherbrand	Pack of 24	2092
FB73173	Bottle wide mouth packer with PTFE lined 28/400 white cap attached glass amber 30mL Fisherbrand	Pack of 24	2217
FB73174	Bottle wide mouth packer with PTFE lined 33/400 white cap attached glass amber 60mL Fisherbrand	Pack of 24	2647
FB73175	Bottle wide mouth packer with PTFE lined 38/400 white cap attached glass amber 125mL Fisherbrand	Pack of 24	3407
FB73176	Bottle wide mouth packer with PTFE lined 45/400 white cap attached glass amber 250mL Fisherbrand	Pack of 24	4443
FB73177	Bottle wide mouth packer with PTFE lined 53/400 white cap attached glass amber 500mL Fisherbrand	Pack of 12	3730
FB73178	Bottle wide mouth packer with PTFE lined 53/400 white cap attached glass amber 1L Fisherbrand	Pack of 12	4554
FB73179	Bottle wide mouth packer with PTFE lined 70/400 white cap attached glass amber 1,250mL Fisherbrand	pack of 6	4157
FB73180	Bottle wide mouth packer with PTFE lined 70/400 white cap attached glass amber 2,500mL Fisherbrand	Pack of 12	15735
FB73182	Bottle wide mouth packer bottle only for screw cap size 20/400 glass amber 6mL Fisherbrand	Pack of 720	44547
FB73184	Bottle wide mouth packer bottle only for screw cap size 28/400 glass amber 15mL Fisherbrand	Pack of 624	39195
FB73185	Bottle wide mouth packer bottle only for screw cap size 28/400 glass amber 30mL Fisherbrand	Pack of 432	25311
FB73186	Bottle wide mouth packer bottle only for screw cap size 33/400 glass amber 60mL Fisherbrand	Pack of 216	15297
FB73187	Bottle wide mouth packer bottle only for screw cap size 38/400 glass amber 125mL Fisherbrand	Pack of 180	13229
FB73188	Bottle wide mouth packer bottle only for screw cap size 45/400 glass amber 250mL Fisherbrand	Pack of 84	8789
FB73189	Bottle wide mouth packer bottle only for screw cap size 53/400 glass amber 500mL Fisherbrand	Pack of 60	9088
FB73190	Bottle wide mouth packer bottle only for screw cap size 53/400 glass amber 1L Fisherbrand	Pack of 36	7995
FB73192	Bottle wide mouth packer with PTFE lined 33/400 white cap attached glass custom cleaned amber 60mL Fisherbrand	Pack of 24	10366
FB73193	Bottle wide mouth packer with PTFE lined 38/400 white cap attached glass custom cleaned amber 125mL Fisherbrand	Pack of 24	10319
FB73194	Bottle wide mouth packer with PTFE lined 45/400 white cap attached glass custom cleaned amber 250mL Fisherbrand	Pack of 24	12250

Cat. No.	Description	Pack	Price in ₹
FB73195	Bottle wide mouth packer with PTFE lined 53/400 white cap attached glass custom cleaned amber 500mL Fisherbrand	Pack of 12	7161
FB73196	Bottle wide mouth packer with PTFE lined 53/400 white cap attached glass custom cleaned amber 1L Fisherbrand	Pack of 12	8136
FB73198	Bottle wide mouth packer with PTFE lined 28/400 white cap attached glass certified clean amber 30mL Fisherbrand	Pack of 24	6542
FB73199	Bottle wide mouth packer with PTFE lined 33/400 white cap attached glass certified clean amber 60mL Fisherbrand	Pack of 24	7921
FB73200	Bottle wide mouth packer with PTFE lined 38/400 white cap attached glass certified clean amber 125mL Fisherbrand	Pack of 12	4961
FB73201	Bottle wide mouth packer with PTFE lined 45/400 white cap attached glass certified clean amber 250mL Fisherbrand	Pack of 12	6202
FB73202	Bottle wide mouth packer with PTFE lined 53/400 white cap attached glass certified clean amber 500mL Fisherbrand	Pack of 12	7259
FB73203	Bottle wide mouth packer with PTFE lined 53/400 white cap attached glass certified clean amber 1L Fisherbrand	Pack of 12	9310
FB73205	Bottle wide mouth packer with PTFE lined 45/400 white cap attached glass safety coated amber 250mL Fisherbrand	Pack of 24	22835
FB73206	Bottle wide mouth packer with PTFE lined 53/400 white cap attached glass safety coated amber 500mL Fisherbrand	Pack of 12	10955
FB73207	Bottle wide mouth packer with PTFE lined 53/400 white cap attached glass safety coated amber 1L Fisherbrand	Pack of 12	12950
FB73209	Bottle wide mouth packer bottle only for screw cap size 45/400 glass safety coated amber 250mL Fisherbrand	Pack of 24	12549
FB73210	Bottle wide mouth packer bottle only for screw cap size 53/400 glass safety coated amber 500mL Fisherbrand	Pack of 12	8759
FB73211	Bottle wide mouth packer bottle only for screw cap size 53/400 glass safety coated amber 1L Fisherbrand	Pack of 12	10057
FB73213	Bottle wide mouth with polyvinyl lined 33/400 white cap attached glass graduated clear 30mL Fisherbrand	Pack of 48	5392
FB73214	Bottle wide mouth with polyvinyl lined 33/400 white cap attached glass graduated clear 30mL Fisherbrand	Pack of 432	42149
FB73215	Bottle wide mouth with polyvinyl lined 38/400 white cap attached glass graduated clear 60mL Fisherbrand	Pack of 48	6152
FB73216	Bottle wide mouth with polyvinyl lined 38/400 white cap attached glass graduated clear 60mL Fisherbrand	Pack of 288	33027
FB73217	Bottle wide mouth with polyvinyl lined 38/400 white cap attached glass graduated clear 60mL Fisherbrand	Pack of 24	3673
FB73218	Bottle wide mouth with polyvinyl lined 38/400 white cap attached glass graduated clear 60mL Fisherbrand	Pack of 144	19532
FB73219	Bottle wide mouth with polyvinyl lined 58/400 white cap attached glass graduated clear 250mL Fisherbrand	Pack of 24	4430
FB73220	Bottle wide mouth with polyvinyl lined 58/400 white cap attached glass graduated clear 250mL Fisherbrand	Pack of 96	16011
FB73221	Bottle wide mouth with polyvinyl lined 70/400 white cap attached glass graduated clear 500mL Fisherbrand	Pack of 24	6525
FB73222	Bottle wide mouth with polyvinyl lined 70/400 white cap attached glass graduated clear 500mL Fisherbrand	Pack of 48	10948
FB73225	Bottle wide mouth with polyseal lined 33/400 black cap attached glass graduated clear 30mL Fisherbrand	Pack of 48	6273
FB73226	Bottle wide mouth with polyseal lined 33/400 black cap attached glass graduated clear 30mL Fisherbrand	Pack of 432	44126
FB73227	Bottle wide mouth with polyseal lined 38/400 black cap attached glass graduated clear 60mL Fisherbrand	pack of 48	7107
FB73228	Bottle wide mouth with polyseal lined 38/400 black cap attached glass graduated clear 60mL Fisherbrand	Pack of 288	37039
FB73231	Bottle wide mouth with PTFE lined 33/400 white cap attached glass graduated clear 30mL Fisherbrand	Pack of 48	7447
FB73232	Bottle wide mouth with PTFE lined 33/400 white cap attached glass graduated clear 30mL Fisherbrand	Pack of 48	8113

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
FB73233	Bottle wide mouth with PTFE lined 48/400 white cap attached glass graduated clear 125mL Fisherbrand	Pack of 24	6360
FB73234	Bottle wide mouth with PTFE lined 48/400 white cap attached glass graduated clear 125mL Fisherbrand	Pack of 24	8200
FB73235	Bottle wide mouth with PTFE lined 70/400 white cap attached glass graduated clear 500mL Fisherbrand	Pack of 24	10884
FB73238	Bottle wide mouth bottle only for screw cap size 33/400 glass graduated clear 30mL Fisherbrand	Pack of 432	28261
FB73239	Bottle wide mouth bottle only for screw cap size 38/400 glass graduated clear 60mL Fisherbrand	Pack of 288	20595
FB73240	Bottle wide mouth bottle only for screw cap size 48/400 glass graduated clear 125mL Fisherbrand	Pack of 144	11335
FB73241	Bottle wide mouth bottle only for screw cap size 58/400 glass graduated clear 250mL Fisherbrand	Pack of 96	11160
FB73242	Bottle wide mouth bottle only for screw cap size 70/400 glass graduated clear 500mL Fisherbrand	Pack of 48	7420
FB73245	Bottle wide mouth with PTFE lined 48/400 white cap attached glass graduated, certified low particulate clear 125mL Fisherbrand	Pack of 24	27527
FB73247	Bottle wide mouth with PTFE lined 70/400 white cap attached glass graduated, certified low particulate clear 500mL Fisherbrand	Pack of 24	18449
FB73250	Bottle straight sided with polyvinyl lined 43/400 white cap attached glass clear 30mL Fisherbrand	Pack of 48	6552
FB73251	Bottle straight sided with polyvinyl lined 43/400 white cap attached glass clear 30mL Fisherbrand	pack of 24	2465
FB73252	Bottle straight sided with polyvinyl lined 58/400 white cap attached glass clear 125mL Fisherbrand	pack of 24	2250
FB73253	Bottle straight sided with polyvinyl lined 58/400 white cap attached glass clear 125mL Fisherbrand	Pack of 24	1645
FB73254	Bottle straight sided with polyvinyl lined 58/400 white cap attached glass clear 125mL Fisherbrand	Pack of 24	2778
FB73255	Bottle straight sided with polyvinyl lined 89/400 white cap attached glass clear 1L Fisherbrand	Pack of 12	2788
FB73258	Bottle straight sided with PTFE lined 43/400 white cap attached glass clear 30mL Fisherbrand	pack of 48	10323
FB73259	Bottle straight sided with PTFE lined 43/400 white cap attached glass clear 30mL Fisherbrand	Pack of 384	48065
FB73260	Bottle straight sided with PTFE lined 53/400 white cap attached glass clear 60mL Fisherbrand	Pack of 24	4733
FB73261	Bottle straight sided with PTFE lined 53/400 white cap attached glass clear 60mL Fisherbrand	Pack of 144	12748
FB73262	Bottle straight sided with PTFE lined 58/400 white cap attached glass clear 125mL Fisherbrand	Pack of 24	5567
FB73263	Bottle straight sided with PTFE lined 58/400 white cap attached glass clear 125mL Fisherbrand	Pack of 12	4178
FB73264	Bottle straight sided with PTFE lined 70/400 white cap attached glass clear 250mL Fisherbrand	Pack of 12	6236
FB73265	Bottle straight sided with PTFE lined 89/400 white cap attached glass clear 1L Fisherbrand	Pack of 12	6169
FB73268	Bottle straight sided with PTFE lined 53/400 white cap attached glass certified clean clear 60mL Fisherbrand	Pack of 24	11561
FB73269	Bottle straight sided with PTFE lined 58/400 white cap attached glass certified clean clear 125mL Fisherbrand	Pack of 24	11917
FB73270	Bottle straight sided with PTFE lined 70/400 white cap attached glass certified clean clear 250mL Fisherbrand	Pack of 24	8836
FB73271	Bottle straight sided with PTFE lined 89/400 white cap attached glass certified clean clear 500mL Fisherbrand	Pack of 12	8429
FB73272	Bottle straight sided with PTFE lined 89/400 white cap attached glass certified clean clear 1L Fisherbrand	Pack of 12	11026
FB73275	Bottle straight sided with polyvinyl lined 70/400 white cap attached glass safety coated clear 250mL Fisherbrand	Pack of 12	6475
FB73276	Bottle straight sided with polyvinyl lined 89/400 white cap attached glass safety coated clear 500mL Fisherbrand	Pack of 12	16529
FB73277	Bottle straight sided with polyvinyl lined 89/400 white cap attached glass safety coated clear 1L Fisherbrand	Pack of 12	11554
FB73280	Bottle straight sided with PTFE lined 70/400 white cap attached glass safety coated clear 250mL Fisherbrand	Pack of 12	7814
FB73281	Bottle straight sided with PTFE lined 89/400 white cap attached glass safety coated clear 500mL Fisherbrand	Pack of 12	18890
FB73282	Bottle straight sided with PTFE lined 89/400 white cap attached glass safety coated clear 500mL Fisherbrand	Pack of 12	12751
FB73284	Bottle straight sided with PTFE lined 58/400 white cap attached glass amber 125mL Fisherbrand	Pack of 12	5742
FB73285	Bottle straight sided with PTFE lined 70/400 white cap attached glass amber 250mL Fisherbrand	Pack of 12	4198
FB73288	Bottle straight sided bottle only for screw cap size 58/400 glass amber 125mL Fisherbrand	Pack of 24	2455
FB73291	Bottle straight sided bottle only for screw cap size 43/400 glass clear 30mL Fisherbrand	Pack of 384	25186
FB73292	Bottle straight sided bottle only for screw cap size 53/400 glass clear 60mL Fisherbrand	Pack of 144	10874
FB73293	Bottle straight sided bottle only for screw cap size 58/400 glass clear 125mL Fisherbrand	Pack of 12	2048
FB73294	Bottle straight sided bottle only for screw cap size 70/400 glass clear 250mL Fisherbrand	Pack of 12	1473

Cat. No.	Description	Pack	Price in ₹
FB73295	Bottle straight sided bottle only for screw cap size 89/400 glass clear 500mL Fisherbrand	Pack of 12	1776
FB73296	Bottle straight sided bottle only for screw cap size 89/400 glass clear 1L Fisherbrand	Pack of 12	2654
FB73299	Bottle oil sample with cork plug glass clear 125mL Fisherbrand	Pack of 144	22411
FB58831	Jar screw cap PTFE white 15mL Fisherbrand	EA	2102
FB58832	Jar screw cap PTFE white 30mL Fisherbrand	EA	2627
FB58833	Jar screw cap PTFE white 60mL Fisherbrand	EA	3417
FB58834	Jar screw cap PTFE white 120mL Fisherbrand	EA	4467
FB58835	Jar screw cap PTFE white 240mL Fisherbrand	EA	5436
FB58836	Jar screw cap PTFE white 360mL Fisherbrand	EA	7447
FB58837	Jar screw cap PTFE white 480mL Fisherbrand	EA	8365
FB58838	Jar screw cap PTFE white 1000mL Fisherbrand	EA	13488
<b>Buckets</b>			
FBA03438	Pail; Fisherbrand; Heavy-duty HDPE; Large spout, splash shield, and handle; Graduated in 1 gal. and 1L increments; Capacity, 4 gal.	EA	19210
<b>Burettes</b>			
03700A	Burette, Manual; Fisherbrand; With blue markings; For students; With straight standard taper glass stopcock; Capacity: 10mL; Subdivision: 0.05mL; Tolerance: +/-0.05mL	EA	3661
03700B	Burette; Fisherbrand; Manual; With blue markings; For students; With straight standard taper glass stopcock; Capac.: 25mL; Subdivision: 0.10mL; Tolerance: +/-0.06mL	EA	3667
03700C	Burette, Manual; Fisherbrand; With blue markings; For students; With straight standard taper glass stopcock; Capac.: 50mL; Subdivision: 0.10mL; Tolerance: +/-0.10mL	EA	4587
03700D	Burette, Manual; Fisherbrand; With blue markings; For students; With straight standard taper glass stopcock; Capac.: 100mL; Subdivision: 0.20mL; Tolerance: +/-0.20mL	EA	4899
03740A	Burette, Schellbach; Fisherbrand; w/Straight standard taper glass stopcock; Accentuates meniscus; Accuracy established within the limits of error allowed by NIST; Capac.: 25mL; Subdivision: 0.10mL; Tolerance: +/-0.03mL	EA	6907
03740B	Burette, Schellbach; Fisherbrand; Straight standard taper glass stopcock; Accentuates meniscus; Accuracy established within the limits of error allowed by NIST; Capacity: 50mL; Subdivision: 0.10mL; Tolerance: +/-0.10mL	EA	7150
03740C	Burette, Schellbach; Fisherbrand; Straight standard taper glass stopcock; Accentuate meniscus; Accuracy established within the limits of error allowed by NIST; Capacity: 100mL; Subdivision: 0.20mL; Tolerance: +/-0.20mL	EA	8418
038421A	Burette, Automatic; Fisherbrand; With Stopcock; With clear glass reservoir; Reservoir Capacity: 500mL; Capacity: 10mL; Subdivision: 0.10mL	EA	9159
038422B	Burette, Automatic; Fisherbrand; With stopcock; With amber glass reservoir; Reservoir Capacity: 500mL; Capacity: 25mL; Subdivision: 0.1mL	EA	12252
038423A	Burette, Replacement; Fisherbrand; Clear; Automatic; For 03-842-1 and 03-842-2 Series; Capacity: 10mL	EA	5503
038423B	Burette, Replacement; Fisherbrand; Clear; Automatic; For 03-842-1 and 03-842-2 Series; Capacity: 25mL	EA	6500
038431B	Burette, Automatic; American Educational Products; w/Pinch valve; Includes: Glass Burette w/central filling tube, delivery tip, rubber stopper and bulb, glass air tube and bead; Clear glass reservoir w/500mL capacity; 25mL; Subdivision: 0.10mL	EA	9951
038432B	Burette, Automatic; American Educational Products; w/Pinch valve; Includes: Glass Burette w/central filling tube, delivery tip, rubber stopper and bulb, glass air tube and bead; Amber glass reservoir w/500mL capacity; 25mL; Subdivision.: 0.10mL	EA	10024
038433B	Burette, Replacement; Fisherbrand; Clear; Automatic; For 03-843-1 and 03-843-2 series; Capacity: 25mL	EA	7065
<b>Caps</b>			
FB73301	Cap screw polyvinyl lined plastic white size 18/400 Fisherbrand	Pack of 576	21533
FB73303	Cap screw polyvinyl lined plastic white size 20/400 Fisherbrand	Pack of 576	15735
FB73305	Cap screw polyvinyl lined plastic white size 22/400 Fisherbrand	Pack of 576	14433
FB73307	Cap screw polyvinyl lined plastic white size 24/400 Fisherbrand	Pack of 576	15106
FB73309	Cap screw polyvinyl lined plastic white size 28/400 Fisherbrand	Pack of 576	18493
FB73311	Cap screw polyvinyl lined plastic white size 28/400 Fisherbrand	Pack of 3000	52498
FB73313	Cap screw polyvinyl lined plastic white size 33/400 Fisherbrand	Pack of 576	44560
FB73315	Cap screw polyvinyl lined plastic white size 33/400 Fisherbrand	Pack of 576	53191

Cat. No.	Description	Pack	Price in ₹
FB73317	Cap screw polyvinyl lined plastic white size 38/400 Fisherbrand	Pack of 576	24557
FB73321	Cap screw polyvinyl lined plastic white size 43/400 Fisherbrand	Pack of 576	26273
FB73323	Cap screw polyvinyl lined plastic white size 43/400 Fisherbrand	Pack of 1760	74419
FB73325	Cap screw polyvinyl lined plastic white size 45/400 Fisherbrand	Pack of 576	28388
FB73327	Cap screw polyvinyl lined plastic white size 45/400 Fisherbrand	Pack of 1520	76050
FB73329	Cap screw polyvinyl lined plastic white size 48/400 Fisherbrand	Pack of 576	30218
FB73331	Cap screw polyvinyl lined plastic white size 53/400 Fisherbrand	Pack of 288	16451
FB73333	Cap screw polyvinyl lined plastic white size 53/400 Fisherbrand	Pack of 1080	51076
FB73335	Cap screw polyvinyl lined plastic white size 58/400 Fisherbrand	Pack of 288	18019
FB73337	Cap screw polyvinyl lined plastic white size 63/400 Fisherbrand	Pack of 288	23945
FB73339	Cap screw polyvinyl lined plastic white size 70/400 Fisherbrand	Pack of 288	24678
FB73341	Cap screw polyvinyl lined plastic white size 70/400 Fisherbrand	Pack of 640	58327
FB73343	Cap screw polyvinyl lined plastic white size 83/400 Fisherbrand	Pack of 144	16566
FB73345	Cap screw polyvinyl lined plastic white size 89/400 Fisherbrand	Pack of 144	18288
FB73351	Cap screw polyseal (polycone) lined plastic black size 18/400 Fisherbrand	Pack of 567	19697
FB73353	Cap screw polyseal (polycone) lined plastic black size 20/400 Fisherbrand	Pack of 576	18220
FB73355	Cap screw polyseal (polycone) lined plastic black size 20/400 Fisherbrand	Pack of 5500	125427
FB73357	Cap screw polyseal (polycone) lined plastic black size 22/400 Fisherbrand	Pack of 576	19253
FB73361	Cap screw polyseal (polycone) lined plastic black size 24/400 Fisherbrand	Pack of 576	19472
FB73363	Cap screw polyseal (polycone) lined plastic black size 24/400 Fisherbrand	Pack of 4200	94032
FB73367	Cap screw polyseal (polycone) lined plastic black size 28/400 Fisherbrand	Pack of 3100	79878
FB73369	Cap screw polyseal (polycone) lined plastic black size 33/400 Fisherbrand	Pack of 576	26522
FB73371	Cap screw polyseal (polycone) lined plastic black size 33/400 Fisherbrand	Pack of 2300	76289
FB73373	Cap screw polyseal (polycone) lined plastic black size 38/400 Fisherbrand	Pack of 576	33908
FB73375	Cap screw polyseal (polycone) lined plastic black size 38/400 Fisherbrand	Pack of 1600	74624
FB73381	Cap screw PTFE faced PE lined plastic white size 18/400 Fisherbrand	Pack of 500	14864
FB73383	Cap screw PTFE faced PE lined plastic white size 20/400 Fisherbrand	Pack of 500	16824
FB73385	Cap screw PTFE faced PE lined plastic white size 22/400 Fisherbrand	Pack of 500	22183
FB73387	Cap screw PTFE faced PE lined plastic white size 24/400 Fisherbrand	Pack of 500	24695
FB73389	Cap screw PTFE faced PE lined plastic white size 28/400 Fisherbrand	Pack of 500	27507
FB73391	Cap screw PTFE faced PE lined plastic white size 28/400 Fisherbrand	Pack of 3000	165709
FB73393	Cap screw PTFE faced PE lined plastic white size 33/400 Fisherbrand	Pack of 500	37002
FB73395	Cap screw PTFE faced PE lined plastic white size 33/400 Fisherbrand	Pack of 2100	165410
FB73397	Cap screw PTFE faced PE lined plastic white size 38/400 Fisherbrand	Pack of 500	49004
FB73399	Cap screw PTFE faced PE lined plastic white size 43/400 Fisherbrand	Pack of 500	58647
FB73401	Cap screw PTFE faced PE lined plastic white size 45/400 Fisherbrand	Pack of 500	63551
FB73403	Cap screw PTFE faced PE lined plastic white size 48/400 Fisherbrand	Pack of 500	71987
FB73405	Cap screw PTFE faced PE lined plastic white size 53/400 Fisherbrand	Pack of 500	85660
FB73407	Cap screw PTFE faced PE lined plastic white size 58/400 Fisherbrand	Pack of 500	96598
FB73409	Cap screw PTFE faced PE lined plastic white size 63/400 Fisherbrand	Pack of 288	71822
FB73411	Cap screw PTFE faced PE lined plastic white size 70/400 Fisherbrand	Pack of 144	42021
FB73413	Cap screw PTFE faced PE lined plastic white size 83/400 Fisherbrand	Pack of 144	76121
FB73415	Cap screw PTFE faced PE lined plastic white size 89/400 Fisherbrand	Pack of 144	82484
FB73421	Cap screw foamed PE lined plastic white size 28/400 Fisherbrand	Pack of 4300	25862
FB73425	Cap screw foamed PE lined plastic white size 38/400 Fisherbrand	Pack of 2250	17665
FB73427	Cap screw foamed PE lined plastic white size 43/400 Fisherbrand	Pack of 3000	19488
FB73431	Cap screw foamed PE lined plastic white size 48/400 Fisherbrand	Pack of 1700	23145
FB73433	Cap screw foamed PE lined plastic white size 53/400 Fisherbrand	Pack of 1300	25311
FB73435	Cap screw foamed PE lined plastic white size 58/400 Fisherbrand	Pack of 1000	20040
FB73437	Cap screw foamed PE lined plastic white size 63/400 Fisherbrand	Pack of 288	13252
FB73440	Cap screw foamed PE lined plastic white size 89/400 Fisherbrand	Pack of 370	24275
FB73441	Cap screw rubber lined plastic black size 18/400 Fisherbrand	Pack of 576	17033
FB73443	Cap screw rubber lined plastic black size 20/400 Fisherbrand	Pack of 576	18352

Cat. No.	Description	Pack	Price in ₹
FB73445	Cap screw rubber lined plastic black size 22/400 Fisherbrand	Pack of 576	23716
FB73449	Cap screw rubber lined plastic black size 28/400 Fisherbrand	Pack of 576	25217
FB73451	Cap screw rubber lined plastic black size 33/400 Fisherbrand	Pack of 576	31550
FB73453	Cap screw rubber lined plastic black size 38/400 Fisherbrand	Pack of 576	41200
FB73455	Cap screw rubber lined plastic black size 43/400 Fisherbrand	Pack of 576	57863
FB73457	Cap screw rubber lined plastic black size 48/400 Fisherbrand	Pack of 576	62209
FB73459	Cap screw rubber lined plastic black size 58/400 Fisherbrand	Pack of 288	40538
<b>Carboys</b>			
149651A	Tank, Polyethylene; Fisherbrand; w/Fabricated polypropylene dipping basket and cover; Capacity: 3 gal. (11L)	EA	27496
149651B	Tank, Polyethylene; Fisherbrand; w/Fabricated polypropylene dipping basket and cover; Capacity: 4.5 gal. (17L)	EA	30768
149651C	Tank, Polyethylene; Fisherbrand; w/Fabricated polypropylene dipping basket and cover; Capacity: 6 gal. (23L)	EA	33671
149651D	Tank, Polyethylene; Fisherbrand; w/Fabricated polypropylene dipping basket and cover; Capacity: 11 gal. (42L)	EA	42911
<b>Cylinders</b>			
08563E	Cylinders, Graduated; Fisherbrand; Class B Glass; TC; White English Scale; 32 oz.; Subdiv: 1/2 oz.	EA	9592
08565A	Cylinder, Mixing; Fisherbrand; Calibrated To Contain; Dual White Scale; Capacity: 10mL; Subdiv: 0.2mL; With stopper, Autoclavable to 121deg. C	EA	3907
08565B	Cylinders, Mixing; Fisherbrand; Calibrated TC; Dual White Scale; 25mL; Subdiv: 0.5mL; w/stopper, Autoclavable to 121C	EA	4334
08565C	Cylinders, Mixing; Fisherbrand; Calibrated TC; Dual White Scale; 50mL; Subdiv: 1mL; w/stopper, Autoclavable to 121C	EA	5551
08565D	Cylinders, Mixing; Fisherbrand; Calibrated TC; Dual White Scale; 100mL; Subdiv: 1mL; w/stopper, Autoclavable to 121C	EA	6422
08565E	Cylinders, Mixing; Fisherbrand; Calibrated TC; Dual White Scale; 250mL; Subdiv: 2mL; w/stopper, Autoclavable to 121C	EA	13407
08565F	Cylinders, Mixing; Fisherbrand; Calibrated TC; Dual White Scale; 500mL; Subdiv: 5mL; w/stopper, Autoclavable to 121C	EA	12573
08530A	Cylinder, Ungraduated; Fisherbrand; Borosilicate glass; With pouring lip; Approx. Capacity: 25mL; O.D.: 25mm	EA	1843
08530B	Cylinder, Ungraduated; Fisherbrand; Borosilicate glass; With pouring lip; Approx. Capacity: 50mL; O.D.: 25mm	EA	1959
08530C	Cylinder, Ungraduated; Fisherbrand; Borosilicate glass; With pouring lip; Approx. Capacity: 125mL; O.D.: 41mm	EA	2798
08530E	Cylinder, Ungraduated; Fisherbrand; Borosilicate glass; With pouring lip; Approx. Capacity: 175mL; O.D.: 41mm	EA	2987
08530F	Cylinder, Ungraduated; Fisherbrand; Borosilicate glass; With pouring lip; Approx. Capacity: 225mL; O.D.: 41mm	EA	3265
08530G	Cylinder, Ungraduated; Fisherbrand; Borosilicate glass; With pouring lip; Approx. Capacity: 275mL; O.D.: 41mm	EA	3375
08530J	Cylinder, Ungraduated; Fisherbrand; Borosilicate glass; With pouring lip; Approx. Capacity: 300mL; O.D.: 41mm	EA	3752
08530K	Cylinder, Ungraduated; Fisherbrand; Borosilicate glass; With pouring lip; Approx. Capacity: 350mL; O.D.: 41mm	EA	3820
08530L	Cylinder, Ungraduated; Fisherbrand; Borosilicate glass; With pouring lip; Approx. Capacity: 600mL; O.D.: 51mm	EA	4778
08535A	Cylinders, Ungraduated; Fisherbrand; Borosilicate glass; w/o pouring lip; 50mL; O.D.: 25mm	EA	2391
08535B	Cylinders, Ungraduated; Fisherbrand; Borosilicate glass; w/o pouring lip; 125mL; O.D.: 41mm	EA	2738
08535C	Cylinders, Ungraduated; Fisherbrand; Borosilicate glass; w/o pouring lip; 175mL; O.D.: 41mm	EA	3034
08535E	Cylinders, Ungraduated; Fisherbrand; Borosilicate glass; w/o pouring lip; 225mL; O.D.: 41mm	EA	4466
08535F	Cylinders, Ungraduated; Fisherbrand; Borosilicate glass; w/o pouring lip; 500mL; O.D.: 51mm	EA	4174
08535G	Cylinders, Ungraduated; Fisherbrand; Borosilicate glass; w/o pouring lip; 620mL; O.D.: 51mm	EA	4080

Cat. No.	Description	Pack	Price in ₹
08550A	Cylinder, Graduated; Fisherbrand; Class B; Borosilicate glass; Calibrated to Deliver; White-ceramic graduations; Heavy round bases; Handy pouring spouts; Capacity: 5mL; Subdivisions: 0.1mL	EA	2216
08550B	Cylinder, Graduated; Fisherbrand; Class B; Borosilicate glass; Calibrated to Deliver; White-ceramic graduations; Heavy round bases; Handy pouring spouts; Capacity: 10mL; Subdivisions: 0.2mL	EA	2289
08550C	Cylinder, Graduated; Fisherbrand; Class B; Borosilicate glass; Calibrated To Deliver; White-ceramic graduations; Heavy round bases; Handy pouring spouts; Capacity: 25mL; Subdivisions: 0.5mL	EA	2816
08550D	Cylinder, Graduated; Fisherbrand; Class B Glass; Calibrated To Deliver; White-ceramic graduations; Capacity: 50mL; Subdivisions: 1mL	EA	2929
08550E	Cylinder, Graduated; Fisherbrand; Class B; Borosilicate glass; Calibrated To Deliver; White-ceramic graduations; Heavy round bases; Handy pouring spouts; Capacity: 100mL; Subdivisions: 1mL	EA	3493
08550F	Cylinder, Graduated; Fisherbrand; Class B; Borosilicate glass; Calibrated TD; White scale; Heavy round bases; Handy pouring spouts; Capacity: 250mL; Subdivisions: 2mL; Tolerance: +/-2.0mL; Approx. height: 330mm	EA	4830
08550G	Cylinder, Graduated; Fisherbrand; Class B; Glass; Calibrated to deliver; White-ceramic graduations; Handy pouring spouts; Capacity: 500mL; Subdivisions: 5mL; Tolerance: +/-4.0mL; Approx. height: 375mm	EA	6760
08550H	Cylinder, Graduated; Fisherbrand; Class B; Borosilicate glass; Calibrated To Deliver; White-ceramic graduations; Heavy round bases; Handy pouring spouts; Capacity: 1000mL; Subdivisions: 1mL	EA	10491
08550J	Cylinder, Graduated; Fisherbrand; Class B; Borosilicate glass; Calibrated TD; White scale; Heavy round bases; Handy pouring spouts; Capacity: 2000mL; Subdiv: 20mL; Tolerance: +/-12.0mL; Approx. height: 520mm	EA	16936
08555A	Cylinders, Graduated; Fisherbrand; Class B; Glass; With double ceramic metric scales; Calibrated To Deliver; Heavy base; Pouring lip; Capacity: 10mL; Subdivisions: 0.2mL; Tolerance: +/-0.1mL	EA	1946
08555B	Cylinders, Graduated; Fisherbrand; Class B; Glass; With double ceramic metric scales; Calibrated To Deliver; Heavy base; Pouring lip; Capacity: 25mL; Subdivisions: 0.5mL; Tolerance: +/-0.20mL	EA	2061
08555C	Cylinders, Graduated; Fisherbrand; Class B; Glass; With double ceramic metric scales; Calibrated To Deliver; Heavy base; Pouring lip; Capacity: 50mL; Subdivisions: 1mL; Tolerance: +/-0.34mL	EA	2203
08555D	Cylinder, Graduated; Fisherbrand; Class B Glass; Calibrated To Deliver; Double metric graduations for reading up or down; Pouring lip; Capacity: 100mL; Subdivisions: 1mL; Tolerance: +/-1.0mL	EA	2465
08555E	Cylinder, Graduated; Fisherbrand; Class B; Borosilicate glass; Calibrated TD; Dual White Scale; Heavy base; Accuracy assured even at lowest graduations; Pouring lip; Capacity: 250mL; Subdiv: 2mL; Tolerance: +/-2.0mL; Case of: 18	EA	4639
08555F	Cylinder, Graduated; Fisherbrand; Class B Glass; Calibrated To Deliver; Double metric graduations for reading up or down; Pouring lip; Capacity: 500mL; Subdivisions: 5mL; Tolerance: +/-2.6mL	EA	5803
08555G	Cylinder, Graduated; Fisherbrand; Class B; Borosilicate glass; Calibrated TD; Dual White Scale; Heavy base; Accuracy assured even at lowest graduations; Pouring lip; Capacity: 1000mL; Subdiv: 10mL; Tolerance: +/-6.0mL; Case of: 8	EA	9558
085571A	Cylinder, Graduated; Fisherbrand; Class B Glass; Calibrated To Contain; White-ceramic graduations; Handy pouring spouts; Capacity: 10mL; Subdivisions: 0.2mL	PK	4051
085571B	Cylinder, Graduated; Fisherbrand; Class B Glass; Calibrated To Contain; White-ceramic graduations; Handy pouring spouts; Capacity: 25mL; Subdivisions: 0.5mL	EA	2675
085571C	Cylinder, Graduated; Fisherbrand; Class B Glass; Calibrated To Contain; White-ceramic graduations; Handy pouring spouts; Capacity: 50mL; Subdivisions: 1mL	EA	2787
085571D	Cylinder, Graduated; Fisherbrand; Class B Glass; Calibrated To Contain; White-ceramic graduations; Handy pouring spouts; Capacity: 100mL; Subdivisions: 1mL	EA	3249
085571E	Cylinder, Graduated; Fisherbrand; Class B Glass; Calibrated To Contain; White-ceramic graduations; Handy pouring spouts; Capacity: 250mL; Subdivisions: 2mL	EA	5472
085571F	Cylinder, Graduated; Fisherbrand; Class B Glass; Calibrated To Contain; White-ceramic graduations; Handy pouring spouts; Capacity: 500mL; Subdivisions: 5mL	EA	7009
085571G	Cylinder, Graduated; Fisherbrand; Class B Glass; Calibrated To Contain; White-ceramic graduations; Handy pouring spouts; Capacity: 1000mL; Subdivisions: 10mL	EA	10119
085571H	Cylinder, Graduated; Fisherbrand; Class B Glass; Calibrated To Contain; White-ceramic graduations; Handy pouring spouts; Capacity: 2000mL; Subdivisions: 20mL	EA	17298
08557A	Cylinders, Graduated; Fisherbrand; Class A; Serialized; With certificate of traceability; Calibrated To Deliver; White scale; Molded hexagonal base; Capacity: 10mL; Subdiv. 0.1mL; Tolerance: +/- .10mL; Approx. Height: 175mm	EA	5378
08557AC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TD; White scale; 10mL; Subdiv: 0.1mL	EA	18575



Cat. No.	Description	Pack	Price in ₹
08557B	Cylinders, Class A; Fisherbrand; Glass; Serialized; Calibrated To Deliver; With Certificate of Traceability; White scale; Molded hexagonal base; Capac.: 25mL; Subdiv.: 0.2mL; Tol.: +/-0.17mL; Approx. Height: 200mm	EA	4911
08557BC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TD; White scale; 25mL; Subdiv: 0.2mL	EA	18227
08557C	Cylinder, Graduated; Fisherbrand; Serialized Class A; w/Certificate of Traceability; Calibrated To Deliver; Borosilicate glass; White scale; Molded hexagonal base; Capacity: 50mL; Subdivisions: 1mL	EA	5090
08557CC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TD; White scale; 50mL; Subdiv: 1mL	EA	18266
08557D	Cylinder, Graduated; Fisherbrand; Serialized Class A; w/Certificate of Traceability; Calibrated To Deliver; Borosilicate glass; White scale; Molded hexagonal base; Capacity: 100mL; Subdivisions: 1mL	EA	5926
08557DC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TD; White scale; 100mL; Subdiv: 1mL	EA	19084
08557E	Cylinder, Graduated; Fisherbrand; Serialized Class A; w/Certificate of Traceability; Calibrated To Deliver; Borosilicate glass; White scale; Molded hexagonal base; Capacity: 250mL; Subdivisions: 2mL	EA	9136
08557EC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TD; White scale; 250mL; Subdiv: 2mL	EA	23660
08557F	Cylinder; Fisherbrand; Serialized class A; With Certificate of Traceability; Borosilicate glass; Graduated; Calibrated to deliver; Capacity: 500mL; Subdivisions: 5mL; Tolerance: +/-2mL; Approx. height: 375mm	EA	10793
08557FC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TD; White scale; 500mL; Subdiv: 5mL	EA	25424
08557H	Cylinder; Fisherbrand; Serialized class A; With Certificate of Traceability; Borosilicate glass; Graduated; Calibrated to deliver; Capacity: 2000mL; Subdivisions: 20mL; Tolerance: +/-6mL; Approx. height: 520mm	EA	26848
08557HC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TD; White scale; 2000mL; Subdiv: 20mL	EA	40570
FBA08558	Cylinders, Graduated; Fisherbrand; Glass; Petroleum Distillations; White scale; 100mL; Subdiv: 1mL	EA	3582
08559A	Cylinder, Graduated; Fisherbrand; Serialized Class A; w/traceability; TC; Borosilicate glass; White scale; Capacity: 10mL; Subdiv: 0.1mL; Tolerance: +/-0.10mL; Approx. height: 140mm	EA	5462
08559AC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TC; White scale; 10mL; Subdiv: 0.1mL	EA	19362
08559B	Cylinder, Graduated; Fisherbrand; Serialized Class A; w/Certificate of Traceability; Calibrated To Contain; Borosilicate glass; White scale; Capacity: 25mL; Subdivisions: 0.5mL	EA	5063
08559BC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TC; White scale; 25mL; Subdiv: 0.2mL	EA	19168
08559C	Cylinder, Graduated; Fisherbrand; Serialized Class A; w/Certificate of Traceability; Calibrated To Contain; Borosilicate glass; White scale; Capacity: 50mL; Subdivisions: 1mL	EA	5386
08559CC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TC; White scale; 50mL; Subdiv: 1mL	EA	19050
08559D	Cylinder, Graduated; Fisherbrand; Serialized Class A; w/Certificate of Traceability; Calibrated To Contain; Borosilicate glass; White scale; Capacity: 100mL; Subdivisions: 1mL	EA	5572
08559DC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TC; White scale; 100mL; Subdiv: 1mL	EA	71892
08559E	Cylinder; Fisherbrand; Serialized class A; With Certificate of Traceability; Borosilicate glass; Graduated; Calibrated to contain; Capacity: 250mL; Subdivisions: 2mL; Tolerance: +/-1mL; Approx. height: 330mm	EA	8921
08559EC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TC; White scale; 250mL; Subdiv: 2mL	EA	24719
08559F	Cylinder; Fisherbrand; Serialized class A; With Certificate of Traceability; Borosilicate glass; Graduated; Calibrated to contain; Capacity: 500mL; Subdivisions: 5mL; Tolerance: +/-2mL; Approx. height: 375mm	EA	10544
08559FC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TC; White scale; 500mL; Subdiv: 5mL	EA	26596
08559G	Cylinders, Graduated; Fisherbrand; Class A; Serialized; With certificate of traceability; Calibrated To Contain; White scale; Molded hexagonal base; Capacity: 1000mL; Subdiv. 10mL; Tolerance: +/-2.0mL; Approx. Height: 460mm	EA	13543
08559GC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TC; White scale; 1000mL; Subdiv: 10mL	CS	54067
08559H	Cylinder; Fisherbrand; Serialized class A; With Certificate of Traceability; Borosilicate glass; Graduated; Calibrated to contain; Capacity: 2000mL; Subdivisions: 20mL; Tolerance: +/-6mL; Approx. height: 520mm	EA	26227
08559HC	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/calib.; TC; White scale; 2000mL; Subdiv: 20mL	EA	40570
08562A	Cylinder, Graduated; Fisherbrand; Glass; Low-form; Double metric scales for reading up or down; Capacity: 50mL; Subdivisions: 1mL	EA	2743
08562B	Cylinders, Graduated; Fisherbrand; Glass; Low-form; TD; Dual White Scale; Capacity: 100mL; Subdiv: 2mL	EA	3650
08563B	Cylinders, Graduated; Fisherbrand; Class B Glass; TC; White English Scale; 4 oz.; Subdiv: 1/16 oz.	EA	3650

Cat. No.	Description	Pack	Price in ₹
08563C	Cylinders, Graduated; Fisherbrand; Class B Glass; TC; White English Scale; 8 oz.; Subdiv: 1/8 oz.	EA	5483
08563D	Cylinders, Graduated; Fisherbrand; Class B Glass; TC; White English Scale; 16 oz.; Subdiv: 1/4 oz.	EA	6401
08570A	Cylinders, Graduated; Fisherbrand; Class B Glass; Calibrated TD; Amber Scale; 5mL; Subdiv: 0.1mL	EA	2166
08570B	Cylinders, Graduated; Fisherbrand; Class B Glass; Calibrated TD; Amber Scale; 10mL; Subdiv: 0.2mL	EA	2326
08570C	Cylinders, Graduated; Fisherbrand; Class B Glass; Calibrated TD; Amber Scale; 25mL; Subdiv: 0.5mL	EA	2845
08570D	Cylinders, Graduated; Fisherbrand; Class B Glass; Calibrated TD; Amber Scale; 50mL; Subdiv: 1mL	EA	2953
08570E	Cylinders, Graduated; Fisherbrand; Class B Glass; Calibrated TD; Amber Scale; 100mL; Subdiv: 1mL	EA	3529
08570F	Cylinders, Graduated; Fisherbrand; Class B Glass; Calibrated TD; Amber Scale; 250mL; Subdiv: 2mL	EA	4877
08570G	Cylinders, Graduated; Fisherbrand; Class B Glass; Calibrated TD; Amber Scale; 500mL; Subdiv: 5mL	EA	6825
08570H	Cylinders, Graduated; Fisherbrand; Class B Glass; Calibrated TD; Amber Scale; 1000mL; Subdiv: 10mL	EA	10444
08570J	Cylinders, Graduated; Fisherbrand; Class B Glass; Calibrated TD; Amber Scale; 2000mL; Subdiv: 20mL	EA	17102
0973030	Cylinder, Graduated; Fisherbrand; Serialized Class A Glass; Calibrated To Deliver; With Certificate of Traceability; White scale graduations; Capacity: 1000mL; Subdivisions: 10mL	EA	13098
0973031	Cylinders, Graduated; Fisherbrand; Class A; w/traceability/cert.; TD; White scale; 1000mL; Subdiv: 10mL	EA	29179
0973032	Cylinder, Ungraduated; Fisherbrand; Borosilicate glass; With pouring lip; Approx. Capacity: 1000mL; O.D.: 64mm	EA	6461
0973033	Cylinder, Ungraduated; Fisherbrand; Borosilicate glass; With pouring lip; Approx. Capacity: 2000mL; O.D.: 82.5mm	EA	13682
115822	Cylinders, Hydrometer; Fisherbrand; Plastic; Features molded graduations, overflow cup, and 4.25 in. dia. (10cm) base; Capacity: 500mL; Subdivisions: 5mL	EA	4919
0300737	Fisherbrand* Cylinder, Graduated; Polymethylpentene; Calibrated To Contain/To Deliver; Autoclavable; Capacity: 2000mL; Subdivisions: 20mL	Each	10984
0300738	Fisherbrand* Cylinder, Graduated; Polypropylene; Calibrated To Contain/To Deliver; Autoclavable; Capacity: 10mL; Subdivisions: 0.2mL	Each	231
0300739	Fisherbrand* Cylinder, Graduated; Polypropylene; Calibrated To Contain/To Deliver; Autoclavable; Capacity: 25mL; Subdivisions: 0.5mL	Each	231
0300741	Fisherbrand* Cylinder, Graduated; Polypropylene; Calibrated To Contain/To Deliver; Autoclavable; Capacity: 100mL; Subdivisions: 1mL	Each	317
0300742	Fisherbrand* Cylinder, Graduated; Polypropylene; Calibrated To Contain/To Deliver; Autoclavable; Capacity: 250mL; Subdivisions: 2mL	Each	490
0300743	Fisherbrand* Cylinder, Graduated; Polypropylene; Calibrated To Contain/To Deliver; Autoclavable; Capacity: 500mL; Subdivisions: 5mL	Each	606
0300744	Fisherbrand* Cylinder, Graduated; Polypropylene; 1000mL	Each	1269
FB57950	Cylinder tall form, hexagonal base with spout and moulded graduations polypropylene 10mL Fisherbrand	Pack of 10	1554
FB57951	Cylinder tall form, hexagonal base with spout and moulded graduations polypropylene 25mL Fisherbrand	Pack of 10	1984
FB57952	Cylinder tall form, hexagonal base with spout and moulded graduations polypropylene 50mL Fisherbrand	Pack of 10	2254
FB57953	Cylinder tall form, hexagonal base with spout and moulded graduations polypropylene 100mL Fisherbrand	Pack of 5	1312
FB57954	Cylinder tall form, hexagonal base with spout and moulded graduations polypropylene 250mL Fisherbrand	EA	602
FB57955	Cylinder tall form, hexagonal base with spout and moulded graduations polypropylene 500mL Fisherbrand	EA	895
FB57956	Cylinder tall form, hexagonal base with spout and moulded graduations polypropylene 1000mL Fisherbrand	EA	1389
FB57957	Cylinder tall form, hexagonal base with spout and moulded graduations polypropylene 2000mL Fisherbrand	EA	3999
<b>Dishes</b>			
02617139	Dish, Evaporating; Fisherbrand; Tall form; PTFE; Capacity: 25mL; With heavy walls; Withstands temperatures to 280deg.C (536deg.F); 1.49 dia.x 1.33 in. H (38 x 34mm)	EA	2924
02617140	Dish, Evaporating; Fisherbrand; Tall form; PTFE; Capacity: 50mL; With heavy walls; Withstands temperatures to 280deg.C (536deg.F); 1.57 dia x 1.96 in. H (40 x 50mm)	EA	3624

Cat. No.	Description	Pack	Price in ₹
02617141	Dish, Evaporating; Fisherbrand; Tall form; PTFE; Capacity: 100mL; With heavy walls; Withstands temperatures to 280deg.C (536deg.F); 2.51 dia. x 1.96 in. H (64 x 50mm)	EA	5294
02617142	Dish, Evaporating; Fisherbrand; Tall form; PTFE; Capacity: 150mL; With heavy walls; Withstands temperatures to 280deg.C (536deg.F); 3.07 dia. x 1.69 in. H (78 x 43mm)	EA	6883
02617144	Dish, Evaporating; Fisherbrand; Tall form; PTFE; Capacity: 250mL; With heavy walls; Withstands temperatures to 280deg.C (536deg.F); 3.81 dia. x 1.96 in. H (97 x 50mm)	EA	8420
02617145	Dish, Evaporating; Fisherbrand; Tall form; PTFE; Capacity: 350mL; With heavy walls; Withstands temperatures to 280deg.C (536deg.F); 3.93 dia. x 2.36 in. H (100 x 60mm)	EA	9356
02617146	Dish, Evaporating; Fisherbrand; Low form; PTFE; Capacity: 25mL; With heavy walls; Withstands temperatures to 280deg.C (536deg.F); 2.48 dia. x 0.39 in. H (63 x 10mm)	EA	3013
02617147	Dish, Evaporating; Fisherbrand; Low form; PTFE; 50mL; With heavy walls; Withstands temperatures to 280deg.C (536deg.F); 3.1 dia. x 0.51 in. H (79 x 13mm)	EA	3815
02617148	Dish, Evaporating; Fisherbrand; Low form; PTFE; Capacity: 100mL; With heavy walls; Withstands temperatures to 280deg.C (536deg.F); 3.93 dia. x 0.62 in. H (100 x 16mm)	EA	2913
02617149	Dish, Evaporating; Fisherbrand; Low form; PTFE; Capacity: 180mL; With heavy walls; Withstands temperatures to 280deg.C (536deg.F); 4.76 dia. x 0.74 in. H (121 x 19mm)	EA	7544
02617150	Dish, Evaporating; Fisherbrand; Low form; PTFE; Capacity: 350mL; With heavy walls; Withstands temperatures to 280deg.C (536deg.F); 5.1 dia x 1.33 in. H (130 x 34mm)	EA	10043
02617151	Dish, Evaporating; Fisherbrand; Low form; PTFE; Capacity: 400mL; With heavy walls; Withstands temperatures to 280deg.C (536deg.F); 5.1 dia. x 1.41 in. H (130 x 36mm)	EA	7415
FBA03460	Box, Sterilizer; Fisherbrand; For petri dishes; Accessories; Stainless steel; Holds 18 dishes; Includes deep telescoping cover, removable rack; 4.25 O.D. x 10.50 in. H (12 x 27cm)	EA	6574
08732105	Dish, Weighing; Fisherbrand; Aluminum; Disposable; 20mL; Slightly fluted sides with flanged rims	PK	1138
08732106	Dish, Weighing; Fisherbrand; Aluminum; Disposable; 60mL; Slightly fluted sides with flanged rims	PK	1534
08732107	Dish, Weighing; Fisherbrand; Aluminum; Disposable; 75mL; Fluted sides with flanged rims	PK	1588
08732108	Dish, Weighing; Fisherbrand; Aluminum; Disposable; 200mL; Fluted sides with flanged rims	PK	1337
08732109	Dish, Weighing; Fisherbrand; Aluminum; Disposable; 500mL; Fluted sides with flanged rims	PK	1626
08732110	Pan, Weighing/Drying; Fisherbrand; Aluminum; Disposable; General-purpose pans also used for dispensing, storage; Top ID: 4.80 in. (12.2cm); With flat top	PK	2278
08732111	Pan, Weighing/Drying; Fisherbrand; Aluminum; Disposable; General-purpose pans also used for dispensing, storage; Top ID: 4.29 in. (10.9cm), With fluted sides	PK	1837
FBA08807	Dish, Preparation; Fisherbrand; Stackable; Special purpose; Glass; 10.14 oz. (300mL); Dia. x H: 4.52 x 1.96 in. (115 x 50mm)	EA	1298
1479300	Rack, Petri dish; Fisherband; Easyplate; Accessory; Color: natural; Polycarbonate; Autoclavable; Chemical-resistant; 9 in. (22.8cm) rack holds 48, 100mm petri dishes	EA	26145
1479301	Rack, Petri dish; Fisherband; Easyplate; Accessory; Color: red; Polycarbonate; Autoclavable; Chemical-resistant; 9 in. (22.8cm) rack holds 48 x 100mm petri dishes	EA	26145
1479302	Rack, Petri dish; Fisherband; Easyplate; Accessory; Color: yellow; Polycarbonate; Autoclavable; Chemical-resistant; 9 in. (22.8cm) rack holds 48, 100mm petri dishes	EA	26145
1479303	Rack, Petri dish; Fisherband; Easyplate; Accessory; Easyplate; Color: blue; Polycarbonate; Autoclavable; Chemical-resistant; 9 in. (22.8cm) rack holds 48, 100mm petri dishes	EA	26145
1479304	Rack, Petri dish; Fisherband; Easyplate; Accessory; Colors: natural, red, yellow, blue; Polycarbonate; Autoclavable; Chemical-resistant; 9 in. (22.8cm) rack holds 48, 100mm petri dishes	PK	100313
1479305	Rack, Petri dish; Fisherband; Easyplate; Accessory; Colors: natural; Polycarbonate; Autoclavable; Chemical-resistant; 14 in. (35.5cm) rack holds 84 x 100mm petri dishes	EA	29150
1479306	Rack, Petri dish; Fisherband; Easyplate; Accessory; 14 in. (35.5cm) rack holds 84, 100mm petri dishes; Colors: blue; Polycarbonate; Autoclavable; Chemical-resistant	EA	29150
1479307	Tray, Incubation; Fisherbrand; Petri dish accessory; Stackable; Hold five 100mm or fifteen 60mm petri dishes; Chemical-resistant polypropylene; Dimensions: 9.87L x 9.31W x 1.37 in H (25 x 24 x 3cm)	PK	6076
1479317	Rack; Fisherbrand; For Rodak plates; Petri dish accessory; Clear acrylic; Holds twenty-eight 65mm dia. plates; Contains solid acrylic, permanently fixed posts to prevent shifting of plates and slide-down cover	EA	7491
09720503	Fisherbrand* Dish, Disposable petri; Molded polystyrene; Dia. 47mm; Sterilized; Dishes w/pads; Minimizes contamination; Pure cellulose pad; Extended 3-year shelf-life; 600/pk.	Pack of 600	28309
FB58840	Evaporating dish tall form with spout PTFE white 25mL Fisherbrand	EA	1413
FB58841	Evaporating dish tall form with spout PTFE white 50mL Fisherbrand	EA	1440
FB58842	Evaporating dish tall form with spout PTFE white 100mL Fisherbrand	EA	1884
FB58843	Evaporating dish tall form with spout PTFE white 150mL Fisherbrand	EA	2183

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
FB58844	Evaporating dish tall form with spout PTFE white 180mL Fisherbrand	EA	2210
FB58845	Evaporating dish tall form with spout PTFE white 250mL Fisherbrand	EA	2681
FB58846	Evaporating dish tall form with spout PTFE white 350mL Fisherbrand	EA	3754
FB58850	Evaporating dish flat form PTFE white 25mL Fisherbrand	EA	1261
FB58851	Evaporating dish flat form PTFE white 50mL Fisherbrand	EA	1302
FB58852	Evaporating dish flat form PTFE white 100mL Fisherbrand	EA	1837
FB58853	Evaporating dish flat form PTFE white 180mL Fisherbrand	EA	2513
FB58854	Evaporating dish flat form PTFE white 350mL Fisherbrand	EA	3508
FB58860	Evaporating dish flat form with spout PTFE white 25mL Fisherbrand	EA	1312
FB58861	Evaporating dish flat form with spout PTFE white 50mL Fisherbrand	EA	1534
FB58862	Evaporating dish flat form with spout PTFE white 100mL Fisherbrand	EA	2200
FB58863	Evaporating dish flat form with spout PTFE white 180mL Fisherbrand	EA	3037
FB58864	Evaporating dish flat form with spout PTFE white 350mL Fisherbrand	EA	4470
FB58865	Evaporating dish flat form with spout PTFE white 400mL Fisherbrand	EA	4981
<b>Flasks</b>			
02617152	Flask, Volumetric; Fisherbrand; Class A; PFA Copolymer w/screw caps; 25mL; 115mm Height; Translucent; Autoclavable	EA	27163
02617153	Flask, Volumetric; Fisherbrand; Class A; PFA Copolymer w/screw caps; 50mL; 150mm Height; Translucent; Autoclavable	EA	31390
02617154	Flask, Volumetric; Fisherbrand; Class A; PFA Copolymer w/screw caps; 100mL; 180mm Height; Translucent; Autoclavable	EA	34727
02617155	Flask, Volumetric; Fisherbrand; Class A; PFA Copolymer w/screw caps; 250mL; 235mm Height; Translucent; Autoclavable	EA	49047
02617156	Flask, Volumetric; Fisherbrand; Class A; PFA Copolymer w/screw caps; 500mL; 270mm Height; Translucent; Autoclavable	EA	55989
058695	Ring, Flask; Fisherbrand; Covered lead flask accessory; Chemical-resistant coating; Stabilize Erlenmeyer flasks sizes 125 to 500mL immersed in water baths; Inside diameter: 1.625 in. (41mm); Reduces breakage/spilling	EA	3356
058696	Ring, Flask; Fisherbrand; Covered lead flask accessory; Chemical-resistant coating; Stabilize Erlenmeyer flasks sizes 250 to 1000mL immersed in water baths; Inside diameter: 2 in. (51mm); Reduces breakage/spilling	EA	3713
058697	Ring, Flask; Fisherbrand; Covered lead flask accessory; Chemical-resistant coating; Stabilize Erlenmeyer flasks sizes 500 to 2000mL immersed in water baths; Inside diameter: 2.125 in. (56mm); Reduces breakage/spilling	EA	4424
058698	Ring, Flask; Fisherbrand; Covered lead flask accessory; Chemical-resistant coating; Stabilize Erlenmeyer flasks sizes 1000 to 4000mL immersed in water baths; Inside diameter: 2.75 in. (70mm); Reduces breakage/spilling	EA	4778
07835A	Support, Cork; Fisherbrand; For dishes and round-bottom flasks; I.D. x O.D.: 60 x 110mm; For flask size: 200 to 500mL	EA	325
07835AA	Support, Cork; Fisherbrand; For dishes and round-bottom flasks; I.D. x O.D.: 30 x 80mm; For flask size: 10 to 100mL	EA	223
07835B	Support, Cork; Fisherbrand; For dishes and round-bottom flasks; I.D. x O.D.: 90 x 140mm; For flask size: 1000 to 3000mL	EA	433
07835C	Support, Cork; Fisherbrand; For dishes and round-bottom flasks; I.D. x O.D.: 120 x 170mm; For flask size: 5000mL	EA	535
07835D	Support, Cork; Fisherbrand; For dishes and round-bottom flasks; I.D. x O.D.: 150 x 210mm; For flask size: 12,000mL	EA	724
FBA10115	Stand, Polypropylene; Fisherbrand; Flask boiling accessory; Stackable; For up to 10L round bottom flasks; Dia. x H.: 6.75 x 2 in. (17 x 5.1cm); Pack of 5	PK	8691
10195A	Flasks, Dewar; Fisherbrand; Cylindrical metal-cased; Without handle; Capacity: 0.75 qt. (0.6L); Borosilicate glass with silvered double walls; O.D: 8.6cm; I.D: 7cm; 24.1cm H	EA	21287
10195B	Flasks, Dewar; Fisherbrand; Cylindrical metal-cased; Without handle; Capacity: 1.13 qt. (1L); Borosilicate glass with silvered double walls; O.D: 8.6cm; I.D: 7cm; 33.7cm H	EA	22498
10195C	Flasks, Dewar; Fisherbrand; Cylindrical metal-cased; Without handle; Capacity: 2 qt. (1.9L); Borosilicate glass with silvered double walls; O.D: 15cm; I.D: 12cm; 25.2cm H	EA	53303

Cat. No.	Description	Pack	Price in ₹
10195D	Flasks, Dewar; Fisherbrand; Cylindrical metal-cased; Without handle; Capacity: 4.5 qt. (4.3L); Borosilicate glass with silvered double walls; O.D: 17.8cm; I.D: 14.3cm ; 36.5cm H	EA	69052
1019610	Flasks, Dewar; Fisherbrand; Cylindrical metal-cased; With handle; Capacity: 4.5 qt. (4.3L); Borosilicate glass with silvered double walls; O.D: 17.8cm; I.D: 14.3cm ; 36.5cm H	EA	76666
1019611	Flasks, Dewar; Fisherbrand; Cylindrical metal-cased; With handle; Capacity: 1.13 qt. (1L); Borosilicate glass with silvered double walls; O.D: 8.6cm; I.D: 7cm ; 33.7cm H	EA	28036
101966	Flask, Dewar; Fisherbrand; Low-Form; Cylindrical; Inside height: 75mm; I.D.: 80mm; Capacity: 11.8 oz. (350mL)	EA	43265
101967	Flask, Dewar; Fisherbrand; Low-Form; Cylindrical; Inside height: 75mm; I.D.: 130mm; Capacity: 28.68 oz. (850mL)	EA	52611
101968	Flask, Dewar; Fisherbrand; Low-Form; Cylindrical; Inside height: 135mm; I.D.: 170mm; Capacity: 84 oz. (2500mL)	EA	92934
101969	Flasks, Dewar; Fisherbrand; Cylindrical metal-cased; With handle; Capacity: 2 qt. (1.9L); Borosilicate glass with silvered double walls; O.D: 15cm; I.D: 12cm ; 25.2cm H	EA	60052
10200A	Flask, Volumetric; Fisherbrand; Reusable; Class A; Glass; White graduation line; 25mL; Std. taper No.16; Without stopper	EA	3377
10200B	Flask, Volumetric; Fisherbrand; Reusable; Class A; Glass; White graduation line; 50mL; Std. taper No.16; Without stopper	EA	3472
10200C	Flask, Volumetric; Fisherbrand; Class A; Glass; White line; Capacity: 100mL; Tolerance: +/-0.08mL; Without stopper and ground glass top	EA	3857
10200D	Flasks, Volumetric; Fisherbrand; Reusable; Class A; Glass; White graduation line; 200mL; Std. taper No.16; Without stopper	EA	4345
10200E	Flasks, Volumetric; Fisherbrand; Class A; Glass; White graduation line; Standard taper No.16; Designed according to ASTM E 694, E 542, E 288; 250mL; Tolerance: +/-0.12mL	EA	4565
10200F	Flasks, Volumetric; Fisherbrand; Reusable; Class A; Glass; White graduation line; 500mL; Std. taper No.16; Without stopper	EA	4864
10200G	Flasks, Volumetric; Fisherbrand; Reusable; Class A; Glass; White graduation line; 1000mL; Std. taper No.16; Without stopper	EA	6534
10205A	Flask, Volumetric; Fisherbrand; Glass; Reusable; Class A; White line; With Standard Taper Stopper No. 9; Capacity: 25mL; Tolerance: +/-0.03mL	EA	4770
10205B	Flask, Volumetric; Fisherbrand; Glass; Reusable; Class A; White line; With standard taper; Stopper No. 9; Capacity: 50mL; Tolerance: +/-0.05mL	EA	5389
10205C	Flask, Volumetric; Fisherbrand; Glass; Reusable; Class A; Single graduation ring on neck; Marking spot; ASTM specification E 288; Unserialized; With standard taper stopper no. 13; Capacity: 100mL; Tolerance: +/-0.08mL	EA	5745
10205D	Flask, Volumetric; Fisherbrand; Glass; Reusable; Class A; White line; With standard taper; Stopper No. 16; 250mL; TC	EA	7691
10205E	Flask, Volumetric; Fisherbrand; Glass; Reusable; Class A; White graduation line; Standard taper No. 9; Designed according to ASTM E 694, E 542, E 288; 500mL; Tolerance: +/-0.20mL	EA	10378
10205F	Flask, Volumetric; Fisherbrand; Glass; Reusable; Class A; Single graduation ring on neck; Marking spot; ASTM specification E 288; Unserialized; With standard taper stopper no. 22; Capacity: 1000mL; Tolerance: +/-0.30mL	EA	12605
22260102	Ring, Lead, C-Shaped; Fisherbrand; Chemical-resistant coating; Stabilizes immersed flasks; Fits flasks from 125 to 500mL; Inside Dia.: 43mm; Weight: 230g	EA	5095
22260103	Ring, Lead, C-Shaped; Fisherbrand; Chemical-resistant coating; Stabilizes immersed flasks; Fits flasks from 250 to 1000mL; Inside Dia.: 51mm; Weight: 450g	EA	5769
22260104	Ring, Lead, C-Shaped; Fisherbrand; Chemical-resistant coating; Stabilizes immersed flasks; Fits flasks from 500 to 2000mL; Inside Dia.: 56mm; Weight: 680g	EA	6634
FB40010	Flask, Volumetric; Fisherbrand; Glass; Reusable; Class A volumetric; Capacity: 10mL; Standard taper stopper No. 9; Marking spot; ASTM specification E 288; Unserialized	CS	39293
FB400200	Flask, Volumetric; Fisherbrand; Glass; Reusable; Class A; Single graduation ring on neck; Marking spot; ASTM specification E 288; Unserialized; With standard taper stopper no. 16; Capacity: 200mL; Tolerance: +/-0.10mL	PK	30131
FB4002000	Flask, Volumetric; Fisherbrand; Glass; Reusable; Class A volumetric; Capacity: 2000mL; Standard taper stopper 27; Marking spot; ASTM specification E 288; Unserialized	EA	9437
FB40110	Flasks, Volumetric; Fisherbrand; Reusable; Class A; Glass; With snap caps; Capacity 10mL; Height 85mm; Marking spot; ASTM E 288	CS	30110

Cat. No.	Description	Pack	Price in ₹
FB4012000	Flasks, Volumetric; Fisherbrand; Reusable; Class A; Glass; With snap caps; Capacity 2000mL; Height 370mm; Marking spot; ASTM E 288	EA	9996
FB5001000	Flask, Glass; Fisherbrand; Reusable; Narrow-mouth; Erlenmeyer; Capacity: 1000mL; Graduated: 250 to 1000mL; Stopper number 9; Marking area; ASTM E 1404, Type I; 6/Pk.	PK	7019
FB500125	Flask, Glass; Fisherbrand; Reusable; Narrow-mouth; Erlenmeyer; Capacity 125mL; Graduated 50 to 125mL; Stopper number 5; Marking area; ASTM E 1404, Type I	PK	6631
FB5002000	Flask, Glass; Fisherbrand; Reusable; Narrow-mouth; Erlenmeyer; Capacity 2000mL; Graduated 600 to 2000mL; Stopper number 10; Marking area; ASTM E 1404, Type I	PK	10753
FB50025	Flask, Glass; Fisherbrand; Reusable; Narrow-mouth; Erlenmeyer; Capacity 25mL; Graduated 10 to 25mL; Stopper number 0; Marking area; ASTM E 1404, Type I	PK	6980
FB500250	Flask, Glass; Fisherbrand; Reusable; Narrow-mouth; Erlenmeyer; Capacity: 250mL; Graduated: 50 to 225mL; Stopper number 6; Marking area; ASTM E 1404, Type I; 12/Pk.	PK	6747
FB5004000	Flask, Glass; Fisherbrand; Reusable; Narrow-mouth; Erlenmeyer; Capacity 4000mL; Graduated 1000 to 4000mL; Stopper number 10; Marking area; ASTM E 1404, Type I	EA	8588
FB50050	Flask, Glass; Fisherbrand; Reusable; Narrow-mouth; Erlenmeyer; Capacity 50mL; Graduated 20 to 50mL; Stopper number 1; Marking area; ASTM E 1404, Type I	PK	6941
FB500500	Flask, Glass; Fisherbrand; Reusable; Narrow-mouth; Erlenmeyer; Capacity: 500mL; Graduated: 100 to 500mL; Subdiv.: 50mL; Stopper number 7; Marking area; ASTM E 1404, Type I	PK	4245
FB5006000	Flask, Glass; Fisherbrand; Reusable; Narrow-mouth; Erlenmeyer; Capacity 6000mL; Graduated 1500 to 6000mL; Stopper number 10; Marking area; ASTM E 1404, Type I	EA	15822
FB5011000	Flask, Glass; Fisherbrand; Reusable; Erlenmeyer; Wide-mouth; Capacity 1000mL; Graduated 250 to 1000mL; Stopper number 11; Marking spot; ASTM E 1404, Type I, Class 2	PK	8577
FB501125	Flask, Glass; Fisherbrand; Reusable; Erlenmeyer; Wide-mouth; Capacity 125mL; Graduated 50 to 125mL; Stopper number 6; Marking spot; ASTM E 1404, Type I, Class 2	PK	7704
FB5012000	Flask, Glass; Fisherbrand; Reusable; Erlenmeyer; Wide-mouth; Capacity 2000mL; Graduated 600 to 2000mL; Stopper number 13; Marking spot; ASTM E 1404, Type I, Class 2	PK	10334
FB501250	Flask, Glass; Fisherbrand; Reusable; Erlenmeyer; Wide-mouth; Capacity 250mL; Graduated 50 to 225mL; Stopper number 8; Marking spot; ASTM E 1404, Type I, Class 2	PK	7859
FB501500	Flask, Glass; Fisherbrand; Reusable; Erlenmeyer; Wide-mouth; Capacity 500mL; Graduated 100 to 500mL; Stopper number 10; Marking spot; ASTM E 1404, Type I, Class 2	PK	5189
FB33130	Flask Erlenmeyer conical narrow neck borosilicate glass graduated 50mL Fisherbrand	EA	2825
FB33131	Flask Erlenmeyer conical narrow neck borosilicate glass graduated 100mL Fisherbrand	Pack of 10	2092
FB33132	Flask Erlenmeyer conical narrow neck borosilicate glass graduated 250mL Fisherbrand	Pack of 10	2233
FB33133	Flask Erlenmeyer conical narrow neck borosilicate glass graduated 500mL Fisherbrand	Pack of 10	2825
FB33134	Flask Erlenmeyer conical narrow neck borosilicate glass graduated 1L Fisherbrand	EA	552
FB33135	Flask Erlenmeyer conical narrow neck borosilicate glass graduated 1L Fisherbrand	EA	1029
FB33136	Flask Erlenmeyer conical narrow neck borosilicate glass graduated 3L Fisherbrand	EA	2361
FB33137	Flask Erlenmeyer conical narrow neck borosilicate glass graduated 5L Fisherbrand	EA	3592
FB33140	Flask Erlenmeyer conical wide neck borosilicate glass 250mL Fisherbrand	Pack of 10	2402
FB33141	X10 FLASKS,FISHERBRAND,ERLENMEYER CONICAL,BOROSILI	Pack of 10	3279
FB33142	Flask Erlenmeyer conical wide neck borosilicate glass 250mL Fisherbrand	Pack of 10	690
FB74440	Shaker flask erlenmeyer, plain bottom, vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 125mL Fisherbrand	Pack of 24	21856
FB74441	Shaker flask erlenmeyer, plain bottom, vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 250mL Fisherbrand	Pack of 12	11887
FB74442	Shaker flask erlenmeyer, plain bottom, vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 500mL Fisherbrand	Pack of 12	15977
FB74443	Shaker flask erlenmeyer, plain bottom, vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 1000mL Fisherbrand	Pack of 6	11110
FB74444	Shaker flask erlenmeyer, plain bottom, vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 2000mL Fisherbrand	Pack of 4	21032
FB74445	Shaker flask erlenmeyer, plain bottom, vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 2800mL Fisherbrand	Pack of 4	28483
FB74446	Shaker flask erlenmeyer, plain bottom, non-vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 125mL Fisherbrand	Pack of 24	17057
FB74447	Shaker flask erlenmeyer, plain bottom, non-vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 250mL Fisherbrand	Pack of 12	10134

Cat. No.	Description	Pack	Price in ₹
FB74448	Shaker flask erlenmeyer, plain bottom, non-vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 500mL Fisherbrand	Pack of 12	14288
FB74449	Shaker flask erlenmeyer, plain bottom, non-vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 1000mL Fisherbrand	Pack of 6	9966
FB74450	Shaker flask erlenmeyer, baffled bottom, vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 125mL Fisherbrand	Pack of 24	17470
FB74451	Shaker flask erlenmeyer, baffled bottom, vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 1000mL Fisherbrand	Pack of 12	10346
FB74452	Shaker flask erlenmeyer, baffled bottom, vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 500mL Fisherbrand	Pack of 12	14571
FB74453	Shaker flask erlenmeyer, baffled bottom, vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 1000mL Fisherbrand	Pack of 6	10165
FB74454	Shaker flask erlenmeyer, baffled bottom, vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 2000mL Fisherbrand	Pack of 4	21301
FB74455	Shaker flask erlenmeyer, baffled bottom, vented, non-pyrogenic, non-cytotoxic, autoclavable, polycarbonate, PP closure, moulded in graduations, for suspension cultures, 2800mL Fisherbrand	Pack of 4	30117
<b>Funnels</b>			
FBA03865	Funnel, Glass; Fisherbrand; For Burette filling; Stem length: 35mm; Outside Dia.(top): 40mm; Autoclavable	EA	889
10349A	Funnel, Filling; Fisherbrand; LDPE; Large; For transferring liquids; Top Dia.: 194mm; Stem length: 89mm	EA	1525
10349B	Funnel, Filling; Fisherbrand; LDPE; Large; For transferring liquids; Top Dia.: 311mm; Stem length: 89mm	EA	3519
10436A	Funnel, Separatory; Fisherbrand; Squibb type; standard taper Stopcock Plug No.: 2; Capacity: 125mL; standard taper Stopper No.: 22	EA	12180
10436B	Funnel, Separatory; Fisherbrand; Squibb type; standard taper Stopcock Plug No.: 4; Capacity: 250mL; standard taper Stopper No.: 22	EA	13627
10436C	Funnel, Separatory; Fisherbrand; Squibb type; standard taper Stopcock Plug No.: 4; Capacity: 500mL; standard taper Stopper No.: 27	EA	15135
10436D	Funnel, Separatory; Fisherbrand; Squibb type; standard taper Stopcock Plug No.: 4; Capacity: 1000mL; standard taper Stopper No.: 27	EA	19813
10455A	Funnel, Thistle Tube; Fisherbrand; Borsilicate glass w/thistle top; Top dia.: 45mm; Stem dia.: 6mm; Stem length: 250mm	EA	999
10455B	Funnel, Thistle Tube; Fisherbrand; Borsilicate glass w/thistle top; Top dia.: 45mm; Stem dia.: 6mm; Stem length: 300mm	EA	1028
1050010	Fisherbrand* Funnels; Heavy-Duty utility; Polypropylene; External ridge and ribbing prevent vapor lock; Autoclavable; Top dia. x H: 205 x 205mm; Capacity: 500mL	Pack of 3	10923
105005	Fisherbrand* Funnels; Heavy-Duty utility; Polypropylene; External ridge/ribbing prevent vapor lock; Autoclavable; Top dia. x H: 65 x 90mm; Capacity: 40mL	Pack of 12	7636
105009	Fisherbrand* Funnels; Heavy-Duty utility; Polypropylene; External ridge/ribbing prevent vapor lock; Autoclavable; Top dia. x H: 155 x 177mm; Capacity: 410mL	Pack of 3	8656
1050011	Fisherbrand* Funnels, Filtering; Polypropylene; External ridge and ribs prevent vapor lock; Ribbed inside slopes 58 deg. ; Autoclavable; Uses standard filter paper; Top dia. x stem L: 34 x 52mm; Height: 75mm; Capacity: 12mL	Pack of 12	3000
1050012	Fisherbrand* Funnels, Filtering; Long stem; Polypropylene; External ridge/ribs prevent vapor lock; Ribbed inside slopes 58 deg. ; Autoclavable; Uses standard filter paper; Top dia. x stem L: 48 x 50mm; Height: 83mm; Capacity: 23mL	Pack of 12	3173
1050014	Fisherbrand* Funnels, Filtering; Long stem; Polypropylene; External ridge/ribs prevent vapor lock; Ribbed inside slopes 58 deg. ; Autoclavable; Uses standard filter paper; Top dia. x stem L: 66 x 65mm; Height: 109mm; Capacity: 50mL	Pack of 12	3865
1050015	Fisherbrand* Funnels, Filtering; Long stem; Polypropylene; External ridge/ribs prevent vapor lock; Ribbed inside slopes 58 deg. ; Autoclavable; Uses standard filter paper; Top dia. x stem L: 77 x 80mm; Height: 141mm; Capacity: 100mL	Pack of 6	2740
1050016	Fisherbrand* Funnels, Filtering; Long stem; Polypropylene; External ridge/ribs prevent vapor lock; Ribbed inside slopes 58 deg. ; Autoclavable; Uses standard filter paper; Top dia. x stem L: 92 x 88mm; Height: 161mm; Capacity: 150mL	Pack of 6	3230
105002	Fisherbrand* Funnel; Powder; Polypropylene; External ribbing prevents vapor lock; Parallel stem; Autoclavable; Top dia. x H: 105 x 103mm; Capacity: 225mL	Pack of 6	2740
105003	Fisherbrand* Funnel; Powder; Polypropylene; External ribbing prevents vapor lock; Parallel stem; Autoclavable; Top dia. x H: 150 x 137mm; Capacity: 750mL	Pack of 4	2307

Cat. No.	Description	Pack	Price in ₹
FB51740	Funnel separating conical borosilicate glass with glass and plastic stopper, ptfе stopcock 50mL Fisherbrand	EA	4420
FB51741	Funnel separating conical borosilicate glass with glass and plastic stopper, ptfе stopcock 100mL Fisherbrand	EA	4251
FB51742	Funnel separating conical borosilicate glass with glass and plastic stopper, ptfе stopcock 250mL Fisherbrand	EA	5161
FB51743	Funnel separating conical borosilicate glass with glass and plastic stopper, ptfе stopcock 500mL Fisherbrand	EA	5859
FB51744	Funnel separating conical borosilicate glass with glass and plastic stopper, ptfе stopcock 1L Fisherbrand	EA	7829
FB51745	Funnel separating conical borosilicate glass with glass and plastic stopper, glass stopcock 50mL Fisherbrand	EA	3571
FB51746	Funnel separating conical borosilicate glass with glass and plastic stopper, glass stopcock 100mL Fisherbrand	EA	4013
FB51747	Funnel separating conical borosilicate glass with glass and plastic stopper, glass stopcock 250mL Fisherbrand	EA	4875
FB51748	Funnel separating conical borosilicate glass with glass and plastic stopper, glass stopcock 500mL Fisherbrand	EA	6080
FB51749	Funnel separating conical borosilicate glass with glass and plastic stopper, glass stopcock 1L Fisherbrand	EA	6971
FB51750	Funnel separating pear shape borosilicate glass with glass and plastic stopper, glass stopcock 50mL Fisherbrand	EA	4410
FB51751	Funnel separating pear shape borosilicate glass with glass and plastic stopper, glass stopcock 100mL Fisherbrand	EA	4959
FB51752	Funnel separating pear shape borosilicate glass with glass and plastic stopper, glass stopcock 250mL Fisherbrand	EA	6022
FB51753	Funnel separating pear shape borosilicate glass with glass and plastic stopper, glass stopcock 500mL Fisherbrand	EA	6714
FB51754	Funnel separating pear shape borosilicate glass with glass and plastic stopper, glass stopcock 1L Fisherbrand	EA	8274
FB51755	Funnel separating pear shape borosilicate glass with glass and plastic stopper, ptfе stopcock 50mL Fisherbrand	EA	4618
FB51756	Funnel separating pear shape borosilicate glass with glass and plastic stopper, ptfе stopcock 100mL Fisherbrand	EA	5190
FB51757	Funnel separating pear shape borosilicate glass with glass and plastic stopper, ptfе stopcock 250mL Fisherbrand	EA	6308
FB51758	Funnel separating pear shape borosilicate glass with glass and plastic stopper PTFE stopcock 500mL Fisherbrand	EA	7032
FB51759	Funnel separating pear shape borosilicate glass with glass and plastic stopper PTFE stopcock 1L Fisherbrand	EA	8664
FB58870	Funnel conical PTFE white 30mm O.D. Fisherbrand	EA	1245
FB58871	Funnel conical PTFE white 50mm O.D. Fisherbrand	EA	1689
FB58872	Funnel conical PTFE white 70mm O.D. Fisherbrand	EA	2476
FB58873	Funnel conical PTFE white 100mm O.D. Fisherbrand	EA	5089
FB58874	Funnel conical PTFE white 150mm O.D. Fisherbrand	EA	8893
FB58880	Dipper sampling PTFE white 100mL Fisherbrand	EA	7851
FB58881	Dipper sampling PTFE white 250mL Fisherbrand	EA	9559
FB58882	Dipper sampling PTFE white 500mL Fisherbrand	EA	11012
FB58883	Dipper sampling PTFE white 1000mL Fisherbrand	EA	12549
<b>Graduates</b>			
0857020A	Graduates, Pharmaceutical; Fisherbrand; Conical; Polypropylene; 100mL; Subdiv.: 2mL; Autoclavable	EA	881
0857020B	Graduates, Pharmaceutical; Fisherbrand; Conical; Polypropylene; 250mL; Subdiv.: 5mL; Autoclavable	EA	1382
0857020C	Graduates, Pharmaceutical; Fisherbrand; Conical; Polypropylene; 500mL; Subdiv.: 10mL; Autoclavable	EA	1487
0857020D	Graduates, Pharmaceutical; Fisherbrand; Conical; Polypropylene; 1000mL; Subdiv.: 20mL; Autoclavable	EA	2867



Cat. No.	Description	Pack	Price in ₹
<b>Microplates</b>			
0339649	Seal, Plate; Fisherbrand; Silicone; Clear; Lightweight; Easy to use; Storage; Type: nonslit; Autoclavable; Fits Costar96-well polypropylene plates and assay blocks; 7mm; 10/Pk.	PK	17256
0339650	Seal, Plate; Fisherbrand; Silicone; Clear; Lightweight; Easy to use; Storage; Type: preslit; Autoclavable; 7mm; Pack of 10; Fits Costar96-well polypropylene plates and assay blocks	PK	19645
0339651	Seal, Plate; Fisherbrand; Silicone; Clear; Lightweight; Easy to use; Storage; Type: nonslit; Autoclavable; Fits Fisherbrand round-bottom 96-well polypropylene plates and assay blocks; 8.6mm; 10/Pk.	PK	17256
0339652	Seal, Plate; Fisherbrand; Silicone; Clear; Lightweight; Easy to use; Storage; Type: preslit; Autoclavable; 8.6mm; Pack of 10; Fits Fisherbrand round-bottom 96-well polypropylene plates and assay blocks	PK	19645
0339653	Seal, Plate; Fisherbrand; Silicone; Clear; Lightweight; Easy to use; Square; Master block; Type: nonslit; Autoclavable; Pack of 10; Fits Fisherbrand 96-well 2.2mL assay blocks, Whatman 96-well polypropylene storage plates	PK	19645
0339655	Plate Seal/384 Well/Silicone/Storage/Fisherbrand/Easy to use/Clear/Lightweight/10pk	PK	23471
0339656	Seal, Plate; Fisherbrand; Silicone; Clear; Lightweight; Easy to use; Storage; Type: preslit; Autoclavable; Pack of 10; Fits Fisherbrand 384-well polypropylene plates, Costar Brand 384-well polypropylene storage block	PK	24438
08408240	Adhesive plate seal; Fisherbrand; Optically clear for PCR applications	CS	12080
12565500	Microplate, 96-well; Fisherbrand; Polystyrene; Without lid; Round well; Untreated; Nonsterile; Well vol.: 250uL; Clear	CS	21709
12565501	Microplate, 96-Well; Fisherbrand; Polystyrene; Without lid; Flat well; Untreated; Stackable; Nonsterile; Working volume: 350uL; Clear	CS	22606
12565502	Microplate, 96-Well; Fisherbrand; Storage; Polypropylene; Nonsterile; Minimum binding; Chemical resistant; Round bottom; Withstand temps from -80deg. to +121deg.C; Vol.: 500uL; Natural	CS	33225
12565503	Microplates, 96-Well; Fisherbrand; Storage; Polypropylene; Nonsterile; Minimum binding; Chemical resistant; Round bottom; Withstand temps from -80 to +121deg.C; 500uL; Red	CS	33440
12565504	Microplates, 96-Well; Fisherbrand; Storage; Polypropylene; Nonsterile; Minimum binding; Chemical resistant; Round bottom; Withstand temps from -80deg to +121deg.C; 500uL; Yellow	CS	33440
12565505	Microplates, 96-Well; Fisherbrand; Storage; Polypropylene; Nonsterile; Minimum binding; Chemical resistant; Round bottom; Withstand temps from -80deg to +121deg.C; 500uL; Blue	CS	33469
12565506	Microplates, 384-Well; Fisherbrand; Plate; Clear; Square-shaped well; Polystyrene; Nonsterile; Untreated; Ideal for low-volume assays such as colorimetric, enzymatic, cloning, replication, array and storage	CS	66663
12565507	Microplate, 384-Well; Fisherbrand; Storage; Polypropylene; Nonsterile; Chemical resistant; Withstands temps from -80deg. to +80deg.C; Natural; Well vol.: 120uL	CS	101393
12565508	Microplates, 384-Well; Fisherbrand; Storage; Polypropylene; Fisherbrand; Nonsterile; Chemical resistant; Withstands temps from -80 to +80deg.C; 120uL well volume; Ideal for storage of compounds and nucleic acid libraries; Red	CS	100821
12565511	Microplates, Lid; Fisherbrand; Lid; Clear; Polystyrene; Nonsterile; Untreated; Ideal for low-volume assays such as colorimetric, enzymatic, cloning, replication, array and storage; 180/cs	CS	38884
12566120	Microplates, 96-Well; Fisherbrand; DeepWell; Storage; Polypropylene; Round bottom; Natural; Non-Sterile; Well-capacity: 1mL; 50/Case	CS	26948
12566121	Microplates, 96-Well; Fisherbrand; DeepWell; Storage; Polypropylene; Round bottom; Natural; Non-Sterile; Well-capacity: 2mL; 60/Case	CS	35939
14230232	Microplate, PCR; Fisherbrand; 96-Well; Raised rim; Virgin polypropylene; Nonskirted; Color: Natural; Cut-away corner; Alphanumeric grid; Cleanroom produced; Capacity: 300uL	CS	8370
14230233	Microplate, PCR; Fisherbrand; 96-Well; Capacity: 300uL; Raised rim; Virgin polypropylene; Nonskirted; Color: Red; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	8370
14230234	Microplate, PCR; Fisherbrand; 96-Well; Capacity: 300uL; Raised rim; Virgin polypropylene; Nonskirted; Color: Blue; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	8370
14230235	Microplate, PCR; Fisherbrand; 96-Well; Capacity: 300uL; Raised rim; Virgin polypropylene; Nonskirted; Color: Green; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	8370
14230236	Microplate, PCR; Fisherbrand; 96-Well; Capacity: 300uL; Raised rim; Virgin polypropylene; Nonskirted; Color: Yellow; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	8370
14230237	Microplate, PCR; Fisherbrand; 96-Well, Low-Profile; Well Capacity: 200uL; Raised rim; Virgin polypropylene; Skirted; Color: Natural; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	7539
14230238	Microplate, PCR; Fisherbrand; 96-Well, Low-Profile; Well Capacity: 200uL; Raised rim; Virgin polypropylene; Skirted; Color: Red; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	7539

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
14230239	Microplate, PCR; Fisherbrand; 96-Well, Low-Profile; Well Capacity: 200uL; Raised rim; Virgin polypropylene; Skirted; Color: Blue; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	7539
14230240	Microplate, PCR; Fisherbrand; 96-Well, Low-Profile; Well Capacity: 200uL; Raised rim; Virgin polypropylene; Skirted; Color: Green; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	7539
14230241	Microplate, PCR; Fisherbrand; 96-Well, Low-Profile; Well Capacity: 200uL; Raised rim; Virgin polypropylene; Skirted; Color: Yellow; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	7539
14230242	Microplate, PCR; Fisherbrand; 96-well, Tall-Chimney; Capacity: 340uL; Raised well rim; Virgin polypropylene; Nonskirted; Color: Natural; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	19637
14230243	Microplate, PCR; Fisherbrand; 384-Well; Capacity: 40uL; Raised rim; Virgin polypropylene; Skirted; Color: Natural; Cut-away corners; Alphanumeric grid; Cleanroom produced	CS	18263
14230244	Microplate, PCR; Fisherbrand; 96-Well; Capacity: 300uL; Raised rim; Virgin polypropylene; Semi-skirted; Color: Natural; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	8341
14230245	Microplate, PCR; Fisherbrand; 96-Well; Capacity: 300uL; Raised rim; Virgin polypropylene; Semi-skirted; Color: Red; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	8341
14230246	Microplate, PCR; Fisherbrand; 96-Well; Capacity: 300uL; Raised rim; Virgin polypropylene; Semi-skirted; Color: Blue; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	8341
14230247	Microplate, PCR; Fisherbrand; 96-Well; Capacity: 300uL; Raised rim; Virgin polypropylene; Semi-skirted; Color: Green; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	8341
14230248	Microplate, PCR; Fisherbrand; 96-Well; Capacity: 300uL; Raised rim; Virgin polypropylene; Semi-skirted; Color: Yellow; Cut-away corner; Alphanumeric grid; Cleanroom produced	CS	8341
21377203	Microplate; Assay; Fisherbrand; 96-Well; Polystyrene; Flat well; Nonsterile; 450uL well vol.; Reduced well-to-well contamination; Stacked plates; High hydrophobic/partially hydrophobic molecules binding; Clear; Certified	CS	26339
21377204	Microplate; Assay; Fisherbrand; 96-Well; Polystyrene; Flat well; Nonsterile; 450uL well vol.; Reduced well-to-well contamination; Stacked plates; High hydrophobic/partially hydrophobic molecules binding; Clear; Not certified	CS	27805
21377205	Microplates; Assay; 96-Well; Fisherbrand; Microwell; Clear; Polystyrene; Flat well; Sterile; 450 uL well vol.; Reduced well-to-well contamination; Stacked plates; High hydrophobic or partially hydrophobic molecules binding; Not certified	CS	34172
<b>Pen</b>			
1393980	Pen, Fiber-tipped; Fisherbrand; 1 each of black, red, green, and blue	PK	2974
1393981	Pen, Fiber-tipped; Fisherbrand; Black	PK	2974
1393982	Pen, Fiber-tipped; Fisherbrand; Red	PK	2974
1393983	Pen, Fiber-tipped; Fisherbrand; Blue	PK	2960
<b>Rod</b>			
FB50426	Rod plain scaffolding aluminium alloy 100mm x 13mm Fisherbrand	EA	417
FB50427	Rod plain scaffolding aluminium alloy 200mm x 13mm Fisherbrand	EA	545
FB50428	Rod plain scaffolding aluminium alloy 400mm x 13mm Fisherbrand	EA	891
FB50429	Rod plain scaffolding aluminium alloy 600mm x 13mm Fisherbrand	EA	1046
FB50430	Rod plain scaffolding aluminium alloy 900mm x 13mm Fisherbrand	EA	1480
FB50431	Rod plain scaffolding aluminium alloy 1200mm x 13mm Fisherbrand	EA	1803
FB50432	Rod plain scaffolding aluminium alloy 1800mm x 13mm Fisherbrand	EA	2731
<b>Tubes and Closures</b>			
0266810	Tube, Blood collecting; Fisherbrand; Micro; Tapered bottom tips; Color-coded tops; Natelson; Ammonium heparin; Red; 250uL; 100/Pk.	PK	3577
0266815	Tubes, capillary blood collection; Fisherbrand; Micro blood collecting tubes; 100/pack	PK	3031
0266825	Tubes, capillary blood collection; Fisherbrand; Micro blood collecting tubes; caraway; Heparin; Red tip; 100/pack	PK	3351
0266830	Tubes, capillary blood collection; Fisherbrand; Micro blood collecting tubes; caraway; Blue tip; 100/pack	PK	2984
FBA02678	Sealant, Capillary Tube; Fisherbrand; Hemato-Seal; Nondrying, nonhardening, nontoxic compound; Light color for sharper reading contrast	PK	3613
04978145	Microcentrifuge Tube; Fisherbrand; Polystyrene; Disposable; Conical; Transparent; Plug type cap; Prevents contamination; Minimizes electrolyte disturbances; O.D. x L: 3.7 x 55mm; capacity: 1mL	PK	12610
0540722	Tool; Fisherbrand; Microcentrifuge tube with snap/colored screw cap; capping/Decapping; Polypropylene; Slot and tab/socket wrench; 4/pack	PK	703

Cat. No.	Description	Pack	Price in ₹
0552745	Tube, Centrifuge; Fisherbrand; Polystyrene; Graduated 0.1mL increments to 1mL and 0.5 between 1-15mL; Max. RCF 1800xG; Capacity: 15mL; O.D. x L: 17.5 x 119.5mm	CS	15077
0554127	Microcentrifuge Tube; Fisherbrand; Siliconized; Sterile; No special locking devices needed; Safe sample deposit; Highest impact tube with smoothest surface; Transparent; Flat top; capacity: 1.5mL	PK	11529
0554166	Microcentrifuge Tube; Fisherbrand; With skirt, polypropylene, natural, conical; Nonsterile; Without cap; 2mL	PK	23026
0554167	Microcentrifuge Tube; Fisherbrand; With skirt, polypropylene, natural, conical; Sterile; With attached siliconized screw cap; 2mL	PK	69076
0554170	Screw Cap; Fisherbrand; For microcentrifuge tubes; Siliconized; With O-ring; Polypropylene; 1000/Pk.; 10 Pk./Cs.	CS	123968
056704	Capinsert; Simport Scientific; For microcentrifuge tubes with clear caps; w/Frosted writing area; White	PK	2092
14230200	Tube, PCR; Fisherbrand; Flat cap; Natural; 0.5mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	4646
14230201	Tube, PCR; Fisherbrand; Flat cap; Red; 0.5mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	4646
14230202	Tube, PCR; Fisherbrand; Flat cap; Blue; 0.5mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	4646
14230203	Tube, PCR; Fisherbrand; Flat cap; Green; 0.5mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	4646
14230204	Tube, PCR; Fisherbrand; Flat cap; Yellow; 0.5mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	4646
14230205	Tube, PCR; Fisherbrand; Virgin polypropylene; Thin-wall design; Cleanroom produced; With integral (snap shut) cap; Domed cap; Natural; 0.2mL	CS	5087
14230206	Tube, PCR; Fisherbrand; Domed cap; Red; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	5087
14230207	Tube, PCR; Fisherbrand; Domed cap; Blue; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	5087
14230208	Tube, PCR; Fisherbrand; Domed cap; Green; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	5087
14230209	Tube, PCR; Fisherbrand; Domed cap; Yellow; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	5087
14230210	Tube Strip, PCR; Fisherbrand; 8-tube strips; Can be cut into individual tubes; Thin-wall design; Cleanroom produced; Virgin polypropylene; Domed cap; Natural; 0.2mL	CS	15966
14230211	Tube Strip, PCR; Fisherbrand; 8-tube strips; Domed cap strips; Red; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	15966
14230212	Tube Strip, PCR; Fisherbrand; 8-tube strips; Domed cap strips; Blue; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	15966
14230213	Tube Strip, PCR; Fisherbrand; 8-tube strips; Domed cap strips; Green; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	15966
14230214	Tube Strip, PCR; Fisherbrand; 8-tube strips; Domed cap strips; Yellow; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	15966
14230215	Tube Strip, PCR; Fisherbrand; 8-tube strips; Can be cut into individual tubes; Thin-wall design; Cleanroom produced; Virgin polypropylene; Flat cap; Natural; 0.2mL	CS	16824
14230216	Tube Strip, PCR; Fisherbrand; 8-tube strips; Flat cap strips; Red; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	16824
14230217	Tube Strip, PCR; Fisherbrand; 8-tube strips; Flat cap strips; Blue; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	16824
14230218	Tube Strip, PCR; Fisherbrand; 8-tube strips; Flat cap strips; Green; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	16824
14230219	Tube Strip, PCR; Fisherbrand; 8-tube strips; Flat cap strips; Yellow; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	16824
14230220	Tube Strip, PCR; Fisherbrand; 8-tube strips; Without cap strips; Natural; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	9775
14230221	Tube Strip, PCR; Fisherbrand; 8-tube strips; Without cap strips; Red; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	9775
14230222	Tube Strip, PCR; Fisherbrand; 8-tube strips; Without cap strips; Blue; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	9775

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
14230223	Tube Strip, PCR; Fisherbrand; 8-tube strips; Without cap strips; Green; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	9775
14230224	Tube Strip, PCR; Fisherbrand; 8-tube strips; Without cap strips; Yellow; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	9775
14230225	Tube, PCR; Fisherbrand; Virgin polypropylene; Thin-wall design; Cleanroom produced; With integral (snap shut) cap; Flat cap; Natural; 0.2mL	CS	4943
14230226	Tube, PCR; Fisherbrand; Flat cap; Red; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	4943
14230227	Tube, PCR; Fisherbrand; Flat cap; Blue; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	4943
14230228	Tube, PCR; Fisherbrand; Flat cap; Green; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	4943
14230229	Tube, PCR; Fisherbrand; Flat cap; Yellow; 0.2mL; Virgin polypropylene; Thin-wall design; Cleanroom produced	CS	4943
14230230	Cap Strip; Fisherbrand; For use with 96-well PCR plates or PCR tube strips; Flat caps; 8 caps per strip; Virgin polypropylene; Cleanroom produced; Large end tabs for easy removal; Labeled A-H for strip orientation	CS	4256
14230231	Cap Strip; Fisherbrand; For use with 96-well PCR plates or PCR tube strips; Domed caps; 8 caps per strip; Virgin polypropylene; Cleanroom produced	CS	4161
14375150	Tube, Centrifuge; Fisherbrand; Polypropylene; Conical bottom; Graduated; Chemical resistant; Sterile; With blue plastic plug-seal caps; Capacity: 50mL; O.D. x L: 29.5 x 113.8mm	CS	27383
1437660	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provides liquid-tight seal; Not autoclavable; Do not require precutting; For 10mm culture tubes; Color: White	PK	3409
1437661	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provides liquid-tight seal; Not autoclavable; Do not require precutting; For 10mm culture tubes; Color: Red	PK	3409
1437662	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provides liquid-tight seal; Not autoclavable; Do not require precutting; For 10mm culture tubes; Color: Lavender	PK	3409
1437663	Closure, Safety; Fisherbrand; Color-Coded TainerTop; For 10mm Tubes; Green	PK	3409
1437664	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provides liquid-tight seal; Not autoclavable; Do not require precutting; For 10mm culture tubes; Color: Blue	PK	3409
1437665	Closure, Safety; Fisherbrand; Color-Coded TainerTop; For 10mm Tubes; Gray	PK	3409
1437666	Closure, Safety; Fisherbrand; Color-coded TainerTop; Polyethylene; Flexible; Colors correspond to Vacutainer tubes; Liquid-tight seal; Will not aerosol when opened; Non autoclavable; For 10mm tubes; Yellow; 1000/pk.	PK	3409
1437667	Closure, Safety; Fisherbrand; Color-coded TainerTop; Polyethylene; Flexible; Colors correspond to Vacutainer tubes; Liquid-tight seal; Will not aerosol when opened; Non autoclavable; For 13mm tubes; Gray; 1000/pk.	PK	3566
1437669	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provides liquid-tight seal; Not autoclavable; Do not require precutting; For 13mm Culture Tubes; Color: White	PK	3566
1437670	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provides liquid-tight seal; Not autoclavable; Do not require precutting; For 13mm Culture Tubes; Color: Red	PK	3566
1437671	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provides liquid-tight seal; Not autoclavable; Do not require precutting; For 13mm Culture Tubes; Color: Lavender	PK	3566
1437672	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provide liquid-tight seal; Not autoclavable; Do not require precutting; For 13mm Culture Tubes; Color: Green	PK	3566
1437673	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provides liquid-tight seal; Not autoclavable; Do not require precutting; For 13mm Culture Tubes; Color: Blue	PK	3566
1437674	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provide liquid-tight seal; Not autoclavable; Do not require precutting; For 12mm Culture Tubes and 13mm Blood Collection Tubes; Color: White	PK	3526
1437675	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provides liquid-tight seal; Not autoclavable; Do not require precutting; For 12mm Culture Tubes and 13mm Blood Collection Tubes; Color: Red	PK	3526
1437676	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provides liquid-tight seal; Not autoclavable; Do not require precutting; For 12mm Culture Tubes and 13mm Blood Collection Tubes; Color: Lavender	PK	3526
1437677	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provides liquid-tight seal; Not autoclavable; Do not require precutting; For 12mm Culture Tubes and 13mm Blood Collection Tubes; Color: Green	PK	3526

Cat. No.	Description	Pack	Price in ₹
1437678	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provides liquid-tight seal; Not autoclavable; Do not require precutting; For 12mm Culture Tubes and 13mm Blood Collection Tubes; Color: Blue	PK	3526
1437679	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provides liquid-tight seal; Not autoclavable; Do not require precutting; For 12mm Culture Tubes and 13mm Blood Collection tubes; Color: Gray	PK	3526
1437680	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provide liquid-tight seal; Not autoclavable; Do not require precutting; For 12mm Culture Tubes and 13mm Blood Collection Tubes; Color: Yellow	PK	3526
1437681	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Polyethylene; Flexible; Label area; Provide liquid-tight seal; Not autoclavable; Will not aerosol when opened; Do not require precutting; For 16mm tubes; Gray; 1000/pk.	PK	3635
1437682	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provide liquid-tight seal; Not autoclavable; Do not require precutting; For 16mm Tubes; Color: Yellow	PK	3635
1437683	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provide liquid-tight seal; Not autoclavable; Do not require precutting; For 16mm Tubes; Color: White	PK	3635
1437684	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provide liquid-tight seal; Not autoclavable; Do not require precutting; For 16mm Tubes; Color: Red	PK	3635
1437685	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provide liquid-tight seal; Not autoclavable; Do not require precutting; For 16mm Tubes; Color: Lavender	PK	3635
1437686	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provide liquid-tight seal; Not autoclavable; Do not require precutting; For 16mm Tubes; Color: Green	PK	3635
1437687	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provide liquid-tight seal; Not autoclavable; Do not require precutting; For 16mm Tubes; Color: Blue	PK	3635
1437688	Closure, Safety; Fisherbrand; TrainerTop; Color-coded; Label area; Provide liquid-tight seal; Not autoclavable; Do not require precutting; For 13mm Culture Tubes; Color: Yellow	PK	3566
1437691	Cap, Tube; Blue; For Fisherbrand Serum Transport Tubes	CS	5924
1437711	Tube; Fisherbrand; Clinical Trials Serum; With green cap	CS	26297
1495615	Cap, Snap; Fisherbrand; Material: polyethylene; For nonsterile plastic tubes; 17mm	PK	6426
149561B	Tube, Plastic; Fisherbrand; Sterile; Ideal for tissue culture procedures; No residual contamination; Translucent polypropylene; O.D. x L: 12 x 75mm; w/o cap; Packaging: blister pack of 125	CS	10848
149561C	Test Tube; Fisherbrand; Disposable; Polypropylene, translucent; Round bottom; Sterile; Cap style: none; O.D. x L: 12 x 75mm; Bag of 125	CS	12423
149561D	Tube, Test; Fisherbrand; Disposable; Sterile; Material: Polypropylene, translucent; Cap Supplied: Snap; O.D. x L: 12 x 75mm; Packaging: Bag of 25	CS	10003
149561G	Test Tube; Fisherbrand; Disposable; Polypropylene, translucent; Cap Supplied: None; O.D. x L: 17 x 100mm; Packaging: Bag of 125	CS	15278
149561H	Tube, Plastic; Fisherbrand; Sterile; Ideal for tissue culture procedures; No residual contamination; Translucent polypropylene; O.D. x L: 17 x 100mm; w/Snap cap; Packaging: Individually wrapped; 500/case	CS	21478
149561J	Test Tube; Fisherbrand; Disposable; Polypropylene, translucent; Round bottom; Gamma irradiated; Sterile; Cap style: snap; O.D. x L: 17 x 100mm; Blister pack of 25; 500/Cs.	CS	11916
149563A	Tube Material; Fisherbrand; Polystyrene, clear; Cap Supplied: None; O.D. x L: 12 x 75mm; Packaging: Bag of 125	PK	1030
149563B	Tube, Test; Fisherbrand; Disposable; Polystyrene; Type: Clear; Closure: Snap cap; O.D. x L: 12 x 75mm; Packaging: Individually wrapped	CS	10790
149563C	Test Tube; Fisherbrand; Disposable; Polystyrene, clear; Round bottom; Sterile; Cap style: snap; O.D. x L: 12 x 75mm; Bag of 25	CS	9009
149563D	Tube Material; Fisherbrand; Material: polystyrene; Clear; Cap supplied: snap; O.D. x L: 12 x 75mm; 125/bag	CS	14519
149564A	Tube, Plastic; Fisherbrand; Sterile; Ideal for tissue culture procedures; No residual contamination; Clear polystyrene; O.D. x L: 13 x 100mm; w/Screw cap; w/Outside threads, unconstricted necks; Blister pack of 125; 1000/case	CS	28259
149565A	Tube, Plastic; Fisherbrand; Sterile; Ideal for tissue culture procedures; No residual contamination; Clear polystyrene; O.D. x L: 16 x 125mm; w/Screw cap; w/Outside threads, unconstricted necks; Individually wrapped; 500/case	CS	27915
149565B	Test Tube; Fisherbrand; Disposable; Polystyrene, clear; Round bottom; Sterile; Cap style: screw; O.D. x L: 16 x 125mm; Bag of 125	CS	31906

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
149565C	Tube, Test; Fisherbrand; Sterile; Plastic; Gamma irradiated and tested for sterility; Polystyrene; Clear; O.D. x L: 16 x 150mm; Cap Supplied: Screw; Packaging: Individually wrapped	CS	20864
149566A	Tube, Plastic; Fisherbrand; Sterile; Ideal for tissue culture procedures; No residual contamination; Clear polystyrene; O.D. x L: 17 x 100mm; w/Snap cap; Packaging: individually wrapped	CS	13389
149566B	Test Tube; Fisherbrand; Disposable; Polystyrene, clear; Round bottom; Sterile; Cap style: snap; O.D. x L: 17 x 100mm; Bag of 125	CS	20016
149566C	Tube, Plastic; Fisherbrand; Sterile; Ideal for tissue culture procedures; No residual contamination; Clear polystyrene; O.D. x L: 17 x 100mm; w/o cap; Packaging: blister pack of 125; 1000/case	CS	13719
149566D	Tube, Plastic; Fisherbrand; Sterile; Ideal for tissue culture procedures; No residual contamination; Clear polystyrene; O.D. x L: 17 x 100mm; w/Snap cap; Packaging: blister pack of 125; 500/case	CS	9841
149567A	Test Tube; Fisherbrand; Disposable; Nonsterile; Round bottom; Translucent polypropylene; Cap supplied: none; Extra-heavy wall construction; O.D. x L: 13 x 100mm	CS	6682
149567C	Test Tube; Fisherbrand; Disposable; Nonsterile; Round bottom; Translucent polypropylene; Cap supplied: none; Special molding avoids leaks and cracks; 5mL; O.D. x L: 16 x 125mm	CS	10940
149567E	Test Tube; Fisherbrand; Disposable; Nonsterile; Round bottom; Translucent polypropylene; Special molding avoids leaks and cracks; Cap supplied: none; 5mL; O.D. x L: 17 x 100mm	CS	6997
149568E	Test Tube; Fisherbrand; Disposable; Round bottom; Clear polystyrene; Cap supplied: none; O.D. x L: 13 x 100mm	CS	7819
149568G	Test Tube; Fisherbrand; Disposable; Round bottom; Clear polystyrene; Cap supplied: none; O.D. x L: 16 x 125mm	CS	12335
149568J	Test Tube; Fisherbrand; Disposable; Round bottom; Clear polystyrene; Cap supplied: none; O.D. x L: 17 x 100mm	CS	8615
1495710A	Tubes, Test; Disposable; Round Bottom; Plain End; Flint Glass; Fisherbrand; Color-coded label area; Color: White; O.D. x L: 10 x 75mm	CS	8511
1495710B	Tubes, Test; Disposable Glass; Plain end; Round Bottom; Fisherbrand; With color-coded label area; O.D. x L: 10 x 75mm; Flint Glass; Label Area: Yellow	CS	8485
1495710C	Tubes, Test; Disposable; Round Bottom; Plain End; Flint Glass; Fisherbrand; Color-coded label area; Color: Green; O.D. x L: 10 x 75mm	CS	8485
1495710D	Test Tube; Disposable; Round Bottom; Plain End; Flint Glass; Fisherbrand; Color-coded label area; Color: Orange; O.D. x L: 10 x 75mm	CS	8485
1495710E	Test Tube; Disposable Glass; Plain end; Round Bottom; Fisherbrand; With color-coded label area; O.D. x L: 10 x 75mm; Flint Glass; Label Area: Blue	CS	8485
1495712A	Test Tube; Disposable; Round Bottom; Plain End; Flint Glass; Fisherbrand; Color-coded label area; Color: White; O.D. x L: 12 x 75mm	CS	8939
1495712B	Tubes, Test; Disposable; Round Bottom; Plain End; Flint Glass; Fisherbrand; Color-coded label area; Label Color: Yellow; O.D. x L: 12 x 75mm	CS	8968
1495712C	Test Tube; Disposable Glass; Plain end; Round Bottom; Fisherbrand; With color-coded label area; O.D. x L: 12 x 75mm; Flint Glass; Label Area: Green	CS	8968
1495712D	Test Tube; Disposable; Round Bottom; Plain End; Flint Glass; Fisherbrand; Color-coded label area; Label Color: Orange; O.D. x L: 12 x 75mm	CS	8968
1495712E	Test Tube; Disposable; Round Bottom; Plain End; Flint Glass; Fisherbrand; Color-coded label area; Label Color: Blue; O.D. x L: 12 x 75mm	CS	8968
1495714A	Tubes, Test; Disposable; Glass; Fisherbrand; Plain End; Round bottom; Type: Flint; O.D. x L: 13 x 100mm; Color [Label Area]: White	CS	12565
1495714B	Test Tube; Disposable Glass; Plain end; Round Bottom; Fisherbrand; With color-coded label area; O.D. x L: 13 x 100mm; Flint Glass; Label Area: Yellow	CS	12565
1495714C	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 13 x 100mm; Green label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Flint glass; 1000/case	CS	12565
1495714D	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 13 x 100mm; Orange label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Flint glass; 1000/case	CS	12565
1495714E	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 13 x 100mm; Blue label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Flint glass; 1000/case	CS	12565
1495716A	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 16 x 100mm; White label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Flint glass; 1000/case	CS	15528
1495716B	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 16 x 100mm; Yellow label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Flint glass; 1000/case	CS	15528
1495716C	Test Tube; Disposable Glass; Plain end; Round Bottom; Fisherbrand; With color-coded label area; O.D. x L: 16 x 100mm; Flint Glass; Label Area: Green	CS	15528

Cat. No.	Description	Pack	Price in ₹
1495716D	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 16 x 100mm; Orange label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Flint glass; 1000/case	CS	15528
1495716E	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 16 x 100mm; Blue label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Flint glass; 1000/case	CS	15528
1495718D	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 16 x 125mm; Orange label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Flint glass; 1000/case	CS	18914
1495718E	Tubes, Test; Flint Glass; Plain End; With Color-Coded Label Area; Fisherbrand; O.D. x L: 16 x 125mm; Label Area Color: Blue	CS	18914
1495720A	Tubes, Test; Disposable; Round Bottom; Plain End; Borosilicate Glass; Fisherbrand; Color-coded label area; Label Color: White; O.D. x L: 10 x 75mm	CS	9366
1495720B	Tubes, Test; Disposable; Glass; Fisherbrand; Plain End; Round bottom; Type: Borosilicate; O.D. x L: 10 x 75mm; Color [Label Area]: Yellow	CS	9366
1495720C	Test Tube; Disposable Glass; Plain end; Round Bottom; Fisherbrand; With color-coded label area; O.D. x L: 10 x 75mm; Borosilicate Glass; Label Area: Green	CS	9366
1495720D	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 10 x 75mm; Orange label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Borosilicate glass; 1000/case	CS	9366
1495720E	Test Tube; Disposable Glass; Plain end; Round Bottom; Fisherbrand; With color-coded label area; O.D. x L: 10 x 75mm; Borosilicate Glass; Label Area: Blue	CS	9366
1495722A	Tubes, Test; Disposable; Glass; Fisherbrand; Plain End; Round bottom; Type: Borosilicate; O.D. x L: 12 x 75mm; Color [Label Area]: White	CS	9909
1495722B	Tubes, Test; Disposable; Glass; Fisherbrand; Plain End; Round bottom; Type: Borosilicate; O.D. x L: 12 x 75mm ; Color [Label Area]: Yellow	CS	9909
1495722C	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 12 x 75mm; Green label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Borosilicate glass; 1000/case	CS	9909
1495722D	Test Tube; Disposable Glass; Plain end; Round Bottom; Fisherbrand; With color-coded label area; O.D. x L: 12 x 75mm; Borosilicate Glass; Label Area: Orange	CS	9909
1495722E	Tubes, Test; Disposable; Glass; Fisherbrand; Plain End; Round bottom; Type: Borosilicate; O.D. x L: 12 x 75mm ; Color [Label Area]: Blue	CS	9909
1495724A	Tubes, Test; Disposable Glass; Plain end; Round Bottom; Fisherbrand; With color-coded label area; O.D. x L: 13 x 100mm; Borosilicate Glass; Label Area: White	CS	14721
1495724B	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 13 x 100mm; Yellow label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Borosilicate glass; 1000/case	CS	14721
1495724C	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 13 x 100mm; Green label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Borosilicate glass; 1000/case	CS	14721
1495724D	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 13 x 100mm; Orange label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Borosilicate glass; 1000/case	CS	14721
1495724E	Test Tube; Disposable Glass; Plain end; Round Bottom; Fisherbrand; With color-coded label area; O.D. x L: 13 x 100mm; Borosilicate Glass; Label Area: Blue	CS	14721
1495726A	Tubes, Test; Disposable; Glass; Fisherbrand; Plain End; Round bottom; Type: Borosilicate; Color [Label Area]: White; O.D. x L: 16 x 100mm	CS	18206
1495726B	Tube, Plain-end; Fisherbrand; Disposable; Round bottom; Glass Type: Borosilicate glass; Label area color: yellow; Expose to heat, steam, hours in water bath, w/out affecting label; Dimensions: 16 O.D. x 100mm long; Case of 1000	CS	18206
1495726C	Tube, Plain-end; Fisherbrand; Disposable; Round bottom; Glass Type: Borosilicate glass; Label area color: green; Expose to heat, steam, hours in water bath, w/out affecting label; Dimensions: 16 O.D. x 100mm long; Case of 1000	CS	18206
1495726E	Tube, Glass; Fisherbrand; Disposable; Plain-end; O.D. x L: 16 x 100mm; Blue label area; Labeling area unaffected by heat, steam, hours in a water bath; Round bottom; Borosilicate glass; 1000/case	CS	18206
1495776A	Tube, Test; Fisherbrand; Disposable; Borosilicate glass; Threaded end; Round bottom; Closure: none; Without marking spot; 13 O.D. x 100mmL	CS	32779
1495776C	Tube, Test; Fisherbrand; Disposable; Borosilicate glass; Threaded end; Round bottom; Closure: none; Without marking spot; O.D. x L: 16 x 150mm	CS	43737
1495776E	Tube, Test; Fisherbrand; Disposable; Borosilicate glass; Threaded end; Round bottom; Closure: none; Style: Without marking spot; 20 O.D. x 150mm L	CS	35811
1495782A	Cap, Screw; Fisherbrand; For Disposable glass tubes; Phenolic; 13-415	CS	13627
1495782E	Cap, Screw; Fisherbrand; For Disposable glass tubes; Phenolic; 18-415	CS	20303
1495810A	Glass Tube; Fisherbrand; Borosilicate; Disposable; Heavy wall; O.D. x L: 10 x 75mm	CS	8053

Cat. No.	Description	Pack	Price in ₹
1495810B	Test Tube; Fisherbrand; Disposable; Borosilicate glass; Heavy wWall; Round bottom; Plain end; O.D. x L: 12 x 75mm; Packaged in lint-free trays	CS	8451
1495810C	Tube, Plain-end; Fisherbrand; Heavy-wall; Disposable; Round bottom; Glass type: Borosilicate glass; O.D. x L: 13 x 100mm; Case of 1000	CS	13116
14958A	Tube, Test; Fisherbrand; Disposable; Flint glass; Plain end; O.D. x L: 6 x 50mm; 500/tray	CS	5569
14958B	Test Tube; Fisherbrand; Disposable; Flint glass; Plain end; Round bottom; Smooth top, bottom prevent cuts; O.D. x L: 10 x 75mm; 250/tray	CS	4636
14958C	Tube, Test; Fisherbrand; Disposable; Flint glass; Plain end; Round bottom; Smooth top, bottom prevent cuts; Packaging: Trays; O.D. x L: 12 x 75mm; 250/tray	CS	5257
14958D	Tube, Test; Fisherbrand; Disposable; Flint glass; Plain end; Round bottom; Smooth top, bottom prevent cuts; Packaging: Trays; O.D. x L: 13 x 100mm; 250/tray	CS	6778
14958E	Tube, Test; Fisherbrand; Disposable; Flint glass; With plain end; Round bottom; Smooth top and bottom; O.D. x L: 0.59 x 3.347 in. (15 x 85mm); 250 per tray; 100/cs.	CS	10630
14958F	Tube, Test; Fisherbrand; Disposable; Flint glass; Plain end; O.D. x L: 16 x 100mm; 250/tray	CS	8527
14958G	Tube, Test; Fisherbrand; Disposable; Flint glass; Plain end; Round bottom; Smooth top, bottom prevent cuts; Packaging: Trays; O.D. x L: 16 x 125mm; 250/tray	CS	10651
14958H	Tube, Test; Fisherbrand; Disposable; Flint glass; Plain end; O.D. x L: 16 x 150mm; No. Per Tray: 250	CS	11265
14958J	Tube, Test; Fisherbrand; Disposable; Flint glass; Plain end; Round bottom; Smooth top; O.D. x L: 18 x 150mm; Packed in trays; No. Per Tray: 125; Case of: 500	CS	9455
14958K	Tube, Test; Fisherbrand; Disposable; Flint glass; Plain End; Round bottom; Smooth top, bottom prevent cuts; Packaging: Trays; O.D. x L: 20 x 150mm; No. Per Tray: 250	CS	10601
1495910AA	Test Tube; Fisherbrand; Disposable; Nonsterile; Extra-heavy wall construction; Round bottom; Slight lip at top; Translucent polypropylene; With snap cap; O.D. x L: 12 x 75mm	CS	11047
1495916	Test Tube; Fisherbrand; Disposable; Round-bottom; Translucent polypropylene; Heavy wall; Cap supplied: none; O.D. x L: 12 x 75mm	PK	5085
1495916A	Test Tube; Fisherbrand; Disposable; Nonsterile; Round bottom; Translucent polypropylene; Cap supplied: none; Extra-heavy wall construction; O.D. x L: 12 x 75mm	CS	5989
1495925A	Test Tubes; Fisherbrand; Reusable; High-quality Borosilicate Glass; Closure: Black phenolic screw cap; With white rubber liner; With marking spot; O.D. x L: 13 x 100mm; No. Per Tray: 500; Case of: 1000	CS	50917
1495925B	Test Tubes; Fisherbrand; Reusable; High-quality Borosilicate Glass; Closure: Black phenolic screw cap; With white rubber liner; With marking spot; O.D. x L: 16 x 100mm; No. Per Tray: 250; Case of: 1000	CS	54163
1495925C	Test Tubes; Fisherbrand; Reusable; High-quality Borosilicate Glass; Closure: Black phenolic screw cap; With white rubber liner; With marking spot; O.D. x L: 16 x 125mm; No. Per Tray: 250; Case of: 1000	CS	56581
1495925D	Test Tubes; Fisherbrand; Reusable; High-quality Borosilicate Glass; Closure: Black phenolic screw cap; With white rubber liner; With marking spot; O.D. x L: 16 x 150mm; No. Per Tray: 250; Case of: 1000	CS	61455
1495925E	Test Tubes; Fisherbrand; Reusable; High-quality Borosilicate Glass; Closure: Black phenolic screw cap; With white rubber liner; With marking spot; O.D. x L: 20 x 125mm; No. Per Tray: 250; Case of: 500	CS	43187
1495925F	Test Tube; Fisherbrand; Reusable; Material: borosilicate glass; Closure: Black phenolic screw cap; With white rubber liner; With marking spot; O.D. x L: 20 x 150mm	CS	47199
1495935A	Test Tube; Fisherbrand; Disposable; Borosilicate glass; Threaded end; Round bottom; Closure: none; Style: With marking spot; O.D. x L: 16 x 125mm	CS	38800
1495935AA	Tube, Test; Fisherbrand; Disposable; Borosilicate glass; Threaded end; Round bottom; Closure: none; Style: With marking spot; O.D. x L: 16 x 100mm; GPI Thread: 15-415	CS	37977
1495935B	Tube, Test; Fisherbrand; Disposable; Borosilicate glass; Threaded end; Round bottom; Closure: none; Style: With marking spot; O.D. x L: 16 x 150mm; GPI Thread: 15-415	CS	42534
1495935C	Tube, Test; Fisherbrand; Disposable; Borosilicate glass; Threaded end; Round bottom; Closure: none; Style: With marking spot; O.D. x L: 13 x 100mm; GPI Thread: 13-415	CS	29352
1495936A	Cap, Screw; Fisherbrand; For Disposable glass tubes; GPI Thread: 15-415; Material: phenolic; Autoclavable; Cemented-in rubber liner	CS	15764
1495936B	Cap, Screw; Fisherbrand; For Disposable glass tubes; Polypropylene; 15-415	CS	8886
1495937A	Tube, Test; Fisherbrand; Disposable; Borosilicate glass; Round bottom; With threaded end; With marking spot; O.D. x L: 20 x 125mm	CS	28096
1495937C	Test Tube; Fisherbrand; Disposable; Borosilicate glass; Round bottom; With threaded end; Without cap; With marking spot; GPI: 18-415; O.D. x L: 20 x 150mm	CS	31710
1496110	Test Tube; Fisherbrand; Disposable; Nonsterile; Extra-heavy wall construction; Round bottom; Slight lip at top; Clear polystyrene; O.D. x L: 12 x 75mm; No cap	PK	5745
1496110A	Test Tube; Fisherbrand; Disposable; Nonsterile; Extra-heavy wall construction; Round bottom; Slight lip at top; Polystyrene; Cap supplied: none; O.D. x L: 12 x 75mm	CS	6107



Cat. No.	Description	Pack	Price in ₹
1496111	Test Tube; Fisherbrand; Disposable Plastic; 12 x 75mm; Without cap; 1000/bag, 5 bags/case; Nonsterile; Polypropylene	CS	18337
1496112	Cap, Snap; Fisherbrand; 12mm; Polyethylene; For nonsterile plastic tubes	PK	4310
1496113	Test Tube; Fisherbrand; Disposable; Nonsterile; Round bottom; Clear polystyrene; Special molding avoids leaks and cracks; Cap supplied: none; O.D. x L: 12 x 75mm; 5mL	CS	22587
1496120	Test Tube; Fisherbrand; Disposable; Nonsterile; Extra-heavy wall construction; Round bottom; Slight lip at top; Clear polystyrene; With snap cap; O.D. x L: 12 x 75mm	CS	12814
1496125	Tube, Culture; Fisherbrand; Disposable; Borosilicate glass; Round bottom; Plain end; Rim top; Chemical resistance against sodium leaching; O.D. x L: 10 x 75mm	CS	4872
1496126	Tube, Culture; Fisherbrand; Disposable; Borosilicate glass; Round bottom; Plain end; Rim top; Chemical resistance against sodium leaching; O.D. x L: 12 x 75mm	CS	5527
1496127	Tube, Culture; Fisherbrand; Disposable; Borosilicate glass; Round bottom; Plain end; Rim top; Chemical resistance against sodium leaching; O.D. x L: 13 x 100mm	CS	6983
1496128	Tube, Culture; Fisherbrand; Disposable; Borosilicate glass; Round bottom; Plain end; Rim top; Chemical resistance against sodium leaching; O.D. x L: 15 x 85mm	CS	11800
1496129	Tube, Culture; Fisherbrand; Round bottom; Plain end; Borosilicate glass; Disposable; O.D. x L: 16 x 100mm	CS	10198
1496130	Tube, Culture; Fisherbrand; Round bottom; Plain end; Borosilicate glass; For tissue culture and clinical chemistry; Disposable; O.D. x L: 16 x 125mm; 250/tray	CS	11488
1496131	Tube, Culture; Fisherbrand; Round bottom; Plain end; Rim Top; Borosilicate glass; Chemical resistance against sodium leaching; Disposable; O.D. x L: 16 x 150mm	CS	11831
1496132	Tube, Culture; Fisherbrand; Disposable; Borosilicate glass; Round bottom; Plain end; Rim top; Chemical resistance against sodium leaching; O.D. x L: 18 x 150mm	CS	9039
1496133	Tube, Culture; Fisherbrand; Disposable; Plain end; Round bottom; O.D. x L: 20 x 150mm; 250/tray	CS	14430
1496134	Tube, Culture; Fisherbrand; Disposable; Borosilicate glass; Round bottom; Plain end; O.D. x L: 25 x 150mm; 125/tray	CS	25784
1496226D	Test Tubes; Fisherbrand; Disposable; Borosilicate Glass; Round Bottom; With polypropylene screw cap; With marking spot; O.D. x L: 13 x 100mm; No. Per Tray: 500	CS	46567
1496226F	Test Tubes; Fisherbrand; Disposable; Borosilicate Glass; Round Bottom; With polypropylene screw cap; With marking spot; O.D. x L: 16 x 100mm; No. Per Tray: 250	CS	51161
1496226G	Test Tubes; Fisherbrand; Disposable; Borosilicate Glass; Round Bottom; With polypropylene screw cap; With marking spot; O.D. x L: 16 x 125mm; No. Per Tray: 250	CS	54908
1496226H	Test Tubes; Fisherbrand; Disposable; Borosilicate Glass; Closure: Polypropylene Screw cap, linerless; Round bottom; Marking spot; O.D. x L: 16 x 150mm; No. Per Tray: 250; Case of: 1000	CS	59688
1496226K	Test Tubes; Fisherbrand; Disposable; Borosilicate Glass; Closure: Polypropylene Screw cap, linerless; Round bottom; Marking spot; O.D. x L: 20 x 125mm; No. Per Tray: 250; Case of: 500	CS	37137
1496226M	Test Tubes; Fisherbrand; Disposable; Borosilicate Glass; Closure: Polypropylene Screw cap, linerless; Round bottom; Marking spot; O.D. x L: 20 x 150mm; No. Per Tray: 250	CS	41170
22038966	Tubes, Transport; Fisherbrand; Leak-resistant; 10mL; Polypropylene; Rounded bottom; Freestanding skirt; Graduations from 1.0 to 8.0mL, in 1.0mL increments; Type: Serum Transport Tube (w/o Cap)	CS	13347
22260943	Tube, Capillary; Fisherbrand; Color-coded; Non-heparinized; Low-taper soft glass; Blue tip; 70uL; 1.1 to 1.2 I.D x 75mmH; 0.2mm thick wall; Packed in plastic vial with reclosable snap-lock cap	EA	362
22260950	Tube, Capillary; Fisherbrand; Color-coded; Heparinized; Low-taper, soft glass; Red banded; Ends can be sealed by flame, sealing clay or proprietary caps; Length: 75mm; Inner diameter: 1.1 to 1.2mm	PK	396
22362566	Tube, Capillary; Fisherbrand; Microhematocrit; Heparinized; 75mm +/-0.02mm L; Red; Low-taper, soft glass; Ends sealed by flame; Color-coded tube tips and labels; 200 tubes per vial	PK	697
22362574	Tube, Capillary; Fisherbrand; Microhematocrit; Plain; 75mm +/-0.02mm L; 70uL; Blue; Low-taper, soft glass; Ends sealed by flame; Color-coded tube tips and labels; 200 tubes per vial	PK	747
FBA960003	Cap, Pressure; Fisher Scientific; Sample tube; PTFE; For 5mm tube; NMR tube caps for use with any KONTES; 5mm standard or Medallion series NMR tube; Pack of 25; Fits 3mm tube size; White	PK	17264
027071	Fisherbrand* Sav-It* Closures, Tube Leak-resistant seal; Can be punctured; Will not crack or fall off; 16mm Closures; Color: Red	Pack of 1000	6888
0270710	Fisherbrand* Sav-It* Closures, Tube Leak-resistant seal; Can be punctured; Will not crack or fall off; 12/13mm Closures; Color: Green	Pack of 1000	6888
0270711	Fisherbrand* Sav-It* Closures, Tube Leak-resistant seal; Can be punctured; Will not crack or fall off; 12/13mm Closures; Color: Kavender	Pack of 1000	6888
0270712	Fisherbrand* Sav-It* Closures, Tube Leak-resistant seal; Can be punctured; Will not crack or fall off; Direct through-cap sampling; Type: 12/13mm closures; Color: black	Pack of 1000	6888

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
0270713	Fisherbrand* Sav-It* Closures, Tube Leak-resistant seal; Can be punctured; Will not crack or fall off; 12/13mm Closures; Color: Blue	Pack of 1000	6888
0270714	Fisherbrand* Sav-It* Closures, Tube Leak-resistant seal; Can be punctured; Will not crack or fall off; Direct through-cap sampling; Type: 12/13mm closures; Color: gray	Pack of 1000	6888
0270715	Fisherbrand* Sav-It* Closures, Tube Leak-resistant seal; Can be punctured; Will not crack or fall off; Direct through-cap sampling; Type: 12/13mm closures; Color: yellow	Pack of 1000	6888
0270716	Fisherbrand* Sav-It* Closures, Tube Leak-resistant seal; Can be punctured; Will not crack or fall off; 12/13mm Closures; Color: White	Pack of 1000	6888
027072	Fisherbrand* Sav-It* Closures, Tube Leak-resistant seal; Can be punctured; Will not crack or fall off; 16mm Closures; Color: Green	Pack of 1000	6888
027073	Fisherbrand* Sav-It* Closures, Tube Leak-resistant seal; Can be punctured; Will not crack or fall off; 16mm Closures; Color: Lavender	Pack of 1000	6888
027074	Fisherbrand* Sav-It* Closures, Tube Leak-resistant seal; Can be punctured; Will not crack or fall off; Direct through-cap sampling; Type: 16mm closures; Color: black	Pack of 1000	6888
027076	Fisherbrand* Sav-It* Closures, Tube; Firm, leak-resistant seals; One-hand application; Can be punctured for through-cap sampling; Fits test tubes, centrifuge tubes, specialty tubes, evacuated blood drawing tubes; 16mm closures; Color: Gray	Pack of 1000	6888
027077	Fisherbrand* Sav-It* Closures, Tube Leak-resistant seal; Can be punctured; Will not crack or fall off; 16mm Closures; Color: Yellow	Pack of 1000	6888
027079	Fisherbrand* Sav-It* Closures, Tube Leak-resistant seal; Can be punctured; Will not crack or fall off; 12/13mm Closures; Color: Red	Pack of 1000	6888
0268157	Fisherbrand* Caps, Serum Filter; For storage or transport; Not for use with flared serum filters; Fits: 10.25-, 13-, 16-mm	Pack of 500	3729
0270717	Fisherbrand* VersaClosure* Closures, Tube Universal; Seals most 16-, 13-, 12- and 10-mm tube closures; Color: Clear	Pack of 1000	4117
0270718	Fisherbrand* VersaClosure* Closures, Tube Universal; Seals most 16-, 13-, 12- and 10-mm tube closures; Color: Red	Pack of 1000	4117
0270719	Fisherbrand* VersaClosure* Closures, Tube Universal; Seals most 16-, 13-, 12- and 10-mm tube closures; Color: Lavender	Pack of 1000	4117
0270720	Fisherbrand* VersaClosure* Closures, Tube Universal; Seals most 16-, 13-, 12- and 10-mm tube closures; Color: Green	Pack of 1000	4117
0270721	Fisherbrand* VersaClosure* Closures, Tube Universal; Seals most 16-, 13-, 12- and 10-mm tube closures; Color: Blue	Pack of 1000	4117
0270722	Fisherbrand* VersaClosure* Closures, Tube; Universal; Firm, positive seal by sealing inside tube or over tube rim; One-size design seals most 16-, 13-, 12-, 10-mm blood collection, glass, plastic test tubes; One-hand technique; Color: Gray	Pack of 1000	4117
0270723	Fisherbrand* VersaClosure* Closures, Tube Universal; Seals most 16-, 13-, 12- and 10-mm tube closures; Color: Yellow	Pack of 1000	4117
0270724	Fisherbrand* VersaClosure* Closures, Tube Universal; Seals most 16-, 13-, 12- and 10-mm tube closures; Color: Black	Pack of 1000	4117
02681450	Fisherbrand* Polypropylene Snap Cap Tubes with Indented Top Capless Microcentrifuge Tubes and Plug Closure, White Plug Closure to Fit 1.5mL and 2mL Capless Tubes, 1000 per pack	Pack of 1000	3312
02681274	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 0.6mL; Max. RCF 30,000xG; Red	Pack of 1000	5087
02681275	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 0.6mL; Max. RCF 30,000xG; Blue	Pack of 1000	5087
02681276	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 0.6mL; Max. RCF 30,000xG; Green	Pack of 1000	5087
02681277	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 0.6mL; Max. RCF 30,000xG; Yellow	Pack of 1000	5087
02681278	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 0.6mL; Max. RCF 30,000xG; Orange	Pack of 1000	5087
02681279	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 0.6mL; Max. RCF 30,000xG; Violet	Pack of 1000	5087
02681281	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 0.6mL; Max. RCF 30,000xG; Mixed colors	Pack of 1000	5092
02681283	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 1.5mL; Max. RCF 26,000xG; Green	Pack of 500	2541

Cat. No.	Description	Pack	Price in ₹
02681284	Fisherbrand* Tube, Microcentrifuge; PP; w/attached locking cap; Graduated; Capacity 1.5mL; Max. RCF 26,000xG; Natural	Pack of 500	2541
02681285	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 1.5mL; Max. RCF 26,000xG; Yellow	Pack of 500	2541
02681286	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 1.5mL; Max. RCF 26,000xG; Red	Pack of 500	2541
02681287	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 1.5mL; Max. RCF 26,000xG; Orange	Pack of 500	2541
02681288	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 1.5mL; Max. RCF 26,000xG; Violet	Pack of 500	2541
02681290	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 1.5mL; Max. RCF 26,000xG; Mixed colors	Pack of 500	2541
02681291	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 2.0mL; Max. RCF 25,000xG; Natural; Pack of 500	Pack of 500	3265
02681292	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 2.0mL; Max. RCF 25,000xG; Red; Pack of 500	Pack of 500	3265
02681293	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 2.0mL; Max. RCF 25,000xG; Blue; Pack of 500	Pack of 500	3265
02681294	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 2.0mL; Max. RCF 25,000xG; Green; Pack of 500	Pack of 500	3265
02681295	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 2.0mL; Max. RCF 25,000xG; Yellow; Pack of 500	Pack of 500	3265
02681296	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 2.0mL; Max. RCF 25,000xG; Orange; Pack of 500	Pack of 500	3265
02681297	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 2.0mL; Max. RCF 25,000xG; Violet; Pack of 500	Pack of 500	3265
02681299	Fisherbrand* Tube, Microcentrifuge; Polypropylene; w/attached locking cap; Graduated; Capacity 2.0mL; Max. RCF 25,000xG; Mixed Colors (Natural; Red; Blue; Green; Yellow; Orange; Violet; Amber); Pack of 500	Pack of 500	3267
02681300	Fisherbrand* Tube, Microcentrifuge; PP; w/attached locking cap; Graduated; Capacity 0.6mL; Max. RCF 30,000xG; Natural, single wrapped	Pack of 500	7633
02681301	Fisherbrand* Tube, Microcentrifuge; PP; w/attached locking cap; Graduated; Capacity 1.5mL; Max. RCF 26,000xG; Natural, single wrapped	Pack of 250	16706
02681302	Fisherbrand* Tube, Microcentrifuge; PP; w/attached locking cap; Graduated; Capacity 2.0mL; Max. RCF 25,000xG; Natural, single wrapped	Pack of 250	4450
02681333	Fisherbrand* Tubes; Threaded-end; Nonsterile; Colored screw caps; Siliconized; Skirted-bottom tubes; Max. Force: 30,000xG; capacity: 0.5mL; 500/pack; Color: Natural	Pack of 500	3941
02681334	Fisherbrand* Tubes; Threaded-end; Nonsterile; Colored screw caps; Siliconized; Conical-bottom tubes; Max. Force: 25,000xG; capacity: 0.5mL; Color: Natural	Pack of 500	3991
02681335	Fisherbrand* Tubes; Threaded-end; Nonsterile; Colored screw caps; Siliconized; Conical-bottom tubes; Max. Force: 25,000xG; capacity: 0.5mL; Color: Amber	Pack of 500	4211
02681337	Fisherbrand* Tubes; Threaded-end; Nonsterile; Colored screw caps; Siliconized; Skirted-bottom tubes; Max. Force: 30,000xG; capacity: 0.5mL; Color: Amber	Pack of 500	4284
02681338	Fisherbrand* Tubes; Threaded-end; Nonsterile; Colored screw caps; Siliconized; Skirted-bottom tubes; Max. RCF: 30,000xG; capacity: 1.5mL; Color: Natural	Pack of 500	3267
02681339	Fisherbrand* Tubes, Centrifuge; Nonsterile; Screw-Cap; Threaded; Conical-bottom; Natural; Capacity: 1.5mL; Max. RCF: 30,000xG	Pack of 500	3265
02681340	Fisherbrand* Tubes; Threaded-end; Nonsterile; Colored screw caps; Siliconized; Conical-bottom tubes; Max. Force: 30,000xG; capacity: 1.5mL; Color: Amber	Pack of 500	4335
02681342	Fisherbrand* Tubes; Threaded-end; Nonsterile; Colored screw caps; Siliconized; Skirted-bottom tubes; Max. Force: 18,000xG; capacity: 1.5mL; Color: Amber	Pack of 500	4783
02681344	Fisherbrand* Tubes, Centrifuge; Nonsterile; Screw-Cap; Threaded; Conical-bottom; Natural; Capacity: 2.0mL; Max. RCF: 25,000xG	Pack of 500	4000
02681345	Fisherbrand* Tubes; Threaded-end; Nonsterile; Colored screw caps; Siliconized; Conical-bottom tubes; Max. Force: 25,000xG; capacity: 2.0mL; Color: Amber	Pack of 500	4847
02707350	Fisherbrand* Tube, Microcentrifuge; With removable tether cap; Natural-colored polypropylene; Ultragrade polypropylene cap w/ethylene/propylene o-rings; Frosted writing area; Max. RCF: 20,000 x G; Round bottom; 0.5mL; Nonsterile	Pack of 500	12129

Cat. No.	Description	Pack	Price in ₹
02707351	Fisherbrand* Tube, Microcentrifuge; With removable tether cap; Natural-colored polypropylene; Ultragrade polypropylene cap w/ethylene/propylene o-rings; Frosted writing area; Max. RCF: 20,000 x G; Round bottom; 0.5mL; Sterile	Pack of 500	14153
02707352	Fisherbrand* Tube, Microcentrifuge; With removable tether cap; Natural-colored polypropylene; Ultragrade polypropylene cap w/ethylene/propylene o-rings; Frosted writing area; Max. RCF: 20,000 x G; Round bottom; 1.5mL; Nonsterile	Pack of 500	12127
02707353	Fisherbrand* Tube, Microcentrifuge; With removable tether cap; Natural-colored polypropylene; Ultragrade polypropylene cap w/ethylene/propylene o-rings; Frosted writing area; Max. RCF: 20,000 x G; Round bottom; 1.5mL; Sterile	Pack of 500	14153
02707356	Fisherbrand* Tube, Microcentrifuge; With removable tether cap; Natural-colored polypropylene; Ultragrade polypropylene cap w/ethylene/propylene o-rings; Frosted writing area; Max. RCF: 20,000 x G; Skirted bottom; 0.5mL; Nonsterile	Pack of 500	12123
02707357	Fisherbrand* Tube, Microcentrifuge; With removable tether cap; Natural-colored polypropylene; Ultragrade polypropylene cap w/ethylene/propylene o-rings; Frosted writing area; Max. RCF: 20,000 x G; Skirted bottom; 0.5mL; Sterile	Pack of 500	14153
02707358	Fisherbrand* Tube, Microcentrifuge; With removable tether cap; Natural-colored polypropylene; Ultragrade polypropylene cap w/ethylene/propylene o-rings; Frosted writing area; Max. RCF: 20,000 x G; Skirted bottom; 1.5mL; Nonsterile	Pack of 500	12127
02707359	Fisherbrand* Tube, Microcentrifuge; With removable tether cap; Natural-colored polypropylene; Ultragrade polypropylene cap w/ethylene/propylene o-rings; Frosted writing area; Max. RCF: 20,000 x G; Skirted bottom; 1.5mL; Sterile	Pack of 500	14155
02707360	Fisherbrand* Tube, Microcentrifuge; With removable tether cap; Natural-colored polypropylene; Ultragrade polypropylene cap w/ethylene/propylene o-rings; Frosted writing area; Max. RCF: 20,000 x G; Skirted bottom; 2.0mL; Nonsterile; Graduated	Pack of 500	12127
02707361	Fisherbrand* Tube, Microcentrifuge; With removable tether cap; Natural-colored polypropylene; Ultragrade polypropylene cap w/ethylene/propylene o-rings; Frosted writing area; Max. RCF: 20,000 x G; Skirted bottom; 2.0mL; Sterile; Graduated	Pack of 500	14153
02681376	Fisherbrand* Tubes; Microtiter; Polypropylene; Plain tubes; Autoclavable; Bagged; 1.2mL, Non-sterile, Disposable; certified RNase- and DNase-free; Color: Natural	Pack of 1000	3826
02681377	Fisherbrand* Tubes; Microtiter; Polypropylene; Frosted tubes; Autoclavable; Bagged; 1.2mL, Non-sterile, Disposable; certified RNase- and DNase-free; Color: Natural	Pack of 1000	3826
02681380	Fisherbrand* Tubes; Microtiter; Polypropylene; Plain tubes; Autoclavable; Tray pack; 1.2mL, Non-sterile, Disposable; certified RNase- and DNase-free; Color: Natural	Pack of 960	6332
02681381	Fisherbrand* Tubes; Microtiter; Polypropylene; Plain tubes; Autoclavable; Tray pack; 1.2mL, Sterile, Disposable; certified RNase-, DNase-, ATP-, DNA- and pyrogen-free; Color: Natural	Cs of 4800	35378
02681382	Fisherbrand* Tube, Microtiter, Polypropylene, 1.2mL, Tray of 96 in 8 rows of 12, With frosted writing area, Disposable	Cs of 4800	31657
02681383	Fisherbrand* Tubes; Microtiter; Polypropylene; Frosted tubes; Autoclavable; Tray pack; 1.2mL, Sterile, Disposable; certified RNase-, DNase-, ATP-, DNA- and pyrogen-free; Color: Natural	Pack of 960	7075
02681385	Fisherbrand* Tubes; Microtiter; Polypropylene; Plain tubes; Autoclavable; Robotic pack; 1.2mL, Non-sterile, Disposable; certified RNase- and DNase-free; Color: Natural	Pack of 960	6152
02681386	Fisherbrand* Tubes; Microtiter; Polypropylene; Plain tubes; Autoclavable; Robotic pack; 1.2mL, Sterile, Disposable; certified RNase-, DNase-, ATP-, DNA- and pyrogen-free; Color: Natural	Pack of 960	7693
02681387	Fisherbrand* Tubes; Microtiter; Polypropylene; Frosted tubes; Autoclavable; Robotic pack; 1.2mL, Non-sterile, Disposable; certified RNase- and DNase-free; Color: Natural	Pack of 960	6152
05408120	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 0.5mL capacity; 7.5 O.D. x 30.5mm L; Natural	Pack of 500	1537
05408121	Fisherbrand* Tube, Microcentrifuge; PP; 30,000xG; Superior sample recovery; Flip-top snap cap w/insertion area, graduations, marking spot; Temp. Range -180 deg. to +121 deg. C; Autoclavable; nonpyro; Rnase/Dnase-free; 0.5mL; 7.5 O.D. x 60.5mm L; Red	Pack of 500	2070
05408122	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 0.5mL capacity; 7.5 O.D. x 30.5mm L; Yellow	Pack of 500	2070
05408123	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 0.5mL capacity; 7.5 O.D. x 30.5mm L; Blue	Pack of 500	2154
05408124	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 0.5mL capacity; 7.5 O.D. x 30.5mm L; Green	Pack of 500	2070

Cat. No.	Description	Pack	Price in ₹
05408125	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 0.5mL capacity; 7.5 O.D. x 30.5mm L; Amber	Pack of 500	2227
05408126	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 0.5mL capacity; 7.5 O.D. x 30.5mm L; Orange	Pack of 500	2085
05408127	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 0.5mL capacity; 7.5 O.D. x 30.5mm L; Lavender	Pack of 500	2097
05408129	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 1.5mL capacity; 10.8 O.D. x 40.6mm L; Natural	Pack of 500	1759
05408130	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 1.5mL capacity; 10.8 O.D. x 40.6mm L; Red	Pack of 500	1759
05408131	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 1.5mL capacity; 10.8 O.D. x 40.6mm L; Yellow	Pack of 500	2191
05408132	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 1.5mL capacity; 10.8 O.D. x 40.6mm L; Blue	Pack of 500	1759
05408133	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 1.5mL capacity; 10.8 O.D. x 40.6mm L; Green	Pack of 500	1759
05408134	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 1.5mL capacity; 10.8 O.D. x 40.6mm L; Amber	Pack of 500	2200
05408135	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 1.5mL capacity; 10.8 O.D. x 40.6mm L; Orange	Pack of 500	2229
05408136	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 1.5mL capacity; 10.8 O.D. x 40.6mm L; Lavender	Pack of 500	2229
05408138	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 2.0mL capacity; 11 O.D. x 40.6mm L; Natural	Pack of 500	2376
05408139	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 2.0mL capacity; 11 O.D. x 40.6mm L; Red	Pack of 500	2363
05408140	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 2.0mL capacity; 11 O.D. x 40.6mm L; Yellow	Pack of 500	2432
05408142	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 2.0mL capacity; 11 O.D. x 40.6mm L; Green	Pack of 500	2373
05408143	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 2.0mL capacity; 11 O.D. x 40.6mm L; Orange	Pack of 500	2376
05408144	Fisherbrand* Tube, Microcentrifuge; PP; w/Flat-top snap caps w/insertion spot; Graduated; Labeling area; Autoclavable; Nonpyrogenic; RNase/DNase-free; Max. RCF 30,000xG; 2.0mL capacity; 11 O.D. x 40.6mm L; Lavender	Pack of 500	2449
02681451	Fisherbrand* Microcentrifuge Tubes; Rimmed; Polypropylene snap cap with Indented Top; capless and Plug Closure; Graduated tube; O.D. x L: 10 x 30mm; 1000/pack; capacity: 0.6mL Conical; Color: Natural	Pack of 1000	4361
02681453	Fisherbrand* Microcentrifuge Tubes; Rimmed; Polypropylene snap cap with Indented Top; capless and Plug Closure; Graduated tube; O.D. x L: 13 x 40mm; 1000/pack; capacity: 2.0mL Conical; Color: Natural	Pack of 1000	5819
02681347	Fisherbrand* Cap; Screw; For Use With: Nonsterile Skirted And Conical Tubes; Frosted Writing Surface; Pierceable; Without O-Ring; Color: Natural	Pack of 500	3493
02681348	Fisherbrand* Caps, Screw; Blue; For use with nonsterile skirted- and conical-bottom tubes; Feature a frosted writing surface; Pierceable for sample removal; With O-ring	Pack of 500	3623

Cat. No.	Description	Pack	Price in ₹
02681349	Fisherbrand* Caps, Screw; Yellow; For use with nonsterile skirted- and conical-bottom tubes; Feature a frosted writing surface; Piercable for sample removal; Without O-ring	Pack of 500	3679
02681350	Fisherbrand* Caps, Screw; Red; For use with nonsterile skirted- and conical-bottom tubes; Feature a frosted writing surface; Piercable for sample removal; Without O-ring	Pack of 500	3679
02681358	Fisherbrand* Cap; Screw; For Use With: Nonsterile Skirted And Conical Tubes; Frosted Writing Surface; Pierceable; With O-Ring; Color: Natural	Pack of 500	6526
02681359	Fisherbrand* Cap; Screw; For Use With: Nonsterile Skirted And Conical Tubes; Frosted Writing Surface; Pierceable; With O-Ring; Color: Blue	Pack of 500	6528
02681360	Fisherbrand* Cap; Screw; For Use With: Nonsterile Skirted And Conical Tubes; Frosted Writing Surface; Pierceable; With O-Ring; Color: Yellow	Pack of 500	6526
02681361	Fisherbrand* Cap; Screw; For Use With: Nonsterile Skirted And Conical Tubes; Frosted Writing Surface; Pierceable; With O-Ring; Color: Red	Pack of 500	6526
02681363	Fisherbrand* Cap; Screw; For Use With: Nonsterile Skirted And Conical Tubes; Frosted Writing Surface; Pierceable; With O-Ring; Color: Green	Pack of 500	6528
02681364	Fisherbrand* Cap; Screw; For Use With: Nonsterile Skirted And Conical Tubes; Frosted Writing Surface; Pierceable; With O-Ring; Color: Orange	Pack of 500	6526
02681366	Fisherbrand* Cap; Screw; For Use With: Nonsterile Skirted And Conical Tubes; Frosted Writing Surface; Pierceable; With O-Ring; Color: Violet	Pack of 500	6528
02681367	Fisherbrand* Cap; Screw; For Use With: Nonsterile Skirted And Conical Tubes; Frosted Writing Surface; Pierceable; With O-Ring; Color: Amber	Pack of 500	6436
02681368	Fisherbrand* Cap; Screw; For Use With: Nonsterile Skirted And Conical Tubes; Frosted Writing Surface; Pierceable; With O-Ring; Color: Mixed	Pack of 500	6373
02682558	Fisherbrand* Tubes; Plastic, Microcentrifuge; Autoclavable; Screw-cap; Free-standing; Polypropylene; With cap; Max. force: 20,000xG; capacity: 2.0mL	Pack of 500	8800
02682559	Fisherbrand* Tubes; Plastic, Microcentrifuge; Autoclavable; Screw-cap; Free-standing; Polypropylene; With cap; Max. force: 20,000xG; capacity: 0.5mL	Pack of 500	8797
02681370	Fisherbrand* Tubes, Microcentrifuge; Screw cap; Autoclavable; Sterilized; With O-ring; Natural color; Frosted writing area; Polypropylene; 0.5mL; Skirted bottom; Max. RCF: 30,000xG	Pack of 500	16235
02681372	Fisherbrand* Tubes, Screw-cap; Skirted-bottom; 1.5mL; Max. RCF: 18,000xG; Sterile; With attached caps; Natural-colored cap; With O-rings; 500/pack or 5 pack/case	Pack of 500	16376
02681373	Fisherbrand* Tubes, Microcentrifuge; Screw cap; Autoclavable; Sterilized; With O-ring; Natural color; Frosted writing area; Polypropylene; 1.5mL; Conical bottom; Max. RCF: 30,000xG	Pack of 500	16240
02681374	Fisherbrand* Tubes, Microcentrifuge; Screw cap; Autoclavable; Sterilized; With O-ring; Natural color; Frosted writing area; Polypropylene; 2.0mL; Skirted bottom; Max. RCF: 18,000xG	Pack of 500	16244
02681375	Fisherbrand* Tubes, Microcentrifuge; Screw cap; Autoclavable; Sterilized; With O-ring; Natural color; Frosted writing area; Polypropylene; 2.0mL; Conical bottom; Max. RCF: 25,000xG	Pack of 500	16237
02681311	Fisherbrand* Tubes, Microcentrifuge; Siliconized Low-Retention; Snap-cap lid; Chemical-resistant polypropylene; Fully graduated; Frosted writing area; Withstand speeds up to 30,000xG; Bulk; Nonsterile; Natural; O.D. x L: 10 x 30mm; 0.6mL	Pack of 500	2795
02681320	Fisherbrand* Tubes, Microcentrifuge; Siliconized Low-Retention; Snap-cap lid; Chemical-resistant polypropylene; Fully graduated; Frosted writing area; Withstand speeds up to 30,000xG; Bulk; Nonsterile; Natural; O.D. x L: 13 x 40mm; 1.5mL	Pack of 250	1759
02681321	Fisherbrand* Tubes, Microcentrifuge; Siliconized Low-Retention; Snap-cap lid; Chemical-resistant polypropylene; Fully graduated; Frosted writing area; Withstand speeds up to 30,000xG; Bulk; Nonsterile; Natural; O.D. x L: 13 x 40mm; 2.0mL	Pack of 250	2446
02681331	Fisherbrand* Tubes, Microcentrifuge; Polypropylene; Chemical resistant; With writing area; Siliconized; Low Retention; Closure: Attached cap; Volume: 1.5mL; Graduations: 0.5mL; O.D. x L: 13 x 40mm; Color: Natural; Sterile; Single-wrapped	Pack of 250	4188
02681332	Fisherbrand* Tubes, Microcentrifuge; Polypropylene; Chemical resistant; With writing area; Siliconized; Low Retention; Closure: Attached cap; Volume: 2.0mL; Graduations: 0.5mL; O.D. x L: 13 x 40mm; Color: Natural; Sterile; Single-wrapped	Pack of 250	6904
02681240	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; w/Snap-cap and flat top; Polypropylene; 30,000xG; Nonsterile; 0.6mL capacity; 10 O.D. x 30mm L; Natural	Pack of 1000	4447
02681241	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; w/Snap-cap and flat top; Polypropylene; 30,000xG; Nonsterile; 0.6mL capacity; 10 O.D. x 30mm L;	Pack of 1000	4450
02681242	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; w/Snap-cap and flat top; Polypropylene; 30,000xG; Nonsterile; 0.6mL capacity; 10 O.D. x 30mm L; Blue	Pack of 1000	4450
02681243	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; w/Snap-cap and flat top; Polypropylene; 30,000xG; Nonsterile; 0.6mL capacity; 10 O.D. x 30mm L; Green	Pack of 1000	4450

Cat. No.	Description	Pack	Price in ₹
02681244	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; w/Snap-cap and flat top; Polypropylene; 30,000xG; Nonsterile; 0.6mL capacity; 10 O.D. x 30mm L; Yellow	Pack of 1000	4450
02681245	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; w/Snap-cap and flat top; Polypropylene; 30,000xG; Nonsterile; 0.6mL capacity; 10 O.D. x 30mm L; Orange	Pack of 1000	4450
02681246	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; w/Snap-cap and flat top; Polypropylene; 30,000xG; Nonsterile; 0.6mL capacity; 10 O.D. x 30mm L; Violet	Pack of 1000	4450
02681248	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; w/Snap-cap and flat top; Polypropylene; 30,000xG; Nonsterile; 0.6mL capacity; 10 O.D. x 30mm L; Assorted	Pack of 1000	4447
02681272	Fisherbrand* Snap-Cap* Tubes, Microcentrifuge; Snap-Cap with Flat-Top; Polypropylene; Bulk/ Nonsterile; Natural; 1.5mL; O.D. x L: 14 x 39mm; Max. RCF: 26,000xG	Pack of 500	2599
02681255	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; snap-cap with flat top; Polypropylene; 0.6mL capacity; 10 O.D. x 30mmL; 30,000xG; Bulk/Nonsterile; Pack of 1000; Amber	Pack of 1000	4450
02681256	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; snap-cap with flat top; Polypropylene; 0.6mL capacity; 10 O.D. x 30mmL; 30,000xG; Bulk/Nonsterile; Pack of 1000; Assorted	Pack of 1000	4447
02681257	Fisherbrand* Snap-Cap* Tubes, Microcentrifuge; Snap-Cap with Flat-Top; Polypropylene; Bulk/ Nonsterile; Capacity, 0.6mL; Graduated in 0.2mL increments; Natural; 1.5mL; O.D. x L: 10 x 30mm; Max. RCF: 30,000xG	Pack of 1000	4450
02681258	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; snap-cap with flat top; Polypropylene; 2.0mL capacity; 13 O.D. x 40mmL; 30,000xG; Bulk/Nonsterile; Pack of 500; Natural	Pack of 500	2900
02681259	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; snap-cap with flat top; Polypropylene; 2.0mL capacity; 13 O.D. x 40mmL; Bulk/Nonsterile; Pack of 500; Red	Pack of 500	2900
02681260	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; snap-cap with flat top; Polypropylene; 2.0mL capacity; 13 O.D. x 40mmL; Bulk/Nonsterile; Pack of 500; Yellow	Pack of 500	2900
02681261	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; snap-cap with flat top; Polypropylene; 2.0mL capacity; 13 O.D. x 40mmL; Bulk/Nonsterile; Pack of 500; Blue	Pack of 500	2900
02681262	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; snap-cap with flat top; Polypropylene; 2.0mL capacity; 13 O.D. x 40mmL; Bulk/Nonsterile; Pack of 500; Green	Pack of 500	2900
02681264	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; snap-cap with flat top; Polypropylene; 2.0mL capacity; 13 O.D. x 40mmL; Bulk/Nonsterile; Pack of 500; Violet	Pack of 500	2900
02681265	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; snap-cap with flat top; Polypropylene; 2.0mL capacity; 13 O.D. x 40mmL; Bulk/Nonsterile; Pack of 500; Amber	Pack of 500	2900
02681266	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; snap-cap with flat top; Polypropylene; 2.0mL capacity; 13 O.D. x 40mmL; Bulk/Nonsterile; Pack of 500; Assorted	Pack of 500	2900
02681268	Fisherbrand* Snap-Cap* Tubes, Graduated; Natural; Flat-tops; Snap-cap; Polypropylene; Capacity: 0.6mL; Single-wrapped; Sterile; Graduated in 0.2mL increments; O.D. x L: 0.394 x 0.181 in. (10 x 30mm); Max. RCF: 30,000xG	Pack of 500	6819
02681271	Fisherbrand* Snap-Cap* Tubes, Graduated; Natural; Flat-tops; Snap-cap; Polypropylene; Capacity: 2.0mL; Single-wrapped; Sterile; Graduated in 0.5mL increments; O.D. x L: 0.512 x 0.575 in. (13 x 40mm); Max. RCF: 25,000xG	Pack of 250	4361
026815	Fisherbrand* Snap-Cap* Centrifuge Tube; 1.5mL; Natural; Sterile; Flat-top snap cap; Graduated in 0.5mL increments; Polypropylene; Frosted writing area on tube and cap	Pack of 250	3684
02682550	Fisherbrand* Snap-Cap* Centrifuge Tube; 1.5mL; Natural; Nonsterile; Flat-top snap cap; Graduated in 0.5mL increments; Polypropylene; Frosted writing area on tube and cap	Pack of 500	2591
02682551	Fisherbrand* Snap-Cap* Centrifuge Tube; 1.5mL; Blue; Nonsterile; Flat-top snap cap; Graduated in 0.5mL increments; Polypropylene; Frosted writing area on tube and cap	Pack of 500	2604
02682552	Fisherbrand* Snap-Cap* Centrifuge Tube; 1.5mL; Green; Nonsterile; Flat-top snap cap; Graduated in 0.5mL increments; Polypropylene; Frosted writing area on tube and cap	Pack of 500	2604
02682553	Fisherbrand* Snap-Cap* Centrifuge Tube; 1.5mL; Red; Nonsterile; Flat-top snap cap; Graduated in 0.5mL increments; Polypropylene; Frosted writing area on tube and cap	Pack of 500	2604
02682554	Fisherbrand* Snap-Cap* Centrifuge Tube; 1.5mL; Violet; Nonsterile; Flat-top snap cap; Graduated in 0.5mL increments; Polypropylene; Frosted writing area on tube and cap	Pack of 500	2604
02682555	Fisherbrand* Snap-Cap* Centrifuge Tube; 1.5mL; Yellow; Nonsterile; Flat-top snap cap; Graduated in 0.5mL increments; Polypropylene; Frosted writing area on tube and cap	Pack of 500	2604
02681235	Fisherbrand* Snap-Cap* Tube, Microcentrifuge; Snap-cap with indented top; Polypropylene; Nonsterile; 1.5mL capacity; 14 O.D. x 39mm L; 26,000xG; Orange	Pack of 500	1807
02681230	Fisherbrand* Snap-Cap* Tubes, Microcentrifuge; Snap Cap; Color: Natural; Polypropylene; O.D. x L: 8 x 35mm; Max. Force: 30,000xG; Capacity: 0.25mL; Packaging: Bulk/Nonsterile	Pack of 1000	4361

Cat. No.	Description	Pack	Price in ₹
02681449	Fisherbrand* Snap-Cap* Tubes; Snap-cap; Packed in bulk; Nonsterile; Max. RCF 28,000xG; 8 O.D. x 35mm; capacity: 0.25mL; Polyethylene; Color: Natural	Pack of 1000	4361
055399	Fisherbrand* Tubes, Centrifuge; Easy Reader; Black printed graduation in 0.5mL subdivisions from 2 to 14.5mL; Conical bottom; NonSterile; Polypropylene; 50mL; 28 O.D. x 115mm Long; 6000 x G Max. RCF; Plug seal closure; Sleeve	Cs of 500	14618
0644318	Fisherbrand* Tubes, Centrifuge; Easy Reader; Polypropylene; 50mL tubes; Graduated in 5mL increments from 5 to 50mL; Flat Top Closure; 28 O.D. x 115mm L; Max. RCF: 9400xG; Sterile; 25/Rack	Cs of 500	16572
0644319	Fisherbrand* Tubes, Centrifuge; Easy reader; High-speed; Polypropylene; 50mL tubes; Graduated in 5mL increments from 5 to 50mL; Flat top closure; 28 O.D. x 115mm L; Max. RCF: 9400xG; Sterile; 25/ sleeve	Cs of 500	19911
FB55951	Centrifuge tube flat top cap conical bottom sterile / non-pyrogenic polypropylene 15mL x 0.5mL 17 x 119mm 6000 x g max 10 racks of 50 tubes Fisherbrand	Pack of 500	12030
FB55952	Centrifuge tube plug seal sterile / non-pyrogenic PET 15mL x 0.5mL 17 x 119mm 1800 x g max 10 racks of 50 tubes Fisherbrand	Pack of 500	10282
FB55956	Centrifuge tube plug seal sterile polypropylene non-pyrogenic 25 tubes per rack 28 x 115mm 6000 x g max 50mL x 5mL Fisherbrand	Pack of 500	11796
FB55957	Centrifuge tube plug seal sterile polypropylene non-pyrogenic 25 tubes per sleeve 28 x 115mm 6000 x g max 50mL x 5mL Fisherbrand	Pack of 500	11628
FB55958	Centrifuge tube flat top cap sterile polypropylene non-pyrogenic 25 tubes per sleeve 28 x 115mm 6000 x g max 50mL x 5mL Fisherbrand	Pack of 500	10309
FB55959	Centrifuge tube flat top cap sterile polypropylene non-pyrogenic 25 tubes per rack 28 x 115mm 6000 x g max 50mL x 5mL Fisherbrand	Pack of 500	11964
FB55960	Centrifuge tube plug seal non sterile polypropylene 6000 x g max 25 tubes per sleeve 28 x 115mm 50mL x 5mL Fisherbrand	Pack of 500	9509
FB55961	Centrifuge tube plug seal sterile PET non-pyrogenic 25 tubes per rack 28 x 115mm 1800 x g max 50mL x 5mL Fisherbrand	Pack of 500	13824
FB59523	Tube culture rimless borosilicate glass disposable 10mm x 75mm Fisherbrand	Pack of 1000	5142
FB59525	Tube culture rimless borosilicate glass disposable 12mm x 75mm Fisherbrand	Pack of 1000	5779
FB59527	Tube culture rimless borosilicate glass disposable 13mm x 100mm Fisherbrand	Pack of 1000	7366
FB59529	Tube culture rimless borosilicate glass disposable 15mm x 85mm Fisherbrand	Pack of 1000	12007
FB59531	Tube culture rimless borosilicate glass disposable 16mm x 100mm Fisherbrand	Pack of 1000	10737
FB59533	Tube culture rimless borosilicate glass disposable 16mm x 125mm Fisherbrand	Pack of 1000	12250
FB59535	Tube culture rimless borosilicate glass disposable 16mm x 150mm Fisherbrand	Pack of 1000	12794
FB59537	Tube culture rimless borosilicate glass disposable 18mm x 150mm Fisherbrand	Pack of 1000	9563
FB59539	Tube culture rimless borosilicate glass disposable 20mm x 150mm Fisherbrand	Pack of 1000	15357
FB59541	Tube culture rimless borosilicate glass disposable 25mm x 150mm Fisherbrand	Pack of 1000	27278
FB59543	Tube culture screw thread with PP closure borosilicate glass disposable 13mm x 100mm Fisherbrand	Pack of 1000	44561
FB59545	Tube culture screw thread with PP closure borosilicate glass disposable 16mm x 100mm Fisherbrand	Pack of 1000	48959
FB59547	Tube culture screw thread with polypropylene closure borosilicate glass disposable 16mm x 125mm Fisherbrand	Pack of 1000	52545
FB59549	Tube culture screw thread with polypropylene closure borosilicate glass disposable 16mm x 150mm Fisherbrand	Pack of 1000	56792
FB59551	Tube culture screw thread with PP closure borosilicate glass disposable 20mm x 125mm Fisherbrand	Pack of 500	37985
FB59553	Tube culture screw thread with polypropylene closure borosilicate glass disposable 20mm x 150mm Fisherbrand	Pack of 500	41586
FB59555	Tube culture 13-415 screw thread without closure borosilicate glass disposable with marking spot 13mm x 100mm Fisherbrand	Pack of 1000	29528
FB59557	Tube culture 13-415 screw thread without closure borosilicate glass disposable with marking spot 13mm x 100mm Fisherbrand	Pack of 1000	36606
FB59559	Tube culture 15-415 screw thread without closure borosilicate glass disposable with marking spot 16mm x 125mm Fisherbrand	Pack of 1000	36606
FB59561	Tube culture 15-415 screw thread without closure borosilicate glass disposable with marking spot 16mm x 150mm Fisherbrand	Pack of 1000	42665
FB59563	Tube culture 18-415 screw thread without closure borosilicate glass disposable with marking spot 20mm x 125mm Fisherbrand	Pack of 500	26934
FB59565	Tube culture 18-415 screw thread without closure borosilicate glass disposable with marking spot 20mm x 150mm Fisherbrand	Pack of 500	31385



Cat. No.	Description	Pack	Price in ₹
FB59567	Tube culture 13-415 screw thread without closure borosilicate glass disposable 13mm x 100mm Fisherbrand	Pack of 1000	33931
FB59571	Tube culture 13-415 screw thread without closure borosilicate glass disposable 13mm x 100mm Fisherbrand	Pack of 1000	45841
FB59575	Tube culture 18-415 screw thread without closure borosilicate glass disposable 20mm x 150mm Fisherbrand	Pack of 500	35062
FB63101	Test tube light wall rimmed soda lime glass wall thickness 0.6mm, ISO 4142 75mm x 10mm (len x O.D.) Fisherbrand	Pack of 100	2246
FB63102	Test tube light wall rimmed soda lime glass wall thickness 0.6mm, ISO 4142 75mm x 12mm (len x O.D.) Fisherbrand	Pack of 100	1683
FB63103	Test tube light wall rimmed soda lime glass wall thickness 0.6mm, ISO 4142 75mm x 12mm (len x O.D.) Fisherbrand	Pack of 100	1872
FB63104	Test tube light wall rimmed soda lime glass wall thickness 0.6mm, ISO 4142 125mm x 16mm (len x O.D.) Fisherbrand	Pack of 100	2180
FB63105	Test tube light wall rimmed soda lime glass wall thickness 0.6mm, ISO 4142 150mm x 16mm (len x O.D.) Fisherbrand	Pack of 100	2619
FB63106	Test tube light wall rimmed soda lime glass wall thickness 0.8mm, ISO 4142 150mm x 18mm (len x O.D.) Fisherbrand	Pack of 100	3367
FB63107	Test tube light wall rimmed soda lime glass wall thickness 1.0mm, ISO 4142 150mm x 24mm (len x O.D.) Fisherbrand	Pack of 50	3929
FB63111	Test tube medium wall rimless soda lime glass wall thickness 1.0mm, ISO 4142 75mm x 10mm (len x O.D.) Fisherbrand	Pack of 100	1644
FB63112	Test tube medium wall rimless soda lime glass wall thickness 1.0mm, ISO 4142 75mm x 10mm (len x O.D.) Fisherbrand	Pack of 100	1816
FB63113	Test tube medium wall rimless soda lime glass wall thickness 1.0mm, ISO 4142 125mm x 16mm (len x O.D.) Fisherbrand	Pack of 100	3441
FB63114	Test tube medium wall rimless soda lime glass wall thickness 1.0mm, ISO 4142 150mm x 16mm (len x O.D.) Fisherbrand	Pack of 100	3740
FB63115	Test tube medium wall rimless soda lime glass wall thickness 1.0mm, ISO 4142 150mm x 18mm (len x O.D.) Fisherbrand	Pack of 100	4676
FB63116	Test tube medium wall rimless soda lime glass wall thickness 1.2mm, ISO 4142 150mm x 24mm (len x O.D.) Fisherbrand	Pack of 50	2691
FB63117	Test tube medium wall rimless soda lime glass wall thickness 1.0mm, ISO 4142 100mm x 12mm (len x O.D.) Fisherbrand	Pack of 100	1495
FB63121	Test tube light wall Durham rimless soda lime glass wall thickness 0.65mm 30mm x 6.5mm (len x O.D.) Fisherbrand	Pack of 300	3607
FB63122	Test tube light wall Durham rimless soda lime glass wall thickness 0.65mm 35mm x 8mm (len x O.D.) Fisherbrand	Pack of 300	3753
FB63123	Test tube light wall Durham rimless soda lime glass wall thickness 0.65mm 50mm x 7.5mm (len x O.D.) Fisherbrand	Pack of 1000	14208
FB63131	Test tube medium wall rimmed borosilicate glass, grade 3.3 wall thickness 1.0mm, ISO 4142 75mm x 10mm (len x O.D.) Fisherbrand	Pack of 100	3441
FB63132	Test tube medium wall rimmed borosilicate glass, grade 3.3 wall thickness 1.0mm, ISO 4142 75mm x 12mm (len x O.D.) Fisherbrand	Pack of 100	3269
FB63133	Test tube medium wall rimmed borosilicate glass, grade 3.3 wall thickness 1.0mm, ISO 4142 100mm x 12mm (len x O.D.) Fisherbrand	Pack of 100	3409
FB63134	Test tube medium wall rimmed borosilicate glass, grade 3.3 wall thickness 1.2mm, ISO 4142 100mm x 16mm (len x O.D.) Fisherbrand	Pack of 100	4359
FB63135	Test tube medium wall rimmed borosilicate glass, grade 3.3 wall thickness 1.2mm, ISO 4142 125mm x 16mm (len x O.D.) Fisherbrand	Pack of 100	4722
FB63136	Test tube medium wall rimmed borosilicate glass, grade 3.3 wall thickness 1.2mm, ISO 4142 150mm x 16mm (len x O.D.) Fisherbrand	Pack of 100	5629
FB63137	Test tube medium wall rimmed borosilicate glass, grade 3.3 wall thickness 1.2mm, ISO 4142 150mm x 18mm (len x O.D.) Fisherbrand	Pack of 100	6483
FB63138	Test tube medium wall rimmed borosilicate glass, grade 3.3 wall thickness 1.2mm, ISO 4142 150mm x 24mm (len x O.D.) Fisherbrand	Pack of 50	4178
FB63141	Test tube medium wall rimless borosilicate glass, grade 3.3 wall thickness 1.0mm, ISO 4142 75mm x 10mm (len x O.D.) Fisherbrand	Pack of 100	3441

Cat. No.	Description	Pack	Price in ₹
FB63142	Test tube medium wall rimless borosilicate glass, grade 3.3 wall thickness 1.0mm, ISO 4142 75mm x 12mm (len x O.D.) Fisherbrand	Pack of 100	3269
FB63143	Test tube medium wall rimless borosilicate glass, grade 3.3 wall thickness 1.0mm, ISO 4142 100mm x 12mm (len x O.D.) Fisherbrand	Pack of 100	3409
FB63144	Test tube medium wall rimless borosilicate glass, grade 3.3 wall thickness 1.2mm, ISO 4142 100mm x 16mm (len x O.D.) Fisherbrand	Pack of 100	4359
FB63145	Test tube medium wall rimless borosilicate glass, grade 3.3 wall thickness 1.2mm, ISO 4142 125mm x 16mm (len x O.D.) Fisherbrand	Pack of 100	4862
FB63146	Test tube medium wall rimless borosilicate glass, grade 3.3 wall thickness 1.2mm, ISO 4142 150mm x 16mm (len x O.D.) Fisherbrand	Pack of 100	5449
FB63147	Test tube medium wall rimless borosilicate glass, grade 3.3 wall thickness 1.2mm, ISO 4142 150mm x 18mm (len x O.D.) Fisherbrand	Pack of 100	6483
FB63148	Test tube medium wall rimless borosilicate glass, grade 3.3 wall thickness 1.2mm, ISO 4142 150mm x 24mm (len x O.D.) Fisherbrand	Pack of 50	4359
FB63151	Test tube heavy wall rimmed borosilicate glass, grade 3.3 wall thickness 1.8mm, ISO 4142 125mm x 16mm (len x O.D.) Fisherbrand	Pack of 100	6539
FB63152	Test tube heavy wall rimmed borosilicate glass, grade 3.3 wall thickness 1.8mm, ISO 4142 150mm x 24mm (len x O.D.) Fisherbrand	Pack of 100	5994
FB63161	Test tube heavy wall rimless borosilicate glass, grade 3.3 wall thickness 1.8mm, ISO 4142 125mm x 16mm (len x O.D.) Fisherbrand	Pack of 100	6902
FB63162	Test tube heavy wall rimless borosilicate glass, grade 3.3 wall thickness 1.8mm, ISO 4142 150mm x 16mm (len x O.D.) Fisherbrand	Pack of 100	7992
FB63163	Test tube heavy wall rimless borosilicate glass, grade 3.3 wall thickness 1.8mm, ISO 4142 150mm x 24mm (len x O.D.) Fisherbrand	Pack of 100	5994
<b>Vials</b>			
02912376	Vial, EPA; Fisherbrand; Precleaned w/certification; Clear for general analysis; Borosilicate glass; Includes 0.125 in. PTFE/silicone septa; Open-top Polypropylene screw caps; Capacity: 40mL; O.D. x H: 28 x 95mm; GPI thread: 24 to 400	CS	58031
02912377	Vial, EPA; Fisherbrand; Precleaned w/certification; Amber for light-sensitive materials; Borosilicate glass; Includes 0.125 in. PTFE/silicone septa; Open-top PP screw caps; Capacity: 40mL; O.D. x H: 28 x 95mm; GPI thread: 24 to 400	CS	60715
02912378	Vial, EPA; Fisherbrand; Precleaned with certification; Clear for general analysis; Borosilicate glass; Includes 0.125 in. PTFE/silicone septa; Open-top PP screw caps; Capacity: 20mL; O.D. x H: 28 x 57mm; GPI thread: 24-400	CS	54810
02912379	Vial, EPA; Fisherbrand; Precleaned; Clear for general analysis; Borosilicate glass; Includes 0.125 in. PTFE/silicone septa; Open-top polypropylene screw caps; Capacity: 10 dr. (40mL); O.D. x H: 28 x 95mm; GPI thread: 24 to 400	CS	36477
02912380	Vial, EPA; Fisherbrand; Precleaned; Amber for light-sensitive materials; Borosilicate glass; Includes 0.125 in. PTFE/silicone septa; Open-top Polypropylene screw caps; Capacity: 10 dr. (40mL); O.D. x H: 28 x 95mm; GPI thread: 24 to 400	CS	38900
02912381	Vial, EPA; Fisherbrand; Precleaned; Clear for general analysis; Borosilicate glass; Includes 0.125 in. PTFE/silicone septa; Open-top Polypropylene screw caps; Capacity: 5 dr. (20mL); O.D. x H: 28 x 57mm; GPI thread: 24-400	CS	39805
02912382	Vial, EPA; Fisherbrand; Precleaned; Amber for light-sensitive materials; Borosilicate glass; Includes 0.125 in. PTFE/silicone septa; Open-top Polypropylene screw caps; Capacity: 5 dr. (20mL); O.D. x H: 28 x 57mm; GPI thread: 24-400	CS	43629
033371	Vial, Scintillation; Fisherbrand; HDPE; Wide mouth; Closure: white polyethylene; Liner: none; Resists swelling; GPI thread: 15-425; O.D. x H: 17 x 54mm; Capacity: 7mL	CS	25081
0333714	Vial, Scintillation; Fisherbrand; Borosilicate glass; Potassium-free; Fit all common counters; White polyethylene; Cap style: No liner; 20mL; Packaging: Caps separate	CS	23418
0333715	Vial, Scintillation; Fisherbrand; Borosilicate glass; 20mL; Potassium-free; Fit all common counters; White polypropylene; Cap style: Pulp-backed metal foil liner; Caps separate	CS	22183
033372	Vial, Scintillation; Fisherbrand; HDPE; 20mL; Cap type: white urea; Cap style: cork-backed metal foil liner; Packaging: caps separate; Vials are shrink-wrapped in five trays of 100 per case, and caps are packed in five polybags of 100 each	CS	17791
0333720	Vial, Scintillation; Fisherbrand; HDPE; Wide mouth; Resists swelling; Closure: Screw cap; Liner: none; Capacity: 7mL; Bulk pack	CS	28096

**DISHES**

- PTFE Evaporating dishes
- Disposable petri dishes
- Sterilized pad dishes
- Aluminium weighing dishes
- Polystyrene weighing dishes
- Antisatic weighing dishes
- Hexagonal weighing dishes



**PIPETTE**

- Sterile serological pipettes
- Sterile serological pipetes with magnifier strip
- Disposable serological pipete
- Microcapillary pipettes
- Pasteur pipettes
- Cotton plugged Pasteur pipettes
- Flint glass/ soda lime glass pipets
- Transfer pipettes
- Bacteriological pipets



**RACKS**

- Microcentrifuge tube racks
- Drying rack
- Microtube storage rack
- PCR tube rack
- Three-tier test tube rack
- Two-tier test tube rack
- Test tube rack with legs
- Poxgrid™ test tube racks
- Molded baskets



**EYE SAFETY**

- Chemical splash and Impact goggles
- Visitorspec Spectacles
- Faceshields
- Splash shields
- Eye shower and eye washes




**SAMPLERS**

- Disposable sterile Scoops
- Sample cups
- Auto analyzer cups
- PE ladles
- Sterile spoons
- Sterile spatulas
- PE dippers



### SCISSORS

- Short blade scissors
- Utility scissors
- Angled blade scissors
- Microscissors
- Dissecting scissors
- Operating scissors



### FORCEPS

- PTFE Forceps
- Fine pointed forceps
- Oft tipped forceps
- Pinning forceps
- Dressing forceps
- Artery forceps
- Mosquito forceps
- Splinter forceps
- Filter forceps
- Serrated forceps
- Filter Forceps
- Thumb forceps



### STIR BARS

- Blue micro stir bars
- Egg shaped bars
- Octagon shaped bars
- Cross type stir bars
- Polygon stir bars
- PTFE disposable stir bars
- Stir bars with removable pivot ring



### TUBES

- Snap Cap Microcentrifuge tubes
- Locking lid tubes
- Screw cap microcentrifuge tubes
- Threaded end microcentrifuge tubes
- Tether Cap microcentrifuge tubes
- Rimmed microcentrifuge tubes
- Non sterile/ sterile plastic culture tubes



### VIALS

- Glass EPA vials
- Threaded vials with attached cap
- Glass shell vials
- Glass vials with polyethylene closures
- Scintillation vials
- PE sample vials with hinged caps
- Polyesterene containers



### SLIDES

- Top-Opening Five-Slide Plastic Microscope Slide Mailer and Transporter
- Corrugated Slide Mailers/Holder
- Safetex™ No Touch™ Polypropylene Slide Holders
- Slide Box
- Glass staining dishes
- Plastic staining dishes



Cat. No.	Description	Pack	Price in ₹
0333723	Vial, Scintillation; Fisherbrand; HDPE; 20mL; Resist leaking/swelling; Fit all common counters; Provide low background counts and excellent light transmission; Cap type: white polypropylene; Cap style: pulp-backed metal foil liner; 1000/Cs.	CS	24918
0333723A	Vial, Scintillation; Fisherbrand; HDPE; 20mL; Resist leaking/swelling; Fit all common counters; Provide low background counts and excellent light transmission; Cap Type: White polypropylene; Cap Style: Pulp-backed metal foil liner	CS	15652
0333723B	Vial, Scintillation; Fisherbrand; HDPE; 20mL; Resist leaking/swelling; Fit all common counters; Provide low background counts and excellent light transmission; Cap type: White polypropylene; Cap style: Pulp-backed metal foil liner; 500/Cs.	CS	15985
0333723C	Vials, Scintillation; Fisherbrand; HDPE; 20mL; Resist leaking/swelling; Fit all common counters; Provide low background counts and excellent light transmission; White urea; Cap style: Cone-shaped plastic liner	CS	22721
0333726	Vial, Scintillation; Fisherbrand; Borosilicate glass; Capacity: 7mL; White plastic screw cap; GPI thread: 15-425; O.D. x H: 17 x 54mm	CS	36191
033374	Vial, Scintillation; Fisherbrand; 20mL borosilicate glass; Cap type: White polypropylene; Cap style: Pulp-backed metal foil liner; Packaging: Caps attached	CS	22047
033375	Vial, Scintillation; Fisherbrand; 20mL Borosilicate glass; Fit all common counters; Cap type: White urea cap; Cap style: Cork-backed metal foil liner; Packaging: Caps attached; 500/Cs.	CS	23851
033377	Vial, Scintillation; Fisherbrand; 20mL borosilicate glass; Cap type: White urea; Cap style: Cone-shaped plastic liner; Packaging: Caps separate	CS	26673
033381A	Vial, Sample; Fisherbrand; Made of Polyethylene; Withstand temperatures to 80deg.C (176deg.F); Snap-top hinged lids; 0.25 dr.	CS	4849
033381B	Vial, Sample; Fisherbrand; Made of Polyethylene; Withstand temperatures to 80deg.C (176deg.F); Snap-top hinged lids; 1 dr.	CS	5851
033381C	Vial, Sample; Fisherbrand; Made of Polyethylene; Withstand temperatures to 80deg.C (176deg.F); Snap-top hinged lids; 1.375 dr.	CS	5913
033381D	Vial, Sample; Fisherbrand; Made of Polyethylene; Withstand temperatures to 80deg.C (176deg.F); Snap-top hinged lids; 2.25 dr.	CS	6637
033381E	Vial, Sample; Fisherbrand; Made of Polyethylene; Withstand temperatures to 80deg.C (176deg.F); Snap-top hinged lids; 2.75 dr.	CS	7804
033381F	Vial, Sample; Fisherbrand; Made of Polyethylene; Withstand temperatures to 80deg.C (176deg.F); Snap-top hinged lids; 6.875 dr.	CS	7221
033381G	Vial, Sample; Fisherbrand; Made of Polyethylene; Withstand temperatures to 80deg.C (176deg.F); Snap-top hinged lids; 13.75 dr.	CS	11752
03338A	Vial, Sample; Fisherbrand; Type I, class B borosilicate glass; With attached cap; Closure: black phenolic screw cap; Liner: polyvinyl-faced pulp; GPI thread finish: 13-425; Capacity: 1 dr. (3.7mL); O.D. x L: 15 x 45mm	PK	4633
03338AA	Vial, Sample; Fisherbrand; Type I, class B borosilicate glass; With attached cap; Closure: black phenolic screw cap; Liner: polyvinyl-faced pulp; GPI thread finish: 8-425; Capacity: 0.5 dr. (1.8mL); O.D. x L: 12 x 35mm	PK	6414
03338B	Vial, Sample; Fisherbrand; Type I, class B borosilicate glass; With attached cap; Closure: black phenolic screw cap; Liner: polyvinyl-faced pulp; GPI thread finish: 13-425; Capacity: 1.5 dr. (5.5mL); O.D. x L: 16 x 50mm	PK	5790
03338C	Vial, Sample; Fisherbrand; Type I, class B borosilicate glass; With attached cap; Closure: black phenolic screw cap; Liner: polyvinyl-faced pulp; GPI thread finish: 15-425; Capacity: 2 dr. (7.4mL); O.D. x L: 17 x 60mm	PK	5231
03338D	Vial, Sample; Fisherbrand; Type I, class B borosilicate glass; With attached cap; Closure: black phenolic screw cap; Liner: polyvinyl-faced pulp; GPI thread finish: 15-425; Capacity: 3 dr. (11.1mL); O.D. x L: 19 x 65mm	PK	6288
03338E	Vial, Sample; Fisherbrand; Type I, class B borosilicate glass; With attached cap; Closure: black phenolic screw cap; Liner: polyvinyl-faced pulp; GPI thread finish: 24-400; Capacity: 4 dr. (14.8mL); O.D. x L: 28 x 57mm	PK	4264
03338F	Vial, Sample; Fisherbrand; Type I, Class B borosilicate glass; With attached cap; Closure: black phenolic screw cap; Liner: polyvinyl-faced pulp; GPI thread finish: 18-400; Capacity: 4 dr. (14.8mL); O.D. x L: 21 x 70mm	PK	6406
03338G	Vial, Sample; Fisherbrand; Type I, Class B borosilicate glass; With attached cap; Closure: black phenolic screw cap; Liner: polyvinyl-faced pulp; GPI thread finish: 24-400; Capacity: 6 dr. (22.2mL); O.D. x L: 28 x 70mm	PK	4424

Cat. No.	Description	Pack	Price in ₹
03338H	Vial, Sample; Fisherbrand; Type I, Class B borosilicate glass; With attached cap; Closure: black phenolic screw cap; Liner: polyvinyl-faced pulp; GPI thread finish: 24-400; Capacity: 6 dr. (22.2mL); O.D. x L: 23 x 85mm	PK	7140
03338J	Vial, Sample; Fisherbrand; Type I, Class B borosilicate glass; With attached cap; Closure: black phenolic screw cap; Liner: polyvinyl-faced pulp; GPI thread finish: 22-400; Capacity: 8 dr. (29.6mL); O.D. x L: 25 x 95mm	PK	4140
03338K	Vial, Sample; Fisherbrand; Type I, class B borosilicate glass; With attached cap; Closure: black phenolic screw cap; Liner: polyvinyl-faced pulp; GPI thread finish: 24-400; Capacity: 9.5 dr. (35.1mL); O.D. x L: 28 x 95mm	PK	4791
03338L	Vial, Sample; Fisherbrand; Type I, class B borosilicate glass; With attached cap; Closure: black phenolic screw cap; Liner: polyvinyl-faced pulp; GPI thread finish: 24-400; Capacity: 11 dr. (40.7mL); O.D. x H: 28 x 108mm	PK	4890
0333914A	Vial, EPA; Fisherbrand; Enviroware; Manufactured from Type I, Class A clear borosilicate glass; Assembled; 40mL capacity; O.D. x H: 28 x 98mm; GPI thread 24-400; Pack of 72	PK	14338
0333914C	Vial, EPA; Fisherbrand; Enviroware; Manufactured from Type I, Class A clear borosilicate glass; Assembled; 20mL capacity; O.D. x H: 28 x 60mm; GPI thread 24-400; Pack of 72	PK	16194
0333914E	Vial, EPA; Fisherbrand; Enviroware; Manufactured from Type I, amber 203 borosilicate glass; Assembled; 20mL capacity; O.D. x H: 28 x 60mm; GPI thread 24-400; Pack of 72	PK	21850
0333921A	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw cap; Liner: Polyvinyl-faced pulp; GPI thread finish: 8-425; Capacity: 0.5 dr. (1.8mL); O.D. x L: 12 x 35mm	PK	6060
0333921B	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw cap; Liner: Polyvinyl-faced pulp; GPI thread finish: 13-425; Capacity: 1 dr. (3.7mL); O.D. x L: 15 x 45mm	PK	4914
0333921C	Vial, Sample; Fisherbrand; Type I, class B clear borosilicate glass; Closure: black phenolic screw cap; Liner: polyvinyl-faced pulp; GPI thread finish: 13-425; Capacity: 1.5 dr. (5.5mL); O.D. x L: 16 x 50mm	PK	5084
0333921D	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw cap; Liner: Polyvinyl-faced pulp; GPI thread finish: 15-425; Capacity: 2 dr. (7.4mL); O.D. x L: 17 x 60mm	PK	5265
0333921E	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw cap; Liner: Polyvinyl-faced pulp; GPI thread finish: 15-425; Capacity: 3 dr. (7.4mL); O.D. x L: 19 x 65mm	PK	6026
0333921F	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw cap; Liner: Polyvinyl-faced pulp; GPI thread finish: 18-400; Capacity: 4 dr. (14.8mL); O.D. x L: 21 x 70mm	PK	6679
0333921G	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw cap; Liner: Polyvinyl-faced pulp; GPI thread finish: 20-400; Capacity: 6 dr. (22.2mL); O.D. x L: 23 x 85mm	PK	6970
0333921H	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw cap; Liner: Polyvinyl-faced pulp; GPI thread finish: 22-400; Capacity: 8 dr. (29.6mL); O.D. x L: 25 x 95mm	PK	8202
0333921J	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw cap; Liner: Polyvinyl-faced pulp; GPI thread finish: 24-400; Capacity: 4 dr. (14.8mL); O.D. x L: 28 x 57mm	PK	8325
0333921K	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw cap; Liner: Polyvinyl-faced pulp; GPI thread finish: 24-400; Capacity: 6 dr. (22.2mL); O.D. x L: 28 x 70mm	PK	8957
0333921M	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw cap; Liner: Polyvinyl-faced pulp; GPI thread finish: 24-400; Capacity: 9.5 dr. (35.1mL); O.D. x L: 28 x 95mm	PK	9487
0333921N	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw cap; Liner: Polyvinyl-faced pulp; GPI thread finish: 24-400; Capacity: 11 dr. (40.7mL); O.D. x L: 28 x 108mm	PK	9597
0333922A	Vial, Sample; Fisherbrand; Type I, class B clear borosilicate glass; Closure: black phenolic screw top; Liner: white rubber; GPI thread finish: 8-425; Capacity: 0.5 dr. (1.8mL); O.D. x L: 12 x 35mm	PK	6592
0333922B	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw top; Liner: white rubber; GPI thread finish: 13-425; Capacity: 1 dr. (3.7mL); O.D. x L: 15 x 45mm	PK	5438
0333922C	Vial, Sample; Fisherbrand; Type I, class B clear borosilicate glass; Closure: black phenolic screw top; Liner: white rubber; GPI thread finish: 13-425; Capacity: 1.5 dr. (5.5mL); O.D. x L: 16 x 50mm	PK	5737
0333922D	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw top; Liner: white rubber; GPI thread finish: 15-425; Capacity: 2 dr. (7.4L); O.D. x L: 17 x 60mm	PK	5821
0333922E	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw top; Liner: white rubber; GPI thread finish: 15-425; Capacity: 3 dr. (11.1mL); O.D. x L: 19 x 65mm	PK	6464
0333922F	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw top; Liner: white rubber; GPI thread finish: 18-400; Capacity: 4 dr. (14.8L); O.D. x L: 21 x 70mm	PK	7444
0333922G	Vial, Sample; Fisherbrand; Type I, class B clear borosilicate glass; Closure: black phenolic screw top; Liner: white rubber; GPI thread finish: 20-400; Capacity: 6 dr. (22.2L); O.D. x L: 23 x 85mm	PK	9925
0333922H	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw top; Liner: white rubber; GPI thread finish: 22-400; Capacity: 8 dr. (29.6mL); O.D. x L: 25 x 95mm	PK	9705

Cat. No.	Description	Pack	Price in ₹
0333922J	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw top; Liner: white rubber; GPI thread finish: 18-400; Capacity: 4 dr. (14.8mL); O.D. x L: 28 x 57mm	PK	10418
0333922K	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw top; Liner: white rubber; GPI thread finish: 24-400; Capacity: 6 dr. (22.2mL); O.D. x L: 28 x 70mm	PK	10905
0333922M	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw top; Liner: white rubber; GPI thread finish: 24-400; Capacity: 9.5 dr. (35.1mL); O.D. x L: 28 x 95mm	PK	11191
0333922N	Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw top; Liner: white rubber; GPI thread finish: 24-400; Capacity: 11 dr. (40.7mL); O.D. x L: 28 x 108mm	PK	11485
0333923A	Vial, Amber; Fisherbrand; General-purpose; Type I, Class B borosilicate glass; Closure: Black screw-top cap; Liner: white rubber; Autoclavable; Caps packed separately; GPI thread finish: 8-425; Capacity: 0.5 dr. (1.8mL); O.D. x H: 12 x 35mm	PK	7701
0333923B	Vial, Amber; Fisherbrand; General-purpose; Type I, Class B borosilicate glass; Closure: Black screw-top cap; Liner: white rubber; Autoclavable; Caps packed separately; GPI thread finish: 13-425; Capacity: 1 dr. (3.7mL); O.D. x H: 15 x 45mm	PK	6642
0333923C	Vial, Amber; Fisherbrand; General-purpose; Type I, Class B borosilicate glass; Closure: Black screw-top cap; Liner: white rubber; Autoclavable; Caps packed separately; GPI thread finish: 15-425; Capacity: 2 dr. (7.4mL); O.D. x H: 17 x 60mm	PK	7439
0333923D	Vial, Amber; Fisherbrand; General-purpose; Type I, Class B borosilicate glass; Closure: Black screw-top cap; Liner: white rubber; Autoclavable; Caps packed separately; GPI thread finish: 18-400; Capacity: 4 dr. (14.8mL); O.D. x H: 21 x 70mm	PK	9293
0333923E	Vial, Amber; Fisherbrand; General-purpose; Type I, Class B borosilicate glass; Closure: Black screw-top cap; Liner: white rubber; Autoclavable; Caps packed separately; GPI thread finish: 22-400; Capacity: 8 dr. (29.6mL); O.D. x H: 25 x 95mm	PK	11558
0333925A	Vial, Sample; Fisherbrand; Type I, class A borosilicate glass; Low alkali content; Closure: black phenolic screw cap; Liner: white rubber; GPI thread finish: 8-425; Capacity: 0.5 dr. (1.8mL); O.D. x L: 12 x 35mm	PK	6348
0333925B	Vial, Sample; Fisherbrand; Type I, class A borosilicate glass; Low alkali content; Closure: black phenolic screw cap; Liner: white rubber; GPI thread finish: 13-425; Capacity: 1 dr. (3.7mL); O.D. x H: 15 x 45mm	PK	5535
0333925C	Vial, Sample; Fisherbrand; Type I, Class A borosilicate glass; Low alkali content; Closure: black phenolic screw cap; Liner: white rubber; GPI thread finish: 15-425; Capacity: 2 dr. (7.4mL); O.D. x H: 17 x 60mm	PK	6175
0333925D	Vial, Sample; Fisherbrand; Type I, Class A borosilicate glass; Low alkali content; Closure: black phenolic screw cap; Liner: white rubber; GPI thread finish: 15-425; Capacity: 3 dr. (11.1mL); O.D. x L: 19 x 65mm	PK	7261
0333925E	Vial, Sample; Fisherbrand; Type I, class A borosilicate glass; Low alkali content; Closure: black phenolic screw cap; Liner: white rubber; GPI thread finish: 18-400; Capacity: 4 dr. (14.8mL); O.D. x L: 21 x 70mm	PK	8202
0333925F	Vial, Sample; Fisherbrand; Type I, Class A borosilicate glass; Low alkali content; Closure: black phenolic screw cap; Liner: white rubber; GPI thread finish: 20-400; Capacity: 6 dr. (22.2mL); O.D. x L: 23 x 85mm	PK	10808
0333926A	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: Tite-Seal; Package: Bulk; O.D. x H: 12 x 35mm; Capacity: 0.5 dr.	PK	2829
0333926B	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: Tite-Seal; Package: bulk pack; O.D. x H: 15 x 45mm; Capacity: 1 dr. (3.7mL)	PK	2630
0333926C	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: Tite-Seal; Package: bulk pack; O.D. x H: 19 x 51mm; Capacity: 2 dr. (7.4mL)	PK	3687
0333926D	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: Tite-Seal; Package: bulk pack; O.D. x H: 19 x 65mm; Capacity: 3 dr. (11.1mL)	PK	4004
0333926F	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: tite-seal; Package: Bulk; O.D. x H: 29 x 65mm; Capacity: 7 dr.	PK	12099
0333926G	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: tite-seal; Package: bulk; O.D. x H: 29 x 80mm; Capacity: 10 dr.	PK	11957
0333926H	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: tite-seal; Package: bulk; O.D. x H: 29 x 94mm; Capacity: 12 dr.	PK	12474
0333927A	Vial, Sample; Fisherbrand; Type I, N-51A borosilicate glass; Tooled neck; Polyethylene closure; Capacity: 1 dr. (3.7mL); O.D. x H: 15 x 45mm	PK	5239
0333927B	Vial, Sample; Fisherbrand; Type I, N-51A borosilicate glass; Tooled neck; Polyethylene closure; Capacity: 2 dr. (7.4mL); O.D. x H: 19 x 48mm	PK	5916
0333927C	Vial, Sample; Fisherbrand; Type I, N-51A borosilicate glass; Tooled neck; Polyethylene closure; Capacity: 3 dr. (11.1mL); O.D. x H: 21 x 50mm	PK	6595

Cat. No.	Description	Pack	Price in ₹
0333927D	Vial, Sample; Fisherbrand; Type I, N-51A borosilicate glass; Tooled neck; Polyethylene closure; Capacity: 4 dr. (14.8mL); O.D. x H: 25 x 52mm	PK	7536
0333927E	Vial, Sample; Fisherbrand; Type I, N-51A borosilicate glass; Tooled neck; Polyethylene closure; Capacity: 5 dr. (18.5mL); O.D. x H: 27 x 55mm	PK	8805
0333927F	Vial, Sample; Fisherbrand; Type I, N-51A borosilicate glass; Tooled neck; Polyethylene closure; Capacity: 6 dr. (25.9mL); O.D. x H: 29 x 65mm	PK	10179
0333930A	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: none, accept corks; Package: lab pack; O.D. x H: 9 x 30mm; Capacity: 0.25 dr. (0.9mL)	PK	2405
0333930B	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: none, accept corks; Package: lab pack; O.D. x H: 12 x 35mm; Capacity: 0.5 dr. (1.8mL)	PK	1980
0333930C	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: none, accept corks; Package: lab pack; O.D. x H: 15 x 45mm; Capacity: 1 dr. (3.7mL)	PK	2061
0333930E	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: none, accept corks; Package: lab pack; O.D. x H: 17 x 60mm; Capacity: 2 dr. (7.4mL)	PK	3118
0333930F	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: none, accept corks; Package: lab pack; O.D. x H: 19 x 65mm; Capacity: 3 dr. (11mL)	PK	3466
0333930G	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: none, accept corks; Package: lab pack; O.D. x H: 21 x 70mm; Capacity: 4 dr.	PK	3799
0333930H	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: none, accept corks; Package: lab pack; O.D. x H: 23 x 85mm; Capacity: 6 dr. (22mL)	PK	4728
0333930J	Vial, Shell; Fisherbrand; Type I, N-51A borosilicate glass; Straight-sided; Ideal for dry contents; Closure: none, accept corks; Package: lab pack; O.D. x H: 25 x 95mm; Capacity: 8 dr.	PK	5653
03340119	Vial, EPA; Fisherbrand; Clear; Type I borosilicate glass; Includes white polypropylene open-top closures with 0.125 in. TFE/silicone septa; Capacity; 40mL; O.D. x H: 27 x 95mm	CS	11681
03340120	Vial, EPA; Fisherbrand; Amber; Type I borosilicate glass; Includes white polypropylene open-top closures with 0.125 in. TFE/silicone septa; Capacity; 40mL; O.D. x H: 27 x 95mm	CS	14907
03340121	Vial, Glass; Fisherbrand; EPA; Clear; Type I borosilicate glass; Includes white polypropylene open-top closures with 0.125 in. TFE/silicone septa; Capacity; 20mL; O.D. x H: 28 x 57mm	CS	15384
03340122	Vial, EPA; Fisherbrand; Amber; Type I borosilicate glass; Includes white polypropylene open-top closures with 0.125 in. TFE/silicone septa; Capacity; 20mL; O.D. x H: 27 x 57mm	CS	20760
033404E	Vial, Scintillation; Fisherbrand; 20mL; KG-33 borosilicate glass; Cap type: White urea; Cap style: Cork-backed metal liner; Packaging: Caps separate	CS	24693
033407L	Cap, Replacement; Fisherbrand; Enviroware; Borosilicate glass EPA vial accessory; GPI 24-400 thread; White polypropylene; Closure: open top	CS	4359
0334175A	Vial, Sample; Fisherbrand; Polypropylene; Withstand temperatures to 100deg.C (212deg.F); Snap-top hinged lids; 2 oz. (60mL); Case of 100	CS	4020
0334175C	Vial, Sample; Fisherbrand; Polypropylene; Withstand temperatures to 100deg.C (212deg.F); Snap-top hinged lid; 60mL	CS	19899
0334175E	Vial, Sample; Fisherbrand; Polypropylene; Withstand temperatures to 100deg.C (212deg.F); Snap-top hinged lids; 4 oz.; Cs. of 100	CS	4905
0334175G	Vial, Sample; Fisherbrand; Polypropylene; Hinged Cap; 120mL (4 oz.); 1 oz. marked graduations; Withstand temperatures up to 100deg.C (212deg.F); Case of 300	CS	14824
0334176A	Vial, Sample; Fisherbrand; Polypropylene; Withstand temperatures to 100deg.C (212deg.F); Snap-top hinged lids; 8 oz..	CS	3687
0339136	Vial, Screw top; Fisherbrand; Amber N-51A Borosilicate Glass; With write-on patch; 2mL; 12 x 32mm; Large opening	PK	3477
0339137	Vial, Screw Top; Fisherbrand; Amber Type N-51A Borosilicate Glass; 4mL; 15 x 45mm; 13-425 Thread Size; For 48-Position Waters	PK	3233
0339138	Vial, Crimp top; Fisherbrand; Amber N-51A Borosilicate Glass; 2mL; 12 x 32mm; Standard Opening	PK	2588
0339139	Vial, Glass; Fisherbrand; Wide Opening; Snap Cap; O.D.xL: 12x32mm; 1.8mL capacity; Clear 33 borosilicate glass; Plain; Without closure	PK	3296
033914	Vial, Crimp top; Fisherbrand; Autosampler; Convenience Kit; 100 Clear Glass Vials and 100 Seals with PTFE/Red Rubber Septa; 12 x 32mm; Standard Opening; 2mL; Type I Class A Borosilicate Glass	PK	3674
0339140	Vial, Glass; Fisherbrand; Wide Opening; Snap Cap; O.D.xL: 12x32mm; 1.8mL capacity; Clear 33 borosilicate glass; With marking area; Graduated; Without closure	PK	3430
0339141	Vial, Glass; Fisherbrand; Wide Opening; Snap Cap; O.D.xL: 12x32mm; 1.8mL capacity; Type 51A amber glass; With marking area; Graduated; Without closure	PK	3820
0339142	Closure, Snap Cap; Fisherbrand; For 2mL vials; 12mm; Preassembled with PTFE/silicone solid septa	PK	4292



Cat. No.	Description	Pack	Price in ₹
0339143	Closure, Snap Cap; Fisherbrand; For 2mL vials; 12mm; Preassembled with PTFE/silicone pre-slit septa	PK	6852
0339144	Vial, Glass; Fisherbrand; Standard Opening; Screw Thread; O.D. x L: 12x32mm; 1.8mL capacity; 8-425 thread; clear 33 borosilicate glass; Without closure	PK	3018
0339145	Vial, Glass; Fisherbrand; Standard Opening; Screw Thread; O.D. x L: 12x32mm; 1.8mL capacity; 8-425 thread; 51A amber glass; Without closure	PK	3348
0339114	Closure, Screw Thread; Fisherbrand; Autosampler; Preassembled; Large opening; 9mm Thread; Blue; PTFE/Silicone Septa	PK	4172
0339115	Kit, Vial; Fisherbrand; Convenience Kit; Screw top; Includes 100 Type I Class A Borosilicate Glass Vials; With 100 Blue Closures with PTFE/Silicone Septa; 12 x 32mm; 2mL	PK	6901
0339116	Vial, Autosampler; Fisherbrand; 2mL; 12x32mm; Large Opening; With 10-425 Screw Thread; Type I, Clear Borosilicate Glass	PK	2344
0339117	Cap, Screw thread; Fisherbrand; 9mm; Color: Blue; PTFE/Silicone Septa; Preassembled; Large Opening	PK	5271
0339118	Vial, Kit; Fisherbrand; Screw top; Convenience Kit Includes 100 Clear Type I/33 Expansion Borosilicate Glass Vials; With black cap and PTFE/Silicone septa; 12 x 32mm; 2mL	PK	7775
0339119	Vial, Screw Top; Fisherbrand; Clear; Type I Class A 33 Borosilicate Glass; 4mL; 15 x 45mm; 13-425 Thread Size; For 48-Position Waters	PK	2216
033912	Vial, Crimp top; Fisherbrand; Autosampler; 12 x 32mm; Standard Opening; 2mL; Type I Class A Clear Borosilicate Glass	PK	2024
0339121	Cap, Screw Thread; Fisherbrand; Black; Preassembled; 13-425 GPI Thread Size; Red and White PTFE/Silicone Septa; For Waters 48-Position	PK	6443
0339122	Vial, Screw Top; Fisherbrand; Convenience Kit Includes 100 Clear Type I/33 Expansion Borosilicate Glass Vials; w/Black Caps and PTFE/Silicone Septa; 15 x 45mm; 4mL; 13-425 GPI Thread Size; For 48-Position Waters	PK	8936
0339123	Vial, Shell; Fisherbrand; Clear; Capacity: 1mL; 33 Expansion borosilicate glass; For use with 96-Pos waters autosampler; Dimension: 8 x 40mm; With PE closure; 200/pk.	PK	3293
0339124	Vial, Shell; Fisherbrand; Clear; Capacity: 4mL; Type I Class A borosilicate glass; For use with 48-Pos waters autosampler; Dimension: 15 x 45mm; With PE closure; 100/pk.	PK	3189
033913	Seal, Crimp; Fisherbrand; 11mm, Aluminum; PTFE/Red Rubber Septa; Large Opening	PK	1463
0339130	Vial, Shell; Fisherbrand; Clear; O.D. x H: 8 x 35mm; Capacity: 1mL; 33 Expansion borosilicate glass; For use with 96-Pos waters autosampler; With PE closure	CS	33755
0339131	Closure, Screw Thread; Fisherbrand; Autosampler; Preassembled; Large opening; 9mm Thread; Blue; PTFE/Red Rubber Septa	PK	3524
0339132	Closure, Screw Thread; Fisherbrand; Autosampler; Preassembled; Large opening; 9mm Thread; Blue; PTFE/Silicone/PTFE Septa	PK	5491
0339133	Vial, Autosampler; Fisherbrand; Seal, Aluminum, 11mm, Large Opening/Crimp Top, PTFE/Silicon Septa	PK	4387
0339134	Seal, Crimp; Fisherbrand; 11mm, Aluminum; PTFE/Silicone/PTFE Septa; Large Opening	PK	5430
0339135	Insert, Vial; Fisherbrand; Robotic; Polyspring; 300uL; For 12 x 32mm Large Opening Vials	PK	15898
0339146	Closure, Screw Cap; Fisherbrand; Polypropylene; 8-425 thread; Open top; Black; Preassembled with red PTFE/white silicone septa	PK	6057
033915	Vial, Crimp top; Fisherbrand; Clear 33 Expansion Borosilicate Glass; 2mL; 12 x 32mm; Large Opening	PK	2058
033916	Vial, Autosampler; Fisherbrand; Crimp top; O.D.: 12 x 32mm long; Large opening; Capacity: 2mL; Amber N-51A; Borosilicate glass; Silver 11mm aluminum crimp-top seals offer a variety of septa options	PK	2599
033917	Vial, Crimp top; Fisherbrand; Convenience kit includes 100 Clear type I/33 expansion Borosilicate glass vials; With caps and PTFE/Red rubber septa; 12 x 32mm; 2mL	PK	3716
033918	Vial, Screw Top; Fisherbrand; Autosampler; 33 Expansion Borosilicate Glass; For 2mL Robotic vials; 12 x 32mm; Large Opening; Clear Type I, 9mm Thread	PK	2609
033919	Vial, Screw Top; Fisherbrand; Autosampler; 33 Expansion Borosilicate Glass; For 2mL Robotic vials; 12 x 32mm; Large Opening; Amber, 9mm Thread	PK	3301
14955333	Vial, Sample; Fisherbrand; Type I, Class B amber borosilicate glass; Threaded; 24 to 400 GPI thread finish; Attached black phenolic screw-top closures with PTFE-faced white 14B rubber liners; Capacity: 20mL; 28 O.D x 57mm H; Case of 72	CS	12849
22045547	Cap, Vial; Fisherbrand; Without O-ring; For polypropylene vials with external threads; Blue	CS	6634
22045548	Cap, Vial; Fisherbrand; Without O-ring; For polypropylene vials with external threads; Red	CS	6634
FB67171	Shell vial with 6mm polyethylene plug 1st hydrolytic class glass 1mL, 35mm x 7.8mm Fisherbrand	Pack of 100	2213
FB67173	Vial 1mL with 8mm polyethylene plug glass Fisherbrand-Clear	Pack of 100	1793
FB67175	Vial 1mL with 8mm polyethylene plug glass Fisherbrand-Amber	Pack of 100	2005

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
FB67177	Vial with 12mm PE plug 2mL 12mm x 32mm 1st hydrolytic class glass Fisherbrand	Pack of 100	1931
FB67179	Vial 12mm PE plug 2mL 12mm x 32mm 1st hydrolytic class glass Fisherbrand-Amber	Pack of 100	2149
FB67181	Vial 15mm PE plug 4mL 15mm x 45mm 1st hydrolytic class glass Fisherbrand	Pack of 100	2129
FB67183	Vial 15mm PE plug 4mL 15mm x 45mm 1st hydrolytic class glass Fisherbrand-Amber	Pack of 100	2321
FB67191	Vial 0.8mL flat bottom with 8mm crimp top 30mm x 8.2mm 1st hydrolytic class glass Fisherbrand	Pack of 100	1645
FB67193	Vial 0.3mL round bottom with 8mm crimp top 31.5mm x 5.5mm 1st hydrolytic class glass Fisherbrand	Pack of 100	3690
FB67195	Vial 0.4mL conical with 8mm crimp top 30mm x 7mm 1st hydrolytic class glass Fisherbrand	Pack of 100	4510
FB67197	Vial 0.3mL conical with 8mm crimp top 31.5mm x 5.5mm 1st hydrolytic class glass Fisherbrand	Pack of 100	4789
FB67199	Vial 0.7mL flat bottom with 8mm crimp top 40mm x 7mm 1st hydrolytic class glass Fisherbrand	Pack of 100	2590
FB67201	Vial 0.7mL flat bottom with 8mm crimp top 40mm x 7mm 1st hydrolytic class glass Fisherbrand	Pack of 100	2701
FB67203	Vial 1.2mL flat bottom with 8mm crimp top 40mm x 8.2mm 1st hydrolytic class glass Fisherbrand	Pack of 100	2590
FB67205	Vial 1.2mL flat bottom with 8mm crimp top 40mm x 8.2mm 1st hydrolytic class glass Fisherbrand-Amber	Pack of 100	2701
FB67207	Vial 0.7mL conical with 8mm crimp top 40mm x 7mm 1st hydrolytic class glass Fisherbrand	Pack of 100	4315
FB67209	Vial 0.7mL conical with 8mm crimp top 40mm x 7mm 1st hydrolytic class glass Fisherbrand-Amber	Pack of 100	4510
FB67211	Crimp cap 8mm with centre hole with 0.25mm virgin PTFE seal silver aluminium Fisherbrand	Pack of 100	1100
FB67213	Crimp cap 8mm with centre hole with 1.0mm natural rubber/transparent TEF seal aluminium Fisherbrand	Pack of 100	1295
FB67215	Crimp cap 8mm with centre hole with 1.0mm natural rubber/transparent TEF seal aluminium Fisherbrand	Pack of 100	1218
FB67217	Crimp cap 8mm with centre hole with 1.0mm red/beige rubber seal, Agilent quality aluminium Fisherbrand	Pack of 100	1399
FB67219	Crimp cap 8mm with centre hole with 1.3mm white silicone/red PTFE seal silver aluminium Fisherbrand	Pack of 100	3718
FB67221	Crimp cap 8mm with centre hole with 1.0mm red PTFE/white silicone/red PTFE seal silver aluminium Fisherbrand	Pack of 100	5100
FB67223	Crimp cap 8mm with centre hole with 1.3mm white silicone/red PTFE seal with slit aluminium Fisherbrand	Pack of 100	4648
FB67231	Micro insert 0.1mL conical with 15mm top for wide opening vials clear 31mm x 6mm 1st hydrolytic class glass Fisherbrand	Pack of 100	28432
FB67233	Micro insert 0.1mL conical with 12mm top for wide opening vials clear 31mm x 6mm 1st hydrolytic class glass Fisherbrand	Pack of 100	31422
FB67235	Micro insert 0.1mL conical with assembled plastic spring for wide opening vials clear 29mm x 5.7mm 1st hydrolytic class glass Fisherbrand	Pack of 100	80399
FB67237	Micro insert 0.2mL flat bottom for wide opening vials clear 31mm x 6mm 1st hydrolytic class glass Fisherbrand	Pack of 100	25089
FB67241	Vial, crimp neck, 32 x 11.6mm, clear glass, wide opening, 1.5mL	Pack of 100	1160
FB67243	Vial 11mm crimp top wide opening with label and filling lines 2mL glass 12mm x 32mm 1st hydrolytic class (pack of 100) Fisherbrand	Pack of 100	1292
FB67245	Vial crimp top, 1mm wide opening with label and filling lines glass amber 12mm x 32mm 2mL 1st hydrolytic class Fisherbrand-Amber	Pack of 100	1419
FB67247	Vial 11mm crimp top 1.1mL 12mm x 32mm 1st hydrolytic class glass Fisherbrand	Pack of 100	9465
FB67249	Vial 11mm crimp top with integrated 0.2mL micro insert label and filling lines 0.2mL glass 12mm x 32mm 1st hydrolytic class (pack of 100) Fisherbrand	Pack of 100	11624
FB67251	Vial crimp top conical 1.1mL 12mm x 32mm 1st hydrolytic class glass Fisherbrand	Pack of 100	7655
FB67253	Vial snap ring with integrated 0.2mL glass micro insert 0.2mL, glass 12mm x 32mm 1st hydrolytic class (pack of 100) Fisherbrand	Pack of 100	8836
FB67255	Vial screw neck 1st hydrolytic glass clear 61mm x 16.6mm x 8mL 15-425 thread Fisherbrand	Pack of 100	3653
FB67256	Vial screw neck 1st hydrolytic glass clear 66mm x 18.5mm x 12mL 15-425 thread Fisherbrand	Pack of 100	3818
FB67258	Cap ND15 screw cap, closed top polypropylene cap, rubber red-orange/TEF septa for vials 15091703, 15091774, 15091657, 15091800 black 1.3mm thickness 60' shore A Fisherbrand	Pack of 100	3155
FB67259	Cap ND15 screw cap, closed top polypropylene cap, butyl red / PTFE grey septa for vials 15091703, 15091774, 15091657, 15091800 black 1.6mm thickness 55' shore A Fisherbrand	Pack of 100	3020
FB67261	Cap, vial, crimp, aluminium, clear lacquered, 11mm with 5.5mm centre hole, natural rubber (red-orange)/TEF (transparent) septa, Agilent quality	Pack of 100	1160

Cat. No.	Description	Pack	Price in ₹
FB67263	Crimp cap centre hole with 1.3mm natural rubber/transparent TEF seal 11mm aluminium Fisherbrand	Pack of 100	1460
FB67265	Crimp cap centre hole red rubber/PTFE beige, 45° shore A 1.0mm Agilent quality 11mm aluminium Fisherbrand	Pack of 100	1211
FB67267	Crimp cap centre hole, 1.3mm white silicone/red PTFE seal 11mm aluminium Fisherbrand	Pack of 1000	3907
FB67269	Crimp cap centre hole with 1.0mm red PTFE red/white silicone/red PTFE seal 11mm aluminium Fisherbrand	Pack of 100	4834
FB67271	Crimp cap centre hole with 1.5mm white silicone/blue PTFE seal with cross-slit 11mm aluminium Fisherbrand	Pack of 100	7302
FB67275	Crimp cap magnetic, centre hole with 1.0mm red PTFE/white silicone/red PTFE seal 11mm metal Fisherbrand	Pack of 100	6976
FB67277	Crimp cap magnetic centre hole with 1.3mm white silicone/red PTFE seal 11mm metal Fisherbrand	Pack of 100	5977
FB67281	Cap centre hole with 1.0mm natural rubber/transparent TEF seal 11mm polyethylene Fisherbrand	Pack of 100	2149
FB67283	Cap centre hole with 1.0mm red rubber/beige PTFE seal Agilent quality 11mm polyethylene Fisherbrand	Pack of 100	2321
FB67285	Cap centre hole with 1.3mm white silicone/red PTFE red seal 11mm polyethylene Fisherbrand	Pack of 100	2987
FB67287	Cap centre hole with 1.0mm PTFE/white silicone/red PTFE seal 11mm polyethylene Fisherbrand	Pack of 100	4686
FB67289	Cap centre hole with 1.0mm white silicone/blue PTFE seal with cross slit 11mm polyethylene Fisherbrand	Pack of 100	6478
FB67291	Cap centre hole with 1.0mm white silicone/red PTFE seal pre-cut (Y) 11mm polyethylene Fisherbrand	Pack of 100	6804
FB67293	Cap centre hole with 1.0mm natural rubber/transparent TEF seal 11mm polyethylene Fisherbrand	Pack of 100	2324
FB67295	Cap centre hole with 1.0mm red rubber/beige PTFE seal Agilent quality 11mm polyethylene Fisherbrand	Pack of 100	2455
FB67297	Cap centre hole with 1.0mm red rubber/beige PTFE seal Agilent quality 11mm polyethylene Fisherbrand	Pack of 100	3155
FB67299	Cap centre hole with 1.0mm red PTFE/white silicone/red PTFE seal 11mm polyethylene Fisherbrand	Pack of 100	4871
FB67301	Cap centre hole with 1.0mm white silicone/blue PTFE seal with cross slit 11mm polyethylene Fisherbrand	Pack of 100	6643
FB67303	Cap centre hole with 1.0mm white silicone/red PTFE seal pre-cut (Y) 11mm polyethylene Fisherbrand	Pack of 100	7006
FB67321	Vial 11mm snap ring wide opening 2mL 12mm x 32mm 1st hydrolytic class glass Fisherbrand	EA	1517
FB67323	Vial 11mm snap ring wide opening with label and filling lines 2mL, 12mm x 32mm 1st hydrolytic class glass Fisherbrand	EA	1857
FB67325	Vial 11mm snap ring wide opening with label and filling lines 2ml, 32 x 12mm 1st hydrolytic class glass Fisherbrand-Amber	Pack of 100	1742
FB67331	Screw cap centre hole with 1.3mm natural rubber/transparent TEF seal 8mm polypropylene Fisherbrand	Pack of 100	2089
FB67333	Screw cap centre hole with 1.0mm red rubber/beige PTFE seal 8mm polypropylene Fisherbrand	Pack of 100	2257
FB67335	Screw cap centre hole with 1.3mm red butyl/grey PTFE seal 8mm polypropylene Fisherbrand	Pack of 100	2304
FB67337	Screw cap centre hole with 1.3mm white silicone/red PTFE red seal 8mm polypropylene Fisherbrand	Pack of 100	4018
FB67339	Screw cap centre hole with 1.3mm white silicone/red PTFE seal with slit 8mm polypropylene Fisherbrand	Pack of 100	5816
FB67341	Screw cap closed top with 1.3mm natural rubber/transparent TEF seal 8mm polypropylene Fisherbrand	Pack of 100	2146
FB67343	Screw cap closed top with 1.3mm red butyl/grey PTFE seal 8mm polypropylene Fisherbrand	Pack of 100	2354
FB67345	Screw cap closed top with 1.3mm white silicone/red PTFE seal 8mm polypropylene Fisherbrand	Pack of 100	4074
FB67351	Vial screw neck small opening 8-425 screw thread 2mL 12mm x 32mm 1st hydrolytic class glass Fisherbrand	Pack of 100	1483
FB67353	Vial screw top small opening with label and filling lines 8-425 screw thread 2mL glass 12mm x 32mm 1st hydrolytic class (pack of 100) Fisherbrand	Pack of 100	1752
FB67355	Vial screw top small opening with label and filling lines 8-425 screw thread 2mL glass 12mm x 32mm 1st hydrolytic class (pack of 100) Fisherbrand-Amber	Pack of 100	1964
FB67357	Vial screw top conical 8-425 screw thread 1.1mL 12mm x 32mm 1st hydrolytic class glass Fisherbrand	Pack of 100	7830
FB67361	Micro insert 31mm x 5mm 0.1mL conical with 15mm top 1st hydrolytic class glass	Pack of 1000	31422
FB67363	Micro insert 0.1mL conical with 9mm top for small opening vials clear 31mm x 5mm 1st hydrolytic class glass Fisherbrand	Pack of 1000	31422
FB67365	Micro insert 0.1mL conical with assembled plastic spring for small opening vials clear 29mm x 5mm 1st hydrolytic class glass Fisherbrand	Pack of 1000	74745
FB67367	Micro insert 0.2mL flat bottom for small opening vials clear 31mm x 5mm 1st hydrolytic class glass Fisherbrand	Pack of 1000	25089
FB67371	Vial, short thread, 32 x 11.6mm, clear glass, wide opening, 1st hydrolytic class, 1.5mL	Pack of 100	1483
FB67373	Vial screw top wide opening with label and filling lines 9mm short thread 2mL glass 12mm x 32mm 1st hydrolytic class (pack of 100) Fisherbrand	Pack of 100	1581

Cat. No.	Description	Pack	Price in ₹
FB67375	Vial screw top wide opening with label and filling lines 9mm short thread glass 1st hydrolytic class 12mm x 32mm 1.5mL Fisherbrand	Pack of 100	1709
FB67377	Vial screw top short thread 1.1mL 12mm x 32mm 1st hydrolytic class glass Fisherbrand	Pack of 100	9798
FB67379	Vial 9mm screw top with integrated 0.2mL micro insert label and filling lines short thread 0.2mL glass Fisherbrand	Pack of 100	11961
FB67381	Vial screw top with integrated 0.2mL glass micro insert short thread 0.2mL glass 12mm x 32mm 1st hydrolytic class (pack of 100) Fisherbrand	Pack of 100	9001
FB67391	Screw cap short thread, centre hole with 0.2mm virgin PTFE seal 9mm polypropylene Fisherbrand	Pack of 100	1867
FB67393	Screw cap short thread, centre hole with 1.0mm natural rubber/transparent TEF seal 9mm polypropylene Fisherbrand	Pack of 100	2270
FB67395	Screw cap short thread, centre hole with 1.0mm red rubber/beige PTFE seal Agilent quality 9mm polypropylene Fisherbrand	Pack of 100	2304
FB67397	Screw cap short thread, centre hole with 1.0mm white silicone white/red PTFE seal 9mm polypropylene Fisherbrand	Pack of 100	4037
FB67399	Screw cap short thread, centre hole with 1.0mm red PTFE/white silicone/red PTFE seal 9mm polypropylene Fisherbrand	Pack of 100	4746
FB67401	Screw cap short thread, centre hole with 1.0mm white silicone/blue PTFE seal with slit 9mm polypropylene Fisherbrand	Pack of 100	5479
FB67403	Screw cap short thread, centre hole with 1.0mm white silicone/red PTFE seal pre-cut (Y) 9mm polypropylene Fisherbrand	Pack of 100	6804
FB67405	Screw cap short thread, centre hole with 0.2mm virgin PTFE seal 9mm polypropylene Fisherbrand	Pack of 100	1954
FB67407	Screw cap short thread, centre hole with 1.0mm natural rubber/transparent TEF seal 9mm polypropylene Fisherbrand	Pack of 100	2035
FB67409	Screw cap short thread, centre hole with 1.0mm red rubber/beige PTFE seal Agilent quality 9mm polypropylene Fisherbrand	Pack of 100	2065
FB67411	Screw cap short thread, centre hole with 1.0mm white silicone/red PTFE seal 9mm polypropylene Fisherbrand	Pack of 100	4037
FB67413	Screw cap short thread, centre hole with 1.0mm red PTFE/white silicone/red PTFE seal 9mm polypropylene Fisherbrand	Pack of 100	4746
FB67415	Screw cap short thread, centre hole with 1.0mm white silicone/blue seal with slit 9mm polypropylene Fisherbrand	Pack of 100	4198
FB67417	Screw cap short thread, centre hole with 1.0mm white silicone/red PTFE seal pre-cut (Y) 9mm polypropylene Fisherbrand	Pack of 100	6804
FB67419	Screw cap short thread, centre hole with 0.2mm virgin PTFE seal 9mm polypropylene Fisherbrand	Pack of 100	1954
FB67421	Screw cap short thread, centre hole with 1.0mm natural rubber/transparent TEF seal 9mm polypropylene Fisherbrand	Pack of 100	2354
FB67423	Screw cap short thread, centre hole with 1.0mm red rubber/beige PTFE seal Agilent quality 9mm polypropylene Fisherbrand	Pack of 100	2388
FB67425	Screw cap short thread, centre hole with 1.0mm white silicone/red PTFE seal 9mm polypropylene Fisherbrand	Pack of 100	4129
FB67427	Screw cap short thread, centre hole with 1.0mm red PTFE/white silicone/red PTFE seal 9mm polypropylene Fisherbrand	Pack of 100	4830
FB67429	Screw cap short thread, centre hole with 1.0mm white silicone/blue PTFE seal with slit 9mm polypropylene Fisherbrand	Pack of 100	5432
FB67431	Vial screw top wide opening 10-425 thread 2mL 12mm x 32mm 1st hydrolytic class glass Fisherbrand	Pack of 100	1890
FB67433	Vial screw top with label, filling lines wide opening 10-425 thread 2mL glass 12mm x 32mm 1st hydrolytic class (pack of 100) Fisherbrand	Pack of 100	2032
FB67435	Vial screw top with label, filling lines wide opening 10-425 thread 2mL amber glass 12mm x 32mm 1st hydrolytic class (pack of 100) Fisherbrand	Pack of 100	2243
FB67451	Screw cap centre hole with 1.3mm natural rubber/transparent TEF seal 10mm polypropylene Fisherbrand	Pack of 100	2580
FB67453	Screw cap centre hole with 1.3mm white silicone/red PTFE seal 10mm polypropylene Fisherbrand	Pack of 100	4705
FB67455	Screw cap centre hole with 1.0mm red PTFE/white silicone/red PTFE seal 10mm polypropylene Fisherbrand	Pack of 100	5348
FB67457	Screw cap centre hole with 1.5mm white silicone/blue PTFE seal with slit 10mm polypropylene Fisherbrand	Pack of 100	6976
FB67461	Vial screw top 13-425 thread 4mL 15mm x 45mm 1st hydrolytic class glass Fisherbrand	Pack of 100	2065

Cat. No.	Description	Pack	Price in ₹
FB67463	Vial screw top with label and filling lines 13-425 thread 4mL, 15mm x 45mm 1st hydrolytic class glass Fisherbrand	Pack of 100	2482
FB67465	Vial screw top 13-425 thread 4m 15mm x 45mm 1st hydrolytic class glass Fisherbrand	Pack of 100	2412
FB67467	Vial screw top with label and filling lines 13-425 thread 4mL, 15mm x 45mm 1st hydrolytic class glass Fisherbrand	Pack of 100	2573
FB67468	Micro insert for 4ml screw vial conical 1st hydrolytic class glass clear 0.3mL, 40 x 6mm Fisherbrand	Pack of 100	3868
FB67469	Metal spring for MI 40 09 0146 7.5mm x 50mm Fisherbrand	Pack of 100	1171
FB67471	Screw cap centre hole with 1.3mm natural rubber/transparent TEF seal 13mm polypropylene Fisherbrand	Pack of 100	2738
FB67473	Screw cap centre hole with 1.3mm red butyl/grey PTFE seal 13mm polypropylene Fisherbrand	Pack of 100	3088
FB67481	Screw cap closed top with 1.3mm natural rubber/transparent TEF seal 13mm polypropylene Fisherbrand	Pack of 100	2792
FB67483	Screw cap closed top with 1.3mm red butyl/grey PTFE seal 13mm polypropylene Fisherbrand	Pack of 100	3239
FB67485	Screw cap closed top with 1.5mm cream silicone/red PTFE seal 13mm polypropylene Fisherbrand	Pack of 100	5150
FB67491	Vial EPA screw glass clear 27.5mm x 57mm dimensions 20mL capacity 24mm opening (caps sold separately) Fisherbrand	Pack of 100	5372
FB67493	EPA vial screw top 1st hydrolytic class glass amber 20mL, 27.5mm x 57mm Fisherbrand	Pack of 100	9502
FB67497	EPA vial screw top 1st hydrolytic class glass amber 30mL, 27.5mm x 72.5mm Fisherbrand	Pack of 100	9996
FB67501	EPA vial screw top 1st hydrolytic class glass caps sold separately amber 40mL, 27.5mm x 95mm Fisherbrand	Pack of 100	7269
FB67503	EPA vial screw top 1st hydrolytic class glass (caps sold separately) clear 60mL, 27.5mm x 140mm Fisherbrand	Pack of 100	9922
FB67505	EPA vial screw top 1st hydrolytic class glass amber 60mL, 27.5mm x 140mm Fisherbrand	Pack of 100	11655
FB67511	Vial round bottom precision thread 10mL 22.5mm x 46mm 1st hydrolytic class glass Fisherbrand	Pack of 100	4700
FB67513	Vial round bottom precision thread 10mL 22.5mm x 46mm 1st hydrolytic class glass Fisherbrand-Amber	Pack of 100	6455
FB67515	Vial round bottom precision thread 20mL 22.5mm x 75.5mm 1st hydrolytic class glass Fisherbrand	Pack of 100	4716
FB67517	Vial round bottom precision thread 20mL 22.5mm x 75.5mm 1st hydrolytic class glass Fisherbrand	Pack of 100	6976
FB67521	Screw cap headspace, magnetic, centre hole with 1.3mm white silicone/red PTFE seal precision thread 18mm metal Fisherbrand	Pack of 100	9297
FB67523	Screw cap headspace, magnetic, centre hole with 1.3mm transparent blue silicone/white metal PTFE seal precision thread 18mm (pack of 100) Fisherbrand	Pack of 100	9297
FB67525	Screw cap headspace/SPME, magnetic, centre hole with 1.5mm white silicone/blue PTFE seal metal precision thread 18mm (pack of 100) Fisherbrand	Pack of 100	11725
FB67529	Screw cap magnetic, closed top with 1.3mm white silicone/red PTFE seal precision thread 18mm metal Fisherbrand	Pack of 100	9633
FB67531	Screw cap magnetic, closed top with 1.6mm red butyl/grey PTFE seal precision thread 18mm metal Fisherbrand	Pack of 100	5876
FB67559	Crimp Neck Vial flat bottom 1st hydrolytic class glass clear 50mL, 31mm x 101mm Fisherbrand	Pack of 100	8207
FB67561	Crimp cap centre hole with 3.0mm dark grey butyl seal aluminium silver 20mm Fisherbrand	Pack of 100	2190
FB67563	Crimp cap headspace, centre hole with 3.0mm dark grey butyl seal aluminium silver 20mm Fisherbrand	Pack of 100	2354
FB67565	Crimp cap magnetic, centre hole with 3.0mm dark grey butyl seal metal gold 20mm Fisherbrand	Pack of 100	2687
FB67569	Crimp cap headspace, centre hole with 3.0mm butyl/grey seal aluminium silver 20mm Fisherbrand	Pack of 100	4489
FB67571	Crimp cap magnetic, centre hole with 3.0mm butyl/grey PTFE seal metal gold 20mm Fisherbrand	Pack of 100	4879
FB67575	Crimp cap headspace, centre hole with 3.0mm butyl/PTFE Pharma-Fix-Septa aluminium silver 20mm Fisherbrand	Pack of 100	5405
FB67581	Crimp cap headspace, centre hole 3.0mm transparent blue silicone/white PTFE seal aluminium silver 20mm Fisherbrand	Pack of 100	7938
FB67585	Crimp cap magnetic, centre hole 3.0mm transparent blue silicone/white PTFE seal bimetal red 20mm Fisherbrand	Pack of 100	10329
FB67587	Crimp cap centre hole with 3.2mm white silicone/beige PTFE seal aluminium silver 20mm Fisherbrand	Pack of 1000	8173
FB67589	Crimp cap headspace, centre hole with 3.2mm white silicone/beige PTFE seal aluminium silver 20mm Fisherbrand	Pack of 1000	8335
FB72401	Scintillation vial shrink wrapped in 5 trays of 100, with white urea cork back metal foil liner cap, 22-400 thread, attached to vial, 28mm (O.D.) x 61mm (height, with cap), 20mL potassium free 33 borosilicate glass Fisherbrand	Pack of 500	22132

Cat. No.	Description	Pack	Price in ₹
FB72402	Scintillation vial shrink wrapped in 5 trays of 100, with white urea cork back metal foil liner cap, 22-400 thread, separate (5 poly bags x 100 caps) 28mm (O.D.) x 61mm (height, with cap), 20mL potassium free 33 borosilicate glass Fisherbrand	Pack of 500	22916
FB72403	Scintillation vial shrink wrapped in 5 trays of 100, with white urea polycone liner cap, 22-400 thread, separate (5 poly bags x 100 caps), 28mm (O.D.) x 61mm (height, with cap), 20mL potassium free 33 borosilicate glass Fisherbrand	Pack of 500	21668
FB72405	Scintillation vial shrink wrapped in 5 trays of 100, with white PP pulp back metal foil liner cap, 22-400 thread, attached to vial, 28mm (O.D.) x 61mm (height, with cap), 20mL potassium free 33 borosilicate glass Fisherbrand	Pack of 500	20686
FB72407	Scintillation vial shrink wrapped in 5 trays of 100, with white PP pulp back metal foil liner cap, 22-400 thread, separate (5 poly bags x 100 caps), 28mm (O.D.) x 61mm (height, with cap), 20mL potassium free 33 borosilicate glass Fisherbrand	Pack of 500	20588
FB72409	Scintillation vial shrink wrapped in 5 trays of 100, with white PE no liner cap, 22-400 thread, separate (5 poly bags x 100 caps), 28mm (O.D.) x 61mm (height, with cap), 20mL potassium free 33 borosilicate glass Fisherbrand	Pack of 500	21732
FB72413	Scintillation vial shrink wrapped in 5 trays of 200, with white plastic cork back metal foil liner cap, 15-425 thread, separate (5 poly bags x 200 caps), 17mm (O.D.) x 54mm (height), 7mL potassium free 33 borosilicate glass Fisherbrand	Pack of 1000	34204
FB72421	Scintillation vial shrink wrapped in 5 trays of 100, with white urea cork back metal foil liner cap, 22-400 thread, separate (5 poly bags x 100 caps), 28mm (O.D.) x 61mm (height, with cap), 20mL HDPE Fisherbrand	Pack of 500	16320
FB72423	Scintillation vial shrink wrapped in 5 trays of 100, with white urea polycone liner cap, 22-400 thread, separate (5 poly bags x 100 caps), 28mm (O.D.) x 61mm (height, with cap), 20mL HDPE Fisherbrand	Pack of 500	20844
FB72425	Scintillation vial shrink wrapped in 5 trays of 100, with white PP pulp back metal foil liner cap, 22-400 thread, separate (5 poly bags x 100 caps), 28mm (O.D.) x 61mm (height, with cap), 20mL HDPE Fisherbrand	Pack of 500	14658
FB72427	Scintillation vial shrink wrapped in 5 trays of 100, with white PP pulp back metal foil liner cap, 22-400 thread, attached to vial, 28mm (O.D.) x 61mm (height, with cap), 20mL HDPE Fisherbrand	Pack of 500	14359
FB72429	Scintillation vial bulk packed in bag of 1000 vials, with white PP pulp back metal foil liner cap, 22-400 thread (in separate bulk pack of 1000 caps) 28mm (O.D.) x 61mm (height, with cap), 20mL HDPE Fisherbrand	Pack of 1000	22862
FB72433	Scintillation vial shrink wrapped in 4 trays of 250, with white PE no liner cap, 15-425 thread, separate (4 poly bags x 250 caps) 17mm (O.D.) x 54mm (height), 7mL HDPE Fisherbrand	Pack of 1000	23007
FB72435	Scintillation vial bulk packed in bag of 2000 vials, with white PE no liner cap, 15-425 thread, separate (2 poly bags x 1000 caps) 17mm (O.D.) x 54mm (height), 7mL HDPE Fisherbrand	Pack of 2000	26303
FB72901	Vial sample with attached black poly-seal cone caps borosilicate glass (type one class A) packed in partition trays clear 4mL 15mm x 48mm Fisherbrand	Pack of 144	8732
FB72902	Vial sample with attached black poly-seal cone caps borosilicate glass (type one class A) packed in partition trays clear 8mL 17mm x 63mm Fisherbrand	Pack of 144	9845
FB72903	Vial sample with attached black poly-seal cone caps borosilicate glass (type one class A) packed in partition trays clear 12mL 19mm x 68mm Fisherbrand	Pack of 144	10356
FB72904	Vial sample with attached black poly-seal cone caps borosilicate glass (type one class A) packed in partition trays clear 16mL 21mm x 73mm Fisherbrand	Pack of 144	11503
FB72905	Vial sample with attached black poly-seal cone caps borosilicate glass (type one class A) packed in partition trays clear 24mL 23mm x 88mm Fisherbrand	Pack of 144	13316
FB72906	Vial sample with attached black poly-seal cone caps borosilicate glass (type one class A) packed in partition trays clear 30mL 25mm x 94mm Fisherbrand	Pack of 144	14238
FB72907	Vial sample with attached black poly-seal cone caps borosilicate glass (type one class A) packed in partition trays clear 20mL 28mm x 60mm Fisherbrand	Pack of 144	7558
FB72908	Vial sample with attached black poly-seal cone caps borosilicate glass (type one class A) packed in partition trays clear 25mL 28mm x 73mm Fisherbrand	Pack of 72	7921
FB72911	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays clear 2mL 12mm x 38mm Fisherbrand	Pack of 288	11809
FB72912	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays clear 4mL 15mm x 48mm Fisherbrand	Pack of 144	8913
FB72913	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays clear 8mL 17mm x 63mm Fisherbrand	Pack of 144	9650
FB72914	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays clear 12mL 19mm x 68mm Fisherbrand	Pack of 144	11053

Cat. No.	Description	Pack	Price in ₹
FB72915	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays clear 16mL 21mm x 73mm Fisherbrand	Pack of 144	11836
FB72916	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays clear 24mL 23mm x 88mm Fisherbrand	Pack of 144	14776
FB72917	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays clear 30mL 25mm x 94mm Fisherbrand	Pack of 144	16296
FB72918	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays clear 20mL 28mm x 60mm Fisherbrand	Pack of 72	7595
FB72919	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays clear 25mL 28mm x 73mm Fisherbrand	Pack of 72	8638
FB72921	Vial short sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays clear 2mL 15mm x 31mm Fisherbrand	Pack of 200	12270
FB72922	Vial short sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays clear 4mL 17mm x 41mm Fisherbrand	Pack of 200	12819
FB72923	Vial short sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays clear 4mL 17mm x 41mm Fisherbrand	Pack of 200	13088
FB72925	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays amber 2mL 12mm x 38mm Fisherbrand	Pack of 288	13713
FB72926	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays amber 4mL 15mm x 48mm Fisherbrand	Pack of 144	10131
FB72927	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays amber 8mL 17mm x 63mm Fisherbrand	Pack of 144	12200
FB72928	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays amber 20mL 28mm x 60mm Fisherbrand	Pack of 72	8971
FB72929	Vial sample with attached black PTFE faced rubber lined caps borosilicate glass (type one class A) packed in partition trays amber 40mL 28mm x 98mm Fisherbrand	Pack of 72	9637
FB72933	Vial EPA VOA precleaned borosilicate glass (type one) with PTFE-silicone septa fitted and packed in partition trays clear 40mL 28mm x 98mm Fisherbrand	Pack of 144	36367
FB72934	Vial EPA VOA precleaned borosilicate glass (type one) with PTFE-silicone septa fitted and packed in partition trays amber 40mL 28mm x 98mm Fisherbrand	Pack of 144	38842
FB72936	Vial EPA VOA precleaned borosilicate glass (type one) with certification and PTFE-silicone septa packed in partition trays clear 40mL 28mm x 98mm Fisherbrand	Pack of 144	57413
FB72937	Vial EPA VOA precleaned borosilicate glass (type one) with certification and PTFE-silicone septa packed in partition trays amber 40mL 28mm x 98mm Fisherbrand	Pack of 144	61227
BTS-404-050A	Bottle, universal, 28mL with fitted R3/28 aluminium cap, 2.5mm black synthetic rubber liner, 65.6mm max. bottle height, 28.5mm max diameter, 1oz, Type 2 soda lime silica glass	PACK OF 144	26778
BTS402050	Vial Universal, moulded pathology, screw thread, fully autoclavable, heavy walled, type 1 neutral borosilicate glass with fitted 28mm aluminium rubber lined cap 28mL 83mm x 28mm (h x d) clear Fisherbrand	Pack of 20	3855
<b>Watch Glasses</b>			
026171A	Glass, Watch; Fisherbrand; PTFE; Usable from cryogenic range to 260deg.C (500deg.F); Used as cover for 5, 10mL beaker; Diameter: 1.125 in. (30mm)	EA	918
026171B	Glass, Watch; Fisherbrand; PTFE; Usable from cryogenic range to 260deg.C (500deg.F); Used as cover for 25mL beaker; Diameter: 1.5 in. (40mm)	EA	1141
026171C	Glass, Watch; Fisherbrand; PTFE; Usable from cryogenic range to 260deg.C (500deg.F); Used as cover for 50mL beaker; Diameter: 2 in. (50mm)	EA	1227
026171D	Glass, Watch; Fisherbrand; PTFE; Usable from cryogenic range to 260deg.C (500deg.F); Used as cover for 100mL beaker; Diameter: 2.625 in. (50mm)	EA	1662
026171E	Glass, Watch; Fisherbrand; PTFE; Usable from cryogenic range to 260deg.C (500deg.F); Used as cover for 400, 500mL beaker; Diameter: 4 in. (100mm)	EA	2106
026171F	Glass, Watch; Fisherbrand; PTFE; Usable from cryogenic range to 260deg.C (500deg.F); Used as cover for 600, 1000mL beaker; Diameter: 5 in. (125mm)	EA	3057
026171G	Glass, Watch; Fisherbrand; PTFE; Usable from cryogenic range to 260deg.C (500deg.F); Used as cover for 250mL beaker; Diameter: 3.125 in. (80mm)	EA	1618
026171H	Glass, Watch; Fisherbrand; PTFE; Usable from cryogenic range to 260deg.C (500deg.F); Used as cover for 2000mL beaker; Diameter: 6 in. (150mm)	EA	5804
026174	Glass, Watch; Fisherbrand; PTFE; Usable from cryogenic range to 260deg.C (500deg.F); Used as cover for 1mL beaker; Diameter: 0.8 in. (20mm)	EA	831

Cat. No.	Description	Pack	Price in ₹
----------	-------------	------	------------

### Mixing and Stirring

Homogenizers			
FB56540	Pestle with stainless steel rod without handle PTFE 10mm diameter 5mL Fisherbrand	EA	4662
FB56545	Handle stainless steel to fit all PTFE pestles Fisherbrand	EA	2872
FB56673	Homogeniser mortar and pestle mini borosilicate glass chamber length 31mm / pestle diameter 3.65mm 0.1mL Fisherbrand	EA	7568
FB56675	Homogeniser mortar and pestle mini borosilicate glass chamber length 55mm / pestle diameter 5.0mm 1.0mL Fisherbrand	EA	9183
FB56679	Homogeniser mortar and pestle mini borosilicate glass chamber length 60mm / pestle diameter 9.0mm 3.0mL Fisherbrand	EA	9495
FB56681	Homogeniser Griffiths tube tissue grinder borosilicate glass 5mL Fisherbrand	EA	6243
FB56683	Homogeniser Griffiths tube tissue grinder borosilicate glass 15mL Fisherbrand	EA	8823
FB56687	Homogeniser Griffiths tube tissue grinder borosilicate glass 15mL Fisherbrand	EA	28933
FB56691	Homogeniser dounce tissue grinder with two interchangeable pestles borosilicate glass 7mL Fisherbrand	Pack of 2	28957
FB56695	Homogeniser dounce tissue grinder with two interchangeable pestles borosilicate glass 15mL Fisherbrand	Pack of 2	32415
FB56699	Homogeniser dounce tissue grinder with two interchangeable pestles borosilicate glass 40mL Fisherbrand	Pack of 2	39929
FB56705	Tissue grinder mortar only general purpose borosilicate glass chamber length 75mm 10mL Fisherbrand	EA	5768
FB56753	Tissue grinder handle fits all PTFE pestle ends stainless steel 203mm handle length Fisherbrand	EA	3892
FB56763	Homogeniser, Safe-Seal™, borosilicate glass mortar PTFE pestle and stainless steel handle PTFE stopper chamber length 65mm / pestle diameter 10mm 5mL Fisherbrand	EA	19633
FB56765	Homogeniser, Safe-Seal™, borosilicate glass mortar PTFE pestle and stainless steel handle PTFE stopper chamber length 75mm / pestle diameter 13mm 10mL Fisherbrand	EA	20027
FB56767	Homogeniser, Safe-Seal™, borosilicate glass mortar PTFE pestle and stainless steel handle PTFE stopper chamber length 80mm / pestle diameter 15mm 15mL Fisherbrand	EA	20608
FB56769	Homogeniser, Safe-Seal™, borosilicate glass mortar PTFE pestle and stainless steel handle PTFE stopper chamber length 105mm / pestle diameter 19mm 30mL Fisherbrand	EA	21860

### Liquid Handling

Dispensers/Diluters			
0340543	Bottle-top, Dispenser; Fisherbrand; Hazardous Chemical; 45mm neck size; PTFE; Totally inert pouring surfaces, Neck-sealing ring is encapsulated in PTFE; Incorporated breather vent; Fits standard reagent bottles; PTFE closure	EA	7250
0340546	Bottle-top, Dispenser; Fisherbrand; Hazardous Chemical; 38mm neck size; PTFE; Totally inert pouring surfaces; Neck-sealing ring is encapsulated in PTFE; Incorporated breather vent; Fits standard reagent bottles; PTFE closure	EA	7250
BTBL	Dispensers, Acid; Fisher Scientific; High-Purity and HF Bottle-Top; Baseline Bottle-top; PTFE; Capacity: 0 to 5mL; Accuracy/Precision, +/-0.02mL/ +/-3% at 3mL; Cap Size 38-430	EA	503292
BTHF	Dispensers, Acid; Fisher Scientific; High-Purity and HF Bottle-Top; PTFE; Capacity: 0 to 5mL; Accuracy/Precision, +/-0.02mL/ +/-3% at 3mL; Cap Size 38-430	EA	396471
FB57946	Label dispenser Tough Tags Station blue Fisherbrand	EA	8167
FSBT9550	Bottle Top Dispenser 0.25-2.5mL	EA	10451
FSBT9555	Bottle Top Dispenser 0.5 - 5mL	EA	10451
FSBT9560	Bottle Top Dispenser 1- 10mL	EA	10451
FSBT9565	Bottle Top Dispenser 2.5 - 30mL	EA	15329
FSBT9570	Bottle Top Dispenser 5-60mL	EA	15329
FSBT9575	Bottle Top Dispenser 10-100mL	EA	18377
FSBT9580	Bottle Top Dispenser 50-500mL	EA	53709

PK - Pack | EA - Each | CS - Case



Cat. No.	Description	Pack	Price in ₹
<b>Pipettes Tips and Fillers</b>			
02065183	Stand, ESR; Fisherbrand; Plastic construction; With leveling bubble; Adjustable feet; Five-place	EA	7644
02100500	Pipet Tip; Fisherbrand Pipet Tips in SureStack; Sorenson; Long-reach tips with graduation marks; Not presterilized; 10uL tip capacity; Natural	PK	4405
02100501	Pipet Tip; Fisherbrand Pipet Tips in SureStack; Sorenson; Long-reach tips with graduation marks; Presterilized; 10uL tip capacity; Natural	PK	4788
02100502	Pipet Tip; Fisherbrand Pipet Tips in SureStack; Sorenson; Long-reach tips with graduation marks; Not presterilized; 200uL tip capacity; Natural	PK	4361
02100503	Pipet Tip; Fisherbrand Pipet Tips in SureStack; Sorenson; Long-reach tips with graduation marks; Presterilized; 200uL tip capacity; Natural	PK	4741
02100504	Pipet Tip; Fisherbrand Pipet Tips in SureStack; Sorenson; Long-reach tips with graduation marks; Not presterilized; 200uL tip capacity; Yellow	PK	4361
02100505	Pipet Tip; Fisherbrand Pipet Tips in SureStack; Sorenson; Long-reach tips with graduation marks; Presterilized; 200uL tip capacity; Yellow	PK	4741
02100506	Pipet Tips; Fisherbrand Pipet Tips in CellRacks; Thermo Fisher Scientific; Reusable racks withstand multiple autoclave cycles; Graduation marks at 2uL and 10uL; Pre-sterilized; 10uL capacity; Natural	PK	6259
02100507	Pipet Tips; Fisherbrand Pipet Tips in CellRacks; Thermo Fisher Scientific; Reusable racks withstand multiple autoclave cycles; Long Reach tips have graduation marks at 2uL, 5uL and 10uL; Pre-sterilized; 10uL capacity; Natural	PK	6322
02100508	Tip, Pipet; Sorenson Biosciences; in cellRacks; Thermo Fisher Scientific; Reusable racks; Soft fit collar; Long Reach tips have graduation marks at 10uL, 50uL, 100uL; Pre-sterilized; Autoclavable; Color: Natural	PK	6138
02100509	Tip, Pipet; Fisherbrand Pipet Tips in CellRacks; Thermo Fisher Scientific; Reusable racks; Soft fit collar; Long Reach tips have graduation marks at 10uL, 50uL and 100uL; Pre-sterilized; Autoclavable; Color: Yellow	PK	6138
02100510	Pipet Tips; Fisherbrand Pipet Tips in CellRacks; Thermo Fisher Scientific; Reusable racks withstand multiple autoclave cycles; Extended length; Graduation marks at 200uL, 500uL and 1000uL; Pre-sterilized; 1250uL capacity; Natural	PK	6511
02675179	Tubes, ESR; Fisherbrand; Dispette 2; Polystyrene; Shatterproof; CLIA-waived; Triple plug tip; Pierceable reservoir cap; Sealing ring; Reservoirs are pre-filled; Meets NCCLS/ICSH guidelines	PK	8559
02675251	Stands, ESR; Fisherbrand; 10-place Stand; Plastic	EA	2596
0344821	Bulb, Latex; Fisherbrand; For small Pipets; Flexible; Easy-to-attach; Amber; Capacity: 1mL; Length: 1.5 in. (38mm)	PK	2459
0344822	Bulb, Latex; Fisherbrand; For small Pipets; Flexible; Easy-to-attach; Amber; Capacity: 2mL; Length: 2.25 in. (57mm)	PK	2280
0344823	Filler, Pipet; Fisherbrand; Safety rubber bulb attaches to white polypropylene attachment with conical silicone adapter that fits small pipets through the largest volumetrics; Color: Red	PK	2130
0344824	Bulb, Rubber; Fisherbrand; Amber; Latex; Capacity: 2mL	PK	394
0344825	Bulb, Dropper; Fisherbrand; Rubber; For Pasteur pipets; Capacity: 1mL; Length: 1.14 in. (29mm); Dia. of Opening: 0.265 in. (7mm)	PK	1333
0344826	Dropper Bulbs for Pasteur Pipets; Fisherbrand; Capacity: 3mL; Length: 1-5/8 in.; Diameter of Opening: 0.275 in.	PK	3268
0344827	Bulb, Rubber; Fisherbrand; Red; Capacity: 2mL	PK	724
0344834	Bulb, Rubber; Fisherbrand; No tubing; Capacity: 85mL	EA	1010
FBA03465	Box, Pipet; Fisherbrand; Sterilizing; Stainless-steel; Round; Dia. X H: 2.5 x 16.5 in. (6.35 x 42cm)	EA	4310
FBA03475	Box Pipet Sterilizing Rugged Stainless Steel Square 2 x 2 x 16-1/2 in., Fisherbrand	EA	4287
034751	Box, Pipet; Sterilizing; Square; Stainless Steel; 5-3/4 in. Length Pipet; 2 L x 2 W x 6 in. H; snug fitting covers; Fisherbrand	EA	4446
034755	Box, Pipet; Fisherbrand; Sterilizing; Square; Stainless Steel; Pipette Length: 9 in.; 2L x 2W x 9.25 in. H; Snug fitting covers	EA	4372
05408150	Tips, Gel-loading; Fisherbrand; Premium Plus; MultiFlex; Tip: flat; O.D.: 0.37mm; Fit research-grade pipettors; 83mm long; 5uL graduation; Volume: 0.5 to 200uL; Packed 200 tips per rack (shrink wrapped), 2 racks per case; 400 tips/cs.	CS	12628
05408151	Tips, Gel-loading; Sorenson; Premium Plus; MultiFlex; Tip style: round; O.D.: 0.57mm; Fit research-grade pipettors; 83mm long; 5uL graduation; Volume: 0.5 to 200uL; Pack of 400	CS	4733

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
05408152	Tips, Gel-loading; Fisherbrand; Premium Plus; MiniFlex; Tip style: flat; O.D: 0.17mm; Fit ultra-micro pipettors; 45mm long; 2uL graduation; Volume: 0.1 to 10uL; Packed 200 tips per rack (shrink wrapped), 2 racks per case; 400 tips/cs.	CS	14600
05408153	Tips, Gel-loading; Fisherbrand; Premium Plus; MiniFlex; Tip style: round; O.D: 0.57mm; Fit ultra-micro pipettors; 45mm long; 2uL graduation; Vol.: 0.1 to 10uL; Packed 200 tips per rack (shrink wrapped), 2 racks per case; 400 tips/cs.	CS	4733
05408154	Tip, Gel-loading; Fisherbrand; Premium Plus; MultiFlex; Tip style: round; O.D.: 0.57mm; Fit research-grade pipettors; 83mm long; 5uL graduation; Volume: 0.5 to 200uL; Bag of 1000	PK	3550
05408184	Tip, Pipet; Fisherbrand; SureGrip; Reload System; Nonsterile; Natural; 10uL	PK	4207
05408185	Tip, Pipet; Fisherbrand; Reload System; SureGrip; Empty cellracks; Certified DNase, RNase, Human DNA and PCR inhibitor free; Color: natural; 10uL; Racked; 10/Cs.	CS	3046
05408186	Tip, Pipet; Fisherbrand; SureGrip; Reload system; Pipet tips in CellRacks; Certified DNase, RNase, Human DNA and PCR inhibitor free; Withstand numerous autoclave cycles; Color: natural; Volume: 10uL; Racked; 960/Pk.	PK	6110
05408187	Tip, Pipet; Fisherbrand; SureGrip; Reload system; Nonsterile; Long reach; Natural; 10uL	PK	4247
05408188	Tip, Pipet; Fisherbrand; SureGrip; In CellRacks; Certified DNase, RNase, Human DNA and PCR inhibitor free; Withstand numerous autoclave cycles; Long reach; Color: natural; Volume: 10uL; Racked	PK	6175
05408189	Tip, Pipet; Fisherbrand; SureGrip; Reload system; Tips in reloads; For multichannel pipettors; Nonsterile; 200uL; True tip; Natural	PK	4202
05408190	Tip, Pipet; Fisherbrand; SureGrip; Reload System; Comes in CellRacks; Certified DNase, RNase, Human DNA and PCR inhibitor free; Withstand numerous autoclave cycles; Color: natural; Volume: 200uL; Racked	PK	6001
05408191	Tip, Pipet; Fisherbrand; SureGrip; Reload system; Pipet tips in reloads; Certified DNase, RNase, Human DNA and PCR inhibitor free; Volume: 200uL; Color: yellow; Pack of 960	PK	4202
05408192	Tip, Pipet; Fisherbrand SureGrip; Nonsterile; In CellRacks; Feature soft fit collar for easy mounting and eject; Graduation marks at 10, 50 and 100uL; Racked; Yellow; Volume: 200uL	PK	5996
05408193	Tip, Pipet; Fisherbrand; Nonsterile; Reload system; Empty cell rack for 10uL; Long Reach; 200uL	CS	3042
05408194	Tip, Pipet; Fisherbrand; SureGrip; Reload System; Nonsterile; Graduated; Natural; 1250uL; 768/Pk.	PK	4350
05408195	Tip, Pipet; Fisherbrand; SureGrip; Reload System; Empty cellracks; Certified DNase, RNase, Human DNA and PCR inhibitor free; Color: natural; 1250uL; 8/Cs.	PK	3120
05408196	Tip, Pipet; Fisherbrand; SureGrip; Reload system; In CellRacks; Certified DNase, RNase, Human DNA and PCR inhibitor free; Withstand numerous autoclave cycles; Color: natural; Volume: 1250uL; 768/Pk.	PK	6332
0666656	Stand, Pipetter; Fisherbrand; 6-Place; For single-channel pipettors; Acrylic; w/Non-skid feet; 8D x 12W x 12 in. H (20.32 x 30.48 x 30.48cm)	EA	8415
FBA06667	Stand, Pipetter; Fisherbrand; 4-Place; For single-channel pipettors; Acrylic; w/Non-skid feet; 8D x 8W x 12 in. H (20.32 x 20.32 x 30.48cm)	EA	5868
066671	Stand, Pipetter; Fisherbrand; 4-Place; For single-channel pipettors; HDPE; w/Non-skid feet; 8D x 8W x 12 in. H (20.32 x 20.32 x 30.48cm)	EA	5779
066672	Stand, Pipetter; Fisherbrand; 6-Place; For single-channel pipettors; HDPE; w/Non-skid feet; 8D x 12W x 12 in. H (20.32 x 30.48 x 30.48cm)	EA	7284
066673	Stand, Pipetter; Fisherbrand; Acrylic; 1-Place; 6D x 5.5W x 9 in. H (15.24 x 13.97 x 22.86cm)	EA	8900
066674	Stand, Pipetter; Fisherbrand; 3-Place; For single-channel pipettors; Acrylic; w/Non-skid feet; 8D x 6W x 12 in. H (20.32 x 15.24 x 30.48cm)	EA	5467
066675	Stand, Pipetter; Fisherbrand; Acrylic; For multi-channel pipetter	EA	4791
1138232C	Pipet, Ostwald-Folin; Fisherbrand; Capacity: 0.25mL	CS	13365
1138232D	Pipet, Ostwald-Folin; Fisherbrand; Capacity: 0.3mL	CS	12791
1138232E	Pipet, Ostwald-Folin; Fisherbrand; Capacity: 0.5mL	CS	12636
1138232F	Pipet, Ostwald-Folin; Fisherbrand; Capacity: 1.0mL	CS	12636
1138232G	Pipet, Ostwald-Folin; Fisherbrand; Capacity: 2.0mL	CS	13163
1138232H	Pipet, Ostwald-Folin; Fisherbrand; Capacity: 3.0mL	CS	12948
1138232J	Pipet, Ostwald-Folin; Fisherbrand; Capacity: 4.0mL	CS	12628
1138232K	Pipet, Ostwald-Folin; Fisherbrand; Capacity: 5.0mL	CS	12859
1138232L	Pipet, Ostwald-Folin; Fisherbrand; Capacity: 10.0mL	CS	17964
1138233A	Pipets, Dual-Purpose; Fisherbrand; Capacity: 0.1mL; Accuracy: +/-0.003mL	CS	12767
1138233B	Pipets, Dual-Purpose; Fisherbrand; Capacity: 0.2mL; Accuracy: +/-0.003mL	CS	12849
1138233C	Pipets; Fisherbrand; Dual-Purpose; Capacity: 0.25mL; Accuracy: +/-0.003mL	CS	12767
1138233D	Pipets; Fisherbrand; Dual-Purpose; Capacity: 0.3mL; Accuracy: +/-0.003mL	CS	12639

Cat. No.	Description	Pack	Price in ₹
1138233E	Pipets, Dual-Purpose; Fisherbrand; Capacity: 0.5mL; Accuracy: +/-0.006mL	CS	12620
1138233F	Pipets, Dual-Purpose; Fisherbrand; Capacity: 1.0mL; Accuracy: +/-0.006mL	CS	12620
1138233G	Pipets, Dual-Purpose; Fisherbrand; Capacity: 2.0mL; Accuracy: +/-0.006mL	CS	13040
1138233H	Pipets, Dual-Purpose; Fisherbrand; Capacity: 2.5mL; Accuracy: +/-0.01mL	CS	13504
1138233J	Pipets, Dual-Purpose; Fisherbrand; Capacity: 3mL; Accuracy: +/-0.01mL	CS	12948
1138233K	Pipets, Dual-Purpose; Fisherbrand; Capacity: 4mL; Accuracy: +/-0.01mL	CS	12628
1138233L	Pipets, Dual Purpose; Fisherbrand; Capacity: 5.0mL; Accuracy: +/-0.01mL	CS	17516
1138233M	Pipets, Dual-Purpose; Fisherbrand; Capacity: 10mL; Accuracy: +/-0.02mL	CS	17642
FBA12724	Pipet, Milk Bacteriological; Fisherbrand; Sterile; Disposable; Borosilicate Glass; Capacity: 1.1mL; Tolerance: +/-0.025mL; Graduations: 0.5, 1.0, 1.1mL	CS	31662
127241	Pipet; Milk Bacteriological; Fisherbrand Sterile Disposable Borosilicate Glass; Capacity: 2.2mL; Tolerance: +/-0.025mL; Graduations: 1.0, 2.0, 2.1, 2.2mL	CS	36083
136502A	Pipets, Reusable, Volumetric; Fisherbrand; 0.5mL; Accuracy: +/-0.006mL; Color code: 2 black; Class A; Standard; Borosilicate glass; Calibrated: To deliver; Amber markings; minimum flow time: 5 s	CS	11309
13650A	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 0.5mL; Accuracy: +/-0.012mL; Color: 2 black; Minimum flow time: 3 sec.	CS	10892
13650B	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 1mL; Accuracy: +/-0.012mL; Color: blue; Minimum flow time: 3 sec.	CS	11084
13650C	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 2mL	CS	11511
13650D	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 3mL; Accuracy: +/-0.02mL; Color: black; Minimum flow time: 5 sec.	CS	11259
13650E	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Color : 2 Red; Capacity: 4mL	CS	11312
13650F	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 5mL	CS	11259
13650G	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 6mL; Accuracy: +/-0.03mL; Color: 2 Orange; Minimum flow time: 8 sec.	CS	11482
13650H	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Color : 2 Green; Capacity: 7mL	CS	11482
13650J	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 8mL; Accuracy: +/-0.04mL; Color: blue; Minimum flow time: 8 sec.	CS	11482
13650K	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 9mL; Accuracy: +/-0.04mL; Color: black; Minimum flow time: 8 sec.	CS	11713
13650L	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 10mL	CS	11425
13650M	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Color : Green; Capacity: 15mL	EA	2559
13650N	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 20mL	EA	2612
13650P	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 25mL	EA	2646
13650Q	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 30mL	EA	2777
13650R	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 40mL; Accuracy: +/-0.10mL; Color: white; Minimum flow time: 15 sec.	EA	3029
13650S	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 50mL	EA	3044
13650T	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 75mL; Accuracy: +/-0.16mL; Color: green; Minimum flow time: 20 sec.	EA	3220

Cat. No.	Description	Pack	Price in ₹
13650U	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Color : Yellow; Capacity: 100mL	EA	4127
13650V	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 200mL; Accuracy: +/-0.32mL; Minimum flow time: 30 sec.	PK	4801
13650Y	Pipet, Volumetric; Fisherbrand; Reusable; Class B; Borosilicate glass; Permanent amber markings; Tuf-Temp-treated tempered Tip; Fast outflow; Capacity: 2.5mL	CS	21221
136648F	Pipets, Reusable Measuring; Fisherbrand; Long-Tip; Capacity: 1 in 1/100mL; Accuracy: +/-0.02mL; Color Code: Yellow	CS	15198
136648G	Pipets, Reusable Measuring; Fisherbrand; Long-Tip; Capacity: 1 in 1/10mL; Accuracy: +/-0.02mL; Color Code: Red	CS	15198
136648J	Pipets, Reusable Measuring; Fisherbrand; Long-Tip; Capacity: 2 in 1/100mL; Accuracy: +/-0.02mL; Color Code: 2 White	CS	15127
136648K	Pipets, Reusable Measuring; Fisherbrand; Long-Tip; Capacity: 5 in 1/10mL; Accuracy: +/-0.04mL; Color Code: Blue	CS	17041
136648M	Pipets, Reusable Measuring; Fisherbrand; Long-Tip; Capacity: 10 in 1/10mL; Accuracy: +/-0.06mL; Color Code: Orange	CS	16063
136653F	Pipets, Mohr; Fisherbrand Serialized/Certified; Borosilicate glass; Permanent amber markings; Capacity: 1 in 1/10 mL; Accuracy: +/-0.001mL; Color Code: Yellow	CS	16653
136653H	Pipets, Mohr; Fisherbrand Serialized/Certified; Capacity: 2 in 1/10 mL	CS	20854
136653K	Pipets, Mohr; Fisherbrand Serialized/Certified; Borosilicate glass; Permanent amber markings; Capacity: 5 in 1/10 mL; Accuracy: +/-0.001mL; Color Code: Blue	CS	20951
136653M	Pipets, Mohr; Fisherbrand Serialized/Certified; Borosilicate glass; Permanent amber markings; Capacity: 10 in 1/10 mL; Accuracy: +/-0.001mL; Color Code: Orange	CS	26890
136653N	Pipets, Mohr; Fisherbrand Serialized/Certified; Capacity: 25 in 1/10 mL	CS	46365
13665A	Pipets, Reusable Measuring; Fisherbrand; Standard-Taper; Borosilicate glass; Permanent amber markings; Capacity: 1/10 in 1/100mL; Accuracy: +/-0.005mL; Color Code: White	CS	12075
13665F	Pipets, Reusable Measuring; Fisherbrand; Standard-Taper; Borosilicate glass; Permanent amber markings; Capacity: 1 in 1/100mL; Accuracy: +/-0.02mL; Color Code: Yellow	CS	13646
13665G	Pipets, Reusable Measuring; Fisherbrand; Standard-Taper; Borosilicate glass; Permanent amber markings; Capacity: 1 in 1/10mL; Accuracy: +/-0.02mL; Color Code: Red	CS	13515
13665H	Pipets, Reusable Measuring; Fisherbrand; Standard-Taper; Borosilicate glass; Permanent amber markings; Capacity: 2 in 1/10mL; Accuracy: +/-0.02mL; Color Code: Green	CS	13559
13665K	Pipets, Reusable Measuring; Fisherbrand; Standard-Taper; Borosilicate glass; Permanent amber markings; Capacity: 5 in 1/10mL; Accuracy: +/-0.04mL; Color Code: Blue	CS	16795
13665M	Pipette, Measuring; Fisherbrand; Standard-Taper; Borosilicate glass; Reusable; Permanent amber markings; Capacity: 10 in 1/10mL; Accuracy: +/-0.06mL; Color Code: Orange	CS	17618
13665N	Pipette, Measuring; Fisherbrand; Standard-Taper; Borosilicate glass; Reusable; Permanent amber markings; Capacity: 25 in 1/10mL; Accuracy: +/-0.10mL; Color Code: White	CS	22451
136786A	Pipet, Pasteur; Fisherbrand; Disposable; Soda-lime; Glass; Uniform bore; Without plugs; Packaged in flip-top carton; Approx. length: 5.75 in. (146mm)	PK	1392
136786B	Pipet, Pasteur; Fisherbrand; Disposable; Soda-lime; Glass; Uniform bore; Without plugs; Packaged in flip-top carton; Approx. length: 9 in. (229mm)	PK	1639
136786C	Pipette, Pasteur; Fisherbrand; Disposable; Controlled-Drop; Flint glass	CS	6291
136788A	Pipette, Pasteur; Fisherbrand; Disposable; Cotton-Plugged; Borosilicate-glass; Plugged; pprox. Length: 5.75 in. (14.6cm)	PK	2121
136788B	Pipette, Pasteur; Fisherbrand; Disposable; Cotton-Plugged; Borosilicate-glass; Plugged; Approx. Length: 9 in. (23cm)	PK	2384
13670A	Pipet, Bacteriological; Fisherbrand; Nonsterile; Reusable; Material: borosilicate glass; For milk testing; With permanent marking; Tuf-Temp treated; Capacity: 1mL; Graduations: 1mL; Color: blue	CS	11139
13670B	2 Green; Capacity: 1.1mL; Graduations: 1.1, 1.0mL	CS	11663
13670C	Pipet, Bacteriological; Fisherbrand; Nonsterile; Reusable; Material: borosilicate glass; For milk testing; With permanent marking; Tuf-Temp treated; Capacity: 1.1mL; Graduations: 1.1, 1.0, 0.5mL	CS	12017
13670D	Pipet, Bacteriological; Fisherbrand; Nonsterile; Reusable; Material: borosilicate glass; For milk testing; With permanent marking; Tuf-Temp treated; Capacity: 2.2mL; Graduations: 2.2, 2.1, 2.0, 1.0mL	CS	12862
13670E	White; Capacity: 5mL ; Ungraduated	CS	15730
13670F	Red; Capacity: 10mL; Ungraduated	CS	17293

Cat. No.	Description	Pack	Price in ₹
13670G	Pipet, Bacteriological; Fisherbrand; Nonsterile; Reusable; Material: borosilicate glass; For milk testing; With permanent marking; Tuf-Temp treated; Capacity: 11mL	CS	18227
13671102A	Serological Pipets; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Standard pack; Meet requirements of ASTM; capacity: 1/10 in 1/100mL; Accuracy: +/-0.005mL; White	CS	15148
13671102C	Serological Pipets; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Standard pack; Meet requirements of ASTM; capacity: 2/10 in 1/100mL; Accuracy: +/-0.008mL; Black	CS	15198
13671102E	Pipet, Serological; Fisherbrand; Cotton plug top; Reusable; Borosilicate glass; Permanent amber markings; Tuf-Temp treated; Calibrated To Deliver/Blow Out; Capacity: 5/10 in 1/100mL; Accuracy: +/-0.01mL; Yellow; Standard	CS	13853
13671102F	Serological Pipets; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Standard pack; Meet requirements of ASTM; Capacity: 1 in 1/100mL; Accuracy: +/-0.02mL; Yellow	CS	15788
13671102G	Serological Pipets; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Standard pack; Meet requirements of ASTM; Capacity: 1 in 1/10mL; Accuracy: +/-0.02mL; Red	CS	14535
13671102H	Serological Pipets; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Standard pack; Meet requirements of ASTM; Capacity: 2 in 1/10mL; Accuracy: +/-0.02mL; Green	CS	15148
13671102J	Serological Pipets; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Standard pack; Meet requirements of ASTM; Capacity: 2 in 1/100mL; Accuracy: +/-0.02mL; 2 White	CS	15452
13671108A	Serological Pipets; Fisherbrand; Large tip opening; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; capacity: 2 in 1/10mL; Accuracy: +/-0.05mL; Color: Red	CS	14207
13671108B	Serological Pipets; Fisherbrand; Large tip opening; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; capacity: 2 in 1/10mL; Accuracy: +/-0.05mL; Color: Green	CS	14708
13671108C	Serological Pipets; Fisherbrand; Large tip opening; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; capacity: 5 in 1/10mL; Accuracy: +/-0.10mL; Color: Blue	CS	15547
13671108D	Serological Pipets; Fisherbrand; Large tip opening; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; capacity: 10 in 1/10mL; Accuracy: +/-0.10mL; Color: Orange	CS	15568
13671108E	Serological Pipets; Fisherbrand; Large tip opening; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; capacity: 25 in 1/10mL; Accuracy: +/-0.20mL; Color: White	CS	16963
13671109F	Pipets, Reusable Measuring; Fisherbrand; Dye Industry; Tough borosilicate glass; Capacity: 1 in 1/100mL; Accuracy: +/-0.02mL; Color Code: Yellow; Case of 12	CS	15557
13671109H	Pipets, Reusable Measuring; Fisherbrand; Dye Industry; Tough borosilicate glass; Capacity: 2 in 1/10mL; Accuracy: +/-0.02mL; Color Code: Green; Case of 12	CS	17414
13671109K	Pipets, Reusable Measuring; Fisherbrand; Dye Industry; Tough borosilicate glass; Capacity: 5 in 1/10mL; Accuracy: +/-0.04mL; Color Code: Blue; Case of 12	CS	18009
13671109M	Pipets, Reusable Measuring; Fisherbrand; Dye Industry; Tough borosilicate glass; Capacity: 10 in 1/10mL; Accuracy: +/-0.06mL; Color Code: Orange; Case of 12	CS	18017
13671109N	Pipets, Reusable Measuring; Fisherbrand; Dye Industry; Tough borosilicate glass; Capacity: 25 in 1/2mL; Accuracy: +/-0.10mL; Color Code: White; Case of 12	CS	21308
1367426A	Pipet, Serological; Fisherbrand; Long tip; Borosilicate glass; Permanent amber markings; Tuf-Temp treated; Long, tapered tip; Graduated to tip; Capacity: 1/10 in 1/100mL; Accuracy: +/-0.005mL; Color code: white	CS	15064
1367426C	Pipet, Serological; Fisherbrand; Long tip; Capacity: 2/10 in 1/100mL; Accuracy: +/-0.008mL	CS	15248
1367426F	Serological Pipets; Fisherbrand; Long tip opening; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; capacity: 1/10 in 1/100mL; Accuracy: +/-0.005mL; Color: White	CS	15492
1367426G	Pipet, Serological; Fisherbrand; Long tip; Capacity: 1 in 1/10mL; Accuracy: +/-0.02mL	CS	15492
1367426H	Pipet, Serological; Fisherbrand; Long Tip; Capacity: 2 in 1/10mL; Accuracy: +/-0.03mL	CS	15544
1367426M	Pipet, Serological; Fisherbrand; Long Tip; Capacity: 10 in 1/10mL; Accuracy: +/-0.06mL	CS	17852

Cat. No.	Description	Pack	Price in ₹
136753F	Pipet, Serological; Fisherbrand; Class A; Reusable; Borosilicate glass; Permanent amber markings; Tuf-Temp treated; Includes: Certificate of Traceability; Calibrated To Deliver; Capacity: 1 in 1/10mL; Accuracy: +/-0.01mL; Yellow	CS	16779
136753H	Pipet, Serological; Fisherbrand; Class A; Reusable; Borosilicate glass; Permanent amber markings; Tuf-Temp treated; Includes: Certificate of Traceability; Calibrated To Deliver; Capacity: 2 in 1/10mL; Accuracy: +/-0.01mL; Green	CS	21009
136753K	Serological Pipets; Fisherbrand; Serialized/certified; Accuracy printed on each pipet; Fast; Uniform flowrates; Meet specifications for kahn pipets; capacity: 5 in 1/10mL; Accuracy: +/-0.02mL; Color: Blue	CS	20319
136753M	Serological Pipets; Fisherbrand; Serialized/certified; Accuracy printed on each pipet; Fast; Uniform flowrates; Meet specifications for kahn pipets; capacity: 10 in 1/10mL; Accuracy: +/-0.03mL; Color: Orange	CS	27092
136753N	Pipet, Serological; Fisherbrand; Class A; Reusable; Borosilicate glass; Permanent amber markings; Tuf-Temp treated; Includes: Certificate of Traceability; Calibrated To Deliver; Capacity: 25 in 1/10mL; Accuracy: +/-0.05m; White	CS	46713
13675A	Serological Pipets; Fisherbrand; Standard-top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; Standard Pack; Capacity: 1/10 in 1/100mL; Accuracy: +/-0.005mL; Color: White	CS	12505
13675C	Serological Pipets; Fisherbrand; Standard-top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; Standard Pack; Capacity: 2/10 in 1/100mL; Accuracy: +/-0.008mL; Color: Black	CS	12560
13675D	Serological Pipets; Fisherbrand; Standard-top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; Standard Pack; capacity: 5/10 in 1/100mL; Accuracy: +/-0.01mL; Color: Yellow	CS	14002
13675E	Serological Pipets; Fisherbrand; Standard-top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; Standard Pack; capacity: 5/10 in 1/20mL; Accuracy: +/-0.01mL; Color: Black	CS	14002
13675F	Serological Pipets; Fisherbrand; Standard-top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; Standard Pack; Capacity: 1 in 1/100mL; Accuracy: +/-0.02mL; Color: Yellow	CS	13866
13675G	Pipet, Serological; Fisherbrand; Standard-top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; Standard pack; capacity: 1 in 1/10mL; Accuracy: +/-0.02mL; Color: Red	CS	13866
13675H	Serological Pipets; Fisherbrand; Standard-top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; Standard Pack; Capacity: 2 in 1/10mL; Accuracy: +/-0.02mL; Color: Green	CS	13533
13675J	Serological Pipets; Fisherbrand; Standard-top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; Standard Pack; Capacity: 2 in 1/100mL; Accuracy: +/-0.02mL; Color: 2 White	CS	13664
13675K	Pipet, Serological; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Standard pack; Meet requirements of ASTM; Capacity: 5 in 1/10mL; Accuracy: +/-0.04mL; Blue	CS	15361
13675M	Pipet, Serological; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Standard pack; Meet requirements of ASTM; Capacity: 10 in 1/10mL; Accuracy: +/-0.06mL; Orange	CS	16811
13675N	Serological Pipets; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Standard pack; Meet requirements of ASTM; Capacity: 25 in 1/10mL; Accuracy: +/-0.10mL; White	CS	21289
1367653C	Serological Pipets; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Bulk pack; Meet requirements of ASTM; Capacity: 1 in 1/100mL; Accuracy: +/-0.02mL; Yellow	CS	198412
1367653D	Serological Pipets; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Bulk pack; Meet requirements of ASTM; capacity: 1 in 1/10mL; Accuracy: +/-0.02mL; Red	CS	207259
1367653F	Serological Pipets; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Bulk pack; Meet requirements of ASTM; Capacity: 2 in 1/10mL; Accuracy: +/-0.02mL; Green	CS	209402
1367653G	Serological Pipets; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Bulk pack; Meet requirements of ASTM; capacity: 5 in 1/10mL; Accuracy: +/-0.04mL; Blue	CS	181914

Cat. No.	Description	Pack	Price in ₹
1367653H	Serological Pipets; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Bulk pack; Meet requirements of ASTM; Capacity: 10 in 1/10mL; Accuracy: +/-0.06mL; Orange	CS	193131
1367653J	Serological Pipets; Fisherbrand; Reusable cotton-plug top; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Bulk pack; Meet requirements of ASTM; Capacity: 25 in 1/10mL; Accuracy: +/-0.10mL; White	CS	317851
13676F	Serological Pipets; Fisherbrand; Kolmer; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; capacity: 1 in 1/100mL; Accuracy: +/-0.02mL; Color: Yellow	CS	13740
13676G	Serological Pipets; Fisherbrand; Kolmer; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; capacity: 1 in 1/10mL; Accuracy: +/-0.02mL; Color: Red	CS	13740
13676H	Serological Pipets; Fisherbrand; Kolmer; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; capacity: 2 in 1/100mL; Accuracy: +/-0.02mL; Color: Green	CS	14291
13676K	Serological Pipets; Fisherbrand; Kolmer; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; capacity: 5 in 1/100mL; Accuracy: +/-0.04mL; Color: Blue	CS	16766
13676M	Serological Pipets; Fisherbrand; Kolmer; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; capacity: 10 in 1/100mL; Accuracy: +/-0.06mL; Color: Orange	CS	16564
13677D	Serological Pipets; Fisherbrand; Kahn; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; capacity: 2/10 in 1/1000mL; Accuracy: +/-0.008mL; Color: 2 Blue	CS	16488
13677G	Serological Pipets; Fisherbrand; Kahn; Accuracy printed on each pipet; Borosilicate glass; Permanent amber markings; Tuf-Temp treated to reduce chipping; capacity: 1/10 in 1/1000mL; Accuracy: +/-0.005mL	CS	13740
1367820A	Pipette, Pasteur; Fisherbrand; Disposable; Borosilicate glass; Tips held to close diameter tolerances; Square cut ends; Designed from ASTM E 732 specifications; Without plugs; Approx. length: 5.75 in. (146mm)	CS	5276
1367820B	Pipette, Pasteur; Fisherbrand; Disposable; Borosilicate glass; Tips held to close diameter tolerances; Square cut ends; Designed from ASTM E 732 specifications; Without plugs; Approx. length: 5.75 in. (146mm); 1440/Cs.	CS	10546
1367820C	Pipette, Pasteur; Fisherbrand; Disposable; Borosilicate glass; Tips held to close diameter tolerances; Square cut ends; Designed from ASTM E 732 specifications; Without plugs; Approx. length: 9 in. (229mm)	CS	5816
1367820D	Pipette, Pasteur; Fisherbrand; Disposable; Borosilicate glass; Tips held to close diameter tolerances; Square cut ends; Designed from ASTM E 732 specifications; Without plugs; Approx. length: 9 in. (229mm); 1440/Cs.	CS	11632
1367825A	Pipette, Serological; Fisherbrand; Borosilicate glass; Disposable; With regular tip; Standard length; Capacity: 1mL; Subdivisions: 1/10mL; Sterile and plugged; Packaging: multipack	CS	26893
1367825B	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; with regular tip; Standard Length; Sterile and Plugged; Capacity: 1mL; Subdivisions: 1/100mL; Packaging: Multipack	CS	27763
1367825C	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; with regular tip; Standard Length; Capacity: 2mL; Subdivisions: 1/100mL; Sterile and Plugged; Packaging: Multipack	CS	15825
1367825D	Pipette, Serological; Fisherbrand; Borosilicate glass; Disposable; With regular tip; Standard length; Capacity: 5mL; Subdivisions: 1/10mL; Sterile and plugged; Packaging: multipack	CS	21260
1367825E	Pipet, Serological; Fisherbrand; Borosilicate glass; disposable; With regular tip; Standard length; Sterile and plugged; Capacity: 10mL; Subdivisions: 1/10mL; Packaging: multipack	CS	23893
1367826A	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; with regular tip; Standard Length; Capacity: 1mL; Subdivisions: 1/10mL; Packaging: Canisters	CS	18649
1367826B	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; with regular tip; Standard Length; Sterile and Plugged; Capacity: 1mL; Subdivisions: 1/100mL; Packaging: Canister	CS	20065
1367826C	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; with regular tip; Standard Length; Sterile and Plugged; Capacity: 5mL; Subdivisions: 1/10mL; Packaging: Canisters	CS	28962
1367826D	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; with regular tip; Standard Length; Sterile and Plugged; Capacity: 10mL; Subdivisions: 1/10mL; Packaging: Canister	CS	32064
1367827A	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; with regular tip; Standard Length; Capacity: 0.5mL; Subdivisions: 1/100mL; Packaging: Individually Wrapped	CS	19724

Cat. No.	Description	Pack	Price in ₹
1367827B	Pipette, Serological; Fisherbrand; Borosilicate glass; Disposable; With regular tip; Standard length; Capacity: 1mL; Subdivisions: 1/10mL; Sterile and plugged; Packaging: Individually Wrapped	CS	31301
1367827C	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; with regular tip; Standard Length; 1/100mL Graduations; +/-0.02mL Tolerance; Sterile and Plugged; Yellow Color Code; 1mL	CS	30713
1367827D	Pipette, Serological; Fisherbrand; Borosilicate glass; Disposable; With regular tip; Standard length; Capacity: 2mL; Subdivisions: 1/100mL; Sterile and plugged; Individually wrapped	CS	18761
1367827E	Pipette, Serological; Fisherbrand; Borosilicate glass; Disposable; With regular tip; Standard length; Capacity: 5mL; Subdivisions: 1/10mL; Sterile and plugged; Individually wrapped	CS	23990
1367827F	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; With regular tip; Standard length; 1/10mL Graduations; +/-0.30mL tolerance; Orange color code; Sterile and plugged; 10mL	CS	27008
1367830	Pipette, Pasteur; Fisherbrand; Disposable; Controlled-Drop; Borosilicate glass	CS	11105
1367831D	Pipet, Serological; Fisherbrand; With regular tip; Borosilicate glass; Disposable; Standard length; Capacity: 0.5mL; Subdivisions: 5/100mL; Tolerance: +/-0.013	CS	16050
1367831E	Pipette, Serological; Fisherbrand; Borosilicate glass; Disposable; With regular tip; Standard length; Capacity: 1mL; Subdivisions: 1/10mL; Nonsterile; Nonplugged	CS	24462
1367831F	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; with regular tip; Standard Length; Capacity: 1mL; Subdivisions: 1/100mL	CS	24155
1367831G	Pipets, Serological; Fisherbrand; Disposable; Borosilicate Glass; With regular tip; Capacity: 2mL; Subdivisions: 1/100mL; Individually wrapped, ideal for small-volume use requiring sterility; Calibrated: To Deliver/Blow Out	CS	15450
1367831H	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; With regular tip; Standard Length; Capacity: 5mL; Subdivisions: 1/10mL; 500/Cs.	CS	20914
1367831J	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; with regular tip; Standard Length; Capacity: 10mL; Subdivisions: 1/10mL	CS	22779
1367835A	Pipet, Disposable; Serological; Fisherbrand; Borosilicate Glass; Regular Tip; Standard Length; Capacity: 5mL; Subdivisions: 1/10mL	CS	25495
1367835B	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; with wide tip; Standard Length; Sterile and Plugged; Capacity: 10mL; Subdivisions: 2/10mL	CS	29030
1367836A	Pipets, Serological; Fisherbrand; Short Length; Plugged; Capacity: 1mL; 1/100mL Subdiv.; 5/10mL Neg. Graduations; +/-0.04mL Tolerance; Yellow Color Code; Sterile; Individually Wrapped; Calibrated to deliver/blow out	CS	22425
1367836B	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; with regular tip; Short Length; Capacity: 5mL; Subdivisions: 1/10mL; Sterile and Plugged	CS	13478
1367836C	Pipette, Serological; Fisherbrand; Borosilicate glass; Disposable; With regular tip; Short length; Capacity: 10mL; Subdivisions: 2/10mL; Sterile and Plugged; Individually Wrapped	CS	22160
1367836D	Pipet, Serological; Fisherbrand; Borosilicate Glass; Disposable; Regular tip; Short Length; 25mL Capacity; 2/10mL Subdiv.; 5mL Neg. Graduations; +/-0.5mL Tolerance; Green Code; Sterile/Plugged; Individually Wrapped; Calibrated to deliver	CS	36408
1367836E	Pipet, Serological; Short Length; 50mL Capacity; 5/10mL Subdiv.; 10mL Neg. Graduations; +/-1.5mL Tolerance; Plugged; Purple Color Code; Sterile; Fisherbrand; Individually Wrapped; calibrated to deliver/blow out	CS	39088
FBA13681	Diluters and dispensers; Fisher Safety; Filler, pipet; Holds any size pipet; Rubber socket holds top of pipet; Anodized aluminum; Draws 3mL with each stroke	EA	10874
13681102A	Filler, Pipet; Fisherbrand; Safety silicone bulb; Chemical-resistant; Resilient; With glass valves; Color: red	EA	2345
13681102B	Pipet Fillers; Fisherbrand Silicone Bulb-Type Safety; Color: Black	EA	2345
1368124	Workstation, Pipet Stand; Fisherbrand; White acrylic; With two transparent bins (3L x 8W x 5 in. H); 6.6L x 16.37W x 9 in. H (16.7 x 41.5 x 22.8cm)	EA	16936
1368125	Diluters and dispensers; Fisherbrand; Repeating pipet filler/dispenser; Fits pipets up to 10mL; Molded PVC body with rubber bellows; Control cap adjusts plunger stroke	EA	5370
1368150	Pipet Fillers; Fisherbrand; Rubber; Bulb-type safety; Color: black	EA	1051
13681500	Basin, Pipette; Fisherbrand; Disposable; PVC; Nonsterile; 5.75L x 2.75W x 1 ft. H (175.2 x 83.8 x 30.4cm); 1.6 oz. (50mL); Bulk packaging	CS	8005
13681501	Pipette, Basin; Fisherbrand; Disposable; 50mL; Polystyrene; Sterile; Individually bagged; L x W x H: 5.75 x 2.75 x 1 ft.; Pack of: 80	CS	14239
13681502	Fisherbrand Disposable Pipet Basin, 50mL, Polystyrene, Sterile, Five per bag, L x W x H: 53/4 x 23/4 x 1 in.; Pack of: 200	CS	17241
13681503	Fisherbrand Disposable Pipet Basin Lid, For 50mL Basins, APET, Sterile, Individually Bagged, L x W x H: 53/8 x 21/2 x 1/2 in.; Pack of: 20	CS	3826



Cat. No.	Description	Pack	Price in ₹
13681504	Fisherbrand Disposable Pipet Basin, 100mL, Polystyrene, Sterile, Five per bag, L x W x H: 53/4 x 31/2 x 11/4 in.; Pack of: 200	CS	19805
1368151	Dispenser, Pipet Filler; Fisherbrand; Bulb-type; Safety; Rubber; With two stainless steel ball valves; One hand use; Fit pipets with O.D. from 3/16 to 3/8 in.; Color: Red	EA	1051
13681800	Pipet Basin, Fisherbrand, Autoclavable, 12-Channel with Lid, Polypropylene, Sterile, Individually Bagged, L x W x H: 5 x 21/4 x 1 in.	CS	7392
13681801	Basin, Pipet; Fisherbrand; Autoclavable; 12-Channel; Polypropylene; Nonsterile; w/Lid; 5L x 2.25W x 1 in. H (12.7 x 5.7 x 2.5cm); Individually bagged	CS	12028
13681802	Pipet Basin; Fisherbrand; Autoclavable; Multichannel; Polypropylene; Nonsterile; With 50mL single compartment with graduation marks; 8-channel with eight 5mL reagent channels, 12-channel with 12-5mL reagent channels; 4-3/4Lx4-1/2Wx1 in.H	PK	4670
1368327B	Pipet Filler; Fisherbrand Pi-Pump; Blue, For pipets up to 2mL; For easy, one-handed control of filling and delivery from conventional pipets; Knurled thumbwheel is rotated to raise or lower plunger; Quick-release lever	EA	2386
13688253	Pipet, Transfer; BrandTech Brand Transferpettor; Positive displacement; Volume: 200 to 1000uL; Increments: 1uL; Color Code: Yellow	EA	61154
13688255	Seals, Replacement; BrandTech; For positive-displacement pipetter; Reusable; Material: High-density Polyethylene (HDPE); For 200 to 1000uL Transferpettor	PK	1917
15000500	Bulb, Rubber; Fisherbrand; Safety pipet filler; 75mL capacity; Black; With metal valve	EA	1408
15000501	Bulb, Rubber; Fisherbrand; Safety pipet filler; 75mL capacity; Black; With rubber valve	EA	1408
15000502	Bulb, Rubber; Fisherbrand; Safety pipet filler; 85mL, Black with 4 in. tubing at one end	EA	1261
15000503	Bulb, Rubber; Fisherbrand; Safety pipet filler; 90mL, red, round	EA	983
15000504	Bulb, Rubber; Fisherbrand; Safety pipet filler; 1mL, black, pack of 12	PK	346
15000505	Bulb, Rubber; Fisherbrand; Safety pipet filler; 1mL, amber, pack of 12	PK	417
15000506	Bulb, Rubber; Fisherbrand; Safety; Pipet filler; 2mL; Amber; 12/Pk.	PK	561
15000507	Bulb, Rubber; Fisherbrand; Safety pipet filler; 8mL, red, round	EA	186
15350200	Pipet Jar; Fisherbrand; Polyethylene; Dia. x H, 6 x 24 in. (15.2 x 61cm); Watertight; Chemical resistant; Autoclavable at 121deg.C (250deg.F)	CS	59565
2116592	Stand, Carousel Charging; For Fisherbrand Electronic Pipettors; 4-place with AC-adaptor	EA	78455
22042816	Pipet, Pasteur; Fisherbrand; 5.75 in.; 250/Cs.	PK	1358
22042817	Pipet, Pasteur; Fisherbrand; 9 in.; 250/Cs.	PK	1660
22063156	Pipet, Pasteur; Fisherbrand; Length: 5-3/4 in.; Soda Lime Glass; Case of 200	PK	1156
22063172	Pipet, Pasteur; Fisherbrand; 9 in.; Soda Lime Glass; Case of 200	PK	1440
22150730	Tube, Wintrobe; Fisherbrand; Disposable; Calibrated in white; Precision-scaled from the interior base; Tube length: 115mm; Inside diameter: 3mm	PK	4762
22183624	Pipet, Pasteur; Fisherbrand; 5-3/4 in.; Case of 1000	CS	8763
22183632	Pipette, Pasteur; Fisherbrand; 9 in. Borosilicate glass; Case of 1000	CS	11771
22209353	Pipet, Pasteur; Fisherbrand; 5-3/4 in.; 4 x 250/cs.	CS	13467
22209361	Pipet, Pasteur; Fisherbrand; 9 in. Cotton Tip; 4 x 250/cs.	CS	17335
22209379	Pipet, Pasteur; Fisherbrand; 5-3/4 in.; Borosilicate Glass; 4 x 250/cs.	CS	15722
22230482	Pipet, Pasteur; Fisherbrand; Disposable; Flint-Glass; Approx. Length: 5.75 in. (146mm) in Stand-Up Case	CS	7898
22230490	Pipet, Pasteur; Fisherbrand; Disposable; Flint-Glass; Approx. Length: 9 in.; in Stand-Up Case	CS	11328
22238444	Pipets, ESR; Westergren; Fisherbrand; Disposable; Self-zeroing; Fit racks suitable for cotton-plugged Westergren pipets; Calibrated; Length: 23.8cm	PK	12036
FB50171	Pipette one mark BS 1583 class B soda lime glass blue ceramic graduation blue 1mL Fisherbrand	Pack of 5	1557
FB50175	Pipette one mark BS 1583 class B soda lime glass blue ceramic graduation white 5mL Fisherbrand	Pack of 5	1794
FB50177	Pipette one mark BS 1583 class B soda lime glass blue ceramic graduation red 10mL Fisherbrand	EA	2067
FB50179	Pipette one mark BS 1583 class B soda lime glass blue ceramic graduation blue 25mL Fisherbrand	EA	2811
FB50181	Pipette one mark BS 1583 class B soda lime glass blue ceramic graduation red 50mL Fisherbrand	EA	3237
FB50199	Pipette one mark BS 1583 class A uncertified soda lime glass blue ceramic graduation 25mL Fisherbrand	Pack of 2	4480
FB50201	Pipette one mark BS 1583 class A uncertified soda lime glass blue ceramic graduation 50mL Fisherbrand	Pack of 2	4578
FB50211	Pipette graduated type 1 class B soda lime glass blue ceramic graduations 1mL x 0.01mL Fisherbrand	Pack of 5	1466
FB50215	Pipette graduated type 1 class B soda lime glass blue ceramic graduations 5mL x 0.05mL Fisherbrand	Pack of 5	1466

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
FB50217	Pipette graduated type 1 class B soda lime glass blue ceramic graduations 10mL x 0.1mL Fisherbrand	Pack of 5	1466
FB50219	Pipette graduated type 1 class B soda lime glass blue ceramic graduations 10mL x 0.1mL Fisherbrand	Pack of 5	2213
FB50225	Pipette graduated type 2 class B soda lime glass blue ceramic graduations 5mL x 0.05mL Fisherbrand	Pack of 5	1466
FB50227	Pipette graduated type 2 class B soda lime glass blue ceramic graduations 10mL x 0.1mL Fisherbrand	Pack of 5	1466
FB50229	Pipette graduated type 2 class B soda lime glass blue ceramic graduations 25mL x 0.2mL Fisherbrand	Pack of 5	2223
FB50231	FB Pipette 1ml, graduiert 0,1 ml,Kalk-Soda Glass, Class A, Type 1, 1mL 0.01 (CODE FB50231) Pack of 2	Pack of 2	3690
FB50251	Pipette Pasteur open point unplugged soda lime glass 4 boxes of 250 pipettes 150mm length Fisherbrand	Pack of 1000	3805
FB50253	Pipette Pasteur open point unplugged soda lime glass 4 boxes of 250 pipettes 230mm length Fisherbrand	Pack of 1000	3966
FB50255	Pipette Pasteur open point unplugged soda lime glass 4 boxes of 250 pipettes 270mm length Fisherbrand	Pack of 1000	6438
FB50261	Pipette Pasteur open point plugged soda lime glass 4 boxes of 250 pipettes 150mm length Fisherbrand	Pack of 1000	6175
FB50263	Pipette Pasteur open point plugged soda lime glass 4 boxes of 250 pipettes 230mm length Fisherbrand	Pack of 1000	6485
FB50265	Pipette Pasteur open point plugged soda lime glass 4 boxes of 250 pipettes 270mm length Fisherbrand	Pack of 1000	9028

### Microscope Supplies

Cell Spreaders			
FB58780	Spreader inoculating, L-shape, sterile polystyrene inner packs of 25 (40 bags) Fisherbrand	Pack of 1000	1702
FB58781	Spreader inoculating, L-shape, sterile polystyrene inner packs of 5 (80 bags) Fisherbrand	Pack of 400	1130
FB58782	Spreader inoculating, L-shape, sterile polystyrene inner packs of 1 Fisherbrand	Pack of 400	4208
Microscopy			
026781	Slide, Microscope; Fisherbrand; Plain; Glass; Thickness: 1mm (0.90 to 1.10mm); Size: 3 x 1 in. (7.6 x 2.5cm)	CS	24921
03400500	Box, Microscope Slide; Fisherbrand; Polypropylene; Max. Capacity: 25 Slides; Holds 3 x 1 in. or 75 x 25mm; Numbered slots; Printed index card	EA	636
FBA03446	Box; Slide; Fisherbrand; Microscope; Polypropylene; Holds 3 x 1 in. or 75 x 25mm slides; Molded-hinged Living lid; Printed index card included; Numbered slots; Capacity: 100 slides	EA	679
034481	Box, Slide; Fisherbrand; Microscope; Color-coded; ABS plastic; Holds 3 x 1 in. and 75 x 25mm slides; With hinged lid; Numbered slide partitions; Stackable; Capacity: 100 Slides; Color: blue	EA	347
0344810	Box, Slide; Fisherbrand; Microscope; Color-coded; ABS plastic; Holds 3 x 1 in. and 75 x 25mm slides; With hinged lid; Numbered slide partitions; Stackable; Capacity: 25 Slides; Color: white	EA	347
034482	Box, Slide; Fisherbrand; Microscope; Color-coded; ABS plastic; Hold 3 x 1 in. and 75 x 25mm slides; Numbered slide partitions; Stackable; Capacity: Hold 100 Slides; Color: Green	EA	603
034483	Box, Slide; Fisherbrand; Microscope; Color-coded; ABS plastic; Hold 3 x 1 in. and 75 x 25mm slides; With hinged lid; Numbered slide partitions; Stackable; Capacity: Hold 100 Slides; Color: Red	EA	748
034484	Box, Slide; Fisherbrand; Microscope; Color-coded; ABS plastic; Hold 3 x 1 in. and 75 x 25mm slides; Numbered slide partitions; Stackable; Capacity: 100 Slides; With hinged lid; Color: yellow	EA	748
034485	Box, Slide; Fisherbrand; Microscope; Color-coded; ABS plastic; Hold 3 x 1 in. and 75 x 25mm slides; Numbered slide partitions; Stackable; Capacity: 100 Slides; With hinged lid; Color: white	EA	603
034486	Box, Slide; Fisherbrand; Microscope; Color-coded; ABS plastic; Hold 3 x 1 in. and 75 x 25mm slides; With hinged lid; Numbered slide partitions; Stackable; Capacity: Hold 25 Slides; Color: Blue	EA	288
034487	Box, Slide; Fisherbrand; Microscope; Color-coded; ABS plastic; Hold 3 x 1 in. and 75 x 25mm slides; With hinged lid; Numbered slide partitions; Stackable; Capacity: Hold 25 Slides; Color: Green	EA	347
034488	Box, Slide; Fisherbrand; Microscope; Color-coded; ABS plastic; Hold 3 x 1 in. and 75 x 25mm slides; With hinged lid; Numbered slide partitions; Stackable; Capacity: Hold 25 Slides; Color: Red	EA	288
034489	Box, Slide; Fisherbrand; Microscope; Color-coded; ABS plastic; Hold 3 x 1 in. and 75 x 25mm slides; With hinged lid; Numbered slide partitions; Stackable; Capacity: Hold 25 Slides; Color: Yellow	EA	347
FBA03450	Box, Wooden; Fisherbrand; For 75 x 25mm or 3 x 1 in. slide; Holds 25 slides	EA	1875
034501	Box, Wood; Fisherbrand; For 75 x 25mm or 3 x 1 in. slide; Holds 100 slides	EA	5971
FBA03451	Box, Wooden; Fisherbrand; For 75 x 50mm or 3 x 2 in. slide; Holds 25 slides	EA	2064
07212100	Cabinet, Storage; Fisherbrand; Microscope Slide; Dark Beige; Holds up to 4500 3 x 1 in. or 75 x 25mm slides; D x W x H: 18.75 x 15.75 x 4.75 in.	EA	35713

Cat. No.	Description	Pack	Price in ₹
07212101	Cabinet, Storage; Fisherbrand; Microscope Slide; Green; Holds up to 4500 3 x 1 in. or 75 x 25mm slides; D x W x H: 18.75 x 15.75 x 4.75 in.	EA	35639
07212102	Cabinet, Storage; Fisherbrand; Microscope Slide; White, 12-571-11W equivalent	EA	35655
07212103	Cabinet, Storage; Fisherbrand; Microscope Slide; Tan; Holds up to 4500 3 x 1 in. or 75 x 25mm slides; D x W x H: 18.75 x 15.75 x 4.75 in.	EA	35706
07212104	Cabinet, Storage; Fisherbrand; Microscope Slide; With Base and Legs; Dark Beige, 12-571-15 equivalent, each	EA	19597
07212105	Cabinet, Storage; Fisherbrand; Microscope Slide; With Base and Legs; Green, 12-571-16 equivalent, each	EA	19828
07212106	Cabinet, Storage; Fisherbrand; Microscope Slide; With Base and Legs; White, 12-571-15W equivalent, each	EA	19980
07212107	Cabinet, Storage; Fisherbrand; Microscope Slide; With Base and Legs; Tan, No equivalent, each	EA	19875
07212108	Cabinet, Storage; Fisherbrand; Microscope Slide; With Base; Without Legs; Dark Beige, No equivalent, each	EA	9231
07212109	Cabinet, Storage; Fisherbrand; Microscope Slide; With Base; Without Legs; Green, 22-255-124 equivalent, each	EA	7920
07212110	Cabinet, Storage; Fisherbrand; Microscope Slide; With Base; Without Legs; White, No equivalent, each	EA	9443
07212111	Cabinet, Storage; Fisherbrand; Microscope Slide; With Base; Without Legs; 22-036-804 equivalent	EA	9228
07212113	Block, Compressor; Fisherbrand; Slide; For use with Fisherbrand Micro Slide Storage Cabinets; Rubber compressor blocks maintain slides upright in partially filled drawers; 6/pack	PK	726
12518102B	Slide, Microscope; Fisherbrand; Extra-Strong; 3 x 1 in.; Frosted at one end; 144/pack	PK	8393
12518105	Slide, Control; Fisherbrand; For staining of control and patient samples on the same slide with the same protocol; Red box for control tissue; w/SuperfrostPlus treatment; w/Extended frosted area; For automatic stainers	PK	14584
12540A	Glass, Cover; Fisherbrand; Microscope; Squares No. 2; 0.17 to 0.25mm thick; Size: 18mm	PK	913
12540B	Glass, Cover; Fisherbrand; Microscope; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Squares No. 2; 0.17 to 0.25mm thick; Size: 22mm	PK	933
12540C	Glass, Cover; Fisherbrand; Microscope; Squares; No. 2 - 0.17 to 0.25mm thick; Size: 25mm	PK	973
12541A	Glass, Cover; Fisherbrand; Microscope; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Squares No. 1.5 to 0.16 to 0.19mm thick; Size: 18mm	PK	1128
12541B	Glass, Cover; Fisherbrand; Microscope; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Squares No. 1-1/2 - 0.16 to 0.19mm thick; Size: 22mm	PK	1028
12542A	Glass, Cover; Fisherbrand; Microscope; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Squares No. 1 - 0.13 to 0.17mm thick; Size: 18mm	PK	1075
12542B	Glass, Cover; Fisherbrand; Microscope; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Squares No. 1 to 0.13 to 0.17mm thick; Size: 22mm	PK	1028
12542C	Glass, Cover; Fisherbrand; Microscope; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Squares No. 1 - 0.13 to 0.17mm thick; Size: 25mm	PK	1036
12543A	Glass, Cover; Fisherbrand; Microscope; Made of finest optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free, ready to use; Rectangles No. 2 - 0.17 to 0.25mm thick; Size: 40 x 22mm; Quantity: 62	PK	855
12543B	Glass, Cover; Fisherbrand; Microscope; Rectangles No. 2 - 0.17 to 0.25mm thick; Size: 40 x 24mm	PK	831
12543C	Glass, Cover; Fisherbrand; Microscope; Rectangles No. 2 - 0.17 to 0.25mm thick; Size: 50 x 22mm	PK	818
12543D	Glass, Cover; Fisherbrand; Microscope; Made of finest optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free, ready to use; Rectangles No. 2 - 0.17 to 0.25mm thick; Size: 50 x 24mm; Quantity: 45	PK	831
12543E	Glass, Cover; Fisherbrand; Microscope; Made of finest optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free, ready to use; Rectangles No. 2 - 0.17 to 0.25mm thick; Size: 50 x 35mm; Quantity: 33	PK	912
12543F	Glass, Cover; Fisherbrand; Microscope; Made of finest optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free, ready to use; Rectangles No. 2 - 0.17 to 0.25mm thick; Size: 50 x 45mm; Quantity: 26	PK	1136
125441	Slide, Microscope; Fisherfinest; Premium; Type: plain glass; Clear; White-water glass; Precleaned; Ready to use; Size: 3 x 1 in. (7.6 x 2.5cm)	GR	4565
1254410	Glass, Cover; Fisherfinest; Premium; Crystal-clear, water-white glass; Uniform surface quality; Precise squared edge; Perfect flatness; Exact dimension; Precleaned; 0.13 to 0.17mm thick; In bulk pack of 4 oz.; Size: 22 x 22mm	PK	4646

Cat. No.	Description	Pack	Price in ₹
1254418	Glass, Cover; Fisherbrand; Microscope; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Rectangles No. 1 - 0.13 to 0.17mm thick; Size: 55 x 24mm	PK	918
125442	Slide, Microscope; Fisherfinest; Premium; Frosted; Superfrost marking area on one end, one side; Excellent retention of markings in all normal procedures; Size: 75 x 25mm	GR	4948
125443	Slide, Microscope; Fisherfinest; Premium; Frosted; SuperFrost marking area on one end, one side; Excellent retention of markings in all normal procedures; Size: 3 x 1 in.	GR	5116
125444	Slide, Microscope; Fisherfinest; Premium; Type: Plain glass; Clear; White-water glass; Precleaned; Ready to use; Size: 75 x 25mm	GR	4578
125445CY	Slide, Microscopy; Fisherfinest; Premium; Full-frosted; Cytology Slides; Sandblasted frosting on one entire side; Frosting disappears when cover slip is mounted over specimen; 0.097 to 1.07mm thick; Size: 3 x 1 in.	GR	5824
125446	Slide, Microscope; Fisherfinest Premium; Extra-thick; Highest purity; Corrosion-resistant; Water-white glass; Double frosted coating; Undistorted, true color view of specimen; Packed in cellophane, handy dispenser box; Size: 3 x 1 in.	GR	7345
125447	Slide, Microscopy; Fisherfinest; Premium; Superfrost; Coating allows marking with pencil or pen; Marking area and (SPECIMEN) are frosted on one side; 1mm thick; Size: 75 x 25mm	GR	6026
12544A	Glass, Cover; Fisherbrand; Microscope; Rectangles; Borosilicate glass; No. 1.5 - 0.16 to 0.19mm thick; Size: 30 x 22mm	PK	1002
12544B	Glass, Cover; Fisherbrand; Microscope; Rectangles; Borosilicate glass; No. 1.5 - 0.16 to 0.19mm thick; Size: 40 x 22mm	PK	941
12544C	Glass, Cover; Fisherbrand; Microscope; Borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free, ready to use; Rectangles No. 1.5 to 0.16 to 0.19mm thick; Size: 40 x 24mm; Quantity: 68	PK	941
12544D	Cover glass; Fisherbrand; Microscope; Rectangles; Borosilicate glass; No. 1.5 - 0.16 to 0.19mm thick; Size: 50 x 22mm	PK	918
12544E	Glass, Cover; Fisherbrand; Microscope; Borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Rectangles No. 1-1/2 - 0.16 to 0.19mm thick; Size: 50 x 24mm	PK	918
12544F	Glass, Cover; Fisherbrand; Microscope; Rectangles; Borosilicate glass; No. 1.5 - 0.16 to 0.19mm thick; Size: 50 x 45mm	PK	1151
12544G	Glass, Cover; Fisherbrand; Microscope; Rectangles; Borosilicate glass; No. 1.5 to 0.16 to 0.19mm thick; Size: 60 x 22mm	PK	941
1254578	Slide, Adhesion; Fisherbrand; Polysine-Coated; 25 x 75mm; Pack of 144	PK	8548
1254580	Cover glass; Fisherbrand; Microscope; Rectangles; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Circles No. 1 to 0.13 to 0.17mm thick; Size: 12mm	PK	20374
1254587	Coverslip; Fisherfinest; Superslip; Built-in moisture resistance; For use in humid environments; Ideal for automatic cover slip machines; Size: 40 x 24mm; Approximately 78 per 1 oz. Pack	PK	1204
1254588	Coverslip; Fisherfinest; Superslip; Built-in moisture resistance; Excellent for use in humid environments; Ideal for automatic cover slip machines; Size: 50 x 24mm ; Approximately 65 per 1 oz. Pack	PK	1217
1254589	Glass, Cover; Fisherfinest; Superslip; 24 x 60mm; 1 oz. pack	PK	1332
12545A	Glass, Cover; Fisherbrand; Microscope; Rectangles; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Rectangles No. 1 to 0.13 to 0.17mm thick; Size: 30 x 22mm	PK	1002
12545B	Glass, Cover; Fisherbrand; Microscope; Borosilicate; Rectangles No. 1; 0.13-0.17mm Thick; Size: 30 x 24mm; Qty 156; Corrosion resistand; Packs of 1 oz.	PK	1002
12545C	Glass, Cover; Fisherbrand; Microscope; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Rectangles No. 1 - 0.13 to 0.17mm thick; 40 x 22mm	PK	918
12545D	Glass, Cover; Fisherbrand; Microscope; Rectangles; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Rectangles No. 1 to 0.13 to 0.17mm thick; 40 x 24mm	PK	941
12545E	Glass, Cover; Fisherbrand; Microscope; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Rectangles No. 1 to 0.13 to 0.17mm thick; Size: 50 x 22mm	PK	918
12545F	Glass, Cover; Fisherbrand; Microscope; Rectangles; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Rectangles No. 1 to 0.13 to 0.17mm thick; Size: 50 x 24mm	PK	941
12545G	Glass, Cover; Fisherbrand; Microscope; Rectangles; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Rectangles No. 1 - 0.13 to 0.17mm thick; Size: 50 x 35mm	PK	1308
12545H	Glass, Cover; Fisherbrand; Microscope; Rectangles;; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Rectangles No. 1 - 0.13 to 0.17mm thick; Size: 50 x 45mm	PK	1158
12545J	Cover glass; Fisherbrand; Microscope; Rectangles; Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Rectangles No. 1 - 0.13 to 0.17mm thick; Size: 60 x 22mm	PK	918

Cat. No.	Description	Pack	Price in ₹
12545K	Glass, Cover; Fisherbrand; Microscope; Rectangles;With desiccant; 50 x 24mm; No. 1; 0.13 to 0.17mm thick	PK	989
12545M	Glass, Cover; Fisherbrand; Microscope; Rectangles;Optical borosilicate glass; Uniform thickness and size; Corrosion resistant; Lint-free; Rectangles No. 1 to 0.13 to 0.17mm thick; Size: 60 x 24mm	PK	941
FBA12547	Cover Slip; Fisherbrand; Unbreakable; Plastic; Clear; Noncurling; 0.17 to 0.25mm thick; Size: 22 x 22mm	PK	4771
125485A	Glass, Cover; Fisherfinest; Premium; Crystal-clear, water-white glass; Uniform surface quality; Precise squared edge; Perfect flatness; Exact dimension; Precleaned; 0.13 to 0.17mm thick; In pack of 1 oz.; Size: 30 x 22mm	PK	1015
125485C	Glass, Cover; Fisherfinest; Premium; Crystal-clear, water-white glass; Uniform surface quality; Precise squared edge; Perfect flatness; Exact dimension; Precleaned; 0.13 to 0.17mm thick; In pack of 1 oz.; Size: 40 x 22mm	PK	960
125485E	Cover glass; Fisherfinest; Premium; Crystal-clear, water-white glass; Uniform surface quality; Precise squared edge; Perfect flatness; Exact dimension; Precleaned; 0.13 to 0.17mm thick; In pack of 1 oz.; Size: 50 x 22mm	PK	960
125485G	Glass, Cover; Fisherfinest; Premium; Crystal-clear, water-white glass; Uniform surface quality; Precise squared edge; Perfect flatness; Exact dimension; Precleaned; 0.13 to 0.17mm thick; In pack of 1 oz.; Size: 30 x 24mm	PK	1015
125485J	Cover glass; Fisherfinest; Premium; Crystal-clear, water-white glass; Uniform surface quality; Precise squared edge; Perfect flatness; Exact dimension; Precleaned; 0.13 to 0.17mm thick; In pack of 1 oz.; Size: 40 x 24mm	PK	933
125485M	Glass, Premium Cover; Fisherfinest; Crystal-clear, water-white glass; Uniform surface quality; Precise squared edge; Precleaned; Thickness: 0.13 to 0.17mm thick; In pack of 1 oz.: 65; Size: 24 x 50mm	PK	926
125485P	Glass, Cover; Fisherfinest; Premium; Crystal-clear, water-white glass; Uniform surface quality; Precise squared edge; Perfect flatness; Exact dimension; Precleaned; 0.13 to 0.17mm thick; In pack of 1 oz.; Size: 60 x 24mm	PK	933
125485R	Glass, Cover; Fisherfinest; Premium; Crystal-clear, water-white glass; Uniform surface quality; Precise squared edge; Perfect flatness; Exact dimension; Precleaned; 0.13 to 0.17mm thick; In pack of 1 oz.; Size: 50 x 35mm	PK	991
12548A	Glass, Cover; Fisherfinest; Premium; Crystal-clear, water-white glass; Uniform surface quality; Precise squared edge; Perfect flatness; Exact dimension; Precleaned; 0.13 to 0.17mm thick; In pack of 1 oz.; Size: 18 x 18mm	PK	1088
12548B	Glass, Cover; Fisherfinest; Premium; Crystal-clear, water-white glass; Uniform surface quality; Precise squared edge; Perfect flatness; Exact dimension; Precleaned; 0.13 to 0.17mm thick; In pack of 1 oz.; Size: 22 x 22mm	PK	1044
12548C	Glass, Cover; Fisherfinest; Premium; Crystal-clear, water-white glass; Uniform surface quality; Precise squared edge; Perfect flatness; Exact dimension; Precleaned; 0.13 to 0.17mm thick; In pack of 1 oz.; Size: 25 x 25mm	PK	1088
125495	Slide, Microscope; Fisherbrand; Bev-L-Edge; With beveled edges and chambered corners; Size: 3 x 1 in.. Thickness: 1.0mm; Plain Slides	GR	3915
125496	Slide, Microscope; Fisherbrand; Bev-L-Edge; With beveled edges and chambered corners; Size: 3 x 1 in.. Thickness: 1.0mm; Frosted Slides	PK	2182
12550003	Slide, Microscope; Fisherbrand; Selectfrost color-coded; White; Pack of 144	PK	3181
1255001	Slide, Microscope; Fisherbrand; Selectfrost color-coded; Blue; Pack of 144	PK	2601
12550016	Slide, Microscope; Fisherbrand; SuperFrost; Clipped Corner; For Use With: Sysmex SP-100 slide prep unit; Size: 25 x 75mm, 1mm thick; Durable, opaque printed surface; Autoclavable	PK	5402
1255002	Slide, Microscope; Fisherbrand; Selectfrost color-coded; Green; Pack of 144	PK	2601
12550021	Slide; Fisherbrand; Superfrost; 51 x 75 x 1mm; Pack of 144	PK	13879
1255003	Slide, Microscope; Fisherbrand; Selectfrost color-coded; Pink; Pack of 144	PK	2601
1255004	Slide, Microscope; Fisherbrand; Selectfrost color-coded; Yellow; Pack of 144	PK	2601
1255005	Slide, Microscope; Fisherbrand; Selectfrost color-coded; Aqua; Pack of 144	PK	2601
1255006	Slide, Microscope; Fisherbrand; Selectfrost color-coded; Burnt orange; Pack of 144	PK	2601
1255007	Slide, Microscope; Fisherbrand; Selectfrost color-coded; Lilac; Pack of 144	PK	2601
1255008	Slide, Microscope; Fisherbrand; Selectfrost color-coded; Tan; Pack of 144	PK	2601
1255010	Slide, Microscope; Fisherbrand; Extra-thick; 1.2mm; Cear, corrosion-resistant glass; Precleaned; Flat surfaces and ground edges; Size: 3 x 1 in.; Sides frosted: Plain	GR	5459

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
12550100	Slide, Microscope; Fisherbrand; InkJet; Superfrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner; Color: white; For use with Leica Microsystems IPS ink jet printer; Frosted tabs	PK	5535
12550101	Slide, Microscope; Fisherbrand; InkJet; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner; Color: blue; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	5931
12550102	Slide, Microscope; Fisherbrand; InkJet; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner; Color: green; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	5771
12550103	Slide, Microscope; Fisherbrand; InkJet; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner; Color: pink; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	5771
12550105	Slide, Microscope; Fisherbrand; InkJet; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner; Color: aqua; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	5771
12550106	Slide, Microscope; Fisherbrand; InkJet; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner; Color: burnt orange; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	5771
12550107	Slide, Microscope; Fisherbrand; InkJet; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner; Color: lilac; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	5771
12550108	Slide, Microscope; Fisherbrand; InkJet; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner; Color: tan; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	5771
12550109	Slide, Microscope; Fisherbrand; InkJet plus; Superfrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner plus; Color: white; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10245
1255011	Slide, Microscope; Fisherbrand; Extra-thick; 1.2mm; Clear, corrosion-resistant glass; Precleaned; Flat surfaces and ground edges; Size: 3 x 1 in.; Sides frosted: one-end	GR	5876
12550110	Slide, Microscope; Fisherbrand; InkJet plus; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner plus; Color: blue; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10436
12550111	Slide, Microscope; Fisherbrand; InkJet plus; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner plus; Color: green; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10436
12550112	Slide, Microscope; Fisherbrand; InkJet plus; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner plus; Color: pink; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10436
12550113	Slide, Microscope; Fisherbrand; InkJet plus; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner plus; Color: yellow; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10436
12550114	Slide, Microscope; Fisherbrand; InkJet plus; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner plus; Color: aqua; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10436
12550115	Slide, Microscope; Fisherbrand; InkJet plus; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner plus; Color: burnt orange; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10436
12550116	Slide, Microscope; Fisherbrand; InkJet plus; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner plus; Color: lilac; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10436
12550117	Slide, Microscope; Fisherbrand; InkJet plus; ColorFrost; For histology, cytology, hematology, and microbiology applications; 90deg. corner plus; Color: tan; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10436
12550123	Slide, Microscope; Fisherbrand; Superfrost; 3 x 1 in. x 1mm; 144/GR	PK	5727
12550143	Slide, Microscope; Fisherbrand; Superfrost; 25 x 75 x 1mm; 144/Pk.	PK	5069
1255014G	Slide; Fisherbrand; Superfrost; 25 x 75 x 1mm; Pack of 144	PK	5257
1255015	Slide, Microscope; Fisherbrand; Superfrost Plus; Treatment process that electrostatically adheres tissue sections and cells to glass; Chemical-resistant white marking surface; Size: 75 x 25mm; White	PK	9841
1255016	Slide, Microscope; Fisherbrand; Superfrost Plus; Treatment process that electrostatically adheres tissue sections and cells to the glass; Colored marking surface; Size: 75 x 25mm; Lilac	PK	10111

Cat. No.	Description	Pack	Price in ₹
1255016A	Slide, Microscope; Fisherbrand; Superfrost Plus; Treatment process that electrostatically adheres tissue sections and cells to the glass; Colored marking surface; Size: 75 x 25mm; Tan	PK	10111
1255017	Slide, Microscope; Fisherbrand; ColorFrost Plus; Treatment process that electrostatically adheres tissue sections and cells to the glass; Colored marking surface; Size: 75 x 25mm; Blue	GR	10111
1255018	Slide, Microscope; Fisherbrand; ColorFrost Plus; Treatment process that electrostatically adheres tissue sections and cells to the glass; Colored marking surface; Size: 75 x 25mm; Green	GR	10111
1255019	Slide, Microscope; Fisherbrand; ColorFrost Plus; Treatment process that electrostatically adheres tissue sections and cells to the glass; Colored marking surface; Size: 75 x 25mm; Pink	GR	10111
1255020	Slide, Microscope; Fisherbrand; ColorFrost Plus; Treatment process that electrostatically adheres tissue sections and cells to the glass; Colored marking surface; Size: 75 x 25mm; Yellow	GR	10111
12550343	Slide, Microscope; Fisherbrand; Frosted at one end; 3 x 1 in. (76 x 25.4mm); 144/Pk.; 10Pk./Cs.	PK	4227
12550A3	Slide, Microscope; Fisherbrand; Plain Glass; Economy; Corrosion resistant; Precision ground edges on all four sides; 75 x 25mm; 1.0mm thick	PK	3236
12550B	Microslides, Plain glass; Fisherbrand; Clear; Corrosion-resistant; Flat surfaces and ground edges; Approximately 1mm thick; Size: 75 x 38mm; Precleaned	GR	7971
12550C	Microslide, Plain glass; Fisherbrand; Clear; Corrosion-resistant; Flat surfaces and ground edges; Approximately 1mm thick; Size: 75 x 50mm	GR	11440
12550D	Microslide, Plain glass; Fisherbrand; Clear; Corrosion-resistant; Flat surfaces and ground edges; Approximately 1mm thick; Size: 25 x 75 x 1mm; Precleaned; 144/Pk.	GR	3105
125525	Slide, Microscope; Fisherbrand; Frosted area on two sides; 0.9 x 2.9 in. (25 x 75mm); 144/Pk.; 10Pk./Cs.	GR	4796
1255410	Slide, Microscope; Fisherbrand; Sera-Slide; Non-corrosive, colorless glass; Fully-beveled edges; Individually cleaned and polished; Plain; L x W: 3 x 1 in.; Thickness: 0.9-1.0mm	PK	3917
1255830	Dispenser, Slide; Fisherbrand; Automatic; Holds Slides: 75 x 25mm or 3 x 1 in.	EA	5008
12560A	Slide, Microscope; Fisherbrand; Hanging drop; Medium-thick; For examining living microorganisms in hanging drops; One concavity, 18mm diameter; 0.5mm deep; Ground and polished concavities; Size: 76 x 26mm	PK	8393
12560B	Slide, Microscope; Fisherbrand; Hanging drop; Medium-thick; For examining living microorganisms in hanging drops; Two concavities, 18mm diameter and 0.5mm deep; Ground and polished concavities; Size: 76 x 26mm	PK	11278
12565A	Slide, Microscope; Fisherbrand; Hanging drop; For examining living microorganisms such as bacteria and yeast in hanging drops; 1.4 to 1.6mm thick; Extra thick slides; 1 Concavity	PK	12605
12565B	Slide, Microscope; Fisherbrand; Hanging drop; For examining living microorganisms such as bacteria and yeast in hanging drops; No. of Concavities: 2	PK	15028
FBA12567	Slide, Microscope; Fisherbrand; For paint color samples; Edges neatly cut but not ground; 2 in. (51mm) square glass; 1.5mm thick; Size: 51 x 51cm; Pack of 50	PK	4185
FBA12574	System, Storage; Fisherbrand; Modular; Microslide; Complete 5-drawer Storage System, Trays and wheels sold separately	EA	60718
1257410	Tray, Slide; Fisherbrand; Modular; Microslide; Holds 100 slides; L x W x H: 1.5 x 14 x 4 in.; For Modular Microslide Storage System	PK	6508
1257411	Tray, Slide; Fisherbrand; Modular; Microslide; Holds 100 slides; 2/pack	PK	3367
1257415	System, Storage; Fisherbrand; Modular; Microslide; Screw-on Wheels; 4/pack	PK	4660
125745	Drawer, Slide; Fisherbrand; Modular; Microslide; holds 10 slide trays	EA	12946
125746	Cover; Fisherbrand; For Slide Drawer; Modular; Microslide;	EA	6427
1258026	Slide, Multi-well; Fisherbrand; Hydrophobic; One 10.7mm oval well; Hydrophobic coating virtually eliminates cross contamination; Pack of 100	PK	13158
1258710	Tray, Microscope slide; Fisherbrand; Cardboard; Holds 20 slides; For 3 x 1 in. or 75 x 25mm slides; Spaces numbered; Doors are hinged for 360deg. opening	EA	454
1258716	Mailer/Holder, Microslide; Fisherbrand; Heavy cardboard; Holds two 3 x 1 in. or 75 x 25mm slides with or without cover glasses; Thumb groove	PK	2018
1258720	Holder, Slide; Thermo Scientific; Used for microwaves, drying ovens; High-density polyethylene; Will not swell, warp or crack; Size: 4 x 6 in.; Individually stamped slots; Hold 10 (76 x 26mm) slides vertically; SS; Fit in glass beaker	EA	5918
1518848	Slide, Microscope; Fisher Scientific; Tissue Path; Superfrost Plus; Gold; Frozen Tissue Adhesion; For Thick and Hard to Hold Tissues; Ideal for special stains, immunocytochemical, in situ DNA hybridization techniques; Bulk pack of 144	PK	16630

Cat. No.	Description	Pack	Price in ₹
1518851	Slides, Microscope; FisherBiotech ProbeOn; Provides precise capillary gap required for FisherBiotech MicroProbe System; Easily accommodate 5um thick control and sample sections; Size: 1 x 3 in. (25 x 75mm); 1mm thick	PK	10239
22037077	Slide, Microscope; Fisherbrand; ColorFrost; Disposable; Plain corners; Chemical-resistant; Easy marking and reading; Size: 25 x 75mm; Color: Aqua	PK	5507
22037078	Slide, Microscope; Fisherbrand; ColorFrost; Disposable; Plain corners; Chemical-resistant; Easy marking and reading; Size: 25 x 75mm; Color: Tan	PK	5255
22037079	Slide, Microscope; Fisherbrand; ColorFrost; Disposable; Color-coded frosted end; Plain corners; Chemical resistant; Easy marking and reading; Convenient SPECIMEN mark for easy orientation; Thickness: 1.0mm; 25 x 75mm; Color: Burnt orange	PK	5562
22037080	Slide, Microscope; Fisherbrand; ColorFrost; Disposable; Color-coded frosted end; Plain corners; Chemical resistant; Easy marking and reading; Convenient SPECIMEN mark for easy orientation; Thickness: 1.0mm; 25 x 75mm; Color: Gold	PK	5507
22037081	Slide, Microscope; Fisherbrand; ColorFrost; Disposable; Plain corners; Chemical-resistant; Easy marking and reading; Size: 25 x 75mm; Color: Lilac	PK	5507
22037160	Slide, Microscope; Fisherbrand; ColorFrost; 45deg. clipped corners; Color-coded frosted end; Chemical resistant; Marks easily; 25 x 75mm; Thickness: 1mm; Blue	PK	5703
22037161	Slide, Microscope; Fisherbrand; ColorFrost; Clipped corners; Color coded; Frosted end; Green; Pack of 144	PK	5703
22042910	Slide, Control; Fisherbrand; For staining of control and patient samples on the same slide with the same protocol; Red box for control tissue; w/SuperfrostPlus treatment; w/Standard frosted area; For automatic stainers	PK	13929
22042915	Slide, Microscope; Fisherbrand; InkJet; Superfrost; ColorFrost; For histology, cytology, hematology, and microbiology applications; 45deg. Corner; Color: white; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	6007
22042916	Slide, Microscope; Fisherbrand; InkJet; ColorFrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner; Color: blue; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	6545
22042917	Slide, Microscope; Fisherbrand; InkJet; ColorFrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner; Color: green; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	6372
22042918	Slide, Microscope; Fisherbrand; InkJet; ColorFrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner; Color: pink; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	6482
22042919	Slide, Microscope; Fisherbrand; InkJet; ColorFrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner; Color: yellow; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	6372
22042920	Slide, Microscope; Fisherbrand; InkJet; ColorFrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner; Color: aqua; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	6372
22042921	Slide, Microscope; Fisherbrand InkJet; For use with Leica Microsystems IPS ink jet printer; Clipped corners; 45deg.; ColorFrost Orange	PK	6309
22042922	Slide, Microscope; Fisherbrand; InkJet; ColorFrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner; Color: lilac; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	6309
22042923	Slide, Microscope; Fisherbrand; InkJet plus; ColorFrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner plus; Color: tan; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	6372
22042924	Slide, Microscope; Fisherbrand; InkJet plus; Superfrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner plus; Color: white; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10732
22042925	Slide, Microscope; Fisherbrand; InkJet plus; Colorfrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner plus; Color: blue; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10997
22042926	Slide, Microscope; Fisherbrand; InkJet plus; Colorfrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner plus; Color: green; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10997
22042927	Slide, Microscope; Fisherbrand; InkJet plus; Colorfrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner plus; Color: pink; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10997



Cat. No.	Description	Pack	Price in ₹
22026920	Box; Microscope Slide; Fisherbrand; Paperboard; Max. Capacity: 25 slides; Holds 3 x 1 in. or 75 x 25mm slides; Molded-hinged lid; Printed index card included; Numbered slots	EA	650
22031145	Glass, Cover; Fisherbrand; Borosilicate glass; Uniform thickness and size; No striations, bubbles, scratches; Stick-resistant; 1 oz. pack; Thickness: No. 2; Size: 15mm dia. circle	PK	10672
22034979	Slide, Microscope; Fisherbrand; Superfrost Plus; Permanent positive charge on the slide; Eliminate background staining in standard H and E stains; White	PK	9167
22034980	Slide; Fisherbrand; Superfrost; 25 x 75 x 1mm; Pack of 144	PK	4985
22034985	Slides; Microscopy; Fisherbrand; Superfrost; Excell; Superior adhesion and wettability; For immunochemistry laboratory applications; Adhesion surface for heat induced epitope retrieval; Uniform hydrophilic surface; Regular corners	PK	11165
22035813	Slide, Microscope; Fisher Scientific; Tissue Path; Superfrost Plus; Gold; Frozen Tissue Adhesion; For Thick and Hard to Hold Tissues; For special stains, immunocytochemical, in situ DNA hybridization techniques; Pack of 25 in slide box	PK	4510
22035814	Cartridge, Microscope slide; Fisherbrand; Colormark; For SHURMARK labeling systems; Brightly coated with contrasting background color; Self-contained packages; Ready to load into SHURMARK slide labeling system; White	PK	6825
22035815	Cartridge, Microscope slide; Fisherbrand; Colormark; For SHURMARK labeling systems; Brightly coated with contrasting background color; Self-contained packages; Ready to load into SHURMARK slide labeling system; Blue	PK	7132
22035816	Cartridge, Microscope slide; Fisherbrand; Colormark; For SHURMARK labeling systems; Brightly coated with contrasting background color; Self-contained packages; Ready to load into SHURMARK slide labeling system; Green	PK	6943
22035817	Cartridge, Microscope slide; Fisherbrand; Colormark; For SHURMARK labeling systems; Brightly coated with contrasting background color; Self-contained packages; Ready to load into SHURMARK slide labeling system; Pink	PK	7132
22035818	Cartridge, Microscope slide; Fisherbrand; Colormark; For SHURMARK labeling systems; Brightly coated with contrasting background color; Self-contained packages; Ready to load into SHURMARK slide labeling system; Yellow	PK	7132
22035819	Slide, Control; Fisherbrand; For staining of control and patient samples on the same slide with the same protocol; Red box for control tissue; w/SuperfrostPlus treatment; w/Standard frosted area; For manual staining methods	PK	12859
22037162	Slide, Microscope; Fisherbrand; ColorFrost; 45-degree clipped corners; Color-coded frosted end; Chemical resistant; Marks easily; 25 x 75mm; Thickness: 1mm; Pink	PK	5703
22037163	Slide, Microscope; Fisherbrand; ColorFrost; Clipped Corners; Color coded; Frosted end; Yellow; Pack of 144	PK	5703
22037240	Slide, Cytology; Fisherbrand; Round; 13mm, Single Ring, Designed to collect a thin layer of cells in the ringed area; for use with cytology funnels	PK	10200
22037241	Slide, Cytology; Fisherbrand; Round; 13mm, Single ring with adhesive, Designed to collect a thin layer of cells in the ringed area; for use with cytology funnels	PK	13968
22037242	Slide, Cytology; Fisherbrand; Round; 13mm, Double ring, Designed to collect a thin layer of cells in the ringed area; for use with cytology funnels	PK	10098
22037243	Slide, Cytology; Fisherbrand; Round; 13mm, Double ring with adhesive, Designed to collect a thin layer of cells in the ringed area; for use with cytology funnels	PK	13968
22038100	Slide, Microscope; Fisherbrand; Superfrost; Clipped corner; Comfortable to handle and safer to use; 25 x 75mm; 1mm thick; Opaque white tab; 144/pk.	PK	5425
22038101	Slide, Microscope; Fisherbrand; With clipped corners; Plain; 75 x 25mm; Pack of 144	PK	3750
22038102	Slide, Microscope; Fisherbrand; With clipped corners; Frosted; 75 x 25mm; Pack of 144	PK	4243
22038103	Slide, Microscope; Fisherbrand; Premium; Clipped corner; For manual blood smears; w/Superfrost tab; White; Size: 75 x 25mm; Thickness: 1mm; 144/Pk.; 10/Cs.	PK	5876
22038104	Slide, Microscope; Fisherbrand; Premium; Clipped corner; For manual blood smears; No tab; Plain; Size: 75 x 25mm; Thickness: 1mm; 144/Pk.; 10/Cs.	PK	4615
22038105	Slide, Microscope; Fisherbrand; Premium; Clipped corner; For manual blood smears; w/Color-coded frosted tab; White; Size: 75 x 25mm; Thickness: 1mm; 144/Pk.; 10/Cs.	PK	5129
22038323	Cartridge, Microscope slide; Fisherbrand; Colormark; For SHURMARK labeling systems; Brightly coated with contrasting background color; Self-contained packages; Ready to load into SHURMARK slide labeling system; Pink; Plus charged	PK	11884
22038324	Cartridge, Microscope slide; Fisherbrand; Colormark; For SHURMARK labeling systems; White; Plus charged	PK	11603

Cat. No.	Description	Pack	Price in ₹
22038325	Cartridge, Microscope slide; Fisherbrand; Colormark; For SHURMARK labeling systems; Brightly coated w/contrasting background color; Self-contained package; Ready to load into SHURMARK slide labeling system; Blue; Plus charged	PK	11566
22038326	Cartridge, Microscope slide; Fisherbrand; Colormark; For SHURMARK labeling systems; Brightly coated with contrasting background color; Self-contained packages; Ready to load into SHURMARK slide labeling system; Green; Plus charged	PK	11884
22038327	Cartridge, Microscope slide; Fisherbrand; Colormark; For SHURMARK labeling systems; Brightly coated with contrasting background color; Self-contained packages; Ready to load into SHURMARK slide labeling system; Yellow; Plus charged	PK	11884
22038328	Cartridge, Microscope slide; Fisherbrand; Colormark; For SHURMARK labeling systems; Brightly coated with contrasting background color; Self-contained packages; Ready to load into SHURMARK slide labeling system; Lavender; Plus charged	PK	11566
22038329	Slide, Microscope; Fisherbrand; Colormark Plus; For use with SHUR/MARK labeling system; Etched information visible through colored end; Plus formula for adhesion; Lavender w/Black; Pack of 144	PK	7132
22042928	Slide, Microscope; Fisherbrand; InkJet plus; Colorfrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner plus; Color: yellow; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10997
22042929	Slide, Microscope; Fisherbrand; InkJet plus; Colorfrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner plus; Color: aqua; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10997
22042931	Slide, Microscope; Fisherbrand; InkJet plus; Colorfrost; For histology, cytology, hematology, and microbiology applications; 45deg. corner plus; Color: lilac; For use with Leica Microsystems IP S ink jet printer; Frosted tabs	PK	10997
22042932	Slide, Microscope; Fisherbrand; InkJet Plus; For use with Leica Microsystems IP S ink jet printer, clipped corners, 45deg.; tan	PK	10997
22045600	System, Storage; Fisherbrand; SlideFile; Store up to 400 microscope slides (75 x 25mm or 3 x 1 in.); 100 individually numbered slots for organization; W x L x H: 82 x 245 x 86mm; Stackable; Hinged tinted cover; Not autoclavable; Blue	CS	13842
22060020	Slide, Microscope; Fisherbrand; Acid etched; Double-etched frosted; White; 3 x 1 in.; 144/pk.; 10 packs/cs.	PK	6860
22161869	Slide, Microscope; Fisherbrand; Acid etched; Double-etched frosted; 3 x 1 in.; 144/pk.; 10 packs/cs.	PK	7114
22266858	Glass, Cover; Fisherbrand; Borosilicate glass; Uniform thickness and size; No striations, bubbles, scratches; Stick-resistant; 1 oz. pack; Thickness: No. 1.5; Size: 24 x 20mm	PK	1002
22266882	Glass, Cover; Fisherbrand; Borosilicate glass; Uniform thickness and size; No striations, bubbles, scratches; Stick-resistant; 1 oz. pack; Thickness: No. 1.5; Size: 24 x 60mm	PK	918
22266885	Slide, Microscopy; Thermo Scientific; For staining of control and patient samples on the same slide with the same protocol; Red box for control tissue; w/SuperfrostPlus treatment; For automatic stainers	PK	13242
22266908	Glass, Cover; Fisherbrand; Borosilicate glass; Uniform thickness and size; No striations, bubbles, scratches; Stick-resistant; 1 oz. pack; Thickness: No. 2; Size: 22 x 30mm	PK	915
22266940	Glass, Cover; Fisherbrand; Borosilicate glass; Uniform thickness and size; No striations, bubbles, scratches; Stick-resistant; 1 oz. pack; Thickness: No. 2; Size: 24 x 30mm	PK	939
22266973	Glass, Cover; Fisherbrand; Borosilicate glass; Uniform thickness and size; No striations, bubbles, scratches; Stick-resistant; 1 oz. pack; Thickness: No. 2; Size: 24 x 60mm	PK	829
22267005	Slide; Microscope; Fisherbrand; Extra-thick; Clear; Corrosion-resistant plain-glass; w/Flat surface, ground edges; Precleaned; Size: 3 x 1.5 in.; No frosted end; 144/pk.; 5/cs.	PK	8071
22267013	Slide; Microscope; Fisherbrand; Extra-thick; Clear; Corrosion-resistant plain-glass; w/Flat surface, ground edges; Precleaned; Size: 3 x 2 in.; No frosted end; 144/pk.; 5/cs.	PK	11537
22267062	Slide; Microscope; Fisherbrand; Extra-thick; Clear; Corrosion-resistant plain-glass; w/Flat surface, ground edges; Precleaned; Size: 3 x 1 in.; Both ends frosted; 144/pk.; 10/cs.	PK	7040
22267104	Slide, Microscope; Fisherbrand; Frosted fluorescent antibody; Two rings with 15mm dia.; Size: 1 x 3 in. (25 x 75mm); Thickness: 0.97 to 1.07mm; 144/pk.; 10/cs.	PK	4872
22166751	Slides, Microscope, Petrography; Fisherbrand; Dimensions: 26 x 46mm; Thickness: 1.2mm	PK	5614
22178277	Slide, Microscope; Fisherbrand; Superfrost; Disposable; White, opaque coating; Each side has a written key; 3 x 1 in.; Thickness: 1mm	PK	5958
22214320	Slide, Microscope; Fisherbrand; ColorFrost; Disposable; Plain corners; Chemical-resistant; Easy marking and reading; Size: 3 x 1 in.; Frost Color: Blue	PK	6178
22214338	Slide, Microscope; Fisherbrand; ColorFrost; Disposable; Color-coded frosted end; Plain corners; Chemical resistance, easy marking and reading; Convenient SPECIMEN mark for easy orientation; Thickness: 1.0mm; 3 x 1 in.; Color: Green	PK	6015

Cat. No.	Description	Pack	Price in ₹
22214346	Slide, Microscope; Fisherbrand; ColorFrost; Disposable; Plain corners; Chemical-resistant; Easy marking and reading; Size: 3 x 1 in.; Frost Color: Pink	PK	6015
22214361	Slide, Microscope; Fisherbrand; ColorFrost; Disposable; Plain corners; Chemical-resistant; Easy marking and reading; Size: 3 x 1 in.; Frost Color: Yellow	PK	6015
22230890	Slide, Microscope; Fisherbrand; ColorFrost Plus; For frozen sections, cytocentrifuge preparations, standard Pap. smears; No tissue loss during staining; Colored marking surface; Size: 75 x 25mm; Color: Aqua	PK	10111
22230891	Slide, Microscope; Fisherbrand; ColorFrost Plus; For frozen sections, cytocentrifuge preparations, standard Pap. smears; No tissue loss during staining; Colored marking surface; Size: 75 x 25mm; Color: Gold	PK	10111
22230892	Slide, Microscope; Fisherbrand; ColorFrost Plus; For frozen sections, cytocentrifuge preparations, standard Pap. smears; No tissue loss during staining; Colored marking surface; Size: 75 x 25mm; Color: Burnt orange	PK	10111
22230900	Slide, Microscope; FisherBiotech; ProbeOn Plus; Gray tab; 144/pk.; 10/cs.	PK	12990
22230901	Slide, Ring; Fisherbrand; Compatible with CytoFuge 2 cytocentrifuge system; Collects thin layer of cells in the ringed area; 7mm dia. single ring; 144/pk.; 10/cs.	PK	11443
22244026	Folder, Slide; Fisherbrand; Plastic slide trays; Horizontal compartments; For 76 x 26mm slides; Plastic with a white background that facilitates macro identification of slide; 20-slots; 12/cs.	EA	2829
22265446	Slide, Microscope; Fisherbrand; 3 x 1 in.; Frosted at one end; Pack of 144; Case of 25 pack	PK	5572
22310397	Slide, Microscope; Fisherbrand; Frosted; Glass; 3 x 1 in. (7.6 x 2.5cm); 1440/case	PK	5769
22310398	Slide; Fisherbrand; Superfrost; 3 x 1 x 1 in.; Green; Pack of 144	PK	6057
22339408	Slide, Microscope; Fisherbrand; Frosted fluorescent antibody; Two rings with 10mm dia.; Size: 1 x 3 in. (25 x 75mm); Thickness: 0.97 to 1.07mm; 144/pk.; 10/cs.	PK	4875
2350050	Holder, Slide; Fisherbrand; StainFrame; Holds up to 14 slides for staining and decolorizing; Chemical-resistant ABS plastic construction	EA	8317
FB58620	Microscope slide ground edges, plain glass wrapped in cellophane 76mm x 26mm 0.8mm to 1.0mm thick Fisherbrand	Pack of 50	286
FB58622	Microscope slide ground edges, plain glass wrapped in cellophane 76mm x 26mm 1.0mm to 1.2mm thick Fisherbrand	Pack of 50	286
FB58624	Microscope slide ground edges, plain glass wrapped in cellophane 76mm x 26mm 1.2mm to 1.5mm thick Fisherbrand	Pack of 50	312
FB58626	Microscope slide ground edges, twin frosted glass wrapped in cellophane 76mm x 26mm 0.8mm to 1.0mm thick Fisherbrand	Pack of 50	346
FB58628	Microscope slide ground edges, twin frosted glass wrapped in cellophane 76mm x 26mm 1.0mm to 1.2mm thick Fisherbrand	Pack of 50	346
FB58631	Cover slip No. 1 glass 18mm x 18mm Fisherbrand	Pack of 200	239
FB58633	Cover slip No. 1 glass 22mm x 22mm Fisherbrand	Pack of 200	259
FB58637	Cover slip No. 1 glass 22mm x 26mm Fisherbrand,	Pack of 200	266
FB58643	Cover slip No. 1 glass 22mm x 32mm Fisherbrand,	Pack of 200	215
FB58651	Cover slip No. 1 glass 22mm x 40mm Fisherbrand,	Pack of 200	246
FB58661	Cover slip No. 1 glass 22mm x 50mm Fisherbrand,	Pack of 200	259
FB58670	Cover slip No. 1 glass 24mm x 24mm Fisherbrand	Pack of 200	273
FB58678	Cover slip No. 1 glass 24mm x 32mm Fisherbrand,	Pack of 200	221
FB58686	Cover slip No. 1 glass 24mm x 40mm Fisherbrand	Pack of 100	253
FB58700	Cover slip No. 1 circle glass 16mm diameter	Pack of 200	505
FB58703	Cover slip No. 1 circle glass 19mm diameter	Pack of 200	572
FB58706	Cover slip No. 1 circle glass 22mm diameter	Pack of 200	605
FB58720	Cover slip No. 1 1/2 glass 18mm x 18mm Fisherbrand	Pack of 200	239
FB58724	Cover slip No. 1 1/2 glass 20mm x 20mm Fisherbrand	Pack of 200	246
FB58730	Cover slip No. 1 1/2 glass 22mm x 22mm Fisherbrand	Pack of 200	259
FB58750	Cover slip No. 1 1/2 glass 22mm x 50mm Fisherbrand	Pack of 100	259
FB58760	Cover slip No. 1 1/2 glass 24mm x 24mm Fisherbrand	Pack of 200	266
FB58770	Coverslip No. 1.5 borosilicate glass 24mm x 50mm Fisherbrand	Pack of 100	266
FB58800	Cover slip No. 1 1/2 circle glass 16mm diameter Fisherbrand	Pack of 100	296
FB58806	Cover slip No. 1 1/2 circle glass 22mm diameter Fisherbrand	Pack of 100	336

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
FB70860	Microscope slide box push-fit lid ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 141mm x 88mm x 35mm capacity: 25 slides blue Fisherbrand	EA	760
FB70861	Microscope slide box push-fit lid ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 141mm x 88mm x 35mm capacity: 25 slides green Fisherbrand	EA	760
FB70862	Microscope slide box push-fit lid ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 141mm x 88mm x 35mm capacity: 25 slides red Fisherbrand	EA	760
FB70863	Microscope slide box push-fit lid ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 141mm x 88mm x 35mm capacity: 25 slides white Fisherbrand	EA	760
FB70866	Microscope slide box thumb latch lock ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 209mm x 86mm x 35mm capacity: 50 slides blue Fisherbrand	EA	841
FB70867	Microscope slide box thumb latch lock ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 209mm x 86mm x 35mm capacity: 50 slides red Fisherbrand	EA	841
FB70868	Microscope slide box thumb latch lock ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 209mm x 86mm x 35mm capacity: 50 slides white Fisherbrand	EA	841
FB70870	Microscope slide box nickel plated clasp, pin hinges ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 208mm x 175mm x 34mm capacity: 100 slides blue Fisherbrand	EA	871
FB70871	Microscope slide box nickel plated clasp, pin hinges ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 208mm x 175mm x 34mm capacity: 100 slides green Fisherbrand	EA	871
FB70872	Microscope slide box nickel plated clasp, pin hinges ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 208mm x 175mm x 34mm capacity: 100 slides red Fisherbrand	EA	871
FB70873	Microscope slide box nickel plated clasp, pin hinges ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 208mm x 175mm x 34mm capacity: 100 slides yellow Fisherbrand	EA	871
FB70874	Microscope slide box nickel plated clasp, pin hinges ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 208mm x 175mm x 34mm capacity: 100 slides white Fisherbrand	EA	871
FB70875	Microscope slide box nickel plated clasp, pin hinges ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 208mm x 175mm x 34mm capacity: 100 slides grey Fisherbrand	EA	871
FB70876	Microscope slide box nickel plated clasp, pin hinges ABS plastic, cork lined grooved numbered slots, stackable, inventory sheet 208mm x 175mm x 34mm capacity: 100 slides black Fisherbrand	EA	871
FB70880	Microscope slide box for 25 slides hinged lid polypropylene unlined 8mm x 140mm x 35mm N/A blue Fisherbrand	EA	414
FB70881	Microscope slide box for 25 slides hinged lid polypropylene unlined 8mm x 140mm x 35mm N/A red Fisherbrand	EA	414
FB70882	Microscope slide box for 25 slides hinged lid polypropylene unlined 8mm x 140mm x 35mm N/A white Fisherbrand	EA	414
FB70883	Microscope slide box for 100 slides hinged lid polypropylene unlined 165mm x 210mm x 35mm blue Fisherbrand	EA	558
FB70884	Microscope slide box for 100 slides hinged lid polypropylene unlined 165mm x 210mm x 35mm red Fisherbrand	EA	558
FB70885	Microscope slide box for 100 slides hinged lid polypropylene unlined 165mm x 210mm x 35mm white Fisherbrand	EA	558
FB70890	Microscope slide box for 25 slides push-fit lid ABS plastic foam lined stackable 8mm x 140mm x 35mm blue Fisherbrand	EA	506
FB70892	Microscope slide box for 25 slides push-fit lid ABS plastic foam lined stackable 8mm x 140mm x 35mm red Fisherbrand	EA	506
FB70894	Microscope slide box for 25 slides push-fit lid ABS plastic foam lined stackable 8mm x 140mm x 35mm white Fisherbrand	EA	506
FB70895	Microscope slide box for 100 slides nickel-plated clasp ABS plastic foam lined stackable 165mm x 210mm x 35mm blue Fisherbrand	EA	558
FB70896	Microscope slide box for 100 slides nickel-plated clasp ABS plastic foam lined stackable 165mm x 210mm x 35mm green Fisherbrand	EA	558
FB70897	Microscope slide box for 100 slides nickel-plated clasp ABS plastic foam lined stackable 165mm x 210mm x 35mm red Fisherbrand	EA	558
FB70898	Microscope slide box for 100 slides nickel-plated clasp ABS plastic foam lined stackable 165mm x 210mm x 35mm yellow Fisherbrand	EA	558
FB70899	Slide tray cardboard 208mm x 341mm x 10mm holds 20x 75mm x 25mm slides Fisherbrand	EA	558
FB70901	Slide tray cardboard 208mm x 341mm x 10mm holds 20x 75mm x 25mm slides Fisherbrand	EA	410
FB70908	Slide mailer two place polypropylene 93mm x 68mm x 5mm assorted Fisherbrand	EA	1409
FB70909	Slide mailer two place polypropylene 93mm x 68mm x 5mm natural Fisherbrand	EA	1409

Kimberly Clark

**KIMTECH**  
PURE\* BRAND

**Minimize Risk.  
Maximize Production.**

**ThermoFisher**  
SCIENTIFIC

## Essential Solutions for **Safer** and **Productive** Workplace

At KIMBERLY-CLARK PROFESSIONALS\*, we understand that the challenges our customers face every day, affect every aspect of their organizations. And the decisions they make, have an impact on the working lives of everyone they work with. We're here every step of the way - understanding our customers' needs, backing their choices and providing them with solutions that enable people to be safer, healthier and move productive.

### HYGIENE AND CONTAMINATION CONTROL

We deliver leading-edge hygiene and cleaning solutions for the workplace and hand hygiene. By selecting our trusted global brand like KLEENEX® Paper Tower and Sanitizer, SCOTT® Foam Soap and Soap and Paper Towels, WYPALL\* and KIMTECH\* Wipers, you will help reduce the spread of germs resulting in cleaner environment.

### WIPING

We are leaders in the industrial and scientific wiping market. WYPALL\* and KIMTECH\* are well-known names, offer wiping solutions that reduce the risk of contamination.

### PERSONAL SAFETY

You can rely on us to protect your people in the workplace. Our range of ergonomically designed safety solutions will make an impact on everyone who uses them. Our market-leading safety products like KLEENGUARD\*, JACKSON SAFETY\* AND KIMTECK PURE\* are comfortable, safe and help increase work efficiency.

### KIMBERLY-CLARK PROFESSIONAL\*

We create exceptional clean rooms, labs and production areas by bringing innovative solution to our customers that help them be more productive, minimize the risk to processes and people, and do so in the most environment friendly way possible.

**KIMTECH**  
PURE\* BRAND

Cat. No.	Description	Pack	Price in ₹
FB70911	Slide mailer five place end opening polypropylene 43mm x 24mm x 88mm Fisherbrand	EA	1046
FB70913	Slide holder drying holder holds 39 x 75mm x 25mm slides polyethylene 298mm x 106mm x 31mm Fisherbrand	EA	4198
FB70914	Slide holder drying holder holds 77 x 75mm x 25mm slides polyethylene 299mm x 171mm x 21mm Fisherbrand	EA	4467
FB70925	Dispenser microscope slide holds up to 91 standard slides polystyrene 113mm x 123mm x 163mm Fisherbrand	EA	1913
21456897	COVER GLASS F/COUNTING CHAMBER	EA	5583
<b>Haemocytometer</b>			
0257158A	Cover Glass, for Howard Mold Counting Chamber, Thin, 28W x 33L x 0.5mmD	EA	5389
02617581	Cover Glasses/Slips; Hausser Scientific; Accessories; Size: 20 x 26 x 0.5mm	EA	1146
02617582	Cover Glasses/Slips; Hausser Scientific; Petroff-Hausser; Accessories; Size: 20 x 26 x 0.2mm	EA	5583
02617583	Cover Glasses/Slips; Hausser Scientific; Nageotte; Accessories; Disposable; Size: 30 x 33 x 1.5mm	PK	6353
0267110	Chamber, Counting; Hausser Bright-Line; Milled from glass; 2 chambers for counting white, red blood cells and platelets; Double Neubauer rulings w/400 small squares in central 1mm square; With two 0.4mm cover glasses	EA	28149
0267111	Set, Counting chamber; Hausser Scientific; Hy-Lite; Supplied with polyethylene carrying case; Includes Counting chamber (02-671-10), two cover glasses, two Thoma pipets (one for red and one for white corpuscles), and pipet filler	EA	35126
0267112	Counting Chamber; Howard Mold; Hausser Scientific; Includes coverslips; All glass construction; Engraved lines for microscope calibration;	EA	37190
0267113	Counting Chamber; Petroff-Hausser; Hausser Scientific; One piece construction for durability; Improved Neubauer ruling on single plateau; Used for bacteria and sperm counts	EA	57228
026715	Chamber, Counting; Reichert Bright-Line; Milled from glass; 2 chambers for counting white, red blood cells and platelets; Double Neubauer rulings w/400 small squares in central 1mm square; With two 0.4mm cover glasses	EA	29746
0267151A	Counting Chamber; Bright Line; Hausser Scientific; Moded Pyrex glass; Improved Neubauer ruling	EA	27236
0267151B	Counting Chamber; Hy Lite; Hausser Scientific; Milled soda lime glass; Improved Neubauer ruling	EA	25346
0267152	Hemocytometer Counting Chamber; Hausser Nageotte Bright-Line; For manual counting of low leukocyte concentration; Measures to 0.1cell/mL; 2 gridded counting areas, each w/40 areas; Volume of each grid: 50mL	EA	70467
0267153	Cover Glass; Hausser Scientific; L x W: 20 x 26mm; Thickness: 0.4mm	EA	2740
0267154	Hemocytometer, Phase Contrast; Hausser; Pyrex glass; 3 x 1 in.; 7.6 x 2.5cm; With bright line ruling and counting chamber with reduced overall thickness	EA	30627
0267155A	Hemocytometer; Hausser; Levy; Etched field with opaque-pattern; Levy chamber and double Neubauer ruling; w/2 x 0.4mm cover glasses, red blood pipet, white blood pipet, and red plastic case	EA	51942
0267156	Chamber, Counting; Hausser Scientific; Sedgewick-Rafter Cell; With cover glass; For use in microscopy of drinking water, dust examination; Size: 60 x 25 x 0.5mm	EA	45353
0267157	Cover Glass; Hausser Scientific; Sedgewick Rafter Cover Glass; 25 x 60mm; 0.5mm Thickness	EA	4437
0267158B	Cover Glass; Hausser Scientific; Replacement part for Howard mold counting chamber; 28mm x 33mm; Thickness: 1.0mm	EA	5386
026716	Hemocytometer, Phase; Hausser Scientific; Bright-Line; Glass; Pyrex; For use with: phase microscopes; Cover glasses, pipets not included	EA	32176
026725	Set, Counting chamber; Hausser Scientific; Reichert; Bright-Line; Includes: molded, thermal and shock-resistant glass counting chamber with metallized surface; Two cover slips; Pipet filler; One pipet for red and one for white blood cells	EA	36954

### Personal and Lab Safety

<b>Apparel</b>			
01353A	Apron; Fisherbrand; Resin-Coated; 36 x 27 in. (91 x 69cm)	EA	4741
01353B	Apron; Fisherbrand; Resin-Coated; 46 x 36 in. (117 x 91cm)	EA	7470
01360	Sleeve; Wrist to elbow; Elastic cuffs; Long: 14-1/2 in.L (37cm)	PR	3552
0583418	Hooks; Fisherbrand; For hanging aprons, lab coats; Mounts on any wall or door with super adhesive backing	PK	2572

Cat. No.	Description	Pack	Price in ₹
19038440	Coat, Lab; Tians International; Disposable; Polypropylene fabric; Breathable, low-lint; Fabric knit wrist; Folded collar; Snap front; No pockets; For cleanroom use; White; Large	PK	2453
19038442	Coat, Lab; Tians International; Disposable; Polypropylene fabric; Breathable, low-lint; Fabric knit wrist; Folded collar; Snap front; No pockets; For cleanroom use; White XX-Large	PK	2399
19060218	Diameter: 24 in.	PK	3821
19063546	Coat, Laboratory; Tians International; Disposable; Polypropylene; Snap Front; Open Wrists; Breast Pocket; White; X-Large	CS	12875
19063747	Rainwear; MCR Safety; 3-Piece Suit: Jacket, Detachable Hood, Bib Overalls; Heavy Weight; Yellow; 0.30mm double-coated PVC on nylon scrim; Size (fits chest/waist): Small (48/43 in.)	EA	4140
19063748	Rainwear; MCR Safety; 3-Piece Suit: Jacket, Detachable Hood, Bib Overalls; Heavy Weight; Yellow; 0.30mm double-coated PVC on nylon scrim; Size (fits chest/waist): Medium (51/45 in.)	EA	4140
19063749	Rainwear; MCR Safety; 3-Piece Suit: Jacket, Detachable Hood, Bib Overalls; Heavy Weight; Yellow; 0.30mm double-coated PVC on nylon scrim; Large (54/47 in.)	EA	4140
19063750	Rainwear; MCR Safety; 3-Piece Suit: Jacket, Detachable Hood, Bib Overalls; Heavy Weight; Yellow; 0.30mm double-coated PVC on nylon scrim; Size (fits chest/waist): X-Large (57/49 in.)	EA	4140
19063751	Rainwear; Fisherbrand; 3-Piece Suit: Jacket, Detachable Hood, Bib Overalls; Heavy Weight; Yellow; 0.30mm double-coated PVC on nylon scrim; Size (fits chest/waist): XX-Large (60/51 in.)	EA	4313
19068430	Fisherbrand™ Fine-Mesh Nylon Hairnets Diameter: 21 in.	PK	5999
19070625	Fisherbrand™ Fine-Mesh Nylon Hairnets Diameter: 18 in.	PK	3524
19181529	Apron, Polyethylene, Disposable; Fisherbrand; White; 46 x 28 in., 1.0mil	PK	2856
FBA01360	Fisherbrand* Sleeve; Wrist to elbow; Elastic cuffs; Long: 14-1/2 in.L (37cm)	EA	3552
62484E	KIMTECH PURE* M3 Pouch-Style Face Mask with Headband (PCM2000*)	300 pieces	12750
62467E	KIMTECH PURE* M3 Sterile Face Mask with Ties 7" (CR Classic*)	200 pieces	8500
62470E	KIMTECH PURE* M3 Sterile Face Mask with Earloop 7" (CR Classic*)	200 pieces	8500
88800E	A5 Sterile Cleanroom Apparel- small	25 pieces	16575
88801E	A5 Sterile Cleanroom Apparel- medium	25 pieces	16575
88802E	A5 Sterile Cleanroom Apparel- large	25 pieces	16575
88803E	A5 Sterile Cleanroom Apparel- X large	25 pieces	16575
88804E	A5 Sterile Cleanroom Apparel- XX large	25 pieces	16575
88807E	A5 Sterile Cleanroom Hood	100 pieces	19550
88808E	A5 Sterile Cleanroom Boots	100 pairs	26350
<b>Buffant Cap and Beard Cover</b>			
19098910	Cap, Buffant; Fisherbrand; Latex-free; Spunbonded polypropylene; Lightweight; Non-linting; Feature synthetic band stitch with soft floss for secure fit; Flat packed; Double polybag; Dia.: 18 in. (46cm); White	PK	900
19098912	Cap, Buffant; Fisherbrand; Latex-Free; Spunbonded Polypropylene; Lightweight; non-linting; feature synthetic band stitch with soft floss for secure fit; Flat packed Double polybag; Dia.: 28 in. (71cm); White	PK	1395
19098913	Cap, Buffant; Fisherbrand; Latex-free; Spunbonded polypropylene; Lightweight; Non-linting; Feature synthetic band stitch with soft floss for secure fit; Flat packed; Double polybag; Dia.: 21 in. (53cm); White	PK	936
19098914	Cap, Buffant; Fisherbrand; Latex-free; Spunbonded polypropylene; Lightweight; Non-linting; Feature synthetic band stitch with soft floss for secure fit; Flat packed; Double polybag; Dia.: 24 in. (61cm); White	PK	1075
19098915	Cap, Buffant; Fisherbrand; Latex-free; Spunbonded polypropylene; Lightweight; Non-linting; Feature synthetic band stitch with soft floss for secure fit; Flat packed; Double polybag; Dia.: 21 in. (53cm); Blue	PK	936
19098916	Cap, Buffant; Fisherbrand; Latex-Free; Spunbonded Polypropylene; Lightweight; non-linting; feature synthetic band stitch with soft floss for secure fit; Flat packed Double polybag; Dia.: 24 in. (61cm); Blue	PK	1075
19098917	Beard Cover; Fisherbrand; Polypropylene; Nonflammable; Nonparticulating; Elastic seams; Latex-free; White; Regular	PK	883
19098918	Beard Cover; Fisherbrand; Polypropylene; Nonflammable; Nonparticulating; Elastic seams; Latex-free; White; X-Large	PK	883
19098919	Buffant Caps, Polypropylene, 21 in., White, 1000/Cs	CS	6265
19098920	Buffant Caps, Polypropylene, 24 in., White, 1000/Cs	CS	7047




## Kimtech Pure\* A5 Clean room Apparel - Clean Processed & Sterile with Clean-Don\* Technology

Reusable protective apparel poses a real yet invisible contamination threat to your environment. Testing has found that 100% of the used sterile reusable garments showed a decline in BFE (Bacterial Filtration Efficiency) after washing. The average BFE of reusable drops 25% after laundering and fabric degradation is visible at the sub-micron level, and is enough to allow bacteria to penetrate the material. The more times the garment is processed, the bigger the decline in BFE.

Why take this risk? Choose single-use sterile apparel for the performance, consistency and confidence level your clean room needs.

Kimtech Pure\* A5 single-use apparel provides the highest rating 95%BFE whereas the reusable gown scored a 68%BFE.

### Full Protection Vs. Compromised BFE



**STERILE**



Our **KIMTECH PURE\* A5 Sterile Cleanroom Apparel** comes with unique features and specifically manufactured for your needs.

**Innovative Inside-Out Fold** - reduces the risk of touching and contaminating the outside of the apparel.


**Patent-Pending Snap Technology** - built-in snaps gather up legs and arms to lower the risk of touching the floor, automatically release as garment is put on.

**Cloth-Like Comfort** - it has 100% Polypropylene Breathable SMS (Spunbond Meltblown Spunbond) fabric.

**Built-In Thumb Loop** - Keeps garment sleeve from rolling back and exposing arm or wrist.

**Patent-Pending Snap Technology** - Visible Blue Line along the inside of the garment signals the proper place to grasp while gowning, helping workers avoid touching the outside of the garment.



Description	Size	Code	Colour	Case Content	Material
KIMTECH PURE* A5 Sterile Clean room Apparel 	Small	88800	○	25	SMS Fabric
	Medium	88801	○	25	SMS Fabric
	Large	88802	○	25	SMS Fabric
	X Large	88803	○	25	SMS Fabric
	Hood	88807	○	100	SMS Fabric
	Universal Boots	88808	○	100 Pairs	SMS Fabric

### Did You Know?

Moving shed upto 1,000,000 particles per minute. Personal garments are the #1 cause for contamination alerts and actions.

## KIMTECH PURE\* M3 Pleat-Style Face Masks

### Features

- Available with ties and earloops
- Low-linting polyethylene film outer layer
- BICOSOF\* Fabric inner facing provides comfort

ISO Class 3 or higher clean room environments



## KIMTECH PURE\* M3 Pouch-Style Face Masks (formerly PCM 2000\* with Headband)

### Features

- Low-linting apertured polyethylene film outer layer
- BICOSOF\* Fabric inner facing provides comfort
- Large breathing chamber
- Gap guard for additional protection

ISO Class 3 or higher clean room environments



Description	Code	Color	Style	Units/Bag	Bags/Case	Total/Case
KIMTECH PURE* M3 Sterile Face Mask	62467	○	7" w/ties	20	10	200
KIMTECH PURE* M3 Sterile Face Mask	62470	○	9" w/earloops	20	10	200
KIMTECH PURE* M3 Pouch-Style Face Mask	62484	○	Pouch-style mask with apertured polyethylene film and two knitted headbands	50	6	300

### Did You Know?

Half the time people are the root cause for microbial contamination in the clean room

Cat. No.	Description	Pack	Price in ₹
<b>Bench Protectors</b>			
0340547	Protector, Bench; Fisherbrand; Slip Stop; Holds objects firmly in place without need for permanent fixing or clamps; Use on shakers and stirrers; Store at ambient temperatures up to 122deg.F; Keep from freezing; Easy to clean; 6 X	EA	1287
1412746	Liner, Bench; Fisherbrand; Absorbent multilayers; Waterproof polypropylene backing; Size: 20 in. x 50 ft.; Dispenser box	CS	35499
1412747	Liner, Bench; Fisherbrand; Absorbent multilayers; Waterproof polypropylene backing; Size: 20 in. x 300 ft. roll	EA	18565
1412748	Surface Liner; Fisherbrand; Polyethylene foam; Chemical-resistant; Nonabsorbing, non-wetting; Roll; Help to prevent breakage on benchtop; Provide protection from chemicals,heat, dirt, and broken glass; Thickness: 0.125 in.; 12 in.W x 50 ft.	CS	14786
1412749	Surface Liner; Fisherbrand; Polyethylene foam; Chemical-resistant; Nonabsorbing, non-wetting; Roll; Help to prevent breakage on benchtop; Provide protection from chemicals,heat, dirt, and broken glass; Thickness: 0.125 in.; 18 in.W x 50 ft.	CS	19881
1412750	Surface Liner; Fisherbrand; Polyethylene foam; Chemical-resistant; Nonabsorbing, non-wetting; Roll; Help to prevent breakage on benchtop; Provide protection from chemicals,heat, dirt, and broken glass; Thickness: 0.125 in.; 30 in.W x 50 ft.	CS	31778
1412752	Surface Liner; Fisherbrand; Polyethylene foam; Chemical-resistant; Nonabsorbing, non-wetting; Sheets; Help to prevent breakage on benchtop; Provide protection from chemicals,heat, dirt, and broken glass;Thickness: 0.25 in.; 10.5W x 12 in.L	CS	9715
1412753	Surface Liner; Fisherbrand; Polyethylene foam; Chemical-resistant; Nonabsorbing, non-wetting; Sheets; Help to prevent breakage on benchtop; Provide protection from chemicals,heat, dirt, and broken glass; Thickness: 0.25 in.; 16W x 21 in. L	CS	12266
14203A	Matting, Lab; Fisherbrand; Clear polyethylene; Easy to clean, cut; Ribbed; Reduces glassware breakage; 0.036 in. thick; Protects drawers, shelves, and benches from chemicals, spills, and dirt; Lays flat; 30 in. x 15 ft.	EA	3078
14203B	Matting, Lab; Fisherbrand; Clear polyethylene; Easy to clean, cut; Ribbed; Reduces glassware breakage; 0.036 in. thick; Protects drawers, shelves, and benches from chemicals, spills, and dirt; Lays flat; 30 in. x 100 ft.	EA	18906
1420662	Underpad, Absorbent; Fisherbrand; Cushioned surface; Chemical-resistant polyethylene backing; Spunbond top layer; Absorb up to 750mL/m <sup>2</sup> ; Mat; L x W: 20 x 24 in.	PK	5336
1420663	Underpad, Absorbent; Fisherbrand; Cushioned surface; Chemical-resistant polyethylene backing; Spunbond top layer; Absorb up to 750mL/m <sup>2</sup> ; Mat; L x W: 20 x 36 in.	PK	4001
1420664	Underpad, Absorbent; Fisherbrand; Chemical-resistant polyethylene backing; Absorb up to 750mL/m <sup>2</sup> ; Lie flat; Quickly absorb liquids and keep spills from spreading; Roll; 20 in. x 100 ft.; Dispenser pack	EA	6186
1420665	Underpad, Absorbent; Fisherbrand; Cushioned surface; Chemical-resistant polyethylene backing; Spunbond top layer; Absorb up to 750mL/m <sup>2</sup> ; Roll in dispenser pack; L x W: 20 in. x 250 ft. (51cm x 76m)	CS	13347
<b>Brushes</b>			
FBA03680	Brush; Fisherbrand; Soft-bristle brush; For dusting tables, lab benches; Handle: 5 in.L (13cm); Overall length: 12.62 in. (32cm); Bristle L x W: 7.5 x 2 in. (19 x 5cm)	EA	1642
FBA03682	Brush, Stiff palmyra; Fisherbrand; With handle; Ideal brush for scrubbing lab sinks and tables; Overall Length: 8.37 in.	EA	1306
FBA03685	Brush, Brass Wire; Fisherbrand; For cleaning corroded or dirty metal surfaces; Wooden handle; Handle length: 5 in. (13cm); Overall length: 10 in. (25cm); Bristle L x W: 5 x 0.62 in. (12.7 x 1.6cm)	EA	2457
FBA03536	Brush; Fisherbrand; White; Nylon bristle; Wooden handle; Chemical-resistant; For cleaning beakers, jars, similar containers; Overall length 16 in. (40.64cm); Bristle L x dia.: 5 x 2.87 in. (12.7 x 7.2cm)	EA	2381
FBA03541	Brush; Fisherbrand; Heavy-duty; Spiral-wound bristles; For cleaning beakers; Extra-heavy tuft end; Wooden handle; Overall length: 12 in. (30cm); Bristle L x D: 4 x 2.5 in. (10 x 6.4cm)	EA	1248
035415	Brush; Fisherbrand; Heavy Duty; Bristle beaker; Large brush; Spiral-wound bristles; For cleaning beakers; Extra-heavy tuft end; Wooden handle; Overall length: 16 in. (40.64cm); Bristle L x D: 5 x 3 in. (13 x 7.6cm)	EA	577
FBA03545	Brush, Beaker, Fisherbrand; C&A Scientific; With four rows of bristles; 13 in. overall length; 5.5 Long x 3.25 in. dia.	EA	1507
FBA03555	Brush; Fisherbrand; Low cost; For cleaning beakers; End tuft for cleaning corners; Wooden handle; Two rows of bristles provide slightly oval shape; Overall length: 16 in. (40.64cm); Bristle L x Dia.: 6 x 3 in. (15.24 x 7.6cm)	EA	860

Cat. No.	Description	Pack	Price in ₹
FBA03560	Brush, Funnel or graduate; Fisherbrand; Two rows of tapered bristles; Bristles securely fastened to flat metal strip which inserts into black plastic handle; Overall length: 13 in. (33cm); Bristle L x Dia.: 6 x 2.25 in. (15.2 x 5.7cm)	EA	1568
FBA03562	Brush, Cone; Fisherbrand; C&A Scientific; Imhoff Settling; Double bristle fan tip flares for increased scrubbing area; Tapered brush head; Smooth wooden handle; Natural and nylon bristles; Overall Length: 26 in.; Bristle L x Dia.: 9.5 in.	EA	2715
FBA03565	Brush, Adaptable-to-Container; Fisherbrand; Single-row bristles; Handle with ring for hanging; Heavy wire handle with swivel joint; Overall length: 12 in. (30.48cm); Bristle L x Dia.: 1.5 x 4.25 in. (10.79 x 3.81cm)	EA	564
03570A	Brush, Flask; Fisherbrand; Plastic, flexible-handle brush with hanging ring; Overall length: 12 in. (30.48cm); Bristle length x Dia.: 3.5 x 1.37 in. (8.9 x 3.5cm); For 250mL flasks	EA	558
03570B	Brush, Flask; Fisherbrand; Plastic, flexible-handle brush with hanging ring; For 500mL flasks; Overall length: 14 in. (35.56cm); Bristle length x dia.: 4 x 1.25 in. (10 x 3.8cm)	EA	576
03570C	Brush, Flask; Fisherbrand; Plastic, flexible-handle brush with hanging ring; Overall length: 17 in. (43.18cm); Bristle length x Dia.: 5 x 1.75 in. (12.7 x 4.4cm); For 1000mL flasks	EA	618
035715	Brush, Flask; Fisherbrand; Extended bristled end; Plastic shaft, handle; White unbleached hog bristles; Length: 16 in. (40.64cm); Bristle L x Dia.: 4 x 1.5 in. (10.16 x 3.81cm)	EA	818
035725	Brush; Fisherbrand; SS handled; Stiff, white Nylon bristles; Radial tufted end; Stainless-steel handle is rustproof, corrosion resistant; Overall length: 11 in. (27.94cm); Bristle L x dia.: 4 x 1.37 in. (10 x 3.5cm)	PK	3783
FBA03573	Brush, Test tube; Fisherbrand; Galvanized wire handles resist rust, corrosion; Overall length: 10.5 in. (26.67cm); Bristle size: 4 x 1.37 in. (10 x 3.5cm) (L x Dia.)	EA	146
FBA03574	Brush, Test tube; Fisherbrand; Galvanized wire handles resist rust, corrosion; Overall length: 9.5 in. (24.13cm); Bristle size: 3.5L x 0.75 in. dia. (8.9 x 1.9cm)	PK	1841
FBA03576	Brush, Test tube; Fisherbrand; Galvanized wire handles resist rust, corrosion; Overall length: 9 in. (22.86cm); Bristle L x dia.: 3 x 0.43 in. (7.6 x 1.1cm)	PK	1651
FBA03608	Brush, Centrifuge tube; Fisherbrand; For 15mL tubes; Galvanized wire handle; Tapered bristle portion, 0.5 in. (1.3cm) dia. at tip; Length: 9 in. (22.86cm); Bristle L x dia.: 3.5 x 0.81 in. (8.9 x 2cm)	PK	1530
FBA03614	Brush, Burette; Fisherbrand; Galvanized wire handle; For Burette Size: 25 x 50mL; Overall length: 36 in. (91cm); Bristle L x Dia.: 3.25 x 0.75 in. (8.2 x 1.9cm)	PK	2896
FBA03615	Brush, Burette; Fisherbrand; Galvanized wire handle; For Burette Sizes: 75-100mL; Overall length: 36 in. (91cm); Tapered Bristle section; Bristle L x Dia.: 5.25 x 1.25 in. (13.3 x 3.2cm); 12/pk	EA	262
03621A	Brush, Nessler tube; Fisherbrand; For low-form tube; Radial, double-fan tip; Full bristles; Galvanized wire handle; Natural black bristle; Overall length: 11 in. (27cm); Bristle L x dia.: 4 x 1.75 in. (10 x 4.4cm); Small cylinder	EA	267
03621B	Brush, Nessler tube; Fisherbrand; For low-form tube; Radial, double-fan tip; Full bristles; Galvanized wire handle; Black Nylon bristle; Overall length: 20 in. (51cm); Bristle L x dia.: 6 x 2.38 in. (15.2 x 6cm)	EA	692
03621C	Brush, Nessler tubes; Fisherbrand; For low-form tube; Radial, double-fan tip; Full bristles; Galvanized wire handle; Black nylon bristle; Overall length: 30 in. (76cm); Bristle L x Dia.: 6 x 2.38 in. (15.2 x 6cm)	PK	11408
FBA03622	Brush, Nessler tubes; Fisherbrand; For high-form tubes; Radial, double-fan tip; Full bristles; Galvanized wire handle; Black nylon bristle; Overall length: 19 in. (48cm); Bristle L x Dia.: 4 x 1 in. (10 x 2.5cm)	EA	251
FBA03625	Brush, Pipet; Fisherbrand; For Transfer pipet; Stiff Nylon Bristles; 17 in. (43cm); Overall length: 17 in. (43cm); Bristle Dia. x L: 7.5 x 0.93 in. (19 x 2.4cm)	EA	269
FBA03635	Brush; Fisherbrand; Stiff Bristled; For cleaning tubes of 0.43 in. Dia. (1.1cm); Overall length: 12 in. (30cm); Bristle L x Dia.: 7.6 x 1.3cm	PK	1384
FBA03636	Brush; Fisherbrand; Soft Nylon bristle; For cleaning funnel stems and capillary tubes; Overall length: 12 in. (30cm); Bristle L x dia.: 2.5 x 0.5 in. (6.3 x 1.3cm)	PK	1263
FBA03640	Brush, Babcock bottles; Fisherbrand; C&A Scientific; Fan-style tip; Bristle portion on tip, 1.75 dia. x 2 in. L; Upper portion, 0.5 dia. x 3 in. L (1.3 x 7.6cm) ; Overall length: 11.5 in. (29cm)	EA	287
03645A	Brushes, Laboratory; Fisherbrand; General purpose; Nylon bristles; plastic handle; Bristle 2 L x 1 W x 0.16 in. thick (5.1 x 2.5 x 1 cm); 7.5in. thick; Overall Length: 7.5 in. (19cm); For painting or dusting	EA	289
FBA03661	Brush, Camels hair; Fisherbrand; Long handled; For dusting balances; Slightly pointed tip and full body tapering toward handle; Overall length: 9 in. (23cm); Bristle L x Dia.: 1.5 x 0.75 in. (3.8 x 1.9cm)	EA	853
FBA03670	Brush, Round Camel Hair; Fisherbrand; Soft brown hair set into metal ferrule mounted on thin wooden handle; For dusting or painting; Overall Length: 7.75 in. (19cm); Bristle L x Dia.: 0.81 x 0.18 in. (2.1 x 0.5cm)	PK	1546
FB70065	Sieve brush double ended nylon and bristle 20mm x 230mm Fisherbrand	EA	739
FB70066	Sieve brush double ended brass 30mm x 135mm Fisherbrand	EA	760

# Rotational Area Disinfection

Diversey brings you the most complete portfolio of disinfectants. Widest range of chemistry to choose from; enabling customers to execute the most effective program with complementing chemistry.



## Sterile Portfolio

### Alcohol-based Disinfectants

- Isopropyl Alcohol - ClearKlens IPA**  
 Surface disinfectant based on 70% isopropyl alcohol and 30% water for injection. Broad spectrum of antimicrobial activity. (A) (B) (SS)
- Denatured Ethanol - ClearKlens DE**  
 Surface disinfectant based on 70% denatured ethanol and 30% water for injection. Broad spectrum of antimicrobial activity. (B) (SS)

### Sporicidal Disinfectant

- Chlorine dioxide - ClearKlens Bi-Spore**  
 ClearKlens Bi-Spore is a concentrated, fast acting sporicidal disinfectant based on a patented technology. The 2 part system generates a potential 50 ppm RTU chlorine dioxide solution. (B) (SS)

### Validation Support

- Microbiological activity support
- Physico-chemical specifications
- Corrosion test
- LD50
- TOC
- GMO / AOX / TSE Declaration

### Disinfectants

- Amphoteric - ClearKlens Tego® 2000**  
 Amphoteric disinfectant with a broad spectrum of activity. Odorless and non-taining. Bactericidal, Virucidal and Yeasticidal. (B) (SS) (SC)
- Quaternary / Alkylamine - ClearKlens Cleansinald**  
 A detergent disinfectant, based on alkylamine and quaternary ammonium. Bactericidal, Virucidal, Fungicidal and Yeasticidal. (B) (SS) (SC)

**Features of Diversey ClearKlens Sterile range:**

- Manufactured in class A / B facilities
- 0.2 micron filtered and aseptically filled
- Double or triple bagged
- Irradiated or sterile filtered
- Sterility tests according to the European Pharmacopoeia
- Supplied with physico-chemical certificates of analysis
- Supplied with certificate of irradiation

\*WFI: Water for Injection, USP quality

ClearKlens Sterile	Bactericidal		Fungicidal		Sporicidal	Virucidal				
	EN 1276	EN 13697	EN 1650	EN 13697	EN 13704	EN 14476 (poliovirus and adenovirus)	Avian Flu H3N8	HIV 1	Hepatitis B	Bovine Rotavirus
ClearKlens DE	√	√	√	√						
ClearKlens IPA	√	√	√	√						
ClearKlens Cleansinald	√	√	Y					√	√	√
ClearKlensTego® 2000	√	√	Y	Y			√		√	
ClearKlens Bi-Spore	√	√		L	√	√	√			

L : Active yeast

(A) Sterile RTU Aerosol (B) Sterile RTU Bulk (SS) Sterile RTU Spray (SC) Sterile Concentrate

# Rotational Area Disinfection

## Non-Sterile Portfolio

### Disinfectant-Detergents

#### ■ Oxivir 516

US EPA registered single step disinfectant cleaner based on proprietary hydrogen peroxide AHP technology. Classified as safest in all categories by EPA and HMIS. Bactericidal, Virucidal, Fungicidal and Yeasticidal.

#### ■ Virex II 256

A high level detergent disinfectant based on a potent 5th generation combination of QACS. US EPA registered. Bactericidal, Virucidal, Fungicidal and Yeasticidal.

#### ■ ClearKlens Cleansinald

A cleaner disinfectant based on alkyl amines and quaternary ammonium. Bactericidal, Virucidal, Fungicidal and Yeasticidal.

#### ■ Taski Combatan DS

A sporicidal cleaner disinfectant for high risk areas based on a strong combination of aldehyde, QAC and biguanide.

#### ■ Taski Protasan DS

Single stage cleaner-disinfectant based on QAC. Bactericidal and Yeasticidal

### Disinfectant

#### ■ ClearKlens® 2000

A leading surface active terminal disinfectant based on amphoteric. Odorless and non-tainting. Bactericidal, Virucidal and Yeasticidal. Can be used both for fogging and surface disinfection.

### Sporicidal Disinfectants

#### ■ Divosan Activ

Fast acting oxidizing broad spectrum disinfectant based on 5% PAA. Bactericidal, Virucidal, Fungicidal, Yeasticidal and Sporicidal. Breaks into neutral compounds post application. Suitable for surface disinfection, CIP and fogging.

#### ■ ClearKlens Bi-Spore

Fast acting sporicidal disinfectant based on a patented technology. Two part system generates a stable, non-corrosive solution of 50 ppm ultra-pure chlorine dioxide.

### Features of Diversey Rotational Area Disinfection Program:

- Widest range of chemistry. Choose 'correct' rotational program to give complete kill.
- Environment friendly biodegradable products
- Single step cleaning and disinfection products
- Complete validation and regulatory support
- Technical assistance to implement 'best in class' disinfection program
- Diversey expertise to implement gap-free area hygiene complemented with house keeping chemicals, machines, tools, audits, etc.

**Diversey**

**Sealed Air**  
Food Care



Cat. No.	Description	Pack	Price in ₹
<b>Cleaners</b>			
043204	Detergent; Fisherbrand; Sparkleen 1; For manual washing; Removes organic and inorganic deposits; Contains phosphates; 3.33 lb. (1.5kg)	EA	2394
043205	Detergent; Fisherbrand; Crest Laboratories; Sparkleen 1; 100 lb. (45kg); For manual washing; Removes organic and inorganic deposits; Contains phosphates	EA	58211
043206	Detergent; Fisherbrand; Sparkleen 2; For automated glassware washers; Concentrated; Chlorinated; Contains phosphates; 3.25 lb. (1.5kg)	EA	1240
FBA04342	Cleaner; Fisherbrand; Versa-Clean; For use in ultrasonic cleaners, high-pressure sprayers, scrubbers/soak tanks; For use on plastics, glass, rubber, vinyl, and most metals; Phosphate free; Non-toxic; Non-caustic; 33.87 oz. (1L)	EA	965
FBA04343	Cleaner; Fisherbrand; Versa-Clean; For use in ultrasonic cleaners, high-pressure sprayers, scrubbers/soak tanks; For use on plastics, glass, rubber, vinyl, and most metals; Phosphate-free; Non-toxic; Non-caustic; 1-1.06 gal. (4L)	EA	2730
04355135	Decontaminant; Fisherbrand DNase Displace; Removes DNase and DNA contamination; For use on all surfaces; Phosphate-free; Non-toxic; 8 oz. (237mL)	EA	2184
04355136	Decontaminant; Fisherbrand RNase Displace; Removes RNase and DNA contamination; Phosphate-free; Non-toxic; 1 gal.(3.8L)	EA	10790
04355137	Decontaminant; Fisherbrand RNase Displace; Removes RNase and DNA contamination; Phosphate-free; Non-toxic; 8 oz. (237mL)	EA	2824
04355138	Decontaminant; Fisherbrand RNase Displace; Removes RNase and DNA contamination; Phosphate-free; Non-toxic; 32 oz. (950mL)	EA	5097
22143974	Cleaner, Optical lens; Fisherbrand; Removes oil and smudges from objectives or any optical surface; Non-flammable; 2 oz. (59mL)	PK	3304
SC88500	Solution, Cleaning; Fisherbrand; Chromic-Sulfuric Acid; 500mL, Glass/Safe-Cote; Glassware cleaning solution; Primary CAS: 7664-93-9	EA	6330
SF1051	Detergent, Concentrated Alkaline; Fisherbrand; FL-70; 2% solution for normal jobs; 5% solution for difficult tasks; 10pH; No polyphosphates/chromates; Biodegradable; 33.875 oz. (1L); Primary CAS: 497-19-8	EA	4890
SF1054	Detergent, Concentrated Alkaline; Fisherbrand; FL-70; 2% solution for normal jobs; 5% solution for difficult tasks; 10pH; No polyphosphates/chromates; Biodegradable; 1.056 gal. (4L); Primary CAS: 497-19-8	EA	10604
FH01014	01014 KC PROFESSIONAL GNTLE CLSR -PINK	18 x 500ml	3445
FH01357	01357 K C PROFESSIONAL GENTLE HAND SANITIZER	18 x 500ml	5497
FH30895	30895 S/CARE SCOTT LUX FOAM MOIST	6 X 1 Litre	1827
FH01357	01357 K C PROFESSIONAL GENTLE HAND SANITIZER	18 X 500 ml	5497
FH01131	01131 KC PROF ANTIBACTERIAL SOAP	20 X 500 ml	4924
FH01382	01382 KIMCARE GENTLE HAND SNTIZER -50ML	50 X 50 ml	2654
<b>Cleaners / Disinfectants</b>			
85082	Combatan	2X 5 Litre	8852
85022	Levermed	2X 5 Litre	5662
85112	Protasan	2X 5 Litre	3734
85012	Levermed	20X 500ml	6600
4430825	Virexl256	2x5ltr	8505
5209583	Oxivir Five16 Concentrate	2x5ltr	8505
HHSLOA1	SU 319 - 2 X 5 Ltr.	2 x 5 Ltr.	POR
5626854	DIVOSAN ACTIV - 2 X 5 Kg	2 X 5 Kg Drum	8160
6127942	CK Bi-Spore Activator	20 x 200 ml	2652
6127934	CK Bi-Spore Base	20 x 200 ml	3315
COR*	CK Tego 2000	2 x 5 ltr	24225
5901246	Typhoon ULV Fogger	EACH	66357
5400847	BR4 Fogger	Each	156776

\* Code on Request

Cat. No.	Description	Pack	Price in ₹
<b>Cleanroom Supplies</b>			
0666530A	Stationery supplies and tape, controlled environment; Berkshire Durx; Wipers, 670 cleanroom; Made from mechanically hydroentangled polyester and cellulose; Basis weight: 69.6g/sq. meter; 4L x 4 in. W (10 x 10cm); ISO Class 5 (Class 100)	PK	5855
0666530B	Stationery supplies and tape, controlled environment; Berkshire Durx; Wipers, 670 cleanroom; Made from mechanically hydroentangled polyester and cellulose; Basis weight: 69.6g/sq. meter; 9L x 9 in. W (23 x 23cm); ISO Class 5 (Class 100)	PK	4030
0666530C	Stationery supplies and tape, Controlled environment; Berkshire Durx; 670 cleanroom; Made from mechanically hydroentangled polyester and cellulose; Basis Wt.: 69.6g/sq. meter; 12L x 12 in. W (30.5 x 30.5cm); ISO Class 5 (Class 100)	PK	3944
0666530D	Stationery supplies and tape, controlled environment; Berkshire Durx; Wipers, 670 cleanroom; Made from mechanically hydroentangled polyester and cellulose; Basis weight: 69.6g/sq. meter; 18L x 18 in. W (46 x 46cm); ISO Class 5 (Class 100)	PK	10334
0666533F	Stationery supplies and tape, Controlled environment; Berkshire Durx 770; Wipers; Made from mechanically hydroentangled polyester and cellulose; Basis Wt.: 70.7g/sq. meter; Size: 4 x 4 in. (10 x 10cm); Bulk packed	PK	7830
0666533G	Stationery supplies and tape, controlled environment; Berkshire Durx 770; Wipers; Made from mechanically hydroentangled polyester and cellulose; Soft, highly sorbent and durable; Basis weight: 70.7g/sq. meter; Size: 9 x 9 in. (23 x 23cm)	CS	102724
0666534A	Stationery supplies and tape, controlled environment; Berkshire Labx 123; Wipers; Nonwoven wipers made of 100% abaca fibers; Capable of absorbing many times their own weight; Basis weight: 12.2g/sq. meter; Size: 9 x 9 in. (23 x 23cm)	PK	4043
0666534B	Stationery supplies and tape, controlled environment; Berkshire Labx 123; Wipers; Nonwoven wipers made of 100% abaca fibers; Capable of absorbing many times their own weight; Basis weight: 12.2g/sq. meter; Size: 12 x 12 in. (31 x 31cm)	PK	6576
0666535A	Stationery supplies and tape, controlled environment; Berkshire Polx 1200; Wipers; 100% double-knit polyester; Low extractable levels; Basis weight: 104g/sq. meter; Size: 9 x 9 in. (23 x 23cm); ISO Class 5 (Class 100)	PK	7363
0666536A	Stationery supplies and tape, controlled environment; Berkshire Labx 170; Wipers, cleanroom; Made from natural fibers of abaca and softwood; Contain no surfactants; Basis weight: 16.7g/sq. meter; Size: 9 x 9 in. (23 x 23cm)	PK	4389
0666536B	Stationery supplies and tape, controlled environment; Berkshire Labx 170; Wipers, cleanroom; Made from natural fibers of abaca and softwood; Contain no surfactants; Basis weight: 16.7g/sq. meter; Size: 12 x 12 in. (31 x 31cm)	PK	7418
0666536C	Stationery supplies and tape, controlled environment; Berkshire Labx 170; Wipers, cleanroom; Made from natural fibers of abaca and softwood; Contain no surfactants; Basis weight: 16.7g/sq. meter; Size: 18 x 18 in. (46 x 46cm)	PK	17180
0666538B	Stationery supplies and tape, controlled environment; Berkshire Gamma Wipe 67; Wipers; Made from hydroentangled cellulose and polyester; Sterilized with gamma radiation; Basis weight: 69.6g/sq. meter; Size: 12 x 12 in. (31 x 31cm)	CS	47164
0666552C	Wipers; SunSorb 300; Ultra-absorbent, heat-resistant, nonwoven wiper picks up 13x its own weight; Made of spunbound 100% rayon; ISO Class 5 (Class 100); Basis weight: 29g/sq. meter; Quarterfolded 5 x 5 in. sheets	CS	96951
1199610	Stationery supplies and tape, controlled environment; Berkshire Lensx 90; Wipers; Made of nonwoven 70% rayon and 30% cellulose; Nonabrasive; Contain no leachable resins or binders; Basis weight: 9.35g/sq. meter; Size: 9 x 9 in. (23 x 23cm)	PK	8829
119965	Stationery supplies and tape, Controlled environment; Berkshire Lensx 90; Wipers; Made of nonwoven 70% rayon and 30% cellulose; Nonabrasive; Contain no leachable resins or binders; Basis Wt.: 9.35g/sq. meter; Size: 4 x 6 in. (10.2 x 15.2cm)	PK	3797
1190610	Stationery supplies and tape, controlled environment; Berkshire BCR; Notebooks, spiral; College rule; Page size: 8.5L x 11 in. W (22 x 28cm)	CS	32614
17897210	Wiper, Cleanroom; Berkshire; CapSure-LP; For cleaning surface, chamber, CMP processing, medical devices; 100% continuous filament polyester knit; Sealed edge; Adsorps liquids; Steam autoclavable; 9 x 9 in. (23 x 23cm); 150 sheets/pk.	PK	2520
17897211	Wiper, Cleanroom; Berkshire; CapSure-LP; For cleaning surface, chamber, CMP processing, medical devices; 100% continuous filament polyester knit; Sealed edge; Adsorps liquids; Steam autoclavable; 9 x 9 in. (23 x 23cm); Bulk; 150 sheets/pk.	PK	9458



Cat. No.	Description	Pack	Price in ₹
17897212	Wiper, Cleanroom; Berkshire; CapSure-LP; For cleaning surface, chamber, CMP processing, medical devices; 100% continuous filament polyester knit; Sealed edge; Adsorps liquids; Steam autoclavable; 12 x 12 in. (30 x 30cm); 75 sheets/pk.	PK	10368
17897213	Wiper, Cleanroom; Berkshire; CapSure-LP; For cleaning surface, chamber, CMP processing, medical devices; 100% continuous filament polyester knit; Sealed edge; Adsorps liquids; Steam autoclavable; 12 x 12 in. (30 x 30cm); Bulk; 75 sheets/pk.	PK	9594
17897214	Wiper, Cleanroom; Berkshire; CapSure-VP; For cleaning surface, medical device; Sealed edge; 100% continuous filament polyester knit; Compatible w/IPA, Acetone; Retains 93% of particles initially captured; 9 x 9 in. (23 x 23cm); 150sheets/pk.	PK	9023
17897215	Wiper, Cleanroom; Berkshire; CapSure-VP; For cleaning surface, medical device; 100% continuous filament polyester knit; Compatible w/IPA, Acetone; Retains 93% of particles initially captured; 9 x 9 in. (23 x 23cm); Bulk; 150sheets/pk.	PK	7004
17897216	Wiper, Cleanroom; Berkshire; CapSure-VP; For cleaning surface, chamber, CMP processing, medical devices; 100% continuous filament polyester knit; Sealed edge; Adsorps liquids; Steam autoclavable; 12 x 12 in. (30 x 30cm); 75 sheets/pk.	PK	9272
17897217	Wiper, Cleanroom; Berkshire; CapSure-VP; For cleaning surface, chamber, CMP processing, medical devices; 100% continuous filament polyester knit; Sealed edge; Adsorps liquids; Steam autoclavable; 12 x 12 in. (30 x 30cm); Bulk; 75 sheets/pk.	PK	8134
17897240	Wiper, Sterile; Berkshire; SatPax 670; 55% cellulose/45% polyester hydroentangled nonwoven blend; Pre-wetted; cIPA/DI Water: 70%/30%; Saturation: 60%; VOC% by weight: 45%; C-fold style; 9 x 9 in.; 24 resealable pouches/Cs.	CS	64906
17987170	Wipers; Berkshire; MicroSeal SuperSorb; 2-ply fabric; 100% continuous filament polyester; Sealed edges; Excellent for spill control; Compatible with IPA, acetone and other solvents; For ISO Class 3-5 cleanrooms; 12 x 12 in.; 12 Pk./Cs.	PK	9878
17987359	Wiper, Cleanroom; Berkshire; EcoClean 60; Nonwoven cotton; No binders; Low ionic contamination; Heat resistant; Absorbant; Resists static charge buildup; Autoclavable; ISO Class 5 (Class 100) cleanroom compatible; Perforated roll; 9 x 15	CS	21981
17987360	Isolator Cleaning Tool; Berkshire EasyClean 360; Stainless steel mop head; Head swivels 360 deg., lockable at 180 deg; 4 x 7 in. triangular head; Aluminum handles; Autoclave or gamma irradiate; w/ polyester knit covers	EA	39531
17987361	Cover, Isolator Cleaning Tool; Berkshire; For use w/EasyClean 360 ICT; Elastic; 100% continuous filament knitted polyester padded covers; Foam-free cushioned design; Non-sterile; Autoclavable; 6 Pk./Cs.	PK	11645
17987362	Cover, Isolator Cleaning Tool; Berkshire; For use w/EasyClean 360 ICT; Elastic; 100% continuous filament knitted polyester padded covers; Foam-free cushioned design; Non-sterile; Autoclavable; 10 Pk./Cs.	CS	143659
17987363	Cover, Isolator Cleaning Tool; Berkshire; EasyClean; Nonwoven; Double-ply, 55% polyester/45% cellulose; 100% nonwoven rayon inner layer; Elastic edge; Autoclavable; 10 Pk./Case	PK	7368
1798778B	Wipers; Bluesorb; Pure, nonwoven polyester-cellulose blend wiper; Blue color is an immediate visual absorption indicator; Excellent wet and dry strength; Basis weight: 66.5g/sq. meter; Size: 4 x 4 in.	PK	1867
1798778C	Wipers; Bluesorb; Pure, nonwoven polyester-cellulose blend wiper; Blue color is an immediate visual absorption indicator; Excellent wet and dry strength; Basis weight: 66.5g/sq. meter; Size: 9 x 9 in.	PK	7324
1798779A	Stationery supplies and tape, controlled environment; Berkshire Durx 670; Wipers, cleanroom; Made from mechanically hydroentangled polyester and cellulose; Basis weight: 69.6g/sq. meter; 7 x 7 in. (18 x 18cm); ISO Class 5 (Class 100)	PK	3147
1798779B	Stationery supplies and tape, controlled environment; Berkshire Durx 770; Wipers; Made from mechanically hydroentangled polyester and cellulose; Soft, highly sorbent and durable; Basis weight: 70.7g/sq. meter; Size: 7 x 7 in. (18 x 18cm)	PK	4376
17987801	Wipers, Cleanroom; Berkshire; Durx 770; Controlled environment; Made from mechanically hydroentangled polyester and cellulose; Soft, highly sorbent and durable; Basis weight: 70.7g/sq. meter; Size: 12 x 12 in.; 20 Pk./Cs.	PK	5223
1798781A	Stationery supplies and tape, Controlled environment; Berkshire Lensx 90; Wipers; Made of nonwoven 70% rayon and 30% cellulose; Nonabrasive; Contain no leachable resins or binders; Basis Wt.: 9.35g/sq. meter; Size: 24 x 36 in. (61 x 91cm)	PK	103297
17987820	DURX 770 WIPRS 18X18IN 1500/CS	PK	12348
1798785	Stationery supplies and tape, controlled environment; Berkshire Polx 1200; Wipers; 100% double-knit polyester; Low extractable levels; Basis weight: 104g/sq. meter; Size: 4 x 4 in. (10 x 10cm); ISO Class 5 (Class 100)	PK	3118

Cat. No.	Description	Pack	Price in ₹
1798786A	Stationery supplies and tape, controlled environment; Berkshire Super Polx; Wipers; Knitted w/highest quality 100% continuous-filament polyester; Chem-resistant w/low ion generation; Basis wt.: 145g/sq. meter; Size: 4 x 4 in. (10 x 10cm)	PK	14487
1798786C	Stationery supplies and tape, controlled environment; Berkshire Super Polx; Wipers; Knitted w/highest quality 100% continuous-filament polyester; Chem-resistant w/low ion generation; Basis wt.: 145g/sq. meter; Size: 9 x 9 in. (23 x 23cm)	PK	10554
1798786D	Stationery supplies and tape, controlled environment; Berkshire Super Polx; Wipers; Knitted w/high quality 100% continuous-filament polyester; Chem-resistant w/low ion generation; Basis wt.: 145g/sq. meter; Size: 12 x 12 in. (30.5 x 30.5cm)	PK	10557
1798788C	Wipers; Twillx 1622; Extremely strong and durable; Made of 100% cotton twill with bias-cut edges; Ideal for cleaning, burnishing and polishing rigid disks; ISO Class 6 (1,000/M4.5) cleanroom; Basis weight: 174g/sq. meter; Size: 9 x 9 in.	PK	20243
1798788D	Wipers; Twillx 1622; Extremely strong and durable; Made of 100% cotton twill with bias-cut edges; Ideal for cleaning, burnishing and polishing rigid disks; ISO Class 6 (1,000/M4.5) cleanroom; Basis weight: 174g/sq. meter; Size: 12 x 12 in.	PK	4625
1798791A	Stationery supplies and tape, controlled environment; Berkshire BCR; Notebooks, spiral; 1/4 in. square grid; Page size: 8.5L x 11 in. W (22 x 28cm)	EA	3393
1798791B	Stationery supplies and tape, controlled environment; Berkshire BCR; Notebooks, spiral; 1/4 in. square grid; Page size: 5.5L x 8.5 in. W (14 x 22cm)	EA	2402
1798795A	Wipers; SuperPolx 1500; Continuous filament, nonrun, 100% polyester; Extremely low particle generation, extractables and ion content; Unique knit construction and finishing; Basis weight: 115g/sq. meter; Size: 9 x 9 in.; Standard packaging	PK	8926
1798795B	Wipers; SuperPolx 1500; Continuous filament, nonrun, 100% polyester; Extremely low particle generation, extractables and ion content; Unique knit construction and finishing; Basis weight: 115g/sq. meter; Size: 9 x 9 in.; Bulk packaging	PK	7274
17987960	Wiper, Cleanroom; Berkshire; Super Polx 1500; 100% Polyester knit; Knife cut edge; Abrasion resistance; Chemically compatible w/solvents; Low endotoxin levels; ISO Class 4 cleanroom packaged; Complies w/RoHS 2002/05 & REACH; 25/cs; 2X2 roll	PK	4088
1798796A	Stationery supplies and tape, controlled environment; Berkshire MicroFirst; Wipers; Nonwoven wiper blend of high-quality cellulose/polyester; Durable with high wet strength; Basis weight: 57.4g/sq. meter; Size 9 x 9 in. (23 x 23cm)	PK	5556
1798796B	Stationery supplies and tape, controlled environment; Berkshire MicroFirst; Wipers; Nonwoven wiper blend of high-quality cellulose/polyester; Durable with high wet strength; Basis weight: 57.4g/sq. meter; Size: 12 x 12 in. (30.5 x 30.5cm)	CS	112175
1798798A	Wiper; Berkshire; MicroFirst; 45% cellulose/55% polyester non-woven; High absorbency and wet strength; Works well with IPA and other solvents; For cleanroom applications; 18 x 18 in.; 600/Cs.	CS	60572
17988421	Stationery supplies and tape, controlled environment; Berkshire Ultra-Seal 3000; Wipers; Durable, two-ply; Knitted in tube form from high quality continuous-filament polyester yarn; Basis wt.: 134g/sq. meter; Size: 9 x 9 in. (23 x 23cm)	PK	13008
17988422	Stationery supplies and tape, controlled environment; Berkshire Ultra-Seal 3000; Wipers; Durable, two-ply; Knitted in tube form from high quality continuous-filament polyester yarn; Basis wt.: 177g/sq. meter; 12 x 12 in. (30.5 x 30.5cm)	PK	19648
180401251	Gloves, Exam; Hourglass Industries; HandPRO 400; Medical grade; Powder-free; Made up from natural rubber latex; Ambidextrous; Ultimate Elongation: Min. 650%; Tensile Strength: min. 18MPa; Length: 240mm; Palm width: 75mm; X-Small	PK	2035
180401252	Gloves, Exam; Hourglass Industries; HandPRO 400; Medical grade; Powder-free; Made up from natural rubber latex; Ambidextrous; Ultimate Elongation: Min. 650%; Tensile Strength: min. 18MPa; Length: 240mm; Palm width: 85mm; Small	PK	2035
180401253	Gloves, Exam; Hourglass Industries; HandPRO 400; Medical grade; Powder-free; Made up from natural rubber latex; Ambidextrous; Ultimate Elongation: Min. 650%; Tensile Strength: min. 18MPa; Length: 240mm; Palm width: 95mm; Medium	PK	2035
180401254	Gloves, Exam; Hourglass Industries; HandPRO 400; Medical grade; Powder-free; Made up from natural rubber latex; Ambidextrous; Ultimate Elongation: Min. 650%; Tensile Strength: min. 18MPa; Length: 240mm; Palm width: 106mm; Large	PK	2035
180401255	Gloves, Exam; Hourglass Industries; HandPRO 400; Medical grade; Powder-free; Made up from natural rubber latex; Ambidextrous; Ultimate Elongation: Min. 650%; Tensile Strength: min. 18MPa; Length: 240mm; Palm width: 116mm; X-Large	PK	2035
180401256	Gloves, Surgical; Hourglass Industries; Latex; With beaded cuff; Powder-Free; Chlorinated; Hand specific; Tapered; Gamma sterilized; Natural; Length: 16 in. (400mm); Size 10	CS	63343

Cat. No.	Description	Pack	Price in ₹
180401257	Gloves, Surgical; Hourglass Industries; Latex; With beaded cuff; Powder-Free; Chlorinated; Hand specific; Tapered; Gamma sterilized; Natural; Length: 16 in. (400mm); Size 7.5	CS	55162
180401258	Gloves, Surgical; Hourglass Industries; Latex; With beaded cuff; Powder-Free; Chlorinated; Hand specific; Tapered; Gamma sterilized; Natural; Length: 16 in. (400mm); Size 8	CS	58122
180401259	Gloves, Surgical; Hourglass Industries; Latex; With beaded cuff; Powder-Free; Chlorinated; Hand specific; Tapered; Gamma sterilized; Natural; Length: 16 in. (400mm); Size 8.5	CS	58122
180401260	Gloves, Surgical; Hourglass Industries; Latex; With beaded cuff; Powder-Free; Chlorinated; Hand specific; Tapered; Gamma sterilized; Natural; Length: 16 in. (400mm); Size 9	CS	61101
180401261	Gloves, Surgical; Hourglass Industries; Latex; With beaded cuff; Powder-Free; Chlorinated; Hand specific; Tapered; Gamma sterilized; Natural; Length: 16 in. (400mm); Size 9.5	CS	63343
180401266	Gloves, Vinyl; Hourglass Industries; Powder-free; Latex-free; 9 in.; With a beaded cuff; Suitable for ISO 6 and up; Double bagged; static dissipative ESD qualities; Size: small; Palm width: 85mm	PK	1392
180401267	Gloves, Vinyl; Hourglass Industries; Powder-free; Latex-free; 9 in.; With a beaded cuff; Suitable for ISO 6 and up; Double bagged; Static dissipative ESD qualities; Size: medium; Palm width: 95mm	PK	1392
180401268	Gloves, Vinyl; Hourglass Industries; Powder-free; Latex-free; 9 in.; With a beaded cuff; Suitable for ISO 6 and up; Double bagged; Static dissipative ESD qualities; Size: large; Palm width: 105mm	PK	1392
180401269	Gloves, Vinyl; Hourglass Industries; Powder-free; Latex-free; 9 in.; with a beaded cuff; Suitable for ISO 6 and up; Double bagged; static dissipative ESD qualities; Size: X-Large; Palm width: 115mm	PK	1392
18293	Stationery supplies and tape, controlled environment; Berkshire BCR; Notebooks, spiral; College rule; Page size: 5.5L x 8.5 in. W (14 x 22cm)	EA	2284
189992792	WIPER AP PROWIPE 9X15 250/PKW	PK	8192
189992793	Wipe, Cleanroom; Berkshire; SatPax 3000; 2-ply tubular knit w/sealed edge; Laundered; Pre-wetted w/70% IPA/30% DI; Saturation: 33%; VOC by weight: 31%; J-fold; Size: 9 x 9 in.	PK	6524
18998123	WIPER INDUSTRIAL 100 SHEETS/PK	PK	1985
18998200	WIPER QF RAY/POL 50/PK	PK	1259
1899917	Swabs; LabTip; Low particle generation, low extractable levels, low metallic ion content, and solvent resistance; Formed polyurethane foam tip; Handle Length/Type: 3 in. Rigid; Tip Diameter/Type: 3/16 in. Mini	PK	4489
189992002	Glove Liners; Berkshire BCR; Polyester; Full-Finger Style; Seamless; Washable; Ambidextrous; Size Large; Protect against irritation from latex, urethane, PVC, and other chemical handling gloves	PK	2596
1899923	Swabs; LabTip; Offer low particle generation, low extractable levels, low metallic ion content, and solvent resistance; Formed polyurethane foam tip; Handle Length/Type: 5 in. Rigid; Tip Diameter/Type: 1/2 in. Rectangular	PK	4363
189992561A	Wipers; Presaturated Specialty; SatPax 1000; Nonwoven polyester/cellulose; Presaturated with 70% 2-Propanol/30% Deionized water; ISO Class 5 (Class 100); Size: 9 x 9 in.	PK	4442
189992563B	Wipers; Presaturated Specialty; SatPax 3000; Cleanroom-laundered knitted polyester with sealed edges; Prewetted w/ 9% IPA/91% DI; Saturation: 28%; VOC by weight: 35%; J-fold; Size: 9 x 9 in.	PK	5548
189992564A	Wipers; Pro-Wipe 750; All-purpose; Inner core of cellulose is ultrasonically bonded to outer layers of polypropylene; Solvent resistant and super absorbent; ISO Class 5 (Class 100); Basis weight: 71.5g/sq. meter; Size: 9 x 9 in.	PK	2654
189992564B	Wipers; Pro-Wipe 750; All-purpose; Inner core of cellulose is ultrasonically bonded to outer layers of polypropylene; Solvent resistant and super absorbent; ISO Class 5 (Class 100); Basis weight: 71.5g/sq. meter; Size: 12 x 12 in.	PK	2654
189992605	Stationery supplies and tape, controlled environment; Berkshire MicroFirst LP; Wipers; Made from nonwoven DuPont LyoCell fibers; Soft and absorbent; Basis weight: 69.9g/sq. meter; Size: 9 x 9 in. (23 x 23cm)	PK	6485
18999306	Wipers; Gamma Wipe 120; Made from continuous filament, double-knitted nonrun polyester; Extra strong for tough cleaning jobs; Laundered in ISO Class 4 (Class 10) cleanroom prior to sterilization; Size: 12 x 12 in.	CS	59381
18999307	Wipers; Gamma Wipe 300; Made of 100% continuous filament polyester; Two-ply construction for absorbency and durability; Laundered; Gamma sterilized; ISO Class 3; Basis weight: 175g/sq. meter; Size: 12 x 12 in.	CS	86415
18999309A	Stationery supplies and tape, controlled environment; Berkshire Pro-Wipe 800; Wipers, cleanroom; Made of 100% polypropylene without cellulose; Basis weight: 71.4g/sq. meter; ISO Class 5 (Class 100); Size: 8 x 10 in. (20 x 25cm)	PK	3317
18999309B	Stationery supplies and tape, controlled environment; Berkshire Pro-Wipe 800; Wipers, cleanroom; Made of 100% polypropylene without cellulose; Basis weight: 71.4g/sq. meter; ISO Class 5 (Class 100); Size: 12 x 12 in. (30.5 x 30.5cm)	PK	5024

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
189994512	Pads, Adhesive Note; CleaNotes; Berkshire BCR; Proprietary adhesive leaves no contaminants behind; Measure 3 x 3 in. (7.6 x 7.6cm); Weight: 69g/sq. meter; White	CS	30021
190321010A	Wipers; Projx 700; For cleanroom construction; Textured nonwoven polyester/cellulose; Soft, highly absorbent wipers for general purpose cleaning; Basis weight: 51.1g/sq. meter; Size: 9 x 9 in.	PK	2879
19035071	Mask; Cleanroom; BCR; Three-Layer Construction; With polyurethane headband; Width: 210mm	PK	3674
19035180	Wipers, Cleanroom; Berkshire; MicroSeal-VP; Polyester; For breakdown cleans, photolithography process; 100% continuous filament knit polyester; w/Ultrasonic sealed edges; Abrasion resistant; Steam autoclavable; 9 x 9 in. (23 x 23cm)	CS	63954
19037187	Gloves; Liner; BCR; Polyester; Half-finger style; Ambidextrous; Seamless; Washable; Size: Regular	PK	2376
19037188	Glove Liners; Berkshire BCR; Polyester; Half-Finger Style; Seamless; Washable; Ambidextrous; Size: Large	PK	2352
19037189	Glove Liners; Berkshire BCR; Polyester; Full-Finger Style; Seamless; Washable; Ambidextrous; Size: Regular	PK	2622
19037251	Mop, Cleanroom; Berkshire; BCR Mop 1; Nonwoven polyester; Absorbent; Economical; Soft; looped-end fan-tail construction; Autoclavable	EA	4827
19037257	Stationery supplies and tape, controlled environment; Berkshire Durx 670; Wipers, cleanroom; Made from mechanically hydroentangled polyester and cellulose; Basis weight: 69.6g/sq. meter; 4L x 4 in. W (10 x 10cm); ISO Class 5 (Class 100)	PK	1474
19037259	Stationery supplies and tape, controlled environment; Berkshire Durx 770; Wipers; Made from mechanically hydroentangled polyester and cellulose; Soft, highly sorbent and durable; Basis weight: 70.7g/sq. meter; Size: 4 x 4 in. (10 x 10cm)	PK	2087
19037264	Stationery supplies and tape, controlled environment; Berkshire Labx 123; Wipers; Nonwoven wipers made of 100% abaca fibers; Capable of absorbing many times their own weight; Basis weight: 12.2g/sq. meter; Size: 7 x 7 in. (18 x 18cm)	PK	896
19037265	Stationery supplies and tape, controlled environment; Berkshire Labx 123; Wipers; Nonwoven wipers made of 100% abaca fibers; Capable of absorbing many times their own weight; Basis weight: 12.2g/sq. meter; Size: 18 x 18 in. (46 x 46cm)	PK	13533
19037268	Wipers; Labx 170; Offer great sorptive capacity, low particle release; Made from natural fibers of abaca and wood; Contain no surfactants; Basis weight: 16.7g/sq. meter; ISO Class 6 (Class 1000) applications; Size: 7 x 7 in.	CS	214622
19037269	Wipers; Disks; Labx 170; excellent wafer separator; Abaca and softwood with polymeric binders; low lint; highly absorbent; ISO Class 6 (Class 1000) applications; Size: 8 in.	PK	2960
19037278	Stationery supplies and tape, controlled environment; Berkshire Polx 1200; Wipers; 100% double-knit polyester; Low extractable levels; Basis weight: 104g/sq. meter; Size: 9 x 9 in. (23 x 23cm); ISO Class 5 (Class 100)	CS	43166
19037599	Glove Liners; Berkshire BCR; Polyester; Half-Finger Style; Seamless; Washable; Ambidextrous; Size: Regular; Bulk Packed	CS	34927
19037603	Stationery supplies and tape, controlled environment; Berkshire MicroSeal 1200; Wipers; Made of 100% polyester with sealed edge; Critically low particle and fiber generation; Size: 9 x 9 in. (23 x 23cm)	PK	10373
19037610A	Liner; Glove; Berkshire Corporation; BCR; Half finger; Nylon; Single Knit; No-run and non-ravel; Ambidextrous; Launderable; Protects against skin irritation caused by latex or PVC gloves; Color: Red; Size: Small	CS	39545
19037611C	Liner; Glove; Berkshire Corporation; BCR; Half finger; Nylon; Single Knit; No-run and non-ravel; Ambidextrous; Launderable; Protects against skin irritation caused by latex or PVC gloves; Color: Black; Size: Large	CS	39552
19037612A	Liner; Glove; Berkshire Corporation; BCR; Full finger; Nylon; Single Knit; No-run and non-ravel; Ambidextrous; Launderable; Protects against skin irritation caused by latex or PVC gloves; Color: Green; Size: Small	CS	48337
19037612B	Liner; Glove; Berkshire Corporation; BCR; Full finger; Nylon; Single Knit; No-run and non-ravel; Ambidextrous; Launderable; Protects against skin irritation caused by latex or PVC gloves; Color: Orange; Size: Medium	CS	48638
19037612C	Liner; Glove; Berkshire Corporation; BCR; Full fingered; Nylon; Single Knit; No-run and non-ravel; Ambidextrous; Launderable; Protects against skin irritation caused by latex or PVC gloves; Color: Blue; Size: Large	CS	48785
19037612D	Liner; Glove; Berkshire Corporation; BCR; Full finger; Nylon; Single Knit; No-run and non-ravel; Ambidextrous; Launderable; Protects against skin irritation caused by latex or PVC gloves; Color: Red; Size: X-Large	CS	48814

# SIMPLE SOLUTIONS FOR COMPLEX PROBLEMS



■ <USP797> COMPLIANCE ■ AUTOCLAVABLE ■ VALIDATED STRILE AVAILABLE



Products for Cleanrooms and Controlled Environments



Cat. No.	Description	Pack	Price in ₹
19037613	Wiper; Berkshire; SatPax 550; Presaturated meltblown polypropylene; Resealable pouches; 70% semiconductor grade IPA/30% RO/DI H2O filtered to 0.2 um; Removes residue after detergent/ disinfectant use; 9 x 11 in.	PK	2559
19037705	Wipers, Cleanroom; Berkshire; Microseal-VP; Non-standard; 100% polyester knit; w/ultrasonically sealed edges; For ISO Class 3-5 environments; 9 x 9 in.; Bulk packed; 250/Pk.; Case of 12 Pk.	PK	13418
19037867	Stationery supplies and tape, controlled environment; Berkshire MicroSeal 1200; Wipers; Made of 100% polyester with sealed edge; Critically low particle and fiber generation; Size: 12 x 12 in. (30.5 x 30.5cm)	PK	14144
19046159	Wipers; Microseal 1200; Knit polyester with sealed edge; low particles and fibers; lowest extractable and ions; ISO Class 3 (Class 1) Applications; Size: 4 x 4 in.; 600 Bulk	PK	7373
19039787	Wipers, Cleanroom; Berkshire; Choice; SatPax; Non-standard; 100% Polyester knit; Sealed edge laundered; Prewetted with 70% ethanol and 30% DI water, 60% saturation; Zipper pouch; 9 x 9 in.; Bulk packed	PK	9618
19041248	Stationery supplies and tape, controlled environment; Berkshire BCR; Paper, cleanroom Bond 1040; 250 sheets per pack; Autoclavable; Paper weight: 28 lb. (104g/sq. meter); White; 8.5L x 11 in. W (22 x 28cm)	PK	3595
19041249	Paper, Cleanroom; 1040 Bond; 250 sheets per pack; Paper weight: 28 lb. (104g/sq. meter); White; 8-1/2 x 11 in.; 3-hole punched	PK	4704
19041254	Stationery supplies and tape, controlled environment; Berkshire BCR; Paper, cleanroom Bond 1040; 250 sheets per pack; Autoclavable; Paper weight: 28 lb. (104g/sq. meter); Blue; 8.5L x 11 in. W (22 x 28cm)	PK	3849
19041257	Stationery supplies and tape, controlled environment; Berkshire BCR; Paper, cleanroom Bond 1040; 250 sheets per pack; Autoclavable; Paper weight: 28 lb. (104g/sq. meter); White; 11L x 17 in. W (28 x 43cm)	PK	8286
19041258	Paper, Cleanroom; Berkshire BCR; Paper, cleanroom Bond 1040; 250 sheets per pack; Autoclavable; Paper weight: 28 lb. (104g/sq. meter); Blue; 11L x 17 in. W (28 x 43cm)	PK	8616
19041259	Stationery supplies and tape, controlled environment; Berkshire BCR; Paper, cleanroom Bond 850; 250 sheets per pack; Autoclavable; Paper weight: 22 lb. (85.5g/sq. meter); White; 8.5L x 11 in. W (22 x 28cm)	PK	3304
19041260	Stationery supplies and tape, controlled environment; Berkshire BCR; Paper, cleanroom Bond 850; 250 sheets per pack; Autoclavable; Paper weight: 22 lb. (85.5g/sq. meter); Blue; 8.5L x 11 in. W (22 x 28cm)	PK	3619
19041261	Stationery supplies and tape, controlled environment; Berkshire BCR; Paper, cleanroom Bond 850; 250 sheets per pack; Autoclavable; Paper weight: 22 lb. (85.5g/sq. meter); Yellow; 8.5L x 11 in. W (22 x 28cm)	PK	3619
19041262	Stationery supplies and tape, controlled environment; Berkshire BCR; Paper, cleanroom Bond 850; 250 sheets per pack; Autoclavable; Paper weight: 22 lb. (85.5g/sq. meter); Pink; 8.5L x 11 in. W (22 x 28cm)	PK	3619
19041263	Stationery supplies and tape, controlled environment; Berkshire BCR; Paper, cleanroom Bond 850; 250 sheets per pack; Autoclavable; Paper weight: 22 lb. (85.5g/sq. meter); Green; 8.5L x 11 in. W (22 x 28cm)	PK	3619
19041264	Stationery supplies and tape, controlled environment; Berkshire BCR; Paper, cleanroom Bond; 500 sheets per pack; Paper weight: 18 lb. (68g/sq. meter); White; 8.5L x 11 in. W (22 x 28cm)	PK	5362
19041266	Paper, Cleanroom; Berkshire BCR; Medium weight bond; Specialized coating; Pure cellulose; Retains ink; Smooth surface; Double-packed; Suitable for Class A, B and C/ISO Class 3-7 environments; 8.5 x 11 in.; Yellow; Cs. of 10 Pk.	PK	4840
19041268	Stationery supplies and tape, controlled environment; Berkshire BCR; Paper, cleanroom Bond; 500 sheets per pack; Paper weight: 18 lb. (68g/sq. meter); Blue; 8.5L x 11 in. W (22 x 28cm)	PK	5648
19041340	Wipers; Satpax 1000; Cellulose and polyester, nonwoven; pop-up canisters; 70/30 Solution (IPA/DI H2O); ISO Class 5 (Class 100) Applications; Size: 6 x 9 in.	CS	49572
19041340A	Wipers; Presaturated Specialty; Satpax 1000; Cellulose and polyester, nonwoven; pop-up canisters refill; 70/30 Solution (IPA/DI H2O); ISO Class 5 (Class 100) Applications; Size: 6 x 9 in.	PK	774
19041341	Wipers; Presaturated Specialty; Satpax 1000; Cellulose and polyester, nonwoven; pop-up canisters; 9/91 Solution (IPA/DI H2O); ISO Class 5 (Class 100) Applications; Size: 6 x 9 in.	PK	3598
19041341A	Wipers; Presaturated Specialty; Satpax 1000; Cellulose and polyester, nonwoven; pop-up canisters refill; 9/91 Solution (IPA/DI H2O); ISO Class 5 (Class 100) Applications; Size: 6 x 9 in.	PK	697
19041360	Swab; Berkshire; Lab-Tips; Short polypropylene handle; Flexible paddle head; For general purpose cleaning; Total L; 70mm; Handle L; 59mm; 100 Swabs/pk.; 20 Pk./Cs.	PK	1773

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
19041361	Swab; Berkshire; Lab-Tips; Short-handle; 100 ppi open cell foam; Rigid tip; Polyurethane foam over rigid tip; Thermally bonded head; Total L: 70mm; Handle L: 58mm; Meets RoHS 2002/05 and REACH reqts.; 100 Swabs/pk.; 20 Pk./Cs.	PK	1673
19041362	Swab; Berkshire; Lab-Tips; Small 100 ppi open cell foam; Pointed tip; Total L: 70mm; Handle L: 50mm; 100 Swabs/pk.; 20 Pk./Cs.	PK	553
19041363	Swab; Berkshire; Lab-Tips; Small knitted polyester head; Short polypropylene handle w/flexible paddle head; Nonabrasive; Autoclavable; Total L: 70mm; Handle L: 59mm; 100 Swabs/pk.; 20 Pk./Cs.	PK	1843
19041364	Swab; Berkshire; Lab-Tips; Small knitted polyester head; Short polypropylene handle w/rigid paddle head; Nonabrasive; Autoclavable; Total L: 70mm; Handle L: 59mm; 100 Swabs/pk.; 20 Pk./Cs.	PK	1843
19041365	Swab; Berkshire; Lab-Tips; Small; Double layer nonwoven polyester; Flexible tip w/internal paddle; Non-abrasive surface; Thermally bonded head; Total L: 70 mm; Handle L: 59mm; Meets RoHS 2002/05 and REACH reqts.; 100 Swabs/pk.; 20 Pk./Cs.	PK	443
19041366	Swab; Berkshire; Lab-Tips; Long handle; Open cell foam ; Flexible tip; For cleaning sensitive equipment; Total L 162mm; Head L: 16.8mm; Handle L: 145mm; 100 Swabs/pk.; 10 Pk./Cs.	PK	2682
19041367	Swab, Long-handle; Berkshire; Lab-Tips; Nonwoven Polyester; Flexible tip; Non-abrasive surface; Thermally bonded head; Polypropylene handle; Total L: 162mm; Handle L: 145mm; Meets RoHS 2002/05 and REACH reqts.; 100 Swabs/Pk.; 10 Pk./Cs.	PK	3333
19041368	Swab; Berkshire; Lab-Tips; Long handle; Open cell foam head w/flexible internal paddle; Total L: 162mm; Handle L: 145mm; 100 Swabs/pk.; 10 Pk./Cs.	PK	1002
19041369	Swab, Large Berkshire; Lab-Tips; Closed cell foam; Rigid internal paddle; Rectangular, thermally bonded head; Total L: 125mm; Handle L: Meets RoHS 2002/05 and REACH reqts.; 25mm; 100 Swabs/pk.; 5 Pk./Cs.	PK	3823
19041370	Swab; Berkshire; Lab-Tips; Large knitted polyester; Rigid tip; Flat head; Rigid internal paddle; Autoclavable; Total L: 125mm; Handle L: 25mm; Meets RoHS 2002/05 and REACH reqts.; 100 Swabs/pk.; 5 Pk./Cs.	PK	1398
19051234	Wipers; Presaturated Specialty; SatPax 1000; Nonwoven polyester/cellulose; Presaturated with 70% 2-Propanol/30% Deionized water; ISO Class 5 (Class 100); Size: 9 x 9 in.; Sterile	PK	2756
19051321	Wiper, Cleanroom; Berkshire; Choice 700; For photolithography, oxidation, metallization; Filament knit; Polyester w/ultrasonic seal; Low particles, fibers, ions; Works w/IPA, acetone; Abrasion resistant; Size: 9 x 9 in.	PK	4977
19051322	Wiper, Dry; Berkshire; ValuSeal-HA; Ultrasonic heat sealed edge; 100% continuous filament polyester knit; Recommended for Cleanroom Class 1-100, or ISO Class 3-5, or EU Grade A-B; 12 x 12 in. Bulk (30 x 30cm); 75 Sheets/Pack; 14 Pk./Cs.	PK	8622
19051324	Wiper; Berkshire; ValuClean Plus; Hydroentangled 50% rayon/50% polyester; High absorbency; No binders or chemical additives; Low extractable levels and particle counts; For ISO Class 5-8 environments; 9 x 9 in.; 20 Pks./Cs.	PK	3230
19051325	Wiper; Berkshire; ValuClean Plus; Hydroentangled 50% rayon/50% polyester; High absorbency; No binders or chemical additives; Low extractable levels and particle counts; For ISO Class 5-8 environments; 12 x 12 in.; 20 Pks./Cs.	PK	3230
19051326	Wiper; Berkshire; ValuClean Plus; Hydroentangled 50% rayon/50% polyester; High absorbency; No binders or chemical additives; Low extractable levels and particle counts; For ISO Class 5-8 environments; 7 x 7 in.; 45 Pk./Cs.	PK	2171
19051360	Wiper, Pre-wetted; Berkshire; SatPax 670-R; Nonwoven; Cleanroom; Highly saturated w/semiconductor grade isopropyl alcohol and deionized water (70/30); 55% Cellulose / 45% Polyester; ISO Class 5 (Class 100); C-fold style; 9 x 9 in.; 75/pk..	PK	4232
19052340	Wiper; Berkshire; Choice 900; For Class 3-5 cleanrooms; Heat sealed edge; High absorbency and abrasion resistance; Steam autoclavable; For medical device cleaning; 9 x 9 in. (22.8 x 22.8cm); 150/ Pk.; 10 Pks./Cs.	PK	5716
19059301	Wipers, Presaturated Specialty; SatPax 1000; Resealable pouch; Nonwoven polyester/cellulose; Presaturated with 9% isopropyl alcohol/91% Deionized water; ISO Class 5 (Class 100); Size: 9 x 9 in.	PK	3406
19063106	Stationery supplies and tape, controlled environment; Berkshire ValuSeal 1500; Wipers; Laser-cut, sealed-edge; Strong 100% knit polyester; Tear, abrasion resistant; Basis weight: 120g/sq. meter; Size: 9 x 9 in. (23 x 23cm); Bulk packed	PK	10559
19063229	WIPER POLY MICROSL SSORB 50/PK	PK	7612
19063230	Wiper, Cleanroom; Berkshire; SatPax HA-R; Prewetted w/70% IPA/30% DI H2O; Heat-sealed edges; For ISO Class 3 and higher; Packed in resealable pouch; For cleaning, wipedown, residue removal; Size: 9 x 9 in.25/pack	PK	5475
19063231	Wiper, Cleanroom; Berkshire; SatPax HA; Prewetted w/70% IPA/30% DI H2O; Heat sealed edges; For ISO Class 3 and higher; For cleaning, glove wiping, final wipedowns; Sterile; Marked w/Exp. Date, Rad. Dosage, Lot; Size: 9 x 9 in.; 200/Cs.	CS	62536



Cat. No.	Description	Pack	Price in ₹
19063232	WIPER MCROSLSS-LTE 12X12 50/PK	PK	7025
19065373	Wipers, ValuSeal 1500; Laser-cut, sealed-edge; Double-knit construction; Strong, laundered, 100% knit polyester; Size: Bulk, 16 x 20 in.	CS	13292
19065581	Wipers; Presaturated; ValuSeal 1500; Laundered polyester with extremely low particles; Double-knit; Saturated with semiconductor-grade IPA and deionized water (70/30); ISO Class 3; Basis weight: 120g/sq. meter; Size: 8 x 12 in.	CS	54252
191202069	Wipers; Presaturated Specialty; Sterile; SatPax 1200; Knitted polyester; laundered; presaturated with 70% USP Grade Isopropyl Alcohol; ISO Class 4 (Class 10) applications; Size 9 x 9 in.	CS	76163
191202876	Wiper, ValuSeal-LP; Knitted polyester with sealed edge; laundered; critically low particles and fibers; Abrasion resistant; ISO Class 3 (Class 1) Cleanroom Applications; Size 9 x 9 in.	CS	84520
191202877	Wipers; ValuSeal-LP; Knitted polyester with sealed edge; laundered; critically low particles and fibers; Abrasion resistant; ISO Class 3 (Class 1) Cleanroom Applications; Size 9 x 9 in.; Bulk	CS	77421
191202878	Wipers; ValuSeal-LP; Knitted polyester with sealed edge; laundered; critically low particles and fibers; Abrasion resistant; ISO Class 3 (Class 1) Cleanroom Applications; Size 12 x 12 in.	PK	8160
19121716	Mop, Cleanroom; Berkshire; BCR Mop 4; 100% knitted polyester; Laundered and packaged in an ISO Class 4 cleanroom; Lot number on each pack ensures traceability; Chemical and abrasion resistant; Low particulate and fibers; Durable	EA	6201
19121717	Mop, Cleanroom; Berkshire; BCR Mop 4; 100% knitted polyester; Sterile and packaged in an ISO Class 4 cleanroom; Lot number on each pack ensures traceability; Chemical and abrasion resistant; Low particulate and fibers; Durable	CS	104411
19121756	Mop, Cleanroom; Berkshire; BCR Mop 4; 100% knitted polyester; Gamm irradiated; Packaged in an ISO Class 4 cleanroom; Lot number on each pack ensures traceability; Chemical and abrasion resistant; Low particulate and fibers; Durable	CS	92701
191301303	Wipers; Polx 1200; 100% double-knit polyester; Ideal for surfaces that would normally shred or abrade nonwoven material; Low extractable levels; ISO Class 5 (Class 100); Basis weight: 104g/sq. meter; Size: Bulk, 24 x 40 in.	PK	9306
19142731	Wipers; Presaturated; ValuSeal 1500; Laundered polyester with extremely low particles; Double-knit; Saturated with semiconductor-grade IPA and deionized water (70/30); ISO Class 3; Basis weight: 120g/sq. meter; Size: 9 x 9 in.	CS	57981
19142732	Wipers; Presaturated; ValuSeal 1500; Laundered polyester with extremely low particles; Double-knit; Saturated with semiconductor-grade IPA and deionized water (70/30); ISO Class 3; Basis weight: 120g/sq. meter; Size: 4 x 12 in.	PK	4557
19161194	Wiper, Flat mop; Berkshire; MicroSeal Supersorb; Two ply bonded, sealed edge 100% polyester; Laundered and packaged in ISO Class 4 cleanroom; High Abrasion resistance; 8 x 12 in.; 50/pk.	CS	103027
19161196	Wiper, Flat mop; Berkshire; Durx 670; Hydroentangled 55% cellulose/45% polyester; Smooth, highly sorbent and durable; No secondary binder; Autoclavable/sterile versions available; Size: 8 x 12 in.; 100/pk.	PK	42612
19161199	Wipers; Berkshire; MicroSeal SuperSorb; 2-ply fabric; 100% continuous filament polyester; Sealed edges; Excellent for spill control; Compatible with IPA, acetone and other solvents; For ISO Class 3-5 cleanrooms; 9 x 9 in.; 8 Pk./Cs.	PK	12143
19161220	SATPAX VALUSEAL-LP 360/CS	CS	57650
19161221	Wipers, Cleanroom; Berkshire; Durx 670 ; Polyester and cellulose; For ISO 5 cleanrooms; No binders or additives; Compatible w/ chemicals; Low extractables, particles; Autoclavable; Size: 8 in. dia. disks	PK	3053
19161350	Helmet, Structural Rescue; R7 Jet; Full-impact polyurethane liner; Retractable eye protector; 3-point chinstrap; Quick-release buckle; Kevlar reinforced outer shell; Ratchet headband w/easy-to-adjust dial ratchet; White	PK	2837
19167505	POLY CLNRM WIPRS 6X6 3600CS	CS	83788
19259320	Wiper, Cleaning; Berkshire; SatPax; 70% IPA/30% DI H2O; 60% saturation; Continuous neat polyester fiber; Sonic ealed edges; For wiping and cleaning various surfaces/components; 9 x 9 in.; 150/pack; 6/ case	PK	13058
19422995	GLV PF NITRL EXM WHT XS 200/PK	PK	2711
19422996	GLV PF NITRL EXM WHT SM 200/PK	PK	2711
19422997	GLV PF NITRL EXM WHT MD 200/PK	PK	2711
19422998	GLV PF NITRL EXM WHT LG 200/PK	PK	2711
19422999	GLV PF NITRL EXM WHT XL 200/PK	PK	2711
19423001	Gloves, Nitrile; Hourglass Industries; Soft; Strong; Reliable hand protection; Fingertip textured; Powder-free; Latex-free; Soft blue; X-Small; Palm width: 75mm	PK	1762

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
19423002	Gloves, Nitrile; Hourglass Industries; Soft; Strong; Reliable hand protection; Fingertip textured; Powder-free; Latex-free; Soft blue; Small; Palm width: 86mm	PK	1762
19423003	Gloves, Nitrile; Hourglass Industries; Soft; Strong; Reliable hand protection; Fingertip textured; Powder-free; Latex-free; Soft blue; Medium; Palm width: 95mm	PK	1762
19423004	Gloves, Nitrile; Hourglass Industries; Soft; Strong; Reliable hand protection; Fingertip textured; Powder-free; Latex-free; Soft blue; Large; Palm width: 106mm	PK	1762
19423005	Gloves, Nitrile; Hourglass Industries; Soft; Strong; Reliable hand protection; Fingertip textured; Powder-free; Latex-free; Soft blue; X-Large; Palm width: 116mm	PK	1715
19423006	Gloves, Nitrile; Hourglass Industries; Strong, accelerator-free nitrile; Anti-Slip SUPER Grip Compound; Latex-Free; Textured Fingertips; Powder-free; X-Small; Palm Size: 75mm	PK	1694
19423007	Gloves, Nitrile; Hourglass Industries; Strong, accelerator-free nitrile; Anti-Slip SUPER Grip Compound; Latex-Free; Textured Fingertips; Powder-free; Small; Palm Size: 86mm	PK	1694
19423008	Gloves, Nitrile; Hourglass Industries; Strong, accelerator-free nitrile; Anti-Slip SUPER Grip Compound; Latex-Free; Textured Fingertips; Powder-free; Medium; Palm Size: 85mm	PK	1694
19423009	Gloves, Nitrile; Hourglass Industries; Strong, accelerator-free nitrile; Anti-Slip SUPER Grip Compound; Latex-Free; Textured Fingertips; Powder-free; Large; Palm Size: 95mm	PK	1694
19423010	Gloves, Nitrile; Hourglass Industries; Strong, accelerator-free nitrile; Anti-Slip SUPER Grip Compound; Latex-Free; Textured Fingertips; Powder-free; X-Large; Palm Size: 116mm	PK	1694
19423016	Gloves, Nitrile; Hourglass Industries; Strong, accelerator-free nitrile; Anti-Slip SUPER Grip Compound; Latex-Free; Textured Fingertips; Powder-free; 2X-Small; Palm Size: 74mm	PK	1694
19423023	Gloves, Nitrile; Hourglass Industries; HandPRO Series 7100; Clean class 100; Powder-free; Latex-free; Double bagged; Ultimate Elongation: min. 500%; Tensile Strength: min. 14.0Mpa; L: 290 +/- 8mm; Palm width: 76mm; X-Small	CS	28138
19423024	Gloves, Nitrile; Hourglass Industries; HandPRO Series 7100; Clean class 100; Powder-free; Latex-free; Double bagged; Ultimate Elongation: min. 500%; Tensile Strength: min. 14.0Mpa; L: 290 +/- 8mm; Palm width: 86mm; Small	CS	28138
19423025	Gloves, Nitrile; Hourglass Industries; HandPRO Series 7100; Clean class 100; Powder-free; Latex-free; Double bagged; Ultimate Elongation: min. 500%; Tensile Strength: min. 14.0Mpa; L: 290 +/- 8mm; Palm width: 101mm; Medium	CS	28138
19423026	Gloves, Nitrile; Hourglass Industries; HandPRO Series 7100; Clean class 100; Powder-free; Latex-free; Double bagged; Ultimate Elongation: min. 500%; Tensile Strength: min. 14.0Mpa; L: 290 +/- 8mm; Palm width: 111mm; Large	CS	28138
19423027	Gloves, Nitrile; Hourglass Industries; HandPRO Series 7100; Clean class 100; Powder-free; Latex-free; Double bagged; Ultimate Elongation: min. 500%; Tensile Strength: min. 14.0Mpa; L: 290 +/- 8mm; Palm width: 119mm; X-Large	CS	28138
19423029	Gloves, Nitrile; Hourglass Industries; HandPRO Series 1700; Controlled environment; Beaded cuff; Powder-free; Latex-free; Sure grip; Ultimate Elongation: min. 500%; Tensile Strength: min. 21.0Mpa; White; L: 240mm; Palm width: 76mm; X-Small	CS	18536
19423030	Gloves, Nitrile; Hourglass Industries; HandPRO Series 1700; Controlled environment; Beaded cuff; Powder-free; Latex-free; Sure grip; Ultimate Elongation: min. 500%; Tensile Strength: min. 21.0Mpa; White; L: 240mm; Palm width: 86mm; Small	CS	18536
19423031	Gloves, Nitrile; Hourglass Industries; HandPRO Series 1700; Controlled environment; Beaded cuff; Powder-free; Latex-free; Sure grip; Ultimate Elongation: min. 500%; Tensile Strength: min. 21.0Mpa; White; L: 240mm; Palm width: 98mm; Medium	CS	18536
19423032	Gloves, Nitrile; Hourglass Industries; HandPRO Series 1700; Controlled environment; Beaded cuff; Powder-free; Latex-free; Sure grip; Ultimate Elongation: min. 500%; Tensile Strength: min. 21.0Mpa; White; L: 240mm; Palm width: 107mm; Large	CS	18536
19423033	Gloves, Nitrile; Hourglass Industries; HandPRO Series 1700; Controlled environment; w/beaded cuff; Powder-free; Latex-free; Sure grip; Ultimate Elongation: m in. 500%; Tensile Strength: m in. 21.0Mpa; Blue; L: 240mm; Palm: 115mm; X-Large	CS	18536
19423038	Gloves, Nitrile; Hourglass Industries; AQUA1900; Non-Medical; With beaded cuff; Latex-free, Powder-free; Ultimate Elongation: min. 500%; Tensile Strength: min. 14.0Mpa; Aqua; Length: 230mm; Palm width: 85mm; Small	PK	1290
19423039	Gloves, Nitrile; Hourglass Industries; AQUA1900; Non-Medical; With beaded cuff; Latex-free, Powder-free; Ultimate Elongation: min. 500%; Tensile Strength: min. 14.0Mpa; Aqua; Length: 230mm; Palm width: 95mm; Medium	PK	1290
19423040	Gloves, Nitrile; Hourglass Industries; AQUA1900; Non-Medical; With beaded cuff; Latex-free, Powder-free; Ultimate Elongation: min. 500%; Tensile Strength: min. 14.0Mpa; Aqua; Length: 230mm; Palm width: 106mm; Large	PK	1290

Cat. No.	Description	Pack	Price in ₹
19423041	Gloves, Nitrile; Hourglass Industries; AQUA1900; Non-Medical; With beaded cuff; Latex-free, Powder-free; Ultimate Elongation: min. 500%; Tensile Strength: min. 14.0Mpa; Aqua; Length: 230mm; Palm width: 116mm; X-Large	PK	1290
19423085	FACEMASK 2PLYCE 18CM EARLOOP	CS	33996
19423086	FACEMASK 2PLYCE 21CM EARLOOP	CS	37937
19423087	FACEMASK 2PLYCE 23CM EARLOOP	CS	42757
19423100	Hourglass International Hand PRO 9100 Series clean room gloves XS 100/PK	PK	2800
19423101	Hourglass International Hand PRO 9100 Series clean room gloves SM 100/PK	PK	2800
19423102	Hourglass International Hand PRO 9100 Series clean room gloves 100/PK	PK	2800
19423103	Hourglass International Hand PRO 9100 Series clean room gloves 100/PK	PK	2800
19423104	Hourglass International Hand PRO 9100 Series clean room gloves 100/PK	PK	2800
19423105	Hourglass International Hand PRO 9100 Series clean room gloves 100/PK	PK	2800
19999905	Stationery supplies and tape, controlled environment; Berkshire ValuSeal 1500; Wipers; Laser-cut, sealed-edge; Strong 100% knit polyester; Tear, abrasion resistant; Basis weight: 120g/sq. meter; Size: 9 x 9 in. (23 x 23cm); Flat stacked	PK	11996
191203227	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1.5 in. wide; Purple	EA	1883
191203228	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1.5 in. wide; Red	EA	1883
191203229	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1.5 in. wide; Transparent	EA	1953
191203230	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1.5 in. wide; White	EA	1953
191203231	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1.5 in. wide; Yellow	EA	1883
191203232	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 2 in. wide; Black	EA	2284
191203233	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 2 in. wide; Brown	EA	2318
191203234	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 2 in. wide; Dark Blue	EA	2284
191203235	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 2 in. wide; Dark Green	EA	2284
191203236	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 2 in. wide; Light Blue	EA	2284
191203237	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 2 in. wide; Light Green	EA	2284
19095104	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1 in. x 36 yd.; White	CS	53678
19095108	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 2 in. x 36 yd.; White	CS	54826
191202322	Eyewash, Portable; Pressurized; Bradley; Drench Hose; Stainless-steel; 10 gal. tank; Flow lasts approx. 15 minutes; 23 lb. Empty	EA	159826
191203200	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1 in. wide; Black	EA	1500
191203201	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1 in. wide; Black	EA	1471
191203202	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1 in. wide; Dark Blue	EA	1500
191203203	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1 in. wide; Darl Greem	EA	1500

Cat. No.	Description	Pack	Price in ₹
191203204	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1 in. wide; Light Blue	EA	1500
191203205	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1 in. wide; Light Green	EA	1500
191203206	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1 in. wide; Orange	EA	1500
191203207	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1 in. wide; Purple	EA	1500
191203208	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1 in. wide; Transparent	EA	1500
191203209	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1/2 in. wide; Black	EA	1122
191203210	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1/2 in. wide; Brown	EA	1122
191203211	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1/2 in. wide; Dark Blue	EA	1122
191203212	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1/2 in. wide; Dark Green	EA	1122
191203213	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1/2 in. wide; Light Blue	EA	1122
191203214	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1/2 in. wide; Light Green	EA	1122
191203215	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1/2 in. wide; Orange	EA	1122
191203216	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1/2 in. wide; Purple	EA	1122
191203217	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1/2 in. wide; Red	EA	1122
191203218	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1/2 in. wide; Transparent	EA	1122
191203219	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1/2 in. wide; Yellow	EA	1122
191203220	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1.5 in. wide; Black	EA	1883
191203221	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1.5 in. wide; Brown	EA	1919
191203222	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1.5 in. wide; Dark Blue	EA	1883
191203223	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1.5 in. wide; Dark Green	EA	1854
191203224	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1.5 in. wide; Light Blue	EA	1883
191203225	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1.5 in. wide; Light Green	EA	1883
191203226	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 1.5 in. wide; Orange	EA	1883

# Heads! You Win!

## SnapMop™

Features covered foam combined with economical design  
Available in multiple fabric options including microfiber.



**W**ith Micronova's suite of specially designed tool and mop heads, you will find the best match for your critical cleaning.

With a selection of support hardware from lightweight plastics to electropolished stainless steel, there's a combination to tackle everything from sterile processing to support environments.

We understand that sustainability and cost are key. Our solid construction allows the mops to be laundered and re-used where the application permits.

## Isolator Tool™

Angled head for easy application of disinfectant or detergent in Isolators, Containment and Bio-Hoods in Cleanroom and Buffer Areas



## Tan Tool

Curved design provides better surface contact when cleaning tanks and cylinders



## Carts & Hardware

Plastic and stainless steel options available



Scan to  
view full  
catalog.



**Micronova**<sup>®</sup>  
MANUFACTURING INC.

# Tape for Controlled Environments?

Check **Micronova**<sup>®</sup>  
MANUFACTURING INC.

## CLEANROOM AND CONTROLLED ENVIRONMENT TAPES

### CR100PC VINYL TAPE

- Clean Packaging
  - Color Coding
- Autoclave Wrap
- Glassware marking



### PCX POLYETHYLENE TAPE

- Wafer Box Sealing
  - Packaging
  - Color Coding
- Food Processing



### CSLB - MICROSEAL

- Plate Sealing and
  - Transportation
  - Glove Sealing
- Perforated every 3" for easy tear



### EXTREME TEMPERATURE TAPE

- Cold Storage
- Lyophilizers
- Over-labelling
  - Heat test



### AUTOCLAVE INDICATOR TAPE

- Plastic Core
- Sharp register
  - Lead-free
- Rohs compliant



Micronova has pressure sensitive tapes with characteristics that meet the criteria for applications within the semiconductor, life science and lab industries.

**Micronova**<sup>®</sup>  
MANUFACTURING INC.

Cat. No.	Description	Pack	Price in ₹
191203238	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 2 in. wide; Orange	EA	2284
191203239	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 2 in. wide; Purple	EA	2284
191203240	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 2 in. wide; Red	EA	2284
191203241	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 2 in. wide; Transparent	EA	2284
191203242	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 2 in. wide; Yellow	EA	2284
191203243	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 3/4 in. wide; Black	EA	877
191203244	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 3/4 in. wide; Brown	EA	814
191203245	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 3/4 in. wide; Dark Blue	EA	1057
191203246	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 3/4 in. wide; Dark Green	EA	1057
191203247	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 3/4 in. wide; Light Blue	EA	1057
191203248	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 3/4 in. wide; Light Green	EA	1057
191203249	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 3/4 in. wide; Orange	EA	1057
191203250	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 3/4 in. wide; Purple	EA	1057
191203251	Tape, Vinyl; Fisherbrand; Cleanroom; Support; For light industrial use; Forms a strong bond with plastics, polymers and stainless steel; Can be written on with cleanroom pen; Size: 3/4 in. wide; Transparent	EA	1057
19149323	Tape, Cleanroom; Micronova EGV; Vinyl; Cleanroom processed; Plastic core; Sleeve bagged; Bonds w/ plastics, polymers and stainless steel; No adhesive residue; Can be written on with cleanroom pen; 1/2 in. x 36 yd.; White; Case of 48	CS	80786
19165638	Tape, Cleanroom; Micronova EGV; Vinyl; Cleanroom processed; Plastic core; Sleeve bagged; Bonds w/ plastics, polymers and stainless steel; No adhesive residue; Can be written on with cleanroom pen; 1 in. x 36 yd. Red	CS	53678
19165639	Tape, Cleanroom; Micronova EGV; Vinyl; Cleanroom processed; Plastic core; Sleeve bagged; Bonds w/ plastics, polymers and stainless steel; No adhesive residue; Can be written on with cleanroom pen; 1 in. x 36 yd. Yellow	CS	53678
<b>Dispensers/Diluters</b>			
FH01290	01290 IN-SIGHT SERIES-I ROLL CONTROL TWL	01 Unit	4862
FH01284	01284 MICROMIST DISPENSER	06 Units	4301
FH30894	30894 DISP MICROMIST COVER 6 x 1	06 Units	3513
FH01292	01292 KCP UTILITY ROLL FLOR STAND	01 Unit	3035
FH01055	01055 K C PROFESSIONAL ROLL STAND	01 Unit	2547
FH94170	94170 DECOR POP-UP DISPENSER (GREY)	24 Units	8787
FH69590	DISP AQUARIUS ROLLED TWL 1X1	01 Unit	8787
FH69460	DISP AQUARIUS B/TISS HBT SGL 1X1	01 Unit	1575
FH69480	DISP AQUARIUS S/CARE CST 1L X1	01 Unit	2088
FH69530	DISP AQUARIUS SLIMROLL TWL 1X1	01 Unit	7482
FH70230	DISP AQUARIUS MF TWL DBL CLP 1X1	01 Unit	4089
FH70240	DISP AQUARIUS COMPACT TWL 1X1	01 Unit	2828
FH70260	DISP AQUARIUS B/TISS JRT WH 1X1	01 Unit	2175

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
<b>Dusters</b>			
FBA18428	Assembly, Valve; Fisherbrand; MicroDuster III; With 3 ft. (91.44cm) extension hose; Reusable; Surgical grade	EA	3261
23022523	Fisherbrand* Super Friendly Air/I't Duster, Aerosol; 11 oz.; Blows lint, dust and loose dirt away instantly; gas is triple-filtered to 0.3microm; noncorrosive, nonflammable, dry, odorless, and completely volatile; 5 in. polyethylene snorkel	Cs of 6	8509
<b>Floor Mats</b>			
19168112	Mop, Roll; Fisherbrand; Adhesive roll; Suitable for use on glass, plastic, metal, and cloth in hard-to-reach places; Includes 4 rolls, plus mop unit and handle; 18W in. (46cm) mophead; Each roll supplied with 20 adhesive sheets	EA	49973
19168113	Roll, Refill; Fisherbrand; Replacement; For adhesive roll mop; Suitable for use on glass, plastic, metal, and cloth in hard-to-reach places; 18 in.W (46cm); 20 adhesive sheets per roll	EA	6288
19181506	Mat, Entryway; Fisherbrand; 2mil thick; Pull-tab system; Will not curl, tear, wrinkle; Adhesive does not transfer to footwear; Low-tack; 40 clear sheets on white mat; 18 x 45 in. (46 x 114cm)	CS	8140
19181507	Mat, Entryway; Fisherbrand; 2mil thick; Pull-tab system; Will not curl, tear, wrinkle; Adhesive does not transfer to footwear; Low-tack; 40 clear sheets on white mat; 24 x 45 in. (61 x 114cm)	CS	13525
19181510	Mat, Entryway; Fisherbrand; 2mil thick; Pull-tab system; Will not curl, tear, wrinkle; Adhesive does not transfer to footwear; High-tack; 30 clear sheets on white mat; 36 x 36 in. (91 x 91cm)	CS	21597
19181516	Matting; Fisherbrand; For sanitary conditions in cleanrooms; Hard surface adhesive; High tack; Blue sheets on blue mat; No. of sheets: 30; 36 L x 18 in. W (91 x 46cm)	CS	7643
19181519	Matting; Fisherbrand; For sanitary conditions in cleanrooms; Hard surface adhesive; Moderate tack; Blue sheets on blue mat; No. of sheets: 30; 36 L x 18 in. W (91 x 46cm)	CS	7654
<b>Gloves</b>			
1138752	Gloves; General-Purpose; Fisherbrand; PVC dotted cotton string knit; Seamless; Double-sided dots; Standard weight; Launderable; Womens universal Size; Yellow hem	DZ	1044
1138753	Gloves; General-Purpose; Fisherbrand; PVC dotted cotton string knit; Seamless; Double-sided dots; Standard weight; Launderable; Womens universal Size; White hem	DZ	1109
1138757	Gloves; General-Purpose; Fisherbrand; PVC dotted cotton string knit; Seamless; Single-sided dots; Standard weight; Launderable; Womens universal Size; Yellow hem	DZ	820
113944A	Gloves, Exam; Fisherbrand; Latex; Powdered; Ambidextrous; White; Single-use; Length: 9.5 in. (24cm); Thickness: 5.5mil (fingers), 5.0mil (palm), 4.5mil (cuff); Small	PK	1819
113944AA	Gloves, Exam; Fisherbrand; Latex; Powdered; Ambidextrous; White; Single-use; Length, 9.5 in. (24cm); Thickness: 5.5mil (fingers), 5.0mil (palm), 4.5mil (cuff); X-Small	PK	2187
113944B	Gloves, Exam; Fisherbrand; Latex; Powdered; Ambidextrous; White; Single-use; Length: 9.5 in. (24cm); Thickness: 5.5mm (fingers), 5.0mm (palm), 4.5mm (cuff); Medium	PK	1819
113944C	Gloves, Exam; Fisherbrand; Latex; Powdered; Ambidextrous; White; Single-use; Length, 9.5 in. (24cm); Thickness: 5.5mil (fingers), 5.0mil (palm), 4.5mil (cuff); Large	PK	1819
113944D	Gloves, Exam; Fisherbrand; Latex; Powdered; Ambidextrous; White; Single-use; Length, 9.5 in. (24cm); Thickness: 5.5mil (fingers), 5.0mil (palm), 4.5mil (cuff); X-Large	PK	1819
113945A	Gloves, Exam; Fisherbrand; Latex; Powder-Free; Ambidextrous; White; Single-use; Length: 9.5 in. (24cm); Thickness: 5.5mm (fingers), 5.0mm (palm), 4.5mm (cuff); Small	PK	1861
113945B	Gloves, Exam; Fisherbrand; Latex; Powder-Free; Ambidextrous; White; Single-use; Length: 9.5 in. (24cm); Thickness: 5.5mm (fingers), 5.0mm (palm), 4.5mm (cuff); Medium	PK	1886
113945C	Gloves, Exam; Fisherbrand; Latex; Powder-Free; Ambidextrous; White; Single-use; Length: 9.5 in. (24cm); Thickness: 5.5mm (fingers), 5.0mm (palm), 4.5mm (cuff); Large	PK	1886
113945D	Gloves, Exam; Fisherbrand; Latex; Powder-Free; Ambidextrous; White; Single-use; Length: 9.5 in. (24cm); Thickness: 5.5mil (fingers), 5.0mil (palm), 4.5mil (cuff); X-Large	PK	1886
19013349	Gloves; Leather drivers; Fisherbrand; Ideal for construction, machine operation, utility work, farming, roping, and other general applications; Launderable; Intermediate grade; Straight thumb; Elastic back; Size: Small	DZ	11372
19013352	Gloves; Leather Drivers; Fisherbrand; Ideal for construction, machine operation, utility work, farming, roping, and other general applications; Launderable; Intermediate Grade; Straight Thumb; Elastic Back; Medium	DZ	11372
19013357	Gloves, Leather Drivers; Fisherbrand; Intermediate Grade; Ideal for construction, machine operation, utility work, farming, roping, and other general applications; Launderable; Straight Thumb; Elastic Back; Large	DZ	11372




# Gloves

## KLEENGUARD\* G10 Blue Nitrile Gloves

### Premium gloves offering

- High level of comfort
- Protection and performance
- 0.16mm thickness
- PPE Category I (CE Simple) product classified by EC Council Directive 89/686/EEC
- Ambidextrous
- Beaded cuffs for added strength in donning



## KLEENGUARD\* G10 Arctic Blue Nitrile Gloves

### All benefits of natural rubber latex without the risk of reaction.

### Premium gloves offering:

- Maximum touch sensitivity
- Comfort and flexibility
- Ambidextrous
- Exceptional tactile sensitivity making them ideal for intricate assembly work
- 0.06 mm thickness (minimum)
- Beaded cuffs for added strength in donning
- PPE category I (CE Simple) product classified by EC Council Directive 89/686/EEC



Description	Size/Code	XS	S	M	L	XL	Colour	Case Contents	PPE Classification
KLEENGUARD* G10 Blue Nitrile		57370	57371	57372	57373	57374		10 X  X 100 10 X  X 90  = 1000 gloves = 900 gloves	CAT I
KLEENGUARD* G10 Arctic Blue Nitrile		90095	90096	90097	90098	90099		10 X  X 200 10 X  X 180  = 2000 gloves = 1800 gloves	CAT I



## KIMTECH SCIENCE\* PURPLE NITRILE-XTRA\* Gloves



(formerly SAFESKIN\* PURPLE NITRILE-EXTRA\* Gloves)

### Feature

- Static dissipative in use
- Latex-free
- Virus Protection
- Food contact approved
- Textured finger tips
- Low AQL for pinholes
- Cleared for use in Chemotherapy
- Patented purple colour provides quick visual differentiation
- Tested for use with Chemotherapy drugs



EN374-2:2003



EN374-1:2003



CE  
0123

## KIMBERLY-CLARK\* STERLING\* Nitrile Exam Gloves

### Feature

- 3.5 mil thickness
- Latex-free
- Cleared for use in Chemotherapy
- STERLING\* NITRILE-XTRA\* Exam GLOVES meet NFPA Standards 1999:2008



**KIMTECH**  
PURE\* BRAND

Description	Size/Code	XS	S	M	L	XL	Colour	Case Content	
KIMTECH SCIENCE* PURPLE NITRILE* XTRA* Gloves	-		12" 97611	12" 97612	12" 97613	-	●	10 X 50	
KIMBERLY-CLARK* PURPLE NITRILE* Exam Gloves		9.5" 55080	9.5" 55081	9.5" 55082	9.5" 55083	-	●	10 X 100	
KIMBERLY-CLARK* PURPLE NITRILE* Exam Gloves		-	12" 50601	12" 50602	12" 50603	12" 50604	●	10 X 50	
Description	Size/Code	XS	S	M	L	XL	Colour	Gloves/Boxes	Total/Case
KIMBERLY-CLARK* STERLING* NITRILE-XTRA* Exam Gloves 12" Ambi		53137	53138	53139	53140	53141	○	100/10	1,000

### Did You Know?

One square inch of hand surface area has an average of 10,000 microorganisms

Cat. No.	Description	Pack	Price in ₹
19013359	Gloves; Leather Drivers; Fisherbrand; Ideal for construction, machine operation, utility work, farming, roping, and other general applications; Launderable; Intermediate Grade; Straight Thumb; Elastic Back; X-Large	DZ	12165
19013374	Gloves; Leather; Drivers; Fisherbrand; Red foam-lined jersey lining; Gunn-cut style; Straight thumb; Premium grade; Cuff color: Red; Size: Small	DZ	15536
19013378	Gloves; Leather; Drivers; Fisherbrand; Red foam-lined jersey lining; Gunn-cut style; Straight thumb; Premium grade; Cuff color: Green; Size: Medium	DZ	15536
19013379	Gloves; Leather; Drivers; Fisherbrand; Red foam-lined jersey lining; Gunn-cut style; Straight thumb; Premium grade; Cuff color: Brown; Size: Large	DZ	15536
19013381	Gloves; Leather; Drivers; Fisherbrand; Red foam-lined jersey lining; Gunn-cut style; Straight thumb; Premium grade; Cuff color: Blue; Size: X-Large	DZ	16027
19013440	Gloves; Welding; Fisherbrand; Cowhide leather; Men universal size; Standard grade; Shoulder style; Fully sock lined; Gray	DZ	8498
19013449	Gloves; Welding; Fisherbrand; Cowhide leather; Men universal size; Standard grade; Side style; Fully sock lined; Sewn with heat resistant Kevlar; Gray	DZ	9828
19013461	Gloves, Leather palm; Fisherbrand; Standard; Traditional striped fabric back and cuff with split cowhide palm; Clute cut; Standard palm; Shoulder leather; Knitwrist; Women size; Red	DZ	3154
19013463	Gloves, Leather palm; Fisherbrand; Standard; Traditional striped fabric back and cuff with split cowhide palm; Clute cut; Standard palm; Shoulder leather; Knitwrist; Men size; Brown	DZ	3202
19013465	Gloves, Leather palm; Fisherbrand; Standard; Traditional striped fabric back and cuff with split cowhide palm; Gunn cut; Standard palm; Small; Safety cuff; Red	DZ	4597
19013466	Gloves, Leather palm; Fisherbrand; Standard; Traditional striped fabric back and cuff with split cowhide palm; Gunn cut; Standard palm; Safety cuff; Large; Brown	DZ	4597
19013469	Gloves, Leather palm; Fisherbrand; Select; Covers palm, index finger, thumb; Gunn-cut construction; Standard leather palm; 2 in. (5cm) Rubberized safety cuff; Large	DZ	4702
19013471	Gloves, Leather palm; Fisherbrand; Select; Covers palm, index finger, thumb; Gunn-cut construction; Standard leather palm; 4 in. (10cm) Rubberized gauntlet cuff; Large	DZ	5286
19041189A	Gloves, Exam; Fisherbrand; Vinyl; Powdered; Nonsterile; Smooth finish; Ambidextrous; Size: X-Small	PK	1138
19041189B	Gloves, Exam; Fisherbrand; Vinyl; Powdered; Nonsterile; Smooth finish; Ambidextrous; Size: Small	PK	1138
19041189C	Gloves, Exam; Fisherbrand; Vinyl; Powdered; Nonsterile; Smooth finish; Ambidextrous; Size: Medium	PK	1138
19041189D	Gloves, Exam; Fisherbrand; Vinyl; Powdered; Nonsterile; Smooth finish; Ambidextrous; Size: Large	PK	1138
19041190A	Fisherbrand Powderfree Vinyl Exam gloves XS 100/PK	PK	1391
19041190B	Fisherbrand Powderfree Vinyl Exam gloves S 100/PK	PK	1391
19041190C	Fisherbrand Powderfree Vinyl Exam gloves MD 100/PK	PK	1391
19041190D	Fisherbrand Powderfree Vinyl Exam gloves LG 100/PK	PK	1391
19041190E	Fisherbrand Powderfree Vinyl Exam gloves XL 100/PK	PK	1391
19046136	Gloves; General-purpose; Fisherbrand; Cotton canvas; Improved protection; Blended cotton/polyester fabric with knitwrist; Clute cut; Color: natural; Premium grade; 10 oz. (283g); Men's	Dozen	1844
19046385	Gloves; PVC chemical resistant; Fisherbrand; Double-Dipped; Enhanced cut resistance; Excellent wet or slippery grip; Moderate insulation; Jersey lined; Rough acid grip finish; 12 in. (30cm) gauntlet; Black	Dozen	4045
19046386	Gloves; PVC chemical resistant; Fisherbrand; Double-Dipped; Enhanced cut resistance; Excellent wet or slippery grip; Moderate insulation; Jersey lined; Rough acid grip finish; 14 in. (30cm) gauntlet; Black	Dozen	4491
19047457	Gloves; PVC chemical resistant; Fisherbrand; Double-Dipped; Enhanced cut resistance; Excellent wet or slippery grip; Interlock lined; Great dexterity; Sandy Finish; 10 in. (25cm) gauntlet; Black	Dozen	3503
19047458	Gloves; PVC chemical resistant; Fisherbrand; Double-Dipped; Enhanced cut resistance; Excellent wet or slippery grip; Moderate insulation; Sandy Finish; 12 in. (30cm) gauntlet; Black	Dozen	4048
19047467	Gloves; PVC chemical resistant; Fisherbrand; Double-Dipped; Enhanced cut resistance; Excellent wet or slippery grip; Moderate insulation; Sandy Finish; 14 in. (30cm) gauntlet; Black	Dozen	4471
19047494	Gloves; PVC chemical resistant; Fisherbrand; Double-Dipped; Enhanced cut resistance; Excellent wet or slippery grip; Interlock lined; Great dexterity; Sandy Finish; Knitwrist; Black	Dozen	3082
19049584	Gloves; General-purpose; Fisherbrand; Vinyl impregnated; Excellent dexterity and long-lasting grip; Ideal for use in oily, slippery applications; Liquid resistant; Stretchable knit cotton with durable PVC plastic; Men's medium; Green hem	Dozen	2690
19049587	Gloves; General purpose work; Cotton Jersey; Men's; Knitwrist; Fisherbrand; Mini-dot palm enhances gripping in wet or slippery conditions; Used for light protection in warehousing, farming, and auto industry	Dozen	1572
19050145	Gloves; General-purpose; Fisherbrand; Synthetic blend string knit; Reversible; Cotton/polyester blend; Standard weight; Men; White cuff	Dozen	577

Cat. No.	Description	Pack	Price in ₹
19050548A	Gloves, Exam; Fisherbrand; Latex; Powder-free; Ambidextrous; Nonsterile; Natural color; Beaded cuff, Medically approved 510K; Meets ASTM standards; Aloe coating inside glove; Length: 9.5 in. (24cm); Wall thickness: 5.6mm; Small	PK	2209
19050548B	Gloves, Exam; Fisherbrand; Latex; Powder-free; Ambidextrous; Nonsterile; Natural color; Beaded cuff, Medically approved 510K; Meets ASTM standards; Aloe coating inside glove; Length: 9.5 in. (24cm); Wall thickness: 5.6mm; Medium	PK	2209
19050548C	Gloves, Exam; Fisherbrand; Latex; Powder-free; Ambidextrous; Nonsterile; Natural color; Beaded cuff; Medically approved 510K; Meets ASTM standards; Aloe coating inside glove; Length: 9.5 in. (24cm); Wall thickness: 5-6mil; Large	PK	2209
19050548D	Gloves, Exam; Fisherbrand; Latex; Powder-free; Ambidextrous; Nonsterile; Natural color; Beaded cuff; Medically approved 510K; Meets ASTM standards; Aloe coating inside glove; Length: 9.5 in. (24cm); Wall thickness: 5-6mil; X-Large	PK	2209
19050550A	Gloves, Exam; Fisherbrand; Nitrile; Powder-free; Ambidextrous, Nonsterile; Mint green color; Beaded cuff, Medically approved 510K; Meets ASTM standards, Aloe coating inside glove; Length: 9.5 in.; Wall thickness: 5.6mm thick; Small	PK	2677
19050550B	Gloves, Exam; Fisherbrand; Nitrile; Powder-free; Ambidextrous, Nonsterile; Mint green color; Beaded cuff, Medically approved 510K; Meets ASTM standards, Aloe coating inside glove; Length: 9.5 in.; Wall thickness: 5.6mm thick; Medium	PK	2677
19050550C	Gloves, Exam; Fisherbrand; Nitrile; Powder-free; Ambidextrous, Nonsterile, Mint green color, Beaded cuff, Medically approved 510K; Meets ASTM standards, Aloe coating inside glove; Length: 9.5 in.; Wall thickness: 5.6mm thick; Large	PK	2677
19050550D	Gloves, Exam; Fisherbrand; Nitrile; Powder-free; Ambidextrous, Nonsterile; Mint green color, Beaded cuff; Medically approved 510K; Meets ASTM standards, Aloe coating inside glove; Length: 9.5 in.; Wall thickness: 5.6mm thick; X-large	PK	2677
19053378	Gloves; General-purpose; Fisherbrand; PVC-coated string knit; 100% cotton knit shell coated with blue F pattern on both sides; Women universal	Dozen	1839
19053388	Gloves; General-purpose; Fisherbrand; PVC-coated string knit; 100% cotton knit shell coated with blue F pattern on both sides; Men universal	Dozen	1946
19053495	Gloves; Temperature-resistant; Fisherbrand; Hot mill; Men universal size; Two cotton layers; Weight, 24 oz. (680g); Double-Layer construction; Gauntlet	Dozen	4567
19053702	Gloves; Inspection; Fisherbrand; Low-lint; Ambidextrous; Nylon; 40-denier tricot fabric; Two-piece construction; Women; Medium; Blue cuff	Dozen	1165
19053703	Gloves; Inspection; Fisherbrand; Low-lint; Ambidextrous; Nylon; 40-denier tricot fabric; Two-piece construction; Women; Small; Black cuff	Dozen	1165
19053706	Gloves; Inspection; Fisherbrand; Low-lint; Ambidextrous; Nylon; 40-denier tricot fabric; Two-piece construction; Men; Medium; Red cuff	Dozen	1335
19053707	Gloves; Inspection; Fisherbrand; Low-lint; Ambidextrous; Nylon; 40-denier tricot fabric; Two-piece construction; Men; Small; Yellow cuff	Dozen	1335
19053708	Gloves; Inspection; Fisherbrand; Low-lint; Ambidextrous; Nylon; 40-denier tricot fabric; Two-piece construction; Men; X-Large; White cuff	Dozen	1335
19053924	Gloves, Leather palm; Fisherbrand; Standard; Traditional striped fabric back and cuff with split cowhide palm; Gunn cut; Standard palm; Gauntlet cuff; Large; Brown	Dozen	4882
19053931	Gloves, Leather; Fisherbrand; Rubberized cuffs; Leather pull patch, fingertips and index finger; Gunn cut; Side-split; Premium grade; Safety cuff; Single palm; Large; Brown cuff	Dozen	5999
19053932	Gloves, Leather; Fisherbrand; Rubberized cuffs; Leather pull patch, fingertips and index finger; Gunn cut; Side-split; Premium grade; Safety cuff; Reinforced palm and index fingers; Single palm; Large; Brown cuff	Dozen	6807
19054367	Gloves; General-purpose; Fisherbrand; Vinyl impregnated; Excellent dexterity and long-lasting grip; Ideal for use in oily, slippery applications; Liquid resistant; Stretchable knit cotton with durable PVC plastic; Women medium; Yellow hem	Dozen	2682
19054370	Gloves; General-purpose; Fisherbrand; Vinyl impregnated; High dexterity and long-lasting grip; Ideal for use in oily, slippery applications; Liquid resistant; Stretchable knit cotton w/durable PVC plastic; Men's; Large; Brown hem	Dozen	2690
19058737	Gloves, Drivers; Split Cowhide Leather; Safety Choice; Abrasion resistant; Excellent dexterity; Straight thumb and elastic back; Regular grade; X-Large	Dozen	5916
19058791	Gloves; Leather drivers; Fisherbrand; Ideal for construction, machine operation, utility work, farming, roping, and other general applications; Launderable; Premium grade; Straight thumb; Elastic back; Size: Large	Dozen	13749

Cat. No.	Description	Pack	Price in ₹
19058792	Gloves; Leather drivers; Fisherbrand; Ideal for construction, machine operation, utility work, farming, roping, and other general applications; Launderable; Premium grade; Straight thumb; Elastic back; Size: X-Large	Dozen	14891
19058801A	Gloves, Exam; Safety Choice; Latex; Amber; Powder-free; Beaded cuffs; Ambidextrous; Color: natural; Single-use; X-Small	PK	1485
19058801B	Gloves, Exam; Safety Choice; Latex; Amber; Powder-free; Beaded cuffs; Ambidextrous; Color: natural; Single-use; Small	PK	1485
19058801C	Gloves, Exam; Safety Choice; Latex; Amber; Powder-free; Beaded cuffs; Ambidextrous; Color: natural; Single-use; Medium	PK	1485
19058801D	Gloves, Exam; Safety Choice; Latex; Amber; Powder-free; Beaded cuffs; Ambidextrous; Color: natural; Single-use; Large	PK	1485
19058801E	Glove; Exam; Latex; Amber; Powder-Free; Beaded cuffs; Ambidextrous; Color: natural; Single-use; X-Large	PK	1485
19059674	Gloves, Leather; Fisherbrand; Rubberized cuffs; Leather pull patch, fingertips and index finger; Gunn cut; Side-split; Ultra premium grade; Safety cuff; Single palm; Large; Brown cuff	Dozen	5884
19059684	Gloves, Leather; Fisherbrand; Rubberized cuffs; Leather pull patch, fingertips and index finger; Gunn cut; Side-split; Ultra premium grade; Safety cuff; Single palm; Medium; Green cuff	Dozen	5884
19059685	Gloves, Leather; Fisherbrand; Rubberized cuffs; Leather pull patch, fingertips and index finger; Gunn cut; Side-split; Ultra premium grade; Safety cuff; Single palm; X-Large; Blue cuff	Dozen	6461
19059907	Gloves; General-purpose; Fisherbrand; Synthetic blend string knit; Reversible; Cotton/polyester blend; Extra Heavy gauge/weight; Men; White cuff	Dozen	1183
19059938	Gloves; General-purpose; Fisherbrand; Synthetic blend string knit; Reversible; Cotton/polyester blend; Medium weight; Women; Yellow cuff	Dozen	760
19059942	Gloves; General-purpose; Fisherbrand; Synthetic blend string knit; Reversible; Cotton/polyester blend; Medium weight; Men; White cuff	Dozen	721
19059943	Gloves; General-purpose; Fisherbrand; Synthetic blend string knit; Reversible; Cotton/polyester blend; Heavy weight; Women; Yellow cuff	Dozen	952
19062844	Gloves; Temperature-resistant; Fisherbrand; Hot mill; Men universal size; Burlap lining; Weight, 28 oz. (795g); Triple-Layer construction; Gauntlet	Dozen	4921
19065556B	Gloves, Welding; Fisherbrand; Style 320; Top grain pigskin leather; Unlined palm; Straight thumb; Use for Tig welding and other general applications requiring light heat protection; Superior dexterity; Medium	Dozen	17511
19065556C	Gloves, Welding; Fisherbrand; Style 320; Top grain pigskin leather; Unlined palm; Straight thumb; Use for Tig welding and other general applications requiring light heat protection; Superior dexterity; Large	Dozen	16066
19067903	Gloves, Leather palm; Fisherbrand; Select; Covers palm, index finger, thumb; Gunn-cut construction; Standard leather palm; 2 in. (5cm) Rubberized safety cuff; Medium	Dozen	4702
19067904	Gloves, Leather palm; Fisherbrand; Select; Covers palm, index finger, thumb; Gunn-cut construction; Standard leather palm; 2 in. (5cm) Rubberized safety cuff; X-Large	Dozen	5134
19067905	Gloves, Leather; Fisherbrand; Rubberized cuffs; Leather pull patch, fingertips and index finger; Gunn cut; Side-split; Premium grade; Safety cuff; Single palm; X-Large; Blue cuff	Dozen	5748
19067906	Gloves, Leather; Fisherbrand; Rubberized cuffs; Leather pull patch, fingertips and index finger; Gunn cut; Side-split; Premium grade; Safety cuff; Single palm; Medium; Green cuff	Dozen	5624
19068177	Gloves; PVC chemical resistant; Fisherbrand; Double-Dipped; Enhanced cut resistance; Excellent wet or slippery grip; Moderate insulation; Jersey lined; Rough acid grip finish; Knitwrist; Black	Dozen	3378
19068178	Gloves; PVC chemical resistant; Fisherbrand; Double-Dipped; Enhanced cut resistance; Excellent wet or slippery grip; Moderate insulation; Jersey lined; Rough acid grip finish; 10 in. (25cm) gauntlet; Green	Dozen	4045
19068180	Gloves; PVC chemical resistant; Fisherbrand; Double-Dipped; Enhanced cut resistance; Excellent wet or slippery grip; Moderate insulation; Jersey lined; Rough acid grip finish; 14 in. (36cm) gauntlet; Green	Dozen	4489
19069617	Gloves; General-purpose; Fisherbrand; Cotton jersey; Knitwrist; Clute pattern; Inside is napped; Hand-Specific; Women's; 6 oz. (170g); Natural	Dozen	840
19071371	Gloves; Leather Drivers; Fisherbrand; Ideal for construction, machine operation, utility work, farming, roping, and other general applications; Launderable; Regular Grade Top Grain Palm; Keystone Thumb; Split Elastic Back; Small	Dozen	9374
19071373	Gloves; Leather Drivers; Fisherbrand; Ideal for construction, machine operation, utility work, farming, roping, and other general applications; Launderable; Regular Grade Top Grain Palm; Keystone Thumb; Split Elastic Back; Medium	Dozen	9374
19071375	Gloves, Leather Drivers; Fisherbrand; Regular Grade Top Grain Palm; Ideal for construction, machine operation, utility work, farming, roping, and other general applications; Launderable; Keystone Thumb; Split Elastic Back; Large	Dozen	9374

Cat. No.	Description	Pack	Price in ₹
19071377	Gloves, Leather Drivers; Fisherbrand; Regular Grade Top Grain Palm; Ideal for construction, machine operation, utility work, farming, roping, and other general applications; Launderable; Keystone Thumb; Split Elastic Back; X-Large	Dozen	10239
19075288	Gloves; Inspection; Fisherbrand; Low-lint; Ambidextrous; Stretch nylon; Heavyweight fabric constructed in a full-fashion pattern; Limited heat protection; Men; Large; Blue cuff	Dozen	2082
19075289	Gloves; Inspection; Fisherbrand; Low-lint; Ambidextrous; Stretch nylon; Heavyweight fabric constructed in a full-fashion pattern; Limited heat protection; Women; Red cuff	Dozen	1906
19120757B	Gloves; Knit; Fisherbrand; Synthetic blend; Gray; Blue Hem; Medium; Medium weight; Full fingered; Seamless; Launderable	Dozen	594
19120757C	Gloves; Knit; Fisherbrand; Synthetic blend; Gray; White Hem; Large; Medium weight; Full fingered; Seamless; Launderable	Dozen	594
19120757D	Gloves; Knit; Fisherbrand; Synthetic blend; Gray; Black Hem; X-Large; Medium weight; Full fingered; Seamless; Launderable	Dozen	594
19121383	Gloves; General-purpose work; Fisherbrand; Natural rubber latex-coated palm; Cotton/poly Liner; Coating at palm, fingertips, and thumb crotch; Ergonomic shape; Smooth-textured finish; Size: Women; Hem color: Red	Dozen	1916
1301597A	Gloves, Exam; Fisherbrand; Powder-free; Nitrile; Odor-free; Beaded cuff for easier donning; Latex-free; Nonsterile; Ambidextrous; Length: 9.5 in. (240mm); 6mm (0.23 in.) thickness at fingertip; X-Small	PK	2126
1301597B	Gloves, Exam; Fisherbrand; Powder-free; Nitrile; Odor-free; Beaded cuff for easier donning; Latex-free; Nonsterile; Ambidextrous; Length: 9.5 in. (240mm); 6mm (0.23 in.) thickness at fingertip; Small	PK	2126
1301597C	Gloves, Exam; Fisherbrand; Powder-free; Nitrile; Odor-free; Beaded cuff for easier donning; Latex-free; Nonsterile; Ambidextrous; Length: 9.5 in. (240mm); 6mm (0.23 in.) thickness at fingertip; Medium	PK	2126
1301597D	Gloves, Exam; Fisherbrand; Powder-free; Nitrile; Odor-free; Beaded cuff for easier donning; Latex-free; Nonsterile; Ambidextrous; Length: 9.5 in. (240mm); 6mm (0.23 in.) thickness at fingertip; Large	PK	2126
1301597E	Gloves, Exam; Fisherbrand; Powder-free; Nitrile; Odor-free; Beaded cuff for easier donning; Latex-free; Nonsterile; Ambidextrous; Length: 9.5 in. (240mm); 6mm (0.23 in.) thickness at fingertip; X-Large	PK	2126
1301597F	Gloves, Exam; Fisherbrand; Powder-free; Nitrile; Odor-free; beaded cuff for easier donning; Latex-free; nonsterile; ambidextrous; Length: 9.5 in. (240mm); 6mm (0.23 in.) thickness at fingertip; XX-Large	PK	2126
19816783	Gloves; General-Purpose; Fisherbrand; PVC dotted cotton string knit; Seamless; Single-sided dots; Standard weight; Launderable; Womens universal Size; White hem	Dozen	883
19816799	Gloves, String-Knit Work; Fisherbrand; PVC-Coated; Mens Universal Size; With honeycomb pattern finish; Polyester shell; Orange with brown hem	Dozen	2184
19816818	Gloves; General-Purpose work; Fisherbrand; Nitrile-Coated Palm; Lightweight; Blue nitrile on palm and fingers; Chemical- and cut-resistant; Antibacterial treated cotton interlock liner; 3 in. (8cm) plasticized safety cuff; Medium	Dozen	5399
19816819	Gloves; General-Purpose work; Fisherbrand; Nitrile-Coated Palm; Lightweight; Blue nitrile on palm and fingers; Chemical- and cut-resistant; Antibacterial treated cotton interlock liner; 3 in. (8cm) plasticized safety cuff; Large	Dozen	3543
19816822	Gloves; General-Purpose work; Fisherbrand; Latex-coated textured finish; Jersey liner; Crinkle-textured finish; Cut and liquid resistance; plasticized safety cuff; 3 in. (8cm); Size: Men's	Dozen	5409
19816834	Gloves; Latex chemical resistant; Fisherbrand; Flock-lined; Double-Dipped; Raised-diamond pattern palm/fingers; Dry/wet grip; Perspiration absorbed; Easy on/off; Use housekeeping/maintenance; Straight cuff; 12 in. L; 28mil thick; Large	Dozen	4802
19816901	Gloves; General-purpose work; Fisherbrand; Natural rubber latex-coated palm; Cotton/poly liner; Coating at palm, fingertips, and thumb crotch; Ergonomic shape; Smooth-textured finish; Size: Men; Hem color: brown	Dozen	1916
19816907	Gloves; General-purpose work; Fisherbrand; Natural rubber latex-coated palm; Cotton/poly liner; Coating at palm, fingertips, and thumb crotch; Ergonomic shape; Crinkle-textured finish; Size: Large	Dozen	2728
19816908	Gloves; General-purpose work; Fisherbrand; Natural rubber latex-coated palm; Cotton/poly liner; Coating at palm, fingertips, and thumb crotch; Ergonomic shape; Crinkle-textured finish; Size: Medium	Dozen	2847
19816909	Gloves; General-purpose work; Fisherbrand; Natural rubber latex-coated palm; Cotton/poly liner; Coating at palm, fingertips, and thumb crotch; Ergonomic shape; Crinkle-textured Finish; Size: X-Large	Dozen	2728
19816928	Gloves, String-Knit Work; Fisherbrand; PVC-Coated; Womens Universal Size; With honeycomb pattern finish; Polyester shell; Orange with yellow hem	Dozen	2006
19821566	Gloves; Welding; Fisherbrand; Lined leather; One-piece leather back and welted seams; Men universal size; Sewn with heat-resistant Kevlar thread; Select shoulder grade; Cotton/Foam lining; Reinforced palm; Blue	Dozen	15536
22046555	Dispenser, Glove; Fisherbrand; Acrylic; Free-standing or wall-mountable; Supplied w/reusable foam inserts to assure snug fit; Holds 1 box; Green	EA	10095

# Sterile Range

## STERILE GLOVES

### KIMTECH PURE\* G3 and G5 Sterile Gloves

#### KIMTECH PURE\* G3 Sterile White Nitrile Gloves

(formerly SAFESKIN\* Sterile Critical Nitrile Gloves)

##### Features

- Latex free
- Hand-specific pairs
- Low endotoxin
- Packaged for aseptic donning
- Textured Palm and Fingertips
- Available in 12' length
- Beaded cuff

Recommended for ISO Class 4 or higher clean room environments



STERILE

AQL  
1.5

DOUBLE  
BAGGED  
With Case Liner

#### KIMTECH PURE\* G3 Sterile Latex† Gloves

(formerly SAFESKIN\* Sterile Critical Latex† Gloves)

##### Features

- Natural rubber latex†
- Hand-specific pairs
- Low protein and endotoxin
- Packaged for aseptic donning
- Available in 12" length
- Beaded cuff

Recommended for ISO Class 4 or higher clean room environments



STERILE

AQL  
1.5

DOUBLE  
BAGGED  
With Case Liner

**KIMTECH**  
PURE\* BRAND

Packaged in a Class 100 Clean room

Description	6.0	6.5	7.0	7.5	8.0	8.5	9.0	10.0	Colour	Total/Case
KIMTECH PURE* G3 Sterile White Nitrile Gloves 12" Hand-Specific Pairs <small>formerly coded</small>	56888 HC 61160	56889 HC 61165	56890 HC 61170	56891 HC 61175	56892 HC 61180	56893 HC 61185	56894 HC 61190	56887 HC 61110	○	200 Pairs
KIMTECH PURE* G3 Sterile Latex† Gloves 12" Hand-Specific Pairs <small>formerly coded</small>	56843 HC 1360S	56844 HC 1365S	56845 HC 1370S	56846 HC 1375S	56847 HC 1380S	56848 HC 1385S	56849 HC 1390S	56842 HC 1310S	●	200 Pairs

† CAUTION: This product contains Natural Rubber Latex which may cause allergic reactions.

# Sterile Range

## KIMTECH PURE\* G3 Sterile STERLING\* Nitrile Gloves

Our KIMTECH PURE\* G3 Sterile STERLING\* Nitrile Gloves are Engineered for Protection and Designed for Comfort. When double-donned, the G3 Sterile STERLING\* Provides the Feel and dexterity of a single glove without the risk of Type 1 latex allergic reactions.

### Features

- Latex-Free
- Hand-specific pairs
- Static dissipative in use
- 3.9 mil thickness
- Packaged for Aseptic donning
- Beaded cuff
- Available in 12" length
- Walleted and pouched in polyethylene

Recommended for ISO class 4 or higher clean room environments



## KIMTECH PURE\* G5 Sterile Latex† Gloves

(formerly SAFESKIN\* Sterile Controlled Latex† Gloves)



### Features

- Natural rubber Latex†
- Hand-specific pairs
- Packaged for aseptic donning
- Textured Palm and Fingertips
- Available in 12" length
- Ideal for double donning

Recommended for ISO class 5 or higher clean room environments



Packaged in a Class 100 Clean room

Description	6	6.5	7	7.5	8	8.5	9	10	Colour	Total/Case
KIMTECH PURE* G3 Sterile STERLING* Nitrile Gloves - 12"	11821	11822	11823	11824	11825	11826	11827	11828		300
KIMTECH PURE* G5 Sterile Latex† Gloves 12" Hand-Specific Pairs <small>formerly coded</small>	56851 HC 1160S	56852 HC 1165S	56853 HC 1170S	56854 HC 1175S	56855 HC 1180S	56856 HC 1185S	56857 HC 1190S	56850 HC 1110S		200 Pairs

† CAUTION: This product contains Natural Rubber Latex which may cause allergic reactions.



Cat. No.	Description	Pack	Price in ₹
22046556	Dispenser, Glove; Fisherbrand; Acrylic; Free-standing or wall-mountable; Supplied w/reusable foam inserts to assure snug fit; Holds two boxes; Red	EA	11249
22046557	Dispenser, Glove; Fisherbrand; Acrylic; Free-standing or wall-mountable; Supplied w/reusable foam inserts to assure snug fit; Holds two boxes; Green	EA	11249
22046558	Dispenser, Glove; Fisherbrand; Acrylic; Free-standing or wall-mountable; Supplied w/reusable foam inserts to assure snug fit; Holds 3 boxes; Red	EA	12691
22046559	Dispenser, Glove; Fisherbrand; Acrylic; Free-standing or wall-mountable; Supplied w/reusable foam inserts to assure snug fit; Holds 3 boxes; Green	EA	12691
FB51953	Gloves, latex, Aloe vera, small, EN 374: 2003 (AQL 1.5), Fisherbrand	Pack of 100	1806
FB51955	Gloves, latex, Aloe vera, medium, EN 374: 2003 (AQL 1.5), Fisherbrand	Pack of 100	1806
FB51957	Gloves Aloe Vera disposable examination powder free non sterile latex textured surface for grip when wet natural large L Fisherbrand	Pack of 100	1806
FB51959	Gloves Aloe Vera disposable examination powder free non sterile latex textured surface for grip when wet natural extra large XL Fisherbrand	Pack of 100	1806
FB51963	Gloves, Aloe vera, powder free, nitrile, green, small, box of 100	Pack of 100	2069
FB51965	Gloves, nitrile, Aloe vera, medium, pack of 100, Fisherbrand	Pack of 100	2069
FB51967	Gloves, nitrile, Aloe vera, large, pack of 100, Fisherbrand	Pack of 100	2069
FB51969	Gloves Aloe Vera disposable examination powder free non sterile nitrile textured surface for grip when wet mint green extra large XL Fisherbrand	Pack of 100	2069
FB69260	Gloves disposable examination powder free non sterile nitrile purple 250mm length extra extra small XXS Fisherbrand	Pack of 100	1840
FB69261	Gloves disposable examination powder free non sterile nitrile purple 250mm length extra small XS Fisherbrand	Pack of 100	1840
FB69262	Gloves disposable examination powder free non sterile nitrile purple 250mm length small S Fisherbrand	Pack of 100	1840
FB69263	Gloves disposable examination powder free non sterile nitrile purple 250mm length medium M Fisherbrand	Pack of 100	1840
FB69264	Gloves disposable examination powder free non sterile nitrile purple 250mm length large L Fisherbrand	Pack of 100	1840
FB69265	Gloves disposable examination powder free non sterile nitrile purple 250mm length extra large XL Fisherbrand	Pack of 100	1840
FB69290	Gloves EP disposable examination powder free non sterile nitrile extra protection purple 300mm length extra extra small XXS Fisherbrand	Pack of 50	1399
FB69291	Gloves EP disposable examination powder free non sterile nitrile extra protection purple 300mm length extra small XS Fisherbrand	Pack of 50	1399
FB69292	Gloves EP disposable examination powder free non sterile nitrile extra protection purple 300mm length small S Fisherbrand	Pack of 50	1399
FB69293	Gloves EP disposable examination powder free non sterile nitrile extra protection purple 300mm length medium M Fisherbrand	Pack of 50	1399
FB69294	Gloves EP disposable examination powder free non sterile nitrile extra protection purple 300mm length large L Fisherbrand	Pack of 50	1399
FB69295	Gloves EP disposable examination powder free non sterile nitrile extra protection purple 300mm length extra large XL Fisherbrand	Pack of 50	1399
LSG781633	LabServ NonsterilePowderFree Nitrile Exam.Gloves-S	Pack of 1000	6,548.00
LSG781635	LabServ NonsterilePowderfree Nitrile Exam Gloves-M	Pack of 1000	6,548.00
LSG781637	LabServ Nonsterile Powderfree NitrileExam Gloves-L	Pack of 1000	6,548.00
HC 1360S	KIMTECH PURE* G3 Sterile Latex Gloves 12" HS size 6 (S)	200 pairs	23120
HC1370S	KIMTECH PURE* G3 Sterile Latex Gloves 12" HS size 7 (M)	200 pairs	23120
HC1380S	KIMTECH PURE* G3 Sterile Latex Gloves 12" HS size 8 (L)	200 pairs	23120
HC1160SE	KIMTECH PURE* G5 Sterile Latex Gloves 12" HS size 6 (S)	200 pairs	22440
HC1170SE	KIMTECH PURE* G5 Sterile Latex Gloves 12" HS size 7 (M)	200 pairs	22440
HC1180SE	KIMTECH PURE* G5 Sterile Latex Gloves 12" HS size 6 (L)	200 pairs	22440
53138E	KIMBERLY-CLARK* STERLING* NITRILE-XTRA* Exam Gloves 12" Ambi- small	1000 pieces	12750
53139E	KIMBERLY-CLARK* STERLING* NITRILE-XTRA* Exam Gloves 12" Ambi- medium	1000 pieces	12750
53140E	KIMBERLY-CLARK* STERLING* NITRILE-XTRA* Exam Gloves 12" Ambi- large	1000 pieces	12750
FH03040	KIMBERLY-CLARK* PURPLE NITRILE* Exam Gloves 9.5" Ambi	1000 pieces	8075
FH03031	KIMBERLY-CLARK* PURPLE NITRILE* Exam Gloves 9.5" Ambi	1000 pieces	8075
FH03041	KIMBERLY-CLARK* PURPLE NITRILE* Exam Gloves 9.5" Ambi	1000 pieces	8075

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
FH03042	KIMBERLY-CLARK* PURPLE NITRILE-XTRA* Nitrile Exam Gloves 12" Ambi	500 pieces	6656
FH03043	KIMBERLY-CLARK* PURPLE NITRILE-XTRA* Nitrile Exam Gloves 12" Ambi	500 pieces	6656
FH03044	KIMBERLY-CLARK* PURPLE NITRILE-XTRA* Nitrile Exam Gloves 12" Ambi	500 pieces	6656
FH50604	KIMBERLY-CLARK* PURPLE NITRILE-XTRA* Nitrile Exam Gloves 12" Ambi	500 pieces	6656
<b>Hairnets</b>			
19060225	Hairnets; Heavyweight; Black; Nylon; Diameter: 20 in.; Fisherbrand	PK	5606
19060226	Fisherbrand™ Heavyweight Nylon HairnetsDiameter: 24 in.; Color: Black	CS	57110
19060227	Fisherbrand™ Heavyweight Nylon HairnetsDiameter: 18 in.; Color: White	PK	4415
19060229	Fisherbrand™ Heavyweight Nylon HairnetsDiameter: 21 in.; Color: White	PK	5105
19060230	Fisherbrand™ Heavyweight Nylon HairnetsDiameter: 24 in.; Color: White	PK	5624
19060235	Fisherbrand™ Heavyweight Nylon HairnetsDiameter: 24 in.; Color: Brown	PK	5624
19060237	Fisherbrand™ Heavyweight Nylon HairnetsDiameter: 28 in.; Color: White	PK	7211
19060256	Fisherbrand™ Heavyweight Nylon HairnetsDiameter: 20 in.; Color: White	PK	4917
19060273	Fisherbrand™ Heavyweight Nylon HairnetsDiameter: 20 in.; Color: Brown	PK	4911
19060275	Fisherbrand™ Heavyweight Nylon HairnetsDiameter: 24 in. ; Color: Blue	PK	6102
<b>Mask</b>			
01378	Facemask; BCR; 3-layer construction; Ultrasonic bonded; Fully enclosed nosepiece; Individually packaged; Non-shedding polyurethane earloops; Width: 180mm	PK	5415
0136192	Facemask, With Polyfiltration Medium; Three-ply; Fisherbrand; Bacterial filtration exceeds 92% at 1.0 micron	CS	9116
18960A	Facemasks; With Earloops and Clip; Fisherbrand; Thin middle layer of meltblown polypropylene filter media lies between spunbonded polypropylene layers ultrasonically welded to reduce particle generation; Filtration efficiency is 99%	CS	18900
18960B	Facemask; Fisherbrand; With earloops; Thin middle layer of meltblown polypropylene filter media lies between spunbonded polypropylene inner and blue layers ultrasonically welded to reduce particle generation; Filtration efficiency is 99%	CS	10819
18960C	Facemask; Fisherbrand; With Ties; Thin middle layer of meltblown polypropylene filter media lies between spunbonded polypropylene inner and outer layers ultrasonically welded to reduce particle generation; Filtration efficiency is 99%	CS	7168
<b>Respiratory Protection</b>			
FH64230	JACKSON SAFETY* R10 Respiratory Protection – N95 /FFP1	08 x 20 = 160 nos.	6616
FH64260	JACKSON SAFETY* R10 Respiratory Protection - DualValve&Comfort Straps	08 x 10 = 80 nos.	8167
FH64420	JACKSON SAFETY* R20 Respiratory Protection – P95	08 x 10 = 80 nos.	8235
<b>Shoe Covers</b>			
19098921	Cover, Shoe; Fisherbrand; Polypropylene; Type: Without Nonskid Surface; Size: Regular	PK	1985
19098922	Shoe Covers; Polypropylene; Fisherbrand; Type: Without Nonskid Surface; Size: X-Large	PK	1985
19098923	Shoe Covers; Polypropylene; Fisherbrand; Type: With Nonskid Surface; Size: Regular	PK	2330
19098924	Shoe Covers; Polypropylene; Fisherbrand; Type: With Nonskid Surface; Size: X-Large	PK	2330
19098925	Covers, Shoe; Fisherbrand; Polypropylene; Conductive carbon strip; Blue; Size: Regular	PK	4034
19098926	Covers, Shoe; Fisherbrand; Polypropylene; Conductive carbon strip; Blue; Size: X-Large	PK	4034
19098927	Cover, Shoe; Fisherbrand; Constructed of blue polylatex fabric; Durable; Skid resistant; Zero particulate; Repels liquids; Elastic ankle; Seamed bottom; Size: Regular	PK	2766
19098928	Cover, Shoe; Fisherbrand; Constructed of blue polylatex fabric; Durable; Skid resistant; Zero particulate; Repels liquids; Elastic ankle; Seamless bottom; Size: Regular	PK	2766
19098929	Cover, Shoe; Fisherbrand; Constructed of blue polylatex fabric; Durable; Skid resistant; Zero particulate; Repels liquids; Elastic ankle; Seamed bottom; Size: X-Large	PK	2766
19098930	Shoe Cover; Fisherbrand; Polylatex; Size: X-Large; Style: Seamless bottom	PK	2766
19098931	Shoe Cover; Fisherbrand; Nonskid; Fluid impervious; Antistatic; Elastic seamed bottom; Regular	PK	4106
19098932	Shoe Cover; Fisherbrand; Nonskid; Fluid impervious; Antistatic; Elastic seamed bottom; X-Large size	CS	15043
19098933	Shoe Cover; Fisherbrand; Nonskid, Fluid impervious, Antistatic, Seamless bottom, X-Large size; Pair	CS	12324
19098934	Sleeves; Fisherbrand; Polylatex; Elastic cuffs; Length: 18 in. (46cm); Blue	CS	8738
19120870	Shoe Cover; Standard Weight; Fisherbrand; 100% virgin spunbonded, non-linting polypropylene; Trimmed in elastic for an adjustable snug fit; Nonskid bottom; Medium	PK	1702

# Respirators



## Respirators

You need to protect your people from your process and your process from worker contamination. Exposure to chemicals and other harmful contacts can cause physical damage. Trust us for your employees' safety with JACKSON SAFETY\* Brand Respirators. Our respirators and eye wear deliver comfort, protection and performance for all day wear.

**JACKSON\***  
SAFETY Brand

# Respirators

## JACKSON SAFETY\* Respirators

### R10 N95/ FFP1 NR Particulate Respirator

#### Dual Valved

##### Features

- Dual valves designed to maximize warm and humid airflow away from the face and help reduce fogging on eye wear
- Color-coded blue for easy distinction of performance level(N95/FFP1)
- NIOSH N95 and EN FFP1 approved
- Comfort straps



### R10 N95/ FFP1 Respirator

#### Unvalved

##### Features

- Colour-coded for easy distinction of performance level (N95/FFP1)
- NIOSH N95 and EN FFP1 approved



### R20 P95 Particulate Respirator

#### Valved

##### Features

- Colour-coded yellow for easy distinction of performance level
- Exhalation valve designed for heat and moisture reduction to provide enhanced comfort
- NIOSH N95 approved. Recommended for more than 8 hours of use



**JACKSON\***  
SAFETY Brand

Description	Code	Color	Case Contents
JACKSON SAFETY* R10 N95 / FFP1 NR Respirator Dual Valved with comfort strap	64260	Blue	8 X  X 10  = 80
JACKSON SAFETY* R10 N95 / FFP1 NR Respirator Unvalved	64230	Blue	8 X  X 20  = 160
JACKSON SAFETY* R20 P95 Particulate Respirator Valved	64420	Yellow	8 X  X 10  = 80

**Did You Know?** Particles exiting the nasal passages have been clocked at more than 100 miles per hour.

Cat. No.	Description	Pack	Price in ₹
19120871	Shoe Cover; Standard Weight; Fisherbrand; 100% virgin spunbonded, non-linting polypropylene trimmed in elastic for an adjustable snug fit; Nonskid bottom; Large	PK	1702
191300080	Shoe Cover; Fisherbrand; Nonskid; Fluid impervious; Antistatic; Seamless bottom; Regular size; Pair	CS	12324
191302071	Shoe Cover; Standard Weight; Fisherbrand; 100% virgin spunbonded, non-linting polypropylene; Trimmed in elastic for an adjustable snug fit; Nonskid bottom; X-Large	CS	6993
<b>Safety - General</b>			
FBA11995	Paper, Lens cleaning; Fisherbrand; Booklet; Will not scratch glass; Lint-free; 6L x 8 in. W (15.2 x 20.3cm); Sheets per book: 100	PK	3606
FBA11996	Paper, Lens cleaning; Fisherbrand; Booklet; Will not scratch glass; Lint-free; 4L x 6 in. W (10.1 x 15.2cm); Sheets per book: 50	PK	1447
FBA11997	Dispenser, Lens Paper; Fisherbrand; For 11995, -6; Dimensions: 5L x 7 in. W (12.7 x 17.7cm)	PK	2137
1200913	Box, Beta Storage; Fisherbrand; Holds 2 tubes side-by-side; 3/8 in. thick acrylic; Removable lid; L x W x H: 9 x 6 x 7 in.	EA	15256
1200944B	Box, Beta Waste; Fisherbrand; 3/8 in. thick acrylic; Removable lid; 12L x 12W x 24 in.H; Stationary	EA	54480
1200944C	Box, Beta Waste; Fisherbrand; 3/8 in. thick acrylic; Removable lid; 12L x 12W x 24 in.H; Mobile with 4 casters	EA	61686
1200945	Box, Beta Storage; Fisherbrand; 3/8 in. thick acrylic; Hinged lid; 4 casters for mobility; L x W x H: 20 x 20 x 28 in.	EA	102434
1200948B	Box Type: For 48-place box; Tube Size: For 0.5mL tubes	EA	3684
1376152	Sponge, Gauze; Fisherbrand; Nonsterile; U.S.P Type VII gauze; Made of 100% cotton; Cut edges folded in; Provide bulk, loft, and high absorption; 12-ply; Dimensions: 4 x 4 in.; 200/Pk.	PK	1129
172061B	Bag; Fisherbrand; Particulate; Universal Sorbent; Polypropylene; Size: 24 lb. (10.8kg); Sorbing Capacity: 46 gal. (174.2L)	EA	5769
172062B	Sock; Fisherbrand; Universal Sorbent; Polypropylene; Nonwoven Polyester Blend Casing; Size: 46L x 3 in.W; Sorbing Capacity: 23 gal. (87L)	CS	5248
172151A	Roll; Oil Sorbent; Fisherbrand; Water-Repellent, Nonwoven Polypropylene; Can Be Trimmed to Fit Specific Spaces; Size: 150 ft.L x 32 in.W (61m x 81.3cm); Sorbing Capacity: 78 gal. (295.3L)	EA	10232
172152A	Boom, Oil Sorbent; Fisherbrand; Water-Repellent, Nonwoven Polypropylene; Float on Surface to Selectively Remove Hydrocarbons; Size: 10 ft.L x 8 in.W (3m x 20.3cm); Sorbing Capacity: 70 gal. (265L)	PK	15211
172153	Pillow; Oil Sorbent; Fisherbrand; Water-Repellent, Nonwoven Polypropylene; Can be Placed Directly on Spills; Size: 18 in.L x 18 in.W (45.7 x 45.7cm); Sorbing Capacity: 22 gal. (83.3L)	CS	8024
172154	Bag; Oil Sorbent; Fisherbrand; Particulate; Polypropylene; Size: 24 lb. (10.9kg); Sorbing Capacity: 58 gal. (219.6L)	EA	7994
172156A	Sock; Water-Repellent, Nonwoven Polypropylene; Can be Placed Directly on Spills; Size: 48L x 3 in.W (122 x 7.6cm); Sorbing Capacity: 23 gal. (87L)	CS	6350
17215B	Pad; Oil Sorbent; NPS; Spilfyter; Oil-only absorbent; Absorbs any oil or hydrocarbon; Center perfed; Double weight; Size: 18L x 16 in.W (45.72L x 40.64cm W); Wt.: 17 lb. (7.7kg)	CS	7284
17215C	Sock; Oil Sorbent; Fisherbrand; Water-Repellent, Nonwoven Polypropylene; Single weight; Can Be Trimmed to Fit Specific Spaces; Size: 16L x 18 in.W; 3/16 in. thick; Premium; Sorbing Capacity: 25 gal. (94.6L)	CS	7977
17215D	Sock; Oil Sorbent; Fisherbrand; Water-Repellent, Nonwoven Polypropylene; Double weight; Can Be Trimmed to Fit Specific Spaces; Size: 16L x 18 in.W (40.6 x 45.7cm); Sorbing Capacity: 6 gal. (22.7L)	CS	1790
17985128	Drum Kit; Fisherbrand; Chemical Spill; 5 Socks; 2 Absorbent Wipes; 2 Disposal Bags with Ties; 2 Shaker Cartons of Sorbent; Sorbing Capacity Range: 4 to 7 gal. (15.1 to 26.5L); Drum Size: 6 gal. (22.7L)	EA	8010
17987421	Shield, Splash; Fisherbrand; Made from 1/4 in. thick (0.6cm) clear acrylic; Lower end of shield: 12 in.W (30.5cm); Nonskid feet	EA	12460
18061A	Kit, Clean-Up; Acid Spill; Fisherbrand; One-time use; Sorbing Capacity: 1/4 gal.; 19 L x 7-1/2 W x 11 in. H; Neutralizes and absorbs; Packaged in durable, water-resistant case carton w/ instructions and pictograms inside lid	EA	70140
18061B	Kit, Clean-Up; Fisherbrand Flammable-Solvent; Fisherbrand; One-time use; Sorbing Capacity: 1 gal.; 19 L x 7.5 W x 11 in. H; Includes: Two 5 lb. containers of absorbent; 1 zipper-lock plastic disposal bag with write-on labels	EA	69413
18061C	Kit, Clean-Up; Fisherbrand; Caustic Spill; One-time use; Sorbing Capacity: 1/4 gal. (1L); 19 L x 7-1/2 W x 11 in. H; Includes: One 83/4 lb. carton neutralizer, one 5 lb. container of absorbent; 1 zipper-lock disposal bag; Primary CAS: 13	EA	75515

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
19034155	Pad; Fisherbrand; Universal Sorbent; Polypropylene; Double weight; Resist tearing and sticking; Size: 16ft.L x 18 in.W (40.6 x 45.7cm); Sorbing Capacity: 27 gal. (102.2L)	CS	7767
19034156	Roll; Fisherbrand; Universal Sorbent; Polypropylene; Double weight; Resist tearing and sticking; Size: 150 ft.L x 32 in.W (45.7m x 81.3cm); Sorbing capacity: 54 gal. (204.4L)	CS	15945
19034157	Pillow; Fisherbrand; Universal Sorbent; Polypropylene; Chemical Resistant, Nonwoven Polyester Blend; Size: 17L x 8 in.W (43.8 x 20.3cm); Sorbing Capacity: 8 gal. (30.2L)	CS	7416
19034159	Spill Kits, Chemical; Fisherbrand; Mini; Each Case Includes Six Kits; Total Sorbing Capacity per Case: 11/2 to 21/2 gal. (5.7 to 9.5L); Sorbing Capacity per Kit: 1/2 to 0.4 gal. (0.8 to 1.5L)	CS	16307
19034968	Cabinet, Chemical spill; Fisherbrand; Portable or wall mounted; Contains 5 universal pillows, 6 lab pillows, 2 disposable bags with twist ties, 1 pair of chemical-resistant gloves, 1 Whisk-on-pan, 1 poly apron, 1 pair of splash goggles	EA	25023
19034969	Drum Kit; Fisherbrand; Chemical Spill; 11 Socks; 20 Pillows; 50 Absorbent wipes; 10 Disposal bags with ties; 25 lb. (11.3kg) Bag of sorbent; Sorbing capacity range: 43 to 73 gal. (162.7 to 276.3L); Drum Size: 95 gal. (359.5L)	EA	67683
19034972	Roll; Oil Sorbent; Fisherbrand; Water-Repellent, Nonwoven polypropylene; Can be trimmed to fit specific spaces; Size: 150 ft.L x 32 in.W (45.7m x 81.3cm); Sorbing capacity: 55 gal. (208.2L)	PK	13549
19039126	Pad; Oil Sorbent; NPS; Spillfyer; Oil-only absorbent; Absorbs any oil or hydrocarbon; Center perfed; Medium weight; Size: 18L x 16 in.W (45.72L x 40.64cm W); Wt.: 13 lb. (6kg)	CS	5792
19051753	Pad; HazMat; Fisherbrand; Yellow; 12 x 12 in.	CS	4296
19052059	Sock; Universal; Fisherbrand; Corn Cob; Spill Control Sorbent; Size: 3 in. x 4 ft.	CS	11018
191500470	Eyewash, Faucet-Mount; Fisherbrand; Mounts to botstandard and gooseneck faucets; One-step activation; Supplied w/faucet adapter that replaces aerator, universal identification sign, inspection tag, and full one-year warranty	EA	11058
19268409	Paper, Lens Cleaning; Fisherbrand; Bibulous; Lint free; 4 x 6 in. sheets; 50 sheets/booklet	PK	3259
19268433	Paper, Lens Cleaning; Fisherbrand; Crystal Lens; Lint free; 4 x 6 in. sheets; 100 sheets/booklet	PK	3577
19268474	Paper, Lens Cleaning; Fisherbrand; Crystal Lens; Lint free; 9 x 12 in. sheets; 100 sheets/booklet	PK	1102
19460101	Faceshield, Mid-Face; Fisherbrand; Optically clear, distortion-free 7mil film; Stretch strap and a latex-free, hypoallergenic foam band	PK	5277
19460102	Faceshield, Full; Fisherbrand; Optically clear, distortion-free 7mil film; Stretch strap; Latex-free, hypoallergenic foam band	PK	5396
19819425	Boom, Oil Sorbent; Fisherbrand; Multilayer fine polypropylene fibers; White fish-netting sleeve; Hooks to link together more booms; 10 ft.L x 5 in.W (3m x 12.7cm); 4/bag	PK	16201
19819468	Boom, Oil Sorbent; Fisherbrand; Multilayer fine polypropylene fibers; White fish-netting sleeve; Hooks to link together more booms; 10 ft.L x 8 in.W (3m x 20.3cm); 4/bag	PK	18428
22246069	Sponge, Gauze; Fisherbrand; Absorbent woven cotton; 4-Ply; 4 x 4 in.	CS	12470
22270301	Bandages, Wrap; Fisherbrand; Cohesive; nonslip support; Dark Blue; 1 in. width; 5 yds. long; Excellent pressure bandage without cutting off circulation	CS	3664
22270302	Bandages, Wrap; Fisherbrand; Cohesive; nonslip support; Light Blue; 1 in. width; 5 yds. long; Excellent pressure bandage without cutting off circulation	CS	3664
22270303	Bandages, Wrap; Fisherbrand; Cohesive; nonslip support; Green; 1 in. width; 5 yds. long; Excellent pressure bandage without cutting off circulation	CS	3664
22270304	Bandages, Wrap; Fisherbrand; Cohesive; nonslip support; Neon Green; 1 in. width; 5 yds. long; Excellent pressure bandage without cutting off circulation	CS	3664
22270305	Bandages, Wrap; Fisherbrand; Cohesive; nonslip support; Neon Pink; 1 in. width; 5 yds. long; Excellent pressure bandage without cutting off circulation	CS	3664
22270306	Bandages, Wrap; Fisherbrand; Cohesive; nonslip support; Purple; 1 in. width; 5 yds. long; Excellent pressure bandage without cutting off circulation	CS	3664
22270307	Bandages, Wrap; Fisherbrand; Cohesive; nonslip support; Red; 1 in. width; 5 yds. long; Excellent pressure bandage without cutting off circulation	CS	3664
22270308	Bandages, Wrap; Fisherbrand; Cohesive; nonslip support; Tan; 1 in. width; 5 yds. long; Excellent pressure bandage without cutting off circulation	CS	3664
22270309	Bandages, Wrap; Fisherbrand; Cohesive; nonslip support; White; 1 in. width; 5 yds. long; Excellent pressure bandage without cutting off circulation	CS	4400
22270310	Bandages, Wrap; Fisherbrand; Cohesive; nonslip support; Multi-Color; 5 rolls; 1 in. width; 5 yds. long; Excellent pressure bandage without cutting off circulation	CS	3664
22270312	Bandages, Wrap; Fisherbrand; Cohesive; 2 in. width; nonslip support; Black; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7094

Cat. No.	Description	Pack	Price in ₹
22270313	Bandages, Wrap; Fisherbrand; Cohesive; 2 in. width; nonslip support; Dark Blue; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7094
22270314	Bandages, Wrap; Fisherbrand; Cohesive; 2 in. width; nonslip support; Light Blue; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7094
22270315	Bandages, Wrap; Fisherbrand; Cohesive; 2 in. width; nonslip support; Green; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7094
22270316	Bandages, Wrap; Fisherbrand; Cohesive; 2 in. width; nonslip support; Neon Green; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7094
22270317	Bandages, Wrap; Fisherbrand; Cohesive; 2 in. width; nonslip support; Neon Pink; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	6926
22270318	Bandages, Wrap; Fisherbrand; Cohesive; 2 in. width; nonslip support; Purple; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7094
22270319	Bandages, Wrap; Fisherbrand; Cohesive; 2 in. width; nonslip support; Red; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7094
22270320	Bandages, Wrap; Fisherbrand; Cohesive; 2 in. width; nonslip support; Tan; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7094
22270321	Bandages, Wrap; Fisherbrand; Cohesive; 2 in. width; nonslip support; Teal; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7094
22270323	Bandages, Wrap; Fisherbrand; Cohesive; 2 in. width; nonslip support; Yellow; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7094
22270324	Bandages, Wrap; Fisherbrand; Cohesive; 2 in. width; nonslip support; Multi; 6 rolls; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7094
22270326	Bandages, Wrap; Fisherbrand; Cohesive; 3 in. width; nonslip support; Tan; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	6417
22270327	Bandages, Wrap; Fisherbrand; Cohesive; 3 in. width; nonslip support; White; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	6417
22270328	Bandages, Wrap; Fisherbrand; Cohesive; 3 in. width; nonslip support; Multi; 4 rolls; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	6417
22270329	Bandages, Wrap; Fisherbrand; Cohesive; 4 in. width; nonslip support; Purple; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	5192
22270330	Bandages, Wrap; Fisherbrand; Cohesive; 4 in. width; nonslip support; Multi; 3 rolls; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	5241
22270332	Bandages, Wrap; Cohesive; 1-1/2 in. width; nonslip support; Dark Blue; 5 yds.; Excellent pressure bandage without cutting off circulation; Fisherbrand	CS	7535
22270333	Bandages, Wrap; Fisherbrand; Cohesive; 1-1/2 in. width; nonslip support; Neon Green; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7535
22270335	Bandages, Wrap; Fisherbrand; Cohesive; 1-1/2 in. width; nonslip support; Purple; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7535
22270336	Bandages, Wrap; Fisherbrand; Cohesive; 1-1/2 in. width; nonslip support; Red; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7535
22270337	Bandages, Wrap; Fisherbrand; Cohesive; 1-1/2 in. width; nonslip support; Tan; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7535
22270338	Bandages, Wrap; Fisherbrand; Cohesive; 1-1/2 in. width; nonslip support; White; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7535
22270339	Bandages, Wrap; Fisherbrand; Cohesive; 1-1/2 in. width; nonslip support; Multi; 8 rolls; 5 yds.; Excellent pressure bandage without cutting off circulation	CS	7535
22362178	Sponge, Gauze; Fisherbrand; Nonsterile; U.S.P. Type VII gauze; Made of 100% cotton; Cut edges folded in; Provide bulk, loft, and high absorption; 12-ply; Dimensions: 2 x 2 in.; 200/Pk.	PK	352
22363100	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1 in. (2.5cm) W x 5 yd. (4.6m) L; Tan	CS	4410
22363101	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1 in. (2.5cm) W x 5 yd. (4.6m) L; Blue	CS	4410
22363102	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1 in. (2.5cm) W x 5 yd. (4.6m) L; Purple	CS	4478
22363103	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1 in. (2.5cm) W x 5 yd. (4.6m) L; Assorted colors	CS	4410
22363104	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1 in. (2.5cm) W x 5 yd. (4.6m) L; Pink	CS	4410
22363105	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1 in. (2.5cm) W x 5 yd. (4.6m) L; White	CS	4410
22363106	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1 in. (2.5cm) W x 5 yd. (4.6m) L; Red	CS	4410
22363107	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1 in. (2.5cm) W x 5 yd. (4.6m) L; Green	CS	4410
22363111	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1-1/2 in. (3.8cm) W x 5 yd. (4.6m) L; Tan	CS	9394


Cat. No.	Description	Pack	Price in ₹
22363112	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1-1/2 in. (3.8cm) W x 5 yd. (4.6m) L; Blue	CS	9493
22363113	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1-1/2 in. (3.8cm) W x 5 yd. (4.6m) L; Purple	CS	9394
22363114	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1-1/2 in. (3.8cm) W x 5 yd. (4.6m) L; Assorted colors	CS	9540
22363115	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1-1/2 in. (3.8cm) W x 5 yd. (4.6m) L; Pink	CS	10997
22363116	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1-1/2 in. (3.8cm) W x 5 yd. (4.6m) L; White	CS	9394
22363117	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1-1/2 in. (3.8cm) W x 5 yd. (4.6m) L; Red	CS	9394
22363118	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 1-1/2 in. (3.8cm) W x 5 yd. (4.6m) L; Green	CS	9394
22363122	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 2 in. (5.1cm) W x 5 yd. (4.6m) L; Tan	CS	9625
22363123	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 2 in. (5.1cm) W x 5 yd. (4.6m) L; Blue	CS	9625
22363124	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 2 in. (5.1cm) W x 5 yd. (4.6m) L; Purple	CS	9625
22363125	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 2 in. (5.1cm) W x 5 yd. (4.6m) L; Assorted colors	CS	9625
22363126	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 2 in. (5.1cm) W x 5 yd. (4.6m) L; Pink	CS	9625
22363127	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 2 in. (5.1cm) W x 5 yd. (4.6m) L; White	CS	9625
22363128	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 2 in. (5.1cm) W x 5 yd. (4.6m) L; Red	CS	9625
22363134	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 3 in. (7.6cm) W x 5 yd. (4.6m) L; Tan	CS	7799
22363135	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 3 in. (7.6cm) W x 5 yd. (4.6m) L; Blue	CS	7799
22363136	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 3 in. (7.6cm) W x 5 yd. (4.6m) L; Purple	CS	7799
22363137	Bandage, Flexible; Fisherbrand; Latex-free; Cohesive; 5 yd. L x 3 in. W (4.6m x 7.6cm); Assorted colors	CS	7799
22363145	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 4 in. (10cm) W x 5 yd. (4.6m) L; Tan	CS	8509
22363146	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 4 in. (10cm) W x 5 yd. (4.6m) L; Blue	CS	7141
22363147	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 4 in. (10cm) W x 5 yd. (4.6m) L; Assorted colors	CS	7141
22363148	Bandage; Latex-Free; Cohesive; Flexible; Fisherbrand; 4 in. (10cm) W x 5 yd. (4.6m) L; Red	CS	8433
22415468	Gauze Pad; Fisherbrand; Absorbent woven cotton; Sterile; 12-Ply; 3 x 3 in.	PK	1402
22415469	Sponge, Gauze; Fisherbrand; Sterile; U.S.P. Type VII gauze; Made of 100% cotton; Cut edges folded in; Provide bulk, loft, and high absorption; 12-ply; Dimensions: 4 x 4 in.; 200/Pk.	PK	1669
SD1400249	Fisherbrand nonsterile gauze sponge, 12 Ply, 3 x 3 in.	PK	1951
SD1400250	Fisherbrand nonsterile gauze sponge, 8 Ply 4 x 4 in.	PK	2224
1798797B	Fisher Safety* Kit, First Aid; Stocked with standard items from major manufacturers; Contents are individually packaged and color coded for easy identification, even in dimly lit areas; 9-1/2L x 6-3/4W x 2-5/8 in.H; Kit Size: 16	EA	7612
19003127	Fisherbrand* DeciDamp2* Ear Plugs, Uncorded; Cellophane sealed pouches in dispenser box; Lightweight; Disposable; NRR29dB; Nontoxic, nonirritating PVC foam; ANSI S3.19-1974	Pack of 200	3558
1002110	Fisherbrand* Kit, First Aid; Unitized; For five people; Carrying handles for portability; Color-coded cartons for individual sealed unit dose	EA	106905
FBBT1FIS	FisherBiotech* Shield, Radiation; Beta Radiation; Safety Shield, 1/2 in. Acrylic; Upright; Allows Full View of Work, 6L x 12W x 18 1/2 in.H	EA	14492
FBBT2FIS	FisherBiotech* Shield, Radiation; Beta Radiation Safety Shield, 1/2 in. Acrylic, Angled w/Base, Allows Full View of Work, 63/8L x 12W x 18 in.Ha	EA	14760
FB13064	Joseph sheet 500mm x 350mm Fisherbrand	Pack of 800	5967
FB13065	Joseph sheet 150mm x 150mm Fisherbrand	Pack of 200	548
FB13066	Lens cleaning tissues 80mm x 100mm Fisherbrand	50 Sheets	303
FB13067	Lens cleaning tissues 95mm x 135mm Fisherbrand	50 Sheets	343
FB13068	Surface protection bench protectors 570mm x 460mm Fisherbrand	100 Sheets	7161
FB13069	Surface protection bench protectors 460mm x 50 m Fisherbrand	EA	9041
FB65319	Lens cleaning tissue in booklets of 25 sheets 150mm x 100mm Fisherbrand	Pack of 625	5271
<b>Safety - Radiation</b>			
FB58369	Radiation shield beta curved base fixed angle 15 degrees 350mm x 530mm shield 350 x 300mm base Fisherbrand	EA	21078
FB58387	Radiation shield beta adjustable from upright to 15 degrees can be used in wide or tall position 350mm x 540mm Fisherbrand	EA	20669
FB58391	Radiation shield beta flat base fixed angle 15 degree 300mm x 450mm 300 x 300mm base Fisherbrand	EA	19160
FB58393	Radiation shield beta flat base fixed angle 45 degree 300mm x 450mm 300 x 300mm base Fisherbrand	EA	20669



Cat. No.	Description	Pack	Price in ₹
FB58394	Radiation shield beta curved base fixed angle 45 degrees 300mm x 450mm shield 300 x 150mm base Fisherbrand	EA	20669
FB58397	Radiation shield beta curved base fixed angle 15 degree 350mm x 530mm 350 x 150mm base Fisherbrand	EA	21078
FB58399	Radiation shield beta curved base fixed angle 15 degree 300mm x 450mm 350 x 150mm base Fisherbrand	EA	19160
FB58401	Radiation shield beta flat base fixed angle 15 degree / hourglass 300mm x 450mm 300 x 150mm base Fisherbrand	EA	19160
FB58403	Radiation shield beta flat base fixed angle 15 degree / hourglass 300mm x 450mm 300 x 300mm base Fisherbrand	EA	20669
FB58415	Radiation block lid beta for FB58413 15mm thick Fisherbrand	EA	9964
0340548	Bin; Fisherbrand; Gamma protection; Pipet disposal; 3mm lead; 6 L x 6 W x 16 in. H; Other isotopes shielded include 32P, 51CR, 35S, 33P, 3H and 14C; For short term storage; Polyethylene liner; Black acrylic exterior; Non-skid feet	EA	74296
0340549	Bin; Fisherbrand; Gamma protection; Pipet tip disposal; 3mm lead; 6 L x 6 W x 10 in. H; Other isotopes shielded include 32P, 51CR, 35S, 33P, 3H and 14C; For short term storage; Polyethylene liner; Black acrylic exterior; Non-skid feet	EA	66060
FB58419	Tube box insert microcentrifuge tube beta for FB58417 20 x 1.5mL tubes 80 x 80 x 40mm Fisherbrand	EA	3448
FB58421	Tube box insert microcentrifuge tube beta for FB58417 16 x 1.5mL 80 x 80 x 40mm Fisherbrand	EA	4755
FB58425	Tube box insert microcentrifuge tube beta for FB58477/FB58448 32 x 1.5mL 160 x 80 x 40mm Fisherbrand	EA	7235
FB58427	Tube box insert microcentrifuge tube beta for FB58477/FB58448 32 x 1.5mL 160 x 80 x 40mm Fisherbrand	EA	3448
FB58429	Tube box insert centrifuge tube beta for FB58449/FB58501 15 x 15mL tubes 160 x 80 x 40mm Fisherbrand	EA	3448
FB58431	Tube box insert centrifuge tube beta for FB58449/FB58502 8x 50mL tubes 160 x 80 x 40mm Fisherbrand	EA	3448
FB58433	Tube box insert centrifuge tube beta for FB58449/FB58503 3 x Falcon tubes + 8 x 1.5mL microcentrifuge tubes 160 x 80 x 40mm Fisherbrand	EA	3448
FB58435	Box insert beta 3 x Falcon (Dupont) tubes + 8 x 1.5mL microcentrif for FB58449/FB58504 160 x 80 x 40mm Fisherbrand	EA	3448
FB58437	Box insert beta Scintillation vials for FB58449/FB58504 8x 20mL tubes 160 x 80 x 40mm Fisherbrand	EA	3448
FB58439	Box insert beta Scintillation vials for FB58449/FB58504 15 x 5mL tubes 160 x 80 x 40mm Fisherbrand	EA	4960
FB58441	Box insert beta 8 x Universals for FB58449/FB58504 160 x 80 x 40mm Fisherbrand	EA	3448
FB58443	Tube box insert microcentrifuge tube beta for FB58447/FB58448 16 x 1.5mL and 16 x 0.5mL tubes 160 x 80 x 40mm Fisherbrand	EA	3448
FB58445	Box insert beta Cryotube for FB58447/FB58448 32 x 2mL 160 x 80 x 40mm Fisherbrand	EA	3,448.00
FB58447	Radiation box beta midi with hinged lid holds interchangeable inserts 185mm x 105mm x 80mm ext 165 x 85 x 60mm int Fisherbrand	EA	24,145.00
FB58448	Radiation box gamma midi with hinged lid holds interchangeable inserts 189mm x 109mm x 84mm external 165 x 85 x 60mm internal Fisherbrand	EA	118,030.00
FB58449	Radiation box beta maxi with hinged lid holds 3 box inserts 300mm x 185mm x 160mm ext 280 x 165 x 140mm int Fisherbrand	EA	36407
FB58451	Radiation bin beta bin 12 with hinged lid for storing radioactive materials 1L capacity 100 x80 x 130 int Fisherbrand	EA	24529
FB58452	Radiation bin beta bin 17 with hinged lid for storing radioactive materials 3.3L 150 x 150 x 150mm int Fisherbrand	EA	35256
FB58454	Radiation bin beta bin 27 with hinged lid for storing radioactive materials 10L 200 x 200 x 250mm int Fisherbrand	EA	42155
FB58457	Radiation bin beta bin 31 with hinged lid for storing radioactive materials 15L 215 x 235 x 295mm int Fisherbrand	EA	42155
FB58461	Radiation bin beta bin 40 with hinged lid for storing radioactive materials 20L 215 x 235 x 380mm int Fisherbrand	EA	47907
FB58462	Radiation bin beta bin 42 with hinged lid for storing radioactive materials 50L 490 x 270 x 400mm int Fisherbrand	EA	63236
FB58473	Radiation box beta two isolated chambers each with their own hinged lid each chamber has removable insert 80mm x 120 x 90mm Fisherbrand	EA	28744

Cat. No.	Description	Pack	Price in ₹
FB58475	Radiation box beta box 15 with hinged lid and swivel cover for disposable of pipette tips 2L capacity 130 x 130 x 130mm int Fisherbrand	EA	33342
FB58478	Radiation box beta box 32 with hinged lid and swivel cover for disposable of pipette tips 5.5L 130 x 130 x 330mm int Fisherbrand	EA	40241
FB58480	Radiation box beta box 32 with hinged lid and swivel cover for disposable of pipette tips 5.5L 130 x 130 x 330mm int Fisherbrand	EA	144180
FB58481	Radiation cabinet beta workstation without base 550mm x 370mm x 490mm int Fisherbrand	EA	141786
FB58487	Radiation shield gamma adjustable upright to 15 degrees can be used in wide or tall position 12mm thick 350 x 540mm I Fisherbrand	EA	217003
FB58489	Radiation shield gamma adjustable upright to 15 degrees can be used in wide or tall position 35mm thick 350 x 540mm I Fisherbrand	EA	381427
FB58492	Radiation shield gamma flat base fixed angle 15 degrees 300mm x 450mm shield 300 x 300mm base Fisherbrand	EA	161283
FB58494	Radiation shield gamma curved base fixed angle 15 degrees 300mm x 450mm shield 300 x 150mm base Fisherbrand	EA	161283
FB58496	Radiation shield gamma flat base fixed angle 15 degrees 350mm x 530mm shield 350 x 300mm base Fisherbrand	EA	215046
FB58497	Radiation shield gamma flat base fixed angle 15 degree / hourglass 300mm x 450mm 300 x 300mm base Fisherbrand	EA	164705
FB58498	Radiation shield gamma curved base fixed angle 15 degrees 350mm x 530mm shield 350 x 150mm base Fisherbrand	EA	215046
FB58500	Radiation shield gamma curved base fixed angle 15 degree / hourglass 300mm x 450mm shield 300 x 150mm base Fisherbrand	EA	164705
FB58501	Radiation box gamma maxi with hinged lid holds 3 box inserts 304mm x 189mm x 164mm ext 280 x 165 x 140mm int Fisherbrand	EA	293248
FB58503	Radiation box gamma two isolated chambers each with their own hinged I each chamber has removable insert 125mm x 85 x 95mm Fisherbrand	EA	1398566
FB58507	Radiation box gamma bin 17 with hinged lid 3.3L capacity dimensions 150 x 150 x 150mm Fisherbrand	EA	190609
FB58509	Radiation bin gamma bin 27 with hinged lid 10L capacity dimensions 200 x 250 x 200mm Fisherbrand	EA	354339
FB58511	Radiation bin gamma bin 42 with hinged lid 53L capacity dimensions 400 x 270 x 490mm Fisherbrand	EA	762854
FB58513	Radiation cabinet gamma workstation without base 500mm x 570 x 390mm 550 x 370 x 490 int Fisherbrand	EA	784650
FB58571	Radiation shield beta flat base fixed angle 45 degrees 355mm x 600mm shield 355 x 300mm base Fisherbrand	EA	19160
FB58572	Radiation shield beta curved base fixed angle 45 degrees 355mm x 600mm shield 355 x 150mm base Fisherbrand	EA	19160
FB58573	Radiation shield gamma flat base fixed angle 45 degrees 300mm x 450mm shield 300 x 300mm base Fisherbrand	EA	180837
FB58574	Radiation shield gamma flat base fixed angle 45 degrees 300mm x 450mm shield 300 x 300mm base Fisherbrand	EA	180837
FB58576	Radiation shield gamma flat base fixed angle 45 degrees 355mm x 600mm shield 355 x 300mm base Fisherbrand	EA	283469
FB58577	Radiation shield gamma curved base fixed angle 45 degrees 355mm x 600mm shield 355 x 150mm base Fisherbrand	EA	283469
FB58579	Radiation base plate beta rectangular can be used with any shields and has cushioned anti slip feet 450mm x 406mm shield Fisherbrand	EA	19160
FB58581	Radiation base plate gamma rectangular can be used with any shields and has cushioned anti slip feet 450mm x 406mm shield Fisherbrand	EA	207715
FB58583	Radiation base plate gamma rectangular can be used with any shields and has cushioned anti slip feet 450mm x 406mm shield Fisherbrand	EA	69446
FB58585	Radiation bin beta bin 76 with hinged lid and wheels 122L 406 x 406 x 740mm int Fisherbrand	EA	97729
FB58587	Radiation block beta for storage and transport solid acrylic for 24 x 1.5mL and 15 x 0.5mL tubes 150mm x 120mm x 70mm external Fisherbrand	EA	28744
FB58589	Radiation block gamma for storage and transport solid acrylic for 24 x 1.5mL and 15 x 0.5mL tubes 150mm x 120mm x 70mm external Fisherbrand	EA	144180
FB58590	Radiation shield beta 3-sided 460mm x 300mm x 500mm shield Fisherbrand	EA	27977
FB58591	Radiation transit box beta hinged lid creates 15 degrees angled shield lid can be locked for transportation 315mm x 400mm x 95mm ext 295 x 380 x 75mm int Fisherbrand	EA	40241

# Eye Wear



## Eye Wear

You need to protect your people from your process and your process from worker contamination. Exposure to chemicals and other harmful contacts can cause physical damage. Trust us for your employees' safety with JACKSON SAFETY\* Brand Eye wear. Our respirators and eye wear deliver comfort, protection and performance for all day wear.

**JACKSON\***  
SAFETY Brand

## JACKSON SAFETY\* Eye Wear-V80 Splash Protection

### V80

#### Sg34 Goggles

##### Features

- Economical splash protection
- Button vents provide indirect venting
- Meet ANSI Z87.1 + standards



### V80

#### MONOGOGGLE\* XTR\* Goggles

##### Features

- Cylindrical lens provides increased visibility with protection against splashes
- A soft, pliable frame conforms to the face for comfort and is easy to clean
- Indirect ventilation
- Can be worn over most prescription eyeglasses
- Meet ANSI Z87.1 + standards



### V80

#### REVOLUTION\* Goggles

##### Features

- CROSS VENT\* Technology keeps air flowing in and moisture out
- VISICLEAR\* anti-fog and anti-scratch lens coating
- Expanded visual field
- Can be worn over most prescription eyeglasses
- Meet ANSI Z87.1 + standards



Description	Code	Case Contents	Specification
JACKSON SAFETY* V80 SG34 Goggles	16362	1 X  X200  = 200 Pairs	Clear Lens, Green Frame
JACKSON SAFETY* V80 MONOGOGGLE* XTR* Goggles	18624	1 X  X 6  = 6 Pairs	Clear Anti-Fog lens, Blue Frame
	30707	1 X  X 12  = 12 Pairs	Clear Anti-Fog Replacement Lens
JACKSON SAFETY* V80 REVOLUTION* Goggles	14399	1 X  X 30  = 30 Pairs	Clear VISICLEAR* Lens, Blue Frame

Cat. No.	Description	Pack	Price in ₹
FB58593	Radiation transit box beta hinged lid creates 15 degrees angled shield lid can be locked for transportation 315mm x 400mm x 95mm ext 295 x 380 x 75mm int Fisherbrand	EA	74734
FB58413	Radiation block beta for microcentrifuge tubes acrylic a 15mm acrylic lid can be fixed for all round protection 4x 1.5mL microcentrifuge tubes 35 x140 x 50mm (w x d x h) Fisherbrand	Pack of 5	17246
<b>Safety - Gloves</b>			
FH03047	03047 GLOVE KLN/GRD G10 BN M 100X10	10 x 100 Nos	9707
FH03048	03048 GLOVE KLN/GRD G10 BN L 100X10	10 x 100 Nos	9707
FH03049	03049 GLOVE KLN/GRD G10 BN S 100X10	10 x 100 Nos	9707
FH90091	90091 GLV KLN/GRD G20 ATL GN S 250X10	10 X 250 Nos.	24191
FH90092	90092 GLV KLN/GRD G20 ATL GN M 250X10	10 X 250 Nos.	24191
FH90093	90093 GLV KLN/GRD G20 ATL GN L 250X10	10 X 250 Nos.	24191
FH97271A	97271 GLOVE JACKSON G40 LTX M8 5X12	05 x 12 Pairs	11348
FH97272	97272 GLOVE JACKSON G40 LTX L9 5X12	05 x 12 Pairs	11348
FH03028	03028 GLOVE KLN/GRD G40 PN L9 5X12	60 Pairs x 9"	14535
FH03030	03030 GLOVE KLN/GRD G40 PN M8 5X12	60 Pairs x 8"	14535
FH03054	03054 GLOVE KLN/GRD G40 PN XL 10 5X12	60 Pairs x 10"	14535
FH03045	03045 GLOVE KLN/GRD G60 C/R PN M8 1X12	12 Pairs x 8"	13250
FH03046	03046 GLOVE KLN/GRD G60 C/R PN L9 1X12	12 Pairs x 9"	13250
FH13835	13835 GLV J/SFT G40 SMOOTH NIT L/9 5X12	05 x 12 Pairs	14527
FH13836	13836 GLV J/SF G40 SMOOTH NIT XL/10 5X12	05 x 12 Pairs	14527
FH13834	13834 GLV J/SFT G40 SMOOTH NIT M/8 5X12	05 x 12 Pairs	14527
FH13833	13833 GLV J/SFT G40 SMOOTH NIT S/7 5X12	05 x 12 Pairs	14527
FH94446	94446 GLOVE JACKSON NR G80 CR M S8 12X5	5 x 12 Pairs	9975
FH94448	94448 GLOVE JACKSON NR G80 CR XL S9 12X5	5 x 12 Pairs	9988
<b>Safety - Ear Wear</b>			
FH67210	JACKSON SAFETY* H10 Disposable Earplugs Uncorded 8 X 200 pairs	08 X 200 Pairs	14960
FH67212	JACKSON SAFETY* H10 Disposable Earplugs Corded 8 X 100 pair	08 X 100 Pairs	14280
FH67226	JACKSON SAFETY* H30 Multi Use ComfortFlex Earplugs Corded 4X 50 pairs	04 X 50 Pairs	17850
FH67221	JACKSON SAFETY* H20 Reusable Earplugs Corded	04 X 100 Pairs	12240
FH67236	JACKSON SAFETY* H50 Multi Use Earclips Corded 8X 10 pairs	08 X 10 Pairs	12784
19067524	Ear Plugs; Fisherbrand Excel; NRR: 30dB; Soil-resistant surface; Attenuation tested in accordance with ANSI S3.19-1974; One size fits all; Corded	PK	3836
19070476	Ear Plugs; Fisherbrand Excel; NRR: 30dB; Soil-resistant surface; Attenuation tested in accordance with ANSI S3.19-1974; One size fits all; Uncorded	PK	3794
<b>Safety - Eye Wear</b>			
FH30670	30670 E/WEAR JACKSON SAFE V10 UNISP 50X1	50 pieces	8203
FH16727	JACKSON SAFETY* V10 UNISPEC* Eye Protection	50 pieces	8203
FH25642	JACKSON SAFETY* V10 ELEMENT* Eye Protection 4X12	4 X 12 Pieces	6630
FH25654	25654 E/WEAR JACKSON V20 PURITY CAF 4X12	4 X 12 Pieces	9122
FH20381	20381 E/WEAR JACKSON V30 NMS I/O 4X12	4 X 12 Pieces	16289
FH28615	28615 E/WEAR JACKSON V40 HRS CAF 4X12	4 X 12 Pieces	13845
FH25714	25714 E/WEAR JACKSON V40 HRS SMK 4X12	4 X 12 Pieces	11529
FH16362	JACKSON SAFETY* V80 SG34 Goggles	50 Pieces	9563
FH18624	JACKSON SAFETY* V80 MONOGOGGLE* XTR* Goggles	06 Pieces	3213
FH30707	JACKSON SAFETY* V80 MONOGOGGLE* XTR* Goggles - Clear Anti-Fog Replacement Lens	12 Pieces	3264
FH14399	JACKSON SAFETY* V80 REVOLUTION* Goggle	30 Pieces	20910
19181501	Goggles, Impact; Safety Choice Economy; Hhigh-impact clear polycarbonate lens; Soft PVC frame; Head strap adjusts for comfortable fit; Direct vents on both sides and top; Meet requirements of ANSI Z87.1 and CSA Z94.3	EA	361
19181502	Goggles, Chemical Splash; Safety Choice Economy; Hhigh-impact clear polycarbonate lens; Soft PVC frame; Head strap adjusts for comfortable fit; Direct vents on both sides and top; Meet requirements of ANSI Z87.1 and CSA Z94.3	EA	390

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
19181503	Goggles, Impact; Fisherbrand; Soft, green PVC frame; Elastic strap with adjustable fit; High-impact polycarbonate lens with antifog, antiscratch coating; Direct vents on sides and top; Meet requirements of ANSI Z87.1	EA	616
19181504	Goggles, Chemical Splash; Fisher Scientific; Soft, green PVC frame; Elastic strap w/adjustable fit; High-impact Polycarbonate lens; w/Antifog, antiscratch coating; Four indirect vents; Meet requirements of ANSI Z87.1	EA	703
190421001	Spectacles, Safety; Fisherbrand Racer Series Qualifier; 8-base curve, wraparound; Scratch-resistant, PC lenses; Block 99.9% of harmful UV rays; Flared single-lens; Soft nose bridge; Bayonet-style side arms; Black frame; Dark gray lens	PK	8418
190421002	Spectacles, Safety; Fisherbrand Racer Series Qualifier; 8-base curve, wraparound; Scratch-resistant, PC lenses; Block 99.9% of harmful UV rays; Flared single-lens; Soft nose bridge; Bayonet-style side arm; Black frame; Flash mirror lens	PK	9226
190421003	Spectacles, Safety; Fisherbrand Racer Series Qualifier; 8-base curve, wraparound; Scratch-resistant, PC lenses; Block 99.9% of harmful UV radiation; Flared single-lens; Soft nose bridge; Bayonet-style side arms; Red frame; Clear lens	PK	8418
190421004	Spectacles, Safety; Fisherbrand Racer Series Qualifier; 8-base curve, wraparound; Scratch-resistant, PC lenses; Block 99.9% of harmful UV radiation; Flared single-lens; Soft nose bridge; Bayonet-style side arm; Red frame; Dark gray lens	PK	7967
190421005	Spectacles, Safety; Fisherbrand Racer Series Top Fuel; 8-base curve, wraparound; Scratch-resistant, polycarbonate lenses; Block 99.9% of harmful UV radiation; Soft nose bridge and soft, bayonet-style side arms; Black frames; Clear lens	PK	8433
190421006	Spectacles, Safety; Fisherbrand Racer Series Top Fuel; 8-base curve, wraparound; Scratch-resistant, polycarbonate lenses; Block 99.9% of harmful UV radiation; Soft nose bridge and soft, bayonet-style side arms; Black frames; Dark gray lens	PK	7940
190421007	Spectacles, Safety; Fisherbrand Racer Series Top Fuel; 8-base curve, wraparound; Scratch-resistant, polycarbonate lenses; Block 99.9% of harmful UV radiation; Soft nose bridge and bayonet-style side arms; Black frames; Colorful mirror lens	PK	8014
190421008	Spectacles, Safety; Fisherbrand Racer Series Top Fuel; 8-base curve, wraparound; Scratch-resistant, polycarbonate lenses; Block 99.9% of harmful UV radiation; Soft nose bridge and soft, bayonet-style side arms; Blue frames; Clear lens	PK	8427
190421009	Spectacles, Safety; Fisherbrand Racer Series Top Fuel; 8-base curve, wraparound; Scratch-resistant, polycarbonate lenses; Block 99.9% of harmful UV radiation; Soft nose bridge and soft, bayonet-style side arms; Blue frames; Dark gray lens	PK	8427
190421010	Spectacles, Safety; Fisherbrand Racer Series Vortex; 8-base curve, wraparound; Scratch-resistant, PC lens; Block 99.9% harmful UV radiation; High-visibility unilens; Soft nose bridge; Rubber-tipped side arms; Black frames; Clear lens	PK	11585
190421011	Spectacles, Safety; Fisherbrand Racer Series Vortex; 8-base curve, wraparound; Scratch-resistant, PC lens; Block 99.9% harmful UV radiation; High-visibility unilens; Soft nose bridge; Rubber-tipped side arms; Black frames; Dark gray lens	PK	11589
190421012	Spectacles, Safety; Fisherbrand Racer Series Vortex; 8-base curve, wraparound; Scratch-resistant, PC lens; Block 99.9% harmful UV radiation; High-visibility unilens; Soft nose bridge; Rubber-tipped side arms; Silver frames; Clear lens	PK	11195
190421013	Spectacles, Safety; Fisherbrand Racer Series Vortex; 8-base curve, wraparound; Scratch-resistant, PC lens; Block 99.9% harmful UV radiation; High-visibility unilens; Soft nose bridge; Rubber-tipped side arms; Silver frames; Dark gray lens	PK	5161
190421014	Spectacles, Safety; Fisherbrand Racer Series Vortex; 8-base curve, wraparound; Scratch-resistant, PC lens; Block 99.9% harmful UV radiation; High-visibility unilens; Soft bridge; Rubber-tipped side arms; Silver frames; Colorful mirror lens	PK	12512
190421015	Spectacles, Safety; Fisherbrand Racer Series Crew Chief; 8-base curve, wraparound; Scratch-resistant, polycarbonate lenses; Block 99.9% of harmful UV radiation; Dual-lens; Soft nose bridge, rubber-tipped side arms; Black frames; Clear lens	PK	11587
190421016	Spectacles, Safety; Fisherbrand Racer Series Crew Chief; 8-base curve, wraparound; Scratch-resistant, PC lenses; Block 99.9% of harmful UV radiation; Dual-lens; Soft nose bridge, rubber-tipped side arms; Black frames; Flash mirror lens	PK	11574
190421017	Spectacles, Safety; Fisherbrand Racer Series Crew Chief; 8-base curve, wraparound; Scratch-resistant, PC lenses; Block 99.9% of harmful UV radiation; Dual-lens; Soft nose bridge and rubber-tipped side arms; Black frames; Dark gray lens	PK	11195
190421018	Spectacles, Safety; Fisherbrand Racer Series Crew Chief; 8-base curve, wraparound; Scratch-resistant, PC lenses; Block 99.9% of harmful UV radiation; Dual-lens; Soft nose bridge and rubber-tipped side arms; Silver frames; Clear lens	PK	11587

# Protective Clothing



## KLEENGUARD\* Protective Clothing

KLEENGUARD\* Protective Apparels deliver reliable protection to people involved in hazardous processes as well as controls contamination in environment caused by people

***KleenGuard***<sup>\*</sup>  
BRAND

**ThermoFisher**  
SCIENTIFIC

# Protective Clothing

## KLEENGUARD\* A40 Liquid and Particle Protection Clothing

### Features

- Protection against chemical splash and particles
- Film laminate technology provides an outstanding barrier against a wide range of chemicals
- Particle protection holds out > 90% of fibers greater than 1 micron
- Strong triple stitched seams help protect against tearing
- Hood designed for respirator use and freedom of movement
- Full length zip, eases ability to get in/out of garment
- Ultra low-lint performance, film laminate and internal seams significantly reduce levels of lint
- Anti-static fabric EN 1149-1 for critical areas
- Silicone free
- EN 1073-2 approved for radioactive dust protection
- Compressed packaging provides auto-dispensing system and reduces storage space
- Sealed polybags for low contamination risk



CE0120



EN ISO 13982-1:2004  
Type 5  
Particle protection



EN 13034:2005  
Type 6  
Limited splash  
protection



EN 1073-2:2002  
Radioactive dust  
contamination  
protection



EN 1149-1:1995  
Antistatic



**KleenGuard**  
BRAND

## KLEENGUARD\* A20+ Breathable Particle Protection Clothing

### Feature

- Durable SMS fabric keeps out 99% of particles larger than 1 micron
- Breathable fabric reduces the risk of heat stress
- Triple stitched internal seams protect against tearing
- Silicone free for critical areas
- Top quality full-length zips are used to prevent strain
- Approved for radioactive dust protection
- Specially designed body, hood and waist for comfort and safety



CE0120



EN ISO 13982-1:2004  
Type 5  
Particle protection



EN 13034:2005  
Type 6  
Limited splash  
protection



EN 1073-2:2002  
Radioactive dust  
contamination  
protection



Description	Size/Code	S	M	L	XL	XXL	XXXL	Colour	Case Contents	PPE Classification	Type
KLEENGUARD* A40 Coverall		99790	99791	99792	99793	99794	99795	○	25 x	CAT III	5 & 6
KLEENGUARD* A20+ Coverall		95150	95160	95170	95180	95190		○	25 x	CAT III	5 & 6

### Did You Know?

Every square inch of the human body has an average of 32 million bacteria on it.



Cat. No.	Description	Pack	Price in ₹
190421019	Spectacles, Safety; Fisherbrand Racer Series Crew Chief; 8-base curve, wraparound; Scratch-resistant, PC lenses; Block 99.9% of harmful UV radiation; Dual-lens; Soft nose bridge and rubber-tipped side arms; Silver frames; Dark gray lens	PK	11587
191302088	Spectacle, Safety; Fisherbrand; 200 Series; One-piece lens styling; Molded-in sideshields and browguards; Adjustable spatula temples; Black frame; Clear Hardcoat lens; Absorbs >99.9% of UV light	PK	3561
191302089	Spectacle, Safety; Fisherbrand; 200 Series; One-piece lens styling; Molded-in sideshields and browguards; Adjustable spatula temples; Blue frame; Clear Hardcoat lens; Absorbs >99.9% of U- light	PK	3561
191302090	Spectacles, Fisherbrand Visitorspec; Economical; Uncoated lens; 100% impact-resistant polycarbonate wraparound unilens design with blue temples; absorbs > 99.9% of harmful UV light.	PK	3535
191302091	Spectacles, Safety; Fisherbrand Visitorspec; Economical; Coated lens; 100% impact-resistant polycarbonate wraparound unilens design; Molded-in browguard; Blue, adjustable-length spatula temples; Absorbs 99.9% of harmful UV light	PK	6068
191302092	Spectacles, Safety; Fisherbrand Contempo; Single PC lens; Sideshields; Molded browguard; Wraparound frame; Adjustable temple lengths; Absorbs 99.9% of harmful UV light; Antifog coating; Meet ANSI Z87.1-2003; Black Frame; Clear Lens	PK	8326
191302093	Spectacles, Safety; Fisherbrand Contempo; Single PC lens; Sideshields; Molded browguard; Wraparound frame; Adjustable temple lengths; Absorbs 99.9% of harmful UV light; Antifog coating; Meet ANSI Z87.1-2003; Black Frame; Tinted Lens	PK	8326
191302094	Spectacles, Safety; Fisherbrand Contempo; Single polycarbonate lens; Sideshields; Molded browguard; Wraparound frame; Adjustable temple length; Absorbs 99.9% of harmful UV light; Antifog coating; Meet ANSI Z87.1-2003; Blue Frame; Clear Lens	PK	8326
191302095	Spectacles, Safety; Fisherbrand Siteliner; Hardcoat PC Lens, Molded sideshields and browguards; Adjustable temple lengths and lens inclination; Absorbs greater than99.9% UV light; Meets ANSI Z87.1-1989 standards; Blue Frame; Clear Lens	PK	8225
191302096	Spectacles, Safety; Fisherbrand Siteliner; Hardcoat PC Lens, Molded sideshields and browguards; Adjustable temple lengths and lens inclination; Absorbs greater than99.9% UV light; Meets ANSI Z87.1-1989 standards; Black Frame; Clear Lens	PK	8225
191302097	Spectacles, Fisherbrand Siteliner, Red, White, Black Frame, Clear Lens, hardcoat, Molded sideshields and browguards, Adjustable temple lengths and lens inclination, Absorbs >99.9% UV light, ANSI Z87.1-1989	PK	8225
189994542	Faceshield, Polycarbonate; Fisherbrand; Economy; Features: large 8 in. high (20.3cm) molded polycarbonate window for splash protection and 100% UV protection up to 380nm	EA	2554
190421000	Spectacles, Safety; Fisherbrand Racer Series Qualifier; 8-base curve, wraparound; Scratch-resistant, PC lenses; Block 99.9% of harmful UV radiation; Flared single-lens; Soft nose bridge; Bayonet-style side arms; Black frame; Clear lens	PK	8422
23500920	Protective eyewear; Fisherbrand Resposables EyeShields; Disposable, reuseable optical-grade lens; Weighs only 3/10 of an ounce; Fits over surgical mask and prescription eyewear; Available in 10 pre-assembled colors; Dispenser pack; 50/cs	CS	16213
23500925	Protective eyewear, Replacement lenses; TMI Resposables Clear Lenses; Disposable replacement lenses for use with Resposables EyeShields; Packaged in envelopes of 25; 250/cs	CS	26945
23500926	Protective eyewear, Replacement frames; TMI Resposables Eyeshield Frames; Reusable replacement frames for use with Resposables EyeShields; Can be wiped with a disinfectant or sterilized for reuse; 50/cs	CS	11144
<b>Safety - Protective Garment</b>			
FH46112	A30 KleenGuard Breathable Splash Particle Protection Coveralls with Elastic Back Wrist, Ankles & Attached Hoods M 25	25 Garnments	9393
FH46113	A30 KleenGuard Breathable Splash Particle Protection Coveralls with Elastic Back Wrist, Ankles & Attached Hoods L 25	25 Garnments	9393
FH03059	A30 KleenGuard Breathable Splash Particle Protection Coveralls with Elastic Back Wrist, Ankles & Attached Hoods L 25	25 Garnments	11369
95170	KLEENGUARD*A20+ L	25 Garnments	7650
44452	KLEENGUARD* A40 Liquid & Particle Protection Lab Coats-M	30 Garnments	11220
44453	KLEENGUARD* A40 Liquid & Particle Protection Lab Coats-L	30 Garnments	11220
44454	KLEENGUARD* A40 Liquid & Particle Protection Lab Coats-XL	30 Garnments	11220
<b>Soap/Sanitizer /Air Neutralizer</b>			
FH01131	01131 KC PROF ANTIBACTERIAL SOAP	24 x 500ml	4924
FH01196	01196 KC PROFESSIONAL GENTLE CLEANSER	12 x 800ml	3570

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
FH30890	30890 S/CARE KLX GENT HND/SANI250X40	40 x 250ml	8143
FH30891	30891 M/DERM ANTI SOAP COLOR/L +ODUR LESS	02 x 5 ltr	1564
FH01267	01267 KIMBERLY-CLARK PROF GENTLE CLEANSER	02 x 5 ltr	1242
FH30895	30895 S/CARE SCOTT LUX FOAM MOIST 1LTRX12	6 X 1 Ltr	1827
FH01382	01382 KIMCARE GENTLE HAND SNTIZER -50ML	50 x 50ml	2654
FH01346	01346 K C PROFESSIONAL MICRODERM CLEANSER	02 x 5 ltr	1564
FH01377	01377 KIMCARE-NT0 GRIT -200 ML. BOTTLE	40 x 200ml	5707
FH01378	01378 KIMCARE PRE WORK CREAM-200 ML BOTTLE	40 x 200ml	5707
FH6890	MICROMIST FRESH LINEN X12	12 cans	6535
FH6893	MICROMIST SPRING BREEZE X12	12 cans	6535
FH6892	MICROMIST FOREST DEW X12	12 cans	6535
<b>Tissue</b>			
FH01960	01208 SCOTT SCOTTFOLD M TOWEL	25 x 175 Towels	2958
FH5855	5855 TWL SCOTT COMPACT WHT 110X16	16 X 110 Towels	1476
FH13207	13207 TWL SCOTT SLIM M/FOLD WHT 250X16	16 x 250 Towels	2325
FH01005	01005 SCOTT HARD ROLL TOWEL ( HRT)-1344 old	06 x 304 mtr	3403
FH12388	12388 HR/TWL SCOTT SLIM RL 176M 1X6	06 X 176 mtr	2302
FH01033	01033 KLEENEX FACIAL TISSUE	60 X 100 Pulls - 21 x 21cm	4489
FH01036	01036 KLEENEX FACIAL TISSUE16X21 IMPRT	175 x 30 Pulls- 16 x 21 cm	2436
FH01051	01051 KLEENEX FACIAL TISSUE (REGULAR )	120 x 50 pulls - 21 x 21cm	3758
FH01074	01074 KLEENEX FACIAL TISSUE POUCH	240 x 50pulls- 16 x 21cm	5220
FH01282	01282 KLEENEX FACIAL TISSUE	60 x 80 Pulls- 21x 21 cm	4124
FH01294	01294 KLEENEX FACIAL TISSUE	60 x 50 Pulls- 21 x 21cm	1984
FH01295	01295 KLEENEX FACIAL TISSUE	60 x 100 Pulls- 21x 21 cm	3184
FH01042	01042 KLEENEX BATHROOM TISSUE	100 x 250 Sheets	3741
FH01275	01275 KLEENEX BATHROOM TISSUE 190S	150 x 190 sheets	3524
FH01308	01308 KLEENEX BATHROOM TISSUE	150 x 250 Sheets	3306
FH01317	01317 KLEENEX BATHROOM TISSUE	200 x 135 Sheets	3132
FH01368	01368 KLEENEX BATHROOM TISSUE	80 x 375 Sheets	3341
FH04008	04008 KLEENEX BATHROOM TISSUE 2PLY-120 R	120 x 160 sheets	3967
FH04010	04010 KLEENEX BT, 100RX250 SHEETS UN EMB	150 x 250 Sheets	2001
FH01272	01272 KLEENEX BATHROOM ROLL 2- PLY	210 x 200 Sheets	2784
FH24702	24520 SCOTT JUMBO ROLL TISSUE PLY IMP-01388	16 x 520 mtr	4719
FH01128	01128 SCOTT JUMBO ROLL TISSUE	8 x 300 mtr	2457
FH01343	01343 KIMSOF JUMBO ROLL TISSUE	8 x 300 mtr	1886
FH01164	01164 KIMSOF JUMBO ROLL TISSUE	8 x 225 mtr	1733
FH01268	01268 SCOTT HYGIENIC BATHROOM TISSUE	100 X 125 Pulls	2610
FH01269	01269 SCOTT HYGIENIC BATHROOM TISSUE	150 x 75 Pulls	2480
FH01057	01057 SCOTT PERSONAL SEAT COVER REFILLS	20 x 100 Sheets	2436
FH01323	01323 SCOTT PAPER NAPKIN	96 x 100 Napkins	3758
FH01082	01082 KIMSOF PAPER NAPKINS	60 x 100 Napkins	2662
FH01084	01084 KIMSOF PAPER NAPKINS	60 x 100 Napkins	4333
FH01339	01339 KIMSOF PAPER NAPKINS	60 x 100 Napkins	2662
FH01234	01234 KIMSOF POP UP NAPKIN	150 X 150 Napkin	2349
<b>Towelettes</b>			
19161914	Towelettes; Fisherbrand; Premoistened; Silicone free; For cleaning lenses; 5 x 8 in.; Individually wrapped	PK	997

# Wiping Solution

## KIMTECH SCIENCE\* KIMWIPES\* Wipers

### Features


- Low lint, and low extractable
- Non-abrasive, easily absorbs liquid and dust
- Cleaning and wiping delicate surfaces such as beakers, lenses, slides, optical lenses & instruments, surfaces, glass layer



## KIMTECH PREP\* KIMTEX\* Wipers

### Features

- Made from polypropylene construction
- Perfect for use with oil and other solvents
- Resistant to most of the chemicals and solvents
- Cleaning and wiping Bio vessels and mopping up spillages on floor
- Most suitable for soft gelatin manufacturing



Description	Size	Code	Color	Case Count	Sheets Per Box/Pouch	Sheets Format/Dispensing
KIMTECH SCIENCE* KIMWIPES* Delicate Task Wipers	11 cm x 21 cm	34155	○	60 Boxes	280 Sheets	Pop-Up Box 
KIMTECH SCIENCE* KIMWIPES* Delicate Task Wipers	37 cm x 42 cm	34256	○	15 Boxes	140 Sheets	Pop-Up Box 
KIMTECH SCIENCE* KIMWIPES* Delicate Task Wipers	21 cm x 12 cm	4103	○	27 Boxes	200 Sheets	Pop-Up Box 
KIMTECH PREP* KIMTEX* Wipers	30.5 cm x 35.5 cm	01030	○	8 Pouches	50 Sheets	Flat Sheets 
KIMTECH PREP* KIMTEX* Wipers	30.5 cm x 35.5 cm	01031	●	8 Pouches	50 Sheets	Flat Sheets 
KIMTECH PREP* KIMTEX* Wipers	23.7 cm x 25.4 cm	01373	●	10 Pouches	100 Wipers Per Pouch	Flat Sheets 
KIMTECH* PREP* KIMTEX* Wipers	23 cm x 38 cm	03022	●	4 Rolls	100 Mtr . Each	Roll 
KIMTECH* PREP* KIMTEX* Wipers	23 cm x 38 cm	03025	○	4 Rolls	100 Mtr . Each	Roll 

# Wiping Solution

## WYPALL\* X70 Cloths

### Features

- Fast absorbing, soft and bulky for easy and efficient cleaning
- Cost efficient, just rinse out and reuse
- Food contact compliant
- Wiping away oil, grime and solvents from surface and machinery






## WETTASK\* Refillable wiping system

### Features

- WETTASK\* system saves workers' time and effort
- Reduces solvent consumption by at least 20%
- Reduces wastage giving better cost control
- Longer lasting protection leaves fluid on wiped surface, so that disinfectant can work continuously

**WETTASK\* is an innovative system for wiping (cleaning, disinfecting, sanitising) applications that needs constant saturation**



Description	Size	Code	Color	Case Contents	Sheets Per Box/Pouch	Sheets Format/Dispensing
WYPALL* X70 Wipers	25.4 cm x 38.1 cm	01305	White	20 Pouches	50 Wipers Per Pouch	Flat Sheets 
WYPALL* X70 Wipers	25.4 cm x 38.1 cm	01110	Blue	20 Pouches	50 Wipers Per Pouch	Flat Sheets 
WYPALL* X70 Versatile Wipers	25.4 cm x 25.4 cm	01306	White	20 Pouches	50 Wipers Per Pouch	Flat Sheets 
WYPALL* X70 Versatile Wipers	25.4 cm x 25.4 cm	01112	Blue	20 Pouches	50 Wipers Per Pouch	Flat Sheets 
WYPALL* X70 Versatile Wipers	24.7 cm x 38 cm	01355	White	4 Rolls	100 Mtr . Each	Roll 
WYPALL* X70 Versatile Wipers	24.7 cm x 38 cm	01366	Blue	4 Rolls	100 Mtr . Each	Roll 
WYPALL* X70 Versatile Wipers	24.7 cm x 20 cm	03024	Blue	4 Rolls	100 Mtr . Each	Roll 
KIMTECH PREP* WETTASK* Wipers	30.5 cm x 31.5 cm	06411	White	6 Rolls + 1 Bucket	90 Sheets Per Roll	Roll 
KIMTECH PREP* WETTASK* Wipers	30.4 cm x 31.7 cm	06001	White	6 Rolls + 1 Bucket	60 Sheets Per Roll	Roll 

### Did You Know?

Through you can't see it happening, every minute of the day we lose about 30,000 to 40,000 dead skin cells off the surface of our skin.

Cat. No.	Description	Pack	Price in ₹
19161915	Towelettes; Fisherbrand; Premoistened; Alcohol free; For cleaning silicone and plastic face pieces, mouth pieces, respirators, hardhat liners; 5 x 8 in.; Individually wrapped	PK	1373
<b>Washers/Dryers</b>			
13641707	Brush ,Test Tube; Fisherbrand; For use with the Fisher Scientific Labware Washer; Is also included with the FS-100B washer model; Heavy-duty; Stiffer and softer on the sides	EA	4074
13641708	Brush, Small Flask; Fisherbrand; For use with the Fisher Scientific labware washer; Is also included with the FS-100B washer model; Heavy-duty; Stiffer and softer on the sides; 250mL	EA	4666
13641709	Brush, Beaker; Fisherbrand; Optional accessory brush to the Fisher Scientific Labware Washer; Heavy-duty; Stiffer and softer on the sides; 600mL	EA	4018
13641710	Brush; Fisherbrand; Standard Tall Brush; For use with the Fisher Scientific labware washer; Is also included with the FS-100B Washer model; Heavy-duty; Stiffer and softer on the sides; 8.50 in. (21.6cm)	EA	3737
13641711	Brush, Beaker; Fisherbrand; 250mL; For use with the Fisher Scientific Labware Washer; Is also included with the FS-100B Washer model; Heavy-duty; Stiffer and softer on the sides	EA	2452
13641712	Brush, Flask; Fisherbrand; Optional accessory brush to the Fisher Scientific Labware washer; Heavy-duty; Stiffer and softer on the sides; 500mL	EA	4899
13641713	Brush, Beaker; Fisherbrand; Optional accessory brush to the Fisher Scientific Labware Washer; Heavy-duty; Stiffer and softer on the sides; 100mL	EA	4431
13641725	Brush, Beaker; Fisherbrand; Optional accessory brush to the Fisher Scientific Labware Washer; Heavy-duty; Stiffer and softer on the sides; 1000mL	EA	4361
13641732	Brush, Beaker; Fisherbrand; Optional accessory brush to the Fisher Labware Washer; Heavy-duty; Stiffer and softer on the sides; 50mL	EA	4375
13642706	Brush, Small Flask; Fisherbrand; For use with the Fisher Scientific Labware Washer; Heavy-duty; Stiffer and softer on the sides; 125mL	EA	4780
<b>Wipers</b>			
FH03001	03001 WIP KIMTECH WETTASK 90X6	6 x 90 Sheets	3346
FH03010	03010 WIP KIMTECH AUTO CLOTH 25X4	4 x 25 Units	35544
FH03014	03014 WIP KIMTECH WETTASK 60X6	6 x 60 Sheets	3346
FH01398	01398 WIP KIMTECH SEALANT 500X1	1 x 500 Wipers	7918
FH01400	01400 WIP KIMTECH TACK CLOTHS 100X4	4 x 100 Wipers	17136
FH01401	01401 WIP KIMTECH MICROFIBER 25X1	1 x 25 Wipers	4421
FH01397	01397 WIP KIMTECH SURFACE PREP 200X4	4 x 200 Wipers	10839
FH75920	75920 KIMTECH NON RESIDUE TACK CLOTH	10 x 25 Sheets	9767
FH01325	01325 KIMTECH PURE CL 5 WIPER	5 x 100 Wipers	7455
FH01326	01326 KIMTECH PURE CL 4 WIPER	5 x 100 Wipers	7722
FH03015	03015 KIMWIPES WIPER DELICATE TASK 200	27 x 200 Wipers	4980
FH01223	01223 KIMTECH SCIENCE KIMWIPES WIPER	60 x 280 Wipers	9180
FH01327	01327 KIMTECH SCI.KIMWIPESWIPER 15X140	15 x 140 Wipers	7446
FH32186	032186 WIPERS WYPALL D+E113DETAILS 70X20	20 x 70 Wipers	2822
FH34790	34790 WIP WYPALL X60 POP-UP WHT 126X10-01361	10 x 126 Wipers	7123
FH01110	01110 WYPALL X70 WIPER - BLUE	20 x 50 Wipers	7803
FH01112	01112 WYPALL X70 WIPER - BLUE	20 x 50 Wipers	5848
FH01305	01305 WYPALL X70 WIPER - WHITE	20 x 50 Wipers	8092
FH01306	01306 WYPALL X70 WIPER - WHITE	20 x 50 Wipers	6052
FH03024	03024 WYPALL X 70 WIPER BLUE ROLL	4 x 100 mtr	6752
FH01366	01366 WYPALL X70 WIPER ROLL, BLUE	4 x 100 mtr	6752
FH01340	01340 WYPALL X70 WIPER ROLL, -WHITE	4 x 100 mtr	6752
FH01355	01355 WYPALL X70 WORKHORSE HYDROKNIT WIP	4 x 100 mtr	6752
FH01356	01356 WYPALL X70HYDROKNITWIPERS BLU	40 x 25 Sheets	11628
FH41029	41029 WIP WYPALL X80 QTR FLD RED 50X4-01328	4 x 50 Wipers	2179
FH01301	01301 WYPALL L10 ROLL CONTROL WIPER	06 x 300 MTR	2708
FH72020	72020 WYPALL L20 WIPER ROLL 38X23.5CM-70-01386	1 x 1000 Sheets	2972
FH07300	07300 WIPES WYPALL L30 ROLL - 500S	01 x 500 Sheets	1584
FH74250	74250 WYPALL L40 WIPER ROLL BLUE 1X300M-01341	01 Unit	2604
FH03012	03012 WYPALL L40 WIPER WHITE 18X56	18 x 56 Wipers	5386

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
FH83610	83610 WYPALL MICROFIBER CLTH W/ MB-YL	06 x 04 Nos.	5534
FH83620	83620 WYPALL MICROFIBER CLTH W/ MB-BL	06 x 04 Nos.	5534
FH83630	83630 WYPALL MICROFIBER CLTH W/ MB-GR	06 x 04 Nos.	5534
FH83980	83980 WYPALL MICROFIBER CLTH W/ MB-RE	06 x 04 Nos.	5534
FH42883	42883 KC PROFESSIONAL OILSORBENT PADS 160-01392	160 Sheets	8840
FH30902	30902 KIMTECH PREP WETTASK WIPER 90SX6	6 x 90 Sheets	3346
FH38715	KIMTECH UNDYED MICROFIBER CLTH1X25	1 x 25 Nos.	4250
FH38712	KIMTECH PRIMARY TACK CLOTH 4X100	4 x 100 Nos.	17000
FH38714	KIMTECH KNITTED POLYESTER WP 12X30	12 x 30 Wipers	11628
17206A	Drum Kit; Fisherbrand; Chemical Spill; 6 Socks; 6 Pillows; 4 Absorbent Wipes; 3 Disposal Bags With Ties; 2 Shaker Cartons; Sorbing Capacity Range: 10 to 18 gal. (37.8 to 68.1L); Drum Size: 20 gal. (75.7L)	EA	23649
17206B	Drum Kit; Fisherbrand; Chemical Spill; 25 Socks; 12 Pillows; 10 Absorbent Wipes; 4 Disposal Bags with Ties; 25 lb. (11.3kg) Bag of Sorbent; Sorbing Capacity Range: 32 to 53 gal. (121.1 to 200.6L); Drum Size: 55 gal. (208L)	EA	37568

### Sample Collection, Storage and Disposal

Aluminum Foil			
01213100	Foil, Aluminum; Fisherbrand; Standard-gauge roll; Width: 12 in. (30.4cm); Length: 25 ft. (7.62m); Thickness: 0.018mm; Individual packaging; Dispenser box with cutter bar	EA	466
01213101	Foil, Aluminum; Fisherbrand; Standard-gauge roll; Individual packaging; Dispenser box with cutter bar; Width: 12 in. (30.4cm); Length: 200 ft. (60.96m); Thickness: 0.018mm	EA	2865
01213102	Foil, Aluminum; Fisherbrand; Standard-gauge roll; Individual packaging; Dispenser box with cutter bar; Width: 12 in. (30.4cm); Length: 500 ft. (152.4m); 0.018mm thick	EA	5710
01213103	Foil, Aluminum; Fisherbrand; Heavy-gauge roll; Individual packaging; Dispenser box with cutter bar; Width: 18 in. (45.7cm); Length: 25 ft. (7.62m); 0.024mm thick	EA	970
01213104	Foil, Aluminum; Fisherbrand; Heavy-gauge roll; Individual packaging; Dispenser box with cutter bar; Width: 18 in. (45.7cm); Length: 50 ft. (15.24m); 0.024mm thick	EA	1754
01213105	Foil, Aluminum; Fisherbrand; Heavy-gauge roll; Individual packaging; Dispenser box with cutter bar; Width: 18 in. (45.7cm); Length: 500 ft. (152.4m); 0.024mm thick	EA	5155
Bags			
0100250	Bag, Sample; Fisherbrand; Sterile; Capacity: 60 oz.; Clear with Flat-Wire closure; 4mil; 60 oz.; 10 x 10 in.	PK	13698
0100253	Bag, Sample; Fisherbrand; Polyethylene; Sterile, Clear with flat-wire closure; Hold solids, semi-solids, liquids; Meet FDA reqts.; Capacity: 100 oz.; Thickness: 4mil; Size: 10 x 14 in.	PK	16743
0100292	Bags, Sample; Opaque; Sterile; Highly resistant; RNase, DNase, and Pyrogen free; With write-on strip; Safety-tab closures; 3.0 mil thickness; 4.5 x 9 in.; 18 oz. capacity; Case of 1000 (2 x 500)	PK	16590
0180000	Bags, Specimen; Fisherbrand; Polyethylene; Three-wall; With document compartment and printed biohazard label; Comply with OSHA and NCCLS; Size: 4 x 6 in.	CS	6865
0180001	Bags, Specimen; Fisherbrand; Polyethylene; Three-wall; With document compartment and printed biohazard label; Reclosable zipper seal; Comply with OSHA and NCCLS; Size: 6 x 6 in.	CS	9909
0180002	Transport Bag, Specimen; Fisherbrand; Polyethylene; Three-wall; With document compartment; Comply with OSHA and NCCLS; No print; Clear; Size: 6 x 9 in. (15.2 x 23cm)	CS	9410
0180003	Transport Bag, Specimen; Fisherbrand; Zippered; Polyethylene; Three-wall; With attached document compartment; Comply with OSHA and NCCLS guidelines; Large printed biohazard graphic; Size: 6 x 9 in. (15.2 x 23cm)	CS	10931
0180004	Transport Bag, Specimen; Fisherbrand; Zippered; Polyethylene; Three-wall; With attached document compartment; Comply with OSHA and NCCLS guidelines; Printed; Red STAT labeling; Size: 6 x 9 in. (15.2 x 23cm)	CS	11240
0180005	Transport Bag, Specimen; Fisherbrand; Reclosable; With absorbent polymer pad and pouch; Pad absorbs 180 cc water, 60cc urine, 38cc blood; Size: 6 X 9 in. (15.2 x 23cm)	CS	10346
0180006	Bags, Specimen; Fisherbrand; Polyethylene; Three-wall; With document compartment; Reclosable zipper seal; Comply with OSHA and NCCLS; With Scoreline; Size: 6 x 9 in.	CS	8883
0180007	Bags, Specimen; Fisherbrand; Polyethylene; Three-wall; With document compartment; Comply with OSHA and NCCLS; Size: 8 x 8 in.	CS	5968

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
0180008	Transport Bag, Specimen; Fisherbrand; Zippered; Polyethylene; Three-wall; With attached document compartment; Comply with OSHA and NCCLS guidelines; Large printed biohazard graphic; Size: 8 x 10 in. (20 x 25cm)	CS	12797
0180009	Bags, Specimen; Fisherbrand; Zippered; Polyethylene; Three-wall; With attached document compartment; Comply with OSHA and NCCLS guidelines; Printed; L x W: 12 x 15 in. (30 x 38cm)	CS	34392
0180010	Bags, Transport; Fisherbrand; Color-coded zippers; 6 x 9 in. (15 x 23cm); With document pouch; Printed with OSHA-required biohazard labeling Color: Blue	CS	10254
0180011	Bags, Transport; Fisherbrand; Color-coded zippers; 6 x 9 in. (15 x 23cm); With document pouch; Printed with OSHA-required biohazard labeling Color: Green	CS	10454
0180012	Bags, Transport; Fisherbrand; Color-coded zippers; Document pouch keeps paperwork separate from specimens; Printed with OSHA-required biohazard labeling; Color: Orange; 6 x 9 in. (15 x 23cm)	CS	10254
0180013	Bags, Transport; Fisherbrand; Color-coded zippers; 6 x 9 in. (15 x 23cm); With document pouch; Printed with OSHA-required biohazard labeling Color: Red	CS	10454
0180014	Bags, Transport; Fisherbrand; Color-coded zippers; 6 x 9 in. (15 x 23cm); With document pouch; Printed with OSHA-required biohazard labeling Color: Yellow	CS	10454
0180015	Bags, Transport; Fisherbrand; Color-coded zippers; 6 x 9 in. (15 x 23cm); With document pouch; Printed with OSHA-required biohazard labeling Color: Assorted	CS	10628
0181210C	Bags, controlled environment; Fisherbrand; Bags, polyethylene; 4mil thick; 6L x 12 in. W (15.2 x 30.5cm)	CS	3709
0181210E	Bags, controlled environment; Fisherbrand; Bags, polyethylene; 4mil thick; 12L x 10 in. W (30.5 x 25.4cm)	CS	3544
0181250	Pouches, Sterilization; Instant sealing; Fisherbrand; 3.5 x 5 in.; Peel off protective strip; triple heat-processed seams; 2mil blue transparent polyester/polypropylene laminate film side	PK	2155
0181251	Pouches, Sterilization; Instant sealing; Fisherbrand; 3.5 x 9 in.; Peel off protective strip; triple heat-processed seams; 2mil blue transparent polyester/polypropylene laminate film side	PK	3723
0181254	Pouches, Sterilization; Instant sealing; Fisherbrand; 5.25 x 10 in.; Peel off protective strip; triple heat-processed seams; 2mil blue transparent polyester/polypropylene laminate film side	PK	4847
0181255	Pouch, Instant sealing sterilization; 7 x 13 in.; Peel off protective strip; Triple heat-processed seams; 2mL-thick blue transparent polyester/polypropylene laminate film side; Fisherbrand	PK	7686
0181257	Pouches, Sterilization; Instant sealing; Fisherbrand; 10 x 15 in.; Peel off protective strip; triple heat-processed seams; 2mil blue transparent polyester/polypropylene laminate film side	PK	5674
0181258	Pouches, Sterilization; Instant sealing; Fisherbrand; 12 x 18 in.; Peel off protective strip; triple heat-processed seams; 2mil blue transparent polyester/polypropylene laminate film side	PK	8593
0181285A	Sample Bag; Fisherbrand; Disposable; Sterile; Polyethylene; Plain; 3 x 7 in. (8 x 18cm); Capacity: 120mL	PK	8525
0181285C	Sample Bag; Fisherbrand; Disposable; Sterile; Polyethylene; Plain; 4.5 x 9 in. (11 x 23cm); Capacity: 540mL	PK	12028
0181314	Bags, Sample; Adhesive closure; Fisherbrand; Tamper evident seal; Non-perforated; Pull away release liner; Saddlepack system; Built-in front and back pouches; 5 x 9 in.	CS	10888
0181315	Bags; Adhesive Closure; Fisherbrand; Tamper Evident; Non-perforated; Pull away release liner; Built-in front and back pouches; 6 x 10 in.	CS	12519
0181316	Bags; Adhesive Closure; Fisherbrand; Tamper Evident; Non-perforated; Pull away release liner; Built-in front and back pouches; 6 x 10 in., With Absorbent Pad	CS	10653
0181317	Bags; Adhesive Closure; Fisherbrand; Tamper Evident; Non-perforated; Pull away release liner; Built-in front and back pouches; 8 x 10 in.	CS	13520
018141	Bag, Biohazard Autoclave; Fisherbrand; Polyethylene; Plain; Clear; Max. temp: 125deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); Thickness: 1.5mil; Size: 12 W x 24 in. L	PK	3752
018142	Bag, Biohazard Autoclave; Fisherbrand; Polyethylene; Plain; Clear; Max. temp: 125deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); Thickness: 1.5mil; Size: 24 W x 30 in. L	PK	8987
018143	Bag, Biohazard Autoclave; Fisherbrand; Polyethylene; Plain; Clear; Max. temp: 125deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); Thickness: 1.5mil; Size: 24 W x 36 in. L	PK	8897
01814A	Bag, Autoclave; Fisherbrand; HDPE; With sterilization indicator; Printed in English and Spanish w/OSHA-compliant graphics; Max. temp: 125deg.C; Supplied with wire closure; Orange; Size: 19L x 14 in.W (48 x 36cm)	PK	6549
01814B	Bag, Autoclave; Fisherbrand; HDPE; With sterilization indicator; Printed in English and Spanish w/OSHA-compliant graphics; Max. temp: 125deg.C; Supplied with wire closure; Orange; Size: 23L x 19 in. W (58.4 x 48.2cm)	PK	10982

Cat. No.	Description	Pack	Price in ₹
01814C	Bag, Autoclave; Fisherbrand; HDPE; With sterilization indicator; Printed in English and Spanish w/OSHA-compliant graphics; Max. temp. 125deg.C; Supplied with wire closure; Orange; Size: 35L x 25 in. W (89 x 63.5cm)	PK	19989
01814D	Bags, Autoclaving; Fisherbrand; HDPE; Orange; With sterilization indicator or closure; Printed in English; Size: 38 W x 47 in. L	PK	20038
018151	Bag, Autoclave; Fisherbrand; HDPE; With sterilization indicator; Printed in English and Spanish w/ OSHA-compliant graphics; Max. temp. 125deg.C; w/o Wire closure; Orange; Size: 11L x 8.5 in. W (28 x 21.5cm)	PK	1599
018158	Closures, Autoclave bag; Keener Rubber Company; High tensile strength elastic; Remain intact; 200/Pack	PK	1096
01815A	Bag, Autoclave; Fisherbrand; Printed Orange; HDPE; Use at 121 deg.C (250deg.F); Without wire tie closures; Size: 24L x 12 in. W (61 x 30.4cm)	CS	2195
01815B	Bags, Autoclaving; Fisherbrand; HDPE; Printed in English; Orange; Without sterilization indicator or closure; Size: 24 x 30 in.	CS	5886
01815C	Bag, Autoclave; Fisherbrand; Printed Orange; HDPE; Use at 121 deg.C (250deg.F); Without wire tie closures; Size: 36L x 24 in. W (91.4 x 61cm)	CS	6630
018161A	Bag, Zipper-Seal; Fisherbrand; Polyethylene; 2mil thick; 3L x 2 in. W (7 x 5cm)	CS	2256
018161B	Bag, Zipper-Seal; Fisherbrand; Polyethylene; 2mil thick; 5L x 3 in. W (13 x 7cm)	CS	3080
018161C	Bag, Zipper-seal; Fisherbrand; Polyethylene; 2mil thick; 6L x 4 in. W (15 x 10cm)	CS	5313
018161D	Bag, Zipper-Seal; Fisherbrand; Polyethylene; 2mil thick; 8L x 5 in. W (20 x 13cm)	CS	8595
018161E	Bag, Zipper-Seal; Fisherbrand; Polyethylene; 2mil thick; 12L x 9 in. W (30 x 23cm)	CS	20997
01816A	Bag, Zipper-Seal; Fisherbrand; Polyethylene; 4 mil thick; 6L x 4 in.	PK	1084
01816B	Bag, Zipper-Seal; Fisherbrand; Polyethylene; 4 mil thick; 13L x 6 in. W	PK	1978
01816C	Bag, Zipper-Seal; Fisherbrand; Polyethylene; 4 mil thick; 18L x 9 in. W (46 x 23cm)	PK	2401
01816D	Bag, Zipper-Seal; Fisherbrand; Polyethylene; 4 mil thick; 8L x 5 in. W (20 x 13cm)	PK	1147
01816E	Bag, Zipper-seal; Fisherbrand; Polyethylene; 4 mil thick; 13L x 9 in. W (33 x 23cm)	PK	2014
01816F	Bag, Zipper-Seal; Fisherbrand; Polyethylene; 4 mil thick; 26L x 9 in. W (66 x 23cm)	PK	4007
0181810	Sample Bag; Fisherbrand; Heavy-paper; Lined with 1mil polyethylene; Heat sealed; Tin-tie closure; Ideal for collection, shipment or storage of grains; Size: 3.37 x 2.5 x 9.62 in.	CS	46955
0181811	Sample Bag; Fisherbrand; Heavy-paper; Lined with 1mil polyethylene; Heat sealed; Tin-tie closure; Ideal for collection, shipment or storage of grains; Size: 5 x 3 x 9 in.	CS	31137
FBA01823	Specimen Bag; Fisherbrand; Lab-Guard; With Biohazard Label; 6 x 9 in. (15 x 23cm); 1000/Cs.	CS	11023
018261	Bag, Biohazard; Fisherbrand; Polypropylene; Autoclavable; Plain; Clear; Max. temp.: 140deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); With elastic closure; Thickness: 2.0mil; Size: 8 x 12 in.	PK	3248
018262	Bag, Biohazard; Fisherbrand; Polypropylene; Autoclavable; Plain; Clear; With autoclavable elastic steam-venting closures; Pass Dart Impact Resistance Test of 165g; Size: 10 x 10 in. Thickness: 2mil; Size: 10 x 10 in	PK	2779
018263	Bag, Biohazard; Fisherbrand; Polypropylene; Autoclavable; Plain; Clear; Max. temp.: 140deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); With elastic closure; Thickness: 2.0mil; Size: 10 x 12 in.	PK	3425
018264	Bag, Biohazard Autoclave; Fisherbrand; Polypropylene; Plain; Clear; Max. temp. 140deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); With elastic closure; Thickness: 2.0mil; Size: 10 x 15 in.	PK	3383
018265	Bag, Biohazard Autoclave; Fisherbrand; Polypropylene; Plain; Clear; Max. temp. 140deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); With elastic closure; Thickness: 2.0mil; Size: 12 x 24 in.	PK	6762
018266	Bag, Biohazard; Fisherbrand; Polypropylene; Autoclavable; Plain; Clear; Max. temp. 140deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); With elastic closure; Thickness: 2.0mil; Size: 24 x 30 in.	PK	8202
018267	Bag, Biohazard; Fisherbrand; Polypropylene; Autoclavable; Plain; Clear; Max. temp.: 140deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); With elastic closure; Thickness: 2.0mil; Size: 24 x 36 in.	PK	19702
01826A	Bag, Biohazard Autoclave; Fisherbrand; Polypropylene; Printed in English/Spanish to conform w/OSHA standard 29CFR1910.1030; Clear; Max. temp.: 140deg.C; Pass dart impact resistance test; With elastic closure; 2.0mil; Size: 12 x 24 in.	PK	12234



Cat. No.	Description	Pack	Price in ₹
01826B	Bag, Biohazard; Fisherbrand; Polypropylene; Autoclavable; Printed in English/Spanish to conform w/ OSHA standard 29CFR1910.1030; Clear; Max. temp.: 140deg.C; Pass Dart Impact Resistance Test; With elastic closure; 2.0mil; Size: 24 x 30 in.	PK	13133
01826C	Bag, Biohazard; Fisherbrand; Polypropylene; Autoclavable; Printed in English/Spanish to conform w/ OSHA standard 29CFR1910.1030; Clear; Max. temp.: 140deg.C; Pass dart impact resistance test; With elastic closure; 2.0mil; Size: 24 x 36 in.	PK	15720
01826D	Bag, Biohazard; Fisherbrand; Polypropylene; Autoclavable; Printed in English/Spanish to conform w/ OSHA standard 29CFR1910.1030; Max. temp.: 140C; Dart impact resistance test passed; With elastic closure; 2.0mil; Clear; Size: 31 x 38 in.	PK	21281
01826E	Bag, Biohazard; Fisherbrand; Polypropylene; Autoclavable; Printed in English/Spanish to conform w/ OSHA standard 29CFR1910.1030; Clear; Max. temp.: 140deg.C; Pass dart impact resistance test; With elastic closure; 2.0mil; Size: 37 x 48 in.	PK	16015
01827A	Bag, Biohazard; Fisherbrand; Polyethylene; Autoclavable; Printed in English and Spanish to conform w/ OSHA standard 29CFR1910.1030; Clear; Max. temp: 127deg.C; Pass Dart Impact Resistance Test; Thickness: 1.5mil; Size: 8 x 12 in.	PK	2845
01827B	Bag, Biohazard; Fisherbrand; Polyethylene; Autoclavable; Printed in English and Spanish to conform w/OSHA standard 29CFR1910.1030; Clear; Max. temp: 127deg.C; Pass dart impact resistance test; Thickness: 1.5mil; Size: 12 x 24 in.	PK	5611
01827C	Bag, Biohazard; Fisherbrand; Polyethylene; Autoclavable; Printed in English and Spanish to conform w/ OSHA standard 29CFR1910.1030; Clear; Max. temp: 127deg.C; Pass Dart Impact Resistance Test; Thickness: 1.5mil; Size: 24 x 30 in.	PK	12284
01827D	Bag, Biohazard; Fisherbrand; Polyethylene; Autoclavable; Printed in English and Spanish to conform w/OSHA standard 29CFR1910.1030; Clear; Max. temp: 127deg.C; Pass dart impact resistance test; Thickness: 1.5mil; Size: 24 x 36 in.	PK	14452
01828A	Bag, Biohazard Autoclave; Fisherbrand; Polypropylene; Printed in english/spanish to conform w/OSHA standard 29CFR1910.1030; Red; Max. temp.: 140deg.C; Pass dart impact resistance test; With elastic closure; 2.0mil; Size: 8 x 12 in.	PK	3855
01828B	Bag, Biohazard; Fisherbrand; Polypropylene; Autoclavable; Printed in English and Spanish to conform w/ OSHA standard 29CFR1910.1030; Red; Max. temp.: 140deg.C; Pass Dart Impact Resistance Test; With elastic closure; 2.0mil; Size: 14 x 19 in.	PK	6594
01828C	Bag, Biohazard; Fisherbrand; Polypropylene; Autoclavable; Printed in English and Spanish to conform w/ OSHA standard 29CFR1910.1030; Max. temp.: 140C; Dart impact resistance test passed; With elastic closure; 2.0mil; Red; Size: 19 x 23 in.	PK	8966
01828D	Bag, Biohazard; Fisherbrand; Polypropylene; Autoclavable; Printed in English and Spanish to conform w/ OSHA standard 29CFR1910.1030; Max. temp.: 140C; Dart impact resistance test passed; With elastic closure; 2.0mil; Red; Size: 25x25 in.	PK	15859
01828E	Bag, Biohazard; Fisherbrand; Polypropylene; Autoclavable; Printed in English and Spanish to conform w/ OSHA standard 29CFR1910.1030; Max. temp.: 140C; Dart impact resistance test passed; With elastic closure; 2.0mil; Red; Size: 37x48 in.	PK	16262
01829A	Bag, Biohazard; Fisherbrand; Polyethylene; Autoclavable; Printed n English and Spanish to conform w/ OSHA standard 29CFR1910.1030; Red; Max. temp: 12775deg.C; Pass Dart Impact Resistance Test; Thickness: 1.5mil; Size: 8 x 12 in.	PK	2945
01829B	Bag, Biohazard; Fisherbrand; Polyethylene; Autoclavable; Printed in English and Spanish to conform w/OSHA standard 29CFR1910.1030; Red; Max. temp: 127deg.C; Pass Dart Impact Resistance Test; Thickness: 1.5mil; Size: 14 x 19 in.	PK	6014
01829C	Bag, Biohazard Autoclave; Fisherbrand; Polyethylene; Printed in English and Spanish to conform w/ OSHA standard 29CFR1910.1030; Red; Max. temp: 127deg.C; Pass Dart Impact Resistance Test; Thickness: 1.5mil; Size: 19 x 23 in.	PK	8792
01829D	Bag, Biohazard; Fisherbrand; Polyethylene; Autoclavable; Printed in English and Spanish to conform w/OSHA standard 29CFR1910.1030; Red; Max. temp: 127deg.C; Pass Dart Impact Resistance Test; Thickness: 1.5mil; Size: 25 x 35 in.	PK	15928
01829E	Bag, Biohazard; Fisherbrand; Polyethylene; Autoclavable; Printed in English and Spanish to conform w/OSHA standard 29CFR1910.1030; Red; Max. temp: 127deg.C; Pass dart impact resistance test; Thickness: 1.5mil; Size: 38 x 48 in.	PK	14799
01829F	Bag, Biohazard Autoclave; Fisherbrand; Polyethylene; Printed in English andSpanish to conform w/OSHA standard 29CFR1910.1030; Red; Max. temp: 127deg.C; Pass Dart Impact Resistance Test; Thickness: 1.5mil; Size: 33 x 30 in.	PK	18506
01830A	Bag, Biohazard Autoclave; Fisherbrand; Polypropylene; Plain; Red; Max. temp.: 140deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); With elastic closure; Thickness: 2.0mil; Size: 8 x 12 in.	PK	3322

Cat. No.	Description	Pack	Price in ₹
01830B	Bag, Biohazard Autoclave; Fisherbrand; Polypropylene; Plain; Red; Max. temp.: 140deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); With elastic closure; Thickness: 2.0mil; Size: 14 x 19 in.	PK	6758
01830C	Bag, Biohazard Autoclave; Fisherbrand; Polypropylene; Plain; Red; Max. temp.: 140deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); With elastic closure; Thickness: 2.0mil; Size: 19 x 23 in.	PK	11121
01830D	Bag, Biohazard Autoclave; Fisherbrand; Polypropylene; Plain; Red; Max. temp.: 140deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); With elastic closure; Thickness: 2.0mil; Size: 25 x 35 in.	PK	21010
01830E	Bag, Biohazard Autoclave; Fisherbrand; Polypropylene; Plain; Red; Max. temp.: 140deg.C; Pass Dart Impact Resistance Test of 165g (using ASTM D1709-85); With elastic closure; Thickness: 2.0mil; Size: 37 x 48 in.	PK	20152
01831A	Bag, Biohazard; Fisherbrand; Polyethylene; Autoclavable; Printed in English and Spanish to conform w/OSHA standard 29CFR1910.1030; Red; Max. temp: 127deg.C; Pass Dart Impact Resistance Test; Thickness: 4.0mil; Size: 24 x 36 in.	CS	16150
01831B	Bag, Biohazard Autoclave; Fisherbrand; Polyethylene; Printed in English and Spanish to conform w/ OSHA standard 29CFR1910.1030; Red; Max. temp: 127deg.C; Pass Dart Impact Resistance Test; Thickness: 4.0mil; Size: 38 x 48 in.	CS	18266
01832A	Bag, Biohazard Autoclave; Fisherbrand; Polyethylene; Plain; Clear; Max. temp: 127deg.C; Pass dart impact resistance test of 165g (using ASTM D1709-85); Thickness: 4.0mil; Size: 24 x 36 in.	CS	21257
1200915A	Bags, controlled environment; Fisherbrand; Bags, sample; Low-density polyethylene; Transparent; Designed to fit Fisherbrand dry waste containers; Capacity: 6.25 gal.; Size: 28L x 22W in. (71 x 56cm)	CS	4652
14375175	Holder, Autoclave bag; Fisherbrand; High-density polyethylene with lid; Capacity: 8 qt.; Accepts bags with minimum width of 12 in.	EA	2746
14375176	Holder, Autoclave bag; Fisherbrand; High-density polyethylene with lid; Capacity: 24 qt.; Accepts bags with minimum width of 16 in.	EA	6229
14375177	Holder, Autoclave Bag; Fisherbrand; High-density polyethylene with Lid; Capacity: 48 qt.; Accepts bags with minimum width of 16 in.	EA	8982
14955175	Bag, Sample; Fisherbrand; Polyethylene; Sterile; Clear; With round-wire closure; Hold solids, semi-solids, liquids; Meet FDA reqts.; Capacity: 2 oz.; Thickness: 2.5mil; Size: 3 x 5 in.	PK	7640
14955176	Bag, Sample; Fisherbrand; Polyethylene; Sterile; Clear; With round-wire closure; Hold solids, semi-solids, liquids; Meet FDA reqts.; Capacity: 4 oz.; Size: 3 x 7 in.; 3.5mil thickness	PK	7916
14955177	Bag, Sample; Fisherbrand; Polyethylene; Sterile; Clear; With round-wire closure; Hold solids, semi-solids, liquids; Meet FDA reqts.; Capacity: 18 oz.; Thickness: 3mil; Size: 4.5 x 9 in.	PK	9985
14955178	Bag, Sample; Fisherbrand; Polyethylene; Sterile; Clear; With round-wire closure; Hold solids, semi-solids, liquids; Meet FDA reqts.; Capacity: 27 oz.; Thickness: 3mil; Size: 4.5 x 12 in.	PK	12427
14955180	Bags, Sample; Fisherbrand; Polyethylene; Sterile; Clear; With round-wire closure; Hold solids, semi-solids, liquids; Meet FDA reqts.; Capacity: 24 oz.; Size: 5.5 x 9 in.	PK	13732
14955181	Bags, Sample; Fisherbrand; Polyethylene; Sterile; Clear; With round-wire closure; Hold solids, semi-solids, liquids; Meet FDA reqts.; Capacity: 42 oz.; Thickness: 3.5mil; Size: 5.5 x 15 in.	PK	17131
14955182	Bags, Sample; Fisherbrand; Polyethylene; Sterile; Printed; With round-wire closure; Hold solids, semi-solids, liquids; Meet FDA reqts.; Capacity: 2 oz.; Thickness: 2.5mil; Size: 3 x 5 in.	PK	8236
14955183	Bags, Sample; Fisherbrand; Polyethylene; Sterile; Printed; With round-wire closure; Hold solids, semi-solids, liquids; Meet FDA reqts.; Capacity: 4 oz.; Thickness: 4mil; Size: 3 x 7 in.	PK	8579
14955184	Bags, Sample; Fisherbrand; Polyethylene; Sterile; Printed; With round-wire closure; Hold solids, semi-solids, liquids; Meet FDA reqts.; Capacity: 18 oz.; Thickness: 3mil; Size: 4.5 x 9 in.	PK	10671
14955185	Bag, Sample; Fisherbrand; Polyethylene; Sterile; Printed; With round-wire closure; Hold solids, semi-solids, liquids; Meet FDA reqts.; Capacity: 24 oz.; Thickness: 3.5mil; Size: 5.5 x 9 in.	PK	13191
14955186	Bag, Sample; Fisherbrand; Polyethylene; Sterile; Clear; With flat-wire closure; Hold solids, semi-solids, liquids; Capacity: 18 oz.; Thickness: 3mil; Size: 4.5 x 9 in.	PK	10613
14955187	Bag, Sample; Fisherbrand; Polyethylene; Sterile; Clear; With flat-wire closure; Hold solids, semi-solids, liquids; Capacity: 24 oz.; Thickness: 3.5mil; Size: 5.5 x 9 in.	PK	12709
14955188	Bag, Sample; Fisherbrand; Polyethylene; Sterile; Clear; With flat-wire closure; Hold solids, semi-solids, liquids; Capacity: 42 oz.; Thickness: 3.5mil; Size: 5.5 x 15 in.	PK	18775
14955189	Bag, Sample; Fisherbrand; Polyethylene; Sterile; Printed; With flat-wire closure; Hold solids, semi-solids, liquids; Capacity: 18 oz.; Thickness: 3mil; Size: 4.5 x 9 in.	PK	11312
14955190	Bag, Sample; Fisherbrand; Polyethylene; Sterile; Printed; With flat-wire closure; Hold solids, semi-solids, liquids; Capacity: 24 oz.; Thickness: 3.5mil; Size: 5.5 x 9 in.	PK	16257

Cat. No.	Description	Pack	Price in ₹
14955191	Bag, Sample; Fisherbrand; Polyethylene; Sterile; Clear; With round-wire closure; Hold solids, semi-solids, liquids; Meet FDA reqts.; Capacity: 55 oz.; Thickness: 4mil; Size: 7 x 12 in.	PK	9732
14955192	Bag, Sample; Fisherbrand; Polyethylene; Sterile; Printed; With round-wire closure; Hold solids, semi-solids, liquids; Meet FDA reqts.; Capacity: 55 oz.; Thickness: 4mil; Size: 7 x 12 in.	PK	10272
14955193	Bag, Sample; Fisherbrand; Polyethylene; Sterile; With flat-wire closure; Hold solids, semi-solids, liquids; Capacity: 55 oz.; Thickness: 3.5mil; Size: 7 x 12 in.; Clear	PK	10232
14955194	Bag, Sample; Fisherbrand; Polyethylene; Sterile; With flat-wire closure; Hold solids, semi-solids, liquids; Capacity: 55 oz.; Thickness: 3.5mil; Size: 7 x 12 in.; Printed	PK	10523
14955195	Bag, Sample; Fisherbrand; Polyethylene; Sterile; with flat-wire closure; Hold solids, semi-solids, liquids; Capacity: 60 oz.; Thickness: 4mil; Size: 10 x 10 in.; Printed	PK	13435
14955196	Bag, Sample; Fisherbrand; Polyethylene; Sterile; Clear; With flat-wire closure; Hold solids, semi-solids, liquids; Capacity: 100 oz.; Thickness: 4mil; Size: 10 x 14 in.	PK	14761
15182500	Bags, Biopsy; Nylon; Fisherbrand; Small; Nylon cloth with precise mesh diameter; 1.0 in. L x 1.6 in. W (25 x 40mm)	PK	44767
15182501	Bags, Biopsy; Nylon; Fisherbrand; Medium; Nylon cloth with precise mesh diameter; 1.8 in. L x 3.0 in. W (45 x 75mm)	PK	16994
18028321	Bags, Specimen Transport; Fisherbrand; Infecon; For collecting, storing, transporting tissue samples; Document pouch keeps paperwork with specimen; Printed with Biohazard Symbol; Double-lock closure makes it liquid tight; 8 W x 10 in. L	PK	28799
19028320	Bag, Specimen Transport; Fisherbrand; Infecon; For collecting, storing, transporting tissue samples; Document pouch keeps paperwork with specimen; Printed with Biohazard Symbol; Double-lock closure makes it liquid tight; 12L x 12 in. W	PK	32218
19033616	Bag, Cleanroom; Fisher Container; Precision Clean II; Clear; 1.5mil; 36 x 36 in.	CS	25830
19033619	Bag, Cleanroom; Fisher Container; Precision Clean II; Clear; 2mil; 5 x 8 in.	CS	29879
19033625	Bag, Cleanroom; Fisher Container; Precision Clean II; Clear; 2mil; W x L: 12 x 18 in.	CS	63312
19033626	Bag, Cleanroom; Fisher Container; Precision Clean II; Clear; 2mil; W x L: 18 x 24 in.	CS	66547
19033628	Bag, Cleanroom; Fisher Container; Precision Clean II; Clear; 4mil; W x L: 24 x 30 in.	CS	61125
19033633	Bag, Cleanroom; Fisher Container; Precision Clean II; Clear; 6mil; W x L: 12 x 15 in.	CS	80196
19033634	Bag; Fisher Container; Precision Clean II; Clear; Class ISO 5 (Formerly Class 100); Silicon-free; 2mil; 8 x 13 in.	CS	32858
19033635	Bag; Fisher Container; Cleanroom; Precision Clean II; Clear; 6mil; W x L: 18 x 24 in.	CS	71878
19075206	Bags, Specimen Storage; Fisherbrand; Bitran; Com-Pac International; PE; For short-term storage; For collecting, transporting, storing tissue specimens; Resealable double-lock zipper closure; Size: 16 x 16 in.	CS	15817
19075207	Bags, Specimen Storage; Fisherbrand; Bitran; Com-Pac International; PE; For short-term storage; For collecting, transporting, storing tissue specimens; Resealable double-lock zipper closure; Size: 24 x 24 in.	CS	34993
19075208	Bags, Specimen Storage; Fisherbrand; Bitran; Com-Pac International; Saranex odor ctrl film; For long-term storage; For collecting, transporting, storing tissue specimens; Resealable double-lock zipper closure; Size: 16 x 16 in.	CS	25212
19075209	Bags, Specimen; Fisherbrand; Bitran; Com-Pac International; For collecting, transporting and storing tissue specimens; Resealable double-lock zipper closure; Clear; Saranex; Long-term storage, with odor control; 24 x 24 in.	CS	57129
19075210	Bag, Specimen Transport; Fisherbrand; Infecon; For collecting, storing, transporting tissue samples; Document pouch keeps paperwork with specimen; Printed with Biohazard Symbol; Double-lock closure makes it liquid tight; 16L x 16 in. W	CS	18067
19075388A	Bags, controlled environment; Fisherbrand; Com-Pac International; Flat; Polyethylene; For short-term storage; Thickness: 4mil; Size: 12 L x 8 in. W (30.5 x 20.3cm)	PK	3098
19075388B	Bags, controlled environment; Fisherbrand; Com-Pac International; Flat; Polyethylene; For short-term storage; Thickness: 4mil; Size: 10 L x 6 in. W (25.4 x 15.2cm)	PK	2677
19075388C	Bags, controlled environment; Fisherbrand; Com-Pac International; Flat; Polyethylene; For short-term storage; Thickness: 4mil; Size: 16 L x 10 in. W (40.6 x 25.4cm)	PK	4236
19075388D	Bags; Biohazard Specimen; Fisherbrand; Com-Pac International; Polyethylene; Printed with biohazard graphics; Zipper closure; FDA-approved PE, Pocket for paperwork; 2mil-thick pouch; 1.5mil-thick pocket; Size: 6 x 10 in.	CS	17191
19075388E	Bags; Biohazard Specimen; Fisherbrand; Com-Pac International; Polyethylene; Printed with biohazard graphics; Zipper closure; FDA-approved PE, Pocket for paperwork; 2mil-thick pouch; 1.5mil-thick pocket; Size: 5 x 9 in.	CS	19243

Cat. No.	Description	Pack	Price in ₹
19075388F	Bags; Biohazard Specimen; Fisherbrand; Com-Pac International; Polyethylene; Printed with biohazard graphics; Zipper closure; FDA-approved PE, Pocket for paperwork; 2mil-thick pouch; 1.5mil-thick pocket; Size: 10 x 10 in.	CS	24234
19075388G	Bags, controlled environment; Fisherbrand; Com-Pac International; Flat; Polyethylene; For short-term storage; Thickness: 4mil; Size: 6 L x 4 in. W (15.3 x 10.2cm)	PK	1722
19075388H	Bags, controlled environment; Fisherbrand; Com-Pac International; Flat; Polyethylene; For short-term storage; Thickness: 4mil; Size: 18 L x 12 in. W (45.7 x 30.5cm)	PK	4986
19075388J	Bags, controlled environment; Fisherbrand; Com-Pac International; Flat; Polyethylene; For short-term storage; Thickness: 4mil; Size: 12 L x 10 in. W (30.5 x 25.4cm)	PK	4079
19075388K	Bags, controlled environment; Fisherbrand; Com-Pac International; Flat; Polyethylene; For short-term storage; Thickness: 4mil; Size: 20 L x 12 in. W (50.8 x 30.5cm)	PK	6187
19240093	Bags, Specimen Storage; Fisherbrand; Bitran; Com-Pac International; Saranex odor ctrl film; For long-term storage; For collecting, transporting, storing tissue specimens; Resealable double-lock zipper closure; Size: 2 x 4 in.	PK	10913
19240101	Bag, Specimen; Fisherbrand; Bitran; Com-Pac International; Saranex odor control film; For long-term storage; For collecting, transporting, storing tissue specimens; Resealable double-lock zipper closure; Size: 3 x 6 in. (7.6 x 15.2cm)	PK	15114
19240119	Bags, Specimen; Fisherbrand; Bitran; Com-Pac International; For collecting, transporting and storing tissue specimens; Resealable double-lock zipper closure; Clear; Saranex; Long-term storage, with odor control; 6 x 6 in.	PK	18966
19240127	Bag, Specimen; Fisherbrand; Bitran; Com-Pac International; Saranex odor control film; For long-term storage; For collecting, transporting, storing tissue specimens; Resealable double-lock zipper closure; Size: 7 x 8 in. (17.7 x 20.3cm)	PK	23004
19240143	Bags, Specimen; Fisherbrand; Bitran; Com-Pac International; For collecting, transporting and storing tissue specimens; Resealable double-lock zipper closure; Clear; Saranex; Long-term storage, with odor control; 9 x 12 in.	PK	33862
19240150	Bags, Specimen Storage; Fisherbrand; Bitran; Com-Pac International; Saranex odor ctrl film; For long-term storage; For collecting, transporting, storing tissue specimens; Resealable double-lock zipper closure; Size: 12 x 12 in.	PK	38034
19240168	Bags, Specimen Storage; Fisherbrand; Bitran; Com-Pac International; PE; For short-term storage; For collecting, transporting, storing tissue specimens; Resealable double-lock zipper closure; Size: 3 x 6 in.	PK	10989
19240192	Bags, Specimen Storage; Fisherbrand; Bitran; Com-Pac International; PE; For short-term storage; For collecting, transporting, storing tissue specimens; Resealable double-lock zipper closure; Size: 6 x 6 in.	PK	15408
19240200	Bags, Specimen Storage; Fisherbrand; Bitran; Com-Pac International; PE; For short-term storage; For collecting, transporting, storing tissue specimens; Resealable double-lock zipper closure; Size: 7 x 8 in.	PK	17254
19240218	Bags, Specimen Storage; Fisherbrand; Bitran; Com-Pac International; PE; For short-term storage; For collecting, transporting, storing tissue specimens; Resealable double-lock zipper closure; Size: 9 x 12 in.	PK	24310
19240226	Bags, Specimen; Fisherbrand; Bitran; Com-Pac International; For collecting, transporting and storing tissue specimens; Resealable double-lock zipper closure; Clear; Polyethylene; Short-term storage; 12 x 12 in.	PK	29368
19287215	Bags, Specimen Transport; Fisherbrand; Infecon; For collecting, storing, transporting tissue samples; Document pouch keeps paperwork with specimen; Printed with Biohazard Symbol; Double-lock closure makes it liquid tight; 6 W x 9 in. L	CS	80337
22044558	Bags, Biohazard; Fisherbrand; Medical Action Industries; Autoclave; Polyethylene; Without indicators; Clear; 1.5mil thick; Size: 12 x 24 in.	CS	1,884.00
22044559	Bags, Biohazard; Fisherbrand; Medical Action Industries; Autoclave; Polyethylene; Without indicators; Clear; 1.5mil thick; Size: 24 x 30 in.	CS	4,495.00
22044560	Bags, Biohazard; Fisherbrand; Medical Action Industries; Autoclave; Polyethylene; Without indicators; Clear; 1.5mil thick; Size: 24 x 36 in.	CS	4,885.00
22044561	Bags, Biohazard; Fisherbrand; Medical Action Industries; Autoclave; Polyethylene; Without indicators; Red; 1.25mil thick; Size: 8 x 12 in.	CS	6955
22044562	Bags, Biohazard; Fisherbrand; Medical Action Industries; Autoclave; Polyethylene; Without indicators; Red; 1.25mil thick; Size: 14 x 19 in.	CS	3364
22044563	Bags, Biohazard; Fisherbrand; Medical Action Industries; Autoclave; Polyethylene; Without indicators; Red; 1.25mil thick; Size: 19 x 23 in.	CS	5414
22044564	Bags, Biohazard; Fisherbrand; Medical Action Industries; Autoclave; Polyethylene; Without indicators; Red; 1.5mil thick; Size: 25 x 35 in.	CS	11314

Cat. No.	Description	Pack	Price in ₹
22044565	Bags, Biohazard; Fisherbrand; Medical Action Industries; Autoclave; Polyethylene; Without indicators; Red; 1.5mil thick; Size: 36 x 45 in.	CS	10062
22287216	Bags, Specimen Transport; Fisherbrand; Infecon; For collecting, storing, transporting tissue samples; Document pouch keeps paperwork with specimen; Printed with Biohazard Symbol; Double-lock closure makes it liquid tight; 9 W x 12 in. L	CS	123946
22306297	Specimen Bag; Fisherbrand; Lab-Guard; Plain; 6 x 9 in.(15 x 23cm); 1000/Cs.	CS	10106
22310302	Specimen Bag; Fisherbrand; Lab-Guard; With Biohazard Label; 12 x 15 in.(30 x 38cm); 1000/Cs.	CS	36179
FB51652	Homogenizer bag 180mm x 300mm for stomacher 400 sterile by irradiation sleeve of 25	Case of 2500	40709
FB60620	Bag, sampling, sterile, clear polythene, 60mL, pack of 500	Pack of 500	4009
FB60621	Bag, sampling, sterile, clear polythene, 120mL, pack of 500	Pack of 500	4696
FB60622	Bag, sampling, sterile, clear polythene, 540mL, pack of 500	Pack of 500	9109
FB60623	Bag, sampling, sterile, clear polythene, 720mL, pack of 500	Pack of 500	14625
FB60624	Bag, sampling, sterile, clear polythene, 810mL, pack of 50	Pack of 50	12919
FB60626	Bag, sampling, sterile, clear polythene, 1.26L, pack of 500	Pack of 500	18839
FB60629	Bag, sampling, sterile, printed polythene, 60mL pack of 500	Pack of 500	4423
FB60630	Bag, sampling, sterile, PRT polythene, 120mL, pack of 500	Pack of 500	5166
FB60631	Bag, sampling, sterile, printed polythene, 540mL, pack of 500	Pack of 500	10060
FB60632	Bag, sampling, sterile, printed polythene, 720mL, pack of 500	Pack of 500	16115
FB60633	Sample bag sterile, secure, with round wire closure and writing patch, contaminent free, 1800mL	Pack of 250	17955
FB60634	Sample bag sterile, secure, with round wire closure polyethylene 3000mL	Pack of 250	18567
FB60640	Sample bag sterile, secure, with flat wire closure polyethylene 530mL	Pack of 500	9109
FB60641	Sample bag sterile, secure, with flat wire closure polyethylene 710mL	Pack of 500	14625
FB60642	Bag, sampling, sterile, clear flat wire closure, 1.26L pack of 500	Pack of 500	18839
FB60643	Bag, sampling, sterile, printed, flat wire closure, 540mL, pack of 500	Pack of 500	10060
FB60644	"Sample bag sterile, secure, with flat wire closure and writing patch, contaminent free, polyethylene accomodates solids and liquids clear 710mL Fisherbrand, pack of 500"	Pack of 500	16115
FB60645	Sample bag sterile, secure, with round wire closure, polyethylene 1600mL	EA	12240
FB60646	Sample bag sterile, secure, with round wire closure and writing patch contaminent free, 1600mL	EA	12919
FB60647	Sample bag sterile, secure, with flat wire closure polyethylene 1600mL	Pack of 250	12240
FB60648	"Sample bag sterile, secure, with flat wire closure and writing patch contaminent free, polyethylene accomodates solids and liquids clear 1600mL Fisherbrand"	Pack of 250	23645
<b>Containers</b>			
0254032	Container, Urine; Fisherbrand SAFE-D-Spense; 24-hour; Dripless pour spout; Polyethylene; Amber; 3000mL; Graduated	CS	11374
03340194A	Bin, Storage/Dispenser; Fisherbrand; Workstation; Clear acrylic front; Removable top; Front hinged lid; Size: large; 6L x 6.5W x 14 in.H (15 x 16.5 x 35.5cm)	EA	11784
03340194B	Bin, Storage/Dispenser; Fisherbrand; Workstation; Clear acrylic front; Removable top; Front hinged lid; Size: small; 6L x 6.5W x 7.0 in.H (15 x 16.5 x 17.8cm)	EA	9592
03485C	Container, Reusable sample; Fisherbrand; Round seamless aluminum; Cover fits on bottom to prevent misplacement; Dia. x H: 3.5 x 2 in. (8.9 x 5cm)	EA	2204
03490A	Box, Specimen; Fisherbrand; Tin; Round; Seamless; Low-form; Flat bottom; Label on lid; Capacity: 0.5 oz. (15mL); Dia. x H: 1.5 x 0.5 in. (38 x 13mm)	PK	6487
03490B	Box, Specimen; Fisherbrand; Tin; Round; Seamless; Low-form; Flat bottom; Label on lid; Capacity: 1.0 oz. (30mL); Dia. x H: 2.0 x 0.62 in. (51 x 16mm)	PK	4991
03490C	Box, Specimen; Fisherbrand; Tin; Round; Seamless; Low-form; Flat bottom; Label on lid; Capacity: 2.0 oz. (60mL); Dia. x H: 2.37 x 0.75 in. (60 x 19mm)	PK	5425
03490D	Box, Specimen; Fisherbrand; Tin; Round; Seamless; Low-form; Flat bottom; Label on lid; Capacity: 4.0 oz. (120mL); Dia. x H: 3.12 x 0.93 in. (79 x 24mm)	PK	5322
11375115B	Container, Sample; Fisherbrand; Collapsible; LDPE with extra-strong seams; Amber-tinted; Wide mouth; Graduated from 500 - 3500mL; Capacity: 4L; O.D.: 63mm	CS	37160
FBA11846	Storage bin dispenser; Fisherbrand; 9.25 H x 6.62 W x 8.5 in. D	EA	9854
14375115	Container, Sample; Fisherbrand; Collapsible; LDPE with extra-strong seams; Amber-tinted; Wide mouth; Graduated from 500 - 3500mL; Capacity: 4L; O.D.: 38mm	CS	30210

Cat. No.	Description	Pack	Price in ₹
14955101	Container, Specimen; Fisherbrand; Graduated; Polypropylene; Without lid; Sterile; Capacity: 4.5 oz. (133mL)	CS	11410
14955102	Container, Specimen; Fisherbrand; Graduated; Polypropylene; With lid; Sterile; Capacity: 4.5 oz. (133mL)	CS	10557
14955103	Container, Specimen; Fisherbrand; Graduated; Polypropylene; Without lid; Non-sterile; Capacity: 4.5 oz. (133mL)	CS	8026
14955104	Container, Specimen; Fisherbrand; Graduated; Polypropylene; Without lid; Sterile; Capacity: 8.0 oz. (237mL)	CS	16089
14955105	Container, Specimen; Fisherbrand; Graduated; Polypropylene; With lid; Sterile; Capacity: 8.0 oz. (237mL)	CS	11000
14955106	Container, Specimen; Fisherbrand; Graduated; Polypropylene; Without lid; Non-sterile; Capacity: 8.0 oz. (237mL)	CS	18022
14955107	Lid; Fisherbrand; For polypropylene graduated containers; Polyethylene; Sterile; Cannot be autoclaved	CS	8774
14955108	Lid; Fisherbrand; For polypropylene graduated containers; Polyethylene; Non-sterile; Cannot be autoclaved	CS	9340
14955114A	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); Translucent; Short/Wide; O.D x H: 2.87 x 2.22 in.; Capacity: 4 oz.	CS	12864
14955114B	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); Translucent; Tall/Thin; O.D x H: 2.89 x 2.65 in.; Capacity: 5 oz.	CS	12434
14955115A	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); Translucent; Short/Wide; O.D x H: 3.74 x 2.20 in.; Capacity: 8 oz.	CS	5183
14955115B	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); White; Short/Wide; O.D x H: 3.74 x 2.21 in.; Capacity: 8 oz.	CS	7927
14955116A	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); Translucent; Tall/Thin; O.D x H: 3.07 x 3.41 in.; Capacity: 8 oz.	CS	5916
14955116B	Container, Specimen; Fisherbrand; Multipurpose; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); White; Tall/Thin; O.D x H: 3.07 x 3.39 in.; Capacity: 8 oz.	CS	5078
14955117A	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); Translucent; O.D x H: 3.67 x 4.26 in.; Capacity: 16 oz.	CS	7401
14955117B	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); White; O.D x H: 3.69 x 4.20 in.; Capacity: 16 oz.	CS	8983
14955118A	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); Translucent; O.D x H: 4.50 x 5.24 in.; Capacity: 32 oz.	CS	9307
14955118B	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); Graduated; White; O.D x H: 4.53 x 5.23 in.; Capacity: 32 oz.	CS	8438
14955119A	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); Translucent; O.D x H: 5.78 x 6.13 in.; Capacity: 64 oz.	CS	10557
14955119B	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); White; O.D x H: 5.80 x 6.13 in.; Capacity: 64 oz.	CS	7741
14955120A	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); Translucent; O.D x H: 5.75 x 7.5 in.; Capacity: 86 oz.	CS	6718
14955120B	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); White; O.D x H: 5.83 x 7.52 in.; Capacity: 86 oz.	CS	5091
14955121A	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); Translucent; O.D x H: 8.66 x 6.98 in.; Capacity: 172 oz.	CS	4567
14955121B	Containers, Specimen, Multipurpose; Fisherbrand; Autoclavable; Thick-walled; Material: HDPE; With LDPE lids (not autoclavable); White; O.D x H: 8.58 x 6.99 in.; Capacity: 172 oz.	CS	3929
19038300G	Case; Diagnostic Specimen; Infecon; Fisherbrand; Includes hard plastic case, two foam inserts and two absorbent sheets; L x W x H: 15.5 x 8.5 x 9 in.; Red	CS	16934
FB60650	Container short/wide specimen multipurpose storage, inert to most chemicals 120mL	Pack of 300	9297
FB60651	Container short/wide specimen multipurpose storage, inert to most chemicals 240mL	Pack of 100	3989
FB60652	Container short/wide specimen multipurpose storage, inert to most chemicals 240mL	Pack of 100	4043
FB60653	Container specimen storage, multipurpose, autoclavable, for use with liquid & solid samples 1900mL	Pack of 50	7279
FB60654	Container specimen storage, multipurpose, autoclavable, for use with liquid & solid samples 1900mL	Pack of 50	7279
FB60655	Container specimen storage, multipurpose, autoclavable, for use with liquid & solid samples 2500mL	Pack of 25	4114
FB60656	Container specimen storage, multipurpose, autoclavable, for use with liquid & solid samples 2500mL	Pack of 25	4262
FB60657	Container specimen storage, multipurpose, autoclavable, for use with liquid & solid samples 5100mL	Pack of 100	2724

Cat. No.	Description	Pack	Price in ₹
FB60658	Container specimen storage, multipurpose, autoclavable, for use with liquid & solid samples 5100mL	Pack of 10	2775
FB60660	Container specimen storage, sterile, without lid, polypropylene 130mL	Pack of 500	10434
FB60661	Container specimen storage, sterile, with lid, polypropylene 130mL	Pack of 100	4366
FB60662	Container specimen storage, sterile, with lid, polypropylene 130mL	Pack OF 100	8850
FB60663	Container specimen storage, sterile, without lid, polypropylene 240mL	Pack of 500	14544
FB60664	Lid not autoclavable polyethylene for specimen storage container, sterile	Pack of 500	6293
FB60665	Lid not autoclavable polyethylene for specimen storage container, non-sterile	Pack of 500	6159
FB60670	Container short/wide specimen storage, multipurpose, inert to most chemicals 120mL	Pack of 300	7393
FB60671	Container short/wide specimen storage, multipurpose, inert to most chemicals 120mL	Pack of 500	13276
FB60672	Container tall/thin specimen storage, multipurpose, inert to most chemicals 240mL	Pack of 100	3535
FB60673	Container specimen storage, sterile, with lid, polypropylene 240mL	Pack of 100	5822
FB60674	Container tall/thin specimen storage, multipurpose, inert to most chemicals 240mL	Pack of 100	3602
FB60675	Container specimen storage, multipurpose, autoclavable, for use with liquid & solid samples, 473mL	Pack of 100	5304
FB60676	Container specimen storage, multipurpose, autoclavable, for use with liquid & solid samples, 473mL	Pack of 100	5375
FB60677	Container specimen storage, multipurpose, autoclavable, for use with liquid & solid samples, 1100mL	Pack of 100	8224
033383A	Container, Polystyrene; Fisherbrand; With snap-on caps; Ideal for storing dry materials, powders, tablets; Capacity: 3 dr. (11.1mL); I.D. x H: 19 x 48mm	CS	5488
033383B	Container, Polystyrene; Fisherbrand; With snap-on caps; Ideal for storing dry materials, powders, tablets; Capacity: 5 dr. (18.5mL); I.D. x H: 22 x 48mm	CS	5530
033383C	Container, Polystyrene; Fisherbrand; With snap-on caps; Ideal for storing dry materials, powders, tablets; Capacity: 7 dr. (25.9mL); I.D. x H: 26 x 51mm	CS	5457
033383D	Container, Polystyrene; Fisherbrand; With snap-on caps; Ideal for storing dry materials, powders, tablets; Capacity: 10 dr. (37.0mL); I.D. x H: 26 x 82mm	CS	7927
033383E	Container, Polystyrene; Fisherbrand; With snap-on caps; Ideal for storing dry materials, powders, tablets; Capacity: 13 dr. (48.1mL); I.D. x H: 30 x 56mm	CS	8910
033383F	Container, Polystyrene; Fisherbrand; With snap-on caps; Ideal for storing dry materials, powders, tablets; Capacity: 15 dr. (55.5mL); I.D. x H: 32 x 64mm	CS	7696
033383G	Container, Polystyrene; Fisherbrand; With snap-on caps; Ideal for storing dry materials, powders, tablets; Capacity: 20 dr. (74mL); I.D. x H: 38 x 64mm	CS	11233
033383H	Container, Polystyrene; Fisherbrand; With snap-on caps; Ideal for storing dry materials, powders, tablets; Capacity: 30 dr. (111mL); I.D. x H: 45 x 76mm	CS	7835
033383J	Container, Polystyrene; Fisherbrand; With snap-on caps; Ideal for storing dry materials, powders, tablets; Capacity: 40 dr. (148mL); I.D. x H: 45 x 102mm	CS	9099
02544127	Containers, specimen; Fisherbrand; Plastic containers with lids; HDPE; Unbreakable; Translucent; Tight-fitting lids; Inert; Temperature resistant; Sturdy for reuse; Color: Natural; Capacity: 32 oz. (946mL)	CS	10691
0340535	Containers, specimen; Fisherbrand; Polyethylene hinged-lid; Snap closure; Ideal for use just about anywhere; Mfrd from FDA approved polyethylene resin; 0.25 oz.; O.D. x H: 1.5 x 0.5 in.	CS	5577
0340536	Containers, specimen; Fisherbrand; Polyethylene hinged-lid; Snap closure; Ideal for use just about anywhere; Mfrd from FDA approved polyethylene resin; 0.5 oz.; O.D. x H: 1.5 x 0.75 in.	CS	6070
0340537	Containers, specimen; Fisherbrand; Polyethylene hinged-lid; Snap closure; Ideal for use just about anywhere; Mfrd from FDA approved polyethylene resin; 1 oz. flat; O.D. x H: 2 x 1 in.	CS	7934
0340538	Containers, specimen; Fisherbrand; Polyethylene hinged-lid; Snap closure; Ideal for use just about anywhere; Mfrd from FDA approved polyethylene resin; 1 oz.; O.D. x H: 1.5 x 1.5 in.	CS	9214
0340539	Containers, specimen; Fisherbrand; Polyethylene hinged-lid; Snap closure; Ideal for use just about anywhere; Mfrd from FDA approved polyethylene resin; 2 oz.; O.D. x H: 1.5 x 2 in.	CS	9284
0340540	Containers, specimen; Fisherbrand; Polyethylene hinged-lid; Snap closure; Ideal for use just about anywhere; Mfrd from FDA approved polyethylene resin; 4 oz.; O.D. x H: 2 x 3.375 in.	CS	12445
<b>Cryogenics</b>			
03391200	Box, Storage; Fisherbrand; Cryogenic; Polypropylene; Natural; Type: stackable; 100-places; For 0.5/1.5/2.0mL tubes/cryo vials	PK	6909
03391202	Box, Storage; Fisherbrand; Cryogenic; Polypropylene; Green; Type: stackable; 100-places; For 0.5/1.5/2.0mL tubes/cryo vials	PK	6909
03391205	Box, Storage; Fisherbrand; Cryogenic; Polypropylene; Assorted; Type: stackable; 100-places; For 0.5/1.5/2.0mL tubes/cryo vials	PK	6909
1200916	Box, Freezer; Fisherbrand; Enclosed; Clear acrylic; Holds 100 tubes or vials; Thickness: 0.375 in. (1.0cm); Dia.: 1.3cm; 8.62 x 10.62 x 3.5 in. (22 x 27 x 9cm)	EA	39809

Cat. No.	Description	Pack	Price in ₹
12567500	Vial, Cryogenic Storage; Fisherbrand; Internally threaded with silicone gasket; 1.2mL; Polypropylene; With conical bottom, Star-Foot style; Polypropylene closure, 0.5mL increments; Large white marking area; Not autoclavable	PK	5103
12567501	Vial, Cryogenic Storage; Fisherbrand; Internally threaded with silicone gasket; 2.0mL; Polypropylene; With round bottom, Star-Foot style; Polypropylene closure, 0.5mL increments; Large white marking area; Not autoclavable	PK	5192
12567502	Vial, Cryogenic Storage; Fisherbrand; Internally threaded with silicone gasket; 5.0mL; Polypropylene; With round bottom, Star-Foot style; Polypropylene closure, 0.5mL increments; Large white marking area; Not autoclavable	PK	6485
12567503	Coder, Color; Fisherbrand; Vial accessory; Fit into caps of internally threaded cryogenic storage vials (12-567-500, -501, -502); White	CS	2617
12567504	Coder, Color; Fisherbrand; Vial accessory; Fit into caps of internally threaded cryogenic storage vials (12-567-500, -501, -502); Yellow	CS	2617
12567505	Coder, Color; Fisherbrand; Vial accessory; Fit into caps of internally threaded cryogenic storage vials (12-567-500, -501, -502); Green	CS	2617
12567506	Coder, Color; Fisherbrand; Vial accessory; Fit into caps of internally threaded cryogenic storage vials (12-567-500, -501, -502); Blue	CS	2617
12567507	Coder, Color; Fisherbrand; Vial accessory; Fit into caps of internally threaded cryogenic storage vials (12-567-500, -501, -502); Red	CS	2617
1050030	Fisherbrand* Color Coders, Vial Accessory; Fit into caps of Fisherbrand Externally Threaded Cryogenic Storage Vials (10-500-25, -26, and -27); White	Cs of 500	4355
1050031	Fisherbrand* Color Coders, Vial Accessory; Fit into caps of Fisherbrand Externally Threaded Cryogenic Storage Vials (10-500-25, -26, and -27); Yellow	Cs of 500	4355
1050032	Fisherbrand* Color Coders, Vial Accessory; Fit into caps of Fisherbrand Externally Threaded Cryogenic Storage Vials (10-500-25, -26, and -27); Green	Cs of 500	4355
1050033	Fisherbrand* Color Coders, Vial Accessory; Fit into caps of Fisherbrand Externally Threaded Cryogenic Storage Vials (10-500-25, -26, and -27); Blue	Cs of 500	4355
1050034	Fisherbrand* Color Coders, Vial Accessory; Fit into caps of Fisherbrand Externally Threaded Cryogenic Storage Vials (10-500-25, -26, and -27); Red	Cs of 500	4355
FB57930	Cane 290mm long cryogenic holds 5 x up to 2.0mL vials	Pack of 12	2136
FB57931	Cane 300mm long cryogenic holds 6 x up to 5.0mL vials	Pack of 12	2136
FB57932	Sleeve cryogenic straws PVC clear 275mm long Fisherbrand	Pack of 100	6586
FB57935	Cryobox Arctic square 5 x 5 inserts for 1.2/2mL vials 76mm x 76mm x 76mm	Pack of 8	6512
FB57936	Cryobox Arctic square 9 x 9 inserts for 1.2/2mL vials 133mm x 133mm x 53mm	Pack of 4	5318
FB57937	Cryobox Arctic square 9 x 9 inserts tall box for 3/5mL vials 133mm x 133mm x 96mm	Pack of 5	7686
FB57938	Cryostorage box 133mm x 133mm x 53mm 10 x 10 array to hold 100 vials polycarbonate Artic square	Pack of 4	5254
FB71201	Cryobox 32mm height with lid cardboard white	Pack of 10	5197
FB71203	Cryobox Fisherbrand 136mm x136mm with lid-blue	Pack of 10	9486
FB71205	Cryobox Fisherbrand 136mm x 136mm with lid-red	Pack of 10	9486
FB71207	Cryobox Fisherbrand 136mm x 136mm with lid-green	Pack of 10	9486
FB71209	Cryobox Fisherbrand 32mm height, 136mm x136mm with lid- yellow	Pack of 10	9486
FB71211	Cryobox with lid cardboard for use at ultra low temperatures 50mm height 136mm x 136mm white Fisherbrand	Pack of 10	3895
FB71213	Cryobox with lid cardboard for use at ultra low temperatures 50mm height 136mm x 136mm blue Fisherbrand	Pack of 10	5976
FB71215	Cryobox with lid cardboard for use at ultra low temperatures 50mm height 136mm x 136mm red Fisherbrand	Pack of 10	5976
FB71217	Cryobox with lid cardboard for use at ultra low temperatures 50mm height 136mm x 136mm green Fisherbrand	Pack of 10	5976
FB71219	Cryobox with lid cardboard for use at ultra low temperatures 50mm height 136mm x 136mm yellow Fisherbrand	Pack of 10	5976
FB71221	Cryobox with lid cardboard for use at ultra low temperatures 75mm height 136mm x 136mm white Fisherbrand	Pack of 10	5453
FB71223	Cryobox with lid cardboard for use at ultra low temperatures 75mm height 136mm x 136mm blue Fisherbrand	Pack of 10	7534
FB71225	Cryobox with lid cardboard for use at ultra low temperatures 75mm height 136mm x 136mm red Fisherbrand	Pack of 10	7534



Cat. No.	Description	Pack	Price in ₹
FB71227	Cryobox with lid cardboard for use at ultra low temperatures 75mm height 136mm x 136mm green Fisherbrand	Pack of 10	7534
FB71229	Cryobox with lid cardboard for use at ultra low temperatures 75mm height 136mm x 136mm yellow Fisherbrand	Pack of 10	7534
FB71231	Cryobox with lid cardboard for use at ultra low temperatures 100mm height 136mm x 136mm white Fisherbrand	Pack of 10	10650
FB71233	Cryobox with lid cardboard for use at ultra low temperatures 100mm height 136mm x 136mm red Fisherbrand	Pack of 10	12729
FB71235	Cryobox with lid cardboard for use at ultra low temperatures 100mm height 136mm x 136mm red Fisherbrand	Pack of 10	12729
FB71237	Cryobox with lid cardboard for use at ultra low temperatures 100mm height 136mm x 136mm green Fisherbrand	Pack of 10	12729
FB71239	Cryobox with lid cardboard for use at ultra low temperatures 100mm height 136mm x 136mm yellow Fisherbrand	Pack of 10	12729
FB71241	Cryobox with lid cardboard for use at ultra low temperatures 130mm height 136mm x 136mm white Fisherbrand	Pack of 10	11300
FB71243	Cryobox with lid cardboard for use at ultra low temperatures 130mm height 136mm x 136mm blue Fisherbrand	Pack of 10	11300
FB71245	Cryobox with lid cardboard for use at ultra low temperatures 130mm height 136mm x 136mm red Fisherbrand	Pack of 10	11300
FB71247	Cryobox with lid cardboard for use at ultra low temperatures 50mm height 136mm x 136mm red Fisherbrand	Pack of 10	11300
FB71249	Cryobox with lid cardboard for use at ultra low temperatures 130mm height 136mm x 136mm yellow Fisherbrand	Pack of 10	11300
FB71251	Cryobox with lid cardboard for use at ultra low temperatures 32mm height 133mm x 133mm white Fisherbrand	Pack of 10	6108
FB71253	Cryobox with lid cardboard for use at ultra low temperatures 32mm height 133mm x 133mm blue Fisherbrand	Pack of 10	9486
FB71255	Cryobox with lid cardboard for use at ultra low temperatures 32mm height 133mm x 133mm red Fisherbrand	Pack of 10	9486
FB71257	Cryobox with lid cardboard for use at ultra low temperatures 32mm height 133mm x 133mm green Fisherbrand	Pack of 10	9486
FB71259	Cryobox with lid cardboard for use at ultra low temperatures 32mm height 133mm x 133mm yellow Fisherbrand	Pack of 10	9486
FB71261	Cryobox with lid cardboard for use at ultra low temperatures 50mm height 133mm x 133mm white Fisherbrand	Pack of 10	3895
FB71263	Cryobox with lid cardboard for use at ultra low temperatures 50mm height 133mm x 133mm blue Fisherbrand	Pack of 10	6365
FB71265	Cryobox with lid cardboard for use at ultra low temperatures 50mm height 133mm x 133mm red Fisherbrand	Pack of 10	6365
FB71267	Cryobox with lid cardboard for use at ultra low temperatures 50mm height 133mm x 133mm green Fisherbrand	Pack of 10	6365
FB71269	Cryobox with lid cardboard for use at ultra low temperatures 50mm height 133mm x 133mm yellow Fisherbrand	Pack of 10	6365
FB71271	Cryobox with lid cardboard for use at ultra low temperatures 75mm height 133mm x 133mm white Fisherbrand	Pack of 10	5453
FB71273	Cryobox with lid cardboard for use at ultra low temperatures 75mm height 133mm x 133mm blue Fisherbrand	Pack of 10	7405
FB71275	Cryobox with lid cardboard for use at ultra low temperatures 75mm height 133mm x 133mm red Fisherbrand	Pack of 10	7405
FB71277	Cryobox with lid cardboard for use at ultra low temperatures 75mm height 133mm x 133mm green Fisherbrand	Pack of 10	7405
FB71279	Cryobox with lid cardboard for use at ultra low temperatures 75mm height 133mm x 133mm yellow Fisherbrand	Pack of 10	7405
FB71281	Cryobox with lid cardboard for use at ultra low temperatures 100mm height 133mm x 133mm white Fisherbrand	Pack of 10	11300
FB71283	Cryobox with lid cardboard for use at ultra low temperatures 100mm height 133mm x 133mm blue Fisherbrand	Pack of 10	13508

Cat. No.	Description	Pack	Price in ₹
FB71285	Cryobox with lid cardboard for use at ultra low temperatures 100mm height 133mm x 133mm red Fisherbrand	Pack of 10	13508
FB71287	Cryobox with lid cardboard for use at ultra low temperatures 100mm height 133mm x 133mm green Fisherbrand	Pack of 10	13508
FB71289	Cryobox with lid cardboard for use at ultra low temperatures 100mm height 133mm x 133mm yellow Fisherbrand	Pack of 10	13508
FB71291	Cryobox with lid cardboard for use at ultra low temperatures 130mm height 133mm x 133mm white Fisherbrand	Pack of 10	17923
FB71293	Cryobox with lid cardboard for use at ultra low temperatures 130mm height 133mm x 133mm blue Fisherbrand	Pack of 10	20521
FB71295	Cryobox with lid cardboard for use at ultra low temperatures 130mm height 133mm x 133mm red Fisherbrand	Pack of 10	20521
FB71297	Cryobox with lid cardboard for use at ultra low temperatures 130mm height 133mm x 133mm green Fisherbrand	Pack of 10	20521
FB71299	Cryobox with lid cardboard for use at ultra low temperatures 130mm height 133mm x 133mm yellow Fisherbrand	Pack of 10	20521
FB71300	Cryobox grid insert cardboard for use at ultra low temperatures white height 25mm 136mm x 136mm grids 4 x 4 Fisherbrand	Pack of 10	5715
FB71303	Cryobox grid insert cardboard for use at ultra low temperatures white 25mm height 136mm x 136mm grids 7 x 7 Fisherbrand	Pack of 10	3377
FB71304	Cryobox grid insert cardboard for use at ultra low temperatures white 25mm height 136mm x 136mm grids 8 x 8 Fisherbrand	Pack of 10	3377
FB71305	Cryobox grid insert cardboard for use at ultra low temperatures white 25mm height 136mm x 136mm grids 9 x 9 Fisherbrand	Pack of 10	3377
FB71306	Cryobox grid insert cardboard for use at ultra low temperatures white 25mm height 136mm x 136mm grids 10 x 10 Fisherbrand	Pack of 10	3377
FB71309	Cryobox grid insert cardboard for use at ultra low temperatures white 25mm height 136mm x 136mm grids 16 x 16 Fisherbrand	Pack of 10	7273
FB71310	Cryobox grid insert cardboard for use at ultra low temperatures white 30mm height 136mm x 136mm grids 4 x 4 Fisherbrand	Pack of 10	5715
FB71313	Cryobox grid insert cardboard for use at ultra low temperatures white 30mm height 136mm x 136mm grids 7 x 7 Fisherbrand	Pack of 10	2860
FB71314	Cryobox grid insert cardboard for use at ultra low temperatures white 30mm height 136mm x 136mm grids 8 x 8 Fisherbrand	Pack of 10	2987
FB71315	Cryobox grid insert cardboard for use at ultra low temperatures white 30mm height 136mm x 136mm grids 9 x 9 Fisherbrand	Pack of 10	2987
FB71316	Cryobox grid insert cardboard for use at ultra low temperatures white 30mm height 136mm x 136mm grids 10 x 10 Fisherbrand	Pack of 10	2598
FB71319	Cryobox grid insert cardboard for use at ultra low temperatures white 30mm height 136mm x 136mm grids 16 x 16 Fisherbrand	Pack of 10	7011
FB71320	Cryobox grid insert cardboard for use at ultra low temperatures white 40mm height 136mm x 136mm grids 4 x 4 Fisherbrand	Pack of 10	5715
FB71323	Cryobox grid insert cardboard for use at ultra low temperatures white 40mm height 136mm x 136mm grids 7 x 7 Fisherbrand	Pack of 10	3639
FB71324	Cryobox grid insert cardboard for use at ultra low temperatures white 40mm height 136mm x 136mm grids 8 x 8 Fisherbrand	Pack of 10	3639
FB71325	Cryobox grid insert cardboard for use at ultra low temperatures white 40mm height 136mm x 136mm grids 9 x 9 Fisherbrand	Pack of 10	3639
FB71326	Cryobox grid insert cardboard for use at ultra low temperatures white 40mm height 136mm x 136mm grids 10 x 10 Fisherbrand	Pack of 10	3639
FB71329	Cryobox grid insert cardboard for use at ultra low temperatures white 40mm height 136mm x 136mm grids 16 x 16 Fisherbrand	Pack of 10	7011
FB71330	Cryobox grid insert cardboard for use at ultra low temperatures white 65mm height 136mm x 136mm grids 4 x 4 Fisherbrand	Pack of 10	5715
FB71333	Cryobox grid insert cardboard for use at ultra low temperatures white 65mm height 136mm x 136mm grids 7 x 7 Fisherbrand	Pack of 10	4028
FB71334	Cryobox grid insert cardboard for use at ultra low temperatures white 65mm height 136mm x 136mm grids 8 x 8 Fisherbrand	Pack of 10	4028

Cat. No.	Description	Pack	Price in ₹
FB71335	Cryobox grid insert cardboard for use at ultra low temperatures white 65mm height 136mm x 136mm grids 9 x 9 Fisherbrand	Pack of 10	4028
FB71336	Cryobox grid insert cardboard for use at ultra low temperatures white 65mm height 136mm x 136mm grids 10 x 10 Fisherbrand	Pack of 10	4028
FB71339	Cryobox grid insert cardboard for use at ultra low temperatures white 65mm height 136mm x 136mm grids 10 x 10 Fisherbrand x	Pack of 10	7011
FB71340	Cryobox grid insert cardboard for use at ultra low temperatures white 25mm height 133mm x 133mm grids 4 x 4 Fisherbrand	Pack of 10	5715
FB71343	Cryobox grid insert cardboard for use at ultra low temperatures white 25mm height 133mm x 133mm grids 7 x 7 Fisherbrand	Pack of 10	3639
FB71344	Cryobox grid insert cardboard for use at ultra low temperatures white 25mm height 133mm x 133mm grids 8 x 8 Fisherbrand	Pack of 10	3639
FB71345	Cryobox grid insert cardboard for use at ultra low temperatures white 25mm height 133mm x 133mm grids 9 x 9 Fisherbrand	Pack of 10	3639
FB71346	Cryobox grid insert cardboard for use at ultra low temperatures white 25mm height 133mm x 133mm grids 9 x 9 Fisherbrand	Pack of 10	3639
FB71349	Cryobox grid insert cardboard for use at ultra low temperatures white 25mm height 133mm x 133mm grids 16 x 16 Fisherbrand	Pack of 10	7011
FB71350	Cryobox grid insert cardboard for use at ultra low temperatures white 30mm height 133mm x 133mm grids 4 x 4 Fisherbrand	Pack of 10	5715
FB71353	Cryobox grid insert cardboard for use at ultra low temperatures white 30mm height 133mm x 133mm grids 8 x 8 Fisherbrand	Pack of 10	2987
FB71354	Cryobox grid insert cardboard for use at ultra low temperatures white 30mm height 133mm x 133mm grids 9 x 9 Fisherbrand	Pack of 10	2987
FB71355	Cryobox grid insert cardboard for use at ultra low temperatures white 30mm height 133mm x 133mm grids 9 x 9 Fisherbrand	Pack of 10	2987
FB71356	Cryobox grid insert cardboard for use at ultra low temperatures white 30mm height 133mm x 133mm grids 10 x 10 Fisherbrand	Pack of 10	2987
FB71359	Cryobox grid insert cardboard for use at ultra low temperatures white 30mm height 133mm x 133mm grids 16 x 16 Fisherbrand	Pack of 10	7011
FB71360	Cryobox grid insert cardboard for use at ultra low temperatures white 40mm height 133mm x 133mm grids 4 x 4 Fisherbrand	Pack of 10	5715
FB71363	Cryobox grid insert cardboard for use at ultra low temperatures white 40mm height 133mm x 133mm grids 7 x 7 Fisherbrand	Pack of 10	3639
FB71364	Cryobox grid insert cardboard for use at ultra low temperatures white 40mm height 133mm x 133mm grids 8 x 8 Fisherbrand	Pack of 10	3639
FB71365	Cryobox grid insert cardboard for use at ultra low temperatures white 40mm height 133mm x 133mm grids 9 x 9 Fisherbrand	Pack of 10	3639
FB71366	Cryobox grid insert cardboard for use at ultra low temperatures white 40mm height 133mm x 133mm grids 10 x 10 Fisherbrand	Pack of 10	3639
FB71369	Cryobox grid insert cardboard for use at ultra low temperatures white 40mm height 133mm x 133mm grids 16 x 16 Fisherbrand	Pack of 10	7011
FB71370	Cryobox grid insert cardboard for use at ultra low temperatures white 65mm height 133mm x 133mm grids 7 x 7 Fisherbrand	Pack of 10	5715
FB71373	Cryobox grid insert cardboard for use at ultra low temperatures white 65mm height 133mm x 133mm grids 7 x 7 Fisherbrand	Pack of 10	4674
FB71374	Cryobox grid insert cardboard for use at ultra low temperatures white 65mm height 133mm x 133mm grids 8 x 8 Fisherbrand	Pack of 10	4418
FB71375	Cryobox grid insert cardboard for use at ultra low temperatures white 65mm height 133mm x 133mm grids 9 x 9 Fisherbrand	Pack of 10	4418
FB71376	Cryobox grid insert cardboard for use at ultra low temperatures white 65mm height 133mm x 133mm grids 10 x 10 Fisherbrand	Pack of 10	4418
FB71379	Cryobox grid insert cardboard for use at ultra low temperatures white 65mm height 133mm x 133mm grids 16 x 16 Fisherbrand	Pack of 10	7011
FB71381	Cryobox fixed grid 9 x 9 array polypropylene printed A1 to I9 natural 130mm (w) x 130mm (d) x 52mm (h) max tube dia 12.4mm Fisherbrand	Pack of 5	4594
FB71382	Cryobox Fisherbrand with removable grid inserts, 81 places, 9 x 9 grid autoclavable, with snap on hinged lid, stackable polypropylene for 1.2mL to 2mL cryotubes 133mm x 133mm x 52mm (pack of 5)	Pack of 5	3713

Cat. No.	Description	Pack	Price in ₹
FB71383	Cryobox 130mm (w) x 130mm (d) x 52mm (h) fixed grid 9 x 9 array max tube dia 12.4mm	Pack of 5	4594
FB71385	Cryobox fixed grid 9 x 9 array polypropylene printed A1 to I9, coloured box, natural lid red 130mm (w) x 130mm (d) x 52mm (h) max tube dia 12.4mm Fisherbrand	Pack of 5	4594
FB71387	Cryobox with grid inserts 81 place 9 x 9 grid autoclavable with hinged snap on natural lid polypropylene for cryotubes 1.2 to 2mL 133mm x 133mm x 52mm (l x w x h) green Fisherbrand	Pack of 5	4594
FB71389	Cryobox fixed grid 9 x 9 array polypropylene printed A1 to I9, coloured box, natural lid blue 133mm (w) x 133mm (d) x 52mm (h) max tube dia 12.4mm Fisherbrand	Pack of 5	4594
FB71391	Cryobox with grid inserts 81 place 9 x 9 grid autoclavable with hinged snap on natural lid polypropylene for cryotubes 3 to 5mL 133mm x 133mm x 75mm (l x w x h) natural Fisherbrand	Pack of 5	5145
FB71393	Cryobox with grid inserts 81 place 9 x 9 grid autoclavable with hinged snap on natural lid polypropylene for cryotubes 3 to 4mL 133mm x 133mm x 75mm (l x w x h) yellow Fisherbrand	Pack of 5	5145
FB71395	Cryobox with grid inserts 81 place 9 x 9 grid autoclavable with hinged snap on natural lid polypropylene for cryotubes 3 to 5mL 133mm x 133mm x 75mm (l x w x h) red Fisherbrand	Pack of 5	5145
FB71397	Cryobox with grid inserts 81 place 9 x 9 grid autoclavable with hinged snap on natural lid polypropylene for cryotubes 3 to 5mL 133mm x 133mm x 75mm (l x w x h) green Fisherbrand	Pack of 5	5145
FB71399	Cryobox with grid inserts 81 place 9 x 9 grid autoclavable with hinged snap on natural lid polypropylene for cryotubes 3 to 5mL 133mm x 133mm x 75mm (l x w x h) blue Fisherbrand	Pack of 5	5145
FB71401	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 81 place, 9 x 9 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range natural Fisherbrand	Pack of 5	3808
FB71403	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 81 place, 9 x 9 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range yellow Fisherbrand	Pack of 5	3808
FB71405	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 81 place, 9 x 9 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range red Fisherbrand	Pack of 5	3808
FB71407	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 81 place, 9 x 9 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range green Fisherbrand	Pack of 5	3808
FB71409	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 81 place, 9 x 9 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range blue Fisherbrand	Pack of 5	3808
FB71411	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 81 place, 9 x 9 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range black Fisherbrand	Pack of 5	3808
FB71413	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 81 place, 9 x 9 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range mix of 5 colours Fisherbrand	Pack of 5	3808
FB71421	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 100 place, 10 x 10 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range natural Fisherbrand	Pack of 5	3808
FB71423	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 100 place, 10 x 10 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range yellow Fisherbrand	Pack of 5	3808
FB71425	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 100 place, 10 x 10 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range red Fisherbrand	Pack of 5	3,808
FB71427	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 100 place, 10 x 10 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range green Fisherbrand	Pack of 5	3,808
FB71429	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 100 place, 10 x 10 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range blue Fisherbrand	Pack of 5	3,808
FB71431	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 100 place, 10 x 10 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range black Fisherbrand	Pack of 5	3808
FB71433	Cryobox 2-in-1 slip lid adjustable for height polypropylene moulded and numbered, 100 place, 10 x 10 grid 133mm x 133mm base, 50mm/75mm height -90°C to 121°C temperature range mix of 5 colours Fisherbrand	Pack of 5	3808
FB71435	Cryobox with lid cardboard for use at ultra low temperatures white 75mm x 75mm x 50mm (w x d x h)	Pack of 5	5738
FB71436	Cryobox grid insert 5 x 5 cardboard for use at ultra low temperatures white 75mm x 75mm x 30mm (w x d x h)	Pack of 5	2341
FB71437	1/2SIZE CRYOBOX 133X66,5X50	Pack of 10	4743
FB71438	Grid Insert half format cardboard 10 x 5 insert white temperature resistant to -80°C 130mm (w) x 62mm (d) x 30mm (h) Fisherbrand	Pack of 10	2274
FB74433	Cap insert for cryovial tubes polypropylene mixed, white blue red green yellow Fisherbrand	Pack of 500	1773

Cat. No.	Description	Pack	Price in ₹
<b>Histology</b>			
0254206	Sputum Collection System; Fisherbrand; polypropylene; pre-assembled; sterile; wrapped in a polyethylene bag; extra-wide funnel; removable lid; screw cap; identification label; graduated 50mL tube; diaposable; autoclavable	CS	16582
0435588	Fisherbrand SlideRite Cytology Fixative	EA	1891
FBA08810	Dish, Staining; Fisherbrand; Glass; With ten grooves for carrying up to 20 slides; With cover; Overall 3.31L x 2.13W x 1.25 in.H (79 x 54 x 32mm)	EA	1904
FBA08815	Dish, Staining; Fisherbrand; For 10 slides; Holds standard 3 x 1 in. (75 x 25mm) slides; Heavy molded glass Coplin; Cover O.D.: 2.38 in. (60mm); Overall height, 4.31 in. (110mm); With ground glass cover	EA	1673
088151A	Dishes, Special Purpose; Staining; Fisherbrand; Replacement Cover for 10 Slide Staining Dish	EA	564
FBA08816	Dish, Staining; Fisherbrand; For 10 slides; With screw cap; Holds standard 3 x 1 in. (75 x 25mm) slides; Heavy molded glass Coplin; Rectangular body with five grooves; Cover O.D.: 2.38 in. (60mm); Overall height, 4.31 in. (110mm)	EA	1718
FBA08817	Dish, Staining; Fisherbrand; For 16 slides; Holds standard 3 x 1 in. (75 x 25mm) slides; Heavy molded glass Coplin; Eight grooves, each wide enough to hold two slides back-to-back; With molded glass cover	EA	2250
1257010	Fixative, Cytology; Fisherbrand CytoPrep; Spray-on protection for cytological smears; Water soluble; Contains no chlorofluorocarbons; 4 oz. (113g)	EA	1248
1490530	Pen, Marking; Fisherbrand; Secureline Marker II; Ink is resistant to many normal laboratory solutions; Line width: 0.015 in.; Black	PK	3495
1490535	Pen, Marking; Fisherbrand; Secureline Marker II; For marking superfrost slides; Ink resistant to many normal laboratory solutions; Line width: 0.015 in.; Red; 10/Pk.	PK	3495
15182511A	File Drawer, Modular; Embedding Cassette Storage; Fisher HistoPrep; Stackable self-contained drawers; High impact plastic; Two drawers hold 250 cassettes or embedding rings; With Color decals; 15-3/4 L x 9 W x 2 in. H; Without cassettes	CS	4277
15182701A	Cassettes, Tissue; Fisherbrand Histosette II; Combination Lid and Base; White; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	24428
15182701B	Cassette; Fisherbrand Histosette II; Type: tissue; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Combination lid and base; Color: pink; Case of 1500	CS	24428
15182701C	Tissue Cassettes; Fisherbrand Histosette II; combination Lid and Base; Green; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	24428
15182701D	Tissue Cassettes; Fisherbrand Histosette II; combination Lid and Base; Yellow; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	24428
15182701E	Tissue Cassettes; Fisherbrand Histosette II; combination Lid and Base; Blue; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	24428
15182701F	Tissue Cassettes; Fisherbrand Histosette II; combination Lid and Base; Peach; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	24428
15182701G	Tissue Cassettes; Fisherbrand Histosette II; combination Lid and Base; Tan; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	24428
15182701H	Tissue Cassettes; Fisherbrand Histosette II; combination Lid and Base; Gray; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	24428
15182701J	Tissue Cassettes; Fisherbrand Histosette II; combination Lid and Base; Lilac; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage;	CS	24428
15182701K	Tissue Cassettes; Fisherbrand Histosette II; combination Lid and Base; Orange; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	24428
15182701L	Tissue Cassettes; Fisherbrand Histosette II; combination Lid and Base; Aqua; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	24428
15182702A	Cassettes, Biopsy; Fisherbrand Histosette II; Combination Lid and Base; White; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	28178
15182702B	Biopsy Cassettes Fisherbrand Histosette II; Combination Lid and Base; Pink; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	28178
15182702C	Cassettes, Biopsy; Fisherbrand Histosette II; Combination Lid and Base; Green; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	28178
15182702D	Biopsy Cassettes Fisherbrand Histosette II; Combination Lid and Base; Yellow; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	28178
15182702E	Biopsy Cassettes Fisherbrand Histosette II; Combination Lid and Base; Blue; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	28178

Cat. No.	Description	Pack	Price in ₹
15182702F	Biopsy Cassettes Fisherbrand Histosette II; Combination Lid and Base; Peach; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	28178
15182702G	Biopsy Cassettes Fisherbrand Histosette II; Combination Lid and Base; Tan; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	28178
15182702H	Biopsy Cassettes Fisherbrand Histosette II; Combination Lid and Base; Gray; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	28178
15182702J	Cassettes, Biopsy; Fisherbrand Histosette II; Combination Lid and Base; Lilac; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	28178
15182702K	Biopsy Cassettes Fisherbrand Histosette II; Combination Lid and Base; Orange; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	28178
15182702L	Biopsy Cassettes; Fisherbrand Histosette II; Combination Lid and Base; Aqua; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	28178
15182708A	Cassette; Fisherbrand Histosette II; Type: tissue; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Separate lid and base; Color: white; Case of 1000	CS	13239
15182708B	Cassette; Fisherbrand Histosette II; Type: tissue; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Separate lid and base; Color: pink; Case of 1000	CS	13239
15182708C	Cassette; Fisherbrand Histosette II; Type: tissue; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Separate lid and base; Color: green; Case of 1000	CS	13239
15182708D	Cassette; Fisherbrand Histosette II; Type: tissue; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Separate lid and base; Color: yellow; Case of 1000	CS	13239
15182708E	Cassettes, Embedding; Fisherbrand Histosette II; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage; Separate Lid and Base; Tissue Cassette; Blue	CS	13239
15182708H	Cassette; Fisherbrand Histosette II; Type: tissue; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Separate lid and base; Color: gray; Case of 1000	CS	13239
15182708J	Cassette; Fisherbrand Histosette II; Type: tissue; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Separate lid and base; Color: lilac; Case of 1000	CS	13239
15182708K	Cassette; Fisherbrand Histosette II; Type: tissue; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Separate lid and base; Color: orange; Case of 1000	CS	13239
15182708L	Cassette; Fisherbrand Histosette II; Type: tissue; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Separate lid and base; Color: aqua; Case of 1000	CS	13239
15182709A	Cassettes, Biopsy; Fisherbrand Histosette II; Separate Lid and Base; White; Plastic; Disposable; cassettes hold tissue specimens during embedding, processing, and storage	CS	17387
15182709B	Cassette, Embedding; Fisherbrand Histosette II; Type: biopsy; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Separate lid and base; Color: pink; Case of 1000	CS	17387
15182709C	Cassette, Embedding; Fisherbrand Histosette II; Type: biopsy; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Separate lid and base; Color: green; Case of 1000	CS	17387
15182709D	Cassette, Embedding; Fisherbrand Histosette II; Type: biopsy; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Separate lid and base; Color: yellow; Case of 1000	CS	17387
15182709E	Cassette, Embedding; Fisherbrand Histosette II; Type: biopsy; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Separate lid and base; Color: blue; Case of 1000	CS	17387
15182709J	Cassette, Embedding; Fisherbrand Histosette II; Type: biopsy; Disposable; Plastic; Hold tissue specimens during embedding, processing, and storage; Separate lid and base; Color: lilac; Case of 1000	CS	17387
22289937	Storage; File System; Embedding Cassettes; Fisherbrand; For microscope slides; Each box holds 2000 microscope slides; Polymer coated surface; Boxes shipped flat; Pressure tested to 300 lb.; Unique locking tabs for security and stability	CS	20101
22244029	Cabinet, Modular Filing System; Universal; Fisher Scientific Tissue Path; For micro slides and histology cassettes; Extruded aluminum shells with anodized finish; Slotted handle on each drawer; Interchangeable drawers; 5-Drawer Cavity	EA	31526
22244030	Fisher Scientific Tissue Path Universal Modular Filing System, 2-Drawer Cavity Cabinet	EA	24632
22244031	Drawer, Microslide; For Fisher Scientific Tissue Path Modular Filing System	EA	4911
22244032	Drawer, Cassette/Block; For Fisher Scientific Tissue Path Modular Filing System	CS	6655
22244033	Base Stand for Fisher Scientific Tissue Path Universal Modular Filing System	EA	38677
22244035	Fisher Scientific Tissue Path Universal Modular Filing System, 35-mm Slide Drawer	EA	7025

Cat. No.	Description	Pack	Price in ₹
22272957	Storage; File System; Embedding Cassettes; Fisherbrand; For tissue blocks; Each box holds 500 tissue blocks; Polymer coated surface; Boxes shipped flat; Pressure tested to 300 lb.; Unique locking tabs for security and stability	CS	25026
23032059	Container, Specimen; Fisher Diagnostics; PROTOCOL; 10% Neutral buffered formalin filled; Color-coded cap w/leakproof O-ring; Autoclavable Polypropylene; Paper labels; Graduated; Wrapped trays; Capacity: 20mL; Buffer vol.: 10mL; Green	CS	9794
23111250	Bucket, Histology; Fisherbrand; Opaque polypropylene; Resists cracking; Resistant to freezing and boiling; Autoclavable; Stackable; Flip-top snap-on lid; w/Lid; Volume: 0.5 gal. (2L)	CS	15498
23111251	Bucket, Histology; Fisherbrand; Opaque polypropylene; Resists cracking; Resistant to freezing and boiling; Autoclavable; Stackable; Flip-top snap-on lid; w/Lid; Volume: 1.3 gal. (5L)	CS	10241
23111252	Bucket, Histology; Fisherbrand; Opaque polypropylene; Resists cracking; Resistant to freezing and boiling; Autoclavable; Stackable; Flip-top snap-on lid; w/Lid; Volume: 2.1 gal. (8L)	CS	13733
23316154	Container, Specimen; Fisher Diagnostics; PROTOCOL; 10% Neutral buffered formalin filled; Color-coded cap w/leakproof O-ring; Autoclavable Polypropylene; Paper labels; Graduated; Wrapped trays; Capacity: 40mL; Buffer vol.: 20mL; Red	CS	15258
23316155	Container, Specimen; Fisher Diagnostics; PROTOCOL; 10% Neutral buffered formalin filled; Color-coded cap w/leakproof O-ring; Autoclavable Polypropylene; Paper labels; Graduated; Wrapped trays; Capacity: 60mL; Buffer vol.: 30mL; Blue	CS	7714
23426796	Container, Specimen; Fisher Healthcare; PROTOCOL; 10% Buffered Formalin; PET; Crystal-clear; Non-autoclavable; Resistant to alkalis and weak acids; With silk-screened warning label; Capacity: 240mL (8 oz.); Fill volume: 120mL (4 oz.)	CS	12463
<b>Mailers</b>			
03520A	Carton, Mailing; Fisherbrand; Cardboard; Cylindrical; Diameter x Height: 2.25 x 5.5 in. (57.15 x 139.7mm); Metal bottom and screw cap; For bottles and samples; 36/Cs.	CS	8821
03520B	Carton, Mailing; Fisherbrand; Cardboard; Cylindrical; Diameter x Height: 1.75 x 7 in.; Metal bottom and screw cap; For bottles and samples	CS	5286
03520C	Carton, Mailing; Fisherbrand; Cardboard; Cylindrical; Fisherbrand; Diameter x Height: 2.75 x 6.75 in.; Metal bottom and screw cap; For bottles and samples	CS	9259
03520D	Carton, Mailing; Fisherbrand; Cardboard; Cylindrical; Diameter x Height: 3.12 x 7.5 in.; Metal bottom and screw cap; For bottles and samples	CS	8873
03520E	Carton, Mailing; Fisherbrand; Cardboard; Cylindrical; Diameter x Height: 4 x 10 in.; Metal bottom and screw cap; For bottles and samples.....	CS	10837
0433545	Mailer, Slide; Fisherbrand; Transporter; 2-place holder; Plastic	CS	14364
1258717B	Mailer, Microscope slide; Fisherbrand; Plastic; Hold 3 x 1 in. (75 x 25mm) slides; Rigid container; 5-slide holder; Top opening	CS	10899
1437220	Mailer, Slide; Fisherbrand; Safetex; No Touch; Polypropylene; Holds 1 slide	CS	17883
1437271	Mailer; Fisherbrand; Single slide; Corrugated; 2000/case	CS	30490
1437272	Mailer; Fisherbrand; Double slide; Corrugated; 1000/case	CS	26599
143728	Mailers, Microscope Slide; Single Slide; Corrugated; Andwin Scientific; Pack of 10	PK	218
1437868	Mailers, Slide; Fisherbrand; Safetex; No Touch; Polypropylene; Notch shipper; Holds 2 slides	CS	19325
19037436	Shipper; Fisherbrand; Infecon 3000; Infectious substance	PK	46181
19037437	Refurbishment; Fisherbrand; Infecon 3000; For infectious substance shipper; 12/pack	PK	18853
19038298	Mailer, Diagnostic; Fisherbrand; 9.25 x 4.5 x 2.25 in. (23 x 11 x 6cm)	CS	21507
19038299A	Shipper, Infectious; Fisherbrand; Infecon 2050; 6 x 6 x 8 in.; 6/case	CS	13273
19038300A	Strip, Absorbant; Fisherbrand; Infecon 3000; With bubble pouch; For infectious substance shipper; 15/case	CS	5976
19038300B	Strip, Absorbant; Fisherbrand; Infecon 3000; With compartmental bubble pouch; For infectious substance shipper; 15/case	CS	18200
19038300C	Vessel, Pressure; Fisherbrand; Infecon 3000; For infectious substance shipper; Transparent; 6/case	CS	21735
19038300D	O-ring; Fisherbrand; Infecon 3000; For infectious substances shipper; 36/pk.	PK	12749
19038301A	Shipper, Infectious substance; Fisherbrand; Infecon 5000; 0.5L polyethylene pressure vessel; 6/case	CS	84960
19038301D	Shipper, Infectious substance; Fisherbrand; Infecon 5500; 1L polypropylene pressure vessel; 4/case	CS	88545
19038301E	Shipper, Infectious substance; Fisherbrand; Infecon 5501; Complete Refurbishment kit for 19-038-301D; 12/case	CS	12434
19075202	Super label; Fisherbrand; Infecon 1000; For infectious substance shipper; Includes all components for shipping infectious substances; w/Instructions to aid compliance with D.O.T. regulations; Dry ice; 10/pk.	PK	989

Cat. No.	Description	Pack	Price in ₹
19075204	Return label; Fisherbrand; Infecon 1000; For infectious substance shipper/Dry ice; Includes all components for shipping infectious substances; w/Instructions to aid compliance with D.O.T. regulations; 10/pk.	PK	1156
19075383B	Sheet, Absorbent; Fisherbrand; Infecon 1000; For infectious substance shipper/Dry ice; Includes all components for shipping infectious substances; w/Instructions to aid compliance with D.O.T. regulations; 100mL; 100/pk.	PK	1943
19075383C	Sheet, Absorbent; Fisherbrand; Infecon 1000; For infectious substance shipper/Dry ice; Includes all components for shipping infectious substances; w/Instructions to aid compliance with D.O.T. regulations; 250mL; 100/pk.	PK	3036
19075384B	Shipper, Infectious/Diagnostic; Fisherbrand; Infecon 2000; 4 x 4 x 8 in.; 6/case	CS	11246
19075384C	Kit, Insulated shipper; Fisherbrand; Speci-Freeze; 4/cs.	CS	11514
22043206	Declarations, Shipper; Fisherbrand; Infecon; Dangerous goods declaration; For shipment of infectious substances or specimens in dry ice; L x W: 11.5 x 8 in. sheet	CS	2460
HS15986	Mailer, Five-slide; Fisherbrand; Five-place; Clear polypropylene; For 3 x 1 in. or 75 x 25mm slides; Slotted channels inside; Snap top; 25/pk.; 48/case	PK	1183
<b>Racks</b>			
FBA03213	Rack, Test tube; Fisherbrand; Polypropylene; Two tier; Tube Size: 10 to 13mm; No. of places: 72; 9.37 x 4.37 x 3.5 in.; Autoclavable	EA	3060
032131	Support Rack; Fisherbrand; For Microtubes; Polypropylene; 72 holes; For tube size 0.4 to 0.5mL	EA	3938
032132	Support Rack; Fisherbrand; For Microtubes; Polypropylene; 72 holes; For tube size 1.5mL	EA	3786
0333713	Rack, Test tube; Fisherbrand; Polypropylene; Two tier with numbered and lettered rows; Handles; Autoclavable; For tubes: 20 to 30mm; No. of places: 24	EA	4568
0333743	System; Fisherbrand; Scinti-rack; Body for scintillation system; High density polypropylene and insert plates; Ideal for transport and storage of vials	EA	4505
0333744	System; Fisherbrand; Scinti-rack; High density polypropylene; 6mL insert plate; No. of positions: 50; Ideal for transport and storage of vials	EA	3723
0333745	System; Fisherbrand; Scinti-rack; High density polypropylene; 20mL insert plate; No. of positions: 32; Ideal for transport and storage of vials	EA	3430
0344811	Rack, Microcentrifuge; Fisherbrand; Interlocking; Four-way; Polypropylene; Accommodate tubes from 0.5 to 50mL; Autoclavable; 2L x 3.5W x 7 in. H (5.08 x 8.89 x 17.7cm); Color: Natural	PK	3228
0344812	Rack, Microcentrifuge; Fisherbrand; Interlocking; Four-way; Polypropylene; Accommodate tubes from 0.5 to 50mL; Autoclavable; 2L x 0.5W x 7 in. H (5.08 x 1.27 x 17.7cm); Blue	PK	3228
0344813	Rack, Microcentrifuge; Fisherbrand; Interlocking; Four-way; Polypropylene; Accommodate tubes from 0.5 to 50mL; Autoclavable; 2L x 3.5W x 7 in. H (5.08 x 8.89 x 17.7cm); Color: Fluorescent Green	PK	3228
0344814	Rack, Microcentrifuge; Fisherbrand; Interlocking; Four-way; Polypropylene; Accommodate tubes from 0.5 to 50mL; Autoclavable; 2L x 3.5W x 7 in. H (5.08 x 8.89 x 17.7cm); Color: Fluorescent pink	PK	3228
0344815	Rack, Microcentrifuge; Fisherbrand; Interlocking; Four-way; Polypropylene; Accommodate tubes from 0.5 to 50mL; Autoclavable; 2L x 3.5W x 7 in. H (5.08 x 8.89 x 17.7cm); Color: Fluorescent yellow	PK	3228
0344816	Rack, Microcentrifuge; Fisherbrand; Interlocking; Four-way; Polypropylene; Accommodate tubes from 0.5 to 50mL; Autoclavable; 2L x 0.5W x 7 in. H (5.08 x 1.27 x 17.7cm); Color: Fluorescent orange	PK	3228
0344817	Rack, Microcentrifuge; Fisherbrand; Interlocking; Four-way; Polypropylene; Accommodate tubes from 0.5 to 50mL; Autoclavable; 2L x 3.5W x 7 in. H (5.08 x 8.89 x 17.7cm); Assorted colors	PK	3228
0344820	Rack, 96-well; Fisherbrand; For PCR tubes; Slip-fit top; Reversible; Standard 8 x 12 array; Snap-in-place lid; Grid lines on wells; 1.5 to 2.0mL tubes; Assorted colors; Molded/raised rungs; 5L x 4W x 1.5 in. H (12.7 x 10.1 x 3.8cm)	PK	4876
FBA05541	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Natural	PK	2869
055411	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Assorted (nonfluorescent)	PK	3913
055412	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Blue	PK	2869
0554120	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Fluorescent blue	PK	2869
0554121	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Fluorescent green	PK	2869
0554122	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Fluorescent orange	PK	2869



Cat. No.	Description	Pack	Price in ₹
0554123	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Fluorescent pink	PK	2869
0554124	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Fluorescent yellow	PK	2869
0554125	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Assorted (fluorescent)	PK	3922
0554128	Cover, Rack; Fisherbrand; Microcentrifuge tube; Covers slides to stay in place during transportation, storage; Accommodates extra height of the screw-cap microcentrifuge tubes; Snap on; For 96-well; White	PK	1183
0554129	Rack, Microcentrifuge tube; Fisherbrand; Reversible; Autoclavable; Polypropylene; Capacity: 96 x 0.5mL tubes or 96 x 1.5 to 2.0mL microcentrifuge tubes; Color: natural	PK	4464
055413	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Green	PK	2869
0554136	Rack, Microcentrifuge Tube; Fisherbrand; Reversible; Polypropylene; Capacity: 96 x 0.5mL tubes or 96 x 1.5 to 2.0mL tubes; Autoclavable; Cone-shaped wells; Alphanumeric index; Color: Lavender	PK	4464
0554137	Rack, Microcentrifuge Tube; Fisherbrand; Reversible; Polypropylene; Capacity: 96- 0.5mL tubes or 96- 1.5 to 2.0mL microcentrifuge tubes; Color: Black	PK	4464
0554138	Rack, Microcentrifuge Tube; Fisherbrand; Reversible; Polypropylene; Capacity: 96 x 0.5mL tubes or 96 x 1.5 to 2.0mL tubes; Autoclavable; Cone-shaped wells; Alphanumeric index; Color: Fluorescent assorted	PK	4968
0554139	Rack, Microcentrifuge tube; Fisherbrand; Reversible; Polypropylene; Capacity: 96 x 0.5mL tubes or 96 x 1.5 to 2.0mL microcentrifuge tubes; Color: Fluorescent blue	PK	4464
055414	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Orange	PK	2869
0554140	Rack, Microcentrifuge Tube; Fisherbrand; Reversible; Polypropylene; Capacity: 96- 0.5mL tubes or 96- 1.5 to 2.0mL microcentrifuge tubes; Color: Fluorescent green	PK	4464
0554141	Rack, Microcentrifuge Tube; Fisherbrand; Reversible; Polypropylene; Capacity: 96- 0.5mL tubes or 96- 1.5 to 2.0mL microcentrifuge tubes; Color: Fluorescent orange	PK	4464
0554143	Rack, Microcentrifuge Tube; Fisherbrand; Reversible; Polypropylene; Capacity: 96- 0.5mL tubes or 96- 1.5 to 2.0mL microcentrifuge tubes; Color: Fluorescent yellow	PK	4464
0554144	Rack, Microcentrifuge Tube; Fisherbrand; Reversible; Polypropylene; Capacity: 96 x 0.5mL tubes or 96 x 1.5 to 2.0mL tubes; Autoclavable; Cone-shaped wells; Alphanumeric index; Color: Nonfluorescent assorted	PK	4968
0554145	Rack, Microcentrifuge Tube; Fisherbrand; Reversible; Polypropylene; Capacity: 96 x 0.5mL tubes or 96 x 1.5 to 2.0mL tubes; Autoclavable; Cone-shaped wells; Alphanumeric index; Color: Blue	PK	4464
0554146	Rack, Microcentrifuge Tube; Fisherbrand; Reversible; Polypropylene; Capacity: 96- 0.5mL tubes or 96- 1.5 to 2.0mL microcentrifuge tubes; Color: Green	PK	4464
0554147	Rack, Microcentrifuge Tube; Fisherbrand; Reversible; Polypropylene; Capacity: 96- 0.5mL tubes or 96- 1.5 to 2.0mL microcentrifuge tubes; Color: Orange	PK	4464
0554148	Rack, Microcentrifuge Tube; Fisherbrand; Reversible; Polypropylene; Capacity: 96- 0.5mL tubes or 96- 1.5 to 2.0mL microcentrifuge tubes; Color: Pink	PK	4464
0554149	Rack, Microcentrifuge Tube; Fisherbrand; Reversible; Polypropylene; Capacity: 96- 0.5mL tubes or 96- 1.5 to 2.0mL microcentrifuge tubes; Color: Yellow	PK	4464
055415	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Pink	PK	2869
055416A	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Red	PK	2869
055417	Racks, Microtube; Fisherbrand; Ideal for benchtop use, freezer storage; 80 numbered wells (16 x 5); Material: Polypropylene; Autoclavable; Color: Yellow	PK	2869
0566468	Rack, Tube; Fisherbrand; Microcentrifuge tubes accessory; Aluminium; 40 place	EA	14609
0566945	Rack; Fisherbrand; Microwtube workstation; Polypropylene; Holds fifty 0.5 to 2.0mL microcentrifuge tubes; Autoclavable; Color: Red	CS	6230
0566947	Rack; Fisherbrand; Microwtube workstation; Polypropylene; Holds fifty 0.5 to 2.0mL microcentrifuge tubes; Autoclavable; Color: Lilac	CS	6230
0571840	Rack, Drying; Fisherbrand; Polystyrene; Holds cylinders and flasks; No. of holes: 72; Size: 17W x 24 in. H (43.1 x 60.9cm)	EA	33773
0571841	Pegs, Test tube; Fisherbrand; Polystyrene; For use with drying rack; 4 in. Long; Bag of 11	PK	2575
0666683	Organizer, Blood Bag; Fisherbrand; Eliminates cold-spotting; Stores bags by type and Rh factor	EA	102106
0666685	Holder, Blood Bag Tray; Fisherbrand; For use with 06-666-84 Blood bag tray	EA	23350

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
104906	Rack; Fisher Scientific; Stainless-Steel; For Quartz Crucibles for Isotemp Furnaces; Dimensions (L x W x H): 7 1/4 x 5 5/8 x 7/8 in.; For Capacity: 0.14 cu. ft.	EA	49561
1200912	Block, Beta; Fisherbrand; Holds 1.5mL microcentrifuge tubes; Ideal for benchtop use or long-term storage; Solid acrylic block w/0.37 in. thick acrylic cover; 4 places; 4.75 x 2.25 x 2.75 in. (12 x 6 x 7cm)	EA	13347
1200914	Box, Sample; Fisherbrand; Beta; For tube size: 1.5mL; Holds 36 tubes	EA	15229
1200919	Rack, Interchangeable; Fisherbrand; Beta sample box; Type: For 36-place boxes; Tube size: For 2.5mL tubes	EA	4206
1200946	Box, Beta; Fisherbrand; Desktop; Made from 0.37 in. thick (0.95cm) acrylic; With four nonskid feet at base; 6L x 6W x 6 in. H (15.2 x 15.2 x 15.2cm)	EA	10260
1200947	Holder, Rack; Fisherbrand; Acrylic; 4 shelves; Holds up to 8 trays; Dimensions: 6.50L x 9W x 9 in. H (16.5 x 23 x 23cm)	EA	11055
1200948A	Box, Sample; Fisherbrand; Beta; For tube size: 1.5mL; Holds 48 tubes	EA	17944
1200949	Block, Beta; Fisherbrand; Holds 1.5mL microcentrifuge tubes; Ideal for benchtop use or long-term storage; Solid acrylic block w/0.37 in. thick acrylic cover; 12 places; 7.50 x 2.75 x 3.50 in. (19 x 7 x 9cm)	EA	15402
120099A	Box, Sample; Fisherbrand; Beta; 0.37 in. thick clear acrylic; Nonskid feet; Includes 1 tube rack; For 0.5mL tubes; Holds 36	EA	14920
120099B	Box, Sample; Fisherbrand; Beta; 0.37in. thick clear acrylic; Nonskid feet; Includes 1 tube rack; For 2.5mL tubes; Holds 36	EA	15173
1380710	Basket; Fisherbrand; Aluminum; With Tilt-Top lids; Ideal for rinsing or storing tubes; Rust proof; L x W x H: 4 x 4 x 6 in. (10 x 10 x 15cm)	EA	3924
1380711	Basket; Fisherbrand; Aluminum; With Tilt-Top lids; Ideal for rinsing or storing tubes; Rust proof; L x W x H: 6 x 6 x 6 in. (15 x 15 x 15cm)	EA	5174
1380712	Basket; Fisherbrand; Aluminum; With Tilt-Top lids; Ideal for rinsing or storing tubes; Rust proof; L x W x H: 9 x 9 x 9 in. (23 x 23 x 23cm)	EA	6162
1380713	Basket; Fisherbrand; Aluminum; With Tilt-Top lids; Ideal for rinsing or storing tubes; Rust proof; L x W x H: 5 x 4 x 4 in. (13 x 10 x 10cm)	EA	3788
1380714	Basket; Fisherbrand; Aluminum; With Tilt-Top lids; Ideal for rinsing or storing tubes; Rust proof; L x W x H: 5 x 4 x 6 in. (13 x 10 x 15cm)	EA	3772
1380715	Basket; Fisherbrand; Aluminum; With Tilt-Top lids; Ideal for rinsing or storing tubes; Rust proof; L x W x H: 10 x 6 x 6 in. (25 x 15 x 15cm)	EA	5566
1380716	Basket; Fisherbrand; Aluminum; With Tilt-Top lids; Ideal for rinsing or storing tubes; Rust proof; L x W x H: 10 x 8 x 4.50 in. (25 x 20 x 11cm)	EA	5830
1380717	Basket; Fisherbrand; Aluminum; With Tilt-Top lids; Ideal for rinsing or storing tubes; Rust proof; L x W x H: 11.50 x 7.87 x 7 in. (29 x 20 x 18cm)	EA	6368
1380718	Basket; Fisherbrand; Aluminum; With Tilt-Top lids; Ideal for rinsing or storing tubes; Rust proof; L x W x H: 12.87 x 9 x 7 in. (32 x 23 x 18cm)	EA	7392
1380719	Basket, Aluminum; Fisherbrand; Without lids; Test tube; Lightweight; Unharmred by hot air, steam sterilization; Rust proof; L x W x H: 5 x 4 x 4 in. (13 x 10 x 10cm)	EA	2679
1380720	Basket, Aluminum; Fisherbrand; Without lids; Test tube; Lightweight; Unharmred by hot air, steam sterilization; Rust proof; L x W x H: 5 x 4 x 6 in. (13 x 10 x 15cm)	EA	2798
1380721	Basket, Aluminum; Fisherbrand; Without lids; Test tube; Lightweight; Unharmred by hot air, steam sterilization; Rust proof; L x W x H: 6 x 6 x 6 in. (15 x 15 x 15cm)	EA	3353
1380722	Basket, Aluminum; Fisherbrand; Without lids; Test tube; Lightweight; Unharmred by hot air, steam sterilization; L x W x H: 10 x 6 x 6 in. (25 x 15 x 15cm)	EA	4157
1381453	Basket, Stainless-Steel; Fisherbrand; Lightweight, strong; Withstands heat, acid and alkali solutions; Spot-welded construction; L x W x H: 5 x 4 x 4 in. (13 x 10 x 10cm)	EA	4435
1381454	Basket, Stainless-Steel; Fisherbrand; Lightweight, strong; Withstands heat, acid and alkali solutions; Spot-welded construction; L x W x H: 5 x 4 x 6 in. (13 x 10 x 15cm)	EA	4805
1381455	Basket, Stainless-Steel; Fisherbrand; Lightweight, strong; Withstands heat, acid and alkali solutions; Spot-welded construction; L x W x H: 6 x 6 x 6 in. (15 x 15 x 15cm)	EA	5642
1381456	Basket, Stainless-Steel; Fisherbrand; Lightweight, strong; Withstands heat, acid and alkali solutions; Spot-welded construction; L x W x H: 10 x 6 x 6 in. (25 x 15 x 15cm)	EA	6679
1412743	Rack, Test Tube; Fisherbrand; Floating; For PCR, microtubes and centrifuge tubes; Octagon Shape; 3.25 x 0.25 in. (8.3 x 0.64cm)	PK	3430
1412744	Rack, Test Tube; Fisherbrand; Floating; For PCR, microtubes and centrifuge tubes; Circle shape; 3.25 x 0.12 in. (8.3 x 0.95cm)	PK	3430

Cat. No.	Description	Pack	Price in ₹
1412745	Rack, Test Tube; Fisherbrand; Floating; For PCR, microtubes and centrifuge tubes; Triange Shape; 3.37 x 0.50 in. (8.6 x 0.13cm)	PK	3430
FBA14755	Rack, Test Tube; Fisherbrand; Wood; Holds 6 (24mm) tubes; Rack has six drying pins; Base is heavy wood for stability	EA	1689
FBA14765	Rack, Test Tube; Fisherbrand; Wood; Holds 12 (22mm) tubes; Without drying pins;	EA	1746
FBA14770	Rack, Test Tube; Fisherbrand; Wood; Holds 13 tubes, two different sized tubes in two rows; Upper row: 7 openings, 20mm dia.; Lower row: 6 openings, 26mm dia.	EA	2307
1475430	Rack, Test tube; Fisherbrand; Micro; Polypropylene; 20 places; For 1.5mL microtubes	EA	1382
1475432	Rack, Test Tube; Fisherbrand; Micro; Polypropylene; 20 places; For 0.5mL microtubes	CS	8388
FBA14782	Rack, Drying; Fisherbrand; Hardwood; 18 large, 72 small wooden pins; Includes: Two brass wall hangers; No. of Pegs: 90; Dimensions: 20 x 20 in. (51 x 51cm)	EA	23450
FBA14790	Racks, Zinc-Plated; Fisherbrand; Bel-Art; With legs; No. of places: 40; For tubes: 25mm; Dimensions: 11.50L x 4.75Wx 3.62 in. H (29 x 12 x 9.2cm)	EA	1920
1479010	Rack, Test Tube; Fisherbrand; With Legs; Stainless steel; For use in sterilization procedure; 40 Position; 1 in dia. (2.5cm)	EA	4825
147903	Racks, Vinyl-Coated; Fisherbrand; With legs, three decks; Epoxy-coated; Heavy-gauge steel wire; Autoclavable; No. of Places: 90; For 13mm tubes	EA	2092
147904	Racks, Vinyl-Coated; Fisherbrand; With legs, three decks; Epoxy-coated; Heavy-gauge steel wire; Autoclavable; No. of Places: 48; For 16mm tubes	EA	2092
147905	Racks, Vinyl-Coated; Fisherbrand; With legs, three decks; Epoxy-coated; Heavy-gauge steel wire; Autoclavable; No. of Places: 40; For 22mm tubes	EA	2046
147916A	Rack, Centrifuge; Fisherbrand; Poxgrid; Epoxy-coated steel wire; Autoclavable; With 30mm square holes hold 50mL tubes; Size: 3L x 5.50W x 3.50 in. H (7.6 x 14 x 8.9cm); No. of Places: 8	EA	4543
147916B	Rack, Centrifuge; Fisherbrand; Poxgrid; Epoxy-coated steel wire; Autoclavable; With 30mm square holes hold 50mL tubes; Size: 5.50L x 5.50W x 3.50H in. (14 x 14 x 8.9cm); No. of Places: 16	EA	4793
147916C	Rack, Centrifuge; Fisherbrand; Poxgrid; Epoxy-coated steel wire; With 30mm square holes; Hold 50mL plastic centrifuge tubes; Autoclavable; Size: 8.25L x 8.25W x 3.5 in. H (21 x 21 x 8.9cm); No. of Places: 36	EA	6955
1479210	Rack, Half; Fisherbrand; Poxgrid; For test tube; Blue epoxy-coated wire; Autoclavable; Two decks w/ square holes; For tubes: 10-13mm; No. of places: 36	EA	2646
1479211	Rack, Half; Fisherbrand; Poxgrid; Test tube; Blue epoxy-coated wire; Autoclavable; Two decks w/square holes; For tubes: 15-16mm; No. of places: 24	EA	2646
1479212	Rack, Half; Fisherbrand; Poxgrid; Test tube; Blue epoxy-coated wire; Autoclavable; Two decks w/square holes; For tubes: 18-20mm; No. of places: 20	EA	2646
147931	Rack, Test tube; Fisherbrand Poxgrid; Epoxy-coated steel; 3 decks; Autoclavable; Resists corrosion, organics, acids, alkalis; Withstands temp. up to 121 deg.C; For tube size: 40mm; 24 places; 3 x 8 rows; 14 x 5.5 x 4 in.; Blue	EA	2757
1479310	Rack, Test tube; Fisherbrand; Poxgrid; Epoxy-coated; 3 decks; Autoclavable; Resists corrosion, organics, acids, alkalis; Withstand temp. to 121C; For tube size: 20mm; 80 places; 8 x 10 rows; 9.63 x 7.63 x 3 in. (24.4 x 19 x 7.6cm)	EA	2708
1479311	Rack, Test tube; Fisherbrand Poxgrid; Epoxy-coated steel; 3 decks; Autoclavable; Resists corrosion, organics, acids, alkalis; Withstands temp. up to 121 deg. C; For tube size: 16mm; 48 places; 4 x 12 rows; 9.5 x 3.38 x 2.5 in.; Blue	EA	2464
1479312	Rack, Test tube; Fisherbrand; Autoclavable; Blue epoxy-coated, heavy-gauge steel wire; Three decks and no legs; Square holes; Tube size: 16mm; No. of places: 72; 6 x 12 rows; 9.25 x 4.75 x 2.75 in. (23.5 x 12 x 7cm)	EA	2385
1479313	Rack, Test Tube; Bel Art; Fisherbrand Poxgrid; Three decks; Epoxy-coated steel; Resists corrosion, organics, acids, alkalis; Withstand temp. to 121deg.C; 9.5L x 7.43W x 2.5 in. H (24.2 x 18.9 x 6.4cm); Blue; For tube size: 16mm; 108 places	EA	3082
1479314	Rack, Test tube; Fisherbrand; Autoclavable; Blue epoxy-coated, heavy-gauge steel wire; Three decks and no legs; Square holes; Tube size: 13mm; No. of places: 72; No. of rows: 6 x 12; 7.87 x 4 x 2.12 in. (20 x 10 x 5.4cm)	EA	2385
1479315	Rack, Test Tube; Bel Art; Fisherbrand Poxgrid; Three decks; Epoxy-coated steel; Resists corrosion, organics, acids, alkalis; Withstand temp. to 121deg.C; 8L x 6.13W x 2.38 in. H(20 x 16 x 6cm); Blue; For tube size: 13mm; 108 places	EA	3201
1479316	Rack, Thermometer; Fisherbrand; High-density polyethylene; Holds up to 25 thermometers; With handles; L x W x H: 5.75 x 8 x 10 in. (14.6 x 20 x 25cm)	EA	5017

Cat. No.	Description	Pack	Price in ₹
147932	Rack, Test tube; Fisherbrand Poxygrid; Epoxy-coated steel; 3 decks; Autoclavable; Resists corrosion, organics, acids, alkalis; Withstands temp. up to 121 deg. C; For tube size: 40mm; 48 places; 4 x 12 rows; 14 x 10.63 x 3.88 in.; Blue	EA	2757
147933	Rack, Test Tube; Bel Art; Fisherbrand Poxygrid; Three decks; Epoxy-coated steel; Resist corrosion, organics, acid, alkali; Withstand temp. to 121deg.C; 10.88L x 4.25W x 3.25 in. H (28 x 11 x 8.3cm); Blue; For tube size: 25 to 30mm	EA	2755
1479334A	Rack, Test tube; Fisherbrand; w/Biohazard warning labels; For use w/biologically hazardous materials, in research w/viruses, cancerous cells, recombinant DNA; Univ. biohazard symbol tag attached; 13mm tube size; 6 x 12 array	EA	4336
1479334B	Rack, Test tube; Fisherbrand; w/Biohazard warning labels; For use w/biologically hazardous materials, in research w/viruses, cancerous cells, recombinant DNA; Univ. biohazard symbol tag attached; 16mm Tube size; 4 x 12 array	EA	4348
1479334C	Rack, Test tube; Bel Art; w/Biohazard warning labels; For use w/biologically hazardous materials; In research w/viruses, cancerous cells, recombinant DNA; Universal biohazard symbol tag attached; 16mm tube size; 6 x 12 array	EA	4327
147934	Rack, Test tube; Fisherbrand Poxygrid; Epoxy-coated steel; 3 decks; Autoclavable; Resists corrosion, organics, acids, alkalis; Withstands temp. up to 121 deg. C; For tube size: 25 to 30mm; 48 places; 6 x 8 rows; 10.88 x 8.13 x 4 in.; Blue	EA	2755
147935	Rack, Test Tube; Bel Art; Fisherbrand Poxygrid; Three decks; Epoxy-coated steel; Resists corrosion, organics, acids, alkalis; Withstand temp. to 121deg.C; 11.5L x 9.25W x 3.5 in. H(29 x 23.5 x 8.9cm); Blue; For tube size: 25mm; 80 places	EA	2755
147936	Rack, Test Tube; Bel Art; Fisherbrand Poxygrid; Three decks; Epoxy-coated steel; Resists corrosion, organics, acids, alkalis; Withstand temp. to 121deg.C; 11.5L x 4.75W x 3.63 in. H(29 x 12 x 9cm); Blue; For tube size: 22 to 25mm; 40 places	EA	2421
147937	Rack, Test Tube; Bel Art; Fisherbrand Poxygrid; Three decks; Epoxy-coated steel; Resists corrosion, organics, acids, alkalis; Withstand temp. to 121deg.C; 10.25L x 4.88W x 3.25 in. H (26 x 11 x 8.3cm); Blue; For tube size: 22mm; 40 places	EA	2513
147938	Rack, Test Tube; Bel Art; Fisherbrand Poxygrid; Three decks; Epoxy-coated steel; Resists corrosion, organics, acids, alkalis; Withstand temp. to 121deg.C; 10.38L x 8.38W x 3.5 in. H(26 x 21 x 8.9cm); Blue; For tube size: 22mm; 80 places	EA	2710
147939	Rack, Test Tube; Bel Art; Fisherbrand Poxygrid; Three decks; Epoxy-coated steel; Resists corrosion, organics, acids, alkalis; Withstand temp. to 121deg.C; 9.38L x 3.88W x 3.25 in. H(23.8 x 9.8 x 8.3cm); Blue; For tube size: 18 to 20mm	EA	2755
147961	Rack, 2-WaySlant; Fisherbrand; Tube Size: 16mm; No. of Holes: 40; For incubating liquid cultures on slant during tissue culture processes; White, epoxy-coated, heavy-gauge steel; 7.75L x 3.25W x 2.5 in. H (20 x 8 x 6cm)	EA	3546
1479610	Rack, 2-Way Slant; Fisherbrand; Tube Size: 22mm; No. of Holes: 40; For incubating liquid cultures on slant during tissue culture processes; White, epoxy-coated, heavy-gauge steel; 10.25L x 4.25W x 3.25 in. H (26 x 11 x 8cm)	EA	3535
147965	Rack, 2-way Slant; Fisherbrand; For tubes: 20mm; No. of Holes: 40; For incubating liquid cultures during tissue culture; Autoclavable; White, vinyl-coated steel; 9.375L x 3.875W x 3.25 in. H (24 x 10 x 8cm)	EA	3546
FBA14801	Racks, Zinc-Plated; Fisherbrand; Bel-Art; With legs; No. of places: 48; For tubes: 16mm; Dimensions: 9.50L x 3.37W x 2.50 in. H (24.1 x 8.6 x 6.4cm)	EA	1919
FBA14802	Racks, Zinc-Plated; Fisherbrand; Bel-Art; With legs; No. of Places: 72; For Tubes: 16mm; Dimensions: 9.25L x 4.75W x 2.75 in. H (23.5 x 12 x 7cm)	EA	1919
148025	Rack, Test Tube; Fisherbrand; Nylon coated; With legs; 9.625L x 3.875W x 3.75 in. H (24.4 x 9.8 x 9.5cm)	EA	2824
148028	Racks, Vinyl-Coated; Fisherbrand; With legs, three decks; Epoxy-coated; Heavy-gauge steel wire; Autoclavable; No. of Places: 72; For 16mm tubes	EA	2058
148085	Rack, Test Tube; Fisherbrand; Semimicro; Wood; Holds 15 (16mm) tubes; Hardwood support block	EA	2048
1480920	Rack, Test tube; Fisherbrand; For tube size: 13 to 16mm; Two tier; No. of places: 40	EA	4722
1480921	Rack, Test tube; Fisherbrand; Polypropylene; For tube size: 16 to 20mm; Two tier; No. of places: 40	EA	4722
14809A	Rack; Test tube; Fisherbrand; Sturdy polypropylene; Stack securely empty or loaded w/ tubes to 10cm long; Alphanumeric rows; Will not shatter/stain; Chemical resistant; Autoclavable; White; Holds 10-13mm tubes; 72 places; 6 x 12 rows	EA	4240
14809AA	Rack; Test tube; Fisherbrand; Sturdy polypropylene; Stack securely empty or loaded w/ tubes to 10cm long; Alphanumeric rows; Will not shatter/stain; Chemical resistant; Autoclavable; White; Holds 13-16mm tubes; 40 places; 4 x 10 rows	EA	4937

Cat. No.	Description	Pack	Price in ₹
14809B	Rack; Test tube; Fisherbrand; Sturdy polypropylene; Stack securely empty or loaded w/ tubes to 10cm long; Alphanumeric rows; Will not shatter/stain; Chemical resistant; Autoclavable; White; Holds 16-20mm tubes; 40 places; 4 x 10 rows	EA	4321
14809C	Rack; Test tube; Fisherbrand; Sturdy polypropylene; Stack securely empty or loaded w/ tubes to 10cm long; Alphanumeric rows; Will not shatter/stain; Chemical resistant; Autoclavable; White; Holds 21-25mm tubes; 40 places; 4 x 10 rows	EA	4712
14809D	Rack; Test tube; Fisherbrand; Sturdy polypropylene; Stack securely empty or loaded w/ tubes to 10cm long; Alphanumeric rows; Will not shatter/stain; Chemical resistant; Autoclavable; White; Holds 26-30mm tubes; 24 places; 3 x 8 rows	EA	4712
1481031	Rack, Microcentrifuge Tube; Fisherbrand; Blue; For 1.5mL microcentrifuge tubes; Holds 50 with lid open, 100 with lid closed or no lid	CS	11514
148105	Holder, Tube; Fisherbrand Blood Bank Crossmatch Holders; 90-tube capacity; Holds six 16-mm O.D. donor sample tubes, eighty-four 10- to 13-mm tubes for donor's serum and cell suspension, ABO, Rh, antibody grouping and screening; 6/cs.	EA	7629
1481051	Holder, Tube; Fisherbrand Blood Bank Crossmatch Holders; 24-tube capacity; Holds four 16mm O.D. sample tubes and twenty 10mm O.D. crossmatch tubes; 12/cs.	EA	3925
1481052	Holder, Tube; Fisherbrand Blood Bank Crossmatch Holders; 29-tube capacity; Holds one 16mm sample tube, one 13mm pilot tube serum, and twenty-seven 10mm phenotype, genotype, and cross-match tubes; 12/cs.	EA	3996
1481053	Holder, Tube; Fisherbrand Blood Bank Crossmatch Holders; 38-tube capacity; Holds six 16mm O.D. donor sample tubes, eighty-four 10 to 13mm tubes for donor's serum and cell suspension, ABO, Rh, antibody grouping, and screening; 6/cs.	EA	4354
1481065	Holder, Storage; Fisherbrand; For Sample Cups; Auto Analysis; Holders, Capacity: 50 cups; Clear acrylic shelves with white base	EA	2314
1481066	Holder, Storage; Fisherbrand; For Sample Cups; Capacity: 50 cups; Solid Covers; Cover For 14 810 65; Clear acrylic shelves with white base	EA	1012
1481067	Holder, Storage; Fisherbrand; For Sample Cups; Holders, Capacity: 100 cups; Clear acrylic shelves with white base	EA	4119
1481068	Holder, Storage; Fisherbrand; For Sample Cups; Capacity: 100 cups; Solid Covers; Cover For 14 810 67; Clear acrylic shelves with white base	EA	1156
149652A	Basket, Dipping; Fisherbrand; Round; HDPE; 6 dia. x 6 in. H (15.24 dia. x 15.24cm H)	EA	15284
149652B	Basket, Dipping; Fisherbrand; Round; HDPE; 8 dia. x 8 in.H (20.32 dia. x 20.32cm H)	EA	17408
149652C	Basket, Dipping; Fisherbrand; Round; HDPE; 8 dia. x 10 in. H (20.32 x 25.4cm)	EA	20489
149652D	Basket, Dipping; Fisherbrand; Round; HDPE; 10 dia. x 10 in. H (25.4 dia. x 25.4 cm H)	EA	17408
149652E	Basket, Dipping; Fisherbrand; Round; HDPE; 12 dia. x 12 in. H (30.48 dia. x 30.48cm H)	EA	21966
149652F	Basket, Dipping; Fisherbrand; Round; Polypropylene; 6 dia. x 6 in. H (15.24 dia. x 15.24cm H)	EA	16766
149652G	Basket, Dipping; Fisherbrand; Round; Polypropylene; 8 dia. x 8 in.H (20.32 dia. x 20.32cm H)	EA	17744
149652H	Basket, Dipping; Fisherbrand; Round; Polypropylene; 8 dia. x 10 in. H (20.32 x 25.4cm)	EA	23733
149652K	Basket, Dipping; Fisherbrand; Round; Polypropylene; 12 dia. x 12 in. H (30.5 dia. x 30.5cm H)	EA	28393
149653A	Basket, Dipping; Fisherbrand; Rectangular; HDPE; 0.125 in. thick walls; 0.1875 in. diameter perforations on 0.3125 in. centers; 12L x 8W x 6 in. H (30.5L x 20W x 15cm H)	EA	16068
149653B	Basket, Dipping; Fisherbrand; Rectangular; HDPE; 0.125 in. thick walls; 0.1875 in. diameter perforations on 0.3125 in. centers; 18L x 12W x 9 in. H (46L x 30.5 x 23cm)	EA	29455
14965A	Basket; Fisherbrand; Molded polypropylene; With lid; For incubating or sterilizing tubes; Size: 5.75L x 4.875W x 4.25H in.	EA	2819
14965B	Basket; Fisherbrand; Molded polypropylene; With lid; For incubating or sterilizing tubes; Size: 6-1/2L x 6-1/2W x 6-1/8H in.	EA	3299
14965C	Basket; Fisherbrand; Molded polypropylene; With lid; For incubating or sterilizing tubes; Size:9L x 9W x 9H in.	EA	3988
PM800R	Rack; Test-Tube; Fisherbrand; Accommodates thirty-two tubes, up to 16mL; Lightweight metal with baked enamel finish; 6/cs	CS	28532
0566944	Fisherbrand* Rack, Microcentrifuge Tube Microwtube Workstation; Polypropylene; Holds Fifty 0.5 to 2.0mL microcentrifuge tubes; Autoclavable; Color: Blue	Cs of 4	6230
FB50300	Centrifuge tube rack, epoxy coated steel, yellow	EA	3646
FB65295	Rack for 12 x 1.5mL tubes, for use with mini dry bath (FB65290) Fisherbrand	EA	3989

Cat. No.	Description	Pack	Price in ₹
<b>Sample Cups</b>			
0254410	Cap; Fisherbrand; For multipurpose sample cups of capacity 0.25, 0.5 and 2.0mL; Color: Natural; 1000/pk.	PK	3307
0254419	Cup, Sample; Fisherbrand; Multipurpose; Heavy-duty polystyrene to prevent cracking or tipping; Graduated in 0.5mL increments; Side-gated molding; Capacity: 2mL; Case of 10,000	CS	28269
025444	Cup, Sample; Fisherbrand; Multipurpose; Heavy-duty polystyrene to prevent cracking or tipping; Graduated in 0.5mL increments; Side-gated molding; Capacity: 4mL; Pack of 1000	PK	3899
22363150	Cup, Sample; Fisherbrand; Nesting; Polystyrene; Designed for pediatric or geriatric samples or insufficient draws; 13mm; 1000/pk.; 5/cs.	PK	3882
22363151	Cup, Sample; Fisherbrand; Nesting; Polystyrene; Designed for pediatric or geriatric samples or insufficient draws; 16mm; 1000/pk.; 5/cs.	PK	4775
<b>Samplers</b>			
033382A	Sampler, Drum; Polyethylene; Fisherbrand; 100mL capacity; 3ft. long; 1 1/4 in. dia.	EA	14317
033382B	Sampler, Liquid; Fisherbrand; High Density Polyethylene; 500mL; 6ft.; 1 1/4 in. dia.	EA	18575
142421	Dipper, Polyethylene; Fisherbrand; Handle Length: 3 ft. (0.9m); Capacity: 16.9 oz. (500mL); Reusable; Polyethylene; Graduated beaker features dual pouring spouts for easy left- or right-handed operation; Handle with easy-grip end	EA	3539
1424210	Dipper, Polyethylene; Fisherbrand; Handle Length: 12 ft.(3.7m); Capacity: 16.9 oz. (500mL); Reusable; Polyethylene; Graduated beaker features dual pouring spouts for easy left- or right-handed operation; Handle with easy-grip end	EA	9661
1424220	Utensils; Sampling; Ladles; Fisherbrand; Reusable; Polyethylene; Linear beaker with securely welded solid handle; Extra-heavy-duty for sampling and dispensing corrosive liquids; Capacity: 1.7 oz. (50mL); Handle length: 9 in. (23cm)	EA	1065
1424225	Utensils; Sampling; Ladles; Fisherbrand; Reusable; Polyethylene; Linear beaker with securely welded solid handle; Extra-heavy-duty for sampling and dispensing corrosive liquids; Capacity: 3.4 oz. (100mL); Handle length: 9 in. (23cm)	EA	1188
1424230	Utensils; Sampling; Ladles; Fisherbrand; Reusable; Polyethylene; Linear beaker with securely welded solid handle; Extra-heavy-duty for sampling and dispensing corrosive liquids; Capacity: 8.5 oz. (250mL); Handle length: 9 in. (23cm)	EA	1342
1424240	Utensils; Sampling; Ladles; Fisherbrand; Reusable; Polyethylene; Linear beaker with securely welded solid handle; Extra-heavy-duty for sampling and dispensing corrosive liquids; Capacity: 20.3 oz. (600mL); Handle length: 10 in. (25cm)	EA	1519
1424245	Utensils; Sampling; Ladles; Fisherbrand; Reusable; Polyethylene; Linear beaker with securely welded solid handle; Extra-heavy-duty for sampling and dispensing corrosive liquids; Capacity: 33.8 oz. (1000mL); Handle length: 12 in. (30cm)	EA	3541
142425	Dipper, Polyethylene; Fisherbrand; Handle Length: 6 ft.(1.8m); Reusable; Graduated beaker features dual pouring spouts for easy left- or right-handed operation; Handle has an easy-grip end for secure handling under adverse conditions	EA	4056
142431	Sampler, Liquid; Fisherbrand; High Density Polyethylene; 500mL; 8ft.; 1 1/4 in. dia.	EA	22721
142432	Utensils; Sampling; Fisherbrand; PTFE Sampler/Ladle; Totally inert; With a fixed, 6 in. long (15.2cm) handle; Reusable; Capacity: 10mL	CS	24077
142433A	Utensils; Sampling; Dippers; Fisherbrand; PTFE; Totally inert; Reusable; Extendable screw-in shafts with a steel core; Capacity: 3.4 oz. (100mL); Shaft length: 24 in. (61cm)	EA	20442
142433B	Utensils; Sampling; Dippers; Fisherbrand; PTFE; Totally inert; Reusable; Extendable screw-in shafts with a steel core; Capacity: 8.5 oz. (250mL); Shaft length: 24 in. (61cm)	EA	22314
142433C	Utensils; Sampling; Dippers; Fisherbrand; PTFE; Totally inert; Reusable; Extendable screw-in shafts with a steel core; Capacity: 16.9 oz. (500mL); Shaft length: 24 in. (61cm)	EA	26950
142433D	Utensils; Sampling; Dippers; Fisherbrand; PTFE; Totally inert; Reusable; Extendable screw-in shafts with a steel core; Capacity: 33.8 oz. (1000mL); Shaft length: 24 in. (61cm)	EA	34974
14375260	Utensils; Sampling; Scoops; Fisherbrand; Reusable; Polypropylene; Nonsterile; Steam autoclavable at 121deg.C (250deg.F); Ideal for powdered or granular materials; Capacity: 200cc; Overall length: 8 in. (20cm)	CS	2134
14375262	Knife; Sample; Fisherbrand; Polystyrene; Sterile; Serrated edge cuts fibrous material; Length: 7-1/2 in.; Indiv. packaged	CS	26512
14375250	Utensils; Sampling; Scoops; Fisherbrand; Disposable; Sterile; Curved handle; Contaminant-free; Flat-top design; Flat bottom keeps scoop upright; Polystyrene construction; Capacity: 2 oz. (59mL); Overall length: 7.5 in. (19cm)	CS	10174

Cat. No.	Description	Pack	Price in ₹
14375251	Utensils; Sampling; Scoops; Fisherbrand; Disposable; Sterile; Curved handle; Contaminant-free; Flat-top design; Flat bottom keeps scoop upright; Polystyrene construction; Capacity: 4 oz. (118mL); Overall length: 7.5 in. (19cm)	CS	14098
14375252	Utensils; Sampling; Scoops; Fisherbrand; Disposable; Sterile; Curved handle; Contaminant-free; Flat-top design; Flat bottom keeps scoop upright; Polystyrene construction; Capacity: 8 oz. (237mL); Overall length: 8 in. (20cm)	CS	19142
14375253	Spatula, Polystyrene; Fisherbrand; Disposable; V-shaped with heavy-duty edge; Length: 9 in. (22.9cm) long; For transferring powdered or caked materials; One piece construction; Extra-large handle; Individually packaged	CS	10382
14375254	Spoon, Sterile; Fisherbrand; Disposable; Capacity: 1/4 tsp.; Length: 7 in.; Flat bottom; Polystyrene; Extra-long handle	CS	17720
14375255	Spoon, Sterile; Fisherbrand; Disposable; Polystyrene; Length: 7 in.; Capacity: 1/2 tsp. (2.5mL); Flat bottom; Extra-long handle; Individually packaged	CS	18013
14375256	Spoon, Sterile; Fisherbrand; Disposable; Capacity: 1 tsp.; Length: 7 in.; Flat bottom; Polystyrene; Extra-long handle	CS	16394
14375257	Spoon, Sterile; Fisherbrand; Disposable; Capacity: 1 Tbs.; Length: 7 in.; Flat bottom; Polystyrene; Extra-long handle	CS	14900
14375258	Utensils; Sampling; Scoops; Fisherbrand; Reusable; Polypropylene; Nonsterile; Steam autoclavable at 121deg.C (250deg.F); Ideal for powdered or granular materials; Capacity: 75cc; Overall length: 7.5 in. (19cm)	CS	2045
14375259	Utensils; Sampling; Scoops; Fisherbrand; Reusable; Polypropylene; Nonsterile; Steam autoclavable at 121deg.C (250deg.F); Ideal for powdered or granular materials; Capacity: 100cc; Overall length: 7.5 in. (19cm)	CS	2045
<b>Specimen Collection</b>			
0268150	Filter, Serum; Fisherbrand; Standard; Disposable; Used when filtered serum can be immediately poured off for analysis; For use only with glass collection tubes; Length: 4 in.; O.D.: 13mm; 100/pk.	PK	2971
0268151	Filter, Serum; Fisherbrand; Standard; Disposable; Used when filtered serum can be immediately poured off for analysis; For use only with glass collection tubes; Length: 4 in.; O.D.: 16mm; 100/pk.	PK	2971
0268152	Filter, Serum; Fisherbrand; Standard; Disposable; Used when filtered serum can be immediately poured off for analysis; For use only with glass collection tubes; Length: 6 in.; O.D.: 16mm; 100/pk.	PK	2971
0268153	Filter, Serum; Fisherbrand; Standard; Disposable; Used when filtered serum can be immediately poured off for analysis; For use only with glass collection tubes; Length: 4 in.; O.D.: 10.25mm; 100/pk.	PK	2971
0268154	Filter, Serum; Fisherbrand; Standard; Disposable; Used when filtered serum can be immediately poured off for analysis; For use only with glass collection tubes; Length: 2.75 in.; O.D.: 16mm; 100/pk.	PK	2971
0268155	Filter, Serum; Fisherbrand; Instrument specific; Removes fibrin and gel separation particulates; Permits direct sampling from primary collection tubes; Dia.: 16mm; Length: 2.5 in.; For use with tube size: 16 x 100mm; 100/pk.	PK	2452
0268156	Filter, Serum; Fisherbrand; Instrument specific; Removes fibrin and gel separation particulates; Permits direct sampling from primary collection tubes; Flared; Dia.: 13mm; Length: 2.25 in.; For use with tube size: 13 x 100mm; 100/pk.	PK	2971
0268158	Filter, Serum; Fisherbrand; Standard; Disposable; Used when filtered serum can be immediately poured off for analysis; For use only with glass collection tubes; Length: 2 in.; O.D.: 10.25mm; 100/pk.	PK	2971
0268159	Filter, Serum; Fisherbrand; Instrument specific; Removes fibrin and gel separation particulates; Permits direct sampling from primary collection tubes; Flared; Dia.: 16mm; Length: 1.25 in.; For use with tube size: 16 x 75mm; 100/pk.	PK	2971
0268160	Filter, Serum; Fisherbrand; Instrument specific; Removes fibrin and gel separation particulates; Permits direct sampling from primary collection tubes; Dia.: 13mm; Length: 1.375 in.; For use with tube size: 13 x 75mm; 100/pk.	PK	2971
0268161	Filter, Serum; Fisherbrand; Instrument specific; Removes fibrin and gel separation particulates; Permits direct sampling from primary collection tubes; Flared; Dia.: 16mm; Length: 1.875 in.; For use with tube size: 16 x 100mm; 100/pk.	PK	2452
0268162	Filter, Serum; Fisherbrand; IB model; Stores serum up to seven days; Use with glass or plastic collection tubes; Dia.: 16mm; L: 2.75 in.; 100/pk.	PK	3015
0268163	Filter, Serum; Fisherbrand; IB model; Stores serum up to seven days; Use with glass or plastic collection tubes; Dia.: 16mm; L: 4 in.; 100/pk.	PK	3015
0268164	Filter, Serum; Fisherbrand; IB model; Stores serum up to seven days; Use with glass or plastic collection tubes; Dia.: 16mm; L: 6 in.; 100/pk.	PK	3015

Cat. No.	Description	Pack	Price in ₹
0268165	Filter, Serum; Fisherbrand; IB model; Stores serum up to seven days; Use with glass or plastic collection tubes; Dia.: 13mm; L: 2.75 in.; 100/pk.	PK	3015
0268166	Filter, Serum; Fisherbrand; IB model; Stores serum up to seven days; Use with glass or plastic collection tubes; Dia.: 13mm; L: 4 in.; 100/pk.	PK	3015
0268167	Filter, Serum; Fisherbrand; IB model; Stores serum up to seven days; Use with glass or plastic collection tubes; Dia.: 13mm; L: 6 in.; 100/pk.	PK	2971
1437227	Brush, Cytology; Andwin Scientific; For endocervical cell collection in pap smear, chlamydia and HPV testing; Length: 8 in. (20.32cm); 500/cs.	CS	11537
1437228	Brush, Cytology; Andwin Scientific; For endocervical cell collection in pap smear, chlamydia and HPV testing; Length: 6.5 (16.51cm) in.; 500/cs.	CS	11537
1437253	Cell Sampler, Cervical; Fisherbrand; Cervex-Brush; Sampler collects endocervical, ectocervical and T-zone cells; Enhances specimen-to-slide transfer; Soft, flexible PE bristles; 8 in. long (20cm); 50/pk.	PK	4615
1437363	Cup, Urine; Fisherbrand; PP; Sterile; w/200mg Boritex boric acid preservative tablet keeping urine stable for up to 72 hours; 90mL; 400/cs.	CS	21515
14375206	Rack, Urinalysis tube; Fisherbrand; UriSystem; Acrylic; Holds up to ten 12mL tubes for simultaneous decanting	EA	6461
14375246	System, Urinalysis; Fisherbrand; For urine collection and transport; Includes plastic cups; Pressure-sensitive patient identification labels; Transport rack; PS tubes are centrifuge-safe with flared tops; 500/cs.	CS	9511
14375248	Container, Urine; Fisherbrand; 24-hour; Polyethylene; Amber; Plastic cap with extra thick liner; Convenient carrying handle; Inert to normal preservatives; 3000mL graduation range; 40/cs.	CS	9566
FBA14376	Tube, Urine Collection; Fisherbrand; Plain tube (no tablet); Preserves urine for urinalysis or urine porphyrins testing for up to 72 hours without refrigeration; Amber; 1000/cs.	CS	41863
14377251	Pack, Urine Collection; Fisherbrand; UriSystem; Includes 5 bags; Each container has 100 bulb-style tubes, ID labels, caps, plastic collection cups and tube carrying cardboard rack; 500/CS	CS	11283
14377252	Tube, Standard; Fisherbrand; UriSystem; Urine specimen collection; Disposable; Polystyrene; Crack-resistant; Snap-on caps sold separately; Graduated to 12mL; Dia.: 15mm; Withstands centrifugal forces to 1750xG; Capacity: 15mL; 500/cs.	CS	5026
14377253	Tube, Standard; Fisherbrand; UriSystem; Urine specimen collection; Disposable; Polystyrene; Crack-resistant; Snap-on caps sold separately; Graduated to 12mL; Dia.: 15mm; Withstands centrifugal forces to 1750xG; Capacity: 15mL; 1000/cs.	CS	10064
14377254	Cap, Plastic; Fisherbrand; UriSystem; Prevents spilling and contamination; Blue; 500/cs.	CS	3015
14377255	Cap, Plastic; Fisherbrand; UriSystem; Prevents spilling and contamination; Neon orange; 500/cs.	CS	2963
14377256	Cap, Plastic; Fisherbrand; UriSystem; Prevents spilling and contamination; Violet; 500/cs.	CS	2937
14377257	Cap, Plastic; Fisherbrand; UriSystem; Prevents spilling and contamination; Turquoise; 500/cs.	CS	2937
14377258	Cap, Plastic; Fisherbrand; UriSystem; Prevents spilling and contamination; Yellow; 500/cs.	CS	2937
14377259	Slide, 10-Test; Fisherbrand; UriSystem; DeciSlide; Urine Sedimentation; Acrylic slide with integrated coverslip; Recessed channels; 0.005 in. depth of field; Reduces cross-contamination while standardizing volume per area; 100/Pk.	PK	9036
14560100	Combination, Cervex-Brush; Fisherbrand; For simultaneous collection of ectocervical and endocervical cells; Enhances specimen-to-slide transfer; 50/pk.	PK	6346
14560101	Brush-S, Specimen collection; Fisherbrand; Endocervex; For pap smear collection; Smaller head for teens, elderly; Removable brush end; Safety ring; Enhances specimen-to-slide transfer; 510K approved; 50/pk.	PK	5048
14959103	Brush, Cytology; Fisherbrand; EndoCervex; Latex-free; Non-sterile; Removable white brush end; PP bristles; Length: 8 in.; 50/pk.	PK	5048
1496115	Tube, Conical; Fisherbrand; Polystyrene; Graduated; O.D.: 16.5mm; Length: 118mm; Capacity: 0.5 oz. (15mL)	CS	6453
22025714	Tube, Micro; Fisher Scientific; Tissue Path; TestFive; Multi-Sample System; 0.65mL; 1000/pk.	PK	3302
2202927	Device, Lancet; Fisherbrand; Unistik 2; Fingerstick; Disposable; Spring-loaded; Normal Penetration for normal skin types and standard sample sizes for tests; 21G needle; Used in ICUs and laboratory settings; 200/pk.	PK	5624
2202928	Device, Lancet; Fisherbrand; Unistik 2; Fingerstick; Disposable; Spring-loaded; Extra Penetration for tougher skin or larger sample volumes; 21G needle; Used in ICUs and laboratory settings; 200/pk.	PK	5624
22030581	Card, Filter; Fisher Scientific; Tissue Path; TestFive; Multi-Sample System; Five-hole; 200/pk.	PK	4778
22267410	Filter, Serum; Fisherbrand; IB; Removes fibrin and gel particulates; For direct instrument sampling from 13mm glass or plastic evacuated collection tubes; 13mm x 1.62 in.; 100/pk.	PK	3015



Cat. No.	Description	Pack	Price in ₹
22288430	System, Filter; Fisherbrand; DISPENSE; Blood collection; Closed; w/Combination filter, transfer pipet, cap; Maintains sample integrity, eliminates transfer error; Plunger dia.: 16mm; Qualitative drop size: Approx. 1mL; 100/pk.; 40/cs.	PK	3530
22288431	System, Filter; Fisherbrand; DISPENSE; Blood collection; Closed; w/Combination filter, transfer pipet, cap; Maintains sample integrity, eliminates transfer error; Plunger dia.: 13mm; Qualitative drop size: Approx. 1mL; 100/pk.; 40/cs.	PK	3530
22610130	Container, Specimen; Fisherbrand; Ideal for urine collection DOA testing; Polypropylene; Nonsterile; Dual-threaded, leak-resistant white cap; Liquid crystal thermometer strip (90deg. to 100deg.F); 60mL; 500/Cs.	CS	31686
22610131	Container, Specimen; Fisherbrand; Ideal for urine collection DOA testing; Polypropylene; Sterile; Dual-threaded, leak-resistant white cap; Liquid crystal thermometer strip (90deg. to 100deg.F); 60mL; 500/Cs.	CS	33574
<b>Trays and Troughs</b>			
152361A	Tray, Polymeric; Fisherbrand; Durable Tray made of 4.8mm thick autoclavable polypropylene; Non-corrosive; 10L x 15W x 3 in. H (25 x 38 x 7.6cm)	EA	11135
152361B	Tray, Polymeric; Fisherbrand; Durable Tray made of 4.8mm thick autoclavable polypropylene; Non-corrosive; 15L x 20W x 3 in. H (38 x 51 x 7.6cm)	EA	14862
152361C	Tray, Polymeric; Fisherbrand; Durable Tray made of 9.3mm thick autoclavable polypropylene; Non-corrosive; 18L x 18W x 4 in. H (46 x 46 x 10cm)	EA	17883
152361D	Tray, Polymeric; Fisherbrand; Durable Tray made of 9.3mm thick autoclavable polypropylene; Non-corrosive; 22L x 26W x 4 in. H (55.8 x 66 x 10cm)	EA	20086
152361E	Tray, Polymeric; Fisherbrand; Durable Tray made of 9.3mm thick autoclavable polypropylene; Non-corrosive; 20L x 20W x 6 in. H (51 x 51 x 15.25cm)	EA	21410
152361F	Trays, Polymeric; Fisherbrand; 0.37 in. thick autoclavable polypropylene; 12 L x 16 W x 8 in. H (30.5 x 40.5 x 20.25cm)	EA	14550
152362A	Trays, Polymeric; Fisherbrand; 0.37 in. thick autoclavable polyethylene; 22 L x 26 W x 4 in. H (56 x 66 x 10cm)	EA	10552
152362B	Trays, Polymeric; Fisherbrand; 0.37 in. thick autoclavable polyethylene; 18 L x 18 W x 6 in. H (46 x 46 x 15.25cm)	EA	11834
152362C	Trays, Polymeric; Fisherbrand; 0.37 in. thick autoclavable polyethylene; 18 L x 24 W x 6 in. H (46 x 61 x 15.25cm)	EA	12717
152362D	Trays, Polymeric; Fisherbrand; 0.37 in. thick autoclavable polyethylene; 12 L x 16 W x 8 in. H (30.5 x 40.5 x 20.25cm)	EA	9096
152362E	Trays, Polymeric; Fisherbrand; 0.37 in. thick autoclavable polyethylene; 16 L x 16 W x 8 in. H (40.5 x 40.5 x 20.25cm)	EA	11561
152363A	Trays, Dispensing; Fisherbrand; 0.25 in. thick high-density polyethylene; Polypropylene dispensing valve; Welded corners/bottom; White; 12 L x 16 W x 3 in. H (30.5 x 40.5 x 7.5cm)	EA	10913
152363B	Trays, Dispensing; Fisherbrand; 0.25 in. thick high-density polyethylene; Polypropylene dispensing valve; Welded corners/bottom; White; 16 L x 20 W x 4 in. H (40.6 x 51 x 10cm)	EA	11771
152363C	Trays, Dispensing; Fisherbrand; 0.25 in. thick high-density polyethylene; Polypropylene dispensing valve; Welded corners/bottom; White; 18 L x 22 W x 4 in. H (46 x 56 x 10cm)	EA	12691
152363D	Trays, Dispensing; Fisherbrand; 0.25 in. thick high-density polyethylene; Polypropylene dispensing valve; Welded corners/bottom; White; 22 L x 26 W x 4 in. H (56 x 66 x 10cm)	EA	14036
152363E	Trays, Dispensing; Fisherbrand; 0.25 in. thick high-density polyethylene; Polypropylene dispensing valve; Welded corners/bottom; White; 18 L x 18 W x 6 in. H (46 x 46 x 15cm)	EA	15492
152363F	Trays, Dispensing; Fisherbrand; 0.25 in. thick high-density polyethylene; Polypropylene dispensing valve; Welded corners/bottom; White; 18 L x 24 W x 6 in. H (46 x 61 x 15cm)	EA	15859
152363G	Trays, Dispensing; Fisherbrand; 0.25 in. thick high-density polyethylene; Polypropylene dispensing valve; Welded corners/bottom; White; 12 L x 16 W x 8 in. H (30.5 x 40.6 x 20.25cm)	EA	12935
152363H	Trays, Dispensing; Fisherbrand; 0.25 in. thick high-density polyethylene; Polypropylene dispensing valve; Welded corners/bottom; White; 16 L x 16 W x 8 in. H (40.6 x 40.6 x 20.25cm)	EA	15109
PM600CVT	Tray, Lab, Covered; Fisherbrand; Polypropylene; Lockable trays can be used to store secure items; L x W x H: 17 x 9.5 x 9.25 in.	CS	33194
PM600T	Tray, Lab, with Drawer; Fisherbrand; Polypropylene; Six-compartment drawer; Safety latch; L x W x H: 14.75 x 9 x 6 in.	CS	47994
FB58594	Tray general purpose easy clean white 460mm x 260mm Fisherbrand	EA	6201
FB58595	Tray general purpose easy clean white 540mm x 340mm Fisherbrand	EA	7441
FB58596	Tray general purpose easy clean white 570mm x 540mm Fisherbrand	EA	9716

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
FB58597	Tray general purpose easy clean white 680mm x 540mm Fisherbrand	EA	15916
FB58598	Tray general purpose easy clean white 700mm x 460mm Fisherbrand	EA	12609
FB58599	Tray general purpose easy clean white 1130mm x 540mm Fisherbrand	EA	15916
FB58600	Tray radiation hazard easy clean yellow 460mm x 260mm Fisherbrand	EA	8024
FB58601	Tray radiation hazard easy clean yellow 540mm x 340mm Fisherbrand	EA	8872
FB58602	Tray radiation hazard easy clean yellow 570mm x 540mm Fisherbrand	EA	12251
FB58603	Tray radiation hazard easy clean yellow 570mm x 540mm Fisherbrand	EA	14789
FB58604	Tray radiation hazard easy clean yellow 700mm x 460mm Fisherbrand	EA	14789
FB58605	Tray radiation hazard easy clean yellow 1130mm x 540mm Fisherbrand	EA	16902
FB58606	Tray biohazard easy clean white 460mm x 260mm Fisherbrand	EA	11782
FB58607	Tray biohazard easy clean white 540mm x 340mm Fisherbrand	EA	7393
FB58608	Tray biohazard easy clean white 570mm x 540mm Fisherbrand	EA	10139
FB58609	Tray biohazard easy clean white 680mm x 540mm Fisherbrand	EA	12251
FB58610	Tray biohazard easy clean white 700mm x 460mm Fisherbrand	EA	12251
FB58611	Tray biohazard easy clean white 1130mm x 540mm Fisherbrand	EA	14676
FB58612	Liner for tray environmentally friendly APET clear 460mm x 260mm Fisherbrand	Pack of 25	9921
FB58613	Liner for tray environmentally friendly APET clear 540mm x 340mm Fisherbrand	Pack of 25	13641
FB58614	Liner for tray environmentally friendly APET clear 570mm x 540mm Fisherbrand	Pack of 25	14055
FB58615	Liner for tray environmentally friendly APET clear 680mm x 540mm Fisherbrand	Pack of 25	19842
FB58616	Liner for tray environmentally friendly APET clear 700mm x 460mm Fisherbrand	Pack of 25	19223
FB58617	Liner for tray environmentally friendly APET clear 1130mm x 540mm Fisherbrand	Pack of 25	22530
<b>Waste Disposal</b>			
1200915	Container, Dry waste collection; Fisherbrand; Material: Acrylic; With lift-off style lid; Sturdy; Nonskid feet; Holds 6.25 gal. (23.7L) polyethylene bags with clips; Thickness: 0.375 in. (0.95cm); 9L x 13W x 15 in. H (22.9 x 33 x 38.1cm)	EA	41537
1200917	Container, Wet waste collection; Fisherbrand; Material: Acrylic; Totally enclosed with hinged cover; Accommodates jug and funnel; Nonskid feet; Thickness: Full-gauge 0.375 in. (0.95cm); 6.5L x 6.5W x 18.5 in. H (16.5 x 16.5 x 47cm)	EA	28364
120097A	Box, Glass-disposal; Fisherbrand; Floor model; With 2mm thick PE liner; Colorful graphics; Can be folded for economical shipping, storage; 12L x 12W x 27 in. H (30 x 30 x 69cm)	PK	5750
120097B	Box, Glass-disposal; Fisherbrand; Bench model; With 2mm-thick PE liner; Colorful graphics; Can be folded for economical shipping, storage; 8L x 8W x 10 in. H (20 x 20 x 25cm)	PK	4666
120098	Container, Wet waste collection; Fisherbrand; Acrylic; W/cover; Accepts wide-mouth funnel for easy disposal of liquid radioactive material; Nonskid feet; Full-gauge 0.375 in. thick (0.95cm); 6.5L x 6.5W x 12 in. H (16.5 x 16.5 x 30.5cm)	EA	21169
120098A	Waste Box, Biohazard; Fisherbrand; Burn-Up Bin; Floor model; Single-use; 2mm polyliner; Lid with flap; Corrugated cardboard; 12L x 12W x 27 in. H (30 x 30 x 69cm)	CS	5417
120098B	Box, Biohazard Waste; Fisherbrand, Burn-Up Bin; Benchttop model; Corrugated cardboard; Single-use; 2mm polyliner; Lid with flap; 8L x 8W x 10 in. H (20 x 20 x 25cm)	CS	3204
14827104	Container, General-Purpose; Fisherbrand; Sharps-A-Gator; Puncture-resistant polypropylene; Clear locking lid; Marked with biohazard label; Can be autoclaved or incinerated; Meets OSHA standards; Capacity: 7 gal. (26.5L)	EA	2038
14827105	Container, General-Purpose; Fisherbrand Sharps-A-Gator; Round, puncture-resistant polypropylene; Clear locking lid; Marked with biohazard label; Can be autoclaved or incinerated; Meets applicable OSHA standards; Capacity: 7.5 gal. (28L)	EA	2014
14827122	Container, Sharps; Fisherbrand; Sharps-A-Gator; Point-of-use; High top; Puncture-resistant, durable PP; Autoclavable; w/Biohazard label; Capacity: 5 qt. (4.5L); Red color; 4.25L x 11W x 12.25 in. H (11 x 28 x 31cm); 30/cs.	EA	860
14827129	Container, Sharps; Fisherbrand; Sharps-A-Gator; Point-of-use; Low top; Puncture-resistant, durable PP; Autoclavable; w/Biohazard label; Capacity: 3.5 gal. (13.2L); Translucent red color; 8L x 14.25W x 13.5 in. H (20.3 x 36 x 34.3cm); 10/cs.	EA	1425
1482763	Container, General-Purpose; Fisherbrand; Sharps-A-Gator; Puncture-resistant polypropylene; Clear locking lid; Marked with biohazard label; Can be autoclaved or incinerated; Meets OSHA standards; Capacity: 1 gal. (3.8L)	EA	538

Cat. No.	Description	Pack	Price in ₹
1482771	Container, General-Purpose; Fisherbrand; Sharps-A-Gator; Puncture-resistant polypropylene; Clear locking lid; Marked with biohazard label; Can be autoclaved or incinerated; Meets OSHA standards; Capacity: 10 gal. (38L)	EA	2495
17988448	Box, Glass-Disposal; Fisherbrand; Intermediate model; w/2mm-thick PE liner, colorful graphics; Can be folded for economical shipping, storage; 12Lx 12W x 20 in. H (30 x 30 x 51cm)	PK	5281
17988449	Holder, Box; Fisherbrand; For glass-disposal boxes; Floor model; Reusable; Acrylic; Has bottom tray, center shield, top lid; 13L x 13W x 27.75 in. H (33 x 33 x 70.5cm)	EA	63784
17988450	Holder, Box; Fisherbrand; For glass-disposal boxes; Intermediate model; Reusable; Acrylic; Has bottom tray, center shield, top lid; 13L x 13W x 20.25 in. H (33 x 33 x 52.1cm)	EA	42557
17988451	Holder, Box; Fisherbrand; For glass-disposal boxes; Benchtop model; Reusable; Acrylic; Has bottom tray, center shield, top lid; 10L x 10W x 10.75 in. H (25.4 x 25.4 x 27.3cm)	EA	23256
22037959	Container, General-Purpose; Fisherbrand; Sharps-A-Gator; Puncture-resistant polypropylene; Sliding lid; Marked with biohazard label; Can be autoclaved or incinerated; Meets OSHA standards; Capacity: 2 gal. (7.5L)	EA	556
PM100TB	Bracket, Mounting; Fisherbrand; For use with standard or large Automatic Needle Disposal sharps containers; Mounts easily with two screws; 6/cs.	CS	18153
PMBE200	Container, Phlebotomy; Fisherbrand A.N.D. Automatic Needle Disconnect; Automatically locks in down position; Accepts only BD needles, most lancets and butterflies; One-handed use; Large Unit; Holds 750 needles; 12/cs.	CS	36275
<b>Wrapping Film</b>			
FBA15610	Film, Wrapping; Fisherbrand; Polyvinyl; Gas permeable; Roll; Pure food-grade polyvinyl chloride film in its own dispenser; 18 in. x 1000 ft. (45cm x 305m)	EA	3974

### Sample Handling and Processing

<b>Box</b>			
14100A	Box, Storage; Fisherbrand; Polypropylene; 100-place; Holds 0.5, 1.5 and 2.0mL microtubes and vials; For use at -80deg.C to 121deg.C (-112deg.F to 249.8deg.F); Natural	PK	5194
14100D	Box, Storage; Fisherbrand; Polypropylene; 100-place; Holds 0.5, 1.5 and 2.0mL microtubes as well as vials; For use at -80deg.C to 121deg.C (-112deg.F to 249.8deg.F); Orange	PK	5194
14100G	Box, Storage; Fisherbrand; Polypropylene; 100-place; Holds 0.5, 1.5 and 2.0mL microtubes as well as vials; For use at -80deg.C to 121deg.C (-112deg.F to 249.8deg.F); Assorted	PK	5194
<b>Burners</b>			
03902PQ	Burner, Flame; Fisherbrand; Thermo Scientific; Std. grid; Top adjustable; LP gas; Heat value: 2400 - 3300 BTU/ft. <sup>3</sup> (89.4 122.9MJ/m <sup>3</sup> ); Grid dia.: 1.5 in. (3.8cm); Height: 8.62 in. (22cm)	EA	9193
03902Q	Burner, Natural gas; Thermo Scientific; accuFlame; Stainless steel grid; chrome-plated brass body; Zn-Al base; Heat output 2930w/10,000BTU/hr.; Grid dia.: 3.8cm; Ht.: 22cm; No-tip base; For use with 0.25 in. I.D. gas tubing, not inc.	EA	9522
03908Q	Cap and Grid, Burner; Thermo Scientific; For 1.5 in.(3.81cm) natural gas burner; 1 Each	EA	1639
03917Q	Burner, Economy; Fisher Scientific; Natural gas; Heat value: 800-1200BTU/ft. <sup>3</sup> (29.8-44.7MJ/m <sup>3</sup> ); O.D x H: 0.5 x 6.5 in. (13 x 165mm)	EA	3239
03962Q	Burner, Adjustable-flame; Fisher Scientific; Natural gas; Pittsburgh Universal straight tube; Heat output: 5000 BTU/hr.; O.D. x H: 0.5 x 6.5 in.; Heat value: 800-1200BTU/cu. ft.; tubing required, see 14-178-2 or 14-150	EA	4625
04067NQ	Burner, Small size; Thermo Scientific; Natural gas; Heat value: 800-1200BTU/ft. <sup>3</sup> (29.8-44.7MJ/m <sup>3</sup> )	EA	3156
<b>Cell Culture</b>			
0254207	Grinder, Tissue; Fisherbrand; Disposable; Sterile; Preassembled; Polypropylene tube; Conical; 50mL; Closed tissue grinder system minimizes sample contact through aspiration and overflow	CS	13562
0254208	Tissue Grinder; Disposable; Fisherbrand; Free standing; Sterile and preassembled; Vial Size: 35 mL; Includes polypropylene tube, polystyrene pestle and tip, HDPE cap and extra cap	CS	12187
0254209	Grinder, Tissue; Fisherbrand; Disposable; Sterile; Preassembled; Polypropylene tube; Conical; 15mL; Closed tissue grinder system minimizes sample contact through aspiration and overflow	CS	12187

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
0254210	Grinder, Tissue; Fisherbrand Ultra; Disposable; Sterile; Preassembled; Polypropylene tube; Conical; 15mL; Silica cast (vitrified) tip for difficult sample grinding; Closed system minimizes sample contact by aspiration and overflow	CS	16625
0254211	Grinder, Tissue; Fisherbrand; Ultra; Disposable; Sterile; Preassembled; Polypropylene tube; Conical; 50mL; Includes: polystyrene pestle and tip, HDPE cap and extra cap; Closed system minimizes sample contact by aspiration and overflow	CS	16625
1254582	Coverglass, Circle; Fisherbrand; Promotes Cell Growth; 12mm Dia.	PK	19805
1254583	Coverglass, Circle; Fisherbrand; Promotes Cell Growth; 15mm Dia.	PK	12835
1254584	Coverglass, Circle; Fisherbrand; Promotes Cell Growth; 18mm Dia.	PK	11113
1254585	Coverglass, Circle; Fisherbrand; Promotes Cell Growth 22mm Dia.	PK	9332
1254586	Coverglass, Circle; Fisherbrand; Promotes Cell Growth; 25mm Dia.	PK	9815
<b>Cell Strainer</b>			
22363547	Cell Strainer; Fisherbrand; Universal fit for all 50mL conical tubes; Polypropylene frame with nylon mesh; Sterile; Individually packed; Mesh size: 40um; Color: Blue	CS	11518
22363548	Cell Strainer; Fisherbrand; Universal fit for all 50mL conical tubes; Polypropylene frame with nylon mesh; Sterile; Individually packed; Mesh size: 70um; Color: White	CS	11518
22363549	Cell Strainer; Fisherbrand; Universal fit for all 50mL conical tubes; Polypropylene frame with nylon mesh; Sterile; Individually packed; Mesh size: 100um; Color: Yellow	CS	11518
FB35180	Cell culture strainer sterile individually packed 40µm polypropylene	Pack of 50	14719
FB35181	Cell culture strainer sterile individually packed 70µm polypropylene	Pack of 50	14719
FB35182	Cell culture strainer sterile individually packed polypropylene 100µm	Pack of 50	14719
<b>Corks</b>			
07781Q	Cork Stopper; Fisherbrand; Size No.: 12; Grade: Laboratory Grade; Length: 11/4 in.; Top diameter: 11/8 in.; Bottom diameter: 57/64 in.	PK	2363
07781R	Cork Stopper; Fisherbrand; Size No.: 13; Grade: Laboratory Grade; Length: 11/4 in.; Top diameter: 13/16 in.; Bottom diameter: 61/64 in.	PK	2528
07781S	Cork Stopper; Fisherbrand; Size No.: 14; Grade: Laboratory Grade; Length: 11/4 in.; Top diameter: 11/4 in.; Bottom diameter: 11/64 in.	PK	2939
07781T	Cork Stopper; Fisherbrand; Size No.: 15; Grade: Laboratory Grade; Length: 11/4 in.; Top diameter: 15/16 in.; Bottom diameter: 15/64 in.	PK	3118
07781U	Cork Stopper; Fisherbrand; Size No.: 16; Grade: Laboratory Grade; Length: 11/2 in.; Top diameter: 13/8 in.; Bottom diameter: 13/32 in.	PK	4104
07781V	Cork Stopper; Fisherbrand; Size No.: 17; Grade: Laboratory Grade; Length: 11/2 in.; Top diameter: 17/16 in.; Bottom diameter: 15/32 in.	PK	4480
07781W	Cork Stopper; Fisherbrand; Size No.: 18; Grade: Laboratory Grade; Length: 11/2 in.; Top diameter: 11/2 in.; Bottom diameter: 17/32 in.	PK	4746
07781Y	Cork Stopper; Fisherbrand; Size No.: 20; Grade: Laboratory Grade; Length: 11/2 in.; Top diameter: 15/8 in.; Bottom diameter: 1 11/32 in.	PK	7237
07782A	Cork Stopper; Fisherbrand; Size No.: 3/0; Grade: Laboratory Grade; Length: 0.5 in.; Top diameter: 0.25 in.; Bottom diameter: 5/32 in.	PK	1836
07782B	Cork Stopper; Fisherbrand; Size No.: 00; Grade: Laboratory Grade; Length: 0.5 in.; Top diameter: 5/16 in.; Bottom diameter: 7/32 in.	PK	1836
07782C	Cork Stopper; Fisherbrand; Size No.: 0; Grade: Laboratory Grade; Length: 0.5 in.; Top diameter: 3/8 in.; Bottom diameter: 9/32 in.	PK	1836
07781A	Cork Stopper; Fisherbrand; Size No.: 3/0; Grade: Laboratory Grade; Length: 0.5 in.; Top diameter: 0.25 in.; Bottom diameter: 5/32 in.	PK	385
07781B	Cork Stopper; Fisherbrand; Size No.: 00; Grade: Laboratory Grade; Length: 0.5 in.; Top diameter: 5/16 in.; Bottom diameter: 7/32 in.	PK	385
07781C	Cork Stopper; Fisherbrand; Size No.: 0; Grade: Laboratory Grade; Length: 0.5 in.; Top diameter: 3/8 in.; Bottom diameter: 9/32 in.	PK	385
07781D	Cork Stopper; Fisherbrand; Size No.: 1; Grade: Laboratory Grade; Length: 5/8 in.; Top diameter: 7/16 in.; Bottom diameter: 21/64 in.	PK	438
07781E	Stopper, Cork; Fisherbrand; Size No.: 2; Grade: Laboratory Grade; Length: 11/16 in.; Top diameter: 0.5 in.; Bottom diameter: 3/8 in.	PK	464

Cat. No.	Description	Pack	Price in ₹
07781F	Cork Stopper; Fisherbrand; Size No.: 3; Grade: Laboratory Grade; Length: 0.75 in.; Top diameter: 9/16 in.; Bottom diameter: 27/64 in.	PK	482
07781G	Cork Stopper; Fisherbrand; Size No.: 4; Grade: Laboratory Grade; Length: 13/16 in.; Top diameter: 5/8 in.; Bottom diameter: 15/32 in.	PK	498
07781H	Cork Stopper; Fisherbrand; Size No.: 5; Grade: Laboratory Grade; Length: 7/8 in.; Top diameter: 11/16 in.; Bottom diameter: 17/32 in.	PK	511
07781J	Stopper, Cork; Fisherbrand; Size No.: 6; Grade: Laboratory Grade; Length: 15/16 in.; Top diameter: 0.75 in.; Bottom diameter: 37/64 in.	PK	548
07781K	Cork Stopper; Fisherbrand; Size No.: 7; Grade: Laboratory Grade; Length: 1.0 in.; Top diameter: 13/16 in.; Bottom diameter: 5/8 in.	PK	572
07781L	Cork Stopper; Fisherbrand; Size No.: 8; Grade: Laboratory Grade; Length: 11/16 in.; Top diameter: 7/8 in.; Bottom diameter: 43/64 in.	PK	789
07781M	Cork Stopper; Fisherbrand; Size No.: 9; Grade: Laboratory Grade; Length: 11/8 in.; Top diameter: 15/16 in.; Bottom diameter: 47/64 in.	PK	949
07781N	Cork Stopper; Fisherbrand; Size No.: 10; Grade: Laboratory Grade; Length: 11/4 in.; Top diameter: 1.0 in.; Bottom diameter: 49/64 in.	PK	1529
07781P	Cork Stopper; Fisherbrand; Size No.: 11; Grade: Laboratory Grade; Length: 11/4 in.; Top diameter: 11/16 in.; Bottom diameter: 53/64 in.	PK	1877
07782D	Cork Stopper; Fisherbrand; Size No.: 1; Grade: Laboratory Grade; Length: 5/8 in.; Top diameter: 7/16 in.; Bottom diameter: 21/64 in.	PK	2097
07782E	Cork Stopper; Fisherbrand; Size No.: 2; Grade: Laboratory Grade; Length: 11/16 in.; Top diameter: 0.5 in.; Bottom diameter: 3/8 in.	PK	2179
07782F	Cork Stopper; Fisherbrand; Size No.: 3; Grade: Laboratory Grade; Length: 0.75 in.; Top diameter: 9/16 in.; Bottom diameter: 27/64 in.	PK	2336
07782G	Cork Stopper; Fisherbrand; Size No.: 4; Grade: Laboratory Grade; Length: 13/16 in.; Top diameter: 5/8 in.; Bottom diameter: 15/32 in.	PK	2420
07782H	Cork Stopper; Fisherbrand; Size No.: 5; Grade: Laboratory Grade; Length: 7/8 in.; Top diameter: 11/16 in.; Bottom diameter: 17/32 in.	PK	2478
07782J	Cork Stopper; Fisherbrand; Size No.: 6; Grade: Laboratory Grade; Length: 15/16 in.; Top diameter: 0.75 in.; Bottom diameter: 37/64 in.	PK	2664
07782K	Cork Stopper; Fisherbrand; Size No.: 7; Grade: Laboratory Grade; Length: 1.0 in.; Top diameter: 13/16 in.; Bottom diameter: 5/8 in.	PK	2856
FBA07785	Cork Stopper; Fisherbrand; Laboratory Grade; Cut from selected wood; Assorted lengths; Sizes: 6-15	PK	2069
07791A	Cork Stopper; Fisherbrand; Size No.: 0; Grade: Superior Grade; Top diameter: 3/8 in.; Bottom Diameter: 9/32 in.	PK	443
07791B	Cork Stopper; Fisherbrand; Size No.: 1; Grade: Superior Grade; Top diameter: 3/8 in.; Bottom Diameter: 9/32 in.	PK	490
07791C	Cork Stopper; Fisherbrand; Size No.: 2; Grade: Superior Grade; Top diameter: 1/2 in.; Bottom Diameter: 3/8 in.	PK	540
07791D	Cork Stopper; Fisherbrand; Size No.: 3; Grade: Superior Grade; Top diameter: 9/16 in.; Bottom Diameter: 27/64 in.	PK	559
07791E	Cork Stopper; Fisherbrand; Size No.: 4; Grade: Superior Grade; Top diameter: 5/8 in.; Bottom Diameter: 15/32 in.	PK	593
07791F	Cork Stopper; Fisherbrand; Size No.: 5; Grade: Superior Grade; Top diameter: 11/16 in.; Bottom Diameter: 17/32 in.	PK	616
07791G	Cork Stopper; Fisherbrand; Size No.: 6; Grade: Superior Grade; Top diameter: 3/4 in.; Bottom Diameter: 37/64 in.	PK	635
07791H	Cork Stopper; Fisherbrand; Size No.: 7; Grade: Superior Grade; Top diameter: 13/16 in.; Bottom Diameter: 5/8 in.	PK	687
07791J	Cork Stopper; Fisherbrand; Size No.: 8; Grade: Superior Grade; Top diameter: 7/8 in.; Bottom Diameter: 43/64 in.	PK	918
07791K	Cork Stopper; Fisherbrand; Size No.: 9; Grade: Superior Grade; Top diameter: 15/16 in.; Bottom Diameter: 47/64 in.	PK	1204
07791L	Cork Stopper; Fisherbrand; Size No.: 10; Grade: Superior Grade; Top diameter: 1.0 in.; Bottom Diameter: 49/64 in.	PK	1879
07791M	Cork Stopper; Fisherbrand; Size No.: 11; Grade: Superior Grade; Top diameter: 11/16 in.; Bottom Diameter: 53/64 in.	PK	2596

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
07791N	Cork Stopper; Fisherbrand; Size No.: 12; Grade: Superior Grade; Top diameter: 11/8 in.; Bottom Diameter: 57/64 in.	PK	2756
07791P	Cork Stopper; Fisherbrand; Size No.: 13; Grade: Superior Grade; Top diameter: 13/16 in.; Bottom Diameter: 61/64 in.	PK	3015
07791Q	Cork Stopper; Fisherbrand; Size No.: 14; Grade: Superior Grade; Top diameter: 11/4 in.; Bottom Diameter: 11/64 in.	PK	3634
07791S	Cork Stopper; Fisherbrand; Size No.: 16; Grade: Superior Grade; Top diameter: 13/8 in.; Bottom Diameter: 13/32 in.	PK	5336
07791U	Cork Stopper; Fisherbrand; Size No.: 18; Grade: Superior Grade; Top diameter: 11/2 in.; Bottom Diameter: 17/32 in.	PK	5968
07791W	Cork Stopper; Fisherbrand; Size No.: 20; Grade: Superior Grade; Top diameter: 1/2 in.; Bottom Diameter: 3/8 in.	PK	8134
07791X	Cork Stopper; Fisherbrand; Size No.: 22; Grade: Superior Grade; Top diameter: 15/8 in.; Bottom Diameter: 111/32 in.	PK	9749
07792A	Cork Stopper; Fisherbrand; Size No.: 0; Grade: Superior Grade; Top diameter: 3/8 in.; Bottom Diameter: 9/32 in.	PK	2111
07792B	Cork Stopper; Fisherbrand; Size No.: 1; Grade: Superior Grade; Top diameter: 7/16 in.; Bottom Diameter: 21/64 in.	PK	2381
07792C	Cork Stopper; Fisherbrand; Size No.: 2; Grade: Superior Grade; Top diameter: 1/2 in.; Bottom Diameter: 3/8 in.	PK	2612
07792D	Cork Stopper; Fisherbrand; Size No.: 3; Grade: Superior Grade; Top diameter: 9/16 in.; Bottom Diameter: 27/64 in.	PK	2740
07792E	Cork Stopper; Fisherbrand; Size No.: 4; Grade: Superior Grade; Top diameter: 5/8 in.; Bottom Diameter: 15/32 in.	PK	2884
07792F	Cork Stopper; Fisherbrand; Size No.: 5; Grade: Superior Grade; Top diameter: 11/16 in.; Bottom Diameter: 17/32 in.	PK	3015
07792G	Cork Stopper; Fisherbrand; Size No.: 6; Grade: Superior Grade; Top diameter: 3/4 in.; Bottom Diameter: 37/64 in.	PK	3131
07792H	Cork Stopper; Fisherbrand; Size No.: 7; Grade: Superior Grade; Top diameter: 13/16 in.; Bottom Diameter: 5/8 in.	PK	3304
07792J	Cork Stopper; Fisherbrand; Size No.: 8; Grade: Superior Grade; Top diameter: 7/8 in.; Bottom Diameter: 43/64 in.	PK	4471
07792K	Cork Stopper; Fisherbrand; Size No.: 9; Grade: Superior Grade; Top diameter: 15/16 in.; Bottom Diameter: 47/64 in.	PK	5842
07792M	Cork Stopper; Fisherbrand; Size No.: 11; Grade: Superior Grade; Top diameter: 11/16 in.; Bottom Diameter: 53/64 in.	PK	12678
FBA07795	Cork Stopper; Fisherbrand; Superior Grade; Cut from superior grade wood; Assorted lengths; Sizes: 6-15	PK	2677
22038358	Cork; Fisherbrand; Extra long; No. 4	PK	776
22069518	Cork Stopper; Fisherbrand; Size No.: 000; Grade: Superior Grade; Top diameter: 1/4 in.; Bottom Diameter: 5/32 in.	PK	498
22069526	Cork Stopper; Fisherbrand; Size No.: 00; Grade: Superior Grade; Top diameter: 5/16 in.; Bottom Diameter: 7/32 in.	PK	498
<b>Counters</b>			
FB57942	Counter 250mm x 76mm x 56mm with total window each key records 999 mechanical 6 key	EA	28153
FB57944	Counter 320mm x 76mm x 56mm with total window each key records 999 mechanical 9 key	EA	32263
<b>Crucibles</b>			
02617131	Crucibles, PTFE; Fisherbrand; 5mL; Diameter x Height: 1.06 x 0.62 in.; Withstands temperatures to 280deg.C (536deg.F)	EA	1723
02617132	Crucibles, PTFE; Fisherbrand; 25mL; Diameter x Height: 1.75 x 1 in.; Withstands temperatures to 280deg.C (536deg.F)	EA	2507
02617133	Crucibles, PTFE; Fisherbrand; 75mL; Diameter x Height: 2.25 x 1.62 in.; Withstands temperatures to 280deg.C (536deg.F)	EA	4114
02617134	Crucibles, PTFE; Fisherbrand; 100mL; Diameter x Height: 2.81 x 1.87 in.; Withstands temperatures to 280deg.C (536deg.F)	EA	4772

Cat. No.	Description	Pack	Price in ₹
13812120	Crucible, Nickel Chromium; Fisherbrand; One piece; For avolatile matter tests; Withstands temps to 1000degC; 13mL capacity; 26mm ID x 34mm H; Without cover	EA	10964
13812121	Crucible Cover; Fisherbrand; For Nickel Chromium Crucible; 26mm ID x 11mm H	EA	3837
13812122	Crucible, Zirconium; Fisherbrand; One piece polished; Withstands up to 100 fusions (2-5 min. between 460degC and 900degC); 25mL capacity; 44mm ID x 22mm H)	EA	11537
13812123	Crucible, Zirconium; Fisherbrand; One piece polished; Withstands up to 100 fusions (2-5 min. between 460degC and 900degC); 35mL capacity; 44mm ID x 29mm H)	EA	11970
13812124	Crucible, Zirconium; Fisherbrand; One piece polished; Withstands up to 100 fusions (2-5 min. between 460degC and 900degC); 45mL capacity; 44mm ID x 34mm H)	EA	12044
13812125	Crucible, Zirconium; Fisherbrand; One piece polished; Withstands up to 100 fusions (2-5 min. between 460degC and 900degC); 55mL capacity; 44mm ID x 41mm H)	EA	13970
13812126	Crucible, Nickel; Fisherbrand; One piece; For diluting alkalis; Withstands temps to 800deg.C; 20mL capacity; 38mm ID x 32mm H; Without cover	EA	3454
13812127	Crucible, Nickel; Fisherbrand; One piece; For diluting alkalis; Withstands temps to 800deg.C; 30mL capacity; 44mm ID x 44mm H; Without cover	EA	4025
13812128	Crucible, Nickel; Fisherbrand; One piece; For diluting alkalis; Withstands temps to 800deg.C; 50mL capacity; 44mm ID x 51mm H; Without cover	EA	5291
13812129	Crucible, Nickel; Fisherbrand; One piece; For diluting alkalis; Withstands temps to 800deg.C; 75mL capacity; 57mm ID x 57mm H; Without cover	EA	6623
13812130	Crucible, Nickel; Fisherbrand; One piece; For diluting alkalis; Withstands temps to 800deg.C; 100mL capacity; 64mm ID x 57mm H; Without cover	EA	8035
13812131	Crucible, One piece; Fisherbrand; Nickel; For diluting alkalis; Withstands temperature to 800C; 250mL capacity; 84mm ID x 78mm H; Without cover	EA	14864
13812132	Crucible Cover; Fisherbrand; Nickel; For 20mL Nickel Crucible	EA	1633
13812133	Crucible Cover; Fisherbrand; Nickel; For 30mL Nickel Crucible	EA	1940
13812134	Crucible Cover; Fisherbrand; Nickel; For 50mL Nickel Crucible	EA	2280
13812135	Crucible Cover; Fisherbrand; Nickel; For 75mL Nickel Crucible	EA	2627
13812136	Crucible Cover; Fisherbrand; Nickel; For 100mL Nickel Crucible	EA	3411
13812150	Crucibles, Metal; Cover; Fisherbrand; For 20mL steel crucible	CS	15323
13812151	Crucible, Steel; Fisherbrand; Low-form one-piece sheet steel; For alkalis and peroxide fusions; Withstands temps to 500degC; 20mL capacity; 36mm ID x 26mm H; Without cover; Pack of 10	PK	13771
13812152	Crucible, Steel; Fisherbrand; Low-form one-piece sheet steel; For alkalis and peroxide fusions; Withstands temps to 500degC; 100mL capacity; 56mm ID x 48mm H; Without cover; Each	EA	3136
13812153	Crucible, Steel; Fisherbrand; Low-form one-piece sheet steel; For alkalis and peroxide fusions; Withstands temps to 500degC; 200mL capacity; 68mm ID x 60mm H; Without cover; Each	EA	5091
13812154	Crucible, Steel; Fisherbrand; Low-form one-piece sheet steel; For alkalis and peroxide fusions; Withstands temps to 500degC; 400mL capacity; 94 ID x 65mm H; Without cover; Pack of 10	PK	41010
<b>Desiccators</b>			
0859420	Canister, Desiccant; Fisherbrand; Reusable; Perforated aluminum with silica gel drying agent; Maintains dry atmosphere in 3 cu. ft. of space; Blue gel turns pink when saturated; Dimensions: 4 x 2 x 0.5 in.	EA	2255
085952A	Cover, Desiccator; Fisherbrand; For nonvacuum desiccator with porcelain plate; For desiccators with 100mm dia.	EA	3015
085952B	Cover, Desiccator; Fisherbrand; For nonvacuum desiccator with porcelain plate; For desiccators with 125mm dia.	EA	3317
085952C	Cover, Desiccator; Fisherbrand; For nonvacuum desiccator with porcelain plate; For desiccators with 150mm dia.	EA	3836
085952D	Cover, Desiccator; Fisherbrand; For nonvacuum desiccator with porcelain plate; For desiccators with 200mm dia.	EA	5958
085952E	Cover, Desiccator; Fisherbrand; For nonvacuum desiccator with porcelain plate; For desiccators with 250mm dia.	EA	8163
08595A	Desiccator, Nonvacuum; Fisherbrand; Heavy annealed glass for durability; With cover, without plate; I.D.: 100mm; Uses 95mm plate	EA	7096
08595B	Desiccator, Nonvacuum; Fisherbrand; Heavy annealed glass for durability; With cover, without plate; I.D.: 125mm; Uses 115mm plate	EA	8265
08595C	Desiccator, Nonvacuum; Fisherbrand; Heavy annealed glass for durability; With cover, without plate; I.D.: 150mm; Uses 142mm plate	EA	9980

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
08595D	Desiccator, Nonvacuum; Fisherbrand; Heavy annealed glass for durability; With cover, without plate; I.D.: 200mm; Uses 190mm plate	EA	16399
08595E	Desiccator, Nonvacuum; Fisherbrand; Heavy annealed glass for durability; With cover, without plate; Inside dia.: 250mm; Uses 230mm plate	EA	19889
08615A	Desiccator, Nonvacuum; Fisherbrand; With porcelain sample plate with 5mm center hole, glaze on one side, and no feet; Inside Dia.: 200mm	EA	38733
08615B	Desiccator, Nonvacuum; Fisherbrand; With porcelain sample plate with 5mm center hole, glaze on one side, and no feet; Inside Dia.: 250mm	EA	33330
086432A	Plate, Desiccator; Fisherbrand; Polypropylene; Without feet; Outside rim is flanged to increase rigidity and retard sliding; 6mm thick, with 3/4 in. center hole; Plate Dia.: 140mm; No. of holes: 24	EA	1637
086432B	Plate, Desiccator; Fisherbrand; Polypropylene; Without feet; Outside rim is flanged to increase rigidity and retard sliding; 6mm thick, with 3/4 in. center hole; Plate Dia.: 190mm	EA	1949
086432C	Plate, Desiccator; Fisherbrand; Polypropylene; Without feet; Outside rim is flanged to increase rigidity and retard sliding; 6mm thick, with 3/4 in. center hole; Plate Dia.: 238mm	EA	2323
0864511	Cabinet, Desiccator; Boekel Scientific; Stainless-steel; Airtight door w/neoprene gasket; Full-height hinges; Double-action bar locks; Two stainless-steel shelves and desiccant tray; Large; 22.25L x 16.5W x 23 in. H (56.5 x 42 x 58cm)	EA	300629
0864513	Tray, Desiccant; Boekel; Made of stainless-steel; Accessory/replacement part for stainless-steel standard size desiccator cabinet	EA	13397
0864515	For Cabinet: 08-645-6; Accessories/Replacement Parts: Cabinet Shelf	EA	25220
0864517	For Cabinet: 08-645-6; Accessories/Replacement Parts: Door Gasket	EA	20062
0864523	Tray, Desiccant; Boekel; Made of stainless-steel; Accessory/replacement part for stainless-steel large size desiccator cabinet (Model 1344)	EA	22074
0864527	For Cabinet: 08-645-11; Accessories/Replacement Parts: Door Gasket	EA	37583
086456	Cabinet, Desiccator; Boekel Scientific; Stainless-steel; Airtight door w/neoprene gasket; Full-height hinges; Double-action bar locks; Two stainless-steel shelves and desiccant tray; Standard; 12.25L x 12.5W x 12.25 in. H (31 x 32 x 31cm)	EA	152871
0864223A	Fisher Scientific* Cabinet, Desiccator; Acrylic; Store anhydrous and hygroscopic biological and chemical compounds; Neoprene gasket on door ensures tight seal; Shelves are removable, adjustable, and vented to maximize airflow; No. of shelves: 2	Cs of 1	50390
0864223C	Fisher Scientific* Cabinet, Desiccator; Acrylic; Stores anhydrous and hygroscopic biological and chemical compounds; Neoprene gasket on door for tight seal; Shelves are removable, adjustable, and vented; No. of shelves: 3; Grooves: 7; 18 in. H	Cs of 1	81310
FB35051	DESSICATOR PLATE PORCELAIN 90MM	EA	1349
FB35053	DESSICATOR PLATE PORCELAIN 140MM	EA	1927
FB35055	DESSICATOR PLATE PORCELAIN 190MM	EA	3387
FB35057	DESSICATOR PLATE PORCELAIN 235MM	EA	4655
FB35059	DESSICATOR PLATE PORCELAIN 280MM	EA	4618
FB35061	DESSICATOR STOPCOCK PTFE SPINDLE	EA	4363
<b>Dialysis</b>			
2115210	Fisherbrand Dialysis Tubing; Type: T1 Membranes: 3500 Dalton MWCO; Dia. x Length: 12.1mm x 15m	EA	25564
2115214	Fisherbrand Dialysis Tubing; Type: T4 standard grade membranes: 12,000 to 14,000 Dalton MWCO; Dia. x length: 28.6mm x 30m; Flat Width: 45mm	EA	18018
2115215	Fisherbrand Dialysis Tubing; Type: T4 Standard Grade Membranes: 12,000 to 14,000 Dalton MWCO; Dia. x Length: 21.0mm x 30m	EA	23227
2115216	Fisherbrand Dialysis Tubing; Type: T4 Standard Grade Membranes: 12,000 to 14,000 Dalton MWCO; Dia. x Length: 15.9mm x 30m	EA	22482
2115217	Fisherbrand Dialysis Tubing; Type: T4 standard grade membranes: 12,000 to 14,000 Dalton MWCO; Dia. x length: 6.37mm x 30m; Flat Width: 10mm	EA	37583
2115218	Fisherbrand Dialysis Tubing; Type: T3 Membranes: 12,000 to 14,000 Dalton MWCO; Dia. x Length: 15.9mm x 15m	EA	27719
211523	Fisherbrand Dialysis Tubing; Type: T2 Membranes: 6000 to 8000 Dalton MWCO; Dia. x Length: 14.6mm x 30m; Flat Width: 23mm; Volume/cm: 1.67mL	EA	23716
211524	Fisherbrand Dialysis Tubing; Type: T2 Membranes: 6000 to 8000 Dalton MWCO; Dia. x Length: 20.4mm x 30m	EA	23716
211525	Fisherbrand Dialysis Tubing; Type: T2 Membranes: 6000 to 8000 Dalton MWCO; Dia. x Length: 25.5mm x 30m	EA	25871



Cat. No.	Description	Pack	Price in ₹
211526	Fisherbrand Dialysis Tubing; Type: T2 Membranes: 6000 to 8000 Dalton MWCO; Dia. x Length: 31.8mm x 30m; Flat Width: 50mm; Volume/cm: 7.94mL	EA	31724
211527	Fisherbrand Dialysis Tubing; Type: T3 Membranes: 12,000 to 14,000 Dalton MWCO; Regenerated cellulose membrane; Dia. x Length: 6.37mm x 15m; Flat width: 10mm; Vol./cm: 0.32mL	EA	30183
211528	Fisherbrand Dialysis Tubing; Type: T3 Membranes: 12,000 to 14,000 Dalton MWCO; Regenerated cellulose membrane; Dia.x Length: 28.6mm x 15m; Flat width: 45mm; Vol./cm: 6.42mL	EA	27719
211529	Fisherbrand Dialysis Tubing; Type: T1 Membranes: 3500 Dalton MWCO; Dia. x Length: 29.3mm x 15m; Flat Width: 46mm; Volume/cm: 6.74mL	EA	27103
<b>Electroporator Consumables</b>			
FBAFB101	Cuvettes, Electroporation; Fisherbrand; Cuvettes Plus; 1mm gap with imbedded aluminum electrodes, Capacity: 90uL; Field strengths up to 25 kV/cm, gamma irradiated for guaranteed sterility, Disposable	PK	17306
FBAFB102	Cuvettes, Electroporation; Fisherbrand Cuvettes Plus; 2mm gap with imbedded aluminum electrodes, Capacity: 400uL; Field strengths up to 25 kV/cm, Gamma irradiated for guaranteed sterility, Disposable	PK	17306
FBAFB104	Cuvettes, Electroporation; Fisherbrand Cuvettes Plus; 4mm gap with imbedded aluminum electrodes, Capacity: 800uL; Field strengths up to 25 kV/cm, gamma irradiated for guaranteed sterility, Disposable	PK	17306
<b>Flowmeter Consumables</b>			
10575100	Regulator, Flowmeter; Fisherbrand; Carbon dioxide; 10 to 60 SCFH; CGA 320; Delivery pressure: 25psig	EA	34450
10575101	Regulator, Flowmeter; Fisherbrand; Nitrogen; 10 to 60 SCFH; CGA 580; Delivery pressure: 80psig	EA	28570
10575102	Regulator, Flowmeter; Fisherbrand; Oxygen; 5 to 32 SCFH; CGA 540; Delivery Pressure: 80psig	EA	27974
1531534B	Indicator, Flow; Fisherbrand; Anemometers; Transparent plastic body; Polypropylene ball rotates to indicate flow of liquid/gas; Serrated fittings accept 0.25 to 0.375 in. I.D. (6.4 to 9.5mm) tubing; Max. fluid temperature: 50deg.C	CS	8534
<b>Glass Joint Sleeves</b>			
02617167	Sleeves, Glass Joint; Fisherbrand; PTFE; 40/50; Tapered PTFE cones fit snugly around glass joints	CS	4746
02617168	Sleeves, Glass Joint; Fisherbrand; PTFE; 50/50; Tapered PTFE cones fit snugly around glass joints	CS	5782
02617169	Sleeves, Glass Joint; Fisherbrand; PTFE; 55/50; Tapered PTFE cones fit snugly around glass joints	CS	6676
14320B	Sleeves, Glass Joint; Fisherbrand; Thin PTFE; For use with Standard Taper Joint No. 10/30; Elongated cones tapered to fit snugly around glass joints; Usable from -75 deg to 250 deg C (-103 deg to 482 deg F)	PK	2541
14320D	Sleeves, Glass Joint; Fisherbrand; Thin PTFE; For use with Standard Taper Joint No. 14/35; Elongated cones tapered to fit snugly around glass joints; Usable from -75 deg to 250 deg C (-103 deg to 482 deg F)	PK	2541
14320E	Sleeves, Glass Joint; Fisherbrand; Thin PTFE; For use with Standard Taper Joint No. 19/38; Elongated cones tapered to fit snugly around glass joints; Usable from -75 deg to 250 deg C (-103 deg to 482 deg F)	PK	2541
14320F	Sleeves, Glass Joint; Fisherbrand; PTFE; 0.5mm thickness; 24/40 Std. Taper; Use from -75deg. to +250deg.C; Tapered PTFE cones fit snugly around glass joints	PK	2690
14320G	Sleeves, Glass Joint; Fisherbrand; Thin PTFE; For use with Standard Taper Joint No. 29/42; Elongated cones tapered to fit snugly around glass joints; Usable from -75deg to +250deg.C (-103deg to +482deg.F)	PK	3071
14320H	Sleeves, Glass Joint; Fisherbrand; Thin PTFE; For use with Standard Taper Joint No. 34/35; Elongated cones tapered to fit snugly around glass joints; Usable from -75deg to +250deg.C (-103deg to +482deg.F)	PK	3592
14320K	Sleeves, Glass Joint; Fisherbrand; Thin PTFE; For use with Standard Taper Joint No. 45/50; Elongated cones tapered to fit snugly around glass joints; Usable from -75deg to +250deg.C (-103 to +482deg.F)	PK	4814
<b>Grease and Lubricants</b>			
C601100	Grease; Fisher Scientific; Cello-Seal; 100g; Maintains consistency of petrolatum at 100deg.C (212deg.F); Primary CAS: 8001-79-4	EA	21399
<b>Microbiology Application</b>			
0566480	Fisherbrand, Astral Inoculation Device System, 1microliter Loop, Yellow, 96 in a rack, 10 racks in a case	CS	31522
0566481	Loops and Needles, Inoculating; Fisherbrand Astral; 10microliter Loop, Blue, 96 in a rack, 10 racks in a case; Autoclavable handle with every case; Economical, disposable	CS	31524

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
0566482	Loops and Needles, Inoculating; Fisherbrand Astral; Streaking Needle, White, 96 in a rack, 10 racks in a case; Autoclavable handle with every case; Economical, disposable	CS	31343
0566483	Loops and Needles, Inoculating; Fisherbrand Astral; Handle; 1/cs; Autoclavable handle with every case; Economical, disposable	CS	2054
0566484	Loops and Needles, Inoculating; Fisherbrand Astral; Clone-Pik, White, 96 in a rack, 10 racks in a case; Autoclavable handle with every case; Economical, disposable	CS	31343
0810010	Cell Spreader; Fisherbrand; Nonsterile; 30mm; Blue; 25/pk.	PK	3217
0810011	Cell Spreader; Fisherbrand; Nonsterile; 60mm; Yellow; 25/pk.	PK	3113
0810012	Cell Spreader; Fisherbrand; Nonbreakable and reusable polypropylene; Autoclavable; Sterile; Individually wrapped; Size: 30mm; Color: Blue; 25/Pk.	PK	6950
0810013	Cell Spreader; Fisherbrand; Sterile; 60mm; Yellow; Individually wrapped; 25/pk.	PK	7504
FBA08801	Slide, Microbiology; Quality Control; Fisherbrand; GramCheck; Eight-grid slide w/six blank grids, two with fixed smears of gram-positive S. aureus and gram-negative E. coli; Use with Gram stain reagents; Individual foil packs; 50/Pk.	PK	13381
088015	Slides, Microbiology; Fisherbrand; Acid-Fast Bacteria Control Slides for Acid-fast testing; Two circle-shaped areas with fixed smears of gram-positive M. kansasii and gram-negative E. coli, Blank oval area for specimen examination; 50/Pk.	PK	13381
131045	Loop, Inoculating; Fisherbrand; Platinum-Iridium and Nichrome Inoculating Loops with Handles, 25 Gauge with 3-mm Loop (I.D.)	PK	5441
22363595	Loop, Flexible; Fisherbrand; Inoculating; Disposable; Volume: 1uL; Color: light blue	PK	12850
22363596	Needle, Inoculating; Fisherbrand; Needle; Disposable; Color: white	PK	8431
22363597	Loop, Flexible; Fisherbrand; Inoculating; Disposable; Volume: 10uL; Color: yellow	PK	11347
22363598	Loop, Rigid; Fisherbrand; Disposable; Inoculating; Volume: 1uL; Color: Clear	CS	10203
22363599	Loop, Rigid; Fisherbrand; Disposable; Inoculating; Volume: 10uL, Light blue	CS	11054
22363600	Loop, Flexible; Fisherbrand; Disposable; Inoculating; Volume: 10uL; Color: Yellow; Individual wrap	CS	5255
22363601	Loop, CombiLoop ; Fisherbrand; Flexible; Disposable; Inoculating; Volume: 10/1uL; I.D.: 3.5mm/0.58mm; Color: white	CS	5253
22363602	Combi Loop; Fisherbrand; Flexible; Inoculating; Sterile; Dispoable; Volume: 1uL/10uL; Color: White	PK	7092
22363603	Loop, Rigid; Fisherbrand; Inoculating; Sterile; Dispoable; Volume: 1uL; Color: Blue	CS	5295
22363604	Loop, Rigid; Fisherbrand; Inoculating; Sterile; Dispoable; Volume: 1uL; Color: Blue	PK	9582
22363605	Loop, Rigid; Fisherbrand; Inoculating; Sterile; Dispoable; Volume: 10u, Color: Yellow; Individually wrapped; 250PK	CS	5519
22363606	Loop, Rigid; Fisherbrand; Inoculating; Sterile; Dispoable; Volume: 10u, Color: Yellow; 1000Pk	CS	10469
22363607	Loop, Rigid; Fisherbrand; Inoculating; Sterile; Dispoable; Volume: 10uL; Color: Yellow; 9600/cs.	PK	9562
22363608	Loop, Flexible; Fisherbrand; Inoculating; Disposable; Volume: 1uL; Color: Light Blue; Individual wrap	CS	5055
<b>Sieves</b>			
FB50448	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 4.00mm aperture Fisherbrand	EA	8971
FB50449	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 3.35mm aperture Fisherbrand	EA	5937
FB50450	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 2.80mm aperture Fisherbrand	EA	5937
FB50451	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 2.36mm aperture Fisherbrand	EA	5937
FB50452	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 2.00mm aperture Fisherbrand	EA	5520
FB50453	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 1.70mm aperture Fisherbrand	EA	5937
FB50454	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 1.40mm aperture Fisherbrand	EA	5937
FB50455	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 1.18mm aperture Fisherbrand	EA	5937
FB50456	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 1.00mm aperture Fisherbrand	EA	5520
FB50457	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 850µm aperture Fisherbrand	EA	5520

Cat. No.	Description	Pack	Price in ₹
FB50458	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 710µm aperture Fisherbrand	EA	5937
FB50459	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 600µm aperture Fisherbrand	EA	5520
FB50460	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 500µm aperture Fisherbrand	EA	5520
FB50461	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 425µm aperture Fisherbrand	EA	5937
FB50462	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 355µm aperture Fisherbrand	EA	5937
FB50463	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 300µm aperture Fisherbrand	EA	5937
FB50464	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 250µm aperture Fisherbrand	EA	5520
FB50465	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 212µm aperture Fisherbrand	EA	5937
FB50466	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 180µm aperture Fisherbrand	EA	5937
FB50467	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 150µm aperture Fisherbrand	EA	5937
FB50468	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 125µm aperture Fisherbrand	EA	5937
FB50469	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 106µm aperture Fisherbrand	EA	5937
FB50470	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 90µm aperture Fisherbrand	EA	5937
FB50471	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 75µm aperture Fisherbrand	EA	5937
FB50472	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 63µm aperture Fisherbrand	EA	5818
FB50473	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 53µm aperture Fisherbrand	EA	7299
FB50474	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 45µm aperture Fisherbrand	EA	8298
FB50475	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 38µm aperture Fisherbrand	EA	9462
FB50476	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 32µm aperture Fisherbrand	EA	18907
FB50477	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 25µm aperture Fisherbrand	EA	32875
FB50478	Sieve test woven wire mesh stainless steel to BS 410, Part 1 200mm diameter 20µm aperture Fisherbrand	EA	32875
FB50479	Lid for 200mm diameter test sieve stainless steel Fisherbrand	EA	2795
FB50480	Receiver for 200mm diameter test sieve stainless steel Fisherbrand	EA	3142
FB68870	Sieve 100mm diameter stainless steel 25µm aperture Fisherbrand	EA	31365
FB68871	Sieve 100mm diameter stainless steel 38µm aperture Fisherbrand	EA	8305
FB68872	Sieve 100mm diameter stainless steel 45µm aperture Fisherbrand	EA	7810
FB68873	Sieve 100mm diameter stainless steel 53µm aperture Fisherbrand	EA	6640
FB68874	Sieve 100mm diameter stainless steel 63µm aperture Fisherbrand	EA	5967
FB68875	Sieve 100mm diameter stainless steel 75µm aperture Fisherbrand	EA	5647
FB68876	Sieve 100mm diameter stainless steel 80µm aperture Fisherbrand	EA	5647
FB68877	Sieve 100mm diameter stainless steel 90µm aperture Fisherbrand	EA	5321
FB68878	Sieve 100mm diameter stainless steel 100µm aperture Fisherbrand	EA	5321
FB68879	Sieve 100mm diameter stainless steel 106µm aperture Fisherbrand	EA	5321
FB68880	Sieve 100mm diameter stainless steel 125µm aperture Fisherbrand	EA	5321
FB68881	Sieve 100mm diameter stainless steel 150µm aperture Fisherbrand	EA	5321
FB68882	Sieve 100mm diameter stainless steel 160µm aperture Fisherbrand	EA	5321

Cat. No.	Description	Pack	Price in ₹
FB68883	Sieve 100mm diameter stainless steel 180µm aperature Fisherbrand	EA	5321
FB68884	Sieve 100mm diameter stainless steel 200µm aperature Fisherbrand	EA	5321
FB68885	Sieve 100mm diameter stainless steel 212µm aperature Fisherbrand	EA	5321
FB68886	Sieve 100mm diameter stainless steel 250µm aperature Fisherbrand	EA	5321
FB68887	Sieve 100mm diameter stainless steel 300µm aperature Fisherbrand	EA	5321
FB68888	Sieve 100mm diameter stainless steel 315µm aperature Fisherbrand	EA	5321
FB68889	Sieve 100mm diameter stainless steel 355µm aperature Fisherbrand	EA	5321
FB68890	Sieve 100mm diameter stainless steel 400µm aperature Fisherbrand	EA	5321
FB68891	Sieve 100mm diameter stainless steel 425µm aperature Fisherbrand	EA	5321
FB68892	Sieve 100mm diameter stainless steel 500µm aperature Fisherbrand	EA	5321
FB68893	Sieve 100mm diameter stainless steel 600µm aperature Fisherbrand	EA	5321
FB68894	Sieve 100mm diameter stainless steel 630µm aperature Fisherbrand	EA	5321
FB68895	Sieve 100mm diameter stainless steel 710µm aperature Fisherbrand	EA	5321
FB68896	Sieve 100mm diameter stainless steel 800µm aperature Fisherbrand	EA	5321
FB68897	Sieve 100mm diameter stainless steel 850µm aperature Fisherbrand	EA	5321
FB68898	Sieve 100mm diameter stainless steel 1mm aperature Fisherbrand	EA	5321
FB68899	Sieve 100mm diameter stainless steel 1.18mm aperature Fisherbrand	EA	5321
FB68900	Sieve 100mm diameter stainless steel 1.25mm aperature Fisherbrand	EA	5321
FB68901	Sieve 100mm diameter stainless steel 1.40mm aperature Fisherbrand	EA	5321
FB68902	Sieve 100mm diameter stainless steel 1.60mm aperature Fisherbrand	EA	5321
FB68903	Sieve 100mm diameter stainless steel 1.70mm aperature Fisherbrand	EA	5321
FB68904	Sieve 100mm diameter stainless steel 2.00mm aperature Fisherbrand	EA	5321
FB68905	Sieve 100mm diameter stainless steel 2.36mm aperature Fisherbrand	EA	5321
FB68906	Sieve 100mm diameter stainless steel 2.50mm aperature Fisherbrand	EA	5321
FB68907	Sieve 100mm diameter stainless steel 2.80mm aperature Fisherbrand	EA	5321
FB68908	Sieve 100mm diameter stainless steel 3.35mm aperature Fisherbrand	EA	5321
FB68909	Lid stainless steel 100mm Fisherbrand	EA	2432
FB68910	Receiver stainless steel 100mm Fisherbrand	EA	2634

### Spectrophotometer Consumables

1437734	Segment, Cuvet; Fisherbrand; For use with Cobas Mira, Mira S and Mira Plus analyzers; Individually wrapped	CS	53649
14385900A	Cuvet, Round; Fisherbrand; Borosilicate glass; Top reference mark; For use with Coleman Jr. II; Dia. x H: 12 x 75mm; 36/case	CS	20704
14385900B	Cuvet, Round; Fisherbrand; Borosilicate glass; Top reference mark; For use with Thermo Scientific Spectronic 20; Dia. x H: 13 x 100mm; 36/case	CS	20707
14385900D	Cuvet, Round; Fisherbrand; Borosilicate glass; Top reference mark; For use with Coleman Jr. II; Dia. x H: 19 x 105mm; 36/case	CS	44083
14385900E	Cuvet, Round; Fisherbrand; Borosilicate glass; Top reference mark; For use with Coleman Jr. II; Dia. x H: 19 x 150mm; 36/case	CS	46197
14385933M	Cells, Compact; Fisherbrand; Micro flow cells; Quartz, Black; Self-masking; Square; Capacity: 80µL; Lightpath: 10mm; Outside height: 35mm; Center height: 15mm; Aperture: 3mm dia.	EA	90058
14385939	Holder, Cuvet; Fisherbrand; Polyethylene; Glass or silica; Holds twelve 10 x 10mm cuvetts; Lenght: Height: 1.5cm; 5/pk.	PK	2163
14385945	Set; Fisherbrand; For secondary spectrophotometric calibration; With five glass filters; Includes holmium oxide glass filter, NG 11, NG 5, NG 4, and empty filter mount	EA	296800
14955125	Cuvet, Standard; Fisherbrand; Disposable; Lightpath: 10mm; Polystyrene; Capacity: 4.5mL; 500/case	CS	8624
14955126	Cuvet, Standard; Fisherbrand; Disposable; Lightpath: 10mm; Methacrylate; Capacity: 4.5mL; 500/case	CS	9237
14955127	Cuvette, Disposable; Thermo Fisher; Semimicro; 10mm pathlength; Designed for visible and UV/visibility assays; Lightpath: 10mm; Polystyrene; Capacity: 1.5mL	CS	8059
14955128	Cuvet, Semimicro; Fisherbrand; Disposable; Lightpath: 10mm; Methacrylate; Capacity: 1.5mL; 500/case	CS	10129
14955129	Cuvet, Four-clear-sided; Fisherbrand; Disposable; Lightpath: 10mm; Polystyrene; Capacity: 4.5mL; 500/case	CS	9396

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
14955130	Cuvet, Four-clear-sided; Fisherbrand; Disposable; Lightpath: 10mm; Methacrylate; Capacity: 4.5mL; 500/case	CS	15643
<b>Stirrers</b>			
093117	Stirrer bars and rods, accessories; Fisher Scientific; Glass bar; Magnet sealed in glass; 0.43 dia. x 0.81 in. L (11 x 30mm)	EA	5714
11380A	Stirrer bars, accessories; Fisherbrand; Soft glass; With rounded and fire-polished ends; Dia. x L: 0.125 in. (3mm) x 5 in. (125mm)	PK	2764
11380B	Rod, Stirrer; Fisherbrand; Soft glass; With rounded and fire-polished ends; Dia. x L: 0.19 in. x 6 in. (5 x 150mm)	PK	3065
11380C	Rod, Stirring; Fisherbrand; Soft Glass; With rounded and fire-polished ends; Diameter: 0.18 in. (4.5mm); Length: 8 in. (2.3mm)	PK	3805
11380D	Rod, Stirring; Fisherbrand; Soft Glass; With rounded and fire-polished ends; Diameter: 0.25 in. (6.3mm); Length: 10 in. (254mm)	PK	5937
142435A	Stirrer bars and rods, accessories; Fisherbrand; Stirring paddles; HDPE; Small; For use in stirring small volumes or for chemical mixing in photographic work; Paddle: 2 in. W x 3 in. L (5 x 8cm); Paddle handle: 0.5 in. dia. x 20 in. L	CS	7633
142435B	Stirrer bars and rods, accessories; Fisherbrand; Stirring paddles; HDPE; Small; For use in stirring small volumes or for chemical mixing in photographic work; Paddle: 3 in. W x 6 in. L (8 x 15cm); Paddle handle: 1 in. dia. x 3 ft. L	CS	16228
142435C	Stirrer bars and rods, accessories; Fisherbrand; Stirring paddles; HDPE; Small; For use in stirring small volumes or for chemical mixing in photographic work; Paddle: 3 in. W x 6 in. L (8 x 15cm); Paddle handle: 1 in. dia. x 6 ft. L	EA	5252
1438622	Stirrer bars, accessories; Fisherbrand; Stirrer, cuvet; Disposable polystyrene; 0.125 dia. (0.3cm) x 4.75 in. L (12cm)	CS	4901
1451177	Platform, Vibrating; Bel-Art; Mix up to four microtiter plates or two culture flasks; 1.52mm orbiting diameter; 1.36kg maximum load	EA	62950
1451179	Stir Bar, Fisherbrand; Micro; PTFE, Red, 1.5 dia. x 8mm L; Octagonal, Resists corrosion, heat, cold	PK	7237
1451180	Stir Bar, Fisherbrand; Micro; PTFE, Yellow, 1.5 dia.x 8mm L; Octagonal, Resists corrosion, heat, cold	PK	7040
1451181	Stir Bar, Fisherbrand; Micro; PTFE; Blue; 1.5 dia. x 8mm L; Octagonal, Resists corrosion, heat, cold	PK	7237
1451188	Stir Bar, Fisherbrand; Micro; PTFE, Red, 2 dia.x 7mm L; Octagonal, Resists corrosion, heat, cold	PK	7565
1451190	Stir Bar, Fisherbrand; Micro; PTFE, Blue, 2 dia. x 7mm L; Octagonal, Resists corrosion, heat, cold	PK	7565
1451191	Stir Bar, Fisherbrand; Micro; PTFE, Red, 3 dia. x 10mm L; Octagonal, Resists corrosion, heat, cold	PK	8480
1451192	Stir Bar, Fisherbrand; Micro; PTFE, Yellow, 3 dia.x 10mm L; Octagonal, Resists corrosion, heat, cold	PK	8480
1451195	Stir Bar, Fisherbrand; Micro; PTFE, Blue, 3 dia. x 10mm.; Octagonal, Resists corrosion, heat, cold	PK	8564
1451197	Stir Bar, Fisherbrand; Micro; PTFE, Red, 3 dia. x 12.7mm L; Octagonal, Resists corrosion, heat, cold	PK	8480
1451198	Stir Bar, Fisherbrand; Micro; PTFE, Yellow, 3mm dia. x 12.7mm L; Octagonal, Resists corrosion, heat, cold	PK	8480
14512105	Stir Bars, Magnetic; Fisherbrand; Pk. of 10 octagonal PTFE-coated bars in asstd. sizes and colors; Includes 2 each in sizes 1/2x5/16, 1x5/16, 1-1/2x5/16, 2x5/16, and 1/2x1/8; w/ Spinbar restrainer to secure bar inside vessel	PK	10326
14512120	Stirrer Bars, Accessories; Fisherbrand; Bars, egg-shaped; Covered with PTFE; For use in round-bottom vessels; Spin unrestricted by vessels contour; Dia. x L: 0.5 in. (12.7mm) x 1 in. (25.4mm)	EA	609
14512121	Bar, Egg-shaped; Fisherbrand; Covered with PTFE; For use in round-bottom vessels; Spin unrestricted by vessel's contour; Dia. x L: 0.4 in. (9.5mm) x 0.75 in. (19mm)	EA	768
14512122	Stirrer bars, accessories; Fisherbrand; Bars, egg-shaped; Covered with PTFE; For use in round-bottom vessels; Spin unrestricted by vessel's contour; Dia. x L: 0.25 in. (6mm) x 0.625 in. (16mm)	EA	466
14512123	Stirrer bars, accessories; Fisherbrand; Bars, egg-shaped; Covered with PTFE; For use in round-bottom vessels; Spin unrestricted by vessel's contour; Dia. x L: 0.625 in. (16mm) x 1.5 in. (38mm)	EA	930
14512124	Stir Bar, Magnetic; Fisherbrand; Polygon; PTFE PTFE-coated; Smooth; 8 dia. x 12.7mm L	EA	253
14512125	Stir Bar, Magnetic; Fisherbrand; Polygon; PTFE PTFE-coated; Smooth; 8 dia. x 20mm L	EA	278
14512126	Stir Bar, Magnetic; Fisherbrand; Polygon; PTFE PTFE-coated; Smooth; 9.5 dia. x 25.4mm L	EA	311
14512127	Stir Bar, Magnetic; Fisherbrand; Polygon; PTFE PTFE-coated; Smooth; 8 dia. x 50mm L	EA	388
14512128	Stir Bar, Magnetic; Fisherbrand; Polygon; PTFE PTFE-coated; Smooth; 10 dia. x 70mm L	EA	746
14512129	Stir Bar, Magnetic; Fisherbrand; Assortment; PTFE; Octagon; With pivot ring; 12 bars	PK	5507
14512130	Stir Bar, Magnetic; Fisherbrand; Assortment; PTFE; Round; 22 bars	PK	12712
14512131	Stir Bar, Magnetic; Fisherbrand; Assortment; PTFE; Metric polygon; 18 bars	PK	7096

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
14512132	Stir Bar, Magnetic; Fisherbrand; Assortment; PTFE; Octagon; Color-Coded; With pivot ring; 24 bars	PK	16721
14512133	Stir Bar, Magnetic; Fisherbrand; Assortment; PTFE; Micro; Color-coded; 12 bars	PK	5420
14512134	Stir Bar, Magnetic; Fisherbrand; Assortment; PTFE; Egg-shaped; 13 bars	PK	16139
14512135	Stirrer bars, accessories; Fisherbrand; Round; PTFE; With small removable pivot ring; Ring minimizes contact area of bar to vessel; Also reduces friction and marring of plastic containers; Dia. x L: 0.31 in. (8mm) x 1 in. (25.4mm)	EA	426
14512136	Stirrer bars, accessories; Fisherbrand; Round; PTFE; With small removable pivot ring; Ring minimizes contact area of bar to vessel; Also reduces friction and marring of plastic containers; Dia. x L: 0.5 in. (12.7mm) x 3 in. (76mm)	EA	1687
14512137	Stirrer bars, accessories; Fisherbrand; Round; PTFE; With small removable pivot ring; Ring minimizes contact area of bar to vessel; Also reduces friction and marring of plastic containers; Dia. x L: 0.62 in. (16mm) x 4 in. (101.6mm)	EA	3304
14512138	Stirrer bars, accessories; Fisherbrand; Round; PTFE; With small removable pivot ring; Ring minimizes contact area of bar to vessel; Also reduces friction and marring of plastic containers; Dia. x L: 0.62 in. (16mm) x 5 in. (127mm)	EA	3658
14512139	Stirrer bars, accessories; Fisherbrand; Round; PTFE; With small removable pivot ring; Ring minimizes contact area of bar to vessel; Also reduces friction and marring of plastic containers; Dia. x L: 0.75 in. (19mm) x 6 in. (152.4mm)	EA	9086
14512140	Stirrer bars, accessories; Fisherbrand; Round; PTFE; With small removable pivot ring; Ring minimizes contact area of bar to vessel; Also reduces friction and marring of plastic containers; Dia. x L: 0.31 in. (8mm) x 0.5 in. (12.7mm)	EA	466
14512141	Stirrer bars, accessories; Fisherbrand; Round; PTFE; With small removable pivot ring; Ring minimizes contact area of bar to vessel; Also reduces friction and marring of plastic containers; Dia. x L: 0.31 in. (8mm) x 0.75 in. (19mm)	EA	405
14512142	Stirrer bars, accessories; Fisherbrand; Round; PTFE; With small removable pivot ring; Ring minimizes contact area of bar to vessel; Also reduces friction and marring of plastic containers; Dia. x L: 0.31 in. (8mm) x 1.5 in. (38mm)	EA	506
14512143	Stirrer bars, accessories; Fisherbrand; Round; PTFE; With small removable pivot ring; Ring minimizes contact area of bar to vessel; Also reduces friction and marring of plastic containers; dia. x L: 0.31 in. (8mm) x 1.25 in. (31.8mm)	EA	390
14512144	Stirrer bars, accessories; Fisherbrand; Round; PTFE; With small removable pivot ring; Ring minimizes contact area of bar to vessel; Also reduces friction and marring of plastic containers; Dia. x L: 0.4 in. (9.5mm) x 2 in. (50.8mm)	EA	746
14512145	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Blue; 8dia. x 12.7mm L	EA	390
145121452	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Yellow; 8 dia. x 12.7mm L	EA	390
14512146	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Blue; 8dia. x 16mm L	EA	390
145121461	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Red; 8 dia. x 16mm L	EA	390
145121462	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Yellow; 8 dia. x 16mm L	EA	390
14512147	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Blue; 8dia. x 22mm L	EA	390
145121471	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Red; 8 dia. x 22mm L	EA	390
145121472	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Yellow; 8 dia. x 22mm L	EA	390
14512148	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Blue; 8dia. x 25.4mm L	EA	432
145121481	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Red; 8 dia. x 25.4mm L	EA	432
145121482	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Yellow; 8 dia. x 25.4mm L	EA	432
14512149	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Blue; 8dia. x 38mm L	EA	504
145121491	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Red; 8 dia. x 38mm L	EA	504
145121492	Stir Bar, Magnetic; Fisherbrand; 8-Agon; Octagonal; PTFE; Yellow; 8 dia. x 38mm L	EA	506
14512150	Stirrer bars, accessories; Fisherbrand; Stir bars, micro; Blue; PTFE; 0.059 in. dia. (1.5mm) x 0.315 in. L (8mm)	EA	347
14512151	Stirrer bars, accessories; Fisherbrand; Stir bars, micro; Blue; PTFE; 0.059 in. dia. (1.5mm) x 0.591 in. L (15mm)	EA	354
14512152	Stirrer bars, accessories; Fisherbrand; Stir bars, micro; Blue; PTFE; 0.059 in. dia. (1.5mm) x 0.079 in. L (2mm)	EA	470
14512153	Stirrer Bars, Accessories; Fisherbrand; Stir bars, micro; Blue; PTFE; 0.079 in. dia. (2mm) x 0.197 in. L (5mm)	EA	491
14512154	Stirrer bars, accessories; Fisherbrand; Stir bars, micro; Blue; PTFE; 0.079 in. dia. (2mm) x 0.276 in. L (7mm)	EA	477

Cat. No.	Description	Pack	Price in ₹
14512155	Stirrer Bars, Accessories; Fisherbrand; Stir bars, micro; Blue; PTFE; 0.118 in. dia. (3mm) x 0.118 in. L (3mm)	EA	426
14512156	Stirrer bars, accessories; Fisherbrand; Stir bars, micro; Blue; PTFE; 0.118 in. dia. (3mm) x 0.394 in. L (10mm)	EA	477
14512157	Stirrer bars, accessories; Fisherbrand; Octagonal; High-energy; Samarium-Cobalt magnet encapsulated in PTFE; Stability not impaired in curved bottoms vessels; No risk of demagnetization due to external magnetic fields; 0.9 dia. x 2 in. L	EA	7373
14512158	Stirrer bars, accessories; Fisherbrand; Color-coded; Dumbbell style; For problem liquids, highly viscous mixtures, metal particles in fluids, containers with round/convex bottoms; Solid PTFE 20mm end disks; Bar 8mm dia.; Red; 1.25 in. L	EA	797
14512159	Stirrer bars, accessories; Fisherbrand; Color-coded; Dumbbell style; For problem liquids, highly viscous mixtures, metal particles in fluids, containers with round/convex bottoms; Solid PTFE 20mm end disks; Bar 8mm dia.; Blue; 1.25 in. L	EA	800
14512160	Stirrer bars, accessories; Fisherbrand; Color-coded; Dumbbell style; For problem liquids, highly viscous mixtures, metal particles in fluids, containers with round/convex bottoms; Solid PTFE 20mm end disks; Bar 8mm dia.; Red; 2 in. L	EA	979
14512161	Stirrer bars, accessories; Fisherbrand; Color-coded; Dumbbell style; For problem liquids, highly viscous mixtures, metal particles in fluids, containers with round/convex bottoms; Solid PTFE 20mm end disks; Bar 8mm dia.; Blue; 2 in. L	EA	979
14512162	Stirrer bars, accessories; Fisherbrand; Cross-type; PTFE bars; Maintain position, do not wobble; For use with round-bottom test tubes and flasks, where other stir bars cannot be used; Dia. x H: 0.5 in. (12.7mm) x 0.5 in. (12.7mm)	EA	607
14512163	Stirrer bars, accessories; Fisherbrand; Cross-type; PTFE bars; Maintain position, do not wobble; For use with round-bottom test tubes and flasks, where other stir bars cannot be used; Dia. x H: 0.75 in. (19mm) x 0.5 in. (12.75mm)	EA	732
14512164	Stirrer bars, accessories; Fisherbrand; Cross-type; PTFE bars; Maintain position, do not wobble; For use with round-bottom test tubes and flasks, where other stir bars cannot be used; Dia. x H: 0.625 in. (16mm) x 0.5 in. (12.75mm)	EA	659
14512165	Stirrer bars, accessories; Fisherbrand; Cross-type; PTFE bars; Maintain position, do not wobble; For use with round-bottom test tubes and flasks, where other stir bars cannot be used; Dia. x H: 0.9 in. (22mm) x 0.5 in. (12.75mm)	EA	800
1451351	Bar, Stirring; Fisherbrand; Magnetic; Octagonal with pivot rings; Coating: PTFE; Color: White; Dia. x L: 0.37 x 1 in. (0.9 x 2.5cm)	EA	502
451351SIX	Stir Bar, Magnetic; Fisherbrand; Octagonal; 3/8 in. dia.; 1 in. L; pivot rings; Alnico_V magnet encased in PTFE fluoropolymer; flat surface	PK	2097
1451352	Bar, Stirring, Fisherbrand; Magnetic; Octagonal with pivot rings; Coating: PTFE; Color: White; Dia. x L: 0.38 x 1.5 in. (1 x 3.8cm)	EA	340
1451353	Bar, Egg-shaped; Fisherbrand; Covered with PTFE; For use in round-bottom vessels; Spin unrestricted by vessel's contour; Dia. x L: 1.25 in. (31mm) x 0.62 in. (15mm)	EA	645
1451354	Stirrer bars, accessories; Fisherbrand; Bars, egg-shaped; Covered with PTFE; For use in round-bottom vessels; Spin unrestricted by vessel's contour; Dia. x L: 0.75 x 1.6 in. ((19 x 41mm)	EA	764
1451355	Stirrer bars, accessories; Fisherbrand; Bars, egg-shaped; Covered with PTFE; For use in round-bottom vessels; Spin unrestricted by vessel's contour; Dia. x L: 0.75 in. (19mm) x 2.5 in. (64mm)	EA	1451
1451356	Bars, Stirring, Magnetic; Fisherbrand; Octagonal with pivot rings; Coating: PTFE; Color: White; L x Dia.: 1-1/2 x 1/2 in.	EA	1051
1451357	Bars, Stirring, Magnetic; Fisherbrand; Octagonal with pivot rings; Coating: PTFE; Color: White; L x Dia.: 0.5 x 0.12 in.	EA	444
451357SIX	Stir Bar, Magnetic; Fisherbrand; Octagonal; 12L x 4.5mm dia.; pivot rings; Alnico V magnet encased in PTFE fluoropolymer; flat surface	PK	1387
1451358	Bar, Stirring; Fisherbrand; Magnetic; Octagonal with pivot rings; Coating: Flat surface; Alnico-V magnet encased in PTFE; Color: White; Dia. x L: 0.31 x 0.5 in. (0.8 x 1.2cm)	EA	405
451358SIX	Stir Bar, Magnetic; Fisherbrand; Octagonal; 5/16 in. dia.; 1/2 L x 5/16 in. W; Encased in PTFE	PK	1548
1451359	Bars, Stirring, Magnetic; Fisherbrand; Octagonal with pivot rings; Coating: PTFE; Color: white; L x dia.: 1 x 0.312 in. (25 x 8mm)	EA	435
451359SIX	Stir Bar, Magnetic; Fisherbrand; Octagonal; 5/16 in. dia.; 1 in. L; Pivot rings; Alnico-V magnet encased in PTFE fluoropolymer; Flat surface	PK	1702
1451360	Bars, Stirring, Magnetic; Fisherbrand; Octagonal with pivot rings; Coating: PTFE; Color: White; L x Dia.: 1.5 x 0.312 in. (38 x 8mm)	EA	473

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
451360SIX	Stir Bar, Magnetic; Fisherbrand; Octagonal; 0.312 in. dia.; 1.5 in. L; Pivot rings; Alnico-V magnet encased in PTFE fluoropolymer; Flat surface	PK	1904
1451361	Bar, Stir; Fisherbrand; Octagonal; Magnetic; Encased in PTFE fluoropolymer; W: 0.312 in.; Dia.: 0.312 in.; Length: 2 in.	EA	582
451361SIX	Stir Bar, Magnetic; Fisherbrand; Octagonal; 5/16 in. dia.; 2 L x 5/16 in. W; Encased in PTFE fluoropolymer	PK	2368
1451362	Bar, Stirring; Fisherbrand; Magnetic; Octagonal with pivot rings; Coating: PTFE; Color: White; Dia. x L: 0.31 x 0.624 in. (1.58 x 0.8cm)	EA	181
1451363	Stir Bar, Magnetic; Fisherbrand; Micro; PTFE; Packaged in snap-cap polyethylene vial; Dia.: 0.07 in. (2mm); Length: 0.27 in. (7mm)	EA	448
451363SIX	Stir Bar, Flea Micro; Fisherbrand; 7 x 2mm; 0.0937 in. Dia.; 0.25 in. L	PK	1734
1451364	Bar, Stirring; Fisherbrand Micro; Magnetic; PTFE; Packaged in snap-cap polyethylene vial; 1.5 D x 8mm L	EA	450
451364SIX	Stir Bar, Magnetic; Fisherbrand Micro; PTFE; Packaged in snap-cap polyethylene vial; 1.5 dia. x 8mm L	PK	1716
1451365	Stir Bar, Magnetic; Fisherbrand; Micro; Pivot rings; Alnico-V magnet encased in PTFE; Flat surface; Dia.: 0.13 in. (3mm); Length: 0.38 in. (10mm)	EA	482
451365SIX	Six packs, Magnetic stir bar; Fisherbrand; Micro bars; Ready-to-use; FDA-grade PTFE coating; Smooth, seamless, polished finish; High-strength magnetization; Dia. x L: 0.13 x 0.38 in. (3 x 10mm)	PK	1848
1451366	Bar, Stirring; Fisherbrand; Magnetic; Octagonal with pivot rings; Coating: PTFE; Color: White; Dia. x L: 0.37 x 2 in. (1 x 5cm)	EA	838
451366SIX	Six packs, Magnetic stir bar; Fisherbrand; Octagonal bars; With pivot rings; Ready-to-use; FDA-grade PTFE coating; Smooth, seamless, polished finish; High-strength magnetization; Dia. x L: 0.38 x 2 in. (9.5 x 51mm)	PK	3333
1451367	Bar, Stirring; Fisherbrand; Magnetic; Octagonal with pivot rings; Coating: PTFE; Color: White; Dia. x L: 0.37 x 2.5 in. (1 x 6.3cm)	EA	529
1451368	Bars, Stirring, Magnetic; Fisherbrand; Octagonal with pivot rings; Coating: PTFE; Color: White; L x Dia.: 3 x 1/2 in.	EA	1198
1451369	Retriever, Stir bar; Fisherbrand; Polypropylene; With Alnico-V magnet at one end and hanging loop at other; Dia.: 0.375 in.; Length: 12 in.	EA	650
1451370	Retriever, Stir bar; Fisherbrand; Polypropylene w/Alnico-V magnet at one end and hanging loop at other; Dia.: 0.375 in.; Length: 18 in.	EA	684
1451371	Stir bars; Fisherbrand; With vanes for thorough sample mixing; PTFE-encased magnetic bars; Permit rotation in small conical tubes; Shape: Triangular; For 3 to 5mL vials	EA	455
1451372	Stir bars; Fisherbrand; With vanes for thorough sample mixing; PTFE-encased magnetic bars; Permit rotation in small conical tubes; Shape: Rounded tip; For 0.625 in. O.D. test tubes	EA	517
1451373	Stir bars; Fisherbrand; With vanes for thorough sample mixing; PTFE-encased magnetic bars; Permit rotation in small conical tubes; Shape: Rounded with tapered tip; For trim to fit centrifuge tubes	EA	444
1451374	Stirrer bars and rods, accessories; Fisherbrand TFE Starburst; Kit, stirring heads; Set of five bars in assorted sizes; Includes one each: 9.5, 19, 25, 32 and 38mm dia.; With storage container	PK	3022
1451375	Bar, Stirring; Fisherbrand; TFE Starburst; Stirring heads individual heads; Dia: 0.4 in. (9.5mm)	EA	300
1451376	Stirrer bars; Fisherbrand TFE Starburst; Stirring heads individual heads; 0.75 in. dia. (19mm)	EA	356
1451377	Stirrer bars; Fisherbrand TFE Starburst; Stirring heads individual heads; 1 in. dia. (25mm)	EA	399
1451378	Stirrer bars; Fisherbrand TFE Starburst; Stirring heads individual heads; 1.25 in. dia. (32mm)	EA	569
1451379	Stirrer bars; Fisherbrand TFE Starburst; Stirring heads individual heads; 1.5 in. dia. (38mm)	EA	577
1451380	Stirrer bars, accessories; Fisherbrand; PTFE; Steel-core rods; Can be bent into a permanent shape; Inert; Do not scratch; Used at temperatures up to 280deg.C; O.D. x L: 0.25 in. (6mm) x 6 in. (15cm)	EA	708
1451381	Stirrer bars, accessories; Fisherbrand; PTFE; Steel-core rods; Can be bent into a permanent shape; Inert; Do not scratch; Used at temperatures up to 280deg.C; O.D. x L: 0.25 in. (6mm) x 8 in. (20cm)	EA	815
1451382	Kit, Stir Bar; Fisherbrand; Magnetic; 16 assorted; Includes 12 bars with pivot ring and 4 microbars; Alnico-V magnets coated w/PTFE	PK	6901
1451383	Stir Bar, Magnetic; Fisherbrand; Disposable; PTFE; 8 dia. x 51mm L; Case of 100	PK	23851
1451385	Stirrer bars, accessories; Fisherbrand; PTFE; Steel-core rods; Can be bent into a permanent shape; Inert; Do not scratch; Used at temperatures up to 280deg.C; O.D. x L: 0.25 in. (6mm) x 10 in. (25cm)	CS	7392
1451386	Stirrer bars, accessories; Fisherbrand; PTFE; Steel-core rods; Can be bent into a permanent shape; Inert; Do not scratch; Used at temperatures up to 280deg.C; O.D. x L: 0.25 in. (6mm) x 12 in. (30cm)	CS	7970
1451388	Stirrer bars, accessories; Fisherbrand; PTFE; Solid PTFE rods; With tapered ends; Inert; Do not scratch; Used at temperatures up to 280deg.C; O.D. x L: 0.31 in. (8mm) x 6 in. (15cm)	CS	9999



Cat. No.	Description	Pack	Price in ₹
1451389	Stirrer bars, accessories; Fisherbrand; PTFE; Solid PTFE rods; With tapered ends; Inert; Do not scratch; Used at temperatures up to 280deg.C; O.D. x L: 0.31 in. O.D. (8mm) x 8 in. (20cm)	CS	13399
1451390	Stirrer bars, accessories; Fisherbrand; PTFE; Solid PTFE rods; With tapered ends; Inert; Do not scratch; Used at temperatures up to 280deg.C; O.D. x L: 0.31 in. O.D. (8mm) x 10 in. (25cm)	CS	7687
1451391	Stirrer bars, accessories; Fisherbrand; PTFE; Solid PTFE rods; With tapered ends; Inert; Do not scratch; Used at temperatures up to 280deg.C; O.D. x L: 0.31 in. O.D. (8mm) x 12 in. (30cm)	CS	8371
1451393	Stir Bar, Magnetic; Fisherbrand; Disposable; PTFE; 4 dia. x 12mm L; Case of 100	CS	9880
1451394	Stir Bar, Magnetic; Fisherbrand; Disposable; PTFE; 6 dia. x 25mm L; Case of 100	CS	14456
1451395	Stir Bar, Magnetic; Fisherbrand; Disposable; PTFE; 6 dia. x 35mm L; Case of 100	CS	17747
1451398	Stir Bar, Magnetic; Fisherbrand Micro; PTFE; Packaged in snap-cap polyethylene vial; 3 dia. x 12.7mm L	EA	235
FB55605	Magnetic stir bar micro PTFE encased white 2mm x 2mm Fisherbrand	Pack of 10	1336
FB55606	Magnetic stir bar micro PTFE encased white 5mm x 2mm Fisherbrand	Pack of 10	1410
FB55607	Magnetic stir bar micro PTFE encased 8mm x 1.5mm Fisherbrand	Pack of 10	1224
FB55609	Magnetic stir bar micro PTFE encased 7mm x 2mm Fisherbrand	Pack of 10	1076
FB55611	Magnetic stir bar micro PTFE encased 10mm x 3mm Fisherbrand	Pack of 10	1224
FB55620	Magnetic stir bar Saturn, 40mm Fisherbrand with large bulb	Pack of 5	3956
FB55621	Magnetic stir bar Saturn, 50mm Fisherbrand with large bulb	Pack of 5	5916
FB55650	Magnetic stir bar triangular PTFE encased white 12mm x 6mm Fisherbrand	Pack of 5	653
FB55651	Magnetic stir bar triangular PTFE encased white 25mm x 8mm Fisherbrand	Pack of 5	690
FB55652	Magnetic stir bar triangular PTFE encased white 35mm x 9mm Fisherbrand	Pack of 5	1070
FB55653	Magnetic stir bar triangular PTFE encased white 50mm x 12mm Fisherbrand	Pack of 5	1453
FB55963	Magnetic stir bar octagonal PTFE red 13mm x 8mm Fisherbrand	Pack of 10	1298
FB55965	Magnetic stir bar octagonal PTFE red 15mm x 8mm Fisherbrand	Pack of 10	1410
FB55967	Magnetic stir bar octagonal PTFE red 25mm x 8mm Fisherbrand	Pack of 10	1632
FB55969	Magnetic stir bar octagonal PTFE red 38mm x 8mm Fisherbrand	Pack of 10	2189
FB55973	Magnetic stir bar octagonal PTFE blue 13mm x 8mm Fisherbrand	Pack of 10	1298
FB55975	Magnetic stir bar octagonal PTFE blue 15mm x 8mm Fisherbrand	Pack of 10	1410
FB55977	Magnetic stir bar octagonal PTFE blue 25mm x 8mm Fisherbrand	Pack of 10	1632
FB55979	Magnetic stir bar octagonal PTFE blue 38mm x 8mm Fisherbrand	Pack of 10	2189
FB55981	Magnetic stir bar octagonal PTFE blue 51mm x 8mm Fisherbrand	Pack of 10	2819
FB55983	Magnetic stir bar octagonal PTFE yellow 13mm x 8mm Fisherbrand	Pack of 10	1298
FB55985	Magnetic stir bar octagonal PTFE yellow 15mm x 8mm Fisherbrand	Pack of 10	1410
FB55987	Magnetic stir bar octagonal PTFE yellow 25mm x 8mm Fisherbrand	Pack of 10	1632
FB55989	Magnetic stir bar octagonal PTFE yellow 38mm x 8mm Fisherbrand	Pack of 10	2189
FB55991	Magnetic stir bar octagonal PTFE yellow 51mm x 8mm Fisherbrand	Pack of 10	2819
FB57960	Magnetic stir bar micro PTFE red 2mm x 2mm Fisherbrand	Pack of 10	1558
FB57961	Magnetic stir bar micro PTFE red 5mm x 2mm Fisherbrand	Pack of 10	1595
FB57963	Magnetic stir bar micro PTFE red 7mm x 2mm Fisherbrand	Pack of 10	1224
FB57965	Magnetic stir bar micro PTFE red 8mm x 1.5mm Fisherbrand	Pack of 10	1447
FB57967	Magnetic stir bar micro PTFE red 10mm x 3mm Fisherbrand	Pack of 10	1447
FB57969	Magnetic stir bar micro PTFE red 15mm x 1.5mm Fisherbrand	Pack of 10	2263
FB57970	Magnetic stir bar micro PTFE blue 2mm x 2mm Fisherbrand	Pack of 10	1558
FB57971	Magnetic stir bar micro PTFE blue 5mm x 2mm Fisherbrand	Pack of 10	1595
FB57973	Magnetic stir bar micro PTFE blue 7mm x 2mm Fisherbrand	Pack of 10	1224
FB57975	Magnetic stir bar micro PTFE blue 8mm x 1.5mm Fisherbrand	Pack of 10	1447
FB57977	Magnetic stir bar micro PTFE blue 10mm x 3mm Fisherbrand	Pack of 10	1447
FB57979	Magnetic stir bar micro PTFE blue 15mm x 1.5mm Fisherbrand	Pack of 10	2263
FB57980	Magnetic stir bar micro PTFE yellow 2mm x 2mm Fisherbrand	Pack of 10	1558
FB57981	Magnetic stir bar micro PTFE yellow 5mm x 2mm Fisherbrand	Pack of 10	1595
FB57983	Magnetic stir bar micro PTFE yellow 7mm x 2mm Fisherbrand	Pack of 10	1224
FB57987	Magnetic stir bar micro PTFE yellow 10mm x 3mm Fisherbrand	Pack of 10	1447
FB57989	Magnetic stir bar micro PTFE yellow 15mm x 1.5mm Fisherbrand	Pack of 10	2263
FB57990	Magnetic stir bar rare earth elliptical PTFE white 10mm x 6mm Fisherbrand	Pack of 5	1033

PK - Pack | EA - Each | CS - Case

Cat. No.	Description	Pack	Price in ₹
FB57991	Magnetic stir bar rare earth elliptical PTFE white 15mm x 10mm Fisherbrand	Pack of 5	1870
FB57992	Magnetic stir bar rare earth elliptical PTFE white 25mm x 14mm Fisherbrand	Pack of 5	2687
FB57993	Magnetic stir bar rare earth elliptical PTFE white 50mm x 24mm Fisherbrand	Pack of 5	1302
FB57995	Magnetic stir bar rare earth cylindrical PTFE white 8mm x 3mm Fisherbrand	Pack of 5	908
FB57996	Magnetic stir bar rare earth cylindrical PTFE white 12mm x 4.5mm Fisherbrand	Pack of 5	1107
FB57997	Magnetic stir bar rare earth cylindrical PTFE white 25mm x 6mm Fisherbrand	Pack of 5	1924
FB57998	Magnetic stir bar rare earth cylindrical PTFE white 40mm x 8mm Fisherbrand	EA	494
FB57999	Magnetic stir bar rare earth cylindrical PTFE white 60mm x 10mm Fisherbrand	EA	636
FB58160	Magnetic stir bar double ended PTFE white 35mm x 8mm Fisherbrand	EA	585
FB58161	Magnetic stir bar double ended PTFE red 35mm x 8mm Fisherbrand	EA	740
FB58162	Magnetic stir bar double ended PTFE blue 35mm x 8mm Fisherbrand	EA	740
FB58163	Magnetic stir bar double ended PTFE yellow 35mm x 8mm Fisherbrand	EA	740
FB58165	Magnetic stir bar double ended PTFE white 55mm x 8mm Fisherbrand	EA	706
FB58166	Magnetic stir bar double ended PTFE red 55mm x 8mm Fisherbrand	EA	891
FB58167	Magnetic stir bar double ended PTFE blue 55mm x 8mm Fisherbrand	EA	891
FB58168	Magnetic stir bar double ended PTFE yellow 55mm x 8mm Fisherbrand	EA	891
FB58170	Magnetic stir bar wing PTFE white 9mm x 5.5mm Fisherbrand	EA	272
FB58171	Magnetic stir bar wing PTFE white 11mm x 8mm Fisherbrand	EA	276
FB58172	Magnetic stir bar wing PTFE white 16mm x 10mm Fisherbrand	EA	336
FB58173	Magnetic stir bar wing PTFE white 10mm x 13mm Fisherbrand	EA	286
FB58174	Magnetic stir bar wing PTFE white 20mm x 13mm Fisherbrand	EA	357
FB58180	Magnetic stir bar set cylindrical PTFE white Fisherbrand	EA	3824
FB58182	Magnetic stir bar set cross PTFE white Fisherbrand	Set	1194
FB58184	Magnetic stir bar set tapered PTFE white Fisherbrand	Set	9414
FB58190	Magnetic stir bar cross PTFE white 10mm x 5mm Fisherbrand	Pack of 5	727
FB58191	Magnetic stir bar cross PTFE white 20mm x 8mm Fisherbrand	Pack of 5	851
FB58192	Magnetic stir bar cross PTFE white 25mm x 9mm Fisherbrand	Pack of 5	1107
FB58193	Magnetic stir bar cross PTFE white 30mm x 10mm Fisherbrand	Pack of 5	1453
FB58194	Magnetic stir bar cross PTFE white 30mm x 10mm Fisherbrand	Pack of 5	1833
FB58252	Stirring rod with steel core PTFE white 150mm x 6mm Fisherbrand	Pack of 2	1046
FB58253	Stirring rod with steel core PTFE white 200mm x 6mm Fisherbrand	Pack of 2	1154
FB58254	Stirring rod with steel core PTFE white 250mm x 6mm Fisherbrand	Pack of 2	1218
FB58255	Stirring rod with steel core PTFE white 300mm x 6mm Fisherbrand	Pack of 2	1453
FB58256	Stirring rod with steel core PTFE white 350mm x 6mm Fisherbrand	Pack of 2	1850
<b>Water/Wastewater</b>			
1539357	Reagent, Test; Fisherbrand; DPD free chlorine; 5mL; 200/pk.	PK	10499
<b>Water Purification</b>			
05888100	Adapter, Funnel Filter; Fisherbrand; Size 1; For use with Buchner and fritted-glass funnels, porcelain filters without headpieces, and reverse flow cleaning of filter crucibles	PK	1240
05888101	Adapter, Funnel Filter; Fisherbrand; Size 2; For use with Buchner and fritted-glass funnels, porcelain filters without headpieces, and reverse flow cleaning of filter crucibles	PK	1496
05888102	Adapter, Funnel Filter; Fisherbrand; Size 3; For use with Buchner and fritted-glass funnels, porcelain filters without headpieces, and reverse flow cleaning of filter crucibles	PK	2184
05888103	Adapter, Funnel Filter; Fisherbrand; Size 4; For use with Buchner and fritted-glass funnels, porcelain filters without headpieces, and reverse flow cleaning of filter crucibles	PK	3144
05888104	Adapter, Funnel Filter; Fisherbrand; Size 5; For use with Buchner and fritted-glass funnels, porcelain filters without headpieces, and reverse flow cleaning of filter crucibles	PK	4817
05888105	Adapter, Funnel Filter; Fisherbrand; Size 6; For use with Buchner and fritted-glass funnels, porcelain filters without headpieces, and reverse flow cleaning of filter crucibles	PK	7096
05888106	Adapter, Funnel Filter; Fisherbrand; Size 7; For use with Buchner and fritted-glass funnels, porcelain filters without headpieces, and reverse flow cleaning of filter crucibles	PK	11739
05888107	Set, Adapter; Funnel filter; Fisherbrand; For use with Buchner and fritted-glass funnels, porcelain filters without headpieces, and reverse flow cleaning of filter crucibles; Set of sizes 1-7	PK	2711




## Enhanced *Laboratory Portfolio*



**Fisherbrand glassware quality ensured with:**

- High clarity uniform thickness and durable glass
- Long lasting graduation marking
- Dedicated QA lab set up
- Superior packaging for handling safety

**Fisherbrand**®



# Value Added

- Flasks
- Cylinders
- Pipettes
- Burettes



## Volumetric Glassware

- Precision Bore Tubing
- Amber Graduation
- Individually Calibrated
- Complete Traceability
- ISO & ASTM spece



Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
<b>Low form Beakers</b>				
FBG63003	5*	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 5 ML	10	618
FBG63004	10*	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 10 ML	10	618
FBG63006	25	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 25 ML	10	721
FBG63007	50	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 50 ML	10	618
FBG63008	100	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 100 ML	10	618
FBG63009	150	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 150 ML	10	721
FBG6100B	250	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 250 ML	10	927
FBG6100C	500	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 500 ML	8	906
FBG6100D	600	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 600 ML	8	1318
FBG6100E	1000	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 1000 ML	6	1421
FBG6100F	2000	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 2000 ML	2	995
FBG6100G	3000	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 3000 ML	1	1152
FBG6100J	5000	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 5000 ML	1	1671
FBG6100K	10000	Fisherbrand*Beakers, Griffin(Low Form), Borosilicate Glass, Graduated, With Spout 10000 ML	1	5762
<b>Tall Form Beakers</b>				
FBG63027	50	Fisherbrand* Beaker,Berzelius(Tall Form),Graduated with Spout 50 ML	10	999
FBG63028	100	Fisherbrand* Beaker,Berzelius(Tall Form),Graduated with Spout 100 ML	10	1133
<b>Reagent Bottles Plain</b>				
FBG62037	60	Fisherbrand*Bottles, Reagent, Plain, Narrow Mouth 60 ML	2	577
FBG62036	100	Fisherbrand*Bottles, Reagent, Plain, Narrow Mouth 100 ML	2	618
FBG62038	125	Fisherbrand*Bottles, Reagent, Plain, Narrow Mouth 125 ML	2	618
FBG6203B	250	Fisherbrand*Bottles, Reagent, Plain, Narrow Mouth 250 ML	2	680
FBG6203C	500	Fisherbrand*Bottles, Reagent, Plain, Narrow Mouth 500 ML	6	2514
FBG6203E	1000	Fisherbrand*Bottles, Reagent, Plain, Narrow Mouth 1000 ML	4	2305
FBG6203F	2000	Fisherbrand*Bottles, Reagent, Plain, Narrow Mouth 2000 ML	2	1669
<b>Reagent Bottles Amber</b>				
FBG62057	60	Fisherbarnd*Bottles, Reagent, Amber, Narrow Mouth 60 ML	2	886
FBG62056	100	Fisherbarnd*Bottles, Reagent, Amber, Narrow Mouth 100 ML	2	968
FBG62058	125	Fisherbarnd*Bottles, Reagent, Amber, Narrow Mouth 125 ML	2	968
FBG6205B	250	Fisherbarnd*Bottles, Reagent, Amber, Narrow Mouth 250 ML	2	1133
FBG6205C	500	Fisherbarnd*Bottles, Reagent, Amber, Narrow Mouth 500 ML	6	4388
FBG6205E	1000	Fisherbarnd*Bottles, Reagent, Amber, Narrow Mouth 1000 ML	4	3981
FBG6205F	2000	Fisherbarnd*Bottles, Reagent, Amber, Narrow Mouth 2000 ML	2	3310

Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
<b>Media Bottles Plain</b>				
FS6439525	25*	Fisherbrand* Borosilicate Glass Media Bottles with Cap, Autoclavable 25 ML	20	4860
FS6439550	50*	Fisherbrand* Borosilicate Glass Media Bottles with Cap, Autoclavable 50 ML	20	5283
FB800100	100	Fisherbrand* Borosilicate Glass Media Bottles with Cap, Autoclavable 100 ML	10	2837
FB800250	250	Fisherbrand* Borosilicate Glass Media Bottles with Cap, Autoclavable 250 ML	10	2927
FB800500	500	Fisherbrand* Borosilicate Glass Media Bottles with Cap, Autoclavable 500 ML	10	3348
FB8001000	1000	Fisherbrand* Borosilicate Glass Media Bottles with Cap, Autoclavable 1000 ML	10	5143
FB8002000	2000	Fisherbrand* Borosilicate Glass Media Bottles with Cap, Autoclavable 2000 ML	10	8702
FB8003000	3000	Fisherbrand* Borosilicate Glass Media Bottles with Cap, Autoclavable 3000 ML	1	4036
FB8005000	5000	Fisherbrand* Borosilicate Glass Media Bottles with Cap, Autoclavable 5000 ML	6	32966
FB80010000	10000	Fisherbrand* Borosilicate Glass Media Bottles with Cap, Autoclavable 10000 ML	1	12680
FB33182	20000	Fisherbrand* Borosilicate Glass Media Bottles with Cap, Autoclavable 20000 ML	1	17501
<b>Media Bottles Amber</b>				
FS63546	25*	Fisherbrand* Borosilicate Amber Glass Media Bottles with Cap, Autoclavable 25 ML	20	7396
FS63547	50*	Fisherbrand* Borosilicate Amber Glass Media Bottles with Cap, Autoclavable 50 ML	20	8030
FB800100A	100	Fisherbrand* Borosilicate Amber Glass Media Bottles with Cap, Autoclavable 100 ML	10	4510
FB800250A	250	Fisherbrand* Borosilicate Amber Glass Media Bottles with Cap, Autoclavable 250 ML	10	5186
FB800500A	500	Fisherbrand* Borosilicate Amber Glass Media Bottles with Cap, Autoclavable 500 ML	10	6800
FB8001000A	1000	Fisherbrand* Borosilicate Amber Glass Media Bottles with Cap, Autoclavable 1000 ML	10	8905
FB8002000A	2000	Fisherbrand* Borosilicate Amber Glass Media Bottles with Cap, Autoclavable 2000 ML	10	14677
FB8003000A	3000	Fisherbrand* Borosilicate Amber Glass Media Bottles with Cap, Autoclavable 3000 ML	1	7800
FB8005000A	5000	Fisherbrand* Borosilicate Amber Glass Media Bottles with Cap, Autoclavable 5000 ML	1	8660
FB80010000A	10000	Fisherbrand* Borosilicate Amber Glass Media Bottles with Cap, Autoclavable 10000 ML	1	14159
FB33182A	20000	Fisherbrand* Borosilicate Amber Glass Media Bottles with Cap, Autoclavable 20000 ML	1	19758
<b>B.O.D. Bottles</b>				
FBG62558	125	Fisherbrand* Bottles, B.O.D 125 ML	2	803
FBG6255B	300	Fisherbrand* Bottles, B.O.D 300 ML	2	989
<b>Relative Density Bottles</b>				
FBG62565	10	Fisherbrand* Bottles, Relative Density, With Capillary Bore Ptfе Stopper 10 ML	10	3811
FBG62566	25	Fisherbrand* Bottles, Relative Density, With Capillary Bore Ptfе Stopper 25 ML	10	4120
FBG62567	50	Fisherbrand* Bottles, Relative Density, With Capillary Bore Ptfе Stopper 50 ML	10	4429

Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
<b>Weighing Bottles</b>				
FBG63043	5	Fisherbrand* Bottles, Weighing, Tall Form 5 ML	10	2369
FBG63044	15	Fisherbrand* Bottles, Weighing, Tall Form 15 ML	10	2575
FBG63045	20*	Fisherbrand* Bottles, Weighing,Squat Form 20 ML	10	5150
FBG63046	25	Fisherbrand* Bottles, Weighing, Tall Form 25 ML	10	3090
FBG63042	40*	Fisherbrand* Bottles, Weighing,Squat Form 40 ML	10	7210
FBG63047	60	Fisherbrand* Bottles, Weighing, Tall Form 60 ML	10	4635
<b>Tooled Neck Bottles Plain</b>				
FBG6257B	250	Fisherbrand* Bottles Solution, Tooled Neck 250 ML	6	1483
FBG6257C	500	Fisherbrand* Bottles Solution, Tooled Neck 500 ML	6	1760
FBG6257E	1000	Fisherbrand* Bottles Solution, Tooled Neck 1000 ML	4	1928
FBG6257F	2000	Fisherbrand* Bottles Solution, Tooled Neck 2000 ML	2	1697
FBG6257G	3000	Fisherbrand* Bottles Solution, Tooled Neck 3000 ML	1	1990
FBG6257J	5000	Fisherbrand* Bottles Solution, Tooled Neck 5000 ML	1	4867
FBG6257K	10000	Fisherbrand* Bottles Solution, Tooled Neck 10000 ML	1	8381
FBG6257L	20000	Fisherbrand* Bottles Solution, Tooled Neck 20000 ML	1	13200
<b>Tooled Neck Bottles Amber</b>				
FBG6357B	250	Fisherbrand* Bottles Solution, Tooled Neck ,Amber 250 ML	6	3834
FBG6357C	500	Fisherbrand* Bottles Solution, Tooled Neck ,Amber 500 ML	6	4871
FBG6357E	1000	Fisherbrand* Bottles Solution, Tooled Neck ,Amber 1000 ML	4	5448
FBG6357F	2000	Fisherbrand* Bottles Solution, Tooled Neck ,Amber 2000 ML	2	3038
FBG6357K	10000	Fisherbrand* Bottles Solution, Tooled Neck ,Amber 10000 ML	1	14666
FBG6357L	20000	Fisherbrand* Bottles Solution, Tooled Neck ,Amber 20000 ML	1	18857
<b>Burettes</b>				
FBG63055	10	Fisherbrand* Burettes, Straight Bore Glass Key, Class 'A' 10 ML	4	6510
FBG63056	25	Fisherbrand* Burettes, Straight Bore Glass Key, Class 'A' 25 ML	4	6510
FBG63057	50	Fisherbrand* Burettes, Straight Bore Glass Key, Class 'A' 50 ML	4	7107
FBG63058	100	Fisherbrand* Burettes, Straight Bore Glass Key, Class 'A' 100 ML	4	10836
FBG62065	10	Fisherbrand* Burettes, Straight Bore Stopcock Glass Key, Amber Graduation 10 ML	4	2348
FBG62066	25	Fisherbrand* Burettes, Straight Bore Stopcock Glass Key, Amber Graduation 25 ML	4	2307
FBG62067	50	Fisherbrand* Burettes, Straight Bore Stopcock Glass Key, Amber Graduation 50 ML	4	2472
FBG62068	100	Fisherbrand* Burettes, Straight Bore Stopcock Glass Key, 100 ML	4	3461
FBG63075	10	Fisherbrand* Burettes, Straight Bore Stopcock Ptfе Key, Class 'A' 10 ML	4	5644
FBG63076	25	Fisherbrand* Burettes, Straight Bore Stopcock Ptfе Key, Class 'A' 25 ML	4	6056
FBG63077	50	Fisherbrand* Burettes, Straight Bore Stopcock Ptfе Key, Class 'A' 50 ML	4	7581
FBG63078	100	Fisherbrand* Burettes, Straight Bore Stopcock Ptfе Key, Class 'A' 100 ML	4	9806
FBG62075	10	Fisherbrand* Burettes, Rotaflow Screw Thread Stopcock With Ptfе Key,Amber Stain Graduation 10 ML	4	2060
FBG62076	25	Fisherbrand* Burettes, Rotaflow Screw Thread Stopcock With Ptfе Key,Amber Stain Graduation 25 ML	4	1936
FBG62077	50	Fisherbrand* Burettes, Rotaflow Screw Thread Stopcock With Ptfе Key,Amber Stain Graduation 50 ML	4	2101
FBG62078	100	Fisherbrand* Burettes, Rotaflow Screw Thread Stopcock With Ptfе Key,Amber Stain Graduation 100 ML	4	3131
FBG62069	50	Fisherbrand* Burettes, Straight Bore Stopcock PTFE Key,50 ML	4	3131



Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
<b>Nessler's Cylinders</b>				
FBG62087	50	Fisherbrand* Cylinders, Nessler's' Flat Bottom, Graduated 50 ML	10	1545
FBG62088	100	Fisherbrand* Cylinders, Nessler's' Flat Bottom, Graduated 100 ML	10	2369
<b>Measuring Cylinders</b>				
FBG62593	5	Fisherbrand* Cylinders, Graduated, Class 'A' Hexagonal Base And Spout 5 ML	2	784
FBG62594	10	Fisherbrand* Cylinders, Graduated, Class 'A' Hexagonal Base And Spout 10 ML	2	896
FBG62596	25	Fisherbrand* Cylinders, Graduated, Class 'A' Hexagonal Base And Spout 25 ML	2	1030
FBG62597	50	Fisherbrand* Cylinders, Graduated, Class 'A' Hexagonal Base And Spout 50 ML	2	1246
FBG62598	100	Fisherbrand* Cylinders, Graduated, Class 'A' Hexagonal Base And Spout 100 ML	2	1401
FBG62599	150	Fisherbrand* Cylinders, Graduated, Class 'A' Hexagonal Base And Spout 150ML	2	1895
FBG6259B	250	Fisherbrand* Cylinders, Graduated, Class 'A' Hexagonal Base And Spout 250 ML	2	2060
FBG6259C	500	Fisherbrand* Cylinders, Graduated, Class 'A' Hexagonal Base And Spout 500 ML	2	2884
FBG6259E	1000	Fisherbrand* Cylinders, Graduated, Class 'A' Hexagonal Base And Spout 1000 ML	2	3553
FBG6259F	2000	Fisherbrand* Cylinders, Graduated, Class 'A' Hexagonal Base And Spout 2000 ML	1	3502
FBG62584	10	Fisherbrand* Cylinders, Graduated, Hexagonal Base And Spout Class B 10 ML	2	505
FBG62586	25	Fisherbrand* Cylinders, Graduated, Hexagonal Base And Spout Class B 25 ML	2	597
FBG62587	50	Fisherbrand* Cylinders, Graduated, Hexagonal Base And Spout Class B 50 ML	2	649
FBG62588	100	Fisherbrand* Cylinders, Graduated, Hexagonal Base And Spout Class B 100 ML	2	742
FBG6258B	250	Fisherbrand* Cylinders, Graduated, Hexagonal Base And Spout Class B 250 ML	1	669
FBG6258C	500	Fisherbrand* Cylinders, Graduated, Hexagonal Base And Spout Class B 500 ML	1	875
FBG6258E	1000	Fisherbrand* Cylinders, Graduated, Hexagonal Base And Spout Class B 1000 ML	1	1329
FBG63593	5	Cylinder, Graduations in Amber color , Single Metric Scale, With Pour out, Hexagonal base , in Compliance with ASTM Class 'A' with individual calibration Certificate5mL	2	861
FBG63594	10	Cylinder, Graduations in Amber color , Single Metric Scale, With Pour out, Hexagonal base , in Compliance with ASTM Class 'A' with individual calibration Certificate10mL	2	969
FBG63596	25	Cylinder, Graduations in Amber color , Single Metric Scale, With Pour out, Hexagonal base , in Compliance with ASTM Class 'A' with individual calibration Certificate25mL	2	1115
FBG63597	50	Cylinder, Graduations in Amber color , Single Metric Scale, With Pour out, Hexagonal base , in Compliance with ASTM Class 'A' with individual calibration Certificate50mL	2	1350
FBG63598	100	Cylinder, Graduations in Amber color , Single Metric Scale, With Pour out, Hexagonal base , in Compliance with ASTM Class 'A' with individual calibration Certificate 100 mL	2	1487
FBG6359B	250	Cylinder, Graduations in Amber color , Single Metric Scale, With Pour out, Hexagonal base , in Compliance with ASTM Class 'A' with individual calibration Certificate250mL	2	2261
FBG6359C	500	Cylinder, Graduations in Amber color , Single Metric Scale, With Pour out, Hexagonal base , in Compliance with ASTM Class 'A' with individual calibration Certificate500mL	2	2975
FBG6359E	1000	Cylinder, Graduations in Amber color , Single Metric Scale, With Pour out, Hexagonal base , in Compliance with ASTM Class 'A' with individual calibration Certificate1000mL	2	3670
FBG6359F	2000	Cylinder, Graduated n Amber color , Single Metric Scale, With Pour out, Hexagonal base , in Compliance with ASTM Class 'A' with individual calibration Certificate2000mL	1	3626
FBG62094	10	Fisherbrand* Cylinders, Graduated, with Round Base And Spout 10 ML	2	453
FBG62096	25	Fisherbrand* Cylinders, Graduated, With Round Base And Spout 25 ML	2	556

Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
FBG62097	50	Fisherbrand* Cylinders, Graduated, With Round Base And Spout 50 ML	2	597
FBG62098	100	Fisherbrand* Cylinders, Graduated, With Round Base And Spout 100 ML	2	762
FBG6209B	250	Fisherbrand* Cylinders, Graduated, With Round Base And Spout 250 ML	2	1339
FBG6209C	500	Fisherbrand* Cylinders, Graduated, With Round Base And Spout 500 ML	1	845
FBG6209E	1000	Fisherbrand* Cylinders, Graduated, With Round Base And Spout 1000 ML	1	1298
FBG6209F	2000	Fisherbrand* Cylinders, Graduated, With Round Base And Spout 2000 ML	1	2214
FBG62504	10	Fisherbrand* Cylinders,Penny Head Stopper Amber Stain With Stopper Class 'A' 10ML	2	1401
FBG62506	25	Fisherbrand* Cylinders,Penny Head Stopper Amber Stain With Stopper Class 'A' 25ML	2	1627
FBG62507	50	Fisherbrand* Cylinders,Penny Head Stopper Amber Stain With Stopper Class 'A' 50 ML	2	1833
FBG62508	100	Fisherbrand* Cylinders,Penny Head Stopper Amber Stain With Stopper Class 'A' 100ML	2	2163
FBG6250B	250	Fisherbrand* Cylinders,Penny Head Stopper Amber Stain With Stopper Class 'A' 250 ML	1	1699
FBG6250A	500	Fisherbrand* Cylinders,Penny Head Stopper Amber Stain With Stopper Class 'A' 1000ML	1	2163
FBG6250E	1000	Fisherbrand* Cylinders,Penny Head Stopper Amber Stain With Stopper Class 'A' 1000ML	1	2575
FBG62604	10	Fisherbrand* Cylinders, Graduated, With I/C Stopper Penny Head&Round Base And Spout 10 ML	2	721
FBG62606	25	Fisherbrand* Cylinders, Graduated, With I/C Stopper Penny Head&Round Base And Spout 25 ML	2	803
FBG62607	50	Fisherbrand* Cylinders, Graduated, With I/C Stopper Penny Head&Round Base And Spout 50 ML	2	927
FBG62608	100	Fisherbrand* Cylinders, Graduated, With I/C Stopper Penny Head&Round Base And Spout 100 ML	2	1133
FBG6260B	250	Fisherbrand* Cylinders, Graduated, With I/C Stopper Penny Head&Round Base And Spout 250 ML	1	948
FBG6260C	500	Fisherbrand* Cylinders, Graduated, With I/C Stopper Penny Head&Round Base And Spout 500 ML	1	1329
FBG6260E	1000	Fisherbrand* Cylinders, Graduated, With I/C Stopper Penny Head&Round Base And Spout 1000 ML	1	1905
FBG62807	50	Fisherbrand* Cylinder,Crow With I/C Stopper 50 ML	2	824
FBG62808	100	Fisherbrand* Cylinder,Crow With I/C Stopper 100 ML	2	989
<b>Extraction Apparatus</b>				
FBG62727	60	Fisherbrand* Extraction Apparatus, Soxhlet With Allihn 60 ML	1	1246
FBG62728	100	Fisherbrand* Extraction Apparatus, Soxhlet With Allihn 100 ML	1	1452
FBG6272A	200	Fisherbrand* Extraction Apparatus, Soxhlet With Allihn 200 ML	1	2390
<b>Extractors</b>				
FBG62737	60	Fisherbrand* Extractors, Soxhlet 60 ML	2	1339
FBG62738	100	Fisherbrand* Extractors, Soxhlet 100 ML	2	1751
FBG6273A	200	Fisherbrand* Extractors, Soxhlet 200 ML	2	2060
<b>Condensers</b>				
FBG62747	60	Fisherbrand* Condenser, Allihn For Extraction Apparatus 60 ML	2	1236
FBG62748	100	Fisherbrand* Condenser, Allihn For Extraction Apparatus 100 ML	2	1277
FBG6274A	200	Fisherbrand* Condenser, Allihn For Extraction Apparatus 200ML	2	1751
FBG62752	200	Fisherbrand* Condensor,Liebig,With Drip Tip,I/C Joints 200 Mm	1	329
FBG62753	300	Fisherbrand* Condensor,Liebig,With Drip Tip,I/C Joints 300 Mm	1	396

Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
FBG62754	400	Fisherbrand* Condensor,Liebig,With Drip Tip,I/C Joints 400 Mm	1	438
FBG62762	200	Fisherbrand* Condensor,Allihin,With Drip Tip,I/C Joints 200Mm	1	443
FBG62763	300	Fisherbrand* Condensor,Allihin,With Drip Tip,I/C Joints 300 Mm	1	566
FBG62764	400	Fisherbrand* Condensor,Allihin,With Drip Tip,I/C Joints 400 Mm	1	669
FBG62766	600	Fisherbrand* Condensor,Allihin,With Drip Tip,I/C Joints 600 Mm	1	1205
FBG62773	300	Fisherbrand* Condensor,Graham,With Drip Tip,I/C Joints 300 Mm	1	798
FBG62774	400	Fisherbrand* Condensor,Graham,With Drip Tip,I/C Joints 400 Mm	1	875
FBG62775	500	Fisherbrand* Condensor,Graham,With Drip Tip,I/C Joints 500 Mm	1	953
<b>Desiccators</b>				
FBG6279A	100	Fisherbrand* Desiccators With Cover,Knob Top," 100 Mm	1	5500
FBG6279B	150	Fisherbrand* Desiccators With Cover,Knob Top," 150 Mm	1	5867
FBG6279C	200	Fisherbrand* Desiccators With Cover,Knob Top," 200 Mm	1	6652
FBG6279D	250	Fisherbrand* Desiccators With Cover,Knob Top," 250 Mm	1	9638
FBG6279E	300	Fisherbrand* Desiccators With Cover,Knob Top," 300Mm	1	19381
FBG6379A	100	Desiccators With Cover,Plastic Knob Top100 MM (SIMAX)	1	5699
FBG6379B	150	Desiccators With Cover,Plastic Knob Top,150 MM (SIMAX)	1	6199
FBG6379C	200	Desiccators With Cover,Plastic Knob Top,200 MM (SIMAX)	1	7800
FBG6379D	250	Desiccators With Cover,Plastic Knob Top,250 MM (SIMAX)	1	12000
FBG6379E	300	Desiccators With Cover,Plastic Knob Top, 300MM (SIMAX)	1	19499
FBG6289A	100	Dessicator Vaccum With Stopcock-100 MM (SIMAX)	1	11419
FBG6289B	150	Dessicator Vaccum With Stopcock- 150 MM (SIMAX)	1	16552
FBG6289C	200	Dessicator Vaccum With Stopcock- 200 MM (SIMAX)	1	17390
FBG6289D	250	Dessicator Vaccum With Stopcock-250 MM (SIMAX)	1	28809
FBG6289E	300	Dessicator Vaccum With Stopcock-300MM (SIMAX)	1	29857
FBG62781	500	Fisherbrand* Distilling Apparatus,Kjeldhal Flask Ammonia With Graham Condensor 500 ML	1	2472
<b>Flasks</b>				
FBG62126	25	Fisherbrand* Flasks, Boiling Flat Bottom 25 ML	10	814
FBG62127	50	Fisherbrand* Flasks, Boiling Flat Bottom 50 ML	10	824
FBG62128	100	Fisherbrand* Flasks, Boiling Flat Bottom 100 ML	10	1020
FBG62129	150	Fisherbrand* Flasks, Boiling Flat Bottom 150 ML	10	1030
FBG6212B	250	Fisherbrand* Flasks, Boiling Flat Bottom 250 ML	10	1133
FBG6212A*	300	Fisherbrand* Flasks, Boiling Flat Bottom 300 ML	10	1802
FBG6212C	500	Fisherbrand* Flasks, Boiling Flat Bottom 500 ML	6	1751
FBG6212E	1000	Fisherbrand* Flasks, Boiling Flat Bottom 1000 ML	6	1886
FBG6212F	2000	Fisherbrand* Flasks, Boiling Flat Bottom 2000 ML	2	3457
FBG6212G	3000	Fisherbrand* Flasks, Boiling Flat Bottom 3000 ML	1	3038
FBG6212J	5000	Fisherbrand* Flasks, Boiling Flat Bottom 5000 ML	1	2514
FBG6212K	10000	Fisherbrand* Flasks, Boiling Flat Bottom 10000 ML	1	5762
FBG62116	25	Fisherbrand* Flasks, Boiling, Round Bottom 25 ML	10	803
FBG62117	50	Fisherbrand* Flasks, Boiling, Round Bottom 50 ML	10	824
FBG62118	100	Fisherbrand* Flasks, Boiling, Round Bottom 100 ML	10	1020
FBG62119	150	Fisherbrand* Flasks, Boiling, Round Bottom 150 ML	10	1030
FBG6211B	250	Fisherbrand* Flasks, Boiling, Round Bottom 250 ML	10	1030
FBG6211C	500	Fisherbrand* Flasks, Boiling, Round Bottom 500 ML	10	1751
FBG6211E	1000	Fisherbrand* Flasks, Boiling, Round Bottom 1000 ML	6	1823
FBG6211F	2000	Fisherbrand* Flasks, Boiling, Round Bottom 2000 ML	6	3800

Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
FBG6211G	3000	Fisherbrand* Flasks, Boiling, Round Bottom 3000 ML	1	1624
FBG6211J	5000	Fisherbrand* Flasks, Boiling, Round Bottom 5000 ML	1	2724
FBG6211K	10000	Fisherbrand* Flasks, Boiling, Round Bottom 10000 ML	1	5238
FBG62629	150	Fisherbrand* Flasks, Boiling, Flat Bottom, With I/C Joint 150 ML	10	1545
FBG6262B	250	Fisherbrand* Flasks, Boiling, Flat Bottom, With I/C Joint 250 ML	10	1648
FBG6262C	500	Fisherbrand* Flasks, Boiling, Flat Bottom, With I/C Joint 500 ML	10	2472
FBG62617	50	Fisherbrand* Flasks, Boiling, Round Bottom, I/C Joint 50 ML	10	1390
FBG62618	100	Fisherbrand* Flasks, Boiling, Round Bottom, I/C Joint 100 ML	10	1442
FBG62619	150	Fisherbrand* Flasks, Boiling, Round Bottom, I/C Joint 150 ML	10	1699
FBG6261B	250	Fisherbrand* Flasks, Boiling, Round Bottom, I/C Joint 250 ML	10	1854
FBG6261C	500	Fisherbrand* Flasks, Boiling, Round Bottom, I/C Joint 500 ML	6	1545
FBG6261E	1000	Fisherbrand* Flasks, Boiling, Round Bottom, I/C Joint 1000 ML	2	721
FBG62638	100	Fisherbrand* Flasks, Boiling, R B, Two Necks, Centre & Angled Side Necks 100 ML	1	227
FBG6263B	250	Fisherbrand* Flasks, Boiling, R B, Two Necks, Centre & Angled Side Necks 250 ML	1	309
FBG6263C	500	Fisherbrand* Flasks, Boiling, R B, Two Necks, Centre & Angled Side Necks 500 ML	1	422
FBG62648	100	Fisherbrand* Flasks, Boiling, R B, Two Necks, Centre & Parallel Side Necks 100 ML	1	227
FBG6264B	250	Fisherbrand* Flasks, Boiling, R B, Two Necks, Centre & Parallel Side Necks 250 ML	1	309
FBG6264C	500	Fisherbrand* Flasks, Boiling, R B, Two Necks, Centre & Parallel Side Necks 500 ML	1	422
FBG62658	100	Fisherbrand* Flasks, Boiling, R B, Three Necks, Centre & Two Angled Side Necks 100 ML	1	283
FBG6265B	250	Fisherbrand* Flasks, Boiling, R B, Three Necks, Centre & Two Angled Side Necks 250 ML	1	391
FBG6265C	500	Fisherbrand* Flasks, Boiling, R B, Three Necks, Centre & Two Angled Side Necks 500 ML	1	592
FBG6265E	1000	Fisherbrand* Flasks, Boiling, R B, Three Necks, Centre & Two Angled Side Necks 1000 ML	1	721
FBG62668	100	Fisherbrand* Flasks, Boiling, R B, Three Necks, Centre & Two Angled Side Necks 100 ML	1	309
FBG6266B	250	Fisherbrand* Flasks, Boiling, R B, Three Necks, Centre & Two Angled Side Necks 250 ML	1	402
FBG6266C	500	Fisherbrand* Flasks, Boiling, R B, Three Necks, Centre & Two Angled Side Necks 500 ML	1	566
FBG6266E	1000	Fisherbrand* Flasks, Boiling, R B, Three Necks, Centre & Two Angled Side Necks 1000 ML	1	721
FBG6266F	2000	Fisherbrand* Flasks, Boiling, R B, Three Necks, Centre & Two Angled Side Necks 2000ML	1	1571
FBG6266J	5000	Fisherbrand* Flasks, Boiling, R B, Three Necks, Centre & Two Angled Side Necks 5000ML	1	5081
FBG6218G	3000	Fisherbrand* Haffkine Flask 3000 ML	1	2619

Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
FBG6218H	4000	Fisherbrand* Haffkine Flask 4000 ML	2	6076
FBG62698	100	Fisherbrand* Flask,Distilling With Side Arm 100 ML	1	196
FBG62699	125	Fisherbrand* Flask,Distilling With Side Arm 125 ML	1	216
FBG6269B	250	Fisherbrand* Flask,Distilling With Side Arm 250 ML	1	247
FBG6269C	500	Fisherbrand* Flask,Distilling With Side Arm 500 ML	1	330
FBG6216A	100	Fisherbrand* Flask Erlenmeyer With I/C Joint 100ML	10	1854
FBG6216B	250	Fisherbrand* Flask Erlenmeyer With I/C Joint 250 ML	10	1957
FBG6216C	500	Fisherbrand* Flask Erlenmeyer With I/C Joint 500 ML	10	2781
FBG62676	25	Fisherbrand* Flask,Erlenmeyer,Conical,With I/C Stopper 25 ML	10	1751
FBG62677	50	Fisherbrand* Flask,Erlenmeyer,Conical,With I/C Stopper 50 ML	10	2060
FBG62678	100	Fisherbrand* Flask,Erlenmeyer,Conical,With I/C Stopper 100 ML	10	2163
FBG6267B	250	Fisherbrand* Flask,Erlenmeyer,Conical,With I/C Stopper 250 ML	10	2575
FBG6267C	500	Fisherbrand* Flask,Erlenmeyer,Conical,With I/C Stopper 500 ML	10	3708
FBG6267E	1000	Fisherbrand* Flask,Erlenmeyer,Conical,With I/C Stopper 1000ML	6	3275
FS61138	100	Fisherbrand* Flask,Conical with Screw Cap 100 ML	20	4226
FS61139	150	Fisherbrand* Flask,Conical with Screw Cap 150 ML	20	4966
FS6113B	250	Fisherbrand* Flask,Conical with Screw Cap 250 ML	20	6023
FS6113C	500	Fisherbrand* Flask,Conical with Screw Cap 500 ML	10	3645
FS6113E	1000	Fisherbrand* Flask,Conical with Screw Cap 1000 ML	10	6762
FS62138	100	Fisherbrand* Flask,Conical , Amberwith Screw Cap 100 ML	20	8019
FS62139	150	Fisherbrand* Flask,Conical , Amberwith Screw Cap 150 ML	20	9019
FS6213B	250	Fisherbrand* Flask,Conical , Amberwith Screw Cap 250 ML	20	10301
FS6213C	500	Fisherbrand* Flask,Conical , Amberwith Screw Cap 500 ML	10	6000
FS6213E	1000	Fisherbrand* Flask,Conical , Amberwith Screw Cap 1000 ML	10	15500
FBG61134	10	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated 10 ML	10	639
FBG61136	25	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated 25 ML	10	721
FBG61137	50	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated 50 ML	10	721
FBG61138	100	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated 100 ML	10	721
FBG61139	150	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated 150 ML	10	927
FBG6113B	250	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated 250 ML	10	1133
FBG6113C	500	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated 500 ML	10	1545
FBG6113E	1000	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated 1000 ML	6	1607
FBG6113F	2000	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated 2000 ML	2	1048
FBG6113G	3000	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated 3000ML	1	1309
FBG6113J	5000	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated 5000ML	1	2200
FBG62158	100	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated,Amber 100 ML	10	1545
FBG62159	150	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated,Amber 150 ML	10	1802
FBG6215B	250	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated,Amber 250 ML	10	2008
FBG6215C	500	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated,Amber 500ML	10	3502

Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
FBG6215E	1000	Fisherbrand* Flasks, Erlenmeyer, Conical, Graduated, Amber 1000ML	10	5665
FBG6268C	500	Fisherbrand* Flask Filtration Heavy Wall With Out Let For Vacuum 500ML	2	943
FBG6268E	1000	Fisherbrand* Flask Filtration Heavy Wall With Out Let For Vacuum 1000ML	2	1428
FBG6268F	2000	Fisherbrand* Flask Filtration Heavy Wall With Out Let For Vacuum 2000ML	2	2867
FBG6268G	5000	Fisherbrand* Flask Filtration Heavy Wall With Out Let For Vacuum 5000 ML	2	11551
FBG6214A	50	Fisherbrand* Flasks, Iodine Determination, With Stopper 50 ML	2	367
FBG6214D	100	Fisherbrand* Flasks, Iodine Determination, With Stopper 100 ML	2	413
FBG6214B	250	Fisherbrand* Flasks, Iodine Determination, With Stopper 250 ML	2	474
FBG6214C	500	Fisherbrand* Flasks, Iodine Determination, With Stopper 500 ML	2	556
FBG6217B	430	Fisherbrand* Flasks, Kjeldahl, Round Bottom, Long Neck 300 ML	2	536
FBG6217C	520	Fisherbrand* Flasks, Kjeldahl, Round Bottom, Long Neck 500 ML	2	1092
FBG6117D	800	Fisherbrand* Flasks, Kjeldahl, Round Bottom, Long Neck 800 ML	1	639
FBG6218C	500	Fisherbrand* Flasks, Kjeldahl, Round Bottom, I/C Joint And Long Neck 500 ML	2	1318
FBG6118D	800	Fisherbrand* Flasks, Kjeldahl, Round Bottom, I/C Joint And Long Neck 800 ML	1	721
FBG62218	100	Fisherbrand* Flask, Volumetric, Sugar Estimation 100 ML	2	577
<b>Volumetric Flasks</b>				
FBG63190S	1*	Fisherbrand* Flasks, Volumetric, With Penny Head Stopper, Made Of 3.3 Borosilicate Glass -USP 1 ML	2	1596
FBG63191S	2*	Fisherbrand* Flasks, Volumetric, With Penny Head Stopper, Made Of 3.3 Borosilicate Glass -USP 2 ML	2	1596
FBG63193S	3	Fisherbrand* Flasks, Volumetric, With Penny Head Stopper, Made Of 3.3 Borosilicate Glass -USP 3 ML	2	1596
FBG63194S	5	Fisherbrand* Flasks, Volumetric, With Penny Head Stopper, Made Of 3.3 Borosilicate Glass -USP 5 ML	2	1545
FBG63195S	10	Fisherbrand* Flasks, Volumetric, With Penny Head Stopper, Made Of 3.3 Borosilicate Glass - USP 10ML	2	1318
FBG63192S	20	Fisherbrand* Flasks, Volumetric, With Penny Head Stopper, Made Of 3.3 Borosilicate Glass - USP 20ML	2	1287
FBG63196S	25	Fisherbrand* Flasks, Volumetric, With Penny Head Stopper, Made Of 3.3 Borosilicate Glass - USP 25ML	2	1236
FBG63197S	50	Fisherbrand* Flasks, Volumetric, With Penny Head Stopper, Made Of 3.3 Borosilicate Glass - USP 50ML	2	1236
FBG63198S	100	Fisherbrand* Flasks, Volumetric, With Penny Head Stopper, Made Of 3.3 Borosilicate Glass - USP 100ML	2	1174
FBG6319AS	200	Fisherbrand* Flasks, Volumetric, With Penny Head Stopper, Made Of 3.3 Borosilicate Glass - USP 200ML	2	1596
FBG6319BS	250	Fisherbrand* Flasks, Volumetric, With Penny Head Stopper, Made Of 3.3 Borosilicate Glass - USP 250ML	2	1638
FBG6319CS	500	Fisherbrand* Flasks, Volumetric, With Penny Head Stopper, Made Of 3.3 Borosilicate Glass - USP 500ML	2	2194
FBG6319ES	1000	Fisherbrand* Flasks, Volumetric, With Penny Head Stopper, Made Of 3.3 Borosilicate Glass - USP 1000ML	1	1560
FBG63094S	5	FLASKS, VOLUMETRIC WITH I/C Penny Head STOPPER AS PER ASTM E288, CLASS A , USP, AMBER	2	1823
FBG63095S	10	FLASKS, VOLUMETRIC WITH I/C Penny Head STOPPER AS PER ASTM E288, CLASS A , USP, AMBER	2	1566
FBG63092S	20	FLASKS, VOLUMETRIC WITH I/C Penny Head STOPPER AS PER ASTM E288, CLASS A , USP, AMBER	2	1566

Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
FBG63096S	25	FLASKS, VOLUMETRIC WITH I/C Penny Head STOPPER AS PER ASTM E288, CLASS A , USP, AMBER	2	1473
FBG63097S	50	FLASKS, VOLUMETRIC WITH I/C Penny Head STOPPER AS PER ASTM E288, CLASS A , USP, AMBER	2	1473
FBG63098S	100	FLASKS, VOLUMETRIC WITH I/C Penny Head STOPPER AS PER ASTM E288, CLASS A , USP, AMBER	2	1432
FBG6309AS	200	FLASKS, VOLUMETRIC WITH I/C Penny Head STOPPER AS PER ASTM E288, CLASS A , USP, AMBER	2	1957
FBG6309BS	250	FLASKS, VOLUMETRIC WITH I/C Penny Head STOPPER AS PER ASTM E288, CLASS A , USP, AMBER	2	1967
FBG6309CS	500	FLASKS, VOLUMETRIC WITH I/C Penny Head STOPPER AS PER ASTM E288, CLASS A , USP, AMBER	2	2606
FBG6309ES	1000	FLASKS, VOLUMETRIC WITH I/C Penny Head STOPPER AS PER ASTM E288, CLASS A , USP, AMBER	1	1895
FBG62190S	1*	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 1ML	2	1442
FBG62191S	2*	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 2 ML	2	1442
FBG62193S	3	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 3 ML	2	1442
FBG62194S	5	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 5 ML	2	1390
FBG62195S	10	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 10 ML	2	1184
FBG62192S	20	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 20 ML	2	1184
FBG62196S	25	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 25 ML	2	1123
FBG6219H	40**	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 40 ML	2	1165
FBG62197S	50	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 50 ML	2	1123
FBG62199	75**	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 75 ML	2	1389
FBG62198S	100	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 100 ML	2	1081
FBG6219D	150	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 150 ML	2	2143
FBG6219AS	200	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 200 ML	2	1473
FBG6219BS	250	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 250 ML	2	1483
FBG6219CS	500	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 500 ML	2	1947
FBG6219G	900**	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 900 ML	1	1463
FBG6219ES	1000	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 1000 ML	1	1421
FBG6219FS	2000	Fisherbrand* Flasks, Volumetric, Class 'A' With Ground-In Glass Penny Head Stopper, 2000 ML	1	2292
FBG62204S	5	Fisherbrand* Flasks, Volumetric, With Ground-In Glass Penny Head Stopper, 5 ML	2	443
FBG62205S	10	Fisherbrand* Flasks, Volumetric, With Ground-In Glass Penny Head Stopper, 10 ML	2	402

Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
FBG62202S	20	Fisherbrand* Flasks, Volumetric, With Ground-In Glass Penny Head Stopper, 20 ML	2	402
FBG62206S	25	Fisherbrand* Flasks, Volumetric, With Ground-In Glass Penny Head Stopper, 25 ML	2	402
FBG62207S	50	Fisherbrand* Flasks, Volumetric, With Ground-In Glass Penny Head Stopper, 50 ML	2	463
FBG62208S	100	Fisherbrand* Flasks, Volumetric, With Ground-In Glass Penny Head Stopper, 100 ML	2	525
FBG6220AS	200	Fisherbrand* Flasks, Volumetric, With Ground-In Glass Penny Head Stopper, 200 ML	2	566
FBG6220BS	250	Fisherbrand* Flasks, Volumetric, With Ground-In Glass Penny Head Stopper, 250 ML	2	587
FBG6220CS	500	Fisherbrand* Flasks, Volumetric, With Ground-In Glass Penny Head Stopper, 500 ML	2	803
FBG6220ES	1000	Fisherbrand* Flasks, Volumetric, With Ground-In Glass Penny Head Stopper, 1000 ML	1	608
FBG6220FS	2000	Fisherbrand* Flasks, Volumetric, With Ground-In Glass Penny Head Stopper, 2000 ML	1	1164
FBG62704S	5	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 5 ML	2	1596
FBG62705S	10	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 10 ML	2	1411
FBG62702S	20	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 20 ML	2	1401
FBG62706S	25	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 25 ML	2	1267
FBG6219I	40**	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 40 ML	2	1341
FBG62707S	50	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 50 ML	2	1267
FBG6219J	75**	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 75 ML	2	2172
FBG62708S	100	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 100 ML	2	1349
FBG6219K	150	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 150 ML	2	2798
FBG6270AS	200	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 200 ML	2	1679
FBG6270BS	250	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 250 ML	2	1699
FBG6270CS	500	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 500 ML	2	2585
FBG6270ES	1000	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 1000 ML	1	1746
FBG6270FS	2000	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper "A" Class 2000 ML	1	2781
FBG62714S	5	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper 5 ML	2	669
FBG62715S	10	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper 10 ML	2	618
FBG62712S	20	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper 20 ML	2	618
FBG62716S	25	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper 25 ML	2	597
FBG62717S	50	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper 50 ML	2	659
FBG62718S	100	Fisherbrand* Flask, Volumetric, Amber, With/ C Penny Head Stopper 100 ML	2	752



Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
FBG6271AS	200	Fisherbrand* Flask,Volumetric,Amber,Withi/C Penny Head Stopper 200 ML	2	793
FBG6271BS	250	Fisherbrand* Flask,Volumetric,Amber,Withi/C Penny Head Stopper 250 ML	2	814
FBG6271CS	500	Fisherbrand* Flask,Volumetric,Amber,Withi/C Penny Head Stopper 500 ML	2	1174
FBG6271ES	1000	Fisherbrand* Flask,Volumetric,Amber,Withi/C Penny Head Stopper 1000 ML	1	917
FBG6271FS	2000	Fisherbrand* Flask,Volumetric,Amber,Withi/C Penny Head Stopper 2000ML	1	1622
FBG62196W	25	Fisherbrand* Wide Mouth Flask, Volumetric Class"A" with Penny head Stopper 25 ml	2	1272
FBG62197W	50	Fisherbrand* Wide Mouth Flask, Volumetric Class"A" with Penny head Stopper 50 ml	2	1252
FBG62198W	100**	Fisherbrand* Wide Mouth Flask, Volumetric Class"A" with Penny head Stopper 100 ml	2	1370
FBG6219AW	200	Fisherbrand* Wide Mouth Flask, Volumetric Class"A" with Penny head Stopper 200 ml	2	1654
FBG62705W	25	Fisherbrand* Wide Mouth Flask, Amber, Volumetric Class"A" with Penny head Stopper 25 ml	2	1585
FBG62707W	50	Fisherbrand* Wide Mouth Flask, Amber, Volumetric Class"A" with Penny head Stopper 50 ml	2	1556
FBG62708W	100**	Fisherbrand* Wide Mouth Flask, Amber, Volumetric Class"A" with Penny head Stopper 100 ml	2	1703
FBG6270AW	200	Fisherbrand* Wide Mouth Flask, Amber, Volumetric Class"A" with Penny head Stopper 200 ml	2	2046
<b>Funnels</b>				
FBG62221	25	Fisherbrand* Funnels, Plain, 60°C Angle, Long Stem 25MM	10	772
FBG62222	50	Fisherbrand* Funnels, Plain, 60°C Angle, Long Stem 50 MM	10	927
FBG62223	65	Fisherbrand* Funnels, Plain, 60°C Angle, Long Stem 65 MM	10	1133
FBG62224	75	Fisherbrand* Funnels, Plain, 60°C Angle, Long Stem 75 MM	10	1133
FBG62225	100	Fisherbrand* Funnels, Plain, 60°C Angle, Long Stem 100 MM	10	1545
FBG62226	125	Fisherbrand* Funnels, Plain, 60°C Angle, Long Stem 125 MM	2	618
FBG62237	60	Fisherbrand* Funnels, Separating, Straightbore Glass Stopcock, Pear Shape, With 60 ML	1	778
FBG62238	100	Fisherbrand* Funnels, Separating, Straightbore Glass Stopcock, Pear Shape, With 100 ML	1	711
FBG6223B	250	Fisherbrand* Funnels, Separating, Straightbore Glass Stopcock, Pear Shape, With 250 ML	1	1020
FBG6223C	500	Fisherbrand* Funnels, Separating, Straightbore Glass Stopcock, Pear Shape, With 500 ML	1	1287
FBG6223E	1000	Fisherbrand* Funnels, Separating, Straightbore Glass Stopcock, Pear Shape, With 1000 ML	1	1622
FBG62247	60	Fisherbrand* Funnels, Separating, Rotaflow Stopcock, Pear Shape, With 60 ML	1	700
FBG62248	100	Fisherbrand* Funnels, Separating, Rotaflow Stopcock, Pear Shape, With 100 ML	1	695
FBG6224B	250	Fisherbrand* Funnels, Separating, Rotaflow Stopcock, Pear Shape, With 250 ML	1	875
FBG6224C	500	Fisherbrand* Funnels, Separating, Rotaflow Stopcock, Pear Shape, With 500 ML	1	1195
FBG6224E	1000	Fisherbrand* Funnels, Separating, Rotaflow Stopcock, Pear Shape, With 1000 ML	1	1504
FBG62257	60	Fisherbrand* Funnels, Separating, Ptfе Stopcock, Pear Shape, With Straight Bore 60 ML	1	731
FBG62258	100	Fisherbrand* Funnels, Separating, Ptfе Stopcock, Pear Shape, With Straight Bore 100 ML	1	814
FBG6225B	250	Fisherbrand* Funnels, Separating, Ptfе Stopcock, Pear Shape, With Straight Bore 250 ML	1	1117
FBG6225C	500	Fisherbrand* Funnels, Separating, Ptfе Stopcock, Pear Shape, With Straight Bore 500 ML	1	1205
FBG6225E	1000	Fisherbrand* Funnels, Separating, Ptfе Stopcock, Pear Shape, With Straight Bore 1000 ML	1	1447

Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
FBG6227C	500	Fisherbrand* Gas Generator,Kips.With I/C Joints 500 ML	1	6952
FBG6227E	1000	Fisherbrand* Gas Generator,Kips.With I/C Joints 1000 ML	1	8951
<b>Museum Jars</b>				
FBG6252A	100 x 200 mm	Fisherbrand* Museum Jars	2	4505
FBG6252B	100 x 250 mm	Fisherbrand* Museum Jars	2	4976
FBG6252C	80 x 300 mm	Fisherbrand* Museum Jars	2	5133
FBG6252D	100 x 300 mm	Fisherbrand* Museum Jars	2	5971
FBG6252E	100 x 375 mm	Fisherbrand* Museum Jars	2	6390
FBG6252F	80 x 380 mm	Fisherbrand* Museum Jars	2	7019
FBG6252G	150 x 300 mm	Fisherbrand* Museum Jars	2	8486
FBG6252H	150 x 380 mm	Fisherbrand* Museum Jars	2	9848
FBG6252J	220 x 300	Fisherbrand* Museum Jars	2	19905
<b>Petri Dishes</b>				
FBG6329A	90 x 15 mm	Fisherbrand* Petridishes	72	7701
FBG6329B	100 x 15 mm	Fisherbrand* Petridishes	72	8901
FBG6329C	100 x 20 mm	Fisherbrand* Petridishes	72	10081
<b>Pipettes</b>				
FBG62361	1.1	Fisherbrand* Pipettes For Milk Testing 1.1 ML	10	1287
FBG62362	2.2	Fisherbrand* Pipettes For Milk Testing 2.2 ML	10	1390
FBG62368	10.75	Fisherbrand* Pipette Milk Testing, Gerber 10.75 ML	10	1287
FBG63301	1	Fisherbrand* Pipettes, Graduated, Class 'A', Colour Coded, For Complete Delivery 1 ML	10	3193
FBG63302	2	Fisherbrand* Pipettes, Graduated, Class 'A', Colour Coded, For Complete Delivery 2 ML	10	3347
FBG63303	5	Fisherbrand* Pipettes, Graduated, Class 'A', Colour Coded, For Complete Delivery 5 ML	10	3914
FBG63304	10	Fisherbrand* Pipettes, Graduated, Class 'A', Colour Coded, For Complete Delivery 10 ML	10	4171
FBG63306	25	Fisherbrand* Pipettes, Graduated, Class 'A', Colour Coded, For Complete Delivery 25 ML	10	4892
FBG63311	1	Fisherbrand* Pipettes, Graduated Colour Coded, For Complete Delivery, Class 'B' 1ML	20	2060
FBG63312	2	Fisherbrand* Pipettes, Graduated Colour Coded, For Complete Delivery, Class 'B' 2 ML	20	2369
FBG63313	5	Fisherbrand* Pipettes, Graduated Colour Coded, For Complete Delivery, Class 'B' 5ML	20	2575
FBG63314	10	Fisherbrand* Pipettes, Graduated Colour Coded, For Complete Delivery, Class 'B' 10ML	20	2678
FBG63316	25	Fisherbrand* Pipettes, Graduated Colour Coded, For Complete Delivery, Class 'B' 25ML	20	4120
FBG62311	1	Fisherbrand* Pipettes, Graduated Serological Whitecolour Graduation 1ML	10	1081
FBG62312	2	Fisherbrand* Pipettes, Graduated Serological Whitecolour Graduation 2ML	10	1133
FBG62313	5	Fisherbrand* Pipettes, Graduated Serological Whitecolour Graduation 5ML	10	1236
FBG62314	10	Fisherbrand* Pipettes, Graduated Serological Whitecolour Graduation 10ML	10	1339
FBG63341	1	Fisherbrand* Pipette;Measuring;Mohr Type; Amber Graduation Class-A 1ML	10	3193
FBG63342	2	Fisherbrand* Pipette;Measuring;Mohr Type; Amber Graduation Class-A 2 ML	10	3296
FBG63343	5	Fisherbrand* Pipette;Measuring;Mohr Type; Amber Graduation Class-A 5 ML	10	3914
FBG63344	10	Fisherbrand* Pipette;Measuring;Mohr Type;Class-A 10ML	10	4120
FBG63346	25	Fisherbrand* Pipette;Measuring;Mohr Type; Amber Graduation Class-A 25 ML	10	4841

Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
FBG6235A	0.1	Fisherbrand* Pipettes, Transfer,Class 'B' Mohr Type,Volumetric, With Colour Code, 0.1 ML	10	1133
FBG6235B	0.2	Fisherbrand* Pipettes, Transfer,Class 'B' Mohr Type,Volumetric, With Colour Code, 0.2 ML	10	1133
FBG62351	1	Fisherbrand* Pipettes, Transfer,Class 'B' Mohr Type,Volumetric, With Colour Code, 1 ML	10	1081
FBG62352	2	Fisherbrand* Pipettes, Transfer,Class 'B' Mohr Type,Volumetric, With Colour Code, 2 ML	10	1133
FBG62353	5	Fisherbrand* Pipettes, Transfer,Class 'B' Mohr Type,Volumetric, With Colour Code, 5 ML	10	1236
FBG62354	10	Fisherbrand* Pipettes, Transfer,Class 'B' Mohr Type,Volumetric, With Colour Code, 10 ML	10	1339
FBG62356	25	Fisherbrand* Pipettes, Transfer,Class 'B' Mohr Type,Volumetric, With Colour Code, 25 ML	10	2060
FBG62363	144	Fisherbrand* Pipette Pasteur 144 Mm	100	1339
FBG62364	240	Fisherbrand* Pipette Pasteur 240 Mm	100	1545
FBG63321	1	Fisherbrand* Pipettes, Transfer,Class 'A' Volumetric, With Colour Code, 1 ML	10	2369
FBG63322	2	Fisherbrand* Pipettes, Transfer,Class 'A' Volumetric, With Colour Code, 2 ML	10	2420
FBG63323	5	Fisherbrand* Pipettes, Transfer,Class 'A' Volumetric, With Colour Code, 5 ML	10	2678
FBG63324	10	Fisherbrand* Pipettes, Transfer,Class 'A' Volumetric, With Colour Code, 10 ML	10	3296
FBG63325	20	Fisherbrand* Pipettes, Transfer,Class 'A' Volumetric, With Colour Code, 20 ML	10	4223
FBG63326	25	Fisherbrand* Pipettes, Transfer,Class 'A' Volumetric, With Colour Code, 25 ML	10	4532
FBG63327	50	Fisherbrand* Pipettes, Transfer,Class 'A' Volumetric, With Colour Code, 50 ML	10	5150
FBG63328	100	Fisherbrand* Pipettes, Transfer,Class 'A' Volumetric, With Colour Code, 100 ML	5	3605
FBG64321	1	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 1mL	10	2398
FBG64322	2	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 2mL	10	2642
FBG64329	3	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 3mL	10	2740
FBG64330	4	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 4mL	10	2740
FBG64323	5	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 5mL	10	2789
FBG64331	6	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 6mL	10	3131
FBG64332	7	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 7mL	10	3131
FBG64333	8	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 8mL	10	3131
FBG64334	9	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 9mL	10	3131
FBG64324	10	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 10mL	10	3229
FBG64324A	15	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 15mL	10	3620
FBG64325	20	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 20mL	10	4207
FBG64326	25	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 25mL	10	4501
FBG64326A	30	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 30mL	10	4501
FBG64326B	40	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 40mL	10	4697
FBG64327	50	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 50mL	10	5088

Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
FBG64328	100	Pipettes , transfer, Volumetric,in Compliance with ASTM Class 'A' with individual calibration Certificate, 100mL	10	7730
FBG62331	1	Fisherbrand* Pipettes, Transfer, Volumetric, With Colour Code, Class 'B' 1 ML	10	1081
FBG62332	2	Fisherbrand* Pipettes, Transfer, Volumetric, With Colour Code, Class 'B' 2 ML	10	1081
FBG62333	5	Fisherbrand* Pipettes, Transfer, Volumetric, With Colour Code, Class 'B' 5 ML	10	1133
FBG62334	10	Fisherbrand* Pipettes, Transfer, Volumetric, With Colour Code, Class 'B' 10 ML	10	1339
FBG62335	20	Fisherbrand* Pipettes, Transfer, Volumetric, With Colour Code, Class 'B' 20 ML	10	1596
FBG62336	25	Fisherbrand* Pipettes, Transfer, Volumetric, With Colour Code, Class 'B' 25 ML	10	1648
FBG62337	50	Fisherbrand* Pipettes, Transfer, Volumetric, With Colour Code, Class 'B' 50 ML	10	1854
FBG62338	100	Fisherbrand* Pipettes, Transfer, Volumetric, With Colour Code, Class 'B' 100 ML	5	1493
<b>Tubes</b>				
FBG62451	15	Fisherbrand* Tubes, Centrifuge, Conical Bottom, Plain 15 ML	100	4326
FBG62452	15	Fisherbrand* Tubes, Centrifuge,, Plain,With I/C Stopper 15 ML	25	6952
FBG62455	15	Fisherbrand* Tubes, Centrifuge, Graduated, Conical Bottom, Amber Stain Graduation 15 ML	25	2446
FBG62457	50	Fisherbrand* Tubes, Centrifuge, Graduated, Conical Bottom, Amber Stain Graduation 50 ML	25	4892
FBG6245A	10	Fisherbrand* Tubes, Centrifuge, Graduated, With I/C Stopper 10 ML	25	6952
FBG62458	15	Fisherbrand* Tubes, Centrifuge, Graduated, With I/C Stopper 15 ML	25	7339
FBG62459	50	Fisherbrand* Tubes, Centrifuge, Graduated, With I/C Stopper 50 ML	10	3553
FBG62463	5	Fisherbrand* Tubes, Flat Bottom, With Screw Cap 5 ML	100	4120
FBG62464	15	Fisherbrand* Tubes, Flat Bottom, With Screw Cap 15 ML	100	4120
FBG62466	30	Fisherbrand* Tubes, Flat Bottom, With Screw Cap 30 ML	100	6077
FBG62467	60	Fisherbrand* Tubes, Flat Bottom, With Screw Cap 60 ML	100	8240
FBG63463	5	Fisherbrand* Tubes, Flat Bottom, With Screw Cap Amber 5 ML	100	7725
FBG63464	15	Fisherbrand* Tubes, Flat Bottom, With Screw Cap Amber 15 ML	100	10815
FBG63466	30	Fisherbrand* Tubes, Flat Bottom, With Screw Cap Amber 30 ML	100	12360
FBG63467	60	Fisherbrand* Tubes, Flat Bottom, With Screw Cap Amber 60 ML	100	13390
FBG62493	5	Fisherbrand* Tubes, Round Bottom, With Screw Cap 5 ML	100	4120
FBG62494	15	Fisherbrand* Tubes, Round Bottom, With Screw Cap 15 ML	100	4120
FBG62496	30	Fisherbrand* Tubes, Round Bottom, With Screw Cap 30 ML	100	6180
FBG62497	60	Fisherbrand* Tubes, Round Bottom, With Screw Cap 60 ML	100	7210
FBG63493	5	Fisherbrand* Tubes, Round Bottom, With Screw Cap Amber 5 ML	100	7210
FBG63494	15	Fisherbrand* Tubes, Round Bottom, With Screw Cap Amber 15 ML	100	9785
FBG63496	30	Fisherbrand* Tubes, Round Bottom, With Screw Cap Amber 30 ML	100	11845
FBG63497	60	Fisherbrand* Tubes, Round Bottom, With Screw Cap Amber 60 ML	100	14420
FBG6250C	5	Fisherbrand* Tubes, Test, With I/C Stopper 5 ML	25	2446
FBG6250D	10	Fisherbrand* Tubes, Test, With I/C Stopper 10 ML	25	2832
FBG6250H	25	Fisherbrand* Tubes, Test, With I/C Stopper 25 ML	25	3605
FBG6250K	50	Fisherbrand* Tubes, Test, With I/C Stopper 50 ML	10	1802
FBG6250L	100	Fisherbrand* Tubes, Test, With I/C Stopper 100 ML	10	2884
FBG6251C	5	Fisherbrand* Tubes, Test,Graduated With I/C Stopper 5 ML	25	3219
FBG6251D	10	Fisherbrand* Tubes, Test,Graduated With I/C Stopper 10 ML	25	4249
FBG6251H	25	Fisherbrand* Tubes, Test,Graduated With I/C Stopper 25 ML	25	4249

Cat. No.	Capacity (ml)	Description	Qty/Case	Price in ₹ per case
FBG6251J	30	Fisherbrand* Test Tube 22X175Mm Gr.I/Cst.Boro	25	4764
FBG6251K	50	Fisherbrand* Tubes, Test, Graduated With I/C Stopper 50 ML	10	2266
FBG6251L	100	Fisherbrand* Tubes, Test, Graduated With I/C Stopper 100 ML	10	3347
FBG6347A	10 x 75	Fisherbrand* Test Tube, Borosilicate, w/o Rim 10X75 MM	100	700
FBG6347B	12 x 75	Fisherbrand* Test Tube, Borosilicate, w/o Rim, 12X75 Mm	100	700
FBG6347C	12 x 100	Fisherbrand* Test Tube, Borosilicate, w/o Rim, 12X100 Mm	100	900
FBG6347D	15 x 125	Fisherbrand* Test Tube, Borosilicate, w/o Rim 15X125 Mm	100	1100
FBG6347E	15 x 150	Fisherbrand* Test Tube, Borosilicate, w/o Rim 15X150Mm	100	1300
FBG6347F	16 x 100	Fisherbrand* Test Tube, Borosilicate, w/o Rim, 16X100Mm	100	1200
FBG6347G	18 x 150	Fisherbrand* Test Tube, Borosilicate W/O Rim, 18X150 Mm	100	1500
FBG6347H	25 x 100	Fisherbrand* Test Tube, Borosilicate W/O Rim, 25X100 Mm	100	1900
FBG6347J	25 x 150	Fisherbrand* Test Tube, Borosilicate W/O Rim, 25X150 Mm	100	2200
FBG6347K	25 x 200	Fisherbrand* Test Tube W/O Rim, Borosilicate, 25X200 Mm	100	3193
FBG6347L	32 x 200	Fisherbrand* Test Tube W/O Rim, Borosilicate, 32X200 Mm	100	5000
FBG6347M	38 x 200	Fisherbrand* Test Tube, Borosilicate, w/o Rim, 38X200 Mm	100	6500
FBG6348A	10 x 75	Fisherbrand* Test Tube, Borosilicate, With Rim, 10X75 Mm	100	700
FBG6348B	12 x 75	Fisherbrand* Test Tube, Borosilicate With Rim, 12X75 Mm	100	700
FBG6348C	12 x 100	Fisherbrand* Test Tube, Borosilicate, with Rim, 12X100 Mm	100	900
FBG6348D	15 x 125	Fisherbrand* Test Tube, Borosilicate, with Rim, 15X125 Mm	100	1100
FBG6348E	15 x 150	Fisherbrand* Test Tube, Borosilicate With Rim, 15X150 Mm	100	1300
FBG6348G	18 x 150	Fisherbrand* Test Tube, Borosilicate With Rim, 18X150 Mm	100	1500
FBG6348H	25 x 100	Fisherbrand* Test Tube, Borosilicate With Rim, 25X100 Mm	100	1900
FBG6348J	25 x 150	Fisherbrand* Test Tube, Borosilicate With Rim, 25X150 Mm	100	2100
FBG6348K	25 x 200	Fisherbrand* Test Tube, Borosilicate, With Rim 25X200 Mm	100	3193
FBG6348L	32 x 200	Fisherbrand* Test Tube, Borosilicate With Rim, 32*200 Mm	100	5000
FBG6348M	38 x 200	Fisherbrand* Test Tube, Borosilicate, With Rim 38*200 Mm	100	6500



## Liquid Handling Consumables

## Thermo Scientific Liquid Handling Consumables

**Discover why more laboratories rely on  
Thermo Scientific liquid handling solutions...**

This catalog is designed to help you select the best products to meet virtually any laboratory requirement. From handheld pipetting and automated liquid handling to PCR consumables and more – this resource makes it easy to meet your application challenges with a complete portfolio of industry-leading Thermo Scientific and Molecular BioProducts offerings.

For additional information, contact your sales representative or visit  
**[www.thermoscientific.com/handleanything](http://www.thermoscientific.com/handleanything)**



Cat. No.	Description	Pack	Price in ₹
<b>Thermo Fisher Clip Tip System</b>			
4641170	F1-ClipTip 1-10 $\mu$ l	Unit	19740
4641180	F1-ClipTip 2-20 $\mu$ l	Unit	19740
4661110	F1-ClipTip 8-ch 1-10 $\mu$ l	Unit	48920
4661150	F1-ClipTip 12-ch 1-10 $\mu$ l	Unit	57210
4641190	F1-ClipTip 5-50 $\mu$ l	Unit	19740
4661120	F1-ClipTip 8-ch 5-50 $\mu$ l	Unit	48920
4661160	F1-ClipTip 12-ch 5-50 $\mu$ l	Unit	57210
4641200	F1-ClipTip 10-100 $\mu$ l	Unit	19740
4641210	F1-ClipTip 20-200 $\mu$ l	Unit	19740
4661130	F1-ClipTip 8-ch 10-100 $\mu$ l	Unit	48920
4661170	F1-ClipTip 12-ch 10-100 $\mu$ l	Unit	57210
4641220	F1-ClipTip 30-300 $\mu$ l	Unit	19740
4661140	F1-ClipTip 8-ch 30-300 $\mu$ l	Unit	48920
4661180	F1-ClipTip 12-ch 30-300 $\mu$ l	Unit	57210
4641230	F1-ClipTip 100-1000 $\mu$ l*	Unit	19740
4651170	F1-ClipTip 1 $\mu$ l	Unit	11660
4651180	F1-ClipTip 5 $\mu$ l	Unit	11660
4651190	F1-ClipTip 10 $\mu$ l	Unit	11660
4651200	F1-ClipTip 20 $\mu$ l	Unit	11660
4651210	F1-ClipTip 25 $\mu$ l	Unit	11660
4651220	F1-ClipTip 50 $\mu$ l	Unit	11660
4651230	F1-ClipTip 100 $\mu$ l	Unit	11660
4651240	F1-ClipTip 200 $\mu$ l	Unit	11660
4651250	F1-ClipTip 250 $\mu$ l	Unit	11660
4651260	F1-ClipTip 500 $\mu$ l*	Unit	11660
4651270	F1-ClipTip 1000 $\mu$ l*	Unit	11660
4701140	F1-ClipTip GLP Kit 1	Unit	49820
4701150	F1-ClipTip 2CLP Kit2	Unit	99630
94410219	Empty Rack, Small	PK	2980
94410519	Empty Rack, Medium	PK	2040
94410819	Empty Rack, Large	PK	2040
4671020	E1-ClipTip 16-ch 0.5-12.5 $\mu$ l	Unit	95950
4671030	E1-ClipTip 16-ch 1-30 $\mu$ l	Unit	95950
4671060	E1-ClipTip 16-ch 2-125 $\mu$ l	Unit	95950
4672020	E1-ClipTip Equalizer 384 12-ch 0.5-12.5 $\mu$ l	Unit	95950
4672040	E1-ClipTip Equalizer 384 12-ch 1-30 $\mu$ l	Unit	95950
4672070	E1-ClipTip Equalizer 384 12-ch 2-125 $\mu$ l	Unit	95950
4672010	E1-ClipTip Equalizer 384 8-ch 0.5-12.5 $\mu$ l	Unit	90900
4672030	E1-ClipTip Equalizer 384 8-ch 1-30 $\mu$ l	Unit	90900
4672050	E1-ClipTip Equalizer 8-ch 2-125 $\mu$ l	Unit	90900
4672060	E1-ClipTip Equalizer 384 8-ch 2-125 $\mu$ l	Unit	90900
4672080	E1-ClipTip Equalizer 8-ch 10-300 $\mu$ l	Unit	90900
4672100	E1-ClipTip Equalizer 8-ch 50-1250 $\mu$ l	Unit	90900
4672090	E1-ClipTip Equalizer 6-ch 50-1250 $\mu$ l	Unit	85850
4671010	E1-ClipTip 12-ch 0.5-12.5 $\mu$ l	Unit	85850
4671050	E1-ClipTip 12-ch 2-125 $\mu$ l	Unit	85850
4671080	E1-ClipTip 12-ch 10-300 $\mu$ l	Unit	85850
4671090	E1-ClipTip 12-ch 30-850 $\mu$ l	Unit	85850
4671000	E1-ClipTip 8-ch 0.5-12.5 $\mu$ l	Unit	70700
4671040	E1-ClipTip 8-ch 2-125 $\mu$ l	Unit	70700
4671070	E1-ClipTip 8-ch 10-300 $\mu$ l	Unit	70700

PK - Pack  
EA - Each



## Liquid Handling Consumables

Cat. No.	Description	Pack	Price in ₹
4671100	E1-ClipTip 8-ch 50-1250 $\mu$ l	Unit	70700
4670000	E1-ClipTip 0.5-12.5 $\mu$ l	Unit	46970
4670020	E1-ClipTip 2-125 $\mu$ l	Unit	46970
4670030	E1-ClipTip 10-300 $\mu$ l	Unit	46970
4670040	E1-ClipTip 50-1250 $\mu$ l	Unit	46970
9420500	Single charging stand (incl. power supply)	Unit	10100
94410040	ClipTip 12.5	PK	4190
94410043	ClipTip 12.5, Sterile	PK	4190
94420043	ClipTip 12.5, Filter, Sterile	PK	5560
94410810	ClipTip 1250	PK	4230
94410813	ClipTip 1250, Sterile	PK	4390
94410817	ClipTip 1250, Reload	PK	4230
94410818	ClipTip 1250, Reload, Sterile	PK	4390
94420813	ClipTip 1250, Filter, Sterile	PK	6290
94420818	ClipTip 1250, Filter Reload, Sterile	PK	6290
94410050	ClipTip 384 12.5	PK	20150
94410053	ClipTip 384 12.5, Sterile	PK	22440
94420053	ClipTip 384 12.5, Filter, Sterile	PK	22440
94410100	ClipTip 384 30	PK	18360
94410103	ClipTip 384 30, Sterile	PK	19710
94420103	ClipTip 384 30 Filter, Sterile	PK	28470
94410150	ClipTip 384 125	PK	20150
94410153	ClipTip 384 125, sterile	PK	21840
94420153	ClipTip 384 125 Filter, sterile	PK	28470
94410210	ClipTip 20, Racked, 10 x 96/rack	PK	2960
94410213	ClipTip 20, Racked, Sterile, 10 x 96/rack	PK	3920
94410217	ClipTip 20, Reload Stacks, 10 x 96/inserts	PK	2440
94410218	ClipTip 20, Reload Stacks, Sterile, 10 x 96/inserts	PK	3590
94420213	ClipTip 20, Filter, Racked, Sterile, 10 x 96/rack	PK	5630
94420218	ClipTip 20, Filter, Reload, Sterile, 10 x 96/inserts	PK	5310
94410250	ClipTip 50, Racked, 10 x 96/rack	PK	2960
94410253	ClipTip 50, Racked, Sterile, 10 x 96/rack	PK	3920
94410257	ClipTip 50, Reload Stacks, 10 x 96/inserts	PK	2440
94410258	ClipTip 50, Reload Stacks, Sterile, 10 x 96/inserts	PK	3590
94420253	ClipTip 50, Filter, Racked, Sterile, 10 x 96/rack	PK	5630
94420258	ClipTip 50, Filter, Reload, Sterile, 10 x 96/inserts	PK	5310
94410310	ClipTip 200, Racked, 10 x 96/rack	PK	2960
94410313	ClipTip 200, Racked, Sterile, 10 x 96/rack	PK	3920
94410317	ClipTip 200, Reload Stacks, 10 x 96/inserts	PK	2440
94410318	ClipTip 200, Reload Stacks, Sterile, 10 x 96/inserts	PK	3590
94420313	ClipTip 200, Filter, Racked, Sterile, 10 x 96/rack	PK	5630
94420318	ClipTip 200, Filter, Reload, Sterile, 10 x 96/inserts	PK	5310
94410510	ClipTip 300, Racked, 10 x 96/rack	PK	2960
94410513	ClipTip 300, Racked, Sterile, 10 x 96/rack	PK	3920
94410517	ClipTip 300, Reload Stacks, 10 x 96/inserts	PK	2440
94410518	ClipTip 300, Reload Stacks, Sterile, 10 x 96/inserts	PK	3590
94420513	ClipTip 300, Filter, Racked, Sterile, 10 x 96/rack	PK	5630
94420518	ClipTip 300, Filter, Reload, Sterile, 10 x 96/inserts	PK	5310
94410710	ClipTip 1000, Racked, 8 x 96/rack	PK	3290
94410713	ClipTip 1000, Racked, Sterile, 8 x 96/rack	PK	4220
94410717	ClipTip 1000, Reload Stacks, 8 x 96/inserts	PK	2680

Cat. No.	Description	Pack	Price in ₹
94410718	ClipTip 1000, Reload Stacks, Sterile, 8 x 96/inserts	PK	3900
94420713	ClipTip 1000, Filter, Racked, Sterile, 8 x 96/rack	PK	6020
94420718	ClipTip 1000, Filter, Reload, Sterile, 8 x 96/inserts	PK	5920
Finnpipette F1			
4651000	1 $\mu$ L	Unit	7320
4651010	5 $\mu$ L	Unit	7320
4651020	10 $\mu$ L	Unit	7320
4651130	20 $\mu$ L	Unit	7320
4651030	25 $\mu$ L	Unit	7320
4651040	50 $\mu$ L	Unit	7320
4651050	100 $\mu$ L	Unit	7320
4651140	200 $\mu$ L	Unit	7320
4651060	250 $\mu$ L	Unit	7320
4651070	500 $\mu$ L	Unit	7320
4651080	1000 $\mu$ L	Unit	7320
4651090	2000 $\mu$ L	Unit	7320
4651100	3000 $\mu$ L	Unit	7320
4651110	5000 $\mu$ L	Unit	7320
4651120	10000 $\mu$ L	Unit	7320
4641010	0.2-2 $\mu$ L, micro	Unit	16070
4641020	0.5-5 $\mu$ L, micro	Unit	16070
4641030	1-10 $\mu$ L, micro	Unit	16070
4641040	1-10 $\mu$ L	Unit	16070
4641050	2-20 $\mu$ L, micro	Unit	16070
4641060	2-20 $\mu$ L	Unit	16070
4641130	5-50 $\mu$ L, micro	Unit	16070
4641140	5-50 $\mu$ L	Unit	16070
4641070	10-100 $\mu$ L	Unit	16070
4641080	20-200 $\mu$ L	Unit	16070
4641090	30-300 $\mu$ L	Unit	16070
4641100	100-1000 $\mu$ L	Unit	16070
4641110	0.5-5 mL	Unit	16070
4641120	1-10 mL	Unit	16070
4661000	1-10 $\mu$ L	Unit	40910
4661010	5-50 $\mu$ L	Unit	40910
4661020	10-100 $\mu$ L	Unit	40910
4661030	30-300 $\mu$ L	Unit	40910
4661040	1-10 $\mu$ L	Unit	43640
4661050	5-50 $\mu$ L	Unit	43640
4661060	10-100 $\mu$ L	Unit	43640
4661070	30-300 $\mu$ L	Unit	43640
4661080	1-10 $\mu$ L	Unit	61350
4661090	5-50 $\mu$ L	Unit	61350
4700850	F1 Kit 1 (1 to 1000 $\mu$ L)	Kit	42410
4700860	F1 Kit 2 (0.2 to 1000 $\mu$ L)	Kit	54750
4700865	F1 Kit 3 (10 to 10,000 $\mu$ L)	Kit	42410
4701060	F1 Kit 4 (2 to 1000 $\mu$ L)	Kit	42410

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
<b>Finnpipette F2</b>			
4652000	1 $\mu$ L	Unit	5120
4652010	5 $\mu$ L	Unit	5120
4652020	10 $\mu$ L	Unit	5120
4652130	20 $\mu$ L	Unit	5120
4652030	25 $\mu$ L	Unit	5120
4652040	50 $\mu$ L	Unit	5120
4652050	100 $\mu$ L	Unit	5120
4652140	200 $\mu$ L	Unit	5120
4652060	250 $\mu$ L	Unit	5120
4652070	500 $\mu$ L	Unit	5120
4652080	1000 $\mu$ L	Unit	5120
4652090	2000 $\mu$ L	Unit	5120
4652100	3000 $\mu$ L	Unit	5120
4652110	5000 $\mu$ L	Unit	5120
4652120	10000 $\mu$ L	Unit	5120
4642010	0.2-2 $\mu$ L, micro	Unit	10310
4642020	0.5-5 $\mu$ L, micro	Unit	10310
4642030	1-10 $\mu$ L, micro	Unit	10310
4642040	1-10 $\mu$ L	Unit	10310
4642050	2-20 $\mu$ L, micro	Unit	10310
4642060	2-20 $\mu$ L	Unit	10310
4642120	5-50 $\mu$ L, mico	Unit	10310
4642130	5- 50 $\mu$ L	Unit	10310
4642070	10-100 $\mu$ L	Unit	10310
4642080	20-200 $\mu$ L	Unit	10310
4642090	100-1000 $\mu$ L	Unit	10310
4642100	0.5-5 mL	Unit	10310
4642110	1-10 mL	Unit	10310
4662000	1-10 $\mu$ L	Unit	25950
4662010	5-50 $\mu$ L	Unit	25950
4662020	10-100 $\mu$ L	Unit	25950
4662030	30-300 $\mu$ L	Unit	25950
4662040	1-10 $\mu$ L	Unit	28180
4662050	5-50 $\mu$ L	Unit	28180
4662060	10-100 $\mu$ L	Unit	28180
4662070	30-300 $\mu$ L	Unit	28180
4662080	1-10 $\mu$ L	Unit	52430
4662090	5-50 $\mu$ L	Unit	52430
4700870	F2 Kit 1 (1 to 1000 $\mu$ L)	Unit	26870
4700880	F2 Kit 2 (0.2 to 1000 $\mu$ L)	Unit	35910
4700885	F2 Kit 3 (10 to 10,000 $\mu$ L)	Unit	26870
4701070	F2 Kit 4 (2 to 1000 $\mu$ L)	Unit	26870
<b>Finnpipette Digital Pipette (New Introduction)</b>			
4500010	0.5-10 ul, Micro	Unit	10310
4500020	0.5-10 ul	Unit	10310
4510000	0.5-10 ul, 8 MCP	Unit	25950
4510010	0.5-10 ul, 12 MCP	Unit	28180

Cat. No.	Description	Pack	Price in ₹
<b>Finnpipette F3</b>			
4640000	F3 1-10 $\mu$ l Micro	Unit	7020
4640010	F3 1-10 $\mu$ l Universal	Unit	7020
4640020	F3 2-20 $\mu$ l Micro	Unit	7020
4640030	F3 2-20 $\mu$ l Universal	Unit	7020
4640080	F3 5-50 $\mu$ l Micro	Unit	7020
4640090	F3 5-50 $\mu$ l Universal	Unit	7020
4640040	F3 10-100 $\mu$ l	Unit	7020
4640050	F3 20-200 $\mu$ l	Unit	7020
4640060	F3 100-1000 $\mu$ l	Unit	7020
4640070	F3 1-10ml	Unit	7020
4650000	F3 Fixed Volume 1 $\mu$ l Micro	Unit	4070
4650010	F3 Fixed Volume 5 $\mu$ l Micro	Unit	4070
4650020	F3 Fixed Volume 10 $\mu$ l	Unit	4070
4650090	F3 Fixed Volume 20 $\mu$ l	Unit	4070
4650030	F3 Fixed Volume 25 $\mu$ l	Unit	4070
4650040	F3 Fixed Volume 50 $\mu$ l	Unit	4070
4650050	F3 Fixed Volume 100 $\mu$ l	Unit	4070
46500100	F3 Fixed Volume 200 $\mu$ l	Unit	4070
4650060	F3 Fixed Volume 250 $\mu$ l	Unit	4070
4650070	F3 Fixed Volume 500 $\mu$ l	Unit	4070
4650080	F3 Fixed Volume 1000 $\mu$ l	Unit	4070
<b>NABL Precalibrated F2 and F3 Pipettes</b>			
4642030-N	Finnpipette F2 1-10 $\mu$ l $\mu$ Tip	Unit	10710
4642040-N	Finnpipette F2 1-10 $\mu$ l	Unit	10710
4642050-N	Finnpipette F2 2-20 $\mu$ l $\mu$ Tip	Unit	10710
4642060-N	Finnpipette F2 2-20 $\mu$ l	Unit	10710
4642120-N	Finnpipette F2 5-50 $\mu$ l $\mu$ Tip	Unit	10710
4642130-N	Finnpipette F2 5-50 $\mu$ l	Unit	10710
4642070-N	Finnpipette F2 10-100 $\mu$ l	Unit	10710
4642080-N	Finnpipette F2 20-200 $\mu$ l	Unit	10710
4642090-N	Finnpipette F2 100-1000 $\mu$ l	Unit	10710
4642100-N	Finnpipette F2 0,5-5 ml	Unit	10710
4642110-N	Finnpipette F2 1-10 ml	Unit	10710
4652000-N	Finnpipette F2 Fix. Vol. 1 $\mu$ l $\mu$ Tip	Unit	5460
4652010-N	Finnpipette F2 Fix. Vol. 5 $\mu$ l $\mu$ Tip	Unit	5460
4652020-N	Finnpipette F2 Fix. Vol. 10 $\mu$ l	Unit	5460
4652030-N	Finnpipette F2 Fix. Vol. 25 $\mu$ l	Unit	5460
4652040-N	Finnpipette F2 Fix. Vol. 50 $\mu$ l	Unit	5460
4652050-N	Finnpipette F2 Fix. Vol. 100 $\mu$ l	Unit	5460
4652060-N	Finnpipette F2 Fix. Vol. 250 $\mu$ l	Unit	5460
4652070-N	Finnpipette F2 Fix. Vol. 500 $\mu$ l	Unit	5460
4652080-N	Finnpipette F2 Fix. Vol. 1000 $\mu$ l	Unit	5460
4652090-N	Finnpipette F2 Fix. Vol. 2ml	Unit	5460
4652100-N	Finnpipette F2 Fix. Vol. 3ml	Unit	5460
4652110-N	Finnpipette F2 Fix. Vol. 5ml	Unit	5460
4652120-N	Finnpipette F2 Fix. Vol. 10ml	Unit	5460
4652130-N	Finnpipette F2 Fix. Vol. 20 $\mu$ l	Unit	5460
4652140-N	Finnpipette F2 Fix. Vol. 200 $\mu$ l	Unit	5460
4662000-N	Finnpipette F2 8-ch. 1-10 $\mu$ l	Unit	26970
4662010-N	Finnpipette F2 8-ch. 5-50 $\mu$ l	Unit	26970
4662020-N	Finnpipette F2 8-ch. 10-100 $\mu$ l	Unit	26970

PK - Pack  
EA - Each

## Liquid Handling Consumables

Cat. No.	Description	Pack	Price in ₹
4662030-N	Finnpipette F2 8-ch. 30-300 $\mu$ l	Unit	26970
4662040-N	Finnpipette F2 12-ch. 1-10 $\mu$ l	Unit	29290
4662050-N	Finnpipette F2 12-ch. 5-50 $\mu$ l	Unit	29290
4662060-N	Finnpipette F2 12-ch. 10-100 $\mu$ l	Unit	29290
4662070-N	Finnpipette F2 12-ch. 30-300 $\mu$ l	Unit	29290
4640000-N	F3 1-10 $\mu$ l micro	Unit	7430
4640010-N	F3 1-10 $\mu$ l UNIV	Unit	7430
4640020-N	F3 2-20 $\mu$ l	Unit	7430
4640030-N	F3 2-20 $\mu$ l UNIV	Unit	7430
4640040-N	F3 10-100 $\mu$ l	Unit	7430
4640050-N	F3 20-200 $\mu$ l	Unit	7430
4640060-N	F3 100-1000 $\mu$ l	Unit	7430
4640070-N	F3 1-10ml	Unit	7430
4640080-N	F3 5-50 $\mu$ l Micr	Unit	7430
4640090-N	F3 5-50 $\mu$ l	Unit	7430
4640100-N	F3 0.5 -5 mL	Unit	7430
4650000-N	F3 - 1 $\mu$ l Micro	Unit	4450
4650010-N	F3 - 5 $\mu$ l Micro	Unit	4450
4650020-N	F3 - 10 $\mu$ l	Unit	4450
4650030-N	F3 - 25 $\mu$ l	Unit	4450
4650040-N	F3 - 50 $\mu$ l	Unit	4450
4650050-N	F3 - 100 $\mu$ l	Unit	4450
4650060-N	F3 - 250 $\mu$ l	Unit	4450
4650070-N	F3 - 500 $\mu$ l	Unit	4450
4650080-N	F3 - 1000 $\mu$ l	Unit	4450
4650090-N	F3 - 20 $\mu$ l	Unit	4450
4650100-N	F3 - 200 $\mu$ l	Unit	4450
<b>Finnpipette Stepper</b>			
4540000	Finnpipette Stepper	Unit	10650
9420300	Stepper Adaptor (10/Box)	Unit	2860
9404170	Finntip Stepper, 0.5 mL	100/box	3810
9404173	Finntip Stepper, 0.5 mL, sterile	50/box	5420
9404180	Finntip Stepper, 1.25 mL	100/box	3980
9404183	Finntip Stepper, 1.25 mL, sterile	50/box	5460
9404190	Finntip Stepper, 2.25 mL	100/box	3080
9404193	Finntip Stepper, 2.25 mL, sterile	50/box	5500
9404200	Finntip Stepper, 5.0 mL	50/box	2170
9404203	Finntip Stepper, 5.0 mL, sterile	25/box	2240
9404210	Finntip Stepper, 12.5 mL	50/box	2360
9404213	Finntip Stepper, 12.5 mL, sterile	25/box	2580
9404220	Finntip Stepper, 25 mL	20/box	1120
9404223	Finntip Stepper, 25 mL, sterile	10/box	1460
9404230	Finntip Stepper, 50 mL	10/box	880
9404233	Finntip Stepper, 50 mL, sterile	10/box	1490
4540-500	Handle and Module	Unit	56760
2206-590	8-Channel Module Only	Unit	36050
9401300	Finntip Multistep	400/box	1960
9401330	Finntip Multistep	10 $\times$ 96/rack	6700
9401333	Finntip Multistep, sterile	10 $\times$ 96/rack	8860

Cat. No.	Description	Pack	Price in ₹
<b>Finnpipette Novus</b>			
46200000	1-10 $\mu$ L micro	Unit	33110
46200100	1-10 $\mu$ L	Unit	33110
46200200	5-50 $\mu$ L micro	Unit	33110
46200300	5-50 $\mu$ L	Unit	33110
46200400	10-100 $\mu$ L	Unit	33110
46200500	30-300 $\mu$ L	Unit	33110
46200600	100-1000 $\mu$ L	Unit	33110
46200700	0.5-5 mL	Unit	33110
46200800	1-10 mL	Unit	33110
46300000	1-10 $\mu$ L	Unit	56150
46300200	5-50 $\mu$ L	Unit	56150
46300400	30-300 $\mu$ L	Unit	56150
46300800	100-1200 $\mu$ L	Unit	68180
46300100	1-10 $\mu$ L	Unit	60640
46300300	5-50 $\mu$ L	Unit	60640
46300500	30-300 $\mu$ L	Unit	60640
46300700	5-50 $\mu$ L	Unit	63670
4700470	GLP Novus Kit 1 (10-100 $\mu$ l)	Unit	58730
4700490	GLP Novus Kit 2 (100-5000 $\mu$ l)	Unit	58730
4701120	GLP Novus Kit 3 (1-1000 $\mu$ l)	Unit	88710
4701130	GLP Novus Kit 4 (10-10000 $\mu$ l)	Unit	88710
<b>Finnpipette Dispensor</b>			
4421120	Range: 0.2-1.0 mL	Unit	21150
4421130	Range: 0.4-2.0 mL	Unit	21150
4421140	Range: 1-5 mL	Unit	21150
4421150	Range: 2-10 mL	Unit	21150
4421160	Range: 5-30 mL	Unit	29820
4421170	Range: 10-60 mL	Unit	31170
4421260	Bottle Adapters A25 & A38 (one of each)	2/Unit	3450
4421270	Extended Suction Tube, 0,2-10 mL	Unit	2700
4421280	Extended Suction Tube, 5-60 mL	Unit	2700
4421290	Extended Discharge Tubing, 0,2-10 mL	Unit	7100
4421300	Extended Discharge Tubing, 5-60 mL	Unit	7780
9420400	F-Stand, Linear Stand, white, 6 positions	Unit	2980
9420390	Multichannel Pipetter Stand, 1 position	Unit	1200
9420290	Pipette Stand, gray, for 6 pipetters	Unit	4180
9420340	Carousel Stand, for 6 manual or 3 electronic pipetters, including cover	Unit	8930
9420360	Novus Single Pipetter Stand	Unit	4180
<b>Serological Pipette Filler</b>			
9531	Matrix Serological Pipet Filler, Red	Unit	22500
9541	Matrix Serological Pipet Filler, Green	Unit	22500
9501	Matrix Serological Pipet Filler, White	Unit	22500
9511	Matrix Serological Pipet Filler, Clear	Unit	22500
9521	Matrix Serological Pipet Filler, Blue	Unit	22500
9066	Single Pipette Filler Wall-mounted Holder	Unit	1277
9067	Single Pipette Table Stand	Unit	2045

PK - Pack  
EA - Each

## Liquid Handling Consumables

Cat. No.	Description	Pack	Price in ₹
9069	Wing Stand for Serological Pipette Filler	Unit	649
9057	Hydrophobic Filters, 0.45 µm	25 per case	11027
9064	Nosepiece (holder, gripper, filter)	Unit	1526
9065-11	Silicone Pipette Gripper	4 per case	4036
9070	1 mL Pipette Support	Unit	952
<b>Finntips</b>			
9400310	Finntip 10	1000/bag	2230
9400300	Finntip 10	10 × 96/rack	3440
9400303	Finntip 10 sterile	10 × 96/rack	5820
9400326	Finntip 10 refill starter kit	4 × 192/rack + 10 × 192/refill	8500
9400327	Finntip 10 refill	20 × 192/refill	12000
9400620	Finntip 20	1000/bag	1510
9400610	Finntip 20	10 × 384/rack	9110
9400613	Finntip 20 sterile	10 × 384/rack	9490
9400360	Finntip 50	1000/bag	2510
9400370	Finntip 50	10 × 384/rack	10780
9400373	Finntip 50 sterile	10 × 384/rack	12560
9400250	Finntip 250 Universal	500/box	890
9400230	Finntip 250 Universal	1000/bag	1170
9400220	Finntip 250 Universal	20,000/bulk	26360
9400260	Finntip 250 Universal	10 × 96/rack	2710
9400263	Finntip 250 Universal sterile	10 × 96/rack	4520
9400266	Finntip 250 Universal refill starter kit	4 × 96/rack + 10 × 96/refill	3110
9400267	Finntip 250 Universal refill	20 × 96/refill	4200
9401240	Finntip 300	20,000/bulk	28270
9401250	Finntip 300	10 × 96/rack	2980
9401253	Finntip 300 sterile	10 × 96/rack	4660
9401255	Finntip 300 refill	20 × 96/refill	4910
9401260	Finntip 300	1000/bag	1700
9401030	Finntip 1000	1000/bag	1830
9401010	Finntip 1000	10,000/bulk	21950
9401070	Finntip 1000	200/box	730
9401110	Finntip 1000	10 × 96/rack	4060
9401113	Finntip 1000 sterile	10 × 96/rack	7100
9401115	Finntip 1000 refill	10 × 96/refill	4300
9402050	Finntip 5 mL	75/box	800
9402030	Finntip 5 mL	500/bag	2710
9402010	Finntip 5 mL	3000/bulk	14810
9402070	Finntip 5 mL	5 × 54/rack	3590
9402073	Finntip 5 mL sterile	5 × 54/rack	5780
9402150	Finntip 10 mL	40/box	710
9402151	Finntip 10 mL	100/bag	1120
9402160	Finntip 10 mL	5 × 24/rack	3050
9402163	Finntip 10 mL sterile	5 × 24/rack	5160
9400100	Finntip 200 Ext	400/box	2630
9400130	Finntip 200 Ext	10 × 96/rack	5200
9400133	Finntip 200 Ext sterile	10 × 96/rack	9180
9401410	Finntip 1000 Ext	1000/bag	3380
9401420	Finntip 1000 Ext	5 × 96/rack	4690

Cat. No.	Description	Pack	Price in ₹
9401423	Finntip 1000 Ext sterile	5 × 96/rack	5280
94060970	Finntip Flex 10 mL Ext	100/bag	5330
9405020	Finntip 250 Wide	1000/bag	3330
9405120	Finntip 250 Wide	10 × 96/rack	7640
9405123	Finntip 250 Wide sterile	10 × 96/rack	9290
9405050	Finntip 1000 Wide	400/bag	1880
9405060	Finntip 1000 Wide	6500/bulk	20990
9405160	Finntip 1000 Wide	10 × 96/rack	6510
9405163	Finntip 1000 Wide sterile	10 × 96/rack	8520
94053100	Finntip BioCon 10	100/box	2940
94053200	Finntip BioCon 250	100/box	2940
94053300	Finntip BioCon 1000	50/box	2600
94052000	Finntip Filter Micro 10 µL, sterile	10 × 96/rack	6340
94052100	Finntip Filter 10 µL, sterile	10 × 96/rack	8830
94052020	Finntip Filter Micro 20 µL, sterile	10 × 384/rack	16650
94052150	Finntip Filter 20 µL, sterile	10 × 96/rack	8830
94052060	Finntip Filter Micro 50 µL, sterile	10 × 384/rack	20590
94052200	Finntip Filter 100 µL, sterile	10 × 96/rack	6020
94052310	Finntip Filter 100 µL Ext, sterile	10 × 96/rack	9720
94052300	Finntip Filter 200 µL, sterile	10 × 96/rack	7600
94052320	Finntip Filter 200 µL Ext, sterile	10 × 96/rack	9500
94052350	Finntip Filter 300 µL, sterile	10 × 96/rack	6770
94052410	Finntip Filter 1000 µL, sterile	10 × 96/rack	9210
94052430	Finntip Filter 1000 µL Ext, sterile	5 × 96/rack	7720
94052550	Finntip Filter 5 mL, sterile	5 × 54/rack	6560
94052600	Finntip Filter 10 mL, sterile	5 × 24/rack	5990
<b>Finntip Flex</b>			
94060120	Finntip Flex 10	1000/bag	1340
94060100	Finntip Flex 10	10 × 96/rack	5270
94060103	Finntip Flex 10 sterile	10 × 96/rack	6120
94060116	Finntip Flex 10 refill starter kit	1 × 96/rack + 20 × 96/refill	9120
94060117	Finntip Flex 10 refill kit	20 × 96/refill	6990
94060320	Finntip Flex 200	1000/bag	2170
94060310	Finntip Flex 200	10 × 96/rack	5400
94060313	Finntip Flex 200 sterile	10 × 96/rack	7390
94060316	Finntip Flex 200 refill starter kit	1 × 96/rack + 20 × 96/refill	8200
94060317	Finntip Flex 200 refill	20 × 96/refill	9020
94060520	Finntip Flex 300	1000/bag	4730
94060510	Finntip Flex 300	10 × 96/rack	5400
94060513	Finntip Flex 300 sterile	10 × 96/rack	10340
94060516	Finntip Flex 300 refill starter kit	1 × 96/rack + 20 × 96/refill	9910
94060517	Finntip Flex 300 refill	20 × 96/refill	8100
94060720	Finntip Flex 1000	1000/bag	6750
94060710	Finntip Flex 1000	10 × 96/rack	8560
94060713	Finntip Flex 1000 sterile	10 × 96/rack	10220
94060716	Finntip Flex 1000 refill starter kit	1 × 96/rack + 16 × 96/refill	12740
94060717	Finntip Flex 1000 refill	16 × 96/refill	9310
94060820	Finntip Flex 1200	1000/bag	3530
94060810	Finntip Flex 1200	10 × 96/rack	9580
94060813	Finntip Flex 1200 sterile	10 × 96/rack	9080
94060816	Finntip Flex 1200 refill starter kit	1 × 96/rack + 16 × 96/refill	12360
94060817	Finntip Flex 1200 refill	16 × 96/refill	8600

PK - Pack  
EA - Each



## Liquid Handling Consumables

Cat. No.	Description	Pack	Price in ₹
94060970	Finntip Flex 10 mL Ext	100/bag	5330
94056510	Finntip Flex Filter 30 $\mu$ L, sterile	10 $\times$ 96/rack	10560
94056520	Finntip Flex Filter 100 $\mu$ L, sterile	10 $\times$ 96/rack	10560
94056380	Finntip Flex Filter 200 $\mu$ L, sterile	10 $\times$ 96/rack	12700
94056580	Finntip Flex Filter 300 $\mu$ L, sterile	10 $\times$ 96/rack	11310
94056710	Finntip Flex Filter 1000 $\mu$ L, sterile	10 $\times$ 96/rack	15200
94056810	Finntip Flex Filter 1200 $\mu$ L, sterile	10 $\times$ 96/rack	12180
94056970	Finntip Flex Filter 10 mL Ext, sterile	50/bag	4560
9510027	Reagent Basin, 60 mL	5/Box	830
9510037	Reservoir, 8-well, 10 mL	10/Box	1430
9510047	Reservoir, 1-well, 100 ML	10/Box	1430
<b>Matrix Tips</b>			
7610	10 $\mu$ L Tip	1000/bag	3420
7611	10 $\mu$ L Tip	10 $\times$ 96/rack	8084
7612-11	10 $\mu$ L Tip, sterile	10 $\times$ 96/rack	7532
7421	12.5 $\mu$ L 384 Tip	10 $\times$ 384/rack	30830
7422	12.5 $\mu$ L 384 Tip, sterile	10 $\times$ 384/rack	34326
7620	20 $\mu$ L Tip	1000 tips/bag	2889
7621	20 $\mu$ L Tip	10 $\times$ 96/rack	13061
7431	30 $\mu$ L 384 Tip	10 $\times$ 384/rack	28082
7432	30 $\mu$ L 384 Tip, sterile	10 $\times$ 384/rack	30159
7441	125 $\mu$ L 384 Tip	10 $\times$ 384/rack	30830
7442	125 $\mu$ L 384 Tip, sterile	10 $\times$ 384/rack	33417
7250	250 $\mu$ L Tip	1000 tips/bag	3084
7151	250 $\mu$ L Tip	10 $\times$ 96/rack	5703
7152	250 $\mu$ L Tip, sterile	10 $\times$ 96/rack	6363
7156	250 $\mu$ L ECOTIPS	10 $\times$ 96/refill	5173
7320	300 $\mu$ L Tip	1000 tips/bag	4242
7321-11	300 $\mu$ L Tip	10 $\times$ 96/rack	6872
7322	300 $\mu$ L Tip, sterile	10 $\times$ 96/rack	7326
8050	1250 $\mu$ L Tip	500 tips/bag	3723
8041-11	1250 $\mu$ L Tip	10 $\times$ 96/rack	14198
8042	1250 $\mu$ L Tip, sterile	10 $\times$ 96/rack	8884
8046	1250 $\mu$ L ECOTIPS	10 $\times$ 96/refill	7662
7600	30 $\mu$ L TallTip	1000/bag	4242
7631	30 $\mu$ L TallTip	10 $\times$ 96/rack	6763
7632	30 $\mu$ L TallTip, sterile	10 $\times$ 96/rack	7618
7280	250 $\mu$ L TallTip	500/bag	2251
7281	250 $\mu$ L TallTip	10 $\times$ 96/rack	6233
7282	250 $\mu$ L TallTip, sterile	10 $\times$ 96/rack	6893
7080	300 $\mu$ L TallTip	500/bag	4145
7081	300 $\mu$ L TallTip	10 $\times$ 96/rack	8949
7082	300 $\mu$ L TallTip, sterile	10 $\times$ 96/rack	10107
8250	1250 $\mu$ L TallTip	500/bag	2835
8241-11	1250 $\mu$ L TallTip	10 $\times$ 96/rack	7597
8242-11	1250 $\mu$ L TallTip, sterile	10 $\times$ 96/rack	7434
8246	1250 $\mu$ L TallTip ECOTIPS	10 $\times$ 96/refill	7012
7615	10 $\mu$ L Filter Tip, sterile	10 $\times$ 96/rack	9999
7425-11	12.5 $\mu$ L 384 Filter Tip, sterile	10 $\times$ 384/rack	35289
7155	30 $\mu$ L Filter Tip, sterile	10 $\times$ 96/rack	10518
7435	30 $\mu$ L 384 Filter Tip, sterile	10 $\times$ 384/rack	43556

Cat. No.	Description	Pack	Price in ₹
7445	125 µL 384 Filter Tip, sterile	10 × 384/rack	43556
7275	200 µL Filter Tip, sterile	10 × 96/rack	12434
7325	250 µL Filter Tip, sterile	10 × 96/rack	10345
8045	1250 µL Filter Tip, sterile	10 × 96/rack	11222
7635	12.5 µL TallTip Filter Tip, sterile	10 × 96/rack	10334
7285	200 µL TallTip Filter Tip, sterile	10 × 96/rack	11005
7085	250 µL TallTip Filter Tip, sterile	10 × 96/rack	10757
8245	1250 µL TallTip Filter Tip, sterile	10 × 96/rack	10497
<b>Matrix Regent Reservoir</b>			
8093-11	25 mL	10 Bags of 10	5595
8094	25 mL	Indiv. wrapped	5692
8095	25 mL, with divider	10 Bags of 10	5952
8096-11	25 mL, with divider	50 Indiv. wrapped	5833
8085	100 mL	10 Bags of 10	5973
8086	100 mL	50 Indiv. wrapped	5757
8075	75 mL, without divider	10 per case	5043
8076	75 mL	10 per case	2078
<b>Thermo Fisher QSP Tips and MCT</b>			
104-Q	10, Ultra Micro	1000 Tips per Bag	714
T104R-Q	10, Ultra Micro	10 Racks per Pack	2034
T104RS-Q	10, Ultra Micro	10 Racks per Pack	2337
TF104-10-Q	10, Ultra Micro	10 Racks per Pack	4523
T104RL-Q	10, Ultra Micro	10 Racks per Pack	1840
T104RLS-Q	10, Ultra Micro	10 Racks per Pack	2164
TF113-20-Q	20µl, Beveled	10 Racks per Pack	3788
TF113-100-Q	100µl, Beveled	10 Racks per Pack	3788
110-B-Q	200, Beveled	1000 Tips per Bag	509
110-BN-Q	200, Beveled	1000 Tips per Bag	519
T110BR-Q	200, Beveled	10 Racks per Pack	2034
T110BRS-Q	200, Beveled	10 Racks per Pack	2337
T110BRN-Q	200, Beveled	10 Racks per Pack	2034
T110BRL-Q	200, Beveled	10 Racks per Pack	1840
T110BRLN-Q	200, Beveled	10 Racks per Pack	1840
T110BRLS-Q	200, Beveled	10 Racks per Pack	2164
T110BRLNS-Q	200, Beveled	10 Racks per Pack	2164
113-G-Q	Bulk, Graduated, Yellow, 200 ul	1000 Tips per Bag	866
113-GN-Q	Bulk, Graduated, Neutral, 200 ul	1000 Tips per Bag	855
T113R-Q	Racked, Graduated, yellow, 200 ul	10 Racks per Pack	2484
T113RN-Q	Racked, Graduated, Neutral, 200 ul	10 Racks per Pack	2478
TF140-200-Q	Racked, Graduated, Neutral, 200 ul Filtered	10 Racks per Pack	3788
114-Q	20 ul, Bulk, Natural, Crystal Clear	1000 Tips per Bag	887
T114R-Q	20 ul, Natural, racked, non sterile	10 Racks per Pack	2478
T114RS-Q	20 ul, Natural, Racked, sterile	10 Racks per Pack	2651
106-Q	Bulk, 300 ul	1000 Tips per Bag	1299
112NXL-Q	1250 ul, Neutral	1000 Tips per Bag	812
112XL-Q	1250 ul, Blue	1000 Tips per Bag	703
TF112-1000-Q	1000µl, Beveled	10 Racks per Pack	3788
T112NXLRL-Q	1250, Extended Length	10 Racks per Pack	2273
T112XLRL-Q	1250, Extended Length	10 Racks per Pack	2273
T112NXLRLS-Q	1250, Extended Length, Reload	10 Racks per Pack	2489
T112XLRLS-Q	1250, Extended Length	10 Racks per Pack	2489
T112XLRL-Q	1250, Blue	10 Racks per Pack	2684

PK - Pack  
EA - Each

## Liquid Handling Consumables

Cat. No.	Description	Pack	Price in ₹
T112XLR-Q	1250, Blue	10 Racks per Pack	2770
T112NXL-Q	1250 XL, Graduated, Non sterile	10 Racks per Pack	2814
T112NXL-Q	1250 XL, Graduated,sterile	10 Racks per Pack	3106
T10ER-Q	10-20µl Empty Reload Rack	10 Racks per Pack	1327
T10ERINSERT-Q	10-20µl Empty Rack W/Insert	10 Racks per Pack	1504
T200ER-Q	200-300µl Empty Reload Rack	10 Racks per Pack	1342
T200ERINSERT-Q	200-300µl Empty Rack W/Insert	10 Racks per Pack	1504
T1000ER-Q	1250µl Empty Reload Rack	10 Racks per Pack	1450
T1000ERINSERT-Q	1250µl Empty Rack With Insert	10 Racks per Pack	1818
502-GRD-Q	0.6ml MCT Graduated	1000 units Per Bag	595
508-GRD-Q	2.0ml MCT Graduated	500 units per Bag	433
509-GRD-Q	1.5ml MCT Graduated	500 units per Bag	379
<b>Thermo Fisher ART Barrier/ Non Filter Tips</b>			
3500	HLT 10 MICROPOINT BULK NST	1000 tips per PACK	1299
3500-05	10 ul, low retention	1000 tips per PACK	1602
3501-HR	10 ul, pure tips, racked sterile	96 Tips/Tray, 10 Trays/Pack,	4004
3501-RT	10 ul, Reload Tower, sterile	96 Tips/Tray, 10 Trays/Pack,	3463
3501-05-HR	10 ul, pure tips, racked sterile, Low retention	96 Tips/Tray, 10 Trays/Pack,	5032
3501-05-RT	10 ul, pure tips, reload tower, sterile, Low retention	96 Tips/Tray, 10 Trays/Pack,	4599
3502	HLT 10 MICROPOINT RACKED NST	96 Tips/Tray, 10 Trays/Pack,	4026
3502-HR	Hinged Racked, Non-Sterile, 10µl pipette tips	96 Tips/Tray, 10 Trays/Pack,	4026
3502-RT	Reload Tower, Non-Sterile, 10µl pipette tips	96 Tips/Tray, 10 Trays/Pack,	3463
3502-05-HR	Hinged Racked, Non-Sterile, 10µl pipette tips, Low retention	96 Tips/Tray, 10 Trays/Pack,	4361
3502-05-RT	reload Tower, Non-Sterile, 10µl pipette tips, Low retention	96 Tips/Tray, 10 Trays/Pack,	3896
3520	HLT ULTRA MICRO 20UL BULK NST	1000 tips per PACK	1493
3521	HLT ULTRA MICRO 20UL RCKED ST	96 Tips/Tray, 10 Trays/Pack,	4697
3521-HR	Ultra micro, 20 ul, sterile, Hinge racked	96 Tips/Tray, 10 Trays/Pack,	3788
3521-RT	Ultra micro, 20 ul, sterile, Reload Tower	96 Tips/Tray, 10 Trays/Pack,	3463
3521-05-HR	Ultra micro, 20 ul, sterile, Hinge racked, Low retention	96 Tips/Tray, 10 Trays/Pack,	4545
3521-05-RT	Ultra micro, 20 ul, sterile, reload Tower, Low retention	96 Tips/Tray, 10 Trays/Pack,	4004
3522	HLT ULTRA MICRO 20UL RCKED NST	96 Tips/Tray, 10 Trays/Pack,	4026
3522-HR	Ultra Micro 20 ul Racked Non Sterile	96 Tips/Tray, 10 Trays/Pack,	4026
3522-RT	Ultra Micro 20 ul Reload Tower Non Sterile	96 Tips/Tray, 10 Trays/Pack,	3463
3522-05-HR	Ultra Micro 20 ul Racked Non Sterile, Low retention	96 Tips/Tray, 10 Trays/Pack,	4361
3522-05-RT	Ultra Micro 20 ul Reload Tower Non Sterile, Low retention	96 Tips/Tray, 10 Trays/Pack,	3896
3550	HLT 250 THINWALL CLR BULK NST	1000 tips per PACK	1807
3551	HLT 250 THINWALL CLR RKD ST	96 Tips/Tray, 10 Trays/Pack,	3971
3551-05	HLT 250 ul Thinwall, racked, Sterile,Low retention	96 Tips/Tray, 10 Trays/Pack,	3712
3551-HR	HLT 250 ul Thinwall, racked, Sterile	96 Tips/Tray, 10 Trays/Pack,	3971
3551-RT	HLT 250 ul Thinwall, reload tower, Sterile	96 Tips/Tray, 10 Trays/Pack,	3322
3551-05-HR	HLT 250 ul Thinwall, racked, Sterile,Low retention	96 Tips/Tray, 10 Trays/Pack,	3712
3551-05-RT	HLT 250 ul Thinwall, reload tower, Sterile, Low retention	96 Tips/Tray, 10 Trays/Pack,	3387
3552	HLT 250 ul Thinwall, racked, Non sterile	96 Tips/Tray, 10 Trays/Pack,	3236
3552-HR	HLT 250 ul Thinwall, racked, Sterile	96 Tips/Tray, 10 Trays/Pack,	3236
3552-RT	HLT 250 ul Thinwall, reload tower, Sterile	96 Tips/Tray, 10 Trays/Pack,	2911
3552-05-HR	HLT 250 ul Thinwall, racked, Sterile,Low retention	96 Tips/Tray, 10 Trays/Pack,	3030
3552-05-RT	HLT 250 ul Thinwall, reload tower, Sterile, Low retention	96 Tips/Tray, 10 Trays/Pack,	2814
3561	PURE 300E	96 Tips/Tray, 10 Trays/Pack,	4686
3562	MBP 300E	96 Tips/Tray, 10 Trays/Pack,	4361
3570	HLT TITERTEK 300 GRD BULK NST	1000 tips per PACK	1472
3571	HLT TITERTEK 300 GRD RACKED ST	96 Tips/Tray, 10 Trays/Pack,	3744
3572	HLT TITERTEK 300 GRD RCKED NST	96 Tips/Tray, 10 Trays/Pack,	3355

Cat. No.	Description	Pack	Price in ₹
3771	HLT 300U SOFTFIT RACKED ST	96 Tips/Tray, 10 Trays/Pack,	4026
3771-05	PURE 300U	96 Tips/Tray, 10 Trays/Pack,	4686
3771-HR	300 UL, Racked, sterile	96 Tips/Tray, 10 Trays/Pack,	4026
3771-RT	300 ul, reload Tower	96 Tips/Tray, 10 Trays/Pack,	3463
3771-05-HR	300 UL, Racked, sterile, Low retention	96 Tips/Tray, 10 Trays/Pack,	4350
3771-05-RT	300 ul, Reload tower, Sterile, low retention	96 Tips/Tray, 10 Trays/Pack,	4026
3772-B	300 ul, Bulk, Non sterile	1000 tips per PACK	1472
3772-05-B	300 ul, Bulk, Non sterile, Low retention	1000 tips per PACK	1688
3772-HR	300 ul, Racked, non sterile	96 Tips/Tray, 10 Trays/Pack,	3463
3772-RT	300 ul, Reload Towers, non sterile	96 Tips/Tray, 10 Trays/Pack,	3355
3772-05-HR	300 ul, Racked, non sterile, Low retention	96 Tips/Tray, 10 Trays/Pack,	4004
3772-05-RT	300 ul, Reload Towers, non sterile, Non sterile	96 Tips/Tray, 10 Trays/Pack,	3571
3581	HLT 1000 SOFTFIT RACKED ST	96 Tips/Tray, 8 Trays/Pack,	3831
3581-05	HLT 1000 SOFTFIT RACKED LR ST	96 Tips/Tray, 8 Trays/Pack,	4036
3582	HLT 1000 SOFTFIT RACKED NST	96 Tips/Tray, 8 Trays/Pack,	3495
3590	HLT 1000G GENOMIC BULK NST	1000 tips per PACK	1688
3101-HR	Hinged Racked, Sterile, 1000µl pipette tips	96 Tips/Tray, 8 Trays/Pack,	3831
3101-RT	Reload Tower, Sterile, 1000µl pipette tips	56 Tips per Tray, 10 tray per pack	3506
3101-05-HR	Hinged Racked, Sterile, 1000µl pipette tips, Low retention	96 Tips/Tray, 8 Trays/Pack,	4036
3101-05-RT	Reload Tower, Sterile, 1000µl pipette tips, Low retention	56 Tips per Tray, 10 tray per pack	3712
3102-HR	Hinged Racked, Non Sterile, 1000µl pipette tips	96 Tips/Tray, 8 Trays/Pack,	3030
3102-RT	Reload Tower, Non Sterile, 1000µl pipette tips	96 Tips/Tray, 10 Trays/Pack,	3138
3102-05-HR	Hinged Racked, Non Sterile, 1000µl pipette tips, Low retention	96 Tips/Tray, 8 Trays/Pack,	3246
3102-05-RT	Reload Tower, Non Sterile, 1000µl pipette tips, Low retention	96 Tips/Tray, 10 Trays/Pack,	2467
2139	ART 10 MICROPOINT RACKED ST	96 Tips/Tray, 10 Trays/Pack,	4426
2139B	ART 10 MICROPOINT BULK NST	1000 tips per PACK	3182
2139-HR	ART 10 HINGED RACK ST	96 Tips/Tray, 10 Trays/Pack,	4816
2139-RI	ART 10 RELOAD INSERTS ST	96 Tips/Tray, 10 Trays/Pack,	3896
2139-RT	ART Reload Tower sterile	96 Tips/Tray, 10 Trays/Pack,	3896
2139F	ART 10F MICROPOINT RACKED ST	96 Tips/Tray, 10 Trays/Pack,	6179
2139F-05	ART 10F LR RACKED ST	96 Tips/Tray, 10 Trays/Pack,	7878
2139-05	ART 10 LR MICRO TIP RACKED ST	96 Tips/Tray, 10 Trays/Pack,	7878
2139-05-HR	ART 10 LR HINGED RACK ST	96 Tips/Tray, 10 Trays/Pack,	8776
2139-05-RT	ART 10LR Reload Tower	96 Tips/Tray, 10 Trays/Pack,	6060
2149	ART 20UL PIPET TIP RACKED ST	96 Tips/Tray, 10 Trays/Pack,	4426
2149E	ART20E 10UL ULTRAMICRO RCKD ST	96 Tips/Tray, 10 Trays/Pack,	6179
2149EB	ART 20E ULTRAMICRO BULK NST	1000 tips per PACK	3182
2149E-HR	ART 20E HINGED RACK ST	96 Tips/Tray, 10 Trays/Pack,	6991
2149E-RI	ART 20E RELOAD INSERTS ST	96 Tips/Tray, 10 Trays/Pack,	6504
2149P	ART 20P MICROPOINT DESIGN ST	96 Tips/Tray, 10 Trays/Pack,	4556
2149PB	ART 20P MICROPOINT BULK NST	1000 tips per bag	3182
2149P-HR	ART 20P HINGED RACK ST	96 Tips/Tray, 10 Trays/Pack,	4816
2149P-RT	ART20P Reload Tower	96 Tips/Tray, 10 Trays/Pack,	3896
2149PIW	ART 20P IND.WRP MICROPOINT ST	500 tips per bag	7478
2149P-05	ART 20P LR RACKED ST	96 Tips/Tray, 10 Trays/Pack,	7878
2149P-05-HR	ART 20P LR HINGED RACK ST	96 Tips/Tray, 10 Trays/Pack,	7088
2149P-05-RT	ART 20P LR Reload Tower	96 Tips/Tray, 10 Trays/Pack,	6060
2149E-05-HR	ART 20E LR HINGED RACK ST	96 Tips/Tray, 10 Trays/Pack,	4404
2149E-05-RI	ART 20E LR RELOADS INSERTS ST	96 Tips/Tray, 10 Trays/Pack,	5075
2780	ART 50U SOFTFIT MLTICHANEL ST	96 Tips/Tray, 10 Trays/Pack,	4426
2065	ART 100 RACKED MICROPOINT ST	96 Tips/Tray, 10 Trays/Pack,	4426
2065-HR	ART 100 HINGED RACK ST	96 Tips/Tray, 10 Trays/Pack,	4816
2065-RI	ART 100 RELOAD INSERTS ST	96 Tips/Tray, 10 Trays/Pack,	3896

PK - Pack  
EA - Each

## Liquid Handling Consumables

Cat. No.	Description	Pack	Price in ₹
2065E	ART 100E RACKED MICROPOINT ST	96 Tips/Tray, 10 Trays/Pack,	7478
2065EB	ART 100E MICROPOINT BULK NST	10 Tips Per Pack	6504
2065E-HR	ART 100E HINGED RACK ST	96 Tips/Tray, 10 Trays/Pack,	8311
2065E-RI	ART 100E RELOAD INSERTS ST	96 Tips/Tray, 10 Trays/Pack,	7878
2065E-05	ART 100E Low retention	96 Tips/Tray, 10 Trays/Pack,	7878
2065E-05-HR	ART 100E LR HINGED RACK	96 Tips/Tray, 10 Trays/Pack,	8776
2065E-05-RI	ART 100E LR RELOAD INSERTS ST	96 Tips/Tray, 10 Trays/Pack,	8322
2069	ART 200 MICROPOINT RACKED ST	96 Tips/Tray, 10 Trays/Pack,	4426
2069B	ART 200 BULK NST MICROPOINT	1000 Tips per PACK	3182
2069-HR	ART 200 HINGED RACK ST	96 Tips/Tray, 10 Trays/Pack,	4816
2069-RT	ART 200 Reload Tower	96 Tips/Tray, 10 Trays/Pack,	3896
2069IW	ART 200 IND.WRP. MICROPOINT ST	96 Tips/Tray, 10 Trays/Pack,	7802
2069-05	ART 200 LR RACKED ST	96 Tips/Tray, 10 Trays/Pack,	7878
2069-05-HR	ART 200 lr HINGED RACK ST	96 Tips/Tray, 10 Trays/Pack,	8776
2069-05-RT	ART 200 LR Reload Tower	96 Tips/Tray, 10 Trays/Pack,	8322
2770	ART 200U SOFTFIT MLTICHANEL ST	96 Tips/Tray, 10 Trays/Pack,	7326
2070	ART 300 MICROPOINT RACKED ST	96 Tips/Tray, 10 Trays/Pack,	5530
2070B	ART 300 MICROPOINT BULK	1000 Tips Per Pack	4870
2070-HR	ART 300 Hinge Rack	96 Tips/Tray, 10 Trays/Pack,	5530
2070-RT	ART 300 Reload Tower	96 Tips/Tray, 10 Trays/Pack,	4772
2070-05-HR	ART 300 LR Hinged Rack	96 Tips/Tray, 10 Trays/Pack,	6709
2070-05-RT	ART 300 LR RELOAD Tower	96 Tips/Tray, 10 Trays/Pack,	6060
2279	ART 1000 SOFTFIT RACKED ST	96 Tips/Tray, 8 Trays/Pack,	4426
2279-05	ART 1000 LR RACKED ST	96 Tips/Tray, 8 Trays/Pack,	7802
2279IW	ART 1000 SOFTFIT IND.WRP ST	500 Tips Per Pack	8441
2079E	ART 1000E RACKED ST	8 tray per pack (Each tray with 96 tips)	7478
2279B	ART 1000 SOFTFIT BULK NST	1000 tips per PKS	3182
2079EB	ART 1000E BULK NST	1000 Tips per pks	7478
2079EIW	ART 1000E IND.WRP ST	500 Tips Per Pack	7478
2080	ART 1250 EXT. LENGTH RACKED ST	8 tray per pack (Each tray with 96 tips)	7651
2080B	ART 1250 EXT. LENGTH BULK NST	1000 Tips per Pack	6828
2180B	ART 5000 5ML TIP BULK ST	250 Tips per Pack	5021
3511	HLT 10 REACH 2UL REF RACKED ST	96 Tips/Tray, 10 Trays/Pack,	5162
3511-05	HLT 10 REACH LR RK ST	96 Tips/Tray, 10 Trays/Pack,	5346
3512	HLT 10 REACH 2UL REF RCKED NST	96 Tips/Tray, 10 Trays/Pack,	4491
3511-HR	HLT 10 REACH XL HR RKS	96 Tips/Tray, 10 Trays/Pack,	5162
3511-05-HR	HLT 10 REACH XL LR HR RKS	96 Tips/Tray, 10 Trays/Pack,	5346
3512-05	HLT 10 REACH LR RK NST	96 Tips/Tray, 10 Trays/Pack,	4686
3512-05-HR	HLT 10 REACH XL LR HR RK	96 Tips/Tray, 10 Trays/Pack,	4686
3512-HR	HLT 10 REACH XL LR RK	96 Tips/Tray, 10 Trays/Pack,	4361
3541-HR	HLT 200 REACH XL HR RKS	96 Tips/Tray, 8 Trays/Pack,	5465
3541-05-HR	HLT 200 REACH XL LR HR RKS	96 Tips/Tray, 8 Trays/Pack,	5789
3542	HLT XLP 200UL EXT LNGTH RK NST	96 Tips/Tray, 8 Trays/Pack,	4155
3542-HR	HLT 200 REACH XL HR RK	96 Tips/Tray, 8 Trays/Pack,	4155
3542-05-HR	HLT 200 REACH XL LR HR RK	96 Tips/Tray, 8 Trays/Pack,	4372
3791-HR	HLT 1000 REACH XL HR RKS	96 Tips/Tray, 8 Trays/Pack,	3495
3791-05-HR	HLT 1000 REACH XL LR HR RK	96 Tips/Tray, 8 Trays/Pack,	4036
3792-HR	HLT 1000 REACH XL HR RK	96 Tips/Tray, 8 Trays/Pack,	2759
3792-05-HR	HLT 1000 REACH XL LR HR RK	96 Tips/Tray, 8 Trays/Pack,	3301
3151-HR	HLT 1250 REACH XL HR RKS	96 Tips/Tray, 8 Trays/Pack,	4945
3151-05-HR	HLT 1250 REACH XL LR HR RKS	96 Tips/Tray, 8 Trays/Pack,	5140

Cat. No.	Description	Pack	Price in ₹
3152-HR	HLT 1250 REACH XL HR RK	96 Tips/Tray, 8 Trays/Pack,	4935
3152-05-HR	HLT 1250 REACH XL LR HR RK	96 Tips/Tray, 8 Trays/Pack,	4502
2140	ART 10 REACH RACKED ST	96 Tips/Tray, 10 Trays/Pack,	8138
2140B	ART 10 REACH BULK NST	1000 Tips/Bag	7142
2140-HR	ART 10 REACH HINGED RACK ST	96 Tips/Tray, 10 Trays/Pack,	9025
2140-RI	ART 10 REACH RELOAD INSERTS ST	96 Tips/Tray, 10 Trays/Pack,	7802
2140-05	ART 10 REACH LR RACKED ST	96 Tips/Tray, 10 Trays/Pack,	8387
2140-05-HR	ART REACH LR HINGED RACK ST	96 Tips/Tray, 10 Trays/Pack,	9306
2140-05-RI	ART10 REACHLR RELOAD INSERT ST	96 Tips/Tray, 10 Trays/Pack,	8776
2159P	ART XLP 100UL EX.LTH RACKED ST	96 Tips/Tray, 8 Trays/Pack,	8127
2159PIW	ART XLP	500/Bag	8917
2160P	ART XLP 200UL EX.L RACKED ST	96 Tips/Tray, 8 Trays/Pack,	8127
2160P-HR	ART 200 XLP Racked	96 Tips/Tray, 8 Trays/Pack,	8127
2160P-05-HR	ART 200 Reach LR	96 Tips/Tray, 8 Trays/Pack,	8452
2160PIW	XLP 200, EXT. Length	500/Bag	8917
2079	ART 1000 REACH RACKED ST	96 Tips/Tray, 8 Trays/Pack	8127
2079-HR	ART 1000 REACH HINGED RACKED ST	96 Tips/Tray, 8 Trays/Pack	5963
2079-05-HR	ART 1000 REACH HINGED RACKED ST LR	96 Tips/Tray, 8 Trays/Pack	8452
2179-05-HR	ART 1000XL LR HINGED RACK	96 Tips/Tray, 8 Trays/Pack	7315
2179-05-RI	ART 1000XL LR RELOAD INSERT ST	96 Tips/Tray, 8 Trays/Pack	5530
2179-HR	ART 1000XL HINGED RACK ST	96 Tips/Tray, 8 Trays/Pack	9036
2179-R1	ART 1000XL RELOAD INSERT	56 Tips/Tray, 10 Trays/Pack	7802
2179-RT	ART 1000XL RELOAD TOWER	56 Tips/Tray, 10 Trays/Pack	7802
2179-05-RT	ART 1000XL RELOAD TOWER, LR	56 Tips/Tray, 10 Trays/Pack	5530
2080-05-HR	ART 1250XL HR LR	96 Tips/Tray, 8 Trays/Pack	7975
2080-HR	ART 1250XL HR	96 Tips/Tray, 8 Trays/Pack	6569
3531	HLT 200G GENOMIC RK ST	96 Tips/Tray, 10 Trays/Pack,	3495
3590	HLT 1000G GENOMIC BULK NST	1000 Tips Per Bag	1688
3591	HLT 1000G GENOMIC RK ST	100 Tips/Tray, 8 trays per pack	3495
3592	HLT 1000G GENOMIC RK NST	100 Tips/Tray, 8 trays per pack	2814
2069G	ART 200G GENOMIC RACKED ST	96 Tips/Tray, 10 Trays/Pack,	7478
2160G	ART XLG 200UL EXT.L GNOMC R ST	96 Tips/Tray, 8 Trays/Pack	8127
2079G	ART 1000G GENOMIC RACKED ST	100 Tips/Tray, 8 trays per pack	7478
2079GB	ART 1000G GENOMIC BULK NST	1000 TIPS PER PACK	6828
2079GIW	ART 1000G IND.WRP ST	500 Tips/Bag	8127
3651	HLT ROUND GEL 10 RK NST	200 TIPS/TRAY, 1 TRAY PER PACK	2684
3621	HLT ROUND GEL 200 RK NST	200 TIPS/TRAY, 1 TRAY PER PACK	2684
3631	HLT FLAT GEL 200 RK NST	200 TIPS/TRAY, 1 TRAY PER PACK	5097
2155	ART GEL 100 RACKED ST	96 Tips/Tray, 10 Trays/Pack,	9436
2155P	ART GEL 20P RACKED ST	96 Tips/Tray, 10 Trays/Pack,	9436
5449P	ART SOLVENT SAFE 20P RACKED ST	96 tips/tray, 4 trays/pack	5259
5469	ART SOLVENT SAFE 200 RACKED ST	96 tips/tray, 4 trays/pack	5259
5479E	ART SOLVENTSAFE 1000E RCKED ST	100 tips/tray, 4 trays/pack	6569

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
<b>Thermo Fisher PCR Tubes and PCR Plates</b>			
3412	TUBE,.2ml PCR,W/FLAT CAP,CLR	100 TUBES PER BAG, 10 BAG PER PACK	3127
3412A	TUBE,.2ml PCR,W/FLAT CAP,ASSOR	100 TUBES PER BAG, 10 BAG PER PACK	3387
3414	TUBE,PCR,.2mL W/DOME CAP,CLEAR	100 TUBES PER BAG, 10 BAG PER PACK	3127
3414A	TUBE,PCR,.2mL W/DOME CAP,ASSOR	100 TUBES PER BAG, 10 BAG PER PACK	3387
3430	TUBES,.5ml PCR, W/FLAT CAP,CLR	100 TUBES PER BAG, 10 BAG PER PACK	2684
3430A	TUBES,.5 W/FLAT CAP,ASST COLOR	100 TUBES PER BAG, 10 BAG PER PACK	2943
3432	TUBE,.5ML PCR,DOME,CLEAR	100 TUBES PER BAG, 10 BAG PER PACK	2943
3432A	TUBE .5ML PCR DOME ASST COLOR	100 TUBES PER BAG, 10 BAG PER PACK	2943
3418	TUBES,.2 ml 8-STRIP W/CAP, CLR	12 strips/bag, 120 STRIPS/PK	6244
3418A	TUBES .2ML PCR 8-STRP DOME CAP	12 strips/bag, 120 STRIPS/PK	6244
3418C	.2ml STRIP of 8 CAPS FOR TUBES	12 strips/bag, 120 STRIPS/PK	1991
3417	TUBES, .2 mL 12-STRP DOME CAPS	10 bags, 8 strips/bag	6157
3417C	#N/A	10 bags, 8 strips/bag	2089
3416	PCR PLATE, 96 WELL	25 PLATES PER BAG	5995
3481	PCR FILM, ADHESIVE, CLEAR	100 SHEETS PER PACK	14046
3482	PCR PLATE,96-WELL,SKIRTED	50 PER PACK	16124
3482L	PCR PLATE,96-WELL,SKIRTED,SBS	50 PER PACK	19619
3484	PCR PLATE,96-WELL,SEMI SKIRTED	50 PER PACK	16762
<b>Thermo Fisher Electroporation Cuvette</b>			
5510	ELECTROPORATION CUVETTE, 1mm	50 PER PACK	15669
5520	ELECTROPORATION CUVETTE, 2mm	50 PER PACK	15421
5540	ELECTROPORATION CUVETTE, 4 MM	50 PER PACK	16817
<b>Thermo Fisher Microcentrifuge Tubes and Screw Cap Tubes</b>			
3446	HLT 3446 0.6 MCT GRADUATED	1000 Tubes per Unit	1342
3449	HLT 3449 0.6 MCT GRADUATED	1000 Tubes per Unit	1342
3448	HLT 3448 TUBE 1.5ML MCT	500 Tubes per Unit	1061
3451	HLT 3451 TUBE 1.5 ML MCT	500 Tubes per Unit	1104
3434	HLT 3434 TUBE 2.0 ML MCT	500 Tubes per Unit	1115
3453	HLT 3453 TUBE 2.0ML MCT	500 Tubes per Unit	1147
3446IW	0.6 ml Graduated snap Cap, sterile	500 Tubes per Unit	1342
3448IW	1.5 ml Graduated snap Cap, sterile	500 Tubes Per Unit	1342
3454	HLT 3454 TUBE LK 0.6 ML MCT	1000 Tubes per Unit	1277
3455-11	HLT 3455 TUBE LK 0.6ML MCT	1000 Tubes per Unit	2305
3456	HLT 3456 TUBE LK 1.5ML	500 Tubes per Unit	1147
3457	HLT 3457 TUBE LK 1.5ML MCT	500 Tubes per Unit	1169
3458	HLT 3458 TUBE LK 2.0 ML MCT	500 Tubes per Unit	1223
3459	HLT 3459 TUBE LK 2.0 ML MCT	500 Tubes per Unit	2164
3460	HLT 3460 TUBE 0.5ML SC-MCT &	500 Tubes per Unit	2889
3431-11	HLT 3431 TUBE 0.5ML SC-MCT &	500 Tubes per Unit	3571
3460A	HLT 3460A TUBE 0.5ML SC-MCT &	500 Tubes per Unit	3290
3431A	HLT 3431A TUBE 0.5ML SC-MLT &	500 Tubes per Unit	3961
3462	HLT 3462 TUBE 0.5ML SC-MCT	500 Tubes per Unit	1602
3464	HLT 1.5 CONCL MC TUBE W/SC CAP	500 Tubes per Unit	2500

Cat. No.	Description	Pack	Price in ₹
3461	1.5 ML CONICAL MCT W/SCW CAP &	500 Tubes per Unit	4015
3464A	HLT 1.5 CONCL MC TUBE W/SCW CP	500 Tubes per Unit	3290
3461A	HLT 3461A 1.5ML CNICL MC TUBE	500 Tubes per Unit	5259
3466	1.5 ML CONICAL MC TUBE, CLEAR	500 Tubes per Unit	1223
3468	HLT 2.0ML CONICAL MCT W/SCW CP	500 Tubes per Unit	2705
3463	HLT 2.0ML CONICAL MC TUBE	500 Tubes per Unit	3950
3468A	2.0ML CONICAL MCT W/SCW CP & O	500 Tubes per Unit	3290
3463A	HLT 2.0 ML CONICAL MC TUBE W/	500 Tubes per Unit	5259
3470	HLT 2.0ML CONICAL MCT W/O CAP	500 Tubes per Unit	1353
3472	0.5ML FREE STAND MCT W/CRW CAP	500 Tubes per Unit	2759
3465	HLT .5ML FREE STANDING MC TUBE	500 Tubes per Unit	4080
3472A	0.5ML FREE STAND MCT W/SCW CAP	500 Tubes per Unit	3420
3465A	0.5 FREE STAND MCT W/SCW CAP &	500 Tubes per Unit	5259
3422-11	0.5 HLT FREE STAND MCT W/O CAP	500 Tubes per Unit	1342
3474	1.5ML FR-STAND MCT W/CRW CAP &	500 Tubes per Unit	2759
3467	HLT 3467 1.5ML FRE-STND MCT W/	500 Tubes per Unit	4080
3474A	1.5ML FR-STND MCT W/SCR CAP &	500 Tubes per Unit	3420
3467A	1.5 ML FR-STAND MCT W/SCW CAP	500 Tubes per Unit	5930
3478	HLT 1.5ML FR-STAND MCT W/O CAP	500 Tubes per Unit	1602
3488	HLT FR-STAND GRAD MCT W/SCW CP	500 Tubes per Unit	2759
3469-11	HLT 2.0M. FR-STND GRAD MCT W/	500 Tubes per Unit	4080
3488A	HLT 2.0ML FR-STAND GRAD MCT W/	500 Tubes per Unit	3420
3469A	HLT 2.0ML FR-STND GRAD MCT W/	500 Tubes per Unit	5930
3490	HLT 2.0ML FR-STND GRAD MCT W/O	500 Tubes per Unit	1721
3471	HLT THREADED SCW CAP W/O RING	500 Tubes per Unit	1623
3483	HLT .25ML POLYPROPYLENE TUBE &	500 Tubes per Unit	1634
3485	HLT 0.4ML POLYETHYLENE TUBE &	500 Tubes per Unit	1634
3487	1.2ML MICROTITER TUBE	10 racks per Pack (Each rack with 96 tubes)	2608
3492	HLT 3492 1.2ML MICRO TITERTUBE	500 Tubes Per Pack	2933
3496	HLT 1.2ML MICO TITER TUBE W/	10 racks per Pack (Each rack with 96 tubes)	2803
3425-11	HLT 3425 1.2 MICRO TITERTUBE	120 Strips per Pack	1061
3426-11	HLT 3426 1.2 MICRO TITERTUBE	120 Strips per Pack	931
<b>Thermo Fisher Microcentrifuge Tubes and PCR Tubes Racks</b>			
8628	Flipstrip Rack	EA	1093
8638	Flipstrip Rack	EA	1093
8648	Flipstrip Rack	EA	1093
8658-11	Flipstrip Rack	EA	1093
8668	Flipstrip Rack	EA	1093
8678	Flipstrip Rack	EA	1093
8688	Flipstrip Rack	EA	1093
8698	Flipstrip Rack	EA	1093
8640	Reversible Microtube Rack	EA	1093
8650	Reversible Microtube Rack	EA	1093
8660	Reversible Microtube Rack	EA	1093
8670	Reversible Microtube Rack	EA	1093
8680	Reversible Microtube Rack	EA	1093
8690-11	Reversible Microtube Rack	EA	1093
8760	Flipper Rack	EA	1515
8770-11	Flipper Rack	EA	1515
8780	Flipper Rack	EA	1515

PK - Pack  
EA - Each



## Liquid Handling Consumables

Cat. No.	Description	Pack	Price in ₹
8790	Flipper Rack	EA	1515
8850	4-Way Flipper Rack	EA	1147
8860	4-Way Flipper Rack	EA	1147
8870	4-Way Flipper Rack	EA	1147
8800	Cryogenic Rack	EA	866
8810	Cryogenic Rack	EA	866
8820	Cryogenic Rack	EA	866
8830-11	Cryogenic Rack	EA	866
<b>DNA Away/ Rnase Away</b>			
7010	250 mL bottle	EA	1612
7008	Canister of 25 wipes	EA	2424
7009	Box of 35 individually wrapped wipes	EA	3214
7002	475 mL spray bottle	EA	2684
7003	1 L bottle	EA	4015
7005	4 L bottles	EA	8030
7000	250 mL bottle	EA	1872
7006	Canister of 25 wipes	EA	2413
<b>Automation Consumables</b>			
5586	96 Tips	96 Tips/Rack, 20 Racks/Case	POR
5587	96 Tips	96 Tips/Rack, 20 Racks/Case	POR
5506-11	96 Tips, Extended Length	96 Tips/Rack, 20 Racks/Case	POR
5507	96 Tips, Extended Length	96 Tips/Rack, 20 Racks/Case	POR
5526	96 Tips	96 Tips/Rack, 20 Racks/Case	POR
5527	96 Tips	96 Tips/Rack, 20 Racks/Case	POR
5516-11	96 Tips	96 Tips/Rack, 20 Racks/Case	POR
5517-11	96 Tips	96 Tips/Rack, 20 Racks/Case	POR
5546	96 Tips, Extended Length, Wide Bore	96 Tips/Rack, 20 Racks/Case	POR
5547	96 Tips, Extended Length, Wide Bore	96 Tips/Rack, 20 Racks/Case	POR
5536	96 Tips, Extended Length	96 Tips/Rack, 20 Racks/Case	POR
5537	96 Tips, Extended Length	96 Tips/Rack, 20 Racks/Case	POR
5301	384 Tips	384 Tips/Rack, 10 Racks/Case	POR
5302	384 Tips	384 Tips/Rack, 10 Racks/Case	POR
5416	384 Tips, Extended Length	384 Tips/Rack, 20 Racks/Case	POR
5417	384 Tips, Extended Length	384 Tips/Rack, 20 Racks/Case	POR
5316	384 Tips	384 Tips/Rack, 20 Racks/Case	POR
5317	384 Tips	384 Tips/Rack, 20 Racks/Case	POR
5326	384 Tips	384 Tips/Rack, 20 Racks/Case	POR
5327	384 Tips	384 Tips/Rack, 20 Racks/Case	POR
5321	384 Tips	384 Tips/Rack, 10 Racks/Case	POR
5322	384 Tips	384 Tips/Rack, 10 Racks/Case	POR
5508	96 Tips, Extended Length	96 Tips/Rack, 20 Racks/Case	POR
5588	96 Tips	96 Tips/Rack, 20 Racks/Case	POR
5526	96 Tips	96 Tips/Rack, 20 Racks/Case	POR
5518-11	96 Tips	96 Tips/Rack, 20 Racks/Case	POR
5538	96 Tips, Extended Length	96 Tips/Rack, 20 Racks/Case	POR
5548	96 Tips, Extended Length, Wide Bore	96 Tips/Rack, 20 Racks/Case	POR
5318	384 Tips	384 Tips/Rack, 20 Racks/Case	POR
5418	384 Tips, Extended Length	384 Tips/Rack, 20 Racks/Case	POR
5328	384 Tips	384 Tips/Rack, 20 Racks/Case	POR
5696-100	100 nL	96 Tips/Rack, 20 Racks/Case	POR
5696-250	250 nL	96 Tips/Rack, 20 Racks/Case	POR
5696-50	50 nL	96 Tips/Rack, 20 Racks/Case	POR

Cat. No.	Description	Pack	Price in ₹
5697-100	100 nL	96 Tips/Rack, 20 Racks/Case	POR
5697-250	250 nL	96 Tips/Rack, 20 Racks/Case	POR
5697-50	50 nL	96 Tips/Rack, 20 Racks/Case	POR
5756-100	100 nL	384 Tips/Rack, 20 Racks/Case	POR
5756-250	250 nL	384 Tips/Rack, 20 Racks/Case	POR
5756-50	50 nL	384 Tips/Rack, 20 Racks/Case	POR
5757-100	100 nL	384 Tips/Rack, 20 Racks/Case	POR
5757-250	250 nL	384 Tips/Rack, 20 Racks/Case	POR
5757-50	50 nL	384 Tips/Rack, 20 Racks/Case	POR
1064-05-8	96-Channel Reservoir, Non Sterile	20 Reservoirs/Case	20572
1064-15-8	96-Channel Reservoir, Sterile, Individually Wrapped	20 Reservoirs/Case	22682
1064-05-6	96-Channel Deep Well Reservoir, Non Sterile	20 Reservoirs/Case	24586
1064-15-6	96-Channel Deep Well Reservoir, Sterile, Individually Wrapped	20 Reservoirs/Case	27703
1064-05-7	384-Channel Reservoir, Non Sterile	20 Reservoirs/Case	18570
1064-15-7	384-Channel Reservoir, Sterile, Individually Wrapped	20 Reservoirs/Case	19360
901-011	Tecan 10 µL Conductive Sterile Filtered	960 Tips	12585
902-011	Tecan 50 µL Conductive Sterile Filtered	960 Tips	12585
903-011	Tecan 175 µL Conductive Sterile Filtered	960 Tips	12088
903-011G	Tecan 175 µL Conductive Sterile Filtered Wide Bore	960 Tips	11828
903-033	Tecan 175 µL Conductive Filtered Econopack	4800 Tips	21960
904-011	Tecan 1000 µL Conductive Sterile Filtered	960 Tips	12088
904-011G	Tecan 1000 µL Conductive Sterile Filtered Wide Bore	960 Tips	15770
904-013	Tecan 1000 µL Conductive Sterile Filtered Econo Pack	4800 Tips	30834
918-011	Beckman Biomek FX SPAN-8 20 µL Conductive Sterile Filtered	960 Tips	14696
919-011	Beckman Biomek FX SPAN-8 130 µL Conductive Sterile Filtered	960 Tips	14696
951-011	Qiagen 250 µL Conductive Sterile Filtered	960 Tips	10937
953-011	Qiagen 1100 µL Conductive Sterile Filtered	960 Tips	12611
901-021	Tecan 10 µL Clear Sterile Filtered	960 Tips	10151
902-021	Tecan 50 µL Clear Sterile Filtered	960 Tips	10151
903-021	Tecan 175 µL Clear Sterile Filtered	960 Tips	9750
904-021	Tecan 1000 µL Clear Sterile Filtered	960 Tips	13000
906-021	Tecan Te-MO 50 µL Clear Sterile Filtered	960 Tips	8841
907-021	Tecan Te-MO 100 µL Clear Sterile Filtered	960 Tips	8841
908-021	Tecan Te-MO 150 µL Clear Sterile Filtered	960 Tips	8841
912-021	Beckman Biomek FX 10 µL Clear Sterile Filtered	960 Tips	9620
915-021	Beckman Biomek 20 µL Clear Sterile Filtered	960 Tips	9620
916-021	Beckman FX Extended Length 40 µL Clear Sterile Filtered	960 Tips	5555
917-021	Beckman Biomek 130 µL Clear Sterile Filtered	960 Tips	9631
918-021	Beckman Biomek FX 20 µL Clear Sterile Filtered	960 Tips	6594
918-021-05	Beckman Biomek FX SPAN-8 20 µL Clear Sterile Filtered Low Retention	960 Tips	11308
919-021	Beckman Biomek FX 130 µL clear Sterile Filtered	960 Tips	9620
919-021-05	Beckman Biomek FX 130 µL Clear Sterile Filtered Low Retention	960 Tips	11308
919-021G	Beckman Biomek FX 130 µL Clear Sterile Filtered Wide Bore	960 Tips	9620
920-021	Caliper Zymark 50 µL Clear Sterile Filtered	960 Tips	5642
921-021	Caliper Zymark 80 µL Clear Sterile Filtered	960 Tips	4877
923-021	Caliper Zymark 100 µL Clear Sterile Filtered	960 Tips	5714
925-021	PerkinElmer Plate Trak 20 µL Clear Sterile Filtered	960 Tips	6507
927-021	PerkinElmer Plate Trak 50 µL Clear Sterile Filtered	960 Tips	6377
929-021	PerkinElmer Plate Trak 235 µL Clear Sterile Filtered	960 Tips	6637
931-021	PerkinElmer CCS/FLIPR Type A 384 25 µL Clear Sterile Filtered	3840 Tips	14010
935-021	Beckman 384 25 µL Clear Sterile Filtered	3840 Tips	71335
951-021	Qiagen 250 µL Clear Sterile Filtered	960 Tips	9638
953-021	Qiagen 1100 µL Clear Sterile Filtered	960 Tips	10778

PK - Pack  
EA - Each

## Liquid Handling Consumables

Cat. No.	Description	Pack	Price in ₹
984-021	Biotek Precision SBS Format 50 µL Clear Sterile Filtered	960 Tips	6464
985-021	Biotek Precision SBS Format 100 µL Clear Sterile Filtered	960 Tips	6175
986-021	Biotek Precision SBS Format 150 µL Clear Sterile Filtered	960 Tips	6248
901-251	Tecan 20 µL Conductive Sterile	960 Tips	10140
901-252	Tecan 20 µL Conductive Non Sterile	960 Tips	9361
901-253	Tecan 20 µL Conductive Econo Pack	4800 Tips	36122
902-251	Tecan 50 µL Conductive Sterile	960 Tips	10140
902-252	Tecan 50 µL Conductive Non Sterile	960 Tips	9361
902-253	Tecan 50 µL Conductive Econo Pack	4800 Tips	36122
903-033	Tecan 175 µL Conductive Filtered Econopack	4800 Tips	21960
903-251	Tecan 200 µL Conductive Sterile	960 Tips	9750
903-251G	Tecan 200 µL Conductive Sterile Wide Bore	960 Tips	12654
903-252	Tecan 200 µL Conductive Non Sterile	960 Tips	8971
903-252G	Tecan 200 µL Conductive Wide Bore Non Sterile	960 Tips	11456
903-253	Tecan 200 µL Conductive Non Sterile Econo Pack	4800 Tips	36122
904-251	Tecan 1000 µL Conductive Sterile	960 Tips	13000
904-251G	Tecan 1000 µL Conductive Sterile Wide Bore	960 Tips	12914
904-252	Tecan 1000 µL Conductive Non Sterile	960 Tips	11961
904-252G	Tecan 1000 µL Conductive Wide Bore	960 Tips	12481
904-253	Tecan 1000 µL Conductive Econo Pack	4800 Tips	36122
918-251	Beckman Biomek FX SPAN-8 20 µL Conductive Sterile	960 Tips	9880
918-252	Beckman Biomek FX SPAN-8 20 µL Conductive Non Sterile	960 Tips	9512
919-251	Beckman Biomek FX SPAN-8 250 µL Conductive Sterile	960 Tips	9880
919-252	Beckman FX SPAN-8 250 µL Conductive Non Sterile	960 Tips	9512
951-251	Qiagen 300 µL Conductive Sterile	960 Tips	10778
951-252	Qiagen 300 µL Conductive Non Sterile	960 Tips	10100
951-253	Qiagen 300 µL Conductive Econo Pack	4800 Tips	20680
953-251	Qiagen 1100 µL Conductive Sterile	960 Tips	12409
953-252	Qiagen 1100 µL Conductive Non Sterile	960 Tips	11730
953-253	Qiagen 1100 µL Conductive Econo Pack	4800 Tips	24640
901-261	Tecan 20 µL Clear Sterile	960 Tips	10706
901-262	Tecan 20 µL Clear Non Sterile	960 Tips	9999
902-261	Tecan 50 µL Clear Sterile	960 Tips	10706
902-261XP	Tecan 50 µL Clear Sterile PATCH XPRESS	960 Tips	9725
902-262	Tecan 50 µL Clear Non Sterile	960 Tips	9884
902-262XP	Tecan 50 µL Clear PATCH XPRESS	960 Tips	7387
903-261	Tecan 200 µL Clear Sterile	960 Tips	10360
903-262	Tecan 200 µL Clear Non Sterile	960 Tips	9451
904-261	Tecan 1000 µL Clear Sterile	960 Tips	10360
904-262	Tecan 1000 µL Clear Non Sterile	960 Tips	9451
906-261	Tecan Te-MO 50 µL Clear Sterile	960 Tips	5627
906-262	Tecan Te-MO 50 µL Clear Non Sterile	960 Tips	5497
907-261	Tecan Te-MO 100 µL Clear Sterile	960 Tips	5627
907-262	Tecan Te-MO 100 µL Clear	960 Tips	5497
908-261	Tecan Te-MO 200 µL Clear Sterile	960 Tips	5627
908-262	Tecan Te-MO 200 µL Clear Non Sterile	960 Tips	5497
912-261	Beckman Biomek FX 10 µL Clear Sterile	960 Tips	5627
912-262	Beckman Biomek FX 10 µL Clear Non Sterile	960 Tips	6767
915-261	Beckman Biomek 20 µL Clear Sterile	960 Tips	5627
915-262	Beckman Biomek 20 µL Clear Non Sterile	960 Tips	5075
916-261	Beckman FX Extended Length 50 µL Clear Sterile	960 Tips	5266
916-262	Beckman FX Extended Length 50 µL Clear Non Sterile	960 Tips	5050
916-262-05	Beckman FX Extended Length 50 µL Clear Low Retention	960 Tips	5122

Cat. No.	Description	Pack	Price in ₹
917-261	Beckman Biomek 250 $\mu$ L Clear Sterile	960 Tips	5627
917-262	Beckman Biomek 250 $\mu$ L Clear Non Sterile	960 Tips	5075
918-261	Beckman Multimek 20 $\mu$ L Clear Sterile	960 Tips	5627
918-261-05	Beckman Biomek FX SPAN-8 20 $\mu$ L Clear Sterile Low Retention	960 Tips	6504
918-262	Beckman Multimek 20 $\mu$ L Clear Non Sterile	960 Tips	5075
918-262-05	Beckman Biomek FX SPAN-8 20 $\mu$ L Clear Low Retention	960 Tips	5854
919-261	Beckman Biomek 250 $\mu$ L Clear Sterile	960 Tips	5627
919-261-05	Beckman Biomek FX 250 $\mu$ L Clear Sterile Low Retention	960 Tips	6504
919-261G	Beckman Biomek FX 250 $\mu$ L Clear Sterile Wide Bore	960 Tips	5519
919-262	Beckman Multimek 250 $\mu$ L Clear Non Sterile	960 Tips	5075
919-262-05	Beckman Biomek FX 250 $\mu$ L Clear Low Retention	960 Tips	5854
919-262G	Beckman Biomek FX 250 $\mu$ L Clear Wide Bore	960 Tips	6767
920-261	Zymark 50 $\mu$ L Clear Sterile	960 Tips	6309
920-262	Zymark 50 $\mu$ L Clear Non Sterile	960 Tips	4689
921-261	Zymark 100 $\mu$ L Clear Sterile	960 Tips	5151
921-262	Zymark 100 $\mu$ L Clear Non-Sterile	960 Tips	4026
923-261	Zymark 200 $\mu$ L Clear Sterile	960 Tips	5865
923-262	Zymark 200 $\mu$ L Clear Non Sterile	960 Tips	4329
925-261	Perkin-Elmer Plate Trak 20 $\mu$ L Clear Sterile	960 Tips	6190
925-262	Perkin-Elmer Plate Trak 20 $\mu$ L Clear	960 Tips	5973
927-261	Perkin-Elmer Plate Trak 50 $\mu$ L Clear Sterile	960 Tips	6060
927-261-05	Perkin-Elmer Plate Trak 50 $\mu$ L Clear Sterile	960 Tips	6695
927-262	Perkin-Elmer Plate Trak 5 $\mu$ L Clear	960 Tips	5829
929-261	Perkin-Elmer Plate Trak 235 $\mu$ L Clear Sterile	960 Tips	6248
929-262	Perkin-Elmer Plate Trak 235 $\mu$ L Clear	960 Tips	6031
931-261	CCS/FLIPR Type A 384 30 $\mu$ L Clear Sterile	3840 Tips	11168
931-262	CCS/FLIPR Type A 384 30 $\mu$ L Clear Non Sterile	3840 Tips	11052
935-261	Beckman 384 30 $\mu$ L Clear Sterile	3840 Tips	12992
935-262	Beckman 384 30 $\mu$ L Clear Non Sterile	3840 Tips	12484
937-261	FLIPR Liberty Type B 384 30 $\mu$ L Clear Sterile	3840 Tips	11139
937-262	FLIPR Liberty Type B 384 30 $\mu$ L Clear Non Sterile	3840 Tips	11009
951-261	Qiagen 300 $\mu$ L Clear Sterile	960 Tips	9422
951-262	Qiagen 300 $\mu$ L Clear Non Sterile	960 Tips	8773
953-261	Qiagen 1100 $\mu$ L Clear Sterile	960 Tips	10562
953-262	Qiagen 1100 $\mu$ L Clear Non Sterile	960 Tips	9898
984-261	Biotek Precision SBS Format 50 $\mu$ L Clear Sterile	960 Tips	5483
984-262	Biotek Precision SBS Format 50 $\mu$ L Clear	960 Tips	5324
985-261	Biotek Precision SBS Format 100 $\mu$ L Clear Sterile	960 Tips	5209
985-262	Biotek Precision SBS Format 100 $\mu$ L Clear	960 Tips	5050
986-261	Biotek Precision SBS Format 200 $\mu$ L Clear Sterile	960 Tips	5266
986-262	Biotek Precision SBS Format 200 $\mu$ L Clear	960 Tips	5238
965-021	50 $\mu$ l clear tip, sterile, filtered	960 Tips	11914
965-261	50 $\mu$ l clear tip, sterile	960 Tips	11276
965-262	50 $\mu$ l clear tip,non sterile	960 Tips	10627
966-021	300 $\mu$ l clear tip, sterile, filtered	960 Tips	11914
966-261	300 $\mu$ l clear tip, sterile	960 Tips	11276
966-262	300 $\mu$ l clear tip,non sterile	960 Tips	10627
967-021	1000 $\mu$ l clear tip, sterile, filtered	960 Tips	11914
967-261	1000 $\mu$ l clear tip, sterile	960 Tips	11276
967-262	1000 $\mu$ l clear tip,non sterile	960 Tips	10627

**Thermo Scientific Pipette Lab NABL Calibration Services**

Thermo Scientific Finnpiettes Calibration Services certification ₹	Price in ₹
Fixed Volume Pipettes	900
Variable Volume Pipettes	1200
8 channel Pipettes	1700
12 channel Pipettes	1900
<i>*Spares charge extra as applicable</i>	
<i>**Taxes and shipping costs extra as applicable</i>	

**Service of Thermo Scientific Finnipette®**

Sr. No.	Product	One time servicing and Calibration (Rs.)	Annual Maintenance Contract (Rs.)
1	Finnipette Fixed Volume Pipette	280.00	450
2	Finnipette Variable Volume Pipette	670.00	1110
3	Finnipette Multichannel Pipette	2220.00	3890
4	Finnipette Novus Single Channel Pipette	3110.00	5550
5	Finnipette Novus Multichannel Pipette	3890.00	6660
6	Electronic Matrix Impact Single Channel Pipette	3550.00	6110
7	Electronic Matrix Impact Multichannel Pipette	4440.00	7770
8	Finnipette Dispenser	1110.00	1670
Note: Special package available for institutional service camps.			
Please contact your nearest Thermo Fisher Scientific office for more details on models & terms and conditions of contract.			

# Thermo Scientific MaxQ Shakers

## APPLICATIONS

- Cell culture
- Solubility studies
- Extraction procedures
- Diagnostic tests
- General mixing
- Bacterial suspensions
- Staining and destaining
- Washing procedures
- Hybridization

Obtain reproducible results each and every time!

## MaxQ means maximum performance



You'll get outstanding reliability, flexibility and simplicity with Thermo Scientific™ MaxQ shakers. Our innovative product features translate to multiple benefits for your team and lab, ensuring your effectiveness and productivity. With a wide range of shaker options including analog or digital, incubated or refrigerated, and benchtop or floor model – Thermo Fisher Scientific makes it easy to find the right shaker solution for your laboratory.

### Reliability

Our triple eccentric drive mechanism gives you continuous 24-hour operation and allows you to shake and stir large and uneven loads, smoothly and uniformly. Plus, it's guaranteed for life.

### Simplicity

Easy-to-use controls let you precisely adjust individual displays for temperature, speed and time. View all parameters simultaneously to prevent risk of error while establishing running conditions. Easy operation – no instruction manual required.

### Flexibility

Digital or analog bench-top, floor and stackable models are available, fully equipped with incubation, refrigeration and water bath options to accommodate many applications and budgets. Platforms come with numerous mounting holes to allow the addition and interchangeability of clamps that hold various sizes of Erlenmeyer flasks, beakers, microwell plates, test tube racks and separatory funnels.

**Please use our new PROMOTIONAL PACKAGE CODES to avail attractive prices”**

Package code is a combination of Main Unit + Platform + Starter Clamp Kit

## Introducing our new CO2 Resistant Shaker

Thermo Scientific™ CO2 resistant orbital shakers provide reliable around-the-clock operation ideally suited to keep your cells alive and flourishing within your working environment.



# Thermo Scientific Compact Dry Bath / Block Heater

Maximize valuable bench space with our compact, light weight dry bath / block heater, available with multiple combinations of block sizes for tube size versatility.



Digital temperature controls and display



Small footprint and lightweight

## Reliable, No-Compromise Stirring Performance

Thermo Scientific magnetic stirrers are designed to provide excellent reliability, safety and performance.

Thermo Scientific stirrers are available in a range of sizes, with drive systems to match the application or process need. Powerful magnetic couplings ensure precise, reproducible stirring performance for both general and specialty applications.



Submersible in 95°C Bath



Submersible in 95°C Bath



Submersible in 95°C Bath



Submersible in 95°C Bath

Cat. No.	Description	Price in ₹
<b>Laboratory Incubators</b>		
50125882	IMC18 - Compact Incubator Incubator - 18L	63199
51028130	IGS60 - Incubator - GP, 60L	POR
51028131	IGS100 - Incubator - GP, 100L	POR
51028133	IMH60 - Incubator - AP, 60L	POR
51028134	IMH100 - Incubator - AP, 100L	POR
<b>Refrigerated Incubators</b>		
PR205740R	Precision Refrigerated Incubator - 170L	POR
<b>General Laboratory Ovens</b>		
51028139	OGS60 - Oven - Gravity, GP, 60L	99999
51028140	OGS100 - Oven - Gravity, GP, 100L	POR
51028142	OGH60 - Oven - Gravity, AP, 60L	POR
51028143	OGH100 - Oven - Gravity, AP, 100L	POR
51028148	OMS60 - Oven - Mechanical, GP, 60L	POR
51028149	OMS100 - Oven - Mechanical, GP, 100L	POR
51028151	OMH60 - Oven - Mechanical, AP, 60L	POR
51028152	OMH100 - Oven - Mechanical, AP, 100L	POR
<b>Hybridization Ovens</b>		
6240	Hybrid Hybridization Ovens	POR
<b>Rockers Rotators Mixers</b>		
88881004	Bottle/Tube Roller	POR
88881002	Tube Revolver	22599
88880020	Digital Rocker	77299
88880022	Waving Rotator	77299
88880024	Microplate Shaker	83799
88880026 + 88880104	Mini Rotator	POR
88880018	LP Vortex Mixer	28399
<b>Vortex Mixer Accessories</b>		
88880117	Microplate Tray	1799
88880118	Rubber Platform	1799
88880119	Tube Holder with Insert Retainer	1799
88880120	Tube Holder with Insert Retainer (Φ 10 mm )	1799
88880121	Tube Holder with Insert Retainer (Φ 12 mm )	1799
88880122	Tube Holder with Insert Retainer (Φ 15 mm )	1799
88880123	Tube Holder with Insert Retainer (Φ 20 mm )	1799
88880124	Tube Holder with Insert Retainer (Φ 25 mm )	1799
<b>Shakers</b>		
SHKE2000-1CEPR	Max Q - Open Air Shaker (with platform & clamps)	POR
SHKE3000-1CEPR	Max Q - Open Air Shaker (with platform & clamps)	POR
SHKE4450-1CEPR	Max Q - Small Benchtop Incubated Shaker	POR
SHKE4000-1CEPR	Max Q - Benchtop Incubated Shaker	POR
SHKE4000-6CEPR	Max Q - Benchtop Hi temperature Incubated Shaker	POR
SHKE4000-8CEPR	Max Q - Benchtop Refrigerated Incubated Shaker	POR
SHKE6000-8CEPR1	Max Q - Stackable Refrigerated Incubated Shaker	POR



Cat. No.	Description	Price in ₹
<b>Heating Cooling Dry Bath</b>		
88880030	Digital Cooling & Heating Dry Bath (w/o block)	POR
<b>Heating Cooling Dry Bath Accessories</b>		
88880129	Block microtube 0.5 ml	13799
88880130	Block microtube 1.5 ml	13799
88880131	Block centrifuge tube 15 ml	13799
88880132	Block centrifuge tube 50 ml short	23899
88880133	Block centrifuge tube 50 ml tall	32399
88880134	Block $\Phi$ 10mm tube	19699
88880135	Block $\Phi$ 12mm tube	19699
88880136	Block $\Phi$ 13mm tube	19699
88880137	Block $\Phi$ 15mm tube	19699
88880138	Block $\Phi$ 16mm tube	19699
88880139	Block $\Phi$ 18mm tube	19699
88880140	Block $\Phi$ 20mm tube	19699
<b>Shaking Dry Bath</b>		
88880028	Digital Shaking Dry Bath (w/o block)	POR
<b>Shaking Dry Bath Accessories</b>		
88880125	Block 96 well	29499
88880126	Block 0.5 well	14799
88880127	Block 1.5 ml	25599
88880128	Block 50 ml	25599
<b>Dry Baths</b>		
88870004	Single block: digital control, 4LED, Easy timer, 200-240V (w/o block)	36899
88870005	Dual blocks: digital control, 4LED, Easy timer, 200-240V (w/o block)	40799
88870006	Four blocks: digital control, 4LED, Easy timer, 200-240V (w/o block)	48999
88870010	Single block: digital control, Timer, programable, 4.3' touch screen, 200-240V (w/o block)	57599
88870011	Dual blocks: digital control, Timer, programable, 4.3' touch screen, 200-240V (w/o block)	65299
88870012	Four blocks: digital control, Timer, programable, 4.3' touch screen, 200-240V (w/o block)	79599
<b>Dry Bath Accessories</b>		
88870101	46 x 6mm dia block	7699
88870102	28 x 10mm dia block	7699
88870103	28x 1.5ml block	7099
88870104	28 x 2.0ml block	7099
88870105	24 x 13mm dia block	7899
88870106	15 x 16mm dia block	9499
88870107	12 x 18mm dia block	9499
88870108	8 x 20mm dia block	7699
88870109	6 x 25mm dia block	7699
88870110	40 x 0.5ml block	8399

Cat. No.	Description	Price in ₹
88870111	1 x 96well Elisa block	7099
88870112	Mixed block 32 x 6mm dia + 21 x 10mm dia	9999
88870113	Mixed block 18 x 1.5ml + 10 x 2.0ml	9999
88870114	Mixed block 3 x 25mm dia + 12 x 12~13mm dia+ 6 x 6mm dia	13699
88870115	Mixed block 30 x 0.5ml + 20 x 0.2ml	13699
88870116	Flat bottom, 15 x 15ml block	16399
88870117	Flat bottom 4 x 50ml block	16399
88870118	Conical bottom, 15 x 15ml block	32999
88870119	Conical bottom, 4 x 50ml	32999
88870120	1 x 96 * 0.2 ml none skirted PCR plate block	18399
88870121	1 x 96 * 0.2 ml, half or full skirted PCR plate block	21099
88870122	Temperature Probe, PT1000, stainless steel	3099
<b>Compact Dry Bath</b>		
88871001	Compact Drybath, S 100-240V, US Style Plug (w/o block)	POR
88871002	Compact Drybath, D 100-240V, US Style Plug (w/o block)	POR
88871003	Compact Drybath, S 100-240V (w/o block)	29599
88871004	Compact Drybath, D 100-240V (w/o block)	39699
<b>Compact Dry Baths Accessories</b>		
88871101	24 x 0.2ml Block for Compact Dry Bath	2499
88871102	12 x 0.5ml Block for Compact Dry Bath	2199
88871103	6 x 1.5ml Block for Compact Dry Bath	1999
88871104	6 x 2.0ml Block for Compact Dry Bath	1999
88871105	6 x 15ml Block for Compact Dry Bath	6799
88871106	3 x 50ml Block for Compact Dry Bath	6799
88871107	96-well / Flat Bottom Block for Compact Dry Bath	8499
88871108	Heat Insulator for 2 blk	999
88871109	Heat Insulator for 4blk	1599
88871110	Plastic Lid 1	POR
88871111	Plastic Lid 2	POR
<b>Hot Plates Stirrers</b>		
SP131820-33Q	Super NovaDigital Stirring Hotplates, 7.25 × 7.25in., 50 to 1200rpm, Ceramic, 1° to 370°C	POR
SP135930-33Q	Super NovaDigital Stirring Hotplates, 4Position 220-240V	POR
50094596	Cimarec iPoly 15 - multipoint stirrer	78499
50093557	Cimarec iMultipoint 6 Stirrer	POR
50093538	Cimarec iMultipoint 15 Stirrer	POR
50088077	Cimarec iTelesystem Multipoint Stirrers	POR
50088078	Cimarec iTelesystem Multipoint Stirrers	POR
50088034	Cimarec iTelesystem Multipoint Stirrers	POR
50088036	Cimarec iTelesystem Multipoint Stirrers	POR
50088009	Cimarec iTelesystem Multipoint Stirrers	POR
50088011	Cimarec iTelesystem Multipoint Stirrers	POR
50088057	Cimarec iBiosystem Direct Slow Speed Stirrer	57899
50088061	Cimarec iBiosystem Direct Slow Speed Stirrer	POR
88880005	RT2 Advanced Hotplate Stirrer	66699

Cat. No.	Description	Price in ₹
<b>Hotplate Stirrers Accessories</b>		
88880143	Support Rod (Ø12mm, 400mm, M10)	4199
88880147	Temperature Probe (PT 100, SN-8-4 connector sensor)	8499
88880148	C-5, Clamp Holder (PP body, Ø12 mm)	899
88880149	3 Prong Clamp ( 60mm grip)	1699
88880150	Temperature Probe (PT100, A Class, 400°C)	18299
<b>Vacuum Concentrators</b>		
DNA120-230	DNA120 concentrator with integrated pump includes RD36 rotor	POR
DNA120OP-230	DNA120 concentrator with integrated pump for Oligos includes RD36 rotor	POR
ISS110P1	ISS110 A concentrator with integrated pump and cold trap, includes RH200 rotor	POR

## Heratherm Microbiological Incubators

**Successful incubation depends on the right environmental conditions.**

You need to know that your valuable samples are maintained in a safe and efficient manner.

Thermo Scientific™ Heratherm™ microbiological incubators are easy to use and available in four different models, offering three different airflow technologies and a choice of four sizes. All models offer advanced designs for outstanding results, with sample protection as the top priority.

**Each of our NEW Thermo Scientific Heratherm microbiological incubators is designed for maximum sample protection.**

Thermo Scientific  
Heratherm Compact  
Incubator



**Sophisticated stainless steel exterior** is available as an option for Thermo Scientific Advanced Protocol Security models

Heratherm Incubators are designed for routine applications in pharmaceutical, medical and research laboratories. Gravity convection provides gentle air flow and minimal drying out, with high temperature uniformity and stability.

Heratherm Advanced Protocol Incubators provide outstanding temperature performance for demanding applications. With a broad temperature range up to 105°C, the units are even suitable for drying applications. Our NEW dual convection technology allows an adjustable fan speed from 0 to 100%, providing great versatility for applications.

Heratherm Advanced Protocol Security Incubators incorporate additional safety features for ultimate sample protection, such as 140°C push button decontamination technology that can even supersede autoclaving of interior fittings. These models are optionally available with sophisticated stainless steel exteriors.

Heratherm Compact Incubator for small volume applications: This 18 L capacity unit is ideal for personalized workspaces and space-restricted labs. High temperature accuracy makes the Heratherm Compact incubator the perfect solution for applications at- or below ambient temperatures.



**Thermo Scientific Smart-Vue Wireless Monitoring**  
Smart. Scalable. Simple.

# Vacuum Concentrators

Selecting the right Savant™ SpeedVac™ is now easier than ever with the introduction of our SpeedVac Kits, combining everything you need under one part number.



State-of-the-art technology for removing solvents and concentrating samples.

**quick, efficient**

## Savant SpeedVac Kits:

### **DNA120, DNA120-OP and ISS110**

Easy-to-use, kits ideal for nucleic acid applications.

### **SPD1010 and SPD2010**

These integrated models include a microprocessor control panel with digital display, a concentrator, refrigerated trap, vacuum gauge and a diaphragm pump - all in one compact unit. Typical applications include HPLC fractions with water/0.1% trifluoroacetic acid and reversed-phase SPE eluants.

### **SPD111V**

Modular concentrators offer added flexibility for limited benchtop space. Perfect for evaporation of non-aggressive organics such as methanol, acetonitrile, water and HPLC fractions. Choose the SPD111VP1 for standard evaporation or the SPD111VP2 when you want to lyophilize.

### **SPD121P, SPD131DDA**

Reliable and versatile, our SPD121P and 131DDA SpeedVac Kits can be used with a wide variety of solvents. The SPD131DDA kits offer resistance to TFA, DMSO and other aggressive solvents used in combinatorial chemistry applications.

### **Savant SpeedVac Kit SC210**

Easy-to-use, large capacity concentrator. Use the complete kit package for HPLC fraction and reversed-phase SPE eluant applications.

### **Savant SpeedVac Kit SPD250EXP**

Large-capacity kit with everything you need to effectively concentrate high boiling point solvents and strong acids and bases. Dual vacuum control provides flexibility to use many solvent types.

# Cold Storage



High-Performance Lab Refrigerators and Freezers  
(-30°C to 12°C)-Regulated Market



Ultra-Low Temperature Freezers  
-40°C to -86°C



Mechanical Cryogenic Freezers  
-140°C to -150°C



LN2 Cryogenic(-190°C)



Wireless 21CFR Part 11  
Data Logger



General-Purpose Lab Refrigerators and Freezers  
-40°C to 10°C  
Listed in Price Book

- General Purpose Lab Refrigerators
- General Purpose Lab Freezers
- Flammable storage Freezers and Refrigerators (ATEX)
- Explosion Proof Freezers and Refrigerators

## General-Purpose Lab Refrigerators and Freezers - 40°C to 10°C Thermo Scientific ES and GPS Series

**Refrigerators:** Available in 151 to 1400 Litres Capacities (+1 to +10°C)

**Freezers:** Available in 151 to 1400 Litres Capacities (-18°C to -25°C)

### Key Features of ES Series:

- Digital temp display
- Hydrocarbon refrigerant (R600a)
- Adjustable audio/visual alarms
- Door lock & Door ajar alarm
- Remote alarm contacts
- Field reversible solid doors
- HCFC and CFC free insulation
- 16mm access port
- CE/ATEX marking
- Interior HIPS (High Impact Polystyrene)

### Key Features of GPS Series:

- Digital display
- High and low temperature alarms
- Remote alarm contacts
- Access ports
- Forced air circulation
- CE marked
- HCFC- and CFC-free insulation
- Interior fluorescent lighting
- Interior made of "Sanisteel" with active antibacterial properties

### PL6500 Series lab refrigerators and freezers (-20°C to -40°C)

- Suited for routine laboratory applications in non-regulated environments
- Advanced air stability: +/- 3°C
- Digital temperature controller with intuitive interface
- High and low visual temperature and audio alarms
- High-density, fluorine free insulation
- Heavy-duty construction
- Standard casters



ES Series



Cat No.	Description
PLR221	221 Litres, +1 to 12°C, (factory set +4°C)
PLR386	386 Litres, +1 to 12°C, (factory set +4°C)
PLR1006	1006 Litres, +1 to 12°C, (factory set +4°C)
PLR276	276 Litres, -20 to -40°C, (factory set -40°C)

Cat. No.	Description	Pack	Price in ₹
<b>Balance, Weight &amp; Accessories</b>			
<b>Balance</b>			
OHDV114C	OHAUS Discovery Analytical Balance Model DV114C Capacity (g) : 110 , Least Count (mg) : 0.1 , Platform/Pan Size (mm) : 90 Dia	EA	247656
OHDV214C	OHAUS Discovery Analytical Balance Model DV214C Capacity (g) : 210 , Least Count (mg) : 0.1 , Platform/Pan Size (mm) : 90 Dia	EA	247656
OHDV314C	OHAUS Discovery Analytical Balance Model DV314C Capacity (g) : 310 , Least Count (mg) : 0.1 , Platform/Pan Size (mm) : 90 Dia	EA	247656
OHDV215CD	OHAUS Discovery Semi Micro Balance Model DV215CD Capacity (g) : 81*/210 (Fine Range) , Least Count (mg) : 0.01*/0.1 , Platform/Pan Size (mm) : 90 Dia	EA	247656
OHEX124G	Explorer Analytical Balance Model: EX124G, Capacity (g): 120, Least Count (g): 0.0001, Platform/Pan Size (mm): 90 Dia	EA	199719
OHEX224G	Explorer Analytical Balance Model: EX224G, Capacity (g): 220, Least Count (g): 0.0001, Platform/Pan Size (mm): 90 Dia	EA	221194
OHEX324G	Explorer Analytical Balance Model: EX324G, Capacity (g): 320, Least Count (g): 0.0001, Platform/Pan Size (mm): 90 Dia	EA	242670
OHEX223G	Explorer Precision Balance Model: EX223G, Capacity (g): 220, Least Count (g): 0.001, Platform/Pan Size (mm): 130 Dia	EA	182539
OHEX423G	Explorer Precision Balance Model: EX423G, Capacity (g): 420, Least Count (g): 0.001, Platform/Pan Size (mm): 130 Dia	EA	191128
OHEX623G	Explorer Precision Balance Model: EX623G, Capacity (g): 620, Least Count (g): 0.001, Platform/Pan Size (mm): 130 Dia	EA	212602
OHEX1103G	Explorer Precision Balance Model: EX1103G, Capacity (g): 1100, Least Count (g): 0.001, Platform/Pan Size (mm): 130 Dia	EA	268440
OHEX2202G	Explorer Precision Balance Model: EX2202G, Capacity (g): 2200, Least Count (g): 0.01, Platform/Pan Size (mm): 190 x 200	EA	191128
OHEX4202G	Explorer Precision Balance Model: EX4202G, Capacity (g): 4200, Least Count (g): 0.01, Platform/Pan Size (mm): 190 x 200	EA	212602
OHEX6202G	Explorer Precision Balance Model: EX6202G, Capacity (g): 6200, Least Count (g): 0.01, Platform/Pan Size (mm): 190 x 200	EA	236227
OHEX6201G	Explorer Precision Balance Model: EX6201G, Capacity (g): 6200, Least Count (g): 0.1, Platform/Pan Size (mm): 190 x 200	EA	212602
OHEX10202G	Explorer Precision Balance Model: EX10202G, Capacity (g): 10200, Least Count (g): 0.01, Platform/Pan Size (mm): 190 x 200	EA	268440
OHEX10201G	Explorer Precision Balance Model: EX10201G, Capacity (g): 10200, Least Count (g): 0.1, Platform/Pan Size (mm): 190 x 200	EA	246964
OHEX124/AD	Explorer Analytical Balance with Auto Door Model: EX124/AD, Capacity (g): 120, Least Count (g): 0.0001, Platform/Pan Size (mm): 90 Dia	EA	227681
OHEX224/AD	Explorer Analytical Balance with Auto Door Model: EX224/AD, Capacity (g): 220, Least Count (g): 0.0001, Platform/Pan Size (mm): 90 Dia	EA	243389
OHEX324/AD	Explorer Analytical Balance with Auto Door Model: EX324/AD, Capacity (g): 320, Least Count (g): 0.0001, Platform/Pan Size (mm): 90 Dia	EA	258905
OHEX125D	Explorer Semi Micro Balance Model: EX125D, Capacity (g): 52* / 120, Least Count (g): 0.01* / 0.1mg, Platform/Pan Size (mm): 80 Dia	EA	313670
OHEX125	Explorer Semi Micro Balance Model: EX125, Capacity (g): 120, Least Count (g): 0.01mg, Platform/Pan Size (mm): 80 Dia	EA	369024
OHEX225D	Explorer Semi Micro Balance Model: EX225D, Capacity (g): 120* / 220, Least Count (g): 0.01* / 0.1mg, Platform/Pan Size (mm): 80 Dia	EA	405926
OHEX225D/AD	Explorer Semi Micro Balance Model: EX225D/AD, Capacity (g): 120* / 220, Least Count (g): 0.01* / 0.1mg, Platform/Pan Size (mm): 80 Dia	EA	701146
OHEX225/AD	Explorer Semi Micro Balance Model: EX225/AD, Capacity (g): 220, Least Count (g): 0.01mg, Platform/Pan Size (mm): 80 Dia	EA	738048
OHION-100A	Explorer Static Ionizer Model: Static Ionizer, ION-100A	EA	64579
OHEX12001G	OHAUS Explorer High Capacity Precision Balance Model: EX12001G, Capacity (g): 12000, Least Count (g): 0.1, Platform/Pan Size : 377 x 311 mm	EA	266550

PK - Pack  
EA - Each



Cat. No.	Description	Pack	Price in ₹
OHEX24001G	OHAUS Explorer High Capacity Precision Balance Model: EX24001G, Capacity (g): 24000, Least Count (g): 0.1, : 377 × 311 mm	EA	276770
OHEX35001G	OHAUS Explorer High Capacity Precision Balance Model: EX35001G, Capacity (g): 35000, Least Count (g): 0.1, 377 × 311 mm: 377 × 311 mm	EA	286991
OHPA64	OHAUS Pioneer Basic Level Analytical Balance with External Calibration Model : PAG64*, Capacity (g): 65, Least Count (mg): 0.1, Platform / PAN Size (mm) Dia: 90	EA	78057
OHPA114	OHAUS Pioneer Basic Level Analytical Balance with External Calibration Model : PAG114*, Capacity (g): 114, Least Count (mg): 0.1, Platform / PAN Size (mm) Dia: 90	EA	90772
OHPA114C	OHAUS Pioneer Basic Level Analytical Balance with Internal Calibration Model : PAG114C*, Capacity (g): 114, Least Count (mg): 0.1, Platform / PAN Size (mm) Dia: 90	EA	99742
OHPA214	OHAUS Pioneer Basic Level Analytical Balance with External Calibration Model : PAG214*, Capacity (g): 210, Least Count (mg): 0.1, Platform / PAN Size (mm) Dia: 90	EA	88676
OHPA214C	OHAUS Pioneer Basic Level Analytical Balance with Internal Calibration Model : PAG214C*, Capacity (g): 210, Least Count (mg): 0.1, Platform / PAN Size (mm) Dia: 90	EA	107331
OHPA213	OHAUS Pioneer Basic Level Precision Balance with External Calibration Model : PAG213*, Capacity (g): 210, Least Count (mg): 1, Platform / PAN Size (mm) Dia: 120	EA	46359
OHPA213C	OHAUS Pioneer Basic Level Precision Balance with Internal Calibration Model : PAG213C*, Capacity (g): 210, Least Count (mg): 1, Platform / PAN Size (mm) Dia: 120	EA	62985
OHPA413	OHAUS Pioneer Basic Level Precision Balance with External Calibration Model : PAG413*, Capacity (g): 410, Least Count (mg): 1, Platform / PAN Size (mm) Dia: 120	EA	50431
OHPA413C	OHAUS Pioneer Basic Level Precision with Internal Calibration Model : PAG413C*, Capacity (g): 410, Least Count (mg): 1, Platform / PAN Size (mm) Dia: 120	EA	71584
OHPA2102	OHAUS Pioneer Basic Level Precision with External Calibration Model : PAG2102, Capacity (g): 2100, Least Count (mg): 10, Platform / PAN Size (mm) Dia: 180	EA	45608
OHPA2102C	OHAUS Pioneer Basic Level Precision Balance with Internal Calibration Model : PAG2102C, Capacity (g): 2100, Least Count (mg): 10, Platform / PAN Size (mm) Dia: 180	EA	62985
OHPA4102	OHAUS Pioneer Basic Level Precision Balance with External Calibration Model : PAG4102, Capacity (g): 4100, Least Count (mg): 10, Platform / PAN Size (mm) Dia: 180	EA	50431
OHPA4102C	OHAUS Pioneer Basic Level Precision Balance with Internal Calibration Model : PAG4102C, Capacity (g): 4100, Least Count (mg): 10, Platform / PAN Size (mm) Dia: 180	EA	71584
OHSP202	OHAUS SCOUT PRO Model SP202 IN, Capacity (g): 200, Least Count (g): 0.01, Platform / Pan Size (mm): 120 Dia	EA	11841
OHSP602	OHAUS SCOUT PRO Model SP602 IN, Capacity (g): 600, Least Count (g): 0.01, Platform / Pan Size (mm): 120 Dia	EA	20830
OHSP401	OHAUS SCOUT PRO Model SP401 IN, Capacity (g): 400, Least Count (g): 0.1, Platform / Pan Size (mm): 120 Dia	EA	9782
OHSP601	OHAUS SCOUT PRO Model SP601 IN, Capacity (g): 600, Least Count (g): 0.1, Platform / Pan Size (mm): 165x142	EA	10836
OHSP2001	OHAUS SCOUT PRO Model SP2001 IN, Capacity (g): 2000, Least Count (g): 0.1, Platform / Pan Size (mm): 165x142	EA	11841
OHSP6001	OHAUS SCOUT PRO Model SP6001 IN, Capacity (g): 6000, Least Count (g): 0.1, Platform / Pan Size (mm): 165x142	EA	20830
OHSP6000	OHAUS SCOUT PRO Model SP6000 IN, Capacity (g): 6000, Least Count (g): 1, Platform / Pan Size (mm): 165x142	EA	8990
OHNVT1601G/3	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVT1601G/3, Capacity (g): 1600g, Least Count (g): 0.1g, Platform / Pan Size : 230 x 174 mm	EA	12935
OHNVT3201G/3	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVT3201G/3, Capacity (g): 3200g, Least Count (g): 0.2g, Platform / Pan Size : 230 x 174 mm	EA	12935
OHNVT6401G/3	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVT6401G/3, Capacity (g): 6400g, Least Count (g): 0.5g, Platform / Pan Size : 230 x 174 mm	EA	12935
OHNVT10001G/3	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVT10001G/3, Capacity (g): 10000g, Least Count (g): 0.5g, Platform / Pan Size : 230 x 174 mm	EA	12935
OHNVT16000G/3	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVT16000G/3, Capacity (g): 16000g, Least Count (g): 1g, Platform / Pan Size : 230 x 174 mm	EA	12935
OHNVL511G/3	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVL511G/3, Capacity (g): 510g, Least Count (g): 0.1g, Platform / Pan Size : 194 x 203 mm	EA	12935
OHNVL1101G/3	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVL1101G/3, Capacity (g): 1100g, Least Count (g): 0.1g, Platform / Pan Size : 194 x 203 mm	EA	12935

# Explorer® Semi-Micro Balances



#### Full-Range Performance

0.00001g readability  
up to 220g capacity  
on select models



#### Connectivity Options

USB host and device ports,  
RS232, and available Ethernet  
and 2nd RS232 options



#### Built-In Ionizer

Eliminates static electricity  
to ensure accurate weighing  
(available on select models)



#### 4 Touchless Sensors

Hands-free activation of  
automatic doors, weighing,  
printing, and more



*Ingeniously Practical*

# Balances and Moisture analyzer

Moisture Analyzers combine high quality and durable construction into sleek, compact designs ▶



◀ Laboratories requiring accuracy and looking for innovative technology to obtain measurement results can find both in Explorer semi-micro balances.

With a color touchscreen, GLP/GMP compliance capabilities, two USB ports, ingenious draftshield, and much more, Adventurer is the most complete balance in its class ▶



◀ With the right combination of performance and features, the OHAUS Pioneer offers uncomplicated performance for all your basic weighing needs.

Cat. No.	Description	Pack	Price in ₹
OHNVL2101G/3	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVL2101G/3, Capacity (g): 2100g, Least Count (g): 0.1g, Platform / Pan Size : 194 x 203 mm	EA	12935
OHNVL5101G/3	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVL5101G/3, Capacity (g): 5100g, Least Count (g): 0.5g, Platform / Pan Size : 194 x 203 mm	EA	12935
OHNVL10000G/3	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVL10000G/3, Capacity (g): 10000g, Least Count (g): 1g, Platform / Pan Size : 194 x 203 mm	EA	12935
OHNVL20000G/3	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NVL20000G/3, Capacity (g): 20000g, Least Count (g): 1g, Platform / Pan Size : 194 x 203 mm	EA	12935
OHNV511G/2	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NV511G/2, Capacity (g): 510g, Least Count (g): 0.1g, Platform / Pan Size : 190 x 138 mm	EA	11183
OHNV1101G/2	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NV1101G/2, Capacity (g): 1100g, Least Count (g): 0.1g, Platform / Pan Size : 190 x 138 mm	EA	11183
OHNV2101G/2	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NV2101G/2, Capacity (g): 2100g, Least Count (g): 0.1g, Platform / Pan Size : 190 x 138 mm	EA	11183
OHNV4101G/2	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NV4101G/2, Capacity (g): 4100g, Least Count (g): 0.2g, Platform / Pan Size : 190 x 138 mm	EA	11183
OHNV5101G/2	OHAUS NAVIGATOR PORTABLE BALANCES Model Name NV5101G/2, Capacity (g): 5100g, Least Count (g): 0.5g, Platform / Pan Size : 190 x 138 mm	EA	11183
OHAX124	OHAUS ADVENTURER Analytical Balance Model AX124 , Capacity (g) : 120 , Readability (mg) : 0.1 , Platform / Pan Size in mm : 90 Dia	EA	127149
OHAX124/E	OHAUS ADVENTURER Analytical Balance Model AX124/E , Capacity (g) : 120 , Readability (mg) : 0.1 , Platform / Pan Size in mm : 90 Dia	EA	115768
OHAX224	OHAUS ADVENTURER Analytical Balance Model AX224 , Capacity (g) : 220 , Readability (mg) : 0.1 , Platform / Pan Size in mm : 90 Dia	EA	144612
OHAX224/E	OHAUS ADVENTURER Analytical Balance Model AX224/E , Capacity (g) : 220 , Readability (mg) : 0.1 , Platform / Pan Size in mm : 90 Dia	EA	130288
OHAX324	OHAUS ADVENTURER Analytical Balance Model AX324 , Capacity (g) : 320 , Readability (mg) : 0.1 , Platform / Pan Size in mm : 130 Dia	EA	151319
OHAX223	OHAUS ADVENTURER Precision Balance Model AX223 , Capacity (g) : 220 , Readability (mg) : 1 , Platform / Pan Size in mm : 130 Dia	EA	106350
OHAX223/E	OHAUS ADVENTURER Precision Balance Model AX223/E , Capacity (g) : 220 , Readability (mg) : 1 , Platform / Pan Size in mm : 130 Dia	EA	95165
OHAX423	OHAUS ADVENTURER Precision Balance Model AX423 , Capacity (g) : 420 , Readability (mg) : 1 , Platform / Pan Size in mm : 130 Dia	EA	106350
OHAX423/E	OHAUS ADVENTURER Precision Balance Model AX423/E , Capacity (g) : 420 , Readability (mg) : 1 , Platform / Pan Size in mm : 130 Dia	EA	95165
OHAX523	OHAUS ADVENTURER Precision Balance Model AX523 , Capacity (g) : 520 , Readability (mg) : 1 , Platform / Pan Size in mm : 130 Dia	EA	115481
OHAX523/E	OHAUS ADVENTURER Precision Balance Model AX523/E , Capacity (g) : 520 , Readability (mg) : 1 , Platform / Pan Size in mm : 130 Dia	EA	100071
OHAX622	OHAUS ADVENTURER Precision Balance Model AX622 , Capacity (g) : 620 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195	EA	92222
OHAX622/E	OHAUS ADVENTURER Precision Balance Model AX622/E , Capacity (g) : 620 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195	EA	83392
OHAX1502	OHAUS ADVENTURER Precision Balance Model AX1502 , Capacity (g) : 1520 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195	EA	92222
OHAX1502/E	OHAUS ADVENTURER Precision Balance Model AX1502/E , Capacity (g) : 1520 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195	EA	83392
OHAX2202	OHAUS ADVENTURER Precision Balance Model AX2202 , Capacity (g) : 2200 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195	EA	101249
OHAX2202/E	OHAUS ADVENTURER Precision Balance Model AX2202/E , Capacity (g) : 2200 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195	EA	85944
OHAX4202	OHAUS ADVENTURER Precision Balance Model AX4202 , Capacity (g) : 4200 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195	EA	101249
OHAX4202/E	OHAUS ADVENTURER Precision Balance Model AX4202/E , Capacity (g) : 4200 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195	EA	85944
OHAX5202	OHAUS ADVENTURER Precision Balance Model AX5202 , Capacity (g) : 5200 , Readability (mg) : 10 , Platform / Pan Size in mm : 175X195	EA	123444

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
OHAX4201	OHAUS ADVENTURER Precision Balance Model AX4201 , Capacity (g) : 4200 , Readability (mg) : 100 , Platform / Pan Size in mm : 175X195	EA	94969
OHAX4201/E	OHAUS ADVENTURER Precision Balance Model AX4201/E , Capacity (g) : 4200 , Readability (mg) : 100 , Platform / Pan Size in mm : 175X195	EA	68676
OHAX8201	OHAUS ADVENTURER Precision Balance Model AX8201 , Capacity (g) : 8200 , Readability (mg) : 100 , Platform / Pan Size in mm : 175X195	EA	125187
OHAX8201/E	OHAUS ADVENTURER Precision Balance Model AX8201/E , Capacity (g) : 8200 , Readability (mg) : 100 , Platform / Pan Size in mm : 175X195	EA	88298
14648231	Traceable® SpatulaBalance™	EA	5688
<b>Moisture Balance HAL</b>			
OHMB45	OHAUS Moisture Analyser Model MB45, Capacity (g): 45, Least Count (g): 0.01%/0.001, Platform / Pan Size (in/cm): 3.5/90 with Sample Pan Handler	EA	169488
OHMB35	OHAUS Moisture Analyser Model MB35, Capacity (g): 35, Least Count (g): 0.02%/0.002, Platform / Pan Size (in/cm): 3.5/90 Sample Pan Handler Optional	EA	154355
OHMB25	OHAUS Moisture Analyser Model MB25, Capacity (g): 110, Least Count : 0.05%/0.005g, Heating Technology: Halogen, Platform / Pan Size (in/cm): 3.5/90 with Sample Pan Handler	EA	105245
<b>Moisture Balance IR</b>			
OHMB23	OHAUS Moisture Analyser Model MB23, Capacity (g): 110, Least Count : 0.1%/0.01g, Heating Technology: InfraRed, Platform / Pan Size (in/cm): 3.5/90 Sample Pan Handler Optional	EA	78934
<b>Weights and Measures</b>			
FB67755	Calibration weight Fisherbrand cylindrical E2	EA	9445
FB67756	Calibration weight Fisherbrand cylindrical E2	EA	10387
FB67757	Calibration weight Fisherbrand cylindrical E2	EA	11143
FB67758	Calibration weight Fisherbrand cylindrical E2	EA	11709
FB67759	Calibration weight Fisherbrand cylindrical E2	EA	13222
FB67760	Calibration weight Fisherbrand cylindrical E2	EA	16811
FB67761	Calibration weight Fisherbrand cylindrical E2	EA	18321
FB67762	Calibration weight Fisherbrand cylindrical E2	EA	22479
FB67763	Calibration weight Fisherbrand cylindrical E2	EA	35512
FB67764	Calibration weight Fisherbrand cylindrical E2	EA	53457
FB67765	Calibration weight Fisherbrand cylindrical E2	EA	81980
FB67766	Calibration weight Fisherbrand cylindrical E2	EA	120516
FB67768	Calibration weight Fisherbrand cylindrical F1	EA	6609
FB67769	Calibration weight Fisherbrand cylindrical F1	EA	6986
FB67771	Calibration weight Fisherbrand cylindrical F1	EA	8500
FB67772	Calibration weight Fisherbrand cylindrical F1	EA	10767
FB67773	Calibration weight Fisherbrand cylindrical F1	EA	12842
FB67774	Calibration weight Fisherbrand cylindrical F1	EA	15678
FB67775	Calibration weight Fisherbrand cylindrical F1	EA	29041
FB67776	Calibration weight Fisherbrand cylindrical F1	EA	32112
FB67777	Calibration weight Fisherbrand cylindrical F1	EA	51190
FB67778	Calibration weight Fisherbrand cylindrical F1	EA	74234
FB67779	Calibration weight Fisherbrand cylindrical E2	EA	16054
FB67780	Calibration weight Fisherbrand cylindrical E2	EA	16999
FB67781	Calibration weight Fisherbrand cylindrical E2	EA	17756
FB67782	Calibration weight Fisherbrand cylindrical E2	EA	18321
FB67783	Calibration weight Fisherbrand cylindrical E2	EA	19832
FB67784	Calibration weight Fisherbrand cylindrical E2	EA	23420
FB67785	Calibration weight Fisherbrand cylindrical E2	EA	24934
FB67786	Calibration weight Fisherbrand cylindrical E2	EA	29088
FB67787	Calibration weight Fisherbrand cylindrical E2	EA	42122
FB67788	Calibration weight Fisherbrand cylindrical E2	EA	60066

Cat. No.	Description	Pack	Price in ₹
FB67789	Calibration weight Fisherbrand cylindrical E2	EA	88593
FB67790	Calibration weight Fisherbrand cylindrical E2	EA	127126
FB67791	Calibration weight Fisherbrand cylindrical F1	EA	11332
FB67792	Calibration weight Fisherbrand cylindrical F1	EA	11520
FB67793	Calibration weight Fisherbrand cylindrical F1	EA	11900
FB67794	Calibration weight Fisherbrand cylindrical F1	EA	12654
FB67795	Calibration weight Fisherbrand cylindrical F1	EA	13410
FB67796	Calibration weight Fisherbrand cylindrical F1	EA	15678
FB67797	Calibration weight Fisherbrand cylindrical F1	EA	17756
FB67798	Calibration weight Fisherbrand cylindrical F1	EA	20588
FB67799	Calibration weight Fisherbrand cylindrical F1	EA	34473
FB67800	Calibration weight Fisherbrand cylindrical F1	EA	37023
FB67801	Calibration weight Fisherbrand cylindrical F1	EA	56101
FB67802	Calibration weight Fisherbrand cylindrical F1	EA	79148
FB67803	Calibration weight Fisherbrand Leaf E2 stainless	EA	5664
FB67804	Calibration weight Fisherbrand Leaf E2 stainless	EA	5664
FB67805	Calibration weight Fisherbrand Leaf E2 stainless	EA	5664
FB67806	Calibration weight Fisherbrand Leaf E2 stainless	EA	5664
FB67807	Calibration weight Fisherbrand Leaf E2 stainless	EA	5664
FB67808	Calibration weight Fisherbrand Leaf E2 stainless	EA	5664
FB67809	Calibration weight Fisherbrand Leaf E2 stainless	EA	5664
FB67810	Calibration weight Fisherbrand Leaf E2 stainless	EA	5664
FB67811	Calibration weight Fisherbrand Leaf E2 stainless	EA	5664
FB67812	Calibration weight Fisherbrand Leaf E2 stainless	EA	12277
FB67813	Calibration weight Fisherbrand Leaf E2 stainless	EA	12277
FB67814	Calibration weight Fisherbrand Leaf E2 stainless	EA	12277
FB67815	Calibration weight Fisherbrand Leaf E2 stainless	EA	12277
FB67816	Calibration weight Fisherbrand Leaf E2 stainless	EA	12277
FB67817	Calibration weight Fisherbrand Leaf E2 stainless	EA	12277
FB67818	Calibration weight Fisherbrand Leaf E2 stainless	EA	12277
FB67819	Calibration weight Fisherbrand Leaf E2 stainless	EA	12277
FB67820	Calibration weight Fisherbrand Leaf E2 stainless	EA	12277
FB67821	Calibration weight set Fisherbrand cylindrical E2	EA	132228
FB67822	Calibration weight set Fisherbrand cylindrical F1	EA	75936
FB67823	Calibration weight set Fisherbrand cylindrical E2	EA	166038
FB67824	Calibration weight set Fisherbrand cylindrical F1	EA	98791
FB67825	Calibration weight set Fisherbrand Leaf F1 1mg	EA	37399
FB67826	Calibration weight set Fisherbrand Leaf F1	EA	60066
FB67827	Calibration weight set Fisherbrand Leaf F2 1mg	EA	27009
FB67828	Calibration weight set Fisherbrand Leaf F2	EA	49680
FB67829	Calibration weight set Fisherbrand Leaf M1 1mg	EA	15109
FB67830	Calibration weight set Fisherbrand Leaf M2	EA	39666
FB67831	Calibration weight set Fisherbrand Leaf E2 1mg	EA	59501
FB67832	Calibration weight set Fisherbrand Leaf E2	EA	102003
FB67833	Calibration weight set Fisherbrand cylindrical F2	EA	52889
FB67834	Calibration weight set Fisherbrand cylindrical F2	EA	73669
FB67835	Calibration weight set Fisherbrand cylindrical M1	EA	22432
FB67836	Calibration weight set Fisherbrand cylindrical M1	EA	42502
FB67837	Calibration weight set Fisherbrand cylindrical E2	EA	155840
FB67838	Calibration weight set Fisherbrand cylindrical E2	EA	195318
FB67839	Calibration weight set Fisherbrand cylindrical E2	EA	253121
FB67840	Calibration weight set Fisherbrand cylindrical E2	EA	298455
FB67841	Calibration weight set Fisherbrand cylindrical F1	EA	164340

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
FB67842	Calibration weight set Fisherbrand cylindrical F1	EA	187952
FB67843	Calibration weight set Fisherbrand cylindrical F2	EA	107671
FB67844	Calibration weight set Fisherbrand cylindrical F2	EA	134115
FB67845	Calibration weight set Fisherbrand cylindrical M1	EA	53834
FB67846	Calibration weight set Fisherbrand cylindrical M1	EA	76501
FB67847	Calibration weight set Fisherbrand cylindrical E2	EA	498687
FB67849	Calibration weight set Fisherbrand cylindrical F1	EA	332457
FB67850	Calibration weight set Fisherbrand cylindrical F1	EA	361737
FB67851	Calibration weight set Fisherbrand cylindrical F2	EA	188517
FB67852	Calibration weight set Fisherbrand cylindrical F2	EA	217232
FB67853	Calibration weight set Fisherbrand M1 brass 1g	EA	119003
FB67854	Calibration weight set Fisherbrand cylindrical M1	EA	149227
FB67855	Calibration weight Fisherbrand cylindrical F2	EA	4531
FB67856	Calibration weight Fisherbrand cylindrical F2	EA	9445
FB67857	Calibration weight Fisherbrand cylindrical M1	EA	1510
FB67858	Calibration weight Fisherbrand cylindrical M1	EA	6421
FB67859	Calibration weight Fisherbrand cylindrical F2	EA	4722
FB67860	Calibration weight Fisherbrand cylindrical F2	EA	9633
FB67861	Calibration weight Fisherbrand cylindrical M1	EA	1510
FB67862	Calibration weight Fisherbrand cylindrical M1	EA	6421
FB67863	Calibration weight Fisherbrand cylindrical F2	EA	4911
FB67864	Calibration weight Fisherbrand cylindrical F2	EA	9822
FB67865	Calibration weight Fisherbrand cylindrical M1	EA	1699
FB67866	Calibration weight Fisherbrand cylindrical M1	EA	6609
FB67867	Calibration weight Fisherbrand cylindrical F2	EA	5288
FB67868	Calibration weight Fisherbrand cylindrical F2	EA	10198
FB67869	Calibration weight Fisherbrand cylindrical M1	EA	1699
FB67870	Calibration weight Fisherbrand cylindrical M1	EA	6609
FB67871	Calibration weight Fisherbrand cylindrical F2	EA	5664
FB67872	Calibration weight Fisherbrand cylindrical F2	EA	10575
FB67873	Calibration weight Fisherbrand cylindrical M1	EA	1887
FB67874	Calibration weight Fisherbrand cylindrical M1	EA	6798
FB67875	Calibration weight Fisherbrand cylindrical F2	EA	6044
FB67876	Calibration weight Fisherbrand cylindrical F2	EA	10955
FB67877	Calibration weight Fisherbrand cylindrical M1	EA	2075
FB67878	Calibration weight Fisherbrand cylindrical M1	EA	6986
FB67879	Calibration weight Fisherbrand cylindrical F2	EA	6798
FB67880	Calibration weight Fisherbrand cylindrical F2	EA	11709
FB67881	Calibration weight Fisherbrand cylindrical M1	EA	3777
FB67882	Calibration weight Fisherbrand cylindrical M1	EA	8688
FB67883	Calibration weight Fisherbrand cylindrical F2	EA	9065
FB67884	Calibration weight Fisherbrand cylindrical F2	EA	13976
FB67885	Calibration weight Fisherbrand cylindrical M1	EA	4911
FB67886	Calibration weight Fisherbrand cylindrical M1	EA	9822
FB67887	Calibration weight Fisherbrand cylindrical F2	EA	16054
FB67888	Calibration weight Fisherbrand cylindrical F2	EA	21251
FB67889	Calibration weight Fisherbrand cylindrical M1	EA	8971
FB67890	Calibration weight Fisherbrand cylindrical M1	EA	14167
FB67891	Calibration weight Fisherbrand cylindrical F2	EA	17376
FB67892	Calibration weight Fisherbrand cylindrical F2	EA	22287
FB67893	Calibration weight Fisherbrand cylindrical M1	EA	10198
FB67894	Calibration weight Fisherbrand cylindrical M1	EA	15109
FB67895	Calibration weight Fisherbrand cylindrical F2	EA	25499

Cat. No.	Description	Pack	Price in ₹
FB67896	Calibration weight Fisherbrand cylindrical F2	EA	30410
FB67897	Calibration weight Fisherbrand cylindrical M1	EA	16243
FB67898	Calibration weight Fisherbrand cylindrical M1	EA	21153
FB67899	Calibration weight Fisherbrand cylindrical F2	EA	42502
FB67900	Calibration weight Fisherbrand cylindrical F2	EA	47413
FB67901	Calibration weight Fisherbrand cylindrical M1	EA	34379
FB67902	Calibration weight Fisherbrand cylindrical M1	EA	39290
FB67903	Calibration weight Fisherbrand cylindrical E2	EA	178319
FB67904	Calibration weight Fisherbrand cylindrical E2	EA	184928
FB67905	Calibration weight Fisherbrand cylindrical F1	EA	135437
FB67906	Calibration weight Fisherbrand cylindrical F1	EA	140348
FB67907	Calibration weight Fisherbrand cylindrical F2	EA	83113
FB67908	Calibration weight Fisherbrand cylindrical F2	EA	88024
FB67909	Calibration weight Fisherbrand cylindrical M1	EA	62145
FB67910	Calibration weight Fisherbrand cylindrical M1	EA	68758

### Baths, Chillers & Circulator

Chillers & Circulator			
13255651	Insert, Rack; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Includes top and bottom panel that will hold up to 13 test tubes that are 25mm dia.	EA	28225
13255652	Insert, Rack; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Includes top and bottom panel with no holes	EA	22419
13255653	Rack, Tube; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Universal stainless-steel rack for bath types S13, S12T, S15.	EA	37027
13255654	Insert, Rack; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Includes top and bottom panels that will hold up to 39 test tubes that are 10 mm dia.	EA	26775
13255655	Insert, Rack; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Includes top and bottom panel that will hold up to 20 test tubes that are 16mm dia.	EA	28225
13255656	Insert, Rack; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Includes top and bottom panel that will hold up to 8 test tubes that are 25mm dia.	EA	28345
13265114	Coil, Cooling; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Tap water cooling coil for SC100, SC150, AC150, AC200, PC200, PC201, PC300 with S13, S15, S21,	EA	35895
13265119	Coil, Cooling; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Tap water cooling coil for SC100 or SC 150 controller with S5P	EA	69114
13265120	Coil, Cooling; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Tap water cooling coil for SC100 or SC150 controller with S6T	EA	57076
13265123	Coil, Cooling; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Tap water cooling coil for AC150 or AC200 controller with S3 or S7	EA	69114
13265124	Bridge, Bath; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Adjustable bridge in widths between 300 and 800 mm, for SC, AC & PC immersion circulators	EA	49199
13265155	Bath Fluid, Ethylene glycol; For Thermo Scientific Neslab baths; For low-temperature applications to 30deg.C	EA	47125
13265202	Fluid, Bath; Fisher Scientific; Isotemp; Sil 100 Silicone oil bath liquid; Temp. range: -75 to +75C; 5L	EA	91117
13265203	Fluid, Bath; Fisher Scientific; Isotemp; Sil 100 Silicone oil bath liquid; Temp. range: -75 to +75C; 10L	EA	181589
13265204	Fluid, Bath; Fisher Scientific; Isotemp; Sil 180 Silicone oil bath liquid; Temp. range -40 to +200C; 5L	EA	47836
13265205	Fluid, Bath; Fisher Scientific; Isotemp; Sil 300 Silicone oil bath liquid, temperature range 80 to 300deg. , 5L	EA	193053
13265206	Fluid, Bath; Fisher Scientific; Isotemp; Sil 300 Silicone oil bath liquid, temperature range 80 to 300deg. , 10L	EA	268943
13265207	Fluid, Bath; Fisher Scientific; Isotemp; Sil 180 Silicone oil bath liquid; Temp. range -40 to +200C; 10L	EA	103236
13265214	Plumbing kit; Fisher Scientific; Isotemp; For use with Isotemp Circulating Baths; Viton plumbing package; Temp. range -25 to +100C; Uninsulated	EA	48268
13265215	Plumbing kit; Fisher Scientific; Isotemp; For use with Isotemp Circulating Baths; Viton plumbing package; Temp. range -25 to +100C; Uninsulated	EA	53316
13265232	Sensor, PT100; Fisher Scientific; Isotemp; Bath circulators; For use with 6200 controller	EA	60572

PK - Pack  
EA - Each



Cat. No.	Description	Pack	Price in ₹
13265233	Pressure reducer, External; Fisher Scientific; Isotemp; For use w/Isotemp I and II chillers; Limits maximum outlet pressure of the chiller; For circulating to applications sensitive to higher pressures/when circulating through glass	EA	53702
13265234	Rack, Test Tube; Bel Art; Fisherbrand Poxgrid; Three deck; Epoxy-coated steel; Resist corrosion, organic, acid, alkali; Withstand temp. to 121deg.C; 11.62L x 7.37W x 3.25 in. H(29.5 x 18.7 x 8.3cm); Blue; For tube size: 22 to 25mm	EA	53702
13265235	Installation Kit; Fisher Scientific; Isotemp; Chillers; Includes: (2) 1/2 x 1/2 in. mpt fittings, 25 ft. of 5/8 in. I.D. Polybraided hose, (2) hose clamps and hose insulation	EA	42715
13872270	Insert, Rack; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Includes top and bottom panel with no holes	EA	21273
13872271	Bridge, Bath; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Extension bridge for S15, S21, S30, S45 liftplate	EA	30383
13872275	Platform, Lifting; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Lifting platform, stainless-steel for S21, S30, S45	EA	69083
13873870	Cover, Work Area; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Stainless-steel work area cover for S5P	EA	12649
13873871	Cover, Work Area; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Stainless-steel work area cover for S14P	EA	13494
13873872	Cover, Work Area; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Stainless-steel work area cover for S21P bath	EA	16740
13873881	Adapter, Communications; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; RS232 Adapter	EA	51559
13873884	Adapter, Tubing; Thermo Scientific; For use with Thermo Scientific Refrigerated and Heated Bath Circulators; Adapter M16x1 female 1/4 in. NPTF male	EA	14432
13874041	ISOTEMP 4100 H7 HEAT BATH 230V	EA	304892
13874042	ISOTEMP 4100 H11 HEAT BATH 230V	EA	323601
13874043	ISOTEMP 4100H24 HEAT BATH-230V	EA	390605
13874044	ISOTEMP 4100 H5P HEAT BATH 230V	EA	260400
13874045	ISOTEMP 4100 H14P HEAT BATH 230V	EA	283821
13874046	ISOTEMP 4100 H21P HEAT BATH 230V	EA	307415
13874047	ISOTEMP 4100 H6A HEAT BATH 230V	EA	255683
13874048	ISOTEMP 4100 H12A HEAT BATH 230V	EA	276306
13874049	ISOTEMP 4100 H19A HEAT BATH 230V	EA	296229
13874050	ISOTEMP 4100 R20 REF BATH 230V	EA	368709
13874051	ISOTEMP 4100 R20F REF BATH 230V	EA	472988
13874052	ISOTEMP 4100 R28 REF BATH 230V	EA	523626
13874053	ISOTEMP 4100R35 REF BATH-230V	EA	625838
13874054	ISOTEMP 5150 H7 HEAT BATH 230V	EA	338747
13874055	ISOTEMP 5150 H11 HEAT BATH 230V	EA	357590
13874056	ISOTEMP 5150 H24 HEAT BATH 230V	EA	426250
13874059	ISOTEMP 5150 R28 REF. BATH 230V	EA	555263
13874060	ISOTEMP 5150 R35 (230V/50HZ)	EA	665256
13874244	Chiller, Recirculating; Thermo Scientific; Isotemp; Isotemp III; 10deg. to 35deg.C; Stability: +/-0.5deg.C; Cooling: 2000w/6830 BTU; Reservoir: 19L; Pump pressure: 5.3L/min.; 1.4 gpm; 28 x 17 x 23in.; Pump: PD-1; 208-230V/60Hz; 160 lb.	EA	782875
13874245	Chiller, Recirculating; Thermo Scientific; Isotemp; Isotemp III; 10deg. to 35deg.C; Stability: +/-0.5deg.C; Cooling: 2000w/6830 BTU; Reservoir: 19L; Pump pressure: 13.6L/min.; 3.6 gpm; 28 x 17 x 23in.; Pump: PD-2; 208-230V/60Hz; 160 lb.	EA	778580
13874433	ISOTEMP 5150C IMM. CIRC. 230V	EA	210768
13874439	ISOTEMP 5150B IMM. CIRC. 50HZ	EA	220205
13874441	ISOTEMP 6200B CIRC. W/CP 50HZ	EA	304617
1387460B	Bath, Filler; Fisherbrand Dow Corning; Silicone bath fluid DC510; Temp. range: 50deg.C to 150deg.C (122deg.F to 302deg.F); Freezing point: -70deg.C; Viscosity: 5	EA	133247
1387460C	Bath, Filler; Fisherbrand Dow Corning; Silicone bath fluid DC550; Temp. range: 100deg.C to 200deg.C (212deg.F to 392deg.F); Freezing point: -50deg.C	EA	101318
1387460D	Bath, Filler; Fisherbrand Dow Corning; Silicone bath fluid DC710; Temp. range: 150deg.C to 250deg.C (302deg.F to 482deg.F); Freezing point: -22deg.C	EA	117022

# Fisher Scientific Recirculating Water Baths and Chillers

## Choose the temperature control option that delivers the best value for your lab

Isotemp temperature control products offer a wide range of configurations that deliver the best value and performance for a wide array of applications with temperatures ranging from  $-35^{\circ}\text{C}$  to  $+200^{\circ}\text{C}$ . You can count on the latest in technology, features and options to deliver the ideal combination of performance, ease of use, and reliability.

Choose the appropriate product for your liquid temperature control requirements:

**Heated Immersion Circulators:** (Ambient to  $+200^{\circ}\text{C}$ ) For use with a user supplied open bath work area for circulation internally or to circulate fluid externally to an application.

**Refrigerated/Heated Bath Circulators:** ( $-35^{\circ}\text{C}$  to  $+200^{\circ}\text{C}$ ) A complete system made up of an immersion circulator and a refrigerated bath. Use as a temperature controlled bath or to circulate fluid externally to an application.

**Heated Bath Circulators:** (Ambient to  $+200^{\circ}\text{C}$ ) A complete system made up of an immersion circulator and a bath. Use as a temperature controlled bath or to circulate fluid externally to an application.

**Cooling/Heating Recirculating Chillers:** Circulate fluid externally to applications that do not require a bath work area.

**Recirculating Chillers:** ( $-10^{\circ}\text{C}$  to  $+30^{\circ}\text{C}$ ) Circulate fluid externally to applications where higher cooling capacity and higher pumping capacity are required.

### Units are available to accommodate a variety of lab applications, including:

- » Sample Preparation
- » Analytical Instrumentation
- » General Laboratory Cooling
- » Rotary Evaporators
- » Fermenters
- » Lasers
- » Condensers
- » Bio-reactors
- » Histology

### Performance

- » Wide range of available configurations and performance options for an optimized temperature control solution
- » Minimum space requirements to maximize work space efficiency
- » Robust design for trouble-free operation

### Ease of Use

- » Intuitive controllers with simplified user interface ensure quick and easy operation
- » Innovative features and options to maximize efficiency
- » A variety of available accessories to meet your application needs

### Reliability

- » Robust product design ensures years of reliable operation
- » Inventive design features to maximize product reliability
- » Unparalleled product and service support



# Fisher Scientific Traceable® Logger-Trac™ Temp. Datalogger

From an ISO/IEC 17025 (1750.01) A2LA accredited calibration laboratory • NIST certified

## New Fisher Scientific Traceable® Logger-Trac™ Temp. Datalogger



Fisher Scientific Traceable® Logger-Trac™ Temperature is perfect for monitoring material during storage, handling, transportation. Reusable device with active LCD allows cumulative duration of temperature excursion from user-selected MIN/MAX values to be viewed immediately and downloaded if needed.

Logger-Trac™ is the ultimate monitoring partner—displays, records, and reports data every step of the way

- » Displays cumulative Alarm Duration from user selected MIN/MAX values
- » Reusable/Re-programmable
- » Perfect for monitoring material during transportation
- » Integrates with MaxiThermal Software for complete data analysis
- » Size: 2.56 x 1.34 x 0.35 inches; lightweight: 0.65 ounces
- » Individual Logger-Trac™ Thermometers are pre-programmed with alarm values of 2°C (low) and 8°C (high) and a recording interval to allow for 30 days of recording (readings are logged every 5 minutes, 33 seconds)
- » To assure accuracy an individually serial-numbered Traceable® Certificate is provided from an ISO/IEC 17025 (1750.01) calibration laboratory accredited by A2LA. It indicates traceability to standards provided by NIST.



MaxiThermal Software—ideal solution for managing and analyzing data

Fisher Scientific Catalog No.	Range	Resolution	Accuracy
15-081-144	-35.0 to 50.0°C (-31.0 to 122.0°F)	0.1°	±0.2°C from 0 to 10°C; ±1°C otherwise

#### Accessories

Fisher Scientific Catalog No.	Description
15-081-145	Logger-Trac™ Paper sleeves (100/pk)
15-081-150	MaxiThermal Software
15-081-148	Logger-Trac™ Cradle/Cable

Traceable is a registered Trademark of Control3. Logger-Trac™ is a Trademark of Control3.

**Know the Temperature Excursion Duration immediately, no data download required**

**Active LCD shows the following important data:**

- Current, MIN/MAX temperatures
- Recording status
- Run Time
- Alarm (Excursion) Cumulative Time
- Quarantine status
- Alarm Tally

#### SPECIFICATIONS

- Storage Capacity: 7,680 readings
- Supplied: battery, Traceable® Certificate

#### ALARM TALLY

LCD shows the running alarm tally based on the acceptable temperature range and recording interval. Alarm tally is incremented when reading goes outside acceptable parameters during recording interval.

#### QUARANTINE

Once an alarm condition has occurred, Alarm Tally, "ALARM" notification appears, cumulative alarm time. If too many Alarm events occur within pre-set parameters, "QUARANTINE" will appear on the display.

#### Traceable to NIST for accuracy

An individually-numbered Traceable® Certificate is provided which assures accuracy from an ISO/IEC 17025 (1750.01) calibration laboratory accredited by A2LA. It indicates traceability to standards provided by NIST (National Institute of Standards and Technology).

Cat. No.	Description	Pack	Price in ₹
<b>Chart Recorder &amp; Data Loggers</b>			
<b>Chart Recorder</b>			
13904201	Chart, 24-Hour; Dickson; Circular; Dia: 6 in. (152mm); Range: -50C to 50degC; Works with 6 in. (152mm) temperature chart recorder	PK	8957
13904202	Chart, 24-Hour; Dickson; Circular; Range: 50deg. to 100deg.F/C; Works with 6 in. (152mm) temperature chart recorder	PK	8690
1390475	Cable, Interface, for SX100 Temperature Datalogger, includes Manual, 50ft. Long	EA	22134
1390476	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +/-100; 24-Hour	PK	8894
1390477	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +200deg.F/ 0 to 100% RH; 24-Hour	PK	8690
1390478	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +50deg.C/0 to 100% RH; 24-Hour	PK	8897
1390479	Chart Recorder; Dickson ET8; Universal input; Takes four different inputs from a transducer or transmitter and translates that into varied output ranges for measuring temperature, pH, current.	EA	139923
1390480	Recorder, Chart; Dickson; Multiple features; 6 in. readable chart; AC power; Battery backup; User selectable recording times; Temperature range: 0 to 50 deg. C (32 to 100 deg. F); No display; Response time: min; Wt.: 2.16 lb.	EA	106978
1390481	Recorder, Chart; Dickson; Multiple features; 6 in. readable chart; AC power; Battery backup; User selectable recording times; Temperature range: 0 to 50 deg. C (32 to 100 deg. F); With display; Response time: min; Wt.: 2.16 lb.	EA	124476
1390482	Recorder, Chart; Dickson; 6 in. (152mm) readable chart; w/Display, Probe and Alarm; AC power; Battery backup; User selectable recording times; Temp. range: 0deg to 50degC; Humidity range: 0-95% RH non-condensing	EA	148571
139401000	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to +120deg.F/7 day; Pack of: 60	PK	8740
139401001	Chart, Replacement; Dickson; Recorder paper; For TempTrace; Used with 15-074-25	PK	8915
139401002	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 50deg.C/7 day; Pack of: 60	PK	8734
139401004	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 40 to 111deg.F/7 day; Pack of: 60	PK	8742
139401006	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 5 to 40deg.C/7 day; Pack of: 60	PK	8742
139401007	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 120deg.F/31 day; Pack of: 60	PK	8742
139401008	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 40 to 110deg.F/31 day; Pack of: 60	PK	8960
139401009	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 50deg.C/31 day; Pack of: 60	PK	8960
139401010	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 5 to 40deg.C/31 day; Pack of: 60	PK	8742
139401012	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: -150 to +250 or -.15 to +.25; 24-Hour	PK	8690
139401018	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 1000; 7-Day	PK	8690
139401019	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 1000; 24-Hour	PK	8897
139401020	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 2000; 24-Hour	PK	8690
139401021	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 2000; 7-Day	PK	8690
13940980	Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, 0deg. to 45deg.F; Recording time, 7 days	PK	8844
13940981	Charts; for Chart Recorders; Dickson; Size: 4 in.; Range: 0 to 45; 24-Hour	PK	8690
13940982	Chart, Replacement; Dickson; F/sl4100f7/sm4100f7; For TempTrace; Used with 15-074-22	PK	8907
13940983	Chart, Replacement; Dickson; Sl4100f24/sm4100f2; For TempTrace; Used with 15-074-23	PK	9007
13940984	Chart, Replacement; Dickson; F/sl4120f7/sm4120f7; For TempTrace; Used with 15-074-24	PK	8907
13940987	Chart, Replacement; Dickson; F/sl4350c7/sm4350c7; For TempTrace; Used with 15-074-26	PK	8873
13940988	Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, 0deg. to +250deg.F; Recording time, 7 days	PK	8690
13940989	Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, -50deg. to +50deg.F; Recording time, 7 days	PK	8850
13940990	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +50deg.C/0 to 100% RH; 7-Day	PK	8894
13940991	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +200deg.F/0 to 100% RH; 7-Day	PK	8894

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
13940997	Recorder Pen, replacement pen for Fisher Scientific Isotemp Large Capacity Refrigerated Incubator, Red	PK	9618
13940997A	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; > Replcmnt Pens For Temp/rh; Pens (3 red, 3 blue); Pack of: 6	PK	9511
13940998	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 125 deg.1 day; Pack of: 60	PK	8690
13940999	Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, -10deg. to +40deg.C, 0-100% RH; Recording time, 7 days	PK	8981
15074118	Kit, Plug; Dickson; Universal; For AC adapter; with 4 different international connections; Input: 100V - 240V, 50-60Hz; Output: DC 12V 2A; Compatible with all Dickson units; Unit Weight: 2 lb.	EA	7182
1507447	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: -50 to +50; 24-Hour	EA	8690
1507448	Chart, for KTx Temperature Recorders, 7-Day Rotation, -50 to +50deg.F/C	PK	8852
1507449	Charts, Recorder Replacement, Dickson; 8 in. dia.; Range, 0deg. to 500deg.F; Recording time, 24 hrs	PK	8852
1507451	Chart, for KTx and KTxA Temperature Recorders, 7-Day Rotation, 0 to 100deg.F/C	PK	8852
1507461	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -14deg. to 32deg.F; Replacement for Super-Compact SC3	PK	8915
1507462	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -25deg. to 0deg.C; Replacement for Super-Compact SC3	PK	8915
1507464	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 4deg. to 50deg.F; Replacement for Super-Compact SC3	PK	8915
1507465	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -15deg. to 10deg.C; Replacement for Super-Compact SC3	PK	8915
1507467	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 50deg. to 96deg.F; Replacement for Super-Compact SC3	PK	8915
1507468	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 10deg. to 35deg.C; Replacement for Super-Compact SC3	PK	8803
1507470	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 76deg. to 122deg.F; Replacement for Super-Compact SC3	PK	8915
1507471	For 15-074-69; Description: Celsius Chart	PK	8863
1507473	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 22deg. to 68deg.F; Replacement for Super-Compact SC3	PK	8915
1507474	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -5deg. to 20deg.C; Replacement for Super-Compact SC3	PK	8915
1507479	Chart, Temperature recorder; Dickson; To archive monitoring history; 6 in. (152mm); 7-Day; -50deg. to 50deg.C/F	PK	9007
1507480	Pen Line Resolution to: 0.5deg. F/C; Ruled to: 1deg. F/C; Range: -50deg. to 0deg. or 0deg. to 50deg. F/C	PK	9007
1507481	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: +50 to +100; 7-Day	PK	8894
1507482	Charts, Recorder Replacement, Dickson; 6 in. dia.; Range, 0deg. to 100deg.F; Humidity, 0 to 100deg.; 7 day chart; Recording time, 24 hrs	PK	8847
1507484	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +500; 7-Day	PK	8690
1507487	Traceable Calibration; Dickson; N100; NIST; 1-Point; Includes documentation to pre-selected point after calibration; Offers proof of accuracy for Dickson instruments	EA	21995
1507488	Traceable Calibration; Dickson; N300; NIST; 3-Point; Includes documentation to pre-selected point after calibration; Offers proof of accuracy for Dickson instruments	EA	34012
15075100	Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: -25deg. to 0deg.C; Fahrenheit Range: -14deg. to +32deg.F	EA	48567
15075101	Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: -5deg. to +20deg.C; Fahrenheit Range: +22deg. to +68deg.F	EA	48767
15075102	Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: +10deg. to +35deg.C; Fahrenheit Range: +50deg. to +96deg.F	EA	48507
15075103	Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: -15deg. to +10deg.C; Fahrenheit Range: +4deg. to +50deg.F	EA	48462
15075104	Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: +25deg. to +50deg.C; Fahrenheit Range: +76deg. to +122deg.F	EA	48462
15075106	Chart Recorder, Vaccine; Fahrenheit	EA	89268
15075110	Recorder, Chart; Dickson; 8 in. (203mm) readable chart; Recorder with battery operation; Temp. range: 0deg to 50degC (32deg to 120degF); Humidity range: 0-95% RH non-condensing	EA	107568

Cat. No.	Description	Pack	Price in ₹
15075115	Memory Card; Dickson; A210; Removable SD flash card; Compatible w/SM300 series, TM320, FT500 series, PR125, PR325, and PR525; Data capacity: 2GB; Unit weight: 1 lb.	EA	18591
15075116	Kit, Card Reader; Dickson; w/USB memory card reader and one flash memory card; Compatible w/SM300 series, TM320, TM325, FT500 series, PR125, PR325, and PR525; Data capacity: 2 GB; Unit Weight: 1 lb.	PK	26956
15075143	Recorder; Dickson; Replacement charts; 4 in.; 0 to 200psi; 7-day; 60 charts per box	PK	8928
15075144	Recorder; Dickson; Replacement charts; 4 in.; 0 to 200psi; 24-hour; 60 charts per box	PK	9167
15075145	Recorder; Dickson; Replacement charts; 0 to 300psi; 7-day; 60 charts per box	PK	8928
15075146	Recorder; Dickson; Replacement charts; 4 in.; 0 to 300psi; 24-hour; 60 charts per box	PK	8690
15075147	Recorder; Dickson; Replacement charts; 4 in.; 0 to 500psi; 24-hour; 60 charts per box	PK	8690
15075151	Recorder; Dickson; Replacement charts; 8 in.; 0 to 200psi; 7-day; 60 charts per box	PK	8690
15075152	Recorder; Dickson; Replacement charts; 8 in.; 0 to 200psi; 24-hour; 60 charts per box	PK	8928
15075246	Chart, 24-Hour; Dickson; Circular; Range: 0deg. to 250deg.F/C; Works with 6 in. (152mm) temperature chart recorder	PK	9170
15075247	Chart, 24-Hour; Dickson; Range: 25deg. to 50deg.C; Works with 3 in. (76mm) temperature chart recorder	PK	2108
15075248	Pen; Dickson; Humidity only; Color: Blue; Weight: 1 lb.	PK	9802
15075249	AC Adapter; Dickson; Compatible with all Dickson units; Voltage Input: 120 to 240V; Voltage Output Upper: 12VDC; Unit weight: 2 lb.	EA	7161
15174205	Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: -5.55 deg. to +50 deg. C (-22 deg. to +122 deg. F); Recording time: 7 days	PK	8939
15174206	Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: -18 deg. to +37 deg.C (-64.4 deg. to +98.6 deg. F); Recording time: 7 days	PK	8939
15174207	Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: +7 deg. to +32 deg. C (+44.6 deg. to +89.6 deg. F); Recording time: 7 days	PK	8939
15174208	Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: -5.55 deg. to +50 deg. C (-22 deg. to +122 deg. F); Recording time: 24 hours	PK	8939
15174209	4 INCH CHART PK/604 INCH CHAR	PK	8690
15174210	Chart, 24-Hour; Dickson; Circular; Range: -18deg.C to 37deg.C; Works with 4 in. (101mm) temperature chart recorder	PK	8957
15174211	Chart, 24-Hour; Dickson; Circular; Works with 4 in. (101mm) temperature chart recorder; Range: 7deg. to 32deg.C	PK	8690
22025492	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: -20 to +50/0 to 100% RH; 24-Hour	PK	8894
22279809	Charts, Recorder Replacement, Dickson; 4 in. dia.; Range, -45deg. to +90deg.F; Recording time, 7 days	PK	8839

### Chart Recorder & Data Loggers

Chart Recorder			
13904201	Chart, 24-Hour; Dickson; Circular; Dia: 6 in. (152mm); Range: -50C to 50degC; Works with 6 in. (152mm) temperature chart recorder	PK	8957
13904202	Chart, 24-Hour; Dickson; Circular; Range: 50deg. to 100deg.F/C; Works with 6 in. (152mm) temperature chart recorder	PK	8690
1390475	Cable, Interface, for SX100 Temperature Datalogger, includes Manual, 50ft. Long	EA	22134
1390476	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +/-100; 24-Hour	PK	8894
1390477	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +200deg.F/ 0 to 100% RH; 24-Hour	PK	8690
1390478	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +50deg.C/0 to 100% RH; 24-Hour	PK	8897
1390479	Chart Recorder; Dickson ET8; Universal input; Takes four different inputs from a transducer or transmitter and translates that into varied output ranges for measuring temperature, pH, current.	EA	139923
1390480	Recorder, Chart; Dickson; Multiple features; 6 in. readable chart; AC power; Battery backup; User selectable recording times; Temperature range: 0 to 50 deg. C (32 to 100 deg. F); No display; Response time: min; Wt.: 2.16 lb.	EA	106978
1390481	Recorder, Chart; Dickson; Multiple features; 6 in. readable chart; AC power; Battery backup; User selectable recording times; Temperature range: 0 to 50 deg. C (32 to 100 deg. F); With display; Response time: min; Wt.: 2.16 lb.	EA	124476
1390482	Recorder, Chart; Dickson; 6 in. (152mm) readable chart; w/Display, Probe and Alarm; AC power; Battery backup; User selectable recording times; Temp. range: 0deg to 50degC; Humidity range: 0-95% RH non-condensing	EA	148571

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
139401000	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to +120deg.F/7 day; Pack of: 60	PK	8740
139401001	Chart, Replacement; Dickson; Recorder paper; For TempTrace; Used with 15-074-25	PK	8915
139401002	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 50deg.C/7 day; Pack of: 60	PK	8734
139401004	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 40 to 111deg.F/7 day; Pack of: 60	PK	8742
139401006	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 5 to 40deg.C/7 day; Pack of: 60	PK	8742
139401007	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 120deg.F/31 day; Pack of: 60	PK	8742
139401008	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 40 to 110deg.F/31 day; Pack of: 60	PK	8960
139401009	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 50deg.C/31 day; Pack of: 60	PK	8960
139401010	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, 5 to 40deg.C/31 day; Pack of: 60	PK	8742
139401012	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: -150 to +250 or -.15 to +.25; 24-Hour	PK	8690
139401018	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 1000; 7-Day	PK	8690
139401019	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 1000; 24-Hour	PK	8897
139401020	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 2000; 24-Hour	PK	8690
139401021	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: 0 to 2000; 7-Day	PK	8690
13940980	Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, 0deg. to 45deg.F; Recording time, 7 days	PK	8844
13940981	Charts; for Chart Recorders; Dickson; Size: 4 in.; Range: 0 to 45; 24-Hour	PK	8690
13940982	Chart, Replacement; Dickson; F/sl4100f7/sm4100f7; For TempTrace; Used with 15-074-22	PK	8907
13940983	Chart, Replacement; Dickson; Sl4100f24/sm4100f2; For TempTrace; Used with 15-074-23	PK	9007
13940984	Chart, Replacement; Dickson; F/sl4120f7/sm4120f7; For TempTrace; Used with 15-074-24	PK	8907
13940987	Chart, Replacement; Dickson; F/sl4350c7/sm4350c7; For TempTrace; Used with 15-074-26	PK	8873
13940988	Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, 0deg. to +250deg.F; Recording time, 7 days	PK	8690
13940989	Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, -50deg. to +50deg.F; Recording time, 7 days	PK	8850
13940990	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +50deg.C/0 to 100% RH; 7-Day	PK	8894
13940991	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +200deg.F/0 to 100% RH; 7-Day	PK	8894
13940997	Recorder Pen, replacement pen for Fisher Scientific Isotemp Large Capacity Refrigerated Incubator, Red	PK	9618
13940997A	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; > Replcmnt Pens For Temp/rh; Pens (3 red, 3 blue); Pack of: 6	PK	9511
13940998	Recorder, Replacement Parts; Dickson Microprocessor-Based; Temperature/Humidity/Dew Point; Charts, -20 to 125 deg.1 day; Pack of: 60	PK	8690
13940999	Charts, Recorder, Dickson; Replacement; 4 in. dia.; Range, -10deg. to +40deg.C, 0-100% RH; Recording time, 7 days	PK	8981
15074118	Kit, Plug; Dickson; Universal; For AC adapter; with 4 different international connections; Input: 100V - 240V, 50-60Hz; Output: DC 12V 2A; Compatible with all Dickson units; Unit Weight: 2 lb.	EA	7182
1507447	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: -50 to +50; 24-Hour	EA	8690
1507448	Chart, for KTx Temperature Recorders, 7-Day Rotation, -50 to +50deg.F/C	PK	8852
1507449	Charts, Recorder Replacement, Dickson; 8 in. dia.; Range, 0deg. to 500deg.F; Recording time, 24 hrs	PK	8852
1507451	Chart, for KTx and KTx A Temperature Recorders, 7-Day Rotation, 0 to 100deg.F/C	PK	8852
1507461	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -14deg. to 32deg.F; Replacement for Super-Compact SC3	PK	8915
1507462	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -25deg. to 0deg.C; Replacement for Super-Compact SC3	PK	8915
1507464	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 4deg. to 50deg.F; Replacement for Super-Compact SC3	PK	8915
1507465	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -15deg. to 10deg.C; Replacement for Super-Compact SC3	PK	8915
1507467	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 50deg. to 96deg.F; Replacement for Super-Compact SC3	PK	8915

Cat. No.	Description	Pack	Price in ₹
1507468	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 10deg. to 35deg.C; Replacement for Super-Compact SC3	PK	8803
1507470	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 76deg. to 122deg.F; Replacement for Super-Compact SC3	PK	8915
1507471	For 15-074-69; Description: Celsius Chart	PK	8863
1507473	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; 22deg. to 68deg.F; Replacement for Super-Compact SC3	PK	8915
1507474	Chart, Temperature recorder; Dickson; To archive monitoring history; 3 in. (76mm); 7-Day; -5deg. to 20deg.C; Replacement for Super-Compact SC3	PK	8915
1507479	Chart, Temperature recorder; Dickson; To archive monitoring history; 6 in. (152mm); 7-Day; -50deg. to 50deg.C/F	PK	9007
1507480	Pen Line Resolution to: 0.5deg. F/C; Ruled to: 1deg. F/C; Range: -50deg. to 0deg. or 0deg. to 50deg. F/C	PK	9007
1507481	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: +50 to +100; 7-Day	PK	8894
1507482	Charts, Recorder Replacement, Dickson; 6 in. dia.; Range, 0deg. to 100deg.F; Humidity, 0 to 100deg.; 7 day chart; Recording time, 24 hrs	PK	8847
1507484	Charts; for Chart Recorders; Dickson; Size: 6 in.; Range: 0 to +500; 7-Day	PK	8690
1507487	Traceable Calibration; Dickson; N100; NIST; 1-Point; Includes documentation to pre-selected point after calibration; Offers proof of accuracy for Dickson instruments	EA	21995
1507488	Traceable Calibration; Dickson; N300; NIST; 3-Point; Includes documentation to pre-selected point after calibration; Offers proof of accuracy for Dickson instruments	EA	34012
15075100	Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: -25deg. to 0deg.C; Fahrenheit Range: -14deg. to +32deg.F	EA	48567
15075101	Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: -5deg. to +20deg.C; Fahrenheit Range: +22deg. to +68deg.F	EA	48767
15075102	Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: +10deg. to +35deg.C; Fahrenheit Range: +50deg. to +96deg.F	EA	48507
15075103	Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: -15deg. to +10deg.C; Fahrenheit Range: +4deg. to +50deg.F	EA	48462
15075104	Temperature Recorder; Dickson SC3; Super-Compact; Celsius Range: +25deg. to +50deg.C; Fahrenheit Range: +76deg. to +122deg.F	EA	48462
15075106	Chart Recorder, Vaccine; Fahrenheit	EA	89268
15075110	Recorder, Chart; Dickson; 8 in. (203mm) readable chart; Recorder with battery operation; Temp. range: 0deg to 50degC (32deg to 120degF); Humidity range: 0-95% RH non-condensing	EA	107568
15075115	Memory Card; Dickson; A210; Removable SD flash card; Compatible w/SM300 series, TM320, FT500 series, PR125, PR325, and PR525; Data capacity: 2GB; Unit weight: 1 lb.	EA	18591
15075116	Kit, Card Reader; Dickson; w/USB memory card reader and one flash memory card; Compatible w/SM300 series, TM320, TM325, FT500 series, PR125, PR325, and PR525; Data capacity: 2 GB; Unit Weight: 1 lb.	PK	26956
15075143	Recorder; Dickson; Replacement charts; 4 in.; 0 to 200psi; 7-day; 60 charts per box	PK	8928
15075144	Recorder; Dickson; Replacement charts; 4 in.; 0 to 200psi; 24-hour; 60 charts per box	PK	9167
15075145	Recorder; Dickson; Replacement charts; 0 to 300psi; 7-day; 60 charts per box	PK	8928
15075146	Recorder; Dickson; Replacement charts; 4 in.; 0 to 300psi; 24-hour; 60 charts per box	PK	8690
15075147	Recorder; Dickson; Replacement charts; 4 in.; 0 to 500psi; 24-hour; 60 charts per box	PK	8690
15075151	Recorder; Dickson; Replacement charts; 8 in.; 0 to 200psi; 7-day; 60 charts per box	PK	8690
15075152	Recorder; Dickson; Replacement charts; 8 in.; 0 to 200psi; 24-hour; 60 charts per box	PK	8928
15075246	Chart, 24-Hour; Dickson; Circular; Range: 0deg. to 250deg.F/C; Works with 6 in. (152mm) temperature chart recorder	PK	9170
15075247	Chart, 24-Hour; Dickson; Range: 25deg. to 50deg.C; Works with 3 in. (76mm) temperature chart recorder	PK	2108
15075248	Pen; Dickson; Humidity only; Color: Blue; Weight: 1 lb.	PK	9802
15075249	AC Adapter; Dickson; Compatible with all Dickson units; Voltage Input: 120 to 240V; Voltage Output Upper: 12VDC; Unit weight: 2 lb.	EA	7161
15174205	Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: -5.55 deg. to +50 deg. C (-22 deg. to +122 deg. F); Recording time: 7 days	PK	8939
15174206	Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: -18 deg. to +37 deg.C (-64.4 deg. to +98.6 deg. F); Recording time: 7 days	PK	8939
15174207	Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: +7 deg. to +32 deg. C (+44.6 deg. to +89.6 deg. F); Recording time: 7 days	PK	8939

PK - Pack  
EA - Each



Cat. No.	Description	Pack	Price in ₹
15174208	Chart; Dickson; Dia.: 4 in.; Chart recorder replacement chart; 60/box; Range: -5.55 deg. to +50 deg. C (-22 deg. to +122 deg. F); Recording time: 24 hours	PK	8939
15174209	4 Inch Chart Pk/604 Inch Char	PK	8690
15174210	Chart, 24-Hour; Dickson; Circular; Range: -18deg.C to 37deg.C; Works with 4 in. (101mm) temperature chart recorder	PK	8957
15174211	Chart, 24-Hour; Dickson; Circular; Works with 4 in. (101mm) temperature chart recorder; Range: 7deg. to 32deg.C	PK	8690
22025492	Charts; for Chart Recorders; Dickson; Size: 8 in.; Range: -20 to +50/0 to 100% RH; 24-Hour	PK	8894
22279809	Charts, Recorder Replacement, Dickson; 4 in. dia.; Range, -45deg. to +90deg.F; Recording time, 7 days	PK	8839
Data logger			
0666272	Data-Logger	EA	48038
15059303	Datalogger, High-Temperature; Fisherbrand; Exact-Temp; Extended range; Records up to 32,767 temperatures; Autoclave data recorder	EA	28699
15059501	Logger, Temperature; Fisher Scientific; RFOT Wireless Meat Temperature Logger	EA	71965
15059502	Interface Cable Package; for RFOT and Therm-A-Lert Data Loggers; Includes MadgeTech Software CD, Software Manual, Quick Start Guide, USB to mini USB adapter and RFC1000 wireless receiver	EA	36102
15075130	Data Logger, Temperature; Dickson; Start and Stop button; Digital display; 32KB data storage; Battery powered; Temp. range: -20deg to 70degC (-4deg to 158degF)	EA	35630
15075131	Datalogger, Temperature and Humidity; Dickson; w/Digital display and Start/Stop button; 32KB data storage; Battery powered; Temp. range: -20deg to 70degC (-4deg to 158degF); Humidity range: 0-95% RH noncondensing	EA	55823
15075132	Datalogger, Temperature; Dickson; Food grade Stainless steel; Waterproof; HACCP and FDA Compliant; w/USB download; Replaceable 1-year battery; Temp. range: 125degC (257degF)	EA	63102
15075133	Datalogger, Temperature; Dickson; w/Piercing Probe: 2.36 in. (60mm); Food grade stainless steel; Waterproof; HACCP and FDA Compliant; w/USB download; Replaceable 1-year battery; Temp. range: 125degC (257degF)	EA	76627
15075134	WATERTIGHT HIGH TEMP LOGGER	EA	79553
15075135	Cable, Extension; Dickson; D617; K-TC straight probe cable; Range: -185degC to 260degC; Length: 10 ft. (304.8cm)	EA	11632
15174110	Datalogger; Temperature; Pro Series; Single-channel; USB Connectivity; high/low LED alarm; Internal sensor; Temp accuracy: +/-1.2deg.F	EA	26578
15174111	Datalogger; Temperature; Pro Series; Two-channel; Equipped with external K-Thermocouple sensor; USB Connectivity; high/low LED alarm; Internal sensor; Temp accuracy: +/-1.8deg.F	EA	50120
15174112	Datalogger; Temperature and Humidity; Pro Series; USB connectivity; high/low LED alarm; with internal sensor for monitoring temp and humidity	EA	44511
15174113	Datalogger; Temperature; Dickson; Jumbo LCD display; High-Low alarm; MinMax display; Accuracy: +/-0.8deg.F	EA	54638
15174114	Datalogger; Temperature; Dickson; Jumbo LCD display; High-Low alarm; Min/Max display; Accuracy: +/- 1.8F; 1 K-Thermocouple probe. USB enabled; Flash memory; Audio and Visual alarms; NOTE: The A203 probe temp. readings up to +2100F	EA	67373
15174115	Datalogger; Temperature; Dickson; Jumbo LCD display; High-Low alarm; MinMax display; Accuracy: +/-1.8deg.F; 2 K-Thermocouple probe	EA	86449
15174116	Datalogger; Temperature; Dickson; Jumbo LCD display; High-Low alarm; MinMax display; Accuracy: +/-0.5deg.F; 1 Platinum RTD probe	EA	112464
15174119	Datalogger; Temperature and Humidity; Dickson; Jumbo LCD display; High-Low alarm; Min-Max display; Temp. Accuracy: +/-0.8deg.F; No remote probe	EA	66854
15174120	Datalogger; Temperature and Humidity; Dickson; Jumbo LCD display; High-Low alarm; Min-Max display; Temp. Accuracy: +/-0.8deg.F; Remote probe	EA	88862
15174126	Recorder, Temperature/Humidity/Dew Point; Remote Sensing; TH805	EA	160370
15174129	Thermometer, Alarm; Dickson; MM120 Refrigerator/Freezer; Thermistor temp. sensor; Temp. range: -50deg. to +70deg.C (+58deg. to +158deg.F); Accuracy: +/-1.8 over 0deg. to 122deg.F; Includes 2 AA batteries; One probe	EA	11076
15174130	Thermometer, Alarm; Dickson; MM125 Refrigerator/Freezer; Thermistor temp. sensor; Temp. range: -50deg. to +70deg.C (+58deg. to +158deg.F); Accuracy: +/-1.8 over 0deg. to 122deg.F; Includes 2 AA batteries; Two probes	EA	13221
15174175	Datalogger, Pressure; Dickson; Provides data retrieval without having to move unit; Flash card option for data retrieval; 0-100psi; IP68 enclosure; 1-sec. sampling rate; Delayed start; USB connectivity	EA	108116
15174176	0 -300 PSI Display Logger	EA	109611

Cat. No.	Description	Pack	Price in ₹
15174177	0 -500 PSI Display Logger	EA	115671
15174180	Locking Case	EA	16782
15174181	Pressure Fitting Accessories	EA	29827
15174182	Fire Hydrant Adapter Kit	EA	30511
15174183	Filter Kit	EA	5795
15174184	Siphon, Pigtail; Dickson; For monitoring pressure of steam; Act as barrier between sensor and steam; NPTM brass; Includes one steam pressure pigtail; Dimension: 0.25 x 0.25 in (0.63 x 0.63cm); 2 lb.	EA	7531
15174200	Recorder, Temperature Chart; Dickson SL4; -22 to +122deg.F / -30 to +50deg.C	EA	53607
15174202	Recorder, Temperature Chart; Dickson SL4; 0 to +100deg.F / -18 to +37deg.C	EA	53348
Software			
FA06580	MaxiThermo Software (Use with 6540, 6550 and 6560)	EA	25331
1507770	Data Acquisition Kit	EA	47031
1507771	Data Acquisition System for 4000	EA	29813
1507772	Data Acquisition System	EA	11834
1507773	Data Acquisition System	EA	23602
11603430	Software; Dickson; DicksonWare; 21CFR11 Compliance; Password protected; Requires MS Windows 98 or newer, 4 MB RAM, USB port, CD drive; w/Data encryption, labelled chart; USB download cable; Cable: 6 ft.; 1 lb.	PK	44558
11603431	Software; Dickson; DicksonWare; For data visualization; Easy installation, logger setup, data downloads; USB download cable; USB: Male Series A plug to 5 pin Male Series B mini plug; w/Tables and graphs; Cable: 6ft.; 1 lb.	PK	22325

### Clamps, Holders, and Apparatus

Knives			
088505	Lab Knife Set	EA	9605
Labeling			
15078203	Lab Label Maker™	PK	2284
15078204	Lab Label Tape™ Black	EA	1423
15078205	Lab Label Tape™ Red	PK	1423
15078206	Lab Label Tape™ Blue	PK	1423
15078207	Lab Label Tape™ Green	PK	1423
0666257	Write-On Aluminum Tags (48/pack)	PK	5170
Lamps/Lighting			
1507765	Flexible Arm Light	EA	11210
1507766	Flexible Arm Light, long	EA	9932
15079601	Replacement Halogen Bulb for 3095 and 3096	EA	2950
Magnifiers			
120716A	Illuminated Magnifier (Large)	EA	3208
120716B	Illuminated Magnifier (Medium)	EA	3540
120716C	Adjustable Focus Magnifier	EA	1794
1464819	Illuminated Fold-Up Magnifier 4.3" (2.5X)	EA	8095
1464820	Illuminated Fold-Up Magnifier 3.5" (2.5X)	EA	7289
1464821	Fold-Up Magnifier 3.0" (3X)	EA	6411
1464822	Fold-Up Magnifier 2.0" (3.5X)	EA	5667
1464823	Fold-Up Magnifier 1.2" (5X)	EA	4899
1464824	Fold-Up Magnifier 0.8" (7X)	EA	4046
1464825	Illuminated Pocket Magnifier 0.5" (10X)	EA	4276

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
<b>Stationery</b>			
133831	Scientific Technical Pens - Assortment (12/Pack)	EA	3381
133831A	Scientific Technical Pens - 0.2mm Black (6-Pack)	EA	1764
133831B	Scientific Technical Pens - 0.4mm Black (6-Pack)	EA	1764
133831C	Scientific Technical Pens - 0.2mm Red (6-Pack)	EA	1764
133831D	Scientific Technical Pens - 0.4mm Red (6-Pack)	EA	1755
133831E	Scientific Technical Pens - 0.2mm Blue (6-Pack)	EA	1764
133831F	Scientific Technical Pens - 0.4mm Blue (6-Pack)	EA	1764
133831G	Scientific Technical Pens - 0.2mm Green (6-Pack)	EA	1764
133831H	Scientific Technical Pens - 0.4mm Green (6-Pack)	EA	1764
13383	Marking Pens Assortment (12/pack)	PK	3401
13383C	Marking Pens - Black (6/pack)	EA	1822
13383D	Marking Pens - Red (6/pack)	EA	1822
13383E	Marking Pens - Blue (6/pack)	EA	1822
13383F	Marking Pens - Green (6/pack)	EA	1822
144336	Copier Lab Graph Notebook	EA	2846
079055	Disposable Pens, Assorted Colors, (5/pack)	EA	6955
119941	Laser Pointer	EA	12730
119942	Key-Chain Laser	PK	7146
024016	Laser Key-Chain	PK	2022
<b>Tools</b>			
1522320	Glassware-Rescuer™	EA	5050
152261	Original Labtool	EA	10589
1464975	Labtool II	EA	4720
1464976	Mini-Labtool II	EA	2411

### Electro-chemistry (PH/PX)

<b>Connectors</b>			
13620489	BNC/Pin Plugs To Single BNC Input Jack	EA	8018
13620549	ACCUMET ELECTRODE LEAD BNC COMBO	EA	69048
13620850	ACCUMET pH MICRO 3x38mm DJ BNC	EA	31401
13620851	ACCUMET pH MICRO 3x150 DJ BNC	EA	34489
13620852	ACCUMET 6mm GLASS pH DJ BNC	EA	22967
<b>Electrodes (PH/PX)</b>			
136201	ELECTRODE GLASS FULL RANGE	EA	16308
13620100	2 CELL COND W/ATC K=1.0	EA	44058
13620101	2 CELL COND W/ATC K=0.1	EA	43448
13620102	2 CELL COND W/ATC K=10.0	EA	44094
13620104A	ELECTRODE ACCUMET PH US STD	EA	12714
13620106	ELECTRODE POLY GEL COMBO	EA	12309
13620108A	ELECTRODE ACCUMET PH BNC	EA	12501
13620111	PH ELECTRODE ATC COMBO	EA	30221
13620111T	ELECTRODE PH/ATC DOUBLE JUNCT	EA	28050
13620112	ELECTRODE COMBO/ATE 1/4IN	EA	32975
13620113	ELECTRODE ACCUPHAST W/ATC	EA	46182
13620115	ELECTRODE PLATINUM PROBE	EA	23099
13620122	ELECTRODE SILVER BILLET	EA	21287
13620123	ELECTRODE DUAL PLATINUM	EA	28077
13620130	ACCUCAP GLASS ELECTRODE REFIL	EA	47845
13620131	ACCUCAP GLASS ELECTRODE GEL	EA	37221

Cat. No.	Description	Pack	Price in ₹
13620132	ACCUCAP PLAST ELECTRODE GEL	EA	23600
13620133	ACCUCAP GLASS ELECTRODE GEL	EA	44223
13620149	ELECTRODE DUAL PLATINUM PLATE	EA	36510
13620155	CONDUCTIVITY CELL 1.0CM	EA	33814
13620156	CONDUCTIVITY CELL 0.1CM	EA	36139
13620157	CONDUCTIVITY CELL 10.0CM	EA	36139
13620158	ELECTRODE BULB PROTECTOR 12MM	EA	1041
1362016	ELECTRODE AUTOM TEMP COMPENSTR	EA	22554
13620160	CONDUCTIVITY CELL EPOXY 1.0CM	EA	30866
13620161	CONDUCTIVITY CELL EPOXY 0.1CM	EA	33171
13620162	CONDUCTIVITY CELL EPOXY 10.0CM	EA	30866
13620163	CONDUCT PROBE GLS 4-CELL 1.0/CM	EA	52203
13620164	CONDUCT PROBE GLS 4-CELL 10/CM	EA	49656
13620165	CONDUCT PROBE EPO 4-CELL 1.0/CM	EA	49456
13620166	CONDUCT PROBE EPO 4-CELL 10/CM	EA	47550
13620167	PORT CONDUCTIVITY CELL 2CELL.1	EA	33979
13620168	PORT CONDUCTIVITY CELL 2CELL 1	EA	28283
13620180	COMBO AG/AGCL RUGGED BULB STD	EA	22367
13620181	COMBO AG/AGCL RUGGED BULB BNC	EA	20660
13620182A	ELECTRODE ACCUTUPH PH US STD	EA	23231
13620183A	ELECTRODE ACCUTUPH PH BNC	EA	22589
13620185	ACCUTUPH RUGGED BULB COMBO BNC	EA	38975
13620186	ELECTRODE RUGGED BULB US STD	EA	18421
13620187	ELECTRODE RUGGED BULB BNC	EA	17997
1362019	PROBE ATC 1000 SERIES	EA	18058
13620195	ACCUPHASTR STD GLAS BODY TRIS	EA	41020
13620196	ACCUPHASTR EPOXY FLUSHBLE TRIS	EA	49238
13620197	ACCUPHASTR GLASS FLUSHBLE TRIS	EA	46639
13620216	ELECTRODE AG/AGC1 REFERENCE	EA	13456
13620220	POLY DBL JUNC COMBO US STD	EA	18252
13620221	POLY DBL JUNC COMBO BNC	EA	18032
13620223A	ELECTRODE PH DOUBLE JUNCTION	EA	20389
13620252	ELECTRODE PENCIL GEL COMBO	EA	17993
13620256	ELECTRODE POLY GLASS MEMBRANE	EA	14112
13620258	ELECTRODE POLY CAL REF LIQUID	EA	15192
13620259	ELECTRODE POLY CAL REF GEL	EA	14970
13620270	ELECTRODE CALOMEL MICROPROBE	EA	23475
13620273	ELECTRODE DOUBLE JUNCTION REF	EA	22414
13620279	ELECTRODE POLY ACCUPHST STD	EA	33177
13620280	ELECTRODE MICRO ACCUPHAST	EA	46223
13620281	ELECTRODE GLAS ACCUPHAST STD	EA	36997
13620283A	ELECTRODE ACCUMET PH US STD	EA	17223
13620284	ELECTODE INDICATING UNIVER BNC	EA	15163
13620285	GLASS PH ELECTRODE COMBO BNC	EA	19753
13620287A	ELECTRODE ACCUMET PH BNC	EA	15286
13620288	ELECTRODE POLY COMBO/CAL REF	EA	18924
13620289	ELECTODE POLY FLAT SURFACE	EA	23390
13620290	ELECTRODE PENCIL GEL COMBO	EA	17775
13620291	ELECTRODE MICROPROBE 5" BODY	EA	23276
13620292	ELECTRODE MICROPROBE 7" BODY	EA	23276
13620293	ELECTRODE CALOMEL MICROPROBE	EA	23235
13620294	PH INDICATING POLY BODY BNC	EA	13229
13620295	ELECTRODE FULL RANGE BNC 30IN	EA	14858

PK - Pack  
EA - Each



## Equipment

Cat. No.	Description	Pack	Price in ₹
13620296	ELECTRODE GLASS ACCUPHAST BNC	EA	36153
13620297	ELECTRODE MICRO ACCUPHAST BNC	EA	45769
13620298	ELECTRODE POLY ACCUPHAST BNC	EA	34423
13620299A	ELECTRODE ACCUMET PH BNC	EA	16345
136203	ELECTRODE GLS UNIVERS 30"LEAD	EA	16003
13620300	ELECTRODE POLY CAL COMB W/BULB PRO	EA	19421
1362031C	ACCUMET 3N1 ELECTRODE F/CORN	EA	17027
136204	ELECTRODE GLS UNIVERS 60"LEAD	EA	15583
13620431	FILLING SOLUTION ACCUMET FLUORIDE	EA	9062
13620432	FILLING SOLUTION ACCUMET CHLORIDE	EA	9062
13620433	FILLING SOLUTION ACCUMET D/J INNER	EA	8247
13620434	FILLING SOLUTION ACCUMET D/J OUTER	EA	8503
1362045	ELECTRODE GLS SIDARM AG/AGCI	EA	16430
1362046	ELECTRODE ANNULAR REF SING JNC	EA	24718
13620499	RESERVOIR BOTTLE	EA	2455
13620500	ELECTRODE SODIUM GLASS	EA	39207
13620501	ELECTRODE SODIUM GLASS W/BNC	EA	38791
13620503A	ELECTRODE SODIUM WITH BNC	EA	52201
13620508	ELECTROD AMMONIA COMB US STD	EA	63858
13620509	ELECTRODE AMMONIA COMB BNC	EA	63240
1362051	ELECTRODE CALOMEL REF DRI-PAK	EA	13401
13620511	ACCUMET ELECTRODE, CO2 ISE BNC	EA	71019
13620512	AMMONIA MEMBRANE CAP 12MM 3/PK	EA	15214
13620519	ELECTRODE CHLORIDE W/BNC	EA	56825
1362052	ELECTRODE CALOMEL REF 30" LEAD	EA	13603
13620521	ELECTRODE BROMIDE W/BNC	EA	52649
13620522	ELECTRODE FLORIDE	EA	54107
13620523	ELECTRODE FLORIDE BNC CONNECT	EA	53068
13620525	ELECTRODE BROMIDE COMB BNC	EA	85428
13620526	ELECTRODE CHLORIDE COMB STD	EA	85206
13620528	ELECTRODE FLORIDE COMB STD	EA	76462
1362053	ELECTRODE AG/AGC1 REF HI TEMP	EA	13456
13620530A	ELECTRODE PH WITH TEMPERATURE	EA	17761
13620532	ELECTRODE POTASSIUM COMBO BNC	EA	75403
13620534	ELECTRODE NITRATE COMBO BNC	EA	76028
13620536	ELECTRODE CALCIUM COMBO BNC	EA	72241
13620538	ELECTRODE CYANIDE COMBO BNC	EA	64703
13620545	ACCUMET ELECTRODE SILVER/SULFID BNC	EA	58064
13620546	ACCUMET ELECTRODE CUPRC USSTD COMBO	EA	80885
13620547	ACCUMET ELECTRODE CUPRC BNC COMBO	EA	80934
13620551	ACCUMET SILVER/SULFIDE BNC COMBO	EA	74523
1362057	ELECTRODE CALOMEL RED CRK BEAD	EA	15514
1362061	ELECTRODE CAL REF REVERSE SLEV	EA	22948
1362062	ELECTRODE CAL REF SLEEVE JNC	EA	20183
13620627	ELECTRODE CHLORIDE COMBINATION	EA	83151
13620629	ELECTRODE FLUORIDE COMBINATION	EA	74955
13620631	ELECTRODE PH/ATC DOUBLE JUNC	EA	19183
1362064	ELECTRODE CALOMEL REF 60" LEAD	EA	15082
13620658	ELECTRODE REFERENCE D/J	EA	26443
13620700	ACCUFET CONETIP PH ELECTRODE	EA	115808
13620710	ACCUFET CUPTIP PH ELECTRODE	EA	114007
13620750	AMMONIA MEMBRANE CAP 3/PK	EA	17319
13620755	ACCUFET ELECTRODE DIN CONNECTR	EA	92303

Fisher Scientific puts more into its electrochemical instrument line – so you can get more out of it

AB150



XL600



AP125



## Innovative new products, extensive product offering

**Fisher Scientific™ accumet™ XL benchtop meters** bring advanced features with simplicity to your laboratory. The color touch screen is stunningly vivid and is sure to make a great first impression that doesn't stop. Some newly added features include two stirring probe ports, a 3-position electrode holder, upgradeable software, and USB & RS232 connectivity.

**Fisher Scientific accumet AB benchtop meters** have been the top selling pH meter year after year. That was before we added backlight, multiple views, date/time for GLP requirements, expanded memory, custom buffer calibration options, a calibration alarm, 3-position electrode holder, stirring capability, upgradeable software, and wall-mounting to name a few new features. We have added two new models – the AB250 with ISE capability, and the AB200, our first AB multiparameter instrument for pH & conductivity. AB basic meters offer great accuracies, simplified performance, and many popular features at an economical price and are poised to continue their success as the top selling pH meter for years to come.

**Fisher Scientific accumet waterproof portable meters** are the choice of demanding professionals who require rugged, dependable, and feature-rich instruments. These IP67-rated meters deliver exceptional performance and versatility as well as customizable calibration, setup, and measurement capabilities.

**Fisher Scientific accumet electrodes** meet almost any application. Innovative products like Fisher Scientific™ AccuCap™, accu•pHast™ R electrodes, and accuTupH™ XL probes improve performance in tough applications.

13-620-632  
accuTupH pH/  
ATC electrode



13-620-BSP  
Stirrer



# Accumet pH Meter - XL and AB series

Our most popular instruments are now better than ever!






Whether you are measuring pH, mV (ORP), ion selective concentration, conductivity, total dissolved solids (TDS), dissolved oxygen, temperature or all of the above, Fisher Scientific Accumet has been offering the products you need since 1965. For more information, contact our Fisher Scientific sales representatives around the globe or visit [www.fishersci.com](http://www.fishersci.com).

AB150 Bench Meter



XL600 Bench Meter



Fisher Scientific accumet XL & AB Meter Series								
Model	XL600	XL500	XL250	XL200	XL150	AB200	AB250	AB150
Color Touch Screen	✓	✓	✓	✓	✓			
pH-mV (BNC) / Temp	✓✓	✓✓	✓✓	✓	✓	✓	✓	✓
Ion Selective-mV (BNC) / Temp	✓✓	✓✓	✓✓				✓	
Conductivity / TDS / Resistivity / Salinity / Temp	✓	✓		✓		✓		
Dissolved Oxygen / Temp	✓							
Stirring Probe	✓✓	✓✓	✓✓	✓✓	✓	✓	✓	✓
USB Device / RS-232	✓	✓	✓	✓	✓	✓	✓	✓
USB Host / RS-232 / RJ-45 (Ethernet)	✓	✓	✓	✓	✓			

✓✓ = Dual Channel Capacity

Cat. No.	Description	Pack	Price in ₹
13620758	ACCUFET SOLID STATE ELECTRODE	EA	98253
1362079	ELECTRODE MINI CALOMEL REFERNC	EA	12959
1362081	ELECTRODE PLATINUM COMBO BNC	EA	35232
1362082	ELECTRODE PLATINUM COMBO	EA	35664
1362090	PH ELECTRODE COMBO US STD	EA	19973
1362091	ELECTRODE COMBO 60" LEAD	EA	19545
1362092	ELECTRODE MICROPROBE 5" BODY	EA	23685
1362093	ELECTRODE MICROPROBE 7" BODY	EA	23265
1362094	ELECTRODE MINI MICROPROBE	EA	23685
1362095	ACCUMET MICROELECTRDE 6" STEM	EA	34892
1362096	ACCUMET MCROELECTRDE 1.5" STEM	EA	31767
1362097A	ELECTRODE ACCUMET PH US STD	EA	16129
1362099	BNC SHORTING STRAP W/ PLUG	EA	1424
13620AP50A	ELECTRODE PH WITH TEMPERATURE	EA	18317
13620AP52	ELECTRODE DBL JUNC PH/ATC F/AP60 S	EA	31918
13620AP53	ATC PROBE F/ ACCUMET AP60 SERIES	EA	17828
13620AP54	ACCUMET CND PRB F/WTRPRF MTRS	EA	30089
13620AP55	ELECTRODE AG/AGCL PH/ATC AP70 SER	EA	20778
13620AP61	ELECTRODE PH/ATC DOUBLE JUNC	EA	19364
13620SSP	DISSOLVED OXYGEN ELECTRODE STR	EA	107062
13621701	ELECTRODE PH/ATC DBL JUNC	EA	28050
13621702	ELECTRODE PH/ATC DOUBLE JUNC	EA	28050
13621703	ELECTRODE PH/ATC DOUBLE JUNC	EA	28050
13636430	ACCUCAP ELECTRODE FILL SOLUTION	EA	6171
13620632	ACCUMET ACCUTUPH GLASS DJ REFILL pH/ATC	EA	30257
13620853	ACCUMET INDICATING GLASS REF	EA	14987
13620854	ACCUMET ACCUTUPH GLASS REF	EA	17790
13620855	ACCUMET DJ GLASS REFILL REF	EA	13447
13620856	ACCUMET DJ GLS SLEEVE REF	EA	22715
13620857	ACCUMET DJ MINI GLS REFILL REF	EA	12809
13620858	ACCUMET DJ PLASTIC REFILL REF	EA	15016
13620859	ACCUMET DJ EPOXY GEL REF	EA	14949
13620114	ELCTRDE ACCPHST W/ATC (AR/AB)	EA	42982
136201003	Electrode, Process; Fisher Scientific accumet; pH combination; 3K temp. sensor; No solution ground; 150psig; 3m lead, BNC/Spade Lugs/3/4 in. MNPT connectors; CVPC housing; Glass electrode body; FS-5 glass pH membrane; 0 to 80deg. C range	EA	27092
13620BSP	ACCUMET BENCH STIRRING PROBE	EA	19641
13637671	ELCTRD RPLC ARM MDLS 5 THRU 50	EA	10799
22286439	Electrode Holder	EA	10146
<b>Mouse</b>			
13637692	Fisher Scientific USB Mouse	EA	2571
<b>Paddle</b>			
13620RP	Replacement Paddle	EA	3143
<b>pH Meter</b>			
13636AB150A	ACCUMET AB150 PH METER	EA	70632
13636AB200A	ACCUMET AB200 PH/CON METER	EA	106521
13636AB250A	ACCUMET AB250 PH/ISE METER	EA	90562
13636AP110A	ACCUMET AP110 PH/MV/TEMP METER	EA	63573
13636AP115A	ACCUMET AP115 PH/MV/TEMP METER	EA	74259
13636AP125A	ACCUMET AP125 PH/MV/ISE METER	EA	95905
13636AP69	ACCUMET PORTABLE LAB FOR AP60	EA	9324

PK - Pack  
EA - Each



Cat. No.	Description	Pack	Price in ₹
13636AP71A	AP71 PH METER ONLY WTRPRF	EA	70212
13636AP72A	AP72 PH METER ONLY WTRPRF	EA	77041
13636AP74A	AP74A DO METER/PROBE WTRPRF	EA	102032
13636AP75A	AP75 COND METER/PROBE WTRPRF	EA	89164
13636AP84A	AP84 PH/DO METER/PROBE WTRPRF	EA	151156
13636AP85A	AP85A PH/COND MTR/PRB WTRPRF	EA	115476
13636XL150A	ACCUMET XL150 PH METER	EA	114615
13636XL200A	ACCUMET XL200 PH/CON METER	EA	146762
13636XL250A	ACCUMET XL250 PH/ISE METER	EA	142028
13636XL500A	ACCUMET XL500 PH/ISE/CON METER	EA	186392
13636XL600A	ACCUMET XL600 4 CHANNEL METER	EA	221288
13636XL40A	ACCUMET XL40 DO/BOD MTR	EA	155412
<b>pH Meter Hanna</b>			
11692110	PH/EC/TDS/T PROBE HANNA FOR HI-98115 AND HI-9812-5	EA	18243
10546571	Shockproof rubber holster	EA	6699
10228510	Software Compatible With Window 3.11 And 95	EA	15008
FB58259	X2 Stirring rod Fisherbrand PTFE 150mm x 8mm	EA	690
FB58260	X2 Stirring rod Fisherbrand PTFE 200mm x 8mm	EA	827
FB58261	X2 Stirring rod Fisherbrand PTFE 250mm x 8mm	EA	965
FB58262	X2 Stirring rod Fisherbrand PTFE 300mm x 8mm	EA	1103
10440225	PH/EC/TDS/C METER HANNA HI-9812-5 PORTABLE,	EA	39889
<b>pH Meter Adapter</b>			
13620488	ADAPTER DUAL FEMALE PIN TO BNC	EA	8406
13620490	ADAPTER PIN TO BNC	EA	5342
13620491	ADAPTER BNC TO US STD FEMALE	EA	9624
13620493	ADAPTER US STD TO RADIOMETER 7	EA	9703
13620498	ADAPTER US STD TO BNC MALE	EA	9820
13637DOADPT	ADAPTER FOR YSI PROBES/ACCUMET	EA	19496
<b>pH Meter Kit</b>			
13636AB150	ACCUMET AB150 PH KIT	EA	79337
13636AB150B	ACCUMET AB150 PH BIO KIT	EA	87355
13636AB200	ACCUMET AB200 PH/CON KIT	EA	122480
13636AB250	ACCUMET AB250 PH/ISE KIT	EA	99343
13636AP110	ACCUMET AP110 METER KIT	EA	76052
13636AP115	ACCUMET AP115 METER KIT	EA	87677
13636AP125	ACCUMET AP125 METER KIT	EA	107893
13636AP71	AP71 PH METER W/KIT WTRPRF	EA	83183
13636AP72	AP72 PH METER W/KIT WTRPRF	EA	90941
13636AP74	AP74 DO METER KIT WTRPRF	EA	113418
13636AP75	AP75 COND METER KIT WTRPRF	EA	100785
13636AP84	AP84 PH/DO METER KIT WTRPRF	EA	165411
13636AP85	AP85 PH/COND METER KIT WTRPRF	EA	124478
13636XL150	ACCUMET XL150 PH KIT	EA	126527
13636XL200	ACCUMET XL200 PH/CON KIT	EA	167302
13636XL250	ACCUMET XL250 PH/ISE KIT	EA	154627
13636XL250F	ACCUMET XL250 FLUORIDE KIT	EA	173717
13636XL250N	ACCUMET XL250 AMMONIA KIT	EA	205405
13636XL500	ACCUMET XL500 PH/ISE/CON KIT	EA	207773
13636XL600	ACCUMET XL600 4 CHANNEL KIT	EA	237934
13636XL600D	ACCUMET XL600 4 CHANNEL DO KIT	EA	292607
13637DOM	DO MEMBRANE KIT 6 PER KIT	EA	16816

Cat. No.	Description	Pack	Price in ₹
13636XL30S	ACCUMET XL30 KIT W/ SOFTWARE	EA	162956
13637674	ACCUMET CONDUCT CALIBRATION KIT	EA	30058
<b>pH Standards</b>			
06664259	Traceable® pH Standard Certified Reference Material (CRM) 4.005 each	EA	2139
06664260	Traceable® pH Standard Certified Reference Material (CRM) 7.000 each	EA	2139
06664261	Traceable® pH Standard Certified Reference Material (CRM) 10.012 each	EA	2139
06664262	Traceable® pH One-Shot™ Standard Certified Reference Material (CRM) 4.005 (pack of 6)	EA	2425
06664263	Traceable® pH One-Shot™ Standard Certified Reference Material (CRM) 7.000 (pack of 6)	EA	2425
06664264	Traceable® pH One-Shot™ Standard Certified Reference Material (CRM) 10.012 (pack of 6)	EA	2425
<b>Power Supply</b>			
13636102	POWER SUPPLY F/ACCUMET 230V EU	EA	6285
13636104	110/230V POWER SUPPLY, 9V, 18W	EA	4983
<b>Printer</b>			
13637667	ACCUMET PRINTER/AR CABLE	EA	4274
13637668	ACCUMET PRINTER REPLACEMENT RIBBON	EA	2382
13637669	ACCUMET PRINTER PAPER	EA	1503
13637681	RS232 OUTPUT CABLE, PC PRINTER	EA	2802
13637690	ACCUMET AB XL PRINTER 100-240V	EA	104047
13637691	PRINTER PAPER ROLLS 2 PACK	EA	2997
<b>Turbidity Meter</b>			
13140623	Turbidity meter HF Scientific Micro TPI infra red	EA	123972

### Electrophoresis System and Accessories

<b>Electrophoresis-Blotting Cassette</b>			
FB79422	Blotting Cassette For 100mm X 100mm	EA	3204
<b>Electrophoresis-Blotting Pad</b>			
FB79423	X8 Fibre pad Fisherbrand forblotting 100mm	EA	3204
<b>Electrophoresis-Blotting Unit</b>			
FB57729	Dot Blot Fisherbrand Dot blotter, 48 wells Acrylic	EA	70941
FB57731	Dot Blot 96 Wells	EA	77900
FB57735	Slot Blot Fisherbrand Slot blotter, 48 wells	EA	92044
FB57793	Semi-dry blotting system, 1/Cs, MA: FB57793	EA	99003
FB57794	Semi-dry blotting system, 1/Cs, MA: FB57794	EA	189923
FB59579	Blotting unit 28cmx 26cm, 1/Cs, MA: FB59579	EA	45347
FB59598	Electroblotting Modul, f1A1/r Fisherbrand FTV100	EA	82435
FB59800	Modular Blotting System For Both	EA	165544
FB69639	Electroblotting Modul	EA	95411
FB79408	Blotting Module Verti-Gel Mini Optiona	EA	40374
<b>Electrophoresis-Cables</b>			
FB57059	Power cord CABLE-4with output connectors 55V 50Hz	EA	8510
<b>Electrophoresis-Capillary Tubes</b>			
FB57132	Capillary tubes x 10 (set of 10), 10/Cs	EA	21325
FB57136	Capillary tubes x 10, 10/Cs, MA: FB57136	EA	11450
FB79420	X10 Capillary tube Fisherbrand 75mm long, 1mm	EA	5339

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
<b>Electrophoresis-Caster</b>			
FB57645	Caster10 gel multicaster10 x 10cm gels complete	EA	70941
FB79020	Gel Caster Horizontal External	EA	19736
FB79221	Gel Caster External With Adjustable	EA	24672
FB79415	Caster Stand Verti-Gel Mini Dual	EA	7988
FB79416	Gel Caster Verti-Gel Mini Dual Vertical	EA	22707
FB79417	Caster Base Verti-Gel Mini Dual Vertical	EA	17087
FB79418	Caster Mat Replacement Silicone	EA	4485
<b>Electrophoresis-Casting gates</b>			
FB57003	X2 Casting Gates For Battery Operated	EA	2018
FB57044	X2 Gel Casting Gates Pack Of 2 (Pack of 2)	EA	2018
FB57096	Silicone Casting Gates For Mini Horizontal Gel	EA	5237
FB57158	Silicone Casting Gates For Mini-Plushorizontal	EA	4262
FB57198	Silicone Casting Gates For Midi Horizontal Gel	EA	5160
FB57234	Gel Casting Gates For Maxi Standard And Cooled	EA	10474
FB57254	Gel Casting Gate Fisherbrand® For Maxi Standard	EA	10474
FB59902	X2 Gel Casting Gates Wide Format	EA	4036
FB59905	X2 Gel Casting Gates	EA	4262
FB59908	X2 Gel Casting Gates Fisherbrand	EA	6959
FB60109	X2 Casting Gates Accessory For 15cm	EA	4191
FB60176	X2 Casting Gates Accessory For 7cm	EA	2694
FB60511	X2 Casting Gate Fisherbrand With Integral Silicone	EA	3912
FB60563	X2 Casting Gate Fisherbrand With Integral Silicone	EA	3912
<b>Electrophoresis-Casting Tray</b>			
FB57099	Casting Tray For Mh-675, Mh-675-X,	EA	9428
FB57123	Gel Casting Traywide Format For Use With Fb57121	EA	14719
FB57155	Casting Tray For Fhu-10 Gel Units	EA	9428
FB57195	Casting Tray For Mh-1510, Mh-1510-X	EA	10736
FB57231	Casting Tray For Mh-2520, Mh-2520-X	EA	23572
FB57251	Casting Tray For Mh-3025, Mh-3025-X	EA	30383
FB59007	Gel Casting Tray Fisherbrand For Use With Fb57125	EA	14366
FB59904	Gel Casting Tray Fisherbrand Wide Format For Use	EA	15715
FB60105	Gel Tray Fisherbrand Accessory For 15cm Wide	EA	8116
FB60106	Gel Tray Fisherbrand Accessory For 15cm Wide	EA	9428
FB60107	Gel Tray Fisherbrand Accessory For 15cm Wide	EA	11261
FB60108	Gel Tray Fisherbrand Accessory For 15cm Wide	EA	14140
FB60140	Gel Tray Fisherbrand Accessory For 10cm Wide	EA	7595
FB60141	Gel Tray Fisherbrand Accessory For 10cm Wide	EA	8903
FB60142	Gel Tray Fisherbrand Accessory For 10cm Wide	EA	10736
FB60174	Gel Tray Fisherbrand Accessory For 7cm Wide Vari-G	EA	7857
FB60175	Gel Tray Fisherbrand Accessory For 7cm Wide Vari-G	EA	8116
FB60510	Gel Tray Fisherbrand Uv Transparent Plus Casting	EA	11476
FB60560	Gel Tray Fisherbrand Uv Transparent Plus Casting	EA	14719
FB60561	Gel Tray Fisherbrand Uv Transparent Plus Casting	EA	15977
FB79011	Gel Tray 70mm X 70mm UV Transparent	EA	4485
FB79012	Gel Tray 70mm X 100mm UV Transparent	EA	5619
FB79111	Gel Tray 100mm X 70mm UV Transparent	EA	5830
FB79112	Gel Tray 100mm X 100mm UV Transparent	EA	6512
FB79113	Gel Tray 100mm X 120mm UV Transparent	EA	7988
FB79211	Gel Tray 150mm X 70mm UV Transparent	EA	7175
FB79212	Gel Tray 150mm X 100mm UV Transparent	EA	7175

Cat. No.	Description	Pack	Price in ₹
FB79213	Gel Tray 150mm X 150mm UV Transparent	EA	7175
FB79311	Gel Tray 200mm X 100mm UV Transparent	EA	9866
FB79312	Gel Tray 200mm X 200mm UV Transparent	EA	9866
FB79313	Gel Tray 200mm X 250mm UV Transparent	EA	13454
<b>Electrophoresis-Casting Tray Dam</b>			
FB79013	X2 Gel tray dam Fisherbrand casting 70mm	EA	4485
FB79114	X2 Gel tray dam Fisherbrand casting 100mm	EA	5619
FB79214	X2 Gel tray dams Fisherbrand 150mm casting dams	EA	5619
FB79314	X2 Gel tray dams Fisherbrand casting 200mm	EA	6730
<b>Electrophoresis-Cellulose Acetate</b>			
FB57060	Cellulose Acetate SystemCA-SYS for cellulose	EA	77900
<b>Electrophoresis-Comb</b>			
FB57004	Comb 1.0mm 8 sample, 1/Cs, MA: FB57004	EA	3592
FB57005	Comb, 1.0mm, 4 samples	EA	3824
FB57006	Comb, 1.0 mm, 12 Samples, 1/Cs, MA: FB57006	EA	3592
FB57007	Comb, 1.0mm, 8 samples	EA	4036
FB57009	Comb , Accessory For FB57063	EA	4036
FB57011	Comb, 1.0mm, 16 samples	EA	4036
FB57024	Comb 1.0mm 8 sample	EA	2916
FB57025	Comb, 1.0mm, 4 samples	EA	3824
FB57026	Comb 1.0mm 12 sample	EA	2916
FB57027	Comb, 1.0mm, 8 samples	EA	4036
FB57028	Comb 1.0mm 16 Sample	EA	2916
FB57029	Comb Fisherbrand accessory for FB57111	EA	4036
FB57030	Comb 1.0mm 20 sample	EA	2916
FB57031	Comb, 1.0mm, 16 samples	EA	4036
FB57032	Comb 1.5mm single sample with dye track Comb	EA	2916
FB57033	Comb, 1.0mm, 20 samples	EA	4036
FB57036	Comb 1.5mm 8 sample	EA	2916
FB57038	Comb Thickness 1,5 mm 12 Wells	EA	2916
FB57039	Comb, 1.5mm, 4 samples	EA	3868
FB57040	Comb 1.5mm 16 sample	EA	2916
FB57041	Comb, 1.5mm, 8 samples	EA	4036
FB57042	Comb 1.5mm 20 sample	EA	2916
FB57043	Comb Fisherbrand accessory for FB57111	EA	4036
FB57045	Comb Fisherbrand accessory for FB57111	EA	4036
FB57047	Comb Fisherbrand accessory for FB57111	EA	4036
FB57081	Comb, 1.0mm, 4 samples	EA	3868
FB57083	Comb, 1.5mm, 8 samples	EA	4036
FB57085	Comb, 1.5mm, 12 samples	EA	4036
FB57087	Comb, 1.5mm, 16 samples	EA	4036
FB57089	Comb, 2.0mm, 4 samples	EA	3912
FB57091	Comb, 2.0mm, 8 samples	EA	4036
FB57093	Comb, 2.0mm, 12 samples	EA	4036
FB57094	Comb, 2.0 mm, 16 Samples, 1/Cs, MA: FB57094	EA	4036
FB57114	Comb Thickness 0.35mm 40 Samples For	EA	5385
FB57115	10cm wide comb for vertical gels 0.75mm thick 16	EA	3818
FB57116	Comb for vertical gels 10mm wide 1.0mm thick 16	EA	3818
FB57117	Comb for vertical gels 10mm wide 1.5mm thick 16	EA	3818
FB57118	Comb for vertical gels 20mm wide 0.25mm thick 24	EA	4077
FB57119	Comb for vertical gels 20mm wide 0.25 thick 36	EA	4077

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
FB57120	Comb for vertical gels 20mm wide 0.75mm thick,	EA	4262
FB57122	Comb, 20 mm, 18 Sampless, 1/Cs, MA: FB57122	EA	4262
FB57124	Comb for vertical gels 20mm wide 1.5mm thick 18	EA	4262
FB57125	Comb for vertical gels 20mm wide 1.5mm thick 48	EA	4262
FB57126	Comb for vertical gels 20mm wide 2.0mm thick 18	EA	4289
FB57145	Comb, 2.0mm, 4 samples	EA	4161
FB57147	Comb, 2.0mm, 8 samples	EA	4036
FB57153	Comb, 2.0mm, 20 samples	EA	4036
FB57167	Comb Accessory For FB57161, 1/CS, MA: FB57167	EA	5160
FB57169	Comb, 1.0mm, 16 samples	EA	5160
FB57171	Comb, 1.0mm, 20 samples	EA	5160
FB57177	Comb, 1.5mm, 10 samples	EA	5160
FB57179	Comb, 1.5 mm, 12 Samples, 1/Cs, MA: FB57179	EA	5160
FB57181	Comb, 1.5mm, 16 samples	EA	5160
FB57189	Comb, 2.0 mm, 12 Samples, 1/Cs, Ma: FB57189	EA	5160
FB57193	Comb For MH-1510MH-1510-X gel units HIPS	EA	5160
FB57207	Comb, 1.0mm, 16 samples	EA	5385
FB57209	Comb, 1.0mm, 20 samples	EA	5385
FB57211	Comb, 1.0mm, 28 samples	EA	5385
FB57213	Comb Accessory For FB57203 and Fb58315	EA	5385
FB57215	Comb, 1.5mm, 16 samples	EA	5385
FB57217	Comb, 1.5mm, 20 Samples	EA	5298
FB57219	Comb Fisherbrand accessory for FB57203 and FB58315	EA	5385
FB57221	Comb, 1.5mm, 40 samples	EA	5385
FB57223	Comb, 2.0mm, 16 samples	EA	5385
FB57225	Comb, 2.0mm, 20 samples	EA	5385
FB57227	Comb, 2.0mm, 28 samples	EA	5385
FB57229	Comb, 2.0mm, 40 samples	EA	5385
FB57242	Comb, 1 mm, 26 Samples, 1/Cs, MA: FB57242	EA	7632
FB57244	Comb accessory for FB58317 and FB57239, 1/Cs	EA	7632
FB57247	Comb 2.0mm, 26 samples	EA	7632
FB57249	Comb 2.0mm, 52 samples	EA	7632
FB57407	Comb 100 x 0.75 mm 10 samples	EA	3818
FB57409	Comb 100 x 0.75 mm 12 samples	EA	3818
FB57421	Comb 100 x 1.0 mm 10 samples	EA	3818
FB57423	Comb 100 x 1.0 mm 12 samples	EA	3818
FB57435	Comb 100 x 1.5 mm 10 samples	EA	3818
FB57437	Comb 100 x 1.5 mm 12 samples	EA	3818
FB57449	Comb 100 x 2.0 mm 10 samples	EA	3818
FB57451	Comb For 10cm Wide Vertical Gels Hips	EA	3818
FB57454	Comb for vertical gels 10mm wide 2.0mm 16	EA	3740
FB57501	Comb 200 x 0.75 mm 10 samples	EA	4161
FB57507	Comb 200 x 0.75 mm 24 samples	EA	4262
FB57513	Comb 200 x 0.75 mm 36 samples	EA	4262
FB57515	Comb For 20cm widevertical gels HIPS White	EA	4161
FB57522	Comb for vertical electrophoresis gels 20cm	EA	4204
FB57527	Comb 200 x 1.0 mm 24 samples	EA	4262
FB57533	Comb 200 x 1.0 mm 36 samples	EA	4262
FB57535	Comb For 20cm widevertical gels HIPS White	EA	4262
FB57541	Comb 200 x 1.5 mm 10 samples	EA	4245
FB57547	Comb 200 x 1.5 mm 10 samples	EA	4262
FB57553	Comb 200 x 1.5 mm 30 samples	EA	4262
FB57561	Comb 200 x 2.0 mm 40 samples	EA	4289

Cat. No.	Description	Pack	Price in ₹
FB57567	Comb 200 x 2.0 mm 24 samples	EA	4289
FB57573	Comb 200 x 2.0 mm 36 samples	EA	4289
FB57575	Comb For 20cm widevertical gels HIPS White	EA	4289
FB57577	Comb 330 x 0.25 mm 40 samples	EA	5170
FB57579	Comb 330x0.25 mm 60 samples	EA	5170
FB57585	Comb Thickness 0.35mm 80 Samples For	EA	5210
FB57589	Combs Shark Teeth 20cm 0.25 Samples 30	EA	6475
FB57593	Combs Shark Teeth 20cm 0.25 Samples 48	EA	6475
FB57595	Combs Shark Teeth 20cm 0.35 Samples 24	EA	6515
FB57601	Combs Shark Teeth 20cm 0.35 Samples 48	EA	6508
FB57603	Combs Shark Teeth 33cm 0.25 Samples 40	EA	8617
FB57623	Combs Shark Teeth 33cm 0.25 Samples 60	EA	8617
FB57625	Combs Shark Teeth 33cm 0.25 Samples 96	EA	8617
FB57627	Combs Shark Teeth 33cm 0.35 Samples 48	EA	8752
FB57629	Combs Shark Teeth 33cm 0.35 Samples 60	EA	8752
FB57631	Combs Shark Teeth 33cm 0.35 Samples 96	EA	8752
FB58303	Comb, 2.0mm, 12 samples	EA	4036
FB58305	Comb, 2.0mm, 16 samples	EA	4036
FB58311	Comb Accessory For FB58317 And FB57239	EA	7632
FB58313	Comb, 1.5mm, 52 samples	EA	7632
FB58325	Comb, 1.0mm, 10 samples	EA	5160
FB58327	Comb, 1.0mm, 24 samples	EA	5160
FB58329	Comb, 1.0mm, 28 samples	EA	5160
FB58331	Comb, 1.5mm, 20 samples	EA	5160
FB58333	Comb, 1.5mm, 24 samples	EA	5160
FB58335	Comb, 1.5mm, 28 samples	EA	5160
FB58337	Comb, 2.0mm, 10 samples	EA	5160
FB58339	Comb, 2.0mm, 16 samples	EA	5160
FB58341	Comb, 2.0mm, 24 samples	EA	5160
FB58343	Comb, 2.0mm, 28 samples	EA	5160
FB58361	Comb 200 x 0.35 mm 24 samples	EA	4262
FB58365	Comb 200 x 0.35 mm 36 samples	EA	4077
FB59660	Comb accessory for FB59900, 1/Cs, MA: FB59660	EA	5089
FB59661	Comb, 1.0 mm, 8 Samples, 1/Cs, MA: FB59661	EA	5089
FB59662	Comb, 1.0 mm, 10 Samples, 1/Cs, MA: FB59662	EA	5089
FB59663	Comb, 1.0 mm, 12 Samples, 1/Cs, MA: FB59663	EA	5089
FB59664	Comb, 1.0 mm, 16 Samples, 1/Cs, MA: FB59664	EA	5089
FB59665	Comb, 1.0 mm, 20 Samples, 1/Cs, MA: FB59665	EA	5610
FB59666	Comb accessory for FB59900, 1/Cs, MA: FB59666	EA	5126
FB59667	Comb accessory for FB59900, 1/Cs, MA: FB59667	EA	5126
FB59668	Comb accessory for FB59900, 1/Cs, MA: FB59668	EA	5126
FB59669	Comb accessory for FB59900, 1/Cs, MA: FB59669	EA	5126
FB59670	Comb, 1.5 mm, 16 Samples, 1/Cs, MA: FB59670	EA	5126
FB59671	Comb, 1.5 mm, 20 Samples, 1/Cs, MA: FB59671	EA	5610
FB59672	Comb accessory for FB59900, 1/Cs, MA: FB59672	EA	5170
FB59673	Comb accessory for FB59900, 1/Cs, MA: FB59673	EA	5170
FB59674	Comb accessory for FB59900, 1/Cs, MA: FB59674	EA	5170
FB59675	Comb accessory for FB59900, 1/Cs, MA: FB59675	EA	5170
FB59676	Comb accessory for FB59900, 1/Cs, MA: FB59676	EA	5170
FB59677	Comb, 2.0 mm, 20 Samples, 1/Cs, MA: FB59677	EA	5610
FB59678	Comb accessory for FB59903, 1/Cs, MA: FB59678	EA	7191
FB59679	Comb accessory for FB59903, 1/Cs, MA: FB59679	EA	7191
FB59680	Comb accessory for FB59903, 1/Cs, MA: FB59680	EA	7191

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
FB59681	Comb, 1.0 mm, 25 sample	EA	7185
FB59682	Comb accessory for FB59903, 1/Cs, MA: FB59682	EA	7191
FB59683	Comb accessory for FB59903, 1/Cs, MA: FB59683	EA	7191
FB59684	Comb, 1.0 mm, 50 sample	EA	7185
FB59685	Comb accessory for FB59903, 1/Cs, MA: FB59685	EA	7232
FB59686	Comb accessory for FB59903, 1/Cs, MA: FB59686	EA	7232
FB59687	Comb accessory for FB59903, 1/Cs, MA: FB59687	EA	7232
FB59688	Comb Fisherbrand accessory for FB59903	EA	7185
FB59689	Comb accessory for FB59903, 1/Cs, MA: FB59689	EA	7232
FB59690	Comb accessory for FB59903, 1/Cs, MA: FB59690	EA	7232
FB59691	Comb Fisherbrand accessory for FB59903	EA	7185
FB59692	Comb accessory for FB59903, 1/Cs, MA: FB59692	EA	7275
FB59693	Comb accessory for FB59903, 1/Cs, MA: FB59693	EA	7275
FB59694	Comb accessory for FB59903, 1/Cs, MA: FB59694	EA	7275
FB59695	Comb accessory for FB59903, 1/Cs, MA: FB59695	EA	7275
FB59696	Comb accessory for FB59903, 1/Cs, MA: FB59696	EA	7275
FB59697	Comb Fisherbrand accessory for FB59903	EA	7185
FB59698	Comb accessory for FB59903, 1/Cs, MA: FB59698	EA	7185
FB59699	Comb, 1.0 mm, 8 Samples, 1/Cs, MA: FB59699	EA	4329
FB59700	Comb accessory for FB59906, 1/Cs, MA: FB59700	EA	4329
FB59701	Comb accessory for FB59906, 1/Cs, MA: FB59701	EA	4329
FB59702	Comb accessory for FB59906, 1/Cs, MA: FB59702	EA	4329
FB59703	Comb, 1.0 mm, 16 Samples, 1/Cs, MA: FB59703	EA	4329
FB59704	Comb, 1.0 mm, 20 Samples, 1/Cs, MA: FB59704	EA	4329
FB59705	Comb accessory for FB59906, 1/Cs, MA: FB59705	EA	4329
FB59706	Comb, 1.0 mm, 28 Samples, 1/Cs, MA: FB59706	EA	4487
FB59707	Comb accessory for FB59906, 1/Cs, MA: FB59707	EA	4373
FB59708	Comb accessory for FB59906, 1/Cs, MA: FB59708	EA	4373
FB59709	Comb, 1.5 mm, 12 Samples, 1/Cs, MA: FB59709	EA	4373
FB59710	Comb accessory for FB59906, 1/Cs, MA: FB59710	EA	4373
FB59711	Comb accessory for FB59906, 1/Cs, MA: FB59711	EA	4373
FB59712	Comb accessory for FB59906, 1/Cs, MA: FB59712	EA	4373
FB59713	Comb, 1.5 mm, 24 Samples, 1/Cs, MA: FB59713	EA	4373
FB59714	Comb Fisherbrand accessory for FB59906	EA	4487
FB59715	Comb accessory for FB59906, 1/Cs, MA: FB59715	EA	4416
FB59716	Comb, 2.0 mm, 10 Samples, 1/Cs, MA: FB59716	EA	4416
FB59717	Comb accessory for FB59906, 1/Cs, MA: FB59717	EA	4416
FB59718	Comb accessory for FB59906, 1/Cs, MA: FB59718	EA	4416
FB59719	Comb accessory for FB59906, 1/Cs, MA: FB59719	EA	4416
FB59720	Comb accessory for FB59906, 1/Cs, MA: FB59720	EA	4416
FB59721	Comb accessory for FB59906, 1/Cs, MA: FB59721	EA	4416
FB59722	Comb accessory for FB59906, 1/Cs, MA: FB59722	EA	4487
FB59779	Comb single sample 10cm wide 0.75mm thick, 1/Cs	EA	3616
FB59780	Comb 20 sample 10cm wide 0.75mm thick, 1/Cs	EA	3616
FB59781	Comb single sample 10cm wide 1mm thick, 1/Cs	EA	3656
FB59782	Comb 20 sample 10cm wide 1mm thick, 1/Cs	EA	3818
FB59783	Comb single sample 10cm wide 1.5mm thick, 1/Cs	EA	3700
FB59784	Comb 20 sample 10cm wide 1.5mm thick, 1/Cs	EA	3700
FB59785	Comb single sample 10cm wide 2mm thick, 1/Cs	EA	3740
FB59786	Comb 20 sample 10cm wide 2mm thick, 1/Cs	EA	3740
FB59787	Comb single sample 20cm wide 0.75mm thick, 1/Cs	EA	4161
FB59788	Comb single sample 20cm wide 1mm thick, 1/Cs	EA	4204
FB59789	Comb single sample 20cm wide 1.5mm thick, 1/Cs	EA	4245

Cat. No.	Description	Pack	Price in ₹
FB59790	Comb single sample 20cm wide 2mm thick, 1/Cs	EA	4289
FB59791	Comb 60 sample multi channel compatible 33cm wide	EA	5385
FB59792	Comb 40 sample 33cm wide 0.75mm thick, 1/Cs	EA	5254
FB59793	Comb 60 sample multi channel compatible 33cm wide	EA	5417
FB59794	Comb 40 sample 33cm wide 1mm thick, 1/Cs	EA	5298
FB59795	Comb 60 sample multi channel compatible 33cm wide	EA	5298
FB59796	Comb 40 sample 33cm wide 1.5mm thick, 1/Cs	EA	5338
FB59797	Comb 60 sample multi channel compatible 33cm wide	EA	5338
FB59798	Comb 40 sample 33cm wide 2mm thick, 1/Cs	EA	5382
FB59799	Comb 60 sample multi channel compatible 33cm wide	EA	5382
FB59897	Comb multi-channel pipette	EA	4117
FB59898	Comb, 1.5 mm, 10 Samples, 1/Cs, MA: FB59898	EA	4036
FB59899	Comb multi-channel pipette	EA	4036
FB60112	Comb Fisherbrand accessory for 15cm wide Vari-gel	EA	5160
FB60113	Comb Fisherbrand accessory for 15cm wide Vari-gel	EA	5160
FB60115	Comb accessory for 15cm wide Vari-gel tank 1.0mm	EA	5160
FB60116	Comb Fisherbrand accessory for 15cm wide Vari-gel	EA	5160
FB60117	Comb Fisherbrand accessory for 15cm wide Vari-gel	EA	5160
FB60118	Comb accessory For 15cm Wide Vari-Gel Tank 1.0mm	EA	5160
FB60119	Comb Fisherbrand accessory for 15cm wide Vari-gel	EA	5160
FB60123	Comb accessory for 15cm wide Vari-gel tank 1.5mm	EA	5160
FB60125	Comb Fisherbrand accessory for 15cm wide Vari-gel	EA	5160
FB60126	Comb Fisherbrand accessory for 15cm wide Vari-gel	EA	5160
FB60127	Comb Fisherbrand accessory for 15cm wide Vari-gel	EA	5160
FB60131	Comb accessory for 15cm wide Vari-gel tank 2.0mm	EA	5385
FB60132	Comb Fisherbrand accessory for 15cm wide Vari-gel	EA	5385
FB60133	Comb Fisherbrand accessory for 15cm wide Vari-gel	EA	5385
FB60134	Comb Fisherbrand accessory for 15cm wide Vari-gel	EA	5385
FB60135	Comb Fisherbrand accessory for 15cm wide Vari-gel	EA	5385
FB60136	Vari-gel tank system 2 combs 1mm 15 well 2	EA	66841
FB60147	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60150	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60151	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60152	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60153	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60154	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60157	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60158	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60159	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60160	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60161	Comb accessory for 10cm wide Vari-gel tank 1.5mm	EA	4938
FB60162	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60163	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60165	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60166	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60167	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60168	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60170	Comb Fisherbrand accessory for 10cm wide Vari-gel	EA	4938
FB60171	Vari-gel tank system Fisherbrand 2 combs 1mm 15	EA	54490
FB60181	Comb Fisherbrand accessory for 7cm wide Vari-gel	EA	4712
FB60182	Comb Fisherbrand accessory for 7cm wide Vari-gel	EA	4712
FB60183	Comb Fisherbrand accessory for 7cm wide Vari-gel	EA	4712
FB60184	Comb accessory for 7cm wide Vari-gel tank 1.0mm	EA	4712

PK - Pack  
EA - Each



Cat. No.	Description	Pack	Price in ₹
FB60185	Comb Fisherbrand accessory for 7cm wide Vari-gel	EA	4712
FB60186	Comb Fisherbrand accessory for 7cm wide Vari-gel	EA	4712
FB60187	Comb Fisherbrand accessory for 7cm wide Vari-gel	EA	4712
FB60188	Comb Fisherbrand accessory for 7cm wide Vari-gel	EA	4712
FB60189	Comb Fisherbrand accessory for 7cm wide Vari-gel	EA	4712
FB60190	Comb Fisherbrand accessory for 7cm wide Vari-gel	EA	4712
FB60193	Comb Fisherbrand accessory for 7cm wide Vari-gel	EA	4938
FB60194	Comb Fisherbrand accessory for 7cm wide Vari-gel	EA	4938
FB60195	Comb Fisherbrand accessory for 7cm wide Vari-gel	EA	4938
FB60516	Comb 4 Sample 1mm thick For Mini-Plus	EA	5089
FB60517	Comb Fisherbrand 8 Sample Multichannel Compatible	EA	5089
FB60518	Comb 10 Sample 1mm Thick For Mini-Plus	EA	5369
FB60519	Comb 12 Sample 1mm Thick For Mini-Plus	EA	5089
FB60520	Comb Fisherbrand 16 Sample Multichannel Compatible	EA	5089
FB60521	Comb 20 Sample 1mm Thick For Mini-Plus	EA	5369
FB60522	Comb 26 Sample 1mm Thick For Mini-Plus	EA	5089
FB60523	Comb Fisherbrand 32 Sample Multichannel Compatible	EA	5369
FB60524	Comb 4 Sample 1.5mm Thick For Mini-Plu	EA	5411
FB60525	Comb Fisherbrand 8 Sample Multichannel Compatible	EA	5126
FB60526	Comb 10 Sample 1.5mm Thick For Mini-PI	EA	5411
FB60527	Comb 12 Sample 1.5mm Thick For Mini-PI	EA	5126
FB60528	Comb Fisherbrand 16 Sample Multichannel Compatible	EA	5126
FB60529	Comb 20 Sample 1.5mm Thick For Mini-PI	EA	5126
FB60530	Comb 26 Sample 1.5mm Thick For Mini-PI	EA	5126
FB60531	Comb Fisherbrand 32 Sample Multichannel Compatible	EA	5411
FB60532	Comb 4 Sample 2mm Thick For Mini-Plus	EA	5170
FB60533	Comb Fisherbrand 8 Sample Multichannel Compatible	EA	5170
FB60534	Comb 10 Sample 2mm Thick For Mini-Plus	EA	5170
FB60535	Comb 12 Sample 2mm Thick For Mini-Plus	EA	5170
FB60536	Comb Fisherbrand 16 Sample Multichannel Compatible	EA	5456
FB60537	Comb 20 Sample 2mm Thick For Mini-Plus	EA	5170
FB60538	Comb 26 Sample 2mm Thick For Mini-Plus	EA	5170
FB60539	Comb Fisherbrand 32 Sample Multichannel Compatible	EA	5170
FB60565	Comb Fisherbrand 12 Sample Multichannel Compatible	EA	7191
FB60566	Comb 16 Sample 1mm Thick For Midi-Plus	EA	7191
FB60567	Comb 20 Sample 1mm Thick For Midi-Plus	EA	7585
FB60568	Comb Fisherbrand 25 Sample Multichannel Compatible	EA	7191
FB60569	Comb 28 Sample 1mm Thick For Midi-Plus	EA	7191
FB60570	Comb 40 Sample 1mm Thick For Midi-Plus	EA	7585
FB60571	Comb Fisherbrand 50 Sample Multichannel Compatible	EA	7232
FB60572	Comb Fisherbrand 12 Sample Multichannel Compatible	EA	7634
FB60573	Comb 16 Sample 1.5mm Thick For Midi-PI	EA	7232
FB60574	Comb 20 Sample 1.5mm Thick For Midi-PI	EA	7232
FB60575	Comb Fisherbrand 25 Sample Multichannel Compatible	EA	7232
FB60576	Comb 28 Sample 1.5mm Thick For Midi-PI	EA	7634
FB60577	Comb 40 Sample 1.5mm Thick For Midi-PI	EA	7634
FB60578	Comb Fisherbrand 50 Sample Multichannel Compatible	EA	7634
FB60579	Comb Fisherbrand 12 Sample Multichannel Compatible	EA	7275
FB60580	Comb 16 Sample 2mm Thick For Midi-Plus	EA	7275
FB60581	Comb 20 Sample 2mm Thick For Midi-Plus	EA	7275
FB60582	Comb Fisherbrand 25 Sample Multichannel Compatible	EA	7275
FB60583	Comb 28 Sample 2mm Thick For Midi-Plus	EA	7275
FB60584	Comb 40 Sample 2mm Thick For Midi-Plus	EA	7673

Cat. No.	Description	Pack	Price in ₹
FB60585	Comb Fisherbrand 50 Sample Multichannel Compatible	EA	7673
FB79022	Comb Prep1, Marker1, 0.75mm Thick	EA	2710
FB79023	Comb Prep2, Marker2, 0.75mm Thick	EA	2710
FB79024	Comb Prep4, Marker2, 0.75mm Thick	EA	2710
FB79025	Comb 8 Sample Mc 0.75mm Thick	EA	2710
FB79026	Comb 8 Sample, 0.75mm Thick	EA	2710
FB79027	Comb 10 Sample, 0.75mm Thick	EA	2710
FB79028	Comb 12 Sample Mc, 0.75mm Thick	EA	2710
FB79029	Comb 16 Sample, 0.75mm Thick	EA	2710
FB79030	Comb Prep 1, Marker 1, 1mm Thick	EA	2821
FB79031	Comb Prep 2, Marker 2, 1mm Thick	EA	2821
FB79032	Comb Prep 4, Marker 2, 1mm Thick	EA	2821
FB79033	Comb 8 Sample Mc, 1mm Thick	EA	2821
FB79034	Comb 8 Sample, 1mm Thick	EA	2821
FB79035	Comb 10 Sample, 1mm Thick	EA	2821
FB79036	Comb 12 Sample Mc, 1mm Thick	EA	2821
FB79037	Comb 16 Sample, 1mm Thick	EA	2821
FB79038	Comb Prep 1, Marker 1, 1.5mm Thick	EA	2947
FB79039	Comb Prep 2, Marker 2, 1.5mm Thick	EA	2947
FB79040	Comb Prep 4, Marker 2, 1.5mm Thick	EA	2947
FB79041	Comb 8 Sample Mc, 1.5mm Thick	EA	2947
FB79042	Comb 8 Sample, 1.5mm Thick	EA	2947
FB79043	Comb 10 Sample, 1.5mm Thick	EA	2947
FB79044	Comb 12 Sample Mc, 1.5mm Thick	EA	2947
FB79045	Comb 16 Sample, 1.5mm Thick	EA	2947
FB79046	Comb Prep 1, Marker 1, 2mm Thick	EA	3051
FB79047	Comb Prep 2, Marker 2, 2mm Thick	EA	3051
FB79048	Comb Prep 4, Marker 2, 2mm Thick	EA	3051
FB79049	Comb 8 Sample Mc, 2mm Thick	EA	3051
FB79050	Comb 8 Sample, 2mm Thick	EA	3051
FB79051	Comb 10 Sample, 2mm Thick	EA	3051
FB79052	Comb 12 Sample Mc, 2mm Thick	EA	3051
FB79053	Comb 16 Sample, 2mm Thick	EA	3051
FB79123	Comb Prep1, Marker1, 0.75mm Thick	EA	3136
FB79124	Comb Prep2, Marker2, 0.75mm Thick	EA	3136
FB79125	Comb Prep4, Marker2, 0.75mm Thick	EA	3136
FB79126	Comb 8 Sample, 0.75mm Thick	EA	3136
FB79127	Comb 10 Sample Mc, 0.75mm Thick	EA	3136
FB79128	Comb 12 Sample, 0.75mm Thick	EA	3136
FB79129	Comb 16 Sample, 0.75mm Thick	EA	3136
FB79130	Comb 20 Sample Mc, 0.75mm Thick	EA	3136
FB79131	Comb 25 Sample, 0.75mm Thick	EA	3136
FB79132	Comb Prep 1, Marker 1, 1mm Thick	EA	3250
FB79133	Comb Prep 2, Marker 2, 1mm Thick	EA	3250
FB79134	Comb Prep 4, Marker 2, 1mm Thick	EA	3250
FB79135	Comb 8 Sample, 1mm Thick	EA	3250
FB79136	Comb 10 Sample Mc, 1mm Thick	EA	3250
FB79137	Comb 12 Sample, 1mm Thick	EA	3250
FB79138	Comb 16 Sample, 1mm Thick	EA	3250
FB79139	Comb 20 Sample Mc, 1mm Thick	EA	3250
FB79140	Comb 25 Sample, 1mm Thick	EA	3250
FB79141	Comb Prep 1, Marker 1, 1.5mm Thick	EA	3412
FB79142	Comb Prep 2, Marker 2, 1.5mm Thick	EA	3412

PK - Pack  
EA - Each

## Equipment

Cat. No.	Description	Pack	Price in ₹
FB79143	Comb Prep 4, Marker 2, 1.5mm Thick	EA	3412
FB79144	Comb 8 Sample, 1.5mm Thick	EA	3412
FB79145	Comb 10 Sample Mc, 1.5mm Thick	EA	3412
FB79146	Comb 12 Sample, 1.5mm Thick	EA	3412
FB79147	Comb 16 Sample, 1.5mm Thick	EA	3412
FB79148	Comb 20 Sample Mc, 1.5mm Thick	EA	3412
FB79149	Comb 25 Sample, 1.5mm Thick	EA	3412
FB79150	Comb Prep 1, Marker 1, 2mm Thick	EA	3526
FB79151	Comb Prep 2, Marker 2, 2mm Thick	EA	3526
FB79152	Comb Prep 4, Marker 2, 2mm Thick	EA	3526
FB79153	Comb 8 Sample, 2mm Thick	EA	3526
FB79154	Comb 10 Sample, 2mm Thick	EA	3526
FB79155	Comb 12 Sample, 2mm Thick	EA	3526
FB79156	Comb 16 Sample, 2mm Thick	EA	3526
FB79157	Comb 20 Sample Mc, 2mm Thick	EA	3526
FB79158	Comb 25 Sample, 2mm Thick	EA	3526
FB79159	96 Comb 8 Sample Mc, Marker1, 1mm	EA	17168
FB79160	96 Comb 8 Sample Mc, Marker1, 1.5mm	EA	19164
FB79161	96 Comb 8 Sample Mc, Marker2, 1mm	EA	17168
FB79162	96 Comb 8 Sample Mc, Marker2, 1.5mm	EA	19164
FB79163	96 Comb 8 Sample Mc, Marker1, 1mm	EA	2795
FB79164	96 Comb 8 Sample Mc, Marker1, 1.5mm	EA	2993
FB79165	96 Comb 8 Sample Mc, Marker2, 1mm	EA	2795
FB79166	96 Comb 8 Sample Mc, Marker2, 1.5mm	EA	2993
FB79223	Comb Prep1, Marker1, 0.75mm Thick	EA	3584
FB79224	Comb Prep2, Marker2, 0.75mm Thick	EA	3584
FB79225	Comb Prep4, Marker2, 0.75mm Thick	EA	3584
FB79226	Comb 10 Sample, 0.75mm Thick	EA	3584
FB79227	Comb 12 Sample, 0.75mm Thick	EA	3584
FB79228	Comb 20 Sample, 0.75mm Thick	EA	3584
FB79229	Comb 35 Sample, 0.75mm Thick	EA	3584
FB79230	Comb 10 Sample Mc, 0.75mm Thick	EA	3584
FB79231	Comb 14 Sample Mc, 0.75mm Thick	EA	3584
FB79232	Comb 16 Sample Mc, 0.75mm Thick	EA	3584
FB79233	Comb 18 Sample Mc, 0.75mm Thick	EA	3584
FB79234	Comb 28 Sample Mc, 0.75mm Thick	EA	3584
FB79235	Comb 30 Sample Mc, 0.75mm Thick	EA	3584
FB79236	Comb Prep 1, Marker 1, 1mm Thick	EA	3737
FB79237	Comb Prep 2, Marker 2, 1mm Thick	EA	3737
FB79238	Comb Prep 4, Marker 2, 1mm Thick	EA	3737
FB79239	Comb 10 Sample, 1mm Thick	EA	3737
FB79240	Comb 12 Sample, 1mm Thick	EA	3737
FB79241	Comb 20 Sample, 1mm Thick	EA	3737
FB79242	Comb 35 Sample, 1mm Thick	EA	3737
FB79243	Comb 10 Sample Mc, 1mm Thick	EA	3737
FB79244	Comb 14 Sample Mc, 1mm Thick	EA	3737
FB79245	Comb 16 Sample Mc, 1mm Thick	EA	3737
FB79246	Comb 18 Sample Mc, 1mm Thick	EA	3737
FB79247	Comb 28 Sample Mc, 1mm Thick	EA	3737
FB79248	Comb 30 Sample Mc, 1mm Thick	EA	3737
FB79249	Comb Prep 1, Marker 1, 1.5mm Thick	EA	3841
FB79251	Comb Prep 4, Marker 2, 1.5mm Thick	EA	3841
FB79252	Comb 10 Sample, 1.5mm Thick	EA	3841

Cat. No.	Description	Pack	Price in ₹
FB79253	Comb 12 Sample, 1.5mm Thick	EA	3841
FB79254	Comb 20 Sample, 1.5mm Thick	EA	3841
FB79255	Comb 35 Sample, 1.5mm Thick	EA	3841
FB79256	Comb 10 Sample Mc, 1.5mm Thick	EA	3841
FB79257	Comb 14 Sample Mc, 1.5mm Thick	EA	3841
FB79258	Comb 16 Sample Mc, 1.5mm Thick	EA	3841
FB79259	Comb 18 Sample Mc, 1.5mm Thick	EA	3643
FB79260	Comb 28 Sample Mc, 1.5mm Thick	EA	3841
FB79261	Comb 30 Sample Mc, 1.5mm Thick	EA	3841
FB79262	Comb Prep 1, Marker 1, 2mm Thick	EA	3952
FB79263	Comb Prep 2, Marker 2, 2mm Thick	EA	3952
FB79264	Comb Prep 4, Marker 2, 2mm Thick	EA	3952
FB79265	Comb 10 Sample, 2mm Thick	EA	3952
FB79266	Comb 12 Sample, 2mm Thick	EA	3952
FB79267	Comb 16 Sample Mc, 2mm Thick	EA	3952
FB79268	Comb 20 Sample, 2mm Thick	EA	3952
FB79269	Comb 30 Sample Mc, 2mm Thick	EA	3952
FB79270	Comb 10 Sample Mc, 2mm Thick	EA	3952
FB79271	Comb 14 Sample Mc, 2mm Thick	EA	3952
FB79272	Comb 18 Sample Mc, 2mm Thick	EA	3952
FB79273	Comb 28 Sample Mc, 2mm Thick	EA	3952
FB79274	Comb 35 Sample, 2mm Thick	EA	3952
FB79323	Comb Prep1, Marker1, 0.75mm Thick	EA	4530
FB79324	Comb Prep2, Marker2, 0.75mm Thick	EA	4530
FB79325	Comb Prep4, Marker2, 0.75mm Thick	EA	4530
FB79326	Comb 10 Sample, 0.75mm Thick	EA	4530
FB79327	Comb 16 Sample, 0.75mm Thick	EA	4530
FB79328	Comb 20 Sample Mc, 0.75mm Thick	EA	4530
FB79329	Comb 25 Sample, 0.75mm Thick	EA	4530
FB79330	Comb 30 Sample, 0.75mm Thick	EA	4530
FB79331	Comb 36 Sample, 0.75mm Thick	EA	4530
FB79332	Comb 40 Sample Mc, 0.75mm Thick	EA	4530
FB79333	Comb 50 Sample, 0.75mm Thick	EA	4530
FB79334	Comb Prep 1, Marker 1, 1mm Thick	EA	4634
FB79335	Comb Prep 2, Marker 2, 1mm Thick	EA	4634
FB79336	Comb Prep 4, Marker 2, 1mm Thick	EA	4634
FB79337	Comb 10 Sample, 1mm Thick	EA	4634
FB79338	Comb 16 Sample, 1mm Thick	EA	4634
FB79339	Comb 20 Sample Mc, 1mm Thick	EA	4634
FB79340	Comb 25 Sample, 1mm Thick	EA	4634
FB79341	Comb 30 Sample, 1mm Thick	EA	4634
FB79342	Comb 36 Sample, 1mm Thick	EA	4634
FB79343	Comb 40 Sample Mc, 1mm Thick	EA	4634
FB79344	Comb 50 Sample, 1mm Thick	EA	4634
FB79345	Comb Prep 1, Marker 1, 1.5mm Thick	EA	4702
FB79346	Comb Prep 2, Marker 2, 1.5mm Thick	EA	4702
FB79347	Comb Prep 4, Marker 2, 1.5mm Thick	EA	4702
FB79348	Comb 10 Sample, 1.5mm Thick	EA	4702
FB79349	Comb 16 Sample, 1.5mm Thick	EA	4702
FB79350	Comb 20 Sample Mc, 1.5mm Thick	EA	4702
FB79351	Comb 25 Sample, 1.5mm Thick	EA	4702
FB79352	Comb 30 Sample, 1.5mm Thick	EA	4702
FB79353	Comb 36 Sample, 1.5mm Thick	EA	4702

PK - Pack  
EA - Each

## Equipment

Cat. No.	Description	Pack	Price in ₹
FB79354	Comb 40 Sample Mc, 1.5mm Thick	EA	4702
FB79355	Comb 50 Sample, 1.5mm Thick	EA	4702
FB79356	Comb Prep 1, Marker 1, 2mm Thick	EA	4829
FB79357	Comb Prep 2, Marker 2, 2mm Thick	EA	4829
FB79358	Comb Prep 4, Marker 2, 2mm Thick	EA	4829
FB79359	Comb 10 Sample, 2mm Thick	EA	4829
FB79360	Comb 16 Sample, 2mm Thick	EA	4829
FB79361	Comb 20 Sample Mc, 2mm Thick	EA	4829
FB79362	Comb 25 Sample, 2mm Thick	EA	4829
FB79363	Comb 30 Sample, 2mm Thick	EA	4829
FB79364	Comb 36 Sample, 2mm Thick	EA	4829
FB79365	Comb 40 Sample Mc, 2mm Thick	EA	4829
FB79366	Comb 50 Sample, 2mm Thick	EA	4829
FB79444	Preparative Comb Page, With 1 X Sample	EA	2688
FB79445	Comb 5 Sample, 0.5mm Thick	EA	2688
FB79446	Comb 8 Sample Mc, 0.5mm Thick	EA	2688
FB79447	Comb 9 Sample, 0.5mm Thick	EA	2688
FB79448	Comb 10 Sample, 0.5mm Thick	EA	2688
FB79449	Comb 12 Sample, 0.5mm Thick	EA	2688
FB79450	Comb 16 Sample Mc, 0.5mm Thick	EA	2688
FB79451	Comb 20 Sample, 0.5mm Thick	EA	2688
FB79452	Comb 1Prep, 1Marker, 0.75mm Thick	EA	2688
FB79453	Comb 5 Sample, 0.75mm Thick	EA	2688
FB79454	Comb 8 Sample Mc, 0.75mm Thick	EA	2688
FB79455	Comb 9 Sample, 0.75mm Thick	EA	2688
FB79456	Comb 10 Sample, 0.75mm Thick	EA	2688
FB79457	Comb 12 Sample, 0.75mm Thick	EA	2688
FB79458	Comb 16 Sample Mc, 0.75mm Thick	EA	2688
FB79459	Comb 20 Sample, 0.75mm Thick	EA	2688
FB79460	Comb 1 Prep, 1 Marker, 1mm Thick	EA	2801
FB79461	Comb 5 Sample, 1mm Thick	EA	2801
FB79462	Comb 8 Sample Mc, 1mm Thick	EA	2801
FB79463	Comb 9 Sample, 1mm Thick	EA	2801
FB79464	Comb 10 Sample, 1mm Thick	EA	2801
FB79465	Comb 12 Sample, 1mm Thick	EA	2801
FB79466	Comb 16 Sampl Mc, 1mm Thick	EA	2801
FB79467	Comb 20 Sample, 1mm Thick	EA	2801
FB79468	Comb 1 Prep, 1 Marker, 1.5mm Thick	EA	2915
FB79469	Comb 5 Sample, 1.5mm Thick	EA	2915
FB79470	Comb 8 Sample Mc, 1.5mm Thick	EA	2915
FB79471	Comb 9 Sample, 1.5mm Thick	EA	2915
FB79472	Comb 10 Sample, 1.5mm Thick	EA	2915
FB79473	Comb 12 Sample, 1.5mm Thick	EA	2915
FB79474	Comb 16 Sampl Mc, 1.5mm Thick	EA	2915
FB79475	Comb 20 Sample, 1.5mm Thick	EA	2915
FB79476	Comb 1 Prep, 1 Marker, 2mm Thick	EA	3029
FB79477	Comb 5 Sample, 2mm Thick	EA	3029
FB79478	Comb 8 Sample Mc, 2mm Thick	EA	3029
FB79479	Comb 9 Sample, 2mm Thick	EA	3029
FB79480	Comb 10 Sample, 2mm Thick	EA	3029
FB79481	Comb 12 Sample, 2mm Thick	EA	3029
FB79482	Comb 16 Sample Mc, 2mm Thick	EA	3029
FB79483	Comb 20 Sample, 2mm Thick	EA	3029

Cat. No.	Description	Pack	Price in ₹
<b>Electrophoresis-Cooling Plate</b>			
FB58121	Cooling Plate 270 mm X 270 mm	EA	57880
<b>Electrophoresis-Dummy Plate</b>			
FB79437	Dummy Plate, 10 X 10cm	EA	1706
<b>Electrophoresis-Electrode</b>			
FB57019	Electrode For Battery Operated Horizon	EA	15432
FB58122	Glass Electrode Frame	EA	49760
FB58123	Cathode Electrode	EA	33000
FB58124	Anode Electrode	EA	33000
FB60514	Platinum Electrode Wire, For Mini-Plus Wide Mk2	EA	11169
FB79014	Multi Sub Mini Positive Electrode	EA	7175
FB79015	Multi Sub Mini Negative Electrode	EA	7175
FB79115	Multi Sub Midi Positive Electrode	EA	8072
FB79116	Multi Sub Midi Negative Electrode	EA	8072
FB79215	Multisub Choice Positive Electrode	EA	8969
FB79216	Multisub Choice Negative Electrode	EA	8969
FB79315	Multi Sub Maxi Positive Electrode	EA	10318
FB79316	Multi Sub Maxi Negative Electrode	EA	10318
FB79443	Electrode Wire Replacement Platinum	EA	11091
<b>Electrophoresis-Gel casting system - vertical</b>			
FB59580	Vertikales Mini-Gel Dual Elektrophorese- System	EA	76195
FB59581	Vertikales Mini-Gel Dual Elektrophorese- System	EA	109443
<b>Electrophoresis-Gel Dryer</b>			
FB57737	Gel Dryer 45x34 cm	EA	254285
FB57739	Stainless steel sieve for gel dryer	EA	21325
FB57747	Gel Dryer 50x40cm	EA	311596
FBGD31	Gel Drying System Accessory, Trapping Fluid, Replacement; FisherBiotech; 1L	EA	7901
<b>Electrophoresis-Gel Casting Unit - Horizontal</b>			
FB57001	Gel Unit . Horizontal FB57001	EA	33514
FB58301	Gel Casting Unit HU6-Cu	EA	9203
FB58307	Gel Casting Unit HU10-Cu	EA	10773
FB58315	Horizontal Unit Max Cooled CHU-20	EA	106204
FB58317	Horizontal Unit Maxi Plus Cooled	EA	128141
FB58383	Gel Casting Unit HU13-CU	EA	12344
<b>Electrophoresis-Gel Casting Unit - Vertical</b>			
FB59582	Complete Gel Casting Unit With 2 X 2mm	EA	103900
FB59741	Gel Unit Designed For Either Manual DNA	EA	241500
FB69602	Gel Unit Vertical Complete For Precast	EA	161966
FB69632	Gel Unit Complete Vertical For Precast	EA	162006
<b>Electrophoresis-Gel Modules</b>			
FB69605	Gel running module for precast or handcast gels	EA	73336
FB69623	Capillary gel modulefor Precast or handcast gels	EA	70941
FB69638	Gel running module	EA	85081
FB69640	Capillary gel modulefor precast or handcast gels	EA	106184
FB79407	Tube Gel Module Verti-Gel Mini Optional	EA	35887
FB79412	Inner Running Module Verti-Gel Mini	EA	38132
FB59584	Gel running module forFTV100, 1/Cs, MA: FB59584	EA	62858

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
<b>Electrophoresis-Glass Plate</b>			
Fisher Code	Product Description	Pack Size	LP 2015
FB57261	Notched glass plate, 2 mm	EA	6959
FB57263	Blank glass plate, 2 mm	EA	3142
FB57267	Offset plate	EA	2432
FB57291	Notched glass plate, 4 mm	EA	8083
FB57293	Blank glass plate, 4 mm	EA	5385
FB57299	Offset glass plate	EA	6539
FB59591	Glass plates & 0.75 mm spacers, 2/Cs, MA: FB59591	EA	6734
FB59592	Plain glass plates 10cm x 10cm with fixed 1.0mm	EA	6734
FB59593	Plain glass plates 10cm x 10cm with fixed 1.5mm	EA	6734
FB59594	Plain glass plates 10cm x 10cm with fixed 2.0mm	EA	6734
FB59595	X2 Notched Glass Plate 10 cm X 10 cm	EA	6959
FB59596	X2 Plain Glass Plates 10 cm X 10 cm For	EA	3142
FB59743	Glass plate, for FB59740, plain, 2/Cs, MA: FB59743	EA	8752
FB59745	Glass plateaccessory for FB59741 plain, 2/Cs	EA	10636
FB59746	Glass plate, for FB59740, notched, 2/Cs	EA	13511
FB59753	Glass plateaccessory for FB59741 notched, 2/Cs	EA	10101
FB69595	Gel Unit Vertical Mini Single Plate	EA	63447
FB69612	Platesplain accessory for 20cm x 10cm gel units	EA	6508
FB69613	Platesplain accessory for 20cm x 10cm gel units	EA	6508
FB69614	Platesplain accessory for 20cm x 10cm gel units	EA	6508
FB69615	Platesplain accessory for 20cm x 10cm gel units	EA	6508
FB69616	X2 Plates Notched Accessory For 20 cm	EA	10773
FB69617	Plate, for 200mm x 100mm gel units, 2/Cs	EA	4712
FB69648	X2 Plates Fisherbrand plain accessory for 205mm x 20	EA	5836
FB69651	X2 Plates Notched Accessory For 205mm	EA	8083
FB69652	Platesplain accessory for 20cm x 20cm gel units	EA	5385
FB79425	X2 Glass plate Fisherbrand 100mm x 100mm, notched	EA	3094
FB79426	X2 Glass plate Fisherbrand 100mm x 100mm, plain	EA	2018
FB79427	X2 Glass plate Fisherbrand 100mm x 100mm, plain	EA	2801
FB79428	X2 Glass plate Fisherbrand 100mm x 100mm, plain	EA	2801
FB79429	X2 Glass plate Fisherbrand 100mm x 100mm, plain	EA	2801
FB79430	X2 Glass plate Fisherbrand 100mm x 100mm, plain	EA	2801
FB79431	X2 Glass plate Fisherbrand 100mm x 100mm, plain	EA	2801
FB79432	X2 Glass plate Fisherbrand 100mm x 100mm notched	EA	5382
FB79433	X2 Glass plate Fisherbrand 100mm x 100mm notched	EA	5382
FB79434	X2 Glass plate Fisherbrand 100mm x 100mm notched	EA	5382
FB79435	X2 Glass plate Fisherbrand 100mm x 100mm notched	EA	5382
FB79436	X2 Glass plate Fisherbrand 100mm x 100mm notched	EA	5382
<b>Electrophoresis-Gradient Mixer</b>			
FB57633	15 ml Gradient Mixer Gradient Mixer,	EA	54328
FB57635	25 ml Gradient Mixer Gradient Mixer,	EA	56693
FB57637	50 ml Gradient Mixer Gradient Mixer,	EA	61735
FB57639	100 ml Gradient Mixer Gradient Mixer,	EA	70043
FB57640	Gradient Mixer	EA	63756
<b>Electrophoresis-IEF Unit</b>			
FB58120	COMPLETE IEF UNIT INCLUDES RUNNING	EA	241106

Cat. No.	Description	Pack	Price in ₹
<b>Electrophoresis-Lid</b>			
FB60144	Lid accessory for 10cm wide Vari-gel tank	EA	23572
FB79167	Ms10 Blue Lid (No Cables)	EA	13454
FB79275	Ms15 Blue Lid (No Cables)	EA	13454
FB79367	Ms20 Blue Lid (No Cables)	EA	24672
FB79484	Lid Verti-Gel Mini Replacement	EA	6730
<b>Electrophoresis-Misc Accessories</b>			
FB57073	Buffer recirculation ports for horizontal unit	EA	3888
FB57098	GASKET SILICONE FOR GEL CASTING	EA	2095
FB57133	Blanking port x 10, 1/Cs, MA: FB57133	EA	3888
FB57641	Gel leveling table	EA	23346
FB57662	X2 SEPARATION SHEETS 1MM (PACK OF 2)	EA	2243
FB57693	X2 SILICONE SEALS FOR MV1-SC2 MULTICAS	EA	2018
FB57741	Mylar Sheet Fisherbrand For FGD-4534 Mylar White	EA	5836
FB57743	Porous Polypropylene Sheet Fisherbrand For FGD-453	EA	15715
FB57745	Silicon Rubber Overlay Fisherbrand For FGD-4534	EA	22448
FB57749	SheetFor FGD-5040Stainless steel Silver FB57749,	EA	26266
FB57751	Mylar SheetFor FGD-5040 Mylar White FB57751, 1/Cs	EA	6508
FB57753	Porous PP SheetFor FGD-5040 PE White FB57753, 1/Cs	EA	22448
FB57755	Silicon Rubber OverlayFor FGD-5040 Silicone	EA	24561
FB57773	X2 ADAPTOR ADAPTOR PACK OF 2 BLACK	EA	2671
FB57781	CASTING BASE WITH2 X SEALS, 2 X CAMS,	EA	34123
FB57788	Gel scoop for 6 cm wide gels, 1/Cs, MA: FB57788	EA	7333
FB57789	Gel scoop for 10cm wide gels	EA	7857
FB57790	Gel scoop for 13cm wide gels	EA	7629
FB57791	Gel scoop for 20 cm wide gels, 1/Cs, MA: FB57791	EA	9166
FB57792	Gel scoop for 25cm wide gels, 1/Cs, MA: FB57792	EA	10474
FB59589	X4 REPLACEMENT SCREW SET FOR FB59588	EA	5758
FB59590	X8 REPLACEMENT GASKET SET FOR FB59584	EA	11450
FB59597	CASTING BASE WITH SILICONE SEALS	EA	29633
FB59742	Gasket, silicone rubber, accessory for FB59740,	EA	6021
FB59744	Gasketsilicone rubber accessory for FB59741, 2/Cs	EA	9428
FB59770	Gel extraction platformaccessory	EA	8752
FB59775	X2 Cam casting system Fisherbrand for 10 x 10cm	EA	56572
FB59778	Gel extraction platformaccessory	EA	5610
FB60111	Loading stripsaccessory for 15cm wide Vari-gel	EA	2243
FB60145	Loading stripsaccessory for 10cm wide Vari-gel	EA	2190
FB60178	Loading stripsaccessory for 7cm wide Vari-gel	EA	2018
FB60512	GASKET REPLACEMENTSILICONE 1M	EA	1598
FB60513	Gel scoop Fisherbrand for Mini-plus wide MK2 gels	EA	4329
FB60515	X2 POWER LEAD REPLACEMENT WITH 4MM	EA	8339
FB60562	X2 BUFFER RECIRCULATION PORT	EA	3364
FB60564	Gel scoop Fisherbrand forMidi-plus wide MK2 gels	EA	4329
FB69611	Gasket setreplacement accessory for 20cmx 10cm	EA	13357
FB69624	Complete 2D system for Precast or handcast gels	EA	165544
FB69625	Complete modular system, 1/Cs, MA: FB69625	EA	207074
FB69630	VERTIKALES MAXI-GEL DUAL ELEKTROPHORESE- SYSTEM,	EA	135329
FB69636	2D systemcompletefor precast or handcast gels up	EA	246841
FB69645	X6 SCREW SET ACCESSORY FOR 205MMX200MM	EA	4938
FB69646	Gasket setreplacement accessory for 20cmx 20cm	EA	19307
FB69647	Satz Platten 20 x 20 cm mit 0,75 mm Abstandhalter	EA	5836
FB69649	Satz Platten 20 x 20 cm mit 1,5 mm Abstandhalter	EA	5836

PK - Pack  
EA - Each



Cat. No.	Description	Pack	Price in ₹
FB69653	CASTING BASE ACCESSORY FOR 205MMX200MM	EA	34123
FB79016	ADHESIVE LOADING GUIDES	EA	1495
FB79017	VIEWING PLATFORM	EA	1238
FB79018	COOL-PACK AND PLATFORM	EA	8969
FB79019	X2 Buffer saver block Fisherbrand reduces buffer	EA	4702
FB79021	GEL SCOOP FOR 70MM GELS 70MM	EA	3136
FB79117	LOADING GUIDES	EA	1345
FB79118	VIEWING PLATFORM	EA	1345
FB79119	Cool-Pack And Platform For MSMIDI	EA	11215
FB79120	X2 Buffer saver block Fisherbrand reduces buffer	EA	5554
FB79122	Gel Scoop For 100mm Gels 100mm	EA	4036
FB79217	Adhesive Loading Guides	EA	1384
FB79218	Viewing Platform	EA	1345
FB79219	Cool-Pack & Platform For Mschoice	EA	12817
FB79220	X2 Buffer saver block Fisherbrand reduces buffer	EA	6408
FB79222	Gel Scoop For 150mm Gels 150mm	EA	5382
FB79317	Adhesive Loading Guides	EA	1566
FB79318	Viewing Platform	EA	1566
FB79319	Cool-Pack And Platform For MSMAXI	EA	13672
FB79320	X2 Buffer saver block Fisherbrand reduces buffer	EA	7689
FB79322	Gel Scoop For 200mm Gels 200mm	EA	5382
FB79421	X10 Blanking port Fisher Scientific	EA	1758
FB79424	Cooling Pack 100mm X 100mm, For Cooling	EA	4056
<b>Electrophoresis-PAGE System</b>			
FB79400	COMPLETE MINI PAGE SYSTEM	EA	74019
FB79401	OMNIPAGE MINI 10X10CM DUAL	EA	56077
<b>Electrophoresis-Power Supply</b>			
FB16100	Power supply Power 300 400mAmps 300V 120W	EA	89171
FB16101	Power supply Power 600 800mAmps 600V 300W	EA	241994
FB16102	Power supply, Power 3000 electrophoresis, 1/Cs	EA	311139
FB79520	POWER SUPPLY MINI300V PLUS 300V,	EA	54634
FB79530	POWER SUPPLY MID300V/4 300V, 700MA,	EA	88148
<b>Electrophoresis-Seal</b>			
FB57703	X2 SEALS FOR V2-SC2 MULTICASTER SILICO	EA	3592
<b>Electrophoresis-Spacer</b>			
FB57273	Set of 0.75 mm spacers	EA	2469
FB57275	Set of 1.0 mm spacers	EA	2469
FB57277	Set of 1.5 mm spacers	EA	2469
FB57279	Set of 2.0 mm spacers	EA	2469
FB57313	0.75mm Spacer Set For 20mm X 200mm	EA	2775
FB57315	1.0mm Spacer Set For 20mm X 200mm	EA	2916
FB57317	1.5mm Spacer Set For 20mm X 200mm	EA	2916
FB57319	2.0mm Spacer Set For 20mm X 200mm	EA	2916
FB59747	X2 Spacer Accessory For FB59740 0.25mm	EA	3323
FB59748	X2 Spacer Accessory for FB59740 0.35mm	EA	3323
FB59749	X2 Spacer Accessory for FB59740 0.75mm	EA	3323
FB59750	X2 Spacer Accessory for FB59740 1mm	EA	3592
FB59751	X2 Spacer Accessory For FB59740 1.5mm	EA	3323
FB59752	X2 Spacer Accessory For FB59740 2mm	EA	3323
FB59754	X2 Spacer Accessory For FB59741 0.25mm	EA	3323

Cat. No.	Description	Pack	Price in ₹
FB59755	X2 Spacer Accessory for FB59741 0.35mm	EA	3592
FB59756	X2 Spacer Accessory for FB59741 0.75mm	EA	3323
FB59757	X2 Spacer Accessory for FB59741 1mm	EA	3323
FB59758	X2 Spacer Accessory For FB59741 1.5mm	EA	3323
FB59759	X2 Spacer Accessory For FB59741 2mm	EA	3323
FB59771	X2 Spacer Accessory For FB59580	EA	2469
FB79438	X2 Spacer Fisherbrand 10mm X 100mm (W X H) Spacers	EA	1794
FB79439	X2 Spacer Fisherbrand 10mm X 100mm (W X H) Spacers	EA	1794
FB79440	X2 Spacer Fisherbrand 10mm x 100mm (w x h) spacers	EA	1878
FB79441	X2 Spacer Fisherbrand 10mm x 100mm (w x h) spacers	EA	2005
FB79442	X2 Spacer Fisherbrand 10mm x 100mm (w x h) spacers	EA	2093
<b>Electrophoresis-Tank</b>			
FB57021	Electrophoresis Tank MH-1070 Horizontal	EA	42932
FB57063	Electrophoresis Tank MH-675 Horizontal	EA	48432
FB57111	Electrophoresis Tank Fisherbrand MH-1010 Horizontal	EA	53037
FB57161	Electrophoresis Tank MH-1510 Horizontal	EA	63208
FB57203	Electrophoresis Tank MH-2520 Horizontal	EA	94449
FB57239	Electrophoresis Tank MH-3025 Horizontal	EA	103530
FB59583	Vertical Tank And Running Module With	EA	124680
FB59586	Supercooled replacement tankforFTV100, 1/Cs	EA	69853
FB59730	ElectroPrep tankfor electro-elution (tanklidtest	EA	144572
FB60100	Vari-gel tank system Fisherbrand and 15cm wide, 2	EA	87664
FB60500	Horizontal Gel Tank Mini-Plus Wide	EA	55460
FB60550	Horizontal Gel Tank Midi-Plus Wide	EA	86514
FB69600	Vertical tank & running module, 1/Cs, MA: FB69600	EA	126892
FB69631	Tank And Running Module Supercooled	EA	163819
FB69633	Gel Tank Complete Supercooled	EA	195477
FB69635	Gel Tank Complete Supercooled (FB69633) For Gels	EA	246841
FB69637	Modular system complete for supercooled tank, 1/Cs	EA	277063
FB79000	Horizontal Gel Tank Sub-Gel Mini	EA	38132
FB79055	Ms7 Tank (Including Electrodes)	EA	24672
FB79100	Horizontal Gel Tank Sub-Gel Midi	EA	41268
FB79101	Electrophoresis Tank Fisherbrand Sub-Gel Midi96	EA	47478
FB79168	Gel Tank Base Replacement Tank	EA	26914
FB79200	Horizontal Gel Tank Sub-Gel Midi-Plus	EA	47101
FB79276	Gel Tank Base Tank With Electrodes	EA	35887
FB79300	Horizontal Gel Tank Sub-Gel Maxi	EA	80749
FB79368	Ms20 Tank (Including Electrodes)	EA	49347
FB79402	1 Set Vertical Gel Tank Verti-Gel	EA	103178
FB79485	Gel Tank Verti-Gel Mini Replacement	EA	8969
<b>Electrophoresis-Tank Lid</b>			
FB79054	GEL TANK LID REPLACEMENT	EA	11215

### Fume Hoods & Enclosures

<b>PCR Enclosure</b>			
FB59896	PCR Cabinet For PCR Reactions 560mm	EA	335397
FB58615	X25 Liner Fisherbrand for tray environmentally	EA	19842
FB58603	Tray radiation hazard easy clean yellow 680mm x 540mm Fisherbrand	EA	14789

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
----------	-------------	------	------------

### Glassware Washer

Glassware Washer			
FL4400321	SteamScrubber Glassware Washer, undercounter with high heat, 208/230V, 50/60 Hz	EA	POR
FL4400331	SteamScrubber Glassware Washer, undercounter with window and high heat, 208/230V, 50/60 Hz	EA	POR
FL4400421	SteamScrubber Glassware Washer, freestanding with high heat, 208/230V, 50/60 Hz	EA	POR
FL4400431	SteamScrubber Glassware Washer, freestanding with window and high heat, 208/230V, 50/60 Hz	EA	POR
FL4420321	FlaskScrubber Glassware Washer, undercounter with high heat, 208/230V, 50/60 Hz	EA	POR
FL4420331	FlaskScrubber Glassware Washer, undercounter with window and high heat, 208/230V, 50/60 Hz	EA	POR
FL4420421	FlaskScrubber Glassware Washer, freestanding with high heat, 208/230V, 50/60 Hz	EA	POR
FL4420431	FlaskScrubber Glassware Washer, freestanding with window and high heat, 208/230V, 50/60 Hz	EA	POR
FL4540031	FlaskScrubber Vantage Series Glassware Washer, 208/230V, 50/60 Hz	EA	POR
FL4578021	SteamScrubber 33 Glassware Washer, undercounter with high heat, 208/230V, 50/60 Hz	EA	POR
FL4578031	SteamScrubber 33 Glassware Washer, undercounter with window and high heat, 208/230V, 50/60 Hz	EA	POR
FL4578121	FlaskScrubber 33 Glassware Washer, undercounter with high heat, 208/230V, 50/60 Hz	EA	POR
FL4578131	FlaskScrubber 33 Glassware Washer, undercounter with window and high heat, 208/230V, 50/60 Hz	EA	POR

### Heating, Mixing and Stirring

Bag Mixer / Stomacher			
FB11151	Blender Bagmixer 3500P Without Window	EA	1805868
FB51655	Blender Bagmixer 3500W With Window	EA	2159886
FB51683	X100 Bag Bagpage 3500 Filter Bags (Pack Of 100)	EA	32284
FB51689	X1000 Bag Bagtips Pipet Straw (Pack Of 1000)	EA	8586
FB51685	X500 Bag Baglight 3500 Without Filter (Pack Of	EA	40527
FB51681	X100 Bag Bagfilter 3500 Filter Bags (Pack Of 100)	EA	32284
FB51687	Bag Bagpipet Automatic Pipet (Pack Of)	EA	48770
FB11152	BagMixer 400P	EA	401495
FB51658	BagMixer 400 VW, Window door, timer, variable	EA	567382
FB51664	BagRack 100 Fisherbrand for FB51658	EA	24231
FB51673	X500 Bag Bagfiletr P Filter Bags (Pack Of 500)	EA	46709
FB51663	X50 Clip Bagclip 400 (Case Of 50)	EA	17770
FB51665	BagRack	EA	26168
FB51659	Blender BagOpen 400 Bagopener	EA	17124
FB51675	X500 bag bagfilter s filter bags (pack of 500)	EA	53235
FB51671	X1000 bag baglight 400 without filter (pack of	EA	18204
FB51677	X500 bag bagpage plus filter bags (pack of 500)	EA	47053
FB11150	Blender Minimix 100P without window	EA	470185
FB51667	X500 bag bagpage 100 with filter (pack of 500)	EA	46365
FB51661	X50 closing clips for bags bagclip 100 (case of	EA	17770
FB51657	BagOpen 80/100 StÄ€nder f. 80/100ml-Beutel,hÄ€it	EA	17124
FB51669	X500 bag baglight 100 without filter (pack of 500)	EA	11678
12303308	Blender stomacher 400 circulator	EA	641547
10576064	X500 Bags for Stomacher 400 Circulator, Bag, round ended,177mm x 304mm, 500/Pk	EA	7349
10547394	X250 Closure bags for Stomacher 400 Circulator, round ended, 177mm x 304mm, 250/Pk	EA	9885
10746855	X500 Stomacher Circulator Bag; Strainer bag, round ended, 177mm x 304mm, 200/Pk	EA	12421
10658165	X200 Seward BA6041/STR strainer bags for 400, square ended, 177mm x 304mm, 200/Pk	EA	12338
11894523	X500 Bags for Stomacher 400 Circulator sachets of 5, 500/Pk	EA	11330
10748898	Rack for Stomacher bags, 10 place, 1 /Pk	EA	13959
FB51650	X1000 Straw Pipette Sterile By Irradiation polystyrene, Volume 1 Ml	EA	4914
FB51651	X6000 Straw pipette sterile by irradiation, Volume 2.2 ml	EA	29455

# Glassware Washer



	<b>FlaskScrubber Vantage Series</b>	<b>FlaskScrubber</b>	<b>SteamScrubber</b>
Primary Application	Washing and drying primarily narrowneck glassware such as volumetric flasks. Advanced features for contamination-sensitive research	Washing and drying primarily narrowneck glassware such as volumetric flasks	Washing and drying primarily beakers and other wide-mouth or specialized glassware .
Electrical Configuration	208/230 volts, 50/60 Hz	208/230 volts, 50/60 Hz	208/230 volts, 50/60 Hz
Undercounter Available	convertible to undercounter	•	•
Freestanding Available	•	•	•
Freestanding to Mobile Conversion	No		
Maximum Internal Water Temperature	93° C (199° F)	93° C (199° F)	93° C (199° F)
Washing	Through Spindles & Two Wash Arms	Through Spindles & Two Wash Arms	Through Three Wash Arms
Forced Hot Air Drying			Throughout Tank
<b>ADVANCED FEATURES:</b>			
HEPA Filtered Drying	•		
Water Conductivity Sensor	•		
RS-232 Port	•		
Automatic Liquid Detergent Dispenser	•		
Automatic Rinse Aid Dispenser	•		
Racks Included	Lower 36-spindle rack	Lower 36-spindle rack	Upper and lower standard open racks
Viewing window with light	Standard	Optional	Optional
<b>ACCOMMODATES OPTIONAL RACKS:</b>			
Upper Spindle Rack	•	•	•
Lower Spindle Rack	Included	Included	
Upper Standard Rack	•	•	Included
Lower Standard Rack	•	•	Included
Lower Test Tube Spindle Rack	•	•	•
<b>ACCOMMODATES OPTIONAL BASKETS and INSERTS:</b>			
Utensil Holder	•	•	•
Utensil Basket	•	•	•
Bulk Tube Insert	•	•	•
Culture Tube Insert	•	•	•
Labware Inserts	•	•	•
BOD Bottle Insert	•	•	•
48-Pin Insert	•	•	•
Petri Dish Insert	•	•	•
DNA Sequencing Plate Insert	•	•	•
Tray Insert	•	•	•
Pipette Insert	•	•	•



**FlaskScrubber® Vantage® Series  
Laboratory Glassware Washers**

**FlaskScrubber® Laboratory  
Glassware Washers**

**SteamScrubber® Laboratory  
Glassware Washers**



# Chemical Fume Hoods and Ductless Carbon-Filtered Enclosures



## Protector® Laboratory Hoods

- » XStream® for High Performance
- » Premier® and XL for General Chemistry
- » ClassMate® for Education
- » Perchloric Acid
- » Radioisotope
- » Floor-mounted
- » Pass-Through

- Basic Laboratory Hoods
- Protector® Demonstration Hoods
- Protector® XVS Ventilation Hoods
- Paramount® Ductless Enclosures
- Protector® Work Stations
- Fume Adsorbers
- FilterMate™ Portable Exhausters
- Canopy Hoods



## Protector® Glove Boxes

- » Controlled Atmosphere
- » HEPA-Filtered
- » Combination
- » Double

## Precise® Glove Boxes

- » Basic
- » Controlled Atmosphere
- » HEPA-filtered

Precise Controlled Atmosphere Glove Boxes protect sensitive materials from exposure to oxygen or moisture.

- XPert® Weigh Boxes
- XPert® Balance
- Enclosures, Systems and Stations
- XPert® Bulk Powder
- Enclosures, Systems and Stations
- XPert® Nano Enclosures

Precise Glove Boxes offer a physical barrier between the researcher and samples.



Cat. No.	Description	Pack	Price in ₹
12819405	Stomacher Lab Blender, Model 80 5-80ML 240V 50HZ.MA	EA	469124
FB51914	X4500 Stomacher bags for Model 80	EA	35422
FB51919	X200 Stomacher Bag Clips For All models polyethylene	EA	17060
12819405	Stomacher Lab Blender, Model 80 5-80ML 240V 50HZ.MA	EA	469124
11815390	X4500 Stomacher bags for Model 80	EA	35422
11522882	X200 Stomacher Bag Clips For All models polyethylene	EA	17060
<b>Furnaces</b>			
11474210	Boat, Combustion; Fisher; Heavy-gauge nickel; 3 1/2 x 5/8 x 3/8 in.	EA	2419
<b>Homogenizers</b>			
10764233	Homogeniser Polytron PT1300 D hand held digital display variable speed for volumes between 0.1mL and 250mL 7,000rpm to 30,000rpm 230V 50/60Hz 100W Kinematica	EA	320414
10540753	PT-ST 1301 Hinge Stand Flexible PT1300 D	EA	105376
10103703	Homogeniser Polytron PT-MR 10-35GT bench-top 230V 50Hz 800W 95mm x 210mm x 247mm (w x d x h) 50 to 30,000rpm working volume 0.1 to 4,000mL Kinematica	EA	294124
10233152	Safety collar for PT-ST 2101	EA	3116
10163793	PT-DA/PTA adapter Polytron for dispersing tools used with the old PT10-35/PT-K	EA	69924
13497639	Stand electric driven (GB plug) KINEMATICA AG	EA	256918
13160633	Homogeniser Polytron PT1200E hand held with power supply 100-240V 50/60Hz 100W 25000rpm Kinematica	EA	177252
10283722	HOLDER SYSTEM POLYTRON HS1200E FOR HOMOGENISER	EA	21423
11955418	Dispersing aggregate Polytron PT-DA1207/2 SYN-E thermoplastic disposable 0.3 to 10mL 82mm x 7.8mm Kinematica	EA	85704
10217372	Dispersing aggregate Polytron PT-DA1212/2 EC-E 2 to 250mL 115mm x 12mm Kinematica	EA	184656
10489563	Dispersing aggregate Polytron PT-DA1207/2 EC-E 0.3 to 10mL 107mm x 7.8mm Kinematica	EA	173354
10795524	Dispersing aggregate Polytron PT-DA1205/2 EC-E 0.1 to 5mL 80mm x 5.6mm Kinematica	EA	164981
10223822	Homogeniser Polytron PT 2100 Stand fixed 230V 50/60Hz 500W	EA	228675
10099681	Holder vessel with boss head for PT-ST 2103 plate stand Kinematica	EA	22204
10141342	Dispersing tool for aggregates for 100mL - 2000mL working volume 22mm I.D. minimum 178mm x 20mm (15mm tip diameter) 20 m/s tip speed Kinematica	EA	185625
10233202	Dispersing tool for aggregates for 0.3mL - 10mL working volume 86mm x 7.5mm (5mm tip diameter) tip speed 6.5 m/s Kinematica	EA	168292
10293242	Dispersing tool for aggregates for 2mL - 250mL working volume 138mm x 12mm (9mm tip diameter) tip speed 12 m/s Kinematica	EA	175108
10438032	Dispersing tool Polytron for tough and fibrous materials for minimum vessel size 14mm inner diameter for use with PT 2100 2mL-250mL working volume 138mm x 10mm Kinematica	EA	212506
10612863	Dispersing tool for aggregates for 0.1mL - 5mL working volume 61mm x 5.5mm (3mm tip diameter) tip speed 4 m/s Kinematica	EA	172187
10683623	Dispersing tool Polytron for tough and fibrous materials for minimum vessel size 22mm inner diameter for use with PT 3100 100mL to 1000mL working volume 178mm x 20mm Kinematica	EA	262564
13180673	Homogeniser PT3100D 130mm x 240mm x 265mm fixed with power supply, PC software and RS232 cable	EA	447025
10345212	Dispersing tool Polytron PT-DA3030/2WEC for tough and fibrous materials for minimum vessel size 35mm inner diameter for use with PT 3100 100mL-3000mL working volume 205mm x 30mm Kinematica	EA	336389
10530373	Dispersing tool Polytron PT-DA3020/2WEC for tough and fibrous materials for minimum vessel size 25mm inner diameter for use with PT 3100 10mL-2000mL working volume 205mm x 20mm Kinematica	EA	260420
10263582	Dispersing tool Polytron for tough and fibrous materials for minimum vessel size 8mm inner diameter for use with PT 3100 3mL to 250mL working volume 110mm x 7.5mm Kinematica	EA	234710
10365212	Dispersing tool for aggregates easy clean for 2mL - 250mL working volume 170mm x 12mm (9mm tip diameter) tip speed 13.5 m/s Kinematica	EA	194975
10435922	Dispersing tool for aggregates M Generator (knives for precutting), Easy Clean for 2mL - 250mL working volume 170mm x 12mm (9mm tip diameter) tip speed 13.5 m/s Kinematica	EA	210168
10495342	Stand PT-ST 3001 H type with adjustable work platform for PT 3100 Kinematica	EA	217763
10520373	Dispersing tool for aggregates M Generator (knives for precutting), Easy Clean for 10mL - 2000mL working volume 25mm I.D. minimum vessel size 205mm x 20mm (15mm tip diameter) 21 m/s tip speed Kinematica	EA	236079
10530563	Dispersing tool Polytron PT-DA3030/4WEC for plant, human, animal tissue for minimum vessel size 35mm inner diameter for use with PT 3100 100mL to 3000mL working volume 250mm x 30mm Kinematica	EA	350998

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
10141582	Dispersing tool for aggregates easy clean for 10mL - 2000mL working volume 25mm I.D. minimum vessel size 205mm x 20mm (15mm tip dia) 21 m/s tip speed Kinematica	EA	216988
10223442	Dispersing tool for aggregates easy clean for 0.1mL - 0.3mL working volume 110mm x 5.5mm (4mm tip diameter) tip speed 6 m/s Kinematica	EA	173159
10535613	Dispersing tool for aggregates easy clean for 0.3mL - 10mL working volume 110mm x 7.5mm (5mm tip diameter) tip speed 7.5 m/s Kinematica	EA	188356
13150673	Dispersing tool for aggregates G design (for pressure,vacuum,anti foam, with mech for 100mL - 3000mL working volume 35mm I.D. minimum vessel size 250mm x 30mm (23mm tip diameter) 36 m/s tip speed Kinematica	EA	363075
10384421	Homogeniser T20, S20-25-NK-19G basic dispersing tool 230V 50Hz	EA	141462
13100663	Homogeniser Polytron PT-MR 4000 stand fixed for working volumes 0.1mL to 2000mL 220V 50Hz 500W	EA	614733
10155512	Dispersing tool for 0.3mL-10mL working volume minimum vessel size 8mm I.d. 80mm x 7.8mm 5mm tip diameter Kinematica	EA	173354
11905418	Dispersing tool for 0.1mL-5mL working volume minimum vessel size 5.5mm I.d. 55mm x 5.5mm 3mm tip diameter Kinematica	EA	164981
12821486	Homogeniser B-400 with stainless steel knives 230V 50Hz 1900W	EA	1765034
12831486	Homogeniser B-400 with ceramic knives 230V 50Hz 1900W	EA	1926828
12809405	Dispersing drive Ultra Turrax T 50 basic 230V 50/60Hz 1100W 100mm x 120mm x 350mm (w x d x h)	EA	473800
10038110	Stirring shaft R1405 for R50 rotor diameter 45mm working range 0.25L to 10L propellor head	EA	30259
10233031	Telescopic stand R 2723 620-1010mm height 10kg load capacity	EA	204442
10314681	Mixer stand R2722 H shape for T50 maximum load 10kg 34mm diameter x 1010mm height	EA	104065
10354771	Bosshead R 271 cast aluminium	EA	26814
10483151	Stirring shaft R1402 for R50 rotor diameter 45mm working range 1L to 30L Dissolver head	EA	41576
10508361	Stirring shaft R50 for T50 depth 180mm working range 0.25L to 30L high speed	EA	288334
10618972	Clamp RH5 strap stainless steel	EA	50926
10499862	Dispersing element S 50 N-G 45 G 0.5L to 20L working range for T 50 basic	EA	410852
10049110	Dispersing element S 50 N-G 45 F for T 50 basic 40mm rotor diameter	EA	474327
11865702	Drive control drive only 100-240V 50/60Hz 122mm x 54mm x 178mm	EA	182404
10094062	Tube disperser Ultra-Turrax digital display drive only incl. removal hook for the DT-20 tube	EA	96473
10763304	Dispersing tube for Ultra-Turrax tube drive (TWK-615-010V or TWK-615-020S) DT-20	EA	27675
10678962	Homogeniser 160mm x 210mm x 105mm stand fixed Ultra-Turrax T65D	EA	766868
<b>Hotplates</b>			
FB65301	Hotplate ceramic plate heating surface 110mm x 100mm 220-240V 50/60Hz 690W ambient to 540°C 140mm x 250mm x 100mm (w x d x h)	EA	60019
FB65302	Hotplate heating surface 260mm x 260mm 220-240V 50/60Hz 298mm x 431mm x 95mm (w x d x h) ambient to 400°C ceramic Fisherbrand	EA	88596
FB65303	Hotplate digital heating surface 184mm x 184mm 220-240V 50/60Hz 219mm x 331mm x 95mm (w x d x h) 30°C to 540°C ceramic Fisherbrand	EA	124475
FB65305	Hotplate Basic heating surface 184mm x 184mm 220-240V 50/60Hz 219mm x 331mm x 95mm (w x d x h) 30°C to 380°C aluminium Fisherbrand	EA	71539
FB68050	Hotplate VELP single top	EA	25922
FB68052	Double Top Hotplate RC2 155mm dia plate UK plug	EA	44974
FB65300	Hotplate ceramic plate heating surface 110mm x 100mm 220-240V 50/60Hz 690W ambient to 540°C 140mm x 250mm x 100mm (w x d x h) Fisherbrand	EA	58916
1110216H	Hotplate, Isotemp; Ceramic top; 4 x 4 in. heating surface; Temp. control to 540deg.C; 230V 50/60Hz	EA	49611
1110249H	Hotplate, Isotemp; Ceramic top; 7 x 7 in. heating surface; Temp. control to 540deg.C; 230V 50/60Hz	EA	49034
1120249H	Hotplate; Fisher Scientific; Isotemp; Aluminum top; 7 x 7in. heating surface; Temp. control to 380deg.C; 230V 50/60Hz	EA	61581
<b>HPS</b>			
15218834	Stirrer, magnetic, RT Basic series, medium 230V, international plug	EA	26491
FB15001	Magnetic stirrer hotplate 230V 50Hz 630W metal top	EA	41624
15238834	Stirrer, magnetic, RT Basics eries, large, 230V, international plug	EA	35700
15258834	Stirrer, RT touch, medium, 230V, international plug	EA	43940

Cat. No.	Description	Pack	Price in ₹
15125996	Hot plate stirrer AREX, aluminium plate, diameter 155mm, ambient to 370°C, 1200rpm maximum stir speed, Velp	EA	44667
10224264	Hotplate PC400D digital ceramic top 230V 50/60Hz 5°C to 550°C plate size 127mm x 178mm Corning	EA	48731
15278834	Stirrer, magnetic, RT Touch, 230V, International plug	EA	48948
11956558	Magnetic hotplate stirrer US152 coated aluminium 230V 50/60Hz 178mm x 248mm x 122mm (w x d x h) 15L stirring capacity, 450°C, 100 to 2,000rpm Bibby Scientific	EA	61940
13487626	AREC.X Hotplate stirrer with connection for contact thermometer, 15 L H <sub>2</sub> O, 1300 RPM, 200 x 200 mm, 3.9 KG	EA	62623
12917266	Magnetic hotplate stirrer Undergrad UC152 ceramic top, analogue 230V 50Hz plate size 150mm x 150mm, stirring capacity 15L 172mm x 248mm x 122mm (w x d x h) 100rpm to 2000rpm Stuart	EA	64077
15199222	Magnetic hotplate stirrer Clifton CH-1E	EA	65455
12539525	Magnetic stirrer MSH-1 heated one place aluminium 220-240V 50/60Hz 425W 200mm x 260mm x 135mm Clifton	EA	67178
FB65311	Magnetic stirrer hotplate heating surface 108mm x 108mm 230V 50/60Hz 143mm x 252mm x 95mm (w x d x h) ambient to 540°C, 60 to 1,200rpm ceramic Fisherbrand	EA	79736
10756065	Magnetic stirrer hotplate PC420D digital ceramic top 230V 50/60Hz 5°C to 550°C, 60 to 1150rpm plate size 127mm x 178mm Corning	EA	72795
FB65312	Magnetic stirrer hotplate heating surface 184mm x 184mm 230V 50/60Hz 219mm x 331mm x 95mm (w x d x h) ambient to 540°C, 60 to 1,200rpm ceramic Fisherbrand	EA	88596
10367894	Magnetic hotplate stirrer C-MAG HS 4 digital glass ceramic top stirring capacity 5L (H <sub>2</sub> O) 230V 50/60Hz 150mm(w) x 260mm(d) x 105mm(h) 100 to 1500rpm, 50°C to 500°C	EA	83647
10610762	Flask Spinflask for Cellspin biological stirrer system 500mL Integra Biosciences	EA	83962
FB65316	Magnetic stirrer hotplate heating surface 184mm x 184mm 230V 50/60Hz 219mm x 331mm x 95mm (w x d x h) 30°C to 380°C, 60 to 1,200rpm aluminium Fisherbrand	EA	103655
10506464	Magnetic stirrer hotplate PC620D digital ceramic top 230V 50/60Hz 5°C to 550°C, 60 to 1150rpm plate size 254mm x 254mm Corning	EA	94782
FB65313	Magnetic stirrer hotplate heating surface 260mm x 260mm 230V 50/60Hz 298mm x 431mm x 95mm (w x d x h) ambient to 400°C, 60 to 1,200rpm ceramic Fisherbrand	EA	110964
15119712	Magnetic hotplate stirrer US152 with coated aluminium top and SCT1 temperature controller Stuart , 230V	EA	104039
15268824	Hotplate stirrer, RT2 advanced, 230V	EA	105165
15129712	Magnetic hotplate stirrer UC152 with ceramic top and SCT1 temperature controller Stuart	EA	106106
12907246	Hotplate C-MAG HP 10 300mm(w) x 415mm(d) x 105mm(h) digital 50°C to 500°C	EA	120795
FB65314	Magnetic stirrer hotplate digital heating surface 184mm x 184mm 230V 50/60Hz 219mm x 331mm x 95mm (w x d x h) 30°C to 540°C, 50 to 1,200rpm ceramic Fisherbrand	EA	147956
10414452	Magnetic hotplate stirrer RCT basic 160mm(w) x 270mm(d) x 85mm(h) 230V 50/60Hz safety control	EA	131867
12997226	Magnetic stirrer hotplate SB302 aluminium top 230V 50Hz	EA	133705
12987226	Magnetic stirrer hotplate CB302 ceramic top 230V 50Hz	EA	134987
15119232	Magnetic hotplate stirrer Clifton CHS-2E	EA	136078
11486598	Magnetic stirrer hotplate SD162 metal top digital 90-250V 50Hz 700W 190mm x 300mm x 110mm maximum temperature 300°C Stuart	EA	143105
11416608	Magnetic stirrer hotplate CD162 ceramic top digital 90-250V 50Hz 500W 190mm x 300mm x 110mm maximum temperature 450°C Stuart	EA	148445
12945010	Magnetic stirrer hotplate package, includes RCT basic hotplate stirrer, ETS-D5 230V 50/60Hz	EA	149826
11456518	Magnetic stirrer hotplate CR302 infra red ceramic top 300mm x 300mm plate diameter 140mm dia heated area 230V 50/60Hz 300mm x 365mm x 105mm (w x d x h) Stuart	EA	153143
12907226	Magnetic stirrer hotplate digital 140mm diameter hotplate 230V 50/60Hz 400W 200mm x 295mm x 135mm (w x d x h) +10°C to 350°C 100rpm to 1500 rpm 1 place aluminium plate Clifton	EA	175695
11436538	Magnetic stirrer hotplate aluminium alloy 230V 50Hz 2250W blue 600mm x 270mm x 110mm 325°C, 100 to 1500rpm 3 position Stuart	EA	178132
15109232	Magnetic hotplate stirrer Clifton CHS-1E	EA	179140
12997216	Magnetic stirrer MSH-3 heated three places aluminium plate 220-240V 50/60Hz 1275W 545mm x 260mm x 135mm Clifton	EA	184136
12947246	Magnetic stirrer RET basic digital with heating 160mm (w) x 270mm (d) x 95mm (h) 220-230V 50/60Hz 50 to 1,700rpm, 50C to 340C 135mm plate dia, 20L (H <sub>2</sub> O) stirring capacity	EA	193861
13531890	Hotplate stirrer R015 10-place with wear-free magnetic coils, error code display 230V 50/60Hz 0rpm to 1,200rpm 190mm x 570mm x 60mm	EA	219205
13551890	Hotplate stirrer R015 15-place with wear-free magnetic coils, error code display 230V 50/60Hz 0rpm to 1,200rpm 280mm x 570mm x 60mm	EA	308264

PK - Pack  
EA - Each



Cat. No.	Description	Pack	Price in ₹
11102100H	Hotplate, Isotemp; Ceramic top; 10 x 10 in. heating surface; Temp. control to 400deg.C; 230V 50/60Hz	EA	78022
1102100SH	Hotplate, Stirring; Fisher Scientific; Isotemp; Ceramic top; 10 x 10 in. (25.4 x 25.4cm) heating surface; Temp. control to 400deg.C; Stirring range 0 to 1200rpm; 230V 50/60Hz	EA	88255
1110216SH	Stirring Hotplate, Isotemp; Ceramic top; 4 x 4 in. heating surface; Temp. control to 540deg.C; Stirring range 0-1200rpm; 230V 50/60Hz	EA	69369
1110249SH	Hotplate, Stirring; Fisher Scientific; Isotemp; Ceramic top; 7 x 7 in. (17.7 x 17.7cm) heating surface; Temp. control to 540deg.C; Stirring range 0 to 1200rpm; 230V 50/60Hz	EA	74288
1120249SH	Stirring Hotplate; Isotemp; Aluminum top; 7 x 7 in. heating surface; Temp. control to 380deg.C; Stirring range 0-1200rpm; 230V 50/60Hz	EA	87910
1152016SH	Hotplate, Stirring; Fisherbrand; Ceramic top; Top plate dimensions: 4 x 4 in.; Overall dimensions: 7.9 x 5.7 x 5 in.	EA	58138
1152049SH	Hotplate, Stirring; Fisherbrand; Ceramic top; Top plate dimensions: 7 x 7 in.; Overall dimensions: 11.1 x 8.3 x 5.1 in.	EA	63084
FB65403	Support rod AREC.T digital hot plate stirrer	EA	4605
12937246	Mains lead for magnetic hotplate stirrers H11	EA	4797
11416508	Protective cover for digital hotplate stirrer Stuart	EA	6833
12937256	Protective cover for digital hotplate only	EA	6833
10001114	Insert H 135.410 for 10mL round flask for RCT Synthesis Package 2	EA	15876
<b>Magnetic Stirrer</b>			
FB65309	Magnetic stirrerdigital plate size 184mm x 184mm	EA	129793
FB65308	Magnetic stirrerplate size 260mm x 260mm 60 to 1	EA	88818
FB65310	Magnetic stirrerplate size 184mm x 184mm 60 to 1	EA	71539
FB65307	Magnetic stirrer plate 184x184mm	EA	59804
FB65306	Magnetic stirrerplate size 108mm x 108mm 143mm	EA	58916
FB70800	Basic mini stirrer mini max cap1L	EA	24258
FB15045	Stirrer age magnetic with metal top 220-240V	EA	23841
FB70807	Stirrer Fisherbrand magnetic unheated polypropylen	EA	22111
FB70805	Stirrer Fisherbrand magnetic unheated polypropylen	EA	22111
FB70806	Stirrer Fisherbrand magnetic unheated polypropylen	EA	22111
FB70802	Stirrer, bacteria maginetic, unheated	EA	22111
FB70803	Stirrer Fisherbrand magnetic unheated polypropylen	EA	22111
FB70804	Stirrer Fisherbrand magnetic unheated polypropylen	EA	22111
14511210	Stirrers, Magnetic; Fisherbrand; Stirrer Magnet Non-electric; Turbine Stirrer; Includes: 6 ft. (1.8m) length of vinyl tubing for inlet and outlet and fitting for connecting stirrer to pressure line	EA	9841
<b>MPT - Vortexer</b>			
FB68460	Mixer whirlimixer plus vortex base unit only	EA	66841
FB68462	Platform for whirlimixer plus for microtitre plate	EA	7992
FB68465	Platform for whirlimixer plus for PCR plate	EA	13622
FB68464	Cup for whirlimixer plus for mixing tubes	EA	5449
FB68463	Platform for whirlimixer plus for 1.5mL micro	EA	7084
FB68461	Platform for clips, 1/Cs, MA: FB68461	EA	8718
<b>Nutating Mixer</b>			
22 363 153	Shakers, Rotating; Fisher Scientific; Removable dimpled rubber mat; Load capacity: 1.75 lb.; Operating range: 4 to 40deg.C; 10.8 x 7.2 x 6.5 in.; Tray: 9.75 x 5.25 in.; Electrical requirements: 230V, 50Hz; Fixed Speed (20rpm at 20deg.)	EA	38718
<b>Overhead Stirrer</b>			
FB15031	Overhead stirrer 80mm x 230mm x 196mm LH/DLH	EA	160735
12912560	ES Overhead Stirrer for low/medium viscosity	EA	65567
FB70167	Stirring shaft stainless steel Velp w/propeller	EA	12597
FB70166	Clamp for use with PW overhead stirrers	EA	7999

Cat. No.	Description	Pack	Price in ₹
FB70165	Support rod and base Velp Scientifica	EA	32972
FB70168	Stirring shaft for overhead	EA	13395
FB70169	Stirring shaft, overhead stirrers, stainless	EA	10178
<b>Rotary Mixer</b>			
FB68780	Mixer rotary for general use with adjustable angle 200mm x 250mm x 175mm	EA	80100
FB68914	3 tier disc assembly complete with 12 clips for FB68780 15mm to 17mm tube diameter Fisherbrand	EA	35781
11756577	Stainless Steel Clip For 100mL Conical Flask	EA	2239
11766577	Stainless Steel Clip For 250mL Conical Flask	EA	3273
FB68784	Carousel For Tubes Up To 16mm	EA	24339
FB68785	Carousel for 25mm tubes, 1/Cs, MA: FB68785	EA	24339
FB68781	Disc Rotary Mixer Autoclavable	EA	17073
FB68782	Disc rotary mixer autoclavable	EA	17073
FB68783	Disc rotary mixer, use with the RM-2 with 6	EA	17073
11746577	Stainless steel clip for 50ml conical flask	EA	2067
FB68913	3 tier disc assembly complete with 24 clips	EA	36326
11736577	Stainless steel clip for 25ml conical flask	EA	2067
FB68915	Rotary mixer disc for FB68780, 1/Cs, MA: FB68915	EA	16017
FB68916	Clips for FB68915 for 8-11mm diameter tubes, 1/Cs	EA	545
FB68917	Clips for FB68915 for 15-17mm diameter tubes, 1/Cs	EA	1053
FB68918	Clips for FB68915 for 27-30mm diameter tubes, 1/Cs	EA	1053
<b>Tube Mixer</b>			
23 024 720	Mixer, Biological Samples; Vital Diagnostics; Excyte Duo-Mix; 40-positions; 8-10mm tubes; Performs mixing of blood samples, controls and other biological liquids; H x W x D: 6.5 x 14 x 6.5 in.; Weight: 4.4 lbs.	EA	144503
23 024 721	Mixer, Biological Samples; Vital Diagnostics; Excyte Duo-Mix; 40-positions; 13mm tubes; Performs mixing of blood samples, controls and other biological liquids; H x W x D: 6.5 x 14 x 6.5 in.; Weight: 4.4 lbs.	EA	143898
23 024 722	Mixer, Biological Samples; Vital Diagnostics; Excyte Duo-Mix; 40-positions; 20 each, 8-10mm and 13mm tubes; Performs mixing of blood samples, controls and other biological liquids; H x W x D: 6.5 x 14 x 6.5 in.; Weight: 4.4 lbs.	EA	144166
<b>Tube Vortexer</b>			
FB15012	Vortex Mixer ZX Classic 220-240V 50Hz Supplied	EA	27819
FB15013	Vortex Mixer ZX Wizard 220-240V 50Hz Supplied	EA	35032
14 955 152	Mixer, Mini Vortex; Fisher Scientific; Fixed speed, 2800rpm; Orbit 4.5mm; Dimensions 3.8x3.8x2.5in; Weight 1lb (0.5kg); Electrical 230V, 50-60Hz; 2 year warranty	EA	30068
FB15034	Microvial attachment and 1.5mL Micro tubes	EA	7213
FB15035	Customizable Foam Top Dia 94mm	EA	5152
FB15036	Test Tube Attachment For No 5 Tubes	EA	7213
FB15037	Microtitre Attachment	EA	7213
FB15038	Rubber Plate Dia 50mm	EA	3606
FB15039	Foam Plate Dia 94mm	EA	4121
FB15040	Test Tube Attachment For 4 X Tubes	EA	7213
FB15033	Mixing cup, spare for FB15024 vortex mixer, 1/Cs	EA	1752
13214789	Vortex mixer, speed 0-3000rpm	EA	21490
FB69404	Plate Supporting 90mm Dia For Use With FB69401	EA	5924
2215388	Kit, Foam Tube Holder; Troemner; With retainer; Includes Holder for 9 to 13mm, 14 to 19mm and 20 to 25mm tubes, flat form insert, vessel harness, insert retainer	EA	19947
02 215 372	Vortex Mixer-Deluxe 230V UK	EA	46076
02 215 391	Vortex Mixer Accessory; Insert Retainer; secures vessel harness and foam insert	EA	11961
02 215 392	Vortex Mixer Accessory; Tube Holder; Vessel Harness; holds vessels firmly in place during continuous vortexing	EA	755

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
02 215 393	Vortex Mixer Accessory; Tube Holder; Foam Insert Set for 9-13mm Tubes	EA	3218
02 215 394	Vortex Mixer Accessory; Tube Holder; Foam Insert Set for 14-19mm Tubes	EA	4403
02 215 395	Vortex Mixer Accessory; Tube Holder; Foam Insert Set for 20-25mm Tubes	EA	4108

### Personal and Lab Safety

Brushes			
034051	Anti-Static StaticAway™ Brush	EA	3574
15078212	Anti-Static, Static-Away™ Brush, 1-inch brush, 5-inch handle	EA	2590
15078213	Anti-Static, Static-Away™ Brush, 2-inch brush, 5-inch handle	EA	2732
15078214	Anti-Static, Static-Away™ Brush, 3-inch brush, 6-inch handle	EA	2853
Wipers			
0666529	Cheesecloth Wipes (2 ea - 60/packs)	PK	9532
22055053	Cheesecloth Bolt	PK	10579
0666528	Mini-Cheesecloth Wipes (200/pack)	PK	3811
0666523	Premoistened Lab Wipes™ (DI)	PK	1804
0666414	Dry Clean-Wipes	EA	1538
0666524	Premoistened Lab Wipes™ (Alcohol/DI)	PK	2868
1507763	Optik Wipes™	EA	2342

### Pumps, Tubings and Accessories

Clamps and Ties			
058151A	Hose/Tubing Clamp (100/pack)	EA	3774
058151B	Hose/Tubing Clamp (100/pack)	EA	3774
058151C	Hose/Tubing Clamp (100/pack)	EA	3774
058151D	Hose/Tubing Clamp (100/pack)	EA	3774
058151E	Hose/Tubing Clamp (100/pack)	EA	3774
058151F	Hose/Tubing Clamp (100/pack)	EA	3855
058151G	Hose/Tubing Clamp (100/pack)	EA	4486
058151H	Hose/Tubing Clamp (100/pack)	EA	4486
058151J	Hose/Tubing Clamp (100/pack)	EA	4486
058151K	Hose/Tubing Clamp (100/pack)	EA	5391
058151L	Hose/Tubing Clamp (100/pack)	EA	5391
058151M	Hose/Tubing Clamp (100/pack)	EA	6250
05815	Hose/Tubing Clamp Assortment	EA	6630
FA03288	Tight-Ties™ - 8" (100/pack)	EA	1207
0666258	Tight-Ties™ Assortment	EA	3708
17012357	Tight-Ties™ - 5 5/8" (100/pack)	EA	1207
14649122	Tight-Ties™ - 11" (50/pack)	EA	1207
Flow Meters			
06664253	Traceable® Ultra-Low Flow Meter	EA	43404
11 163 70A	Flowmeters; Scienceware Riteflow; Unmounted; Size 1; Plain ends; Two floats (one glass and one stainless steel); 7.5 in. long (19cm); Maximum pressure: 200; Maximum temperature: 121deg.C	EA	27285
11 163 70C	Flowmeters; Scienceware Riteflow; Unmounted; Size 2; Plain ends; Two floats (one glass and one stainless steel); 7.5 in. long (19cm); Maximum pressure: 200; Maximum temperature: 121deg.C	EA	27285
11 163 70E	Flowmeters; Scienceware Riteflow; Unmounted; Size 3; Plain ends; Two floats (one glass and one stainless steel); 7.5 in. long (19cm); Maximum pressure: 200; Maximum temperature: 121deg.C	EA	27285

Cat. No.	Description	Pack	Price in ₹
11 163 70J	Flowmeters; Scienceware Riteflow; Unmounted; Size 5; Plain ends; Two floats (one glass and one Carboloy); 7.5 in. long (19cm); Maximum pressure: 200; Maximum temperature: 121deg.C	EA	35445
11 163 70K	Flowmeter; Bel-Art; Riteflow; Plain ends; Maximum pressure is 200psig; 121deg.C maximum operating temperature; Size 1; 9.5mm O.D. inlet; 9.5mm O.D. outlet	EA	16586
11 163 70L	Flowmeter; Bel-Art; Riteflow; Plain ends; Maximum pressure is 200psig; 121deg.C maximum operating temperature; Size 2; 9.5mm O.D. inlet; 9.5mm O.D. outlet	EA	16595
11 163 70M	Flowmeter; Bel-Art; Riteflow; Plain ends; Maximum pressure is 200psig; 121deg.C maximum operating temperature; Size 3; 9.5mm O.D. inlet; 9.5mm O.D. outlet	EA	16586
11 163 70P	Flowmeter; Bel-Art; Riteflow; Plain ends; Maximum pressure is 200psig; 121deg.C maximum operating temperature; Size 4; 9.5mm O.D. inlet; 9.5mm O.D. outlet	EA	16586
11 163 70Q	Flowmeter; Bel-Art; Riteflow; Plain ends; Maximum pressure is 200psig; 121deg.C maximum operating temperature; Size 5; 12.3mm O.D. inlet; 11.9mm O.D. outlet	EA	19206
11 163 70R	Flowmeter; Bel-Art; Riteflow; Plain ends; Maximum pressure is 200psig; 121deg.C maximum operating temperature; Size 6; 14.2mm O.D. inlet; 12.7mm O.D. outlet	EA	19206
11 163 72C	Flowmeters; Scienceware Riteflow; Unmounted; Size 2; Threaded ends; Two floats (one glass and one stainless steel); 10.375 in. long (27cm); Maximum pressure: 200; Maximum temperature: 65.5deg.C	EA	54969
11 163 72G	Flowmeters; Scienceware Riteflow; Unmounted; Size 4; Threaded ends; Two floats (one glass and one stainless steel); 10.375 in. long (27cm); Maximum pressure: 200; Maximum temperature: 65.5deg.C	EA	56803
11 163 72K	Flowtubes, Guarded; Bel-Art Scienceware; Riteflow; Plastic cylindrical guard; Two end bushings; 6.3mm NPT fittings; O.D. of 25mm; Maximum operating pressure 200psig; Maximum operating temperature of 65.5deg. C; Size 2	EA	43819
11 163 72M	Flowtubes, Guarded; Bel-Art Scienceware; Riteflow; Plastic cylindrical guard; Two end bushings; 6.3mm NPT fittings; O.D. of 25mm; Maximum operating pressure 200psig; Maximum operating temperature of 65.5deg. C; Size 3	EA	43819
11 163 72N	Flowtubes, Guarded; Bel-Art Scienceware; Riteflow; Plastic cylindrical guard; Two end bushings; 6.3mm NPT fittings; O.D. of 25mm; Maximum operating pressure 200psig; Maximum operating temperature of 65.5deg. C; Size 4	EA	44962
11 163 72P	Flowtubes, Guarded; Bel-Art Scienceware; Riteflow; Plastic cylindrical guard; Two end bushings; 6.3mm NPT fittings; O.D. of 25mm; Maximum operating pressure 200psig; Maximum operating temperature of 65.5deg. C; Size 5	EA	44962
11 163 72Q	Flowtubes, Guarded; Bel-Art Scienceware; Riteflow; Plastic cylindrical guard; Two end bushings; 6.3mm NPT fittings; O.D. of 25mm; Maximum operating pressure 200psig; Maximum operating temperature of 65.5deg. C; Size 6	EA	46305
11 163 75C	Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D.; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 1; Magnified 150mm scale	EA	51716
11 163 75E	Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D.; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 2; Magnified 150mm scale	EA	51716
11 163 75F	Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D.; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 3; Magnified 150mm scale	EA	51716
11 163 75G	Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D.; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 4; Magnified 150mm scale	EA	55003
11 163 75J	Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 3 floats; PP barbs for tubing 8-9.5mm I.D.; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 5; Magnified 150mm scale	EA	61639
11 163 75K	Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D.; Accepts 1/8 female NPT fitting; Max. 200psi; Max. 121 deg. C; Size 1; Magnified 65mm scale	EA	43831
11 163 75L	Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D.; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 2; Magnified 65mm scale	EA	43831
11 163 75M	Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS & Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D.; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 3; Magnified 65mm scale	EA	43858
11 163 75N	Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D.; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 4; Magnified 65mm scale	EA	43858
11 163 75P	Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 3 floats; PP barbs for tubing 8-9.5mm I.D.; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 5; Magnified 65mm scale	EA	43819
11 163 75Q	Flowmeter, Mounted; Scienceware Riteflow; Al frame; SS and Delrin control valve; 2 floats; PP barbs for tubing 8-9.5mm I.D.; Accepts 1/8 female NPT fitting; Max. 200psi; Max 121 deg. C; Size 6; Magnified 65mm scale	EA	43819
11 163 77E	Flowmeter, Mounted; Scienceware Riteflow; Al frame; PTFE K-Fel control valve; 2 floats; Straight glass connectors; Max. 100psi; Max 65 deg. C; Size 2; Magnified 150mm scale	EA	109084
11 163 77G	Flowmeter, Mounted; Scienceware Riteflow; Al frame; PTFE K-Fel control valve; 2 floats; Straight glass connectors; Max. 100psi; Max 65 deg. C; Size 3; Magnified 65mm scale	EA	109018

Cat. No.	Description	Pack	Price in ₹
11 163 77M	Flowmeter, Mounted; Scienceware Riteflow; Al frame; PTFE K-Fel control valve; 3 floats; Straight glass connectors; Max. 100psi; Max 65 deg. C; Size 5; Magnified 150mm scale	EA	116263
11 163 77N	Flowmeter, Mounted; Scienceware Riteflow; Al frame; PTFE K-Fel control valve; 2 floats; Straight glass connectors; Max. 100psi; Max 65 deg. C; Size 1; Magnified 65mm scale	EA	86313
11 163 80	Anemometers, accessories; Scienceware; Riteflow; Leveling base kit; Mounting kit; Bel-Art; Bench; For Scienceware flowmeters Catalog Nos.: 11-163-75 and -77 Series; Three mounting points	EA	20109
06 710 511	Flowmeter, Bubble; Soap film; Restek; Flows between 0.1 and 10cc/min.; w/reservoir bulb; 64 in. of 0.25 in. ID tubing; Adaptor tubes: for 0.125 in. tubing and 0.53mm ID capillary column; Velcro fasteners; Volume: 1mL	EA	11796
06 710 512	Flowmeter, Bubble; Restek; Soap film; For flows between 10 and 300 cc/min.; Vol.: 50mL; Includes reservoir bulb, 0.5 in. ID tubing (60cm), adaptor tubes for 1/8 in. tubing and 0.53 mm ID capillary columns, Velcro fasteners	EA	12541
15 094 46	Flowmeter, Bubble; Restek; Soap film; For flows between 10 and 300 cc/min.; Vol.: 50mL; Includes reservoir bulb, 0.5 in. ID tubing (60cm), adaptor tubes for 1/8 in. tubing and 0.53 mm ID capillary columns, Velcro fasteners	EA	51347
16 108 431	Flowmeter; Labconco; For inline drying train connection, provides visual confirmation of drying train circulation; Wt.: 2.5 lb. (1.1kg)	EA	97908
06 716 200	Flowmeter, Electronic; Restek; ProFLOW 6000; 0.5 to 500mL gases/min.; Auto shut-off; Bench-top/hand-held; Over range warning indicator; With hard-sided carrying case; Accuracy: +/-2%; Ex rating for hydrogen and related gas types	EA	140131
03 052 545	Flowmeter, Electronic; Thermo Scientific; GFM Pro; Measures volumetric flow of gases; Uses 2 AA batteries; Measurement range: 0.5 to 500mL/min.; Humidity range: 0 to 97%; Operating temp.: 0deg. to 48deg.C (32deg. to 120deg. F)	EA	161356
13310343	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: SS; Water flow rate: 0.025 to 0.5SmL/min.	EA	29101
13310353	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: brass; Air flow rate: 2000 to 40,000SmL/min.	EA	31408
13310357	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 20 to 250SmL/min.	EA	35601
13310365	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 2000 to 40,000SmL/min.	EA	35973
13310371	Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/o valve; Valve: Stainless-steel; Air Flow Rate: 20 to 500 SmL/min.; Repeatability: 0.25% of scale reading	EA	51169
13310372	Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/o valve; Valve: Aluminium; Air Flow Rate: 10 to 1000SmL/min.; Repeatability: 0.25% of scale reading	EA	51284
13310373	Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/o valve; Air flow rate: 1 to 25SmL; SS made; Float Material: Black Glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading	EA	51140
13310380	Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/standard valve; Air Flow Rate: 5 to 100 SmL/min.; Float Material: Black Glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading	EA	54871
13310381	Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/std. valve; Valve: Brass; Air Flow Rate: 20 to 250 SmL/min.; Float Material: Black Glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading	EA	54840
13310382	Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/standard valve; SS made; Water flow rate: 0.4 to 6SmL/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading	EA	54695
13310383	Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/std. valve; SS made; Air flow rate: 20 to 500SmL/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading	EA	54871
13310384	Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/std. valve; Brass made; Air flow rate: 100 to 1000SmL/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading;	EA	55055
13310385	Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/standard valve; Air flow rate: 1 to 25SmL/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading;	EA	54695
13310386	Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/standard valve; Air flow rate: 5 to 60SmL/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading	EA	54871
13310388	Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/standard valve; Air flow rate: 20 to 250SmL/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading	EA	58196

Cat. No.	Description	Pack	Price in ₹
13310389	Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/standard valve; Air flow rate: 2000 to 40,000SmL/min.; Repeatability: 0.25% of scale reading; Float material: Black glass, 316SS or Tungsten Carbide	EA	58196
13310390	Flowmeter, Direct reading; Thermo Scientific; Gilmont; 65mm construction; w/std. valve; Air flow rate: 100 to 1500SmL/min.; Float material: Black glass, 316SS or Tungsten Carbide; Repeatability: 0.25% of scale reading	EA	54871
13310391	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 1 to 100SmL/min.	EA	37756
13310392	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 20 to 200SmL/min.	EA	37206
13310394	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 50 to 800SmL/min.	EA	37405
13310396	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 200 to 2500SmL/min.	EA	37206
13310398	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 400 to 4800SmL/min.	EA	37229
13310399	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 800 to 10,000SmL/min.	EA	37381
13310401	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Air flow rate: 1000 to 23,000SmL/min.	EA	40001
13310404	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Aluminum; Water flow rate: 150 to 1200SmL/min.	EA	40001
13310405	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 1 to 100SmL/min.	EA	40402
13310406	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 20 to 200SmL/min.	EA	40381
13310408	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 50 to 800SmL/min.	EA	40376
13310410	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 200 to 2500SmL/min.	EA	40402
13310412	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 400 to 4800SmL/min.	EA	40381
13310413	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 800 to 10,000SmL/min.	EA	40376
13310414	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Water flow rate: 10 to 200SmL/min.	EA	40557
13310415	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 1000 to 23,000SmL/min.	EA	43761
13310416	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Water flow rate: 20 to 500SmL/min.	EA	43383
13310417	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 5000 to 60,000SmL/min.	EA	43761
13310419	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 1 to 100SmL/min.	EA	54695
13310422	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 50 to 800SmL/min.	EA	54871
13310425	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Water flow rate: 1 to 50SmL/min.	EA	54669
13310427	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 800 to 10,000SmL/min.	EA	54845
13310431	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 5000 to 60,000SmL/min.	EA	54635
13310433	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Brass; Air flow rate: 1 to 100SmL/min.	EA	38976
13310434	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Brass; Air flow rate: 20 to 200SmL/min.	EA	9563
13310442	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Brass; Water flow rate: 10 to 200SmL/min.	EA	39649

Cat. No.	Description	Pack	Price in ₹
13310446	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: Brass; Water flow rate: 150 to 1200SmL/min.	EA	42321
13310447	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 1 to 100SmL/min.	EA	45877
13310448	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 20 to 200SmL/min.	EA	46029
13310454	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 400 to 4800SmL/min.	EA	45290
13310459	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 5000 to 60,000SmL/min.	EA	48318
13310469	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 800 to 10,000SmL/min.	EA	58513
13310473	Flowmeter, Direct reading; Gilmont; 150mm construction; Industrial purpose; High accuracy brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 5000 to 60,000SmL/min.	EA	61012
15078171	Flow Rate Analysis Software	EA	16790
15078172	Flowmeter, 65mm, Aluminum, 8-turn Valve. Flowrates: Air 6082 to 58,500smL/min. and Water 176 to 1866mL/min. 1/8 in. FNPT, Tungsten Carbide Float. Max. Pressure 200psig. Accuracy +/- 5%. Repeatability 0.25%.	EA	31230
15078175	Tripod, Flowmeter; Thermo Scientific Barnant; Gilmont; Bubble level, Three threaded levelers; Mounts one flowmeter; For 65mm and 150mm size flowmeters	EA	14338
15176132	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm; Aluminum; Calibrated; Four-turn standard valve; Air flow rate 480 to 4562	EA	40402
15176133	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 65mm; Aluminum; Calibrated; Four-turn standard valve; Air flow rate 845 to 6318	EA	27700
15176137	Certification, Flowmeter; Thermo Scientific; Barnant; Gilmont; NIST 5-Point Flowmeter Certificate	EA	59672
15176140	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 65mm; Aluminum; Calibrated; Four-turn standard valve; Air flow rate 1973 to 12,058	EA	27687
15178120	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: brass; Air flow rate: 33 to 264SmL/min.; Water flow rate: 0.28 to 4.7SmL/min.	EA	38422
15178126	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: brass; Air flow rate: 3542 to 59,494SmL/min.; Water flow rate: 103to 1881SmL/min.	EA	41944
15178128	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 33 to 264SmL/min.; Water flow rate: 0.28 to 4.7SmL/min.	EA	45701
15178132	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 288 to 7590SmL/min.; Water flow rate: 6 to 217SmL/min.	EA	45701
15178136	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 33 to 264SmL/min.; Water flow rate: 0.28 to 4.7SmL/min.	EA	45678
15178137	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 70 to 825SmL/min.; Water flow rate: 0.8 to 16SmL/min.	EA	45672
15178140	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 288 to 7590SmL/min.; Water flow rate: 6 to 217SmL/min.	EA	45345
15178142	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy brass valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 3542 to 59,494SmL/min.; Water flow rate: 103 to 1881SmL/min.	EA	61012
15178147	Flowmeter, Calibrated; Thermo scientific; Gilmont; 150mm construction; Industrial purpose; w/o valve; 0.25% of scale reading; Valve: aluminum; Flow rate: 0.12 to 2.34SmL/min.	EA	37185
15178149	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: aluminum; Air flow rate: 70 to 825SmL/min.; Water flow rate: 0.8 to 16SmL/min.	EA	37536
15178154	Flowmeter, Calibrated; Thermo scientific; Gilmont; 150mm construction; Industrial purpose; w/o valve; 0.25% of scale reading; Valve: aluminum; Flow rate: 103 to 1881SmL/min.	EA	40179

Cat. No.	Description	Pack	Price in ₹
15178155	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 8.1 to 140SmL/min.; Water flow rate: 0.12 to 2.34SmL/min.	EA	40557
15178156	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 33 to 264SmL/min.; Water flow rate: 0.28 to 4.7SmL/min.	EA	40530
15178158	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 201 to 1682SmL/min.; Water flow rate: 3.5 to 46SmL/min.	EA	40381
15178159	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm; Aluminum; Calibrated; Four-turn standard valve; Air flow rate 288 to 7590	EA	40402
15178160	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm; Aluminum; Calibrated; Four-turn standard valve; Air flow rate 462 to 22,536	EA	43761
15178162	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 8.1 to 140SmL/min.; Water flow rate: 0.12 to 2.34SmL/min.	EA	55196
15178164	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 70 to 825SmL/min.; Water flow rate: 0.8 to 16SmL/min.	EA	54811
15178167	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm; Aluminum; Calibrated; 15-turn high-accuracy valve; Air flow rate 288 to 7590	EA	53641
15178168	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm; Aluminum; Calibrated; 15-turn high-accuracy valve; Air flow rate 462 to 22,536	EA	55201
15179127	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: SS; Air flow rate: 3542 to 59,494SmL/min.; Water flow rate: 103 to 1881SmL/min.	EA	71729
15179128	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 8.1 to 140SmL/min.; Water flow rate: 0.12 to 2.34SmL/min.	EA	69086
15179129	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 33 to 264SmL/min.; Water flow rate: 0.28 to 4.7SmL/min.	EA	69086
15179130	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 70 to 825SmL/min.; Water flow rate: 0.8 to 16SmL/min.	EA	68776
15179131	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 201 to 1682SmL/min.; Water flow rate: 3.5 to 46SmL/min.	EA	65779
15179132	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm; Stainless steel; Calibrated; Four-turn standard valve; Air flow rate 480 to 4562	EA	68944
15179135	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 3542 to 59,494SmL/min.; Water flow rate: 103 to 1881SmL/min.	EA	71550
15179136	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 8.1 to 140SmL/min.; Water flow rate: 0.12 to 2.34SmL/min.	EA	97221
15179137	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 33 to 264SmL/min.; Water flow rate: 0.28 to 4.7SmL/min.	EA	97169
15179138	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 70 to 825SmL/min.; Water flow rate: 0.8 to 16SmL/min.	EA	97638
15179139	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 201 to 1682SmL/min.; Water flow rate: 3.5 to 46SmL/min.	EA	98215
15179141	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm, Stainless steel; Calibrated; 15-turn high-accuracy valve; Air flow rate 288 to 7590	EA	98215
15179142	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 150mm, Stainless steel; Calibrated; 15-turn high-accuracy valve; Air flow rate 462 to 22,536	EA	104734



## Equipment

Cat. No.	Description	Pack	Price in ₹
15179143	Flowmeter, Calibrated; Gilmont; 150mm construction; Industrial purpose; High accuracy SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 3542 to 59,494SmL/min.; Water flow rate: 103 to 1881SmL/min.	EA	101047
15179200	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: aluminum; Water flow rate: 0.025 to 0.5SmL/min.	EA	23085
15179201	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: aluminum; Air flow rate: 5 to 100SmL/min.	EA	23109
15179202	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: aluminum; Air flow rate: 20 to 250SmL/min.	EA	23109
15179204	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: aluminum; Air flow rate: 20 to 500SmL/min.	EA	23098
15179213	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 5 to 100SmL/min.	EA	26819
15179214	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 20 to 250SmL/min.	EA	26819
15179215	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Water flow rate: 0.4 to 6SmL/min.	EA	23098
15179216	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 20 to 500SmL/min.	EA	26819
15179217	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 100 to 1000SmL/min.	EA	26819
15179218	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Water flow rate: 1 to 25SmL/min.	EA	26628
15179219	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Water flow rate: 5 to 60SmL/min.	EA	26790
15179220	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 500 to 10,000SmL/min.	EA	26819
15179222	Flowmeter, Direct Reading; Gilmont; 65mm construction; Industrial purpose; Standard aluminum valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 2000 to 40,000SmL/min.	EA	30346
15179250	Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Without valve; Pressure rating: 150psig at 200deg.F max. operating; Valve: Brass; Air flow rate: 20 to 140L/min.; Water flow rate: 0.5 to 4L/min.	EA	110675
15179251	Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Without valve; Pressure rating: 150psig at 200deg.F max. operating; Valve: Brass; Air flow rate: 30 to 280L/min.; Water flow rate: 1 to 8L/min.	EA	110675
15179253	Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Without valve; Pressure rating: 150psig at 200deg.F max. operating; Valve: Brass; Air flow rate: 25 to 575L/min.; Water flow rate: 1 to 15L/min.	EA	112443
15179255	Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Standard brass valve; Pressure rating: 150psig at 200deg.F max. operating; Air flow rate: 20 to 140L/min.; Water flow rate: 0.5 to 4L/min.	EA	131301
15179256	Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Without valve; Pressure rating: 150psig at 200deg.F max. operating; Valve: SS; Air flow rate: 30 to 280L/min.; Water flow rate: 1 to 8L/min.	EA	130420
15179257	Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Standard brass valve; Pressure rating: 150psig at 200deg.F max. operating; Air flow rate: 25 to 425L/min.; Water flow rate: 1 to 11L/min.	EA	131126
15179258	Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Standard brass valve; Pressure rating: 150psig at 200deg.F max. operating; Air flow rate: 25 to 575L/min.; Water flow rate: 1 to 15L/min.	EA	129363
15179259	Flowmeter, Direct reading; Gilmont; 127mm; Industrial purpose; Without valve; Pressure rating: 150psig at 200deg.F max. operating; Valve: SS; Air flow rate: 50 to 900L/min.; Water flow rate: 1 to 20L/min.	EA	131369
15179261	Gilmont Industrial Flowmeter, 127mm one-piece frame, Stainless Steel, No Valve, Direct Read, Flow Rate Air: 30-280L/min, Flow Rate Water: 1-8L/min. 3/8 in. NPT connections, Float Material: 316SS, Max Pressure: 150psi, Max Temp: 250F	EA	160389
15179263	Gilmont Industrial Flowmeter, 127mm one-piece frame, Stainless Steel, No Valve, Direct Read. Flow Rate Air: 25-575L/min, Flow Rate Water: 1-15L/min. 3/8 in. NPT connections, Float Material: 316SS, Max Pressure: 150psi, Max Temp: 250F	EA	162673
15179265	Flowmeter, Industrial, 127mm, Stainless steel, Standard valve	EA	178185
15179266	Flowmeter, Industrial, 127mm, Stainless steel, Standard valve	EA	177831
15179269	Flowmeter, Industrial, 127mm, Stainless steel, Standard valve	EA	177831
15179275	Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: SS; Air flow rate: 845 to 6318SmL/min.; Water flow rate: 4 to 147SmL/min.	EA	49700

Cat. No.	Description	Pack	Price in ₹
15179276	Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: SS; Air flow rate: 1973 to 12,058Sml/min.; Water flow rate: 42 to 364Sml/min.	EA	49729
15179278	Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Without valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Valve: SS; Air flow rate: 6082 to 58,500Sml/min.; Water flow rate: 176 to 1866Sml/min.	EA	52519
15179279	Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 8.1 to 145Sml/min.; Water flow rate: 0.1 to 2.4Sml/min.	EA	54845
15179280	Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 30.2 to 298Sml/min.; Water flow rate: 0.46 to 7.7Sml/min.	EA	54845
15179281	Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 45 to 522Sml/min.; Water flow rate: 0.8 to 12Sml/min.	EA	54840
15179282	Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 28 to 1249Sml/min.; Water flow rate: 0.6 to 27Sml/min.	EA	54840
15179283	Flowmeter, Calibrated; Gilmont; 65mm construction; Industrial purpose; Standard SS valve; Pressure rating: 250psig max. operating; 0.25% of scale reading; Air flow rate: 90 to 2520Sml/min.; Water flow rate: 3.7 to 71Sml/min.	EA	54845
15179284	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 65mm; Stainless steel; Calibrated; Four-turn standard valve; Air flow rate 845 to 6318	EA	54840
15179285	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 65mm; Stainless steel; Calibrated; Four-turn standard valve; Air flow rate 973 to 12,058	EA	54840
15179286	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 65mm; Stainless steel; Calibrated; Four-turn standard valve; Air flow rate 2272 to 24,680	EA	55026
15179287	Flowmeters; Thermo Scientific Gilmont; Industrial; Shielded; 65mm; Stainless steel; Calibrated; Four-turn standard valve; Air flow rate 2000-49,000	EA	58191
<b>Peristaltic Pumps</b>			
13310119	Pump Head; Masterflex; Easy-Load; 600rpm; Fixed Occlusion; Polysulfone Housing; Stainless-Steel Rollers/Bearings; Short Shaft; For L/S 13, 14, 16, 25, 17 and 18 tubing	EA	58091
13310121	Pump, Peristaltic; Thermo Scientific; Masterflex; L/S; Easy-Load; For high-performance precision tubing; Polysulfone housing; Cold-rolled steel rotors; Three rollers; For L/S 15 and L/S 25 tubing	EA	44298
13310259	Pump, Peristaltic; Thermo Scientific; Masterflex; L/S standard pump head; For L/S 14 tubing; Clear polycarbonate housing; Cold-rolled steel rotor; 126mL/min.	EA	27797
13310260	Pump, Peristaltic; Thermo Scientific; Masterflex; L/S standard pump head; For L/S 15 tubing; Clear polycarbonate housing; Cold-rolled steel rotor; 1000mL/min.	EA	27797
13310261	Pump, Peristaltic; Thermo Scientific; Masterflex; L/S standard pump head; For L/S 17 tubing; Clear polycarbonate housing; Cold-rolled steel rotor; 1680mL/min.	EA	27797
13310620	Accessories and Replacement Parts; Thermo Scientific; Tubing for Pumps; FH100X; High Resilience; Flowrange: 14 to 1200mL/min; Inside Dia. 4.8mm; Material: ePTFE; 24mm wall; Size 15; Style 400 FKM	EA	57543
<b>Peristaltic Pumps Accessories</b>			
13310622	Tip, Dispensing; Manostat; Accessory for pumps and dispensers; Autoclavable; Made of glass; For 0.187 in. and 0.25 in. tubing	EA	13161
13310623	Tip, Dispensing; Manostat; Accessory for pumps and dispensers; Autoclavable; Made of polypropylene; For 0.0625 in. and 0.125 in. tubing	EA	6036
13310625	Foot switch; Thermo Scientific; For use with FH100 series pumps	EA	31217
13310821	ACC FTSWCH FOR FH100/FH100X	EA	29342
13310822	ACC FTSWCH FOR FH100D/FH100DX	EA	35024
1531533A	Check Valves; Fisherbrand; Polypropylene; Tapered, serrated ends; Fits Tubing I.D. 1/4 to 3/8 in.	CS	18874
1531533B	Check Valves; Fisherbrand; Polypropylene; Tapered, serrated ends; Fits Tubing I.D. 7/16 to 5/8 in.	CS	27252
<b>Tubing Connectors</b>			
1531526A	Connector, Tubing; Fisherbrand; Polypropylene; T-Shaped; Fits Tubing I.D.: 0.156 in. (4mm)	CS	10030
1531526B	Connector, Tubing; Fisherbrand; Polypropylene; T-Shaped; Fits Tubing I.D.: 0.218 in. (6mm)	CS	11267
1531526C	Connector, Tubing; Fisherbrand; Polypropylene; T-Shaped; Fits Tubing I.D.: 0.312 in. (8mm)	CS	11739

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
1531526D	Connector, Tubing; Fisherbrand; Polypropylene; T-Shaped; Fits Tubing I.D.: 0.375 in. (10mm)	CS	15769
1531526F	Connector, Tubing; Fisherbrand; Polypropylene; T-Shaped; Fits Tubing I.D.: 0.562 in. (14mm)	CS	19876
1531527C	Connector, Quick-Disconnects; Fisherbrand; Polyethylene; Tight-fitting; Tapered ends; Fits Tubing I.D.: 0.25 to 0.375 in.	CS	22508
1531527D	Connector, Quick-Disconnects; Fisherbrand; Polyethylene; Tight-fitting; Tapered ends; Fits Tubing I.D.: 0.375 to 0.437 in.	CS	26387
1531527E	Connector, Quick-Disconnects; Fisherbrand; Polyethylene; Tight-fitting; Tapered ends; Fits Tubing I.D.: 0.437 to 0.562 in.	CS	32979
1531527F	Connectors, Quick-Disconnects; Fisherbrand; Polyethylene; Tight-fitting; Tapered ends; Fits Tubing I.D.: 0.5 to 0.625	CS	35504
1531528A	Connector, Tubing; Fisherbrand; Straight; Polypropylene; Fits Tubing I.D.: 1/8 to 7/32 in. (3.2 to 5.5mm)	CS	8684
1531528B	Connector, Tubing; Fisherbrand; Straight; Polypropylene; Fits Tubing I.D.: 3/16 to 5/16 in. (4.8 to 7.9mm)	CS	10543
1531528C	Connector, Tubing; Fisherbrand; Straight; Polypropylene; Fits Tubing I.D.: 1/4 to 3/8 in. (6.4 to 9.5mm)	CS	11495
1531528D	Connector, Tubing; Fisherbrand; Straight; Polypropylene; Fits Tubing I.D.: 3/8 to 7/16 in. (9.5 to 11mm)	CS	11032
1531528E	Connector, Tubing; Fisherbrand; Straight; Polypropylene; Fits Tubing I.D.: 7/16 to 9/16 in. (11 to 14mm)	CS	13130
1531528F	Connector, Tubing; Fisherbrand; Straight; Polypropylene; Fits Tubing I.D.: 1/2 to 5/8 in. (12.7 to 15.9mm)	CS	16844
1531529A	Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 5/32 in. (4mm)	CS	6296
1531529B	Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 7/32 in. (6mm)	CS	6099
1531529C	Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 5/16 in. (8mm)	CS	8297
1531529D	Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 3/8 in. (10mm)	CS	9440
1531529E	Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 7/16 in. (12mm)	CS	10677
1531529F	Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 9/16 in. (14mm)	CS	14427
1531529G	Connector, Tubing, Fisherbrand; Polypropylene; L-Shaped; Fits Tubing I.D.: 5/8 in. (16mm)	CS	14301
1531530A	Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 5/32 in. (4mm)	CS	10030
1531530B	Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 7/32 in. (6mm)	CS	11833
1531530C	Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 5/16 in. (8mm)	CS	12326
1531530D	Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 3/8 in. (10mm)	CS	16548
1531530E	Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 7/16 in. (12mm)	CS	17362
1531530F	Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 9/16 in. (14mm)	CS	20473
1531530G	Connector, Tubing; Fisherbrand; Polypropylene; Y-Shaped; Fits Tubing I.D.: 5/8 in. (16mm)	CS	24863
1531531A	Connector, Tubing; Fisherbrand; Equal angle Y-shaped; Polypropylene; Fits Tubing I.D.: 1/8 to 7/32 in. (3.2 to 5.5mm)	CS	18536
1531531B	Connector, Tubing; Fisherbrand; Equal angle Y-shaped; Polypropylene; Fits Tubing I.D.: 3/16 to 7/32 in. (4.8 to 5.5mm)	CS	22165
1531531C	Connector, Tubing; Fisherbrand; Equal angle Y-shaped; Polypropylene; Fits Tubing I.D.: 1/4 to 3/8 in. (6.4 to 9.5mm)	CS	21973
1531531D	Connector, Tubing; Fisherbrand; Equal angle Y-shaped; Polypropylene; Fits Tubing I.D.: 3/8 to 7/16 in. (9.5 to 11mm)	CS	26730
1531531E	Connector, Tubing; Fisherbrand; Equal angle Y-shaped; Polypropylene; Fits Tubing I.D.: 7/16 to 9/16 in. (11 to 14mm)	CS	36010
1531531F	Connector, Tubing; Fisherbrand; Equal angle Y-shaped; Polypropylene; Fits Tubing I.D.: 1/2 to 5/8 in. (12.7 to 15.9mm)	CS	36574
1531532A	Connector, Tubing; Fisherbrand; 4-Way; Polypropylene; Fits Tubing I.D.: 5/32 in. (4mm)	CS	18937
1531532B	Connector, Tubing; Fisherbrand; 4-Way; Polypropylene; Fits Tubing I.D.: 7/32 in. (6mm)	PK	3320
1531532C	Connector, Tubing; Fisherbrand; 4-Way; Polypropylene; Fits Tubing I.D.: 5/16 in. (8mm)	CS	20833
1531532D	Connector, Tubing; Fisherbrand; 4-Way; Polypropylene; Fits Tubing I.D.: 3/8 in. (10mm)	CS	26132
1531532E	Connector, Tubing; Fisherbrand; 4-Way; Polypropylene; Fits Tubing I.D.: 7/16 in. (12mm)	CS	38438
<b>Tubings</b>			
FA03362	1/16" ID Silicone Tubing, 25 feet	EA	5138
FA03364	3/16" ID Silicone Tubing, 25 feet	EA	7065
FA03365	1/4" ID Silicone Tubing, 25 feet	EA	7065
FA03366	1/4" ID, 5/16" OD Silicone Tubing, 25 feet	EA	7065
FA03370	Tubing Set - Pump I and II	EA	6045
FA03372	Replacement Silicone Tubing and Connectors	EA	1709

Cat. No.	Description	Pack	Price in ₹
FA03375	1/4" Replacement Silicone Tubing and Connectors	EA	1709
FA03376	Replacement Silicone Tubing and Connectors	EA	1709
FA03377	Replacement Tubing Set - Medium Flow	EA	6050
FA03378	Replacement Tubing Set	EA	6050
FA03394	1/4" Tubing and Connectors	EA	1709
15079606	1/50" ID Silicone Tubing, 25 feet	EA	10093
15079608	1/32" ID Silicone Tubing, 25 feet	EA	10093
15079605	3/32" ID Silicone Tubing, 25 feet	EA	5138
15079607	Replacement Silicone Tubing and Connectors	EA	1709
15079604	Replacement Silicone Tubing and Connectors	EA	1709
15079600	Replacement Silicone Tubing and Connectors	EA	1709
FB50703	10M Rubber Tubing 3 X 4,5mm	EA	1709
FB50705	10 M Tubing, Natural Red Rubber, Normal	EA	2196
FB50707	10M Rubber Tubing 6,5 X 9,5 mm	EA	2381
FB50709	10M Rubber Tubing 8 X 12 mm	EA	3068
FB50711	10M Rubber Tubing 10 X 14 mm	EA	3599
FB50713	10M Rubber Tube 12,5 X 17 mm	EA	4726
FB50717	10M Rubber Tubing 16 X 26,5 mm	EA	8432
FB50719	10M Rubber Tubing 20 X 26,5mm	EA	10810
FB50721	10M Rubber Tubing 25 X 31,5mm	EA	15913
FB50731	10 M Tubing Natural Red Rubber Medium	EA	3397
FB50733	10 M Tubing, Natural Red Rubber Medium	EA	7642
FB50735	10 M Tubing, Fisherbrand Natural Red Rubber Medium	EA	8782
FB50737	10 M Tubing, Fisherbrand Natural Red Rubber Medium	EA	7084
FB50739	10 M Tubing, Fisherbrand Natural Red Rubber Medium	EA	8974
FB50753	10 M Tubing Natural Red Rubber Heavy	EA	2926
FB50755	10 M Tubing, Fisherbrand Natural Red Rubber Heavy	EA	5214
FB50757	Slang Vakuum Gummi Rã-D 6,5 X 16,5 mm FP=10M	EA	7750
FB50759	10m Tubing heavy wall BS 2775 rubber red 20mm	EA	10915
FB50761	10 M Tubing, Fisherbrand Natural Red Rubber Heavy	EA	15005
FB50763	10 M Tubing, Fisherbrand Natural Red Rubber Heavy	EA	24736
FB50773	10M Tubing Neoprene 3,0X4,5mm	EA	1658
FB50775	10M Tubing Neoprene 5X8mm	EA	2445
FB50777	10 M Tubing Neoprene Normal Wall	EA	2610
FB50779	10M Tubing Neoprene 8X10mm	EA	4104
FB50781	10M Tubing Neoprene 10X12mm	EA	5227
FB50783	10M Tubing Neoprene 12,5X17mm	EA	6586
FB50785	10M Tubing Neoprene 16X22,5mm	EA	11793
FB50787	10M Tubing Neoprene 20X26,5mm	EA	14843
FB50789	10M Tubing Neoprene 25X31,5mm	EA	18291
FB50803	10M Tubing Neoprene 3X9mm	EA	3945
FB50805	10M Tubing Neoprene 5X13mm	EA	7487
FB50807	10M Tubing Neoprene 6,5X10mm	EA	12227
FB50809	10M Tubing Neoprene 8X20mm	EA	16357
FB50811	X10 Slang Neopren 10X24mm Grã... 10M/FP	EA	21722
FB50813	X10 Slang Neopren 12,5X29,5 Grã... 10M/FP	EA	47372
FB50823	450M Tubing Neoprene For Bunsen B	EA	683
FB50825	600 mm Tubing Neoprene Bunsen B	EA	844
FB50827	750 mm Tubing Neoprene Bunsen B	EA	992
FB50829	900 mm Tubing Neoprene Bunsen B	EA	972
FB50843	2 M Tubing Neoprene Gas Burner Tube	EA	1191
FB50845	10 M Tubing Neoprene .25 Inch X .50 Inch, Bunsen	EA	6646
FB50853	10 M Tubing Silicone Rubber 1.0 1.0mm	EA	1016

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
FB50855	10 M Tubing Silicone Rubber 2.0 1.0mm	EA	1319
FB50857	10 M Tubing Silicone Rubber 3.0 0.75mm	EA	1319
FB50859	10 M Tubing Silicone Rubber 3.0 1.0mm	EA	1534
FB50861	10 M Tubing Silicone Rubber 4.0 1.0mm	EA	1736
FB50863	10 M Tubing, Silicone, Translucent, 4mm	EA	1736
FB50865	10 M Tubing Silicone Rubber 5.0 Inner	EA	3377
FB50867	10 M Tubing Silicone Rubber 6.0 1.5mm	EA	3569
FB50869	10 M Tubing Silicone Rubber 6.5 1.5mm	EA	3670
FB50871	10 M Tubing Silicone Rubber 8.0 2.0mm	EA	5819
FB50873	10 M Tubing Silicone Rubber 9.0 2.0mm	EA	6313
FB50875	10 M Tubing Silicone Rubber 10.0	EA	7908
FB50877	10 M Tubing Silicone Rubber 12.5	EA	11581
FB50879	10 M Tubing Silicone Rubber 16.0	EA	24823
FB56463	15 M Tubing Fisherbrand peristaltic pump silicone	EA	4009
FB56465	Fisherbrand Peristaltik Pumpenschlauch, Silikon,	EA	4315
FB56467	15 M Tubing Fisherbrand peristaltic pump silicone	EA	7269
FB56469	15 M Tubing Fisherbrand peristaltic pump silicone	EA	5294
FB56471	15 M Tubing Fisherbrand peristaltic pump silicone	EA	6895
FB56473	15 M Tubing Fisherbrand peristaltic pump silicone	EA	8998
FB56475	15 M Tubing Fisherbrand peristaltic pump silicone	EA	10101
FB56487	15 M Tubing Fisherbrand peristaltic pump silicone	EA	10000
FB56489	15 M Tubing Fisherbrand peristaltic pump silicone	EA	10969
FB56491	15 M Tubing Fisherbrand peristaltic pump silicone	EA	14198
FB56493	15 M Tubing Fisherbrand peristaltic pump silicone	EA	17245
FB56495	15 M Tubing Fisherbrand peristaltic pump silicone	EA	21315
FB56497	15 M Tubing Fisherbrand peristaltic pump silicone	EA	25001
FB56507	15 M Tubing Fisherbrand peristaltic pump santopren	EA	14719
FB56509	15 M Tubing Fisherbrand peristaltic pump santopren	EA	14806
FB56511	15 M Tubing Fisherbrand peristaltic pump santopren	EA	15439
FB56513	15 M Tubing Fisherbrand peristaltic pump santopren	EA	26444
FB56515	15 M Tubing Fisherbrand peristaltic pump santopren	EA	30339
FB56531	15 M Tubing Fisherbrand peristaltic pump santopren	EA	47655
FB56533	15 M Tubing Fisherbrand peristaltic pump santopren	EA	57783
FB56537	15 M Tubing Fisherbrand peristaltic pump santopren	EA	22297
13310108	Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (peroxide) Tubing; L/S 16; I.D. 3.2mm; 25 ft.	PK	11912
13310110	Tubing, Plastic; Masterflex; Platinum-cured silicone; For use with E/S portable or composite samplers; Size L/S 15; 25 ft. (7.6m) length	PK	19622
13310111	Tubing; Masterflex; L/S Precision Tubing; Precision Norprene Food (A 60 F) Tubing; L/S 17; 50 ft.	PK	21111
13310112	Tubing; Masterflex; L/S Precision Tubing; Precision Norprene (A 60 G) Tubing; L/S 14; 50 ft.	PK	10376
13310113	Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (platinum) Tubing; L/S 18; I.D. 9.5mm; 25 ft.	PK	22377
13310114	Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (platinum) Tubing; L/S 13; I.D. 1.6mm; 25 ft.	PK	11663
13310115	Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (platinum) Tubing; L/S 14; I.D. 1.6mm; 25 ft.	PK	12408
13310117	Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (platinum) Tubing; L/S 17; I.D. 6.4mm; 25 ft.	PK	20141
13310118	Tubing; Pump; MasterFlex I/P 73 Precision; Column extruded; Optically inspected; Platinum-cured Silicone; I.D.: 0.38; Hose Barb: 0.37 in.	PK	39783
13310143	Tubing; Pump; MasterFlex I/P 26 Precision; Column extruded; Optically inspected; Peroxide-cured Silicone; I.D.: 0.25; Hose Barb: 0.25 in.	PK	30737
13310148	Tubing, Precision pump; Thermo Scientific Barnant; MasterFlex I/P; Extruded; Masterflex Norprene; Firm; Beige; -75deg. to 275deg.F (-59deg. to 135deg.C); Fits Masterflex I/P Pump head; Size 73, 25 ft. (7.6m)	PK	40916

Cat. No.	Description	Pack	Price in ₹
13310155	Tubing, Precision pump; Thermo Scientific Barnant; MasterFlex PharMed; Extruded; Firm; Beige; -75deg. to 275deg.F (-59deg. to 135deg.C); Fits Masterflex I/P Pump head; Size 82; 12.7mm I/D	PK	50851
13310158	Tubing; Pump; MasterFlex I/P 83 Precision; Column extruded; Optically inspected; Peroxide-cured Silicone; I.D.: 0.5; Hose Barb: 0.5 in.	PK	57412
13310160	Tubing, Pump; Thermo Scientific; FH15 and FH30; PharMed BPT; Size: 14; Flowrange 2.8 to 14mL/min.; Inside Dia. 1.6mm; Material: TPE	PK	20885
13310161	Tubing, Extruded, Masterflex PharMed, Firm, Beige, -75 to 275deg.F (-59 to 135deg.C), Size 16	PK	21630
13310162	Tubing, Extruded, Masterflex PharMed, Firm, Beige, -75 to 275deg.F (-59 to 135deg.C), Size 25	PK	22128
13310163	Tubing, Extruded, Masterflex PharMed, Firm, Beige, -75 to 275deg.F (-59 to 135deg.C), Size 17	PK	26450
13310164	Tubing, Extruded, for Tissue and Cell Work, PharMed, Nonhemolytic, Opaque Beige, Firm, -75 to 275deg.F Range, fits Masterflex Pump Head, Size 18	PK	28025
13310165	Tubing, Extruded, Masterflex PharMed, Firm, Beige, -75 to 275deg.F (-59 to 135deg.C), Size 15	PK	21384
13310166	Tubing, Precision pump; Thermo Scientific Barnant; MasterFlex PharMed; Extruded; Masterflex Norprene; Firm; Beige; -75deg. to 275deg.F (-59deg. to 135deg.C); Fits Masterflex I/P Pump head; Size 24, 25 ft. (7.6m)	PK	30286
13310168	Tubing; Masterflex; L/S Precision Tubing; Precision Norprene (A 60 G) Tubing; L/S 16; 50 ft.	PK	10916
13310172	Tubing, Precision pump; MasterFlex L/S; Thermo Scientific Barnant; Autoclavable; Norprene; Black; 3/16 in.; -59deg. to +135deg.C (-75deg. to 275deg.F); Fits Masterflex pump head, hose b; Size 25	PK	17133
13310173	Tubing, Precision pump; MasterFlex L/S; Thermo Scientific Barnant; Autoclavable; Norprene Black; Thermoplastic elastomer Firm 50 ft.; -59deg. to +135deg.C (-75deg. to 275deg.F); Fits Masterflex pump head; Size 24	PK	21630
13310176	Tubing; Masterflex; L/S Precision Tubing; Precision Norprene Food (A 60 F) Tubing; L/S 16; 50 ft.	PK	12953
13310179	Tubing; Masterflex; L/S Precision Tubing; High-Performance Precision Norprene Food (A 60 F) Tubing; L/S 15; 50 ft.	PK	23054
13310181	Tubing; Masterflex; L/S Precision tubing; C-Flex (50 A); Combines biocompatibility of silicone with chemical resistance similar to Tygon; Very low protein binding; Heat sealable, weldable; Economical; L/S 13; 25 ft.	PK	6964
13310182	Tubing, Plastic; Thermo Scientific; MasterFlex L/S; L/S 14; 0.06 in. I.D.; Length 1.3 to 130mL/m in. Flow Range; 1.7 bar Maximum Continuous Pressure; 660mmHG Maximum Vacuum; C-Flex Tubing (50A); 25 ft. Length	PK	7958
13310183	Autoclavable C-Flex White FDA and USP Class VI standards 1/8 in. 25ft. -73 to 135deg.C (-100 to 275deg.F), Size 16, hose barb 1/8	PK	9133
13310185	Tubing; Masterflex; L/S Precision tubing; C-Flex (50 A); Combines biocompatibility of silicone with chemical resistance similar to Tygon; Very low protein binding; Heat sealable, weldable; Economical; L/S 17; 25 ft.	PK	12408
13310186	Tubing; Masterflex; L/S Precision tubing; C-Flex (50 A); Combines biocompatibility of silicone with chemical resistance similar to Tygon; Very low protein binding; Heat sealable, weldable; Economical; L/S 18; 25 ft.	PK	13695
13310187	Tubing, Plastic; Thermo Scientific; MasterFlex L/S; L/S 15; 0.19 in. I.D.; Length 10 to 1000mL/m in. Flow Range; 1.7 bar Maximum Continuous Pressure; 660mmHG Maximum Vacuum; C-Flex Tubing (50A); 25 ft. Length	PK	12953
13310188	Tubing, C-Flex; Thermo Scientific Barnant; White; FDA and USP Class VI standards; 25 ft., -73deg. to +135deg.C (-100deg. to +275deg.F); Size 24, Fits masterflex pump head	PK	16386
13310189	Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (peroxide) Tubing; L/S 25; I.D. 4.8mm; 25 ft.	PK	15935
13310190	Tubing; Masterflex; L/S Precision Tubing; High-Performance Precision Silicone (peroxide) Tubing; L/S 24; 25 ft.	PK	21111
13310194	Fuel; Thermo Scientific; Tygon; Translucent yellow formulation for pumping fuels and lubricants; I.D.: 1/16 in.; Length: 50ft.; O.D.: 3/16 in.; -37 to 74C	PK	10895
13310195	Tubing; Masterflex; L/S Precision Tubing; Precision Tygon Fuel and Lubricant (F-4040-A) Tubing; L/S 16; 50 ft.	PK	13176
13310197	Tubing, Plastic; Thermo Scientific; MasterFlex L/S; L/S 17; 0.25 in. I.D.; Length 17 to 1700mL/m in. Flow Range; 1.0 bar Maximum Continuous Pressure; 510mmHG Maximum Vacuum; Tygon Fuel and Lubricant Tubing (F-4040-A); 50 ft. Length	PK	22377
13310277	Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (peroxide) Tubing; L/S 14; I.D. 1.6mm; 25 ft.	PK	9901
13310281	Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; High-Performance Precision Silicone (peroxide) Tubing; L/S 15; 25 ft.	PK	16908
13310282	Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (platinum) Tubing; L/S 16; I.D. 3.2mm; 25 ft.	PK	12657
13310296	Tubing; Pump; MasterFlex I/P 26 Precision; Column extruded; Optically inspected; Peroxide-cured Silicone; I.D.: 0.25; Hose Barb: 0.25 in.	PK	37290
13310300	Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (peroxide) Tubing; L/S 18; I.D. 9.5mm; 25 ft.	PK	19147

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
13310309	Tubing, Pump; Thermo Scientific; Masterflex; L/S Precision Tubing; Precision Silicone (peroxide) Tubing; L/S 17; I.D. 6.4mm; 25 ft.	PK	16386
13310336	Tubing, Extension; Thermo Scientific Barnant; Silicone (Platinum cured); Tubing I.D.: 0.06 in.; Hose Barb: 0.06 in.; Easily connects pumping links to pump system; For use with Barnant Manostat and CompuLab 3 Pumps.	EA	14149
13310337	Tubing, Extension; Thermo Scientific Barnant; Silicone (Platinum cured); Tubing I.D.: 0.13 in.; Hose Barb: 0.13 in.; Easily connects pumping links to pump system; For use with Barnant Manostat and CompuLab 3 Pumps.	EA	16320
13310338	Tubing, Extension; Thermo Scientific Barnant; Silicone (Platinum cured); Tubing I.D.: 0.19 in.; Hose Barb: 0.19 in.; Easily connects pumping links to pump system; For use with Barnant Manostat and CompuLab 3 Pumps.	EA	19354
13310339	Tubing, Extension; Thermo Scientific Barnant; Silicone (Platinum cured); Tubing I.D.: 0.25 in.; Hose Barb: 0.25 in.; Easily connects pumping links to pump system; For use with Barnant Manostat and CompuLab 3 Pumps.	EA	21557
13310340	Tubing, Extension; Thermo Scientific Barnant; Silicone (Platinum cured); Tubing I.D.: 0.31 in.; Hose Barb: 0.38 in.; Easily connects pumping links to pump system; For use with Barnant Manostat and CompuLab 3 Pumps.	EA	25498
13310478	Tubing; Thermo Scientific Barnant; Tygon Pumping Links; Tubing I.D.: 0.25 in.; Hose Barb: 0.25 in.; Load inside pump for accurate flowrates; For use with Barnant Manostat and CompuLab 3 Pumps.	PK	24294
13310479	Tubing; Thermo Scientific Barnant; Tygon Pumping Links; Tubing I.D.: 0.19 in.; Hose Barb: 0.19 in.; Load inside pump for accurate flowrates; For use with Barnant Manostat and CompuLab 3 Pumps.	PK	23581
13310483	Tubing; Thermo Scientific Barnant; Spencer, CompuLab RD2; Tubing I.D.: 0.19 in.; Hose Barb: 0.19 in.; For use with Barnant Manostat and CompuLab 3 Pumps.	PK	26935
13310503	Sinker; Thermo Scientific; Accessory for pumps and dispensers; Large; 4.57 and 6.35mm (0.1875 and 0.25 in.)	EA	10371
13310513	Pump, Tubing; Thermo Scientific; Peristaltic; FH10; 50 to 300rpm; Complete with power supply; 0.07 to 50mL/min; Powder-coated steel; Uses micro-biore auto analysis tubing size 0.19mm to 2.79mm ID	EA	159180
13310516	Tubing, Pump; Thermo Scientific; FH100; General purpose; BioPharm Silicone; Size 14; Flowrange: 2.0 to 150mL/min.; Inside Dia. 1.6mm; Material: Silicone (platinum-cured)	EA	20704
13310517	Tubing, Pump; Thermo Scientific; FH100; General purpose; BioPharm Silicone; Size 16; Flowrange: 6.5 to 550mL/min.; Inside Dia. 3.2mm; Material: Silicone (platinum-cured)	EA	26625
13310518	Tubing, Pump; Thermo Scientific; FH100; General purpose; BioPharm Silicone; Size 25; Flowrange: 14 to 2000mL/min.; Inside Dia. 4.8mm; Material: Silicone (platinum-cured)	EA	33920
13310519	Tubing, Pump; Thermo Scientific; FH100; General purpose; BioPharm Silicone; Size 17; Flowrange: 24 to 2000mL/min.; Inside Dia. 6.4mm; Material: Silicone (platinum-cured)	EA	36096
13310520	Tubing; Pump; Thermo Scientific; FH100; General purpose; BioPharm Silicone; Flowrange: 36 to 3000mL/min.; Size 18; Inside Dia. 8.0mm; Material: Silicone (platinum-cured)	EA	47322
13310521	Tubing, Pump; Thermo Scientific; FH100X; General purpose; BioPharm Silicone; Size 15; Flowrange: 14 to 1200mL/min.; Inside Dia. 4.8mm; Material: Silicone (platinum-cured)	EA	48573
13310522	Tubing, Pump; Thermo Scientific; FH100X; General purpose; BioPharm Silicone; Size 24; Flowrange: 24 to 2000mL/min.; Inside Dia. 6.4mm; Material: Silicone (platinum-cured)	EA	54278
13310523	Tubing, Pump; Thermo Scientific; FH100X; General purpose; BioPharm; Size 35; Flowrange 36 to 3000mL/min.; Inside Dia. 8.0mm; Material: Silicone (platinum-cured)	EA	65071
13310524	Tubing, Pump; Thermo Scientific; FH100X; General purpose; Size 36; Flowrange: 48 to 4000mL/min.; Inside Dia. 9.5mm; Material: Silicone (platinum-cured)	EA	73231
13310526	Tubing, Pump; Thermo Scientific; FH100; General purpose; Pharmed BPT; Size 14; Flowrange: 2.0 to 150mL/min.; Inside Dia. 1.6mm; Material: TPE	EA	20982
13310527	Tubing, Pump; Thermo Scientific; FH100; General purpose; Pharmed BPT; Size 16; Flowrange: 6.8 to 550mL/min.; Inside Dia. 3.2mm; Material: TPE	EA	23062
13310528	Tubing, Pump; Thermo Scientific; FH100; General purpose; Pharmed BPT; Size 25; Flowrange: 15 to 1200mL/min.; Inside Dia. 4.8mm; Material: TPE	EA	23589
13310529	Tubing, Pump; Thermo Scientific; FH100; General purpose; Pharmed BPT; Size 17; Flowrange: 25 to 2000mL/min.; Inside Dia. 6.4mm; Material: TPE	EA	27609
13310530	Tubing, Pump; Thermo Scientific; FH100; General purpose; Pharmed BPT; Size 18; Flowrange: 38 to 3000mL/min.; Inside Dia. 8.0mm; Material: TPE	EA	28951
13310531	Tubing, Pump; Thermo Scientific; FH100; General purpose; Norprene Food; Size 14; Flowrange: 1.9 to 150mL/min.; Inside Dia 1.6mm; Material: TPE	EA	12745
13310532	Tubing, Pump; Thermo Scientific; FH100; General purpose; Norprene; Size 16; Flowrange: 6.5 to 550mL/min.; Inside Dia. 3.2mm; Material:TPE	EA	13072
13310533	Tubing, Pump; Thermo Scientific; FH100; General purpose; Norprene Food; Size 25; Flowrange 14 to 1200mL/min; Inside Dia. 4.8mm; Material: TPE	EA	21557
13310534	Tubing, Pump; Thermo Scientific; FH100; General purpose; Norprene Food; Size 17; Flowrange: 24 to 2000mL/min.; Inside Dia. 6.4mm; Material: TPE	EA	21439

Cat. No.	Description	Pack	Price in ₹
13310535	Tubing, Pump; Thermo Scientific; FH100; General purpose; Norprene Food; Size 18; Flowrange: 36 to 3000mL/min.; Inside Dia. 8.0mm; Material:TPE	EA	24105
13310584	Tubing Links, BioPharm; Silicone; Thermo Scientific; Precision; Size 13; 12/pk.	EA	35310
13310585	Tubing Links, BioPharm; Silicone; Thermo Scientific; Precision; Size 13; 12/pk.	EA	40554
13310586	Tubing Links, BioPharm; Silicone; Thermo Scientific; Precision; Size 13; 12/pk.	EA	39534
13310593	Tubing, Pump; Thermo Scientific; High Resilience; FH100; Flowrange: 2.0 to 150mL/min; Inside Dia. 1.6mm; Material: ePTFE; Style 100 SC; Size 14	EA	46755
13310594	Tubing, Pump; Thermo Scientific; High Resilience; FH100; Flowrange: 6.5 to 550mL/min; Inside Dia. 3.2mm; Material: ePTFE/Silicone; Style 100 SC; Size 16	EA	46755
13310595	Tubing, Pump; Thermo Scientific; High Resilience; Flowrange: to 14 to 120mL/min; Inside Dia: 4.8mm; Material:ePTFE/silicone; FH100; Style 100 SC; Size 25	EA	47589
13310596	Tubing, Pump; Thermo Scientific; FH100; Flowrange: 24 to 2000mL/min; Inside Dia. 6.4mm; material: ePTFE/Silicone; Style 100 SC; Size 17	EA	44815
13310597	Tubing, Pump; Thermo Scientific; FH100; High Resilience; Flowrange: 36 to 3000mL/min; I.D.: 8.0mm; Material: PTFE /Silicone; Style 100 SC; Size 18	EA	44784
13310598	Tubing, Pump; Thermo Scientific; FH100X; High Resilience; Flowrange: 14 to 2000mL/min; Inside Dia. 4.8mm; Material: ePTFE; Style 100 SC; Size 15	EA	44818
13310599	Tubing, Pump; Thermo Scientific; FH100; High Resilience; Flowrange: 36 to 3000mL/min; I.D.: 8.0mm; Material: PTFE /Silicone; Style 100 SC; Size 24	EA	44818
13310600	Tubing, Pump; Thermo Scientific; High Resilience; FH100X; Flowrange: to 14 to 120mL/min; Inside Dia: 4.8mm; Material:ePTFE/silicone; Style 100 SC; Size 35	EA	44773
13310601	Tubing, Pump; Thermo Scientific; High Resilience; FH100X; High Resilience; Flowrange: 48 to 4000mL/min; Inside Dia. 9.5mm; material: ePTFE/silicone; Style 100 SC; Size 36	EA	55036
13310619	Tubing, Pump; Thermo Scientific; FH100; High Resilience; Flowrange: 6.5 to 550mL/min; Inside Dia. 3.2mm; Material: ePTFE; Style 400 FKM; Size 16	EA	57506
13310621	Tubing, Pump; Thermo Scientific; FH100X; High Resilience; Flowrange 24 to 2000mL/min;Inside Dia. 6.4mm; Material: ePTFE; Style 400 FKM; Size 24	EA	63477
1331078	Tubing, Plastic; Masterflex; Platinum-cured silicone; For use with E/S portable or composite samplers; Size L/S 24; 25 ft. (7.6m) length	CS	24635
1331079	Tubing; Pump; MasterFlex I/P 73 Precision; Column extruded; Optically inspected; Peroxide-cured Silicone; I.D.: 0.38; Hose Barb: 0.37 in.	PK	34361
13310823	TBE 0.8MM ID PHARMED 25FT/PK	PK	14558
13310824	TBE, LINK 0.8MMID SILI 12FT/PK	PK	30855
13310825	TBE, LINK 1.6MMID SILI 12FT/PK	PK	31613
13310826	TBE, LINK 3.2MMID SILI 12FT/PK	PK	33886
13310827	TBE, LINK 4.8MMID SILI 12FT/PK	PK	35210
13310828	TBE, LINK 6.4MMID SILI 12FT/PK	PK	37292
13310829	TBE, LINK 8.0MMID SILI 12FT/PK	PK	38619
13310830	TBE, LINK 9.5MMID SILI 12FT/PK	PK	44865
13310831	TBE LNK0.8MMID PHARMED 12FT/PK	PK	30100
13310832	TBE LNK1.6MMID PHARMED 12FT/PK	PK	30855
13310833	TBE LNK3.2MMID PHARMED 12FT/PK	PK	31804
13310834	TBE LNK4.8MMID PHARMED 12FT/PK	PK	32751
13310835	TBE LNK6.4MMID PHARMED 12FT/PK	PK	31993
13310836	TBE LNK8.0MMID PHARMED 12FT/PK	PK	33886
13310837	TBE LNK4.8MMID PHARMED 12FT/PK	PK	32751
13310838	TBE LNK6.4MMID PHARMED 12FT/PK	PK	35590
13310839	TBE LNK8.0MMID PHARMED 12FT/PK	PK	41836
13310840	TBE LNK9.5MMID PHARMED 12FT/PK	PK	46189
141502A	Tubing; Fisherbrand; General-Purpose; Rubber; on 50 ft Reel; Red; Thick wall; I.D.: 1/4 in.	EA	4793
141502E	Tubing; Fisherbrand; General-Purpose; Rubber; on 50 ft Reel; Black; Thick wall; I.D.: 3/8 in.	EA	9807
141505A	Tubing, Natural Rubber; Fisherbrand; 12-ft lengths; Talc-free, autoclavable; Meets Fed. Spec. ZZ-T-831D Types I and III; Color: Black, thin wall; I.D.: 0.125 in. (3.2mm); Wall thickness: 0.0312 in. (0.8mm); O.D.: 0.1875 in. (4.8mm); 1/ea	EA	595

PK - Pack  
EA - Each













Cat. No.	Description	Pack	Price in ₹
141505C	Tubing, Natural Rubber; Fisherbrand; 12-ft lengths; Talc-free, autoclavable; Meets Fed. Spec. ZZ-T-831D Types I and III; Color: Black, thin wall; I.D.: 0.25 in. (6.4mm); Wall thickness: 0.0625 in. (1.6mm); O.D.: 0.375 in. (9.5mm); 1/ea	EA	918
14157C	Tubing, Rubber; Fisherbrand; Black, Thick Wall; 0.25 in. (6.4mm) I.D.; 0.0625 in. wall thickness; 0.375 in. O.D.	EA	1078
14158D	Tubing, Rubber; Fisherbrand; Black, Thick Wall; 0.25 in. I.D.; 0.093 in. wall thickness; 0.43 in. O.D.	EA	1371
14158E	Tubing, Rubber; Fisherbrand; Black, Thick Wall; 0.312 in. I.D.; 0.09 in. wall thickness; 0.5 in. O.D.	EA	1537
14158F	Tubing, Rubber; Fisherbrand; Black; Thick wall; 0.375 in. I.D.; 0.125 in. wall thickness; 0.625 in. O.D.	EA	2203
14166D	Tubing, Rubber; Fisherbrand; Red, Thin Wall; 0.312 in. I.D.; 0.062 in. wall thickness; 0.437 in. O.D.	EA	1193
14166E	Tubing, Rubber; Fisherbrand; Red, Thin Wall; 0.375 in. I.D.; 0.093 in. wall thickness; 0.562 in. O.D.	EA	1757
14167G	Tubing, Rubber; Fisherbrand; Red, Thick Wall; 0.5 in. I.D.; 0.125 in. wall thickness; 0.75 in. O.D.	EA	2656
14168B	Tubing; Butyl Rubber; Fisherbrand; Heavy wall; Wall thickness: 0.125 in.; I.D. x O.D.: 0.25 x 0.5 in.	PK	3404
141697A	Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.125 in. (3.2mm); Wall Thickness: 0.0625 in.; O.D.: 0.25 in.; In 50 ft. Lengths	PK	1479
141697B	Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.19 in.; Wall Thickness: 0.06 in.; O.D.: 0.31 in.; Length: 50 ft.	PK	1607
141697C	Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.25 in.; Wall thickness: 0.06 in.; O.D.: 0.38 in.; Length: 50 ft.; Maximum operating temperature: 73.8deg.C (165deg.F)	PK	1655
141697D	Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.25 in.; Wall Thickness: 0.093 in.; O.D.: 0.437 in. (11mm); In 50 ft. lengths	PK	2617
141697E	Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.25 in.; Wall thickness: 0.13 in.; O.D.: 0.5 in.; Length: 50 ft.	PK	3147
141697F	Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.31 in.; Wall thickness: 0.06 in.; O.D.: 0.44 in.; Clear; Durometer hardness: Shore A, 65; Maximum operating temperature: 73.8deg.C (165deg.F)	PK	2043
141697G	Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.38 in.; Wall thickness: 0.06 in.; O.D.: 0.5 in. (12.7mm); Length: 50 ft.	PK	2363
141697H	Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.375 in.; Wall Thickness: 0.125 in.; O.D.: 0.625 in. (15.9mm); In 50 ft. lengths	PK	4227
141697J	Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.5 in.; Wall thickness: 0.06 in.; O.D. 0.63 in. (15.9mm); Length: 50 ft.	PK	3758
141697K	Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.5 in.; Wall Thickness: 0.093 in.; O.D.: 0.687 in.; In 50 ft. Lengths	PK	4625
141697L	Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.5 in.; Wall Thickness: 0.125 in.; O.D.: 0.75 in. (19mm); In 50' lengths	PK	5973
141697M	Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.625 in.; Wall Thickness: 0.125 in.; O.D.: 0.875 in.; In 50 ft. Lengths	PK	6220
141697N	Tubing, Plastic; Fisherbrand; Clear PVC; I.D.: 0.75 in.; Wall Thickness: 0.125 in.; O.D.: 1 in.; In 50 ft. Lengths	PK	7646
141741A	Tubing, Plastic; Fisherbrand; Kit; I.D.: 0.187 in.; O.D.: 0.312 in.; Wall Thickness: 0.0625 in.; Contains 50 ft. (15.2m) of tubing; 4 polypropylene connectors; polypropylene tubing clamp	EA	3098
141741C	Tubing, Plastic; Fisherbrand; Kit; I.D.: 0.25 in. (6.4mm); O.D.: 0.375 in. (9.5mm); Wall Thickness: 0.0625 in.; Contains 50 ft. (15.2m) of tubing; 4 polypropylene connectors; polypropylene tubing clamp	PK	3440
141741E	Tubing, Plastic; Fisherbrand; Kit; I.D.: 0.312 in. (7.9mm); O.D.: 0.437 in. (11mm); Wall Thickness: 0.0625 in.; Contains 50 ft. (15.2m) of tubing; 4 polypropylene connectors; 2 polypropylene tubing clamps	EA	4457
141741G	Tubing, Plastic; Fisherbrand; Kit; I.D.: 0.375 in. (9.5mm); O.D.: 0.5 in. (12.7mm); Wall Thickness: 0.0625 in.; Contains 50 ft. (15.2m) of tubing; 4 polypropylene connectors; 2 polypropylene tubing clamp	PK	4885
141741J	Tubing, Plastic; Fisherbrand; Kit; I.D.: 0.375 in.; O.D.: 0.5 in.; Wall Thickness: 0.0625 in.; Contains 50 ft. (15.2m) of tubing; 4 polypropylene connectors; polypropylene tubing clamp	PK	9109
141741M	Tubing, Plastic; Fisherbrand; Kit; I.D.: 0.5 in.; O.D.: 0.0625 in.; Wall Thickness: 0.0625 in.; Contains 50 ft. (15.2m) of tubing; 4 polypropylene connectors; polypropylene tubing clamp	EA	6016
141782AA	Tubing, Rubber; Fisherbrand; Amber; Thick wall; Talc free; Nontacky; Autoclavable; I.D.: 1/8 in. (3.2mm); Length: 50 ft.	EA	4615
141782B	Tubing, Rubber; Fisherbrand; Amber; Thin Wall; Talc free; Nontacky; Autoclavable; I.D.: 3/16 in. (4.8mm); Length: 50 ft.	EA	3836
141782BB	Tubing, Rubber; Fisherbrand; Amber; Thick Wall; Talc free; Nontacky; Autoclavable; I.D.: 3/16 in. (4.8mm); Length: 50 ft.	EA	5509
141782C	Tubing, Rubber; Fisherbrand; Amber; Thin wall; I.D.: 1/4 in. (6.4mm); Wall thickness: 1/16 in. (1.6mm); O.D.: 3/8 in. (9.5mm)	EA	4283
141782CC	Tubing, Rubber; Fisherbrand; Amber, Thick Wall; Talc free; Nontacky; Autoclavable; I.D.: 1/4 in. (6.4mm); Length: 50 ft.	EA	5480
141782D	Tubing, Rubber; Fisherbrand; Amber; Thin wall; I.D.: 5/16 (7.9mm); Wall thickness: 1/16 in. (1.6mm); O.D.: 7/16 in. (11.1mm)	EA	5221

Cat. No.	Description	Pack	Price in ₹
141785A	Tubing, Natural Rubber; Fisherbrand; 12-ft lengths; Talc-free, autoclavable; Meets Fed. Spec. ZZ-T-831D Types I and III; Color: Amber, thick wall; I.D.: 0.0625 in. (1.6mm); Wall thickness:0.0312 in. (0.8mm); O.D.: 0.125 in. (3.2mm); 1/ea	EA	573
141785B	Tubing, Natural Rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thick wall; I.D. x O.D.: 0.125 x 0.25 in. (3.2 x 6.4mm); Wall thickness: 0.0625 in. (1.6mm); 12 ft. (3.7m)	EA	851
141785C	Tubing, Natural Rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thick wall; I.D. x O.D.: 0.187 x 0.375 in. (4.8 x 9.5mm); Wall thickness: 0.094 in. (2.4mm); 12 ft. (3.7m)	EA	1369
141785D	Tubing, Natural Rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thick wall; I.D. x O.D.: 0.25 x 0.437 in. (6.4 x 11.1mm); Wall thickness: 0.094 in. (2.4mm); 12 ft. (3.7m)	EA	1594
141785E	Tubing, Natural Rubber; Fisherbrand; Amber; Thick Wall; I.D.: 0.3125 in. (7.9mm); Wall Thickness: 3/32 in. (2.4mm); O.D.: 0.5 in. (12.7mm); In 12 ft. lengths	PK	1765
141785F	Tubing, Natural rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thick wall; I.D. x O.D.: 0.375 x 0.625 in. (9.5 x 15.9mm); Wall thickness: 0.125 in. (3.2mm); 12 ft. (3.7m)	EA	2542
141785G	Tubing, Natural Rubber; Fisherbrand; 12-ft lengths; Talc-free, autoclavable; Meets Fed. Spec. ZZ-T-831D Types I and III; Color: Amber, thick wall; I.D.: 1/2 in. (12.7mm); Wall thickness: 1/8 in. (3.2mm); O.D.: 3/4 in. (19.1mm); 1/ea	EA	3375
14178A	Tubing, Natural Rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thin wall; I.D. x O.D.: 0.156 x 0.25 in. (4 x 6.4mm); Wall thickness: 0.047 in. (1.2mm); 12 ft. (3.7m)	EA	776
14178B	Tubing, Natural Rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thin wall; I.D. x O.D.: 0.187 x 0.312 in. (4.8 x 7.9mm); Wall thickness: 0.062 in. (1.6mm); 12 ft. (3.7m)	EA	999
14178C	Tubing, Natural Rubber; Fisherbrand; 12-ft lengths; Talc-free, autoclavable; Meets Fed. Spec. ZZ-T-831D Types I and III; Color: Amber, thin wall; I.D.: 0.25 in. (6.4mm); Wall thickness: 0.0625 in. (1.6mm); O.D.: 0.375 in. (9.5mm); 1/ea	EA	1127
14178D	Tubing, Natural Rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thin wall; I.D. x O.D.: 0.312 x 0.437 in. (7.9 x 11.1mm); Wall thickness: 0.062 in. (1.6mm); 12 ft. (3.7m)	EA	1295
14178E	Tubing, Rubber; Fisherbrand; Amber; Thin Wall; I.D.: 3/8 in. (9.5mm); Wall Thickness: 0.0625 in. (1.6mm); O.D.: 0.5 in. (12.7mm); In 12 ft. lengths	EA	1366
14178F	Tubing, Natural rubber; Fisherbrand; Seamless; Talc-free; Autoclavable; Tensile strength: 2500psi; Ultimate elongation: 700%; Amber; Thin wall; I.D. x O.D.: 0.5 x 0.687 in. (12.7 x 17.5mm); Wall thickness: 0.094 in. (2.4mm); 12 ft. (3.7m)	EA	2509
14190500	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Orange-Blue; I.D.: 0.25mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190501	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Orange-Green; I.D.: 0.38mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190502	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Orange-Yellow; I.D.: 0.51mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190503	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Orange-White; I.D.: 0.64mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190504	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Black-Black; I.D.: 0.76mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190505	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Orange-Orange; I.D.: 0.89mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190506	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: White-White; I.D.: 1.02mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190507	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Red-Red; I.D.: 1.14mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190508	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Gray-Gray; I.D.: 1.30mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190509	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Yellow-Yellow; I.D.: 1.42mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190510	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Yellow-Blue; I.D.: 1.52mm; Length: 16 in. (41cm); Two-stop	PK	3006

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
14190511	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Blue-Blue; I.D.: 1.65mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190512	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Green-Green; I.D.: 1.85mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190513	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Purple-Purple; I.D.: 2.06mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190514	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Purple-Black; I.D.: 2.29mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190515	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Purple-Orange; I.D.: 2.54mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190516	Tubing, Manifold Pump; Fisherbrand; Accu-Rated PVC; Color Code: Purple-White; I.D.: 2.79mm; Length: 16 in. (41cm); Two-stop	PK	3006
14190517	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Orange-Blue; I.D.: 0.25mm; Length: 16 in. (41cm); Two-stop	PK	3351
14190518	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Orange-green; I.D.: 0.015 in. (0.38mm); Length: 16 in. (41cm); Two-stop	PK	3351
14190519	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Orange-Yellow; I.D.: 0.51mm; Length: 16 in. (41cm); Two-stop	PK	3351
14190520	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Orange-White; I.D.: 0.64mm; Length: 16 in. (41cm); Two-stop	PK	3351
14190521	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Black-Black; I.D.: 0.76mm; Length: 16 in. (41cm); Two-stop	PK	3351
14190522	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Orange-Orange; I.D.: 0.89mm; Length: 16 in. (41cm); Two-stop	PK	3351
14190523	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: White-White; I.D.: 1.02mm; Length: 16 in. (41cm); Two-stop	PK	3351
14190524	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Red-red; I.D.: 0.045 in (1.14mm); Length: 16 in. (41cm)	PK	3351
14190525	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Grey-Grey; I.D.: 1.30mm; Length: 16 in. (41cm); Two-stop	PK	3351
14190526	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Yellow-Yellow; I.D.: 1.42mm; Length: 16 in. (41cm); Two-stop	PK	3351
14190527	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Yellow-blue; I.D.: 0.060 in (1.52mm); Length: 16 in. (41cm)	PK	3351
14190528	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Blue-Blue; I.D.: 1.65mm; Length: 16 in. (41cm); Two-stop	PK	3351
14190529	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Green-Green; I.D.: 1.85mm; Length: 16 in. (41cm); Two-stop	PK	3351
14190530	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Purple-Purple; I.D.: 2.06mm; Length: 16 in. (41cm); Two-stop	PK	3351
14190531	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Purple-Black; I.D.: 2.29mm; Length: 16 in. (41cm); Two-stop	PK	3351
14190532	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Purple-Orange; I.D.: 2.54mm; Length: 16 in. (41cm); Two-stop; Accu-rated	PK	3351
14190533	Tubing, Manifold Pump; Fisherbrand; Solva; Color Code: Purple-White; I.D.: 2.79mm; Length: 16 in. (41cm); Two-stop; Accu-rated	PK	3351
14190534	Tubing, Pump; Fisherbrand; Hema Stain; Silicone tubing kit; Labeled for easy size identification; Contains: One each of 240mm (sticker no. 1), 265mm (sticker no. 2), and 365mm (sticker no. 3) length tubing	PK	3351
14190535	Tubing, Platen; Fisherbrand; Hema Stain; Solva; Highly resistant to oil, gasoline, kerosene; Flexible translucent yellow; I.D.: 0.89mm; Length: 240mm; Pack of 6	PK	3351
141502H	Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 50 ft. (15.2m); I.D. x O.D.: 0.5 x 1 in. (12.7 x 25.4mm); Wall thickness: 0.25 in. (6.4mm)	EA	21154
141502J	Tubing, Rubber; Fisherbrand Pressure and Vacuum; Black; Tubing on reel of 50 ft. (15.2m); I.D. x O.D.: 0.25 x 0.625 in. (6.4 x 15.9mm); Wall thickness: 0.187 in. (4.8mm)	EA	13352
141502K	Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 50 ft. (15.2m); I.D. x O.D.: 0.312 x 0.687 in. (7.9 x 17.5mm); Wall thickness: 0.187 in. (4.8mm)	EA	13816
141502L	Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 50 ft. (15.2m); I.D. x O.D.: 0.375 x 0.875 in. (9.5 x 22.2mm); Wall thickness: 0.25 in. (6.4mm)	EA	18107















## Selection Guide

System Capacity	Style	Application Requirements and User Preferences	-50° C (-58°F) Collector/ Refrigeration For aqueous samples Optional PTFE-coated collector available	-84° C (-119° F) Cascade Collector/ Refrigeration For samples with low eutectic points, including acetonitrile Optional PTFE-coated collector available on some models	-105° C (-157°F)** Cascade Collector/ Refrigeration For samples with very low eutectic points including acetonitrile and dilute methanol and ethanol	Purge Valve, Mini Vacuum Drying Chamber & Shell Freezer Available on some models
1 Liter 	Benchtop	<ul style="list-style-type: none"> <li>Light sample loads</li> <li>Limited floor space</li> <li>Economical</li> </ul>	<ul style="list-style-type: none"> <li>1/3 hp refrigeration system</li> <li>Removes 1 liter of water in 24 hours*</li> </ul>			
2.5 Liters 	Benchtop	<ul style="list-style-type: none"> <li>Light sample loads</li> <li>Limited floor space</li> </ul>	<ul style="list-style-type: none"> <li>1/3 hp refrigeration system</li> <li>Removes 2 liters of water in 24 hours*</li> </ul>	<ul style="list-style-type: none"> <li>Two 1/3 hp refrigeration systems</li> <li>Removes 2.2 liters of water in 24 hours*</li> </ul>		
2.5 Liters 	Console	<ul style="list-style-type: none"> <li>Light sample loads</li> <li>Low eutectic point samples</li> </ul>		<ul style="list-style-type: none"> <li>Two 1/3 hp refrigeration systems</li> <li>Removes 2.2 liters of water in 24 hours*</li> </ul>		
2.5 Liters 	Benchtop Triad™	<ul style="list-style-type: none"> <li>Light sample loads</li> <li>Low eutectic point samples</li> <li>Stoppers samples in bottles under vacuum</li> </ul>		<ul style="list-style-type: none"> <li>Two 1/3 hp refrigeration systems</li> <li>Removes 1.8 liters of water in 24 hours*</li> </ul>	<ul style="list-style-type: none"> <li>Two 1/3 hp refrigeration systems</li> <li>Removes 2.5 liters of water in 24 hours*</li> </ul>	
4.5 Liters 	Benchtop	<ul style="list-style-type: none"> <li>Light to moderate sample loads</li> <li>Limited floor space</li> </ul>	<ul style="list-style-type: none"> <li>1/3 hp refrigeration system</li> <li>Removes over 2 liters of water in 24 hours*</li> </ul>	<ul style="list-style-type: none"> <li>Two 1/3 hp refrigeration systems</li> <li>Removes 4 liters of water in 24 hours*</li> </ul>		
4.5 Liters 	Console	<ul style="list-style-type: none"> <li>Light to moderate sample loads</li> </ul>	<ul style="list-style-type: none"> <li>1/3 hp refrigeration system</li> <li>Removes over 2 liters of water in 24 hours*</li> </ul>	<ul style="list-style-type: none"> <li>Two 1/3 hp refrigeration systems</li> <li>Removes 4 liters of water in 24 hours*</li> </ul>		
6 Liters 	Benchtop	<ul style="list-style-type: none"> <li>Moderate sample loads</li> <li>Limited floor space</li> <li>Available with Stopping Tray Dryer</li> </ul>	<ul style="list-style-type: none"> <li>3/4 hp refrigeration system</li> <li>Removes 4 liters of water in 24 hours*</li> </ul>			
6 Liters 	Console	<ul style="list-style-type: none"> <li>Moderate sample loads</li> <li>Broadest range of options</li> <li>Available with Stopping Tray Dryer</li> </ul>	<ul style="list-style-type: none"> <li>3/4 hp refrigeration system</li> <li>Removes 4 liters of water in 24 hours*</li> </ul>	<ul style="list-style-type: none"> <li>Two 1/3 hp refrigeration systems</li> <li>Removes 4 liters of water in 24 hours*</li> </ul>	<ul style="list-style-type: none"> <li>Purge Valve available</li> <li>Mini Vacuum Drying Chamber available</li> <li>Shell Freezer available with -50° C models</li> </ul>	
12 Liters 	Console	<ul style="list-style-type: none"> <li>Sample loads of varying volumes</li> <li>Available with Stopping Tray Dryer</li> </ul>	<ul style="list-style-type: none"> <li>1 hp refrigeration system</li> <li>Removes 8 liters of water in 24 hours*</li> </ul>	<ul style="list-style-type: none"> <li>Two 3/4 hp refrigeration systems</li> <li>Removes up to 4 liters of water in 24 hours*</li> </ul>	<ul style="list-style-type: none"> <li>Purge Valve available</li> <li>Mini Vacuum Drying Chamber available</li> </ul>	
18 Liters 	Console	<ul style="list-style-type: none"> <li>Large volumes of material or numerous sample batches</li> </ul>	<ul style="list-style-type: none"> <li>1-1/2 hp refrigeration system</li> <li>Removes 10 liters of water in 24 hours*</li> </ul>		<ul style="list-style-type: none"> <li>Purge Valve available</li> <li>Mini Vacuum Drying Chamber available</li> </ul>	

\*Freeze drying rate will be lower for samples other than shell-frozen plain water.

# Fisher Scientific Vacuum Pumps

Find the correct vacuum pump/system to address your application needs. The Fisher Scientific product line offers a wide range of vacuum pumps – each expertly designed for optimum function in your application.

Application	Fisher Scientific Pumps & Systems	Pumping Speed X Vacuum	Model
<b>General Vacuum Work</b>	Dry running pump, compact and portable	38L/min 8 mbar	 <b>FB65453</b>
<b>Vacuum/Pressure Filtration</b> Glass Filtration Assemblies	Vacuum or pressure capability	15L/min 100 mbar	 <b>FB65499</b>
<b>Degassing, Dessication, Solvent Degasification</b>	Compact, portable and maintenance-free	15L/min 100 mbar	 <b>FB65499</b>
<b>Rotary Evaporator</b> Volatiles, Low B.P B.P. <100°C Samples 0-5 Liter	Powerful with optional vacuum regulation	38L/min 8 mbar	 <b>FB65453</b>
<b>Rotary Evaporator</b> Volatiles, Low B.P B.P. <100°C Samples 0-1 Liter	System with vacuum control package and solvent recovery	16L/min 8 mbar	 <b>FB65500</b>
<b>Vacuum Oven</b> Drying Degassing	Aqueous, acidic or basic samples	36L/min 8 mbar	 <b>FB65453</b>
<b>Vacuum Concentrator</b>	Minimum maintenance	36L/min 2 mbar	 <b>FB65454</b>  <b>FB65459</b>
	With cold trap	77L/min 2x10 <sup>-3</sup> mbar	
<b>Freeze Dryer</b> Lyophilizing	Direct driven pump	97L/min 2x10 <sup>-2</sup> mbar	 <b>FB65459</b>
<b>Vacuum Manifold</b> Schlenk Line	Compact Vacuum pump	97L/min 2x10 <sup>-2</sup> mbar	 <b>FB65459</b>
<b>Gel Dryer</b>	Excellent chemical compatible	16L/min 8 mbar	 <b>FB65500</b>
<b>Replace Water Jet Pumps</b>	Dry running pump, portable and compact	38L/min 8 mbar	 <b>FB65453</b>
<b>Replace House Vacuum Ports</b> Replacing up to 4 ports	Muti-user vacuum line for vacuum on demand	38L/min 8 mbar	 +  <b>FB65453</b>

Cat. No.	Description	Pack	Price in ₹
14173C	Tubing; Rubber; Fisherband; Pressure and Vacuum; Red; 12 ft.; 0.25 in I.D. x 0.187 in. thick	EA	2990
14173D	Tubing, Rubber; Fisherbrand; Thick walls for pressure and vacuum work; Red; I.D. x O.D.: 0.375 x 1 in. (9.5 x 25.4mm); Wall thickness: 0.312 in. (7.9mm); 12-ft. length/ea.	EA	6175
14175B	Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 12 ft. (3.7m); I.D. x O.D.: 0.187 x 0.562 in. (4.8 x 14.3mm); Wall thickness: 0.187 in. (4.8mm)	EA	2517
14175C	Tubing, Rubber; Fisherbrand; Pressure and Vacuum; Color: Black; I.D.: 0.25 in. (6.4mm)	EA	2975
14175D	Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 12 ft. (3.7m); I.D. x O.D.: 0.312 x 0.687 in. (7.9 x 17.5mm); Wall thickness: 0.187 in. (4.8mm)	EA	3118
14175E	Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 12 ft. (3.7m); I.D. x O.D.: 0.375 x 0.875 in. (9.5 x 22.2mm); Wall thickness: 0.25 in. (6.4mm)	EA	4787
14175F	Tubing, Rubber; Fisherbrand; For pressure and vacuum work; Black; 12 ft. (3.7m); I.D. x O.D.: 0.5 x 1 in. (12.7 x 25.4mm); Wall thickness: 0.25 in. (6.4mm)	EA	7242
14175G	Tubing, Rubber; Fisherbrand; Pressure and Vacuum; Color: Black; I.D.: 0.625 in. (15.9mm)	EA	12256
14182C	Tubing, Gum Rubber; Fisherbrand; Heavy Wall; Red; Low vapor pressure; For vacuum; 12 ft. Long; I.D. x O.D.: 0.5 x 1.25 in. (12.7 x 31.75mm)	EA	9576
14182D	Tubing, Gum Rubber; Fisherbrand; Heavy Wall; Red; Low vapor pressure; For vacuum; 12 ft. Long; I.D. x O.D.: 0.75 x 1.5 in. (44.45 x 38mm)	EA	12169
14182E	Tubing, Gum Rubber; Fisherbrand; Heavy Wall; Red; Low vapor pressure; For vacuum; 12 ft. Long; I.D. x O.D.: 1 x 1.75 in. (25.4 x 44.45mm)	EA	9529
<b>Vacuum Pump</b>			
125712	Kit, Hose Adapter; Fisher Scientific; Pump Inlet O.D.: 0.37 to 0.43 in.; For Maxima C Plus vacuum pump	EA	30594
0125717A	Pump, vacuum; Fisher Scientific; Kits, pump repair; For minor pump repairs; Include gasket set, exhaust valves, valve springs, lip seals, O-rings, motor coupling; For models M2C and M4C1;	EA	26909
0125717B	Pump, vacuum; Fisher Scientific; Kits, pump repair; For minor pump repairs; Include gasket set, exhaust valves, valve springs, lip seals, O-rings, motor coupling; For models M8C1; and M12C	EA	47337
0125717C	Pump, vacuum; Fisher Scientific; Kits, pump repair; For minor pump repairs; Include gasket set, exhaust valves, valve springs, lip seals, O-rings, motor coupling; For model M16C	EA	46836
125749	Pump, vacuum; Fisher Scientific; Kits, Minor rebuild and repair; Includes coupling element, O'rings, gaskets, shaft seals and other components need for a light overhaul; For model M8C	EA	45469
125785	Pump, Rotary vacuum; Fisher Scientific Maxima C Plus; M12C, single phase, 7.7cfm; 3 x 10-4 torr; 20.5L x 7.125W x 10.75 in. H; 63 lb.; 230V 50Hz; CE, CSA	EA	490859
1388015	Pump, Vacuum; Fisher Scientific MaximaDry; Oil Free; Single-Stage; 230V, 50Hz; 1/6hp; 15psig; 20L/min.; 75 torr	EA	213644
1388019	Pump, Vacuum; Fisher Scientific MaximaDry; Oil Free; 2-Stage; 230V, 50Hz; 1/6hp; 15psig; 20L/min.; 6 torr	EA	268190
1388021	Pump, Vacuum; Fisher Scientific MaximaDry; Oil Free; 2-Stage; 230V, 50Hz; 1/3hp; 15psig; 35L/min; 6 torr	EA	359103
FBGDPX20	Pump, vacuum; FisherBiotech; For gel drying systems; For quick gel drying; As supplied with FBGDX1 systems; Work with most gel dryers like Bio-Rad, Hofer Scientific, Labconco; Schuko line cord; 230V 50Hz	EA	412264
FB70155	General Duty Vacuum Pump, 9.2/11 l/min, 290 mbar, 2.3 bar, 230V, 50/60Hz, with Schuko and UK plug leads	EA	32000
FB70157	Compact Station, 9.2/11 l/min, 290 mbar, 3.3 bar, 230V, 50/60Hz, with Schuko and UK plug leads	EA	104910
FB70159	High Flow Station, 28/34 l/min, 93 mbar, 230V, 50/60Hz, with Schuko and UK plug leads	EA	157364
FB65499	General Duty Vacuum Pump, 15 l/min, 100 mbar, 2.5 bar, 90-260V, 50/60Hz, with AC/DC Adapter, Schuko, UK and US plug adapters	EA	68140
FB65452	Chemical Duty Diaphragm Vacuum Pump, 16/18 L/min, 8 mbar, 230V, 50/60Hz, 1 Ph with Schuko and UK plug leads	EA	123166
FB65453	Chemical Duty Diaphragm Vacuum Pump, 38/41 L/min, 8 mbar, 230V, 50/60Hz, 1 Ph with Schuko and UK plug leads	EA	160707
FB65454	Chemical Duty Diaphragm Vacuum Pump, 33/36 L/min, 2 mbar, 230V, 50/60Hz, 1 Ph with Schuko and UK plug leads	EA	222418
FB65500	Vacuum System, 16/18 L/min, 8 mbar, 230V, 50/60Hz, 1 Ph with Schuko and UK plug leads	EA	336070
FB65458	Rotary Vane Vacuum Pump, 30/36 l/min, 1x10 <sup>-2</sup> mbar, 230V, 50/60Hz, 1 Ph with Schuko and UK plug leads	EA	153764
FB65459	Rotary Vane Vacuum Pump, 77/92 l/min, 1x10 <sup>-3</sup> mbar, 100-120V/220-240V, 50/60Hz, 1 Ph with Schuko, UK and US plug leads	EA	210333
FB65460	Rotary Vane Vacuum Pump, 97/100 l/min, 1x10 <sup>-3</sup> mbar, 100-120V/220-240V, 50/60Hz, 1 Ph with Schuko, UK and US plug leads	EA	214962

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
FB65461	Rotary Vane Vacuum Pump, 120/143 l/min, 2x10 <sup>-3</sup> mbar, 100-120V/220-240V, 50/60Hz, 1 Ph with Schuko, UK and US plug leads	EA	235789
FB65464	Rotary Vane Vacuum Pump, 183/220 l/min, 2x10 <sup>-3</sup> mbar, 100-120V/200-240V, 50/60Hz, 1 Ph with Schuko, UK and US plug leads	EA	291330
FB65471	Vacuum Pump Oil Labovac 10, Mineral oil, 1 liter	EA	3086
FB65462	Vacuum Pump Oil Labovac 10, Mineral oil, 5 liter	EA	12500
FB65463	Vacuum Pump Oil Labovac 10, Mineral oil, 20 liter	EA	40627
402008	Service kit for FB65452, FB65500, include diaphragms, valves, O-Rings	EA	19943
402041	Service kit for FB65453, include diaphragms, valves, O-Rings	EA	25055
402015	Service kit for FB65454, include diaphragms, valves, O-Rings	EA	43252
302012-1	Service kit for FB65458, include diaphragms, valves, O-Rings	EA	30149
302075	Service kit for FB65459, include diaphragms, valves, O-Rings	EA	35854
302076	Service kit for FB65460, include diaphragms, valves, O-Rings	EA	39958
302077	Service kit for FB65461, include diaphragms, valves, O-Rings	EA	47086
302079	Service kit for FB65464, include diaphragms, valves, O-Rings	EA	54880
112575	Kit 1 - Rotary Evaporator kit with vacuum hose 18/8x5 mm, cooling water & chiller connection hose, clamps	EA	17171
320015	Oil Mist Separator AKD 16, DN 16 KF	EA	38068
320017	Oil Mist Separator AKD 25, DN 25 KF	EA	44152
330031	Kit 5 - Freeze Dryer Adapter kit, DN 16 KF	EA	64005
330032	Kit 6 - Freeze Dryer Adapter kit, DN 25 KF	EA	80168
330051	Kit 7 - Vacuum Concentrator Adapter kit, DN 16 KF	EA	148943
330052	Kit 8 - Vacuum Concentrator Adapter kit, DN 25 KF	EA	165197
330053	Kit 9 - Vacuum Pump Measurement Package with PIZA 111, DN 16 KF	EA	382179
330054	Kit 10 - Vacuum Pump Measurement Package with PIZA 111, DN 25 KF	EA	410813
340003	Oil change starter kit for Fisher Scientific Rotary vane pumps	EA	14903
404005	Kit 2 - Vacuum oven kit, DN 16+25 KF - DN 8, vacuum hose, hose connector and clamps	EA	14903
404006	Kit 3 - Advanced Vacuum oven kit, DN 16+25 KF - DN 8 with vacuum hose, dust filter, hose connector and clamps	EA	45952
404008	Kit 4 - Filtration kit & Dessicator kit- vacuum hose and hydrophorb inline filter, for DN 6 & 8 hose adapter	EA	8856
600053	Digital Vacuum Control Box VCB 521 cv, 1100 - 1 mbar, 90-260V, 50/60Hz with Schuko, UK and US plug leads	EA	202851
600074	Handheld advanced chemical resistant vacuum gauge PIZA 111 cr Gold, 1050 - 10-3mbar, 90-260V, 50/60Hz with AC/DC adapter, Schuko, UK and US plug adapter	EA	129054
600074-1	Meter kit PIZA 111 cr Gold with carrying case, vacuum pump adapter kit and vacuum hose	EA	139854
700010	Exhaust filter OME 10/16, DN 16 KF	EA	16865
700011	Exhaust filter OME 10/25, DN 25 KF	EA	20843
700458	Vacuum Regulator with Dial Gauge for FB65452, FB65453 & FB65454	EA	35872
701702	Hose connector adapter DN 16 KF - DN 12	EA	3582
701704	Hose connector adapter DN 25 KF - DN 20	EA	5418
710209	Hose connector adapter DN 25 KF - DN 12	EA	5328
800160	Replacement element for OME 10/16, OME 20/25, AKD 16 and AKD 25	EA	4518
700458-02	Vacuum regulator with dial gauge for FB65499	EA	26189
701712-02	Hose connector adapter DN 16 KF - DN 20	EA	6408
828310-4	Vacuum/Pressure Hose, Rubber red, 18/8x5 mm, meter	EA	2682
L955112	Factory calibration certificate for vacuum gauges	EA	25405

### Sample Collection, Storage and Disposal

Racks			
024019	Spill Tray/Drying Rack	EA	2789
Wrapping Film			
22305654	Plastic Wrap	EA	840

Cat. No.	Description	Pack	Price in ₹
<b>Sample Handling and Processing</b>			
<b>Calorimeter</b>			
1269	Calorimeter, Spare Parts Kit; Parr; For 1266 Calorimeter	EA	83582
2811	Pellet Press; Parr; For use with Parr calorimeters; 0.5 in.	EA	190348
1108CL	Oxygen Bomb; Parr; For Chlorine Service; For 6100/6200 calorimeters; 342mL	EA	638479
1341EE	Calorimeter, Bomb; Parr; Model: 1341; Plain jacket; For broad range of solid and liquid combustible samples; Molded fiberglass jacket formed with double walls and a double cover; With 1108 oxygen bomb; 230V 50/60Hz	EA	1504020
6400EF	Calorimeter, Automatic Isoperibol; Parr; 6400; Automatic bucket and jacket fill; Automated vessel fill and rinse; Operator time approx. 1 min.; Fixed 1138 Oxygen Bomb of Alloy 20; 230V	EA	5628476
6400CLEF	Calorimeter, Automatic Isoperibol; Parr; 6400; Automatic bucket and jacket fill; Automated vessel fill and rinse; Operator time approx. 1 min.; Fixed 1138 Oxygen Bomb of Alloy G30; 230V	EA	5836582
<b>Colony Counter</b>			
12618695	Colony counter Scan 1200 automatic HD CCD colour camera 1000 colonies/sec 100-240V 50/60Hz 0.05mm minimum size of colony 270mm x 270mm x 380mm (w x l x h) Interscience	EA	2303686
12813998	Automatic colony counting system zone sizing included includes touch screen panel PC 25kg 650mm x 540mm x 670mm ProtoCOL	EA	2614761
10787455	Colony counter Darkfield Quebec manual 230V 50Hz Reichert	EA	311008
10546285	Lens auxiliary 1.5 x 1.5x Leica	EA	39066
12772585	Counting probe with magnetic ground updates to 3328 Leica	EA	29499
12782585	Counter push button Leica	EA	22960
10359994	Colony counter Darkfield Quebec manual with Wolffheugel counting plate 230V 50Hz Reichert	EA	156263
<b>Colorimeter</b>			
FB68270	Colorimeter Digital With 240V Transformer With	EA	99060
12722675	X8 filters set of 8 -4.4047E+20 (pack of 8)	EA	18791
12963826	X2 WPA tube adaptors 1 x 10mm and 1 x 12mm (pack)	EA	7177
11815962	Lamp Spare For FB68270	EA	7857
<b>Heating Mantle</b>			
FB68925	Heating Mantle 2L	EA	58597
<b>Penetrometer</b>			
H1280	Needle, Penetrometer; Humboldt; For bituminous materials; Standard hardened stainless steel; Certified to ASTM accuracy; Length: 1.6 to 1.8 in. (40 to 45mm); Weight: 0.09 oz. (2.5g)	EA	13053
K2050000000	Needle, Penetrometer; Koehler; For ASTM and related methods	EA	8974
K19500	Penetrometer; Koehler Instrument; For ASTM penetration tests on petroleum/food products; Full penetration range: 0 to 62.0mm with 1/10mm subdivisions; Includes: Plunger (47.5g), Weights (50 and 100g)	EA	462450
K9559000000	Penetrometer, Digital; Koehler; Tests consistency of lubricating greases, petroleum waxes, bitumens, pastes, creams; Includes plunger; Electrical Req.: 220-240V 50/60Hz; Overall Dim.: 12.5 x 14 x 18 in.; Net weight: 21 lb..	EA	1935908
<b>Refractometers</b>			
1394620	Refractometer, Handheld; Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; 0deg. to 18deg. Brix range in 0.1deg. Divisions; 0.1deg. Accuracy	EA	16828
1394621	Refractometer, Handheld; Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; 0deg. to 32deg. Brix range in 0.2deg. Divisions; 0.2deg. Accuracy	EA	16822
1394622	Refractometer, Handheld; Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; 28deg. to 62deg. Brix range in 0.2deg. Divisions; 0.2deg. Accuracy	EA	18961
1394623	Refractometer, Handheld, Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; 45deg. to 82deg. Brix range in 0.5deg. Divisions; 0.3deg. Accuracy	EA	19619
1394624	Refractometer, Handheld, Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; 58deg. to 90deg. Brix range in 1.0deg. Divisions; 0.5deg. Accuracy	EA	20202
1394625	Refractometer, Handheld; Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; With ATC; 0deg. to 10deg. Brix range in 0.1deg. Divisions; 0.1 accuracy	EA	20500

PK - Pack  
EA - Each



Cat. No.	Description	Pack	Price in ₹
1394626	Refractometer, Handheld; Fisherbrand; Focusing eyepiece; Measures sugar concentration in solutions, Concentration in industrial fluids; With ATC; 0deg to 32 deg Brix range in 0.2deg Divisions; 0.2 accuracy	EA	20500
1394627	Refractometer, Handheld; Fisherbrand; For saltwater/brine; Salinity 0 to 100ppt; Specific gravity: 1.0 to 1.07; With ATC; Divisions: 1.0ppt; Accuracy: 1.0ppt, 0.001; Includes: Soft-sided, foam-lined storage, calibration screwdriver	EA	16595
1394628	Refractometer, Handheld; Fisherbrand; Automotive; Scale Range: Propylene Glycol to 32degF, Ethylene Glycol to +32 deg F; Accuracy 5.0deg F; Includes: Soft-sided, foam-lined storage case, calibration screwdriver	EA	16822
1360000	DIGITAL CLINICAL TS METER	EA	282143
13940018	REFRACTOMETER, VET360-CHEK	EA	75630
13940019	REFRACTOMETER, USG-CHEK	EA	74322
13940020	REFRACTOMETER, SALT-CHEK	EA	76386
13940021	REFRACTOMETER, CLINIC-CHEK	EA	77676
13940022	REFRACTOMETER, GLYCERIN-CHEK(F)	EA	64594
13940023	REFRACTOMETER, GLYCERIN-CHEK(C)	EA	64402
13940024	REFRACTOMETER, EG-CHEK(F)	EA	64555
13940025	REFRACTOMETER, EG-CHEK(C)	EA	64402
13940026	REFRACTOMETER, PG-CHEK(F)	EA	64594
13940027	REFRACTOMETER, PG-CHEK(C)	EA	64402
13946100	Refractometer; Reichert; Goldberg Clinical Handheld; Total solids meter; Uses Goldberg method; Magnified, focusable scales; Scale reading: Urine Specific Gravity with 0.001 divisions; Specific gravity: 1.000 to 1.035; Accuracy: 0.001	EA	246293
13975105A	Lamp; Reichert; Replacement bayonet-type; Long-life bulb illuminates both the eyepiece and the sample; Adjustable; For use with Mark II/Mark II Plus refractometers	PK	7727
13975107	Refractometer, Handheld, Reichert; Rhino; Ranges: 1.100-1.400 Specific Gravity; Antifreeze Protection, 0deg.C to minus48deg.C; Coolant Concentration, 0 to 70% Ethylene Glycol, 0 to 61% Propylene Glycol; Refractive Index: 1.3330-1.4048	EA	27931
13975108	Refractometer, Handheld, Reichert; Rhino; Ranges: 1.100-1.400 Specific Gravity; Antifreeze Protection, 32deg.F to minus60deg.F; Coolant Concentration, 0 to 70% Ethylene Glycol, 0 to 63% Propylene Glycol; Refractive Index: 1.3330-1.4048	EA	27994
13975109B	Refractometer, Handheld, Reichert; Ultra-Durable; Brix 30; 0 to 30 Brix	EA	32769
13975110	Refractometers, Handheld; Reichert; Ultra-Durable; Brix50 Model; 0 to 50 % Brix scale reading; 1.4201-1.5177 refractive index range	EA	32769
13975111	Refractometer, Handheld, Reichert; AR200 Digital; Without IR Communications Package; 1.3300 to 1.5600, 0 to 95% Brix ranges; LCD readout; 225 datapoint storage; Accuracy 0.1% Brix	EA	277832
13975112	Refractometer, Handheld; Reichert; Industrial Fluid Tester, IFT 10HP High Precision Series; 0 to 10% scale, 0.2% divisions; RI range 1.3330 to 1.3478nD; 15 to 38 deg C ATC range; Accuracy 0.2	EA	80516
13975117	Refractometer/Handheld/Clinical/Reichert/TS400/Urine Specific Gravity/Serum Plasma Protein, Instant Readings	EA	80516
13975118	Refractometer; Reichert; AR700; Reads, Brix (0 to 85% ICUMSA), RI (1.33000-1.60000n(D), 0.00005 RI accuracy, 0.03% Brix accuracy, Conc., Peltier temp.-controlled (10 to 100deg. C); Sapphire prism	EA	2498638
13975122	Sample Press AR700	EA	146704
13975125	Flow Cell, Funnel; Reichert; Suited for applications that require quick and rapid measurements in a high throughput environment; Accessory for AR60 and AR600 series	EA	255782
13975126	Refractometer, Handheld, Reichert; Ultra-Durable; Brix90; 50 to 90 Brix	EA	32777
13975127	Refractometer, Handheld; Reichert; Ultra-Durable; VET360; 1.000 to 1.060 Specific Gravity; 2 to 14g/100mL Serum/Plasma/Protein ranges	EA	32640
13975128	Refractometer, Handheld, Reichert; AR200 Digital; 1.3300 to 1.5600, 0 to 95% Brix ranges; LCD readout; 225 datapoint storage; With IR Communications Package	EA	370816
13975132	Refractometer, Digital; Reichert; AR70; Automatic; Benchtop; Sapphire prism; Flexible; Peltier temp. control: 0deg. to 100 deg.C; Brix range: 0 to 95%; Calibration history log; Refractive index: 1.3300 to 1.6000; For broad range of sample	EA	2168051
13975133	Lamp, Pre focus; Reichert; 6.5V; 2.75A	EA	5153
13975150	Refractometer, Manual Benchtop; Reichert; Abbe Mark III; Ranges: RI, 1.3000 to 1.7000nD; 0.0 to 95.0% Brix; 10 to 80deg. C temperature compensation; 5-Button Operation; Automatic sample equilibration detection; two RS-232-C ports	EA	1289979
13975202	Refractometer, Handheld, Reichert; DEF-Chek	EA	65168
13975203	Refractometer, Handheld, Reichert; Multi-Chek (F)	EA	64589

Cat. No.	Description	Pack	Price in ₹
13975204	Refractometer, Handheld, Reichert; Multi-Chek (C)	EA	65168
13975205	Refractometer, Handheld, Reichert; Brake-Chek (F)	EA	65168
13975206	Refractometer, Handheld, Reichert; Brake-Chek (C)	EA	64552
13975207	Case, Holster; Reichert; For Pocket Digital Refractometer Units	EA	3270
13975410	Refractometer, Compact Digital Benchtop; Reichert; Model r2i300; Temperature-compensated ranges: 1.3300 to 1.5600 RI, 0 to 95.0% Brix; Accuracy to 0.001 RI, 0.1% Brix; Stores 1000 readings; RS-232 and printer ports; 5-point calibration	EA	1038136
13975411	Refractometer, Handheld; Reichert; Brix/RI-Chek; Digital refractometer 1.3330 to 1.4465 RI, 0.0 to 62.0% Brix ranges; LCD readout switchable between RI, Brix; IP65 water-resistant, dustproof; 3.9L x 2.13W x 1.06D; 2 AAA alkaline batteries	EA	71165
22312528	Cuvet, Calibration, Bilirubinometer; Reichert Low-Level Check Cuvette	EA	86321
A010310C	Bilirubin Analyzer; Unistat Bilirubinometer; Monitors total bilirubin level 24 hr. w/o warmup; 3 steps for testing; Disposable cuvettes reduce cross contamination; Uses undiluted serum; No sample prep required	EA	1348582
A03331	Lens, Magnifying; Reichert; Auxiliary; 1.5x; Combines with the colony counter lens; Doubles the total magnification from 1.5X to 3.0X; Aids in strain-free visual identification of colonies	EA	53340
BL10419	Refractometer, Handheld; Reichert; Goldberg Ultra-Precision Salinity; Focusable Glass Eyepiece; Direct-Read Scales; 1.3330-1.3730 R.I.; Scale Range 0pt; Division 0.0002nD/2ppt; Accuracy 0.0002nD/2ppt	EA	246471
RE10214	Bilirubin Analyzer, Accessories; Unistat Bilirubinometer; Disposable Cuvettes	PK	13593
RE10423	Refractometer, Handheld; Reichert; Brix; Focusable Glass Eyepiece; Direct-Read Scales; 1.333011 R.I.; Scale Range Division 0.1%; Accuracy: 0.05	EA	250412
RE10440	Refractometer, Handheld; Reichert; Industrial Fluid Tester; IFT40 Rhino Ultra-Durable Series; 0 to 30% scale, 0.5% divisions, RI range 1.3330 to 1.3860nD, 15 to 38 deg C ATC range; Accuracy 0.20	EA	32711
RE10504	Bulb, Replacement; Reichert; For refractometers	EA	8053
<b>Sieve Shaker</b>			
10254362	Sieve shaker maintenance-free analytical easy operation, ergonomic design 100-240V 50/60Hz 400mm x 230mm x 350mm Retsch	EA	587288
10278610	Test sieve rack for use with AS-200 sieve shaker Retsch	EA	58651
10670452	Sieve stack for use with AS-200 sieve shaker 200mm Retsch	EA	214452
300151001	Retsch™ AS 200 Series Vibratory Sieve Shakers, digit, 230V	EA	721677
048815H	Fisherbrand U.S. Standard Brass Test Sieves, 8 in. dia. x 1 in.D, Nominal opening 1.7mm; U.S. Std. No. 12; 10 Tyler Equivalent	EA	7081
048815L	Fisherbrand U.S. Standard Brass Test Sieves, 8 in. dia. x 1 in.D, Nominal opening 1mm; US Std. No. 18; Tyler No. 16	EA	7081
048815J	Fisherbrand U.S. Standard Brass Test Sieves, 8 in. dia. x 1 in.D, Nominal opening 1.4mm; US Std. No. 14; Tyler No. 12	EA	7081
048815F	Fisherbrand U.S. Standard Brass Test Sieves, 8 in. dia. x 1 in.D, Nominal opening 2.36mm; US Std. No. 8; Tyler No. 8	EA	7081
048815G	Fisherbrand U.S. Standard Brass Test Sieves, 8 in. dia. x 1 in.D, Nominal opening 2mm; US Std. No. 10; Tyler No. 9	EA	7081
<b>Touch Counter</b>			
11724406	Touch counter digital 1 to 9999 180mm x 50mm x 40mm Fisherbrand	EA	12673
<b>Turbidity</b>			
1970ISO	Meter, Turbidity; LaMotte; 2020 we; Compact handheld water analysis instrument; Waterproof IP67; Response time: <5 seconds; CE marked; Model: 2020 wi	EA	163387
1970EPA	Meter, Turbidity; LaMotte; 2020 we; Compact handheld water analysis instrument; Waterproof IP67; Response time: <5 seconds; CE marked; Model: 2020 we	EA	164129
<b>Viscometer</b>			
15078159	Viscometer, Falling-ball; Thermo Scientific Gilmont; GV-2100; Size No. 1; Range in centipoise: Glass (0.2 to 2), Stainless-Steel (1 to 10), Tantalum (2 to 20)	EA	44642
15078160	Viscometer, Falling-ball; Thermo Scientific Gilmont; GV-2200; Size No. 2; Range in centipoise: Glass (2 to 20), Stainless-Steel (10 to 100), Tantalum (20 to 200)	EA	44642
15078161	Viscometer, Falling-ball; Thermo Scientific Gilmont; GV-2200; Size No. 3; Range in centipoise: Glass (20 to 200), Stainless-Steel (100 to 1000), Tantalum (200 to 2000)	EA	45166

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
<b>Sonicator</b>			
<b>Sonic Dismembrators</b>			
15 345 119	Sonic Dismembrator, Digital; Branson; Sonifier SLP; SLPe Energy; LED display and parameter entry; Continuous or pulsed mode; Built-in auto-tuning; Memory retains last settings; Stores frequency at end of each cycle; 240V 50/60Hz, 1A	EA	586704
FB120220	Dismembrator, Sonic; Fisher Scientific; Model 120; Both manual and Programmable operation for consistent and reproducible results; Voltage: 230V, 50/60Hz; With 1/8 in. probe; 2-year warranty	EA	453518
FB120A220	Dismembrator, Sonic; Fisher Scientific; Model 120; Both manual and Programmable operation for consistent and reproducible results; 230V, 50/60Hz; No Probe; 2-year warranty	EA	418384
FB357	Stand, Jack; Fisher Scientific; Accessory for Model 500 Sonic Dismembrator; Dimension: 6 x 6 in.	EA	44128
FB4004	Switch, Foot; Fisher Scientific; Accessory for Model 50 Sonic Dismembrator	EA	15688
FB4207	Probe; Fisher Scientific; For Model 505 Sonic Dismembrator; Probe: 0.75 in.; Processing volume: 25 to 500mL; With replaceable tip	EA	104922
FB4208	Probe; Fisher Scientific; For Model 505 Sonic Dismembrator; Probe: 0.75 in. solid probe; Processing volume: 25 to 500mL; For low surface tension liquids (i.e. organic solvents)	EA	104922
FB4209	Probe; Fisher Scientific; For Model 505 Sonic Dismembrator; Probe: 1 in. solid probe; Processing volume: 50 to 1,000mL; For low surface tension liquids (i.e. organic solvents)	EA	110807
FB4210	Probe; Fisher Scientific; For Model 705 Sonic Dismembrator; Probe: 1 in.; Processing volume: 50 to 1,000mL; With replaceable tip	EA	110807
FB4219	Probe; Fisher Scientific; For Model 505 Sonic Dismembrator; Probe: 0.5 in. solid probe; Processing volume: 10 to 250mL; For low surface tension liquids (i.e. organic solvents)	EA	102961
FB4220	Probe; for Fisher Scientific Sonic Dismembrators FB505, FB705; Tip dia: 1/2 in.; Processing volume: 10-250mL; Replaceable tip	EA	102961
FB432A	Enclosure, Sound; Fisher Scientific; Accessory for Model 120 Sonic Dismembrator; With clamp; For sound reduction; Dimension: 20 x 10 x 10 in.; Can also be used with model 50	EA	136299
FB432B2	Sound Enclosure; for Fisher Scientific Models 505/705 Sonic Dismembrators; Significantly reduces noise	EA	148445
FB4406	Tip, Replacement; Fisher Scientific; For Model 505 Sonic Dismembrator; 0.5 in. probe	EA	11768
FB4407	Replacement tip; for Fisher Scientific Sonic Dismembrators; Tip dia: 3/4 in.; for FB505, FB705	EA	13727
FB4408	Replacement tip; for Fisher Scientific Model 705 Sonic Dismembrator; Tip dia: 1 in.	EA	15688
FB4417	Probe; Fisher Scientific; For Model 705 Sonic Dismembrator; 0.16 in. probe; Processing volume: 0.2 to 5mL	EA	67659
FB4418	Probe; Fisher Scientific; For Model 505 Sonic Dismembrator; 0.125 in. probe; Processing volume: 0.5 to 15mL	EA	56874
FB4420	Probe; Fisher Scientific; For Model 505 Sonic Dismembrator; Probe: 0.25 in. microtip; Processing volume: 5 to 50mL	EA	56874
FB4422	Probe; Fisher Scientific; For Model 120 Sonic Dismembrator; 1/8 in. probe; Processing volume: 0.5 to 15mL	EA	49029
FB4423	Probe; Fisher Scientific; For Models 50 and 120 Sonic Dismembrators; 5/64 in. probe; Processing volume: 0.2 to 5mL	EA	54913
FB4435	Probe; Fisher Scientific; For Model 120 Sonic Dismembrator; 1/4 in. probe; Processing volume: 5 to 50mL	EA	54913
FB4438	Stand, Adjustable; Qsonica; For 4611 96-tip horn; For use w/Fisher Scientific FB705 sonic dismembrator; Heavy duty; Vertically adjustable; Keeps horn level, allows adjustment of horn in, out of their microplate	EA	72563
FB459	Stand; Fisher Scientific; Accessory for Model 500 Sonic Dismembrator; With clamp	EA	19611
FB4599	Replacement tips for 96 tip horn (FB4611); for Fisher Scientific Models 505 and 705 Sonic Dismembrators	EA	4846
FB460	Stand; Fisher Scientific; Accessory for Model 120 Sonic Dismembrator; With clamp	EA	19611
FB4602	Horn, Tip; Fisher Scientific; For Model 120 Sonic Dismembrator; 8 channel	EA	254954
FB4608	Cup Horn; for Fisher Scientific Model 120 Sonic Dismembrator; for indirect processing of individual sealed tubes or vials. 1.5 in. cup diameter.	EA	155915
FB4611	96-Tip Horn; Fisher Scientific; For Fisher Scientific Model 505 and 705 Sonic Dismembrator; Process of 96 well plates; Tip: 0.69 in. long, use with standard and deep well microplates; Use w/FB4438 support stand, FB432B sound enclosure	EA	660195
FB50220	Dismembrator, Sonic; Fisher Scientific; Model 50; Small volume cell disruptor; Voltage: 230V, 50/60Hz; 50 watts; Includes: Generator (8 in. W x 7 in. L x 5 in. H), converter, 1/8 in. probe, cables, wrench set, manual, 2-year warranty	EA	339767
FB505220	Dismembrator, Sonic; Fisher Scientific; Model 505; High power, programmable system; For both small and large sample; Voltage: 230V, 50/60Hz; Includes 1/2 in. probe	EA	696698

# Fisher Scientific Sonic Dismembrators

## Cell Disruptors / Homogenizers

- » Processes 0.2 – 50 ml
- » 50 watts
- » Continuous or Remote operation (footswitch optional)
- » Lightweight converter for hand-held operation

**INCLUDES:** Generator, converter, 1/8" probe, cables, wrench set, manual, 2-year warranty

### Model 50 Sonic Dismembrator

Compact, portable and extremely simple to operate. Weighing less than 4 pounds, this model is the smallest unit on the market and is highly effective for cell disruption, sample preparation and many other small volume applications.



- » Processes 0.2 – 1,000 ml
- » 700 watts
- » Touch screen display
- » Programmable from 1 second to 99 hours
- » Save up to 10 different programs
- » Overload protection
- » Pulse mode (1 second to 24 hours)
- » Energy display (real-time watts and cumulative Joules)
- » Temperature monitoring (requires optional temperature probe)
- » Full amplitude control from 1-100%

**INCLUDES:** Generator, converter, 1/2" probe, cables, wrench set, manual, 2-year warranty

### Model 705 Sonic Dismembrator

Model 705 is a full-featured, programmable ultrasonic processor with easy to use touch screen controls. The additional power and variety of accessories accommodates the widest range of sample volumes and applications. 96-tip Horn and Cup Horn accessories offer time saving, high-throughput solutions to repetitive, individual sample processing.

Sound Enclosure  
(23" x 14.5" x 12" external dimension).  
Catalog No. FB432B



# Fisher Scientific Sonicator Bath

*Elmasonic P,  
available in 6 different sizes*



## Elmasonic P



Ultrasonic multi-frequency units with extra strong power, exceptionally silent, the right solution for every laboratory



*Normal*

*Pulse*

*Sweep*

*Degas*

### Technical details

	P 30 H	P 60 H	P 70 H	P 120 H	P 180 H	P 300 H
Tank max. capacity (litre)	2.75	5.75	6.9	12.75	18.0	28.0
Tank internal dimensions W/H/D (mm)	240x137x100	300x151x150	505x137x100	300x240x200	327x300x200	505x300x200
Unit external dimensions W/H/D (mm)	300x179x221	365x186x271	568x179x221	365x278x321	390x340x321	568x340x321
Basket (accessory) internal dim. W/H/D (mm)	198x106x50	255x115x75	465x106x50	250x190x115	280x250x115	455x250x115
Voltage (V)	115-120 220-240	115-120 220-240	115-120 220-240	220-240	220-240	220-240
Power consumption total (W)	320/300	580/550	820	1130	1130	1580
Ultrasonic frequency	37/80	37/80	37/80	37/80	37/80	37/80
Ultrasonic power effective (W)	120 / 100	180 / 150	220	330	330	380
Ultrasonic peak power (W)	480 / 400	720 / 600	880	1320	1320	1520
Sweep	integrated	integrated	integrated	integrated	integrated	integrated
Pulse	activatable	activatable	activatable	activatable	activatable	activatable
Heating power (W)	200	400	600	800	800	1200
Drain duct V4A (")	3/8	3/8	3/8	3/8	3/8	3/8

Cat. No.	Description	Pack	Price in ₹
FB505A220	Dismembrator, Sonic; Fisher Scientific; Model 505; High power, programmable system; For both small and large sample; 230V, 50/60Hz; No Probe	EA	663531
FB50A220	Dismembrator, Sonic; Fisher Scientific; Model 50; Small volume cell disruptor; Voltage: 230V, 50/60Hz; 50 watts; Includes: Generator (8 in. W x 7 in. L x 5 in. H), converter, cables, wrench set, manual; No Probe; 2-year warranty	EA	306925
FB705220	Dismembrator, Sonic; Fisher Scientific; Model 705; Ultra high power with advanced programming; DNA shearing/ChIP and all liquid processing applications; Voltage: 230V, 50/60Hz; Includes 1/2 in. probe	EA	916667
FB705A220	Dismembrator, Sonic; Fisher Scientific; Model 705; Ultra high power with advanced programming; DNA shearing/ChIP and all liquid processing applications; 230V, 50/60Hz; No Probe	EA	866183
FB81600061	Power cable; for Fisher Scientific Sonic Dismembrators; for FB120-220, FB505-220, FB705-220	EA	35299
FBCL18	Replacement converter; for Fisher Scientific Model 120 Sonic Dismembrator, FB120	EA	160816
FBCL334	Replacement converter for Fisher Scientific Models 505 and 705 Sonic Dismembrators	EA	285350
FB4102	Temperature Probe For FB705	EA	29250
FB4103	Thermocouple For FB705	EA	24205
FB4118	1/8 Tip For Model 500	EA	53326
FB4140	1/8 40Khz Tip For Model 150	EA	55010
FB4405	3/16" Microtip	EA	54913
FB4659	4 Tip Horn	EA	312601
FB431C2	5.5" Cup Horn	EA	369182
FB80500044	Replacment Pwr Cbl 110V-Mdl 50	EA	35299
FB81600056	Replacement Power Cable 110V	EA	36311
15338259	Cup Horn 1 1/2"	EA	160116
15338261	Convertor For S3000	EA	278632
15338262	Convertor For XI2000	EA	215682
15338265	Convertor Cable 6'	EA	41739
15338266	1/8" Microprobe	EA	59266
15338267	3/16" Microprobe	EA	62895
15338268	3/32" Microprobe	EA	64780
15338269	1/4" Microprobe	EA	64780
1533878	STAND FOR CUP HORN	EA	92646
FB4900	Air-Cooled Recirculating Chiller	EA	908665
FB4910	Tubing and Connector Set for Cup Horn	EA	22454
<b>Ultrasonic Bath</b>			
FB15047	"Ultrasonic bath,Elmasonic S 10/(H) Ultrasonic frequency: 37 kHz Tank capacity: 0,8 l Tank internal dimensions (W/D/H): 190x85x60 mm"	EA	43580
FB15151	BasketS 150	EA	23015
FB15051	"Ultrasonic bath,Elmasonic S 30/(H) Ultrasonic frequency: 37 kHz Tank capacity: 2,75 l Tank internal dimensions (W/D/H): 240x137x100 mm "	EA	81031
FB15053	"Ultrasonic bath,Elmasonic S 40/(H) Ultrasonic frequency: 37 kHz Tank capacity: 4,25 l Tank internal dimensions (W/D/H): 240x137x150 mm "	EA	120525
FB15049	"Ultrasonic bath,Elmasonic S 15/(H) Ultrasonic frequency: 37 kHz Tank capacity: 1,75 l Tank internal dimensions (W/D/H): 151x137x100 mm "	EA	76264
FB15057	"Ultrasonic bath,Elmasonic S 70/(H) Ultrasonic frequency: 37 kHz Tank capacity: 6,9 l Tank internal dimensions (W/D/H): 505x137x100 mm "	EA	151848
FB15059	"Ultrasonic bath,Elmasonic S 80/(H) Ultrasonic frequency: 37 kHz Tank capacity: 9,4 l Tank internal dimensions (W/D/H): 505x137x150 mm.Product profile S 80 / H"	EA	175680
FB15055	"Ultrasonic bath,Elmasonic S 60/(H) Ultrasonic frequency: 37 kHz Tank capacity: 5,75 l Tank internal dimensions (W/D/H): 300x151x150 mm "	EA	141634
FB15061	"Ultrasonic bath,Elmasonic S 100/(H) Ultrasonic frequency: 37 kHz Tank capacity: 9,5 l Tank internal dimensions (W/D/H): 300x240x150 mm "	EA	168871
FB15063	"Ultrasonic bath,Elmasonic S 120/(H) Ultrasonic frequency: 37 kHz Tank capacity: 12,75 l Tank internal dimensions (W/D/H): 300x240x200 mm "	EA	217898
FB15065	"Ultrasonic bath,Elmasonic S 180/(H) Ultrasonic frequency: 37 kHz Tank capacity: 18 l Tank internal dimensions (W/D/H): 327x300x200 mm"	EA	238326
FB15081	CoverS 10	EA	1702

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
FB15082	CoverS 15	EA	2383
FB15083	CoverS 30 / S 40	EA	2656
FB15084	CoverS 60	EA	3337
FB15085	CoverS 70 / S 80	EA	4358
FB15086	CoverS 100 / S 120	EA	4358
FB15087	CoverS 180	EA	4630
FB15088	CoverS 300 / S 150	EA	5447
FB15068	"Ultrasonic bath,Elmasonic S 450/(H) Ultrasonic frequency: 37 kHz Tank capacity: 45 l Tank internal dimensions (W/D/H): 500x300x300 mm "	EA	392217
FB15069	Ultrasonic bath, S 900 H	EA	603305
FB15070	BasketS 10	EA	4630
FB15072	BasketS 30	EA	5856
FB15077	BasketS 100	EA	17704
FB15071	BasketS 15	EA	5039
FB15073	BasketS 40	EA	6673
FB15074	BasketS 60	EA	8307
FB15075	BasketS 70	EA	19475
FB15076	BasketS 80	EA	22743
FB15080	BasketS 300	EA	23015
FB15079	BasketS 180	EA	20156
FB15078	BasketS 120	EA	17704
FB15048	"Ultrasonic bath,Elmasonic S 15/ Ultrasonic frequency: 37 kHz Tank capacity: 1,75 l Tank internal dimensions (W/D/H): 151x137x100 mm "	EA	64008
FB15050	"Ultrasonic bath,Elmasonic S 30/ Ultrasonic frequency: 37 kHz Tank capacity: 2,75 l Tank internal dimensions (W/D/H): 240x137x100 mm "	EA	72860
FB15052	"Ultrasonic bath,Elmasonic S 40/ Ultrasonic frequency: 37 kHz Tank capacity: 4,25 l Tank internal dimensions (W/D/H): 240x137x150 mm "	EA	104863
FB15054	"Ultrasonic bath,Elmasonic S 60/ Ultrasonic frequency: 37 kHz Tank capacity: 5,75 l Tank internal dimensions (W/D/H): 300x151x150 mm "	EA	120525
FB15056	"Ultrasonic bath,Elmasonic S 70/ Ultrasonic frequency: 37 kHz Tank capacity: 6,9 l Tank internal dimensions (W/D/H): 505x137x100 mm "	EA	138910
FB15058	"Ultrasonic bath,Elmasonic S 80/ Ultrasonic frequency: 37 kHz Tank capacity: 9,4 l Tank internal dimensions (W/D/H): 505x137x150 mm.Product profile S 80/ H"	EA	151848
FB15060	"Ultrasonic bath,Elmasonic S 100/ Ultrasonic frequency: 37 kHz Tank capacity: 9,5 l Tank internal dimensions (W/D/H): 300x240x150 mm "	EA	138910
FB15062	"Ultrasonic bath,Elmasonic S 120/ Ultrasonic frequency: 37 kHz Tank capacity: 12,75 l Tank internal dimensions (W/D/H): 300x240x200 mm "	EA	178404
FB15064	"Ultrasonic bath,Elmasonic S 180/ Ultrasonic frequency: 37 kHz Tank capacity: 18 l Tank internal dimensions (W/D/H): 327x300x200 mm"	EA	206322
FB15046	"Ultrasonic bath,Elmasonic S 10/(Non Heated) Ultrasonic frequency: 37 kHz Tank capacity: 0,8 l Tank internal dimensions (W/D/H): 190x85x60 mm "	EA	35408
FB13003	Immersionbasketstainlesssteel/diam. = 78mmh = 60mm	EA	5584
FB13018	Clamps for Erlenmeyer flasks 50mlall types	EA	2792
FB13019	Clamps for Erlenmeyer flasks 250mlall types	EA	3609
FB13020	Clamps for Erlenmeyer flasks 500mlall types	EA	4290
FB13021	Clamps for Erlenmeyer flasks1000mlall types	EA	5189
1007938	Jewellery rack with 10 adjustable hooks	EA	1458
1008962	Din medical tray holder	EA	14580
FB15094	BasketS 450	EA	36089
FB1009035	BasketS 900	EA	48210
FB15093	CoverS 450	EA	9669
FB1009058	CoverS 900	EA	17840
1009550	Stainless-steel cover for 1 glass beaker with rubber ring for Elmasonic S 90	EA	4741
1009778	Dental tray holder for semi trays for Elmasonic S 90	EA	5808
1009780	Stainless-steel basket with plastic-coated handles for Elmasonic 90	EA	8298

Cat. No.	Description	Pack	Price in ₹
1009781	Stainless steel holder basket 1/2 size for Elmasonic S 90	EA	9246
1009782	Dental tray holder for for Elmasonic S 130	EA	11380
1009783	Stainless-steel basket with plastic-coated handles for Elmasonic 130	EA	10787
1009785	Stainless-steel basket with 4 partitions for Elmasonic S130	EA	12091
1009786	Stainless steel holder basket 1/2 size for Elmasonic S 130	EA	10431
1010081	Stainless Steel Cover for Elmasonic 90	EA	4979
1010085	Stainless Steel Cover for Elmasonic 130	EA	5571
FB11205	Sonic bath dual freq.P 70 H	EA	174319
FB11201	Sonic bath dual freq.P 30 H	EA	119844
FB11203	Sonic bath dual freq.P 60 H	EA	165466
FB11207	Sonic bath dual freq.P 120 H	EA	249902
FB11209	Sonic bath dual freq.P 180 H	EA	275096
FB11211	Sonic bath dual freq.P 300 H	EA	319357
1022225	Cover for residual dirt analysis for 1 glass bowl for Elmasonic 120 / Transsonic TI-H 10	EA	12091
1022226	Cover for residual dirt analysis for 2 glass beakers for Elmasonic 120 / Transsonic TI-H 10	EA	12091
1022246	Glass bowl for residual dirt analysis	EA	14224
FB11303	"X-tra basic 550Sonic bath dual freq.multi-frequency (25/45 kHz, switchable), bottom sound and heating."	EA	534835
102 65 84	550 Basket	EA	40747
102 65 95	550 Cover standard	EA	9779
102 66 88	550 Hinged cover (noise prot.)	EA	43859
FB11305	"X-tra basic 800Sonic bath dual freq.multi-frequency (25/45 kHz, switchable), bottom sound and heating."	EA	651595
FB11301	"X-tra basic 300Sonic bath dual freq.multi-frequency (25/45 kHz, switchable), bottom sound and heating."	EA	427868
FB11307	"X-tra basic 1200Sonic bath dual freq.multi-frequency (25/45 kHz, switchable), bottom sound and heating."	EA	787187
102 72 80	300 Hinged cover (noise prot.)	EA	40747
102 72 97	1200 Hinged cover (noise prot.)	EA	57490
102 73 05	2500 Hinged cover (noise prot.)	EA	63417
102 73 25	300 Cover standard	EA	7260
102 73 30	1200 Cover standard	EA	21040
102 73 32	2500 Cover standard	EA	23411
102 73 39	300 Basket	EA	29486
102 73 49	800 Basket	EA	49934
102 73 50	1200 Basket	EA	49934
102 73 51	1600 Basket	EA	52897
102 73 52	2500 Basket	EA	63417
FB11309	"X-tra basic 1600Sonic bath dual freq.multi-frequency (25/45 kHz, switchable), bottom sound and heating."	EA	1008654
FB11311	"X-tra basic 2500Sonic bath dual freq.multi-frequency (25/45 kHz, switchable), bottom sound and heating."	EA	1367973
1031243	Stainless-steel basket with plastic-coated handles for Elmasonic 150	EA	20033
1031429	Stainless-steel cover for 2 glass beaker with rubber ring for Elmasonic S130	EA	5808
1031451	Stainless Steel Cover 1/2 Size for Elmasonic 130	EA	10787
1032059	Basket coated for watch servicing purposes,Suitable for Elmasonic 30 / 40 / 60 / 100 /120	EA	23470
1033905	Noise protection box for Elmasonic 10 - 60 / X-tra 30 ; 50	EA	63654
FB13023	Cooling coil, stainless steelS 60 / 80-130 / 180 / 300	EA	26420
FB13022	Cooling coil, stainless steelS 30 / 40 / 70 / 150	EA	20564
FB1042706	Cooling coil, stainless steelS 60 / 80-130 / 180 / 300	EA	137548
FB1045437	Ultrasonic bath, S 50 R	EA	109630
1045676	Separate lid for glass beaker 207 036 1000 for	EA	545
1045677	Separate lid for glass beakers 2070341000 / 2070351000	EA	593
FB13027	Basket 50 R	EA	10486
FB13024	Cover 50 R	EA	3405
FB13012	Glass beaker, 600 ml with lidall types except S 10	EA	1702
FB13013	Glass beaker, 1000 ml with lidall types except S 10	EA	3541
FB13011	Glass beaker, diam. = 80 mm with lidS 10	EA	1798
1049017	Ultrasonic bath Elma Type S 300 H	EA	260188

PK - Pack  
EA - Each



Cat. No.	Description	Pack	Price in ₹
FB15066	"Ultrasonic bath,Elmasonic S 300/ Ultrasonic frequency: 37 kHz Tank capacity: 28 l Tank internal dimensions (W/D/H): 505x300x200 mm"	EA	267606
1049341	"Rack for for Elmasonic S 500 HM"	EA	20151
1049365	Stainless-steel basket with plastic-coated handles for Elmasonic 500 HM	EA	21929
1049370	Plastic Cover for Elmasonic 500 HM	EA	5334
FB13026	Sieve holder 50 R	EA	7626
FB13028	Fixation for Labor glasses 50 R	EA	6537
FB13025	Plastic lid for beaker 50 R	EA	3405
10499135	Ultrasonic bath Elma Type S 150	EA	213958
2000000168	Silicon nap mat to insert into the basket for Elmasonic 180 / 130	EA	11617
2000000368	Noise protection box for Elmasonic 90 - 130 / X-tra 70 / TI-H 5	EA	68988
2000000995	TI-H 5 basket	EA	16379
2000000996	TI-H 10 basket	EA	23180
2000000997	TI-H 15 basket	EA	23180
2000000998	TI-H 20 basket	EA	24707
2000001216	Plastic Cover for Elmasonic one	EA	1055
2000001230	Plastic basket for Elmasonic One	EA	1422
2000001536	Forceps, plastic	EA	213
2000001581	Plastic cleaning cup with cover	EA	664
2000001582	Plastic cleaning cup with cover	EA	664
FB13029	Rubber ring for glass 600ml/1000ml	EA	300
FB13009	Acid resistant plastic tub with coverS 300	EA	28735
FB11036	Cover with holes, stainless steelS 15	EA	4426
FB11037	Cover with holes, stainless steelS 30 / S 40	EA	5584
FB13015	Glass beaker, without lid all types except 10	EA	1021
2070351000	Glass beaker without lid for all unit types (except S 10)	EA	2726
FB13014	Glass Beaker, diam. =80mm with lidS 10	EA	1307
FB13001	Immersion basket Hostalen/diam. = 74mmh=50mm	EA	1212
FB13004	Hostalen tubS 15	EA	2220
FB13005	Hostalen tubS 30	EA	2506
2070450000	Stand for glass beakers not for S 10	EA	1932
2070460000	Ring holder	EA	1458
2070470000	Clamping device for flexible metal watch straps	EA	1814
FB11035	Cover with holes, stainless steelS 10	EA	3473
FB13002	Immersionbasketstainlesssteel/diam. =59mmh=60mm	EA	4767
2070600000	Hostalen tub with long straps for Elmasonic 40	EA	2181
2070610000	Ring hook	EA	356
FB13016	"Bottle Holder, stainless steelS 30/ S 40 S 60/ S 70 S 80"	EA	3337
FB13017	"Test Tube Holderr, stainless steel, 16 TubesS 30/ S 40 S 60/ S 70 S 80"	EA	8444
FB13010	Acid resistant plastic tub with coverS 450	EA	33229
FB11040	Transparent coverS 15	EA	3064
FB11041	Transparent cover 30/40	EA	3615
FB11042	Transparent coverS 60	EA	4698
FB11055	Transparent coverS 100 / S 120	EA	6265
2070830000	Transparent Plastic cover for Elmasonic 180	EA	6401
FB11056	Transparent coverS 300 / S 150	EA	9669
FB13006	"Acid resistant plastic tub with coverS 30 / S40 S 60"	EA	6265
FB13007	Acid resistant plastic tub with coverS100/ S120	EA	18113
FB13008	Acid resistant plastic tub with coverS 180	EA	23969
FB13000	Cover with holes, stainless steelS 60 / S 150	EA	6673
2101000130	Movable rack for Elmasonic S 900	EA	35442
2101000131	Movable rack for Elmasonic S 450	EA	29753
FB11160	TI-H 5 MF3Sonic bath dual freq.multi-frequency 35 / 130 kHz (MF3).	EA	217277

Cat. No.	Description	Pack	Price in ₹
FB11161	TI-H 5 MF2Sonic bath dual freq.multi-frequency 25 / 45 kHz (MF2)	EA	217277
2390100050	TI-H 5 cover	EA	5136
2390150000	TI-H 5 hinged lid	EA	31785
FB11163	TI-H 10 MF3Sonic bath dual freq.multi-frequency 25 / 45 kHz (MF2)	EA	243593
FB11164	TI-H 10 MF2Sonic bath dual freq.multi-frequency 25 / 45 kHz (MF2)	EA	243593
2390200050	TI-H 10 / TI-H 15cover	EA	5830
FB11166	TI-H 15 MF3Sonic bath dual freq.multi-frequency 35 / 130 kHz (MF3).	EA	273464
FB11167	TI-H 15 MF2Sonic bath dual freq.multi-frequency 35 / 130 kHz (MF3).	EA	273464
2390350000	TI-H 10 / TI-H 15hinged lid	EA	36782
FB11169	TI-H 20 MF3Sonic bath dual freq.multi-frequency 35 / 130 kHz (MF3).	EA	286977
FB11170	TI-H 20 MF2Sonic bath dual freq.multi-frequency 25 / 45 kHz (MF2)	EA	286977
2390400050	TI-H 20 cover	EA	6524
2390450000	TI-H 20 hinged lid	EA	38864
3750100000	Electric hot air dryer, 190 x 167 x 130 mm	EA	30819

### Sterilizer

Autoclave			
AVS1505	Autoclave Validation System	EA	596327
023210053	Tuttnauer Autoclave 1730M 220V	EA	921562
023210151	Tuttnauer Autoclave 2340M 220V	EA	1063854
023210355	Tuttnauer Autoclave 2540M 220V	EA	1219725
023210258	Tuttnauer Autoclave 2340E 220V	EA	1305293
023210461	Tuttnauer Autoclave 2540EP 220V	EA	1557265
023210915	Vertical Autoclave 2840ELV	EA	2600364
023210916	Vertical Autoclave 2840ELVC	EA	2982771
023210606	Autoclave Tuttnav M#3870E 220V	EA	4175565
023210950	Vertical Autoclave 3870ELVC	EA	4746758
Sterilizer			
956060	Sterilizer Stand Ss 29 In High	EA	163053
E400220	Ozilla Ozone Sterilizer 220V	EA	800472
SM310	Sterilizer W/Dry 1.2Cuft 220V	EA	1605343
023210380	2540Eap Electronic Sterilizer	EA	1859498
952678	Sterilizer Fixed 121C	EA	2062418
952902	Sterilizer, Steam,50Hz,85L Cap	EA	2108153
952903	Sterilizer, Steam,50Hz,85L Cap	EA	2151780
956300	Steam Sterilizer 208/240V 60Hz	EA	2390586
956301	Steam Sterilizer 220/380V 50Hz	EA	2494210
023210673	3870EAP Electronic Sterilizer	EA	4362003

### Traceable Products

Anemometers			
01241	Traceable® Digital Anemometer w/Temperature	EA	30635
0666273	Traceable® Hot Wire Anemometer w/RS-232 Output	EA	58078
1166116	Traceable® Digital Anemometer w/Memory	EA	45530
15078208	Chemical-Resistant Check Valve 1/8-inch	EA	4725
15078209	Chemical-Resistant Check Valve 3/16-inch	EA	4725
15078210	Chemical-Resistant Check Valve 1/4-inch	EA	4725
15078211	Chemical-Resistant Check Valve 3/8-inch	EA	4725

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
<b>Barometers</b>			
02406	Traceable® Handheld Digital Barometer	EA	29242
1464851	Traceable® Dial Barometer	EA	16520
15078196	Traceable® Vane Anemometer/Thermometer/Hygrometer/Dew Point / Barometer Pen	EA	36291
15078198	Traceable® Hygrometer/Thermometer/Barometer/Dew Point Pen	EA	24957
15079610	Traceable® Workstation Barometer with Clock	EA	6621
02402	Weather System	EA	67158
<b>Battery</b>			
024401E	Battery 4030/4031	EA	470
FA01102	1.5V Battery	EA	484
<b>Calculators</b>			
12099	Solar Metric Converter	EA	8656
1464850	Solar Pocket Metric Converter	EA	4406
14648100	Scientific Clipboard	EA	6950
1209920	Big-Digit Solar Calculator	EA	1476
1209921	Scientific Calculator	EA	2565
1209923	12-Digit Computer	EA	6638
1209912	Universal Converter	EA	3362
1209924	Solar Calculator 8 Digit	EA	2478
1209925	Solar Calculator 12 Digit	EA	2823
<b>Calipers</b>			
1464817	Traceable® Digital Calipers	EA	12376
0666416	Traceable® Digital Calipers (8 inch)	EA	16956
15077957	Traceable® Digital Carbon Fiber Calipers, 4 inch	EA	3933
15077958	Traceable® Digital Carbon Fiber Calipers, 6 inch	EA	4375
<b>Carts</b>			
04681	Mini-Dolly Folding Cart	PK	16749
119281	Aluminum Fold-Up Cart	EA	21090
119282	Aluminum Fold-Up Hand Truck	EA	18607
<b>Conductivity</b>			
22278143	Accessory Conductivity Probe (Plastic)	EA	28516
093262A	Replacement Conductivity Probe (Glass)	EA	25732
093262	Traceable® Bench/Portable Conductivity Meter	EA	114828
093281	Traceable® Conductivity Standard (10 $\mu$ S)	EA	3478
093282	Traceable® Conductivity Standard (100 $\mu$ S)	EA	3265
093283	Traceable® Conductivity Standard (1000 $\mu$ S)	EA	3265
093284	Traceable® Conductivity Standard (10,000 $\mu$ S)	EA	3265
093285	Traceable® Conductivity Standard (100,000 $\mu$ S)	EA	3265
09327	Traceable® Conductivity Meter	EA	47437
22278141	Accessory Conductivity Probe (Plastic)	EA	23190
093271	Replacement Conductivity Probe (Glass)	EA	28095
15079609	Replacement Probe for 4132 Model	EA	20037
1166123	Easy-Use™ Accessory Adaptor (115 VAC)	EA	5202
06664265	Traceable® Conductivity Standard (150,000 $\mu$ S)	EA	3265
06664266	Traceable® Conductivity Standard (200,000 $\mu$ S)	EA	3265
09330	Traceable® Bench Conductivity Meter	EA	132638
0666259	Ph/Conductivity Universal Flow-Thru Adaptor	EA	10473
0666262	Traceable® Pure H2O Tester	EA	33401
0666261	Traceable® Dual Display Cond. Meter w/RS-232 Output	EA	44526

# Fisher Scientific™ Certified Reference Materials (CRM) Traceable™

From an ISO/IEC 17025 A2LA accredited calibration laboratory • NIST certified



- » Have an accuracy:  $\pm 0.010$  pH (at 25°C)—the most precise available
- » Are compared directly to NMI (National Metrology Institute)
- » Are 100% compatible with all makes of pH meters, electrodes
- » Include values manufactured to IUPAC (International Union of Pure and Applied Chemistry) formulation
- » Have a triple-layered proprietary packaging (aluminum foil, PET and low-density polyethylene bag) prevents contamination

Fisher Scientific™ Certified Reference Materials (CRM) Traceable™ pH Buffer Standards			
Size	Cat. No.	pH Value	Price
	06-664-259	4.005	\$17.46
16 fl.oz. Bottle	06-664-260	7.000	\$17.46
	06-664-261	10.012	\$17.46
100 ml One-Shot™ (pk of 6)	06-664-262	4.005	\$19.80
	06-664-263	7.000	\$19.80
	06-664-264	10.012	\$19.80

## Only Traceable™ Conductivity Standards (CRM):



Fisher Scientific™ Traceable™ Conductivity Standards, Certified Reference Material Accredited					
ISO Guide 34, ISO Guide 35, ISO Guide 31, ISO/IEC 17025	Cat. No. Individually Tested 16 oz. bottle	Cat. No. 100 ml One-Shot™ (6-pack)	Microsiemens/Microhmhos	Megohms	TDS/PPM
15-077-945	15-077-946	—	1	1	0.66
06-664-24	15-077-947	06-664-25	5	0.2	3.3
09-328-1	15-077-948	09-328-6	10	0.1	6.6
09-328-2	15-077-949	09-328-7	100	0.01	66
09-328-3	15-077-950	09-328-8	1000	0.001	666
09-328-11	15-077-951	09-328-12	1413	0.00071	933
09-328-4	15-077-952	09-328-9	10000	0.0001	6666
09-328-5	15-077-953	09-328-10	100000	0.00001	66666
06-664-265	06-664-267	06-664-268	150000	0.000006	100000
06-664-266	06-664-274	06-664-275	200000	0.000005	133333
—	—	09-328-20	Assortment (one each of the above, except 06-664-25, 06-664-268, or 06-664-269)		

- » Are 100% compatible with all conductivity meters
- » Have an accuracy certificate stated uncertainty, or  $\pm 0.25$  microsiemen or  $\pm 0.25$

# Fisher Scientific Traceable® Dishwasher Metal Thermometer

From an ISO/IEC 17025 (1750.01) A2LA accredited calibration laboratory • NIST certified

Reports maximum temperatures achieved during dishwashing



## New Fisher Scientific Traceable® Dishwasher Metal Thermometer

- » Validates that the 180°F (82°C) temperature regulation standards were achieved during the dishwashing process
- » Range: -58 to 302°F (-50 to 150°C)
- » Resolution: 0.1°
- » Accuracy: ±1°C (-20 to 150°C)
- » Waterproof/metal construction are ideal for dishwashers and other wet applications
- » Use it in food, pharmaceutical, clean rooms, industrial labs
- » Size: 1¾" diameter x ¾"; weight: 1 ounce
- » Supplied: battery, metal hanger or metal probe cover, Traceable® Certificate
- » To assure accuracy an individually serial-numbered Traceable® Certificate is provided from an ISO 17025 calibration laboratory accredited by A2LA. It indicates traceability to standards provided by NIST (National Institute of Standards and Technology).

Catalog No.	Description
14-648-61	Fisher Scientific Traceable® Dishwasher Metal Thermometer
14-648-62	Fisher Scientific Traceable® Metal Thermometer

Traceable is a registered Trademark of Control3.

## Alchemist Series™

Stainless-steel probe and sealed metal housing construction make it the most rugged thermometer ever designed for wet environments.

### Records minimum/maximum reading

Features include °F/°C switch, minimum and maximum memory readings over any time period, and a HOLD switch (freezes the display to capture a temperature). Large, bright ¾-inch-high LCD is easy to read. Probe model: stainless-steel stem is 5-inches and overall length is 6 inches.

Cat. No.	Description	Pack	Price in ₹
093301	Redi-Stor™ Conductivity Probe Storage Solution	EA	3265
0932820	Traceable One-Shot® Assortment (6/pk)	EA	4023
0932811	Traceable® Conductivity Calibration Std. (1413 μS)	PK	3265
0932812	Traceable One-Shot® Standard (6/pk 1413 μS)	EA	4023
093286	Traceable One-Shot® Standard (6/pk 10 μS)	EA	4023
093287	Traceable One-Shot® Standard (6/pk 100 μS)	EA	4023
093288	Traceable One-Shot® Standard (6/pk 1000 μS)	EA	4023
093289	Traceable One-Shot® Standard (6/pk 10,000 μS)	EA	4023
0932810	Traceable One-Shot® Standard (6/pk 100,000 μS)	PK	4023
0666424	Traceable® Conductivity Standard (5 μS)	EA	8914
0666425	Traceable One-Shot® Standard (6/pk 5 μS)	EA	11344
15077945	Traceable® Conductivity Standard (1 μS)	EA	8914
15078200	Traceable® Conductivity Pen	PK	7717
15078201	Traceable® Conductivity/Total Dissolved Oxygen Pen	PK	8562
15078202	Traceable® Salinity Pen	EA	8861
06664267	Traceable® A2LA Conductivity Std. 150,000	EA	10952
06664274	Traceable® A2LA Conductivity Std. 200,000	EA	10952
15077948	Traceable® A2LA Conductivity Std. 10	EA	10952
15077949	Traceable® A2LA Conductivity Std. 100	EA	10952
15077950	Traceable® A2LA Conductivity Std. 1000	EA	10952
15077952	Traceable® A2LA Conductivity Std. 10,000	EA	10952
15077953	Traceable® A2LA Conductivity Std. 100,000	EA	10952
15077947	Traceable® A2LA Conductivity Std. 5	EA	14662
15077951	Traceable® A2LA Conductivity Std. 1413	EA	10952
15077946	Traceable® A2LA Conductivity Std. 1	EA	14662
06664268	Traceable One-Shot® Standard (6/pk 150,000 μS)	EA	4023
06664275	Traceable One-Shot® Standard (6/pk 200,000 μS)	EA	4023
<b>Controller</b>			
1146347A	Traceable® Temperature Controller	EA	18826
<b>Counters</b>			
079052	Digital Counter	EA	2381
079056	Hand Tally Counter	PK	804
1464978	Digital Key-Chain Wristband Counter	EA	1495
1464977	Counter Pen	EA	2381
<b>Desiccators</b>			
086645A	Desi-Vac Container™ (600 ml)	PK	2826
086645B	Desi-Vac Container™ (850 ml)	PK	3199
086645C	Desi-Vac Container™ (1100 ml)	PK	3523
15077955	Desi-Vac Container™ (3.0 L)	PK	5329
<b>Dessicants</b>			
07580	Humidity Sponge™ - Indicating (40/pack)	EA	4868
075801	Humidity Sponge™ - Regenerable (40/pack)	EA	4880
<b>Dissecting</b>			
08850	Microprobes (6/pack)	EA	8620
<b>Electrical Equipment</b>			
FA04236	AC Adaptor	EA	3945
1464816	Analog Battery Tester	EA	3827
<b>Envirometer</b>			
024015	Envirometer	EA	19003

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
<b>Humidity Monitors</b>			
06664272	33% RH Calibration Std.	EA	6093
06664273	75% RH Calibration Std.	EA	6093
066624	Traceable® Thermometer Clock Humidity Monitor	EA	5412
116619	Traceable® Memory Humidity/Temperature Monitor	EA	10844
0666410	Traceable® Analog Clock w/Temp. & Humidity	EA	3305
1166111	Traceable® Digital Humidity/Temperature	EA	6706
1166113	Traceable® Memory Humidity/Temperature	EA	7028
1166119	Traceable® Jumbo Humidity/Temperature Meter	EA	7673
1166120	Traceable® Humidity/Temp. Meter w/Output	EA	28740
1464827	Traceable® Humidity Controller	EA	15270
1464852	Traceable® Radio Humidity	EA	10474
1464853	Traceable® Humidity Module	EA	5172
15079614	Traceable® Digital Humidity/Temperature/Dew Point Meter	EA	6008
<b>Hygrometers</b>			
116618	Traceable® General Purpose Hygrometer	EA	27446
1166114	Traceable® Pen Hygrometer	EA	7079
1166118	Traceable® Memory Hygrometer/Thermometer	EA	18497
1166121	Traceable® Hygrometer/Thermometer w/RS-232 Output	EA	34046
15078195	Traceable® Vane Anemometer/Thermometer/Hygrometer/Dew Point Pen	EA	17274
1166117A	Traceable® Printing Hygrometer °F	EA	68425
116616B	Analog Hygrometer/Thermometer	EA	8785
024401A	3 Volt Lithium Battery	PK	603
024401B	Battery	EA	470
024401C	Alkaline Battery	EA	470
024402A	9 Volt Rechargeable Battery	PK	2128
024402B	AA Nickel Cadmium Battery	EA	940
024401D	Button Cell 1.5V Battery	PK	484
024403A	AAA Alkaline Battery	PK	484
116617A	Traceable® RH/Temp/Dew Point Meter (Universal)	EA	51490
116617B	Traceable® RH/Temp/Dew Point Meter (Fast)	EA	69705
1507751	Traceable® Remote Sensor Module w/Probe	PK	5511
1507752	Traceable® Accessory Stainless Steel Probe	PK	7680
1507753	Accessory Traceable® External Bottle Probe	PK	5835
1464984	Traceable® Remote Alarm RH/Temperature Monitor	EA	8896
1464849	Traceable® RH-on-a-card	EA	5987
15077963	Traceable® Dew-Point/Wet-Bulb/RH/Temp Alarm	EA	7367
<b>Light Meters</b>			
0666263	Traceable® Dual Range Light Meter w/Outputs	EA	16735
0666264	Traceable® Light Meter w/RS-232 Output	EA	27098
0666265	Traceable® UVA Light Meter w/RS-232 Output	EA	79495
15078189	Traceable® Light Meter Pen	EA	14372
<b>Logger</b>			
FA06590	USB Cable for Logger-Trac LN2 and RH/Temperature (Use with 6550 and 6560)	EA	2763
FA06540	Traceable® Logger-Trac™ Temperature	EA	9396
FA06545	Logger-Trac™ Sleeves (100/pk)	EA	4606
FA06550	Traceable® Logger-Trac™ RH/Temperature	EA	24180
FA06560	Traceable® Logger-Trac™ LN2	EA	79449
FA06570	Logger-Trac™ Cradle & Cable (Use with 6540)	EA	6909

Cat. No.	Description	Pack	Price in ₹
<b>Microscope</b>			
120716D	Illuminated Microscope (60X-100X Zoom)	EA	5916
120716E	Illuminated Microscope (30X)	EA	5310
<b>Moisture meter</b>			
0666267	Traceable® Moisture Meter	EA	45184
<b>Multimeter</b>			
012411	Auto-Range Multimeter	EA	5126
<b>Oxygen Meter</b>			
0666266	Traceable® Dissolved Oxygen Meter	EA	65560
15078199	Traceable® Dissolved Oxygen Pen	EA	43404
<b>Probes</b>			
02441	Microprobe for Model 4000	EA	2181
1507712	Accessory Probe	EA	6694
15081122	Replacement Probe for 4000 Model	EA	9580
15077722	Accessory Traceable® External 5 mL Bottle Probe	EA	6128
FA04112	Micro Probe for 4000 Model	EA	14745
FA04124	Bottle Probe	EA	3312
FA04231	Replacement Probe for 4230	EA	4309
FA04361	Replacement Conductivity Probe (Glass/Platinum)	EA	17023
FA04362	Replacement Conductivity Probe (Unbreakable E[pxoy]	EA	14163
<b>Rulers and Measuring Devices</b>			
0666417	Measuring Meter	EA	8012
<b>Safety</b>			
20324	Liquid Alarm	PK	5292
<b>Scoop</b>			
FA03476	40mL Scoop for Traceable® SpatulaBalance™	EA	2411
FA07050	Replacement Scoop for 3475 Traceable® SpatulaBalance™	EA	2411
<b>Slide Holder</b>			
1258820	Slide Holder Cards (12/pack) & Box	EA	1656
1258825	Slide Holder Cards (12/pack)	EA	1640
<b>Slide Holder Cabinet</b>			
1258830	Slide Holder Cabinet (1 drawer)	EA	10087
<b>Sound Meter</b>			
116616A	Traceable® Sound Level Meter	EA	33099
<b>Spatulas</b>			
143725	Micro-Spatulas (4/pack)	EA	4138
<b>Sprayer</b>			
1464848	Trigger Sprayer	EA	1672
FA03341	Replacement Sprayer	EA	1948
<b>Stationery</b>			
1464959	Dust-It Blower, 3 pack	EA	4099
3132	Disposable Pens, All Black, (5/pack)	EA	6955
3135	Black Replacement Pen for 3133	EA	783

PK - Pack  
EA - Each



Cat. No.	Description	Pack	Price in ₹
<b>Stopwatch</b>			
14649	Traceable® 8-Memory Digital Stopwatch	EA	14649
14648	Traceable® Dual Display Digital Stopwatch	EA	9453
146481	Traceable® Stopwatch/Chronograph	EA	1223
146483	Traceable® Jumbo-Digit Stopwatch	EA	3621
146484	Traceable® 300 Memory All Function Stopwatch	EA	7276
146495	Traceable® Digital Stopwatch	EA	7277
146497	Traceable® Big Digit Stopwatch	EA	3929
146498	Traceable® Universal Stopwatch	EA	6820
146499	Traceable® 60 Memory Stopwatch	EA	4657
666256	Traceable® Waterproof/Shockproof Stopwatch	EA	2111
1464810	Traceable® Alarm Timer/Stopwatch	EA	488
1464911	Traceable® Water/Shock Resistant Stopwatch	EA	1828
1464913	Traceable® Countdown Stopwatch	EA	5062
1464915	Traceable® Alarm Timer/Stopwatch	EA	2715
1464918	Traceable® Jumbo-Digit Stopwatch	EA	1223
1464919	Traceable® 3-Button Stopwatch	EA	967
1464950	Traceable® Kaleidoscope Stopwatch, Red, 3-pack	EA	3141
1464951	Traceable® Kaleidoscope Stopwatch, Yellow, 3-pack	EA	3141
1464952	Traceable® Kaleidoscope Stopwatch, Blue, 3-pack	EA	3141
1464953	Traceable® Kaleidoscope Stopwatch, Green, 3-pack	EA	3141
1464954	Traceable® Kaleidoscope Stopwatch, Purple, 3-pack	EA	3141
1464955	Traceable® Kaleidoscope Stopwatch, Gray, 3-pack	EA	3839
1464956	Traceable® Kaleidoscope Stopwatch, Assorted Colors	EA	6280
22231837	Traceable® Stopwatch/Chronograph	EA	5741
<b>Tachometers</b>			
024012	Traceable® Tachometer Touch	EA	13057
024013	Traceable® Tachometer Laser	EA	15340
0502823	Traceable® Photo/Contact Tachometer	EA	39549
0502824	Traceable® Photo Tachometer	EA	36378
<b>Thermometer</b>			
15077723	Traceable® Recording Thermometer with 5 mL Bottle Probe	EA	5476
15081123	Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 1 bottle probe	EA	16942
15081124	Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 2 bottle probes	EA	18229
15081125	Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 1 Bullet™ probe	EA	16300
15081126	Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 2 Bullet™ probes	EA	17585
15081127	Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 1 bottle & 1 Bullet™ probe	EA	18229
15081128	Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 1 stainless steel probe	EA	18229
15081129	Traceable® Excursion-Trac™ Datalogging Refrigerator/Freezer Thermometer, 2 stainless steel probes	EA	19514
15081130	Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 1 bottle probe	EA	19514
15081131	Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 2 bottle probes	EA	20799
15081132	Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 1 Bullet™ probe	EA	18872
15081133	Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 2 Bullet™ probes	EA	20157
15081134	Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 1 bottle & 1 Bullet™ probe	EA	20799
15081135	Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 1 stainless steel probe	EA	20799
15081136	Traceable® Memory-Loc™ Datalogging Refrigerator/Freezer Thermometer, 2 stainless steel probes	EA	22084
024011	Mini IR Traceable® Thermometer	EA	5877
024020	Traceable® Water Proof Thermometer Ultra	EA	7080
146485	Traceable® Clock/Thermometer/Calendar	EA	8463
150778	Traceable® Digital Thermometer	EA	54037
150782	Traceable® Memory Wide Range Thermometer	EA	57892

# Fisher Scientific Traceable® Refrigerator/Freezer Thermometers



Catalog Number	15-077-720	06-664-270	15-077-721	15-078-215 15-078-176	15-081-106	15-081-110	15-081-123 15-081-124	15-081-134 15-081-130
<b>CDC Requirements</b>								
Traceable® Certificate supplied	✓	✓	✓	✓	✓	✓	✓	✓
Calibration Report Included	✓	✓	✓	✓	✓	✓	✓	✓
Annual Recalibration by ILAC/MRA accredited laboratory available	✓	✓	✓	✓	✓	✓	✓	✓
<b>CDC Recommendations</b>								
Glycol encased probe	✓	✓	✓	✓	✓	✓	✓	✓
Certificate of Calibration includes methods and procedure documentation	✓	✓	✓	✓	✓	✓	✓	✓
Certificate of Calibration includes stated uncertainties	✓	✓	✓	✓	✓	✓	✓	✓
Certificate of Calibration includes measurement results	✓	✓	✓	✓	✓	✓	✓	✓
Minimum/Maximum Memory	✓	✓	✓	✓	✓	✓	✓	✓
Capable of displaying current temperature and minimum/maximum memories	✓	✓	✓	✓	✓	✓	✓	✓
Minimum/Maximum Memory reset	✓	✓	✓	✓	✓	✓	✓	✓
Detachable probe	✓	✓	✓	✓	✓	✓	✓	✓
High/Low Alarm	✓	✓	✓	✓	✓	✓	✓	✓
Read storage unit temperatures without opening the door	✓	✓	✓	✓	✓	✓	✓	✓
±0.5°C (±1°F) Accuracy	±1°C	±1°C	±0.5°C	±0.3°C	±0.1°C	±0.5°C	±0.25°C	±0.25°C
Low battery indicator	✓	✓	✓	✓	✓	✓	✓	✓
Data Logger with Continuous Monitoring and Active Display					✓	✓	✓	✓
Data Logger with user programmable logging intervals						✓	✓	
Data Logger capable of storing 4,000 readings that will not overwrite when full						✓		✓

All Fisher Scientific Traceable® digital thermometers fulfil the current CDC/VFC requirements.

Each individual state/local health department immunization program may have specific requirements—Consult your immunization program for more information

Data represented above is accurate as of 12/15/2013. Recommendations and requirements are subject to change without prior notice.

#### Traceable to NIST for accuracy:

To assure accuracy, all Traceable® Thermometers are supplied with an individually serial-numbered Traceable® Certificate provided from an ISO/IEC 17025 calibration laboratory accredited by AZLA. It indicates traceability to standards provided by NIST.

# Fisher Scientific Traceable® Thermometer

## Traceable® Lollipop™ Shock/Waterproof Thermometer

- » Shock/waterproof unit delivers reading updates every second
- » One-key operation recalls MIN/MAX temperature results, °F/°C switchable

Catalog No.	Range	Resolution	Accuracy
14-648-44	-58 to 572°F (-50 to 300°C)	0.1° from -20 to 200°C; or 1°C elsewhere	±1°C
06-664-27	-58 to 572°F (-50 to 300°C)	0.1° from -20 to 200°C; or 1°C elsewhere	±0.4°C at tested points



## Traceable® Extra-Extra Long-Probe Waterproof Thermometer

- » Extra-long 20-inch probe created for deep vessels
- » Waterproof to a depth of 10 feet (meter/probe/cable)

Catalog No.	Range	Resolution	Accuracy	Probe
15-081-101	14.0 to 230.0°F (-10.0 to 110.0°C)	0.1	±1°C	20" length x 0.2" dia. 10' waterproof cable, stainless-steel

## Traceable® Waterproof Type-K Thermometer

Rubber boot covers thermocouple to maintain waterproof integrity with thermocouple attached

- » MIN/MAX key rapidly recalls highest and lowest temperature reading achieved
- » Unique differential feature shows the difference in temperature from a set point
- » Back-lighting key (BKLT) allows for reading in dark areas, large-digit display is readable from 10 feet away
- » Probe range (supplied with unit): -40 to 250°C continuous or 300°C short-term; uses all Type-K thermocouples

Catalog No.	Range	Resolution	Accuracy
15-078-186	-328 to 2372°F (-200 to 1300°C)	0.1° and 1°	±0.3% of reading + 1°C between -200°C to 1000°C, otherwise 0.5% of reading + 1°C



## Traceable® Water-resistant/Steamproof Timer

Affix timer anywhere using removable suction cup

- » Features: countdown/up, memory, stopwatch mode, water-resistant, steamproof
- » Ideal for use in wash-down areas, wet labs, manufacturing plants or field work
- » Impressive memory remembers most-recently-programmed setting for recurring lab experiments
- » Supplied: stand, removable suction-cup, battery, Traceable® Certificate



Catalog No.	Range	Resolution	Accuracy
15-081-120	99 minutes, 59 seconds	1 second	0.01%

### Traceable to NIST for accuracy:

To assure accuracy, all Traceable® Thermometers are supplied with an individually serial numbered Traceable® Certificate provided from an ISO/IEC 17025 calibration laboratory accredited by A2LA. It indicates traceability to standards provided by NIST.

Cat. No.	Description	Pack	Price in ₹
0666411	Traceable® Refrigerator/Freezer Thermometer	EA	6248
0666426	Traceable® Flipstick Thermometer Ultra	EA	6713
0666427	Traceable® Waterproof Thermometer	EA	7482
0666428	Traceable® Anemometer Thermometer	EA	21988
0666432	Traceable® Robo-Thermometer™ Ultra	EA	7799
0666433	Traceable® Pocket Thermometer Ultra	EA	7148
0666435	Traceable® Waterproof Thermometer Ultra	EA	6646
0666438	Traceable® IR Thermometer Gun	EA	13981
0666439	Traceable® IR Thermometer with Laser	EA	18082
0666450	Traceable® Clock/Thermometer/Humidity	EA	8875
1464812	Traceable® Long-Stem Digital ULTRA™ Thermometer	EA	6980
1464826	Traceable® Recording Thermometer	EA	4894
1464843	Traceable® Food Thermometer	EA	3058
1464844	Traceable® Waterproof Thermometer	EA	3293
1464845	Traceable® Flipstick Thermometer	EA	3576
1464846	Traceable® 10-Memory Thermometer	EA	5462
1464847	Traceable® Jumbo Display Dial Thermometer	EA	6500
1464861	Traceable® Dishwasher Metal Thermometer	EA	4313
1464862	Traceable® General Purpose Metal Thermometer	EA	4230
1464979	Traceable® Kangaroo Thermometer	EA	4145
1464980	Traceable® Pocket-Size K Thermometer °F	EA	3770
1464981	Traceable® Pocket-Size K Thermometer °C	EA	3770
1464982	Traceable® Workhorse Thermometer	EA	5960
1507710	Traceable® Expanded Range Thermometer °F	EA	12921
1507711	Traceable® Expanded Range Thermometer °C	EA	12921
1507714	Traceable® Wide Range Thermometer	EA	15657
1507715	Traceable® Printing Thermometer	EA	62903
1507716	Traceable® Printing Thermometer	EA	62903
1507719	Traceable® Solar Thermometer	EA	3293
1507720	Traceable® Solar Thermometer w/Probe	EA	3447
1507722	Traceable® Big-Digit Thermometer	EA	5152
1507723	Traceable® Full-Scale Thermometer	EA	5580
1507726	Traceable® Double Thermometer w/RS-232 Output	EA	21780
1507729	Traceable® Alarm Thermometer/Timer	EA	3954
1507732	Traceable® Mini-Thermometer	EA	3998
1507750	Traceable® Radio Signal Remote Thermometer	EA	10777
1507754	Traceable® Robo-Thermometer™	EA	3864
1507755	Traceable® Platinum RTD Thermometer	EA	39969
1507757	Traceable® Infrared Digital Thermometer	EA	44682
1507758	Traceable® Key Chain Thermometer	EA	3054
1507760	Traceable® Surface Dial Thermometer	EA	5347
1507838	Traceable® Thermometer w/Recorder Output	EA	16042
06664254	Traceable® Infrared Dual Lasers Thermometer w/Type-K Probe	EA	17847
06664255	Traceable® Digital-Bottle™ Refrigerator/Freezer Thermometer	EA	5681
06664256	Traceable® Digital-Bottle™ Ultra™ Refrigerator/Freezer Thermometer	EA	7102
06664257	Traceable® Digital-Bottle™ Refrigerator/Freezer Thermometer (glass beads)	EA	5681
06664258	Traceable® Digital-Bottle™ Ultra™ Refrigerator/Freezer Thermometer (glass beads)	EA	7102
06664269	Traceable® Memory Monitoring Plus™ Thermometer	EA	7130
06664270	Traceable® 5ml Vaccine Jumbo Thermometer	EA	7832
14648232	Traceable® Jumbo Memory Monitoring Thermometer	EA	7234
14648233	Traceable® Jumbo Refrigerator/Freezer Thermometer	EA	7832
14649100	Traceable® Waterproof Food Thermometer	EA	2720
14649101	Traceable® Ultra Waterproof Food Thermometer	EA	3834

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
14649102	Traceable® Waterproof Food HACCP Thermometer	EA	17511
15077720	Traceable® Refrigerator/Freezer Thermometer 5 mL Bottle Probe	EA	6464
15077724	Traceable® Sentry™ Thermometer °C with 5 mL Bottle Probe	EA	6158
15077725	Traceable® Sentry™ Thermometer °F with 5 mL Bottle Probe	EA	6158
15077941	Traceable® Sentry™ Thermometer °C with Bottle Probe	EA	6158
15077942	Traceable® Sentry™ Thermometer °F with Bottle Probe	EA	6158
15077943	Traceable® Snap-in-Thermometer Module	EA	3148
15077944	Econo Traceable® Refrigerator Thermometer	EA	2063
15077959	Big-Digit See-Thru Traceable® Thermometer °F	EA	3272
15077960	Big-Digit See-Thru Traceable® Thermometer °C	EA	3272
15077961	Traceable® -100 Platinum Freezer Thermometer	EA	8209
15077966	Traceable® Infrared Thermometer with Pocket Clip	EA	5237
15077967	Traceable® Infrared Thermometer with Wristband	EA	9872
15077968	Traceable® Infrared Thermometer with Trigger	EA	16258
15077969	Traceable® Infrared Thermometer Gun	EA	29067
15077970	Traceable® Infrared Thermometer Plus Gun	EA	36358
15077975	Econo Traceable® Refrigerator Thermometer Ultra	EA	3491
15077976	Traceable® Recording Thermometer with Bottle Probe	EA	5591
15078176	Traceable® Hi-accuracy 0.01° Refrigerator Thermometer, 2 bottle probes	EA	12942
15078177	Traceable® Hi-accuracy 0.01° Thermometer, 2 probes	EA	10036
15078178	Traceable® Extreme-Accuracy Standards Thermometer 0.00°	EA	12944
15078179	Traceable® Extreme-Accuracy Standards Thermometer 25.00°	EA	12944
15078180	Traceable® Extreme-Accuracy Standards Thermometer 37.00°	EA	12944
15078181	Traceable® Extreme-Accuracy Standards Thermometer 0.00°, 25.00°, 37.00°	EA	14119
15078182	Traceable® Big-Digit Refrigerator Thermometer	EA	2330
15078183	Traceable® Big-Digit Ultra™ Refrigerator Thermometer	EA	3549
15078184	Traceable® Dual Thermometer, 2 bottle probes	EA	7224
15078185	Traceable® Dual Thermometer, 2 probes	EA	4299
15078186	Traceable® Waterproof Type K Thermometer	EA	18216
15078187	Traceable® Big-Digit Type K Thermometer	EA	9743
15078194	Traceable® Vane Anemometer/Thermometer Pen	EA	14372
15078197	Traceable® Micro-Anemometer/Thermometer	EA	9290
15078215	Traceable® Hi-accuracy 0.01° Refrigerator Thermometer, 1 bottle probe	EA	12390
15078250	Traceable® High-Accuracy Dual Thermometer with One Stainless-Steel Probe	EA	12944
15078251	Traceable® High-Accuracy Dual Thermometer with Two Stainless-Steel Probe	EA	15853
15081101	Traceable® Extra-Extra Long-Probe Waterproof Thermometer	EA	18216
15081102	Traceable® Platinum Ultra-Accurate Digital Thermometer with Handle Probe	EA	48828
15081103	Traceable® Platinum Ultra-Accurate Digital Thermometer with Bullet Probe	EA	48828
15081106	Traceable® Platinum High-Accuracy Refrigerator Thermometer with Bottle Probe	EA	15894
15081107	Traceable® Platinum High-Accuracy Refrigerator Thermometer	EA	15894
15081108	Traceable® Platinum High-Accuracy Thermometer with Stainless Steel Probe	EA	18041
15081109	Traceable® Platinum High-Accuracy Freezer Thermometer with Bottle Probe	EA	18041
15081110	Traceable® Memory-Card Refrigerator/Freezer Thermometer	EA	32558
15081111	Traceable® Memory-Card Refrigerator/Freezer Thermometer with Stainless Steel Probe	EA	32558
15081113	Traceable® Wireless-Signal Refrigerator Thermometer	EA	16991
1507717A	Traceable® Sentry™ Thermometer °F	EA	5412
1507717B	Traceable® Sentry™ Thermometer °C	EA	5412
150778A	Traceable® Digital Thermometer	EA	6724
150778B	Alarm Thermometer with Probe	EA	6724
150778C	Traceable® Monitoring Thermometer	EA	4488
150778D	Traceable® Memory Monitoring Thermometer	EA	7080
150779D	Traceable® Water Resistant Thermometer	EA	4940
150779E	Traceable® Water Resistant Thermometer	EA	4940

Cat. No.	Description	Pack	Price in ₹
150783A	Traceable® Dual Channel Thermometer	EA	21813
15078B	Traceable® Digital Dial Thermometer °C	EA	3620
15078D	Traceable® Digital Dial Thermometer °F	EA	3351
15078E	Traceable® Dial Thermometer	EA	3125
15078F	Traceable® Digital Dial Thermometer °C	EA	3351
15078G	Traceable® Pocket Thermometer °F/°C	EA	3998
15078H	Traceable® Pocket Thermometer °F/°C	EA	3998
15078J	Traceable® Long Stem Thermometer	EA	3482
15078L	Traceable® Jumbo Display Dial Thermometer	EA	3528
150782A	Surface Probe, Type-K	EA	20696
150782B	Stainless Steel Type-K Probe	EA	6694
150779A	Micro Probe	EA	14745
1507745	Beaded Probe, Type-K	EA	3058
1507839	Traceable® Two-Channel Therm w/Offsets	EA	17265
1166122	Data Acquisition System	EA	12825
1507727	Traceable® Big-Digit, 4 Alert Alarm Therm °C	EA	3728
1507728	Traceable® Big-Digit, 4 Alert Alarm Therm °F	EA	3728
1464840	Traceable® Therm. Disp. Rec., 5 days	EA	4829
1464841	Traceable® Therm. Disp. Rec., 10 days	EA	4829
1464842	Traceable® Therm. Disp. Rec., 45 days	EA	4829
0666423	Traceable® Refrigerator/Freezer Therm 0.1	EA	7581
15077940	Traceable® Full-Scale Therm 0.2°C	EA	7484
0666430	Traceable® Dial Therm F Ultra	EA	7058
0666431	Traceable® Dial Therm C Ultra	EA	7058
1507759	Traceable® Long-Stem Digital Therm Wide	EA	4189
1507761	Traceable® Long-Stem Digital ULTRA™ Therm Wide	EA	7058
15077977	Traceable® Expanded Range Conductivity Meter	EA	45157
0666434	Traceable® Full Scale Therm 0.2 °C	EA	8470
0666436	Traceable® Full Scale Therm 0.2 °C	EA	6462
06664271	Traceable® Mem Rh/Temp/Dew Point Meter	EA	39791
0666437	Traceable® Rh Meter with Dew Point	EA	12885
15077721	Traceable® Refrigerator/Freezer Therm 0.1 5 mL Bottle Probe	EA	7825
15081112	Traceable® Memory-Card Humidity/Temperatur/Dew Point	EA	32662
15081104	Replacement Platinum RSD Stainless-Steel Probe	EA	35865
15081105	Replacement Platinum RSD Bullet Probe	EA	35865
15081114	Additional Traceable® Remote Refrigerator Bottle Probe Module	EA	8461
FB58531	Thermometer low temperature total immersion mercury filled in glass engraved stem white backed -40°C to 40°C x 0.5°C 300mm Fisherbrand	EA	1201
FB58533	Thermometer Spirit Filled 300Mm Total Immersion	EA	2809
FB58537	Thermometer -100 To 50 X 1 Spirit In Glass,Length	EA	2654
FB58541	General Purpose/Stirring Thermometer, Red Spirit	EA	363
FB58543	General Purpose/Stirring Thermometer, Red Spirit	EA	259
FB58545	General Purpose/Stirring Thermometer, Red Spirit	EA	363
FB58547	General Purpose/Stirring Thermometer, Red Spirit	EA	363
FB58549	Thermometer general purpose/stirring 76 mm immersion red spirit filled amber graduations white backed -10°C to 110°C x 1°C 305mm Fisherbrand	EA	259
FB58551	General Purpose/Stirring Thermometer, Red Spirit	EA	367
FB58553	General Purpose/Stirring Thermometer, Red Spirit	EA	336
FB58555	General Purpose/Stirring Thermometer, Red Spirit	EA	239
FB60080	Datalogger Prolog44 outputs without probes 9VV	EA	229428
FB60089	Calibration certificate3 point UKAS for channel	EA	12062
FB60091	Calibration certificate3 point UKAS for channel	EA	12062
FB60092	Calibration certificate3 point UKAS for channel	EA	12062

PK - Pack  
EA - Each

Cat. No.	Description	Pack	Price in ₹
<b>Timers</b>			
15081120	Traceable® Waterproof/Steamproof Timer	EA	2837
024017	Traceable® 99Min/59S Timer	EA	2556
024018	Traceable® Keyboard Timer	EA	2648
066622	Traceable® Touch Timer™	EA	1713
066623	Traceable® Triple Display Timer	EA	3415
066625	Traceable® 3-Channel Alarm Timer	EA	5907
066626	8-Channel Alarm Timer	EA	21698
066628	Traceable® Memory Timer	EA	2747
066629	Traceable® 100-Hour Timer	EA	3599
0666210	60 Minute Timer	EA	2342
0666211	Traceable® Timer Plus™	EA	2796
0666216	Traceable® Advanced Memory Timer™	EA	3254
0666223	Traceable® Clip-It Timer™	EA	2144
0666225	Traceable® Key Chain Timer	EA	2372
0666226	Traceable® Fingertip Timer™	EA	1822
0666240	Traceable® Digital Bench Timer	EA	12558
0666244	Traceable® Two-Memory Timer	EA	2614
0666245	Traceable® Lab-Top Timer	EA	2324
0666246	Traceable® 3-Channel Jumbo Timer	EA	4069
0666247	Traceable® Jumbo Timer (Black)	EA	2466
0666248	Traceable® Jumbo Timer (White)	EA	2466
0666249	Traceable® QC Timer™	EA	1964
0666250	Traceable® Triple-Purpose Timer™	EA	2455
0666251	Traceable® 99M/59S Timer™	EA	1895
0666252	Traceable® Tie Timer™	EA	2651
0666255	Traceable® Original Lab Timer	EA	5660
0666440	Traceable® Water Resistant Timer	EA	2579
1464835	Traceable® Talking Timer	EA	3148
1464914	Traceable® Mini-Alarm Timer	EA	2789
1464917	Traceable® Big Digit 4-Channel Timer	EA	3519
1464957	Wind-Up Timer, 3-pack	EA	4334
1464958	SX Timer, 3-pack	EA	4334
1464983	Traceable® Nano Timer	EA	1877
1464985	Traceable® Continuous Visual Alarm Timer	EA	1776
02261839	Traceable® GIANT-DIGIT™ Timer	EA	2318
02261840	Traceable® Multi-Colored™ Timer	EA	3127
06664251	Traceable® Flashing LED Alert Big-Digit Alarm Timer	EA	3058
06664252	Traceable® Flashing LED Alert Big-Digit Dual Channel Timer	EA	3212
14648230	Clipboard with calculator and Traceable® Timer	EA	6982
14649121	Traceable® Seymour Blue Timer	EA	3097
15081100	Traceable® Extra, Extra Large Digit Timer	EA	2784
15078188	Traceable® Stick-It™ Mini-Clock	EA	1720
06659	Compact Timer	EA	3001
06662	Traceable® Bench Timer	EA	3215
066649	Traceable® Wall Clock	PK	2393
0666420	Traceable® Splash Resistant Wall Clock	PK	2413
0666451	Traceable® Waterproof In/Outdoor Clock	PK	7652
14649120	Traceable® 'Blue Is Good' Wall Clock	EA	6015
<b>Touch Counter</b>			
079051	Touch-Counter	EA	12726

# Fisher Scientific Digital Timers and Clocks



## Traceable® Flashing LED Big-Digit Timers

- » Flashing LEDs
- » Unique green light flashes every 10 seconds while in countdown mode; red light flashes when zero has been reached when the alarm is sounding
- » Alarm has three switch positions which allow setting to a high decibel for noisy areas, low decibel for quiet environments, or off (muted) for silent visual flashing LED only operation
- » Programmable memory -- up to 2 memories can be stored at any time

Cat. No.	Timing Capacity	Resolution	Accuracy	Channels
06-664-252	99 hours, 59 minutes, 59 seconds	1 second	0.01%	2
06-664-251	99 minutes, 59 seconds	1 second	0.01%	1



## Traceable® Clip-It™ Timer

- » Features: count up/down, alarm, time in/out
- » Helpful memory saves last programmed setting for quick recall—useful for repetitive timing events

Cat. No.	Timing Capacity	Resolution	Accuracy	Channels
06-662-23	99 hours, 59 minutes, 59 seconds	1 second	0.005% quartz-crystal	1



## Traceable® Jumbo-Digit Compact Radio-Controlled Atomic Clock

**Jumbo sized 3¾ inch clock digits in a compact case**

- » Features: radio signal from NIST's Colorado atomic clock automatically sets correct date/time; calendar displays month/date and day
- » Temperature range: 23 to 122°F (-5 to 50°C); resolution: 0.1°; accuracy: ±1°C Cat. No. Time feature Resolution Accuracy Size/Weight

Cat. No.	Time feature	Resolution	Accuracy	Size/Weight
15-079-612	12/24 hours	1 second	1/10,000 second	9 x 5 x 1¼ inches; 15 ounces



## Traceable® Workstation Barometer with Clock

**Altitude adjustment feature makes this a great tool for blood gas analysis**

- » Ideal for recording ambient changes in lab, monitoring conditions affecting sample analysis, and assisting in prediction of weather changes
- » Includes a barometer, thermometer, clock, altitude adjustment, and weather symbol forecasting symbols
- » Adjustable altitude compensation from -900 to 3600 feet (-300 to 1200 meters)

Cat. No.	Function Range	Range	Resolution	Accuracy
15-079-610	<b>Barometric pressure</b>	23.62 to 31.01 inHg 800 to 1050 mbar (hPa)	0.063 inHg 1 mbar	±6 mb (890 to 1020 mb); otherwise ±10 mb
	<b>Temperature</b>	-22 to 158°F -9 to 70°C	0.5°	±1°C (32 to 104°F and 0 to 40°C) ±2°C elsewhere

Traceable® to  
NIST for Accuracy



# Fisher Scientific Digital Timers and Clocks

## Fisher Scientific™ Traceable® Four-Channel Alarm Timer

- » Features: count up/down, time in/out, memories, alarm, 12/24 hour clock
- » Remarkable memory returns display to previously programmed countdown time at the touch of a button
- » Extra-loud, high decibel alarms for 1 minute or can be silenced manually
- » Supplied: clip, stand, magnet, battery, Traceable® Certificate

Cat. No.	Timing Capacity	Resolution	Accuracy	Channels
14-649-17	99 hours 59 minutes 59 seconds	1 second	0.01%	4



## Fisher Scientific™ Traceable® Multi-Colored™ Timer

- » 3-bright colorful supplied frames permit personalization of timer
- » Unique memory returns channel to previously programmed setting at touch of a key
- » Counts up during alarming indicating elapsed time since alarming, 12/24 hour clock
- » Supplied: bench stand, magnetic back, battery, Traceable® Certificate

Cat. No.	Timing Capacity	Resolution	Accuracy	Channels
02-261-840 99	hours 59 minutes 59 seconds	1 second	0.01%	4



Colored frames supplied

## Fisher Scientific™ Traceable® Flashing LED Alert Big-Digit Alarm Timer

- » Features: 1" display, count up/down, flashing LED, adjustable volume, 3 countdown memories
- » Green light flashes every second after timing reaches 10 seconds; red LED indicator flashes when zero is reached and shows time elapsed since alarm
- » Adjustable volume: high decibel, low decibel, or off for silent visual flashing LED operation
- » Supplied: batteries, magnetic back, flip-open stand/clip, opening for lanyard, Traceable® Certificate

Cat. No.	Timing Capacity	Resolution	Accuracy	Channels
06-664-251	99 minutes 59 seconds	1 second	0.01%	1



## Fisher Scientific™ Traceable® Clip-It™ Timer

Perennial favorite multi-tasking timer attaches to any lab surface

- » Functions: count up/down, time in/out
- » Helpful memory saves last programmed setting for quick recall—useful for repetitive timing events
- » Supplied: clip, magnet, opening for lanyard, battery, Traceable® Certificate

Cat. No.	Timing Capacity	Resolution	Accuracy	Channels
06-662-23	100 hours	1 second	0.005% quartz-crystal	1



### Traceable to NIST for accuracy:

To assure accuracy, all Traceable® Timers are provided with an individually serial-numbered Traceable® Certificate is provided from an ISO/IEC 17025 calibration laboratory accredited by A2LA. It indicates traceability to standards provided by NIST (National Institute of Standards and Technology).

# Centrifugation



## mySPIN 12 mini centrifuge

- Compact design
- Easy to operate
- Quiet operation, low vibration
- Tool-free, quick rotor exchange
- Quick-spin feature
- Safety features: imbalance and tilt safety cut-out; safety interlock lid prevents opening while rotor is turning
- Able to perform fast spins with higher RCF requirements up to 9,800 x g
- Back-lit, customizable display can be set for rpm or RCF



## mySPIN 6 mini centrifuge


- Compact design
- Easy to operate
- Quiet operation, low vibration
- Tool-free, quick rotor exchange
- Tool-free, quick rotor exchange
- Quick-spin feature
- Safety features: unit will not operate without lid in place
- Quick tube extraction

**Packed with possibilities, the Thermo Scientific mySPIN 12 mini centrifuge is designed to give you maximum speed and flexibility in a minimized footprint.**

Its compact, ergonomic design fits on any workstation and is comfortable and easy for anyone to operate. Safety features help ensure it will not operate when the lid is open, a rotor is jammed, or the unit is out of balance. Ideal for most protocols requiring fast spins (12,500 rpm / 9,800 x g), and appropriate for PCR, microfilter cell separation, and HPLC protocols.

**Bring efficiency and user comfort to your lab stations with the Thermo Scientific mySPIN 6 mini centrifuge.** Ergonomic design, tool-free rotors, and quick-spin options make it fast and easy to use. Efficient, compact footprint fits into a variety of workstations. Ideal for microfilter cell separations and HPLC samples, with adapters to accommodate all major microtube and PCR tube styles (2.0, 1.5, 0.5, 0.2 mL) for customized use.

# Centrifugation



**Thermo Scientific Microcentrifuge Series** combines power, versatility and convenience in a safe, compact, easy-to-use lab instrument. Available in both ventilated and refrigerated models, the microcentrifuge is designed to accelerate your routine sample preparation processes by providing high speed and generous capacity along with outstanding safety and convenience.

## Details


- **Unique ClickSeal biocontainment rotor lid** “clicks” in place, providing certified assurance that samples are securely contained, and with one click opening, shortens retrieval time compared to screw-on lids
- **24 spin columns in standard rotor**
- **Intuitive controls and easy-to-read display simplifies operation**
- **Unique dual row rotor** holds 18 x 1.5/2.0mL and 18 x 0.5mL tubes, eliminating the need for adapters
- **Wide range of rotors for future upgrade**
- Conforms to the latest clinical and safety standards, including **In Vitro Diagnostics (IVD) compliance**
- **Faster processing times** offer unmatched acceleration and deceleration rates
- **Ideal for PCR, mini-preps, spin-columns**



Code	Description	Price
75002410	Heraeus Pico 17	POR
75002414	Heraeus Pico 17, 230V Dual Row Rotor	POR
75002430	LEGEND MICRO 17 230V 50/60HZ	POR
75002433	Sorvall Legend Micro17, 230V Dual Row Rotor	POR
75002415	Heraeus Pico 21	POR
75002553	Pico 21 with dual rotor	POR
75002435	LEGEND MICRO 21 230V 50/60HZ	POR
75002557	Legend Micro 21 with dual rotor	POR
75002420	Heraeus Fresco 17	POR
75002423	Heraeus Fresco 17, 230V Dual Row	POR
75002440	LEGEND MICRO 17R 230V 50/60HZ	POR
75002443	Sorvall Legend Micro17R, 230V Dual Row	POR
75002425	Heraeus Fresco 21	POR
75002555	Fresco 21 with dual row rotor	POR
75002445	LEGEND MICRO 21/R 230V 50/60HZ	POR
75002544	Legend Micro 21R with dual rotor	POR
75004061	MySPIN 6 Mini Centrifuge	POR
75004081	MySPIN 12 Mini Centrifuge	POR

Cat. No.	Description	Pack	Price in ₹
<b>Transreciever</b>			
1507776	Universal Radio Signal Trans.	EA	64169
<b>Vacuum Guages / Manometers</b>			
0666268	Traceable® Pressure/Vacuum Guage	EA	70008
0666269	Traceable® Pressure/Vacuum Guage	EA	53072
0666418	Traceable® Manometer/Pressure/Vacuum Gauge 0-5 PSI	EA	25672
0666419	Traceable® Manometer/Pressure/Vacuum Gauge 0-15 PSI	EA	25672
0666421	Traceable® Manometer/Pressure/Vacuum Gauge 0-30 PSI	EA	25672
0666422	Traceable® Manometer/Pressure/Vacuum Gauge 0-100 PSI	EA	25672
15078190	Traceable® Manometer/Pressure/Vacuum Printing Gauge 0-5 PSI	EA	59078
15078193	Traceable® Manometer/Pressure/Vacuum Printing Gauge 0-100 PSI	EA	59078
<b>Wash Bottle</b>			
03405	Wash Bottle (1000 ml)	EA	4152
03405A	Wash Bottle (235 ml/3 pack)	EA	2330





Customer Service Representatives are ready to meet your exacting demands.

- ▶ Enquiry
- ▶ Product Specifications
- ▶ MSDS
- ▶ CoAs
- ▶ Lead Time
- ▶ Delivery Status
- ▶ Status on order
- ▶ Representative visit
- ▶ Customer complaints & Feedback



---

India Toll Free  
**1-800-222-230**

---

Serving Customers... We Enjoy it!



## Contact :

### **Mumbai**

Thermo Fisher Scientific India Pvt. Ltd.  
403/404, Delphi, 'B' Wing,  
Hiranandani Business Park, Powai,  
Mumbai - 400076. INDIA  
Tel: +91-22-66803000  
Fax: +91-22-66803001/02

### **Ahmedabad**

Thermo Fisher Scientific India Pvt. Ltd.  
B - 303, Shapath-IV  
Opp. Karnavati Club,  
S. G. Road, Ahmedabad - 380051.  
Tel: +91-79-66527303/05  
Fax: +91-79-66527304

### **Bengaluru**

Thermo Fisher Scientific India Pvt. Ltd.  
2nd & 3rd Floor, "Prestige Sapphire"  
#159, 9th Main Road, 17th Cross,  
Jayanagar III Block, Bengaluru - 560011.  
Tel: +91-80-67398000  
Fax: +91-80-67398001

### **Chennai**

Thermo Fisher Scientific India Pvt. Ltd.  
Sun Centre, 4th Floor, No:2, Tank Bund Road,  
Opp Loyola College,  
Numgambakkam, Chennai - 600 034.  
Tel: +91-44-66094400  
Fax: +91-44-66094428

### **Hyderabad**

Thermo Fisher Scientific India Pvt. Ltd.  
Brij Tarang Tower - 1st Floor,  
6-3-119/101191/6, Beside White House Bldg.,  
Green Lands, Begumpet, Hyderabad - 500016.  
Tel: +91-40-67202700  
Fax: +91-40-67202701

### **Kolkata**

Thermo Fisher Scientific India Pvt. Ltd.  
Macmet House, 6th Floor,  
10B, O.C. Ganguly Sarani,  
Kolkata - 700 020.  
Tel: +91-33-40133900  
Fax: +91-33-40133938

### **Nasik**

Thermo Fisher Scientific India Pvt. Ltd.  
D-96, MIDC, C Road, Satpur,  
Nasik - 422007.  
Tel: +91-253-2350640/2351974

### **Noida**

Thermo Fisher Scientific India Pvt. Ltd.  
A-34, Ground Floor, Sector-2,  
Noida - 201301.  
Tel: +91-120-4640600  
Fax: +91-120-4640630

### **Pune**

Thermo Fisher Scientific India Pvt. Ltd.  
101/102, Pride Portal, Shivaji Housing Society,  
Village Bhamburda, Off Senapati Bapat Road,  
Pune - 411016.  
Tel: +91-20-66267000  
Fax: +91-20-66267001