Key Features

- SuperClear® IPS technology
- Narrow bezel
- HDMI and VGA inputs
- Dual integrated speakers
- · ViewMode technology



Product **Description**

The ViewSonic® VA2410-mh-2 is a Full HD monitor with IPS technology and flexible connectivity for use at home or in the office. With SuperClear® IPS Technology and Full HD resolution, images are clear and detailed from a wide range of viewing angles. The monitor's extensive connectivity options include HDMI and VGA inputs, allowing increased setup flexibility when connecting to other devices. The VA2410-mh-2's narrow bezel design delivers a seamless viewing experience. Built-in dual integrated speakers make this monitor a complete multimedia package. It also comes equipped with Eye Care Technology to help eliminate eye strain caused by extended viewing periods. In addition, ViewSonic's exclusive ViewMode™ function offers a selection of intuitive presets to deliver optimised screen performance for various different applications. With an LED backlight and energy-saving Eco mode, the VA2410-mh-2 is an environmentally friendly display choice.

Visit Us - www.viewsonic.com

DISPLAY		ADDITIONAL HARDWARE	
Display Size (in.):	24	Kensington Lock Slot:	1
Viewable Area (in.):	23.8	CONTROLS	
Panel Type:	IPS Technology	Physical Controls:	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
Resolution:	1920 x 1080		
Resolution Type:	FHD		Input Select, Audio Adjust, ViewMode, Colour Adjust, Manual
Static Contrast Ratio:	1,000:1 (typ)	On Screen Display:	
Dynamic Contrast Ratio:	50M:1		Image Adjust, Setup Menu
Light Source:	LED	OPERATING CONDITIONS	
Brightness:	250 cd/m2 (typ)	Temperature:	32°F to 104°F (0°C to
Colours:	16.7M	Humidity (non-condensing):	40°C) 20% to 90%
Colour Space Support:	8 bit (6 bit + Hi-FRC)	Humidity (non-condensing): WALL MOUNT	20% 10 90%
Aspect Ratio:	16:9	VESA Compatible:	100 x 100 mm
Response Time (Typical GTG):	5ms	INPUT SIGNAL	100 X 100 IIIII
Response Time (GTG w/OD):	5ms	Frequency Horizontal:	24 ~ 83KHz
Viewing Angles:	178° horizontal, 178°	Frequency Vertical:	50 ~ 75Hz
	vertical	VIDEO INPUT	
Backlight Life (Hours):	30000 Hrs (Min)	Digital Sync:	TMDS - HDMI (v1.4)
Curvature:	Flat	Analog Sync:	Separate - RGB
Refresh Rate (Hz):	60		Analog
Blue Light Filter:	Yes	ERGONOMICS	
Flicker-Free:	Yes	Tilt (Forward/Back):	-5° / 20°
Colour Gamut:	NTSC: 72% size (Typ) sRGB: 103% size	WEIGHT (METRIC)	4.0
	(Typ)	Net (kg):	4.2
Pixel Size:	0.275 mm (H) x 0.275 mm (V)	Net Without Stand (kg):	3.3
COMPATIBILITY		Gross (kg):	5.3
PC Resolution (max):	1920x1080	DIMENSIONS (METRIC) (WXF	612 x 410 x 120
Mac® Resolution (max):	1920x1080	Packaging (mm):	
PC Operating System:	Windows 10 certified;	Physical (mm): Physical Without Stand (mm):	551 x 394 x 185
	macOS tested	GENERAL	551 x 331 x 50
Mac® Resolution (min):	1920x1080	GLINLIKAL	RoHS, WEEE, TCO
CONNECTOR	1	Regulations:	7.0, BSMI, TGM, RCM, GEMS
VGA:			
3.5mm Audio Out:	1	PACKAGE CONTENTS:	VA2410-MH-2 x1, 3-pin Plug (IEC C13 / CEE22) x1, VGA Cable (Male-Male) x1, Audio Cable (Male-Male) x1, Quick Start Guide x1
3.5mm Audio Out: HDMI 1.4:	1		
HDMI 1.4:			
Power in:	3-pin Socket (IEC C14 / CEE22)	D 1 (D)	Please dispose of in
AUDIO		Recycle/Disposal:	accordance with local, state or federal laws.
7.0010			
Internal Speakers:	2Watts x2		*Warranty offered may
	2Watts x2	Warranty:	*Warranty offered may differ from market to market
Internal Speakers:	2Watts x2	Warranty:	differ from market to
Internal Speakers: POWER		Warranty:	differ from market to
Internal Speakers: POWER Eco Mode (Conserve):	13W	Warranty:	differ from market to
Internal Speakers: POWER Eco Mode (Conserve): Eco Mode (optimised):	13W 18W	Warranty:	differ from market to
Internal Speakers: POWER Eco Mode (Conserve): Eco Mode (optimised): Consumption (typical):	13W 18W 20W	Warranty:	differ from market to
Internal Speakers: POWER Eco Mode (Conserve): Eco Mode (optimised): Consumption (typical): Consumption (max):	13W 18W 20W 22W AC 100-240V, 50/60	Warranty:	differ from market to
Internal Speakers: POWER Eco Mode (Conserve): Eco Mode (optimised): Consumption (typical): Consumption (max): Voltage:	13W 18W 20W 22W AC 100-240V, 50/60 Hz	Warranty:	differ from market to