

ThinkVision E20-30 Monitor

Convenient, smart and comfortable. A monitor that makes work feel stress-free.

Working in a modern-day office is all about staying connected and comfortable. And that is exactly what the ThinkVision E2O-30 Monitor is designed to enable. This smart and practical 19.5-inch TN panel monitor is perfect for the corporate workforce that is focused on productivity. The 250 nits brightness and 72% NTSC color gamut displays the content in vivid colors with life-like light and shade effects. The ThinkVision E2O-30 Monitor comes with a 1600 x 900 resolution screen ensuring the display keeps on-screen colors true to life. This monitor's TÜV Low Blue Light-certified technology & TÜV Flicker Free-certified technology protects your eyes from harmful blue light and greatly reduces vision fatigue, and ensures minimal screen flicker. Speaking of comfort, it also comes with a fully adjustable tilt stand for perfect ergonomics. Its VESA Mount allows you to install the monitor just the way you want, making work a truly stress-free experience. Equipped with both VGA and HDMI connectors, it offers seamless connectivity too. The ThinkVision E2O-30, the smart, comfortable monitor that keeps you connected with all your work.

KEY FEATURES OF THINKVISION E20-30 MONITOR



Optimal screen dynamics

ThinkVision E20-30 Monitor offers a 19.5-inch TN panel that is thin, light and power-efficient. Its 1600 x 900 resolution screen offers excellent viewing performance for office presentations, videos and even games. This monitor's wide 16:9 aspect ratio means it is optimized for your modern video content. The 250 nits, 72% NTSC color gamut monitor offers you bright, crisp images and an effortless viewing experience in indoor spaces.



Comfortable viewing

ThinkVision E20-30 Monitor's TÜV Low Blue Light-certified technology protects your eyes against harmful blue light and assures you a comfortable and fatigue-free screen time. It also has TÜV Flicker Free-certified technology offering minimal screen flicker that further enhances your user experience, making it a comfortable office monitor. With a response time of up to 2ms*, the ThinkVision E20-30 Monitor ensures minimal image ghosting and excellent image quality.



Seamless connectivity

ThinkVision E20-30 Monitors come with both VGA and HDMI connectors that allow you to easily connect the monitor with your PC or notebook. The monitor also features a VESA Mount that gives you the freedom to install your monitor in the way best suited to you. All this adds significantly to your comfort and productivity. In addition, its fully adjustable till stand means you get the best ergonomics and you can adjust the monitor for your comfort.

ThinkVision F2O-30 Monitor

DISPLAY

Panel Size 19.5-inch

Screen Dimensions (W x H, mm) 439.73 mm x 245.64 mm

Panel Type TΝ

Active Area 432.96 mm x 238.05 mm

Backlight WLED

Aspect Ratio 16:9

Resolution 1600 x 900

Pixel Pitch 0.271 mm x 0.264 mm

Dot/Pixel Per Inch (DPI/PPI) 94

Viewing Angle (H x V @ CR 10:1) 170° / 160°

Response Time 2ms (On), 5ms (Off)

Refresh Rate 60 Hz

Brightness (Typical) 250 cd/m²

Contrast Ratio (Typical) 1000:1

Dynamic Contrast Ratio (Typical) 3M:1

Color Gamut 72% NTSC (CIE 1931)

Color Support (Typical) 16.7 Million

Color Depth 8-bit

Anti-Glare Yes

CONNECTIVITY

Video Signal 1 x HDMI 1.4 1 x VGA

POWER

Power Consumption (Tvp. / Max.) 12W / 15W

Power Consumption Sleep/Off Mode < 0.5W

Power Consumption Switch-Off Mode < 0.3W

ENERGY STAR Power Consumption (Pon / ETEC) 9.84W / 31.82kWh

Power Supply Internal

Voltage Required AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (Front / Back) -5° / 22°

VESA Mount Capability Yes (100 x 100 mm)

ThinkCentre M Series Tiny Support Yes, by Tiny VESA Mount II (PN: 4XF0N03161)*

ThinkCentre M Series Nano Support Yes, by Nano VESA Mount (PN: 4XF0V81630)*

Kensington Lock Slot Yes

Cable Management Yes

Bezel Color Raven Black

Bezel Width (Side) 15.3 mm

Bezel Width (Top / Bottom) 18.2 / 26.0 mm

DIMENSION

Size Packed (D x H x W) (mm/inch) 125.0 x 350.0 x 560.0 mm 4.92 x 13.78 x 22.05 inch

Size Unpacked w/ Stand (Lowest Position) (D x H x W) (mm/inch) 180.4 x 352.6 x 464.8 mm 710 x 13 88 x 18 30 inch

Size Unpacked w/ Stand (Highest Position) (D x H x W) (mm/inch) 180.4 x 352.6 x 464.8 mm 7.10 x 13.88 x 18.30 inch

Size Unpacked w/o Stand (Head Only) (D x H x W) (mm/inch) 48.3 x 283.5 x 464.8 mm 1.90 x 11.16 x 18.30 inch

Weight Packed (kg / lb) 3.7 kg / 8.2 lbs

Weight Unpacked (kg / lb) 2.5 kg / 5.5 lbs

Weight (Monitor Head Only) (kg / lb) 2.2 kg / 4.8 lbs

WHAT'S IN THE BOX

Monitor with Stand Yes

Power Cable (Cable Length) 1 x Power Cable (1.8m)

HDMI Cable (Cable Length) 1 x HDMI Cable (1.8m)

Quick Setup Guide

CERTIFICATION

ENERGY STAR Certification Yes

CCC Yes TCO 9.0

TCO Edge

2.0 EPEAT Silver

Volatile Organic Compound Certification Yes

RoHS (EU 2002/95/EC) Yes

Windows Certification Windows 7, Windows 10, Windows 11

China Energy Efficiency Standard Tier 2

TÜV Rheinland Low Blue Light Yes

TÜV Rheinland Flicker Free Yes



* Sold separately.

Yes

^{© 2022} Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any guestions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation. in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.