




NOAA Technical Memorandum NMFS-SEFC-78



A Summary of Results of Louisiana Brown Shrimp Tagging Experiments, 1978



By S. L. Hollaway and K. N. Baxter

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Marine Fisheries Service
Southeast Fisheries Center
Galveston Laboratory
Galveston, Texas 77550



NOAA Technical Memorandum NMFS-SEFC-78

A Summary of Results of Louisiana Brown Shrimp Tagging Experiments, 1978

By

S. L. Hollaway and K. N. Baxter

U. S. DEPARTMENT OF COMMERCE

Malcolm Baldrige, Secretary

National Oceanic and Atmospheric Administration

John V. Bryne, Administrator

National Marine Fisheries Service

William H. Stevenson,

Acting Assistant Administrator for Fisheries

JULY 1981

Technical Memorandums are used for documentation and timely communication of preliminary results, interim reports, or special-purpose information, and have not received complete formal review, editorial control, or detailed editing.

A Summary of Results of 1978 Louisiana Brown
Shrimp Tagging Experiments, with
Regard to Movement and Migration

by

S. L. Hollaway and K. N. Baxter

Introduction

Research on penaeid shrimp stocks in the northern Gulf of Mexico began in 1977 as part of Project MEXUS-GULF and continued in 1978. During the 1978 phase, brown shrimp (Penaeus aztecus) were the target species for mark-recapture studies. Expanded operations were initiated in Louisiana, both in Caillou Lake and offshore, in an attempt to characterize the brown shrimp stocks of the north central Gulf of Mexico.

In 1978, reported commercial landings of brown shrimp in Louisiana totaled 15.7 million kg (34.6 million lb), headless weight, with a total value of \$35.8 million (USDOC, 1980).

Under contract with the National Marine Fisheries Service (NMFS) the Louisiana Department of Wildlife and Fisheries tagged and released brown shrimp inshore in the Caillou Lake estuarine system in 1978. In addition to inshore tagging efforts, NMFS personnel from the Galveston Laboratory tagged and released brown shrimp in Louisiana offshore waters from both the NOAA Fishery Research Ship OREGON II and a commercial shrimp trawler under contract. These studies were a continuation of efforts to meet shrimp management information needs identified in the regional shrimp fishery management plan for the Gulf of Mexico (Christmas and Etzold, 1977). This report presents a summarization of these mark-recapture experiments.

Materials and Methods

Inshore tagging efforts were concentrated in the Caillou Lake estuarine system during May, June, and July. Offshore tagging studies were carried out southwest of Caillou Lake and south of Calcasieu Lake in June, and south of Calcasieu Lake in July and August (Figure 1). Marked brown shrimp were released from two locations during the June offshore study. Of the 11,156 shrimp released from the NOAA Fishery Research Ship OREGON II, 7457 were released offshore of Atchafalaya Bay and 3699 were released offshore of Calcasieu Lake. Depths of release during the June study were from 10 to 15 fm. During the August offshore study, shrimp were released offshore of Calcasieu Lake in 13 fm. Low concentrations of brown shrimp, compounded by an abundance of jellyfish, prevented the release of more than 1521 marked animals. Survival of shrimp was low due to the jellyfish, resulting in a low percentage of shrimp in condition necessary for tagging.

In all Louisiana studies conducted during the 1978, brown shrimp were tagged with the vinyl mini-ribbon streamer tag similar to that described by Marullo et al. (1976). All holding equipment and procedures and tagging equipment and procedures used during the 1978 were similar to those described for the 1977 Louisiana studies (Baxter and Hollaway, 1981). Capture of shrimp for tagging studies was accomplished by trawling at night during inshore and offshore studies.

The incentive award program described by Baxter and Hollaway (1981) was continued in 1978 with no modification. Publicity for the program and cash awards were distributed by Louisiana State University's Center for Wetland Resources, Sea Grant Program, under contract with NMFS.

LOUISIANA RELEASE SITES FOR 1978




Figure 1. Release sites and number released for 1978 inshore and offshore Louisiana brown shrimp tagging studies.

Table 1. Summary of 1978 Louisiana inshore release and recapture data.

<u>Month</u>	<u>Number released</u>	<u>Number recaptured</u>	<u>% recaptured</u>
May	16726	1534	9.2
June	15716	1709	10.9
July	5936	402	6.8
Total	38378	3645	9.5

Results and Discussion

Inshore and offshore release sites and the number released during each study are shown in Figure 1. A total of 51,923 tagged brown shrimp were released during these studies in 1978. A total of 4,138 were subsequently recaptured, yielding an 8.0% recovery rate. Data on individual recaptures, including distance and direction traveled, days at large, and change in length, are presented in Appendix I.

Inshore

A summary of the 1978 inshore release and recapture data is given in Table 1. Between May and July, 38,378 tagged brown shrimp were released in the Caillou Lake estuarine system. Of those released, 3,645 were recaptured, yielding an overall recovery rate of 9.5%. Recovery rates for the three monthly studies ranged from 6.8% for the July study to 10.9%. The majority of recoveries were recaptured inshore within 60 days of release; net movement was to the south and southwest (Table 2).

In May, 16,726 tagged brown shrimp were released, with 1,534 subsequently recaptured. Over 89% of those recovered were recaptured in inshore areas as defined by the State of Louisiana¹, indicative of the intensive inshore fishery operating in and around this estuarine system. Among those marked animals recovered from the offshore fishery, net movement was to the west and southwest through September, as indicated by graphs of recapture locations (Figures 2 through 5).

The June study resulted in the release of 15,716 tagged brown shrimp.

¹ All waters shoreward of the line commencing at the coastal boundary between Mississippi and Louisiana within which the tide regularly rises and falls or into which saltwater shrimp migrate. Acts 1956, No. 29; Acts 1958, No. 53; Acts 1962, No. 452; Acts 1971, No. 99; Acts 1972, No. 203.

Table 2. Number of tagged brown shrimp recaptured inshore and offshore by 10-day intervals and direction traveled, all inshore releases combined.

DAYS FREE	N	NE	E	SE	S	SW	W	NW
0- 10	27	0	9	47	764	1021	149	4
11- 20	1	0	4	6	323	308	101	3
21- 30	0	0	0	1	87	114	54	0
31- 40	0	0	0	1	16	79	20	0
41- 50	0	0	0	0	3	19	10	0
51- 60	0	0	0	0	4	9	3	0
61- 70	0	0	0	0	2	0	10	0
71- 80	0	0	0	0	8	0	2	0
81- 90	0	0	0	0	22	1	0	0
91-100	0	0	0	0	6	0	0	0
101-110	0	0	0	0	0	0	1	0
111-120	0	0	0	0	0	0	0	0
121-130	0	0	0	0	0	0	0	0
131-140	0	0	0	0	0	0	0	0
141-150	0	0	0	0	0	0	0	0
151-160	0	0	0	0	0	0	0	0
161-170	0	0	0	0	0	0	0	0
171-180	0	0	0	0	0	0	0	0
181-190	0	0	0	0	0	0	0	0
191-200	0	0	0	0	0	0	0	0
201-210	0	0	0	0	0	0	0	0
211-220	0	0	0	0	0	0	0	0
221-230	0	0	0	0	0	0	0	0
231-240	0	0	0	0	0	0	0	0
241-250	0	0	0	0	0	0	0	0
251-260	0	0	0	0	0	0	0	1
261-270	0	0	0	0	0	0	0	0
271-280	0	0	0	0	0	0	0	1
281-290	0	0	0	0	0	0	0	0
291-300	0	0	0	0	0	0	0	0
301-310	0	0	0	0	0	0	0	0
311-320	0	0	0	0	0	0	0	0
321-330	0	0	0	0	0	0	0	0
331-340	0	0	0	0	0	0	0	0
341-350	0	0	0	0	0	0	0	0
351-360	0	0	0	0	0	0	0	0
361-370	0	0	0	0	0	0	0	0
371-380	0	0	0	0	0	0	0	0
381-390	0	0	0	0	0	0	0	0
391-400	0	0	0	0	0	0	0	0
TOTAL	28	0	13	55	1235	1551	352	7

1978 CAILLOU LAKE BROWN SHRIMP STUDY

MAY RELEASE

MAY RECAPTURES

NUMBER RECAPTURED = 834




Figure 2. Recapture locations of tagged brown shrimp released and recaptured in May.
Shaded block indicates release area.

1978 CAILLOU LAKE BROWN SHRIMP STUDY

MAY RELEASE
JUNE RECAPTURES
NUMBER RECAPTURED = 520




Figure 3. Recapture locations of tagged brown shrimp released in May and recaptured in June. Shaded block indicates release area.

1978 CAILLOU LAKE BROWN SHRIMP STUDY

MAY RELEASE

JULY RECAPTURES

NUMBER RECAPTURED = 36




Figure 4. Recapture locations of tagged brown shrimp released in May and recaptured in July. Shaded block indicates release area.

1978 CAILLOU LAKE BROWN SHRIMP STUDY

MAY RELEASE

AUGUST-SEPTEMBER RECAPTURES

NUMBER RECAPTURED = 3




Figure 5. Recapture locations of tagged brown shrimp released in May and recaptured in August and September. Shaded block indicates release area.

1978 CAILLOU LAKE BROWN SHRIMP

JUNE RELEASE
JUNE RECAPTURES
NUMBER RECAPTURED = 841




Figure 6. Recapture locations of tagged brown shrimp released and recaptured in June.
Shaded block indicates release area.

1978 CAILLOU LAKE BROWN SHRIMP

JUNE RELEASE
JULY RECAPTURES
NUMBER RECAPTURED = 546




Figure 7. Recapture locations of tagged brown shrimp released in June and recaptured in July. Shaded block indicates release area.

1978 CAILLOU LAKE BROWN SHRIMP

JUNE RELEASE
AUGUST RECAPTURES
NUMBER RECAPTURED = 26




Figure 8. Recapture locations of tagged brown shrimp released in June and recaptured in August. Shaded block indicates release area.

1978 CAILLOU LAKE BROWN SHRIMP

JUNE RELEASE
SEPTEMBER RECAPTURES
NUMBER RECAPTURED = 36




Figure 9. Recapture locations of tagged brown shrimp released in June and recaptured in September. Shaded block indicates release area.

1978 CAILLOU LAKE BROWN SHRIMP

JULY RELEASE
JULY RECAPTURES
NUMBER RECAPTURED = 278




Figure 10. Recapture locations of tagged brown shrimp released and recaptured in July. Shaded block indicates release area.

1978 CAILLOU LAKE BROWN SHRIMP

JULY RELEASE
AUGUST RECAPTURES
NUMBER RECAPTURED = 77




Figure 11. Recapture locations of tagged brown shrimp released in July and recaptured in August. Shaded block indicates release area.

A total of 1,709 tagged shrimp were recaptured, giving a recovery rate of 10.9%, the highest for 1978 inshore Louisiana studies. The majority of recaptures were recovered in inshore areas surrounding the release site (Figure 6). Subsequent recoveries from offshore indicated a net westward movement through September (Figures 7 through 9).

Marked shrimp released during the July study showed a more rapid movement out of the estuarine system than releases from the May and June inshore studies (Figure 10). Again, net movement was to the west and southwest. The proportion of these marked animals returned from the offshore fishery 18.6%, was greater than that from the May and June inshore studies. Recaptures during August indicated a net west-northwest movement after the marked shrimp left the release area (Figure 11).

The net directional movements shown in Table 2 indicated general movement to the south from the release site, however, this is biased by those shrimp recaptured by the intensive inshore fishery while emigrating south out of the Caillou Lake estuarine system. Those marked shrimp that successfully moved offshore and were subsequently recaptured tended to move west along shore. Gaidry and White (1973) address these two separate movement patterns, describing an initial movement of 60 to 70 mm total length juveniles into larger open bay systems or "staging areas." The second movement, an offshore migration, occurs when the shrimp reach approximately 90 to 110 mm total length in mid to late May, increasing in June and July. Upon entering the offshore fishery, the shrimp tend to move into deeper waters in a westerly direction. This westward movement has been discussed by several investigators (Gaidry and White, 1973; Perret and Boudreux, 1976; Klima, 1980; Klima and Parrack, 1980).

Offshore

During the Louisiana offshore mark-recapture studies, 13,545 brown shrimp were marked and released. A total of 493 marked shrimp were subsequently recovered,

Table 3. Summary of 1978 Louisiana offshore release and recapture data.

<u>Month</u>	<u>Number released</u>	<u>Number recaptured</u>	<u>% recaptured</u>
June	11156	450	4.0
July	868	1	<1.0
August	1521	42	2.8
Total	13545	493	3.6

Table 4. Number of tagged brown shrimp recaptured by 10-day intervals and direction traveled, all offshore releases combined.

DAY FREE	N	NE	E	SE	S	SW	W	NW
0- 10	0	0	2	8	81	3	3	0
11- 20	0	2	2	8	111	0	7	2
21- 30	0	0	2	13	26	5	7	0
31- 40	0	2	2	9	15	1	10	0
41- 50	1	3	3	7	3	6	8	3
51- 60	0	0	0	3	5	1	1	1
61- 70	0	0	1	1	2	1	1	2
71- 80	0	1	0	0	1	1	2	0
81- 90	1	0	0	2	0	0	1	0
91-100	0	0	1	0	0	1	0	1
101-110	0	0	0	0	0	1	0	0
111-120	0	0	0	0	0	0	1	0
121-130	0	0	0	0	0	1	3	0
131-140	0	0	0	1	0	0	1	0
141-150	0	0	0	1	0	0	1	1
151-160	0	0	1	0	0	1	0	0
161-170	0	0	2	0	0	0	1	0
171-180	0	1	0	0	0	0	1	0
181-190	0	0	1	1	0	0	0	0
191-200	0	0	0	0	0	0	0	0
201-210	0	0	0	0	0	0	0	0
211-220	0	0	0	0	0	0	0	0
221-230	0	0	0	0	0	0	0	0
231-240	0	0	2	0	0	0	0	0
241-250	0	0	0	0	0	0	0	0
251-260	0	0	0	0	0	0	0	0
261-270	0	0	0	0	0	0	1	0
271-280	0	0	0	0	0	1	0	0
281-290	0	0	0	0	0	0	0	0
291-300	0	0	0	0	0	0	1	0
301-310	0	0	0	0	0	0	0	0
311-320	0	0	0	0	0	0	1	0
321-330	0	0	0	0	0	0	0	0
331-340	0	0	0	0	0	0	0	0
341-350	0	0	0	0	0	0	0	0
351-360	0	0	0	0	0	0	0	0
361-370	0	0	0	0	0	0	0	0
371-380	0	0	0	0	0	0	0	0
381-390	0	0	0	0	0	0	0	0
391-400	0	0	0	0	0	0	0	0
TOTAL	2	9	21	52	248	32	44	10

1978 OFFSHORE LOUISIANA BROWN SHRIMP STUDY

JUNE RELEASE
JUNE RECAPTURES
NUMBER RECAPTURED = 127




Figure 12. Recapture locations of tagged brown shrimp released and recaptured in June.
Shaded block indicates release area.

representing a recovery rate of 3.6% (Table 3). Recovery rate for individual studies varied from less than 1.0% for the July study to 4.0% for the June study. The majority of recoveries were recaptured within 60 days of their release after net movement to the south and west, although some movement to the southeast was indicated (Table 4).

A total of 450 marked animals were recaptured through December, resulting in a recovery rate of 4.0% for the June offshore study. Recaptures during the month of June indicate dispersion from release sites into deeper waters, although some inshore movement is evident (Figure 12). More pronounced eastward and westward movement from release sites, as well as offshore movement, was observed from July recaptures (Figure 13). From August through December, the number of recaptures is considerably reduced from levels seen during the previous two months, but the east-west dispersion into deeper waters remains evident (Figures 14 through 17).

Due to low availability of brown shrimp, compounded by problems associated with trawling, marked brown shrimp were released on only two days during the July study. A total of 868 marked animals were released, of these only one was subsequently recovered.

Recapture rates from the August study were low during August, but a net westward movement is indicated, with some movement to the east and into deeper waters (Figure 18). During September, the number of recaptures increased, showing westward movement of the shrimp into Texas waters, as well as movement into deeper waters (Figure 19). Recoveries through December indicate little movement from that shown by September recoveries (Figures 20 and 21).

Despite the release of relatively low numbers of marked brown shrimp during two of the three offshore studies, general movement patterns are discernible. The movement of marked brown shrimp into deeper waters over time is well illustrated

1978 OFFSHORE LOUISIANA BROWN SHRIMP STUDY

JUNE RELEASE
JULY RECAPTURES
NUMBER RECAPTURED = 208




Figure 13. Recapture locations of tagged brown shrimp released in June and recaptured in July. Shaded block indicates release area.

1978 OFFSHORE LOUISIANA BROWN SHRIMP STUDY

JUNE RELEASE
AUGUST RECAPTURES
NUMBER RECAPTURED = 19




Figure 14. Recapture locations of tagged brown shrimp released in June and recaptured in August. Shaded block indicates release area.

1978 OFFSHORE LOUISIANA BROWN SHRIMP STUDY

JUNE RELEASE
SEPTEMBER RECAPTURES
NUMBER RECAPTURED = 7




Figure 15. Recapture locations of tagged brown shrimp released in June and recaptured in September. Shaded block indicates release area.

1978 OFFSHORE LOUISIANA BROWN SHRIMP STUDY

JUNE RELEASE
OCTOBER RECAPTURES
NUMBER RECAPTURED = 7




Figure 16. Recapture locations of tagged brown shrimp released in June and recaptured in October. Shaded block indicates release area.

1978 OFFSHORE LOUISIANA BROWN SHRIMP STUDY

JUNE RELEASE
NOVEMBER-DECEMBER RECAPTURES
NUMBER RECAPTURED = 7




Figure 17. Recapture locations of tagged brown shrimp released in June and recaptured in November through December. Shaded block indicates release area.

1978 OFFSHORE LOUISIANA BROWN SHRIMP STUDY

AUGUST RELEASE
AUGUST RECAPTURES
NUMBER RECAPTURED = 4




Figure 18. Recapture locations of tagged brown shrimp released and recaptured in August.
Shaded block indicates release area.

1978 OFFSHORE LOUISIANA BROWN SHRIMP STUDY

AUGUST RELEASE
SEPTEMBER RECAPTURES
NUMBER RECAPTURED = 19




Figure 19. Recapture locations of tagged brown shrimp released in August and recaptured in September. Shaded block indicates release area.

1978 OFFSHORE LOUISIANA BROWN SHRIMP STUDY

AUGUST RELEASE
OCTOBER RECAPTURES
NUMBER RECAPTURED = 5




Figure 20. Recapture locations of tagged brown shrimp released in August and recaptured in October. Shaded block indicates release area.

1978 OFFSHORE LOUISIANA BROWN SHRIMP STUDY

AUGUST RELEASE
NOVEMBER-DECEMBER RECAPTURES
NUMBER RECAPTURED = 3




Figure 21. Recapture locations of tagged shrimp released in August and recaptured in November through December. Shaded block indicates release area.

by the return density by area plots. This is also shown in Table 4, which indicates the majority of marked animals moving south into deeper waters after release. Graphs of numbers recaptured also indicate an east to west migration trend, as was shown for brown shrimp marked and released at Caillou Lake.

The offshore movement of brown shrimp has been reported by several investigators. In a mark/recapture study conducted off Port Aransas, Texas, Klima and Benigno (1965) reported that small brown shrimp moved parallel to the coastline and seaward after release. Compton and Bradley (1962) marked and released juvenile brown shrimp in Aransas Bay, Texas, and reported that subsequent movement was primarily toward the Gulf during the summer. Matthews (unpublished manuscript), analyzing transect data collected during May through August off Texas by NMFS during 1961-65 and Texas Parks and Wildlife Department during 1975-80, determined that brown shrimp exhibit a definite offshore migration over time or with increasing age, eventually being recruited into the offshore stock in 20 to 30 fm. Griffin et al. (1974) reported that brown shrimp move from inshore and shallow water areas to deeper offshore waters. The data obtained during the mark-recapture studies reported here corroborate the seaward migration of brown shrimp over time. Brown shrimp marked and released during the Louisiana offshore studies were returned from as far west as Freeport, Texas. Results of concurrent studies off the Texas and Mexican coasts show a mixing of stocks in the northwestern Gulf of Mexico, indicating a single mobile stock of adult individuals existing from the Mississippi River to Tampico, Mexico (Klima and Parrack, 1980).

Literature Cited

- Baxter, K. N. and S. L. Hollaway. 1981. A summary of results of Louisiana white shrimp tagging experiments, 1977. NOAA Tech. Memo. NMFS-SEFC-72 NOAA, NMFS.
- Christmas, J. Y. and D. J. Etzold. 1977. The shrimp fishery of the Gulf of Mexico, United States: A regional management plan. Gulf Coast Res. Lab., Tech. Rept. Ser. No. 2 128 pp.
- Compton, H. and E. Bradley. 1962. Migration study on brown shrimp in bay area M-6 and Gulf area 20. Coastal Fish. Proj. Rept. 1960-61. Texas Game and Fish Comm. pp. 1-10.
- Gaidry, W. J. and C. J. White. 1973. Investigations of commercially important Penaeid shrimp in Louisiana estuaries. La. Wildl. Fish. Comm. Tech. Bull. No. 8.
- Griffin, W. L., M. L. Cross, and G. W. Ryan. 1974. Seasonal and movement patterns in the Gulf of Mexico shrimp fishery. Texas Agricultural Exp. Stat., Texas A&M Univ., Dep. Tech. Rep. No. 74-4. 54 pp.
- Klima, E. F. 1980. The National Marine Fisheries Service shrimp research programme in the Gulf of Mexico. FAO-WECAF Rept. No. 28: 47-76.
- _____, and J. A. Benigno. 1965. Mark-recapture experiments. U.S. Fish and Wildl. Serv., Circ. 230: 38-40.
- _____, and M. L. Parrack. 1980. A technique to obtain information for shrimp management in the western central Atlantic ocean. FAO-WECAF Rept. No. 28: 104-122.
- Marullo, F., D. Emiliani, C. Caillouet, and S. Clark. 1976. A vinyl streamer tag for shrimp (Penaeus spp.). Trans. Am. Fish. Soc. 105 (6): 658-663.
- Matthews, G. A. An analysis of the size distribution of Penaeus aztecus, P. duorarum, and P. setiferus from areas along the Texas Shelf. Unpublished manuscript.
- Perret, W. S. and C. Boudreaux. 1976. A tale of tags on tales. In Louisiana Conservationist. May-June: 20-23.
- U. S. Department of Commerce. 1980. Shrimp Landings, Annual Summary 1978. Current Fish. Stat. No. 7824. NOAA, NMFS, Wash., D.C.

Appendix I

LOUISIANA BROWN SHRIMP RECAPTURES FROM 1978 RELEASES

EMPHASIS ON BROWN SHRIMP

INCLUDES INSHORE AND OFFSHORE RELEASES

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE RECAP		CHANGE IN LN	RELE AREA	RELE STATE
										LN	LN			
1	B	U	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 516	78 527	11	55	0	0	I	L
2	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 516	78 612	27	50	70	20	I	L
3	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 520	4	55	54	-1	I	L
4	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 520	4	55	54	-1	I	L
5	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 6 2	17	47	51	4	I	L
6	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 516	78 528	12	52	55	3	I	L
7	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 520	4	41	42	1	I	L
8	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 621	36	49	50	1	I	L
9	B	F	29.14.N 90.55.W	29.10.N 90.55.W	2.01	6.40	78 516	78 512	-4	49	57	8	I	L
10	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 516	78 519	3	43	50	7	I	L
11	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 516	78 611	26	54	54	5	I	L
12	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 531	15	47	55	8	I	L
13	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 516	78 522	6	47	46	-1	I	L
14	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 520	4	50	50	0	I	L
15	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 516	78 526	10	51	57	6	I	L
16	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 516	78 530	14	51	57	6	I	L
17	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 516	78 525	9	51	50	-1	I	L
18	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 525	9	40	43	3	I	L
19	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 527	11	55	60	5	I	L
20	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 528	12	44	51	7	I	L
21	B	M	29.14.N 90.55.W	29.11.N 90. 4.W	44.62	93.65	78 516	78 531	15	41	47	6	I	L
22	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 615	30	46	60	14	I	L
23	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 516	78 612	27	42	54	12	I	L
24	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 523	7	50	55	5	I	L
25	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 516	78 523	7	53	59	6	I	L
26	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 528	12	45	50	5	I	L
27	B	F	29.14.N 90.55.W	29. 1.N 90.56.W	13.03	183.85	78 516	78 520	4	52	56	4	I	L
28	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 715	60+-15	49	61	12	I	L
29	B	F	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 516	78 512	-4	52	54	<1	I	L
30	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 522	6	48	50	2	I	L
31	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 627	42	44	45	1	I	L
32	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 525	9	43	46	3	I	L
33	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 516	78 522	6	50	56	6	I	L
34	B	M	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 516	78 512	-4	52	57	5	I	L
35	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 516	78 529	13	44	48	4	I	L
36	B	F	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 516	78 531	15	53	63	10	I	L
37	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 516	78 523	7	44	44	0	I	L
38	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 516	78 530	14	53	57	4	I	L
39	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 516	78 530	14	46	47	1	I	L
40	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 516	78 519	3	53	57	4	I	L
41	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 522	6	43	47	4	I	L
42	B	F	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 516	78 530	14	55	65	10	I	L
43	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	52	58	6	I	L
44	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 530	14	51	57	6	I	L
45	B	M	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 516	78 531	15	51	55	4	I	L
46	B	F	29.14.N 90.55.W	29. 5.N 90.45.W	12.54	135.82	78 516	78 6 3	18	51	55	4	I	L
47	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 516	78 531	15	48	55	7	I	L
48	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 530	14	46	54	8	I	L
49	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 525	9	45	52	7	I	L
50	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 619	34	45	57	12	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE LN	RECAP LN	CHANGE IN LN	RELE AREA	RELE STATE
51	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 520	4	51	53	2	I	L
52	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	53	58	5	I	L
53	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 530	14	41	50	9	I	L
54	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 516	78 523	7	44	47	3	I	L
55	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 516	78 6 9	24	49	58	9	I	L
56	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 516	78 519	3	44	46	2	I	L
57	B	M	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 516	78 522	6	46	50	4	I	L
58	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 516	78 524	8	50	53	3	I	L
59	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 528	12	61	65	4	I	L
60	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 516	78 530	14	53	56	3	I	L
61	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	44	52	8	I	L
62	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 530	14	55	57	2	I	L
63	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	48	50	2	I	L
64	B	F	29.14.N 90.55.W	29. 1.N 90.56.W	13.03	183.85	78 516	78 522	6	47	51	4	I	L
65	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 516	78 623	38	47	65	18	I	L
66	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	50	54	4	I	L
67	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 516	78 530	14	48	54	6	I	L
68	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 523	7	50	52	2	I	L
69	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 516	78 525	9	57	65	8	I	L
70	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 516	78 525	9	55	60	5	I	L
71	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 712	57	47	62	15	I	L
72	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 525	9	48	51	3	I	L
73	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 516	78 525	9	55	60	5	I	L
74	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 516	78 519	3	48	50	2	I	L
75	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 516	78 522	6	41	43	2	I	L
76	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 617	32	55	78	23	I	L
77	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 6 9	24	52	60	8	I	L
78	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	56	59	3	I	L
79	B	F	29.14.N 90.55.W	29.13.N 90.54.W	1.33	138.89	78 516	78 617	32	55	64	9	I	L
80	B	M	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 516	78 522	6	40	50	10	I	L
81	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 516	78 6 5	20	40	52	12	I	L
82	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 516	78 519	3	44	47	3	I	L
83	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 610	25	43	52	9	I	L
84	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	57	60	3	I	L
85	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	52	65	13	I	L
86	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 516	78 6 2	17	49	63	14	I	L
87	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 521	5	45	0	0	I	L
88	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	51	55	4	I	L
89	B	F	29.14.N 90.55.W	28.55.N 91.20.W	28.96	229.09	78 516	78 626	41	48	74	26	I	L
90	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 612	27	44	63	19	I	L
91	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 520	4	47	48	1	I	L
92	B	M	29.14.N 90.55.W	29.14.N 91. 0.W	4.36	270.02	78 516	78 528	12	44	45	1	I	L
93	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 525	9	49	52	3	I	L
94	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 516	78 519	3	44	44	0	I	L
95	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	49	49	0	I	L
96	B	M	29.14.N 90.55.W	29. 5.N 90.45.W	12.54	135.82	78 516	78 525	9	52	55	3	I	L
97	B	U	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 516	78 529	13	43	0	0	I	L
98	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 6 1	16	58	0	0	I	L
99	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 516	78 524	8	54	63	9	I	L
100	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 516	78 526	10	55	57	2	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE		RECAP		CHANGE RELE	RELE	RELE	STATE
										LN	LN	IN LN	IN LN				
101	B	M	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 516	78 512	-4	48	49	1	I	L			
102	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 6 9	24	59	66	7	I	L			
103	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 516	78 523	7	49	49	0	I	L			
104	B	U	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 530	14	42	0	0	I	L			
105	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 516	78 523	7	48	49	1	I	L			
106	B	F	29.14.N 90.55.W	29.10.N 91. 8.W	12.03	250.63	78 516	78 624	39	41	76	35	I	L			
107	B	M	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 516	78 512	-4	51	54	3	I	L			
108	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 516	78 530	14	56	56	0	I	L			
109	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 616	31	53	60	7	I	L			
110	B	F	29.14.N 90.55.W	29. 1.N 90.56.W	13.03	183.85	78 516	78 522	6	51	53	2	I	L			
111	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 521	5	54	54	0	I	L			
112	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	40	40	0	I	L			
113	B	F	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 516	78 522	6	53	54	1	I	L			
114	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 619	34+-30	47	48	1	I	L			
115	B	F	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 516	78 522	6	50	55	5	I	L			
116	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 522	6	49	50	1	I	L			
117	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 516	78 511	-5	45	58	13	I	L			
118	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 525	9	41	46	5	I	L			
119	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 522	6	40	47	7	I	L			
120	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 610	25	43	50	7	I	L			
121	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 516	0 0 0	0	46	47	1	I	L			
122	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 521	5	40	52	6	I	L			
123	B	U	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 516	78 530	14	55	0	0	I	L			
124	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 525	9	54	58	4	I	L			
125	B	U	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 516	78 522	6	45	0	0	I	L			
126	B	M	29.14.N 90.55.W	29. 1.N 90.56.W	13.03	183.85	78 516	78 522	6	42	51	9	I	L			
127	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 522	6	40	40	0	I	L			
128	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 614	29	45	57	12	I	L			
129	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 529	13	43	52	9	I	L			
130	B	F	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 516	78 512	-4	47	51	4	I	L			
131	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 520	4	45	42	-3	I	L			
132	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 516	78 6 3	18	41	50	9	I	L			
133	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 621	36	40	39	-1	I	L			
134	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	40	42	2	I	L			
135	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 516	78 530	14	44	47	3	I	L			
136	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 530	14	42	50	8	I	L			
137	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 516	78 525	9	41	42	1	I	L			
138	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 6 2	17	40	47	7	I	L			
139	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 516	78 0 0	0+->30	44	50	6	I	L			
140	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	49	52	3	I	L			
141	B	F	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 516	78 522	6	52	50	-2	I	L			
142	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 522	6	45	50	5	I	L			
143	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 516	78 530	14	50	50	0	I	L			
144	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 516	78 530	14	50	68	18	I	L			
145	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 516	78 528	12	48	50	2	I	L			
146	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 516	78 528	12	45	55	10	I	L			
147	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 516	78 6 7	22	50	62	12	I	L			
148	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 621	36	46	50	4	I	L			
149	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 525	9	38	46	8	I	L			
150	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 621	36	51	52	1	I	L			

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE RELAP		CHANGE IN LN	RELE AREA	RELE STATE
										LN	LN			
151	B	M	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 516	78 6 3	18	44	53	9	I	L
152	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 525	9	48	51	3	I	L
153	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 516	78 522	6	48	49	1	I	L
154	B	M	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 516	78 529	13	54	58	4	I	L
155	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 516	78 530	14	45	50	5	I	L
156	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 521	5	50	50	0	I	L
157	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 516	78 523	7	47	52	5	I	L
158	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 516	78 527	11	54	60	6	I	L
159	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 520	4	45	47	2	I	L
160	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 619	34	47	59	12	I	L
161	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 6 1	16	41	0	0	I	L
162	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 516	78 530	14	48	52	4	I	L
163	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 516	78 522	6	55	59	4	I	L
164	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 525	9	50	0	0	I	L
165	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 516	78 611	26	48	63	15	I	L
166	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 621	36	49	50	1	I	L
167	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 528	12	52	53	1	I	L
168	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 516	78 525	9	45	0	0	I	L
169	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 530	14	42	49	7	I	L
170	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 529	13	55	0	0	I	L
171	B	F	29.14.N 90.55.W	29.14.N 90.59.W	3.49	270.02	78 516	78 529	13	48	50	2	I	L
172	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 525	9	48	53	5	I	L
173	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 516	78 523	7	45	48	3	I	L
174	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 516	78 526	10	49	0	0	I	L
175	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 522	6	45	45	0	I	L
176	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 527	11	48	52	4	I	L
177	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 516	78 6 6	21	52	60	8	I	L
178	B	F	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 516	78 6 1	16	48	58	10	I	L
179	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 516	78 6 9	24	49	57	8	I	L
180	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 516	78 525	9	57	0	0	I	L
181	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 516	78 6 2	17	40	55	9	I	L
182	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 516	78 525	9	43	45	2	I	L
183	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 516	78 526	10	47	50	3	I	L
184	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 520	4	48	52	4	I	L
185	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 516	78 522	6	46	50	4	I	L
186	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 516	78 525	9	48	45	-3	I	L
187	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 516	78 523	7	42	45	3	I	L
188	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 516	78 530	14	44	52	8	I	L
189	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 520	3	51	51	0	I	L
190	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 517	78 530	13	55	57	2	I	L
191	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 517	78 527	10	49	53	4	I	L
192	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 517	78 519	2	44	44	0	I	L
193	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 517	78 530	13	40	52	6	I	L
194	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 517	78 629	43	50	53	3	I	L
195	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 529	12	42	46	4	I	L
196	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 517	78 524	7	41	0	0	I	L
197	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 517	78 530	13	47	53	6	I	L
198	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	47	51	4	I	L
199	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	42	46	3	I	L
200	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 521	4	54	58	4	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE		RECAP		CHANGE IN LN	RELE AREA	RELE STATE
										LN	LN	LN	LN			
201	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 517	78 527	10	49	44	-5	I	L		
202	H	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 517	78 520	3	42	45	3	I	L		
203	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 517	78 522	5	45	45	0	I	L		
204	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 517	78 523	6	49	57	8	I	L		
205	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 517	78 523	6	46	48	2	I	L		
206	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 517	78 610	24	45	50	5	I	L		
207	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 529	12	50	50	0	I	L		
208	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 527	10	48	50	2	I	L		
209	B	U	29.14.N 90.55.W	29. 5.N 90.45.W	12.54	135.82	78 517	78 524	7	44	0	0	I	L		
210	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 517	78 519	2	45	50	5	I	L		
211	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 517	78 612	26	39	49	10	I	L		
212	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 517	78 523	6	41	47	6	I	L		
213	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 612	26	40	57	17	I	L		
214	B	M	29.14.N 90.55.W	29.18.N 90.57.W	4.36	336.53	78 517	78 525	8	53	55	2	I	L		
215	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 517	78 521	4	54	55	1	I	L		
216	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 630	44	39	47	8	I	L		
217	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 520	3	48	53	5	I	L		
218	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 517	78 530	13	39	45	6	I	L		
219	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 517	78 611	25	41	56	15	I	L		
220	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 517	78 530	13	47	52	5	I	L		
221	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 517	78 528	11	52	55	3	I	L		
222	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 522	5	39	44	5	I	L		
223	B	M	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 517	78 522	5	45	0	0	I	L		
224	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 517	78 6 4	18	43	47	4	I	L		
225	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 715	59+-15	43	62	19	I	L		
226	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 517	78 525	8	49	51	2	I	L		
227	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 517	78 524	7	46	49	3	I	L		
228	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 517	78 520	3	55	59	4	I	L		
229	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 6 7	21	39	58	19	I	L		
230	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	40	40	0	I	L		
231	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 630	44	44	55	11	I	L		
232	B	F	29.14.N 90.55.W	29. 1.N 90.56.W	13.03	183.85	78 517	78 522	5	49	52	3	I	L		
233	B	F	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 517	78 512	-5	44	47	3	I	L		
234	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 517	78 522	5	42	44	2	I	L		
235	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 520	3	42	42	0	I	L		
236	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 517	78 618	32	40	0	0	I	L		
237	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 520	3	53	58	5	I	L		
238	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 517	78 523	6	42	45	3	I	L		
239	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 530	13	41	0	0	I	L		
240	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 517	78 6 8	22	41	51	10	I	L		
241	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 612	26	45	55	10	I	L		
242	B	M	29.14.N 90.55.W	29.10.N 90.55.W	2.01	6.40	78 517	78 512	-5	40	50	4	I	L		
243	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 517	78 530	13	49	49	0	I	L		
244	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 517	78 526	9	48	50	2	I	L		
245	B	M	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 517	78 522	5	44	50	6	I	L		
246	B	M	29.14.N 90.55.W	29.30.N 92. 5.W	63.07	284.98	78 517	78 725	69	44	51	13	I	L		
247	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 518	1	54	57	3	I	L		
248	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 517	78 519	2	52	55	3	I	L		
249	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 630	44	44	53	9	I	L		
250	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 517	78 525	8	44	0	0	I	L		

NO.	SP.	SEX	RELEASE LOCATION		RECAPTURE LOCATION		DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE LN	RECAP LN	CHANGE IN LN	RELE AREA	RELE STATE	
			LONG	LAT	LONG	LAT											
251	B	F	29.14.N	90.55.W	29.	9.N	90.58.W	5.66	207.98	78 517	78 520	3	42	44	2	I	L
252	B	M	29.14.N	90.55.W	29.13.N	90.57.W	2.01	240.21	78 517	78 527	41	49	50	1	I	L	
253	B	F	29.14.N	90.55.W	29.14.N	90.55.W	0.	0.	78 517	78 522	5	42	45	3	I	L	
254	B	M	29.14.N	90.55.W	29.12.N	90.56.W	2.22	205.76	78 517	78 525	8	51	55	4	I	L	
255	B	F	29.14.N	90.55.W	29.13.N	90.57.W	2.01	240.21	78 517	78 520	3	49	50	1	I	L	
256	B	M	29.14.N	90.55.W	29.10.N	90.56.W	4.09	192.06	78 517	78 522	5	48	53	5	I	L	
257	B	M	29.14.N	90.55.W	29.10.N	90.56.W	4.09	192.06	78 517	78 522	5	54	54	0	I	L	
258	B	M	29.14.N	90.55.W	29.14.N	90.55.W	0.	0.	78 517	78 522	5	49	50	1	I	L	
259	B	F	29.14.N	90.55.W	29.10.N	90.56.W	4.09	192.06	78 517	78 522	5	50	50	0	I	L	
260	B	F	29.14.N	90.55.W	29.10.N	90.56.W	4.09	192.06	78 517	78 614	28	45	65	20	I	L	
261	B	M	29.14.N	90.55.W	29.	3.N	90.49.W	12.18	154.51	78 517	78 519	2	45	45	0	I	L
262	B	M	29.14.N	90.55.W	29.	9.N	90.56.W	5.09	190.67	78 517	78 524	7	48	50	2	I	L
263	B	M	29.14.N	90.55.W	29.	7.N	90.56.W	7.06	187.45	78 517	78 522	5	45	49	4	I	L
264	B	M	29.14.N	90.55.W	29.10.N	90.57.W	4.36	203.49	78 517	78 523	6	44	47	3	I	L	
265	B	F	29.14.N	90.55.W	29.	3.N	90.49.W	12.18	154.51	78 517	78 522	5	45	0	0	I	L
266	B	F	29.14.N	90.55.W	29.10.N	90.56.W	4.09	192.06	78 517	78 6 6	20	47	60	13	I	L	
267	B	M	29.14.N	90.55.W	29.	9.N	90.56.W	5.09	190.67	78 517	78 523	6	50	50	0	I	L
268	B	F	29.14.N	90.55.W	29.10.N	90.56.W	4.09	192.06	78 517	78 528	11	47	50	3	I	L	
269	B	U	29.14.N	90.55.W	29.10.N	91. 1.W	6.60	232.69	78 517	78 525	8	50	0	0	I	L	
270	B	M	29.14.N	90.55.W	29.13.N	90.57.W	2.01	240.21	78 517	78 521	4	49	48	-1	I	L	
271	B	M	29.14.N	90.55.W	29.10.N	91. 0.W	5.92	227.51	78 517	78 530	13	49	55	6	I	L	
272	B	U	29.14.N	90.55.W	29.	6.N	90.56.W	8.05	186.41	78 517	78 524	7	43	0	0	I	L
273	B	F	29.14.N	90.55.W	29.13.N	90.57.W	2.01	240.21	78 517	78 627	41	44	47	3	I	L	
274	B	M	29.14.N	90.55.W	29.10.N	91. 0.W	5.92	227.51	78 517	78 521	4	51	55	4	I	L	
275	B	M	29.14.N	90.55.W	29.10.N	90.56.W	4.09	192.06	78 517	78 522	5	42	45	3	I	L	
276	B	F	29.14.N	90.55.W	29.13.N	90.57.W	2.01	240.21	78 517	78 623	37	40	63	23	I	L	
277	B	F	29.14.N	90.55.W	29.10.N	90.56.W	4.09	192.06	78 517	78 522	5	47	50	3	I	L	
278	B	M	29.14.N	90.55.W	29.10.N	90.56.W	4.09	192.06	78 517	78 525	8	42	45	3	I	L	
279	B	F	29.14.N	90.55.W	29.10.N	91. 0.W	5.92	227.51	78 517	78 520	3	50	52	2	I	L	
280	B	M	29.14.N	90.55.W	29.13.N	90.57.W	2.01	240.21	78 517	78 525	8	39	41	2	I	L	
281	B	M	29.14.N	90.55.W	29.10.N	90.56.W	4.09	192.06	78 517	78 523	6	41	45	4	I	L	
282	B	F	29.14.N	90.55.W	29.13.N	90.57.W	2.01	240.21	78 517	78 621	35	40	55	15	I	L	
283	B	F	29.14.N	90.55.W	29.10.N	91. 2.W	7.30	236.83	78 517	78 523	6	40	40	0	I	L	
284	B	M	29.14.N	90.55.W	29.10.N	90.56.W	4.09	192.06	78 517	78 6 3	17	45	0	0	I	L	
285	B	F	29.14.N	90.55.W	29.14.N	90.55.W	0.	0.	78 517	78 522	5	45	50	5	I	L	
286	B	F	29.14.N	90.55.W	29.14.N	90.55.W	0.	0.	78 517	78 610	24	50	61	11	I	L	
287	B	F	29.14.N	90.55.W	29.13.N	90.57.W	2.01	240.21	78 517	78 525	8	53	60	7	I	L	
288	B	M	29.14.N	90.55.W	0.	0.N	0. 0.W	0.	0.	78 517	0 0 0	0NA	53	0	0	I	L
289	B	F	29.14.N	90.55.W	29.11.N	91. 8.W	11.74	255.24	78 517	78 527	10	48	57	9	I	L	
290	B	U	29.14.N	90.55.W	29.13.N	90.57.W	2.01	240.21	78 517	78 529	12	48	0	0	I	L	
291	B	F	29.14.N	90.55.W	29.12.N	90.58.W	3.30	232.76	78 517	78 525	8	49	51	2	I	L	
292	B	M	29.14.N	90.55.W	29.10.N	90.57.W	4.36	203.49	78 517	78 523	6	44	54	10	I	L	
293	B	M	29.14.N	90.55.W	29.	3.N	90.49.W	12.18	154.51	78 517	78 522	5	46	48	2	I	L
294	B	M	29.14.N	90.55.W	29.13.N	90.57.W	2.01	240.21	78 517	78 525	8	44	48	4	I	L	
295	B	M	29.14.N	90.55.W	29.10.N	90.56.W	4.09	192.06	78 517	78 522	5	45	49	4	I	L	
296	B	F	29.14.N	90.55.W	29.10.N	91. 2.W	7.30	236.83	78 517	78 530	13	47	49	2	I	L	
297	B	M	29.14.N	90.55.W	29.10.N	90.57.W	4.36	203.49	78 517	78 523	6	38	42	4	I	L	
298	B	F	29.14.N	90.55.W	29.13.N	90.57.W	2.01	240.21	78 517	78 6 9	23	43	54	11	I	L	
299	B	F	29.14.N	90.55.W	29.14.N	91.29.W	29.67	270.14	78 517	78 623	37	58	64	6	I	L	
300	B	F	29.14.N	90.55.W	29.	9.N	90.56.W	5.09	190.67	78 517	78 524	7	53	50	-3	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN	RECAP LN	CHANGE IN LN	RELÉ AREA	RELÉ STATE
301	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	52	51	-1	I	L
302	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 612	26	43	58	15	I	L
303	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 521	4	54	53	-1	I	L
304	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 522	5	43	48	5	I	L
305	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 517	78 522	5	45	47	2	I	L
306	B	U	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 517	78 522	5	54	0	0	I	L
307	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 517	78 530	13	55	58	3	I	L
308	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 520	3	41	45	4	I	L
309	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	43	45	2	I	L
310	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	45	43	-2	I	L
311	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 528	11	42	43	1	I	L
312	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 517	78 530	13	46	44	-2	I	L
313	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 517	78 519	2	40	41	1	I	L
314	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 517	78 519	2	40	43	3	I	L
315	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 517	78 522	5	43	43	0	I	L
316	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 522	5	41	42	1	I	L
317	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 517	78 530	13	51	50	-1	I	L
318	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 530	13	45	50	5	I	L
319	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 517	78 522	5	48	47	-1	I	L
320	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 517	78 528	11	52	55	3	I	L
321	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 517	78 523	6	60	59	-1	I	L
322	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 517	78 6 7	21	44	0	0	I	L
323	B	M	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 517	78 512	-5	40	43	3	I	L
324	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 517	78 6 8	22	46	57	11	I	L
325	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 517	78 6 9	23	43	53	10	I	L
326	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 517	78 524	7	52	48	-4	I	L
327	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 524	7	48	45	-3	I	L
328	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 6 1	15	52	55	3	I	L
329	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	43	49	6	I	L
330	B	F	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 517	78 6 2	16	42	55	13	I	L
331	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 518	1	50	53	3	I	L
332	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 517	78 523	6	45	47	2	I	L
333	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 517	78 525	8	43	45	2	I	L
334	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 524	7	40	45	5	I	L
335	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 522	5	46	48	2	I	L
336	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 518	1	42	44	2	I	L
337	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	47	50	3	I	L
338	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 517	78 528	11	46	50	4	I	L
339	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 521	4	48	0	0	I	L
340	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 523	6	49	56	7	I	L
341	B	F	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 517	78 512	-5	43	48	5	I	L
342	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 517	78 526	9	35	50	15	I	L
343	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 517	78 6 6	20	31	53	22	I	L
344	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 6 1	15+-15	45	48	3	I	L
345	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 525	8	45	47	2	I	L
346	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	48	0	0	I	L
347	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 517	78 530	13	45	50	5	I	L
348	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	44	47	3	I	L
349	B	F	29.14.N 90.55.W	29.11.N 90. 4.W	44.62	93.65	78 517	78 531	14	54	61	7	I	L
350	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 525	8	53	58	5	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELEASE DATE	RECAP DATE	DAYS AT LARGE	RELEASE		CHANGE IN LN	RELEASE AREA	RELEASE STATE
										LN	LN			
351	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 517	78 530	13	57	59	2	I	L
352	B	F	29.14.N 90.55.W	29.15.N 91. 3.W	7.05	278.19	78 517	78 75	49	38	70	32	I	L
353	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 517	78 520	3	40	45	5	I	L
354	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 614	28	46	51	5	I	L
355	B	M	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 517	78 6 8	22	51	60	9	I	L
356	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 517	78 525	8	46	50	4	I	L
357	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 517	78 618	32	46	63	17	I	L
358	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 517	78 522	5	48	49	1	I	L
359	H	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 517	78 524	7	50	52	2	I	L
360	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 517	78 525	8	47	48	1	I	L
361	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 517	78 522	5	38	40	2	I	L
362	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 517	78 525	8	38	39	1	I	L
363	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 522	5	53	62	9	I	L
364	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 517	78 526	9	49	0	0	I	L
365	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 517	78 522	5	46	49	3	I	L
366	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	45	48	3	I	L
367	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 621	35	47	47	0	I	L
368	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 517	78 524	7	52	55	3	I	L
369	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 530	13	55	58	3	I	L
370	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	43	0	0	I	L
371	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 522	5	37	40	3	I	L
372	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 522	5	45	45	0	I	L
373	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 521	4	50	51	1	I	L
374	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 522	5	42	45	3	I	L
375	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 517	78 523	6	45	49	4	I	L
376	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 517	78 519	2	58	58	0	I	L
377	B	F	29.14.N 90.55.W	29.10.N 91. 8.W	12.03	250.63	78 517	78 624	38	48	70	22	I	L
378	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 517	78 530	13	43	54	11	I	L
379	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 522	5	42	48	0	I	L
380	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 525	8	48	50	2	I	L
381	B	U	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 517	78 526	9	48	0	0	I	L
382	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 517	0 0 0	0	48	50	2	I	L
383	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 525	8	43	45	2	I	L
384	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 6 5	19	44	55	11	I	L
385	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	47	51	4	I	L
386	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 518	1	45	45	0	I	L
387	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	42	46	4	I	L
388	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 517	78 525	8	43	47	4	I	L
389	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 519	2	45	44	-1	I	L
390	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 517	78 520	3	41	0	0	I	L
391	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 521	3	54	56	2	I	L
392	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	51	52	1	I	L
393	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 518	78 523	5	44	48	4	I	L
394	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 520	2	54	58	4	I	L
395	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	50	0	0	I	L
396	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	54	58	4	I	L
397	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 530	12	47	50	3	I	L
398	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	51	55	4	I	L
399	B	U	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 518	78 522	4	46	0	0	I	L
400	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 527	9	42	48	6	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAY AT LARGE	RELE LN	RECAP LN	CHANGE IN LN	RELE AREA	RELE STATE
401	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518	78 524	6	47	50	3	I	L
402	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 522	4	50	50	0	I	L
403	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 523	5	48	50	2	I	L
404	B	F	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 518	78 6 4	17	37	49	12	I	L
405	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	1	44	48	4	I	L
406	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 530	12	53	54	1	I	L
407	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 530	12	48	52	4	I	L
408	B	M	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 518	78 529	11	54	58	4	I	L
409	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 521	3	44	45	1	I	L
410	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 518	78 525	7	41	43	2	I	L
411	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 518	78 610	23	41	56	15	I	L
412	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 611	24	45	60	15	I	L
413	B	F	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 518	78 522	4	41	0	0	I	L
414	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	43	45	2	I	L
415	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	41	41	0	I	L
416	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 621	34	41	42	1	I	L
417	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 518	78 525	7	54	55	1	I	L
418	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518	78 519	1	56	54	-2	I	L
419	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 615	28	53	60	7	I	L
420	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 621	34	47	48	1	I	L
421	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 610	23	49	68	19	I	L
422	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 527	9	53	56	3	I	L
423	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 518	78 530	12	50	52	2	I	L
424	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 520	2	60	61	1	I	L
425	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	45	0	0	I	L
426	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 521	3	50	49	-1	I	L
427	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 518	78 629	42	45	50	5	I	L
428	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 518	78 529	11	48	55	7	I	L
429	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 518	78 526	8	42	0	0	I	L
430	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518	78 519	1	56	59	3	I	L
431	B	M	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 518	78 522	4	54	0	0	I	L
432	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	48	50	2	I	L
433	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	44	43	-1	I	L
434	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 518	78 522	4	54	55	1	I	L
435	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 518	78 524	6	45	49	4	I	L
436	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 529	11	46	53	7	I	L
437	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	45	49	4	I	L
438	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	49	52	3	I	L
439	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 522	4	46	48	2	I	L
440	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 6 3	16	42	54	12	I	L
441	B	U	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 530	12	47	0	0	I	L
442	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 518	78 525	7	42	0	0	I	L
443	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 621	34	50	53	3	I	L
444	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 530	12	47	50	3	I	L
445	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	50	52	2	I	L
446	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	43	45	2	I	L
447	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 525	7	45	45	0	I	L
448	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 621	34	48	52	4	I	L
449	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 530	12	43	47	4	I	L
450	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	45	45	0	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE	RECAP	DAYS AT LARGE	RELE	RECAP	CHANGE	RELE	RELE
							DATE	DATE		LN	LN	IN LN	AREA	STATE
451	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 518	78 623	36	40	50	10	I	L
452	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 518	78 6 3	16	45	55	10	I	L
453	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 518	78 612	25	44	50	6	I	L
454	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 621	34	43	45	2	I	L
455	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 530	12	40	50	4	I	L
456	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 530	12	42	47	5	I	L
457	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 529	11	54	54	0	I	L
458	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 521	3	52	58	0	I	L
459	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 610	23	45	62	17	I	L
460	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 518	78 525	7	55	57	2	I	L
461	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	42	43	1	I	L
462	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518	78 524	6	39	43	4	I	L
463	B	U	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 518	78 522	4	55	0	0	I	L
464	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 521	3	53	0	0	I	L
465	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 518	78 529	11	42	47	5	I	L
466	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 525	7	43	45	2	I	L
467	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518	78 522	4	37	42	5	I	L
468	B	F	29.14.N 90.55.W	29. 9.N 90.58.W	5.66	207.98	78 518	78 520	2	59	60	1	I	L
469	B	F	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 518	78 531	13	54	64	10	I	L
470	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	53	55	2	I	L
471	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 530	12	42	50	8	I	L
472	B	M	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 518	78 522	4	57	0	0	I	L
473	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	43	49	6	I	L
474	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 530	12	46	47	1	I	L
475	B	F	29.14.N 90.55.W	29. 1.N 90.56.W	13.03	183.85	78 518	78 522	4	47	53	6	I	L
476	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 523	5	43	42	-1	I	L
477	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	55	57	2	I	L
478	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518	78 522	4	43	49	6	I	L
479	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 518	78 528	10	52	55	3	I	L
480	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 6 9	22	43	56	13	I	L
481	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	51	50	-1	I	L
482	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	45	48	3	I	L
483	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	36	40	4	I	L
484	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	46	52	6	I	L
485	B	U	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 518	0 0 0	0	44	0	0	I	L
486	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518	78 524	6	46	0	0	I	L
487	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 520	2	40	44	4	I	L
488	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 518	78 523	5	39	40	1	I	L
489	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 518	78 526	8	50	60	10	I	L
490	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 612	25	57	58	1	I	L
491	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	48	49	1	I	L
492	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 522	4	50	0	0	I	L
493	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	50	53	3	I	L
494	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 6 2	15	45	53	8	I	L
495	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 528	10	41	47	6	I	L
496	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	47	0	0	I	L
497	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 530	12	41	48	7	I	L
498	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	50	52	2	I	L
499	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 518	78 530	12	44	48	4	I	L
500	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 520	2	46	48	2	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE LN		CHANGE IN LN	RELE AREA	RELE STATE
										LN	LN			
501	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	46	48	2	I	L
502	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 530	12	46	52	6	I	L
503	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 621	34	40	40	0	I	L
504	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 519	1	45	47	2	I	L
505	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 521	3	48	50	2	I	L
506	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 6 3	16	47	57	10	I	L
507	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 621	34	39	42	3	I	L
508	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 521	3	49	50	1	I	L
509	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 518	78 527	9	46	50	4	I	L
510	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 518	78 610	23	43	60	17	I	L
511	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518	78 522	4	45	46	1	I	L
512	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 525	7	51	52	1	I	L
513	B	F	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 518	78 522	4	40	44	4	I	L
514	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 612	25	41	54	13	I	L
515	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 518	78 511	-7	49	60	11	I	L
516	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 518	78 523	5	50	55	5	I	L
517	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	43	40	3	I	L
518	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	41	44	3	I	L
519	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	42	0	0	I	L
520	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 523	5	53	55	2	I	L
521	B	U	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 518	78 522	4	49	0	0	I	L
522	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 520	2	47	48	1	I	L
523	B	F	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 518	78 6 8	21	40	53	13	I	L
524	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 530	12	51	56	5	I	L
525	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 518	0 0 0	0	51	51	0	I	L
526	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 522	4	43	44	1	I	L
527	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 6 5	18	42	59	17	I	L
528	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518	78 523	5	42	45	3	I	L
529	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 525	7	43	45	2	I	L
530	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 531	13	43	52	9	I	L
531	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 525	7	45	49	4	I	L
532	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 518	78 523	5	51	56	5	I	L
533	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 530	12	45	50	5	I	L
534	B	F	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 518	78 529	11	47	61	14	I	L
535	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 521	3	56	60	4	I	L
536	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 522	4	41	43	2	I	L
537	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 521	3	47	48	1	I	L
538	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 525	7	55	55	0	I	L
539	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518	78 522	4	42	43	1	I	L
540	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 6 3	16	44	55	11	I	L
541	B	F	29.14.N 90.55.W	29. 5.N 90.45.W	12.54	135.82	78 518	78 525	7	46	47	1	I	L
542	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 518	78 525	7	41	0	0	I	L
543	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 518	78 526	8	49	60	11	I	L
544	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	50	53	3	I	L
545	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518	78 524	6	45	48	3	I	L
546	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 523	5	42	44	2	I	L
547	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 522	4	40	40	0	I	L
548	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 6 2	15	44	54	10	I	L
549	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	46	50	4	I	L
550	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 520	2	40	42	2	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN		CHANGE IN LN	RELÉ AREA	RELÉ STATE
										LN	LN			
551	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 6 1	14+-15	46	52	6	I	L
552	B	M	29.14.N 90.55.W	29. 1.N 90.56.W	13.03	183.85	78 518	78 522	4	50	51	1	I	L
553	B	U	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.06	78 518	78 522	4	40	0	0	I	L
554	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	50	55	5	I	L
555	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 621	34	46	0	0	I	L
556	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	41	45	4	I	L
557	B	M	29.14.N 90.55.W	29. 2.N 90.58.W	12.28	192.38	78 518	78 6 6	19	45	55	10	I	L
558	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	42	48	6	I	L
559	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	48	49	1	I	L
560	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	45	48	3	I	L
561	B	M	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 518	78 529	11	50	63	7	I	L
562	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	48	54	6	I	L
563	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 621	34	41	43	2	I	L
564	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	49	50	1	I	L
565	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 518	78 523	5	43	49	6	I	L
566	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518	78 519	1	44	45	1	I	L
567	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 621	34	46	48	2	I	L
568	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 518	78 520	2	44	48	4	I	L
569	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 530	12	50	50	0	I	L
570	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 518	78 611	24	41	57	16	I	L
571	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 524	6	50	53	3	I	L
572	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	49	50	1	I	L
573	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 521	3	42	0	0	I	L
574	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 518	78 525	7	40	43	3	I	L
575	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	40	42	2	I	L
576	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 523	5	46	50	4	I	L
577	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	42	0	0	I	L
578	B	F	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 518	78 522	4	49	0	0	I	L
579	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 518	78 612	25	42	57	15	I	L
580	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 523	5	41	42	1	I	L
581	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	45	46	1	I	L
582	B	F	29.14.N 90.55.W	29. 8.N 90.56.W	6.07	188.51	78 518	78 6 2	15	43	52	9	I	L
583	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 530	12	40	45	5	I	L
584	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	43	45	2	I	L
585	B	U	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 518	78 6 9	22	41	0	0	I	L
586	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 521	3	44	46	2	I	L
587	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 518	78 523	5	40	50	4	I	L
588	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 530	12	42	50	8	I	L
589	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 615	28	40	53	13	I	L
590	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	44	45	1	I	L
591	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518	78 523	5	44	49	5	I	L
592	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 518	78 6 2	15	38	50	12	I	L
593	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518	78 522	4	45	50	5	I	L
594	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 621	34	48	50	2	I	L
595	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 520	2	43	48	5	I	L
596	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518	78 519	1	40	42	2	I	L
597	B	U	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 530	12	50	0	0	I	L
598	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 518	78 6 2	15	45	50	5	I	L
599	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	52	55	3	I	L
600	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 518	78 523	5	47	50	3	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	HELE DATE	RECAP DATE	DAYS AT LARGE	RELE		CHANGE IN LN	RELE AREA	RELE STATE
										LN	LN			
601	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 518 78 527	9	50	55	5	I	L	
602	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 518 78 525	7	42	0	0	I	L	
603	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518 78 522	4	49	52	3	I	L	
604	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518 78 524	6	42	45	3	I	L	
605	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518 78 6 3	16	51	57	6	I	L	
606	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518 78 520	2	51	55	4	I	L	
607	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518 78 520	2	50	50	0	I	L	
608	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518 78 522	4	44	46	2	I	L	
609	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518 78 524	6	45	46	1	I	L	
610	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 518 78 523	5	45	50	5	I	L	
611	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518 78 522	4	44	49	5	I	L	
612	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518 78 522	4	47	51	4	I	L	
613	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 518 78 523	5	46	49	3	I	L	
614	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 518 78 526	8	41	0	0	I	L	
615	B	F	29.14.N 90.55.W	29.11.N 90. 4.W	44.62	93.65	78 518 78 531	13	39	39	0	I	L	
616	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518 78 520	2	39	41	2	I	L	
617	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518 78 523	5	44	44	0	I	L	
618	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518 78 621	34	40	41	1	I	L	
619	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518 78 524	6	43	49	6	I	L	
620	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518 78 519	1	43	43	0	I	L	
621	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518 78 520	2	39	43	4	I	L	
622	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518 78 525	7	42	47	5	I	L	
623	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518 78 520	2	43	0	0	I	L	
624	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518 78 627	40	46	47	1	I	L	
625	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518 78 523	5	45	48	3	I	L	
626	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518 78 530	12	43	52	9	I	L	
627	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 518 78 522	4	43	47	4	I	L	
628	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518 78 522	4	39	39	0	I	L	
629	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518 78 6 2	15	41	45	4	I	L	
630	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518 78 6 1	14	48	0	0	I	L	
631	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518 78 6 3	16	44	50	6	I	L	
632	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518 78 519	1	44	44	0	I	L	
633	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 518 78 526	8	43	0	0	I	L	
634	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518 78 525	7	40	45	5	I	L	
635	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518 78 525	7	41	46	5	I	L	
636	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 518 78 523	5	40	44	4	I	L	
637	B	F	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 518 78 512	-6	51	55	4	I	L	
638	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518 78 519	1	51	53	2	I	L	
639	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 518 78 629	42	49	52	3	I	L	
640	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518 78 530	12	53	0	0	I	L	
641	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518 78 521	3	45	48	3	I	L	
642	B	M	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 518 78 522	4	49	48	-1	I	L	
643	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518 78 522	4	54	57	3	I	L	
644	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518 78 524	6	47	51	4	I	L	
645	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518 78 525	7	50	53	3	I	L	
646	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518 78 522	4	44	0	0	I	L	
647	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518 78 521	3	43	45	2	I	L	
648	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518 78 524	6	40	0	0	I	L	
649	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518 78 520	2	43	45	2	I	L	
650	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518 78 621	34	42	43	1	I	L	

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE LN	RECAP LN	CHANGE IN LN	RELE AREA	RELE STATE
651	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 523	5	48	49	1	I	L
652	B	F	29.14.N 90.55.W	29. 6.N 90.51.W	8.73	156.35	78 518	78 528	10	42	48	6	I	L
653	B	M	29.14.N 90.55.W	29. 4.N 90.58.W	5.66	207.98	78 518	78 520	2	43	45	2	I	L
654	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 520	2	44	45	1	I	L
655	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 518	78 525	7	59	0	0	I	L
656	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 523	5	53	55	2	I	L
657	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	60	58	-2	I	L
658	B	U	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 518	78 522	4	52	0	0	I	L
659	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 530	12	45	52	7	I	L
660	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	48	50	2	I	L
661	B	F	29.14.N 90.55.W	29. 2.N 90.58.W	12.28	192.38	78 518	78 6 6	19	50	53	3	I	L
662	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 530	12	50	53	3	I	L
663	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	54	54	0	I	L
664	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 520	2	50	50	0	I	L
665	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	50	53	3	I	L
666	B	U	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 518	78 522	4	44	0	0	I	L
667	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	44	47	3	I	L
668	B	M	29.14.N 90.55.W	29. 0.N 92.20.W	75.57	259.67	78 518	78 715	58	50	77	27	I	L
669	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	50	53	3	I	L
670	B	F	29.14.N 90.55.W	29.11.N 91. 5.W	9.23	251.08	78 518	78 522	4	54	58	4	I	L
671	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 525	7	47	50	3	I	L
672	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 518	78 528	10	53	55	2	I	L
673	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 6 2	15	48	60	12	I	L
674	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 521	3	51	51	0	I	L
675	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 530	12	45	56	11	I	L
676	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 518	78 6 3	16	52	62	10	I	L
677	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	52	55	3	I	L
678	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 6 1	14	55	0	0	I	L
679	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 522	4	49	50	1	I	L
680	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518	78 519	1	49	51	2	I	L
681	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 523	5	46	48	2	I	L
682	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	54	58	4	I	L
683	B	M	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 518	78 512	-6	46	49	3	I	L
684	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	48	50	2	I	L
685	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 518	78 523	5	43	46	3	I	L
686	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 525	7	45	46	1	I	L
687	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 530	12	43	51	8	I	L
688	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 522	4	44	45	1	I	L
689	B	F	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 518	78 6 3	16	40	50	10	I	L
690	B	M	29.14.N 90.55.W	29.13.N 90.54.W	1.33	138.89	78 518	78 524	6	43	47	4	I	L
691	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 6 4	17	38	50	12	I	L
692	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518	78 523	5	42	46	4	I	L
693	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 518	78 522	4	49	50	1	I	L
694	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 520	2	54	53	-1	I	L
695	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 623	36	45	64	19	I	L
696	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 518	78 6 8	21	42	58	16	I	L
697	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 528	10	50	52	2	I	L
698	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 518	78 523	5	51	54	3	I	L
699	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 520	2	39	40	1	I	L
700	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 518	78 522	4	43	45	2	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN		RECAP LN		CHANGE IN LN	RELÉ AREA	RELÉ STATE
										LN	LN	LN	LN			
701	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 530	12	46	50	4	I	L		
702	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518	78 523	5	46	50	4	I	L		
703	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 518	78 521	3	48	50	2	I	L		
704	B	M	29.14.N 90.55.W	29. 1.N 90.56.W	13.03	183.85	78 518	78 522	4	48	50	2	I	L		
705	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 518	78 621	34	45	45	0	1	L		
706	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 518	78 524	6	48	51	3	I	L		
707	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 518	78 612	25	39	62	23	I	L		
708	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 522	78 530	8	58	62	4	I	L		
709	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 522	78 531	9	53	60	7	I	L		
710	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 522	0	48	53	5	I	L		
711	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 520	-2	50	51	1	I	L		
712	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 522	78 525	3	54	58	4	I	L		
713	B	F	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 522	78 6 5	14	50	60	10	I	L		
714	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 522	78 530	8	54	53	-1	I	L		
715	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 522	78 523	1	45	48	3	I	L		
716	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	52	55	3	I	L		
717	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 523	1	54	55	1	I	L		
718	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	53	56	3	I	L		
719	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 522	78 526	4	54	57	3	I	L		
720	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 529	7	50	50	0	I	L		
721	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 522	78 530	8	51	53	2	I	L		
722	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 522	78 524	2	56	61	5	I	L		
723	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 522	78 6 2	11	40	49	3	I	L		
724	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 522	78 530	8	55	50	-5	I	L		
725	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 522	78 530	8	50	52	2	I	L		
726	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 619	28+30	53	55	2	I	L		
727	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 522	78 526	4	52	0	0	I	L		
728	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 522	78 524	2	44	45	1	I	L		
729	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	40	41	1	I	L		
730	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 6 4	18	51	60	9	I	L		
731	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 522	78 6 7	16	61	65	4	I	L		
732	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	51	54	3	I	L		
733	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 522	78 629	38	45	48	3	I	L		
734	B	F	29.14.N 90.55.W	29. 2.N 90.58.W	12.28	192.38	78 522	78 6 6	15	58	62	4	I	L		
735	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 522	78 530	8	46	51	5	I	L		
736	B	U	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 522	78 7 9	48	45	0	0	I	L		
737	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 522	78 6 3	12	42	48	6	I	L		
738	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	39	44	5	I	L		
739	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	43	49	6	I	L		
740	B	M	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 522	78 529	7	39	41	2	I	L		
741	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 522	78 530	8	41	44	3	I	L		
742	B	F	29.14.N 90.55.W	29. 7.N 90.54.W	7.06	172.55	78 522	78 6 5	14	53	59	6	I	L		
743	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 522	78 7 1	40	42	69	27	I	L		
744	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 522	0	63	64	1	I	L		
745	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 522	78 525	3	44	45	1	I	L		
746	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 522	78 529	7	46	0	0	I	L		
747	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 522	0	55	54	-1	I	L		
748	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 612	21	43	62	19	I	L		
749	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 522	78 629	38	49	50	1	I	L		
750	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 522	78 523	1	44	48	4	I	L		

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE RECAP		CHANGE IN LN	RELE AREA	RELE STATE
										LN	LN			
751	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	52	46	-6	I	L
752	B	F	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 522	78 512	-10	53	56	3	I	L
753	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 530	8	42	46	4	I	L
754	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 530	8	44	47	3	I	L
755	B	U	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 522	0 0 0	0	56	0	0	I	L
756	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 522	78 525	3	38	0	0	I	L
757	B	M	29.14.N 90.55.W	29. 7.N 90.54.W	7.06	172.55	78 522	78 6 9	18	47	57	10	I	L
758	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 522	78 530	8	53	57	4	I	L
759	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 621	30	47	0	0	I	L
760	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 522	78 526	4	50	0	0	I	L
761	B	M	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 522	0 0 0	0	45	54	9	I	L
762	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 522	78 530	8	58	60	2	I	L
763	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 522	78 524	2	42	46	4	I	L
764	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 522	78 526	4	60	57	-3	I	L
765	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 6 1	10	43	49	6	I	L
766	B	M	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 522	78 531	9	53	57	4	I	L
767	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 522	78 523	1	61	63	2	I	L
768	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 522	0	53	58	5	I	L
769	B	U	29.14.N 90.55.W	29. 0.N 90.56.W	14.03	183.85	78 522	78 527	5	48	0	0	I	L
770	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 522	0	49	50	1	I	L
771	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 522	78 525	3	52	54	2	I	L
772	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 522	78 525	3	48	0	0	I	L
773	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	50	54	4	I	L
774	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 522	78 616	25	42	60	18	I	L
775	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 522	78 6 2	11	40	51	5	I	L
776	B	F	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 522	78 6 3	12	0	62	0	I	L
777	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 522	78 523	1	39	42	3	I	L
778	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 522	78 523	1	55	58	3	I	L
779	B	M	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 522	78 6 4	13	54	66	12	I	L
780	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 522	78 530	8	38	39	1	I	L
781	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 522	78 524	2	50	52	2	I	L
782	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 522	78 523	1	42	43	1	I	L
783	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 522	78 530	8	53	58	5	I	L
784	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 6 3	12	46	50	4	I	L
785	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 530	8	57	0	0	I	L
786	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 519	-3	43	45	2	I	L
787	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 6 1	10+-15	59	63	4	I	L
788	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 522	78 6 2	11	43	53	10	I	L
789	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 522	78 6 7	16	47	59	12	I	L
790	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 522	78 523	1	45	49	4	I	L
791	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	47	50	3	I	L
792	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 522	78 524	2	56	62	6	I	L
793	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 522	78 530	8	47	52	5	I	L
794	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 522	78 523	1	46	48	2	I	L
795	B	U	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 522	78 527	5	45	0	0	I	L
796	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 524	2	45	48	3	I	L
797	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 522	78 6 3	12	44	48	4	I	L
798	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 522	78 523	1	44	47	3	I	L
799	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.00	232.69	78 522	78 526	4	39	0	0	I	L
800	B	M	29.14.N 90.55.W	29.11.N 90. 4.W	44.62	93.65	78 522	78 531	9	45	50	9	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE		RECAP		CHANGE IN LN	RELE AREA	RELE STATE
										LN	LN	LN	LN			
801	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 522	78 530	8	52	55	3	I	L		
802	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 523	1	44	47	3	I	L		
803	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 522	78 6 8	17	47	63	16	I	L		
804	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	55	58	3	I	L		
805	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 522	78 526	4	45	0	0	I	L		
806	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	48	52	4	I	L		
807	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 522	78 6 8	17	55	68	13	I	L		
808	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 522	78 530	8	45	49	4	I	L		
809	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 522	78 525	3	53	0	0	I	L		
810	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 522	0	42	44	2	I	L		
811	B	F	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 522	78 6 4	13	47	59	12	I	L		
812	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 522	78 530	8	47	51	4	I	L		
813	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	40	42	2	I	L		
814	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 522	78 522	0	60	62	2	I	L		
815	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 522	78 529	7	49	50	1	I	L		
816	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	49	52	3	I	L		
817	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 522	78 523	1	48	50	2	I	L		
818	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 522	78 523	1	50	52	2	I	L		
819	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 522	78 522	0	52	55	3	I	L		
820	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	0 0 0	0	49	50	1	I	L		
821	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 6 3	12	45	53	8	I	L		
822	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 522	78 610	19	45	58	13	I	L		
823	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 522	78 523	1	48	52	4	I	L		
824	B	M	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 522	78 6 4	13	45	50	5	I	L		
825	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	43	43	0	I	L		
826	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 522	0	51	53	2	I	L		
827	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 522	78 524	2	43	47	4	I	L		
828	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 522	78 524	2	50	0	0	I	L		
829	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	53	60	7	I	L		
830	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 6 9	18	45	58	13	I	L		
831	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 522	78 511	-11	57	65	8	I	L		
832	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 523	1	39	0	0	I	L		
833	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 529	7	38	41	3	I	L		
834	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 522	78 530	8	52	55	3	I	L		
835	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 519	-3	63	65	2	I	L		
836	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 525	3	50	54	4	I	L		
837	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 522	78 524	2	50	52	2	I	L		
838	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 522	78 530	8	61	66	5	I	L		
839	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 528	6	42	0	0	I	L		
840	B	F	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 522	78 512	-10	57	60	3	I	L		
841	B	F	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 522	78 6 2	11	48	56	8	I	L		
842	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 522	78 523	1	46	50	4	I	L		
843	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 522	78 525	3	40	0	0	I	L		
844	B	M	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 522	78 6 4	13	50	58	8	I	L		
845	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 522	0	55	66	11	I	L		
846	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 6 1	10+-15	52	58	6	I	L		
847	B	U	29.14.N 90.55.W	29. 6.N 90.56.W	8.05	186.41	78 522	78 524	2	47	0	0	I	L		
848	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 522	78 527	5	49	52	3	I	L		
849	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 619	28	40	50	10	I	L		
850	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 522	78 526	4	47	50	3	I	L		

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ RECAP		CHANGE LN IN LN	RELÉ AREA	RELÉ STATE
										LN	LN			
851	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 522	78 522	0	55	60	5	I	L
852	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 522	0	52	50	-2	I	L
853	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 522	78 523	1	59	60	1	I	L
854	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 522	78 524	2	58	62	4	I	L
855	B	M	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 522	78 528	6	52	55	3	I	L
856	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 522	78 6 1	10	46	50	4	I	L
857	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 6 9	18	45	57	12	I	L
858	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 522	78 528	6	47	52	5	I	L
859	B	M	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 522	78 512	-10	57	60	3	I	L
860	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 522	78 529	7	50	54	4	I	L
861	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 522	78 524	2	49	52	3	I	L
862	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 523	78 523	0	40	44	4	I	L
863	B	U	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 523	78 527	4	45	0	0	I	L
864	B	M	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 523	78 6 4	12	56	68	12	I	L
865	B	U	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 523	0 0 0	0	42	0	0	I	L
866	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	0 0 0	0	50	52	2	I	L
867	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 6 4	12	44	0	0	I	L
868	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 523	78 6 5	13	45	50	5	I	L
869	B	M	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 6 8	16	50	61	11	I	L
870	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	47	50	3	I	L
871	B	M	29.14.N 90.55.W	29. 8.N 91. 7.W	12.08	240.26	78 523	78 7 6	44	52	59	7	I	L
872	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 525	2	51	0	0	I	L
873	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 523	78 530	7	49	0	0	I	L
874	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 531	8	45	50	5	I	L
875	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 618	26	39	58	19	I	L
876	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523	78 718	56	39	63	24	I	L
877	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 528	5	51	53	2	I	L
878	B	M	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 523	78 531	8	46	48	2	I	L
879	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 9	17	43	55	12	I	L
880	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 5	13	46	58	12	I	L
881	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523	78 6 2	10	48	62	14	I	L
882	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523	78 528	5	59	62	3	I	L
883	B	M	29.14.N 90.55.W	29. 8.N 91. 8.W	12.84	242.19	78 523	78 620	28	41	67	26	I	L
884	B	F	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 523	78 6 4	12	40	44	4	I	L
885	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	50	57	7	I	L
886	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	44	44	0	I	L
887	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 526	3	52	0	0	I	L
888	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 525	2	40	0	0	I	L
889	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 524	1	45	48	3	I	L
890	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 525	2	30	0	0	I	L
891	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 523	78 0 0	0+-->30	51	55	4	I	L
892	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 530	7	47	50	3	I	L
893	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 4	12	57	63	6	I	L
894	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	53	50	-3	I	L
895	B	M	29.14.N 90.55.W	29.10.N 93.15.W	122.27	268.09	78 523	78 710	54	55	76	21	I	L
896	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 523	78 527	4	40	52	6	I	L
897	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 523	78 6 2	10	47	56	9	I	L
898	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 5	13	44	55	11	I	L
899	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 1	9	44	50	6	I	L
900	B	U	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	79 514	356	39	0	0	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN		RECAP IN LN		CHANGE RELÉ AREA	RELÉ STATE
										LN	LN	IN LN	AREA		
901	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 530	7	35	38	3	I	L	
902	H	F	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 523	78 529	6	47	55	8	I	L	
903	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 5	13	50	63	13	I	L	
904	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 526	3	43	0	0	I	L	
905	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 528	5	48	50	2	I	L	
906	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523	78 610	18	40	57	17	I	L	
907	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 523	0	50	0	0	I	L	
908	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	0 0 0	0	47	57	10	I	L	
909	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 523	78 526	3	41	44	3	I	L	
910	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	52	54	2	I	L	
911	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 6 1	9	47	53	6	I	L	
912	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 523	78 530	7	42	68	26	I	L	
913	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 523	78 522	-1	45	48	3	I	L	
914	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	43	45	2	I	L	
915	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 522	-1	53	54	1	I	L	
916	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 6 4	12	60	65	5	I	L	
917	B	F	29.14.N 90.55.W	29.14.N 91. d.W	11.35	270.05	78 523	78 6 3	11	49	58	9	I	L	
918	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 523	0	46	0	0	I	L	
919	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 530	7	49	51	2	I	L	
920	B	F	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 523	78 6 3	11	42	50	8	I	L	
921	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 523	78 530	7	52	54	2	I	L	
922	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 716	54+-15	45	76	31	I	L	
923	B	M	29.14.N 90.55.W	29. 3.N 90.5d.W	11.31	193.40	78 523	78 530	7	52	60	8	I	L	
924	B	U	29.14.N 90.55.W	29.11.N 91. d.W	11.74	255.24	78 523	78 527	4	60	0	0	I	L	
925	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 6 2	10	40	40	0	I	L	
926	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 5	13	45	57	12	I	L	
927	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 6 8	16	48	58	10	I	L	
928	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 530	7	45	50	5	I	L	
929	B	F	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 523	78 6 4	12	42	58	16	I	L	
930	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 523	78 522	-1	45	47	2	I	L	
931	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 523	78 522	-1	54	56	2	I	L	
932	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 613	21	40	55	15	I	L	
933	B	M	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 523	78 6 4	12	43	47	4	I	L	
934	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 522	-1	52	54	2	I	L	
935	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	51	0	0	I	L	
936	B	M	29.14.N 90.55.W	29.14.N 91. d.W	11.35	270.05	78 523	78 6 3	11	40	47	7	I	L	
937	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 526	3	45	0	0	I	L	
938	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 523	78 530	7	40	42	2	I	L	
939	B	F	29.14.N 90.55.W	29.11.N 90. 4.W	44.62	93.65	78 523	78 531	8	48	52	4	I	L	
940	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 6 2	10	53	59	6	I	L	
941	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 523	78 611	19	40	52	12	I	L	
942	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 525	2	37	0	0	I	L	
943	B	M	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 523	78 531	8	49	54	5	I	L	
944	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 523	78 530	7	48	50	2	I	L	
945	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 531	8	55	60	5	I	L	
946	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 523	78 525	2	53	54	1	I	L	
947	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 6 3	11	47	55	8	I	L	
948	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 525	2	51	54	3	I	L	
949	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 525	2	49	51	2	I	L	
950	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 525	2	49	0	0	I	L	

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ RECAP		CHANGE IN LN	RELÉ AREA	RELÉ STATE
										LN	LN			
951	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 523	78 523	0	53	56	3	I	L
952	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 523	78 525	2	51	51	0	I	L
953	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523	78 6 9	17	43	50	7	I	L
954	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 619	27	43	58	15	I	L
955	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 523	78 525	2	47	49	2	I	L
956	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 523	78 523	0	45	50	5	I	L
957	B	F	29.14.N 90.55.W	29. 9.N 91.16.W	19.00	254.83	78 523	78 627	35	49	60	11	I	L
958	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 719	57	50	65	15	I	L
959	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 523	78 523	0	40	53	13	I	L
960	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 620	28	40	62	22	I	L
961	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523	78 718	56	42	60	18	I	L
962	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 523	78 523	0	47	50	3	I	L
963	B	M	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 523	78 6 3	11	45	54	9	I	L
964	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 523	0 0 0	0	43	55	12	I	L
965	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	48	48	0	I	L
966	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 523	78 523	0	48	51	3	I	L
967	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	42	43	1	I	L
968	B	M	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 531	8	47	52	5	I	L
969	B	M	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 523	78 529	6	40	58	12	I	L
970	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 529	6	45	50	5	I	L
971	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 523	78 527	4	47	50	3	I	L
972	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 530	7	52	57	5	I	L
973	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 529	6	44	50	6	I	L
974	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	0 0 0	0	46	49	3	I	L
975	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523	78 610	18	48	60	12	I	L
976	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523	78 6 4	12	54	60	6	I	L
977	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	50	54	4	I	L
978	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 6 2	10	54	65	11	I	L
979	B	U	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 530	7	50	0	0	I	L
980	B	F	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 523	78 529	6	51	63	12	I	L
981	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	50	54	4	I	L
982	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 526	3	44	0	0	I	L
983	B	U	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 6 3	11	50	0	0	I	L
984	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 6 8	16	50	58	8	I	L
985	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 6 4	12	46	50	4	I	L
986	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 522	-1	44	46	2	I	L
987	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 6 8	16	40	53	13	I	L
988	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 523	78 524	1	41	45	4	I	L
989	B	M	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 523	78 526	3	53	55	2	I	L
990	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 530	7	51	58	7	I	L
991	B	F	29.14.N 90.55.W	29. 9.N 91.16.W	19.00	254.83	78 523	78 6 7	15	56	64	8	I	L
992	B	F	29.14.N 90.55.W	29.30.N 92. 5.W	63.07	284.98	78 523	78 725	63	50	62	12	I	L
993	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 523	78 525	2	54	53	-1	I	L
994	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 621	29	38	58	20	I	L
995	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 9	17	44	59	15	I	L
996	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 612	20	50	61	11	I	L
997	B	F	29.14.N 90.55.W	29. 9.N 91.16.W	19.00	254.83	78 523	78 6 5	13	58	60	2	I	L
998	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 528	5	49	52	3	I	L
999	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 529	6	44	44	0	I	L
1000	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523	78 6 5	13	55	57	2	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN		CHANGE IN LN	RELÉ AREA	RELÉ STATE
										LN	LN			
1001	B	F	29.14.N 90.55.W	29.11.N 90. 4.W	44.62	93.65	78 523	78 531	8	41	45	4	I	L
1002	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 526	3	42	0	0	I	L
1003	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 523	78 023	31	43	49	6	I	L
1004	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	0.04	240.23	78 523	78 020	28	44	58	14	I	L
1005	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 530	7	49	54	5	I	L
1006	B	F	29.14.N 90.55.W	29.11.N 90.56.W	3.11	195.43	78 523	78 6 2	10	55	60	5	I	L
1007	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 528	5	58	62	4	I	L
1008	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 1	9	60	62	2	I	L
1009	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	45	48	3	I	L
1010	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.03	254.05	78 523	78 526	3	55	60	5	I	L
1011	B	U	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 523	0 0 0	0	51	0	0	I	L
1012	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 7	15	46	55	9	I	L
1013	B	M	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 523	78 024	32	40	70	24	I	L
1014	B	F	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 523	78 6 3	11	52	53	1	I	L
1015	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 522	-1	51	63	12	I	L
1016	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 530	7	41	45	4	I	L
1017	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 9	17	38	47	9	I	L
1018	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	0 0 0	0	42	44	2	I	L
1019	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 523	78 0 0	0+-->30	45	50	5	I	L
1020	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 6 2	10	48	55	7	I	L
1021	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	58	60	2	I	L
1022	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 523	78 523	0	52	55	3	I	L
1023	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 5	13	45	55	10	I	L
1024	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 5	13	54	62	8	I	L
1025	B	M	29.14.N 90.55.W	29.11.N 90. 4.W	44.62	93.65	78 523	78 531	8	43	46	3	I	L
1026	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	48	52	4	I	L
1027	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 523	78 527	4	51	55	4	I	L
1028	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 523	78 525	2	47	45	-2	I	L
1029	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 529	6	49	0	0	I	L
1030	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 523	78 530	7	65	60	-5	I	L
1031	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	40	44	4	I	L
1032	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 528	5	45	60	15	I	L
1033	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 526	3	49	0	0	I	L
1034	B	M	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 523	78 6 4	12	52	59	7	I	L
1035	B	M	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 523	78 512	-11	52	55	3	I	L
1036	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 523	78 530	7	50	55	5	I	L
1037	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 531	8	46	54	8	I	L
1038	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 528	5	51	53	2	I	L
1039	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	39	42	3	I	L
1040	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 612	20	46	64	18	I	L
1041	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 523	78 530	7	51	53	2	I	L
1042	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 6 1	9	43	0	0	I	L
1043	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 530	7	48	54	6	I	L
1044	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 529	6	44	0	0	I	L
1045	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 523	78 525	2	44	47	3	I	L
1046	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 5	13	49	56	7	I	L
1047	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 528	5	45	45	0	I	L
1048	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 525	2	39	0	0	I	L
1049	B	U	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 530	7	41	0	0	I	L
1050	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 525	2	50	0	0	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RECAP DATE	DAY'S AT LARGE	REL. LN	RECAP LN	CHANGE IN LN	REL. AREA	REL. STATE
1051	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 523 78 524	1	48	49	1	I	L	
1052	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.09	78 523 78 525	2	54	0	0	I	L	
1053	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523 78 6 9	17	40	45	5	I	L	
1054	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523 78 625	33	49	57	8	I	L	
1055	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 523 78 6 4	12	47	57	10	I	L	
1056	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 523 78 530	7	52	53	1	I	L	
1057	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523 78 525	2	49	52	3	I	L	
1058	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523 78 530	7	46	50	4	I	L	
1059	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523 78 624	32	45	68	23	I	L	
1060	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523 78 525	2	46	0	0	I	L	
1061	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523 78 525	2	48	0	0	I	L	
1062	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523 78 6 3	11	43	50	7	I	L	
1063	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523 78 6 3	11	49	55	6	I	L	
1064	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523 78 530	7	47	57	10	I	L	
1065	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 523 78 530	7	53	56	3	I	L	
1066	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 523 78 528	5	51	52	1	I	L	
1067	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523 78 6 4	17	39	49	10	I	L	
1068	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 523 78 0 0	0+-->30	48	50	2	I	L	
1069	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 523 78 522	-1	38	38	0	I	L	
1070	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523 78 6 4	17	45	0	0	I	L	
1071	B	F	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 523 78 512	-11	43	42	-1	I	L	
1072	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523 78 6 4	17	48	57	9	I	L	
1073	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523 78 529	6	49	50	1	I	L	
1074	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523 78 612	20	42	57	15	I	L	
1075	B	F	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 523 78 6 9	17	42	50	8	I	L	
1076	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523 78 530	7	44	47	3	I	L	
1077	B	M	29.14.N 90.55.W	29. 9.N 90.58.W	5.66	207.98	78 523 78 618	26	43	58	15	I	L	
1078	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523 78 630	38	48	51	3	I	L	
1079	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523 78 6 3	11	55	62	7	I	L	
1080	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 523 78 629	37	48	49	1	I	L	
1081	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 523 78 530	7	55	58	3	I	L	
1082	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523 78 6 3	11	43	58	15	I	L	
1083	B	U	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 523 78 530	7	42	43	1	I	L	
1084	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 523 78 527	4	67	70	3	I	L	
1085	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523 78 528	5	50	52	2	I	L	
1086	B	F	29.14.N 90.55.W	29.11.N 90.57.W	3.46	209.90	78 523 78 525	2	50	50	0	I	L	
1087	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 523 78 524	1	51	52	1	I	L	
1088	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523 78 611	19	41	57	16	I	L	
1089	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523 78 522	-1	48	54	6	I	L	
1090	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 523 78 525	2	41	43	2	I	L	
1091	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523 78 525	2	40	44	4	I	L	
1092	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523 78 525	2	48	0	0	I	L	
1093	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523 78 615	23	41	54	13	I	L	
1094	B	U	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 523 78 527	4	55	55	0	I	L	
1095	B	M	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 523 78 6 2	10	54	58	4	I	L	
1096	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 523 78 525	2	43	44	1	I	L	
1097	B	F	29.14.N 90.55.W	29.11.N 90. 4.W	44.62	93.65	78 523 78 531	6	45	47	2	I	L	
1098	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523 78 6 2	10	40	49	9	I	L	
1099	B	M	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 523 78 529	6	50	55	5	I	L	
1100	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 523 78 522	-1	50	54	4	I	L	

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN		CHANGE IN LN	RELÉ AREA	RELÉ STATE
										LN	LN			
1101	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 530	7	44	47	3	I	L
1102	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 630	38	38	42	4	I	L
1103	B	U	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 523	0 0 0	0	45	0	0	I	L
1104	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.00	232.69	78 523	78 525	2	52	0	0	I	L
1105	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 712	50	44	0	0	I	L
1106	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	0.04	240.23	78 523	78 610	18	44	57	13	I	L
1107	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 6 2	10	51	55	4	I	L
1108	B	F	29.14.N 90.55.W	29.11.N 90.56.W	3.11	195.43	78 523	78 6 2	10	45	53	6	I	L
1109	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 530	7	61	65	4	I	L
1110	B	U	29.14.N 90.55.W	29.15.N 91. 8.W	11.38	275.09	78 523	78 531	8	48	0	0	I	L
1111	B	F	29.14.N 90.55.W	29. 5.N 91. 8.W	14.49	231.65	78 523	78 611	19	51	60	15	I	L
1112	B	F	29.14.N 90.55.W	29.12.N 90.56.W	3.30	232.76	78 523	78 525	2	39	40	1	I	L
1113	B	F	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 523	78 526	3	32	61	29	I	L
1114	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	0.04	240.23	78 523	78 6 3	11	43	45	2	I	L
1115	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 523	78 6 2	10	47	47	0	I	L
1116	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 530	7	39	46	7	I	L
1117	B	M	29.14.N 90.55.W	29.30.N 92. 5.W	63.07	284.98	78 523	78 725	63	47	54	7	I	L
1118	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	43	47	4	I	L
1119	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	38	57	19	I	L
1120	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	40	44	4	I	L
1121	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	0 0 0	0	60	65	5	I	L
1122	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 616	24	41	52	11	I	L
1123	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	55	60	5	I	L
1124	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 529	6	58	60	2	I	L
1125	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 525	2	49	0	0	I	L
1126	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 523	78 525	2	50	50	0	I	L
1127	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 613	21	50	60	10	I	L
1128	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 525	2	57	0	0	I	L
1129	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 6 3	11	40	58	12	I	L
1130	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 3	11	49	55	6	I	L
1131	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	45	46	1	I	L
1132	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 612	20	45	60	15	I	L
1133	B	F	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 523	78 6 2	10	48	53	5	I	L
1134	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 6 4	12	51	54	3	I	L
1135	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 619	27	42	55	13	I	L
1136	B	F	29.14.N 90.55.W	29.10.N 91.40.W	39.48	264.37	78 523	78 627	35	48	63	15	I	L
1137	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 530	7	48	52	4	I	L
1138	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 523	78 616	24	46	58	12	I	L
1139	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 530	7	46	52	6	I	L
1140	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	60	62	2	I	L
1141	B	M	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 523	78 7 9	47	53	59	6	I	L
1142	B	U	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523	78 610	18	41	0	0	I	L
1143	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 531	8	48	55	7	I	L
1144	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 6 2	10	44	50	6	I	L
1145	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 530	7	42	45	3	I	L
1146	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 6 8	16	54	60	6	I	L
1147	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 523	78 525	2	44	45	1	I	L
1148	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 529	6	40	49	3	I	L
1149	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 525	2	48	0	0	I	L
1150	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 619	27+-30	53	54	1	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELEASE DATE	RECAP DATE	DAYS AT LARGE	RELEASE		CHANGE IN LN	RELEASE AREA	RELEASE STATE
										LN	LN			
1151	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 523	78 523	0	44	78	34	I	L
1152	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 523	78 525	2	48	47	-1	I	L
1153	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 523	78 523	0	50	53	3	I	L
1154	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 530	7	58	58	0	I	L
1155	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 523	78 522	-1	50	52	2	I	L
1156	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	45	50	5	I	L
1157	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	40	53	7	I	L
1158	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 530	7	47	52	5	I	L
1159	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 9	17	43	54	11	I	L
1160	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 530	7	41	47	6	I	L
1161	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 523	78 527	4	40	59	13	I	L
1162	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 523	78 6 22	30	40	50	16	I	L
1163	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 1	9+-15	50	54	4	I	L
1164	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 624	32	45	64	19	I	L
1165	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	48	51	3	I	L
1166	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 523	78 610	24	42	52	10	I	L
1167	B	F	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 523	78 528	5	42	44	2	I	L
1168	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 520	-3	45	0	0	I	L
1169	B	F	29.14.N 90.55.W	29.15.N 91. 8.W	11.38	275.09	78 523	78 531	8	43	49	6	I	L
1170	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 523	78 523	0	49	0	0	I	L
1171	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	46	50	4	I	L
1172	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 619	27+-30	50	50	0	I	L
1173	B	M	29.14.N 90.55.W	29.11.N 90. 4.W	44.62	93.65	78 523	78 531	8	44	47	3	I	L
1174	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 528	5	43	0	0	I	L
1175	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 6 9	17	43	50	7	I	L
1176	B	M	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 523	78 525	2	46	48	2	I	L
1177	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 523	78 6 4	12	49	62	13	I	L
1178	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 525	2	50	0	0	I	L
1179	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 5	13	55	70	15	I	L
1180	B	M	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 523	78 6 2	10	47	56	9	I	L
1181	B	M	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 523	78 529	6	56	68	12	I	L
1182	B	M	29.14.N 90.55.W	29.10.N 91. 8.W	12.03	250.63	78 523	78 624	32	48	65	17	I	L
1183	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 4	12	52	60	8	I	L
1184	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 525	2	47	50	3	I	L
1185	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 523	78 6 7	15	54	68	14	I	L
1186	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 525	2	42	0	0	I	L
1187	B	M	29.14.N 90.55.W	29.11.N 90. 4.W	44.62	93.65	78 523	78 531	8	49	51	2	I	L
1188	B	U	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 530	7	54	0	0	I	L
1189	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 529	6	56	60	4	I	L
1190	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 5	13	48	59	11	I	L
1191	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 6 3	11	47	50	3	I	L
1192	B	M	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 523	78 6 3	11	55	60	5	I	L
1193	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 529	6	48	50	2	I	L
1194	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 618	26	48	0	0	I	L
1195	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 523	78 6 1	9	55	56	1	I	L
1196	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 523	78 530	7	47	50	3	I	L
1197	B	F	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 523	78 6 5	13	47	59	12	I	L
1198	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 523	78 6 4	12	48	54	6	I	L
1199	B	M	29.14.N 90.55.W	29. 2.N 90.48.W	13.47	152.97	78 523	78 6 7	15	48	61	13	I	L
1200	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 523	78 525	2	43	0	0	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE		CHANGE IN LN	RELE AREA	RELE STATE
										LN	LN			
1201	B	M	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 523	78 528	5	50	52	2	I	L
1202	B	U	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 523	78 6 3	11	38	0	0	I	L
1203	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 523	78 6 2	10	38	40	2	I	L
1204	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 524	78 6 8	15	45	60	15	I	L
1205	B	U	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 524	78 525	1	45	50	5	I	L
1206	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 624	31	60	70	10	I	L
1207	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 613	20	46	62	16	I	L
1208	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 525	1	46	50	4	I	L
1209	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	263.49	78 524	78 6 2	9	50	53	3	I	L
1210	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 524	78 613	20	43	52	9	I	L
1211	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 615	22	45	56	11	I	L
1212	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 6 9	16	46	54	8	I	L
1213	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 524	78 613	20	46	53	7	I	L
1214	B	F	29.14.N 90.55.W	29.14.N 90.50.W	4.36	89.98	78 524	78 610	17	48	53	5	I	L
1215	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 530	6	41	45	4	I	L
1216	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 620	27	36	62	26	I	L
1217	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	0 0 0	0	55	59	4	I	L
1218	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 524	78 526	2	43	0	0	I	L
1219	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 524	78 6 3	10	41	48	7	I	L
1220	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 613	20	46	57	11	I	L
1221	B	F	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 524	78 6 9	16	45	55	10	I	L
1222	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 618	25	47	55	8	I	L
1223	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 524	78 623	30	51	59	8	I	L
1224	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 6 5	12	43	55	12	I	L
1225	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 525	1	40	42	2	I	L
1226	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 619	26	46	50	4	I	L
1227	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 530	6	46	59	13	I	L
1228	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 530	0	41	57	16	I	L
1229	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 530	6	52	58	6	I	L
1230	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 612	19	40	54	14	I	L
1231	B	F	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 524	78 529	5	56	65	9	I	L
1232	B	M	29.14.N 90.55.W	29.10.N 91. 8.W	12.03	250.63	78 524	78 624	31	49	63	14	I	L
1233	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 525	1	55	59	4	I	L
1234	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 610	17	50	55	5	I	L
1235	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 615	22	42	52	10	I	L
1236	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 6 9	16	49	55	6	I	L
1237	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 524	78 525	1	46	51	5	I	L
1238	B	F	29.14.N 90.55.W	29. 2.N 90.48.W	13.47	152.97	78 524	78 6 7	14	42	65	23	I	L
1239	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 524	78 525	1	54	0	0	I	L
1240	B	U	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 524	78 530	6	40	0	0	I	L
1241	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 530	6	44	54	10	I	L
1242	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 528	4	44	50	6	I	L
1243	B	U	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 524	78 525	1	43	0	0	I	L
1244	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 530	6	45	56	11	I	L
1245	B	M	29.14.N 90.55.W	29. 0.N 91. 8.W	18.03	219.11	78 524	78 612	19	42	63	21	I	L
1246	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 524	78 6 3	10	39	58	19	I	L
1247	B	M	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 524	78 529	5	35	54	19	I	L
1248	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 613	20	49	55	6	I	L
1249	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 524	78 625	32	38	64	26	I	L
1250	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 524	78 525	1	47	51	4	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE LN	RECAP LN	CHANGE IN LN	RELE AREA	RELE STATE
1251	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 530	6	47	53	6	I	L
1252	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	11.74	255.24	78 524	78 619	26	40	65	25	I	L
1253	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 525	1	47	6	0	I	L
1254	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 524	78 6 2	9	49	50	1	I	L
1255	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 615	22	47	60	13	I	L
1256	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 530	6	61	58	-3	I	L
1257	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	0 0 0	0	41	44	3	I	L
1258	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 524	78 6 2	9	41	44	3	I	L
1259	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 530	6	37	40	3	I	L
1260	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 525	1	40	42	2	I	L
1261	B	F	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 524	78 6 5	12	45	49	4	I	L
1262	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 630	37	44	50	6	I	L
1263	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 524	78 610	17	51	54	3	I	L
1264	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 524	78 610	17	45	58	13	I	L
1265	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 524	78 611	18	46	52	6	I	L
1266	B	F	29.14.N 90.55.W	29. 9.N 90.58.W	5.66	207.98	78 524	78 618	25	43	56	13	I	L
1267	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 524	78 6 8	15	46	55	9	I	L
1268	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 6 7	14	40	50	10	I	L
1269	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 524	78 611	18	40	43	3	I	L
1270	B	F	29.14.N 90.55.W	29. 9.N 90.58.W	5.66	207.98	78 524	78 618	25	36	57	21	I	L
1271	B	U	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 524	0 0 0	0	45	0	0	I	L
1272	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 525	1	40	45	5	I	L
1273	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 524	78 525	1	48	50	2	I	L
1274	B	M	29.14.N 90.55.W	29.11.N 90. 4.W	44.62	93.65	78 524	78 531	7	47	50	3	I	L
1275	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 524	78 525	1	46	49	3	I	L
1276	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 524	78 525	1	45	47	2	I	L
1277	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 524	78 620	27	47	60	13	I	L
1278	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 524	78 530	6	60	62	2	I	L
1279	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 524	78 6 3	10	47	53	6	I	L
1280	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 524	78 529	5	45	45	0	I	L
1281	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 524	78 526	2	55	0	0	I	L
1282	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 524	78 525	1	41	41	0	I	L
1283	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 524	78 6 9	16	50	62	12	I	L
1284	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 610	17	48	60	12	I	L
1285	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 725	62	50	78	28	I	L
1286	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 524	78 6 3	10	54	62	8	I	L
1287	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 524	78 6 9	16	43	0	0	I	L
1288	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 524	78 6 2	9	43	50	7	I	L
1289	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 524	78 530	6	41	47	6	I	L
1290	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 526	2	54	0	0	I	L
1291	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 623	30	46	67	21	I	L
1292	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 6 7	14	42	50	8	I	L
1293	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 525	1	45	50	5	I	L
1294	B	U	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 524	78 526	2	46	0	0	I	L
1295	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 526	2	40	40	0	I	L
1296	B	M	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 524	78 526	2	57	60	3	I	L
1297	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 529	5	53	58	5	I	L
1298	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 6 4	11	46	56	10	I	L
1299	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 619	26	36	58	22	I	L
1300	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 618	25	46	49	3	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ	RELÉ	DAYS AT LARGE	RELÉ	RELÉ	CHANGE	RELÉ	RELÉ
							DATE	DATE		LN	LN	IN LN	AREA	STATE
1301	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 525	1	44	44	0	I	L
1302	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 6 7	14	54	62	8	I	L
1303	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 531	7	51	57	6	I	L
1304	B	F	29.14.N 90.55.W	29. 5.N 92.55.W	105.18	265.58	78 524	78 7 8	45	53	72	19	I	L
1305	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 610	17	45	54	9	I	L
1306	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 6 4	11	39	50	11	I	L
1307	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 524	78 530	6	43	47	4	I	L
1308	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 524	78 613	20	40	54	14	I	L
1309	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 6 8	15	45	60	15	I	L
1310	B	U	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 524	78 530	6	42	0	0	I	L
1311	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 524	78 530	6	42	45	3	I	L
1312	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 528	4	45	49	4	I	L
1313	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 524	78 6 5	12	41	0	0	I	L
1314	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 524	78 630	37	55	59	4	I	L
1315	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 530	6	45	50	5	I	L
1316	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 619	26+-30	52	54	2	I	L
1317	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 524	78 6 8	15	40	45	5	I	L
1318	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 524	78 528	4	45	48	3	I	L
1319	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 524	78 611	18	40	54	14	I	L
1320	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 529	5	55	62	7	I	L
1321	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 524	78 630	31	45	70	25	I	L
1322	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 524	78 525	1	43	45	2	I	L
1323	B	M	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 524	78 6 2	9	40	45	5	I	L
1324	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 524	78 525	1	38	40	2	I	L
1325	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 524	78 529	5	48	55	7	I	L
1326	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 524	78 529	5	34	39	5	I	L
1327	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 524	78 530	6	41	45	4	I	L
1328	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 525	78 620	26	50	60	10	I	L
1329	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 525	78 6 5	11	52	56	4	I	L
1330	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 618	24	51	59	8	I	L
1331	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 611	17	42	50	8	I	L
1332	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 7 5	41	61.	80	19	I	L
1333	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 525	78 615	21	53	58	5	I	L
1334	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 525	78 530	5	43	49	6	I	L
1335	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 612	18	44	54	10	I	L
1336	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 621	27	52	66	14	I	L
1337	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 525	78 530	5	50	53	3	I	L
1338	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 525	78 612	18	43	58	15	I	L
1339	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 525	78 525	0	56	65	9	I	L
1340	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 619	25	53	65	12	I	L
1341	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 525	78 6 6	12	45	49	4	I	L
1342	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 525	78 6 2	8	58	65	7	I	L
1343	B	U	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 525	78 630	36	45	0	0	I	L
1344	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 531	6	48	48	0	I	L
1345	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 6 7	13	37	40	3	I	L
1346	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 525	78 527	2	56	53	-3	I	L
1347	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 525	78 610	16	58	60	2	I	L
1348	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 6 3	9	48	53	5	I	L
1349	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 613	19	57	60	3	I	L
1350	B	M	29.14.N 90.55.W	29. 2.N 90.58.W	12.28	192.38	78 525	78 6 6	12	57	61	4	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE LN	RECAP LN	CHANGE IN LN	RELE AREA	RELE STATE
1351	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 6 1	7	53	57	4	I	L
1352	B	F	29.14.N 90.55.W	29.10.N 91. 8.W	12.03	250.63	78 525	78 6 8	14	52	62	10	I	L
1353	B	F	29.14.N 90.55.W	29. 5.N 90.45.W	12.54	135.82	78 525	78 6 8	14	59	70	11	I	L
1354	B	F	29.14.N 90.55.W	29.17.N 90.55.W	3.03	7.53	78 525	78 6 4	10	46	49	3	I	L
1355	B	U	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 525	0 0 0	0	68	0	0	I	L
1356	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 525	78 525	0	60	63	3	I	L
1357	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 615	21	44	0	0	I	L
1358	B	F	29.14.N 90.55.W	29.25.N 91.40.W	40.75	285.85	78 525	78 8 4	71	58	91	33	I	L
1359	B	F	29.14.N 90.55.W	29.42.N 93.38.W	144.65	281.83	78 525	78 9 6	104	54	89	35	I	L
1360	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 525	78 530	5	47	54	7	I	L
1361	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 525	78 525	0	45	46	1	I	L
1362	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 525	78 525	0	57	56	-1	I	L
1363	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 619	25	43	50	7	I	L
1364	B	F	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 525	78 6 4	10	58	60	2	I	L
1365	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 525	78 613	19	54	65	11	I	L
1366	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 525	78 628	34	45	57	12	I	L
1367	B	U	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 525	78 6 3	9	49	0	0	I	L
1368	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 6 7	13	39	48	9	I	L
1369	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 527	2	42	47	5	I	L
1370	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 525	78 6 7	13	45	50	5	I	L
1371	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 525	78 525	0	44	46	2	I	L
1372	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 525	78 530	5	44	48	4	I	L
1373	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 525	78 630	36	61	60	-1	I	L
1374	B	F	29.14.N 90.55.W	29.11.N 90. 4.W	44.62	93.65	78 525	78 531	6	48	51	3	I	L
1375	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 525	78 6 7	13	58	60	2	I	L
1376	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 529	4	52	55	3	I	L
1377	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 525	78 615	21	38	63	25	I	L
1378	B	M	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 525	78 611	17	46	55	9	I	L
1379	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 525	78 6 8	14	49	60	11	I	L
1380	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 619	25+-30	49	75	26	I	L
1381	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 525	78 530	5	57	60	3	I	L
1382	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 525	78 615	17	47	58	11	I	L
1383	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 525	78 6 2	4	40	45	5	I	L
1384	B	F	29.14.N 90.55.W	29.10.N 91. 8.W	12.03	250.63	78 529	78 624	26	52	74	22	I	L
1385	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 529	78 620	22	49	62	13	I	L
1386	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 529	78 6 9	11	48	53	5	I	L
1387	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 529	78 630	32	38	62	24	I	L
1388	B	U	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 529	78 525	-4	46	50	4	I	L
1389	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 529	78 6 5	7	44	48	4	I	L
1390	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 529	78 616	18	50	62	12	I	L
1391	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 529	78 529	0	39	0	0	I	L
1392	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 529	78 621	23	37	52	15	I	L
1393	B	M	29.14.N 90.55.W	29.15.N 91. 3.W	7.05	278.19	78 529	78 617	19	39	71	38	I	L
1394	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 529	78 6 2	4	45	54	9	I	L
1395	B	U	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 529	78 530	1	47	0	0	I	L
1396	B	M	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 529	78 6 3	5	45	52	7	I	L
1397	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 529	78 612	14	45	52	7	I	L
1398	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 529	78 531	2	42	45	3	I	L
1399	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 529	78 623	25	43	49	6	I	L
1400	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 529	78 6 2	4	52	56	4	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN	RECAP LN	CHANGE IN LN	RELÉ AREA	RELÉ STATE
1401	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 529	78 6 8	10	52	48	-4	I	L
1402	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 529	78 6 30	1	48	52	4	I	L
1403	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 529	78 6 11	13	43	52	9	I	L
1404	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 529	78 6 18	20	44	65	21	I	L
1405	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 529	78 6 5	7	50	56	6	I	L
1406	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 529	78 6 14	16	41	47	6	I	L
1407	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 529	78 6 8	10	47	52	5	I	L
1408	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 529	78 6 12	14	46	57	11	I	L
1409	B	M	29.14.N 90.55.W	29.25.N 91.50.W	49.20	263.14	78 529	78 7 13	45	45	65	20	I	L
1410	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 529	78 6 14	16	43	53	10	I	L
1411	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 529	78 6 8	10	45	50	5	I	L
1412	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 529	78 7 18	50	42	54	12	I	L
1413	B	F	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 529	78 7 9	41	50	60	10	I	L
1414	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 529	78 6 12	14	42	55	13	I	L
1415	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 529	78 531	2	45	49	4	I	L
1416	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 529	78 6 23	25	38	57	19	I	L
1417	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 530	78 6 8	9	50	60	10	I	L
1418	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 530	78 6 9	10	48	57	9	I	L
1419	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 530	78 6 9	10	55	61	6	I	L
1420	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 530	78 6 4	5	53	55	2	I	L
1421	B	F	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 530	78 6 12	13	44	54	10	I	L
1422	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 530	78 7 18	49	45	57	12	I	L
1423	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 530	78 529	-1	50	0	0	I	L
1424	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 6 28	29	48	64	16	I	L
1425	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 530	78 6 8	9	47	52	5	I	L
1426	B	M	29.14.N 90.55.W	29.15.N 91. 3.W	7.05	278.19	78 530	78 6 17	18	45	56	11	I	L
1427	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 530	78 531	1	45	45	0	I	L
1428	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 530	78 6 6	7	48	54	6	I	L
1429	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 7 6	37	44	55	11	I	L
1430	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 530	78 6 5	6	44	48	4	I	L
1431	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 530	78 531	1	45	46	1	I	L
1432	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 6 12	13	50	55	5	I	L
1433	B	U	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 530	78 6 9	10	40	0	0	I	L
1434	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 530	78 6 8	9	43	48	5	I	L
1435	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 6 18	19	50	54	4	I	L
1436	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 530	78 6 8	9	40	42	2	I	L
1437	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 6 30	31	50	67	17	I	L
1438	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 530	78 6 10	11	55	65	10	I	L
1439	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 6 10	11	44	52	8	I	L
1440	B	M	29.14.N 90.55.W	29.15.N 91. 3.W	7.05	278.19	78 530	78 6 17	18	44	52	8	I	L
1441	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 530	78 6 10	11	42	45	3	I	L
1442	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 530	78 6 9	10	40	50	4	I	L
1443	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 6 10	11	47	59	12	I	L
1444	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 530	78 6 23	24	43	63	20	I	L
1445	B	F	29.14.N 90.55.W	29.11.N 90.56.W	3.11	195.43	78 530	78 6 7	8	45	48	3	I	L
1446	B	F	29.14.N 90.55.W	29.15.N 91. 3.W	7.05	278.19	78 530	78 6 17	18	49	64	15	I	L
1447	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 530	78 6 14	15	52	57	5	I	L
1448	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 530	78 6 7	8	48	52	4	I	L
1449	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 6 11	12	52	62	10	I	L
1450	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 530	78 6 8	9	44	47	3	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE		CHANGE IN LN	RELE AREA	RELE STATE
										LN	LN			
1451	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 619	20	43	50	7	I	L
1452	B	F	29.14.N 90.55.W	29.15.N 91. 3.W	7.05	278.19	78 530	78 617	18	40	48	8	I	L
1453	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 615	16	45	50	5	I	L
1454	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 530	78 6 2	3	53	55	2	I	L
1455	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 610	11	45	59	14	I	L
1456	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 530	78 719	50	40	60	20	I	L
1457	B	F	29.14.N 90.55.W	29. 9.N 90.58.W	5.66	207.98	78 530	78 618	19	52	64	12	I	L
1458	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 530	78 530	0	40	55	9	I	L
1459	B	M	29.14.N 90.55.W	29.18.N 90.57.W	4.30	330.53	78 530	78 615	16+-15	45	49	4	I	L
1460	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 530	78 612	13	40	43	3	I	L
1461	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 530	78 613	14	38	49	11	I	L
1462	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 530	78 531	1	53	55	2	I	L
1463	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 530	78 620	21	43	59	16	I	L
1464	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 530	78 7 7	38	43	61	18	I	L
1465	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 530	78 7 6	37	40	60	20	I	L
1466	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 530	78 6 7	8	59	63	4	I	L
1467	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 530	78 612	13	50	58	8	I	L
1468	B	M	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 530	78 6 4	5	44	47	3	I	L
1469	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 615	16	48	54	6	I	L
1470	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 6 3	4	53	55	2	I	L
1471	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 627	28	50	70	20	I	L
1472	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 530	78 718	49	44	64	20	I	L
1473	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 6 3	4	52	51	-1	I	L
1474	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 530	78 610	11	50	58	8	I	L
1475	B	F	29.14.N 90.55.W	29.16.N 90.56.W	2.18	336.52	78 530	78 616	17	53	60	7	I	L
1476	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 530	78 7 1	32	41	53	12	I	L
1477	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 530	78 612	13	48	55	7	I	L
1478	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 530	78 613	14	45	53	8	I	L
1479	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 530	78 614	20	53	60	7	I	L
1480	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 530	78 619	20	47	53	6	I	L
1481	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 530	78 6 5	6	46	57	11	I	L
1482	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 612	13	46	58	12	I	L
1483	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 530	78 619	20	46	58	12	I	L
1484	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 530	78 610	11	57	60	3	I	L
1485	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 530	78 614	15	50	52	2	I	L
1486	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 531	78 6 8	8	45	50	5	I	L
1487	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 531	78 612	12	53	62	9	I	L
1488	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 531	78 615	15	48	50	2	I	L
1489	B	M	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 531	78 6 8	8	44	48	4	I	L
1490	B	M	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 531	78 6 8	8	45	45	0	I	L
1491	B	N	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 531	78 612	12	50	0	0	I	L
1492	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 531	78 611	11	39	57	18	I	L
1493	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 531	78 612	12	68	70	2	I	L
1494	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 531	78 715	45	40	68	28	I	L
1495	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 531	78 611	11	42	50	8	I	L
1496	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 531	78 630	30	57	60	3	I	L
1497	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 531	78 622	22	52	70	18	I	L
1498	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 531	78 613	13	44	50	6	I	L
1499	B	F	29.14.N 90.55.W	29.12.N 90.56.W	3.30	232.76	78 531	78 6 8	8	47	62	15	I	L
1500	B	F	29.14.N 90.55.W	29.16.N 90.56.W	2.18	336.52	78 531	78 616	16	44	46	4	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ		CHANGE IN LN	RELÉ AREA	RELÉ STATE
										LN	LN			
1501	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 531	78 615	15	55	59	4	I	L
1502	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 531	78 610	10	41	49	8	I	L
1503	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.00	232.09	78 531	78 6 4	4	58	63	5	I	L
1504	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 531	78 615	15	44	45	1	I	L
1505	B	M	29.14.N 90.55.W	29.14.N 91. 8.W	11.35	270.05	78 531	78 612	12	48	52	4	I	L
1506	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 531	78 623	23	41	50	9	I	L
1507	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 531	78 619	19	50	50	0	I	L
1508	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 531	78 6 9	9	49	50	1	I	L
1509	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 531	78 6 2	2	40	47	7	I	L
1510	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 531	78 612	12	47	55	8	I	L
1511	B	F	29.14.N 90.55.W	29.14.N 90.59.W	3.49	270.02	78 531	78 613	13	44	49	5	I	L
1512	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 531	78 6 6	6	50	55	5	I	L
1513	B	F	29.14.N 90.55.W	29.14.N 90.59.W	3.49	270.02	78 531	78 816	77	44	57	13	I	L
1514	B	U	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 531	78 530	-1	54	0	0	I	L
1515	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 531	78 6 8	8	48	47	-1	I	L
1516	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 531	78 6 9	9	51	54	3	I	L
1517	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 531	78 7 5	35	39	58	19	I	L
1518	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 531	78 718	48	45	55	10	I	L
1519	B	U	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 531	78 610	10	42	0	0	I	L
1520	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 531	78 6 8	8	48	52	4	I	L
1521	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 531	78 718	48	48	55	7	I	L
1522	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 531	78 623	23	50	63	13	I	L
1523	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 531	78 6 2	2	50	55	5	I	L
1524	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 531	78 612	12	46	55	9	I	L
1525	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 531	78 612	12	54	60	6	I	L
1526	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 531	78 6 5	5	53	58	5	I	L
1527	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 531	78 6 2	<	50	53	3	I	L
1528	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 531	78 615	15	44	48	4	I	L
1529	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 531	78 7 9	39	47	64	17	I	L
1530	B	M	29.14.N 90.55.W	29. 8.N 91. 8.W	12.84	242.19	78 531	78 620	20	47	60	13	I	L
1531	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 531	78 612	12	44	55	11	I	L
1532	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 531	78 613	13	48	55	7	I	L
1533	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 531	78 6 6	6	42	48	6	I	L
1534	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 531	78 619	19	44	55	11	I	L
1535	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 612	0. 0. 0	0	53	60	7	I	L
1536	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 619	7	53	55	2	I	L
1537	B	M	29.14.N 90.55.W	29.13.N 90.59.W	3.03	254.05	78 612	78 624	12	49	58	9	I	L
1538	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 7 1	19	49	64	15	I	L
1539	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	49	50	1	I	L
1540	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 627	15	53	0	0	I	L
1541	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	48	52	4	I	L
1542	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 612	78 628	16	53	64	11	I	L
1543	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 612	78 622	10	55	57	2	I	L
1544	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 625	13	53	60	7	I	L
1545	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 620	8	54	61	7	I	L
1546	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 612	78 718	36	47	55	8	I	L
1547	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 618	6	43	49	6	I	L
1548	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 716	34+15	48	67	19	I	L
1549	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	51	55	4	I	L
1550	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 612	78 7 5	23	48	64	16	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RECAP DATE	DAYS AT LARGE	REL. LN		RECAP IN LN		CHANGE REL. AREA	REL. STATE
										LN	LN	LN	LN		
1551	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 915	95+-15	50	67	11	I	L	
1552	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	57	59	2	I	L	
1553	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	58	60	2	I	L	
1554	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 612	78 623	11	55	59	4	I	L	
1555	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 619	7	43	0	0	I	L	
1556	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 612	78 718	36	55	60	5	I	L	
1557	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	41	45	4	I	L	
1558	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 612	78 621	9	58	60	2	I	L	
1559	B	F	29.14.N 90.55.W	29. 9.N 90.58.W	5.06	207.98	78 612	78 715	33	54	60	6	I	L	
1560	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	55	60	5	I	L	
1561	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 612	78 7 6	24	48	56	8	I	L	
1562	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	46	48	2	I	L	
1563	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 612	78 617	5	47	52	5	I	L	
1564	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 630	18	54	0	0	I	L	
1565	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 630	18	43	56	13	I	L	
1566	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	48	53	5	I	L	
1567	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 630	18	57	68	11	I	L	
1568	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 7 3	21	44	60	16	I	L	
1569	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 915	95+-15	60	80	20	I	L	
1570	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 612	78 623	11	45	50	5	I	L	
1571	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 620	8	38	42	4	I	L	
1572	B	F	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 612	78 7 9	27	43	60	17	I	L	
1573	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 612	78 718	36	71	75	4	I	L	
1574	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 621	9	53	60	7	I	L	
1575	B	F	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 612	78 520	-23	55	63	8	I	L	
1576	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 612	78 620	8	54	0	0	I	L	
1577	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	46	47	1	I	L	
1578	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 7 8	26	53	60	7	I	L	
1579	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 915	95+-15	40	51	11	I	L	
1580	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	44	44	0	I	L	
1581	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 621	9	50	55	5	I	L	
1582	B	F	29.14.N 90.55.W	29.16.N 90.56.W	6.18	336.52	78 612	78 616	4	60	65	5	I	L	
1583	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 623	11	52	62	10	I	L	
1584	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	56	59	3	I	L	
1585	B	M	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 612	78 512	-31	53	55	2	I	L	
1586	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	43	45	2	I	L	
1587	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 7 5	23	48	64	16	I	L	
1588	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 612	78 6 3	-9	47	50	3	I	L	
1589	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 612	78 621	9	45	50	5	I	L	
1590	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 612	78 613	1	51	54	3	I	L	
1591	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 626	14	46	58	12	I	L	
1592	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	50	55	5	I	L	
1593	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 622	10	48	53	5	I	L	
1594	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 612	78 612	0	51	53	2	I	L	
1595	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	49	55	6	I	L	
1596	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	43	48	5	I	L	
1597	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 612	78 615	3	50	62	12	I	L	
1598	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	45	46	1	I	L	
1599	d	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	60	62	2	I	L	
1600	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	48	51	3	I	L	

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LAKE	RELÉ LN		RECAP LN		CHANGE IN LN	RELÉ AREA	RELÉ STATE
										LAKUE	LN	LN	LN			
1601	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	48	50	2	I	L		
1602	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	52	58	6	I	L		
1603	B	M	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 612	78 618	6	56	58	2	I	L		
1604	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	48	50	2	I	L		
1605	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 623	11	54	62	8	I	L		
1606	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 612	78 612	0	47	49	2	I	L		
1607	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 612	78 7 4	22	45	59	14	I	L		
1608	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 612	78 7 2	20	43	55	12	I	L		
1609	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 7 1	19	43	50	7	I	L		
1610	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 624	12	40	45	5	I	L		
1611	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 619	7	54	53	-1	I	L		
1612	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	51	52	1	I	L		
1613	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 612	78 7 6	24	50	60	10	I	L		
1614	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 612	78 718	36	50	58	8	I	L		
1615	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 624	12	50	0	0	I	L		
1616	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 612	78 718	36	50	60	10	I	L		
1617	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 615	3	49	49	0	I	L		
1618	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	53	57	4	I	L		
1619	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 612	78 618	6	50	48	-2	I	L		
1620	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 615	3	46	49	3	I	L		
1621	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 7 5	23	51	60	9	I	L		
1622	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	45	45	0	I	L		
1623	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 619	7	50	0	0	I	L		
1624	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 7 1	19	48	58	10	I	L		
1625	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 616	4	46	46	0	I	L		
1626	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	46	50	4	I	L		
1627	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 621	15	42	48	6	I	L		
1628	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 612	78 613	1	50	50	0	I	L		
1629	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 621	9	55	59	4	I	L		
1630	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	45	45	0	I	L		
1631	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 612	78 622	10	42	43	1	I	L		
1632	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 718	30	58	65	7	I	L		
1633	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 615	3	51	0	0	I	L		
1634	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 612	78 624	12	53	58	5	I	L		
1635	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 6 1	-11+-15	50	53	3	I	L		
1636	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 612	78 7 7	25	47	58	11	I	L		
1637	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 612	78 622	10	50	53	3	I	L		
1638	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	55	58	3	I	L		
1639	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	50	52	2	I	L		
1640	B	U	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 612	78 718	30	61	0	0	I	L		
1641	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	52	55	3	I	L		
1642	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 612	78 718	36	45	53	8	I	L		
1643	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 612	78 622	10	52	57	5	I	L		
1644	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 6 3	-9	46	65	19	I	L		
1645	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 612	78 623	11	50	52	2	I	L		
1646	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 615	3	43	46	3	I	L		
1647	B	M	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 612	78 7 6	24	47	60	13	I	L		
1648	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 6 3	-9	41	54	13	I	L		
1649	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 7 3	21	42	55	13	I	L		
1650	B	M	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 612	78 624	12	45	48	3	I	L		

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN	RECAP LN	CHANGE IN LN	RELÉ AREA	RELÉ STATE
1651	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 612	78 622	10	55	58	3	1	L
1652	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 630	18	47	57	10	I	L
1653	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 612	78 620	8	70	68	-2	I	L
1654	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 618	6	40	53	7	I	L
1655	B	N	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 618	6	47	50	3	I	L
1656	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 612	78 613	1	58	58	0	I	L
1657	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	52	50	-2	I	L
1658	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 612	78 622	10	54	56	2	I	L
1659	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 612	78 623	11	43	52	9	I	L
1660	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 616	4	57	63	6	I	L
1661	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 615	3	42	40	-2	I	L
1662	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	39	43	4	I	L
1663	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 612	0	52	54	2	I	L
1664	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 612	78 620	8	51	55	4	I	L
1665	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 612	78 7 8	20	45	63	18	I	L
1666	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 530	-13	40	50	4	I	L
1667	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 612	78 620	8	50	50	0	I	L
1668	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 612	78 620	8	50	50	0	I	L
1669	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 612	78 619	7	47	50	3	I	L
1670	B	M	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 613	78 525	-19	52	65	13	I	L
1671	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 612	-1	46	48	2	I	L
1672	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 613	78 619	6	46	48	2	I	L
1673	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 613	78 630	17	51	64	13	I	L
1674	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 613	78 7 4	21	54	62	8	I	L
1675	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 613	78 619	6	52	55	3	I	L
1676	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 613	0 0 0	0	53	63	10	I	L
1677	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 613	78 719	36	50	52	2	I	L
1678	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 613	78 7 5	22	60	70	10	I	L
1679	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 613	78 618	5	56	60	4	I	L
1680	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 613	78 718	35	46	58	12	I	L
1681	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 613	78 613	0	48	50	2	I	L
1682	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 613	78 623	10	51	55	4	I	L
1683	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 613	78 619	6	54	58	4	I	L
1684	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 613	78 623	10	49	50	1	I	L
1685	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 7 3	20	54	65	11	I	L
1686	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 612	-1	42	43	1	I	L
1687	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 613	78 628	15	45	55	10	I	L
1688	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 613	78 623	10	75	80	5	I	L
1689	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 613	78 625	12	45	51	6	I	L
1690	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 613	78 7 5	22	52	67	15	I	L
1691	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 613	78 623	10	53	55	2	I	L
1692	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 630	17	52	55	3	I	L
1693	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 613	78 7 3	20	51	58	7	I	L
1694	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 613	78 623	10	49	49	0	I	L
1695	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 613	78 628	15	48	53	5	I	L
1696	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 613	78 623	10	55	57	2	I	L
1697	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 612	-1	51	53	2	I	L
1698	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 7 9	20	44	57	13	I	L
1699	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 612	-1	51	54	3	I	L
1700	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 613	78 623	10	50	55	5	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE LN		CHANGE IN LN	RELE AREA	RELE STATE
										LN	LN			
1701	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 613	78 612	-1	50	58	2	1	L
1702	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 613	78 613	0	41	42	1	1	L
1703	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 615	2	49	50	1	1	L
1704	B	U	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 613	78 530	-14	45	0	0	1	L
1705	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 627	14	55	57	2	1	L
1706	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 612	-1	70	65	-5	1	L
1707	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 613	78 7 5	22	49	54	5	1	L
1708	B	M	29.14.N 90.55.W	29.10.N 91. 5.W	9.00	245.41	78 613	78 8 9	57	45	60	15	1	L
1709	B	M	29.14.N 90.55.W	29. 9.N 90.58.W	5.06	207.98	78 613	78 618	5	41	42	1	1	L
1710	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 612	-1	48	50	2	1	L
1711	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 613	78 623	10	50	53	3	1	L
1712	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 612	-1	45	45	0	1	L
1713	B	M	29.14.N 90.55.W	29. 9.N 90.58.W	5.06	207.98	78 613	78 618	5	48	52	4	1	L
1714	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 621	8	44	48	4	1	L
1715	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 612	-1	52	54	2	1	L
1716	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	230.83	78 613	78 618	5	40	42	2	1	L
1717	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 613	78 623	10	47	50	3	1	L
1718	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 613	78 718	35	55	58	3	1	L
1719	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 612	-1	43	45	2	1	L
1720	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 614	1	42	45	3	1	L
1721	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 613	78 620	7	50	60	4	1	L
1722	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 612	-1	55	55	0	1	L
1723	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 613	78 613	0	52	52	0	1	L
1724	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 613	78 613	0	49	50	1	1	L
1725	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 613	78 624	11	48	52	4	1	L
1726	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 612	-1	47	47	0	1	L
1727	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 613	78 516	-28+-15	47	53	6	1	L
1728	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 621	8	48	52	4	1	L
1729	B	F	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 613	78 7 4	21	44	56	12	1	L
1730	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 613	78 613	0	52	52	0	1	L
1731	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 616	3	50	53	3	1	L
1732	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 613	78 612	-1	43	45	2	1	L
1733	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 613	78 625	12	51	56	5	1	L
1734	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 613	78 623	10	42	48	6	1	L
1735	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 613	0 0 0	0	40	46	6	1	L
1736	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 613	78 622	9	52	58	6	1	L
1737	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 614	1	55	52	-3	1	L
1738	B	M	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 613	78 7 9	26	55	58	3	1	L
1739	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 619	6	49	52	3	1	L
1740	B	F	29.14.N 90.55.W	29. 7.N 90.53.W	1.22	165.82	78 613	78 620	7	50	55	5	1	L
1741	B	F	29.14.N 90.55.W	29. 3.N 90.49.W	12.18	154.51	78 613	78 616	3	60	58	-2	1	L
1742	B	F	29.14.N 90.55.W	29.10.N 90.55.W	2.01	6.40	78 613	78 512	-32	43	53	10	1	L
1743	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 620	1	60	64	4	1	L
1744	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 613	78 612	-1	43	45	2	1	L
1745	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 620	7	46	52	6	1	L
1746	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 613	78 510	-28+-15	39	40	1	1	L
1747	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 628	15	45	52	7	1	L
1748	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 613	78 613	0	38	40	2	1	L
1749	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 7 3	20	57	51	14	1	L
1750	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 615	2	55	57	2	1	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELEASE DATE	RECAP DATE	DAYS AT LARGE	RELEASE		CHANGE IN LN	RELEASE AREA	RELEASE STATE
										LN	LN			
1751	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 613	78 621	8	47	53	6	I	L
1752	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 613	78 622	9	48	50	2	I	L
1753	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 625	12	50	63	7	I	L
1754	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 621	8	48	49	1	I	L
1755	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 613	78 718	35	48	46	0	I	L
1756	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 613	78 7 6	23	50	54	4	I	L
1757	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 7 6	23	52	58	6	I	L
1758	B	M	29.14.N 90.55.W	29.15.N 91. 3.W	7.05	278.19	78 613	78 617	4	50	55	5	I	L
1759	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 7 1	18	48	50	2	I	L
1760	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 613	78 625	12	55	59	4	I	L
1761	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 620	7	55	57	2	I	L
1762	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 621	8	58	57	-1	I	L
1763	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 618	5	54	58	4	I	L
1764	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 613	78 629	16	47	65	18	I	L
1765	B	F	29.14.N 90.55.W	29.15.N 92. 2.W	58.47	271.25	78 613	78 816	64	45	77	32	I	L
1766	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 613	78 613	0	51	54	3	I	L
1767	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 613	78 7 4	21	60	78	12	I	L
1768	B	F	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 613	78 7 9	26	50	53	3	I	L
1769	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 613	78 622	9	45	52	7	I	L
1770	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 613	78 619	6	44	45	1	I	L
1771	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 613	78 510	-28+-15	48	55	1	I	L
1772	B	M	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 613	78 7 9	26	50	55	5	I	L
1773	B	M	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 613	78 7 9	26	49	50	1	I	L
1774	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 613	78 613	0	52	55	3	I	L
1775	B	F	29.14.N 90.55.W	29.15.N 91. 3.W	7.05	278.19	78 614	78 617	3	57	60	3	I	L
1776	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	45	45	0	I	L
1777	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	0 0 0	0	50	64	14	I	L
1778	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 629	15	49	58	9	I	L
1779	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 614	78 816	63	48	75	27	I	L
1780	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 628	14	48	55	7	I	L
1781	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 715	31+-15	55	63	8	I	L
1782	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 7 3	19	45	59	14	I	L
1783	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 614	78 622	8	51	56	5	I	L
1784	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 614	78 7 5	21	46	58	12	I	L
1785	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 614	78 515	-30	51	57	6	I	L
1786	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 7 3	19	47	56	9	I	L
1787	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 623	9	57	62	5	I	L
1788	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 616	2	50	63	13	I	L
1789	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 614	78 718	34	50	64	14	I	L
1790	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	43	55	12	I	L
1791	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 628	14	46	53	7	I	L
1792	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 614	78 622	6	43	48	5	I	L
1793	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 614	78 624	10	50	53	3	I	L
1794	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 614	78 621	7	53	55	2	I	L
1795	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 625	11	50	54	4	I	L
1796	B	M	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 614	78 525	-20	55	61	6	I	L
1797	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 621	7	58	59	1	I	L
1798	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 614	78 623	9	55	62	7	I	L
1799	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 614	78 7 8	24	50	69	19	I	L
1800	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 625	11	58	60	2	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RECAP. DATE	DAYS AT LARGE	REL. LN		RECAP. LN		CHANGE IN LN	REL. AREA	REL. STATE
										LN	LN	LN	LN			
1801	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 614	78 718	34	43	64	21	I	L		
1802	B	F	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 614	78 512	-33	52	59	7	I	L		
1803	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 625	11	43	50	7	I	L		
1804	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 614	78 718	34	55	60	5	I	L		
1805	B	F	29.14.N 90.55.W	29.16.N 90.56.W	2.18	336.52	78 614	78 616	2	52	64	12	I	L		
1806	B	F	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 614	78 622	8	50	52	2	I	L		
1807	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 915	93+-15	40	50	10	I	L		
1808	B	F	29.14.N 90.55.W	29.14.N 90.59.W	3.49	270.02	78 614	78 816	63	46	57	11	I	L		
1809	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	45	48	3	I	L		
1810	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	45	48	3	I	L		
1811	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 614	78 615	1	50	62	6	I	L		
1812	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 624	10	45	52	7	I	L		
1813	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 614	78 515	-30	52	60	8	I	L		
1814	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	55	58	3	I	L		
1815	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 618	4	51	55	4	I	L		
1816	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 614	78 623	9	45	67	22	I	L		
1817	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 628	14	51	62	11	I	L		
1818	B	F	29.14.N 90.55.W	29.10.N 91. 8.W	12.03	250.63	78 614	78 624	10	55	72	7	I	L		
1819	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 628	14	51	63	12	I	L		
1820	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 614	78 525	-20	50	62	12	I	L		
1821	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	40	50	4	I	L		
1822	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 7 5	21	51	60	0	I	L		
1823	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 621	7	50	55	5	I	L		
1824	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 628	14	48	59	11	I	L		
1825	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 616	2	47	52	5	I	L		
1826	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 614	78 623	9	44	50	0	I	L		
1827	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 623	9	50	58	8	I	L		
1828	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 614	78 510	-29+-15	53	57	4	I	L		
1829	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 614	78 625	11	55	65	10	I	L		
1830	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 717	33	39	62	23	I	L		
1831	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	47	50	3	I	L		
1832	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 614	78 628	14	42	53	11	I	L		
1833	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	41	45	4	I	L		
1834	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 7 1	17	52	55	3	I	L		
1835	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	50	55	5	I	L		
1836	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 614	78 622	8	56	60	4	I	L		
1837	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	60	55	-11	I	L		
1838	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	45	48	3	I	L		
1839	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 614	78 510	-29+-15	48	53	5	I	L		
1840	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 625	11	43	50	7	I	L		
1841	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 614	78 7 4	20	54	62	8	I	L		
1842	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 614	78 718	34	51	60	9	I	L		
1843	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 614	78 623	9	51	55	4	I	L		
1844	B	M	29.14.N 90.55.W	29.11.N 90.55.W	3.00	180.00	78 614	78 621	7	50	57	1	I	L		
1845	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 614	78 622	8	44	48	4	I	L		
1846	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	47	50	3	I	L		
1847	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 621	7	58	58	0	I	L		
1848	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	51	52	1	I	L		
1849	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 614	78 623	9	48	52	4	I	L		
1850	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 625	11	53	60	7	I	L		

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RECAP DATE	DAYS AT LARGE	REL. LN		RECAP IN LN		CHANGE AREA	REL. STATE
										LN	LN	LN	LN		
1851	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	60	62	2	1	L	
1852	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 628	14	58	69	11	I	L	
1853	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 614	78 7 5	21	55	58	3	I	L	
1854	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 614	78 623	9	53	58	5	I	L	
1855	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 623	9	50	59	9	I	L	
1856	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	47	50	3	I	L	
1857	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 7 8	24	45	60	15	I	L	
1858	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 614	78 622	6	51	58	7	I	L	
1859	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 626	12	51	60	9	I	L	
1860	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	45	45	6	I	L	
1861	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 7 3	19	55	0	0	I	L	
1862	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 630	16	44	55	11	I	L	
1863	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	53	60	7	I	L	
1864	B	U	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 614	78 614	0	43	0	0	I	L	
1865	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 614	78 623	9	48	53	5	I	L	
1866	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 618	4	43	53	10	I	L	
1867	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 618	4	43	47	4	I	L	
1868	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 616	2	42	44	2	I	L	
1869	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 624	10	41	53	6	I	L	
1870	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 621	7	47	48	1	I	L	
1871	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 630	16	55	60	5	I	L	
1872	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 614	0 0 0	0	50	58	8	I	L	
1873	B	M	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 614	78 7 9	25	51	55	24	I	L	
1874	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	51	57	6	I	L	
1875	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 614	78 615	1	52	58	6	I	L	
1876	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 614	78 7 1	17	41	65	24	I	L	
1877	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 622	8	58	62	4	I	L	
1878	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 625	11	55	0	0	I	L	
1879	B	F	29.14.N 90.55.W	29.12.N 90.58.W	3.30	232.76	78 614	78 618	4	50	54	4	I	L	
1880	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 614	78 620	6	42	45	3	I	L	
1881	B	F	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 614	78 512	-33	44	45	1	I	L	
1882	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 623	9	50	58	8	I	L	
1883	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 621	7	62	65	3	I	L	
1884	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 6 3	-11	50	70	20	I	L	
1885	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 623	9	62	62	0	I	L	
1886	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 614	78 7 2	18	46	56	10	I	L	
1887	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 7 3	19	41	55	14	I	L	
1888	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 614	78 618	4	49	48	-1	I	L	
1889	B	F	29.14.N 90.55.W	29.14.N 90.59.W	3.49	270.02	78 614	78 816	63	50	52	2	I	L	
1890	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	58	58	0	I	L	
1891	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 620	12	52	58	6	I	L	
1892	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 614	78 7 6	22	56	60	4	I	L	
1893	B	M	29.14.N 90.55.W	29.13.N 91. 8.W	11.39	205.02	78 614	78 7 9	25	50	62	12	I	L	
1894	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	50	50	0	I	L	
1895	B	F	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 614	78 512	-33	50	57	7	I	L	
1896	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 915	93+-15	48	58	10	I	L	
1897	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 714	30	46	65	19	I	L	
1898	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 623	9	45	49	4	I	L	
1899	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 620	6	49	52	3	I	L	
1900	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	45	46	1	I	L	

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN LN		CHANGE IN LN	RELÉ AREA	RELÉ STATE
										RELE DATE	RECAP LN			
1901	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 614	78 020	0	58	62	4	I	L
1902	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 614	78 622	8	40	42	2	I	L
1903	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 015	1+-15	49	54	5	I	L
1904	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 025	11	54	0	0	I	L
1905	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	53	60	7	I	L
1906	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 614	78 623	9	41	45	4	I	L
1907	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 614	0 0 0	0	54	103	49	I	L
1908	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	43	48	5	I	L
1909	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 614	78 624	10	50	55	5	I	L
1910	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	48	55	7	I	L
1911	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 623	9	50	57	7	I	L
1912	B	M	29.14.N 90.55.W	29.12.N 90.50.W	2.22	205.76	78 614	78 618	4	51	58	7	I	L
1913	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 614	78 515	-30	53	58	5	I	L
1914	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 614	78 629	15	43	53	10	I	L
1915	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	48	50	2	I	L
1916	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 624	10	48	55	7	I	L
1917	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 614	78 623	9	57	60	3	I	L
1918	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 614	78 516	-29+-15	55	57	2	I	L
1919	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 614	78 718	34	50	55	5	I	L
1920	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 616	2	46	48	2	I	L
1921	B	F	29.14.N 90.55.W	29.11.N 91. 3.W	7.60	246.78	78 614	78 7 9	25	40	60	20	I	L
1922	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 614	78 623	9	52	55	3	I	L
1923	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 614	78 627	13	40	44	4	I	L
1924	B	M	29.14.N 90.55.W	29.13.N 90.51.W	2.01	240.21	78 614	78 619	5	55	55	0	I	L
1925	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	50	53	3	I	L
1926	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	42	44	2	I	L
1927	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 619	5	58	58	0	I	L
1928	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 628	14	41	47	6	I	L
1929	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 019	5	51	50	-1	I	L
1930	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 614	78 621	7	51	54	3	I	L
1931	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 614	0 0 0	0	52	58	6	I	L
1932	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 621	6	53	56	3	I	L
1933	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 623	8	55	61	6	I	L
1934	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 615	78 622	7	55	58	3	I	L
1935	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 615	78 620	5	60	68	8	I	L
1936	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 7 4	19	55	67	12	I	L
1937	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 7 1	16	51	60	9	I	L
1938	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 615	78 719	34	64	67	3	I	L
1939	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 615	78 718	33	57	69	12	I	L
1940	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 629	14	58	68	10	I	L
1941	B	F	29.14.N 90.55.W	29.12.N 90.50.W	2.22	205.76	78 615	78 023	8	50	55	5	I	L
1942	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 621	6	49	52	3	I	L
1943	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 720	35	47	62	15	I	L
1944	B	F	29.14.N 90.55.W	29.10.N 90.56.W	2.18	330.52	78 615	78 616	1	61	62	1	I	L
1945	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 615	78 7 3	18	62	66	3	I	L
1946	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 626	11	47	56	9	I	L
1947	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 028	13	50	65	15	I	L
1948	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 715	30	52	62	10	I	L
1949	B	F	29.14.N 90.55.W	29.14.N 90.59.W	3.49	270.02	78 615	78 816	62	66	73	7	I	L
1950	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 615	78 620	5	50	54	4	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE	RECAP	DAYS AT LARGE	RELE	RECAP	CHANGE	RELE	RELE
							DATE	DATE		LN	LN	IN LN	AREA	STATE
1951	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 621	6	47	49	2	I	L
1952	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 619	4	54	58	4	I	L
1953	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 619	4	54	50	2	I	L
1954	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 615	78 718	33	55	60	5	I	L
1955	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 623	8	70	73	3	I	L
1956	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 624	9	52	55	3	I	L
1957	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 7 5	20	43	58	15	I	L
1958	B	M	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 615	78 624	9	50	58	2	I	L
1959	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 615	0	58	63	5	I	L
1960	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 615	78 7 5	20	51	63	12	I	L
1961	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 615	78 721	30	60	63	3	I	L
1962	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 620	5	51	53	2	I	L
1963	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 7 8	23	52	63	11	I	L
1964	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 615	78 624	9	58	60	2	I	L
1965	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 621	6	60	57	-3	I	L
1966	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 516	-30+-15	48	57	9	I	L
1967	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 7 4	19	47	45	-2	I	L
1968	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 620	5	47	48	1	I	L
1969	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 619	4	50	53	3	I	L
1970	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 615	78 7 7	22	53	64	11	I	L
1971	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 615	78 7 7	22	50	52	2	I	L
1972	B	M	29.14.N 90.55.W	29.14.N 90.59.W	3.49	270.02	78 615	78 816	62	45	58	13	I	L
1973	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 717	32	50	70	20	I	L
1974	B	F	29.14.N 90.55.W	29.13.N 90.59.W	3.63	254.05	78 615	78 624	9	46	48	2	I	L
1975	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 619	4	53	58	5	I	L
1976	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 618	3	53	57	4	I	L
1977	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 615	78 614	-1	40	60	14	I	L
1978	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 615	78 7 3	18	37	42	5	I	L
1979	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 619	4	53	58	5	I	L
1980	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 615	78 623	8	50	53	3	I	L
1981	B	F	29.14.N 90.55.W	29.10.N 91. 5.W	9.00	245.41	78 615	78 8 9	55	56	73	17	I	L
1982	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 628	13	46	52	6	I	L
1983	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 630	15	43	58	15	I	L
1984	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 7 5	20	45	59	14	I	L
1985	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 622	7	53	55	2	I	L
1986	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 516	-30+-15	55	60	5	I	L
1987	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 622	7	50	50	0	I	L
1988	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 7 7	22	50	51	1	I	L
1989	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 622	7	49	0	0	I	L
1990	B	U	29.14.N 90.55.W	29. 4.N 91. 1.W	11.29	207.70	78 615	78 615	0+-15	45	60	15	I	L
1991	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 615	78 622	7	52	57	5	I	L
1992	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 615	78 622	7	60	61	1	I	L
1993	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 629	14	37	52	15	I	L
1994	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 620	5	55	58	3	I	L
1995	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 615	78 7 6	21	40	58	12	I	L
1996	B	M	29.14.N 90.55.W	29.14.N 90.59.W	3.49	270.02	78 615	78 816	62	50	54	4	I	L
1997	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 628	13	50	63	13	I	L
1998	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 620	5	43	45	2	I	L
1999	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 618	3	51	54	3	I	L
2000	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 7 1	16	44	57	13	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RELAP DATE	DAYS AT LARGE	REL. LN		CHANGE IN LN	REL. AREA	REL. STATE
										LN	LN			
2001	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 621	6	47	54	7	I	L
2002	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 615	78 7 1	16	48	56	8	I	L
2003	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 615	78 7 7	22	39	50	11	I	L
2004	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 620	5	43	46	3	I	L
2005	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 615	78 525	-21	48	75	27	I	L
2006	B	F	29.14.N 90.55.W	29.10.N 91.0.W	5.92	227.51	78 615	78 718	33	57	62	5	I	L
2007	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 620	5	56	62	6	I	L
2008	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 7 5	20	39	50	11	I	L
2009	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 7 9	24	48	63	15	I	L
2010	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 623	8	50	59	9	I	L
2011	B	M	29.14.N 90.55.W	29.10.N 91.5.W	9.60	245.41	78 615	78 8 9	55	49	64	15	I	L
2012	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 7 0	21	39	52	13	I	L
2013	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 615	78 7 1	22	52	65	13	I	L
2014	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 615	78 624	9	50	55	5	I	L
2015	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 7 9	24+-3	46	68	22	I	L
2016	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 617	2	52	53	1	I	L
2017	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 619	4	52	55	3	I	L
2018	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 619	4	40	50	4	I	L
2019	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 619	4	52	57	5	I	L
2020	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 622	7	52	53	1	I	L
2021	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 719	34	36	38	2	I	L
2022	B	M	29.14.N 90.55.W	29.14.N 90.59.W	3.49	270.02	78 615	78 816	62	53	57	4	I	L
2023	B	F	29.14.N 90.55.W	29.10.N 91.5.W	9.60	245.41	78 615	78 8 9	55	42	60	18	I	L
2024	B	M	29.14.N 90.55.W	29.7.N 90.56.W	7.06	187.45	78 615	78 624	9	44	49	5	I	L
2025	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 915	92+-15	55	68	13	I	L
2026	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 7 6	21	59	65	6	I	L
2027	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 622	7	58	60	2	I	L
2028	B	F	29.14.N 90.55.W	29.15.N 91.3.W	7.05	278.19	78 615	78 7 5	20	42	53	11	I	L
2029	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 615	78 7 1	16	53	65	12	I	L
2030	B	M	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 615	78 710	25	40	62	16	I	L
2031	B	M	29.14.N 90.55.W	29.11.N 91.1.W	6.04	240.23	78 615	78 623	8	52	55	3	I	L
2032	B	F	29.14.N 90.55.W	29.15.N 91.3.W	7.05	278.19	78 615	78 617	2	35	80	45	I	L
2033	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 621	6	45	48	3	I	L
2034	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 615	78 719	34	50	54	4	I	L
2035	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 621	6	53	58	5	I	L
2036	B	M	29.14.N 90.55.W	29.15.N 91.3.W	7.05	278.19	78 615	78 617	2	53	55	2	I	L
2037	B	M	29.14.N 90.55.W	29.10.N 91.0.W	5.92	227.51	78 615	78 718	33	50	58	8	I	L
2038	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 7 5	20	53	60	7	I	L
2039	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 619	4	53	55	2	I	L
2040	B	F	29.14.N 90.55.W	29.11.N 91.1.W	6.04	240.23	78 615	78 623	8	50	56	6	I	L
2041	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 619	4	55	58	3	I	L
2042	B	F	29.14.N 90.55.W	29.10.N 91.0.W	5.92	227.51	78 615	78 623	8	50	53	3	I	L
2043	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 615	0 0 0	0	47	0	0	I	L
2044	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 615	0 0 0	0	60	75	15	I	L
2045	B	M	29.14.N 90.55.W	29.7.N 90.52.W	7.48	159.28	78 615	78 625	10	53	60	7	I	L
2046	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 623	8	60	62	2	I	L
2047	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 615	78 621	6	50	59	9	I	L
2048	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 615	78 628	13	55	60	0	I	L
2049	B	F	29.14.N 90.55.W	29.10.N 91.0.W	5.92	227.51	78 615	78 718	33	45	58	13	I	L
2050	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 615	78 7 5	20	48	60	12	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELEASE DATE	RECAP DATE	DAYS AT LARGE	RELEASE		CHANGE IN LN	RELEASE AREA	RELEASE STATE
										LN	LN			
2051	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 019	78 623	4	52	54	2	I	L
2052	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 019	78 7 8	19	54	65	11	I	L
2053	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 019	78 7 5	16	54	62	8	I	L
2054	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 019	78 623	4	52	61	9	I	L
2055	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 019	78 7 8	19	48	60	12	I	L
2056	B	F	29.14.N 90.55.W	29. 7.N 90.50.W	7.06	187.45	78 019	78 625	6	49	55	6	I	L
2057	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 019	78 7 5	16	48	58	10	I	L
2058	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 019	78 510	-34+-15	52	55	3	I	L
2059	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	0.04	240.23	78 019	78 622	3	47	50	3	I	L
2060	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 618	-1	39	43	4	I	L
2061	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 019	78 623	4	48	54	6	I	L
2062	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 019	78 625	6	49	55	6	I	L
2063	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 019	78 718	29	52	58	6	I	L
2064	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 915	88+-15	54	68	14	I	L
2065	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 019	78 623	4	45	50	5	I	L
2066	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 019	78 624	5	53	58	5	I	L
2067	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 621	2	46	50	4	I	L
2068	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 019	78 7 8	19	46	43	-3	I	L
2069	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 7 1	12	51	56	5	I	L
2070	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 629	10	46	56	10	I	L
2071	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 7 5	16	52	70	18	I	L
2072	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 623	4	47	49	2	I	L
2073	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 7 8	19	44	53	9	I	L
2074	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 621	2	48	50	2	I	L
2075	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	11.74	255.24	78 019	78 7 7	18	44	61	17	I	L
2076	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 019	78 630	11	57	63	6	I	L
2077	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 019	78 624	5	46	49	3	I	L
2078	B	F	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 019	78 620	1	61	65	4	I	L
2079	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 019	78 7 4	15	40	50	10	I	L
2080	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 7 3	14	53	62	9	I	L
2081	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 019	78 7 5	16	50	55	5	I	L
2082	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 623	4	52	55	3	I	L
2083	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 7 3	14	51	62	11	I	L
2084	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 019	78 7 6	17	53	63	10	I	L
2085	B	M	29.14.N 90.55.W	29. 7.N 90.50.W	7.06	187.45	78 019	78 625	6	42	45	3	I	L
2086	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 019	78 7 5	16	51	59	8	I	L
2087	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 019	78 622	3	52	54	2	I	L
2088	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 019	78 623	4	37	42	5	I	L
2089	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 019	78 7 5	16	45	63	18	I	L
2090	B	M	29.14.N 90.55.W	28.50.N 91.50.W	53.74	243.70	78 019	78 8 5	47	49	75	26	I	L
2091	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 019	78 624	5	55	57	2	I	L
2092	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 019	78 623	4	51	55	4	I	L
2093	B	U	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 019	78 621	2	49	58	9	I	L
2094	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 019	78 623	4	45	48	3	I	L
2095	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 019	78 615	-4	48	55	7	I	L
2096	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 623	4	34	40	6	I	L
2097	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 019	78 623	4	48	57	9	I	L
2098	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 019	78 623	4	37	40	3	I	L
2099	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 019	78 623	4	64	68	4	I	L
2100	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 019	78 6 3	-16	46	55	9	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RECAP DATE	DAYS AT LARGE	REL. LN		RECAP IN LN		CHANGE AREA	REL. LN	REL. STATE
										LN	LN	LN	LN			
2101	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 619	78 7 8	19	44	58	14	I	L		
2102	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 628	9	40	54	8	I	L		
2103	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 619	78 7 6	17	49	59	10	I	L		
2104	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 619	78 614	-5	48	62	14	I	L		
2105	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 630	11	39	45	6	I	L		
2106	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 623	4	47	51	4	I	L		
2107	B	F	29.14.N 90.55.W	29.10.N 90.55.W	2.01	6.40	78 619	78 618	-1	57	60	3	I	L		
2108	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 619	78 622	3	60	64	4	I	L		
2109	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 915	88+-15	57	68	11	I	L		
2110	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 619	78 7 8	19	50	63	13	I	L		
2111	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 622	3	51	56	5	I	L		
2112	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 619	78 621	2	48	59	11	I	L		
2113	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 618	-1	50	58	8	I	L		
2114	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 619	78 619	0	51	55	4	I	L		
2115	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 619	78 622	3	50	53	3	I	L		
2116	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 623	4	49	53	4	I	L		
2117	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 630	11	52	60	8	I	L		
2118	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 619	78 7 4	15	43	48	5	I	L		
2119	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 619	78 623	4	44	50	6	I	L		
2120	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 619	78 516	-34+-15	41	42	1	I	L		
2121	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 619	78 516	-34+-15	55	57	2	I	L		
2122	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 7 5	16	47	50	3	I	L		
2123	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 619	79 821	UNA	47	59	12	I	L		
2124	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 623	4	54	57	3	I	L		
2125	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 623	4	57	60	3	I	L		
2126	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 619	0+-30	55	60	5	I	L		
2127	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 630	11	49	57	8	I	L		
2128	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 623	4	55	56	1	I	L		
2129	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 619	78 623	4	53	55	2	I	L		
2130	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 628	9	42	46	3	I	L		
2131	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 622	3	44	46	2	I	L		
2132	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 621	2	46	49	3	I	L		
2133	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 621	2	50	52	2	I	L		
2134	B	F	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 619	78 7 6	17	45	0	0	I	L		
2135	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 627	8	49	55	6	I	L		
2136	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 619	78 516	-34+-15	51	50	-1	I	L		
2137	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 628	9	58	68	10	I	L		
2138	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 623	4	53	59	6	I	L		
2139	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 619	78 614	-5	55	67	12	I	L		
2140	B	U	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 619	78 530	-20	60	0	0	I	L		
2141	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 619	78 622	3	46	58	12	I	L		
2142	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 7 4	15	54	64	10	I	L		
2143	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 628	9	50	64	14	I	L		
2144	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 623	4	51	57	6	I	L		
2145	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 621	2	47	52	5	I	L		
2146	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 619	78 625	6	47	55	8	I	L		
2147	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 7 9	20+-3	47	59	12	I	L		
2148	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 622	3	47	50	3	I	L		
2149	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 619	78 516	-34+-15	36	37	1	I	L		
2150	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 619	78 7 6	17	46	52	6	I	L		

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN	RECAP LN	CHANGE IN LN	RELÉ AREA	RELÉ STATE
2151	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 619	78 625	6	45	0	0	I	L
2152	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 619	78 7 4	15	55	08	13	I	L
2153	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 619	78 623	4	50	56	6	I	L
2154	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 630	11	54	63	9	I	L
2155	B	F	29.14.N 90.55.W	29.30.N 92. 5.W	63.07	284.98	78 619	78 712	23	53	70	17	I	L
2156	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 619	78 615	-4	50	59	9	I	L
2157	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 619	78 623	4	52	57	5	I	L
2158	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 915	88+-15	47	60	13	I	L
2159	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 619	78 620	1	52	59	7	I	L
2160	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 619	78 7 4	15	55	65	10	I	L
2161	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 619	78 623	4	42	53	11	I	L
2162	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 619	78 721	32	48	55	7	I	L
2163	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 619	78 516	-34+-15	45	50	5	I	L
2164	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 7 8	19	55	72	17	I	L
2165	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 622	3	50	63	7	I	L
2166	B	M	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.30	78 619	78 525	-25	48	0	0	I	L
2167	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 620	1	52	55	3	I	L
2168	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 7 3	14	47	60	13	I	L
2169	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 627	8	50	52	-4	I	L
2170	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 623	4	52	54	2	I	L
2171	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 6 3	-16	51	00	9	I	L
2172	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 619	0 0 0	0	49	60	11	I	L
2173	B	M	29.14.N 90.55.W	29.10.N 91. 5.W	9.60	245.41	78 619	78 721	32	43	56	13	I	L
2174	B	F	29.14.N 90.55.W	29. 9.N 90.58.W	5.66	207.98	78 619	78 713	24	40	60	20	I	L
2175	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 7 9	20	51	60	9	I	L
2176	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 619	78 622	3	50	02	4	I	L
2177	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 619	78 718	29	40	50	4	I	L
2178	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 618	-1	39	43	4	I	L
2179	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 627	8	42	47	5	I	L
2180	B	M	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 619	78 7 6	17	44	55	11	I	L
2181	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 619	78 624	5	50	54	4	I	L
2182	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 619	78 7 8	19	52	52	0	I	L
2183	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 915	88+-15	52	55	3	I	L
2184	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 619	78 622	3	40	50	4	I	L
2185	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 628	9	50	58	2	I	L
2186	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 623	4	59	58	-1	I	L
2187	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 619	78 625	6	40	51	5	I	L
2188	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 718	29	54	58	4	I	L
2189	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 619	78 7 4	15	48	00	12	I	L
2190	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 619	78 615	-4	49	52	3	I	L
2191	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 718	29	50	62	6	I	L
2192	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 622	3	49	52	3	I	L
2193	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 619	78 614	-5	75	81	6	I	L
2194	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	11.74	255.24	78 619	78 719	30	51	72	21	I	L
2195	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 619	78 525	-25	46	50	4	I	L
2196	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 619	78 7 5	16	51	03	6	I	L
2197	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 619	78 623	4	52	57	5	I	L
2198	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 619	78 721	32	50	60	4	I	L
2199	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 619	78 716	27	45	63	18	I	L
2200	B	F	29.14.N 90.55.W	29.10.N 91. 5.W	9.60	245.41	78 619	78 8 9	51	45	59	14	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN		RECAP IN LN	CHANGE RELÉ AREA	RELÉ STATE
										LN	LN			
2201	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 628	8	55	65	10	I	L
2202	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 620	78 718	28	50	60	4	I	L
2203	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 620	78 510	-35+-15	57	63	6	I	L
2204	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 710	26+-15	50	63	13	I	L
2205	B	M	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 620	78 525	-26	57	60	3	I	L
2206	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 620	78 624	4	55	58	3	I	L
2207	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 718	28	61	65	4	I	L
2208	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 8	18	57	63	6	I	L
2209	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 620	78 516	-35+-15	48	55	7	I	L
2210	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 623	3	56	59	3	I	L
2211	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 3	13	48	58	10	I	L
2212	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 625	5	48	48	0	I	L
2213	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 6 3	-17	50	55	5	I	L
2214	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 4	14	49	55	6	I	L
2215	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 620	0	55	55	0	I	L
2216	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 623	3	61	64	3	I	L
2217	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 623	3	52	53	1	I	L
2218	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 624	4	58	60	2	I	L
2219	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 6	16	58	64	6	I	L
2220	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 6	16	52	57	5	I	L
2221	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	2	51	53	2	I	L
2222	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	48	48	0	I	L
2223	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 628	8	48	53	5	I	L
2224	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 4	14	50	60	4	I	L
2225	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 615	-5	43	48	5	I	L
2226	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 621	1	44	44	0	I	L
2227	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 718	28	47	49	2	I	L
2228	B	M	29.14.N 90.55.W	29.20.N 91.20.W	22.61	285.49	78 620	78 812	53	45	74	29	I	L
2229	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 621	7	53	56	3	I	L
2230	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 620	0	58	60	2	I	L
2231	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	53	53	0	I	L
2232	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 627	7	44	45	1	I	L
2233	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 516	-35+-15	44	46	2	I	L
2234	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 9	19	55	62	7	I	L
2235	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 9	19	46	63	17	I	L
2236	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 7 4	14	46	55	9	I	L
2237	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 3	13	43	50	7	I	L
2238	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 622	2	44	48	4	I	L
2239	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 718	28	62	65	3	I	L
2240	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 628	8	54	63	9	I	L
2241	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 516	-35+-15	50	58	2	I	L
2242	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	2	58	59	1	I	L
2243	B	U	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 620	78 614	-6	59	0	0	I	L
2244	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 621	1	50	55	5	I	L
2245	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 630	10	53	59	6	I	L
2246	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	2	44	47	3	I	L
2247	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 621	1	45	45	0	I	L
2248	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	2	48	48	0	I	L
2249	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.00	232.09	78 620	78 7 6	16	47	56	9	I	L
2250	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 620	78 7 2	12	53	61	8	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE	RECAP	DAYS AT LARGE	RELE	RELE	CHANGE	RELE	RELE
							DATE	DATE		LN	LN	IN LN	IN LN	AREA
2251	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.07	270.14	78 620	78 7 1	17	40	48	2	1	L
2252	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 620	78 7 6	16	48	52	4	1	L
2253	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 620	78 625	5	45	48	3	1	L
2254	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 620	78 630	10	43	0	0	1	L
2255	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 3	13	52	58	6	1	L
2256	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 615	-5	53	60	7	1	L
2257	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 620	78 626	6	53	58	5	I	L
2258	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 6 3	-17	55	03	8	I	L
2259	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 625	5	57	60	3	1	L
2260	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 620	78 618	-2	59	67	8	I	L
2261	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 620	78 627	7	47	49	2	I	L
2262	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 2	12	57	63	6	1	L
2263	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 3	13	52	60	8	I	L
2264	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 624	4	45	49	4	I	L
2265	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 620	78 719	29	48	08	20	I	L
2266	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 620	78 7 4	14	50	55	5	I	L
2267	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 622	2	40	47	1	I	L
2268	B	F	29.14.N 90.55.W	29.20.N 91.25.W	26.84	283.04	78 620	78 724	34	49	61	12	I	L
2269	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 721	31	54	60	6	I	L
2270	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 620	78 615	-5	52	55	3	I	L
2271	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 8	18	50	59	9	I	L
2272	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 720	30	48	65	17	I	L
2273	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 623	3	49	53	4	I	L
2274	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 622	2	47	48	1	I	L
2275	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 8	18	51	60	9	I	L
2276	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 623	3	48	51	3	I	L
2277	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 627	7	47	52	5	I	L
2278	B	M	29.14.N 90.55.W	29.10.N 90.54.W	4.09	167.94	78 620	78 624	4	48	53	5	I	L
2279	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 6	16	49	59	10	I	L
2280	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	2	55	57	2	I	L
2281	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 620	78 516	-35+-15	42	44	2	I	L
2282	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 620	78 627	7	47	50	3	I	L
2283	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 620	78 628	8	54	64	10	I	L
2284	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 622	2	55	58	3	I	L
2285	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 623	3	51	53	2	I	L
2286	B	F	29.14.N 90.55.W	29.10.N 91. 5.W	9.60	245.41	78 620	78 8 9	50	43	55	12	I	L
2287	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	2	56	58	2	I	L
2288	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 624	4	53	58	5	I	L
2289	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 618	-2	47	50	3	I	L
2290	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 8 4	45	40	74	28	I	L
2291	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 4	14	51	64	13	I	L
2292	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 630	10	51	55	4	I	L
2293	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 615	-5	44	49	5	I	L
2294	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 3	13	44	54	10	I	L
2295	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	48	47	-1	I	L
2296	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 620	78 516	-35+-15	50	51	1	I	L
2297	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 625	5	40	41	1	I	L
2298	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 915	87+-15	42	53	11	I	L
2299	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.66	207.98	78 620	78 716	26	43	52	9	I	L
2300	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 630	10	36	42	6	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN		CHANGE IN LN	RELÉ AREA	RELÉ STATE
										RELE LN	RECAP LN			
2301	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 623	3	55	51	2	I	L
2302	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 620	78 626	6	57	60	3	I	L
2303	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 620	78 623	3	45	50	5	I	L
2304	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 620	78 712	22	47	58	11	I	L
2305	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 620	78 716	28	49	52	3	I	L
2306	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 6	16	54	62	8	I	L
2307	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	50	50	0	I	L
2308	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 4	14	45	0	0	I	L
2309	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 626	6	50	54	4	I	L
2310	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 3	13	50	60	10	I	L
2311	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 9	19	51	58	7	I	L
2312	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 629	9	58	60	2	I	L
2313	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 627	7	50	55	5	I	L
2314	B	F	29.14.N 90.55.W	29.20.N 91.25.W	26.84	203.04	78 620	78 8 2	43	50	82	32	I	L
2315	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 6	16	54	58	4	I	L
2316	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 6	16	48	60	12	I	L
2317	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 8	18	44	92	48	I	L
2318	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	48	49	1	I	L
2319	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 6	16	47	58	11	I	L
2320	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 620	78 616	57	39	74	35	I	L
2321	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 620	79 821	UNA	52	60	8	I	L
2322	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	2	39	43	4	I	L
2323	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 627	7	41	45	4	I	L
2324	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 629	9	48	56	8	I	L
2325	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	2	53	54	1	I	L
2326	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 5	15	50	55	5	I	L
2327	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 621	1	50	53	3	I	L
2328	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 7 4	14	55	65	10	I	L
2329	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 620	0	40	47	1	I	L
2330	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 623	3	55	55	0	I	L
2331	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 516	-35+-15	45	47	2	I	L
2332	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 620	78 623	3	55	50	-5	I	L
2333	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 2	12	43	55	12	I	L
2334	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 622	2	51	55	4	I	L
2335	B	F	29.14.N 90.55.W	29. 2.N 90.48.W	13.47	152.97	78 620	78 628	8	49	53	4	I	L
2336	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 620	0	43	44	1	I	L
2337	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 623	3	55	58	3	I	L
2338	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 516	-35+-15	50	50	0	I	L
2339	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 622	2	59	60	1	I	L
2340	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 620	6	47	54	7	I	L
2341	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 1	11	53	56	3	I	L
2342	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 8	18	47	53	6	I	L
2343	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 7 8	18	39	48	9	I	L
2344	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 712	22	42	48	6	I	L
2345	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 9 3	75	42	45	3	I	L
2346	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 623	3	58	58	0	I	L
2347	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	59	60	1	I	L
2348	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 620	78 625	5	58	60	2	I	L
2349	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 623	3	44	44	0	I	L
2350	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 620	78 7 7	17	37	50	13	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE		CHANGE	RELE	RELE
										LN	LN			
2351	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	4	38	40	2	I	L
2352	b	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 8	18	51	62	11	I	L
2353	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 3	13	38	46	8	I	L
2354	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 622	2	45	0	0	I	L
2355	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	2	43	46	3	I	L
2356	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 627	7	44	45	1	I	L
2357	B	M	29.14.N 90.55.W	29.14.N 91.24.W	29.67	270.14	78 620	78 7 7	17	49	57	8	I	L
2358	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 618	-2	54	60	6	I	L
2359	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 620	78 7 7	17	40	52	12	I	L
2360	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 627	7	42	44	2	I	L
2361	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 715	25	50	58	8	I	L
2362	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 623	3	41	42	1	I	L
2363	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 8	18	50	55	9	I	L
2364	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 4	14	55	62	7	I	L
2365	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 6	16	52	60	8	I	L
2366	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 3	13	52	63	11	I	L
2367	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 630	10	52	58	6	I	L
2368	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 8	18	60	60	0	I	L
2369	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 8	18	59	69	10	I	L
2370	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 622	2	50	52	2	I	L
2371	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 7 3	13	43	52	9	I	L
2372	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 628	8	55	63	8	I	L
2373	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 630	10	55	64	9	I	L
2374	B	M	29.14.N 90.55.W	29.10.N 91. 1.W	6.04	232.69	78 620	78 721	31	46	57	9	I	L
2375	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	2	52	55	3	I	L
2376	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 516	-35+-15	51	52	1	I	L
2377	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 620	78 516	-35+-15	54	55	1	I	L
2378	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 628	8	57	64	7	I	L
2379	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 7 7	17	38	45	7	I	L
2380	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 628	8	50	55	5	I	L
2381	B	M	29.14.N 90.55.W	29.10.N 91. 1.W	6.04	232.69	78 620	78 721	31	71	48	-23	I	L
2382	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 620	0 0 0	0	54	65	11	I	L
2383	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 618	-2	46	52	6	I	L
2384	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 630	10	57	62	5	I	L
2385	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 620	78 623	3	45	48	3	I	L
2386	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	57	60	3	I	L
2387	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 718	28	53	59	6	I	L
2388	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	58	60	2	I	L
2389	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 621	1	57	57	0	I	L
2390	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	2	55	55	0	I	L
2391	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 9	19	43	55	12	I	L
2392	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 618	-2	50	53	3	I	L
2393	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 620	78 623	3	55	70	15	I	L
2394	B	F	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 620	78 525	-26	50	58	8	I	L
2395	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 629	9	47	54	7	I	L
2396	B	F	29.14.N 90.55.W	29.10.N 90.54.W	4.09	167.94	78 620	78 624	4	50	51	1	I	L
2397	B	N	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 8	18	54	63	9	I	L
2398	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 620	0	55	55	0	I	L
2399	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 4	14	54	68	14	I	L
2400	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 620	78 712	22	58	67	9	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RECAP DATE	DAYS AT LARGE	REL. LN		RECAP LN		CHANGE IN LN	REL. AREA	REL. STATE
										LN	LN	LN	LN			
2401	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 628	8	55	68	13	I	L		
2402	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 510	-35+-15	52	53	1	I	L		
2403	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 630	10	56	60	4	I	L		
2404	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	0.04	240.23	78 620	78 622	2	51	55	4	I	L		
2405	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 71	11	46	50	4	I	L		
2406	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 718	28	55	59	4	I	L		
2407	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 620	78 7 7	17	53	63	10	I	L		
2408	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 4	14	50	57	7	I	L		
2409	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 7 4	14	48	58	10	I	L		
2410	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	0.04	240.23	78 620	78 711	21	46	55	9	I	L		
2411	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 629	9	47	53	0	I	L		
2412	B	M	29.14.N 90.55.W	29.10.N 90.58.W	4.78	213.29	78 620	78 715	25	47	63	16	I	L		
2413	B	M	29.14.N 90.55.W	29.30.N 92. 5.W	63.07	284.98	78 620	78 713	23	48	63	15	I	L		
2414	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 718	28	50	65	15	I	L		
2415	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 7 1	11	47	53	0	I	L		
2416	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 615	-5	42	49	7	I	L		
2417	B	F	29.14.N 90.55.W	29.25.N 91.50.W	49.20	283.14	78 620	78 715	25	60	74	14	I	L		
2418	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 7 1	11	42	46	4	I	L		
2419	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 915	87+-15	54	62	8	I	L		
2420	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 623	3	46	48	2	I	L		
2421	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 620	78 625	5	49	50	1	I	L		
2422	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 620	0 0 0	0	52	60	8	I	L		
2423	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 2	12	53	60	7	I	L		
2424	B	F	29.14.N 90.55.W	29.10.N 90.54.W	4.09	161.94	78 620	78 624	4	62	65	3	I	L		
2425	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 7 5	15	60	70	10	I	L		
2426	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 7 3	13	52	64	12	I	L		
2427	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 4	14	54	65	11	I	L		
2428	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 620	78 624	4	53	56	3	I	L		
2429	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	50	51	1	I	L		
2430	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 624	4	52	0	0	I	L		
2431	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 623	3	48	50	2	I	L		
2432	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	2	53	54	1	I	L		
2433	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 629	9	60	68	8	I	L		
2434	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 2	12	55	63	8	I	L		
2435	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 0	16	48	55	7	I	L		
2436	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 628	8	46	52	6	I	L		
2437	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 2	12	45	57	12	I	L		
2438	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 623	3	48	51	3	I	L		
2439	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 516	-35+-15	57	59	2	I	L		
2440	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 620	0	50	52	2	I	L		
2441	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 620	78 7 7	17	46	55	9	I	L		
2442	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 627	7	50	52	2	I	L		
2443	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 915	67+-15	51	58	7	I	L		
2444	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 626	6	46	50	4	I	L		
2445	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 622	2	45	48	3	I	L		
2446	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 620	78 623	3	61	64	3	I	L		
2447	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 615	-5	54	60	6	I	L		
2448	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 620	78 627	7	55	60	5	I	L		
2449	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 718	28	61	68	7	I	L		
2450	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 516	-35+-15	57	61	4	I	L		

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE		CHANGE RELE	RELE AREA	RELE STATE
										LN	LN			
2451	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 9 3	75	51	59	-2	I	L
2452	B	F	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 620	78 525	-26	53	60	7	I	L
2453	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 525	-26	51	56	5	I	L
2454	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 621	1	57	60	3	I	L
2455	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 710	26	54	65	11	I	L
2456	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 622	2	44	44	0	I	L
2457	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	11.74	255.24	78 620	78 719	29	44	58	14	I	L
2458	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 915	67+-15	50	60	10	I	L
2459	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 7 5	15	52	60	8	I	L
2460	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 620	0	60	62	2	I	L
2461	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 4	14	48	53	5	I	L
2462	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	51	0	0	I	L
2463	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 628	8	47	59	12	I	L
2464	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	67	68	1	I	L
2465	B	F	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 620	78 618	-2	49	0	0	I	L
2466	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 622	2	55	58	3	I	L
2467	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 615	-5	52	59	7	I	L
2468	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 630	10	52	53	1	I	L
2469	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 628	8	46	52	6	I	L
2470	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 516	35+-15	52	56	4	I	L
2471	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 627	7	41	47	6	I	L
2472	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 7 9	19	41	55	14	I	L
2473	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 620	78 625	5	52	55	3	I	L
2474	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 623	3	53	55	2	I	L
2475	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 620	78 7 4	14	52	54	2	I	L
2476	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 629	9	55	63	8	I	L
2477	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 620	78 7 7	17	51	59	8	I	L
2478	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 7 5	15	51	62	11	I	L
2479	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 620	78 629	9	46	53	7	I	L
2480	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 620	0 0 0	0	51	58	7	I	L
2481	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 7 9	19	40	52	12	I	L
2482	B	M	29.14.N 90.55.W	29.10.N 91. 5.W	9.60	245.41	78 620	78 721	31	42	63	21	I	L
2483	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 620	78 623	3	41	43	2	I	L
2484	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 718	28	49	55	6	I	L
2485	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 7 5	15	42	52	10	I	L
2486	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 622	2	38	60	22	I	L
2487	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 628	8	34	45	11	I	L
2488	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 7 9	19	47	55	8	I	L
2489	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 721	31	50	55	5	I	L
2490	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 8	18	44	52	8	I	L
2491	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 9 3	75	44	45	1	I	L
2492	B	M	29.14.N 90.55.W	29. 7.N 90.52.W	7.48	159.28	78 620	78 625	5	53	59	6	I	L
2493	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 712	22	45	54	9	I	L
2494	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 516	35+-15	63	63	0	I	L
2495	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.04	192.06	78 620	78 7 8	18	48	57	9	I	L
2496	B	H	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 623	3	49	53	4	I	L
2497	B	U	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 620	0	53	0	0	I	L
2498	B	F	29.14.N 90.55.W	29.30.N 92. 5.W	63.07	284.98	78 620	78 713	23	51	63	12	I	L
2499	B	F	29.14.N 90.55.W	29.16.N 90.55.W	2.01	6.40	78 620	78 619	-1	55	60	5	I	L
2500	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 7 1	11	55	58	3	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE		CHANGE	RELE	RELE
										LN	LN			
2501	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 3	13	48	55	7	1	L
2502	B	F	29.14.N 90.55.W	29.30.N 92. 5.W	63.07	284.98	78 620	78 715	25	58	70	12	1	L
2503	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 620	78 629	4	53	60	7	1	L
2504	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	0.04	240.23	78 620	78 623	3	54	50	2	1	L
2505	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 915	67+-15	58	65	7	1	L
2506	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	55	58	3	1	L
2507	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 716	26+-15	57	73	16	1	L
2508	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 3	13	53	63	10	1	L
2509	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 5	15	48	53	5	1	L
2510	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 622	2	58	58	0	1	L
2511	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	58	58	0	1	L
2512	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 2	12	43	50	7	1	L
2513	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 516	-35+-15	51	50	-1	1	L
2514	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 5	15	41	44	3	1	L
2515	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 618	-2	50	60	4	1	L
2516	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 619	-1	44	45	1	1	L
2517	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 7 5	15	45	52	7	1	L
2518	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 718	28	46	52	6	1	L
2519	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 627	7	43	46	3	1	L
2520	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 516	-35+-15	52	53	1	1	L
2521	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 620	78 7 7	17	56	60	4	1	L
2522	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 721	31	50	60	10	1	L
2523	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 627	7	45	48	3	1	L
2524	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 620	78 623	3	35	63	28	1	L
2525	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 516	-35+-15	50	53	3	1	L
2526	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 7 4	14	47	55	8	1	L
2527	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 623	3	47	50	3	1	L
2528	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 620	0	50	50	0	1	L
2529	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 7 3	13	57	66	9	1	L
2530	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 620	78 7 3	13+-3	60	65	5	1	L
2531	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 620	78 623	3	53	58	5	1	L
2532	B	U	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 620	78 525	-26	49	0	0	0	I
2533	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 620	78 711	21	46	52	6	1	L
2534	B	M	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 620	78 7 6	16	44	55	11	1	L
2535	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 620	78 623	3	52	54	2	1	L
2536	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 620	78 516	-35+-15	43	45	2	1	L
2537	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 618	-3	55	57	2	1	L
2538	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 628	7	56	60	4	1	L
2539	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 4	13	47	57	10	1	L
2540	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 4	13	58	66	8	1	L
2541	B	M	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 621	78 622	1	47	55	18	1	L
2542	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 618	-3	54	57	3	1	L
2543	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	57	57	0	1	L
2544	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 516	-36+-15	40	42	2	1	L
2545	B	M	29.14.N 90.55.W	29. 7.N 90.50.W	7.06	187.45	78 621	78 625	4	48	53	5	1	L
2546	B	F	29.14.N 90.55.W	29.20.N 91.22.W	24.30	284.41	78 621	78 730	39	41	67	26	1	L
2547	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 9 3	74	50	58	2	1	L
2548	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 623	2	55	58	3	1	L
2549	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 625	4	49	53	4	1	L
2550	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 4	13	38	46	8	1	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE		RELÉ LN	RECAP LN	CHANGE IN LN	HELE AREA	HELE STATE
									DAY	NIGHT					
2551	B	F	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 021	78 525	-27	45	54	9	I	L	
2552	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.00	78 021	78 628	7	41	52	11	I	L	
2553	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 621	78 7 3	12	37	45	8	I	L	
2554	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 621	78 7 8	17	55	63	8	I	L	
2555	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 621	78 7 9	18	40	47	7	I	L	
2556	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 621	78 7 3	12	53	59	6	I	L	
2557	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 915	86+-15	51	60	9	I	L	
2558	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 621	78 624	3	58	0	0	I	L	
2559	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 621	78 623	2	05	65	0	I	L	
2560	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 718	27	57	60	3	I	L	
2561	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 621	78 614	-7	50	58	8	I	L	
2562	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 621	78 7 2	11	53	57	4	I	L	
2563	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 624	7	48	50	8	I	L	
2564	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 7 2	11	55	64	9	I	L	
2565	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 718	27	52	60	6	I	L	
2566	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 621	78 624	3	45	48	3	I	L	
2567	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 8	17	45	57	12	I	L	
2568	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 621	78 628	7	40	58	12	I	L	
2569	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 623	2	48	51	3	I	L	
2570	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	0.04	240.23	78 621	78 622	1	37	44	7	I	L	
2571	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 624	3	47	50	3	I	L	
2572	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 621	78 618	-3	48	55	7	I	L	
2573	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 621	78 614	-7	40	50	10	I	L	
2574	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 6	15	48	63	15	I	L	
2575	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	0.04	240.23	78 621	78 623	2	57	57	0	I	L	
2576	B	M	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 621	78 7 9	18	49	60	11	I	L	
2577	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 621	78 614	74	59	64	5	I	L	
2578	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 621	78 7 5	14	52	60	8	I	L	
2579	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 621	78 7 9	18	40	50	10	I	L	
2580	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 615	-6	49	55	6	I	L	
2581	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 7 3	12	43	53	10	I	L	
2582	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 621	78 6 3	-18	51	63	12	I	L	
2583	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 711	20	53	62	9	I	L	
2584	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 621	78 630	9	47	52	5	I	L	
2585	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 621	78 630	9	35	42	7	I	L	
2586	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 621	78 7 9	18+-3	49	58	9	I	L	
2587	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 621	0 0 0	0	42	57	15	I	L	
2588	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 624	3	41	47	6	I	L	
2589	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 630	9	53	60	7	I	L	
2590	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 627	6	50	52	2	I	L	
2591	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 710	19	46	56	10	I	L	
2592	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 7 4	13	44	50	6	I	L	
2593	B	M	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 621	78 525	-27	48	58	10	I	L	
2594	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.00	232.69	78 621	78 7 6	15	54	64	10	I	L	
2595	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 6	15	52	57	5	I	L	
2596	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 629	8	43	58	15	I	L	
2597	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 1	10	46	55	9	I	L	
2598	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 621	78 624	3	59	64	5	I	L	
2599	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 7 2	11	52	60	8	I	L	
2600	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 623	2	62	68	6	I	L	

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE RECAP		CHANGE	RELE AREA	RELE STATE
										LN	LN			
2601	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 621	78 623	2	49	49	0	I	L
2602	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 625	4	45	0	0	I	L
2603	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	53	57	4	I	L
2604	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 625	4	40	49	3	I	L
2605	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 715	14	45	62	17	I	L
2606	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 615	-6	51	58	1	I	L
2607	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 625	4	39	43	4	I	L
2608	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 712	21	39	59	20	I	L
2609	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 630	9	50	57	1	I	L
2610	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 629	8	43	50	7	I	L
2611	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 625	4	51	55	4	I	L
2612	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 627	6	43	45	2	I	L
2613	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	43	44	1	I	L
2614	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 021	78 623	2	50	55	5	I	L
2615	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 630	9	45	49	4	I	L
2616	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 622	1	50	52	2	I	L
2617	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 021	78 623	2	42	46	4	I	L
2618	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 021	78 630	9	43	48	5	I	L
2619	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 021	78 718	17	38	50	12	I	L
2620	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 625	4	52	59	7	I	L
2621	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 623	2	57	63	6	I	L
2622	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 629	8	51	62	11	I	L
2623	B	U	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 021	78 623	2	50	0	0	I	L
2624	B	F	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 621	78 525	-27	48	55	7	I	L
2625	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 627	6	44	51	7	I	L
2626	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 627	6	41	45	4	I	L
2627	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 621	78 623	2	50	54	4	I	L
2628	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 716	25+-15	49	68	19	I	L
2629	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 021	78 624	3	50	55	5	I	L
2630	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 021	78 624	3	54	55	1	I	L
2631	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 516	-36+-15	48	53	5	I	L
2632	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 625	4	47	50	3	I	L
2633	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 618	-3	43	50	7	I	L
2634	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 716	15	58	60	2	I	L
2635	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 516	-36+-15	55	65	10	I	L
2636	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 622	1	43	45	2	I	L
2637	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 619	-2+-30	52	55	3	I	L
2638	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	51	52	1	I	L
2639	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 716	15	43	55	12	I	L
2640	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	47	53	6	I	L
2641	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 711	10	52	59	7	I	L
2642	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 711	10	43	46	3	I	L
2643	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 628	7	53	58	5	I	L
2644	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 715	14	45	54	9	I	L
2645	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 622	1	40	49	3	I	L
2646	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 516	-36+-15	50	52	2	I	L
2647	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 628	7	53	60	7	I	L
2648	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 621	78 614	-7	50	63	13	I	L
2649	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 714	13	47	54	1	I	L
2650	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 615	-6	49	53	4	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RECAP DATE	DAYS AT LARGE	REL. LN		RECAP IN LN		CHANGE REL. AREA		REL. STATE
										LN	LN	IN LN	IN LN			
2651	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 516	-36+-15	38	43	5	1	L		
2652	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 621	78 7 4	13	51	59	8	1	L		
2653	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	50	53	3	1	L		
2654	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 625	4	41	43	2	1	L		
2655	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 9	18+-3	45	60	15	1	L		
2656	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 622	1	45	50	5	1	L		
2657	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 623	2	38	42	4	1	L		
2658	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 624	3	52	0	0	1	L		
2659	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 622	1	45	50	5	1	L		
2660	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 622	1	35	38	3	1	L		
2661	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 628	7	53	61	8	1	L		
2662	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 622	1	45	48	3	1	L		
2663	B	F	29.14.N 90.55.W	29. 2.N 90.48.W	13.47	152.97	78 621	78 628	7	40	57	9	1	L		
2664	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 5	14	57	63	6	1	L		
2665	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 621	78 623	2	56	60	4	1	L		
2666	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 621	78 7 7	16	46	53	7	1	L		
2667	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 625	4	47	0	0	1	L		
2668	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 6 2	-19	50	57	7	1	L		
2669	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	52	54	2	1	L		
2670	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 9	18	47	60	13	1	L		
2671	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 621	78 623	2	37	40	3	1	L		
2672	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 625	4	45	50	5	1	L		
2673	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 7 8	27	47	53	6	1	L		
2674	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 9	18	41	50	9	1	L		
2675	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 6 3	-18	54	62	6	1	L		
2676	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 14	23	46	60	14	1	L		
2677	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 615	-6	50	57	7	1	L		
2678	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 915	86+-15	40	49	9	1	L		
2679	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 7 3	12+-3	52	58	6	1	L		
2680	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 915	86+-15	53	60	7	1	L		
2681	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 621	0	46	50	4	1	L		
2682	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 625	4	46	50	4	1	L		
2683	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 625	4	51	55	4	1	L		
2684	B	M	29.14.N 90.55.W	29.10.N 91.18.W	20.17	275.78	78 621	78 731	40	38	60	22	1	L		
2685	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 8	17	47	50	3	1	L		
2686	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 630	9	45	55	10	1	L		
2687	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 621	78 623	2	47	53	6	1	L		
2688	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 622	1	53	56	3	1	L		
2689	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 4	13	53	62	9	1	L		
2690	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	42	48	6	1	L		
2691	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 6	15	42	53	11	1	L		
2692	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 630	9	51	52	1	1	L		
2693	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 630	9	55	64	9	1	L		
2694	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 630	9	50	62	12	1	L		
2695	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 630	9	52	57	5	1	L		
2696	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 7 5	14	47	56	9	1	L		
2697	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 630	9	47	53	6	1	L		
2698	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 621	78 614	-7	48	53	5	1	L		
2699	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 623	2	55	59	4	1	L		
2700	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 621	78 614	-7	42	48	6	1	L		

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RECAP DATE	DAYS AT LARGE	REL. LN		CHANGE IN LN	REL. AREA	REL. STATE
										LN	IN LN			
2701	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 015	-6	43	48	5	I	L
2702	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 7 3	12	43	53	10	I	L
2703	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 7 6	15	49	60	11	I	L
2704	B	F	29.14.N 90.55.W	29.7.N 90.56.W	7.06	187.45	78 021	78 625	4	43	48	5	I	L
2705	B	M	29.14.N 90.55.W	29.7.N 90.56.W	7.06	187.45	78 021	78 625	4	45	50	5	I	L
2706	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 021	78 7 6	15	40	59	19	I	L
2707	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 021	78 022	1	46	52	6	I	L
2708	B	F	29.14.N 90.55.W	29.11.N 91.1.W	6.04	240.23	78 021	78 718	27	43	50	7	I	L
2709	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.07	270.14	78 021	78 623	2	54	59	5	I	L
2710	B	M	29.14.N 90.55.W	29.10.N 91.0.W	5.42	227.51	78 021	78 623	2	45	48	3	I	L
2711	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 015	-6	53	59	6	I	L
2712	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 915	86+-15	49	60	11	I	L
2713	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 627	6	52	56	4	I	L
2714	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 021	78 021	0	53	59	6	I	L
2715	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 7 2	11	40	53	13	I	L
2716	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 021	78 622	1	54	59	5	I	L
2717	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 019	-2+-30	49	56	7	I	L
2718	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 627	6	44	47	3	I	L
2719	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 021	78 624	3	48	51	3	I	L
2720	B	U	29.14.N 90.55.W	29.30.N 92.5.W	63.07	284.98	78 021	78 725	34	55	60	0	I	L
2721	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 7 4	13	45	56	11	I	L
2722	B	M	29.14.N 90.55.W	29.10.N 91.5.W	9.00	245.41	78 021	78 724	33	44	55	11	I	L
2723	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 021	78 624	3	53	58	5	I	L
2724	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 629	8	70	77	7	I	L
2725	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 021	78 630	9	47	50	3	I	L
2726	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 021	78 627	6	32	39	7	I	L
2727	B	M	29.14.N 90.55.W	29.5.N 90.56.W	9.04	185.30	78 021	78 525	-27	40	49	9	I	L
2728	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 619	-2+-30	60	65	5	I	L
2729	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 627	6	44	48	4	I	L
2730	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 7 3	12	40	59	13	I	L
2731	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 021	78 622	1	49	50	1	I	L
2732	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 624	3	58	61	3	I	L
2733	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 021	78 622	1	30	58	28	I	L
2734	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 015	-6	48	57	9	I	L
2735	B	U	29.14.N 90.55.W	29.11.N 91.1.W	6.04	240.23	78 021	78 718	27	45	60	0	I	L
2736	B	M	29.14.N 90.55.W	29.10.N 91.0.W	5.92	227.51	78 021	78 623	2	56	58	2	I	L
2737	B	F	29.14.N 90.55.W	29.11.N 91.1.W	6.04	240.23	78 021	78 622	1	52	55	3	I	L
2738	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 021	78 8 1	41	70	66	-10	I	L
2739	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 7 4	13	43	62	19	I	L
2740	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 7 5	14	45	48	3	I	L
2741	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 7 6	15	39	43	4	I	L
2742	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 021	78 622	1	67	70	3	I	L
2743	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 7 2	11	57	68	11	I	L
2744	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 628	7	55	62	7	I	L
2745	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 615	-6	55	60	5	I	L
2746	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 618	-3	62	68	6	I	L
2747	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 615	-6	51	54	3	I	L
2748	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 021	78 8 8	48	49	55	16	I	L
2749	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 021	78 516	-36+-15	60	62	2	I	L
2750	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 021	78 628	7	43	53	10	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE RECAP		CHANGE LN IN LN	RELE LN AREA	WELL STATE
										LN	LN			
2751	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 8	17	51	60	9	I	L
2752	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 623	2	55	54	-1	I	L
2753	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 630	9	54	59	5	I	L
2754	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 7 2	11	60	59	-1	I	L
2755	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 6	15	59	60	1	I	L
2756	B	M	29.14.N 90.55.W	29.15.N 91.12.W	14.87	273.93	78 621	78 730	39	51	67	16	I	L
2757	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 622	1	54	57	3	I	L
2758	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 621	78 623	2	61	65	4	I	L
2759	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 623	2	48	48	0	I	L
2760	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 621	78 623	2	51	53	2	I	L
2761	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 621	78 623	2	43	45	2	I	L
2762	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	57	59	2	I	L
2763	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 621	78 624	3	41	42	1	I	L
2764	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 625	4	52	55	3	I	L
2765	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 622	1	55	55	0	I	L
2766	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 7 0	15	47	52	5	I	L
2767	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 625	4	53	55	2	I	L
2768	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 7 4	13	50	57	7	I	L
2769	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	50	51	1	I	L
2770	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 628	7	47	50	3	I	L
2771	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 516	-36+-15	48	50	2	I	L
2772	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 621	78 623	2	56	65	9	I	L
2773	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 630	9	50	60	10	I	L
2774	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 711	20	46	60	14	I	L
2775	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 621	78 623	2	42	48	0	I	L
2776	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 618	-3	36	54	18	I	L
2777	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 618	-3	50	53	3	I	L
2778	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 623	2	41	45	4	I	L
2779	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 5	14	43	49	6	I	L
2780	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 516	-36+-15	37	42	5	I	L
2781	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 623	2	44	47	3	I	L
2782	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 628	7	44	53	9	I	L
2783	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.07	270.14	78 621	78 7 7	16	54	62	8	I	L
2784	B	F	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 621	78 7 6	15	53	68	15	I	L
2785	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 624	3	54	63	4	I	L
2786	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 4	13	51	62	5	I	L
2787	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 525	-27	50	55	5	I	L
2788	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 7 3	12	48	55	7	I	L
2789	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 6 3	-18	48	60	12	I	L
2790	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 628	7	49	55	6	I	L
2791	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	46	49	3	I	L
2792	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	5.29	235.48	78 621	78 623	2	52	57	5	I	L
2793	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 7 8	17	55	64	9	I	L
2794	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 915	86+-15	54	64	10	I	L
2795	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 525	-27	59	65	6	I	L
2796	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	73	72	-1	I	L
2797	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 7 8	17	60	64	4	I	L
2798	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 623	2	53	57	4	I	L
2799	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 626	5	58	58	0	I	L
2800	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 3	12	51	58	7	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RECAP DATE	DAYS AT LARGE	REL. LN	RELE LN	CHANGE IN LN	REL. AREA	REL. STATE
2801	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 5	14	50	56	6	I	L
2802	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 1	10	52	60	8	I	L
2803	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 629	8	43	49	6	I	L
2804	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 621	78 623	2	51	55	4	I	L
2805	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 510	-36+-15	49	49	0	I	L
2806	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 625	4	54	55	1	I	L
2807	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 4	13	44	0	0	I	L
2808	B	U	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	36	0	0	I	L
2809	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 628	7	40	50	10	I	L
2810	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 718	27	52	55	3	I	L
2811	B	M	29.14.N 90.55.W	29.15.N 91. 3.W	7.05	278.19	78 621	78 7 5	14	48	55	7	I	L
2812	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 717	26	54	72	18	I	L
2813	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 629	8	55	60	5	I	L
2814	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 622	1	55	59	4	I	L
2815	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 718	27	43	58	15	I	L
2816	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 720	29	47	67	20	I	L
2817	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 622	1	45	46	1	I	L
2818	B	F	29.14.N 90.55.W	29.15.N 91.24.W	25.33	272.38	78 621	79 325	277	47	73	26	I	L
2819	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 625	4	59	60	1	I	L
2820	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 8	17	51	58	7	I	L
2821	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 715	-24+-15	53	70	17	I	L
2822	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 8	17	51	60	9	I	L
2823	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 7 4	13	61	68	7	I	L
2824	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 718	27	49	54	5	I	L
2825	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 629	8	40	0	0	I	L
2826	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 8	17	52	60	8	I	L
2827	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 623	2	50	55	5	I	L
2828	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 5	14	51	62	11	I	L
2829	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 8	17	40	55	9	I	L
2830	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 5	14	57	65	8	I	L
2831	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 621	78 614	-7	60	69	9	I	L
2832	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 630	9	52	59	7	I	L
2833	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 4	13	42	50	8	I	L
2834	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 623	2	40	43	3	I	L
2835	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 4	13	41	52	11	I	L
2836	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 7 4	13	62	68	6	I	L
2837	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 630	9	43	53	10	I	L
2838	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 621	0 0 0	0	57	65	8	I	L
2839	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 621	78 7 7	16	53	55	2	I	L
2840	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 510	-36+-15	59	60	1	I	L
2841	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 7 5	14	50	58	2	I	L
2842	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 625	4	60	61	1	I	L
2843	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 510	-36+-15	57	60	3	I	L
2844	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 718	27	55	57	2	I	L
2845	B	F	29.14.N 90.55.W	29. 9.N 90.58.W	5.66	207.98	78 621	78 715	24	57	68	11	I	L
2846	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 3	12	51	58	7	I	L
2847	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	52	53	1	I	L
2848	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 629	8	50	53	3	I	L
2849	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 720	29+-3	55	70	15	I	L
2850	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 630	9	50	52	2	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE	DIRECTION	RELÉ TRAVELED	RELE DATE	RECAP DATE	DAYS AT		RELÉ LN	RELE LN	CHANGE IN LN	RELÉ AREA	RELÉ STATE
										LARGE	LN					
2851	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	5.24	235.48	78 621	78 623	2	57	60	3	1	L		
2852	B	F	29.14.N 90.55.W	29. 3.N 90.55.W	11.31	193.40	78 621	78 7 6	15	57	64	7	1	L		
2853	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 622	1	55	55	0	1	L		
2854	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 630	9	50	53	3	1	L		
2855	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 7 5	14	63	68	5	1	L		
2856	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 619	-2+-30	55	64	9	1	L		
2857	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 628	7	47	64	17	1	L		
2858	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 5	14	70	57	-13	1	L		
2859	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 516	-36+-15	56	58	2	1	L		
2860	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 622	1	48	51	3	1	L		
2861	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 622	1	59	60	1	1	L		
2862	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 625	4	45	48	3	1	L		
2863	B	H	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 621	78 7 8	17	60	60	0	1	L		
2864	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 623	2	46	47	1	1	L		
2865	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 621	78 7 5	14	52	60	8	1	L		
2866	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 624	3	58	0	0	1	L		
2867	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 621	78 7 3	12	59	70	11	1	L		
2868	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 3	12	52	60	8	1	L		
2869	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 621	78 623	2	43	49	6	1	L		
2870	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 618	-3	52	60	8	1	L		
2871	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 7 8	17	40	52	12	1	L		
2872	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 6 3	-18	50	60	10	1	L		
2873	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 3	12	36	45	9	1	L		
2874	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 516	-36+-15	59	62	3	1	L		
2875	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 628	7	45	53	8	1	L		
2876	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 625	4	54	58	4	1	L		
2877	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 915	86+-15	55	63	8	1	L		
2878	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 628	7	50	58	8	1	L		
2879	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 7 9	18	40	48	8	1	L		
2880	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 621	78 623	2	50	59	3	1	L		
2881	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 625	4	62	67	5	1	L		
2882	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 623	2	46	50	4	1	L		
2883	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 623	2	45	50	5	1	L		
2884	B	U	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 621	78 614	-7	45	0	0	1	L		
2885	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 621	78 525	-27	52	58	6	1	L		
2886	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 629	8	47	53	6	1	L		
2887	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 621	78 628	7	48	54	6	1	L		
2888	B	U	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 621	78 614	-7	47	0	0	1	L		
2889	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 624	3	50	0	0	1	L		
2890	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 621	78 623	2	46	50	4	1	L		
2891	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 621	78 516	-36+-15	51	55	4	1	L		
2892	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 621	78 625	4	55	60	5	1	L		
2893	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 625	3	55	57	2	1	L		
2894	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 515	-38	41	45	4	1	L		
2895	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	42	0	0	1	L		
2896	B	M	29.14.N 90.55.W	29.11.N 90.55.W	3.00	180.00	78 622	78 622	0	50	50	0	1	L		
2897	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	54	57	3	1	L		
2898	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	47	49	2	1	L		
2899	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 627	5	43	45	2	1	L		
2900	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 622	78 625	3	48	50	2	1	L		

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RECAP DATE	DAYS AT LARGE	REL. LN	RECAP LN	CHANGE IN LN	REL. AREA	REL. STATE
2901	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.00	78 622	78 624	2	45	48	3	I	L
2902	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.00	78 622	78 7 5	13	45	51	12	I	L
2903	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 516	-37+-15	50	53	3	I	L
2904	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 622	78 8 9	UNA	48	16	28	I	L
2905	B	F	29.14.N 90.55.W	29. 3.N 90.56.W	11.31	193.40	78 622	78 625	3	44	47	3	I	L
2906	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 628	6	56	67	11	I	L
2907	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 7 4	12	57	65	8	I	L
2908	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 718	26	52	58	0	I	L
2909	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 7 3	11	57	64	7	I	L
2910	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 5	13	45	53	8	I	L
2911	B	F	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.62	78 622	78 7 4	12	38	51	13	I	L
2912	B	M	29.14.N 90.55.W	29.14.N 90.56.W	0.	0.	78 622	78 625	3	48	50	2	I	L
2913	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 9	17	45	55	10	I	L
2914	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	45	50	5	I	L
2915	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 615	-7	43	48	5	I	L
2916	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 9 3	73	53	58	5	I	L
2917	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 8	16	60	68	8	I	L
2918	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 622	78 630	8	40	45	5	I	L
2919	B	F	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 622	78 625	3	40	50	4	I	L
2920	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 7 0	14	50	60	10	I	L
2921	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 622	78 623	1	41	43	2	I	L
2922	B	M	29.14.N 90.55.W	29.14.N 90.56.W	0.	0.	78 622	78 625	3	30	38	2	I	L
2923	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 3	11	48	52	4	I	L
2924	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 7 3	11+-3	62	69	7	I	L
2925	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 4	12	48	51	3	I	L
2926	B	M	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.30	78 622	78 525	-28	38	47	9	I	L
2927	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	43	46	3	I	L
2928	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 622	0 0 0	0	57	68	11	I	L
2929	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 622	78 625	3	48	50	2	I	L
2930	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 515	-38	47	50	3	I	L
2931	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 622	78 625	3	50	54	4	I	L
2932	B	M	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 622	78 525	-28	50	56	6	I	L
2933	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.00	78 622	78 7 3	11	52	60	8	I	L
2934	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 718	26	40	52	6	I	L
2935	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 628	6	45	50	0	I	L
2936	B	F	29.14.N 90.55.W	29.14.N 90.56.W	0.	0.	78 622	78 625	3	55	58	3	I	L
2937	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 510	-37+-15	51	52	1	I	L
2938	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 7 8	16	58	63	5	I	L
2939	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 619	-3	53	56	3	I	L
2940	B	U	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 622	78 625	3	50	0	0	I	L
2941	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 7 5	13	54	57	3	I	L
2942	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	44	45	1	I	L
2943	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 624	2	48	50	2	I	L
2944	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 5	13	46	52	6	I	L
2945	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 7 6	14	48	55	7	I	L
2946	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	49	52	3	I	L
2947	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	60	65	5	I	L
2948	B	F	29.14.N 90.55.W	29. 4.N 90.56.W	5.09	190.67	78 622	78 624	2	48	48	0	I	L
2949	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	50	50	0	I	L
2950	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 7 3	11+-3	45	64	19	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN		RECAP LN		CHANGE IN LN	RELÉ AREA	RELÉ STATE
										LN	LN	LN	LN			
2951	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 915	85+-15	45	50	5	I	L		
2952	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 622	78 625	3	41	43	2	I	L		
2953	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 622	78 718	26	42	48	6	I	L		
2954	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 823	62	58	60	2	I	L		
2955	B	M	29.14.N 90.55.W	29.11.N 90.55.W	3.00	180.00	78 622	78 621	-1	54	50	-4	I	L		
2956	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 622	78 625	3	50	52	2	I	L		
2957	B	U	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 622	78 7 4	12	57	58	1	I	L		
2958	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 515	-36	48	49	1	I	L		
2959	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 915	85+-15	50	60	10	I	L		
2960	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 622	78 624	2	61	65	4	I	L		
2961	b	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 622	79 821	UNA	55	60	5	I	L		
2962	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 3	11	60	70	10	I	L		
2963	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	56	60	4	I	L		
2964	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 623	1	50	50	0	I	L		
2965	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 622	78 624	2	50	52	2	I	L		
2966	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 624	2	47	53	6	I	L		
2967	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 516	-37+-15	50	51	1	I	L		
2968	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	47	48	1	I	L		
2969	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 624	2	44	40	0	I	L		
2970	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 915	85+-15	45	53	8	I	L		
2971	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 516	-37+-15	44	48	4	I	L		
2972	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	53	54	1	I	L		
2973	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 622	78 7 6	14	58	63	5	I	L		
2974	B	U	29.14.N 90.55.W	29.10.N 90.54.W	4.09	167.94	78 622	78 626	4	55	60	0	I	L		
2975	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 622	78 625	3	50	54	4	I	L		
2976	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 622	78 624	2	58	58	0	I	L		
2977	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 630	8	54	55	1	I	L		
2978	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 622	78 624	2	50	50	0	I	L		
2979	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 622	0	52	55	3	I	L		
2980	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	50	60	0	I	L		
2981	B	F	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 622	78 7 4	12	40	40	0	I	L		
2982	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 9	17	55	58	3	I	L		
2983	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	46	48	2	I	L		
2984	B	F	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 622	78 622	0	43	45	2	I	L		
2985	B	F	29.14.N 90.55.W	29.13.N 90.57.W	<.01	240.21	78 622	78 623	1	46	50	4	I	L		
2986	B	M	29.14.N 90.55.W	29.10.N 90.54.W	4.09	167.94	78 622	78 626	4	50	50	0	I	L		
2987	B	M	29.14.N 90.55.W	29.13.N 90.57.W	<.01	240.21	78 622	78 624	2	50	55	5	I	L		
2988	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 622	78 624	2	44	44	0	I	L		
2989	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 630	8	51	59	8	I	L		
2990	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 624	2	58	60	2	I	L		
2991	B	U	29.14.N 90.55.W	29.10.N 90.54.W	4.09	167.94	78 622	78 620	4	51	60	0	I	L		
2992	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 622	78 622	0	54	55	1	I	L		
2993	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 622	78 730	38	40	66	26	I	L		
2994	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	40	40	0	I	L		
2995	B	M	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 622	78 525	-26	48	54	6	I	L		
2996	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 624	2	44	48	4	I	L		
2997	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 628	6	39	45	6	I	L		
2998	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 625	3	48	53	5	I	L		
2999	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 628	6	54	60	0	I	L		
3000	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 1	9	51	60	9	I	L		

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE		CHANGE IN LN	RELE AREA	RELE STATE
										LN	LN			
3001	B	F	29.14.N 90.55.W	29.10.N 90.56.N	4.09	192.06	78 622	78 915	85+-15	51	54	3	I	L
3002	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 620	4	42	45	3	I	L
3003	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 623	1	48	52	4	I	L
3004	B	F	29.14.N 90.55.W	29.10.N 91. 5.W	9.60	245.41	78 622	78 7 9	17	58	67	9	I	L
3005	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 624	2	51	50	0	I	L
3006	B	F	29.14.N 90.55.W	29. 9.N 90.58.W	5.66	207.98	78 622	78 713	21	55	62	7	I	L
3007	B	M	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 622	78 7 4	12	54	60	6	I	L
3008	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 510	-37+-15	47	50	3	I	L
3009	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	53	58	5	I	L
3010	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 626	4	43	47	4	I	L
3011	B	M	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 622	78 7 4	12	38	48	10	I	L
3012	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 622	78 9 3	73	46	52	6	I	L
3013	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 7 8	16	40	50	10	I	L
3014	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 622	0	45	49	4	I	L
3015	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 625	3	37	30	0	I	L
3016	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 622	78 623	1	42	47	5	I	L
3017	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 718	26	37	42	5	I	L
3018	B	F	29.14.N 90.55.W	29. 9.N 90.50.W	5.09	190.67	78 622	78 624	2	40	42	2	I	L
3019	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	55	58	3	I	L
3020	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	45	49	4	I	L
3021	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 7 3	11+-3	53	64	11	I	L
3022	B	M	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 622	78 7 6	14	52	58	6	I	L
3023	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 510	-37+-15	47	58	11	I	L
3024	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	43	45	2	I	L
3025	B	U	29.14.N 90.55.W	29.10.N 90.54.W	4.09	167.94	78 622	78 626	4	54	30	0	I	L
3026	B	M	29.14.N 90.55.W	29. 8.N 91. 7.W	12.08	240.26	78 622	78 7 6	14	47	61	14	I	L
3027	B	F	29.14.N 90.55.W	29. 3.N 90.58.W	11.31	193.40	78 622	78 7 6	14	51	55	4	I	L
3028	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 621	-1	49	49	0	I	L
3029	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	45	46	1	I	L
3030	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 7 3	11	50	59	9	I	L
3031	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 510	-37+-15	53	55	2	I	L
3032	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	45	50	5	I	L
3033	B	M	29.14.N 90.55.W	29. 9.N 90.50.W	5.09	190.67	78 622	78 624	2	43	45	2	I	L
3034	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 915	85+-15	40	50	10	I	L
3035	B	F	29.14.N 90.55.W	29. 7.N 90.50.W	7.06	187.45	78 622	78 624	2	42	45	3	I	L
3036	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	42	48	6	I	L
3037	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	53	55	2	I	L
3038	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 630	8	55	58	3	I	L
3039	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	65	68	3	I	L
3040	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 1	9	60	63	3	I	L
3041	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 622	78 623	1	53	57	4	I	L
3042	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 915	85+-15	50	60	10	I	L
3043	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	57	0	0	I	L
3044	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 622	0	55	57	2	I	L
3045	B	F	29.14.N 90.55.W	29.10.N 90.54.W	4.09	167.94	78 622	78 624	2	50	57	1	I	L
3046	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 624	2	50	57	0	I	L
3047	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 624	2	54	57	3	I	L
3048	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 622	78 625	3	53	57	4	I	L
3049	B	F	29.14.N 90.55.W	29.10.N 91. 5.W	9.60	245.41	78 622	78 8 9	48	50	55	5	I	L
3050	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 622	78 719	27	41	57	10	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE	DIRECTION	RELE	RECAP	DAYS AT	RELE	RECAP	CHANGE	RELE	RELE
							TRAVELED	DATE		DATE	LARGE	LN	LN	IN LN
3051	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 622	78 625	3	51	55	4	1	L
3052	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 915	85+-15	43	62	19	1	L
3053	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 622	7d 624	2	41	42	1	I	L
3054	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 7 3	11	39	44	5	1	L
3055	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 630	8	50	53	3	I	L
3056	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 630	8	51	55	2	I	L
3057	B	M	29.14.N 90.55.W	29.10.N 90.54.W	4.09	167.94	78 622	78 624	2	45	48	3	I	L
3058	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 623	1	55	55	0	I	L
3059	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 622	78 624	2	52	55	3	I	L
3060	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 622	78 710	18	52	59	7	I	L
3061	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 622	78 624	2	42	48	6	I	L
3062	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 624	2	52	55	3	I	L
3063	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 622	78 624	2	44	45	1	I	L
3064	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 622	78 624	2	52	53	1	I	L
3065	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 622	78 7 9	17	51	60	9	I	L
3066	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 624	2	50	54	4	I	L
3067	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 615	-7	41	52	5	I	L
3068	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 624	2	52	58	6	I	L
3069	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 6	14	53	55	2	I	L
3070	B	U	29.14.N 90.55.W	29.10.N 90.54.W	4.09	167.94	78 622	78 626	4	60	0	0	I	L
3071	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 622	78 624	7	48	54	6	I	L
3072	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 622	78 624	2	40	51	5	I	L
3073	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 621	-1	55	58	3	I	L
3074	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	51	55	4	I	L
3075	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 516	-37+-15	50	60	10	I	L
3076	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 623	1	53	55	2	I	L
3077	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 622	78 623	1	53	60	7	I	L
3078	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 615	-7	40	48	8	I	L
3079	B	F	29.14.N 90.55.W	29.10.N 90.54.W	4.09	167.94	78 622	78 624	2	45	51	6	I	L
3080	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 619	-3+-30	43	54	11	I	L
3081	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 622	0	62	67	5	I	L
3082	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 622	78 623	1	52	55	3	I	L
3083	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 5	13	53	60	7	I	L
3084	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 624	2	55	56	1	I	L
3085	B	U	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 622	78 628	6	45	0	0	I	L
3086	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 622	78 718	26	50	52	2	I	L
3087	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 1	9	53	59	6	I	L
3088	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 628	6	46	50	4	I	L
3089	B	F	29.14.N 90.55.W	29.10.N 90.54.W	4.09	167.94	78 622	78 624	2	54	54	0	I	L
3090	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 622	78 624	2	50	59	3	I	L
3091	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 620	-2	48	55	7	I	L
3092	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	55	59	4	I	L
3093	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 622	78 630	8	53	59	6	I	L
3094	B	F	29.14.N 90.55.W	29.11.N 90.55.W	3.00	180.00	78 622	78 622	0	58	62	4	I	L
3095	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 622	78 624	2	57	58	1	I	L
3096	B	F	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 7 8	16	46	57	11	I	L
3097	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 7 3	11+-3	44	55	11	I	L
3098	B	F	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 622	78 7 4	12	48	57	9	I	L
3099	B	M	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 622	78 7 4	12	53	59	6	I	L
3100	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 5	13	43	53	10	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN	RECAP LN	CHANGE IN LN	RELÉ AREA	RELÉ STATE
3101	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 622	78 625	3	50	58	8	I	L
3102	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 9 3	73	58	62	4	I	L
3103	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 618	-4	53	58	5	I	L
3104	B	F	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 622	78 7 4	12	47	50	3	I	L
3105	B	F	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 622	78 525	-28	55	62	7	I	L
3106	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 625	3	50	53	3	I	L
3107	B	F	29.14.N 90.55.W	29.10.N 90.54.W	4.09	167.94	78 622	78 624	2	50	59	3	I	L
3108	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 622	78 623	1	57	58	1	I	L
3109	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 624	2	54	54	0	I	L
3110	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 622	78 624	2	50	58	2	I	L
3111	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 623	1	54	55	1	I	L
3112	B	F	29.14.N 90.55.W	29.16.N 90.57.W	4.36	203.49	78 622	78 516	-37+-15	49	52	3	I	L
3113	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 3	11	52	59	7	I	L
3114	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 622	78 516	-37+-15	47	49	2	I	L
3115	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	52	57	5	I	L
3116	B	F	29.14.N 90.55.W	29.11.N 90.55.W	3.00	180.00	78 622	78 622	0	54	52	-2	I	L
3117	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	51	53	2	I	L
3118	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 6	14	61	62	1	I	L
3119	B	F	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 622	78 625	3	47	48	1	I	L
3120	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 622	78 7 6	14	69	70	1	I	L
3121	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 1	9	59	61	2	I	L
3122	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 622	0	46	50	2	I	L
3123	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 622	78 624	2	52	55	3	I	L
3124	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 625	3	50	54	4	I	L
3125	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 624	2	58	58	0	I	L
3126	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 627	5	53	57	4	I	L
3127	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 622	78 721	29	44	63	19	I	L
3128	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 7 4	12	46	54	8	I	L
3129	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 622	78 7 6	16	55	66	11	I	L
3130	B	M	29.14.N 90.55.W	29. 7.N 90.56.W	7.06	187.45	78 622	78 624	2	48	50	2	I	L
3131	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 9	17+-3	41	49	8	I	L
3132	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 622	78 7 5	13	45	58	13	I	L
3133	B	F	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 622	78 525	-28	43	48	5	I	L
3134	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.07	270.14	78 622	78 7 7	15	53	59	6	I	L
3135	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 622	0 0 0	0	45	49	4	I	L
3136	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 718	26	48	50	2	I	L
3137	B	M	29.14.N 90.55.W	29.10.N 91. 0.W	5.92	227.51	78 622	78 7 3	11+-3	46	59	11	I	L
3138	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 627	78 721	24	53	62	9	I	L
3139	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 627	78 7 2	5	54	58	4	I	L
3140	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 627	78 7 5	8	45	48	3	I	L
3141	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 627	78 7 4	7	40	50	4	I	L
3142	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 627	78 729	32	50	75	17	I	L
3143	B	M	29.14.N 90.55.W	29.10.N 91. 5.W	9.60	245.41	78 627	78 8 9	43	50	58	8	I	L
3144	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 627	78 7 2	5	75	78	3	I	L
3145	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 627	78 7 5	8	45	50	5	I	L
3146	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 627	78 7 5	8	55	60	5	I	L
3147	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 627	78 719	22	55	74	19	I	L
3148	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 627	78 7 3	6	62	65	3	I	L
3149	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 627	78 7 5	8	50	55	5	I	L
3150	B	F	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 627	78 728	31+-3	40	64	24	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN LN IN LN			CHANGE RELÉ	RELÉ AREA	STATE
										L	LN	IN			
3151	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 627	78 630	3	46	49	3	1	L	
3152	B	F	29.14.N 90.55.W	29.10.N 91. 5.W	9.60	245.41	78 627	78 721	24	41	66	19	1	L	
3153	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 627	78 7 8	11	53	60	7	1	L	
3154	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 627	78 7 5	8	51	59	8	1	L	
3155	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 627	78 719	22	52	60	8	1	L	
3156	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 627	78 711	14	51	60	9	1	L	
3157	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 627	78 7 6	9	60	60	6	1	L	
3158	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 627	78 719	22	47	55	8	1	L	
3159	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 627	78 7 3	6	50	62	6	1	L	
3160	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 627	78 7 8	11	50	54	4	1	L	
3161	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 627	78 7 3	6	52	58	6	1	L	
3162	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 627	78 7 6	9	49	55	6	1	L	
3163	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 627	78 7 1	4	40	50	4	1	L	
3164	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 627	78 7 9	12	44	48	4	1	L	
3165	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 627	78 721	24	47	55	8	1	L	
3166	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 627	78 7 1	4	48	52	4	1	L	
3167	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 627	78 6 3	-24	48	58	10	1	L	
3168	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 627	78 719	22	47	65	18	1	L	
3169	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 627	78 7 6	9	53	60	7	1	L	
3170	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 627	78 7 5	8	40	52	6	1	L	
3171	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 627	78 717	20	52	62	10	1	L	
3172	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 627	78 628	1	45	60	15	1	L	
3173	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 627	78 7 0	9	50	53	3	1	L	
3174	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 627	78 7 4	7	55	64	9	1	L	
3175	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 627	78 7 0	9	61	65	4	1	L	
3176	B	F	29.14.N 90.55.W	29.30.N 92. 5.W	63.07	284.98	78 627	78 713	16	58	68	10	1	L	
3177	B	U	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 627	78 7 8	11	47	53	6	1	L	
3178	B	M	29.14.N 90.55.W	29.25.N 91.50.W	49.20	283.14	78 627	78 718	21	51	64	13	1	L	
3179	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 627	78 7 6	9	52	58	6	1	L	
3180	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 627	78 7 9	12+3	55	58	3	1	L	
3181	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 627	78 719	22	44	60	16	1	L	
3182	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 627	78 7 9	12+3	47	50	3	1	L	
3183	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 627	78 7 3	6	47	51	4	1	L	
3184	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 627	78 720	23	48	62	14	1	L	
3185	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.70	78 627	78 7 4	7	49	63	14	1	L	
3186	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 627	78 7 9	12	50	55	5	1	L	
3187	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 627	78 7 1	4	72	77	5	1	L	
3188	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 627	78 6 3	-24	52	62	10	1	L	
3189	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.70	78 627	78 7 1	4	53	55	2	1	L	
3190	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.70	78 627	78 7 1	4	43	43	0	1	L	
3191	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 627	78 7 7	10	49	57	8	1	L	
3192	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 627	78 718	21	45	61	16	1	L	
3193	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 627	78 630	3	63	68	5	1	L	
3194	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 627	78 7 4	7	60	65	5	1	L	
3195	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 627	79 821	UNA	61	65	4	1	L	
3196	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 627	78 7 5	8	63	65	2	1	L	
3197	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.30	203.49	78 627	78 7 6	9	48	53	5	1	L	
3198	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 627	78 7 1	4	49	52	3	1	L	
3199	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 627	78 7 2	5	50	55	5	1	L	
3200	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 627	78 7 2	5	47	52	5	1	L	

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RECAP DATE	DAYS AT LARGE	REL. LN		RECAP LN		CHANGE IN LN	REL. AREA	REL. STATE
										LN	LN	LN	LN			
3201	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 628	78 7 4	6	59	60	1	I	L		
3202	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 628	78 7 1	3	60	66	0	I	L		
3203	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 628	78 7 3	5	65	67	2	I	L		
3204	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 628	78 7 0	8	54	58	4	I	L		
3205	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 628	78 7 9	11+3	52	55	3	I	L		
3206	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 628	78 7 4	6	55	59	4	I	L		
3207	B	F	29.14.N 90.55.W	29.10.N 91.5.W	9.00	245.41	78 628	78 7 21	23	60	72	12	I	L		
3208	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 628	78 7 8	10	51	55	4	I	L		
3209	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 628	78 7 9	11	57	55	-2	I	L		
3210	B	F	29.14.N 90.55.W	29.10.N 91.2.W	7.30	236.83	78 628	78 6 3	-25	51	60	9	I	L		
3211	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 628	78 823	56	50	55	5	I	L		
3212	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 628	78 718	20	42	52	10	I	L		
3213	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 628	78 7 4	6	55	56	1	I	L		
3214	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 628	78 7 3	5	49	49	0	I	L		
3215	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 628	78 7 9	11+3	56	60	4	I	L		
3216	B	F	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 628	78 7 1	3	50	70	20	I	L		
3217	B	F	29.14.N 90.55.W	29. 4.N 91. 1.W	11.29	207.70	78 628	78 615	-13	64	68	4	I	L		
3218	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 628	78 7 5	7	46	51	5	I	L		
3219	B	M	29.14.N 90.55.W	29.14.N 90.55.W	0.	0.	78 628	78 7 2	4	54	56	2	I	L		
3220	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 628	78 7 4	6	47	50	3	I	L		
3221	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 628	78 8 1	34	44	60	16	I	L		
3222	B	M	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 628	78 7 1	3	57	59	2	I	L		
3223	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 628	78 713	15	48	50	2	I	L		
3224	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 628	79 821	0NA	51	58	7	I	L		
3225	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 628	78 6 3	-25	43	55	12	I	L		
3226	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 628	78 7 4	6	48	46	-2	I	L		
3227	B	F	29.14.N 90.55.W	29.10.N 91. 5.W	9.00	245.41	78 628	78 721	23	50	64	14	I	L		
3228	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 628	78 7 6	8	51	58	7	I	L		
3229	B	M	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 628	78 525	-34	56	59	3	I	L		
3230	B	F	29.14.N 90.55.W	29.10.N 91. 5.W	9.00	245.41	78 628	78 721	23	68	75	7	I	L		
3231	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 628	78 7 3	5	54	58	4	I	L		
3232	B	M	29.14.N 90.55.W	29. 5.N 90.56.W	9.04	185.36	78 628	78 525	-34	53	58	5	I	L		
3233	B	F	29.14.N 90.55.W	29.12.N 90.56.W	2.22	205.76	78 628	78 7 4	6	58	58	0	I	L		
3234	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 628	78 711	13	52	56	4	I	L		
3235	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 628	78 6 9	0NA	41	63	22	I	L		
3236	B	M	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 628	78 729	31	45	66	21	I	L		
3237	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 628	78 719	21	48	65	17	I	L		
3238	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 628	78 7 5	7	42	49	7	I	L		
3239	B	F	29.14.N 90.55.W	29.15.N 91. 3.W	7.05	278.19	78 628	78 7 5	7	48	56	8	I	L		
3240	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 628	78 7 7	9	52	56	4	I	L		
3241	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 628	78 516	-43+15	50	55	5	I	L		
3242	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 628	78 7 3	5	47	54	7	I	L		
3243	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 628	78 8 1	34	46	60	14	I	L		
3244	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 720	9	40	45	5	I	L		
3245	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 716	5	51	50	-1	I	L		
3246	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 8 8	28	53	68	15	I	L		
3247	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 720	9+3	39	43	4	I	L		
3248	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 724	13	53	57	4	I	L		
3249	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 620	-21+>30	50	58	8	I	L		
3250	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	76 716	5+15	74	80	6	I	L		

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE	DIRECTION	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE RECAP		CHANGE IN LN	RELE AREA	RELE STATE
										TRAVELED	LN			
3251	B	F	29.14.N 90.55.W	29.3.N 90.55.W	11.31	193.40	78 711	78 713	2	56	62	6	I	L
3252	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 711	78 719	8	43	50	7	I	L
3253	B	M	29.14.N 90.55.W	29.10.N 90.55.W	4.09	192.06	78 711	78 720	9+-3	47	54	7	I	L
3254	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 711	78 730	19	50	62	12	I	L
3255	B	M	29.14.N 90.55.W	29.11.N 91.8.W	10.06	252.70	78 711	78 719	8	43	48	5	I	L
3256	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 711	78 720	9	49	57	8	I	L
3257	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 724	13	53	57	4	I	L
3258	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 711	78 719	8	52	60	8	I	L
3259	B	F	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 711	78 711	0	67	74	7	I	L
3260	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 718	7	50	58	8	I	L
3261	B	F	29.14.N 90.55.W	29.3.N 90.58.W	11.31	193.40	78 711	78 713	2	55	59	4	I	L
3262	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 714	3	50	63	7	I	L
3263	B	F	29.14.N 90.55.W	0.0.N 0.0.W	0.	0.	78 711	0 0 0	0	48	52	4	I	L
3264	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 718	7	46	50	0	I	L
3265	B	M	29.14.N 90.55.W	29.10.N 91.1.W	6.60	232.69	78 711	78 723	12	52	57	5	I	L
3266	B	M	29.14.N 90.55.W	29.11.N 91.0.W	10.06	252.70	78 711	78 719	8	40	54	8	I	L
3267	B	F	29.14.N 90.55.W	29.25.N 91.50.W	49.20	283.14	78 711	78 718	7	58	62	4	I	L
3268	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 711	78 720	9	50	55	5	I	L
3269	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 724	13	54	55	1	I	L
3270	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 8 1	21	50	68	18	I	L
3271	B	F	29.14.N 90.55.W	29.15.N 91.12.W	14.87	273.93	78 711	78 730	19	67	77	10	I	L
3272	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 721	10	53	62	9	I	L
3273	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 718	7	46	50	4	I	L
3274	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 720	9+-3	48	58	10	I	L
3275	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 711	78 8 8	28	53	58	5	I	L
3276	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 628	-13	53	57	4	I	L
3277	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 718	7	46	50	4	I	L
3278	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 724	13	47	53	6	I	L
3279	B	F	29.14.N 90.55.W	29.11.N 91.6.W	10.06	252.70	78 711	78 719	8	50	57	7	I	L
3280	B	F	29.14.N 90.55.W	29.3.N 90.58.W	11.31	193.40	78 711	78 716	5	72	80	8	I	L
3281	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 629	-12	53	57	4	I	L
3282	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 719	8	56	63	7	I	L
3283	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 724	13	45	50	5	I	L
3284	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 711	78 719	8	58	53	-5	I	L
3285	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 724	13	51	55	4	I	L
3286	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 711	78 719	8	52	61	9	I	L
3287	B	F	29.14.N 90.55.W	29.10.N 91.5.W	9.60	245.41	78 711	78 721	10	55	65	10	I	L
3288	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 711	78 719	8	48	58	10	I	L
3289	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 726	15	47	62	15	I	L
3290	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 711	78 719	8	50	58	8	I	L
3291	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 711	78 717	6	58	60	2	I	L
3292	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 711	78 719	8	47	55	8	I	L
3293	B	M	29.14.N 90.55.W	29.10.N 91.2.W	7.30	236.83	78 711	78 6 3	-38	46	52	6	I	L
3294	B	M	29.14.N 90.55.W	29.30.N 90.58.W	16.21	350.67	78 711	78 722	11	27	54	21	I	L
3295	B	F	29.14.N 90.55.W	29.10.N 91.2.W	7.30	236.83	78 711	78 6 3	-38	54	59	5	I	L
3296	B	M	29.14.N 90.55.W	29.6.N 90.56.W	8.05	186.41	78 711	78 719	8	50	58	8	I	L
3297	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 724	13	63	68	5	I	L
3298	B	F	29.14.N 90.55.W	29.6.N 90.56.W	8.05	186.41	78 711	78 719	8	49	57	8	I	L
3299	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 711	78 628	-13	58	61	3	I	L
3300	B	M	29.14.N 90.55.W	29.3.N 90.58.W	11.31	193.40	78 711	78 713	2	45	50	5	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN		RECAP IN LN	CHANGE IN LN	RELÉ AREA	RELÉ STATE
										LN	LN				
3301	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 716	5	48	50	2	I	L	
3302	B	M	29.14.N 90.55.W	29. 9.N 90.50.W	5.66	207.98	78 711	78 716	5	48	53	5	I	L	
3303	B	M	29.14.N 90.55.W	29.20.N 91.25.W	26.84	283.04	78 711	78 730	19	54	67	13	I	L	
3304	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 8 4	24	48	70	22	I	L	
3305	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	11.74	255.24	78 711	78 725	14	58	66	8	I	L	
3306	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 724	13	52	58	6	I	L	
3307	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 721	10	52	58	0	I	L	
3308	B	F	29.14.N 90.55.W	29. 6.N 90.50.W	8.05	186.41	78 711	78 719	8	56	62	6	I	L	
3309	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	11.74	255.24	78 711	78 719	8	47	51	4	I	L	
3310	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 718	7	54	60	0	I	L	
3311	B	M	29.14.N 90.55.W	29.25.N 91.50.W	49.20	283.14	78 711	78 718	7	48	54	6	I	L	
3312	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 711	78 8 8	28	47	54	7	I	L	
3313	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 716	5+-15	40	51	5	I	L	
3314	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 628	-13	58	63	5	I	L	
3315	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 724	13	50	55	5	I	L	
3316	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 716	5+-15	55	62	7	I	L	
3317	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 719	8	51	57	6	I	L	
3318	B	M	29.14.N 90.55.W	29. 9.N 90.50.W	5.09	190.67	78 711	78 723	12	54	59	5	I	L	
3319	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 717	6	60	78	18	I	L	
3320	B	M	29.14.N 90.55.W	29.20.N 91.25.W	26.84	283.04	78 711	78 8 1	21	50	65	9	I	L	
3321	B	M	29.14.N 90.55.W	29.11.N 91. 0.W	11.74	255.24	78 711	78 719	8	48	55	7	I	L	
3322	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 711	78 728	17	51	65	14	I	L	
3323	B	F	29.14.N 90.55.W	29.10.N 91. 5.W	9.60	245.41	78 711	78 721	10	64	74	10	I	L	
3324	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 724	13	50	52	2	I	L	
3325	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 719	8	51	55	4	I	L	
3326	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 711	78 719	8	49	60	11	I	L	
3327	B	M	29.14.N 90.55.W	28.40.N 91.25.W	42.96	217.86	78 711	78 728	17	55	69	14	I	L	
3328	B	F	29.14.N 90.55.W	29.11.N 91. 6.W	10.06	252.70	78 711	78 719	8	47	53	6	I	L	
3329	B	F	29.14.N 90.55.W	29. 6.N 90.50.W	8.05	186.41	78 711	78 719	8	43	50	7	I	L	
3330	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 718	7	50	58	8	I	L	
3331	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 628	-13	48	54	6	I	L	
3332	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 716	5+-15	51	55	4	I	L	
3333	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 711	78 719	8	63	59	-4	I	L	
3334	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 716	5+-15	60	67	7	I	L	
3335	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 720	9+-3	54	63	9	I	L	
3336	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 716	5+-15	50	55	5	I	L	
3337	B	M	29.14.N 90.55.W	29. 4.N 91. 1.W	11.29	207.70	78 711	78 615	-26	50	65	15	I	L	
3338	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 724	13	50	58	8	I	L	
3339	B	F	29.14.N 90.55.W	29.10.N 91. 5.W	9.60	245.41	78 711	78 721	10	45	52	7	I	L	
3340	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 718	7	45	50	5	I	L	
3341	B	M	29.14.N 90.55.W	29. 9.N 91. 0.W	6.65	221.25	78 711	78 8 5	25	45	54	9	I	L	
3342	B	F	29.14.N 90.55.W	29.25.N 91.50.W	49.20	283.14	78 711	78 718	7	52	62	10	I	L	
3343	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	11.74	255.24	78 711	78 719	8	48	55	7	I	L	
3344	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 711	78 724	13	53	57	4	I	L	
3345	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	230.83	78 711	78 6 3	-38	50	65	9	I	L	
3346	B	M	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 711	78 8 6	36	45	68	23	I	L	
3347	B	M	29.14.N 90.55.W	29. 6.N 90.50.W	8.05	166.41	78 712	78 719	7	60	65	5	I	L	
3348	B	M	29.14.N 90.55.W	29.10.N 90.50.W	5.31	221.12	78 712	78 721	9	52	60	8	I	L	
3349	B	F	29.14.N 90.55.W	29.11.N 91. 0.W	11.74	255.24	78 712	78 511	-62	63	75	12	I	L	
3350	B	F	29.14.N 90.55.W	29.20.N 91.25.W	26.84	283.04	78 712	78 724	12	65	70	5	I	L	

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LAKE	RELE RECAP		CHANGE IN LN	RELE AREA	RELE STATE
										LN	LN			
3351	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 725	13	50	59	3	I	L
3352	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 8 1	20	05	75	10	I	L
3353	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 716	6	55	59	4	I	L
3354	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 719	7	50	05	15	I	L
3355	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 712	78 8 8	27	58	62	4	I	L
3356	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 716	4	01	0	0	I	L
3357	B	M	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 712	78 730	18	54	06	6	I	L
3358	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 712	78 719	7	50	62	4	I	L
3359	B	M	29.14.N 90.55.W	29.15.N 91.24.W	25.33	272.38	78 712	79 325	256	59	58	-1	I	L
3360	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 720	8	67	71	4	I	L
3361	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 726	14	05	70	5	I	L
3362	B	M	29.14.N 90.55.W	29. 6.N 90.56.W	8.05	186.41	78 712	78 719	7	03	60	-3	I	L
3363	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 721	9	54	54	0	I	L
3364	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 712	78 719	7	66	67	1	I	L
3365	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 712	78 810	29	50	69	13	I	L
3366	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 712	78 8 1	20	04	72	8	I	L
3367	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 712	78 717	5	59	63	4	I	L
3368	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	1.30	236.83	78 712	78 6 3	-39	60	68	2	I	L
3369	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 712	78 721	9	54	54	0	I	L
3370	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 712	76 8 8	27	70	74	4	I	L
3371	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 712	78 722	10	71	77	6	I	L
3372	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 720	8	03	68	5	I	L
3373	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 8 6	25	52	65	13	I	L
3374	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 716	4+-15	56	61	5	I	L
3375	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 716	4+-15	59	66	7	I	L
3376	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 712	78 6 0	0+->30	55	68	13	I	L
3377	B	F	29.14.N 90.55.W	29.10.N 90.59.W	5.31	221.12	78 712	78 721	9	51	62	11	I	L
3378	B	F	29.14.N 90.55.W	29. 7.N 91.10.W	14.85	241.95	78 712	78 722	10	64	73	9	I	L
3379	B	M	29.14.N 90.55.W	29.30.N 92.22.W	77.49	282.27	78 712	78 811	30	58	69	11	I	L
3380	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 712	78 6 3	-39	65	67	2	I	L
3381	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 8 6	25	60	70	4	I	L
3382	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 718	6	56	60	4	I	L
3383	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 719	7	64	69	5	I	L
3384	B	M	29.14.N 90.55.W	29.20.N 91.25.W	26.84	283.04	78 712	78 730	18	56	66	10	I	L
3385	B	M	29.14.N 90.55.W	29.30.N 92. 5.W	63.07	284.98	78 712	78 728	16	58	67	9	I	L
3386	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 719	7	80	82	2	I	L
3387	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 712	78 724	12	55	59	4	I	L
3388	B	M	29.14.N 90.55.W	29.10.N 91.18.W	20.17	275.78	78 712	78 810	29	50	68	18	I	L
3389	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 718	5	63	67	4	I	L
3390	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 728	15	55	60	5	I	L
3391	B	F	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 713	78 728	15+-3	60	70	4	I	L
3392	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 713	78 719	6	56	60	4	I	L
3393	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 713	78 719	6	51	52	1	I	L
3394	B	F	29.14.N 90.55.W	29.25.N 91.50.W	49.20	283.14	78 713	78 718	5	70	73	3	I	L
3395	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 728	15	60	65	5	I	L
3396	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 724	11	56	59	3	I	L
3397	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 713	78 719	6	64	67	3	I	L
3398	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 728	15	55	60	5	I	L
3399	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 713	78 820	UNA	49	0	0	I	L
3400	B	F	29.14.N 90.55.W	29. 3.N 91. 1.W	12.18	205.49	78 713	78 8 1	19	64	70	6	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN	RECAP LN	CHANGE IN LN	RELÉ AREA	RELÉ STATE
3401	B	F	29.14.N 90.55.W	29.6.N 90.56.W	8.05	186.41	78 713	78 719	6	72	72	0	I	L
3402	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 716	3+-15	60	75	15	I	L
3403	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 719	6	53	52	-1	I	L
3404	b	F	29.14.N 90.55.W	29.9.N 91.8.W	12.41	246.29	78 713	78 816	34	55	59	4	I	L
3405	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	48	50	2	I	L
3406	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 817	25	54	71	17	I	L
3407	B	M	29.14.N 90.55.W	29.10.N 91.5.W	9.60	245.41	78 713	78 721	8	62	65	3	I	L
3408	B	F	29.14.N 90.55.W	0.0.N 0.0.W	0.	0.	78 713	78 60	0+->30	62	64	2	I	L
3409	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 718	5	70	73	3	I	L
3410	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	48	53	5	I	L
3411	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 810	28	48	63	15	I	L
3412	B	M	29.14.N 90.55.W	29.15.N 91.12.W	14.87	273.93	78 713	78 730	17	59	64	5	I	L
3413	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	50	54	4	I	L
3414	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 728	15	48	57	9	I	L
3415	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	51	54	3	I	L
3416	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 716	3+-15	60	63	3	I	L
3417	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 713	78 720	7	56	59	3	I	L
3418	B	F	29.14.N 90.55.W	29.11.N 91.6.W	10.06	252.70	78 713	78 719	6	47	50	3	I	L
3419	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	68	74	0	I	L
3420	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 719	6	66	76	10	I	L
3421	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 716	3+-15	60	63	3	I	L
3422	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	47	50	3	I	L
3423	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 716	3+-15	71	60	-11	I	L
3424	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 713	78 717	4	55	56	1	I	L
3425	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 724	11	40	46	0	I	L
3426	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 716	3	50	57	7	I	L
3427	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 720	7	58	59	1	I	L
3428	B	F	29.14.N 90.55.W	29.4.N 91.1.W	11.29	207.70	78 713	78 615	-28	54	60	6	I	L
3429	B	F	29.14.N 90.55.W	29.10.N 91.5.W	9.60	245.41	78 713	78 721	8	62	68	0	I	L
3430	B	F	29.14.N 90.55.W	29.11.N 91.18.W	20.30	261.60	78 713	78 731	18	57	65	8	I	L
3431	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 716	3+-15	58	59	1	I	L
3432	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 713	78 818	26	54	58	4	I	L
3433	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.07	270.14	78 713	78 818	20	42	52	10	I	L
3434	B	F	29.14.N 90.55.W	29.10.N 91.2.W	7.30	230.83	78 713	78 63	-40	65	68	3	I	L
3435	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 718	5	53	58	5	I	L
3436	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	46	50	4	I	L
3437	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	52	57	5	I	L
3438	B	M	29.14.N 90.55.W	29.25.N 91.50.W	49.20	283.14	78 713	78 718	5	55	60	5	I	L
3439	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	000	0	54	60	6	I	L
3440	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	53	60	7	I	L
3441	B	M	29.14.N 90.55.W	29.15.N 91.12.W	14.87	273.93	78 713	78 730	17	65	72	7	I	L
3442	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 516	-58+->30	55	67	12	I	L
3443	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 720	7+-3	55	58	3	I	L
3444	B	F	29.14.N 90.55.W	29.6.N 90.56.W	8.05	186.41	78 713	78 719	6	49	47	-2	I	L
3445	B	F	29.14.N 90.55.W	29.25.N 91.50.W	49.20	283.14	78 713	78 718	5	50	65	9	I	L
3446	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	56	58	2	I	L
3447	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 716	3+-15	56	61	5	I	L
3448	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	47	50	3	I	L
3449	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 728	15	54	60	6	I	L
3450	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	49	49	0	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN		RECAP IN LN	CHANGE AREA	RELÉ LN	RELÉ STATE
										LN	LN				
3451	B	F	29.14.N 90.55.W	29.10.N 91.2.W	7.30	230.83	78 713	78 6 3	-40	74	75	1	I	L	
3452	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 713	78 717	4	65	67	2	I	L	
3453	B	M	29.14.N 90.55.W	29.20.N 91.25.W	26.84	283.04	78 713	78 730	17	63	67	4	I	L	
3454	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	58	58	0	I	L	
3455	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	43	45	2	I	L	
3456	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	60	65	5	I	L	
3457	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	56	56	0	I	L	
3458	B	U	29.14.N 90.55.W	29.10.N 91.5.W	9.60	245.41	78 713	78 721	8	50	50	0	I	L	
3459	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 713	78 716	3+-15	60	65	5	I	L	
3460	B	M	29.14.N 90.55.W	29.10.N 91.18.W	20.17	275.78	78 713	78 724	11	57	60	3	I	L	
3461	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 713	78 719	6	47	52	5	I	L	
3462	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 713	78 719	6	62	65	3	I	L	
3463	B	F	29.14.N 90.55.W	29.25.N 91.50.W	49.20	283.14	78 713	78 718	5	62	65	3	I	L	
3464	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 713	78 718	5	58	62	4	I	L	
3465	B	F	29.14.N 90.55.W	29.10.N 91.18.W	20.17	275.78	78 713	78 729	16	65	70	5	I	L	
3466	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 713	78 8 2	20	78	75	-3	I	L	
3467	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 713	78 721	8	61	64	3	I	L	
3468	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 713	78 724	11	52	53	1	I	L	
3469	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 713	78 720	7	55	57	2	I	L	
3470	B	F	29.14.N 90.55.W	29.20.N 91.20.W	22.01	285.49	78 713	78 812	30	60	72	12	I	L	
3471	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 717	78 728	11	60	66	6	I	L	
3472	B	F	29.14.N 90.55.W	29. 9.N 91.10.W	19.00	254.83	78 717	78 727	10	54	61	7	I	L	
3473	B	F	29.14.N 90.55.W	29.10.N 91.2.W	7.30	230.83	78 717	78 6 3	-44	41	42	1	I	L	
3474	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 717	78 719	2	53	55	2	I	L	
3475	B	M	29.14.N 90.55.W	29.10.N 91.18.W	20.17	275.78	78 717	78 725	8	65	68	3	I	L	
3476	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 717	78 719	2	50	53	3	I	L	
3477	B	U	29.14.N 90.55.W	28.57.N 91.8.W	20.45	213.81	78 717	78 726	9	57	77	20	I	L	
3478	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 717	78 516	-62+-->30	53	65	12	I	L	
3479	B	F	29.14.N 90.55.W	29.10.N 91.2.W	7.30	230.83	78 717	78 6 3	-44	58	68	10	I	L	
3480	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 717	78 716	-1	45	46	1	I	L	
3481	B	F	29.14.N 90.55.W	29.11.N 91.5.W	9.23	251.08	78 717	78 731	14	62	68	6	I	L	
3482	B	F	29.14.N 90.55.W	29. 2.N 90.50.W	12.03	184.15	78 717	78 8 1	15	56	65	9	I	L	
3483	B	M	29.14.N 90.55.W	29. 9.N 90.50.W	5.09	190.67	78 717	78 723	6	50	53	3	I	L	
3484	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 717	78 716	-1	51	52	1	I	L	
3485	B	M	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 717	78 719	2	53	56	3	I	L	
3486	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 717	78 719	2	53	55	2	I	L	
3487	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 717	78 729	12	50	59	9	I	L	
3488	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 717	78 718	1	53	58	5	I	L	
3489	B	M	29.14.N 90.55.W	29.10.N 91.2.W	7.30	230.83	78 717	78 6 3	-44	52	55	3	I	L	
3490	B	M	29.14.N 90.55.W	29.10.N 91.3.W	8.05	240.24	78 717	78 728	11+-3	67	72	5	I	L	
3491	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 717	78 718	1	63	67	4	I	L	
3492	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 717	78 719	2	61	65	4	I	L	
3493	B	F	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 717	78 8 7	21	53	65	12	I	L	
3494	B	F	29.14.N 90.55.W	29.11.N 91.8.W	11.74	255.24	78 717	78 719	2	53	55	2	I	L	
3495	B	F	29.14.N 90.55.W	29.10.N 91.5.W	9.60	245.41	78 717	78 721	4	48	52	4	I	L	
3496	B	M	29.14.N 90.55.W	29.10.N 91.2.W	7.30	230.83	78 717	78 6 3	-44	49	57	8	I	L	
3497	B	M	29.14.N 90.55.W	29.10.N 90.50.W	4.09	192.06	78 717	78 8 9	23	54	70	16	I	L	
3498	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 717	78 8 8	22	58	59	1	I	L	
3499	B	F	29.14.N 90.55.W	29. 3.N 91.1.W	12.18	205.49	78 717	78 8 1	15	53	66	13	I	L	
3500	B	M	29.14.N 90.55.W	29.30.N 92.20.W	75.78	282.53	78 717	78 8 0	20	58	68	10	I	L	

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE	DIRECTION	RELÉ TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN		RELE CHANGE	RELÉ AREA	RELÉ STATE
											LN	IN LN			
3501	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 717	78 728	11	63	72	9	I	L	
3502	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 717	78 8 8	22	57	60	3	I	L	
3503	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 717	78 720	3	50	55	5	I	L	
3504	B	F	29.14.N 90.55.W	29.25.N 91.50.W	49.20	283.14	78 717	78 718	1	57	60	3	I	L	
3505	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 717	78 8 3	17	45	58	13	I	L	
3506	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 717	78 728	11	51	57	6	I	L	
3507	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 717	78 719	2	59	60	1	I	L	
3508	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 717	78 8 7	21	52	65	13	I	L	
3509	B	M	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 717	78 8 8	22	52	56	4	I	L	
3510	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 717	78 8 4	18	53	70	17	I	L	
3511	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 718	78 719	1	72	75	3	I	L	
3512	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 719	1	58	0	0	I	L	
3513	B	M	29.14.N 90.55.W	29. 3.N 91. 1.W	12.18	205.49	78 718	78 8 1	14	59	68	9	I	L	
3514	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 718	78 8 2	15	45	58	13	I	L	
3515	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 719	1	55	58	3	I	L	
3516	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 720	-2+-3	55	59	4	I	L	
3517	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 721	3	50	53	3	I	L	
3518	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 718	78 719	1	60	65	5	I	L	
3519	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 716	-2+-15	58	60	2	I	L	
3520	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 718	0	58	58	0	I	L	
3521	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 718	78 719	1	60	65	5	I	L	
3522	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 8 6	19	57	68	11	I	L	
3523	B	F	29.14.N 90.55.W	29.30.N 90.58.W	10.21	350.07	78 718	78 722	4	67	69	2	I	L	
3524	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 728	10	60	70	10	I	L	
3525	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 718	78 721	3	53	53	0	I	L	
3526	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 720	2	47	50	3	I	L	
3527	B	F	29.14.N 90.55.W	29. 4.N 91. 1.W	11.29	207.70	78 718	78 615	-33	48	58	10	I	L	
3528	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 721	3	54	57	3	I	L	
3529	B	F	29.14.N 90.55.W	29.15.N 91.12.W	14.87	273.93	78 718	78 730	12	54	63	9	I	L	
3530	B	M	29.14.N 90.55.W	29.25.N 91.50.W	49.20	283.14	78 718	78 718	0	61	64	3	I	L	
3531	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 718	78 719	1	73	78	5	I	L	
3532	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 718	78 730	12	60	68	8	I	L	
3533	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 719	1	64	70	6	I	L	
3534	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 716	-2+-15	53	66	13	I	L	
3535	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 718	78 728	10	52	58	6	I	L	
3536	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 718	78 719	1	58	62	4	I	L	
3537	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 8 9	22	45	52	7	I	L	
3538	B	F	29.14.N 90.55.W	29. 3.N 91. 1.W	12.18	205.49	78 718	78 8 1	14	61	74	13	I	L	
3539	B	F	29.14.N 90.55.W	29. 9.N 91.16.W	14.00	254.83	78 718	78 8 2	15	60	83	3	I	L	
3540	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 718	78 728	10	74	79	5	I	L	
3541	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 719	1	66	72	6	I	L	
3542	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 516	-63+->30	44	0	0	I	L	
3543	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 718	78 0 0	0	60	65	5	I	L	
3544	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 721	3	51	55	4	I	L	
3545	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 718	78 6 3	-45	55	59	4	I	L	
3546	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 716	-2+-15	48	60	12	I	L	
3547	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 8 6	19	52	63	11	I	L	
3548	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 718	78 720	2	46	50	4	I	L	
3549	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 718	78 8 8	21	48	52	4	I	L	
3550	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 718	78 0 3	-45	52	55	3	I	L	

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE LN	RECAP LN	CHANGE IN LN	RELE AREA	RELE STATE
3551	B	F	29.14.N 90.55.W	29.10.N 90.59.W	5.31	221.12	78 718	78 721	3	65	69	4	I	L
3552	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 720	2	54	58	4	I	L
3553	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 716	-2	59	62	3	I	L
3554	B	M	29.14.N 90.55.W	29. 9.N 91.16.W	19.00	254.83	78 718	78 8 1	14	57	63	6	I	L
3555	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 718	78 6 3	-45	51	51	0	I	L
3556	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 720	2	62	65	3	I	L
3557	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 718	78 810	-23	57	61	10	I	L
3558	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 720	2+-3	62	63	1	I	L
3559	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 718	0	54	56	2	I	L
3560	B	F	29.14.N 90.55.W	29. 9.N 91. 0.W	6.65	221.25	78 718	78 8 5	18	60	65	5	I	L
3561	B	M	29.14.N 90.55.W	29. 9.N 91.16.W	19.00	254.83	78 718	78 8 2	15	65	70	5	I	L
3562	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 719	1	61	67	6	I	L
3563	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 718	78 6 3	-45	47	60	13	I	L
3564	B	M	29.14.N 90.55.W	29. 3.N 91. 1.W	12.18	205.49	78 718	78 8 1	14	50	62	12	I	L
3565	B	F	29.14.N 90.55.W	29. 2.N 90.56.W	12.03	184.15	78 718	78 8 1	14	57	63	6	I	L
3566	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 718	78 810	29	59	73	14	I	L
3567	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 718	78 8 4	17	60	73	13	I	L
3568	B	U	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 516	-63+-->30	52	62	10	I	L
3569	B	F	29.14.N 90.55.W	29.10.N 91.18.W	20.17	275.78	78 718	78 730	12	55	62	7	I	L
3570	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 718	78 719	1	55	59	4	I	L
3571	B	F	29.14.N 90.55.W	29.15.N 91.18.W	20.09	272.55	78 718	78 815	28	50	63	13	I	L
3572	B	M	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 718	78 728	10	52	62	10	I	L
3573	B	F	29.14.N 90.55.W	29.10.N 90.59.W	5.31	221.12	78 718	78 721	3	53	50	-3	I	L
3574	B	F	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 718	78 731	13	61	75	14	I	L
3575	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 718	78 729	11	50	60	10	I	L
3576	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 718	78 719	1	61	65	4	I	L
3577	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 718	78 730	12	61	68	7	I	L
3578	B	M	29.14.N 90.55.W	29.16.N 91.18.W	20.17	275.78	78 718	78 816	23	53	62	9	I	L
3579	B	F	29.14.N 90.55.W	29.10.N 91. 5.W	9.60	245.41	78 718	78 8 9	22	54	70	16	I	L
3580	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 718	78 8 4	17	52	67	15	I	L
3581	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 719	78 810	UNA	55	65	10	I	L
3582	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 8 5	17	33	52	19	I	L
3583	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 719	78 8 8	20	53	57	4	I	L
3584	B	F	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 719	78 717	-2	57	60	3	I	L
3585	B	F	29.14.N 90.55.W	29. 6.N 90.56.W	8.05	186.41	78 719	78 719	0	62	60	-2	I	L
3586	B	F	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 719	78 6 6	-43	53	55	2	I	L
3587	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 718	-1	48	52	4	I	L
3588	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 728	9	57	59	2	I	L
3589	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 719	78 719	0	50	54	4	I	L
3590	B	M	29.14.N 90.55.W	29. 6.N 90.56.W	8.05	186.41	78 719	78 815	27	52	70	18	I	L
3591	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 719	78 719	0	57	59	2	I	L
3592	B	M	29.14.N 90.55.W	29.20.N 91.20.W	22.01	285.49	78 719	78 812	24	59	76	17	I	L
3593	B	F	29.14.N 90.55.W	29.11.N 91.18.W	20.30	261.60	78 719	78 730	11	69	76	7	I	L
3594	B	F	29.14.N 90.55.W	29.20.N 91.30.W	31.11	261.26	78 719	78 813	25	62	76	14	I	L
3595	B	F	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 719	78 730	11	62	69	7	I	L
3596	B	F	29.14.N 90.55.W	29. 7.N 91. 6.W	11.89	233.98	78 719	781015	88+-15	49	57	8	I	L
3597	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 719	78 816	UNA	53	70	17	I	L
3598	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 719	78 8 1	13	50	59	9	I	L
3599	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 720	1+-3	67	70	3	I	L
3600	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 719	78 8 2	14	52	63	11	I	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RECAP DATE	DAYS AT LARGE	REL. LN	RECAP LN	CHANGE IN LN	REL. AREA	REL. STATE
3601	B	F	29.14.N 90.55.W	29. 9.N 91.10.W	19.00	254.63	78 719	78 8 3	15	48	62	14	I	L
3602	B	M	29.14.N 90.55.W	29. 9.N 91. 0.W	6.65	221.25	78 719	78 8 5	17	54	60	6	I	L
3603	B	M	29.14.N 90.55.W	29. 9.N 91. 1.W	12.18	205.49	78 719	78 8 1	13	51	64	7	I	L
3604	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 719	78 8 3	UNA	60	67	7	I	L
3605	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 8 5	17	48	55	9	I	L
3606	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 719	78 0 0	0+>30	56	68	12	I	L
3607	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 720	1+>3	53	54	1	I	L
3608	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 719	78 723	4	60	64	4	I	L
3609	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 719	78 730	11	63	70	7	I	L
3610	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 719	78 719	0	61	63	2	I	L
3611	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 718	-1	76	78	2	I	L
3612	B	F	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 719	78 731	12	57	62	5	I	L
3613	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 720	1	61	67	0	I	L
3614	B	F	29.14.N 90.55.W	29.14.N 91.29.W	29.67	270.14	78 719	78 720	1	55	58	3	I	L
3615	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 719	78 719	0	58	62	4	I	L
3616	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 720	1+>3	45	48	3	I	L
3617	B	M	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 719	78 8 3	UNA	48	58	10	I	L
3618	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 721	2	55	56	1	I	L
3619	B	F	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 719	78 6 1	13	50	63	13	I	L
3620	H	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 718	-1	60	62	2	I	L
3621	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 719	78 722	3	55	57	2	I	L
3622	B	F	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 719	78 723	4	45	49	4	I	L
3623	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 718	-1	51	55	4	I	L
3624	B	M	29.14.N 90.55.W	29. 3.N 91. 1.W	12.18	205.49	78 719	78 8 1	13	51	57	6	I	L
3625	B	M	29.14.N 90.55.W	29. 9.N 90.56.W	5.09	190.67	78 719	78 723	4	40	45	5	I	L
3626	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 716	-3+>15	40	48	2	I	L
3627	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 719	78 810	22	55	73	18	I	L
3628	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 719	78 729	10	58	65	7	I	L
3629	B	F	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 8 7	19	55	67	12	I	L
3630	B	M	29.14.N 90.55.W	29.13.N 90.57.W	2.01	240.21	78 719	78 717	-2	50	59	3	I	L
3631	B	M	29.14.N 90.55.W	29.10.N 90.57.W	4.36	203.49	78 719	78 529	-51	45	51	6	I	L
3632	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 719	78 8 1	13	45	50	5	I	L
3633	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 716	-3	53	55	2	I	L
3634	B	F	29.14.N 90.55.W	29.10.N 91. 3.W	8.05	240.24	78 719	78 728	9+>3	66	70	4	I	L
3635	B	F	29.14.N 90.55.W	29. 9.N 91.10.W	19.00	254.83	78 719	78 8 3	15	73	78	5	I	L
3636	B	M	29.14.N 90.55.W	29.10.N 91. 2.W	7.30	236.83	78 719	78 6 3	-46	49	58	9	I	L
3637	B	M	29.14.N 90.55.W	29.10.N 91. 1.W	6.60	232.69	78 719	78 8 2	14	55	60	5	I	L
3638	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 720	1+>3	51	53	2	I	L
3639	B	F	29.14.N 90.55.W	29. 9.N 91.10.W	19.00	254.63	78 719	78 8 2	14	58	62	4	I	L
3640	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 719	78 8 2	14	48	57	9	I	L
3641	B	M	29.14.N 90.55.W	29.10.N 90.56.W	4.09	192.06	78 719	78 8 7	19	49	55	6	I	L
3642	B	F	29.14.N 90.55.W	29. 7.N 90.53.W	7.22	165.82	78 719	78 8 8	20	58	70	12	I	L
3643	B	M	29.14.N 90.55.W	29.11.N 91. 1.W	6.04	240.23	78 719	78 728	9	59	64	5	I	L
3644	B	F	29.14.N 90.55.W	0. 0.N 0. 0.W	0.	0.	78 719	78 8 1	UNA	45	52	7	I	L
3645	B	M	29.14.N 90.55.W	29.11.N 91. 8.W	11.74	255.24	78 719	78 719	0	48	50	2	I	L
3646	B	F	28.37.N 91.31.W	28.50.N 91. 5.W	26.25	60.21	78 610	78 712	32	77	78	1	O	L
3647	B	M	28.37.N 91.31.W	28.41.N 91.20.W	5.93	47.00	78 610	78 724	44	90	99	3	O	L
3648	B	F	28.37.N 91.31.W	28.25.N 91.10.W	22.01	122.95	78 610	78 713	33	0	78	0	O	L
3649	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 610	0 0 0	0	14	80	6	O	L
3650	B	F	28.37.N 91.31.W	28.25.N 92.25.W	48.94	256.02	78 610	78 718	38	68	75	7	O	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ RECAP		CHANGE IN LN	RELÉ AREA	RELÉ STATE
										LN	LN			
3651	B	F	28.37.N 91.31.W	28.10.N 91.26.W	41.64	37.46	78 610 78 825	76	03	85	22	0	L	
3652	B	F	28.37.N 91.31.W	28.43.N 90. 0.W	80.07	85.34	78 610 78 725	45	10	65	-5	0	L	
3653	B	F	28.37.N 91.31.W	28.41.N 91.53.W	19.71	281.79	78 610 7811 7	150	67	96	29	0	L	
3654	B	F	28.37.N 91.31.W	28.25.N 91.30.W	12.04	175.39	78 610 78 711	31	67	69	2	0	L	
3655	B	M	28.37.N 91.31.W	28.18.N 90.15.W	69.47	105.57	78 610 79 1	236	64	94	30	0	L	
3656	B	M	28.37.N 91.31.W	28.40.N 91.30.W	3.11	15.43	78 610 78 9 6	88	81	97	10	0	L	
3657	B	F	28.37.N 91.31.W	28.30.N 91.28.W	1.47	159.52	78 610 78110	153	62	100	38	0	L	
3658	B	F	28.37.N 91.31.W	28.40.N 91.25.W	6.05	60.26	78 610 78 728	48	73	82	9	0	L	
3659	B	F	28.37.N 91.31.W	28.28.N 91.38.W	10.90	214.39	78 610 78 8 9	60	95	113	18	0	L	
3660	B	F	28.37.N 91.31.W	28.37.N 90.52.W	34.24	89.84	78 610 781123	166	64	102	38	0	L	
3661	B	F	28.37.N 91.31.W	28.25.N 91.25.W	13.11	156.23	78 610 78 728	48	61	75	14	0	L	
3662	B	F	28.37.N 91.31.W	28.41.N 91.26.W	5.93	47.60	78 610 78 724	44	62	0	0	0	L	
3663	B	F	28.37.N 91.31.W	28.43.N 90. 0.W	80.07	85.34	78 610 78 725	45	75	67	12	0	L	
3664	B	F	28.37.N 91.31.W	28.29.N 91.30.W	8.05	173.59	78 610 78 728	48	66	80	14	0	L	
3665	B	M	28.37.N 91.31.W	28.44.N 92. 2.W	28.09	284.56	78 610 78 824	75	65	74	9	0	L	
3666	B	M	28.37.N 91.31.W	28.23.N 91.39.W	15.06	206.67	78 610 7812 4	177	65	89	24	0	L	
3667	B	M	28.37.N 91.31.W	29. 5.N 92.16.W	48.35	305.57	78 610 7810 5	117	0	81	0	0	L	
3668	B	F	28.37.N 91.31.W	28.34.N 91.24.W	6.84	115.97	78 610 78 720	46	71	79	8	0	L	
3669	B	U	28.37.N 91.31.W	28.30.N 91.24.W	9.32	138.67	78 610 7910 4	481	71	105	28	0	L	
3670	B	F	28.37.N 91.31.W	28.40.N 92. 2.W	27.37	270.42	78 610 78 823	74	80	91	11	0	L	
3671	B	F	28.37.N 91.31.W	28.30.N 91.35.W	7.83	206.61	78 610 78 726	46	69	78	9	0	L	
3672	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 610 7910 1	478+-30	72	110	38	0	L	
3673	B	M	28.37.N 91.31.W	28.25.N 93. 5.W	83.46	262.11	78 610 78 7 2	22	63	66	3	0	L	
3674	B	M	28.37.N 91.31.W	28.38.N 91. 0.W	27.23	87.77	78 610 78 810	61	56	73	17	0	L	
3675	B	F	28.37.N 91.31.W	28.44.N 91.48.W	16.47	295.21	78 610 78 726	46	70	83	13	0	L	
3676	B	F	28.37.N 91.31.W	28.50.N 91.52.W	22.54	305.30	78 611 78 722	41	69	75	6	0	L	
3677	B	F	28.37.N 91.31.W	28.25.N 91. 3.W	27.37	115.89	78 611 78 718	37	62	68	6	0	L	
3678	B	U	28.37.N 91.31.W	28.23.N 91.16.W	19.23	136.66	78 611 78 731	50	75	0	0	0	L	
3679	B	M	28.37.N 91.31.W	28.25.N 91.25.W	13.11	150.23	78 611 78 7 9	28	65	68	3	0	L	
3680	B	M	28.37.N 91.31.W	29.26.N 88.50.W	149.06	70.16	78 611 781214	186	67	89	22	0	L	
3681	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 611 78 823	UNA	64	90	26	0	L	
3682	B	M	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 611 781015	126	70	85	15	0	L	
3683	B	F	28.37.N 91.31.W	28.28.N 91.40.W	11.98	221.34	78 611 781125	167	69	103	34	0	L	
3684	B	F	28.37.N 91.31.W	28.35.N 91.30.W	2.18	156.52	78 611 78 726	45	76	87	11	0	L	
3685	B	U	28.37.N 91.31.W	28.35.N 91.29.W	2.65	138.89	78 611 78 8 7	57+-3	68	78	10	0	L	
3686	B	F	28.37.N 91.31.W	29.20.N 93.10.W	96.69	290.80	78 611 78 7 8	27	73	0	0	0	L	
3687	B	F	28.37.N 91.31.W	28.50.N 90.55.W	34.14	67.47	78 611 78 717	36	72	85	13	0	L	
3688	B	M	28.37.N 91.31.W	28.35.N 91.29.W	2.65	138.89	78 611 78 8 7	57+-3	68	72	4	0	L	
3689	B	F	28.37.N 91.31.W	28.58.N 89.25.W	112.40	78.73	78 611 78 912	93	79	105	26	0	L	
3690	B	F	28.37.N 91.31.W	28.25.N 91.45.W	17.19	225.78	78 611 78 725	44	67	83	16	0	L	
3691	B	F	28.37.N 91.31.W	28.25.N 91.44.W	16.57	223.65	78 611 79 4 6	299	57	107	50	0	L	
3692	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 611 0 0 0	0	79	85	6	0	L	
3693	B	F	28.37.N 91.31.W	28.36.N 91.41.W	8.83	263.54	78 611 78 714	33	72	76	4	0	L	
3694	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 611 0 0 0	0	17	64	-13	0	L	
3695	B	F	28.37.N 91.31.W	28.35.N 91.50.W	16.80	263.24	78 611 78 628	17	82	82	0	0	L	
3696	B	F	28.37.N 91.31.W	28.33.N 92.56.W	74.75	267.27	78 611 78 710	29	82	0	0	0	L	
3697	B	M	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 611 0 0 0	UNA	64	0	0	0	L	
3698	B	U	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 611 78 720	45	70	87	11	0	L	
3699	B	M	28.37.N 91.31.W	28.25.N 91.22.W	14.37	146.57	78 611 78 718	37	62	68	6	0	L	
3700	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 611 0 0 0	UNA	75	0	0	0	L	

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELEASE DATE	RECAP DATE	DAYS AT LARGE	RELEASE		CHANGE IN LN	RELEASE AREA	RELEASE STATE
										LN	LN			
3701	B	F	28.37.N 91.31.W	28.25.N 91.25.W	13.11	156.23	78 611	78 710	29	65	67	2	0	L
3702	B	F	28.37.N 91.31.W	29. 5.N 90. 5.W	80.36	69.26	78 611	78 722	41	69	72	3	0	L
3703	B	F	28.37.N 91.31.W	28.25.N 91. 3.W	27.37	115.89	78 611	78 718	37	73	61	8	0	L
3704	B	M	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 611	0 0 0	0	70	75	5	0	L
3705	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 611	0 0 0	0	60	0	0	0	L
3706	B	M	28.37.N 91.31.W	28.03.N 89.40.W	98.62	80.22	78 611	781031	142	71	100	35	0	L
3707	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 611	0 0 0	0	70	89	19	0	L
3708	B	F	28.37.N 91.31.W	29. 0.N 92.50.W	72.94	268.70	78 611	78 629	18	71	67	-4	0	L
3709	B	F	28.37.N 91.31.W	28.25.N 91. 3.W	27.37	115.89	78 611	78 718	37	105	100	-5	0	L
3710	B	F	28.37.N 91.31.W	28.10.N 90.30.W	57.60	111.14	78 611	781020	131	74	100	26	0	L
3711	B	F	28.37.N 91.31.W	28.25.N 91.25.W	13.11	156.23	78 612	78 710	26	75	75	0	0	L
3712	B	F	28.37.N 91.31.W	28.25.N 91.25.W	13.11	156.23	78 612	78 7 9	27	74	72	-2	0	L
3713	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 611	78 7/12	31	69	78	9	0	L
3714	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 611	78 8 4	UNA	64	79	15	0	L
3715	B	F	28.37.N 91.31.W	28.52.N 91.15.W	20.54	43.03	78 612	78 621	15	99	105	6	0	L
3716	B	U	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 612	78 914	94	77	0	0	0	L
3717	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 612	0 0 0	0	69	72	3	0	L
3718	B	F	28.37.N 91.31.W	28.25.N 91.19.W	15.98	138.63	78 612	78 712	30	75	76	1	0	L
3719	B	M	28.37.N 91.31.W	28.23.N 91. 5.W	20.80	121.40	78 612	78 610	-2	70	75	5	0	L
3720	B	F	28.37.N 91.31.W	28.52.N 91.15.W	20.54	43.03	78 612	78 627	15	66	69	3	0	L
3721	B	M	28.37.N 91.31.W	28.55.N 92.20.W	40.57	292.93	78 612	78 911	91	60	85	25	0	L
3722	B	F	28.37.N 91.31.W	28.28.N 91.28.W	9.38	163.55	78 612	78 925	105	70	101	31	0	L
3723	B	F	28.37.N 91.31.W	28.40.N 91.58.W	23.89	277.32	78 612	78 727	45	111	105	-6	0	L
3724	B	F	28.37.N 91.31.W	28.25.N 91.10.W	22.01	122.95	78 612	78 713	31	58	100	42	0	L
3725	B	F	28.37.N 91.31.W	28.25.N 91.20.W	15.41	141.08	78 612	781210	181	75	109	34	0	L
3726	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 612	0 0 0	0	72	79	7	0	L
3727	B	F	28.37.N 91.31.W	28.35.N 91.50.W	16.80	263.24	78 612	78 628	16	62	68	6	0	L
3728	B	F	28.37.N 91.31.W	28.25.N 92.30.W	53.21	257.20	78 612	78 718	36	75	85	10	0	L
3729	B	M	28.37.N 91.31.W	28.35.N 91.29.W	2.65	138.69	78 612	78 815	64	63	71	8	0	L
3730	B	F	28.37.N 91.31.W	29. 5.N 90. 5.W	80.36	69.26	78 612	78 722	40	65	75	10	0	L
3731	B	F	28.37.N 91.31.W	28.28.N 91.30.W	9.05	174.02	78 612	78 810	59	60	78	12	0	L
3732	B	F	28.37.N 91.31.W	29. 5.N 90. 5.W	80.36	69.26	78 612	78 722	40	56	62	6	0	L
3733	B	F	28.37.N 91.31.W	28.21.N 91.27.W	16.38	167.58	78 612	79 311	272	69	117	48	0	L
3734	B	U	28.37.N 91.31.W	28.45.N 92.37.W	58.45	278.13	78 613	78 7 8	25	93	0	0	0	L
3735	B	M	28.37.N 91.31.W	28.15.N 91.25.W	22.62	166.51	78 613	78 722	39	95	95	0	0	L
3736	B	M	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 613	78 914	93	65	77	12	0	L
3737	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 613	78 914	93	105	105	0	0	L
3738	B	M	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 613	0 0 0	0	92	96	4	0	L
3739	B	M	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 613	78 7 8	25	85	93	8	0	L
3740	B	F	28.37.N 91.31.W	28.25.N 91.25.W	13.11	156.23	78 613	78 7 8	25	105	102	-3	0	L
3741	B	F	28.37.N 91.31.W	28.28.N 91.28.W	9.38	163.55	78 613	78 8 9	57	77	95	18	0	L
3742	B	F	28.37.N 91.31.W	27.16.N 90.51.W	294.04	255.27	78 613	781111	151	63	100	37	0	L
3743	B	F	28.37.N 91.31.W	28.25.N 91. 3.W	27.37	115.89	78 613	78 718	35	70	78	8	0	L
3744	B	F	28.37.N 91.31.W	28.43.N 91. 3.W	25.29	76.16	78 613	78 622	9	58	59	1	0	L
3745	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 613	0 0 0	0	70	73	3	0	L
3746	B	M	28.37.N 91.31.W	28.48.N 91.50.W	19.97	303.50	78 613	78 8 4	52	67	76	9	0	L
3747	B	F	28.37.N 91.31.W	0. 0.N 0. 0.W	0.	0.	78 613	781020	129	66	101	35	0	L
3748	B	F	28.37.N 91.31.W	29. 5.N 91.40.W	29.09	344.31	78 613	78 720	45	65	78	13	0	L
3749	B	F	28.37.N 91.31.W	28.22.N 91.51.W	23.11	229.60	78 614	79 3 2	201+-3	100	115	15	0	L
3750	B	F	28.37.N 91.31.W	28.25.N 91.45.W	17.19	225.78	78 614	7811 4	143	72	95	23	0	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE	DIRECTION	RELÉ TRAVELED	DATE TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE		RELÉ LN	RELÉ LN	CHANGE IN LN	RELÉ AREA	RELÉ STATE
											LN	LN					
3751	B	F	28.37.N 91.31.W	28.35.N 91. 4.W	20.29	95.56	78 614	78 7 3	19	67	78	11	0	L			
3752	B	M	28.37.N 91.31.W	28.39.N 94.13.W	142.20	271.45	78 614	78 7 11	27	62	71	9	0	L			
3753	B	M	28.37.N 91.31.W	28.50.N 91.50.W	21.13	308.04	78 614	78 7 28	44	64	76	12	0	L			
3754	B	F	28.37.N 91.31.W	28.35.N 90.45.W	40.44	92.65	78 614	78 7 6	22	69	76	7	0	L			
3755	B	F	28.37.N 91.31.W	28.35.N 92. 0.W	25.54	265.02	78 614	78 8 23	70	75	93	18	0	L			
3756	B	F	28.37.N 91.31.W	28.50.N 92.10.W	36.59	290.97	78 614	78 7 12	28	70	78	8	0	L			
3757	B	F	28.37.N 91.31.W	28.35.N 90.45.W	40.44	92.65	78 614	78 7 6	22	62	70	8	0	L			
3758	B	F	28.37.N 91.31.W	28.35.N 91.29.W	2.05	138.89	78 614	78 8 7	54+-3	75	90	15	0	L			
3759	B	M	28.37.N 91.31.W	29. 5.N 92. 5.W	40.88	313.37	78 614	78 029	15	67	60	-7	0	L			
3760	B	F	28.37.N 91.31.W	28.58.N 94.12.W	142.65	279.11	78 614	78 7 28	44	70	79	9	0	L			
3761	B	M	28.37.N 91.31.W	28.50.N 91. 9.W	20.55	109.83	78 614	79 2 5	236	57	90	33	0	L			
3762	B	M	28.37.N 91.31.W	28.35.N 91. 8.W	20.29	95.56	78 614	78 7 3	19	60	63	3	0	L			
3763	B	F	28.37.N 91.31.W	29. 5.N 93. 5.W	86.96	289.16	78 614	78 7 2	18	75	77	2	0	L			
3764	B	M	28.37.N 91.31.W	28.45.N 91.55.W	22.52	290.90	78 614	78 120	36	70	73	3	0	L			
3765	B	F	28.37.N 91.31.W	28.45.N 91.54.W	21.71	291.72	78 614	78 720	36	69	78	9	0	L			
3766	B	F	28.37.N 91.31.W	28.45.N 92.10.W	35.14	283.32	78 614	78 620	6	62	74	12	0	L			
3767	B	M	28.37.N 91.31.W	28.45.N 91.55.W	22.52	290.90	78 614	78 724	40	63	70	7	0	L			
3768	B	M	28.37.N 91.31.W	29.55.N 92.40.W	98.52	322.62	78 614	78 628	14	69	70	1	0	L			
3769	B	F	28.37.N 91.31.W	28.42.N 92.22.W	45.03	276.58	78 614	78 918	96	65	0	0	0	L			
3770	B	F	28.37.N 91.31.W	29. 5.N 93.20.W	99.49	286.78	78 614	78 7 2	18	60	65	5	0	L			
3771	B	M	28.37.N 91.31.W	28.45.N 91.54.W	21.71	291.72	78 614	78 720	36	62	80	18	0	L			
3772	B	F	28.37.N 91.31.W	28.40.N 91.55.W	21.27	278.20	78 614	78 719	35	70	85	15	0	L			
3773	B	M	29.34.N 93. 9.W	29. 7.N 93.24.W	30.00	205.91	78 616	78 710	24	62	67	5	0	L			
3774	B	F	29.34.N 93. 9.W	29. 4.N 93. 6.W	30.12	174.97	78 616	78 624	6	67	59	-8	0	L			
3775	B	F	29.34.N 93. 9.W	29. 0.N 93. 7.W	34.04	177.10	78 616	78 626	10	75	78	3	0	L			
3776	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 616	0 0 0	0	0	70	0	0	L			
3777	B	F	29.34.N 93. 9.W	29. 6.N 93. 5.W	28.22	172.88	78 616	78 611	-5	99	96	-3	0	L			
3778	B	M	29.34.N 93. 9.W	29. 3.N 93. 6.W	31.11	175.15	78 616	78 626	10	70	67	-3	0	L			
3779	B	F	29.34.N 93. 9.W	29. 5.N 92.58.W	30.55	161.65	78 616	78 719	33	80	83	3	0	L			
3780	B	F	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 616	78 7 2	16	69	72	3	0	L			
3781	B	M	29.34.N 93. 9.W	28.57.N 92.44.W	42.95	149.38	78 616	78 7 1	15	61	66	5	0	L			
3782	B	F	29.34.N 93. 9.W	28.50.N 93.15.W	44.31	186.81	78 616	78 7 8	22	61	70	9	0	L			
3783	B	M	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 616	78 711	25	61	68	7	0	L			
3784	B	F	29.34.N 93. 9.W	29.22.N 94.44.W	83.58	262.13	78 616	78 628	12	68	62	-6	0	L			
3785	B	F	29.34.N 93. 9.W	28.54.N 93.1b.W	40.76	191.15	78 616	78 7 3	17	70	70	0	0	L			
3786	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 616	0 0 0	0	62	0	0	0	L			
3787	B	F	29.34.N 93. 9.W	29. 5.N 93.10.W	29.01	181.75	78 616	78 626	10	68	72	4	0	L			
3788	B	F	29.34.N 93. 9.W	29. 8.N 93. 5.W	26.23	172.38	78 616	78 7 3	17	74	79	5	0	L			
3789	B	M	29.34.N 93. 9.W	28.31.N 90.45.W	140.77	116.00	78 616	78 7 11	25	66	66	0	0	L			
3790	B	F	29.34.N 93. 9.W	28.59.N 92.35.W	45.87	139.59	78 616	78 7 11	25	75	79	4	0	L			
3791	B	M	29.34.N 93. 9.W	29. 3.N 92.25.W	44.33	128.76	78 616	78 626	10	53	67	14	0	L			
3792	B	F	29.34.N 93. 9.W	29. 3.N 93. 8.W	31.01	178.44	78 616	78 7 4	18	80	79	-1	0	L			
3793	B	F	29.34.N 93. 9.W	28.55.N 93.15.W	39.35	187.68	78 616	78 8 4	54	73	80	7	0	L			
3794	B	U	29.34.N 93. 9.W	28.38.N 94.49.W	103.78	237.75	78 616	78 817	62	74	0	0	0	L			
3795	B	M	29.34.N 93. 9.W	28.55.N 93.18.W	39.78	191.42	78 616	78 7 4	18	60	65	5	0	L			
3796	B	F	29.34.N 93. 9.W	28.50.N 93.18.W	44.70	190.16	78 616	78 7 1	15	67	70	3	0	L			
3797	B	F	29.34.N 93. 9.W	28.46.N 94. 4.W	67.90	225.24	78 616	78 924	100	63	95	32	0	L			
3798	B	F	29.34.N 93. 9.W	28.54.N 93. 2.W	40.46	171.30	78 616	78 714	28	74	80	6	0	L			
3799	B	F	29.34.N 93. 9.W	28.55.N 93.11.W	39.04	182.56	78 616	78 628	12	70	70	0	0	L			
3800	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 616	78 6 7	-9	68	67	-1	0	L			

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELEASE DATE	RECAP DATE	DAYS AT LARGE	RELEASE		CHANGE IN LN	RELEASE AREA	RELEASE STATE
										LN	LN			
3801	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.70	191.15	78 616	78 7 4	18	61	65	4	0	L
3802	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 616	78 7 4	18	68	73	5	0	L
3803	B	U	29.34.N 93. 9.W	29. 3.N 93. 5.W	26.23	172.38	78 616	78 7 2	16	79	0	0	0	L
3804	B	F	29.34.N 93. 9.W	28.55.N 93.15.W	225.29	239.90	78 616	781014	120	71	94	23	0	L
3805	B	M	29.34.N 93. 9.W	28.50.N 93.19.W	44.80	191.26	78 616	78 712	26	60	61	1	0	L
3806	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 616	78 7 3	17	67	72	5	0	L
3807	B	F	29.34.N 93. 9.W	29. 2.N 93. 3.W	32.42	170.69	78 616	78 7 2	16	73	17	4	0	L
3808	B	F	29.34.N 93. 9.W	29. 0.N 93. 7.W	34.04	177.10	78 616	78 626	10	68	72	4	0	L
3809	B	M	29.34.N 93. 9.W	28.53.N 93.14.W	41.23	186.11	78 616	78 7 3	17	65	66	1	0	L
3810	B	M	29.34.N 93. 9.W	28.59.N 92.59.W	36.07	165.97	78 616	78 626	12	70	72	2	0	L
3811	B	U	29.34.N 93. 9.W	29. 0.N 93.12.W	34.10	184.40	78 616	78 7 4	18	62	0	0	0	L
3812	B	F	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 616	78 7 2	16	70	78	8	0	L
3813	B	M	29.34.N 93. 9.W	28.53.N 93.14.W	41.23	186.11	78 616	78 7 3	17	64	67	3	0	L
3814	B	M	29.34.N 93. 9.W	29. 0.N 93.23.W	36.13	199.81	78 616	78 630	14	69	70	1	0	L
3815	B	M	29.34.N 93. 9.W	28.42.N 93. 5.W	52.12	176.16	78 616	78 719	33	59	71	12	0	L
3816	B	F	29.34.N 93. 9.W	29.10.N 93. 0.W	25.25	161.87	78 616	78 625	9	64	69	0	0	L
3817	B	F	29.34.N 93. 9.W	29. 5.N 93.10.W	29.01	181.75	78 616	78 626	10	73	78	5	0	L
3818	B	M	29.34.N 93. 9.W	29. 8.N 93. 5.W	26.23	172.38	78 616	78 7 2	16	62	70	8	0	L
3819	B	M	29.34.N 93. 9.W	29. 5.N 93.10.W	29.01	181.75	78 616	78 7 1	15	64	68	4	0	L
3820	B	M	29.34.N 93. 9.W	29.10.N 93. 0.W	25.25	161.87	78 616	78 625	9	73	75	2	0	L
3821	B	M	29.34.N 93. 9.W	29. 6.N 93. 3.W	28.49	169.37	78 616	78 630	14	60	0	0	0	L
3822	B	F	29.34.N 93. 9.W	28.50.N 93.15.W	44.31	186.81	78 616	78 7 8	22	70	74	4	0	L
3823	B	U	29.34.N 93. 9.W	29. 0.N 93.12.W	34.10	184.40	78 616	78 7 4	18	61	0	0	0	L
3824	B	F	29.34.N 93. 9.W	29. 3.N 93.17.W	31.77	192.71	78 616	78 7 5	19	76	83	7	0	L
3825	B	M	29.34.N 93. 9.W	28.55.N 93.11.W	39.04	182.56	78 616	78 628	12	61	65	4	0	L
3826	B	M	29.34.N 93. 9.W	28.57.N 93.42.W	46.88	218.02	78 616	78 715	29	58	66	8	0	L
3827	B	M	29.34.N 93. 9.W	29. 5.N 93.12.W	29.12	185.14	78 616	78 619	3	70	72	2	0	L
3828	B	F	29.34.N 93. 9.W	29. 2.N 93.24.W	34.57	202.29	78 616	78 719	33	72	81	9	0	L
3829	B	M	29.34.N 93. 9.W	28.32.N 93.26.W	63.76	193.55	78 616	78 725	39	68	75	7	0	L
3830	B	F	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 616	78 7 3	17	91	94	3	0	L
3831	B	F	29.34.N 93. 9.W	28.45.N 93.18.W	49.63	189.16	78 616	78 7 6	20	75	79	4	0	L
3832	B	F	29.34.N 93. 9.W	28.50.N 93.26.W	40.79	201.39	78 616	78 8 4	49	73	68	-5	0	L
3833	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 616	781021	0NA	75	78	3	0	L
3834	B	F	29.34.N 93. 9.W	28.57.N 93.15.W	37.37	188.07	78 616	78 727	41	74	75	1	0	L
3835	B	F	29.34.N 93. 9.W	28.55.N 92.12.W	63.20	127.87	78 616	78 7 9	23	70	73	3	0	L
3836	B	M	29.34.N 93. 9.W	29.10.N 93. 0.W	25.25	161.87	78 616	78 625	9	65	71	0	0	L
3837	B	F	29.34.N 93. 9.W	29. 5.N 93.10.W	29.01	181.75	78 616	78 620	10	70	72	2	0	L
3838	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 616	0 0 0	0	72	76	4	0	L
3839	B	M	29.34.N 93. 9.W	29. 6.N 93. 3.W	28.49	169.37	78 616	78 621	11	68	71	3	0	L
3840	B	F	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 616	78 7 2	16	66	70	4	0	L
3841	B	F	29.34.N 93. 9.W	29. 5.N 93.10.W	29.01	181.75	78 616	78 626	10	74	75	1	0	L
3842	B	M	29.34.N 93. 9.W	28.54.N 93.14.W	40.24	186.26	78 616	78 7 5	19	63	65	2	0	L
3843	B	F	29.34.N 93. 9.W	29. 5.N 93.12.W	29.12	185.14	78 616	78 619	3	73	80	7	0	L
3844	B	F	29.34.N 93. 9.W	29. 6.N 93. 3.W	28.49	169.37	78 616	78 630	14	60	0	0	0	L
3845	B	M	29.34.N 93. 9.W	29. 5.N 93.10.W	29.01	181.75	78 616	78 620	10	60	66	0	0	L
3846	B	F	29.34.N 93. 9.W	28.57.N 93.18.W	37.82	192.02	78 616	78 710	24	72	72	0	0	L
3847	B	F	29.34.N 93. 9.W	29. 4.N 93. 0.W	30.12	174.97	78 616	78 625	9	65	64	-1	0	L
3848	B	F	29.34.N 93. 9.W	28.55.N 93.15.W	39.35	187.68	78 616	78 8 9	54	73	77	4	0	L
3849	B	F	29.34.N 93. 9.W	29.10.N 93. 0.W	20.25	161.87	78 616	78 625	9	72	75	3	0	L
3850	B	F	29.34.N 93. 9.W	29.10.N 93. 0.W	25.25	161.87	78 616	78 625	9	73	75	2	0	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE		RELÉ LN	RECAP LN	CHANGE IN LN	RELÉ AREA	RECAP STATE
									DAY	NIGHT					
3851	B	M	29.34.N 93. 9.W	29. 3.N 93.17.W	31.77	192.71	78 016	78 7 4	18	64	68	4	0	L	
3852	B	M	29.34.N 93. 9.W	29. 5.N 93.10.W	29.01	181.75	78 016	78 7 1	15	78	74	-4	0	L	
3853	B	F	29.34.N 93. 9.W	29. 3.N 93. 7.W	31.05	176.80	78 016	78 624	8	73	74	1	0	L	
3854	B	M	29.34.N 93. 9.W	29. 6.N 93. 3.W	28.49	169.37	78 016	78 627	11	67	67	0	0	L	
3855	B	M	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 016	0 0 0	0	01	70	3	0	L	
3856	B	F	29.34.N 93. 9.W	29. 0.N 93. 7.W	34.04	177.10	78 016	78 626	10	65	68	3	0	L	
3857	B	F	29.34.N 93. 9.W	29. 0.N 93. 7.W	34.04	177.10	78 016	78 626	10	65	65	0	0	L	
3858	B	M	29.34.N 93. 9.W	29. 3.N 93. 0.W	31.11	175.15	78 016	78 626	10	66	63	-3	0	L	
3859	B	F	29.34.N 93. 9.W	28.33.N 92.56.W	62.05	169.40	78 016	78 710	24	74	80	6	0	L	
3860	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 016	78 7 4	18	60	67	7	0	L	
3861	B	F	29.34.N 93. 9.W	29. 5.N 93.10.W	29.01	181.75	78 016	78 7 1	15	72	74	2	0	L	
3862	B	M	29.34.N 93. 9.W	28.35.N 93.25.W	60.63	193.40	78 016	78 7 9	23	63	69	6	0	L	
3863	B	F	29.34.N 93. 9.W	28.52.N 93. 8.W	42.01	178.81	78 016	78 1 5	19	71	8	0	0	L	
3864	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 016	0 0 0	0	97	101	4	0	L	
3865	B	F	29.34.N 93. 9.W	28.49.N 93. 4.W	45.21	174.46	78 016	78 720	34	90	93	3	0	L	
3866	B	F	29.34.N 93. 9.W	28.56.N 93.18.W	38.80	191.72	78 016	78 7 4	18	74	77	3	0	L	
3867	B	F	29.34.N 93. 9.W	28.56.N 92.54.W	38.30	159.97	78 016	78 029	13	65	68	3	0	L	
3868	B	F	29.34.N 93. 9.W	28.51.N 92.45.W	47.83	153.93	78 016	78 7 8	22	73	73	0	0	L	
3869	B	F	29.34.N 93. 9.W	29. 5.N 93.12.W	29.12	185.14	78 016	78 619	3	70	73	3	0	L	
3870	B	F	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 016	78 7 2	16	77	80	3	0	L	
3871	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 016	0 0 0	0	71	73	2	0	L	
3872	B	F	29.34.N 93. 9.W	29. 0.N 93. 3.W	28.49	169.37	78 016	78 630	14	75	8	0	0	L	
3873	B	M	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 016	78 7 2	16	63	66	3	0	L	
3874	B	F	29.34.N 93. 9.W	29. 3.N 93. 8.W	31.01	178.44	78 016	78 7 4	18	72	74	2	0	L	
3875	B	M	29.34.N 93. 9.W	29. 6.N 93. 3.W	28.49	169.37	78 017	78 628	11	70	70	0	0	L	
3876	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 017	0 0 0	0NA	72	8	0	0	L	
3877	B	M	29.34.N 93. 9.W	28.56.N 93. 3.W	38.36	172.14	78 017	78 624	7	67	70	3	0	L	
3878	B	F	29.34.N 93. 9.W	29. 3.N 92.39.W	40.56	139.72	78 017	78 720	33	66	76	10	0	L	
3879	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 017	0 0 0	0	72	70	-2	0	L	
3880	B	F	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 017	78 7 2	15	81	85	4	0	L	
3881	B	F	29.34.N 93. 9.W	28.48.N 93. 8.W	46.01	178.89	78 017	78 713	26	72	80	8	0	L	
3882	B	U	29.34.N 93. 9.W	28.19.N 94. 9.W	91.55	215.24	78 017	781030	135	69	107	38	0	L	
3883	B	F	29.34.N 93. 9.W	28.20.N 96.22.W	184.37	247.12	78 017	7910 1	0NA	78	84	6	0	L	
3884	B	U	29.34.N 93. 9.W	29. 1.N 93.12.W	33.10	184.56	78 017	78 7 1	14	75	8	0	0	L	
3885	B	F	29.34.N 93. 9.W	29. 3.N 93. 7.W	31.05	176.80	78 017	78 624	7	82	83	1	0	L	
3886	B	F	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 017	78 7 2	15	80	80	0	0	L	
3887	B	M	29.34.N 93. 9.W	29. 0.N 93. 7.W	34.04	177.10	78 017	78 626	9	77	76	-1	0	L	
3888	B	M	29.34.N 93. 9.W	29.29.N 93.52.W	37.75	262.56	78 017	78 626	9	67	64	-3	0	L	
3889	B	M	29.34.N 93. 9.W	28.33.N 92.50.W	62.05	169.40	78 017	78 710	23	63	71	8	0	L	
3890	B	F	29.34.N 93. 9.W	29. 3.N 93. 6.W	31.11	175.15	78 017	78 626	9	72	71	-1	0	L	
3891	B	M	29.34.N 93. 9.W	28.48.N 93.37.W	52.09	208.10	78 017	78 713	26	71	71	0	0	L	
3892	B	M	29.34.N 93. 9.W	29. 3.N 93. 8.W	31.01	178.44	78 017	78 7 4	17	66	65	-1	0	L	
3893	B	M	29.34.N 93. 9.W	28.54.N 93. 2.W	40.46	171.30	78 017	78 714	27	63	64	1	0	L	
3894	B	F	29.34.N 93. 9.W	28. 2.N 93.27.W	93.34	189.80	78 017	78 7 5	18	82	85	3	0	L	
3895	B	F	29.34.N 93. 9.W	28.55.N 93.11.W	39.04	182.50	78 017	78 628	11	75	8	0	0	L	
3896	B	F	29.34.N 93. 9.W	28.46.N 93.18.W	48.64	189.34	78 017	78 7 2	15	78	73	-5	0	L	
3897	B	F	29.34.N 93. 9.W	29. 5.N 93.20.W	30.55	198.35	78 017	78 621	4	85	90	5	0	L	
3898	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 017	78 6 7	-10	71	67	-4	0	L	
3899	B	F	29.34.N 93. 9.W	29. 3.N 93. 8.W	31.01	178.44	78 017	78 7 4	17	66	63	-3	0	L	
3900	B	F	29.34.N 93. 9.W	29.18.N 93. 7.W	16.09	173.76	78 017	78 7 4	17	70	76	6	0	L	

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	REL. DATE	RECAP DATE	DAYS AT LARGE	REL. LN		CHANGE IN LN	REL. AREA	REL. STATE
										LN	LN			
3901	B	M	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 017	78 7 2	15	70	72	2	0	L
3902	B	F	29.34.N 93. 9.W	28.41.N 92.36.W	60.33	151.32	78 617	78 627	10	68	68	0	0	L
3903	B	F	29.34.N 93. 9.W	29.10.N 91. 5.W	110.70	102.01	78 617	781026	UNA	71	75	4	0	L
3904	B	F	29.34.N 93. 9.W	29. 2.N 93. 3.W	32.42	176.69	78 617	78 624	7	61	69	2	0	L
3905	B	M	29.34.N 93. 9.W	28.54.N 93.10.W	40.76	191.15	78 617	78 6 7	-10	68	69	1	0	L
3906	B	F	29.34.N 93. 9.W	29. 6.N 93. 5.W	28.22	172.88	78 617	78 611	-6	73	70	3	0	L
3907	B	M	29.34.N 93. 9.W	29. 0.N 93.10.W	34.54	190.21	78 617	78 625	8	69	71	2	0	L
3908	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 617	0 0 0	0	74	79	5	0	L
3909	B	U	29.34.N 93. 9.W	29. 0.N 93.12.W	34.10	184.40	78 617	78 7 4	17	62	60	0	0	L
3910	B	M	29.34.N 93. 9.W	29.10.N 92.40.W	34.85	133.40	78 617	78 728	41	69	68	0	0	L
3911	B	F	29.34.N 93. 9.W	28.42.N 93.24.W	53.63	194.20	78 617	78 713	26	73	79	6	0	L
3912	B	F	29.34.N 93. 9.W	28.34.N 91.24.W	109.65	122.75	78 617	78 728	41	63	76	13	0	L
3913	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 617	78 7 3	16	59	71	12	0	L
3914	B	M	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 617	0 0 0	0	62	60	0	0	L
3915	B	U	29.34.N 93. 9.W	29. 0.N 93.12.W	34.10	184.40	78 617	78 7 4	17	74	68	0	0	L
3916	B	F	29.34.N 93. 9.W	28.36.N 91.41.W	50.32	126.66	78 617	78 714	27	74	74	0	0	L
3917	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 617	78 723	36	74	79	5	0	L
3918	B	M	29.34.N 93. 9.W	29. 1.N 93. 3.W	33.41	170.97	78 617	78 7 2	15	61	70	3	0	L
3919	B	M	29.34.N 93. 9.W	28.55.N 93.18.W	39.78	191.42	78 617	78 7 4	17	70	78	8	0	L
3920	B	F	29.34.N 93. 9.W	29. 5.N 93.15.W	29.47	190.25	78 617	78 7 8	21	73	77	4	0	L
3921	B	M	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 617	78 912	87	60	83	17	0	L
3922	B	U	29.34.N 93. 9.W	29. 0.N 93.12.W	34.10	184.40	78 617	78 7 4	17	60	60	0	0	L
3923	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 617	78 7 3	16	59	69	10	0	L
3924	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 617	0 0 0	0	60	60	0	0	L
3925	B	M	29.34.N 93. 9.W	28.51.N 93.18.W	43.71	190.38	78 617	78 7 8	21	68	75	7	0	L
3926	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 617	78 6 7	-10	71	72	1	0	L
3927	B	F	29.34.N 93. 9.W	28.47.N 93.18.W	47.65	189.53	78 617	78 713	26	65	69	4	0	L
3928	B	F	29.34.N 93. 9.W	29. 3.N 93.17.W	31.77	192.71	78 617	78 7 5	18	69	72	3	0	L
3929	B	F	29.34.N 93. 9.W	29. 2.N 93. 3.W	32.42	170.69	78 617	78 7 2	15	70	79	9	0	L
3930	B	F	29.34.N 93. 9.W	28.57.N 92.44.W	42.95	149.38	78 617	78 7 1	14	73	77	4	0	L
3931	B	M	29.34.N 93. 9.W	28.46.N 93.13.W	48.13	184.17	78 617	78 7 6	19	69	68	-1	0	L
3932	B	F	29.34.N 93. 9.W	29. 2.N 93. 3.W	32.42	170.69	78 617	78 625	8	65	69	4	0	L
3933	B	M	29.34.N 93. 9.W	29.10.N 93. 0.W	25.25	161.87	78 617	78 625	8	68	74	6	0	L
3934	B	M	29.34.N 93. 9.W	28.51.N 93.22.W	44.47	194.83	78 617	78 625	8	70	70	0	0	L
3935	B	F	29.34.N 93. 9.W	28.28.N 93.22.W	66.97	189.83	78 617	781023	128	80	110	30	0	L
3936	B	F	29.34.N 93. 9.W	29. 2.N 93. 3.W	32.42	170.69	78 617	78 624	7	69	73	4	0	L
3937	B	M	29.34.N 93. 9.W	29. 5.N 93.12.W	29.12	185.14	78 617	78 619	2	64	68	4	0	L
3938	B	F	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 617	78 6 7	-10	75	75	0	0	L
3939	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 617	0 0 0	0	66	72	6	0	L
3940	B	F	29.34.N 93. 9.W	28.55.N 93.18.W	39.78	191.42	78 617	78 7 4	17	71	75	4	0	L
3941	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 617	78 6 7	-10	70	72	2	0	L
3942	B	F	29.34.N 93. 9.W	28.51.N 92.45.W	47.83	153.93	78 617	78 7 8	21	66	71	5	0	L
3943	B	F	29.34.N 93. 9.W	29. 7.N 93. 2.W	27.68	167.24	78 617	78 720	33	75	74	-1	0	L
3944	B	M	29.34.N 93. 9.W	28.59.N 92.35.W	45.87	139.59	78 617	78 711	24	59	71	12	0	L
3945	B	F	29.34.N 93. 9.W	28.45.N 93.20.W	49.93	191.14	78 617	78 7 9	22	72	85	13	0	L
3946	B	M	29.34.N 93. 9.W	28.58.N 92.54.W	38.30	159.97	78 617	78 629	12	70	72	2	0	L
3947	B	M	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 617	0 0 0	0	76	73	-3	0	L
3948	B	U	29.34.N 93. 9.W	28.16.N 96.20.W	184.48	245.76	78 617	79 930	0NA	73	81	8	0	L
3949	B	M	29.34.N 93. 9.W	29. 7.N 93. 2.W	27.68	167.24	78 617	78 720	33	63	64	1	0	L
3950	B	F	29.34.N 93. 9.W	29. 6.N 93. 3.W	28.49	169.37	78 617	78 628	11	65	69	4	0	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE	DIRECTION	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE LN		RECAP LN		CHANGE	RELE AREA	RELE STATE
										TRAVELED	TRAVELED	LN	LN			
3951	B	M	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 617	0 0 0	0	68	85	17	0	L		
3952	B	M	29.34.N 93. 9.W	29. 7.N 93. 2.W	27.08	167.24	78 617	78 720	33	66	69	3	0	L		
3953	B	F	29.34.N 93. 9.W	28.33.N 92.56.W	62.05	169.40	78 617	78 710	23	72	70	-2	0	L		
3954	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 617	78 7 3	16	68	69	1	0	L		
3955	B	M	29.34.N 93. 9.W	29. 7.N 93. 2.W	27.08	167.24	78 617	78 720	33	71	70	-1	0	L		
3956	B	F	29.34.N 93. 9.W	28.51.N 93.11.W	43.03	182.29	78 617	78 628	11	70	71	1	0	L		
3957	B	F	29.34.N 93. 9.W	28.40.N 93.43.W	61.63	208.95	78 617	78 620	3	79	76	-3	0	L		
3958	B	F	29.34.N 93. 9.W	29. 5.N 93.10.W	29.01	181.75	78 617	78 7 1	14	62	66	4	0	L		
3959	B	M	29.34.N 93. 9.W	29. 5.N 93. 4.W	29.32	171.45	78 617	78 7 1	14	65	67	2	0	L		
3960	B	M	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	0 0 0	0	73	0	0	0	L		
3961	B	M	29.34.N 93. 9.W	28.41.N 92.36.W	60.33	151.32	78 618	78 627	9	76	77	1	0	L		
3962	B	M	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	78 9 9	83	73	84	11	0	L		
3963	B	F	29.34.N 93. 9.W	28.55.N 93.15.W	39.35	187.68	78 618	78 8 9	52	68	74	0	0	L		
3964	B	M	29.34.N 93. 9.W	28.50.N 93.19.W	44.86	191.26	78 618	78 713	25	70	73	3	0	L		
3965	B	F	29.34.N 93. 9.W	29. 2.N 93. 3.W	32.42	170.69	78 618	78 624	6	78	78	0	0	L		
3966	B	F	29.34.N 93. 9.W	28.45.N 92.19.W	65.63	138.09	78 618	78 719	31	73	83	10	0	L		
3967	B	F	29.34.N 93. 9.W	29. 3.N 93. 6.W	31.11	175.15	78 618	78 626	8	68	67	-1	0	L		
3968	B	F	29.34.N 93. 9.W	29. 5.N 93.10.W	29.01	181.75	78 618	78 626	8	72	76	4	0	L		
3969	B	F	29.34.N 93. 9.W	28.46.N 93.13.W	48.13	184.17	78 618	78 7 6	18	68	69	1	0	L		
3970	B	M	29.34.N 93. 9.W	29. 2.N 93. 3.W	32.42	170.69	78 618	78 624	6	69	70	1	0	L		
3971	B	M	29.34.N 93. 9.W	29. 5.N 93.10.W	29.01	181.75	78 618	78 7 1	13	67	70	3	0	L		
3972	B	F	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 618	78 7 2	14	70	75	5	0	L		
3973	B	F	29.34.N 93. 9.W	29. 6.N 93. 3.W	28.49	169.37	78 618	78 630	12	68	0	0	0	L		
3974	B	M	29.34.N 93. 9.W	29. 3.N 92.25.W	49.33	128.76	78 618	78 626	8	68	69	1	0	L		
3975	B	M	29.34.N 93. 9.W	28.54.N 93. 2.W	40.46	171.30	78 618	78 714	26	54	52	-2	0	L		
3976	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	78 628	10	42	75	33	0	L		
3977	B	F	29.34.N 93. 9.W	29. 2.N 93. 3.W	32.42	170.69	78 618	78 625	7	74	78	4	0	L		
3978	B	F	29.34.N 93. 9.W	28.49.N 93. 0.W	45.68	170.06	78 618	78 630	12	71	75	4	0	L		
3979	B	F	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 618	78 7 2	14	98	96	-2	0	L		
3980	B	M	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 618	78 7 2	14	70	77	7	0	L		
3981	B	M	29.34.N 93. 9.W	28.57.N 93.18.W	37.82	192.02	78 618	78 710	22	71	73	2	0	L		
3982	B	M	29.34.N 93. 9.W	28.32.N 92.47.W	64.91	162.08	78 618	78 7 5	17	72	0	0	0	L		
3983	B	F	29.34.N 93. 9.W	29.10.N 93. 0.W	25.25	101.87	78 618	78 625	7	66	80	14	0	L		
3984	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	78 711	23	67	67	0	0	L		
3985	B	M	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	0 0 0	0	68	72	4	0	L		
3986	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	0 0 0	0	65	82	17	0	L		
3987	B	M	29.34.N 93. 9.W	28.35.N 93. 0.W	59.06	177.45	78 618	78 9 5	79	66	87	21	0	L		
3988	B	F	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 618	78 7 2	14	74	75	1	0	L		
3989	B	F	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 618	78 7 2	14	67	70	3	0	L		
3990	B	M	29.34.N 93. 9.W	29. 0.N 93. 7.W	34.04	177.10	78 618	78 626	8	72	72	0	0	L		
3991	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	78 723	35	70	75	5	0	L		
3992	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	0 0 0	0	72	0	0	0	L		
3993	B	M	29.34.N 93. 9.W	28.55.N 91.25.W	98.77	112.83	78 618	78 624	11	74	75	1	0	L		
3994	B	M	29.34.N 93. 9.W	29. 0.N 93. 7.W	34.04	177.10	78 618	78 627	9	66	67	1	0	L		
3995	B	F	29.34.N 93. 9.W	28.51.N 93.11.W	43.03	182.29	78 618	78 628	10	66	72	6	0	L		
3996	B	F	29.34.N 93. 9.W	29. 4.N 93. 3.W	30.45	170.08	78 618	78 625	7	69	71	2	0	L		
3997	B	F	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 618	78 7 2	14	69	62	-7	0	L		
3998	B	F	29.34.N 93. 9.W	29. 4.N 93. 3.W	30.45	170.08	78 618	78 625	7	70	65	-5	0	L		
3999	B	F	29.34.N 93. 9.W	29.10.N 93. 0.W	25.25	161.87	78 618	78 625	7	66	70	4	0	L		
4000	B	F	29.34.N 93. 9.W	28.51.N 93.22.W	44.47	194.83	78 618	78 626	8	72	69	-3	0	L		

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELE DATE	RECAP DATE	DAYS AT LARGE	RELE LN	RECAP LN	CHANGE IN LN	RELE AREA	RELE STATE
4001	B	F	29.34.N 93. 9.W	29. 6.N 93. 3.W	28.49	169.37	78 618	78 630	12	82	0	0	0	L
4002	B	M	29.34.N 93. 9.W	28.40.N 93.13.W	48.13	184.17	78 618	78 7 6	18	66	67	1	0	L
4003	B	F	29.34.N 93. 9.W	29. 2.N 93. 5.W	32.19	173.75	78 618	78 626	8	69	71	2	0	L
4004	B	M	29.34.N 93. 9.W	29. 0.N 93. 7.W	34.04	177.10	78 618	78 626	8	69	71	2	0	L
4005	B	M	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	175.11	78 618	78 7 3	15	73	0	0	0	L
4006	B	M	29.34.N 93. 9.W	28.37.N 92.46.W	60.44	160.48	78 618	78 7 5	17	67	70	3	0	L
4007	B	F	29.34.N 93. 9.W	29. 2.N 93. 3.W	32.42	170.69	78 618	78 624	6	70	78	2	0	L
4008	B	F	29.34.N 93. 9.W	29. 0.N 93. 7.W	34.04	177.10	78 618	78 626	8	71	72	1	0	L
4009	B	M	29.34.N 93. 9.W	29. 0.N 93. 7.W	34.04	177.10	78 618	78 626	8	68	70	2	0	L
4010	B	M	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	0 0 0	0	61	68	1	0	L
4011	B	M	29.34.N 93. 9.W	29. 5.N 93.10.W	24.01	181.75	78 618	78 7 1	13	61	62	1	0	L
4012	B	F	29.34.N 93. 9.W	28.57.N 92.44.W	42.95	149.38	78 618	78 7 1	13	68	69	1	0	L
4013	B	M	29.34.N 93. 9.W	29. 0.N 93. 3.W	28.49	169.37	78 618	78 630	12	74	0	0	0	L
4014	B	F	29.34.N 93. 9.W	28.57.N 93.17.W	37.65	190.71	78 618	78 710	22	72	74	2	0	L
4015	B	M	29.34.N 93. 9.W	29.10.N 93. 0.W	25.25	161.87	78 618	78 625	7	67	70	3	0	L
4016	B	M	29.34.N 93. 9.W	29. 6.N 93. 3.W	28.49	169.37	78 618	78 630	12	70	0	0	0	L
4017	B	F	29.34.N 93. 9.W	29. 2.N 93. 3.W	32.42	170.69	78 618	78 625	7	70	70	0	0	L
4018	B	M	29.34.N 93. 9.W	28.46.N 94.13.W	73.67	229.60	78 618	78 626	8	64	68	4	0	L
4019	B	F	29.34.N 93. 9.W	29. 5.N 93.10.W	29.01	181.75	78 618	78 626	8	69	72	3	0	L
4020	B	M	29.34.N 93. 9.W	29.10.N 93. 0.W	25.25	161.87	78 618	78 625	7	64	70	6	0	L
4021	B	M	29.34.N 93. 9.W	28.46.N 94.12.W	73.01	229.15	78 618	78 626	8	72	69	-3	0	L
4022	B	F	29.34.N 93. 9.W	28.37.N 92.46.W	60.44	100.48	78 618	78 7 5	17	70	69	-1	0	L
4023	B	M	29.34.N 93. 9.W	28.57.N 92.44.W	42.95	149.38	78 618	78 7 1	13	69	70	1	0	L
4024	B	F	29.34.N 93. 9.W	29. 8.N 93. 5.W	26.23	172.38	78 618	78 7 2	14	72	76	4	0	L
4025	B	M	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 618	78 7 2	14	70	75	5	0	L
4026	B	F	29.34.N 93. 9.W	29. 3.N 92.25.W	49.33	128.76	78 618	78 626	8	67	70	3	0	L
4027	B	M	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	0 0 0	0	71	73	2	0	L
4028	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	0 0 0	0	72	65	-7	0	L
4029	B	F	29.34.N 93. 9.W	29. 0.N 93. 3.W	28.49	169.37	78 618	78 630	12	71	0	0	0	L
4030	B	F	29.34.N 93. 9.W	29. 5.N 93. 4.W	29.32	171.45	78 618	78 625	7	74	74	0	0	L
4031	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	0 0 0	0	69	74	5	0	L
4032	B	F	29.34.N 93. 9.W	28.41.N 92.30.W	60.33	151.32	78 618	78 627	9	75	78	3	0	L
4033	B	F	29.34.N 93. 9.W	29. 0.N 93. 3.W	28.49	169.37	78 618	78 630	12	73	0	0	0	L
4034	B	M	29.34.N 93. 9.W	28.54.N 93. 2.W	40.46	171.30	78 618	78 714	26	67	70	3	0	L
4035	B	M	29.34.N 93. 9.W	29.10.N 93. 0.W	25.25	161.87	78 618	78 625	7	71	75	4	0	L
4036	B	M	29.34.N 93. 9.W	29. 3.N 93. 6.W	31.11	175.15	78 618	78 626	8	71	72	1	0	L
4037	B	M	29.34.N 93. 9.W	29.10.N 91. 5.W	110.70	102.01	78 618	781026	UNA	71	74	3	0	L
4038	B	M	29.34.N 93. 9.W	28.52.N 93. 3.W	42.32	172.88	78 618	78 625	7	62	66	4	0	L
4039	B	M	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 618	78 7 2	14	66	72	6	0	L
4040	B	F	29.34.N 93. 9.W	29. 5.N 93.10.W	29.01	181.75	78 618	78 626	8	74	80	6	0	L
4041	B	F	29.34.N 93. 9.W	29. 2.N 93. 3.W	32.42	170.69	78 618	78 625	7	75	80	5	0	L
4042	B	F	29.34.N 93. 9.W	29. 0.N 93. 7.W	34.04	177.10	78 618	78 627	9	78	77	-1	0	L
4043	B	M	29.34.N 93. 9.W	29.31.N 93. 8.W	3.14	162.80	78 618	78 627	9	76	75	-1	0	L
4044	B	M	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	0 0 0	0	69	70	1	0	L
4045	B	F	29.34.N 93. 9.W	29. 7.N 93. 2.W	27.68	167.24	78 618	78 720	32	61	68	1	0	L
4046	B	F	29.34.N 93. 9.W	29. 3.N 92.25.W	49.33	128.76	78 618	78 626	8	82	83	1	0	L
4047	B	F	29.34.N 93. 9.W	29. 1.N 93. 3.W	33.41	170.97	78 618	78 621	3	73	78	5	0	L
4048	B	M	29.34.N 93. 9.W	28.57.N 93.18.W	37.82	192.02	78 618	78 710	22	67	71	4	0	L
4049	B	M	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	0 0 0	0	64	64	0	0	L
4050	B	F	29.34.N 93. 9.W	28.54.N 93. 2.W	40.46	171.30	78 618	78 714	26	69	70	1	0	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN		CHANGE IN LN	RELÉ AREA	RELÉ STATE
										LN	LN			
4051	B	M	29.34.N 93. 9.W	28.48.N 93. 9.W	46.00	179.62	78 618	78 6 4	-14	66	72	4	0	L
4052	B	F	29.34.N 93. 9.W	29. 1.N 93. 1.W	27.89	165.48	78 618	78 624	6	61	64	3	0	L
4053	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 618	0 0 0	0	71	74	3	0	L
4054	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 619	78 7 3	14	70	64	-6	0	L
4055	B	F	29.34.N 93. 9.W	29. 1.N 93.22.W	34.89	199.02	78 619	78 712	23	67	70	9	0	L
4056	B	F	29.34.N 93. 9.W	29. 9.N 94.55.W	95.71	255.29	78 619	78 915	88	74	76	2	0	L
4057	B	M	29.34.N 93. 9.W	29. 8.N 92.45.W	33.37	141.09	78 619	78 7 5	16	70	71	1	0	L
4058	B	M	29.34.N 93. 9.W	28.55.N 93.25.W	41.42	199.70	78 619	78 7 4	15	68	72	4	0	L
4059	B	F	29.34.N 93. 9.W	29. 5.N 93. 5.W	29.21	173.11	78 619	78 7 2	13	77	82	5	0	L
4060	B	F	29.34.N 93. 9.W	28.50.N 92.57.W	45.23	166.50	78 619	78 621	2	65	64	-1	0	L
4061	B	M	29.34.N 93. 9.W	28.33.N 93.21.W	61.90	189.81	78 619	78 725	36	74	79	5	0	L
4062	B	F	29.34.N 93. 9.W	29. 3.N 93.17.W	31.77	192.71	78 619	78 7 4	15	75	78	3	0	L
4063	B	F	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 619	78 7 4	15	77	75	-2	0	L
4064	B	F	29.34.N 93. 9.W	29. 8.N 93. 5.W	26.23	172.38	78 619	78 7 3	14	65	70	5	0	L
4065	B	F	29.34.N 93. 9.W	29. 8.N 93. 5.W	26.23	172.38	78 619	78 7 2	13	60	70	4	0	L
4066	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 619	781027	UNA	78	84	6	0	L
4067	B	F	29.34.N 93. 9.W	29. 2.N 93. 8.W	32.01	176.44	78 619	78 7 4	15	70	70	0	0	L
4068	B	M	29.34.N 93. 9.W	29. 8.N 93. 5.W	26.23	172.38	78 619	78 7 2	13	67	73	6	0	L
4069	B	F	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 619	78 6 7	-12	77	80	3	0	L
4070	B	F	29.34.N 93. 9.W	28.45.N 93.20.W	49.93	191.14	78 619	78 7 4	15	76	82	6	0	L
4071	B	F	29.34.N 93. 9.W	28.52.N 93. 6.W	42.08	176.45	78 619	78 719	30	64	69	5	0	L
4072	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 619	78 6 7	-12	70	73	3	0	L
4073	B	F	29.34.N 93. 9.W	28.16.N 90.20.W	184.48	245.76	78 619	79 930	UNA	66	0	0	0	L
4074	B	F	29.34.N 93. 9.W	28.35.N 92.54.W	60.44	167.41	78 619	78 828	70	77	96	19	0	L
4075	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 619	0 0 0	0	72	70	0	0	L
4076	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 619	0 0 0	0	73	77	4	0	L
4077	B	F	29.34.N 93. 9.W	29. 3.N 93. 8.W	31.01	178.44	78 619	78 7 4	15	72	70	-2	0	L
4078	B	F	29.34.N 93. 9.W	28.41.N 94.31.W	89.11	233.84	78 619	78 719	30	79	83	4	0	L
4079	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 619	78 6 7	-12	72	64	-8	0	L
4080	B	M	29.34.N 93. 9.W	29.20.N 93.10.W	14.03	183.44	78 619	78 7 8	19	77	80	3	0	L
4081	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 619	0 0 0	0	68	70	2	0	L
4082	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 619	0 0 0	0	73	75	2	0	L
4083	B	F	29.34.N 93. 9.W	28.56.N 93.18.W	38.80	191.72	78 619	78 7 4	15	74	77	3	0	L
4084	B	F	29.34.N 93. 9.W	28.55.N 93.18.W	39.78	191.42	78 619	78 7 4	15	69	72	3	0	L
4085	B	F	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 619	78 7 4	15	65	70	5	0	L
4086	B	M	29.34.N 93. 9.W	28.54.N 93.18.W	40.76	191.15	78 619	78 6 7	-12	70	73	3	0	L
4087	B	M	29.34.N 93. 9.W	29. 2.N 93. 3.W	32.42	170.69	78 619	78 7 2	13	59	65	6	0	L
4088	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 619	0 0 0	0	84	83	-1	0	L
4089	B	F	29.34.N 93. 9.W	29. 6.N 93. 3.W	28.49	169.37	78 619	78 630	11	60	80	0	0	L
4090	B	F	29.34.N 93. 9.W	28.55.N 93.11.W	39.04	182.56	78 619	78 628	9	75	76	1	0	L
4091	B	F	29.34.N 93. 9.W	28.51.N 92.45.W	47.83	153.93	78 619	78 7 8	19	77	81	4	0	L
4092	B	M	29.34.N 93. 9.W	28.57.N 93.15.W	31.37	188.07	78 619	78 727	38	70	73	3	0	L
4093	B	F	29.34.N 93. 9.W	0. 0.N 0. 0.W	0.	0.	78 619	0 0 0	0	73	102	29	0	L
4094	B	F	29.34.N 93. 9.W	28.32.N 93.26.W	63.76	193.55	78 619	78 725	36	76	78	2	0	L
4095	B	F	29.34.N 93. 9.W	29. 3.N 93. 8.W	31.01	178.44	78 619	78 7 4	15	70	70	0	0	L
4096	B	F	29. 2.N 93.14.W	28.13.N 94.44.W	92.96	238.55	78 716	781021	97	68	99	31	0	L
4097	B	M	29. 2.N 93.20.W	28.40.N 94. 4.W	41.71	247.62	78 8 5	78 924	50	75	87	12	0	L
4098	B	U	29. 2.N 93.20.W	28.57.N 91.57.W	72.77	93.60	78 8 5	79 115	103	77	80	0	0	L
4099	B	F	29. 2.N 93.20.W	28.50.N 93.28.W	13.89	210.29	78 8 5	78 9 5	31	70	96	20	0	L
4100	B	F	29. 3.N 93.19.W	28.41.N 94.31.W	66.78	251.06	78 8 6	78 825	19	72	80	8	0	L

NO.	SP.	SEX	RELEASE LOCATION	RECAPTURE LOCATION	DISTANCE TRAVELED	DIRECTION TRAVELED	RELÉ DATE	RECAP DATE	DAYS AT LARGE	RELÉ LN		RECAP LN		CHANGE IN LN	RELÉ AREA	RELÉ STATE
										LN	LN	LN	LN			
4101	B	M	29. 3.N 93.19.W	28.20.N 94.17.W	02.89	234.20	78 8 6	78 924	49	82	93	11	0	L		
4102	B	F	29. 3.N 93.19.W	28.51.N 95.14.W	101.34	263.06	78 8 6	78 912	37	68	103	35	0	L		
4103	B	F	29. 3.N 93.19.W	28.46.N 94. 4.W	42.90	246.84	78 8 6	78 924	49	72	96	24	0	L		
4104	B	U	29. 3.N 93.19.W	28.29.N 93.55.W	46.39	223.01	78 8 6	781214	130	71	91	20	0	L		
4105	B	F	29. 3.N 93.19.W	28.50.N 94. 3.W	40.64	251.52	78 8 6	78 918	43	60	99	19	0	L		
4106	B	M	29. 3.N 93.19.W	28.37.N 94.40.W	75.57	250.20	78 8 6	78 918	43	62	78	16	0	L		
4107	B	U	29. 3.N 93.19.W	28.44.N 94. 5.W	44.53	244.93	78 8 6	78 920	45	80	100	20	0	L		
4108	B	U	29. 3.N 93.19.W	28.53.N 92.55.W	23.26	115.37	78 8 6	78 916	41	74	0	0	0	L		
4109	B	F	29. 3.N 93.20.W	28.46.N 94.52.W	82.31	258.45	78 8 7	7810 7	61	70	95	19	0	L		
4110	B	F	29. 3.N 93.20.W	28.46.N 94. 4.W	42.10	246.36	78 8 7	78 924	48	61	95	28	0	L		
4111	B	F	29. 3.N 93.20.W	28.50.N 93.28.W	14.71	208.34	78 8 7	78 9 6	30	85	97	12	0	L		
4112	B	U	29. 3.N 93.20.W	29.28.N 93.43.W	32.06	321.34	78 8 7	78 9 5	29	79	0	0	0	L		
4113	B	F	29. 3.N 93.20.W	0. 0.N 0. 0.W	0.	0.	78 8 7	0 0 0	UNA	69	0	0	0	L		
4114	B	U	29. 3.N 93.20.W	29. 0.N 94.30.W	61.28	267.4b	78 8 7	78 811	4	75	80	5	0	L		
4115	B	F	29. 3.N 93.20.W	0. 0.N 0. 0.W	0.	0.	78 8 7	0 0 0	0	82	93	11	0	L		
4116	B	M	29. 3.N 93.20.W	28.50.N 94. 3.W	39.81	251.11	78 8 7	78 9 2	26	69	77	8	0	L		
4117	B	F	29. 3.N 93.20.W	28.38.N 93.16.W	25.25	171.99	78 8 7	78 9 3	27	86	86	0	0	L		
4118	B	F	29. 3.N 93.20.W	28.50.N 92.45.W	33.27	112.86	78 8 7	781028	82	78	0	0	0	L		
4119	B	F	29. 3.N 93.20.W	28.29.N 92.27.W	57.57	125.98	78 8 7	7811 5	90	73	100	27	0	L		
4120	B	F	29. 3.N 93.20.W	28.14.N 94.55.W	96.71	239.94	78 8 7	79 620	317+->30	82	118	36	0	L		
4121	B	M	29. 2.N 93.17.W	28.48.N 94.10.W	48.46	253.42	78 8 8	7810 7	60	69	86	17	0	L		
4122	B	M	29. 2.N 93.17.W	28.26.N 94.33.W	75.74	241.93	78 8 8	781023	76	65	88	23	0	L		
4123	B	F	29. 2.N 93.17.W	28. 2.N 95.33.W	133.70	243.88	78 8 8	781213	127	71	104	33	0	L		
4124	B	U	29. 2.N 93.17.W	28.18.N 91.12.W	118.17	111.36	78 8 8	79 114	159	70	112	42	0	L		
4125	B	F	29. 2.N 93.17.W	28. 1.N 95.40.W	139.66	244.68	78 8 8	79 212	188+-3	73	0	0	0	L		
4126	B	U	29. 2.N 93.17.W	28.39.N 95. 4.W	96.51	256.64	78 8 8	78 9 2	25	71	92	15	0	L		
4127	B	U	29. 2.N 93.17.W	28.25.N 93.18.W	37.01	181.34	78 8 8	781017	70	78	92	14	0	L		
4128	B	M	29. 2.N 93.17.W	0. 0.N 0. 0.W	0.	0.	78 8 8	7910 1	419+-30	74	101	27	0	L		
4129	B	M	29. 2.N 93.17.W	28.50.N 93.58.W	36.36	260.67	78 8 8	78 910	33	69	79	10	0	L		
4130	B	M	29. 2.N 93.17.W	28.15.N 94.42.W	88.17	238.13	78 8 8	781214	128	75	90	15	0	L		
4131	B	F	29. 2.N 93.17.W	0. 0.N 0. 0.W	0.	0.	78 8 8	0 0 0	UNA	73	0	0	0	L		
4132	B	M	29. 2.N 93.17.W	29. 0.N 92.48.W	25.44	94.39	78 8 8	78 815	7	66	73	7	0	L		
4133	B	F	29. 2.N 93.17.W	29.33.N 92.20.W	58.54	57.82	78 8 8	79 128	173	76	113	37	0	L		
4134	B	F	29. 2.N 93.17.W	28.46.N 94. 4.W	44.15	248.94	78 8 8	78 924	47	77	95	18	0	L		
4135	B	F	29. 2.N 93.17.W	28.20.N 96.20.W	165.94	250.07	78 8 8	791122	471+-3	0	102	0	0	L		
4136	B	F	29. 2.N 93.17.W	28.46.N 94. 4.W	44.15	248.94	78 8 8	78 924	47	76	89	13	0	L		
4137	B	M	29. 2.N 93.17.W	28.35.N 92.54.W	33.69	143.16	78 8 8	78 828	20	67	75	8	0	L		
4138	B	F	29. 2.N 93.17.W	28.50.N 94. 0.W	39.50	252.49	78 8 8	78 918	41	76	94	18	0	L		

INCOMPLETE RECORD TABULATION

NO DATES	NO SPECIES	NO RECAPTURE LENGTHS	NO SEX
95	0	278	216

LEGEND

SPECIES CODE: W=WHITE; P=PINK; B=BROWN; U=UNKNOWN

SEX CODES: M=MALE; F=FEMALE; U=UNKNOWN

DISTANCE TRAVELED IS IN NAUTICAL MILES

DIRECTION TRAVELED IS COMPASS HEADING (AS THE CROW FLIES) FROM RELEASE LOCATION
TO POINT OF RECAPTURE IN DEGREES AND TENTHS OF DEGREES

DATES ARE IN THE FORM: YEAR,MONTH,DAY

NEGATIVE DAYS OUT ARE RECORDED AS RECEIVED

DAYS OUT HAS +- IF RECAPTURE DATE IS NOT KNOWN EXACTLY,
IF RECAPTURE DATE IS ONLY DATE FOUND DAYS OUT WILL BE
ZERO AND NA FOR NOT APPLICABLE

ALL LENGTHS ARE IN MILLIMETERS TAIL

LENGTHS AT RECAPTURE ARE RECORDED AS RECEIVED EVEN IF NEGATIVE GROWTH IS INDICATED

RELEASE AREA KEY: I=INSHORE; O=OFFSHORE

RELEASE STATE KEY: L=LOUISIANA; T=TEXAS; M=MEXICO

INCOMPLETE RECORD TABULATION: COUNTS ARE NOT ADDITIVE;
I.E., A RECORD MAY BE MISSING A RECAPTURE LENGTH AND DATE
AND BE COUNTED IN BOTH CATEGORIES