ACOUSTIC SOLUTIONS by unika vaev



UNIKA VAEV

The workplace as we know it is evolving. With the increasing popularity of open concept layouts, the need for creative ways to divide space and absorb sound is greater than ever. Introducing HON acoustics by Unika Vaev. We've partnered with one of the most trusted brands in the acoustic industry to bring you several of their most popular models from their standard collection. This partnership will fulfill the growing need for sound absorption in the workplace by providing proven acoustic solutions sold by HON.





FEATURES

- Choose from wall, ceiling, and freestanding acoustic products.
- Unique shapes and designs allow for a functional and customized space.
- Freestanding and select hanging models allow for a creative way to divide your space.
- Blend in or stand out with multiple finish options.
- Products ship directly from Unika Vaev.
- Follows HON standard freight terms.
- **HON 5-Year Limited Warranty.**

ACOUSTIC SOLUTIONS ORDERING INFORMATION

	ecoustic® Felt	Solid Core	Salsa	Dox	Fraster Felt			
Wall-Mounted Tiles								
e3 Collection		•						
ecoustic® Foliar	•							
ecoustic® Linear	•							
ecoustic® Matrix	•							
ecoustic® Torque	•							
Ceiling-Mounted Tiles								
ecoustic® Arbor Alto		•						
ecoustic® Ceiling Flats		•						
ecoustic® Matrix		•						
ecoustic® Torque	•							
ecoustic® Measure Baffles		•						
Hanging Screens								
ScreenTrak® Bass Collection	•							
ScreenTrak® Alto		•						
Free-standing Screens								
MixMax					•			
Softline			•	•				

(02/2020) ${\sf ScreenTrak} \ {\sf and} \ {\sf ecoustic} \ {\sf are} \ {\sf registered} \ {\sf trademarks} \ {\sf of} \ {\sf Unika} \ {\sf Vaev}.$

ecoustic®



^{*} Applied over Black solid core on ScreenTrak* Bass Hanging Screens.

^{**} Applied over White solid core on ScreenTrak® Bass Hanging Screens.

ACOUSTIC SOLUTIONS ORDERING INFORMATION

Solid Core



DAL1 Almond



DAZ1 Arizona



DBB1 Bluebell



DCL1 Cool



DGX1 Galaxy



DRS1 Iris



DLF1 Leaf



DXD1





Tungsten





DDM1 Denim



DFN1 Fawn



DHZ1 Horizon



DLV1 Olive



Oxide



Snowdrop



Venus



Salsa



SL30 Light Grey



SL31 Blue



DL32 Dark Mid Grey



SL33 Yellow



SL34 Dark Yellow



SL35 Green



SL36 Mid Grey



SL39 Pink



SL40 Dark Blue



Light Pink

SL55 Green



SL56 Brown



SL57 Beige

Dox



DOX50 Black



DOX51 Dark Grey



DOX52 Middle Grey



DOX53 Light Grey

Fraster Felt



Red



FF105

Orange

Curry

FF262 Mint





FF312 Azur



FF136

Wine

FF399 Banana











Dust Green



Silver

FF426

Black





FF175





FF190

Beaver

Moss

Sepia



FF220

Deer



FF250

Truffle



Flamingo









ACOUSTIC SOLUTIONS Wall

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
e3 Solid Core Parallelogram 8¾" x 7½" x ½", Box of 15	HUVPAWT	5.0	0.2	\$928
e3 Solid Core Triangle 8¾" Equilateral Sides, Box of 30	HUVTRWT	5.2	0.6	\$928
e3 Solid Core Rectangle 8¾" x 17½", Box of 8	HUVREWT	5.4	1.0	\$928
e3 Solid Core Large Square 8 ³ / ₄ " x 8 ³ / ₄ ", Box of 14	HUVLSWT	5.2	0.6	\$883
e3 Solid Core Small Square 2½" x 2½", Box of 56	HUVSSWT	5.2	0.6	\$883
e3 Solid Core Wave 17½" x 8½", Box of 8	HUVWVWT	5.2	0.6	\$928
e3 Solid Core Hexagon 17½" x 15¼", Box of 5	HUVHEWT	5.2	0.6	\$928

• Tiles sold in sets of individual shapes. Tiles can be arranged and combined to form larger and more intricate shapes. Attaches to wall by adhesive backing. Content: 100% PET (>50% Recycled PET)

Application: Wall


NRC: 0.40

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Drift ecoustic* Wall Tiles 19"/6" W x 19"/6" H x 1¼"D, 8 per box	HUVDRWT	13.2	4.3	\$3000
NOTES: Attaches via wall clips. Content: 100% PET (>50% Recycled PET) Application: Wall NRC: 0.85				
Matrix ecoustic* Wall Tiles 19"1/6"/W x 19"1/6"/H x 15/6"/D, 8 per box	HUVMAWT	13.2	4.3	\$3000
NOTES: Attaches via wall clips. Content: 100% PET (>50% Recycled PET) Application: Wall NRC: 0.90				
Torque ecoustic* Wall Tiles 22½"W x 22½"H x 1½"D, 8 per box	ничтошт	15.4	5.3	\$3000
NOTES: Attaches via wall clips. Content: 100% PET (>50% Recycled PET) Application: Wall NRC: 0.80				
Foliar ecoustic* Wall Tiles 17½"W x 19¾"H x 23½"D, 5 per box	HUVFOWT	9.0	3.0	\$2424
NOTES: Attachment plastic frame screws to the wall. Content: 100% PET (>50% Recycled PET) Application: Wall NRC: 0.80				

HOW TO SPECIFY


Select **Model Number** Select Material

Specify ecoustic® Felt for Wall Tiles and PET Solid Core for e3 Tiles





ACOUSTIC SOLUTIONSCeiling Tiles and Screens



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Matrix ecoustic* Ceiling Tiles 23^{7} / ϵ ''W x 23^{7} / ϵ ''H x 2^{9} / ϵ ''D, Pack of 8 tiles 47^{1} / ϵ ''W x 23^{7} / ϵ ''H x 2^{9} / ϵ ''D, Pack of 8 tiles	HUVMAWT24	15.4	5.3	\$3060
	HUVMAWT48	30.9	10.7	\$4605
Torque ecoustic* Ceiling Tiles 23¾"'W x 23¾"'H x 1¾"'D, Pack of 8 tiles 47½"'W x 23¾"'H x 1¾"'D, Pack of 8 tiles	HUVTOWT24	15.4	5.3	\$3060
	HUVTOWT48	30.9	10.7	\$4605

NOTES: Matrix and Torque tile packs contain groups of eight solid colors. Fits directly into 2' x 2' or 2' x 4' drop ceiling grid. Tiles replace ceiling tiles already in the grid. Tiles slide into grid at an angle and are held in by the edge of the tile. No hardware is needed. Content: 100% PET (>50% Recycled PET)

Application: Ceiling

NRC: 0.80 (Torque), 0.75 (Matrix)



Measure Baffles 47"W x 103/4"H **HUVMBHS48** 15.0 0.8 \$1174 96"W x 103/4"H **HUVMBHS96** 30.0 1.6 \$1475

NOTES: Ships 4 per box with 4' hanging cords. Attaches via ceiling brackets (not included). Attachment hardware to ceiling should be procured by installers.

Content: 100% PET Application: Ceiling NRC: 0.80





ScreenTrak® Bass Hanging Screen — Felt				
95"H x 46"W x ½"D, Diamond Plate	HUVSTBHSD	17.4	2.7	\$2415
95"H x 46"W x ½"D, Pinwheel X	HUVSTBHSP	17.4	2.7	\$2415
95"H x 46"W x ½"D. Trellis	HUVSTBHST	17.4	2.7	\$2415

NOTES: Solid core with felt on top — black or white solid core is automatically assigned to each color. See page 2 for color/felt applications.

ScreenTrak® Alto Hanging Screen — Solid Color Core

95"H x 46"W x ½"D, Diamond Plate	HUVSTAHSD	17.4	2.7	\$2152
95"H x 46"W x ½"D, Pinwheel X	HUVSTAHSP	17.4	2.7	\$2152
95"H x 46"W x ½"D, Trellis	HUVSTAHST	17.4	2.7	\$2152

NOTES: Ships with 10' hanging cords.

Qualified in the contract of the contract o installers.

Content: 100% PET (>50% Recycled PET) Application: Vertical Surfaces/Screens NRC: 0.20



Arbor Alto ecoustic* Hanging Screen — Solid Color Core

0.8 48"H x 48"W x 41/4"-71/4"D **HUVAAHS** 15.0 \$1254

NOTES: Kit format contains 8 fins and 4' hanging cords.

Ceiling attachment is not included due to many ceiling types and materials. Attachment hardware to ceiling should be procured by installers.

Content: 100% PET Application: Ceiling NRC: 0.80



ecoustic® Ceiling Flats

24" x 24", Box of 8 **HUVCFCT24** 15.4 5.3 \$2199 24" x 48", Box of 4 **HUVCFCT48** 30.9 10.7 \$2337

NOTES: Fits directly into 2' x 2' or 2' x 4' dropped ceiling grid. Flats replace ceiling tiles already in the grid. Tiles slide into grid at an angle and are held in by the edge of the tile. No hardware is needed.

Content: 100% PET (>50% Recycled PET)

Application: Ceiling NRC: 0.47

HOW TO SPECIFY

Select **Model Number** Select Felt/Solid Core

See pages 2-3

ACOUSTIC SOLUTIONSFloor Screens




DESCR	RIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
MixMax					
55"W x	59"H	HUVMMFS55	19.8	24.4	\$3619
63''W x	59"H	HUVMMFS63	22.7	24.4	\$3999

NOTES:

- Available in one solid color. For multicolor options contact HON Tailored Solutions.
- Content: 100% 3mm Wool Felt exterior. 100% Foamed PVC Plate interior.
- · Application: Floor Screen
- NRC: 0.80

HOW TO SPECIFY



ACOUSTIC SOLUTIONSFloor Screens



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Softline Floor Screen				
32"W x 54"H	HUVSLFS3254	20	12.5	\$998
32"W x 59"H	HUVSLFS3259	25	12.5	\$1218
32"W x 67"H	HUVSLFS3267	30	12.5	\$1377
40"W x 54"H	HUVSLFS4054	22	10.4	\$1146
40"W x 59"H	HUVSLFS4059	28	10.4	\$1331
40"W x 67"H	HUVSLFS4067	33	10.4	\$1498
47′′W x 54′′H	HUVSLFS4754		7.8	\$1267
47"W x 59"H	HUVSLFS4759	31	7.8	\$1445
47"W x 67"H	HUVSLFS4767	38	7.8	\$1586
		25 31 38		

NOTES: Ships with glides and small connectors. If freestanding screens are desired, order leg set with or without casters options below.

Must be used at least in an L configuration for panels to stand.

Must be used at least in an L configuration	on for panels to stand.			
Softline Floor Screen with Leg Set				
32"W x 54"H	HUVSLFS3254L	25	12.5	\$1300
32"W x 59"H	HUVSLFS3259L	30	12.5	\$1520
32"W x 67"H	HUVSLFS3267L	35	12.5	\$1679
40"W x 54"H	HUVSLFS4054L	27	10.4	\$1448
40"W x 59"H	HUVSLFS4059L	33	10.4	\$1633
40"W x 67"H	HUVSLFS4067L	38	10.4	\$1800
47′′W x 54″H	HUVSLFS4754L	30	7.8	\$1569
47"W x 59"H	HUVSLFS4759L	36	7.8	\$1747
47"W x 67"H	HUVSLFS4767L	43	7.8	\$1888
NOTES: Legs allow for screens to be freestar	nding.			
Softline Floor Screen with Leg Set and Cast	ters			
32"W x 54"H	HUVSLFS3254LC	26	12.5	\$1360
32"W x 59"H	HUVSLFS3259LC	31	12.5	\$1580
32"W x 67"H	HUVSLFS3267LC	36	12.5	\$1739
40"W x 54"H	HUVSLFS4054LC	28	10.4	\$1508
40"W x 59"H	HUVSLFS4059LC	34	10.4	\$1693
40′′W x 67′′H	HUVSLFS4067LC	39	10.4	\$1860
47′′W x 54′′H	HUVSLFS4754LC	31	7.8	\$1629
47"W x 59"H	HUVSLFS4759LC	37	7.8	\$1807
47"W x 67"H	HUVSLFS4767LC	44	7.8	\$1948
NOTES: Casters allow screens to be mobile.				

- Softline is manufactured on the basis of technical, environmental, and production ethical requirements. There are no emissions to air, water, or land during the production of Softline. The sound-absorbent core of Softline contains recycled materials. Materials in Softline screens are recyclable, either as material recycling or energy recovery.
- · Softline screens are 2" thick.
- Core Content: 100% Mineral Wool
- Frame Content: 100% Pine
- Base Content: 100% Steel lacquered in Black, Gray, or White
- Application: Floor Screen
- NRC: 0.75

HOW TO SPECIFY

Select Model Number	Select Fabric	Select Paint Color
	See page 3	Specify on screens with legs and legs with casters only SVR Silver WHTT White Texture BLKT Black Texture
HUVSLFS4054L.	S L 4 0.	WHTT