



# HP LaserJet Enterprise MFP M725dn (CF066A)



## Overview

**Get precise document finishing, one-touch workflows, and many scan-to options on a versatile A3 MFP.**

Print on a wide range of paper sizes—up to A3—with a standard 600-sheet input capacity. Preview and edit scanning jobs. Centrally manage printing policies. Safeguard sensitive business information.

### **Expand your options with sharp A3 printing**

Empower your teams to do more—print, scan, and copy on paper sizes up to A3—from a desktop-sized MFP.

### **Quicken your business pace.**

Streamline tasks—print, scan, and copy projects directly at the MFP's large color touchscreen.

### **Manage and protect your fleet for the long run.**

Simplify fleet management using world-class tools such as HP Web Jetadmin,[7] and reliably safeguard devices.

### **Help save energy and reduce environmental impact.**

Reduce energy use with HP Auto-On/Auto-Off Technology,[9] and conserve power with Instant-on Technology.[11]

## Features



A3 support



Only the power you need<sup>[14]</sup>



Prints in a flash, savings that last<sup>[15]</sup>



On-the-go printing with HP ePrint<sup>[16]</sup>



Unleash your printing<sup>[17]</sup>



Scan in Color

---

*[7]HP Web Jetadmin is free and can be downloaded at [hp.com/go/webjetadmin](http://hp.com/go/webjetadmin).*

*[9]HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.*

*[11]Compared with products that use traditional fusing.*

*[14] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.*

*[15] When compared with fluorescent tubes.*

*[16] Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at <http://www.hp.com/go/mobileprinting>*

*[17] Mobile device needs to be connected directly to the wireless network of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer.*

## Specifications

<b>Print Resolution Technologies</b>	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology 600 dpi, 300 dpi
<b>Print quality black (best)</b>	Up to 1200 x 1200 dpi
<b>Print speed black (ISO, A4)</b>	Up to 41 ppm
<b>Print speed black (ISO, letter)</b>	Up to 40 ppm
<b>Print speed</b>	Print speed up to 40 ppm (black)
<b>Functions</b>	Print, copy, scan
<b>Duplex printing</b>	Automatic (standard)
<b>Duty cycle (monthly, A4)</b>	Up to 200,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 200,000 pages
<b>Printer smart software features</b>	HP ePrint, Apple AirPrint, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, HP Auto-On/Auto-Off technology, Easy Access USB, Image Preview
<b>Copier smart software features</b>	Auto scale; Reduce/Enlarge from scanner glass (25 to 400%); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build; staple
<b>Scanner advanced features</b>	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets
<b>Energy savings feature technology</b>	HP Auto-On/Auto-Off Technology; Instant-on Technology
<b>Replacement cartridges</b>	HP 14A Black LJ Toner Cartridge CF214A (10,000 pages); HP 14X Black LJ Toner Cartridge CF214X (17,500 pages)
<b>Connectivity, standard</b>	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host
<b>Connectivity, optional</b>	HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A
<b>Network capabilities</b>	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)
<b>Wireless capability</b>	Optional, enabled with purchase of a hardware accessory
<b>Mobile printing capability</b>	HP ePrint; Apple AirPrint™; Mopria™-certified
<b>Network protocols, supported</b>	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, XMPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print
<b>Software included</b>	Windows Installer, HP PCL 6 discrete driver, Mac SW Link to Web, [Postscript emulation driver & Installer on Web], Note: No Mac SW inbox

## Compatible Operating Systems

Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32 and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X 10.6, OS X Lion, OS X Mountain Lion; For the latest operating system support see: Citrix and Windows Terminal Services (<http://www.hp.com/go/upd>); Novell (<http://www.novell.com/iprint>); Linux (<http://www.hplip.net>); UNIX (<http://www.hp.com/go/unix>, <http://www.hp.com/go/unixmodelscripts>, [http://www.hp.com/go/jetdirectunix\\_software](http://www.hp.com/go/jetdirectunix_software)); SAP device types (<http://www.hp.com/go/sap/drivers>, <http://www.hp.com/go/sap/print>); HP ePrint Mobile Driver (<http://www.hp.com/go/eprintmobiledriver>)  
*(Windows Installer has the same Operating System support as the driver except the following: Windows XP SP2+ (32-bit only); Windows Server 2003 SP1+ (32-bit only); Windows Vista Starter not supported in Driver nor Installer)*

<b>Sustainable impact specifications</b>	Mercury Free
<b>Energy star certified</b>	Yes
<b>Energy efficiency</b>	ENERGY STAR® qualified, CECP, EPEAT® Silver
<b>Copy speed (black, normal quality, A4)</b>	Up to 41 cpm
<b>Copy speed black (normal, letter)</b>	Up to 40 cpm
<b>Copy speed black duplex (A4)</b>	Up to 27 ipm
<b>Copy speed black duplex (Letter)</b>	Up to 27 ipm
<b>Digital sending standard features</b>	Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL
<b>Digital sending optional features</b>	Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book
<b>Faxing</b>	Optional
<b>Scan speed (normal, A4)</b>	Up to 50 ppm (black and white), up to 30 ppm (color)
<b>Scan speed (normal, letter)</b>	Up to 49 ppm (black and white), up to 30 ppm (color)
<b>Scan file format</b>	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A
<b>Scan input modes</b>	Copy, scan to e-mail, scan to network folder, scan to USB, save to device memory, fax, Open Extensibility Platform (OXF) applications
<b>Scan technology</b>	Charge Coupled Device (CCD)
<b>Scanner type</b>	Flatbed, ADF
<b>Display</b>	8.0-in (20.3 cm) touchscreen; LCD (color graphics) ; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
<b>Minimum dimensions (W x D x H)</b>	614 x 649 x 609 mm
<b>Minimum dimensions (W x D x H)</b>	24.2 x 25.6 x 24 in
<b>Weight</b>	54.11 kg
<b>Weight</b>	119.3 lb

890 watts (Active print/copy), 39 watts (Ready), 6.5 watts (Sleep), 0.3 watts (Off)

**Power consumption**

*(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see [hp.com/support](http://hp.com/support) for current information.)*

**Power supply type**

Built-in power supply

**What's in the box**

HP LaserJet Enterprise MFP M725; HP Black LaserJet Toner Cartridge (10,000 pages); Hardware Installation Guide; Support flyer; Warranty guide; Printer documentation and software on CD-ROM; Power cord

**Warranty**

One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <http://www.hp.com/support> to learn about HP award winning service and support options in your region.

## Additional specifications

<b>ADF Capacity</b>	100
<b>Accessories</b>	HP LaserJet 500-sheet Feeder and Tray CF239A, HP LaserJet 1 x 500-sheet Paper Feeder with Cabinet and Stand CF243A, HP LaserJet 3 x 500-sheet Feeder and Stand CF242A, HP LaserJet 3500-sheet HCI Feeder and Stand CF245A, HP Staple Cartridge Refill C8091A, HP 200-pin DDR2 512 MB x64 DIMM CF306A, HP LaserJet MFP Analog Fax Accessory 500 CC487A, HP LaserJet 110V Maintenance/Fuser Kit CF249A, HP LaserJet 220V Maintenance/Fuser Kit CF254A, HP 100 ADF Roller Replacement Kit L2718A
<b>Acoustic power emissions (active copy)</b>	7.1 B(A)
<b>Acoustic power emissions (active scan)</b>	6.8 B(A)
<b>Acoustic power emissions (active, printing)</b>	6.8 B(A)
<b>Acoustic power emissions (ready)</b>	5.0 B(A)
<b>Acoustic power note</b>	Acoustic values are subject to change. For current information see <a href="http://hp.com/support">hp.com/support</a> . Configuration tested: base model, simplex printing, A4 paper at an average of 40 ppm.
<b>Acoustic pressure emissions bystander (active copy)</b>	56 dB(A)
<b>Acoustic pressure emissions bystander (active scan)</b>	52 dB(A)
<b>Acoustic pressure emissions bystander (active, printing)</b>	54 dB(A)
<b>Acoustic pressure emissions bystander (ready)</b>	36 dB(A)
<b>Automatic document feeder capacity</b>	Standard, 100 sheets
<b>Automatic paper sensor</b>	No
<b>Bit depth</b>	24-bit
<b>Bottom margin (A4)</b>	2 mm
<b>Cable included</b>	No, please purchase USB cable separately
<b>Capacity</b>	500 GB
<b>Color scanning</b>	Yes
<b>Control panel</b>	8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket
<b>Copier scaling (ADF)</b>	25 to 400%
<b>Copier settings</b>	Sides; Collate; Paper Selection; Reduce/Enlarge; Image Adjustment; Content Orientation; Pages per sheet; Booklet format; Edge to Edge; Optimize Text/Picture; Original Size; Job Build

<b>Copies, maximum</b>	Up to 9999 copies
<b>Copy reduce / enlarge settings</b>	25 to 400%
<b>Copy resolution (black graphics)</b>	600 x 600 dpi
<b>Copy resolution (black text)</b>	600 x 600 dpi
<b>Copy speed note</b>	First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <a href="http://hp.com/go/printerclaims">hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
<b>Count of cartons per pallet layer</b>	1
<b>Count of layers in pallet</b>	1
<b>Country of origin</b>	Made in China; Netherlands; Mexico
<b>Downloadable software</b>	Universal Print Driver for Windows, Windows CD image, Mac CD Image, Web JetAdmin, Smart Web Printing In-House Marketing, Unix/Linux driver, Enterprise installer utility, Plug and Play bundles
<b>Driver updates</b>	Recent printer drivers for all supported operating systems are available at <a href="http://hp.com/go/ljMFPM725_software">hp.com/go/ljMFPM725_software</a>
<b>Duplex ADF scanning</b>	Yes, reversing ADF
<b>Duty cycle note</b>	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
<b>Eco label</b>	ENERGY STAR® qualified
<b>Electromagnetic compatibility</b>	CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:1998+A1+A2; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries
<b>Envelope Feeder</b>	No
<b>FCC Class A emissions</b>	FCC Class A emissions - for use in commercial environments, not residential environments
<b>File Format Supported</b>	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
<b>Finished output handling</b>	Sheetfed
<b>First copy out black (letter)</b>	As fast as 10.5 sec
<b>First page out black (A4, ready)</b>	As fast as 10 sec
<b>First page out black (letter, ready)</b>	As fast as 10 sec
<b>First page out color (letter, sleep)</b>	As fast as 20.5 sec
<b>First page out footnote</b>	Exact speed varies depending on the system configuration, software application, driver and document complexity.

<b>Fonts and typefaces</b>	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://hp.com/go/laserjetfonts">hp.com/go/laserjetfonts</a>
<b>HP ePrint capability</b>	Yes
<b>Input capacity</b>	Up to 600 sheets
<b>Internal Storage</b>	Standard, embedded HP High-Performance Secure Hard Disk, minimum 500 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)
<b>Left margin (A4)</b>	2 mm
<b>Levels of grayscale</b>	256
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 10 envelopes
<b>Maximum Memory</b>	1.5 GB
<b>Maximum dimensions (W x D x H)</b>	865 x 989 x 609 mm
<b>Maximum dimensions (W x D x H)</b>	34.1 x 38.9 x 24 in
<b>Maximum input capacity (sheets)</b>	Up to 4600 sheets
<b>Maximum metric depth</b>	989
<b>Maximum metric height</b>	609
<b>Maximum metric width</b>	865
<b>Maximum output capacity (sheets)</b>	Up to 250 sheets
<b>Maximum print area</b>	308 x 465.9 mm
<b>Media size (ADF)</b>	Letter; letter-R; executive; legal; 11 x 17 in; U.S. checks; 4 x 6 in; 5 x 7 in; 5 x 8 in; A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B6 (JIS); 16K
<b>Media size, tray 1</b>	A4; A5; B4 (JIS); B5 (JIS); 76.2 x 127 to 312 x 469.9 mm
<b>Media size, tray 2</b>	A4; A5; B4 (JIS); B5 (JIS); 148 x 210 to 297 x 363 mm
<b>Media size, tray 3</b>	A3; A4; A5; B4 (JIS); B5 (JIS); 148 x 210 to 297 x 431 mm
<b>Media sizes supported</b>	Tray 1, 2: Letter, legal, executive, 8.5 x 13 in; Tray 3: letter, legal, executive, 8.5 x 13 in, 11 x 17 in
<b>Media sizes supported</b>	A3; A4; A5; B4 (JIS); B5 (JIS)
<b>Media sizes supported, key</b>	A4; A3
<b>Media sizes supported, key</b>	Letter; Legal; 11 x 17 in
<b>Media sizes, custom</b>	Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 x 363 mm; Tray 3: 148 x 210 to 297 x 431 mm
<b>Media sizes, custom</b>	Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 to 11.7 x 14.3 in; Tray 3: 5.8 x 8.3 to 11.7 x 17 in
<b>Media type and capacity, ADF</b>	Sheets: 100



<b>Media type and capacity, tray 1</b>	Sheets: 100; envelopes: 10; labels: 100; transparencies: 100; postcards: 10
<b>Media type and capacity, tray 2</b>	Sheets: 250
<b>Media type and capacity, tray 3</b>	Sheets: 250
<b>Media types</b>	Paper (color, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum
<b>Media weight (tray 1)</b>	60 to 199 g/m <sup>2</sup>
<b>Media weight (tray 2)</b>	60 to 120 g/m <sup>2</sup>
<b>Media weight (tray 3)</b>	60 to 120 g/m <sup>2</sup>
<b>Media weight, supported</b>	Tray 1: 16 to 53 lb; Tray 2, 3: 16 to 32 lb
<b>Media weight, supported</b>	Tray 1: 60 to 199 g/m <sup>2</sup> ; Trays 2, 3: 60 to 120 g/m <sup>2</sup>
<b>Media weights, supported ADF</b>	45 to 199 g/m <sup>2</sup>
<b>Media weights, supported ADF</b>	12 to 53 lb
<b>Memory</b>	1 GB
<b>Memory Slots</b>	1 slot, 200-pin, DDR2 DIMM
<b>Memory upgrade</b>	Expandable to 1.5 GB through 512 MB industry-standard DIMM
<b>Metric depth</b>	649
<b>Metric height</b>	609
<b>Metric width</b>	614
<b>Minimum System Requirements</b>	Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 (64-bit); 200 MB available hard disk space; operating system compatible hardware system requirements, see <a href="http://www.microsoft.com">http://www.microsoft.com</a>
<b>Minimum System Requirements for Macintosh</b>	Mac OS X 10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; operating system compatible hardware system requirements, CD-ROM/DVD-ROM or Internet, see <a href="http://apple.com">apple.com</a>
<b>Multitasking supported</b>	Yes
<b>Network ready</b>	Standard (built-in Gigabit Ethernet)
<b>Non-Operating Humidity Range</b>	10 to 90% RH
<b>Number of print cartridges</b>	1 (black)
<b>Number of users</b>	10-30 Users
<b>Operating humidity range</b>	20 to 80% RH
<b>Operating temperature range</b>	50 to 91°F
<b>Operating temperature range</b>	10 to 32.5°C
<b>Output capacity</b>	Up to 250 sheets
<b>Package dimensions (W x D x H)</b>	760 x 745 x 832 mm
<b>Package dimensions (W x D x H)</b>	29.9 x 29.3 x 32.8 in
<b>Package weight</b>	68.6 kg

<b>Package weight</b>	151 lb
<b>Page yield footnote</b>	Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <a href="http://hp.com/go/learnaboutesupplies">hp.com/go/learnaboutesupplies</a> .
<b>Pallet dimensions</b>	29.9 x 29.3 x 32.8 in
<b>Pallet dimensions (W x D x H)</b>	760 x 745 x 832 mm
<b>Pallet weight</b>	68.6 kg
<b>Pallet weight</b>	151 lb
<b>Paper handling input, optional</b>	Optional 500-sheet input tray, optional 1 x 500-sheet paper feeder with cabinet and stand, optional 3 x 500-sheet paper feeder with stand, optional 3500-sheet high capacity input tray with stand
<b>Paper handling input, standard</b>	100-sheet multipurpose tray, two 250-sheet input trays
<b>Paper handling output, standard</b>	250-sheet output bin
<b>Paper trays, maximum</b>	6
<b>Paper trays, standard</b>	3
<b>Photo (product photo, jpg, 190x170)</b>	Printers and Multifunction/CF066A_190x170.jpg
<b>Photo (product photo, jpg, 70x100)</b>	Printers and Multifunction/CF066A_70x100.jpg
<b>Ports</b>	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host
<b>Power</b>	Input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)
<b>Print Technology</b>	Laser
<b>Print colors</b>	No
<b>Print languages</b>	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PDF 1.4
<b>Print quality black (normal)</b>	HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology
<b>Print speed black (normal, A3)</b>	Up to 20 ppm
<b>Print speed black (normal, tabloid)</b>	Up to 20 ppm
<b>Print speed duplex (A4)</b>	Up to 28 ipm
<b>Print speed duplex (letter)</b>	Up to 28 ipm
<b>Print technology</b>	Laser
<b>Printer Management</b>	HP Web Jetadmin, HP Utility (Mac)
<b>Processor speed</b>	800 MHz
<b>Quantity per pallet</b>	1
<b>RMN number</b>	BOISB-1105-01
<b>Recommended media weight (duplex)</b>	16 to 32 lb

<b>Recommended media weight (duplex)</b>	60 to 199 g/m <sup>2</sup>
<b>Recommended monthly page volume</b>	5000 to 20,000
<b>Recommended monthly scan volume</b>	6250 to 10,500
<b>Recommended operating humidity range</b>	30 to 70% RH
<b>Recommended operating temperature range</b>	10 to 32.5°C
<b>Recommended operating temperature range</b>	50 to 91°F
<b>Replacement cartridges footnote</b>	Average declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://hp.com/go/learnaboutesupplies">hp.com/go/learnaboutesupplies</a> .
<b>Resolution</b>	600 dpi
<b>Right margin (A4)</b>	2 mm
<b>Safety</b>	IEC 60950-1:2005 +A1; EN60950-1: 2006 +A11:2009 +A1:2010 +A12:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/LED Product); UL/cUL Listed (USA/Canada); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries
<b>Scan resolution, hardware</b>	Up to 600 x 600 dpi
<b>Scan resolution, optical</b>	Up to 600 dpi
<b>Scan size (ADF), maximum</b>	11 x 17 in
<b>Scan size (ADF), maximum</b>	297 x 420 mm
<b>Scan size (ADF), minimum</b>	2.7 x 5.8 in
<b>Scan size (ADF), minimum</b>	68 x 148 mm
<b>Scan size, maximum</b>	11 x 17 in
<b>Scan size, maximum</b>	297 x 420 mm
<b>Scan speed duplex (normal, A4)</b>	Up to 20 ipm (black and white), up to 15 ipm (color)
<b>Scan speed duplex (normal, letter)</b>	Up to 19 ipm (black and white), up to 14 ipm (color)
<b>Scan speed footnote</b>	Actual speeds may vary depending on scan resolution, network conditions, computer performance and application software.
<b>Security management</b>	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
<b>Standard media sizes (duplex)</b>	60 to 120 g/m <sup>2</sup>
<b>Standard media sizes (duplex, imperial)</b>	16 to 32 lb

<b>Standard output capacity (envelopes)</b>	Up to 50 envelopes
<b>Standard output capacity (transparencies)</b>	Up to 250 sheets
<b>Storage device and direct print support</b>	Front-facing USB/Flash drive
<b>Storage temperature range</b>	0 to 60°C
<b>Storage temperature range</b>	32 to 140°F
<b>Sub-brand name</b>	LaserJet
<b>SureSupply supported</b>	Yes
<b>Target user and print volume</b>	For teams over 25 users; Prints up to 20,000 pages/month
<b>Tariff numbers</b>	8443321010; 8443318000
<b>Top key features</b>	100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing
<b>Top margin (A4)</b>	2 mm
<b>Tray capacity</b>	600
<b>Typical electricity consumption (TEC) number</b>	2.8 kWh/Week (Blue Angel); 0.653 kWh/Week (Energy Star 3.0)
<b>UNSPSC code</b>	43212110
<b>UPC number</b>	(201) 887111647597; (AB0) 887111016744; (AB1) 887111016751; (AB2) 887111016768; (ABJ) 887111016775; (ABT) 887111016812; (ABY) 887111016829; (ACJ) 887111016782; (ACQ) 887111016836; (B13) 888182819586; (B19) 887111016843; (BAZ) 887111016850; (BBU) 887111016799; (BGJ) 887111016867; (BGM) 887111016805
<b>Waste electrical and electronic weight</b>	56.6 kg

---

## JetAdvantage Printing Solutions

★ : Recommended

### JetAdvantage Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACSOLUTION
HP JetAdvantage Secure Print	HPJETADSECUREPRINT
HP JetAdvantage Security Manager	HPJETADSECMGR
HP Proximity Card Reader	HPPROXIMTYRDR
Kofax Equitrac Security and Job Accounting Solution	HPNEQUITRACSOL
Kofax SafeCom Security and Job Accounting Solution	HPNSAFECOMSOL
MyQ Solutions	MYQSOL
Pharos Blueprint	HP3PHAROSBPRNT

### JetAdvantage Printer Workflow

Ephesoft Transact	HP3PEPHESOFT
HP Capture and Route	HPCAPTANDROUTE
HP Digital Sending Software	HPDIGSENDSOFT
Hyland OnBase	HPHYLONDONBASE
Kofax Autostore	NUANCEAUTOSTORE

### JetAdvantage Print Management

Genius Bytes	GENIUSMFP
HP JetAdvantage Insights	HPJETADINSIGHTS
HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN
Kofax ControlSuite	HP_CSUITE
LRS VPSX for Output Management	HP3PLRS
YSoft SafeQ	YSOFT

### JetAdvantage Mobile Printing

HP PrinterOn Enterprise	PRINTERONENT
HP Roam for Business	HPROAM
ePRINTit	HP3PEPRINTIT

## Accessories

### Maintenance and Cleaning Kits

★ : Recommended

#### Maintenance Kits

HP 100 ADF Roller Replacement Kit

L2718A

### Memory

#### DDR Memory

HP 512 MB 200-pin x64 DDR2 DIMM

CF306A

### Accessory Bundles

#### Printer Accessibility Accessories

HP Accessibility Kit

2TD64A

### Network Print Servers

#### Wireless Print Servers

HP Jetdirect 2700w USB Wireless Print Server

J8026A

#### External Print Servers

HP Jetdirect 2800w NFC/Wireless Direct Accessory

J8029A

### Paper Handling

#### Input Trays

HP LaserJet 1x500-sheet Feeder with Cabinet and Stand

CF243A

HP LaserJet 3500-sheet High-capacity Input Tray Feeder and Stand

CF245A

HP LaserJet 3x500-sheet Feeder and Stand

CF242A

HP LaserJet 500-sheet Feeder and Tray

CF239A

#### Fax Upgrades

HP LaserJet MFP Analog Fax Accessory 500

CC487A

#### Staple Cartridges

HP Staple Cartridge Refill

C8091A

# Fonts

## MICR

HP MICR Printing Solution - USB

HG277TT

# Security and Protection

## Smart Cards and SmartCard Readers

HP SmartCard NIPRNet Solution for US Government

CC543B

HP SmartCard SIPRNet Solution for US Government

F8B30A

## HP Laser Toner Cartridges and Kits

★ : Recommended

### HP Black and White Laser Toner Printer Cartridges

HP 14A Black Original LaserJet Toner Cartridge	CF214A
HP 14X High Yield Black Original LaserJet Toner Cartridge	CF214X
HP 14X High Yield Black Original LaserJet Toner Cartridge for US Government	CF214XG

### HP Laser Printer Supply Kits

HP LaserJet CF249A 110V Maintenance/Fuser Kit	CF249A
HP LaserJet CF254A 220V Maintenance/Fuser Kit	CF254A

## HP Paper for Multiple Uses

### HP Multi-use Everyday Paper

HP All-in-One Paper-10 reams/Letter/8.5 x 11 in	HPT1122
HP All-in-One Paper-5 reams/Letter/8.5 x 11 in	HPT115
HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
HP All-in-One Printing Paper-500 sht/A3/297 x 420 mm	CHP715
HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
HP Copy Paper 80 gsm-500 sht/A3/297 x 420 mm	CHP920
HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
HP Everyday Copy and Print Paper-10 reams/Letter/8.5 x 11 in	HPA510
HP Hi White Everyday Paper-5 reams/A3/297 x 420 mm	Q2399A
HP Hi White Everyday Paper-5 reams/A4/210 x 297 mm	Q2400A
HP Hi White Everyday Paper-5 reams/Letter/8.5 x 11 in	Q2398A
HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPC3HP
HP Office Paper-10 reams/Legal/8.5 x 14 in	HPC8514
HP Office Paper-10 reams/Letter/8.5 x 11 in	HPC8511
HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
HP Office Paper-5 reams/Letter/8.5 x 11 in	HPC115R
HP Office Paper-500 sht/A3/297 x 420 mm	CHP120
HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
HP Office Quickpack-2500 sht/Letter/8.5 x 11 in	HP2500S



HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP235
HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
HP Printing Paper-500 sht/A3/297 x 420 mm	CHP220
HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210

## HP Minority Business Enterprise Paper

HP Business Copy Paper-10 reams/Letter/8.5 x 11 in	HPBC11
--	--------

## HP Multipurpose Paper

HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPM113H
HP Multipurpose Paper-10 reams/Legal/8.5 x 14 in	HPM1420
HP Multipurpose Paper-10 reams/Letter/8.5 x 11 in	HPM1120
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115R
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115RC
HP Multipurpose Paper-500 sht/A4/210 x 297 mm	CHP225
HP Multipurpose Paper-500 sht/Legal/8.5 x 14 in	HPM1420P
HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in	HPM1120R

## HP Recycled Paper

HP Recycled Paper 80 gsm-500 sht/A3/297 x 420 mm	CHP840
HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP830

## HP Paper Designed for Laser Printers

### HP Laser Photo Paper

HP Color Laser Glossy Photo Paper-100 sht/10 x 15 cm	Q8843A
--	--------

### HP Laser Everyday Paper

HP Color Laser Paper 100 gsm-500 sht/A3/297 x 420 mm	CHP360
HP Color Laser Paper 100 gsm-500 sht/A4/210 x 297 mm	CHP350
HP Color Laser Paper 120 gsm-250 sht/A3/297 x 420 mm	CHP345
HP Color Laser Paper 120 gsm-500 sht/A4/210 x 297 mm	CHP342
HP Color Laser Paper 90 gsm-500 sht/A3/297 x 420 mm	CHP380
HP Color Laser Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP370
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A3/297 x 420 mm	7MV81A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A4/210 x 297 mm	7MV82A

HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Letter 8.5 x 11 in	4WN08A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Tabloid/11 x 17 in	4WN07A
HP LaserJet Paper-10 reams/Letter/8.5 x 11 in	HPJ1124
HP LaserJet Paper-5 reams/Letter/8.5 x 11 in	HPJ115R
HP LaserJet Paper-500 sht/A4/210 x 297 mm	CHP310
HP LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPJ1124P
HP Premium Choice Laser Paper-250 sht/A3/297 x 420 mm	Q2396A
HP Premium Choice Laser Paper-250 sht/A4/210 x 297 mm	Q2397A
HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPU1132P
HP Premium Choice LaserJet Paper-6 reams/Letter/8.5 x 11 in	HPU1132

## HP Laser Brochure Paper

HP Enhanced Laser Glossy FSC Paper 150 gsm-150 sht/Letter/8.5 x 11 in	Q6611A
HP Enhanced Laser Glossy Tri-fold FSC Paper 150 gsm-150 sht/Letter/8.5 x 11 in	Q6612A
HP Enhanced Laser Matte FSC Paper 150 gsm-150 sht/Letter/8.5 x 11 in	Q6543A
HP High-gloss Laser Paper-200 sht/A4/210 x 297 mm	Q2421A
HP Laser Glossy Brochure Paper 150 gsm-300 sht/Letter/8.5 x 11 in	X3E84A

## HP Laser Cover and Card Stock

HP Premium Cover Paper-100 sht/A4/210 x 297 mm	Q2414A
--	--------

## HP Professional Laser Paper

HP Professional Glossy Laser Paper 120 gsm-250 sht/A3/297 x 420 mm	CG969A
HP Professional Glossy Laser Paper 150 gsm-150 sht/A4/210 x 297 mm	CG965A
HP Professional Laser Glossy FSC Paper 200 gsm-150 sht/A4/210 x 297 mm	7MV83A
HP Professional Laser Glossy FSC Paper 200 gsm-150 sht/Letter/8.5 x 11 in	4WN10A
HP Professional Laser Matte FSC Paper 200 gsm-150 sht/A4/210 x 297 mm	7MV80A
HP Professional Laser Matte FSC Paper 200 gsm-150 sht/Letter/8.5 x 11 in	4WN05A

## Disclaimer — Copyright

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.