



HP LaserJet Enterprise MFP M725z (CF068A)



Overview

Get precise document finishing, one-touch workflows, and many scan-to options on a versatile A3 MFP.

Enable large-volume printing on a wide range of paper sizes—up to A3—with a standard 2100-sheet input capacity. Preview and edit scanning jobs. Centrally manage printing policies. Safeguard sensitive business information.

Expand your options with sharp A3 printing

Empower your teams to do more—print, scan, copy, and fax on paper sizes up to A3.

Quicken your business pace.

Streamline tasks—print, scan, copy, and fax^[1] projects directly at the MFP's large color touchscreen.

Manage and protect your fleet for the long run.

Simplify fleet management using world-class tools such as HP Web Jetadmin,^[7] and reliably safeguard devices.

Help save energy and reduce environmental impact.

Reduce energy use with HP Auto-On/Auto-Off Technology,^[9] and conserve power with Instant-on Technology.^[11]

Features



A3 support



Only the power you need^[13]



Prints in a flash, savings that last^[14]



On-the-go printing with HP ePrint^[15]



Unleash your printing^[16]



Scan in Color

[1]Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn.

[7]HP Web Jetadmin is free and can be downloaded at hp.com/go/webjetadmin.

[9]HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

[11]Compared with products that use traditional fusing.

[13] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

[14] When compared with fluorescent tubes.

[15] Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at <http://www.hp.com/go/mobileprinting>

[16] Mobile device needs to be connected directly to the wireless network of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer.

Specifications

Print Resolution Technologies	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology 600 dpi, 300 dpi
Print quality black (best)	Up to 1200 x 1200 dpi
Print speed black (ISO, A4)	Up to 41 ppm
Print speed black (ISO, letter)	Up to 40 ppm
Print speed	Print speed up to 40 ppm (black)
Functions	Print, copy, scan, fax
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 200,000 pages
Duty cycle (monthly, letter)	Up to 200,000 pages
Printer smart software features	HP ePrint, Apple AirPrint, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, HP Auto-On/Auto-Off technology, Easy Access USB, Image Preview
Copier smart software features	Auto scale; Reduce/Enlarge from scanner glass (25 to 400%); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build; staple
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets
Fax smart software features	Stored faxes; fax archiving; fax forwarding; scale-to-fit; fax address book; LAN/Internet fax; fax number confirmation; Holiday fax schedule
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Replacement cartridges	HP 14A Black LJ Toner Cartridge CF214A (10,000 pages); HP 14X Black LJ Toner Cartridge CF214X (17,500 pages)
Connectivity, standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host
Connectivity, optional	HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A
Modem	33.6 kbps
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)
Wireless capability	Optional, enabled with purchase of a hardware accessory
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified

Network protocols, supported	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, XMPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print
Software included	Windows Installer, HP PCL 6 discrete driver, Mac SW Link to Web, [Postscript emulation driver & Installer on Web], Note: No Mac SW inbox
Compatible Operating Systems	Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32 and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X 10.6, OS X Lion, OS X Mountain Lion; For the latest operating system support see: Citrix and Windows Terminal Services (http://www.hp.com/go/upd); Novell (http://www.novell.com/iprint); Linux (http://www.hplip.net); UNIX (http://www.hp.com/go/unix , http://www.hp.com/go/unixmodelscripts , http://www.hp.com/go/jetdirectunix_software); SAP device types (http://www.hp.com/go/sap/drivers , http://www.hp.com/go/sap/print); HP ePrint Mobile Driver (http://www.hp.com/go/eprintmobiledriver) <i>(Windows Installer has the same Operating System support as the driver except the following: Windows XP SP2+ (32-bit only); Windows Server 2003 SP1+ (32-bit only); Windows Vista Starter not supported in Driver nor Installer)</i>
Sustainable impact specifications	Mercury Free
Energy star certified	Yes
Energy efficiency	ENERGY STAR® qualified, CECP, EPEAT® Silver
Copy speed (black, normal quality, A4)	Up to 41 cpm
Copy speed black (normal, letter)	Up to 40 cpm
Copy speed black duplex (A4)	Up to 27 ipm
Copy speed black duplex (Letter)	Up to 27 ipm
Digital sending standard features	Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL
Digital sending optional features	Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book
Fax Resolution Black (best)	Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)
Faxing	Yes
Scan speed (normal, A4)	Up to 50 ppm (black and white), up to 30 ppm (color)
Scan speed (normal, letter)	Up to 49 ppm (black and white), up to 30 ppm (color)
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A
Scan input modes	Copy, scan to e-mail, scan to network folder, scan to USB, save to device memory, fax, Open Extensibility Platform (OXF) applications
Scan technology	Charge Coupled Device (CCD)
Scanner type	Flatbed, ADF
Display	8.0-in (20.3 cm) touchscreen; LCD (color graphics) ; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)

Minimum dimensions (W x D x H)	745 x 681 x 1192 mm
Minimum dimensions (W x D x H)	29.3 x 26.8 x 46.9 in
Weight	92.35 kg
Weight	206.3 lb
Power consumption	890 watts (Active print/copy), 39 watts (Ready), 6.5 watts (Sleep), 0.3 watts (Off) <i>(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see hp.com/support for current information.)</i>
Power supply type	Built-in power supply
What's in the box	HP LaserJet Enterprise MFP M725; HP Black LaserJet Toner Cartridge (10,000 pages); Hardware Installation Guide; Support flyer; Warranty guide; Printer documentation and software on CD-ROM; Power cord; Telecom cable
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

Additional specifications

ADF Capacity	100
Accessories	HP LaserJet 500-sheet Feeder and Tray CF239A, HP LaserJet 1 x 500-sheet Paper Feeder with Cabinet and Stand CF243A, HP LaserJet 3 x 500-sheet Feeder and Stand CF242A, HP LaserJet 3500-sheet HCI Feeder and Stand CF245A, HP Staple Cartridge Refill C8091A, HP 200-pin DDR2 512 MB x64 DIMM CF306A, HP LaserJet MFP Analog Fax Accessory 500 CC487A, HP LaserJet 110V Maintenance/Fuser Kit CF249A, HP LaserJet 220V Maintenance/Fuser Kit CF254A, HP 100 ADF Roller Replacement Kit L2718A
Acoustic power emissions (active copy)	7.1 B(A)
Acoustic power emissions (active scan)	6.8 B(A)
Acoustic power emissions (active, printing)	6.8 B(A)
Acoustic power emissions (ready)	5.0 B(A)
Acoustic power note	Acoustic values are subject to change. For current information see hp.com/support . Configuration tested: base model, simplex printing, A4 paper at an average of 40 ppm.
Acoustic pressure emissions bystander (active copy)	56 dB(A)
Acoustic pressure emissions bystander (active scan)	52 dB(A)
Acoustic pressure emissions bystander (active, printing)	54 dB(A)
Acoustic pressure emissions bystander (ready)	36 dB(A)
Auto fax reduction supported	Yes
Automatic document feeder capacity	Standard, 100 sheets
Automatic paper sensor	No
Bit depth	24-bit
Bottom margin (A4)	2 mm
Cable included	No, please purchase USB cable separately
Capacity	500 GB
Color scanning	Yes
Control panel	8.0-in (20.3 cm) color LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket
Copier scaling (ADF)	25 to 400%

Copier settings	Sides; Collate; Paper Selection; Reduce/Enlarge; Image Adjustment; Content Orientation; Pages per sheet; Booklet format; Edge to Edge; Optimize Text/Picture; Original Size; Job Build
Copies, maximum	Up to 9999 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black graphics)	600 x 600 dpi
Copy resolution (black text)	600 x 600 dpi
Copy speed note	First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Count of cartons per pallet layer	1
Count of layers in pallet	1
Country of origin	Made in China; Netherlands; Mexico
Distinctive ring detection supported	No
Downloadable software	Universal Print Driver for Windows, Windows CD image, Mac CD Image, Web JetAdmin, Smart Web Printing In-House Marketing, Unix/Linux driver, Enterprise installer utility, Plug and Play bundles
Driver updates	Recent printer drivers for all supported operating systems are available at hp.com/go/ljMFPM725_software
Duplex ADF scanning	Yes, reversing ADF
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Eco label	ENERGY STAR® qualified
Electromagnetic compatibility	CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:1998+A1+A2; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries
Envelope Feeder	No
FCC Class A emissions	FCC Class A emissions - for use in commercial environments, not residential environments
Fax Auto Redial	Yes
Fax Broadcast Locations	100 locations
Fax PC Interface Supported	Yes
Fax Polling	Yes (poll to receive only)
Fax Remote Retrieval	No
Fax Speed Dials, Maximum Number	Up to 100 numbers (each can contain 100 numbers)
Fax Transmission Speed	33.6 kbps

Fax Transmission Speed Note	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Fax delayed sending	No
Fax forwarding	Yes
Fax memory	Up to 100 pages
Fax memory	Up to 100 pages
Fax phone TAM interface supported	No
Fax resolution black	204 x 196 dpi, 256 levels of gray
Fax telephone mode supported	No
Fax transmission speed (letter)	3 sec per page
File Format Supported	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Finished output handling	Sheetfed, staple
First copy out black (letter)	As fast as 10.5 sec
First page out black (A4, ready)	As fast as 10 sec
First page out black (letter, ready)	As fast as 10 sec
First page out color (letter, sleep)	As fast as 20.5 sec
First page out footnote	Exact speed varies depending on the system configuration, software application, driver and document complexity.
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts
HP ePrint capability	Yes
Input capacity	Up to 2100 sheets
Internal Storage	Standard, embedded HP High-Performance Secure Hard Disk, minimum 500 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)
Junk fax barrier	Yes
Left margin (A4)	2 mm
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 10 envelopes
Maximum Memory	1.5 GB
Maximum dimensions (W x D x H)	917 x 1032 x 1192 mm

Maximum dimensions (W x D x H)	36.1 x 40.6 x 46.9 in
Maximum input capacity (sheets)	Up to 2100 sheets
Maximum metric depth	1032
Maximum metric height	1192
Maximum metric width	917
Maximum output capacity (sheets)	Up to 750 sheets
Maximum print area	308 x 465.9 mm
Media size (ADF)	Letter; letter-R; executive; legal; 11 x 17 in; U.S. checks; 4 x 6 in; 5 x 7 in; 5 x 8 in; A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B6 (JIS); 16K
Media size, tray 1	A4; A5; B4 (JIS); B5 (JIS); 76.2 x 127 to 312 x 469.9 mm
Media size, tray 2	A4; A5; B4 (JIS); B5 (JIS); 148 x 210 to 297 x 363 mm
Media size, tray 3	A3; A4; A5; B4 (JIS); B5 (JIS); 148 x 210 to 297 x 431 mm
Media sizes supported	Tray 1, 2: Letter, legal, executive, 8.5 x 13 in; Tray 3: letter, legal, executive, 8.5 x 13 in, 11 x 17 in; Tray 4, 5, 6: letter, letter-R, legal, executive, 8.5 x 13 in, 11 x 17 in, 16K
Media sizes supported	A3; A4; A5; B4 (JIS); B5 (JIS)
Media sizes supported, key	Letter; Legal; 11 x 17 in
Media sizes supported, key	A4; A3
Media sizes, custom	Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 x 363 mm; Trays 3 - 6: 148 x 210 to 297 x 431 mm
Media sizes, custom	Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 to 11.7 x 14.3 in; Trays 3 - 6: 5.8 x 8.3 to 11.7 x 17 in
Media type and capacity, ADF	Sheets: 100
Media type and capacity, tray 1	Sheets: 100; envelopes: 10; labels: 100; transparencies: 100; postcards: 10
Media type and capacity, tray 2	Sheets: 250
Media type and capacity, tray 3	Tray 3: sheets: 250; Tray 4: sheets: 500; Tray 5: sheets: 500; Tray 6: sheets: 500
Media types	Paper (color, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum
Media weight (tray 1)	60 to 199 g/m ²
Media weight (tray 2)	60 to 120 g/m ²
Media weight (tray 3)	60 to 120 g/m ²
Media weight, supported	Tray 1: 60 to 199 g/m ² ; Trays 2 - 6: 60 to 120 g/m ²
Media weight, supported	Tray 1: 16 to 53 lb; Tray 2 - 6: 16 to 32 lb
Media weights, supported ADF	12 to 53 lb
Media weights, supported ADF	45 to 199 g/m ²
Memory	1 GB
Memory Slots	1 slot, 200-pin, DDR2 DIMM

Memory upgrade	Expandable to 1.5 GB through 512 MB industry-standard DIMM
Metric depth	681
Metric height	1192
Metric width	745
Minimum System Requirements	Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 (64-bit); 200 MB available hard disk space; operating system compatible hardware system requirements, see http://www.microsoft.com
Minimum System Requirements for Macintosh	Mac OS X 10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; operating system compatible hardware system requirements, CD-ROM/DVD-ROM or Internet, see apple.com
Multitasking supported	Yes
Network ready	Standard (built-in Gigabit Ethernet)
Non-Operating Humidity Range	10 to 90% RH
Number of print cartridges	1 (black)
Number of users	10-30 Users
Operating humidity range	20 to 80% RH
Operating temperature range	10 to 32.5°C
Operating temperature range	50 to 91°F
Output capacity	Up to 750 sheets
Package dimensions (W x D x H)	33.7 x 29.9 x 61.1 in
Package dimensions (W x D x H)	856 x 760 x 1553 mm
Package weight	249 lb
Package weight	113 kg
Page yield footnote	Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutsupplies .
Pallet dimensions	33.7 x 29.9 x 61.1 in
Pallet dimensions (W x D x H)	856 x 760 x 1553 mm
Pallet weight	113 kg
Pallet weight	249 lb
Paper handling input, standard	100-sheet multipurpose tray, two 250-sheet input trays, and three 500 sheet feeders + stand
Paper handling output, standard	250-sheet output bin, 500-sheet output bin
Paper trays, maximum	6
Paper trays, standard	6
Photo (product photo, jpg, 190x170)	Printers and Multifunction/CF066A_190x170.jpg

Photo (product photo, jpg, 70x100)

Printers and Multifunction/CF066A_70x100.jpg

Ports	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host
Power	Input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)
Print Technology	Laser
Print colors	No
Print languages	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PDF 1.4
Print quality black (normal)	HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology
Print speed black (normal, A3)	Up to 20 ppm
Print speed black (normal, tabloid)	Up to 20 ppm
Print speed duplex (A4)	Up to 28 ipm
Print speed duplex (letter)	Up to 28 ipm
Print technology	Laser
Printer Management	HP Web Jetadmin, HP Utility (Mac)
Processor speed	800 MHz
Quantity per pallet	1
RMN number	BOISB-1105-02
Recommended media weight (duplex)	16 to 32 lb
Recommended media weight (duplex)	60 to 199 g/m ²
Recommended monthly page volume	5000 to 20,000
Recommended monthly scan volume	6250 to 10,500
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	50 to 91°F
Recommended operating temperature range	10 to 32.5°C
Replacement cartridges footnote	Average declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutesupplies .
Resolution	600 dpi
Resolution (black and white, standard mode)	204 x 98 dpi

Resolution (black and white, superfine mode)	300 x 300 dpi, 256 levels of gray
Resolution (black photo grayscale)	300 x 300 dpi (400 x 400 dpi for received faxes only)
Right margin (A4)	2 mm
Safety	IEC 60950-1:2005 +A1; EN60950-1: 2006 +A11:2009 +A1:2010 +A12:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/LED Product); UL/cUL Listed (USA/Canada); GS Certificate (Germany, Europe); IEC 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries
Scan resolution, hardware	Up to 600 x 600 dpi
Scan resolution, optical	Up to 600 dpi
Scan size (ADF), maximum	297 x 420 mm
Scan size (ADF), maximum	11 x 17 in
Scan size (ADF), minimum	68 x 148 mm
Scan size (ADF), minimum	2.7 x 5.8 in
Scan size, maximum	11 x 17 in
Scan size, maximum	297 x 420 mm
Scan speed duplex (normal, A4)	Up to 20 ipm (black and white), up to 15 ipm (color)
Scan speed duplex (normal, letter)	Up to 19 ipm (black and white), up to 14 ipm (color)
Scan speed footnote	Actual speeds may vary depending on scan resolution, network conditions, computer performance and application software.
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
Standard media sizes (duplex)	60 to 120 g/m ²
Standard media sizes (duplex, imperial)	16 to 32 lb
Standard output capacity (envelopes)	Up to 50 envelopes
Standard output capacity (transparencies)	Up to 750 sheets
Storage device and direct print support	Front-facing USB/Flash drive
Storage temperature range	0 to 60°C
Storage temperature range	32 to 140°F
Sub-brand name	LaserJet
SureSupply supported	Yes
Target user and print volume	For teams over 25 users; Prints up to 20,000 pages/month
Tariff numbers	8443321010; 8443318000

Telecom compliance (fax capability)	Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); other Telecom approvals as required by individual countries
Telephone handset supported	No
Top key features	100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing
Top margin (A4)	2 mm
Tray capacity	2100
Typical electricity consumption (TEC) number	2.8 kWh/Week (Blue Angel); 0.653 kWh/Week (Energy Star 3.0)
UNSPSC code	43212110
UPC number	(201) 887111017147; (AB0) 887111017000; (AB1) 887111017017; (AB2) 887111017024; (ABJ) 887111017031; (ABT) 887111017079; (ABY) 887111017086; (AC4) 887111017123; (AC8) 887111017130; (ACJ) 887111017048; (ACQ) 887111017093; (B13) 888182819609; (B19) 887111017109; (BAZ) 887111017116; (BBU) 887111017055; (BGJ) 887111017161; (BGM) 887111017062
Waste electrical and electronic weight	97.3 kg

JetAdvantage Printing Solutions

★ : Recommended

JetAdvantage Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACSOLUTION
HP JetAdvantage Secure Print	HPJETADSECUREPRINT
HP JetAdvantage Security Manager	HPJETADSECMGR
HP Proximity Card Reader	HPPROXIMTYRDR
Kofax Equitrac Security and Job Accounting Solution	HPNEQUITRACSOL
Kofax SafeCom Security and Job Accounting Solution	HPNSAFECOMSOL
MyQ Solutions	MYQSOL
Pharos Blueprint	HP3PHAROSBPRNT

JetAdvantage Printer Workflow

Ephesoft Transact	HP3PEPHESOFT
HP Capture and Route	HPCAPTANDROUTE
HP Digital Sending Software	HPDIGSENDSOFT
Hyland OnBase	HPHYLONDONBASE
Kofax Autostore	NUANCEAUTOSTORE

JetAdvantage Print Management

Genius Bytes	GENIUSMFP
HP JetAdvantage Insights	HPJETADINSIGHTS
HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN
Kofax ControlSuite	HP_CSUITE
LRS VPSX for Output Management	HP3PLRS
YSoft SafeQ	YSOFT

JetAdvantage Mobile Printing

HP PrinterOn Enterprise	PRINTERONENT
HP Roam for Business	HPROAM
ePRINTit	HP3PEPRINTIT

Accessories

Maintenance and Cleaning Kits

★ : Recommended

Maintenance Kits

HP 100 ADF Roller Replacement Kit

L2718A

Memory

DDR Memory

HP 512 MB 200-pin x64 DDR2 DIMM

CF306A

Accessory Bundles

Printer Accessibility Accessories

HP Accessibility Kit

2TD64A

Network Print Servers

Wireless Print Servers

HP Jetdirect 2700w USB Wireless Print Server

J8026A

External Print Servers

HP Jetdirect 2800w NFC/Wireless Direct Accessory

J8029A

Paper Handling

Input Trays

HP LaserJet 1x500-sheet Feeder with Cabinet and Stand

CF243A

HP LaserJet 3500-sheet High-capacity Input Tray Feeder and Stand

CF245A

HP LaserJet 3x500-sheet Feeder and Stand

CF242A

HP LaserJet 500-sheet Feeder and Tray

CF239A

Staple Cartridges

HP Staple Cartridge Refill

C8091A

Fonts

MICR

Security and Protection

Smart Cards and SmartCard Readers

HP SmartCard NIPRNet Solution for US Government

CC543B

HP SmartCard SIPRNet Solution for US Government

F8B30A

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Black and White Laser Toner Printer Cartridges

HP 14A Black Original LaserJet Toner Cartridge	CF214A
HP 14X High Yield Black Original LaserJet Toner Cartridge	CF214X
HP 14X High Yield Black Original LaserJet Toner Cartridge for US Government	CF214XG

HP Laser Printer Supply Kits

HP LaserJet CF249A 110V Maintenance/Fuser Kit	CF249A
HP LaserJet CF254A 220V Maintenance/Fuser Kit	CF254A

HP Paper for Multiple Uses

HP Multi-use Everyday Paper

HP All-in-One Paper-10 reams/Letter/8.5 x 11 in	HPT1122
HP All-in-One Paper-5 reams/Letter/8.5 x 11 in	HPT115
HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
HP All-in-One Printing Paper-500 sht/A3/297 x 420 mm	CHP715
HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
HP Copy Paper 80 gsm-500 sht/A3/297 x 420 mm	CHP920
HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
HP Everyday Copy and Print Paper-10 reams/Letter/8.5 x 11 in	HPA510
HP Hi White Everyday Paper-5 reams/A3/297 x 420 mm	Q2399A
HP Hi White Everyday Paper-5 reams/A4/210 x 297 mm	Q2400A
HP Hi White Everyday Paper-5 reams/Letter/8.5 x 11 in	Q2398A
HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPC3HP
HP Office Paper-10 reams/Legal/8.5 x 14 in	HPC8514
HP Office Paper-10 reams/Letter/8.5 x 11 in	HPC8511
HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
HP Office Paper-5 reams/Letter/8.5 x 11 in	HPC115R
HP Office Paper-500 sht/A3/297 x 420 mm	CHP120
HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
HP Office Quickpack-2500 sht/Letter/8.5 x 11 in	HP2500S

HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP235
HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
HP Printing Paper-500 sht/A3/297 x 420 mm	CHP220
HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210

HP Minority Business Enterprise Paper

HP Business Copy Paper-10 reams/Letter/8.5 x 11 in	HPBC11
--	--------

HP Multipurpose Paper

HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPM113H
HP Multipurpose Paper-10 reams/Legal/8.5 x 14 in	HPM1420
HP Multipurpose Paper-10 reams/Letter/8.5 x 11 in	HPM1120
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115R
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115RC
HP Multipurpose Paper-500 sht/A4/210 x 297 mm	CHP225
HP Multipurpose Paper-500 sht/Legal/8.5 x 14 in	HPM1420P
HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in	HPM1120R

HP Recycled Paper

HP Recycled Paper 80 gsm-500 sht/A3/297 x 420 mm	CHP840
HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP830

HP Paper Designed for Laser Printers

HP Laser Photo Paper

HP Color Laser Glossy Photo Paper-100 sht/10 x 15 cm	Q8843A
--	--------

HP Laser Everyday Paper

HP Color Laser Paper 100 gsm-500 sht/A3/297 x 420 mm	CHP360
HP Color Laser Paper 100 gsm-500 sht/A4/210 x 297 mm	CHP350
HP Color Laser Paper 120 gsm-250 sht/A3/297 x 420 mm	CHP345
HP Color Laser Paper 120 gsm-500 sht/A4/210 x 297 mm	CHP342
HP Color Laser Paper 90 gsm-500 sht/A3/297 x 420 mm	CHP380
HP Color Laser Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP370
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A3/297 x 420 mm	7MV81A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A4/210 x 297 mm	7MV82A

HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Letter 8.5 x 11 in	4WN08A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Tabloid/11 x 17 in	4WN07A
HP LaserJet Paper-10 reams/Letter/8.5 x 11 in	HPJ1124
HP LaserJet Paper-5 reams/Letter/8.5 x 11 in	HPJ115R
HP LaserJet Paper-500 sht/A4/210 x 297 mm	CHP310
HP LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPJ1124P
HP Premium Choice Laser Paper-250 sht/A3/297 x 420 mm	Q2396A
HP Premium Choice Laser Paper-250 sht/A4/210 x 297 mm	Q2397A
HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPU1132P
HP Premium Choice LaserJet Paper-6 reams/Letter/8.5 x 11 in	HPU1132

HP Laser Brochure Paper

HP Enhanced Laser Glossy FSC Paper 150 gsm-150 sht/Letter/8.5 x 11 in	Q6611A
HP Enhanced Laser Glossy Tri-fold FSC Paper 150 gsm-150 sht/Letter/8.5 x 11 in	Q6612A
HP Enhanced Laser Matte FSC Paper 150 gsm-150 sht/Letter/8.5 x 11 in	Q6543A
HP High-gloss Laser Paper-200 sht/A4/210 x 297 mm	Q2421A
HP Laser Glossy Brochure Paper 150 gsm-300 sht/Letter/8.5 x 11 in	X3E84A

HP Laser Cover and Card Stock

HP Premium Cover Paper-100 sht/A4/210 x 297 mm	Q2414A
--	--------

HP Professional Laser Paper

HP Professional Glossy Laser Paper 120 gsm-250 sht/A3/297 x 420 mm	CG969A
HP Professional Glossy Laser Paper 150 gsm-150 sht/A4/210 x 297 mm	CG965A
HP Professional Laser Glossy FSC Paper 200 gsm-150 sht/A4/210 x 297 mm	7MV83A
HP Professional Laser Glossy FSC Paper 200 gsm-150 sht/Letter/8.5 x 11 in	4WN10A
HP Professional Laser Matte FSC Paper 200 gsm-150 sht/A4/210 x 297 mm	7MV80A
HP Professional Laser Matte FSC Paper 200 gsm-150 sht/Letter/8.5 x 11 in	4WN05A

Disclaimer — Copyright

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.