



# Product catalogue

# Abrasives and recommendations




► Page 82 - 83




► Page 290

# The perfect abrasive solution



- **General Fabrication** Page 14 - 25
- **Building Interior** Page 17 - 18
- **Furniture Production** Page 19 - 20
- **Automotive** Page 21 - 22
- **Aerospace** Page 23 - 24

**sia Abrasives – [www.sia-abrasives.com](http://www.sia-abrasives.com)**



# Search

Page 12



# Information

Page 28



# Products

Page 80



**We are happy to help you!**

sia Abrasives (GB) Ltd.

Ellistones Lane

Greetland, Halifax

West Yorkshire, HX4 8NH

Great Britain

Phone: +44 (0) 1422 313 319

[sales.gb@sia-abrasives.com](mailto:sales.gb@sia-abrasives.com)





## Industrial expertise

### Aerospace



We are working on customised abrasive solutions together with our customers in the aviation industry. Exciting and solution-oriented.

#### **MRO**

Maintenance, Repair and Operations services

#### **OEM**

Manufacturers of aircraft and engines (Original Equipment Manufacturer)

#### **Tier suppliers**

System supplier of components for an OEM (Tier "Rank" Supplier)

### Automotive



Tried-and-tested surface treatment systems support professionals in finding the right solutions for each work step.

#### **Vehicle repairs (ART)**

Treatment and repair of bodywork, lacquer and finish (Automotive Refinishing Trade)

#### **OEM**

Vehicle manufacturers in the automotive industry (Original Equipment Manufacturer)

#### **Tier suppliers**

System supplier of all parts to the automotive industry (supplier to the vehicle manufacturer)



# We are your abrasives specialists

We concentrate on the best abrasive solutions for the industry and trade.

Clearly defined sanding processes for any material, any sanding insert and any sanding application guarantee a perfect surface finish.

As one of the world's largest manufacturers of high-quality abrasive products, we develop and produce abrasives with a wide variety of shapes, dimensions and specifications.

## Sanding solutions



### Interior work



We see ourselves as a partner for painters, carpenters, plasterers, drywall builders and floor layers.

#### The sia House

The sia House comprises the most important abrasive areas and provides clear abrasive solutions, step-by-step. Uncomplicated, simple and efficient.

For us, the challenge lies in recognising the material, understanding its properties and then fine-tuning the abrasive accordingly.

### Furniture industry



The advanced surface treatment of side sections, covers, fronts and shelves requires experience, the right technology and a perfect sanding system.

#### Panel industry

Our expertise covers the needs of industrial manufacturers of wood-based, plywood, solid wood and mineral panels.

#### Furniture production

Abrasive solutions for producing custom-made furniture. For the surface treatment of solid wood, wood-based and solid surface materials, as well as paints and varnishes.

### Metalworking



Each professional is impressed by the coordinated sanding applications on steel, stainless steel, aluminium and other metals.

#### Manual/portable machine sanding

For treating surfaces using an angle grinder, a die grinder, power file, orbital sander or by hand.

#### Stationary belt sanding

Abrasive solutions for metal processing using contact belt sanding, long belt sanding or wide belt sanding.

# High-tech



# Assembly

## High-performance punching

Our abrasives are shaped using cutting blades and a yoke-type punch. High-performance punching machines are used to make simpler formats. These machines use precision tools with carbide dies which allow multiple formats to be punched simultaneously during each stroke. This places high demands on the accuracy of the tool and the punching machine.



## Laser technology

The application of laser technology during abrasives manufacturing makes it possible to manufacture abrasive discs with very small holes and a large number of holes per disc. Today, this technology is used especially in the manufacture of multi-hole abrasive discs. The hole pattern of these multi-hole discs results in improved dust extraction, significantly reduced potential for blockage and consequently a longer service life for the abrasive.





# The world's most modern abrasives plant

Setting the pace for next-generation abrasives: Innovative abrasives are manufactured "just in time" using a modularised production process in the highly innovative Maker 5 plant.

## Production expertise

The technology leader is setting new standards with Maker 5, the world's most state-of-the-art abrasives production plant.

## Environmentally friendly production

The plant was constructed according to strict ecological criteria. Optimised air conduction processes and heat recovery systems reduce heat consumption considerably. All harmful substances are destroyed in a regenerative exhaust air treatment plant via incineration, with no residue left behind.

The entire site has been carbon-neutral since 2020.

# Cutting edge technology

## Types of abrasives



### Coated abrasives

- Classic coated abrasives and abrasive systems
- For advanced surface treatment of all types of material



### Non-woven abrasives

- Non-woven products for preparation and cleaning tasks and for structuring
- Particularly for use on metal



### Foam abrasives

- Foam sanding pads in the largest possible range of shapes and grades
- For precision treatment of wood, primer fillers, paints and varnishes



### Bonded abrasives

- Precision cutting discs for optimum cutting performance and efficient grinding discs
- For a wide variety of metalworking applications

# sia House



## Innovation

### S Performance – multi-hole disc

**The new multi-hole disc – cleaner, more secure and more efficient.**

Optimised air flows guarantee maximum extraction power for the multi-hole sanding discs. Sanding dust is therefore extracted more efficiently, the service life is increased and the dust emissions are reduced.



### sianet – net-backed abrasive

**Net-backed abrasive for full-surface extraction.**

Grit on a net backing enables full-surface dust extraction thanks to the open backing structure. An almost dust-free work environment protects health and improves process reliability.





# Interior work – abrasive solutions for painters, plasterers, carpenters, floor layers and timber constructors

Simple abrasive processes for perfect surface finishes. Perfectly coordinated abrasives for renovation, expansion and modernisation in the entire interior work sector.

- |                             |   |                                |
|-----------------------------|---|--------------------------------|
| 1 Window                    | 7 Stairs and handrails                        | 12 Entrance doors              |
| 2 Parquet flooring          | 8 Drywall construction (plasterboard)         | 13 Façades and fronts          |
| 3 Visible concrete          | 9 Drywall construction dry wall lining boards | 14 Garden furniture and fences |
| 4 Wooden surfaces           | 10 Visible timber beams                       | 15 Decking                     |
| 5 Solid surface materials   | 11 Heating element                            |                                |
| 6 Steel frames (lift doors) |   |                                |


## Simple and efficient



### Foam abrasives

**An extremely wide range of shapes guarantees the highest level of adaptability.**

Each foam colour stands for a separate grit range – simple and easy to understand for maximum process reliability.



### FSC – for the sake of the environment

**We take responsibility and act in a way that is sustainable and that preserves our natural resources.**

We are also FSCTM-certified. The responsible management of forests is a subject close to our hearts, which is why we are one of the world's first abrasive manufacturers to use exclusively FSC-certified paper for our wood-based abrasive products (paper backings).

Further information: [www.fsc.org](http://www.fsc.org) / [www.siaabrasives.com](http://www.siaabrasives.com)



**Sia Abrasives Local Contacts**

**UK & Ireland Industrial Sales Manager**

Paul Taplin  
07925 147180  
Email: paul.taplin@sia-abrasives.com

**UK & Ireland Key Account Manager**

Kevin Finnie  
07870 705775  
Email: kevin.finnie@sia-abrasives.com

**North East & North West | East | West Yorkshire**

Matthew Swan  
07525 730764  
Email: matthew.swan@sia-abrasives.com

**North West**

Philippa McMullen  
07896 253613  
Email: philippa.mcmullen@sia-abrasives.com

**East / West Midlands / Lincolnshire / South Yorkshire**

Damian DeSouza  
07813 354582  
Email: damian.desouza@sia-abrasives.com

**East and South East**

Shaun Matthew  
07896 253619  
Email: shaun.matthew@sia-abrasives.com

**South West & South Wales**

Dean Slocombe  
07813 633042  
Email: dean.slocombe@sia-abrasives.com

**UK & Ireland ART Manager**

Robert Scotting  
07768 636947  
Email: robert.scotting@sia-abrasives.com



**sia Abrasives (GB) Ltd**

Sales by Postcode –  
Industrial Division  
Tel: 0845 556 4259  
sales.gb@sia-abrasives.com  
www.sia-abrasives.com



## Local Support, Advice and Service in the UK from sia Abrasives (GB) Ltd

Welcome to the new sia Abrasives (GB) Ltd product catalogue for 2023.

Here you will discover a comprehensive range of Coated, Non-Woven and Foam abrasives products supported by a full range of accessories and complimentary items. Our NEW catalogue not only confirms our UK stock holding but we are now able to inform our customers of stock availability from our dedicated European warehouse. This year as always, we are introducing an exciting range of new products and product ranges.


sia Abrasives is one of the Worlds leading manufacturers of Industrial abrasives products servicing verticals from Aerospace, General Fabrication, Automotive, Composites, Furniture and Building Interior. It matches its market leading products with "best in class" customer service & technical support, we believe in bringing value to the surface by offering value added system approach to you by understanding your needs and requirements.

sia Abrasive (GB) are proud to boast our own dedicated warehouse based at our Head Office in Greetland, Halifax where we can offer a wealth of ready-made items from Fibre Discs, Cloth Belts, Paper belts wide and Narrow, siafast discs, sheets and many other articles.



All of this ensures that sia Abrasives (GB) provides its customers with a guarantee of maximum, hassle-free efficiency, the highest quality products and truly outstanding service, support, and value for money.

Headquartered in Frauenfeld, Switzerland, sia Abrasives ranks amongst the worlds top three suppliers of innovative abrasive systems, it develops, manufactures and distributes complete abrasive systems, including custom made processes for specific requirements and applications, for surface finishing on workpieces of all kinds.


We really hope that you find our Catalogue for 2023 useful and of interest and look forward to receiving your order.



● Head Office







# Search

<b>General Fabrication</b>	P. 14
<b>Building Interior</b>	P. 17
<b>Furniture Production</b>	P. 19
<b>Automotive</b>	P. 21
<b>Aerospace</b>	P. 23
<b>Product search by keyword</b>	P. 26

# General Fabrication

	Materials			Application steps							
	Steel	Stainless steel	Non-ferrous metals	Cutting	Edge breaking	Sanding off	Preparing welds	Sanding off welds	Cleaning surfaces	Removing rust/cleaning	Finishing/structuring
1815 siatop	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
2503 siabite		▼		▼	▼	▼		▼	▼		
2511 siabite		▼		▼	▼	▼		▼	▼	▼	
2515 siabite		▼		▼	▼	▼					
2546 siabite jj		▼		▼	▼			▼	▼	▼	
2582 siaramic	▼	▼	▼	▼	▼	▼					
2707 siawat x		▼		▼	▼			▼		▼	
2747 siatur			▼	▼	▼			▼		▼	
2800 siaron	▼	▼	▼	▼	▼			▼	▼	▼	
2803 siaron y		▼		▼	▼	▼		▼	▼		
2820 siamet	▼		▼	▼	▼	▼		▼	▼		
2824 siaflap	▼			▼	▼	▼		▼	▼		
2829 siaron y	▼		▼	▼	▼	▼		▼	▼		
2915 siarol	▼	▼	▼	▼	▼			▼	▼	▼	
2923 sialoX	▼		▼	▼	▼	▼		▼	▼		
2925 sialoX	▼		▼	▼	▼	▼		▼	▼	▼	
2945 siatur j	▼		▼	▼	▼			▼	▼	▼	
2946 siatur jj	▼		▼	▼	▼			▼	▼	▼	
2948 siatur jj		▼		▼	▼			▼	▼	▼	
2988 siamet	▼	▼	▼								▼
4560 siabite	▼	▼		▼	▼	▼		▼	▼		
4570 siabite X	▼	▼	▼		▼		▼		▼	▼	
4581 siaramic	▼	▼		▼	▼	▼	▼		▼	▼	
4582 siaramic	▼	▼	▼	▼	▼	▼	▼		▼	▼	
4700 siaral 8				▼	▼			▼		▼	
4815 siacut		▼	▼	▼	▼	▼		▼	▼		
4819 siaron 8	▼		▼	▼	▼	▼		▼	▼		
4961 sialoX	▼		▼	▼	▼	▼		▼	▼		
5230 microtec											▼
5330 microtec											▼
5752 microtec			▼								▼
5930 microtec		▼	▼								▼
5960 microtec	▼	▼	▼								▼
5962 microtec	▼	▼	▼								▼
6120 siafleece									▼	▼	
6130 siafleece hd	▼	▼	▼		▼				▼	▼	

▼ Main application / Included in catalogue  
 ▼ Secondary application / On request



Conversion forms							Application				Backing						
Rolls	Sheet	Strips	Discs	Flap discs	Flap wheel	Belts	Portable machine sanding	Manual sanding	Stationary belt sanding	Stationary machine sanding	Fibre	Film	Cloth flexible	Cloth rigid	Dry application	Wet sanding	Wet sanding (belts only)



Available in grit ranges:

Page:

			▼			▼	▼	▼	▼	▼				▼			24; 36-180; 240; 320	33
	▼					▼	▼	▼					▼	▼			36-40; 60-80	40
	▼		▼			▼	▼	▼					▼	▼			36; 50-120	40
	▼					▼	▼	▼					▼	▼			36; 40-60	41
	▼		▼			▼	▼	▼				▼		▼			60-320; 400	41
						▼	▼	▼					▼	▼	▼		36; 60-80; 120	42
	▼					▼	▼	▼					▼		▼		60-80; 120	42
	▼					▼	▼	▼				▼		▼			120	43
	▼		▼			▼	▼	▼					▼		▼		24; 36-180; 240; 320	44
	▼					▼	▼	▼					▼		▼		36-40; 60-80; 120	44
	▼		▼			▼	▼	▼					▼	▼	▼		36-240; 320; 400	45
			▼	▼		▼	▼	▼					▼	▼	▼		40-80; 120	45
	▼					▼	▼	▼					▼	▼	▼		24; 36-40; 60-120	46
	▼	▼				▼	▼	▼					▼	▼	▼		40; 60-320; 400	46
					▼	▼	▼	▼					▼				40; 60-80; 120-150	47
	▼		▼			▼	▼	▼					▼	▼	▼		24; 36; 60-80; 120; 180	48
	▼					▼	▼	▼					▼		▼		60-240; 320	50
	▼	▼				▼	▼	▼					▼		▼		60-320; 400; 500-600	50
	▼					▼	▼	▼					▼		▼		80-120; 180; 240; 320; 400; 600	51
					▼		▼	▼					▼		▼		80; 120	52
			▼			▼	▼	▼			▼			▼			36-120	53
			▼			▼	▼	▼			▼			▼			36; 60-80; 120	53
			▼			▼	▼	▼			▼			▼			36; 60-80	54
			▼			▼	▼	▼			▼			▼			36; 60-80; 120	54
			▼			▼	▼	▼			▼			▼			24; 36; 60-80; 120	55
			▼			▼	▼	▼			▼			▼			36; 60-80; 120-150	55
			▼			▼	▼	▼			▼			▼			24; 36-40; 60-80; 120	56
			▼			▼	▼	▼			▼			▼			24; 36; 60-80; 120	56
			▼			▼	▼	▼			▼			▼	▼		0,5; 3-5; 15; 30	57
			▼			▼	▼	▼			▼			▼	▼		0,01	57
	▼					▼	▼	▼			▼			▼	▼		15-40; 60	58
	▼	▼				▼	▼	▼			▼			▼	▼		1-40	58
	▼	▼				▼	▼	▼			▼			▼	▼		9; 15-40; 60	59
	▼	▼				▼	▼	▼			▼			▼	▼		9; 15-40; 50-80	59
	▼	▼	▼	▼		▼	▼	▼						▼	▼		coarse – cleaning	60
	▼		▼		▼	▼	▼	▼									coarse A; medium A; medium S; fine A; veryfine A	60

# General Fabrication

## Materials

Steel	Stainless steel	Non-ferrous metals
-------	-----------------	--------------------

## Application steps

Cutting	Edge breaking	Sanding off	Preparing welds	Sanding off welds	Cleaning surfaces	Removing rust/cleaning	Finishing/structuring
---------	---------------	-------------	-----------------	-------------------	-------------------	------------------------	-----------------------

	Steel	Stainless steel	Non-ferrous metals	Cutting	Edge breaking	Sanding off	Preparing welds	Sanding off welds	Cleaning surfaces	Removing rust/cleaning	Finishing/structuring
6140 siafleece sd	▼	▼	▼		▼	▼			▼	▼	▼
6240 siamet SCM	▼	▼	▼		▼	▼			▼	▼	▼
6270 siamet SCM LS	▼	▼	▼		▼				▼	▼	▼
6300 siastrip	▼									▼	
6924 siamet hd	▼	▼	▼			▼				▼	
8913 siacut	▼	▼		▼							
8933 siagrind	▼				▼	▼	▼				

- ▼ Main application / Included in catalogue
- ▼ Secondary application / On request



Conversion forms								Application				Backing						
Rolls	Sheet	Strips	Discs	Flap discs	Flap wheel	Belts		Portable machine sanding	Manual sanding	Stationary belt sanding	Stationary machine sanding	Fibre	Film	Cloth flexible	Cloth rigid	Dry application	Wet sanding	Wet sanding (belts only)
▼			▼							▼						▼	▼	
▼			▼			▼		▼	▼	▼						▼		▼
▼			▼			▼		▼	▼	▼						▼	▼	
	▼	▼	▼		▼			▼								▼		
			▼					▼								▼		
			▼					▼										
			▼					▼										



Available in grit ranges:

Page:

coarse; medium; medium A; fine A	61
coarse A; medium A; veryfine A	61
coarse; coarse A; medium A; fine A; veryfine; veryfine A	62
Extra coarse	62
Extra coarse; coarse; medium	63
	68
	69

# Building Interior

	Materials											Application steps														
	Old paint	Old lacquer	Concrete	Paints	Primer filler	Plaster	Dry wall lining boards	Primers	Wood	Wood-based materials	Lacquers	Bodyfiller	Entrance doors	Façades and fronts	Windows	Garden furniture and fences	Heating elements	Wooden surfaces	Mineral materials	Parquet flooring	Visible timber beams	Visible concrete	Steel frames and lift doors	Decking	Stairs and handrails	Drywall construction (dry wall lining boards)
1707 siapar	▼	▼	▼					▼				▼	▼				▼		▼	▼	▼	▼	▼	▼	▼	▼
1713 siawat				▼							▼															
1748 sialac					▼			▼			▼	▼														
1749 sialar f	▼	▼	▼		▼	▼	▼		▼	▼	▼	▼	▼	▼		▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
1902 siacraft													▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
1904 siafit				▼	▼	▼	▼	▼	▼	▼	▼	▼	▼				▼		▼	▼	▼	▼	▼	▼	▼	▼
1913 siawat																										
1919 siawood +									▼																	
1944 siaone	▼	▼			▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
1948 siaflex				▼	▼	▼	▼	▼	▼	▼	▼	▼	▼													
1950 siaspeed					▼	▼	▼		▼		▼	▼	▼	▼		▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
1960 siarexx	▼	▼			▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
2790 sianet							▼		▼		▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
2920 siawood x													▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
2936 siatur jj					▼			▼	▼		▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
2951 siatur h					▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
6120 siafleece								▼			▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
7240 siacarat																										
7241 siacarbon					▼			▼																		
7500 sianet CER		▼			▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
7900 sianet		▼			▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
7940 siaair				▼																						
7983 siasponge flex	▼	▼		▼	▼	▼			▼		▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
7990 siasponge block hard	▼	▼			▼	▼	▼		▼		▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼
7991 siasponge block soft	▼	▼			▼	▼	▼		▼		▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼

▼ Main application / Included in catalogue  
 ▼ Secondary application / On request



Conversion forms								Application				Backing						
Rolls	Sheet	Strips	Foam abrasives	Delta and polygons	Discs	Flap wheel	Belts	Portable machine sanding	Manual sanding	Stationary belt sanding	Stationary machine sanding	Film	Cloth flexible	Cloth rigid	Paper light	Foam	Dry application	Wet sanding



Available in grit ranges:

Page:

	▼		▼			▼		▼	▼					▼					16; 24; 36	30
	▼	▼	▼			▼	▼	▼	▼								▼		80-320; 400-2500	30
	▼	▼	▼			▼		▼	▼										150-320; 400	32
	▼					▼		▼	▼	▼	▼								36-150; 220-400	33
		▼						▼	▼					▼			▼		40-240	34
	▼								▼								▼		120-240; 320; 400-800	34
	▼	▼	▼			▼		▼	▼	▼	▼						▼		60-2500	35
	▼	▼	▼			▼		▼	▼	▼	▼						▼		36-220	36
						▼		▼	▼								▼		40; 60-240; 320; 400-500	37
	▼	▼	▼			▼		▼	▼		▼						▼	▼	40; 60-800; 1500	38
	▼		▼			▼		▼	▼		▼	▼					▼		40; 60-1500	38
	▼	▼	▼			▼		▼	▼		▼								40; 60-320; 400-600	39
						▼		▼											60-180	43
	▼		▼			▼		▼		▼	▼			▼					16; 24; 36-220	47
	▼		▼						▼	▼	▼		▼						60-240; 320	49
	▼		▼						▼	▼	▼								60-320; 400; 600	51
	▼	▼	▼			▼		▼											coarse – cleaning	60
						▼		▼	▼								▼		500; 1000; 2000; 3000	64
						▼		▼									▼	▼	80; 120; 180; 240; 320; 500	64
	▼		▼			▼		▼	▼		▼								80-240; 320; 400	65
	▼		▼			▼		▼	▼		▼						▼		80-240; 320; 400	65
			▼			▼		▼	▼									▼	240; 360; 500-1000; 1500-2000; 3000-4000	66
			▼					▼	▼							▼	▼	▼	medium; fine; superfine; ultrafine; microfine	67
			▼					▼	▼							▼	▼	▼	coarse; medium; fine; superfine	67
			▼					▼	▼							▼	▼	▼	medium; fine; superfine; ultrafine	68

# Furniture Production

Materials						Application steps					
Coatings	Wood-based materials	Plastics	Solid wood	Minerals	Laminates	Calibrating	Sanding off	Fine sanding	Polishing preparation	Varnish intermediate sanding	Profile sanding

1707 siapar
1718 siapan
1719 sialac
1730 sialac
1749 siaral f
1909 siawood
1913 siawat
1918 sialac
1919 siawood +
1920 siawood
1960 siarexx
2747 siatur
2920 siawood x
2933 siatur jo
2936 siatur jj
2943 siatur h
2951 siatur h
3708 siapan
7241 siacarbon

▼		▼	▼	▼		▼					
	▼	▼	▼		▼	▼				▼	
▼						▼	▼			▼	
▼								▼	▼		
▼	▼	▼	▼	▼		▼	▼		▼	▼	
▼			▼				▼	▼		▼	
▼		▼							▼	▼	
▼		▼							▼	▼	
▼		▼	▼			▼	▼	▼		▼	
▼	▼	▼	▼	▼			▼		▼	▼	
▼	▼	▼	▼	▼	▼		▼	▼		▼	
▼		▼				▼	▼			▼	▼
▼		▼	▼	▼						▼	▼
▼	▼	▼	▼	▼	▼		▼	▼		▼	▼
▼	▼	▼			▼	▼	▼			▼	
▼		▼				▼	▼			▼	
▼		▼				▼	▼			▼	

▼ Main application / Included in catalogue  
 ▼ Secondary application / On request

Conversion forms					Application				Backing									
Rolls	Sheet	Strips	Delta and polygons	Discs	Belts	System components	Portable machine sanding	Manual sanding	Stationary belt sanding	Stationary machine sanding	Cloth flexible	Cloth rigid	Combination	Paper heavy	Dry application	Wet sanding		
▼		▼		▼			▼	▼			▼						16; 24; 36	30
					▼			▼					▼				80-100; 220	31
					▼			▼							▼		240-320; 400-600	31
					▼			▼							▼		220-320; 400	32
▼				▼	▼		▼	▼	▼	▼							36-150; 220-400	33
					▼			▼									80; 150; 240	35
▼	▼	▼		▼	▼		▼	▼	▼	▼						▼	60-2500	35
					▼			▼							▼		240-320; 400-600	36
▼	▼	▼	▼	▼	▼		▼	▼	▼	▼					▼		36-220	36
					▼			▼									120; 180-220; 280; 400	37
▼	▼	▼	▼	▼			▼	▼	▼	▼							40; 60-320; 400-600	39
▼					▼		▼		▼		▼				▼		120	43
▼		▼		▼	▼		▼		▼	▼		▼					16; 24; 36-220	47
					▼			▼	▼		▼						60-120	48
▼		▼		▼				▼	▼	▼	▼						60-240; 320	49
		▼						▼	▼	▼	▼						80-180; 240	49
▼	▼			▼				▼	▼	▼	▼						60-320; 400; 600	51
					▼			▼					▼				60	52
			▼				▼							▼	▼		80; 120; 180; 240; 320; 500	64



Available in grit ranges: Page:



# Automotive

Materials										Application steps						
Paints	Primer filler	Gelcoats	Primers	Plastics	Lacquers	Metals	Bodyfiller	Composites			Sanding off	Sanding out	Body filler sanding	Primer filler sanding	Matte finishing	Polishing
▼	▼		▼	▼	▼	▼	▼			▼	▼			▼	▼	
▼	▼	▼	▼	▼	▼		▼	▼		▼			▼			
▼	▼		▼	▼	▼		▼			▼	▼			▼	▼	
▼	▼	▼	▼	▼	▼		▼	▼		▼	▼			▼		
▼	▼	▼	▼	▼	▼		▼	▼		▼	▼	▼		▼	▼	
	▼				▼		▼				▼	▼	▼	▼		
▼			▼	▼	▼	▼								▼		
				▼	▼			▼						▼		
▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼		▼			
▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼					
▼		▼		▼	▼			▼						▼		
▼	▼		▼	▼	▼			▼		▼			▼	▼		
▼	▼		▼	▼	▼			▼		▼				▼		

1713 siawat
1904 siafit
1913 siawat
1944 siaone
1948 siaflex
1950 siaspeed
1958 siapro
6711 siafleece flex
7240 siacarat
7241 siacarbon
7500 sianet CER
7900 sianet
7940 siaair
7979 siasponge flat
7983 siasponge flex

▼ Main application / Included in catalogue  
 ▼ Secondary application / On request

Conversion forms				Application				Backing						
Rolls	Sheet	Strips	Foam abrasives	Delta and polygons	Discs	Belts	Portable machine sanding	Manual sanding	Stationary belt sanding	Stationary machine sanding	Film	Foam	Dry application	Wet sanding
▼	▼	▼			▼	▼	▼	▼	▼	▼			▼	
▼								▼					▼	
▼	▼	▼			▼	▼	▼	▼	▼	▼			▼	
					▼		▼						▼	
▼	▼	▼			▼		▼	▼	▼	▼			▼	▼
▼		▼		▼	▼		▼	▼	▼	▼	▼		▼	
		▼			▼		▼	▼			▼		▼	
			▼				▼	▼					▼	▼
					▼		▼	▼					▼	▼
			▼				▼	▼					▼	▼
							▼	▼					▼	▼



Available in grit ranges:

Page:

80-320; 400-2500	30
120-240; 320; 400-800	34
60-2500	35
40; 60-240; 320; 400-500	37
40; 60-800; 1500	38
40; 60-1500	38
100-1000	39
veryfine; ultrafine	63
500; 1000; 2000; 3000	64
80; 120; 180; 240; 320; 500	64
80-240; 320; 400	65
80-240; 320; 400	65
240; 360; 500-1000; 1500-2000; 3000-4000	66
medium; fine; superfine; ultrafine; microfine	66
medium; fine; superfine; ultrafine; microfine	67

# Aerospace

1815 siatop
1913 siawat
1944 siaone
1948 siaflex
1950 siaspeed
7240 siacarat
7241 siacarbon
7500 sianet CER
7900 sianet
7940 siaair

Materials								Application steps				
Acrylic glass (Plexiglass)	Lacquers	Gelcoats	Primers	Plastics	Non-ferrous metals	Bodyfiller	Composites	Sanding off	Sanding out	Fine sanding	Matte finishing	Polishing
							▼	▼				
										▼	▼	▼
▼	▼	▼	▼	▼			▼	▼		▼	▼	
▼	▼	▼	▼	▼			▼	▼	▼		▼	▼
▼	▼			▼			▼			▼	▼	
	▼	▼	▼	▼	▼			▼				
▼	▼	▼	▼	▼			▼	▼	▼		▼	
▼	▼	▼	▼	▼			▼	▼		▼		
										▼	▼	

▼ Main application / Included in catalogue  
 ▼ Secondary application / On request



Conversion forms						Application				Back- ing					
Rolls	Sheet	Strips	Delta and polygons	Discs	Belts	Portable machine sanding	Manual sanding	Stationary belt sanding	Stationary machine sanding	Fibre	Film	Dry application	Wet sanding	Available in grit ranges:	Page:
						▼	▼	▼	▼	▼		▼		24; 36-180; 240; 320	33
▼	▼	▼		▼	▼	▼	▼	▼	▼				▼	60-2500	35
				▼		▼						▼		40; 60-240; 320; 400-500	37
▼	▼	▼		▼		▼	▼		▼			▼	▼	40; 60-800; 1500	38
▼		▼	▼	▼		▼	▼		▼	▼		▼		40; 60-1500	38
				▼		▼	▼						▼	500; 1000; 2000; 3000	64
				▼		▼						▼	▼	80; 120; 180; 240; 320; 500	64
▼		▼	▼	▼		▼	▼		▼					80-240; 320; 400	65
▼		▼	▼	▼		▼	▼		▼			▼		80-240; 320; 400	65
		▼		▼		▼	▼		▼				▼	240; 360; 500-1000; 1500-2000; 3000-4000	66



Page:

33  
35  
37  
38  
38  
64  
64  
65  
65  
66



## Product search by keyword

Product search by keyword		Page
<b>A</b>	Abrasive film rolls	84
<b>B</b>	Backing pad for polishing	261
	Backing pad for random orbital sanders	269
	Backing pad for rotary sanders	271
	Belts	204
	Blocks	131
	Brushes	260
<b>C</b>	Circular brushes	260
	Cloth rolls	85
	Conversion sets	277
	Cutting discs	186
<b>D</b>	Daisy discs	143
	Delta and polygons	134
	Discs	133
	Double-sided discs	142
	Dust cloths	285
<b>E</b>	Economy rolls	103
<b>F</b>	Fibre discs	136
	Fibreglass pads	194
	Flap discs	194
	Flap rollers cloth	197
	Flap rollers cloth and nonwoven	197
	Flap rollers nonwoven	197
	Flap wheel	197
	Flap wheel with shaft cloth	197
	Flap wheel with shaft cloth and nonwoven	201
	Flap wheel with shaft nonwoven	202
	Foam abrasives	131
<b>G</b>	Grinding discs	184
<b>H</b>	Half sheets	108
	Hand sanding belts and sleeves (width: 30–390 mm/length: up to 950 mm)	216
	Hand sanding blocks	265
	Hand sanding tools	266
<b>I</b>	Intermediate pad	281
<b>J</b>	Jumbolino	91
<b>N</b>	Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)	222
<b>P</b>	Pads	131
	Paper rolls	92
	Plastic pads	195
	Plate brushes	260
	Polishing accessories	262
	Polishing paste	261
	Polishing system	261
	Profile sanding set	267
	Protective discs	283

Product search by keyword		Page
<b>R</b>	Rolls	84
<b>S</b>	S Performance	72
	Sales stands	279
	scm belts	248
	scm discs	144
	Self-adhesive discs	182
	Self-adhesive strips	128
	Sheet	108
	siafast discs	146
	siafast rolls	98
	siafast strips	115
	siafix discs	176
	sianet	75
	siaramic	77
	siasoft	73
	siasoft discs	179
	siasoft rolls	100
	siasoft strips	126
	siastrip discs	179
	siavlies discs	180
	siavlies rolls	101
siavlies strips	127	
Spiral belt backing	267	
spiralbands	255	
Standard sheets	108	
Strips	115	
System components	265	
<b>T</b>	Tongued sanding belts (width: 6–30 mm/length: up to 950 mm)	249
	TopTec	74
<b>V</b>	Various components	279
	Various discs	187
	Various strips	129
<b>W</b>	Wide belts (width: from 400 mm)	204
<b>X</b>	X-LOCK	76











# Information

<b>S Performance</b>	P. 72	<b>X-LOCK</b>	P. 76
<b>siasoft abrasives</b>	P. 73	<b>siaramic</b>	P. 77
<b>TopTec quality</b>	P. 74	<b>Sanding technology</b>	P. 78
<b>Net-backed abrasives</b>	P. 75	<b>Overview: Sanding belts in standard sizes</b>	P. 79

## 1707 siapar – For maximum performance during heavy-duty rotary sanding on plasterboard, stone and old paints



### Product profile

Grit type:	Silicon carbide	
Grit range:	16; 24; 36	
Backing:	Y-wt cloth, cotton	P016 – P036
Coating:	Mechanical closed	P016 – P036
Bonding:	Resin over resin	

When it comes to removing plasterboard, stone, concrete, old paints and underseal from wood, 1707 siapar has what it takes: high performance and long life in heavy-duty applications.

### Advantages

- Ideal for rotary sanding
- Fast and safe change of abrasive with siafast hook and loop fastening system
- Very high performance and long life in heavy-duty applications

### Materials

Soft wood; Hard wood; Old lacquer; Old paint; Concrete; Plastics

### Applications

- Sanding of plaster, stone and concrete
- Sanding of paints, old lacquer and floor sealing
- Keying of solid wood
- Roughing insulating boards

### Application



### Price list

- ▶ Rolls P. 85, 92
- ▶ Strips P. 115
- ▶ Discs P. 142-143, 146, 187

### Technology

- ▶ siafast

## 1713 siawat – For the highest-performance wet sanding



### Product profile

Grit type:	Silicon carbide	P080 – P2500
Grit range:	80-320; 400-2500	
Backing:	c-wt paper (FSC-certified)	P080 – P2500
Coating:	Electrostatic	P080 – P2500
Bonding:	Resin over resin	

The 1713 siawat silicon carbide series makes all the difference when it comes to sanding coatings, impurities or unevenness in edge zones and when fine sanding primer fillers, glass, composite materials and stone.

### Advantages

- High performance for stock removal with good finish
- Long lifetime
- Powerful silicon carbide grit for use on hard materials
- Highly adaptable to contours and shapes
- Can be used wet or dry

### Materials

Colour; Primer filler; Primer coat; Epoxy primer coat; Plastics; Old lacquer; Lacquer; Bodyfiller; Aluminium

### Applications

- Sanding of coatings and impurities
- Sanding out unevenness at the edges of repaired surfaces
- Flattening of bodyfiller and primer filler
- Fine sanding of primer filler, glass, composite materials and stone
- Keying of old and new lacquers
- Removal of paint runs

### Application



### Price list


- ▶ Rolls P. 92-93
- ▶ Sheet P. 108
- ▶ Strips P. 115
- ▶ Discs P. 143, 146, 188

### Technology

- ▶ Plain
- ▶ siafast



## 1718 siapan – The professional paper belts for a perfect finish free of chatter marks



### Product profile

Grit type:	Silicon carbide	
Grit range:	80-100; 220	
Backing:	G-wt paper	
Coating:	Electrostatic open	P060 – P100
	Closed	P120 – P220
Bonding:	Resin over resin	
Equipment:	TopTec	

The specialist series for fine sanding or intermediate sanding of MDF boards, hard fibre boards and particle boards: Thanks to its joint with no excess thickness, 1718 siapan ensures a perfect surface finish free of chatter marks.

### Advantages

- Chatter mark free surface finish thanks to optimised belt joint
- Gentle on sanding platen
- Product with increased strength and stability

### Materials

Chipboard; MDF board; HDF board; Wooden base; HPL laminate; Mineral fibreboard; Solid surface material; Hard wood

### Applications

- Intermediate sanding
- Fine sanding
- Intermediate sanding of trimmed panels (pad sanding)
- Intermediate sanding of MDF boards, hard fibre boards and chipboard (pad sanding)
- Keying of prior to direct painting

### Application



### Price list

► Belts P. 204

### Technology

► TopTec P. 74

## 1719 sialac – Best surface quality on soft varnishes



### Product profile

Grit type:	Silicon carbide	
Grit range:	240-320; 400-600	
Backing:	e-wt paper (FSC-certified)	
Coating:	Electrostatic open	
Bonding:	Resin over resin	
Special coating:	Stearate	
Equipment:	TopTec	

Highest surface quality is achieved with 1719 sialac. The additional stearate coating leads to an increased service life with consistent grinding results.

### Advantages

- Soft construction and flexible bonding ensure finest-quality surfaces
- Low clogging thanks to open coating
- Flexible, adaptable e-wt paper backing
- Perfect surfaces thanks to TopTec

### Materials

Water-based lacquer; PU lacquer; NC lacquer

### Applications

- Keying of primers
- Fine sanding of primer filler
- Intermediate sanding of varnishes

### Application



### Price list

► Belts P. 204, 222

### Technology

► Stearat  
► TopTec P. 74

## 1730 sialac – For long life in industrial lacquer sanding applications



### Product profile

Grit type:	Silicon carbide
Grit range:	220-320; 400
Backing:	e-wt paper (FSC-certified)
Coating:	Electrostatic open
Bonding:	Resin over resin
Equipment:	TopTec

1730 sialac stands for long lifetime with constant quality. Suitable especially for hard varnishes in industrial use.

### Advantages

- Superior surface quality when sanding industrial paint systems
- Consistent performance throughout the life of the product
- Perfect surfaces thanks to TopTec

### Materials

UV lacquer; PU lacquer; Melamine sheet

### Applications

- Intermediate sanding on industrial varnishing systems
- Final sanding as preparation for painting

### Application



### Price list

► Belts P. 204-205

### Technology

► TopTec P. 74

## 1748 sialac – Perfect preparation for perfect finishes



### Product profile

Grit type:	Silicon carbide
Grit range:	150-320; 400
Backing:	b-wt paper (FSC-certified)
Coating:	Electrostatic
Bonding:	Resin over resin
Special coating:	Stearate

As a specialist product for preparation for polishing and lacquering, 1748 sialac has a number of outstanding properties which, combined, produce perfect results – whether it's keying primer coats and bodyfiller or intermediate and final sanding of lacquers.

### Advantages

- Excellent surface quality in lacquering applications
- Low clogging
- For manual or machine use
- Best adaptability in the siasoft version
- No slipping of fingers thanks to foam back

### Materials

Solid surface material; Plastics; Primer coat; Bodyfiller; Primer filler; PU lacquer; NC lacquer; UV lacquer; Water-based lacquer; Polyester lacquer; Acrylic lacquer

### Application



### Price list

► Rolls P. 93  
 ► Sheet P. 108-109  
 ► Strips P. 116, 127  
 ► Discs P. 146-147

### Technology

► Open coating  
 ► sialfast  
 ► siasoft P. 73

## 1749 siaral f – The number 1 for sanding of MDF, HDF and chipboard



### Product profile

Grit type:	Silicon carbide
Grit range:	36-150; 220-400
Backing:	f-wt paper (FSC-certified)
Coating:	Closed
Bonding:	Resin over resin
Equipment:	TopTec

A specialist abrasive for keying MDF, HDF and chipboard, 1749 siaral f not only has a long lifetime, it also produces a high-quality surface finish.

### Advantages

- Long life when sanding MDF boards and HDF boards and chipboard
- Perfect surfaces thanks to TopTec
- Dust-free process: Antistatic construction minimises dust build-up on belt, workpiece and machinery
- Best surface quality
- Very good finish on solid wood and veneer

### Materials

Chipboard; MDF board; Soft wood; Hard wood; Plastics; Bodyfiller; Primer filler; PU lacquer; Polyester lacquer; UV lacquer; Stone; Mineral fibreboard

### Applications

- Keying of edges and surfaces on MDF board, HDF board and chipboard
- Calibrating
- Final sanding as preparation for painting
- Final sanding on transom and high-quality veneers
- Intermediate sanding of varnishes

### Application



### Price list

- ▶ Rolls P. 94
- ▶ Discs P. 143, 147-148, 189
- ▶ Belts P. 205-206

### Technology

- ▶ siafast
- ▶ TopTec P. 74

## 1815 siatop – For fast and cost-effective surface treatment of steel and non-ferrous metals



### Product profile

Grit type:	Zirconia alumina	
Grit range:	24; 36-180; 240; 320	
Backing:	Fibre	24 – 40
	f-wt paper (FSC-certified)	40 – P400
Coating:	Closed	
Bonding:	Resin over resin	
Special coating:	Cooling additive	

1815 siatop impresses with its high removal rate, long lifetime and very good finish.

### Advantages

- Versatile all-round product with an attractive range of options
- Outstanding performance in dry sanding applications
- Fast and rugged stock removal with regular surface quality
- Cost reduction thanks to long lifetime
- Minimal effort required for high stock removal
- Excellent surface quality

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal; High-alloy steels

### Applications

- Removal of paint
- Removal of rust
- Weld preparation
- Removal of discolouration
- Stock removal
- Deburring

### Application



### Price list

- ▶ Discs P. 149-151, 189
- ▶ Belts P. 206, 223

### Technology

- ▶ Plain
- ▶ siafast

## 1902 siacraft – for diverse manual sanding applications on wood



### Product profile

Grit type:	Aluminium oxide
Grit range:	40-240
Backing:	C-wt paper
Coating:	Closed
Bonding:	Hide glue

Ideal for fast sanding on wood or for interior work with a good price/performance ratio.

### Advantages

- Economical all-round product for wood sanding
- Can be folded and cut to any desired format
- Ideal for manual sanding

### Materials

Wooden base; Old lacquer; Solid wood

### Applications

- Sanding off rusted parts
- Sanding off old varnish, paints and stains
- Sanding off old paint and varnish
- Sanding off raised wooden fibres
- Sanding floorboards
- Sanding wooden terraces and pool surrounds

### Application



### Price list

► Sheet P. 109

## 1904 siafit – Flexible treatment of round areas and shapes thanks to foam backing



### Product profile

Grit type:	Aluminium oxide	P120 – P800
Grit range:	120-240; 320; 400-800	
Backing:	c-wt latex paper	
Coating:	Electrostatic	
Bonding:	Resin over resin	

The flexible 1904 siafit abrasive for manual sanding with pressure-equalising foam for round areas, shapes and difficult to access areas. Versatile perforated roll in siasoft quality with a main focus on the automotive industry as well as interior work and furniture production.

### Advantages

- Adapts flexibly to surface contours
- Highly adaptable to contours and shapes
- Highly flexible, ideal for hard to reach areas

### Materials

Colour; Primer filler; Bodyfiller; Lacquer; Primer coat; Gelcoat polyester; Plastics; Composite

### Applications

- Fine sanding of primer filler in hard-to-reach areas
- Final sanding of primer filler in hard-to-reach areas
- Fine sanding of convex and concave contours on a variety of materials
- Keying of rebates and slight curves

### Application



### Price list

► Rolls P. 100

### Technology

► siasoft P. 73



## 1909 siawood – The cost-effective allrounder for all types of wood



### Product profile

Grit type:	Aluminium oxide
Grit range:	80; 150; 240
Backing:	e-wt paper (FSC-certified)
Coating:	Electrostatic open
Bonding:	Resin over resin
Equipment:	TopTec

Designed especially for the requirements of the joinery and carpentry trades, 1909 siawood has a semi-open grit coating that is perfectly suited to frequently changing materials, softwoods and hardwoods.

### Advantages

- Economical all-round product for wood sanding
- Very versatile
- Perfect surfaces thanks to TopTec
- Dust-free process: Antistatic construction minimises dust build-up on belt, workpiece and machinery
- Flexible, adaptable e-wt paper backing

### Materials

Soft wood; Hard wood; Resinous wood; Priming foil; Melamine sheet

### Applications

- Coarse sanding of solid wood and wood-based materials
- Fine sanding of solid wood, veneer and wood-based materials
- Keying and matting of primers and melamine sheets
- Intermediate sanding of varnishes

### Application



### Price list

► Belts P. 206

### Technology

- Open coating
- TopTec P. 74

## 1913 siawat – The first choice for first-class wet sanding results



### Product profile

Grit type:	Aluminium oxide	P060 – P1200
	Silicon carbide	P1500 – P2500
Grit range:	60-2500	
Backing:	c-wt paper (FSC-certified)	P800 – P2500
	d-wt paper (FSC-certified)	P060 – P600
Coating:	Closed	
Bonding:	Resin over resin	

As a leading wet use abrasive, the 1913 siawat aluminium oxide series has been producing outstanding results for years thanks to such outstanding properties as high stock removal rates, optimal water resistance, long life and flexibility.

### Advantages

- Very high stock removal rates
- Extremely long lifetime
- Highly water resistant
- Highly adaptable to contours and shapes
- Can be used wet or dry
- The market-leading wet abrasive for years

### Materials

Colour; Primer filler; Primer coat; Epoxy primer coat; Old lacquer; Lacquer; Bodyfiller; Plastics

### Applications

- Sanding of coatings and impurities
- Sanding out unevenness at the edges of repaired surfaces
- Flattening of bodyfiller and primer filler
- Fine sanding of primer filler
- Keying of old and new lacquers
- Removal of paint runs, orange-peel effect and dust inclusions

### Application



### Price list

- Rolls P. 91, 94
- Sheet P. 108-110
- Strips P. 116, 128
- Discs P. 143-144, 151, 182, 190-191
- Belts P. 223

### Technology

► siafast

## 1918 sialac – The lacquer sanding professional with optimum removal rate and long lifetime



### Product profile

Grit type:	Aluminium oxide
Grit range:	240-320; 400-600
Backing:	e-wt paper (FSC-certified)
Coating:	Electrostatic open
Bonding:	Resin over resin
Special coating:	Stearate
Equipment:	TopTec

The lacquer sanding belt for high material removal rate and long lifetime. Unlike most other lacquer sanding belts, 1918 sialac has aluminium oxide grains to ensure that especially high removal rates are achieved. Thanks to the stearate coating, the lifetime of the belt is noticeably increased.

### Advantages

- Low clogging thanks to open coating
- High performance for stock removal with good finish
- Perfect surfaces thanks to TopTec

### Materials

PU lacquer; Melamine sheet; Polyester lacquer; UV lacquer; Solid surface material; Solid wood

### Applications

- Keying and matting of primers and melamine sheets
- Intermediate sanding of varnishes
- Fine sanding of before lacquering

### Application



### Price list

► Belts P. 207

### Technology

► TopTec P. 74

## 1919 siawood + – The benchmark for wood and lacquer sanding



### Product profile

Grit type:	Aluminium oxide	P036 – P220
Grit range:	36-220	
Backing:	f-wt paper (FSC-certified)	
Coating:	Electrostatic open	
Bonding:	Resin over resin	
Equipment:	TopTec	

As a universal all-round product, 1919 siawood + with its outstanding properties in wood and lacquer applications meets the highest demands of the woodworking industry and trade.

### Advantages

- Premium product for the highest quality demands in stationary wood sanding
- Minimal clogging thanks to modern coating technology
- Outstanding performance and long life
- Very high stock removal rates and excellent finish
- Backing with very high stability and rigidity

### Materials

Soft wood; Hard wood; Resinous wood; Solid surface material; Plastics; Bodyfiller; Primer filler

### Price list

- Rolls P. 92, 95
- Sheet P. 110
- Strips P. 116, 129
- Delta and polygons P. 134
- Discs P. 151-153, 182-184, 192
- Belts P. 207-214, 216, 223-229


### Technology

- Open coating
- siafast
- TopTec P. 74

### Applications

- Calibrating surfaces
- Coarse sanding of solid wood and wood-based materials
- Fine sanding of solid wood, veneer and wood-based materials

### Application



## 1920 siawood – The specialist for perfect hardwood finishes



### Product profile

Grit type:	Aluminium oxide
Grit range:	120; 180-220; 280; 400
Backing:	f-wt paper (FSC-certified)
Coating:	Closed
Bonding:	Resin over resin
Equipment:	TopTec

As an abrasive product specially designed for hardwood belt sanding, 1920 siawood achieves high stock removal rates and fine surface finishes and excels across the full range of grits in calibration sanding, intermediate sanding, fine sanding or flush sanding applications.

### Advantages

- High removal rate and fine surface quality on hardwood across the entire grit range
- Perfect surfaces thanks to TopTec
- Dust-free process: Antistatic construction minimises dust build-up on belt, workpiece and machinery
- High surface quality when sanding hardwood

### Materials

Hard wood; UV lacquer; Polyester lacquer; PU lacquer; Solid surface material

### Applications

- Intermediate sanding of surfaces
- Fine sanding of surfaces
- Intermediate sanding of polyester varnishes
- Calibrating surfaces
- Flush sanding of edges, edge bands and protrusions

### Application



### Price list

► Belts P. 215

### Technology

► TopTec P. 74

## 1944 siaone – the one with cut



### Product profile

Grit type:	Aluminium oxide	P040 – P500
Grit range:	40; 60-240; 320; 400-500	
Backing:	c-wt paper (FSC-certified)	P040 – P100
	b-wt paper (FSC-certified)	P120 – P500
Coating:	Electrostatic	
Bonding:	Resin over resin	
Special coating:	Stearate	P220 – P500

The quality with aggressive cut and optimum lifetime. For price-conscious users for working with various materials, for example: bodyfiller, primer filler, varnish, paint and wood.

### Advantages

- Aggressive initial sanding thanks to optimised sanding grain
- Process stability thanks to uniform scratch depths in all grits
- Excellent price/performance ratio

### Materials

Colour; Primer filler; Bodyfiller; Lacquer; Old lacquer; Primer coat; Epoxy primer coat; Cathodic dip primer coat; Plastics; Acrylic glass; Gelcoat polyester; Glass-fibre reinforced plastic (GRP); Composite

### Applications

- Sanding of coatings and impurities
- Sanding out unevenness at the edges of repaired surfaces
- Flattening of bodyfiller and primer filler
- Fine sanding of primer filler
- Keying of old and new lacquers

### Application



### Price list

► Discs P. 153-154

### Technology

► siafast

## 1948 siaflex – Flexible and versatile



### Product profile

Grit type:	Blue-fired / white aluminium oxide	
Grit range:	40; 60-800; 1500	
Backing:	Latex paper (FSC-certified)	
Coating:	Electrostatic	P040 – P180
	Electrostatic open	P220 – P600
	Electrostatic	P800
Bonding:	Resin over resin	
Special coating:	Stearate	P180 – P800

As an all-round series for wet and dry sanding, 1948 siaflex produces outstanding results in all available grits and in a variety of automotive applications.

### Advantages

- High performance for stock removal with good finish
- Highly flexible and adaptable to contours
- Minimal clogging thanks to open coating in 220 - 600 grit range
- Long lifetime
- Suitable for general use in dry and wet sanding applications
- Versatile all-round product with an attractive range of options

### Materials

Colour; Primer filler; Bodyfiller; Lacquer; Old lacquer; Primer coat; Epoxy primer coat; Cathodic dip primer coat; Plastics; Acrylic glass; Gelcoat polyester; Glass-fibre reinforced plastic (GRP); Composite; Aluminium; steel

### Applications

- Sanding of coatings and impurities
- Sanding out unevenness at the edges of repaired surfaces
- Flattening of bodyfiller and primer filler
- Fine sanding of primer filler
- Keying of old and new lacquers
- Removal of orange peel effect and dust inclusions

### Application



### Price list

- ▶ Rolls P. 95-96, 98, 100
- ▶ Sheet P. 111

- ▶ Strips P. 117, 129
- ▶ Discs P. 154-157

### Technology

- ▶ Open coating
- ▶ Plain

- ▶ S Performance P. 72
- ▶ siafast

- ▶ siaisoft P. 73

## 1950 siafaster – For a perfect finish at full speed



### Product profile

Grit type:	Mixed grit with ceramic content	40 – 80
	Semi-friable aluminium oxide / blue-fired	P100 – P400
	White aluminium oxide	P500 – P1500
Grit range:	40; 60-1500	
Backing:	Paper (FSC-certified)	40 – P600
	Film	P800 – P1500

The versatile all-round product 1950 siafaster is specially designed for high stock removal rates, perfect surface quality and long life in applications such as the surface treatment of body filler, primer filler, lacquers and paints.

### Advantages

- Very high stock removal rates and excellent finish
- Performance-enhancing grit mix with ceramic aluminium oxide in 40 - 80 grit range
- Minimal clogging thanks to open coating in 220 - 600 grit range
- Extremely long lifetime
- Lower abrasive consumption

### Materials

Colour; Primer filler; Bodyfiller; Lacquer; Old lacquer; Primer coat; Epoxy primer coat; Cathodic dip primer coat; Plastics; Acrylic glass; Gelcoat polyester; Glass-fibre reinforced plastic (GRP)

### Applications

- Sanding of coatings and impurities
- Sanding out unevenness at the edges of repaired surfaces
- Flattening of bodyfiller and composite materials
- Fine sanding of primer filler
- Keying of old and new lacquers
- Producing a matt finish on old and new lacquers for blending

### Application



### Price list

- ▶ Rolls P. 96, 100-101
- ▶ Strips P. 117-121, 127

- ▶ Delta and polygons P. 134
- ▶ Discs P. 158-166, 179

### Technology

- ▶ Open coating
- ▶ Plain

- ▶ S Performance P. 72
- ▶ siafast

- ▶ siaisoft P. 73



## 1958 siapro – for automotive body painters. for you. the PRO.



### Product profile

Grit type:	Mixed grit with ceramic content	100
	Semi-friable aluminium oxide/blue-fired	200; 300; 400
	Aluminium oxide	800
	Diamond	1000
Grit range:	100-1000	
Backing:	Paper (FSC-certified)	100; 200; 300; 400

The compact and easy-to-understand range allows the PRO to save time and get a safe process result.

### Advantages

- PROficiency. 100% safe process result. Perfect result through refined and easy-to-understand grit sequence.
- PROfit. 70% less articles to buy. Less inventory and easier ordering process with just 9 articles.
- PROductivity. 20% time saving. Work faster through one process step less and optimised grit quality.

### Materials

Lacquer; Bodyfiller; Primer filler

### Applications

- Levelling / Stripping
- Fine sanding
- Body filler levelling
- Body filler fine sanding
- Body filler finishing / Keying outlet area
- Primer filler levelling

### Application



### Price list

- ▶ Strips P. 121
- ▶ Discs P. 166

### Technology

- ▶ S Performance P. 72
- ▶ siafast

## 1960 siarexx – The benchmark on wood, lacquers and paints



### Product profile

Grit type:	Aluminium oxide	
Grit range:	40; 60-320; 400-600	
Backing:	c-wt paper (FSC-certified)	P040 – P240
	b-wt paper (FSC-certified)	P280 – P400
Coating:	Electrostatic open	
Bonding:	Resin over resin	
Special coating:	Stearate	P80 – P400

1960 siarexx is a universal all-round product for manual and portable machine sanding and delivers impressive results in wood and lacquer applications.

### Advantages

- Universal all-round product for wood and lacquer
- High level of flexibility guarantees trouble-free sanding of corners and edges
- Low clogging
- Good finish properties

### Materials

Soft wood; Hard wood; Resinous wood; Water-based lacquer; Polyester lacquer; PU lacquer; NC lacquer; UV lacquer; Acrylic lacquer; Solid surface material; Old paint; Old lacquer; Primer filler; Primer coat; Bodyfiller; Plastics; Mineral fibreboard; Plaster; Dry wall lining boards

### Applications

- Sanding off rusted parts
- Sanding off old varnish, paints and stains
- Sanding off old paint and varnish
- Sanding off raised wooden fibres
- Sanding floorboards
- Sanding wooden terraces and pool surrounds

### Application



### Price list

- ▶ Rolls P. 97-99
- ▶ Sheet P. 112
- ▶ Strips P. 122-124, 129-130
- ▶ Delta and polygons P. 134-135
- ▶ Discs P. 167-172

### Technology

- ▶ Open coating
- ▶ Plain
- ▶ S Performance P. 72
- ▶ siafast
- ▶ siasoft P. 73

## 2503 siabite – For guaranteed performance on hard to grind metals



### Product profile

Grit type:	Ceramic aluminium oxide
Grit range:	36-40; 60-80
Backing:	X-wt cloth
Coating:	Closed
Bonding:	Resin over resin
Special coating:	Cooling additive

As specialist products for high-alloy steels and other hard to grind metals, 2503 siabite ceramic abrasive belts produce impressive results by offering high stock removal rates and long life and cut every step of the way – from preparation for welding to surface finishing.

### Advantages

- High removal rate thanks to ceramic grit
- Active additives with a cooling effect greatly reduce discolouration
- Long product life
- Cost reduction thanks to long lifetime

### Materials

High-alloy steels

### Applications

- Weld preparation
- Removal of discolouration
- Stock removal
- Surface treatment
- Deburring
- Smoothing and blending of flaws

### Application



### Price list

- ▶ Rolls P. 85
- ▶ Belts P. 229-230, 249

### Technology

- ▶ siafast

## 2511 siabite – The performance specialist for high-quality steel



### Product profile

Grit type:	Ceramic aluminium oxide
Grit range:	36; 50-120
Backing:	X-wt cloth
Coating:	Closed
Bonding:	Resin over resin
Special coating:	Cooling additive

2511 siabite provides maximum efficiency on high-alloy steel thanks to the self-sharpening effect of the ceramic grit.

### Advantages

- Less machine interruptions thanks to long lifetime
- Minimal effort required thanks to highly aggressive abrasive grit
- Reduced heat when sanding thanks to active additive with cooling effect
- More efficiency thanks to the highest performance
- Improved flexibility thanks to special flexing

### Materials

High-alloy steels

### Applications

- Weld preparation
- Stock removal
- Deburring
- Smoothing and blending of flaws
- Removal of discolouration
- Surface treatment

### Application




### Price list

- ▶ Rolls P. 85
- ▶ Discs P. 176-177
- ▶ Belts P. 230, 249, 255-256

### Technology

- ▶ siafast

## 2515 siabite – The professional abrasive for automated belt sanding



### Product profile

Grit type:	Ceramic aluminium oxide
Grit range:	36; 40-60
Backing:	Y-wt cloth
Coating:	Closed
Bonding:	Resin over resin
Special coating:	Cooling additive

As a specialist abrasive designed for high stock removal rates, long life and cost-effective surface treatment of hard to grind metals, 2515 siabite excels when it comes to deburring, high stock removal, smoothing and blending of flaws on high-alloy steels and other exotic metals.

### Advantages

- High removal rate thanks to ceramic grit
- Active additives with a cooling effect greatly reduce discolouration
- Cost reduction thanks to long lifetime

### Materials

High-alloy steels

### Applications

- Weld preparation
- Stock removal
- Deburring
- Smoothing and blending of flaws

### Application



### Price list

- ▶ Rolls P. 86
- ▶ Belts P. 231

### Technology

- ▶ siafast
- ▶ sianet P. 75

## 2546 siabite jj – A high-performance abrasive specially designed for high-alloy steel



### Product profile

Grit type:	Ceramic aluminium oxide
Grit range:	60-320; 400
Backing:	JJ-wt cloth
Coating:	Closed
Bonding:	Resin over resin
Special coating:	Cooling additive

Specially designed for high-alloy steel and other hard to grind metals, 2546 siabite jj consistently delivers maximum performance in applications from material removal to final sanding – thanks, among other things, to its high adaptability to contours, curves and profiles.

### Advantages

- High removal rate thanks to ceramic grit
- Active additives with a cooling effect greatly reduce discolouration
- Highly adaptable to contours, curves and profiles
- High performance on hard-to-grind materials

### Materials

High-alloy steels

### Applications

- Removal of discolouration
- Stock removal
- Surface treatment
- Deburring
- Smoothing and blending of flaws
- Structuring and final sanding

### Application



### Price list

- ▶ Rolls P. 86
- ▶ Discs P. 172-173
- ▶ Belts P. 216, 231-233, 250

### Technology

- ▶ siafast

## 2582 siamic – The ceramic abrasive belt for maximum performance on stainless steel and other metals



### Product profile

Grit type:	Ceramic aluminium oxide	
Grit range:	36; 60-80; 120	
Backing:	x-wt cloth, polyester	120
	y-wt cloth, polyester	36 – 80
Coating:	Electrostatic	
Bonding:	Resin over resin	
Special coating:	Cooling additive	

Thanks to the triangular shape of the ceramic grain, the strong polyester backing and the cooling agent, the 2582 siamic abrasive belt offers the highest removal rate and longest lifetime on stainless steel and other metals.

### Advantages

- High removal rate thanks to ceramic grit
- Long lifetime
- Aggressive initial sanding thanks to optimised sanding grain
- Increased efficiency due to measurable time-saving
- Active additives with a cooling effect greatly reduce discolouration
- Fast and rugged stock removal with regular surface quality

### Materials

Stainless steel (inox); Unalloyed / low-alloy steel; Aluminium; Non-ferrous metal

### Applications

- Weld preparation
- Stock removal
- Deburring
- Smoothing and blending of flaws

### Application



### Price list

► Belts P. 233-234, 250

### Technology

► Moulded grit  
► siamic P. 77

## 2707 siawat x – The specialist abrasive for wet sanding of hard to grind metals



### Product profile

Grit type:	Silicon carbide	
Grit range:	60-80; 120	
Backing:	X-wt cloth	
Coating:	Closed	
Bonding:	Resin over resin	

In addition to wet sanding of sheet metal, strip steel and printed circuit boards, 2707 siawat x is ideal for cast iron, glass and plastic – and covers a range of applications through to structuring and final sanding.

### Advantages

- Versatile
- Ideal for wet sanding of sheet metal and strip steel
- Ideal for glass and plastics
- Specially designed for wet sanding of printed circuit boards

### Materials

High-alloy steels

### Applications

- Surface treatment
- Deburring
- Smoothing and blending of flaws
- Structuring and final sanding

### Application



### Price list

► Rolls P. 86



## 2747 siatur – Optimised for sanding of fittings



### Product profile

Grit type:	Silicon carbide
Grit range:	120
Backing:	JJ-wt cloth, cotton
Coating:	Closed
Bonding:	Resin over resin

As a specialist product for sanding fittings, 2747 siatur offers high adaptability to contours, curves and profiles and produces first-class results in applications ranging from deburring to structuring and final sanding.

### Advantages

- This series is ideal for grinding fittings
- Excellent surface quality
- Highly adaptable to contours, curves and profiles

### Materials

Non-ferrous metal

### Applications

- Surface treatment
- Deburring
- Smoothing and blending of flaws
- Structuring and final sanding

### Application



### Price list

► Rolls P. 86

## 2790 sianet – Precision machine sanding



### Product profile

Grit type:	Silicon carbide
Grit range:	60-180
Backing:	Mesh
Coating:	Mechanical
Bonding:	Resin over resin
Coating:	2-sided

For keying solid wood, intermediate lacquer sanding, painting preparation and parquet sanding – 2790 sianet impresses with its low clogging and very fine finish.

### Advantages

- Low clogging
- Longest lifetime
- Machine sanding / intermediate sanding of the lacquer on surfaces
- Very fine finish
- Excellent surface quality in lacquering applications

### Materials

PU lacquer; UV lacquer; Water-based lacquer; Hard wood; Soft wood; Resinous wood; Dry wall lining boards

### Applications

- Sanding off raised wooden fibres

### Price list

► Discs P. 192

### Technology

► sianet P. 75

## 2800 siaron – The allrounder for coarse to fine sanding applications



### Product profile

Grit type:	Zirconia alumina
Grit range:	24; 36-180; 240; 320
Backing:	Y-wt cloth
Coating:	Closed
Bonding:	Resin over resin

The all-purpose 2800 siaron offers a wide range of uses in wet sanding and is equally effective in the surface treatment of unalloyed and alloyed steels as well as non-ferrous metals and in various other applications, thanks to high stock removal rates, long life and excellent surface finishing results.

### Advantages

- Can be used wet or dry
- Backing with very high stability and rigidity
- Wide range of applications

### Materials

Unalloyed / low-alloy steel; High-alloy steels; Non-ferrous metal

### Applications

- Removal of discolouration
- Stock removal
- Surface treatment
- Deburring
- Smoothing and blending of flaws
- Structuring and final sanding

### Application



### Price list

- ▶ Rolls P. 86-87
- ▶ Belts P. 215, 217, 234-236

## 2803 siaron y – The top performer in the metalworking industry



### Product profile

Grit type:	Zirconia alumina
Grit range:	36-40; 60-80; 120
Backing:	X-wt cloth
Coating:	Closed
Bonding:	Resin over resin
Special coating:	Cooling additive

The special 2803 siaron y series is designed for high-alloy steels, it comes into its own in applications such as the industrial surface treatment of weld seams and transitions as well as the removal of mill scale – thanks to a combination of high stock removal rates, low surface pressure and extremely long life.

### Advantages

- Active additives with a cooling effect greatly reduce discolouration
- Excellent performance and lifetime
- Very high cut with low pressure

### Materials

High-alloy steels

### Applications

- Weld preparation
- Removal of discolouration
- Stock removal
- Surface treatment
- Deburring
- Smoothing and blending of flaws

### Application



### Price list

- ▶ Rolls P. 87
- ▶ Belts P. 236-237

## 2820 siamet – The all-rounder for unalloyed steel and non-ferrous metals



### Product profile

Grit type:	Zirconia alumina
Grit range:	36-240; 320; 400
Backing:	X-wt cloth
Coating:	Closed
Bonding:	Resin over resin

As a specialist for dry sanding with a high removal rate and very good edge stability and tear resistance, 2820 siamet is ideal for various tasks from removing rust or paint to welding preparation for unalloyed steels and non-ferrous metals.

### Advantages

- High edge stability, high initial tearing resistance
- High performance for all metals
- Aggressive cut

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal

### Applications

- Removal of paint
- Removal of rust
- Weld preparation
- Removal of discolouration
- Stock removal
- Surface treatment

### Application



### Price list

- ▶ Rolls P. 87, 92
- ▶ Discs P. 177, 193
- ▶ Belts P. 217-218, 237-241, 250-252, 257-259

## 2824 siaflap – For market-leading performance in steel applications



### Product profile

Grit type:	Zirconia alumina
Grit range:	40-80; 120
Backing:	X-wt cloth
Coating:	Closed
Bonding:	Resin over resin
Special coating:	Cooling additive

Designed for general treatment of unalloyed or low-alloy steel, 2824 siaflap with zirconia alumina and its robust cloth backing provides a high removal rate and long lifetime. Another advantage is the consistent surface quality until the abrasive has been completely used up.

### Advantages

- High performance due to zirconia alumina abrasive grit
- Consistent surface quality until the abrasive is completely worn
- Cost reduction thanks to long lifetime

### Materials

Unalloyed / low-alloy steel

### Applications

- Weld preparation
- Removal of discolouration
- Stock removal
- Surface treatment
- Deburring

### Application



### Price list

- ▶ Discs P. 178
- ▶ Flap discs P. 194-196
- ▶ Belts P. 259

### Technology

- ▶ X-LOCK P. 76

## 2829 siaron y – The specialist in the coarse grit range for dry sanding on metals



### Product profile

Grit type:	Zirconia alumina
Grit range:	24; 36-40; 60-120
Backing:	X-wt cloth
Coating:	Closed
Bonding:	Resin over resin

The special 2829 siaron y series is especially suitable for unalloyed steels and non-ferrous metals. It ensures heat-reduced cutting with low discolouration and a high removal rate, edge stability and tear resistance.

### Advantages

- Backing with very high stability and rigidity
- Active additives with a cooling effect greatly reduce discolouration
- Suitable for general use in dry and wet sanding applications

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal

### Applications

- Weld preparation
- Removal of discolouration
- Stock removal
- Surface treatment
- Deburring
- Smoothing and blending of flaws

### Application



### Price list

- ▶ Rolls P. 88
- ▶ Belts P. 218, 241-243, 252-254

## 2915 siarol – The flexible all-round product for manual sanding



### Product profile

Grit type:	Aluminium oxide
Grit range:	40; 60-320; 400
Backing:	J-wt cloth
Coating:	Closed
Bonding:	Resin over resin

An all-purpose product for applications ranging from rust and paint removal through to structuring and final sanding, 2915 siarol achieves high flexibility when sanding contours, curves and profiles, and can be folded or cut to any size for perfect surface quality.

### Advantages

- Highly adaptable to contours, curves and profiles
- Excellent surface quality
- Can be folded and cut to any desired format

### Materials

Unalloyed / low-alloy steel; High-alloy steels; Non-ferrous metal

### Applications

- Removal of rust and paint
- Removal of discolouration
- Surface treatment
- Deburring
- Smoothing and blending of flaws
- Structuring and final sanding

### Application



### Price list

- ▶ Rolls P. 104-106
- ▶ Sheet P. 113



## 2920 siawood x – For optimum performance on solid wood



### Product profile

Grit type:	Aluminium oxide	
Grit range:	16; 24; 36-220	
Backing:	Y-wt cloth, cotton	P016 – P050
	X-wt cloth, cotton	P060 – P220
Coating:	Closed	P016 – P220
Bonding:	Resin over resin	
Equipment:	TopTec	

With its robust cloth backing, 2920 siawood is suitable for highly demanding solid wood applications.

### Advantages

- Perfect surfaces thanks to TopTec
- Dust-free process: Antistatic construction minimises dust build-up on belt, workpiece and machinery
- Suitable for long periods of use thanks to very robust backing and optimised grit spreading technology

### Materials

Soft wood; Hard wood; Resinous wood; Solid surface material; Old lacquer; Old paint; Bodyfiller; Primer filler; Plywood panel; MDF board; Chipboard

### Applications

- Flush sanding of edges
- Coarse sanding in plywood manufacturing
- Intermediate sanding in plywood manufacturing
- Coarse sanding of laminated softwood panels
- Intermediate sanding of laminated softwood panels
- Fine sanding of laminated softwood panels

### Application



### Price list

- ▶ Rolls P. 88
- ▶ Strips P. 125
- ▶ Discs P. 173, 184
- ▶ Belts P. 218-221, 243-244, 255

### Technology

- ▶ siafast
- ▶ Stearat
- ▶ TopTec P. 74

## 2923 sialoX – The dependable series for grinding of unalloyed and non-ferrous steel



### Product profile

Grit type:	Aluminium oxide	
Grit range:	40; 60-80; 120-150	
Backing:	X-wt cloth	P050 – P150
Coating:	Closed	P050 – P150
Bonding:	Resin over resin	

As a cost-effective abrasive with a stable cloth backing, 2923 sialoX offers aggressive finish, good tear resistance and particularly long service life in a variety of applications including final grinding of unalloyed steel and non-ferrous metals.

### Advantages

- Wide range of applications
- Excellent price/performance ratio
- Universal product for all metals
- Highly flexible, ideal for hard to reach areas
- Versatile all-round product with an attractive range of options

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal

### Applications

- Deburring
- Removal of rust and paint
- Welded seam preparation
- Stock removal
- Removal of discolouration
- Surface treatment

### Application



### Price list

- ▶ Flap wheel P. 197-200

## 2925 sialoX – The all-round abrasive for metal grinding



### Product profile

Grit type:	Aluminium oxide
Grit range:	24; 36; 60-80; 120; 180
Backing:	X-wt cloth
Coating:	Closed
Bonding:	Resin over resin

As a cost-effective all-round abrasive with a robust cloth backing, 2925 sialoX offers high edge stability, excellent tear resistance and long life, and delivers excellent results in a variety of applications including final sanding.

### Advantages

- High edge stability, high initial tearing resistance
- Suitable for general use in dry and wet sanding applications
- Long lifetime thanks to strong backing material

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal

### Applications

- Deburring
- Removal of rust
- Weld preparation
- Stock removal
- Removal of discolouration
- Surface treatment

### Application



### Price list

- ▶ Discs P. 178
- ▶ Belts P. 244

## 2933 siatur jo – For curves and profiles with radii from 10 mm



### Product profile

Grit type:	Aluminium oxide
Grit range:	60-120
Backing:	J-wt cloth, cotton
Coating:	Electrostatic open
Bonding:	Resin over resin
Equipment:	TopTec

A high level of dimensional accuracy and the ability to adapt to contours and curves is extremely important in profile belt sanding – and that's exactly what 2933 jo siatur was designed for.

### Advantages

- Perfect surfaces thanks to TopTec
- Dust-free process: Antistatic construction minimises dust build-up on belt, workpiece and machinery
- High level of dimensional accuracy during profile belt sanding
- Highly adaptable to contours, curves and profiles
- Long product life when sanding softwood and wood containing resins

### Materials

Soft wood; Hard wood; Resinous wood; Solid surface material; Plywood panel; MDF board

### Applications

- Coarse sanding of curves and profiles
- Final sanding of profiled workpieces
- Profile grinding for radii greater than 10 mm
- Flush sanding of edges and protrusions

### Application



### Price list

- ▶ Belts P. 221, 244

### Technology

- ▶ Open coating
- ▶ siafast
- ▶ TopTec P. 74

## 2936 siatur jj – The highly flexible abrasive for profiles, curves and contours with radii from 5–10 mm



### Product profile

Grit type:	Aluminium oxide
Grit range:	60-240; 320
Backing:	JJ-wt cloth, cotton
Coating:	Closed
Bonding:	Resin over resin

Designed for profile sanding of radii between 5–10 mm, 2936 siatur jj achieves a high level of dimensional accuracy and delivers perfect results when sanding profiled workpieces.

### Advantages

- High level of dimensional accuracy during profile belt sanding
- Ideal for manual sanding of turned workpieces
- Highly adaptable to contours, curves and profiles
- Can be torn to any desired format
- Suitable for pneumatic rollers
- Suitable for sanding brushes

### Materials

Soft wood; Hard wood; Resinous wood; Solid surface material; Primer coat; Bodyfiller; Primer filler; Polyester lacquer; PU lacquer; NC lacquer; UV lacquer; Water-based lacquer

### Price list

- ▶ Rolls P. 88-89
- ▶ Strips P. 130
- ▶ Belts P. 222, 245

### Technology

- ▶ TopTec P. 74

### Applications

- Fine sanding of profiles and contours
- Intermediate sanding of curves and profiles
- Profile grinding for radii greater than 5 mm

### Application



## 2943 siatur h – The highly elastic abrasive for the making of in-house sanding wheels



### Product profile

Grit type:	Aluminium oxide
Grit range:	80-180; 240
Backing:	H-wt cloth, mixed fabric
Coating:	Closed
Bonding:	Resin over resin

The cost-effective solution for making your own profile sanding wheels: the unique 2943 siatur h is elastic in the direction indicated and ideal for the surface treatment of profiled and curved workpieces on moulders, double-ended machines and CNC machines, whose sanding wheel pads can be changed with a minimum of effort and at any time.

### Advantages

- Unique abrasive, elastic in marked direction
- Ideal for profile sanding on automatic moulders and double-sided moulder sanders
- Particularly suitable for profile sanding on CNC machines
- Fast and safe change of abrasive with siafast hook and loop fastening system

### Materials

Soft wood; Hard wood; Plywood panel; MDF board; Solid surface material

### Price list

- ▶ Strips P. 125
- ▶ System components P. 267

### Technology

- ▶ siafast

### Applications

- Final sanding of profiled workpieces
- Keying of curves and flat surfaces
- Keying of contoured workpieces

### Application



## 2945 siatur j – Flexible and versatile



### Product profile

Grit type:	Aluminium oxide
Grit range:	60-240; 320
Backing:	J-wt cloth
Coating:	Closed
Bonding:	Resin over resin

As a specialist product for a range of applications including surgical instruments or watch cases, 2945 siatur j is everything you would expect of a coated abrasive designed for applications ranging from coarse to fine sanding, all the way through to structuring and final sanding.

### Advantages

- Highly adaptable to contours, curves and profiles
- Excellent surface quality
- Versatile

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal

### Applications

- Removal of rust
- Removal of discolouration
- Surface treatment
- Deburring
- Smoothing and blending of flaws
- Structuring and final sanding

### Application



### Price list

- ▶ Rolls P. 89
- ▶ Belts P. 245, 255

## 2946 siatur jj – The benchmark for profiles and contours



### Product profile

Grit type:	Aluminium oxide
Grit range:	60-320; 400; 500-600
Backing:	JJ-wt cloth
Coating:	Closed
Bonding:	Resin over resin

2946 siatur jj is an all-purpose product suitable for the surface treatment of profiles and contoured steel surfaces, hard to grind metals and non-ferrous metals using stationary or manually-operated machines – it delivers impressive results every step of the way from deburring to the perfect finish.

### Advantages

- Highly adaptable to contours, curves and profiles
- Excellent surface quality
- Versatile

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal

### Applications

- Removal of rust
- Removal of discolouration
- Surface treatment
- Deburring
- Smoothing and blending of flaws
- Structuring and final sanding

### Application



### Price list

- ▶ Rolls P. 89-90, 106
- ▶ Belts P. 222, 245-247



## 2948 siatur jj – For perfect finishing of high-alloy steel



### Product profile

Grit type:	Aluminium oxide
Grit range:	80-120; 180; 240; 320; 400; 600
Backing:	JJ-wt cloth
Coating:	Closed
Bonding:	Resin over resin
Special coating:	Cooling additive

As a specialist product for the surface treatment of profiles and contoured surfaces made of high-alloy steel and other hard to grind metals, 2948 siatur jj provides a first-class quality finish and offers excellent value for money.

### Advantages

- Active additives with a cooling effect greatly reduce discolouration
- Highly adaptable to contours, curves and profiles
- Excellent price/performance ratio

### Materials

High-alloy steels

### Applications

- Removal of discolouration
- Surface treatment
- Deburring
- Smoothing and blending of flaws
- Structuring and final sanding

### Application



### Price list

► Belts P. 222, 247-248

## 2951 siatur h – For perfect finish on profiled workpieces with radii from 2–5 mm



### Product profile

Grit type:	Aluminium oxide
Grit range:	60-320; 400; 600
Backing:	H-wt cloth, cotton
Coating:	Closed
Bonding:	Resin over resin

2951 siatur h excels in manual and portable machine sanding applications with radii from 2–5 mm thanks to its high adaptability and dimensional accuracy, especially in jobs such as keying, intermediate sanding and final sanding on paint, lacquer, body filler and primer filler.

### Advantages

- High level of dimensional accuracy during profile belt sanding
- Highly adaptable to contours and shapes
- Suitable for sanding brushes

### Materials

Soft wood; Hard wood; Resinous wood; Plywood panel; Polyester lacquer; PU lacquer; NC lacquer; UV lacquer; Water-based lacquer; Acrylic lacquer; Bodyfiller; Primer filler; Primer coat; Solid surface material; Plastics; Plaster; Dry wall lining boards

### Applications

- Fine sanding of profiles and contours
- Intermediate sanding of varnishes on curves and profiles
- Profile grinding for radii greater than 2 mm
- Keying of paints, lacquers, bodyfiller, primer filler and plastics

### Application



### Price list

► Rolls P. 90-91, 101, 107  
► Strips P. 127  
► Belts P. 248

### Technology

► siaSoft P. 73  
► TopTec P. 74

## 2988 siamet – The jumbo roll for the production of flap wheels, rollers and mops



### Product profile

Grit type:	Brown aluminium oxide	P060 – P150
Grit range:	80; 120	
Backing:	X-wt cloth, cotton	P060 – P150
Coating:	Electrostatic	P060 – P150
Bonding:	Resin over resin	

The jumbo roll 2988 siamet is an ideal basis for the production of high-quality flap wheels, rollers and mops. Manufactured from cotton cloth backing and brown aluminium oxide, 2988 siamet provides a consistent high-quality finish when used on steel, stainless steel and non-ferrous metals.

### Advantages

- Excellent and consistent finish over a long period of time
- Suitable for sanding brushes
- For universal use on metal and stainless steel

### Materials

steel; Stainless steel (inox); Non-ferrous metal

### Applications

- Structuring and finishing

### Price list

► Flap wheel P. 197

## 3708 siapan – The ideal combination for top performance and top finish



### Product profile

Grit type:	Silicon carbide	
Grit range:	60	
Backing:	Paper / cloth combination	
Coating:	Electrostatic open	P036 – P100
	Closed	P120 – P150
Bonding:	Resin over resin	
Equipment:	TopTec	

The high-tech belts in the 3708 siapan series are perfect for coarse sanding, intermediate sanding and fine sanding on chipboard and MDF.

### Advantages

- Suitable for the entire sanding process from surface calibrating through to fine sanding
- Fine sanding pattern thanks to stable backing
- Extremely long lifetime
- Gentle on sanding platen
- Backing with very high strength and stability

### Materials

Chipboard; MDF board; HDF board; Wooden base; HPL laminate; Mineral fibreboard; Solid surface material

### Applications

- Calibrating
- Intermediate sanding
- Fine sanding
- Keying of chipboards, MDF boards and hardboards
- Keying of laminate panels (back)
- Keying of plywood, wood core plywood and solid wood panels

### Application



### Price list

► Belts P. 216

### Technology

► TopTec P. 74

## 4560 siabite – The optimal ceramic fibre disc for general fabrication applications



### Product profile

Grit type:	Ceramic aluminium oxide
Grit range:	36-120
Backing:	Fibre
Coating:	Closed
Bonding:	Resin over resin
Special coating:	Cooling additive

4560 siabite's coarser grits have been designed for high stock removal on mild steel. The disc also delivers consistent surface quality in finer grits on stainless steel. All this leads to faster completion of your grinding applications.

### Advantages

- High-performance product with ceramic aluminium oxide
- Active additives with a cooling effect greatly reduce discolouration
- Firm fibre backing

### Materials

Unalloyed / low-alloy steel; High-alloy steels

### Applications

- Weld preparation
- Removal of discolouration
- Stock removal
- Surface treatment
- Smoothing and blending of flaws
- Deburring

### Application



### Price list

► Discs P. 136

### Technology

► X-LOCK P. 76

## 4570 siabite X – The fibre disc for the coolest grinding with new and unique X-Technology



### Product profile

Grit type:	Ceramic aluminium oxide
Grit range:	36; 60-80; 120
Backing:	Fibre
Coating:	Electrostatic
Bonding:	Resin over resin
Special coating:	Cooling additive

Thanks to innovative X-Technology, the 4570 siabite fibre disc brings you considerably cooler grinding with a long service life and a consistent cutting performance on stainless steel and mild steel. With new and unique X-Technology, an active cooling aid is applied directly to the top level, which enhances cooling and minimises discolouration.

### Advantages

- Cool cut
- Uniform cutting performance
- Long lifetime
- Fine surface finish

### Materials

Unalloyed / low-alloy steel; High-alloy steels; Aluminium

### Applications

- Weld removal
- Removal of scale and mill scale
- Blending flaws
- Removing discolouration

### Application



### Price list

► Discs P. 137

### Technology

► X-Technology

## 4581 siaramic – The ceramic fibre disc for maximum performance on steel



### Product profile

Grit type:	Ceramic aluminium oxide
Grit range:	36; 60-80
Backing:	Fibre
Coating:	Electrostatic
Bonding:	Resin over resin
Coating:	1-sided

The coarser grits of the 4581 siaramic series are developed for an extraordinarily high stock removal speed on unalloyed/low-alloyed steels. The long lifetime of the disc is an additional benefit of the shaped siaramic grain. Additionally, the ceramic fibre disc distinguishes through a consistent cut in finer grits on unalloyed/low-alloyed steels what results in a superb surface quality.

### Advantages

- High removal rate thanks to ceramic grit
- Aggressive initial sanding thanks to optimised sanding grain
- Fast and rugged stock removal with regular surface quality
- Long lifetime
- Uniform cutting performance
- Increased efficiency due to measurable time-saving

### Materials

Unalloyed / low-alloy steel; Stainless steel (inox)

### Applications

- Welded seam preparation
- Weld removal
- Removal of scale and mill scale
- Deburring
- Blending flaws
- Removing discolouration

### Application



### Price list

► Discs P. 137-138

### Technology

- Moulded grit
- X-LOCK P. 76

## 4582 siaramic – The ceramic fibre disc for maximum performance on stainless steel and steel



### Product profile

Grit type:	Ceramic aluminium oxide
Grit range:	36; 60-80; 120
Backing:	Fibre
Coating:	Electrostatic
Bonding:	Resin over resin
Special coating:	Cooling additive
Coating:	1-sided

The coarser grits of the 4582 siaramic series have been developed to have an exceptionally high material removal speed for stainless steel and unalloyed/low-alloy steel. In addition, the shaped siaramic grit increases the disc's service life. The ceramic fibre disc is also characterised by constant and even sanding in the finer grits on stainless steel (thanks to the cooling agent) and on unalloyed/low-alloy steel, resulting in an outstanding surface finish.

### Advantages

- High removal rate thanks to ceramic grit
- Aggressive initial sanding thanks to optimised sanding grain
- Fast and rugged stock removal with regular surface quality
- Long lifetime
- Uniform cutting performance
- Increased efficiency due to measurable time-saving

### Materials

Stainless steel (inox); Unalloyed / low-alloy steel; Aluminium

### Applications

- Welded seam preparation
- Weld removal
- Removal of scale and mill scale
- Deburring
- Blending flaws
- Removing discolouration

### Application



### Price list

► Discs P. 138

### Technology

- Moulded grit
- X-LOCK P. 76



## 4700 siaral 8 – With high power output for finishing cast iron and stone



### Product profile

Grit type:	Silicon carbide
Grit range:	24; 36; 60-80; 120
Backing:	Fibre
Coating:	Closed
Bonding:	Resin over resin

The silicon carbide fibre discs of the special 4700 siaral 8 series ensure high stock removal rates in coarse to fine sanding applications and are ideal for a variety of applications involving hard to grind metals as well as stone.

### Advantages

- High performance for stock removal
- Firm fibre backing
- Wide range of grits available for coarse to fine grinding

### Applications

- Stock removal
- Surface treatment
- Smoothing and blending of flaws
- Deburring
- Structuring and final sanding

### Application



### Price list

► Discs P. 139

## 4815 siacut – The fibre disc for aggressive sanding of high-alloy steels



### Product profile

Grit type:	Zirconia alumina
Grit range:	36; 60-80; 120-150
Backing:	Fibre
Coating:	Closed
Bonding:	Resin over resin
Special coating:	Cooling additive

As specialist products for high-alloy steels, 4815 siacut fibre discs are suitable for a variety of applications: from general dressing work, deburring and edge chamfering through to the surface treatment of bronze ship propellers. Active cooling ingredients keep discolouration to a minimum.

### Advantages

- Aggressive cut
- Firm fibre backing
- Active additives with a cooling effect greatly reduce discolouration

### Materials

High-alloy steels; Non-ferrous metal

### Applications

- Weld preparation
- Removal of discolouration
- Stock removal
- Surface treatment
- Deburring
- Smoothing and blending of flaws

### Application



### Price list

► Discs P. 139-140

## 4819 siaron 8 – The specialist abrasive for unalloyed steels and non-ferrous metals



### Product profile

Grit type:	Zirconia alumina
Grit range:	24; 36-40; 60-80; 120
Backing:	Fibre
Coating:	Closed
Bonding:	Resin over resin
Special coating:	Cooling additive

Specially designed for applications involving steel and non-ferrous metals, 4819 siaron 8 fibre discs achieve, among other things, high stock removal rates and have a long life.

### Advantages

- High performance for stock removal
- Long lifetime
- Versatile

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal

### Applications

- Removal of rust
- Weld preparation
- Removal of discolouration
- Stock removal
- Surface treatment
- Deburring

### Application



### Price list

► Discs P. 140-141

### Technology

► Plain

## 4961 sialoX – The all-rounder for highly effective material removal



### Product profile

Grit type:	Aluminium oxide
Grit range:	24; 36; 60-80; 120
Backing:	Fibre
Coating:	Closed
Bonding:	Resin over resin
Special coating:	Cooling additive

The 4961 sialoX fibre disc series with its excellent price/performance ratio is suitable for all unalloyed steels, low-alloy steels and non-ferrous metals.

### Advantages

- A versatile all-round product
- Excellent price/performance ratio

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal

### Applications

- Removal of rust
- Weld preparation
- Removal of discolouration
- Stock removal
- Surface treatment
- Deburring


### Application



### Price list

► Discs P. 141-142

## 5230 microtec – For a consistent finish with hardened steel rolls as well as plasma ceramic and tungsten carbide rolls



### Product profile

Grit type:	Diamond
Grit range in $\mu\text{m}$ :	0,5; 3-5; 15; 30
Backing:	Polyester film
Coating:	Elutriated
Bonding:	Resin over resin

The elutriated 5230 microtec series is ideal for finishing hardened steel rolls as well as coated rolls (plasma ceramic / tungsten carbide). 5230 microtec also provides consistent and reproducible surface quality during the treatment of ceramic ferrules with fibre glass cores.

### Advantages

- Improved optical performance
- Maximum light transmission in the termination
- High-gloss polished surface finish
- For clearly defined standard scratch depth values
- Maximum useful life
- Even cross sanding

### Applications

- Finishing of ceramic/fibreglass terminations (fibre optics)
- Finishing of hardened steel rollers
- Finishing of watch cases and bracelets
- Finishing of test objects (metallurgy)

### Application



### Price list

► Discs P. 193

### Technology

► microtec

## 5330 microtec – Perfect finish for ceramic / fibreglass finishing



### Product profile

Grit type:	Silicon dioxide
Grit range in $\mu\text{m}$ :	0,01
Backing:	Polyester film
Coating:	Elutriated
Bonding:	Resin over resin

The elutriated 5330 microtec series for ceramic /fibreglass finishing provides the ideal basis for perfect and cost-effective polishing in ferrule production.

### Advantages

- Outstanding polishing properties during finishing
- Grit is calibrated very precisely for fine surface finish

### Applications

- Finishing of ceramic/fibreglass terminations (fibre optics)

### Application



### Price list

► Discs P. 193

## 5752 microtec – The ideal solution for rubber, plastic and Teflon rolls



### Product profile

Grit type:	Silicon carbide
Grit range in $\mu\text{m}$ :	15-40; 60
Backing:	Polyester film with anti-slip tape
Coating:	Electrostatic
Bonding:	Resin over resin

5752 microtec is ideal for surface finishing of rubber, plastic and Teflon rolls. The silicon carbide finishing product with a polyester backing with anti-slip coating and a resin over resin bonding offers first-class quality combined with high efficacy

### Advantages

- For clearly defined standard scratch depth values
- Maximum useful life
- Even cross sanding
- High-gloss polished surface finish
- May be used wet or dry, resistant to coolant
- Grit is calibrated very precisely for fine surface finish

### Materials

Plastics; Stone; Non-ferrous metal

### Applications

- Finishing of rubber and plastic rollers
- Finishing of Teflon rollers
- Finishing of test objects (metallurgy)

### Application




### Price list

► Rolls P. 84

### Technology

► microtec

## 5930 microtec – With perfectly calibrated grit for a perfect finish



### Product profile

Grit type:	Aluminium oxide
Grit range in $\mu\text{m}$ :	1-40
Backing:	Polyester film
Coating:	Elutriated
Bonding:	Resin over resin

The elutriated 5930 microtec series is, among other things, ideal for the production of steering and damper components as well as for hydraulic and pneumatic components, watchcases, chrome and copper rolls.

### Advantages

- For clearly defined standard scratch depth values
- Maximum useful life
- Even cross sanding
- High-gloss polished surface finish
- May be used wet or dry, resistant to coolant
- Grit is calibrated very precisely for fine surface finish

### Materials

Copper; Zinc; High-alloy steels; Stainless steel (inox)

### Applications

- Finishing of copper rollers; finishing of chrome/hard chrome rollers; finishing of zinc rollers
- Finishing of steering assembly parts; finishing of shock absorber parts; finishing of valves; finishing of hydraulic components; finishing of pneumatic components; finishing of ball bearings
- Finishing of test objects (metallurgy)

### Application



### Price list


► Rolls P. 84  
► Sheet P. 113

### Technology

► microtec



## 5960 microtec – The professional abrasive for higher cutting power



### Product profile

Grit type:	Aluminium oxide
Grit range in $\mu\text{m}$ :	9; 15-40; 60
Backing:	Polyester film
Coating:	Electrostatic
Bonding:	Resin over resin

The coated 5960 microtec series: The aluminium oxide finishing product with polyester backing and resin over resin bonding is ideal for applications that demand higher cutting power.

### Advantages

- For clearly defined standard scratch depth values
- Maximum useful life
- Even cross sanding
- High-gloss polished surface finish
- May be used wet or dry, resistant to coolant
- Grit is calibrated very precisely for fine surface finish

### Materials

High-alloy steels; Unalloyed / low-alloy steel; Non-ferrous metal

### Applications

- Finishing of copper rollers; finishing of chrome/hard chrome rollers; finishing of zinc rollers
- Finishing of steering assembly parts; finishing of shock absorber parts; finishing of valves; finishing of hydraulic components; finishing of pneumatic components; finishing of ball bearings

### Application



### Price list

- ▶ Rolls P. 85
- ▶ Sheet P. 113

### Technology

- ▶ microtec

## 5962 microtec – For consistent finishing results in clamping shoe applications for vehicle and machine production



### Product profile

Grit type:	Aluminium oxide
Grit range in $\mu\text{m}$ :	9; 15-40; 50-80
Backing:	Polyester film with anti-slip tape
Coating:	Electrostatic
Bonding:	Resin over resin

The coated 5962 microtec series is an aluminium oxide finishing product with a polyester backing, an anti-slip coating and resin over resin bonding which delivers reproducible surface finishes and defined tolerances during the production of precision components such as crankshafts and camshafts.

### Advantages

- For clearly defined standard scratch depth values
- Maximum useful life
- Even cross sanding
- High-gloss polished surface finish
- May be used wet or dry, resistant to coolant
- Grit is calibrated very precisely for fine surface finish

### Materials

Unalloyed / low-alloy steel; High-alloy steels; Non-ferrous metal

### Applications

- Finishing of camshafts
- Finishing of crankshafts
- Finishing of steering assembly parts; finishing of shock absorber parts; finishing of valves; finishing of hydraulic components; finishing of pneumatic components; finishing of ball bearings
- Finishing of test objects (metallurgy)

### Application



### Price list

- ▶ Rolls P. 85
- ▶ Sheet P. 114

### Technology

- ▶ microtec

## 6120 siafleece – For even surface finishes in manual and portable machine sanding



### Product profile

Grit type: Aluminium oxide  
Silicon carbide

Grade: coarse; coarse A; extra cut A; extra cut S; general purpose; general purpose XS; medium A; medium S; fine; fine A; veryfine; veryfine A; veryfine A XS; veryfine S; veryfine speed; ultrafine; ultrafine speed; microfine speed; ultrafine S; ultrafine S XS; cleaning

6120 siafleece can be used for dry and wet sanding and impresses due to its high conformability, consistent performance over the entire lifetime, low tendency to clog, and consistently high surface quality.

### Advantages

- Highly flexible and adaptable to contours
- For manual or portable machine sanding
- Low clogging
- Suitable for general use in dry and wet sanding applications

### Materials

Unalloyed / low-alloy steel; Non-ferrous metal; High-alloy steels

### Applications

- Removal of rust
- Removal of discolouration
- Structuring and finishing

### Application



### Price list

- ▶ Rolls P. 91, 101-103
- ▶ Sheet P. 114
- ▶ Strips P. 128
- ▶ Discs P. 180-181
- ▶ Flap wheel P. 200-202

### Technology

- ▶ siafast

## 6130 siafleece hd – The basis for highest surface quality



### Product profile

Grit type: Aluminium oxide  
Silicon carbide

Grade: coarse A; medium A; medium S; fine A; veryfine A

Backing: Nonwoven

Coating: Mechanical

Bonding: Resin over resin

6130 siafleece hd has excellent features which ensure outstanding, consistently high-quality surface results. Whether on ferrous and non-ferrous metal or alloyed and non-alloyed steel.

### Advantages

- High flexibility for hard-to-reach areas
- Consistent sanding pattern due to improved grain consistency
- Increased lifetime as a result of the grain distribution through the fleece
- High tearing resistance
- Low clogging
- Burr-free sanding

### Materials

Unalloyed / low-alloy steel; High-alloy steels; Non-ferrous metal; Ferrous metal; Stainless steel (inox); Stainless steel (inox)

### Applications

- Finishing of stainless steel on grained surfaces (matt finish)
- Satin finishing of surfaces
- Finishing to prepare for coating and electroplating
- Weld blueing removal from stainless steel
- Removal of light oxide
- Light deburring

### Application



### Price list

- ▶ Discs P. 182
- ▶ Flap wheel P. 197

## 6140 siafleece sd – Delivers constant performance for an even finish



### Product profile

Grit type:	Aluminium oxide
Grade:	coarse; medium; medium A; fine A
Backing:	Nonwoven
Coating:	Mechanical
Bonding:	Resin over resin

6140 siafleece sd is suitable for applications such as removing rust, paint and discolourations and also for structuring / finishing. It impresses not only with a consistent sanding pattern, but also with long lifetime and low clogging. In both dry and wet applications.

### Advantages

- Consistent sanding pattern and long lifetime thanks to even grit distribution and penetration
- High tearing resistance
- Low clogging
- Suitable for general use in dry and wet sanding applications

### Materials

Unalloyed / low-alloy steel; High-alloy steels; Non-ferrous metal

### Applications

- Deburring
- Removal of rust and paint
- Removal of discolouration
- Surface treatment
- Smoothing and blending of flaws
- Structuring and finishing

### Application



### Price list

- ▶ Rolls P. 103
- ▶ Discs P. 178

## 6240 siamet SCM – The flexible 6240 siamet SCM offers high edge stability



### Product profile

Grit type:	Aluminium oxide / blue-fired
Grade:	coarse A; medium A; veryfine A
Backing:	Nonwoven
Coating:	Mechanical
Bonding:	Resin over resin

The 6240 siamet SCM has been especially developed for sanding application where edge stability and flexibility are very important.

### Advantages

- Consistent surface finishes even on curved workpieces
- High level of flexibility
- High edge stability, high initial tearing resistance
- Long lifetime

### Materials

Unalloyed / low-alloy steel; High-alloy steels; Non-ferrous metal; Aluminium

### Applications

- Finishing to prepare for coating and electroplating
- Deburring
- Removal of discolouration
- Smoothing and blending of flaws
- Structuring and final sanding
- Surface treatment

### Application



### Price list

- ▶ Discs P. 144
- ▶ Belts P. 255

### Technology

- ▶ SCM belts
- ▶ X-LOCK P. 76

## 6270 siamet SCM LS – Longer lasting, faster finishing



### Product profile

Grit type:	Aluminium oxide / blue-fired
Grade:	coarse; coarse A; medium A; fine A; veryfine; veryfine A
Backing:	Nonwoven
Coating:	Mechanical
Bonding:	Resin over resin

The new 6270 SCM range with high-performance blue fired aluminium oxide grain and improved low stretch scrim helps deliver longer lifetime and faster working in both discs and belts.

### Advantages

- Excellent and consistent finish over a long period of time
- Suitable for general use in dry and wet sanding applications
- Low-stretch belt
- More durable so more resistant on edges
- Considerably more resistant to smearing than existing products, especially at the edge of the disc when working at tight angles

### Materials

Unalloyed / low-alloy steel; High-alloy steels; Non-ferrous metal; Aluminium

### Applications

- Deburring
- Removal of rust and paint
- Removal of discolouration
- Surface treatment
- Finishing to prepare for coating and electroplating

### Application



### Price list

- ▶ Rolls P. 92, 103
- ▶ Discs P. 144-145, 178
- ▶ Belts P. 248-249

### Technology

- ▶ SCM belts

## 6300 siastrip – The specialist abrasive for the removal of paint and rust



### Product profile

Grit type:	Silicon carbide
Grade:	Extra coarse
Backing:	Nonwoven
Coating:	Mechanical
Bonding:	Resin over resin

6300 siastrip for unalloyed and low-alloyed steel leaves nothing to be desired in terms of removal rates and product life, and also has the advantage of low clogging.

### Advantages

- Low clogging
- Excellent performance and lifetime

### Materials

Unalloyed / low-alloy steel

### Applications

- Removal of rust and paint
- Cleaning after primer filling

### Application



### Price list

- ▶ Discs P. 179-180

### Technology

- ▶ X-LOCK P. 76



## 6711 siafleece flex – Maximum flexibility for ideal finishing results



### Product profile

Grit type:	Aluminium oxide Silicon carbide	Very fine ultra fine
Grade:	veryfine; ultrafine	
Backing:	Nonwoven	
Coating:	Mechanical	
Bonding:	Resin over resin	

6711 siafleece flex was designed especially for keying hard-to-reach areas. It is extremely flexible and showcases what it can do in the scuffing of new components, factory primers and varnishes prior to the final coating, for example.

### Advantages

- Highly flexible and adaptable to contours
- Consistent sanding pattern due to improved grain consistency
- Long lifetime
- Can be used wet or dry
- Low clogging
- Minimised grit break-out

### Materials

Colour; Lacquer; Old lacquer; Primer coat; Plastics; Aluminium

### Applications

- Scuffing new components and factory primers
- Scuffing in hard-to-reach areas
- Matt finishing of varnishes prior to final coating

### Application



### Price list

► Strips P. 128

## 6924 siamet hd – High-performance discs for surface finishing of steels



### Product profile

Grit type:	Aluminium oxide
Grade:	Extra coarse; coarse; medium
Backing:	Nonwoven
Coating:	Mechanical
Bonding:	Resin over resin

The high-performance discs in the 6924 siamet hd series offer an exceptional removal rate on hard materials and also impress with their exceptionally long lifetime. An excellent, even finish is yet another advantage.

### Advantages

- Major time-saving thanks to highest aggressiveness and highest stock removal rates
- Excellent performance on hard materials
- More durable so more resistant on edges
- Considerably more resistant to smearing than existing products, especially at the edge of the disc when working at tight angles

### Materials

Unalloyed / low-alloy steel; High-alloy steels; Stainless steel (inox); Ferrous metal; Non-ferrous metal; Stainless steel (inox); steel

### Applications

- Smoothing and blending of flaws
- Stock removal
- Light deburring
- Removal of polishing scratches
- Removal of discolouration
- Removal of paint

### Application



### Price list

► Discs P. 145, 179

## 7240 siacarat – For finishing scratch-resistant surfaces



### Product profile

Grit type:	Diamond
Grit range:	500; 1000; 2000; 3000
Backing:	Knitted fabric with foam backing
Coating:	Special process
Bonding:	Resin over resin

Thanks to the coating of the abrasive with diamond abrasive minerals combined with the pressure-damping foam backing, 7240 siacarat is an ideal solution for wet sanding of hard materials in the lacquers, composites and mineral materials segments.

### Advantages

- Very high stock removal rates and excellent finish
- Low clogging thanks to damp sanding
- Lasts up to 40 times longer than conventional abrasives
- Highly adaptable to contours, curves and profiles
- Pressure-equalising foam gives perfect surface finish
- Waterproof and washable

### Materials

Scratchproof lacquer; Composite; Acrylic glass; Plastics

### Applications

- Matt finishing of scratch-resistant coating systems as well as composite materials
- Producing a matt finish for blending
- Preparation for polishing on high-gloss surfaces

### Application



### Price list

► Discs P. 173

### Technology

► siafast

## 7241 siacarbon – The harder, the more efficient



### Product profile

Grit type:	Diamond
Grit range:	80; 120; 180; 240; 320; 500
Backing:	Cloth
Coating:	Special process
Bonding:	Resin over resin

7241 siacarbon is ideal for wet and dry machine sanding of hard surfaces: For unique results when keying scratch-resistant lacquers, composite materials, new parts, factory primers and aluminium with a minimum of abrasives consumption.

### Advantages

- Excellent performance on hard materials
- Extremely long lifetime thanks to state-of-the-art diamond technology
- Full-surface dust extraction
- No dependence on hole system
- Minimal risk of sanding-through on edges
- Increased efficiency due to measurable time-saving

### Materials

Cathodic dip primer coat; Epoxy primer coat; Scratchproof lacquer; Aluminium; Plastics; Gelcoat polyester

### Applications

- Keying of scratch-resistant coating systems as well as composite materials
- Keying of new components and factory primers
- Keying of aluminium

### Application



### Price list

► Discs P. 174

### Technology

► siafast

## 7500 sianet CER – The powerful net-backed abrasive with ceramic grit



### Product profile

Grit type:	Ceramic aluminium oxide
Grit range:	80-240; 320; 400
Backing:	Knitted fabric
Coating:	Electrostatic
Bonding:	Resin over resin

The special net structure of 7500 sianet CER enables dust-free sanding with the highest abrasive performance – The ceramic abrasive grain provides the highest removal rate and longest lifetime.

### Advantages

- Full-surface dust extraction
- No dependence on hole system
- High removal rate without clogging
- High tear resistance thanks to sturdy net backing
- High-performance product with ceramic aluminium oxide

### Materials

Acrylic lacquer; Old lacquer; Primer filler; Plaster; Priming foil; Dry wall lining boards; Hard wood; HDF board; Melamine sheet; Solid surface material; NC lacquer; PU lacquer; Polyester lacquer; UV lacquer; Water-based lacquer; MDF board

### Applications

- Sanding off rusted parts
- Sanding off old varnish, paints and stains
- Sanding off old paint and varnish
- Sanding off raised wooden fibres
- Sanding floorboards
- Sanding wooden terraces and pool surrounds

### Application



### Price list

- ▶ Rolls P. 99
- ▶ Discs P. 174-175

### Technology

- ▶ siafast
- ▶ sianet P. 75

## 7900 sianet – The powerful net-backed abrasive



### Product profile

Grit type:	Blue-fired / white aluminium oxide
Grit range:	80-240; 320; 400
Backing:	Knitted fabric
Coating:	Electrostatic
Bonding:	Resin over resin

The special net structure of 7900 sianet enables dust-free sanding with the highest abrasive performance.

### Advantages

- Full-surface dust extraction
- High removal rate without clogging
- Very efficient and productive
- High tear resistance thanks to sturdy net backing

### Materials

Acrylic lacquer; Old lacquer; Primer filler; Plaster; Dry wall lining boards; Priming foil; Primer coat; Hard wood; Resinous wood; HDF board; Melamine sheet

### Applications

- Sanding off rusted parts
- Sanding off old varnish, paints and stains
- Sanding off old paint and varnish
- Sanding off raised wooden fibres
- Sanding floorboards
- Sanding wooden terraces and pool surrounds

### Application



### Price list

- ▶ Rolls P. 99
- ▶ Strips P. 125-126
- ▶ Delta and polygons P. 135
- ▶ Discs P. 175-176

### Technology

- ▶ siafast
- ▶ sianet P. 75

## 7940 siaair – A perfect finish for varnishes and mineral materials



### Product profile

Grit type:	Aluminium oxide
Grit range:	240; 360; 500-1000; 1500-2000; 3000-4000
Backing:	Knitted fabric with foam backing
Coating:	Special process
Bonding:	Resin over resin

Whether it's scuffing, fine sanding or preparation for polishing – the improved technology of 7940 siaair is the key to a perfect finish in damp sanding applications.

### Advantages

- High stock removal rates and excellent finish
- Low clogging thanks to damp sanding
- Highly adaptable to contours, curves and profiles
- Pressure-equalising foam gives perfect surface finish
- Waterproof and washable
- Resistant to silicon remover

### Materials

Colour; Lacquer; Old lacquer; Gelcoat polyester; Plastics; Acrylic glass; Composite

### Applications

- Matt finishing of conventional old and new varnishes as well as composite materials
- Fine sanding of primer filler in hard-to-reach areas
- Preparation for polishing on high-gloss surfaces

### Application



### Price list

- ▶ Strips P. 126
- ▶ Discs P. 176

### Technology

- ▶ siafast

## 7979 siasponge flat – For dry and wet sanding in hard-to-reach areas



### Product profile

Grit type:	Aluminium oxide
Grade:	medium; fine; superfine; ultrafine; microfine
Backing:	Foam (open structure)
Coating:	Mechanical
Bonding:	Elastic binder
Coating:	1-sided

Applications such as keying, fine sanding and scuffing are especially easy to do using 7979 siasponge soft. Its high flexibility ensures that it adapts perfectly to contours, curves and profiles to deliver a high-quality, consistent sanding pattern.

### Advantages

- Can be used wet or dry
- Colour coded for easy identification
- Low clogging thanks to 3D properties imparted by foam, binder system and grit
- For hard-to-reach areas and round profiles
- Regular scratch depth due to consistent grinding performance

### Materials

Colour; Primer filler; Primer coat; Plastics; Old lacquer; Composite

### Applications

- Keying of wood and plastics
- Keying of conventional old and new varnishes, primer filler and paints
- Fine sanding of primer filler in hard-to-reach areas
- Producing a matt finish on varnishes
- Flattening of primer filler
- Intermediate sanding of varnishes

### Application



### Price list

- ▶ Foam abrasives P. 131, 133



## 7983 siasponge flex – Adapts perfectly to the workpiece

Medium	120–180
Fine	240–320
Superfine	500–600
Ultrafine	800–1000
Microfine	1200–1500



### Product profile

Grit type:	Aluminium oxide
Grade:	medium; fine; superfine; ultrafine; microfine
Backing:	PU foam (soft)
Coating:	Mechanical
Bonding:	Elastic binder
Coating:	2-sided

Be it curves, shapes or contours – an even and perfect sanding pattern can be achieved with 7983 siasponge flex. The extra-soft foam of siasponge flex ensures maximum conformability.

### Advantages

- Can be used wet or dry
- Colour coded for easy identification
- Low clogging thanks to 3D properties imparted by foam, binder system and grit
- For hard-to-reach areas and round profiles
- Consistent surface finishes even on curved workpieces

### Materials

Colour; Primer filler; Primer coat; Plastics; Old lacquer; Composite

### Applications

- Keying of wood and plastics
- Keying of conventional old and new varnishes, primer filler and paints
- Fine sanding of primer filler in hard-to-reach areas
- Producing a matt finish on varnishes
- Flattening of bodyfiller and primer filler
- Intermediate sanding of varnishes

### Application



### Price list

► Foam abrasives P. 131, 133

## 7990 siasponge block hard – The foam block for quick use

Coarse	120
Medium	180
Fine	240
Superfine	320



### Product profile

Grit type:	Aluminium oxide
Grade:	coarse; medium; fine; superfine
Backing:	PU foam (hard)
Coating:	Mechanical
Bonding:	Elastic binder
Coating:	4-sided

Surfaces can be treated quickly and easily with the 7990 siasponge block. This handy sanding block is ready to use at any time and achieves excellent results on wood, plastics, paints, lacquers and also on composites due to its high edge stability.

### Advantages

- Colour coded for easy identification
- Low clogging
- Can be used wet or dry
- Coated on all four sides, ideal for use inside rebates and on flat surfaces

### Materials

Old paint; Old lacquer; Primer filler; Melamine sheet; NC lacquer; PU lacquer; Bodyfiller; Polyester lacquer; UV lacquer; Water-based lacquer; Plastics; Solid surface material; Hard wood; Soft wood; Plaster; Dry wall lining boards

### Applications

- Sanding off old varnish, paints and stains
- Sanding off raised wooden fibres
- Fine sanding of surfaces
- Sanding off rusted parts
- Sanding off old paint and varnish
- Keying surfaces for better paint adhesion

### Application



### Price list

► Foam abrasives P. 132

## 7991 siasponge block soft – The soft foam block for a perfect finish

Medium	180
Fine	240
Superfine	320
Ultrafine	400



### Product profile

Grit type:	Aluminium oxide
Grade:	medium; fine; superfine; ultrafine
Backing:	PU foam (soft)
Coating:	Mechanical
Bonding:	Elastic binder
Coating:	4-sided

7991 siasponge block (soft) is the adaptable all-rounder for all materials. Thanks to its reduced hardness, this sanding block adapts perfectly to rebates, edges and profiles and ensures uniform pressure distribution without losing its edge stability.

### Advantages

- Colour coded for easy identification
- Low clogging
- Can be used wet or dry
- Coated on all four sides, ideal for use inside rebates and on flat surfaces

### Materials

Old paint; Old lacquer; Primer filler; Melamine sheet; NC lacquer; PU lacquer; Bodyfiller; Polyester lacquer; UV lacquer; Water-based lacquer; Plastics; Solid surface material; Hard wood; Soft wood; Plaster; Dry wall lining boards

### Applications

- Sanding off old varnish, paints and stains
- Sanding off raised wooden fibres
- Fine sanding of surfaces
- Sanding off rusted parts
- Sanding off old paint and varnish
- Keying surfaces for better paint adhesion

### Application



### Price list

► Foam abrasives P. 132-133

## 8913 siacut – The professional abrasive for higher cutting power



### Product profile

Grit type:	Aluminium oxide
Specification:	A 30 S-BF41, A 60 R-BF41, A 60 S-BF41, AS 46T BF41, AS 60T INOX BF, CS 60 BF41
Bonding:	Resin over resin Glass fibre

The hard cutting discs of the 8913 siacut Series never fail to impress, with a high cutting power, low level of heat discoloration and reduced burring.

### Advantages

- Easy handling
- High cutting speed
- Long product life
- Comfortable to use with little contact pressure

### Materials

Stainless steel (inox); steel

### Applications

- Cutting of pipes and profiles
- Cutting of sheet metal
- Cutting of flat bars
- Cutting of solid materials and bars

### Application



### Price list

► Discs P. 186-187

### Technology

► X-LOCK P. 76

## 8933 siagrind – Highly efficient, hard grinding discs for iron and steel



### Product profile

Grit type:	Aluminium oxide
Specification:	A 20/24 P-BF27, A 30 T BF
Bonding:	Resin over resin Glass fibre

The hard grinding discs of the special 8933 siagrind series excel in a variety of metal applications and make for robust and efficient tools thanks to features such as high removal rates at low surface pressure and long life.

### Advantages

- Aggressive cut
- High performance for stock removal
- Long lifetime
- Comfortable to use with little contact pressure

### Materials

steel; Unalloyed / low-alloy steel; Ferrous metal

### Applications

- Welded seam preparation
- Removal of fillet welds
- Removing solid material
- Deburring

### Application



### Price list

► Discs P. 184-185

### Technology

► X-LOCK P. 76

## Flexible hand sanding tools



### Product profile

Compatible, fully integrated system including files, blocks with suction hose and fasteners. The complete range of hand sanding tools is noted for its low weight combined with anatomically shaped handles for comfortable sanding. Direct and even transfer of pressure to the workpiece at all times.

### Advantages

- Adapts flexibly to surface contours
- Concave / convex shape is finely adjustable via an adjusting wheel
- Multi-hole air chamber backing provides full surface dust extraction and ensures a dust-free working environment
- For ergonomic manual work
- Suitable for standard, multi-hole and net-type abrasives

### Materials

Bodyfiller; Primer filler

### Applications

- Fine sanding of convex and concave contours on a variety of materials

### Application



### Price list

► System components P. 266

## Standard hand sanding tools



### Product profile

Compatible, fully integrated system including files, blocks with suction hose and fasteners. The complete range of hand sanding tools is noted for its low weight combined with anatomically shaped handles for comfortable sanding. Direct and even transfer of pressure to the workpiece at all times.

### Advantages

- Suitable for standard, multi-hole and net-type abrasives
- Multi-hole air chamber backing provides full surface dust extraction and ensures a dust-free working environment
- For ergonomic manual work

### Materials

Bodyfiller; Primer filler

### Applications

- Flattening of bodyfiller and primer filler
- Fine sanding of bodyfiller
- Fine sanding of primer filler

### Application



### Price list

► System components P. 266

## siachrome



### Product profile

With the siachrome polishing system, sia Abrasives offers an efficient range of products that can be used to reliably carry out all stages of top coat preparation.

### Advantages

- Efficient and process-reliable polishing due to colour concept
- Excellent for use on standard and ceramic paints
- Suitable for soft or hard lacquers
- Usable on all polishable surfaces
- Silicone and solvent free, water-based
- Can be used without coolant

### Materials

Lacquer; Colour; Gelcoat polyester; Acrylic glass; Old lacquer; Scratchproof lacquer; Solid surface material

### Applications

- Removal of polishing scratches
- Removal of sanding defects from hard lacquers
- Removal of holograms

### Application



### Price list

► Polishing system P. 261-264

### Technology

► siafast





# S Performance

## The new multi-hole generation – optimum hole pattern for maximum efficiency

High stock removal for fast work: the removal rate is achieved by the dust being directly extracted at its source. Thanks to fewer sanding disc blockages, the lifetime can be extended. No dirty machines or workpieces: reduced residual dust facilitates and accelerates machine and workpiece cleaning.



### Strong and efficient



- High stock removal for fast work
- Long lifetime reduces work interruptions

### Simple and practical



- Simple positioning of the sanding disc
- Practical mounting thanks to the centre hole

### Clean and safe



- Better occupational health and safety
- No dirty machines or workpieces

### Hole pattern

#### Core zone

More holes in the centre for maximum sanding dust extraction

#### Outside area


Fewer holes outside the core zone for optimum air flow into the centre

#### Centre hole

For convenient, simple mounting


#### Slotted holes

Extraction is optimised thanks to the larger extraction surface of the slotted holes



### Sanding dust extraction

- Outside area
- Core zone




# siasoft



## The coated abrasive for gentle use

siasoft is a foam-backed abrasive which ensures very gentle and consistent abrasive use. It prevents unwanted sanding-through and helps to achieve perfect surface quality with minimal scratch depth.

### Pressure-equalising




- The foam hardness is matched to the application, enabling siasoft to deliver optimum pressure distribution for a consistent sanding pattern.
- No sanding-through. The soft backing material prevents pressure points caused by fingers. siasoft is therefore especially suitable for fine and intermediate varnish sanding on surfaces or curves.

### Adaptable to contours



- The abrasive is very adaptable to contours due to the foam-laminated back. It is especially suitable for hard-to-reach and profiled surfaces.
- With siasoft there is no formation of folds or buckling. This enables a consistent sanding pattern without scratches.



- 1 Abrasive
- 2 Foam Backing



# TopTec



## Top technology for perfect surfaces

Outstanding sanding results and superior surface quality come from the combination of controlled grit distribution, belt joints and backing materials designed to suit the specific application along with antistatic properties that arise from a brand-new production process.

### Controlled grit coating



- Optimum grit volume
- Perfect grit adhesion
- Even grit distribution
- Tested to FEPA standards

### Superior belt joints



- High and consistent quality
- Specific application orientation
- High-quality processing
- Excellent stability and long life
- No sanding flaws

### Dust-free operation



- Dust-free workpieces
- Clean machinery
- Efficient dust removal
- Cleaner air in the working environment
- Longer belt life
- Low clogging

## Joint types



Overlapped joint without grit sanding




Overlapped joint with grit sanding



Butted joint with special film on the grit side



Butted joint with special film on the back





# Net-backed abrasives



## Full surface dust extraction thanks to open net backing


Grit on a net backing enables full surface dust extraction thanks to the open backing structure. For the first time, this dust extraction ensures a virtually dust free work environment in which one's health is protected, process reliability is improved and the lifetime of the abrasive is increased.

### Grit on a cloth / paper backing



Grit on a cloth or paper backing is embedded in binder resin on the whole surface, and dust extraction is enabled by punched holes. The grit is glued together and has little space to incorporate dust, which can strongly influence the lifetime of the abrasive.

### Grit on a net backing





A net backing, consisting of a polyester fibre, is coated using a modern specific manufacturing procedure. Thanks to a sophisticated process, only the top fibre of the net is coated with grit. The inner, functional structure and the back of the abrasive with the siafast fastening loops remain free of grit.

This precise grit coating ensures full surface dust extraction for a dust free work environment and maximum removal rate.

## Performance comparison

Abrasive: Ø 150 mm, Grit 240, Material: solid beech wood,  
Machine: Eccentric 150 mm, stroke 5 mm, 103-hole soft backing pad,  
fully automatic sanding check

- 7500 sianet CER (ceramic aluminium oxide)
- 7900 sianet
- Paper-backed abrasive



# X-Lock



## X-LOCK Just one Click The ultimate disc changing system for angle grinders

The new changing system to switch angle grinder accessories with just one Click. The X-LOCK technology allows easy and effortless mounting.

- Convenient: Toolless system with no loose parts and no force required
- Efficient: Quick change of accessories and less reworking
- Comprehensive: From preparation to finish for every application

From preparation to finish, a fast and easy solution for every application.

- ▶ Cutting
- ▶ Deburring
- ▶ Weld preparation
- ▶ Weld removal
- ▶ Surface refinement






### This is how it works!

**Attach**

1. Centre the disc
2. Press until it clicks
3. Ready to use

**Remove**

1. Hold the disc
2. Operate the lever
3. Change the disc






# siaramic



## Absolutely fast – The ceramic fibre disc for maximum performance

- High removal rate thanks to ceramic grit
- Aggressive initial sanding thanks to optimised sanding grain
- Long lifetime
- Increased efficiency due to measurable time-saving
- Minimal effort required thanks to highly aggressive abrasive grit

### The ceramic grain that makes a difference



#### Conventional, crushed ceramic grain

Conventional (crushed) grain is irregular and blocky in shape which results in a „ploughing“ action and generates unwanted heat when grinding.

#### siaramic technology, shaped ceramic grain

The optimal triangular shape of the siaramic technology grain enables a clean cutting action, delivering fast stock removal and a cooler grinding temperature, which increases the disc lifetime – all of this offers an optimal grinding experience.



#### Fastest stock removal

The optimal triangular shape of the siaramic grain allows the disc to cleanly cut through metal, delivering a faster stock removal

#### Maximum lifetime



The shaped ceramic grain guarantees an optimal lifetime – even on the toughest jobs




#### Consistent cut

The special structure of the shaped grain gives a perfect self-sharpening effect which leads to a consistent grinding result

#### Cooling top coat



Thanks to the cooling top coat, the 4582 siaramic discs (#36+ to #120+) are suitable for work on stainless steel



#### 4581 siaramic

Grit type: Ceramic grit  
Grit range: 36+, 60+, 80+  
Diameter: 100, 115, 125, 180 mm



Steel



#### 4582 siaramic with cooling aid

Grit type: Ceramic grit  
Grit range: 36+, 60+, 80+, 120+  
Diameter: 100, 115, 125, 180 mm



Stainless steel,  
Steel




## Comparison of grit size

Coated abrasives

MICRON Grit	ANSI (USA) Grit	FEPA (Europe) Grit
1'842.00 µm	12	
1'764.00 µm		P12
1'324.00 µm		P16
1'320.00 µm	16	
984.00 µm		P20
905.00 µm	20	
740.00 µm		P24
715.00 µm	24	
638.00 µm	30	
622.00 µm		P30
535.00 µm	36	
524.00 µm		P36
428.00 µm	40	
412.00 µm		P40
351.00 µm	50	
326.00 µm		P50
268.00 µm	60	
260.00 µm		P60
197.00 µm		P80
192.00 µm	80	
156.00 µm		P100
141.00 µm	100	
127.00 µm		P120
116.00 µm	120	
97.00 µm		P150
93.00 µm	150	
78.00 µm	180	P180
66.00 µm	220	
65.00 µm		P220
58.50 µm		P240
53.50 µm	240	
52.50 µm		P280
46.20 µm		P320
44.00 µm	280	
40.50 µm		P360
36.00 µm	320	
35.00 µm		P400
30.20 µm		P500
28.80 µm	360	
25.75 µm		P600
23.60 µm	400	
21.80 µm		P800
19.70 µm	500	
18.30 µm		P1'000
16.00 µm	600	
15.30 µm		P1'200
12.60 µm		P1'500
12.20 µm	800	
10.30 µm		P2'000
9.20 µm	1000	
8.40 µm		P2'500
6.50 µm	1200	

## Comparison of grits – backing pad

Coated abrasives




### FEPA grit size

The grit size is indicated by a grit number.

The grit number corresponds to the number of screen perforations per linear inch.

1 inch = 25.4 mm

P 16 = 16 screen perforations per inch





## When you order belts in our new standard dimensions you'll benefit from price savings compared to the non-standard sizes

**Hand sanding belts and sleeves** (width: 30–390 mm / length: up to 950 mm)

**Narrow, edge and long belts** (width: 25–399 mm / length: up to 8500 mm)

**Tongued sanding belts** (width: 6–30 mm / length: up to 950 mm)

Belts smaller than 75 mm in width **and** smaller than 300 mm in length cannot be produced!

Width in mm		Length in mm											
6	90	95	200	330	533	760	1250	1800	2350	3100	3800	5130	7100
10	100	100	210	350	550	800	1300	1830	2400	3150	3900	5230	7150
13	110	105	220	365	560	830	1340	1850	2450	3200	4000	5360	7200
16	120	110	225	380	580	860	1370	1900	2480	3250	4100	5400	7350
20	150	115	235	395	600	900	1400	1950	2500	3300	4200	5500	7750
25	180	120	250	400	610	915	1450	2000	2550	3350	4250	5900	7800
30	200	125	260	410	620	950	1480	2050	2600	3400	4300	6200	8000
35	220	130	272	425	630	1000	1500	2100	2620	3450	4400	6400	8130
40	250	135	280	450	650	1065	1525	2150	2650	3500	4500	6550	8500
45	280	142	282	457	675	1100	1550	2180	2700	3550	4600	6700	8700
50	300	150	289	480	690	1120	1600	2200	2740	3600	4700	6750	9000
60	320	160	295	490	725	1150	1650	2250	2800	3650	4800	6800	
65	350	180	305	510	740	1200	1700	2280	2900	3700	4900	6900	
75	380	190	315	520	750	1220	1750	2300	3000	3750	5000	7000	

### Wide belts on paper backing

(1749, 1909, 1920, 1719, 1730, 1918, 1919)

Segment belts on request

Width in mm		
400	670	1300
420	700	1310
430	910	1350
450	930	1370
500	970	1400
560	1010	1450
580	1050	1600
600	1100	1620
610	1120	1650
630	1150	1680

1919

### Wide belts on cloth backing

(1815, 2511, 2515, 2707, 2800, 2803, 2812, 2820, 2829, 2920, 2925, only up to 600 mm width: 2546, 2945, 2946)


Width in mm		
400	670	1300
420	700	1310
430	910	1330
450	930	1350
500	970	1370
560	1010	1400
580	1050	
600	1100	
610	1120	
630	1150	

2920

Length in mm	
1525	2200
1900	2620
2000	3250
2150	

Length in mm	
1525	2200
1900	2620
2000	3250
2150	

Example: 1310 mm (width) x 2620 mm (length)







# Products

**Product overview**  
**Conditions of Sale**  
**Pictograms**  
**Series overview**

P. 82  
P. 289  
P. 290  
P. 291



**Rolls**

<b>Abrasive film rolls</b>	Page 84 - 85	<b>siafast rolls</b>	Page 98 - 99
<b>Cloth rolls</b>	Page 85 - 91	<b>siasoft rolls</b>	Page 100 - 101
<b>Jumbolino</b>	Page 91 - 92	<b>siavlies rolls</b>	Page 101 - 103
<b>Paper rolls</b>	Page 92 - 98	<b>Economy rolls</b>	Page 103 - 107

**Sheet**

<b>Half sheets</b>	Page 108	<b>Standard sheets</b>	Page 108 - 114
--------------------	----------	------------------------	----------------

**Strips**

<b>siafast strips</b>	Page 115 - 126	<b>Self-adhesive strips</b>	Page 128
<b>siasoft strips</b>	Page 126 - 127	<b>Various strips</b>	Page 129 - 130
<b>siavlies strips</b>	Page 127 - 128		

**Foam abrasives**

<b>Pads</b>	Page 131	<b>Discs</b>	Page 133
<b>Blocks</b>	Page 131 - 133		

**Delta and polygons**

<b>Delta and polygons</b>	Page 134 - 135
---------------------------	----------------

**Discs**

<b>Fibre discs</b>	Page 136 - 142	<b>siastrip discs</b>	Page 179 - 180
<b>Double-sided discs</b>	Page 142 - 143	<b>siavlies discs</b>	Page 180 - 182
<b>Daisy discs</b>	Page 143 - 144	<b>Self-adhesive discs</b>	Page 182 - 184
<b>scm discs</b>	Page 144 - 145	<b>Grinding discs</b>	Page 184 - 185
<b>siafast discs</b>	Page 146 - 176	<b>Cutting discs</b>	Page 186 - 187
<b>siafix discs</b>	Page 176 - 179	<b>Various discs</b>	Page 187 - 193
<b>siasoft discs</b>	Page 179		





### Flap discs

<b>Fibreglass pads</b>	Page 194 - 195	<b>Plastic pads</b>	Page 195 - 196
------------------------	----------------	---------------------	----------------

### Flap wheel

<b>Flap rollers cloth</b>	Page 197	<b>Flap wheel with shaft cloth</b>	Page 197 - 200
<b>Flap rollers cloth and nonwoven</b>	Page 197	<b>Flap wheel with shaft cloth and nonwoven</b>	Page 201
<b>Flap rollers nonwoven</b>	Page 197	<b>Flap wheel with shaft nonwoven</b>	Page 202 - 203

### Belts

<b>Wide belts</b> (width: from 400 mm)	Page 204 - 216	<b>scm belts</b>	Page 248 - 249
<b>Hand sanding belts and sleeves</b> (width: 30–390 mm/length: up to 950 mm)	Page 216 - 222	<b>Tongued sanding belts</b> (width: 6–30 mm/length: up to 950 mm)	Page 249 - 255
<b>Narrow, edge and long belts</b> (width: 25–399 mm/length: up to 10,700 mm)	Page 222 - 248	<b>spiralbands</b>	Page 255 - 259

### Brushes

<b>Plate brushes</b>	Page 260	<b>Circular brushes</b>	Page 260
----------------------	----------	-------------------------	----------
















### Polishing system

<b>Polishing paste</b>	Page 261	<b>Polishing accessories</b>	Page 262 - 264
<b>Backing pad for polishing</b>	Page 261 - 262		


### System components


<b>Hand sanding blocks</b>	Page 265	<b>Conversion sets</b>	Page 277 - 278
<b>Hand sanding tools</b>	Page 266 - 267	<b>Sales stands</b>	Page 279
<b>Profile sanding set</b>	Page 267	<b>Various components</b>	Page 279 - 280
<b>Spiral belt backing</b>	Page 267 - 269	<b>Intermediate pad</b>	Page 281 - 283
<b>Backing pad for random orbital sanders</b>	Page 269 - 271	<b>Protective discs</b>	Page 283 - 285
<b>Backing pad for rotary sanders</b>	Page 271 - 277	<b>Dust cloths</b>	Page 285

## Abrasive film rolls


5752 microtec	Dimension	Col-our	Grit in µm	Part number	Part number	Delivery date	MOQ	SU
	<b>100 mm x 50 m</b>		60	F 03E 007 72N	3624.1757.0240.01	Ex. stock IDC		1
			40	F 03E 007 72P	3624.1757.0360.01	Ex. stock IDC		1
			30	F 03E 007 72R	3624.1757.0500.01	Ex. stock IDC		1
			20	F 03E 007 DS0	3624.1757.0800.01	Ex. stock IDC		1
			15	F 03E 007 72S	3624.1757.1200.01	Ex. stock IDC		1
<b>Information: P. 58</b>								
	<b>200 mm x 50 m</b>		60	F 03E 007 72Y	5596.4668.0240.01	Made to order		1
			40	F 03E 007 72Z	5596.4668.0360.01	Made to order		1
			30	F 03E 007 730	5596.4668.0500.01	Made to order		1
			15	F 03E 007 731	5596.4668.1200.01	Made to order		1
<b>Information: P. 58</b>								
5930 microtec	Dimension	Col-our	Grit in µm	Part number	Part number	Delivery date	MOQ	SU
								
	<b>12 mm x 100 m</b>		30	F 03E 006 7ZP	3157.9435.0500.01	Ex. stock IDC		10
			20	F 03E 006 7ZR	3157.9435.0800.01	Ex. stock IDC		10
			15	F 03E 006 7ZS	3157.9435.1200.01	Ex. stock IDC		10
			12	F 03E 007 T79	3157.9435.1500.02	Ex. stock IDC		10
			9	F 03E 007 T7A	3157.9435.2000.02	Ex. stock IDC		10
<b>Information: P. 58</b>								
	<b>25 mm x 50 m</b>		20	F 03E 006 R5E	8496.2654.0800.01	Made to order		4
			15	F 03E 006 R5F	8496.2654.1200.01	Made to order		4
			12	F 03E 005 PJ4	8496.2654.1500.01	Made to order		4
<b>Information: P. 58</b>								
	<b>100 mm x 50 m</b>		40	F 03E 005 4WV	7483.5367.0360.01	Made to order		1
			30	F 03E 005 4WX	7483.5367.0500.01	Made to order		1
			20	F 03E 005 4WY	7483.5367.0800.01	Made to order		1
			15	F 03E 005 4WZ	7483.5367.1200.01	Made to order		1
			12	F 03E 005 4X0	7483.5367.1500.01	Made to order		1
			9	F 03E 005 4X1	7483.5367.2000.01	Made to order		1
			5	F 03E 005 4X2	7483.5367.2700.01	Made to order		1
			3	F 03E 005 4X3	7483.5367.3000.01	Made to order		1
	1	F 03E 005 4X4	7483.5367.6000.01	Made to order		1		
<b>Information: P. 58</b>								
	<b>200 mm x 50 m</b>		40	F 03E 005 4X5	9455.8278.0360.01	Made to order		1
			30	F 03E 005 4X6	9455.8278.0500.01	Made to order		1
			20	F 03E 005 4X7	9455.8278.0800.01	Made to order		1
			15	F 03E 005 4X8	9455.8278.1200.01	Made to order		1
			12	F 03E 005 4X9	9455.8278.1500.01	Made to order		1
			5	F 03E 005 4XB	9455.8278.2700.01	Made to order		1
			3	F 03E 005 4XC	9455.8278.3000.01	Made to order		1
	1	F 03E 005 4XD	9455.8278.6000.01	Made to order		1		
<b>Information: P. 58</b>								


## Abrasive film rolls


5960 microtec	Dimension	Col-our	Grit in µm	Part number	Part number	Delivery date	MOQ	SU
	<b>100 mm x 50 m</b>		60	F 03E 007 756	8131.0975.0240.01	Made to order		1
			40	F 03E 007 757	8131.0975.0360.01	Made to order		1
			30	F 03E 007 758	8131.0975.0500.01	Made to order		1
			20	F 03E 007 759	8131.0975.0800.01	Made to order		1
			15	F 03E 007 75A	8131.0975.1200.01	Made to order		1
			9	F 03E 007 75B	8131.0975.2000.01	Made to order		1
<b>Information: P. 59</b>								

5962 microtec	Dimension	Col-our	Grit in µm	Part number	Part number	Delivery date	MOQ	SU
	<b>50 mm x 50 m</b>		15	F 03E 007 76V	2208.5437.1200.01	Ex. stock IDC		4
		<b>Information: P. 59</b>						






## Cloth rolls

1707 siapar	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>203 mm x 25 m</b>		16	F 03E 001 8DX	4432.6606.0016.03	Made to order		1
		<b>Information: P. 30</b>						

2503 siabite	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>305 mm x 50 m</b>		36	F 03E 001 6MU	1426.5561.0036.01	Ex. stock UK	1	1
			40	F 03E 001 6N5	1426.5561.0040.01	Ex. stock UK	1	1
			60	F 03E 001 6NT	1426.5561.0060.01	Ex. stock UK	1	1
			80	F 03E 001 6NK	1426.5561.0080.01	Ex. stock UK	1	1
<b>Information: P. 40</b>								




2511 siabite	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>305 mm x 50 m</b>		36	F 03E 004 Z28	1594.9239.0036.01	Ex. stock UK	50	50
			60	F 03E 004 Y55	1594.9239.0060.01	Ex. stock UK	50	50
			60	F 03E 005 42J	1335.8919.0060.01	Ex. stock UK	50	50
			80	F 03E 004 Z29	1594.9239.0080.01	Ex. stock UK	50	50
			120	F 03E 006 1JS	1594.9239.0120.01	Ex. stock UK	50	50
<b>Information: P. 40</b>								

## Cloth rolls

2515 siabite	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>305 mm x 50 m</b>	40	F 03E 003 6C4	1689.8955.0040.01	Ex. stock UK	50	50
	<b>Information: P. 41</b>						
2546 siabite jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>305 mm x 50 m</b>	60	F 03E 001 6R8	2350.3648.0060.01	Ex. stock UK	1	1
		80	F 03E 001 6R7	2350.3648.0080.01	Ex. stock UK	1	1
		100	F 03E 004 25U	2350.3648.0100.01	Ex. stock UK	1	1
		120	F 03E 001 6S1	2350.3648.0120.01	Ex. stock UK	1	1
		180	F 03E 001 6US	2350.3648.0180.01	Ex. stock UK	1	1
		220	F 03E 004 39T	2350.3648.0220.01	Ex. stock UK	1	1
	<b>Information: P. 41</b>						
2707 siawat x	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>305 mm x 50 m</b>	60	F 03E 001 6VX	5838.5063.0060.01	Ex. stock UK	1	1
		80	F 03E 001 7WE	5838.5063.0080.01	Ex. stock UK	1	1
		120	F 03E 001 6PF	5838.5063.0120.01	Ex. stock UK	1	1
	<b>Information: P. 42</b>						
2747 siatur	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>305 mm x 50 m</b>	120	F 03E 001 7TF	6701.8740.0120.01	Ex. stock UK	1	1
	<b>Information: P. 43</b>						
2800 siaron	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>50 mm x 95 m</b>	40	F 03E 001 A5M	1683.8580.0040.01	Ex. stock IDC		95
	<b>Information: P. 44</b>						






## Cloth rolls

2800 siaron	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>305 mm x 50 m</b>	24	F 03E 001 6NH	7841.5363.0024.01	Ex. stock UK	1	1
		36	F 03E 001 6M5	7841.5363.0036.01	Ex. stock UK	1	1
		60	F 03E 001 6MB	7841.5363.0060.01	Ex. stock UK	1	1
		80	F 03E 001 6MC	7841.5363.0080.01	Ex. stock UK	1	1
		100	F 03E 002 FC9	7841.5363.0100.01	Ex. stock UK	1	1
		150	F 03E 002 M3V	7841.5363.0150.01	Ex. stock UK	1	1
	<b>Information: P. 44</b>	320	F 03E 002 R22	7841.5363.0320.01	Ex. stock UK	1	1
	<b>610 mm x 50 m</b>	36	F 03E 001 5RX	8374.7407.0036.01	Ex. stock UK	1	1
	<b>Information: P. 44</b>						
2803 siaron y	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>305 mm x 50 m</b>	36	F 03E 001 6M6	7923.5994.0036.01	Ex. stock UK	1	1
		40	F 03E 001 7SY	7923.5994.0040.01	Ex. stock UK	1	1
		60	F 03E 001 6MV	7923.5994.0060.01	Ex. stock UK	1	1
	<b>Information: P. 44</b>	80	F 03E 002 A9T	7923.5994.0080.01	Ex. stock UK	1	1
2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>20 mm x 50 m</b>	50	F 03E 008 4KG	9932.9698.0050.01	Made to order		300
	<b>Information: P. 45</b>						
	<b>305 mm x 50 m</b>	36	F 03E 001 6KM	8273.2435.0036.01	Ex. stock UK	1	1
		40	F 03E 001 6KN	8273.2435.0040.01	Ex. stock UK	1	1
		50	F 03E 001 6R4	8273.2435.0050.01	Ex. stock UK	1	1
		60	F 03E 001 6LP	8273.2435.0060.01	Ex. stock UK	1	1
		80	F 03E 001 6LR	8273.2435.0080.01	Ex. stock UK	1	1
		100	F 03E 001 6NC	8273.2435.0100.01	Ex. stock UK	1	1
		120	F 03E 001 6PU	8273.2435.0120.01	Ex. stock UK	1	1
		150	F 03E 001 7EB	8273.2435.0150.01	Ex. stock UK	1	1
		180	F 03E 001 6MW	8273.2435.0180.01	Ex. stock UK	1	1
		240	F 03E 001 6M7	8273.2435.0240.01	Ex. stock UK	1	1
	<b>Information: P. 45</b>	320	F 03E 001 6PW	8273.2435.0320.01	Ex. stock UK	1	1

## Cloth rolls

2829 siaron y	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>305 mm x 50 m</b>	24	F 03E 002 A3U	8476.1419.0024.01	Ex. stock UK	1	1
		36	F 03E 001 6M8	8476.1419.0036.01	Ex. stock UK	1	1
		40	F 03E 003 67X	8476.1419.0040.01	Ex. stock UK	1	1
		60	F 03E 001 6M9	8476.1419.0060.01	Ex. stock UK	1	1
		80	F 03E 001 6TD	8476.1419.0080.01	Ex. stock UK	1	1
		100	F 03E 001 7S7	8476.1419.0100.01	Ex. stock UK	1	1
		120	F 03E 001 79V	8476.1419.0120.01	Ex. stock UK	1	1
	<b>Information: P. 46</b>						
2920 siawood x	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
  							
	<b>305 mm x 50 m</b>	36	F 03E 001 874	0485.5668.0036.01	Ex. stock UK	1	1
		40	F 03E 001 6MR	0485.5668.0040.01	Ex. stock UK	1	1
		60	F 03E 001 6N4	0485.5668.0060.01	Ex. stock UK	1	1
		80	F 03E 001 6MZ	0485.5668.0080.01	Ex. stock UK	1	1
		100	F 03E 001 6N0	0485.5668.0100.01	Ex. stock UK	1	1
		120	F 03E 001 6MF	0485.5668.0120.01	Ex. stock UK	1	1
		150	F 03E 001 6PK	0485.5668.0150.01	Ex. stock UK	1	1
180	F 03E 001 7KR	0485.5668.0180.01	Ex. stock UK	1	1		
	<b>Information: P. 47</b>						
2936 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
  							
	<b>100 mm x 50 m</b>	60	F 03E 001 8DL	0662.2534.0060.01	Ex. stock UK	1	1
		80	F 03E 001 8DM	0662.2534.0080.01	Ex. stock UK	1	1
		100	F 03E 001 8DN	0662.2534.0100.01	Ex. stock IDC		1
		120	F 03E 001 8DP	0662.2534.0120.01	Ex. stock UK	1	1
		150	F 03E 001 8DR	0662.2534.0150.01	Ex. stock IDC		1
		180	F 03E 001 8DS	0662.2534.0180.01	Ex. stock UK	1	1
		220	F 03E 001 8DT	0662.2534.0220.01	Ex. stock IDC		1
		240	F 03E 001 8DU	0662.2534.0240.01	Ex. stock IDC		1
		320	F 03E 001 8DW	0662.2534.0320.01	Ex. stock IDC		1
			<b>Information: P. 49</b> Accessories: P. 279				
<b>115 mm x 50 m</b>	60	F 03E 001 8DK	4446.8229.0060.01	Made to order		1	
	80	F 03E 001 8A9	4446.8229.0080.02	Ex. stock UK	1	1	
	100	F 03E 001 8AA	4446.8229.0100.02	Ex. stock UK	1	1	
	120	F 03E 001 8AB	4446.8229.0120.02	Ex. stock UK	1	1	
	150	F 03E 001 8AC	4446.8229.0150.02	Ex. stock UK	1	1	
	180	F 03E 001 8AD	4446.8229.0180.02	Ex. stock UK	1	1	
	<b>Information: P. 49</b> Accessories: P. 279						


## Cloth rolls

2936 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>150 mm x 50 m</b>	150	F 03E 001 68Z	8231.3820.0150.01	Ex. stock UK	1	1
		<b>Information: P. 49</b>					
	<b>300 mm x 50 m</b>	80	F 03E 001 69C	6205.9246.0080.01	Ex. stock UK	50	50
		120	F 03E 001 69D	6205.9246.0120.01	Ex. stock UK	50	50
	<b>Information: P. 49</b>						
	<b>305 mm x 50 m</b>	100	F 03E 001 6N2	0822.2557.0100.01	Ex. stock UK	1	1
		150	F 03E 001 6P4	0822.2557.0150.01	Ex. stock UK	50	50
	<b>Information: P. 49</b>						
	2945 siatur j	Dimension	Grit	Part number	Part number	Delivery date	MOQ
	<b>305 mm x 50 m</b>	60	F 03E 006 1L6	1025.1541.0060.01	Ex. stock UK	1	1
		80	F 03E 004 3YS	1025.1541.0080.01	Ex. stock UK	1	1
		100	F 03E 001 7Y1	1025.1541.0100.01	Ex. stock UK	1	1
		120	F 03E 001 7MU	1025.1541.0120.01	Ex. stock UK	1	1
		150	F 03E 003 F3L	1025.1541.0150.01	Ex. stock UK	1	1
		180	F 03E 004 5NU	1025.1541.0180.01	Ex. stock UK	1	1
		240	F 03E 002 SG0	1025.1541.0240.01	Ex. stock UK	1	1
		320	F 03E 001 6PX	1025.1541.0320.01	Ex. stock UK	1	1
	<b>Information: P. 50</b>						
2946 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>40 mm x 100 m</b>	320	F 03E 006 UM2	1424.0941.0320.01	Ex. stock IDC		1
		600	F 03E 006 V32	1424.0941.0600.01	Ex. stock IDC		1
	<b>Information: P. 50</b>						
	<b>45 mm x 100 m</b>	320	F 03E 006 V2Z	6008.2133.0320.01	Made to order		1
		600	F 03E 001 9L4	6008.2133.0600.01	Made to order		1
	<b>Information: P. 50</b>						

Cloth rolls


2946 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
----------------	-----------	------	-------------	-------------	---------------	-----	----



	<b>50 mm x 50 m</b>  Information: P. 50	320	F 03E 003 EV0	6005.5021.0320.01	Made to order		2
	<b>200 mm x 50 m</b>  Information: P. 50	80	F 03E 003 4LP	4449.4871.0080.01	Made to order		50
		120	F 03E 001 7KZ	4449.4871.0120.01	Made to order		50
	<b>305 mm x 50 m</b>  Information: P. 50	60	F 03E 002 M3U	1038.1093.0060.01	Ex. stock UK	1	1
		80	F 03E 002 CT4	1038.1093.0080.01	Ex. stock UK	1	1
		100	F 03E 002 CT5	1038.1093.0100.01	Ex. stock UK	1	1
		120	F 03E 001 89B	1038.1093.0120.01	Ex. stock UK	1	1
		240	F 03E 001 857	1038.1093.0240.01	Ex. stock UK	1	1
		320	F 03E 001 7U6	1038.1093.0320.01	Ex. stock UK	1	1


2951 siatur h	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
---------------	-----------	------	-------------	-------------	---------------	-----	----




	<b>20 mm x 25 m</b>  Information: P. 51	240	F 03E 001 6CV	7630.6248.0240.01	Made to order		125
		320	F 03E 001 6CY	7630.6248.0320.01	Made to order		125
		400	F 03E 001 6CU	7630.6248.0400.01	Made to order		125
		600	F 03E 001 6BU	7630.6248.0600.01	Made to order		125
	<b>25 mm x 25 m</b>  Information: P. 51	320	F 03E 001 6GG	2246.9559.0320.01	Ex. stock IDC		100
		400	F 03E 001 6YP	2246.9559.0400.01	Ex. stock IDC		100
	<b>30 mm x 25 m</b>  Information: P. 51	80	F 03E 001 7PB	6831.0751.0080.01	Made to order		75
		400	F 03E 004 1NL	6831.0751.0400.01	Made to order		75
	<b>40 mm x 25 m</b>  Information: P. 51	280	F 03E 001 7X8	6031.5254.0280.01	Made to order		75




## Cloth rolls


2951 siatur h	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>50 mm x 25 m</b>	120	F 03E 001 86B	5231.9757.0120.01	Made to order		50	
		600	F 03E 001 6D9	5231.9757.0600.01	Made to order		25	
	<b>Information: P. 51</b>							
	<b>80 mm x 25 m</b>	320	F 03E 001 6NM	2833.2799.0320.01	Ex. stock IDC			25
		<b>Information: P. 51</b>						
	<b>100 mm x 50 m</b>	80	F 03E 001 8AH	0986.0338.0080.01	Ex. stock IDC			1
		120	F 03E 001 8AK	0986.0338.0120.01	Ex. stock IDC			1
		150	F 03E 001 8AL	0986.0338.0150.01	Ex. stock IDC			1
		180	F 03E 001 8AM	0986.0338.0180.01	Ex. stock IDC			1
		240	F 03E 001 8AP	0986.0338.0240.01	Ex. stock IDC			1
	<b>Information: P. 51</b>							
	<b>115 mm x 50 m</b>	60	F 03E 001 8AX	4770.6033.0060.01	Made to order			1
		80	F 03E 001 8AY	4770.6033.0080.01	Made to order			1
		100	F 03E 001 8AZ	4770.6033.0100.01	Made to order			1
		120	F 03E 001 8B0	4770.6033.0120.01	Made to order			1
		150	F 03E 001 8B1	4770.6033.0150.01	Made to order			1
		180	F 03E 001 8B2	4770.6033.0180.01	Made to order			1
		220	F 03E 001 8B3	4770.6033.0220.01	Made to order			1
	<b>Information: P. 51</b> Accessories: P. 279							


6120 siaflece	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	<b>300 mm x 10 m</b>	medium A	F 03E 013 T1F	3282.8958.4921	Ex. stock IDC		1
		<b>Information: P. 60</b>					


## Jumbolino

1913 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>920 mm x 750 m</b>	1200	F 03E 001 3FJ		Ex. stock IDC		750
		<b>Information: P. 35</b>					


## Jumbolino


1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>1420 mm x 50 m</b>	36	F 03E 006 573		Ex. stock UK	50	50
		<b>Information: P. 36</b>					

2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>1330 mm x 50 m</b>	50	F 03E 001 4EV		Ex. stock UK	50	50
		60	F 03E 001 48E		Ex. stock UK	50	50
		80	F 03E 001 4A6		Ex. stock UK	50	50
		100	F 03E 001 4CK		Ex. stock UK	50	50
		120	F 03E 001 4J3		Ex. stock UK	50	50
<b>Information: P. 45</b>							




6270 siamet SCM LS	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	<b>330 mm x 20,5 m</b>	coarse A	F 03E 014 KY0	1912.5562.2921.01	Ex. stock UK	1	1
		medium A	F 03E 014 KY2	1912.5562.4921.01	Ex. stock UK	1	1
		fine A	F 03E 014 KY4	1912.5562.5921.01	Ex. stock UK	1	1
		veryfine A	F 03E 014 KY6	1912.5562.6921.01	Ex. stock UK	1	1
<b>Information: P. 62</b>							

## Paper rolls




1707 siapar	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>203 mm x 25 m</b>	24	F 03E 001 8DZ	4432.6606.0024.03	Made to order		1
		36	F 03E 001 8E1	4432.6606.0036.03	Made to order		1
	<b>254 mm x 25 m</b>	36	F 03E 001 8EC	7332.4088.0036.03	Made to order		1
<b>Information: P. 30</b>							

1713 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>10 mm x 25 m</b>	180	F 03E 007 6D5	9605.0548.0180.01	Made to order		25
		400	F 03E 007 30Y	9605.0548.0400.01	Made to order		25
		600	F 03E 006 VU0	9605.0548.0600.01	Made to order		25
		800	F 03E 007 3GS	9605.0548.0800.01	Made to order		25
<b>Information: P. 30</b>							

## Paper rolls





1713 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>10 mm x 25 m</b> Model: Wet sanding  <b>Information: P. 30</b>	320	F 03E 006 J8K	9605.0548.0320.01	Made to order		25
	<b>17 mm x 25 m</b>  <b>Information: P. 30</b>	180	F 03E 007 7R0	8048.5912.0180.01	Made to order		150
		600	F 03E 007 5BR	8048.5912.0600.01	Made to order		150
		800	F 03E 007 3GT	8048.5912.0800.01	Made to order		150
	<b>17 mm x 25 m</b> Model: Wet sanding  <b>Information: P. 30</b>	320	F 03E 006 J6C	8048.5912.0320.01	Made to order		150
	<b>25 mm x 25 m</b> Model: Wet sanding  <b>Information: P. 30</b>	1000	F 03E 006 G4W	4745.2598.1000.01	Made to order		1
	<b>100 mm x 50 m</b> Model: Wet sanding  <b>Information: P. 30</b>	600	F 03E 006 VT7	5727.6762.0600.01	Ex. stock UK	50	50
	<b>115 mm x 50 m</b> Model: Wet sanding  <b>Information: P. 30</b>	320	F 03E 006 R41	7913.1567.0320.01	Made to order		1
1748 sialac	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>115 mm x 50 m</b>  <b>Information: P. 32</b> Accessories: P. 279	150	F 03E 004 MZ6	8668.5976.0150.05	Ex. stock UK	1	1
		180	F 03E 004 MZ7	8668.5976.0180.05	Ex. stock UK	1	1
		220	F 03E 004 MZ8	8668.5976.0220.05	Ex. stock UK	1	1
		240	F 03E 001 8M6	8668.5976.0240.05	Ex. stock UK	1	1
		280	F 03E 004 MZ9	8668.5976.0280.05	Ex. stock UK	1	1
		320	F 03E 004 N00	8668.5976.0320.05	Ex. stock UK	1	1
		400	F 03E 004 N01	8668.5976.0400.05	Ex. stock UK	1	1

## Paper rolls

1749 siaral f	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>203 mm x 50 m</b>	40	F 03E 008 3HU	7626.1883.0040.01	Made to order		1	
		60	F 03E 008 3HY	7626.1883.0060.01	Made to order		1	
		80	F 03E 008 3JO	7626.1883.0080.01	Made to order		1	
		100	F 03E 008 3J2	7626.1883.0100.01	Made to order		1	
		120	F 03E 008 3J4	7626.1883.0120.01	Made to order		1	
	<b>Information: P. 33</b> Technology: TopTec P. 74							
	<b>254 mm x 50 m</b>	40	F 03E 008 3JL	0558.1017.0040.01	Ex. stock IDC		1	
		<b>Information: P. 33</b> Technology: TopTec P. 74						
	<b>305 mm x 50 m</b> Model: Antistatic	60	F 03E 008 3JG	3457.8499.0060.01	Ex. stock IDC		1	
		80	F 03E 008 3YC	3457.8499.0080.01	Ex. stock IDC		1	
		100	F 03E 008 3YD	3457.8499.0100.01	Ex. stock IDC		1	
	<b>Information: P. 33</b> Technology: TopTec P. 74							
1913 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>12 mm x 50 m</b> Model: waterproof	1500	F 03E 004 ST6	3349.3660.1500.01	Ex. stock IDC		50	
		<b>Information: P. 35</b>						
	<b>20 mm x 50 m</b> Model: waterproof	400	F 03E 001 6AN	5458.8518.0400.01	Made to order		250	
		600	F 03E 001 7N1	5458.8518.0600.01	Made to order		250	
		1500	F 03E 001 89E	5458.8518.1500.01	Made to order		250	
<b>Information: P. 35</b>								
	<b>25 mm x 25 m</b>	1200	F 03E 005 M8D	8774.7560.1200.01	Made to order		100	
		<b>Information: P. 35</b>						
	<b>50 mm x 50 m</b> Model: waterproof	1500	F 03E 004 4S4	5006.2537.1500.01	Made to order		50	
		<b>Information: P. 35</b>						



## Paper rolls

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>68 mm x 25 m</b> Model: Antistatic	60	F 03E 001 951	3819.2295.0060.01	Ex. stock IDC		1
		<b>Information: P. 36</b>					
	<b>95 mm x 50 m</b> Model: Antistatic	80	F 03E 001 94A	4003.9040.0080.01	Ex. stock IDC		1
		100	F 03E 001 94B	4003.9040.0100.01	Ex. stock IDC		1
		120	F 03E 001 94H	4003.9040.0120.01	Ex. stock IDC		1
	<b>Information: P. 36</b>						
	<b>115 mm x 50 m</b> Model: Antistatic	40	F 03E 004 N02	2404.8046.0040.01	Ex. stock UK	1	1
		60	F 03E 004 N03	2404.8046.0060.01	Ex. stock UK	1	1
		80	F 03E 004 N04	2404.8046.0080.01	Ex. stock UK	1	1
		100	F 03E 004 N05	2404.8046.0100.01	Ex. stock UK	1	1
120		F 03E 004 N06	2404.8046.0120.01	Ex. stock UK	1	1	
150		F 03E 004 N07	2404.8046.0150.01	Ex. stock UK	1	1	
180		F 03E 001 948	2404.8046.0180.01	Ex. stock UK	1	1	
220		F 03E 001 949	2404.8046.0220.01	Ex. stock UK	1	1	
<b>Information: P. 36</b> Accessories: P. 279							
1948 siaflex	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>70 mm x 50 m</b>	80	F 03E 006 3ET	1653.4898.0080.01	Ex. stock IDC		1
		120	F 03E 006 3EV	1653.4898.0120.01	Ex. stock IDC		1
	<b>Information: P. 38</b> Accessories: P. 265, 279						
	<b>95 mm x 25 m</b>	80	F 03E 006 B74	2334.2600.0080.02	Ex. stock IDC		1
		100	F 03E 006 B75	2334.2600.0100.02	Ex. stock IDC		1
		120	F 03E 006 B76	2334.2600.0120.02	Ex. stock IDC		1
		150	F 03E 006 B77	2334.2600.0150.02	Ex. stock IDC		1
		180	F 03E 006 B78	2334.2600.0180.02	Ex. stock IDC		1
		220	F 03E 006 B79	2334.2600.0220.02	Ex. stock IDC		1
		240	F 03E 006 B7A	2334.2600.0240.02	Ex. stock IDC		1
320	F 03E 006 B7B	2334.2600.0320.02	Ex. stock IDC		1		
<b>Information: P. 38</b> Accessories: P. 265, 279							
<b>95 mm x 50 m</b>	80	F 03E 007 K4R	4616.8875.0080.01	Made to order		10	
	<b>Information: P. 38</b> Accessories: P. 279						



## Paper rolls




1948 siaflex	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>115 mm x 50 m</b>	40	F 03E 006 1GR	3017.7881.0040.01	Ex. stock IDC		1
		60	F 03E 006 1GS	3017.7881.0060.01	Ex. stock IDC		1
		80	F 03E 006 1GT	3017.7881.0080.01	Ex. stock IDC		1
		100	F 03E 006 1GU	3017.7881.0100.01	Ex. stock IDC		1
		120	F 03E 006 1GV	3017.7881.0120.01	Ex. stock IDC		1
		150	F 03E 006 1GW	3017.7881.0150.01	Ex. stock IDC		1
		180	F 03E 006 1GX	3017.7881.0180.01	Ex. stock IDC		1
		220	F 03E 006 1GY	3017.7881.0220.01	Ex. stock IDC		1
		240	F 03E 006 1GZ	3017.7881.0240.01	Ex. stock IDC		1
		280	F 03E 006 1H0	3017.7881.0280.01	Ex. stock IDC		1
		320	F 03E 006 1H1	3017.7881.0320.01	Ex. stock IDC		1
	400	F 03E 006 1H2	3017.7881.0400.01	Ex. stock IDC		1	
<p><b>Information: P. 38</b> Accessories: P. 265, 279</p>							

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU		
	<b>115 mm x 25 m</b> Model: Paper	40	F 03E 002 A5W	5799.0643.0040.01	Made to order		25		
		60	F 03E 002 A5X	5799.0643.0060.01	Made to order		25		
		80	F 03E 002 A5Y	5799.0643.0080.01	Made to order		25		
		120	F 03E 004 39D	5799.0643.0120.01	Made to order		25		
		150	F 03E 004 39E	5799.0643.0150.01	Made to order		25		
		180	F 03E 004 39F	5799.0643.0180.01	Made to order		25		
		240	F 03E 004 39G	5799.0643.0240.01	Made to order		25		
		280	F 03E 003 AC3	5799.0643.0280.01	Made to order		25		
		320	F 03E 004 39H	5799.0643.0320.01	Made to order		25		
		<p><b>Information: P. 38</b></p>							
			<b>115 mm x 50 m</b>	40	F 03E 002 HV7	3065.2739.0040.01	Ex. stock IDC		1
60	F 03E 002 HV8			3065.2739.0060.01	Ex. stock IDC		1		
80	F 03E 002 HV9			3065.2739.0080.01	Ex. stock IDC		1		
120	F 03E 004 3W0			3065.2739.0120.01	Ex. stock IDC		1		
150	F 03E 004 3W2			3065.2739.0150.01	Ex. stock IDC		1		
180	F 03E 004 3W3			3065.2739.0180.01	Ex. stock IDC		1		
240	F 03E 004 3W5			3065.2739.0240.01	Ex. stock IDC		1		
320	F 03E 004 3W7			3065.2739.0320.01	Ex. stock IDC				
<p><b>Information: P. 38</b> Accessories: P. 279</p>									


## Paper rolls

1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>70 mm x 25 m</b>	150	F 03E 001 8CG	9580.3677.0150.04	Made to order		1	
		180	F 03E 001 8CH	9580.3677.0180.04	Made to order		1	
		220	F 03E 001 8CJ	9580.3677.0220.01	Made to order		1	
	<b>Information: P. 39</b>							
	<b>95 mm x 25 m</b>	40	F 03E 001 8CK	2597.5994.0040.01	Ex. stock IDC			1
		60	F 03E 001 8CL	2597.5994.0060.01	Ex. stock IDC			1
		80	F 03E 001 8CM	2597.5994.0080.01	Ex. stock IDC			1
		100	F 03E 001 8CN	2597.5994.0100.04	Ex. stock IDC			1
		120	F 03E 001 8CP	2597.5994.0120.04	Ex. stock IDC			1
		150	F 03E 001 8CR	2597.5994.0150.04	Ex. stock IDC			1
		180	F 03E 001 8CS	2597.5994.0180.04	Ex. stock IDC			1
		220	F 03E 001 8CT	2597.5994.0220.01	Ex. stock IDC			1
	<b>Information: P. 39</b> Accessories: P. 279							
	<b>95 mm x 50 m</b>	40	F 03E 001 8B5	4880.2269.0040.09	Ex. stock UK		1	1
		60	F 03E 001 8B6	4880.2269.0060.09	Ex. stock UK		1	1
		80	F 03E 001 8B7	4880.2269.0080.09	Ex. stock UK		1	1
		100	F 03E 001 8B8	4880.2269.0100.09	Made to order			1
		120	F 03E 001 8B9	4880.2269.0120.09	Ex. stock UK		1	1
		150	F 03E 004 MX9	4880.2269.0150.09	Made to order			1
		180	F 03E 001 8BB	4880.2269.0180.09	Made to order			1
		220	F 03E 004 MY0	4880.2269.0220.09	Ex. stock UK		1	1
240		F 03E 001 8BD	4880.2269.0240.09	Made to order			1	
320		F 03E 001 8CA	4880.2269.0320.09	Made to order			1	
<b>Information: P. 39</b> Accessories: P. 279								
<b>100 mm x 50 m</b>	60	F 03E 001 8BE	9464.3461.0060.09	Made to order			1	
	80	F 03E 001 8BF	9464.3461.0080.09	Made to order			1	
	100	F 03E 001 8BG	9464.3461.0100.09	Made to order			1	
	120	F 03E 001 8BH	9464.3461.0120.09	Made to order			1	
	150	F 03E 001 8BJ	9464.3461.0150.09	Made to order			1	
	180	F 03E 001 8BK	9464.3461.0180.09	Made to order			1	
<b>Information: P. 39</b>								
	<b>115 mm x 5 m</b>	40	F 03E 007 LB5	0906.6878.0040.03	Ex. stock IDC		15	
		60	F 03E 007 LB6	0906.6878.0060.03	Ex. stock IDC		12	
		80	F 03E 007 LB7	0906.6878.0080.03	Ex. stock IDC		12	
		120	F 03E 007 LB8	0906.6878.0120.03	Ex. stock IDC		15	
		150	F 03E 007 LB9	0906.6878.0150.01	Ex. stock IDC		15	
		180	F 03E 007 LC0	0906.6878.0180.03	Ex. stock IDC		15	
		240	F 03E 007 LC1	0906.6878.0240.01	Ex. stock IDC		15	
<b>Information: P. 39</b>								

## Paper rolls







1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
 <p><b>115 mm x 25 m</b></p> <p><b>Information: P. 39</b> Accessories: P. 279</p> <p><b>115 mm x 50 m</b></p> <p><b>Information: P. 39</b> Accessories: P. 279</p>		80	F 03E 001 8CW	0998.5000.0080.01	Ex. stock IDC		1	
		120	F 03E 001 8CY	0998.5000.0120.04	Ex. stock IDC		1	
		150	F 03E 001 8CZ	0998.5000.0150.04	Ex. stock IDC		1	
		180	F 03E 001 8D0	0998.5000.0180.04	Ex. stock IDC		1	
		220	F 03E 001 8D1	0998.5000.0220.01	Ex. stock IDC		1	
			40	F 03E 001 8BV	3281.1275.0040.09	Ex. stock UK	1	1
			60	F 03E 001 8BW	3281.1275.0060.09	Ex. stock UK	1	1
			80	F 03E 001 8BX	3281.1275.0080.09	Ex. stock UK	1	1
			100	F 03E 001 8BY	3281.1275.0100.09	Ex. stock UK	1	1
			120	F 03E 001 8BZ	3281.1275.0120.09	Ex. stock UK	1	1
			150	F 03E 001 8C0	3281.1275.0150.09	Ex. stock UK	1	1
			180	F 03E 001 8C1	3281.1275.0180.09	Ex. stock UK	1	1
			220	F 03E 001 8C2	3281.1275.0220.09	Ex. stock UK	1	1
			240	F 03E 001 8C3	3281.1275.0240.09	Ex. stock UK	1	1
			280	F 03E 001 8C4	3281.1275.0280.09	Ex. stock IDC		1
			320	F 03E 001 8C5	3281.1275.0320.09	Ex. stock UK	1	1
			400	F 03E 001 8C6	3281.1275.0400.09	Ex. stock UK	1	1

## siafast rolls

1948 siaflex	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
 <p><b>115 mm x 25 m</b></p> <p><b>Information: P. 38</b></p>		40	F 03E 007 A39	4152.4895.0040.01	Ex. stock UK	1	8
		60	F 03E 007 A3A	4152.4895.0060.01	Ex. stock UK	1	8
		80	F 03E 006 S9B	4152.4895.0080.01	Ex. stock UK	1	8
		120	F 03E 006 S9C	4152.4895.0120.01	Ex. stock UK	1	8
		180	F 03E 007 3JD	4152.4895.0180.01	Ex. stock UK	1	8
		240	F 03E 006 S9D	4152.4895.0240.01	Ex. stock UK	1	8
		320	F 03E 007 3JO	4152.4895.0320.01	Ex. stock UK	1	8
		400	F 03E 007 3J1	4152.4895.0400.01	Ex. stock UK	1	8
		800	F 03E 007 3J2	4152.4895.0800.01	Ex. stock UK	1	8



## siafast rolls

1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>115 mm x 25 m</b>	40	F 03E 004 S2Z	4415.8289.0040.01	Made to order		1
		60	F 03E 004 S30	4415.8289.0060.01	Made to order		1
		80	F 03E 004 S2Y	4415.8289.0080.01	Made to order		1
		100	F 03E 004 S31	4415.8289.0100.01	Made to order		1
		120	F 03E 004 S32	4415.8289.0120.01	Made to order		1
		150	F 03E 004 S33	4415.8289.0150.01	Made to order		1
		220	F 03E 004 S35	4415.8289.0220.01	Made to order		1
<b>Information: P. 39</b> Accessories: P. 279							
7500 sianet CER	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>115 mm x 10 m</b>	80	F 03E 006 8FM	2969.2150.0080.01	Ex. stock IDC		4
		100	F 03E 006 8FN	2969.2150.0100.01	Ex. stock IDC		4
		120	F 03E 006 8FY	2969.2150.0120.01	Ex. stock IDC		4
		180	F 03E 006 8FR	2969.2150.0180.01	Ex. stock IDC		4
<b>Information: P. 65</b>							
7900 sianet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>70 mm x 10 m</b>	80	F 03E 006 F89	0249.3703.0080.01	Ex. stock UK	1	10
		120	F 03E 006 F8H	0249.3703.0120.01	Ex. stock UK	1	10
		180	F 03E 006 F8M	0249.3703.0180.01	Ex. stock UK	1	10
		240	F 03E 006 F8P	0249.3703.0240.01	Ex. stock UK	1	10
		320	F 03E 006 F91	0249.3703.0320.01	Ex. stock UK	1	10
		400	F 03E 006 F92	0249.3703.0400.01	Ex. stock UK	1	10
	<b>115 mm x 10 m</b>	80	F 03E 006 7WR	1635.2907.0080.01	Ex. stock UK	1	4
		100	F 03E 006 7WS	1635.2907.0100.01	Ex. stock IDC		4
		120	F 03E 006 7WT	1635.2907.0120.01	Ex. stock UK	1	4
		150	F 03E 006 7WU	1635.2907.0150.01	Ex. stock IDC		4
		180	F 03E 006 7WV	1635.2907.0180.01	Ex. stock UK	1	4
		220	F 03E 006 7WW	1635.2907.0220.01	Ex. stock IDC		4
		240	F 03E 006 7WX	1635.2907.0240.01	Ex. stock UK	1	4
		320	F 03E 006 7WY	1635.2907.0320.01	Ex. stock UK	1	4
400	F 03E 006 7WZ	1635.2907.0400.01	Ex. stock UK	1	4		
<b>Information: P. 65</b> Technology: sianet P. 75							
<b>Information: P. 65</b> Technology: sianet P. 75							

siasoft rolls



1904 siafit	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
<p><b>115 mm x 25 m</b> Perforation: 125 mm <b>New</b></p> <p><b>Information: P. 34</b> Technology: siasoft P. 73</p>	120	F 03E 008 9T6	1231.5616.0120.01	Ex. stock UK	1	1	
	150	F 03E 008 9T7	1231.5616.0150.01	Ex. stock UK	1	1	
	180	F 03E 008 9T8	1231.5616.0180.01	Ex. stock UK	1	1	
	220	F 03E 008 9T9	1231.5616.0220.01	Ex. stock UK	1	1	
	240	F 03E 008 9TB	1231.5616.0240.01	Ex. stock UK	1	1	
	320	F 03E 008 9TC	1231.5616.0320.01	Ex. stock UK	1	1	
	400	F 03E 008 9TD	1231.5616.0400.01	Ex. stock UK	1	1	
	500	F 03E 008 9TE	1231.5616.0500.01	Ex. stock UK	1	1	
	600	F 03E 008 9TF	1231.5616.0600.01	Ex. stock UK	1	1	
800	F 03E 008 9TG	1231.5616.0800.01	Ex. stock UK	1	1		

1948 siaflex	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
<p><b>115 mm x 25 m</b> Perforation: 125 mm</p> <p><b>Information: P. 38</b> Technology: siasoft P. 73</p>	120	F 03E 006 S9E	2189.9476.0120.01	Ex. stock UK	1	1	
	150	F 03E 006 14B	2189.9476.0150.01	Ex. stock UK	1	1	
	180	F 03E 006 14C	2189.9476.0180.01	Ex. stock UK	1	1	
	220	F 03E 006 14D	2189.9476.0220.01	Ex. stock IDC		1	
	240	F 03E 006 14E	2189.9476.0240.01	Ex. stock UK	1	1	
	280	F 03E 006 14F	2189.9476.0280.01	Ex. stock IDC		1	
	320	F 03E 006 14G	2189.9476.0320.01	Ex. stock UK	1	1	
	400	F 03E 006 14H	2189.9476.0400.01	Ex. stock UK	1	1	
	500	F 03E 006 14J	2189.9476.0500.01	Ex. stock UK	1	1	
	600	F 03E 006 14K	2189.9476.0600.01	Ex. stock UK	1	1	
	800	F 03E 006 14L	2189.9476.0800.01	Ex. stock IDC		1	

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
<p><b>115 mm x 25 m</b> Perforation: 125 mm</p> <p><b>Information: P. 38</b> Technology: siasoft P. 73</p>	150	F 03E 004 U6D	2237.4334.0150.02	Ex. stock UK	1	1	
	180	F 03E 004 U6E	2237.4334.0180.02	Ex. stock UK	1	1	
	220	F 03E 004 U6F	2237.4334.0220.02	Ex. stock IDC		1	
	240	F 03E 004 U6G	2237.4334.0240.02	Ex. stock UK	1	1	
	280	F 03E 004 U6H	2237.4334.0280.02	Ex. stock IDC		1	
	320	F 03E 004 U6J	2237.4334.0320.02	Ex. stock UK	1	1	
	400	F 03E 004 U6K	2237.4334.0400.02	Ex. stock UK	1	1	
	500	F 03E 004 U6L	2237.4334.0500.02	Ex. stock UK	1	1	
600	F 03E 004 U6M	2237.4334.0600.02	Ex. stock UK	1	1		

## siasoft rolls

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>115 mm x 25 m</b>	150	F 03E 004 U5R	3973.1827.0150.02	Ex. stock IDC		1
		180	F 03E 004 U5T	3973.1827.0180.02	Ex. stock IDC		1
		220	F 03E 004 U5U	3973.1827.0220.02	Ex. stock IDC		1
		240	F 03E 004 U5V	3973.1827.0240.02	Ex. stock IDC		1
		280	F 03E 004 U5W	3973.1827.0280.02	Ex. stock IDC		1
		320	F 03E 004 U5X	3973.1827.0320.02	Ex. stock IDC		1
		400	F 03E 004 U5Y	3973.1827.0400.02	Ex. stock IDC		1
	500	F 03E 004 U5Z	3973.1827.0500.02	Ex. stock IDC		1	
	<b>115 mm x 25 m</b> Perforation: 125 mm Model: Ultrafine grit	800	F 03E 005 VZ2	2237.4334.0800.01	Ex. stock UK	1	1
		1000	F 03E 005 VZ3	2237.4334.1000.01	Ex. stock UK	1	1
<b>Information: P. 38</b> Technology: siasoft P. 73							
<b>Information: P. 38</b> Technology: siasoft P. 73							

2951 siatur h	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>115 mm x 10 m</b> Model: Cloth	80	F 03E 004 MY9	6581.1109.0080.01	Ex. stock UK	1	1
		100	F 03E 004 MZ0	6581.1109.0100.01	Made to order		1
		120	F 03E 004 MZ1	6581.1109.0120.01	Ex. stock UK	1	1
		150	F 03E 004 MZ2	6581.1109.0150.01	Ex. stock UK	1	1
		180	F 03E 004 MZ3	6581.1109.0180.01	Ex. stock UK	1	1
		220	F 03E 004 MZ4	6581.1109.0220.01	Made to order		1
<b>Information: P. 51</b> Technology: siasoft P. 73							

## siavlies rolls







6120 siaflece	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	<b>100 mm x 10 m</b>	general purpose	F 03E 014 K3D	9327.7238.6923	Made to order		1
		general purpose XS	F 03E 014 3X6	9327.7238.4923.05	Ex. stock UK	1	1
		medium A	F 03E 014 K3F	9327.7238.4921.15	Ex. stock UK	1	1
		medium S	F 03E 014 K3E	9327.7238.4721.07	Ex. stock UK	1	1
		fine A	F 03E 014 K3G	9327.7238.5911.13	Ex. stock UK	1	1
		veryfine A	F 03E 014 3Y4	9327.7238.6913.03	Ex. stock UK	1	1
		veryfine A XS	F 03E 014 K3J	9327.7238.6932.27	Ex. stock UK	1	1
		veryfine speed	F 03E 014 K3H	9327.7238.6921.05	Ex. stock UK	1	1
		ultrafine speed	F 03E 014 K3L	9327.7238.8715.05	Ex. stock UK	1	1
		ultrafine S XS	F 03E 014 K3K	9327.7238.8712.14	Made to order		1
		cleaning	F 03E 014 M42	9327.7238.0051.04	Made to order		1
<b>Information: P. 60</b>							

## siavlies rolls


6120 siafleece	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU	
	<b>115 mm x 10 m</b>	coarse		F 03E 013 S91	3144.5052.2921.01	Ex. stock IDC	1	
		extra cut A		F 03E 014 K3R	3144.5052.2922.04	Ex. stock IDC	1	
		general purpose		F 03E 014 K3V	3144.5052.6923	Ex. stock UK	1	1
		medium A		F 03E 014 K3S	3144.5052.4921.12	Ex. stock UK	1	1
		medium S		F 03E 014 K3N	3144.5052.4721.07	Ex. stock IDC		1
		fine A		F 03E 014 K3T	3144.5052.5911.10	Ex. stock UK	1	1
		veryfine A XS		F 03E 014 K3W	3144.5052.6932.20	Ex. stock IDC		1
		veryfine speed		F 03E 014 K3U	3144.5052.6921.10	Ex. stock IDC		1
		ultrafine speed		F 03E 014 K3Y	3144.5052.8715.10	Ex. stock UK	1	1
		microfine speed		F 03E 014 K3Z	3144.5052.9913.04	Ex. stock UK	1	1
		<b>Information: P. 60</b>	ultrafine S XS		F 03E 014 K3X	3144.5052.8712.11	Ex. stock UK	1
	<b>125 mm x 10 m</b>	general purpose		F 03E 014 K45	2344.9555.6923	Ex. stock UK	1	1
		medium A		F 03E 014 K42	2344.9555.4921.03	Ex. stock UK	1	1
		medium S		F 03E 014 K41	2344.9555.4721.01	Ex. stock UK	1	1
		fine A		F 03E 014 K43	2344.9555.5911.01	Ex. stock UK	1	1
		veryfine A XS		F 03E 014 K46	2344.9555.6932.03	Ex. stock UK	1	1
		veryfine speed		F 03E 014 K44	2344.9555.6921.01	Ex. stock IDC		1
		ultrafine speed		F 03E 014 K48	2344.9555.8715.01	Ex. stock UK	1	1
	<b>Information: P. 60</b>	ultrafine S XS		F 03E 014 K47	2344.9555.8712.04	Ex. stock IDC		1
	<b>150 mm x 10 m</b>	general purpose XS		F 03E 013 Y0K	5308.3532.4923.02	Ex. stock UK	1	1
		medium A		F 03E 014 K4B	5308.3532.4921.04	Ex. stock UK	1	1
		medium S		F 03E 013 Y07	5308.3532.4721	Ex. stock UK	1	1
fine A			F 03E 014 K4C	5308.3532.5911.03	Ex. stock UK	1	1	
veryfine A			F 03E 013 Y0T	5308.3532.6913.02	Ex. stock UK	1	1	
<b>Information: P. 60</b>		veryfine A XS		F 03E 014 K4E	5308.3532.6932.06	Ex. stock UK	1	1
	<b>152 mm x 10 m</b>	extra cut A		F 03E 014 3RZ	9135.5585.2922.01	Ex. stock UK	1	1
		veryfine A		F 03E 014 3S6	9135.5585.6913.01	Ex. stock UK	1	1
		ultrafine S		F 03E 014 3S9	9135.5585.8711.01	Ex. stock UK	1	1
<b>Information: P. 60</b>								
	<b>850 mm x 10 m</b>	medium S		F 03E 014 3R2	9124.9340.4721.01	Made to order		1
		fine A		F 03E 014 3RE	9124.9340.5911.03	Ex. stock UK	1	1
		veryfine A		F 03E 014 3RN	9124.9340.6913.03	Ex. stock UK	1	1
		veryfine A XS		F 03E 014 3RR	9124.9340.6932.01	Made to order		1
		<b>Information: P. 60</b>	veryfine S		F 03E 014 3RJ	9124.9340.6711.01	Made to order	





## siavlies rolls

6120 siafleece	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU	
	850 mm x 20 m	extra cut A	F 03E 014 035	6050.8324.2922.02	Ex. stock UK	1	1	
		fine A	F 03E 014 03W	6050.8324.5911.03	Ex. stock UK	1	1	
	<b>Information: P. 60</b>							
	880 mm x 20 m	coarse A	F 03E 013 TC8	3652.1833.2921.02	Ex. stock UK	1	1	
		medium A	F 03E 013 TD4	3652.1833.4921.01	Ex. stock UK	1	1	
	<b>Information: P. 60</b>							
								
6140 siafleece sd	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU	
	850 mm x 10 m	medium	F 03E 014 4AL	9556.5945.4911	Ex. stock UK	1	1	
		<b>Information: P. 61</b>						
	850 mm x 20 m	medium A	F 03E 014 0R8	6482.5396.4911	Ex. stock UK	1	1	
		fine A	F 03E 014 0RB	6482.5396.5911	Ex. stock UK	1	1	
<b>Information: P. 61</b>								
								
6270 siamet SCM LS	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU	
	150 mm x 25 m		F 03E 014 M4L	3956.5802.4921	Ex. stock UK	1	1	
		<b>Information: P. 62</b>						
	200 mm x 20,5 m		F 03E 014 M4K	2338.9142.4921.01	Ex. stock UK	1	1	
		<b>Information: P. 62</b>						



## Economy rolls



2915 siarol	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>25 mm x 25 m</b>	40	F 03E 001 9WV	8115.9825.0040.02	Ex. stock UK	1	5	
		60	F 03E 001 9WW	8115.9825.0060.02	Ex. stock UK	1	5	
		80	F 03E 001 9WX	8115.9825.0080.02	Ex. stock UK	1	5	
		100	F 03E 001 9WY	8115.9825.0100.02	Ex. stock UK	1	5	
		120	F 03E 001 9WZ	8115.9825.0120.02	Ex. stock UK	1	5	
		150	F 03E 001 9X0	8115.9825.0150.02	Ex. stock UK	1	5	
		180	F 03E 001 9X1	8115.9825.0180.02	Ex. stock UK	1	5	
		220	F 03E 001 9X2	8115.9825.0220.02	Ex. stock UK	1	5	
		240	F 03E 001 9X3	8115.9825.0240.02	Ex. stock UK	1	5	
		280	F 03E 001 9X4	8115.9825.0280.02	Ex. stock UK	1	5	
		320	F 03E 001 9X5	8115.9825.0320.02	Ex. stock UK	1	5	
	400	F 03E 001 9X6	8115.9825.0400.02	Ex. stock UK	1	5		
	<b>Information: P. 46</b> Accessories: P. 279	<b>25 mm x 50 m</b>	40	F 03E 001 9XY	0430.8219.0040.02	Ex. stock UK	1	5
	60		F 03E 001 9XZ	0430.8219.0060.02	Ex. stock UK	1	5	
	80		F 03E 001 9Y0	0430.8219.0080.02	Ex. stock UK	1	5	
	100		F 03E 001 9Y1	0430.8219.0100.02	Ex. stock UK	1	5	
	120		F 03E 001 9Y2	0430.8219.0120.02	Ex. stock UK	1	5	
	150		F 03E 001 9Y3	0430.8219.0150.02	Ex. stock UK	1	5	
	180		F 03E 001 9Y4	0430.8219.0180.02	Ex. stock UK	1	5	
	220		F 03E 001 9Y5	0430.8219.0220.02	Ex. stock UK	1	5	
	240		F 03E 001 9Y6	0430.8219.0240.02	Ex. stock UK	1	5	
	280		F 03E 001 9Y7	0430.8219.0280.02	Ex. stock IDC		5	
	320		F 03E 001 9Y8	0430.8219.0320.02	Ex. stock UK	1	5	
	400	F 03E 001 9Y9	0430.8219.0400.02	Ex. stock UK	1	5		
	<b>Information: P. 46</b> Accessories: P. 279	<b>30 mm x 50 m</b>	40	F 03E 001 9YA	5014.9411.0040.02	Made to order		5
	60		F 03E 004 N08	5014.9411.0060.02	Made to order		5	
	80		F 03E 004 N09	5014.9411.0080.02	Made to order		5	
	100		F 03E 004 N0A	5014.9411.0100.02	Made to order		5	
	120		F 03E 001 9YE	5014.9411.0120.02	Made to order		5	
	150		F 03E 004 N0B	5014.9411.0150.02	Made to order		5	
	180		F 03E 001 9YG	5014.9411.0180.02	Made to order		5	
	220		F 03E 004 N0C	5014.9411.0220.02	Made to order		5	
	240		F 03E 001 9YJ	5014.9411.0240.02	Made to order		5	
400	F 03E 004 N0D	5014.9411.0400.02	Made to order		5			
<b>Information: P. 46</b> Accessories: P. 279								

## Economy rolls

2915 siarol	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>38 mm x 25 m</b>	40	F 03E 001 9X7	8073.3467.0040.02	Made to order		5	
		60	F 03E 001 9X8	8073.3467.0060.02	Made to order		5	
		80	F 03E 001 9X9	8073.3467.0080.02	Made to order		5	
		100	F 03E 001 9XA	8073.3467.0100.02	Made to order		5	
		120	F 03E 001 9XB	8073.3467.0120.02	Made to order		5	
		150	F 03E 001 9XC	8073.3467.0150.02	Made to order		5	
		180	F 03E 001 9XD	8073.3467.0180.02	Made to order		5	
		220	F 03E 001 9XE	8073.3467.0220.02	Made to order		5	
		240	F 03E 001 9XF	8073.3467.0240.02	Made to order		5	
		320	F 03E 001 9XH	8073.3467.0320.02	Made to order		5	
	400	F 03E 001 9XJ	8073.3467.0400.02	Made to order		5		
	<b>Information: P. 46</b> Accessories: P. 279							
	<b>38 mm x 50 m</b>	40	F 03E 001 9YN	0388.1861.0040.02	Ex. stock UK	1	5	
		60	F 03E 004 NOE	0388.1861.0060.02	Ex. stock UK	1	5	
		80	F 03E 001 9YR	0388.1861.0080.02	Ex. stock UK	1	5	
		100	F 03E 004 NOF	0388.1861.0100.02	Ex. stock UK	1	5	
		120	F 03E 004 NOG	0388.1861.0120.02	Ex. stock UK	1	5	
		150	F 03E 004 NOH	0388.1861.0150.02	Ex. stock UK	1	5	
		180	F 03E 004 NOJ	0388.1861.0180.02	Ex. stock UK	1	5	
		220	F 03E 004 NOK	0388.1861.0220.02	Ex. stock UK	1	5	
		240	F 03E 004 NOL	0388.1861.0240.02	Ex. stock UK	1	5	
		280	F 03E 001 9YY	0388.1861.0280.02	Ex. stock IDC		5	
		320	F 03E 001 9YZ	0388.1861.0320.02	Ex. stock UK	1	5	
		400	F 03E 004 NOM	0388.1861.0400.02	Ex. stock IDC		5	
	<b>Information: P. 46</b> Accessories: P. 279							
	<b>50 mm x 25 m</b>	40	F 03E 001 9XK	1133.2142.0040.02	Ex. stock IDC		5	
		60	F 03E 001 9XL	1133.2142.0060.02	Ex. stock UK	1	5	
		80	F 03E 001 9XM	1133.2142.0080.02	Ex. stock UK	1	5	
		100	F 03E 001 9XN	1133.2142.0100.02	Ex. stock UK	1	5	
		120	F 03E 001 9XP	1133.2142.0120.02	Ex. stock UK	1	5	
		150	F 03E 001 9XR	1133.2142.0150.02	Ex. stock UK	1	5	
		180	F 03E 001 9XS	1133.2142.0180.02	Ex. stock UK	1	5	
		220	F 03E 001 9XT	1133.2142.0220.02	Ex. stock IDC		5	
240		F 03E 001 9XU	1133.2142.0240.02	Ex. stock UK	1	5		
320		F 03E 001 9XW	1133.2142.0320.02	Ex. stock UK	1	5		
400		F 03E 001 9XX	1133.2142.0400.02	Ex. stock UK	1	5		
<b>Information: P. 46</b> Accessories: P. 279								


## Economy rolls

2915 siarol	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>50 mm x 50 m</b>	40	F 03E 001 9Z1	3415.8417.0040.02	Ex. stock UK	1	5
		60	F 03E 004 N0N	3415.8417.0060.02	Ex. stock UK	1	5
		80	F 03E 001 9Z3	3415.8417.0080.02	Ex. stock UK	1	5
		100	F 03E 004 N0P	3415.8417.0100.02	Ex. stock UK	1	5
		120	F 03E 001 9Z5	3415.8417.0120.02	Ex. stock UK	1	5
		150	F 03E 004 N0R	3415.8417.0150.02	Ex. stock UK	1	5
		180	F 03E 001 9Z7	3415.8417.0180.02	Ex. stock UK	1	5
		220	F 03E 004 N0S	3415.8417.0220.02	Ex. stock UK	1	5
		240	F 03E 001 9Z9	3415.8417.0240.02	Ex. stock UK	1	5
		280	F 03E 001 9ZA	3415.8417.0280.02	Ex. stock IDC		5
		320	F 03E 001 9ZB	3415.8417.0320.02	Ex. stock UK	1	5
400	F 03E 004 N0T	3415.8417.0400.02	Ex. stock UK	1	5		
<b>Information: P. 46</b> Accessories: P. 279							

2946 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>38 mm x 25 m</b>	60	F 03E 001 9U7	8733.8627.0060.01	Made to order		1
		80	F 03E 001 9U8	8733.8627.0080.01	Made to order		1
		100	F 03E 001 9U9	8733.8627.0100.01	Made to order		1
		120	F 03E 001 9UA	8733.8627.0120.01	Made to order		1
		150	F 03E 001 9UB	8733.8627.0150.01	Made to order		1
		180	F 03E 001 9UC	8733.8627.0180.01	Made to order		1
		220	F 03E 001 9UD	8733.8627.0220.01	Made to order		1
		240	F 03E 001 9UE	8733.8627.0240.01	Made to order		1
		280	F 03E 001 9UF	8733.8627.0280.01	Made to order		1
		320	F 03E 001 9UG	8733.8627.0320.01	Made to order		1
		400	F 03E 001 9UH	8733.8627.0400.01	Made to order		1
		600	F 03E 001 9UJ	8733.8627.0600.01	Made to order		1
		<b>Information: P. 50</b>					
	<b>50 mm x 25 m</b>	60	F 03E 001 9UM	1793.7302.0060.01	Ex. stock IDC		1
		80	F 03E 001 9UN	1793.7302.0080.01	Ex. stock IDC		1
<b>Information: P. 50</b>							






Economy rolls

2951 siatur h	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<p><b>40 mm x 50 m</b></p> <p><b>Information: P. 51</b></p>	120	F 03E 001 9VE	4983.7875.0120.02	Made to order		5





Half sheets







1748 sialac	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>230 x 140 mm</b>  <b>Information: P. 32</b> Accessories: P. 265 Technology: siasoft P. 73	220	F 03E 007 PM9	5956.4528.0220.07	Made to order		150

1913 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>140 x 230 mm</b> Model: waterproof  <b>Information: P. 35</b> Accessories: P. 265	1500	F 03E 003 HH1	9219.5517.1500.02	Ex. stock UK	50	500
		2000	F 03E 003 HH2	9219.5517.2000.02	Ex. stock UK	50	500
		2500	F 03E 003 HH3	9219.5517.2500.02	Ex. stock UK	50	500

Standard sheets

1713 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>230 x 280 mm</b> Model: Wet sanding  <b>Information: P. 30</b> Accessories: P. 265, 279	80	F 03E 006 FP6	8729.6054.0080.01	Made to order		250
		100	F 03E 006 FP7	8729.6054.0100.01	Ex. stock UK	50	250
		120	F 03E 006 FP8	8729.6054.0120.01	Ex. stock UK	50	250
		150	F 03E 006 FP9	8729.6054.0150.01	Ex. stock UK	50	250
		180	F 03E 006 FR0	8729.6054.0180.01	Ex. stock UK	50	500
		220	F 03E 006 FR1	8729.6054.0220.01	Ex. stock UK	50	500
		240	F 03E 006 FR2	8729.6054.0240.01	Ex. stock UK	50	500
		280	F 03E 006 FR3	8729.6054.0280.01	Ex. stock UK	50	500
		320	F 03E 006 FR4	8729.6054.0320.01	Ex. stock UK	50	500
		400	F 03E 006 FR5	8729.6054.0400.01	Ex. stock UK	50	500
		500	F 03E 006 FR6	8729.6054.0500.01	Ex. stock UK	50	500
		600	F 03E 006 FR7	8729.6054.0600.01	Ex. stock UK	50	500
		800	F 03E 006 FR8	8729.6054.0800.01	Ex. stock UK	50	500
		1000	F 03E 006 FR9	8729.6054.1000.01	Ex. stock UK	50	500
		1200	F 03E 006 FS0	8729.6054.1200.01	Ex. stock UK	50	500
		1500	F 03E 006 FS1	8729.6054.1500.01	Ex. stock UK	50	500
		2000	F 03E 006 FS2	8729.6054.2000.01	Ex. stock UK	50	500
2500	F 03E 006 FS3	8729.6054.2500.01	Ex. stock UK	50	500		

## Standard sheets





1748 sialac	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>230 x 280 mm</b>	150	F 03E 003 GT6	9485.0463.0150.06	Ex. stock UK	50	500
		180	F 03E 003 GT7	9485.0463.0180.06	Ex. stock UK	50	500
		220	F 03E 003 GT8	9485.0463.0220.06	Ex. stock UK	50	500
		240	F 03E 003 GT9	9485.0463.0240.06	Ex. stock UK	50	500
		280	F 03E 003 GU0	9485.0463.0280.06	Ex. stock UK	50	500
		320	F 03E 003 GU1	9485.0463.0320.06	Ex. stock UK	50	500
		400	F 03E 003 GU2	9485.0463.0400.06	Ex. stock UK	50	500
<b>Information: P. 32</b> Accessories: P. 265, 279							
1902 siacraft	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>230 x 280 mm</b>	40	F 03E 007 1B5	2849.9871.0040.01	Ex. stock IDC		200
		60	F 03E 007 1B6	2849.9871.0060.01	Ex. stock IDC		300
		80	F 03E 007 1B7	2849.9871.0080.01	Ex. stock IDC		400
		100	F 03E 007 1BA	2849.9871.0100.01	Ex. stock IDC		450
		120	F 03E 007 1BC	2849.9871.0120.01	Ex. stock IDC		550
		150	F 03E 007 1BD	2849.9871.0150.01	Ex. stock IDC		600
		180	F 03E 007 1C0	2849.9871.0180.01	Ex. stock IDC		650
		220	F 03E 007 1BE	2849.9871.0220.01	Ex. stock IDC		700
		240	F 03E 007 1BG	2849.9871.0240.01	Ex. stock IDC		750
<b>Information: P. 34</b>							
1913 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>230 x 280 mm</b> Model: waterproof	180	F 03E 005 Y6C	3100.3713.0180.08	Ex. stock IDC		500
		220	F 03E 003 H13	2064.3834.0220.01	Ex. stock IDC		50
		240	F 03E 003 H4M	2064.3834.0240.01	Ex. stock IDC		50
		400	F 03E 001 AK6	2064.3834.0400.01	Ex. stock IDC		50
		500	F 03E 004 250	2064.3834.0500.01	Ex. stock IDC		50
		800	F 03E 003 H3B	2064.3834.0800.01	Ex. stock IDC		50
<b>Information: P. 35</b>							

Standard sheets

1913 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>230 x 280 mm</b> Model: Wet sanding	60	F 03E 001 AD0	3100.3713.0060.02	Ex. stock UK	50	250
		80	F 03E 001 AD1	3100.3713.0080.02	Ex. stock UK	50	250
		100	F 03E 001 AD2	3100.3713.0100.02	Ex. stock UK	50	250
		120	F 03E 001 AD3	3100.3713.0120.02	Ex. stock UK	50	250
		150	F 03E 001 AD4	3100.3713.0150.02	Ex. stock UK	50	250
		180	F 03E 001 AD6	3100.3713.0180.02	Ex. stock UK	50	500
		220	F 03E 001 AD9	3100.3713.0220.02	Ex. stock UK	50	500
		240	F 03E 003 DK3	3100.3713.0240.02	Ex. stock UK	50	500
		280	F 03E 003 DK4	3100.3713.0280.02	Ex. stock UK	50	500
		320	F 03E 003 DK5	3100.3713.0320.02	Ex. stock UK	50	500
		360	F 03E 003 DK6	3100.3713.0360.02	Ex. stock UK	50	500
		400	F 03E 003 DK7	3100.3713.0400.02	Ex. stock UK	50	500
		500	F 03E 003 DK8	3100.3713.0500.02	Ex. stock UK	50	500
		600	F 03E 003 DK9	3100.3713.0600.02	Ex. stock UK	50	500
		800	F 03E 003 E26	3100.3713.0800.02	Ex. stock UK	50	500
		1000	F 03E 003 E27	3100.3713.1000.02	Ex. stock UK	50	500
		1200	F 03E 003 E28	3100.3713.1200.02	Ex. stock UK	50	500
1500	F 03E 003 E29	3100.3713.1500.01	Ex. stock UK	50	500		
2000	F 03E 003 E2A	3100.3713.2000.01	Ex. stock UK	50	500		
2500	F 03E 003 E2B	3100.3713.2500.01	Ex. stock UK	50	500		
<b>Information: P. 35</b> Accessories: P. 265, 279							




1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>230 x 280 mm</b> Model: Antistatic	40	F 03E 003 H3P	3221.2533.0040.02	Ex. stock UK	25	125
<b>Information: P. 36</b>							

Standard sheets



1948 siaflex		Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
								
 <p><b>230 x 280 mm</b> Model: Damp sanding Dry application</p>		40	F 03E 006 OPN	3855.8589.0040.02	Ex. stock IDC		100	
		60	F 03E 006 OPP	3855.8589.0060.01	Ex. stock IDC		250	
		80	F 03E 006 OPR	3855.8589.0080.01	Ex. stock IDC		250	
		100	F 03E 006 OPS	3855.8589.0100.01	Ex. stock IDC		250	
		120	F 03E 006 OPT	3855.8589.0120.01	Ex. stock IDC		250	
		150	F 03E 006 OPU	3855.8589.0150.01	Ex. stock IDC		250	
		180	F 03E 006 OPV	3855.8589.0180.01	Ex. stock IDC		500	
		220	F 03E 006 OPW	3855.8589.0220.01	Ex. stock IDC		500	
		240	F 03E 006 OPX	3855.8589.0240.01	Ex. stock IDC		500	
		280	F 03E 006 OPY	3855.8589.0280.01	Ex. stock IDC		500	
		320	F 03E 006 OPZ	3855.8589.0320.01	Ex. stock IDC		500	
		360	F 03E 006 OR0	3855.8589.0360.01	Ex. stock IDC		500	
		400	F 03E 006 OR1	3855.8589.0400.01	Ex. stock IDC		500	
		500	F 03E 006 OR2	3855.8589.0500.01	Ex. stock IDC		500	
		600	F 03E 006 OR3	3855.8589.0600.01	Ex. stock IDC		500	
		800	F 03E 006 OR4	3855.8589.0800.01	Ex. stock IDC		500	
	<p><b>Information: P. 38</b> Accessories: P. 265, 279</p>							
	<p><b>230 x 280 mm</b> Model: labelled</p>		80	F 03E 007 ONN	0785.1011.0080.01	Ex. stock IDC		250
			150	F 03E 007 ONS	0785.1011.0150.01	Ex. stock IDC		250
			180	F 03E 007 ONT	0785.1011.0180.01	Ex. stock IDC		500
<p><b>Information: P. 38</b></p>								
1949 siadrive		Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
								
 <p><b>230 x 280 mm</b></p>		180	F 03E 003 H33	3868.7674.0180.05	Ex. stock IDC		500	
<p>Accessories: P. 265, 279</p>								











Standard sheets

1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>230 x 280 mm</b>	40	F 03E 003 GW3	4097.5762.0040.03	Ex. stock UK	25	250
		60	F 03E 003 GW9	4097.5762.0060.09	Ex. stock UK	50	250
		80	F 03E 003 GX3	4097.5762.0080.09	Ex. stock UK	50	250
		100	F 03E 003 GX4	4097.5762.0100.09	Ex. stock UK	50	500
		120	F 03E 003 GX8	4097.5762.0120.09	Ex. stock UK	50	500
		150	F 03E 001 AF0	4097.5762.0150.09	Ex. stock UK	50	500
		180	F 03E 001 AF4	4097.5762.0180.09	Ex. stock UK	100	500
		220	F 03E 001 AF5	4097.5762.0220.09	Ex. stock UK	100	500
		240	F 03E 001 AF9	4097.5762.0240.09	Ex. stock UK	100	500
		280	F 03E 003 GX9	4097.5762.0280.09	Ex. stock UK	100	500
		320	F 03E 003 GY3	4097.5762.0320.09	Ex. stock UK	100	500
		400	F 03E 003 GY4	4097.5762.0400.09	Ex. stock UK	100	500
	500	F 03E 003 GY5	4097.5762.0500.09	Ex. stock IDC		500	
	<b>230 x 280 mm</b> Model: labelled	40	F 03E 005 EK3	1048.4405.0040.10	Ex. stock IDC		250
		60	F 03E 003 HOV	1048.4405.0060.09	Ex. stock IDC		250
		80	F 03E 003 HOW	1048.4405.0080.09	Ex. stock IDC		250
		100	F 03E 001 AJ0	1048.4405.0100.09	Ex. stock IDC		500
		120	F 03E 001 AJ1	1048.4405.0120.09	Ex. stock IDC		500
		150	F 03E 001 AJ2	1048.4405.0150.09	Ex. stock IDC		500
		180	F 03E 001 AJ3	1048.4405.0180.09	Ex. stock IDC		500
		220	F 03E 001 AJ4	1048.4405.0220.09	Ex. stock IDC		500
		240	F 03E 001 AJ5	1048.4405.0240.09	Ex. stock IDC		500
		320	F 03E 001 AJ7	1048.4405.0320.09	Ex. stock IDC		500
		400	F 03E 004 W8L	1048.4405.0400.01	Ex. stock IDC		500
	<b>Information: P. 39</b> Accessories: P. 265, 279						
	<b>Information: P. 39</b> Accessories: P. 265, 279						

## Standard sheets

2915 siarol	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU		
									
	<b>230 x 280 mm</b>	40	F 03E 001 AH2	4818.6559.0040.01	Ex. stock UK	25	100		
		60	F 03E 001 AH3	4818.6559.0060.01	Ex. stock UK	25	250		
		80	F 03E 001 AH4	4818.6559.0080.01	Ex. stock UK	25	250		
		100	F 03E 001 AH8	4818.6559.0100.01	Ex. stock UK	25	250		
		120	F 03E 001 AH9	4818.6559.0120.01	Ex. stock UK	25	250		
		150	F 03E 004 NOU	4818.6559.0150.01	Ex. stock UK	25	250		
		180	F 03E 003 HOC	4818.6559.0180.01	Ex. stock UK	25	250		
		220	F 03E 004 NOV	4818.6559.0220.01	Ex. stock UK	25	500		
		240	F 03E 003 HOG	4818.6559.0240.01	Ex. stock UK	25	500		
		280	F 03E 003 HOL	4818.6559.0280.01	Ex. stock UK	25	500		
		320	F 03E 003 HOM	4818.6559.0320.01	Ex. stock UK	25	500		
		400	F 03E 003 HOS	4818.6559.0400.01	Ex. stock UK	25	500		
		<b>Information: P. 46</b> Accessories: P. 265, 279	<b>230 x 280 mm</b> Model: labelled	100	F 03E 004 WF1	1747.8981.0100.01	Ex. stock IDC		250
				320	F 03E 004 WF5	1747.8981.0320.01	Ex. stock IDC		500
<b>Information: P. 46</b> Accessories: P. 265, 279									


  



5930 microtec	Dimension	Col-our	Grit in µm	Part number	Part number	Delivery date	MOQ	SU
								
	<b>230 x 280 mm</b>		40	F 03E 005 4WJ	0230.2421.0360.01	Ex. stock IDC		100
			30	F 03E 005 4WK	0230.2421.0500.01	Ex. stock IDC		100
			15	F 03E 005 4WN	0230.2421.1200.01	Ex. stock IDC		100
			12	F 03E 005 X04	7064.8999.1500.01	Made to order		50
			12	F 03E 005 4WP	0230.2421.1500.01	Ex. stock IDC		100
			9	F 03E 005 X05	7064.8999.2000.01	Made to order		50
			9	F 03E 005 4WR	0230.2421.2000.01	Ex. stock IDC		100
			5	F 03E 005 4WS	0230.2421.2700.01	Ex. stock IDC		100
			3	F 03E 005 4WT	0230.2421.3000.01	Ex. stock IDC		100
			1	F 03E 005 4WU	0230.2421.6000.01	Ex. stock IDC		100
<b>Information: P. 58</b>								



5960 microtec	Dimension	Col-our	Grit in µm	Part number	Part number	Delivery date	MOQ	SU
	<b>230 x 280 mm</b>		40	F 03E 007 L45	7712.4140.0360.01	Made to order		50
			30	F 03E 007 L46	7712.4140.0500.01	Made to order		50
			20	F 03E 007 L47	7712.4140.0800.01	Made to order		50
			15	F 03E 007 L48	7712.4140.1200.01	Made to order		50
<b>Information: P. 59</b>				9	F 03E 007 L49	7712.4140.2000.01	Made to order	

Standard sheets









5962 microtec	Dimension	Col-our	Grit in µm	Part number	Part number	Delivery date	MOQ	SU
	<b>230 x 280 mm</b>		80	F 03E 007 S3Y	7759.8998.0180.01	Made to order		25
			60	F 03E 008 36K	7759.8998.0240.01	Made to order		25
			50	F 03E 008 52F	7759.8998.0280.01	Made to order		25
			40	F 03E 008 5EY	7759.8998.0360.01	Made to order		25
			30	F 03E 007 V18	7759.8998.0500.01	Made to order		25
			20	F 03E 007 V17	7759.8998.0800.01	Made to order		25
			15	F 03E 007 V16	7759.8998.1200.01	Made to order		25
			9	F 03E 008 5FB	7759.8998.2000.01	Made to order		25
<b>Information: P. 59</b>								

6120 siafleece	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>152 x 229 mm</b>	general purpose	F 03E 013 UG0	4132.9840.2111.10	Ex. stock UK	10	200	
		<b>Information: P. 60</b>						

siafast strips



1707 siapar		Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
		<b>120 x 400 mm</b> without holes  <b>Information: P. 30</b>	16	F 03E 001 AT2	3478.4122.0016.03	Ex. stock IDC		25
		<b>120 x 430 mm</b> without holes  <b>Information: P. 30</b>	16	F 03E 001 AT8	4137.4456.0016.01	Ex. stock IDC		25
		<b>150 x 280 mm</b> without holes  <b>Information: P. 30</b>	16	F 03E 001 B4S	8454.6618.0016.03	Made to order		25
		<b>180 x 320 mm</b> without holes  <b>Information: P. 30</b>	16	F 03E 001 AT4	6913.1018.0016.01	Made to order		50
		<b>200 x 360 mm</b> without holes  <b>Information: P. 30</b>	16	F 03E 001 AT3	6192.7136.0016.01	Made to order		50
		<b>200 x 420 mm</b> without holes  <b>Information: P. 30</b>	16	F 03E 001 AT0	7489.1583.0016.03	Made to order		25
		1713 siawat		Dimension	Grit	Part number	Part number	Delivery date
		<b>70 x 125 mm</b> Model: Wet sanding  <b>Information: P. 30</b>	400	F 03E 006 ZA5	1664.0137.0400.02	Ex. stock UK	50	600



## siafast strips

1748 sialac	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>70 x 125 mm</b> without holes  <b>Information: P. 32</b> Accessories: P. 265-266	180	F 03E 001 B5Y	2419.5013.0180.05	Ex. stock IDC		600
		220	F 03E 001 B5Z	2419.5013.0220.05	Ex. stock IDC		600
		240	F 03E 001 B60	2419.5013.0240.05	Ex. stock IDC		600
		280	F 03E 001 B61	2419.5013.0280.05	Ex. stock IDC		600
		320	F 03E 001 B62	2419.5013.0320.05	Ex. stock IDC		600
		400	F 03E 001 B63	2419.5013.0400.05	Ex. stock IDC		600
	<b>115 x 228 mm</b> 10-hole  <b>Information: P. 32</b>	240	F 03E 006 G99	9246.0812.0240.01	Made to order		500
		320	F 03E 006 G9B	9246.0812.0320.01	Made to order		500
1913 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>70 x 50 mm</b> without holes Model: waterproof  <b>Information: P. 35</b>	2500	F 03E 004 6PV	4376.6530.2500.01	Ex. stock UK	1000	1000
	<b>70 x 125 mm</b> without holes Model: Wet sanding  <b>Information: P. 35</b> Accessories: P. 265-266	240	F 03E 001 B72	5980.9923.0240.01	Ex. stock UK	50	500
		400	F 03E 001 B76	5980.9923.0400.01	Ex. stock UK	50	500
		600	F 03E 001 B79	5980.9923.0600.01	Ex. stock UK	50	500
		800	F 03E 001 B7B	5980.9923.0800.01	Ex. stock UK	50	500
		1000	F 03E 001 B7D	5980.9923.1000.01	Ex. stock UK	50	500
		1200	F 03E 001 B7F	5980.9923.1200.01	Ex. stock UK	50	500
		1500	F 03E 001 BJ2	5980.9923.1500.01	Ex. stock UK	50	500
		2000	F 03E 001 BJ3	5980.9923.2000.01	Made to order		500
		2500	F 03E 001 BJ4	5980.9923.2500.01	Ex. stock UK	50	500
1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>70 x 125 mm</b> without holes Model: Antistatic  <b>Information: P. 36</b> Accessories: P. 265-266	60	F 03E 003 HD2	6123.4497.0060.01	Ex. stock UK	50	500
		80	F 03E 003 HC8	6123.4497.0080.01	Ex. stock UK	100	600
		100	F 03E 003 HD3	6123.4497.0100.01	Ex. stock UK	100	600
		120	F 03E 003 HD4	6123.4497.0120.01	Ex. stock UK	100	600
		180	F 03E 003 HG8	6123.4497.0180.02	Ex. stock UK	100	600



siafast strips

1948 siaflex	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>70 x 125 mm</b> without holes	80	F 03E 006 17J	6736.4332.0080.01	Made to order		600
		100	F 03E 006 17K	6736.4332.0100.01	Made to order		600
		120	F 03E 006 17L	6736.4332.0120.01	Made to order		600
		150	F 03E 006 17M	6736.4332.0150.01	Made to order		600
		180	F 03E 006 17N	6736.4332.0180.01	Made to order		600
		220	F 03E 006 17P	6736.4332.0220.01	Made to order		600
		240	F 03E 006 17R	6736.4332.0240.01	Made to order		600
		280	F 03E 006 17S	6736.4332.0280.01	Made to order		600
		320	F 03E 006 17T	6736.4332.0320.01	Made to order		600
		400	F 03E 006 17V	6736.4332.0400.01	Made to order		600
	600	F 03E 006 17X	6736.4332.0600.01	Made to order		600	
<b>Information: P. 38</b> Accessories: P. 265-266							

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>70 x 125 mm</b> without holes	40	F 03E 003 E51	6783.9190.0040.01	Ex. stock UK	50	500
		60	F 03E 003 E52	6783.9190.0060.01	Ex. stock UK	50	500
		80	F 03E 003 E53	6783.9190.0080.01	Ex. stock UK	100	600
		100	F 03E 003 E54	6783.9190.0100.01	Made to order		600
		120	F 03E 003 E55	6783.9190.0120.01	Ex. stock UK	100	600
		150	F 03E 003 E56	6783.9190.0150.01	Made to order		600
		180	F 03E 003 E57	6783.9190.0180.01	Ex. stock UK	100	600
		220	F 03E 003 E58	6783.9190.0220.01	Made to order		600
		240	F 03E 003 E59	6783.9190.0240.01	Ex. stock UK	100	600
		280	F 03E 003 E5A	6783.9190.0280.01	Made to order		600
		320	F 03E 003 E5B	6783.9190.0320.01	Ex. stock UK	100	600
		400	F 03E 003 E5C	6783.9190.0400.01	Ex. stock UK	100	600
		500	F 03E 003 E5D	6783.9190.0500.01	Ex. stock UK	100	600
		600	F 03E 003 E5E	6783.9190.0600.01	Ex. stock UK	100	600
<b>Information: P. 38</b> Accessories: P. 265-266							

## siafast strips

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>70 x 125 mm</b> 29-hole	40	F 03E 005 5SZ	9928.4817.0040.01	Ex. stock UK	50	500
		60	F 03E 005 5T8	9928.4817.0060.01	Made to order		500
		80	F 03E 005 5T9	9928.4817.0080.01	Ex. stock UK	100	600
		100	F 03E 005 5TA	9928.4817.0100.01	Made to order		600
		120	F 03E 005 5TC	9928.4817.0120.01	Ex. stock UK	100	600
		150	F 03E 005 5TD	9928.4817.0150.01	Made to order		600
		180	F 03E 005 5TE	9928.4817.0180.01	Ex. stock UK	100	600
		240	F 03E 005 5TG	9928.4817.0240.01	Ex. stock UK	100	600
		280	F 03E 005 5TH	9928.4817.0280.01	Made to order		600
		320	F 03E 005 5TJ	9928.4817.0320.01	Ex. stock UK	100	600
		400	F 03E 005 5TL	9928.4817.0400.01	Ex. stock UK	100	600
	<b>70 x 198 mm</b> 41-hole	40	F 03E 005 5T4	8431.5398.0040.01	Ex. stock UK	50	500
		60	F 03E 005 5UV	8431.5398.0060.01	Ex. stock UK	50	500
		80	F 03E 005 5UW	8431.5398.0080.01	Ex. stock UK	50	500
		100	F 03E 005 5UX	8431.5398.0100.01	Made to order		500
		120	F 03E 005 5UY	8431.5398.0120.01	Ex. stock UK	100	600
		150	F 03E 005 5UZ	8431.5398.0150.01	Made to order		600
		180	F 03E 005 5V0	8431.5398.0180.01	Ex. stock UK	100	600
		220	F 03E 005 5V1	8431.5398.0220.01	Made to order		600
		240	F 03E 005 5V2	8431.5398.0240.01	Ex. stock UK	100	600
		280	F 03E 005 5V3	8431.5398.0280.01	Made to order		600
		320	F 03E 005 5V4	8431.5398.0320.01	Ex. stock UK	100	600
		400	F 03E 005 5V6	8431.5398.0400.01	Ex. stock UK	100	600
		500	F 03E 005 5V7	8431.5398.0500.01	Ex. stock UK	100	600
	<b>70 x 400 mm</b> 66-hole Model: Perforated	40	F 03E 007 4X5	9347.4354.0040.01	Ex. stock UK	50	500
		60	F 03E 007 4X6	9347.4354.0060.01	Ex. stock UK	50	500
		80	F 03E 007 4X7	9347.4354.0080.01	Ex. stock UK	50	600
		100	F 03E 007 4X8	9347.4354.0100.01	Made to order		600
		120	F 03E 007 4X9	9347.4354.0120.01	Ex. stock UK	50	600
		150	F 03E 007 4XA	9347.4354.0150.01	Made to order		600
		180	F 03E 007 4XB	9347.4354.0180.01	Ex. stock UK	50	600
		220	F 03E 007 4XC	9347.4354.0220.01	Made to order		600
		240	F 03E 007 4XD	9347.4354.0240.01	Ex. stock UK	50	600
		320	F 03E 007 4XF	9347.4354.0320.01	Ex. stock UK	50	600
		400	F 03E 007 4XH	9347.4354.0400.01	Ex. stock UK	50	600
		500	F 03E 007 4XJ	9347.4354.0500.01	Ex. stock UK	50	600

**Information: P. 38**  
Accessories: P. 265-267

**Information: P. 38**  
Accessories: P. 266-267

**Information: P. 38**  
Accessories: P. 266-267

siafast strips

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>70 x 420 mm</b> without holes  <b>Information: P. 38</b> Accessories: P. 266	40	F 03E 001 B0E	3210.1376.0040.01	Ex. stock UK	50	500
		60	F 03E 001 B0F	3210.1376.0060.01	Ex. stock UK	50	500
		80	F 03E 001 B0G	3210.1376.0080.01	Ex. stock UK	100	600
		100	F 03E 001 B0H	3210.1376.0100.01	Ex. stock IDC		600
		120	F 03E 001 B0J	3210.1376.0120.01	Ex. stock UK	100	600
		150	F 03E 001 B0K	3210.1376.0150.01	Ex. stock IDC		600
		180	F 03E 001 B0L	3210.1376.0180.01	Ex. stock UK	100	800
		240	F 03E 001 B0N	3210.1376.0240.01	Ex. stock IDC		800
		320	F 03E 001 B0R	3210.1376.0320.01	Ex. stock UK	100	800
		400	F 03E 001 B0T	3210.1376.0400.01	Ex. stock IDC		800
	<b>80 x 133 mm</b> 14-hole  <b>Information: P. 38</b> Machine: Festool	60	F 03E 006 B83	4168.1707.0060.02	Ex. stock IDC		500
		80	F 03E 006 B84	4168.1707.0080.02	Ex. stock IDC		500
		100	F 03E 005 A0N	4168.1707.0100.01	Ex. stock IDC		500
		100	F 03E 006 B85	4168.1707.0100.02	Ex. stock IDC		500
		120	F 03E 005 A0P	4168.1707.0120.01	Ex. stock IDC		500
		120	F 03E 006 B86	4168.1707.0120.02	Ex. stock IDC		500
		150	F 03E 005 A0R	4168.1707.0150.01	Ex. stock IDC		500
		150	F 03E 006 B87	4168.1707.0150.02	Ex. stock IDC		500
		180	F 03E 005 A0S	4168.1707.0180.01	Ex. stock IDC		500
		180	F 03E 006 B88	4168.1707.0180.02	Ex. stock IDC		500
		220	F 03E 006 B89	4168.1707.0220.02	Ex. stock IDC		500
		240	F 03E 005 A0U	4168.1707.0240.01	Ex. stock IDC		500
		240	F 03E 006 B8A	4168.1707.0240.02	Ex. stock IDC		500
		320	F 03E 005 A0W	4168.1707.0320.01	Ex. stock IDC		500
		320	F 03E 006 B8B	4168.1707.0320.02	Ex. stock IDC		500
400	F 03E 006 G8B	4168.1707.0400.02	Ex. stock IDC		500		
	<b>81 x 133 mm</b> 8-hole  <b>Information: P. 38</b>	120	F 03E 007 KZ7	1684.3477.0120.03	Ex. stock IDC		50
	<b>81 x 133 mm</b> 8-hole  <b>Information: P. 38</b>	80	F 03E 006 2W4	1684.3477.0080.02	Ex. stock UK	100	600
		120	F 03E 006 2W6	1684.3477.0120.02	Ex. stock UK	100	600
		180	F 03E 006 2W8	1684.3477.0180.02	Ex. stock UK	100	600
		240	F 03E 006 2X8	1684.3477.0240.02	Ex. stock IDC		600
		320	F 03E 006 2XA	1684.3477.0320.02	Ex. stock UK	100	600



## siafast strips

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>81 x 133 mm</b> 29-hole  <b>Information: P. 38</b>	120	F 03E 005 SS6	8453.8420.0120.01	Ex. stock UK	100	600
		180	F 03E 005 SS8	8453.8420.0180.01	Ex. stock UK	100	600
	<b>81 x 153 mm</b> 8-hole  <b>Information: P. 38</b> Machine: Rodcraft, Rupes	80	F 03E 001 C6U	5193.9755.0080.01	Made to order		600
		120	F 03E 001 C6W	5193.9755.0120.01	Made to order		600
		180	F 03E 001 C6Y	5193.9755.0180.01	Made to order		600
	<b>93 x 180 mm</b> 8-hole  <b>Information: P. 38</b>	40	F 03E 006 2YF	0347.8494.0040.01	Ex. stock IDC		500
		60	F 03E 006 2YG	0347.8494.0060.01	Ex. stock IDC		500
		80	F 03E 006 2YH	0347.8494.0080.01	Ex. stock IDC		600
		100	F 03E 006 2YJ	0347.8494.0100.01	Ex. stock IDC		600
		120	F 03E 006 2YK	0347.8494.0120.01	Ex. stock IDC		600
		150	F 03E 006 2YL	0347.8494.0150.01	Ex. stock IDC		600
		180	F 03E 006 2YM	0347.8494.0180.01	Ex. stock IDC		600
		220	F 03E 006 2YN	0347.8494.0220.01	Ex. stock IDC		600
		240	F 03E 006 2YP	0347.8494.0240.01	Ex. stock IDC		600
		280	F 03E 006 2YR	0347.8494.0280.01	Ex. stock IDC		600
		320	F 03E 006 2YS	0347.8494.0320.01	Ex. stock IDC		600
		400	F 03E 006 2YU	0347.8494.0400.02	Ex. stock IDC		600
		600	F 03E 006 2YW	0347.8494.0600.01	Ex. stock IDC		600
	<b>115 x 230 mm</b> without holes  <b>Information: P. 38</b> Accessories: P. 266 Machine: Fein, Festool, Metabo, Rupes	80	F 03E 003 E5F	0465.4240.0080.01	Ex. stock IDC		600
		100	F 03E 003 E5G	0465.4240.0100.01	Ex. stock IDC		600
		120	F 03E 003 E5H	0465.4240.0120.01	Ex. stock IDC		600
		150	F 03E 003 E5J	0465.4240.0150.01	Ex. stock IDC		600
		180	F 03E 003 E5K	0465.4240.0180.01	Ex. stock IDC		600
		220	F 03E 003 E5L	0465.4240.0220.01	Ex. stock IDC		600
		240	F 03E 003 E5M	0465.4240.0240.01	Ex. stock IDC		600
		320	F 03E 001 BR1	0465.4240.0320.01	Ex. stock IDC		600
		400	F 03E 001 BR3	0465.4240.0400.01	Ex. stock IDC		600





siafast strips

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>115 x 230 mm</b> 49-hole	40	F 03E 005 5T6	4366.8648.0040.01	Ex. stock IDC		500
		60	F 03E 005 5VN	4366.8648.0060.01	Ex. stock UK	50	500
		80	F 03E 005 5VP	4366.8648.0080.01	Ex. stock UK	100	600
		100	F 03E 005 5VR	4366.8648.0100.01	Ex. stock IDC		600
		120	F 03E 005 5VS	4366.8648.0120.01	Ex. stock UK	100	600
		150	F 03E 005 5VT	4366.8648.0150.01	Ex. stock IDC		600
		180	F 03E 005 5VU	4366.8648.0180.01	Ex. stock IDC		600
		220	F 03E 005 5VV	4366.8648.0220.01	Ex. stock IDC		600
		240	F 03E 005 5VW	4366.8648.0240.01	Ex. stock IDC		600
		280	F 03E 005 5VX	4366.8648.0280.01	Ex. stock IDC		600
		320	F 03E 005 5VY	4366.8648.0320.01	Ex. stock UK	100	600
		400	F 03E 005 5W0	4366.8648.0400.01	Made to order		600
500	F 03E 005 5W1	4366.8648.0500.01	Made to order		600		
<b>Information: P. 38</b> Accessories: P. 266-267 Machine: Fein, Festool, Metabo, Rupes							

1958 siapro	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>70 x 400 mm</b> 66-hole Model: Perforated	100	F 03E 007 8EP	9515.8032.0100.01	Made to order		600
		200	F 03E 007 8ER	9515.8032.0200.01	Made to order		600
		300	F 03E 007 8ES	9515.8032.0300.01	Made to order		600
<b>Information: P. 39</b> Accessories: P. 266-267							



## siafast strips

1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>70 x 125 mm</b> without holes	40	F 03E 004 N0W	6999.7726.0040.09	Ex. stock UK	50	500
		60	F 03E 001 B21	6999.7726.0060.09	Ex. stock UK	50	500
		80	F 03E 004 N0X	6999.7726.0080.09	Ex. stock UK	100	600
		100	F 03E 001 B23	6999.7726.0100.09	Ex. stock UK	100	600
		120	F 03E 004 N0Y	6999.7726.0120.09	Ex. stock UK	100	600
		150	F 03E 001 B25	6999.7726.0150.09	Ex. stock UK	100	600
		180	F 03E 004 N0Z	6999.7726.0180.09	Ex. stock UK	100	600
		220	F 03E 001 B27	6999.7726.0220.09	Ex. stock UK	100	600
		240	F 03E 001 B28	6999.7726.0240.09	Ex. stock UK	100	600
		280	F 03E 001 B29	6999.7726.0280.09	Ex. stock UK	100	600
		320	F 03E 001 B2A	6999.7726.0320.09	Ex. stock UK	100	600
		400	F 03E 001 B2B	6999.7726.0400.09	Ex. stock UK	100	600
		500	F 03E 001 B2C	6999.7726.0500.09	Made to order		600
		600	F 03E 001 B2D	6999.7726.0600.09	Made to order		600
	<b>80 x 133 mm</b> 14-hole	40	F 03E 006 H3R	4384.0243.0040.01	Made to order		500
		60	F 03E 006 H3S	4384.0243.0060.01	Made to order		500
		80	F 03E 006 H3U	4384.0243.0080.01	Made to order		600
		100	F 03E 006 H3V	4384.0243.0100.01	Made to order		600
		120	F 03E 006 H3W	4384.0243.0120.01	Made to order		600
		150	F 03E 006 H3X	4384.0243.0150.01	Made to order		600
		180	F 03E 006 H3Y	4384.0243.0180.01	Made to order		600
		220	F 03E 006 H3Z	4384.0243.0220.01	Made to order		600
		240	F 03E 006 H40	4384.0243.0240.01	Made to order		600
		320	F 03E 006 H42	4384.0243.0320.01	Made to order		600
	<b>81 x 133 mm</b> 8-hole	40	F 03E 006 H5W	1900.2013.0040.01	Ex. stock IDC		500
		60	F 03E 006 H5X	1900.2013.0060.01	Ex. stock IDC		500
		80	F 03E 006 H5Y	1900.2013.0080.01	Ex. stock UK	100	600
		100	F 03E 006 H5Z	1900.2013.0100.01	Ex. stock UK	100	600
		120	F 03E 006 H60	1900.2013.0120.01	Ex. stock UK	100	600
		150	F 03E 006 H61	1900.2013.0150.01	Ex. stock UK	100	600
		180	F 03E 006 H62	1900.2013.0180.01	Ex. stock UK	100	600
		220	F 03E 006 H63	1900.2013.0220.01	Ex. stock IDC		600
		240	F 03E 006 H64	1900.2013.0240.01	Ex. stock UK	100	600
		320	F 03E 006 H66	1900.2013.0320.01	Ex. stock UK	100	600
		400	F 03E 006 H67	1900.2013.0400.01	Ex. stock IDC		600
		<b>Information: P. 39</b> Accessories: P. 265-266					
<b>Information: P. 39</b>							
<b>Information: P. 39</b>							

siafast strips









1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU		
	<b>81 x 153 mm</b> 8-hole  <b>Information: P. 39</b> Machine: Rodcraft, Rupes	60	F 03E 003 DU5	5409.8291.0060.09	Made to order		500		
		80	F 03E 003 DU6	5409.8291.0080.09	Made to order		600		
		100	F 03E 001 BS0	5409.8291.0100.09	Made to order		600		
		120	F 03E 001 BS1	5409.8291.0120.09	Made to order		600		
		180	F 03E 001 BS3	5409.8291.0180.09	Made to order		600		
		220	F 03E 001 BS4	5409.8291.0220.09	Made to order		600		
		240	F 03E 001 BS5	5409.8291.0240.09	Made to order		600		
	<b>93 x 180 mm</b> 8-hole  <b>Information: P. 39</b>	40	F 03E 006 Z24	0563.7030.0040.01	Ex. stock IDC		500		
		60	F 03E 006 Z25	0563.7030.0060.01	Ex. stock UK	50	500		
		80	F 03E 006 Z26	0563.7030.0080.01	Ex. stock UK	100	600		
		100	F 03E 006 Z29	0563.7030.0100.01	Ex. stock IDC		600		
		120	F 03E 006 Z2A	0563.7030.0120.01	Ex. stock UK	100	600		
		150	F 03E 006 Z2B	0563.7030.0150.01	Ex. stock IDC		600		
		180	F 03E 006 Z2C	0563.7030.0180.01	Ex. stock UK	100	600		
		220	F 03E 006 Z2D	0563.7030.0220.01	Ex. stock IDC		600		
		240	F 03E 006 Z2E	0563.7030.0240.01	Ex. stock IDC		600		
		280	F 03E 006 Z2F	0563.7030.0280.01	Ex. stock IDC		600		
		320	F 03E 006 Z2G	0563.7030.0320.01	Ex. stock IDC		600		
		400	F 03E 006 Z2H	0563.7030.0400.01	Ex. stock IDC		600		
			<b>93 x 185 mm</b> 8-hole  <b>Information: P. 39</b> Machine: AEG, Bosch, Festool, Hitachi, Makita, Metabo, Skil	60	F 03E 005 T2N	2357.8012.0060.02	Ex. stock IDC		50
				80	F 03E 005 R13	2357.8012.0080.02	Ex. stock IDC		500
120	F 03E 005 T2P			2357.8012.0120.02	Ex. stock IDC		500		
	<b>93 x 230 mm</b> without holes  <b>Information: P. 39</b> Machine: Black & Decker, Bosch, Festool, Metabo	60	F 03E 001 B2F	5025.2530.0060.09	Made to order		500		
		80	F 03E 001 B2G	5025.2530.0080.09	Made to order		600		
		100	F 03E 001 B2H	5025.2530.0100.09	Made to order		600		
		120	F 03E 001 B2J	5025.2530.0120.09	Made to order		600		
		150	F 03E 001 B2K	5025.2530.0150.09	Made to order		600		
		180	F 03E 001 B2L	5025.2530.0180.09	Made to order		600		
	<b>100 x 110 mm</b> 6-hole  <b>Information: P. 39</b>	80	F 03E 001 BT7	4463.3155.0080.03	Made to order		600		
		100	F 03E 001 BT8	4463.3155.0100.01	Made to order		600		
		120	F 03E 003 CL1	4463.3155.0120.09	Made to order		600		
		150	F 03E 003 CL2	4463.3155.0150.09	Made to order		600		
		220	F 03E 003 CL4	4463.3155.0220.09	Made to order		600		



## siafast strips

1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>115 x 115 mm</b> without holes  <b>Information: P. 39</b>	80	F 03E 001 B39	8166.0152.0080.09	Made to order		600
		100	F 03E 001 B3A	8166.0152.0100.09	Ex. stock UK	100	600
		120	F 03E 001 B3B	8166.0152.0120.09	Ex. stock UK	100	600
		150	F 03E 001 B3C	8166.0152.0150.09	Made to order		600
		180	F 03E 001 B3L	8166.0152.0180.09	Ex. stock UK	100	600
		220	F 03E 001 B3M	8166.0152.0220.09	Made to order		600
		240	F 03E 001 B3D	8166.0152.0240.09	Ex. stock UK	100	600
	<b>115 x 115 mm</b> 8-hole  <b>Information: P. 39</b>	120	F 03E 006 2V5	6971.8268.0120.01	Made to order		600
	<b>115 x 228 mm</b> 10-hole  <b>Information: P. 39</b> Accessories: P. 266	40	F 03E 006 H1G	3880.2332.0040.01	Ex. stock UK	50	500
		60	F 03E 006 H1H	3880.2332.0060.01	Ex. stock UK	50	500
		80	F 03E 006 H1J	3880.2332.0080.01	Ex. stock UK	100	600
		100	F 03E 006 H1K	3880.2332.0100.01	Ex. stock UK	100	600
		120	F 03E 006 H1L	3880.2332.0120.01	Ex. stock UK	100	600
		150	F 03E 006 H1M	3880.2332.0150.01	Ex. stock UK	100	600
		180	F 03E 006 H1N	3880.2332.0180.01	Ex. stock UK	100	600
		220	F 03E 006 H1P	3880.2332.0220.01	Ex. stock IDC		600
		240	F 03E 006 H1R	3880.2332.0240.01	Ex. stock UK	100	600
		280	F 03E 006 H1S	3880.2332.0280.01	Ex. stock IDC		600
		320	F 03E 006 H1T	3880.2332.0320.01	Ex. stock UK	100	600
400	F 03E 006 H1U	3880.2332.0400.01	Ex. stock IDC		600		
	<b>115 x 230 mm</b> without holes  <b>Information: P. 39</b> Accessories: P. 266 Machine: Fein, Festool, Metabo, Rupes	40	F 03E 003 HX6	0681.2776.0040.09	Ex. stock UK	50	500
		60	F 03E 003 CL7	0681.2776.0060.09	Ex. stock UK	50	500
		80	F 03E 003 CL8	0681.2776.0080.09	Ex. stock UK	100	600
		100	F 03E 003 CL9	0681.2776.0100.09	Ex. stock UK	100	600
		120	F 03E 003 CM7	0681.2776.0120.09	Ex. stock UK	100	600
		150	F 03E 003 CM8	0681.2776.0150.09	Ex. stock UK	100	600
		180	F 03E 003 CM9	0681.2776.0180.09	Ex. stock UK	100	600
		240	F 03E 003 CP5	0681.2776.0240.09	Ex. stock UK	100	600

siafast strips







2920 siawood x	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
 <p><b>30 x 195 mm</b> without holes</p> <p><b>Information: P. 47</b></p>	60	F 03E 001 B7X	2575.3123.0060.02	Ex. stock UK	50	500	
	120	F 03E 001 B7W	2575.3123.0120.02	Ex. stock UK	50	500	
	180	F 03E 001 B7U	2575.3123.0180.02	Ex. stock UK	50	500	
 <p><b>115 x 280 mm</b> 10-hole</p> <p><b>Information: P. 47</b></p>	80	F 03E 004 R6L	3428.8454.0080.01	Ex. stock IDC		500	
2943 siatur h	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
 <p><b>115 x 228 mm</b> 10-hole</p> <p><b>Information: P. 49</b></p>	240	F 03E 005 3Z2	5179.7658.0240.01	Made to order		50	
7900 sianet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
 <p><b>70 x 125 mm</b> Net-backed abrasive</p> <p><b>Information: P. 65</b> Accessories: P. 265-267 Technology: sianet P. 75</p>	80	F 03E 006 794	5869.7195.0080.01	Ex. stock UK	50	300	
	120	F 03E 006 796	5869.7195.0120.01	Ex. stock UK	50	300	
	180	F 03E 006 798	5869.7195.0180.01	Ex. stock UK	50	300	
	220	F 03E 006 799	5869.7195.0220.01	Made to order		300	
	240	F 03E 006 79A	5869.7195.0240.01	Ex. stock UK	50	300	
	320	F 03E 006 79B	5869.7195.0320.01	Ex. stock UK	50	300	
	400	F 03E 006 79C	5869.7195.0400.01	Ex. stock UK	50	300	
 <p><b>70 x 198 mm</b> Net-backed abrasive</p> <p><b>Information: P. 65</b> Accessories: P. 266-267 Technology: sianet P. 75</p>	80	F 03E 006 88J	7443.0965.0080.01	Ex. stock UK	50	500	
	120	F 03E 006 88L	7443.0965.0120.01	Ex. stock UK	50	500	
	180	F 03E 006 88N	7443.0965.0180.01	Ex. stock UK	50	500	
	240	F 03E 006 88R	7443.0965.0240.01	Ex. stock UK	50	500	
	320	F 03E 006 88S	7443.0965.0320.01	Ex. stock UK	50	500	
	400	F 03E 006 88T	7443.0965.0400.01	Ex. stock UK	50	500	

## siafast strips

7900 sianet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>70 x 420 mm</b> Net-backed abrasive  <b>Information: P. 65</b> Accessories: P. 266-267 Technology: sianet P. 75	80	F 03E 006 9FS	2274.3160.0080.01	Ex. stock UK	50	400
		120	F 03E 006 9FU	2274.3160.0120.01	Ex. stock UK	50	400
		180	F 03E 006 9FW	2274.3160.0180.01	Ex. stock UK	50	400
		240	F 03E 006 9FY	2274.3160.0240.01	Ex. stock UK	50	400
		320	F 03E 006 9FZ	2274.3160.0320.01	Ex. stock UK	50	400
		400	F 03E 006 9G0	2274.3160.0400.01	Ex. stock UK	50	400
	<b>81 x 133 mm</b> Net-backed abrasive  <b>Information: P. 65</b> Technology: sianet P. 75	80	F 03E 006 8A1	2166.9718.0080.01	Ex. stock UK	50	300
		120	F 03E 006 8A3	2166.9718.0120.01	Ex. stock UK	50	300
		180	F 03E 006 8A5	2166.9718.0180.01	Ex. stock UK	50	300
		240	F 03E 006 8A7	2166.9718.0240.01	Ex. stock UK	50	300
		320	F 03E 006 8A8	2166.9718.0320.01	Ex. stock UK	50	300
		400	F 03E 006 8A9	2166.9718.0400.01	Ex. stock UK	50	300
	<b>93 x 180 mm</b> Net-backed abrasive  <b>Information: P. 65</b> Technology: sianet P. 75	150	F 03E 006 8AM	6214.1398.0150.01	Made to order		300
	<b>115 x 230 mm</b> Net-backed abrasive  <b>Information: P. 65</b> Accessories: P. 266-267 Technology: sianet P. 75 Machine: Fein, Festool, Metabo, Rupes	80	F 03E 006 8BZ	9519.0126.0080.01	Made to order		300
		120	F 03E 006 8C1	9519.0126.0120.01	Made to order		300
		180	F 03E 006 8C2	9519.0126.0180.01	Made to order		300
		240	F 03E 006 8CR	9519.0126.0240.01	Made to order		300
		320	F 03E 006 8CS	9519.0126.0320.01	Made to order		300
7940 siaair	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>115 x 140 mm</b> without holes Model: waterproof  <b>Information: P. 66</b> Accessories: P. 261	600	F 03E 003 EB3	6329.7598.0600.01	Ex. stock UK	10	60
		800	F 03E 003 EB4	6329.7598.0800.01	Made to order		60
		1000	F 03E 003 EB5	6329.7598.1000.01	Made to order		60
		1500	F 03E 003 EB6	6329.7598.1500.01	Made to order		60
		2000	F 03E 003 EB7	6329.7598.2000.01	Ex. stock UK	10	60



siasoft strips

1748 sialac	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>115 x 140 mm</b> without holes  <b>Information: P. 32</b> Technology: siasoft P. 73	180	F 03E 007 PN3	0199.5922.0180.07	Ex. stock UK	50	300
		220	F 03E 007 PN4	0199.5922.0220.07	Ex. stock UK	50	300
		280	F 03E 007 PN6	0199.5922.0280.07	Ex. stock UK	50	300
		320	F 03E 007 PN7	0199.5922.0320.07	Ex. stock UK	50	300
		400	F 03E 007 PN8	0199.5922.0400.07	Ex. stock UK	50	300
1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>115 x 140 mm</b> without holes  <b>Information: P. 38</b> Technology: siasoft P. 73	150	F 03E 004 U72	4564.0566.0150.02	Made to order		450
		180	F 03E 004 U73	4564.0566.0180.02	Made to order		450
		220	F 03E 004 U74	4564.0566.0220.02	Made to order		450
		240	F 03E 004 U75	4564.0566.0240.02	Made to order		450
		280	F 03E 004 U76	4564.0566.0280.02	Made to order		450
		320	F 03E 004 U77	4564.0566.0320.02	Made to order		450
		400	F 03E 004 U78	4564.0566.0400.02	Made to order		450
		500	F 03E 004 U79	4564.0566.0500.02	Made to order		450
		600	F 03E 004 U7A	4564.0566.0600.02	Made to order		450
		<b>115 x 140 mm</b> without holes Model: Ultrafine grit  <b>Information: P. 38</b> Technology: siasoft P. 73	800	F 03E 005 VZ8	4564.0566.0800.01	Made to order	
2951 siatur h	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>115 x 140 mm</b> without holes Model: Cloth  <b>Information: P. 51</b> Technology: siasoft P. 73	80	F 03E 007 PR1	6269.3860.0080.02	Ex. stock UK	20	160
		100	F 03E 007 PR2	6269.3860.0100.02	Made to order		160
		120	F 03E 007 PR3	6269.3860.0120.02	Made to order		160
		150	F 03E 007 PR4	6269.3860.0150.02	Made to order		160
		180	F 03E 007 PR5	6269.3860.0180.02	Ex. stock UK	20	160
		220	F 03E 007 PR6	6269.3860.0220.02	Ex. stock UK	20	160

## siavlies strips








6120 siafleece	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	<b>114 x 152 mm</b>  <b>Information: P. 60</b>		F 03E 014 45C	9501.4644.5911	Made to order		200
	<b>115 x 152 mm</b> Model: Perforated Z-folded  <b>Information: P. 60</b>	veryfine speed	F 03E 013 KS2	0055.7679.6921	Ex. stock UK	30	150
		ultrafine speed	F 03E 013 KS7	0055.7679.8715	Ex. stock UK	30	150
		microfine speed	F 03E 013 KT2	0055.7679.9913	Ex. stock UK	30	150
	<b>152 x 229 mm</b>  <b>Information: P. 60</b>	extra cut A	F 03E 014 K31	4132.9840.2922.52	Ex. stock UK	20	20
		extra cut S	F 03E 014 KC4	4132.9840.2721.01	Ex. stock IDC		20
		general purpose	F 03E 014 K36	4132.9840.6923	Ex. stock UK	20	20
		medium A	F 03E 014 K33	4132.9840.4921.31	Ex. stock UK	20	20
		medium S	F 03E 014 K32	4132.9840.4721.37	Ex. stock UK	20	20
		fine A	F 03E 014 K34	4132.9840.5911.27	Ex. stock UK	20	20
		veryfine A XS	F 03E 014 K37	4132.9840.6932.75	Ex. stock UK	20	20
		veryfine speed	F 03E 014 K35	4132.9840.6921.13	Ex. stock UK	20	20
		ultrafine speed	F 03E 014 K39	4132.9840.8715.12	Ex. stock UK	20	20
		microfine speed	F 03E 014 K3A	4132.9840.9913.03	Ex. stock UK	20	20
		ultrafine S XS	F 03E 014 K38	4132.9840.8712.47	Ex. stock UK	20	20
		cleaning		F 03E 014 M3T	4132.9840.0051.10	Ex. stock UK	20

6711 siafleece flex	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	<b>115 x 230 mm</b>  <b>Information: P. 63</b>	veryfine	F 03E 013 MG8	0948.3321.6921	Ex. stock IDC		25
		ultrafine	F 03E 013 MG9	0948.3321.8711	Ex. stock IDC		25





## Self-adhesive strips

1913 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>240 x 280 mm</b> without holes  <b>Information: P. 35</b>	150	F 03E 004 X5C	1243.2116.0150.01	Ex. stock IDC		50
































Various strips

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>70 x 230 mm</b> without holes  <b>Information: P. 36</b>	80	F 03E 003 HH0	4969.4935.0080.02	Ex. stock UK	50	50
1948 siaflex	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>115 x 280 mm</b> without holes  <b>Information: P. 38</b>	40	F 03E 006 3ZA	8066.7864.0040.01	Made to order		1000
		60	F 03E 006 3ZB	8066.7864.0060.01	Made to order		1000
		80	F 03E 006 3ZC	8066.7864.0080.01	Made to order		1000
		100	F 03E 006 3ZD	8066.7864.0100.01	Made to order		1000
		120	F 03E 006 3ZE	8066.7864.0120.01	Made to order		1000
		180	F 03E 006 3ZG	8066.7864.0180.01	Made to order		1000
		240	F 03E 006 3ZJ	8066.7864.0240.01	Made to order		1000
		320	F 03E 006 3ZL	8066.7864.0320.01	Made to order		1000
1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>93 x 230 mm</b> 8-hole  <b>Information: P. 39</b> Machine: Black & Decker, Bosch, Festool, Metabo	60	F 03E 003 J2N	2263.5299.0060.09	Ex. stock IDC		500
		80	F 03E 003 J2P	2263.5299.0080.09	Ex. stock IDC		600
		100	F 03E 003 J2R	2263.5299.0100.09	Ex. stock IDC		600
		120	F 03E 003 J2S	2263.5299.0120.09	Ex. stock IDC		600
		180	F 03E 003 J2U	2263.5299.0180.09	Ex. stock IDC		600
	<b>115 x 280 mm</b> without holes  <b>Information: P. 39</b> Machine: Black & Decker, Bosch, Festool	40	F 03E 004 N10	8330.1258.0040.09	Made to order		500
		60	F 03E 004 N11	8330.1258.0060.09	Ex. stock UK	50	500
		80	F 03E 004 N12	8330.1258.0080.09	Ex. stock UK	100	600
		100	F 03E 004 N13	8330.1258.0100.09	Ex. stock UK	100	600
		120	F 03E 004 N14	8330.1258.0120.09	Ex. stock UK	100	600
		150	F 03E 004 N15	8330.1258.0150.09	Ex. stock UK	100	600
		180	F 03E 004 N16	8330.1258.0180.09	Made to order		600
		220	F 03E 004 N17	8330.1258.0220.09	Made to order		600
		240	F 03E 004 N18	8330.1258.0240.09	Made to order		600
320	F 03E 004 N19	8330.1258.0320.09	Made to order		600		

## Various strips

















1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>115 x 280 mm</b> 10-hole  <b>Information: P. 39</b> Machine: Black & Decker, Elu, Festool, Makita, Metabo	40	F 03E 001 C7L	9171.9202.0040.09	Made to order		500
		60	F 03E 001 C7M	9171.9202.0060.09	Made to order		500
		80	F 03E 001 C7N	9171.9202.0080.09	Made to order		600
		100	F 03E 001 C7P	9171.9202.0100.09	Made to order		600
		120	F 03E 001 C7R	9171.9202.0120.09	Made to order		600
		150	F 03E 001 C7S	9171.9202.0150.09	Made to order		600
		180	F 03E 001 C7T	9171.9202.0180.09	Made to order		600
		240	F 03E 001 C7W	9171.9202.0240.09	Made to order		600
2936 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>30 x 300 mm</b> without holes  <b>Information: P. 49</b>	80	F 03E 004 56N	1779.7138.0080.02	Ex. stock IDC		100

## Pads



7979 siasponge flat	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU	
								
 	Flat Pad <b>115 x 140 mm</b> Thickness: 5 mm Model: Wet sanding Dry application	medium		F 03E 00R C5Y	0070.1603.01	Ex. stock IDC	160	
		fine		F 03E 00R C5X	0070.1602.01	Ex. stock IDC	160	
		superfine		F 03E 00R C60	0070.1605.01	Ex. stock IDC	160	
		ultrafine		F 03E 00R C61	0070.1606.01	Ex. stock IDC	160	
		microfine		F 03E 00R C5Z	0070.1604.01	Ex. stock IDC	160	
	<b>Information: P. 66</b>							
	Flat Pad <b>115 x 140 mm</b> Thickness: 5 mm Model: Wet sanding Dry application	medium		F 03E 00R C63	0070.1603.02	Ex. stock IDC		250
		fine		F 03E 00R C62	0070.1602.02	Ex. stock IDC		250
		superfine		F 03E 00R C65	0070.1605.02	Ex. stock IDC		250
		ultrafine		F 03E 00R C66	0070.1606.02	Ex. stock IDC		250
microfine			F 03E 00R C64	0070.1604.02	Ex. stock IDC		250	
<b>Information: P. 66</b>								
7983 siasponge flex	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU	
								
 	Flex Pad <b>98 x 120 mm</b> Height: 13 mm Model: Wet sanding Dry application	medium		F 03E 00R 8G8	0070.1244.01	Ex. stock UK	10	240
		fine		F 03E 00R 8GF	0070.1247.01	Ex. stock UK	10	240
		superfine		F 03E 00R 8ES	0070.1232.01	Ex. stock UK	10	240
		ultrafine		F 03E 00R 8G6	0070.1243.01	Ex. stock IDC		240
		microfine		F 03E 00R E2P	0070.0473.07	Ex. stock IDC		240
	<b>Information: P. 67</b>							
	Flex Pad <b>98 x 120 mm</b> Height: 13 mm Model: Wet sanding Dry application	medium		F 03E 00R A9A	0070.1244.06	Ex. stock IDC		100
		fine		F 03E 00R A99	0070.1247.06	Ex. stock IDC		100
		superfine		F 03E 00R A9B	0070.1232.06	Ex. stock IDC		100
		ultrafine		F 03E 00R A9C	0070.1243.06	Ex. stock IDC		100
		microfine		F 03E 00R B8M	0070.0473.06	Ex. stock IDC		100
	<b>Information: P. 67</b>							
	Flex Pad <b>98 x 120 mm</b> Height: 13 mm Model: Wet sanding Dry application	medium		F 03E 00R 8JY	0070.1244.02	Ex. stock IDC		250
		fine		F 03E 00R 8JZ	0070.1247.02	Ex. stock IDC		250
		superfine		F 03E 00R 8HM	0070.1232.02	Ex. stock IDC		250
ultrafine			F 03E 00R 8JX	0070.1243.02	Ex. stock IDC		250	
microfine			F 03E 00R E2S	0070.1564.02	Ex. stock IDC		250	
<b>Information: P. 67</b>								






## Blocks

7990 siasponge block hard		Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU	
									
 	Combination Block <b>69 x 98 mm</b> Height: 26 mm Model: Wet sanding Dry application	medium		F 03E 00R 8GX	0070.1255.01	Ex. stock IDC		280	
		fine		F 03E 00R 8EP	0070.1230.01	Ex. stock UK	10	280	
		superfine		F 03E 00R 8VC	0070.1351.01	Ex. stock IDC		280	
	<b>Information: P. 67</b>								
	Combination Block <b>69 x 98 mm</b> Height: 26 mm Model: Wet sanding Dry application	medium		F 03E 00R 8K2	0070.1255.02	Ex. stock IDC		120	
		fine		F 03E 00R 8HL	0070.1230.02	Ex. stock IDC		120	
	<b>Information: P. 67</b>								
	Combination Block <b>69 x 98 mm</b> Height: 26 mm Model: Wet sanding Dry application	medium		F 03E 00R 8LT	0070.1255.03	Ex. stock IDC		250	
		fine		F 03E 00R 8LL	0070.1230.03	Ex. stock IDC		250	
superfine			F 03E 00R 8VB	0070.1351.03	Ex. stock IDC		250		
<b>Information: P. 67</b>									
 	Standard Block <b>69 x 98 mm</b> Thickness: 26 mm Model: Wet sanding Dry application	coarse		F 03E 00R 8GZ	0070.1256.01	Ex. stock UK	10	280	
		medium		F 03E 00R 8G5	0070.1242.01	Ex. stock UK	10	280	
		fine		F 03E 00R 8EU	0070.1233.01	Ex. stock UK	10	280	
		superfine		F 03E 00R 8G2	0070.1241.01	Ex. stock UK	10	280	
	<b>Information: P. 67</b>								
	Standard Block <b>69 x 98 mm</b> Thickness: 26 mm Model: Wet sanding Dry application	coarse		F 03E 00R 8K3	0070.1256.02	Ex. stock IDC		120	
		medium		F 03E 00R 8HR	0070.1242.02	Ex. stock IDC		120	
		fine		F 03E 00R 8HN	0070.1233.02	Ex. stock IDC		120	
		superfine		F 03E 00R 8HP	0070.1241.02	Ex. stock IDC		120	
	<b>Information: P. 67</b>								
	Standard Block <b>69 x 98 mm</b> Thickness: 26 mm Model: Wet sanding Dry application	coarse		F 03E 00R 8LU	0070.1256.03	Ex. stock IDC		250	
		medium		F 03E 00R 8LP	0070.1242.03	Ex. stock IDC		250	
fine			F 03E 00R 8LM	0070.1233.03	Ex. stock IDC		250		
superfine			F 03E 00R 8LN	0070.1241.03	Ex. stock IDC		250		
<b>Information: P. 67</b>									
7991 siasponge block soft		Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU	
									
 	Standard Block <b>69 x 98 mm</b> Thickness: 26 mm Model: Wet sanding Dry application	medium		F 03E 00R 8LS	0070.1254.03	Ex. stock IDC		250	
		fine		F 03E 00R 8LK	0070.1228.03	Ex. stock IDC		250	
		superfine		F 03E 00R 8LR	0070.1253.03	Ex. stock IDC		250	
		ultrafine		F 03E 00R 8LW	0070.1260.03	Ex. stock IDC		250	
		<b>Information: P. 68</b>							








## Blocks

7991 siasponge block soft	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
 	Standard Block <b>69 x 98 mm</b> Thickness: 26 mm Model: Wet sanding Dry application <b>Information: P. 68</b>	medium		F 03E 00R 8GS	0070.1254.01	Ex. stock IDC	280
		fine		F 03E 00R 8EM	0070.1228.01	Ex. stock IDC	280
		superfine		F 03E 00R 8GP	0070.1253.01	Ex. stock IDC	280
		ultrafine		F 03E 00R 861	0070.1260.01	Ex. stock IDC	280
	Standard Block <b>69 x 98 mm</b> Thickness: 26 mm Model: Wet sanding Dry application <b>Information: P. 68</b>	medium		F 03E 00R 8K1	0070.1254.02	Ex. stock IDC	120
		fine		F 03E 00R 8HK	0070.1228.02	Ex. stock IDC	120
		superfine		F 03E 00R 8K0	0070.1253.02	Ex. stock IDC	120
		ultrafine		F 03E 00R 8K4	0070.1260.02	Ex. stock IDC	120






## Discs

7979 siasponge flat	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	Flat Disc <b>ø 150 mm</b> 15-hole Thickness: 5 mm <b>Information: P. 66</b>	medium		F 03E 00R C5T	0070.1598.01	Ex. stock IDC	240
		fine		F 03E 00R C5S	0070.1597.01	Ex. stock IDC	240
		superfine		F 03E 00R C5V	0070.1600.01	Ex. stock IDC	240
		ultrafine		F 03E 00R C5W	0070.1601.01	Ex. stock IDC	240
		microfine		F 03E 00R C5U	0070.1599.01	Ex. stock IDC	240
7983 siasponge flex	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	Flex Disc <b>ø 150 mm</b> without holes Thickness: 13 mm <b>Information: P. 67</b>	fine		F 03E 00R 8GM	0070.1251.01	Ex. stock UK	10 80
		superfine		F 03E 00R 91E	0070.1403.01	Ex. stock IDC	80
		ultrafine		F 03E 00R 8GJ	0070.1249.01	Ex. stock UK	10 80
	Flex Disc <b>ø 150 mm</b> 15-hole Thickness: 13 mm <b>Information: P. 67</b>	medium		F 03E 00R 8F3	0070.1235.01	Ex. stock IDC	80
		fine		F 03E 00R 8F1	0070.1234.01	Ex. stock IDC	80
		superfine		F 03E 00R 91C	0070.1402.01	Ex. stock IDC	80
		ultrafine		F 03E 00R 8GN	0070.1252.01	Ex. stock IDC	80

## Delta and polygons

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>82 x 82 mm</b> without holes  <b>Information: P. 36</b> Machine: Fein	40	F 03E 004 N7Z	4590.0922.0040.01	Made to order		50
		60	F 03E 004 N7X	4590.0922.0060.01	Made to order		100
		80	F 03E 004 N7Y	4590.0922.0080.01	Made to order		100
		100	F 03E 003 55D	4590.0922.0100.01	Made to order		100
1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>100 x 147 mm</b> 7-hole  <b>Information: P. 38</b> Machine: Festool, Rupes	60	F 03E 006 B7U	6102.6526.0060.02	Made to order		900
		80	F 03E 006 B7V	6102.6526.0080.02	Made to order		900
		100	F 03E 006 B7W	6102.6526.0100.02	Made to order		900
		120	F 03E 006 B7X	6102.6526.0120.02	Made to order		900
		150	F 03E 006 B7Y	6102.6526.0150.02	Made to order		900
		180	F 03E 006 B7Z	6102.6526.0180.02	Made to order		900
		220	F 03E 006 B80	6102.6526.0220.02	Made to order		900
		240	F 03E 006 B81	6102.6526.0240.02	Made to order		900
		320	F 03E 006 B82	6102.6526.0320.02	Made to order		900
1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>93 x 93 mm</b> 6-hole  <b>Information: P. 39</b> Machine: Bosch, Metabo, Makita	40	F 03E 003 5RG	5712.4074.0040.02	Made to order		500
		60	F 03E 003 5RH	5712.4074.0060.02	Made to order		500
		80	F 03E 003 5RJ	5712.4074.0080.02	Made to order		600
		100	F 03E 003 5RF	5712.4074.0100.01	Made to order		600
		120	F 03E 003 5RK	5712.4074.0120.02	Made to order		600
		150	F 03E 003 5RL	5712.4074.0150.01	Made to order		600
		180	F 03E 003 5RM	5712.4074.0180.02	Made to order		600
		220	F 03E 003 5RN	5712.4074.0220.01	Made to order		600
		240	F 03E 003 5RP	5712.4074.0240.01	Made to order		600
	<b>95 x 95 mm</b> 6-hole  <b>Information: P. 39</b> Machine: Festool	40	F 03E 003 651	3429.9839.0040.01	Ex. stock IDC		500
		60	F 03E 003 653	3429.9839.0060.01	Ex. stock IDC		500
		80	F 03E 003 654	3429.9839.0080.01	Ex. stock IDC		600
		100	F 03E 003 655	3429.9839.0100.01	Ex. stock IDC		600
		120	F 03E 003 656	3429.9839.0120.01	Ex. stock IDC		600
		150	F 03E 003 657	3429.9839.0150.01	Ex. stock IDC		600
		180	F 03E 003 658	3429.9839.0180.01	Ex. stock IDC		600
		220	F 03E 003 659	3429.9839.0220.01	Ex. stock IDC		600

## Delta and polygons







1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>100 x 147 mm</b> 7-hole  <b>Information: P. 39</b> Machine: Rupes, Festool	40	F 03E 001 H45	6318.5062.0040.09	Ex. stock UK	50	500
		60	F 03E 001 H46	6318.5062.0060.09	Ex. stock UK	50	500
		80	F 03E 001 H47	6318.5062.0080.09	Ex. stock UK	100	600
		100	F 03E 001 H48	6318.5062.0100.09	Ex. stock UK	100	600
		120	F 03E 001 H49	6318.5062.0120.09	Ex. stock UK	100	600
		150	F 03E 001 H4A	6318.5062.0150.09	Ex. stock UK	100	600
		180	F 03E 001 H4B	6318.5062.0180.09	Ex. stock UK	100	600
		220	F 03E 001 H4C	6318.5062.0220.09	Made to order		600
		240	F 03E 001 H4D	6318.5062.0240.09	Ex. stock UK	100	600
		280	F 03E 001 H4E	6318.5062.0280.09	Made to order		600
		320	F 03E 001 H4F	6318.5062.0320.09	Made to order		600
400	F 03E 001 H6N	6318.5062.0400.09	Made to order		600		
7900 sianet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>94 x 94 mm</b> Net-backed abrasive  <b>Information: P. 65</b> Technology: sianet P. 75 Machine: Fein, Metabo, Makita, Festool	80	F 03E 006 7X2	3744.8410.0080.01	Ex. stock IDC		500
		120	F 03E 006 7X4	3744.8410.0120.01	Ex. stock IDC		500
		180	F 03E 006 7X6	3744.8410.0180.01	Ex. stock IDC		500
		240	F 03E 006 7X8	3744.8410.0240.01	Ex. stock IDC		500
		320	F 03E 006 7X9	3744.8410.0320.01	Ex. stock IDC		500
	<b>100 x 147 mm</b> Net-backed abrasive  <b>Information: P. 65</b> Technology: sianet P. 75 Machine: Festool, Rupes	80	F 03E 006 79N	0998.5363.0080.01	Ex. stock IDC		300
		100	F 03E 006 79P	0998.5363.0100.01	Ex. stock IDC		300
		120	F 03E 006 79R	0998.5363.0120.01	Ex. stock IDC		300
		150	F 03E 006 79S	0998.5363.0150.01	Ex. stock IDC		300
		180	F 03E 006 79T	0998.5363.0180.01	Ex. stock IDC		300
		220	F 03E 006 79U	0998.5363.0220.01	Ex. stock IDC		300
		240	F 03E 006 79V	0998.5363.0240.01	Ex. stock IDC		300
		320	F 03E 006 79W	0998.5363.0320.01	Ex. stock IDC		300
		400	F 03E 006 79X	0998.5363.0400.01	Ex. stock IDC		300

## Fibre discs










4560 siabite	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 115 mm</b> Star-pattern hole: 22 mm  <b>Information: P. 53</b> Accessories: P. 271-273	36	F 03E 007 16T	1201.2447.0036.01	Ex. stock UK	50	200
		50	F 03E 007 16U	1201.2447.0050.01	Ex. stock UK	50	200
		60	F 03E 007 16V	1201.2447.0060.01	Ex. stock UK	50	200
		80	F 03E 007 16W	1201.2447.0080.01	Ex. stock UK	50	200
		100	F 03E 007 16X	1201.2447.0100.01	Ex. stock UK	50	200
		120	F 03E 007 16Y	1201.2447.0120.01	Ex. stock UK	50	200
 <b>XLOCK</b>	<b>ø 115 mm</b> Cross-recessed hole: 22 mm Model: X-LOCK  <b>Information: P. 53</b> Accessories: P. 271-273 Technology: X-LOCK P. 76 Machine: Bosch, AEG, Atlas Copco, Black & Decker, DEWALT, Dynabrade, Einhell, Elu, Fein, Felisatti, Festool, FLEX, Hitachi, HolzHer, Kress, Makita, Metabo, Peugeot, Rodac, Rodcraft, Rupes, Ryobi, Skil, Suhner	36	F 03E 007 7JS	9569.8280.0036.01	Ex. stock UK	50	200
		50	F 03E 007 7K3	9569.8280.0050.01	Ex. stock UK	50	200
		60	F 03E 007 7K2	9569.8280.0060.01	Ex. stock UK	50	200
		80	F 03E 007 7K1	9569.8280.0080.01	Ex. stock UK	50	200
		100	F 03E 007 7K0	9569.8280.0100.01	Ex. stock UK	50	200
		120	F 03E 007 7JZ	9569.8280.0120.01	Ex. stock UK	50	200
	<b>ø 125 mm</b> Star-pattern hole: 22 mm  <b>Information: P. 53</b> Accessories: P. 271-273	36	F 03E 007 16Z	1591.3789.0036.01	Ex. stock UK	50	200
		50	F 03E 007 170	1591.3789.0050.01	Ex. stock UK	50	200
		60	F 03E 007 171	1591.3789.0060.01	Ex. stock UK	50	200
		80	F 03E 007 172	1591.3789.0080.01	Ex. stock UK	50	200
		100	F 03E 007 173	1591.3789.0100.01	Ex. stock IDC		200
		120	F 03E 007 174	1591.3789.0120.01	Ex. stock UK	50	200
 <b>XLOCK</b>	<b>ø 125 mm</b> Cross-recessed hole: 22 mm Model: X-LOCK  <b>Information: P. 53</b> Accessories: P. 272-274 Technology: X-LOCK P. 76 Machine: Bosch, AEG, Atlas Copco, Black & Decker, DEWALT, Dynabrade, Einhell, Elu, Fein, Felisatti, Festool, FLEX, Hitachi, HolzHer, Kress, Makita, Metabo, Peugeot, Rodac, Rodcraft, Rupes, Ryobi, Skil, Suhner	36	F 03E 007 7JT	9789.5058.0036.01	Ex. stock UK	50	200
		50	F 03E 007 7JU	9789.5058.0050.01	Ex. stock UK	50	200
		60	F 03E 007 7JV	9789.5058.0060.01	Ex. stock UK	50	200
		80	F 03E 007 7JW	9789.5058.0080.01	Ex. stock UK	50	200
		100	F 03E 007 7JX	9789.5058.0100.01	Ex. stock UK	50	200
		120	F 03E 007 7JY	9789.5058.0120.01	Ex. stock UK	50	200
	<b>ø 180 mm</b> Star-pattern hole: 22 mm  <b>Information: P. 53</b> Accessories: P. 272-273	36	F 03E 007 175	5869.8790.0036.01	Ex. stock UK	50	200
		50	F 03E 007 176	5869.8790.0050.01	Ex. stock UK	50	200
		60	F 03E 007 177	5869.8790.0060.01	Ex. stock UK	50	200
		80	F 03E 007 178	5869.8790.0080.01	Ex. stock UK	50	200
		100	F 03E 007 179	5869.8790.0100.01	Made to order		200
		120	F 03E 007 17A	5869.8790.0120.01	Ex. stock UK	50	200











## Fibre discs

4570 siabite X	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 100 mm</b> Star-pattern hole: 16 mm	36	F 03E 007 5WY	5369.8301.0036.01	Ex. stock UK	50	200
		60	F 03E 007 5WZ	5369.8301.0060.01	Ex. stock UK	50	200
		80	F 03E 007 5X0	5369.8301.0080.01	Ex. stock UK	50	200
		120	F 03E 007 A3Z	5369.8301.0120.01	Ex. stock UK	50	200
<b>Information: P. 53</b>							
	<b>ø 115 mm</b> Star-pattern hole: 22 mm	36	F 03E 007 60E	1737.3366.0036.01	Ex. stock UK	50	200
		60	F 03E 007 60F	1737.3366.0060.01	Ex. stock UK	50	200
		80	F 03E 007 60G	1737.3366.0080.01	Ex. stock UK	50	200
		120	F 03E 007 A44	1737.3366.0120.01	Ex. stock UK	50	200
<b>Information: P. 53</b>							
	<b>ø 125 mm</b> Star-pattern hole: 22 mm	36	F 03E 007 60L	1935.3923.0036.01	Ex. stock UK	50	200
		60	F 03E 007 60M	1935.3923.0060.01	Ex. stock UK	50	200
		80	F 03E 007 60N	1935.3923.0080.01	Ex. stock UK	50	200
		120	F 03E 007 A46	1935.3923.0120.01	Ex. stock UK	50	200
<b>Information: P. 53</b> Accessories: P. 272-273							
	<b>ø 180 mm</b> Star-pattern hole: 22 mm	36	F 03E 007 60P	1426.9972.0036.01	Ex. stock UK	50	200
		60	F 03E 007 60R	1426.9972.0060.01	Ex. stock UK	50	200
		80	F 03E 007 60S	1426.9972.0080.01	Ex. stock UK	50	200
		120	F 03E 007 A47	1426.9972.0120.01	Ex. stock UK	50	200
<b>Information: P. 53</b> Accessories: P. 272-273							
<b>4581 siaramic</b>							
							
	<b>ø 100 mm</b> Star-pattern hole: 16 mm	36	F 03E 007 U0X	5598.5922.0036.01	Ex. stock UK	25	200
		60	F 03E 007 U0Y	5598.5922.0060.01	Ex. stock UK	25	200
		80	F 03E 007 U0Z	5598.5922.0080.01	Ex. stock UK	25	200
<b>Information: P. 54</b> Accessories: P. 138 Machine: Bosch, AEG, Atlas Copco, Black & Decker, DEWALT, Dynabrade, Einhell, Elu, Fein, Felisatti, Festool, FLEX, Hitachi, HolzHer, Kress, Makita, Metabo, Peugeot, Rodac, Rodcraft, Rupes, Ryobi, Skil, Suhnner							
	<b>ø 115 mm</b> Cross-recessed hole: 22 mm Model: X-LOCK	36	F 03E 007 T9Z	6923.1272.0036.01	Ex. stock UK	25	200
		60	F 03E 007 TA3	6923.1272.0060.01	Ex. stock UK	25	200
		80	F 03E 007 TA4	6923.1272.0080.01	Ex. stock UK	25	200
<b>Information: P. 54</b> Technology: X-LOCK P. 76							






## Fibre discs

4581 siaramic	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
 <b>Ø 125 mm</b> Cross-recessed hole: 22 mm Model: X-LOCK  <b>Information: P. 54</b> Accessories: P. 272-275 Technology: X-LOCK P. 76  		36	F 03E 007 TA6	7142.8050.0036.01	Ex. stock UK	25	200	
		60	F 03E 007 TA7	7142.8050.0060.01	Ex. stock UK	25	200	
		80	F 03E 007 TA5	7142.8050.0080.01	Ex. stock UK	25	200	
 <b>Ø 180 mm</b> Star-pattern hole: 22 mm  <b>Information: P. 54</b> Accessories: P. 272-273		36	F 03E 007 TA8	1655.7593.0036.01	Ex. stock UK	25	200	
		60	F 03E 007 TA9	1655.7593.0060.01	Ex. stock UK	25	200	
		80	F 03E 007 TB0	1655.7593.0080.01	Ex. stock UK	25	200	
4582 siaramic	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
 <b>Ø 100 mm</b> Star-pattern hole: 16 mm  <b>Information: P. 54</b> Accessories: P. 137 Machine: Bosch, AEG, Atlas Copco, Black & Decker, DEWALT, Dynabrade, Einhell, Elu, Fein, Felisatti, Festool, FLEX, Hitachi, HolzHer, Kress, Makita, Metabo, Peugeot, Rodac, Rodcraft, Rupes, Ryobi, Skil, Suhner		36	F 03E 007 U10	5611.5474.0036.01	Ex. stock UK	25	200	
		60	F 03E 007 U11	5611.5474.0060.01	Ex. stock UK	25	200	
		80	F 03E 007 U12	5611.5474.0080.01	Ex. stock UK	25	200	
		120	F 03E 007 U13	5611.5474.0120.01	Ex. stock UK	25	200	
 <b>Ø 115 mm</b> Cross-recessed hole: 22 mm Model: X-LOCK  <b>Information: P. 54</b> Accessories: P. 272-273, 275 Technology: X-LOCK P. 76  		36	F 03E 007 TB5	6936.0824.0036.01	Ex. stock UK	25	200	
		60	F 03E 007 TB6	6936.0824.0060.01	Ex. stock UK	25	200	
		80	F 03E 007 TB7	6936.0824.0080.01	Ex. stock UK	25	200	
		120	F 03E 007 TB8	6936.0824.0120.01	Ex. stock UK	25	200	
		<b>Ø 125 mm</b> Cross-recessed hole: 22 mm Model: X-LOCK  <b>Information: P. 54</b> Accessories: P. 272-275 Technology: X-LOCK P. 76	36	F 03E 007 TB9	7155.7602.0036.01	Ex. stock UK	25	200
			60	F 03E 007 TC0	7155.7602.0060.01	Ex. stock UK	25	200
			80	F 03E 007 TC1	7155.7602.0080.01	Ex. stock UK	25	200
			120	F 03E 007 TC2	7155.7602.0120.01	Ex. stock UK	25	200
 <b>Ø 180 mm</b> Star-pattern hole: 22 mm  <b>Information: P. 54</b> Accessories: P. 272-273		36	F 03E 007 TC3	1690.3366.0036.01	Ex. stock UK	25	200	
		60	F 03E 007 TC4	1690.3366.0060.01	Ex. stock UK	25	200	
		80	F 03E 007 TC5	1690.3366.0080.01	Ex. stock UK	25	200	
		120	F 03E 007 TC6	1690.3366.0120.01	Ex. stock UK	25	200	









## Fibre discs

4700 siaral 8	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>ø 115 mm</b> Star-pattern hole: 22 mm	24	F 03E 001 EB8	4543.3400.0024.03	Made to order		150	
		36	F 03E 001 EB9	4543.3400.0036.02	Ex. stock UK	50	200	
		60	F 03E 003 ED9	4543.3400.0060.02	Ex. stock UK	50	200	
		80	F 03E 003 EE1	4543.3400.0080.02	Made to order		200	
	<b>Information: P. 55</b> Accessories: P. 271-272	<b>ø 125 mm</b> Star-pattern hole: 22 mm	24	F 03E 001 EB6	4763.0178.0024.02	Made to order		150
			36	F 03E 003 EC2	4763.0178.0036.02	Made to order		200
			60	F 03E 003 EC3	4763.0178.0060.02	Made to order		200
			80	F 03E 003 EC4	4763.0178.0080.02	Made to order		200
			120	F 03E 003 EC5	4763.0178.0120.02	Made to order		200
	<b>Information: P. 55</b> Accessories: P. 272-273							
	<b>ø 180 mm</b> Centre hole: 22 mm	80	F 03E 003 L3T	3135.1630.0080.05	Ex. stock IDC		200	
	<b>ø 180 mm</b> Star-pattern hole: 22 mm Model: Convex	24	F 03E 003 DY2	4233.0006.0024.03	Ex. stock IDC		150	
		36	F 03E 003 DY3	4233.0006.0036.02	Ex. stock IDC		200	
		60	F 03E 003 DY4	4233.0006.0060.02	Ex. stock UK	50	200	
		80	F 03E 003 DY5	4233.0006.0080.02	Ex. stock UK	50	200	
		120	F 03E 003 DY6	4233.0006.0120.02	Ex. stock UK	50	200	
<b>Information: P. 55</b> Accessories: P. 272-273								
4815 siacut	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>ø 100 mm</b> Centre hole: 16 mm	60	F 03E 003 LF7	3760.7722.0060.05	Ex. stock UK	50	200	
		80	F 03E 001 EU3	3760.7722.0080.05	Ex. stock UK	50	200	
	<b>ø 100 mm</b> Star-pattern hole: 16 mm	36	F 03E 001 F9V	0690.2684.0036.01	Ex. stock UK	25	500	
		60	F 03E 005 T3L	0690.2684.0060.03	Ex. stock UK	50	200	
		120	F 03E 003 L6X	0690.2684.0120.01	Ex. stock UK	50	1000	
		150	F 03E 001 F60	0690.2684.0150.01	Ex. stock UK	50	200	
<b>Information: P. 55</b>								
	<b>ø 115 mm</b> Centre hole: 22 mm	60	F 03E 003 L9B	4211.1491.0060.05	Ex. stock IDC		200	
		80	F 03E 001 ER1	4211.1491.0080.05	Ex. stock IDC		200	
<b>Information: P. 55</b> Accessories: P. 271-272								

## Fibre discs







4815 siacut	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU								
															
	<b>ø 115 mm</b> Star-pattern hole: 22 mm	36	F 03E 003 L8T	7025.6097.0036.03	Ex. stock UK	50	200								
		60	F 03E 003 L2J	7025.6097.0060.02	Ex. stock UK	50	200								
		80	F 03E 003 L1U	7025.6097.0080.02	Ex. stock UK	50	200								
		120	F 03E 001 EE1	7025.6097.0120.02	Ex. stock UK	50	200								
		150	F 03E 001 EE2	7025.6097.0150.02	Made to order		200								
	<b>Information: P. 55</b> Accessories: P. 271-273	<b>ø 125 mm</b> Star-pattern hole: 22 mm	36	F 03E 003 L8U	7245.2875.0036.01	Ex. stock UK	50	200							
			60	F 03E 003 L1V	7245.2875.0060.01	Ex. stock UK	50	200							
			80	F 03E 001 ED0	7245.2875.0080.01	Ex. stock UK	50	200							
			120	F 03E 001 EE5	7245.2875.0120.01	Made to order		200							
			150	F 03E 001 EE6	7245.2875.0150.01	Made to order		200							
	<b>Information: P. 55</b> Accessories: P. 272-273	<b>ø 180 mm</b> Star-pattern hole: 22 mm Model: Convex	36	F 03E 003 L8Z	6715.2236.0036.03	Ex. stock UK	50	200							
			60	F 03E 001 ED2	6715.2236.0060.02	Ex. stock UK	50	200							
			80	F 03E 001 ED3	6715.2236.0080.02	Ex. stock UK	50	200							
			120	F 03E 001 EE7	6715.2236.0120.02	Ex. stock UK	50	200							
			150	F 03E 001 EE8	6715.2236.0150.02	Made to order		200							
<b>4819 siaron 8</b>	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU								
															
									<b>ø 100 mm</b> Star-pattern hole: 16 mm	24	F 03E 003 L8A	0785.2867.0024.04	Ex. stock UK	25	100
										36	F 03E 003 L52	0785.2867.0036.01	Ex. stock UK	50	200
										60	F 03E 003 L76	0785.2867.0060.02	Ex. stock UK	50	200
										80	F 03E 003 L5U	0785.2867.0080.03	Ex. stock UK	50	200
										120	F 03E 003 L8N	0785.2867.0120.03	Ex. stock UK	50	200
								<b>Information: P. 56</b>	<b>ø 115 mm</b> Centre hole: 22 mm	24	F 03E 001 EH4	4306.1207.0024.01	Ex. stock IDC		150
										36	F 03E 003 L56	4306.1207.0036.02	Ex. stock IDC		200
										60	F 03E 003 L5Y	4306.1207.0060.01	Ex. stock IDC		200
										80	F 03E 003 L5Z	4306.1207.0080.04	Ex. stock IDC		200
									<b>ø 115 mm</b> Star-pattern hole: 22 mm	24	F 03E 003 L42	7120.5813.0024.01	Ex. stock UK	25	150
										36	F 03E 001 ED8	7120.5813.0036.01	Ex. stock UK	50	200
										40	F 03E 004 N2K	7120.5813.0040.01	Ex. stock UK	50	200
										60	F 03E 001 EC6	7120.5813.0060.01	Ex. stock UK	50	200
80	F 03E 003 L2A	7120.5813.0080.01	Ex. stock UK	50	200										
120	F 03E 001 EP0	7120.5813.0120.04	Ex. stock UK	50	200										
<b>Information: P. 56</b> Accessories: P. 271-272															

## Fibre discs




4819 siaron 8	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 125 mm</b> Centre hole: 22 mm	24	F 03E 003 L44	4525.7985.0024.02	Made to order		150
		36	F 03E 003 L45	4525.7985.0036.03	Made to order		200
<b>Information: P. 56</b>							
	<b>ø 125 mm</b> Star-pattern hole: 22 mm	24	F 03E 003 L51	7340.2591.0024.05	Ex. stock UK	25	150
		36	F 03E 001 EG3	7340.2591.0036.05	Ex. stock UK	50	200
		40	F 03E 003 L2P	7340.2591.0040.04	Ex. stock UK	50	200
		60	F 03E 003 L2T	7340.2591.0060.05	Ex. stock UK	50	200
		80	F 03E 003 L2X	7340.2591.0080.06	Ex. stock UK	50	200
		120	F 03E 003 L8J	7340.2591.0120.02	Ex. stock UK	50	200
<b>Information: P. 56</b> Accessories: P. 272-273							
	<b>ø 180 mm</b> Centre hole: 22 mm	36	F 03E 001 EH0	5712.4043.0036.01	Made to order		200
		<b>Information: P. 56</b> Accessories: P. 272-273					
	<b>ø 180 mm</b> Star-pattern hole: 22 mm Model: Convex	24	F 03E 003 L1G	6810.2419.0024.01	Ex. stock UK	25	150
		36	F 03E 003 L16	6810.2419.0036.01	Ex. stock UK	50	200
		40	F 03E 003 L1J	6810.2419.0040.01	Ex. stock UK	50	200
		60	F 03E 003 L25	6810.2419.0060.01	Ex. stock UK	50	200
		80	F 03E 003 L2D	6810.2419.0080.01	Ex. stock UK	50	200
		120	F 03E 001 EP3	6810.2419.0120.04	Ex. stock UK	50	200
<b>Information: P. 56</b> Accessories: P. 272-273							
4961 sialoX	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 100 mm</b> Star-pattern hole: 16 mm	24	F 03E 006 B6K	3854.6295.0024.01	Ex. stock UK	25	150
		36	F 03E 006 B6L	3854.6295.0036.01	Ex. stock UK	50	200
		60	F 03E 006 B6P	3854.6295.0060.01	Ex. stock UK	50	200
		80	F 03E 006 B6R	3854.6295.0080.01	Ex. stock UK	50	200
		120	F 03E 006 B6T	3854.6295.0120.01	Ex. stock UK	50	200
<b>Information: P. 56</b>							
	<b>ø 115 mm</b> Centre hole: 22 mm	24	F 03E 006 B3A	7375.4635.0024.01	Made to order		150
		36	F 03E 006 B3B	7375.4635.0036.01	Made to order		200
		60	F 03E 006 B3E	7375.4635.0060.01	Made to order		200
		80	F 03E 006 B3F	7375.4635.0080.01	Made to order		200
		120	F 03E 006 B3H	7375.4635.0120.01	Made to order		200
<b>Information: P. 56</b> Accessories: P. 271-273							





## Fibre discs



4961 sialoX	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 115 mm</b> Star-pattern hole: 22 mm  <b>Information: P. 56</b> Accessories: P. 271-273	24	F 03E 006 B99	0222.1827.0024.01	Ex. stock UK	25	150
		36	F 03E 006 B9A	0222.1827.0036.01	Ex. stock UK	50	200
		60	F 03E 006 B9D	0222.1827.0060.01	Ex. stock UK	50	200
		80	F 03E 006 B9E	0222.1827.0080.01	Ex. stock UK	50	200
		120	F 03E 006 B9G	0222.1827.0120.01	Ex. stock UK	50	200
	<b>ø 125 mm</b> Centre hole: 22 mm  <b>Information: P. 56</b> Accessories: P. 272-273	24	F 03E 006 B3K	7595.1413.0024.01	Made to order		150
		36	F 03E 006 B3L	7595.1413.0036.01	Made to order		200
	<b>ø 125 mm</b> Star-pattern hole: 22 mm  <b>Information: P. 56</b> Accessories: P. 272-273	24	F 03E 006 B9J	0441.8605.0024.01	Ex. stock IDC		150
		36	F 03E 006 B9K	0441.8605.0036.01	Ex. stock UK	50	200
		60	F 03E 006 B9N	0441.8605.0060.01	Ex. stock UK	50	200
		80	F 03E 006 B9P	0441.8605.0080.01	Ex. stock UK	50	200
		120	F 03E 006 B9S	0441.8605.0120.01	Ex. stock UK	50	200
	<b>ø 180 mm</b> Centre hole: 22 mm  <b>Information: P. 56</b> Accessories: P. 272-273	24	F 03E 006 B69	8781.7471.0024.01	Ex. stock UK	25	150
		36	F 03E 006 B6A	8781.7471.0036.01	Made to order		200
		60	F 03E 006 B6D	8781.7471.0060.01	Made to order		200
		80	F 03E 006 B6E	8781.7471.0080.01	Made to order		200
		120	F 03E 006 B6G	8781.7471.0120.01	Made to order		200
	<b>ø 180 mm</b> Star-pattern hole: 22 mm  <b>Information: P. 56</b> Accessories: P. 272-273	24	F 03E 006 B90	9879.5847.0024.01	Ex. stock UK	25	150
		36	F 03E 006 B91	9879.5847.0036.01	Ex. stock UK	50	200
		60	F 03E 006 B94	9879.5847.0060.01	Ex. stock UK	50	200
		80	F 03E 006 B95	9879.5847.0080.01	Ex. stock UK	50	200
		120	F 03E 006 B97	9879.5847.0120.01	Ex. stock UK	50	200

## Double-sided discs





1707 siapar	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
 							
	<b>ø 375 mm</b> Centre hole  <b>Information: P. 30</b>	16	F 03E 003 E18	1089.7734.0016.03	Ex. stock IDC		10
		24	F 03E 003 E19	1089.7734.0024.03	Ex. stock IDC		10

## Double-sided discs



1707 siapar	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 407 mm</b> Centre hole  <b>Information: P. 30</b>	16	F 03E 003 E1F	1779.7691.0016.03	Ex. stock IDC		10
		24	F 03E 003 DJ0	1779.7691.0024.03	Ex. stock IDC		10
		36	F 03E 003 DJ1	1779.7691.0036.03	Ex. stock IDC		10
	<b>ø 430 mm</b> Centre hole  <b>Information: P. 30</b>	24	F 03E 002 V22	2600.1051.0024.01	Ex. stock IDC		10
		36	F 03E 002 V23	2600.1051.0036.01	Ex. stock IDC		10

1749 siaral f	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 407 mm</b> <b>New</b>  <b>Information: P. 33</b>	40	F 03E 008 3GG	2690.6226.0040.01	Ex. stock IDC		10
		60	F 03E 008 3GF	2690.6226.0060.01	Ex. stock IDC		10
		80	F 03E 008 3GK	2690.6226.0080.01	Ex. stock IDC		10
		100	F 03E 008 3GL	2690.6226.0100.01	Ex. stock IDC		10
		120	F 03E 008 3GM	2690.6226.0120.01	Ex. stock IDC		10
		150	F 03E 008 3GN	2690.6226.0150.01	Ex. stock IDC		10










## Daisy discs

















1713 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	Disc with wavy edge <b>ø 37 mm</b> Model: siafast hook and loop system Wet sanding  <b>Information: P. 30</b> Accessories: P. 265	1200	F 03E 006 JR5	9899.0311.1200.01	Made to order		500
		1500	F 03E 006 JR6	9899.0311.1500.01	Made to order		500
		2000	F 03E 006 JR7	9899.0311.2000.01	Made to order		500
		2500	F 03E 006 JR8	9899.0311.2500.01	Made to order		500
							
	Disc with wavy edge <b>ø 37 mm</b> Model: siafast hook and loop system Wet sanding  <b>Information: P. 35</b> Accessories: P. 265, 271	1500	F 03E 003 JL8	4269.7970.1500.01	Ex. stock IDC		500
		2000	F 03E 003 JL9	4269.7970.2000.01	Ex. stock IDC		500
		2500	F 03E 003 JM0	4269.7970.2500.01	Ex. stock IDC		500

## Daisy discs
























1913 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	Disc with wavy edge <b>ø 37 mm</b> Model: Wet sanding self-adhesive  <b>Information: P. 35</b> Accessories: P. 265, 271	1500	F 03E 007 V7A	9251.0230.1500.02	Made to order		1000
		2000	F 03E 007 V7B	9251.0230.2000.02	Ex. stock UK	100	1000
		2500	F 03E 007 V7C	9251.0230.2500.02	Ex. stock UK	100	1000

## scm discs








6240 siamet SCM	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
							
  	<b>ø 115 mm</b> X-LOCK hole <b>New</b> <b>Information: P. 61</b> Technology: X-LOCK P. 76	coarse A		F 03E 008 5D3	0020.9819.01	Ex. stock UK	10 60
		medium A		F 03E 008 5D6	0020.9820.01	Ex. stock UK	10 60
		veryfine A		F 03E 008 5D7	0020.9821.01	Ex. stock UK	10 60
	<b>ø 125 mm</b> X-LOCK hole <b>New</b> <b>Information: P. 61</b> Technology: X-LOCK P. 76	coarse A		F 03E 008 5D8	0020.9822.01	Ex. stock UK	10 60
		medium A		F 03E 008 5D9	0020.9823.01	Ex. stock UK	10 60
		veryfine A		F 03E 008 5DA	0020.9824.01	Ex. stock UK	10 60

6270 siamet SCM LS	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 100 mm</b> Removable centre hole  <b>Information: P. 62</b>	coarse A		F 03E 014 KY8	4441.6601.2921.01	Ex. stock UK	25 200
		medium A		F 03E 014 KY9	4441.6601.4921.01	Ex. stock UK	25 200
		fine A		F 03E 014 KZ0	4441.6601.5921.01	Ex. stock UK	25 200
		veryfine A		F 03E 014 KZ1	4441.6601.6921.01	Ex. stock UK	25 200
	<b>ø 115 mm</b> Removable centre hole  <b>Information: P. 62</b> Accessories: P. 275	coarse A		F 03E 014 KZ2	4892.0370.2921.01	Ex. stock UK	25 200
		medium A		F 03E 014 KZ3	4892.0370.4921.01	Ex. stock UK	25 200
		fine A		F 03E 014 KZ4	4892.0370.5921.01	Ex. stock UK	25 200
		veryfine A		F 03E 014 KZ5	4892.0370.6921.01	Ex. stock UK	25 200
	<b>ø 125 mm</b> Removable centre hole  <b>Information: P. 62</b> Accessories: P. 274	coarse A		F 03E 014 KZ6	5111.7148.2921.01	Ex. stock UK	25 200
		medium A		F 03E 014 KZ7	5111.7148.4921.01	Ex. stock UK	25 200
		fine A		F 03E 014 KZ8	5111.7148.5921.01	Made to order	200
		veryfine A		F 03E 014 KZ9	5111.7148.6921.01	Made to order	200

## scm discs






6270 siamet SCM LS	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 178 mm</b> Removable centre hole	coarse A	 F 03E 014 L05	6245.7362.2921.01	Ex. stock UK	25	100
		medium A	 F 03E 014 L06	6245.7362.4921.01	Made to order		100
		veryfine A	 F 03E 014 L08	6245.7362.6921.01	Made to order		100
		<b>Information: P. 62</b>					
6924 siamet hd	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 100 mm</b> Removable centre hole Model: Scrim backed	coarse	 F 03E 014 K28	8598.9073.2923	Ex. stock UK	25	200
		medium	 F 03E 014 K2C	8598.9073.4923	Ex. stock UK	25	200
<b>Information: P. 63</b>							
	<b>ø 115 mm</b> Centre hole Model: fibre backed	coarse	 F 03E 014 K2N	0983.5066.2923.02	Ex. stock UK	25	200
		<b>Information: P. 63</b> Accessories: P. 271					
	<b>ø 115 mm</b> Removable centre hole Model: Scrim backed	Extra coarse	 F 03E 014 K25	9049.2842.1923.01	Made to order		200
		coarse	 F 03E 014 K29	9049.2842.2923.01	Ex. stock UK	25	200
		medium	 F 03E 014 K2D	9049.2842.4923.01	Ex. stock UK	25	200
<b>Information: P. 63</b> Accessories: P. 274-275							
	<b>ø 125 mm</b> Centre hole Model: fibre backed	coarse	 F 03E 014 K2P	1181.5623.2923.01	Ex. stock IDC		200
		<b>Information: P. 63</b> Accessories: P. 272					
	<b>ø 125 mm</b> Removable centre hole Model: Scrim backed	Extra coarse	 F 03E 014 K1Z	9268.9620.1923.01	Made to order		200
		coarse	 F 03E 014 K20	9268.9620.2923.01	Made to order		200
		medium	 F 03E 014 K21	9268.9620.4923.01	Made to order		200
<b>Information: P. 63</b> Accessories: P. 274-275							
	<b>ø 178 mm</b> Centre hole Model: fibre backed	coarse	 F 03E 014 K2S	2337.2058.2923.01	Ex. stock IDC		100
		<b>Information: P. 63</b> Accessories: P. 272					

## siafast discs

1707 siapar	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>ø 115 mm</b> without holes  <b>Information: P. 30</b> Accessories: P. 275-276	16	F 03E 003 DH9	1323.3054.0016.03	Ex. stock IDC		250	
		24	F 03E 003 E0T	1323.3054.0024.03	Ex. stock IDC		250	
		36	F 03E 003 E0U	1323.3054.0036.03	Ex. stock IDC		250	
	<b>ø 150 mm</b> without holes  <b>Information: P. 30</b> Accessories: P. 270, 276	24	F 03E 004 N21	2070.5556.0024.03	Ex. stock IDC		250	
		36	F 03E 004 N22	2070.5556.0036.03	Ex. stock IDC		250	
	<b>ø 200 mm</b> without holes  <b>Information: P. 30</b> Accessories: P. 271, 276	16	F 03E 001 CV8	3147.3225.0016.03	Ex. stock IDC		250	
		24	F 03E 001 CV9	3147.3225.0024.03	Ex. stock IDC		250	
	1713 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
								
	<b>ø 115 mm</b> without holes Model: Wet sanding  <b>Information: P. 30</b>	600	F 03E 006 R4S	1444.1407.0600.01	Ex. stock IDC		600	
		800	F 03E 006 R4T	1444.1407.0800.01	Ex. stock IDC		600	
	<b>ø 125 mm</b> Model: Wet sanding  <b>Information: P. 30</b>	600	F 03E 006 J9D	0383.6744.0600.01	Ex. stock UK	100	600	
1748 sialac	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>ø 150 mm</b> without holes  <b>Information: P. 32</b> Accessories: P. 265, 270 Machine: Bosch, DEWALT, Elu, Festool, Hitachi, Metabo	180	F 03E 003 DJ4	2968.5006.0180.06	Ex. stock IDC		500	
		240	F 03E 003 DJ6	2968.5006.0240.06	Ex. stock IDC		500	






## siafast discs

1748 sialac	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 150 mm</b> 6-hole  <b>Information: P. 32</b> Accessories: P. 270-271, 282-284 Machine: Bosch, DEWALT, Elu, Festool, Hitachi, Metabo	180	F 03E 003 MF1	8703.5206.0180.06	Made to order		600
		220	F 03E 003 MF2	8703.5206.0220.06	Made to order		600
		240	F 03E 003 MF3	8703.5206.0240.06	Made to order		600
		320	F 03E 003 MF5	8703.5206.0320.06	Made to order		600
		400	F 03E 003 MF6	8703.5206.0400.06	Made to order		600
	<b>ø 150 mm</b> 9-hole  <b>Information: P. 32</b> Accessories: P. 270, 281-283 Machine: Festool, HolzHer	150	F 03E 003 MF7	7819.1753.0150.06	Made to order		600
		180	F 03E 004 N2Y	7819.1753.0180.06	Made to order		600
		220	F 03E 004 N2Z	7819.1753.0220.06	Made to order		600
		240	F 03E 004 N30	7819.1753.0240.06	Made to order		600
		280	F 03E 004 N31	7819.1753.0280.06	Made to order		600
		320	F 03E 004 N32	7819.1753.0320.06	Made to order		600
		400	F 03E 003 MF8	7819.1753.0400.06	Made to order		600
1749 sialar f	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 115 mm</b> without holes Model: Antistatic  <b>Information: P. 33</b> Accessories: P. 274-276	40	F 03E 008 3KU	2234.2056.0040.01	Ex. stock IDC		500
		60	F 03E 003 JX6	2234.2056.0060.03	Ex. stock IDC		500
		80	F 03E 003 JX7	2234.2056.0080.03	Ex. stock IDC		600
		100	F 03E 003 JX4	2234.2056.0100.03	Ex. stock IDC		600
		120	F 03E 001 CS4	2234.2056.0120.03	Ex. stock IDC		600
		150	F 03E 003 JY4	2234.2056.0150.03	Ex. stock IDC		600
		220	F 03E 001 CS5	2234.2056.0220.03	Ex. stock IDC		600
		320	F 03E 003 JZ6	2234.2056.0320.03	Ex. stock IDC		600
		400	F 03E 003 JZ1	2234.2056.0400.03	Ex. stock IDC		600
		<b>ø 125 mm</b>	<b>Information: P. 33</b>	60	F 03E 003 JX8	2453.8834.0060.03	Ex. stock UK
80	F 03E 003 JY2			2453.8834.0080.03	Ex. stock UK	100	100
320	F 03E 003 JZ7			2453.8834.0320.02	Ex. stock UK	100	100
<b>ø 125 mm</b> without holes Model: Antistatic  <b>Information: P. 33</b> Accessories: P. 270, 274-276, 282	<b>Information: P. 33</b>	60	F 03E 003 JX9	2453.8834.0060.05	Ex. stock IDC		500
		120	F 03E 003 JY7	2453.8834.0120.05	Ex. stock UK	100	600
		220	F 03E 003 JZ0	2453.8834.0220.05	Ex. stock UK	100	600
		400	F 03E 003 K00	2453.8834.0400.05	Ex. stock UK	100	600








## siafast discs

1749 siaral f	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 150 mm</b> without holes Model: Antistatic  <b>Information: P. 33</b> Accessories: P. 270, 274-276, 282	40	F 03E 008 3KV	2981.4558.0040.01	Ex. stock IDC		500
		60	F 03E 003 KS2	2981.4558.0060.05	Ex. stock IDC		500
		80	F 03E 003 KS3	2981.4558.0080.05	Ex. stock IDC		600
		100	F 03E 003 KS4	2981.4558.0100.05	Ex. stock IDC		600
		120	F 03E 003 KS6	2981.4558.0120.05	Ex. stock IDC		600
		150	F 03E 003 KS7	2981.4558.0150.05	Ex. stock IDC		600
	<b>ø 150 mm</b> 6-hole Model: Antistatic  <b>Information: P. 33</b> Accessories: P. 270, 274-276, 282 Machine: Bosch, DEWALT, Elu, Festool, Hitachi, Metabo	80	F 03E 004 4KU	8738.0979.0080.01	Made to order		100
		120	F 03E 004 TA6	8738.0979.0120.01	Made to order		100
	<b>ø 178 mm</b> without holes Model: Antistatic  <b>Information: P. 33</b> Accessories: P. 148, 270, 274-276, 282	40	F 03E 008 3KX	3587.8581.0040.01	Ex. stock IDC		500
		60	F 03E 008 3K7	3587.8581.0060.01	Ex. stock IDC		500
		80	F 03E 008 3KC	3587.8581.0080.01	Ex. stock IDC		500
		100	F 03E 008 3KF	3587.8581.0100.01	Ex. stock IDC		500
		120	F 03E 008 3KE	3587.8581.0120.01	Ex. stock IDC		500
	<b>ø 200 mm</b> without holes Model: Antistatic  <b>Information: P. 33</b> Accessories: P. 270, 274-276, 282	40	F 03E 008 3L0	4058.1760.0040.01	Ex. stock IDC		500
		60	F 03E 004 2C8	4058.1760.0060.01	Ex. stock IDC		500
		80	F 03E 001 D6E	4058.1760.0080.01	Ex. stock IDC		600
		100	F 03E 001 D6F	4058.1760.0100.01	Ex. stock IDC		600
		120	F 03E 004 2C9	4058.1760.0120.01	Ex. stock IDC		600
	<b>ø 220 mm</b> without holes Model: Antistatic  <b>Information: P. 33</b> Accessories: P. 270, 274-276, 282	100	F 03E 008 3K1	4497.5316.0100.01	Made to order		500
		150	F 03E 003 KN2	4497.5316.0150.01	Made to order		600
	<b>ø 225 mm</b> Centre hole  <b>Information: P. 33</b>	100	F 03E 008 3KH	7635.2076.0100.01	Made to order		100
		150	F 03E 008 3KA	7635.2076.0150.01	Made to order		100








## siafast discs

1815 siatop	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>ø 115 mm</b> without holes	24	F 03E 004 N1S	3650.1158.0024.02	Ex. stock IDC		500	
		36	F 03E 001 CX1	3650.1158.0036.02	Ex. stock UK	50	500	
		40	F 03E 003 E1L	3650.1158.0040.02	Ex. stock UK	50	500	
		50	F 03E 003 E1M	3650.1158.0050.02	Ex. stock IDC		500	
		60	F 03E 004 N1T	3650.1158.0060.02	Ex. stock UK	50	500	
		80	F 03E 004 N1V	3650.1158.0080.02	Ex. stock UK	50	500	
		100	F 03E 004 N1U	3650.1158.0100.02	Ex. stock UK	50	500	
		120	F 03E 004 N1W	3650.1158.0120.02	Ex. stock UK	50	500	
		150	F 03E 004 W61	3650.1158.0150.02	Ex. stock IDC		500	
	<b>Information: P. 33</b> Accessories: P. 275-276	<b>ø 125 mm</b> without holes	24	F 03E 003 E1N	3869.7936.0024.01	Ex. stock IDC		500
			36	F 03E 003 E1P	3869.7936.0036.01	Ex. stock UK	50	500
			40	F 03E 003 E1R	3869.7936.0040.01	Ex. stock UK	50	500
			50	F 03E 003 E1S	3869.7936.0050.01	Ex. stock UK	50	500
			60	F 03E 001 CY0	3869.7936.0060.01	Ex. stock UK	50	500
			80	F 03E 001 CY1	3869.7936.0080.01	Ex. stock UK	50	500
100			F 03E 001 CY2	3869.7936.0100.01	Ex. stock UK	50	500	
120			F 03E 001 CY3	3869.7936.0120.01	Ex. stock UK	50	500	
150			F 03E 003 K2P	3869.7936.0150.03	Ex. stock UK	50	500	
<b>Information: P. 33</b> Accessories: P. 275-276	<b>ø 125 mm</b> 5-hole	80	F 03E 005 980	7899.4409.0080.01	Ex. stock UK	100	100	
		120	F 03E 003 M17	7899.4409.0120.02	Ex. stock UK	100	100	
		<b>Information: P. 33</b>						
	<b>ø 150 mm</b> without holes	24	F 03E 003 E1T	4418.9881.0024.02	Ex. stock UK	50	400	
		36	F 03E 003 E1U	4418.9881.0036.02	Ex. stock UK	50	500	
		40	F 03E 003 E1V	4418.9881.0040.02	Ex. stock UK	50	500	
		50	F 03E 003 E1W	4418.9881.0050.02	Ex. stock UK	50	500	
		60	F 03E 003 E1X	4418.9881.0060.02	Ex. stock UK	50	500	
		80	F 03E 003 E1Y	4418.9881.0080.02	Ex. stock UK	50	500	
		100	F 03E 003 E1Z	4418.9881.0100.02	Ex. stock UK	50	500	
		120	F 03E 003 E20	4418.9881.0120.02	Ex. stock UK	50	500	
		150	F 03E 003 L02	4418.9881.0150.02	Ex. stock UK	50	500	
<b>Information: P. 33</b> Accessories: P. 276								

## siafast discs







1815 siatop	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 150 mm</b> 7-hole  <b>Information: P. 33</b> Accessories: P. 270-271, 282-284	40	F 03E 001 G43	5502.6187.0040.02	Made to order		50
		60	F 03E 001 G3Y	5502.6187.0060.02	Made to order		500
		80	F 03E 001 G45	5502.6187.0080.02	Made to order		500
		100	F 03E 001 G3Z	5502.6187.0100.02	Made to order		500
		120	F 03E 001 G46	5502.6187.0120.02	Made to order		500
	<b>ø 150 mm</b> 9-hole  <b>Information: P. 33</b> Accessories: P. 270-271, 282-284	40	F 03E 001 G08	9269.6628.0040.02	Made to order		500
		60	F 03E 001 G0A	9269.6628.0060.02	Made to order		500
		80	F 03E 001 G09	9269.6628.0080.02	Made to order		500
		100	F 03E 001 G0B	9269.6628.0100.02	Made to order		500
		120	F 03E 001 G0C	9269.6628.0120.02	Made to order		500
	<b>ø 150 mm</b> 15-hole  <b>Information: P. 33</b>	80	F 03E 004 3MT	4632.3646.0080.01	Made to order		500
		120	F 03E 004 3MV	4632.3646.0120.01	Made to order		500
	<b>ø 150 mm</b> 17-hole  <b>Information: P. 33</b>	40	F 03E 004 U9J	8898.6042.0040.02	Made to order		500
		60	F 03E 004 U9K	8898.6042.0060.02	Made to order		500
		80	F 03E 004 U9L	8898.6042.0080.02	Made to order		500
		100	F 03E 004 U9M	8898.6042.0100.02	Made to order		500
	<b>ø 178 mm</b> Star-pattern hole  <b>Information: P. 33</b>	40	F 03E 005 3DL	9896.6022.0040.01	Made to order		50
	<b>ø 180 mm</b> without holes  <b>Information: P. 33</b> Accessories: P. 276	24	F 03E 003 E21	5056.3994.0024.01	Ex. stock UK	50	400
		36	F 03E 003 E22	5056.3994.0036.01	Ex. stock UK	50	500
		40	F 03E 003 E23	5056.3994.0040.01	Made to order		500
		50	F 03E 003 E24	5056.3994.0050.01	Made to order		500
		60	F 03E 003 E25	5056.3994.0060.02	Ex. stock UK	50	500
		80	F 03E 003 DK0	5056.3994.0080.01	Ex. stock UK	50	500
		100	F 03E 003 DK1	5056.3994.0100.01	Made to order		500
		120	F 03E 003 DK2	5056.3994.0120.01	Made to order		500

## siafast discs

1815 siatop	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 407 mm</b> without holes  <b>Information: P. 33</b>	80	F 03E 003 N0B	9965.2459.0080.03	Made to order		10
		120	F 03E 003 N0D	9965.2459.0120.03	Made to order		10
1913 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 80 mm</b> without holes Model: Wet sanding  <b>Information: P. 35</b> Accessories: P. 269, 281	2000	F 03E 004 1F1	5013.8691.2000.01	Made to order		500
		<b>ø 125 mm</b> without holes Model: waterproof  <b>Information: P. 35</b> Accessories: P. 269	800	F 03E 001 D75	5980.7971.0800.02	Ex. stock UK	100
1919 siawood +	Dimension		Grit	Part number	Part number	Delivery date	MOQ
							
	<b>ø 115 mm</b> without holes Model: Antistatic  <b>Information: P. 36</b> Accessories: P. 275-276 Technology: TopTec P. 74	40	F 03E 001 DB3	5903.5767.0040.02	Made to order		500
		60	F 03E 001 D8F	5903.5767.0060.01	Made to order		500
		80	F 03E 001 D7Y	5903.5767.0080.01	Made to order		500
		100	F 03E 001 D8G	5903.5767.0100.01	Made to order		500
		120	F 03E 001 D8H	5903.5767.0120.01	Made to order		500
		150	F 03E 001 DD6	5903.5767.0150.01	Made to order		500
	<b>ø 125 mm</b> without holes Model: Antistatic  <b>Information: P. 36</b> Accessories: P. 269, 275-276 Technology: TopTec P. 74	40	F 03E 001 D8J	6123.2545.0040.01	Made to order		500
		60	F 03E 001 D8K	6123.2545.0060.01	Ex. stock UK	50	500
		80	F 03E 001 D7Z	6123.2545.0080.01	Ex. stock UK	50	500
		100	F 03E 001 D8L	6123.2545.0100.01	Made to order		500
		120	F 03E 001 D8M	6123.2545.0120.01	Made to order		500
		150	F 03E 001 D8N	6123.2545.0150.01	Made to order		500
	<b>ø 125 mm</b> 8-hole Model: Antistatic  <b>Information: P. 36</b> Accessories: P. 269	60	F 03E 001 FN9	7604.7404.0060.02	Made to order		500
		120	F 03E 001 FP5	7604.7404.0120.01	Made to order		600



## siafast discs

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 150 mm</b> without holes Model: Antistatic	40	F 03E 004 N2H	6650.8269.0040.01	Ex. stock UK	50	500
		60	F 03E 004 N2J	6650.8269.0060.01	Ex. stock UK	50	500
		80	F 03E 004 N2G	6650.8269.0080.01	Ex. stock UK	50	500
		100	F 03E 003 E2C	6650.8269.0100.01	Ex. stock UK	50	500
		120	F 03E 003 E2D	6650.8269.0120.01	Ex. stock UK	50	500
		150	F 03E 003 E2E	6650.8269.0150.01	Made to order		500
		180	F 03E 003 KY0	6650.8269.0180.01	Ex. stock UK	50	500
		220	F 03E 003 L01	6650.8269.0220.01	Ex. stock UK	50	500
	<b>ø 150 mm</b> 6-hole Model: Antistatic	40	F 03E 001 G73	2439.7276.0040.01	Ex. stock UK	50	500
		60	F 03E 001 G74	2439.7276.0060.01	Ex. stock UK	50	500
		80	F 03E 001 G5S	2439.7276.0080.01	Ex. stock UK	50	500
		100	F 03E 001 G75	2439.7276.0100.01	Ex. stock UK	50	500
		120	F 03E 001 G76	2439.7276.0120.01	Ex. stock UK	50	500
		150	F 03E 001 G77	2439.7276.0150.01	Ex. stock UK	50	500
	<b>ø 150 mm</b> 7-hole Model: Antistatic	40	F 03E 001 G7D	7756.0796.0040.01	Made to order		500
		60	F 03E 001 G7E	7756.0796.0060.01	Made to order		500
		80	F 03E 001 G5U	7756.0796.0080.01	Made to order		500
		100	F 03E 001 G7F	7756.0796.0100.01	Made to order		500
		120	F 03E 001 G7G	7756.0796.0120.01	Made to order		500
		150	F 03E 001 G7H	7756.0796.0150.01	Made to order		500
		180	F 03E 001 G7J	7756.0796.0180.01	Ex. stock UK	50	500
	<b>ø 150 mm</b> 9-hole Model: Antistatic	40	F 03E 004 N34	1555.3356.0040.01	Ex. stock IDC		500
		60	F 03E 004 N35	1555.3356.0060.01	Ex. stock IDC		500
		80	F 03E 004 N33	1555.3356.0080.01	Ex. stock IDC		500
		100	F 03E 004 N36	1555.3356.0100.01	Ex. stock IDC		500
		120	F 03E 004 N37	1555.3356.0120.01	Ex. stock IDC		500
		150	F 03E 004 N38	1555.3356.0150.01	Ex. stock IDC		500
		180	F 03E 001 G6M	1555.3356.0180.03	Ex. stock IDC		500
		220	F 03E 001 G6P	1555.3356.0220.03	Ex. stock IDC		500
	<b>ø 150 mm</b> 15-hole Model: Antistatic	40	F 03E 003 8GP	6885.8255.0040.01	Made to order		500
		60	F 03E 003 8GR	6885.8255.0060.01	Made to order		500
		80	F 03E 003 8GS	6885.8255.0080.01	Made to order		500
		100	F 03E 003 8GT	6885.8255.0100.01	Made to order		500
		120	F 03E 003 8GU	6885.8255.0120.01	Made to order		500
		150	F 03E 003 8GV	6885.8255.0150.01	Made to order		500
	<b>Information: P. 36</b> Accessories: P. 265, 270, 276-277, 282, 284 Technology: TopTec P. 74						
	<b>Information: P. 36</b> Accessories: P. 270-271, 282-284 Machine: Bosch, DEWALT, Elu, Festool, Hitachi, Metabo						
	<b>Information: P. 36</b> Accessories: P. 270, 281-283 Technology: TopTec P. 74						
	<b>Information: P. 36</b> Accessories: P. 270, 281-283 Technology: TopTec P. 74 Machine: Festool, HolzHer						
	<b>Information: P. 36</b> Accessories: P. 270-271, 282-284						

## siafast discs

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 150 mm</b> 49-hole  <b>Information: P. 36</b> Machine: Festool	40	F 03E 007 9UD	3156.5734.0040.01	Ex. stock IDC		500
		60	F 03E 007 9UE	3156.5734.0060.01	Ex. stock IDC		500
		80	F 03E 007 9UF	3156.5734.0080.01	Ex. stock IDC		500
		100	F 03E 007 9UG	3156.5734.0100.01	Ex. stock IDC		500
		120	F 03E 007 9UH	3156.5734.0120.01	Ex. stock IDC		500
		150	F 03E 007 9UJ	3156.5734.0150.01	Ex. stock IDC		500
	<b>ø 180 mm</b> without holes Model: Antistatic  <b>Information: P. 36</b> Accessories: P. 276-277 Technology: TopTec P. 74	60	F 03E 004 N1Z	7309.8603.0060.01	Made to order		500
		80	F 03E 004 N1X	7309.8603.0080.01	Made to order		500
		120	F 03E 001 D8T	7309.8603.0120.01	Made to order		500
	<b>ø 200 mm</b> without holes Model: Antistatic  <b>Information: P. 36</b> Accessories: P. 271, 276	40	F 03E 001 D8V	7749.2159.0040.01	Made to order		500
		60	F 03E 001 D8W	7749.2159.0060.01	Made to order		500
		80	F 03E 001 D81	7749.2159.0080.01	Made to order		500
		100	F 03E 001 D8X	7749.2159.0100.01	Made to order		500
		120	F 03E 001 D8Y	7749.2159.0120.01	Made to order		500
		<b>ø 600 mm</b> without holes Model: Antistatic  <b>Information: P. 36</b>	80	F 03E 001 GZ1	6417.1384.0080.01	Made to order	
1944 siaone	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 125 mm</b> 9-hole  <b>Information: P. 37</b>	80	F 03E 007 GG7	4569.9165.0080.02	Made to order		600
		100	F 03E 007 TU4	4569.9165.0100.02	Made to order		600
		120	F 03E 007 TU5	4569.9165.0120.02	Made to order		600
		180	F 03E 007 TU7	4569.9165.0180.02	Made to order		600
		240	F 03E 007 TU9	4569.9165.0240.02	Made to order		600
	<b>ø 150 mm</b> 7-hole  <b>Information: P. 37</b>	80	F 03E 007 GF4	8295.7136.0080.04	Ex. stock UK	50	500
		120	F 03E 007 TY0	8295.7136.0120.04	Ex. stock UK	50	700
		180	F 03E 007 TY2	8295.7136.0180.04	Ex. stock UK	50	700
		240	F 03E 007 TY4	8295.7136.0240.04	Ex. stock UK	50	700
		320	F 03E 007 TY5	8295.7136.0320.04	Ex. stock UK	50	700
		400	F 03E 007 TY6	8295.7136.0400.04	Ex. stock UK	50	700
		500	F 03E 007 TY7	8295.7136.0500.04	Ex. stock UK	50	700

## siafast discs

1944 siaone	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 150 mm</b> 15-hole  <b>Information: P. 37</b>	40	F 03E 007 GE9	7425.4595.0040.02	Ex. stock UK	50	500
		60	F 03E 007 GF0	7425.4595.0060.02	Ex. stock UK	50	500
		80	F 03E 007 GF1	7425.4595.0080.02	Ex. stock UK	50	500
		100	F 03E 007 T7K	7425.4595.0100.02	Ex. stock UK	50	500
		120	F 03E 007 T7L	7425.4595.0120.03	Ex. stock UK	50	700
		150	F 03E 007 T7M	7425.4595.0150.03	Ex. stock UK	50	700
		180	F 03E 007 T7N	7425.4595.0180.03	Ex. stock UK	50	700
		220	F 03E 007 T7P	7425.4595.0220.02	Made to order		700
		240	F 03E 007 T7R	7425.4595.0240.03	Ex. stock UK	50	700
		320	F 03E 007 T7S	7425.4595.0320.03	Ex. stock UK	50	700
		400	F 03E 007 T7T	7425.4595.0400.03	Ex. stock UK	50	700
		500	F 03E 007 T7U	7425.4595.0500.03	Ex. stock UK	50	700
1948 siaflex	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 125 mm</b> without holes  <b>Information: P. 38</b> Accessories: P. 271, 283	40	F 03E 006 OTR	6736.2380.0040.01	Made to order		500
		60	F 03E 006 OTS	6736.2380.0060.01	Made to order		500
		80	F 03E 006 OU1	6736.2380.0080.01	Made to order		600
		100	F 03E 006 OU2	6736.2380.0100.01	Made to order		600
		120	F 03E 006 OU3	6736.2380.0120.01	Made to order		600
		150	F 03E 006 OU4	6736.2380.0150.01	Made to order		600
		180	F 03E 006 OU5	6736.2380.0180.01	Made to order		600
		220	F 03E 006 OU6	6736.2380.0220.01	Made to order		600
		240	F 03E 006 OU7	6736.2380.0240.01	Made to order		600
		280	F 03E 006 OU8	6736.2380.0280.01	Made to order		600
		320	F 03E 006 OU9	6736.2380.0320.01	Made to order		600
		400	F 03E 006 OUB	6736.2380.0400.01	Made to order		600
		800	F 03E 006 OUE	6736.2380.0800.01	Made to order		300
	<b>ø 125 mm</b> 5-hole  <b>Information: P. 38</b>	120	F 03E 006 1AV	0798.0972.0120.01	Ex. stock IDC		600
		220	F 03E 006 1AY	0798.0972.0220.01	Ex. stock IDC		600

## siafast discs





1948 siaflex	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 125 mm</b> 8-hole  <b>Information: P. 38</b> Accessories: P. 269	40	F 03E 006 1T1	8239.3460.0040.01	Made to order		500
		60	F 03E 006 1T2	8239.3460.0060.01	Made to order		500
		80	F 03E 006 1T3	8239.3460.0080.01	Made to order		600
		100	F 03E 006 1T4	8239.3460.0100.01	Made to order		600
		120	F 03E 006 1T5	8239.3460.0120.01	Made to order		600
		150	F 03E 006 1T6	8239.3460.0150.01	Made to order		600
		320	F 03E 006 1TB	8239.3460.0320.01	Made to order		600
		400	F 03E 006 1TD	8239.3460.0400.01	Made to order		600
	<b>ø 125 mm</b> 9-hole  <b>Information: P. 38</b> Accessories: P. 270	800	F 03E 006 12S	4643.3127.0800.01	Ex. stock UK	50	300
	<b>ø 125 mm</b> 41-hole  <b>Information: P. 38</b> Accessories: P. 269-270, 281, 283 Technology: S Performance P. 72	80	F 03E 007 6Z9	7111.8012.0080.01	Ex. stock UK	100	600
		120	F 03E 007 6ZB	7111.8012.0120.01	Ex. stock UK	100	600
		150	F 03E 007 6ZC	7111.8012.0150.01	Made to order		600
		180	F 03E 007 6ZD	7111.8012.0180.01	Ex. stock UK	100	600
		220	F 03E 007 6ZE	7111.8012.0220.01	Made to order		600
		240	F 03E 007 6ZF	7111.8012.0240.01	Ex. stock UK	100	600
		320	F 03E 007 6ZH	7111.8012.0320.01	Ex. stock UK	100	600
		600	F 03E 007 6ZM	7111.8012.0600.01	Ex. stock UK	100	600
	<b>ø 150 mm</b> without holes  <b>Information: P. 38</b> Accessories: P. 270, 281-282	40	F 03E 006 0UT	7285.4325.0040.01	Made to order		500
		60	F 03E 006 0UU	7285.4325.0060.01	Made to order		500
		80	F 03E 006 0UV	7285.4325.0080.01	Ex. stock UK	100	600
		100	F 03E 006 0UW	7285.4325.0100.01	Ex. stock UK	100	600
		120	F 03E 006 0UX	7285.4325.0120.01	Ex. stock UK	100	600
		150	F 03E 006 0UY	7285.4325.0150.01	Ex. stock UK	100	600
		180	F 03E 006 0UZ	7285.4325.0180.01	Ex. stock UK	100	600
		220	F 03E 006 0V0	7285.4325.0220.01	Made to order		600
		240	F 03E 006 0V1	7285.4325.0240.01	Ex. stock UK	100	600
		280	F 03E 006 0V2	7285.4325.0280.01	Made to order		600
		320	F 03E 006 0V3	7285.4325.0320.01	Ex. stock UK	100	600
		400	F 03E 006 0V5	7285.4325.0400.01	Ex. stock UK	100	600
		500	F 03E 006 0V6	7285.4325.0500.01	Ex. stock UK	100	600
		600	F 03E 006 0V7	7285.4325.0600.01	Made to order		600
		800	F 03E 006 0V8	7285.4325.0800.01	Ex. stock UK	50	300
1500	F 03E 006 0VB	7285.4325.1500.01	Made to order		300		

## siafast discs

1948 siaflex	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 150 mm</b> 7-hole	40	F 03E 006 183	8390.6852.0040.01	Ex. stock UK	50	500
		60	F 03E 006 184	8390.6852.0060.01	Ex. stock UK	50	500
		80	F 03E 006 185	8390.6852.0080.01	Ex. stock UK	100	600
		100	F 03E 006 186	8390.6852.0100.01	Made to order		600
		120	F 03E 006 187	8390.6852.0120.01	Ex. stock UK	100	600
		150	F 03E 006 188	8390.6852.0150.01	Made to order		600
		180	F 03E 006 189	8390.6852.0180.01	Ex. stock UK	100	600
		220	F 03E 006 18A	8390.6852.0220.01	Made to order		600
		240	F 03E 006 18B	8390.6852.0240.01	Ex. stock UK	100	600
		280	F 03E 006 18C	8390.6852.0280.01	Made to order		600
		320	F 03E 006 18D	8390.6852.0320.01	Ex. stock UK	100	600
		360	F 03E 006 18H	8390.6852.0360.01	Made to order		600
		400	F 03E 006 18E	8390.6852.0400.01	Ex. stock UK	100	600
		500	F 03E 006 18J	8390.6852.0500.01	Ex. stock UK	100	600
		600	F 03E 006 18F	8390.6852.0600.01	Made to order		600
		800	F 03E 006 18G	8390.6852.0800.01	Made to order		300
	<b>ø 150 mm</b> 9-hole	80	F 03E 006 81K	2189.9412.0080.01	Ex. stock IDC		600
		100	F 03E 006 81L	2189.9412.0100.01	Ex. stock IDC		600
		120	F 03E 006 81M	2189.9412.0120.01	Ex. stock IDC		600
		240	F 03E 006 81S	2189.9412.0240.01	Ex. stock IDC		600
	<b>ø 150 mm</b> 15-hole	40	F 03E 006 0X5	7498.8090.0040.01	Made to order		500
		60	F 03E 006 0X6	7498.8090.0060.01	Made to order		500
		80	F 03E 006 0X7	7498.8090.0080.01	Made to order		600
		100	F 03E 006 0X8	7498.8090.0100.01	Made to order		600
		120	F 03E 006 0X9	7498.8090.0120.01	Made to order		600
		150	F 03E 006 0XA	7498.8090.0150.01	Made to order		600
		180	F 03E 006 0XB	7498.8090.0180.01	Made to order		600
		220	F 03E 006 0XC	7498.8090.0220.01	Made to order		600
		240	F 03E 006 0XD	7498.8090.0240.01	Made to order		600
		280	F 03E 006 0XE	7498.8090.0280.01	Made to order		600
		320	F 03E 006 0XF	7498.8090.0320.01	Made to order		600
		360	F 03E 006 0XG	7498.8090.0360.01	Made to order		600
		400	F 03E 006 0XH	7498.8090.0400.01	Made to order		600
		500	F 03E 006 0XJ	7498.8090.0500.01	Made to order		600
		600	F 03E 006 0XK	7498.8090.0600.01	Made to order		600
		800	F 03E 006 0XL	7498.8090.0800.01	Ex. stock UK	50	300
<b>Information: P. 38</b> Accessories: P. 270-271, 281-284							







## siafast discs

1948 siaflex	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 150 mm</b> 49-hole  <b>Information: P. 38</b> Machine: Festool	40	F 03E 007 9TT	3791.1790.0040.01	Ex. stock IDC		500
		60	F 03E 007 9TU	3791.1790.0060.01	Ex. stock IDC		500
		80	F 03E 007 9TV	3791.1790.0080.01	Ex. stock IDC		600
		100	F 03E 007 9TW	3791.1790.0100.01	Ex. stock IDC		600
		120	F 03E 007 9TX	3791.1790.0120.01	Ex. stock IDC		600
		150	F 03E 007 9TY	3791.1790.0150.01	Ex. stock IDC		600
		180	F 03E 007 9TZ	3791.1790.0180.01	Ex. stock IDC		600
		220	F 03E 007 9U0	3791.1790.0220.01	Ex. stock IDC		600
		240	F 03E 007 9U1	3791.1790.0240.01	Ex. stock IDC		600
		320	F 03E 007 9U3	3791.1790.0320.01	Ex. stock IDC		600
	<b>ø 150 mm</b> 57-hole  <b>Information: P. 38</b> Accessories: P. 270-271, 281-284 Technology: S Performance P. 72	40	F 03E 007 6UB	1520.4046.0040.01	Ex. stock UK	50	500
		60	F 03E 007 6UC	1520.4046.0060.01	Ex. stock UK	50	500
		80	F 03E 007 6UD	1520.4046.0080.01	Ex. stock UK	100	600
		100	F 03E 007 6UE	1520.4046.0100.01	Ex. stock UK	100	600
		120	F 03E 007 6UF	1520.4046.0120.01	Ex. stock UK	100	600
		150	F 03E 007 6UG	1520.4046.0150.01	Ex. stock UK	100	600
		180	F 03E 007 6UH	1520.4046.0180.01	Ex. stock UK	100	600
		220	F 03E 007 6UJ	1520.4046.0220.01	Ex. stock IDC		600
		240	F 03E 007 6UK	1520.4046.0240.01	Ex. stock UK	100	600
		280	F 03E 007 6UL	1520.4046.0280.01	Ex. stock IDC		600
		320	F 03E 007 6UM	1520.4046.0320.01	Ex. stock UK	100	600
		360	F 03E 007 6UN	1520.4046.0360.01	Ex. stock IDC		600
		400	F 03E 007 6UP	1520.4046.0400.01	Ex. stock UK	100	600
		500	F 03E 007 6UR	1520.4046.0500.01	Ex. stock UK	100	600
600	F 03E 007 6US	1520.4046.0600.01	Ex. stock UK	100	600		
	<b>ø 203 mm</b> without holes  <b>Information: P. 38</b> Accessories: P. 271	80	F 03E 006 34V	8441.0760.0080.01	Ex. stock UK	100	600

## siafast discs

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 77 mm</b> 6-hole  <b>Information: P. 38</b> Accessories: P. 269, 281	80	F 03E 007 6PX	1270.8925.0080.01	Ex. stock UK	50	500
		120	F 03E 007 6PZ	1270.8925.0120.01	Ex. stock UK	50	500
		150	F 03E 007 6R0	1270.8925.0150.01	Ex. stock IDC		500
		180	F 03E 007 6R1	1270.8925.0180.01	Ex. stock UK	50	500
		240	F 03E 007 6R3	1270.8925.0240.01	Ex. stock UK	50	500
		320	F 03E 007 6R5	1270.8925.0320.01	Ex. stock UK	50	500
		400	F 03E 007 6R7	1270.8925.0400.01	Ex. stock UK	50	500
		500	F 03E 007 6R8	1270.8925.0500.01	Ex. stock UK	50	500
		800	F 03E 007 6RA	1270.8925.0800.01	Ex. stock IDC		500
		1000	F 03E 007 6RB	1270.8925.1000.01	Ex. stock IDC		500
		1500	F 03E 007 6RD	1270.8925.1500.01	Ex. stock IDC		500
	<b>ø 80 mm</b> without holes  <b>Information: P. 38</b> Accessories: P. 269, 281	40	F 03E 001 CL4	5816.8425.0040.01	Ex. stock UK	50	500
		60	F 03E 001 CL3	5816.8425.0060.01	Ex. stock UK	50	500
		80	F 03E 001 CL2	5816.8425.0080.01	Ex. stock UK	50	500
		120	F 03E 001 CL6	5816.8425.0120.01	Ex. stock UK	50	500
		150	F 03E 001 CL7	5816.8425.0150.01	Ex. stock UK	50	500
		180	F 03E 001 CL8	5816.8425.0180.01	Ex. stock UK	50	500
		240	F 03E 003 E5T	5816.8425.0240.01	Ex. stock UK	50	500
		320	F 03E 003 E5V	5816.8425.0320.01	Ex. stock UK	50	500
		400	F 03E 003 E5X	5816.8425.0400.01	Ex. stock UK	50	500
		500	F 03E 003 E5Y	5816.8425.0500.01	Ex. stock UK	50	500
		600	F 03E 003 E5Z	5816.8425.0600.01	Made to order		500
	<b>ø 80 mm</b> without holes Model: Ultrafine grit  <b>Information: P. 38</b> Accessories: P. 269, 281	800	F 03E 003 8ZN	5816.8425.0800.01	Made to order		500
		1000	F 03E 003 8ZP	5816.8425.1000.01	Ex. stock UK	50	500
		1200	F 03E 003 8ZR	5816.8425.1200.01	Ex. stock UK	50	500
		1500	F 03E 003 8ZS	5816.8425.1500.01	Ex. stock UK	50	500
	<b>ø 90 mm</b> 7-hole  <b>Information: P. 38</b> Machine: Festool	80	F 03E 003 CD8	1236.7347.0080.01	Ex. stock IDC		600
		120	F 03E 004 876	1236.7347.0120.01	Ex. stock IDC		600
	<b>ø 115 mm</b> without holes  <b>Information: P. 38</b>	80	F 03E 004 2AF	6564.0927.0080.01	Made to order		600





## siafast discs

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 125 mm</b> without holes	40	F 03E 003 E60	6783.7705.0040.01	Ex. stock UK	50	500
		60	F 03E 003 E61	6783.7705.0060.01	Ex. stock UK	50	500
		80	F 03E 003 E62	6783.7705.0080.01	Ex. stock UK	100	600
		100	F 03E 003 E63	6783.7705.0100.01	Ex. stock UK	100	600
		120	F 03E 003 E64	6783.7705.0120.01	Ex. stock UK	100	600
		150	F 03E 003 E65	6783.7705.0150.01	Ex. stock UK	100	600
		180	F 03E 003 E66	6783.7705.0180.01	Ex. stock UK	100	600
		220	F 03E 003 E67	6783.7705.0220.01	Ex. stock UK	100	600
		240	F 03E 003 E68	6783.7705.0240.01	Ex. stock UK	100	600
		280	F 03E 001 DT0	6783.7705.0280.01	Ex. stock UK	100	600
		320	F 03E 001 DT1	6783.7705.0320.01	Ex. stock UK	100	600
		400	F 03E 001 DT3	6783.7705.0400.01	Ex. stock UK	100	600
		500	F 03E 001 DT4	6783.7705.0500.01	Ex. stock UK	100	600
600	F 03E 001 DT5	6783.7705.0600.01	Ex. stock UK	100	600		
	<b>ø 125 mm</b> without holes Model: Ultrafine grit	800	F 03E 003 916	6783.7705.0800.01	Made to order		300
		1000	F 03E 003 917	6783.7705.1000.01	Made to order		300
		1200	F 03E 003 918	6783.7705.1200.01	Made to order		300
		1500	F 03E 003 919	6783.7705.1500.01	Made to order		300
	<b>ø 125 mm</b> 5-hole	40	F 03E 003 M89	0845.6297.0040.01	Ex. stock UK	50	500
		60	F 03E 003 M8A	0845.6297.0060.01	Ex. stock UK	50	500
		80	F 03E 003 M8B	0845.6297.0080.01	Ex. stock UK	100	600
		100	F 03E 001 FT0	0845.6297.0100.01	Ex. stock IDC		600
		120	F 03E 001 FT1	0845.6297.0120.01	Ex. stock UK	100	600
		150	F 03E 001 FT2	0845.6297.0150.01	Ex. stock IDC		600
		180	F 03E 001 FT3	0845.6297.0180.01	Ex. stock UK	100	600
		220	F 03E 001 FT4	0845.6297.0220.01	Ex. stock IDC		600
		240	F 03E 001 FT5	0845.6297.0240.01	Ex. stock UK	100	600
		320	F 03E 001 FT7	0845.6297.0320.01	Ex. stock IDC		600
		500	F 03E 003 M8C	0845.6297.0500.01	Ex. stock IDC		600
<b>Information: P. 38</b> Accessories: P. 269-270, 275-276							
<b>Information: P. 38</b> Accessories: P. 269-270							
<b>Information: P. 38</b> Accessories: P. 269-270							

## siafast discs




1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 125 mm</b> 8-hole	40	F 03E 003 E6D	8286.8318.0040.01	Made to order		500
		60	F 03E 003 E6E	8286.8318.0060.01	Made to order		500
		80	F 03E 003 E6F	8286.8318.0080.01	Made to order		600
		100	F 03E 003 E6G	8286.8318.0100.01	Made to order		600
		120	F 03E 003 E6H	8286.8318.0120.01	Made to order		600
		150	F 03E 003 E6J	8286.8318.0150.01	Made to order		600
		180	F 03E 001 FU0	8286.8318.0180.01	Made to order		600
		220	F 03E 001 FU1	8286.8318.0220.01	Made to order		600
		240	F 03E 001 FU2	8286.8318.0240.01	Made to order		600
		280	F 03E 001 FU3	8286.8318.0280.01	Made to order		600
		320	F 03E 001 FU4	8286.8318.0320.01	Made to order		600
		400	F 03E 001 FU6	8286.8318.0400.01	Made to order		600
		500	F 03E 001 FU7	8286.8318.0500.01	Made to order		600
600	F 03E 001 FU8	8286.8318.0600.01	Made to order		600		
	<b>ø 125 mm</b> 8-hole Model: Ultrafine grit	800	F 03E 003 91A	8286.8318.0800.01	Made to order		300
		1000	F 03E 003 91B	8286.8318.1000.01	Made to order		300
		1200	F 03E 003 91C	8286.8318.1200.01	Made to order		300
		1500	F 03E 003 91D	8286.8318.1500.01	Made to order		300
	<b>ø 125 mm</b> 9-hole	40	F 03E 004 1RX	3886.3796.0040.01	Ex. stock IDC		500
		60	F 03E 004 1RY	3886.3796.0060.01	Ex. stock IDC		500
		80	F 03E 004 1RZ	3886.3796.0080.01	Ex. stock IDC		600
		100	F 03E 004 1S0	3886.3796.0100.01	Ex. stock IDC		600
		120	F 03E 004 1S1	3886.3796.0120.01	Ex. stock IDC		600
		150	F 03E 004 1S2	3886.3796.0150.01	Ex. stock IDC		600
		180	F 03E 004 1S3	3886.3796.0180.01	Ex. stock IDC		600
		220	F 03E 004 1S4	3886.3796.0220.01	Ex. stock IDC		600
		240	F 03E 004 1S5	3886.3796.0240.01	Ex. stock IDC		600
		320	F 03E 004 1S7	3886.3796.0320.01	Ex. stock IDC		600
400	F 03E 002 A3K	3886.3796.0400.02	Ex. stock IDC		600		
<b>Information: P. 38</b> Accessories: P. 269-270 Machine: Festool							

## siafast discs

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
 <p><b>ø 125 mm</b> 9-hole Model: Special hole pattern</p>	40	F 03E 004 6DJ	4690.7985.0040.01	Ex. stock UK	50	500	
	60	F 03E 004 6DK	4690.7985.0060.01	Ex. stock UK	50	500	
	80	F 03E 004 6DL	4690.7985.0080.01	Ex. stock UK	100	600	
	120	F 03E 004 N7M	4690.7985.0120.01	Ex. stock UK	100	600	
	150	F 03E 004 6DN	4690.7985.0150.01	Made to order		600	
	180	F 03E 004 6DP	4690.7985.0180.01	Ex. stock UK	100	600	
	220	F 03E 004 N7N	4690.7985.0220.01	Ex. stock UK	100	600	
	240	F 03E 004 6DT	4690.7985.0240.01	Ex. stock UK	100	600	
	320	F 03E 004 N7P	4690.7985.0320.01	Ex. stock UK	100	600	
	400	F 03E 004 N7R	4690.7985.0400.01	Ex. stock UK	100	600	
	500	F 03E 004 N7S	4690.7985.0500.01	Ex. stock UK	100	600	
600	F 03E 004 N7T	4690.7985.0600.01	Ex. stock UK	100	600		
 <p><b>ø 125 mm</b> 9-hole Model: Ultrafine grit Special hole pattern</p>	800	F 03E 003 911	4690.7985.0800.01	Ex. stock UK	50	300	
	1000	F 03E 003 912	4690.7985.1000.01	Ex. stock UK	50	300	
	1500	F 03E 003 914	4690.7985.1500.01	Ex. stock UK	50	300	
 <p><b>ø 125 mm</b> 41-hole</p> <p><b>Information: P. 38</b> Technology: S Performance P. 72 Machine: Bosch, Festool, Rodcraft, Dynabrade</p>	40	F 03E 007 70C	7159.2870.0040.01	Ex. stock UK	50	500	
	60	F 03E 007 70D	7159.2870.0060.01	Ex. stock UK	50	500	
	60	F 03E 007 7U5	7159.2870.0060.02	Made to order		500	
	80	F 03E 007 70E	7159.2870.0080.01	Ex. stock UK	100	600	
	80	F 03E 007 7U6	7159.2870.0080.02	Made to order		800	



## siafast discs

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 125 mm</b> 65-hole	100	F 03E 007 6MV	4089.0148.0100.01	Ex. stock UK	100	600
		100	F 03E 007 6SJ	4089.0148.0100.02	Ex. stock IDC		800
		120	F 03E 007 6MW	4089.0148.0120.01	Ex. stock UK	100	600
		120	F 03E 007 6SK	4089.0148.0120.02	Ex. stock IDC		800
		150	F 03E 007 6MX	4089.0148.0150.01	Ex. stock UK	100	600
		150	F 03E 007 6SL	4089.0148.0150.02	Ex. stock IDC		800
		180	F 03E 007 6MY	4089.0148.0180.01	Ex. stock UK	100	600
		180	F 03E 007 6SM	4089.0148.0180.02	Ex. stock IDC		800
		220	F 03E 007 6MZ	4089.0148.0220.01	Ex. stock UK	100	600
		220	F 03E 007 6SN	4089.0148.0220.02	Ex. stock IDC		800
		240	F 03E 007 6N0	4089.0148.0240.01	Ex. stock UK	100	600
		240	F 03E 007 6SP	4089.0148.0240.02	Ex. stock IDC		800
		280	F 03E 007 6SR	4089.0148.0280.02	Ex. stock IDC		800
		320	F 03E 007 6N2	4089.0148.0320.01	Ex. stock UK	100	600
		320	F 03E 007 6SS	4089.0148.0320.02	Ex. stock IDC		800
		400	F 03E 007 6N4	4089.0148.0400.01	Ex. stock UK	100	600
		400	F 03E 007 6SU	4089.0148.0400.02	Ex. stock IDC		800
		500	F 03E 007 6N5	4089.0148.0500.01	Ex. stock UK	100	600
		600	F 03E 007 6N6	4089.0148.0600.01	Ex. stock UK	100	600
			<b>ø 150 mm</b> without holes	40	F 03E 001 E11	7332.9183.0040.01	Ex. stock UK
60	F 03E 001 E12			7332.9183.0060.01	Ex. stock UK	50	500
80	F 03E 001 E13			7332.9183.0080.01	Ex. stock UK	100	600
100	F 03E 001 E14			7332.9183.0100.01	Ex. stock UK	100	600
120	F 03E 001 E15			7332.9183.0120.01	Ex. stock UK	100	600
150	F 03E 001 E16			7332.9183.0150.01	Ex. stock UK	100	600
180	F 03E 001 E17			7332.9183.0180.01	Ex. stock UK	100	600
220	F 03E 001 E18			7332.9183.0220.01	Ex. stock UK	100	600
240	F 03E 001 E19			7332.9183.0240.01	Ex. stock UK	100	600
280	F 03E 001 E1A			7332.9183.0280.01	Ex. stock UK	100	600
320	F 03E 001 E1B			7332.9183.0320.01	Ex. stock UK	100	600
360	F 03E 001 E1C			7332.9183.0360.01	Made to order		600
400	F 03E 001 E1D			7332.9183.0400.01	Ex. stock UK	100	600
500	F 03E 001 E1E			7332.9183.0500.01	Ex. stock UK	100	600
600	F 03E 001 E1F			7332.9183.0600.01	Ex. stock UK	100	600
<b>Information: P. 38</b> Technology: S Performance P. 72 Machine: Bosch, Dynabrade, Rodcraft, Festool							
<b>Information: P. 38</b> Accessories: P. 265, 270-271, 276-277							

## siafast discs

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 150 mm</b> without holes Model: Ultrafine grit  <b>Information: P. 38</b> Accessories: P. 265, 270-271, 277	800	F 03E 005 W0U	7332.9183.0800.02	Ex. stock UK	50	300
		1000	F 03E 005 W0V	7332.9183.1000.02	Made to order		300
		1200	F 03E 003 920	7332.9183.1200.01	Ex. stock UK	50	300
		1500	F 03E 003 922	7332.9183.1500.01	Ex. stock UK	50	300
	<b>ø 150 mm</b> 6-hole  <b>Information: P. 38</b> Accessories: P. 265, 270-271	60	F 03E 004 6ZN	3121.8190.0060.01	Ex. stock IDC		600
		100	F 03E 004 6ZR	3121.8190.0100.01	Ex. stock IDC		600
	<b>ø 150 mm</b> 7-hole  <b>Information: P. 38</b> Accessories: P. 265, 270-271, 281-284	40	F 03E 003 E69	8438.1710.0040.01	Ex. stock UK	50	500
		60	F 03E 003 E6A	8438.1710.0060.01	Ex. stock UK	50	500
		80	F 03E 003 E6B	8438.1710.0080.01	Ex. stock UK	100	600
		100	F 03E 003 DS0	8438.1710.0100.01	Ex. stock UK	100	600
		120	F 03E 003 DS1	8438.1710.0120.01	Ex. stock UK	100	600
		150	F 03E 003 DS2	8438.1710.0150.01	Ex. stock UK	100	600
		180	F 03E 003 DS3	8438.1710.0180.01	Ex. stock UK	100	600
		220	F 03E 003 DS4	8438.1710.0220.01	Ex. stock UK	100	600
		240	F 03E 003 DS5	8438.1710.0240.01	Ex. stock UK	100	600
		280	F 03E 003 DS6	8438.1710.0280.01	Made to order		600
		320	F 03E 003 DS7	8438.1710.0320.01	Ex. stock UK	100	600
		360	F 03E 003 DS8	8438.1710.0360.01	Made to order		600
		400	F 03E 003 DS9	8438.1710.0400.01	Ex. stock UK	100	600
		500	F 03E 003 E6C	8438.1710.0500.01	Ex. stock UK	100	600
		600	F 03E 001 GC0	8438.1710.0600.01	Ex. stock UK	100	600
			<b>ø 150 mm</b> 7-hole Model: Ultrafine grit  <b>Information: P. 38</b> Accessories: P. 265, 270-271, 281-284	800	F 03E 003 923	8438.1710.0800.01	Made to order
1000	F 03E 003 924			8438.1710.1000.01	Made to order		300
1200	F 03E 003 925			8438.1710.1200.01	Made to order		300
1500	F 03E 003 926			8438.1710.1500.01	Made to order		300
	<b>ø 150 mm</b> 9-hole  <b>Information: P. 38</b> Accessories: P. 265, 270-271, 282-284	80	F 03E 001 GC3	2237.4737.0080.01	Ex. stock IDC		600
		120	F 03E 001 GC5	2237.4737.0120.01	Ex. stock IDC		600
		150	F 03E 004 N39	2237.4737.0150.01	Ex. stock IDC		600
		320	F 03E 004 N3E	2237.4737.0320.01	Ex. stock IDC		600








## siafast discs

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
<p><b>ø 150 mm</b> 15-hole</p>	<p><b>Information: P. 38</b> Accessories: P. 265, 270-271, 281-284</p>	40	F 03E 003 E6V	7546.2948.0040.01	Ex. stock UK	50	500
		60	F 03E 003 E6W	7546.2948.0060.01	Ex. stock UK	50	500
		80	F 03E 003 E6X	7546.2948.0080.01	Ex. stock UK	100	600
		100	F 03E 003 E6Y	7546.2948.0100.01	Ex. stock UK	100	600
		120	F 03E 003 E6Z	7546.2948.0120.01	Ex. stock UK	100	600
		150	F 03E 003 E70	7546.2948.0150.01	Ex. stock UK	100	600
		180	F 03E 003 E71	7546.2948.0180.01	Ex. stock UK	100	600
		220	F 03E 003 DT0	7546.2948.0220.01	Ex. stock UK	100	600
		240	F 03E 003 DT1	7546.2948.0240.01	Ex. stock UK	100	600
		280	F 03E 003 DT2	7546.2948.0280.01	Ex. stock UK	100	600
		320	F 03E 003 DT3	7546.2948.0320.01	Ex. stock UK	100	600
		360	F 03E 003 DT4	7546.2948.0360.01	Made to order		600
		400	F 03E 003 DT5	7546.2948.0400.01	Ex. stock UK	100	600
		500	F 03E 003 DT6	7546.2948.0500.01	Ex. stock UK	100	600
		600	F 03E 003 DT7	7546.2948.0600.01	Ex. stock UK	100	600
<p><b>ø 150 mm</b> 15-hole Model: Ultrafine grit</p>	<p><b>Information: P. 38</b> Accessories: P. 265, 270-271, 281-284</p>	800	F 03E 005 W0W	7546.2948.0800.03	Ex. stock UK	50	300
		1000	F 03E 005 W0Y	7546.2948.1000.03	Ex. stock UK	50	300
		1200	F 03E 005 W10	7546.2948.1200.02	Ex. stock UK	50	300
		1500	F 03E 005 W11	7546.2948.1500.02	Ex. stock UK	50	300
		<p><b>ø 150 mm</b> 49-hole</p>	<p><b>Information: P. 38</b> Machine: Bosch, Dynabrade, Festool, Rodcraft</p>	40	F 03E 007 9T7	3817.0427.0040.01	Ex. stock IDC
60	F 03E 007 9T8			3817.0427.0060.01	Ex. stock IDC		500
80	F 03E 007 9T9			3817.0427.0080.01	Ex. stock IDC		600
100	F 03E 007 9TA			3817.0427.0100.01	Ex. stock IDC		600
120	F 03E 007 9TB			3817.0427.0120.01	Ex. stock IDC		600
150	F 03E 007 9TC			3817.0427.0150.01	Ex. stock IDC		600
180	F 03E 007 9TD			3817.0427.0180.01	Ex. stock IDC		600
220	F 03E 007 9TE			3817.0427.0220.01	Ex. stock IDC		600
240	F 03E 007 9TF			3817.0427.0240.01	Ex. stock IDC		600
280	F 03E 007 9TG			3817.0427.0280.01	Ex. stock IDC		600
320	F 03E 007 9TH			3817.0427.0320.01	Ex. stock IDC		600
360	F 03E 007 9TJ			3817.0427.0360.01	Ex. stock IDC		600
400	F 03E 007 9TK			3817.0427.0400.01	Ex. stock IDC		600
500	F 03E 007 9TL			3817.0427.0500.01	Ex. stock IDC		600
600	F 03E 007 9TM	3817.0427.0600.01	Ex. stock IDC		600		

## siafast discs







1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 150 mm</b> 49-hole Model: Ultrafine grit  <b>Information: P. 38</b> Machine: Bosch, Dynabrade, Festool, Rodcraft	800	F 03E 007 9TN	3817.0427.0800.01	Ex. stock IDC		300
		1000	F 03E 007 9TP	3817.0427.1000.01	Ex. stock IDC		300
		1500	F 03E 007 9TS	3817.0427.1500.01	Ex. stock IDC		300
	<b>ø 150 mm</b> 57-hole  <b>Information: P. 38</b> Accessories: P. 270-271, 281-284 Technology: S Performance P. 72 Machine: Bosch, Dynabrade, Rodcraft, Festool	40	F 03E 007 6WJ	1546.3150.0040.01	Ex. stock UK	50	500
		60	F 03E 007 6WK	1546.3150.0060.01	Ex. stock UK	50	500
		80	F 03E 007 6WL	1546.3150.0080.01	Ex. stock UK	100	600
	<b>ø 150 mm</b> 81-hole  <b>Information: P. 38</b> Accessories: P. 270-271, 281-284 Technology: S Performance P. 72 Machine: Bosch, Dynabrade, Festool, Rodcraft	100	F 03E 007 6MG	8443.7842.0100.01	Ex. stock UK	100	600
		120	F 03E 007 6MH	8443.7842.0120.01	Ex. stock UK	100	600
		150	F 03E 007 6MJ	8443.7842.0150.01	Ex. stock UK	100	600
		180	F 03E 007 6MK	8443.7842.0180.01	Ex. stock UK	100	600
		220	F 03E 007 6ML	8443.7842.0220.01	Made to order		600
		240	F 03E 007 6MM	8443.7842.0240.01	Ex. stock UK	100	600
		280	F 03E 007 6MN	8443.7842.0280.01	Made to order		600
		320	F 03E 007 6MP	8443.7842.0320.01	Ex. stock UK	100	600
		360	F 03E 007 6MR	8443.7842.0360.01	Made to order		600
		400	F 03E 007 6MS	8443.7842.0400.01	Ex. stock UK	100	600
		500	F 03E 007 6MT	8443.7842.0500.01	Ex. stock UK	100	600
		600	F 03E 007 6MU	8443.7842.0600.01	Ex. stock UK	100	600
	<b>ø 185 mm</b> 17-hole  <b>Information: P. 38</b> Machine: Festool	60	F 03E 003 DT8	2515.6737.0060.01	Ex. stock IDC		500
		80	F 03E 003 DT9	2515.6737.0080.01	Ex. stock IDC		600
		120	F 03E 003 E73	2515.6737.0120.01	Ex. stock IDC		600
		180	F 03E 003 E75	2515.6737.0180.01	Ex. stock IDC		600
		240	F 03E 003 E77	2515.6737.0240.01	Ex. stock IDC		600
	<b>ø 185 mm</b> 57-hole  <b>Information: P. 38</b> Technology: S Performance P. 72 Machine: Bosch, Dynabrade, Festool, Rodcraft	60	F 03E 007 6XE	6142.3843.0060.01	Made to order		500
		80	F 03E 007 6XF	6142.3843.0080.01	Made to order		600
	<b>ø 185 mm</b> 81-hole  <b>Information: P. 38</b> Technology: S Performance P. 72 Machine: Bosch, Dynabrade, Festool, Rodcraft	120	F 03E 007 6N9	3072.0654.0120.01	Ex. stock IDC		600
		240	F 03E 007 6ND	3072.0654.0240.01	Ex. stock IDC		600

## siafast discs





1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 203 mm</b> 9-hole  <b>Information: P. 38</b> Accessories: P. 271 Machine: Dynabrade, Rupes	40	F 03E 003 E6K	5002.6471.0040.01	Ex. stock UK	50	500
		60	F 03E 003 E6L	5002.6471.0060.01	Made to order		500
		80	F 03E 003 E6M	5002.6471.0080.01	Ex. stock UK	100	600
		100	F 03E 003 E6N	5002.6471.0100.01	Made to order		600
		120	F 03E 003 E6P	5002.6471.0120.01	Made to order		600
		150	F 03E 003 E6R	5002.6471.0150.01	Made to order		600
		180	F 03E 003 E6S	5002.6471.0180.01	Made to order		600
		220	F 03E 003 E6T	5002.6471.0220.01	Made to order		600
		240	F 03E 003 E6U	5002.6471.0240.01	Made to order		600
		280	F 03E 001 FV0	5002.6471.0280.01	Made to order		600
320	F 03E 001 FV1	5002.6471.0320.01	Made to order		600		
400	F 03E 001 FV3	5002.6471.0400.01	Made to order		600		
1958 siapro	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 150 mm</b> 57-hole  <b>Information: P. 39</b> Technology: S Performance P. 72 Machine: Bosch, Festool, Dynabrade, Rodcraft	100	F 03E 007 7RA	1736.2582.0100.01	Ex. stock IDC		600
	<b>ø 150 mm</b> 81-hole  <b>Information: P. 39</b> Technology: S Performance P. 72 Machine: Bosch, Festool, Dynabrade, Rodcraft	200	F 03E 007 8EH	8633.7741.0200.01	Made to order		600
		300	F 03E 007 8EJ	8633.7741.0300.01	Made to order		600
		400	F 03E 007 8EK	8633.7741.0400.01	Made to order		600
	<b>ø 150 mm</b> 15-hole  <b>Information: P. 39</b>	800	F 03E 007 8EU	7714.6626.0800.01	Made to order		300
	<b>ø 150 mm</b> without holes  <b>Information: P. 39</b> Accessories: P. 270, 283	1000	F 03E 007 8PT	5404.1437.1000.01	Made to order		20






## siafast discs

1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 90 mm</b> 7-hole  <b>Information: P. 39</b> Machine: Festool	40	F 03E 003 6PC	1452.5883.0040.01	Ex. stock IDC		600
		60	F 03E 003 6PD	1452.5883.0060.01	Ex. stock IDC		600
		80	F 03E 003 6PF	1452.5883.0080.01	Ex. stock IDC		600
		100	F 03E 003 6PG	1452.5883.0100.01	Ex. stock IDC		600
		120	F 03E 003 6PH	1452.5883.0120.01	Ex. stock IDC		600
		150	F 03E 003 6PJ	1452.5883.0150.01	Ex. stock IDC		600
		180	F 03E 003 6PK	1452.5883.0180.01	Ex. stock IDC		600
	<b>ø 115 mm</b> without holes  <b>Information: P. 39</b> Accessories: P. 275-276	40	F 03E 001 CT2	6779.8996.0040.09	Made to order		500
		60	F 03E 001 CT3	6779.8996.0060.09	Made to order		500
		80	F 03E 001 CT4	6779.8996.0080.09	Made to order		600
		100	F 03E 001 CT5	6779.8996.0100.09	Made to order		600
		120	F 03E 001 CT6	6779.8996.0120.09	Made to order		600
	<b>ø 115 mm</b> 8-hole  <b>Information: P. 39</b> Accessories: P. 275-276	40	F 03E 001 FB9	7568.7492.0040.09	Made to order		500
		60	F 03E 003 CP6	7568.7492.0060.09	Made to order		500
		80	F 03E 003 CN0	7568.7492.0080.09	Made to order		600
		120	F 03E 003 CK0	7568.7492.0120.09	Made to order		600
	<b>ø 125 mm</b> without holes  <b>Information: P. 39</b> Accessories: P. 269, 275-276 Machine: AEG, Atlas Copco, Black & Decker, Bosch, DEWALT, Fein, Festool, Hitachi, Makita, Metabo, Skil	40	F 03E 001 CT7	6999.5774.0040.09	Ex. stock UK	50	500
		60	F 03E 001 CT8	6999.5774.0060.09	Ex. stock UK	50	500
		80	F 03E 001 CT9	6999.5774.0080.09	Ex. stock UK	100	600
		100	F 03E 003 CH5	6999.5774.0100.09	Ex. stock UK	100	600
		120	F 03E 003 CH8	6999.5774.0120.09	Ex. stock UK	100	600
		150	F 03E 003 CK5	6999.5774.0150.09	Ex. stock UK	100	600
		180	F 03E 003 CK8	6999.5774.0180.09	Ex. stock UK	100	600
		220	F 03E 003 CN3	6999.5774.0220.09	Made to order		600
		240	F 03E 003 CN6	6999.5774.0240.09	Ex. stock UK	100	600
		320	F 03E 003 CP7	6999.5774.0320.09	Ex. stock UK	100	600
400	F 03E 003 CP0	6999.5774.0400.09	Ex. stock UK	100	600		
	<b>ø 125 mm</b> 5-hole  <b>Information: P. 39</b>	80	F 03E 003 M0G	1061.4366.0080.03	Ex. stock IDC		600
		120	F 03E 003 M0J	1061.4366.0120.03	Ex. stock IDC		600
		180	F 03E 003 M0K	1061.4366.0180.03	Ex. stock IDC		600





## siafast discs

1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
 <p><b>ø 125 mm</b> 8-hole</p> <p><b>Information: P. 39</b> Accessories: P. 269 Machine: AEG, Atlas Copco, Black &amp; Decker, Bosch, DEWALT, Fein, Festool, Hitachi, Makita, Metabo, Skil</p>	40	F 03E 003 LW0	8502.6854.0040.09	Ex. stock UK	50	500	
	60	F 03E 003 LW1	8502.6854.0060.09	Ex. stock UK	50	500	
	80	F 03E 003 LW3	8502.6854.0080.09	Ex. stock UK	100	600	
	100	F 03E 003 LW4	8502.6854.0100.09	Ex. stock UK	100	600	
	120	F 03E 003 LW5	8502.6854.0120.09	Ex. stock UK	100	600	
	150	F 03E 004 N2U	8502.6854.0150.09	Ex. stock UK	100	600	
	180	F 03E 003 CK9	8502.6854.0180.09	Ex. stock UK	100	600	
	220	F 03E 003 LW7	8502.6854.0220.09	Made to order		600	
	240	F 03E 004 N2V	8502.6854.0240.09	Ex. stock UK	100	600	
	280	F 03E 001 FB1	8502.6854.0280.09	Ex. stock UK	100	600	
	320	F 03E 001 FB2	8502.6854.0320.09	Ex. stock UK	100	600	
	400	F 03E 001 FB5	8502.6854.0400.09	Ex. stock UK	100	600	
600	F 03E 001 FB7	8502.6854.0600.09	Made to order		600		
 <p><b>ø 125 mm</b> 9-hole</p> <p><b>Information: P. 39</b> Accessories: P. 269 Machine: Festool</p>	40	F 03E 001 FH9	4102.2332.0040.01	Ex. stock IDC		500	
	60	F 03E 003 CK3	4102.2332.0060.01	Ex. stock IDC		500	
	80	F 03E 003 CH2	4102.2332.0080.01	Ex. stock IDC		600	
	100	F 03E 003 CH3	4102.2332.0100.01	Ex. stock IDC		600	
	120	F 03E 003 CH7	4102.2332.0120.01	Ex. stock IDC		600	
	150	F 03E 003 CH9	4102.2332.0150.01	Ex. stock IDC		600	
	180	F 03E 003 CK7	4102.2332.0180.01	Ex. stock IDC		600	
	220	F 03E 003 CN1	4102.2332.0220.01	Ex. stock IDC		600	
	240	F 03E 003 CN5	4102.2332.0240.01	Ex. stock IDC		600	
	280	F 03E 003 CN7	4102.2332.0280.01	Ex. stock IDC		600	
	320	F 03E 003 CN8	4102.2332.0320.01	Ex. stock IDC		600	
	400	F 03E 003 CP9	4102.2332.0400.01	Ex. stock IDC		600	
500	F 03E 003 CP1	4102.2332.0500.01	Ex. stock IDC		600		
 <p><b>ø 125 mm</b> 9-hole Model: Special hole pattern</p> <p><b>Information: P. 39</b> Machine: Festool</p>	60	F 03E 003 CH0	3919.0489.0060.09	Ex. stock IDC		500	
	80	F 03E 003 CH1	3919.0489.0080.09	Ex. stock IDC		600	
	100	F 03E 003 CH4	3919.0489.0100.09	Ex. stock IDC		600	
	120	F 03E 003 CH6	3919.0489.0120.09	Ex. stock IDC		600	
	150	F 03E 003 CK4	3919.0489.0150.09	Ex. stock IDC		600	
	180	F 03E 003 CK6	3919.0489.0180.09	Ex. stock IDC		600	
	220	F 03E 003 CN2	3919.0489.0220.09	Ex. stock IDC		600	
	240	F 03E 003 CN4	3919.0489.0240.09	Ex. stock IDC		600	
	320	F 03E 003 CN9	3919.0489.0320.09	Ex. stock IDC		600	





## siafast discs

1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 125 mm</b> 41-hole  <b>Information: P. 39</b> Technology: S Performance P. 72 Machine: Bosch, Dynabrade, Festool, Rodcraft	40	F 03E 007 6ZW	7375.1406.0040.01	Ex. stock UK	50	500
		60	F 03E 007 6ZX	7375.1406.0060.01	Ex. stock UK	50	500
		80	F 03E 007 6ZY	7375.1406.0080.01	Ex. stock UK	100	600
		100	F 03E 007 6ZZ	7375.1406.0100.01	Ex. stock UK	100	600
		120	F 03E 007 700	7375.1406.0120.01	Ex. stock UK	100	600
		150	F 03E 007 701	7375.1406.0150.01	Ex. stock UK	100	600
		180	F 03E 007 702	7375.1406.0180.01	Ex. stock UK	100	600
		220	F 03E 007 703	7375.1406.0220.01	Ex. stock UK	100	600
		240	F 03E 007 706	7375.1406.0240.01	Ex. stock UK	100	600
		280	F 03E 007 707	7375.1406.0280.01	Ex. stock UK	100	600
		320	F 03E 007 708	7375.1406.0320.01	Ex. stock UK	100	600
400	F 03E 007 709	7375.1406.0400.01	Ex. stock UK	100	600		
	<b>ø 150 mm</b> without holes  <b>Information: P. 39</b> Accessories: P. 265, 270, 276-277 Machine: Bosch, DEWALT, Elu, Festool, Hitachi, Kress, Metabo	40	F 03E 001 DU4	7548.7719.0040.09	Ex. stock UK	50	500
		60	F 03E 001 DU5	7548.7719.0060.09	Ex. stock UK	50	500
		80	F 03E 001 DU6	7548.7719.0080.09	Ex. stock UK	100	600
		100	F 03E 001 DU7	7548.7719.0100.09	Ex. stock UK	100	600
		120	F 03E 001 DU8	7548.7719.0120.09	Ex. stock UK	100	600
		150	F 03E 001 DU9	7548.7719.0150.09	Ex. stock UK	100	600
		180	F 03E 003 CP3	7548.7719.0180.09	Ex. stock UK	100	600
		220	F 03E 003 CJ0	7548.7719.0220.09	Ex. stock UK	100	600
		240	F 03E 003 CJ3	7548.7719.0240.09	Ex. stock UK	100	600
		280	F 03E 003 CJ5	7548.7719.0280.09	Ex. stock UK	100	600
		320	F 03E 003 CJ7	7548.7719.0320.09	Ex. stock UK	100	600
		400	F 03E 003 CJ9	7548.7719.0400.09	Ex. stock UK	100	600
		500	F 03E 003 CM2	7548.7719.0500.09	Made to order		600
600	F 03E 003 KU0	7548.7719.0600.09	Ex. stock UK	100	600		

## siafast discs








1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
 <p><b>ø 150 mm</b> 6-hole</p> <p><b>Information: P. 39</b> Accessories: P. 265, 270-271, 282-284 Machine: Bosch, DEWALT, Elu, Festool, Hitachi, Kress, Metabo</p>	40	F 03E 001 FW3	3337.6726.0040.09	Ex. stock UK	50	500	
	60	F 03E 001 FW4	3337.6726.0060.09	Ex. stock UK	50	500	
	80	F 03E 001 FW5	3337.6726.0080.09	Ex. stock UK	100	600	
	100	F 03E 001 FW6	3337.6726.0100.09	Ex. stock UK	100	600	
	120	F 03E 001 FW7	3337.6726.0120.09	Ex. stock UK	100	600	
	150	F 03E 001 FW8	3337.6726.0150.09	Ex. stock UK	100	600	
	180	F 03E 001 FW9	3337.6726.0180.09	Ex. stock UK	100	600	
	220	F 03E 003 CM0	3337.6726.0220.09	Ex. stock UK	100	600	
	240	F 03E 003 CJ1	3337.6726.0240.09	Ex. stock UK	100	600	
	280	F 03E 003 CJ4	3337.6726.0280.09	Ex. stock UK	100	600	
	320	F 03E 003 CJ6	3337.6726.0320.09	Ex. stock UK	100	600	
	400	F 03E 003 CJ8	3337.6726.0400.09	Ex. stock UK	100	600	
500	F 03E 003 CM1	3337.6726.0500.09	Ex. stock IDC		600		
 <p><b>ø 150 mm</b> 7-hole</p> <p><b>Information: P. 39</b> Accessories: P. 265, 270-271, 282-284 Machine: Festool, Rodcraft, Rupes</p>	40	F 03E 001 G2S	8654.0246.0040.01	Made to order		500	
	60	F 03E 001 G2T	8654.0246.0060.01	Made to order		500	
	80	F 03E 001 G2U	8654.0246.0080.01	Made to order		600	
	100	F 03E 001 G2V	8654.0246.0100.01	Made to order		600	
	120	F 03E 001 G2W	8654.0246.0120.01	Made to order		600	
	150	F 03E 001 G2X	8654.0246.0150.01	Made to order		600	
	180	F 03E 001 G2Y	8654.0246.0180.01	Made to order		600	
	220	F 03E 001 G2Z	8654.0246.0220.01	Made to order		600	
	240	F 03E 001 G30	8654.0246.0240.01	Made to order		600	
	320	F 03E 001 G32	8654.0246.0320.01	Made to order		600	
 <p><b>ø 150 mm</b> 9-hole</p> <p><b>Information: P. 39</b> Accessories: P. 265, 270, 281-283 Machine: Festool</p>	40	F 03E 003 M9L	2453.2806.0040.09	Ex. stock UK	50	500	
	60	F 03E 003 M9N	2453.2806.0060.09	Ex. stock UK	50	500	
	80	F 03E 003 M9R	2453.2806.0080.09	Ex. stock UK	100	600	
	100	F 03E 003 M9S	2453.2806.0100.09	Ex. stock UK	100	600	
	120	F 03E 003 M9U	2453.2806.0120.09	Ex. stock UK	100	600	
	150	F 03E 003 M9V	2453.2806.0150.09	Ex. stock UK	100	600	
	180	F 03E 004 N2W	2453.2806.0180.09	Ex. stock UK	100	600	
	220	F 03E 004 N2X	2453.2806.0220.09	Ex. stock UK	100	600	
	240	F 03E 003 M9X	2453.2806.0240.09	Ex. stock UK	100	600	
	280	F 03E 003 M9Y	2453.2806.0280.09	Ex. stock IDC		600	
	320	F 03E 003 M9Z	2453.2806.0320.09	Ex. stock UK	100	600	
	400	F 03E 001 FX0	2453.2806.0400.09	Ex. stock UK	100	600	
	600	F 03E 001 FX2	2453.2806.0600.09	Ex. stock IDC		600	

## siafast discs














1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 150 mm</b> 15-hole	40	F 03E 001 GB5	7762.1484.0040.01	Made to order		500
		60	F 03E 001 GB6	7762.1484.0060.01	Made to order		500
		80	F 03E 001 GB7	7762.1484.0080.01	Made to order		600
		100	F 03E 001 GB8	7762.1484.0100.01	Made to order		600
		120	F 03E 001 GB9	7762.1484.0120.01	Made to order		600
		150	F 03E 003 E7S	7762.1484.0150.01	Made to order		600
		180	F 03E 003 E7T	7762.1484.0180.01	Made to order		600
		220	F 03E 003 E7U	7762.1484.0220.01	Made to order		600
		240	F 03E 003 CJ2	7762.1484.0240.01	Made to order		600
		320	F 03E 003 E7V	7762.1484.0320.01	Made to order		600
	<b>Information: P. 39</b> Accessories: P. 265, 270, 281-283 Machine: Bosch, DEWALT, Elu, Festool, Hitachi, Kress, Metabo, Rodcraft, Rupes						
	<b>ø 150 mm</b> 49-hole	40	F 03E 007 9UN	4032.8963.0040.01	Ex. stock IDC		500
		60	F 03E 007 9UP	4032.8963.0060.01	Ex. stock IDC		500
		80	F 03E 007 9UR	4032.8963.0080.01	Ex. stock IDC		600
		100	F 03E 007 9US	4032.8963.0100.01	Ex. stock IDC		600
		120	F 03E 007 9UT	4032.8963.0120.01	Ex. stock IDC		600
		150	F 03E 007 9UU	4032.8963.0150.01	Ex. stock IDC		600
		180	F 03E 007 9UV	4032.8963.0180.01	Ex. stock IDC		600
		220	F 03E 007 9UW	4032.8963.0220.01	Ex. stock IDC		600
		240	F 03E 007 9UX	4032.8963.0240.01	Ex. stock IDC		600
		280	F 03E 007 9UY	4032.8963.0280.01	Ex. stock IDC		600
		320	F 03E 007 9UZ	4032.8963.0320.01	Ex. stock IDC		600
		400	F 03E 007 9V0	4032.8963.0400.01	Ex. stock IDC		600
		500	F 03E 007 9V1	4032.8963.0500.01	Ex. stock IDC		600
	<b>Information: P. 39</b> Accessories: P. 284 Machine: Festool						
	<b>ø 150 mm</b> 57-hole	40	F 03E 007 6VK	1762.1219.0040.01	Ex. stock UK	50	500
		60	F 03E 007 6VL	1762.1219.0060.01	Ex. stock UK	50	500
		80	F 03E 007 6VM	1762.1219.0080.01	Ex. stock UK	100	600
		100	F 03E 007 6VN	1762.1219.0100.01	Ex. stock UK	100	600
		120	F 03E 007 6VP	1762.1219.0120.01	Ex. stock UK	100	600
		150	F 03E 007 6VR	1762.1219.0150.01	Ex. stock UK	100	600
		180	F 03E 007 6VS	1762.1219.0180.01	Ex. stock UK	100	600
		220	F 03E 007 6VT	1762.1219.0220.01	Ex. stock UK	100	600
		240	F 03E 007 6VU	1762.1219.0240.01	Ex. stock UK	100	600
		280	F 03E 007 6VV	1762.1219.0280.01	Ex. stock UK	100	600
		320	F 03E 007 6VW	1762.1219.0320.01	Ex. stock UK	100	600
		400	F 03E 007 6VJ	1762.1219.0400.01	Ex. stock UK	100	600
	<b>Information: P. 39</b> Technology: S Performance P. 72 Machine: Bosch, Dynabrade, Festool, Rodcraft						








## siafast discs

1960 siarexx	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
 								
	<b>ø 220 mm</b> without holes	120	F 03E 004 49C	9064.8944.0120.04	Made to order		100	
		150	F 03E 004 4B6	9064.8944.0150.04	Made to order		100	
		180	F 03E 001 D2H	9064.8944.0180.01	Made to order		100	
	<b>Information: P. 39</b>							
	<b>ø 225 mm</b> without holes	100	F 03E 004 N84	9174.7333.0100.01	Made to order		100	
		120	F 03E 003 6WW	9174.7333.0120.01	Ex. stock UK	25	100	
		150	F 03E 003 6WX	9174.7333.0150.01	Made to order		100	
		180	F 03E 003 6WY	9174.7333.0180.01	Made to order		100	
		220	F 03E 004 N85	9174.7333.0220.01	Made to order		100	
	<b>Information: P. 39</b> Machine: Flex Giraffe, Festool Planex							
	<b>ø 225 mm</b> 19-hole	40	F 03E 004 UF1	2234.7823.0040.01	Ex. stock IDC		100	
		60	F 03E 004 UF2	2234.7823.0060.01	Ex. stock IDC		100	
		80	F 03E 004 UF3	2234.7823.0080.01	Ex. stock UK	25	100	
		100	F 03E 004 UF4	2234.7823.0100.01	Ex. stock IDC		100	
		120	F 03E 004 UF5	2234.7823.0120.01	Ex. stock UK	25	100	
		150	F 03E 004 UF6	2234.7823.0150.01	Ex. stock IDC		100	
		180	F 03E 004 UF7	2234.7823.0180.01	Ex. stock UK	25	100	
		220	F 03E 004 UF8	2234.7823.0220.01	Ex. stock IDC		100	
		240	F 03E 007 L76	2234.7823.0240.02	Ex. stock UK	25	100	
<b>Information: P. 39</b> Machine: Flex Giraffe, Festool Planex								
	<b>ø 300 mm</b> without holes	40	F 03E 003 CM4	0811.2845.0040.09	Ex. stock IDC		25	
		60	F 03E 004 N1M	0811.2845.0060.09	Ex. stock IDC		25	
		80	F 03E 004 N1N	0811.2845.0080.09	Ex. stock IDC		25	
		100	F 03E 004 N1P	0811.2845.0100.09	Ex. stock IDC		25	
		120	F 03E 004 N1R	0811.2845.0120.09	Ex. stock IDC		25	
		<b>Information: P. 39</b>						
2546 siabite jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>ø 125 mm</b> without holes Model: Cloth	80	F 03E 006 KU1	9715.0507.0080.01	Made to order		100	
		<b>Information: P. 41</b>						





## siafast discs

2546 siabite jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 150 mm</b> without holes Model: Cloth  <b>Information: P. 41</b> Accessories: P. 276	60	F 03E 006 KT3	0274.8350.0060.01	Ex. stock IDC		500
		80	F 03E 006 KT4	0274.8350.0080.01	Ex. stock IDC		500
		120	F 03E 006 KT5	0274.8350.0120.01	Ex. stock IDC		500
		180	F 03E 006 KT6	0274.8350.0180.01	Ex. stock IDC		500
		240	F 03E 006 KT7	0274.8350.0240.01	Ex. stock IDC		500
2920 siawood x	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
  							
	<b>ø 115 mm</b> without holes  <b>Information: P. 47</b> Accessories: P. 275-276	24	F 03E 001 CP4	7608.9528.0024.11	Made to order		250
		36	F 03E 001 CP6	7608.9528.0036.11	Made to order		250
	<b>ø 150 mm</b> without holes  <b>Information: P. 47</b>	40	F 03E 003 KW2	8377.8251.0040.01	Ex. stock UK	50	500
6150 siaflece fd	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 125 mm</b> without holes		F 03E 014 M34	7986.2423.0051.01	Made to order		160
7240 siacarat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
  							
	<b>ø 80 mm</b> without holes  <b>Information: P. 64</b> Accessories: P. 261, 269, 281, 283	500	F 03E 001 CK4	8451.8686.0500.01	Made to order		100
		1000	F 03E 007 439	8451.8686.1000.03	Ex. stock UK	10	40
		3000	F 03E 007 43B	8451.8686.3000.02	Made to order		40
	<b>ø 150 mm</b> without holes  <b>Information: P. 64</b> Accessories: P. 261, 265, 270, 277, 283	500	F 03E 003 L04	9967.9911.0500.01	Made to order		100
		500	F 03E 007 430	9967.9911.0500.03	Made to order		20
		1000	F 03E 003 KZ1	9967.9911.1000.02	Made to order		100
		1000	F 03E 007 431	9967.9911.1000.03	Ex. stock UK	5	20
		2000	F 03E 007 432	9967.9911.2000.02	Ex. stock UK	5	20
		3000	F 03E 007 433	9967.9911.3000.02	Made to order		20



## siafast discs




7241 siacarbon	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 125 mm</b> without holes	240	F 03E 003 6AD	9453.3739.0240.01	Ex. stock UK	10	40
		320	F 03E 003 6AE	9453.3739.0320.01	Ex. stock UK	10	40
		<b>Information: P. 64</b> Accessories: P. 269-270, 281, 283					
	<b>ø 150 mm</b> without holes	80	F 03E 005 30J	9980.9463.0080.01	Made to order		40
		120	F 03E 005 30K	9980.9463.0120.01	Ex. stock UK	10	40
		180	F 03E 005 30L	9980.9463.0180.01	Ex. stock UK	10	40
		240	F 03E 002 S1B	9980.9463.0240.01	Ex. stock UK	10	40
		320	F 03E 002 S1C	9980.9463.0320.01	Ex. stock UK	10	40
		500	F 03E 002 S1D	9980.9463.0500.01	Ex. stock UK	10	40
<b>Information: P. 64</b> Accessories: P. 265, 270-271, 277, 281-284							
7500 sianet CER	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 125 mm</b> Net-backed abrasive	80	F 03E 006 897	7181.8265.0080.01	Ex. stock UK	50	300
		100	F 03E 006 898	7181.8265.0100.01	Made to order		300
		120	F 03E 006 899	7181.8265.0120.01	Ex. stock UK	50	300
		150	F 03E 006 89A	7181.8265.0150.01	Made to order		300
		180	F 03E 006 89B	7181.8265.0180.01	Ex. stock UK	50	300
		220	F 03E 006 89C	7181.8265.0220.01	Made to order		300
		240	F 03E 006 89D	7181.8265.0240.01	Ex. stock UK	50	300
		320	F 03E 006 89E	7181.8265.0320.01	Ex. stock UK	50	300
	400	F 03E 006 89F	7181.8265.0400.01	Ex. stock UK	50	300	
	<b>ø 150 mm</b> Net-backed abrasive	80	F 03E 006 88Y	7709.3989.0080.01	Ex. stock UK	50	300
		100	F 03E 006 88Z	7709.3989.0100.01	Made to order		300
		120	F 03E 006 890	7709.3989.0120.01	Ex. stock UK	50	300
		150	F 03E 006 891	7709.3989.0150.01	Ex. stock UK	50	300
		180	F 03E 006 892	7709.3989.0180.01	Ex. stock UK	50	300
220		F 03E 006 893	7709.3989.0220.01	Ex. stock UK	50	300	
<b>Information: P. 65</b> Accessories: P. 269-270, 283 Machine: AEG, Atlas Copco, Black & Decker, Bosch, DEWALT, Fein, Festool, Hitachi, Makita, Metabo, Skil							
<b>Information: P. 65</b> Accessories: P. 265, 270, 281-284 Machine: Bosch, DEWALT, Elu, Festool, Hitachi, Kress, Metabo, Rodcraft, Rupes							
240	F 03E 006 894	7709.3989.0240.01	Ex. stock UK	50	300		
320	F 03E 006 895	7709.3989.0320.01	Ex. stock UK	50	300		
400	F 03E 006 896	7709.3989.0400.01	Ex. stock UK	50	300		

## siafast discs



7500 sianet CER	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 225 mm</b> Net-backed abrasive  <b>Information: P. 65</b> Technology: sianet P. 75 Machine: Festool, FLEX	80	F 03E 006 8EH	9335.3603.0080.01	Made to order		100
		100	F 03E 006 8EJ	9335.3603.0100.01	Made to order		100
		120	F 03E 006 8EK	9335.3603.0120.01	Made to order		100
		150	F 03E 006 8EL	9335.3603.0150.01	Made to order		100
		180	F 03E 006 8EM	9335.3603.0180.01	Made to order		100
		220	F 03E 006 8EN	9335.3603.0220.01	Made to order		100
7900 sianet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 125 mm</b> Net-backed abrasive  <b>Information: P. 65</b> Accessories: P. 269-270, 283 Technology: sianet P. 75 Machine: AEG, Atlas Copco, Black & Decker, Bosch, DEWALT, Fein, Festool, Hitachi, Makita, Metabo, Skil	80	F 03E 006 78H	5869.5710.0080.01	Ex. stock UK	50	300
		100	F 03E 006 78S	5869.5710.0100.01	Made to order		300
		120	F 03E 006 78T	5869.5710.0120.01	Ex. stock UK	50	300
		150	F 03E 006 78U	5869.5710.0150.01	Made to order		300
		180	F 03E 006 78V	5869.5710.0180.01	Ex. stock UK	50	300
		220	F 03E 006 78W	5869.5710.0220.01	Made to order		300
		240	F 03E 006 78X	5869.5710.0240.01	Ex. stock UK	50	300
		320	F 03E 006 78Y	5869.5710.0320.01	Ex. stock UK	50	300
		400	F 03E 006 78Z	5869.5710.0400.01	Ex. stock UK	50	300
	<b>ø 150 mm</b> Net-backed abrasive  <b>Information: P. 65</b> Accessories: P. 265, 270, 281-284 Technology: sianet P. 75 Machine: Bosch, DEWALT, Elu, Festool, Hitachi, Kress, Metabo, Rodcraft, Rupes	80	F 03E 006 77U	6397.0967.0080.01	Ex. stock UK	50	300
		100	F 03E 006 781	6397.0967.0100.01	Ex. stock UK	50	300
		120	F 03E 006 782	6397.0967.0120.01	Ex. stock UK	50	300
		150	F 03E 006 783	6397.0967.0150.01	Made to order		300
		180	F 03E 006 784	6397.0967.0180.01	Ex. stock UK	50	300
		220	F 03E 006 785	6397.0967.0220.01	Made to order		300
<b>ø 203 mm</b> Net-backed abrasive  <b>Information: P. 65</b>	240	F 03E 006 786	6397.0967.0240.01	Ex. stock UK	50	300	
	320	F 03E 006 787	6397.0967.0320.01	Ex. stock UK	50	300	
	400	F 03E 006 788	6397.0967.0400.01	Ex. stock UK	50	300	
	180	F 03E 006 FE1	7552.7402.0180.01	Made to order		300	

## siafast discs





7900 sianet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 225 mm</b> Net-backed abrasive  <b>Information: P. 65</b> Technology: sianet P. 75 Machine: Flex Giraffe, Festool Planex	80	F 03E 006 862	8023.0581.0080.01	Ex. stock UK	25	100
		100	F 03E 006 863	8023.0581.0100.01	Made to order		100
		120	F 03E 006 864	8023.0581.0120.01	Ex. stock UK	25	100
		150	F 03E 006 865	8023.0581.0150.01	Made to order		100
		180	F 03E 006 866	8023.0581.0180.01	Ex. stock UK	25	100
		220	F 03E 006 867	8023.0581.0220.01	Made to order		100
		240	F 03E 006 FC3	8023.0581.0240.01	Ex. stock UK	25	100

7940 siaair	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 80 mm</b> without holes Model: waterproof  <b>Information: P. 66</b> Accessories: P. 261, 269, 281	1000	F 03E 001 CH8	3647.2462.1000.01	Ex. stock UK	10	60
		2000	F 03E 001 CH9	3647.2462.2000.01	Ex. stock UK	10	60
		3000	F 03E 003 EF7	3647.2462.3000.01	Ex. stock UK	10	60
		4000	F 03E 003 EF8	3647.2462.4000.01	Ex. stock UK	10	60
	<b>ø 125 mm</b> without holes Model: waterproof  <b>Information: P. 66</b> Accessories: P. 261	800	F 03E 001 D9K	4635.7963.0800.01	Ex. stock UK	10	60
		1000	F 03E 001 D9L	4635.7963.1000.01	Ex. stock UK	10	60
		2000	F 03E 001 D9N	4635.7963.2000.01	Ex. stock UK	10	60
		3000	F 03E 001 D9P	4635.7963.3000.01	Ex. stock UK	10	60
	<b>ø 150 mm</b> without holes Model: waterproof  <b>Information: P. 66</b> Accessories: P. 261, 265, 270, 277, 283	240	F 03E 003 EB0	5163.3687.0240.01	Ex. stock UK	10	60
		360	F 03E 004 N29	5163.3687.0360.01	Ex. stock UK	10	60
		500	F 03E 003 EB1	5163.3687.0500.01	Ex. stock UK	10	60
		600	F 03E 004 N2A	5163.3687.0600.01	Ex. stock UK	10	60
		800	F 03E 004 N2B	5163.3687.0800.01	Ex. stock UK	10	60
		1000	F 03E 004 N2C	5163.3687.1000.01	Ex. stock UK	10	60
		1500	F 03E 004 N2D	5163.3687.1500.01	Ex. stock UK	10	60
		2000	F 03E 004 N2E	5163.3687.2000.01	Ex. stock UK	10	60
3000	F 03E 004 N2F	5163.3687.3000.01	Ex. stock UK	10	60		
4000	F 03E 003 EB2	5163.3687.4000.01	Ex. stock UK	10	60		

## siafix discs



2511 siabite	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 25 mm</b> Model: R-Type (Screw connection with outer plastic thread)  <b>Information: P. 40</b> Accessories: P. 276	36	F 03E 006 E09	7658.1526.0036.01	Made to order		1000
		50	F 03E 006 E0B	7658.1526.0050.01	Made to order		1000
		60	F 03E 006 E0C	7658.1526.0060.01	Ex. stock UK	100	1000
		80	F 03E 006 E0D	7658.1526.0080.01	Ex. stock UK	100	1000



## siafix discs




2511 siabite	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>ø 50 mm</b> Model: R-Type (Screw connection with outer plastic thread)	36	F 03E 006 E0L	8185.7250.0036.01	Ex. stock UK	50	500	
		50	F 03E 006 E0N	8185.7250.0050.01	Made to order		500	
		60	F 03E 006 E0P	8185.7250.0060.01	Ex. stock UK	50	500	
		80	F 03E 006 E0R	8185.7250.0080.01	Made to order		500	
		120	F 03E 006 E0S	8185.7250.0120.01	Made to order		500	
	<b>Information: P. 40</b> Accessories: P. 276-277							
	<b>ø 75 mm</b> Model: R-Type (Screw connection with outer plastic thread)	36	F 03E 006 E0T	8734.9195.0036.01	Made to order		500	
		60	F 03E 006 E0W	8734.9195.0060.01	Made to order		500	
		80	F 03E 006 E0X	8734.9195.0080.01	Made to order		500	
		120	F 03E 006 E0Y	8734.9195.0120.01	Made to order		500	
		<b>Information: P. 40</b> Accessories: P. 277						
	2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
								
	<b>ø 25 mm</b> Model: R-Type (Screw connection with outer plastic thread)	36	F 03E 006 DM8	4368.6841.0036.01	Made to order		1000	
		60	F 03E 006 DN3	4368.6841.0060.01	Made to order		1000	
		80	F 03E 006 DN4	4368.6841.0080.01	Ex. stock UK	100	1000	
		120	F 03E 006 DN5	4368.6841.0120.01	Made to order		1000	
		180	F 03E 006 DN6	4368.6841.0180.01	Made to order		1000	
		240	F 03E 006 DN7	4368.6841.0240.01	Made to order		1000	
		320	F 03E 006 DN8	4368.6841.0320.01	Made to order		1000	
	<b>Information: P. 45</b> Accessories: P. 276							
	<b>ø 50 mm</b> Model: R-Type (Screw connection with outer plastic thread)	36	F 03E 006 DP9	4917.8786.0036.01	Made to order		500	
		60	F 03E 006 DR2	4917.8786.0060.01	Ex. stock UK	50	500	
		80	F 03E 006 DR3	4917.8786.0080.01	Ex. stock UK	50	500	
		120	F 03E 006 DR4	4917.8786.0120.01	Ex. stock UK	50	500	
		180	F 03E 006 DR5	4917.8786.0180.01	Made to order		500	
		240	F 03E 006 DR6	4917.8786.0240.01	Ex. stock UK	50	500	
		320	F 03E 006 DR7	4917.8786.0320.01	Ex. stock UK	50	500	
	<b>Information: P. 45</b> Accessories: P. 276-277							
	<b>ø 75 mm</b> Model: R-Type (Screw connection with outer plastic thread)	36	F 03E 006 DR8	5445.4510.0036.01	Ex. stock UK	50	500	
		60	F 03E 006 DS1	5445.4510.0060.01	Ex. stock UK	50	500	
		80	F 03E 006 DS2	5445.4510.0080.01	Ex. stock UK	50	500	
		120	F 03E 006 DS3	5445.4510.0120.01	Ex. stock UK	50	500	
		240	F 03E 006 DS5	5445.4510.0240.01	Made to order		500	
320		F 03E 006 DS6	5445.4510.0320.01	Made to order		500		
<b>Information: P. 45</b> Accessories: P. 277								













## siafix discs






2824 siaflap	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 50 mm</b> Model: R-Type (Screw connection with outer plastic thread)	40	F 03E 004 4JA	0020.4323.01	Ex. stock UK	20	20
		60	F 03E 004 4J9	0020.4324.01	Ex. stock UK	20	20
		80	F 03E 004 4J8	0020.4325.01	Ex. stock UK	20	20
	<b>Information: P. 45</b> Accessories: P. 276-277						









2925 sialoX	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 50 mm</b> Model: R-Type (Screw connection with outer plastic thread)	24	F 03E 006 DE2	7184.2947.0024.01	Made to order		500
		60	F 03E 006 DE6	7184.2947.0060.01	Made to order		500
		80	F 03E 006 DE7	7184.2947.0080.01	Made to order		500
	<b>ø 75 mm</b> Model: R-Type (Screw connection with outer plastic thread)	120	F 03E 006 DE8	7184.2947.0120.01	Made to order		500
		36	F 03E 006 DF3	7711.8671.0036.01	Made to order		500
		60	F 03E 006 DF6	7711.8671.0060.01	Made to order		500
<b>Information: P. 48</b> Accessories: P. 277							

6140 siafleece sd	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 50 mm</b> Model: R-Type (Screw connection with outer plastic thread)	coarse		F 03E 006 E7G	8207.8327.3911.01	Made to order	250
		<b>Information: P. 61</b>					

6270 siamet SCM LS	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 50 mm</b> Model: R-Type (Screw connection with outer plastic thread)	coarse A		F 03E 014 LOR	6335.2710.2921.01	Ex. stock UK	50 500
		medium A		F 03E 014 LOS	6335.2710.4921.01	Ex. stock UK	50 500
		fine A		F 03E 014 LOT	6335.2710.5921.01	Ex. stock UK	50 500
		veryfine A		F 03E 014 LOU	6335.2710.6921.01	Ex. stock UK	50 500
	<b>ø 75 mm</b> Model: R-Type (Screw connection with outer plastic thread)	coarse A		F 03E 014 LOL	6884.4655.2921.01	Ex. stock UK	25 250
		medium A		F 03E 014 LOM	6884.4655.4921.01	Ex. stock UK	25 250
		fine A		F 03E 014 LON	6884.4655.5921.01	Ex. stock UK	25 250
		veryfine A		F 03E 014 LOP	6884.4655.6921.01	Ex. stock UK	25 250
<b>Information: P. 62</b>							

## siafix discs







6300 siastrip	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 50 mm</b> Model: R-Type (Screw connection with outer plastic thread)  <b>Information: P. 62</b>	Extra coarse	 F 03E 006 E72	1715.2309.1721.01	Ex. stock IDC		100
		Extra coarse	 F 03E 006 E73	2242.7566.1721.01	Ex. stock IDC		100
	<b>ø 75 mm</b> Model: R-Type (Screw connection with outer plastic thread)  <b>Information: P. 62</b>	Extra coarse	 F 03E 006 E73	2242.7566.1721.01	Ex. stock IDC		100

6924 siamet hd	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 50 mm</b> Model: R-Type (Screw connection with outer plastic thread)  <b>Information: P. 63</b> Accessories: P. 276-277	Extra coarse	 F 03E 014 J3B	0546.3989.1923.01	Ex. stock IDC		500
		coarse	 F 03E 014 HC4	0546.3989.2923.01	Ex. stock UK	50	500
		medium	 F 03E 014 HC1	0546.3989.4923.01	Ex. stock UK	50	500
	<b>ø 75 mm</b> Model: R-Type (Screw connection with outer plastic thread)  <b>Information: P. 63</b> Accessories: P. 277	Extra coarse	 F 03E 014 J36	1073.9713.1923.01	Ex. stock UK	25	250
		coarse	 F 03E 014 HB8	1073.9713.2923.01	Ex. stock UK	25	250
		medium	 F 03E 014 HB5	1073.9713.4923.01	Ex. stock UK	25	250

## siasoft discs

1950 siaspeed	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
   							
	<b>ø 150 mm</b> 15-hole Model: Paper  <b>Information: P. 38</b> Accessories: P. 270-271, 281-284 Technology: siasoft P. 73	320	F 03E 003 AE0	3481.4793.0320.01	Ex. stock IDC		150

## siastrip discs

6300 siastrip	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
   							
	Disc with suction hole <b>ø 100 mm</b> Centre hole: 12 mm  <b>Information: P. 62</b>	Extra coarse	 F 03E 014 K22	4450.4531.1721.40	Made to order		80

## siastrip discs

6300 siastrip	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	Disc with suction hole <b>ø 100 mm</b> Centre hole: 6 mm  <b>Information: P. 62</b>	Extra coarse	F 03E 013 VU9	4329.5929.1721.04	Ex. stock IDC		10
		Extra coarse	F 03E 014 K23	5527.2200.1721.33	Ex. stock UK	10	10
	Disc with suction hole <b>ø 150 mm</b> Centre hole: 12 mm  <b>Information: P. 62</b>	Extra coarse	F 03E 014 LN1	0423.4783.1721	Ex. stock UK	10	80
	sia X-Lock siastrip 115mm - 22mm Plastic backed disc <b>ø 115 mm</b> Bore: 22,23 mm Model: X-LOCK  <b>Information: P. 62</b> Technology: X-LOCK P. 76 Machine: Bosch	Extra coarse	F 03E 014 LN2	0643.1561.1721	Ex. stock UK	10	80
	sia X-lock siastrip 125mm - 22mm Plastic backed disc <b>ø 125 mm</b> Bore: 22,23 mm Model: X-LOCK  <b>Information: P. 62</b> Technology: X-LOCK P. 76 Machine: Bosch						



## siaflies discs

6120 siafleece	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 125 mm</b> without holes  <b>Information: P. 60</b>		F 03E 014 K99	7338.6815.4923.02	Made to order		160
		medium A	F 03E 014 KJ5	7338.6815.4921.02	Made to order		160
		medium S	F 03E 014 KJ4	7338.6815.4721.02	Made to order		160
		veryfine	F 03E 014 KH8	7338.6815.6921.03	Made to order		160
		microfine speed	F 03E 014 KJ2	7338.6815.9913.01	Made to order		160
		ultrafine S XS	F 03E 014 KJ3	7338.6815.8712.01	Made to order		160
	<b>ø 125 mm</b> 8-hole  <b>Information: P. 60</b>	veryfine A XS	F 03E 014 2RP	8095.6063.6932.01	Ex. stock UK	100	100



## siavlies discs




6120 siafleece	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 130 mm</b> 6-hole  <b>Information: P. 60</b>	veryfine A XS	F 03E 013 N80	1286.3072.6932	Ex. stock UK	400	
	<b>ø 150 mm</b>  <b>Information: P. 60</b>		F 03E 014 K98	7866.2539.4923.03	Made to order		20
		medium S	F 03E 013 P4F	1725.6628.4721.02	Ex. stock UK	20	20
		ultrafine	F 03E 013 P4R	1725.6628.8711.01	Ex. stock UK	20	200
	<b>ø 150 mm</b> without holes  <b>Information: P. 60</b> Accessories: P. 283	extra cut A	F 03E 014 K2T	7866.2539.2922.02	Ex. stock UK	20	20
		medium S	F 03E 014 K2U	7866.2539.4721.02	Made to order		20
		fine A	F 03E 014 K2V	7866.2539.5911.01	Made to order		20
		veryfine	F 03E 013 W1X	4448.9250.6932.07	Made to order		20
		veryfine A XS	F 03E 014 K2X	7866.2539.6932.06	Made to order		20
		veryfine speed	F 03E 014 K2W	7866.2539.6921.02	Ex. stock UK	20	20
		ultrafine speed	F 03E 014 K2Y	7866.2539.8715.02	Made to order		20
		microfine speed	F 03E 014 K2Z	7866.2539.9913.01	Made to order		20
		ultrafine S XS	F 03E 014 KJ6	7866.2539.8712.01	Made to order		20
	<b>ø 150 mm</b> 6-hole  <b>Information: P. 60</b>		F 03E 013 P4N	1725.6628.6932.03	Ex. stock UK	20	20
	<b>ø 150 mm</b> 7-hole  <b>Information: P. 60</b>	veryfine	F 03E 013 Z02	5645.6768.6932	Made to order		20
		ultrafine	F 03E 013 Z05	5645.6768.8711	Ex. stock UK	20	20
	<b>ø 203 mm</b> without holes  <b>Information: P. 60</b>	veryfine speed	F 03E 014 3LX	9021.8974.6921.01	Made to order		80
	<b>ø 407 mm</b> without holes  <b>Information: P. 60</b>	veryfine	F 03E 013 KJ3	0049.0168.6932.06	Ex. stock IDC		15

## siavlies discs




6130 siafleece hd	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
		medium S	F 03E 013 XY4	5271.2276.4711	Made to order		8
<b>Information: P. 60</b>							

## Self-adhesive discs

1913 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
		180	F 03E 003 JW9	1856.9970.0180.03	Ex. stock IDC		400
<b>Information: P. 35</b>							
<b>Information: P. 35</b>		320	F 03E 001 D1S	4032.1529.0320.01	Ex. stock IDC		100
		800	F 03E 001 D6A	4032.1529.0800.01	Ex. stock IDC		100
		2000	F 03E 003 KJ3	4032.1529.2000.01	Ex. stock IDC		100
<b>Information: P. 35</b>							
<b>Information: P. 35</b>		2000	F 03E 003 KJ8	4230.2086.2000.01	Ex. stock IDC		100




1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
		60	F 03E 003 K5R	4372.6660.0060.02	Ex. stock UK	50	50
<b>Information: P. 36</b>		80	F 03E 001 DA0	4372.6660.0080.02	Ex. stock UK	10	10
		120	F 03E 001 DN2	4372.6660.0120.02	Ex. stock UK	50	50
<b>Information: P. 36</b>							
		60	F 03E 003 K3X	5449.4329.0060.01	Made to order		100
		100	F 03E 001 D91	5449.4329.0100.01	Made to order		100
<b>Information: P. 36</b>							




## Self-adhesive discs

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 305 mm</b> without holes Model: Antistatic  <b>Information: P. 36</b>	60	F 03E 003 K4D	5559.2718.0060.01	Made to order		100
		80	F 03E 001 DC8	5559.2718.0080.01	Made to order		100
		80	F 03E 001 DC9	5559.2718.0080.02	Ex. stock UK	50	50
		120	F 03E 003 K4F	5559.2718.0120.02	Made to order		50
	<b>ø 400 mm</b> without holes Model: Antistatic  <b>Information: P. 36</b>	60	F 03E 003 MU7	7602.9667.0060.01	Made to order		25
		80	F 03E 003 MU6	7602.9667.0080.01	Made to order		25
		120	F 03E 003 MY0	7602.9667.0120.01	Made to order		25
	<b>ø 407 mm</b> without holes Model: Antistatic  <b>Information: P. 36</b>	40	F 03E 001 GH5	7765.3900.0040.01	Made to order		25
		60	F 03E 003 MV8	7765.3900.0060.02	Ex. stock UK	10	10
	<b>ø 600 mm</b> without holes Model: Antistatic  <b>Information: P. 36</b>	50	F 03E 003 N81	1963.8216.0050.01	Ex. stock IDC		25
		60	F 03E 003 N55	1963.8216.0060.01	Ex. stock IDC		25
		80	F 03E 001 GU1	1963.8216.0080.01	Ex. stock IDC		25
		100	F 03E 001 GU9	1963.8216.0100.01	Ex. stock IDC		25
	<b>ø 610 mm</b> without holes Model: Antistatic  <b>Information: P. 36</b>	36	F 03E 001 GT6	2183.4994.0036.01	Ex. stock UK	10	10
		40	F 03E 003 N5Z	2183.4994.0040.01	Ex. stock UK	10	10
		60	F 03E 001 GX5	2183.4994.0060.01	Ex. stock UK	10	10
		80	F 03E 003 N76	2183.4994.0080.01	Ex. stock UK	10	10
	<b>ø 760 mm</b> without holes Model: Antistatic  <b>Information: P. 36</b>	36	F 03E 001 GU3	5435.4222.0036.02	Made to order		10
		40	F 03E 003 N5A	5435.4222.0040.02	Ex. stock UK	10	10
		60	F 03E 003 N63	5435.4222.0060.01	Ex. stock UK	10	10
		80	F 03E 003 N71	5435.4222.0080.02	Ex. stock UK	10	10
	<b>ø 760 mm</b> Centre hole Model: Antistatic  <b>Information: P. 36</b>	40	F 03E 001 GX7	5174.0433.0040.01	Ex. stock UK	10	10





## Self-adhesive discs







1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 800 mm</b> without holes Model: Antistatic	40	F 03E 001 GV9	6292.5113.0040.01	Made to order		25
		80	F 03E 003 N69	6292.5113.0080.01	Made to order		25
<b>Information: P. 36</b>							
	<b>ø 915 mm</b> without holes Model: Antistatic	60	F 03E 001 GY7	8775.5618.0060.01	Made to order		10
<b>Information: P. 36</b>							

2920 siawood x	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 50 mm</b> without holes Model: Antistatic	80	F 03E 003 JC7	3717.0255.0080.02	Ex. stock IDC		50
		120	F 03E 001 CG7	3717.0255.0120.01	Ex. stock IDC		100
<b>Information: P. 47</b>							
	<b>ø 370 mm</b> Centre hole Model: Antistatic	60	F 03E 004 39R	0625.2393.0060.01	Ex. stock IDC		25
<b>Information: P. 47</b>							








## Grinding discs

8933 siagrind	Dimension	Specification	Thickness mm	Part number	Part number	Delivery date	MOQ	SU
								
	<b>ø 115 mm</b> Bore: 22,2 mm Model: Steel	A 20/24 P-BF27	6,0	F 03E 007 5U1	0020.8738.01	Ex. stock UK	10	80
<b>Information: P. 69</b>								






## Grinding discs

8933 siagrind	Dimension	Specification	Thickness mm	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 115 mm</b> Bore: 22,2 mm Model: X-LOCK Steel  <b>Information: P. 69</b> Technology: X-LOCK P. 76 Machine: AEG, Atlas Copco, Black & Decker, Bosch, DEWALT, Dynabrade, Einhell, Elu, Fein, Felisatti, Festool, FLEX, Hitachi, HolzHer, Kress, Makita, Metabo, Peugeot, Rodac, Rodcraft, Rupes, Ryobi, Skil, Suhner	A 30 T BF	6,0	F 03E 007 5U7	0020.8744.01	Ex. stock UK	10	10
	<b>ø 125 mm</b> Bore: 22,2 mm Model: Inox/stainless steel Steel  <b>Information: P. 69</b>	A 20/24 P-BF27	6,0	F 03E 007 5TY	0020.8735.01	Ex. stock IDC		80
	<b>ø 125 mm</b> Bore: 22,2 mm Model: Steel  <b>Information: P. 69</b>	A 20/24 P-BF27	6,0	F 03E 007 5U2	0020.8739.01	Ex. stock UK	10	80
	<b>ø 125 mm</b> Bore: 22,2 mm Model: X-LOCK Steel  <b>Information: P. 69</b> Technology: X-LOCK P. 76 Machine: Bosch, AEG, Atlas Copco, Black & Decker, DEWALT, Dynabrade, Einhell, Elu, Fein, Felisatti, Festool, FLEX, Hitachi, HolzHer, Kress, Makita, Metabo, Peugeot, Rodac, Rodcraft, Rupes, Ryobi, Skil, Suhner	A 30 T BF	6,0	F 03E 007 5U8	0020.8745.01	Ex. stock UK	10	10
	<b>ø 230 mm</b> Bore: 22,2 mm Model: Inox/stainless steel Steel  <b>Information: P. 69</b>	A 20/24 P-BF27	6,0	F 03E 007 5TZ	0020.8736.01	Ex. stock IDC		10
	<b>ø 230 mm</b> Bore: 22,2 mm Model: Steel  <b>Information: P. 69</b>	A 20/24 P-BF27	6,0	F 03E 007 5U4	0020.8741.01	Ex. stock UK	10	10



## Cutting discs

8913 siacut	Dimension	Specification	Thickness mm	Part number	Part number	Delivery date	MOQ	SU
 	<b>ø 76 mm</b> Bore: 10 mm Model: Inox/stainless steel Steel T41  <b>Information: P. 68</b>	A 60 R-BF41	1,0	F 03E 007 5TC	0020.8716.01	Ex. stock UK	5	100
	<b>ø 100 mm</b> Bore: 16 mm Model: Inox/stainless steel Steel T41  <b>Information: P. 68</b>	A 60 S-BF41	1,0	F 03E 007 5TE	0020.8718.01	Ex. stock UK	25	450
	<b>ø 115 mm</b> Bore: 22,2 mm Model: Inox/stainless steel Steel T41  <b>Information: P. 68</b>	A 60 S-BF41	1,0	F 03E 007 5TG	0020.8720.01	Ex. stock UK	25	200
AS 46T BF41		1,6	F 03E 007 5TH	0020.8721.01	Ex. stock UK	25	200	
<b>ø 115 mm</b> Bore: 22,2 mm Model: Steel T41  <b>Information: P. 68</b>	A 30 S-BF41	2,5	F 03E 007 5TJ	0020.8722.01	Ex. stock UK	25	200	
  	<b>ø 115 mm</b> Bore: 22,2 mm Model: X-LOCK Inox/stainless steel Steel  <b>Information: P. 68</b> Technology: X-LOCK P. 76 Machine: Bosch, AEG, Atlas Copco, Black & Decker, DEWALT, Dynabrade, Einhell, Elu, Fein, Felisatti, Festool, FLEX, Hitachi, HolzHer, Kress, Makita, Metabo, Peugeot, Rodac, Rodcraft, Rupes, Ryobi, Skil, Suhner	AS 60T INOX BF	1,0	F 03E 007 5U5	0020.8742.01	Ex. stock UK	25	25
 	<b>ø 125 mm</b> Bore: 22,2 mm Model: Aluminium T41  <b>Information: P. 68</b>	CS 60 BF41	1,0	F 03E 007 5TP	0020.8727.01	Ex. stock IDC		250
	<b>ø 125 mm</b> Bore: 22,2 mm Model: Inox/stainless steel Steel T41  <b>Information: P. 68</b>	A 60 S-BF41	1,0	F 03E 007 5TL	0020.8724.01	Ex. stock UK	25	200
		AS 46T BF41	1,6	F 03E 007 5TM	0020.8725.01	Ex. stock UK	25	250





## Cutting discs

8913 siacut	Dimension	Specification	Thickness mm	Part number	Part number	Delivery date	MOQ	SU
  	<b>ø 125 mm</b> Bore: 22,2 mm Model: Steel T41  <b>Information: P. 68</b>	A 30 S-BF41	2,5	F 03E 007 5TN	0020.8726.01	Ex. stock UK	25	200
		AS 60T INOX BF	1,0	F 03E 007 5U6	0020.8743.01	Ex. stock UK	25	25
 	<b>ø 230 mm</b> Bore: 22,2 mm Model: Inox/stainless steel Steel T41  <b>Information: P. 68</b>	AS 46T BF41	1,8	F 03E 007 5TT	0020.8730.01	Ex. stock UK	10	10
		AS 46T BF41	2,0	F 03E 007 5TU	0020.8731.01	Ex. stock UK	25	25
	<b>ø 230 mm</b> Bore: 22,2 mm Model: Steel T41  <b>Information: P. 68</b>	A 30 S-BF41	2,5	F 03E 007 5TV	0020.8732.01	Ex. stock IDC		25
		A 30 S-BF41	3,0	F 03E 007 5TW	0020.8733.01	Ex. stock UK	25	25







## Various discs

1707 siapar	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
 	<b>ø 178 mm</b> Star-pattern hole  <b>Information: P. 30</b>	16	F 03E 001 E23	4152.4162.0016.03	Ex. stock IDC		250
		24	F 03E 001 E24	4152.4162.0024.03	Ex. stock IDC		250
		36	F 03E 001 E25	4152.4162.0036.03	Ex. stock IDC		250

## Various discs

1713 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>ø 125 mm</b> without holes  <b>Information: P. 30</b>	500	F 03E 006 ZA6	8214.3244.0500.02	Ex. stock UK	100	100	
		600	F 03E 006 ZA9	8214.3244.0600.02	Ex. stock UK	100	100	
		1000	F 03E 006 ZB1	8214.3244.1000.02	Ex. stock UK	100	100	
		1200	F 03E 006 ZB9	8214.3244.1200.02	Ex. stock UK	100	100	
	<b>ø 240 mm</b>  <b>Information: P. 30</b>	400	F 03E 006 NR2	0729.5401.0400.01	Ex. stock IDC		100	
		600	F 03E 007 190	0729.5401.0600.01	Ex. stock IDC		100	
		800	F 03E 006 W1C	0729.5401.0800.01	Ex. stock IDC		100	
		1000	F 03E 006 V12	0729.5401.1000.01	Ex. stock IDC		100	
		1200	F 03E 007 1KY	0729.5401.1200.01	Ex. stock IDC		100	
		2000	F 03E 006 W1A	0729.5401.2000.01	Ex. stock IDC		100	
		2500	F 03E 006 W80	0729.5401.2500.01	Ex. stock IDC		100	
	<b>ø 250 mm</b> without holes  <b>Information: P. 30</b>	320	F 03E 006 MK9	0949.2179.0320.01	Ex. stock IDC		600	
		400	F 03E 006 N67	0949.2179.0400.01	Ex. stock IDC		600	
		600	F 03E 006 ML0	0949.2179.0600.01	Ex. stock IDC		600	
		1000	F 03E 006 RB3	0949.2179.1000.01	Ex. stock IDC		600	
		1200	F 03E 006 LB0	0949.2179.1200.01	Ex. stock IDC		600	
		1500	F 03E 006 LB1	0949.2179.1500.01	Ex. stock IDC		600	
		2000	F 03E 006 LB2	0949.2179.2000.01	Ex. stock IDC		600	
		2500	F 03E 006 R91	0949.2179.2500.01	Ex. stock IDC		600	
		<b>ø 250 mm</b> Centre hole  <b>Information: P. 30</b>	800	F 03E 006 T6C	0687.8390.0800.01	Ex. stock IDC		100
	<b>ø 300 mm</b>  <b>Information: P. 30</b>	600	F 03E 006 ND1	2025.9848.0600.01	Ex. stock IDC		100	
		1000	F 03E 007 H7N	2025.9848.1000.02	Ex. stock IDC		100	
	<b>ø 400 mm</b>  <b>Information: P. 30</b>	600	F 03E 006 VU2	4201.1407.0600.01	Ex. stock IDC		50	
		800	F 03E 006 NB7	4201.1407.0800.01	Ex. stock IDC		50	
		1000	F 03E 006 M8X	4201.1407.1000.01	Ex. stock IDC		50	

## Various discs

1749 siaral f	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>ø 140 mm</b> Star-pattern hole	60	F 03E 001 E1M	4237.1896.0060.04	Ex. stock IDC		100	
		120	F 03E 001 E1P	4237.1896.0120.03	Ex. stock IDC		100	
	<b>Information: P. 33</b> Accessories: P. 270, 274-276, 282 Technology: TopTec P. 74							
	<b>ø 150 mm</b>	40	F 03E 008 3JP	4241.0190.0040.01	Ex. stock IDC		500	
		60	F 03E 008 3JS	4241.0190.0060.01	Ex. stock IDC		500	
		80	F 03E 008 3JT	4241.0190.0080.01	Ex. stock IDC		500	
		100	F 03E 008 3JW	4241.0190.0100.01	Ex. stock IDC		500	
		120	F 03E 008 3JZ	4241.0190.0120.01	Ex. stock IDC		500	
	<b>Information: P. 33</b>							
		<b>ø 178 mm</b> Centre hole	80	F 03E 001 E2X	9061.0856.0080.01	Made to order		500
<b>Information: P. 33</b> Accessories: P. 276-277								
	<b>ø 178 mm</b> Star-pattern hole	40	F 03E 008 3HW	5063.3164.0040.01	Made to order		500	
		60	F 03E 008 3HS	5063.3164.0060.01	Made to order		500	
		80	F 03E 008 3YF	5063.3164.0080.01	Made to order		500	
		100	F 03E 008 3JE	5063.3164.0100.01	Made to order		500	
		120	F 03E 008 3JH	5063.3164.0120.01	Made to order		500	
	<b>Information: P. 33</b>							
	<b>ø 375 mm</b>	40	F 03E 008 3GR	1979.0048.0040.01	Ex. stock IDC		10	
		60	F 03E 008 3HM	1979.0048.0060.01	Ex. stock IDC		10	
		100	F 03E 008 3H2	1979.0048.0100.01	Ex. stock IDC		10	
	<b>Information: P. 33</b>							
<b>1815 siatop</b>								
								
	<b>ø 350 mm</b>	60	F 03E 006 CG8	4637.2732.0060.01	Made to order		100	
		<b>Information: P. 33</b>						











## Various discs

1913 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 180 mm</b> without holes  <b>Information: P. 35</b>	1000	F 03E 001 DL0	3771.6961.1000.01	Ex. stock IDC		100
	<b>ø 230 mm</b>  <b>Information: P. 35</b>	280	F 03E 006 9VS	4848.4630.0280.01	Made to order		100
	<b>ø 230 mm</b> without holes  <b>Information: P. 35</b>	120	F 03E 001 DS8	4848.4630.0120.01	Made to order		100
		180	F 03E 001 CM5	4848.4630.0180.01	Made to order		100
		800	F 03E 003 K7N	4848.4630.0800.01	Made to order		100
		1200	F 03E 001 CM9	4848.4630.1200.02	Made to order		100
	<b>ø 240 mm</b> without holes  <b>Information: P. 35</b>	400	F 03E 003 JP3	5068.1408.0400.01	Made to order		100
		600	F 03E 003 JP4	5068.1408.0600.01	Made to order		100
		800	F 03E 003 JX0	5068.1408.0800.01	Made to order		100
		1200	F 03E 003 JP5	5068.1408.1200.01	Made to order		100
		2000	F 03E 002 9PJ	5068.1408.2000.02	Made to order		100
		2500	F 03E 003 KD1	5068.1408.2500.01	Made to order		100
	<b>ø 250 mm</b> without holes  <b>Information: P. 35</b>	180	F 03E 001 CN6	5266.1965.0180.01	Made to order		600
		240	F 03E 007 H6K	5266.1965.0240.03	Made to order		100
		320	F 03E 003 JV3	5266.1965.0320.01	Made to order		100
		400	F 03E 001 CN8	5266.1965.0400.01	Made to order		100
600		F 03E 001 CN9	5266.1965.0600.01	Made to order		600	
800		F 03E 003 JW1	5266.1965.0800.01	Made to order		600	
1000		F 03E 003 JV6	5266.1965.1000.01	Made to order		600	
1200		F 03E 003 JR7	5266.1965.1200.01	Made to order		600	
1500		F 03E 003 K8R	5266.1965.1500.02	Made to order		100	
2000		F 03E 002 9ME	5266.1965.2000.02	Made to order		100	
2500	F 03E 003 9B0	5266.1965.2500.02	Made to order		100		
<b>ø 265 mm</b> without holes  <b>Information: P. 35</b>	1000	F 03E 004 8KZ	5595.7132.1000.01	Made to order		100	










## Various discs

1913 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 265 mm</b> Centre hole	1000	F 03E 007 EP4	5550.1827.1000.02	Made to order		100
		1500	F 03E 006 J8M	5595.7132.1500.01	Made to order		100
		1500	F 03E 007 3E9	5550.1827.1500.01	Made to order		100
		2000	F 03E 007 3EB	5550.1827.2000.01	Made to order		100
<b>Information: P. 35</b>							
	<b>ø 280 mm</b> without holes	400	F 03E 004 WC7	5925.2299.0400.01	Made to order		100
		600	F 03E 004 WC6	5925.2299.0600.01	Made to order		100
<b>Information: P. 35</b>							
	<b>ø 280 mm</b> Centre hole	600	F 03E 007 3EC	5879.6994.0600.01	Made to order		100
<b>Information: P. 35</b>							
	<b>ø 300 mm</b> without holes	320	F 03E 006 96N	6364.5855.0320.03	Made to order		100
		400	F 03E 003 J78	6364.5855.0400.04	Made to order		100
		600	F 03E 002 K25	6364.5855.0600.02	Made to order		100
		800	F 03E 001 CP1	6364.5855.0800.01	Made to order		100
		1000	F 03E 004 XB3	6364.5855.1000.02	Made to order		100
		1200	F 03E 001 CP2	6364.5855.1200.01	Made to order		100
		1500	F 03E 001 DJ1	6364.5855.1500.02	Made to order		100
		2000	F 03E 002 9MF	6364.5855.2000.02	Made to order		100
		2500	F 03E 001 DJ3	6364.5855.2500.01	Made to order		100
		<b>Information: P. 35</b>					
	<b>ø 305 mm</b> without holes	120	F 03E 003 K1G	6474.4244.0120.02	Ex. stock UK	100	100
		320	F 03E 003 JX2	6474.4244.0320.02	Ex. stock UK	100	100
		600	F 03E 003 K1R	6474.4244.0600.01	Ex. stock UK	100	100
		1200	F 03E 003 K1U	6474.4244.1200.01	Ex. stock UK	100	100
<b>Information: P. 35</b>							
	<b>ø 400 mm</b> without holes	280	F 03E 003 7E7	8518.0726.0280.01	Made to order		50
		320	F 03E 003 MZ6	8518.0726.0320.01	Made to order		50
		1500	F 03E 001 GL2	8518.0726.1500.01	Made to order		50
		2000	F 03E 001 GL6	8518.0726.2000.01	Made to order		50
		2500	F 03E 001 GL7	8518.0726.2500.01	Made to order		50
<b>Information: P. 35</b>							










## Various discs

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 350 mm</b> Centre hole	40	F 03E 003 B23	6869.1120.0040.02	Ex. stock UK	50	50
	<b>Information: P. 36</b>						
	<b>ø 600 mm</b> without holes	40	F 03E 003 N3R	2999.8562.0040.01	Ex. stock IDC		25
		50	F 03E 003 N3S	2999.8562.0050.01	Ex. stock IDC		25
		60	F 03E 003 N3T	2999.8562.0060.01	Ex. stock IDC		25
	<b>Information: P. 36</b>						
	<b>ø 760 mm</b> without holes	36	F 03E 003 N58	6471.4101.0036.02	Made to order		10
		40	F 03E 003 N72	6471.4101.0040.01	Ex. stock UK	10	10
		60	F 03E 001 GX8	6471.4101.0060.01	Ex. stock UK	25	25
	<b>Information: P. 36</b>						
	<b>ø 760 mm</b> Centre hole	40	F 03E 001 GV5	6210.0312.0040.02	Ex. stock UK	10	10
	<b>Information: P. 36</b>						
	<b>ø 915 mm</b> without holes	36	F 03E 001 GT8	9811.5497.0036.02	Made to order		10
	<b>Information: P. 36</b>						
2790 sianet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 407 mm</b> without holes	60	F 03E 003 E8K	6602.1267.0060.03	Made to order		30
		80	F 03E 002 KM9	6602.1267.0080.05	Made to order		50
		100	F 03E 002 KM0	6602.1267.0100.01	Made to order		50
		120	F 03E 003 E8L	6602.1267.0120.01	Made to order		50
		150	F 03E 003 E8M	6602.1267.0150.01	Made to order		50
		180	F 03E 003 E8N	6602.1267.0180.01	Made to order		50
	<b>Information: P. 43</b> Technology: sianet P. 75						










## Various discs

2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>ø 350 mm</b>	40	F 03E 003 MP0	6415.9988.0040.02	Ex. stock UK	50	50	
		<b>Information: P. 45</b>						
5230 microtec	Dimension	Col-our	Grit in µm	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 127 mm</b> without holes		30	F 03E 005 4YK	4572.1679.0500.01	Made to order		50
			15	F 03E 005 4YL	4572.1679.1200.01	Made to order		50
			5	F 03E 005 4YN	4572.1679.2700.01	Made to order		50
			3	F 03E 005 4YP	4572.1679.3000.01	Made to order		50
			0,5	F 03E 005 4YS	4572.1679.9000.01	Made to order		50
<b>Information: P. 57</b>								
5330 microtec	Dimension	Col-our	Grit in µm	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 127 mm</b> without holes		0,01	F 03E 005 4YT	6730.6572.0000.01	Made to order		100
		<b>Information: P. 57</b>						



## Fibreglass pads

2824 siaflap	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>ø 115 mm</b> Bore: 22,23 mm	40	F 03E 008 33W	0020.9743.01	Ex. stock IDC		60	
		40	F 03E 008 340	0020.9747.01	Ex. stock IDC		60	
		60	F 03E 008 33X	0020.9744.01	Ex. stock IDC		60	
		60	F 03E 008 341	0020.9748.01	Ex. stock IDC		60	
		80	F 03E 008 33Y	0020.9745.01	Ex. stock IDC		60	
		80	F 03E 008 342	0020.9749.01	Ex. stock IDC		60	
		120	F 03E 008 33Z	0020.9746.01	Ex. stock IDC		60	
<b>Information: P. 45</b>								
 	<b>ø 115 mm</b> Bore: 22,23 mm Model: T29 (angled) Eco	40	F 03E 004 516	0020.4901.01	Ex. stock UK	10	60	
		60	F 03E 002 P8C	0020.5456.01	Ex. stock UK	10	60	
		80	F 03E 002 UF2	0020.5771.01	Ex. stock UK	10	60	
	<b>Information: P. 45</b>							
	<b>ø 115 mm</b> Bore: 22,23 mm Model: T29 (angled) jumbo	40	F 03E 002 85B	0020.2922.01	Ex. stock UK	10	60	
		60	F 03E 002 85C	0020.2923.01	Ex. stock UK	10	60	
		80	F 03E 002 85D	0020.2924.01	Ex. stock IDC		60	
<b>Information: P. 45</b>								
	<b>ø 125 mm</b> Bore: 22,23 mm	40	F 03E 008 346	0020.9753.01	Ex. stock IDC		60	
		<b>Information: P. 45</b>						
 	<b>ø 125 mm</b> Bore: 22,23 mm Model: T29 (angled) Eco	40	F 03E 004 515	0020.4900.01	Ex. stock UK	10	60	
		60	F 03E 002 P8D	0020.5457.01	Ex. stock UK	10	60	
		80	F 03E 002 UF3	0020.5772.01	Ex. stock UK	10	60	
	<b>Information: P. 45</b>							
	<b>ø 125 mm</b> Bore: 22,23 mm Model: T29 (angled) jumbo	40	F 03E 002 85E	0020.3021.01	Ex. stock UK	10	60	
		60	F 03E 002 85F	0020.3022.01	Ex. stock UK	10	60	
		80	F 03E 002 85H	0020.3023.01	Ex. stock IDC		60	
<b>Information: P. 45</b>								
 	<b>ø 115 mm</b> Bore: 22,23 mm Model: T27 (flat) Standard	40	F 03E 002 828	0020.4373.01	Ex. stock UK	10	60	
		60	F 03E 002 82A	0020.4375.01	Ex. stock UK	10	60	
		80	F 03E 002 82B	0020.4376.01	Ex. stock UK	10	60	
		120	F 03E 002 82C	0020.4377.01	Ex. stock UK	10	60	
<b>Information: P. 45</b>								

Fibreglass pads












2824 siaflap	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
 	<b>ø 125 mm</b> Bore: 22,23 mm Model: T27 (flat) Standard	40	F 03E 002 82E	0020.4399.01	Ex. stock UK	10	60
		60	F 03E 002 840	0020.4401.01	Ex. stock UK	10	60
		80	F 03E 002 841	0020.4402.01	Ex. stock IDC		60
		120	F 03E 002 843	0020.4403.01	Ex. stock IDC		60
<b>Information: P. 45</b>							
 	<b>ø 115 mm</b> Bore: 22,23 mm Model: T29 (angled) Standard	40	F 03E 004 N6S	0020.2651.01	Ex. stock UK	10	60
		60	F 03E 004 N6U	0020.2653.01	Ex. stock UK	10	60
		80	F 03E 004 N6V	0020.2655.01	Ex. stock UK	10	60
		120	F 03E 004 N6W	0020.2677.01	Ex. stock UK	10	60
 	<b>ø 125 mm</b> Bore: 22,23 mm Model: T29 (angled) Standard	40	F 03E 002 84N	0020.2657.01	Ex. stock UK	10	60
		60	F 03E 002 84R	0020.2659.01	Ex. stock UK	10	60
		80	F 03E 002 84S	0020.2661.01	Ex. stock UK	10	60
		120	F 03E 002 84T	0020.2680.01	Ex. stock IDC		60
<b>Information: P. 45</b> Machine: Bosch, Makita							
 	<b>ø 180 mm</b> Bore: 22,23 mm Model: T29 (angled) Standard	40	F 03E 002 855	0020.3025.01	Ex. stock UK	10	60
		60	F 03E 002 858	0020.3027.01	Ex. stock IDC		60
		80	F 03E 002 859	0020.3028.01	Ex. stock UK	10	60
<b>Information: P. 45</b>							

Plastic pads


2824 siaflap	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 115 mm</b> Bore: 22,23 mm	40	F 03E 008 33J	0020.9732.01	Ex. stock IDC		60
		40	F 03E 008 34K	0020.9766.01	Ex. stock IDC		60
		60	F 03E 008 33K	0020.9733.01	Ex. stock IDC		60
		60	F 03E 008 34L	0020.9767.01	Ex. stock IDC		60
		80	F 03E 008 33L	0020.9734.01	Ex. stock IDC		60
		80	F 03E 008 34M	0020.9768.01	Ex. stock IDC		60
		120	F 03E 008 33M	0020.9735.01	Ex. stock IDC		60
		120	F 03E 008 34N	0020.9769.01	Ex. stock IDC		60
<b>Information: P. 45</b>							




## Plastic pads

2824 siaflap	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
  	<b>ø 115 mm</b> Bore: 22,23 mm Model: X-LOCK T29 (angled) Standard  <b>Information: P. 45</b> Technology: X-LOCK P. 76 Machine: Bosch, Makita, AEG, Atlas Copco, Black & Decker, DEWALT, Dynabrade, Einhell, Elu, Fein, Felisatti, Festool, FLEX, Hitachi, HolzHer, Kress, Metabo, Peugeot, Rodac, Rodcraft, Rupes, Ryobi, Skil, Suhner	40	F 03E 007 7JE	0020.8912.01	Ex. stock UK	10	60
		60	F 03E 007 7JF	0020.8913.01	Ex. stock UK	10	60
		80	F 03E 007 7JG	0020.8914.01	Ex. stock UK	10	60
		120	F 03E 007 7JJ	0020.8915.01	Ex. stock UK	10	60
	<b>ø 125 mm</b> Bore: 22,23 mm  <b>Information: P. 45</b>	40	F 03E 008 34P	0020.9770.01	Ex. stock IDC		60
		60	F 03E 008 34R	0020.9771.01	Ex. stock IDC		60
		80	F 03E 008 34S	0020.9772.01	Ex. stock IDC		60
		120	F 03E 008 34T	0020.9773.01	Ex. stock IDC		60
  	<b>ø 125 mm</b> Bore: 22,23 mm Model: X-LOCK T29 (angled) Standard  <b>Information: P. 45</b> Technology: X-LOCK P. 76 Machine: Bosch, AEG, Atlas Copco, Black & Decker, DEWALT, Dynabrade, Einhell, Elu, Fein, Felisatti, Festool, FLEX, Hitachi, HolzHer, Kress, Makita, Metabo, Peugeot, Rodac, Rodcraft, Rupes, Ryobi, Skil, Suhner	40	F 03E 007 7JK	0020.8916.01	Ex. stock UK	10	60
		60	F 03E 007 7JL	0020.8917.01	Ex. stock UK	10	60
		80	F 03E 007 7JM	0020.8918.01	Ex. stock UK	10	60
		120	F 03E 007 7JN	0020.8919.01	Ex. stock UK	10	60
	<b>ø 180 mm</b> Bore: 22,23 mm  <b>Information: P. 45</b>	40	F 03E 008 33T	0020.9740.01	Ex. stock IDC		60
 	<b>ø 115 mm</b> Bore: 22,23 mm Model: T27 (flat) Standard  <b>Information: P. 45</b>	40	F 03E 002 810	0020.4361.01	Ex. stock UK	10	60
		60	F 03E 002 812	0020.4363.01	Ex. stock UK	10	60
		80	F 03E 002 813	0020.4364.01	Ex. stock UK	10	60
		120	F 03E 002 815	0020.4365.01	Ex. stock UK	10	60
	<b>ø 125 mm</b> Bore: 22,23 mm Model: T27 (flat) Standard  <b>Information: P. 45</b>	40	F 03E 002 81A	0020.4387.01	Ex. stock UK	10	60
		60	F 03E 002 81E	0020.4389.01	Ex. stock UK	10	60
		80	F 03E 002 81G	0020.4390.01	Ex. stock IDC		60
		120	F 03E 002 81J	0020.4391.01	Ex. stock IDC		60
	<b>ø 180 mm</b> Bore: 22,23 mm Model: T27 (flat) Standard  <b>Information: P. 45</b>	40	F 03E 002 81L	0020.4409.01	Ex. stock UK	10	60
		60	F 03E 002 81P	0020.4411.01	Ex. stock UK	10	60
		80	F 03E 002 81R	0020.4412.01	Ex. stock IDC		60


### Flap rollers cloth

2988 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
 <p><b>ø 105 x 100 mm</b> Bore: 19 mm</p> <p><b>Information: P. 52</b></p>		80	F 03E 007 8KZ	0020.9043.01	Ex. stock IDC		6
		120	F 03E 007 8L0	0020.9044.01	Ex. stock IDC		6


### Flap rollers cloth and nonwoven

6130 siafleece hd	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
 <p><b>ø 105 x 100 mm</b> Bore: 19 mm</p> <p><b>Information: P. 60</b></p>		coarse A	F 03E 007 8PY	0020.9046.01	Ex. stock IDC		6
		medium A	F 03E 007 8PZ	0020.9047.01	Ex. stock IDC		6
		fine A	F 03E 007 8R0	0020.9048.01	Ex. stock IDC		6

### Flap rollers nonwoven

6130 siafleece hd	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
 <p><b>ø 105 x 100 mm</b> Bore: 19 mm</p> <p><b>Information: P. 60</b></p>		coarse A	F 03E 007 8R2	0020.9050.01	Ex. stock IDC		6
		medium A	F 03E 007 8R3	0020.9051.01	Ex. stock IDC		6
		medium S	F 03E 007 8R6	0020.9054.01	Ex. stock IDC		6
		fine A	F 03E 007 8R4	0020.9052.01	Ex. stock IDC		6
		veryfine A	F 03E 007 8R5	0020.9053.01	Ex. stock IDC		6

### Flap wheel with shaft cloth

2923 sialoX	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
 <p><b>ø 20 x 10 mm</b> Shaft diameter: 6 mm</p> <p><b>Information: P. 47</b></p>		40	F 03E 007 1PW	0020.8274.01	Ex. stock UK	10	
		60	F 03E 007 1PZ	0020.8275.01	Ex. stock UK	10	10
		80	F 03E 007 1R0	0020.8276.01	Ex. stock UK	10	10
		120	F 03E 007 1R1	0020.8277.01	Ex. stock UK	10	10
		150	F 03E 007 1R2	0020.8278.01	Ex. stock UK	10	10

## Flap wheel with shaft cloth



2923 sialoX	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>ø 30 x 10 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1RY	0020.8294.01	Ex. stock IDC		10	
		60	F 03E 007 1RZ	0020.8295.01	Ex. stock UK	10	10	
		80	F 03E 007 1S0	0020.8296.01	Ex. stock UK	10	10	
		120	F 03E 007 1S1	0020.8297.01	Ex. stock UK	10	10	
		150	F 03E 007 1S2	0020.8298.01	Ex. stock IDC		10	
	<b>Information: P. 47</b>							
	<b>ø 50 x 10 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1S5	0020.8314.01	0020.8314.01	Ex. stock IDC		10
		60	F 03E 007 1ST	0020.8315.01	0020.8315.01	Ex. stock UK	10	10
		80	F 03E 007 1SU	0020.8316.01	0020.8316.01	Ex. stock UK	10	10
		120	F 03E 007 1SW	0020.8317.01	0020.8317.01	Ex. stock IDC		10
		150	F 03E 007 1SX	0020.8318.01	0020.8318.01	Ex. stock UK	10	10
	<b>Information: P. 47</b>							
	<b>ø 25 x 15 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1RH	0020.8284.01	0020.8284.01	Ex. stock UK	10	10
		60	F 03E 007 1RK	0020.8285.01	0020.8285.01	Ex. stock UK	10	10
		80	F 03E 007 1RN	0020.8286.01	0020.8286.01	Ex. stock UK	10	10
		120	F 03E 007 1RR	0020.8287.01	0020.8287.01	Ex. stock UK	10	10
		150	F 03E 007 1RS	0020.8288.01	0020.8288.01	Ex. stock IDC		10
	<b>Information: P. 47</b>							
	<b>ø 30 x 15 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1S3	0020.8299.01	0020.8299.01	Ex. stock UK	10	10
		60	F 03E 007 1S4	0020.8300.01	0020.8300.01	Ex. stock UK	10	10
80		F 03E 007 1S5	0020.8301.01	0020.8301.01	Ex. stock UK	10	10	
120		F 03E 007 1S6	0020.8302.01	0020.8302.01	Ex. stock UK	10	10	
150		F 03E 007 1S7	0020.8303.01	0020.8303.01	Ex. stock UK	10	10	
<b>Information: P. 47</b>								
<b>ø 40 x 15 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1S8	0020.8304.01	0020.8304.01	Ex. stock UK	10	10	
	60	F 03E 007 1S9	0020.8305.01	0020.8305.01	Ex. stock UK	10	10	
	80	F 03E 007 1SA	0020.8306.01	0020.8306.01	Ex. stock UK	10	10	
	120	F 03E 007 1SB	0020.8307.01	0020.8307.01	Ex. stock UK	10	10	
	150	F 03E 007 1SC	0020.8308.01	0020.8308.01	Ex. stock UK	10	10	
<b>Information: P. 47</b>								
<b>ø 60 x 15 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1V4	0020.8334.01	0020.8334.01	Ex. stock IDC		10	
	60	F 03E 007 1V5	0020.8335.01	0020.8335.01	Ex. stock UK	10	10	
	80	F 03E 007 1V6	0020.8336.01	0020.8336.01	Ex. stock UK	10	10	
	120	F 03E 007 1V7	0020.8337.01	0020.8337.01	Ex. stock UK	10	10	
	150	F 03E 007 1V8	0020.8338.01	0020.8338.01	Ex. stock UK	10	10	
<b>Information: P. 47</b>								
<b>ø 20 x 20 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1R3	0020.8279.01	0020.8279.01	Ex. stock UK	10	10	
	60	F 03E 007 1R4	0020.8280.01	0020.8280.01	Ex. stock UK	10	10	
	80	F 03E 007 1R8	0020.8281.01	0020.8281.01	Ex. stock UK	10	10	
	120	F 03E 007 1RC	0020.8282.01	0020.8282.01	Ex. stock UK	10	10	
	150	F 03E 007 1RE	0020.8283.01	0020.8283.01	Ex. stock UK	10	10	
<b>Information: P. 47</b>								







Flap wheel with shaft cloth

2923 sialoX	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>ø 40 x 20 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1SE	0020.8309.01	Ex. stock UK	10	10	
		60	F 03E 007 1SG	0020.8310.01	Ex. stock UK	10	10	
		80	F 03E 007 1SK	0020.8311.01	Ex. stock UK	10	10	
		120	F 03E 007 1SL	0020.8312.01	Ex. stock UK	10	10	
		150	F 03E 007 1SM	0020.8313.01	Ex. stock UK	10	10	
	<b>Information: P. 47</b>							
	<b>ø 50 x 20 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1SZ	0020.8319.01	0020.8319.01	Ex. stock UK	10	10
		60	F 03E 007 1T0	0020.8320.01	0020.8320.01	Ex. stock UK	10	10
		80	F 03E 007 1T1	0020.8321.01	0020.8321.01	Ex. stock UK	10	10
		120	F 03E 007 1T2	0020.8322.01	0020.8322.01	Ex. stock UK	10	10
		150	F 03E 007 1T3	0020.8323.01	0020.8323.01	Ex. stock UK	10	10
	<b>Information: P. 47</b>							
	<b>ø 60 x 20 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1V9	0020.8339.01	0020.8339.01	Ex. stock UK	10	10
		60	F 03E 007 1VA	0020.8340.01	0020.8340.01	Ex. stock UK	10	10
		80	F 03E 007 1VB	0020.8341.01	0020.8341.01	Ex. stock UK	10	10
		120	F 03E 007 1VC	0020.8342.01	0020.8342.01	Ex. stock IDC		10
		150	F 03E 007 1VD	0020.8343.01	0020.8343.01	Ex. stock UK	10	10
	<b>Information: P. 47</b>							
	<b>ø 25 x 25 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1RT	0020.8289.01	0020.8289.01	Ex. stock UK	10	10
		60	F 03E 007 1RU	0020.8290.01	0020.8290.01	Ex. stock UK	10	10
80		F 03E 007 1RV	0020.8291.01	0020.8291.01	Ex. stock UK	10	10	
120		F 03E 007 1RW	0020.8292.01	0020.8292.01	Ex. stock UK	10	10	
150		F 03E 007 1RX	0020.8293.01	0020.8293.01	Ex. stock UK	10	10	
<b>Information: P. 47</b>								
<b>ø 50 x 25 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1UM	0020.8324.01	0020.8324.01	Ex. stock UK	10	10	
	60	F 03E 007 1UV	0020.8325.01	0020.8325.01	Ex. stock UK	10	10	
	80	F 03E 007 1UW	0020.8326.01	0020.8326.01	Ex. stock UK	10	10	
	120	F 03E 007 1UX	0020.8327.01	0020.8327.01	Ex. stock UK	10	10	
	150	F 03E 007 1UY	0020.8328.01	0020.8328.01	Ex. stock UK	10	10	
<b>Information: P. 47</b>								
<b>ø 50 x 30 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1UZ	0020.8329.01	0020.8329.01	Ex. stock UK	10	10	
	60	F 03E 007 1V0	0020.8330.01	0020.8330.01	Ex. stock UK	10	10	
	80	F 03E 007 1V1	0020.8331.01	0020.8331.01	Ex. stock UK	10	10	
	120	F 03E 007 1V2	0020.8332.01	0020.8332.01	Ex. stock UK	10	10	
	150	F 03E 007 1V3	0020.8333.01	0020.8333.01	Ex. stock UK	10	10	
<b>Information: P. 47</b>								
<b>ø 60 x 30 mm</b> Shaft diameter: 6 mm	40	F 03E 007 1VE	0020.8344.01	0020.8344.01	Ex. stock IDC		10	
	60	F 03E 007 1VF	0020.8345.01	0020.8345.01	Ex. stock UK	10	10	
	80	F 03E 007 1VG	0020.8346.01	0020.8346.01	Ex. stock UK	10	10	
	120	F 03E 007 1VH	0020.8347.01	0020.8347.01	Ex. stock UK	10	10	
	150	F 03E 007 1VJ	0020.8348.01	0020.8348.01	Ex. stock UK	10	10	
<b>Information: P. 47</b>								





## Flap wheel with shaft cloth

2923 sialoX	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 80 x 30 mm</b> Shaft diameter: 6 mm  <b>Information: P. 47</b>	40	F 03E 007 1VZ	0020.8359.01	Ex. stock UK	10	10
		60	F 03E 007 1W0	0020.8360.01	Ex. stock IDC		10
		80	F 03E 007 1W1	0020.8361.01	Ex. stock UK	10	10
		120	F 03E 007 1W2	0020.8362.01	Ex. stock UK	10	10
		150	F 03E 007 1W3	0020.8363.01	Ex. stock UK	10	10
	<b>ø 60 x 40 mm</b> Shaft diameter: 6 mm  <b>Information: P. 47</b>	40	F 03E 007 1VK	0020.8349.01	Ex. stock UK	10	10
		60	F 03E 007 1VL	0020.8350.01	Ex. stock UK	10	10
		80	F 03E 007 1VM	0020.8351.01	Ex. stock IDC		10
		120	F 03E 007 1VN	0020.8352.01	Ex. stock UK	10	10
		150	F 03E 007 1VP	0020.8353.01	Ex. stock IDC		10
	<b>ø 60 x 50 mm</b> Shaft diameter: 6 mm  <b>Information: P. 47</b>	40	F 03E 007 1VR	0020.8354.01	Ex. stock UK	10	10
		60	F 03E 007 1VS	0020.8355.01	Ex. stock UK	10	10
		80	F 03E 007 1VT	0020.8356.01	Ex. stock UK	10	10
		120	F 03E 007 1VW	0020.8357.01	Ex. stock UK	10	10
		150	F 03E 007 1VY	0020.8358.01	Ex. stock UK	10	10
<b>ø 80 x 50 mm</b> Shaft diameter: 6 mm  <b>Information: P. 47</b>	40	F 03E 007 1W4	0020.8364.01	Ex. stock UK	10	10	
	60	F 03E 007 1W5	0020.8365.01	Ex. stock UK	10	10	
	80	F 03E 007 1W6	0020.8366.01	Ex. stock UK	10	10	
	120	F 03E 007 1W8	0020.8367.01	Ex. stock UK	10	10	
	150	F 03E 007 1W9	0020.8368.01	Ex. stock UK	10	10	

6120 siafleece	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU	
 								
	<b>ø 50 x 50 mm</b> Shaft diameter: 6 mm  <b>Information: P. 60</b>	medium A		F 03E 014 4NT	9955.6043.4921	Ex. stock UK	10	10
	<b>ø 50 x 50 mm</b>  <b>Information: P. 60</b>	coarse A		F 03E 014 4NP	9955.6043.2921	Ex. stock UK	10	10
veryfine A			F 03E 014 4P0	9955.6043.6913	Ex. stock UK	10	10	











Flap wheel with shaft cloth and nonwoven

6120 siafleece	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 38 x 25 mm</b>  Information: P. 60	medium A	F 03E 014 124	6698.3223.4921.03	Ex. stock UK	10	10
	<b>ø 50 x 25 mm</b>  Information: P. 60	coarse	F 03E 014 1FK	6970.5845.2921.06	Ex. stock UK	10	10
		medium A	F 03E 014 1FR	6970.5845.4921.03	Ex. stock UK	10	10
	<b>ø 76 x 50 mm</b>  Information: P. 60	coarse	F 03E 013 LF1	0541.6808.2921.03	Ex. stock UK	10	10
		medium A	F 03E 013 LF7	0541.6808.4921.05	Ex. stock UK	10	10
	<b>ø 100 x 50 mm</b>  Information: P. 60	medium A	F 03E 013 NOP	1064.5831.4921	Ex. stock UK	10	10




	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 60 x 30 mm</b> Shaft diameter: 6 mm	80	F 03E 004 N7G	0020.0039.01	Ex. stock IDC		10
		150	F 03E 004 N7F	0020.0040.01	Ex. stock IDC		10
		240	F 03E 004 N7E	0020.0847.01	Ex. stock IDC		10
	<b>ø 100 x 45 mm</b> Shaft diameter: 6 mm	80	F 03E 002 L0J	0020.0848.01	Ex. stock IDC		10
	<b>ø 80 x 50 mm</b> Shaft diameter: 6 mm	80	F 03E 002 L0H	0020.0041.01	Ex. stock IDC		10



## Flap wheel with shaft nonwoven




6120 siafleece	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 38 x 25 mm</b>	medium A	 F 03E 013 YY7	5637.1678.4921.03	Ex. stock UK	10	10
		fine	 F 03E 013 YZ1		Ex. stock UK	10	10
		veryfine	 F 03E 013 YZ3	5637.1678.6913.01	Ex. stock UK	10	10
	<b>Information: P. 60</b>						
	<b>ø 50 x 25 mm</b>	medium A	 F 03E 013 ZN1		Ex. stock UK	10	10
		<b>Information: P. 60</b>					
	<b>ø 76 x 25 mm</b> Shaft diameter: 6 mm	medium A	 F 03E 014 ONR	6463.2946.4921.01	Ex. stock UK	10	10
		<b>Information: P. 60</b>					
	<b>ø 50 x 50 mm</b>	medium A	 F 03E 014 3GN	8894.4498.4921	Ex. stock UK	10	10
		medium S	 F 03E 014 3GL	8894.4498.4721.01	Ex. stock UK	10	10
		<b>Information: P. 60</b>					
	<b>ø 76 x 50 mm</b>	coarse	 F 03E 014 436	9448.3144.2921.04	Ex. stock UK	10	10
		medium A	 F 03E 014 43M	9448.3144.4921.06	Ex. stock UK	10	10
		medium S	 F 03E 014 43D	9448.3144.4721.01	Ex. stock UK	10	10
		veryfine	 F 03E 014 443	9448.3144.6913.04	Ex. stock UK	10	10
		<b>Information: P. 60</b>					
	<b>ø 100 x 50 mm</b> Shaft diameter: 6 mm	coarse	 F 03E 014 4P8	9971.2167.2921.02	Ex. stock UK	10	10
		<b>Information: P. 60</b>					
	<b>ø 100 x 50 mm</b>	medium A	 F 03E 014 4PK	9971.2167.4921.03	Ex. stock UK	10	10
		<b>Information: P. 60</b>					



### Flap wheel with shaft nonwoven




	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
							
	<b>ø 60 x 30 mm</b> Shaft diameter: 6 mm	medium	F 03E 002 L03	0020.0031.01	Ex. stock IDC		10
		fine	F 03E 002 L00	0020.0032.01	Ex. stock IDC		10
		veryfine	F 03E 003 E0R	0020.0033.01	Ex. stock IDC		10
	<b>ø 100 x 45 mm</b> Shaft diameter: 6 mm	medium	F 03E 002 L05	0020.0036.01	Ex. stock IDC		10
		fine	F 03E 002 L02	0020.0037.01	Ex. stock IDC		10
	<b>ø 80 x 50 mm</b> Shaft diameter: 6 mm	medium	F 03E 002 L06	0020.0034.01	Ex. stock IDC		10
		veryfine	F 03E 004 F2E	0020.0318.01	Ex. stock IDC		10







## Wide belts (width: from 400 mm)

1718 siapan	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>1450 x 2620 mm</b> Model: Antistatic  <b>Information: P. 31</b> Technology: TopTec P. 74	220	F 03E 007 N7J	5529.7960.0220.01	Made to order		4
	<b>1630 x 3250 mm</b> Model: Antistatic  <b>Information: P. 31</b> Technology: TopTec P. 74	80	F 03E 002 JP0	6445.6635.0080.01	Made to order		4
		100	F 03E 002 SG3	6445.6635.0100.01	Made to order		4



1719 sialac	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>1350 x 2620 mm</b>	240	F 03E 007 12M	7244.1304.0240.01	Made to order		10
		320	F 03E 007 12P	7244.1304.0320.01	Made to order		10
		400	F 03E 007 12R	7244.1304.0400.01	Made to order		10
		500	F 03E 007 12S	7244.1304.0500.01	Made to order		10
		600	F 03E 007 12T	7244.1304.0600.01	Made to order		10
	<b>1370 x 2620 mm</b>	280	F 03E 007 3HG	5645.0310.0280.01	Made to order		10
	<b>Information: P. 31</b>						

1730 sialac	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>1350 x 2000 mm</b>	320	F 03E 007 3HS	2069.2983.0320.01	Ex. stock IDC		10
	<b>1350 x 2620 mm</b>	220	F 03E 007 12W	5505.2194.0220.01	Made to order		10
		280	F 03E 007 12Y	5505.2194.0280.01	Made to order		10
		320	F 03E 007 12Z	5505.2194.0320.01	Made to order		10
		400	F 03E 007 130	5505.2194.0400.01	Made to order		10
<b>Information: P. 32</b>							






## Wide belts (width: from 400 mm)

1730 sialac	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>1370 x 2150 mm</b>	240	F 03E 007 J2B	3722.0750.0240.02	Ex. stock IDC		10	
		280	F 03E 007 9XR	3722.0750.0280.01	Ex. stock IDC		10	
	<b>1370 x 2620 mm</b>	400	F 03E 007 3HF	3906.1200.0400.01	Ex. stock IDC		10	
		<b>Information: P. 32</b>						
								
	<b>Information: P. 32</b>							
1749 siaral f	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>1330 x 2620 mm</b> Model: Antistatic	36	F 03E 005 M0R	7523.1175.0036.02	Made to order		4	
		120	F 03E 005 3JF	7523.1175.0120.05	Made to order		10	
	<b>1330 x 3250 mm</b>	<b>Information: P. 33</b> Technology: TopTec P. 74						
		150	F 03E 005 C3C	1210.9283.0150.02	Ex. stock IDC		10	
	<b>1370 x 2620 mm</b> Model: Antistatic	<b>Information: P. 33</b> Technology: TopTec P. 74						
		240	F 03E 001 N70	4324.9187.0240.01	Ex. stock IDC		10	
	<b>1400 x 2150 mm</b> Model: Antistatic	<b>Information: P. 33</b> Technology: TopTec P. 74						
		100	F 03E 003 SM3	1720.6025.0100.01	Ex. stock IDC		10	
	<b>1400 x 2800 mm</b> Model: Antistatic	150	F 03E 003 SE9	1720.6025.0150.01	Ex. stock IDC		10	
		80	F 03E 001 MK3	5815.5570.0080.01	Made to order		10	
								
	<b>Information: P. 33</b> Technology: TopTec P. 74							

## Wide belts (width: from 400 mm)


1749 siaral f	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>1400 x 3250 mm</b> Model: Antistatic  <b>Information: P. 33</b> Technology: TopTec P. 74	280	F 03E 001 NB0	5581.8685.0280.01	Made to order		10
	<b>1620 x 2620 mm</b>  <b>Information: P. 33</b> Technology: TopTec P. 74	320	F 03E 007 61S	4250.0836.0320.01	Ex. stock IDC		10
	<b>1630 x 3250 mm</b> Model: Antistatic  <b>Information: P. 33</b>	120	F 03E 005 H2K	7106.1795.0120.02	Made to order		5
		150	F 03E 005 H2L	7106.1795.0150.02	Made to order		5
1815 siatop	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>630 x 1900 mm</b>  <b>Information: P. 33</b>	180	F 03E 006 N85	9522.4022.0180.01	Ex. stock UK	10	10
	<b>930 x 1900 mm</b>  <b>Information: P. 33</b>	80	F 03E 006 D4J	5449.8653.0080.01	Ex. stock UK	10	10
		100	F 03E 006 JH0	5449.8653.0100.01	Ex. stock UK	10	10
		120	F 03E 006 G42	5449.8653.0120.01	Ex. stock UK	10	10
		180	F 03E 006 JH1	5449.8653.0180.01	Ex. stock UK	10	10
		240	F 03E 006 J8Z	5449.8653.0240.01	Ex. stock UK	10	10
		320	F 03E 006 N2R	5449.8653.0320.01	Ex. stock UK	10	10
1909 siawood	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>1330 x 2620 mm</b> Model: Antistatic  <b>Information: P. 35</b> Technology: TopTec P. 74	80	F 03E 006 28T	1008.8936.0080.02	Ex. stock IDC		10
	<b>1350 x 2620 mm</b> Model: Antistatic  <b>Information: P. 35</b> Technology: TopTec P. 74	150	F 03E 006 2C0	9377.5823.0150.02	Made to order		10
		240	F 03E 006 2CG	9377.5823.0240.02	Made to order		10

## Wide belts (width: from 400 mm)


1918 sialac	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>1350 x 2000 mm</b>	280	F 03E 007 DF7	8112.1860.0280.02	Made to order		10
		<b>Information: P. 36</b>					
	<b>1350 x 2620 mm</b>	240	F 03E 007 136	1580.3190.0240.01	Ex. stock IDC		10
		280	F 03E 007 137	1580.3190.0280.01	Ex. stock IDC		10
		320	F 03E 007 138	1580.3190.0320.01	Ex. stock IDC		10
		400	F 03E 007 139	1580.3190.0400.01	Ex. stock IDC		10
		500	F 03E 007 13A	1580.3190.0500.01	Ex. stock IDC		10
		600	F 03E 007 13B	1580.3190.0600.01	Ex. stock IDC		10
	<b>Information: P. 36</b>						
	<b>1350 x 3250 mm</b>	400	F 03E 007 13H	5235.9646.0400.01	Made to order		10
		<b>Information: P. 36</b>					
	<b>1370 x 2150 mm</b>	320	F 03E 007 LZ9	9743.3406.0320.02	Made to order		10
		<b>Information: P. 36</b>					
	<b>1370 x 2615 mm</b>	320	F 03E 007 590	9839.1688.0320.01	Made to order		10
		<b>Information: P. 36</b>					
<b>1370 x 2620 mm</b>	280	F 03E 007 F1K	9949.0077.0280.02	Made to order		10	
	320	F 03E 007 G21	9949.0077.0320.02	Made to order		10	
	600	F 03E 007 7KF	9949.0077.0600.01	Made to order		10	
<b>Information: P. 36</b>							
1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
 							
	<b>630 x 1900 mm</b> Model: Antistatic	80	F 03E 005 46C	1786.4529.0080.13	Ex. stock UK	10	10
		100	F 03E 005 46G	1786.4529.0100.13	Ex. stock UK	10	10
		120	F 03E 005 3NJ	1786.4529.0120.13	Ex. stock UK	10	10
		180	F 03E 005 4PR	1786.4529.0180.13	Ex. stock UK	10	10
	<b>Information: P. 36</b> Technology: TopTec P. 74						




## Wide belts (width: from 400 mm)

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>640 x 1525 mm</b> Model: Antistatic	60	F 03E 005 4UU	2846.5531.0060.13	Ex. stock IDC		5	
		100	F 03E 005 4CV	2846.5531.0100.13	Ex. stock IDC		10	
		120	F 03E 005 3GE	2846.5531.0120.13	Ex. stock IDC		10	
	<b>Information: P. 36</b> Technology: TopTec P. 74							
	<b>650 x 1900 mm</b> Model: Antistatic	80	F 03E 005 474	0187.3535.0080.13	Ex. stock IDC			10
		100	F 03E 005 3C2	0187.3535.0100.13	Ex. stock IDC			10
		120	F 03E 005 49Y	0187.3535.0120.13	Ex. stock IDC			10
		150	F 03E 005 436	0187.3535.0150.13	Ex. stock IDC			10
	<b>Information: P. 36</b> Technology: TopTec P. 74							
	<b>670 x 2620 mm</b>	100	F 03E 007 3MK	4199.3778.0100.02	Ex. stock IDC			10
		<b>Information: P. 36</b>						
	<b>910 x 1900 mm</b> Model: Antistatic	60	F 03E 005 4J7	9302.4256.0060.14	Made to order			5
		80	F 03E 005 470	9302.4256.0080.14	Made to order			10
		100	F 03E 005 3YJ	9302.4256.0100.13	Made to order			10
		120	F 03E 005 3JE	9302.4256.0120.13	Made to order			10
		150	F 03E 005 3YW	9302.4256.0150.13	Made to order			10
		180	F 03E 005 3Z0	9302.4256.0180.13	Made to order			10
	<b>Information: P. 36</b> Technology: TopTec P. 74							
	<b>930 x 1525 mm</b> Model: Antistatic	60	F 03E 005 49G	9562.9761.0060.13	Ex. stock UK		5	5
		80	F 03E 005 3CN	9562.9761.0080.13	Ex. stock UK		10	10
		100	F 03E 005 3HY	9562.9761.0100.13	Ex. stock UK		10	10
		120	F 03E 005 3HZ	9562.9761.0120.13	Ex. stock UK		10	10
		150	F 03E 005 3GN	9562.9761.0150.13	Made to order			10
		180	F 03E 005 497	9562.9761.0180.13	Ex. stock UK		10	10
<b>Information: P. 36</b> Technology: TopTec P. 74								
<b>930 x 1900 mm</b> Model: Antistatic	60	F 03E 005 3EC	7703.3262.0060.13	Ex. stock UK		5	5	
	80	F 03E 005 3HE	7703.3262.0080.14	Ex. stock UK		10	10	
	100	F 03E 005 3XB	7703.3262.0100.14	Ex. stock UK		10	10	
	120	F 03E 005 3EU	7703.3262.0120.14	Ex. stock UK		10	10	
	150	F 03E 005 3HW	7703.3262.0150.13	Made to order			10	
	180	F 03E 005 3J9	7703.3262.0180.13	Ex. stock UK		10	10	
	220	F 03E 005 4A9	7703.3262.0220.13	Made to order			10	
<b>Information: P. 36</b> Technology: TopTec P. 74								
<b>970 x 1500 mm</b> Model: Antistatic	80	F 03E 005 58K	5815.5828.0080.04	Made to order			10	
	120	F 03E 005 5DS	5815.5828.0120.02	Made to order			10	
<b>Information: P. 36</b> Technology: TopTec P. 74								


## Wide belts (width: from 400 mm)

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>970 x 1525 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	80	F 03E 005 58A	6364.7773.0080.02	Ex. stock UK	10	10
		100	F 03E 005 5JM	6364.7773.0100.02	Ex. stock UK	10	10
		120	F 03E 005 58S	6364.7773.0120.02	Ex. stock UK	10	10
		180	F 03E 005 79F	6364.7773.0180.02	Ex. stock UK	10	10
	<b>970 x 1900 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 005 59W	4505.1274.0060.02	Made to order		5
		80	F 03E 005 5AW	4505.1274.0080.02	Ex. stock UK	10	10
		100	F 03E 005 60F	4505.1274.0100.02	Made to order		10
		120	F 03E 005 59B	4505.1274.0120.04	Made to order		10
		150	F 03E 005 5JL	4505.1274.0150.02	Ex. stock UK	10	10
	<b>1010 x 1900 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 005 3WC	1306.9286.0060.13	Ex. stock IDC		5
		80	F 03E 005 44H	1306.9286.0080.13	Ex. stock UK	10	400
		100	F 03E 005 4C3	1306.9286.0100.13	Ex. stock UK	10	10
		120	F 03E 005 49P	1306.9286.0120.13	Ex. stock UK	10	10
		150	F 03E 005 4C4	1306.9286.0150.13	Ex. stock IDC		10
	<b>1030 x 1900 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 005 4JA	9675.6173.0060.13	Made to order		5
		80	F 03E 005 4JP	9675.6173.0080.13	Made to order		10
		100	F 03E 005 3WY	9675.6173.0100.13	Made to order		10
		120	F 03E 005 4JT	9675.6173.0120.13	Made to order		10
	<b>1100 x 1900 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 005 44K	4057.1006.0060.13	Ex. stock UK	5	5
		80	F 03E 005 3J2	4057.1006.0080.13	Ex. stock UK	10	10
		100	F 03E 005 3UV	4057.1006.0100.13	Ex. stock UK	10	10
		120	F 03E 005 3Y6	4057.1006.0120.14	Ex. stock UK	10	10
		150	F 03E 005 3ZL	4057.1006.0150.13	Ex. stock UK	10	10
		180	F 03E 005 44L	4057.1006.0180.13	Ex. stock UK	10	10
	<b>1110 x 1900 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	40	F 03E 005 7A2	4643.4947.0040.02	Made to order		5
		60	F 03E 005 3C8	3257.5509.0060.13	Ex. stock IDC		5
		80	F 03E 005 3J4	3257.5509.0080.13	Ex. stock IDC		10
100		F 03E 005 3GF	3257.5509.0100.14	Ex. stock IDC		10	
120		F 03E 005 3F1	3257.5509.0120.14	Ex. stock IDC		10	
150		F 03E 005 3X1	3257.5509.0150.13	Ex. stock IDC		10	
180		F 03E 005 45A	3257.5509.0180.14	Ex. stock IDC		10	
<b>1115 x 2620 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	150	F 03E 005 8WS	3485.0057.0150.02	Ex. stock IDC		10	


## Wide belts (width: from 400 mm)

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>1120 x 1900 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 005 3C4	2458.0012.0060.13	Ex. stock IDC		5
		80	F 03E 005 3EB	2458.0012.0080.13	Ex. stock UK	10	10
		100	F 03E 005 3C5	2458.0012.0100.13	Ex. stock UK	10	10
		120	F 03E 005 3J5	2458.0012.0120.13	Ex. stock UK	10	10
		150	F 03E 005 44M	2458.0012.0150.13	Ex. stock IDC		10
		180	F 03E 005 44J	2458.0012.0180.13	Ex. stock UK	10	10
		220	F 03E 005 3HS	2458.0012.0220.13	Ex. stock IDC		10
	<b>1120 x 2000 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 005 4D6	4633.1571.0060.13	Made to order		5
		80	F 03E 005 3HU	4633.1571.0080.13	Ex. stock UK	5	5
		100	F 03E 005 3GK	4633.1571.0100.13	Made to order		10
		120	F 03E 005 44T	4633.1571.0120.13	Ex. stock UK	10	10
		150	F 03E 005 4DA	4633.1571.0150.13	Made to order		10
		180	F 03E 005 4DB	4633.1571.0180.13	Ex. stock UK	10	10
	<b>1120 x 2150 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 005 3ZH	7863.4578.0060.13	Made to order		5
		80	F 03E 005 3UW	7863.4578.0080.13	Ex. stock UK	5	5
		100	F 03E 005 3Z5	7863.4578.0100.13	Made to order		10
		120	F 03E 005 3XW	7863.4578.0120.13	Made to order		10
		150	F 03E 005 3ZK	7863.4578.0150.13	Made to order		10
		180	F 03E 005 4H5	7863.4578.0180.13	Made to order		10
	<b>1120 x 2620 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 005 3HX	8069.1249.0060.13	Ex. stock UK	5	5
		80	F 03E 005 49R	8069.1249.0080.13	Made to order		5
		100	F 03E 005 4H6	8069.1249.0100.13	Made to order		10
		120	F 03E 005 4HA	8069.1249.0120.13	Made to order		10
		150	F 03E 005 3YG	8069.1249.0150.13	Made to order		10
180		F 03E 005 49M	8069.1249.0180.13	Ex. stock UK	10	10	
<b>1130 x 1900 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	80	F 03E 005 4CJ	1658.4515.0080.13	Ex. stock UK	10	10	
	100	F 03E 005 4CP	1658.4515.0100.13	Ex. stock IDC		10	
	120	F 03E 005 4CM	1658.4515.0120.13	Ex. stock IDC		10	
<b>1130 x 2200 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 005 4HE	8140.6750.0060.13	Made to order		5	
	80	F 03E 005 3EE	8140.6750.0080.13	Made to order		5	
	100	F 03E 005 49B	8140.6750.0100.13	Made to order		10	
	120	F 03E 005 471	8140.6750.0120.13	Made to order		10	
	150	F 03E 005 3WU	8140.6750.0150.13	Made to order		10	
	180	F 03E 005 3WX	8140.6750.0180.13	Made to order		10	



## Wide belts (width: from 400 mm)

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>1130 x 2620 mm</b> Model: Antistatic	180	F 03E 005 5LP	7269.5752.0180.04	Made to order		10
		<b>Information: P. 36</b> Technology: TopTec P. 74					
	<b>1150 x 2100 mm</b> Model: Antistatic	80	F 03E 005 3ZE	4388.0418.0080.14	Made to order		5
		120	F 03E 005 3GG	4388.0418.0120.13	Made to order		10
	<b>Information: P. 36</b> Technology: TopTec P. 74						
	<b>1150 x 2620 mm</b> Model: Antistatic	100	F 03E 005 3WL	5670.4758.0100.13	Made to order		10
		120	F 03E 005 4F2	5670.4758.0120.13	Made to order		10
		150	F 03E 005 4A5	5670.4758.0150.13	Made to order		10
	<b>Information: P. 36</b> Technology: TopTec P. 74						
	<b>1300 x 1900 mm</b> Model: Antistatic	40	F 03E 005 JZ7	8001.6828.0040.02	Ex. stock UK	5	5
60		F 03E 005 5EL	8001.6828.0060.02	Ex. stock UK	5	5	
80		F 03E 005 5F7	8001.6828.0080.04	Ex. stock UK	10	10	
100		F 03E 005 58T	8001.6828.0100.04	Ex. stock UK	10	10	
120		F 03E 005 58B	8001.6828.0120.03	Ex. stock UK	10	10	
180		F 03E 005 58L	8001.6828.0180.03	Ex. stock UK	10	10	
<b>Information: P. 36</b> Technology: TopTec P. 74							
<b>1310 x 1900 mm</b> Model: Antistatic	60	F 03E 005 4G5	7202.1331.0060.14	Made to order		5	
	80	F 03E 005 455	7202.1331.0080.13	Made to order		10	
	100	F 03E 005 4G6	7202.1331.0100.13	Made to order		10	
	120	F 03E 005 46R	7202.1331.0120.13	Made to order		10	
	150	F 03E 005 49D	7202.1331.0150.13	Made to order		10	
	180	F 03E 005 46U	7202.1331.0180.13	Made to order		10	
<b>Information: P. 36</b> Technology: TopTec P. 74							
<b>1310 x 2620 mm</b> Model: Antistatic	80	F 03E 005 3JC	2823.7999.0080.05	Ex. stock IDC		10	
	180	F 03E 005 5B5	2823.7999.0180.02	Ex. stock IDC		10	
<b>Information: P. 36</b> Technology: TopTec P. 74							
<b>1330 x 1900 mm</b> Model: Antistatic	60	F 03E 005 4DC	5603.0337.0060.13	Made to order		5	
	80	F 03E 005 475	5603.0337.0080.13	Made to order		10	
	100	F 03E 005 4AB	5603.0337.0100.14	Made to order		10	
	120	F 03E 005 46Z	5603.0337.0120.13	Made to order		10	
	150	F 03E 005 490	5603.0337.0150.13	Made to order		10	
<b>Information: P. 36</b> Technology: TopTec P. 74							

## Wide belts (width: from 400 mm)


1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>1330 x 2200 mm</b> Model: Antistatic	60	F 03E 005 4PW	2117.4224.0060.13	Ex. stock IDC		5	
		100	F 03E 005 4CU	2117.4224.0100.13	Ex. stock IDC		10	
		120	F 03E 005 4PY	2117.4224.0120.13	Ex. stock IDC		10	
	<b>Information: P. 36</b> Technology: TopTec P. 74							
	<b>1330 x 2620 mm</b>	80	F 03E 006 84B	1224.7005.0080.15	Ex. stock IDC			10
		<b>Information: P. 36</b>						
	<b>1330 x 2620 mm</b> Model: Antistatic	40	F 03E 005 H55	1224.7005.0040.13	Ex. stock IDC			4
		60	F 03E 005 3CX	1224.7005.0060.14	Ex. stock IDC			5
		80	F 03E 005 3EG	1224.7005.0080.14	Ex. stock IDC			5
		100	F 03E 005 3EH	1224.7005.0100.13	Ex. stock IDC			10
		120	F 03E 005 39W	1224.7005.0120.14	Ex. stock IDC			10
		150	F 03E 005 3EM	1224.7005.0150.14	Ex. stock IDC			10
		180	F 03E 005 39X	1224.7005.0180.13	Ex. stock IDC			10
		220	F 03E 005 591	1224.7005.0220.14	Ex. stock IDC			10
	<b>Information: P. 36</b> Technology: TopTec P. 74							
	<b>1330 x 3250 mm</b> Model: Antistatic	100	F 03E 005 3YF	4880.3461.0100.14	Made to order			5
		120	F 03E 005 3J3	4880.3461.0120.14	Made to order			10
		150	F 03E 005 46Y	4880.3461.0150.13	Made to order			10
		180	F 03E 005 3X9	4880.3461.0180.13	Made to order			10
		220	F 03E 005 4W5	4880.3461.0220.13	Made to order			10
<b>Information: P. 36</b> Technology: TopTec P. 74								
<b>1350 x 1900 mm</b> Model: Antistatic	80	F 03E 006 0YP	4003.9343.0080.03	Ex. stock UK		10	10	
	120	F 03E 006 16Z	4003.9343.0120.03	Ex. stock UK		10	10	
<b>Information: P. 36</b> Technology: TopTec P. 74								
<b>1350 x 2000 mm</b> Model: Antistatic	60	F 03E 006 0L3	6157.4681.0060.03	Made to order			5	
	80	F 03E 006 0L4	6157.4681.0080.03	Made to order			10	
	120	F 03E 006 0L5	6157.4681.0120.03	Made to order			10	
	150	F 03E 006 0L6	6157.4681.0150.04	Made to order			10	
	180	F 03E 006 0L7	6157.4681.0180.04	Made to order			10	
<b>Information: P. 36</b> Technology: TopTec P. 74								
<b>1350 x 2620 mm</b>	40	F 03E 007 E1K	1011.5449.0040.03	Ex. stock IDC			4	
	<b>Information: P. 36</b>							

## Wide belts (width: from 400 mm)



1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>1350 x 2620 mm</b> Model: Antistatic	60	F 03E 006 0PJ	9593.3892.0060.03	Ex. stock UK	5	5
		80	F 03E 006 0PK	9593.3892.0080.04	Ex. stock UK	10	10
		100	F 03E 006 0TA	9593.3892.0100.03	Made to order		10
		120	F 03E 006 0TB	9593.3892.0120.04	Ex. stock UK	10	10
		150	F 03E 006 0K1	9593.3892.0150.04	Ex. stock UK	10	10
		180	F 03E 006 0WU	9593.3892.0180.05	Ex. stock UK	10	10
		220	F 03E 006 0L9	9593.3892.0220.03	Ex. stock UK	10	10
	<b>1350 x 3250 mm</b> Model: Antistatic	150	F 03E 006 1ND	3281.2467.0150.04	Ex. stock IDC		10
	<b>Information: P. 36</b> Technology: TopTec P. 74						
	<b>1360 x 1900 mm</b> Model: Antistatic	120	F 03E 006 0HM	3204.3846.0120.03	Ex. stock IDC		10
	<b>Information: P. 36</b> Technology: TopTec P. 74						
	<b>1370 x 1900 mm</b> Model: Antistatic	60	F 03E 006 0L0	2404.8349.0060.03	Ex. stock IDC		5
		80	F 03E 006 0JX	2404.8349.0080.03	Ex. stock IDC		10
		100	F 03E 006 0HK	2404.8349.0100.03	Ex. stock IDC		10
		120	F 03E 006 24D	2404.8349.0120.03	Ex. stock IDC		10
		150	F 03E 006 0HL	2404.8349.0150.05	Ex. stock IDC		10
		180	F 03E 006 0G1	2404.8349.0180.04	Ex. stock IDC		10
	<b>1370 x 2150 mm</b> Model: Antistatic	60	F 03E 006 1V1	7810.2448.0060.04	Made to order		5
80		F 03E 006 12T	7810.2448.0080.03	Made to order		10	
100		F 03E 006 11R	7810.2448.0100.04	Made to order		10	
120		F 03E 006 104	7810.2448.0120.04	Made to order		10	
150		F 03E 006 0G5	7810.2448.0150.05	Made to order		10	
180		F 03E 006 11Y	7810.2448.0180.04	Made to order		10	
220		F 03E 006 11Z	7810.2448.0220.04	Made to order		10	
<b>Information: P. 36</b> Technology: TopTec P. 74							
<b>1370 x 2200 mm</b> Model: Antistatic	80	F 03E 006 8UK	8887.0117.0080.02	Made to order		10	
<b>Information: P. 36</b> Technology: TopTec P. 74							





## Wide belts (width: from 400 mm)

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>1370 x 2620 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 006 0JY	7994.2898.0060.04	Made to order		5
		80	F 03E 006 0G2	7994.2898.0080.04	Made to order		10
		100	F 03E 006 0G3	7994.2898.0100.04	Made to order		10
		120	F 03E 006 0G4	7994.2898.0120.04	Made to order		10
		150	F 03E 006 0HH	7994.2898.0150.05	Made to order		10
		180	F 03E 006 0JZ	7994.2898.0180.04	Made to order		10
	<b>1380 x 2150 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 006 0KN	7010.6951.0060.03	Made to order		5
		80	F 03E 006 0K0	7010.6951.0080.04	Made to order		10
		100	F 03E 006 0NL	7010.6951.0100.05	Made to order		10
		120	F 03E 006 0K2	7010.6951.0120.05	Made to order		10
		150	F 03E 006 0HR	7010.6951.0150.04	Made to order		10
	<b>1380 x 2620 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	80	F 03E 006 0G8	7194.7401.0080.04	Made to order		10
		100	F 03E 006 0FV	7194.7401.0100.04	Made to order		10
		120	F 03E 006 0VZ	7194.7401.0120.03	Made to order		10
		150	F 03E 006 0JC	7194.7401.0150.04	Made to order		10
		180	F 03E 006 0W0	7194.7401.0180.04	Made to order		10
	<b>1400 x 2150 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 007 C90	5411.5957.0060.05	Made to order		5
		80	F 03E 006 16N	5411.5957.0080.05	Made to order		10
		100	F 03E 007 H0C	5411.5957.0100.06	Made to order		10
		150	F 03E 006 2L7	5411.5957.0150.04	Made to order		10
		220	F 03E 007 H0H	5411.5957.0220.05	Made to order		10
	<b>1400 x 2620 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	80	F 03E 006 18X	5595.6407.0080.05	Made to order		10
		120	F 03E 006 1FD	5595.6407.0120.05	Made to order		10
		150	F 03E 006 0J1	5595.6407.0150.06	Made to order		10
		180	F 03E 006 2S2	5595.6407.0180.04	Made to order		10
	<b>1630 x 3240 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	150	F 03E 006 C1V	0609.7068.0150.04	Ex. stock IDC		5
		180	F 03E 006 C1W	0609.7068.0180.04	Ex. stock IDC		5
	<b>1630 x 3250 mm</b>  <b>Information: P. 36</b>	120	F 03E 006 CT2	0829.3846.0120.04	Ex. stock IDC		5
150		F 03E 006 CT3	0829.3846.0150.04	Ex. stock IDC		5	



## Wide belts (width: from 400 mm)



1920 siawood	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>630 x 1220 mm</b>	120	F 03E 005 E9Z	8442.3496.0120.02	Ex. stock UK	10	10
	<b>Information: P. 37</b> Technology: TopTec P. 74						
	<b>700 x 1900 mm</b>	120	F 03E 006 8GH	6191.9704.0120.01	Made to order		10
		180	F 03E 006 8GJ	6191.9704.0180.01	Made to order		10
	<b>Information: P. 37</b>						
	<b>1130 x 2150 mm</b> Model: Antistatic	400	F 03E 005 69G	7098.4387.0400.02	Made to order		10
		<b>Information: P. 37</b> Technology: TopTec P. 74					
<b>1330 x 2620 mm</b> Model: Antistatic	220	F 03E 005 3NG	1259.2778.0220.03	Ex. stock IDC		10	
	<b>Information: P. 37</b> Technology: TopTec P. 74						
<b>1330 x 3250 mm</b>	400	F 03E 007 ODR	4914.9234.0400.02	Made to order		10	
	<b>Information: P. 37</b>						
<b>1370 x 2150 mm</b> Model: Antistatic	280	F 03E 001 MZ3	7823.2000.0280.01	Made to order		10	
	<b>Information: P. 37</b> Technology: TopTec P. 74						
2800 siaron	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>970 x 1900 mm</b>	120	F 03E 005 LE5	3620.3070.0120.04	Ex. stock IDC		4
	<b>Information: P. 44</b>						

## Wide belts (width: from 400 mm)





3708 siapan	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>2200 x 2800 mm</b> Model: Antistatic  <b>Information: P. 52</b> Technology: TopTec P. 74	60	F 03E 003 T62	4101.8688.0060.02	Ex. stock IDC		4

## Hand sanding belts and sleeves (width: 30–390 mm/length: up to 950 mm)









1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>120 x 250 mm</b>  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 003 ZP2	6922.3029.0060.02	Made to order		10
		80	F 03E 003 E2P	6922.3029.0080.12	Made to order		10
		100	F 03E 003 E2R	6922.3029.0100.12	Made to order		10
		120	F 03E 003 E2S	6922.3029.0120.12	Made to order		10
	<b>120 x 450 mm</b>  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 003 E2T	1283.2045.0060.12	Ex. stock IDC		60
		80	F 03E 003 E2U	1283.2045.0080.12	Ex. stock IDC		60
		100	F 03E 003 E2V	1283.2045.0100.12	Ex. stock IDC		60
		120	F 03E 003 E2M	1283.2045.0120.12	Ex. stock IDC		60
		150	F 03E 003 E2N	1283.2045.0150.12	Ex. stock IDC		60

2546 siabite jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>32 x 450 mm</b>  <b>Information: P. 41</b>	60	F 03E 025 MU3	5930.3652.0060.01	Made to order		100
	<b>35 x 450 mm</b>  <b>Information: P. 41</b>	120	F 03E 003 Y77	6687.2791.0120.01	Made to order		100
	<b>100 x 395 mm</b>  <b>Information: P. 41</b>	80	F 03E 026 01B	5265.8722.0080.01	Made to order		60



## Hand sanding belts and sleeves (width: 30–390 mm/length: up to 950 mm)

2800 siaron	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>50 x 617 mm</b>	60	F 03E 003 Y4P	9607.5871.0060.01	Made to order		100
		80	F 03E 003 Y4R	9607.5871.0080.01	Made to order		100
		120	F 03E 003 Y4Y	9607.5871.0120.01	Made to order		10
	<b>Information: P. 44</b>						
<b>50 x 800 mm</b>	80	F 03E 001 UY1	3586.3876.0080.01	Ex. stock IDC		10	
	<b>Information: P. 44</b>						
2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>40 x 620 mm</b>	36	F 03E 025 D0P	0928.3104.0036.01	Ex. stock IDC		100
		<b>Information: P. 45</b>					
	<b>40 x 675 mm</b>	60	F 03E 003 E92	1855.9309.0060.05	Ex. stock IDC		100
		80	F 03E 001 UU0	1855.9309.0080.05	Ex. stock IDC		100
		100	F 03E 001 UU1	2114.9162.0100.05	Ex. stock IDC		100
		120	F 03E 001 UU2	2114.9162.0120.01	Ex. stock IDC		100
		180	F 03E 001 UU3	2114.9162.0180.01	Ex. stock IDC		100
	<b>Information: P. 45</b>						
	<b>45 x 810 mm</b>	80	F 03E 003 E93	9621.4415.0080.05	Made to order		100
		100	F 03E 001 UW0	0037.3017.0100.05	Ex. stock IDC		100
	<b>Information: P. 45</b>						
	<b>50 x 450 mm</b>	120	F 03E 003 Y1X	6426.8925.0120.02	Made to order		100
		180	F 03E 001 V6J	6426.8925.0180.01	Made to order		100
		240	F 03E 004 P1Z	6426.8925.0240.01	Made to order		100
320		F 03E 003 Y9P	6426.8925.0320.01	Made to order		100	
400		F 03E 003 Y9R	6426.8925.0400.01	Made to order		100	
<b>Information: P. 45</b>							
<b>65 x 410 mm</b>	60	F 03E 003 Z7V	9332.7508.0060.01	Ex. stock UK	10	10	
	<b>Information: P. 45</b>						

## Hand sanding belts and sleeves (width: 30–390 mm/length: up to 950 mm)

2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>75 x 533 mm</b>	80	F 03E 001 W0F	1237.1790.0080.03	Ex. stock IDC		10
		<b>Information: P. 45</b>					
	<b>100 x 610 mm</b>	36	F 03E 003 Z2Z	5879.1225.0036.01	Ex. stock UK	5	5
		100	F 03E 002 RZ8	5879.1225.0100.02	Ex. stock UK	10	10
<b>Information: P. 45</b>							
	<b>100 x 915 mm</b>	36	F 03E 003 Z2A	2503.3501.0036.01	Ex. stock UK	10	60
		180	F 03E 003 Z2K	2503.3501.0180.03	Ex. stock UK	10	10
		240	F 03E 002 R2K	2503.3501.0240.02	Ex. stock UK	10	10
	<b>Information: P. 45</b>						
	<b>200 x 750 mm</b>	80	F 03E 001 XB1	0915.8238.0080.02	Ex. stock IDC		10
		<b>Information: P. 45</b>					
2829 siaron y	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>65 x 410 mm</b>	80	F 03E 004 7FW	9535.6959.0080.01	Ex. stock UK	10	10
		<b>Information: P. 46</b>					
	<b>100 x 915 mm</b>	36	F 03E 003 ZL3	2706.2952.0036.01	Ex. stock UK	5	5
		60	F 03E 001 W10	2706.2952.0060.01	Ex. stock UK	10	10
		80	F 03E 001 W0Z	2706.2952.0080.01	Ex. stock UK	10	10
<b>Information: P. 46</b>							
2920 siawood x	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>65 x 410 mm</b>	40	F 03E 008 3EM	1545.0741.0040.01	Ex. stock UK	10	60
		60	F 03E 008 3DJ	1545.0741.0060.03	Ex. stock IDC		60
		80	F 03E 008 3EP	1545.0741.0080.02	Ex. stock IDC		60
		100	F 03E 008 3C2	1545.0741.0100.01	Ex. stock IDC		60
		120	F 03E 008 3ES	1545.0741.0120.01	Ex. stock IDC		60
		<b>Information: P. 47</b> Technology: TopTec P. 74					







## Hand sanding belts and sleeves (width: 30–390 mm/length: up to 950 mm)

2920 siawood x	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>75 x 457 mm</b>	40	F 03E 008 3DG	1743.4147.0040.02	Ex. stock IDC		60	
		60	F 03E 008 3DF	1743.4147.0060.03	Ex. stock IDC		60	
		80	F 03E 008 3DE	1743.4147.0080.03	Ex. stock UK	10	60	
		100	F 03E 008 3DX	1743.4147.0100.03	Ex. stock UK	10	60	
		120	F 03E 008 3DD	1743.4147.0120.03	Ex. stock UK	10	60	
		150	F 03E 001 VN1	0059.0396.0150.11	Ex. stock IDC		60	
	<b>Information: P. 47</b> Technology: TopTec P. 74							
	<b>75 x 480 mm</b>	40	F 03E 008 3EU	2240.0248.0040.01	Ex. stock IDC		60	
		60	F 03E 008 3EV	2240.0248.0060.01	Ex. stock IDC		60	
		80	F 03E 008 3EW	2240.0248.0080.02	Ex. stock UK	10	60	
		100	F 03E 008 4ZT	2240.0248.0100.02	Ex. stock IDC		60	
		120	F 03E 008 3EX	2240.0248.0120.01	Ex. stock UK	10	60	
		150	F 03E 001 VN2	0555.6497.0150.11	Ex. stock UK	10	60	
	<b>Information: P. 47</b> Technology: TopTec P. 74							
	<b>75 x 533 mm</b>	40	F 03E 008 4ZV	3395.6683.0040.03	Ex. stock UK	10	60	
		60	F 03E 008 4ZW	3395.6683.0060.03	Ex. stock UK	10	60	
		80	F 03E 008 4ZX	3395.6683.0080.03	Ex. stock IDC		60	
		100	F 03E 008 4ZY	3395.6683.0100.03	Ex. stock IDC		60	
		120	F 03E 008 4ZZ	3395.6683.0120.03	Ex. stock IDC		60	
		150	F 03E 001 VN3	1711.2932.0150.11	Ex. stock UK	10	60	
	<b>Information: P. 47</b> Technology: TopTec P. 74							
<b>75 x 610 mm</b>	40	F 03E 008 3F8	5052.5920.0040.04	Made to order		60		
	60	F 03E 008 32E	5052.5920.0060.02	Ex. stock UK	10	60		
	80	F 03E 008 32D	5052.5920.0080.02	Ex. stock UK	10	60		
	100	F 03E 008 32C	5052.5920.0100.02	Made to order		60		
	120	F 03E 008 3FA	5052.5920.0120.02	Ex. stock UK	10	60		
<b>Information: P. 47</b> Technology: TopTec P. 74								
<b>100 x 552 mm</b>	40	F 03E 008 3FG	6793.7515.0040.01	Made to order		60		
	60	F 03E 008 3FH	6793.7515.0060.01	Made to order		60		
	80	F 03E 008 3FJ	6793.7515.0080.01	Made to order		60		
	100	F 03E 008 3FK	6793.7515.0100.01	Made to order		60		
	120	F 03E 008 3FL	6793.7515.0120.01	Made to order		60		
<b>Information: P. 47</b>								
<b>100 x 560 mm</b>	40	F 03E 008 3FM	6960.8449.0040.01	Made to order		60		
	60	F 03E 008 3FN	6960.8449.0060.02	Ex. stock UK	10	60		
	80	F 03E 008 3FP	6960.8449.0080.02	Ex. stock UK	10	60		
	100	F 03E 008 3FR	6960.8449.0100.01	Made to order		60		
	120	F 03E 008 3FS	6960.8449.0120.02	Made to order		60		
	150	F 03E 001 VN9	5276.4698.0150.11	Made to order		60		
<b>Information: P. 47</b> Technology: TopTec P. 74								






## Hand sanding belts and sleeves (width: 30–390 mm/length: up to 950 mm)



2920 siawood x	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>120 x 250 mm</b>	60	F 03E 003 ZS3	8627.6323.0060.01	Made to order		10	
		80	F 03E 001 WS9	8627.6323.0080.02	Made to order		10	
		100	F 03E 003 ZR7	8627.6323.0100.02	Made to order		10	
		120	F 03E 003 ZR9	8627.6323.0120.02	Made to order		10	
	<b>Information: P. 47</b> Technology: TopTec P. 74	<b>120 x 450 mm</b>	60	F 03E 003 Z2U	2988.5339.0060.01	Ex. stock IDC		10
			80	F 03E 003 YR1	2988.5339.0080.01	Ex. stock IDC		10
120			F 03E 003 YR5	2988.5339.0120.02	Ex. stock IDC		10	
<b>Information: P. 47</b> Technology: TopTec P. 74								
	<b>150 x 1220 mm</b>	80	F 03E 004 OFR	7256.1066.0080.04	Ex. stock UK	10	10	
		<b>Information: P. 47</b> Technology: TopTec P. 74						
	<b>200 x 551 mm</b>	100	F 03E 004 04B	2268.5025.0100.01	Ex. stock IDC		10	
		120	F 03E 004 034	2268.5025.0120.01	Ex. stock IDC		10	
	<b>Information: P. 47</b> Technology: TopTec P. 74	<b>200 x 750 mm</b>	16	F 03E 001 X9X	3074.3131.0016.01	Ex. stock IDC		10
			24	F 03E 001 X9Y	3074.3131.0024.01	Ex. stock IDC		10
			36	F 03E 001 XA0	3074.3131.0036.01	Ex. stock IDC		10
			40	F 03E 001 X8G	9598.5525.0040.11	Made to order		10
			50	F 03E 001 X8H	9598.5525.0050.11	Made to order		10
			60	F 03E 001 X8L	9598.5525.0060.11	Made to order		10
			80	F 03E 001 X9C	3500.5811.0080.01	Ex. stock IDC		10
			100	F 03E 004 049	1144.5673.0100.01	Ex. stock IDC		10
120	F 03E 004 039	1144.5673.0120.02	Ex. stock IDC		10			
<b>Information: P. 47</b> Technology: TopTec P. 74								
2933 siatur jo	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>40 x 305 mm</b>	60	F 03E 001 RS2	2756.1179.0060.02	Ex. stock IDC		10	
		80	F 03E 001 RS8	2756.1179.0080.02	Ex. stock IDC		10	
		120	F 03E 001 RS1	2756.1179.0120.02	Ex. stock IDC		10	
<b>Information: P. 48</b> Technology: TopTec P. 74 Machine: Bosch								




## Hand sanding belts and sleeves (width: 30–390 mm/length: up to 950 mm)

2936 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>180 x 340 mm</b>	120	F 03E 001 WT6	6122.5011.0120.02	Ex. stock UK	10	10
	<b>Information: P. 49</b>						
	<b>180 x 495 mm</b>	120	F 03E 004 06X	9462.6407.0120.01	Ex. stock UK	10	10
		180	F 03E 006 7XT	9462.6407.0180.01	Ex. stock UK	10	10
<b>Information: P. 49</b>							
<b>250 x 660 mm</b>	120	F 03E 004 06T	7447.2323.0120.01	Ex. stock UK	10	10	
<b>Information: P. 49</b>							

2946 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>50 x 600 mm</b>	320	F 03E 003 F24	6590.2846.0320.02	Made to order		50
	<b>Information: P. 50</b>						



2948 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>32 x 450 mm</b>	120	F 03E 004 W2E	4643.9734.0120.01	Made to order		100
		180	F 03E 025 K9P	4643.9734.0180.01	Made to order		100
	<b>Information: P. 51</b>						



## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

1719 sialac	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>150 x 5100 mm</b>	280	F 03E 008 8XK	7353.2095.0280.01	Made to order		5
<b>Information: P. 31</b>							


## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

1815 siatop	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>150 x 6800 mm</b>	120	F 03E 006 G6D	4339.1442.0120.01	Ex. stock IDC		5
	<b>Information: P. 33</b>						


1913 siawat	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>100 x 1000 mm</b> Model: waterproof	400	F 03E 003 54Y	4659.6451.0400.01	Made to order		10
		1000	F 03E 005 B3L	4659.6451.1000.01	Made to order		10
		1500	F 03E 004 JH1	4403.7177.1500.02	Made to order		50
	<b>Information: P. 35</b>						
	<b>120 x 7100 mm</b> Model: waterproof	800	F 03E 002 G5J	9553.0332.0800.02	Ex. stock UK	5	20
	<b>Information: P. 35</b>						

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>120 x 6700 mm</b> Model: Antistatic	80	F 03E 005 P4V	6837.7204.0080.13	Made to order		10
	<b>Information: P. 36</b> Technology: TopTec P. 74						
	<b>120 x 6800 mm</b> Model: Antistatic	80	F 03E 005 P63	8991.2542.0080.13	Made to order		50
		100	F 03E 005 P64	8991.2542.0100.13	Made to order		10
	<b>Information: P. 36</b> Technology: TopTec P. 74						
	<b>120 x 6900 mm</b> Model: Antistatic	80	F 03E 005 P35	1198.6220.0080.13	Ex. stock IDC		10
		100	F 03E 005 P37	1198.6220.0100.13	Ex. stock IDC		10
		120	F 03E 005 P38	1198.6220.0120.13	Ex. stock IDC		10
	<b>Information: P. 36</b> Technology: TopTec P. 74						
	<b>120 x 7000 mm</b> Model: Antistatic	60	F 03E 005 P7S	3352.1558.0060.13	Ex. stock IDC		10
		80	F 03E 005 P3W	3352.1558.0080.13	Ex. stock IDC		10
		100	F 03E 005 P3X	3352.1558.0100.13	Ex. stock IDC		10
		120	F 03E 005 P3Y	3352.1558.0120.14	Ex. stock IDC		10
		150	F 03E 005 P3Z	3352.1558.0150.14	Ex. stock IDC		10
	<b>Information: P. 36</b> Technology: TopTec P. 74						

## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)



1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>120 x 7100 mm</b> Model: Antistatic	60	F 03E 005 P8R	5505.6429.0060.13	Made to order		10	
		80	F 03E 005 P8S	5505.6429.0080.13	Made to order		10	
		120	F 03E 005 P8U	5505.6429.0120.13	Made to order		10	
	<b>Information: P. 36</b> Technology: TopTec P. 74							
	<b>120 x 7200 mm</b> Model: Antistatic	60	F 03E 005 P5C	7680.7988.0060.13	Made to order			10
		80	F 03E 005 P5D	7680.7988.0080.13	Made to order			10
		100	F 03E 005 P5E	7680.7988.0100.13	Made to order			10
		120	F 03E 005 P5F	7680.7988.0120.13	Made to order			10
		150	F 03E 005 P9H	7680.7988.0150.13	Made to order			10
	<b>Information: P. 36</b> Technology: TopTec P. 74							
	<b>120 x 7400 mm</b> Model: Antistatic	80	F 03E 005 P3E	2041.7004.0080.13	Ex. stock IDC			10
		100	F 03E 005 P3F	2041.7004.0100.13	Ex. stock IDC			10
		120	F 03E 005 P3G	2041.7004.0120.13	Ex. stock IDC			10
		150	F 03E 005 P7P	2041.7004.0150.13	Ex. stock IDC			10
	<b>Information: P. 36</b> Technology: TopTec P. 74							
	<b>120 x 7700 mm</b> Model: Antistatic	80	F 03E 005 P5T	8523.8772.0080.14	Made to order			10
	<b>Information: P. 36</b> Technology: TopTec P. 74							
	<b>120 x 7800 mm</b> Model: Antistatic	80	F 03E 005 P2N	0709.6229.0080.13	Ex. stock IDC			10
		100	F 03E 005 P2P	0709.6229.0100.13	Ex. stock IDC			10
		120	F 03E 005 P2R	0709.6229.0120.13	Ex. stock IDC			10
		150	F 03E 005 P2S	0709.6229.0150.13	Ex. stock IDC			10
	<b>Information: P. 36</b> Technology: TopTec P. 74							
	<b>120 x 8000 mm</b> Model: Antistatic	60	F 03E 005 P8J	5038.2659.0060.14	Made to order			10
		80	F 03E 005 P8K	5038.2659.0080.14	Made to order			10
100		F 03E 005 P8L	5038.2659.0100.14	Made to order			10	
120		F 03E 005 P8M	5038.2659.0120.13	Made to order			10	
<b>Information: P. 36</b> Technology: TopTec P. 74								
<b>120 x 8200 mm</b> Model: Antistatic	80	F 03E 007 5M9	9366.9556.0080.04	Made to order			5	
<b>Information: P. 36</b> Technology: TopTec P. 74								
<b>150 x 1220 mm</b>	80	F 03E 001 YK9	5550.7772.0080.02	Ex. stock UK		10	10	
<b>Information: P. 36</b>								

## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)


1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>150 x 1600 mm</b> Model: Antistatic	60	F 03E 004 0XW	3800.9662.0060.01	Ex. stock IDC		10
		80	F 03E 001 YY6	3800.9662.0080.01	Ex. stock IDC		10
	<b>150 x 2000 mm</b> Information: P. 36 Technology: TopTec P. 74	100	F 03E 004 OEE	2490.5108.0100.03	Ex. stock UK	10	10
		<b>150 x 2000 mm</b> Model: Antistatic	80	F 03E 001 Y0C	2490.5108.0080.01	Ex. stock UK	10
	100		F 03E 004 OED	2490.5108.0100.01	Ex. stock IDC		10
	150		F 03E 004 N5B	2490.5108.0150.01	Ex. stock IDC		10
	<b>150 x 2170 mm</b> Model: Antistatic	80	F 03E 004 N4P	6160.1671.0080.12	Ex. stock UK	10	10
		100	F 03E 004 N4R	6160.1671.0100.12	Ex. stock UK	10	10
		120	F 03E 004 N4S	6160.1671.0120.12	Ex. stock UK	10	10
		150	F 03E 004 N4T	6160.1671.0150.12	Made to order		10
	<b>150 x 2250 mm</b> Model: Antistatic	60	F 03E 001 XU8	7895.9674.0060.01	Made to order		10
		80	F 03E 004 N4U	7895.9674.0080.12	Ex. stock UK	10	10
		100	F 03E 004 N4V	7895.9674.0100.12	Ex. stock UK	10	10
		120	F 03E 004 N4W	7895.9674.0120.12	Made to order		10
		150	F 03E 004 N4X	7895.9674.0150.02	Made to order		10
	<b>150 x 2260 mm</b> Model: Antistatic	100	F 03E 001 YS0	8115.6452.0100.01	Ex. stock UK	10	10
		<b>150 x 2280 mm</b> Model: Antistatic	60	F 03E 003 DL2	8533.3787.0060.12	Made to order	
	80		F 03E 004 N4Y	8533.3787.0080.12	Ex. stock UK	10	10
	100		F 03E 004 N4Z	8533.3787.0100.12	Made to order		10
	120		F 03E 004 N50	8533.3787.0120.12	Made to order		10
150	F 03E 003 DL3		8533.3787.0150.12	Made to order		10	
<b>150 x 2600 mm</b> Model: Antistatic	60	F 03E 004 N51	5487.1230.0060.12	Made to order		10	
	80	F 03E 004 N52	5487.1230.0080.12	Made to order		10	
	100	F 03E 004 N53	5487.1230.0100.12	Made to order		10	
	120	F 03E 004 N54	5487.1230.0120.12	Ex. stock UK	10	10	
	150	F 03E 004 N55	5487.1230.0150.12	Made to order		10	





## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
 	<b>150 x 2620 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	80	F 03E 003 DL5	5926.4786.0080.12	Made to order		10
		100	F 03E 003 DL6	5926.4786.0100.12	Made to order		10
		120	F 03E 003 DL7	5926.4786.0120.12	Made to order		10
		150	F 03E 003 DL8	5926.4786.0150.12	Made to order		10
	<b>150 x 2640 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	100	F 03E 001 Y2P	6365.8342.0100.01	Ex. stock UK	10	10
	<b>150 x 3000 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	80	F 03E 001 XV4	4176.6676.0080.12	Ex. stock IDC		10
		100	F 03E 001 XV5	4176.6676.0100.12	Ex. stock IDC		10
		120	F 03E 001 XV6	4176.6676.0120.12	Ex. stock IDC		10
		150	F 03E 007 C7T	4176.6676.0150.03	Ex. stock IDC		10
	<b>150 x 3200 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	120	F 03E 004 0EN	8505.3573.0120.02	Made to order		10
	<b>150 x 4800 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	150	F 03E 005 V4N	3220.2915.0150.05	Ex. stock IDC		5
		180	F 03E 005 Z0P	3220.2915.0180.04	Ex. stock IDC		5
	<b>150 x 6550 mm</b> Model: Antistatic Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	100	F 03E 005 UY8	1187.1952.0100.03	Ex. stock UK	5	5
	<b>150 x 6700 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 005 P8H	4439.0713.0060.13	Ex. stock UK	10	10
		80	F 03E 005 P40	4439.0713.0080.13	Ex. stock UK	10	10
		100	F 03E 005 P41	4439.0713.0100.13	Made to order		10
		120	F 03E 005 P42	4439.0713.0120.13	Ex. stock UK	10	10
		150	F 03E 005 P43	4439.0713.0150.13	Made to order		10
		180	F 03E 005 UY9	4439.0713.0180.03	Ex. stock UK	5	5
	<b>150 x 6800 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 005 P4L	6592.6051.0060.13	Made to order		10
		80	F 03E 005 P4M	6592.6051.0080.13	Made to order		10
		100	F 03E 005 P4N	6592.6051.0100.13	Made to order		10
		120	F 03E 005 P4R	6592.6051.0120.13	Made to order		10
		150	F 03E 005 P4S	6592.6051.0150.13	Made to order		10
180		F 03E 005 P4T	6592.6051.0180.13	Made to order		10	





## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>150 x 6900 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	80	F 03E 005 P5Y	8746.1389.0080.13	Ex. stock UK	10	10
		120	F 03E 005 P60	8746.1389.0120.13	Made to order		10
		150	F 03E 005 P61	8746.1389.0150.13	Ex. stock UK	10	10
		180	F 03E 005 P62	8746.1389.0180.13	Ex. stock UK	10	10
	<b>150 x 7000 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	60	F 03E 005 P2T	0953.5067.0060.13	Ex. stock IDC		10
		80	F 03E 005 P2U	0953.5067.0080.13	Ex. stock IDC		10
		100	F 03E 005 P2V	0953.5067.0100.13	Ex. stock IDC		10
		120	F 03E 005 P2W	0953.5067.0120.13	Ex. stock IDC		10
		150	F 03E 005 P2X	0953.5067.0150.13	Ex. stock UK	10	
		180	F 03E 005 P2Y	0953.5067.0180.13	Ex. stock UK	10	10
	<b>150 x 7100 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	80	F 03E 005 P3R	3106.9938.0080.14	Ex. stock IDC		10
		80	F 03E 006 BR2	3106.9938.0080.15	Ex. stock IDC		5
		100	F 03E 005 P3S	3106.9938.0100.13	Ex. stock IDC		10
		120	F 03E 005 P3T	3106.9938.0120.13	Ex. stock IDC		10
		150	F 03E 005 P3U	3106.9938.0150.13	Ex. stock IDC		10
	<b>150 x 7200 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	80	F 03E 005 P45	5282.1497.0080.13	Made to order		10
		100	F 03E 005 P46	5282.1497.0100.13	Made to order		10
		120	F 03E 005 P47	5282.1497.0120.13	Made to order		10
	<b>150 x 7300 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	100	F 03E 005 P4W	7435.6835.0100.13	Ex. stock UK	10	10
		150	F 03E 005 P9F	7435.6835.0150.13	Made to order		10
		180	F 03E 005 UY6	7435.6835.0180.03	Ex. stock UK	5	5
	<b>150 x 7600 mm</b> Model: Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	120	F 03E 005 WE3	3950.0722.0120.04	Ex. stock UK	5	5
	<b>150 x 7750 mm</b> Model: Antistatic Antistatic  <b>Information: P. 36</b> Technology: TopTec P. 74	180	F 03E 005 X4R	7201.9950.0180.03	Ex. stock UK	5	5


## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)


1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>150 x 7800 mm</b> Model: Antistatic	60	F 03E 005 P5G	8278.7619.0060.13	Made to order		10	
		80	F 03E 005 P5H	8278.7619.0080.13	Made to order		10	
		80	F 03E 006 7ZC	8278.7619.0080.14	Made to order		5	
		100	F 03E 005 P5J	8278.7619.0100.13	Ex. stock UK	10	10	
		120	F 03E 005 P5K	8278.7619.0120.13	Ex. stock UK	10	10	
		150	F 03E 005 P5L	8278.7619.0150.13	Ex. stock UK	10	10	
	<b>Information: P. 36</b> Technology: TopTec P. 74							
		<b>150 x 8000 mm</b> Model: Antistatic	60	F 03E 005 P7R	2639.6168.0060.13	Ex. stock IDC		10
			80	F 03E 005 P3J	2639.6168.0080.13	Ex. stock UK	10	10
			120	F 03E 005 P3L	2639.6168.0120.13	Ex. stock IDC		10
	150		F 03E 005 P3M	2639.6168.0150.13	Ex. stock UK	10	10	
	<b>Information: P. 36</b> Technology: TopTec P. 74							
		<b>150 x 8500 mm</b> Model: Antistatic	100	F 03E 005 P7X	3482.6952.0100.13	Ex. stock IDC		10
	150		F 03E 005 P7Z	3482.6952.0150.13	Ex. stock IDC		10	
	<b>Information: P. 36</b> Technology: TopTec P. 74							
		<b>175 x 3500 mm</b> Model: Antistatic	100	F 03E 001 Z7J	8004.7658.0100.02	Ex. stock UK	10	10
	<b>Information: P. 36</b> Technology: TopTec P. 74							
		<b>180 x 5130 mm</b> Model: Antistatic Antistatic	100	F 03E 005 UY7	7962.8526.0100.02	Ex. stock UK	5	5
<b>Information: P. 36</b> Technology: TopTec P. 74								
	<b>200 x 1800 mm</b> Model: Antistatic	120	F 03E 004 0F0	4131.9074.0120.02	Ex. stock IDC		10	
150		F 03E 004 70V	4131.9074.0150.03	Ex. stock IDC		10		
<b>Information: P. 36</b> Technology: TopTec P. 74								
	<b>200 x 2000 mm</b> Model: Antistatic	80	F 03E 004 N56	8460.5504.0080.12	Made to order		10	
100		F 03E 004 N59	8460.5504.0100.12	Made to order		10		
120		F 03E 004 N5J	8460.5504.0120.12	Made to order		10		
150		F 03E 007 KP8	8460.5504.0150.02	Made to order		10		
180		F 03E 004 0M8	8460.5504.0180.01	Made to order		10		
<b>Information: P. 36</b> Technology: TopTec P. 74								
	<b>200 x 2600 mm</b> Model: Antistatic	80	F 03E 001 XW3	1489.3745.0080.02	Ex. stock IDC		10	
100		F 03E 001 Y2F	1489.3745.0100.01	Ex. stock IDC		10		
<b>Information: P. 36</b> Technology: TopTec P. 74								

## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)




1919 siawood +	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
								
	<b>200 x 2640 mm</b> Model: Antistatic	100	F 03E 001 Y6M	2346.4636.0100.01	Ex. stock UK	10	10	
		120	F 03E 001 Y06	2346.4636.0120.01	Ex. stock UK	10	10	
	<b>Information: P. 36</b> Technology: TopTec P. 74							
	<b>200 x 3000 mm</b> Model: Antistatic	60	F 03E 001 XW9	0178.9191.0060.12	Ex. stock IDC		10	
		80	F 03E 003 E2X	0178.9191.0080.12	Ex. stock IDC		10	
		100	F 03E 003 E2Y	0178.9191.0100.12	Ex. stock IDC		10	
		120	F 03E 003 E2Z	0178.9191.0120.12	Ex. stock IDC		10	
		150	F 03E 003 E30	0178.9191.0150.12	Ex. stock IDC		10	
		180	F 03E 001 Y2W	0178.9191.0180.02	Ex. stock IDC		10	
	<b>Information: P. 36</b> Technology: TopTec P. 74							
	<b>200 x 3100 mm</b> Model: Antistatic	100	F 03E 004 0F6	2332.4529.0100.01	Ex. stock IDC		10	
		<b>Information: P. 36</b> Technology: TopTec P. 74						
	<b>200 x 3200 mm</b> Model: Antistatic	60	F 03E 004 0F8	4507.6088.0060.12	Made to order		10	
		80	F 03E 004 0F9	4507.6088.0080.12	Made to order		10	
		100	F 03E 004 0FA	4507.6088.0100.12	Made to order		10	
		120	F 03E 004 0FB	4507.6088.0120.12	Made to order		10	
	<b>Information: P. 36</b> Technology: TopTec P. 74							
	<b>200 x 5400 mm</b> Model: Antistatic	80	F 03E 006 78N	2219.1552.0080.03	Ex. stock UK	5	5	
		<b>Information: P. 36</b> Technology: TopTec P. 74						
<b>300 x 1900 mm</b> Model: Antistatic	60	F 03E 004 0FD	8257.6856.0060.12	Made to order		10		
	80	F 03E 004 0FE	8257.6856.0080.12	Ex. stock UK	10	10		
	100	F 03E 004 0FF	8257.6856.0100.12	Made to order		10		
	120	F 03E 003 E31	8257.6856.0120.12	Ex. stock UK	10	10		
	150	F 03E 003 E32	8257.6856.0150.12	Made to order		10		
<b>Information: P. 36</b> Technology: TopTec P. 74								
<b>2503 siabite</b>								
								
	<b>100 x 2740 mm</b>	36	F 03E 004 0TZ	5217.2692.0036.03	Ex. stock UK	5	5	
		<b>Information: P. 40</b>						

## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

2503 siabite	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>150 x 1090 mm</b>	60	F 03E 001 Z73	5406.1975.0060.02	Ex. stock UK	10	10
		<b>Information: P. 40</b>					
	<b>150 x 2000 mm</b>	36	F 03E 004 OPP	5136.8762.0036.01	Ex. stock UK	5	5
		80	F 03E 004 OPT	5136.8762.0080.01	Made to order		10
	<b>Information: P. 40</b>						
	<b>200 x 2500 mm</b>	60	F 03E 002 1BD	1982.2061.0060.02	Ex. stock IDC		10
		80	F 03E 004 49F	1982.2061.0080.03	Ex. stock IDC		10
	<b>Information: P. 40</b>						





2511 siabite	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>50 x 2000 mm</b> Model: Cloth	100	F 03E 006 L6W	3354.5750.0100.02	Ex. stock IDC		10
		<b>Information: P. 40</b>					
	<b>75 x 2000 mm</b> Model: Cloth	120	F 03E 006 5AG	6339.5948.0120.01	Made to order		10
		<b>Information: P. 40</b>					
	<b>150 x 2500 mm</b>	100	F 03E 006 5TE	6169.9445.0100.01	Made to order		10
		<b>Information: P. 40</b>					
	<b>200 x 2500 mm</b>	100	F 03E 006 4MU	2172.1493.0100.01	Ex. stock IDC		10
		120	F 03E 006 4MV	2172.1493.0120.01	Ex. stock IDC		10
	<b>Information: P. 40</b>						

## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)


2515 siabite	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>75 x 2000 mm</b>	36	F 03E 003 4VY	6412.9443.0036.01	Made to order		5
		60	F 03E 005 T63	6412.9443.0060.02	Made to order		10
	<b>Information: P. 41</b>						
2546 siabite jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>23 x 1000 mm</b>	280	F 03E 003 51L	9747.6477.0280.01	Made to order		50
	<b>Information: P. 41</b>						
	<b>40 x 4000 mm</b>	120	F 03E 002 7B5	9667.7763.0120.01	Made to order		10
	<b>Information: P. 41</b>						
	<b>50 x 1000 mm</b>	280	F 03E 003 716	6592.0847.0280.02	Made to order		50
		400	F 03E 007 1KK	6592.0847.0400.02	Made to order		50
	<b>Information: P. 41</b>						
	<b>50 x 1500 mm</b>	280	F 03E 007 8BW	4226.4284.0280.02	Ex. stock IDC		50
		320	F 03E 005 36E	7435.1631.0320.02	Made to order		50
		400	F 03E 005 2EG	4226.4284.0400.01	Ex. stock IDC		10
		400	F 03E 005 6LZ	4226.4284.0400.02	Ex. stock IDC		50
	<b>Information: P. 41</b>	400	F 03E 007 M9A	7435.1631.0400.03	Made to order		50
	<b>50 x 2000 mm</b>	240	F 03E 003 W2Z	4110.0159.0240.01	Ex. stock IDC		10
	<b>Information: P. 41</b>						
	<b>50 x 4000 mm</b>	80	F 03E 002 5SP	7482.3295.0080.03	Made to order		10
	<b>Information: P. 41</b>						



## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)





2546 siabite jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>60 x 1020 mm</b>  <b>Information: P. 41</b>	80	F 03E 002 0D6	2063.6650.0080.01	Ex. stock IDC		20
	<b>60 x 3500 mm</b>  <b>Information: P. 41</b>	100	F 03E 025 MH9	5839.7014.0100.01	Made to order		10
		120	F 03E 003 E8C	5839.7014.0120.01	Made to order		10
	<b>75 x 3500 mm</b>  <b>Information: P. 41</b>	60	F 03E 007 65Y	9624.2709.0060.01	Made to order		10
<b>95 x 3500 mm</b>  <b>Information: P. 41</b>		120	F 03E 025 SG3	8025.1715.0120.01	Made to order		10
	<b>100 x 1000 mm</b>  <b>Information: P. 41</b>	240	F 03E 002 3NJ	2594.3362.0240.01	Ex. stock IDC		10
		320	F 03E 007 M96	2594.3362.0320.03	Ex. stock IDC		50
	<b>100 x 1500 mm</b>  <b>Information: P. 41</b>	280	F 03E 003 79W	0207.0111.0280.02	Ex. stock IDC		50
		280	F 03E 007 M9B	3437.4146.0280.04	Ex. stock IDC		50
		320	F 03E 005 6U6	3437.4146.0320.02	Ex. stock IDC		50
	<b>100 x 3500 mm</b>  <b>Information: P. 41</b>	80	F 03E 002 078	2641.5026.0080.01	Ex. stock IDC		10
		120	F 03E 003 DV2	2641.5026.0120.02	Ex. stock IDC		10
		180	F 03E 003 DV3	2641.5026.0180.01	Ex. stock IDC		10
	<b>120 x 3500 mm</b>  <b>Information: P. 41</b>	100	F 03E 004 R4X	1042.4032.0100.01	Ex. stock IDC		10
		120	F 03E 004 0UU	1042.4032.0120.03	Ex. stock IDC		10
		150	F 03E 003 8GK	1042.4032.0150.01	Ex. stock IDC		10
		180	F 03E 003 8GN	1042.4032.0180.01	Ex. stock IDC		10
		220	F 03E 003 8GL	1042.4032.0220.01	Ex. stock IDC		10

## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)


2546 siabite jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>130 x 3500 mm</b>	150	F 03E 003 71V	0242.8535.0150.01	Ex. stock IDC		10
		<b>Information: P. 41</b>					
	<b>150 x 4000 mm</b>	80	F 03E 002 55G	9454.6206.0080.01	Made to order		10
		120	F 03E 002 5KZ	9454.6206.0120.01	Made to order		10
	<b>Information: P. 41</b>						
	<b>300 x 3500 mm</b>	60	F 03E 002 0DD	6564.4627.0060.01	Made to order		10
		80	F 03E 004 0ZW	6564.4627.0080.02	Made to order		15
		100	F 03E 003 DV6	6564.4627.0100.02	Made to order		15
		240	F 03E 004 0XT	6564.4627.0240.02	Made to order		10
		320	F 03E 004 0XV	6564.4627.0320.02	Made to order		10
	<b>Information: P. 41</b>						
	<b>300 x 4000 mm</b>	180	F 03E 002 5JX	7407.5411.0180.03	Made to order		10
		180	F 03E 002 5JY	7407.5411.0180.04	Made to order		10
	<b>Information: P. 41</b>						

2582 siaramic	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>50 x 2000 mm</b> <b>New</b>	36	F 03E 008 4GF	4878.4120.0036.01	Made to order		5
		60	F 03E 008 5EZ	4878.4120.0060.01	Made to order		5
		80	F 03E 008 5F0	4878.4120.0080.01	Made to order		5
	<b>Information: P. 42</b> Technology: siaramic P. 77						
	<b>50 x 4000 mm</b> <b>New</b>	36	F 03E 008 4GD	8250.7256.0036.01	Made to order		5
		<b>Information: P. 42</b> Technology: siaramic P. 77					
	<b>75 x 2000 mm</b> <b>New</b>	36	F 03E 008 4G1	7863.4318.0036.01	Made to order		5
		60	F 03E 008 63W	7863.4318.0060.01	Made to order		5
		80	F 03E 008 5E3	7863.4318.0080.01	Made to order		5
		120	F 03E 008 5DY	7863.4318.0120.01	Made to order		5
	<b>Information: P. 42</b> Technology: siaramic P. 77						


## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

2582 siaramic	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>75 x 4000 mm</b> <b>New</b>	36	F 03E 008 4FW	1267.9573.0036.01	Ex. stock IDC		5
	<b>Information: P. 42</b> Technology: siaramic P. 77						
<b>2800 siaron</b>	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>40 x 1480 mm</b>	24	F 03E 001 RZ7	9118.3498.0024.04	Made to order		10
	<b>Information: P. 44</b>						
	<b>40 x 1500 mm</b>	24	F 03E 001 S3C	9557.6587.0024.02	Ex. stock UK	5	5
	<b>Information: P. 44</b>						
	<b>40 x 1650 mm</b>	24	F 03E 003 VF7	2841.7934.0024.04	Ex. stock IDC		10
		80	F 03E 003 VG7	2841.7934.0080.03	Ex. stock IDC		10
	<b>Information: P. 44</b>						
	<b>50 x 1500 mm</b>	80	F 03E 001 T6X	8758.1090.0080.01	Made to order		10
		240	F 03E 001 SK7	8758.1090.0240.01	Made to order		10
	<b>Information: P. 44</b>						
<b>50 x 3500 mm</b>	36	F 03E 001 T0T	2162.6345.0036.01	Ex. stock IDC		5	
<b>Information: P. 44</b>							
<b>55 x 3500 mm</b>	40	F 03E 025 P8G	6746.7537.0040.01	Made to order		5	
<b>Information: P. 44</b>							
<b>60 x 3500 mm</b>	100	F 03E 005 RU8	1363.0848.0100.01	Ex. stock IDC		10	
<b>Information: P. 44</b>							

## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)



2800 siaron	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>70 x 1500 mm</b>	80	F 03E 003 8N2	0645.1887.0080.01	Ex. stock IDC		10
	<b>Information: P. 44</b>						
	<b>75 x 1500 mm</b>	24	F 03E 004 0RX	1775.3407.0024.03	Ex. stock UK	5	5
	<b>Information: P. 44</b>						
	<b>75 x 2000 mm</b>	24	F 03E 001 YH4	2618.4191.0024.01	Ex. stock IDC		10
		36	F 03E 001 YH5	2618.4191.0036.01	Ex. stock UK	10	10
		40	F 03E 003 E8R	2618.4191.0040.01	Ex. stock IDC		10
		50	F 03E 003 E8S	2618.4191.0050.04	Ex. stock IDC		10
		60	F 03E 001 Y0U	2618.4191.0060.03	Ex. stock IDC		10
		80	F 03E 001 Y0T	2618.4191.0080.04	Ex. stock IDC		10
120		F 03E 001 Y0V	2618.4191.0120.04	Ex. stock IDC		10	
180		F 03E 001 YA3	2618.4191.0180.03	Ex. stock IDC		10	
<b>Information: P. 44</b>							
<b>75 x 2500 mm</b>	36	F 03E 001 YH7	3461.4975.0036.01	Ex. stock IDC		10	
	40	F 03E 004 0S6	3461.4975.0040.01	Ex. stock IDC		10	
	60	F 03E 001 Y4Z	3461.4975.0060.03	Ex. stock IDC		10	
<b>Information: P. 44</b>							
<b>75 x 3500 mm</b>	36	F 03E 002 14N	5147.6543.0036.01	Made to order		10	
<b>Information: P. 44</b>							
<b>100 x 1480 mm</b>	24	F 03E 002 G8F	4321.0049.0024.04	Ex. stock IDC		10	
<b>Information: P. 44</b>							
<b>100 x 2000 mm</b>	36	F 03E 004 0T2	5603.4389.0036.02	Ex. stock UK	5	5	
<b>Information: P. 44</b>							
<b>100 x 3450 mm</b>	36	F 03E 001 Z6E	7055.9072.0036.02	Ex. stock UK	5	5	
<b>Information: P. 44</b>							

## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

2800 siaron	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>100 x 3500 mm</b>	40	F 03E 001 YN1	8132.6741.0040.01	Made to order		10
		<b>Information: P. 44</b>					
	<b>100 x 5000 mm</b>	100	F 03E 006 T0G	0694.1212.0100.01	Ex. stock IDC		5
		<b>Information: P. 44</b>					
	<b>150 x 2000 mm</b>	36	F 03E 003 E8T	1605.6904.0036.01	Ex. stock IDC		10
		40	F 03E 003 E8U	1605.6904.0040.01	Ex. stock IDC		10
		60	F 03E 001 Y10	1605.6904.0060.03	Ex. stock UK	10	10
		80	F 03E 001 Y0N	1605.6904.0080.04	Ex. stock IDC		10
		120	F 03E 001 Y12	1605.6904.0120.04	Ex. stock IDC		10
	<b>Information: P. 44</b>						
	<b>150 x 2500 mm</b>	60	F 03E 001 Y2N	2448.7688.0060.03	Ex. stock IDC		10
		<b>Information: P. 44</b>					
	<b>200 x 2500 mm</b>	150	F 03E 001 Y8P	8418.8084.0150.02	Made to order		10
		180	F 03E 004 1C2	8418.8084.0180.01	Made to order		10
<b>Information: P. 44</b>							


2803 siaron y	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>50 x 1600 mm</b>	60	F 03E 003 VY8	1025.9178.0060.01	Ex. stock IDC		10
		<b>Information: P. 44</b>					
	<b>50 x 2000 mm</b>	40	F 03E 001 S8D	9661.6284.0040.01	Made to order		10
		<b>Information: P. 44</b>					
	<b>50 x 3000 mm</b>	60	F 03E 001 SE3	1379.9971.0060.01	Ex. stock IDC		10
<b>Information: P. 44</b>							

## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)





2803 siaron y	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>50 x 3500 mm</b>	40	F 03E 003 W39	2223.0755.0040.01	Ex. stock IDC		5
	<b>Information: P. 44</b>						
	<b>75 x 2000 mm</b>	36	F 03E 004 N5M	2678.8601.0036.01	Ex. stock IDC		10
		40	F 03E 004 N5R	2678.8601.0040.01	Ex. stock IDC		10
		60	F 03E 004 N58	2678.8601.0060.02	Ex. stock IDC		10
		80	F 03E 004 N5A	2678.8601.0080.03	Ex. stock UK	10	10
	<b>Information: P. 44</b>	120	F 03E 004 4V5	2678.8601.0120.01	Ex. stock IDC		10
	<b>100 x 2000 mm</b>	36	F 03E 004 OTS	5663.8799.0036.02	Ex. stock UK	5	5
	<b>Information: P. 44</b>						
	<b>150 x 2400 mm</b>	36	F 03E 004 14L	0355.6760.0036.01	Ex. stock IDC		5
	<b>Information: P. 44</b>						
2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>25 x 1065 mm</b>	60	F 03E 003 VP7	6768.0016.0060.02	Ex. stock UK	10	10
		80	F 03E 001 SC2	6768.0016.0080.02	Ex. stock UK	10	100
		100	F 03E 001 SF6	6768.0016.0100.02	Ex. stock UK	10	10
		120	F 03E 003 VP4	6768.0016.0120.02	Ex. stock UK	10	10
		150	F 03E 002 CU0	6768.0016.0150.01	Ex. stock UK	10	10
		180	F 03E 002 FD9	6768.0016.0180.01	Ex. stock UK	10	10
	<b>Information: P. 45</b>	240	F 03E 003 W1G	6768.0016.0240.01	Ex. stock UK	10	10
	<b>50 x 1000 mm</b>	40	F 03E 001 S8L	8346.7378.0040.05	Made to order		10
		60	F 03E 001 SOP	8346.7378.0060.05	Made to order		10
		80	F 03E 001 S0R	8346.7378.0080.05	Made to order		10
		100	F 03E 001 S0S	8346.7378.0100.05	Made to order		10
		120	F 03E 001 S0T	8346.7378.0120.01	Made to order		10
		180	F 03E 001 S0U	8346.7378.0180.01	Made to order		10
		320	F 03E 001 S0W	8346.7378.0320.03	Made to order		10
	<b>Information: P. 45</b>	400	F 03E 001 S0X	8346.7378.0400.04	Made to order		10





## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>50 x 1065 mm</b>	60	F 03E 001 SF0	9753.0214.0060.03	Ex. stock UK	10	10	
		80	F 03E 001 T2C	9753.0214.0080.01	Ex. stock UK	20	20	
	<b>Information: P. 45</b>							
	<b>50 x 1250 mm</b>	60	F 03E 003 VR4	3784.4063.0060.01	Ex. stock IDC			10
		<b>Information: P. 45</b>						
	<b>50 x 1500 mm</b>	40	F 03E 001 S8M	9189.8162.0040.05	Made to order			10
		60	F 03E 001 S0Y	9189.8162.0060.05	Made to order			10
		80	F 03E 001 S0Z	9189.8162.0080.05	Made to order			10
	<b>Information: P. 45</b>							
	<b>50 x 1525 mm</b>	36	F 03E 001 S6N	9739.0107.0036.02	Ex. stock UK		10	10
		40	F 03E 001 S8N	9739.0107.0040.01	Ex. stock UK		10	10
		60	F 03E 001 S1W	9739.0107.0060.02	Ex. stock UK		10	10
		80	F 03E 001 S1X	9739.0107.0080.02	Ex. stock UK		10	10
		100	F 03E 001 S1Y	9739.0107.0100.02	Ex. stock UK		10	10
		120	F 03E 001 S1Z	9739.0107.0120.01	Ex. stock UK		10	10
		180	F 03E 001 T6F	9739.0107.0180.01	Ex. stock UK		10	10
	<b>Information: P. 45</b>							
	<b>50 x 1600 mm</b>	40	F 03E 001 S8U	1375.5619.0040.01	Ex. stock IDC			5
		60	F 03E 003 VT0	1375.5619.0060.01	Ex. stock IDC			10
		80	F 03E 003 VU7	1375.5619.0080.01	Ex. stock IDC			10
		80	F 03E 003 VU8	1375.5619.0080.02	Ex. stock UK		10	10
		120	F 03E 003 VS7	1375.5619.0120.01	Ex. stock IDC			10
	<b>Information: P. 45</b>							
	<b>50 x 1940 mm</b>	150	F 03E 003 W3V	8736.4499.0150.01	Made to order			10
		<b>Information: P. 45</b>						
	<b>50 x 2000 mm</b>	36	F 03E 001 S6U	0065.1065.0036.02	Ex. stock IDC			10
		40	F 03E 001 S8H	0065.1065.0040.05	Ex. stock IDC			10
		60	F 03E 001 S13	0065.1065.0060.05	Ex. stock UK		10	10
80		F 03E 001 S14	0065.1065.0080.05	Ex. stock IDC			10	
120		F 03E 001 S16	0065.1065.0120.01	Ex. stock IDC			10	
220		F 03E 001 U0Y	0065.1065.0220.01	Ex. stock IDC			10	
<b>Information: P. 45</b>								



## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU		
									
	<b>75 x 2000 mm</b>	36	F 03E 004 N5N	3050.1263.0036.02	Ex. stock UK	10	10		
		40	F 03E 004 N5T	3050.1263.0040.05	Ex. stock UK	10	10		
		60	F 03E 004 N5C	3050.1263.0060.05	Ex. stock UK	10	10		
		80	F 03E 004 N5D	3050.1263.0080.05	Ex. stock IDC		10		
		100	F 03E 004 N5E	3050.1263.0100.05	Ex. stock IDC		10		
		120	F 03E 004 N5F	3050.1263.0120.01	Ex. stock IDC		10		
	<b>Information: P. 45</b>								
	<b>75 x 2250 mm</b>	40	F 03E 001 YN7	8455.5829.0040.05	Made to order			10	
		60	F 03E 001 Y6P	8455.5829.0060.05	Made to order			10	
		<b>Information: P. 45</b>							
	<b>75 x 2500 mm</b>	36	F 03E 004 ONG	3893.2047.0036.02	Ex. stock UK		10	10	
		40	F 03E 004 OSJ	3893.2047.0040.05	Ex. stock IDC			10	
		60	F 03E 001 Y5S	3893.2047.0060.05	Ex. stock IDC			10	
		80	F 03E 001 Y5T	3893.2047.0080.05	Ex. stock IDC			10	
		<b>Information: P. 45</b>							
<b>75 x 3500 mm</b>	40	F 03E 005 S3J	5579.3615.0040.03	Made to order			5		
	<b>Information: P. 45</b>								
	<b>100 x 915 mm</b>	40	F 03E 001 VX0	2503.3501.0040.05	Ex. stock UK	10	60		
		60	F 03E 001 VX1	2503.3501.0060.05	Ex. stock UK	10	60		
		80	F 03E 004 N4G	2503.3501.0080.05	Ex. stock UK	10	60		
		100	F 03E 001 VX3	2503.3501.0100.05	Ex. stock UK	10	60		
		120	F 03E 001 VX4	2503.3501.0120.02	Ex. stock UK	10	60		
		<b>Information: P. 45</b>							
	<b>100 x 920 mm</b>	60	F 03E 003 YS1	2613.1890.0060.05	Ex. stock IDC		10		
		80	F 03E 001 VP2	2613.1890.0080.05	Ex. stock IDC		10		
		<b>Information: P. 45</b>							
		<b>100 x 1000 mm</b>	40	F 03E 004 OSC	4348.9893.0040.05	Ex. stock IDC			10
60	F 03E 001 Y7L		4348.9893.0060.05	Ex. stock UK		10	10		
80	F 03E 001 Y7M		4348.9893.0080.05	Ex. stock IDC			10		
100	F 03E 001 Y51		4348.9893.0100.05	Ex. stock IDC			10		
120	F 03E 001 Y4F		4348.9893.0120.01	Ex. stock IDC			10		
150	F 03E 001 Y4G		4348.9893.0150.03	Ex. stock IDC			10		
180	F 03E 001 Y4H		4348.9893.0180.01	Ex. stock IDC			10		
240	F 03E 001 Y4K		4348.9893.0240.01	Ex. stock IDC			10		
<b>Information: P. 45</b>									


## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>100 x 1100 mm</b>	40	F 03E 004 OSD	6502.5231.0040.05	Made to order		10	
		60	F 03E 004 OJV	6502.5231.0060.05	Made to order		10	
		80	F 03E 004 OKA	6502.5231.0080.05	Made to order		10	
		100	F 03E 001 YF4	6502.5231.0100.05	Made to order		10	
		120	F 03E 001 Y4A	6502.5231.0120.01	Made to order		10	
		150	F 03E 001 Y4B	6502.5231.0150.03	Made to order		10	
	<b>Information: P. 45</b>	<b>100 x 1200 mm</b>	80	F 03E 004 N5H	8677.6790.0080.02	Made to order		10
			<b>Information: P. 45</b>					
	<b>100 x 1220 mm</b>	36	F 03E 002 FE0	9095.4125.0036.01	Made to order		5	
		80	F 03E 001 Z8J	9095.4125.0080.01	Made to order		10	
		<b>Information: P. 45</b>						
	<b>100 x 2000 mm</b>	36	F 03E 004 OST	6035.1461.0036.01	Ex. stock UK	5	5	
		40	F 03E 004 OSF	6035.1461.0040.05	Made to order		10	
		60	F 03E 001 YF5	6035.1461.0060.05	Made to order		10	
		80	F 03E 004 OMD	6035.1461.0080.05	Made to order		10	
		<b>Information: P. 45</b>						
	<b>100 x 3000 mm</b>	36	F 03E 001 YJ1	7721.3029.0036.01	Made to order		10	
		<b>Information: P. 45</b>						
	<b>120 x 1500 mm</b>	80	F 03E 007 KJ3	3592.9683.0080.02	Ex. stock IDC		10	
		<b>Information: P. 45</b>						
<b>150 x 1090 mm</b>	60	F 03E 004 10G	2285.0968.0060.04	Ex. stock UK	10	10		
	80	F 03E 004 119	2285.0968.0080.03	Ex. stock UK	10	10		
	240	F 03E 006 V7H	2285.0968.0240.01	Ex. stock UK	10	10		
	<b>Information: P. 45</b>							
	<b>150 x 1220 mm</b>	60	F 03E 002 9HB	5097.6640.0060.02	Ex. stock UK	10	10	
		80	F 03E 001 Z96	5097.6640.0080.01	Made to order		10	
		80	F 03E 001 Z97	5097.6640.0080.03	Ex. stock UK	10	10	
		100	F 03E 004 19Y	5097.6640.0100.01	Ex. stock UK	10	10	
		180	F 03E 002 034	5097.6640.0180.01	Ex. stock UK	10	10	
		<b>Information: P. 45</b>						







## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>150 x 1500 mm</b>	40	F 03E 004 0SE	1194.3192.0040.05	Ex. stock IDC		10	
		60	F 03E 001 Y5X	1194.3192.0060.05	Ex. stock IDC		10	
	<b>Information: P. 45</b>							
	<b>150 x 1650 mm</b>	80	F 03E 002 510	4424.6199.0080.01	Made to order			10
		<b>Information: P. 45</b>						
	<b>150 x 2000 mm</b>	36	F 03E 004 0N1	2037.3976.0036.02	Ex. stock UK		10	10
		40	F 03E 004 0SH	2037.3976.0040.05	Ex. stock IDC			10
		60	F 03E 004 0ME	2037.3976.0060.05	Ex. stock IDC			10
		80	F 03E 001 Y61	2037.3976.0080.05	Ex. stock IDC			10
		120	F 03E 001 Y62	2037.3976.0120.02	Ex. stock UK		10	10
	<b>Information: P. 45</b>							
	<b>150 x 2500 mm</b>	40	F 03E 004 0SG	2880.4760.0040.05	Ex. stock IDC			10
		60	F 03E 001 Y63	2880.4760.0060.01	Ex. stock IDC			10
		80	F 03E 001 Y65	2880.4760.0080.05	Ex. stock IDC			10
	<b>Information: P. 45</b>							
	<b>200 x 2000 mm</b>	60	F 03E 001 YF7	8007.4372.0060.05	Made to order			10
		80	F 03E 001 YF8	8007.4372.0080.05	Made to order			10
	<b>Information: P. 45</b>							
	<b>300 x 2500 mm</b>	80	F 03E 002 2JV	0833.3965.0080.01	Ex. stock IDC			10
		<b>Information: P. 45</b>						
	<b>25 x 1065 mm</b> Model: Cloth	60	F 03E 001 SD9	6970.9000.0060.01	Ex. stock UK	10	10	
		<b>Information: P. 46</b>						
	<b>40 x 1650 mm</b> Model: Cloth	24	F 03E 003 BT5	3454.7769.0024.04	Ex. stock IDC			10
		24	F 03E 004 X84	3454.7769.0024.06	Ex. stock IDC			20
	<b>Information: P. 46</b>							

## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)











2829 siaron y	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>50 x 1525 mm</b> Model: Cloth	40	F 03E 001 SD1	9920.2870.0040.02	Ex. stock UK	5	5	
		60	F 03E 003 VS1	9920.2870.0060.01	Ex. stock UK	10	10	
	<b>Information: P. 46</b>							
	<b>50 x 2000 mm</b> Model: Cloth	36	F 03E 001 SB3	0268.0049.0036.01	Ex. stock UK	5	5	
		80	F 03E 001 SF5	0268.0049.0080.02	Ex. stock UK	10	10	
	<b>Information: P. 46</b>							
	<b>75 x 2000 mm</b>	36	F 03E 001 YJ7	3253.0247.0036.01	Ex. stock UK	10	10	
		40	F 03E 004 OSK	3253.0247.0040.01	Ex. stock UK	10	10	
		60	F 03E 001 Y81	3253.0247.0060.02	Ex. stock UK	10	10	
		80	F 03E 001 Y8Y	3253.0247.0080.02	Ex. stock UK	10	10	
	<b>Information: P. 46</b>							
	<b>75 x 2300 mm</b> Model: Cloth	36	F 03E 001 Z70	9735.2482.0036.01	Ex. stock UK	5	5	
		<b>Information: P. 46</b>						
	<b>100 x 1480 mm</b> Model: Cloth	24	F 03E 004 ZL9	4955.6105.0024.04	Made to order		20	
		24	F 03E 005 4BA	4955.6105.0024.05	Made to order		10	
	<b>Information: P. 46</b>							
	<b>100 x 2000 mm</b> Model: Cloth	36	F 03E 004 OX2	6216.4224.0036.01	Ex. stock UK	5	5	
		60	F 03E 001 Z93	6216.4224.0060.01	Ex. stock UK	10	10	
	<b>Information: P. 46</b>							
<b>100 x 3450 mm</b> Model: Cloth	36	F 03E 002 JOL	7668.8907.0036.01	Ex. stock UK	5	5		
	<b>Information: P. 46</b>							
<b>150 x 1090 mm</b> Model: Cloth	60	F 03E 002 3NT	2487.9952.0060.01	Ex. stock UK	10	10		
	<b>Information: P. 46</b>							
<b>150 x 2000 mm</b>	36	F 03E 004 OXD	2218.6739.0036.03	Ex. stock UK	5	5		
	40	F 03E 004 OSL	2218.6739.0040.01	Ex. stock UK	10	10		
	80	F 03E 001 Y6F	2218.6739.0080.02	Ex. stock UK	10	10		
<b>Information: P. 46</b>								

## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)




2829 siaron y	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>150 x 2000 mm</b> Model: Cloth  <b>Information: P. 46</b>	60	F 03E 001 ZF7	2218.6739.0060.02	Ex. stock UK	10	10
<b>2920 siawood x</b>							
  							
	<b>120 x 2100 mm</b>  <b>Information: P. 47</b> Technology: TopTec P. 74	120	F 03E 001 Z27	9195.9599.0120.01	Made to order		10
		180	F 03E 002 3U9	7063.6480.0180.01	Made to order		10
	<b>150 x 1090 mm</b>  <b>Information: P. 47</b> Technology: TopTec P. 74	80	F 03E 001 Z7H	4443.5861.0080.01	Ex. stock UK	10	10
	<b>150 x 2000 mm</b>  <b>Information: P. 47</b> Technology: TopTec P. 74	60	F 03E 003 DW4	4195.8869.0060.11	Ex. stock IDC		10
		80	F 03E 003 DW5	4195.8869.0080.11	Ex. stock UK	10	
		100	F 03E 003 DW6	4195.8869.0100.11	Ex. stock IDC		10
		120	F 03E 003 DW7	4195.8869.0120.11	Ex. stock IDC		10
		150	F 03E 001 Y2B	4195.8869.0150.02	Ex. stock IDC		10
	<b>150 x 2280 mm</b>  <b>Information: P. 47</b> Technology: TopTec P. 74	100	F 03E 004 M87	0270.9200.0100.02	Ex. stock IDC		10
	<b>150 x 2640 mm</b>  <b>Information: P. 47</b> Technology: TopTec P. 74	150	F 03E 004 0M5	8071.1636.0150.02	Ex. stock UK	10	10
	<b>150 x 4800 mm</b>  <b>Information: P. 47</b> Technology: TopTec P. 74	150	F 03E 005 V7X	3241.2925.0150.02	Ex. stock IDC		5
	<b>150 x 5400 mm</b>  <b>Information: P. 47</b> Technology: TopTec P. 74	150	F 03E 002 5G0	7943.8552.0150.01	Made to order		5




## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

2920 siawood x	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>200 x 3000 mm</b>	80	F 03E 004 OGL	1884.2485.0080.02	Ex. stock IDC		10
		120	F 03E 004 OGN	1884.2485.0120.01	Ex. stock IDC		10
<b>Information: P. 47</b> Technology: TopTec P. 74							
	<b>250 x 3280 mm</b>	60	F 03E 002 3UZ	3929.3679.0060.01	Ex. stock UK	10	10
		<b>Information: P. 47</b> Technology: TopTec P. 74					
	<b>300 x 2000 mm</b>	80	F 03E 003 DW8	2170.3828.0080.11	Ex. stock IDC		10
		<b>Information: P. 47</b> Technology: TopTec P. 74					
2925 sialoX	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>150 x 2500 mm</b> Model: Cloth	180	F 03E 005 6J6	5146.8454.0180.01	Made to order		10
<b>Information: P. 48</b>							
2933 siatur jo	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>30 x 2710 mm</b>	60	F 03E 001 S9D	9490.3890.0060.01	Ex. stock UK	10	10
		<b>Information: P. 48</b> Technology: TopTec P. 74					
	<b>50 x 2710 mm</b>	60	F 03E 001 T9N	7891.2896.0060.01	Ex. stock UK	10	10
		<b>Information: P. 48</b> Technology: TopTec P. 74					
	<b>200 x 1850 mm</b>	100	F 03E 007 6ED	1412.3112.0100.01	Ex. stock IDC		10
		<b>Information: P. 48</b>					


## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

2936 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>40 x 2710 mm</b>	60	F 03E 003 VP9	8751.2803.0060.02	Ex. stock UK	10	10
		<b>Information: P. 49</b>					
	<b>150 x 1800 mm</b>	180	F 03E 006 15S	8487.2991.0180.01	Ex. stock UK	10	10
		<b>Information: P. 49</b>					
2945 siatur j	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>50 x 2500 mm</b>	240	F 03E 001 S3P	3606.2615.0240.01	Ex. stock IDC		10
		<b>Information: P. 50</b>					
	<b>75 x 3500 mm</b>	60	F 03E 004 10W	8277.4381.0060.01	Made to order		10
		<b>Information: P. 50</b>					
	<b>100 x 1500 mm</b>	220	F 03E 003 98C	2090.5818.0220.02	Ex. stock IDC		50
<b>Information: P. 50</b>							
<b>300 x 3500 mm</b>	320	F 03E 003 EA0	5239.2520.0320.01	Made to order		15	
	<b>Information: P. 50</b>						
2946 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>50 x 1000 mm</b>	240	F 03E 003 715	5279.8292.0240.02	Made to order		50
		320	F 03E 001 S43	5279.8292.0320.02	Made to order		50
		400	F 03E 007 M9M	5279.8292.0400.03	Made to order		50
		600	F 03E 007 L69	5279.8292.0600.04	Made to order		50
	<b>Information: P. 50</b>						

## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)


2946 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>50 x 1500 mm</b>	320	F 03E 001 S49	6122.9076.0320.02	Made to order		50	
		400	F 03E 032 3XK	6122.9076.0400.02	Made to order		50	
		500	F 03E 007 M9T	6122.9076.0500.04	Made to order		50	
		600	F 03E 007 99H	2892.5041.0600.02	Ex. stock IDC		50	
		600	F 03E 007 M9U	6122.9076.0600.05	Made to order		50	
	<b>Information: P. 50</b>							
	<b>50 x 2000 mm</b>	240	F 03E 006 S00	3735.5825.0240.01	Ex. stock IDC		10	
		600	F 03E 003 GD2	6965.9860.0600.02	Made to order		50	
	<b>Information: P. 50</b>							
	<b>50 x 4000 mm</b>	150	F 03E 002 5AV	6170.0740.0150.02	Made to order		10	
		150	F 03E 008 6N8	1212.5599.0150.01	Ex. stock IDC		10	
		220	F 03E 008 6N9	1212.5599.0220.01	Ex. stock IDC		10	
		280	F 03E 002 5B2	6170.0740.0280.01	Made to order		10	
		320	F 03E 008 6NA	1212.5599.0320.01	Ex. stock IDC		10	
	<b>Information: P. 50</b>							
	<b>60 x 3500 mm</b>	120	F 03E 008 3BN	4527.4459.0120.01	Made to order		10	
		180	F 03E 005 48U	4527.4459.0180.01	Made to order		10	
		320	F 03E 006 HN3	4527.4459.0320.01	Made to order		10	
	<b>Information: P. 50</b>							
	<b>75 x 3500 mm</b>	100	F 03E 004 OKB	8312.0154.0100.04	Made to order		10	
		180	F 03E 003 DX4	8312.0154.0180.02	Made to order		10	
		220	F 03E 025 T2W	8312.0154.0220.01	Made to order		10	
		240	F 03E 001 YB0	8312.0154.0240.03	Made to order		10	
		320	F 03E 003 DX5	8312.0154.0320.01	Made to order		10	
		400	F 03E 002 4A9	8312.0154.0400.01	Made to order		10	
<b>Information: P. 50</b>								
<b>100 x 1000 mm</b> Model: special belt joint	180	F 03E 004 OJA	1282.0807.0180.03	Ex. stock IDC		50		
	220	F 03E 004 OJJ	1282.0807.0220.01	Ex. stock IDC		50		
	240	F 03E 004 OJG	1282.0807.0240.02	Ex. stock IDC		50		
	280	F 03E 004 OJM	1282.0807.0280.01	Ex. stock IDC		50		
	320	F 03E 004 OJH	1282.0807.0320.01	Ex. stock IDC		50		
	320	F 03E 007 NE7	1282.0807.0320.03	Ex. stock IDC		50		
	400	F 03E 004 OJD	1282.0807.0400.01	Ex. stock IDC		50		
	500	F 03E 004 OJK	1282.0807.0500.02	Ex. stock IDC		50		
	600	F 03E 004 OJB	1282.0807.0600.02	Ex. stock IDC		50		
<b>Information: P. 50</b>								


## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)

2946 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>100 x 1500 mm</b>	600	F 03E 003 762	2125.1591.0600.02	Ex. stock IDC		50
		<b>Information: P. 50</b>					
	<b>100 x 2000 mm</b>	240	F 03E 005 3U0	2968.2375.0240.02	Ex. stock IDC		50
		320	F 03E 007 U51	9705.6221.0320.01	Made to order		50
		<b>Information: P. 50</b>					
	<b>100 x 3500 mm</b>	60	F 03E 004 JG6	1329.2471.0060.01	Ex. stock IDC		10
		120	F 03E 001 YD3	1329.2471.0120.01	Ex. stock IDC		10
		180	F 03E 002 53E	1329.2471.0180.01	Ex. stock IDC		10
		240	F 03E 001 YD4	1329.2471.0240.01	Ex. stock IDC		10
		320	F 03E 002 4V4	1329.2471.0320.01	Ex. stock IDC		10
		400	F 03E 004 0K7	1329.2471.0400.01	Ex. stock IDC		10
		<b>Information: P. 50</b>					
	<b>300 x 3500 mm</b>	80	F 03E 004 10A	5252.1605.0080.02	Made to order		10
		320	F 03E 001 YR2	5252.1605.0320.03	Made to order		15
	<b>Information: P. 50</b>						


2948 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>50 x 1500 mm</b>	320	F 03E 003 9MZ	6170.3934.0320.02	Made to order		50
		600	F 03E 005 73B	6170.3934.0600.02	Made to order		50
	<b>Information: P. 51</b>						
	<b>50 x 2000 mm</b>	400	F 03E 003 W57	2823.6241.0400.01	Ex. stock IDC		10
		<b>Information: P. 51</b>					
	<b>60 x 1020 mm</b>	240	F 03E 002 P6Y	0777.2732.0240.01	Ex. stock IDC		10
		<b>Information: P. 51</b>					

## Narrow, edge and long belts (width: 25–399 mm/length: up to 10,700 mm)


2948 siatur jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>75 x 3500 mm</b>	100	F 03E 004 31M	8337.8791.0100.01	Made to order		10
		<b>Information: P. 51</b>					
	<b>100 x 1000 mm</b>	320	F 03E 005 X83	1307.9444.0320.02	Ex. stock IDC		50
		600	F 03E 005 X84	1307.9444.0600.02	Ex. stock IDC		50
	<b>Information: P. 51</b>						
	<b>100 x 3500 mm</b>	240	F 03E 004 2YK	1355.1108.0240.01	Ex. stock IDC		10
		<b>Information: P. 51</b>					
	<b>120 x 3500 mm</b>	400	F 03E 002 4P8	9723.7995.0400.01	Made to order		10
		<b>Information: P. 51</b>					
	<b>300 x 3500 mm</b>	80	F 03E 004 3GA	5299.6463.0080.03	Made to order		10
		100	F 03E 002 08L	5299.6463.0100.02	Made to order		15
		120	F 03E 002 08F	5299.6463.0120.02	Made to order		15
240		F 03E 002 0CK	5299.6463.0240.01	Made to order		15	
<b>Information: P. 51</b>							

2951 siatur h	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>100 x 1000 mm</b> Model: Cloth	320	F 03E 007 M8Y	1390.0075.0320.03	Ex. stock IDC		50
		<b>Information: P. 51</b> Technology: TopTec P. 74					

## scm belts


6270 siamet SCM LS	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	<b>80 x 1480 mm</b>	veryfine	F 03E 026 72J	8104.0990.6921	Made to order		4
		<b>Information: P. 62</b>					

## scm belts

6270 siamet SCM LS	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU
	<b>100 x 2000 mm</b>	coarse	F 03E 026 72G	7787.4336.2921	Made to order		3
		<b>Information: P. 62</b>					
	<b>200 x 2000 mm</b>		F 03E 026 5N2	9759.7247.2921	Made to order		5
		<b>Information: P. 62</b>					




## Tongued sanding belts (width: 6–30 mm/length: up to 950 mm)

2503 siabite	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>12 x 305 mm</b>	60	F 03E 003 V7J	3463.5720.0060.01	Ex. stock IDC		50
		<b>Information: P. 40</b>					
	<b>12 x 610 mm</b>	60	F 03E 006 W1R	0087.7996.0060.01	Ex. stock IDC		300
		<b>Information: P. 40</b>					
	<b>30 x 540 mm</b>	36	F 03E 001 UZ3	3113.1605.0036.02	Ex. stock UK	10	10
		<b>Information: P. 40</b>					


2511 siabite	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>13 x 457 mm</b>	60	F 03E 005 4UN	3585.5015.0060.01	Ex. stock IDC		50
		<b>Information: P. 40</b>					
	<b>19 x 457 mm</b>	36	F 03E 005 5RZ	5099.3293.0036.01	Made to order		50
		50	F 03E 005 K33	5099.3293.0050.01	Made to order		50
		<b>Information: P. 40</b>					





## Tongued sanding belts (width: 6–30 mm/length: up to 950 mm)



2546 siabite jj	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>6 x 520 mm</b>	120	F 03E 004 ZD3	7531.7593.0120.01	Made to order		50
		<b>Information: P. 41</b>					
	<b>6 x 610 mm</b>	60	F 03E 001 UL3	9465.5686.0060.01	Made to order		300
		<b>Information: P. 41</b>					
	<b>12 x 610 mm</b>	60	F 03E 003 E85	1011.6083.0060.01	Ex. stock IDC		300
		80	F 03E 003 E86	1011.6083.0080.01	Ex. stock IDC		300
		100	F 03E 001 UF8	1011.6083.0100.01	Ex. stock IDC		300
		120	F 03E 003 E87	1011.6083.0120.01	Ex. stock IDC		300
	<b>Information: P. 41</b>						
		<b>13 x 610 mm</b> <b>New</b>	80	F 03E 008 82E	8699.1699.0080.01	Made to order	
<b>Information: P. 42</b> Technology: siaramic P. 77							
<b>25 x 760 mm</b> <b>New</b>		80	F 03E 008 82F	4989.2914.0080.01	Made to order		100
		<b>Information: P. 42</b> Technology: siaramic P. 77					
	<b>9 x 533 mm</b>	40	F 03E 007 E5M	4261.6641.0040.03	Ex. stock IDC		50
		60	F 03E 003 X97	4261.6641.0060.01	Ex. stock IDC		50
		60	F 03E 006 5AD	4520.6494.0060.01	Made to order		50
		120	F 03E 003 Y04	4520.6494.0120.01	Made to order		50
	<b>Information: P. 45</b>						
	<b>10 x 330 mm</b>	40	F 03E 003 V9X	6773.2633.0040.01	Made to order		50
		40	F 03E 004 7ML	7032.2486.0040.01	Made to order		50
		60	F 03E 003 V9K	6773.2633.0060.01	Made to order		50
		60	F 03E 004 7KH	7032.2486.0060.01	Made to order		50
		80	F 03E 001 RT1	7032.2486.0080.01	Made to order		50
		80	F 03E 003 V6P	6773.2633.0080.05	Made to order		200
		120	F 03E 003 V6S	7032.2486.0120.01	Made to order		200
		<b>Information: P. 45</b>					

## Tongued sanding belts (width: 6–30 mm/length: up to 950 mm)


2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>12 x 330 mm</b>	40	F 03E 003 V6A	0632.6338.0040.05	Ex. stock IDC		200	
		60	F 03E 003 E8W	0632.6338.0060.05	Ex. stock IDC		200	
		80	F 03E 003 E8X	0632.6338.0080.05	Ex. stock IDC		200	
		120	F 03E 003 V6D	0891.6658.0120.02	Ex. stock IDC		200	
	<b>Information: P. 45</b>							
	<b>12 x 457 mm</b>	120	F 03E 004 5E2	3625.3564.0120.01	Ex. stock UK		10	50
		<b>Information: P. 45</b>						
	<b>13 x 455 mm</b>	40	F 03E 001 U74	0265.0707.0040.05	Ex. stock IDC			200
		60	F 03E 001 U75	0265.0707.0060.01	Ex. stock UK		10	50
		60	F 03E 001 U76	0265.0707.0060.05	Ex. stock IDC			200
		80	F 03E 001 U77	0265.0707.0080.05	Ex. stock IDC			200
		120	F 03E 001 U7Z	0524.1027.0120.03	Ex. stock IDC			200
	<b>Information: P. 45</b> Machine: Black & Decker							
	<b>15 x 330 mm</b>	60	F 03E 001 RR8	1389.5477.0060.02	Ex. stock IDC			200
		<b>Information: P. 45</b>						
	<b>20 x 480 mm</b>	50	F 03E 003 X8E	9462.9529.0050.01	Made to order			50
		60	F 03E 001 U9H	9462.9529.0060.01	Made to order			50
		80	F 03E 003 XM2	9203.9676.0080.01	Made to order			50
	<b>Information: P. 45</b>							
	<b>20 x 520 mm</b>	40	F 03E 001 U6Z	0114.8907.0040.05	Ex. stock IDC			200
		40	F 03E 003 X8A	0373.8760.0040.02	Ex. stock IDC			100
		60	F 03E 001 U72	0114.8907.0060.05	Ex. stock IDC			200
		60	F 03E 004 7KJ	0373.8760.0060.01	Ex. stock IDC			50
		80	F 03E 001 U73	0114.8907.0080.05	Ex. stock IDC			200
80		F 03E 005 7X1	0373.8760.0080.01	Ex. stock IDC			50	
120		F 03E 001 U82	0373.8760.0120.03	Ex. stock IDC			200	
<b>Information: P. 45</b>								
<b>25 x 480 mm</b>	60	F 03E 001 V8E	4079.2840.0060.01	Ex. stock IDC			50	
	<b>Information: P. 45</b>							

## Tongued sanding belts (width: 6–30 mm/length: up to 950 mm)



2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>29 x 533 mm</b>	40	F 03E 003 E8Y	2662.5647.0040.05	Ex. stock IDC		100
		60	F 03E 003 E8Z	2662.5647.0060.05	Ex. stock IDC		100
		80	F 03E 003 E90	2662.5647.0080.05	Ex. stock IDC		100
		100	F 03E 001 UV7	2921.5500.0100.05	Ex. stock IDC		100
		120	F 03E 001 UV6	2921.5500.0120.01	Ex. stock IDC		100
		150	F 03E 001 UV8	2921.5500.0150.03	Ex. stock IDC		100
		220	F 03E 003 Y2L	2921.5500.0220.02	Ex. stock IDC		100
		240	F 03E 001 UV5	2921.5500.0240.01	Ex. stock IDC		100
	<b>Information: P. 45</b> Machine: Makita	320	F 03E 003 Y2K	2921.5500.0320.02	Ex. stock IDC		100

2829 siaron y	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	<b>6 x 453 mm</b>	36	F 03E 004 L9C	2230.8803.0036.01	Ex. stock UK	5	50
		<b>Information: P. 46</b>					
	<b>6 x 457 mm</b>	60	F 03E 004 7Y0	2314.4270.0060.01	Ex. stock UK	10	50
		120	F 03E 003 G7H	2314.4270.0120.01	Ex. stock UK	10	50
	<b>Information: P. 46</b>						
	<b>6 x 610 mm</b>	40	F 03E 003 BE1	5623.5576.0040.01	Ex. stock UK	5	50
		<b>Information: P. 46</b>					
	<b>9 x 533 mm</b>	40	F 03E 004 7Y6	4723.5945.0040.01	Ex. stock UK	5	50
		60	F 03E 004 7Y7	4723.5945.0060.02	Ex. stock UK	10	50
		80	F 03E 004 2V5	4723.5945.0080.01	Ex. stock UK	10	50
		120	F 03E 004 7Y9	4723.5945.0120.02	Ex. stock UK	10	50
	<b>Information: P. 46</b>						


## Tongued sanding belts (width: 6–30 mm/length: up to 950 mm)


2829 siaron y	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>10 x 330 mm</b>	36	F 03E 004 7ZZ	7213.5249.0036.01	Ex. stock UK	5	50	
		40	F 03E 004 1NV	7213.5249.0040.01	Ex. stock UK	10	50	
		40	F 03E 004 W1T	7213.5249.0040.02	Made to order		200	
		60	F 03E 003 V74	7213.5249.0060.01	Ex. stock UK	10	50	
		60	F 03E 004 W1U	7213.5249.0060.04	Made to order		200	
		80	F 03E 001 RX4	7213.5249.0080.02	Ex. stock UK	10	50	
		80	F 03E 004 W1V	7213.5249.0080.03	Made to order		200	
		120	F 03E 003 VE3	7213.5249.0120.01	Ex. stock UK	10	50	
		120	F 03E 004 W1X	7213.5249.0120.02	Made to order		200	
	<b>Information: P. 46</b>							
	<b>12 x 305 mm</b>	60	F 03E 003 B0J	0545.3697.0060.01	Ex. stock UK	10	50	
	<b>Information: P. 46</b>							
	<b>12 x 455 mm</b>	40	F 03E 004 7Y1	3775.6704.0040.01	Ex. stock UK	5	50	
		60	F 03E 004 7Y2	3775.6704.0060.01	Ex. stock UK	10	50	
		80	F 03E 004 7Y3	3775.6704.0080.01	Ex. stock UK	10	50	
	<b>Information: P. 46</b>							
	<b>12 x 457 mm</b>	40	F 03E 004 7Y4	3828.2548.0040.01	Ex. stock UK	5	50	
		60	F 03E 004 7Y5	3828.2548.0060.01	Ex. stock UK	10	50	
	<b>Information: P. 46</b>							
	<b>12 x 533 mm</b>	40	F 03E 004 86H	5480.5084.0040.01	Ex. stock UK	5	50	
		60	F 03E 004 7YA	5480.5084.0060.01	Ex. stock UK	10	50	
		80	F 03E 003 BC9	5480.5084.0080.01	Ex. stock UK	10	50	
		120	F 03E 004 86J	5480.5084.0120.01	Ex. stock UK	10	50	
	<b>Information: P. 46</b>							
	<b>12 x 610 mm</b>	36	F 03E 004 R61	7137.3854.0036.02	Ex. stock UK	5	50	
		40	F 03E 004 7YB	7137.3854.0040.01	Ex. stock UK	5	50	
		60	F 03E 002 9NY	7137.3854.0060.02	Ex. stock UK	10	50	
80		F 03E 005 5PN	7137.3854.0080.01	Ex. stock UK	10	50		
120		F 03E 003 CC6	7137.3854.0120.01	Ex. stock UK	10	50		
<b>Information: P. 46</b>								
<b>13 x 533 mm</b>	40	F 03E 007 N6P	2410.2170.0040.01	Ex. stock IDC			300	
<b>Information: P. 46</b>								


## Tongued sanding belts (width: 6–30 mm/length: up to 950 mm)

2829 siaron y	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>19 x 457 mm</b>	40	F 03E 003 FL9	2271.7912.0040.01	Ex. stock UK	5	50
		<b>Information: P. 46</b>					
	<b>19 x 533 mm</b>	80	F 03E 005 69Y	3924.0448.0080.01	Ex. stock UK	10	50
		<b>Information: P. 46</b>					
	<b>20 x 480 mm</b>	60	F 03E 004 R4H	9665.8980.0060.01	Ex. stock UK	10	50
		80	F 03E 004 L46	9665.8980.0080.01	Ex. stock UK	10	50
		120	F 03E 004 P59	9665.8980.0120.01	Ex. stock UK	10	50
	<b>Information: P. 46</b>						
	<b>20 x 520 mm</b>	36	F 03E 004 7XY	0555.1990.0036.01	Ex. stock UK	5	50
		40	F 03E 003 X8T	0555.1990.0040.01	Ex. stock UK	5	50
		60	F 03E 003 XZ0	0555.1990.0060.01	Ex. stock UK	10	50
		80	F 03E 004 7XZ	0555.1990.0080.01	Ex. stock UK	10	50
		120	F 03E 003 C3L	0555.1990.0120.01	Ex. stock UK	10	50
	<b>Information: P. 46</b>						
	<b>20 x 533 mm</b>	60	F 03E 004 L9B	0853.7534.0060.01	Ex. stock UK	10	50
<b>Information: P. 46</b>							
	<b>25 x 480 mm</b>	36	F 03E 003 C7M	4282.2291.0036.01	Ex. stock UK	5	50
		60	F 03E 004 8H0	4282.2291.0060.01	Ex. stock UK	10	50
	<b>Information: P. 46</b>						
	<b>25 x 760 mm</b>	80	F 03E 004 8HB	0357.2622.0080.01	Ex. stock UK	10	50
		120	F 03E 004 PE3	0357.2622.0120.01	Ex. stock UK	10	50
	<b>Information: P. 46</b>						
	<b>29 x 533 mm</b>	40	F 03E 004 2VA	3102.8730.0040.01	Ex. stock UK	5	50
		<b>Information: P. 46</b>					


## Tongued sanding belts (width: 6–30 mm/length: up to 950 mm)

2920 siawood x	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>29 x 533 mm</b>	40	F 03E 008 329	5080.0393.0040.02	Made to order		100
		60	F 03E 008 500	5080.0393.0060.02	Made to order		100
		80	F 03E 008 501	5080.0393.0080.02	Made to order		100
		100	F 03E 008 3FB	5080.0393.0100.02	Made to order		100
		120	F 03E 008 502	5080.0393.0120.02	Made to order		100
		150	F 03E 003 Y1L	8576.6262.0150.11	Made to order		60
		<b>Information: P. 47</b> Technology: TopTec P. 74 Machine: Makita					

2945 siatur j	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU	
	<b>6 x 610 mm</b>	60	F 03E 025 SS7	8140.4046.0060.01	Made to order		300	
		120	F 03E 025 SS9	8140.4046.0120.01	Made to order		300	
	<b>12 x 610 mm</b>	60	F 03E 004 N48	9632.6103.0060.01	Made to order		50	
		80	F 03E 004 N49	9632.6103.0080.01	Made to order		300	
		120	F 03E 004 N4A	9632.6103.0120.01	Made to order		50	
		<b>Information: P. 50</b>						
		<b>Information: P. 50</b>						







6240 siamet SCM	Dimension	Grade / Colour	Part number	Part number	Delivery date	MOQ	SU	
	<b>320 x 20500 mm</b> <b>New</b>		F 03E 014 LK3	2064.5918.4921.01	Ex. stock UK	1	1	
		coarse A		F 03E 014 LK1	2064.5918.2921.01	Ex. stock UK	1	1
		<b>Information: P. 61</b>						

## spiralbands








2511 siabite	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	Ceramic spiral band <b>ø 45 x 30 mm</b>	36	F 03E 008 8T6	1532.4945.0036	Ex. stock IDC		1000
		<b>Information: P. 40</b>					









## spiralbands

2511 siabite	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	Ceramic spiral band <b>ø 30 x 30 mm</b>	120	F 03E 008 8T5	1461.9631.0120	Ex. stock IDC		1000
		<b>Information: P. 40</b>					
	Ceramic spiral belt <b>ø 22 x 20 mm</b>	80	F 03E 026 3SD	1835.4341.0080	Ex. stock IDC		500
		<b>Information: P. 40</b>					
	Ceramic spiral belt <b>ø 25 x 25 mm</b>	60	F 03E 026 3SF	6476.8078.0060	Made to order		1000
		80	F 03E 026 3SG	6476.8078.0080	Made to order		1000
<b>Information: P. 40</b>							
	Ceramic spiral belt <b>ø 51 x 25 mm</b>	36	F 03E 008 8U3	7052.2945.0036	Made to order		1000
		60	F 03E 026 3SU	7052.2945.0060	Made to order		1000
		80	F 03E 026 3SV	7052.2945.0080	Made to order		1000
	<b>Information: P. 40</b>						
	Ceramic spiral belt <b>ø 15 x 30 mm</b>	60	F 03E 026 3S9	0895.0832.0060	Ex. stock IDC		500
		80	F 03E 026 3SA	0895.0832.0080	Ex. stock IDC		500
<b>Information: P. 40</b>							
	Ceramic spiral belt <b>ø 30 x 30 mm</b>	36	F 03E 008 8T4	1202.9778.0036	Ex. stock IDC		1000
		60	F 03E 026 3SK	1202.9778.0060	Ex. stock IDC		1000
		80	F 03E 026 3SL	1202.9778.0080	Ex. stock IDC		1000
<b>Information: P. 40</b>							
	Ceramic spiral belt <b>ø 45 x 30 mm</b>	60	F 03E 026 3SP	1532.4945.0060	Ex. stock IDC		1000
		<b>Information: P. 40</b>					
	Ceramic spiral belts <b>ø 15 x 30 mm</b>	120	F 03E 008 8T3	1154.0685.0120	Ex. stock IDC		500
		<b>Information: P. 40</b>					







## spiralbands

2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	Spiral belt <b>ø 19 x 25 mm</b>  <b>Information: P. 45</b>	50	F 03E 026 454	0975.6879.0050	Ex. stock UK	50	500
	Spiral belt <b>ø 15 x 30 mm</b>  <b>Information: P. 45</b>	80	F 03E 008 8U8	7573.4028.0080.01	Made to order		500
	Zirconium spiral belt <b>ø 30 x 30 mm</b>  <b>Information: P. 45</b>	36	F 03E 026 45J	5784.1550.0036	Ex. stock UK	50	1000
		50	F 03E 026 45K	5784.1550.0050	Ex. stock UK	50	1000
		60	F 03E 026 45L	5784.1550.0060	Ex. stock UK	50	1000
		80	F 03E 026 45M	5784.1550.0080	Ex. stock UK	50	1000
	Zirconium spiral belt <b>ø 45 x 30 mm</b>  <b>Information: P. 45</b>	36	F 03E 026 45V	6113.6717.0036	Ex. stock UK	50	1000
		60	F 03E 026 45X	6113.6717.0060	Ex. stock UK	50	1000
		50	F 03E 008 8UJ	8263.1136.0050.01	Made to order		500
		50	F 03E 026 44P	6165.9712.0050	Ex. stock UK	50	500
		60	F 03E 008 8UK	8263.1136.0060.01	Made to order		500
		60	F 03E 026 44R	6165.9712.0060	Ex. stock UK	50	500
	Zirconium spiral belt <b>ø 22 x 20 mm</b>  <b>Information: P. 45</b>	80	F 03E 008 8UL	8263.1136.0080.01	Made to order		500
		80	F 03E 026 44S	6165.9712.0080	Ex. stock UK	50	500
		36	F 03E 008 8UN	8513.7537.0036.01	Made to order		500
		50	F 03E 008 8UP	8513.7537.0050.01	Made to order		500
		50	F 03E 026 459	6416.6113.0050	Ex. stock UK	50	500
		60	F 03E 008 8UR	8513.7537.0060.01	Made to order		500
		80	F 03E 008 8US	8513.7537.0080.01	Made to order		500
	Zirconium spiral belt <b>ø 30 x 20 mm</b>  <b>Information: P. 45</b>	60	F 03E 008 8UY	8702.4692.0060.01	Made to order		1000


## spiralbands

2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	Zirconium spiral belt <b>ø 13 x 25 mm</b>	50	F 03E 008 8TA	2936.6992.0050.01	Ex. stock IDC		500
		50	F 03E 026 44U	0839.5568.0050	Ex. stock UK	50	500
		60	F 03E 008 8TB	2936.6992.0060.01	Ex. stock IDC		500
		60	F 03E 026 44V	0839.5568.0060	Ex. stock UK	50	500
		80	F 03E 008 8TC	2936.6992.0080.01	Ex. stock IDC		500
<b>Information: P. 45</b>							
	Zirconium spiral belt <b>ø 19 x 25 mm</b>	36	F 03E 008 8TD	3072.8303.0036.01	Ex. stock IDC		500
		50	F 03E 008 8TE	3072.8303.0050.01	Ex. stock IDC		500
		60	F 03E 008 8TF	3072.8303.0060.01	Ex. stock IDC		500
		60	F 03E 026 455	0975.6879.0060	Ex. stock UK	50	500
		80	F 03E 008 8TG	3072.8303.0080.01	Ex. stock IDC		500
<b>Information: P. 45</b>							
	Zirconium spiral belt <b>ø 25 x 25 mm</b>	36	F 03E 008 8TJ	3208.9614.0036.01	Ex. stock IDC		1000
		36	F 03E 026 45D	1111.8190.0036	Ex. stock UK	50	1000
		50	F 03E 008 8TK	3208.9614.0050.01	Ex. stock IDC		1000
		50	F 03E 026 45E	1111.8190.0050	Ex. stock UK	50	1000
		60	F 03E 008 8TL	3208.9614.0060.01	Ex. stock IDC		1000
		60	F 03E 026 45F	1111.8190.0060	Ex. stock UK	50	1000
		80	F 03E 008 8TM	3208.9614.0080.01	Ex. stock IDC		1000
		80	F 03E 026 45G	1111.8190.0080	Ex. stock UK	50	1000
<b>Information: P. 45</b>							
	Zirconium spiral belt <b>ø 38 x 25 mm</b>	36	F 03E 008 8TR	3485.8937.0036.01	Ex. stock IDC		1000
		36	F 03E 026 45P	1388.7513.0036	Ex. stock UK	50	1000
		50	F 03E 008 8TS	3485.8937.0050.01	Ex. stock IDC		1000
		50	F 03E 026 45R	1388.7513.0050	Ex. stock UK	50	1000
		60	F 03E 008 8TT	3485.8937.0060.01	Ex. stock IDC		1000
		60	F 03E 026 45S	1388.7513.0060	Ex. stock UK	50	1000
		80	F 03E 008 8TU	3485.8937.0080.01	Ex. stock IDC		1000
		<b>Information: P. 45</b>					
	Zirconium spiral belt <b>ø 51 x 25 mm</b>	36	F 03E 008 8TX	3762.8260.0036.01	Ex. stock IDC		1000
		36	F 03E 026 460	1665.6836.0036	Ex. stock UK	50	1000
		50	F 03E 008 8TY	3762.8260.0050.01	Ex. stock IDC		1000
		50	F 03E 026 461	1665.6836.0050	Ex. stock UK	50	1000
		60	F 03E 008 8TZ	3762.8260.0060.01	Ex. stock IDC		1000
		60	F 03E 026 462	1665.6836.0060	Ex. stock UK	50	1000
		80	F 03E 008 8U0	3762.8260.0080.01	Ex. stock IDC		1000
		80	F 03E 026 463	1665.6836.0080	Ex. stock UK	50	1000
<b>Information: P. 45</b>							


## spiralbands

2820 siamet	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	Zirconium spiral belt <b>ø 15 x 30 mm</b>  <b>Information: P. 45</b>	50	F 03E 008 8U6	7573.4028.0050.01	Made to order		500
		50	F 03E 026 44Z	5476.2604.0050	Ex. stock UK	50	500
		60	F 03E 008 8U7	7573.4028.0060.01	Made to order		500
		60	F 03E 026 450	5476.2604.0060	Ex. stock UK	50	500
		80	F 03E 026 451	5476.2604.0080	Ex. stock UK	50	500
	Zirconium spiral belt <b>ø 30 x 30 mm</b>  <b>Information: P. 45</b>	36	F 03E 008 8U9	7881.2974.0036.01	Made to order		1000
		50	F 03E 008 8UA	7881.2974.0050.01	Made to order		1000
		60	F 03E 008 8UB	7881.2974.0060.01	Made to order		1000
		80	F 03E 008 8UC	7881.2974.0080.01	Made to order		1000
		120	F 03E 008 8UD	8161.9048.0120.01	Made to order		500
	Zirconium spiral belt <b>ø 45 x 30 mm</b>  <b>Information: P. 45</b>	36	F 03E 008 8UE	8210.8141.0036.01	Made to order		1000
		50	F 03E 008 8UF	8210.8141.0050.01	Made to order		1000
		60	F 03E 008 8UG	8210.8141.0060.01	Made to order		1000
		80	F 03E 008 8UH	8210.8141.0080.01	Made to order		1000
		120	F 03E 008 8UM	8469.7994.0120.01	Made to order		1000
	Zirconium spiral belt <b>ø 60 x 30 mm</b>  <b>Information: P. 45</b>	50	F 03E 008 8UU	8540.3308.0050.01	Made to order		600
		60	F 03E 008 8UV	8540.3308.0060.01	Made to order		600
		80	F 03E 008 8UW	8540.3308.0080.01	Made to order		600
	Zirconium spiral belt <b>ø 75 x 30 mm</b>  <b>Information: P. 45</b>	50	F 03E 008 8V5	8869.8475.0050.01	Made to order		600
		60	F 03E 008 8V0	8869.8475.0060.01	Made to order		600
80		F 03E 008 8V1	8869.8475.0080.01	Made to order		600	
<b>2824 siaflap</b>	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
							
	Spiral belt <b>ø 30 x 20 mm</b>  <b>Information: P. 45</b> Accessories: P. 268	60	F 03E 004 4JP	6678.6763.0060.01	Ex. stock UK	50	1000
	Spiral belt <b>ø 75 x 30 mm</b>  <b>Information: P. 45</b> Accessories: P. 269	50	F 03E 002 KP0		Ex. stock UK	50	600
		60	F 03E 004 4JM	6846.0546.0060.01	Ex. stock UK	50	600

## Plate brushes

	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 130 x 50 mm</b> Pad: M14 Nylon brush with embedded abrasive grit Application: Structuring and cleaning of surfaces and profiles Very long lifetime Safety instructions: Max. 2500 rpm	46	F 03E 002 KY7	0020.0495.01	Ex. stock IDC		2
		60	F 03E 002 KY6	0020.0358.01	Ex. stock IDC		2
		80	F 03E 002 KY3	0020.0359.01	Ex. stock IDC		2
		120	F 03E 002 KY1	0020.0360.01	Ex. stock IDC		2

## Circular brushes

	Dimension	Grit	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 140 x 30 mm</b>	60	F 03E 002 KY5	0020.0361.02	Ex. stock IDC		2
		80	F 03E 002 KY4	0020.0362.02	Ex. stock IDC		2
		120	F 03E 002 KY2	0020.0363.02	Ex. stock IDC		2



## Polishing paste

siachrome	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>siachrome CUT 1 kg</b> Highly effective scratch remover  <b>Information: P. 70</b>	F 03E 004 ZT9	0020.6663.01	Ex. stock UK	1	6
	<b>siachrome FINISH 1 kg</b> Microfine finishing paste  <b>Information: P. 70</b>	F 03E 004 ZU0	0020.6664.01	Ex. stock UK	1	6
	<b>siachrome MAGIC 0.5 litres</b> High performance Power Cleaner  <b>Information: P. 70</b>	F 03E 004 ZU3	0020.6666.01	Ex. stock IDC		12
	<b>siachrome PEARL 1 litre</b> Paint sealant  <b>Information: P. 70</b>	F 03E 004 ZU4	0020.6667.01	Ex. stock IDC		6
	<b>siachrome PLATINUM 0.2 litres</b> Premium paint sealant  <b>Information: P. 70</b>	F 03E 004 ZU2	0020.6665.01	Ex. stock IDC		32





## Backing pad for polishing

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 75 mm</b> Model: soft siafast hook and loop system Pad: M14 Backing pad for polishing and lambskin pads	F 03E 006 7L1	0020.4899.02	Ex. stock IDC		10
	<b>ø 125 mm</b> Model: soft siafast hook and loop system Pad: M14 Backing pad for polishing and lambskin pads	F 03E 006 7L3	0020.6669.02	Ex. stock IDC		10










## Backing pad for polishing










	Dimension	Part number	Part number	Delivery date	MOQ	SU
						
	<b>ø 150 mm</b> Model: soft siafast hook and loop system Pad: M14 Backing pad for polishing and lambskin pads	F 03E 006 7KK	0020.1907.02	Ex. stock UK	1	10
	<b>ø 125 mm</b> Model: soft siafast hook and loop system Pad: 5/8 Backing pad for polishing and lambskin pads	F 03E 006 7L4	0020.6741.02	Ex. stock IDC		10
	<b>ø 150 mm</b> Model: soft siafast hook and loop system Pad: 5/8 Backing pad for polishing and lambskin pads	F 03E 006 7JY	0020.0073.02	Ex. stock UK	1	10

## Polishing accessories

siachrome	Dimension	Part number	Part number	Delivery date	MOQ	SU
						
	<b>Polishing disc, yellow</b> ø 85 mm Model: Hard siachrome polishing system Polishing pad for polishing paints and buffing up old paints  <b>Information: P. 70</b>	F 03E 006 57G	0020.6672.02	Ex. stock IDC		32
	<b>Polishing disc, yellow</b> ø 145 mm Model: Hard siachrome polishing system Polishing disc for polishing paints and buffing up old paints  <b>Information: P. 70</b>	F 03E 006 57F	0020.6671.02	Ex. stock IDC		20
	<b>Polishing disc, black</b> ø 85 mm Model: soft siachrome polishing system Polishing pad for removing holograms or sealing applications  <b>Information: P. 70</b>	F 03E 006 57J	0020.6675.02	Ex. stock IDC		32
	<b>Polishing disc, black</b> ø 145 mm Model: soft siachrome polishing system Polishing pad for removing holograms or sealing applications  <b>Information: P. 70</b>	F 03E 006 57K	0020.6676.02	Ex. stock IDC		20










Polishing accessories

siachrome	Dimension	Part number	Part number	Delivery date	MOQ	SU
						
	<p><b>Lambskin pad</b>                      ø 85 mm                      Model: siachrome polishing system                      Lambs-wool pad for polishing paints and buffing up old paints</p> <p><b>Information: P. 70</b></p>	F 03E 006 57H	0020.6673.02	Ex. stock IDC		32
	<p><b>Lambskin pad</b>                      ø 135 mm                      Model: siachrome polishing system                      Lambs-wool pad for polishing paints and buffing up old paints</p> <p><b>Information: P. 70</b></p>	F 03E 004 ZV2	0020.6674.01	Ex. stock IDC		20
	<p><b>Application pucker</b>                      ø 130 mm                      Model: siachrome polishing system                      The anatomically shaped applicator pad fits well in the palm of the hand during polishing</p> <p><b>Information: P. 70</b></p>	F 03E 004 ZU5	0020.6668.01	Ex. stock IDC		12
	<p><b>Microfibre cloth</b>                      Model: siachrome polishing system                      Microfibre cloth for cleaning surfaces</p> <p><b>Information: P. 70</b></p>	F 03E 002 F21	0020.3185.01	Ex. stock UK	3	9
	<p><b>Premium cloth</b>                      Model: siachrome polishing system                      Premium Cloth for ultra-gentle cleaning of paint finishes</p> <p><b>Information: P. 70</b></p>	F 03E 005 556	0020.6670.02	Ex. stock IDC		15
	<p><b>Polishing disc</b>                      ø 170 mm                      Model: Hard                      Polishing pad for polishing paints and buffing up old paints</p> <p><b>Information: P. 70</b></p>	F 03E 002 L5E	0020.2018.01	Ex. stock UK	1	6
	<p><b>Polishing disc</b>                      ø 170 mm                      Model: soft                      Polishing pad for removing holograms or sealing applications</p> <p><b>Information: P. 70</b></p>	F 03E 002 L5D	0020.0264.01	Ex. stock UK	1	6
	<p><b>Polishing disc</b>                      ø 170 mm                      Model: Extra soft                      Polishing pad for removing holograms or sealing applications</p> <p><b>Information: P. 70</b></p>	F 03E 002 L5G	0020.0262.01	Ex. stock UK	1	6











## Polishing accessories

siachrome	Dimension	Part number	Part number	Delivery date	MOQ	SU
						
	<b>Lambskin pad</b> ø 170 mm Lambs-wool pad for polishing paints and buffing up old paints  <b>Information: P. 70</b>	F 03E 002 L5K	0020.0265.01	Ex. stock IDC		6
						
	<b>Polishing disc, yellow</b> ø 203 mm	F 03E 005 N2V	0020.7384.01	Ex. stock IDC		8
	<b>Polishing disc, black</b> ø 203 mm	F 03E 005 N2U	0020.7383.01	Ex. stock IDC		8
	<b>Polishing disc, brown</b> ø 85 mm Model: siachrome polishing system Polishing disc for polishing hard varnishes and refurbishing old lacquers	F 03E 007 G1H	0020.9404.01	Ex. stock IDC		32
	<b>Polishing disc, brown</b> ø 145 mm Model: siachrome polishing system Polishing disc for polishing hard varnishes and refurbishing old lacquers	F 03E 007 G1J	0020.9405.01	Ex. stock IDC		20



## Hand sanding blocks

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>Finiblock for SAF</b> ø 30 mm Model: Double-sided (soft/hard) self-adhesive	F 03E 006 7KV	0020.3286.02	Ex. stock IDC		10
	<b>Finiblock for siafast</b> ø 30 mm Model: Double-sided (soft/hard) siafast hook and loop system	F 03E 006 7KU	0020.3285.02	Ex. stock IDC		10
	<b>Hand pad round</b> ø 150 mm Model: soft siafast hook and loop system	F 03E 006 7KC	0020.0364.03	Ex. stock UK	1	10
	<b>Hand pad soft/extra soft</b> 60 x 128 mm Height: 16 mm Model: Double-sided (extra soft orange/soft black) Wet sanding	F 03E 006 7KX	0020.3713.02	Ex. stock IDC		10
	<b>Hand sanding block, siafast two-sided</b> 67 x 122 mm Height: 35 mm Model: Double-sided (soft/hard) siafast hook and loop system Wet sanding	F 03E 006 7KA	0020.0343.02	Ex. stock UK	1	10
	<b>Hand sanding block black/hard</b> 70 x 125 mm Height: 32 mm Model: Hard	F 03E 002 889	0020.0389.01	Ex. stock UK	1	10
	<b>Hand sanding block, siafast double-sided</b> 70 x 125 mm Height: 38 mm Model: Double-sided (soft/hard) siafast hook and loop system Dry application	F 03E 002 887	0020.0342.01	Ex. stock UK	1	10
	<b>siafast cork hand sanding block</b> 70 x 125 mm Height: 40 mm Model: Hard siafast hook and loop system Dry application	F 03E 004 N6X	0020.0095.01	Ex. stock UK	1	10





## Hand sanding tools



Flexible hand sanding tools		Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>Flexible 41-hole hand block</b> 70 x 198 mm Height: 60 mm Model: siafast hook and loop system The solution for shaping  <b>Information: P. 69</b>	F 03E 005 1N5	0020.6695.01	Ex. stock IDC		1	
	<b>Flexible 68-hole hand block</b> 70 x 400 mm Height: 122 mm Model: siafast hook and loop system The solution for shaping  <b>Information: P. 69</b>	F 03E 005 66Z	0020.7045.01	Ex. stock IDC		1	
	<b>Flexible 49-hole hand block</b> 115 x 230 mm Height: 64 mm Model: siafast hook and loop system The solution for shaping  <b>Information: P. 69</b>	F 03E 004 K0S	0020.6518.01	Ex. stock UK	1	1	
Standard hand sanding tools		Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>Hand sanding block 29 hole</b> 70 x 125 mm Height: 64 mm Model: siafast hook and loop system  <b>Information: P. 70</b>	F 03E 004 K0H	0020.6514.01	Ex. stock IDC		1	
	<b>Hand sanding block 41 hole</b> 70 x 198 mm Height: 64 mm Model: siafast hook and loop system  <b>Information: P. 70</b>	F 03E 004 K0N	0020.6515.01	Ex. stock IDC		1	
	<b>Hand sanding block 68 hole</b> 70 x 400 mm Height: 138 mm Model: siafast hook and loop system  <b>Information: P. 70</b>	F 03E 004 K0P	0020.6516.01	Ex. stock IDC		1	
	<b>Hand sanding block 49 hole</b> 115 x 230 mm Height: 69 mm Model: siafast hook and loop system  <b>Information: P. 70</b>	F 03E 004 K0R	0020.6517.01	Ex. stock UK	1	1	




## Hand sanding tools

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>Extraction hose</b> 4000 mm ø 25 mm Diameter small: 21 mm Suction hose for optimal dust extraction on hand sanding tools	F 03E 004 F2Y	0020.3925.01	Ex. stock IDC		1
	<b>Intermediate pad, multi-hole</b> 70 x 198 mm Thickness: 10 mm Model: siafast hook and loop system Dry application Pressure-equalising foam intermediate pad for multi-hole and mesh-like abrasive discs	F 03E 004 L8U	0020.6524.01	Ex. stock IDC		20

## Profile sanding set









2943 siatur h	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>Sheets</b> 650 x 1000 mm without holes	F 03E 003 E9L	0779.9568.0080.01	Ex. stock IDC		2
		F 03E 003 E9M	0779.9568.0100.01	Ex. stock IDC		2
		F 03E 001 AU0	0779.9568.0120.01	Ex. stock IDC		2
		F 03E 001 AU1	0779.9568.0150.01	Ex. stock IDC		2
	<b>Information: P. 49</b>	F 03E 003 E9N	0779.9568.0180.02	Ex. stock IDC		2
9089 siaklett	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>Sheets</b> 700 x 500 mm without holes	F 03E 003 DZ0	5797.3499.0000.01	Ex. stock UK	5	5

## Spiral belt backing

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 10 x 20 mm</b> Shaft diameter: 6 mm	F 03E 003 E0H	0020.3308.01	Ex. stock UK	10	10





## Spiral belt backing

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 22 x 20 mm</b> Shaft diameter: 6 mm	F 03E 003 E0N	0020.3314.01	Ex. stock UK	10	10
	<b>ø 30 x 20 mm</b> Shaft diameter: 6 mm	F 03E 004 F27	0020.3317.01	Ex. stock IDC		10
	<b>ø 13 x 25 mm</b> Shaft diameter: 6 mm	F 03E 003 E0J	0020.3309.01	Ex. stock UK	10	10
	<b>ø 19 x 25 mm</b> Shaft diameter: 6 mm	F 03E 003 E0K	0020.3311.01	Ex. stock UK	10	10
	<b>ø 25 x 25 mm</b> Shaft diameter: 6 mm	F 03E 003 E0G	0020.3304.01	Ex. stock UK	10	10
	<b>ø 38 x 25 mm</b> Shaft diameter: 6 mm	F 03E 003 E0L	0020.3312.01	Ex. stock UK	10	10
	<b>ø 51 x 25 mm</b> Shaft diameter: 6 mm	F 03E 003 E0P	0020.3315.01	Ex. stock UK	10	10
	<b>ø 15 x 30 mm</b> Shaft diameter: 6 mm	F 03E 004 F2B	0020.3310.01	Ex. stock UK	10	10
	<b>ø 30 x 30 mm</b> Shaft diameter: 6 mm	F 03E 004 F28	0020.3305.01	Ex. stock UK	10	10
















## Spiral belt backing

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 45 x 30 mm</b> Shaft diameter: 6 mm	F 03E 004 F2A	0020.3306.01	Ex. stock UK	10	10
	<b>ø 60 x 30 mm</b> Shaft diameter: 6 mm	F 03E 004 F29	0020.3307.01	Ex. stock UK	10	10
	<b>ø 75 x 30 mm</b> Shaft diameter: 8 mm	F 03E 004 F2C	0020.3313.01	Ex. stock UK	10	10

## Backing pad for random orbital sanders






	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 76 mm</b> 6-hole Model: soft siafast hook and loop system Pad: 5/16 Backing pad for siafast discs	F 03E 007 C8Y	0020.9299.01	Ex. stock IDC		10
	<b>ø 125 mm</b> without holes Model: soft siafast hook and loop system Pad: 5/16 Backing pad for siafast discs	F 03E 005 311	0020.6730.01	Ex. stock IDC		10
	<b>ø 125 mm</b> 8-hole Model: Extra soft siafast hook and loop system Pad: 5/16 Backing pad for siafast discs	F 03E 006 7KH	0020.0540.03	Ex. stock IDC		10
	<b>ø 125 mm</b> 8-hole Model: Hard siafast hook and loop system Pad: 5/16 Backing pad for siafast discs	F 03E 006 7KG	0020.0539.03	Ex. stock IDC		10
	<b>ø 125 mm</b> 54-hole Model: soft siafast hook and loop system Pad: 5/16 Backing pad for siafast discs	F 03E 005 30Z	0020.6728.01	Ex. stock UK	1	10

## Backing pad for random orbital sanders




	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 125 mm</b> 54-hole Model: Hard siafast hook and loop system Dry application Pad: 5/16 Backing pad for siafast discs	F 03E 005 310	0020.6729.01	Ex. stock UK	1	10
	<b>ø 125 mm</b> 9-hole Model: soft siafast hook and loop system Pad: 5/16 Backing pad for siafast discs	F 03E 002 LB9	0020.4744.01	Ex. stock UK	1	10
	<b>ø 150 mm</b> 103-hole Model: Extra soft siafast hook and loop system Pad: 5/16; M8 Backing pad for multi-hole and mesh-like siafast abrasive discs	F 03E 003 E0F	0020.5742.01	Ex. stock UK	1	10
	<b>ø 150 mm</b> 103-hole Model: soft siafast hook and loop system Pad: 5/16; M8 Backing pad for multi-hole and mesh-like siafast abrasive discs	F 03E 004 G5R	0020.5740.01	Ex. stock UK	1	10
	<b>ø 150 mm</b> 103-hole Model: Hard siafast hook and loop system Pad: 5/16; M8 Backing pad for multi-hole and mesh-like siafast abrasive discs	F 03E 003 E0E	0020.5741.01	Ex. stock UK	1	10
	<b>ø 150 mm</b> without holes Model: soft siafast hook and loop system Pad: 5/16 Backing pad for siafast discs	F 03E 003 E0C	0020.0346.02	Ex. stock UK	1	10
		F 03E 005 317	0020.6736.01	Ex. stock IDC		10
	<b>ø 150 mm</b> without holes Model: Hard siafast hook and loop system Pad: 5/16 Backing pad for siafast discs	F 03E 003 E09	0020.0345.02	Ex. stock IDC		10
		F 03E 005 318	0020.6737.01	Ex. stock IDC		10
	<b>ø 150 mm</b> 54-hole Model: soft siafast hook and loop system Pad: 5/16 Backing pad for siafast discs	F 03E 005 315	0020.6734.01	Ex. stock UK	1	10









## Backing pad for random orbital sanders

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 150 mm</b> 54-hole Model: Hard siafast hook and loop system Pad: 5/16 Backing pad for siafast discs	F 03E 005 316	0020.6735.01	Ex. stock UK	1	10
	<b>ø 150 mm</b> 15-hole Model: soft siafast hook and loop system Pad: 5/16 Backing pad for siafast discs	F 03E 002 LB5	0020.4740.01	Ex. stock UK	1	10
	<b>ø 200 mm</b> 9-hole Model: soft siafast hook and loop system Backing pad for siafast discs	F 03E 002 LA1	0020.4647.01	Ex. stock IDC		1
	<b>ø 30 mm</b> without holes Model: soft self-adhesive Pad: 1/4 Backing pad for self-adhesive daisy discs	F 03E 006 7L0	0020.4689.02	Ex. stock IDC		10
	<b>ø 32 mm</b> without holes Model: soft siafast hook and loop system Pad: 5/16 Backing pad for self-adhesive daisy discs	F 03E 006 7KJ	0020.1839.02	Ex. stock IDC		10

## Backing pad for rotary sanders





	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 100 mm</b>	F 03E 006 33T	0020.7623.01	Ex. stock UK	1	10
		F 03E 006 E56	0020.8081.01	Ex. stock IDC		5
	<b>ø 115 mm</b> Model: Hard Pad: M14 Backing pad for fibre discs	F 03E 004 F16	0020.0348.02	Ex. stock UK	2	10

## Backing pad for rotary sanders







	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 125 mm</b> Model: Hard Pad: M14 Backing pad for fibre discs	F 03E 004 F15	0020.0350.01	Ex. stock UK	1	10
	<b>ø 180 mm</b> Model: Hard Pad: M14 Backing pad for fibre discs	F 03E 004 F14	0020.0352.01	Ex. stock UK	1	10
 <b>X-LOCK</b>	<b>ø 115 mm</b> Model: X-LOCK soft Backing pad for fibre discs, grit 80, 120  Technology: X-LOCK P. 76 Machine: Bosch, Makita	F 03E 007 P7F	0020.9560.01	Ex. stock UK	1	10
	<b>ø 125 mm</b> Model: X-LOCK soft Backing pad for fibre discs, grit 80, 120  Technology: X-LOCK P. 76 Machine: Bosch, Makita	F 03E 007 P7G	0020.9561.01	Ex. stock UK	1	10
	<b>ø 125 mm</b> Model: Hard Pad: 5/8 Backing pad for fibre discs	F 03E 003 DG8	0020.0431.01	Ex. stock IDC		10
	<b>ø 180 mm</b> Model: Hard Pad: 5/8 Backing pad for fibre discs	F 03E 003 DG9	0020.0432.01	Ex. stock IDC		10
	<b>ø 115 mm</b> Model: Hard Pad: M14 Turbo I backing pad for fibre discs up to grit of P50	F 03E 003 DH1	0020.3716.01	Ex. stock UK	2	10
	<b>ø 125 mm</b> Model: Hard Pad: M14 Turbo I backing pad for fibre discs up to grit of P50	F 03E 003 DH2	0020.3717.01	Ex. stock IDC		10
	<b>ø 180 mm</b> Model: Hard Pad: M14 Turbo I backing pad for fibre discs up to grit of P50	F 03E 003 DH3	0020.3719.01	Ex. stock IDC		10



## Backing pad for rotary sanders






	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 115 mm</b> Model: X-LOCK Medium Turbo backing pad I for fibre discs - grit 60, 80  Technology: X-LOCK P. 76 Machine: Bosch, Makita	F 03E 007 P7H	0020.9562.01	Ex. stock UK	1	10
	<b>ø 125 mm</b> Model: X-LOCK Medium Turbo backing pad I for fibre discs - grit 60, 80  Technology: X-LOCK P. 76 Machine: Bosch, Makita	F 03E 007 P7J	0020.9563.01	Ex. stock UK	1	10
	<b>ø 125 mm</b> Model: Hard Pad: 5/8 Turbo backing pad for fibre discs up to grit of P50	F 03E 002 LB1	0020.3718.01	Ex. stock IDC		10
	<b>ø 180 mm</b> Model: Hard Pad: 5/8 Turbo backing pad for fibre discs up to grit of P50	F 03E 003 DH4	0020.3720.01	Ex. stock IDC		10
	<b>ø 115 mm</b> Model: extra hard Pad: M14 Turbo backing pad II for fibre discs  Machine: Bosch	F 03E 007 2UD	0020.8414.01	Ex. stock UK	1	10
	<b>ø 125 mm</b> Model: extra hard Pad: M14 Turbo Pad IIBacking pad for fibre discs  Machine: Bosch	F 03E 007 2UE	0020.8415.01	Ex. stock UK	1	10
	<b>ø 180 mm</b> Model: extra hard Pad: M14 Turbo backing pad II for fibre discs  Machine: Bosch	F 03E 007 2UG	0020.8417.01	Ex. stock UK	1	10
	<b>ø 115 mm</b> Model: X-LOCK Hard Turbo backing pad II for fibre discs - grit 36, 60  Technology: X-LOCK P. 76 Machine: Bosch, Makita	F 03E 007 P7K	0020.9564.01	Ex. stock UK	1	10

## Backing pad for rotary sanders

	Dimension	Part number	Part number	Delivery date	MOQ	SU
 	<b>ø 125 mm</b> Model: X-LOCK Hard Turbo backing pad II for fibre discs - grit 36, 60	F 03E 007 P7L	0020.9565.01	Ex. stock UK	1	10
	Technology: X-LOCK P. 76 Machine: Bosch, Makita					
	<b>ø 115 mm</b> Pad: 5/8 Turbo Pad II Backing pad for fibre discs	F 03E 007 2UH	0020.8418.01	Ex. stock IDC		10
	<b>ø 125 mm</b> Pad: 5/8 Turbo Pad II Backing pad for fibre discs	F 03E 007 2UJ	0020.8419.01	Ex. stock IDC		10
	<b>ø 180 mm</b> Pad: 5/8 Turbo Pad II Backing pad for fibre discs	F 03E 007 2UK	0020.8420.01	Ex. stock IDC		10
	<b>ø 115 mm</b> Mandrel: 22 mm Pad: M14 Backing pad for scm discs with catch	F 03E 006 7L5	0020.7617.02	Ex. stock IDC		10
	<b>ø 125 mm</b> Mandrel: 22 mm Pad: M14 Backing pad for scm discs with catch	F 03E 006 7L6	0020.7618.02	Ex. stock IDC		10
	<b>ø 115 mm</b> Model: Hard Pad: M14 Backing pad for scm discs	F 03E 006 7KD	0020.0396.03	Ex. stock IDC		10
	<b>ø 180 mm</b> Model: Hard Pad: M14 Backing pad for scm discs	F 03E 006 7KE	0020.0428.02	Ex. stock IDC		10








## Backing pad for rotary sanders

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 180 mm</b> Mandrel: 22 mm Pad: M14 Backing pad for scm discs with catch	F 03E 006 7L7	0020.7619.02	Ex. stock IDC		10
 <b>X-LOCK</b>	<b>ø 115 mm</b> Model: X-LOCK Backing pad for scm discs	F 03E 007 P7M	0020.9566.01	Ex. stock UK	1	10
	Technology: X-LOCK P. 76 Machine: Bosch, Makita					
	<b>ø 125 mm</b> Model: X-LOCK Backing pad for scm discs	F 03E 007 P7N	0020.9567.01	Ex. stock UK	1	10
	Technology: X-LOCK P. 76 Machine: Bosch, Makita					
	<b>ø 115 mm</b> Mandrel: 22 mm Pad: 5/8 Backing pad for scm discs	F 03E 006 7L8	0020.7620.02	Ex. stock IDC		10
	<b>ø 125 mm</b> Mandrel: 22 mm Pad: 5/8 Backing pad for scm discs	F 03E 006 7L9	0020.7621.02	Ex. stock IDC		10
	<b>ø 180 mm</b> Mandrel: 22 mm Pad: 5/8 Backing pad for scm discs	F 03E 006 7LA	0020.7622.02	Ex. stock IDC		10
	<b>ø 115 mm</b> Model: siafast hook and loop system Pad: M10 Backing pad for siafast discs	F 03E 006 7KB	0020.0347.03	Ex. stock IDC		10
	<b>ø 115 mm</b> Model: siafast hook and loop system Pad: M14 Backing pad for siafast discs	F 03E 006 7K0	0020.0172.02	Ex. stock UK	1	10
	<b>ø 125 mm</b> Model: siafast hook and loop system Pad: M14 Backing pad for siafast discs	F 03E 006 7K2	0020.0174.02	Ex. stock UK	1	10






## Backing pad for rotary sanders






	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 150 mm</b> Model: siafast hook and loop system Pad: M14 Backing pad for siafast discs	F 03E 006 7K3	0020.0175.02	Ex. stock UK	1	10
	<b>ø 180 mm</b> Model: siafast hook and loop system Pad: M14 Backing pad for siafast discs	F 03E 006 7K4	0020.0176.02	Ex. stock UK	1	10
	<b>ø 200 mm</b> Model: soft siafast hook and loop system Pad: M14 Backing pad for siafast discs	F 03E 002 88W	0020.0354.01	Ex. stock UK	1	10
	<b>ø 115 mm</b> Model: siafast hook and loop system Pad: 5/8 Backing pad for siafast discs	F 03E 006 7K5	0020.0180.02	Ex. stock IDC		10
	<b>ø 125 mm</b> Model: siafast hook and loop system Pad: 5/8 Backing pad for siafast discs	F 03E 006 7K6	0020.0181.02	Ex. stock IDC		10
	<b>ø 180 mm</b> Model: Medium hard siafast hook and loop system Pad: 5/8 Backing pad for siafast discs	F 03E 006 7K8	0020.0183.02	Ex. stock IDC		10
	<b>ø 200 mm</b> Model: soft siafast hook and loop system Pad: 5/8 Backing pad for siafast discs	F 03E 002 88X	0020.0357.01	Ex. stock UK	1	10
	<b>ø 25 mm</b> Model: R-Type (Screw connection with outer plastic thread) Medium	F 03E 006 E4N	0020.8064.01	Ex. stock IDC		5
	<b>ø 50 mm</b> Model: R-Type (Screw connection with outer plastic thread) Medium siafix quick change system	F 03E 006 E4R	0020.8066.01	Ex. stock UK	1	5



## Backing pad for rotary sanders

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 50 mm</b> Model: R-Type (Screw connection with outer plastic thread) Hard	F 03E 006 E4T	0020.8068.01	Ex. stock IDC		5
	<b>ø 75 mm</b> Model: R-Type (Screw connection with outer plastic thread) Medium siafix quick change system	F 03E 006 E4U	0020.8069.01	Ex. stock UK	1	5
	<b>ø 75 mm</b> Model: R-Type (Screw connection with outer plastic thread) Hard	F 03E 006 E4W	0020.8071.01	Ex. stock IDC		5

## Conversion sets




9089 siaklett	Dimension	Part number	Part number	Delivery date	MOQ	SU
						
	<b>ø 145 mm</b> 6-hole Model: self-adhesive	F 03E 003 M82	7599.1668.0000.01	Made to order		25
	<b>ø 150 mm</b> without holes Model: self-adhesive	F 03E 001 E10	9692.0437.0000.01	Ex. stock UK	2	10
	<b>ø 150 mm</b> 8-hole Model: self-adhesive	F 03E 001 FW1	0747.2480.0000.01	Ex. stock IDC		25
	<b>ø 178 mm</b> without holes Model: self-adhesive	F 03E 003 JZ4	0330.7046.0000.02	Ex. stock IDC		10

## Conversion sets


9089 siaklett	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>ø 200 mm</b> without holes Model: self-adhesive	F 03E 001 DP7	0801.0225.0000.02	Ex. stock IDC		10
	<b>70 x 500 mm</b> without holes Model: self-adhesive	F 03E 001 AS0	0502.6039.0000.01	Ex. stock UK	5	20
	<b>70 x 500 mm</b> 14-hole Model: self-adhesive	F 03E 003 H59	1014.3429.0000.01	Ex. stock UK	5	20
	<b>92 x 230 mm</b> 8-hole Model: self-adhesive	F 03E 001 BR9	1853.8526.0000.01	Ex. stock IDC		40
	<b>93 x 230 mm</b> without holes Model: self-adhesive	F 03E 002 B00	0596.3968.0000.01	Ex. stock UK	10	10
	<b>113 x 280 mm</b> 10-hole Model: self-adhesive	F 03E 001 C77	7514.5735.0000.01	Ex. stock UK	2	20
	<b>115 x 280 mm</b> without holes Model: self-adhesive	F 03E 003 HX4	7088.2671.0000.01	Made to order		20









## Sales stands

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>Sales element for standard sheets</b> 350 x 495 mm Height: 585 mm Sales stand with 10 compartments for sheets 230 x 280 mm	F 03E 002 KX8		Ex. stock IDC		1
	<b>roll holder</b> 235 x 605 mm Height: 365 mm Roll holder for rolls in sizes 95 and 115 mm	F 03E 002 L8J	0020.0397.01	Ex. stock IDC		1
	<b>Economy roll holder</b> 240 x 300 mm Height: 325 mm Roll holder with 3 compartments	F 03E 004 F1G	0020.0103.01	Ex. stock IDC		1

## Various components

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>masking tape</b> Width: 0,015 m x Length: 50 m Crepe paper masking tape for painting work in the automotive sector and body shops, as well as general painting and decorating work	F 03E 004 F1S	0020.0390.02	Ex. stock IDC		60
	<b>masking tape</b> Width: 0,019 m x Length: 50 m Crepe paper masking tape for painting work in the automotive sector and body shops, as well as general painting and decorating work	F 03E 004 F1R	0020.0391.02	Ex. stock IDC		48
	<b>masking tape</b> Width: 0,025 m x Length: 50 m Crepe paper masking tape for painting work in the automotive sector and body shops, as well as general painting and decorating work	F 03E 004 F1P	0020.0392.02	Ex. stock IDC		36
	<b>masking tape</b> Width: 0,03 m x Length: 50 m Crepe paper masking tape for painting work in the automotive sector and body shops, as well as general painting and decorating work	F 03E 004 F1N	0020.0393.04	Ex. stock IDC		40

## Various components

	Dimension	Part number	Part number	Delivery date	MOQ	SU
						
	<b>masking tape</b> Width: 0,038 m x Length: 50 m Crepe paper masking tape for painting work in the automotive sector and body shops, as well as general painting and decorating work	F 03E 004 F1M	0020.0513.03	Ex. stock IDC		24
	<b>masking tape</b> Width: 0,05 m x Length: 50 m Crepe paper masking tape for painting work in the automotive sector and body shops, as well as general painting and decorating work	F 03E 002 F58	0020.0514.02	Ex. stock IDC		24
	<b>Strip eraser</b> ø 88 mm Height: 15 mm Scope of supply: 3 strip erasers 5/16 inches + 1 adapter with 6 mm shaft The strip eraser is ideal for removing bonded film, profile strips, glue marks, adhesive labels and double-sided adhesive tape	F 03E 004 F2X	0020.3983.01	Ex. stock IDC		20
	<b>Black powder guide coat set</b> Scope of supply: Guide coat hand sanding block including foam sponge 2 cartridges 30 g each Sanding off the black powder guide coat ensures that the surface is evenly sanded	F 03E 002 L8H	0020.2302.01	Ex. stock UK	1	6
	<b>Black powder guide coat cartridge</b> Scope of supply: 6 cartridges 30 g each Cartridges for refilling black powder guide coat set	F 03E 002 L8G	0020.2301.01	Ex. stock IDC		36
	<b>Expansion mandrel connecting shaft 1/4</b> Length: 0,052 m ø 19 mm Expansion mandrel for Ø 75 mm cutting discs	F 03E 002 L5X	0020.1086.01	Ex. stock IDC		5
	<b>Expansion mandrel 6 mm connecting shaft</b> Length: 0,052 m ø 19 mm Expansion mandrel for Ø 75 mm cutting discs	F 03E 002 L5Y	0020.0113.01	Ex. stock IDC		5



## Intermediate pad

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>Intermediate pad 6 hole</b> ø 76 mm Thickness: 5 mm 6-hole Model: siafast hook and loop system Dry application Pressure-equalising foam intermediate pad	F 03E 007 164	0020.8259.01	Ex. stock IDC		30
	<b>Intermediate pad</b> ø 76 mm Thickness: 12 mm without holes Model: siafast hook and loop system Dry application Pressure-equalising foam intermediate pad	F 03E 006 7K9	0020.0269.02	Ex. stock UK	2	10
	<b>Intermediate pad 54 hole</b> ø 125 mm Thickness: 5 mm 54-hole Model: siafast hook and loop system Dry application Pressure-equalising foam intermediate pad for multi-hole and mesh-like abrasive discs	F 03E 005 UG5	0020.7429.01	Ex. stock IDC		30
	<b>Intermediate pad 54 hole</b> ø 125 mm Thickness: 10 mm 54-hole Model: siafast hook and loop system Dry application Pressure-equalising foam intermediate pad for multi-hole and mesh-like abrasive discs	F 03E 005 DA8	0020.7234.01	Ex. stock UK	2	30
	<b>Intermediate pad 45 hole</b> ø 125 mm Thickness: 10 mm 45-hole Model: sia hook and loop system Dry application Pressure-equalising foam intermediate pad for multi-hole and mesh-like abrasive discs  Machine: Bosch	F 03E 008 517	0020.9799.01	Ex. stock IDC		30
	<b>Intermediate pad 103 hole</b> ø 150 mm Thickness: 5 mm 103-hole Model: siafast hook and loop system Dry application Pressure-equalising foam intermediate pad for multi-hole and mesh-like abrasive discs	F 03E 005 UG6	0020.7430.01	Ex. stock IDC		30

## Intermediate pad

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>Intermediate pad, 103-hole, micro hooks</b> ø 150 mm Thickness: 5 mm 103-hole Model: sia hook and loop system Dry application Pressure-equalising foam intermediate pad for multi-hole and mesh-like abrasive discs. The 5 mm-thick intermediate disc comes with a micro Velcro fastener.	F 03E 008 A8F	0020.9952.01	Ex. stock IDC		30
	<b>Intermediate pad 103 hole</b> ø 150 mm Thickness: 10 mm 103-hole Model: siafast hook and loop system Dry application Pressure-equalising foam intermediate pad for multi-hole and mesh-like abrasive discs	F 03E 003 5S5	0020.5886.01	Ex. stock UK	2	30
	<b>Intermediate pad 15 hole</b> ø 150 mm Thickness: 12 mm 15-hole Model: siafast hook and loop system Dry application Pressure-equalising foam intermediate pad	F 03E 006 7KY	0020.4546.02	Ex. stock IDC		10
	<b>Intermediate pad 69 hole</b> ø 150 mm Thickness: 5 mm 69-hole Model: sia hook and loop system Dry application Pressure-equalising foam intermediate pad for multi-hole and mesh-like abrasive discs  Machine: Festool	F 03E 008 BOK	0020.9982.01	Ex. stock IDC		30
	<b>Intermediate pad 69 hole</b> ø 150 mm Thickness: 10 mm 69-hole Model: sia hook and loop system Dry application Pressure-equalising foam intermediate pad for multi-hole and mesh-like abrasive discs  Machine: Festool	F 03E 008 BOL	0020.9983.01	Ex. stock IDC		30
	<b>Intermediate pad 54 hole</b> ø 150 mm Thickness: 5 mm 54-hole Model: sia hook and loop system Dry application Pressure-equalising foam intermediate pad for multi-hole and mesh-like abrasive discs	F 03E 008 822	0020.9927.01	Ex. stock IDC		30






## Intermediate pad

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>Intermediate pad 54 hole</b> ø 150 mm Thickness: 10 mm 54-hole Model: sia hook and loop system Dry application Pressure-equalising foam intermediate pad for multi-hole and mesh-like abrasive discs	F 03E 008 824	0020.9928.01	Ex. stock IDC		30

## Protective discs



	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>Intermediate pad 45 hole</b> ø 125 mm Thickness: 2 mm 45-hole Model: siafast hook and loop system Dry application Intermediate disc for multi-hole and net-type abrasives. For protecting and extending the service life of the backing pad.	F 03E 006 L8F	0020.8124.01	Ex. stock IDC		30
	<b>Intermediate pad 54 hole</b> ø 125 mm Thickness: 2 mm 54-hole Model: siafast hook and loop system Dry application Intermediate disc for multi-hole and net-type abrasives. For protecting and extending the service life of the backing pad.	F 03E 008 820	0020.9925.01	Ex. stock IDC		30
	<b>Protective disc</b> ø 150 mm Thickness: 2 mm without holes Model: siafast hook and loop system Use protective disc to protect the machine from moisture.	F 03E 006 7KW	0020.3453.02	Ex. stock UK	2	10
	<b>Intermediate pad 103 hole</b> ø 150 mm Thickness: 2 mm 103-hole Model: siafast hook and loop system Dry application Intermediate disc for multi-hole and net-type abrasives. For protecting and extending the service life of the backing pad.	F 03E 006 5K9	0020.7858.01	Ex. stock IDC		30

## Protective discs



	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<p><b>Intermediate pad 69 hole</b>                      ø 150 mm                      Thickness: 2 mm                      69-hole                      Model: siafast hook and loop system</p> <p>Machine: Festool</p>	F 03E 007 B1Y	0020.9147.01	Ex. stock IDC		30
	<p><b>Intermediate pad 33 hole</b>                      ø 150 mm                      Thickness: 2 mm                      33-hole                      Model: siafast hook and loop system</p> <p>Machine: Festool</p>	F 03E 005 UG4	0020.7428.01	Ex. stock UK	2	30
	<p><b>Intermediate pad 54 hole</b>                      ø 150 mm                      Thickness: 2 mm                      54-hole                      Model: sia hook and loop system                      Dry application                      Intermediate disc for multi-hole and net-type abrasives.                      For protecting and extending the service life of the backing pad.</p>	F 03E 008 821	0020.9926.01	Ex. stock IDC		30
	<p><b>Intermediate pad 80 hole</b>                      ø 150 mm                      Thickness: 2 mm                      80-hole                      Model: siafast hook and loop system                      Dry application                      Intermediate disc for multi-hole and net-type abrasives.                      For protecting and extending the service life of the backing pad.</p>	F 03E 006 L8G	0020.8125.01	Ex. stock IDC		30
	<p><b>Intermediate pad 57 hole</b>                      ø 225 mm                      Thickness: 2 mm                      57-hole                      Intermediate disc for multi-hole and net-type abrasives.                      For protecting and extending the service life of the backing pad.</p> <p>Machine: Festool</p>	F 03E 008 8X9	0020.9933.01	Ex. stock IDC		30
	<p><b>Intermediate pad 19 hole</b>                      ø 225 mm                      Thickness: 2 mm                      19-hole                      Model: siafast hook and loop system                      Dry application                      Intermediate disc for multi-hole and net-type abrasives.                      For protecting and extending the service life of the backing pad.</p>	F 03E 006 L8M	0020.8128.01	Ex. stock IDC		30



## Protective discs

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>Intermediate pad 16 hole</b> 80 x 133 mm Thickness: 2 mm 16-hole Model: siafast hook and loop system Dry application Intermediate pad for 14-hole Delta sheets and net-type Delta sheets. For protecting and extending the service life of the backing pad.  Machine: Festool	F 03E 008 8X8	0020.9932.01	Ex. stock IDC		30
	<b>Intermediate pad 7 hole</b> 100 x 147 mm Thickness: 2 mm 7-hole Model: siafast hook and loop system Dry application Intermediate pad for 7-hole Delta sheets and net-type Delta sheets. For protecting and extending the service life of the backing pad.	F 03E 008 8X7	0020.9931.01	Ex. stock IDC		30

## Dust cloths

	Dimension	Part number	Part number	Delivery date	MOQ	SU
	<b>Dust cloth</b> 320 x 400 mm Lint-free, non-woven dust cloth with clean edges and small holes. Recommended for water-based coating systems.	F 03E 002 KY0	0020.0016.01	Ex. stock IDC		240
	<b>Dust cloth</b> 650 x 750 mm Lint-free, woven dust cloth made from cotton with high dust absorption. Recommended for solvent-based coating systems.	F 03E 004 F1H	0020.0088.01	Ex. stock IDC		300









## 1. In these Conditions:

The "Company" shall mean sia Abrasives (G.B.) Ltd. The "Customer" shall mean the other contracting party. The "Products" shall include all goods and services by the Company.

## 2. Prices

(a) The prices quoted are strictly net and are for delivery to site on the mainland of the United Kingdom or F.O.B. U.K. Port for any other destination. (b) Prices are based on current costs and are subject to increase to the extent of any subsequent variation in costs resulting from alterations in exchange rates, new or increased taxes, duties or other imports, or in costs of or relating to the manufacturing or delivery of the products.

(c) All prices are exclusive of VAT, which will be charged at the current rate at the time of delivery.

## 3. Payment

(a) Payment shall be net cash not later than end of month following date of invoice. (b) The Company reserves the right to charge interest at the rate of 2% per annum above the base rate of Barclays Bank Limited from time to time ruling on any sums from time to time payable to the Company in accordance with the provisions of 4 (i).

(c) If at any time any invoices are overdue under (a) above then all unpaid invoices issued by the company to the customer whether due or not under (a) above shall become immediately due and payable.

## 4. Delivery

All times specified to the Customer for delivery of the Products are estimates only and the Company shall not be liable for delay or for any damage or inconvenience sustained by the Customer as a result of such times not being met, nor shall any such delay excuse non-acceptance of the Products by the Customer when tendered. Delivery may at any time be withheld pending payment of any sum due from the Customer to the Company under any contract. Where the price includes delivery to site on the mainland of the United Kingdom, the Company will at its option either repair or credit Products lost or damaged in transit to such site provided that the Customer notifies both the carriers and the Company in writing of such loss or damage within 3 days of the time or estimated time of delivery. Unless Products are checked on receipt the carriers documentation should be endorsed "unexamined".

In the event of the non-delivery of the whole consignment the Customer must notify the Company within 10 days of date of despatch. Failing such notification the Customer shall be liable for the value of the consignment in the event that the carrier will not accept any claims outside their stipulated period.

If the Customer does not accept delivery of a consignment of Products then (i) the Company shall be entitled to claim payment in accordance with Clause 3 above for the products refused;

- i (ii) the Products refused shall be in all respects at the Customer's risk;
- ii (iii) the cost of storing the Products refused shall be borne by the Customer.

If the Customer does not accept delivery of a consignment of Products then without prejudice to any right on the Company's part to damages or payment in respect thereof the Company shall be entitled within seven days of such failure to cancel any further consignments under the Contract. The unloading of all Products delivered by the Company shall be promptly performed by the Customer at the Customer's own risk and expense. The Company warrants that (subject to the other provisions of these Conditions) upon delivery, the Goods will be of satisfactory quality within the meaning of the Sale of Goods Act 1994 and be reasonably fit for any particular purpose for which the Goods are being bought only if the Buyer had made known that purpose to the Company in writing and the Company has confirmed in writing that it is reasonable for the Buyer to rely on the skill and judgement of the Company in determining the fitness of the Goods for the particular purpose or purposes.

If the Buyer combines or mixes any or all of the Goods to form a new unit, the Buyer shall have sole responsibility for the new unit created unless the Company has confirmed to the Buyer in writing the suitability of the Goods for the application in the new unit

## 5. Title

(a) The Products shall remain the sole property of the Company until the Company has received payment therefore in full, provided that until the Company becomes entitled to determine the contract pursuant to Condition 10 the Customer shall be entitled to sell or otherwise dispose of the Products but only for his own account and not as agent for the Company. (b) The risk of loss or damage to the products shall, subject to Condition 4, pass to the Customer on despatch from the works of the Company.

## 6. Representations

(a) The Customer acknowledges that his order is not place with the Company and that he has not entered into any contract with the Company in reliance on any representation made by the Company or on its behalf save only such representation (if any) as has been notified in writing to the Company as being a representation on which reliance is placed. (b) All specifications, drawings and particulars of weights and dimensions are subject to variation and the descriptions and illustrations contained in the Company's catalogues, price lists and other advertising matter are intended to present a general idea of the equipment described therein, and none of these shall form part of the contract.

## 7. Defects

The Company will at its sole discretion either repair free of charge or credit any Product which is found to the satisfaction of the Company to be Defective as a result of faulty design, manufacture or workmanship provided that:

(a) the Products are returned properly packed carriage paid to the Company at the Customer's risks within a period of 1 month from the date of delivery and (b) where the products are made to Customer's specification, defects are not a result of errors in such specification.

(c) the Products have not been modified in any way by the Customer and

(d) the Products have not been used for any purpose other than that for which they were designed or otherwise mis-used. Repaired or replaced goods will be returned free of charge to destinations on the mainland of the United Kingdom or delivered F.O.B., UK, Port for other destinations.

Credit notes for a value of less than £30.00 will be not issued to any customer where the reason for the credit raised is "Customer Error".

If any credit note is raised due to an error of any kind being made by sia Abrasives (G.B.) Ltd the full and correct amount will be paid and credited to the customer.

Returns 8. sia Abrasives (G.B.) will not accept the return of any goods sold without its prior agreement. Goods which have been sold to a customer's size requirement will not be returnable in any event.

Any goods which are authorised to be returned will remain at the risk of the Customer during transportation. If any goods are returned with the agreement of (sia Abrasives G.B.) a re-stocking charge of 25% plus V.A.T. will be applied and will be invoiced on receipt of the goods.

## 8. Liability

The Company's liability in terms of these Conditions is in lieu and to the exclusion of all other warranties, conditions or obligations express or implied whether statutory or otherwise in relation to the quality or description of the products of their fitness for any particular purpose or in relation to sales by sample. The Company's liability (however arising and including any liability for any indirect or consequential loss) shall not under any circumstance exceed the price payable to the Company for the Products hereunder. The above restrictions are necessary to enable the products to be sold at the price specified in this agreement.

## 9. Indemnity

The Customer shall indemnify the Company against all claims for personal injury, loss or damage to property brought against the Company by third parties in respect of the Products unless such injury loss or damage is solely attributable to the negligence of the Company, its employees or agents.

## 10. Default

If the Customer makes default in or commits any breach of any of the Customer's obligations or if any distress or execution is levied upon the Customer, the Customer's property or assets or if the Customer makes or offers to make any arrangement or composition with creditors or commits any act of bankruptcy, or if any petition or receiving order in bankruptcy is presented or made against the Customer, or if the Customer is a limited company and any resolution or petition to wind up such company is passed or presented (otherwise than for reconstruction or amalgamation) or if a receiver of such company's undertaking property or assets or any part thereof is appointed, the Company shall (without prejudice to any claim or right it might otherwise make or exercise) have the right forthwith to determine the contract by summary notice.

## 11 Force Majeure

The Company will make every effort to carry out the terms of any contract entered into, but if such performance is not reasonably possible by reason of any cause whatsoever beyond the reasonable control of the Company and in particular but without prejudice to the generality of the foregoing of God, war (whether declared or not), sabotage, riot, explosion, governmental control, restriction or prohibition, or any other governmental act or omission where local or national, fire, accident, earthquake, storm, flood, epidemic, drought, or other natural catastrophes, inability to obtain or shortage of equipment, suitable raw materials, components, fuel, power, or transportation, disputes with workmen, strikes or lockouts, or shortage of labour, the Company reserves the right to modify the terms of or cancel such contract without subsequent liability for loss or damage so caused.

## 12. Conditions

These Conditions form an integral part of any contract or agreement for the supply of Products by the Company. Such conditions may only be varied or alternative conditions accepted with the Company's express written agreement. In the absence of the Company's written agreement other terms or Conditions appearing on any order form or other document issued by the Customer shall only take effect to the extent that such terms and conditions are not inconsistent with the provisions of these Conditions.

## 13. Notice

Any notice given hereunder by post, fax or email to the recipient at its registered or principal office shall be deemed to have been properly served at the time when in the ordinary course of transmission, it would reach its destination.

## 14. Governing Law

These Conditions and any order placed under them shall be governed, construed and shall take effect in accordance with the laws of England.

## 15. Terms

Orders below £100.00 net will be subject to carriage charge of £20.00 net. All prices exclude Value Added Tax and are subject to change without notice. For order quantities lower than the outer carton unit, different pricing may apply.



## Use pictograms

 Angle grinder	 Delta sander	 Manual sanding for profiles	 Profile wheel sanding
 Belt finisher	 die grinder	 Manual sanding with sanding block	 Random orbit sander; Rotary sander
 Brush finishing	 Disc sanding and lapping machine	 mini angle grinder	 Rolls
 Centreless belt sanding	 Double-wheeled bench grinder	 Orbital sander	 Slack-of-belt sanding
 Combination profile sanding	 Drum sanding	 Pad wide belt sanding	 Stationary disc sanding
 Combined wide belt sanding	 Edge belt sanding	 Platen belt sanding	 Stroke belt sanding
 Contact belt sanding	 Fibre optic polisher	 Pneumatic drum sanding	
 Contact wide belt sanding	 Manual sanding	 Portable belt sander	
 Cross belt sanding	 Manual sanding for edges	 Power file	

## Safety Recommendations FEPA

 Read the instructions	 Only permitted with a back-up pad
 Wear eye protection	 Not permitted for hand-held machines
 Wear hearing protection	 Not permitted for wet grinding
 Wear gloves	 Not permitted for surface grinding
 Wear a respirator	 Do not use if damaged

## More safety recommendations

 wear face protection
 Wear safety apron

Series	Information	Price list
1707 siapar	30	85, 92, 115, 142-143, 146, 187
1713 siawat	30	92-93, 108, 115, 143, 146, 188
1718 siapan	31	204
1719 sialac	31	204, 222
1730 sialac	32	204-205
1748 sialac	32	93, 108-109, 116, 127, 146-147
1749 siaral f	33	94, 143, 147-148, 189, 205-206
1815 siatop	33	149-151, 189, 206, 223
1902 siacraft	34	109
1904 siafit	34	100
1909 siawood	35	206
1913 siawat	35	91, 94, 108-110, 116, 128, 143-144, 151, 182, 190-191, 223
1918 sialac	36	207
1919 siawood +	36	92, 95, 110, 116, 129, 134, 151-153, 182-184, 192, 207-214, 216, 223-229
1920 siawood	37	215
1944 siaone	37	153-154
1948 siaflex	38	95-96, 98, 100, 111, 117, 129, 154-157
1949 siadrive		111
1950 siaspeed	38	96, 100-101, 117-121, 127, 134, 158-166, 179
1958 siapro	39	121, 166
1960 siarexx	39	97-99, 112, 122-124, 129-130, 134-135, 167-172
2503 siabite	40	85, 229-230, 249
2511 siabite	40	85, 176-177, 230, 249, 255-256
2515 siabite	41	86, 231
2546 siabite jj	41	86, 172-173, 216, 231-233, 250
2582 siaramic	42	233-234, 250
2707 siawat x	42	86
2747 siatur	43	86
2790 sianet	43	192
2800 siaron	44	86-87, 215, 217, 234-236
2803 siaron y	44	87, 236-237
2820 siamet	45	87, 92, 177, 193, 217-218, 237-241, 250-252, 257-259
2824 siaflap	45	178, 194-196, 259
2829 siaron y	46	88, 218, 241-243, 252-254
2915 siarol	46	104-106, 113
2920 siawood x	47	88, 125, 173, 184, 218-221, 243-244, 255
2923 sialoX	47	197-200
2925 sialoX	48	178, 244
2933 siatur jo	48	221, 244
2936 siatur jj	49	88-89, 130, 222, 245
2943 siatur h	49	125, 267
2945 siatur j	50	89, 245, 255

Series	Information	Price list
2946 siatur jj	50	89-90, 106, 222, 245-247
2948 siatur jj	51	222, 247-248
2951 siatur h	51	90-91, 101, 107, 127, 248
2988 siamet	52	197
3708 siapan	52	216
4560 siabite	53	136
4570 siabite X	53	137
4581 siaramic	54	137-138
4582 siaramic	54	138
4700 siaral 8	55	139
4815 siacut	55	139-140
4819 siaron 8	56	140-141
4961 sialoX	56	141-142
5230 microtec	57	193
5330 microtec	57	193
5752 microtec	58	84
5930 microtec	58	84, 113
5960 microtec	59	85, 113
5962 microtec	59	85, 114
6120 siafleece	60	91, 101-103, 114, 128, 180-181, 200-202
6130 siafleece hd	60	182, 197
6140 siafleece sd	61	103, 178
6150 siafleece fd		173
6240 siamet SCM	61	144, 255
6270 siamet SCM LS	62	92, 103, 144-145, 178, 248-249
6300 siastrip	62	179-180
6711 siafleece flex	63	128
6924 siamet hd	63	145, 179
7240 siacarat	64	173
7241 siacarbon	64	174
7500 sianet CER	65	99, 174-175
7900 sianet	65	99, 125-126, 135, 175-176
7940 siaair	66	126, 176
7979 siasponge flat	66	131, 133
7983 siasponge flex	67	131, 133
7990 siasponge block hard	67	132
7991 siasponge block soft	68	132-133
8913 siacut	68	186-187
8933 siagrind	69	184-185
9089 siaklett		267, 277-278
Flexible hand sanding tools	69	266
siachrome	70	261-264
Standard hand sanding tools	70	266



© sia Abrasives (GB) Ltd – All rights reserved.



**Your Key to a Perfect Surface**

sia Abrasives – [www.sia-abrasives.com](http://www.sia-abrasives.com)

