BR547

OSHA Hazard Classification This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing. While this material is not considered hazardous by the OSHA hazard Communication

Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

Recommended Use Xerographic printing Manufactured by Xerox Corporation Webster, NY 14580 **Contact person** Manager, Environment, Health, Safety & Sustainability E-mail address askxerox@xerox.com **Emergency telephone** Safety Information US: (800) 275-9376 Chemical Emergency only (Chemtrec) (800) 424-9300

HP Color LaserJet Pro MFP M479, HP Color Laserjet Pro **MFP 181** Part no. 006R04184, 006R04188, 006R04192, 006R04196, 006R04200, 006R04259, 006R04558 Color Black Mixture Pure substance/mixture Relevant identified uses of the substance or mixture and uses advised against Details of the supplier of the safety data sheet For further information, please contact

For the most current document https://safetysheets.business.xerox.com

This product contains no hazardous ingredients that meet the threshold for classification of the mixture.

LaserJet Pro MFP M283, HP Color LaserJet Pro M454,

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Safety Data Sheet

SDS #: A-10677

Issuing Date 2022-01-25

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Xerox® Everyday[™] Toner -Black

Revision Date 2022-01-27

Version 1

Page 1/8

Active

Product Identifier **Product Name** Xerox[®] Everyday[™] Toner for HP Color LaserJet M154, HP Color LaserJet Pro MFP M180, HP Color LaserJet 181, HP Color LaserJet Pro M255, HP Color LaserJet Pro MFP M282, HP Color



Page 2/8

Label elements

Signal Word	None
Hazard Statements	None required
Precautionary Statements	None required

Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Styrene acrylate copolymer	Proprietary	70-80		
Amorphous silica	7631-86-9	1-10		
Carbon black	1333-86-4	1-10		
Wax	Proprietary	1-10		

"--" indicates no classification or hazard statements apply.

4. FIRST AID MEASURES

Description of first-aid measures

Description of first-aid measures	
General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice.
	Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and
-	continue flushing for at least 15 minutes
Skin contact	Wash skin with soap and water
Inhalation	Move to fresh air
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk
Most important symptoms and ef	fects, both acute and delayed
Acute toxicity	
Eyes	No known effect
Skin	No known effect
Inhalation	No known effect
Ingestion	No known effect
Chronic toxicity	No known effects under normal use conditions
Main symptoms	Overexposure may cause:
	mild respiratory irritation similar to nuisance dust.
Indication of immediate medical a	attention and special treatment needed_
Protection of first-aiders	No special protective equipment required
Notes to physician	Treat symptomatically
5. FIRE-FIGHTING MEASU	RES

Extinguishing media

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam



Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

Other information

Flammability Flash point Not flammable. Will not readily ignite. Not applicable

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

Environmental precautions

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

Methods and material for containment and cleaning up

 Methods for containment
 Prevent dust cloud

 Methods for cleaning up
 Use an electrically protected vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the toner, making it difficult to remove

Reference to other sections

See section 12 for additional ecological information See Section 13 for additional information

. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid dust accumulation in enclosed space, Prevent dust cloud

Hygiene measures None under normal use conditions

Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

Incompatible products None

Specific end uses

Xerographic printing

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

SDS #: A-10677

<u>Control parameters</u> Exposure Limits Xerox Exposure I Xerox Exposure I	_imit 2. _imit 0.	5 mg/m³ (total dust) 4 mg/m³ (respirable du	ust)		
Component Informat					
Chemic			GIH TLV		OSHA PEL
Carboi	n black	TW	A: 3 mg/m ³		TWA: 3.5 mg/m ³
Exposure controls Engineering mea	sures No	one under normal use	conditions		
Individual protection	measures, such a	as personal protectiv	e equipment (PPE)		
Eye/Face protect Hand protection Skin and body pr Respiratory prote Thermal hazards	on No No otection No ection No	o special protective eq o special protective eq o special protective eq o special protective eq one under normal prot	uipment required uipment required uipment required uipment required.		
Environmental Expos Environmental Ex Controls		eep out of drains, sew	ers, ditches and wate	erways	
9. PHYSICAL AN	D CHEMICAL	PROPERTIES			
Information on basic		mical properties			
	wder		Odor	Faint	
Physical state So			Odor threshold	Not applicable	
Color Bla	ack		рН	Not applicable	
Flash point	N	ot applicable			
Melting / Freezing	Point No	ot applicable			
Boiling point/ran		ot applicable			
Softening point		49 - 60 °C /	120 - 140 °F	-	
		• /			
Evaporation rate	N	ot applicable			
Flammability		ot flammable. Will not	readily ignite.		
Flammability Lim	its in Air No	ot applicable	, 0		
Vapor pressure	N	ot applicable			
Vapor density		ot applicable			
Specific gravity		1 - 2			
Water solubility		egligible			
Partition coefficie		ot applicable			
Autoignition tem		ot applicable			
Decomposition te		ot determined			
Viscosity		ot applicable			
Explosive proper			ir, in sufficient conce	entrations. and in th	ne presence of an ignition
		ource is a potential dus		,	

Oxidizing properties

Other information

None

10. STABILITY AND REACTIVITY

Not applicable

Page 4/8



Reactivity

No dangerous reaction known under conditions of normal use

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions Hazardous reactions Hazardous polymerization

None under normal processing Hazardous polymerization does not occur

Conditions to avoid

Prevent dust cloud. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Incompatible Materials

None

Hazardous decomposition products

None under normal use

11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

Information on toxicological effects

Acute toxicity

Product Information Irritation

IrritationNo skin irritation, No eye irritationOral LD50> 5 g/kg (rat)Dermal LD50> 5 g/kg (rabbit)LC50 Inhalation> 5 mg/L (rat, 4 hr)

Component Information

Chemical Name	LC50 Inhalation	Dermal LD50	Oral LD50
Amorphous silica	>2.2 mg/L (Rat)1 h	>2000 mg/kg (Rabbit)	>5000 mg/kg (Rat)
Carbon black		3 g/kg (Rabbit)	15400 mg/kg (Rat)

Neurological Effects No in	ensitization responses were observed formation available known		
CMR Effects			
Mutagenic effects Not m	Not mutagenic in AMES Test		
Reproductive toxicity This p	This product does not contain any known or suspected reproductive hazards		
Carcinogenicity See "	Other Information" in this section.		
Chemical Name	NTP	IARC	
Carbon black		2B	

Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

xero

Other toxic effects	
Aspiration Hazard	Not applicable
Other adverse effects	None known

Information on other hazards

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

12. ECOLOGICAL INFORMATION

Toxicity

On available data, the mixture / preparation is not harmful to aquatic life

Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to	Toxicity to daphnia and
			microorganisms	other aquatic invertebrates
Amorphous silica	440 mg/L EC50 72 h (Pseudokirchneriella subcapitata)	LC50= 5000 mg/L Brachydanio rerio 96 h		EC50 = 7600 mg/L 48 h
Carbon black				EC50 > 5600 mg/L 24 h

Persistence and degradability

Not readily biodegradable

Bioaccumulative potential

Bioaccumulation is unlikely

Mobility in soil

Insoluble in water

Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

Other adverse effects

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

13. DISPOSAL CONSIDERATIONS	
<u>Waste treatment methods</u> Waste Disposal Methods	Can be landfilled or incinerated, when in compliance with local regulations If incineration is to be carried out, care must be exercised to prevent dust clouds forming.
Contaminated packaging	No special precautions are needed in handling this material
Other information	Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

xer

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

International Inventories

TSCA	Complies
DSL/NDSL	Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS No.	California Prop. 65
Carbon black	1333-86-4	Carcinogen

U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

16. OTHER INFORMATION

Issuing Date	2022-01-25
Revision Date	2022-01-27
Revision Note	Initial Release
Disclaimer	

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be



Xerox® Everyday™ Toner -Black

Page 8/8

valid for such material used in combination with any other material or in any process, unless specified in the text. end