





**High-Performance
Aviation Extinguishers**

AMEREX MODELS 337, 347, 349 & 351 WITH HALOTRON BrX™

The new generation of Amerex fire extinguishers
for commercial aircraft.

Models 337, 347 and 349 have lightweight aluminum valve and nozzle for one-handed use. Models 349 and 351 has a durable hose providing flexibility to reach tight spaces.



Model 337

Model 347

Model 349

Model 351

THE FIRST CHOICE FOR FLIGHT CREWS AND AIRPORT PERSONNEL

The Model 337, 347, 349, and 351 extinguishers with Halotron BrX are the first on the market to meet strict environmental regulations for Global Warming Potential and Ozone Depletion Potential. In addition to being safer and more responsible alternatives to those containing

Halon 1211, these extinguishers are highly effective at fighting fires fueled by liquid and solid combustibles. This makes them ideal for combating flames in a broad range of midair and on-ground scenarios.



Halotron BrX has been tested by Underwriters Laboratories (UL), European Norm (EN) and the International Standards Organization (ISO), and meets all requirements for FAA and EASA (European) compliance.



One of the best warranties in the industry –
that's quality behind the diamond.

HIGH-FLYING FIRE SUPPRESSION

Upgrade your firefighting power and check all regulatory boxes as you phase out Halon 1211 extinguishers on your commercial aircraft.

These stored-pressure extinguishers from Amerex utilize Halotron BrX, an FAA- and EASA-approved clean agent that

achieves a lower GWP and much lower ODP while providing substantial knock-down power and firefighting efficiency.



Model 347

Model 349



Highly effective clean agent firefighting solution

FEATURES & BENEFITS

Stored-pressure design

Contains Halotron BrX non-conductive agent

A low-GWP and very low-ODP product

Durable cylinders: 337, 347 and 349 feature lightweight aluminum cylinder- and 351 features a steel cylinder

Durable, high-gloss polyester powder coated finish

All-metal valve construction

QR coded – trilingual nameplates French, Spanish and English

Backwards compatible with many Halon 1211 installations

Compact valve design for installation in tight spaces

Operational temperature range: -40°F to 120°F (-40°C to 49°C)

Amerex manufactures our extinguishers in a modern facility that is ISO 9001 certified to ensure the highest quality and consistent products for our customers.



AMEREX MODEL 337, 347, 349 & 351 WITH HALOTRON BrX SPECIFICATIONS

MODELS 347 & 349 SPECIFICATIONS

Agent Type	Halotron BrX™(2-BTP)			
Valve Type	Anodized Aluminum			
Design	Nozzle		Hose & Nozzle	
Model Number	337TS	347TS	349TS	351
UL & ULC Ratings	2B:C	5B:C	5B:C	2A:10B:C
Capacity (lbs) / (kg)	1.92 / .87	3.75 / 1.7	3.75 / 1.7	12.5 / 5.67
Filled Weight. (lbs.) / (kg)	3.18 / 1.44	5.50 / 2.49	5.75 / 2.61	19.88 / 9.02
Height (in) / (mm)	11.25 / 285.75	17.59 / 446.9	17.59 / 446.9	20.25 / 514.3
Width (in) / (mm)	4 / 101.6	4 / 101.6	5.88 / 149.35	8.5 / 215.9
Depth (in) / (mm)	3.25 / 82.6	3.25 / 82.6	3.25 / 82.6	5 / 127
Discharge Time (sec)	9	9	9	16
Range (Initial - ft. / M)	7-8 / 2.13-2.44	10-12 / 3.05-3.66	10-12 / 3.05-3.66	15-17 / 4.57-5.18
Minimum Confined Space Requirements (ft³ / M³)	459 / 13	896 / 25.37	896 / 25.37	2,988 / 84.6
Included Bracket	Aircraft			Wall



Each product is backed by our six-year manufacturer warranty – one of the best available in the industry.



ANATOMY OF AN **AMEREX** HALOTRON BRX EXTINGUISHER

Models 337, 347 and 349 have a lightweight aluminum cylinder. The Model 351 has a steel cylinder design.





**SKIP THE 6 YEAR TEARDOWN
AND INSTALL OUR 12 YEAR NON-
RECHARGEABLE EXTINGUISHERS**



Amerex Corporation

7595 Gadsden Hwy. • P.O. Box 81 • Trussville, AL 35173

Ph (205) 655-3271

www.amerex-fire.com • sales@amerex-fire.com



Amerex Corporation @Amerex_Corporation @Amerex_Corporation Amerex Corporation