



GE
159 Plastics Avenue
Pittsfield, MA 01201
USA

Transmitted Via Overnight Courier

February 27, 2009

Mr. Richard Fisher
U.S. Environmental Protection Agency
EPA New England
One Congress Street, Suite 1100
Boston, Massachusetts 02114-2023

Re: **GE-Pittsfield/Housatonic River Site
Groundwater Management Area 4 (GEC340)
Groundwater Quality Monitoring Interim Report for Fall 2008**

Dear Mr. Fisher:

Enclosed is the *Groundwater Management Area 4 Groundwater Quality Monitoring Interim Report for Fall 2008*. This report summarizes activities performed at Groundwater Management Area (GMA) 4 (also known as the Plant Site 3 GMA) during fall 2008, and presents the results of the latest round of sampling and analysis of groundwater performed as part of the interim monitoring program for GMA 4. These activities also include sampling performed in conjunction with GE's operation of two On-Plant Consolidation Areas within GMA 4, as well as select sampling conducted by Pittsfield Generating Company, L.P. in association with its existing permitted program. Upgradient groundwater elevation data collected by EPA at the adjacent Allendale School property in fall 2008 are also summarized in this report.

Please contact me if you have any questions regarding this report.

Sincerely,

Richard W. Gates
Remediation Project Manager

Enclosure

G:\GE\GE_Pittsfield_CD_GMA_4\Reports and Presentations\Fall 2008 GW Qual Rpt\048911222_CvrLtr.doc

cc: Dean Tagliaferro, EPA
Tim Conway, EPA (cover letter only)
Holly Inglis, EPA (CD-ROM)
Rose Howell, EPA (CD-ROM)
K.C. Mitkevicius, USACE (CD-ROM)
Linda Palmieri, Weston (2 hard copies & CD-ROM)
Michael J. Gorski, MDEP (2 copies)
Eva Tor, MDEP (cover letter only)
Jane Rothchild, MDEP (cover letter only)
Thomas Angus, MDEP (cover letter only)
Nancy E. Harper, MA AG
Dale Young, MA EOE
Mayor James Ruberto, City of Pittsfield

Pittsfield Economic Development Authority
Jeffrey Bernstein, BCK Law
Theresa Bowers, Gradient
Michael Carroll, GE (cover letter only)
Rod McLaren, GE (cover letter only)
James Nuss, ARCADIS
James Bieke, Goodwin Procter
John Ciampa, SPECTRA
Scott LeBeau, General Dynamics
Rich Taikowski, Purenergy, LLC
Public Information Repositories
GE Internal Repositories

**General Electric Company
Pittsfield, Massachusetts**

**Groundwater Management Area 4
Groundwater Quality Monitoring
Interim Report for Fall 2008**

February 2009

ARCADIS

**Groundwater Management
Area 4 – Groundwater Quality
Monitoring Interim Report for
Fall 2008**

General Electric Company
Pittsfield, Massachusetts

Prepared for:
General Electric Company
Pittsfield, Massachusetts

Prepared by:
ARCADIS
6723 Towpath Road
Syracuse
New York 13214-0066
Tel 315.446.9120
Fax 315.449.0017

Our Ref.:
B0020187

Date:
February 2009

| | |
|--|-----------|
| 1. Introduction | 1 |
| 1.1 General | 1 |
| 1.2 Background Information | 2 |
| 1.3 Format of Document | 6 |
| 2. Field and Analytical Procedures | 7 |
| 2.1 General | 7 |
| 2.2 Groundwater Level Measurement and LNAPL Monitoring | 7 |
| 2.3 Groundwater Sampling and Analysis | 9 |
| 2.3.1 GMA 4 Sampling | 9 |
| 2.3.2 Pittsfield Generating Company Sampling | 11 |
| 3. Fall 2008 Groundwater Analytical Results | 12 |
| 3.1 General | 12 |
| 3.2 Groundwater Quality Results | 12 |
| 3.2.1 VOC Results | 12 |
| 3.2.2 SVOC Results | 12 |
| 3.2.3 PCB Results | 13 |
| 3.2.4 PCDD/PCDF Results | 13 |
| 3.2.5 Inorganic Constituent Results | 13 |
| 3.3 Pittsfield Generating Facility Sample Results | 14 |
| 4. Assessment of Results | 15 |
| 4.1 General | 15 |
| 4.2 Groundwater Quality Performance Standards | 15 |
| 4.3 Groundwater Quality – Fall 2008 | 17 |
| 4.3.1 Fall 2008 Groundwater Results Relative to GW-2 Performance Standards | 18 |
| 4.3.2 Fall 2008 Groundwater Results Relative to GW-3 Performance Standards | 19 |
| 4.3.3 Comparison to Upper Concentration Limits | 19 |
| 4.3.4 Comparison to OPCA Baseline and Prior Groundwater Data | 20 |

| | | |
|-----------|--|-----------|
| 4.3.5 | Pittsfield Generating Company Supply Well | 22 |
| 4.4 | Overall Assessment of Groundwater Analytical Results | 22 |
| 4.5 | NAPL Monitoring Results | 22 |
| 5. | Proposed Monitoring Program Modifications | 24 |
| 5.1 | General | 24 |
| 5.2 | Proposed Program Modifications | 24 |
| 6. | Schedule of Future Activities | 27 |
| 6.1 | Field Activities Schedule | 27 |
| 6.2 | Reporting Schedule | 28 |

Tables

| | |
|---|---|
| 1 | Groundwater Quality Monitoring Program Summary |
| 2 | Groundwater Elevation Monitoring Program Summary |
| 3 | Monitoring Well Construction Summary |
| 4 | Groundwater Elevation Data – Summer/Fall 2008 |
| 5 | Field Parameter Measurements – Fall 2008 |
| 6 | Comparison of Groundwater Analytical Results to MCP Method 1 GW-2 Standards |
| 7 | Comparison of Groundwater Analytical Results to MCP Method 1 GW-3 Standards |
| 8 | Comparison of Groundwater Analytical Results to MCP UCLs for Groundwater |
| 9 | Proposed Interim Groundwater Quality Monitoring Program |

Figures

| | |
|---|---------------------------------------|
| 1 | Groundwater Management Areas |
| 2 | Site Plan |
| 3 | Water Table Contour Map – Summer 2008 |
| 4 | Water Table Contour Map – Fall 2008 |
| 5 | Top of Till Contour Map |
| 6 | Proposed Monitoring Program |

Appendices

- A Groundwater Elevation/NAPL Monitoring Data– Fall 2008
- B Field Sampling Data
- C Groundwater Analytical Results – Fall 2008
- D Historical Groundwater Data
- E Pittsfield Generating Company Groundwater Analytical Data
- F Data Validation Report

1. Introduction

1.1 General

On October 27, 2000, a Consent Decree (CD) executed in 1999 by the General Electric Company (GE), the United States Environmental Protection Agency (EPA), the Massachusetts Department of Environmental Protection (MDEP), and several other government agencies was entered by the United States District Court for the District of Massachusetts. The CD governs (among other things) the performance of response actions to address polychlorinated biphenyls (PCBs) and other hazardous constituents in soil, sediment, and groundwater in several Removal Action Areas (RAAs) located in or near Pittsfield, Massachusetts that collectively comprise the GE-Pittsfield/Housatonic River Site (the Site). For groundwater and non-aqueous-phase liquid (NAPL), the RAAs at and near the GE Pittsfield facility have been divided into five separate Groundwater Management Areas (GMAs), which are illustrated on Figure 1. These GMAs are described, together with the Performance Standards established for the response actions at and related to them, in Section 2.7 of the *Statement of Work for Removal Actions Outside the River* (SOW) (Appendix E to the CD), with further details presented in Attachment H to the SOW (Groundwater/NAPL Monitoring, Assessment, and Response Programs). This report relates to the Plant Site 3 Groundwater Management Area, also known as and referred to herein as GMA 4.

On July 23, 2001, GE submitted a *Baseline Monitoring Program Proposal for Plant Site 3 Groundwater Management Area* (GMA 4 Baseline Monitoring Proposal). The GMA 4 Baseline Monitoring Proposal summarized the hydrogeologic information available at that time for GMA 4 and proposed groundwater and NAPL monitoring activities (incorporating, as appropriate, those activities that were in place at that time) for the baseline monitoring period at this GMA. EPA provided conditional approval of the GMA 4 Baseline Monitoring Proposal by letter of December 28, 2001. Thereafter, certain modifications were made to the GMA 4 baseline monitoring program as a result of EPA approval conditions and/or findings during field reconnaissance of the selected monitoring locations and, subsequently, during implementation of the baseline monitoring program.

The baseline monitoring program, which was initiated in the spring of 2002, consisted of four semi-annual groundwater quality sampling events followed by the preparation and submittal of reports summarizing the groundwater monitoring results and, as appropriate, proposal of modifications to the monitoring program. The fourth baseline monitoring report for GMA 4, titled *Groundwater Management Area 4 Baseline Groundwater Quality Interim Report for Fall 2003* (Fall 2003 GMA 4 Groundwater Quality Report), was submitted to EPA on February 27, 2004. Section 6.1.3 of Attachment H to the SOW provides that if the two-year “baseline” period ends prior to the completion of soil-related response actions at all the RAAs within a GMA, GE may make a proposal to EPA to modify and/or extend the baseline

monitoring program based on the results of the initial assessment and the estimated timing of future response actions. The approved GMA 4 Baseline Monitoring Proposal also allows GE to propose a modification and/or extension of the baseline monitoring program based on the results of the initial assessment and the estimated timing of future response actions. The Fall 2003 GMA 4 Groundwater Quality Report contained such a proposal to modify and extend baseline groundwater quality monitoring activities at GMA 4 (under a program referred to as the interim monitoring program) until such time as the soil-related Removal Actions at the GMA 4 RAAs are completed and the specific components of a long-term groundwater quality monitoring program are determined. EPA conditionally approved the Fall 2003 GMA 4 Groundwater Quality Report by letter dated May 19, 2004. Under the approved interim monitoring program, semi-annual or annual water quality sampling (alternating between the spring and fall seasons) and periodic water level monitoring at selected GMA 4 wells was initiated in spring 2004.

As part of the interim monitoring program, GE is required to submit reports after each groundwater sampling event to summarize the groundwater monitoring results and related activities and, as appropriate, propose modifications to the monitoring program. This *Groundwater Management Area 4 Groundwater Quality Monitoring Interim Report for Fall 2008* (Fall 2008 Groundwater Quality Report) presents the results of groundwater sampling activities performed at GMA 4 during October 2008, as well as other groundwater-related activities performed at this GMA between July and December 2008.

1.2 Background Information

GMA 4 is located within the mid-eastern portion of the GE Plant Area and encompasses the Hill 78 and Building 71 On-Plant Consolidation Areas (OPCAs), the Hill 78-Remainder RAA, and the portion of the Unkamet Brook Area RAA (as defined in the CD and SOW) located to the west of Plastics Avenue. GMA 4 occupies an area of approximately 80 acres, generally bounded by Tyler Street/Tyler Street Extension to the north, Merrill Road to the south, Plastics Avenue to the east, and New York Avenue to the west, as illustrated on Figure 2. The Hill 78 and Building 71 OPCAs are located within the central portion of this GMA, which also contains a generating facility operated by Pittsfield Generating Company, L.P. (PGC) under a lease with GE. Pursuant to the Seventh CD modification entered into as of May 2008, the leased portion of this property will be subject to a new ground lease, but PGC (under new ownership) will remain operator of this facility. The eastern portion of this GMA is mostly paved or covered by Buildings OP-1 and OP-2, which contain operations of General Dynamics Corporation conducted under contract with the U.S. Department of the Navy. (GE continues to own the land beneath those buildings.)

GE has performed several activities to select, design, and utilize the Hill 78 and Building 71 OPCAs within GMA 4. Upon completion, the final cover for the Hill 78 OPCA will encompass an area of approximately 6.0 acres of the northern, central section of the site

along Tyler Street. The Building 71 OPCA lies directly east and adjacent to this area, and the final cover will occupy an area of approximately 4.4 acres. Consolidation activities and the final closure of the Building 71 OPCA were completed in October 2006, while the Hill 78 OPCA continues to be used by GE and EPA for the permanent consolidation of materials (soil, sediment, demolition debris, etc.) removed during response actions and building demolition activities conducted at the GE plant and several other areas around Pittsfield that are included within the GE-Pittsfield/Housatonic River Site. Note that the OPCA boundaries in the attached figures have been updated to reflect the consolidation area boundaries presented in GE's September 18, 2008 *Addendum to Hill 78 Remainder Final RD/RA Work Plan*, conditionally approved by EPA on October 28, 2008. The nature and scope of the required response actions at the Site, including provisions relating to use of the OPCAs, were established in the CD. In connection with the design of the OPCAs, GE developed a groundwater monitoring program consisting of a baseline groundwater investigation, groundwater monitoring during operation of the OPCAs, and future groundwater monitoring during the post-closure period. The primary objectives of the OPCA groundwater monitoring program are to:

- Periodically (on a semi-annual basis) assess groundwater conditions near the OPCAs;
- Compare current conditions with those observed during previous monitoring activities; and
- Identify potential changes in groundwater conditions that may be related to the consolidation activities.

GE performed the initial OPCA-related baseline groundwater investigations between June 14 and 17, 1999, prior to the commencement of consolidation activities. That baseline groundwater investigation originally involved sampling and analysis of 12 monitoring wells (78-1, 78-6, H78B-15, NY-4, and OPCA-MW-1 through OPCA-MW-8) to provide spatial representation on all sides of the OPCAs (i.e., upgradient, downgradient, and cross-gradient). Groundwater samples obtained from these 12 wells were analyzed for PCBs and other constituents listed in Appendix IX of 40 CFR Part 264 (excluding pesticides and herbicides) plus three additional constituents -- benzidine, 2-chloroethylvinyl ether, and 1,2-diphenylhydrazine (Appendix IX+3). The analytical results from that baseline investigation, along with the results from groundwater sampling events conducted during the past year under the OPCA monitoring program, are discussed below in Section 4.3.4 of this report.

Following EPA's January 30, 2001 conditional approval of the proposed OPCA groundwater monitoring program, GE initiated the semi-annual groundwater monitoring program (performed in the spring and fall of each year) at the OPCAs. That program included groundwater level measurements, groundwater sampling, and laboratory analyses for the 12 monitoring wells utilized in the OPCA baseline investigation, followed by preparation of a

summary report. Two sampling events were conducted under the OPCA groundwater monitoring program (i.e., spring 2001 and fall 2001) prior to initiation of the overall GMA 4 baseline monitoring program, at which point the OPCA-related groundwater monitoring activities were incorporated into the other groundwater monitoring activities conducted for GMA 4.

As set forth in the GMA 4 Baseline Monitoring Proposal and Addendum, the baseline monitoring program at this GMA initially involved a total of 31 monitoring wells, including supplemental wells H78B-16, and H78B-17R. The supplemental wells were sampled solely for VOCs to assess the presence of trichloroethene (TCE) and other chlorinated compounds along the southern boundary of GMA 4. Subsequent modifications to the program approved by EPA resulted in: the decommissioning of three wells (78-7, H78B-8, and H78B-8R); the replacement of two monitoring wells (GMA4-4 for NY-4, and OPCA-MW-1R for OPCA-MW-1); and the installation and sampling of new wells GMA4-5 (designated as a GW-2 sentinel/compliance well), GMA4-6 (designated as a GW-3 perimeter/OPCA monitoring well), and the decommissioning of wells OPCA-MW-1R and OPCA-MW-2 prior to the re-routing of storm and sanitary sewer lines from beneath the Hill 78 OPCA. Following completion of the re-routing project, these wells were replaced with wells OPCA-MW-1RR and OPCA-MW-2R. The wells included in the GMA 4 baseline monitoring program were monitored for groundwater elevations on a quarterly basis and sampled on a semi-annual basis for analysis of PCBs and/or other Appendix IX+3 constituents. The specific groundwater quality parameters for each individual well were selected based on the monitoring objectives of the well.

Groundwater from deep bedrock wells within GMA 4 is utilized for industrial purposes at the PGC facility. Currently, personnel acting on behalf of PGC collect groundwater samples from an existing bedrock supply well (ASW-5, which serves as its primary source of cooling water) for analysis of PCBs and VOCs, in accordance with an existing permitted program. This well is located near the southwest corner of the steam turbine generator building, as illustrated on Figure 2. GE included the analytical results provided on behalf of PGC for samples collected from well ASW-5 in its OPCA groundwater monitoring program reports and continues to include those results in the GMA 4 interim monitoring program reports. The current PGC analytical results are discussed in Section 3.3 of this report.

As previously reported, wells H76B-16 and H78B-17R are sampled on an annual basis (alternating between spring and fall) and analyzed for VOCs to monitor the potential presence of TCE and other chlorinated compounds at the downgradient edge of GMA 4 (Figure 4). These wells were sampled in spring 2008, and the next scheduled sampling will be conducted in fall 2009. In addition, the surface of a dense glacial till forms a trough-like structure in this area (Figure 5), which acts as a confining layer against vertical migration of TCE and other chlorinated constituents. Based on the location of wells H76B-16 and H78B-17R at the downgradient edge of GMA 4 and within the glacial till trough, it is

anticipated that the source of the TCE and other related chlorinated constituents originated from an upgradient location relative to both groundwater flow and the slope of the till surface. If TCE-containing DNAPL were present, it would tend to migrate vertically downward, based on its density relative to water, until encountering a confining layer, at which point transport would continue along the top of till interface. However, no such DNAPL has been observed in any monitoring wells within GMA 4. As shown on Figure 5, the till trough extends northwest beneath the PGC facility toward the former Hill 78 landfill.

As discussed above, the CD and the SOW provide for the performance of groundwater-related Removal Actions at the GMAs, including the implementation of groundwater monitoring, assessment, and recovery programs. In general, these programs consist of a baseline monitoring program conducted over a period of at least two years to establish existing groundwater conditions and a long-term monitoring program performed to assess groundwater conditions over time and to verify the attainment of the Performance Standards for groundwater. The baseline monitoring program was initiated at GMA 4 in the spring of 2002, and the fall 2003 sampling event constituted the fourth baseline sampling event at most of the wells in GMA 4. In spring 2006, GE completed the fourth sampling round at the final baseline monitoring location (well UB-MW-5), which had been dry and unable to be sampled during several of the prior baseline sampling events, and thereby completed the required baseline sampling.

In the Fall 2003 GMA 4 Groundwater Quality Report, GE described its proposed interim groundwater quality monitoring program. EPA conditionally approved that report by letter dated May 19, 2004. GE implemented the interim monitoring program during the spring 2004 sampling event and, with certain EPA-approved modifications, has continued that program through the fall 2008 sampling event.

As discussed in Section 5.2, given that the soil-related Removal Actions at the GMA 4 RAAs are now completed, GE is proposing to conclude the interim monitoring program and submit a final baseline monitoring report for GMA 4, including a proposal for a long-term groundwater monitoring quality program, following the spring 2009 sampling event.

As of fall 2008, the interim monitoring program consists of:

- Sampling and analysis of 12 OPCA-related wells on a semi-annual basis.
- Sampling and analysis of two GW-2 wells for PCBs on a semi-annual basis.
- Annual sampling and analysis (alternating between spring and fall seasons) for select constituents at two GMA 4 wells (H78B-16 and H78B-17R) located along the downgradient edge of the GMA, where VOCs were detected in groundwater. The most

recent sampling event took place in spring 2008; the next sampling event will take place in fall 2009.

- Monthly, quarterly, or semi-annual groundwater elevation monitoring at the wells referenced in Table 2.

The fall 2008 sampling event was initiated by GE on October 20, 2008 and completed on October 23, 2008. The GMA 4 interim groundwater quality monitoring program activities performed in fall 2008 are summarized in Table 1.

1.3 Format of Document

The remainder of this report is presented in four sections. Section 2 describes the activities performed under the interim monitoring program at GMA 4 in summer and fall 2008. Section 3 presents the analytical results obtained during the fall 2008 groundwater sampling event and the results from PGC's bedrock supply well sampling. Section 4 provides a summary of the applicable groundwater quality Performance Standards identified in the CD and SOW and provides an assessment of the results of the fall 2008 activities, including a comparison to those Performance Standards. A comparison of the recent monitoring results to the prior OPCA-related monitoring data is also provided. Section 5 describes proposed program modifications, and Section 6 presents the schedule for future field and reporting activities related to groundwater quality at GMA 4, including a proposal to submit a *Baseline Assessment Final Report and Long-Term Monitoring Program Proposal for Groundwater Management Area 4* (GMA 4 LTMP Proposal).

2. Field and Analytical Procedures

2.1 General

The activities conducted as part of the interim groundwater monitoring program and summarized herein primarily involved the measurement of groundwater levels and the collection and analysis of groundwater samples at select monitoring wells within GMA 4, as described on Tables 1 and 2, and depicted on Figure 2. The construction details of the wells that were monitored and/or sampled at GMA 4 in fall 2008 are provided in Table 3. This section discusses the field procedures used to measure site groundwater levels, check for the presence of NAPL, and collect groundwater samples, as well as the methods used to analyze the groundwater samples. All activities were conducted in accordance with GE's approved *Field Sampling Plan/Quality Assurance Project Plan (FSP/QAPP)*.

2.2 Groundwater Level Measurement and LNAPL Monitoring

Groundwater elevations were measured at the wells shown in Table 2 and all data collected during fall 2008 are summarized in Table A-1 of Appendix A. The summer groundwater elevation monitoring event was performed on July 23, 2008, and the fall 2008 groundwater elevation monitoring event at GMA 4 was conducted on October 29 and 31, 2008. The fall 2008 groundwater elevations were, on average, approximately 1.15 foot higher than the elevations measured during the prior fall monitoring round in 2007 at water table wells measured during both monitoring events. However, as discussed below, groundwater elevations were significantly lower at two monitoring wells installed closest to the two former sewer lines in this area, as compared to the original wells that were monitored while those sewer lines were in use. Table 4 summarizes the groundwater elevation monitoring data for the two monitoring events. The groundwater elevation data shown in that table were subsequently used to prepare groundwater elevation contour maps of the summer 2008 and fall 2008 groundwater monitoring events (Figures 3 and 4).

As directed in EPA's November 14, 2006 conditional approval letter for the *GMA 4 Groundwater Quality Monitoring Interim Report for Spring 2006*, and initiated in fall 2007, GE has continued to include in GMA 4 submittals any EPA-generated groundwater elevation and/or analytical data from EPA-installed monitored piezometers PZ-1, PZ-2, PZ-3, and PZ-4, along with data from existing monitoring well SCH-1 located on or adjacent to the Allendale School property. The locations of these wells and piezometers are shown on Figure 2, and the EPA-generated groundwater elevation data from these locations are shown on Figures 3 and 4. The quarterly monitoring rounds for GMA 4 were coordinated with EPA so that both EPA-monitored and GE-monitored wells were gauged on the same day.

As shown on these figures, the groundwater flow directions are generally consistent with those observed during previous seasonal monitoring events. A comparison of the groundwater contour maps with the top of till contour map (Figure 5) shows that groundwater elevations are generally correlated to changes in the elevation of the glacial till interface. Specifically, groundwater generally flows from north to south, although variations exist corresponding to changes in the topography of the ground surface and/or the glacial till interface, including a prominent groundwater depression extending from northwest to southeast across the western portion of the GMA. Well GMA4-6 is located within this depression along the northern portion of GMA 4.

After the completion of the sewer re-routing project in GMA 4 in spring 2008, wells OPCA-MW-1RR and OPCA-MW-2R were installed as replacements for wells OPCA-MW-1R and OPCA-MW-2. After installation in July 2008, these wells were monitored as part of the GMA 4 monitoring program. The groundwater elevations in both of these wells, particularly in OPCA-MW-1RR, were significantly lower than those measured in the previous year in the wells that were replaced. In July 2008, the groundwater elevations at OPCA-MW-1RR and OPCA-MW-2R were 13.14 feet and 5.62 feet lower, respectively, than those seen in the corresponding wells in July 2007. Similarly, in fall 2008, groundwater elevations at wells OPCA-MW-1RR and OPCA-MW-2R were 12.2 feet and 4.26 feet lower, respectively, than the elevations in the corresponding wells in fall 2007. As previously stated, despite the apparent decreases in these particular areas, the overall groundwater elevation in GMA 4 increased in fall 2008 compared to fall 2007, and overall groundwater flow patterns were consistent with prior years. GE will continue to monitor wells OPCA-MW-1RR and OPCA-MW-2R to evaluate groundwater flow conditions in the vicinity of the relocated sewer lines.

The EPA monitoring data from the Allendale School property are consistent with the GE GMA 4 data. Groundwater elevations are highest at the northernmost well adjacent to the school (SCH-1) and decrease from north to south (i.e., groundwater flows from the Allendale School property toward GMA 4). The piezometers located in the southern portion of the Allendale School property each had higher groundwater elevations than the nearest wells on the northern edge of GMA 4, providing further confirmation that GMA 4 is downgradient from the Allendale School property. This is consistent with the groundwater contours presented in the spring 2008 GMA 4 Interim Monitoring Report.

Prior to June 2003, weekly groundwater and LNAPL measurements were collected at well H78B-8R. If present, LNAPL was recovered and properly disposed. In June 2003, well H78B-8R was decommissioned in order to accommodate the expansion of the Hill 78 OPCA. This well (H78B-8R) was the only location within GMA 4 where NAPL had been encountered. Since the removal of well H78B-8R, particular attention has been given to well OPCA-MW-2 (until its decommissioning in October 2007), replacement well OPCA-MW-2R (following installation in July 2008) and well OPCA-MW-3 (located downgradient from former well H78B-8R) when groundwater measurements and samples were obtained.

In addition, well GMA4-3 has been monitored on a monthly basis since April 2005 to assess the extent of LNAPL observed at GMA 3, located to the east of GMA 4. No NAPL has ever been observed at any of these GMA 4 monitoring wells.

The results of all groundwater elevation/NAPL monitoring activities performed during fall 2008 are summarized in Appendix A. As noted above, well measurements indicate that NAPL has not been encountered in any of the GMA 4 wells monitored and/or sampled during fall 2008.

2.3 Groundwater Sampling and Analysis

2.3.1 GMA 4 Sampling

The fall 2008 interim sampling event was performed between October 20 and 23, 2008 at 14 groundwater monitoring wells, which include 12 groundwater monitoring wells associated with the OPCA monitoring program. The pump intake depth and type of pump used during the fall 2008 sampling event are identified on the sampling records contained in Appendix B. Per Condition 1 of EPA’s January 27, 2009 approval letter of the Spring 2008 GMA 4 Groundwater Quality Interim Monitoring Report (GMA 4 Spring 2008 Interim Report), GE has also included the river stage of the East Branch of the Housatonic River measured at Coltsville station in Appendix A (Tables A-1 and A-2, respectively).

Low-flow sampling techniques, using either a bladder or peristaltic pump, were utilized for the purging and collection of groundwater samples during this sampling event. Each monitoring well that was sampled was purged utilizing low-flow sampling techniques until field parameters (including temperature, pH, specific conductivity, turbidity, dissolved oxygen, and, oxidation-reduction potential) stabilized prior to sample collection. Field parameters were measured in combination with the sampling activities at the monitoring wells. The field parameter measurements are presented in Table 5 and the field sampling records are provided in Appendix B.

A general summary of the stabilized field measurement results recorded during the fall 2008 monitoring event is provided below.

| Parameter | Units | Range of Stabilized Readings |
|-------------------------------|-----------------------------|------------------------------|
| Temperature | Degrees Celsius | 6.59 to 14.56 |
| pH | pH units | 6.53 to 7.71 |
| Specific Conductivity | Millisiemens per centimeter | 0.538 to 2.241 |
| Turbidity | NTUs | 2 to 28 |
| Dissolved Oxygen | Milligrams per liter | 0.13 to 8.67 |
| Oxidation-Reduction Potential | Millivolts | -171.50 to 116.20 |

As shown above and in Table 5 for this sampling event, none of the groundwater samples extracted from the monitoring wells had turbidity levels greater than the target level of 50 NTU upon stabilization. These results indicate that the sampling and measurement procedures utilized during this sampling event were effective in obtaining representative groundwater samples with low turbidity. Also, the range of pH for this sampling event was from 6.53 to 7.71, which is within the range of 5 to 8.5 typically observed in groundwater.

The collected groundwater samples were submitted to SGS Environmental Services, Inc. (SGS) of Wilmington, North Carolina for laboratory analysis. All groundwater samples collected during this sampling event were submitted for analysis of the following constituents using the associated EPA methods:

| Constituent | EPA Method |
|--|-------------------------|
| VOCs | 8260B |
| SVOCs | 8270C |
| PCBs (Filtered Samples) | 8082 |
| Polychlorinated Dibenzop-dioxins and Polychlorinated Dibenzofurans (PCDDs/PCDFs) | 8290 |
| Metals (Filtered Samples) | 6010B, 7000A, and 7470A |
| Physiologically Available Cyanide (Filtered Samples) | 9014/MDEP PAC Protocol |
| Sulfide | 9034 |

Following receipt of the analytical data on the GE samples from the laboratory, the preliminary results were reviewed for completeness and compared to the Massachusetts Contingency Plan (MCP) Method 1 GW-2 (where applicable) and GW-3 standards, and to the MCP Upper Concentration Limits (UCLs) for groundwater. The preliminary analytical results were presented in the next monthly report on overall activities at the GE-Pittsfield/Housatonic River Site.

GE’s fall 2008 interim groundwater quality sampling data were validated in accordance with the FSP/QAPP. As discussed in the validation report provided in Appendix F, 99.9% of the fall 2008 groundwater quality data are considered to be useable, which is greater than the minimum required usability of 90% as specified in the FSP/QAPP. The SVOC, PCB, PCDD/PCDF, inorganic, cyanide, and sulfide sample results were found to be 100% usable. VOC sample results were found to be 99.9% usable. The only rejected datum was one VOC sample result from well 78-1, where the 2-chloroethylvinylether result was rejected due to MS/MSD recovery deviations.

2.3.2 Pittsfield Generating Company Sampling

In accordance with PGC's existing permitted program, personnel acting on behalf of PGC currently collect groundwater samples for analysis of VOCs and PCBs from PGC's deep bedrock groundwater extraction well (well ASW-5, screened at approximately 441 to 457 feet below ground surface). This well serves as the primary source of cooling water for the PGC plant. GE has included the analytical results provided on behalf of PGC for samples collected from ASW-5 on December 2, 2008 in this report, as well as a comparison of these data to historical results. A summary of well ASW-5 monitoring results is provided in Table E-1 within Appendix E. These results are discussed in Section 3.3.

3. Fall 2008 Groundwater Analytical Results

3.1 General

A description of the fall 2008 groundwater analytical results is presented in this section. Tables 6 and 7 provide a comparison of the concentrations of detected constituents with the applicable GW-2 and GW-3 groundwater quality Performance Standards established in the CD and SOW (for wells where those respective standards apply), while Table 8 presents a comparison of the concentrations of detected constituents with the UCLs for groundwater (for all wells sampled in fall 2008). Table C-1 in Appendix C provides the complete analytical data set (constituents detected and not detected) for the groundwater samples analyzed during this sampling event. An assessment of these results relative to those groundwater quality Performance Standards and the UCLs is provided in Section 4.

3.2 Groundwater Quality Results

The following subsections provide an overview of the fall 2008 analytical results from the GMA 4 groundwater quality monitoring wells for each constituent group that was analyzed.

3.2.1 VOC Results

A total of 12 groundwater samples were collected and analyzed for VOCs during the fall 2008 sampling event. The VOC analytical results are summarized in Table 8 and Table C-1 (within Appendix C). No VOCs were detected in wells 78-1, 78-6, GMA4-6, OPCA-MW-3, OPCA-MW-6, OPCA-MW-7, or OPCA-MW-8. At the five wells where VOCs were detected, total VOC concentrations ranged from an estimated concentration of 0.00021 ppm (at well H78B-15) to a concentration of 3.6 ppm (at well OPCA-MW-1RR). A total of six individual VOCs were detected in one or more wells. Chlorobenzene, and tetrachloroethene (PCE) were the most frequently detected VOCs (detected in two wells each). Chlorobenzene was detected in wells OPCA-MW-5R and OPCA-MW-4 in estimated concentrations of 0.00011 ppm and 0.00017 ppm, respectively. Tetrachloroethene was detected at concentrations of 0.00030 ppm (well OPCA-MW-2R) and 3.6 ppm (well OPCA-MW-1RR). 1,1,1-Trichloroethane (estimated concentration of 0.00013 ppm at well OPCA-MW-2R), chloroform (estimated concentration of 0.00021 ppm at well H78B-15), methylene chloride (estimated concentration of 0.00022 ppm at OPCA-MW-5R), and trichloroethene (concentration of 0.0016 ppm at well OPCA-MW-4) were also detected during the fall 2008 sampling round.

3.2.2 SVOC Results

A total of 12 groundwater samples were collected and analyzed for SVOCs during the fall 2008 sampling event. The SVOC analytical results are summarized in Table 8 and Table

C-1 (within Appendix C). Bis(2-ethylhexyl)phthalate, a common laboratory contaminant, was detected in three wells (GMA 4-6, H78B-15, and OPCA-MW-8) at estimated concentrations of 0.00072 to 0.001 ppm, respectively). No SVOCs were detected in any of the remaining wells analyzed for this constituent group in fall 2008.

3.2.3 PCB Results

Filtered groundwater samples from fourteen wells were analyzed for PCBs as part of the fall 2008 sampling event. The PCB analytical results are summarized in Table 8 and Table C-1 (within Appendix C). No PCBs were detected in any monitoring wells during the fall 2008 sampling round.

3.2.4 PCDD/PCDF Results

Groundwater samples collected from 12 monitoring wells were analyzed for PCDDs/PCDFs during the fall 2008 sampling event. The analytical results summarized in Table 8 and Table C-1 (within Appendix C) show that individual PCDD/PCDF compounds were detected in six monitoring wells. In addition, total Toxicity Equivalency Quotients (TEQs) were calculated for the PCDD/PCDF compounds using the Toxicity Equivalency Factors (TEFs) derived by the World Health Organization (WHO). In calculating those TEQs, the concentrations of individual PCDD/PCDF compounds that were not detected were represented as one-half of the analytical detection limit for those compounds, thus allowing TEQs to be developed for all wells, including the six wells where no PCDD/PCDF compounds were detected. Total TEQ concentrations ranged from 0.72×10^{-8} ppm (at wells 78-6 and H78B-15) to 1×10^{-8} ppm (at well OPCA-MW-4).

3.2.5 Inorganic Constituent Results

Filtered groundwater samples were obtained from 12 monitoring wells for analysis of metals and physiologically available cyanide during the fall 2008 sampling event. Unfiltered samples from the 12 wells were also analyzed for sulfide. The analytical results for these inorganic constituents are summarized in Table 8 and Table C-1 (within Appendix C). A total of nine inorganics were detected in the filtered samples and each location contained at least one inorganic constituent in its filtered samples. Barium was the most frequently detected inorganic (detected in nine wells), followed by lead (detected in 8 wells), and cadmium (detected in five wells). Other inorganics were detected in three or fewer wells. Sulfide was detected in seven unfiltered samples, at concentrations ranging from an estimated concentration of 1.0 ppm (OPCA-MW-7) to 1.40 ppm (at well OPCA-MW-6, though sulfide was not detected in the duplicate at this well).

3.3 Pittsfield Generating Facility Sample Results

The results of the most recent deep bedrock groundwater sampling activities performed on behalf of PGC at industrial supply well ASW-5 (conducted in December 2008), along with data from prior sampling events, are summarized in Table E-1 of Appendix E. No VOCs or PCBs were detected in this well in December 2008.

4. Assessment of Results

4.1 General

This report constitutes the tenth interim groundwater quality monitoring report for GMA 4, and is the sixteenth monitoring report submitted since commencement of the groundwater monitoring program associated with the OPCAs. The information presented herein is based on the laboratory results obtained during the fall 2008 groundwater sampling event, supplemented with historical groundwater analytical data when applicable.

4.2 Groundwater Quality Performance Standards

The Performance Standards applicable to response actions for groundwater at GMA 4 are set forth in Section 2.7 and Attachment H (Section 4.1) of the SOW. In general, the Performance Standards for groundwater quality are based on the groundwater classification categories designated in the MCP. The MCP identifies three potential groundwater categories that may be applicable to a given site. One of these, GW-1 groundwater, applies to groundwater that is a current or potential source of potable drinking water. None of the groundwater at any of the GMAs at the Site is classified as GW-1; however, the remaining MCP groundwater categories are applicable to GMA 4 and are described below:

- GW-2 groundwater is defined as groundwater that is a potential source of vapors to the indoor air of buildings. Groundwater is classified as GW-2 if it is located within 30 feet of an existing occupied building and has an average annual depth below ground surface (bgs) of 15 feet or less. Under the MCP, certain constituents present within GW-2 groundwater represent a potential source of vapors to the indoor air of the overlying occupied structures.
- GW-3 groundwater is defined as groundwater that discharges to surface water. By MCP definition, all groundwater at a site is classified as GW-3 since it is considered to ultimately discharge to surface water. In accordance with the CD and SOW, all groundwater at GMA 4 is considered as GW-3.

The CD and the SOW allow for the establishment of standards for GW-2 and GW-3 groundwater at the GMAs through use of one of three methods, as generally described in the MCP. The first, known as Method 1, consists of the application of pre-established numerical “Method 1” standards set forth in the MCP for both GW-2 and GW-3 groundwater (310 CMR 40.0974). These “default” standards have been developed to be conservative and will serve as the initial basis for evaluating groundwater at GMA 4. The current MCP Method 1 GW-2 and GW-3 standards for the constituents detected in the fall 2008 sampling event are listed in Tables 6 and 7, respectively. For constituents for which Method 1 standards do not exist, the MCP provides procedures, known as Method 2, for developing

such standards (Method 2 standards) for both GW-2 (310 CMR 40.0983(2)) and GW-3 (310 CMR 40.0983(4)) groundwater. For such constituents that are detected in groundwater during the baseline monitoring program, Attachment H to the SOW states that in the Baseline Monitoring Program Final Report, GE must propose to develop Method 2 standards using the MCP procedures or alternate procedures approved by EPA, or provide a rationale for why such standards need not be developed. For constituents whose concentrations exceed the applicable Method 1 (or Method 2) standards, GE may develop and propose to EPA alternative GW-2 and/or GW-3 standards based on a site-specific risk assessment. This procedure is known as Method 3 in the MCP. Upon EPA approval, these alternative risk-based GW-2 and/or GW-3 standards may be used in lieu of the Method 1 (or Method 2) standards. Of course, whichever method is used to establish such groundwater standards, GW-2 standards will be applied to GW-2 groundwater and GW-3 standards will be applied to GW-3 groundwater.

On February 14, 2008 MDEP implemented revised Method 1 numerical standards for a number of constituents in groundwater, and those standards were utilized in the preparation of this report. In addition, in its July 30, 2008 conditional approval letter related to the *Groundwater Management Area 2 Long-Term Monitoring Program Addendum to Monitoring Event Evaluation Report for Fall 2007*, EPA specified that the low-range guidance values developed in that report for cobalt and copper should represent the Method 2 GW-3 standards for these metals at all of the GE Pittsfield GMAs. Accordingly, GE has utilized those Method 2 standards in its evaluation of the fall 2008 analytical results.

Based on consideration of the above points, the specific groundwater quality Performance Standards for GMA 4 consist of the following:

1. At monitoring wells designated as compliance points to assess GW-2 groundwater (i.e., groundwater located at an average depth of 15 feet or less from the ground surface and within 30 feet of an existing occupied building), groundwater quality shall achieve any of the following:
 - (a) the Method 1 GW-2 groundwater standards set forth in the MCP (or, for constituents for which no such standards exist, Method 2 GW-2 standards once developed, unless GE provides and EPA approves a rationale for not developing such Method 2 standards);
 - (b) alternative risk-based GW-2 standards developed by GE and approved by EPA as protective against unacceptable risks due to volatilization and transport of volatile chemicals from groundwater to the indoor air of nearby occupied buildings; or

- (c) a condition, based on a demonstration approved by EPA, in which constituents in the groundwater do not pose an unacceptable risk to occupants of nearby occupied buildings via volatilization and transport to the indoor air of such buildings.
2. Groundwater quality shall ultimately achieve the following standards at the perimeter monitoring wells designated as compliance points for GW-3 standards:
- (a) the Method 1 GW-3 groundwater standards set forth in the MCP (or, for constituents for which no such standards exist, Method 2 GW-3 standards once developed, unless GE provides and EPA approves a rationale for not developing such Method 2 standards); or
 - (b) alternative risk-based GW-3 standards proposed by GE and approved by EPA as protective against unacceptable risks in surface water due to potential migration of constituents in groundwater.

These Performance Standards are to be applied to the results of the individual monitoring wells included in the monitoring program. Several monitoring wells have been designated as the compliance points for attainment of the Performance Standards identified above. The compliance points were initially identified in the GMA 4 Baseline Monitoring Proposal (although certain modifications were made subsequent to that proposal as a result of EPA requirements, findings during field reconnaissance of the selected wells, or replacement of certain wells during the course of the monitoring program) and are described further in Sections 4.3.1 (for GW-2 wells) and 4.3.2 (for GW-3 wells).

In addition to the Performance Standards described above, analytical results from all groundwater monitoring wells sampled during the fall 2008 sampling event were compared to the MCP UCLs for groundwater. Analytical results from wells included in the OPCA groundwater monitoring program were also compared to the 1999 baseline data and other prior OPCA-related monitoring data for those wells.

4.3 Groundwater Quality – Fall 2008

For the purpose of generally assessing current groundwater quality conditions, the analytical results from the fall 2008 groundwater sampling event were compared to the applicable groundwater Performance Standards for GMA 4. These Performance Standards are described in Section 4.2 above and are currently based (on a well-specific basis) on the MCP Method 1 GW-2 and/or GW-3 standards and, for cobalt and copper, on the recently-developed Method 2 GW-3 standards for these two metals. The following subsections discuss the fall 2008 groundwater analytical results in relation to these Performance Standards, as well as in relation to the MCP UCLs for groundwater. In support of those discussions, Tables 6 and 7 provide a comparison of the concentrations of the detected

constituents with the current GW-2 and GW-3 standards, respectively, while Table 8 presents a comparison of the concentrations of detected constituents with the MCP UCLs for groundwater.

With regard to constituents that in the past were analyzed as either a filtered or unfiltered sample (i.e., PCBs and inorganics), all monitoring wells were sampled and analyzed in accordance with the approved interim program protocols during the fall 2008 sampling event, which provides for the collection of filtered data only for PCB and inorganic constituent analyses (except for sulfide, which is analyzed in unfiltered samples only). The filtered results are utilized for comparison to the MCP GW-3 standards while both the filtered and any unfiltered results are compared to the MCP UCLs for groundwater.

4.3.1 Fall 2008 Groundwater Results Relative to GW-2 Performance Standards

Groundwater samples were collected from three monitoring wells at GMA 4 that have been designated as GW-2 monitoring wells and will be compliance points for the GW-2 standards (H78B-15, OPCA-MW-4, and OPCA-MW-5R), and from three other wells compared to GW-2 criteria (wells GMA4-2, GMA4-3, and OPCA-MW-1RR). The fall 2008 groundwater analytical results for the detected constituents within these six wells were compared to the MCP Method 1 GW-2 standards as presented in Table 6. In light of the new MCP Method 1 GW-2 for PCBs, a comparison of the filtered PCB results from these wells to the new GW-2 PCB standard was also performed. As noted in EPA's January 27, 2009 conditional approval letter of GE's GMA 4 Interim Report for Spring 2008, MDEP has informed EPA that the use of filtered samples for evaluation of MCP GW-2 standards for PCBs is appropriate. As such, GE, with the concurrence of EPA, used the analysis of filtered PCB samples for comparison to the GW-2 standard.

During this sampling round, at well OPCA-MW-1RR, a concentration of 3.6 ppm of tetrachloroethene was detected, compared to the GW-2 standard of 0.05 ppm. At other wells compared to GW-2 standards, there were no other exceedances of those standards. None of the GW-2 wells exhibited total VOC concentrations above 5 ppm (the level specified in the SOW as a notification level for GW-2 wells within 30 feet of a school or occupied residential structure, and a potential trigger level, if seen at a well where the GW-2 standards had previously been exceeded, for the proposal of interim response actions).

OPCA-MW-1RR has a GW-2 designation based on the designation of the original wells installed at this location (OPCA-MW-1, OPCA-MW-1R), as noted in the GE's July 2001 Baseline Monitoring Proposal for Plant Site 3 Groundwater Management Area, conditionally approved by EPA on December 28, 2001. However, replacement well OPCA-MW-1RR was installed after completion of the utility re-routing project within the groundwater management area. The depth to water during summer and fall 2008 ranged from 16.8 to 17.4 feet below ground surface, and, thus, was greater than the 15 feet below the ground

surface criterion for a GW-2 well. Additionally, this well is also greater than 30 feet away from a building. Therefore, the newly installed well does not appear to meet the criteria for a GW-2 well. It should be noted that this is the first GW-2 exceedance at the OPCA-MW-1/1R/1RR location.

At well OPCA-MW-5R, no vinyl chloride was detected during this monitoring round compared to spring 2008, when a concentration of 0.012 ppm was detected at this well. This is consistent with previous events with the exception of the spring 2006 monitoring event, when concentrations of vinyl chloride had exceeded the GW-2 standard.

No PCBs were detected in wells GMA4-2 and GMA4-3 during fall 2008. These wells were added back into the interim monitoring program based on the new GW-2 standard for PCBs.

4.3.2 Fall 2008 Groundwater Results Relative to GW-3 Performance Standards

Groundwater samples were collected from 12 wells designated as GW-3 monitoring points during the fall 2008 groundwater sampling event. Four of these wells (H78B-15, OPCA-MW-1RR, OPCA-MW-4, and OPCA-MW-5R) are designated as GW-2 Sentinel/GW-3 general source area sentinel wells. Three of these wells (78-1, 78-6, and GMA 4-6) are GW-3 upgradient perimeter wells. Five wells (OPCA-MW-2R, OPCA-MW-3, and OPCA-MW-6 though OPCA-MW-8) are downgradient of the OPCA. The analytical results for the constituents detected in these wells were compared to the applicable MCP Method 1 GW-3 standards as presented in Table 7. No constituents were found at levels above their respective MCP Method 1 GW-3 standards in groundwater samples collected in fall 2008. As discussed above, Method 2 GW-3 standards for cobalt and copper have been developed and implemented at the GE-Pittsfield GMAs. Cobalt was detected at well 78-6 at an estimated concentration of 0.00372 ppm in fall 2008, which is well below the developed GW-3 standard of 0.075 ppm.

4.3.3 Comparison to Upper Concentration Limits

In addition to comparing the fall 2008 groundwater analytical results with applicable MCP Method 1 GW-2 and MCP Method 1 and 2 GW-3 standards, those results have also been compared with the MCP UCLs for groundwater specified in the MCP (310 CMR 40.0996(7)). These comparisons are presented in Table 8, which indicates that none of the constituents detected was above its respective UCL in any of the groundwater samples analyzed during the fall 2008 sampling event.

4.3.4 Comparison to OPCA Baseline and Prior Groundwater Data

Groundwater samples were collected from 12 OPCA monitoring wells during the fall 2008 interim sampling event. Analytical data from the samples collected were compared to the results of the 1999 OPCA baseline investigation and, where relevant, to the results of more recent semi-annual monitoring events. The analytical data from the initial OPCA groundwater monitoring events conducted in 1999 and 2001 are summarized in Table D-1 within Appendix D, along with data collected during the most recent year of sampling. Graphs illustrating historical total VOC concentrations and filtered/unfiltered PCB concentrations for the OPCA wells over the duration of the groundwater monitoring program are also presented in Appendix D, along with graphs of historical concentrations of individual constituents where concentrations exceeded the applicable MCP Method 1 GW-2 or GW-3 standards or UCLs during at least one OPCA monitoring program sampling event. The results of these comparisons for each analytical constituent group (i.e., VOCs, SVOCs, PCBs, PCDDs/PCDFs, and inorganics) are discussed below.

With limited exceptions, the fall 2008 groundwater sampling results from the OPCA monitoring wells were consistent with those from the baseline round and/or recent sampling events (other than the spring 2006 PCB data, which, as discussed in the Spring 2007 GMA 4 Groundwater Monitoring Interim Report, and approved by EPA on October 22, 2007, appears to have been anomalous). With the exception of the exceedance of GW-2 standard of tetrachloroethene at well OPCA-MW-1RR (where, as discussed above, the GW-2 standard actually should not apply), all constituents were below the applicable UCLs, Method 1 GW-2 standards, and/or Method 1 GW-3 standards.

VOCs

Six VOCs were detected in the fall 2008 OPCA monitoring well samples. The most frequently detected VOCs (chlorobenzene and tetrachloroethene) were detected in two wells (OPCA-MW-4 and OPCA-MW-5R for chlorobenzene, OPCA-MW-1RR and OPCA-MW-2R for tetrachloroethene). Chlorobenzene was detected at estimated concentrations ranging from 0.00011 ppm (well OPCA-MW-5R) to 0.00017 ppm (well OPCA-MW-5R), which are well below the GW-2 standard of 0.2 ppm. Tetrachloroethene was detected at a concentration of 0.0030 ppm (OPCA-MW-2R), which is below the GW-3 standard of 30 ppm. However, at well OPCA-MW-1RR, tetrachloroethene was detected at a concentration of 3.6 ppm, which exceeds the GW-2 standard for this constituent (0.050 ppm) but is well below the MCP GW-3 criteria of 30 ppm. As discussed above, given the depth to groundwater at this well and the lack of nearby buildings, this well does not meet the criteria for a GW-2 well. Other VOCs detected in OPCA wells include 1,1,1-trichloroethane, chloroform, methylene chloride, and trichloroethene. None of these constituents was detected at concentrations above its respective GW-2 or GW-3 standard. Vinyl chloride

was not detected in well OPCA-MW-5R during this monitoring round, providing further indication that the spring 2006 GW-2 exceedance for this constituent was anomalous.

These VOC results have been compared with the historical results as illustrated in the graphs provided in Appendix D and are generally consistent with the 1999 baseline sampling analytical results. As discussed below, GE plans to continue the OPCA groundwater monitoring program and to continue to monitor concentrations of these and other constituents in the OPCA wells.

SVOCs

One SVOC was detected in OPCA monitoring wells during the fall 2008 monitoring event. Bis(2-ethylhexyl)phthalate was detected in wells GMA4-6, H78B-15, and OPCA-MW-8 at estimated concentrations of 0.00072, 0.00010, and 0.00087 ppm, respectively. No other SVOCs were detected in the OPCA wells during this sampling round. This constituent, which is a common laboratory contaminant, was not detected above its applicable MCP Method 1 GW-3 standard.

PCBs

The fall 2008 analytical results for the OPCA groundwater monitoring program indicate that no PCBs were detected in any of the OPCA wells during the fall 2008 sampling event.

Other Appendix IX+3 Constituents

Low levels of PCDDs were observed in OPCA groundwater monitoring program well OPCA-MW-8, and trace levels of PCDFs were detected in seven wells (78-1, 78-6, H78B-15, OPCA-MW-4, OPCA-MW-5R, OPCA-MW-6, and OPCA-MW-8) during the fall 2008 sampling event. No PCDDs or PCDFs were detected in wells GMA4-6, OPCA-MW-1RR, OPCA-MW-2R, OPCA-MW-3, and OPCA-MW-7. As previously discussed in Section 3.2.4, TEQ values are calculated for each sample using WHO TEFs, incorporating values equal to one-half of the detection limit for non-detected PCDDs and PCDFs. The concentrations of these TEQ values are similar to those previously observed during the OPCA groundwater monitoring program and are also below the applicable UCL and GW-3 standard.

For inorganic constituents, minor variations in detected concentrations have been observed in several monitoring wells. These fluctuations have been observed during the course of the OPCA groundwater monitoring program and are considered typical for inorganic constituents in groundwater. There were no exceedances of applicable MCP Method 1 or, for copper and cobalt, Method 2 GW-3 standards observed in the OPCA wells during this sampling event for inorganic constituents.

4.3.5 Pittsfield Generating Company Supply Well

As noted above, one groundwater sample obtained from the PGC deep bedrock industrial cooling-supply well ASW-5 was analyzed on behalf of PGC for VOCs and PCBs in accordance with its approved monitoring program. No constituents were detected in the most recent sample obtained from supply well ASW-5. A table and graphs summarizing the historical analytical results for this well are provided in Appendix E. As shown on those graphs, total VOC concentrations (consisting primarily of TCE) show a generally downward trend from fall 2003. This is the first time that no TCE has been detected in this well. None of the VOCs detected in this supply well have been observed at concentrations above the MCP Method 1 GW-3 standards. In addition, PCBs have not been detected in this well in any of the samples collected during this time frame.

4.4 Overall Assessment of Groundwater Analytical Results

Graphs illustrating historical total VOC concentrations and filtered/unfiltered PCB concentrations for all wells sampled in fall 2008 are presented in Appendix D. In addition, Appendix D contains graphs of historical concentrations of individual constituents at monitoring wells where concentrations exceeded the applicable current MCP Method 1 GW-2 or GW-3 standards or UCLs during one or more of the prior baseline, interim, or OPCA monitoring program sampling events.

Based on a review of the concentration vs. time graphs presented in Appendix D, VOCs have not been detected or have remained at low levels in the majority of the wells that have been monitored, with the exception of certain wells located within the groundwater depression extending from northwest to southeast beneath the Hill 78 OPCA and PGC facility, where varying concentrations of certain chlorinated VOCs have been observed.

With the exception of tetrachloroethene at newly installed well OPCA-MW-1RR, all constituents detected in GMA 4 in fall 2008 were at levels below the applicable Method 1 GW-2 standards, Method 1 or 2 GW-3 standards, and/or UCLs for groundwater, and, as noted above, that well does not satisfy the criteria for a GW-2 well. As shown in Appendix D, with the exception noted above, the data collected in fall 2008 is consistent with prior data.

4.5 NAPL Monitoring Results

NAPL monitoring was conducted during all groundwater elevation monitoring activities conducted in fall 2008. NAPL was not observed in any of the GMA 4 monitoring wells monitored during this time period, including well OPCA-MW-3, which is located downgradient of the only known occurrence of NAPL at this GMA (i.e., at well H78B-8R, which was decommissioned as part of the OPCA construction). In addition to the semi-

annual groundwater elevation/NAPL monitoring event, GE continued monthly groundwater elevation/NAPL monitoring at well GMA4-3 to verify that LNAPL has not migrated from GMA 3 to the western side of Plastics Avenue. The results of this monitoring are provided in Appendix A (along with all other monitoring data collected in fall 2008). LNAPL has not been detected at well GMA4-3 since monthly monitoring was initiated in April 2005. GE plans to continue to monitor well GMA4-3 on a monthly basis for the presence of LNAPL and will include those results, along with any proposals to address the monitoring results, in the future groundwater quality reports for GMA 3 and GMA 4.

5. Proposed Monitoring Program Modifications

5.1 General

In fall 2008, GE conducted the tenth event of the interim groundwater monitoring program. The fall 2008 monitoring event also included the OPCA groundwater monitoring program, which will be continued until closure of the OPCAs. Monthly, quarterly, or semi-annual groundwater elevation monitoring was also conducted at specific wells, as shown in Table 2.

GE has reviewed the groundwater analytical data from this sampling event for results that would indicate the need to modify the interim monitoring program. The fall 2008 data are generally consistent with prior monitoring events, with the exception of the tetrachloroethene reading at new well OPCA-MW-1RR.

The SOW requires that interim response actions be proposed at locations where samples exceed the Method 1 GW-2 standards at GW-2 compliance wells in which: (a) such an exceedance had not previously been detected, or (b) there was a previous exceedance of the Method 1 GW-2 standard and the groundwater concentration is greater than or equal to 5 ppm total VOCs (if the exceedance was not previously addressed). These interim response actions may include: (1) further assessment activities, such as resampling, increasing the sampling frequency to quarterly, additional well installation, soil gas sampling, desk-top modeling of potential volatilization of chemicals from groundwater to the indoor air of nearby occupied buildings, and/or sampling of the indoor air of such buildings; (2) active response actions; and/or (3) the conduct of a site-specific risk evaluation and/or proposal of alternative risk-based GW-2 Performance Standards.

For monitoring well OPCA-MW-1RR, although the results are being compared to the Method 1 GW-2 standards, it appears that the well should not be classified as a GW-2 well as it is located at a distance much greater than 30 feet from an occupied building, and the groundwater elevations at the new well are greater than 15 feet below ground. Regardless, to further assess the PCE concentrations of this well, GE proposes to continue to monitor this well on a semi-annual basis under the OPCA monitoring program. In addition, groundwater elevation data will continue to be collected at this well to further evaluate depth of groundwater and GW-2 applicability.

5.2 Proposed Program Modifications

Condition 3 of EPA's January 27, 2009 conditional approval letter for GE's GMA 4 Interim Report for Spring 2008 states that the OPCA monitoring wells will be treated differently than other wells at GMA 4 for purposes of long-term groundwater monitoring. Upon receipt of EPA comments to GE's August 15, 2008 submittal of the *Hill 78 and Building 71 on-plant*

Consolidation Areas Post-Removal Site Control Plan, GE will address any differing requirements that are implemented.

Per Condition 4 of EPA's January 27, 2009 conditional approval letter for GE's GMA 4 Interim Report for Spring 2008, GE proposes to install a monitoring well couplet downgradient of GMA 4 to assess possible migration of constituents deeper in the water column. Two monitoring wells (to be designated as GMA4-7S and GMA4-7D for the shallow and deep wells, respectively) are proposed to be installed to evaluate downgradient flow from the southern portion of GMA-4 toward the Housatonic River. The approximate well locations are shown on Figure 6. The shallow well will be screened to intersect the top of the water table. The deep well will have a screened interval that reaches the till interface (if encountered) or will be screened at a depth of 10- to 20-feet below the top of the water table, if the till is greater than 20 feet below the water table. If the till interface is sufficiently shallow, such that a single well screened from the top of the groundwater table to the top of the till interface can be utilized, GE may install a single well subject to EPA approval. GE proposes to monitor groundwater elevations at the newly installed well couplet, and wells OJ-MW-1 (GMA 2) and GMA4-5 (Commercial Street Site) on a semi-annual basis. In addition, GE proposes to sample these wells on the same schedule as interim monitoring program wells H78B-16 and H78B-17R. These wells are sampled on an annual basis, alternating between spring and fall seasons each year. The most recent sampling event was conducted in spring 2008, and the next sampling round is currently scheduled for fall 2009.

Condition 3 of EPA's April 23, 2008 conditional approval letter of the *GMA 4 Groundwater Quality Monitoring Interim Report for Fall 2007* required GE to collect quarterly GMA 4 groundwater elevation data through fall 2008 synchronous with EPA's collection of groundwater elevation data at the adjacent Allendale School property. The groundwater data for summer and fall 2008 are presented in this report; the groundwater data for winter 2007/2008 and spring 2008 were presented in the *GMA 4 Groundwater Quality Monitoring Interim Report for Spring 2008*. Groundwater elevation data from all four events consistently showed that GMA 4 is downgradient of the Allendale School property and that the general groundwater flow pattern at GMA 4 is consistent from season to season. Therefore, GE proposes to discontinue all quarterly groundwater elevation monitoring events at GMA 4 and return to a semi-annual monitoring schedule. GE will continue to coordinate those semi-annual monitoring events with any future EPA monitoring events at the Allendale School property.

In fall 2008, GE completed soil removal activities at Hill 78 remainder, as proposed in GE's *Final Removal Design/Removal Action (RD/RA) Work Plan for Hill 78 Area- Remainder and Addendum to Final RD/RA Work Plan for Hill 78 Area-Remainder* conditionally approved by EPA on August 20, 2008 and October 28, 2008, respectively. GE's *Conceptual Removal Design/Removal Action Work Plan for Unkamet Brook Area-West*, submitted to EPA on

February 12, 2009, proposes only limited re-paving work in the portion of the Unkamet Brook Area west of Plastics Avenue, which is in part of GMA 4. Therefore, although certain site restoration activities remain to be performed, the soil-related Removal Actions are essentially complete at the RAAs that comprise GMA 4. As such, GE proposes to submit the *Baseline Assessment Final Report and Long-Term Monitoring Program Proposal for Groundwater Management Area 4* (GMA 4 LTMP Proposal) in lieu of the *Groundwater Quality Monitoring Interim Report for Spring 2009*. The GMA 4 LTMP Proposal will include the spring 2009 sampling results and OCPA related evaluations of the data, as well as an evaluation the overall groundwater quality at the GMA 4 pursuant to the requirements of Attachment H of the SOW, and a proposal for long-term groundwater quality monitoring activities.

6. Schedule of Future Activities

This section summarizes the schedule for upcoming monitoring events at GMA 4 and associated reporting activities. Specifically, this section provides a schedule for the upcoming spring 2009 interim monitoring/sampling event and proposed reporting activities. A summary of the spring 2009 interim sampling program is provided in Table 9. The wells scheduled to be monitored in spring 2009 are part of the OPCA monitoring program and will be sampled as identified in Table 9. In addition, semi-annual sampling will continue at wells GMA4-2 and GMA4-3 to evaluate compliance with the new GW-2 standard for PCBs.

6.1 Field Activities Schedule

Following EPA approval of the proposal contained in Section 5.2, GE will install well couple GMA4-7S/GMA4-7D in spring 2009 (depending on obtaining site access), and will initiate sampling activities at this location (along with wells GMA4-5 and OJ-MW-1) in fall 2009.

GE anticipates that the spring 2009 interim sampling event will take place in April 2009. Semi-annual sampling and analyses will be performed at the 12 OPCA groundwater monitoring program wells. GE will also continue its semi-annual sampling and PCB analysis of filtered samples from GW-2 monitoring wells GMA4-2 and GMA4-3. Analyses of groundwater samples will be performed according to the requirements of the OPCA groundwater monitoring program, as listed in Table 9.

Assuming EPA approval of GE's proposal to discontinue quarterly monitoring activities at GMA 4, groundwater elevations from select wells will be monitored on a semi-annual basis, with future monitoring rounds conducted during the months of April and October at all baseline wells that have been retained for semi-annual groundwater elevation monitoring. GE will include the monitoring data from GMA 2 well OJ-MW-1 and Commercial Street Site well GMA 4-5 in future reports. Well GMA4-3 will continue to be monitored for NAPL on a monthly basis throughout spring 2009.

Prior to performance of these field activities, GE will provide EPA with 7 days advance notice to allow: (1) the assignment of field oversight personnel; (2) preparations to split samples with EPA's contractor; and (3) the collection by EPA of groundwater levels at the Allendale wells in conjunction with GE's groundwater elevation monitoring activities at GMA 4 (if desired).

6.2 Reporting Schedule

GE will continue to provide the results of preliminary groundwater elevation and analytical data in its monthly reports on overall activities at the GE-Pittsfield/Housatonic River Site.

GE proposes to submit a *Baseline Assessment Final Report and Long-Term Monitoring Program Proposal for Groundwater Management Area 4*, which will include the results of the spring 2008 sampling and monitoring events, by August 30, 2009, in accordance with the standard interim reporting schedule approved by EPA. That report will present the final, validated spring 2009 interim sampling results, including a summary of data from other groundwater-related activities conducted at GMA 4 between January 2009 and July 2009, a discussion of those results, and the GMA 4 LTMP proposal. The GMA 4 LTMP proposal will include the requirements as specified in Section 6.3.2 of Attachment H of the SOW.

ARCADIS

Tables

**Table 1
Groundwater Quality Monitoring Program Summary**

**Groundwater Quality Monitoring Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield Massachusetts**

| Well Number | Monitoring Well Usage | Sampling Schedule | Analyses | Comments |
|-------------|---|-------------------|------------------------------|---|
| 78-1 | GW-3 Perimeter (Upgradient)/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Sampled in Fall 2008 |
| 78-6 | GW-3 Perimeter/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Sampled in Fall 2008. |
| GMA4-2 | GW-2 Sentinel | Semi-Annual | PCB ⁽²⁾ | Sampled in Fall 2008 |
| GMA4-3 | GW-2 Sentinel | Semi-Annual | PCB ⁽²⁾ | Sampled in Fall 2008 |
| GMA4-6 | GW-3 Perimeter (Upgradient)/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Sampled in Fall 2008 |
| H78B-15 | GW-2 Sentinel/GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Sampled in Fall 2008 |
| H78B-16 | Supplemental Well for TCE Evaluation | Annual | VOC | Sampling of these two wells is to be conducted on an annual basis, alternating between the spring and fall seasons each year. The most recent sampling event was conducted in spring 2008, and the next scheduled sampling will be fall 2009. |
| H78B-17R | GW-3 Perimeter (Downgradient) | Annual | VOC | |
| OPCA-MW-1RR | GW-2 Sentinel/GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Installed in July 2008 to replace well OPCA-MW-1R. Sampled in Fall 2008 |
| OPCA-MW-2R | GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Installed in July 2008 to replace well OPCA-MW-2. Sampled in Fall 2008 |
| OPCA-MW-3 | GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Sampled in Fall 2008 |
| OPCA-MW-4 | GW-2 Sentinel/GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Sampled in Fall 2008 |
| OPCA-MW-5R | GW-2 Sentinel/GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Sampled in Fall 2008 |
| OPCA-MW-6 | GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Sampled in Fall 2008 |
| OPCA-MW-7 | GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Sampled in Fall 2008 |
| OPCA-MW-8 | GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Sampled in Fall 2008 |

Notes:

1. Appendix IX+3 analyses consists of those non-PCB constituents listed in Appendix IX of 40 CFR Part 264 (excluding pesticides and herbicides) plus three constituents -- benzidine, 2-chloroethyl vinyl ether, and 1,2-diphenylhydrazine.
2. Per the interim monitoring program protocols, analyses for PCBs, metals, and cyanide are performed on filtered samples only.

Table 2
Groundwater Elevation Monitoring Program Summary

Groundwater Quality Monitoring Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield Massachusetts

| Well Number | Monitoring Schedule |
|--|---------------------|
| 60B-R | Semi-Annual |
| 78-1 | Quarterly |
| 78-2 | Quarterly |
| 78-3 | Semi-Annual |
| 78-4 | Semi-Annual |
| 78-5R | Semi-Annual |
| 78-6 | Quarterly |
| GMA4-1 | Semi-Annual |
| GMA4-2 | Semi-Annual |
| GMA4-3 | Monthly |
| GMA4-4 | Quarterly |
| GMA4-6 | Quarterly |
| H78B-13R | Semi-Annual |
| H78B-15 | Semi-Annual |
| H78B-16 | Semi-Annual |
| H78B-17R | Semi-Annual |
| NY-3 | Quarterly |
| NY-4 | Quarterly |
| OPCA-MW-1RR | Quarterly |
| OPCA-MW-2R | Quarterly |
| OPCA-MW-3 | Quarterly |
| OPCA-MW-4 | Quarterly |
| OPCA-MW-5R | Quarterly |
| OPCA-MW-6 | Quarterly |
| OPCA-MW-7 | Quarterly |
| OPCA-MW-8 | Quarterly |
| RF-14 | Semi-Annual |
| RF-15 | Semi-Annual |
| SCH-4 | Quarterly |
| UB-MW-5 | Semi-Annual |
| UB-MW-6 | Semi-Annual |
| East Street Area 2 - North (Groundwater Management Area 1) Adjacent to GMA 4 | |
| ES1-20 | Semi-Annual |
| Allendale School Property Monitoring Wells/Piezometers Adjacent to GMA 4 (see note 2) | |
| PZ-1 | Quarterly |
| PZ-2 | Quarterly |
| PZ-3 | Quarterly |
| PZ-4 | Quarterly |
| SCH-1 | Quarterly |

Note:

1. The listed monitoring wells are monitored for groundwater elevation and NAPL presence at the frequencies shown.
2. The Allendale School Property Monitoring Wells/Piezometers are monitored by EPA.

Table 3
Monitoring Well Construction Summary

Groundwater Quality Monitoring Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield Massachusetts

| Monitoring Well Number | Survey Coordinates | | Well Diameter (in) | Ground Surface Elevation (ft AMSL) | Measuring Point Elevation (ft AMSL) | Depth to Top of Screen (ft BGS) | Screen Length (ft) | Top of Screen Elevation (ft AMSL) | Base of Screen Elevation (ft AMSL) |
|------------------------|--------------------|-----------|--------------------|------------------------------------|-------------------------------------|---------------------------------|--------------------|-----------------------------------|------------------------------------|
| | Northing | Easting | | | | | | | |
| 78-1 | 536143.95 | 136345.00 | 4.00 | 1,027.40 | 1,026.32 | 8.0 | 15.0 | 1,019.40 | 1,004.40 |
| 78-6 | 535917.90 | 135919.00 | 4.00 | 1,012.33 | 1,012.00 | 3.0 | 15.0 | 1,009.33 | 994.33 |
| GMA4-2 | 536218.10 | 137516.40 | 2.00 | 1,006.22 | 1006.06 | 9.6 | 10.00 | 996.63 | 986.63 |
| GMA4-3 | 536289.60 | 137999.80 | 2.00 | 1,004.14 | 1003.95 | 16.1 | 10.00 | 988.05 | 978.05 |
| GMA4-6 | 535774.20 | 135658.40 | 2.00 | 1,009.62 | 1,009.12 | 3.0 | 10.0 | 1,006.62 | 996.62 |
| H78B-15 | 535408.90 | 136705.20 | 0.75 | 1,009.80 | 1,012.68 | 6.0 | 10.0 | 1,003.80 | 993.80 |
| H78B-16 | 535040.80 | 136495.50 | 0.75 | 996.00 | 999.33 | 4.0 | 10.0 | 992.00 | 982.00 |
| H78B-17R | 534996.00 | 136659.20 | 4.00 | 999.20 | 1,000.31 | 14.3 | 9.2 | 984.90 | 975.70 |
| OPCA-MW-1RR | 535367.60 | 135561.10 | 2.00 | 1,016.80 | 1,016.46 | 18.0 | 10.0 | 998.80 | 988.80 |
| OPCA-MW-2R | 353176.60 | 135892.10 | 2.00 | 1,016.80 | 1,018.84 | 10.0 | 15.0 | 1,006.80 | 991.80 |
| OPCA-MW-3 | 535299.60 | 136188.90 | 2.00 | 1,015.30 | 1,014.83 | 18.0 | 10.0 | 997.30 | 987.30 |
| OPCA-MW-4 | 535570.22 | 136222.55 | 2.00 | 1,019.20 | 1,018.67 | 12.0 | 10.0 | 1,007.20 | 997.20 |
| OPCA-MW-5R | 535630.68 | 136477.98 | 2.00 | 1,016.64 | 1,016.34 | 11.25 | 10.0 | 1,005.39 | 995.39 |
| OPCA-MW-7 | 535673.73 | 136835.86 | 2.00 | 1,026.90 | 1,026.57 | 14.0 | 10.0 | 1,012.90 | 1,002.90 |
| OPCA-MW-8 | 535989.21 | 136679.68 | 2.00 | 1,027.90 | 1,027.40 | 13.5 | 10.0 | 1,014.40 | 1,004.40 |
| SCH-4 | 535377.40 | 135573.90 | 2.00 | 1,012.27 | 1,014.05 | 7.9 | 10.0 | 1,004.37 | 994.37 |

Table 3
Monitoring Well Construction Summary

Groundwater Quality Monitoring Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield Massachusetts

| Monitoring Well Number | Survey Coordinates | | Well Diameter (in) | Ground Surface Elevation (ft AMSL) | Measuring Point Elevation (ft AMSL) | Depth to Top of Screen (ft BGS) | Screen Length (ft) | Top of Screen Elevation (ft AMSL) | Base of Screen Elevation (ft AMSL) |
|---|--------------------|-----------|--------------------|------------------------------------|-------------------------------------|---------------------------------|--------------------|-----------------------------------|------------------------------------|
| | Northing | Easting | | | | | | | |
| East Street Area 2 - North (Groundwater Management Area 1) adjacent to GMA 4 | | | | | | | | | |
| ES1-20 | 535314.82 | 134924.90 | 0.75 | 997.82 | 1,001.56 | 6.0 | 10.0 | 991.82 | 981.82 |
| Allendale School Property Monitoring Wells/Piezometers adjacent to GMA 4 | | | | | | | | | |
| PZ-1 | 535900.23 | 135753.22 | NA | NA | 1,005.60 | NA | NA | NA | NA |
| PZ-2 | 536112.14 | 135563.58 | NA | NA | 1,009.89 | NA | NA | NA | NA |
| PZ-3 | 536396.28 | 135728.63 | NA | NA | 1,010.43 | NA | NA | NA | NA |
| PZ-4 | 536116.06 | 136119.15 | NA | NA | 1,007.96 | NA | NA | NA | NA |
| SCH-1 | 536574.57 | 135606.24 | NA | NA | 1,017.11 | NA | NA | NA | NA |
| Commercial Street Site - adjacent to GMA 4 | | | | | | | | | |
| GMA4-5 | 534525.10 | 136816.60 | 2.00 | 993.56 | 993.34 | 8.0 | 10.0 | 985.56 | 975.56 |

Notes:

1. ft AMSL - Feet above mean sea level.
2. ft BGS - Feet below ground surface.
3. NA - Information not available.
4. ES1-20 is located in Groundwater Management Area 1, but also utilized as part of the GMA 4 groundwater elevation monitoring network.
5. GMA 4-5 is located on the Commercial Street site, but was monitored in fall 2008 and used for groundwater elevation contours.
6. OCPA-MW-1RR and OCPA-MW-2 were installed in July 2008 as replacements for wells OPCA-MW-1R and OPCA-MW-2.

Table 4
Groundwater Elevation Data - Summer/Fall 2008

Groundwater Quality Monitoring Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield Massachusetts

| Well Number | Date Measured | Groundwater Elevation ⁽¹⁾ |
|---|----------------------|---|
| Summer 2008 Monitoring Event | | |
| 78-1 | 7/23/2008 | 1,015.48 |
| 78-2 | 7/23/2008 | 1,025.81 |
| 78-6 | 7/23/2008 | 1,004.01 |
| GMA4-3 | 7/23/2008 | 986.15 |
| GMA4-4 | 7/23/2008 | 986.73 |
| GMA4-6 | 7/23/2008 | 999.40 |
| NY-3 | 7/23/2008 | 990.06 |
| NY-4 | 7/23/2008 | 1,013.69 |
| OPCA-MW-1RR | 7/23/2008 | 1,000.01 |
| OPCA-MW-2R | 7/23/2008 | 995.68 |
| OPCA-MW-3 | 7/23/2008 | 994.77 |
| OPCA-MW-4 | 7/23/2008 | 1,006.52 |
| OPCA-MW-5R | 7/23/2008 | 1,004.66 |
| OPCA-MW-6 | 7/23/2008 | 1,005.30 |
| OPCA-MW-7 | 7/23/2008 | 1,010.77 |
| OPCA-MW-8 | 7/23/2008 | 1,015.90 |
| SCH-4 | 7/23/2008 | 1,004.95 |
| East Street Area 2 - North adjacent to GMA 4 | | |
| ES1-20 | 7/23/2008 | 986.96 |
| Allendale School Property Monitoring Wells/Piezometers | | |
| PZ-1 | 7/23/2008 | 1,001.29 |
| PZ-2 | 7/23/2008 | 1,007.75 |
| PZ-3 | 7/23/2008 | 1,008.04 |
| PZ-4 | 7/23/2008 | 1,007.04 |
| SCH-1 | 7/23/2008 | 1,011.15 |
| Fall 2008 Monitoring Event | | |
| 060B-R | 10/29/2008 | 986.81 |
| 78-1 | 10/29/2008 | 1016.67 |
| 78-2 | 10/29/2008 | 1024.28 |
| 78-3 | 10/31/2008 | 989.58 |
| 78-4 | 10/29/2008 | 986.01 |
| 78-5R | 10/29/2008 | 992.66 |
| 78-6 | 10/29/2008 | 1005.91 |
| GMA4-1 | 10/29/2008 | 989.17 |
| GMA4-2 | 10/29/2008 | 992.73 |
| GMA4-3 | 10/29/2008 | 986.02 |
| GMA4-4 | 10/29/2008 | 986.89 |
| GMA4-6 | 10/29/2008 | 1000.44 |
| H78B-13R | 10/29/2008 | 982.03 |
| H78B-15 | 10/29/2008 | 998.14 |
| H78B-16 | 10/29/2008 | 986.01 |
| H78B-17R | 10/29/2008 | 986.77 |
| NY-3 | 10/29/2008 | 990.12 |
| NY-4 | 10/29/2008 | 1015.39 |

Table 4
Groundwater Elevation Data - Summer/Fall 2008

Groundwater Quality Monitoring Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield Massachusetts

| Well Number | Date Measured | Groundwater Elevation ⁽¹⁾ |
|---|----------------------|---|
| OPCA-MW-1RR | 10/29/2008 | 999.42 |
| OPCA-MW-2R | 10/29/2008 | 995.73 |
| OPCA-MW-3 | 10/29/2008 | 994.12 |
| OPCA-MW-4 | 10/29/2008 | 1006.41 |
| OPCA-MW-5R | 10/29/2008 | 1004.66 |
| OPCA-MW-6 | 10/29/2008 | 1006.43 |
| OPCA-MW-7 | 10/29/2008 | 1007.47 |
| OPCA-MW-8 | 10/29/2008 | 1015.2 |
| RF-14 | 10/29/2008 | 991.56 |
| RF-15 | 10/29/2008 | 995.46 |
| SCH-4 | 10/29/2008 | 1007.62 |
| UB-MW-5 | 10/29/2008 | 993.48 |
| UB-MW-6 | 10/29/2008 | 998.73 |
| East Street Area 2 - North adjacent to GMA 4 | | |
| ES1-20 | 10/29/2008 | 987.22 |
| Allendale School Property Monitoring Wells/Piezometers | | |
| PZ-1 | 10/29/2008 | 1,004.27 |
| PZ-2 | 10/29/2008 | 1,008.38 |
| PZ-3 | 10/29/2008 | 1,008.19 |
| PZ-4 | 10/29/2008 | 1,007.78 |
| SCH-1 | 10/29/2008 | 1,011.59 |
| Commercial Street Site - adjacent to GMA 4 | | |
| GMA4-5 | 10/29/2008 | 981.49 |

Notes:

1. The elevation shown is in feet above mean sea level.
2. The data shown above was utilized in the preparation of the Summer 2008 and Fall 2008 groundwater elevation contour maps for GMA 4. Other groundwater elevation data collected from July to December 2008 is provided in Appendix E.

Table 5
Field Parameter Measurements - Fall 2008

Groundwater Quality Monitoring Interim Report For Fall 2008
Groundwater Mamangement Area 4
General Electric Company- Pittsfield, Massachusetts

| Well Number | Temperature (deg. C) | pH (SU) | Specific Conductivity (mS/cm) | Turbidity (NTU) | Dissolved Oxygen (mg/L) | Oxidation-Reduction Potential (mV) |
|-------------|----------------------|---------|-------------------------------|-----------------|-------------------------|------------------------------------|
| 78-1 | 14.27 | 6.53 | 0.883 | 2 | 0.13 | 101.1 |
| 78-6 | 13.97 | 6.83 | 2.010 | 28 | 0.18 | -50.0 |
| GMA4-2 | 11.54 | 7.71 | 2.100 | 24 | 8.67 | -171.3 |
| GMA4-3 | 6.59 | 7.27 | 0.538 | 19 | 5.98 | 116.2 |
| GMA4-6 | 13.48 | 6.75 | 1.240 | 2 | 0.14 | 80.1 |
| H78B-15 | 13.53 | 6.53 | 1.681 | 5 | 4.84 | -21.0 |
| OPCA-MW-1RR | 14.56 | 7.44 | 1.436 | 7 | 0.38 | -63.3 |
| OPCA-MW-2R | 12.18 | 6.82 | 1.421 | 9 | 0.52 | -69.0 |
| OPCA-MW-3 | 11.57 | 6.53 | 0.622 | 4 | 0.51 | 105.0 |
| OPCA-MW-4 | 14.10 | 6.94 | 1.151 | 3 | 1.16 | -171.5 |
| OPCA-MW-5R | 12.64 | 6.62 | 0.97 | 4 | 0.15 | 7.1 |
| OPCA-MW-6 | 10.57 | 7.09 | 0.565 | 2 | 2.79 | -64.9 |
| OPCA-MW-7 | 13.84 | 6.67 | 2.241 | 4 | 1.97 | -44.6 |
| OPCA-MW-8 | 12.79 | 7.67 | 0.895 | 3 | 4.83 | -30.7 |

Notes:

1. Well parameters were generally monitored continuously during purging by low-flow techniques. Final parameter readings are presented.
2. NTU - Nephelometric Turbidity Units.
3. SU - Standard Units.
4. mS/cm - Millisiemens per centimeter.
5. mV - Millivolts.
6. mg/L - Milligrams per liter (ppm).

Table 6
Comparison of Groundwater Analytical Results to MCP Method 1 GW-2 Standards
Groundwater Quality Interim Report for Fall 2008

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | Method 1 GW-2 Standards | GMA4-2 10/22/08 | GMA4-3 10/22/08 | H78B-15 10/23/08 | OPCA-MW-1RR 10/20/08 | OPCA-MW-4 10/20/08 | OPCA-MW-5R 10/21/08 |
|------------------------------|-------------------------------|----------------------------|--------------------|--------------------|---------------------|-------------------------|-----------------------|------------------------|
| Volatile Organics | | | | | | | | |
| Chlorobenzene | | 0.2 | NA | NA | ND(0.0010) | ND(0.50) | 0.00017 J | 0.00011 J |
| Chloroform | | 0.05 | NA | NA | 0.00021 J | ND(0.50) | ND(0.0010) | ND(0.0010) |
| Methylene Chloride | | 10 | NA | NA | ND(0.0050) | ND(2.5) | ND(0.0050) | 0.00022 J |
| Tetrachloroethene | | 0.05 | NA | NA | ND(0.0010) | 3.6 | ND(0.0010) | ND(0.0010) |
| Trichloroethene | | 0.03 | NA | NA | ND(0.0010) | ND(0.50) | 0.0016 | ND(0.0010) |
| Total VOCs | | 5 | NA | NA | 0.00021 J | 3.6 | 0.0018 J | 0.00033 J |
| PCBs-Filtered | | | | | | | | |
| None Detected | | -- | -- | -- | -- | -- | -- | -- |
| Semivolatile Organics | | | | | | | | |
| bis(2-Ethylhexyl)phthalate | | Not Listed | NA | NA | 0.0010 J | ND(0.0051) | ND(0.0052) | ND(0.0052) |

Notes:

1. Samples were collected by ARCADIS and submitted to SGS Environmental Services, Inc. for analysis of Appendix IX+3 constituents.
2. Samples have been validated as per Field Sampling Plan/Quality Assurance Project Plan (FSP/QAPP), General Electric Company, Pittsfield, Massachusetts, ARCADIS (approved March 15, 2007 and re-submitted March 30, 2007).
3. Only volatile, PCBs and semivolatile analysis is presented for the MCP Method 1 GW-2 Standards Comparison.
4. NA - Not Analyzed.
5. ND - Analyte was not detected. The number in parentheses is the associated detection limit.
6. Only those constituents detected in one or more samples are summarized.
7. -- Indicates that all constituents for the parameter group were not detected.
8. Total VOCs are being compared to the notification level in the SOW of 5 ppm, as there are no GW-2 standards for Total VOCs.
9. Shading indicates that value exceeds the Method 1GW-2 Standards.

Data Qualifiers:

Organics (volatiles, PCBs, semivolatiles)

J - Indicates that the associated numerical value is an estimated concentration.

Table 7

Comparison of Groundwater Analytical Results to MCP Method 1 GW-3 Standards
Groundwater Quality Interim Report for Fall 2008

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | Method 1 GW-3 Standards | 78-1 10/23/08 | 78-6 10/22/08 | GMA4-6 10/23/08 |
|------------------------------|-------------------------------|----------------------------|------------------|------------------|--------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | 20 | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Chlorobenzene | | 1 | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Chloroform | | 20 | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Methylene Chloride | | 50 | ND(0.0050) | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | 30 | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Trichloroethene | | 5 | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| PCBs-Filtered | | | | | |
| None Detected | | -- | -- | -- | -- |
| Semivolatile Organics | | | | | |
| bis(2-Ethylhexyl)phthalate | | 50 | ND(0.0051) | ND(0.0051) | 0.00072 J |
| Furans | | | | | |
| 2,3,7,8-TCDF | | Not Listed | 0.00000010 J | ND(0.000000029) | ND(0.000000035) |
| TCDFs (total) | | Not Listed | 0.000000066 | 0.000000020 | ND(0.000000035) |
| 1,2,3,7,8-PeCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | ND(0.000000051) |
| 2,3,4,7,8-PeCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | ND(0.000000051) |
| PeCDFs (total) | | Not Listed | 0.000000021 | 0.000000041 | ND(0.000000051) |
| 1,2,3,4,7,8-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | ND(0.000000051) |
| 1,2,3,6,7,8-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | ND(0.000000051) |
| 1,2,3,7,8,9-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | ND(0.000000051) |
| 2,3,4,6,7,8-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | ND(0.000000051) |
| HxCDFs (total) | | Not Listed | ND(0.000000051) | ND(0.000000051) | ND(0.000000051) |
| 1,2,3,4,6,7,8-HpCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | ND(0.000000051) |
| 1,2,3,4,7,8,9-HpCDF | | Not Listed | ND(0.000000058) | ND(0.000000051) | ND(0.000000058) |
| HpCDFs (total) | | Not Listed | ND(0.000000058) | ND(0.000000051) | ND(0.000000058) |
| OCDF | | Not Listed | ND(0.000000015) | ND(0.000000013) | ND(0.000000016) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | Not Listed | ND(0.000000030) | ND(0.000000025) | ND(0.000000033) |
| TCDDs (total) | | Not Listed | ND(0.000000030) | ND(0.000000025) | ND(0.000000033) |
| 1,2,3,7,8-PeCDD | | Not Listed | ND(0.000000051) | ND(0.000000051) | ND(0.000000051) |
| PeCDDs (total) | | Not Listed | ND(0.000000051) | ND(0.000000051) | ND(0.000000051) |
| 1,2,3,4,7,8-HxCDD | | Not Listed | ND(0.000000052) | ND(0.000000051) | ND(0.000000051) |
| 1,2,3,6,7,8-HxCDD | | Not Listed | ND(0.000000051) | ND(0.000000051) | ND(0.000000051) |
| 1,2,3,7,8,9-HxCDD | | Not Listed | ND(0.000000051) | ND(0.000000051) | ND(0.000000051) |
| HxCDDs (total) | | Not Listed | ND(0.000000052) | ND(0.000000051) | ND(0.000000051) |
| 1,2,3,4,6,7,8-HpCDD | | Not Listed | ND(0.000000086) | ND(0.000000071) | ND(0.000000070) |
| HpCDDs (total) | | Not Listed | ND(0.000000086) | ND(0.000000071) | ND(0.000000070) |
| OCDD | | Not Listed | ND(0.000000019) | ND(0.000000015) | ND(0.000000019) |
| Total TEQs (WHO TEFs) | | 0.0000001 | 0.000000084 | 0.000000072 | 0.000000077 |
| Inorganics-Unfiltered | | | | | |
| Sulfide | | Not Listed | 1.3 J | ND(1.00) | ND(1.00) |
| Inorganics-Filtered | | | | | |
| Arsenic | | 0.9 | ND(0.0100) J | 0.00517 B J | ND(0.0100) J |
| Barium | | 50 | ND(0.500) | 0.0574 B | ND(0.500) |
| Cadmium | | 0.004 | ND(0.00500) | ND(0.00500) J | ND(0.00500) |
| Cobalt | | 0.075 | ND(0.0100) J | 0.00372 B J | ND(0.0100) J |
| Lead | | 0.01 | ND(0.0100) J | 0.00684 B J | ND(0.0100) J |
| Selenium | | 0.1 | ND(0.0200) J | ND(0.0200) J | 0.00962 B J |
| Thallium | | 3 | ND(0.0100) | ND(0.0100) J | 0.00784 B |
| Vanadium | | 4 | ND(0.0500) | ND(0.0500) | ND(0.0500) |
| Zinc | | 0.9 | 0.00549 B | ND(0.0500) | 0.0154 B |

Table 7
Comparison of Groundwater Analytical Results to MCP Method 1 GW-3 Standards
Groundwater Quality Interim Report for Fall 2008

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | Method 1 GW-3 Standards | H78B-15 10/23/08 | OPCA-MW-1RR 10/20/08 | OPCA-MW-2R 10/20-10/21/08 | OPCA-MW-3 10/22/08 |
|------------------------------|-------------------------------|----------------------------|---------------------|-------------------------|------------------------------|-----------------------|
| Volatile Organics | | | | | | |
| 1,1,1-Trichloroethane | | 20 | ND(0.0010) | ND(0.50) | 0.00013 J | ND(0.0010) |
| Chlorobenzene | | 1 | ND(0.0010) | ND(0.50) | ND(0.0010) | ND(0.0010) |
| Chloroform | | 20 | 0.00021 J | ND(0.50) | ND(0.0010) | ND(0.0010) |
| Methylene Chloride | | 50 | ND(0.0050) | ND(2.5) | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | 30 | ND(0.0010) | 3.6 | 0.0030 | ND(0.0010) |
| Trichloroethene | | 5 | ND(0.0010) | ND(0.50) | ND(0.0010) | ND(0.0010) |
| PCBs-Filtered | | | | | | |
| None Detected | | -- | -- | -- | -- | -- |
| Semivolatile Organics | | | | | | |
| bis(2-Ethylhexyl)phthalate | | 50 | 0.0010 J | ND(0.0051) | ND(0.0053) | ND(0.0054) |
| Furans | | | | | | |
| 2,3,7,8-TCDF | | Not Listed | ND(0.0000000030) | ND(0.0000000035) | ND(0.0000000036) | ND(0.0000000048) |
| TCDFs (total) | | Not Listed | 0.000000025 | ND(0.0000000035) | ND(0.0000000036) | ND(0.0000000048) |
| 1,2,3,7,8-PeCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| 2,3,4,7,8-PeCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| PeCDFs (total) | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| 1,2,3,4,7,8-HxCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| 1,2,3,6,7,8-HxCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| 1,2,3,7,8,9-HxCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| 2,3,4,6,7,8-HxCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| HxCDFs (total) | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| 1,2,3,4,6,7,8-HpCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000059) |
| 1,2,3,4,7,8,9-HpCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000065) | ND(0.0000000058) | ND(0.0000000076) |
| HpCDFs (total) | | Not Listed | ND(0.0000000051) | ND(0.0000000065) | ND(0.0000000058) | ND(0.0000000076) |
| OCDF | | Not Listed | ND(0.000000011) | ND(0.000000015) | ND(0.000000013) | ND(0.000000025) |
| Dioxins | | | | | | |
| 2,3,7,8-TCDD | | Not Listed | ND(0.0000000023) | ND(0.0000000032) | ND(0.0000000032) | ND(0.0000000043) |
| TCDDs (total) | | Not Listed | ND(0.0000000023) | ND(0.0000000032) | ND(0.0000000032) | ND(0.0000000043) |
| 1,2,3,7,8-PeCDD | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| PeCDDs (total) | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| 1,2,3,4,7,8-HxCDD | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| 1,2,3,6,7,8-HxCDD | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| 1,2,3,7,8,9-HxCDD | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| HxCDDs (total) | | Not Listed | ND(0.0000000051) | ND(0.0000000053) | ND(0.0000000052) | ND(0.0000000054) |
| 1,2,3,4,6,7,8-HpCDD | | Not Listed | ND(0.0000000051) | ND(0.000000011) | ND(0.0000000083) | ND(0.000000012) |
| HpCDDs (total) | | Not Listed | ND(0.0000000051) | ND(0.000000011) | ND(0.0000000083) | ND(0.000000012) |
| OCDD | | Not Listed | ND(0.000000013) | ND(0.000000018) | ND(0.000000016) | ND(0.000000030) |
| Total TEQs (WHO TEFs) | | 0.0000001 | 0.000000072 | 0.000000078 | 0.000000077 | 0.000000086 |
| Inorganics-Unfiltered | | | | | | |
| Sulfide | | Not Listed | ND(1.00) | 1.20 | 1.00 | ND(1.00) |
| Inorganics-Filtered | | | | | | |
| Arsenic | | 0.9 | ND(0.0100) J | 0.00195 B J | ND(0.0100) J | ND(0.0100) J |
| Barium | | 50 | ND(0.500) | 0.0453 B | 0.0435 B | 0.0519 B |
| Cadmium | | 0.004 | ND(0.00500) | 0.00256 B J | 0.00263 B J | ND(0.00500) J |
| Cobalt | | 0.075 | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Lead | | 0.01 | ND(0.0100) J | 0.00395 B J | 0.00420 B J | 0.00564 B J |
| Selenium | | 0.1 | 0.00918 B J | ND(0.0200) J | ND(0.0200) J | ND(0.0200) J |
| Thallium | | 3 | ND(0.0100) | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Vanadium | | 4 | 0.00587 B | ND(0.0500) | ND(0.0500) | ND(0.0500) |
| Zinc | | 0.9 | 0.00439 B | ND(0.0500) | ND(0.0500) | ND(0.0500) |

Table 7
Comparison of Groundwater Analytical Results to MCP Method 1 GW-3 Standards
Groundwater Quality Interim Report for Fall 2008

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | Method 1 GW-3 Standards | OPCA-MW-4 10/20/08 | OPCA-MW-5R 10/21/08 | OPCA-MW-6 10/21/08 |
|------------------------------|-------------------------------|----------------------------|-----------------------|------------------------|-----------------------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | 20 | ND(0.0010) | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Chlorobenzene | | 1 | 0.00017 J | 0.00011 J | ND(0.0010) [ND(0.0010)] |
| Chloroform | | 20 | ND(0.0010) | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Methylene Chloride | | 50 | ND(0.0050) | 0.00022 J | ND(0.0050) [ND(0.0050)] |
| Tetrachloroethene | | 30 | ND(0.0010) | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Trichloroethene | | 5 | 0.0016 | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| PCBs-Filtered | | | | | |
| None Detected | | -- | -- | -- | -- |
| Semivolatile Organics | | | | | |
| bis(2-Ethylhexyl)phthalate | | 50 | ND(0.0052) | ND(0.0052) | ND(0.0052) [ND(0.0052)] |
| Furans | | | | | |
| 2,3,7,8-TCDF | | Not Listed | 0.000000068 YJ | ND(0.000000044) | 0.000000049 J [0.000000058 J] |
| TCDFs (total) | | Not Listed | 0.00000042 | 0.00000018 | 0.00000012 [0.00000014] |
| 1,2,3,7,8-PeCDF | | Not Listed | 0.000000010 J | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 2,3,4,7,8-PeCDF | | Not Listed | 0.000000067 J | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| PeCDFs (total) | | Not Listed | 0.00000027 | 0.000000023 | 0.000000048 [0.000000052] |
| 1,2,3,4,7,8-HxCDF | | Not Listed | ND(0.000000053) | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,6,7,8-HxCDF | | Not Listed | ND(0.000000053) | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,7,8,9-HxCDF | | Not Listed | ND(0.000000053) | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 2,3,4,6,7,8-HxCDF | | Not Listed | ND(0.000000053) | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| HxCDFs (total) | | Not Listed | 0.00000020 | 0.000000020 | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,4,6,7,8-HpCDF | | Not Listed | ND(0.000000053) | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,4,7,8,9-HpCDF | | Not Listed | ND(0.000000055) | ND(0.000000057) | ND(0.000000053) [ND(0.000000057)] |
| HpCDFs (total) | | Not Listed | ND(0.000000055) | ND(0.000000057) | ND(0.000000053) [ND(0.000000057)] |
| OCDF | | Not Listed | ND(0.00000016) | ND(0.00000014) | ND(0.00000014) [ND(0.00000016)] |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | Not Listed | ND(0.000000026) | ND(0.000000033) | ND(0.000000034) [ND(0.000000032)] |
| TCDDs (total) | | Not Listed | ND(0.000000026) | ND(0.000000033) | ND(0.000000034) [ND(0.000000032)] |
| 1,2,3,7,8-PeCDD | | Not Listed | ND(0.000000053) | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| PeCDDs (total) | | Not Listed | ND(0.000000053) | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,4,7,8-HxCDD | | Not Listed | ND(0.000000053) | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,6,7,8-HxCDD | | Not Listed | ND(0.000000053) | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,7,8,9-HxCDD | | Not Listed | ND(0.000000053) | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| HxCDDs (total) | | Not Listed | ND(0.000000053) | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,4,6,7,8-HpCDD | | Not Listed | ND(0.000000081) | ND(0.000000052) | ND(0.000000069) [ND(0.000000085)] |
| HpCDDs (total) | | Not Listed | ND(0.000000081) | ND(0.000000052) | ND(0.000000069) [ND(0.000000085)] |
| OCDD | | Not Listed | ND(0.00000018) | ND(0.00000015) | ND(0.00000017) [ND(0.00000019)] |
| Total TEQs (WHO TEFs) | | 0.0000001 | 0.00000010 | 0.000000078 | 0.000000082 [0.000000080] |
| Inorganics-Unfiltered | | | | | |
| Sulfide | | Not Listed | 1.20 | 1.00 | 1.40 [ND(1.00)] |
| Inorganics-Filtered | | | | | |
| Arsenic | | 0.9 | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J [0.00213 B J] |
| Barium | | 50 | 0.0253 B | 0.0538 B | 0.0168 B [0.0169 B] |
| Cadmium | | 0.004 | 0.00276 B J | ND(0.00500) J | ND(0.00500) J [0.00328 B J] |
| Cobalt | | 0.075 | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J [ND(0.0100) J] |
| Lead | | 0.01 | 0.00425 B J | 0.00657 B J | 0.00641 B J [0.00718 B J] |
| Selenium | | 0.1 | ND(0.0200) J | ND(0.0200) J | ND(0.0200) J [ND(0.0200) J] |
| Thallium | | 3 | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J [ND(0.0100) J] |
| Vanadium | | 4 | ND(0.0500) | ND(0.0500) | ND(0.0500) [ND(0.0500)] |
| Zinc | | 0.9 | 0.0135 B | 0.0106 B | 0.0325 B [0.0273 B] |

Table 7
Comparison of Groundwater Analytical Results to MCP Method 1 GW-3 Standards
Groundwater Quality Interim Report for Fall 2008

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | Method 1 GW-3 Standards | OPCA-MW-7 10/21/08 | OPCA-MW-8 10/22/08 |
|------------------------------|-------------------------------|----------------------------|-----------------------|-----------------------|
| Volatile Organics | | | | |
| 1,1,1-Trichloroethane | | 20 | ND(0.0010) | ND(0.0010) |
| Chlorobenzene | | 1 | ND(0.0010) | ND(0.0010) |
| Chloroform | | 20 | ND(0.0010) | ND(0.0010) |
| Methylene Chloride | | 50 | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | 30 | ND(0.0010) | ND(0.0010) |
| Trichloroethene | | 5 | ND(0.0010) | ND(0.0010) |
| PCBs-Filtered | | | | |
| None Detected | | -- | -- | -- |
| Semivolatile Organics | | | | |
| bis(2-Ethylhexyl)phthalate | | 50 | ND(0.0052) | 0.00087 J |
| Furans | | | | |
| 2,3,7,8-TCDF | | Not Listed | ND(0.000000033) | ND(0.000000014) |
| TCDFs (total) | | Not Listed | ND(0.000000033) | ND(0.000000083) |
| 1,2,3,7,8-PeCDF | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 2,3,4,7,8-PeCDF | | Not Listed | ND(0.000000051) | 0.000000058 J |
| PeCDFs (total) | | Not Listed | ND(0.000000051) | ND(0.00000012) |
| 1,2,3,4,7,8-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 2,3,4,6,7,8-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| HxCDFs (total) | | Not Listed | ND(0.000000051) | ND(0.000000040) |
| 1,2,3,4,6,7,8-HpCDF | | Not Listed | ND(0.000000051) | ND(0.000000093) X |
| 1,2,3,4,7,8,9-HpCDF | | Not Listed | ND(0.000000053) | ND(0.000000056) |
| HpCDFs (total) | | Not Listed | ND(0.000000053) | ND(0.000000056) |
| OCDF | | Not Listed | ND(0.000000014) | 0.000000018 J |
| Dioxins | | | | |
| 2,3,7,8-TCDD | | Not Listed | ND(0.000000032) | ND(0.000000029) |
| TCDDs (total) | | Not Listed | ND(0.000000032) | ND(0.000000029) |
| 1,2,3,7,8-PeCDD | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| PeCDDs (total) | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,4,7,8-HxCDD | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDD | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDD | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| HxCDDs (total) | | Not Listed | ND(0.000000051) | ND(0.000000078) |
| 1,2,3,4,6,7,8-HpCDD | | Not Listed | ND(0.000000074) | 0.000000015 J |
| HpCDDs (total) | | Not Listed | ND(0.000000074) | ND(0.000000015) |
| OCDD | | Not Listed | ND(0.000000016) | 0.000000086 J |
| Total TEQs (WHO TEFs) | | 0.0000001 | 0.000000076 | 0.000000098 |
| Inorganics-Unfiltered | | | | |
| Sulfide | | Not Listed | 1.00 J | ND(1.00) |
| Inorganics-Filtered | | | | |
| Arsenic | | 0.9 | ND(0.0100) J | ND(0.0100) J |
| Barium | | 50 | 0.0368 B | 0.0225 B |
| Cadmium | | 0.004 | ND(0.00500) J | 0.00287 B J |
| Cobalt | | 0.075 | ND(0.0100) J | ND(0.0100) J |
| Lead | | 0.01 | ND(0.0100) J | 0.00427 B J |
| Selenium | | 0.1 | ND(0.0200) J | ND(0.0200) J |
| Thallium | | 3 | ND(0.0100) J | ND(0.0100) J |
| Vanadium | | 4 | ND(0.0500) | ND(0.0500) |
| Zinc | | 0.9 | 0.00771 B | 0.0610 |

Table 7
Comparison of Groundwater Analytical Results to MCP Method 1 GW-3 Standards
Groundwater Quality Interim Report For Fall 2008

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

Notes:

1. Samples were collected by ARCADIS and submitted to SGS Environmental Services, Inc. for analysis of Appendix IX+3 constituents.
2. Samples have been validated as per Field Sampling Plan/Quality Assurance Project Plan (FSP/QAPP), General Electric Company, Pittsfield, Massachusetts, ARCADIS (approved March 15, 2007 and re-submitted March 30, 2007).
3. ND - Analyte was not detected. The number in parentheses is the associated detection limit.
4. Total 2,3,7,8-TCDD toxicity equivalents (TEQs) were calculated using Toxicity Equivalency Factors (TEFs) derived by the World Health Organization (WHO) and published by Van den Berg et al. in Environmental Health Perspectives 106(2), December 1998.
5. With the exception of dioxin/furans, only those constituents detected in one or more samples are summarized.
6. Field duplicate sample results are presented in brackets.

Data Qualifiers:

Organics (volatiles, PCBs, semivolatiles, dioxin/furans)

- J - Indicates that the associated numerical value is an estimated concentration.
- R - Data was rejected due to a deficiency in the data generation process.
- X - Estimated maximum possible concentration.
- Y - 2,3,7,8-TCDF results have been confirmed on a DB-225 column.

Inorganics

- B - Indicates an estimated value between the instrument detection limit (IDL) and practical quantitation limit (PQL).
- J - Indicates that the associated numerical value is an estimated concentration.

Table 8
Comparison of Groundwater Analytical Results to MCP UCLs for Groundwater
Groundwater Quality Interim Report for Fall 2008

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | MCP UCL for GroundWater | 78-1 10/23/08 | 78-6 10/22/08 | GMA4-2 10/22/08 | GMA4-3 10/22/08 |
|------------------------------|-------------------------------|----------------------------|------------------|------------------|--------------------|--------------------|
| Volatile Organics | | | | | | |
| 1,1,1-Trichloroethane | | 100 | ND(0.0010) | ND(0.0010) | NA | NA |
| Chlorobenzene | | 10 | ND(0.0010) | ND(0.0010) | NA | NA |
| Chloroform | | 100 | ND(0.0010) | ND(0.0010) | NA | NA |
| Methylene Chloride | | 100 | ND(0.0050) | ND(0.0050) | NA | NA |
| Tetrachloroethene | | 100 | ND(0.0010) | ND(0.0010) | NA | NA |
| Trichloroethene | | 50 | ND(0.0010) | ND(0.0010) | NA | NA |
| PCBs-Filtered | | | | | | |
| None Detected | | -- | -- | -- | -- | -- |
| Semivolatile Organics | | | | | | |
| bis(2-Ethylhexyl)phthalate | | 100 | ND(0.0051) | ND(0.0051) | NA | NA |
| Furans | | | | | | |
| 2,3,7,8-TCDF | | Not Listed | 0.00000010 J | ND(0.000000029) | NA | NA |
| TCDFs (total) | | Not Listed | 0.000000066 | 0.000000020 | NA | NA |
| 1,2,3,7,8-PeCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 2,3,4,7,8-PeCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | NA | NA |
| PeCDFs (total) | | Not Listed | 0.000000021 | 0.000000041 | NA | NA |
| 1,2,3,4,7,8-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 1,2,3,6,7,8-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 1,2,3,7,8,9-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 2,3,4,6,7,8-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | NA | NA |
| HxCDFs (total) | | Not Listed | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 1,2,3,4,6,7,8-HpCDF | | Not Listed | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 1,2,3,4,7,8,9-HpCDF | | Not Listed | ND(0.000000058) | ND(0.000000051) | NA | NA |
| HpCDFs (total) | | Not Listed | ND(0.000000058) | ND(0.000000051) | NA | NA |
| OCDF | | Not Listed | ND(0.000000015) | ND(0.000000013) | NA | NA |
| Dioxins | | | | | | |
| 2,3,7,8-TCDD | | Not Listed | ND(0.000000030) | ND(0.000000025) | NA | NA |
| TCDDs (total) | | Not Listed | ND(0.000000030) | ND(0.000000025) | NA | NA |
| 1,2,3,7,8-PeCDD | | Not Listed | ND(0.000000051) | ND(0.000000051) | NA | NA |
| PeCDDs (total) | | Not Listed | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 1,2,3,4,7,8-HxCDD | | Not Listed | ND(0.000000052) | ND(0.000000051) | NA | NA |
| 1,2,3,6,7,8-HxCDD | | Not Listed | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 1,2,3,7,8,9-HxCDD | | Not Listed | ND(0.000000051) | ND(0.000000051) | NA | NA |
| HxCDDs (total) | | Not Listed | ND(0.000000052) | ND(0.000000051) | NA | NA |
| 1,2,3,4,6,7,8-HpCDD | | Not Listed | ND(0.000000086) | ND(0.000000071) | NA | NA |
| HpCDDs (total) | | Not Listed | ND(0.000000086) | ND(0.000000071) | NA | NA |
| OCDD | | Not Listed | ND(0.000000019) | ND(0.000000015) | NA | NA |
| Total TEQs (WHO TEFs) | | 0.000001 | 0.000000084 | 0.000000072 | NA | NA |
| Inorganics-Unfiltered | | | | | | |
| Sulfide | | Not Listed | 1.3 J | ND(1.00) | NA | NA |
| Inorganics-Filtered | | | | | | |
| Arsenic | | 9 | ND(0.0100) J | 0.00517 B J | NA | NA |
| Barium | | 100 | ND(0.500) | 0.0574 B | NA | NA |
| Cadmium | | 0.05 | ND(0.00500) | ND(0.00500) J | NA | NA |
| Cobalt | | Not Listed | ND(0.0100) J | 0.00372 B J | NA | NA |
| Lead | | 0.15 | ND(0.0100) J | 0.00684 B J | NA | NA |
| Selenium | | 1 | ND(0.0200) J | ND(0.0200) J | NA | NA |
| Thallium | | 30 | ND(0.0100) | ND(0.0100) J | NA | NA |
| Vanadium | | 40 | ND(0.0500) | ND(0.0500) | NA | NA |
| Zinc | | 50 | 0.00549 B | ND(0.0500) | NA | NA |

Table 8
Comparison of Groundwater Analytical Results to MCP UCLs for Groundwater
Groundwater Quality Interim Report for Fall 2008

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | MCP UCL for GroundWater | GMA4-6 10/23/08 | H78B-15 10/23/08 | OPCA-MW-1RR 10/20/08 |
|------------------------------|-------------------------------|----------------------------|--------------------|---------------------|-------------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | 100 | ND(0.0010) | ND(0.0010) | ND(0.50) |
| Chlorobenzene | | 10 | ND(0.0010) | ND(0.0010) | ND(0.50) |
| Chloroform | | 100 | ND(0.0010) | 0.00021 J | ND(0.50) |
| Methylene Chloride | | 100 | ND(0.0050) | ND(0.0050) | ND(2.5) |
| Tetrachloroethene | | 100 | ND(0.0010) | ND(0.0010) | 3.6 |
| Trichloroethene | | 50 | ND(0.0010) | ND(0.0010) | ND(0.50) |
| PCBs-Filtered | | | | | |
| None Detected | | -- | -- | -- | -- |
| Semivolatile Organics | | | | | |
| bis(2-Ethylhexyl)phthalate | | 100 | 0.00072 J | 0.0010 J | ND(0.0051) |
| Furans | | | | | |
| 2,3,7,8-TCDF | | Not Listed | ND(0.0000000035) | ND(0.0000000030) | ND(0.0000000035) |
| TCDFs (total) | | Not Listed | ND(0.0000000035) | 0.000000025 | ND(0.0000000035) |
| 1,2,3,7,8-PeCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| 2,3,4,7,8-PeCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| PeCDFs (total) | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| 1,2,3,4,7,8-HxCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| 1,2,3,6,7,8-HxCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| 1,2,3,7,8,9-HxCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| 2,3,4,6,7,8-HxCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| HxCDFs (total) | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| 1,2,3,4,6,7,8-HpCDF | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| 1,2,3,4,7,8,9-HpCDF | | Not Listed | ND(0.0000000058) | ND(0.0000000051) | ND(0.0000000065) |
| HpCDFs (total) | | Not Listed | ND(0.0000000058) | ND(0.0000000051) | ND(0.0000000065) |
| OCDF | | Not Listed | ND(0.000000016) | ND(0.000000011) | ND(0.000000015) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | Not Listed | ND(0.0000000033) | ND(0.0000000023) | ND(0.0000000032) |
| TCDDs (total) | | Not Listed | ND(0.0000000033) | ND(0.0000000023) | ND(0.0000000032) |
| 1,2,3,7,8-PeCDD | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| PeCDDs (total) | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| 1,2,3,4,7,8-HxCDD | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| 1,2,3,6,7,8-HxCDD | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| 1,2,3,7,8,9-HxCDD | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| HxCDDs (total) | | Not Listed | ND(0.0000000051) | ND(0.0000000051) | ND(0.0000000053) |
| 1,2,3,4,6,7,8-HpCDD | | Not Listed | ND(0.0000000070) | ND(0.0000000051) | ND(0.000000011) |
| HpCDDs (total) | | Not Listed | ND(0.0000000070) | ND(0.0000000051) | ND(0.000000011) |
| OCDD | | Not Listed | ND(0.000000019) | ND(0.000000013) | ND(0.000000018) |
| Total TEQs (WHO TEFs) | | 0.000001 | 0.0000000077 | 0.0000000072 | 0.0000000078 |
| Inorganics-Unfiltered | | | | | |
| Sulfide | | Not Listed | ND(1.00) | ND(1.00) | 1.20 |
| Inorganics-Filtered | | | | | |
| Arsenic | | 9 | ND(0.0100) J | ND(0.0100) J | 0.00195 B J |
| Barium | | 100 | ND(0.500) | ND(0.500) | 0.0453 B |
| Cadmium | | 0.05 | ND(0.00500) | ND(0.00500) | 0.00256 B J |
| Cobalt | | Not Listed | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Lead | | 0.15 | ND(0.0100) J | ND(0.0100) J | 0.00395 B J |
| Selenium | | 1 | 0.00962 B J | 0.00918 B J | ND(0.0200) J |
| Thallium | | 30 | 0.00784 B | ND(0.0100) | ND(0.0100) J |
| Vanadium | | 40 | ND(0.0500) | 0.00587 B | ND(0.0500) |
| Zinc | | 50 | 0.0154 B | 0.00439 B | ND(0.0500) |

Table 8
Comparison of Groundwater Analytical Results to MCP UCLs for Groundwater
Groundwater Quality Interim Report for Fall 2008

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | MCP UCL for GroundWater | OPCA-MW-2R 10/20-10/21/08 | OPCA-MW-3 10/22/08 | OPCA-MW-4 10/20/08 |
|------------------------------|-------------------------------|----------------------------|------------------------------|-----------------------|-----------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | 100 | 0.00013 J | ND(0.0010) | ND(0.0010) |
| Chlorobenzene | | 10 | ND(0.0010) | ND(0.0010) | 0.00017 J |
| Chloroform | | 100 | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Methylene Chloride | | 100 | ND(0.0050) | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | 100 | 0.0030 | ND(0.0010) | ND(0.0010) |
| Trichloroethene | | 50 | ND(0.0010) | ND(0.0010) | 0.0016 |
| PCBs-Filtered | | | | | |
| None Detected | | -- | -- | -- | -- |
| Semivolatile Organics | | | | | |
| bis(2-Ethylhexyl)phthalate | | 100 | ND(0.0053) | ND(0.0054) | ND(0.0052) |
| Furans | | | | | |
| 2,3,7,8-TCDF | | Not Listed | ND(0.0000000036) | ND(0.0000000048) | 0.0000000068 YJ |
| TCDFs (total) | | Not Listed | ND(0.0000000036) | ND(0.0000000048) | 0.0000000042 |
| 1,2,3,7,8-PeCDF | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | 0.000000010 J |
| 2,3,4,7,8-PeCDF | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | 0.0000000067 J |
| PeCDFs (total) | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | 0.0000000027 |
| 1,2,3,4,7,8-HxCDF | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | ND(0.0000000053) |
| 1,2,3,6,7,8-HxCDF | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | ND(0.0000000053) |
| 1,2,3,7,8,9-HxCDF | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | ND(0.0000000053) |
| 2,3,4,6,7,8-HxCDF | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | ND(0.0000000053) |
| HxCDFs (total) | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | 0.0000000020 |
| 1,2,3,4,6,7,8-HpCDF | | Not Listed | ND(0.0000000052) | ND(0.0000000059) | ND(0.0000000053) |
| 1,2,3,4,7,8,9-HpCDF | | Not Listed | ND(0.0000000058) | ND(0.0000000076) | ND(0.0000000055) |
| HpCDFs (total) | | Not Listed | ND(0.0000000058) | ND(0.0000000076) | ND(0.0000000055) |
| OCDF | | Not Listed | ND(0.000000013) | ND(0.000000025) | ND(0.000000016) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | Not Listed | ND(0.0000000032) | ND(0.0000000043) | ND(0.0000000026) |
| TCDDs (total) | | Not Listed | ND(0.0000000032) | ND(0.0000000043) | ND(0.0000000026) |
| 1,2,3,7,8-PeCDD | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | ND(0.0000000053) |
| PeCDDs (total) | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | ND(0.0000000053) |
| 1,2,3,4,7,8-HxCDD | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | ND(0.0000000053) |
| 1,2,3,6,7,8-HxCDD | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | ND(0.0000000053) |
| 1,2,3,7,8,9-HxCDD | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | ND(0.0000000053) |
| HxCDDs (total) | | Not Listed | ND(0.0000000052) | ND(0.0000000054) | ND(0.0000000053) |
| 1,2,3,4,6,7,8-HpCDD | | Not Listed | ND(0.0000000083) | ND(0.000000012) | ND(0.0000000081) |
| HpCDDs (total) | | Not Listed | ND(0.0000000083) | ND(0.000000012) | ND(0.0000000081) |
| OCDD | | Not Listed | ND(0.000000016) | ND(0.000000030) | ND(0.000000018) |
| Total TEQs (WHO TEFs) | | 0.000001 | 0.0000000077 | 0.0000000086 | 0.000000010 |
| Inorganics-Unfiltered | | | | | |
| Sulfide | | Not Listed | 1.00 | ND(1.00) | 1.20 |
| Inorganics-Filtered | | | | | |
| Arsenic | | 9 | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Barium | | 100 | 0.0435 B | 0.0519 B | 0.0253 B |
| Cadmium | | 0.05 | 0.00263 B J | ND(0.00500) J | 0.00276 B J |
| Cobalt | | Not Listed | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Lead | | 0.15 | 0.00420 B J | 0.00564 B J | 0.00425 B J |
| Selenium | | 1 | ND(0.0200) J | ND(0.0200) J | ND(0.0200) J |
| Thallium | | 30 | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Vanadium | | 40 | ND(0.0500) | ND(0.0500) | ND(0.0500) |
| Zinc | | 50 | ND(0.0500) | ND(0.0500) | 0.0135 B |

Table 8
Comparison of Groundwater Analytical Results to MCP UCLs for Groundwater
Groundwater Quality Interim Report for Fall 2008

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | MCP UCL for GroundWater | OPCA-MW-5R 10/21/08 | OPCA-MW-6 10/21/08 |
|------------------------------|-------------------------------|----------------------------|------------------------|-----------------------------------|
| Volatile Organics | | | | |
| 1,1,1-Trichloroethane | | 100 | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Chlorobenzene | | 10 | 0.00011 J | ND(0.0010) [ND(0.0010)] |
| Chloroform | | 100 | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Methylene Chloride | | 100 | 0.00022 J | ND(0.0050) [ND(0.0050)] |
| Tetrachloroethene | | 100 | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Trichloroethene | | 50 | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| PCBs-Filtered | | | | |
| None Detected | | -- | -- | -- |
| Semivolatile Organics | | | | |
| bis(2-Ethylhexyl)phthalate | | 100 | ND(0.0052) | ND(0.0052) [ND(0.0052)] |
| Furans | | | | |
| 2,3,7,8-TCDF | | Not Listed | ND(0.000000044) | 0.000000049 J [0.000000058 J] |
| TCDFs (total) | | Not Listed | 0.000000018 | 0.000000012 [0.000000014] |
| 1,2,3,7,8-PeCDF | | Not Listed | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 2,3,4,7,8-PeCDF | | Not Listed | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| PeCDFs (total) | | Not Listed | 0.000000023 | 0.000000048 [0.000000052] |
| 1,2,3,4,7,8-HxCDF | | Not Listed | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,6,7,8-HxCDF | | Not Listed | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,7,8,9-HxCDF | | Not Listed | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 2,3,4,6,7,8-HxCDF | | Not Listed | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| HxCDFs (total) | | Not Listed | 0.000000020 | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,4,6,7,8-HpCDF | | Not Listed | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,4,7,8,9-HpCDF | | Not Listed | ND(0.000000057) | ND(0.000000053) [ND(0.000000057)] |
| HpCDFs (total) | | Not Listed | ND(0.000000057) | ND(0.000000053) [ND(0.000000057)] |
| OCDF | | Not Listed | ND(0.000000014) | ND(0.000000014) [ND(0.000000016)] |
| Dioxins | | | | |
| 2,3,7,8-TCDD | | Not Listed | ND(0.000000033) | ND(0.000000034) [ND(0.000000032)] |
| TCDDs (total) | | Not Listed | ND(0.000000033) | ND(0.000000034) [ND(0.000000032)] |
| 1,2,3,7,8-PeCDD | | Not Listed | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| PeCDDs (total) | | Not Listed | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,4,7,8-HxCDD | | Not Listed | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,6,7,8-HxCDD | | Not Listed | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,7,8,9-HxCDD | | Not Listed | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| HxCDDs (total) | | Not Listed | ND(0.000000052) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,4,6,7,8-HpCDD | | Not Listed | ND(0.000000052) | ND(0.000000069) [ND(0.000000085)] |
| HpCDDs (total) | | Not Listed | ND(0.000000052) | ND(0.000000069) [ND(0.000000085)] |
| OCDD | | Not Listed | ND(0.000000015) | ND(0.000000017) [ND(0.000000019)] |
| Total TEQs (WHO TEFs) | | 0.000001 | 0.000000078 | 0.000000082 [0.000000080] |
| Inorganics-Unfiltered | | | | |
| Sulfide | | Not Listed | 1.00 | 1.40 [ND(1.00)] |
| Inorganics-Filtered | | | | |
| Arsenic | | 9 | ND(0.0100) J | ND(0.0100) J [0.00213 B J] |
| Barium | | 100 | 0.0538 B | 0.0168 B [0.0169 B] |
| Cadmium | | 0.05 | ND(0.00500) J | ND(0.00500) J [0.00328 B J] |
| Cobalt | | Not Listed | ND(0.0100) J | ND(0.0100) J [ND(0.0100) J] |
| Lead | | 0.15 | 0.00657 B J | 0.00641 B J [0.00718 B J] |
| Selenium | | 1 | ND(0.0200) J | ND(0.0200) J [ND(0.0200) J] |
| Thallium | | 30 | ND(0.0100) J | ND(0.0100) J [ND(0.0100) J] |
| Vanadium | | 40 | ND(0.0500) | ND(0.0500) [ND(0.0500)] |
| Zinc | | 50 | 0.0106 B | 0.0325 B [0.0273 B] |

Table 8
Comparison of Groundwater Analytical Results to MCP UCLs for Groundwater
Groundwater Quality Interim Report for Fall 2008

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | MCP UCL for GroundWater | OPCA-MW-7 10/21/08 | OPCA-MW-8 10/22/08 |
|------------------------------|-------------------------------|----------------------------|-----------------------|-----------------------|
| Volatile Organics | | | | |
| 1,1,1-Trichloroethane | | 100 | ND(0.0010) | ND(0.0010) |
| Chlorobenzene | | 10 | ND(0.0010) | ND(0.0010) |
| Chloroform | | 100 | ND(0.0010) | ND(0.0010) |
| Methylene Chloride | | 100 | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | 100 | ND(0.0010) | ND(0.0010) |
| Trichloroethene | | 50 | ND(0.0010) | ND(0.0010) |
| PCBs-Filtered | | | | |
| None Detected | | -- | -- | -- |
| Semivolatile Organics | | | | |
| bis(2-Ethylhexyl)phthalate | | 100 | ND(0.0052) | 0.00087 J |
| Furans | | | | |
| 2,3,7,8-TCDF | | Not Listed | ND(0.000000033) | ND(0.000000014) |
| TCDFs (total) | | Not Listed | ND(0.000000033) | ND(0.000000083) |
| 1,2,3,7,8-PeCDF | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 2,3,4,7,8-PeCDF | | Not Listed | ND(0.000000051) | 0.000000058 J |
| PeCDFs (total) | | Not Listed | ND(0.000000051) | ND(0.00000012) |
| 1,2,3,4,7,8-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 2,3,4,6,7,8-HxCDF | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| HxCDFs (total) | | Not Listed | ND(0.000000051) | ND(0.000000040) |
| 1,2,3,4,6,7,8-HpCDF | | Not Listed | ND(0.000000051) | ND(0.000000093) X |
| 1,2,3,4,7,8,9-HpCDF | | Not Listed | ND(0.000000053) | ND(0.000000056) |
| HpCDFs (total) | | Not Listed | ND(0.000000053) | ND(0.000000056) |
| OCDF | | Not Listed | ND(0.000000014) | 0.000000018 J |
| Dioxins | | | | |
| 2,3,7,8-TCDD | | Not Listed | ND(0.000000032) | ND(0.000000029) |
| TCDDs (total) | | Not Listed | ND(0.000000032) | ND(0.000000029) |
| 1,2,3,7,8-PeCDD | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| PeCDDs (total) | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,4,7,8-HxCDD | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDD | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDD | | Not Listed | ND(0.000000051) | ND(0.000000052) |
| HxCDDs (total) | | Not Listed | ND(0.000000051) | ND(0.000000078) |
| 1,2,3,4,6,7,8-HpCDD | | Not Listed | ND(0.000000074) | 0.000000015 J |
| HpCDDs (total) | | Not Listed | ND(0.000000074) | ND(0.000000015) |
| OCDD | | Not Listed | ND(0.000000016) | 0.000000086 J |
| Total TEQs (WHO TEFs) | | 0.000001 | 0.000000076 | 0.000000098 |
| Inorganics-Unfiltered | | | | |
| Sulfide | | Not Listed | 1.00 J | ND(1.00) |
| Inorganics-Filtered | | | | |
| Arsenic | | 9 | ND(0.0100) J | ND(0.0100) J |
| Barium | | 100 | 0.0368 B | 0.0225 B |
| Cadmium | | 0.05 | ND(0.00500) J | 0.00287 B J |
| Cobalt | | Not Listed | ND(0.0100) J | ND(0.0100) J |
| Lead | | 0.15 | ND(0.0100) J | 0.00427 B J |
| Selenium | | 1 | ND(0.0200) J | ND(0.0200) J |
| Thallium | | 30 | ND(0.0100) J | ND(0.0100) J |
| Vanadium | | 40 | ND(0.0500) | ND(0.0500) |
| Zinc | | 50 | 0.00771 B | 0.0610 |

Table 8
Comparison of Groundwater Analytical Results to MCP UCLs for Groundwater
Groundwater Quality Interim Report for Fall 2008

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

Notes:

1. Samples were collected by ARCADIS and submitted to SGS Environmental Services, Inc. for analysis of Appendix IX+3 constituents.
2. Samples have been validated as per Field Sampling Plan/Quality Assurance Project Plan (FSP/QAPP), General Electric Company, Pittsfield, Massachusetts, ARCADIS (approved March 15, 2007 and re-submitted March 30, 2007).
3. NA - Not Analyzed.
4. ND - Analyte was not detected. The number in parentheses is the associated detection limit.
5. Total 2,3,7,8-TCDD toxicity equivalents (TEQs) were calculated using Toxicity Equivalency Factors (TEFs) derived by the World Health Organization (WHO) and published by Van den Berg et al. in Environmental Health Perspectives 106(2), December 1998.
6. With the exception of dioxin/furans, only those constituents detected in one or more samples are summarized.
7. Field duplicate sample results are presented in brackets.

Data Qualifiers:

Organics (volatiles, PCBs, semivolatiles, dioxin/furans)

- J - Indicates that the associated numerical value is an estimated concentration.
- R - Data was rejected due to a deficiency in the data generation process.
- X - Estimated maximum possible concentration.
- Y - 2,3,7,8-TCDF results have been confirmed on a DB-225 column.

Inorganics

- B - Indicates an estimated value between the instrument detection limit (IDL) and practical quantitation limit (PQL).
- J - Indicates that the associated numerical value is an estimated concentration.

Table 9
Proposed Spring 2009 Sampling

Groundwater Quality Monitoring Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts

| Well Number | Monitoring Well Usage | Current Sampling Schedule | Analyses | Basis for Inclusion/Comments |
|-------------|---|---------------------------|------------------------------|--|
| 78-1 | GW-3 Perimeter (Upgradient)/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Well is included in OPCA groundwater quality monitoring program network. |
| 78-6 | GW-3 Perimeter/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Well is included in OPCA groundwater quality monitoring program network. |
| GMA4-2 | GW-2 Sentinel | Semi-Annual | PCB ⁽²⁾ | PCB analysis to evaluate compliance with new MCP GW-2 standard. |
| GMA4-3 | GW-2 Sentinel | Semi-Annual | PCB ⁽²⁾ | PCB analysis to evaluate compliance with new MCP GW-2 standard. |
| GMA4-6 | GW-3 Perimeter (Upgradient)/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Well is included in OPCA groundwater quality monitoring program network. |
| H78B-15 | GW-2 Sentinel/GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Well is included in OPCA groundwater quality monitoring program network. |
| OPCA-MW-1RR | GW-2 Sentinel/GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Well is included in OPCA groundwater quality monitoring program network. |
| OPCA-MW-2R | GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Well is included in OPCA groundwater quality monitoring program network. |
| OPCA-MW-3 | GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Well is included in OPCA groundwater quality monitoring program network. |
| OPCA-MW-4 | GW-2 Sentinel/GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Well is included in OPCA groundwater quality monitoring program network. |
| OPCA-MW-5R | GW-2 Sentinel/GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Well is included in OPCA groundwater quality monitoring program network. |
| OPCA-MW-6 | GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Well is included in OPCA groundwater quality monitoring program network. |
| OPCA-MW-7 | GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Well is included in OPCA groundwater quality monitoring program network. |
| OPCA-MW-8 | GW-3 General/Source Area Sentinel/OPCA Groundwater Monitoring Program | Semi-Annual | PCB/App. IX ^(1,2) | Well is included in OPCA groundwater quality monitoring program network. |


Notes:

- Appendix IX+3 analyses consists of those non-PCB constituents listed in Appendix IX of 40 CFR Part 264 (excluding pesticides and herbicides) plus three constituents -- benzidine, 2-chloroethyl vinyl ether, and 1,2-diphenylhydrazine.
- Per the interim monitoring program protocols, analyses for PCBs, metals, and cyanide are performed on filtered samples only.

ARCADIS

Figures

CITY: SYRACUSE, NY GROUP: ENV/CAD DB: DMW, PGL LD: DMW, PGL TR: R. BATES, LYRONI-OFF-REF. (FRZ)
 R:\ENV\CAD\SYRACUSE\ACT\B0020187\000\00003\DWG\FALL08\20187B02.DWG LAYOUT: 1. SAVED: 2/23/2009 2:41 PM ACADVER: 17.05 (LMS TECH) PAGES: 17
 XREFS: 20187X00 20187X10 PROJECTNAME: ...



LEGEND:

| | |
|-------------|-------------------------|
| GMA1 | GMA 1—PLANT SITE 1 |
| GMA2 | GMA 2—FORMER OXBOWS J&K |
| GMA3 | GMA 3—PLANT SITE 2 |
| GMA4 | GMA 4—PLANT SITE 3 |
| GMA5 | GMA 5—FORMER OXBOWS A&C |

- GENERAL NOTES:**
1. MAPPING IS BASED ON AERIAL PHOTOGRAPHS AND PHOTOGRAMMETRIC MAPPING BY LOCKWOOD MAPPING, INC. - FLOWN IN APRIL 1990; DATA PROVIDED BY GENERAL ELECTRIC COMPANY; AND BLASLAND & BOUCK ENGINEERS, P.C. P.C. CONSTRUCTION PLANS.
 2. NOT ALL PHYSICAL FEATURES SHOWN.
 3. SITE BOUNDARIES/LIMITS ARE APPROXIMATE.

GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
GMA 4 INTERIM MONITORING PROGRAM

**GROUNDWATER
 MANAGEMENT AREAS**


ARCADIS

**FIGURE
 1**

NOTES:

- 1. MAPPING BASED ON AUTOCAD DRAWING FILE (PLANT3.CAD) AS PROVIDED BY GE AND ADDITIONAL INFORMATION FROM THE MCP PHASE II SCOPE OF WORK AND PROPOSAL FOR RCRA FACILITY INVESTIGATION (O'BRIEN & GERE ENGINEERS, INC., FEBRUARY 1996) AS WELL AS SUPPLEMENTAL SITE SURVEY INFORMATION OBTAINED BY HILL ENGINEERS, PLANNERS & ARCHITECTS (WEEK OF MAY 29, 1997). LOCATIONS EAST OF THE PARKING LOT DIGITIZED FROM MARCH 2000 AIR PHOTO AND ARE APPROXIMATE.
- 2. ALL LOCATIONS ARE APPROXIMATE.
- 3. WELLS OPCA-MW-1R AND OPCA-MW-2 WERE DECOMMISSIONED IN FALL 2007. REPLACEMENT WELLS OPCA-MW-1RR AND OPCA-MW-2R WERE INSTALLED IN JULY 2008.

CITY: SYRACUSE, NY; GROUP: ENVCAD; DB/DWM: WJL; RCB; LDD/MW; PM: R. BATES; TRR: R. BATES; LYR: ON; OFF-REF: (FRZ); R: ENV/CAD/SY/RACUSE/ACT/C1/B020187/0000/000003/DWG/FALL08/20187B04.DWG; LAYOUT: 2; SAVED: 2/18/2009 11:49 AM; ACADVER: 17.05 (LMS TECH); PAGES: 17; PLOTSTYLE: PLT/FULL/CTB; PLOTTED: 2/23/2009 2:49 PM; BY: JONES, WENDY; XREFS: 20187X07; 20187X00; IMAGES: PROJECTNAME: ;



GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
GMA 4 INTERIM MONITORING PROGRAM

SITE PLAN

ARCADIS

**FIGURE
2**


NOTES:

1. MAPPING BASED ON AUTOCAD DRAWING FILE (PLANT3.CAD) AS PROVIDED BY GE AND ADDITIONAL INFORMATION FROM THE MCP PHASE II SCOPE OF WORK AND PROPOSAL FOR RCRA FACILITY INVESTIGATION (O'BRIEN & GERE ENGINEERS, INC., FEBRUARY 1996) AS WELL AS SUPPLEMENTAL SITE SURVEY INFORMATION OBTAINED BY HILL ENGINEERS, PLANNERS & ARCHITECTS (WEEK OF MAY 29, 1997). LOCATIONS EAST OF THE PARKING LOT DIGITIZED FROM MARCH 2000 AIR PHOTO AND ARE APPROXIMATE.

2. ALL LOCATIONS ARE APPROXIMATE.

3. WELLS OPCA-MW-1R AND OPCA-MW-2 WERE DECOMMISSIONED PRIOR TO THE FALL 2007 SEMI-ANNUAL MONITORING EVENT, AND WERE REPLACED BY OPCA-MW-1RR AND OPCA-MW-2R, RESPECTIVELY, IN JULY 2008.

CITY:SYR DIV:GROUP:141 DB:DWG:RCB LD:DWG:AM:PD:TM:TR:LYRONH-OFF-REF
 R:\ENVCAD\SYR\ACUSEACT\C\B020187\0000\0003\DWG\FALL08\20187W09.DWG LAYOUT: 3 SAVED: 2232009 2:43 PM ACADVER: 17.05 (LMS TECH) PAGES: 17 PLOTTED: 2232009 2:45 PM BY: JONES, WENDY
 PROJECTNAME: ---
 IMAGES: 20187X07 3.lit
 20187X00 36.lit
 XREFS:




- LEGEND:**
- APPROXIMATE SITE BOUNDARY
 - FENCE LINE
 - H78B-15 EXISTING MONITORING WELL
 - PZ-1 EXISTING WELL/PIEZOMETER MONITORED BY EPA
 - ✱ H78B-28/28R DECOMMISSIONED WELL LOCATION
 - ASW-4 DEEP WATER SUPPLY WELL
 - 1012 WATER TABLE ELEVATION CONTOUR IN FEET, 2-FOOT INTERVAL
 - 1000 WATER TABLE ELEVATION CONTOUR IN FEET, 10-FOOT INTERVAL
 - - - INFERRED CONTOURS BASED ON HISTORICAL GROUNDWATER ELEVATIONS AT LOCATIONS NOT MONITORED ON JULY/23/2008.
 - 1000.01 GROUNDWATER ELEVATION IN FEET FROM MONITORING DATA COLLECTED ON JULY 23, 2008



**GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
 GMA 4 INTERIM MONITORING PROGRAM**

**WATER TABLE CONTOUR MAP -
 SUMMER 2008**



**FIGURE
3**



NOTES:

1. MAPPING BASED ON AUTOCAD DRAWING FILE (PLANT3.CAD) AS PROVIDED BY GE AND ADDITIONAL INFORMATION FROM THE MCP PHASE II SCOPE OF WORK AND PROPOSAL FOR RCRA FACILITY INVESTIGATION (O'BRIEN & GERE ENGINEERS, INC., FEBRUARY 1996) AS WELL AS SUPPLEMENTAL SITE SURVEY INFORMATION OBTAINED BY HILL ENGINEERS, PLANNERS & ARCHITECTS (WEEK OF MAY 29, 1997). LOCATIONS EAST OF THE PARKING LOT DIGITIZED FROM MARCH 2000 AIR PHOTO AND ARE APPROXIMATE.

2. ALL LOCATIONS ARE APPROXIMATE.

3. WELLS OPCA-MW-1R AND OPCA-MW-2 WERE DECOMMISSIONED PRIOR TO THE FALL 2007 SEMI-ANNUAL MONITORING EVENT, AND WERE REPLACED BY OPCA-MW-1RR AND OPCA-MW-2R, RESPECTIVELY, IN JULY 2008.

CITY:SYR DIV:GROUP:141 DB:DW:R:CB ID:DNW AM: PD: TM: TR: LYRONK-OFF-REF-
 R:\ENVCAD\SYRACUSE\ACT\C\B020197\0000\0003\DWG\FALL08\20187W10.DWG LAYOUT: 4 SAVED: 2232009 2:46 PM ACADVER: 17.05 (LMS TECH) PAGES: 17 OF 17 PLOTTED: 2232009 2:46 PM BY: JONES, WENDY
 XREFS: 20187X07 Temp000000.TIF
 IMAGES: PROJECTNAME:



- LEGEND:**
- APPROXIMATE SITE BOUNDARY
 - FENCE LINE
 - H78B-15 EXISTING MONITORING WELL
 - PZ-1 EXISTING WELL/PIEZOMETER MONITORED BY EPA
 - ✱ H78B-28/28R DECOMMISSIONED WELL LOCATION
 - ASW-4 DEEP WATER SUPPLY WELL
 - 1012 WATER TABLE ELEVATION CONTOUR IN FEET, 2-FOOT INTERVAL
 - 1000 WATER TABLE ELEVATION CONTOUR IN FEET, 10-FOOT INTERVAL
 - - - INFERRED CONTOURS BASED ON HISTORICAL GROUNDWATER ELEVATIONS AT LOCATIONS NOT MONITORED ON 1/15/08.
 - 1000.01 GROUNDWATER ELEVATION IN FEET FROM MONITORING DATA COLLECTED ON OCTOBER 29, 2008





**GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
 GMA 4 INTERIM MONITORING PROGRAM**

**WATER TABLE CONTOUR MAP -
 FALL 2008**

**FIGURE
4**

CITY:SYRACUSE, NY GROUP:ENVCAD DB:DMW, PGL LD:DMW PM:R. BATES TR:R. BATES LYR:ON:OFF-REF, FRZ)
 R:\ENVCAD\SYRACUSE\ACT\18020187\0000\00003\DWG\FALL08\20187W04.DWG LAYOUT: 5. SAVED: 2232009 2:44 PM ACADVER: 17.05 (LMS TECH) PAGES: 17 OF 17 PLOTTED: 2232009 2:44 PM BY: JONES, WENDY
 XREFS: 20187X01 20187X05 20187X00
 IMAGES: PROJECTNAME: ---



- LEGEND:**
- APPROXIMATE SITE BOUNDARY
 - FENCE LINE
 - ⊕ H78B-15 EXISTING MONITORING WELL
 - ⊕ ASW-4 DEEP WATER SUPPLY WELL
 - ⊗ H78B-12 OR ⊗ ASW-1 DECOMMISSIONED WELL LOCATION
 - ▲ OPCA-8 EXISTING SOIL BORING LOCATION
 - (995.8) TOP OF TILL ELEVATION IN FEET
 - (<993) THE TILL UNIT WAS NOT ENCOUNTERED WITHIN THE TOTAL DEPTH OF THE BORING. THE ELEVATION GIVEN WITH A LESS THAN SIGN (<) IS THE ELEVATION OF THE BASE OF BORING AND THE TOP OF TILL UNIT IS INTERPRETED TO BE BELOW THAT DEPTH.
 - 995 TOP OF TILL ELEVATION CONTOUR LINE IN FEET

NOTES:

- MAPPING BASED ON AUTOCAD DRAWING FILE (PLANT3.CAD) AS PROVIDED BY GE AND ADDITIONAL INFORMATION FROM THE MCP PHASE II SCOPE OF WORK AND PROPOSAL FOR RCRA FACILITY INVESTIGATION (O'BRIEN & GERE ENGINEERS, INC., FEBRUARY 1996) AS WELL AS SUPPLEMENTAL SITE SURVEY INFORMATION OBTAINED BY HILL ENGINEERS, PLANNERS & ARCHITECTS (WEEK OF MAY 29, 1997). LOCATIONS EAST OF THE PARKING LOT DIGITIZED FROM MARCH 2000 AIR PHOTO AND ARE APPROXIMATE.
- ALL LOCATIONS ARE APPROXIMATE.


GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
GMA 4 INTERIM MONITORING PROGRAM

TOP OF TILL CONTOUR MAP

ARCADIS

NOTES:

- MAPPING BASED ON AUTOCAD DRAWING FILE (PLANT3.CAD) AS PROVIDED BY GE AND ADDITIONAL INFORMATION FROM THE MCP PHASE II SCOPE OF WORK AND PROPOSAL FOR RCRA FACILITY INVESTIGATION (O'BRIEN & GERE ENGINEERS, INC., FEBRUARY 1996) AS WELL AS SUPPLEMENTAL SITE SURVEY INFORMATION OBTAINED BY HILL ENGINEERS, PLANNERS & ARCHITECTS (WEEK OF MAY 29, 1997). LOCATIONS EAST OF THE PARKING LOT DIGITIZED FROM MARCH 2000 AIR PHOTO AND ARE APPROXIMATE.
- ALL LOCATIONS ARE APPROXIMATE.



- LEGEND:**
- APPROXIMATE SITE BOUNDARY
 - FENCE LINE
 - H78B-15 EXISTING MONITORING WELL
 - ⊕ PZ-1 EXISTING WELL/PIEZOMETER MONITORED BY EPA
 - ⊗ H78B-28/28R DECOMMISSIONED WELL LOCATION
 - ASW-4 DEEP WATER SUPPLY WELL
 - GW-2 SENTINEL/COMPLIANCE WELL
 - GW-3 PERIMETER WELL
 - GENERAL/SOURCE AREA SENTINEL WELL (GW-3)
 - OPCA GROUNDWATER MONITORING PROGRAM WELL TO BE SAMPLED SEMI-ANNUALLY
 - HISTORICAL EXTENT OF LNAPL
 - PROPOSED SEMI-ANNUAL SAMPLING
 - PROPOSED ANNUAL SAMPLING



GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
GMA 4 INTERIM MONITORING PROGRAM

PROPOSED MONITORING PROGRAM



CITY: SYRACUSE GROUP: ENV-141 DB: DMW/PGL/RCB LDDMW PM: R. BATES LYRON: OFF-REF
 R:\ENV\CAD\SYRACUSE\ACT\1810000\00003\DWG\FALL08\20187805.DWG LAYOUT: 6 SAVED: 2/23/2009 3:41 PM ACADVER: 17.05 (LMS TECH) PAGES: 17
 PLOTSTYLETABLE: PLT\FULL.CTB PLOTTED: 2/23/2009 3:41 PM BY: JONES, WENDY
 PROJECTNAME: XREFS: 20187X07 20187X00

ARCADIS

Appendices

ARCADIS

Appendix A

Groundwater Elevation/NAPL Monitoring Data – Fall 2008

**Table A-1
Fall 2008 Groundwater Elevation Data**

**Groundwater Management Area 4
Groundwater Quality Monitoring Interim Report for Fall 2008
General Electric Company - Pittsfield, Massachusetts**

| Well Name | Measuring Point Elev. (feet AMSL) | Date | Depth to Water (ft BMP) | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Groundwater Elevation (feet AMSL) |
|------------------|--|-------------|--------------------------------|-------------------------------|-------------------------------|--|
| 060B-R | 1,002.79 | 10/28/2008 | 16.02 | 0.00 | 0.00 | 986.77 |
| 060B-R | 1,002.79 | 10/29/2008 | 15.98 | 0.00 | 0.00 | 986.81 |
| 78-1 | 1,026.32 | 7/23/2008 | 10.84 | 0.00 | 0.00 | 1,015.48 |
| 78-1* | 1,026.32 | 10/23/2008 | 11.67 | 0.00 | 0.00 | 1,011.65 |
| 78-1 | 1,026.32 | 10/29/2008 | 9.65 | 0.00 | 0.00 | 1,016.67 |
| 78-2 | 1,033.96 | 7/23/2008 | 8.15 | 0.00 | 0.00 | 1,025.81 |
| 78-2 | 1,033.96 | 10/29/2008 | 9.68 | 0.00 | 0.00 | 1,024.28 |
| 78-3 | 1,007.13 | 10/31/2008 | 17.55 | 0.00 | 0.00 | 989.58 |
| 78-4 | 998.55 | 10/29/2008 | 12.54 | 0.00 | 0.00 | 986.01 |
| 78-5R | 997.36 | 10/29/2008 | 4.70 | 0.00 | 0.00 | 992.66 |
| 78-6 | 1,012.00 | 7/23/2008 | 7.99 | 0.00 | 0.00 | 1,004.01 |
| 78-6* | 1,012.00 | 10/22/2008 | 8.45 | 0.00 | 0.00 | 1,003.55 |
| 78-6 | 1,012.00 | 10/29/2008 | 6.09 | 0.00 | 0.00 | 1,005.91 |
| GMA4-1 | 1,012.35 | 10/29/2008 | 23.18 | 0.00 | 0.00 | 989.17 |
| GMA4-2 | 1,006.22 | 10/6/2008 | 13.59 | 0.00 | 0.00 | 992.63 |
| GMA4-2* | 1,006.22 | 10/22/2008 | 13.41 | 0.00 | 0.00 | 993.08 |
| GMA4-2 | 1,006.22 | 10/29/2008 | 13.49 | 0.00 | 0.00 | 992.73 |
| GMA4-3 | 1,003.95 | 7/23/2008 | 17.80 | 0.00 | 0.00 | 986.15 |
| GMA4-3 | 1,003.95 | 8/26/2008 | 17.71 | 0.00 | 0.00 | 986.24 |
| GMA4-3 | 1,003.95 | 9/15/2008 | 17.93 | 0.00 | 0.00 | 986.02 |
| GMA4-3 | 1,003.95 | 10/6/2008 | 18.05 | 0.00 | 0.00 | 985.90 |
| GMA4-3* | 1,003.95 | 10/22/2008 | 18.16 | 0.00 | 0.00 | 985.79 |
| GMA4-3 | 1,003.95 | 10/28/2008 | 17.98 | 0.00 | 0.00 | 985.97 |
| GMA4-3 | 1,003.95 | 10/29/2008 | 17.93 | 0.00 | 0.00 | 986.02 |
| GMA4-3 | 1,003.95 | 11/26/2008 | 17.60 | 0.00 | 0.00 | 986.35 |
| GMA4-3 | 1,003.95 | 12/16/2008 | 16.91 | 0.00 | 0.00 | 987.04 |
| GMA4-4 | 999.64 | 7/23/2008 | 12.91 | 0.00 | 0.00 | 986.73 |
| GMA4-4 | 999.64 | 10/29/2008 | 12.75 | 0.00 | 0.00 | 986.89 |
| GMA4-6 | 1,009.12 | 7/23/2008 | 9.72 | 0.00 | 0.00 | 999.40 |
| GMA4-6* | 1,009.12 | 10/23/2008 | 9.68 | 0.00 | 0.00 | 999.44 |
| GMA4-6 | 1,009.12 | 10/29/2008 | 8.68 | 0.00 | 0.00 | 1,000.44 |
| H78B-13R | 992.93 | 10/29/2008 | 10.90 | 0.00 | 0.00 | 982.03 |
| H78B-15* | 1,012.68 | 10/23/2008 | 15.75 | 0.00 | 0.00 | 996.93 |
| H78B-15 | 1,012.68 | 10/29/2008 | 14.54 | 0.00 | 0.00 | 998.14 |
| H78B-16 | 999.33 | 10/29/2008 | 13.32 | 0.00 | 0.00 | 986.01 |
| H78B-17R | 1,000.31 | 10/29/2008 | 13.54 | 0.00 | 0.00 | 986.77 |

**Table A-1
Fall 2008 Groundwater Elevation Data**

**Groundwater Management Area 4
Groundwater Quality Monitoring Interim Report for Fall 2008
General Electric Company - Pittsfield, Massachusetts**

| Well Name | Measuring Point Elev. (feet AMSL) | Date | Depth to Water (ft BMP) | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Groundwater Elevation (feet AMSL) |
|------------------|--|-------------|--------------------------------|-------------------------------|-------------------------------|--|
| NY-3 | 1,005.49 | 7/23/2008 | 15.43 | 0.00 | 0.00 | 990.06 |
| NY-3 | 1,005.49 | 10/29/2008 | 15.37 | 0.00 | 0.00 | 990.12 |
| NY-4 | 1,024.24 | 7/23/2008 | 10.55 | 0.00 | 0.00 | 1,013.69 |
| NY-4 | 1,024.24 | 10/29/2008 | 8.85 | 0.00 | 0.00 | 1,015.39 |
| OPCA-MW-1RR | 1,016.42 | 7/16/2008 | 17.02 | 0.00 | 0.00 | 999.40 |
| OPCA-MW-1RR | 1,016.42 | 7/23/2008 | 16.41 | 0.00 | 0.00 | 1,000.01 |
| OPCA-MW-1RR* | 1,016.42 | 10/20/2008 | 18.32 | 0.00 | 0.00 | 998.10 |
| OPCA-MW-1RR | 1,016.42 | 10/29/2008 | 17.00 | 0.00 | 0.00 | 999.42 |
| OPCA-MW-2R | 1,018.84 | 7/16/2008 | 23.28 | 0.00 | 0.00 | 995.56 |
| OPCA-MW-2R | 1,018.84 | 7/23/2008 | 23.16 | 0.00 | 0.00 | 995.68 |
| OPCA-MW-2R* | 1,018.84 | 10/20/2008 | 23.47 | 0.00 | 0.00 | 995.37 |
| OPCA-MW-2R | 1,018.84 | 10/29/2008 | 23.11 | 0.00 | 0.00 | 995.73 |
| OPCA-MW-3 | 1,014.83 | 7/23/2008 | 20.06 | 0.00 | 0.00 | 994.77 |
| OPCA-MW-3* | 1,014.83 | 10/22/2008 | 20.70 | 0.00 | 0.00 | 994.13 |
| OPCA-MW-3 | 1,014.83 | 10/29/2008 | 20.71 | 0.00 | 0.00 | 994.12 |
| OPCA-MW-4 | 1,018.67 | 7/23/2008 | 12.15 | 0.00 | 0.00 | 1,006.52 |
| OPCA-MW-4* | 1,018.67 | 10/20/2008 | 12.63 | 0.00 | 0.00 | 1,006.04 |
| OPCA-MW-4 | 1,018.67 | 10/29/2008 | 12.26 | 0.00 | 0.00 | 1,006.41 |
| OPCA-MW-5R | 1,016.34 | 7/23/2008 | 11.68 | 0.00 | 0.00 | 1,004.66 |
| OPCA-MW-5R* | 1,016.34 | 10/21/2008 | 12.63 | 0.00 | 0.00 | 1,003.71 |
| OPCA-MW-5R | 1,016.34 | 10/29/2008 | 11.68 | 0.00 | 0.00 | 1,004.66 |
| OPCA-MW-6 | 1,022.31 | 7/23/2008 | 17.01 | 0.00 | 0.00 | 1,005.30 |
| OPCA-MW-6* | 1,022.31 | 10/21/2008 | 18.50 | 0.00 | 0.00 | 1,003.81 |
| OPCA-MW-6 | 1,022.31 | 10/29/2008 | 15.88 | 0.00 | 0.00 | 1,006.43 |
| OPCA-MW-7 | 1,026.57 | 7/23/2008 | 15.80 | 0.00 | 0.00 | 1,010.77 |
| OPCA-MW-7* | 1,026.57 | 10/21/2008 | 18.83 | 0.00 | 0.00 | 1,007.74 |
| OPCA-MW-7 | 1,026.57 | 10/29/2008 | 19.10 | 0.00 | 0.00 | 1,007.47 |
| OPCA-MW-8 | 1,027.40 | 7/23/2008 | 11.50 | 0.00 | 0.00 | 1,015.90 |
| OPCA-MW-8* | 1,027.40 | 10/22/2008 | 12.75 | 0.00 | 0.00 | 1,014.65 |
| OPCA-MW-8 | 1,027.40 | 10/29/2008 | 12.20 | 0.00 | 0.00 | 1,015.20 |
| RF-14 | 1,001.59 | 10/28/2008 | 10.11 | 0.00 | 0.00 | 991.48 |
| RF-14 | 1,001.59 | 10/29/2008 | 10.03 | 0.00 | 0.00 | 991.56 |
| RF-15 | 1,011.80 | 10/29/2008 | 16.34 | 0.00 | 0.00 | 995.46 |
| SCH-4 | 1,014.05 | 7/23/2008 | 9.10 | 0.00 | 0.00 | 1,004.95 |
| SCH-4 | 1,014.05 | 10/29/2008 | 6.43 | 0.00 | 0.00 | 1,007.62 |
| UB-MW-5 | 1,006.06 | 10/29/2008 | 12.58 | 0.00 | 0.00 | 993.48 |
| UB-MW-6 | 1,019.79 | 10/29/2008 | 21.06 | 0.00 | 0.00 | 998.73 |

**Table A-1
Fall 2008 Groundwater Elevation Data**

**Groundwater Management Area 4
Groundwater Quality Monitoring Interim Report for Fall 2008
General Electric Company - Pittsfield, Massachusetts**

| Well Name | Measuring Point Elev. (feet AMSL) | Date | Depth to Water (ft BMP) | LNAPL Thickness (feet) | DNAPL Thickness (feet) | Groundwater Elevation (feet AMSL) |
|---|--|-------------|--------------------------------|-------------------------------|-------------------------------|--|
| Allendale School Property Monitoring Wells/Piezometers | | | | | | |
| PZ-1 | 1,005.60 | 7/23/2008 | 4.31 | 0.00 | 0.00 | 1,001.29 |
| PZ-1 | 1,005.60 | 10/29/2008 | 1.33 | 0.00 | 0.00 | 1,004.27 |
| PZ-2 | 1,009.89 | 7/23/2008 | 2.14 | 0.00 | 0.00 | 1,007.75 |
| PZ-2 | 1,009.89 | 10/29/2008 | 1.51 | 0.00 | 0.00 | 1,008.38 |
| PZ-3 | 1,010.43 | 7/23/2008 | 2.39 | 0.00 | 0.00 | 1,008.04 |
| PZ-3 | 1,010.43 | 10/29/2008 | 2.24 | 0.00 | 0.00 | 1,008.19 |
| PZ-4 | 1,007.96 | 7/23/2008 | 0.92 | 0.00 | 0.00 | 1,007.04 |
| PZ-4 | 1,007.96 | 10/29/2008 | 0.18 | 0.00 | 0.00 | 1,007.78 |
| SCH-1 | 1,017.11 | 7/23/2008 | 5.96 | 0.00 | 0.00 | 1,011.15 |
| SCH-1 | 1,017.11 | 10/29/2008 | 5.52 | 0.00 | 0.00 | 1,011.59 |
| East Street Area 2 - North (Groundwater Management Area 1) | | | | | | |
| ES1-20 | 1,001.56 | 7/23/2008 | 14.60 | 0.00 | 0.00 | 986.96 |
| ES1-20 | 1,001.56 | 10/29/2008 | 14.34 | 0.00 | 0.00 | 987.22 |
| Commercial Street Site - adjacent to GMA 4 | | | | | | |
| GMA4-5 | 993.34 | 10/29/2008 | 11.85 | 0.00 | 0.00 | 981.49 |

Notes:

1. ft AMSL - feet Above Mean Sea Level.
2. ft BMP - feet Below Measuring Point.
3. * Data taken during fall 2008 sampling round.

**Table A-2
Fall 2008 Housatonic River Stage Information - Coltsville Station**

**Groundwater Management Area 4
Groundwater Quality Monitoring Interim Report for Fall 2008
General Electric Company - Pittsfield, Massachusetts**

| Date | Maximum Elevation (feet AMSL) | Minimum Elevation (feet AMSL) | Comments |
|---------------|--------------------------------------|--------------------------------------|----------------------------------|
| 20-Oct | 994.20 | 994.16 | Fall 2008 Sampling Round |
| 21-Oct | 994.24 | 994.17 | Fall 2008 Sampling Round |
| 22-Oct | 994.38 | 994.21 | Fall 2008 Sampling Round |
| 23-Oct | 994.40 | 994.36 | Fall 2008 Sampling Round |
| 29-Oct | 995.80 | 995.60 | Fall 2008 Semi-Annual Monitoring |
| 30-Oct | 995.60 | 995.30 | |
| 31-Oct | 995.32 | 995.15 | Fall 2008 Semi-Annual Monitoring |

Notes:

1. feet AMSL - feet Above Mean Sea Level.
2. Data obtained from the USGS Housatonic River gauging station located on right bank 250 ft downstream from Hubbard Avenue Bridge at Coltsville, 1.2 mi upstream from Unkamet Brook, and 2 mi northeast of Pittsfield.
3. Wells were sampled at GMA 4 October 20-23, 2008.
4. The fall 2008 semi-annual monitoring took place on October 29 and 31, 2008.

ARCADIS

Appendix B

Field Sampling Data

**Table B-1
Groundwater Sampling Methods**

**Groundwater Management Area 4
Groundwater Quality Monitoring Interim Report For Fall 2008
General Electric Company - Pittsfield, Massachusetts**

| Well Number | Type of Pump | Average Fall Depth to Water (ft-bgs) | Depth to Till (ft-bgs) | Well Screen Interval (ft-bgs) | Approximate Pump Intake Placement ⁽¹⁾ (ft-bgs) |
|-------------|--------------|--------------------------------------|------------------------|-------------------------------|---|
| 78-1 | Peristaltic | 11.9 | 12 | 8-23 | 14 |
| 78-6 | Peristaltic | 9.2 | 13 | 3-18 | 12 |
| GMA4-6 | Peristaltic | 8.9 | >13 | 3-13 | 11 |
| H78B-15 | Peristaltic | 11.3 | 14 | 6-16 | 14 |
| H78B-16 | Peristaltic | 8.7 | 14 | 4-14 | 12 |
| H78B-17R | Bladder | 12.2 | 14 | 14.3-23.5 | 20 |
| OPCA-MW-1RR | Peristaltic | 8.3 | 28 | 18-28 | 23 |
| OPCA-MW-2R | Bladder | 16.4 | >23 | 10-25 | 17.5 |
| OPCA-MW-3 | Bladder | 21.0 | >28 | 18-28 | 25 |
| OPCA-MW-4 | Peristaltic | 13.4 | >22 | 12-22 | 17 |
| OPCA-MW-5R | Peristaltic | 12.8 | 17 | 11.25-21.25 | 17 |
| OPCA-MW-6 | Submersible | 18.6 | >25 | 15-25 | 22 |
| OPCA-MW-7 | Peristaltic | 19.6 | 18 | 14-24 | 18 |
| OPCA-MW-8 | Bladder | 13.1 | 7 | 13.5-23.5 | 19 |

NOTE:

1. Pump intake is generally placed at the center of the saturated well screen in a typical 10-foot screen length well that intersects the water table. Modifications may be required when the water table is above the top of the well screen, for wells with saturated screened lengths greater than 10 feet, and for wells screened across the till interface. The five pump placement categories for GMA 4 are listed below. If the actual depth to water varies significantly from the average values provided above, the pump intake depth is re-assessed in the field and placed accordingly.

Mid-Column Well screen straddles water table and is placed entirely above or below till interface, and less than 10 feet of water is typically present. Therefore, pump intake is located at mid-point between water surface and base of well.

Mid-Screen: Well screen is positioned below the water table and is placed entirely above or below till interface. Therefore, pump intake is to be located at mid-point of the well screen.

<5 ft Below Water Table: Well screen straddles water table and is placed entirely above or below till interface, and greater than 10 feet of water is typically present. Therefore, the pump intake is located five feet or less below the water surface.

Above Till Interface: Well screen crosses till interface and water table is present above till surface. Therefore, pump intake is located just above till interface to facilitate pumping from more permeable upper unit.

Near Till Interface: Well screen crosses till interface and water table is present near till surface. Therefore, pump intake is to be located just above till interface (if sufficient water is present), or as close to till interface as possible if water levels draw down to below that depth during pumping.

**Table B-2
Summary Of Historical Groundwater Sampling Methods**

**Groundwater Management Area 4
Groundwater Quality Monitoring Interim Report For Fall 2008
General Electric Company - Pittsfield, Massachusetts**

| Well Number | Sampling Method | | | | | | | | | | | | | |
|---|--|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|
| | Spring 2002 | Fall 2002 | Spring 2003 | Fall 2003 | Spring 2004 | Fall 2004 | Spring 2005 | Fall 2005 | Spring 2006 | Fall 2006 | Spring 2007 | Fall 2007 | Spring 2008 | Fall 2008 |
| 78-1 | PP/BA | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP |
| | Fall 2002: Water became more turbid during sample collection. | | | | | | | | | | | | | |
| 78-6 | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP |
| | Fall 2007: Lowered tubing as water level dropped, adjusted flow through cell/YSI setup while filling Fall 2002: PCDD/F sample bottle was damaged during shipment (re-collected next day). | | | | | | | | | | | | | |
| GMA4-2 | PP/BA | PP | PP | PP | NS | NS | NS | NS | NS | NS | NS | NS | NS | BP |
| | Spring 2004: Well removed from program after completion of baseline monitoring program. Fall 2008: Well added back into program to evaluate compliance with new MCP GW-2 standard for PCBs. | | | | | | | | | | | | | |
| GMA4-3 | PP/BA | PP | PP | PP | NS | NS | NS | NS | NS | NS | NS | NS | NS | BP |
| | Spring 2004: Well removed from program after completion of baseline monitoring program. Fall 2008: Well added back into program to evaluate compliance with new MCP GW-2 standard for PCBs. | | | | | | | | | | | | | |
| GMA4-6 | NS | NS | NS | NS | NS | NS | NS | NS | NS | PP | PP | PP | PP | PP |
| | Fall 2006: Initiated sampling after installation in spring 2006. | | | | | | | | | | | | | |
| H78B-15 | PP/BA | BP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP |
| | Fall 2007: Tubing dropped to just off bottom of well Spring 2006: SVOC sample not collected. Fall 2002: Turbidity meter malfunction. Samples visually clear. | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| OPCA-MW-1/ OPCA-MW-1R/ OPA-MW-1RR | PP/BA | BP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | NS | PP |
| | Spring 2005: pH meter malfunctioned, corrected in field and recalibrated. Spring 2008: Not sampled due to well decommissioned during sewer re-rerouting project. OPCA-MW-1RR installed summer 2008. | | | | | | | | | | | | | |
| OPCA-MW-2/ OPCA-MW-2R | PP/BA | BP | BP | BP | BP | BP | BP | BP | BP | BP | PP | BP | NS | PP |
| | Fall 2007: Water level probe hits top of bladder pump Spring 2003: Bladder pump to be used instead of submersible pump. Fall 2002: Very low flow rate needed to maintain water levels. Spring 2008: Not sampled due to well decommissioned during sewer re-rerouting project. OPCA-MW-2R installed summer 2008. | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| OPCA-MW-3 | BP | BP | BP | BP | BP | BP | BP | BP | BP | BP | BP | BP | BP | BP |
| OPCA-MW-4 | PP | BP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP |
| | Fall 2002: Well dried during sample collection. Sampling completed after recharge. | | | | | | | | | | | | | |
| OPCA-MW-5R | PP/BA | BP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | BP | PP |
| | Fall 2002: Well dried during purging. Sample collected after recharge. | | | | | | | | | | | | | |
| OPCA-MW-6 | PP/BA | PP | BP | BP | BP | BP | BP | BP | BP | BP | BP | BP | BP | BP |
| | Fall 2007: Not enough water in well to operate bladder pump, switched to geopump Spring 2003: Proposed to use a submersible pump; however, the depth to water allowed for the use of a bladder pump. Fall 2002: Very low flow rate needed to maintain water levels (two days needed to collect samples). | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

**Table B-2
Summary Of Historical Groundwater Sampling Methods**

**Groundwater Management Area 4
Groundwater Quality Monitoring Interim Report For Fall 2008
General Electric Company - Pittsfield, Massachusetts**

| Well Number | Sampling Method | | | | | | | | | | | | | |
|-------------|--|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|
| | Spring 2002 | Fall 2002 | Spring 2003 | Fall 2003 | Spring 2004 | Fall 2004 | Spring 2005 | Fall 2005 | Spring 2006 | Fall 2006 | Spring 2007 | Fall 2007 | Spring 2008 | Fall 2008 |
| OPCA-MW-7 | PP/BA | NS | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP | PP |
| | Fall 2007: Well went dry multiple times, sampled over multiple day period Fall 2006: Extended tubing length to near bottom after water level went below 19.5', well purged dry Spring 2006: Water level dropping during purging. Pump lowered approx. 1 foot to complete sampling. Fall 2005: Well ran dry during purging. Several visits over six different days were required to collect the appropriate sample volume for each parameter Fall 2002: Well dry - no sample collected. | | | | | | | | | | | | | |
| OPCA-MW-8 | BP | BP | BP | BP | BP | BP | BP | BP | BP | BP | BP | BP | BP | BP |
| | Fall 2007: Pump off due to battery. Well went dry, sampled after recharging the following day. | | | | | | | | | | | | | |

NOTES:

1. BP - Bladder Pump
2. PP - Peristaltic Pump
3. BA - Bailer
4. PP/BA - Peristaltic Pump with bailer used for VOC sample collection
5. NS - Not Sampled

GROUNDWATER SAMPLING LOG

Well No. 78-1
 Key No. -
 PID Background (ppm) 0
 Well Headspace (ppm) 0

SMA/GMA Name GMA4
 Sampling Personnel DA/EMC
 Date 10/23/08
 Weather Sunny - High 40s

WELL INFORMATION

Reference Point Marked? Y (N)
 Height of Reference Point 4" Meas. From _____
 Well Diameter 4"
 Screen Interval Depth 8-23' Meas. From TIC
 Water Table Depth 11.67' Meas. From TIC
 Well Depth 22.16' Meas. From TIC
 Length of Water Column 10.49'
 Volume of Water in Well 6.84 gallons
 Intake Depth of Pump/Tubing 16.91' Meas. From TIC

Sample Time 14:20
 Sample ID 78-1
 Duplicate ID _____
 MS/MSD 78-1WS / 78-1WSD
 Split Sample ID _____

Reference Point Identification:

TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? Y (N)

| Required | Analytical Parameters | Collected |
|----------|-------------------------------|-----------|
| (X) | VOCs (Std. list) | (X) |
| () | VOCs (Exp. list) | () |
| (X) | SVOCs | (X) |
| () | PCBs (Total) | () |
| (X) | PCBs (Dissolved) | (X) |
| () | Metals/Inorganics (Total) | () |
| (X) | Metals/Inorganics (Dissolved) | (X) |
| () | EPA Cyanide (Dissolved) | () |
| (X) | PAC Cyanide (Dissolved) | (X) |
| (X) | PCDDs/PCDFs | (X) |
| () | Pesticides/Herbicides | () |
| () | Natural Attenuation | () |
| () | Other (Specify) | () |
| (X) | SULFIDE | (X) |

EVACUATION INFORMATION

Pump Start Time 13:20
 Pump Stop Time 16:20
 Minutes of Pumping 180
 Volume of Water Removed 8.5 gallons
 Did Well Go Dry? Y (N)

Evacuation Method: Bailer () Bladder Pump ()
Peristaltic Pump (X) Submersible Pump () Other/Specify ()
 Pump Type: GEOPUMP
 Samples collected by same method as evacuation? (Y) (N) (specify)

Water Quality Meter Type(s) / Serial Numbers: YSI 556 mPS # 03 M0230AE
HACH 2100P # 46500-00

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH (0.1 units)* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|-------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 13:20 | 150 | Initial | 11.80 | - | - | - | 4 | - | - |
| 13:25 | 180 | 750 | 11.91 | 13.87 | 5.68 | 0.832 | 3 | 4.98 | 305.8 |
| 13:30 | " | 1650 | 11.98 | 13.95 | 6.50 | 0.855 | 3 | 0.70 | 230.8 |
| 13:35 | " | 2550 | 12.01 | 14.07 | 6.52 | 0.857 | 3 | 0.58 | 203.8 |
| 13:40 | " | 3450 | 12.10 | 14.13 | 6.46 | 0.861 | 2 | 0.54 | 183.6 |
| 13:45 | " | 4350 | 12.20 | 14.14 | 6.49 | 0.865 | 2 | 0.22 | 163.2 |
| 13:50 | " | 5250 | 12.30 | 14.18 | 6.49 | 0.869 | 2 | 0.21 | 149.7 |
| 13:55 | " | 6150 | 12.40 | 14.23 | 6.53 | 0.873 | 2 | 0.16 | 137.2 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.
 OBSERVATIONS/SAMPLING METHOD DEVIATIONS Initial purge - clear - no odor. (cc) Light odor.

SAMPLE DESTINATION

Laboratory: SGS
 Delivered Via: UPS
 Airbill #: _____

Field Sampling Coordinator: [Signature]

GROUNDWATER SAMPLING LOG

Well No. 78-1

Site/GMA Name GMA #1
 Sampling Personnel Emc/OA
 Date 10/23/08
 Weather Sunny - High 40s

WELL INFORMATION - See Page 1

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|-------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 14:00 | 180 | 6900 | 12.40 | 14.22 | 6.52 | 0.876 | 2 | 0.15 | 126.2 |
| 14:05 | 180 | 7800 | 12.47 | 14.29 | 6.52 | 0.877 | 2 | 0.14 | 119.8 |
| 14:10 | " | 8700 | 12.61 | 14.27 | 6.52 | 0.880 | 2 | 0.13 | 110.8 |
| 14:13 | " | 9600 | 12.77 | 14.29 | 6.54 | 0.881 | 2 | 0.12 | 105.8 |
| 14:16 | " | 10500 | 12.87 | 14.27 | 6.53 | 0.883 | 2 | 0.13 | 101.1 |
| | SAMPLE | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS Final purge - clear - slight color.

GROUNDWATER SAMPLING LOG

Well No. 78-6
 Key No. N/A
 PID Background (ppm) N/A
 Well Headspace (ppm) N/A

Site/GMA Name GMA 4
 Sampling Personnel K.C. / D.Z.
 Date 10/22/08
 Weather Cloudy 37°F Overcast

WELL INFORMATION

Reference Point Marked? Y (N)
 Height of Reference Point 4" Meas. From BLS
 Well Diameter 4"
 Screen Interval Depth 8.23 Meas. From BLS
 Water Table Depth 8.45 Meas. From TIC
 Well Depth 17.17 Meas. From TTC
 Length of Water Column 9.72
 Volume of Water in Well 5.69 gallons
 Intake Depth of Pump/Tubing 12.8' Meas. From TU

Sample Time 1545
 Sample ID 78-6
 Duplicate ID -
 MSMSD -
 Split Sample ID -

Reference Point Identification:

TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? (Y) N

| Required | Analytical Parameters: | Collected |
|----------|-----------------------------------|-----------|
| (X) | VOCs (Std. list) | (X) |
| () | VOCs (Exp. list) | () |
| (X) | SVOCs | (X) |
| () | PCBs (Total) | () |
| (X) | PCBs (Dissolved) | (X) |
| (X) | Metals/Inorganics (Total) | (X) |
| (X) | Metals/Inorganics (Dissolved) | (X) |
| () | EPA Cyanide (Dissolved) | () |
| (X) | PAC Cyanide (Dissolved) | (X) |
| (X) | PCDDs/PCDFs | (X) |
| () | Pesticides/Herbicides | () |
| () | Natural Attenuation | () |
| (X) | Other (Specify) <u>Sulfide</u> | (X) |

EVACUATION INFORMATION

Pump Start Time 1430
 Pump Stop Time 1625
 Minutes of Pumping 115
 Volume of Water Removed 5.70 gallons
 Did Well Go Dry? Y (N)

Evacuation Method: Bailor () Bladder Pump ()
 Peristaltic Pump (X) Submersible Pump () Other/Specify ()
 Pump Type: Geopump
 Samples collected by same method as evacuation? Y N (specify)

Water Quality Meter Type(s) / Serial Numbers:

YSI 556 MPS (#3), HACH 2100P Turb.

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 1440 | 200 | 0.53 | 8.45 | / | / | / | 82 | / | / |
| 1443 | / | 0.69 | / | / | / | / | 86 | / | / |
| 1446 | / | 0.85 | / | / | / | / | 88 | / | / |
| 1449 | 180 | 1.09 | 9.12 | / | / | / | 74 | / | / |
| 1452 | / | 1.14 | / | / | / | / | 71 | / | / |
| 1455 | / | 1.28 | / | / | / | / | 65 | / | / |
| 1458 | 180 | 1.42 | 9.15 | / | / | / | 67 | / | / |
| 1500 | / | 1.56 | / | / | / | / | 64 | / | / |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

Footbridge: 10/21/08
10/22/08
Slight odor & Cloudy

SAMPLE DESTINATION

Laboratory: JGS
 Delivered Via: UPS
 Airbill #: -

Field Sampling Coordinator: [Signature]

GROUNDWATER SAMPLING LOG

Well No. 76-6

Site/GMA Name GMA-4
 Sampling Personnel D.E. / K.C.
 Date 10/22/09
 Weather Cold 37°F overcast

WELL INFORMATION - See Page 1

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|-----------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 1504 | / | 1.70 | 9.17 | / | / | / | 56 | / | / |
| 1507 | / | 1.85 | / | / | / | / | 57 | / | / |
| 1510 | / | 1.99 | / | / | / | / | 49 | / | / |
| 1515 | 210 | 2.27 | 9.18 | 14.25 | 6.96 | 2.128 | 45 | 1.02 | -61.2 |
| 1520 | / | 2.54 | / | 13.91 | 6.87 | 2.130 | 39 | 0.34 | -76.3 |
| 1525 | / | 2.82 | 9.19 | 13.96 | 6.85 | 2.092 | 41 | 0.26 | -85.4 |
| 1530 | / | 3.10 | / | 14.04 | 6.85 | 2.070 | 36 | 0.22 | -85.4 |
| 1533 | / | 3.27 | 9.19 | 13.95 | 6.85 | 2.068 | 36 | 0.34 | -82.3 |
| 1536 | 180 | 3.41 | / | 13.91 | 6.86 | 2.056 | 33 | 0.25 | -78.0 |
| 1539 | / | 3.56 | / | 13.88 | 6.84 | 2.026 | 28 | 0.17 | -54.8 |
| 1542 | / | 3.70 | 9.20 | 13.97 | 6.82 | 2.016 | 28 | 0.18 | -48.0 |
| 1545 | / | 3.84 | / | 13.97 | 6.83 | 2.010 | 28 | 0.18 | -50.0 |
| Sampled @ | | | 1545 | | | | | | |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

GROUNDWATER SAMPLING LOG

Well No. GMF4-2
 Key No. _____
 PID Background (ppm) 0
 Well Headspace (ppm) 0

Site/GMA Name GMF4
 Sampling Personnel gmc
 Date 10/22/08
 Weather 42-

WELL INFORMATION

Reference Point Marked? (Y) N
 Height of Reference Point -3' Meas. From GROUND
 Well Diameter 3" Meas. From TIC
 Screen Interval Depth 9.59-14.59 Meas. From TIC
 Water Table Depth 13.41 Meas. From TIC
 Well Depth 19.40 Meas. From TIC
 Length of Water Column 5.99
 Volume of Water in Well 0.98 gallon
 Intake Depth of Pump/Tubing 16.40 Meas. From TIC

Sample Time 13:05
 Sample ID GMF4-2
 Duplicate ID _____
 MS/MSD _____
 Split Sample ID _____

Reference Point Identification:

TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? (Y) (N)

| Required | Analytical Parameters: | Collected |
|----------|-------------------------------|-----------|
| () | VOCs (Std. list) | () |
| () | VOCs (Exp. list) | () |
| () | SVOCs | () |
| () | PCBs (Total) | () |
| (X) | PCBs (Dissolved) | (X) |
| () | Metals/Inorganics (Total) | () |
| () | Metals/Inorganics (Dissolved) | () |
| () | EPA Cyanide (Dissolved) | () |
| () | PAC Cyanide (Dissolved) | () |
| () | PCDDs/PCDFs | () |
| () | Pesticides/Herbicides | () |
| () | Natural Attenuation | () |
| () | Other (Specify) | () |

EVACUATION INFORMATION

Pump Start Time 11:30
 Pump Stop Time 13:10
 Minutes of Pumping 100
 Volume of Water Removed 5.2 gallons
 Did Well Go Dry? (Y) (N)

Evacuation Method: Bailer () Bladder Pump (X)
 Peristaltic Pump () Submersible Pump () Other/Specify ()
 Pump Type: Mauschalk-System One
 Samples collected by same method as evacuation? (Y) (N) (specify)

Water Quality Meter Type(s) / Serial Numbers: YSE556 WWS # 03C0392 AE
ACIT 2100 P # 46500-00

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|-------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 11:30 | 150 | 2250 | 14.05 | 10.99 | 7.62 | 1.954 | 42 | 11.26 | -158.8 |
| 11:35 | 125 | 750 | 14.15 | 9.71 | 7.81 | 2.084 | 46 | 11.40 | -124.8 |
| 11:40 | 125 | 1375 | 14.10 | 9.78 | 7.71 | 2.110 | 32 | 10.50 | -154.2 |
| 11:45 | " | 2000 | 14.32 | 10.04 | 7.67 | 2.118 | 47 | 10.03 | -169.9 |
| 11:50 | " | 2625 | 14.25 | 9.91 | 7.67 | 2.150 | 43 | 10.36 | -174.2 |
| 11:55 | 6 | 3250 | 14.25 | 9.60 | 7.74 | 2.099 | 40 | 11.11 | -138.5 |
| 12:00 | " | 3875 | " | 9.61 | 7.73 | 2.113 | 38 | 11.08 | -149.7 |
| 12:05 | " | 4500 | " | 9.40 | 7.66 | 2.121 | 37 | 11.08 | -151.7 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS Initial purge - turned, no odor

SAMPLE DESTINATION

Laboratory: JGS
 Delivered Via: UPS
 Airbill #: _____

Field Sampling Coordinator: [Signature]

GROUNDWATER SAMPLING LOG

Well No. C-214-2

Site/GMA Name Camp 4
Sampling Personnel SMC
Date 10/22/08
Weather Overcast, mid 50s

WELL INFORMATION - See Page 1

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|--------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 12:10 | 125 | 5125 | 14.25 | 9.14 | 7.63 | 2.125 | 38 | 11.10 | -152.1 |
| 12:15 | " | 5700 | 14.25 | 9.07 | 7.63 | 2.124 | 36 | 11.07 | -152.9 |
| 12:20 | " | 6375 | 14.25 | 9.03 | 7.64 | 2.135 | 32 | 11.10 | -153.0 |
| 12:25 | " | 7000 | 14.25 | 8.72 | 7.64 | 2.160 | 27 | 11.18 | -166.1 |
| 12:30 | " | 7625 | " | 8.73 | 7.65 | 2.161 | 26 | 10.84 | -170.6 |
| 12:35 | " | 8250 | " | 8.66 | 7.65 | 2.154 | 24 | 10.86 | -172.3 |
| 12:40 | " | 8875 | " | 8.75 | 7.67 | 2.135 | 25 | 10.17 | -172.2 |
| 12:45 | 100 | 9500 | 14.05 | 11.55 | 7.68 | 2.123 | 27 | 9.83 | -170.3 |
| 12:50 | " | 10000 | " | 11.80 | 7.70 | 2.047 | 28 | 9.48 | -169.3 |
| 12:55 | " | 10500 | " | 11.61 | 7.71 | 2.086 | 24 | 9.22 | -176.3 |
| 13:00 | " | 11000 | " | 11.54 | 7.71 | 2.100 | 24 | 8.67 | -171.3 |
| SAMPLE | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS _____

GROUNDWATER SAMPLING LOG

Well No. GMA4-3
 Key No. _____
 PID Background (ppm) 0
 Well Headspace (ppm) 0

Site/GMA Name GMA4
 Sampling Personnel DRA
 Date 10/22/03
 Weather Sunny 35°

WELL INFORMATION

Reference Point Marked? Y N
 Height of Reference Point _____ Meas. From _____
 Well Diameter 2"
 Screen Interval Depth 16.09-26.0 Meas. From Ground
 Water Table Depth 18.16 Meas. From TIC
 Well Depth 26.20 Meas. From TIC
 Length of Water Column 8.04
 Volume of Water in Well 1.37 gallons
 Intake Depth of Pump/Tubing 22' Meas. From TIC

Sample Time GMA4-3 12:30
 Sample ID GMA4-3
 Duplicate ID _____
 MSMSD _____
 Split Sample ID _____

Reference Point Identification:

TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? Y (N)

| Required | Analytical Parameters: | Collected |
|----------|-------------------------------|-----------|
| () | VOCs (Std. list) | () |
| () | VOCs (Exp. list) | () |
| () | SVOCs | () |
| () | PCBs (Total) | () |
| () | PCBs (Dissolved) | () |
| () | Metals/Inorganics (Total) | () |
| () | Metals/Inorganics (Dissolved) | () |
| () | EPA Cyanide (Dissolved) | () |
| () | PAC Cyanide (Dissolved) | () |
| () | PCDDs/PCDFs | () |
| () | Pesticides/Herbicides | () |
| () | Natural Attenuation | () |
| () | Other (Specify) | () |

EVACUATION INFORMATION

Pump Start Time 10:40
 Pump Stop Time 12:40
 Minutes of Pumping 80
 Volume of Water Removed 2.75 gallons
 Did Well Go Dry? Y (N)

Evacuation Method: Bailer () Bladder Pump ()
 Peristaltic Pump () Submersible Pump () Other/Specify ()
 Pump Type: Mars Chalk System One
 Samples collected by same method as evacuation? N (specify)

Water Quality Meter Type(s) / Serial Numbers: YSI 556 MPS #4, Hach 2100P

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|-------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 10:40 | 100 mL | - | 18.16 | - | - | - | 20 | - | - |
| 10:45 | 150 mL | 0.20 | 18.16 | - | - | - | - | - | - |
| 10:50 | 150 mL | 0.40 | 18.16 | 10.06 | 7.19 | 0.525 | 26 | 5.95 | 154.9 |
| 10:55 | 125 mL | 0.57 | 18.16 | 10.26 | 7.23 | 0.533 | 26 | 5.95 | 148.5 |
| 11:00 | 125 mL | 0.74 | 18.16 | 10.26 | 7.23 | 0.539 | 25 | 5.88 | 142.3 |
| 11:05 | 100 mL | 0.87 | 18.16 | 10.12 | 7.29 | 0.540 | 46 | 5.76 | 137.3 |
| 11:10 | 100 mL | 1.00 | 18.16 | 9.61 | 7.26 | 0.540 | 56 | 5.99 | 134.8 |
| 11:15 | 100 mL | 1.14 | 18.16 | 8.78 | 7.25 | 0.541 | 52 | 6.03 | 131.9 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.
 OBSERVATIONS/SAMPLING METHOD DEVIATIONS Initial pump slightly turbid, no odor.

SAMPLE DESTINATION

Laboratory: JGS
 Delivered Via: UPS
 Airbill #: _____

Field Sampling Coordinator: [Signature]

GROUNDWATER SAMPLING LOG

Well No. GMAH-3

Site/GMA Name GMAH
 Sampling Personnel ORA
 Date 10/22/08
 Weather Sunny, 35°

WELL INFORMATION - See Page 1

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|-------|---|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 11:20 | 100 mL | 1.27 | 18.16 | 8.88 | 7.26 | 0.539 | 50 | 5.85 | 127.9 |
| 11:25 | 75 mL | 1.37 | 18.16 | 8.58 | 7.27 | 0.540 | 49 | 6.03 | 123.5 |
| 11:30 | 75 mL | 1.47 | 18.16 | 7.98 | 7.25 | 0.539 | 45 | 6.02 | 121.6 |
| 11:35 | 75 mL | 1.57 | 18.16 | 7.50 | 7.24 | 0.539 | 49 | 6.24 | 120.7 |
| 11:40 | 75 mL | 1.67 | 18.16 | 6.91 | 7.24 | 0.539 | 49 | 6.35 | 117.4 |
| 11:45 | FLOW THROUGH CELL CLEARED ONE TO TURBIDITY READINGS | | | | | | | | 78 |
| 11:55 | 75 mL | 1.86 | 18.16 | 6.67 | 7.26 | 0.538 | 47 | 6.08 | 119.0 |
| 12:00 | 75 mL | 1.96 | 18.16 | 6.51 | 7.26 | 0.538 | 46 | 6.06 | 116.5 |
| 12:05 | 75 mL | 2.06 | 18.16 | 6.40 | 7.23 | 0.539 | 39 | 6.21 | 118.3 |
| 12:10 | 75 mL | 2.16 | 18.16 | 6.45 | 7.23 | 0.538 | 35 | 5.95 | 118.1 |
| 12:15 | 75 mL | 2.26 | 18.16 | 6.41 | 7.23 | 0.537 | 27 | 6.01 | 117.8 |
| 12:18 | 75 mL | 2.32 | 18.16 | 6.50 | 7.23 | 0.539 | 25 | 5.99 | 116.9 |
| 12:21 | 75 mL | 2.38 | 18.16 | 6.43 | 7.25 | 0.537 | 19 | 5.98 | 117.2 |
| 12:24 | 75 mL | 2.44 | 18.16 | 6.60 | 7.28 | 0.538 | 20 | 5.93 | 116.5 |
| 12:27 | 75 mL | 2.50 | 18.16 | 6.59 | 7.27 | 0.538 | 19 | 5.98 | 116.2 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

GROUNDWATER SAMPLING LOG

Well No. GMA4-C
 Key No. -
 PID Background (ppm) 0
 Well Headspace (ppm) 0

Site/GMA Name GMA4
 Sampling Personnel EMC/D.A.
 Date 10/23/08
 Weather Sunny - 40°

WELL INFORMATION

Reference Point Marked? (Y) N
 Height of Reference Point -5" Meas. From Gravel
 Well Diameter 2"
 Screen Interval Depth 3-13' Meas. From TIC
 Water Table Depth 9.69' Meas. From TIC
 Well Depth 12.45' Meas. From TIC
 Length of Water Column 2.77'
 Volume of Water in Well 0.45'
 Intake Depth of Pump/Tubing 11.06' Meas. From TIC

Sample Time 11:20
 Sample ID GMA4-C
 Duplicate ID _____
 MSMSD _____
 Split Sample ID _____

Reference Point Identification:

TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? Y (N)

| Required | Analytical Parameters: | Collected |
|----------|-------------------------------|-----------|
| (X) | VOCs (Std. list) | (X) |
| () | VOCs (Exp. list) | () |
| (X) | SVOCs | (X) |
| () | PCBs (Total) | () |
| (X) | PCBs (Dissolved) | (X) |
| () | Metals/Inorganics (Total) | () |
| (X) | Metals/Inorganics (Dissolved) | (X) |
| () | EPA Cyanide (Dissolved) | () |
| (X) | PAC Cyanide (Dissolved) | (X) |
| (X) | PCDDs/PCDFs | (X) |
| () | Pesticides/Herbicides | () |
| () | Natural Attenuation | () |
| () | Other (Specify) | () |
| (X) | SULFIDE | (X) |

EVACUATION INFORMATION

Pump Start Time 10:30
 Pump Stop Time 12:05
 Minutes of Pumping 95
 Volume of Water Removed 3.75 gal
 Did Well Go Dry? Y (N)

Evacuation Method: Bailer () Bladder Pump ()
Peristaltic Pump (X) Submersible Pump () Other/Specify (X)
 Pump Type: GEORUM
 Samples collected by same method as evacuation? (Y) N (specify)

Water Quality Meter Type(s) / Serial Numbers: YSE 556 MPS # 03M0230 AC
HACH 2100 P A 40500-00

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|-------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 10:30 | 150 | 976 | 9.76 | - | - | - | 13 | - | - |
| 10:35 | " | 750 | 9.78 | 12.85 | 6.76 | 1.216 | 7 | 3.71 | 105.0 |
| 10:40 | " | 1500 | 9.79 | 13.03 | 6.73 | 1.228 | 5 | 0.51 | 99.2 |
| 10:45 | " | 2250 | 9.79 | 13.12 | 6.71 | 1.234 | 3 | 0.29 | 95.1 |
| 10:50 | " | 3000 | 9.79 | 13.33 | 6.76 | 1.233 | 3 | 0.23 | 90.5 |
| 10:55 | " | 3750 | 9.79 | 13.39 | 6.75 | 1.235 | 2 | 0.19 | 87.6 |
| 11:00 | " | 4500 | 9.79 | 13.42 | 6.62 | 1.234 | 2 | 0.16 | 84.7 |
| 11:05 | " | 5250 | 9.79 | 13.44 | 6.75 | 1.234 | 2 | 0.16 | 83.1 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS Initial pipe - clear, no odor.

SAMPLE DESTINATION

Laboratory: SGJ
 Delivered Via: UPS
 Airbill #: _____

Field Sampling Coordinator: [Signature]

GROUNDWATER SAMPLING LOG

Well No. GMA4-C

Site/GMA Name GMA4
 Sampling Personnel EMC/OA
 Date 10/23/08
 Weather Sunny - MID 40's

WELL INFORMATION - See Page 1

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH (0.1 units)* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|-------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 11:10 | 150 | 6000 | 9.79 | 13.46 | 6.74 | 1.240 | 2 | 0.16 | 81.8 |
| 11:15 | 150 | 6750 | 9.79 | 13.48 | 6.75 | 1.240 | 2 | 0.14 | 80.1 |
| | SAMPLE | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS Final purge - clear, no color

GROUNDWATER SAMPLING LOG

Well No. H7BB-15
 Key No. -
 PID Background (ppm) 0
 Well Headspace (ppm) 0

Site/GMA Name GMA4 GE Pitfield
 Sampling Personnel ELC/DAZ
 Date 10/23/08
 Weather Sunny High 30's

WELL INFORMATION

Reference Point Marked? Y N
 Height of Reference Point 5' Mess. From TIU
 Well Diameter 0.75"
 Screen Interval Depth 1-16 Mess. From Ground
 Water Table Depth 15.75 Mess. From TIU
 Well Depth 18.20 Mess. From TIU
 Length of Water Column 2.45
 Volume of Water in Well 0.06 gallon
 Intake Depth of Pump/Tubing 17.0 Mess. From TIU

Sample Time 1130
 Sample ID H7BB-15
 Duplicate ID -
 MS/MSD -
 Split Sample ID -

Reference Point Identification:

TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? Y N

| Required | Analytical Parameters: | Collected |
|----------|--------------------------------|-----------|
| (X) | VOCs (Std. list) | (X) |
| () | VOCs (Exp. list) | () |
| (X) | SVOCs | (X) |
| () | PCBs (Total) | () |
| (X) | PCBs (Dissolved) | (X) |
| () | Metals/Inorganics (Total) | () |
| (X) | Metals/Inorganics (Dissolved) | (X) |
| () | EPA Cyanide (Dissolved) | (X) |
| (X) | PAC Cyanide (Dissolved) | (X) |
| (X) | PCDDs/PCDFs | (X) |
| () | Pesticides/Herbicides | () |
| () | Natural Attenuation | () |
| (X) | Other (Specify) <u>Sulfide</u> | (X) |

EVACUATION INFORMATION

Pump Start Time 1025
 Pump Stop Time 1240
 Minutes of Pumping 135
 Volume of Water Removed 3.60 gallons
 Did Well Go Dry? Y N

Evacuation Method: Bailer () Bladder Pump ()
Peristaltic Pump (X) Submersible Pump () Other/Specify ()
 Pump Type: Geo Pump 2
 Samples collected by same method as evacuation? Y N (specify)

Water Quality Meter Type(s) / Serial Numbers: YSI-556 MPJ Hach 2100P Turbidimeter

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 1030 | 110 | 0.15 | 15.75 | - | - | - | 36 | - | - |
| 1040 | | 0.44 | - | 10.94 | 6.61 | 1.641 | | 5.52 | 14.0 |
| 1050 | | 0.73 | - | 11.63 | 6.61 | 1.603 | (6) | 6.37 | 0.1 |
| 1055 | | 0.88 | - | 11.62 | 6.53 | 1.603 | (4) | 5.63 | -4.1 |
| 1100 | 100 | 1.01 | - | 11.73 | 6.51 | 1.603 | 3 | 5.17 | -9.8 |
| 1105 | | 1.19 | - | 12.25 | 6.50 | 1.599 | 3 | 5.00 | -13.1 |
| 1110 | | 1.28 | - | 12.54 | 6.50 | 1.598 | 5 | 4.92 | -14.4 |
| 1115 | | 1.41 | - | 12.75 | 6.45 | 1.603 | 4 | 4.96 | -17.3 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

* Connected flow through cell @ 1030. First Reading @ 1040, Re-fitted flowthrough cell due to leaking @ 1041 first sample after @ 1050

SAMPLE DESTINATION

Laboratory: SGJ
 Delivered Via: UPS
 Airbill #: -

Field Sampling Coordinator: [Signature]

GROUNDWATER SAMPLING LOG

Well No. #76B-15

Site/GMA Name GMA-4
 Sampling Personnel D. Zuck
 Date 10/23/06
 Weather Cld 57°

WELL INFORMATION - See Page 1

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|------|-----------------------|--------------------------|-------------------------|-----------------------------|--------------------|-------------------------------|---------------------------------------|------------------------------------|-------------------------|
| 1118 | 100 | 1.49 | - | 12.90 | 6.45 | 1.663 | 4 | 4.91 | -16.9 |
| 1121 | 100 | 1.57 | - | 13.42 | 6.44 | 1.663 | 5 | 4.93 | -18.2 |
| 1124 | 100 | 1.65 | - | 13.79 | 6.47 | 1.666 | 5 | 4.87 4.87 | -18.1 |
| 1127 | 100 | 1.73 | - | 13.53 | 6.53 | 1.681 | 5 | 4.84 | -21.0 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

GROUNDWATER SAMPLING LOG

Well No. OPCA-MW-1R2
 Key No. -
 PID Background (ppm) 0
 Well Headspace (ppm) 0

Site/GMA Name GMAT GG Pittsfield
 Sampling Personnel KIC, DAZ
 Date 10/30/08
 Weather high 30's sunny

WELL INFORMATION

Reference Point Marked? Y N
 Height of Reference Point _____ Meas. From _____
 Well Diameter 2"
 Screen Interval Depth 18-28 Meas. From Ground
 Water Table Depth 18.32 Meas. From TIC
 Well Depth 28.04 Meas. From TIC
 Length of Water Column 9.77'
 Volume of Water in Well 1.59 gallons
 Intake Depth of Pump/Tubing 23' Meas. From TIC

Sample Time 15:25
 Sample ID OPCA-MW-1RR
 Duplicate ID _____
 MSMSD _____
 Split Sample ID _____

Reference Point Identification:

TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? Y N

| Required | Analytical Parameters: | Collected |
|----------|-----------------------------------|-----------|
| (X) | VOCs (Std. list) | (X) |
| () | VOCs (Exp. list) | () |
| (X) | SVOCs | (X) |
| () | PCBs (Total) | () |
| (X) | PCBs (Dissolved) | (X) |
| (X) | Metals/Inorganics (Total) | () |
| (X) | Metals/Inorganics (Dissolved) | (X) |
| () | EPA Cyanide (Dissolved) | () |
| (X) | PAC Cyanide (Dissolved) | (X) |
| (X) | PCDDs/PCDFs | () |
| () | Pesticides/Herbicides | () |
| () | Natural Attenuation | () |
| (X) | Other (Specify) <u>Sulfide</u> | (X) |

EVACUATION INFORMATION

Pump Start Time 1415
 Pump Stop Time 15:50
 Minutes of Pumping 95
 Volume of Water Removed 8.09 gallons
 Did Well Go Dry? Y (N)

Evacuation Method: Bailer () Bladder Pump ()
Peristaltic Pump (X) Submersible Pump () Other/Specify ()
 Pump Type: Geo Pump 2
 Samples collected by same method as evacuation? (Y) N (specify)

Water Quality Meter Type(s) / Serial Numbers: VSI-556 MP3 Hawk 2100P Turbidimeter

| Time | Pump Rate (L/min) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|------|-------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 1418 | 320 | 0.25 | 18.36 | - | - | - | 153 | - | - |
| 1420 | 320 | 0.42 | 18.39 | - | - | - | 104 | - | - |
| 1425 | 320 | 0.85 | 18.64 | 14.91 | 7.79 | 1.428 | 33 | 0.59 | -66.5 |
| 1430 | 500 | 1.27 | 18.75 | 14.70 | 7.63 | 1.437 | 22 | 0.49 | -65.9 |
| 1435 | 500 | 1.69 | 18.90 | 14.63 | 7.48 | 1.436 | 16 | 0.58 | -62.4 |
| 1440 | 500 | 2.12 | 18.97 | 14.77 | 7.56 | 1.443 | 12 | 0.68 | -69.1 |
| 1445 | 500 | 2.54 | 18.99 | 14.62 | 7.46 | 1.445 | 14 | 0.65 | -64.8 |
| 1450 | 500 | 2.96 | 19.09 | 14.64 | 7.44 | 1.446 | 13 | 0.62 | -62.3 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

(plugging all) Solid bottom, initial purge clear, no odor.
1420 unhooked VSI to clean out sediment, 1425 hooked up VSI and flow through cell.

SAMPLE DESTINATION

Laboratory: SGS
 Delivered Via: UPS
 Airbill #: _____

Field Sampling Coordinator: [Signature]

GROUNDWATER SAMPLING LOG

Well No. OPCA-MW-1RR

Site/GMA Name GMA-4

Sampling Personnel D. Fink / K. Cornwell

Date 10/20/05

Weather Sunny 50°

WELL INFORMATION - See Page 1

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 1455 | 320 | 3.38 | 19.15 | 14.57 | 7.43 | 1.450 | 9 | 0.57 | -56.9 |
| 1500 | 320 | 3.81 | 19.17 | 14.51 | 7.41 | 1.452 | 7 | 0.51 | -58.9 |
| 1505 | ↓ | 4.23 | 19.23 | 14.54 | 7.58 | 1.438 | 8 | 0.43 | -82.4 |
| 1510 | ↓ | 4.65 | 19.27 | 14.58 | 7.54 | 1.437 | 8 | 0.43 | -70.3 |
| 1515 | ↓ | 5.07 | 19.29 | 14.52 | 7.44 | 1.437 | 8 | 0.40 | -64.0 |
| 1520 | ↓ | 5.50 | 19.32 | 14.56 | 7.44 | 1.436 | 7 | 0.38 | -63.3 |
| 1525 | → Sampled ← | | | | | | | | |
| kic | | | | | | | | | |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS _____

GROUNDWATER SAMPLING LOG

Well No. OPCA-MW-2
 Key No. _____
 PID Background (ppm) _____
 Well Headspace (ppm) _____

Site/CMA Name AMAF Ge. PHS Reid
 Sampling Personnel KIC/DAZ
 Date 10/20/08
 Weather 50's, sunny

WELL INFORMATION

Reference Point Marked? Y N
 Height of Reference Point 2.5' Meas. From BLS
 Well Diameter 2"
 Screen Interval Depth 25.710' Meas. From BLS
 Water Table Depth 23.47' Meas. From TIC
 Well Depth 27.15' Meas. From TIC
 Length of Water Column 3.68' x .16'
 Volume of Water in Well 0.60 gallons
 Intake Depth of Pump/Tubing 25.5' Meas. From TIC

Sample Time 1755 (10/20) @ 10/2
 Sample ID OPCA-MW-2-R
 Duplicate ID _____
 MSMSD _____
 Split Sample ID _____

Reference Point Identification:

TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? Y N

| Required | Analytical Parameters: | Collected |
|----------|------------------------------------|-----------|
| (X) | VOCs (Std. list) | (X) 10/20 |
| () | VOCs (Exp. list) | () |
| (X) | SVOCs | (X) 10/21 |
| () | PCBs (Total) | () |
| (X) | PCBs (Dissolved) | (X) 10/21 |
| () | Metals/Inorganics (Total) | () |
| (X) | Metals/Inorganics (Dissolved) | (X) 10/20 |
| () | EPA Cyanide (Dissolved) | () |
| (X) | PAC Cyanide (Dissolved) | (X) 10/20 |
| (X) | PCDDs/PCDFs | (X) 10/21 |
| () | Pesticides/Herbicides | () |
| () | Natural Attenuation | () |
| (X) | Other (Specify) <u>Sulphide</u> | (X) 10/20 |

EVACUATION INFORMATION

Pump Start Time 1605
 Pump Stop Time _____
 Minutes of Pumping 145
 Volume of Water Removed 6.60 gallons
 Did Well Go Dry? Y (N)

Evacuation Method: Bailer () Bladder Pump ()
 Peristaltic Pump (X) Submersible Pump () Other/Specify ()
 Pump Type: Geo Pump 2
 Samples collected by same method as evacuation? (Y) N (specify)

Water Quality Meter Type(s) / Serial Numbers: YSI 556 MPS / HACH 2100P

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 1608 | 220 | 0.17 | 23.78 | - | - | - | 85 | - | - |
| 1610 | | 0.29 | 24.16 | - | - | - | 62 | - | - |
| 1615 | | 0.58 | 24.31 | - | - | - | 47 | - | - |
| 1620 | | 0.87 | 24.45 | 13.06 | 7.00 | 1.142 | 16 | 0.99 | -22.1 |
| 1625 | | 1.16 | 24.68 | 13.01 | 7.01 | 1.151 | 15 | 0.92 | -37.8 |
| 1630 | | 1.45 | 24.87 | 12.96 | 6.87 | 1.162 | 12 | 1.07 | -39.1 |
| 1635 | | 1.74 | 25.02 | 12.94 | 6.99 | 1.200 | 13 | 1.09 | -36.6 |
| 1640 | 200 | 2.00 | 25.23 | 12.94 | 7.04 | 1.333 | 19 | 0.77 | -64.8 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

* Hooked up flow through cell
 1640, lowered the tubing etc

SAMPLE DESTINATION

Laboratory: SGS
 Delivered Via: UPS
 Airbill #: _____

Field Sampling Coordinator: [Signature]

GROUNDWATER SAMPLING LOG

Well No. OPCA-MW-2R

Site/GMA Name GMA-4
 Sampling Personnel D. Zym/K. Cornwell
 Date 10/20/08
 Weather P/C - 45°F

WELL INFORMATION - See Page 1

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|----------------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 1645 | 200 | 2.26 | 25.34 | 13.05 | 7.07 | 1.314 | 13 | 0.82 | -55.0 |
| 1650 | - | ~2.53 | 25.46 | 12.90 | 7.03 | 1.315 | 13 | 0.75 | -45.5 |
| 1655 | | 2.90 | 25.61 | 12.81 | 7.04 | 1.333 | 15 | 0.61 | -46.2 |
| 1658 | 200 | 2.96 | 25.70 | 12.60 | 7.06 | 1.339 | 16 | 0.56 | -47.4 |
| 1701 | - | 3.12 | 25.61 | 12.80 | 7.06 | 1.346 | 29 | 0.51 | -51.1 |
| 1704 | - | 3.28 | 25.91 | 12.77 | 7.06 | 1.358 | 33 | 0.50 | -51.9 |
| 1707 | 200 | 3.43 | 25.95 | 12.78 | 7.07 | 1.367 | 29 | 0.52 | -56.4 |
| 1710 | - | 3.59 | 26.00 | 12.68 | 7.04 | 1.376 | 41 | 0.44 | -57.0 |
| 1713 | - | 3.75 | 26.08 | 12.60 | 7.02 | 1.383 | 55 | 0.41 | -66.1 |
| 1716 | 100 | 3.83 | 26.21 | 12.53 | 7.02 | 1.390 | 71 | 0.37 | -68.4 |
| 1729 | | 4.12 | 26.31 | 12.51 | 6.84 | 1.429 | 39 | 0.64 | -67.8 |
| 1732 | | 4.20 | 26.30 | 12.46 | 6.83 | 1.428 | 20 | 0.58 | -68.2 |
| 1735 | | 4.28 | 26.25 | 12.46 | 6.84 | 1.426 | 14 | 0.60 | -67.3 |
| 1738 | | 4.36 | 26.27 | 12.36 | 6.83 | 1.424 | 14 | 0.55 | -66.6 |
| 1741 | | 4.44 | 26.24 | 12.30 | 6.84 | 1.421 | 16 | 0.55 | -63.0 |
| 1744 | | 4.52 | 26.22 | 12.25 | 6.83 | 1.423 | 14 | 0.51 | -65.7 |
| 1747 | | 4.60 | 26.21 | 12.21 | 6.83 | 1.422 | 9 | 0.51 | -65.3 |
| 1750 | | 4.67 | 26.20 | 12.18 | 6.82 | 1.421 | 8 | 0.55 | -64.8 |
| 1753 | | 4.75 | 26.19 | 12.18 | 6.82 | 1.421 | 9 | 0.52 | -64.0 |
| 1755 | | | | | | | | | |
| → Sampled FLOC | | | | | | | | | |
| (FLOC) | | | | | | | | | |
| 1410 | 200 | | | 15.71 | 7.00 | 1.431 | 3 | 2.76 | -34.5 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

* Flow through cell emptied out, then re-filled after flow rate change.

10/21/08

+ SVOCs
 * Sampled PCBs/PCDDs/PCDFs @ 10/21/08 @ 1345

GROUNDWATER SAMPLING LOG

Well No. OPCA-MW-3
 Key No. -
 PID Background (ppm) 0
 Well Headspace (ppm) 0

SMA/GMA Name OPCA
 Sampling Personnel GMC/DA
 Date 10/22/08
 Weather Cloudy - Low 50's

WELL INFORMATION

Reference Point Marked? (Y) N
 Height of Reference Point -5.5" Meas. From Caprim
 Well Diameter 2"
 Screen Interval Depth 18-28 Meas. From TIC
 Water Table Depth 20.70 Meas. From TIC
 Well Depth 27.33 Meas. From TIC
 Length of Water Column 6.63
 Volume of Water in Well 1.48
 Intake Depth of Pump/Tubing 24.91 Meas. From TIC

Sample Time 15:10
 Sample ID OPCA-MW-3
 Duplicate ID -
 MSMSD -
 Split Sample ID -

Reference Point Identification:

TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? Y (N)

| Required | Analytical Parameters: | Collected |
|----------|-------------------------------|-----------|
| (X) | VOCs (Std. list) | (X) |
| () | VOCs (Exp. list) | () |
| (X) | SVOCs | (X) |
| () | PCBs (Total) | () |
| (X) | PCBs (Dissolved) | (X) |
| () | Metals/Inorganics (Total) | () |
| (X) | Metals/Inorganics (Dissolved) | (X) |
| () | EPA Cyanide (Dissolved) | () |
| (X) | PAC Cyanide (Dissolved) | (X) |
| (X) | PCDDs/PCDFs | (X) |
| () | Pesticides/Herbicides | () |
| () | Natural Attenuation | () |
| () | Other (Specify) | () |
| (X) | SULFIDE | (X) |

EVACUATION INFORMATION

Pump Start Time 14:30
 Pump Stop Time 15:09/16:40
 Minutes of Pumping 37/130
 Volume of Water Removed 240 ~~300~~ 3.0 gallons
 Did Well Go Dry? Y (N)

Evacuation Method: Bailer () Bladder Pump (X)
 Peristaltic Pump () Submersible Pump () Other/Specify ()
 Pump Type: Marschall - System One
 Samples collected by same method as evacuation? (Y) N (specify)

Water Quality Meter Type(s) / Serial Numbers: VSI MAPS 556 # 03MC 230 AC
HACH 2100P 4650-00

| Time | Pump Rate (L/min) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|-------|-------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 14:30 | 125 | IBINAL | 20.75 | - | - | - | 39 | - | - |
| 14:35 | 125 | 625 | 20.83 | - | - | - | 44 | - | - |
| 14:40 | 125 | 1250 | 20.98 | - | - | - | 25 | - | - |
| 14:45 | 75 | 1875 | 21.05 | 10.93 | 6.57 | 0.645 | 19 | 3.81 | 114.6 |
| 14:50 | 75 | 2250 | 21.12 | 11.08 | 6.54 | 0.650 | 12 | 0.84 | 115.9 |
| 14:55 | 75 | 2625 | 21.20 | 11.23 | 6.52 | 0.646 | 8 | 0.65 | 114.4 |
| 14:58 | 75 | 3000 | 21.21 | 11.39 | 6.52 | 0.639 | 6 | 0.61 | 111.4 |
| 15:01 | 75 | 3375 | 21.26 | 11.48 | 6.54 | 0.632 | 5 | 0.52 | 109.2 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

Initial purge - no odor

SAMPLE DESTINATION

Laboratory: SGS
 Delivered Via: UPS
 Airbill #: -

Field Sampling Coordinator: [Signature]

GROUNDWATER SAMPLING LOG

Well No. OPCA - MW-3

Site/GMA Name OPCA
Sampling Personnel EMC/DT
Date 10/22/08
Weather overcast Low 50

WELL INFORMATION - See Page 1

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|-------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 15:04 | 75 | 3750 | 21.29 | 11.58 | 6.54 | 0.625 | 4 | 0.55 | 106.6 |
| 15:07 | 75 | 4125 | 21.32 | 11.57 | 6.53 | 0.612 | 4 | 0.51 | 105.0 |
| | SAMPLE | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS Final page - no color.

GROUNDWATER SAMPLING LOG

Well No. GMA4- OPCA-MW-4
 Key No. -
 PID Background (ppm) 0
 Well Headspace (ppm) 0

Site/GMA Name GMA4
 Sampling Personnel Emc/DAT
 Date 10/20/08
 Weather Sunny - 58°

WELL INFORMATION

Reference Point Marked? (Y) N
 Height of Reference Point -7" Meas. From GROUND
 Well Diameter 2"
 Screen Interval Depth 12-22 Meas. From TIC
 Water Table Depth 12.63 Meas. From TIC
 Well Depth 25.58 Meas. From TIC
 Length of Water Column 12.75
 Volume of Water in Well 2.089 gallons
 Intake Depth of Pump/Tubing 19.0 Meas. From TIC

Sample Time 15:15
 Sample ID OPCA-MW-4
 Duplicate ID N/A
 MS/MSD OPCA-MW-4/PCA #6445
 Split Sample ID -

Reference Point Identification:

TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? (Y) N

| Required | Analytical Parameters: | Collected |
|----------|-------------------------------|-----------------|
| (X) | VOCs (Std. list) | (X) |
| () | VOCs (Exp. list) | () |
| (X) | SVOCs | (X) |
| (X) | PCBs (Total) | (X) <u>(EC)</u> |
| (X) | PCBs (Dissolved) | (X) |
| () | Metals/Inorganics (Total) | () |
| (X) | Metals/Inorganics (Dissolved) | (X) |
| () | EPA Cyanide (Dissolved) | () |
| (X) | PAC Cyanide (Dissolved) | (X) |
| (X) | PCDDs/PCDFs | (X) |
| () | Pesticides/Herbicides | () |
| () | Natural Attenuation | () |
| () | Other (Specify) | () |
| (X) | SULFIDE | (X) |

EVACUATION INFORMATION

Pump Start Time 13:40
 Pump Stop Time 15:15
 Minutes of Pumping 95
 Volume of Water Removed 551.49 gallons
 Did Well Go Dry? (Y) N

Evacuation Method: Bailer () Bladder Pump ()
 Peristaltic Pump () Submersible Pump () Other/Specify (X)
 Pump Type: GEO Pump
 Samples collected by same method as evacuation? (Y) N (specify)

Water Quality Meter Type(s) / Serial Numbers:

YSI 556 MPS # OC30392AE
HACH 2100P # 46500-02

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|-------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 13:40 | 175 | Initial | 12.96 | - | - | - | 28 | - | - |
| 13:45 | " | 875 | 13.11 | 14.06 | 6.75 | 1.178 | 25 | 11.70 | -151.7 |
| 13:50 | 175 | 1750 | 13.28 | 14.15 | 6.96 | 1.177 | 19 | 7.99 | -156.9 |
| 13:55 | " | 2625 | 13.38 | 14.12 | 6.98 | 1.180 | 15 | 6.64 | -158.2 |
| 14:00 | " | 3500 | 13.62 | 14.19 | 6.97 | 1.173 | 7 | 6.96 | -162.2 |
| 14:05 | " | 4375 | 13.91 | 14.22 | 6.95 | 1.161 | 4 | 6.95 | -163.4 |
| 14:10 | " | 5250 | 14.21 | 14.22 | 6.95 | 1.157 | 3 | 1.64 | -165.7 |
| 14:15 | " | 6125 | 14.49 | 14.19 | 6.94 | 1.156 | 3 | 1.56 | -166.1 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

Initial purge - clear, no odor

SAMPLE DESTINATION

Laboratory: SGS
 Delivered Via: UPS
 Airbill #: -

Field Sampling Coordinator: [Signature]

GROUNDWATER SAMPLING LOG

Well No. OPCA-MW-4

Site/GMA Name GMA4
 Sampling Personnel EML/174
 Date 10/26/08
 Weather Sunny - 60°

WELL INFORMATION - See Page 1

CC
 CC

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|-------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 14:20 | 175 | 7000 | 14.61 | 14.14 | 6.98 | 1.156 | 3 | 1.20 | -1688 |
| 14:25 | " | 7875 | 14.72 | 14.12 | 6.94 | 1.155 | 3 | 1.23 | -1648 |
| 14:30 | " | 8750 | 17.80 | 14.10 | 6.94 | 1.151 | 3 | 1.16 | -1715 |
| 14:35 | " | 9625 | | | | | | | |
| 14:40 | " | 10500 | | | | | | | |
| 14:35 | - SAMPLE | | | | | | | | |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS Final purge - clear, no odor.

GROUNDWATER SAMPLING LOG

Well No. OPCA-mw-5R
 Key No. _____
 PID Background (ppm) _____
 Well Headspace (ppm) _____

Site/GMA Name GMTC
 Sampling Personnel EMC/DAT
 Date 10/21/08
 Weather PTC 46°

WELL INFORMATION

Reference Point Marked? (Y) N
 Height of Reference Point -3' Meas. From GROUND
 Well Diameter 2"
 Screen Interval Depth 11.25-21.25' Meas. From TIC
 Water Table Depth 12.63' Meas. From TIC
 Well Depth 24.51' Meas. From TIC
 Length of Water Column 11.88'
 Volume of Water in Well 1.43'
 Intake Depth of Pump/Tubing 18.51' Meas. From TIC

Sample Time 11:45
 Sample ID OPAC-MW-5R
 Duplicate ID N/A
 Split Sample ID _____

CC MSMSD OPAC-MW-5R MS / GMTC-MW-5R MS

Reference Point Identification:
 TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? Y (N)

| Required | Analytical Parameters: | Collected |
|----------|-------------------------------|-----------|
| (X) | VOCs (Std. list) | (X) |
| () | VOCs (Exp. list) | () |
| (X) | SVOCs | (X) |
| () | PCBs (Total) | () |
| (X) | PCBs (Dissolved) | (X) |
| () | Metals/Inorganics (Total) | () |
| (X) | Metals/Inorganics (Dissolved) | (X) |
| () | EPA Cyanide (Dissolved) | () |
| (X) | PAC Cyanide (Dissolved) | (X) |
| (X) | PCDDs/PCDFs | (X) |
| () | Pesticides/Herbicides | () |
| () | Natural Attenuation | () |
| () | Other (Specify) | () |
| (X) | SULFIDE | (X) |

EVACUATION INFORMATION

Pump Start Time 10:10
 Pump Stop Time 15:00
 Minutes of Pumping 290
 Volume of Water Removed 277 9.5 gallons
 Did Well Go Dry? (Y) (N)

Evacuation Method: Blailer () Bladder Pump ()
 Peristaltic Pump (X) Submersible Pump () Other/Specify ()
 Pump Type: GEORUM
 Samples collected by same method as evacuation? (Y) N (specify)

Water Quality Meter Type(s) / Serial Numbers: YSI 556 MS # 03M0230 AC
HACH DR100P 46500-00

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|-------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 10:10 | 125 | INITIAL | 12.84 | - | - | - | 20 | - | - |
| 10:15 | " | 625 | 13.13 | 12.52 | 6.43 | 0.540 | 17 | 0.88 | -6.2 |
| 10:20 | " | 1250 | 13.30 | 12.71 | 6.51 | 0.520 | 14 | 0.83 | -13.7 |
| 10:25 | " | 1875 | 13.46 | 12.94 | 6.45 | 0.528 | 12 | 0.96 | -11.0 |
| 10:30 | " | 2500 | 13.62 | 13.02 | 6.49 | 0.692 | 9 | 1.28 | -6.6 |
| 10:35 | " | 3125 | 13.91 | 13.29 | 6.65 | 0.784 | 8 | 1.52 | -5.1 |
| 10:40 | " | 3750 | 14.06 | 13.36 | 6.69 | 0.884 | 7 | 1.81 | -0.5 |
| 10:45 | " | 4375 | 14.27 | 13.28 | 6.74 | 0.933 | 6 | 2.07 | 1.8 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.
OBSERVATIONS/SAMPLING METHOD DEVIATIONS Initial purge - clear, no odor. Final purge - clear, no odor. Well ran dry. Unable to complete QA/QC. QA/QC will be taken from another well.

SAMPLE DESTINATION

Laboratory: SGS
 Delivered Via: UPS
 Airbill #: _____

Field Sampling Coordinator: [Signature]

GROUNDWATER SAMPLING LOG

Well No. ~~0011A~~ UPCA-MW-5R

Site/GMA Name GMA4
Sampling Personnel EMC/DA
Date 10/21/08
Weather P/C - RAIN, 55°

WELL INFORMATION - See Page 1

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|--------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 10:50 | 125 | 5000 | 14.61 | 13.05 | 6.63 | 0.971 | 5 | 2.03 | 6.2 |
| 10:55 | " | 5625 | 14.70 | 13.42 | 6.70 | 0.965 | 4 | 1.83 | 7.1 |
| 11:00 | " | 6250 | 14.81 | 13.63 | 6.73 | 0.968 | 4 | 1.45 | 6.6 |
| 11:05 | " | 6875 | 15.05 | 13.44 | 6.74 | 0.975 | 4 | 1.70 | 1.0 |
| 11:10 | " | 7500 | 15.29 | 13.34 | 6.65 | 0.980 | 4 | 0.88 | 1.0 |
| 11:15 | " | 8125 | 15.54 | 13.13 | 6.64 | 0.977 | 4 | 0.60 | 0.0 |
| 11:20 | " | 8750 | 15.70 | 13.28 | 6.81 | 0.965 | 4 | 0.38 | -3.1 |
| 11:25 | " | 9375 | 15.81 | 12.92 | 6.56 | 0.952 | 4 | 0.31 | -0.5 |
| 11:30 | " | 10000 | 15.96 | 12.80 | 6.59 | 0.950 | 4 | 0.20 | -1.8 |
| 11:35 | " | 10625 | 16.07 | 12.55 | 6.60 | 0.962 | 4 | 0.17 | 2.5 |
| 11:40 | " | 11250 | 16.27 | 12.64 | 6.62 | 0.974 | 4 | 0.15 | 7.1 |
| SAMPLE | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS Final purge - clear - no odor

GROUNDWATER SAMPLING LOG

Well No. OPCA-MW-6
 Key No. —
 PID Background (ppm) —
 Well Headspace (ppm) —

Site/GMA Name GMAH GE PITTSFIELD
 Sampling Personnel KIC/DAZ
 Date 10/21/08
 Weather 40% rainy

WELL INFORMATION

Reference Point Marked? Y N
 Height of Reference Point — Meas. From —
 Well Diameter 2"
 Screen Interval Depth 15-25 Meas. From Ground
 Water Table Depth 18.5 Meas. From T16
 Well Depth 23.9 Meas. From T16
 Length of Water Column 5.4'
 Volume of Water in Well 0.88 gallons
 Intake Depth of Pump/Tubing 21.0 Meas. From T16

Sample Time 1120
 Sample ID OPCA-MW-6
 Duplicate ID GMAH DUP 01
 MSMSD —
 Split Sample ID —

Reference Point Identification:

TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? Y N

| Required | Analytical Parameters: | Collected |
|-------------------------------------|-------------------------------|-------------------------------------|
| <input checked="" type="checkbox"/> | VOCs (Std. list) | <input checked="" type="checkbox"/> |
| <input checked="" type="checkbox"/> | VOCs (Exp. list) | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> | SVOCs | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | PCBs (Total) | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> | PCBs (Dissolved) | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | Metals/Inorganics (Total) | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> | Metals/Inorganics (Dissolved) | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | EPA Cyanide (Dissolved) | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> | PAC Cyanide (Dissolved) | <input checked="" type="checkbox"/> |
| <input checked="" type="checkbox"/> | PCDDs/PCDFs | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | Pesticides/Herbicides | <input type="checkbox"/> |
| <input type="checkbox"/> | Natural Attenuation | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> | Other (Specify) | <input checked="" type="checkbox"/> |

EVACUATION INFORMATION

Pump Start Time 1015
 Pump Stop Time 1210
 Minutes of Pumping 115
 Volume of Water Removed 4.0 gallons
 Did Well Go Dry? Y N

Evacuation Method: Bailor Bladder Pump
 Peristaltic Pump Submersible Pump Other/Specify
 Pump Type: Marschall-System One
 Samples collected by same method as evacuation? Y N (specify)

Water Quality Meter Type(s) / Serial Numbers: YSI-556 MPJ Hoch 2100P Turbidimeter

| Time | Pump Rate (l/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH (0.1 units)* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 1020 | 60 | 0.08 | 18.71 | — | — | — | 492 | — | — |
| 1025 | 140 | 0.26 | 18.82 | — | — | — | 237 | — | — |
| 1030 | 120 | 0.42 | 18.79 | — | — | — | 138 | — | — |
| 1035 | 90 | 0.54 | 18.80 | — | — | — | 71 | — | — |
| 1038 | 140 | 0.65 | 18.85 | — | — | — | 51 | — | — |
| 1043 | 145 | 0.84 | 18.80 | 10.48 | 7.11 | 0.576 | 22 | 4.26 | -71.2 |
| 1048 | 145 | 1.03 | 18.89 | 10.66 | 7.07 | 0.572 | 18 | 2.98 | -71.1 |
| 1053 | 145 | 1.22 | 18.89 | 10.68 | 7.07 | 0.569 | 12 | 2.73 | -68.8 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

Initial purge clear, pump became clogged with organic material, pulled up pump fixed clog. initial purge had slight methane odor.

SAMPLE DESTINATION

Laboratory: JGS
 Delivered Via: UPS
 Airtel #: —

Field Sampling Coordinator: [Signature]

GROUNDWATER SAMPLING LOG

Well No. DFCA-MW-60

Site/GMA Name CYMA4 GE PITTSFIELD
 Sampling Personnel KIC/DAZ
 Date 10/21/08
 Weather 11/30's Overcast

WELL INFORMATION - See Page 1

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 1058 | 145 | 1.41 | 18.91 | 10.74 | 7.09 | 0.568 | 7 | 2.79 | -66.5 |
| 1103 | 140 | 1.59 | 18.91 | 10.71 | 7.10 | 0.567 | 6 | 2.76 | -67.6 |
| 1108 | 135 | 1.77 | 18.91 | 10.63 | 7.09 | 0.567 | 5 | 2.68 | -66.9 |
| 1113 | ↓ | 1.95 | 18.91 | 10.60 | 7.09 | 0.567 | 3 | 2.76 | -66.4 |
| 1116 | ↓ | 2.06 | 18.92 | 10.52 | 7.09 | 0.567 | 3 | 2.60 | -65.4 |
| 1119 | ↓ | 2.17 | | 10.57 | 7.09 | 0.565 | 2 | 2.79 | -64.9 |
| 1120 | Sampled | | ⊙ | 1120 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

KIC.

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

GROUNDWATER SAMPLING LOG

Well No. OPCA-MW-87
 Key No. -
 PID Background (ppm) 0
 Well Headspace (ppm) 0

Site/GMA Name 5 MAY 66 Pittsfield
 Sampling Personnel KLC/DAZ
 Date 10/21/08
 Weather 40's, rainy

WELL INFORMATION

Reference Point Marked? (Y) N
 Height of Reference Point 2 Meas. From Ground
 Well Diameter 2"
 Screen Interval Depth 14'-24" Meas. From Ground
 Water Table Depth 18.83 Meas. From TIC
 Well Depth 23.60 Meas. From TIC
 Length of Water Column 4.77'
 Volume of Water in Well 0.78 gallon
 Intake Depth of Pump/Tubing ~21.00 Meas. From TIC

Sample Time 1545
 Sample ID OPCA-MW-8
 Duplicate ID -
 MSMSD -
 Split Sample ID -

Reference Point Identification:
 TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? Y N

| Required | Analytical Parameters: | Collected |
|----------|-----------------------------------|-----------|
| (X) | VOCs (Std. list) | (X) |
| () | VOCs (Exp. list) | () |
| (X) | SVOCs | (X) |
| () | PCBs (Total) | () |
| (X) | PCBs (Dissolved) | (X) |
| () | Metals/Inorganics (Total) | () |
| (X) | Metals/Inorganics (Dissolved) | (X) |
| () | EPA Cyanide (Dissolved) | () |
| (X) | PAC Cyanide (Dissolved) | (X) |
| (X) | PCDDs/PCDFs | (X) |
| () | Pesticides/Herbicides | () |
| () | Natural Attenuation | () |
| (X) | Other (Specify) <u>Sulfide</u> | (X) |

EVACUATION INFORMATION

Pump Start Time 1450
 Pump Stop Time 1645
 Minutes of Pumping 115
 Volume of Water Removed 3.25 gallons
 Did Well Go Dry? Y (N)

Evacuation Method: Bailer () Bladder Pump ()
Peristaltic Pump (X) Submersible Pump () Other/Specify ()
 Pump Type: Geo Pump
 Samples collected by same method as evacuation? (Y) N (specify)

Water Quality Meter Type(s) / Serial Numbers: YSI-556 MPJ Hach 2100P Turbiditymeter

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|--------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| * 1455 | 120 | 0.16 | 18.91 | - | - | - | 43 | - | - |
| 1505 | 100 | 0.42 | 19.35 | 13.67 | 6.72 | 2.080 | 16 | 3.26 | -13.8 |
| 1510 | 100 | 0.55 | 19.62 | 13.52 | 6.70 | 2.080 | 12 | 2.55 | -26.0 |
| 1515 | | 0.68 | 19.75 | 13.47 | 6.71 | 2.035 | 8 | 2.58 | -28.6 |
| 1520 | | 0.81 | 19.81 | 13.56 | 6.70 | 2.027 | 6 | 2.21 | -35.7 |
| 1525 | | 0.95 | 19.93 | 13.76 | 6.69 | 2.086 | 5 | 2.07 | -42.7 |
| 1530 | | 1.08 | 20.04 | 13.83 | 6.69 | 2.139 | 5 | 2.01 | -44.2 |
| 1535 | | 1.21 | 20.21 | 13.83 | 6.68 | 2.207 | 4 | 1.99 | -44.3 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

- * hooked up through flow thru cell.
- * samples are elevating in HPL.

SAMPLE DESTINATION

Laboratory: SGS
 Delivered Via: UPS
 Airtel #: -

Field Sampling Coordinator: 

GROUNDWATER SAMPLING LOG

Well No. OPCA-MW-7

Site/GMA Name GRAY-GE PITTSFIELD
 Sampling Personnel KIC/DAZ
 Date 10/21/08
 Weather 40S RAINY

WELL INFORMATION - See Page 1

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|---------------------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 131538 | 100 | 1.29 | 20.31 | 13.83 | 6.68 | 2.225 | 4 | 1.99 | -44.6 |
| 1541 | 100 | 1.37 | 20.48 | 13.84 | 6.67 | 2.241 | 4 | 1.97 | -44.6 |
| Sampled @ 1545 (EP) | | | | | | | | | |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

GROUNDWATER SAMPLING LOG

Well No. OPCA-MW-8
 Key No. -
 PID Background (ppm) 0
 Well Headspace (ppm) 0

Site/GMA Name GMA4 GC Pittsfield
 Sampling Personnel KIC/DAR
 Date 10/22/08
 Weather 30's, snow

WELL INFORMATION

Reference Point Marked? Y N
 Height of Reference Point _____ Meas. From _____
 Well Diameter 2"
 Screen Interval Depth 13.5-23.5 Meas. From Ground
 Water Table Depth 12.75 Meas. From TIC
 Well Depth 31.50 Meas. From TIC
 Length of Water Column 9.05'
 Volume of Water in Well 1.48 gallons
 Intake Depth of Pump/Tubing 18.5' Meas. From TIC

Sample Time 1240
 Sample ID OPCA-MW-8
 Duplicate ID -
 MSMSD -
 Split Sample ID -

Reference Point Identification:

TIC: Top of Inner (PVC) Casing
 TOC: Top of Outer (Protective) Casing
 Grade/BGS: Ground Surface

Redevelop? (Y) N

| Required | Analytical Parameters: | Collected |
|----------|-------------------------------|-----------|
| (X) | VOCs (Std. list) | (X) |
| () | VOCs (Exp. list) | () |
| (X) | SVOCs | (X) |
| () | PCBs (Total) | () |
| (X) | PCBs (Dissolved) | (X) |
| () | Metals/Inorganics (Total) | () |
| (X) | Metals/Inorganics (Dissolved) | (X) |
| () | EPA Cyanide (Dissolved) | () |
| (X) | PAC Cyanide (Dissolved) | (X) |
| (X) | PCDDs/PCDFs | (X) |
| () | Pesticides/Herbicides | () |
| () | Natural Attenuation | () |
| (X) | Other (Specify) | (X) |

EVACUATION INFORMATION

Pump Start Time 1100
 Pump Stop Time 1320
 Minutes of Pumping 140
 Volume of Water Removed 5.5 gallons
 Did Well Go Dry? Y (N)

Evacuation Method: Bailor () Bladder Pump (X)
 Peristaltic Pump () Submersible Pump () Other/Specify ()
 Pump Type: Murschalli System One
 Samples collected by same method as evacuation? (Y) N (specify)

Water Quality Meter Type(s) / Serial Numbers: YSI 556 MPS (#3), FACIT 2100 plus

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|------|--------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 1105 | 150 | 0.20 | 13.64 | - | - | - | 252 | - | - |
| 1110 | / | 0.40 | 13.73 | - | - | - | 310 | - | - |
| 1115 | / | 0.59 | / | - | - | - | 160 | - | - |
| 1120 | / | 0.79 | 13.75 | - | - | - | 107 | - | - |
| 1125 | / | 0.99 | 13.71 | - | - | - | 49 | - | - |
| 1135 | 100 | 1.12 | 13.68 | 10.03 | 7.58 | 0.821 | 27 | 5.87 | 292 |
| 1140 | / | 1.25 | 13.73 | 10.19 | 7.59 | 0.828 | 19 | 5.26 | 2.1 |
| 1145 | / | 1.39 | 13.77 | 9.98 | 7.62 | 0.847 | 15 | 5.52 | -10.4 |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

*initial purge brown/cloudy no odor
 * Connected to flow through cell @ 1125, first reading @ 1135

SAMPLE DESTINATION

Laboratory: SGS
 Delivered Via: UPS
 Airbill #: _____

Field Sampling Coordinator: [Signature]

GROUNDWATER SAMPLING LOG

Well No. OPCA-MW-8

Site/GMA Name GE Pits Fill / GMA-4
 Sampling Personnel KIC/DAZ
 Date 10/22/08
 Weather 30°s, snow

WELL INFORMATION - See Page 1

| Time | Pump Rate (L/min.) | Total Gallons Removed | Water Level (ft TIC) | Temp. (Celsius) [3%]* | pH [0.1 units]* | Sp. Cond. (mS/cm) [3%]* | Turbidity (NTU) [10% or 1 NTU]* | DO (mg/l) [10% or 0.1 mg/l]* | ORP (mV) [10 mV]* |
|------|--------------------------------|-----------------------|----------------------|-----------------------|-----------------|-------------------------|---------------------------------|------------------------------|-------------------|
| 1150 | 100 | 1.52 | 13.82 | 10.11 | 7.60 | 0.854 | 21 | 5.33 | -19.2 |
| 1155 | 100 | 1.65 | 13.89 | 9.93 | 7.60 | 0.856 | 10 | 5.37 | -22.0 |
| 1200 | 100 | 1.78 | 14.01 | 11.43 | 7.61 | 0.846 | 12 | 5.55 | -22.9 |
| 1205 | 185 | 2.02 | 14.29 | 12.30 | 7.67 | 0.868 | 8 | 5.23 | -25.1 |
| 1210 | | 2.27 | 14.50 | 12.39 | 7.68 | 0.875 | 7 | 5.38 | -25.0 |
| 1215 | | 2.51 | 14.69 | 12.59 | 7.69 | 0.876 | 6 | 5.33 | -28.6 |
| 1220 | | 2.76 | 14.89 | 12.39 | 7.68 | 0.882 | 5 | 5.18 | -27.0 |
| 1225 | | 3.00 | 15.08 | 12.63 | 7.67 | 0.888 | 5 | 5.38 | -27.6 |
| 1230 | | 3.25 | 15.21 | 12.81 | 7.68 | 0.889 | 5 | 5.00 | -29.1 |
| 1233 | | 3.40 | 15.39 | 12.87 | 7.68 | 0.889 | 4 | 4.99 | -29.4 |
| 1236 | | 3.54 | 15.51 | 12.83 | 7.67 | 0.891 | 3 | 4.90 | -29.6 |
| 1239 | | 3.69 | 15.59 | 12.99 | 7.67 | 0.895 | 3 | 4.83 | -30.7 |
| 1240 | 1300 Sampled @ 1300 | | | | | | | | |

* The stabilization criteria for each field parameter (three consecutive readings collected at 3- to 5-minute intervals) is listed in each column heading.

OBSERVATIONS/SAMPLING METHOD DEVIATIONS

ARCADIS

Appendix C

Groundwater Analytical Results – Fall 2008

Table C-1
Fall 2008 Groundwater Analytical Results

Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | 78-1 10/23/08 | 78-6 10/22/08 | GMA4-2 10/22/08 | GMA4-3 10/22/08 |
|-----------------------------|-------------------------------|------------------|------------------|--------------------|--------------------|
| Volatiles Organics | | | | | |
| 1,1,1,2-Tetrachloroethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| 1,1,1-Trichloroethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| 1,1,2,2-Tetrachloroethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| 1,1,2-Trichloroethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| 1,1-Dichloroethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| 1,1-Dichloroethene | | ND(0.0010) | ND(0.0010) | NA | NA |
| 1,2,3-Trichloropropane | | ND(0.0010) | ND(0.0010) | NA | NA |
| 1,2-Dibromo-3-chloropropane | | ND(0.0050) J | ND(0.0050) J | NA | NA |
| 1,2-Dibromoethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| 1,2-Dichloroethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| 1,2-Dichloropropane | | ND(0.0010) | ND(0.0010) | NA | NA |
| 1,4-Dioxane | | ND(0.10) J | ND(0.10) J | NA | NA |
| 2-Butanone | | ND(0.0050) J | ND(0.0050) J | NA | NA |
| 2-Chloro-1,3-butadiene | | ND(0.0010) | ND(0.0010) | NA | NA |
| 2-Chloroethylvinylether | | R | ND(0.013) J | NA | NA |
| 2-Hexanone | | ND(0.0050) J | ND(0.0050) J | NA | NA |
| 3-Chloropropene | | ND(0.0010) | ND(0.0010) | NA | NA |
| 4-Methyl-2-pentanone | | ND(0.0050) | ND(0.0050) | NA | NA |
| Acetone | | ND(0.0050) J | ND(0.0050) J | NA | NA |
| Acetonitrile | | ND(0.020) J | ND(0.020) J | NA | NA |
| Acrolein | | ND(0.025) J | ND(0.025) J | NA | NA |
| Acrylonitrile | | ND(0.025) J | ND(0.025) J | NA | NA |
| Benzene | | ND(0.0010) | ND(0.0010) | NA | NA |
| Bromodichloromethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| Bromoform | | ND(0.0010) | ND(0.0010) | NA | NA |
| Bromomethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| Carbon Disulfide | | ND(0.0010) | ND(0.0010) | NA | NA |
| Carbon Tetrachloride | | ND(0.0010) | ND(0.0010) | NA | NA |
| Chlorobenzene | | ND(0.0010) | ND(0.0010) | NA | NA |
| Chloroethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| Chloroform | | ND(0.0010) | ND(0.0010) | NA | NA |
| Chloromethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| cis-1,3-Dichloropropene | | ND(0.0010) | ND(0.0010) | NA | NA |
| Dibromochloromethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| Dibromomethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| Dichlorodifluoromethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| Ethyl Methacrylate | | ND(0.0010) | ND(0.0010) | NA | NA |
| Ethylbenzene | | ND(0.0010) | ND(0.0010) | NA | NA |
| Iodomethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| Isobutanol | | ND(0.050) J | ND(0.050) J | NA | NA |
| Methacrylonitrile | | ND(0.010) | ND(0.010) | NA | NA |
| Methyl Methacrylate | | ND(0.0010) | ND(0.0010) | NA | NA |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) | NA | NA |
| Propionitrile | | ND(0.020) J | ND(0.020) J | NA | NA |
| Styrene | | ND(0.0010) | ND(0.0010) | NA | NA |
| Tetrachloroethene | | ND(0.0010) | ND(0.0010) | NA | NA |
| Toluene | | ND(0.0010) | ND(0.0010) | NA | NA |
| trans-1,2-Dichloroethene | | ND(0.0010) | ND(0.0010) | NA | NA |
| trans-1,3-Dichloropropene | | ND(0.0010) | ND(0.0010) | NA | NA |
| trans-1,4-Dichloro-2-butene | | ND(0.0050) J | ND(0.0050) J | NA | NA |
| Trichloroethene | | ND(0.0010) | ND(0.0010) | NA | NA |
| Trichlorofluoromethane | | ND(0.0010) | ND(0.0010) | NA | NA |
| Vinyl Acetate | | ND(0.0025) | ND(0.0025) | NA | NA |
| Vinyl Chloride | | ND(0.0010) | ND(0.0010) | NA | NA |
| Xylenes (total) | | ND(0.0010) | ND(0.0010) | NA | NA |
| Total VOCs | | ND(0.10) | ND(0.10) | NA | NA |

Table C-1
Fall 2008 Groundwater Analytical Results

Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | 78-1 10/23/08 | 78-6 10/22/08 | GMA4-2 10/22/08 | GMA4-3 10/22/08 |
|--------------------------------|-------------------------------|------------------|------------------|--------------------|--------------------|
| PCBs-Filtered | | | | | |
| Aroclor-1016 | | ND(0.00010) J | ND(0.00010) | ND(0.00010) | ND(0.00011) |
| Aroclor-1221 | | ND(0.00010) J | ND(0.00010) | ND(0.00010) | ND(0.00011) |
| Aroclor-1232 | | ND(0.00010) J | ND(0.00010) | ND(0.00010) | ND(0.00011) |
| Aroclor-1242 | | ND(0.00010) J | ND(0.00010) | ND(0.00010) | ND(0.00011) |
| Aroclor-1248 | | ND(0.00010) J | ND(0.00010) | ND(0.00010) | ND(0.00011) |
| Aroclor-1254 | | ND(0.00010) J | ND(0.00010) | ND(0.00010) | ND(0.00011) |
| Aroclor-1260 | | ND(0.00010) J | ND(0.00010) | ND(0.00010) | ND(0.00011) |
| Total PCBs | | ND(0.00010) J | ND(0.00010) | ND(0.00010) | ND(0.00011) |
| Semivolatile Organics | | | | | |
| 1,2,4,5-Tetrachlorobenzene | | ND(0.0051) | ND(0.0051) | NA | NA |
| 1,2,4-Trichlorobenzene | | ND(0.0051) | ND(0.0051) | NA | NA |
| 1,2-Dichlorobenzene | | ND(0.0051) | ND(0.0051) | NA | NA |
| 1,2-Diphenylhydrazine | | ND(0.0051) | ND(0.0051) | NA | NA |
| 1,3,5-Trinitrobenzene | | ND(0.026) | ND(0.026) | NA | NA |
| 1,3-Dichlorobenzene | | ND(0.0051) | ND(0.0051) | NA | NA |
| 1,3-Dinitrobenzene | | ND(0.0051) | ND(0.0051) | NA | NA |
| 1,4-Dichlorobenzene | | ND(0.0051) | ND(0.0051) | NA | NA |
| 1,4-Naphthoquinone | | ND(0.0051) | ND(0.0051) | NA | NA |
| 1-Naphthylamine | | ND(0.026) | ND(0.026) | NA | NA |
| 2,3,4,6-Tetrachlorophenol | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2,4,5-Trichlorophenol | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2,4,6-Trichlorophenol | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2,4-Dichlorophenol | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2,4-Dimethylphenol | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2,4-Dinitrophenol | | ND(0.026) | ND(0.026) | NA | NA |
| 2,4-Dinitrotoluene | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2,6-Dichlorophenol | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2,6-Dinitrotoluene | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2-Acetylaminofluorene | | ND(0.010) | ND(0.010) | NA | NA |
| 2-Chloronaphthalene | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2-Chlorophenol | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2-Methylnaphthalene | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2-Methylphenol | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2-Naphthylamine | | ND(0.026) | ND(0.026) | NA | NA |
| 2-Nitroaniline | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2-Nitrophenol | | ND(0.0051) | ND(0.0051) | NA | NA |
| 2-Picoline | | ND(0.0051) | ND(0.0051) | NA | NA |
| 3&4-Methylphenol | | ND(0.0051) | ND(0.0051) | NA | NA |
| 3,3'-Dichlorobenzidine | | ND(0.010) | ND(0.010) | NA | NA |
| 3,3'-Dimethylbenzidine | | ND(0.026) | ND(0.026) | NA | NA |
| 3-Methylcholanthrene | | ND(0.0051) | ND(0.0051) | NA | NA |
| 3-Nitroaniline | | ND(0.026) | ND(0.026) | NA | NA |
| 4,6-Dinitro-2-methylphenol | | ND(0.026) | ND(0.026) | NA | NA |
| 4-Aminobiphenyl | | ND(0.0051) | ND(0.0051) | NA | NA |
| 4-Bromophenyl-phenylether | | ND(0.0051) | ND(0.0051) | NA | NA |
| 4-Chloro-3-Methylphenol | | ND(0.0051) | ND(0.0051) | NA | NA |
| 4-Chloroaniline | | ND(0.026) | ND(0.026) | NA | NA |
| 4-Chlorobenzilate | | ND(0.0051) | ND(0.0051) | NA | NA |
| 4-Chlorophenyl-phenylether | | ND(0.0051) | ND(0.0051) | NA | NA |
| 4-Nitroaniline | | ND(0.026) | ND(0.026) | NA | NA |
| 4-Nitrophenol | | ND(0.026) | ND(0.026) | NA | NA |
| 4-Nitroquinoline-1-oxide | | ND(0.026) | ND(0.026) | NA | NA |
| 4-Phenylenediamine | | ND(0.010) | ND(0.010) | NA | NA |
| 5-Nitro-o-toluidine | | ND(0.0051) | ND(0.0051) | NA | NA |
| 7,12-Dimethylbenz(a)anthracene | | ND(0.0051) | ND(0.0051) | NA | NA |
| a,a'-Dimethylphenethylamine | | ND(0.026) J | ND(0.026) J | NA | NA |
| Acenaphthene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Acenaphthylene | | ND(0.0051) | ND(0.0051) | NA | NA |

**Table C-1
Fall 2008 Groundwater Analytical Results**

**Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 78-1 10/23/08 | 78-6 10/22/08 | GMA4-2 10/22/08 | GMA4-3 10/22/08 |
|--|-------------------------------|------------------|------------------|--------------------|--------------------|
| Semivolatile Organics (continued) | | | | | |
| Acetophenone | | ND(0.0051) | ND(0.0051) | NA | NA |
| Aniline | | ND(0.0051) | ND(0.0051) | NA | NA |
| Anthracene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Aramite | | ND(0.0051) | ND(0.0051) | NA | NA |
| Benzidine | | ND(0.010) | ND(0.010) | NA | NA |
| Benzo(a)anthracene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Benzo(a)pyrene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Benzo(b)fluoranthene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Benzo(g,h,i)perylene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Benzo(k)fluoranthene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Benzyl Alcohol | | ND(0.010) | ND(0.010) | NA | NA |
| bis(2-Chloroethoxy)methane | | ND(0.0051) | ND(0.0051) | NA | NA |
| bis(2-Chloroethyl)ether | | ND(0.0051) | ND(0.0051) | NA | NA |
| bis(2-Chloroisopropyl)ether | | ND(0.0051) | ND(0.0051) | NA | NA |
| bis(2-Ethylhexyl)phthalate | | ND(0.0051) | ND(0.0051) | NA | NA |
| Butylbenzylphthalate | | ND(0.0051) | ND(0.0051) | NA | NA |
| Chrysene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Diallate | | ND(0.0051) | ND(0.0051) | NA | NA |
| Dibenzo(a,h)anthracene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Dibenzofuran | | ND(0.0051) | ND(0.0051) | NA | NA |
| Diethylphthalate | | ND(0.0051) | ND(0.0051) | NA | NA |
| Dimethylphthalate | | ND(0.0051) | ND(0.0051) | NA | NA |
| Di-n-Butylphthalate | | ND(0.0051) | ND(0.0051) | NA | NA |
| Di-n-Octylphthalate | | ND(0.0051) | ND(0.0051) | NA | NA |
| Diphenylamine | | ND(0.0051) | ND(0.0051) | NA | NA |
| Ethyl Methanesulfonate | | ND(0.0051) | ND(0.0051) | NA | NA |
| Fluoranthene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Fluorene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Hexachlorobenzene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Hexachlorobutadiene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Hexachlorocyclopentadiene | | ND(0.010) J | ND(0.010) J | NA | NA |
| Hexachloroethane | | ND(0.0051) | ND(0.0051) | NA | NA |
| Hexachlorophene | | ND(0.0051) J | ND(0.0051) J | NA | NA |
| Hexachloropropene | | ND(0.010) | ND(0.010) | NA | NA |
| Indeno(1,2,3-cd)pyrene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Isodrin | | ND(0.0051) | ND(0.0051) | NA | NA |
| Isophorone | | ND(0.0051) | ND(0.0051) | NA | NA |
| Isosafrole | | ND(0.0051) | ND(0.0051) | NA | NA |
| Methapyrilene | | ND(0.0051) J | ND(0.0051) J | NA | NA |
| Methyl Methanesulfonate | | ND(0.0051) | ND(0.0051) | NA | NA |
| Naphthalene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Nitrobenzene | | ND(0.0051) | ND(0.0051) | NA | NA |
| N-Nitrosodiethylamine | | ND(0.0051) | ND(0.0051) | NA | NA |
| N-Nitrosodimethylamine | | ND(0.0051) | ND(0.0051) | NA | NA |
| N-Nitroso-di-n-butylamine | | ND(0.0051) | ND(0.0051) | NA | NA |
| N-Nitroso-di-n-propylamine | | ND(0.0051) | ND(0.0051) | NA | NA |
| N-Nitrosomethylethylamine | | ND(0.0051) | ND(0.0051) | NA | NA |
| N-Nitrosomorpholine | | ND(0.0051) | ND(0.0051) | NA | NA |
| N-Nitrosopiperidine | | ND(0.0051) | ND(0.0051) | NA | NA |
| N-Nitrosopyrrolidine | | ND(0.0051) | ND(0.0051) | NA | NA |
| o,o,o-Triethylphosphorothioate | | ND(0.0051) | ND(0.0051) | NA | NA |
| o-Toluidine | | ND(0.0051) | ND(0.0051) | NA | NA |
| p-Dimethylaminoazobenzene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Pentachlorobenzene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Pentachloroethane | | ND(0.0051) | ND(0.0051) | NA | NA |
| Pentachloronitrobenzene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Pentachlorophenol | | ND(0.026) | ND(0.026) | NA | NA |
| Phenacetin | | ND(0.0051) | ND(0.0051) | NA | NA |

Table C-1
Fall 2008 Groundwater Analytical Results

Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | 78-1 10/23/08 | 78-6 10/22/08 | GMA4-2 10/22/08 | GMA4-3 10/22/08 |
|--|-------------------------------|------------------|------------------|--------------------|--------------------|
| Semivolatile Organics (continued) | | | | | |
| Phenanthrene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Phenol | | ND(0.0051) | ND(0.0051) | NA | NA |
| Pronamide | | ND(0.0051) | ND(0.0051) | NA | NA |
| Pyrene | | ND(0.0051) | ND(0.0051) | NA | NA |
| Pyridine | | ND(0.0051) | ND(0.0051) | NA | NA |
| Safrole | | ND(0.0051) | ND(0.0051) | NA | NA |
| Thionazin | | ND(0.010) | ND(0.010) | NA | NA |
| Furans | | | | | |
| 2,3,7,8-TCDF | | 0.00000010 J | ND(0.000000029) | NA | NA |
| TCDFs (total) | | 0.000000066 | 0.000000020 | NA | NA |
| 1,2,3,7,8-PeCDF | | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 2,3,4,7,8-PeCDF | | ND(0.000000051) | ND(0.000000051) | NA | NA |
| PeCDFs (total) | | 0.000000021 | 0.000000041 | NA | NA |
| 1,2,3,4,7,8-HxCDF | | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 1,2,3,6,7,8-HxCDF | | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 1,2,3,7,8,9-HxCDF | | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 2,3,4,6,7,8-HxCDF | | ND(0.000000051) | ND(0.000000051) | NA | NA |
| HxCDFs (total) | | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.000000058) | ND(0.000000051) | NA | NA |
| HpCDFs (total) | | ND(0.000000058) | ND(0.000000051) | NA | NA |
| OCDF | | ND(0.000000015) | ND(0.000000013) | NA | NA |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | ND(0.000000030) | ND(0.000000025) | NA | NA |
| TCDDs (total) | | ND(0.000000030) | ND(0.000000025) | NA | NA |
| 1,2,3,7,8-PeCDD | | ND(0.000000051) | ND(0.000000051) | NA | NA |
| PeCDDs (total) | | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 1,2,3,4,7,8-HxCDD | | ND(0.000000052) | ND(0.000000051) | NA | NA |
| 1,2,3,6,7,8-HxCDD | | ND(0.000000051) | ND(0.000000051) | NA | NA |
| 1,2,3,7,8,9-HxCDD | | ND(0.000000051) | ND(0.000000051) | NA | NA |
| HxCDDs (total) | | ND(0.000000052) | ND(0.000000051) | NA | NA |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000086) | ND(0.000000071) | NA | NA |
| HpCDDs (total) | | ND(0.000000086) | ND(0.000000071) | NA | NA |
| OCDD | | ND(0.000000019) | ND(0.000000015) | NA | NA |
| Total TEQs (WHO TEFs) | | 0.000000084 | 0.000000072 | NA | NA |
| Inorganics-Unfiltered | | | | | |
| Sulfide | | 1.3 J | ND(1.00) | NA | NA |
| Inorganics-Filtered | | | | | |
| Antimony | | ND(0.0400) | ND(0.0400) | NA | NA |
| Arsenic | | ND(0.0100) J | 0.00517 B J | NA | NA |
| Barium | | ND(0.500) | 0.0574 B | NA | NA |
| Beryllium | | ND(0.0100) | ND(0.0100) J | NA | NA |
| Cadmium | | ND(0.00500) | ND(0.00500) J | NA | NA |
| Chromium | | ND(0.0100) J | ND(0.0100) J | NA | NA |
| Cobalt | | ND(0.0100) J | 0.00372 B J | NA | NA |
| Copper | | ND(0.200) J | ND(0.200) J | NA | NA |
| Cyanide-MADEP (PAC) | | ND(0.00600) | ND(0.00600) | NA | NA |
| Lead | | ND(0.0100) J | 0.00684 B J | NA | NA |
| Mercury | | ND(0.000570) | ND(0.000570) | NA | NA |
| Nickel | | ND(0.0500) J | ND(0.0500) | NA | NA |
| Selenium | | ND(0.0200) J | ND(0.0200) J | NA | NA |
| Silver | | ND(0.0100) J | ND(0.0100) | NA | NA |
| Thallium | | ND(0.0100) | ND(0.0100) J | NA | NA |
| Tin | | ND(0.100) J | ND(0.100) J | NA | NA |
| Vanadium | | ND(0.0500) | ND(0.0500) | NA | NA |
| Zinc | | 0.00549 B | ND(0.0500) | NA | NA |

Table C-1
Fall 2008 Groundwater Analytical Results

Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | GMA4-6 10/23/08 | H78B-15 10/23/08 | OPCA-MW-1RR 10/20/08 | OPCA-MW-2R 10/20-10/21/08 |
|-----------------------------|-------------------------------|--------------------|---------------------|-------------------------|------------------------------|
| Volatile Organics | | | | | |
| 1,1,1,2-Tetrachloroethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| 1,1,1-Trichloroethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | 0.00013 J |
| 1,1,2,2-Tetrachloroethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| 1,1,2-Trichloroethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| 1,1-Dichloroethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| 1,1-Dichloroethene | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| 1,2,3-Trichloropropane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| 1,2-Dibromo-3-chloropropane | | ND(0.0050) J | ND(0.0050) J | ND(2.5) J | ND(0.0050) J |
| 1,2-Dibromoethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| 1,2-Dichloroethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| 1,2-Dichloropropane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| 1,4-Dioxane | | ND(0.10) J | ND(0.10) J | ND(50) J | ND(0.10) J |
| 2-Butanone | | ND(0.0050) J | ND(0.0050) J | ND(2.5) J | ND(0.0050) J |
| 2-Chloro-1,3-butadiene | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| 2-Chloroethylvinylether | | ND(0.013) J | ND(0.013) J | ND(6.3) J | ND(0.013) J |
| 2-Hexanone | | ND(0.0050) J | ND(0.0050) J | ND(2.5) | ND(0.0050) |
| 3-Chloropropene | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| 4-Methyl-2-pentanone | | ND(0.0050) | ND(0.0050) | ND(2.5) | ND(0.0050) |
| Acetone | | ND(0.0050) J | ND(0.0050) J | ND(2.5) J | ND(0.0050) J |
| Acetonitrile | | ND(0.020) J | ND(0.020) J | ND(10) J | ND(0.020) J |
| Acrolein | | ND(0.025) J | ND(0.025) J | ND(13) J | ND(0.025) J |
| Acrylonitrile | | ND(0.025) J | ND(0.025) J | ND(13) J | ND(0.025) J |
| Benzene | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Bromodichloromethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Bromoform | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Bromomethane | | ND(0.0010) | ND(0.0010) | ND(0.50) J | ND(0.0010) J |
| Carbon Disulfide | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Carbon Tetrachloride | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Chlorobenzene | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Chloroethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Chloroform | | ND(0.0010) | 0.00021 J | ND(0.50) | ND(0.0010) |
| Chloromethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| cis-1,3-Dichloropropene | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Dibromochloromethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Dibromomethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Dichlorodifluoromethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Ethyl Methacrylate | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Ethylbenzene | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Iodomethane | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Isobutanol | | ND(0.050) J | ND(0.050) J | ND(25) J | ND(0.050) J |
| Methacrylonitrile | | ND(0.010) | ND(0.010) | ND(5.0) J | ND(0.010) J |
| Methyl Methacrylate | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) | ND(2.5) | ND(0.0050) |
| Propionitrile | | ND(0.020) J | ND(0.020) J | ND(10) J | ND(0.020) J |
| Styrene | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Tetrachloroethene | | ND(0.0010) | ND(0.0010) | 3.6 | 0.0030 |
| Toluene | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| trans-1,2-Dichloroethene | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| trans-1,3-Dichloropropene | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| trans-1,4-Dichloro-2-butene | | ND(0.0050) J | ND(0.0050) J | ND(2.5) J | ND(0.0050) J |
| Trichloroethene | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Trichlorofluoromethane | | ND(0.0010) | ND(0.0010) | ND(0.50) J | ND(0.0010) J |
| Vinyl Acetate | | ND(0.0025) | ND(0.0025) | ND(1.3) | ND(0.0025) |
| Vinyl Chloride | | ND(0.0010) | ND(0.0010) | ND(0.50) J | ND(0.0010) J |
| Xylenes (total) | | ND(0.0010) | ND(0.0010) | ND(0.50) | ND(0.0010) |
| Total VOCs | | ND(0.10) | 0.00021 J | 3.6 | 0.0031 J |

**Table C-1
Fall 2008 Groundwater Analytical Results**

**Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | GMA4-6 10/23/08 | H78B-15 10/23/08 | OPCA-MW-1RR 10/20/08 | OPCA-MW-2R 10/20-10/21/08 |
|--------------------------------|-------------------------------|--------------------|---------------------|-------------------------|------------------------------|
| PCBs-Filtered | | | | | |
| Aroclor-1016 | | ND(0.00010) J | ND(0.00010) J | ND(0.00010) J | ND(0.000072) J |
| Aroclor-1221 | | ND(0.00010) J | ND(0.00010) J | ND(0.00010) J | ND(0.000072) J |
| Aroclor-1232 | | ND(0.00010) J | ND(0.00010) J | ND(0.00010) J | ND(0.000072) J |
| Aroclor-1242 | | ND(0.00010) J | ND(0.00010) J | ND(0.00010) J | ND(0.000072) J |
| Aroclor-1248 | | ND(0.00010) J | ND(0.00010) J | ND(0.00010) J | ND(0.000072) J |
| Aroclor-1254 | | ND(0.00010) J | ND(0.00010) J | ND(0.00010) J | ND(0.000072) J |
| Aroclor-1260 | | ND(0.00010) J | ND(0.00010) J | ND(0.00010) J | ND(0.000072) J |
| Total PCBs | | ND(0.00010) J | ND(0.00010) J | ND(0.00010) J | ND(0.000072) J |
| Semivolatile Organics | | | | | |
| 1,2,4,5-Tetrachlorobenzene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 1,2,4-Trichlorobenzene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 1,2-Dichlorobenzene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 1,2-Diphenylhydrazine | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 1,3,5-Trinitrobenzene | | ND(0.026) | ND(0.026) | ND(0.025) | ND(0.026) |
| 1,3-Dichlorobenzene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 1,3-Dinitrobenzene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 1,4-Dichlorobenzene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 1,4-Naphthoquinone | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 1-Naphthylamine | | ND(0.026) | ND(0.026) | ND(0.025) J | ND(0.026) |
| 2,3,4,6-Tetrachlorophenol | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2,4,5-Trichlorophenol | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2,4,6-Trichlorophenol | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2,4-Dichlorophenol | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2,4-Dimethylphenol | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2,4-Dinitrophenol | | ND(0.026) | ND(0.026) | ND(0.025) | ND(0.026) |
| 2,4-Dinitrotoluene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2,6-Dichlorophenol | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2,6-Dinitrotoluene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2-Acetylaminofluorene | | ND(0.010) | ND(0.011) | ND(0.010) | ND(0.011) |
| 2-Chloronaphthalene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2-Chlorophenol | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2-Methylnaphthalene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2-Methylphenol | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2-Naphthylamine | | ND(0.026) | ND(0.026) | ND(0.025) J | ND(0.026) |
| 2-Nitroaniline | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2-Nitrophenol | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 2-Picoline | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 3&4-Methylphenol | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 3,3'-Dichlorobenzidine | | ND(0.010) | ND(0.011) | ND(0.010) | ND(0.011) |
| 3,3'-Dimethylbenzidine | | ND(0.026) | ND(0.026) | ND(0.025) | ND(0.026) |
| 3-Methylcholanthrene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 3-Nitroaniline | | ND(0.026) | ND(0.026) | ND(0.025) | ND(0.026) |
| 4,6-Dinitro-2-methylphenol | | ND(0.026) | ND(0.026) | ND(0.025) | ND(0.026) |
| 4-Aminobiphenyl | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 4-Bromophenyl-phenylether | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 4-Chloro-3-Methylphenol | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 4-Chloroaniline | | ND(0.026) | ND(0.026) | ND(0.025) | ND(0.026) |
| 4-Chlorobenzilate | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 4-Chlorophenyl-phenylether | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 4-Nitroaniline | | ND(0.026) | ND(0.026) | ND(0.025) | ND(0.026) |
| 4-Nitrophenol | | ND(0.026) | ND(0.026) | ND(0.025) | ND(0.026) |
| 4-Nitroquinoline-1-oxide | | ND(0.026) | ND(0.026) | ND(0.025) J | ND(0.026) |
| 4-Phenylenediamine | | ND(0.010) | ND(0.011) | ND(0.010) J | ND(0.011) |
| 5-Nitro-o-toluidine | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| 7,12-Dimethylbenz(a)anthracene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| a,a'-Dimethylphenethylamine | | ND(0.026) J | ND(0.026) J | ND(0.025) J | ND(0.026) |
| Acenaphthene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Acenaphthylene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |

**Table C-1
Fall 2008 Groundwater Analytical Results**

**Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | GMA4-6 10/23/08 | H78B-15 10/23/08 | OPCA-MW-1RR 10/20/08 | OPCA-MW-2R 10/20-10/21/08 |
|--|-------------------------------|--------------------|---------------------|-------------------------|------------------------------|
| Semivolatile Organics (continued) | | | | | |
| Acetophenone | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Aniline | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Anthracene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Aramite | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Benzidine | | ND(0.010) | ND(0.011) | ND(0.010) | ND(0.011) |
| Benzo(a)anthracene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Benzo(a)pyrene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Benzo(b)fluoranthene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Benzo(g,h,i)perylene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Benzo(k)fluoranthene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Benzyl Alcohol | | ND(0.010) | ND(0.011) | ND(0.010) | ND(0.011) |
| bis(2-Chloroethoxy)methane | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| bis(2-Chloroethyl)ether | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| bis(2-Chloroisopropyl)ether | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| bis(2-Ethylhexyl)phthalate | | 0.00072 J | 0.0010 J | ND(0.0051) | ND(0.0053) |
| Butylbenzylphthalate | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Chrysene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Diallate | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Dibenzo(a,h)anthracene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Dibenzofuran | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Diethylphthalate | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Dimethylphthalate | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Di-n-Butylphthalate | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Di-n-Octylphthalate | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Diphenylamine | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Ethyl Methanesulfonate | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Fluoranthene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Fluorene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Hexachlorobenzene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Hexachlorobutadiene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Hexachlorocyclopentadiene | | ND(0.010) J | ND(0.011) J | ND(0.010) J | ND(0.011) |
| Hexachloroethane | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Hexachlorophene | | ND(0.0051) J | ND(0.0053) J | ND(0.0051) J | ND(0.0053) J |
| Hexachloropropene | | ND(0.010) | ND(0.011) | ND(0.010) | ND(0.011) |
| Indeno(1,2,3-cd)pyrene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Isodrin | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Isophorone | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Isosafrole | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Methapyrilene | | ND(0.0051) J | ND(0.0053) J | ND(0.0051) J | ND(0.0053) |
| Methyl Methanesulfonate | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Naphthalene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Nitrobenzene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| N-Nitrosodiethylamine | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| N-Nitrosodimethylamine | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| N-Nitroso-di-n-butylamine | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| N-Nitroso-di-n-propylamine | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| N-Nitrosomethylethylamine | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| N-Nitrosomorpholine | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| N-Nitrosopiperidine | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| N-Nitrosopyrrolidine | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| o,o,o-Triethylphosphorothioate | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| o-Toluidine | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| p-Dimethylaminoazobenzene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Pentachlorobenzene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Pentachloroethane | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Pentachloronitrobenzene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Pentachlorophenol | | ND(0.026) | ND(0.026) | ND(0.025) | ND(0.026) |
| Phenacetin | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |

Table C-1
Fall 2008 Groundwater Analytical Results

Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | GMA4-6 10/23/08 | H78B-15 10/23/08 | OPCA-MW-1RR 10/20/08 | OPCA-MW-2R 10/20-10/21/08 |
|--|-------------------------------|--------------------|---------------------|-------------------------|------------------------------|
| Semivolatile Organics (continued) | | | | | |
| Phenanthrene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Phenol | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Pronamide | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Pyrene | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Pyridine | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Safrole | | ND(0.0051) | ND(0.0053) | ND(0.0051) | ND(0.0053) |
| Thionazin | | ND(0.010) | ND(0.011) | ND(0.010) | ND(0.011) |
| Furans | | | | | |
| 2,3,7,8-TCDF | | ND(0.000000035) | ND(0.000000030) | ND(0.000000035) | ND(0.000000036) |
| TCDFs (total) | | ND(0.000000035) | 0.000000025 | ND(0.000000035) | ND(0.000000036) |
| 1,2,3,7,8-PeCDF | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| 2,3,4,7,8-PeCDF | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| PeCDFs (total) | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,4,7,8-HxCDF | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDF | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDF | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| 2,3,4,6,7,8-HxCDF | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| HxCDFs (total) | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.000000058) | ND(0.000000051) | ND(0.000000065) | ND(0.000000058) |
| HpCDFs (total) | | ND(0.000000058) | ND(0.000000051) | ND(0.000000065) | ND(0.000000058) |
| OCDF | | ND(0.000000016) | ND(0.000000011) | ND(0.000000015) | ND(0.000000013) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | ND(0.000000033) | ND(0.000000023) | ND(0.000000032) | ND(0.000000032) |
| TCDDs (total) | | ND(0.000000033) | ND(0.000000023) | ND(0.000000032) | ND(0.000000032) |
| 1,2,3,7,8-PeCDD | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| PeCDDs (total) | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,4,7,8-HxCDD | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDD | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDD | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| HxCDDs (total) | | ND(0.000000051) | ND(0.000000051) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000070) | ND(0.000000051) | ND(0.000000011) | ND(0.000000083) |
| HpCDDs (total) | | ND(0.000000070) | ND(0.000000051) | ND(0.000000011) | ND(0.000000083) |
| OCDD | | ND(0.000000019) | ND(0.000000013) | ND(0.000000018) | ND(0.000000016) |
| Total TEQs (WHO TEFs) | | 0.000000077 | 0.000000072 | 0.000000078 | 0.000000077 |
| Inorganics-Unfiltered | | | | | |
| Sulfide | | ND(1.00) | ND(1.00) | 1.20 | 1.00 |
| Inorganics-Filtered | | | | | |
| Antimony | | ND(0.0400) | ND(0.0400) | ND(0.0400) | ND(0.0400) |
| Arsenic | | ND(0.0100) J | ND(0.0100) J | 0.00195 B J | ND(0.0100) J |
| Barium | | ND(0.500) | ND(0.500) | 0.0453 B | 0.0435 B |
| Beryllium | | ND(0.0100) | ND(0.0100) | ND(0.0100) J | ND(0.0100) J |
| Cadmium | | ND(0.00500) | ND(0.00500) | 0.00256 B J | 0.00263 B J |
| Chromium | | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Cobalt | | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Copper | | ND(0.200) J | ND(0.200) J | ND(0.200) J | ND(0.200) J |
| Cyanide-MADEP (PAC) | | ND(0.00600) | ND(0.00600) | ND(0.00600) | ND(0.00600) |
| Lead | | ND(0.0100) J | ND(0.0100) J | 0.00395 B J | 0.00420 B J |
| Mercury | | ND(0.000570) | ND(0.000570) | ND(0.000570) | ND(0.000570) |
| Nickel | | ND(0.0500) J | ND(0.0500) J | ND(0.0500) | ND(0.0500) |
| Selenium | | 0.00962 B J | 0.00918 B J | ND(0.0200) J | ND(0.0200) J |
| Silver | | ND(0.0100) J | ND(0.0100) J | ND(0.0100) | ND(0.0100) |
| Thallium | | 0.00784 B | ND(0.0100) | ND(0.0100) J | ND(0.0100) J |
| Tin | | ND(0.100) J | ND(0.100) J | ND(0.100) J | ND(0.100) J |
| Vanadium | | ND(0.0500) | 0.00587 B | ND(0.0500) | ND(0.0500) |
| Zinc | | 0.0154 B | 0.00439 B | ND(0.0500) | ND(0.0500) |

Table C-1
Fall 2008 Groundwater Analytical Results

Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-3 10/22/08 | OPCA-MW-4 10/20/08 | OPCA-MW-5R 10/21/08 |
|-----------------------------|-------------------------------|-----------------------|-----------------------|------------------------|
| Volatiles Organics | | | | |
| 1,1,1,2-Tetrachloroethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 1,1,1-Trichloroethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 1,1,2,2-Tetrachloroethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 1,1,2-Trichloroethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 1,1-Dichloroethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 1,1-Dichloroethene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 1,2,3-Trichloropropane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 1,2-Dibromo-3-chloropropane | | ND(0.0050) J | ND(0.0050) J | ND(0.0050) J |
| 1,2-Dibromoethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 1,2-Dichloroethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 1,2-Dichloropropane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 1,4-Dioxane | | ND(0.10) J | ND(0.10) J | ND(0.10) J |
| 2-Butanone | | ND(0.0050) J | ND(0.0050) J | ND(0.0050) J |
| 2-Chloro-1,3-butadiene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 2-Chloroethylvinylether | | ND(0.013) J | ND(0.013) J | ND(0.013) J |
| 2-Hexanone | | ND(0.0050) J | ND(0.0050) | ND(0.0050) |
| 3-Chloropropene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 4-Methyl-2-pentanone | | ND(0.0050) | ND(0.0050) | ND(0.0050) |
| Acetone | | ND(0.0050) J | ND(0.0050) J | ND(0.0050) J |
| Acetonitrile | | ND(0.020) J | ND(0.020) J | ND(0.020) J |
| Acrolein | | ND(0.025) J | ND(0.025) J | ND(0.025) J |
| Acrylonitrile | | ND(0.025) J | ND(0.025) J | ND(0.025) J |
| Benzene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Bromodichloromethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Bromoform | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Bromomethane | | ND(0.0010) | ND(0.0010) J | ND(0.0010) J |
| Carbon Disulfide | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Carbon Tetrachloride | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Chlorobenzene | | ND(0.0010) | 0.00017 J | 0.00011 J |
| Chloroethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Chloroform | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Chloromethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| cis-1,3-Dichloropropene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Dibromochloromethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Dibromomethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Dichlorodifluoromethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Ethyl Methacrylate | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Ethylbenzene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Iodomethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Isobutanol | | ND(0.050) J | ND(0.050) J | ND(0.050) J |
| Methacrylonitrile | | ND(0.010) | ND(0.010) J | ND(0.010) J |
| Methyl Methacrylate | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) | 0.00022 J |
| Propionitrile | | ND(0.020) J | ND(0.020) J | ND(0.020) J |
| Styrene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Tetrachloroethene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Toluene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| trans-1,2-Dichloroethene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| trans-1,3-Dichloropropene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| trans-1,4-Dichloro-2-butene | | ND(0.0050) J | ND(0.0050) J | ND(0.0050) J |
| Trichloroethene | | ND(0.0010) | 0.0016 | ND(0.0010) |
| Trichlorofluoromethane | | ND(0.0010) | ND(0.0010) J | ND(0.0010) J |
| Vinyl Acetate | | ND(0.0025) | ND(0.0025) | ND(0.0025) |
| Vinyl Chloride | | ND(0.0010) | ND(0.0010) J | ND(0.0010) J |
| Xylenes (total) | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Total VOCs | | ND(0.10) | 0.0018 J | 0.00033 J |

Table C-1
Fall 2008 Groundwater Analytical Results

Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-3 10/22/08 | OPCA-MW-4 10/20/08 | OPCA-MW-5R 10/21/08 |
|--------------------------------|-------------------------------|-----------------------|-----------------------|------------------------|
| PCBs-Filtered | | | | |
| Aroclor-1016 | | ND(0.00011) | ND(0.000070) J | ND(0.000069) J |
| Aroclor-1221 | | ND(0.00011) | ND(0.000070) J | ND(0.000069) J |
| Aroclor-1232 | | ND(0.00011) | ND(0.000070) J | ND(0.000069) J |
| Aroclor-1242 | | ND(0.00011) | ND(0.000070) J | ND(0.000069) J |
| Aroclor-1248 | | ND(0.00011) | ND(0.000070) J | ND(0.000069) J |
| Aroclor-1254 | | ND(0.00011) | ND(0.000070) J | ND(0.000069) J |
| Aroclor-1260 | | ND(0.00011) | ND(0.000070) J | ND(0.000069) J |
| Total PCBs | | ND(0.00011) | ND(0.000070) J | ND(0.000069) J |
| Semivolatile Organics | | | | |
| 1,2,4,5-Tetrachlorobenzene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 1,2,4-Trichlorobenzene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 1,2-Dichlorobenzene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 1,2-Diphenylhydrazine | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 1,3,5-Trinitrobenzene | | ND(0.027) | ND(0.026) | ND(0.026) |
| 1,3-Dichlorobenzene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 1,3-Dinitrobenzene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 1,4-Dichlorobenzene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 1,4-Naphthoquinone | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 1-Naphthylamine | | ND(0.027) | ND(0.026) J | ND(0.026) J |
| 2,3,4,6-Tetrachlorophenol | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2,4,5-Trichlorophenol | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2,4,6-Trichlorophenol | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2,4-Dichlorophenol | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2,4-Dimethylphenol | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2,4-Dinitrophenol | | ND(0.027) | ND(0.026) | ND(0.026) |
| 2,4-Dinitrotoluene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2,6-Dichlorophenol | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2,6-Dinitrotoluene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2-Acetylaminofluorene | | ND(0.011) | ND(0.010) | ND(0.010) |
| 2-Chloronaphthalene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2-Chlorophenol | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2-Methylnaphthalene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2-Methylphenol | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2-Naphthylamine | | ND(0.027) | ND(0.026) J | ND(0.026) J |
| 2-Nitroaniline | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2-Nitrophenol | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 2-Picoline | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 3&4-Methylphenol | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 3,3'-Dichlorobenzidine | | ND(0.011) | ND(0.010) | ND(0.010) |
| 3,3'-Dimethylbenzidine | | ND(0.027) | ND(0.026) | ND(0.026) |
| 3-Methylcholanthrene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 3-Nitroaniline | | ND(0.027) | ND(0.026) | ND(0.026) |
| 4,6-Dinitro-2-methylphenol | | ND(0.027) | ND(0.026) | ND(0.026) |
| 4-Aminobiphenyl | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 4-Bromophenyl-phenylether | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 4-Chloro-3-Methylphenol | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 4-Chloroaniline | | ND(0.027) | ND(0.026) | ND(0.026) |
| 4-Chlorobenzilate | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 4-Chlorophenyl-phenylether | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 4-Nitroaniline | | ND(0.027) | ND(0.026) | ND(0.026) |
| 4-Nitrophenol | | ND(0.027) | ND(0.026) | ND(0.026) |
| 4-Nitroquinoline-1-oxide | | ND(0.027) | ND(0.026) J | ND(0.026) J |
| 4-Phenylenediamine | | ND(0.011) | ND(0.010) J | ND(0.010) J |
| 5-Nitro-o-toluidine | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| 7,12-Dimethylbenz(a)anthracene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| a,a'-Dimethylphenethylamine | | ND(0.027) J | ND(0.026) J | ND(0.026) J |
| Acenaphthene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Acenaphthylene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |

**Table C-1
Fall 2008 Groundwater Analytical Results**

**Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | OPCA-MW-3 10/22/08 | OPCA-MW-4 10/20/08 | OPCA-MW-5R 10/21/08 |
|--|-------------------------------|-----------------------|-----------------------|------------------------|
| Semivolatile Organics (continued) | | | | |
| Acetophenone | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Aniline | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Anthracene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Aramite | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Benzidine | | ND(0.011) | ND(0.010) | ND(0.010) |
| Benzo(a)anthracene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Benzo(a)pyrene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Benzo(b)fluoranthene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Benzo(g,h,i)perylene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Benzo(k)fluoranthene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Benzyl Alcohol | | ND(0.011) | ND(0.010) | ND(0.010) |
| bis(2-Chloroethoxy)methane | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| bis(2-Chloroethyl)ether | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| bis(2-Chloroisopropyl)ether | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| bis(2-Ethylhexyl)phthalate | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Butylbenzylphthalate | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Chrysene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Diallate | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Dibenzo(a,h)anthracene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Dibenzofuran | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Diethylphthalate | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Dimethylphthalate | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Di-n-Butylphthalate | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Di-n-Octylphthalate | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Diphenylamine | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Ethyl Methanesulfonate | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Fluoranthene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Fluorene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Hexachlorobenzene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Hexachlorobutadiene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Hexachlorocyclopentadiene | | ND(0.011) J | ND(0.010) J | ND(0.010) J |
| Hexachloroethane | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Hexachlorophene | | ND(0.0054) J | ND(0.0052) J | ND(0.0052) J |
| Hexachloropropene | | ND(0.011) | ND(0.010) | ND(0.010) |
| Indeno(1,2,3-cd)pyrene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Isodrin | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Isophorone | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Isosafrole | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Methapyrilene | | ND(0.0054) J | ND(0.0052) J | ND(0.0052) J |
| Methyl Methanesulfonate | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Naphthalene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Nitrobenzene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| N-Nitrosodiethylamine | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| N-Nitrosodimethylamine | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| N-Nitroso-di-n-butylamine | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| N-Nitroso-di-n-propylamine | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| N-Nitrosomethylethylamine | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| N-Nitrosomorpholine | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| N-Nitrosopiperidine | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| N-Nitrosopyrrolidine | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| o,o,o-Triethylphosphorothioate | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| o-Toluidine | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| p-Dimethylaminoazobenzene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Pentachlorobenzene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Pentachloroethane | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Pentachloronitrobenzene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Pentachlorophenol | | ND(0.027) | ND(0.026) | ND(0.026) |
| Phenacetin | | ND(0.0054) | ND(0.0052) | ND(0.0052) |

Table C-1
Fall 2008 Groundwater Analytical Results

Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-3 10/22/08 | OPCA-MW-4 10/20/08 | OPCA-MW-5R 10/21/08 |
|--|-------------------------------|-----------------------|-----------------------|------------------------|
| Semivolatile Organics (continued) | | | | |
| Phenanthrene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Phenol | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Pronamide | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Pyrene | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Pyridine | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Safrole | | ND(0.0054) | ND(0.0052) | ND(0.0052) |
| Thionazin | | ND(0.011) | ND(0.010) | ND(0.010) |
| Furans | | | | |
| 2,3,7,8-TCDF | | ND(0.000000048) | 0.000000068 YJ | ND(0.000000044) |
| TCDFs (total) | | ND(0.000000048) | 0.00000042 | 0.000000018 |
| 1,2,3,7,8-PeCDF | | ND(0.000000054) | 0.00000010 J | ND(0.000000052) |
| 2,3,4,7,8-PeCDF | | ND(0.000000054) | 0.000000067 J | ND(0.000000052) |
| PeCDFs (total) | | ND(0.000000054) | 0.00000027 | 0.000000023 |
| 1,2,3,4,7,8-HxCDF | | ND(0.000000054) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDF | | ND(0.000000054) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDF | | ND(0.000000054) | ND(0.000000053) | ND(0.000000052) |
| 2,3,4,6,7,8-HxCDF | | ND(0.000000054) | ND(0.000000053) | ND(0.000000052) |
| HxCDFs (total) | | ND(0.000000054) | 0.000000020 | 0.000000020 |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.000000059) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.000000076) | ND(0.000000055) | ND(0.000000057) |
| HpCDFs (total) | | ND(0.000000076) | ND(0.000000055) | ND(0.000000057) |
| OCDF | | ND(0.000000025) | ND(0.000000016) | ND(0.000000014) |
| Dioxins | | | | |
| 2,3,7,8-TCDD | | ND(0.000000043) | ND(0.000000026) | ND(0.000000033) |
| TCDDs (total) | | ND(0.000000043) | ND(0.000000026) | ND(0.000000033) |
| 1,2,3,7,8-PeCDD | | ND(0.000000054) | ND(0.000000053) | ND(0.000000052) |
| PeCDDs (total) | | ND(0.000000054) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,4,7,8-HxCDD | | ND(0.000000054) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDD | | ND(0.000000054) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDD | | ND(0.000000054) | ND(0.000000053) | ND(0.000000052) |
| HxCDDs (total) | | ND(0.000000054) | ND(0.000000053) | ND(0.000000052) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000012) | ND(0.000000081) | ND(0.000000052) |
| HpCDDs (total) | | ND(0.000000012) | ND(0.000000081) | ND(0.000000052) |
| OCDD | | ND(0.000000030) | ND(0.000000018) | ND(0.000000015) |
| Total TEQs (WHO TEFs) | | 0.000000086 | 0.000000010 | 0.000000078 |
| Inorganics-Unfiltered | | | | |
| Sulfide | | ND(1.00) | 1.20 | 1.00 |
| Inorganics-Filtered | | | | |
| Antimony | | ND(0.0400) | ND(0.0400) | ND(0.0400) |
| Arsenic | | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Barium | | 0.0519 B | 0.0253 B | 0.0538 B |
| Beryllium | | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Cadmium | | ND(0.00500) J | 0.00276 B J | ND(0.00500) J |
| Chromium | | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Cobalt | | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Copper | | ND(0.200) J | ND(0.200) J | ND(0.200) J |
| Cyanide-MADEP (PAC) | | ND(0.00600) | ND(0.00600) | ND(0.00600) |
| Lead | | 0.00564 B J | 0.00425 B J | 0.00657 B J |
| Mercury | | ND(0.000570) | ND(0.000570) | ND(0.000570) |
| Nickel | | ND(0.0500) | ND(0.0500) | ND(0.0500) |
| Selenium | | ND(0.0200) J | ND(0.0200) J | ND(0.0200) J |
| Silver | | ND(0.0100) | ND(0.0100) | ND(0.0100) |
| Thallium | | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Tin | | ND(0.100) J | ND(0.100) J | ND(0.100) J |
| Vanadium | | ND(0.0500) | ND(0.0500) | ND(0.0500) |
| Zinc | | ND(0.0500) | 0.0135 B | 0.0106 B |

Table C-1
Fall 2008 Groundwater Analytical Results

Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-6 10/21/08 | OPCA-MW-7 10/21/08 | OPCA-MW-8 10/22/08 |
|-----------------------------|-------------------------------|-----------------------------|-----------------------|-----------------------|
| Volatile Organics | | | | |
| 1,1,1,2-Tetrachloroethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| 1,1,1-Trichloroethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| 1,1,2,2-Tetrachloroethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| 1,1,2-Trichloroethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| 1,1-Dichloroethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| 1,1-Dichloroethene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| 1,2,3-Trichloropropane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| 1,2-Dibromo-3-chloropropane | | ND(0.0050) J [ND(0.0050) J] | ND(0.0050) J | ND(0.0050) J |
| 1,2-Dibromoethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| 1,2-Dichloroethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| 1,2-Dichloropropane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| 1,4-Dioxane | | ND(0.10) J [ND(0.10) J] | ND(0.10) J | ND(0.10) J |
| 2-Butanone | | ND(0.0050) J [ND(0.0050) J] | ND(0.0050) J | ND(0.0050) J |
| 2-Chloro-1,3-butadiene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| 2-Chloroethylvinylether | | ND(0.013) J [ND(0.013) J] | ND(0.013) J | ND(0.013) J |
| 2-Hexanone | | ND(0.0050) [ND(0.0050)] | ND(0.0050) | ND(0.0050) J |
| 3-Chloropropene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| 4-Methyl-2-pentanone | | ND(0.0050) [ND(0.0050)] | ND(0.0050) | ND(0.0050) |
| Acetone | | ND(0.0050) J [ND(0.0050) J] | ND(0.0050) J | ND(0.0050) J |
| Acetonitrile | | ND(0.020) J [ND(0.020) J] | ND(0.020) J | ND(0.020) J |
| Acrolein | | ND(0.025) J [ND(0.025) J] | ND(0.025) J | ND(0.025) J |
| Acrylonitrile | | ND(0.025) J [ND(0.025) J] | ND(0.025) J | ND(0.025) J |
| Benzene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Bromodichloromethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Bromoform | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Bromomethane | | ND(0.0010) J [ND(0.0010) J] | ND(0.0010) J | ND(0.0010) |
| Carbon Disulfide | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Carbon Tetrachloride | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Chlorobenzene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Chloroethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Chloroform | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Chloromethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| cis-1,3-Dichloropropene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Dibromochloromethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Dibromomethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Dichlorodifluoromethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Ethyl Methacrylate | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Ethylbenzene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Iodomethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Isobutanol | | ND(0.050) J [ND(0.050) J] | ND(0.050) J | ND(0.050) J |
| Methacrylonitrile | | ND(0.010) J [ND(0.010) J] | ND(0.010) J | ND(0.010) |
| Methyl Methacrylate | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Methylene Chloride | | ND(0.0050) [ND(0.0050)] | ND(0.0050) | ND(0.0050) |
| Propionitrile | | ND(0.020) J [ND(0.020) J] | ND(0.020) J | ND(0.020) J |
| Styrene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Tetrachloroethene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Toluene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| trans-1,2-Dichloroethene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| trans-1,3-Dichloropropene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| trans-1,4-Dichloro-2-butene | | ND(0.0050) J [ND(0.0050) J] | ND(0.0050) J | ND(0.0050) J |
| Trichloroethene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Trichlorofluoromethane | | ND(0.0010) J [ND(0.0010) J] | ND(0.0010) J | ND(0.0010) |
| Vinyl Acetate | | ND(0.0025) [ND(0.0025)] | ND(0.0025) | ND(0.0025) |
| Vinyl Chloride | | ND(0.0010) J [ND(0.0010) J] | ND(0.0010) J | ND(0.0010) |
| Xylenes (total) | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Total VOCs | | ND(0.10) [ND(0.10)] | ND(0.10) | ND(0.10) |

Table C-1
Fall 2008 Groundwater Analytical Results

Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-6 10/21/08 | OPCA-MW-7 10/21/08 | OPCA-MW-8 10/22/08 |
|--------------------------------|-------------------------------|--------------------------------|-----------------------|-----------------------|
| PCBs-Filtered | | | | |
| Aroclor-1016 | | ND(0.00011) J [ND(0.000068) J] | ND(0.000067) J | ND(0.00010) |
| Aroclor-1221 | | ND(0.00011) J [ND(0.000068) J] | ND(0.000067) J | ND(0.00010) |
| Aroclor-1232 | | ND(0.00011) J [ND(0.000068) J] | ND(0.000067) J | ND(0.00010) |
| Aroclor-1242 | | ND(0.00011) J [ND(0.000068) J] | ND(0.000067) J | ND(0.00010) |
| Aroclor-1248 | | ND(0.00011) J [ND(0.000068) J] | ND(0.000067) J | ND(0.00010) |
| Aroclor-1254 | | ND(0.00011) J [ND(0.000068) J] | ND(0.000067) J | ND(0.00010) |
| Aroclor-1260 | | ND(0.00011) J [ND(0.000068) J] | ND(0.000067) J | ND(0.00010) |
| Total PCBs | | ND(0.00011) J [ND(0.000068) J] | ND(0.000067) J | ND(0.00010) |
| Semivolatile Organics | | | | |
| 1,2,4,5-Tetrachlorobenzene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 1,2,4-Trichlorobenzene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 1,2-Dichlorobenzene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 1,2-Diphenylhydrazine | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 1,3,5-Trinitrobenzene | | ND(0.026) [ND(0.026)] | ND(0.026) | ND(0.026) |
| 1,3-Dichlorobenzene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 1,3-Dinitrobenzene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 1,4-Dichlorobenzene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 1,4-Naphthoquinone | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 1-Naphthylamine | | ND(0.026) J [ND(0.026) J] | ND(0.026) J | ND(0.026) |
| 2,3,4,6-Tetrachlorophenol | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2,4,5-Trichlorophenol | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2,4,6-Trichlorophenol | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2,4-Dichlorophenol | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2,4-Dimethylphenol | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2,4-Dinitrophenol | | ND(0.026) [ND(0.026)] | ND(0.026) | ND(0.026) |
| 2,4-Dinitrotoluene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2,6-Dichlorophenol | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2,6-Dinitrotoluene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2-Acetylaminofluorene | | ND(0.011) [ND(0.010)] | ND(0.010) | ND(0.010) |
| 2-Chloronaphthalene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2-Chlorophenol | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2-Methylnaphthalene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2-Methylphenol | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2-Naphthylamine | | ND(0.026) J [ND(0.026) J] | ND(0.026) J | ND(0.026) |
| 2-Nitroaniline | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2-Nitrophenol | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 2-Picoline | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 3&4-Methylphenol | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 3,3'-Dichlorobenzidine | | ND(0.011) [ND(0.010)] | ND(0.010) | ND(0.010) |
| 3,3'-Dimethylbenzidine | | ND(0.026) [ND(0.026)] | ND(0.026) | ND(0.026) |
| 3-Methylcholanthrene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 3-Nitroaniline | | ND(0.026) [ND(0.026)] | ND(0.026) | ND(0.026) |
| 4,6-Dinitro-2-methylphenol | | ND(0.026) [ND(0.026)] | ND(0.026) | ND(0.026) |
| 4-Aminobiphenyl | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 4-Bromophenyl-phenylether | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 4-Chloro-3-Methylphenol | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 4-Chloroaniline | | ND(0.026) [ND(0.026)] | ND(0.026) | ND(0.026) |
| 4-Chlorobenzilate | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 4-Chlorophenyl-phenylether | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 4-Nitroaniline | | ND(0.026) [ND(0.026)] | ND(0.026) | ND(0.026) |
| 4-Nitrophenol | | ND(0.026) [ND(0.026)] | ND(0.026) | ND(0.026) |
| 4-Nitroquinoline-1-oxide | | ND(0.026) J [ND(0.026) J] | ND(0.026) J | ND(0.026) |
| 4-Phenylenediamine | | ND(0.011) J [ND(0.010) J] | ND(0.010) J | ND(0.010) |
| 5-Nitro-o-toluidine | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| 7,12-Dimethylbenz(a)anthracene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| a,a'-Dimethylphenethylamine | | ND(0.026) J [ND(0.026) J] | ND(0.026) J | ND(0.026) J |
| Acenaphthene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Acenaphthylene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |

**Table C-1
Fall 2008 Groundwater Analytical Results**

**Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | OPCA-MW-6 10/21/08 | OPCA-MW-7 10/21/08 | OPCA-MW-8 10/22/08 |
|--|-------------------------------|-----------------------------|-----------------------|-----------------------|
| Semivolatile Organics (continued) | | | | |
| Acetophenone | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Aniline | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Anthracene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Aramite | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Benzidine | | ND(0.011) [ND(0.010)] | ND(0.010) | ND(0.010) |
| Benzo(a)anthracene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Benzo(a)pyrene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Benzo(b)fluoranthene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Benzo(g,h,i)perylene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Benzo(k)fluoranthene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Benzyl Alcohol | | ND(0.011) [ND(0.010)] | ND(0.010) | ND(0.010) |
| bis(2-Chloroethoxy)methane | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| bis(2-Chloroethyl)ether | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| bis(2-Chloroisopropyl)ether | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| bis(2-Ethylhexyl)phthalate | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | 0.00087 J |
| Butylbenzylphthalate | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Chrysene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Diallate | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Dibenzo(a,h)anthracene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Dibenzofuran | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Diethylphthalate | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Dimethylphthalate | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Di-n-Butylphthalate | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Di-n-Octylphthalate | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Diphenylamine | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Ethyl Methanesulfonate | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Fluoranthene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Fluorene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Hexachlorobenzene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Hexachlorobutadiene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Hexachlorocyclopentadiene | | ND(0.011) J [ND(0.010) J] | ND(0.010) J | ND(0.010) J |
| Hexachloroethane | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Hexachlorophene | | ND(0.0052) J [ND(0.0052) J] | ND(0.0052) J | ND(0.0051) J |
| Hexachloropropene | | ND(0.011) [ND(0.010)] | ND(0.010) | ND(0.010) |
| Indeno(1,2,3-cd)pyrene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Isodrin | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Isophorone | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Isosafrole | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Methapyrilene | | ND(0.0052) J [ND(0.0052) J] | ND(0.0052) J | ND(0.0051) J |
| Methyl Methanesulfonate | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Naphthalene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Nitrobenzene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| N-Nitrosodiethylamine | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| N-Nitrosodimethylamine | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| N-Nitroso-di-n-butylamine | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| N-Nitroso-di-n-propylamine | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| N-Nitrosomethylethylamine | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| N-Nitrosomorpholine | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| N-Nitrosopiperidine | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| N-Nitrosopyrrolidine | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| o,o,o-Triethylphosphorothioate | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| o-Toluidine | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| p-Dimethylaminoazobenzene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Pentachlorobenzene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Pentachloroethane | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Pentachloronitrobenzene | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Pentachlorophenol | | ND(0.026) [ND(0.026)] | ND(0.026) | ND(0.026) |
| Phenacetin | | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |

Table C-1
Fall 2008 Groundwater Analytical Results

Groundwater Quality Interim Report for Fall 2008
 Groundwater Management Area 4
 General Electric Company - Pittsfield, Massachusetts
 (Results are presented in parts per million, ppm)

| Sample ID: Parameter Date Collected: | OPCA-MW-6 10/21/08 | OPCA-MW-7 10/21/08 | OPCA-MW-8 10/22/08 |
|--|-----------------------------------|-----------------------|-----------------------|
| Semivolatile Organics (continued) | | | |
| Phenanthrene | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Phenol | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Pronamide | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Pyrene | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Pyridine | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Safrole | ND(0.0052) [ND(0.0052)] | ND(0.0052) | ND(0.0051) |
| Thionazin | ND(0.011) [ND(0.010)] | ND(0.010) | ND(0.010) |
| Furans | | | |
| 2,3,7,8-TCDF | 0.000000049 J [0.000000058 J] | ND(0.000000033) | ND(0.00000014) |
| TCDFs (total) | 0.00000012 [0.00000014] | ND(0.000000033) | ND(0.000000083) |
| 1,2,3,7,8-PeCDF | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000052) |
| 2,3,4,7,8-PeCDF | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | 0.000000058 J |
| PeCDFs (total) | 0.000000048 [0.000000052] | ND(0.000000051) | ND(0.00000012) |
| 1,2,3,4,7,8-HxCDF | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDF | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDF | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000052) |
| 2,3,4,6,7,8-HxCDF | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000052) |
| HxCDFs (total) | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000040) |
| 1,2,3,4,6,7,8-HpCDF | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000093) X |
| 1,2,3,4,7,8,9-HpCDF | ND(0.000000053) [ND(0.000000057)] | ND(0.000000053) | ND(0.000000056) |
| HpCDFs (total) | ND(0.000000053) [ND(0.000000057)] | ND(0.000000053) | ND(0.000000056) |
| OCDF | ND(0.00000014) [ND(0.00000016)] | ND(0.00000014) | 0.00000018 J |
| Dioxins | | | |
| 2,3,7,8-TCDD | ND(0.000000034) [ND(0.000000032)] | ND(0.000000032) | ND(0.000000029) |
| TCDDs (total) | ND(0.000000034) [ND(0.000000032)] | ND(0.000000032) | ND(0.000000029) |
| 1,2,3,7,8-PeCDD | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000052) |
| PeCDDs (total) | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,4,7,8-HxCDD | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDD | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDD | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000052) |
| HxCDDs (total) | ND(0.000000053) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000078) |
| 1,2,3,4,6,7,8-HpCDD | ND(0.000000069) [ND(0.000000085)] | ND(0.000000074) | 0.00000015 J |
| HpCDDs (total) | ND(0.000000069) [ND(0.000000085)] | ND(0.000000074) | ND(0.00000015) |
| OCDD | ND(0.00000017) [ND(0.00000019)] | ND(0.00000016) | 0.00000086 J |
| Total TEQs (WHO TEFs) | 0.000000082 [0.000000080] | 0.000000076 | 0.000000098 |
| Inorganics-Unfiltered | | | |
| Sulfide | 1.40 [ND(1.00)] | 1.00 J | ND(1.00) |
| Inorganics-Filtered | | | |
| Antimony | ND(0.0400) [ND(0.0400)] | ND(0.0400) | ND(0.0400) |
| Arsenic | ND(0.0100) J [0.00213 B J] | ND(0.0100) J | ND(0.0100) J |
| Barium | 0.0168 B [0.0169 B] | 0.0368 B | 0.0225 B |
| Beryllium | ND(0.0100) J [ND(0.0100) J] | ND(0.0100) J | ND(0.0100) J |
| Cadmium | ND(0.00500) J [0.00328 B J] | ND(0.00500) J | 0.00287 B J |
| Chromium | ND(0.0100) J [ND(0.0100) J] | ND(0.0100) J | ND(0.0100) J |
| Cobalt | ND(0.0100) J [ND(0.0100) J] | ND(0.0100) J | ND(0.0100) J |
| Copper | ND(0.200) J [ND(0.200) J] | ND(0.200) J | ND(0.200) J |
| Cyanide-MADEP (PAC) | ND(0.00600) [ND(0.00600)] | ND(0.00600) | ND(0.00600) |
| Lead | 0.00641 B J [0.00718 B J] | ND(0.0100) J | 0.00427 B J |
| Mercury | ND(0.000570) [ND(0.000570)] | ND(0.000570) | ND(0.000570) |
| Nickel | ND(0.0500) [ND(0.0500)] | ND(0.0500) | ND(0.0500) |
| Selenium | ND(0.0200) J [ND(0.0200) J] | ND(0.0200) J | ND(0.0200) J |
| Silver | ND(0.0100) [ND(0.0100)] | ND(0.0100) | ND(0.0100) |
| Thallium | ND(0.0100) J [ND(0.0100) J] | ND(0.0100) J | ND(0.0100) J |
| Tin | ND(0.100) J [ND(0.100) J] | ND(0.100) J | ND(0.100) J |
| Vanadium | ND(0.0500) [ND(0.0500)] | ND(0.0500) | ND(0.0500) |
| Zinc | 0.0325 B [0.0273 B] | 0.00771 B | 0.0610 |

**Table C-1
Fall 2008 Groundwater Analytical Results**

**Groundwater Quality Interim Report For Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

Notes:

1. Samples were collected by ARCADIS and submitted to SGS Environmental Services, Inc. for analysis of Appendix IX+3 constituents.
2. Samples have been validated as per Field Sampling Plan/Quality Assurance Project Plan (FSP/QAPP), General Electric Company, Pittsfield, Massachusetts, ARCADIS (approved March 15, 2007 and re-submitted March 30, 2007).
3. NA - Not Analyzed.
4. ND - Analyte was not detected. The number in parentheses is the associated detection limit.
5. Total 2,3,7,8-TCDD toxicity equivalents (TEQs) were calculated using Toxicity Equivalency Factors (TEFs) derived by the World Health Organization (WHO) and published by Van den Berg et al. in Environmental Health Perspectives 106(2), December 1998.
6. Field duplicate sample results are presented in brackets.

Data Qualifiers:

Organics (volatiles, PCBs, semivolatiles, dioxin/furans)

- J - Indicates that the associated numerical value is an estimated concentration.
- R - Data was rejected due to a deficiency in the data generation process.
- X - Estimated maximum possible concentration.
- Y - 2,3,7,8-TCDF results have been confirmed on a DB-225 column.

Inorganics

- B - Indicates an estimated value between the instrument detection limit (IDL) and practical quantitation limit (PQL).
- J - Indicates that the associated numerical value is an estimated concentration.

ARCADIS

Appendix D
Historical Groundwater Data

**Table D-1
OPCA Monitoring Program**

**Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 78-1 06/14/99 | 78-1 05/01/01 | 78-1 10/09/07 | 78-1 04/22/08 |
|------------------------------|-------------------------------|------------------|--------------------|------------------|------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) J |
| 1,1-Dichloroethane | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) J |
| Acetone | | ND(0.10) | ND(0.010) | 0.0023 J | ND(0.0050) J |
| Bromoform | | ND(0.0050) | ND(0.0050) | 0.00048 J | ND(0.0010) |
| Chlorobenzene | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) |
| Chloroform | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) |
| Dibromochloromethane | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | ND(0.0050) | ND(0.0020) | ND(0.0010) | ND(0.0010) |
| Toluene | | ND(0.0050) | 0.0047 J | ND(0.0010) | ND(0.0010) J |
| Trichloroethene | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) J |
| Trichlorofluoromethane | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) J |
| Vinyl Chloride | | ND(0.010) | ND(0.0020) | ND(0.0010) | ND(0.0010) J |
| Total VOCs | | ND(0.20) | 0.0047 J | 0.0028 J | ND(0.10) |
| PCBs-Unfiltered | | | | | |
| Aroclor-1254 | | ND(0.00010) | ND(0.000065) | NA | NA |
| Aroclor-1260 | | ND(0.00010) | ND(0.000065) | NA | NA |
| Total PCBs | | ND(0.00010) | ND(0.000065) | NA | NA |
| PCBs-Filtered | | | | | |
| Aroclor-1254 | | NA | ND(0.000065) | ND(0.00010) | ND(0.000066) |
| Aroclor-1260 | | NA | ND(0.000065) | ND(0.00010) | ND(0.000066) |
| Total PCBs | | NA | ND(0.000065) | ND(0.00010) | ND(0.000066) |
| Semivolatile Organics | | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.010) | ND(0.010) | ND(0.010) | ND(0.0052) |
| Acenaphthene | | ND(0.010) | ND(0.010) | ND(0.010) | ND(0.0052) |
| bis(2-Ethylhexyl)phthalate | | ND(0.010) | ND(0.0060) | ND(0.010) | 0.00094 J |
| Dibenzofuran | | ND(0.010) | ND(0.010) | ND(0.010) | ND(0.0052) |
| Dimethylphthalate | | ND(0.010) | ND(0.010) | ND(0.010) | ND(0.0052) |
| Naphthalene | | ND(0.010) | ND(0.010) | ND(0.010) | ND(0.0052) |
| Furans | | | | | |
| 2,3,7,8-TCDF | | ND(0.0000000060) | ND(0.000000011) | ND(0.000000018) | 0.000000045 J |
| TCDFs (total) | | ND(0.0000000060) | ND(0.000000010) X | 0.00000012 J | 0.000000027 |
| 1,2,3,7,8-PeCDF | | ND(0.0000000021) | ND(0.000000013) XB | ND(0.000000050) | 0.000000056 J |
| 2,3,4,7,8-PeCDF | | ND(0.0000000020) | ND(0.000000012) | ND(0.000000050) | ND(0.000000051) |
| PeCDFs (total) | | ND(0.0000000021) | ND(0.000000024) | 0.000000034 J | 0.000000056 J |
| 1,2,3,4,7,8-HxCDF | | ND(0.0000000060) | ND(0.000000021) | ND(0.000000050) | ND(0.000000051) |
| 1,2,3,6,7,8-HxCDF | | ND(0.0000000062) | ND(0.0000000080) | ND(0.000000050) | ND(0.000000051) |
| 1,2,3,7,8,9-HxCDF | | ND(0.0000000059) | ND(0.0000000090) | ND(0.000000050) | ND(0.000000051) |
| 2,3,4,6,7,8-HxCDF | | ND(0.0000000064) | ND(0.0000000080) | ND(0.000000050) | ND(0.000000051) |
| HxCDFs (total) | | ND(0.0000000064) | ND(0.000000044) | 0.000000010 J | ND(0.000000051) |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.000000011) | ND(0.000000013) | ND(0.000000050) | ND(0.000000051) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.000000011) | ND(0.000000017) | ND(0.000000050) | ND(0.000000051) |
| HpCDFs (total) | | ND(0.000000011) | ND(0.000000015) | ND(0.000000050) | ND(0.000000051) |
| OCDF | | ND(0.000000011) | ND(0.000000032) | ND(0.000000010) | ND(0.000000010) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | ND(0.0000000090) | ND(0.000000014) | ND(0.000000012) | ND(0.000000012) |
| TCDDs (total) | | ND(0.0000000090) | ND(0.000000014) | ND(0.000000012) | ND(0.000000012) |
| 1,2,3,7,8-PeCDD | | ND(0.0000000071) | ND(0.000000016) | ND(0.000000050) | ND(0.000000051) |
| PeCDDs (total) | | ND(0.0000000071) | ND(0.000000016) | ND(0.000000050) | ND(0.000000051) |
| 1,2,3,4,7,8-HxCDD | | ND(0.0000000069) | ND(0.000000014) | ND(0.000000050) | ND(0.000000051) |
| 1,2,3,6,7,8-HxCDD | | ND(0.0000000086) | ND(0.000000014) | ND(0.000000050) | ND(0.000000051) |
| 1,2,3,7,8,9-HxCDD | | ND(0.0000000077) | ND(0.000000013) | ND(0.000000050) | ND(0.000000051) |
| HxCDDs (total) | | ND(0.0000000086) | ND(0.000000012) X | ND(0.000000050) | ND(0.000000051) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000013) | ND(0.000000026) | ND(0.000000050) | ND(0.000000051) |
| HpCDDs (total) | | ND(0.000000013) | ND(0.000000026) | ND(0.000000050) | ND(0.000000051) |
| OCDD | | ND(0.000000017) | ND(0.000000038) XB | ND(0.000000010) | ND(0.000000010) |
| Total TEQs (WHO TEFs) | | 0.0000000071 | 0.0000000024 | 0.0000000064 | 0.0000000070 |

**Table D-1
OPCA Monitoring Program**

**Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 78-1 06/14/99 | 78-1 05/01/01 | 78-1 10/09/07 | 78-1 04/22/08 |
|------------------------------|-------------------------------|------------------|------------------|------------------|------------------|
| Inorganics-Unfiltered | | | | | |
| Antimony | | ND(0.0600) | ND(0.0600) | NA | NA |
| Arsenic | | ND(0.00600) | ND(0.0100) | NA | NA |
| Barium | | 0.0250 | 0.0330 B | NA | NA |
| Beryllium | | ND(0.00600) | ND(0.00100) | NA | NA |
| Cadmium | | ND(0.00600) | ND(0.00500) | NA | NA |
| Chromium | | ND(0.0130) | ND(0.0100) | NA | NA |
| Cobalt | | ND(0.0600) | ND(0.0500) | NA | NA |
| Copper | | ND(0.0330) | 0.00550 J | NA | NA |
| Lead | | ND(0.130) J | ND(0.00500) | NA | NA |
| Nickel | | ND(0.0600) | ND(0.0400) | NA | NA |
| Selenium | | ND(0.00600) J | ND(0.00500) J | NA | NA |
| Silver | | ND(0.0130) | ND(0.00500) | NA | NA |
| Sulfide | | ND(5.00) | ND(5.00) | R | 1.10 J |
| Thallium | | ND(0.0130) | ND(0.0100) J | NA | NA |
| Tin | | ND(0.300) | ND(0.100) | NA | NA |
| Vanadium | | ND(0.0600) | ND(0.0500) | NA | NA |
| Zinc | | 0.0290 | 0.0200 | NA | NA |
| Inorganics-Filtered | | | | | |
| Antimony | | NA | ND(0.0600) | ND(0.0400) | ND(0.0400) |
| Arsenic | | NA | ND(0.0100) | ND(0.0100) J | ND(0.0100) |
| Barium | | NA | 0.0260 J | 0.0172 B | 0.0174 B |
| Beryllium | | NA | ND(0.00100) | ND(0.0100) J | ND(0.0100) J |
| Cadmium | | NA | ND(0.00500) | ND(0.00500) J | ND(0.00500) J |
| Chromium | | NA | ND(0.0100) | ND(0.0100) | 0.00118 B |
| Cobalt | | NA | ND(0.0500) | ND(0.0100) | ND(0.0100) J |
| Copper | | NA | 0.00420 J | ND(0.0100) | ND(0.0100) J |
| Lead | | NA | ND(0.00500) | ND(0.0100) | ND(0.0100) |
| Nickel | | NA | ND(0.0400) | ND(0.0100) | ND(0.0100) J |
| Selenium | | NA | ND(0.00500) J | ND(0.0200) J | ND(0.0200) |
| Thallium | | NA | ND(0.0100) J | ND(0.0100) | ND(0.0100) J |
| Tin | | NA | ND(0.100) | ND(0.0100) | ND(0.0100) J |
| Vanadium | | NA | ND(0.0500) | ND(0.0500) | ND(0.0500) |
| Zinc | | NA | 0.0160 B | 0.00586 B | ND(0.0200) |

**Table D-1
OPCA Monitoring Program**

**Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 78-1 10/23/08 | 78-6 06/16/99 | 78-6 05/03/01 | 78-6 11/13/07 |
|------------------------------|-------------------------------|------------------|------------------|--------------------|------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | ND(0.0010) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| 1,1-Dichloroethane | | ND(0.0010) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Acetone | | ND(0.0050) J | ND(0.10) | ND(0.010) | 0.0014 J |
| Bromoform | | ND(0.0010) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Chlorobenzene | | ND(0.0010) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Chloroform | | ND(0.0010) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Dibromochloromethane | | ND(0.0010) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | ND(0.0010) | ND(0.0050) | ND(0.0020) | ND(0.0010) J |
| Toluene | | ND(0.0010) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Trichloroethene | | ND(0.0010) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Trichlorofluoromethane | | ND(0.0010) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Vinyl Chloride | | ND(0.0010) | ND(0.010) | ND(0.0020) | ND(0.0010) |
| Total VOCs | | ND(0.10) | ND(0.20) | ND(0.20) | 0.0014 J |
| PCBs-Unfiltered | | | | | |
| Aroclor-1254 | | NA | ND(0.000050) | ND(0.000065) | NA |
| Aroclor-1260 | | NA | ND(0.000050) | ND(0.000065) | NA |
| Total PCBs | | NA | ND(0.000050) | ND(0.000065) | NA |
| PCBs-Filtered | | | | | |
| Aroclor-1254 | | ND(0.00010) J | NA | ND(0.000065) | ND(0.000065) |
| Aroclor-1260 | | ND(0.00010) J | NA | ND(0.000065) | ND(0.000065) |
| Total PCBs | | ND(0.00010) J | NA | ND(0.000065) | ND(0.000065) |
| Semivolatile Organics | | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.0051) | ND(0.010) | ND(0.010) | ND(0.0050) |
| Acenaphthene | | ND(0.0051) | ND(0.010) | ND(0.010) | ND(0.0050) |
| bis(2-Ethylhexyl)phthalate | | ND(0.0051) | ND(0.010) | ND(0.0060) | ND(0.0050) |
| Dibenzofuran | | ND(0.0051) | ND(0.010) | ND(0.010) | ND(0.0050) |
| Dimethylphthalate | | ND(0.0051) | ND(0.010) | ND(0.010) | 0.00060 J |
| Naphthalene | | ND(0.0051) | ND(0.010) | ND(0.010) | 0.0016 J |
| Furans | | | | | |
| 2,3,7,8-TCDF | | 0.00000010 J | ND(0.000000032) | ND(0.000000085) XB | ND(0.000000042) |
| TCDFs (total) | | 0.000000066 | ND(0.000000032) | ND(0.000000020) | 0.000000076 J |
| 1,2,3,7,8-PeCDF | | ND(0.000000051) | ND(0.000000079) | ND(0.000000030) | ND(0.000000052) |
| 2,3,4,7,8-PeCDF | | ND(0.000000051) | ND(0.000000083) | ND(0.000000066) | ND(0.000000052) |
| PeCDFs (total) | | 0.000000021 | ND(0.000000083) | ND(0.000000017) | ND(0.000000052) |
| 1,2,3,4,7,8-HxCDF | | ND(0.000000051) | ND(0.000000042) | ND(0.000000083) XB | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDF | | ND(0.000000051) | ND(0.000000043) | ND(0.000000030) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDF | | ND(0.000000051) | ND(0.000000051) | ND(0.000000030) | ND(0.000000052) |
| 2,3,4,6,7,8-HxCDF | | ND(0.000000051) | ND(0.000000044) | ND(0.000000030) | ND(0.000000052) |
| HxCDFs (total) | | ND(0.000000051) | ND(0.000000051) | ND(0.000000083) X | ND(0.000000052) |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.000000051) | ND(0.000000029) | ND(0.000000050) | ND(0.000000052) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.000000058) | ND(0.000000029) | ND(0.000000060) | ND(0.000000052) |
| HpCDFs (total) | | ND(0.000000058) | ND(0.000000029) | ND(0.000000050) | ND(0.000000052) |
| OCDF | | ND(0.000000015) | ND(0.000000017) | ND(0.000000090) | ND(0.000000011) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | ND(0.000000030) | ND(0.000000035) | ND(0.000000040) | ND(0.000000037) |
| TCDDs (total) | | ND(0.000000030) | ND(0.000000035) | ND(0.000000010) X | ND(0.000000037) |
| 1,2,3,7,8-PeCDD | | ND(0.000000051) | ND(0.000000034) | ND(0.000000040) | ND(0.000000052) |
| PeCDDs (total) | | ND(0.000000051) | ND(0.000000034) | ND(0.000000019) X | ND(0.000000052) |
| 1,2,3,4,7,8-HxCDD | | ND(0.000000052) | ND(0.000000014) | ND(0.000000060) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDD | | ND(0.000000051) | ND(0.000000017) | ND(0.000000060) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDD | | ND(0.000000051) | ND(0.000000015) | ND(0.000000050) | ND(0.000000052) |
| HxCDDs (total) | | ND(0.000000052) | ND(0.000000017) | ND(0.000000060) X | ND(0.000000052) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000086) | ND(0.000000029) | ND(0.000000080) | ND(0.000000052) |
| HpCDDs (total) | | ND(0.000000086) | ND(0.000000029) | ND(0.000000080) | ND(0.000000052) |
| OCDD | | ND(0.000000019) | ND(0.000000020) | ND(0.000000079) | ND(0.000000011) |
| Total TEQs (WHO TEFs) | | 0.000000084 | 0.000000025 | 0.000000080 | 0.000000080 |

**Table D-1
OPCA Monitoring Program**

**Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 78-1 10/23/08 | 78-6 06/16/99 | 78-6 05/03/01 | 78-6 11/13/07 |
|------------------------------|-------------------------------|------------------|------------------|------------------|------------------|
| Inorganics-Unfiltered | | | | | |
| Antimony | | NA | ND(0.0600) | 0.00250 J | NA |
| Arsenic | | NA | 0.0320 | 0.0160 | NA |
| Barium | | NA | 0.0830 | 0.0960 B | NA |
| Beryllium | | NA | ND(0.00600) | ND(0.00100) | NA |
| Cadmium | | NA | ND(0.00600) J | ND(0.00500) | NA |
| Chromium | | NA | ND(0.0130) | 0.00250 B | NA |
| Cobalt | | NA | ND(0.0600) | 0.00480 B | NA |
| Copper | | NA | ND(0.0330) | ND(0.0100) J | NA |
| Lead | | NA | ND(0.130) J | ND(0.00500) J | NA |
| Nickel | | NA | ND(0.0600) | ND(0.0400) | NA |
| Selenium | | NA | ND(0.00600) | 0.00490 B | NA |
| Silver | | NA | ND(0.0130) | 0.0110 J | NA |
| Sulfide | | 1.3 J | ND(5.00) | ND(5.00) | ND(1.00) J |
| Thallium | | NA | ND(0.0130) | ND(0.0100) | NA |
| Tin | | NA | ND(0.300) j | ND(0.0300) | NA |
| Vanadium | | NA | ND(0.0600) | ND(0.0500) | NA |
| Zinc | | NA | 0.0330 | 0.0110 B | NA |
| Inorganics-Filtered | | | | | |
| Antimony | | ND(0.0400) | NA | 0.00370 J | ND(0.0400) |
| Arsenic | | ND(0.0100) J | NA | ND(0.0100) | 0.00588 J |
| Barium | | ND(0.500) | NA | 0.0450 B | 0.0667 B |
| Beryllium | | ND(0.0100) | NA | ND(0.00100) | 0.000850 J |
| Cadmium | | ND(0.00500) | NA | ND(0.00500) | ND(0.00500) |
| Chromium | | ND(0.0100) J | NA | 0.00370 B | ND(0.0100) |
| Cobalt | | ND(0.0100) J | NA | 0.00370 B | ND(0.0100) |
| Copper | | ND(0.200) J | NA | ND(0.0250) | ND(0.0100) J |
| Lead | | ND(0.0100) J | NA | ND(0.00500) J | ND(0.0100) |
| Nickel | | ND(0.0500) J | NA | ND(0.0400) | ND(0.0100) |
| Selenium | | ND(0.0200) J | NA | ND(0.00500) | ND(0.0200) J |
| Thallium | | ND(0.0100) | NA | ND(0.0100) J | ND(0.0100) J |
| Tin | | ND(0.100) J | NA | ND(0.0300) | ND(0.0100) J |
| Vanadium | | ND(0.0500) | NA | ND(0.0500) | ND(0.0500) |
| Zinc | | 0.00549 B | NA | 0.0180 J | ND(0.0200) |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | 78-6 04/21/08 | 78-6 10/22/08 | GMA4-6 10/08/07 |
|------------------------------|-------------------------------|-----------------------------------|------------------|--------------------|
| Volatile Organics | | | | |
| 1,1,1-Trichloroethane | | ND(0.0010) J [ND(0.0010) J] | ND(0.0010) | ND(0.0010) |
| 1,1-Dichloroethane | | ND(0.0010) J [ND(0.0010) J] | ND(0.0010) | ND(0.0010) |
| Acetone | | ND(0.0050) J [ND(0.0050) J] | ND(0.0050) J | ND(0.0050) J |
| Bromoform | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Chlorobenzene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Chloroform | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Dibromochloromethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Methylene Chloride | | ND(0.0050) [ND(0.0050)] | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0010) |
| Toluene | | ND(0.0010) J [ND(0.0010) J] | ND(0.0010) | ND(0.0010) |
| Trichloroethene | | ND(0.0010) J [ND(0.0010) J] | ND(0.0010) | ND(0.0010) |
| Trichlorofluoromethane | | ND(0.0010) J [ND(0.0010) J] | ND(0.0010) | ND(0.0010) |
| Vinyl Chloride | | ND(0.0010) J [ND(0.0010) J] | ND(0.0010) | ND(0.0010) |
| Total VOCs | | ND(0.10) [ND(0.10)] | ND(0.10) | ND(0.10) |
| PCBs-Unfiltered | | | | |
| Aroclor-1254 | | NA | NA | NA |
| Aroclor-1260 | | NA | NA | NA |
| Total PCBs | | NA | NA | NA |
| PCBs-Filtered | | | | |
| Aroclor-1254 | | ND(0.000066) [ND(0.000067)] | ND(0.00010) | ND(0.00010) |
| Aroclor-1260 | | ND(0.000066) [ND(0.000067)] | ND(0.00010) | ND(0.00010) |
| Total PCBs | | ND(0.000066) [ND(0.000067)] | ND(0.00010) | ND(0.00010) |
| Semivolatile Organics | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.0051) [ND(0.0052)] | ND(0.0051) | ND(0.010) |
| Acenaphthene | | ND(0.0051) [ND(0.0052)] | ND(0.0051) | ND(0.010) |
| bis(2-Ethylhexyl)phthalate | | ND(0.0051) [ND(0.0052)] | ND(0.0051) | ND(0.010) |
| Dibenzofuran | | ND(0.0051) [ND(0.0052)] | ND(0.0051) | ND(0.010) |
| Dimethylphthalate | | ND(0.0051) [ND(0.0052)] | ND(0.0051) | ND(0.010) |
| Naphthalene | | ND(0.0051) [ND(0.0052)] | ND(0.0051) | ND(0.010) |
| Furans | | | | |
| 2,3,7,8-TCDF | | 0.000000019 J [0.000000032 J] | ND(0.000000029) | ND(0.000000026) |
| TCDFs (total) | | 0.000000028 [0.000000050] | 0.000000020 | 0.000000023 J |
| 1,2,3,7,8-PeCDF | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| 2,3,4,7,8-PeCDF | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| PeCDFs (total) | | 0.000000052 J [0.000000059 J] | 0.000000041 | 0.000000076 J |
| 1,2,3,4,7,8-HxCDF | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| 1,2,3,6,7,8-HxCDF | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| 1,2,3,7,8,9-HxCDF | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| 2,3,4,6,7,8-HxCDF | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| HxCDFs (total) | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| HpCDFs (total) | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| OCDF | | ND(0.000000010) [ND(0.000000010)] | ND(0.000000013) | ND(0.000000010) |
| Dioxins | | | | |
| 2,3,7,8-TCDD | | ND(0.000000014) [ND(0.000000010)] | ND(0.000000025) | ND(0.000000034) |
| TCDDs (total) | | ND(0.000000014) [ND(0.000000010)] | ND(0.000000025) | ND(0.000000034) |
| 1,2,3,7,8-PeCDD | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| PeCDDs (total) | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| 1,2,3,4,7,8-HxCDD | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| 1,2,3,6,7,8-HxCDD | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| 1,2,3,7,8,9-HxCDD | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| HxCDDs (total) | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000051) | ND(0.000000050) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000071) | ND(0.000000050) |
| HpCDDs (total) | | ND(0.000000051) [ND(0.000000051)] | ND(0.000000071) | ND(0.000000050) |
| OCDD | | ND(0.000000010) [ND(0.000000010)] | ND(0.000000015) | ND(0.000000010) |
| Total TEQs (WHO TEFs) | | 0.000000067 [0.000000067] | 0.000000072 | 0.000000075 |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | 78-6 04/21/08 | 78-6 10/22/08 | GMA4-6 10/08/07 |
|------------------------------|-------------------------------|-------------------------|------------------|--------------------|
| Inorganics-Unfiltered | | | | |
| Antimony | | NA | NA | NA |
| Arsenic | | NA | NA | NA |
| Barium | | NA | NA | NA |
| Beryllium | | NA | NA | NA |
| Cadmium | | NA | NA | NA |
| Chromium | | NA | NA | NA |
| Cobalt | | NA | NA | NA |
| Copper | | NA | NA | NA |
| Lead | | NA | NA | NA |
| Nickel | | NA | NA | NA |
| Selenium | | NA | NA | NA |
| Silver | | NA | NA | NA |
| Sulfide | | ND(1.00) J [ND(1.00) J] | ND(1.00) | ND(1.00) J |
| Thallium | | NA | NA | NA |
| Tin | | NA | NA | NA |
| Vanadium | | NA | NA | NA |
| Zinc | | NA | NA | NA |
| Inorganics-Filtered | | | | |
| Antimony | | ND(0.0400) [ND(0.0400)] | ND(0.0400) | ND(0.0400) |
| Arsenic | | ND(0.0100) [ND(0.0100)] | 0.00517 B J | ND(0.0100) J |
| Barium | | 0.0340 B [0.0353 B] | 0.0574 B | 0.00701 B |
| Beryllium | | ND(0.0100) J | ND(0.0100) J | ND(0.0100) J |
| Cadmium | | ND(0.00500) J | ND(0.00500) J | ND(0.00500) J |
| Chromium | | 0.00209 B [ND(0.0100)] | ND(0.0100) J | ND(0.0100) |
| Cobalt | | ND(0.0100) J | 0.00372 B J | ND(0.0100) |
| Copper | | ND(0.0100) J | ND(0.200) J | ND(0.0100) |
| Lead | | ND(0.0100) [ND(0.0100)] | 0.00684 B J | ND(0.0100) |
| Nickel | | ND(0.0100) J | ND(0.0500) | 0.00564 B |
| Selenium | | ND(0.0200) [ND(0.0200)] | ND(0.0200) J | ND(0.0200) J |
| Thallium | | 0.00625 J | ND(0.0100) J | 0.00652 B |
| Tin | | ND(0.0100) J | ND(0.100) J | ND(0.0100) |
| Vanadium | | ND(0.0500) [ND(0.0500)] | ND(0.0500) | ND(0.0500) |
| Zinc | | ND(0.0200) [ND(0.0200)] | ND(0.0500) | 0.0123 B |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | GMA4-6 04/21/08 | GMA4-6 10/23/08 | H78B-15 06/16/99 | H78B-15 05/03/01 |
|------------------------------|-------------------------------|--------------------|--------------------|---------------------|---------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | ND(0.0010) J | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| 1,1-Dichloroethane | | ND(0.0010) J | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Acetone | | ND(0.0050) J | ND(0.0050) J | ND(0.10) | ND(0.010) |
| Bromoform | | ND(0.0010) | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Chlorobenzene | | ND(0.0010) | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Chloroform | | 0.0030 | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Dibromochloromethane | | ND(0.0010) | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | ND(0.0010) | ND(0.0010) | ND(0.0050) | ND(0.0020) |
| Toluene | | ND(0.0010) J | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Trichloroethene | | ND(0.0010) J | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Trichlorofluoromethane | | ND(0.0010) J | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Vinyl Chloride | | ND(0.0010) J | ND(0.0010) | ND(0.010) | ND(0.0020) |
| Total VOCs | | 0.0030 | ND(0.10) | ND(0.20) | ND(0.20) |
| PCBs-Unfiltered | | | | | |
| Aroclor-1254 | | NA | NA | 0.000035 J | ND(0.000065) |
| Aroclor-1260 | | NA | NA | ND(0.000050) | ND(0.000065) |
| Total PCBs | | NA | NA | 0.000035 J | ND(0.000065) |
| PCBs-Filtered | | | | | |
| Aroclor-1254 | | ND(0.000068) | ND(0.00010) J | NA | ND(0.000065) |
| Aroclor-1260 | | ND(0.000068) | ND(0.00010) J | NA | ND(0.000065) |
| Total PCBs | | ND(0.000068) | ND(0.00010) J | NA | ND(0.000065) |
| Semivolatile Organics | | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.0052) | ND(0.0051) | ND(0.010) | ND(0.010) |
| Acenaphthene | | ND(0.0052) | ND(0.0051) | ND(0.010) | ND(0.010) |
| bis(2-Ethylhexyl)phthalate | | ND(0.0052) | 0.00072 J | ND(0.010) | ND(0.0060) |
| Dibenzofuran | | ND(0.0052) | ND(0.0051) | ND(0.010) | ND(0.010) |
| Dimethylphthalate | | ND(0.0052) | ND(0.0051) | ND(0.010) | ND(0.010) |
| Naphthalene | | ND(0.0052) | ND(0.0051) | ND(0.010) | ND(0.010) |
| Furans | | | | | |
| 2,3,7,8-TCDF | | ND(0.00000010) | ND(0.000000035) | ND(0.000000015) | ND(0.000000040) |
| TCDFs (total) | | ND(0.00000010) | ND(0.000000035) | ND(0.000000015) | ND(0.000000012) |
| 1,2,3,7,8-PeCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000036) | ND(0.000000038) |
| 2,3,4,7,8-PeCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000034) | ND(0.000000055) XB |
| PeCDFs (total) | | ND(0.000000052) | ND(0.000000051) | ND(0.000000036) | ND(0.000000013) |
| 1,2,3,4,7,8-HxCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000017) | ND(0.000000015) XB |
| 1,2,3,6,7,8-HxCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000017) | ND(0.000000040) |
| 1,2,3,7,8,9-HxCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000023) | ND(0.0000000050) |
| 2,3,4,6,7,8-HxCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000018) | ND(0.000000040) |
| HxCDFs (total) | | ND(0.000000052) | ND(0.000000051) | ND(0.000000023) | ND(0.000000058) |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000032) | ND(0.000000060) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.000000052) | ND(0.000000058) | ND(0.000000015) | ND(0.000000086) XB |
| HpCDFs (total) | | ND(0.000000052) | ND(0.000000058) | ND(0.000000032) | ND(0.000000086) X |
| OCDF | | ND(0.000000011) | ND(0.000000016) | ND(0.000000076) | ND(0.000000026) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | ND(0.000000010) | ND(0.000000033) | ND(0.000000035) | ND(0.000000017) XB |
| TCDDs (total) | | ND(0.000000010) | ND(0.000000033) | ND(0.000000035) | ND(0.000000031) X |
| 1,2,3,7,8-PeCDD | | ND(0.000000052) | ND(0.000000051) | ND(0.000000071) | ND(0.000000060) |
| PeCDDs (total) | | ND(0.000000052) | ND(0.000000051) | ND(0.000000071) | ND(0.000000018) X |
| 1,2,3,4,7,8-HxCDD | | ND(0.000000052) | ND(0.000000051) | ND(0.000000056) | ND(0.000000080) |
| 1,2,3,6,7,8-HxCDD | | ND(0.000000052) | ND(0.000000051) | ND(0.000000070) | ND(0.000000012) |
| 1,2,3,7,8,9-HxCDD | | ND(0.000000052) | ND(0.000000051) | ND(0.000000062) | ND(0.000000095) XB |
| HxCDDs (total) | | ND(0.000000052) | ND(0.000000051) | ND(0.000000070) | 0.000000032 |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000077) | ND(0.000000070) | ND(0.000000011) | 0.000000052 JB |
| HpCDDs (total) | | ND(0.000000077) | ND(0.000000070) | ND(0.000000011) | ND(0.000000052) |
| OCDD | | ND(0.000000012) | ND(0.000000019) | ND(0.000000090) | ND(0.000000077) |
| Total TEQs (WHO TEFs) | | 0.000000011 | 0.000000077 | 0.000000079 | 0.000000017 |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | GMA4-6 04/21/08 | GMA4-6 10/23/08 | H78B-15 06/16/99 | H78B-15 05/03/01 |
|------------------------------|-------------------------------|--------------------|--------------------|---------------------|---------------------|
| Inorganics-Unfiltered | | | | | |
| Antimony | | NA | NA | ND(0.0600) | 0.00290 J |
| Arsenic | | NA | NA | ND(0.00600) | ND(0.0100) |
| Barium | | NA | NA | 0.0570 | 0.00430 B |
| Beryllium | | NA | NA | ND(0.00600) | ND(0.00100) |
| Cadmium | | NA | NA | ND(0.00600) J | ND(0.00500) |
| Chromium | | NA | NA | ND(0.0130) | 0.00290 B |
| Cobalt | | NA | NA | ND(0.0600) | ND(0.0500) |
| Copper | | NA | NA | ND(0.0330) | 0.00910 B |
| Lead | | NA | NA | ND(0.130) J | ND(0.00500) J |
| Nickel | | NA | NA | ND(0.0600) | ND(0.0400) |
| Selenium | | NA | NA | ND(0.00600) | ND(0.00500) |
| Silver | | NA | NA | ND(0.0130) | ND(0.00500) |
| Sulfide | | 1.00 J | ND(1.00) | ND(5.00) | ND(5.00) |
| Thallium | | NA | NA | ND(0.0130) | ND(0.0100) J |
| Tin | | NA | NA | ND(0.300) j | ND(0.0300) |
| Vanadium | | NA | NA | ND(0.0600) | ND(0.0500) |
| Zinc | | NA | NA | 0.0830 | 0.0110 J |
| Inorganics-Filtered | | | | | |
| Antimony | | ND(0.0400) | ND(0.0400) | NA | ND(0.0100) J |
| Arsenic | | ND(0.0100) | ND(0.0100) J | NA | ND(0.0100) |
| Barium | | ND(0.100) | ND(0.500) | NA | 0.00460 B |
| Beryllium | | ND(0.0100) J | ND(0.0100) | NA | ND(0.00100) |
| Cadmium | | ND(0.00500) J | ND(0.00500) | NA | ND(0.00500) |
| Chromium | | ND(0.0100) | ND(0.0100) J | NA | ND(0.0100) |
| Cobalt | | ND(0.0100) J | ND(0.0100) J | NA | ND(0.0500) |
| Copper | | ND(0.0100) J | ND(0.200) J | NA | 0.00610 B |
| Lead | | ND(0.0100) | ND(0.0100) J | NA | ND(0.00500) J |
| Nickel | | ND(0.0100) J | ND(0.0500) J | NA | ND(0.0400) |
| Selenium | | ND(0.0200) | 0.00962 B J | NA | ND(0.00500) |
| Thallium | | ND(0.0100) J | 0.00784 B | NA | ND(0.0100) J |
| Tin | | ND(0.0100) J | ND(0.100) J | NA | ND(0.0300) |
| Vanadium | | ND(0.0500) | ND(0.0500) | NA | ND(0.0500) |
| Zinc | | 0.00957 B | 0.0154 B | NA | 0.0180 J |

**Table D-1
OPCA Monitoring Program**

**Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | H78B-15 10/10/07 | H78B-15 04/23/08 | H78B-15 10/23/08 | NY-4 06/14/99 |
|------------------------------|-------------------------------|---------------------|---------------------|---------------------|------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) | ND(0.0050) |
| 1,1-Dichloroethane | | 0.00010 J | ND(0.0010) | ND(0.0010) | ND(0.0050) |
| Acetone | | 0.0031 J | ND(0.0050) J | ND(0.0050) J | ND(0.10) |
| Bromoform | | ND(0.0010) | ND(0.0010) | ND(0.0010) | ND(0.0050) |
| Chlorobenzene | | ND(0.0010) | ND(0.0010) | ND(0.0010) | ND(0.0050) |
| Chloroform | | ND(0.0010) | ND(0.0010) | 0.00021 J | ND(0.0050) |
| Dibromochloromethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) | ND(0.0050) |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) J | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | ND(0.0010) | ND(0.0010) | ND(0.0010) | ND(0.0050) |
| Toluene | | ND(0.0010) | ND(0.0010) | ND(0.0010) | ND(0.0050) |
| Trichloroethene | | 0.00023 J | ND(0.0010) | ND(0.0010) | ND(0.0050) |
| Trichlorofluoromethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) | ND(0.0050) |
| Vinyl Chloride | | ND(0.0010) | ND(0.0010) | ND(0.0010) | ND(0.010) |
| Total VOCs | | 0.0034 J | ND(0.10) | 0.00021 J | ND(0.20) |
| PCBs-Unfiltered | | | | | |
| Aroclor-1254 | | NA | NA | NA | 0.00012 |
| Aroclor-1260 | | NA | NA | NA | ND(0.00010) |
| Total PCBs | | NA | NA | NA | 0.00012 |
| PCBs-Filtered | | | | | |
| Aroclor-1254 | | ND(0.000065) | ND(0.000067) J | ND(0.00010) J | NA |
| Aroclor-1260 | | ND(0.000065) | ND(0.000067) J | ND(0.00010) J | NA |
| Total PCBs | | ND(0.000065) | ND(0.000067) J | ND(0.00010) J | NA |
| Semivolatile Organics | | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.010) | ND(0.0052) | ND(0.0053) | ND(0.010) |
| Acenaphthene | | ND(0.010) | ND(0.0052) | ND(0.0053) | ND(0.010) |
| bis(2-Ethylhexyl)phthalate | | ND(0.010) | ND(0.0052) | 0.0010 J | ND(0.010) |
| Dibenzofuran | | ND(0.010) | ND(0.0052) | ND(0.0053) | ND(0.010) |
| Dimethylphthalate | | ND(0.010) | ND(0.0052) | ND(0.0053) | ND(0.010) |
| Naphthalene | | ND(0.010) | ND(0.0052) | ND(0.0053) | ND(0.010) |
| Furans | | | | | |
| 2,3,7,8-TCDF | | ND(0.0000000017) | ND(0.0000000033) | ND(0.0000000030) | ND(0.0000000020) |
| TCDFs (total) | | ND(0.0000000017) | ND(0.0000000033) | 0.0000000025 | ND(0.0000000020) |
| 1,2,3,7,8-PeCDF | | ND(0.0000000052) | ND(0.0000000052) | ND(0.0000000051) | ND(0.0000000074) |
| 2,3,4,7,8-PeCDF | | ND(0.0000000052) | ND(0.0000000052) | ND(0.0000000051) | ND(0.0000000069) |
| PeCDFs (total) | | ND(0.0000000052) | ND(0.0000000052) | ND(0.0000000051) | ND(0.0000000074) |
| 1,2,3,4,7,8-HxCDF | | ND(0.0000000052) | ND(0.0000000052) | ND(0.0000000051) | ND(0.0000000021) |
| 1,2,3,6,7,8-HxCDF | | ND(0.0000000052) | ND(0.0000000052) | ND(0.0000000051) | ND(0.0000000022) |
| 1,2,3,7,8,9-HxCDF | | ND(0.0000000052) | ND(0.0000000052) | ND(0.0000000051) | ND(0.0000000021) |
| 2,3,4,6,7,8-HxCDF | | ND(0.0000000052) | ND(0.0000000052) | ND(0.0000000051) | ND(0.0000000023) |
| HxCDFs (total) | | ND(0.0000000052) | ND(0.0000000052) | ND(0.0000000051) | ND(0.0000000023) |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.0000000052) | ND(0.0000000052) | ND(0.0000000051) | ND(0.0000000054) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.0000000052) | ND(0.0000000063) | ND(0.0000000051) | ND(0.0000000054) |
| HpCDFs (total) | | ND(0.0000000052) | ND(0.0000000056) | ND(0.0000000051) | ND(0.0000000054) |
| OCDF | | ND(0.0000000011) | ND(0.0000000031) | ND(0.0000000011) | ND(0.0000000067) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | ND(0.0000000020) | ND(0.0000000043) | ND(0.0000000023) | ND(0.0000000030) |
| TCDDs (total) | | ND(0.0000000020) | ND(0.0000000043) | ND(0.0000000023) | ND(0.0000000030) |
| 1,2,3,7,8-PeCDD | | ND(0.0000000052) | ND(0.0000000052) | ND(0.0000000051) | ND(0.0000000031) |
| PeCDDs (total) | | ND(0.0000000052) | ND(0.0000000052) | ND(0.0000000051) | ND(0.0000000031) |
| 1,2,3,4,7,8-HxCDD | | ND(0.0000000052) | ND(0.0000000053) | ND(0.0000000051) | ND(0.0000000032) |
| 1,2,3,6,7,8-HxCDD | | ND(0.0000000052) | ND(0.0000000054) | ND(0.0000000051) | ND(0.0000000040) |
| 1,2,3,7,8,9-HxCDD | | ND(0.0000000052) | ND(0.0000000055) | ND(0.0000000051) | ND(0.0000000036) |
| HxCDDs (total) | | ND(0.0000000052) | ND(0.0000000054) | ND(0.0000000051) | ND(0.0000000040) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.0000000052) | ND(0.0000000074) | ND(0.0000000051) | ND(0.0000000082) |
| HpCDDs (total) | | ND(0.0000000052) | ND(0.0000000074) | ND(0.0000000051) | ND(0.0000000082) |
| OCDD | | ND(0.0000000011) | ND(0.0000000037) | ND(0.0000000013) | ND(0.0000000084) |
| Total TEQs (WHO TEFs) | | 0.0000000070 | 0.0000000083 | 0.0000000072 | 0.0000000029 |

**Table D-1
OPCA Monitoring Program**

**Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | H78B-15 10/10/07 | H78B-15 04/23/08 | H78B-15 10/23/08 | NY-4 06/14/99 |
|------------------------------|-------------------------------|---------------------|---------------------|---------------------|------------------|
| Inorganics-Unfiltered | | | | | |
| Antimony | | NA | NA | NA | ND(0.0600) |
| Arsenic | | NA | NA | NA | ND(0.00600) |
| Barium | | NA | NA | NA | 0.0200 |
| Beryllium | | NA | NA | NA | ND(0.00600) |
| Cadmium | | NA | NA | NA | ND(0.00600) |
| Chromium | | NA | NA | NA | ND(0.0130) |
| Cobalt | | NA | NA | NA | ND(0.0600) |
| Copper | | NA | NA | NA | ND(0.0330) |
| Lead | | NA | NA | NA | ND(0.130) J |
| Nickel | | NA | NA | NA | ND(0.0600) |
| Selenium | | NA | NA | NA | ND(0.00600) J |
| Silver | | NA | NA | NA | ND(0.0130) |
| Sulfide | | ND(1.00) J | ND(1.00) | ND(1.00) | ND(5.00) |
| Thallium | | NA | NA | NA | ND(0.0130) |
| Tin | | NA | NA | NA | ND(0.300) |
| Vanadium | | NA | NA | NA | ND(0.0600) |
| Zinc | | NA | NA | NA | ND(0.0260) |
| Inorganics-Filtered | | | | | |
| Antimony | | ND(0.0400) | ND(0.0400) | ND(0.0400) | NA |
| Arsenic | | 0.00346 B | ND(0.0100) | ND(0.0100) J | NA |
| Barium | | 0.0546 B | ND(0.100) | ND(0.500) | NA |
| Beryllium | | ND(0.0100) | 0.000940 J | ND(0.0100) | NA |
| Cadmium | | ND(0.00500) J | ND(0.00500) J | ND(0.00500) | NA |
| Chromium | | ND(0.0100) J | 0.00134 B | ND(0.0100) J | NA |
| Cobalt | | ND(0.0100) | ND(0.0100) J | ND(0.0100) J | NA |
| Copper | | ND(0.0100) | ND(0.0100) J | ND(0.200) J | NA |
| Lead | | ND(0.0100) | ND(0.0100) | ND(0.0100) J | NA |
| Nickel | | ND(0.0100) | ND(0.0100) J | ND(0.0500) J | NA |
| Selenium | | ND(0.0200) | ND(0.0200) | 0.00918 B J | NA |
| Thallium | | ND(0.0100) J | ND(0.0100) J | ND(0.0100) | NA |
| Tin | | ND(0.0100) | ND(0.0100) J | ND(0.100) J | NA |
| Vanadium | | ND(0.0500) | ND(0.0500) | 0.00587 B | NA |
| Zinc | | 0.194 | ND(0.0200) | 0.00439 B | NA |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | NY-4 04/30/01 | OPCA-MW-1 06/16/99 | OPCA-MW-1 05/02/01 | OPCA-MW-1R 10/05/07 |
|------------------------------|-------------------------------|-------------------|-----------------------|-----------------------|------------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| 1,1-Dichloroethane | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Acetone | | ND(0.010) | ND(0.10) | ND(0.010) | ND(0.0050) J |
| Bromoform | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Chlorobenzene | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Chloroform | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Dibromochloromethane | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | ND(0.0020) | ND(0.0050) | ND(0.0020) | 0.015 |
| Toluene | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Trichloroethene | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Trichlorofluoromethane | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Vinyl Chloride | | ND(0.0020) | ND(0.010) | ND(0.0020) | ND(0.0010) |
| Total VOCs | | ND(0.20) | ND(0.20) | ND(0.20) | 0.015 |
| PCBs-Unfiltered | | | | | |
| Aroclor-1254 | | 0.00023 | 0.000054 | ND(0.000065) | NA |
| Aroclor-1260 | | 0.000080 | ND(0.000050) | ND(0.000065) | NA |
| Total PCBs | | 0.00031 | 0.000054 | ND(0.000065) | NA |
| PCBs-Filtered | | | | | |
| Aroclor-1254 | | 0.00011 | NA | ND(0.000065) | ND(0.00010) |
| Aroclor-1260 | | ND(0.000065) | NA | ND(0.000065) | ND(0.00010) |
| Total PCBs | | 0.00011 | NA | ND(0.000065) | ND(0.00010) |
| Semivolatile Organics | | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.010) | ND(0.012) | ND(0.010) | ND(0.010) |
| Acenaphthene | | ND(0.010) | ND(0.012) | ND(0.010) | ND(0.010) |
| bis(2-Ethylhexyl)phthalate | | ND(0.0060) | ND(0.012) | ND(0.010) | ND(0.010) |
| Dibenzofuran | | ND(0.010) | ND(0.012) | ND(0.010) | ND(0.010) |
| Dimethylphthalate | | ND(0.010) | ND(0.012) | ND(0.010) | ND(0.010) |
| Naphthalene | | ND(0.010) | ND(0.012) | ND(0.010) | ND(0.010) |
| Furans | | | | | |
| 2,3,7,8-TCDF | | ND(0.000000011) | ND(0.000000011) | ND(0.000000013) | 0.000000025 J |
| TCDFs (total) | | ND(0.000000018) X | 0.000000090 J | ND(0.000000013) | 0.000000035 J |
| 1,2,3,7,8-PeCDF | | ND(0.000000012) | ND(0.000000025) | ND(0.000000037) | ND(0.000000050) |
| 2,3,4,7,8-PeCDF | | 0.000000034 J | ND(0.000000024) | ND(0.000000015) | ND(0.000000050) |
| PeCDFs (total) | | 0.000000044 | ND(0.000000025) | ND(0.000000037) | 0.000000031 J |
| 1,2,3,4,7,8-HxCDF | | ND(0.000000013) | ND(0.000000011) | ND(0.000000025) | ND(0.000000050) |
| 1,2,3,6,7,8-HxCDF | | ND(0.000000032) | ND(0.000000011) | ND(0.000000015) | ND(0.000000050) |
| 1,2,3,7,8,9-HxCDF | | ND(0.000000010) | ND(0.000000016) | ND(0.000000021) | ND(0.000000050) |
| 2,3,4,6,7,8-HxCDF | | ND(0.000000017) | ND(0.000000012) | ND(0.0000000090) | ND(0.000000050) |
| HxCDFs (total) | | ND(0.000000027) | ND(0.000000016) | ND(0.000000046) | 0.000000014 |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.000000066) | ND(0.000000073) | ND(0.000000025) | ND(0.000000050) |
| 1,2,3,4,7,8,9-HpCDF | | 0.000000034 JB | ND(0.000000090) | ND(0.000000015) | ND(0.000000050) |
| HpCDFs (total) | | ND(0.000000014) | 0.000000078 J | ND(0.000000025) | ND(0.000000050) |
| OCDF | | 0.000000023 J | ND(0.000000037) | ND(0.000000046) | ND(0.000000010) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | 0.000000017 | ND(0.000000012) | ND(0.000000018) | ND(0.000000013) |
| TCDDs (total) | | 0.000000017 | ND(0.000000012) | ND(0.000000018) | ND(0.000000013) |
| 1,2,3,7,8-PeCDD | | ND(0.000000018) | ND(0.000000046) | ND(0.000000015) | ND(0.000000050) |
| PeCDDs (total) | | ND(0.000000093) | ND(0.000000046) | ND(0.000000015) | ND(0.000000050) |
| 1,2,3,4,7,8-HxCDD | | ND(0.000000016) | ND(0.000000034) | ND(0.000000012) | ND(0.000000050) |
| 1,2,3,6,7,8-HxCDD | | ND(0.000000017) | ND(0.000000042) | ND(0.000000013) | ND(0.000000050) |
| 1,2,3,7,8,9-HxCDD | | ND(0.000000012) | ND(0.000000038) | ND(0.000000012) | ND(0.000000050) |
| HxCDDs (total) | | ND(0.000000062) | ND(0.000000042) | ND(0.000000025) | ND(0.000000050) |
| 1,2,3,4,6,7,8-HpCDD | | 0.000000084 B | ND(0.000000070) | ND(0.000000045) | ND(0.000000050) |
| HpCDDs (total) | | 0.000000012 | ND(0.000000070) | ND(0.000000045) | ND(0.000000050) |
| OCDD | | ND(0.000000048) | ND(0.000000044) | ND(0.000000029) | ND(0.000000010) |
| Total TEQs (WHO TEFs) | | 0.000000023 | 0.000000046 | 0.000000028 | 0.000000066 |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | NY-4 04/30/01 | OPCA-MW-1 06/16/99 | OPCA-MW-1 05/02/01 | OPCA-MW-1R 10/05/07 |
|------------------------------|-------------------------------|------------------|-----------------------|-----------------------|------------------------|
| Inorganics-Unfiltered | | | | | |
| Antimony | | ND(0.0600) | ND(0.0600) | ND(0.0600) | NA |
| Arsenic | | 0.00450 B | ND(0.00600) | 0.00450 B | NA |
| Barium | | 0.0300 B | 0.0620 | 0.0240 B | NA |
| Beryllium | | ND(0.00100) | ND(0.00600) | ND(0.00100) | NA |
| Cadmium | | ND(0.00500) | ND(0.00600) J | ND(0.00500) | NA |
| Chromium | | 0.00460 B | ND(0.0130) | ND(0.025) J | NA |
| Cobalt | | ND(0.0500) | ND(0.0600) | 0.000350 B | NA |
| Copper | | 0.0100 B | ND(0.0330) | ND(0.0250) | NA |
| Lead | | ND(0.00500) | ND(0.130) J | ND(0.0050) J | NA |
| Nickel | | ND(0.0400) | ND(0.0600) | ND(0.0400) | NA |
| Selenium | | 0.0080 J | ND(0.00600) | ND(0.00500) | NA |
| Silver | | ND(0.00500) | ND(0.0130) | ND(0.00500) | NA |
| Sulfide | | ND(5.00) | ND(5.00) | ND(5.00) | ND(1.00) |
| Thallium | | ND(0.0100) | ND(0.0130) | ND(0.010) J | NA |
| Tin | | ND(0.0300) | ND(0.300) j | ND(0.0300) | NA |
| Vanadium | | ND(0.0500) | ND(0.0600) | ND(0.0500) | NA |
| Zinc | | 0.0350 | ND(0.0260) | 0.028 J | NA |
| Inorganics-Filtered | | | | | |
| Antimony | | ND(0.0600) | NA | ND(0.0600) | ND(0.0400) |
| Arsenic | | ND(0.0100) | NA | ND(0.0100) | ND(0.0100) |
| Barium | | 0.0170 B | NA | 0.0230 B | ND(0.107) |
| Beryllium | | ND(0.00100) | NA | ND(0.00100) | ND(0.0100) J |
| Cadmium | | ND(0.00500) | NA | ND(0.00500) | ND(0.0050) J |
| Chromium | | ND(0.0100) | NA | ND(0.025) J | ND(0.0100) J |
| Cobalt | | ND(0.0500) | NA | ND(0.0500) | ND(0.0100) |
| Copper | | 0.00410 B | NA | 0.00420 B | ND(0.0100) J |
| Lead | | ND(0.00500) | NA | ND(0.0050) J | ND(0.0100) J |
| Nickel | | ND(0.0400) | NA | ND(0.0400) | ND(0.0100) J |
| Selenium | | 0.0075 J | NA | ND(0.00500) | ND(0.0200) J |
| Thallium | | ND(0.0100) | NA | ND(0.010) J | ND(0.0100) |
| Tin | | ND(0.0300) | NA | ND(0.0300) | ND(0.100) J |
| Vanadium | | ND(0.0500) | NA | ND(0.0500) | ND(0.0500) |
| Zinc | | 0.0180 B | NA | 0.028 J | ND(0.0200) |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-1RR 10/20/08 | OPCA-MW-2 06/15/99 | OPCA-MW-2 05/02/01 |
|------------------------------|-------------------------------|-------------------------|-------------------------------------|-----------------------|
| Volatile Organics | | | | |
| 1,1,1-Trichloroethane | | ND(0.50) | ND(0.0050) [ND(0.0050)] | ND(0.0050) |
| 1,1-Dichloroethane | | ND(0.50) | ND(0.0050) [ND(0.0050)] | ND(0.0050) |
| Acetone | | ND(2.5) J | ND(0.10) [ND(0.10)] | ND(0.010) |
| Bromoform | | ND(0.50) | ND(0.0050) [ND(0.0050)] | ND(0.0050) |
| Chlorobenzene | | ND(0.50) | ND(0.0050) [ND(0.0050)] | ND(0.0050) |
| Chloroform | | ND(0.50) | ND(0.0050) [ND(0.0050)] | ND(0.0050) |
| Dibromochloromethane | | ND(0.50) | ND(0.0050) [ND(0.0050)] | ND(0.0050) |
| Methylene Chloride | | ND(2.5) | ND(0.0050) [ND(0.0050)] | ND(0.0050) |
| Tetrachloroethene | | 3.6 | ND(0.0050) [ND(0.0050)] | ND(0.0020) |
| Toluene | | ND(0.50) | ND(0.0050) [ND(0.0050)] | ND(0.0050) |
| Trichloroethene | | ND(0.50) | ND(0.0050) [ND(0.0050)] | ND(0.0050) |
| Trichlorofluoromethane | | ND(0.50) J | ND(0.0050) [ND(0.0050)] | ND(0.0050) |
| Vinyl Chloride | | ND(0.50) J | ND(0.010) [ND(0.010)] | ND(0.0020) |
| Total VOCs | | 3.6 | ND(0.20) [ND(0.20)] | ND(0.20) |
| PCBs-Unfiltered | | | | |
| Aroclor-1254 | | NA | ND(0.000050) [ND(0.000050)] | ND(0.000065) |
| Aroclor-1260 | | NA | ND(0.000050) [ND(0.000050)] | ND(0.000065) |
| Total PCBs | | NA | ND(0.000050) [ND(0.000050)] | ND(0.000065) |
| PCBs-Filtered | | | | |
| Aroclor-1254 | | ND(0.00010) J | NA | ND(0.000065) |
| Aroclor-1260 | | ND(0.00010) J | NA | ND(0.000065) |
| Total PCBs | | ND(0.00010) J | NA | ND(0.000065) |
| Semivolatile Organics | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.0051) | ND(0.010) [ND(0.010)] | ND(0.010) |
| Acenaphthene | | ND(0.0051) | ND(0.010) [ND(0.010)] | ND(0.010) |
| bis(2-Ethylhexyl)phthalate | | ND(0.0051) | ND(0.010) [ND(0.010)] | ND(0.0060) |
| Dibenzofuran | | ND(0.0051) | ND(0.010) [ND(0.010)] | ND(0.010) |
| Dimethylphthalate | | ND(0.0051) | ND(0.010) [ND(0.010)] | ND(0.010) |
| Naphthalene | | ND(0.0051) | ND(0.010) [ND(0.010)] | ND(0.010) |
| Furans | | | | |
| 2,3,7,8-TCDF | | ND(0.0000000035) | ND(0.0000000080) [ND(0.0000000060)] | ND(0.0000000013) |
| TCDFs (total) | | ND(0.0000000035) | ND(0.0000000080) [ND(0.0000000060)] | ND(0.0000000013) |
| 1,2,3,7,8-PeCDF | | ND(0.0000000053) | ND(0.0000000038) [ND(0.0000000021)] | ND(0.0000000020) |
| 2,3,4,7,8-PeCDF | | ND(0.0000000053) | ND(0.0000000040) [ND(0.0000000023)] | ND(0.0000000020) |
| PeCDFs (total) | | ND(0.0000000053) | ND(0.0000000040) [ND(0.0000000023)] | ND(0.0000000020) |
| 1,2,3,4,7,8-HxCDF | | ND(0.0000000053) | ND(0.000000011) [ND(0.0000000051)] | ND(0.0000000022) |
| 1,2,3,6,7,8-HxCDF | | ND(0.0000000053) | ND(0.000000011) [ND(0.0000000052)] | ND(0.0000000010) |
| 1,2,3,7,8,9-HxCDF | | ND(0.0000000053) | ND(0.000000017) [ND(0.0000000049)] | ND(0.0000000014) |
| 2,3,4,6,7,8-HxCDF | | ND(0.0000000053) | ND(0.000000011) [ND(0.0000000054)] | ND(0.0000000012) |
| HxCDFs (total) | | ND(0.0000000053) | ND(0.000000017) [ND(0.0000000054)] | ND(0.0000000022) |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.0000000053) | ND(0.000000048) [ND(0.000000011)] | ND(0.0000000018) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.0000000065) | ND(0.000000031) [ND(0.000000013)] | ND(0.0000000022) |
| HpCDFs (total) | | ND(0.0000000065) | ND(0.000000048) [0.000000013 J] | ND(0.0000000020) |
| OCDF | | ND(0.000000015) | ND(0.000000022) [ND(0.000000010)] | ND(0.0000000043) |
| Dioxins | | | | |
| 2,3,7,8-TCDD | | ND(0.0000000032) | ND(0.0000000015) [ND(0.0000000011)] | ND(0.0000000017) |
| TCDDs (total) | | ND(0.0000000032) | ND(0.0000000015) [ND(0.0000000011)] | ND(0.0000000017) |
| 1,2,3,7,8-PeCDD | | ND(0.0000000053) | ND(0.000000015) [ND(0.0000000076)] | ND(0.0000000018) |
| PeCDDs (total) | | ND(0.0000000053) | ND(0.000000015) [ND(0.0000000076)] | ND(0.0000000018) |
| 1,2,3,4,7,8-HxCDD | | ND(0.0000000053) | ND(0.000000014) [ND(0.0000000068)] | ND(0.0000000017) |
| 1,2,3,6,7,8-HxCDD | | ND(0.0000000053) | ND(0.000000017) [ND(0.0000000085)] | ND(0.0000000017) |
| 1,2,3,7,8,9-HxCDD | | ND(0.0000000053) | ND(0.000000015) [ND(0.0000000076)] | ND(0.0000000017) |
| HxCDDs (total) | | ND(0.0000000053) | ND(0.000000017) [ND(0.0000000085)] | ND(0.0000000017) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000011) | ND(0.000000036) [ND(0.000000013)] | ND(0.0000000031) |
| HpCDDs (total) | | ND(0.000000011) | ND(0.000000036) [ND(0.000000013)] | ND(0.0000000031) |
| OCDD | | ND(0.000000018) | ND(0.000000033) [ND(0.000000015)] | ND(0.000000012) |
| Total TEQs (WHO TEFs) | | 0.0000000078 | 0.000000015 [0.0000000074] | 0.0000000029 |

**Table D-1
OPCA Monitoring Program**

**Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | OPCA-MW-1RR 10/20/08 | OPCA-MW-2 06/15/99 | OPCA-MW-2 05/02/01 |
|------------------------------|-------------------------------|-------------------------|-------------------------------|-----------------------|
| Inorganics-Unfiltered | | | | |
| Antimony | | NA | ND(0.0600) [ND(0.0600)] | ND(0.0600) |
| Arsenic | | NA | ND(0.00600) [ND(0.00600)] | ND(0.0100) |
| Barium | | NA | 0.0320 [0.0340] | 0.0190 B |
| Beryllium | | NA | ND(0.00600) [ND(0.00600)] | ND(0.00100) |
| Cadmium | | NA | ND(0.00600) [ND(0.00600)] | ND(0.00500) |
| Chromium | | NA | ND(0.0130) [ND(0.0130)] | ND(0.025) J |
| Cobalt | | NA | ND(0.0600) [ND(0.0600)] | ND(0.0500) |
| Copper | | NA | ND(0.0330) [ND(0.0330)] | ND(0.0250) |
| Lead | | NA | ND(0.130) J [ND(0.130) J] | ND(0.0050) J |
| Nickel | | NA | ND(0.0600) [ND(0.0600)] | ND(0.0400) |
| Selenium | | NA | ND(0.00600) J [ND(0.00600) J] | 0.00890 |
| Silver | | NA | ND(0.0130) [ND(0.0130)] | ND(0.00500) |
| Sulfide | | 1.20 | ND(5.00) [ND(5.00)] | ND(5.00) |
| Thallium | | NA | ND(0.0130) [ND(0.0130)] | ND(0.010) J |
| Tin | | NA | ND(0.300) [ND(0.300)] | ND(0.0300) |
| Vanadium | | NA | ND(0.0600) [ND(0.0600)] | ND(0.0500) |
| Zinc | | NA | ND(0.0260) [ND(0.0260)] | 0.016 BJ |
| Inorganics-Filtered | | | | |
| Antimony | | ND(0.0400) | NA | ND(0.0600) |
| Arsenic | | 0.00195 B J | NA | ND(0.0100) |
| Barium | | 0.0453 B | NA | 0.0180 B |
| Beryllium | | ND(0.0100) J | NA | ND(0.00100) |
| Cadmium | | 0.00256 B J | NA | ND(0.00500) |
| Chromium | | ND(0.0100) J | NA | ND(0.025) J |
| Cobalt | | ND(0.0100) J | NA | ND(0.0500) |
| Copper | | ND(0.200) J | NA | ND(0.0250) |
| Lead | | 0.00395 B J | NA | ND(0.0050) J |
| Nickel | | ND(0.0500) | NA | ND(0.0400) |
| Selenium | | ND(0.0200) J | NA | ND(0.00500) |
| Thallium | | ND(0.0100) J | NA | ND(0.010) J |
| Tin | | ND(0.100) J | NA | ND(0.0300) |
| Vanadium | | ND(0.0500) | NA | ND(0.0500) |
| Zinc | | ND(0.0500) | NA | 0.020 BJ |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-2 10/08/07 | OPCA-MW-2R 10/20-10/21/08 | OPCA-MW-3 06/16/99 |
|------------------------------|-------------------------------|-------------------------------------|------------------------------|-----------------------|
| Volatile Organics | | | | |
| 1,1,1-Trichloroethane | | 0.00013 J [0.00013 J] | 0.00013 J | ND(0.0050) |
| 1,1-Dichloroethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0050) |
| Acetone | | ND(0.0050) J [ND(0.0050) J] | ND(0.0050) J | ND(0.10) |
| Bromoform | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0050) |
| Chlorobenzene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0050) |
| Chloroform | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0050) |
| Dibromochloromethane | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0050) |
| Methylene Chloride | | ND(0.0050) [ND(0.0050)] | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | ND(0.0010) [ND(0.0010)] | 0.0030 | ND(0.0050) |
| Toluene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0050) |
| Trichloroethene | | ND(0.0010) [ND(0.0010)] | ND(0.0010) | ND(0.0050) |
| Trichlorofluoromethane | | 0.00040 J [0.00041 J] | ND(0.0010) J | ND(0.0050) |
| Vinyl Chloride | | ND(0.0010) [ND(0.0010)] | ND(0.0010) J | ND(0.010) |
| Total VOCs | | 0.00053 J [0.00054 J] | 0.0031 J | ND(0.20) |
| PCBs-Unfiltered | | | | |
| Aroclor-1254 | | NA | NA | 0.000040 J |
| Aroclor-1260 | | NA | NA | ND(0.000051) |
| Total PCBs | | NA | NA | 0.000040 J |
| PCBs-Filtered | | | | |
| Aroclor-1254 | | ND(0.00010) [ND(0.00010)] | ND(0.000072) J | NA |
| Aroclor-1260 | | ND(0.00010) [ND(0.00010)] | ND(0.000072) J | NA |
| Total PCBs | | ND(0.00010) [ND(0.00010)] | ND(0.000072) J | NA |
| Semivolatile Organics | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.010) [ND(0.010)] | ND(0.0053) | ND(0.011) |
| Acenaphthene | | ND(0.010) [ND(0.010)] | ND(0.0053) | ND(0.011) |
| bis(2-Ethylhexyl)phthalate | | ND(0.010) [ND(0.010)] | ND(0.0053) | ND(0.011) |
| Dibenzofuran | | ND(0.010) [ND(0.010)] | ND(0.0053) | ND(0.011) |
| Dimethylphthalate | | ND(0.010) [ND(0.010)] | ND(0.0053) | ND(0.011) |
| Naphthalene | | ND(0.010) [ND(0.010)] | ND(0.0053) | ND(0.011) |
| Furans | | | | |
| 2,3,7,8-TCDF | | ND(0.000000014) [ND(0.000000015) X] | ND(0.000000036) | ND(0.000000035) |
| TCDFs (total) | | 0.000000036 J [0.000000050 J] | ND(0.000000036) | ND(0.000000035) |
| 1,2,3,7,8-PeCDF | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000052) | ND(0.000000041) |
| 2,3,4,7,8-PeCDF | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000052) | ND(0.000000039) |
| PeCDFs (total) | | 0.000000016 J [0.000000049 J] | ND(0.000000052) | ND(0.000000041) |
| 1,2,3,4,7,8-HxCDF | | ND(0.000000050) [0.000000055 J] | ND(0.000000052) | ND(0.000000013) |
| 1,2,3,6,7,8-HxCDF | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000052) | ND(0.000000013) |
| 1,2,3,7,8,9-HxCDF | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000052) | ND(0.000000018) |
| 2,3,4,6,7,8-HxCDF | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000052) | ND(0.000000013) |
| HxCDFs (total) | | ND(0.000000050) [0.000000017 J] | ND(0.000000052) | ND(0.000000018) |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000052) | ND(0.000000080) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000058) | ND(0.000000099) |
| HpCDFs (total) | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000058) | ND(0.000000099) |
| OCDF | | ND(0.000000010) [ND(0.000000010)] | ND(0.000000013) | ND(0.000000041) |
| Dioxins | | | | |
| 2,3,7,8-TCDD | | ND(0.000000014) [ND(0.000000018) X] | ND(0.000000032) | ND(0.000000020) |
| TCDDs (total) | | ND(0.000000014) [ND(0.000000012)] | ND(0.000000032) | ND(0.000000020) |
| 1,2,3,7,8-PeCDD | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000052) | ND(0.000000089) |
| PeCDDs (total) | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000052) | ND(0.000000089) |
| 1,2,3,4,7,8-HxCDD | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000052) | ND(0.000000058) |
| 1,2,3,6,7,8-HxCDD | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000052) | ND(0.000000072) |
| 1,2,3,7,8,9-HxCDD | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000052) | ND(0.000000064) |
| HxCDDs (total) | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000052) | ND(0.000000072) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000083) | ND(0.000000077) |
| HpCDDs (total) | | ND(0.000000050) [ND(0.000000051)] | ND(0.000000083) | ND(0.000000077) |
| OCDD | | ND(0.000000010) [0.000000015 J] | ND(0.000000016) | ND(0.000000048) |
| Total TEQs (WHO TEFs) | | 0.000000065 [0.000000071] | 0.000000077 | 0.000000081 |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-2 10/08/07 | OPCA-MW-2R 10/20-10/21/08 | OPCA-MW-3 06/16/99 |
|------------------------------|-------------------------------|-------------------------------|------------------------------|-----------------------|
| Inorganics-Unfiltered | | | | |
| Antimony | | NA | NA | ND(0.0600) |
| Arsenic | | NA | NA | ND(0.00600) |
| Barium | | NA | NA | 0.00950 |
| Beryllium | | NA | NA | ND(0.00600) |
| Cadmium | | NA | NA | ND(0.00600) J |
| Chromium | | NA | NA | ND(0.0130) |
| Cobalt | | NA | NA | ND(0.0600) |
| Copper | | NA | NA | ND(0.0330) |
| Lead | | NA | NA | ND(0.130) J |
| Nickel | | NA | NA | ND(0.0600) |
| Selenium | | NA | NA | ND(0.00600) |
| Silver | | NA | NA | ND(0.0130) |
| Sulfide | | ND(1.00) J [ND(1.00) J] | 1.00 | ND(5.00) |
| Thallium | | NA | NA | ND(0.0130) |
| Tin | | NA | NA | ND(0.300) j |
| Vanadium | | NA | NA | ND(0.0600) |
| Zinc | | NA | NA | 0.0880 |
| Inorganics-Filtered | | | | |
| Antimony | | ND(0.0400) [ND(0.0400)] | ND(0.0400) | NA |
| Arsenic | | ND(0.0100) J [ND(0.0100) J] | ND(0.0100) J | NA |
| Barium | | 0.0144 B [0.0128 B] | 0.0435 B | NA |
| Beryllium | | ND(0.0100) J [ND(0.0100) J] | ND(0.0100) J | NA |
| Cadmium | | ND(0.00500) J [ND(0.00500) J] | 0.00263 B J | NA |
| Chromium | | ND(0.0100) [ND(0.0100)] | ND(0.0100) J | NA |
| Cobalt | | ND(0.0100) [ND(0.0100)] | ND(0.0100) J | NA |
| Copper | | ND(0.0100) [ND(0.0100)] | ND(0.200) J | NA |
| Lead | | ND(0.0100) [ND(0.0100)] | 0.00420 B J | NA |
| Nickel | | 0.00638 B [ND(0.0100)] | ND(0.0500) | NA |
| Selenium | | ND(0.0200) J [ND(0.0200) J] | ND(0.0200) J | NA |
| Thallium | | ND(0.0100) [ND(0.0100)] | ND(0.0100) J | NA |
| Tin | | ND(0.0100) [ND(0.0100)] | ND(0.100) J | NA |
| Vanadium | | ND(0.0500) [ND(0.0500)] | ND(0.0500) | NA |
| Zinc | | ND(0.0200) [ND(0.0200)] | ND(0.0500) | NA |

**Table D-1
OPCA Monitoring Program**

**Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | OPCA-MW-3 05/02/01 | OPCA-MW-3 10/09/07 | OPCA-MW-3 04/23/08 | OPCA-MW-3 10/22/08 |
|------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | ND(0.0050) | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 1,1-Dichloroethane | | ND(0.0050) | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Acetone | | ND(0.010) | ND(0.0050) J | ND(0.0050) J | ND(0.0050) J |
| Bromoform | | ND(0.0050) | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Chlorobenzene | | ND(0.0050) | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Chloroform | | ND(0.0050) | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Dibromochloromethane | | ND(0.0050) | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) | ND(0.0050) J | ND(0.0050) |
| Tetrachloroethene | | ND(0.0020) | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Toluene | | ND(0.0050) | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Trichloroethene | | ND(0.0050) | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Trichlorofluoromethane | | ND(0.0050) | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Vinyl Chloride | | ND(0.0020) | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Total VOCs | | ND(0.20) | ND(0.10) | ND(0.10) | ND(0.10) |
| PCBs-Unfiltered | | | | | |
| Aroclor-1254 | | ND(0.000065) | NA | NA | NA |
| Aroclor-1260 | | ND(0.000065) | NA | NA | NA |
| Total PCBs | | ND(0.000065) | NA | NA | NA |
| PCBs-Filtered | | | | | |
| Aroclor-1254 | | ND(0.000065) | ND(0.000065) | ND(0.000066) J | ND(0.00011) |
| Aroclor-1260 | | ND(0.000065) | ND(0.000065) | ND(0.000066) J | ND(0.00011) |
| Total PCBs | | ND(0.000065) | ND(0.000065) | ND(0.000066) J | ND(0.00011) |
| Semivolatile Organics | | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.010) | ND(0.010) | ND(0.0053) | ND(0.0054) |
| Acenaphthene | | ND(0.010) | ND(0.010) | ND(0.0053) | ND(0.0054) |
| bis(2-Ethylhexyl)phthalate | | ND(0.0060) | ND(0.010) | ND(0.0053) | ND(0.0054) |
| Dibenzofuran | | ND(0.010) | ND(0.010) | ND(0.0053) | ND(0.0054) |
| Dimethylphthalate | | ND(0.010) | ND(0.010) | ND(0.0053) | ND(0.0054) |
| Naphthalene | | ND(0.010) | ND(0.010) | ND(0.0053) | ND(0.0054) |
| Furans | | | | | |
| 2,3,7,8-TCDF | | ND(0.000000011) | ND(0.000000015) | ND(0.000000049) | ND(0.000000048) |
| TCDFs (total) | | ND(0.000000011) | ND(0.000000015) | ND(0.000000049) | ND(0.000000048) |
| 1,2,3,7,8-PeCDF | | ND(0.000000016) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| 2,3,4,7,8-PeCDF | | ND(0.000000016) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| PeCDFs (total) | | ND(0.000000016) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| 1,2,3,4,7,8-HxCDF | | ND(0.000000010) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| 1,2,3,6,7,8-HxCDF | | ND(0.000000010) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| 1,2,3,7,8,9-HxCDF | | ND(0.000000013) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| 2,3,4,6,7,8-HxCDF | | ND(0.000000011) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| HxCDFs (total) | | ND(0.000000011) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.000000014) | ND(0.000000050) | ND(0.000000053) | ND(0.000000059) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.000000017) | ND(0.000000050) | ND(0.000000067) | ND(0.000000076) |
| HpCDFs (total) | | ND(0.000000015) | ND(0.000000050) | ND(0.000000059) | ND(0.000000076) |
| OCDF | | ND(0.000000031) | ND(0.000000010) | ND(0.000000012) | ND(0.000000025) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | ND(0.000000016) | ND(0.000000017) | ND(0.000000054) | ND(0.000000043) |
| TCDDs (total) | | ND(0.000000016) | ND(0.000000017) | ND(0.000000054) | ND(0.000000043) |
| 1,2,3,7,8-PeCDD | | ND(0.000000018) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| PeCDDs (total) | | ND(0.000000018) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| 1,2,3,4,7,8-HxCDD | | ND(0.000000016) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| 1,2,3,6,7,8-HxCDD | | ND(0.000000017) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| 1,2,3,7,8,9-HxCDD | | ND(0.000000016) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| HxCDDs (total) | | ND(0.000000016) | ND(0.000000050) | ND(0.000000052) | ND(0.000000054) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000025) | ND(0.000000050) | ND(0.000000077) | ND(0.00000012) |
| HpCDDs (total) | | ND(0.000000025) | ND(0.000000050) | ND(0.000000077) | ND(0.00000012) |
| OCDD | | ND(0.000000010) | ND(0.000000010) | ND(0.000000012) | ND(0.000000030) |
| Total TEQs (WHO TEFs) | | 0.000000027 | 0.000000067 | 0.000000089 | 0.000000086 |

**Table D-1
OPCA Monitoring Program**

**Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | OPCA-MW-3 05/02/01 | OPCA-MW-3 10/09/07 | OPCA-MW-3 04/23/08 | OPCA-MW-3 10/22/08 |
|------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Inorganics-Unfiltered | | | | | |
| Antimony | | ND(0.0600) | NA | NA | NA |
| Arsenic | | 0.00420 B | NA | NA | NA |
| Barium | | 0.0760 B | NA | NA | NA |
| Beryllium | | ND(0.00100) | NA | NA | NA |
| Cadmium | | ND(0.00500) | NA | NA | NA |
| Chromium | | ND(0.025) J | NA | NA | NA |
| Cobalt | | ND(0.0500) | NA | NA | NA |
| Copper | | 0.00610 B | NA | NA | NA |
| Lead | | ND(0.0050) J | NA | NA | NA |
| Nickel | | ND(0.0400) | NA | NA | NA |
| Selenium | | 0.00540 | NA | NA | NA |
| Silver | | ND(0.00500) | NA | NA | NA |
| Sulfide | | ND(5.00) | ND(1.00) | ND(1.00) | ND(1.00) |
| Thallium | | ND(0.010) J | NA | NA | NA |
| Tin | | ND(0.0300) | NA | NA | NA |
| Vanadium | | ND(0.0500) | NA | NA | NA |
| Zinc | | 0.035 J | NA | NA | NA |
| Inorganics-Filtered | | | | | |
| Antimony | | ND(0.0600) | ND(0.0400) | ND(0.0400) | ND(0.0400) |
| Arsenic | | ND(0.0100) | ND(0.0100) | ND(0.0100) | ND(0.0100) J |
| Barium | | 0.0700 B | 0.0620 B | 0.0277 B | 0.0519 B |
| Beryllium | | ND(0.00100) | 0.000330 B | 0.00548 J | ND(0.0100) J |
| Cadmium | | ND(0.00500) | ND(0.00500) J | ND(0.00500) J | ND(0.00500) J |
| Chromium | | ND(0.025) J | ND(0.0100) J | 0.00224 B | ND(0.0100) J |
| Cobalt | | ND(0.0500) | ND(0.0100) | ND(0.0100) J | ND(0.0100) J |
| Copper | | 0.00660 B | ND(0.0100) | ND(0.0100) J | ND(0.200) J |
| Lead | | ND(0.0050) J | ND(0.0100) | ND(0.0100) | 0.00564 B J |
| Nickel | | ND(0.0400) | ND(0.0100) | ND(0.0100) J | ND(0.0500) |
| Selenium | | ND(0.00500) | ND(0.0200) | ND(0.0200) | ND(0.0200) J |
| Thallium | | ND(0.010) J | ND(0.0100) J | 0.00638 J | ND(0.0100) J |
| Tin | | ND(0.0300) | ND(0.0100) | ND(0.0100) J | ND(0.100) J |
| Vanadium | | ND(0.0500) | ND(0.0500) | ND(0.0500) | ND(0.0500) |
| Zinc | | 0.017 J | ND(0.0200) | ND(0.0200) | ND(0.0500) |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-4 06/15/99 | OPCA-MW-4 05/02/01 | OPCA-MW-4 10/09/07 | OPCA-MW-4 04/22/08 |
|------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) J |
| 1,1-Dichloroethane | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) J |
| Acetone | | ND(0.10) | ND(0.010) | ND(0.0050) J | ND(0.0050) J |
| Bromoform | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) |
| Chlorobenzene | | ND(0.0050) | ND(0.0050) | ND(0.0010) | 0.00012 J |
| Chloroform | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) |
| Dibromochloromethane | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | ND(0.0050) | ND(0.0020) | ND(0.0010) | ND(0.0010) |
| Toluene | | ND(0.0050) | ND(0.0050) | 0.00032 J | ND(0.0010) J |
| Trichloroethene | | ND(0.0050) | ND(0.0050) | 0.0017 | 0.0014 J |
| Trichlorofluoromethane | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) J |
| Vinyl Chloride | | ND(0.010) | ND(0.0020) | ND(0.0010) | 0.00032 J |
| Total VOCs | | ND(0.20) | ND(0.20) | 0.0020 J | 0.0018 J |
| PCBs-Unfiltered | | | | | |
| Aroclor-1254 | | 0.00089 | 0.000093 | NA | NA |
| Aroclor-1260 | | ND(0.000050) | ND(0.000065) | NA | NA |
| Total PCBs | | 0.00089 | 0.000093 | NA | NA |
| PCBs-Filtered | | | | | |
| Aroclor-1254 | | NA | 0.00015 | ND(0.000065) | ND(0.000068) |
| Aroclor-1260 | | NA | ND(0.000065) | ND(0.000065) | ND(0.000068) |
| Total PCBs | | NA | 0.00015 | ND(0.000065) | ND(0.000068) |
| Semivolatile Organics | | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.010) | ND(0.010) | ND(0.010) | 0.0016 J |
| Acenaphthene | | ND(0.010) | ND(0.010) | ND(0.010) | ND(0.0052) |
| bis(2-Ethylhexyl)phthalate | | ND(0.010) | ND(0.0060) | ND(0.010) | ND(0.0052) |
| Dibenzofuran | | ND(0.010) | ND(0.010) | ND(0.010) | ND(0.0052) |
| Dimethylphthalate | | ND(0.010) | ND(0.010) | ND(0.010) | ND(0.0052) |
| Naphthalene | | ND(0.010) | ND(0.010) | ND(0.010) | ND(0.0052) |
| Furans | | | | | |
| 2,3,7,8-TCDF | | ND(0.0000000070) | ND(0.000000012) | ND(0.000000020) | 0.000000094 J |
| TCDFs (total) | | ND(0.0000000070) | 0.000000016 | ND(0.000000020) | 0.000000022 |
| 1,2,3,7,8-PeCDF | | ND(0.0000000043) | ND(0.000000083) | ND(0.000000052) | 0.000000074 J |
| 2,3,4,7,8-PeCDF | | ND(0.0000000040) | ND(0.000000011) | ND(0.000000052) | ND(0.000000066) |
| PeCDFs (total) | | ND(0.0000000043) | ND(0.000000063) | ND(0.000000056) | 0.000000042 J |
| 1,2,3,4,7,8-HxCDF | | ND(0.0000000090) | ND(0.000000053) | ND(0.000000052) | ND(0.000000051) |
| 1,2,3,6,7,8-HxCDF | | ND(0.0000000092) | ND(0.000000045) | ND(0.000000052) | ND(0.000000051) |
| 1,2,3,7,8,9-HxCDF | | ND(0.0000000087) | ND(0.000000056) | ND(0.000000052) | ND(0.000000053) |
| 2,3,4,6,7,8-HxCDF | | ND(0.0000000095) | ND(0.000000032) | ND(0.000000052) | ND(0.000000051) |
| HxCDFs (total) | | ND(0.0000000095) | ND(0.000000019) | ND(0.000000052) | 0.000000011 J |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.0000000020) | ND(0.000000046) | ND(0.000000052) | ND(0.000000051) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.0000000020) | ND(0.000000037) | ND(0.000000052) | ND(0.000000063) |
| HpCDFs (total) | | ND(0.0000000020) | ND(0.000000084) | ND(0.000000052) | ND(0.000000055) |
| OCDF | | ND(0.000000020) | ND(0.000000090) | ND(0.000000010) | ND(0.000000013) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | ND(0.0000000013) | ND(0.000000047) | ND(0.000000025) | ND(0.000000041) |
| TCDDs (total) | | ND(0.0000000013) | ND(0.000000047) | ND(0.000000025) | ND(0.000000041) |
| 1,2,3,7,8-PeCDD | | ND(0.0000000018) | ND(0.000000065) | ND(0.000000052) | ND(0.000000051) |
| PeCDDs (total) | | ND(0.0000000018) | ND(0.000000065) | ND(0.000000052) | ND(0.000000051) |
| 1,2,3,4,7,8-HxCDD | | ND(0.0000000013) | ND(0.000000043) | ND(0.000000052) | ND(0.000000054) |
| 1,2,3,6,7,8-HxCDD | | ND(0.0000000016) | ND(0.000000016) | ND(0.000000052) | ND(0.000000055) |
| 1,2,3,7,8,9-HxCDD | | ND(0.0000000014) | ND(0.000000052) | ND(0.000000052) | ND(0.000000056) |
| HxCDDs (total) | | ND(0.0000000016) | ND(0.000000094) | ND(0.000000052) | ND(0.000000055) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.0000000027) | ND(0.000000064) | ND(0.000000052) | ND(0.000000085) |
| HpCDDs (total) | | ND(0.0000000027) | ND(0.000000064) | ND(0.000000052) | ND(0.000000085) |
| OCDD | | ND(0.0000000030) | ND(0.000000029) | ND(0.000000010) | ND(0.000000016) |
| Total TEQs (WHO TEFs) | | 0.000000015 | 0.000000010 | 0.000000073 | 0.000000095 |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-4 06/15/99 | OPCA-MW-4 05/02/01 | OPCA-MW-4 10/09/07 | OPCA-MW-4 04/22/08 |
|------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Inorganics-Unfiltered | | | | | |
| Antimony | | ND(0.0600) | ND(0.0600) | NA | NA |
| Arsenic | | ND(0.00600) | ND(0.0100) | NA | NA |
| Barium | | 0.0370 | 0.0270 B | NA | NA |
| Beryllium | | ND(0.00600) | ND(0.00100) | NA | NA |
| Cadmium | | ND(0.00600) | ND(0.00500) | NA | NA |
| Chromium | | ND(0.0130) | ND(0.0100) J | NA | NA |
| Cobalt | | ND(0.0600) | ND(0.0500) | NA | NA |
| Copper | | ND(0.0330) | ND(0.0250) | NA | NA |
| Lead | | ND(0.130) J | ND(0.00500) J | NA | NA |
| Nickel | | ND(0.0600) | ND(0.0400) | NA | NA |
| Selenium | | ND(0.00600) J | ND(0.00500) | NA | NA |
| Silver | | ND(0.0130) | ND(0.00500) | NA | NA |
| Sulfide | | ND(5.00) | ND(5.00) | ND(1.00) | 1.00 J |
| Thallium | | ND(0.0130) | ND(0.0100) J | NA | NA |
| Tin | | ND(0.300) | ND(0.0300) | NA | NA |
| Vanadium | | ND(0.0600) | ND(0.0500) | NA | NA |
| Zinc | | ND(0.0260) | 0.0130 J | NA | NA |
| Inorganics-Filtered | | | | | |
| Antimony | | NA | 0.00800 B | ND(0.0400) | ND(0.0400) |
| Arsenic | | NA | ND(0.0100) | ND(0.0100) | ND(0.0100) |
| Barium | | NA | 0.0260 B | 0.0270 B | 0.00975 B |
| Beryllium | | NA | ND(0.00100) | 0.00373 B | ND(0.0100) J |
| Cadmium | | NA | ND(0.00500) | ND(0.00500) J | ND(0.00500) J |
| Chromium | | NA | ND(0.0100) J | ND(0.0100) J | 0.00150 B |
| Cobalt | | NA | ND(0.0500) | ND(0.0100) | ND(0.0100) J |
| Copper | | NA | ND(0.0250) | ND(0.0100) | ND(0.0100) J |
| Lead | | NA | ND(0.00500) J | ND(0.0100) | ND(0.0100) |
| Nickel | | NA | ND(0.0400) | ND(0.0100) | ND(0.0100) J |
| Selenium | | NA | 0.00650 | ND(0.0200) | ND(0.0200) |
| Thallium | | NA | ND(0.0100) J | ND(0.0100) J | 0.00936 J |
| Tin | | NA | ND(0.0300) | ND(0.0100) | ND(0.0100) J |
| Vanadium | | NA | ND(0.0500) | ND(0.0500) | ND(0.0500) |
| Zinc | | NA | 0.0150 J | 0.0100 B | 0.0112 B |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-4 10/20/08 | OPCA-MW-5 06/15/99 | OPCA-MW-5R 06/28/01 | OPCA-MW-5R 10/09/07 |
|------------------------------|-------------------------------|-----------------------|-----------------------|------------------------|------------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | ND(0.0010) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| 1,1-Dichloroethane | | ND(0.0010) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Acetone | | ND(0.0050) J | ND(0.10) | ND(0.010) J | ND(0.0050) J |
| Bromoform | | ND(0.0010) | ND(0.0050) | ND(0.0050) J | ND(0.0010) |
| Chlorobenzene | | 0.00017 J | ND(0.0050) | ND(0.0050) | 0.00024 J |
| Chloroform | | ND(0.0010) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Dibromochloromethane | | ND(0.0010) | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | ND(0.0010) | ND(0.0050) | ND(0.0020) | ND(0.0010) |
| Toluene | | ND(0.0010) | ND(0.0050) | ND(0.0050) | 0.00011 J |
| Trichloroethene | | 0.0016 | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Trichlorofluoromethane | | ND(0.0010) J | ND(0.0050) | ND(0.0050) | ND(0.0010) |
| Vinyl Chloride | | ND(0.0010) J | ND(0.010) | ND(0.0020) | ND(0.0010) |
| Total VOCs | | 0.0018 J | ND(0.20) | ND(0.20) | 0.00035 J |
| PCBs-Unfiltered | | | | | |
| Aroclor-1254 | | NA | ND(0.000051) | ND(0.000065) | NA |
| Aroclor-1260 | | NA | ND(0.000051) | ND(0.000065) | NA |
| Total PCBs | | NA | ND(0.000051) | ND(0.000065) | NA |
| PCBs-Filtered | | | | | |
| Aroclor-1254 | | ND(0.000070) J | NA | ND(0.000065) | ND(0.00010) |
| Aroclor-1260 | | ND(0.000070) J | NA | ND(0.000065) | ND(0.00010) |
| Total PCBs | | ND(0.000070) J | NA | ND(0.000065) | ND(0.00010) |
| Semivolatile Organics | | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.0052) | ND(0.010) | ND(0.010) | ND(0.010) |
| Acenaphthene | | ND(0.0052) | ND(0.010) | 0.011 | ND(0.010) |
| bis(2-Ethylhexyl)phthalate | | ND(0.0052) | ND(0.010) | ND(0.0060) J | ND(0.010) |
| Dibenzofuran | | ND(0.0052) | ND(0.010) | 0.0038 J | ND(0.010) |
| Dimethylphthalate | | ND(0.0052) | ND(0.010) | ND(0.010) | ND(0.010) |
| Naphthalene | | ND(0.0052) | ND(0.010) | 0.062 | ND(0.010) |
| Furans | | | | | |
| 2,3,7,8-TCDF | | 0.0000000068 YJ | ND(0.0000000080) | ND(0.000000000015) | 0.0000000076 J |
| TCDFs (total) | | 0.00000042 | ND(0.0000000080) | ND(0.000000000015) | 0.00000069 J |
| 1,2,3,7,8-PeCDF | | 0.000000010 J | ND(0.0000000028) | ND(0.000000000080) | ND(0.0000000052) J |
| 2,3,4,7,8-PeCDF | | 0.000000067 J | ND(0.0000000027) | ND(0.000000000080) | ND(0.0000000052) J |
| PeCDFs (total) | | 0.00000027 | ND(0.0000000028) | ND(0.000000000080) | 0.00000090 J |
| 1,2,3,4,7,8-HxCDF | | ND(0.0000000053) | ND(0.0000000050) | ND(0.000000000020) | 0.000000053 |
| 1,2,3,6,7,8-HxCDF | | ND(0.0000000053) | ND(0.0000000051) | ND(0.000000000019) | ND(0.0000000052) |
| 1,2,3,7,8,9-HxCDF | | ND(0.0000000053) | ND(0.0000000049) | ND(0.000000000024) | ND(0.0000000052) |
| 2,3,4,6,7,8-HxCDF | | ND(0.0000000053) | ND(0.0000000053) | ND(0.000000000022) | ND(0.0000000052) |
| HxCDFs (total) | | 0.00000020 | ND(0.0000000053) | ND(0.000000000021) | 0.00000042 J |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.0000000053) | ND(0.0000000088) | ND(0.000000000019) | ND(0.0000000052) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.0000000055) | ND(0.0000000088) | ND(0.000000000023) | ND(0.0000000052) |
| HpCDFs (total) | | ND(0.0000000055) | ND(0.0000000088) | ND(0.000000000021) | ND(0.0000000052) |
| OCDF | | ND(0.000000016) | ND(0.0000000078) | ND(0.00000000010) | ND(0.000000010) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | ND(0.0000000026) | ND(0.0000000012) | ND(0.000000000031) | ND(0.0000000014) |
| TCDDs (total) | | ND(0.0000000026) | ND(0.0000000012) | ND(0.000000000031) | ND(0.0000000014) |
| 1,2,3,7,8-PeCDD | | ND(0.0000000053) | ND(0.0000000014) | ND(0.000000000015) | ND(0.0000000052) |
| PeCDDs (total) | | ND(0.0000000053) | ND(0.0000000014) | ND(0.000000000044) | ND(0.0000000052) J |
| 1,2,3,4,7,8-HxCDD | | ND(0.0000000053) | ND(0.0000000062) | ND(0.000000000029) | ND(0.0000000052) |
| 1,2,3,6,7,8-HxCDD | | ND(0.0000000053) | ND(0.0000000077) | ND(0.000000000031) | ND(0.0000000052) |
| 1,2,3,7,8,9-HxCDD | | ND(0.0000000053) | ND(0.0000000068) | ND(0.000000000028) | ND(0.0000000052) |
| HxCDDs (total) | | ND(0.0000000053) | ND(0.0000000077) | ND(0.000000000033) | ND(0.0000000052) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.0000000081) | ND(0.000000012) | ND(0.000000000028) | ND(0.0000000052) |
| HpCDDs (total) | | ND(0.0000000081) | ND(0.000000012) | ND(0.000000000040) | ND(0.0000000052) |
| OCDD | | ND(0.000000018) | ND(0.000000012) | ND(0.000000000016) X | 0.000000018 J |
| Total TEQs (WHO TEFs) | | 0.000000010 | 0.000000011 | 0.000000000035 | 0.000000012 |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-4 10/20/08 | OPCA-MW-5 06/15/99 | OPCA-MW-5R 06/28/01 | OPCA-MW-5R 10/09/07 |
|------------------------------|-------------------------------|-----------------------|-----------------------|------------------------|------------------------|
| Inorganics-Unfiltered | | | | | |
| Antimony | | NA | ND(0.0600) | ND(0.0600) | NA |
| Arsenic | | NA | ND(0.00600) | 0.00790 B | NA |
| Barium | | NA | 0.0290 | 0.0590 B | NA |
| Beryllium | | NA | ND(0.00600) | ND(0.00100) | NA |
| Cadmium | | NA | ND(0.00600) | ND(0.00500) | NA |
| Chromium | | NA | ND(0.0130) | 0.00430 B | NA |
| Cobalt | | NA | ND(0.0600) | 0.00620 B | NA |
| Copper | | NA | ND(0.0330) | ND(0.0250) | NA |
| Lead | | NA | ND(0.130) J | ND(0.00500) | NA |
| Nickel | | NA | ND(0.0600) | ND(0.0400) | NA |
| Selenium | | NA | ND(0.00600) J | ND(0.00500) | NA |
| Silver | | NA | ND(0.0130) | ND(0.00500) | NA |
| Sulfide | | 1.20 | ND(5.00) | 8.00 | ND(1.00) J |
| Thallium | | NA | ND(0.0130) | ND(0.0100) | NA |
| Tin | | NA | ND(0.300) | ND(0.0300) | NA |
| Vanadium | | NA | ND(0.0600) | ND(0.0500) | NA |
| Zinc | | NA | ND(0.0260) | 0.0150 B | NA |
| Inorganics-Filtered | | | | | |
| Antimony | | ND(0.0400) | NA | ND(0.0600) | ND(0.0400) |
| Arsenic | | ND(0.0100) J | NA | ND(0.0100) | ND(0.0100) |
| Barium | | 0.0253 B | NA | 0.0440 B | 0.0536 B |
| Beryllium | | ND(0.0100) J | NA | 0.000860 B | 0.000330 B |
| Cadmium | | 0.00276 B J | NA | 0.00140 B | ND(0.00500) J |
| Chromium | | ND(0.0100) J | NA | ND(0.0100) | ND(0.0100) J |
| Cobalt | | ND(0.0100) J | NA | 0.00660 B | ND(0.0100) |
| Copper | | ND(0.200) J | NA | ND(0.0250) | ND(0.0100) |
| Lead | | 0.00425 B J | NA | ND(0.00500) | ND(0.0100) |
| Nickel | | ND(0.0500) | NA | ND(0.0400) | ND(0.0100) |
| Selenium | | ND(0.0200) J | NA | ND(0.00500) | ND(0.0200) |
| Thallium | | ND(0.0100) J | NA | ND(0.0100) | ND(0.0100) J |
| Tin | | ND(0.100) J | NA | ND(0.0300) | ND(0.0100) |
| Vanadium | | ND(0.0500) | NA | ND(0.0500) | ND(0.0500) |
| Zinc | | 0.0135 B | NA | 0.0110 B | 0.00813 B |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-5R 04/24/08 | OPCA-MW-5R 10/21/08 | OPCA-MW-6 06/15/99 | OPCA-MW-6 05/02/01 |
|------------------------------|-------------------------------|------------------------|------------------------|-----------------------|-----------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | ND(0.0010) J | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| 1,1-Dichloroethane | | ND(0.0010) J | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Acetone | | ND(0.0050) J | ND(0.0050) J | ND(0.10) | ND(0.010) |
| Bromoform | | ND(0.0010) | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Chlorobenzene | | 0.00048 J | 0.00011 J | ND(0.0050) | ND(0.0050) |
| Chloroform | | ND(0.0010) | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Dibromochloromethane | | ND(0.0010) | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Methylene Chloride | | ND(0.0050) | 0.00022 J | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | ND(0.0010) | ND(0.0010) | ND(0.0050) | ND(0.0020) |
| Toluene | | ND(0.0010) J | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Trichloroethene | | ND(0.0010) J | ND(0.0010) | ND(0.0050) | ND(0.0050) |
| Trichlorofluoromethane | | ND(0.0010) J | ND(0.0010) J | ND(0.0050) | ND(0.0050) |
| Vinyl Chloride | | 0.0012 J | ND(0.0010) J | ND(0.010) | ND(0.0020) |
| Total VOCs | | 0.0017 J | 0.00033 J | ND(0.20) | ND(0.20) |
| PCBs-Unfiltered | | | | | |
| Aroclor-1254 | | NA | NA | 0.00012 | ND(0.000065) |
| Aroclor-1260 | | NA | NA | ND(0.000050) | ND(0.000065) |
| Total PCBs | | NA | NA | 0.00012 | ND(0.000065) |
| PCBs-Filtered | | | | | |
| Aroclor-1254 | | ND(0.000068) J | ND(0.000069) J | NA | ND(0.000065) |
| Aroclor-1260 | | ND(0.000068) J | ND(0.000069) J | NA | ND(0.000065) |
| Total PCBs | | ND(0.000068) J | ND(0.000069) J | NA | ND(0.000065) |
| Semivolatile Organics | | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.0051) | ND(0.0052) | ND(0.010) | ND(0.010) |
| Acenaphthene | | ND(0.0051) | ND(0.0052) | ND(0.010) | ND(0.010) |
| bis(2-Ethylhexyl)phthalate | | ND(0.0051) | ND(0.0052) | ND(0.010) | ND(0.0060) |
| Dibenzofuran | | ND(0.0051) | ND(0.0052) | ND(0.010) | ND(0.010) |
| Dimethylphthalate | | ND(0.0051) | ND(0.0052) | ND(0.010) | ND(0.010) |
| Naphthalene | | ND(0.0051) | ND(0.0052) | ND(0.010) | ND(0.010) |
| Furans | | | | | |
| 2,3,7,8-TCDF | | 0.000000042 J | ND(0.000000044) | ND(0.000000090) | ND(0.000000012) |
| TCDFs (total) | | 0.000000020 | 0.000000018 | ND(0.000000090) | ND(0.000000012) |
| 1,2,3,7,8-PeCDF | | ND(0.000000052) | ND(0.000000052) | ND(0.000000033) | ND(0.000000016) |
| 2,3,4,7,8-PeCDF | | ND(0.000000052) | ND(0.000000052) | ND(0.000000031) | ND(0.000000016) |
| PeCDFs (total) | | ND(0.000000052) | 0.000000023 | ND(0.000000033) | ND(0.000000016) |
| 1,2,3,4,7,8-HxCDF | | ND(0.000000052) | ND(0.000000052) | ND(0.000000089) | ND(0.000000015) |
| 1,2,3,6,7,8-HxCDF | | ND(0.000000052) | ND(0.000000052) | ND(0.000000092) | ND(0.000000011) |
| 1,2,3,7,8,9-HxCDF | | ND(0.000000052) | ND(0.000000052) | ND(0.000000087) | ND(0.000000014) |
| 2,3,4,6,7,8-HxCDF | | ND(0.000000052) | ND(0.000000052) | ND(0.000000096) | ND(0.000000012) |
| HxCDFs (total) | | ND(0.000000052) | 0.000000020 | ND(0.000000095) | ND(0.000000015) |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.000000052) | ND(0.000000052) | ND(0.000000020) | ND(0.000000017) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.000000052) | ND(0.000000057) | ND(0.000000020) | ND(0.000000020) |
| HpCDFs (total) | | ND(0.000000052) | ND(0.000000057) | ND(0.000000020) | ND(0.000000018) |
| OCDF | | ND(0.000000010) | ND(0.000000014) | ND(0.000000020) | ND(0.000000039) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | ND(0.000000010) | ND(0.000000033) | ND(0.000000012) | ND(0.000000017) |
| TCDDs (total) | | ND(0.000000010) | ND(0.000000033) | ND(0.000000012) | ND(0.000000017) |
| 1,2,3,7,8-PeCDD | | ND(0.000000052) | ND(0.000000052) | ND(0.000000012) | ND(0.000000019) |
| PeCDDs (total) | | ND(0.000000052) | ND(0.000000052) | ND(0.000000012) | ND(0.000000019) |
| 1,2,3,4,7,8-HxCDD | | ND(0.000000052) | ND(0.000000052) | ND(0.000000012) | ND(0.000000016) |
| 1,2,3,6,7,8-HxCDD | | ND(0.000000052) | ND(0.000000052) | ND(0.000000015) | ND(0.000000016) |
| 1,2,3,7,8,9-HxCDD | | ND(0.000000052) | ND(0.000000052) | ND(0.000000013) | ND(0.000000016) |
| HxCDDs (total) | | ND(0.000000052) | ND(0.000000052) | ND(0.000000015) | ND(0.000000016) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000052) | ND(0.000000052) | ND(0.000000026) | ND(0.000000026) |
| HpCDDs (total) | | ND(0.000000052) | ND(0.000000052) | ND(0.000000026) | ND(0.000000026) |
| OCDD | | ND(0.000000010) | ND(0.000000015) | ND(0.000000029) | ND(0.000000047) |
| Total TEQs (WHO TEFs) | | 0.000000068 | 0.000000078 | 0.000000012 | 0.000000028 |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-5R 04/24/08 | OPCA-MW-5R 10/21/08 | OPCA-MW-6 06/15/99 | OPCA-MW-6 05/02/01 |
|------------------------------|-------------------------------|------------------------|------------------------|-----------------------|-----------------------|
| Inorganics-Unfiltered | | | | | |
| Antimony | | NA | NA | ND(0.0600) | ND(0.0600) |
| Arsenic | | NA | NA | ND(0.00600) | ND(0.0100) |
| Barium | | NA | NA | 0.0300 | 0.0170 B |
| Beryllium | | NA | NA | ND(0.00600) | ND(0.00100) |
| Cadmium | | NA | NA | ND(0.00600) | ND(0.00500) |
| Chromium | | NA | NA | ND(0.0130) | ND(0.0100) J |
| Cobalt | | NA | NA | ND(0.0600) | ND(0.0500) |
| Copper | | NA | NA | ND(0.0330) | 0.00400 B |
| Lead | | NA | NA | ND(0.130) J | ND(0.00500) J |
| Nickel | | NA | NA | ND(0.0600) | ND(0.0400) |
| Selenium | | NA | NA | ND(0.00600) J | 0.00570 |
| Silver | | NA | NA | ND(0.0130) | ND(0.00500) |
| Sulfide | | ND(1.00) J | 1.00 | ND(5.00) | ND(5.00) |
| Thallium | | NA | NA | ND(0.0130) | ND(0.0100) J |
| Tin | | NA | NA | ND(0.300) | ND(0.0300) |
| Vanadium | | NA | NA | ND(0.0600) | ND(0.0500) |
| Zinc | | NA | NA | ND(0.0260) | 0.0210 J |
| Inorganics-Filtered | | | | | |
| Antimony | | ND(0.0400) | ND(0.0400) | NA | ND(0.0600) |
| Arsenic | | ND(0.0100) | ND(0.0100) J | NA | ND(0.0100) |
| Barium | | 0.0609 B | 0.0538 B | NA | 0.0160 B |
| Beryllium | | 0.00251 J | ND(0.0100) J | NA | ND(0.00100) |
| Cadmium | | ND(0.00500) J | ND(0.00500) J | NA | ND(0.00500) |
| Chromium | | 0.00134 B | ND(0.0100) J | NA | ND(0.0100) J |
| Cobalt | | ND(0.0100) J | ND(0.0100) J | NA | ND(0.0500) |
| Copper | | ND(0.0100) J | ND(0.200) J | NA | ND(0.0250) |
| Lead | | ND(0.0100) | 0.00657 B J | NA | ND(0.00500) J |
| Nickel | | ND(0.0100) J | ND(0.0500) | NA | ND(0.0400) |
| Selenium | | ND(0.0200) | ND(0.0200) J | NA | 0.00590 |
| Thallium | | ND(0.0100) J | ND(0.0100) J | NA | ND(0.0100) J |
| Tin | | ND(0.0100) J | ND(0.100) J | NA | ND(0.0300) |
| Vanadium | | ND(0.0500) | ND(0.0500) | NA | ND(0.0500) |
| Zinc | | 0.00643 B | 0.0106 B | NA | 0.0150 J |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-6 10/15/07 | OPCA-MW-6 04/23/08 | OPCA-MW-6 10/21/08 |
|------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------------------|
| Volatile Organics | | | | |
| 1,1,1-Trichloroethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| 1,1-Dichloroethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Acetone | | ND(0.0050) J | 0.0015 J | ND(0.0050) J [ND(0.0050) J] |
| Bromoform | | ND(0.0010) J | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Chlorobenzene | | ND(0.0010) | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Chloroform | | ND(0.0010) | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Dibromochloromethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) J | ND(0.0050) [ND(0.0050)] |
| Tetrachloroethene | | ND(0.0010) | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Toluene | | ND(0.0010) | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Trichloroethene | | ND(0.0010) | ND(0.0010) | ND(0.0010) [ND(0.0010)] |
| Trichlorofluoromethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) J [ND(0.0010) J] |
| Vinyl Chloride | | ND(0.0010) | ND(0.0010) | ND(0.0010) J [ND(0.0010) J] |
| Total VOCs | | ND(0.10) | 0.0015 J | ND(0.10) [ND(0.10)] |
| PCBs-Unfiltered | | | | |
| Aroclor-1254 | | NA | NA | NA |
| Aroclor-1260 | | NA | NA | NA |
| Total PCBs | | NA | NA | NA |
| PCBs-Filtered | | | | |
| Aroclor-1254 | | ND(0.000065) | 0.00017 J | ND(0.00011) J [ND(0.000068) J] |
| Aroclor-1260 | | ND(0.000065) | ND(0.000066) J | ND(0.00011) J [ND(0.000068) J] |
| Total PCBs | | ND(0.000065) | 0.00017 J | ND(0.00011) J [ND(0.000068) J] |
| Semivolatile Organics | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.010) | ND(0.0051) | ND(0.0052) [ND(0.0052)] |
| Acenaphthene | | ND(0.010) | ND(0.0051) | ND(0.0052) [ND(0.0052)] |
| bis(2-Ethylhexyl)phthalate | | ND(0.010) | ND(0.0051) | ND(0.0052) [ND(0.0052)] |
| Dibenzofuran | | ND(0.010) | ND(0.0051) | ND(0.0052) [ND(0.0052)] |
| Dimethylphthalate | | ND(0.010) | ND(0.0051) | ND(0.0052) [ND(0.0052)] |
| Naphthalene | | ND(0.010) | ND(0.0051) | ND(0.0052) [ND(0.0052)] |
| Furans | | | | |
| 2,3,7,8-TCDF | | ND(0.000000021) | 0.000000044 J | 0.000000049 J [0.000000058 J] |
| TCDFs (total) | | ND(0.000000021) | 0.000000073 J | 0.00000012 [0.00000014] |
| 1,2,3,7,8-PeCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| 2,3,4,7,8-PeCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| PeCDFs (total) | | ND(0.000000052) | ND(0.000000051) | 0.000000048 [0.000000052] |
| 1,2,3,4,7,8-HxCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,6,7,8-HxCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,7,8,9-HxCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| 2,3,4,6,7,8-HxCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| HxCDFs (total) | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,4,6,7,8-HpCDF | | 0.000000052 J | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000057)] |
| HpCDFs (total) | | 0.000000052 J | ND(0.000000051) | ND(0.000000053) [ND(0.000000057)] |
| OCDF | | 0.000000013 J | ND(0.000000010) | ND(0.000000014) [ND(0.000000016)] |
| Dioxins | | | | |
| 2,3,7,8-TCDD | | ND(0.000000028) | ND(0.000000022) | ND(0.000000034) [ND(0.000000032)] |
| TCDDs (total) | | ND(0.000000028) | ND(0.000000022) | ND(0.000000034) [ND(0.000000032)] |
| 1,2,3,7,8-PeCDD | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| PeCDDs (total) | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,4,7,8-HxCDD | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,6,7,8-HxCDD | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,7,8,9-HxCDD | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| HxCDDs (total) | | ND(0.000000052) | ND(0.000000051) | ND(0.000000053) [ND(0.000000051)] |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000052) | ND(0.000000060) | ND(0.000000069) [ND(0.000000085)] |
| HpCDDs (total) | | ND(0.000000052) | ND(0.000000060) | ND(0.000000069) [ND(0.000000085)] |
| OCDD | | 0.000000016 J | ND(0.000000010) | ND(0.000000017) [ND(0.000000019)] |
| Total TEQs (WHO TEFs) | | 0.000000074 | 0.000000073 | 0.000000082 [0.000000080] |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-6 10/15/07 | OPCA-MW-6 04/23/08 | OPCA-MW-6 10/21/08 |
|------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------------|
| Inorganics-Unfiltered | | | | |
| Antimony | | NA | NA | NA |
| Arsenic | | NA | NA | NA |
| Barium | | NA | NA | NA |
| Beryllium | | NA | NA | NA |
| Cadmium | | NA | NA | NA |
| Chromium | | NA | NA | NA |
| Cobalt | | NA | NA | NA |
| Copper | | NA | NA | NA |
| Lead | | NA | NA | NA |
| Nickel | | NA | NA | NA |
| Selenium | | NA | NA | NA |
| Silver | | NA | NA | NA |
| Sulfide | | ND(1.00) | ND(1.00) | 1.40 [ND(1.00)] |
| Thallium | | NA | NA | NA |
| Tin | | NA | NA | NA |
| Vanadium | | NA | NA | NA |
| Zinc | | NA | NA | NA |
| Inorganics-Filtered | | | | |
| Antimony | | ND(0.0400) | ND(0.0400) | ND(0.0400) [ND(0.0400)] |
| Arsenic | | ND(0.0100) | ND(0.0100) | ND(0.0100) J [0.00213 B J] |
| Barium | | ND(0.500) | 0.00804 B | 0.0168 B [0.0169 B] |
| Beryllium | | 0.00366 J | ND(0.0100) J | ND(0.0100) J [ND(0.0100) J] |
| Cadmium | | ND(0.00500) | ND(0.00500) J | ND(0.00500) J [0.00328 B J] |
| Chromium | | ND(0.0100) | 0.00179 B | ND(0.0100) J [ND(0.0100) J] |
| Cobalt | | ND(0.0100) | ND(0.0100) J | ND(0.0100) J [ND(0.0100) J] |
| Copper | | ND(0.200) | ND(0.0100) J | ND(0.200) J [ND(0.200) J] |
| Lead | | ND(0.0100) | ND(0.0100) | 0.00641 B J [0.00718 B J] |
| Nickel | | ND(0.0500) | ND(0.0100) J | ND(0.0500) [ND(0.0500)] |
| Selenium | | ND(0.0200) | ND(0.0200) | ND(0.0200) J [ND(0.0200) J] |
| Thallium | | ND(0.0100) J | 0.00656 J | ND(0.0100) J [ND(0.0100) J] |
| Tin | | 0.00939 J | ND(0.0100) J | ND(0.100) J [ND(0.100) J] |
| Vanadium | | ND(0.0500) | ND(0.0500) | ND(0.0500) [ND(0.0500)] |
| Zinc | | 0.0196 B | ND(0.0200) | 0.0325 B [0.0273 B] |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-7 06/15/99 | OPCA-MW-7 05/01/01 | OPCA-MW-7 10/11-10/18/07 | OPCA-MW-7 04/21/08 |
|------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------------|-----------------------|
| Volatile Organics | | | | | |
| 1,1,1-Trichloroethane | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) J |
| 1,1-Dichloroethane | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) J |
| Acetone | | ND(0.10) | ND(0.010) | ND(0.0050) J | ND(0.0050) J |
| Bromoform | | ND(0.0050) | ND(0.0050) | ND(0.0010) J | ND(0.0010) |
| Chlorobenzene | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) |
| Chloroform | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) |
| Dibromochloromethane | | ND(0.0050) | ND(0.0050) | ND(0.0010) | 0.00014 J |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) | ND(0.0050) | ND(0.0050) |
| Tetrachloroethene | | ND(0.0050) | ND(0.0020) | ND(0.0010) | ND(0.0010) |
| Toluene | | ND(0.0050) | ND(0.0050) | 0.00029 J | ND(0.0010) J |
| Trichloroethene | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) J |
| Trichlorofluoromethane | | ND(0.0050) | ND(0.0050) | ND(0.0010) | ND(0.0010) J |
| Vinyl Chloride | | ND(0.010) | ND(0.0020) | ND(0.0010) | ND(0.0010) J |
| Total VOCs | | ND(0.20) | ND(0.20) | 0.00029 J | 0.00014 J |
| PCBs-Unfiltered | | | | | |
| Aroclor-1254 | | ND(0.000051) | ND(0.000065) | NA | NA |
| Aroclor-1260 | | ND(0.000051) | ND(0.000065) | NA | NA |
| Total PCBs | | ND(0.000051) | ND(0.000065) | NA | NA |
| PCBs-Filtered | | | | | |
| Aroclor-1254 | | NA | ND(0.000065) | 0.0012 | ND(0.000068) |
| Aroclor-1260 | | NA | ND(0.000065) | 0.00091 | ND(0.000068) |
| Total PCBs | | NA | ND(0.000065) | 0.00211 | ND(0.000068) |
| Semivolatile Organics | | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.011) | ND(0.010) | ND(0.010) | ND(0.0052) |
| Acenaphthene | | ND(0.011) | ND(0.010) | ND(0.010) | ND(0.0052) |
| bis(2-Ethylhexyl)phthalate | | ND(0.011) | ND(0.0060) | ND(0.010) | ND(0.0052) |
| Dibenzofuran | | ND(0.011) | ND(0.010) | ND(0.010) | ND(0.0052) |
| Dimethylphthalate | | ND(0.011) | ND(0.010) | ND(0.010) | ND(0.0052) |
| Naphthalene | | ND(0.011) | ND(0.010) | ND(0.010) | ND(0.0052) |
| Furans | | | | | |
| 2,3,7,8-TCDF | | ND(0.0000000080) | ND(0.000000014) | ND(0.000000035) | ND(0.000000012) |
| TCDFs (total) | | ND(0.0000000080) | ND(0.000000014) | ND(0.000000035) | ND(0.000000012) |
| 1,2,3,7,8-PeCDF | | ND(0.0000000030) | ND(0.000000016) | ND(0.000000054) | ND(0.000000052) |
| 2,3,4,7,8-PeCDF | | ND(0.0000000028) | ND(0.000000016) | ND(0.000000054) | ND(0.000000052) |
| PeCDFs (total) | | ND(0.0000000030) | ND(0.000000016) | ND(0.000000054) | ND(0.000000052) |
| 1,2,3,4,7,8-HxCDF | | ND(0.0000000069) | ND(0.000000016) | ND(0.000000054) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDF | | ND(0.0000000070) | ND(0.0000000090) | ND(0.000000054) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDF | | ND(0.0000000067) | ND(0.000000011) | ND(0.000000054) | ND(0.000000052) |
| 2,3,4,6,7,8-HxCDF | | ND(0.0000000073) | ND(0.000000010) | ND(0.000000054) | ND(0.000000052) |
| HxCDFs (total) | | ND(0.0000000073) | ND(0.000000016) | ND(0.000000054) | ND(0.000000052) |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.000000013) | ND(0.000000016) | ND(0.000000054) | ND(0.000000052) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.000000013) | ND(0.000000020) | ND(0.000000054) | ND(0.000000052) |
| HpCDFs (total) | | ND(0.000000013) | ND(0.000000018) | ND(0.000000054) | ND(0.000000052) |
| OCDF | | ND(0.000000012) | ND(0.000000038) | ND(0.000000011) | ND(0.000000010) |
| Dioxins | | | | | |
| 2,3,7,8-TCDD | | ND(0.000000013) | ND(0.000000020) | ND(0.000000045) | ND(0.000000014) |
| TCDDs (total) | | ND(0.000000013) | ND(0.000000020) | ND(0.000000045) | ND(0.000000014) |
| 1,2,3,7,8-PeCDD | | ND(0.000000010) | ND(0.000000021) | ND(0.000000054) | ND(0.000000052) |
| PeCDDs (total) | | ND(0.000000010) | ND(0.000000021) | ND(0.000000054) | ND(0.000000052) |
| 1,2,3,4,7,8-HxCDD | | ND(0.0000000097) | ND(0.000000017) | ND(0.000000054) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDD | | ND(0.000000012) | ND(0.000000017) | ND(0.000000054) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDD | | ND(0.000000011) | ND(0.000000016) | ND(0.000000054) | ND(0.000000052) |
| HxCDDs (total) | | ND(0.000000012) | ND(0.000000010) X | ND(0.000000054) | ND(0.000000052) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000017) | ND(0.000000030) | ND(0.000000054) | ND(0.000000052) |
| HpCDDs (total) | | ND(0.000000017) | ND(0.000000030) | ND(0.000000054) | ND(0.000000052) |
| OCDD | | ND(0.000000018) | ND(0.000000048) | 0.000000015 J | ND(0.000000010) |
| Total TEQs (WHO TEFs) | | 0.0000000098 | 0.0000000031 | 0.0000000086 | 0.0000000067 |

**Table D-1
OPCA Monitoring Program**

**Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | OPCA-MW-7 06/15/99 | OPCA-MW-7 05/01/01 | OPCA-MW-7 10/11-10/18/07 | OPCA-MW-7 04/21/08 |
|------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------------|-----------------------|
| Inorganics-Unfiltered | | | | | |
| Antimony | | ND(0.0600) | ND(0.0600) | NA | NA |
| Arsenic | | ND(0.00600) | ND(0.0100) | NA | NA |
| Barium | | 0.0270 | 0.0600 B | NA | NA |
| Beryllium | | ND(0.00600) | ND(0.00100) | NA | NA |
| Cadmium | | ND(0.00600) | ND(0.00500) | NA | NA |
| Chromium | | ND(0.0130) | ND(0.0100) | NA | NA |
| Cobalt | | ND(0.0600) | ND(0.0500) | NA | NA |
| Copper | | ND(0.0330) | 0.00790 J | NA | NA |
| Lead | | ND(0.130) J | ND(0.00500) | NA | NA |
| Nickel | | ND(0.0600) | ND(0.0400) | NA | NA |
| Selenium | | ND(0.00600) J | ND(0.00500) J | NA | NA |
| Silver | | ND(0.0130) | ND(0.00500) | NA | NA |
| Sulfide | | ND(5.00) | ND(5.00) | ND(1.00) J | 1.00 J |
| Thallium | | ND(0.0130) | ND(0.0100) J | NA | NA |
| Tin | | ND(0.300) | ND(0.100) | NA | NA |
| Vanadium | | ND(0.0600) | ND(0.0500) | NA | NA |
| Zinc | | ND(0.0260) | 0.0200 B | NA | NA |
| Inorganics-Filtered | | | | | |
| Antimony | | NA | ND(0.0600) | ND(0.0400) | ND(0.0400) |
| Arsenic | | NA | ND(0.0100) | ND(0.0100) | ND(0.0100) |
| Barium | | NA | 0.0570 J | 0.0869 B | 0.0276 B |
| Beryllium | | NA | ND(0.00100) | ND(0.0100) J | ND(0.0100) J |
| Cadmium | | NA | ND(0.00500) | ND(0.00500) | ND(0.00500) J |
| Chromium | | NA | ND(0.0100) | ND(0.0100) | 0.00134 B |
| Cobalt | | NA | ND(0.0500) | ND(0.0100) | ND(0.0100) J |
| Copper | | NA | 0.00730 J | ND(0.0100) J | ND(0.0100) J |
| Lead | | NA | ND(0.00500) | ND(0.0100) | ND(0.0100) |
| Nickel | | NA | ND(0.0400) | ND(0.0100) | ND(0.0100) J |
| Selenium | | NA | ND(0.00500) J | ND(0.0200) | ND(0.0200) |
| Thallium | | NA | ND(0.0100) J | ND(0.0100) J | 0.0148 J |
| Tin | | NA | ND(0.100) | ND(0.100) J | ND(0.0100) J |
| Vanadium | | NA | ND(0.0500) | ND(0.0500) | ND(0.0500) |
| Zinc | | NA | 0.0200 B | 0.0208 | 0.0178 B |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-7 10/21/08 | OPCA-MW-8 06/14/99 | OPCA-MW-8 05/01/01 |
|------------------------------|-------------------------------|-----------------------|-----------------------|--------------------------------------|
| Volatile Organics | | | | |
| 1,1,1-Trichloroethane | | ND(0.0010) | ND(0.0050) | ND(0.0050) [ND(0.0050)] |
| 1,1-Dichloroethane | | ND(0.0010) | ND(0.0050) | ND(0.0050) [ND(0.0050)] |
| Acetone | | ND(0.0050) J | ND(0.10) | ND(0.010) [ND(0.010)] |
| Bromoform | | ND(0.0010) | ND(0.0050) | ND(0.0050) [ND(0.0050)] |
| Chlorobenzene | | ND(0.0010) | ND(0.0050) | ND(0.0050) [ND(0.0050)] |
| Chloroform | | ND(0.0010) | ND(0.0050) | ND(0.0050) [ND(0.0050)] |
| Dibromochloromethane | | ND(0.0010) | ND(0.0050) | ND(0.0050) [ND(0.0050)] |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) | ND(0.0050) [ND(0.0050)] |
| Tetrachloroethene | | ND(0.0010) | ND(0.0050) | ND(0.0020) [ND(0.0020)] |
| Toluene | | ND(0.0010) | ND(0.0050) | ND(0.0050) [ND(0.0050)] |
| Trichloroethene | | ND(0.0010) | ND(0.0050) | ND(0.0050) [ND(0.0050)] |
| Trichlorofluoromethane | | ND(0.0010) J | ND(0.0050) | ND(0.0050) [ND(0.0050)] |
| Vinyl Chloride | | ND(0.0010) J | ND(0.010) | ND(0.0020) [ND(0.0020)] |
| Total VOCs | | ND(0.10) | ND(0.20) | ND(0.20) [ND(0.20)] |
| PCBs-Unfiltered | | | | |
| Aroclor-1254 | | NA | ND(0.00010) | ND(0.000065) [ND(0.000065)] |
| Aroclor-1260 | | NA | ND(0.00010) | ND(0.000065) [ND(0.000065)] |
| Total PCBs | | NA | ND(0.00010) | ND(0.000065) [ND(0.000065)] |
| PCBs-Filtered | | | | |
| Aroclor-1254 | | ND(0.000067) J | NA | ND(0.000065) [ND(0.000065)] |
| Aroclor-1260 | | ND(0.000067) J | NA | ND(0.000065) [ND(0.000065)] |
| Total PCBs | | ND(0.000067) J | NA | ND(0.000065) [ND(0.000065)] |
| Semivolatile Organics | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.0052) | ND(0.010) | ND(0.010) [ND(0.010)] |
| Acenaphthene | | ND(0.0052) | ND(0.010) | ND(0.010) [ND(0.010)] |
| bis(2-Ethylhexyl)phthalate | | ND(0.0052) | ND(0.010) | ND(0.0060) [ND(0.0060)] |
| Dibenzofuran | | ND(0.0052) | ND(0.010) | ND(0.010) [ND(0.010)] |
| Dimethylphthalate | | ND(0.0052) | ND(0.010) | ND(0.010) [ND(0.010)] |
| Naphthalene | | ND(0.0052) | ND(0.010) | ND(0.010) [ND(0.010)] |
| Furans | | | | |
| 2,3,7,8-TCDF | | ND(0.0000000033) | ND(0.0000000070) | ND(0.000000010) [ND(0.000000018) X] |
| TCDFs (total) | | ND(0.0000000033) | ND(0.0000000070) | ND(0.000000010) [ND(0.000000032) X] |
| 1,2,3,7,8-PeCDF | | ND(0.0000000051) | ND(0.0000000029) | ND(0.000000028) [ND(0.000000026)] |
| 2,3,4,7,8-PeCDF | | ND(0.0000000051) | ND(0.0000000027) | ND(0.000000011) [0.000000034 J] |
| PeCDFs (total) | | ND(0.0000000051) | ND(0.0000000029) | ND(0.000000028) [0.000000040] |
| 1,2,3,4,7,8-HxCDF | | ND(0.0000000051) | ND(0.0000000097) | ND(0.000000014) [ND(0.000000045)] |
| 1,2,3,6,7,8-HxCDF | | ND(0.0000000051) | ND(0.0000000099) | ND(0.0000000070) [ND(0.000000028)] |
| 1,2,3,7,8,9-HxCDF | | ND(0.0000000051) | ND(0.0000000094) | ND(0.0000000090) [0.000000018 JB] |
| 2,3,4,6,7,8-HxCDF | | ND(0.0000000051) | ND(0.000000010) | ND(0.0000000080) [ND(0.000000023)] |
| HxCDFs (total) | | ND(0.0000000051) | ND(0.000000010) | ND(0.000000014) [0.000000025] |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.0000000051) | ND(0.000000022) | ND(0.000000013) [ND(0.000000036) XB] |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.0000000053) | ND(0.000000022) | ND(0.000000016) [0.000000040 JB] |
| HpCDFs (total) | | ND(0.0000000053) | ND(0.000000022) | ND(0.000000014) [0.000000058] |
| OCDF | | ND(0.000000014) | ND(0.000000025) | ND(0.000000031) [0.000000095 J] |
| Dioxins | | | | |
| 2,3,7,8-TCDD | | ND(0.0000000032) | ND(0.0000000011) | ND(0.000000013) [ND(0.000000014)] |
| TCDDs (total) | | ND(0.0000000032) | ND(0.0000000011) | ND(0.000000013) [ND(0.000000014)] |
| 1,2,3,7,8-PeCDD | | ND(0.0000000051) | ND(0.000000011) | ND(0.000000016) [ND(0.000000040)] |
| PeCDDs (total) | | ND(0.0000000051) | ND(0.000000011) | ND(0.000000016) [0.000000040] |
| 1,2,3,4,7,8-HxCDD | | ND(0.0000000051) | ND(0.000000013) | ND(0.000000013) [ND(0.000000024)] |
| 1,2,3,6,7,8-HxCDD | | ND(0.0000000051) | ND(0.000000016) | ND(0.000000013) [ND(0.000000019) XB] |
| 1,2,3,7,8,9-HxCDD | | ND(0.0000000051) | ND(0.000000014) | ND(0.000000012) [ND(0.000000038)] |
| HxCDDs (total) | | ND(0.0000000051) | ND(0.000000016) | ND(0.000000012) [0.000000062] |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.0000000074) | ND(0.000000030) | ND(0.000000024) [ND(0.000000081)] |
| HpCDDs (total) | | ND(0.0000000074) | ND(0.000000030) | ND(0.000000014) X [0.000000012] |
| OCDD | | ND(0.000000016) | ND(0.000000037) | ND(0.000000051) XB [ND(0.000000043)] |
| Total TEQs (WHO TEFs) | | 0.0000000076 | 0.000000011 | 0.000000023 [0.000000063] |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-7 10/21/08 | OPCA-MW-8 06/14/99 | OPCA-MW-8 05/01/01 |
|------------------------------|-------------------------------|-----------------------|-----------------------|-------------------------------|
| Inorganics-Unfiltered | | | | |
| Antimony | | NA | ND(0.0600) | ND(0.0600) [ND(0.0600)] |
| Arsenic | | NA | ND(0.00600) | ND(0.0100) J [ND(0.0100) J] |
| Barium | | NA | 0.0860 | 0.0290 B [0.0300 B] |
| Beryllium | | NA | ND(0.00600) | ND(0.00100) [ND(0.00100)] |
| Cadmium | | NA | ND(0.00600) | ND(0.00500) [ND(0.00500)] |
| Chromium | | NA | ND(0.0130) | 0.00600 B [0.00520 B] |
| Cobalt | | NA | ND(0.0600) | ND(0.0500) [ND(0.0500)] |
| Copper | | NA | ND(0.0330) | ND(0.0250) [ND(0.0250)] |
| Lead | | NA | ND(0.130) J | ND(0.00500) J [ND(0.00500) J] |
| Nickel | | NA | ND(0.0600) | ND(0.0400) [ND(0.0400)] |
| Selenium | | NA | ND(0.00600) J | ND(0.00500) [ND(0.00500)] |
| Silver | | NA | ND(0.0130) | ND(0.00500) [ND(0.00500)] |
| Sulfide | | 1.00 J | ND(5.00) | ND(5.00) [ND(5.00)] |
| Thallium | | NA | ND(0.0130) | ND(0.0100) J [ND(0.0100) J] |
| Tin | | NA | ND(0.300) | ND(0.100) [ND(0.100)] |
| Vanadium | | NA | ND(0.0600) | ND(0.0500) [ND(0.0500)] |
| Zinc | | NA | ND(0.0260) | 0.0970 [0.120] |
| Inorganics-Filtered | | | | |
| Antimony | | ND(0.0400) | NA | ND(0.0600) [ND(0.0600)] |
| Arsenic | | ND(0.0100) J | NA | ND(0.0100) J [ND(0.0100) J] |
| Barium | | 0.0368 B | NA | 0.0280 J [0.0280 J] |
| Beryllium | | ND(0.0100) J | NA | ND(0.00100) [ND(0.00100)] |
| Cadmium | | ND(0.00500) J | NA | ND(0.00500) [ND(0.00500)] |
| Chromium | | ND(0.0100) J | NA | 0.00290 B [0.00370 B] |
| Cobalt | | ND(0.0100) J | NA | ND(0.0500) [ND(0.0500)] |
| Copper | | ND(0.200) J | NA | ND(0.0250) [0.00420 B] |
| Lead | | ND(0.0100) J | NA | ND(0.00500) J [ND(0.00500) J] |
| Nickel | | ND(0.0500) | NA | ND(0.0400) [0.00410 B] |
| Selenium | | ND(0.0200) J | NA | ND(0.00500) [ND(0.00500)] |
| Thallium | | ND(0.0100) J | NA | ND(0.0100) J [ND(0.0100) J] |
| Tin | | ND(0.100) J | NA | ND(0.100) [ND(0.100)] |
| Vanadium | | ND(0.0500) | NA | ND(0.0500) [ND(0.0500)] |
| Zinc | | 0.00771 B | NA | 0.0540 [0.0560] |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-8 10/11/07 | OPCA-MW-8 04/23/08 | OPCA-MW-8 10/22/08 |
|------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------|
| Volatile Organics | | | | |
| 1,1,1-Trichloroethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| 1,1-Dichloroethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Acetone | | ND(0.0050) J | ND(0.0050) J | ND(0.0050) J |
| Bromoform | | ND(0.0010) J | ND(0.0010) | ND(0.0010) |
| Chlorobenzene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Chloroform | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Dibromochloromethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Methylene Chloride | | ND(0.0050) | ND(0.0050) J | ND(0.0050) |
| Tetrachloroethene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Toluene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Trichloroethene | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Trichlorofluoromethane | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Vinyl Chloride | | ND(0.0010) | ND(0.0010) | ND(0.0010) |
| Total VOCs | | ND(0.10) | ND(0.10) | ND(0.10) |
| PCBs-Unfiltered | | | | |
| Aroclor-1254 | | NA | NA | NA |
| Aroclor-1260 | | NA | NA | NA |
| Total PCBs | | NA | NA | NA |
| PCBs-Filtered | | | | |
| Aroclor-1254 | | ND(0.00010) | 0.00019 J | ND(0.00010) |
| Aroclor-1260 | | ND(0.00010) | ND(0.000069) J | ND(0.00010) |
| Total PCBs | | ND(0.00010) | 0.00019 J | ND(0.00010) |
| Semivolatile Organics | | | | |
| 1,2,4-Trichlorobenzene | | ND(0.010) | ND(0.0051) | ND(0.0051) |
| Acenaphthene | | ND(0.010) | ND(0.0051) | ND(0.0051) |
| bis(2-Ethylhexyl)phthalate | | 0.0017 J | 0.0011 J | 0.00087 J |
| Dibenzofuran | | ND(0.010) | ND(0.0051) | ND(0.0051) |
| Dimethylphthalate | | ND(0.010) | ND(0.0051) | ND(0.0051) |
| Naphthalene | | ND(0.010) | ND(0.0051) | ND(0.0051) |
| Furans | | | | |
| 2,3,7,8-TCDF | | ND(0.000000026) | ND(0.000000050) | ND(0.000000014) |
| TCDFs (total) | | ND(0.000000026) | 0.000000017 | ND(0.000000083) |
| 1,2,3,7,8-PeCDF | | ND(0.000000050) | ND(0.000000052) | ND(0.000000052) |
| 2,3,4,7,8-PeCDF | | ND(0.000000050) | ND(0.000000052) | 0.000000058 J |
| PeCDFs (total) | | ND(0.000000050) | ND(0.000000052) | ND(0.00000012) |
| 1,2,3,4,7,8-HxCDF | | ND(0.000000050) | ND(0.000000052) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDF | | ND(0.000000050) | ND(0.000000052) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDF | | ND(0.000000050) | ND(0.000000052) | ND(0.000000052) |
| 2,3,4,6,7,8-HxCDF | | ND(0.000000050) | ND(0.000000052) | ND(0.000000052) |
| HxCDFs (total) | | ND(0.000000050) | ND(0.000000052) | ND(0.000000040) |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.000000050) | ND(0.000000052) | ND(0.000000093) X |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.000000050) | ND(0.000000060) | ND(0.000000056) |
| HpCDFs (total) | | ND(0.000000050) | ND(0.000000053) | ND(0.000000056) |
| OCDF | | ND(0.000000010) | ND(0.000000011) | 0.000000018 J |
| Dioxins | | | | |
| 2,3,7,8-TCDD | | ND(0.000000032) | ND(0.000000044) | ND(0.000000029) |
| TCDDs (total) | | ND(0.000000032) | ND(0.000000044) | ND(0.000000029) |
| 1,2,3,7,8-PeCDD | | ND(0.000000050) | ND(0.000000052) | ND(0.000000052) |
| PeCDDs (total) | | ND(0.000000050) | ND(0.000000052) | ND(0.000000052) |
| 1,2,3,4,7,8-HxCDD | | ND(0.000000050) | ND(0.000000052) | ND(0.000000052) |
| 1,2,3,6,7,8-HxCDD | | ND(0.000000050) | ND(0.000000052) | ND(0.000000052) |
| 1,2,3,7,8,9-HxCDD | | ND(0.000000050) | ND(0.000000052) | ND(0.000000052) |
| HxCDDs (total) | | ND(0.000000050) | ND(0.000000052) | ND(0.000000078) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.000000059) | ND(0.000000085) | 0.000000015 J |
| HpCDDs (total) | | ND(0.000000059) | ND(0.000000085) | ND(0.000000015) |
| OCDD | | 0.000000020 J | 0.000000017 J | 0.000000086 J |
| Total TEQs (WHO TEFs) | | 0.000000075 | 0.000000084 | 0.000000098 |

Table D-1
OPCA Monitoring Program

Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | OPCA-MW-8 10/11/07 | OPCA-MW-8 04/23/08 | OPCA-MW-8 10/22/08 |
|------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------|
| Inorganics-Unfiltered | | | | |
| Antimony | | NA | NA | NA |
| Arsenic | | NA | NA | NA |
| Barium | | NA | NA | NA |
| Beryllium | | NA | NA | NA |
| Cadmium | | NA | NA | NA |
| Chromium | | NA | NA | NA |
| Cobalt | | NA | NA | NA |
| Copper | | NA | NA | NA |
| Lead | | NA | NA | NA |
| Nickel | | NA | NA | NA |
| Selenium | | NA | NA | NA |
| Silver | | NA | NA | NA |
| Sulfide | | ND(1.00) | ND(1.00) | ND(1.00) |
| Thallium | | NA | NA | NA |
| Tin | | NA | NA | NA |
| Vanadium | | NA | NA | NA |
| Zinc | | NA | NA | NA |
| Inorganics-Filtered | | | | |
| Antimony | | ND(0.0400) | ND(0.0400) | ND(0.0400) |
| Arsenic | | ND(0.0100) | ND(0.0100) | ND(0.0100) J |
| Barium | | ND(0.100) | 0.00521 B | 0.0225 B |
| Beryllium | | ND(0.0100) J | 0.00141 J | ND(0.0100) J |
| Cadmium | | ND(0.00500) | ND(0.00500) J | 0.00287 B J |
| Chromium | | ND(0.0100) | 0.00210 B | ND(0.0100) J |
| Cobalt | | ND(0.0100) | ND(0.0100) J | ND(0.0100) J |
| Copper | | ND(0.0100) J | ND(0.0100) J | ND(0.200) J |
| Lead | | ND(0.0100) | ND(0.0100) | 0.00427 B J |
| Nickel | | ND(0.0100) | ND(0.0100) J | ND(0.0500) |
| Selenium | | ND(0.0200) | ND(0.0200) | ND(0.0200) J |
| Thallium | | ND(0.0100) J | 0.00674 J | ND(0.0100) J |
| Tin | | ND(0.100) J | ND(0.0100) J | ND(0.100) J |
| Vanadium | | ND(0.0500) | ND(0.0500) | ND(0.0500) |
| Zinc | | 0.00726 B | 0.298 | 0.0610 |

**Table D-1
OPCA Monitoring Program**

**Baseline Groundwater Quality Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)**

Notes:

1. Samples were collected by ARCADIS and submitted to SGS Environmental Services, Inc. and Northeast Analytical, Inc. for analysis of Appendix IX+3 constituents.
2. Samples have been validated as per Field Sampling Plan/Quality Assurance Project Plan (FSP/QAPP), General Electric Company, Pittsfield, Massachusetts, ARCADIS BBL (approved March 15, 2007 and re-submitted March 30, 2007).
3. NA - Not Analyzed.
4. ND - Analyte was not detected. The number in parentheses is the associated detection limit.
5. Total 2,3,7,8-TCDD toxicity equivalents (TEQs) were calculated using Toxicity Equivalency Factors (TEFs) derived by the World Health Organization (WHO) and published by Van den Berg et al. in Environmental Health Perspectives 106(2), December 1998.
6. Field duplicate sample results are presented in brackets.
7. With the exception of dioxin/furans, only those constituents detected in one or more samples are summarized.

Data Qualifiers:

Organics (volatiles, PCBs, semivolatiles, dioxin/furans)

- B - Analyte was also detected in the associated method blank.
- J - Indicates that the associated numerical value is an estimated concentration.
- R - Data was rejected due to a deficiency in the data generation process.
- X - Estimated maximum possible concentration.
- Y - 2,3,7,8-TCDF results have been confirmed on a DB-225 column.

Inorganics


- B - Indicates an estimated value between the instrument detection limit (IDL) and practical quantitation limit (PQL).
- J - Indicates that the associated numerical value is an estimated concentration.
- R - Data was rejected due to a deficiency in the data generation process.

Historical Groundwater Data

Total VOC Concentrations –
Wells Sampled in Fall 2008


**Appendix D
Well 78-1 Historical Total VOC Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




**Appendix D
Well 78-6 Historical Total VOC Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




**Appendix D
Well GMA4-6 Historical Total VOC Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




**Appendix D
Well H78B-15 Historical Total VOC Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




Appendix D
Well OPCA-MW-1/OPCA-MW-1R/OPCA-MW-1RR Historical Total VOC Concentrations

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts




Appendix D
Well OPCA-MW-2/OPCA-MW-2R Historical Total VOC Concentrations

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts




**Appendix D
Well OPCA-MW-3 Historical Total VOC Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




Appendix D
Well OPCA-MW-4 Historical Total VOC Concentrations

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts




Appendix D
Well OPCA-MW-5R Historical Total VOC Concentrations

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts




**Appendix D
Well OPCA-MW-6 Historical Total VOC Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




**Appendix D
Well OPCA-MW-7 Historical Total VOC Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**



**Appendix D
Well OPCA-MW-8 Historical Total VOC Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




Historical Groundwater Data

Total PCB Concentrations –
Wells Sampled in Fall 2008


**Appendix D
Well 78-1 Historical Total PCB Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




**Appendix D
Well 78-6 Historical Total PCB Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




**Appendix D
Well GMA4-6 Historical Total PCB Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




Appendix D
Well OPCA-MW-1/OPCA-MW-1R/OPCA-MW-1RR Historical Total PCB Concentrations

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts




Appendix D
Well OPCA-MW-2/OPCA-MW-2R Historical Total PCB Concentrations

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts




**Appendix D
Well OPCA-MW-3 Historical Total PCB Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




**Appendix D
Well OPCA-MW-4 Historical Total PCB Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




**Appendix D
Well OPCA-MW-5R Historical Total PCB Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




**Appendix D
Well OPCA-MW-6 Historical Total PCB Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




**Appendix D
Well OPCA-MW-7 Historical Total PCB Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**



**Appendix D
Well OPCA-MW-8 Historical Total PCB Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**




Historical Groundwater Data

Vinyl Chloride Concentrations –
Selected Wells


**Appendix D
Well OPCA-MW-4 Historical Vinyl Chloride Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**



Appendix D
Well OPCA-MW-5/OPCA-MW-5R Historical Vinyl Chloride Concentrations

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts




Historical Groundwater Data

Tetrachloroethene Concentrations –
Well OPCA-MW-1RR

Appendix D
Well OPCA-MW-1/OPCA-MW-1R/OPCA-MW-1RR Historical Tetrachloroethene (PCE)
Concentrations

Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts



ARCADIS

Appendix E

Pittsfield Generating Company
Groundwater Analytical Data

**Table E-1
Summary Of Pittsfield Generating Company Groundwater Data**

**Groundwater Quality Monitoring Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield Massachusetts**

(Results in ppm)

| Analyte Identification | MCP GW-3 Standard | Method 3 UCL | ASW-5 6/10/96 | ASW-5/W-5* 9/20/96 | ASW-5 12/16/96 | ASW-5 6/9/97 | ASW-5 12/16/97 | ASW-5 6/23/98 | ASW-5 12/29/98 |
|------------------------------|-------------------|--------------|---------------|--------------------|----------------|--------------|----------------|---------------|----------------|
| Volatile Organics | | | | | | | | | |
| 1,2 - Dichloroethene (total) | None | None | -- | -- | -- | -- | -- | -- | -- |
| Acetone | 50 | 100 | -- | -- | -- | -- | -- | -- | -- |
| Methylene chloride | 50 | 100 | -- | 0.0050 JB | -- | -- | -- | -- | -- |
| Trichloroethene | 20 | 100 | 0.016 | 0.0150 | 0.014 | 0.0150 | 0.0120 | 0.013 | 0.024 |
| PCBs - Unfiltered | | | | | | | | | |
| PCB-1254 | None | None | -- | -- | -- | -- | -- | -- | -- |
| PCB-1260 | None | None | -- | -- | -- | -- | -- | -- | -- |
| Total PCBs | Not Applicable | 0.005 | -- | -- | -- | -- | -- | -- | -- |
| PCBs - Filtered | | | | | | | | | |
| PCB-1254 | None | None | NA | -- | NA | NA | NA | NA | NA |
| PCB-1260 | None | None | NA | -- | NA | NA | NA | NA | NA |
| Total PCBs | 0.0003 | 0.005 | NA | -- | NA | NA | NA | NA | NA |

| Analyte Identification | MCP GW-3 Standard | Method 3 UCL | ASW-5 6/21/99 | ASW-5 12/13/99 | ASW-5 5/31/00 | ASW-5 12/26/00 | ASW-5 6/20/01 | ASW-5 12/11/01 | ASW-5 6/12/02 |
|------------------------------|-------------------|--------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|
| Volatile Organics | | | | | | | | | |
| 1,2 - Dichloroethene (total) | None | None | 0.006 | -- | -- | -- | -- | -- | -- |
| Acetone | 50 | 100 | -- | -- | -- | -- | -- | -- | -- |
| Methylene chloride | 50 | 100 | -- | -- | -- | -- | -- | -- | -- |
| Trichloroethene | 20 | 100 | 0.032 | 0.026 | 0.021 | 0.015 | 0.016 | 0.013 | 0.021 |
| PCBs - Unfiltered | | | | | | | | | |
| PCB-1254 | None | None | -- | -- | -- | -- | -- | -- | -- |
| PCB-1260 | None | None | -- | -- | -- | -- | -- | -- | -- |
| Total PCBs | Not Applicable | 0.005 | -- | -- | -- | -- | -- | -- | -- |
| PCBs - Filtered | | | | | | | | | |
| PCB-1254 | None | None | NA | NA | NA | NA | NA | NA | NA |
| PCB-1260 | None | None | NA | NA | NA | NA | NA | NA | NA |
| Total PCBs | 0.0003 | 0.005 | NA | NA | NA | NA | NA | NA | NA |

**Table E-1
Summary Of Pittsfield Generating Company Groundwater Data**

**Groundwater Quality Monitoring Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield Massachusetts**

(Results in ppm)

| Analyte Identification | MCP GW-3 Standard | Method 3 UCL | ASW-5 12/6/02 | ASW-5 6/2/03 | ASW-5 12/1/03 | ASW-5 6/7/04 | ASW-5 12/13/04 | ASW-5 6/7/05 | ASW-5 12/7/05 |
|------------------------------|-------------------|--------------|---------------|--------------|---------------|--------------|----------------|--------------|---------------|
| Volatile Organics | | | | | | | | | |
| 1,2 - Dichloroethene (total) | None | None | -- | -- | -- | -- | -- | -- | -- |
| Acetone | 50 | 100 | -- | -- | 0.017 | -- | -- | -- | -- |
| Methylene chloride | 50 | 100 | -- | -- | -- | -- | -- | -- | -- |
| Trichloroethene | 20 | 100 | 0.012 | 0.022 | 0.016 | 0.019 | 0.017 | 0.018 | 0.018 |
| PCBs - Unfiltered | | | | | | | | | |
| PCB-1254 | None | None | -- | -- | -- | -- | -- | -- | -- |
| PCB-1260 | None | None | -- | -- | -- | -- | -- | -- | -- |
| Total PCBs | Not Applicable | 0.005 | -- | -- | -- | -- | -- | -- | -- |
| PCBs - Filtered | | | | | | | | | |
| PCB-1254 | None | None | NA | NA | NA | NA | NA | NA | NA |
| PCB-1260 | None | None | NA | NA | NA | NA | NA | NA | NA |
| Total PCBs | 0.0003 | 0.005 | NA | NA | NA | NA | NA | NA | NA |

| Analyte Identification | MCP GW-3 Standard | Method 3 UCL | ASW-5 6/6/06 | ASW-5 12/12/06 | ASW-5 6/4/07 | ASW-5 12/4/07 | ASW-5 6/4/08 | ASW-5 12/2/08 |
|------------------------------|-------------------|--------------|--------------|----------------|--------------|---------------|--------------|---------------|
| Volatile Organics | | | | | | | | |
| 1,2 - Dichloroethene (total) | None | None | -- | -- | -- | -- | -- | -- |
| Acetone | 50 | 100 | -- | -- | -- | -- | -- | -- |
| Methylene chloride | 50 | 100 | -- | -- | -- | -- | -- | -- |
| Trichloroethene | 20 | 100 | 0.014 | 0.012 | 0.0086 | 0.014 | 0.0097 | -- |
| PCBs - Unfiltered | | | | | | | | |
| PCB-1254 | None | None | -- | -- | -- | -- | -- | -- |
| PCB-1260 | None | None | -- | -- | -- | -- | -- | -- |
| Total PCBs | Not Applicable | 0.005 | -- | -- | -- | -- | -- | -- |
| PCBs - Filtered | | | | | | | | |
| PCB-1254 | None | None | NA | NA | NA | NA | NA | NA |
| PCB-1260 | None | None | NA | NA | NA | NA | NA | NA |
| Total PCBs | 0.0003 | 0.005 | NA | NA | NA | NA | NA | NA |

**Table E-1
Summary Of Pittsfield Generating Company Groundwater Data**

**Groundwater Quality Monitoring Interim Report for Fall 2008
Groundwater Management Area 4
General Electric Company - Pittsfield Massachusetts**

(Results in ppm)


Notes:

1. Only parameters detected in at least one sample are shown.
2. -- Compound was not detected.
3. J - Indicates an estimated value less than the practical quantitation limit (PQL).
4. B - Analyte was also detected in the associated blank.
5. * - Sample was collected by Blasland, Bouck, & Lee, Inc., now known as ARCADIS.
6. NA - Not Analyzed

Appendix E

Summary of Pittsfield Generating Company Groundwater Data
Well ASW-5 Historical Total VOC Concentrations


Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts



Appendix E

**Summary of Pittsfield Generating Company Groundwater Data
Well ASW-5 Historical Total PCB Concentrations**

**Groundwater Management Area 4
General Electric Company - Pittsfield, Massachusetts**



ARCADIS

Appendix F

Data Validation Report

**Appendix F
Groundwater Sampling Data Validation Report
Groundwater Management Area 4 – Fall 2008**

**General Electric Company
Pittsfield, Massachusetts**

1.0 General

This attachment summarizes the data validation review performed on behalf of the General Electric Company (GE) for groundwater samples collected in October and November 2008 as part of groundwater sampling activities conducted at Groundwater Management Area 4, located at the General Electric Company/Housatonic River Site in Pittsfield, Massachusetts. The samples were analyzed for polychlorinated biphenyls (PCBs) and/or various other constituents listed in Appendix IX of 40 CFR Part 264, plus three additional constituents -- benzidine, 2-chloroethyl vinyl ether, and 1,2-diphenylhydrazine (hereafter referred to as Appendix IX+3) by SGS Environmental Services, Inc. of Wilmington, North Carolina. Data validation was performed for 16 PCB samples, 16 volatile organic compound (VOC) samples, 14 semi-volatile organic compound (SVOC) samples, 14 metal samples, 14 cyanide samples, 14 sulfide samples, and 14 polychlorinated dibenzo-p-dioxin (PCDD)/polychlorinated dibenzofuran (PCDF) samples.

2.0 Data Evaluation Procedures

This attachment outlines the applicable quality control criteria utilized during the data review process and any deviations from those criteria. The data review was conducted in accordance with the following documents:

- *Field Sampling Plan/Quality Assurance Project Plan (FSP/QAPP), General Electric Company, Pittsfield, Massachusetts, ARCADIS BBL (submitted by GE on March 30, 2007 and approved by EPA on June 13, 2007);*
- *Region I Laboratory Data Validation Functional Guidelines for Evaluating Inorganics Analyses, USEPA Region I (June 13, 1988) (Modified February 1989);*
- *Region I Laboratory Data Validation Functional Guidelines for Evaluating Organics Analyses, USEPA Region I (Draft, December 1996); and*
- *National Functional Guidelines for Dioxin/Furan Data Validation, USEPA (Draft, January 1996).*

The data were validated to either a Tier I or Tier II level, as described below. Any deviations from the applicable quality control criteria utilized during the data review process are identified below. A tabulated summary of the Tier I/Tier II data review is presented in Table F-1. Each sample subject to evaluation is listed in Table D-1 to document that data review was performed. Samples that required data qualification are listed separately.

The following data qualifiers were used in this data evaluation:

- J The compound was positively identified, but the associated numerical value is an estimated concentration. This qualifier is used when the data evaluation procedure identifies a deficiency

in the data generation process. This qualifier is also used when a compound is detected at an estimated concentration less than the corresponding practical quantitation limit (PQL).

- U The compound was analyzed for, but was not detected. The sample quantitation limit is presented. Non-detect sample results are presented as ND(PQL) within this report for consistency with documents previously prepared for investigations conducted at the GE-Pittsfield/Housatonic River Site.
- UU The compound was not detected above the reported sample quantitation limit. However, the reported limit is estimated and may or may not represent the actual level of quantitation. Non-detect sample results that required qualification are presented as ND(PQL) J within this report for consistency with documents previously prepared for investigations conducted at the GE-Pittsfield/Housatonic River Site.
- R Indicates that the previously reported detection limit or sample result has been rejected due to a major deficiency in the data generation procedure. The data should not be used for any qualitative or quantitative purpose.

3.0 Data Validation Procedures

Section 7.5 of the FSP/QAPP states that analytical data will be validated to a Tier I level following the procedures presented in the *Region I Tiered Organic and Inorganic Data Validation Guidelines* (EPA guidelines). The Tier I review consisted of a completeness evidence audit, as outlined in the *EPA Region I CSF Completeness Evidence Audit Program* (EPA Region I, July 31, 1991), to ensure that laboratory data and documentation were present. In the event data packages were determined to be incomplete, the missing information was requested from the laboratory. Upon completion of the Tier I review, the data packages complied with the EPA Region I Tier I data completeness requirements.

The Tier II data review consisted of a review of data package summary forms for identification of quality assurance/quality control (QA/QC) deviations and qualification of the data according to the Region I Data Validation Functional Guidelines. Additionally, field duplicates were examined for relative percent difference (RPD) compliance with the criteria specified in the FSP/QAPP.

A tabulated summary of the samples subject to Tier I and Tier II data review is presented in the following table.

Summary of Samples Subjected to Tier I and Tier II Data Validation

| Parameter | Tier I Only | | | Tier I & Tier II | | | Total |
|-------------|-------------|------------|--------|------------------|------------|--------|-------|
| | Samples | Duplicates | Blanks | Samples | Duplicates | Blanks | |
| PCBs | 0 | 0 | 0 | 14 | 1 | 1 | 16 |
| VOCs | 0 | 0 | 0 | 12 | 1 | 3 | 16 |
| SVOCs | 0 | 0 | 0 | 12 | 1 | 1 | 14 |
| Metals | 0 | 0 | 0 | 12 | 1 | 1 | 14 |
| PCDDs/PCDFs | 0 | 0 | 0 | 12 | 1 | 1 | 14 |
| Sulfides | 0 | 0 | 0 | 12 | 1 | 1 | 14 |
| Cyanides | 0 | 0 | 0 | 12 | 1 | 1 | 14 |

Summary of Samples Subjected to Tier I and Tier II Data Validation

| Parameter | Tier I Only | | | Tier I & Tier II | | | Total |
|--------------|-------------|------------|----------|------------------|------------|----------|------------|
| | Samples | Duplicates | Blanks | Samples | Duplicates | Blanks | |
| Total | 0 | 0 | 0 | 86 | 7 | 9 | 102 |

When qualification of the sample data was required, the sample results associated with a QA/QC parameter deviation were qualified in accordance with the procedures outlined in EPA Region I data validation guidance documents. When the data validation process identified several quality control deficiencies, the cumulative effect of the various deficiencies was employed in assigning the final data qualifier. A summary of the QA/QC parameter deviations that resulted in data qualification is presented in Section 4 below.

4.0 Summary of QA/QC Parameter Deviations Requiring Data Qualification

This section provides a summary of the deviations from the applicable QA/QC criteria that resulted in qualification of results.

The initial calibration criterion for organic analyses requires that the average relative response factor (RRF) has a value greater than 0.05. Sample results were qualified as estimated (J) when this criterion was not achieved. The compounds that did not achieve the initial calibration criterion and the number of samples qualified are presented in the following table.

Compounds Qualified Due to Initial Calibration Deviations (RRF)

| Analysis | Compound | Number of Affected Samples | Qualification |
|----------|-----------------------------|----------------------------|---------------|
| VOCs | 1,2-Dibromo-3-chloropropane | 16 | J |
| | 1,4-Dioxane | 16 | J |
| | 2-Butanone | 16 | J |
| | 2-Chloroethylvinylether | 15 | J |
| | Acetone | 16 | J |
| | Acetonitrile | 16 | J |
| | Acrolein | 16 | J |
| | Acrylonitrile | 16 | J |
| | Isobutanol | 16 | J |
| | Methacrylonitrile | 8 | J |
| | Propionitrile | 16 | J |
| | trans-1,4-Dichloro-2-butene | 16 | J |
| SVOCs | Hexachlorophene | 14 | J |

The continuing calibration criterion requires that the percent difference (%D) between the initial calibration RRF and the continuing calibration RRF for VOCs and SVOCs be less than 25%. Sample data for detect and non-detect compounds with %D values that exceeded the continuing calibration criteria were qualified as estimated (J). A summary of the compounds that exceeded the continuing calibration criterion and the number of samples qualified due to those deviations are presented in the following table.

Compounds Qualified Due to Continuing Calibration of %D Values

| Analysis | Compound | Number of Affected Samples | Qualification |
|----------|-----------------------------|----------------------------|---------------|
| VOCs | 2-Hexanone | 8 | J |
| | Acetone | 8 | J |
| | Acrolein | 1 | J |
| | Bromomethane | 8 | J |
| | Methacrylonitrile | 1 | J |
| SVOCs | 1-Naphthylamine | 6 | J |
| | 2-Naphthylamine | 7 | J |
| | 4-Nitroquinoline-1-oxide | 6 | J |
| | 4-Phenylenediamine | 7 | J |
| | a,a'-Dimethylphenethylamine | 12 | J |
| | Hexachlorocyclopentadiene | 12 | J |
| | Methapyrilene | 12 | J |

Contract required detection limit (CRDL) standards were analyzed to evaluate instrument performance at low-level concentrations that are near the analytical method PQL. These standards are required to have recoveries between 80% and 120% to verify that the analytical instrumentation was properly calibrated. When CRDL standard recoveries were outside these control limits, the affected samples with detected results at or near the PQL concentration (i.e., less than three times the PQL) were qualified as estimated (J). The analytes that did not meet CRDL criteria and the number of samples qualified due to those deviations are presented in the following table.

Analytes Qualified Due to CRDL Standard Recovery Deviations

| Analysis | Analyte | Number of Affected Samples | Qualification |
|------------|-----------|----------------------------|---------------|
| Inorganics | Arsenic | 14 | J |
| | Beryllium | 11 | J |
| | Cadmium | 11 | J |
| | Chromium | 14 | J |
| | Cobalt | 14 | J |
| | Copper | 14 | J |
| | Lead | 14 | J |
| | Nickel | 4 | J |
| | Selenium | 14 | J |
| | Silver | 4 | J |
| | Thallium | 11 | J |
| | Tin | 13 | J |

Matrix spike/matrix spike duplicate (MS/MSD) sample analysis recovery criteria for organics require that the MS/MSD recovery must be within the laboratory-generated QC control limits specified on the MS reporting form. Sample results with MS/MSD recoveries that were less than the laboratory-generated QC control limits and have recoveries greater than 10% were qualified as estimated (J). Non-detect organic sample results that exhibited MS/MSD recoveries less than 10% were qualified as rejected (R). The compounds that did not meet MS/MSD recovery criteria and the number of samples qualified due to those deviations are presented in the following table.

Compounds Qualified Due to MS/MSD Recovery Deviations

| Analysis | Compound | Number of Affected Samples | Qualification |
|---------------|-------------------------|----------------------------|---------------|
| VOCs | 2-Chloroethylvinylether | 1 | R |
| PCBs | All Aroclors | 1 | J |
| Miscellaneous | Sulfide | 3 | J |

MS/MSD sample analysis recovery criteria for organics require that the RPD between the MS and MSD recoveries be less than the laboratory-generated QC acceptance limits specified on the MS/MSD reporting form. The compounds that exceeded the RPD limit and the number of samples qualified due to deviations are presented in the following table.

Compounds Qualified Due to MS/MSD RPD Deviations

| Analysis | Compound | Number of Affected Samples | Qualification |
|----------|--------------|----------------------------|---------------|
| PCBs | All Aroclors | 1 | J |

Laboratory control sample/laboratory control sample duplicate (LCS/LCSD) analysis recovery criteria for organics must be within the laboratory-generated QC acceptance limits specified on the LCS/LCSD reporting form. Organic sample results associated with the LCS/LCSD that exceeded laboratory-generated QC acceptance limits were qualified as estimated (J). The compounds that did not meet LCS/LCSD recovery criteria and the number of samples qualified due to those deviations are presented in the following table.

Compounds Qualified Due to LCS/LCSD Recovery Deviations

| Analysis | Compound | Number of Affected Samples | Qualification |
|----------|------------------------|----------------------------|---------------|
| VOCs | Trichlorofluoromethane | 7 | J |
| | Vinyl Chloride | 7 | J |
| PCBs | All Aroclors | 11 | J |

LCS/LCSD sample analysis recovery criteria for organics require that the RPD between the LCS and LCSD recoveries be less than the laboratory-generated QC acceptance limits specified on the LCS/LCSD reporting form. The compounds that exceeded the RPD limit and the number of samples qualified due to deviations are presented in the following table.

Compounds Qualified Due to LCS/LCSD RPD Deviations

| Analysis | Compound | Number of Affected Samples | Qualification |
|----------|-------------------------|----------------------------|---------------|
| VOCs | 2-Chloroethylvinylether | 7 | J |
| | Acrolein | 7 | J |

Blank action levels for analytes detected in the blanks were calculated at five times the blank concentrations. Detected sample results that were below the blank action level were qualified with a "U." The analytes

detected in method/analytical blanks which resulted in qualification of sample data, along with the number of affected samples, are presented in the following table.

Analytes Qualified Due to Blank Deviations

| Analysis | Analyte | Number of Affected Samples | Qualification |
|------------|-----------|----------------------------|---------------|
| Inorganics | Arsenic | 2 | U |
| | Barium | 3 | U |
| | Beryllium | 8 | U |
| | Chromium | 13 | U |
| | Cobalt | 3 | U |
| | Copper | 13 | U |
| | Lead | 3 | U |
| | Nickel | 1 | U |
| | Silver | 13 | U |

5.0 Overall Data Usability

This section summarizes the analytical data in terms of its completeness and usability. Data completeness is defined as the percentage of sample results that have been determined to be usable during the data validation process. The percent usability calculation included analyses evaluated under both the Tier I/II data validation reviews. The percent usability calculation also includes quality control samples (i.e., field/equipment blanks, trip blanks, and field duplicates) to aid in the evaluation of data usability. Data usability is summarized in the following table.

Data Usability

| Parameter | Percent Usability | Rejected Data |
|-------------|-------------------|--|
| VOCs | 99.9 | A total of one sample result was rejected due to MS/MSD recovery deviations. |
| SVOCs | 100 | None |
| PCBs | 100 | None |
| PCDDs/PCDFs | 100 | None |
| Metals | 100 | None |
| Sulfides | 100 | None |
| Cyanides | 100 | None |

The data package completeness, as determined from the Tier I data review, was used in combination with the data quality deviations identified during the Tier II data review to determine overall data quality. As specified in the FSP/QAPP, the overall precision, accuracy, representativeness, comparability, and completeness (PARCC) parameters determined from the Tier I and Tier II data reviews were used as indicators of overall data quality. These parameters were assessed through an evaluation of the results of the field and laboratory QA/QC sample analyses to provide a measure of compliance of the analytical data with the Data Quality Objectives (DQOs) specified in the FSP/QAPP. Therefore, the following sections present summaries of the PARCC parameters assessment with regard to the DQOs specified in the FSP/QAPP.

5.1 Precision

Precision measures the reproducibility of measurements under a given set of conditions. Specifically, it is a quantitative measure of the variability of a group of measurements compared to their average value. For this investigation, precision was defined as the RPD between duplicate sample results. The duplicate samples used to evaluate precision included field duplicates, MS/MSD samples, and LCS/LCSD samples. For this analytical program, 0.25% of the data required qualification due to MS/MSD RPD deviations and 0.43% of the data required qualification due to LCS/LCSD RPD deviations. None of the data required qualification due to field duplicate RPD deviations.

5.2 Accuracy

Accuracy measures the bias in an analytical system or the degree of agreement of a measurement with a known reference value. For this investigation, accuracy was defined as the percent recovery of QA/QC samples that were spiked with a known concentration of an analyte or compound of interest. The QA/QC samples used to evaluate analytical accuracy included instrument calibration, internal standards, LCS/LCSDs, MS/MSD samples, CRDL samples, and surrogate compound recoveries. For this analytical program, 8.8% of the data required qualification due to instrument calibration deviations, 3.1% of the data required qualification due to LCS/LCSD recovery deviations, 0.37% of the data required qualification due to MS/MSD recovery deviations, and 4.2% of the data required qualification due to CRDL recovery deviations. None of the data required qualification due to surrogate compound recovery deviations or internal standard recovery deviations.

5.3 Representativeness

Representativeness expresses the degree to which sample data accurately and precisely represents a characteristic of a population, parameter variations at a sampling point, or an environmental condition. Representativeness is a qualitative parameter, which is most concerned with the proper design of the sampling program. The representativeness criterion is best satisfied by making certain that sampling locations are selected properly and a sufficient number of samples are collected. This parameter has been addressed by collecting samples at locations specified in the EPA-approved work plans, and by following the procedures for sample collection/analyses that were described in the FSP/QAPP. Additionally, the analytical program used procedures consistent with EPA-approved analytical methodology. A QA/QC parameter that is an indicator of the representativeness of a sample is holding time. Holding time criteria are established to maintain the samples in a state that is representative of the in-situ field conditions before analysis. For this analytical data set, none of the data required qualification due to holding time deviations.

5.4 Comparability

Comparability is a qualitative parameter expressing the confidence with which one data set can be compared with another. This goal was achieved through the use of the standardized techniques for sample collection and analysis presented in the FSP/QAPP. Specifically, all the groundwater samples collected in October and November 2008 were analyzed by EPA SW-846 method 8082 for PCBs, 8260 for VOCs, 8270 for SVOCs, 8290 for PCDDs/PCDFs, 6000/7000 for metals, 9030 for sulfides, and 9014 for cyanides.

5.5 Completeness

Completeness is defined as the percentage of measurements that are judged to be valid or usable to meet the prescribed DQOs. The completeness criterion is essentially the same for all data uses -- the generation of a sufficient amount of valid data. The actual completeness of this analytical data set ranged from 99.9% to 100% for individual analytical parameters and had an overall usability of 99.9%, which is greater than the minimum required usability of 90% as specified in the FSP/QAPP.

Table F-1
Analytical Data Validation Summary
Groundwater Management Area 4 - Fall 2008

General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Sample Delivery Group No. | Sample ID | Date Collected | Matrix | Validation Level | Qualification | Compound | QA/QC Parameter | Value | Control Limits | Qualified Result | Notes |
|---------------------------|------------------------|----------------|---------------|------------------|---------------|--------------|------------------------|--------------|----------------|------------------|------------------------------------|
| PCBs | | | | | | | | | | | |
| G582-145 | GMA4-DUP-01 (Filtered) | 10/21/2008 | Water | Tier II | Yes | Aroclor-1016 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000068) J | Parent Sample OPCA-MW-6 (Filtered) |
| | | | | | | Aroclor-1221 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000068) J | |
| | | | | | | Aroclor-1232 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000068) J | |
| | | | | | | Aroclor-1242 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000068) J | |
| | | | | | | Aroclor-1248 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000068) J | |
| | | | | | | Aroclor-1254 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000068) J | |
| | | | | | | Aroclor-1260 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000068) J | |
| | | | | | | Total PCBs | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000068) J | |
| | | | | | | G582-145 | OPCA-MW-1RR (Filtered) | 10/20/2008 | Water | Tier II | |
| Aroclor-1221 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00010) J | | | | | | | |
| Aroclor-1232 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00010) J | | | | | | | |
| Aroclor-1242 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00010) J | | | | | | | |
| Aroclor-1248 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00010) J | | | | | | | |
| Aroclor-1254 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00010) J | | | | | | | |
| Aroclor-1260 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00010) J | | | | | | | |
| Total PCBs | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00010) J | | | | | | | |
| G582-145 | OPCA-MW-2R (Filtered) | 10/21/2008 | Water | Tier II | Yes | | | | | | Aroclor-1016 |
| | | | | | | Aroclor-1221 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000072) J | |
| | | | | | | Aroclor-1232 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000072) J | |
| | | | | | | Aroclor-1242 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000072) J | |
| | | | | | | Aroclor-1248 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000072) J | |
| | | | | | | Aroclor-1254 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000072) J | |
| | | | | | | Aroclor-1260 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000072) J | |
| | | | | | | Total PCBs | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000072) J | |
| | | | | | | G582-145 | OPCA-MW-4 (Filtered) | 10/20/2008 | Water | Tier II | Yes |
| Aroclor-1221 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000070) J | | | | | | | |
| Aroclor-1232 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000070) J | | | | | | | |
| Aroclor-1242 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000070) J | | | | | | | |
| Aroclor-1248 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000070) J | | | | | | | |
| Aroclor-1254 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000070) J | | | | | | | |
| Aroclor-1260 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000070) J | | | | | | | |
| Total PCBs | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000070) J | | | | | | | |
| G582-145 | OPCA-MW-5R (Filtered) | 10/21/2008 | Water | Tier II | Yes | | | | | | |
| | | | | | | Aroclor-1221 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000069) J | |
| | | | | | | Aroclor-1232 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000069) J | |
| | | | | | | Aroclor-1242 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000069) J | |
| | | | | | | Aroclor-1248 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000069) J | |
| | | | | | | Aroclor-1254 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000069) J | |
| | | | | | | Aroclor-1260 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000069) J | |
| | | | | | | Total PCBs | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000069) J | |
| | | | | | | G582-145 | OPCA-MW-6 (Filtered) | 10/21/2008 | Water | Tier II | Yes |
| Aroclor-1221 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00011) J | | | | | | | |
| Aroclor-1232 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00011) J | | | | | | | |
| Aroclor-1242 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00011) J | | | | | | | |
| Aroclor-1248 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00011) J | | | | | | | |
| Aroclor-1254 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00011) J | | | | | | | |
| Aroclor-1260 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00011) J | | | | | | | |
| Total PCBs | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.00011) J | | | | | | | |
| G582-145 | OPCA-MW-7 (Filtered) | 10/21/2008 | Water | Tier II | Yes | | | | | | |
| | | | | | | Aroclor-1221 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000067) J | |
| | | | | | | Aroclor-1232 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000067) J | |
| | | | | | | Aroclor-1242 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000067) J | |
| | | | | | | Aroclor-1248 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000067) J | |
| | | | | | | Aroclor-1254 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000067) J | |
| | | | | | | Aroclor-1260 | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000067) J | |
| | | | | | | Total PCBs | LCS/LCSD %R | 67.0%, 53.6% | 70.0% to 130% | ND(0.000067) J | |
| | | | | | | G582-149 | 78-6 (Filtered) | 10/22/2008 | Water | Tier II | No |
| G582-149 | GMA4-2 (Filtered) | 10/22/2008 | Water | Tier II | No | | | | | | |
| G582-149 | GMA4-3 (Filtered) | 10/22/2008 | Water | Tier II | No | | | | | | |
| G582-149 | OPCA-MW-3 (Filtered) | 10/22/2008 | Water | Tier II | No | | | | | | |
| G582-149 | OPCA-MW-8 (Filtered) | 10/22/2008 | Water | Tier II | No | | | | | | |
| G582-150 | 78-1 (Filtered) | 10/23/2008 | Water | Tier II | Yes | Aroclor-1016 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | |
| | | | | | | Aroclor-1016 | MS %R | 27.0% | 32.0% to 142% | ND(0.00010) J | |
| | | | | | | Aroclor-1016 | MS/MSD RPD | 76.8% | <12% | ND(0.00010) J | |

Table F-1
Analytical Data Validation Summary
Groundwater Management Area 4 - Fall 2008

General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Sample Delivery Group No. | Sample ID | Date Collected | Matrix | Validation Level | Qualification | Compound | QA/QC Parameter | Value | Control Limits | Qualified Result | Notes | | | | | | | |
|---------------------------|------------------------|----------------|---------------|------------------|---------------|---------------|------------------------|--------------|----------------|------------------|-------|--------------|------------------|--------|---------------|---------------|------------------------------------|--|
| PCBs (continued) | | | | | | | | | | | | | | | | | | |
| G582-150 | 78-1 (Filtered) | 10/23/2008 | Water | Tier II | Yes | Aroclor-1221 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1221 | MS %R | 27.0% | 32.0% to 142% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1221 | MS/MSD RPD | 76.8% | <12% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1232 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1232 | MS %R | 27.0% | 32.0% to 142% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1232 | MS/MSD RPD | 76.8% | <12% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1242 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1242 | MS %R | 27.0% | 32.0% to 142% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1242 | MS/MSD RPD | 76.8% | <12% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1248 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1248 | MS %R | 27.0% | 32.0% to 142% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1248 | MS/MSD RPD | 76.8% | <12% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1254 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1254 | MS %R | 27.0% | 32.0% to 142% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1254 | MS/MSD RPD | 76.8% | <12% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1260 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1260 | MS %R | 27.0% | 32.0% to 142% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1260 | MS/MSD RPD | 76.8% | <12% | ND(0.00010) J | | | | | | | | |
| | | | | | | Total PCBs | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Total PCBs | MS %R | 27.0% | 32.0% to 142% | ND(0.00010) J | | | | | | | | |
| Total PCBs | MS/MSD RPD | 76.8% | <12% | ND(0.00010) J | | | | | | | | | | | | | | |
| G582-150 | GMA4-6 (Filtered) | 10/23/2008 | Water | Tier II | Yes | Aroclor-1016 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1221 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1232 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1242 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1248 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1254 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Aroclor-1260 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | Total PCBs | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | |
| | | | | | | G582-150 | H78B-15 (Filtered) | 10/23/2008 | Water | Tier II | Yes | Aroclor-1016 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | |
| | | | | | | | | | | | | Aroclor-1221 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | |
| Aroclor-1232 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | | | | | | | |
| Aroclor-1242 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | | | | | | | |
| Aroclor-1248 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | | | | | | | |
| Aroclor-1254 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | | | | | | | |
| Aroclor-1260 | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | | | | | | | |
| Total PCBs | LCS %R | 56.1% | 70.0% to 130% | ND(0.00010) J | | | | | | | | | | | | | | |
| G582-184 | GMA-4-RB-1 (Filtered) | 11/4/2008 | Water | Tier II | Yes | Aroclor-1016 | LCS/LCSD %R | 50.0%, 53.0% | 70.0% to 130% | ND(0.000066) J | | | | | | | | |
| | | | | | | Aroclor-1221 | LCS/LCSD %R | 50.0%, 53.0% | 70.0% to 130% | ND(0.000066) J | | | | | | | | |
| | | | | | | Aroclor-1232 | LCS/LCSD %R | 50.0%, 53.0% | 70.0% to 130% | ND(0.000066) J | | | | | | | | |
| | | | | | | Aroclor-1242 | LCS/LCSD %R | 50.0%, 53.0% | 70.0% to 130% | ND(0.000066) J | | | | | | | | |
| | | | | | | Aroclor-1248 | LCS/LCSD %R | 50.0%, 53.0% | 70.0% to 130% | ND(0.000066) J | | | | | | | | |
| | | | | | | Aroclor-1254 | LCS/LCSD %R | 50.0%, 53.0% | 70.0% to 130% | ND(0.000066) J | | | | | | | | |
| | | | | | | Aroclor-1260 | LCS/LCSD %R | 50.0%, 53.0% | 70.0% to 130% | ND(0.000066) J | | | | | | | | |
| | | | | | | Total PCBs | LCS/LCSD %R | 50.0%, 53.0% | 70.0% to 130% | ND(0.000066) J | | | | | | | | |
| | | | | | | Metals | | | | | | | | | | | | |
| | | | | | | G582-145 | GMA4-DUP-01 (Filtered) | 10/21/2008 | Water | Tier II | Yes | Arsenic | CRDL Standard %R | 152.0% | 80% to 120% | 0.00213 J | Parent Sample OPCA-MW-6 (Filtered) | |
| Beryllium | CRDL Standard %R | 79.8% | 80% to 120% | ND(0.0100) J | | | | | | | | | | | | | | |
| Beryllium | Method Blank | - | - | ND(0.0100) | | | | | | | | | | | | | | |
| Cadmium | CRDL Standard %R | 142.0% | 80% to 120% | 0.00328 J | | | | | | | | | | | | | | |
| Chromium | CRDL Standard %R | 127.0% | 80% to 120% | ND(0.0100) J | | | | | | | | | | | | | | |
| Chromium | Method Blank | - | - | ND(0.0100) | | | | | | | | | | | | | | |
| Cobalt | CRDL Standard %R | 125.0% | 80% to 120% | ND(0.0100) J | | | | | | | | | | | | | | |
| Copper | CRDL Standard %R | 150.0% | 80% to 120% | ND(0.200) J | | | | | | | | | | | | | | |
| Copper | Method Blank | - | - | ND(0.200) | | | | | | | | | | | | | | |
| Lead | CRDL Standard %R | 144.0% | 80% to 120% | 0.00718 J | | | | | | | | | | | | | | |
| Selenium | CRDL Standard %R | 74.8% | 80% to 120% | ND(0.0200) J | | | | | | | | | | | | | | |
| Silver | Method Blank | - | - | ND(0.0100) | | | | | | | | | | | | | | |
| Thallium | CRDL Standard %R | 76.7% | 80% to 120% | ND(0.0100) J | | | | | | | | | | | | | | |
| Tin | CRDL Standard %R | 123.0% | 80% to 120% | ND(0.100) J | | | | | | | | | | | | | | |
| G582-145 | OPCA-MW-1RR (Filtered) | 10/20/2008 | Water | Tier II | Yes | | | | | | | Arsenic | CRDL Standard %R | 152.0% | 80% to 120% | 0.00195 J | | |
| | | | | | | | | | | | | Beryllium | CRDL Standard %R | 79.8% | 80% to 120% | ND(0.0100) J | | |
| | | | | | | | | | | | | Cadmium | CRDL Standard %R | 142.0% | 80% to 120% | 0.00256 J | | |
| | | | | | | Chromium | CRDL Standard %R | 127.0% | 80% to 120% | ND(0.0100) J | | | | | | | | |

Table F-1
Analytical Data Validation Summary
Groundwater Management Area 4 - Fall 2008

General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Sample Delivery Group No. | Sample ID | Date Collected | Matrix | Validation Level | Qualification | Compound | QA/QC Parameter | Value | Control Limits | Qualified Result | Notes |
|---------------------------|------------------------|----------------|-------------|------------------|---------------|-----------|------------------|--------|----------------|------------------|-------|
| Metals (continued) | | | | | | | | | | | |
| G582-145 | OPCA-MW-1RR (Filtered) | 10/20/2008 | Water | Tier II | Yes | Chromium | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Cobalt | CRDL Standard %R | 125.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Copper | CRDL Standard %R | 150.0% | 80% to 120% | ND(0.200) J | |
| | | | | | | Copper | Method Blank | - | - | ND(0.200) | |
| | | | | | | Lead | CRDL Standard %R | 144.0% | 80% to 120% | 0.00395 J | |
| | | | | | | Selenium | CRDL Standard %R | 74.8% | 80% to 120% | ND(0.0200) J | |
| | | | | | | Silver | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Thallium | CRDL Standard %R | 76.7% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Tin | CRDL Standard %R | 123.0% | 80% to 120% | ND(0.100) J | |
| | | | | | | Arsenic | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | CRDL Standard %R | 79.8% | 80% to 120% | ND(0.0100) J | |
| G582-145 | OPCA-MW-2R (Filtered) | 10/20/2008 | Water | Tier II | Yes | Arsenic | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | CRDL Standard %R | 79.8% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Cadmium | CRDL Standard %R | 142.0% | 80% to 120% | 0.00263 J | |
| | | | | | | Chromium | CRDL Standard %R | 127.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Chromium | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Cobalt | CRDL Standard %R | 125.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Copper | CRDL Standard %R | 150.0% | 80% to 120% | ND(0.200) J | |
| | | | | | | Copper | Method Blank | - | - | ND(0.200) | |
| | | | | | | Lead | CRDL Standard %R | 144.0% | 80% to 120% | 0.00420 J | |
| | | | | | | Selenium | CRDL Standard %R | 74.8% | 80% to 120% | ND(0.0200) J | |
| | | | | | | Silver | Method Blank | - | - | ND(0.0100) | |
| Thallium | CRDL Standard %R | 76.7% | 80% to 120% | ND(0.0100) J | | | | | | | |
| Tin | CRDL Standard %R | 123.0% | 80% to 120% | ND(0.100) J | | | | | | | |
| G582-145 | OPCA-MW-4 (Filtered) | 10/20/2008 | Water | Tier II | Yes | Arsenic | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | CRDL Standard %R | 79.8% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Cadmium | CRDL Standard %R | 142.0% | 80% to 120% | 0.00276 J | |
| | | | | | | Chromium | CRDL Standard %R | 127.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Chromium | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Cobalt | CRDL Standard %R | 125.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Copper | CRDL Standard %R | 150.0% | 80% to 120% | ND(0.200) J | |
| | | | | | | Copper | Method Blank | - | - | ND(0.200) | |
| | | | | | | Lead | CRDL Standard %R | 144.0% | 80% to 120% | 0.00425 J | |
| | | | | | | Selenium | CRDL Standard %R | 74.8% | 80% to 120% | ND(0.0200) J | |
| | | | | | | Silver | Method Blank | - | - | ND(0.0100) | |
| Thallium | CRDL Standard %R | 76.7% | 80% to 120% | ND(0.0100) J | | | | | | | |
| Tin | CRDL Standard %R | 123.0% | 80% to 120% | ND(0.100) J | | | | | | | |
| G582-145 | OPCA-MW-5R (Filtered) | 10/21/2008 | Water | Tier II | Yes | Arsenic | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | CRDL Standard %R | 79.8% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Cadmium | CRDL Standard %R | 142.0% | 80% to 120% | ND(0.00500) J | |
| | | | | | | Chromium | CRDL Standard %R | 127.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Chromium | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Cobalt | CRDL Standard %R | 125.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Copper | CRDL Standard %R | 150.0% | 80% to 120% | ND(0.200) J | |
| | | | | | | Copper | Method Blank | - | - | ND(0.200) | |
| | | | | | | Lead | CRDL Standard %R | 144.0% | 80% to 120% | 0.00657 J | |
| | | | | | | Selenium | CRDL Standard %R | 74.8% | 80% to 120% | ND(0.0200) J | |
| | | | | | | Silver | Method Blank | - | - | ND(0.0100) | |
| Thallium | CRDL Standard %R | 76.7% | 80% to 120% | ND(0.0100) J | | | | | | | |
| Tin | CRDL Standard %R | 123.0% | 80% to 120% | ND(0.100) J | | | | | | | |
| G582-145 | OPCA-MW-6 (Filtered) | 10/21/2008 | Water | Tier II | Yes | Arsenic | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | CRDL Standard %R | 79.8% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Cadmium | CRDL Standard %R | 142.0% | 80% to 120% | ND(0.00500) J | |
| | | | | | | Chromium | CRDL Standard %R | 127.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Chromium | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Cobalt | CRDL Standard %R | 125.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Copper | CRDL Standard %R | 150.0% | 80% to 120% | ND(0.200) J | |
| | | | | | | Copper | Method Blank | - | - | ND(0.200) | |
| | | | | | | Lead | CRDL Standard %R | 144.0% | 80% to 120% | 0.00641 J | |
| | | | | | | Selenium | CRDL Standard %R | 74.8% | 80% to 120% | ND(0.0200) J | |
| Silver | Method Blank | - | - | ND(0.0100) | | | | | | | |
| Thallium | CRDL Standard %R | 76.7% | 80% to 120% | ND(0.0100) J | | | | | | | |
| Tin | CRDL Standard %R | 123.0% | 80% to 120% | ND(0.100) J | | | | | | | |
| G582-145 | OPCA-MW-7 (Filtered) | 10/21/2008 | Water | Tier II | Yes | Arsenic | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | CRDL Standard %R | 79.8% | 80% to 120% | ND(0.0100) J | |

Table F-1
Analytical Data Validation Summary
Groundwater Management Area 4 - Fall 2008

General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Sample Delivery Group No. | Sample ID | Date Collected | Matrix | Validation Level | Qualification | Compound | QA/QC Parameter | Value | Control Limits | Qualified Result | Notes |
|---------------------------|----------------------|----------------|--------|------------------|---------------|-----------|------------------|--------|----------------|------------------|-------|
| Metals (continued) | | | | | | | | | | | |
| G582-145 | OPCA-MW-7 (Filtered) | 10/21/2008 | Water | Tier II | Yes | Cadmium | CRDL Standard %R | 142.0% | 80% to 120% | ND(0.00500) J | |
| | | | | | | Chromium | CRDL Standard %R | 127.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Chromium | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Cobalt | CRDL Standard %R | 125.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Copper | CRDL Standard %R | 150.0% | 80% to 120% | ND(0.200) J | |
| | | | | | | Copper | Method Blank | - | - | ND(0.200) | |
| | | | | | | Lead | CRDL Standard %R | 144.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Selenium | CRDL Standard %R | 74.8% | 80% to 120% | ND(0.0200) J | |
| | | | | | | Silver | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Thallium | CRDL Standard %R | 76.7% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Tin | CRDL Standard %R | 123.0% | 80% to 120% | ND(0.100) J | |
| | | | | | | Arsenic | CRDL Standard %R | 152.0% | 80% to 120% | 0.00517 J | |
| | | | | | | Beryllium | CRDL Standard %R | 79.8% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | Method Blank | - | - | ND(0.0100) | |
| G582-149 | 78-6 (Filtered) | 10/22/2008 | Water | Tier II | Yes | Arsenic | CRDL Standard %R | 142.0% | 80% to 120% | ND(0.00500) J | |
| | | | | | | Chromium | CRDL Standard %R | 127.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Chromium | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Cobalt | CRDL Standard %R | 125.0% | 80% to 120% | 0.00372 J | |
| | | | | | | Copper | CRDL Standard %R | 150.0% | 80% to 120% | ND(0.200) J | |
| | | | | | | Copper | Method Blank | - | - | ND(0.200) | |
| | | | | | | Lead | CRDL Standard %R | 144.0% | 80% to 120% | 0.00684 J | |
| | | | | | | Selenium | CRDL Standard %R | 74.8% | 80% to 120% | ND(0.0200) J | |
| | | | | | | Silver | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Thallium | CRDL Standard %R | 76.7% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Tin | CRDL Standard %R | 123.0% | 80% to 120% | ND(0.100) J | |
| | | | | | | Arsenic | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | CRDL Standard %R | 79.8% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | Method Blank | - | - | ND(0.0100) | |
| G582-149 | OPCA-MW-3 (Filtered) | 10/22/2008 | Water | Tier II | Yes | Cadmium | CRDL Standard %R | 142.0% | 80% to 120% | ND(0.00500) J | |
| | | | | | | Chromium | CRDL Standard %R | 127.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Chromium | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Cobalt | CRDL Standard %R | 125.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Copper | CRDL Standard %R | 150.0% | 80% to 120% | ND(0.200) J | |
| | | | | | | Copper | Method Blank | - | - | ND(0.200) | |
| | | | | | | Lead | CRDL Standard %R | 144.0% | 80% to 120% | 0.00564 J | |
| | | | | | | Selenium | CRDL Standard %R | 74.8% | 80% to 120% | ND(0.0200) J | |
| | | | | | | Silver | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Thallium | CRDL Standard %R | 76.7% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Tin | CRDL Standard %R | 123.0% | 80% to 120% | ND(0.100) J | |
| | | | | | | Arsenic | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | CRDL Standard %R | 79.8% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | Method Blank | - | - | ND(0.0100) | |
| G582-149 | OPCA-MW-8 (Filtered) | 10/22/2008 | Water | Tier II | Yes | Cadmium | CRDL Standard %R | 142.0% | 80% to 120% | 0.00287 J | |
| | | | | | | Chromium | CRDL Standard %R | 127.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Chromium | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Cobalt | CRDL Standard %R | 125.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Copper | CRDL Standard %R | 150.0% | 80% to 120% | ND(0.200) J | |
| | | | | | | Copper | Method Blank | - | - | ND(0.200) | |
| | | | | | | Lead | CRDL Standard %R | 144.0% | 80% to 120% | 0.00427 J | |
| | | | | | | Selenium | CRDL Standard %R | 74.8% | 80% to 120% | ND(0.0200) J | |
| | | | | | | Silver | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Thallium | CRDL Standard %R | 76.7% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Tin | CRDL Standard %R | 123.0% | 80% to 120% | ND(0.100) J | |
| | | | | | | Arsenic | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | CRDL Standard %R | 79.8% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Beryllium | Method Blank | - | - | ND(0.0100) | |
| G582-150 | 78-1 (Filtered) | 10/23/2008 | Water | Tier II | Yes | Arsenic | CRDL Standard %R | 121.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Arsenic | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Barium | Method Blank | - | - | ND(0.500) | |
| | | | | | | Beryllium | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Chromium | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Chromium | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Cobalt | CRDL Standard %R | 166.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | Cobalt | Method Blank | - | - | ND(0.0100) | |
| | | | | | | Copper | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.200) J | |
| | | | | | | Copper | Method Blank | - | - | ND(0.200) | |

Table F-1
Analytical Data Validation Summary
Groundwater Management Area 4 - Fall 2008

General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Sample Delivery Group No. | Sample ID | Date Collected | Matrix | Validation Level | Qualification | Compound | QA/QC Parameter | Value | Control Limits | Qualified Result | Notes | | | | | | |
|---------------------------|-----------------------|----------------|-------------|------------------|---------------|-------------|--------------------|------------|----------------|------------------|-------|-----------------------------|------------------|--------|-------------|--------------|-------------------------|
| Metals (continued) | | | | | | | | | | | | | | | | | |
| G582-150 | 78-1 (Filtered) | 10/23/2008 | Water | Tier II | Yes | Lead | CRDL Standard %R | 132.0% | 80% to 120% | ND(0.0100) J | | | | | | | |
| | | | | | | Lead | Method Blank | - | - | ND(0.0100) | | | | | | | |
| | | | | | | Nickel | CRDL Standard %R | 140.0% | 80% to 120% | ND(0.0500) J | | | | | | | |
| | | | | | | Selenium | CRDL Standard %R | 136.0% | 80% to 120% | ND(0.0200) J | | | | | | | |
| | | | | | | Silver | CRDL Standard %R | 182.0% | 80% to 120% | ND(0.0100) J | | | | | | | |
| | | | | | | Silver | Method Blank | - | - | ND(0.0100) | | | | | | | |
| | | | | | | Tin | CRDL Standard %R | 123.0% | 80% to 120% | ND(0.100) J | | | | | | | |
| | | | | | | Tin | Method Blank | - | - | ND(0.0100) | | | | | | | |
| G582-150 | GMA4-6 (Filtered) | 10/23/2008 | Water | Tier II | Yes | Arsenic | CRDL Standard %R | 121.0% | 80% to 120% | ND(0.0100) J | | | | | | | |
| | | | | | | Arsenic | Method Blank | - | - | ND(0.0100) | | | | | | | |
| | | | | | | Barium | Method Blank | - | - | ND(0.500) | | | | | | | |
| | | | | | | Beryllium | Method Blank | - | - | ND(0.0100) | | | | | | | |
| | | | | | | Chromium | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.0100) J | | | | | | | |
| | | | | | | Chromium | Method Blank | - | - | ND(0.0100) | | | | | | | |
| | | | | | | Cobalt | CRDL Standard %R | 166.0% | 80% to 120% | ND(0.0100) J | | | | | | | |
| | | | | | | Cobalt | Method Blank | - | - | ND(0.0100) | | | | | | | |
| | | | | | | Copper | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.200) J | | | | | | | |
| | | | | | | Copper | Method Blank | - | - | ND(0.200) | | | | | | | |
| | | | | | | Lead | CRDL Standard %R | 132.0% | 80% to 120% | ND(0.0100) J | | | | | | | |
| | | | | | | Lead | Method Blank | - | - | ND(0.0100) | | | | | | | |
| | | | | | | Nickel | CRDL Standard %R | 140.0% | 80% to 120% | ND(0.0500) J | | | | | | | |
| | | | | | | Nickel | Method Blank | - | - | ND(0.0500) | | | | | | | |
| | | | | | | Selenium | CRDL Standard %R | 136.0% | 80% to 120% | 0.00962 J | | | | | | | |
| | | | | | | Silver | CRDL Standard %R | 182.0% | 80% to 120% | ND(0.0100) J | | | | | | | |
| | | | | | | Silver | Method Blank | - | - | ND(0.0100) | | | | | | | |
| | | | | | | Tin | CRDL Standard %R | 123.0% | 80% to 120% | ND(0.100) J | | | | | | | |
| | | | | | | Tin | Method Blank | - | - | ND(0.0100) | | | | | | | |
| | | | | | | G582-150 | H78B-15 (Filtered) | 10/23/2008 | Water | Tier II | Yes | Arsenic | CRDL Standard %R | 121.0% | 80% to 120% | ND(0.0100) J | |
| Barium | Method Blank | - | - | ND(0.500) | | | | | | | | | | | | | |
| Beryllium | Method Blank | - | - | ND(0.0100) | | | | | | | | | | | | | |
| Chromium | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.0100) J | | | | | | | | | | | | | |
| Chromium | Method Blank | - | - | ND(0.0100) | | | | | | | | | | | | | |
| Cobalt | CRDL Standard %R | 166.0% | 80% to 120% | ND(0.0100) J | | | | | | | | | | | | | |
| Cobalt | Method Blank | - | - | ND(0.0100) | | | | | | | | | | | | | |
| Copper | CRDL Standard %R | 152.0% | 80% to 120% | ND(0.200) J | | | | | | | | | | | | | |
| Copper | Method Blank | - | - | ND(0.200) | | | | | | | | | | | | | |
| Lead | CRDL Standard %R | 132.0% | 80% to 120% | ND(0.0100) J | | | | | | | | | | | | | |
| Lead | Method Blank | - | - | ND(0.0100) | | | | | | | | | | | | | |
| Nickel | CRDL Standard %R | 140.0% | 80% to 120% | ND(0.0500) J | | | | | | | | | | | | | |
| Selenium | CRDL Standard %R | 136.0% | 80% to 120% | 0.00918 J | | | | | | | | | | | | | |
| Silver | CRDL Standard %R | 182.0% | 80% to 120% | ND(0.0100) J | | | | | | | | | | | | | |
| Silver | Method Blank | - | - | ND(0.0100) | | | | | | | | | | | | | |
| Tin | CRDL Standard %R | 123.0% | 80% to 120% | ND(0.100) J | | | | | | | | | | | | | |
| Tin | Method Blank | - | - | ND(0.0100) J | | | | | | | | | | | | | |
| G582-184 | GMA-4-RB-1 (Filtered) | 11/4/2008 | Water | Tier II | Yes | | | | | | | Arsenic | CRDL Standard %R | 151.0% | 80% to 120% | ND(0.0100) J | |
| | | | | | | | | | | | | Beryllium | CRDL Standard %R | 162.0% | 80% to 120% | 0.00359 J | |
| | | | | | | | | | | | | Cadmium | CRDL Standard %R | 181.0% | 80% to 120% | 0.00394 J | |
| | | | | | | Chromium | CRDL Standard %R | 152.0% | 80% to 120% | 0.00537 J | | | | | | | |
| | | | | | | Cobalt | CRDL Standard %R | 121.0% | 80% to 120% | ND(0.0100) J | | | | | | | |
| | | | | | | Copper | CRDL Standard %R | 167.0% | 80% to 120% | 0.00620 J | | | | | | | |
| | | | | | | Lead | CRDL Standard %R | 127.0% | 80% to 120% | 0.00451 J | | | | | | | |
| | | | | | | Nickel | CRDL Standard %R | 134.0% | 80% to 120% | ND(0.0500) J | | | | | | | |
| | | | | | | Selenium | CRDL Standard %R | 124.0% | 80% to 120% | ND(0.0200) J | | | | | | | |
| | | | | | | Silver | CRDL Standard %R | 158.0% | 80% to 120% | 0.00471 J | | | | | | | |
| | | | | | | Thallium | CRDL Standard %R | 63.2% | 80% to 120% | ND(0.0100) J | | | | | | | |
| | | | | | | VOCs | | | | | | | | | | | |
| | | | | | | G582-145 | GMA4-DUP-01 | 10/21/2008 | Water | Tier II | Yes | 1,2-Dibromo-3-chloropropane | ICAL RRF | 0.019 | >0.05 | ND(0.0050) J | Parent Sample OPCA-MW-6 |
| | | | | | | | | | | | | 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | |
| 2-Butanone | ICAL RRF | 0.047 | >0.05 | ND(0.0050) J | | | | | | | | | | | | | |
| 2-Chloroethylvinylether | ICAL RRF | 0.027 | >0.05 | ND(0.013) J | | | | | | | | | | | | | |
| 2-Chloroethylvinylether | LCS/LCSD RPD | 33.7% | <30% | ND(0.013) J | | | | | | | | | | | | | |
| Acetone | ICAL RRF | 0.032 | >0.05 | ND(0.0050) J | | | | | | | | | | | | | |
| Acetonitrile | ICAL RRF | 0.009 | >0.05 | ND(0.020) J | | | | | | | | | | | | | |
| Acrolein | ICAL RRF | 0.023 | >0.05 | ND(0.025) J | | | | | | | | | | | | | |
| Acrolein | LCS/LCSD RPD | 30.5% | <30% | ND(0.025) J | | | | | | | | | | | | | |
| Acrylonitrile | ICAL RRF | 0.040 | >0.05 | ND(0.025) J | | | | | | | | | | | | | |
| Bromomethane | CCAL %D | 44.3% | <25% | ND(0.010) J | | | | | | | | | | | | | |

Table F-1
Analytical Data Validation Summary
Groundwater Management Area 4 - Fall 2008

General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Sample Delivery Group No. | Sample ID | Date Collected | Matrix | Validation Level | Qualification | Compound | QA/QC Parameter | Value | Control Limits | Qualified Result | Notes |
|-----------------------------|--------------|----------------|---------------|------------------|---------------|-----------------------------|-----------------|------------|----------------|------------------|-------|
| VOCs (continued) | | | | | | | | | | | |
| G582-145 | GMA4-DUP-01 | 10/21/2008 | Water | Tier II | Yes | Isobutanol | ICAL RRF | 0.003 | >0.05 | ND(0.050) J | |
| | | | | | | Methacrylonitrile | ICAL RRF | 0.010 | >0.05 | ND(0.010) J | |
| | | | | | | Propionitrile | ICAL RRF | 0.012 | >0.05 | ND(0.020) J | |
| | | | | | | trans-1,4-Dichloro-2-butene | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | |
| | | | | | | Trichlorofluoromethane | LCSD %R | 76.6% | 80.5% to 130% | ND(0.0010) J | |
| | | | | | | Vinyl Chloride | LCSD %R | 76.4% | 77.5% to 126% | ND(0.0010) J | |
| G582-145 | OPCA-MW-1RR | 10/20/2008 | Water | Tier II | Yes | 1,2-Dibromo-3-chloropropane | ICAL RRF | 0.019 | >0.05 | ND(2.5) J | |
| | | | | | | 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(50) J | |
| | | | | | | 2-Butanone | ICAL RRF | 0.047 | >0.05 | ND(2.5) J | |
| | | | | | | 2-Chloroethylvinylether | ICAL RRF | 0.027 | >0.05 | ND(6.3) J | |
| | | | | | | 2-Chloroethylvinylether | LCS/LCSD RPD | 33.7% | <30% | ND(6.3) J | |
| | | | | | | Acetone | ICAL RRF | 0.032 | >0.05 | ND(2.5) J | |
| | | | | | | Acetonitrile | ICAL RRF | 0.009 | >0.05 | ND(10) J | |
| | | | | | | Acrolein | ICAL RRF | 0.023 | >0.05 | ND(13) J | |
| | | | | | | Acrolein | LCS/LCSD RPD | 30.5% | <30% | ND(13) J | |
| | | | | | | Acrylonitrile | ICAL RRF | 0.040 | >0.05 | ND(13) J | |
| | | | | | | Bromomethane | CCAL %D | 44.3% | <25% | ND(0.50) J | |
| | | | | | | Isobutanol | ICAL RRF | 0.003 | >0.05 | ND(25) J | |
| | | | | | | Methacrylonitrile | ICAL RRF | 0.010 | >0.05 | ND(5.0) J | |
| | | | | | | Propionitrile | ICAL RRF | 0.012 | >0.05 | ND(10) J | |
| | | | | | | trans-1,4-Dichloro-2-butene | ICAL RRF | 0.028 | >0.05 | ND(2.5) J | |
| | | | | | | Trichlorofluoromethane | LCSD %R | 76.6% | 80.5% to 130% | ND(0.50) J | |
| | | | | | | Vinyl Chloride | LCSD %R | 76.4% | 77.5% to 126% | ND(0.50) J | |
| | | | | | | G582-145 | OPCA-MW-2R | 10/20/2008 | Water | Tier II | Yes |
| 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | | | | | | | |
| 2-Butanone | ICAL RRF | 0.047 | >0.05 | ND(0.0050) J | | | | | | | |
| 2-Chloroethylvinylether | ICAL RRF | 0.027 | >0.05 | ND(0.013) J | | | | | | | |
| 2-Chloroethylvinylether | LCS/LCSD RPD | 33.7% | <30% | ND(0.013) J | | | | | | | |
| Acetone | ICAL RRF | 0.032 | >0.05 | ND(0.0050) J | | | | | | | |
| Acetonitrile | ICAL RRF | 0.009 | >0.05 | ND(0.020) J | | | | | | | |
| Acrolein | ICAL RRF | 0.023 | >0.05 | ND(0.025) J | | | | | | | |
| Acrolein | LCS/LCSD RPD | 30.5% | <30% | ND(0.025) J | | | | | | | |
| Acrylonitrile | ICAL RRF | 0.040 | >0.05 | ND(0.025) J | | | | | | | |
| Bromomethane | CCAL %D | 44.3% | <25% | ND(0.0010) J | | | | | | | |
| Isobutanol | ICAL RRF | 0.003 | >0.05 | ND(0.050) J | | | | | | | |
| Methacrylonitrile | ICAL RRF | 0.010 | >0.05 | ND(0.010) J | | | | | | | |
| Propionitrile | ICAL RRF | 0.012 | >0.05 | ND(0.020) J | | | | | | | |
| trans-1,4-Dichloro-2-butene | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | | | | | | | |
| Trichlorofluoromethane | LCSD %R | 76.6% | 80.5% to 130% | ND(0.0010) J | | | | | | | |
| Vinyl Chloride | LCSD %R | 76.4% | 77.5% to 126% | ND(0.0010) J | | | | | | | |
| G582-145 | OPCA-MW-4 | 10/20/2008 | Water | Tier II | Yes | | | | | | |
| | | | | | | 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | |
| | | | | | | 2-Butanone | ICAL RRF | 0.047 | >0.05 | ND(0.0050) J | |
| | | | | | | 2-Chloroethylvinylether | ICAL RRF | 0.027 | >0.05 | ND(0.013) J | |
| | | | | | | 2-Chloroethylvinylether | LCS/LCSD RPD | 33.7% | <30% | ND(0.013) J | |
| | | | | | | Acetone | ICAL RRF | 0.032 | >0.05 | ND(0.0050) J | |
| | | | | | | Acetonitrile | ICAL RRF | 0.009 | >0.05 | ND(0.020) J | |
| | | | | | | Acrolein | ICAL RRF | 0.023 | >0.05 | ND(0.025) J | |
| | | | | | | Acrolein | LCS/LCSD RPD | 30.5% | <30% | ND(0.025) J | |
| | | | | | | Acrylonitrile | ICAL RRF | 0.040 | >0.05 | ND(0.025) J | |
| | | | | | | Bromomethane | CCAL %D | 44.3% | <25% | ND(0.0010) J | |
| | | | | | | Isobutanol | ICAL RRF | 0.003 | >0.05 | ND(0.050) J | |
| | | | | | | Methacrylonitrile | ICAL RRF | 0.010 | >0.05 | ND(0.010) J | |
| | | | | | | Propionitrile | ICAL RRF | 0.012 | >0.05 | ND(0.020) J | |
| | | | | | | trans-1,4-Dichloro-2-butene | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | |
| | | | | | | Trichlorofluoromethane | LCSD %R | 76.6% | 80.5% to 130% | ND(0.0010) J | |
| | | | | | | Vinyl Chloride | LCSD %R | 76.4% | 77.5% to 126% | ND(0.0010) J | |
| | | | | | | G582-145 | OPCA-MW-5R | 10/21/2008 | Water | Tier II | Yes |
| 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | | | | | | | |
| 2-Butanone | ICAL RRF | 0.047 | >0.05 | ND(0.0050) J | | | | | | | |
| 2-Chloroethylvinylether | ICAL RRF | 0.027 | >0.05 | ND(0.013) J | | | | | | | |
| 2-Chloroethylvinylether | LCS/LCSD RPD | 33.7% | <30% | ND(0.013) J | | | | | | | |
| Acetone | ICAL RRF | 0.032 | >0.05 | ND(0.0050) J | | | | | | | |
| Acetonitrile | ICAL RRF | 0.009 | >0.05 | ND(0.020) J | | | | | | | |

Table F-1
Analytical Data Validation Summary
Groundwater Management Area 4 - Fall 2008

General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Sample Delivery Group No. | Sample ID | Date Collected | Matrix | Validation Level | Qualification | Compound | QA/QC Parameter | Value | Control Limits | Qualified Result | Notes | | | | | | |
|-----------------------------|--------------|----------------|---------------|------------------|---------------|-----------------------------|-----------------|------------|----------------|------------------|-------|-----------------------------|----------|-------|-------|--------------|--|
| VOCs (continued) | | | | | | | | | | | | | | | | | |
| G582-145 | OPCA-MW-5R | 10/21/2008 | Water | Tier II | Yes | Acrolein | ICAL RRF | 0.023 | >0.05 | ND(0.025) J | | | | | | | |
| | | | | | | Acrolein | LCS/LCSD RPD | 30.5% | <30% | ND(0.025) J | | | | | | | |
| | | | | | | Acrylonitrile | ICAL RRF | 0.040 | >0.05 | ND(0.025) J | | | | | | | |
| | | | | | | Bromomethane | CCAL %D | 44.3% | <25% | ND(0.0010) J | | | | | | | |
| | | | | | | Isobutanol | ICAL RRF | 0.003 | >0.05 | ND(0.050) J | | | | | | | |
| | | | | | | Methacrylonitrile | ICAL RRF | 0.010 | >0.05 | ND(0.010) J | | | | | | | |
| | | | | | | Propionitrile | ICAL RRF | 0.012 | >0.05 | ND(0.020) J | | | | | | | |
| | | | | | | trans-1,4-Dichloro-2-butene | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | | | | | | | |
| | | | | | | Trichlorofluoromethane | LCSD %R | 76.6% | 80.5% to 130% | ND(0.0010) J | | | | | | | |
| | | | | | | Vinyl Chloride | LCSD %R | 76.4% | 77.5% to 126% | ND(0.0010) J | | | | | | | |
| | | | | | | G582-145 | OPCA-MW-6 | 10/21/2008 | Water | Tier II | Yes | 1,2-Dibromo-3-chloropropane | ICAL RRF | 0.019 | >0.05 | ND(0.0050) J | |
| | | | | | | | | | | | | 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | |
| | | | | | | | | | | | | 2-Butanone | ICAL RRF | 0.047 | >0.05 | ND(0.0050) J | |
| 2-Chloroethylvinylether | ICAL RRF | 0.027 | >0.05 | ND(0.013) J | | | | | | | | | | | | | |
| 2-Chloroethylvinylether | LCS/LCSD RPD | 33.7% | <30% | ND(0.013) J | | | | | | | | | | | | | |
| Acetone | ICAL RRF | 0.032 | >0.05 | ND(0.0050) J | | | | | | | | | | | | | |
| Acetonitrile | ICAL RRF | 0.009 | >0.05 | ND(0.020) J | | | | | | | | | | | | | |
| Acrolein | ICAL RRF | 0.023 | >0.05 | ND(0.025) J | | | | | | | | | | | | | |
| Acrolein | LCS/LCSD RPD | 30.5% | <30% | ND(0.025) J | | | | | | | | | | | | | |
| Acrylonitrile | ICAL RRF | 0.040 | >0.05 | ND(0.025) J | | | | | | | | | | | | | |
| Bromomethane | CCAL %D | 44.3% | <25% | ND(0.0010) J | | | | | | | | | | | | | |
| Isobutanol | ICAL RRF | 0.003 | >0.05 | ND(0.050) J | | | | | | | | | | | | | |
| Methacrylonitrile | ICAL RRF | 0.010 | >0.05 | ND(0.010) J | | | | | | | | | | | | | |
| Propionitrile | ICAL RRF | 0.012 | >0.05 | ND(0.020) J | | | | | | | | | | | | | |
| trans-1,4-Dichloro-2-butene | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | | | | | | | | | | | | | |
| Trichlorofluoromethane | LCSD %R | 76.6% | 80.5% to 130% | ND(0.0010) J | | | | | | | | | | | | | |
| Vinyl Chloride | LCSD %R | 76.4% | 77.5% to 126% | ND(0.0010) J | | | | | | | | | | | | | |
| G582-145 | OPCA-MW-7 | 10/21/2008 | Water | Tier II | Yes | 1,2-Dibromo-3-chloropropane | ICAL RRF | 0.019 | >0.05 | ND(0.0050) J | | | | | | | |
| | | | | | | 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | | | | | | | |
| | | | | | | 2-Butanone | ICAL RRF | 0.047 | >0.05 | ND(0.0050) J | | | | | | | |
| | | | | | | 2-Chloroethylvinylether | ICAL RRF | 0.027 | >0.05 | ND(0.013) J | | | | | | | |
| | | | | | | 2-Chloroethylvinylether | LCS/LCSD RPD | 33.7% | <30% | ND(0.013) J | | | | | | | |
| | | | | | | Acetone | ICAL RRF | 0.032 | >0.05 | ND(0.0050) J | | | | | | | |
| | | | | | | Acetonitrile | ICAL RRF | 0.009 | >0.05 | ND(0.020) J | | | | | | | |
| | | | | | | Acrolein | ICAL RRF | 0.023 | >0.05 | ND(0.025) J | | | | | | | |
| | | | | | | Acrolein | LCS/LCSD RPD | 30.5% | <30% | ND(0.025) J | | | | | | | |
| | | | | | | Acrylonitrile | ICAL RRF | 0.040 | >0.05 | ND(0.025) J | | | | | | | |
| | | | | | | Bromomethane | CCAL %D | 44.3% | <25% | ND(0.0010) J | | | | | | | |
| | | | | | | Isobutanol | ICAL RRF | 0.003 | >0.05 | ND(0.050) J | | | | | | | |
| | | | | | | Methacrylonitrile | ICAL RRF | 0.010 | >0.05 | ND(0.010) J | | | | | | | |
| Propionitrile | ICAL RRF | 0.012 | >0.05 | ND(0.020) J | | | | | | | | | | | | | |
| trans-1,4-Dichloro-2-butene | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | | | | | | | | | | | | | |
| Trichlorofluoromethane | LCSD %R | 76.6% | 80.5% to 130% | ND(0.0010) J | | | | | | | | | | | | | |
| Vinyl Chloride | LCSD %R | 76.4% | 77.5% to 126% | ND(0.0010) J | | | | | | | | | | | | | |
| G582-149 | 78-6 | 10/22/2008 | Water | Tier II | Yes | 1,2-Dibromo-3-chloropropane | ICAL RRF | 0.016 | >0.05 | ND(0.0050) J | | | | | | | |
| | | | | | | 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | | | | | | | |
| | | | | | | 2-Butanone | ICAL RRF | 0.038 | >0.05 | ND(0.0050) J | | | | | | | |
| | | | | | | 2-Chloroethylvinylether | ICAL RRF | 0.013 | >0.05 | ND(0.013) J | | | | | | | |
| | | | | | | 2-Hexanone | CCAL %D | 42.4% | <25% | ND(0.0050) J | | | | | | | |
| | | | | | | Acetone | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | | | | | | | |
| | | | | | | Acetone | CCAL %D | 28.6% | <25% | ND(0.0050) J | | | | | | | |
| | | | | | | Acetonitrile | ICAL RRF | 0.008 | >0.05 | ND(0.020) J | | | | | | | |
| | | | | | | Acrolein | ICAL RRF | 0.014 | >0.05 | ND(0.025) J | | | | | | | |
| | | | | | | Acrylonitrile | ICAL RRF | 0.027 | >0.05 | ND(0.025) J | | | | | | | |
| | | | | | | Isobutanol | ICAL RRF | 0.004 | >0.05 | ND(0.050) J | | | | | | | |
| | | | | | | Propionitrile | ICAL RRF | 0.010 | >0.05 | ND(0.020) J | | | | | | | |
| | | | | | | trans-1,4-Dichloro-2-butene | ICAL RRF | 0.020 | >0.05 | ND(0.0050) J | | | | | | | |
| G582-149 | OPCA-MW-3 | 10/22/2008 | Water | Tier II | Yes | 1,2-Dibromo-3-chloropropane | ICAL RRF | 0.016 | >0.05 | ND(0.0050) J | | | | | | | |
| | | | | | | 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | | | | | | | |
| | | | | | | 2-Butanone | ICAL RRF | 0.038 | >0.05 | ND(0.0050) J | | | | | | | |
| | | | | | | 2-Chloroethylvinylether | ICAL RRF | 0.013 | >0.05 | ND(0.013) J | | | | | | | |
| | | | | | | 2-Hexanone | CCAL %D | 42.4% | <25% | ND(0.0050) J | | | | | | | |
| | | | | | | Acetone | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | | | | | | | |
| Acetone | CCAL %D | 28.6% | <25% | ND(0.0050) J | | | | | | | | | | | | | |

Table F-1
Analytical Data Validation Summary
Groundwater Management Area 4 - Fall 2008

General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Sample Delivery Group No. | Sample ID | Date Collected | Matrix | Validation Level | Qualification | Compound | QA/QC Parameter | Value | Control Limits | Qualified Result | Notes |
|-----------------------------|-----------|----------------|--------|------------------|---------------|-----------------------------|-----------------|------------|----------------|------------------|-------|
| VOCs (continued) | | | | | | | | | | | |
| G582-149 | OPCA-MW-3 | 10/22/2008 | Water | Tier II | Yes | Acetonitrile | ICAL RRF | 0.008 | >0.05 | ND(0.020) J | |
| | | | | | | Acrolein | ICAL RRF | 0.014 | >0.05 | ND(0.025) J | |
| | | | | | | Acrylonitrile | ICAL RRF | 0.027 | >0.05 | ND(0.025) J | |
| | | | | | | Isobutanol | ICAL RRF | 0.004 | >0.05 | ND(0.050) J | |
| | | | | | | Propionitrile | ICAL RRF | 0.010 | >0.05 | ND(0.020) J | |
| | | | | | | trans-1,4-Dichloro-2-butene | ICAL RRF | 0.020 | >0.05 | ND(0.0050) J | |
| G582-149 | OPCA-MW-8 | 10/22/2008 | Water | Tier II | Yes | 1,2-Dibromo-3-chloropropane | ICAL RRF | 0.016 | >0.05 | ND(0.0050) J | |
| | | | | | | 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | |
| | | | | | | 2-Butanone | ICAL RRF | 0.038 | >0.05 | ND(0.0050) J | |
| | | | | | | 2-Chloroethylvinylether | ICAL RRF | 0.013 | >0.05 | ND(0.013) J | |
| | | | | | | 2-Hexanone | CCAL %D | 42.4% | <25% | ND(0.0050) J | |
| | | | | | | Acetone | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | |
| | | | | | | Acetone | CCAL %D | 28.6% | <25% | ND(0.0050) J | |
| | | | | | | Acetonitrile | ICAL RRF | 0.008 | >0.05 | ND(0.020) J | |
| | | | | | | Acrolein | ICAL RRF | 0.014 | >0.05 | ND(0.025) J | |
| | | | | | | Acrylonitrile | ICAL RRF | 0.027 | >0.05 | ND(0.025) J | |
| | | | | | | Isobutanol | ICAL RRF | 0.004 | >0.05 | ND(0.050) J | |
| | | | | | | Propionitrile | ICAL RRF | 0.010 | >0.05 | ND(0.020) J | |
| | | | | | | trans-1,4-Dichloro-2-butene | ICAL RRF | 0.020 | >0.05 | ND(0.0050) J | |
| | | | | | | G582-149 | TripBlank | 10/22/2008 | Water | Tier II | Yes |
| 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | | | | | | | |
| 2-Butanone | ICAL RRF | 0.038 | >0.05 | ND(0.0050) J | | | | | | | |
| 2-Chloroethylvinylether | ICAL RRF | 0.013 | >0.05 | ND(0.013) J | | | | | | | |
| 2-Hexanone | CCAL %D | 42.4% | <25% | ND(0.0050) J | | | | | | | |
| Acetone | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | | | | | | | |
| Acetone | CCAL %D | 28.6% | <25% | ND(0.0050) J | | | | | | | |
| Acetonitrile | ICAL RRF | 0.008 | >0.05 | ND(0.020) J | | | | | | | |
| Acrolein | ICAL RRF | 0.014 | >0.05 | ND(0.025) J | | | | | | | |
| Acrylonitrile | ICAL RRF | 0.027 | >0.05 | ND(0.025) J | | | | | | | |
| Isobutanol | ICAL RRF | 0.004 | >0.05 | ND(0.050) J | | | | | | | |
| Propionitrile | ICAL RRF | 0.010 | >0.05 | ND(0.020) J | | | | | | | |
| trans-1,4-Dichloro-2-butene | ICAL RRF | 0.020 | >0.05 | ND(0.0050) J | | | | | | | |
| G582-150 | 78-1 | 10/23/2008 | Water | Tier II | Yes | | | | | | |
| | | | | | | 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | |
| | | | | | | 2-Butanone | ICAL RRF | 0.038 | >0.05 | ND(0.0050) J | |
| | | | | | | 2-Chloroethylvinylether | MS/MSD %R | 0.0%, 0.0% | 16.7% to 200% | R | |
| | | | | | | 2-Hexanone | CCAL %D | 42.4% | <25% | ND(0.0050) J | |
| | | | | | | Acetone | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | |
| | | | | | | Acetone | CCAL %D | 28.6% | <25% | ND(0.0050) J | |
| | | | | | | Acetonitrile | ICAL RRF | 0.008 | >0.05 | ND(0.020) J | |
| | | | | | | Acrolein | ICAL RRF | 0.014 | >0.05 | ND(0.025) J | |
| | | | | | | Acrylonitrile | ICAL RRF | 0.027 | >0.05 | ND(0.025) J | |
| | | | | | | Isobutanol | ICAL RRF | 0.004 | >0.05 | ND(0.050) J | |
| | | | | | | Propionitrile | ICAL RRF | 0.010 | >0.05 | ND(0.020) J | |
| | | | | | | trans-1,4-Dichloro-2-butene | ICAL RRF | 0.020 | >0.05 | ND(0.0050) J | |
| | | | | | | G582-150 | GMA4-6 | 10/23/2008 | Water | Tier II | Yes |
| 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | | | | | | | |
| 2-Butanone | ICAL RRF | 0.038 | >0.05 | ND(0.0050) J | | | | | | | |
| 2-Chloroethylvinylether | ICAL RRF | 0.013 | >0.05 | ND(0.013) J | | | | | | | |
| 2-Hexanone | CCAL %D | 42.4% | <25% | ND(0.0050) J | | | | | | | |
| Acetone | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | | | | | | | |
| Acetone | CCAL %D | 28.6% | <25% | ND(0.0050) J | | | | | | | |
| Acetonitrile | ICAL RRF | 0.008 | >0.05 | ND(0.020) J | | | | | | | |
| Acrolein | ICAL RRF | 0.014 | >0.05 | ND(0.025) J | | | | | | | |
| Acrylonitrile | ICAL RRF | 0.027 | >0.05 | ND(0.025) J | | | | | | | |
| Isobutanol | ICAL RRF | 0.004 | >0.05 | ND(0.050) J | | | | | | | |
| Propionitrile | ICAL RRF | 0.010 | >0.05 | ND(0.020) J | | | | | | | |
| trans-1,4-Dichloro-2-butene | ICAL RRF | 0.020 | >0.05 | ND(0.0050) J | | | | | | | |
| G582-150 | H78B-15 | 10/23/2008 | Water | Tier II | Yes | | | | | | |
| | | | | | | 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | |
| | | | | | | 2-Butanone | ICAL RRF | 0.038 | >0.05 | ND(0.0050) J | |
| | | | | | | 2-Chloroethylvinylether | ICAL RRF | 0.013 | >0.05 | ND(0.013) J | |
| | | | | | | 2-Hexanone | CCAL %D | 42.4% | <25% | ND(0.0050) J | |
| | | | | | | Acetone | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | |

Table F-1
Analytical Data Validation Summary
Groundwater Management Area 4 - Fall 2008

General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Sample Delivery Group No. | Sample ID | Date Collected | Matrix | Validation Level | Qualification | Compound | QA/QC Parameter | Value | Control Limits | Qualified Result | Notes |
|-----------------------------|-------------|----------------|--------|------------------|---------------|-----------------------------|-----------------|------------|----------------|------------------|-------------------------|
| VOCs (continued) | | | | | | | | | | | |
| G582-150 | H78B-15 | 10/23/2008 | Water | Tier II | Yes | Acetone | CCAL %D | 28.6% | <25% | ND(0.0050) J | |
| | | | | | | Acetonitrile | ICAL RRF | 0.008 | >0.05 | ND(0.020) J | |
| | | | | | | Acrolein | ICAL RRF | 0.014 | >0.05 | ND(0.025) J | |
| | | | | | | Acrylonitrile | ICAL RRF | 0.027 | >0.05 | ND(0.025) J | |
| | | | | | | Isobutanol | ICAL RRF | 0.004 | >0.05 | ND(0.050) J | |
| | | | | | | Propionitrile | ICAL RRF | 0.010 | >0.05 | ND(0.020) J | |
| | | | | | | trans-1,4-Dichloro-2-butene | ICAL RRF | 0.020 | >0.05 | ND(0.0050) J | |
| | | | | | | G582-150 | TripBlank | 10/23/2008 | Water | Tier II | Yes |
| | | | | | | 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | |
| | | | | | | 2-Butanone | ICAL RRF | 0.038 | >0.05 | ND(0.0050) J | |
| | | | | | | 2-Chloroethylvinylether | ICAL RRF | 0.013 | >0.05 | ND(0.013) J | |
| | | | | | | 2-Hexanone | CCAL %D | 42.4% | <25% | ND(0.0050) J | |
| | | | | | | Acetone | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | |
| | | | | | | Acetone | CCAL %D | 28.6% | <25% | ND(0.0050) J | |
| | | | | | | Acetonitrile | ICAL RRF | 0.008 | >0.05 | ND(0.020) J | |
| | | | | | | Acrolein | ICAL RRF | 0.014 | >0.05 | ND(0.025) J | |
| | | | | | | Acrylonitrile | ICAL RRF | 0.027 | >0.05 | ND(0.025) J | |
| | | | | | | Isobutanol | ICAL RRF | 0.004 | >0.05 | ND(0.050) J | |
| | | | | | | Propionitrile | ICAL RRF | 0.010 | >0.05 | ND(0.020) J | |
| | | | | | | trans-1,4-Dichloro-2-butene | ICAL RRF | 0.020 | >0.05 | ND(0.0050) J | |
| G582-184 | GMA-4-RB-1 | 11/4/2008 | Water | Tier II | Yes | 1,2-Dibromo-3-chloropropane | ICAL RRF | 0.019 | >0.05 | ND(0.0050) J | |
| | | | | | | 1,4-Dioxane | ICAL RRF | 0.001 | >0.05 | ND(0.10) J | |
| | | | | | | 2-Butanone | ICAL RRF | 0.047 | >0.05 | ND(0.0050) J | |
| | | | | | | 2-Chloroethylvinylether | ICAL RRF | 0.027 | >0.05 | ND(0.013) J | |
| | | | | | | Acetone | ICAL RRF | 0.032 | >0.05 | ND(0.0050) J | |
| | | | | | | Acetonitrile | ICAL RRF | 0.009 | >0.05 | ND(0.020) J | |
| | | | | | | Acrolein | ICAL RRF | 0.023 | >0.05 | ND(0.025) J | |
| | | | | | | Acrolein | CCAL %D | 34.8% | <25% | ND(0.025) J | |
| | | | | | | Acrylonitrile | ICAL RRF | 0.040 | >0.05 | ND(0.025) J | |
| | | | | | | Bromomethane | CCAL %D | 40.0% | <25% | ND(0.0010) J | |
| | | | | | | Isobutanol | ICAL RRF | 0.003 | >0.05 | ND(0.050) J | |
| | | | | | | Methacrylonitrile | ICAL RRF | 0.010 | >0.05 | ND(0.010) J | |
| | | | | | | Methacrylonitrile | CCAL %D | 30.0% | <25% | ND(0.010) J | |
| | | | | | | Propionitrile | ICAL RRF | 0.012 | >0.05 | ND(0.020) J | |
| | | | | | | trans-1,4-Dichloro-2-butene | ICAL RRF | 0.028 | >0.05 | ND(0.0050) J | |
| | | | | | | SVOCs | | | | | |
| G582-145 | GMA4-DUP-01 | 10/21/2008 | Water | Tier II | Yes | 1-Naphthylamine | CCAL %D | 29.8% | <25% | ND(0.026) J | Parent Sample OPCA-MW-6 |
| | | | | | | 2-Naphthylamine | CCAL %D | 43.3% | <25% | ND(0.026) J | |
| | | | | | | 4-Nitroquinoline-1-oxide | CCAL %D | 25.2% | <25% | ND(0.026) J | |
| | | | | | | 4-Phenylenediamine | CCAL %D | 46.3% | <25% | ND(0.010) J | |
| | | | | | | a,a'-Dimethylphenethylamine | CCAL %D | 31.1% | <25% | ND(0.026) J | |
| | | | | | | Hexachlorocyclopentadiene | CCAL %D | 47.4% | <25% | ND(0.010) J | |
| | | | | | | Hexachlorophene | ICAL RRF | 0.024 | >0.05 | ND(0.0052) J | |
| | | | | | | Methapyriene | CCAL %D | 32.7% | <25% | ND(0.0052) J | |
| G582-145 | OPCA-MW-1RR | 10/20/2008 | Water | Tier II | Yes | 1-Naphthylamine | CCAL %D | 29.8% | <25% | ND(0.025) J | |
| | | | | | | 2-Naphthylamine | CCAL %D | 43.3% | <25% | ND(0.025) J | |
| | | | | | | 4-Nitroquinoline-1-oxide | CCAL %D | 25.2% | <25% | ND(0.025) J | |
| | | | | | | 4-Phenylenediamine | CCAL %D | 46.3% | <25% | ND(0.010) J | |
| | | | | | | a,a'-Dimethylphenethylamine | CCAL %D | 31.1% | <25% | ND(0.025) J | |
| | | | | | | Hexachlorocyclopentadiene | CCAL %D | 47.4% | <25% | ND(0.010) J | |
| | | | | | | Hexachlorophene | ICAL RRF | 0.024 | >0.05 | ND(0.0051) J | |
| | | | | | | Methapyriene | CCAL %D | 32.7% | <25% | ND(0.0051) J | |
| G582-145 | OPCA-MW-2R | 10/21/2008 | Water | Tier II | Yes | Hexachlorophene | ICAL RRF | 0.020 | >0.05 | ND(0.0053) J | |
| | | | | | | G582-145 | OPCA-MW-4 | 10/20/2008 | Water | Tier II | Yes |
| 2-Naphthylamine | CCAL %D | 43.3% | <25% | ND(0.026) J | | | | | | | |
| 4-Nitroquinoline-1-oxide | CCAL %D | 25.2% | <25% | ND(0.026) J | | | | | | | |
| 4-Phenylenediamine | CCAL %D | 46.3% | <25% | ND(0.010) J | | | | | | | |
| a,a'-Dimethylphenethylamine | CCAL %D | 31.1% | <25% | ND(0.026) J | | | | | | | |
| Hexachlorocyclopentadiene | CCAL %D | 47.4% | <25% | ND(0.010) J | | | | | | | |
| Hexachlorophene | ICAL RRF | 0.024 | >0.05 | ND(0.0052) J | | | | | | | |
| Methapyriene | CCAL %D | 32.7% | <25% | ND(0.0052) J | | | | | | | |
| G582-145 | OPCA-MW-5R | 10/21/2008 | Water | Tier II | Yes | 1-Naphthylamine | CCAL %D | 29.8% | <25% | ND(0.026) J | |
| | | | | | | 2-Naphthylamine | CCAL %D | 43.3% | <25% | ND(0.026) J | |
| | | | | | | 4-Nitroquinoline-1-oxide | CCAL %D | 25.2% | <25% | ND(0.026) J | |

Table F-1
Analytical Data Validation Summary
Groundwater Management Area 4 - Fall 2008

General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Sample Delivery Group No. | Sample ID | Date Collected | Matrix | Validation Level | Qualification | Compound | QA/QC Parameter | Value | Control Limits | Qualified Result | Notes |
|---------------------------|-------------|----------------|--------|------------------|---------------|-----------------------------|-----------------|-------|----------------|------------------|-------------------------|
| SVOCs (continued) | | | | | | | | | | | |
| G582-145 | OPCA-MW-5R | 10/21/2008 | Water | Tier II | Yes | 4-Phenylenediamine | CCAL %D | 46.3% | <25% | ND(0.010) J | |
| | | | | | | a,a'-Dimethylphenethylamine | CCAL %D | 31.1% | <25% | ND(0.026) J | |
| | | | | | | Hexachlorocyclopentadiene | CCAL %D | 47.4% | <25% | ND(0.010) J | |
| | | | | | | Hexachlorophene | ICAL RRF | 0.024 | >0.05 | ND(0.0052) J | |
| | | | | | | Methapyriene | CCAL %D | 32.7% | <25% | ND(0.0052) J | |
| G582-145 | OPCA-MW-6 | 10/21/2008 | Water | Tier II | Yes | 1-Naphthylamine | CCAL %D | 29.8% | <25% | ND(0.026) J | |
| | | | | | | 2-Naphthylamine | CCAL %D | 43.3% | <25% | ND(0.026) J | |
| | | | | | | 4-Nitroquinoline-1-oxide | CCAL %D | 25.2% | <25% | ND(0.026) J | |
| | | | | | | 4-Phenylenediamine | CCAL %D | 46.3% | <25% | ND(0.011) J | |
| | | | | | | a,a'-Dimethylphenethylamine | CCAL %D | 31.1% | <25% | ND(0.026) J | |
| | | | | | | Hexachlorocyclopentadiene | CCAL %D | 47.4% | <25% | ND(0.011) J | |
| | | | | | | Hexachlorophene | ICAL RRF | 0.024 | >0.05 | ND(0.0052) J | |
| | | | | | | Methapyriene | CCAL %D | 32.7% | <25% | ND(0.0052) J | |
| G582-145 | OPCA-MW-7 | 10/21/2008 | Water | Tier II | Yes | 1-Naphthylamine | CCAL %D | 29.8% | <25% | ND(0.026) J | |
| | | | | | | 2-Naphthylamine | CCAL %D | 43.3% | <25% | ND(0.026) J | |
| | | | | | | 4-Nitroquinoline-1-oxide | CCAL %D | 25.2% | <25% | ND(0.026) J | |
| | | | | | | 4-Phenylenediamine | CCAL %D | 46.3% | <25% | ND(0.010) J | |
| | | | | | | a,a'-Dimethylphenethylamine | CCAL %D | 31.1% | <25% | ND(0.026) J | |
| | | | | | | Hexachlorocyclopentadiene | CCAL %D | 47.4% | <25% | ND(0.010) J | |
| | | | | | | Hexachlorophene | ICAL RRF | 0.024 | >0.05 | ND(0.0052) J | |
| | | | | | | Methapyriene | CCAL %D | 32.7% | <25% | ND(0.0052) J | |
| G582-149 | 78-6 | 10/22/2008 | Water | Tier II | Yes | a,a'-Dimethylphenethylamine | CCAL %D | 96.6% | <25% | ND(0.026) J | |
| | | | | | | Hexachlorocyclopentadiene | CCAL %D | 26.7% | <25% | ND(0.010) J | |
| | | | | | | Hexachlorophene | ICAL RRF | 0.020 | >0.05 | ND(0.0051) J | |
| | | | | | | Methapyriene | CCAL %D | 42.9% | <25% | ND(0.0051) J | |
| G582-149 | OPCA-MW-3 | 10/22/2008 | Water | Tier II | Yes | a,a'-Dimethylphenethylamine | CCAL %D | 96.6% | <25% | ND(0.027) J | |
| | | | | | | Hexachlorocyclopentadiene | CCAL %D | 26.7% | <25% | ND(0.011) J | |
| | | | | | | Hexachlorophene | ICAL RRF | 0.020 | >0.05 | ND(0.0054) J | |
| | | | | | | Methapyriene | CCAL %D | 42.9% | <25% | ND(0.0054) J | |
| G582-149 | OPCA-MW-8 | 10/22/2008 | Water | Tier II | Yes | a,a'-Dimethylphenethylamine | CCAL %D | 96.6% | <25% | ND(0.026) J | |
| | | | | | | Hexachlorocyclopentadiene | CCAL %D | 26.7% | <25% | ND(0.010) J | |
| | | | | | | Hexachlorophene | ICAL RRF | 0.020 | >0.05 | ND(0.0051) J | |
| | | | | | | Methapyriene | CCAL %D | 42.9% | <25% | ND(0.0051) J | |
| G582-150 | 78-1 | 10/23/2008 | Water | Tier II | Yes | a,a'-Dimethylphenethylamine | CCAL %D | 96.6% | <25% | ND(0.026) J | |
| | | | | | | Hexachlorocyclopentadiene | CCAL %D | 26.7% | <25% | ND(0.010) J | |
| | | | | | | Hexachlorophene | ICAL RRF | 0.020 | >0.05 | ND(0.0051) J | |
| | | | | | | Methapyriene | CCAL %D | 42.9% | <25% | ND(0.0051) J | |
| G582-150 | GMA4-6 | 10/23/2008 | Water | Tier II | Yes | a,a'-Dimethylphenethylamine | CCAL %D | 96.6% | <25% | ND(0.026) J | |
| | | | | | | Hexachlorocyclopentadiene | CCAL %D | 26.7% | <25% | ND(0.010) J | |
| | | | | | | Hexachlorophene | ICAL RRF | 0.020 | >0.05 | ND(0.0051) J | |
| | | | | | | Methapyriene | CCAL %D | 42.9% | <25% | ND(0.0051) J | |
| G582-150 | H78B-15 | 10/23/2008 | Water | Tier II | Yes | a,a'-Dimethylphenethylamine | CCAL %D | 96.6% | <25% | ND(0.026) J | |
| | | | | | | Hexachlorocyclopentadiene | CCAL %D | 26.7% | <25% | ND(0.011) J | |
| | | | | | | Hexachlorophene | ICAL RRF | 0.020 | >0.05 | ND(0.0053) J | |
| | | | | | | Methapyriene | CCAL %D | 42.9% | <25% | ND(0.0053) J | |
| G582-184 | GMA-4-RB-1 | 11/4/2008 | Water | Tier II | Yes | 2-Naphthylamine | CCAL %D | 27.5% | <25% | ND(0.025) J | |
| | | | | | | 4-Phenylenediamine | CCAL %D | 33.0% | <25% | ND(0.010) J | |
| | | | | | | Hexachlorophene | ICAL RRF | 0.027 | >0.05 | ND(0.0050) J | |
| PCDDs/PCDFs | | | | | | | | | | | |
| G582-145 | GMA4-DUP-01 | 10/21/2008 | Water | Tier II | No | | | | | | Parent Sample OPCA-MW-6 |
| G582-145 | OPCA-MW-1RR | 10/20/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-2R | 10/21/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-4 | 10/20/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-5R | 10/21/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-6 | 10/21/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-7 | 10/21/2008 | Water | Tier II | No | | | | | | |
| G582-149 | 78-6 | 10/22/2008 | Water | Tier II | No | | | | | | |
| G582-149 | OPCA-MW-3 | 10/22/2008 | Water | Tier II | No | | | | | | |
| G582-149 | OPCA-MW-8 | 10/22/2008 | Water | Tier II | No | | | | | | |
| G582-150 | 78-1 | 10/23/2008 | Water | Tier II | No | | | | | | |
| G582-150 | GMA4-6 | 10/23/2008 | Water | Tier II | No | | | | | | |
| G582-150 | H78B-15 | 10/23/2008 | Water | Tier II | No | | | | | | |
| G582-184 | GMA-4-RB-1 | 11/4/2008 | Water | Tier II | No | | | | | | |

Table F-1
Analytical Data Validation Summary
Groundwater Management Area 4 - Fall 2008

General Electric Company - Pittsfield, Massachusetts
(Results are presented in parts per million, ppm)

| Sample Delivery Group No. | Sample ID | Date Collected | Matrix | Validation Level | Qualification | Compound | QA/QC Parameter | Value | Control Limits | Qualified Result | Notes |
|---------------------------|------------------------|----------------|--------|------------------|---------------|----------|-----------------|--------------|----------------|------------------|------------------------------------|
| Cyanides | | | | | | | | | | | |
| G582-145 | GMA4-DUP-01 (Filtered) | 10/21/2008 | Water | Tier II | No | | | | | | Parent Sample OPCA-MW-6 (Filtered) |
| G582-145 | OPCA-MW-1RR (Filtered) | 10/20/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-2R (Filtered) | 10/20/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-4 (Filtered) | 10/20/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-5R (Filtered) | 10/21/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-6 (Filtered) | 10/21/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-7 (Filtered) | 10/21/2008 | Water | Tier II | No | | | | | | |
| G582-149 | 78-6 (Filtered) | 10/22/2008 | Water | Tier II | No | | | | | | |
| G582-149 | OPCA-MW-3 (Filtered) | 10/22/2008 | Water | Tier II | No | | | | | | |
| G582-149 | OPCA-MW-8 (Filtered) | 10/22/2008 | Water | Tier II | No | | | | | | |
| G582-150 | 78-1 (Filtered) | 10/23/2008 | Water | Tier II | No | | | | | | |
| G582-150 | GMA4-6 (Filtered) | 10/23/2008 | Water | Tier II | No | | | | | | |
| G582-150 | H78B-15 (Filtered) | 10/23/2008 | Water | Tier II | No | | | | | | |
| G582-184 | GMA-4-RB-1 (Filtered) | 11/4/2008 | Water | Tier II | No | | | | | | |
| Sulfides | | | | | | | | | | | |
| G582-145 | GMA4-DUP-01 | 10/21/2008 | Water | Tier II | No | | | | | | Parent Sample OPCA-MW-6 |
| G582-145 | OPCA-MW-1RR | 10/20/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-2R | 10/20/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-4 | 10/20/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-5R | 10/21/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-6 | 10/21/2008 | Water | Tier II | No | | | | | | |
| G582-145 | OPCA-MW-7 | 10/21/2008 | Water | Tier II | Yes | Sulfide | MS %R | 70.0% | 75% to 125% | 1.00 J | |
| G582-149 | 78-6 | 10/22/2008 | Water | Tier II | No | | | | | | |
| G582-149 | OPCA-MW-3 | 10/22/2008 | Water | Tier II | No | | | | | | |
| G582-149 | OPCA-MW-8 | 10/22/2008 | Water | Tier II | No | | | | | | |
| G582-150 | 78-1 | 10/23/2008 | Water | Tier II | Yes | Sulfide | MS/MSD %R | 60.0%, 58.0% | 75% to 125% | 1.3 J | |
| G582-150 | GMA4-6 | 10/23/2008 | Water | Tier II | No | | | | | | |
| G582-150 | H78B-15 | 10/23/2008 | Water | Tier II | No | | | | | | |
| G582-184 | GMA-4-RB-1 | 11/4/2008 | Water | Tier II | Yes | Sulfide | MS %R | 45.0% | 75% to 125% | ND(1.00) J | |