



***Data Report, Third Round of Stage 1
Groundwater Quality Monitoring
Sitzum Waterway Remediation Project
Port of Tacoma, Washington***

***Prepared for
Port of Tacoma
Port Project E1509***

***June 12, 2013
17472-01***

***Data Report, Third Round of Stage 1
Groundwater Quality Monitoring
Sitzum Waterway Remediation Project
Port of Tacoma, Washington***

***Prepared for
Port of Tacoma
Port Project E1509***

***June 12, 2013
17472-01***

Prepared by
Hart Crowser, Inc.



Roger N. McGinnis, PhD
Senior Associate
Environmental Engineer
roger.mcginnis@hartcrowser.com



Kerry Hosken
Senior Staff
Environmental Engineer
kerry.hosken@hartcrowser.com

	<u>Page</u>
CONTENTS	
1.0 INTRODUCTION	1
2.0 STAGE 1 GROUNDWATER QUALITY MONITORING PROGRAM	2
2.1 Field Procedures	2
2.2 Laboratory Analyses	4
3.0 ANALYTICAL RESULTS	4
4.0 COMPARISONS TO BASELINE MONITORING RESULTS	6
4.1 Control Chart Procedure	6
4.2 Results and Conclusions	8
5.0 REFERENCES	9

TABLES

- 1 Analytical Results for Groundwater Samples from Stage 1, Round 3
- 2 Monitoring Well Coordinates
- 3 MW-1 Baseline and Stage 1 Groundwater Quality Monitoring Data
- 4 MW-1A Baseline and Stage 1 Groundwater Quality Monitoring Data
- 5 MW-5 Baseline and Stage 1 Groundwater Quality Monitoring Data
- 6 MW-7 Baseline and Stage 1 Groundwater Quality Monitoring Data
- 7 MW-10 Baseline and Stage 1 Groundwater Quality Monitoring Data
- 8 MW-12 Baseline and Stage 1 Groundwater Quality Monitoring Data
- 9 MW-14 Historical and Stage 1 Groundwater Quality Monitoring Data

FIGURES

- 1 Vicinity Map
- 2 Site and Monitoring Well Location Plan
- 3 MW-1 Arsenic Shewhart-CUSUM Control Chart
- 4 MW-1 Copper Shewhart-CUSUM Control Chart
- 5 MW-1 Lead Shewhart-CUSUM Control Chart
- 6 MW-1 Nickel Shewhart-CUSUM Control Chart
- 7 MW-1A Arsenic Shewhart-CUSUM Control Chart

CONTENTS (Continued)

Page

FIGURES (Continued)

- 8 MW-1A Copper Shewhart-CUSUM Control Chart
- 9 MW-1A Lead Shewhart-CUSUM Control Chart
- 10 MW-1A Nickel Shewhart-CUSUM Control Chart
- 11 MW-5 Arsenic Shewhart-CUSUM Control Chart
- 12 MW-5 Copper Shewhart-CUSUM Control Chart
- 13 MW-5 Lead Shewhart-CUSUM Control Chart
- 14 MW-5 Nickel Shewhart-CUSUM Control Chart
- 15 MW-7 Arsenic Shewhart-CUSUM Control Chart
- 16 MW-7 Copper Shewhart-CUSUM Control Chart
- 17 MW-7 Lead Shewhart-CUSUM Control Chart
- 18 MW-7 Nickel Shewhart-CUSUM Control Chart
- 19 MW-10 Arsenic Shewhart-CUSUM Control Chart
- 20 MW-10 Copper Shewhart-CUSUM Control Chart
- 21 MW-10 Lead Shewhart-CUSUM Control Chart
- 22 MW-10 Nickel Shewhart-CUSUM Control Chart
- 23 MW-12 Arsenic Shewhart-CUSUM Control Chart
- 24 MW-12 Copper Shewhart-CUSUM Control Chart
- 25 MW-12 Lead Shewhart-CUSUM Control Chart
- 26 MW-12 Nickel Shewhart-CUSUM Control Chart

APPENDIX A GROUNDWATER ELEVATION AND SAMPLING DATA

APPENDIX B CHEMICAL DATA QUALITY REVIEW AND LABORATORY REPORT

LABORATORY REPORT ALS/COLUMBIA ANALYTICAL SERVICES, INC.

APPENDIX C JUNE 6, 2013 MEMORANDUM SITCUM – MILWAUKEE NCDF GW MONITORING

DATA REPORT

THIRD ROUND OF STAGE 1 GROUNDWATER QUALITY MONITORING

SITCUM WATERWAY REMEDIATION PROJECT

PORT OF TACOMA, WASHINGTON

1.0 INTRODUCTION

This report summarizes the Third Round of Stage 1 groundwater quality monitoring data collected during March 2013 for the Sitzcum Waterway Remediation Project (Figure 1) for the Port of Tacoma (Port). Groundwater quality monitoring is associated with the Milwaukee Waterway nearshore confined disposal site (containment facility), which was filled with contaminated sediment and completed in 1995.

The purpose of Stage 1 monitoring is to collect data to determine if certain constituents are being leached from the fill material and transported outside the fill area by groundwater. The purpose of the overall groundwater monitoring program is to protect surface water quality from contaminants, which could potentially migrate in groundwater from the Milwaukee Waterway containment facility.

The performance standard for this monitoring program is marine chronic criteria or ambient surface water quality if ambient concentrations are greater than the marine criteria. The point of compliance for this performance standard is the sediment/surface water interface outside of the containment facility berm and peninsulas.

The Stage 1 Groundwater Quality Monitoring Plan (Port 1998) set forth the wells to be monitored and the analyses to be conducted as part of the first round of Stage 1 monitoring. The first round was completed in March 2003 (Port 2003a).

As part of the Stage 1 data evaluation program, the monitoring results were compared to baseline conditions established during the baseline groundwater monitoring program as specified in the Operations, Maintenance, and Monitoring Plan (OMMP) for the Sitzcum Waterway Remediation Project (Port 1994).

Baseline water quality monitoring included fifteen groundwater sampling and analysis events completed between March 1988 and November 1996. The baseline monitoring period ended with the November 1996 sampling event, when Stage 1 monitoring commenced. A minimum of eight baseline sampling events were completed for each monitoring well and results are documented in

the Baseline Groundwater Quality Data Report, Sitzum Waterway Remediation Project (Port 1997).

The groundwater sampling and analysis was consistent with the Groundwater Sampling Operations Manual (Appendix A) included in the 1994 OMMP, with some modifications agreed to by the Port and EPA (EPA 2003a and 2003b, and Port 2003b and 2004). Analytical methods for Stage 1 groundwater monitoring were modified from Contract Laboratory Program procedures followed for baseline groundwater monitoring with EPA concurrence. After discussions with EPA (Port 2003), the procedures for analyzing arsenic, copper, lead, and nickel were modified to achieve lower reporting limits. Modifications included preparing samples by reductive precipitation to remove salt interference and then analyzing samples by EPA Method 200.8, ICP-mass spectrometry. In its transmittal letter for Round 2 monitoring (Port 2008), the Port proposed to add zinc as an additional indicator metal to the analyte list, since zinc has increasingly been identified as a metal of concern at a number of sites in Commencement Bay. EPA concurred with these recommendations and zinc was added to the analysis regime in 2013. ALS/Columbia Analytical Services was the project laboratory.

2.0 STAGE 1 GROUNDWATER QUALITY MONITORING PROGRAM

2.1 Field Procedures

Stage 1 groundwater sampling was consistent with the Groundwater Sampling Operations Manual (Appendix A) of the 1994 OMMP, with modifications agreed to by the Port and EPA (EPA 2003a and 2003b, and Port 2003 and 2004).

The groundwater level was measured using an electronic well sounder in the monitoring wells before purging. Depths to groundwater were measured from the top of each well casing and converted to elevations as presented in Appendix A.

Monitoring wells were sampled with peristaltic pumps using low-flow groundwater sampling procedures. Disposable tubing was used to eliminate the potential for cross contamination during sampling. Each well was purged until field parameters stabilized before sampling.

During well purging prior to sample collection, the following groundwater field parameters were monitored using a Horiba U-22 Water Quality Monitor equipped with a flow-through cell:

- Turbidity in nephelometric turbidity units (NTU);
- Temperature in degrees Celsius (°C);
- Dissolved Oxygen (DO) in milligrams per liter (mg/L);
- Oxidative Reduction Potential (ORP) in millivolts (mV);
- pH; and
- Specific Conductance (EC) in millisiemens per centimeter (mS/cm).

In accordance with the OMMP and modifications agreed to by the Port and EPA, purging was conducted until EC and turbidity measurements were stable (three successive measurements within \pm 10 percent). Temperature, DO, ORP, and pH readings were also recorded during purging. The last set of pre-sampling field parameter measurements is presented along with the laboratory groundwater quality data in Table 1. Appendix A provides copies of the field sampling forms that contain the field parameter measurements collected during purging.

The samples collected for dissolved metals testing were filtered in the field using an in-line 0.45-micron filter, and saved in certified clean containers containing an appropriate preservative. The groundwater samples were collected in pre-preserved, certified clean containers provided by the laboratory. Upon collection, the samples were stored in a cooler and packed with blue ice. An appropriate chain of custody protocol was followed for sample tracking. The samples were delivered by overnight courier to CAS.

The following six baseline monitoring wells (Figure 2) were sampled during the Third Round of Stage 1 groundwater quality monitoring:

- MW-1 and MW-1A located upgradient of the containment facility;
- MW-5 and MW-7 located on the former Puyallup peninsula;
- MW-10 located within the closure berm; and
- MW-12 located on the former Sitcum peninsula.

In addition, monitoring well MW-14, located within the containment facility, was also sampled.

Groundwater samples collected from MW-14, while not part of the baseline monitoring program and not used to establish baseline conditions for performance monitoring, were used to provide data on geochemical conditions within the fill.

General groundwater conditions for the baseline wells and MW-14 were consistent with previous sampling events. Groundwater elevations were within

historical limits, and turbidity, temperature, pH, and conductivity were also comparable.

Samples were collected on March 19, 2013. Due to zero percent laboratory matrix spike recovery for dissolved arsenic, more samples were collected on April 16, 2013. Samples collected from this second event were analyzed for dissolved arsenic only. Sampling protocols for both events were consistent with the procedures outlined above.

2.2 Laboratory Analyses

Stage 1 groundwater samples were submitted to CAS for analysis of the following parameters:

- Dissolved arsenic, copper, lead, and nickel as indicators of potential contaminant migration from the containment facility (Port 1997);
- Salinity and total organic carbon (TOC) to monitor for potential salt wash-out effects (Port 1997); and
- Zinc was added to the list of analytes following the Port's request and EPA concurrence, and analysis of conventional water quality parameters (anions and common cations) was discontinued.

Groundwater samples collected from well MW-14 (within the containment facility), while not part of the baseline monitoring program and not used to establish baseline conditions for performance monitoring, were also analyzed for the parameters listed above to provide additional data on geochemical conditions within the containment facility.

Samples for baseline monitoring were analyzed using EPA CLP procedures. After discussions with EPA, procedures for analyzing arsenic, copper, lead, and nickel were modified from those specified in the OMMP to achieve lower reporting limits and to remove saltwater interference (EPA 2003a, 2003b). Stage 1 monitoring samples for metal analyses were prepared by reductive precipitation and were analyzed by EPA Method 200.8, ICP-mass spectrometry.

3.0 ANALYTICAL RESULTS

Laboratory analytical results for Round 3 of Stage 1 monitoring are summarized in Table 1. For comparative purposes, Tables 3 through 9 provide historical

monitoring data for the baseline wells sampled for the current event and for well MW-14. The laboratory reports from ALS/CAS are in Appendix B.

Arsenic was not detected in either the initial or reanalysis of the six Stage 1 monitoring wells and MW-14. Table 1 and Tables 3 through 8 present arsenic results for the reanalysis.

Copper was detected in all Stage 1 monitoring wells and in MW-14 at concentrations at or slightly above the method reporting limit of 0.1 µg/L. Sample concentrations were below the marine chronic water quality criterion (i.e. criteria continuous concentration – CCC) of 3.1 µg/L.

Lead was detected in one Stage 1 well (MW-1A). This concentration was only slightly above the method reporting limit of 0.02 µg/L and was below the CCC of 8.1µg/L.

Nickel was detected in all Stage 1 monitoring wells and in MW-14. These concentrations were slightly above the method reporting limit (0.2 µg/L) and were below the CCC of 8.2 µg/L.

Zinc was detected in four Stage 1 monitoring wells (MW-1A, MW-7, MW-10, and MW-12) and in MW-14. The concentrations were only slightly above the method reporting liming of 0.5 µg/L and well below the CCC of 81 µg/L.

Based on analysis of indicator metals and conventional parameters, there appears to have been little or no change in containment facility fill conditions in MW-14 since post-construction baseline sampling in 1996 (Table 9).

Chemical analyses were performed following the specifications of the Quality Assurance Project Plan (QAPP) for Groundwater Quality Analysis, a component of the OMMP (Port 1994), with modifications agreed to by the Port and EPA. Laboratory analytical data underwent two levels of quality assurance/quality control (QA/QC) evaluation. The initial data reduction, evaluation, and reporting were carried out by the analytical laboratory. The second level of data validation was performed independently by Hart Crowser. Chemical data were reviewed for the following, as appropriate to the particular analysis:

- Holding times;
- Instrument calibration;
- Blanks;
- Detection limits;
- Duplicates, blank spikes, and standard reference materials;
- Precision and accuracy;

- Completeness; and
- Data report formats.

Results are acceptable for use as reported with the following exceptions:

- Dissolved nickel results in all associated samples (MW-10, MW-14, MW-1400, MW-12, MW-1, MW-1a, MW-5, and MW-7) qualified as estimated (J) due to low matrix spike recovery;
- Dissolved arsenic results were rejected (R) in associated samples due to zero percent matrix spike recovery (samples were spiked at 5 times the method detection limit) for samples collected on March 18 and 19;
- Dissolved zinc results in MW-14 and its field duplicate sample (MW-1400) were qualified as estimated (J) due to the relative percent difference exceeding criteria; and
- Dissolved arsenic results in all associated samples collected on April 16 qualified as estimated (J) due to low matrix spike recovery (samples were spiked at 10 times the method detection limit).

The data validation report with laboratory summary forms is presented in Appendix B.

Groundwater data will be input to the Washington State Department of Ecology Environmental Information Management (EIM) database. The Port will notify EPA once data are input to the EIM system.

4.0 COMPARISONS TO BASELINE MONITORING RESULTS

4.1 Control Chart Procedure

Shewhart-CUSUM control charts are the recommended statistical procedure in the 1994 OMMP for detecting changes in analyte concentrations in a well in comparison to baseline measurements as a component of the Stage 1 monitoring. Baseline and Stage 1 groundwater quality data used to construct Shewhart-CUSUM control charts for indicator metals for the six baseline monitoring wells are presented in Tables 3 through 8. Historical and Stage 1 groundwater quality data for MW-14 are presented in Table 9.

The combined Shewhart-CUSUM control chart is the only statistical procedure that is directly recommended for use in intra-well monitoring by the EPA (EPA 1989 and 1992), hence, its widespread use. The control chart procedure is described in Section 7 of EPA's Interim Final Guidance document, "Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities" (EPA 1989). The

EPA Unified Guidance for Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities (EPA 2009) was reviewed to determine if the CuSum approach should be revised based on the new guidance. Our review of the new guidance (Appendix C) determined that the current Shewhart-Cumulative Sum control chart procedure with substitution of the reporting limit for non-detect results should continue to be used.

The combined Shewhart-CUSUM control chart establishes two control limits to provide a sensitive early warning of increasing groundwater chemical concentrations. The CUSUM limit, normally 5 standard deviations above the baseline mean, is the threshold value that, if exceeded by the cumulative sum, indicates a statistically significant increase in groundwater constituent concentrations. The Shewhart control limit (SCL), normally 4.5 standard deviations above the baseline mean, is the concentration that, if exceeded in a sample, indicates an immediate release above background.

Procedures used to develop control charts include the following:

- Data are assumed to follow normal distributions. Distributions could not be unequivocally determined because of the large number of undetected results for indicator metals. However, conclusions from control charts using normal or lognormal distributions would be identical.
- Reporting limits are used for non-detected baseline and Stage 1 monitoring results. The reporting limit is defined as the lowest reproducible concentration at which a chemical can be accurately and reproducibly quantitated for a given sample. It normally corresponds to the lowest calibration standard (practical quantitation limit) but for metals, which use a one-point calibration, it is set as a multiple of the method detection limit.
- Statistical parameters used for construction of Shewhart-CUSUM control charts are:
 - “h” (CUSUM limit, decision interval value) = 5 standard deviations above baseline monitoring mean concentration;
 - “k” (reference value) = 1; and
 - “SCL” (Shewhart control limit) = 4.5 standard deviations above baseline monitoring mean concentration.

Baseline monitoring results, while not usually presented on Shewhart-CUSUM control charts, were added to allow a visual comparison of results over the baseline and Stage 1 monitoring rounds. Curve smoothing, rather than line segments between data points, is the default for the software routine used to

create control charts and does not impact the conclusion that concentrations are unchanged from baseline results and have not exceeded control limits.

Using results for arsenic in MW-5 as an example (Table 5), the baseline monitoring average concentration is 4.9 µg/L (using the detection limit for non-detects) with a standard deviation of 2.1 µg/L. The SCL (4.5 times the standard deviation above the mean) is 14.4 µg/L and the CUSUM limit (5 times the standard deviation above the mean) is 15.5 µg/L (Figure 11). If the cumulative sum (plotted blue line) exceeds either of these warning limits, an increase above baseline is indicated.

The control charts for arsenic, copper, lead, and nickel for the six Stage 1 monitoring wells are presented on Figures 3 through 26. Control charts are not presented for zinc or for containment fill well MW-14 because they were not part of the baseline monitoring program and are not used for performance monitoring.

4.2 Results and Conclusions

The groundwater monitoring program was designed to detect and evaluate possible long-term changes in groundwater quality in the areas surrounding the containment facility to ensure compliance with the performance standards. Stage 1 monitoring compares groundwater quality (all rounds) to baseline conditions. Based on Stage 1 monitoring results, the monitoring program indicates that the performance standard at the point of compliance has not been exceeded. This is easily deduced because there have been no increases above baseline conditions, let alone any statistically significant increases, at a given well for any of the indicator metals.

Based on a review of the Shewhart-CUSUM control charts for indicator metals in the baseline wells presented on Figures 3 through 26, there were no increases above baseline conditions for any of the indicator metals in any of the Stage 1 sampling rounds. Neither the SCL nor the CUSUM warning limits were exceeded for any samples collected during the Stage 1 monitoring rounds. As Stage 1 monitoring indicated no statistically significant increases at any given well in any of the rounds of monitoring and concentrations were well below marine chronic water quality criteria, Stage 2 monitoring is not proposed.

As discussed in Section 2.2, dissolved arsenic, copper, lead, and nickel were analyzed as indicators of potential contaminant migration from the containment facility while salinity and TOC results are used to monitor potential salt wash-out effects that might remobilize metals. Conventional parameters including alkalinity, major cations (calcium, iron, manganese, magnesium, potassium, and

sodium), and anions (chloride, sulfate, sulfide, and total phosphate) were analyzed in baseline sampling events only to provide information on geochemical conditions within the containment facility. Conventional parameter results in samples from the six baseline monitoring wells were relatively unchanged over the baseline monitoring period (Port 1997). Therefore, conventional parameter analysis was not required for Stage 1 monitoring of these six wells.

Review of conventional parameter data for MW-14 covering six sampling events between August 1996 and March 2008 (Table 9) confirms that conventional analyte concentrations are also relatively constant at the MW-14 well location within the facility fill. In its transmittal letter (Port 2008) for the draft Second Round of Stage 1 groundwater monitoring report, the Port requested that analysis of major cations (calcium, iron, manganese, magnesium, potassium, and sodium), anions (chloride, sulfate, sulfide, and total phosphate), and alkalinity be discontinued based on the consistency of conventional parameters over the past 12 years, and the fact that these analytes are not indicators of contamination. As a result, analysis for cations, anions and alkalinity was not performed during the Third Round of Stage 1 monitoring.

5.0 REFERENCES

EPA 1989. Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities. Interim Final Guidance. Office of Solid Waste, Waste Management Division. April 1989.

EPA 1992. Addendum to Interim Final Guidance Document: Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities. Interim Final Guidance. Office of Solid Waste, Waste Management Division. July 1992.

EPA 2003a. Letter to Port Approving Change in Analytical Method for Metals from CLP Methodology to EPA Methods 200.8 and 6010B. September 24, 2003.

EPA 2003b. Letter to Port Clarifying Sampling and Analysis Procedures for Future Stage 1 Groundwater Quality Monitoring. October 14, 2003.

EPA 2008. EPA Comments on the Data Report, Second Round of Stage 1 groundwater Quality Monitoring, Sitzum Waterway Remediation Project, Port of Tacoma, WA. July 22, 2008.

EPA 2009. Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Unified Guidance. EPA 530-R-09-007. Office of Resource Conservation and Recovery. March 2009.

Hart Crowser 2008. Data Report, Second Round of Stage 1 Groundwater Quality Monitoring Sitzum Waterway Remediation Project, Port of Tacoma, Washington. August 8, 2008.

Hart Crowser 2008. Memorandum for Data Report, Second Round of Stage 1 Groundwater Quality Monitoring Sitzum Waterway Remediation Project, Port of Tacoma, Washington. August 8, 2008

Port 1994. Operations, Maintenance, and Monitoring Plan, Sitzum Waterway Remediation Project, June 3, 1994.

Port 1997. Baseline Water Quality Data Report, Sitzum Waterway Remediation Project, Tacoma, Washington. May 9, 1997.

Port 1998. Letter from Richard Gilmur to Christina Ngo, EPA Remedial Project Manager. February 11, 1998.

Port 2003a. Stage 1 Groundwater Quality Monitoring Data Report (Round 1), Sitzum Waterway Remediation Project, Port of Tacoma, Washington. November 20, 2003.

Port 2003b. Teleconference with Richard Gilmur (Port), Roger McGinnis (Hart Crowser), Karen Keeley (EPA Remedial Project Manager), and Dr. Bruce Woods (EPA QA). April 2003.

Port 2004. Letter to EPA re: Revisions to Stage 1 Groundwater Quality Monitoring QAPP, Sitzum Waterway Remediation Project. January 6, 2004.

Port 2008. Letter to EPA re: Sitzum Waterway Consent Decree (C93-5462), Groundwater Quality Monitoring Report, Stage 1, Second Round (2008). June 2, 2008.

L:\Jobs\1747201\Data Report\Final\Final Stage 1 GW Quality Report.doc

Table 1 - Analytical Results for Groundwater Samples from Stage 1, Round 3

Sample ID	MW-1 3/19/2013	MW-1A 3/19/2013	MW-5 3/19/2013	MW-7 3/19/2013	MW-10 3/19/2013	MW-12 3/19/2013	MW-14 3/19/2013	MW-1400 3/19/2013
Sampling Date								MW-14 Duplicate
Conventionals in mg/L								
Total Organic Carbon	14	5.9	7.6	21	1	5	14	14
Salinity (g/kg)	2	2	11.1	19.2	19.6	22.3	23.6	23.7
Dissolved Metals in µg/L								
Arsenic ^a	0.5 UJ	0.5 UJ	0.5 UJ	0.5 UJ	0.5 UJ	0.5 UJ	0.5 UJ	0.5 UJ
Copper	0.2	0.2	0.1	0.2	0.4	0.1	0.2	0.3
Lead	0.02 U	0.02	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
Nickel	0.7 J	0.9 J	1.1 J	0.4 J	1.5 J	0.8 J	0.9 J	1 J
Zinc	0.5 U	0.7	0.5 U	0.9	1	0.7	1.4 J	2.3 J
Field Parameters								
pH	7.88	8.32	8.03	7.81	7.5	7.86	7.49	7.49
Temperature in °C	14.5	14.2	13.2	13.5	12.4	13.7	12.7	12.7
Conductivity in mS/cm	0.649	0.336	17.7	27.1	29.7	31.2	34.4	34.4
Dissolved Oxygen in mg/L	3.39	3.47	0.3	6.99	6.6	12.2	9.09	9.09
Turbidity in NTU	9.8	1.9	2.1	21	1.3	1.6	1.2	1.2
ORP	1	-16	-87	23	99	34	34	34

a - Arsenic data for samples collected 3/19/2013 were rejected. Arsenic results are for samples recollected on 4/16/013

Table 2 - Monitoring Well Coordinates

Well ID	Northing	Easting
MW-1*	708437	1165208
MW-1A*	708439	1165175
MW-2	NA	NA
MW-3	NA	NA
MW-4	710175.9228	1164812.389
MW-4A	NA	NA
MW-5*	709724	1163887
MW-5A	NA	NA
MW-7	710872.5977	1163196.621
MW-8	710310.7201	1163514.845
MW-9*	710995	1163102
MW-10*	711320	1163495
MW-11	711581.2729	1163723.75
MW-12*	711055	1164178
MW-13	710631.1642	1164537.682
MW-14*	710196	1164036
Unknown* (near MW-12)	711066	1164287

Notes:

Horizontal Datum is Washington State Plane Coordinates (South Zone in Feet), NAD83

* Measured in the field in April 2008. The coordinates of the remaining wells were obtained from a previous survey conducted in 1996

NA: Not available

Table 3 - MW-1 Baseline and Stage 1 Groundwater Monitoring Quality Data

Well ID	Sampling Date	Arsenic in ug/L	Copper in ug/L	Lead in ug/L	Nickel in ug/L	Zinc in mg/L	Salinity in g/kg	TOC in mg/L
MW-1	3/1/1988	5 U	2	5 U	2 U		0.3	12
MW-1	6/1/1989	5 U	1 U	5 U	2 U		0.41	24
MW-1	10/1/1989	5 U	3	5 U	2 U		0.3	14
MW-1	9/1/1990	5 U	2.9 U	3 U	7.1 U		0.35	12
MW-1	2/1/1991	5 U	1 U	3 U	2 U		0.31	13
MW-1	10/1/1991	1 U	1.1 U	1 U	0.3 U		0.32 J	11
MW-1	5/11/1993	3 U	0.4 U	1 UJ	0.6 U		0.35	15
MW-1	2/15/1995	5 U	1.5 U	1 U	0.87 U		0.37	17
MW-1	8/14/1995	5 U	0.46 U	1.8 U	0.4 U		0.25	26
MW-1	2/20/1996	5 U	4.5 U	1.6 UJ	0.49 U		0.32	17
MW-1	8/14/1996	1 UJ	0.65 U	1 U	0.5 U		0.34 U	30
MW-1	3/26/2003	0.5 U	0.1 U	0.04	0.2 U		2 U	8.3
MW-1	3/28/2008	0.5 UJ	0.1 U	0.02 U	0.2 U		0.2 U	21.6
MW-1	3/19/2013	0.5 UJ	0.2	0.02 U	0.7 J	0.5 U	2	14

U - Not detected at the indicated reporting limit.

J - The associated value is an estimated quantity.

Note - Arsenic data for samples collected 3/19/2013 were rejected. Arsenic results are for samples recollected on 4/16/013.

Table 4 - MW-1A Baseline and Stage 1 Groundwater Monitoring Quality Data

Well ID	Sampling Date	Arsenic in ug/L	Copper in ug/L	Lead in ug/L	Nickel in ug/L	Zinc in mg/L	Salinity in g/kg	TOC in mg/L
MW-1A	3/1/1988	5 U	3	5 U	4	0.48 U	18	
MW-1A	6/1/1989	5 U	1 U	5 U	2 U	0.88	34	
MW-1A	10/1/1989	5 U	4	5 U	2 U	0.7	25	
MW-1A	9/1/1990	5 U	2.9 U	10 U	7.1 U	1.02	19	
MW-1A	2/1/1991	5 U	1 U	4.8	2 U	1	22	
MW-1A	10/1/1991	1 U	1.1 U	1 U	1.5 U	0.82 J	35	
MW-1A	5/11/1993	3 U	4 U	1 UJ	6 U	1.03	24	
MW-1A	2/15/1995	5 U	53	1 U	50 U	1.3	27	
MW-1A	8/14/1995	5 U	2 U	1 U	4 U	0.88	44	
MW-1A	2/20/1996	5 U	3.6 U	8 J	6.7	0.88	25	
MW-1A	8/14/1996	1 UJ	0.64 U	1 U	0.71 J	0.95	34	
MW-1A	3/26/2003	0.5 U	0.1	0.02 U	0.2 U	2 U	31	
MW-1A	3/28/2008	0.5 UJ	0.1 U	0.05	0.4	2 U	30.4	
MW-1A	3/19/2013	0.5 UJ	0.2	0.02	0.9 J	0.7	2	5.9

U - Not detected at the indicated reporting limit.

J - The associated value is an estimated quantity.

Note - Arsenic data for samples collected 3/19/2013 were rejected. Arsenic results are for samples recollected on 4/16/013.

Table 5 - MW-5 Baseline and Stage 1 Groundwater Monitoring Quality Data

Well ID	Sampling Date	Arsenic in ug/L	Copper in ug/L	Lead in ug/L	Nickel in ug/L	Zinc in mg/L	Salinity in g/kg	TOC in mg/L
MW-5	3/1/1988	5 U	2 J	10 U	4 J		24.38	3.9
MW-5	6/1/1989	5 U	15 U	30 U	15 U		24.99	21
MW-5	10/1/1989	5 U	5 U	10 U	5 U		24.5	7.8
MW-5	9/1/1990	5 U	2.9 U	10 U	7.1 U		25.15	7.2
MW-5	3/1/1991	5 U	1 U	3 U	2 U		25	6.8
MW-5	10/1/1991	10 UJ	11 U	10 U	3 U		24.66	10
MW-5	5/11/1993	3 U	4 U	20 UJ	6 U		23.98	9.2
MW-5	2/15/1995	5 U	30 U	1 UJ	50 U		18	10
MW-5	8/14/1995	5 U	2 U	1 U	4 U		17.92	21
MW-5	2/20/1996	5 U	4.9 U	12.2 J	7.2		17.54	12
MW-5	8/14/1996	1 UJ	0.3 U	1 U	0.5 UJ		16.92	17
MW-5	3/26/2003	0.5 U	0.1 U	0.02	0.2		13.8	11
MW-5	3/28/2008	0.5 UJ	0.1 U	0.02	0.3		12	11.9
MW-5	3/19/2013	0.5 UJ	0.1	0.02 U	1.1 J	0.5 U	11.1	7.6

U - Not detected at the indicated reporting limit.

J - The associated value is an estimated quantity.

Note - Arsenic data for samples collected 3/19/2013 were rejected. Arsenic results are for samples recollected on 4/16/013.

Table 6 - MW-7 Baseline and Stage 1 Groundwater Monitoring Quality Data

Well ID	Sampling Date	Arsenic in ug/L	Copper in ug/L	Lead in ug/L	Nickel in ug/L	Zinc in mg/L	Salinity in g/kg	TOC in mg/L
MW-7	3/1/1988	5 U	5 U	10 U	2 J	21.83	24	
MW-7	6/1/1989	5 U	15 UJ	30 UJ	15 UJ	23.06	82	
MW-7	10/1/1989	5 U	5 U	10 U	5 U	22.6	43	
MW-7	9/1/1990	5 U	2.9 U	10 U	7.1 U	22.81	29	
MW-7	2/1/1991	5 U	1 U	3 U	2 U	23	30	
MW-7	10/1/1991	10 U	11 U	10 U	3 U	22.97	210	
MW-7	5/11/1993	3 U	4 U	20 UJ	6 U	22.46	40	
MW-7	2/15/1995	5 U	30 U	1 UJ	50 U	23	32	
MW-7	8/14/1995	5 U	2 U	1 UJ	4 U	22.57	49	
MW-7	2/20/1996	5 U	2 U	3.3 J	4.2	22.59	29	
MW-7	8/14/1996	1 UJ	0.44 U	1 U	0.5 UJ	22.14	44	
MW-7	3/26/2003	0.5 U	0.1 U	0.03	0.2 U	22.3	22	
MW-7	3/28/2008	0.5 UJ	0.1 U	0.02 U	0.2 U	21	31.9	
MW-7	3/19/2013	0.5 UJ	0.2	0.02 U	0.4 J	0.9	19.2	21

U - Not detected at the indicated reporting limit.

J - The associated value is an estimated quantity.

Note - Arsenic data for samples collected 3/19/2013 were rejected. Arsenic results are for samples recollected on 4/16/013.

Table 7 - MW-10 Baseline and Stage 1 Groundwater Monitoring Quality Data

Well ID	Sampling Date	Arsenic in ug/L	Copper in ug/L	Lead in ug/L	Nickel in ug/L	Zinc in mg/L	Salinity in g/kg	TOC in mg/L
MW-10	2/16/1995	5 U	30 U	1 U	50 U		30	2.7
MW-10	5/18/1995	5 U	3 U	1 UJ	5 U		28.64	2.5
MW-10	8/16/1995	5 U	2 U	1.8	4 U		24.75	2.6
MW-10	11/14/1995	5 U	2 U	1 U	3 UJ		23.15	1.7
MW-10	2/22/1996	5 U	2 U	2 J	6		20.25	2
MW-10	5/21/1996	5 U	5.6 U	0.1 UJ	13.5		17.14	4.7
MW-10	8/15/1996	1 UJ	1.4 U	1.1	5.2 J		18.48	4.6
MW-10	11/12/1996	5 U	2.5 U	1 UJ	4 U		17.38	4
MW-10	3/26/2003	0.5 U	0.1	0.03	0.9		21.9	0.7
MW-10	3/28/2008	0.5 UJ	0.2	0.07	0.9		21	0.9
MW-10	3/19/2013	0.5 UJ	0.4	0.02 U	1.5 J	1	19.6	1

U - Not detected at the indicated reporting limit.

J - The associated value is an estimated quantity.

Note - Arsenic data for samples collected 3/19/2013 were rejected. Arsenic results are for samples recollected on 4/16/013.

Table 8 - MW-12 Baseline and Stage 1 Groundwater Monitoring Quality Data

Well ID	Sampling Date	Arsenic in ug/L	Copper in ug/L	Lead in ug/L	Nickel in ug/L	Zinc in mg/L	Salinity in g/kg	TOC in mg/L
MW-12	2/16/1995	5 U	30 U	1 U	50 U		25	9.1
MW-12	5/17/1995	5 U	3 U	1 UJ	5 U		21.57	8.9
MW-12	8/15/1995	5 U	2 U	1 UJ	4 U		24	19
MW-12	11/14/1995	5 U	2.6 U	1 U	3 UJ		24.79	7.1
MW-12	2/21/1996	5 U	2.8 U	3.1 J	4 U		23.8	6.1
MW-12	5/20/1996	5 U	0.77 U	0.1 UJ	0.5 U		23.21	31
MW-12	8/16/1996	1 UJ	0.45 U	1 U	0.5 UJ		22.77	16
MW-12	11/12/1996	5 U	2.5 U	1 U	4 U		23.35	25
MW-12	3/26/2003	0.5 U	0.1 U	0.02 U	0.2 U		24.3	3.9
MW-12	3/28/2008	0.5 UJ	0.1	0.05	0.4		25	6.8
MW-12	3/19/2013	0.5 UJ	0.1	0.02 U	0.8 J	0.7	22.3	5

U - Not detected at the indicated reporting limit.

J - The associated value is an estimated quantity.

Note - Arsenic data for samples collected 3/19/2013 were rejected. Arsenic results are for samples recollected on 4/16/013.

Table 9 - MW-14 Historical and Stage 1 Groundwater Monitoring Quality Data

Well ID	Sampling Date	Arsenic in ug/L	Copper in ug/L	Lead in ug/L	Nickel in ug/L	Zinc in mg/L	Salinity in g/kg	TOC in mg/L	Alkalinity in mg/L	Calcium in ug/L	Iron in ug/L
MW-14	8/16/1996	1 UJ	1.4 U	1 U	2 J		27.99	14	680	372000	
MW-14	2/26/1997	5 U	4.7 U	2.5 U	6.4 J		25.52	9.4	690	312000	
MW-14	8/28/1997	5 U	0.95 U	1 U	0.65 U		26.36	16	770	316000	
MW-14	2/13/1998	5 U	4 U	1.3 J	4.7 J		26.09	16	810	311000	
MW-14	3/26/2003	2 U	0.9	0.11	1.4		25.9	10	1200	331000	3970
MW-14	3/28/2008	0.5	0.1 UJ	0.02	0.3 U		25	17.1	1640	288000	3290
MW-14	3/19/2013	0.5 UJ	0.2	0.02 U	0.9 J	1.4 J	23.6	14			


Well ID	Sampling Date	Manganese in ug/L	Magnesium in ug/L	Potassium in ug/L	Sodium in ug/L	Chloride in mg/L	Sulfate in mg/L	Sulfide in mg/L	Phosphate-P in mg/L
					e in mg/L				
MW-14	8/16/1996		1140000	352000	8730000	16000	2000	2	7.2
MW-14	2/26/1997		993000	298000	7720000	14000	2300	1 U	7.4
MW-14	8/28/1997		1010000	305000	8190000	14000	1900	1 U	8.3
MW-14	2/13/1998		936000	298000	7360000	14000	2000	1 U	7.9
MW-14	3/26/2003	192	1050000	291000	8800000			2 U	
MW-14	3/28/2008	166	944000	269000	7800000	13900	736	0.05	9.85 U
MW-14	3/19/2013								

U - Not detected at the indicated reporting limit.

J - The associated value is an estimated quantity.

Blank indicates sample not analyzed for specific analyte.

Note - Arsenic data for samples collected 3/19/2013 were rejected. Arsenic results are for samples recollected on 4/16/013.




Sitcum Waterway - Remediation
Tacoma, Washington

Vicinity Map

17472-01

5/13



Note: Aerial photographs downloaded from Terraserver USA.

Sitcum Waterway - Remediation
Tacoma, Washington

Monitoring Well Location and Number

MW-7 (Red Dot) Sampled

MW-8 (Black Dot) Not Sampled

0 250 500
Scale in Feet

Site and Monitoring Well Location Plan


17472-01


5/13


HARTCROWSER


Figure

2









**MW-1 Nickel Shewhart-CUSUM
Control Chart**


17472-01

Sitcum Waterway - Remediation
Tacoma, Washington

5/13

HARTCROWSER

Figure 6




Sitcum Waterway - Remediation
Tacoma, Washington


17472-01

HARTCROWSER

Figure

7





Sitcum Waterway - Remediation
Tacoma, Washington

MW-1A Lead Shewhart-CUSUM Control Chart


17472-01

HARTCROWSER

Figure

9

5/13



Sitcum Waterway - Remediation
Tacoma, Washington

MW-1A Nickel Shewhart-CUSUM


17472-01

HARTCROWSER

Figure

10

5/13



Sitcum Waterway - Remediation
Tacoma, Washington


MW-5 Arsenic Shewhart-CUSUM Control Chart

17472-01

HARTCROWSER

Figure 11

5/13



Sitcum Waterway - Remediation
Tacoma, Washington

MW-5 Copper Shewhart-CUSUM Control Chart


17472-01

5/13

HARTCROWSER

Figure

12




Sitcum Waterway - Remediation
Tacoma, Washington


17472-01

HARTCROWSER

Figure

13






Sitcum Waterway - Remediation
Tacoma, Washington

MW-7 Arsenic Shewhart-CUSUM

17472-01

HARTCROWSERFigure
5/13**15**



Sitcum Waterway - Remediation
Tacoma, Washington

MW-7 Copper Shewhart-CUSUM Control Chart


17472-01

HARTCROWSER

Figure

16

5/13



Sitcum Waterway - Remediation
Tacoma, Washington

MW-7 Lead Shewhart-CUSUM Control Chart


17472-01

5/13

HARTCROWSER

Figure

17



Sitcum Waterway - Remediation
Tacoma, Washington


MW-7 Nickel Shewhart-CUSUM Control Chart


17472-01

HARTCROWSER

Figure 5/13

18





Sitcum Waterway - Remediation
Tacoma, Washington

MW-10 Copper Shewhart-CUSUM Control Chart


17472-01

5/13

HARTCROWSER

Figure

20




Sitcum Waterway - Remediation
Tacoma, Washington


MW-10 Lead Shewhart-CUSUM Control Chart


17472-01

HARTCROWSER

Figure
5/13







Sitcum Waterway - Remediation
Tacoma, Washington

MW-12 Copper Shewhart-CUSUM Control Chart


17472-01

5/13

HARTCROWSER

Figure

24



Sitcum Waterway - Remediation
Tacoma, Washington


MW-12 Lead Shewhart-CUSUM Control Chart

17472-01

HARTCROWSER

Figure
5/13

25



Sitcum Waterway - Remediation
Tacoma, Washington

MW-12 Nickel Shewhart-CUSUM

17472-01

HARTCROWSER

Figure

26

5/13

APPENDIX A
GROUNDWATER ELEVATION AND SAMPLING DATA

Table A-1 - Baseline Groundwater Elevation Data (1995-1996)

Well ID	TOC Elevation	Well Coordinates		Feb-95		May-95		Aug-95		Nov-95		Feb-96		May-96		Aug-96		Nov-96	
		Norting	Easting	DTW	Elev.														
MW-1	17.38	708437	1165208	6.58	10.80	NA	NA	7.75	9.63	NA	NA	5.39	11.99	NA	NA	8.15	9.23	NA	NA
MW-1A	17.68	708439	1165175	6.81	10.87	NA	NA	8.05	9.63	NA	NA	5.85	11.83	NA	NA	8.42	9.26	NA	NA
MW-4	18.01	710176	1164812	8.68	9.33	NA	NA	9.27	8.74	NA	NA	5.15	12.86	NA	NA	12.10	5.91	NA	NA
MW-5	17.19	709724	1163887	8.60	8.59	NA	NA	8.53	8.66	NA	NA	8.19	9.00	NA	NA	12.01	5.18	NA	NA
MW-7	17.08	710873	1163197	8.18	8.90	NA	NA	8.80	8.28	NA	NA	7.33	9.75	NA	NA	10.40	6.68	NA	NA
MW-8	16.92	710311	1163515	6.88	10.04	6.66	9.72	9.68	7.24	7.20	9.72	NM	NM	7.00	9.92	8.72	8.20	7.20	9.72
MW-9	18.08	710995	1163102	8.66	9.42	8.64	8.95	9.26	8.82	9.13	8.95	8.03	10.05	9.40	8.68	10.31	7.77	9.20	8.88
MW-10	18.21	711320	1163495	8.38	9.83	8.28	10.75	8.78	9.43	7.46	10.75	5.98	12.23	8.50	9.71	9.36	8.85	8.30	9.91
MW-11	17.48	711581	1163724	9.01	8.47	7.07	9.75	7.86	9.62	7.73	9.75	7.77	9.71	12.70	4.78	11.61	5.87	8.70	8.78
MW-12	17.15	711055	1164178	8.55	8.60	10.58	11.39	7.25	9.90	5.76	11.39	6.33	10.82	8.80	8.35	9.94	7.21	8.70	8.45
MW-14	17.95	710196	1164036	8.58	9.37	12.57	11.18	9.07	8.88	6.77	11.18	5.82	12.13	11.40	6.55	12.82	5.13	8.10	9.85

TOC: Top of well casing.

DTW: Depth to water below TOC in feet.

Elev: Groundwater elevation in feet (MLLW).

NA: No measurement, well not sampled

NM: Unreliable measurement. Refer to Port, 1996b.

Horizontal Datum is on Washington State Plane Coordinates (South Zone in Feet), NAD83.



1513

HARTCROWSER Groundwater Sampling Data - Well I.D. MW-1

PROJECT Sitcum Waterway DATE/TIME SAMPLED 3/19/13
 JOB NO. 17472-01 TIDALLY INFLUENCED YES NO
 PROJECT MANAGER McGinnis WELL DEPTH IN FEET
 FIELD REPS KJH SCREENED INTERVAL IN FEET

1 Purgung Data/Field Measurements: All Measurements Relative to Top of Casing (TOC)

WELL DEPTH CASING VOLUME IN GALLONS
 DEPTH TO SEDIMENT (DTS) IN FEET [2" diam = x .163 gal/ft 4" diam = x .653 gal/ft]
 DEPTH TO WATER (DTW) IN FEET 7.30 PURGE VOLUME IN GALLONS
 (DTS - DTW) ACTUAL PURGE IN GALLONS ~5

Time	No. of Gallons Purged	pH	Temp in °C	Conduct in μmho	Diss. Oxygen in mg/l	Turbidity	Comments: ORP
1454	~2	7.93	14.3	0.654	4.68	11.8	6 clear, no odor/taste
1500	~3	7.92	14.3	0.656	3.98	10.4	4 11, some small rusty colored particles
1506	~4	7.89	14.4	0.651	3.40	11.0	2 n n
1513	~5	7.88	14.5	0.649	3.39	9.8	1 n n

sample sample:

Comments: unable to get depth to sediment due to bladder pump

	Method	Pumping Rate in GPM	Depth of Equip. in Feet
Purge	peristaltic pump	1.14 min	~45'
Sample		"	"

Boils dry? Yes No X
At no. of casing volumes Purge Water Disposal Method/Volume

2 Sampling Data

Bottle Type	# of Containers	Analyses	Preserv.	Filter
.5L	1	Salinity	-	N
.5L	1	TOC	H ₂ SO ₄	N
1L	1	Diss. metals	HNO ₃	Y

Total number of Bottles Duplicate Sample I.D. 3Field Blank I.D. Rinseate Sample I.D.

3 Field Equipment

Type/Brand/Serial No./Material Units

Pump Type/Tubing Type peristaltic / PE Temp/pH/E.C. meter
 Bailer Type Water Level Probe Heads
 Filter Type Other

4 Well Conditions

OK Not OK Explain

1436



HARTCROWSER Groundwater Sampling Data - Well I.D. MW-1a

PROJECT Sitka Wieway DATE/TIME SAMPLED 3/19/13
 JOB NO. 17472-01 TIDALLY INFLUENCED YES NO
 PROJECT MANAGER McGinnis WELL DEPTH IN FEET
 FIELD REPS KJH SCREENED INTERVAL IN FEET

1 Purgung Data/Field Measurements: All Measurements Relative to Top of Casing (TOC)

WELL DEPTH CASING VOLUME IN GALLONS
 DEPTH TO SEDIMENT (DTS) IN FEET [2" diam = x .163 gal/ft 4" diam = x .653 gal/ft]
 DEPTH TO WATER (DTW) IN FEET 7.74 PURGE VOLUME IN GALLONS
 (DTS - DTW) ACTUAL PURGE IN GALLONS ~5

Time	No. of Gallons Purged	pH	Temp in °C	Conduct in μmho	Diss. Oxygen in mg/L	Turbidity	Comments: quality, recovery, color, odor, sheen, ORP accumulated silt/sand
1407	~.5	9.96	14.0	0.456	10.46	2.4	-24 clear, no odor/sheen
1415	~2	8.99	14.3	0.344	6.22	2.1	-11 " slight yellow tint
1421	~3	8.64	14.2	0.329	4.61	2.2	-8 slight sulfur smell
1429	~4	8.34	14.2	0.334	3.50	1.9	-14 "
sample: 1436	~5	8.32	14.2	0.336	3.47	1.9	-16

Comments: unable to get depth to sediment due to bladder pump

	Method	Pumping Rate in GPM	Depth of Equip. in Feet
Purge	peristaltic pump	214/min	~25'
Sample	"	"	"

Boils dry? Yes No X
 At no. of casing volumes

Purge Water Disposal Method/Volume

2 Sampling Data

Bottle Type	# of Containers	Analyses	Preserv.	Filter
.5L	1	TOC	H ₂ SO ₄	Y
.5L	1	salinity	-	Y
1L	1	Diss. metals	HNO ₃	N

Total number of Bottles 3

Duplicate Sample I.D.

Field Blank I.D.

Rinseate Sample I.D.

3 Field Equipment

Type/Brand/Serial No./Material Units

Pump Type/Tubing Type peristaltic/PE Temp/pH/E.C. meter
 Bailer Type Water Level Probe Heron
 Filter Type Other

4 Well Conditions

OK Not OK Explain



1320

HARTCROWSER Groundwater Sampling Data - Well I.D. MW-12

PROJECT Sitcom Waterway DATE/TIME SAMPLED 3/19/13
 JOB NO. 17472-01 TIDALLY INFLUENCED YES NO
 PROJECT MANAGER M. Ginnis WELL DEPTH IN FEET
 FIELD REPS KJH SCREENED INTERVAL IN FEET

1 Purgung Data/Field Measurements: All Measurements Relative to Top of Casing (TOC)

WELL DEPTH CASING VOLUME IN GALLONS
 DEPTH TO SEDIMENT (DTS) IN FEET [2" diam = x .163 gal/ft 4" diam = x .653 gal/ft]
 DEPTH TO WATER (DTW) IN FEET 7.21 PURGE VOLUME IN GALLONS
 (DTS - DTW) ACTUAL PURGE IN GALLONS

Time	No. of Gallons Purged	pH	Temp in °C	Conduct in <u>mhos</u>	Diss. Oxygen in <u>mg/L</u>	Turbidity	Comments: quality, recovery, color, odor, sheen, accumulated silt/sand
1255	~5.5	8.07	13.3	31.2	15.88	1.7	26 no odor, sheen, clear
1302	~1.5	7.98	13.7	31.3	13.45	20	26 " , slight yellow tint
1309	~2.9	7.94	13.7	31.4	12.91	1.6	29 " "
1315	~3.5	7.87	13.7	31.3	12.21	1.3	32 " "
sample: 1320	~4.5	7.86	13.7	31.2	12.20	1.6	34 " "

Comments: unable to get depth to sediment due to pump

Method	Pumping Rate in GPM	Depth of Equip. in Feet
Purge	peristaltic pump	~ 25'
Sample	"	"

Boils dry? Yes No X
 At no. of casing volumes

Purge Water Disposal Method/Volume

2 Sampling Data

Bottle Type	# of Containers	Analyses	Preserv.	Filter
.5L	1	TOC	H ₂ SO ₄	N
.5L	1	Salinity	-	N
1 L	1	Diss Metals	HNO ₃	Y

Total number of Bottles 7

Duplicate Sample I.D.

Field Blank I.D.

Rinseate Sample I.D.

3 Field Equipment

Type/Brand/Serial No./Material Units

Pump Type/Tubing Type Peristaltic / PE Temp/pH/E.C. meter
 Bailer Type Water Level Probe Heron
 Filter Type Other

4 Well Conditions

OK Not OK Explain



1216

HARTCROWSER Groundwater Sampling Data - Well I.D. MW-14

PROJECT S. team Waterway
 JOB NO. 17472-01
 PROJECT MANAGER McGinnis
 FIELD REPS KJM

DATE/TIME SAMPLED 3/19/13
 TIDALLY INFLUENCED YES NO
 WELL DEPTH IN FEET _____
 SCREENED INTERVAL IN FEET _____

1 Purgung Data/Field Measurements: All Measurements Relative to Top of Casing (TOC)

WELL DEPTH _____ CASING VOLUME IN GALLONS _____
 DEPTH TO SEDIMENT (DTS) IN FEET _____ [2" diam = x .163 gal/ft 4" diam = x .653 gal/ft]
 DEPTH TO WATER (DTW) IN FEET 7.15 PURGE VOLUME IN GALLONS _____
 (DTS - DTW) _____ ACTUAL PURGE IN GALLONS 25

Time	No. of Gallons Purged	pH	Temp in °C	Conduct in <u>ms/cm</u>	Diss. Oxygen in <u>mg/L</u>	Turbidity	Comments: quality, recovery, color, odor, sheen, ORP
1151	~5	9.08	12.3	245	15.69	2.2	-8 clear, no odor/sheen
1158	~2.0	9.32	12.6	2.33	13.31	2.0	14 slight yellow tint
1205	~3.0	9.08	12.7	31.7	11.32	1.8	37
1210	~4	7.48	12.7	34.1	9.11	1.3	35
sample: 1216	~5	7.49	12.7	34.4	9.09	1.2	34

Comments: unable to get depth to sediment due to bladder pump

	Method	Pumping Rate in GPM	Depth of Equip. in Feet
Purge	peristaltic pump	1.1L/min	~20
Sample		"	"

Boils dry? Yes No X
 At no. of casing volumes _____

Purge Water Disposal Method/Volume _____

2 Sampling Data

Bottle Type	# of Containers	Analyses	Preserv.	Filter
.5L	2	TOC	H ₂ SO ₄	N
.5L	2	Salinity	-	N
1L	2	Diss Metals	HNO ₃	Y

Total number of Bottles 6

Duplicate Sample I.D. MW-1400 (1236)

Field Blank I.D. _____

Rinseate Sample I.D. _____

3 Field Equipment

Type/Brand/Serial No./Material Units

Pump Type/Tubing Type peristaltic / PE
 Bailer Type _____
 Filter Type _____

Temp/pH/E.C. meter _____
 Water Level Probe Heron
 Other _____

4 Well Conditions

OK Not OK

Explain _____



1102

HARTCROWSER Groundwater Sampling Data - Well I.D. MW-5

PROJECT Sitcom DATE/TIME SAMPLED 3/19/13
 JOB NO. 17472-01 TIDALLY INFLUENCED YES NO
 PROJECT MANAGER McGinnis WELL DEPTH IN FEET
 FIELD REPS KJH SCREENED INTERVAL IN FEET

1 Purgung Data/Field Measurements: All Measurements Relative to Top of Casing (TOC)

WELL DEPTH CASING VOLUME IN GALLONS
 DEPTH TO SEDIMENT (DTS) IN FEET [2" diam = x .163 gal/ft 4" diam = x .653 gal/ft]
 DEPTH TO WATER (DTW) IN FEET 7.02 PURGE VOLUME IN GALLONS
 (DTS - DTW) ACTUAL PURGE IN GALLONS ~4.25

Time	No. of Gallons Purged	pH	Temp in °C	Conduct in <u> </u>	Diss. Oxygen in <u> </u>	Turbidity	Comments: quality, recovery, color, odor, sheen, ORP accumulated silt/sand
1034	~1	8.94	12.8	7.24	19.50	5.0	-4 Clear, no odor / sheen
1046	~1.5	7.84	13.3	16.2	8.09	1.5	-16 slight sulfur smell, slight red tint
1052	~3	7.97	13.2	17.4	3.31	1.5	-54
1057	~4	8.02	13.2	17.6	0.31	2.2	-81 strong sulfur smell, slight red tint
1102	~4.25	8.03	13.2	17.7	0.30	2.1	-87 " "

sample: Comments: unable to get depth to sediment due to bladder pump

	Method	Pumping Rate in GPM	Depth of Equip. in Feet
Purge	Peristaltic pump	2 L/min	~20'
Sample	"	"	"

Boils dry? Yes No X
 At no. of casing volumes

Purge Water Disposal Method/Volume

2 Sampling Data

Bottle Type	# of Containers	Analyses	Preserv.	Filter
.5L	3	Salinity	-	N
.5L	3	TOC	H ₂ SO ₄	N
1L	3	Diss Metals	HNO ₃	Y

Total number of Bottles 9

Duplicate Sample I.D.

Field Blank I.D.

Rinseate Sample I.D.

3 Field Equipment

Type/Brand/Serial No./Material Units

Pump Type/Tubing Type Peristaltic / PE Temp/pH/E.C. meter
 Bailer Type Water Level Probe Heron
 Filter Type Other

4 Well Conditions

OK Not OK Explain



1012

HARTCROWSER Groundwater Sampling Data - Well I.D. MW-1

PROJECT Sitcom DATE/TIME SAMPLED 3/19/13
 JOB NO. 174172-01 TIDALLY INFLUENCED YES NO
 PROJECT MANAGER McGinnis WELL DEPTH IN FEET
 FIELD REPS KJM SCREENED INTERVAL IN FEET

① Purgung Data/Field Measurements: All Measurements Relative to Top of Casing (TOC)

WELL DEPTH CASING VOLUME IN GALLONS
 DEPTH TO SEDIMENT (DTS) IN FEET unable to determine [2" diam = x .163 gal/ft 4" diam = x .653 gal/ft]
 DEPTH TO WATER (DTW) IN FEET 6.08 PURGE VOLUME IN GALLONS
 (DTS - DTW) ACTUAL PURGE IN GALLONS ~4.5

Time	No. of Gallons Purged	pH	Temp in °C	Conduct in <u>mhos</u>	Diss. Oxygen in <u>mg/l</u>	Turbidity	Comments: quality, recovery, color, odor, sheen, ORP
0950	~1.5	7.60	13.8	22.2	16.417	17.7	95 no odor/sheen, lots of particulate matter
0956	~1.5	7.72	13.7	27.1	9.88	40.3	73 " slight yellow/green tint
1001	~2.5	7.78	13.6	27.0	7.76	27.5	50 "
1007	~3.5	7.80	13.6	27.0	7.00	21.1	37 "
sample: 1012	~4.5	7.81	13.6	27.1	6.99	21.0	23 "

Comments: couldn't get depth to sediment due to bladder pump

	Method	Pumping Rate in GPM	Depth of Equip. in Feet
Purge	peristaltic pump	1/4 min	~29'
Sample	"	"	"

Boils dry? Yes No X
 At no. of casing volumes

Purge Water Disposal Method/Volume

② Sampling Data

Bottle Type	# of Containers	Analyses	Preserv.	Filter
.5L	1	Salinity	-	N
.5L	1	Total TBC	H ₂ SO ₄	N
1L	1	Diss. Metals	HNO ₃	Y

Total number of Bottles 3

Duplicate Sample I.D.

Field Blank I.D.

Rinseate Sample I.D.

③ Field Equipment

Type/Brand/Serial No./Material Units

Pump Type/Tubing Type peristaltic PE
 Bailer Type
 Filter Type

Temp/pH/E.C. meter
 Water Level Probe Heron
 Other

④ Well Conditions

OK Not OK Explain



HARTCROWSER Groundwater Sampling Data - Well I.D. MW-10

915

PROJECT Sitkaan Waterway DATE/TIME SAMPLED 3/19/13
 JOB NO. 17472-01 TIDALLY INFLUENCED YES NO
 PROJECT MANAGER McGinnis WELL DEPTH IN FEET
 FIELD REPS KJH SCREENED INTERVAL IN FEET

① Purgung Data/Field Measurements: All Measurements Relative to Top of Casing (TOC)

WELL DEPTH CASING VOLUME IN GALLONS 4.51
 DEPTH TO SEDIMENT (DTS) IN FEET 35.97 [2" diam = x .163 gal/ft] 4" diam = x .653 gal/ft
 DEPTH TO WATER (DTW) IN FEET 8.31 PURGE VOLUME IN GALLONS 17.52
 (DTS - DTW) 27.66 ACTUAL PURGE IN GALLONS ~3.5

Time	No. of Gallons Purged	pH	Temp in °C	Conduct in $\mu\text{S}/\text{cm}$	Diss. Oxygen in mg/L	Turbidity	Comments: quality, recovery, color, odor, sheen, ORP
0853	~0.1	4.84	12.7	35.5	-	6.5	180 clear, no odor/sheen
0854	~.75	6.15	12.3	30.9	15.19	8.5	147
0903	~1.5	6.83	12.4	29.9	9.411	4.1	126
0910	~2.5	7.52	12.4	29.9	6.65	1.7	108
sample: 0915	~0.5	7.53	12.4	29.7	6.60	1.3	99

Comments: _____

	Method	Pumping Rate in GPM	Depth of Equip. in Feet
Purge	peristaltic	2 L/min	~30'
Sample			

Boils dry? Yes No X
 At no. of casing volumes _____

Purge Water Disposal Method/Volume _____

② Sampling Data

Bottle Type	# of Containers	Analyses	Preserv.	Filter
.5L	1	TOC	H ₂ SO ₄	N
1L	1	Dissolved Metals	HNO ₃	Y
.5L	1	PPB Salinity	-	N

Total number of Bottles 3

Duplicate Sample I.D. _____

Field Blank I.D. _____

Rinseate Sample I.D. _____

③ Field Equipment

Type/Brand/Serial No./Material Units

Pump Type/Tubing Type peristaltic / PE Temp/pH/E.C. meter _____
 Bailer Type _____ Water Level Probe Heron
 Filter Type _____ Other _____

④ Well Conditions



Not OK

Explain _____

**APPENDIX B
CHEMICAL DATA QUALITY REVIEW AND
LABORATORY REPORT
STAGE 1 GROUNDWATER QUALITY MONITORING
ROUND 3: MARCH AND APRIL, 2013**

APPENDIX B
CHEMICAL DATA QUALITY REVIEW AND
LABORATORY REPORT
STAGE 1 GROUNDWATER QUALITY MONITORING
ROUND 3: MARCH AND APRIL, 2013

Data Quality Review

Seven water samples and one blind field duplicate were collected March 19, 2013, as part of the Third Round of Stage 1 groundwater monitoring for the Sitcum Waterway Remediation Project. Samples were shipped to ALS Environmental/Columbia Analytical Services of Kelso, Washington, for analysis. Samples were analyzed for dissolved metals and general chemistry parameters including total organic carbon (TOC) and salinity. The laboratory reported results as service request order K1302526.

Hart Crowser performed a data validation to assess whether analytical results met data quality objectives. Data review followed the format outlined in the National Functional Guidelines for Inorganic Superfund Data Review (EPA 2010) modified to include specific criteria of the individual analytical methods. The following criteria were evaluated in the data quality review process:

- Holding times;
- Instrument calibration;
- Blanks;
- Detection limits;
- Duplicates, blank spikes, and standard reference materials;
- Precision and accuracy;
- Completeness; and
- Data report formats.

Following the data validation, the results for dissolved arsenic were rejected (R) due to zero percent matrix spike recovery. The monitoring wells were resampled on April 16, 2013, for dissolved arsenic only. The laboratory was instructed to increase the spiking amount from 5 times the method detection limit (MDL) to 10 times the MDL to determine if it would improve matrix spike recoveries. The laboratory reported results as service request order K1303535. The spike recovery was improved, though still below project criteria, and results for dissolved arsenic were accepted as estimated values.

Overall Data Quality

The overall data quality objectives (DQOs), as set forth in the OMMP were achieved. The data for this project are acceptable for use with qualification. Detailed discussions are presented below for each analysis.

Sample Receiving Discrepancies

Laboratory Batch K1302526

The receiving temperature for one cooler was 6.1°C, which slightly exceeded the method recommended temperature of 2 to 6°C. Due to the slight exceedance, sample results were not qualified.

Samples MW-14, MW-1400, MW-12, and MW-1: The pH was out of control for sample preservation upon receipt at the laboratory. The pH was adjusted at the laboratory, and sample results were not qualified.

Laboratory Batch K1303535

The receiving temperatures for both coolers were below the method recommended temperature. As low temperatures would not significantly affect analytical results, no sample results were qualified.

Samples MW-12, MW-7, MW-1a, MW-15, and MW-5: The pH was out of control for sample preservation upon receipt at the laboratory. The pH was adjusted at the laboratory, and sample results were not qualified.

Inorganics

Laboratory Methods

The samples were filtered in the field. Samples were prepared by the reductive precipitation option described in EPA Method 1640. The samples were analyzed for dissolved metals by EPA Method 200.8.

Sample Preservation and Holding Times

Sample containers and preservation met requirements. Samples were extracted and analyzed within holding times.

Instrument Calibration

Instrument calibration was acceptable.

Blanks

No analytes were detected in laboratory method blanks.

Detection Limits

Specified analytical reporting and method detection limits were achieved.

Duplicates and Blank Spikes

Blank spike recoveries met QC criteria of 80 to 120 percent. Laboratory duplicate relative percent differences were within QC limits with the following exception:

- MW-5: The RPD for nickel exceeded the control limits. The result for nickel was qualified as estimated (J) in MW-5.

Sample MW-1400 was submitted as a blind field duplicate of sample MW-14 and field duplicate relative percent differences were within QC limits for all analytes with the following exceptions:

- MW-14/MW-1400: The RPDs for copper and zinc exceeded 20 percent. The results for copper were less than five times the reporting limit, and met the \pm reporting limit criteria. The results for zinc were less than five times the reporting limit, but failed the \pm reporting limit criteria. The results for zinc were qualified as estimated (J) in samples MW-14 and MW-1400.

Sample MW-15 was submitted as a blind field duplicate of sample MW-5 for the arsenic reanalysis. The sample and duplicate were non-detect for dissolved arsenic, and the RPD was not applicable.

Precision and Accuracy

Precision was assessed by laboratory duplicate analysis of sample MW-5 for metals determined by EPA Method 200.8. The RPD between duplicate measurements was within QC limits of 20 percent for analytes with concentrations greater than 5 times the reporting limit or \pm the reporting limit for analytes with concentrations less than 5 times the reporting limit, with exceptions noted above.

Accuracy was assessed by matrix spike analysis for metals determined by EPA Method 200.8. Matrix spike recoveries were within limits of 75 to 125 percent for metals with the following exceptions:

- MW-5 MS (March analysis): Arsenic did not recover (0 percent). The recovery for arsenic was within the control limits for the laboratory control sample, indicating a matrix effect. Results for arsenic in the associated samples were rejected (R). The samples were recollected and reanalyzed with increased (10 times the MDL) spiking amounts.
- MW-5 MS (March analysis): The recovery for nickel fell below the control limits. The recovery for nickel was within the control limits for the laboratory control sample, indicating a matrix effect. Results for nickel in the associated samples (MW-10, MW-14, MW-1400, MW-12, MW-1, MW-1a, MW-5, and MW-7) were qualified as estimated (J).
- MW-5 MS (April analysis): The recovery for arsenic fell below the control limits. The recovery for arsenic was within the control limits for the laboratory control sample, indicating a matrix effect. Results for arsenic in the associated samples (MW-10, MW-14, MW-15, MW-12, MW-1, MW-1a, MW-5, and MW-7) were qualified as estimated (J).

Data Completeness

Completeness for metals analysis measurements is 100 percent.

Data Report Formats

Laboratory hardcopy results and electronic deliverables met required data reporting formats.

General Chemistry Parameters

Laboratory Methods

Samples were analyzed for salinity following Standard Method 2520B. Samples were analyzed for total organic carbon (TOC) following EPA Method 415.1.

Sample Preservation and Holding Times

Sample containers and preservation met requirements. Samples were prepared and analyzed within specified holding times.

Blanks

No analytes were detected in laboratory method blanks.

Detection Limits

Specified analytical reporting and method detection limits were achieved.

Duplicates and Blank Spikes

Laboratory duplicate relative percent differences were within QC limits. Blank spike recoveries met QC limits.

Precision and Accuracy

Precision was assessed by laboratory duplicate analysis of sample MW-5 for salinity. Duplicate results were prepared for all samples for TOC. Sample MW-1400 was submitted as a blind field duplicate of sample MW-14. The RPD between duplicate measurements were within QC limits of 20 percent for analytes with concentrations greater than 5 times the reporting limit or \pm the reporting limit for analytes with concentrations less than 5 times the reporting limit.

Accuracy was assessed by matrix spike analysis. Matrix spike recoveries were within limits of 75 to 125 percent.

Data Completeness

Laboratory completeness is 100 percent.

Data Report Formats

Laboratory hardcopy results and electronic deliverables met required data reporting formats.

L:\Jobs\1747201\Data Report\Final\Final Stage 1 GW Quality Report.doc

**LABORATORY REPORT
ALS/COLUMBIA ANALYTICAL SERVICES, INC.**



April 8, 2013

Analytical Report for Service Request No: K1302526

Roger McGinnis
Hart Crowser, Incorporated
1700 Westlake Avenue North
Suite 200
Seattle, WA 98109-3056

RE: Sicum Waterway/17472-01

Dear Roger:

Enclosed are the results of the samples submitted to our laboratory on March 21, 2013. For your reference, these analyses have been assigned our service request number K1302526.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.caslab.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 3363. You may also contact me via Email at Lisa.Domenighini@alsglobal.com.

Respectfully submitted,

ALS Group USA Corp. dba ALS Environmental

A handwritten signature in black ink, appearing to read "Lisa Domenighini".

Lisa Domenighini
Project Manager

LD/mj

Page 1 of 161

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Inorganic Data Qualifiers

- * The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- E The result is an estimate amount because the value exceeded the instrument calibration range.
- J The result is an estimated value.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
DOD-QSM 4.2 definition : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
 - i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- Q See case narrative. One or more quality control criteria was outside the limits.
- H The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

- # The control limit criteria is not applicable. See case narrative.
- J The result is an estimated value.
- E The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
- M The duplicate injection precision was not met.
- N The Matrix Spike sample recovery is not within control limits. See case narrative.
- S The reported value was determined by the Method of Standard Additions (MSA).
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
DOD-QSM 4.2 definition : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- W The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
 - i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- + The correlation coefficient for the MSA is less than 0.995.
- Q See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

- * The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- A A tentatively identified compound, a suspected aldol-condensation product.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- C The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
- D The reported result is from a dilution.
- E The result is an estimated value.
- J The result is an estimated value.
- N The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
- P The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
DOD-QSM 4.2 definition : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
 - i The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
- X See case narrative.
- Q See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

- F The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
- L The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
- H The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
- O The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
- Y The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
- Z The chromatographic fingerprint does not resemble a petroleum product.

Columbia Analytical Services, Inc. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEC UST	http://dec.alaska.gov/applications/eh/ehllabreports/USTLabs.aspx	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx	2286
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L12-28
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Georgia DNR	http://www.gaepd.org/Documents/techguide_pcb.html#cel	881
Hawaii DOH	Not available	-
Idaho DHW	http://www.healthandwelfare.idaho.gov/Health/Labs/CertificationDrinkingWaterLabs/tabid/1833/Default.aspx	-
Indiana DOH	http://www.in.gov/isdh/24859.htm	C-WA-01
ISO 17025	http://www.pjlabs.com/	L12-27
Louisiana DEQ	http://www.deq.louisiana.gov/portal/DIVISIONS/PublicParticipationandPermitSupport/LouisianaLaboratoryAccreditationProgram.aspx	3016
Louisiana DHH	Not available	LA110003
Maine DHS	Not available	WA0035
Michigan DEQ	http://www.michigan.gov/deq/0,1607,7-135-3307_4131_4156---,00.html	9949
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-368
Montana DPHHS	http://www.dphhs.mt.gov/publichealth/	CERT0047
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA35
New Jersey DEP	http://www.nj.gov/dep/oqa/	WA005
New Mexico ED	http://www.nmenv.state.nm.us/dwb/Index.htm	-
North Carolina DWQ	http://www.dwqlab.org/	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA200001
South Carolina DHEC	http://www.scdhec.gov/environment/envserv/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	1704427-08-TX
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C1203
Wisconsin DNR	http://dnr.wi.gov/	998386840
Wyoming (EPA Region 8)	http://www.epa.gov/region8/water/dwhome/wyomingdi.html	-
Kelso Laboratory Website	www.caslab.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.caslab.com or at the accreditation bodies web site.

Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/analyte is offered by that state.

Case Narrative

ALS ENVIRONMENTAL

Client: Hart Crowser, Incorporated
Project: Sitzum Waterway/ 17472-01
Sample Matrix: Water

Service Request No.: K1302526
Date Received: 03/21/13

Case Narrative

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples designated for Tier IV validation deliverables including summary forms and all of the associated raw data for each of the analyses. When appropriate to the method, method blank results have been reported with each analytical test.

Sample Receipt

Eight water samples were received for analysis at ALS Environmental on 03/21/13. The samples were received in good condition and consistent with the accompanying chain of custody form, except where noted on the cooler receipt and preservation form included in this report. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.

General Chemistry Parameters

No anomalies associated with the analysis of these samples were observed.

Dissolved Metals

Matrix Spike Recovery Exceptions:

The matrix spike recoveries of Arsenic and Nickel for sample MW-5 were outside control criteria for the reductive precipitation procedure. Certain matrix components can interfere with the procedure's reaction mechanism resulting in low recoveries. As a result of the interference, the reported values for these analyte may contain a low bias. The associated QA/QC results (i.e. Method Blank, LCSW, CCV, etc.) indicate the analysis was in control. No further corrective action was taken.

The matrix spike recovery of Nickel for sample MW-5 was outside control criteria. Recovery in the Laboratory Control Sample (LCS) was acceptable, which indicated the analytical batch was in control. The matrix spike outlier suggested a potential low bias in this matrix. No further corrective action was appropriate.

Relative Percent Difference Exceptions:

The Relative Percent Difference (RPD) for the replicate analysis of Nickel in sample MW-5 was outside the normal ALS control limits. However, the analyte concentration in this sample was relatively low compared to the sensitivity of the procedure. Insufficient sample remain to re-prepare and reanalyze the sample. No further corrective action was appropriate.

No other anomalies associated with the analysis of these samples were observed.

Approved by

Chain of Custody

Sample Custody Record

Samples Shipped to: _____



Hart Crowser, Inc.
1700 Westlake Avenue North, Suite 200
Seattle, Washington 98109-6212
Office: 206.324.9530 • Fax 206.328.5581

REQUESTED ANALYSIS						NO. OF CONTAINERS	OBSERVATIONS/COMMENTS/ COMPOSITING INSTRUCTIONS
TOC	415.1	Salinity	SH2520B	Diss. Metals	(As, Cu, Pb, Ni, Zn)		
LAB NO.	SAMPLE ID	DESCRIPTION	DATE	TIME	MATRIX		
	MW-10		3/19/13	0915	Water	X X X	3
	MW-14			1216		↓ ↓ ↓	
	MW-1400			1236		↓ ↓ ↓	
	MW-12			1320		↓ ↓ ↓	
	MW-1			1513		↓ ↓ ↓	
	MW-1a			1436		↓ ↓ ↓	4
RELINQUISHED BY	DATE	RECEIVED BY	DATE	SPECIAL SHIPMENT HANDLING OR STORAGE REQUIREMENTS:			
Kerry Hart Crowser	3/20/13	John Smith	3/21/13				
SIGNATURE	TIME	SIGNATURE	TIME				
PRINT NAME		PRINT NAME					
COMPANY	0900	COMPANY	0930				
RELINQUISHED BY	DATE	RECEIVED BY	DATE	COOLER NO.: STORAGE LOCATION:			
SIGNATURE	TIME	SIGNATURE	TIME				
PRINT NAME		PRINT NAME		TURNAROUND TIME: □ 24 HOURS □ 1 WEEK □ 48 HOURS □ STANDARD □ 72 HOURS OTHER			
COMPANY		COMPANY					
See Lab Work Order No. _____ for Other Contract Requirements							



PC Lia

Cooler Receipt and Preservation Form

Client / Project: Hart Crowser Service Request K13 224
Received: 3/21/13 Opened: 3/21/13 By: *[initials]* Unloaded: 3/21/13 By: *[initials]*

1. Samples were received via? *Mail* *Fed Ex* *UPS* *DHL* *PDX* *Courier* *Hand Delivered*
 2. Samples were received in: (circle) *Cooler* *Box* *Envelope* *Other* _____ *NA*
 3. Were custody seals on coolers? *NA* *Y* *N* If yes, how many and where? 1, FRONT 1, BACK
 If present, were custody seals intact? *Y* *N* If present, were they signed and dated? *Y* *N*

SHORT HOLD TIME

7. Packing material: *Inserts* *Baggies* *Bubble Wrap* *Gel Packs* *Wet Ice* *Dry Ice* *Sleeves* _____

8. Were custody papers properly filled out (ink, signed, etc.)? NA Y N

9. Did all bottles arrive in good condition (unbroken)? *Indicate in the table below.* NA Y N

10. Were all sample labels complete (i.e analysis, preservation, etc.)? NA Y N

11. Did all sample labels and tags agree with custody papers? *Indicate major discrepancies in the table on page 2.* NA Y N

12. Were appropriate bottles/containers and volumes received for the tests indicated? NA Y N

13. Were the pH-preserved bottles (*see SMO GEN SOP*) received at the appropriate pH? *Indicate in the table below.* NA Y N

14. Were VOA vials received without headspace? *Indicate in the table below.* NA Y N

15. Was C12/Res negative? NA Y N

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Out of Temp	Head- space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time
MW-14	1-500ml y				X	H ₂ SO ₄	2ml	GenP1-163-N	AB	1020
MW-14*	1-ILR				X	HNO ₃	4ml	K23022	AB	
MW-1400	1-500ml y				X	H ₂ SO ₄	2ml	GenP1-63N	AB	
MW-1400*	1-ILR				X	HNO ₃	4ml	K23022	AB	
MW-12	1-ILR				X	HNO ₃	2ml	K23022	AB	
MW-1	1-ILR				X	HNO ₃	2ml	K23022	AB	

Votes, Discrepancies, & Resolutions: X pit did not correct

Did not receive bottles for total metals, aliquot 250ml from unpreserved bottle for total metals. Per this switched test for Redpot T to Redpot D.

General Chemistry Parameters

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Analytical Report

Client: Hart Crowser, Incorporated
Project: Sictum Waterway/17472-01
Sample Matrix: Water
Analysis Method: 415.1

Service Request: K1302526
Date Collected: 03/19/13
Date Received: 03/21/13
Units: mg/L
Basis: NA

Carbon, Total Organic

Sample Name	Lab Code	Result	MRL	Dil.	Date Analyzed	Q
MW-10	K1302526-001	0.55	0.50	1	03/27/13 20:00	
MW-7	K1302526-002	21	10	20	03/22/12 20:09	
MW-5	K1302526-003	7.6	5.0	10	03/22/12 20:09	
MW-14	K1302526-004	14	10	20	03/22/12 20:09	
MW-1400	K1302526-005	14.0	5.0	10	03/22/12 20:09	
MW-12	K1302526-006	5.0	5.0	10	03/22/12 20:09	
MW-1a	K1302526-007	5.9	5.0	10	03/22/12 20:09	
MW-1	K1302526-008	14	10	20	03/22/12 20:09	
Method Blank	K1302526-MB1	ND U	0.50	1	03/22/12 20:09	
Method Blank	K1302526-MB2	ND U	0.50	1	03/22/12 20:09	
Method Blank	K1302526-MB3	ND U	0.50	1	03/27/13 20:00	
Method Blank	K1302526-MB4	ND U	0.50	1	03/27/13 20:00	

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

QA/QC Report

Client: Hart Crowser, Incorporated **Service Request:** K1302526
Project Sitzum Waterway/17472-01 **Date Collected:** 03/19/13
Sample Matrix: Water **Date Received:** 03/21/13
Analysis Method: 415.1 **Units:** mg/L
 Basis: NA

Duplicate Sample Summary

Carbon, Total Organic

Sample Name:	Lab Code:	MRL	Sample Result	Duplicate Result	Average	RPD	Limit	Date Analyzed
MW-10	K1302526-001DUP	0.50	0.55	0.53	0.542	3	20	03/27/13
MW-7	K1302526-002DUP	10	21	20	20.2	7	20	03/22/12
MW-5	K1302526-003DUP	5.0	7.6	7.4	7.52	3	20	03/22/12
MW-14	K1302526-004DUP	10	14	14	13.8	2	20	03/22/12
MW-1400	K1302526-005DUP	5.0	14.0	14.3	14.1	2	20	03/22/12
MW-12	K1302526-006DUP	5.0	5.0	ND	NC	NC	20	03/22/12
MW-1a	K1302526-007DUP	5.0	5.9	5.4	5.64	10	20	03/22/12
MW-1	K1302526-008DUP	10	14	13	13.9	8	20	03/22/12

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

QA/QC Report

Client: Hart Crowser, Incorporated
Project: Sircum Waterway/17472-01
Sample Matrix: Water

Service Request: K1302526
Date Collected: 03/19/13
Date Received: 03/21/13
Date Analyzed: 03/22/12

Matrix Spike Summary
Carbon, Total Organic

Sample Name: MW-5 **Units:** mg/L
Lab Code: K1302526-003 **Basis:** NA
Analysis Method: 415.1

Matrix Spike
K1302526-003MS

Analyte Name	Sample Result	Result	Spike Amount	% Rec	% Rec Limits
Carbon, Total Organic	7.6	261	250	101	83-117

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

QA/QC Report

Client: Hart Crowser, Incorporated
Project: Sitcum Waterway/17472-01
Sample Matrix: Water

Service Request: K1302526
Date Analyzed: 03/22/12

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method: 415.1

Units: mg/L

Basis: NA

Analysis Lot: 333650

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1302526-LCS1	23.2	22.7	102	83-117
Lab Control Sample	K1302526-LCS2	23.0	22.7	101	83-117

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

QA/QC Report

Client: Hart Crowser, Incorporated **Service Request:**K1302526
Project: Sitcum Waterway/17472-01 **Date Analyzed:**03/27/13
Sample Matrix: Water

Lab Control Sample Summary
Carbon, Total Organic

Analysis Method: 415.1 **Units:**mg/L
 Basis:NA
 Analysis Lot:334179

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1302526-LCS3	23.0	22.7	101	83-117
Lab Control Sample	K1302526-LCS4	23.0	22.7	102	83-117

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

QA/QC Report

Client: Hart Crowser, Incorporated
Project: Sircum Waterway/17472-01

Service Request: K1302526

Continuing Calibration Verification (CCV) Summary

Carbon, Total Organic

Analysis Method: 415.1

Units: mg/L

	Analysis Lot	Lab Code	Date Analyzed	True Value	Measured Value	Percent Recovery	Acceptance Limits
CCV1	333650	KQ1302938-47	03/22/12 20:09	25.0	24.9	100	90-110
CCV2	333650	KQ1302938-48	03/22/12 20:09	25.0	25.1	100	90-110
CCV3	333650	KQ1302938-49	03/22/12 20:09	25.0	24.9	100	90-110
CCV4	333650	KQ1302938-50	03/22/12 20:09	25.0	25.1	100	90-110
CCV5	333650	KQ1302938-51	03/22/12 20:09	25.0	24.9	99	90-110
CCV6	333650	KQ1302938-52	03/22/12 20:09	25.0	25.1	100	90-110
CCV7	333650	KQ1302938-53	03/22/12 20:09	25.0	24.6	99	90-110
CCV8	334179	KQ1303115-35	03/27/13 20:00	25.0	25.1	100	90-110
CCV9	334179	KQ1303115-36	03/27/13 20:00	25.0	24.8	99	90-110
CCV10	334179	KQ1303115-37	03/27/13 20:00	25.0	24.8	99	90-110
CCV11	334179	KQ1303115-38	03/27/13 20:00	25.0	24.6	98	90-110
CCV12	334179	KQ1303115-39	03/27/13 20:00	25.0	24.3	97	90-110

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

QA/QC Report

Client: Hart Crowser, Incorporated
Project: Sircum Waterway/17472-01

Service Request:K1302526

Continuing Calibration Blank (CCB) Summary
Carbon, Total Organic

Analysis Method: 415.1

Units:mg/L

	Analysis Lot	Lab Code	Date Analyzed	MRL	Result	Q
CCB1	333650	KQ1302938-54	03/22/12 20:09	0.50	ND	U
CCB2	333650	KQ1302938-55	03/22/12 20:09	0.50	ND	U
CCB3	333650	KQ1302938-56	03/22/12 20:09	0.50	ND	U
CCB4	333650	KQ1302938-57	03/22/12 20:09	0.50	ND	U
CCB5	333650	KQ1302938-58	03/22/12 20:09	0.50	ND	U
CCB6	333650	KQ1302938-59	03/22/12 20:09	0.50	ND	U
CCB7	333650	KQ1302938-60	03/22/12 20:09	0.50	ND	U
CCB8	334179	KQ1303115-40	03/27/13 20:00	0.50	ND	U
CCB9	334179	KQ1303115-41	03/27/13 20:00	0.50	ND	U
CCB10	334179	KQ1303115-42	03/27/13 20:00	0.50	ND	U
CCB11	334179	KQ1303115-43	03/27/13 20:00	0.50	ND	U
CCB12	334179	KQ1303115-44	03/27/13 20:00	0.50	ND	U

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Analytical Report

Client: Hart Crowser, Incorporated
Project: Sictum Waterway/17472-01
Sample Matrix: Water
Analysis Method: SM 2520 B

Service Request: K1302526
Date Collected: 03/19/13
Date Received: 03/21/13
Units: g/Kg
Basis: NA

Salinity

Sample Name	Lab Code	Result	MRL	Dil.	Date Analyzed	Q
MW-10	K1302526-001	19.6	2.0	1	04/04/13 13:20	
MW-7	K1302526-002	19.2	2.0	1	04/04/13 13:20	
MW-5	K1302526-003	11.1	2.0	1	04/04/13 13:20	
MW-14	K1302526-004	23.6	2.0	1	04/04/13 13:20	
MW-1400	K1302526-005	23.7	2.0	1	04/04/13 13:20	
MW-12	K1302526-006	22.3	2.0	1	04/04/13 13:20	
MW-1a	K1302526-007	ND U	2.0	1	04/04/13 13:20	
MW-1	K1302526-008	ND U	2.0	1	04/04/13 13:20	
Method Blank	K1302526-MB1	ND U	2.0	1	04/04/13 13:20	

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

QA/QC Report

Client: Hart Crowser, Incorporated
Project Sircum Waterway/17472-01
Sample Matrix: Water

Service Request: K1302526
Date Collected: 03/19/13
Date Received: 03/21/13
Date Analyzed: 04/04/13

Replicate Sample Summary
General Chemistry Parameters

Sample Name: MW-5 **Units:** g/Kg
Lab Code: K1302526-003 **Basis:** NA

Analyte Name	Analysis Method	MRL	Sample Result	Duplicate Sample K1302526-003DUP Result	Average	RPD	RPD Limit
			11.1	10.9	11.0	2	20
Salinity	SM 2520 B	2.0					

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Now part of the ALS Group

QA/QC Report

Client: Hart Crowser, Incorporated
Project: Sitzum Waterway/17472-01
Sample Matrix: Water

Service Request:K1302526
Date Analyzed:04/04/13

Lab Control Sample Summary

Salinity

Analysis Method: SM 2520 B **Units:**g/Kg
Basis:NA **Analysis Lot:**335110

Sample Name	Lab Code	Result	Spike Amount	% Rec	% Rec Limits
Lab Control Sample	K1302526-LCS1	16.8	17.5	96	85-115

Original
 Work Request # () 2046, 2097, 2170, 2320, 2239, 2264, 2196, 2231, 2245,
 Tier: II II II II I I I II IV II
 Date Analyzed: 3/22/13 2274, 2299, 2363, 2487, 2526
 Analyst: CES DOC: 333649
 Analysis: TOC/DOC TOC: 333650

DATA QUALITY REPORT INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

1. Is the method name and number correct and appropriate? yes/no/NA
2. Holding times met for all analyses and for all samples? yes/no/NA
3. Are calculations correct? yes/no/NA
4. Is the reporting basis correct? (Dry Weight) yes/no/NA
5. All quality control criteria met? yes/no
6. Is the calibration curve correlation coefficient ≥ 0.995 ? yes/no/NA
7. MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency? yes/no/NA
8. Are ICVs, CCVs, and CCBs all within acceptance limits? yes/no/NA
9. Are results for methods blanks all ND? yes/no/NA
10. Are all QC samples within acceptance criteria?
(LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.) yes/no/NA
11. Are all exceptions explained? yes/no/NA
12. Have all applicable service requests been reviewed? yes/no/NA
13. Are all samples labeled correctly? yes/no/NA
14. Have all instructions on the service request been followed?
(e.g. Special MRLs, QC on a specific sample, Form V) yes/no/NA
15. Are detection limits and units reported correctly? yes/no/NA
16. Is the unused space on the benchsheet crossed out? yes/no/NA
17. Was analysis turned in by the due date? (n-2) (If not record SR#) yes/no/NA

COMMENTS:

2046-1/1d, 2046-2/2d, 2097-4/4d, 2097-2/2d RPD not within acceptance limits; the sample results are $< 5x$ the MRL.

RA 2526-1 TOC (over diluted).

Final Approved by: A

Date: 3/25/13 2526-6 MRL elevated due to sample matrix.
DQREPORT

Analytical Results Summary

Instrument Name: K-TOC-01

Analyst: CSETHE

Analysis Lot:

333649

Method/Testcode: SM 5310 C/TOC D

<u>Sample Code</u>	<u>Target Analytes</u>	<u>QC</u>	<u>Parent Sample</u>	<u>Matrix</u>	<u>Raw Result</u>	<u>Sample Amt.</u>	<u>Final Result</u>	<u>Dil</u>	<u>MDL</u>	<u>PQL</u>	<u>% Rec</u>	<u>% RSD</u>	<u>Date Analyzed</u>	<u>QC? Tier</u>	
302046-001	Carbon, Dissolved Organic (DOC)	N/A		Water	0.54 mg/L	10 ml	0.54 mg/L	1	0.07	0.50			3/22/13 20:09	N II	
302046-002	Carbon, Dissolved Organic (DOC)	N/A		Water	0.58 mg/L	10 ml	0.58 mg/L	1	0.07	0.50			3/22/13 20:09	N II	
302046-003	Carbon, Dissolved Organic (DOC)	N/A		Water	0.12 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50		3/22/13 20:09	N II	
302046-004	Carbon, Dissolved Organic (DOC)	N/A		Water	0.11 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50		3/22/13 20:09	N II	
302046-005	Carbon, Dissolved Organic (DOC)	N/A		Water	1.11 mg/L	10 ml	1.11 mg/L	1	0.07	0.50			3/22/13 20:09	N II	
302046-006	Carbon, Dissolved Organic (DOC)	N/A		Water	0.62 mg/L	10 ml	1.2 mg/L	2	0.2	1.0			3/22/13 20:09	N II	
302046-007	Carbon, Dissolved Organic (DOC)	N/A		Water	0.90 mg/L	10 ml	0.90 mg/L	1	0.07	0.50			3/22/13 20:09	N II	
302046-008	Carbon, Dissolved Organic (DOC)	N/A		Water	0.76 mg/L	10 ml	7.6 mg/L	10	0.8	5.0			3/22/13 20:09	N II	
302046-009	Carbon, Dissolved Organic (DOC)	N/A		Water	0.80 mg/L	10 ml	0.80 mg/L	1	0.07	0.50			3/22/13 20:09	N II	
302046-010	Carbon, Dissolved Organic (DOC)	N/A		Water	0.76 mg/L	10 ml	0.76 mg/L	1	0.07	0.50			3/22/13 20:09	N II	
302046-011	Carbon, Dissolved Organic (DOC)	N/A		Water	0.61 mg/L	10 ml	0.61 mg/L	1	0.07	0.50			3/22/13 20:09	N II	
302046-012	Carbon, Dissolved Organic (DOC)	N/A		Water	5.66 mg/L	10 ml	5.66 mg/L	1	0.07	0.50			3/22/13 20:09	N II	
302097-001	Carbon, Dissolved Organic (DOC)	N/A		Water	0.34 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50			3/22/13 20:09	N II
302097-002	Carbon, Dissolved Organic (DOC)	N/A		Water	1.13 mg/L	10 ml	1.13 mg/L	1	0.07	0.50			3/22/13 20:09	N II	
302097-003	Carbon, Dissolved Organic (DOC)	N/A		Water	0.79 mg/L	10 ml	0.79 mg/L	1	0.07	0.50			3/22/13 20:09	N II	
302097-004	Carbon, Dissolved Organic (DOC)	N/A		Water	1.35 mg/L	10 ml	1.35 mg/L	1	0.07	0.50			3/22/13 20:09	N II	
302170-001	Carbon, Dissolved Organic (DOC)	N/A		Water	5.34 mg/L	10 ml	5.34 mg/L	1	0.07	0.50			3/22/13 20:09	N II	
302320-001	Carbon, Dissolved Organic (DOC)	N/A		Water	5.52 mg/L	10 ml	5.52 mg/L	1	0.07	0.50			3/22/13 20:09	N II	
Q1302933-01	Carbon, Dissolved Organic (DOC)	MS	K1302046-001	Water	25.94 mg/L	10 ml	25.9 mg/L	1	0.07	0.50	102		3/22/13 20:09	N II	
Q1302933-02	Carbon, Dissolved Organic (DOC)	DUP	K1302046-001	Water	0.39 mg/L	10 ml	0.39 mg/L	J	1	0.07	0.50	32*		3/22/13 20:09	N II
Q1302933-03	Carbon, Dissolved Organic (DOC)	DUP	K1302046-002	Water	0.45 mg/L	10 ml	0.45 mg/L	J	1	0.07	0.50	26*		3/22/13 20:09	N II
Q1302933-04	Carbon, Dissolved Organic (DOC)	DUP	K1302046-003	Water	0.11 mg/L	10 ml	0.11 mg/L	J	1	0.07	0.50	NC		3/22/13 20:09	N II
Q1302933-05	Carbon, Dissolved Organic (DOC)	DUP	K1302046-004	Water	0.11 mg/L	10 ml	0.11 mg/L	J	1	0.07	0.50	NC		3/22/13 20:09	N II
Q1302933-06	Carbon, Dissolved Organic (DOC)	DUP	K1302046-005	Water	1.10 mg/L	10 ml	1.10 mg/L	1	0.07	0.50	1		3/22/13 20:09	N II	
Q1302933-07	Carbon, Dissolved Organic (DOC)	DUP	K1302046-006	Water	0.60 mg/L	10 ml	1.2 mg/L	2	0.2	1.0	2		3/22/13 20:09	N II	

indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-01 Analyst: CSETHE Analysis Lot: 333649 Method/Testcode: SM 5310 C/TOC D

Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC? Tier
1302933-08	Carbon, Dissolved Organic (DOC)	DUP	K1302046-007	Water	0.82 mg/L	10 ml	0.82 mg/L	1	0.07	0.50	10	3/22/13 20:09	N	II
1302933-09	Carbon, Dissolved Organic (DOC)	DUP	K1302046-008	Water	0.74 mg/L	10 ml	7.4 mg/L	10	0.8	5.0	3	3/22/13 20:09	N	II
1302933-10	Carbon, Dissolved Organic (DOC)	DUP	K1302046-009	Water	0.82 mg/L	10 ml	0.82 mg/L	1	0.07	0.50	2	3/22/13 20:09	N	II
1302933-11	Carbon, Dissolved Organic (DOC)	DUP	K1302046-010	Water	0.70 mg/L	10 ml	0.70 mg/L	1	0.07	0.50	7	3/22/13 20:09	N	II
1302933-12	Carbon, Dissolved Organic (DOC)	DUP	K1302046-011	Water	0.62 mg/L	10 ml	0.62 mg/L	1	0.07	0.50	2	3/22/13 20:09	N	II
1302933-13	Carbon, Dissolved Organic (DOC)	DUP	K1302046-012	Water	5.61 mg/L	10 ml	5.61 mg/L	1	0.07	0.50	<1	3/22/13 20:09	N	II
1302933-14	Carbon, Dissolved Organic (DOC)	MS	K1302097-001	Water	26.10 mg/L	10 ml	26.1 mg/L	1	0.07	0.50	104	3/22/13 20:09	N	II
1302933-15	Carbon, Dissolved Organic (DOC)	DUP	K1302097-001	Water	0.32 mg/L	10 ml	0.32 mg/L	J	0.07	0.50	NC	3/22/13 20:09	N	II
1302933-16	Carbon, Dissolved Organic (DOC)	DUP	K1302097-002	Water	0.98 mg/L	10 ml	0.98 mg/L	1	0.07	0.50	14*	3/22/13 20:09	N	II
1302933-17	Carbon, Dissolved Organic (DOC)	DUP	K1302097-003	Water	0.80 mg/L	10 ml	0.80 mg/L	1	0.07	0.50	<1	3/22/13 20:09	N	II
1302933-18	Carbon, Dissolved Organic (DOC)	DUP	K1302097-004	Water	1.18 mg/L	10 ml	1.18 mg/L	1	0.07	0.50	14*	3/22/13 20:09	N	II
1302933-19	Carbon, Dissolved Organic MS	K1302170-001	Water	31.86 mg/L	10 ml	31.9 mg/L	1	0.07	0.50	106	3/22/13 20:09	N	II	
1302933-20	Carbon, Dissolved Organic DUP	K1302170-001	Water	5.32 mg/L	10 ml	5.32 mg/L	1	0.07	0.50	<1	3/22/13 20:09	N	II	
1302933-21	Carbon, Dissolved Organic MS	K1302320-001	Water	31.35 mg/L	10 ml	31.4 mg/L	1	0.07	0.50	103	3/22/13 20:09	N	II	
1302933-22	Carbon, Dissolved Organic DUP	K1302320-001	Water	5.34 mg/L	10 ml	5.34 mg/L	1	0.07	0.50	3	3/22/13 20:09	N	II	
1302933-23	Carbon, Dissolved Organic MB		Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50		3/22/13 20:09	N	II
1302933-23	Carbon, Dissolved Organic (DOC)	MB	Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50		3/22/13 20:09	N	II
1302933-24	Carbon, Dissolved Organic MB		Water	-0.03 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50		3/22/13 20:09	N	II
1302933-24	Carbon, Dissolved Organic (DOC)	MB	Water	-0.03 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50		3/22/13 20:09	N	II
1302933-25	Carbon, Dissolved Organic LCS		Water	23.08 mg/L	10 ml	23.1 mg/L	1	0.07	0.50	102	3/22/13 20:09	N	II	
1302933-25	Carbon, Dissolved Organic (DOC)	LCS	Water	23.08 mg/L	10 ml	23.1 mg/L	1	0.07	0.50	102	3/22/13 20:09	N	II	
1302933-26	Carbon, Dissolved Organic LCS		Water	23.04 mg/L	10 ml	23.0 mg/L	1	0.07	0.50	102	3/22/13 20:09	N	II	
1302933-26	Carbon, Dissolved Organic (DOC)	LCS	Water	23.04 mg/L	10 ml	23.0 mg/L	1	0.07	0.50	102	3/22/13 20:09	N	II	
1302933-27	Carbon, Dissolved Organic CCV		Water	25.29 mg/L	10 ml	25.3 mg/L	1			101	3/22/13 20:09	N	II	
1302933-27	Carbon, Dissolved Organic (DOC)	CCV	Water	25.29 mg/L	10 ml	25.3 mg/L	1			101	3/22/13 20:09	N	II	
1302933-28	Carbon, Dissolved Organic CCV		Water	25.15 mg/L	10 ml	25.2 mg/L	1			101	3/22/13 20:09	N	II	
1302933-28	Carbon, Dissolved Organic (DOC)	CCV	Water	25.15 mg/L	10 ml	25.2 mg/L	1			101	3/22/13 20:09	N	II	
1302933-29	Carbon, Dissolved Organic CCV		Water	24.93 mg/L	10 ml	24.9 mg/L	1			100	3/22/13 20:09	N	II	

Indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-01666 Analyst: CSETHE Analysis Lot: 333649 Method/Testcode: SM 5310 C/TOC D

Job Code	Target Analytes	QC of Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC? Tier
1302933-29	Carbon, Dissolved Organic (DOC)	CCV	Water	24.93 mg/L	10 ml	24.9 mg/L	1		100			3/22/13 20:09	N II
1302933-30	Carbon, Dissolved Organic (DOC)	CCV	Water	25.08 mg/L	10 ml	25.1 mg/L	1		100			3/22/13 20:09	N II
1302933-30	Carbon, Dissolved Organic (DOC)	CCV	Water	25.08 mg/L	10 ml	25.1 mg/L	1		100			3/22/13 20:09	N II
1302933-31	Carbon, Dissolved Organic (DOC)	CCB	Water	0.07 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/13 20:09	N II
1302933-31	Carbon, Dissolved Organic (DOC)	CCB	Water	0.07 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/13 20:09	N II
1302933-32	Carbon, Dissolved Organic (DOC)	CCB	Water	0.05 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/13 20:09	N II
1302933-32	Carbon, Dissolved Organic (DOC)	CCB	Water	0.05 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/13 20:09	N II
1302933-33	Carbon, Dissolved Organic (DOC)	CCB	Water	-0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/13 20:09	N II
1302933-33	Carbon, Dissolved Organic (DOC)	CCB	Water	-0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/13 20:09	N II
1302933-34	Carbon, Dissolved Organic (DOC)	CCB	Water	-0.03 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/13 20:09	N II
1302933-34	Carbon, Dissolved Organic (DOC)	CCB	Water	-0.03 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/13 20:09	N II

CES 3/25/13

24

Indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-01

Analyst: CSETHE

Analysis Lot:

333650

Method/Testcode: 415.1/TOC T

Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC? Tier	
302196-001	Carbon, Total Organic	N/A		Water	1.37 mg/L	10 ml	1.37 mg/L	1	0.07	0.50			3/22/12 20:09	N II	
302196-002	Carbon, Total Organic	N/A		Water	0.27 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50			3/22/12 20:09	N II
302196-003	Carbon, Total Organic	N/A		Water	2.88 mg/L	10 ml	5.8 mg/L	2	0.2	1.0			3/22/12 20:09	N II	
302196-004	Carbon, Total Organic	N/A		Water	3.27 mg/L	10 ml	6.5 mg/L	2	0.2	1.0			3/22/12 20:09	N II	
302231-003	Carbon, Total Organic	N/A		Water	3.85 mg/L	10 ml	7.7 mg/L	2	0.2	1.0			3/22/12 20:09	N V	
302239-001	Carbon, Total Organic	N/A		Water	0.61 mg/L	10 ml	0.61 mg/L	1	0.07	0.50			3/22/12 20:09	N I	
302245-001	Carbon, Total Organic	N/A		Water	0.72 mg/L	10 ml	0.72 mg/L	1	0.07	0.50			3/22/12 20:09	N II	
302264-001	Carbon, Total Organic	N/A		Water	0.87 mg/L	10 ml	0.87 mg/L	1	0.07	0.50			3/22/12 20:09	N I	
302264-002	Carbon, Total Organic	N/A		Water	1.58 mg/L	10 ml	1.58 mg/L	1	0.07	0.50			3/22/12 20:09	N I	
302264-003	Carbon, Total Organic	N/A		Water	0.32 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50			3/22/12 20:09	N I
302264-004	Carbon, Total Organic	N/A		Water	0.27 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50			3/22/12 20:09	N I
302264-005	Carbon, Total Organic	N/A		Water	0.32 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50			3/22/12 20:09	N I
302264-006	Carbon, Total Organic	N/A		Water	0.25 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50			3/22/12 20:09	N I
302274-002	Carbon, Total Organic	N/A		Water	7.68 mg/L	10 ml	7.68 mg/L	1	0.07	0.50			3/22/12 20:09	N V	
302274-003	Carbon, Total Organic	N/A		Water	2.48 mg/L	10 ml	24.8 mg/L	10	0.8	5.0			3/22/12 20:09	N V	
302274-004	Carbon, Total Organic	N/A		Water	2.61 mg/L	10 ml	26.1 mg/L	10	0.8	5.0			3/22/12 20:09	N V	
302274-005	Carbon, Total Organic	N/A		Water	1.19 mg/L	10 ml	1.19 mg/L	1	0.07	0.50			3/22/12 20:09	N V	
302274-006	Carbon, Total Organic	N/A		Water	6.47 mg/L	10 ml	12.9 mg/L	2	0.2	1.0			3/22/12 20:09	N V 22	
302274-007	Carbon, Total Organic	N/A		Water	2.82 mg/L	10 ml	56 mg/L	20	2	10			3/22/12 20:09	N V	
302299-001	Carbon, Total Organic	N/A		Water	2.83 mg/L	10 ml	283 mg/L	100	8	50			3/22/12 20:09	N II	
302299-002	Carbon, Total Organic	N/A		Water	3.55 mg/L	10 ml	7.1 mg/L	2	0.2	1.0			3/22/12 20:09	N II	
302299-003	Carbon, Total Organic	N/A		Water	2.60 mg/L	10 ml	2.60 mg/L	1	0.07	0.50			3/22/12 20:09	N II	
302363-001	Carbon, Total Organic	N/A		Storm Water	2.12 mg/L	10 ml	10.6 mg/L	5	0.4	2.5			3/22/12 20:09	N IV	
302487-001	Carbon, Total Organic	N/A		Storm Water	3.82 mg/L	10 ml	3.82 mg/L	1	0.07	0.50			3/22/12 20:09	N IV	
302526-001	Carbon, Total Organic	N/A		Water	0.29 mg/L	10 ml	1.0 mg/L	U	2	0.2	1.0			3/22/12 20:09	N IV
302526-002	Carbon, Total Organic	N/A		Water	1.04 mg/L	10 ml	21 mg/L	20	2	10			3/22/12 20:09	N IV	
302526-003	Carbon, Total Organic	N/A		Water	0.76 mg/L	10 ml	7.6 mg/L	10	0.8	5.0			3/22/12 20:09	Y IV	
302526-004	Carbon, Total Organic	N/A		Water	0.70 mg/L	10 ml	14 mg/L	20	2	10			3/22/12 20:09	N IV	
302526-005	Carbon, Total Organic	N/A		Water	1.40 mg/L	10 ml	14.0 mg/L	10	0.8	5.0			3/22/12 20:09	N IV	
302526-006	Carbon, Total Organic	N/A		Water	0.50 mg/L	10 ml	5.0 mg/L	10	0.8	5.0			3/22/12 20:09	N IV	
302526-007	Carbon, Total Organic	N/A		Water	0.59 mg/L	10 ml	5.9 mg/L	10	0.8	5.0			3/22/12 20:09	N IV	
302526-008	Carbon, Total Organic	N/A		Water	0.72 mg/L	10 ml	14 mg/L	20	2	10			3/22/12 20:09	N IV	
Q1302938-01	Carbon, Total Organic	MS	K1302239-001	Water	26.15 mg/L	10 ml	26.2 mg/L	1	0.07	0.50	102		3/22/12 20:09	N I	
Q1302938-02	Carbon, Total Organic	DUP	K1302239-001	Water	0.60 mg/L	10 ml	0.60 mg/L	1	0.07	0.50		2	3/22/12 20:09	N I	

Indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-01

Analyst: CSETHE

Analysis Lot:

333650

Method/Testcode: SM 5310 C/TOC T

Job Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC? Tier
1302938-03	Carbon, Total Organic	MS	K1302264-001	Water	26.70 mg/L	10 ml	26.7 mg/L	1	0.07	0.50			3/22/12 20:09	N I
1302938-04	Carbon, Total Organic	DUP	K1302264-001	Water	0.82 mg/L	10 ml	0.82 mg/L	1	0.07	0.50	6		3/22/12 20:09	N I
1302938-05	Carbon, Total Organic	DUP	K1302264-002	Water	1.44 mg/L	10 ml	1.44 mg/L	1	0.07	0.50	9		3/22/12 20:09	N I
1302938-06	Carbon, Total Organic	DUP	K1302264-003	Water	0.31 mg/L	10 ml	0.31 mg/L	J	1	0.07	0.50	NC	3/22/12 20:09	N I
1302938-07	Carbon, Total Organic	DUP	K1302264-004	Water	0.27 mg/L	10 ml	0.27 mg/L	J	1	0.07	0.50	NC	3/22/12 20:09	N I
1302938-08	Carbon, Total Organic	DUP	K1302264-005	Water	0.30 mg/L	10 ml	0.30 mg/L	J	1	0.07	0.50	NC	3/22/12 20:09	N I
1302938-09	Carbon, Total Organic	DUP	K1302264-006	Water	0.24 mg/L	10 ml	0.24 mg/L	J	1	0.07	0.50	NC	3/22/12 20:09	N I
1302938-10	Carbon, Total Organic	MS	K1302196-001	Water	27.15 mg/L	10 ml	27.2 mg/L	1	0.07	0.50	103		3/22/12 20:09	N II
1302938-11	Carbon, Total Organic	DUP	K1302196-001	Water	1.38 mg/L	10 ml	1.38 mg/L	1	0.07	0.50	<1		3/22/12 20:09	N II
1302938-12	Carbon, Total Organic	DUP	K1302196-002	Water	0.12 mg/L	10 ml	0.12 mg/L	J	1	0.07	0.50	NC	3/22/12 20:09	N II
1302938-13	Carbon, Total Organic	DUP	K1302196-003	Water	2.76 mg/L	10 ml	5.5 mg/L	2	0.2	1.0	4		3/22/12 20:09	N II
1302938-14	Carbon, Total Organic	DUP	K1302196-004	Water	3.25 mg/L	10 ml	6.5 mg/L	2	0.2	1.0	<1		3/22/12 20:09	N II
1302938-15	Carbon, Total Organic	MS	K1302231-003	Water	30.19 mg/L	10 ml	60.4 mg/L	2	0.2	1.0	105		3/22/12 20:09	N V
1302938-16	Carbon, Total Organic	DUP	K1302231-003	Water	3.81 mg/L	10 ml	7.6 mg/L	2	0.2	1.0	<1		3/22/12 20:09	N V
1302938-17	Carbon, Total Organic	MS	K1302245-001	Water	24.52 mg/L	10 ml	24.5 mg/L	1	0.07	0.50	95		3/22/12 20:09	N II
1302938-18	Carbon, Total Organic	DUP	K1302245-001	Water	0.59 mg/L	10 ml	0.59 mg/L	1	0.07	0.50	20		3/22/12 20:09	N II
1302938-19	Carbon, Total Organic	MS	K1302274-002	Water	34.11 mg/L	10 ml	34.1 mg/L	1	0.07	0.50	106		3/22/12 20:09	N V
1302938-20	Carbon, Total Organic	DUP	K1302274-002	Water	7.47 mg/L	10 ml	7.47 mg/L	1	0.07	0.50	3		3/22/12 20:09	N V
1302938-21	Carbon, Total Organic	DUP	K1302274-003	Water	2.40 mg/L	10 ml	24.0 mg/L	10	0.8	5.0	3		3/22/12 20:09	N V
1302938-22	Carbon, Total Organic	DUP	K1302274-004	Water	2.53 mg/L	10 ml	25.3 mg/L	10	0.8	5.0	3		3/22/12 20:09	N V
1302938-23	Carbon, Total Organic	DUP	K1302274-005	Water	1.23 mg/L	10 ml	1.23 mg/L	1	0.07	0.50	3		3/22/12 20:09	N V
1302938-24	Carbon, Total Organic	DUP	K1302274-006	Water	6.44 mg/L	10 ml	12.9 mg/L	2	0.2	1.0	<1		3/22/12 20:09	N V
1302938-25	Carbon, Total Organic	DUP	K1302274-007	Water	2.77 mg/L	10 ml	55 mg/L	20	2	10	2		3/22/12 20:09	N V
1302938-26	Carbon, Total Organic	DUP	K1302299-001	Water	3.02 mg/L	10 ml	302 mg/L	100	8	50	6		3/22/12 20:09	N II
1302938-27	Carbon, Total Organic	DUP	K1302299-002	Water	3.54 mg/L	10 ml	7.1 mg/L	2	0.2	1.0	<1		3/22/12 20:09	N II
1302938-28	Carbon, Total Organic	MS	K1302299-003	Water	27.39 mg/L	10 ml	27.4 mg/L	1	0.07	0.50	99		3/22/12 20:09	N II
1302938-29	Carbon, Total Organic	DUP	K1302299-003	Water	2.53 mg/L	10 ml	2.53 mg/L	1	0.07	0.50	3		3/22/12 20:09	N II
1302938-30	Carbon, Total Organic	MS	K1302363-001	Storm Water	27.58 mg/L	10 ml	138 mg/L	5	0.4	2.5	102		3/22/12 20:09	N IV
1302938-31	Carbon, Total Organic	DUP	K1302363-001	Storm Water	2.02 mg/L	10 ml	10.1 mg/L	5	0.4	2.5	5		3/22/12 20:09	N IV
1302938-32	Carbon, Total Organic	MS	K1302487-001	Storm Water	29.59 mg/L	10 ml	29.6 mg/L	1	0.07	0.50	103		3/22/12 20:09	N IV
1302938-33	Carbon, Total Organic	DUP	K1302487-001	Storm Water	3.77 mg/L	10 ml	3.77 mg/L	1	0.07	0.50	1		3/22/12 20:09	N IV
1302938-34	Carbon, Total Organic	DUP	K1302526-001	Water	0.23 mg/L	10 ml	0.5 mg/L	J	2	0.2	1.0	NC	3/22/12 20:09	N IV
1302938-35	Carbon, Total Organic	DUP	K1302526-002	Water	0.98 mg/L	10 ml	20 mg/L	20	2	10	7		3/22/12 20:09	N IV

Indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-01

Analyst: CSETHE

Analysis Lot:

333650

Method/Testcode: 415.1/TOC T

Sample ID	Target Analytes	QC Type	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC? Tier
1302938-36	Carbon, Total Organic	MS	K1302526-003	Water	26.07 mg/L	10 ml	261 mg/L	10	0.8	5.0	101		3/22/12 20:09	N IV
1302938-37	Carbon, Total Organic	DUP	K1302526-003	Water	0.74 mg/L	10 ml	7.4 mg/L	10	0.8	5.0		3	3/22/12 20:09	N IV
1302938-38	Carbon, Total Organic	DUP	K1302526-004	Water	0.68 mg/L	10 ml	14 mg/L	20	2	10		2	3/22/12 20:09	N IV
1302938-39	Carbon, Total Organic	DUP	K1302526-005	Water	1.43 mg/L	10 ml	14.3 mg/L	10	0.8	5.0		2	3/22/12 20:09	N IV
1302938-40	Carbon, Total Organic	DUP	K1302526-006	Water	0.49 mg/L	10 ml	4.9 mg/L	10	0.8	5.0		3	3/22/12 20:09	N IV
1302938-41	Carbon, Total Organic	DUP	K1302526-007	Water	0.54 mg/L	10 ml	5.4 mg/L	10	0.8	5.0		10	3/22/12 20:09	N IV
1302938-42	Carbon, Total Organic	DUP	K1302526-008	Water	0.67 mg/L	10 ml	13 mg/L	20	2	10		8	3/22/12 20:09	N IV
1302938-43	Carbon, Total Organic	MB		Water	-0.03 mg/L	10 ml	0.50 mg/L	U 1	0.07	0.50			3/22/12 20:09	N I
1302938-43	Carbon, Total Organic	MB		Water	-0.03 mg/L	10 ml	0.50 mg/L	U 1	0.07	0.50			3/22/12 20:09	N I
1302938-44	Carbon, Total Organic	MB		Water	-0.03 mg/L	10 ml	0.50 mg/L	U 1	0.07	0.50			3/22/12 20:09	N I
1302938-45	Carbon, Total Organic	LCS		Water	23.17 mg/L	10 ml	23.2 mg/L	1	0.07	0.50	102		3/22/12 20:09	N I
1302938-45	Carbon, Total Organic	LCS		Water	23.17 mg/L	10 ml	23.2 mg/L	1	0.07	0.50	102		3/22/12 20:09	N I
1302938-46	Carbon, Total Organic	LCS		Water	22.96 mg/L	10 ml	23.0 mg/L	1	0.07	0.50	101		3/22/12 20:09	N I
1302938-46	Carbon, Total Organic	LCS		Water	22.96 mg/L	10 ml	23.0 mg/L	1	0.07	0.50	101		3/22/12 20:09	N I
1302938-47	Carbon, Total Organic	CCV		Water	24.93 mg/L	10 ml	24.9 mg/L	1			100		3/22/12 20:09	N I
1302938-47	Carbon, Total Organic	CCV		Water	24.93 mg/L	10 ml	24.9 mg/L	1			100		3/22/12 20:09	N I
1302938-48	Carbon, Total Organic	CCV		Water	25.08 mg/L	10 ml	25.1 mg/L	1			100		3/22/12 20:09	N I
1302938-48	Carbon, Total Organic	CCV		Water	25.08 mg/L	10 ml	25.1 mg/L	1			100		3/22/12 20:09	N I
1302938-49	Carbon, Total Organic	CCV		Water	24.93 mg/L	10 ml	24.9 mg/L	1			100		3/22/12 20:09	N I
1302938-49	Carbon, Total Organic	CCV		Water	24.93 mg/L	10 ml	24.9 mg/L	1			100		3/22/12 20:09	N I
1302938-50	Carbon, Total Organic	CCV		Water	25.05 mg/L	10 ml	25.1 mg/L	1			100		3/22/12 20:09	N I
1302938-50	Carbon, Total Organic	CCV		Water	25.05 mg/L	10 ml	25.1 mg/L	1			100		3/22/12 20:09	N I
1302938-51	Carbon, Total Organic	CCV		Water	24.87 mg/L	10 ml	24.9 mg/L	1			100		3/22/12 20:09	N I
1302938-51	Carbon, Total Organic	CCV		Water	24.87 mg/L	10 ml	24.9 mg/L	1			100		3/22/12 20:09	N I
1302938-52	Carbon, Total Organic	CCV		Water	25.05 mg/L	10 ml	25.1 mg/L	1			100		3/22/12 20:09	N I
1302938-52	Carbon, Total Organic	CCV		Water	25.05 mg/L	10 ml	25.1 mg/L	1			100		3/22/12 20:09	N I
1302938-52	Carbon, Total Organic	CCV		Water	25.05 mg/L	10 ml	25.1 mg/L	1			100		3/22/12 20:09	N I
1302938-53	Carbon, Total Organic	CCV		Water	24.64 mg/L	10 ml	24.6 mg/L	1			98		3/22/12 20:09	N I
1302938-53	Carbon, Total Organic	CCV		Water	24.64 mg/L	10 ml	24.6 mg/L	1			98		3/22/12 20:09	N I
1302938-54	Carbon, Total Organic	CCB		Water	-0.01 mg/L	10 ml	0.50 mg/L	U 1	0.07	0.50			3/22/12 20:09	N I
1302938-54	Carbon, Total Organic	CCB		Water	-0.01 mg/L	10 ml	0.50 mg/L	U 1	0.07	0.50			3/22/12 20:09	N I
1302938-55	Carbon, Total Organic	CCB		Water	-0.03 mg/L	10 ml	0.50 mg/L	U 1	0.07	0.50			3/22/12 20:09	N I
1302938-55	Carbon, Total Organic	CCB		Water	-0.03 mg/L	10 ml	0.50 mg/L	U 1	0.07	0.50			3/22/12 20:09	N I
1302938-56	Carbon, Total Organic	CCB		Water	-0.03 mg/L	10 ml	0.50 mg/L	U 1	0.07	0.50			3/22/12 20:09	N I
1302938-56	Carbon, Total Organic	CCB		Water	-0.03 mg/L	10 ml	0.50 mg/L	U 1	0.07	0.50			3/22/12 20:09	N I
1302938-57	Carbon, Total Organic	CCB		Water	-0.03 mg/L	10 ml	0.50 mg/L	U 1	0.07	0.50			3/22/12 20:09	N I

Indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-011 Analyst: CSETHE Date Analyzed: 3/22/12 Analysis Lot: 333650 Method/Testcode: SM 5310 C/TOC TIC

Job Code	Target Analytes	QC A.	Parent Sample	Matrix	Raw Result	Sample Amt	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC? Tier
Q1302938-57	Carbon, Total Organic	CCB		Water	-0.03 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/12 20:09	N I
Q1302938-58	Carbon, Total Organic	CCB		Water	-0.03 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/12 20:09	N I
Q1302938-58	Carbon, Total Organic	CCB		Water	-0.03 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/12 20:09	N I
Q1302938-59	Carbon, Total Organic	CCB		Water	-0.03 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/12 20:09	N I
Q1302938-59	Carbon, Total Organic	CCB		Water	-0.03 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/12 20:09	N I
Q1302938-60	Carbon, Total Organic	CCB		Water	-0.03 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/12 20:09	N I
Q1302938-60	Carbon, Total Organic	CCB		Water	-0.03 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/22/12 20:09	N I

indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

COLUMBIA ANALYTICAL SERVICES, INC.

Matrix: WATER

Analysis: Total Organic Carbon (WATER)

Method: Oxidation EPA 415.1/9060/5310C

DOC: 333649

Printout	Sample #	Dil. Factor	Solution Conc., mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1		0.0279	-0.0279	-0.0279	<0.5	
2	ICV	1		0.0279	-0.0279	-0.0279	<0.5	
3	ICB	1		0.0279	-0.0279	-0.0279	<0.5	
4	CCV1	1	25.315	0.0279	25.2870	25.287	25.3	
5	CCB1	1	0.094	0.0279	0.0658	0.0658	<0.50	
6	MB1	1	0.040	0.0279	0.0123	0.0123	<0.50	
7	LCS1	1	23.110	0.0279	23.0822	23.0822	23.1	
8	K1302046-001	1	0.563	0.0279	0.5352	0.5352	0.54	
9	K1302046-001d	1	0.417	0.0279	0.3887	0.3887	<0.50	
10	K1302046-001ms	1	25.965	0.0279	25.9373	25.9373	25.9	
11	K1302046-002	1	0.612	0.0279	0.5842	0.5842	0.58	
12	K1302046-002d	1	0.478	0.0279	0.4505	0.4505	<0.50	
13	K1302046-003	1	0.150	0.0279	0.1219	0.1219	<0.50	
14	K1302046-003d	1	0.137	0.0279	0.1093	0.1093	<0.50	
15	K1302046-004	1	0.134	0.0279	0.1058	0.1058	<0.50	
16	K1302046-004d	1	0.133	0.0279	0.1051	0.1051	<0.50	
17	K1302046-005	1	1.138	0.0279	1.1105	1.1105	1.11	
18	K1302046-005d	1	1.124	0.0279	1.0959	1.0959	1.10	
19	K1302046-006	2	0.644	0.0279	0.6157	1.2314	1.23	
20	K1302046-006d	2	0.630	0.0279	0.6023	1.2046	1.20	
21	CCV2	1	25.180	0.0279	25.1517	25.1517	25.2	
22	CCB2	1	0.080	0.0279	0.0516	0.0516	<0.50	
23	K1302046-007	1	0.931	0.0279	0.9031	0.9031	0.90	
24	K1302046-007d	1	0.845	0.0279	0.8175	0.8175	0.82	
25	K1302046-008	10	0.786	0.0279	0.7578	7.578	7.58	

ICV = 25.0 ppm (Ref.#11-GEN-05-20A)

ICAL Date 1/11/13

ICAL ID#:11-GEN-05-18K

LCS =22.7 ppm APG 4013 Lot #180411 (REF#TOC1-09-L)

CCV = 25.0 ppm (Ref.#11-GEN-05-20A)

Spike: 0.05 ml of 5000 ppm stock ---> 10.0 ml so=25.0 x Dilution Factor (Ref.# 11-GEN-05-15E)

date time

Analyzed By: CLS Date Analyzed 3/22/2013 20:09:00Reviewed By: K Date Reviewed 3/25/13

COLUMBIA ANALYTICAL SERVICES, INC.

Matrix: WATER

Analysis: Total Organic Carbon (WATER)

Method: Oxidation EPA 415.1/9060

Printout	Sample #	Dil. Factor	Solution Conc., mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1302046-008d	10	0.764	0.0279	0.7364	7.364	7.36	
27	K1302046-009	1	0.829	0.0279	0.8011	0.8011	0.80	
28	K1302046-009d	1	0.848	0.0279	0.8199	0.8199	0.82	
29	K1302046-010	1	0.787	0.0279	0.7587	0.7587	0.76	
30	K1302046-010d	1	0.732	0.0279	0.7043	0.7043	0.70	
31	K1302046-011	1	0.636	0.0279	0.6078	0.6078	0.61	
32	K1302046-011d	1	0.648	0.0279	0.6203	0.6203	0.62	
33	K1302046-012	1	5.690	0.0279	5.6622	5.6622	5.66	
34	K1302046-012d	1	5.635	0.0279	5.6074	5.6074	5.61	
35	K1302097-001	1	0.363	0.0279	0.3355	0.3355	<0.50	
36	K1302097-001d	1	0.343	0.0279	0.3153	0.3153	<0.50	
37	K1302097-001ms	1	26.130	0.0279	26.1017	26.1017	26.1	
38	K1302097-002	1	1.162	0.0279	1.1340	1.134	1.13	
39	K1302097-002d	1	1.013	0.0279	0.9848	0.9848	0.98	
40	K1302097-003	1	0.817	0.0279	0.7891	0.7891	0.79	
41	K1302097-003d	1	0.823	0.0279	0.7951	0.7951	0.80	
42	CCV3	1	24.962	0.0279	24.9341	24.9341	24.9	
43	CCB3	1	0.016	0.0279	-0.0123	-0.0123	<0.50	
44	MB2	1	0.000	0.0279	-0.0279	-0.0279	<0.50	
45	LCS2	1	23.070	0.0279	23.0417	23.0417	23.0	
46	K1302097-004	1	1.379	0.0279	1.3508	1.3508	1.35	
47	K1302097-004d	1	1.204	0.0279	1.1756	1.1756	1.18	
48	K1302170-001	1	5.370	0.0279	5.3423	5.3423	5.34	
49	K1302170-001d	1	5.345	0.0279	5.3171	5.3171	5.32	
50	K1302170-001ms	1	31.888	0.0279	31.8598	31.8598	31.9	

Analyzed By: CES Date Analyzed: 3/22/2013 20:09:00

Reviewed By: / Date Reviewed: 3/25/13

COLUMBIA ANALYTICAL SERVICES, INC.

Matrix: WATER

Analysis: Total Organic Carbon (WATER)

Method: Oxidation EPA 415.1/9060

Analyzed By:	CLS	Date Analyzed	3/22/2013	20:09:00
Reviewed By:	K	Date Reviewed	3/28/13	

COLUMBIA ANALYTICAL SERVICES, INC.

Matrix: WATER

Analysis: Total Organic Carbon (WATER)

Method: Oxidation EPA 415.1/9060/5310C

TOC: 333650

Printout	Sample #	Dil. Factor	Solution Conc., mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1		0.0279	-0.0279	-0.0279	<0.5	
2	CCV3	1	24.962	0.0279	24.9341	24.9341	24.9	
3	CCB3	1	0.016	0.0279	-0.0123	-0.0123	<0.50	
4	K1302239-001	1	0.643	0.0279	0.6147	0.6147	0.61	
5	K1302239-001d	1	0.629	0.0279	0.6011	0.6011	0.60	
6	K1302239-001ms	1	26.179	0.0279	26.1508	26.1508	26.2	
7	CCV4	1	25.113	0.0279	25.0848	25.0848	25.1	
8	CCB4	1	0.000	0.0279	-0.0279	-0.0279	<0.50	
9	K1302264-001	1	0.899	0.0279	0.8711	0.8711	0.87	
10	K1302264-001d	1	0.847	0.0279	0.8190	0.819	0.82	
11	K1302264-001ms	1	26.727	0.0279	26.6987	26.6987	26.7	
12	K1302264-002	1	1.607	0.0279	1.5795	1.5795	1.58	
13	K1302264-002d	1	1.471	0.0279	1.4434	1.4434	1.44	
14	K1302264-003	1	0.347	0.0279	0.3189	0.3189	<0.50	
15	K1302264-003d	1	0.338	0.0279	0.3103	0.3103	<0.50	
16	K1302264-004	1	0.295	0.0279	0.2671	0.2671	<0.50	
17	K1302264-004d	1	0.298	0.0279	0.2705	0.2705	<0.50	
18	K1302264-005	1	0.346	0.0279	0.3180	0.318	<0.50	
19	K1302264-005d	1	0.323	0.0279	0.2951	0.2951	<0.50	
20	K1302264-006	1	0.274	0.0279	0.2464	0.2464	<0.50	
21	K1302264-006d	1	0.268	0.0279	0.2402	0.2402	<0.50	
22	K1302196-001	1	1.400	0.0279	1.3725	1.3725	1.37	
23	K1302196-001d	1	1.412	0.0279	1.3844	1.3844	1.38	
24	K1302196-001ms	1	27.183	0.0279	27.1548	27.1548	27.2	
25	K1302196-002	1	0.301	0.0279	0.2728	0.2728	<0.50	

ICV = 25.0 ppm (Ref.#11-GEN-05-20A)

ICAL Date 1/11/13

ICAL ID#: 11-GEN-05-18K

LCS = 22.7 ppm APG 4013 Lot #180411 (REF#TOC1-09-L)

CCV = 25.0 ppm (Ref.#11-GEN-05-20A)

Spike: 0.05 ml of 5000 ppm stock ---> 10.0 ml so = 25.0 x Dilution Factor (Ref.# 11-GEN-05-15E)

Analyzed By:	Date Analyzed	date	time
GES	3/22/2012	20:09:00	
Reviewed By:	Date Reviewed	<i>3/28/13</i>	

COLUMBIA ANALYTICAL SERVICES, INC.

Matrix: WATER

Analysis: Total Organic Carbon (WATER)

Method: Oxidation EPA 415.1/9060

Printout	Sample #	Dil. Factor	Solution Conc., mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	K1302196-002d	1	0.150	0.0279	0.1224	0.1224	<0.50	
27	CCV5	1	24.963	0.0279	24.9349	24.9349	24.9	
28	CCB5	1	0.000	0.0279	-0.0279	-0.0279	<0.50	
29	MB3	1	0.000	0.0279	-0.0279	-0.0279	<0.50	
30	LCS3	1	23.199	0.0279	23.1706	23.1706	23.2	
31	K1302196-003	2	2.913	0.0279	2.8847	5.7694	5.77	
32	K1302196-003d	2	2.786	0.0279	2.7579	5.5158	5.52	
33	K1302196-004	2	3.295	0.0279	3.2673	6.5346	6.53	
34	K1302196-004d	2	3.276	0.0279	3.2476	6.4952	6.50	
35	K1302231-003	2	3.876	0.0279	3.8484	7.6968	7.70	
36	K1302231-003d	2	3.842	0.0279	3.8142	7.6284	7.63	
37	K1302231-003ms	2	30.219	0.0279	30.1908	60.3816	60.4	
38	K1302245-001	1	0.745	0.0279	0.7173	0.7173	0.72	
39	K1302245-001d	1	0.616	0.0279	0.5880	0.588	0.59	
40	K1302245-001ms	1	24.546	0.0279	24.5179	24.5179	24.5	
41	K1302274-002	1	7.712	0.0279	7.6840	7.684	7.68	
42	K1302274-002d	1	7.502	0.0279	7.4745	7.4745	7.47	
43	K1302274-002ms	1	34.134	0.0279	34.1058	34.1058	34.1	
44	CCV6	1	25.082	0.0279	25.0543	25.0543	25.1	
45	CCB6	1	0.000	0.0279	-0.0279	-0.0279	<0.50	
46	K1302274-003	10	2.509	0.0279	2.4809	24.809	24.8	
47	K1302274-003d	10	2.433	0.0279	2.4047	24.047	24.0	
48	K1302274-004	10	2.639	0.0279	2.6110	26.11	26.1	
49	K1302274-004d	10	2.557	0.0279	2.5295	25.295	25.3	
50	K1302274-005	1	1.214	0.0279	1.1865	1.1865	1.19	

Analyzed By:	CAS	Date Analyzed	3/22/2012	20:09:00
Reviewed By:	K	Date Reviewed	3/25/13	

COLUMBIA ANALYTICAL SERVICES, INC.

Matrix: WATER

Analysis: Total Organic Carbon (WATER)

Method: Oxidation EPA 415.1/9060

Printout	Sample #	Dil. Factor	Solution Conc., mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
51	K1302274-005d	1	1.255	0.0279	1.2266	1.2266	1.23	
52	K1302274-006	2	6.499	0.0279	6.4710	12.942	12.9	
53	K1302274-006d	2	6.469	0.0279	6.4411	12.8822	12.9	
54	K1302274-007	20	2.846	0.0279	2.8183	56.366	56.4	
55	K1302274-007d	20	2.795	0.0279	2.7670	55.34	55.3	
56	K1302299-001	100	2.857	0.0279	2.8294	282.94	283	
57	K1302299-001d	100	3.047	0.0279	3.0186	301.86	302	
58	K1302299-002	2	3.576	0.0279	3.5476	7.0952	7.10	
59	K1302299-002d	2	3.572	0.0279	3.5438	7.0876	7.09	
60	K1302299-003	1	2.625	0.0279	2.5966	2.5966	2.60	
61	K1302299-003d	1	2.556	0.0279	2.5280	2.528	2.53	
62	K1302299-003ms	1	27.414	0.0279	27.3863	27.3863	27.4	
63	K1302363-001	5	2.153	0.0279	2.1249	10.6245	10.6	
64	K1302363-001d	5	2.047	0.0279	2.0193	10.0965	10.1	
65	CCV7	1	24.893	0.0279	24.8655	24.8655	24.9	
66	CCB7	1	0.000	0.0279	-0.0279	-0.0279	<0.50	
67	MB4	1	0.000	0.0279	-0.0279	-0.0279	<0.50	
68	LCS4	1	22.990	0.0279	22.9622	22.9622	23.0	
69	K1302363-001ms	5	27.610	0.0279	27.5821	137.9105	138	
70	K1302487-001	1	3.846	0.0279	3.8181	3.8181	3.82	
71	K1302487-001d	1	3.800	0.0279	3.7722	3.7722	3.77	
72	K1302487-001ms	1	29.618	0.0279	29.5903	29.5903	29.6	
73	RB	1	0.086	0.0279	0.0578	0.0578	<0.50	
74	RB	1	0.000	0.0279	-0.0279	-0.0279	<0.50	
75	K1302526-001	2	0.315	0.0279	0.2873	0.5746	0.57	

Analyzed By:	CES	Date Analyzed	3/22/2012	20:09:00
Reviewed By:		Date Reviewed	3/25/13	

COLUMBIA ANALYTICAL SERVICES, INC

Matrix: WATER

Analysis: Total Organic Carbon (WATER)

Method:Oxidation EPA 415.1/9060

Analyzed By:	CES	Date Analyzed	3/22/2012	20:09:00
Reviewed By:	A	Date Reviewed	3/28/13	

0.094				OBSERVATIONS	12	ABOVE
0.040	0.040	0.040	0.040	STD Deviation	0.03383	0.0402
0.080				AVERAGE	0.01908	ABOVE
0.016	0.016	0.016	0.016	UCL	0.05291	0.0156
0.000				LCL	-0.01475	0
0.000						0
0.000						0
0.000				OBSERVATIONS	2	0
0.000				STD Deviation	0.01739	0
0.000				AVERAGE	0.02790	0
0.000				UCL	0.04529	0
0.000				LCL	0.01051	0
						0
				OBSERVATIONS	2	0
				STD Deviation	0.01739	0
				AVERAGE	0.02790	0
				UCL	0.04529	0
				LCL	0.01051	0
						0
				OBSERVATIONS	2	0
				STD Deviation	0.02460	0
				AVERAGE	0.02790	0
						0
						0
						0
						0
						0

DOC: 333649
TOC: 333650

Schedule: 032213

Version: 12

Instrument: Fusion1

Last Saved by: Gen Chem Lab (Fusion1)

Last Saved on: 2013/03/22 20:40 - Friday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
(Clean)	Clean	Clean		1	True	Done
(Clean)	Clean	Clean		1	True	Done
(Clean)	Clean	Clean		1	True	Done
(Blank)	Blank	Reagent/Acid Blank		1	True	Done
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711(CAS_salt_010711)	1	True	Done
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711(CAS_salt_010711)	1	True	Done
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711(CAS_salt_010711)	1	True	Done
2	Check Standard	[TOC] LCS [22.7 ppm]	CAS_salt_010711(CAS_salt_010711)	1	True	Pending
3	Sample	k1302046-001.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
4	Sample	k1302046-001.02 ms DOC	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
5	Sample	k1302046-002.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
6	Sample	k1302046-003.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
7	Sample	k1302046-004.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
8	Sample	k1302046-005.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
9	Sample	k1302046-006.02 2x DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
10	Sample	k1302046-007.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
11	Sample	k1302046-008.02 10x DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
12	Sample	k1302046-009.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
13	Sample	k1302046-010.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
14	Sample	k1302046-011.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
15	Sample	k1302046-012.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
16	Sample	k1302097-001.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
17	Sample	k1302097-001.02 ms DOC	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
18	Sample	k1302097-002.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
19	Sample	k1302097-003.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
20	Sample	MB2	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
21	Check Standard	[TOC] LCS [22.7 ppm]	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
21	Sample	k1302097-004.02 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
22	Sample	k1302170-001.03 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
23	Sample	k1302170-001.03 ms DOC	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
24	Sample	k1302320-001.03 DOC	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
25	Sample	k1302320-001.03 ms DOC	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
26	Sample	RB	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
27	Sample	k1302239-001.02	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
28	Sample	k1302239-001.02 ms	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
29	Sample	K1302264-001.05	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
30	Sample	K1302264-001.05 ms	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
31	Sample	K1302264-002.05	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
32	Sample	K1302264-003.05	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
33	Sample	K1302264-004.05	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
34	Sample	K1302264-005.05	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
35	Sample	K1302264-006.05	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
36	Sample	K1302196-001.32	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
37	Sample	K1302196-001.32 ms	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
38	Sample	K1302196-002.32	CAS_salt_010711(CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711(CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711(CAS_salt_010711)	1	True	Ready

Printed on: March 22, 2013 20:40:10

Schedule: 032213

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
39	Sample	MB3	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
2	Check Standard	[TOC] LCS [22.7 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
40	Sample	K1302196-003.32 2x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
41	Sample	K1302196-004.32 2x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
42	Sample	K1302231-003.07 2x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
43	Sample	K1302231-003.07 ms 2x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
44	Sample	K1302245-001.28	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
45	Sample	K1302245-001.28 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
46	Sample	K1302274-002.07	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
47	Sample	K1302274-002.07 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
48	Sample	K1302274-003.07 10x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
49	Sample	K1302274-004.07 10x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
50	Sample	K1302274-005.07	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
51	Sample	K1302274-006.07 2x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
52	Sample	K1302274-007.07 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
53	Sample	K1302299-001.08 100x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
54	Sample	K1302299-002.08 2x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
55	Sample	K1302299-003.08	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
56	Sample	K1302299-003.08 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
57	Sample	K1302363-001.35 5x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
58	Sample	MB4	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
2	Check Standard	[TOC] LCS [22.7 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
59	Sample	K1302363-001.35 ms 5x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
60	Sample	K1302487-001.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
61	Sample	K1302487-001.03 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
62	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
63	Sample	K1302526-001.03 2x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
64	Sample	K1302526-002.03 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
65	Sample	K1302526-003.09 10x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
66	Sample	K1302526-003.09 ms 10x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
67	Sample	K1302526-004.03 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
68	Sample	K1302526-005.03 10x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
69	Sample	K1302526-006.03 10x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
70	Sample	K1302526-007.03 10x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
71	Sample	K1302526-008.03 20x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
72	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
						False

Fusion Report - 032213

Friday, March 22, 2013 06:18 PM

(View - Reps, Unused Reps, Meta-
Data, Signature, History)
Printed on 2013/03/25 15:24 -
Monday

Report Summary Information

Company Location:	Gen Chem Lab	
Schedule Name:	032213	Engine Version: 1.1.0.189
Instrument Name:	Fusion1	Firmware Version: 1.2.0696
Report Version:	1 of 1	Connection: RS232 COM1
Report Creation by Operators (schedule version):	Gen Chem Lab (Fusion1) (v2) Gen Chem Lab (Fusion1) (v3) Gen Chem Lab (Fusion1) (v4) Gen Chem Lab (Fusion1) (v6) Gen Chem Lab (Fusion1) (v7) Gen Chem Lab (Fusion1) (v9) Gen Chem Lab (Fusion1) (v10) Gen Chem Lab (Fusion1) (v11) Gen Chem Lab (Fusion1) (v12)	

Comment:

Report Results

Sample Type: Clean							From Schedule Version 2
	Pos	Analysis Type	Sample ID		Start Time		
	(clean)		Clean		2013/03/22 18:18		
Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	IC Clean	12.65	15.33	2.68	49.72	05:19	
2	TC Clean	13.61	15.93	2.32	50.61	03:56	
3	TC Clean	3.97	6.55	2.58	51.24	03:45	
4	TC Clean	2.57	5.03	2.45	51.31	03:44	

Sample Type: Clean							From Schedule Version 3
	Pos	Analysis Type	Sample ID		Start Time		
	(clean)		Clean		2013/03/22 18:40		
Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	IC Clean	0.89	3.35	2.46	49.88	05:08	

2	TC Clean	6.07	8.63	2.56	51.38	03:57
3	TC Clean	2.41	5.11	2.69	51.07	03:43
4	TC Clean	2.01	4.69	2.67	50.54	03:41

Sample Type: Clean From Schedule Version 4						
Pos	Analysis Type	Sample ID			Start Time	
(clean)		Clean			2013/03/22 19:01	
Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	0.84	3.38	2.54	50.39	05:08
2	TC Clean	5.54	8.04	2.50	50.65	03:58
3	TC Clean	2.34	5.12	2.78	50.38	03:44
4	TC Clean	1.62	4.38	2.75	50.60	03:42

Sample Type: Blank (Creating v409) From Schedule Version 6						
Pos	Analysis Type	Sample ID			Start Time	
(blank)		Reagent/Acid Blank			2013/03/22 19:23	
Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	0.81	3.30	2.48	50.26	05:08
2	TC Clean	5.49	8.37	2.88	50.70	03:56
3	TC Clean	2.40	5.22	2.82	51.42	03:43
4	TC Clean	2.31	5.12	2.80	51.04	03:42
5	Reagent Blank	4.88	7.65	2.77	50.28	04:58
6	Acid Blank	0.84	3.45	2.62	50.45	05:26

Sample Type: Check Standard --> CCB From Schedule Version 7										
Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time	
D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.3922 ppm (PASS)	0.0000 ppm	0%	2013/03/22 19:56	
Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time

D	TOC	0 ppm	1	0.3922	3.9217	11.99	14.78	2.78	60.12	09:45
<u>Completion State</u>		<u>Success Action</u>			<u>Method</u>		<u>Calibration</u>		<u>STD Conc - Pos D</u>	
Success - Criteria met.			Do Nothing			CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	0 ppmC		

<u>Sample Type:</u> Check Standard --> CCV 25 ppm										From Schedule Version 9	
<u>Pos</u>		<u>BAT</u>		<u>Concentration (ppm)</u>		<u>Dil</u>		<u>Sample ID</u>		<u>Min / Max (% dev)</u>	
B		TOC		25.0000		1.2		[TOC] CCV 25 ppm [25 ppm]		0 / infinity (NA / NA)	
								25.3149 ppm (PASS)		0.0000 ppm	
<u>Pos</u>		<u>Base Analysis Type</u>		<u>ID</u>		<u>Rep #</u>		<u>ppm</u>		<u>μg</u>	
B		TOC		25 ppm		1		25.3149		253.1485	
								209.41		212.18	
<u>Completion State</u>		<u>Success Action</u>		<u>Method</u>		<u>Calibration</u>		<u>STD Conc - Pos B</u>			
Success - Criteria met.			Do Nothing			CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	50 ppmC			

<u>Sample Type:</u> Check Standard --> CCB										From Schedule Version 10	
<u>Pos</u>		<u>BAT</u>		<u>Concentration (ppm)</u>		<u>Dil</u>		<u>Sample ID</u>		<u>Min / Max (% dev)</u>	
D		TOC		0.0000		1:1		[TOC] CCB [0 ppm]		0 / infinity (NA / NA)	
								0.0937 ppm (PASS)		0.0000 ppm	
<u>Pos</u>		<u>Base Analysis Type</u>		<u>ID</u>		<u>Rep #</u>		<u>ppm</u>		<u>μg</u>	
D		TOC		0 ppm		1		0.0937		0.9373	
								9.63		12.49	
<u>Completion State</u>		<u>Success Action</u>		<u>Method</u>		<u>Calibration</u>		<u>STD Conc - Pos D</u>			
Success - Criteria met.			Do Nothing			CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	0 ppmC			

<u>Sample Type:</u> Sample										From Schedule Version 11	
<u>Pos</u>		<u>Analysis Type</u>		<u>Sample ID</u>		<u>Result (ppmC)</u>		<u>Std. Dev. (ppmC)</u>		<u>RSD</u>	
1		TOC		MB1		0.0402 ppm		0.0000 ppm		0.0000%	
										2013/03/22 20:37	
<u>Rep #</u>		<u>Base Analysis Type</u>		<u>ppm</u>		<u>μg</u>		<u>Adjusted (Abs)</u>		<u>NDIR (Abs)</u>	
1		TOC		0.0402		0.4024		8.64		11.38	
										2.74	
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>		<u>STD Conc - Pos D</u>			
1:10			8.3232 (v409)			CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	0 ppmC			

Sample Type: Check Standard --> LCS

From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
2	TOC	22.7000	1:1	[TOC] LCS [22.7 ppm]	0 / infinity (NA / NA)	23.1101 ppm (PASS)	0.0000 ppm	0%	2013/03/22 20:51

Pos	Base Analysis Type	ID	Rep #	ppm	μg	Adjusted	NDIR	Baseline	Pressure	Run Time
2	TOC	22.7 ppm	1	23.1101	231.1012	191.95	194.88	2.93	60.28	09:45

<u>Completion State</u>	<u>Success Action</u>	<u>Method</u>	<u>Calibration</u>	<u>STD Conc - Pos 2</u>
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	22.7 ppmC

Sample Type: Sample

From Schedule Version 12

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
3	TOC	k1302046-001.02 DOC		0.4899 ppm	0.1036 ppm	21.1600%	2013/03/22 21:04	
Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5631	5.6315	12.78	15.69	2.91	60.70	09:35
2	TOC	0.4166	4.1658	11.62	14.44	2.82	60.16	09:35

<u>Dilution</u>	<u>Blank Contribution</u>	<u>Method</u>	<u>Calibration</u>
1:10	8.3232 (v409)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
4	TOC	k1302046-001.02 ms DOC		25.9652 ppm	0.0000 ppm	0.0000%	2013/03/22 21:30	
Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	25.9652	259.6518	214.00	216.82	2.83	60.13	09:44

<u>Dilution</u>	<u>Blank Contribution</u>	<u>Method</u>	<u>Calibration</u>
1:10	8.3232 (v409)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
5	TOC	k1302046-002.02 DOC		0.5453 ppm	0.0945 ppm	17.3400%	2013/03/22 21:44	
Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6121	6.1213	13.17	16.29	3.12	60.18	09:35
2	TOC	0.4784	4.7844	12.11	15.10	2.99	60.14	09:37

<u>Dilution</u>	<u>Blank Contribution</u>	<u>Method</u>	<u>Calibration</u>
1:10	8.3232 (v409)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis	Sample ID		Result (ppmC)	Std. Dev.	RSD	Start Time	

	Type	(ppmC)							
6	TOC	k1302046-003.02 DOC	0.1435 ppm	0.0089 ppm	6.2200%	2013/03/22 22:10			
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	0.1498	1.4982	9.51	12.46	2.95	60.16	09:35	
2	TOC	0.1372	1.3720	9.41	12.28	2.87	60.69	09:37	
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>			
1:10		8.3232 (v409)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
7	TOC	k1302046-004.02 DOC		0.1333 ppm	0.0004 ppm	0.3300%	2013/03/22 22:36		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	0.1337	1.3366	9.38	12.14	2.76	60.68	09:41	
2	TOC	0.1330	1.3303	9.38	12.23	2.86	60.68	09:37	
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>			
1:10		8.3232 (v409)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
8	TOC	k1302046-005.02 DOC		1.1311 ppm	0.0104 ppm	0.9200%	2013/03/22 23:02		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	1.1384	11.3844	17.34	20.13	2.79	60.20	09:35	
2	TOC	1.1238	11.2380	17.23	20.22	2.99	60.25	09:35	
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>			
1:10		8.3232 (v409)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
9	TOC	k1302046-006.02 2x DOC		0.6369 ppm	0.0095 ppm	1.4900%	2013/03/22 23:28		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	0.6436	6.4356	13.42	16.02	2.60	60.20	09:39	
2	TOC	0.6302	6.3018	13.32	15.98	2.66	60.28	09:34	
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>			
1:10		8.3232 (v409)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)			

Sample Type: Check Standard --> CCV 25 ppm

From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	25.1796 ppm	0.0000 ppm	0%	2013/03/22 23:54

(PASS)										
Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	25.1796	251.7965	208.34	211.16	2.82	60.59	09:39

Completion State Success Action Method Calibration STD Conc - Pos B
Success - Criteria met. Do Nothing CAS_salt_010711 (v3) CAS_salt_010711 (v9) 50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
-	D	TOC	0.0000	1:1 [TOC] CCB [0 . ppm]	0 / infinity (NA / NA)	0.0795 ppm (PASS)	0.0000 ppm	0%	2013/03/23 00:08

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0795	0.7946	9.52	12.41	2.89	60.38	09:46

Completion State Success Action Method Calibration STD Conc - Pos D
Success - Criteria met. Do Nothing CAS_salt_010711 (v3) CAS_salt_010711 (v9) 0 ppmC

Sample Type: Sample From Schedule Version 12

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
-	10	TOC	k1302046-007.02 DOC	0.8882 ppm	0.0605 ppm	6.8100%	2013/03/23 00:22	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9310	9.3102	15.70	18.33	2.63	60.26	09:36
2	TOC	0.8454	8.4543	15.02	17.93	2.91	60.21	09:39

Dilution Blank Contribution Method Calibration
1:10 8.3232 (v409) CAS_salt_010711 (v3) CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
-	11	TOC	k1302046-008.02 10x DOC	0.7750 ppm	0.0152 ppm	1.9600%	2013/03/23 00:48	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7857	7.8572	14.55	17.49	2.94	60.30	09:38
2	TOC	0.7643	7.6425	14.38	17.29	2.91	60.38	09:35

Dilution Blank Contribution Method Calibration
1:10 8.3232 (v409) CAS_salt_010711 (v3) CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
12	TOC	k1302046-009.02 DOC		0.8384 ppm	0.0133 ppm	1.5900%	2013/03/23 01:14	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8290	8.2902	14.89	17.73	2.84	60.38	09:39
2	TOC	0.8478	8.4783	15.04	18.03	2.99	60.45	09:35
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>	<u>Calibration</u>			
1:10		8.3232 (v409)		CAS_salt_010711 (v3)	CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
13	TOC	k1302046-010.02 DOC		0.7594 ppm	0.0385 ppm	5.0700%	2013/03/23 01:40	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7866	7.8660	14.55	17.44	2.89	60.26	09:40
2	TOC	0.7322	7.3219	14.12	17.16	3.03	60.16	09:33
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>	<u>Calibration</u>			
1:10		8.3232 (v409)		CAS_salt_010711 (v3)	CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
14	TOC	k1302046-011.02 DOC		0.6420 ppm	0.0088 ppm	1.3800%	2013/03/23 02:06	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6357	6.3574	13.36	16.22	2.86	60.35	09:36
2	TOC	0.6482	6.4824	13.46	16.23	2.77	60.63	09:40
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>	<u>Calibration</u>			
1:10		8.3232 (v409)		CAS_salt_010711 (v3)	CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
15	TOC	k1302046-012.02 DOC		5.6627 ppm	0.0387 ppm	0.6800%	2013/03/23 02:32	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.6901	56.9006	53.40	56.17	2.78	60.22	09:39
2	TOC	5.6353	56.3527	52.96	55.80	2.84	60.18	09:34
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>	<u>Calibration</u>			
1:10		8.3232 (v409)		CAS_salt_010711 (v3)	CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
16	TOC	k1302097-001.02 DOC		0.3533 ppm	0.0143 ppm	4.0400%	2013/03/23 02:58	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3634	3.6343	11.20	14.22	3.02	60.21	09:37

2	TOC	0.3432	3.4323	11.04	13.88	2.83	60.25	09:36
---	-----	--------	--------	-------	-------	------	-------	-------

Dilution 1:10 Blank Contribution 8.3232 (v409) Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
17	TOC	k1302097-001.02 ms DOC	26.1296 ppm	0.0000 ppm	0.0000%	2013/03/23 03:24

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.1296	261.2955	215.30	218.16	2.86	60.22	09:42

Dilution 1:10 Blank Contribution 8.3232 (v409) Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
18	TOC	k1302097-002.02 DOC	1.0873 ppm	0.1055 ppm	9.7000%	2013/03/23 03:38

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.1619	11.6192	17.53	20.38	2.85	60.42	09:39
2	TOC	1.0127	10.1270	16.34	19.28	2.94	60.23	09:39

Dilution 1:10 Blank Contribution 8.3232 (v409) Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
19	TOC	k1302097-003.02 DOC	0.8200 ppm	0.0042 ppm	0.5100%	2013/03/23 04:04

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8170	8.1702	14.80	17.85	3.06	60.48	09:34
2	TOC	0.8230	8.2296	14.84	17.85	3.01	60.36	09:32

Dilution 1:10 Blank Contribution 8.3232 (v409) Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.9620 ppm (PASS)	0.0000 ppm	0%	2013/03/23 04:30

Pos	Base Analysis Type	ID	Rep #	ppm	μg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.9620	249.6200	206.61	209.50	2.89	60.21	09:39

Completion State Success Action Method Calibration STD Conc - Pos B

Success - Criteria
met.

Do Nothing

CAS_salt_010711
(v3)CAS_salt_010711
(v9)

50 ppmC

Sample Type: Check Standard --> CCB

From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0156 ppm (PASS)	0.0000 ppm	0%	2013/03/23 04:44

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0156	0.1558	9.01	11.82	2.81	60.38	09:39

Completion StateSuccess - Criteria
met.Success Action

Do Nothing

MethodCAS_salt_010711
(v3)CalibrationCAS_salt_010711
(v9)STD Conc - Pos D

0 ppmC

Sample Type: Sample

From Schedule Version 12

Pos	Analysis Type	Sample ID		Result (ppmC)		Std. Dev. (ppmC)	RSD	Start Time	
20	TOC	MB2		0.0000 ppm		0.0000 ppm	0.0000%	2013/03/23 04:58	

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.96	10.77	2.81	60.56	09:43

Dilution

1:10

Blank Contribution

8.3232 (v409)

MethodCAS_salt_010711
(v3)CalibrationCAS_salt_010711
(v9)Sample Type: Check Standard --> LCS

From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
2	TOC	22.7000	1:1	[TOC] LCS [22.7 ppm]	0 / infinity (NA / NA)	23.0696 ppm (PASS)	0.0000 ppm	0%	2013/03/23 05:11

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
2	TOC	22.7 ppm	1	23.0696	230.6960	191.62	194.66	3.04	60.67	09:46

Completion StateSuccess - Criteria
met.Success Action

Do Nothing

MethodCAS_salt_010711
(v3)CalibrationCAS_salt_010711
(v9)STD Conc - Pos 2

22.7 ppmC

Sample Type: Sample

From Schedule Version 12

Pos	Analysis	Sample ID		Result (ppmC)		Std. Dev.	RSD	Start Time	

	Type	(ppmC)						
21	TOC	k1302097-004.02 DOC	1.2911 ppm	0.1239 ppm	9.6000%	2013/03/23 05:25		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.3787	13.7869	19.24	22.12	2.88	60.39	09:37
2	TOC	1.2035	12.0346	17.86	20.81	2.95	60.20	09:35

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711 (v3) CAS_salt_010711 (v9)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
	22	TOC	k1302170-001.03 DOC	5.3576 ppm	0.0178 ppm	0.3300%	2013/03/23 05:51	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.3702	53.7016	50.86	53.77	2.91	60.34	09:34
2	TOC	5.3450	53.4504	50.66	53.60	2.94	60.12	09:39

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711 (v3) CAS_salt_010711 (v9)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
	23	TOC	k1302170-001.03 ms DOC	31.8877 ppm	0.0000 ppm	0.0000%	2013/03/23 06:17	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	31.8877	318.8769	260.91	263.85	2.94	60.63	09:43

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711 (v3) CAS_salt_010711 (v9)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
	24	TOC	k1302320-001.03 DOC	5.4599 ppm	0.1275 ppm	2.3300%	2013/03/23 06:31	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	5.5501	55.5006	52.29	55.24	2.95	60.22	09:39
2	TOC	5.3698	53.6978	50.86	53.87	3.01	60.15	09:38

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711 (v3) CAS_salt_010711 (v9)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
	25	TOC	k1302320-001.03 ms DOC	31.3813 ppm	0.0000 ppm	0.0000%	2013/03/23 06:57	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	31.3813	313.8132	256.90	259.53	2.63	60.29	09:40

Dilution

1:10

Blank Contribution

8.3232 (v409)

MethodCAS_salt_010711
(v3)CalibrationCAS_salt_010711
(v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
26	TOC	RB	0.0927 ppm	0.1274 ppm	137.4200%	2013/03/23 07:10

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.1828	1.8277	9.77	12.74	2.97	60.59	09:39
2	TOC	0.0026	0.0262	8.34	11.37	3.02	60.57	09:37

Dilution

1:10

Blank Contribution

8.3232 (v409)

MethodCAS_salt_010711
(v3)CalibrationCAS_salt_010711
(v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
27	TOC	k1302239-001.02	0.6358 ppm	0.0096 ppm	1.5000%	2013/03/23 07:36

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6426	6.4255	13.41	16.35	2.94	60.28	09:36
2	TOC	0.6290	6.2905	13.31	16.13	2.82	60.49	09:33

Dilution

1:10

Blank Contribution

8.3232 (v409)

MethodCAS_salt_010711
(v3)CalibrationCAS_salt_010711
(v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
28	TOC	k1302239-001.02 ms	26.1787 ppm	0.0000 ppm	0.0000%	2013/03/23 08:02

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.1787	261.7866	215.69	218.55	2.86	60.38	09:43

Dilution

1:10

Blank Contribution

8.3232 (v409)

MethodCAS_salt_010711
(v3)CalibrationCAS_salt_010711
(v9)Sample Type: Check Standard --> CCV 25 ppm

From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	25.1127 ppm (PASS)	0.0000 ppm	0%	2013/03/23 08:16

Pos	Base Analysis Type	ID	Rep #	ppm	μg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	25.1127	251.1274	207.81	210.52	2.71	60.36	09:38

Completion State

Success - Criteria met.

Success Action

Do Nothing

MethodCAS_salt_010711
(v3)CalibrationCAS_salt_010711
(v9)STD Conc - Pos B

50 ppmC

Sample Type: Check Standard --> CCB

From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
-	D TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2013/03/23 08:29

Pos	Base Analysis Type	ID	Rep #	ppm	μg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	8.58	11.50	2.92	60.65	09:47

<u>Completion State</u>	<u>Success Action</u>	<u>Method</u>	<u>Calibration</u>	<u>STD Conc - Pos D</u>
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	0 ppmC

Sample Type: Sample

From Schedule Version 12

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
-	29 TOC	K1302264-001.05	0.8730 ppm	0.0368 ppm	4.2100%	2013/03/23 08:43

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.8990	8.9896	15.44	18.35	2.90	60.49	09:39
2	TOC	0.8469	8.4694	15.03	17.87	2.84	60.10	09:36

<u>Dilution</u>	<u>Blank Contribution</u>	<u>Method</u>	<u>Calibration</u>
1:10	8.3232 (v409)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
-	30 TOC	K1302264-001.05 ms	26.7266 ppm	0.0000 ppm	0.0000%	2013/03/23 09:10

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	26.7266	267.2656	220.03	222.76	2.73	60.38	09:44

<u>Dilution</u>	<u>Blank Contribution</u>	<u>Method</u>	<u>Calibration</u>
1:10	8.3232 (v409)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
-	31 TOC	K1302264-002.05	1.5394 ppm	0.0962 ppm	6.2500%	2013/03/23 09:23

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.6074	16.0744	21.06	23.77	2.71	60.69	09:40
2	TOC	1.4713	14.7135	19.98	22.86	2.89	60.70	09:38

<u>Dilution</u>	<u>Blank Contribution</u>	<u>Method</u>	<u>Calibration</u>
1:10	8.3232 (v409)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
32	TOC	K1302264-003.05		0.3425 ppm	0.0061 ppm	1.7700%	2013/03/23 09:49		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	0.3468	3.4676	11.07	13.75	2.68	60.16	09:35	
2	TOC	0.3382	3.3818	11.00	13.78	2.78	60.71	09:40	
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>	<u>Calibration</u>				
1:10		8.3232 (v409)		CAS_salt_010711 (v3)	CAS_salt_010711 (v9)				
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
33	TOC	K1302264-004.05		0.2967 ppm	0.0024 ppm	0.8100%	2013/03/23 10:15		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	0.2950	2.9500	10.66	13.56	2.90	60.60	09:39	
2	TOC	0.2984	2.9841	10.69	13.38	2.70	60.39	09:34	
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>	<u>Calibration</u>				
1:10		8.3232 (v409)		CAS_salt_010711 (v3)	CAS_salt_010711 (v9)				
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
34	TOC	K1302264-005.05		0.3345 ppm	0.0162 ppm	4.8300%	2013/03/23 10:41		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	0.3459	3.4588	11.06	13.92	2.86	60.13	09:32	
2	TOC	0.3230	3.2303	10.88	13.63	2.75	60.59	09:42	
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>	<u>Calibration</u>				
1:10		8.3232 (v409)		CAS_salt_010711 (v3)	CAS_salt_010711 (v9)				
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
35	TOC	K1302264-006.05		0.2712 ppm	0.0044 ppm	1.6100%	2013/03/23 11:08		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	0.2743	2.7430	10.50	13.30	2.80	60.50	09:43	
2	TOC	0.2681	2.6811	10.45	13.28	2.83	60.40	09:37	
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>	<u>Calibration</u>				
1:10		8.3232 (v409)		CAS_salt_010711 (v3)	CAS_salt_010711 (v9)				
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
36	TOC	K1302196-001.32		1.4063 ppm	0.0084 ppm	0.6000%	2013/03/23 11:34		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	1.4004	14.0040	19.42	22.35	2.93	60.59	09:38	

2	TOC	1.4123	14.1227	19.51	22.34	2.83	60.69	09:40
---	-----	--------	---------	-------	-------	------	-------	-------

Dilution 1:10 Blank Contribution 8.3232 (v409) Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
37	TOC	K1302196-001.32 ms		27.1827 ppm	0.0000 ppm	0.0000%	2013/03/23 12:00	

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	27.1827	271.8268	223.64	226.47	2.83	60.68	09:48

Dilution 1:10 Blank Contribution 8.3232 (v409) Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
38	TOC	K1302196-002.32		0.2255 ppm	0.1063 ppm	47.1500%	2013/03/23 12:14	

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3007	3.0068	10.70	13.53	2.83	60.59	09:40
2	TOC	0.1503	1.5033	9.51	12.29	2.78	60.26	09:37

Dilution 1:10 Blank Contribution 8.3232 (v409) Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Sample Type: Check Standard --> CCV 25 ppm

From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.9628 ppm (PASS)	0.0000 ppm	0%	2013/03/23 12:40

Pos	Base Analysis Type	ID	Rep #	ppm	μg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.9628	249.6276	206.62	209.34	2.72	60.16	09:43

Completion State Success - Criteria met. Success Action Do Nothing Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9) STD Conc - Pos B 50 ppmC

Sample Type: Check Standard --> CCB

From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2013/03/23 12:54

Base Rep Run

Pos	Analysis Type	ID	#	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Time
D	TOC	0 ppm	1	0.0000	0.0000	8.06	10.74	2.68	60.28	09:44

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	0 ppmC

Sample Type: Sample From Schedule Version 12

Pos	Analysis Type	Sample ID		Result (ppmC)		Std. Dev. (ppmC)	RSD	Start Time	
39	TOC	MB3		0.0000 ppm		0.0000 ppm	0.0000%	2013/03/23 13:07	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	0.0000	0.0000	7.21	9.93	2.71	60.39	09:44	

Dilution	Blank Contribution	Method	Calibration
1:10	8.3232 (v409)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Sample Type: Check Standard --> LCS From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
2	TOC	22.7000	1:1	[TOC] LCS [22.7 ppm]	0 / infinity (NA / NA)	23.1985 ppm (PASS)	0.0000 ppm	0%	2013/03/23 13:21

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
2	TOC	22.7 ppm	1	23.1985	231.9849	192.64	195.42	2.77	60.66	09:42

Completion State	Success Action	Method	Calibration	STD Conc - Pos 2
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	22.7 ppmC

Sample Type: Sample From Schedule Version 12

Pos	Analysis Type	Sample ID		Result (ppmC)		Std. Dev. (ppmC)	RSD	Start Time	
40	TOC	K1302196-003.32 2x		2.8492 ppm		0.0896 ppm	3.1500%	2013/03/23 13:35	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	2.9126	29.1256	31.39	34.32	2.93	60.67	09:39	
2	TOC	2.7858	27.8581	30.39	33.12	2.73	60.58	09:39	

Dilution	Blank Contribution	Method	Calibration
1:10	8.3232 (v409)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis	Sample ID		Result (ppmC)		Std. Dev.	RSD	Start Time	

	Type	(ppmC)						
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2952	32.9520	34.43	37.34	2.92	60.33	09:39
2	TOC	3.2755	32.7551	34.27	37.04	2.77	60.29	09:37

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711
 (v3) (v9)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.8763	38.7631	39.03	41.77	2.74	60.51	09:39
2	TOC	3.8421	38.4209	38.76	41.48	2.73	60.63	09:42

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711
 (v3) (v9)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	30.2187	302.1874	247.69	250.55	2.86	60.63	09:47

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711
 (v3) (v9)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7452	7.4519	14.23	16.86	2.63	60.48	09:42
2	TOC	0.6159	6.1592	13.20	16.05	2.85	60.35	09:37

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711
 (v3) (v9)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	24.5458	245.4581	202.75	205.55	2.79	60.60	09:45

Dilution Blank Contribution Method Calibration

1:10

8.3232 (v409)

CAS_salt_010711
(v3)CAS_salt_010711
(v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
46	TOC	K1302274-002.07	7.6071 ppm	0.1481 ppm	1.9500%	2013/03/23 15:47		
Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	7.7119	77.1187	69.41	72.13	2.72	60.30	09:38
2	TOC	7.5024	75.0243	67.75	70.71	2.96	60.47	09:38

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711
 (v3) CAS_salt_010711
 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
47	TOC	K1302274-002.07 ms	34.1337 ppm	0.0000 ppm	0.0000%	2013/03/23 16:13		
Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	34.1337	341.3370	278.70	281.66	2.96	60.30	09:44

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711
 (v3) CAS_salt_010711
 (v9)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time	
B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	25.0822 ppm (PASS)	0.0000 ppm	0%	2013/03/23 16:26	
Pos	Base Analysis Type	ID	Rep #	ppm	μg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	25.0822	250.8219	207.57	210.44	2.88	60.30	09:43

Completion State Success Action Method Calibration STD Conc - Pos B
 Success - Criteria met. Do Nothing CAS_salt_010711
 (v3) CAS_salt_010711
 (v9) 50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time	
D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2013/03/23 16:40	
Pos	Base Analysis Type	ID	Rep #	ppm	μg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	8.29	11.02	2.73	60.62	09:44

<u>Completion State</u>	<u>Success Action</u>	<u>Method</u>	<u>Calibration</u>	<u>STD Conc - Pos D</u>
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	0 ppmC

Sample Type: Sample From Schedule Version 12

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
48	TOC	K1302274-003.07 10x	2.4707 ppm	0.0539 ppm	2.1800%	2013/03/23 16:54		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.5088	25.0883	28.20	30.90	2.71	60.44	09:38
2	TOC	2.4326	24.3258	27.59	30.56	2.96	60.40	09:40

Dilution 1:10 Blank Contribution 8.3232 (v409) Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
49	TOC	K1302274-004.07 10x	2.5981 ppm	0.0576 ppm	2.2200%	2013/03/23 17:20		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.6389	26.3886	29.23	31.85	2.63	60.47	09:36
2	TOC	2.5574	25.5743	28.58	31.35	2.77	60.30	09:38

Dilution 1:10 Blank Contribution 8.3232 (v409) Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
50	TOC	K1302274-005.07	1.2345 ppm	0.0283 ppm	2.2900%	2013/03/23 17:46		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.2144	12.1444	17.94	20.69	2.75	60.32	09:41
2	TOC	1.2545	12.5446	18.26	20.71	2.45	60.44	09:35

Dilution 1:10 Blank Contribution 8.3232 (v409) Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
51	TOC	K1302274-006.07 2x	6.4840 ppm	0.0212 ppm	0.3300%	2013/03/23 18:12		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	6.4989	64.9891	59.80	62.41	2.61	60.36	09:40
2	TOC	6.4690	64.6899	59.56	62.35	2.78	60.55	09:41

Dilution 1:10 Blank Contribution 8.3232 (v409) Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
52	TOC	K1302274-007.07 20x	2.8205 ppm	0.0362 ppm	1.2800%	2013/03/23 18:38

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8462	28.4615	30.87	33.77	2.90	60.49	09:36
2	TOC	2.7949	27.9490	30.46	33.34	2.88	60.59	09:36

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711 (v3) CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
53	TOC	K1302299-001.08 100x	2.9519 ppm	0.1338 ppm	4.5300%	2013/03/23 19:04

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.8573	28.5726	30.96	33.86	2.90	60.44	09:40
2	TOC	3.0465	30.4650	32.46	35.14	2.69	60.50	09:42

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711 (v3) CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
54	TOC	K1302299-002.08 2x	3.5736 ppm	0.0027 ppm	0.0700%	2013/03/23 19:31

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.5755	35.7547	36.64	39.37	2.73	60.24	09:40
2	TOC	3.5717	35.7168	36.61	39.48	2.87	60.56	09:42

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711 (v3) CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
55	TOC	K1302299-003.08	2.5902 ppm	0.0485 ppm	1.8700%	2013/03/23 19:57

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.6245	26.2447	29.11	31.80	2.69	60.54	09:40
2	TOC	2.5559	25.5592	28.57	31.41	2.84	60.45	09:42

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711 (v3) CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
56	TOC	K1302299-003.08 ms	27.4142 ppm	0.0000 ppm	0.0000%	2013/03/23 20:23

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	27.4142	274.1421	225.48	228.11	2.63	60.63	09:42

Dilution	Blank Contribution	Method	Calibration
1:10	8.3232 (v409)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
57	TOC	K1302363-001.35 5x	2.1000 ppm	0.0747 ppm	3.5600%	2013/03/23 20:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.1528	21.5282	25.38	28.23	2.85	60.40	09:35
2	TOC	2.0472	20.4715	24.54	27.36	2.82	60.51	09:37

Dilution	Blank Contribution	Method	Calibration
1:10	8.3232 (v409)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
-	B	TOC	25.0000	1:2 [TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.8934 ppm (PASS)	0.0000 ppm	0%	2013/03/23 21:02

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.8934	248.9345	206.07	208.77	2.70	60.45	09:44

Completion State Success - Criteria met. Success Action Do Nothing Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9) STD Conc - Pos B 50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
-	D	TOC	0.0000	1:1 [TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2013/03/23 21:16

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.90	10.77	2.88	60.24	09:41

Completion State Success - Criteria met. Success Action Do Nothing Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9) STD Conc - Pos D 0 ppmC

Sample Type: Sample From Schedule Version 12

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time

58	TOC	MB4	0.0000 ppm	0.0000 ppm	0.0000%	2013/03/23 21:30
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)
1	TOC	0.0000	0.0000	7.03	9.84	2.81
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>	<u>Calibration</u>	
1:10		8.3232 (v409)		CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	

Sample Type: Check Standard --> LCS									From Schedule Version 12		
Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time		
2	TOC	22.7000	1:1	[TOC] LCS [22.7 ppm]	0 / infinity (NA / NA)	22.9901 ppm (PASS)	0.0000 ppm	0%	2013/03/23 21:44		
<u>Base Analysis Type</u>		<u>ID</u>	<u>Rep #</u>	<u>ppm</u>	<u>µg</u>	<u>Adjusted</u>	<u>NDIR</u>	<u>Baseline</u>	<u>Pressure</u>	<u>Run Time</u>	
2	TOC	22.7 ppm	1	22.9901	229.9006	190.99	193.72	2.72	60.53	09:44	
<u>Completion State</u>		<u>Success Action</u>		<u>Method</u>		<u>Calibration</u>		<u>STD Conc - Pos 2</u>			
Success - Criteria met.		Do Nothing		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)		22.7 ppmC			

Sample Type: Sample									From Schedule Version 12		
Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time					
59	TOC	K1302363-001.35 ms 5x	27.6100 ppm	0.0000 ppm	0.0000%	2013/03/23 21:57					
<u>Rep #</u>		<u>Base Analysis Type</u>		<u>ppm</u>	<u>µg</u>	<u>Adjusted (Abs)</u>	<u>NDIR (Abs)</u>	<u>Baseline (Abs)</u>	<u>Pressure (psig)</u>	<u>Run Time</u>	
1	TOC	27.6100	276.1002	227.03	229.90	2.88	60.66	09:46			
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>					
1:10		8.3232 (v409)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)					
Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time					
60	TOC	K1302487-001.03	3.8230 ppm	0.0325 ppm	0.8500%	2013/03/23 22:11					
<u>Rep #</u>		<u>Base Analysis Type</u>		<u>ppm</u>	<u>µg</u>	<u>Adjusted (Abs)</u>	<u>NDIR (Abs)</u>	<u>Baseline (Abs)</u>	<u>Pressure (psig)</u>	<u>Run Time</u>	
1	TOC	3.8460	38.4601	38.79	41.68	2.89	60.64	09:42			
2	TOC	3.8001	38.0006	38.42	41.08	2.66	60.47	09:38			
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>					
1:10		8.3232 (v409)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)					
Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time					

61	TOC	K1302487-001.03 ms	29.6182 ppm	0.0000 ppm	0.0000%	2013/03/23 22:37
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)
1	TOC	29.6182	296.1819	242.93	245.85	2.92
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>
1:10		8.3232 (v409)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)
Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
62	TOC	RB	0.0428 ppm	0.0606 ppm	141.4200%	2013/03/23 22:50
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)
1	TOC	0.0857	0.8569	9.00	11.74	2.73
2	TOC	0.0000	0.0000	7.83	10.52	2.69
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>
1:10		8.3232 (v409)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)
Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
63	TOC	K1302526-001.03 2x	0.2874 ppm	0.0393 ppm	13.6700%	2013/03/23 23:16
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)
1	TOC	0.3152	3.1520	10.82	13.71	2.89
2	TOC	0.2597	2.5965	10.38	13.31	2.93
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>
1:10		8.3232 (v409)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)
Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
64	TOC	K1302526-002.03 20x	1.0362 ppm	0.0469 ppm	4.5200%	2013/03/23 23:43
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)
1	TOC	1.0694	10.6939	16.79	19.78	2.98
2	TOC	1.0031	10.0311	16.27	18.95	2.68
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>
1:10		8.3232 (v409)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)
Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
65	TOC	K1302526-003.09 10x	0.7801 ppm	0.0153 ppm	1.9600%	2013/03/24 00:09
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)
1	TOC	0.7909	7.9089	14.59	17.53	2.94
2	TOC	0.7693	7.6930	14.42	17.40	2.99
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7281	7.2815	14.09	17.05	2.96	60.20	09:37
2	TOC	0.7124	7.1237	13.97	16.87	2.91	60.42	09:37

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711
 (v3) (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
68	TOC	K1302526-005.03 10x		1.4411 ppm	0.0178 ppm	1.2300%	2013/03/24 01:43	

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.4286	14.2855	19.64	22.45	2.81	60.41	09:35
2	TOC	1.4537	14.5368	19.84	22.80	2.96	60.21	09:35

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711
 (v3) (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
69	TOC	K1302526-006.03 10x		0.5258 ppm	0.0100 ppm	1.9000%	2013/03/24 02:09	

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5328	5.3285	12.54	15.56	3.02	60.23	09:38
2	TOC	0.5187	5.1871	12.43	15.30	2.87	60.32	09:36

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711
 (v3) (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
70	TOC	K1302526-007.03 10x		0.5922 ppm	0.0393 ppm	6.6300%	2013/03/24 02:35	

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.6200	6.1996	13.23	15.99	2.75	60.30	09:36
2	TOC	0.5644	5.6441	12.79	15.51	2.71	60.43	09:35

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711
 (v3) (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
71	TOC	K1302526-008.03 20x		0.7239 ppm	0.0373 ppm	5.1500%	2013/03/24 03:01	

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7502	7.5024	14.27	17.06	2.79	60.43	09:38
2	TOC	0.6975	6.9747	13.85	16.77	2.93	60.37	09:35

Dilution Blank Contribution Method Calibration
 1:10 8.3232 (v409) CAS_salt_010711
 (v3) (v9)

(v3)

(v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
72	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2013/03/24 03:27

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.54	9.33	2.79	60.46	09:35
2	TOC	0.0000	0.0000	6.79	9.77	2.98	60.27	09:41

Dilution	Blank Contribution	Method	Calibration
1:10	8.3232 (v409)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
-	B	TOC	25.0000	1:2 [TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.6689 ppm (PASS)	0.0000 ppm	0%	2013/03/24 03:53

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.6689	246.6886	204.29	207.06	2.77	60.25	09:38

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 12

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
-	D	TOC	0.0000	1:1 [TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2013/03/24 04:07

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.29	10.42	3.13	60.60	09:45

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	0 ppmC

Meta Data Used in this Report

Blanks

Version	Reagent (Abs)	Acid (Abs)	DI IC (Abs)	DI TC (Abs)	DI TOC (Abs)	Save Time	Operator
v408	0.8380	0.8860	0.0000	0.0000	0.0000	2013/03/22 01:19	Gen Chem Lab (Fusion1)
v409	1.6270	0.8350	0.0000	0.0000	0.0000	2013/03/22 19:56	Gen Chem Lab (Fusion1)

Calibrations

Name: CAS_salt_010711 (TOC)

Version: v9 Calibration curve formula: TOC: $y = 7.921x + 8.887$
 Ver Creation: 2013/01/11 23:25 r^2 value: TOC: $r^2 = 0.99949$
 Comment:
 Operator: Gen Chem Lab (Fusion1)
 Basic Analysis Type: TOC

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
DI Water	11.9430	0.0000		2013/01/11 22:03
0.500 ppm	15.0010	0.5000		2013/01/11 22:17
1.0 ppm	18.3830	1.0000		2013/01/11 22:30
5.0 ppm	47.8020	5.0000		2013/01/11 22:43
10 ppm	81.9700	10.0000		2013/01/11 22:57
25 ppm	204.4970	25.0000		2013/01/11 23:10
50 ppm	407.3940	50.0000		2013/01/11 23:23

Methods

Name: CAS_salt_010711 (TOC)

Version: v3 Operator: Gen Chem Lab (Fusion1)
 Ver Creation: 2013/02/04 11:45
 Comment:

Parameter	Value	Advanced Parameter	Value
SampleVolume	10.0 mL	NeedleRinseVolume	5.0 ml
Dilution	1:10	VialPrimeVolume	2.0 ml
AcidVolume	0.5 ml	ICSSamplePrimeVolume	2.0 ml
ReagentVolume	2.0 ml	ICSSpargeRinseVolume	12.0 ml
UVReactorPrerinse	Off	BaselineStabilizeTime	0.70 min
UVReactorPrerinseVolume	5.0	DetectorPressureFlow	150 ml/min
NumberOfUVReactorPrerinses	1	SyringeSpeedWaste	10
ICSpargeTime	1.00 mins	SyringeSpeedAcid	7
DetectorSweepFlow	500 ml/min	SyringeSpeedReagent	7
PreSpargeTime	2.00 mins	SyringeSpeedDIWater	7
SystemFlow	500 ml/min	NDIRPressurization	60 psig

SyringeSpeedSampleDispense	5
SyringeSpeedSampleAspirate	4
SyringeSpeedUVDispense	7
SyringeSpeedUVAspirate	5
SyringeSpeedCDispense	7
SyringeSpeedCAspirate	5
NDIRPressureStabilize	1.75 min
SampleMixing	Off
SampleMixingCycles	1
SampleMixingVolume	10.0
LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Gen Chem Lab (Fusion1)	Schedule completed	Schedule completed	2013/03/24 04:21

334117

Original
 Work Request # (2170) 2320 2444 2480 2520 2566 2602 2652

Tier: II II II V IV II V II

Date Analyzed: 3/27/13

Analyst: ab for CFS

Analysis: POC

DATA QUALITY REPORT INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

- | | |
|---|-----------|
| 1. Is the method name and number correct and appropriate? | yes/no/NA |
| 2. Holding times met for all analyses and for all samples? | yes/no/NA |
| 3. Are calculations correct? | yes/no/NA |
| 4. Is the reporting basis correct? (Dry Weight) | yes/no/NA |
| 5. All quality control criteria met? | yes/no |
| 6. Is the calibration curve correlation coefficient ≥ 0.995 ? | yes/no/NA |
| 7. MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency? | yes/no/NA |
| 8. Are ICVs, CCVs, and CCBs all within acceptance limits? | yes/no/NA |
| 9. Are results for methods blanks all ND? | yes/no/NA |
| 10. Are all QC samples within acceptance criteria?
(LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.) | yes/no/NA |
| 11. Are all exceptions explained? | yes/no/NA |
| 12. Have all applicable service requests been reviewed? | yes/no/NA |
| 13. Are all samples labeled correctly? | yes/no/NA |
| 14. Have all instructions on the service request been followed?
(e.g. Special MRLs, QC on a specific sample, Form V) | yes/no/NA |
| 15. Are detection limits and units reported correctly? | yes/no/NA |
| 16. Is the unused space on the benchsheet crossed out? | yes/no/NA |
| 17. Was analysis turned in by the due date? (n-2) (If not record SR#) | yes/no/NA |

COMMENTS:

2444-111d high RPD ok b/c Cx MRL

2170 due 3/29

Final Approved by: _____ Date: 3/29/13 DQREPORT

Analytical Results Summary

Instrument Name: K-TOC-01

Analyst: CSETHE

Analysis Lot:

334179

Method/Testcode: 415.1/TOC T

<u>Code</u>	<u>Target Analytes</u>	<u>QC</u>	<u>Parent Sample</u>	<u>Matrix</u>	<u>Raw Result</u>	<u>Sample Amt.</u>	<u>Final Result</u>	<u>Dil</u>	<u>MDL</u>	<u>PQL</u>	<u>% Rec</u>	<u>% RSD</u>	<u>Date Analyzed</u>	<u>QC? Tier</u>	
302170-001	Carbon, Total Organic	N/A		Water	1.46 mg/L	10 ml	7.3 mg/L	5	0.4	2.5			3/27/13 20:00	N II	
302320-001	Carbon, Total Organic	N/A		Water	1.41 mg/L	10 ml	7.0 mg/L	5	0.4	2.5			3/27/13 20:00	N II	
302444-001	Carbon, Total Organic	N/A		Water	0.65 mg/L	10 ml	0.65 mg/L	1	0.07	0.50			3/27/13 20:00	N II	
302444-002	Carbon, Total Organic	N/A		Water	2.68 mg/L	10 ml	2.68 mg/L	1	0.07	0.50			3/27/13 20:00	N II	
302444-003	Carbon, Total Organic	N/A		Water	2.51 mg/L	10 ml	2.51 mg/L	1	0.07	0.50			3/27/13 20:00	N II	
302444-005	Carbon, Total Organic	N/A		Water	3.01 mg/L	10 ml	3.01 mg/L	1	0.07	0.50			3/27/13 20:00	N II	
302444-006	Carbon, Total Organic	N/A		Water	0.27 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50			3/27/13 20:00	N II
302480-008	Carbon, Total Organic	N/A		Water	3.82 mg/L	10 ml	3.82 mg/L	1	0.07	0.50			3/27/13 20:00	N V	
302526-001	Carbon, Total Organic	N/A		Water	0.55 mg/L	10 ml	0.55 mg/L	1	0.07	0.50			3/27/13 20:00	N IV	
302566-001	Carbon, Total Organic	N/A		Water	1.38 mg/L	10 ml	1.38 mg/L	1	0.07	0.50			3/27/13 20:00	N II	
302566-002	Carbon, Total Organic	N/A		Water	1.61 mg/L	10 ml	1.61 mg/L	1	0.07	0.50			3/27/13 20:00	N II	
302566-003	Carbon, Total Organic	N/A		Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50			3/27/13 20:00	N II
302566-004	Carbon, Total Organic	N/A		Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50			3/27/13 20:00	N II
302566-005	Carbon, Total Organic	N/A		Water	1.96 mg/L	10 ml	3.9 mg/L	2	0.2	1.0			3/27/13 20:00	N II	
302566-006	Carbon, Total Organic	N/A		Water	1.98 mg/L	10 ml	4.0 mg/L	2	0.2	1.0			3/27/13 20:00	N II	
302566-007	Carbon, Total Organic	N/A		Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50			3/27/13 20:00	N II
302566-008	Carbon, Total Organic	N/A		Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50			3/27/13 20:00	N II
302566-009	Carbon, Total Organic	N/A		Water	0.96 mg/L	10 ml	0.96 mg/L	1	0.07	0.50			3/27/13 20:00	N II	
302566-010	Carbon, Total Organic	N/A		Water	0.75 mg/L	10 ml	0.75 mg/L	1	0.07	0.50			3/27/13 20:00	N II	
302566-011	Carbon, Total Organic	N/A		Water	2.57 mg/L	10 ml	2.57 mg/L	1	0.07	0.50			3/27/13 20:00	N II	
302602-001	Carbon, Total Organic	N/A		Water	9.81 mg/L	10 ml	19.6 mg/L	2	0.2	1.0			3/27/13 20:00	N V	
302652-001	Carbon, Total Organic	N/A		Water	3.29 mg/L	10 ml	6.6 mg/L	2	0.2	1.0			3/27/13 20:00	N II	
302652-002	Carbon, Total Organic	N/A		Water	2.56 mg/L	10 ml	5.1 mg/L	2	0.2	1.0			3/27/13 20:00	N II	
Q1303115-01	Carbon, Total Organic	DUP	K1302170-001	Water	1.37 mg/L	10 ml	6.8 mg/L	5	0.4	2.5	6	3/27/13 20:00	N II		
Q1303115-02	Carbon, Total Organic	MS	K1302170-001	Water	26.58 mg/L	10 ml	133 mg/L	5	0.4	2.5	100		3/27/13 20:00	N II	
Q1303115-03	Carbon, Total Organic	DUP	K1302320-001	Water	1.28 mg/L	10 ml	6.4 mg/L	5	0.4	2.5	9		3/27/13 20:00	N II	
Q1303115-04	Carbon, Total Organic	MS	K1302320-001	Water	26.52 mg/L	10 ml	133 mg/L	5	0.4	2.5	100		3/27/13 20:00	N II	
Q1303115-05	Carbon, Total Organic	DUP	K1302444-001	Water	0.51 mg/L	10 ml	0.51 mg/L	1	0.07	0.50	24*		3/27/13 20:00	N II	
Q1303115-06	Carbon, Total Organic	MS	K1302444-001	Water	25.01 mg/L	10 ml	25.0 mg/L	1	0.07	0.50	97		3/27/13 20:00	N II	
Q1303115-07	Carbon, Total Organic	DUP	K1302444-002	Water	2.54 mg/L	10 ml	2.54 mg/L	1	0.07	0.50	5		3/27/13 20:00	N II	
Q1303115-08	Carbon, Total Organic	DUP	K1302444-003	Water	2.48 mg/L	10 ml	2.48 mg/L	1	0.07	0.50	1		3/27/13 20:00	N II	
Q1303115-09	Carbon, Total Organic	DUP	K1302444-005	Water	2.96 mg/L	10 ml	2.96 mg/L	1	0.07	0.50	1		3/27/13 20:00	N II	
Q1303115-10	Carbon, Total Organic	DUP	K1302444-006	Water	0.21 mg/L	10 ml	0.21 mg/L	J	1	0.07	0.50	NC		3/27/13 20:00	N II
Q1303115-11	Carbon, Total Organic	DUP	K1302526-001	Water	0.53 mg/L	10 ml	0.53 mg/L	1	0.07	0.50	NC		3/27/13 20:00	N IV	
Q1303115-12	Carbon, Total Organic	DUP	K1302652-001	Water	3.37 mg/L	10 ml	6.7 mg/L	2	0.2	1.0	2		3/27/13 20:00	N II	
Q1303115-13	Carbon, Total Organic	MS	K1302652-001	Water	30.55 mg/L	10 ml	61.1 mg/L	2	0.2	1.0	109		3/27/13 20:00	N II	

Indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-01

Analyst: CSETHE

Analysis Lot: 334179

Method/Testcode: 415.1/TOC T

Job Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt.	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC? Tier
Q1303115-14	Carbon, Total Organic	DUP	K1302652-002	Water	2.39 mg/L	10 ml	4.8 mg/L	2	0.2	1.0	7	3/27/13 20:00	N II	
Q1303115-15	Carbon, Total Organic	DUP	K1302602-001	Water	9.65 mg/L	10 ml	19.3 mg/L	2	0.2	1.0	2	3/27/13 20:00	N V	
Q1303115-16	Carbon, Total Organic	MS	K1302602-001	Water	36.53 mg/L	10 ml	73.1 mg/L	2	0.2	1.0	107	3/27/13 20:00	N V	
Q1303115-17	Carbon, Total Organic	DUP	K1302566-001	Water	1.27 mg/L	10 ml	1.27 mg/L	1	0.07	0.50	8	3/27/13 20:00	N II	
Q1303115-18	Carbon, Total Organic	MS	K1302566-001	Water	25.74 mg/L	10 ml	25.7 mg/L	1	0.07	0.50	97	3/27/13 20:00	N II	
Q1303115-19	Carbon, Total Organic	DUP	K1302566-002	Water	1.47 mg/L	10 ml	1.47 mg/L	1	0.07	0.50	9	3/27/13 20:00	N II	
Q1303115-20	Carbon, Total Organic	DUP	K1302566-003	Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50	NC	3/27/13 20:00	N II
Q1303115-21	Carbon, Total Organic	DUP	K1302566-004	Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50	NC	3/27/13 20:00	N II
Q1303115-22	Carbon, Total Organic	DUP	K1302566-005	Water	1.95 mg/L	10 ml	3.9 mg/L	2	0.2	1.0	<1	3/27/13 20:00	N II	
Q1303115-23	Carbon, Total Organic	DUP	K1302566-006	Water	1.95 mg/L	10 ml	3.9 mg/L	2	0.2	1.0	2	3/27/13 20:00	N II	
Q1303115-24	Carbon, Total Organic	DUP	K1302566-007	Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50	NC	3/27/13 20:00	N II
Q1303115-25	Carbon, Total Organic	DUP	K1302566-008	Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50	NC	3/27/13 20:00	N II
Q1303115-26	Carbon, Total Organic	DUP	K1302566-009	Water	0.95 mg/L	10 ml	0.95 mg/L	1	0.07	0.50	2	3/27/13 20:00	N II	
Q1303115-27	Carbon, Total Organic	DUP	K1302566-010	Water	0.71 mg/L	10 ml	0.71 mg/L	1	0.07	0.50	6	3/27/13 20:00	N II	
Q1303115-28	Carbon, Total Organic	DUP	K1302566-011	Water	2.54 mg/L	10 ml	2.54 mg/L	1	0.07	0.50	1	3/27/13 20:00	N II	
Q1303115-29	Carbon, Total Organic	DUP	K1302480-008	Water	3.74 mg/L	10 ml	3.74 mg/L	1	0.07	0.50	2	3/27/13 20:00	N V	
Q1303115-30	Carbon, Total Organic	MS	K1302480-008	Water	29.59 mg/L	10 ml	29.6 mg/L	1	0.07	0.50	103	3/27/13 20:00	N V	
Q1303115-31	Carbon, Total Organic	MB		Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50		3/27/13 20:00	N V 88
Q1303115-31	Carbon, Total Organic	MB		Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50		3/27/13 20:00	N V
Q1303115-31	Carbon, Total Organic	MB		Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50		3/27/13 20:00	N V
Q1303115-32	Carbon, Total Organic	MB		Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50		3/27/13 20:00	N V
Q1303115-32	Carbon, Total Organic	MB		Water	0.01 mg/L	10 ml	0.50 mg/L	U	1	0.07	0.50		3/27/13 20:00	N V
Q1303115-33	Carbon, Total Organic	LCS		Water	23.00 mg/L	10 ml	23.0 mg/L	1	0.07	0.50	101	3/27/13 20:00	N V	
Q1303115-33	Carbon, Total Organic	LCS		Water	23.00 mg/L	10 ml	23.0 mg/L	1	0.07	0.50	101	3/27/13 20:00	N V	
Q1303115-33	Carbon, Total Organic	LCS		Water	23.05 mg/L	10 ml	23.0 mg/L	1	0.07	0.50	102	3/27/13 20:00	N V	
Q1303115-34	Carbon, Total Organic	LCS		Water	23.05 mg/L	10 ml	23.0 mg/L	1	0.07	0.50	102	3/27/13 20:00	N V	
Q1303115-34	Carbon, Total Organic	LCS		Water	23.05 mg/L	10 ml	23.0 mg/L	1	0.07	0.50	102	3/27/13 20:00	N V	
Q1303115-35	Carbon, Total Organic	CCV		Water	25.12 mg/L	10 ml	25.1 mg/L	1				3/27/13 20:00	N V	
Q1303115-35	Carbon, Total Organic	CCV		Water	25.12 mg/L	10 ml	25.1 mg/L	1				3/27/13 20:00	N V	
Q1303115-35	Carbon, Total Organic	CCV		Water	25.12 mg/L	10 ml	25.1 mg/L	1				3/27/13 20:00	N V	
Q1303115-36	Carbon, Total Organic	CCV		Water	24.84 mg/L	10 ml	24.8 mg/L	1				3/27/13 20:00	N V	
Q1303115-36	Carbon, Total Organic	CCV		Water	24.84 mg/L	10 ml	24.8 mg/L	1				3/27/13 20:00	N V	
Q1303115-37	Carbon, Total Organic	CCV		Water	24.85 mg/L	10 ml	24.8 mg/L	1				3/27/13 20:00	N V	

Indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

Analytical Results Summary

Instrument Name: K-TOC-01		Analyst: CSETHE		Analysis Lot:		334179	Method/Testcode: 9060/TOC/T		Batch Number:					
Job Code	Target Analytes	QC	Parent Sample	Matrix	Raw Result	Sample Amt	Final Result	Dil	MDL	PQL	% Rec	% RSD	Date Analyzed	QC? Tier
Q1303115-37	Carbon, Total Organic	CCV		Water	24.85 mg/L	10 ml	24.8 mg/L	1					3/27/13 20:00	N V
Q1303115-37	Carbon, Total Organic	CCV		Water	24.85 mg/L	10 ml	24.8 mg/L	1					3/27/13 20:00	N V
Q1303115-38	Carbon, Total Organic	CCV		Water	24.61 mg/L	10 ml	24.6 mg/L	1					3/27/13 20:00	N V
Q1303115-38	Carbon, Total Organic	CCV		Water	24.61 mg/L	10 ml	24.6 mg/L	1					3/27/13 20:00	N V
Q1303115-38	Carbon, Total Organic	CCV		Water	24.61 mg/L	10 ml	24.6 mg/L	1					3/27/13 20:00	N V
Q1303115-39	Carbon, Total Organic	CCV		Water	24.34 mg/L	10 ml	24.3 mg/L	1					3/27/13 20:00	N V
Q1303115-39	Carbon, Total Organic	CCV		Water	24.34 mg/L	10 ml	24.3 mg/L	1					3/27/13 20:00	N V
Q1303115-40	Carbon, Total Organic	CCB		Water	0.03 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V
Q1303115-40	Carbon, Total Organic	CCB		Water	0.03 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V
Q1303115-40	Carbon, Total Organic	CCB		Water	0.03 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V
Q1303115-41	Carbon, Total Organic	CCB		Water	0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V
Q1303115-41	Carbon, Total Organic	CCB		Water	0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V
Q1303115-41	Carbon, Total Organic	CCB		Water	0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V
Q1303115-42	Carbon, Total Organic	CCB		Water	0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V
Q1303115-42	Carbon, Total Organic	CCB		Water	0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V
Q1303115-43	Carbon, Total Organic	CCB		Water	0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V
Q1303115-43	Carbon, Total Organic	CCB		Water	0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V
Q1303115-43	Carbon, Total Organic	CCB		Water	0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V
Q1303115-44	Carbon, Total Organic	CCB		Water	0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V
Q1303115-44	Carbon, Total Organic	CCB		Water	0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V
Q1303115-44	Carbon, Total Organic	CCB		Water	0.01 mg/L	10 ml	0.50 mg/L U	1	0.07	0.50			3/27/13 20:00	N V

Indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

COLUMBIA ANALYTICAL SERVICES, INC.

Matrix: WATER

Analysis: Total Organic Carbon (WATER)

Method: Oxidation EPA 415.1/9060/5310C

Printout	Sample #	Dil. Factor	Solution Conc., mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
CBA	RB	1		-0.0129	0.0129	0.0129	<0.5	
2	ICV	1		-0.0129	0.0129	0.0129	<0.5	
3	ICB	1		-0.0129	0.0129	0.0129	<0.5	
4	CCV1	1	25.1082	-0.0129	25.1211	25.1211	25.1	
5	CCB1	1	0.0158	-0.0129	0.0287	0.0287	<0.5	
6	MB1	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
7	LCS1	1	22.9840	-0.0129	22.9969	22.9969	23.0	
8	K1302170-001	5	1.4482	-0.0129	1.4611	7.3055	7.31	
9	2170-1D	5	1.3567	-0.0129	1.3696	6.848	6.85	
10	2170-1S	5	26.5651	-0.0129	26.5780	132.89	133	
11	K1302320-001	5	1.3934	-0.0129	1.4063	7.0315	7.03	
12	2320-1D	5	1.2687	-0.0129	1.2816	6.408	6.41	
13	2320-1S	5	26.5110	-0.0129	26.5239	132.6195	133	
14	K1302444-001	1	0.6385	-0.0129	0.6514	0.6514	0.65	
15	2444-1D	1	0.4970	-0.0129	0.5099	0.5099	0.51	
16	2444-1S	1	24.9951	-0.0129	25.0080	25.008	25.0	
17	K1302444-002	1	2.6700	-0.0129	2.6829	2.6829	2.68	
18	2444-2D	1	2.5304	-0.0129	2.5433	2.5433	2.54	
19	CCV2	1	24.8287	-0.0129	24.8416	24.8416	24.8	
20	CCB2	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
21	K1302444-003	1	2.4958	-0.0129	2.5087	2.5087	2.51	
22	2444-3D	1	2.4681	-0.0129	2.4810	2.481	2.48	
23	K1302444-005	1	2.9926	-0.0129	3.0055	3.0055	3.01	
24	2444-5D	1	2.9495	-0.0129	2.9624	2.9624	2.96	
25	K1302444-006	1	0.2606	-0.0129	0.2735	0.2735	<0.5	

ICV = 25.0 ppm (Ref.#11-GEN-05-20A) ICAL Date 1/11/13 ICAL ID#:11-GEN-05-18K

LCS = 22.7 ppm APG 4013 Lot #180411 (REF#TOC1-09-L)

CCV = 25.0 ppm (Ref.#11-GEN-05-20A)

Spike: 0.05 ml of 5000 ppm stock ---> 10.0 ml = 25.0 x Dilution Factor (Ref.# 11-GEN-05-15E)

Analyzed By:	Date Analyzed	date	time
<i>M. G. CFS</i>	3/27/2013	20:00:00	
Reviewed By:	Date Reviewed	<i>3/29/13</i>	

COLUMBIA ANALYTICAL SERVICES, INC.

Matrix: WATER

Analysis: Total Organic Carbon (WATER)

Method: Oxidation EPA 415.1/9060

Printout	Sample #	Dil. Factor	Solution Conc., mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
26	2444-6D	1	0.1964	-0.0129	0.2093	0.2093	<0.5	
27	K1302526-001	1	0.5362	-0.0129	0.5491	0.5491	0.55	
28	2526-1D	1	0.5218	-0.0129	0.5347	0.5347	0.53	
29	RB	1	0.0058	-0.0129	0.0187	0.0187	<0.5	
30	K1302652-001	2	3.2801	-0.0129	3.2930	6.586	6.59	
31	2652-1D	2	3.3551	-0.0129	3.3680	6.736	6.74	
32	2652-1S	2	30.5358	-0.0129	30.5487	61.0974	61.1	
33	K1302652-002	2	2.5511	-0.0129	2.5640	5.128	5.13	
34	2652-2D	2	2.3745	-0.0129	2.3874	4.7748	4.77	
35	2602-1S	2	36.5187	-0.0129	36.5316	73.0632	73.1	
36	RB	1	0.0391	-0.0129	0.0520	0.052	<0.5	
37	CCV3	1	24.8355	-0.0129	24.8484	24.8484	24.8	
38	CCB3	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
39	MB2	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
40	LCS2	1	23.0369	-0.0129	23.0498	23.0498	23.0	
41	K1302602-001	2	9.7949	-0.0129	9.8078	19.6156	19.6	
42	2602-1D	2	9.6397	-0.0129	9.6526	19.3052	19.3	
43	2602-1T	2	8.6022	-0.0129	8.6151	17.2302	17.2	
44	2602-1Q	2	8.1822	-0.0129	8.1951	16.3902	16.4	
45	RB	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
46	K1302566-001	1	1.3643	-0.0129	1.3772	1.3772	1.38	
47	2566-1D	1	1.2600	-0.0129	1.2729	1.2729	1.27	
48	2566-1S	1	25.7268	-0.0129	25.7397	25.7397	25.7	
49	K1302566-002	1	1.5939	-0.0129	1.6068	1.6068	1.61	
50	2566-2D	1	1.4577	-0.0129	1.4706	1.4706	1.47	

Analyzed By: <i>Ab fer CFS</i>	Date Analyzed: 3.27.13
Reviewed By: <i>J</i>	Date Reviewed: <i>3/29/13</i>

COLUMBIA ANALYTICAL SERVICES, INC.

Matrix: WATER

Analysis: Total Organic Carbon (WATER)

Method: Oxidation EPA 415.1/9060

Printout	Sample #	Dil. Factor	Solution Conc., mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
51	K1302566-003	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
52	2566-3D	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
53	K1302566-004	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
54	2566-4D	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
55	K1302566-005	2	1.9436	-0.0129	1.9565	3.913	3.91	
56	2566-5D	2	1.9353	-0.0129	1.9482	3.8964	3.90	
57	CCV4	1	24.5994	-0.0129	24.6123	24.6123	24.6	
58	CCB4	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
59	K1302566-006	2	1.9709	-0.0129	1.9838	3.9676	3.97	
60	2566-6D	2	1.9342	-0.0129	1.9471	3.8942	3.89	
61	RB	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
62	K1302566-007	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
63	2566-7D	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
64	K1302566-008	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
65	2566-8D	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
66	K1302566-009	1	0.9513	-0.0129	0.9642	0.9642	0.96	
67	2566-9D	1	0.9324	-0.0129	0.9453	0.9453	0.95	
68	K1302566-010	1	0.7410	-0.0129	0.7539	0.7539	0.75	
69	2566-10D	1	0.6996	-0.0129	0.7125	0.7125	0.71	
70	K1302566-011	1	2.5605	-0.0129	2.5734	2.5734	2.57	
71	2566-11D	1	2.5276	-0.0129	2.5405	2.5405	2.54	
72	RB	1	0.0000	-0.0129	0.0129	0.0129	<0.5	
73	K1302480-008	1	3.8068	-0.0129	3.8197	3.8197	3.82	
74	2480-8D	1	3.7282	-0.0129	3.7411	3.7411	3.74	
75	2480-8S	1	29.5788	-0.0129	29.5917	29.5917	29.6	

Analyzed By: *M. Fer* (COS)

Date Analyzed

3.27.13

Reviewed By: *H*

Date Reviewed

3/29/13

COLUMBIA ANALYTICAL SERVICES, INC.

Matrix: WATER

Analysis: Total Organic Carbon (WATER)

Method: Oxidation EPA 415.1/9060

Printout	Sample #	Dil. Factor	Solution Conc., mg/L	Blank Correction, mg/L	Net mg/L	TOC mg/L	Reported TOC mg/L	
76	CCV5	1	24.325	-0.0129	24.3382	24.3382	24.3	
77	CCB5	1	0.000	-0.0129	0.0129	0.0129	<0.5	
78		1		-0.0129	0.0129	0.0129	<0.5	
79		1		-0.0129	0.0129	0.0129	<0.5	
80		1		-0.0129	0.0129	0.0129	<0.5	
81		1		-0.0129	0.0129	0.0129	<0.5	
82		1		-0.0129	0.0129	0.0129	<0.5	
83		1		-0.0129	0.0129	0.0129	<0.5	
84		1		-0.0129	0.0129	0.0129	<0.5	
85		1		-0.0129	0.0129	0.0129	<0.5	
86		1		-0.0129	0.0129	0.0129	<0.5	
87	CCV8	1		-0.0129	0.0129	0.0129	<0.5	
88	CCB8	1		-0.0129	0.0129	0.0129	<0.5	
89								
90								
91								
92								
93								
94								
95								
96								
97								
98								
99								
100								

Analyzed By: <i>AB/PS</i>	Date Analyzed	3.27.13
Reviewed By: <i>AB</i>	Date Reviewed	3/27/13

0.016	0.016	0.016	0.016	OBSERVATIONS	17	0.0158
0.000				STD Deviation	0.01911	0
0.000				AVERAGE	0.00621	0
0.012	0.012	0.012	0.012	UCL	0.02531	0.0115
0.000				LCL	-0.01290	0
0.078						ABOVE
0.000						0
0.000				OBSERVATIONS	2	0
0.000				STD Deviation	0.00304	0
0.000				AVERAGE	0.01365	0
0.000				UCL	0.01669	0
0.000				LCL	0.01061	0
0.000						0
0.000						0
0.000				OBSERVATIONS	2	0
0.000				STD Deviation	0.00304	0
0.000				AVERAGE	0.01365	0
0.000				UCL	0.01669	0
0.000				LCL	0.01061	0
0.000						0
0.000				OBSERVATIONS	2	0
0.000				STD Deviation	0.00430	0
0.000				AVERAGE	0.01365	0
0.000						0
0.000						0
0.000						0
0.000						0
0.000						0

Fusion Report - 032713

Wednesday, March 27, 2013 05:47 PM

(View - Reps, Unused Reps, Meta-
Data, Signature, History)
Printed on 2013/03/29 09:03 -
Friday

Report Summary Information

Company Location: Gen Chem Lab
 Schedule Name: 032713 Engine Version: 1.1.0.189
 Instrument Name: Fusion1 Firmware Version: 1.2.0696
 Report Version: 1 of 1 Connection: RS232 COM1
 Report Creation by Operators (schedule version):
 Gen Chem Lab (Fusion1) (v2)
 Gen Chem Lab (Fusion1) (v3)
 Gen Chem Lab (Fusion1) (v4)
 Gen Chem Lab (Fusion1) (v5)
 Gen Chem Lab (Fusion1) (v6)
 Gen Chem Lab (Fusion1) (v7)
 Gen Chem Lab (Fusion1) (v8)
 Gen Chem Lab (Fusion1) (v9)
 Gen Chem Lab (Fusion1) (v10)
 Comment:

Report Results

Sample Type: Clean							From Schedule Version 2
Pos	Analysis Type	Sample ID			Start Time		
(clean)		Clean			2013/03/27 17:47		
Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	IC Clean	13.11	16.05	2.94	49.64	05:19	
2	TC Clean	20.61	23.04	2.43	50.83	03:57	
3	TC Clean	4.91	7.58	2.67	50.58	03:40	
4	TC Clean	2.75	5.55	2.80	51.00	03:41	

Sample Type: Clean							From Schedule Version 3
Pos	Analysis Type	Sample ID			Start Time		
(clean)		Clean			2013/03/27 18:08		
Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	IC Clean	1.02	3.73	2.71	50.23	05:08	

Pos	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
2	TC Clean	6.63	9.44	2.81	51.23	04:00
3	TC Clean	3.36	5.90	2.53	50.98	03:43
4	TC Clean	2.12	5.09	2.97	50.93	03:41

Sample Type: Clean From Schedule Version 4						
Pos	Analysis Type	Sample ID			Start Time	
(clean)		Clean			2013/03/27 18:30	
Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	9.32	11.91	2.59	50.28	05:12
2	TC Clean	5.47	8.27	2.80	50.55	03:57
3	TC Clean	2.00	4.89	2.88	50.82	03:40
4	TC Clean	1.88	4.55	2.66	50.57	03:42

Sample Type: Blank (Creating v410) From Schedule Version 5						
Pos	Analysis Type	Sample ID			Start Time	
(blank)		Reagent/Acid Blank			2013/03/27 18:51	
Rep #	Base Analysis Type	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	IC Clean	0.82	3.45	2.63	50.28	05:08
2	TC Clean	4.56	7.54	2.98	50.69	03:57
3	TC Clean	2.46	5.31	2.85	50.66	03:42
4	TC Clean	2.26	5.36	3.10	51.10	03:43
5	Reagent Blank	3.34	6.25	2.91	51.28	04:59
6	Acid Blank	0.55	3.44	2.89	49.87	05:20

Sample Type: Check Standard --> CCB From Schedule Version 6									
Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
-	D TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.3053 ppm (PASS)	0.0000 ppm	0%	2013/03/27 19:24
Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure Run Time

D	TOC	0 ppm	1	0.3053	3.0531	11.30	14.29	2.99	60.19	09:42
<u>Completion State</u>		<u>Success Action</u>			<u>Method</u>		<u>Calibration</u>		<u>STD Conc - Pos D</u>	
Success - Criteria met.			Do Nothing			CAS_salt_010711 (v3)	CAS_salt_010711 (v9)		0 ppmC	

<u>Sample Type:</u> Check Standard --> CCV 25 ppm										From Schedule Version 7		
<u>Pos</u>		<u>BAT</u>	<u>Concentration (ppm)</u>		<u>Dil</u>	<u>Sample ID</u>		<u>Min / Max (% dev)</u>	<u>Result</u>		<u>Std. Dev.</u>	<u>RSD</u>
B		TOC	25.0000		1:2	[TOC] CCV 25 ppm [25 ppm]		0 / infinity (NA / NA)	25.1082 ppm (PASS)		0.0000 ppm	0%
<u>Pos</u>	<u>Base Analysis Type</u>	<u>ID</u>	<u>Rep #</u>	<u>ppm</u>	<u>μg</u>	<u>Adjusted</u>	<u>NDIR</u>	<u>Baseline</u>	<u>Pressure</u>	<u>Run Time</u>		
B	TOC	25 ppm	1	25.1082	251.0819	207.77	210.74	2.97	60.25	09:43		
<u>Completion State</u>		<u>Success Action</u>			<u>Method</u>		<u>Calibration</u>		<u>STD Conc - Pos B</u>			
Success - Criteria met.			Do Nothing			CAS_salt_010711 (v3)	CAS_salt_010711 (v9)		50 ppmC			

<u>Sample Type:</u> Check Standard --> CCB										From Schedule Version 8		
<u>Pos</u>		<u>BAT</u>	<u>Concentration (ppm)</u>		<u>Dil</u>	<u>Sample ID</u>		<u>Min / Max (% dev)</u>	<u>Result</u>		<u>Std. Dev.</u>	<u>RSD</u>
D		TOC	0.0000		1:1	[TOC] CCB [0 ppm]		0 / infinity (NA / NA)	0.0158 ppm (PASS)		0.0000 ppm	0%
<u>Pos</u>	<u>Base Analysis Type</u>	<u>ID</u>	<u>Rep #</u>	<u>ppm</u>	<u>μg</u>	<u>Adjusted</u>	<u>NDIR</u>	<u>Baseline</u>	<u>Pressure</u>	<u>Run Time</u>		
D	TOC	0 ppm	1	0.0158	0.1584	9.01	11.88	2.87	60.31	09:40		
<u>Completion State</u>		<u>Success Action</u>			<u>Method</u>		<u>Calibration</u>		<u>STD Conc - Pos D</u>			
Success - Criteria met.			Do Nothing			CAS_salt_010711 (v3)	CAS_salt_010711 (v9)		0 ppmC			

<u>Sample Type:</u> Sample										From Schedule Version 9	
<u>Pos</u>		<u>Analysis Type</u>	<u>Sample ID</u>			<u>Result (ppmC)</u>		<u>Std. Dev. (ppmC)</u>	<u>RSD</u>		<u>Start Time</u>
1		TOC	MB1			0.0000 ppm		0.0000 ppm	0.0000%		2013/03/27 20:05
<u>Rep #</u>	<u>Base Analysis Type</u>	<u>ppm</u>	<u>μg</u>	<u>Adjusted (Abs)</u>		<u>NDIR (Abs)</u>	<u>Baseline (Abs)</u>	<u>Pressure (psig)</u>	<u>Run Time</u>		
1	TOC	0.0000	0.0000	7.71		10.48	2.77	60.18	09:39		
<u>Dilution</u>		<u>Blank Contribution</u>			<u>Method</u>		<u>Calibration</u>				
1:10		8.2206 (v410)			CAS_salt_010711 (v3)		CAS_salt_010711 (v9)				

Sample Type: Check Standard --> LCS

From Schedule Version 10

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time	
2	TOC	22.7000	1:1	[TOC] LCS [22.7 ppm]	0 / infinity (NA / NA)	22.9840 ppm (PASS)	0.0000 ppm	0%	2013/03/27 20:19	
Pos	Base Analysis Type	ID	Rep #	ppm	μg	Adjusted	NDIR	Baseline	Pressure	Run Time
2	TOC	22.7 ppm	1	22.9840	229.8400	190.95	194.00	3.05	60.57	09:43
Completion State	Success Action	Method	Calibration	STD Conc - Pos 2						
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	22.7 ppmC						

Sample Type: Sample

From Schedule Version 10

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
3	TOC	K1302170-001.08 5x		1.4024 ppm	0.0647 ppm	4.6100%	2013/03/27 20:33		
Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	1.4482	14.4820	19.69	22.53	2.83	60.62	09:40	
2	TOC	1.3567	13.5668	18.97	21.74	2.78	60.67	09:38	
Dilution	Blank Contribution	Method	Calibration						
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)						
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
4	TOC	K1302170-001.08 ms 5x		26.5651 ppm	0.0000 ppm	0.0000%	2013/03/27 20:59		
Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	26.5651	265.6505	218.65	221.51	2.86	60.41	09:46	
Dilution	Blank Contribution	Method	Calibration						
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)						
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
5	TOC	K1302320-001.08 5x		1.3310 ppm	0.0882 ppm	6.6300%	2013/03/27 21:12		
Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	1.3934	13.9341	19.26	22.07	2.81	60.21	09:38	
2	TOC	1.2687	12.6869	18.27	20.94	2.67	60.54	09:35	
Dilution	Blank Contribution	Method	Calibration						
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)						
Pos	Analysis	Sample ID		Result (ppmC)	Std. Dev.	RSD	Start Time		

	Type			(ppmC)					
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	26.5110	265.1102	218.22	221.02	2.80	60.58	09:44	
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>			
1:10		8.2206 (v410)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
7	TOC	K1302444-001.07		0.5677 ppm	0.1001 ppm	17.6300%	2013/03/27 21:52		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	0.6385	6.3847	13.28	15.92	2.65	60.26	09:37	
2	TOC	0.4970	4.9695	12.16	14.87	2.72	60.54	09:36	
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>			
1:10		8.2206 (v410)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
8	TOC	K1302444-001.07 ms		24.9951 ppm	0.0000 ppm	0.0000%	2013/03/27 22:18		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	24.9951	249.9508	206.21	209.08	2.87	60.15	09:42	
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>			
1:10		8.2206 (v410)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
9	TOC	K1302444-002.07		2.6002 ppm	0.0987 ppm	3.8000%	2013/03/27 22:32		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	2.6700	26.7000	29.37	32.25	2.88	60.60	09:39	
2	TOC	2.5304	25.3037	28.26	31.17	2.90	60.65	09:40	
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>			
1:10		8.2206 (v410)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)			

Sample Type: Check Standard --> CCV 25 ppm

From Schedule Version 10

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.8287 ppm (PASS)	0.0000 ppm	0%	2013/03/27 22:58

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.8287	248.2869	205.56	208.16	2.60	60.37	09:46

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 10

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
-	D	TOC	0.0000	1:1 [TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2013/03/27 23:11

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	8.28	10.97	2.70	60.48	09:43

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	0 ppmC

Sample Type: Sample From Schedule Version 10

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
-	10	TOC	K1302444-003.08	2.4820 ppm	0.0195 ppm	0.7900%	2013/03/27 23:25
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig) Run Time
1	TOC	2.4958	24.9578	27.99	30.85	2.86	60.53 09:40
2	TOC	2.4681	24.6813	27.77	30.66	2.89	60.13 09:36

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
-	11	TOC	K1302444-005.07	2.9710 ppm	0.0304 ppm	1.0200%	2013/03/27 23:51
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig) Run Time
1	TOC	2.9926	29.9255	31.92	34.73	2.80	60.59 09:39
2	TOC	2.9495	29.4950	31.58	34.46	2.88	60.58 09:39

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
-	12	TOC	K1302444-006.07	0.2285 ppm	0.0454 ppm	19.8900%	2013/03/28 00:18

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.2606	2.6062	10.28	13.11	2.82	60.60	09:41
2	TOC	0.1964	1.9636	9.78	12.64	2.86	60.11	09:37

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
-	13	TOC	K1302526-001.03	0.5290 ppm	0.0102 ppm	1.9200%	2013/03/28 00:44

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5362	5.3621	12.47	15.31	2.85	60.60	09:39
2	TOC	0.5218	5.2182	12.35	15.12	2.76	60.18	09:33

	Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
-	14	TOC	RB	0.0058 ppm	0.0082 ppm	141.4200%	2013/03/28 01:10

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0115	0.1154	8.31	11.15	2.84	60.54	09:38
2	TOC	0.0000	0.0000	6.90	9.86	2.95	60.26	09:38

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
15	TOC	K1302652-001.08 2x	3.3176 ppm	0.0530 ppm	1.6000%	2013/03/28 01:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.2801	32.8014	34.20	37.10	2.90	60.34	09:37
2	TOC	3.3551	33.5513	34.80	37.68	2.89	60.42	09:37

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
16	TOC	K1302652-001.08 ms 2x	30.5358 ppm	0.0000 ppm	0.0000%	2013/03/28 02:02

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	30.5358	305.3582	250.10	252.90	2.80	60.34	09:44

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711	CAS_salt_010711

(v3)

(v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
17	TOC	K1302652-002.08 2x	2.4628 ppm	0.1249 ppm	5.0700%	2013/03/28 02:16		
1	TOC	2.5511	25.5108	28.43	31.33	2.90	60.34	09:33
2	TOC	2.3745	23.7446	27.03	29.99	2.96	60.29	09:35

Dilution

Blank Contribution

Method
CAS_salt_010711
(v3)

Calibration
CAS_salt_0107
(v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
18	TOC	K1302602-001.05 ms 2x	36.5187 ppm	0.0000 ppm	0.0000%	2013/03/28 02:42

Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	36.5187	365.1867	297.49	300.32	2.83	60.16	09:40

Dilution

Blank Contribution

Method
CAS_salt_010711
(v3)

Calibration
CAS_salt_010711
(v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
10	TOC	RR	0.0301 ppm	0.0053 ppm	141.4200%	2013/03/28 02:55

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0782	0.7820	8.84	11.55	2.71	60.24	09:36
2	TOC	0.0000	0.0000	7.81	10.59	2.79	60.49	09:35

Dilution

Blank Contribution

Method
CAS_salt_010711
(v3)

Calibration
CAS_salt_010711
(v9)

Sample Type: Check Standard --> CCV 25 ppm

From Schedule Version 10

	Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
-	B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.8355 ppm (PASS)	0.0000 ppm	0%	2013/03/28 03:21
Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.8355	248.3550	205.61	208.53	2.92	60.25	09:43

Completion State

Success Action

Method
CAS_salt_010711
(v3)

Calibration
CAS_salt_010711
(v9)

STD Conc - Pos B

Sample Type: Check Standard --> CCB									From Schedule Version 10		
Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time		
-	D TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2013/03/28 03:35		
Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time	
D TOC	0 ppm	1		0.0000	0.0000	7.80	10.75	2.95	60.20	09:42	
Completion State	Success Action	Method	Calibration	STD Conc - Pos D							
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)								0 ppmC

Sample Type: Sample									From Schedule Version 10		
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time				
-	20 TOC	MB2		0.0000 ppm	0.0000 ppm	0.0000%	2013/03/28 03:49				
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time			
1 TOC	0.0000	0.0000		7.01	9.95	2.94	60.43	09:37			
Dilution	Blank Contribution	Method	Calibration								
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)								

Sample Type: Check Standard --> LCS									From Schedule Version 10		
Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time		
-	2 TOC	22.7000	1:1	[TOC] LCS [22.7 ppm]	0 / infinity (NA / NA)	23.0369 ppm (PASS)	0.0000 ppm	0%	2013/03/28 04:02		
Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time	
2 TOC	22.7 ppm	1		23.0369	230.3690	191.36	194.12	2.75	60.45	09:41	
Completion State	Success Action	Method	Calibration	STD Conc - Pos 2							
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)								22.7 ppmC

Sample Type: Sample									From Schedule Version 10		
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time				
-	21 TOC	K1302602-001.05 2x		9.0548 ppm	0.7866 ppm	8.6900%	2013/03/28 04:16				
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time			

1	TOC	9.7949	97.9486	85.81	88.49	2.68	60.28	09:36
2	TOC	9.6397	96.3971	84.58	87.45	2.87	57.18	09:36
3	TOC	8.6022	86.0223	76.36	79.30	2.94	51.54	10:15
4	TOC	8.1822	81.8221	73.03	75.87	2.84	44.32	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 ($\sqrt{3}$)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
22	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2013/03/28 05:09

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.12	9.92	2.79	48.60	10:27
2	TOC	0.0000	0.0000	7.49	10.39	2.90	54.17	10:01

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
23	TOC	K1302566-001.10	1.3121 ppm	0.0737 ppm	5.6200%	2013/03/28 05:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.3643	13.6425	19.03	21.82	2.79	54.77	09:48
2	TOC	1.2600	12.5997	18.20	21.11	2.90	54.57	09:49

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
24	TOC	K1302566-001.10.ms	25.7268 ppm	0.0000 ppm	0.0000%	2013/03/28 06:03

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	25.7268	257.2679	212.01	214.69	2.69	56.21	09:55

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
25	TOC	K1302566-002.10	1.5258 ppm	0.0963 ppm	6.3100%	2013/03/28 06:17

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5939	15.9389	20.85	23.62	2.78	55.93	09:49
2	TOC	1.4577	14.5767	19.77	22.74	2.98	56.86	09:44

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.90	9.68	2.78	56.53	09:46
2	TOC	0.0000	0.0000	6.92	9.70	2.78	56.47	09:49

Dilution Blank Contribution Method Calibration
 1:10 8.2206 (v410) CAS_salt_010711 (v3) CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
27	TOC	K1302566-004.10	0.0000 ppm	0.0000 ppm	0.0000%	2013/03/28 07:09

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.90	9.68	2.77	56.47	09:43
2	TOC	0.0000	0.0000	6.89	9.72	2.82	58.08	09:48

Dilution Blank Contribution Method Calibration
 1:10 8.2206 (v410) CAS_salt_010711 (v3) CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
28	TOC	K1302566-005.10 2x	1.9394 ppm	0.0059 ppm	0.3000%	2013/03/28 07:36

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9436	19.4359	23.62	26.66	3.04	58.40	09:47
2	TOC	1.9353	19.3526	23.55	26.35	2.80	58.58	09:40

Dilution Blank Contribution Method Calibration
 1:10 8.2206 (v410) CAS_salt_010711 (v3) CAS_salt_010711 (v9)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 10

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.5994 ppm (PASS)	0.0000 ppm	0%	2013/03/28 08:02

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.5994	245.9943	203.74	206.59	2.85	58.33	09:50

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 10

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
-	D TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2013/03/28 08:16
Pos	Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	7.92	10.81	2.89	58.63 09:49
Completion State	<u>Success Action</u>		<u>Method</u>		<u>Calibration</u>		<u>STD Conc - Pos D</u>		
Success - Criteria met.	Do Nothing		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)		0 ppmC		

Sample Type Sample							From Schedule Version 10		
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
29	TOC	K1302566-006 10 2x		1.9526 ppm	0.0259 ppm	1.3300%	2013/03/28 08:30		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	1.9709	19.7086	23.83	26.74	2.90	58.44	09:38	
2	TOC	1.9342	19.3425	23.54	26.56	3.02	58.76	09:42	
Dilution	<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>				
1:10	8.2206 (v410)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)				
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
30	TOC	RB		0.0000 ppm	0.0000 ppm	0.0000%	2013/03/28 08:56		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	0.0000	0.0000	7.44	9.99	2.55	58.91	09:42	
2	TOC	0.0000	0.0000	6.51	9.34	2.83	59.04	09:44	
Dilution	<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>				
1:10	8.2206 (v410)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)				
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
31	TOC	K1302566-007 10		0.0000 ppm	0.0000 ppm	0.0000%	2013/03/28 09:22		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	0.0000	0.0000	6.66	9.48	2.81	58.78	09:40	
2	TOC	0.0000	0.0000	6.70	9.28	2.58	58.90	09:40	
Dilution	<u>Blank Contribution</u>		<u>Method</u>		<u>Calibration</u>				
1:10	8.2206 (v410)		CAS_salt_010711 (v3)		CAS_salt_010711 (v9)				
Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		

32	TOC	K1302566-008.10	0.0000 ppm	0.0000 ppm	0.0000%	2013/03/28 09:48		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	6.64	9.32	2.68	58.83	09:41
2	TOC	0.0000	0.0000	6.48	9.25	2.77	58.72	09:41
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>	<u>Calibration</u>			
1:10		8.2206 (v410)		CAS_salt_010711 (v3)	CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
33	TOC	K1302566-009.10	0.9418 ppm	0.0134 ppm	1.4200%	2013/03/28 10:15		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.9513	9.5131	15.76	18.44	2.69	58.71	09:39
2	TOC	0.9324	9.3237	15.61	18.44	2.83	58.80	09:40
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>	<u>Calibration</u>			
1:10		8.2206 (v410)		CAS_salt_010711 (v3)	CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
34	TOC	K1302566-010.10	0.7203 ppm	0.0293 ppm	4.0700%	2013/03/28 10:41		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7410	7.4098	14.09	16.75	2.66	58.73	09:44
2	TOC	0.6996	6.9957	13.76	16.61	2.85	58.66	09:41
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>	<u>Calibration</u>			
1:10		8.2206 (v410)		CAS_salt_010711 (v3)	CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
35	TOC	K1302566-011.10	2.5441 ppm	0.0233 ppm	0.9200%	2013/03/28 11:07		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	2.5605	25.6055	28.50	31.31	2.81	58.57	09:40
2	TOC	2.5276	25.2760	28.24	31.12	2.88	58.78	09:41
<u>Dilution</u>		<u>Blank Contribution</u>		<u>Method</u>	<u>Calibration</u>			
1:10		8.2206 (v410)		CAS_salt_010711 (v3)	CAS_salt_010711 (v9)			
Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time		
36	TOC	RB	0.0000 ppm	0.0000 ppm	0.0000%	2013/03/28 11:33		
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0000	0.0000	7.05	9.74	2.68	58.66	09:45
2	TOC	0.0000	0.0000	6.59	9.27	2.68	58.29	09:42

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
37	TOC	K1302480-008.28	3.7675 ppm	0.0556 ppm	1.4800%	2013/03/28 11:59

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	3.8068	38.0683	38.38	41.16	2.79	58.44	09:42
2	TOC	3.7282	37.2818	37.75	40.47	2.72	58.21	09:41

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
38	TOC	K1302480-008.28 ms	29.5788 ppm	0.0000 ppm	0.0000%	2013/03/28 12:26

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	29.5788	295.7876	242.52	245.46	2.94	58.58	09:53

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Sample Type: Check Standard --> CCV 25 ppm

From Schedule Version 10

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	24.3253 ppm (PASS)	0.0000 ppm	0%	2013/03/28 12:39

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	24.3253	243.2535	201.57	204.48	2.91	57.94	09:49

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	50 ppmC

Sample Type: Check Standard --> CCB

From Schedule Version 10

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2013/03/28 12:53

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time

D	TOC	0 ppm	1	0.0000	0.0000	7.97	10.88	2.91	57.74	09:46
---	-----	-------	---	--------	--------	------	-------	------	-------	-------

Completion State	Success Action	Method	Calibration	STD Conc - Pos D
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	0 ppmC

Sample Type: Sample From Schedule Version 10									
Pos	Analysis Type	Sample ID		Result (ppmC)		Std. Dev. (ppmC)	RSD	Start Time	
39	TOC	MB3		0.0000 ppm		0.0000 ppm	0.0000%	2013/03/28 13:07	
Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	0.0000	0.0000	6.74	9.51	2.77	58.00	09:55	
Dilution	Blank Contribution	Method	Calibration						
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)						

Sample Type: Check Standard --> LCS From Schedule Version 10									
Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
2	TOC	22.7000	1:1	[TOC] LCS [22.7 ppm]	0 / infinity (NA / NA)	22.5261 ppm (PASS)	0.0000 ppm	0%	2013/03/28 13:21
Pos	Base Analysis Type	ID	Rep #	ppm	μg	Adjusted	NDIR	Baseline	Pressure
2	TOC	22.7 ppm	1	22.5261	225.2611	187.32	190.22	2.90	57.87 09:48
Completion State	Success Action	Method	Calibration						
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)						

Sample Type: Sample From Schedule Version 10									
Pos	Analysis Type	Sample ID		Result (ppmC)		Std. Dev. (ppmC)	RSD	Start Time	
40	TOC	K1302480-015.31		2.6655 ppm		0.1718 ppm	6.4500%	2013/03/28 13:35	
Rep #	Base Analysis Type	ppm	μg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time	
1	TOC	2.7870	27.8703	30.30	32.99	2.70	57.55	09:46	
2	TOC	2.5440	25.4401	28.37	31.24	2.87	56.76	09:45	
Dilution	Blank Contribution	Method	Calibration						
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)						

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
41	TOC	K1302480-016.31	1.7252 ppm	0.3448 ppm	19.9800%	2013/03/28 14:01

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.9690	19.6896	23.82	26.73	2.91	53.20	09:48
2	TOC	1.4814	14.8141	19.96	23.02	3.06	35.80	10:16

Dilution Blank Contribution Method Calibration
 1:10 8.2206 (v410) CAS_salt_010711
 (v3) CAS_salt_010711
 (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
42	TOC	K1302480-023.28		0.3535 ppm	0.0163 ppm	4.6200%	2013/03/28	14:28

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.3650	3.6503	11.11	14.00	2.89	22.69	10:27
2	TOC	0.3419	3.4192	10.93	13.78	2.85	23.05	10:22

Dilution Blank Contribution Method Calibration
 1:10 8.2206 (v410) CAS_salt_010711
 (v3) CAS_salt_010711
 (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
43	TOC	K1302480-024.28		1.5038 ppm	0.0195 ppm	1.2900%	2013/03/28	14:56

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	1.5175	15.1751	20.24	23.07	2.82	23.54	10:29
2	TOC	1.4900	14.8999	20.02	22.95	2.92	23.95	10:27

Dilution Blank Contribution Method Calibration
 1:10 8.2206 (v410) CAS_salt_010711
 (v3) CAS_salt_010711
 (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
44	TOC	K1302480-026.28		0.5661 ppm	0.0243 ppm	4.2900%	2013/03/28	15:24

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.5833	5.8330	12.84	15.69	2.85	24.40	10:26
2	TOC	0.5490	5.4897	12.57	15.60	3.03	24.47	10:23

Dilution Blank Contribution Method Calibration
 1:10 8.2206 (v410) CAS_salt_010711
 (v3) CAS_salt_010711
 (v9)

Pos	Analysis Type	Sample ID		Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time	
45	TOC	K1302480-027.28		0.7717 ppm	0.0279 ppm	3.6100%	2013/03/28	15:52

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.7520	7.5197	14.18	17.05	2.87	23.89	10:26
2	TOC	0.7914	7.9135	14.49	17.44	2.95	24.89	10:26

Dilution Blank Contribution Method Calibration
 1:10 8.2206 (v410) CAS_salt_010711
 CAS_salt_010711

(v3)

(v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
46	TOC	K1302510-001.12	0.1008 ppm	0.0391 ppm	38.7900%	2013/03/28 16:19

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	0.0731	0.7315	8.80	11.75	2.95	24.85	10:26
2	TOC	0.1284	1.2844	9.24	11.86	2.62	24.76	10:27

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
47	TOC	K1302510-001.12 ms	16.8539 ppm	0.0000 ppm	0.0000%	2013/03/28 16:47

Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)	Pressure (psig)	Run Time
1	TOC	16.8539	168.5395	141.72	144.58	2.86	24.66	10:31

Dilution	Blank Contribution	Method	Calibration
1:10	8.2206 (v410)	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)

Sample Type: Check Standard --> CCV 25 ppm From Schedule Version 10

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
B	TOC	25.0000	1:2	[TOC] CCV 25 ppm [25 ppm]	0 / infinity (NA / NA)	16.1206 ppm (PASS)	0.0000 ppm	0%	2013/03/28 17:01

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
B	TOC	25 ppm	1	16.1206	161.2059	136.58	139.63	3.05	24.29	10:30

Completion State	Success Action	Method	Calibration	STD Conc - Pos B
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	50 ppmC

Sample Type: Check Standard --> CCB From Schedule Version 10

Pos	BAT	Concentration (ppm)	Dil	Sample ID	Min / Max (% dev)	Result	Std. Dev.	RSD	Start Time
D	TOC	0.0000	1:1	[TOC] CCB [0 ppm]	0 / infinity (NA / NA)	0.0000 ppm (PASS)	0.0000 ppm	0%	2013/03/28 17:16

Pos	Base Analysis Type	ID	Rep #	ppm	µg	Adjusted	NDIR	Baseline	Pressure	Run Time
D	TOC	0 ppm	1	0.0000	0.0000	5.00	8.30	3.31	23.63	10:32

<u>Completion State</u>	<u>Success Action</u>	<u>Method</u>	<u>Calibration</u>	<u>STD Conc - Pos D</u>
Success - Criteria met.	Do Nothing	CAS_salt_010711 (v3)	CAS_salt_010711 (v9)	0 ppmC

Sample Type: Sample From Schedule Version 10

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
48	TOC	K1302510-002.12	0.1297 ppm	0.0095 ppm	7.3000%	2013/03/28 17:30
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)
1	TOC	0.1230	1.2302	9.20	11.97	2.78
2	TOC	0.1364	1.3640	9.30	12.20	2.90

Dilution 1:10 Blank Contribution 8.2206 (v410) Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
49	TOC	K1302510-003.12	1.1659 ppm	0.1019 ppm	8.7400%	2013/03/28 17:58
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)
1	TOC	1.2380	12.3801	18.03	20.77	2.75
2	TOC	1.0938	10.9384	16.88	19.94	3.06

Dilution 1:10 Blank Contribution 8.2206 (v410) Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Pos	Analysis Type	Sample ID	Result (ppmC)	Std. Dev. (ppmC)	RSD	Start Time
50	TOC	K1302510-004.12	Nan	Nan	Nan%	2013/03/28 18:26
Rep #	Base Analysis Type	ppm	µg	Adjusted (Abs)	NDIR (Abs)	Baseline (Abs)

Dilution 1:10 Method CAS_salt_010711 (v3) Calibration CAS_salt_010711 (v9)

Meta Data Used in this Report

Blanks

Version	Reagent (Abs)	Acid (Abs)	DI IC (Abs)	DI TC (Abs)	DI TOC (Abs)	Save Time	Operator
v409	1.6270	0.8350	0.0000	0.0000	0.0000	2013/03/22 19:56	Gen Chem Lab (Fusion1)
v410	1.1130	0.5500	0.0000	0.0000	0.0000	2013/03/27 19:24	Gen Chem Lab (Fusion1)

Calibrations

Name: CAS_salt_010711 (TOC)

Version: v9 Calibration curve formula: TOC: $y = 7.921x + 8.887$
 Ver Creation: 2013/01/11 23:25 r^2 value: TOC: $r^2 = 0.99949$
 Comment:
 Operator: Gen Chem Lab (Fusion1)
 Basic Analysis Type: TOC

Basic Analysis Type: TOC

Sample ID	Y Raw Value	X Expected	Message	End Time
DI Water	11.9430	0.0000		2013/01/11 22:03
0.500 ppm	15.0010	0.5000		2013/01/11 22:17
1.0 ppm	18.3830	1.0000		2013/01/11 22:30
5.0 ppm	47.8020	5.0000		2013/01/11 22:43
10 ppm	81.9700	10.0000		2013/01/11 22:57
25 ppm	204.4970	25.0000		2013/01/11 23:10
50 ppm	407.3940	50.0000		2013/01/11 23:23

Methods

Name: CAS_salt_010711 (TOC)

Version: v3 Operator: Gen Chem Lab (Fusion1)
 Ver Creation: 2013/02/04 11:45
 Comment:

Parameter	Value	Advanced Parameter	Value
SampleVolume	10.0 mL	NeedleRinseVolume	5.0 ml
Dilution	1:10	VialPrimeVolume	2.0 ml
AcidVolume	0.5 ml	ICSamplePrimeVolume	2.0 ml
ReagentVolume	2.0 ml	ICSpargeRinseVolume	12.0 ml
UVReactorPrerinse	Off	BaselineStabilizeTime	0.70 min
UVReactorPrerinseVolume	5.0	DetectorPressureFlow	150 ml/min
NumberOfUVReactorPrerinses	1	SyringeSpeedWaste	10
ICSpargeTime	1.00 mins	SyringeSpeedAcid	7
DetectorSweepFlow	500 ml/min	SyringeSpeedReagent	7
PreSpurgeTime	2.00 mins	SyringeSpeedDIWater	7
SystemFlow	500 ml/min	NDIRPressurization	60 psig
		SyringeSpeedSampleDispense	5
		SyringeSpeedSampleAspirate	4
		SyringeSpeedUVDispense	7
		SyringeSpeedUVAspirate	5
		SyringeSpeedICDispense	7
		SyringeSpeedICAspirate	5
		NDIRPressureStabilize	1.75 min

SampleMixing	Off
SampleMixingCycles	1
SampleMixingVolume	10.0
LowLevelFilterNDIR	Off

Acceptance / Approval

Electronic Signatures

Report Version	User Name	Acceptance	Reason	Date

Report History

Report History

Report Version	User Name	System Reason	User Reason	Date
1	Gen Chem Lab (Fusion1)	Schedule completed	Schedule completed	2013/03/28 18:36

TOC: 334179
~~DOC 334180~~

Schedule: 032713

Version: 10

Instrument: Fusion1

Last Saved by: Gen Chem Lab (Fusion1)

Last Saved on: 2013/03/27 20:16 - Wednesday

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
(Clean)	Clean	Clean		1	True	Done
(Clean)	Clean	Clean		1	True	Done
(Clean)	Clean	Clean		1	True	Done
(Blank)	Blank	Reagent/Acid Blank		1	True	Done
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Done
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Done
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Done
2	Check Standard	[TOC] LCS [22.7 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Pending
3	Sample	K1302170-001.08 5x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
4	Sample	K1302170-001.08 ms 5x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
5	Sample	K1302320-001.08 5x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
6	Sample	K1302320-001.08 ms 5x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
7	Sample	K1302444-001.07	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
8	Sample	K1302444-001.07 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
9	Sample	K1302444-002.07	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
10	Sample	K1302444-003.08	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
11	Sample	K1302444-005.07	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
12	Sample	K1302444-006.07	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
13	Sample	K1302526-001.03	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
14	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
15	Sample	K1302652-001.08 2x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
16	Sample	K1302652-001.08 ms 2x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
17	Sample	K1302652-002.08 2x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
18	Sample	K1302602-001.05 ms 2x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
19	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
20	Sample	MB2	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
21	Check Standard	[TOC] LCS [22.7 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
21	Sample	K1302602-001.05 2x	CAS_salt_010711 (CAS_salt_010711)	4	True	Ready
22	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
23	Sample	K1302566-001.10	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
24	Sample	K1302566-001.10 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
25	Sample	K1302566-002.10	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
26	Sample	K1302566-003.10	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
27	Sample	K1302566-004.10	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
28	Sample	K1302566-005.10 2x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
29	Sample	K1302566-006.10 2x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
30	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
31	Sample	K1302566-007.10	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
32	Sample	K1302566-008.10	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
33	Sample	K1302566-009.10	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
34	Sample	K1302566-010.10	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
35	Sample	K1302566-011.10	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
36	Sample	RB	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
37	Sample	K1302480-008.28	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
38	Sample	K1302480-008.28 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready

Printed on: March 27, 2013 20:16:05

Page 1

Schedule: 032713

Position	Sample Type	Sample ID	Method ID (Calibration ID)	Reps	Use	State
39	Sample	MB3	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
2	Check Standard	[TOC] LCS [22.7 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
40	Sample	K1302480-015.31	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
41	Sample	K1302480-016.31	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
42	Sample	K1302480-023.28	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
43	Sample	K1302480-024.28	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
44	Sample	K1302480-026.28	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
45	Sample	K1302480-027.28	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
46	Sample	K1302510-001.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
47	Sample	K1302510-001.12 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
48	Sample	K1302510-002.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
49	Sample	K1302510-003.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
50	Sample	K1302510-004.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
51	Sample	K1302510-005.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
52	Sample	K1302510-006.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
53	Sample	K1302510-007.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
54	Sample	K1302510-008.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
55	Sample	K1302510-009.12	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
56	Sample	K1302551-001.12 2x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
57	Sample	K1302551-001.12 ms 2x	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
58	Sample	MB4	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
2	Check Standard	[TOC] LCS [22.7 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
59	Sample	K1302682-008.19	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
60	Sample	K1302682-008.19 ms	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
61	Sample	K1302682-009.19 2x	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
62	Sample	K1302499-001.05 DOC	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
63	Sample	K1302499-001.05 ms DOC	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
64	Sample	k1302322-001.04 DOC	CAS_salt_010711 (CAS_salt_010711)	4	True	Ready
65	Sample	k1302322-002.04 DOC	CAS_salt_010711 (CAS_salt_010711)	4	True	Ready
66	Sample	k1302322-002.04 ms/msd DOC	CAS_salt_010711 (CAS_salt_010711)	2	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
67	Sample	k1302322-003.04 DOC	CAS_salt_010711 (CAS_salt_010711)	4	True	Ready
68	Sample	k1302322-004.04 DOC	CAS_salt_010711 (CAS_salt_010711)	4	True	Ready
69	Sample	k1302322-005.04 DOC	CAS_salt_010711 (CAS_salt_010711)	4	True	Ready
70	Sample	k1302322-006.04 DOC	CAS_salt_010711 (CAS_salt_010711)	4	True	Ready
71	Sample	k1302322-007.04 DOC	CAS_salt_010711 (CAS_salt_010711)	4	True	Ready
72	Sample	k1302322-008.04 DOC	CAS_salt_010711 (CAS_salt_010711)	4	True	Ready
B	Check Standard	[TOC] CCV 25 ppm [25 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
D	Check Standard	[TOC] CCB [0 ppm]	CAS_salt_010711 (CAS_salt_010711)	1	True	Ready
						False

Original
Work Request # (2712) 2526 2993

335110

Tier: I II IV

Date Analyzed: 4/4/13

Analyst: MIC

Analysis: SAR

DATA QUALITY REPORT INORGANICS

Explain any "no" responses to questions below, and any corrective actions in the comments section below.

- | | |
|---|-----------|
| 1. Is the method name and number correct and appropriate? | yes/no/NA |
| 2. Holding times met for all analyses and for all samples? | yes/no/NA |
| 3. Are calculations correct? | yes/no/NA |
| 4. Is the reporting basis correct? (Dry Weight) | yes/no/NA |
| 5. All quality control criteria met? | yes/no |
| 6. Is the calibration curve correlation coefficient ≥ 0.995 ? | yes/no/NA |
| 7. MBs, CCVs, CCBs, LCSs, Dups, and Spikes, analyzed at proper frequency? | yes/no/NA |
| 8. Are ICVs, CCVs, and CCBs all within acceptance limits? | yes/no/NA |
| 9. Are results for methods blanks all ND? | yes/no/NA |
| 10. Are all QC samples within acceptance criteria?
(LCS % rec, MS/DMS % rec, DUP or MS/DMS RPDs, etc.) | yes/no/NA |
| 11. Are all exceptions explained? | yes/no/NA |
| 12. Have all applicable service requests been reviewed? | yes/no/NA |
| 13. Are all samples labeled correctly? | yes/no/NA |
| 14. Have all instructions on the service request been followed?
(e.g. Special MRLs, QC on a specific sample, Form V) | yes/no/NA |
| 15. Are detection limits and units reported correctly? | yes/no/NA |
| 16. Is the unused space on the benchsheet crossed out? | yes/no/NA |
| 17. Was analysis turned in by the due date? (n-2) (If not record SR#) | yes/no/NA |

COMMENTS:

Final Approved by: BDK Date: 4/4/13 DQREPORT

Analytical Results Summary

Instrument Name: K-CondMeter-01

Analyst: MKANALY

Analysis Lot:

335110

Method/Testcode: SM 2520 B/Salinity

<u>Lab Code</u>	<u>Target Analytes</u>	<u>QC</u>	<u>Parent Sample</u>	<u>Matrix</u>	<u>Raw Result</u>	<u>Sample Amt.</u>	<u>Final Result</u>	<u>Dil</u>	<u>MDL</u>	<u>PQL</u>	<u>% Rec</u>	<u>% RSD</u>	<u>Date Analyzed</u>	<u>QC? Tier</u>
K1302526-001	Salinity	N/A		Water	19.60 g/L	10 mL	19.6 g/Kg	1	2.0				4/4/13 13:20:00	N IV
K1302526-002	Salinity	N/A		Water	19.20 g/L	10 mL	19.2 g/Kg	1	2.0				4/4/13 13:20:00	N IV
K1302526-003	Salinity	N/A		Water	11.10 g/L	10 mL	11.1 g/Kg	1	2.0				4/4/13 13:20:00	Y IV
K1302526-004	Salinity	N/A		Water	23.60 g/L	10 mL	23.6 g/Kg	1	2.0				4/4/13 13:20:00	N IV
K1302526-005	Salinity	N/A		Water	23.70 g/L	10 mL	23.7 g/Kg	1	2.0				4/4/13 13:20:00	N IV
K1302526-006	Salinity	N/A		Water	22.30 g/L	10 mL	22.3 g/Kg	1	2.0				4/4/13 13:20:00	N IV
K1302526-007	Salinity	N/A		Water	0.30 g/L	10 mL	2.0 g/Kg U	1	2.0				4/4/13 13:20:00	N IV
K1302526-008	Salinity	N/A		Water	0.50 g/L	10 mL	2.0 g/Kg U	1	2.0				4/4/13 13:20:00	N IV
K1302712-001	Salinity	N/A		Water	0.30 g/L	10 mL	2.0 g/Kg U	1	2.0				4/4/13 13:20:00	N I
K1302993-001	Salinity	N/A		Water	0.50 g/L	10 mL	2.0 g/Kg U	1	2.0				4/4/13 13:20:00	N I
KQ1303338-01	Salinity	MB		Water	0.00 g/L	10 mL	2.0 g/Kg U	1	2.0				4/4/13 13:20:00	N IV
KQ1303338-02	Salinity	LCS		Water	16.80 g/L	10 mL	16.8 g/Kg	1	2.0	96			4/4/13 13:20:00	N IV
KQ1303338-03	Salinity	DUP	K1302526-003	Water	10.90 g/L	10 mL	10.9 g/Kg	1	2.0		2		4/4/13 13:20:00	N IV

B D LC
4/4/13

oo

indicates Final Result is not yet adjusted for Solids because it has not yet been determined.

COLUMBIA ANALYTICAL SERVICES, INC.

Service Request: _____

Method: _____ SM 2520B

Analysis For: _____ Salinity

Sample #	Reading g/kg		Sample #	Reading g/kg	
	Meter Value	Reported Value		Meter Value	Reported Value
MB	0	0			
STD	34.6	34.6			
LCS	16.8	16.8			
K1302712-001	0.3	0.3			
K1302526-001	19.6	19.6			
K1302526-002	19.2	19.2			
K1302526-003	11.1	11.1			
K1302526-003D	10.9	10.9			
K1302526-004	23.6	23.6			
K1302526-005	23.7	23.7			
K1302526-006	22.3	22.3			
K1302526-007	0.3	0.3			
K1302526-008	0.5	0.5			
K1302993-001	0.5	0.5			
MB	0	0			
STD	34.2	34.2			
	0	0			
	0	0			
	0	0			
	0	0			
	0	0			

STD = 35.0 g/kg

ID#= COND/1-37-m

%RE 98.8571429

LCS= 17.5 g/kg

ID#= COND/1-37-L

%RE 96

Water Bath ID# K-WB-01

Thermometer ID# L82605

CELL CONSTANT = 1.104

K-COND METER #1

Analyst: MK	Date:	4/4/2013	13:20
Reviewed By: <i>BDC</i>	Date:	<i>4/4/13</i>	

Metals

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

- Cover Page -
INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated
Project Name: Sircum Waterway
Project No.: 17472-01

Service Request: K1302526

<u>Sample Name:</u>	<u>Lab Code:</u>
MW-10	K1302526-001DISS
MW-7	K1302526-002DISS
MW-5	K1302526-003DISS
MW-5D	K1302526-003DISSD
MW-5S	K1302526-003DISSS
MW-14	K1302526-004DISS
MW-1400	K1302526-005DISS
MW-12	K1302526-006DISS
MW-1a	K1302526-007DISS
MW-1	K1302526-008DISS
Method Blank	K1302526-MB

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated Service Request: K1302526
Project No.: 17472-01 Date Collected: 03/19/13
Project Name: Sitzcum Waterway Date Received: 03/21/13
Matrix: WATER Units: ug/L
Basis: NA

Sample Name: MW-10 Lab Code: K1302526-001DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/03/13	04/05/13	0.5	U	N
Copper	200.8	0.1	1.0	04/03/13	04/05/13	0.4		
Lead	200.8	0.02	1.0	04/03/13	04/05/13	0.02	U	
Nickel	200.8	0.2	1.0	04/03/13	04/05/13	1.5		N*
Zinc	200.8	0.5	1.0	04/03/13	04/05/13	1.0		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated **Service Request:** K1302526
Project No.: 17472-01 **Date Collected:** 03/19/13
Project Name: Sitzcum Waterway **Date Received:** 03/21/13
Matrix: WATER **Units:** ug/L
 Basis: NA

Sample Name: MW-7 **Lab Code:** K1302526-002DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/03/13	04/05/13	0.5	U	N
Copper	200.8	0.1	1.0	04/03/13	04/05/13	0.2		
Lead	200.8	0.02	1.0	04/03/13	04/05/13	0.02	U	
Nickel	200.8	0.2	1.0	04/03/13	04/05/13	0.4		N*
Zinc	200.8	0.5	1.0	04/03/13	04/05/13	0.9		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated

Service Request: K1302526

Project No.: 17472-01

Date Collected: 03/19/13

Project Name: Sitzcum Waterway

Date Received: 03/21/13

Matrix: WATER

Units: ug/L

Basis: NA

Sample Name: MW-5

Lab Code: K1302526-003DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/03/13	04/05/13	0.5	U	N
Copper	200.8	0.1	1.0	04/03/13	04/05/13	0.1		
Lead	200.8	0.02	1.0	04/03/13	04/05/13	0.02	U	
Nickel	200.8	0.2	1.0	04/03/13	04/05/13	1.1		N*
Zinc	200.8	0.5	1.0	04/03/13	04/05/13	0.5	U	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated

Service Request: K1302526

Project No.: 17472-01

Date Collected: 03/19/13

Project Name: Sitcum Waterway

Date Received: 03/21/13

Matrix: WATER

Units: ug/L

Basis: NA

Sample Name: MW-14

Lab Code: K1302526-004DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/03/13	04/05/13	0.5	U	N
Copper	200.8	0.1	1.0	04/03/13	04/05/13	0.2		
Lead	200.8	0.02	1.0	04/03/13	04/05/13	0.02	U	
Nickel	200.8	0.2	1.0	04/03/13	04/05/13	0.9		N*
Zinc	200.8	0.5	1.0	04/03/13	04/05/13	1.4		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated

Service Request: K1302526

Project No.: 17472-01

Date Collected: 03/19/13

Project Name: Sitcum Waterway

Date Received: 03/21/13

Matrix: WATER

Units: ug/L

Basis: NA

Sample Name: MW-1400

Lab Code: K1302526-005DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/03/13	04/05/13	0.5	U	N
Copper	200.8	0.1	1.0	04/03/13	04/05/13	0.3		
Lead	200.8	0.02	1.0	04/03/13	04/05/13	0.02	U	
Nickel	200.8	0.2	1.0	04/03/13	04/05/13	1.0		N*
Zinc	200.8	0.5	1.0	04/03/13	04/05/13	2.3		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated Service Request: K1302526
Project No.: 17472-01 Date Collected: 03/19/13
Project Name: Sitzcum Waterway Date Received: 03/21/13
Matrix: WATER Units: ug/L
Basis: NA

Sample Name: MW-12 Lab Code: K1302526-006DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/03/13	04/05/13	0.5	U	N
Copper	200.8	0.1	1.0	04/03/13	04/05/13	0.1		
Lead	200.8	0.02	1.0	04/03/13	04/05/13	0.02	U	
Nickel	200.8	0.2	1.0	04/03/13	04/05/13	0.8		N*
Zinc	200.8	0.5	1.0	04/03/13	04/05/13	0.7		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated Service Request: K1302526
Project No.: 17472-01 Date Collected: 03/19/13
Project Name: Sitzcum Waterway Date Received: 03/21/13
Matrix: WATER Units: ug/L
Basis: NA

Sample Name: MW-1a Lab Code: K1302526-007DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/03/13	04/05/13	0.5	U	N
Copper	200.8	0.1	1.0	04/03/13	04/05/13	0.2		
Lead	200.8	0.02	1.0	04/03/13	04/05/13	0.04		
Nickel	200.8	0.2	1.0	04/03/13	04/05/13	0.9		N*
Zinc	200.8	0.5	1.0	04/03/13	04/05/13	0.7		

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals
- 1 -
INORGANIC ANALYSIS DATA PACKAGE

Client:	Hart Crowser, Incorporated	Service Request:	K1302526
Project No.:	17472-01	Date Collected:	03/19/13
Project Name:	Sitcum Waterway	Date Received:	03/21/13
Matrix:	WATER	Units:	ug/L
		Basis:	NA

Sample Name: MW-1 Lab Code: K1302526-008DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/03/13	04/05/13	0.5	U	N
Copper	200.8	0.1	1.0	04/03/13	04/05/13	0.2		
Lead	200.8	0.02	1.0	04/03/13	04/05/13	0.02	U	
Nickel	200.8	0.2	1.0	04/03/13	04/05/13	0.7		N*
Zinc	200.8	0.5	1.0	04/03/13	04/05/13	0.5	U	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated **Service Request:** K1302526

Project No.: 17472-01

Date Collected:

Project Name: Sitzcum Waterway

Date Received:

Matrix: WATER

Units: ug/L

Basis: NA

Sample Name: Method Blank

Lab Code: K1302526-MB

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/03/13	04/05/13	0.5	U	N
Copper	200.8	0.1	1.0	04/03/13	04/05/13	0.1	U	
Lead	200.8	0.02	1.0	04/03/13	04/05/13	0.02	U	
Nickel	200.8	0.2	1.0	04/03/13	04/05/13	0.2	U	N*
Zinc	200.8	0.5	1.0	04/03/13	04/05/13	0.5	U	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Hart Crowser, Incorporated

Service Request: K1302526

Project No.: 17472-01

Project Name: Sitcum Waterway

ICV Source: Inorganic Ventures

CCV Source: CAS MIXED

Concentration Units: ug/L

Analyte	Initial Calibration			Continuing Calibration					Method
	True	Found	%R(1)	True	Found	%R(1)	Found	%R(1)	
Arsenic	25.0	25.9	104	25.0	24.4	98	24.8	99	200.8
Copper	12.5	13.0	104	25.0	24.5	98	26.2	105	200.8
Lead	25.0	25.3	101	25.0	25.2	101	26.5	106	200.8
Nickel	25.0	23.9	96	25.0	25.4	102	24.8	99	200.8
Zinc	25.0	26.0	104	25.0	24.3	97	25.7	103	200.8

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Hart Crowser, Incorporated

Service Request: K1302526

Project No.: 17472-01

Project Name: Sitcum Waterway

ICV Source: Inorganic Ventures

CCV Source: CAS MIXED

Concentration Units: ug/L

Analyte	Initial Calibration			Continuing Calibration					Method
	True	Found	%R(1)	True	Found	%R(1)	Found	%R(1)	
Arsenic				25.0	25.5	102			200.8
Copper				25.0	26.6	106			200.8
Lead				25.0	26.8	107			200.8
Nickel				25.0	25.1	100			200.8
Zinc				25.0	25.0	100			200.8

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Metals

- 2b -

CRDL STANDARD FOR AA AND ICP

Client: Hart Crowser, Incorporated

Service Request: K1302526

Project No.: 17472-01

Project Name: Sircum Waterway

Concentration Units: ug/L

Analyte	CRDL Standard for AA			CRDL Standard for ICP			
	True	Found	%R	Initial	Found	%R	Final
Arsenic				5.00	4.64	93	
Copper				1.00	0.96	96	
Lead				0.200	0.199	100	
Nickel				2.00	2.16	108	
Zinc				5.0	4.5	90	

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Metals

- 3 -

BLANKS

Client: Hart Crowser, Incorporated

Service Request: K1302526

Project No.: 17472-01

Project Name: Sitzcum Waterway

Preparation Blank Matrix (soil/water): WATER

Preparation Blank Concentration Units (ug/L or mg/kg): ug/L

Analyte	Initial Calib. Blank (ug/L)	Continuing Calibration Blank (ug/L)						Method
		C	1	C	2	C	3	
Arsenic	5.00	U	5.00	U	5.00	U	5.00	U
Copper	1.00	U	1.00	U	1.00	U	1.00	U
Lead	0.200	U	0.200	U	0.200	U	0.200	U
Nickel	2.00	U	2.00	U	2.00	U	2.00	U
Zinc	5.0	U	5.0	U	5.0	U	5.0	U

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 5A -

SPIKE SAMPLE RECOVERY

Client: Hart Crowser, Incorporated

Service Request: K1302526

Project No.: 17472-01

Units: UG/L

Project Name: Sitzcum Waterway

Basis: NA

Matrix: WATER

Sample Name: MW-5S

Lab Code: K1302526-003DISSS

Analyte	Control Limit %R	Spike Result C	Sample Result C	Spike Added	%R	Q	Method
Arsenic	50 - 147	0.5 U	0.5 U	2.00	0.0	N	200.8
Copper	50 - 120	2.1	0.1	2.00	100.0		200.8
Lead	55 - 118	1.76	0.02 U	2.00	88.0		200.8
Nickel	60 - 126	2.2	1.1	2.00	55.0	N	200.8
Zinc	50 - 133	1.7	0.5 U	2.00	85.0		200.8

An empty field in the Control Limit column indicates the control limit is not applicable

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Metals**- 6 -
DUPLICATES****Client:** Hart Crowser, Incorporated**Service Request:** K1302526**Project No.:** 17472-01**Units:** UG/L**Project Name:** Sircum Waterway**Basis:** NA**Matrix:** WATER**Sample Name:** MW-5D**Lab Code:** K1302526-003DISSD

Analyte	Control Limit	Sample (S)	C	Duplicate (D)	C	RPD	Q	Method
Arsenic		0.5	U	0.5	U			200.8
Copper		0.1		0.1	U	200.0		200.8
Lead		0.02	U	0.02	U			200.8
Nickel		1.1		0.4		93.3	*	200.8
Zinc		0.5	U	0.5	U			200.8

An empty field in the Control Limit column indicates the control limit is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 7 -

LABORATORY CONTROL SAMPLE

Client: Hart Crowser, Incorporated

Service Request: K1302526

Project No.: 17472-01

Project Name: Sitcum Waterway

Aqueous LCS Source: CAS MIXED

Solid LCS Source:

Analyte	Aqueous (ug/L)			Solid (mg/kg)				
	True	Found	%R	True	Found	C	Limits	%R
Arsenic	2	2.0	100.0					
Copper	2	1.9	95.0					
Lead	2	1.94	97.0					
Nickel	2	2.0	100.0					
Zinc	2	2.0	100.0					

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Metals

- 10 -

DETECTION LIMITS

Client: Hart Crowser, Incorporated

Service Request: K1302526

Project No.: 17472-01

Project Name: Sitcum Waterway

ICP/ICP-MS ID #: K-ICP-MS-02

GFAA ID #:

AA ID #:

Analyte	Isotope	Back-ground	MRL ug/L	MDL ug/L	M
Arsenic	75		5.0	5.0	MS
Copper	65		1.0	1.0	MS
Lead	208		0.20	0.20	MS
Nickel	60		2.0	2.0	MS
Zinc	66		5.0	5.0	MS

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Metals**-12-****ICP LINEAR RANGES (QUARTERLY)****Client:** Hart Crowser, Incorporated**Service Request:** K1302526**Project No.:** 17472-01**Project Name:** Sitcum Waterway**ICP ID Number:** K-ICP-MS-02

Analyte	Integ. Time (Sec.)	Concentration (ug/L)	Method
Arsenic	15.000	900	200.8
Copper	15.000	900	200.8
Lead	15.000	900	200.8
Nickel	15.000	900	200.8
Zinc	15.000	900	200.8

Comments: _____

Metals
-13-
PREPARATION LOG

Client: Hart Crowser, Incorporated

Service Request: K1302526

Project No.: 17472-01

Project Name: Sictum Waterway

Method: MS

Sample ID	Preparation Date	Initial Volume	Final Volume (mL)
K1302526-001DISS	04/03/13	1,000.0	100.0
K1302526-002DISS	04/03/13	1,000.0	100.0
K1302526-003DISS	04/03/13	1,000.0	100.0
K1302526-003DISSD	04/03/13	1,000.0	100.0
K1302526-003DISSS	04/03/13	1,000.0	100.0
K1302526-004DISS	04/03/13	1,000.0	100.0
K1302526-005DISS	04/03/13	1,000.0	100.0
K1302526-006DISS	04/03/13	1,000.0	100.0
K1302526-007DISS	04/03/13	1,000.0	100.0
K1302526-008DISS	04/03/13	1,000.0	100.0
K1302526-MB	04/03/13	1,000.0	100.0
LCSW	04/03/13	1,000.0	100.0

COLUMBIA ANALYTICAL SERV
Now part of the ALS Group

Metals

- 14 -

ANALYSIS RUN LOG

Client: Hart Crowser, Incorporated

Service Request: K1302526

Project No.: 17472-01

Run Number: 040513AMS02

Project Name: Sitzum Waterway

Instrument ID Number: K-ICP-MS-02

Method: MS

Start Date: 04/05/13

End Date: 04/05/13

Sample No.	D/F	Time	% R	Analytes																							
				A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H G	N G	I	K S	S E	A G	A N	T	V	Z
Calibration Blank	1.0	13:04				X									X	X											X
Calibration Std.	1.0	13:08				X									X	X											X
ZZZZZZ	1.0	13:12																									
ICV1	1.0	13:18				X									X	X											X
CCV1	1.0	13:21				X									X	X											X
ICB1	1.0	13:25				X									X	X											X
CCB1	1.0	13:29				X									X	X											X
LLICV1	1.0	13:32				X									X	X											X
ICS-A1	1.0	13:37				X									X	X											X
ICS-AB1	1.0	13:40				X									X	X											X
K1302526-MB	1.0	13:48				X									X	X											X
LCSW	1.0	13:52				X									X	X											X
ZZZZZZ	1.0	13:56																									
ZZZZZZ	5.0	13:59																									
ZZZZZZ	1.0	14:03																									
ZZZZZZ	1.0	14:20																									
ZZZZZZ	1.0	14:31																									
K1302526-003DISS	1.0	14:34				X									X	X											X
K1302526-003DISSD	1.0	14:38				X									X	X											X
K1302526-003DISSS	1.0	14:42				X									X	X											X
CCV2	1.0	14:46				X									X	X											X
CCB2	1.0	14:50				X									X	X											X
ZZZZZZ	1.0	14:53																									
K1302526-001DISS	1.0	14:57				X									X	X											X
K1302526-002DISS	1.0	15:01				X									X	X											X
K1302526-004DISS	1.0	15:04				X									X	X											X
K1302526-005DISS	1.0	15:08				X									X	X											X
K1302526-006DISS	1.0	15:12				X									X	X											X
K1302526-007DISS	1.0	15:15				X									X	X											X
K1302526-008DISS	1.0	15:19				X									X	X											X
CCV3	1.0	15:23				X									X	X											X
CCB3	1.0	15:26				X									X	X											X

* - Denotes additional elements (other than the standard CLP elements) are represented on another Form 14

Metals

15-IN

ICP-MS INTERNAL STANDARDS RELATIVE INTENSITY SUMMARY

Lab Name: COLUMBIA ANALYTICAL SERVICES, INC Contract: 17472-01Lab Code: CASK Case No.: NRAS No.: SDG NO.: K1302526ICP-MS Instrument ID: K-ICP-MS-02 Start Date: 04/05/2013 End Date: 04/05/2013

Sample No.	Client ID	Time	Internal Standards %RI For:									
			Element Ga_71	Q	Element In_115	Q	Element Lu_175	Q	Element	Q		
Calibration	Calibration	1304	100		100		100					
Calibration Std.	Calibration Std.	1308	92		96		94					
ZZZZZZ	ZZZZZZ	1312										
ICV1	ICV1	1318	89		97		96					
CCV1	CCV1	1321	91		96		96					
ICB1	ICB1	1325	93		99		98					
CCB1	CCB1	1329	91		97		99					
LLICV1	LLICV1	1332	92		98		100					
ICS-A1	ICSA	1337	82		90		92					
ICS-AB1	ICSAB	1340	86		92		92					
K1302526-MB	Method Blank	1348	102		108		113					
LCSW	LCSW	1352	102		109		111					
ZZZZZZ	ZZZZZZ	1356										
ZZZZZZ	ZZZZZZ	1359										
ZZZZZZ	ZZZZZZ	1403										
ZZZZZZ	ZZZZZZ	1420										
ZZZZZZ	ZZZZZZ	1431										
K1302526-003DISS	MW-5	1434	100		104		105					
K1302526-003DISS	MW-5D	1438	100		105		105					
K1302526-003DISS	MW-5S	1442	100		108		106					
CCV2	CCV2	1446	108		116		107					
CCB2	CCB2	1450	108		114		110					
ZZZZZZ	ZZZZZZ	1453										
K1302526-001DISS	MW-10	1457	95		100		108					
K1302526-002DISS	MW-7	1501	94		98		102					
K1302526-004DISS	MW-14	1504	85		85		82					
K1302526-005DISS	MW-1400	1508	85		84		82					
K1302526-006DISS	MW-12	1512	93		95		99					
K1302526-007DISS	MW-1a	1515	110		114		112					
K1302526-008DISS	MW-1	1519	110		113		111					
CCV3	CCV3	1523	106		111		106					
CCB3	CCB3	1526	109		112		109					


Columbia Analytical Services Preparation Information Benchsheet
Prep Run: 180030**Team:** Metals**Analyst:** Anna Cheatley**Prep Workflow:** MetDigRedPptAq**Prep Method:** EPA 1640**Rush/NPDES:** NPDES**Status:** Prepped
Current Step: Digestion**Prep Date:** 04/03/2013
16:00**Due Date:** 04/07/2013**Hold Date:** 09/10/2013

Lab Code	Client ID	Bottle #	Initial Amt	Final Volume	Spike Amt	Spike ID	TestNo List	Comments
KQ1303256-02	Method Blank		100 mL	100 mL			Metals Redppt T	
KQ1303256-01	Lab Control Sample		1000 mL	100 mL			Metals Redppt T	
K1302496-001	Intake	.11	1000 mL	100 mL			Metals RedPpt T	
K1302496-002	Outfall 001	.11	1000 mL	100 mL			Metals RedPpt T	
K1302496-003	Outfall 002	.11	1000 mL	100 mL			Metals RedPpt T	
K1302496-004	Storm Outfall 101	.14	1000 mL	100 mL			Metals RedPpt T	
K1302526-001	MW-10	.02	1000 mL	100 mL			Metals Redppt D	
K1302526-002	MW-7	.02	1000 mL	100 mL			Metals Redppt D	
K1302526-003	MW-5	.02	1000 mL	100 mL			Metals Redppt D	
K1302526-003: KQ1303256-03	Duplicate	.02	1000 mL	100 mL			Metals Redppt D	
K1302526-003: KQ1303256-04	Matrix Spike	.02	1000 mL	100 mL			Metals Redppt D	
K1302526-004	MW-14	.02	1000 mL	100 mL			Metals Redppt D	
K1302526-005	MW-1400	.02	1000 mL	100 mL			Metals Redppt D	
K1302526-006	MW-12	.02	1000 mL	100 mL			Metals Redppt D	
K1302526-007	MW-1a	.02	1000 mL	100 mL			Metals Redppt D	
K1302526-008	MW-1	.02	1000 mL	100 mL			Metals Redppt D	
K1302677-001	T2-W3/13-Center 1-Surface	.01	700 mL	100 mL			Metals Redppt T	
K1302701-001	MLS13-73 Seawater Intake	.01	1000 mL	100 mL			Metals Redppt T	
K1302701-002	MLS13-74 Seawater Discharge @ U6 Island Sample Station	.01	1000 mL	100 mL			Metals Redppt T	
K1302701-003	MLS13-75 Seawater Discharge @ Disengaging Basin	.01	1000 mL	100 mL			Metals Redppt T	
K1302796-008	ORLNG-EBB-BT2 3-27-2013	.01	400 mL	100 mL			Metals Redppt D	
K1302796-008	ORLNG-EBB-BT2 3-27-2013	.23	400 mL	100 mL			Metals Redppt T	
K1302920-001	SDF #4	.01	200 mL	100 mL			Metals Redppt T	

22 Total Samples consisting of 18 Client Samples, 2 Client QC Samples, 2 Batch QC Samples associated with the current Prep Run.

Spiking Solutions**Preparation Materials****Preparation Hardware / Equipment****Preparation Steps**

<u>Step</u>	<u>Started</u>	<u>Finished</u>	<u>By</u>	<u>Assisted By</u>	<u>Training?</u>	<u>Comments</u>
Digestion	03-APR-13 16:00	04-APR-13 19:00	Anna Cheatley		N	

Comments

LCS and K1302526-003 MS spiked with 2.0mL 200.8 Sol. (ms15-96-A) and 2.0mL 1000ppb Ag (ms16-22-C).

Review

Reviewed by: BJS Date: 4/15/13

Service Request K1302526 (RPTM) _____
Calibration _____ 040513AMS02 _____
QC in calibration 040513AMS02 _____
QC Service Request # K1302526 _____
STARLIMS Batch # 335178 _____

ICP-MS Data Review Form

	Yes	No	NA
1. Appropriate standardization completed	X	_____	_____
2. ICV within 10 % of true value	X	_____	_____
3. CCV's in control	X	X	_____
4. CCB's and/or ICB's below MRL	X	_____	_____
5. Method blank below MRL	X	_____	_____
6. LCS in control	X	_____	_____
7. Spike and duplicate in control	X	X	_____
8. All analytes within instrument linear range	X	_____	_____
9. Adequate rinse out time allowed	X	_____	_____
10. Internal standards in control	X	_____	_____
11. Interferences checked	X	_____	_____
12. Se over MRL	_____	_____	X
13. CRA run	X	_____	_____
14. ICSA and ICSAB in control	_____	_____	X
15. Serial dilution run	_____	_____	X
16. Post spike in control	_____	_____	X
17. Was the run terminated? If so, why.	_____	X	_____

Comments: High RPD for Ni, Ni & As spikes are out of control. No sample left for reprep.

CV-2 de at of conthe.

DATA R.R.

Primary Review by B Date 4/5/13
Secondary Review by A Date 4/5/13
R:\icp\misc\data review forms\PQ ExCell review form

Sample List

Num	Label	Type	Weight	Volume	Dilution	Rack	Row	Column	Height
1	Calibration Blank	Blank	0 kg	0 ml	1.00	0	1	1	145
2	Calibration Std.	Fully Quant Standard	0 kg	0 ml	1.00	0	1	2	145
3	ICV1	Unknown	0 kg	0 ml	1.00	0	1	3	145
4	ICV1	Unknown	0 kg	0 ml	1.00	0	1	3	145
5	CCV1	Unknown	0 kg	0 ml	1.00	0	1	2	145
6	ICB1	Unknown	0 kg	0 ml	1.00	0	1	1	145
7	CCB1	Unknown	0 kg	0 ml	1.00	0	1	1	145
8	LLICVW	Unknown	0 kg	0 ml	1.00	0	1	4	145
9	ICSA	Unknown	0 kg	0 ml	1.00	0	1	5	145
10	ICSAB	Unknown	0 kg	0 ml	1.00	0	1	6	145
11	K1302496-MB	Unknown	0 kg	0 ml	1.00	1	1	1	145
12	LCSW	Unknown	0 kg	0 ml	1.00	1	1	2	145
13	K1302496-001	Unknown	0 kg	0 ml	1.00	1	1	3	145
14	K1302496-001L 1/5	Unknown	0 kg	0 ml	1.00	1	1	4	145
15	K1302496-001A	Unknown	0 kg	0 ml	1.00	1	1	5	145
16	K1302496-002	Unknown	0 kg	0 ml	1.00	1	1	6	145
17	K1302496-003	Unknown	0 kg	0 ml	1.00	1	1	7	145
18	K1302526-003	Unknown	0 kg	0 ml	1.00	1	1	9	145
19	K1302526-003D	Unknown	0 kg	0 ml	1.00	1	1	10	145
20	K1302526-003SD	Unknown	0 kg	0 ml	1.00	1	1	11	145
21	CCV2	Unknown	0 kg	0 ml	1.00	0	1	2	145
22	CCB2	Unknown	0 kg	0 ml	1.00	0	1	1	145
23	LLCCVW1	Unknown	0 kg	0 ml	1.00	0	1	4	145
24	K1302526-001	Unknown	0 kg	0 ml	1.00	1	1	12	145
25	K1302526-002	Unknown	0 kg	0 ml	1.00	1	2	1	145
26	K1302526-004	Unknown	0 kg	0 ml	1.00	1	2	2	145
27	K1302526-005	Unknown	0 kg	0 ml	1.00	1	2	3	145
28	K1302526-006	Unknown	0 kg	0 ml	1.00	1	2	4	145
29	K1302526-007	Unknown	0 kg	0 ml	1.00	1	2	5	145
30	K1302526-008	Unknown	0 kg	0 ml	1.00	1	2	6	145
31	CCV3	Unknown	0 kg	0 ml	1.00	0	1	2	145
32	CCB3	Unknown	0 kg	0 ml	1.00	0	1	1	145
33	K1302677-001	Unknown	0 kg	0 ml	1.00	1	2	7	145
34	K1302701-001	Unknown	0 kg	0 ml	1.00	1	2	8	145
35	K1302701-002	Unknown	0 kg	0 ml	1.00	1	2	9	145
36	K1302701-003	Unknown	0 kg	0 ml	1.00	1	2	10	145
37	K1302796-008	Unknown	0 kg	0 ml	1.00	1	2	11	145
38	K1302796-008 DISS	Unknown	0 kg	0 ml	1.00	1	2	12	145
39	K1302920-001	Unknown	0 kg	0 ml	1.00	1	3	1	145
40	K1302525-MB	Unknown	0 kg	0 ml	1.00	1	3	2	145
41	LCSW	Unknown	0 kg	0 ml	1.00	1	3	3	145
42	CCV4	QC Sample	0 kg	0 ml	1.00	0	1	2	145
43	CCB4	QC Sample	0 kg	0 ml	1.00	0	1	1	145
44	K1302525-008	Unknown	0 kg	0 ml	1.00	1	3	4	145
45	K1302525-008D	Unknown	0 kg	0 ml	1.00	1	3	5	145
46	K1302525-008S	Unknown	0 kg	0 ml	1.00	1	3	6	145
47	K1302525-001	Unknown	0 kg	0 ml	1.00	1	3	7	145
48	K1302525-002	Unknown	0 kg	0 ml	1.00	1	3	8	145
49	K1302525-003	Unknown	0 kg	0 ml	1.00	1	3	9	145

Instrument Setup - Configurations**Configuration Name -** ALKLS.ALKLSXP310**Description -** PQExcell CCT Sim Default**Date -** 9:56:35 4/5/13**Maximum Uptake Time -** 0**Maximum Washout Time -** 0**S-Option Pump Running -** No**Plasma Screen Forward -** No**Makeup Gas On -** No**Use CCT -** No**Use Accessory Gas -** No

Setting	Value
Extraction	-280.00
Lens1	5.00
Lens2	-45.00
Lens3	-200.00
Pole Bias	1.00
Sampling Depth	375.00
Horizontal	-105.00
Vertical	105.00
Cool	13.00
Auxiliary	0.70
Nebuliser	0.84
Forward power	1,375.00
HT1 Voltage	1,900.00
HT2 Voltage	2,600.00
D1	-40.00
Focus	22.00
	0.00
	0.00

Configuration Name - ALKLS.ALKLSXP310**Description -** PQExcell CCT Sim Default**Date -** 9:56:35 4/5/13**Maximum Uptake Time -** 0**Maximum Washout Time -** 0**S-Option Pump Running -** No**Plasma Screen Forward -** No**Makeup Gas On -** No**Use CCT -** No**Use Accessory Gas -** No

Setting	Value
Extraction	-280.00
Lens1	5.00
Lens2	-45.00
Lens3	-200.00
Pole Bias	1.00
Sampling Depth	375.00
Horizontal	-105.00
Vertical	105.00

ExCell Mass Calibration

Date: 4/5/2013

Mass	Mass DAC	Peak Width (AMU)	Error (AMU)	Include	Masses in Tune Solution
7.016	1471	0.664	-0.009	TRUE	
9.012	1978	0.664	-0.007	TRUE	Li-7
23.985	5796	0.664	-0.049	TRUE	Be-9
24.986	6050	0.613	-0.047	TRUE	Mg-24
25.983	6303	0.664	-0.045	TRUE	Co-59
26.982	6557	0.715	-0.045	TRUE	In-115
45.953	11363	0.767	0.028	TRUE	Ce-140
50.944	12631	0.818	0.032	TRUE	Pb-208
51.94	12884	0.767	0.034	TRUE	Bi-209
53.949	13391	0.767	0.049	TRUE	U-238
55.935	13898	0.767	0.041	TRUE	
56.935	14158	0.767	0.02	TRUE	
58.933	14652	0.767	0.075	TRUE	
62.93	15673	0.818	0.057	TRUE	
69.925	17460	0.767	0.026	TRUE	
75.92	18988	0.818	0.013	TRUE	
112.904	28406	0.715	-0.03	TRUE	
114.904	28919	0.767	-0.048	TRUE	
118.903	29966	0.715	-0.164	FALSE	
128.905	32488	0.715	-0.077	TRUE	
131.905	33242	0.715	-0.041	TRUE	
137.906	34763	0.715	-0.019	TRUE	
139.905	35276	0.767	-0.036	TRUE	
141.908	35783	0.767	-0.026	TRUE	
155.923	39332	0.767	0.039	TRUE	
203.973	51565	0.767	0.008	TRUE	
205.974	52072	0.767	0.017	TRUE	
206.976	52326	0.818	0.02	TRUE	
207.977	52579	0.767	0.027	TRUE	
208.98	52839	0.767	0.009	TRUE	
238.051	60243	0.715	-0.017	TRUE	

Excluded In Calib		Excluded In Results		Peak Run Excluded		Multi Element		Semi Quant		Internal Standard		Standard Addition	
Uncorrected ICPS Per Mass				S-Calibration Has Edited Standard F-Interference Correction Failed		E-Calibration Edited T-Tripped		I-Invalid Calibration P-Pulse Counting		V-Valley Integration Failed		M-Result Over Max	
Run	Label	TimeStamp		6Bkg	7Li	9Be	24Mg	59Co	115In				
1	Stability 04-05-2013	4/5/2013 6:31:33 A		(P)0.000	(P)21882.753	(P)5609.101	(P)65118.270	(P)29342.774	(P)51747.066				
2	Stability 04-05-2013	4/5/2013 6:32:56 A		(P)0.000	(P)21185.205	(P)5463.545	(P)66444.688	(P)29040.655	(P)51821.688				
3	Stability 04-05-2013	4/5/2013 6:34:20 A		(P)0.000	(P)20930.494	(P)5360.672	(P)64168.021	(P)28523.614	(P)52197.886				
4	Stability 04-05-2013	4/5/2013 6:35:43 A		(P)0.000	(P)20824.347	(P)5370.009	(P)64572.988	(P)28736.044	(P)52803.938				
5	Stability 04-05-2013	4/5/2013 6:37:06 A		(P)0.000	(P)20974.057	(P)5443.537	(P)64943.011	(P)28699.135	(P)52516.543				
Mean of Stability 04-		4/5/2013 6:31:33 A		(P)0.000	(P)21159.371	(P)5449.373	(P)65049.396	(P)28868.444	(P)52217.424				
SD of Stability 04-05-2				(P)0.000	(P)425.122	(P)99.893	(P)861.204	(P)323.940	(P)450.471				
%RSD of Stability 04				(P)0.000	(P)2.009	(P)1.833	(P)1.324	(P)1.122	(P)0.863				

Run	Label	TimeStamp		208Pb	209Bi	220Bkg	238U
1	Stability 04-05-2013	4/5/2013 6:31:33 A		(P)29799.051	(P)47029.796	(P)0.000	(P)53405.834
2	Stability 04-05-2013	4/5/2013 6:32:56 A		(P)29952.537	(P)47501.348	(P)0.000	(P)53704.603
3	Stability 04-05-2013	4/5/2013 6:34:20 A		(P)30515.728	(P)48321.594	(P)0.000	(P)55504.501
4	Stability 04-05-2013	4/5/2013 6:35:43 A		(P)30924.772	(P)49010.264	(P)0.000	(P)56426.778
5	Stability 04-05-2013	4/5/2013 6:37:06 A		(P)31062.907	(P)49064.784	(P)0.000	(P)56252.578
Mean of Stability 04-		4/5/2013 6:31:33 A		(P)30450.999	(P)48185.557	(P)0.000	(P)55058.859
SD of Stability 04-05-2				(P)564.930	(P)904.933	(P)0.000	(P)1419.618
%RSD of Stability 04				(P)1.855	(P)1.878	(P)0.000	(P)2.578

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	Calibration Blank	B2		Mean	SD	%RSD	
TimeStamp	4/5/13 13:04						
Arsenic	75	0.0274	-0.0193	-0.0082	0	0.0244	0
Beryllium	9	0.002	0.0015	-0.0035	0	0.003	0
Cadmium	111	-0.001	0.008	-0.007	0	0.0076	0
Cadmium	114	0.0013	-0.0018	0.0005	0	0.0016	0
Chromium	52	-0.0067	-0.0044	0.011	0	0.0096	0
Chromium	53	0.1925	-0.1494	-0.0432	0	0.175	0
Copper	63	-0.0085	0.0106	-0.0021	0	0.0097	0
Copper	65	0.0215	-0.0034	-0.018	0	0.02	0
Lead	206	-0.0027	0.0018	0.0009	0	0.0024	0
Lead	207	-0.0014	-0.0008	0.0021	0	0.0019	0
Lead	208	-0.0019	0.0007	0.0013	0	0.0017	0
Molybdenum	95	-0.0008	0.0022	-0.0013	0	0.0019	0
Molybdenum	97	-0.0037	0.0084	-0.0047	0	0.0073	0
Molybdenum	98	0.0044	-0.0009	-0.0035	0	0.004	0
Nickel	60	-0.0219	0.1048	-0.0829	0	0.0957	0
Nickel	62	0.0537	0.0038	-0.0575	0	0.0557	0
Selenium	77	0.2912	-0.2679	-0.0233	0	0.2803	0
Selenium	78	0.1474	-0.1002	-0.0472	0	0.1304	0
Selenium	82	0.5746	-0.2028	-0.3718	0	0.5047	0
Silver	107	-0.0007	0.0021	-0.0014	0	0.0019	0
Silver	109	-0.0005	-0.0001	0.0006	0	0.0006	0
Thallium	203	0.0004	-0.0006	0.0002	0	0.0005	0
Thallium	205	0.0002	-0.0001	-0.0001	0	0.0002	0
Zinc	66	0.051	0.0079	-0.0589	0	0.0554	0
Zinc	67	0.0297	0.0124	-0.042	0	0.0374	0
Zinc	68	0.0079	0.0057	-0.0136	0	0.0119	0

**Internal Standard
Factors:**

Lithium	6	0.988	1.012	1.001	0.988 n/a	n/a
Nickel	61	0.97	1.002	1.03	0.97 n/a	n/a
Gallium	71	0.975	0.996	1.03	0.975 n/a	n/a
Indium	115	0.965	1.015	1.022	0.965 n/a	n/a
Lutetium	175	0.958	1.008	1.037	0.958 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	Calibration Std.			Mean	SD	%RSD	
TimeStamp	4/5/13 13:08						
Arsenic	75	25.53	24.88	24.59	25	0.485	1.94
Beryllium	9	25.04	24.7	25.27	25	0.2861	1.144
Cadmium	111	24.56	25.32	25.12	25	0.3938	1.575
Cadmium	114	24.41	25.01	25.58	25	0.5814	2.326
Chromium	52	25.66	23.94	25.4	25	0.929	3.716
Chromium	53	25.21	24.64	25.15	25	0.3156	1.263
Copper	63	25.45	24.45	25.1	25	0.504	2.016
Copper	65	25.36	24.75	24.89	25	0.3209	1.284
Lead	206	24.81	24.25	25.94	25	0.8641	3.456
Lead	207	24.75	24.43	25.82	25	0.7262	2.905
Lead	208	24.94	24.44	25.62	25	0.591	2.364
Molybdenum	95	24.58	25.22	25.2	25	0.3638	1.455
Molybdenum	97	24.47	25.62	24.91	25	0.5813	2.325
Molybdenum	98	24.52	25.22	25.26	25	0.4175	1.67
Nickel	60	25.22	24.58	25.2	25	0.3634	1.454
Nickel	62	26	25.29	23.71	25	1.173	4.694
Selenium	77	25.96	23.98	25.07	25	0.9908	3.963
Selenium	78	25.11	24.7	25.19	25	0.2652	1.061
Selenium	82	25.48	24.09	25.43	25	0.785	3.14
Silver	107	24.6	24.87	25.53	25	0.4774	1.91
Silver	109	24.5	24.96	25.54	25	0.5221	2.088
Thallium	203	24.73	24.28	25.99	25	0.8865	3.546
Thallium	205	24.95	24.45	25.59	25	0.5724	2.29
Zinc	66	25.35	24.9	24.75	25	0.3134	1.254
Zinc	67	25.29	24.42	25.29	25	0.5005	2.002
Zinc	68	25.27	24.59	25.14	25	0.3623	1.449

Internal Standard Factors:

Lithium	6	0.986	0.992	0.975	0.986 n/a	n/a
Nickel	61	0.971	0.965	0.983	0.971 n/a	n/a
Gallium	71	1.081	1.076	1.098	1.081 n/a	n/a
Indium	115	1.009	1.053	1.067	1.009 n/a	n/a
Lutetium	175	1.031	1.044	1.111	1.031 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	ICV1			Mean	SD	%RSD	
TimeStamp	4/5/13 13:12						
Arsenic	75	24.18	24	23.62	23.93	0.2837	1.185
Beryllium	9	2.414	2.324	2.259	2.333	0.078	3.342
Cadmium	111	12.63	11.9	12.57	12.37	0.4034	3.262
Cadmium	114	12.34	11.98	12.44	12.25	0.2384	1.946
Chromium	52	9.096	8.901	8.85	8.949	0.13	1.453
Chromium	53	9.309	8.756	8.532	8.866	0.3999	4.511
Copper	63	11.85	11.84	11.73	11.81	0.0655	0.5552
Copper	65	12.18	11.82	11.52	11.84	0.3304	2.791
Lead	206	23.76	24.37	23.36	23.83	0.5065	2.126
Lead	207	23.65	24.28	23.71	23.88	0.3477	1.456
Lead	208	23.63	24.36	23.83	23.94	0.375	1.567
Molybdenum	95	24.67	23.67	25.44	24.6	0.8883	3.612
Molybdenum	97	23.76	23.84	24.34	23.98	0.3151	1.314
Molybdenum	98	25.15	23.81	24.55	24.51	0.6691	2.73
Nickel	60	23.83	24.32	23.38	23.84	0.4726	1.982
Nickel	62	22.92	23.63	24.91	23.82	1.009	4.237
Selenium	77	24.11	23.35	23.67	23.71	0.3783	1.596
Selenium	78	23.73	24.56	23.61	23.97	0.5139	2.144
Selenium	82	23.98	23.41	23.51	23.63	0.3063	1.296
Silver	107	12.66	11.92	12.61	12.4	0.4128	3.33
Silver	109	12.36	12.08	12.34	12.26	0.1522	1.242
Thallium	203	24.02	24.06	23.51	23.86	0.3074	1.288
Thallium	205	23.87	24.21	23.52	23.86	0.3456	1.448
Zinc	66	24.22	23.71	24.07	24	0.2587	1.078
Zinc	67	31.54	30.71	30.33	30.86	0.6212	2.013
Zinc	68	28.78	29.11	28.3	28.73	0.4071	1.417

**Internal Standard
Factors:**

Lithium	6	0.965	0.97	0.984	0.965 n/a	n/a
Nickel	61	0.981	1.001	1.005	0.981 n/a	n/a
Gallium	71	1.068	1.079	1.086	1.068 n/a	n/a
Indium	115	1.047	1.031	1.08	1.047 n/a	n/a
Lutetium	175	1.029	1.074	1.063	1.029 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	ICV1			Mean	SD	%RSD	
TimeStamp	4/5/13 13:18						
Arsenic	75	25.85	26.47	25.44	25.92	0.5174	1.996
Beryllium	9	2.434	2.56	2.438	2.477	0.0713	2.877
Cadmium	111	12.76	12.5	12.72	12.66	0.1404	1.109
Cadmium	114	12.96	12.39	12.7	12.68	0.286	2.255
Chromium	52	10.06	10.27	10.24	10.19	0.1162	1.141
Chromium	53	9.389	9.581	9.704	9.558	0.1588	1.661
Copper	63	13.04	13.03	12.98	13.02	0.0306	0.2354
Copper	65	13.1	12.68	13.14	12.98	0.2537	1.955
Lead	206	25.64	25.66	24.97	25.42	0.3914	1.54
Lead	207	25.58	25.74	24.86	25.39	0.4697	1.85
Lead	208	25.53	25.46	24.92	25.3	0.3338	1.319
Molybdenum	95	24.98	24.49	25.78	25.09	0.6502	2.592
Molybdenum	97	25.71	25.67	24.95	25.44	0.4263	1.676
Molybdenum	98	25.71	24.63	25.33	25.23	0.5521	2.189
Nickel	60	24.01	24.88	22.74	23.88	1.073	4.493
Nickel	62	25.92	25.54	23.34	24.94	1.392	5.581
Selenium	77	26.67	27.03	27.61	27.1	0.4788	1.767
Selenium	78	26.16	25.45	25.66	25.76	0.3647	1.416
Selenium	82	25.59	25.77	25.02	25.46	0.3906	1.534
Silver	107	13.12	13.04	12.77	12.98	0.1838	1.416
Silver	109	12.87	12.72	12.79	12.79	0.0782	0.6112
Thallium	203	25.95	25.21	25.11	25.42	0.4579	1.801
Thallium	205	25.22	25.7	25.03	25.32	0.3416	1.349
Zinc	66	26.38	25.63	25.86	25.96	0.3826	1.474
Zinc	67	32.97	31.64	32.88	32.5	0.7451	2.293
Zinc	68	31.7	31.13	31.4	31.41	0.2876	0.9155

**Internal Standard
Factors:**

Lithium	6	0.971	0.969	0.963	0.971	n/a	n/a
Nickel	61	0.943	0.978	0.969	0.943	n/a	n/a
Gallium	71	1.114	1.127	1.149	1.114	n/a	n/a
Indium	115	1.031	1.026	1.049	1.031	n/a	n/a
Lutetium	175	1.025	1.045	1.056	1.025	n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	CCV1	Mean	SD	%RSD			
TimeStamp	4/5/13 13:21						
Arsenic	75	24.21	24.15	24.84	24.4	0.3853	1.579
Beryllium	9	23.97	21.91	23.91	23.27	1.17	5.03
Cadmium	111	24.44	24.87	24.83	24.71	0.2383	0.9644
Cadmium	114	25.03	24.95	24.78	24.92	0.127	0.5096
Chromium	52	24.58	25.33	24.76	24.89	0.3932	1.58
Chromium	53	22.06	22.16	22.83	22.35	0.4192	1.876
Copper	63	24.74	24.49	24.95	24.72	0.2312	0.935
Copper	65	24.79	24.11	24.72	24.54	0.3776	1.539
Lead	206	25.04	25.56	24.61	25.07	0.4787	1.909
Lead	207	24.91	25.42	24.61	24.98	0.4073	1.631
Lead	208	25.05	25.44	25.01	25.17	0.2366	0.94
Molybdenum	95	24.21	24.99	24.53	24.58	0.3897	1.586
Molybdenum	97	24.29	24.59	24.27	24.39	0.1751	0.7179
Molybdenum	98	24.17	24.27	25.08	24.51	0.4987	2.035
Nickel	60	24.19	26.74	25.26	25.4	1.279	5.035
Nickel	62	24.13	28.45	25.28	25.95	2.238	8.622
Selenium	77	23.41	24.44	24.82	24.22	0.7293	3.011
Selenium	78	24.19	24.51	24.3	24.33	0.1591	0.6537
Selenium	82	23.51	23.99	24.4	23.97	0.4422	1.845
Silver	107	24.92	25.01	24.73	24.89	0.1421	0.5709
Silver	109	25.33	24.57	24.74	24.88	0.3992	1.604
Thallium	203	24.6	25.54	24.65	24.93	0.5261	2.11
Thallium	205	25.31	25.3	24.72	25.11	0.3338	1.329
Zinc	66	23.86	24.53	24.52	24.3	0.3832	1.577
Zinc	67	24.49	25.07	24.36	24.64	0.3766	1.528
Zinc	68	24.83	24.97	24.92	24.91	0.0719	0.2886

**Internal Standard
Factors:**

Lithium	6	0.95	0.955	0.975	0.95 n/a	n/a
Nickel	61	0.972	1.028	1.009	0.972 n/a	n/a
Gallium	71	1.079	1.102	1.116	1.079 n/a	n/a
Indium	115	1.027	1.038	1.047	1.027 n/a	n/a
Lutetium	175	1.017	1.06	1.044	1.017 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	ICB1	Mean	SD	%RSD			
TimeStamp	4/5/13 13:25						
Arsenic	75	-0.3443	-0.4238	-0.2598	-0.3426	0.0821	23.95
Beryllium	9	0.0096	0.0067	0.0091	0.0085	0.0016	18.25
Cadmium	111	0.0012	-0.0018	-0.0002	-0.0003	0.0015	550
Cadmium	114	0.0081	0.0027	0.0067	0.0059	0.0028	47.56
Chromium	52	-0.0592	0.0024	-0.0151	-0.024	0.0317	132.4
Chromium	53	-2.289	-2.011	-2.27	-2.19	0.1553	7.09
Copper	63	-0.0258	-0.0261	-0.017	-0.023	0.0052	22.65
Copper	65	-0.0418	-0.05	-0.0304	-0.0407	0.0098	24.07
Lead	206	0.0036	0.0086	0.0061	0.0061	0.0025	41.23
Lead	207	-0.0012	0.0011	0.0037	0.0012	0.0025	202.2
Lead	208	0.0058	0.0056	0.0089	0.0068	0.0019	27.66
Molybdenum	95	0.0423	0.0263	0.0216	0.0301	0.0108	36.03
Molybdenum	97	0.0579	0.022	0.0191	0.033	0.0216	65.52
Molybdenum	98	0.0545	0.027	0.0282	0.0366	0.0156	42.52
Nickel	60	0.1963	0.0435	0.2152	0.1517	0.0941	62.06
Nickel	62	0.0747	0.5332	-0.0996	0.1694	0.3269	193
Selenium	77	-0.1113	0.262	0.2849	0.1452	0.2224	153.2
Selenium	78	-0.317	-0.3703	-0.3418	-0.343	0.0267	7.784
Selenium	82	-1.415	-1.519	-1.186	-1.373	0.1705	12.42
Silver	107	0.0323	0.0212	0.0201	0.0245	0.0067	27.53
Silver	109	0.0382	0.0161	0.0177	0.024	0.0123	51.27
Thallium	203	0.017	0.0113	0.0119	0.0134	0.0031	23.22
Thallium	205	0.0161	0.0099	0.012	0.0127	0.0031	24.77
Zinc	66	-0.1639	-0.172	-0.1658	-0.1673	0.0042	2.531
Zinc	67	-0.2924	-0.2346	-0.2158	-0.2476	0.04	16.13
Zinc	68	-0.012	-0.0097	0.0238	0.0007	0.0201	2830

**Internal Standard
Factors:**

Lithium	6	0.905	0.896	0.914	0.905 n/a	n/a
Nickel	61	1.041	1.041	1.07	1.041 n/a	n/a
Gallium	71	1.045	1.087	1.084	1.045 n/a	n/a
Indium	115	0.984	1.026	1.037	0.984 n/a	n/a
Lutetium	175	1.011	1.009	1.043	1.011 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	CCB1	Mean	SD	%RSD			
TimeStamp	4/5/13 13:29						
Arsenic	75	-0.3668	-0.352	-0.3019	-0.3402	0.034	9.987
Beryllium	9	0.0066	0.0059	0.0035	0.0053	0.0016	30.14
Cadmium	111	-0.0021	0.0117	0.0009	0.0035	0.0073	207.1
Cadmium	114	0.0064	0.0082	0.0078	0.0075	0.0009	12.68
Chromium	52	0.0209	0.0928	0.011	0.0416	0.0446	107.4
Chromium	53	-2.244	-2.024	-2.317	-2.195	0.1527	6.957
Copper	63	-0.0131	-0.0069	-0.0266	-0.0155	0.0101	64.86
Copper	65	-0.0463	-0.0282	-0.0304	-0.035	0.0098	28.12
Lead	206	0.0047	0.0116	0.0068	0.0077	0.0035	45.75
Lead	207	0.0056	0.0023	0.0016	0.0031	0.0022	68.72
Lead	208	0.0059	0.0082	0.0059	0.0067	0.0014	20.31
Molybdenum	95	0.0132	0.0131	0.0149	0.0137	0.001	7.237
Molybdenum	97	0.0188	0.0178	0.01	0.0155	0.0048	31.14
Molybdenum	98	0.0109	0.0137	0.0097	0.0114	0.002	17.93
Nickel	60	0.098	0.2747	0.2718	0.2148	0.1012	47.11
Nickel	62	-1.994	-0.8235	-0.097	-0.9714	0.957	98.51
Selenium	77	0.2759	0.5746	-0.1009	0.2498	0.3385	135.5
Selenium	78	-0.2772	-0.0175	-0.1349	-0.1432	0.1301	90.84
Selenium	82	-1.398	-1.459	-1.545	-1.467	0.074	5.041
Silver	107	0.0121	0.0122	0.0104	0.0116	0.001	8.88
Silver	109	0.0062	0.012	0.0062	0.0081	0.0034	41.49
Thallium	203	0.0034	0.0116	0.0074	0.0075	0.0041	54.58
Thallium	205	0.0053	0.0095	0.006	0.007	0.0023	32.31
Zinc	66	-0.1638	-0.145	-0.151	-0.1533	0.0096	6.272
Zinc	67	-0.2756	-0.2802	-0.3165	-0.2908	0.0224	7.713
Zinc	68	0.002	0.0536	0.0233	0.0263	0.0259	98.54

**Internal Standard
Factors:**

Lithium	6	0.905	0.903	0.885	0.905 n/a	n/a
Nickel	61	1.01	1.036	1.078	1.01 n/a	n/a
Gallium	71	1.082	1.121	1.099	1.082 n/a	n/a
Indium	115	1.01	1.046	1.03	1.01 n/a	n/a
Lutetium	175	0.997	1.018	1.007	0.997 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	LLICVW	Mean	SD	%RSD
TimeStamp	4/5/13 13:32			
Arsenic	75	4.725	4.322	4.869
Beryllium	9	0.1801	0.1774	0.1895
Cadmium	111	0.1843	0.1672	0.1884
Cadmium	114	0.1938	0.184	0.2086
Chromium	52	1.83	1.855	1.849
Chromium	53	-0.312	-0.3004	0.0407
Copper	63	0.9504	0.9555	0.9674
Copper	65	0.9738	0.9257	0.9714
Lead	206	0.1902	0.199	0.2065
Lead	207	0.1917	0.2023	0.1887
Lead	208	0.1931	0.2034	0.2014
Molybdenum	95	0.4789	0.4278	0.4657
Molybdenum	97	0.4873	0.4475	0.4718
Molybdenum	98	0.48	0.457	0.4852
Nickel	60	2.135	2.144	2.186
Nickel	62	1.92	1.399	2.672
Selenium	77	8.304	8.982	8.405
Selenium	78	8.866	8.829	8.881
Selenium	82	8.162	7.558	8.079
Silver	107	0.1947	0.1866	0.1837
Silver	109	0.1935	0.1829	0.1884
Thallium	203	0.1975	0.1979	0.2091
Thallium	205	0.1897	0.2083	0.1937
Zinc	66	4.507	4.425	4.47
Zinc	67	3.933	3.9	4.006
Zinc	68	4.479	4.231	4.454

**Internal Standard
Factors:**

Lithium	6	0.875	0.865	0.884	0.875 n/a	n/a
Nickel	61	1.003	1.019	1.03	1.003 n/a	n/a
Gallium	71	1.073	1.084	1.11	1.073 n/a	n/a
Indium	115	1.024	1.003	1.034	1.024 n/a	n/a
Lutetium	175	0.961	1.031	1.016	0.961 n/a	n/a

Instrument ID: K-ICP-MS-02
 Experiment: 04-05-13A
 Units: µg/L (ppb)

Method: EPA 200.8
 Analyst: Greg Jasper
 STARLIMS #335178

Sample Name:		ICSA			Mean	SD	%RSD
TimeStamp		4/5/13 13:37					
Arsenic	75	-0.5522	-0.4711	-0.4989	-0.5074	0.0412	8.121
Beryllium	9	0.0007	0.0031	0.0042	0.0026	0.0018	66.54
Cadmium	111	0.2452	0.2468	0.2353	0.2424	0.0062	2.567
Cadmium	114	0.2115	0.2184	0.2197	0.2165	0.0044	2.035
Chromium	52	0.6223	0.6649	0.573	0.62	0.046	7.417
Chromium	53	3.572	4.115	4.193	3.96	0.3383	8.542
Copper	63	1.809	1.763	1.706	1.759	0.0515	2.928
Copper	65	1.176	1.164	1.072	1.138	0.0569	5.002
Lead	206	0.1423	0.1384	0.1401	0.1403	0.0019	1.389
Lead	207	0.1263	0.1256	0.1211	0.1243	0.0028	2.276
Lead	208	0.1364	0.1331	0.1295	0.133	0.0034	2.58
Molybdenum	95	47.67	49.01	48.15	48.28	0.681	1.411
Molybdenum	97	48.06	49.03	48.64	48.57	0.4865	1.002
Molybdenum	98	50.45	48.87	50.03	49.78	0.8189	1.645
Nickel	60	3.36	3.612	3.356	3.443	0.1466	4.257
Nickel	62	5.603	6.162	5.368	5.711	0.4077	7.14
Selenium	77	8.326	8.513	8.223	8.354	0.1469	1.758
Selenium	78	0.0705	-0.0108	0.165	0.0749	0.088	117.5
Selenium	82	-1.587	-1.635	-1.851	-1.691	0.1407	8.321
Silver	107	0.0349	0.0324	0.0323	0.0332	0.0015	4.497
Silver	109	0.0309	0.0324	0.0366	0.0333	0.003	8.873
Thallium	203	0.0125	0.0101	0.0132	0.0119	0.0017	13.93
Thallium	205	0.0142	0.0141	0.0136	0.014	0.0003	2.182
Zinc	66	3.174	3.212	3.058	3.148	0.0803	2.55
Zinc	67	5.539	5.699	5.575	5.604	0.0841	1.501
Zinc	68	2.921	2.829	2.768	2.839	0.0771	2.714

**Internal Standard
Factors:**

Lithium	6	1.108	1.162	1.179	1.108	n/a	n/a
Nickel	61	1.155	1.168	1.149	1.155	n/a	n/a
Gallium	71	1.21	1.231	1.198	1.21	n/a	n/a
Indium	115	1.092	1.116	1.123	1.092	n/a	n/a
Lutetium	175	1.067	1.088	1.107	1.067	n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	ICSAB	Mean	SD	%RSD
TimeStamp	4/5/13 13:40			
Arsenic	75	26.36	26.69	26.48
Beryllium	9	-0.001	-0.0006	0.0009
Cadmium	111	25.11	24.68	24.61
Cadmium	114	24.03	23.99	24.67
Chromium	52	49.29	49.73	50.95
Chromium	53	51.49	51.66	53.17
Copper	63	47.31	47.84	48.51
Copper	65	45.94	46.44	49.28
Lead	206	0.06	0.0565	0.0551
Lead	207	0.0527	0.0504	0.053
Lead	208	0.0592	0.0552	0.0567
Molybdenum	95	48.61	49.74	49.55
Molybdenum	97	48.84	48.81	50.29
Molybdenum	98	48.78	48.83	50.18
Nickel	60	48.09	47.29	46.98
Nickel	62	51.68	50.92	51.67
Selenium	77	32.32	32.8	33.85
Selenium	78	25.26	25.61	26.83
Selenium	82	24.46	24.45	24.53
Silver	107	11.72	11.95	11.98
Silver	109	11.91	11.81	11.92
Thallium	203	0.0096	0.0079	0.0057
Thallium	205	0.0086	0.0084	0.0088
Zinc	66	25.48	25.69	26.06
Zinc	67	27	26.87	29.12
Zinc	68	23.59	23.63	24.21

**Internal Standard
Factors:**

Lithium	6	1.198	1.189	1.204	1.198	n/a
Nickel	61	1.01	1.028	1.018	1.01	n/a
Gallium	71	1.143	1.165	1.191	1.143	n/a
Indium	115	1.079	1.084	1.089	1.079	n/a
Lutetium	175	1.083	1.064	1.108	1.083	n/a

Instrument ID: K-ICP-MS-02

Method: EPA 200.8

Experiment: 04-05-13A

Analyst: Greg Jasper

Units: µg/L (ppb)

STARLIMS #335178

Sample Name:		K1302496-MB			Mean	SD	%RSD
TimeStamp		4/5/13 13:48					
Arsenic	75	-0.2722	-0.2082	-0.2236	-0.2347	0.0334	14.23
Beryllium	9	<i>2,461/2</i> -0.0041	-0.0025	0.0046	0.0037	0.0011	28.69
Cadmium	111	0.0267	0.025	0.024	0.0253	0.0014	5.464
Cadmium	114	0.0008	0.0055	0.0047	0.0037	0.0025	69.18
Chromium	52	0.3444	0.4304	0.413	0.3959	0.0455	11.49
Chromium	53	-1.868	-1.63	-1.544	-1.681	0.1676	9.973
Copper	63	0.2771	0.2935	0.3478	0.3061	0.037	12.07
Copper	65	-0.0593	-0.0417	-0.042	-0.0477	0.0101	21.17
Lead	206	0.0231	0.0231	0.02	0.0221	0.0018	8.29
Lead	207	0.0188	0.0215	0.0268	0.0224	0.0041	18.25
Lead	208	0.0239	0.0259	0.0253	0.025	0.001	4.02
Molybdenum	95	0.0097	0.0094	0.0097	0.0096	0.0002	1.737
Molybdenum	97	0.0482	0.0496	0.0304	0.0427	0.0107	25.07
Molybdenum	98	0.0084	0.0061	0.0043	0.0063	0.0021	33.05
Nickel	60	0.1086	0.1135	-0.024	0.066	0.078	118.2
Nickel	62	1.648	2.711	0.2327	1.531	1.243	81.23
Selenium	77	-1.24	-0.6689	-0.7363	-0.8816	0.3119	35.38
Selenium	78	-0.0144	-0.0274	0.0941	0.0174	0.0667	383.3
Selenium	82	-1.475	-1.057	-1.063	-1.198	0.2394	19.97
Silver	107	0.0109	0.0136	0.0111	0.0119	0.0015	12.53
Silver	109	0.0154	0.0123	0.0132	0.0136	0.0016	11.44
Thallium	203	0.0004	-0.001	0.0026	0.0007	0.0018	272.6
Thallium	205	0.0016	0	0.0005	0.0007	0.0008	116.3
Zinc	66	0.2383	0.2469	0.2396	0.2416	0.0047	1.933
Zinc	67	0.5638	0.6112	0.6158	0.5969	0.0288	4.828
Zinc	68	0.4187	0.4667	0.4735	0.453	0.0299	6.591

*wet &
ccv out*

Internal Standard**Factors:**

Lithium	6	0.926	0.944	0.953	0.926	n/a
Nickel	61	1.147	1.188	1.182	1.147	n/a
Gallium	71	0.935	0.983	1.017	0.935	n/a
Indium	115	0.887	0.939	0.941	0.887	n/a
Lutetium	175	0.862	0.887	0.915	0.862	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	LCSW	Mean	SD	%RSD			
TimeStamp	4/5/13 13:52						
Arsenic	75	19.37	19.98	19.06	19.47	0.4658	2.393
Beryllium	9	12.22	11.8	12.02	12.01	0.2102	1.75
Cadmium	111	19.33	19.47	20.2	19.67	0.4712	2.396
Cadmium	114	18.94	19.66	19.73	19.45	0.4362	2.243
Chromium	52	18.52	19.43	19.17	19.04	0.4662	2.449
Chromium	53	16.33	15.91	16.36	16.2	0.2526	1.559
Copper	63	19.4	19.08	18.78	19.09	0.3121	1.635
Copper	65	18.85	19	18.96	18.94	0.0753	0.3977
Lead	206	19.39	19.83	19.02	19.41	0.4047	2.084
Lead	207	19.31	19.45	19.33	19.36	0.0727	0.3754
Lead	208	19.4	19.68	19.13	19.4	0.2797	1.441
Molybdenum	95	4.016	4.068	4.198	4.094	0.0937	2.288
Molybdenum	97	4.137	4.215	4.217	4.189	0.0453	1.08
Molybdenum	98	4.229	4.129	4.158	4.172	0.0516	1.236
Nickel	60	19.61	19.06	20.02	19.56	0.479	2.448
Nickel	62	20.99	20.17	19.65	20.27	0.676	3.335
Selenium	77	17.7	17.45	18.16	17.77	0.3596	2.023
Selenium	78	19.22	19.56	18.54	19.11	0.5161	2.701
Selenium	82	18.17	18	18.23	18.13	0.1174	0.6477
Silver	107	18.18	18.68	19.02	18.63	0.4238	2.275
Silver	109	19.15	19.19	19.05	19.13	0.0731	0.3822
Thallium	203	18.46	19.17	18.81	18.81	0.354	1.882
Thallium	205	18.82	19.33	18.67	18.94	0.3486	1.84
Zinc	66	19.64	20.08	19.19	19.64	0.4448	2.265
Zinc	67	19.4	19.52	19.07	19.33	0.237	1.226
Zinc	68	19.49	19.14	18.98	19.2	0.2595	1.351

**Internal Standard
Factors:**

Lithium	6	0.948	0.939	0.958	0.948	n/a
Nickel	61	0.914	0.912	0.93	0.914	n/a
Gallium	71	0.975	0.992	0.988	0.975	n/a
Indium	115	0.894	0.917	0.935	0.894	n/a
Lutetium	175	0.881	0.913	0.91	0.881	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	Time Stamp	K1302496-001	4/5/13 13:56	Mean	SD	%RSD
Arsenic	75	13.94	13.62	14.08	0.2315	1.668
Beryllium	9	0.0062	0.0056	-0.0002	0.0038	0.0035
Cadmium	111	0.1666	0.1528	0.1662	0.0078	4.839
Cadmium	114	0.1889	0.1747	0.1733	0.0086	4.829
Chromium	52	2.557	2.583	2.703	0.078	2.984
Chromium	53	5.041	4.878	5.471	0.306	5.965
Copper	63	12.53	12.59	12.88	0.1894	1.495
Copper	65	6.736	6.651	6.778	0.0648	0.9633
Lead	206	0.3898	0.3837	0.38	0.005	1.29
Lead	207	0.3598	0.3642	0.3446	0.0103	2.883
Lead	208	0.3773	0.3712	0.3679	0.0048	1.277
Molybdenum	95	10.65	10.63	11.38	0.4277	3.928
Molybdenum	97	10.71	10.67	11.03	0.1959	1.814
Molybdenum	98	10.95	10.76	11.13	0.1872	1.711
Nickel	60	5.3	5.241	5.57	0.1755	3.268
Nickel	62	8.694	9.314	9.177	0.3254	3.591
Selenium	77	3.961	3.502	4.55	0.5256	13.13
Selenium	78	1.21	1.057	1.11	0.0776	6.895
Selenium	82	0.3262	-0.0106	0.0299	0.1839	159.7
Silver	107	0.1219	0.1033	0.1008	0.0116	10.63
Silver	109	0.1186	0.0989	0.0995	0.0112	10.62
Thallium	203	0.3005	0.2295	0.195	0.0538	22.27
Thallium	205	0.2896	0.2311	0.1921	0.0491	20.65
Zinc	66	5.057	5.015	5.121	0.0534	1.054
Zinc	67	4.955	5.179	5.275	0.164	3.193
Zinc	68	4.567	4.539	4.658	0.0622	1.355

Internal Standard Factors:

Lithium	6	1.194	1.248	1.282	1.194	n/a
Nickel	61	1.071	1.065	1.063	1.071	n/a
Gallium	71	1.077	1.067	1.086	1.077	n/a
Indium	115	1.053	1.038	1.068	1.053	n/a
Lutetium	175	0.95	0.977	0.991	0.95	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	Time Stamp	K1302496-001L 1/5			Mean	SD	%RSD
Arsenic	75	2.626	2.754	2.643	2.674	0.0697	2.607
Beryllium	9	0.0033	0.0039	0.0035	0.0036	0.0003	7.716
Cadmium	111	0.0265	0.0292	0.0401	0.0319	0.0072	22.61
Cadmium	114	0.0367	0.0384	0.0325	0.0359	0.0031	8.508
Chromium	52	0.5547	0.5242	0.5275	0.5354	0.0167	3.126
Chromium	53	5.63	6.231	5.674	5.845	0.3349	5.729
Copper	63	2.435	2.511	2.495	2.481	0.0399	1.607
Copper	65	1.422	1.352	1.377	1.383	0.0359	2.593
Lead	206	0.089	0.0841	0.0874	0.0868	0.0025	2.872
Lead	207	0.0797	0.0789	0.0817	0.0801	0.0015	1.816
Lead	208	0.0882	0.0829	0.0867	0.0859	0.0027	3.189
Molybdenum	95	2.029	2.041	1.96	2.01	0.0438	2.179
Molybdenum	97	2.119	2.076	2.057	2.084	0.0317	1.519
Molybdenum	98	2.059	2.073	2.016	2.05	0.0296	1.442
Nickel	60	1.13	0.9881	0.9887	1.035	0.0816	7.878
Nickel	62	1.574	1.853	3.413	2.28	0.9911	43.47
Selenium	77	2.598	2.274	2.331	2.401	0.1732	7.214
Selenium	78	0.5982	0.5851	0.5651	0.5828	0.0167	2.858
Selenium	82	0.1024	-0.5003	-0.5003	-0.2994	0.348	116.2
Silver	107	0.0301	0.027	0.0301	0.0291	0.0018	6.116
Silver	109	0.0284	0.0308	0.0261	0.0284	0.0024	8.267
Thallium	203	0.066	0.0617	0.0562	0.0613	0.0049	7.984
Thallium	205	0.0678	0.062	0.0547	0.0615	0.0066	10.72
Zinc	66	1.353	1.273	1.316	1.314	0.0404	3.072
Zinc	67	2.119	2.074	1.912	2.035	0.1091	5.361
Zinc	68	1.201	1.184	1.213	1.199	0.0147	1.229

**Internal Standard
Factors:**

Lithium	6	1.03	1.041	1.044	1.03 n/a	n/a
Nickel	61	0.874	0.888	0.923	0.874 n/a	n/a
Gallium	71	0.942	0.97	0.976	0.942 n/a	n/a
Indium	115	0.929	0.947	0.937	0.929 n/a	n/a
Lutetium	175	0.917	0.923	0.941	0.917 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	Time Stamp	K1302496-001A	4/5/13 14:03	Mean	SD	%RSD
Arsenic	75	34.41	34.38	34.32	0.0436	0.1269
Beryllium	9	18.22	19.51	20.63	1.206	6.198
Cadmium	111	18.32	18.69	18.99	0.3337	1.788
Cadmium	114	18.64	18.75	18.78	0.0714	0.3814
Chromium	52	22.78	23.35	22.19	0.5769	2.533
Chromium	53	25.53	25.27	26.32	0.5449	2.12
Copper	63	31.55	31.17	31.71	0.2769	0.8797
Copper	65	25.58	25.3	25.46	0.1397	0.5488
Lead	206	16.71	16.96	16.45	0.2556	1.529
Lead	207	16.4	16.88	16.5	0.2532	1.526
Lead	208	16.6	16.96	16.4	0.2813	1.689
Molybdenum	95	31.41	31.09	31.7	0.3049	0.971
Molybdenum	97	31.11	31.66	32.75	0.8337	2.618
Molybdenum	98	31.82	31.94	32.08	0.1265	0.396
Nickel	60	26.7	25.79	26.21	0.4584	1.747
Nickel	62	30.49	31.19	32.72	1.142	3.628
Selenium	77	22.14	23.14	23.59	0.7468	3.253
Selenium	78	20.51	20.88	21.42	0.4544	2.17
Selenium	82	20.12	19.88	19.74	0.1917	0.9627
Silver	107	17.95	18.21	18.22	0.152	0.8388
Silver	109	17.97	17.96	18.18	0.1209	0.6702
Thallium	203	16.28	16.75	16.36	0.2541	1.544
Thallium	205	16.24	16.88	16.46	0.3282	1.986
Zinc	66	22.96	22.92	22.81	0.075	0.3276
Zinc	67	23.83	23.86	23.27	0.3314	1.401
Zinc	68	22.45	22.57	22.53	0.0672	0.2985

Internal Standard Factors:

Lithium	6	1.319	1.341	1.428	1.319 n/a	n/a
Nickel	61	1.061	1.048	1.041	1.061 n/a	n/a
Gallium	71	1.038	1.032	1.023	1.038 n/a	n/a
Indium	115	1.005	1.016	1.032	1.005 n/a	n/a
Lutetium	175	0.956	1.005	1.015	0.956 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	Time Stamp	K1302496-002	4/5/13 14:20	Mean	SD	%RSD
Arsenic	75	14.13	14.62	14.03	0.3166	2.22
Beryllium	9	-0.0038	-0.0012	-0.0025	0.0013	51.87
Cadmium	111	0.1369	0.1568	0.1156	0.0206	15.1
Cadmium	114	0.1493	0.1514	0.1539	0.0023	1.5
Chromium	52	8.939	8.62	8.463	0.2424	2.795
Chromium	53	21.29	18.63	16.93	2.194	11.58
Copper	63	12.92	13.36	13.06	0.2259	1.723
Copper	65	5.124	5.183	5.034	0.0753	1.473
Lead	206	0.3979	0.3922	0.3964	0.0029	0.7457
Lead	207	0.3673	0.3535	0.3564	0.0073	2.025
Lead	208	0.3858	0.3728	0.3754	0.0069	1.817
Molybdenum	95	10.81	10.9	10.34	0.2981	2.79
Molybdenum	97	10.18	10.48	10.67	0.2469	2.364
Molybdenum	98	10.35	10.7	10.31	0.2164	2.07
Nickel	60	32.33	32.65	32.82	0.2484	0.7618
Nickel	62	39.56	41.87	40.91	1.158	2.839
Selenium	77	7.949	7.352	6.994	0.4824	6.49
Selenium	78	1.633	1.194	1.575	0.2388	16.27
Selenium	82	0.2609	0.2832	0.3527	0.0479	16.02
Silver	107	0.0683	0.0601	0.0636	0.0041	6.436
Silver	109	0.0663	0.0614	0.0586	0.0039	6.276
Thallium	203	0.1522	0.1315	0.1316	0.0119	8.593
Thallium	205	0.1491	0.1293	0.1307	0.0111	8.136
Zinc	66	9.866	9.898	9.606	0.16	1.635
Zinc	67	10.5	10.14	9.342	0.5932	5.935
Zinc	68	9.178	8.997	8.784	0.197	2.192

**Internal Standard
Factors:**

Lithium	6	1.179	1.279	1.296	1.179	n/a
Nickel	61	0.932	0.96	0.976	0.932	n/a
Gallium	71	0.948	0.984	0.982	0.948	n/a
Indium	115	0.894	0.948	0.969	0.894	n/a
Lutetium	175	0.846	0.903	0.948	0.846	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	TimeStamp	K1302496-003 4/5/13 14:31			Mean	SD	%RSD
Arsenic	75	<i>34610</i>	14.75	16.03	15.23	0.6483	4.227
Beryllium	9		-0.001	0.0008	0.0011	0.0003	381.5
Cadmium	111		0.1975	0.1828	0.1771	0.1858	5.674
Cadmium	114		0.1164	0.1157	0.1163	0.1161	0.0004
Chromium	52		3.451	3.66	3.616	3.576	0.1106
Chromium	53		17.77	17.09	16.95	17.27	0.438
Copper	63		20.33	21.15	21.23	20.91	0.4999
Copper	65		10.6	11.27	11.22	11.03	0.3761
Lead	206		0.7186	0.6948	0.6934	0.7022	0.0142
Lead	207		0.6289	0.6413	0.6171	0.6291	0.0121
Lead	208		0.6586	0.6654	0.6634	0.6625	0.0035
Molybdenum	95		10.3	10.15	9.962	10.14	0.1707
Molybdenum	97		10.3	10.05	10.49	10.28	0.2201
Molybdenum	98		9.959	10.35	10.15	10.15	0.1939
Nickel	60		2.48	3.021	2.794	2.765	0.2718
Nickel	62		6.391	8.758	4.414	6.521	2.175
Selenium	77		8.631	8.666	8.858	8.718	0.1223
Selenium	78		1.573	1.877	1.781	1.743	0.1554
Selenium	82		1.047	0.8798	1.17	1.032	0.1455
Silver	107		0.1148	0.1194	0.113	0.1157	0.0033
Silver	109		0.1116	0.111	0.1124	0.1117	0.0007
Thallium	203		0.1128	0.1094	0.1132	0.1118	0.0021
Thallium	205		0.1138	0.1098	0.1098	0.1111	0.0023
Zinc	66		12.41	13.33	13.15	12.96	0.4856
Zinc	67		12.58	12.88	12.21	12.56	0.3322
Zinc	68		11.31	11.79	11.93	11.68	0.3253

**Internal Standard
Factors:**

Lithium	6	1.367	1.389	1.428	1.367 n/a	n/a
Nickel	61	1.006	1.035	1.02	1.006 n/a	n/a
Gallium	71	1.065	1.123	1.132	1.065 n/a	n/a
Indium	115	1.017	1.038	1.051	1.017 n/a	n/a
Lutetium	175	1.017	1.028	1.059	1.017 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	K1302526-003	Mean	SD	%RSD
TimeStamp	4/5/13 14:34			
Arsenic	75	0.7297	0.526	0.7838
Beryllium	9	0.1678	0.1597	0.1584
Cadmium	111	0.0774	0.0949	0.088
Cadmium	114	0.0055	0.0086	0.0049
Chromium	52	10.05	9.607	10.32
Chromium	53	19.58	20.68	21.72
Copper	63	5.069	4.775	4.946
Copper	65	1.517	1.442	1.491
Lead	206	0.0687	0.0661	0.0659
Lead	207	0.0637	0.0566	0.0528
Lead	208	0.0642	0.0632	0.0618
Molybdenum	95	0.355	0.3517	0.3368
Molybdenum	97	0.3406	0.361	0.3307
Molybdenum	98	0.2623	0.2768	0.2542
Nickel	60	11.52	10.58	10.74
Nickel	62	19.57	16	19.75
Selenium	77	5.564	5.784	5.886
Selenium	78	0.9268	0.4878	0.8425
Selenium	82	1.502	1.606	1.837
Silver	107	0.1199	0.1184	0.1178
Silver	109	0.0402	0.0348	0.0357
Thallium	203	0.0094	0.0088	0.002
Thallium	205	0.0078	0.0063	0.0052
Zinc	66	3.414	3.579	3.746
Zinc	67	10.77	10.37	10.87
Zinc	68	7.772	7.546	7.745

**Internal Standard
Factors:**

Lithium	6	1.244	1.239	1.257	1.244 n/a	n/a
Nickel	61	1.348	1.358	1.382	1.348 n/a	n/a
Gallium	71	0.98	0.99	1.019	0.98 n/a	n/a
Indium	115	0.937	0.996	0.966	0.937 n/a	n/a
Lutetium	175	0.958	0.956	0.957	0.958 n/a	n/a

Instrument ID: K-ICP-MS-02

Method: EPA 200.8

Experiment: 04-05-13A

Analyst: Greg Jasper

Units: µg/L (ppb)

STARLIMS #335178

Sample Name:		K1302526-003D			Mean	SD	%RSD
TimeStamp		4/5/13 14:38					
Arsenic	75	1.109	0.6795	1.045	0.9446	0.2319	24.55
Beryllium	9	0.1467	0.1435	0.1435	0.1446	0.0010	1.28
Cadmium	111	0.0718	0.0785	0.0705	0.0736	0.0043	5.798
Cadmium	114	0.0033	0.0058	0.0051	0.0047	0.0013	26.99
Chromium	52	9.954	9.749	10.14	9.948	0.1961	1.972
Chromium	53	21.59	21.34	21.89	21.6	0.2752	1.274
Copper	63	4.199	4.275	4.5	4.325	0.1561	3.61
Copper	65	0.6525	0.5858	0.6278	0.622	0.0338	5.427
Lead	206	0.0492	0.0502	0.0524	0.0506	0.0017	3.275
Lead	207	0.0368	0.0433	0.0348	0.0383	0.0044	11.62
Lead	208	0.0447	0.0482	0.0459	0.0463	0.0017	3.753
Molybdenum	95	0.3533	0.3415	0.3525	0.3491	0.0066	1.888
Molybdenum	97	0.3284	0.294	0.3119	0.3114	0.0172	5.517
Molybdenum	98	0.2736	0.2516	0.2759	0.267	0.0135	5.035
Nickel	60	3.48	3.596	4.184	3.753	0.3775	10.06
Nickel	62	8.891	7.808	10.4	9.033	1.301	14.41
Selenium	77	4.575	5.531	5.224	5.11	0.488	9.549
Selenium	78	0.6175	0.906	1.176	0.9	0.2795	31.05
Selenium	82	1.986	1.99	2.161	2.046	0.0998	4.881
Silver	107	0.0966	0.0906	0.0918	0.093	0.0032	3.436
Silver	109	0.0319	0.0394	0.0365	0.0359	0.0037	10.39
Thallium	203	0.0044	0.001	-0.0007	0.0016	0.0026	162.7
Thallium	205	0.0029	0.0012	0.0027	0.0023	0.0009	40.11
Zinc	66	0.9449	1.017	1.072	1.011	0.0636	6.286
Zinc	67	9.457	8.901	9.195	9.184	0.2783	3.03
Zinc	68	5.328	5.371	5.307	5.335	0.0326	0.6111

Internal Standard**Factors:**

Lithium	6	1.25	1.255	1.254	1.25 n/a	n/a
Nickel	61	1.343	1.38	1.427	1.343 n/a	n/a
Gallium	71	0.986	1	1.021	0.986 n/a	n/a
Indium	115	0.945	0.953	0.969	0.945 n/a	n/a
Lutetium	175	0.944	0.938	0.964	0.944 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	Time Stamp	K1302526-003SD	4/5/13	4/5/13	Mean	SD	%RSD	
Arsenic	75	3/15/12	4.138	4.269	3.814	4.074	0.2341	5.746
Beryllium	9	3/15/12	21.32	23.34	23.27	22.64	1.149	5.074
Cadmium	111		17.52	18.57	18.16	18.08	0.5287	2.924
Cadmium	114		17.59	18.05	17.96	17.87	0.2467	1.381
Chromium	52		26.65	29.02	26.02	27.23	1.584	5.816
Chromium	53		37.17	39.29	35.61	37.36	1.848	4.947
Copper	63		23.09	24.32	22.53	23.32	0.9162	3.929
Copper	65		20	21.97	19.55	20.51	1.287	6.276
Lead	206		17.28	17.78	17.5	17.52	0.253	1.444
Lead	207		17.29	17.57	17.53	17.46	0.149	0.8532
Lead	208		17.31	17.7	17.62	17.55	0.209	1.191
Molybdenum	95		1.34	1.33	1.328	1.333	0.0063	0.4734
Molybdenum	97		1.271	1.297	1.297	1.288	0.0152	1.176
Molybdenum	98		1.248	1.28	1.277	1.268	0.0174	1.369
Nickel	60		20.77	23.13	21.87	21.92	1.179	5.379
Nickel	62		29.5	26.57	30.1	28.72	1.891	6.582
Selenium	77		24.64	26.79	23.77	25.07	1.555	6.204
Selenium	78		21.22	23.23	21.28	21.91	1.142	5.211
Selenium	82		22.51	24.04	21.73	22.76	1.177	5.173
Silver	107		17.8	18.45	18.15	18.13	0.3241	1.787
Silver	109		18.12	18.17	19.13	18.47	0.5721	3.097
Thallium	203		17.72	18.03	17.62	17.79	0.2112	1.187
Thallium	205		17.17	18.04	17.9	17.7	0.4704	2.658
Zinc	66		17.27	17.53	16.73	17.18	0.4109	2.392
Zinc	67		23.7	24.93	22.28	23.64	1.328	5.619
Zinc	68		19.93	21.43	20.22	20.53	0.793	3.863

**Internal Standard
Factors:**

Lithium	6	1.221	1.227	1.248	1.221	n/a	n/a
Nickel	61	1.458	1.545	1.5	1.458	n/a	n/a
Gallium	71	0.986	1.042	0.964	0.986	n/a	n/a
Indium	115	0.91	0.928	0.943	0.91	n/a	n/a
Lutetium	175	0.92	0.956	0.951	0.92	n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: $\mu\text{g/L}$ (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	CCV2	Mean	SD	%RSD
TimeStamp	4/5/13 14:46			
Arsenic	75	25.58	24.1	24.82
Beryllium	9	32.01	34	31.17
Cadmium	111	24.64	24.15	24.66
Cadmium	114	24.25	24.92	24.53
Chromium	52	24.93	23.64	24.24
Chromium	53	33.98	32.61	33.99
Copper	63	27.78	26.42	27.14
Copper	65	26.3	25.59	26.81
Lead	206	26.4	26.89	27.04
Lead	207	25.92	26.53	26.52
Lead	208	26.19	26.53	26.82
Molybdenum	95	21.66	22.67	22.62
Molybdenum	97	21.52	21.64	22.58
Molybdenum	98	22.3	22.1	22.65
Nickel	60	24.89	24.95	24.53
Nickel	62	26.13	28.36	27.2
Selenium	77	31.71	28.79	31.49
Selenium	78	26.96	27.15	26.55
Selenium	82	27.88	26.27	27.11
Silver	107	25.81	25.41	26.32
Silver	109	25.13	25.67	26.42
Thallium	203	25.92	26.38	27.1
Thallium	205	26.23	26.6	27.51
Zinc	66	26.6	24.88	25.5
Zinc	67	26.13	25.75	26.26
Zinc	68	26.42	25.27	25.67

Bl art of
comple
Se present

**Internal Standard
Factors:**

Lithium	6	1.127	1.118	1.114	1.127 n/a	n/a
Nickel	61	0.805	0.819	0.811	0.805 n/a	n/a
Gallium	71	0.926	0.9	0.943	0.926 n/a	n/a
Indium	115	0.847	0.857	0.889	0.847 n/a	n/a
Lutetium	175	0.916	0.931	0.95	0.916 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	CCB2	Mean	SD	%RSD			
TimeStamp	4/5/13 14:50						
Arsenic	75	-0.3154	-0.4728	-0.2969	-0.3617	0.0967	26.73
Beryllium	9	0.0062	0.0163	0.0114	0.0113	0.0051	44.79
Cadmium	111	0.022	0.0192	0.0211	0.0208	0.0015	7.047
Cadmium	114	0.0082	0.0065	0.0081	0.0076	0.0009	12.46
Chromium	52	0.5437	0.4564	0.6044	0.5348	0.0744	13.91
Chromium	53	9.204	7.849	9.489	8.847	0.8762	9.904
Copper	63	0.5089	0.4754	0.5758	0.52	0.0512	9.836
Copper	65	-0.1002	-0.1143	-0.1006	-0.105	0.008	7.657
Lead	206	0.0056	0.0084	0.0137	0.0093	0.0041	44.57
Lead	207	0.0046	0.0106	0.0063	0.0072	0.0031	42.84
Lead	208	0.0081	0.0118	0.0111	0.0103	0.002	19.16
Molybdenum	95	0.0325	0.0251	0.0179	0.0252	0.0073	28.83
Molybdenum	97	0.0312	0.029	0.0211	0.0271	0.0053	19.61
Molybdenum	98	0.0369	0.018	0.0142	0.023	0.0122	52.98
Nickel	60	0.1881	0.5988	0.1581	0.315	0.2462	78.17
Nickel	62	3.521	1.717	2.754	2.664	0.9055	33.99
Selenium	77	3.43	3.302	4.249	3.66	0.514	14.04
Selenium	78	-0.1584	-0.4377	-0.0042	-0.2001	0.2197	109.8
Selenium	82	-0.6246	-0.7165	-0.8968	-0.7459	0.1385	18.57
Silver	107	0.0334	0.0328	0.0274	0.0312	0.0033	10.57
Silver	109	0.0325	0.0323	0.0236	0.0295	0.0051	17.27
Thallium	203	0.0182	0.018	0.0171	0.0178	0.0006	3.449
Thallium	205	0.0184	0.0182	0.0167	0.0178	0.001	5.403
Zinc	66	-0.1527	-0.1686	-0.132	-0.1511	0.0184	12.16
Zinc	67	0.2839	0.1521	0.2605	0.2322	0.0704	30.3
Zinc	68	0.0237	0.0355	0.0496	0.0362	0.013	35.73

**Internal Standard
Factors:**

Lithium	6	1.038	1.052	1.066	1.038 n/a	n/a
Nickel	61	0.877	0.906	0.893	0.877 n/a	n/a
Gallium	71	0.91	0.895	0.962	0.91 n/a	n/a
Indium	115	0.88	0.88	0.868	0.88 n/a	n/a
Lutetium	175	0.913	0.899	0.917	0.913 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	LLCCVW1	Mean	SD	%RSD
TimeStamp	4/5/13 14:53			
Arsenic	75	4.38	4.5	4.739
Beryllium	9	0.2195	0.2294	0.2267
Cadmium	111	0.1852	0.1936	0.1897
Cadmium	114	0.204	0.1933	0.1968
Chromium	52	2.149	2.286	2.179
Chromium	53	10.19	10.59	10.91
Copper	63	1.529	1.602	1.541
Copper	65	0.9368	0.9348	0.923
Lead	206	0.23	0.2199	0.2211
Lead	207	0.1984	0.213	0.2037
Lead	208	0.2183	0.2184	0.2163
Molybdenum	95	0.44	0.4434	0.4271
Molybdenum	97	0.4365	0.4539	0.4442
Molybdenum	98	0.4223	0.4341	0.4227
Nickel	60	2.616	2.145	2.422
Nickel	62	7.062	2.283	3.877
Selenium	77	13.22	12.83	12.21
Selenium	78	10.22	9.606	9.892
Selenium	82	9.164	8.974	8.945
Silver	107	0.2016	0.2108	0.2063
Silver	109	0.2021	0.2093	0.2034
Thallium	203	0.2201	0.2214	0.2153
Thallium	205	0.2182	0.2229	0.2095
Zinc	66	4.592	4.558	4.589
Zinc	67	4.496	4.626	4.438
Zinc	68	4.59	4.463	4.482

Internal Standard Factors:

Lithium	6	1.008	1.029	1.04	1.008	n/a
Nickel	61	0.892	0.903	0.888	0.892	n/a
Gallium	71	0.933	0.959	0.952	0.933	n/a
Indium	115	0.887	0.915	0.904	0.887	n/a
Lutetium	175	0.926	0.939	0.91	0.926	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	Time Stamp	K1302526-001	4/5/13 14:57	Mean	SD	%RSD
Arsenic	75	9/5/13	0.0677	0.3291	-0.1895	0.0691
Beryllium	9		0.0195	0.0177	0.025	0.0207
Cadmium	111		0.0761	0.0847	0.0784	0.0797
Cadmium	114		0.0179	0.0149	0.0151	0.016
Chromium	52		2.101	2.041	2.261	2.134
Chromium	53		14.09	13.82	15.08	14.33
Copper	63		8.269	8.354	8.82	8.481
Copper	65		4.13	3.96	4.25	4.113
Lead	206		0.119	0.132	0.1201	0.1237
Lead	207		0.1137	0.1186	0.1151	0.1158
Lead	208		0.1177	0.1286	0.1205	0.1223
Molybdenum	95		4.382	4.518	4.516	4.472
Molybdenum	97		4.279	4.581	4.288	4.382
Molybdenum	98		4.631	4.554	4.311	4.499
Nickel	60		15.17	14.24	15.5	14.97
Nickel	62		20.29	20.17	19.68	20.04
Selenium	77		5.449	4.495	6.539	5.494
Selenium	78		0.5251	0.5093	0.8753	0.6366
Selenium	82		0.5385	0.568	0.0544	0.387
Silver	107		0.0443	0.0472	0.0455	0.0457
Silver	109		0.0419	0.041	0.0394	0.0408
Thallium	203		-0.0011	-0.0001	-0.0003	-0.0005
Thallium	205		0.0009	0.0015	0.0004	0.0009
Zinc	66		9.955	10.1	10.69	10.25
Zinc	67		11.52	11.01	11.89	11.47
Zinc	68		10.42	9.935	10.82	10.4

Be at at
control

**Internal Standard
Factors:**

Lithium	6	1.142	1.171	1.179	1.142	n/a
Nickel	61	0.947	0.976	0.975	0.947	n/a
Gallium	71	1.035	1.034	1.084	1.035	n/a
Indium	115	0.983	1.018	0.998	0.983	n/a
Lutetium	175	0.915	0.935	0.924	0.915	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	Time Stamp	K1302526-002	4/5/13 15:01	Mean	SD	%RSD	
Arsenic	75	1.994	2.172	1.925	2.03	0.1273	6.269
Beryllium	9	0.1066	0.1052	0.091	0.1009	0.0087	8.586
Cadmium	111	0.0582	0.0603	0.0536	0.0574	0.0035	6.038
Cadmium	114	0.0107	0.0116	0.0084	0.0102	0.0016	15.94
Chromium	52	4.995	4.997	4.752	4.915	0.141	2.87
Chromium	53	15	15.85	14.04	14.96	0.906	6.055
Copper	63	7.441	8.125	7.892	7.819	0.3475	4.444
Copper	65	1.895	1.957	1.906	1.919	0.0331	1.724
Lead	206	0.1325	0.1315	0.1256	0.1299	0.0038	2.89
Lead	207	0.123	0.1099	0.1193	0.1174	0.0068	5.766
Lead	208	0.1243	0.1239	0.1245	0.1242	0.0003	0.2554
Molybdenum	95	0.5831	0.5568	0.5772	0.5724	0.0138	2.405
Molybdenum	97	0.6307	0.6145	0.6247	0.6233	0.0082	1.312
Molybdenum	98	0.5288	0.5122	0.5092	0.5167	0.0106	2.043
Nickel	60	4.369	4.645	3.402	4.139	0.6526	15.77
Nickel	62	8.029	7.112	1.879	5.673	3.318	58.49
Selenium	77	9.09	9.461	9.603	9.385	0.2649	2.822
Selenium	78	1.154	1.291	1.245	1.23	0.0697	5.666
Selenium	82	4.33	4.607	4.421	4.453	0.1413	3.174
Silver	107	0.0711	0.0738	0.0687	0.0712	0.0025	3.528
Silver	109	0.0355	0.026	0.0277	0.0297	0.005	16.98
Thallium	203	0.0001	0.0011	0.0002	0.0004	0.0006	130.4
Thallium	205	0.0012	0	0.0005	0.0006	0.0006	98.88
Zinc	66	8.391	8.695	8.63	8.572	0.1603	1.87
Zinc	67	85.74	89.04	83.22	86	2.918	3.393
Zinc	68	64.49	70.8	68.82	68.04	3.224	4.739

Internal Standard Factors:

Lithium	6	1.321	1.35	1.376	1.321	n/a	n/a
Nickel	61	1.096	1.092	1.014	1.096	n/a	n/a
Gallium	71	1.049	1.095	1.056	1.049	n/a	n/a
Indium	115	1.029	1.013	1.014	1.029	n/a	n/a
Lutetium	175	0.971	0.98	0.98	0.971	n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: $\mu\text{g/L}$ (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	K1302526-004	Mean	SD	%RSD
TimeStamp	4/5/13 15:04			
Arsenic	75	3.452	3.571	2.983
Beryllium	9	0.2171	0.1873	0.2128
Cadmium	111	0.1344	0.1264	0.1192
Cadmium	114	0.0303	0.0306	0.0348
Chromium	52	11.65	11.49	11.12
Chromium	53	26.4	26.8	24.47
Copper	63	15.42	16.25	15.69
Copper	65	2.091	2.083	1.958
Lead	206	0.0541	0.0468	0.049
Lead	207	0.0472	0.0478	0.04
Lead	208	0.0491	0.0515	0.0476
Molybdenum	95	2.322	2.278	2.277
Molybdenum	97	2.402	2.33	2.299
Molybdenum	98	2.158	2.076	2.14
Nickel	60	8.819	8.582	8.296
Nickel	62	6.548	3.272	4.559
Selenium	77	24.66	23.79	24.26
Selenium	78	2.002	1.433	2.037
Selenium	82	11.53	11.43	10.98
Silver	107	0.5857	0.5812	0.5863
Silver	109	0.0515	0.045	0.0497
Thallium	203	0.0021	0.0019	0.0016
Thallium	205	0.0016	0.0017	0.0032
Zinc	66	13.72	14.2	14.12
Zinc	67	87.96	85.21	87.26
Zinc	68	66.64	69.9	67.18

only Be is
corrected
by C. G.

Internal Standard
Factors:

Lithium	6	1.769	1.758	1.777	1.769 n/a ✓	n/a
Nickel	61	1.3	1.261	1.271	1.3 n/a	n/a
Gallium	71	1.169	1.183	1.166	1.169 n/a	n/a
Indium	115	1.175	1.178	1.195	1.175 n/a	n/a
Lutetium	175	1.202	1.214	1.239	1.202 n/a	n/a

Instrument ID: K-ICP-MS-02

Method: EPA 200.8

Experiment: 04-05-13A

Analyst: Greg Jasper

Units: µg/L (ppb)

STARLIMS #335178

Sample Name:		K1302526-005			Mean	SD	%RSD
TimeStamp		4/5/13 15:08					
Arsenic	75	3.334	3.101	3.023	3.153	0.1615	5.124
Beryllium	9	0.1908	0.2094	0.2076	0.2026	0.0102	5.051
Cadmium	111	0.0971	0.105	0.1127	0.1049	0.0078	7.437
Cadmium	114	0.0164	0.0277	0.0241	0.0227	0.0058	25.52
Chromium	52	10.87	11.25	10.76	10.96	0.2566	2.341
Chromium	53	25.04	24.72	23.84	24.53	0.6219	2.535
Copper	63	16.93	18.11	17.41	17.48	0.5907	3.379
Copper	65	2.693	2.779	2.634	2.702	0.0725	2.683
Lead	206	0.125	0.1189	0.1138	0.1192	0.0056	4.728
Lead	207	0.1115	0.1024	0.1114	0.1084	0.0052	4.821
Lead	208	0.1175	0.1119	0.1133	0.1142	0.0029	2.523
Molybdenum	95	2.243	2.25	2.223	2.238	0.0139	0.6199
Molybdenum	97	2.372	2.414	2.345	2.377	0.0345	1.453
Molybdenum	98	2.136	2.128	2.114	2.126	0.0115	0.539
Nickel	60	10.78	10.16	10.3	10.41	0.321	3.083
Nickel	62	9.987	14.45	11.79	12.07	2.244	18.59
Selenium	77	22.03	21.83	20.06	21.31	1.088	5.105
Selenium	78	2.122	2.46	2.51	2.364	0.2111	8.931
Selenium	82	11.02	9.617	9.114	9.918	0.9889	9.971
Silver	107	0.5744	0.6022	0.5513	0.576	0.0255	4.428
Silver	109	0.0483	0.0534	0.0453	0.049	0.0041	8.35
Thallium	203	0.0007	-0.0027	-0.0013	-0.0011	0.0017	152.9
Thallium	205	-0.0028	-0.0013	-0.0019	-0.002	0.0007	37.8
Zinc	66	22.77	23.68	22.41	22.95	0.6561	2.858
Zinc	67	91.34	92.29	89.05	90.89	1.666	1.833
Zinc	68	74.46	74.79	71.75	73.67	1.671	2.269

Internal Standard**Factors:**

Lithium	6	1.754	1.782	1.8	1.754 n/a ✓	n/a
Nickel	61	1.305	1.318	1.298	1.305 n/a	n/a
Gallium	71	1.181	1.204	1.157	1.181 n/a	n/a
Indium	115	1.185	1.19	1.181	1.185 n/a	n/a
Lutetium	175	1.236	1.211	1.209	1.236 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	Time Stamp	K1302526-006	4/5/13 15:12	Mean	SD	%RSD
Arsenic	75	0.7097	1.064	1.314	0.3034	29.49
Beryllium	9	0.0992	0.103	0.1055	0.0032	3.092
Cadmium	111	0.0759	0.0825	0.0808	0.0034	4.276
Cadmium	114	0.0108	0.0081	0.0137	0.0028	25.78
Chromium	52	6.363	6.638	6.59	0.1468	2.248
Chromium	53	19.4	22.38	23.21	2.001	9.238
Copper	63	9.73	9.35	9.647	0.2001	2.089
Copper	65	1.322	1.392	1.413	0.0474	3.444
Lead	206	0.1012	0.1077	0.1008	0.0039	3.731
Lead	207	0.0894	0.1058	0.0932	0.0086	8.948
Lead	208	0.0985	0.1053	0.0968	0.0045	4.486
Molybdenum	95	0.2059	0.2058	0.1975	0.0048	2.373
Molybdenum	97	0.3189	0.2833	0.2864	0.0197	6.654
Molybdenum	98	0.1704	0.1598	0.1557	0.0076	4.676
Nickel	60	8.558	8.134	8.178	0.2331	2.811
Nickel	62	32.55	31.21	26.88	2.964	9.812
Selenium	77	7.559	7.673	7.519	0.0795	1.049
Selenium	78	1.65	1.332	1.502	0.159	10.64
Selenium	82	2.879	3.685	4.341	0.7325	20.15
Silver	107	0.0896	0.0891	0.081	0.0048	5.574
Silver	109	0.0368	0.0392	0.0335	0.0028	7.74
Thallium	203	-0.0004	0.0006	0.0003	0.0005	288
Thallium	205	0.0006	0.0022	0.0023	0.0009	55.81
Zinc	66	6.777	7.259	7.249	0.2752	3.879
Zinc	67	9.752	9.964	10.46	0.3641	3.62
Zinc	68	8.216	8.501	8.417	0.1467	1.751

Internal Standard Factors:

Lithium	6	1.395	1.404	1.415	1.395	n/a
Nickel	61	1.963	1.956	1.97	1.963	n/a
Gallium	71	1.054	1.086	1.103	1.054	n/a
Indium	115	1.031	1.05	1.068	1.031	n/a
Lutetium	175	0.983	1.037	1.009	0.983	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	TimeStamp	K1302526-007 4/5/13 15:15	Mean	SD	%RSD
Arsenic	75	1.117	1.035	1.011	1.054
Beryllium	9	0.0238	0.0308	0.0313	0.0287
Cadmium	111	0.1004	0.0907	0.0975	0.0962
Cadmium	114	0.0213	0.0226	0.0179	0.0206
Chromium	52	2.479	2.61	2.551	2.547
Chromium	53	19.4	20.39	22.12	20.64
Copper	63	2.67	2.567	2.522	2.586
Copper	65	1.502	1.503	1.505	1.503
Lead	206	0.4144	0.4148	0.3883	0.4059
Lead	207	0.3702	0.3752	0.3435	0.363
Lead	208	0.3909	0.39	0.3736	0.3848
Molybdenum	95	2.21	2.307	2.317	2.278
Molybdenum	97	2.252	2.332	2.245	2.276
Molybdenum	98	2.334	2.261	2.36	2.318
Nickel	60	8.472	8.451	8.64	8.521
Nickel	62	12.29	17.22	14.3	14.61
Selenium	77	3.658	4.265	4.204	4.042
Selenium	78	0.3766	0.0431	0.3269	0.2489
Selenium	82	-0.3619	-0.5589	-0.7977	-0.5728
Silver	107	0.0519	0.05	0.0524	0.0515
Silver	109	0.0358	0.0392	0.0332	0.0361
Thallium	203	-0.003	-0.0015	-0.0024	-0.0023
Thallium	205	0.0011	-0.0001	-0.0011	0
Zinc	66	6.715	6.791	6.845	6.784
Zinc	67	13.58	13.42	13.47	13.49
Zinc	68	9.918	9.874	9.728	9.84

**Internal Standard
Factors:**

Lithium	6	1.172	1.169	1.148	1.172	n/a
Nickel	61	0.856	0.868	0.878	0.856	n/a
Gallium	71	0.896	0.904	0.918	0.896	n/a
Indium	115	0.866	0.879	0.879	0.866	n/a
Lutetium	175	0.896	0.904	0.887	0.896	n/a

Instrument ID: K-ICP-MS-02

Method: EPA 200.8

Experiment: 04-05-13A

Analyst: Greg Jasper

Units: µg/L (ppb)

STARLIMS #335178

Sample Name:		K1302526-008			Mean	SD	%RSD
TimeStamp		4/5/13 15:19					
Arsenic	75	0.1263	0.019	0.1901	0.1118	0.0865	77.37
Beryllium	9	0.0525	0.0431	0.0527	0.0494	0.0055	11.15
Cadmium	111	0.0726	0.0823	0.0766	0.0772	0.0049	6.321
Cadmium	114	0.0116	0.0137	0.0097	0.0117	0.002	17.52
Chromium	52	3.485	3.566	3.242	3.431	0.169	4.925
Chromium	53	22.95	23.32	22.21	22.83	0.5679	2.488
Copper	63	2.461	2.566	2.355	2.461	0.1056	4.29
Copper	65	1.606	1.619	1.581	1.602	0.0193	1.206
Lead	206	0.1452	0.1442	0.1496	0.1463	0.0029	1.977
Lead	207	0.1299	0.1351	0.1331	0.1327	0.0027	2.009
Lead	208	0.1395	0.141	0.1402	0.1402	0.0007	0.5327
Molybdenum	95	0.1188	0.1249	0.1208	0.1215	0.0031	2.554
Molybdenum	97	0.0863	0.0598	0.0649	0.0703	0.0141	19.99
Molybdenum	98	0.0588	0.0606	0.0496	0.0563	0.0059	10.54
Nickel	60	7.707	6.693	6.45	6.95	0.6668	9.594
Nickel	62	13.25	8.811	7.571	9.878	2.988	30.25
Selenium	77	3.258	4	2.668	3.309	0.6674	20.17
Selenium	78	0.2177	0.2388	0.0598	0.1721	0.0978	56.83
Selenium	82	-0.529	-0.346	-0.5258	-0.4669	0.1047	22.43
Silver	107	0.0458	0.0462	0.0449	0.0456	0.0007	1.506
Silver	109	0.0326	0.0353	0.0327	0.0335	0.0015	4.539
Thallium	203	0.0012	-0.0001	0.0008	0.0006	0.0006	99.06
Thallium	205	0.004	0.0021	0.0019	0.0027	0.0011	42.42
Zinc	66	4.913	5.096	4.69	4.9	0.2034	4.151
Zinc	67	9.314	9.636	9.203	9.384	0.225	2.398
Zinc	68	6.077	5.911	5.475	5.821	0.3107	5.338

Internal Standard**Factors:**

Lithium	6	1.15	1.169	1.169	1.15 n/a	n/a
Nickel	61	0.883	0.855	0.841	0.883 n/a	n/a
Gallium	71	0.901	0.936	0.895	0.901 n/a	n/a
Indium	115	0.868	0.896	0.883	0.868 n/a	n/a
Lutetium	175	0.888	0.897	0.907	0.888 n/a	n/a

Instrument ID: K-ICP-MS-02

Method: EPA 200.8

Experiment: 04-05-13A

Analyst: Greg Jasper

Units: µg/L (ppb)

STARLIMS #335178

Sample Name:		CCV3			Mean	SD	%RSD
TimeStamp		4/5/13 15:23					
Arsenic	75	26	24.24	26.26	25.5	1.098	4.306
Beryllium	9	31.96	30.34	32.14	31.48	0.991	3.148
Cadmium	111	24.4	24.6	24.28	24.43	0.1597	0.6537
Cadmium	114	25.07	25.77	25.05	25.3	0.4107	1.623
Chromium	52	25.99	24.81	25.98	25.6	0.6779	2.649
Chromium	53	41.49	38.23	39.02	39.58	1.7	4.295
Copper	63	27.5	26.97	27.67	27.38	0.3615	1.321
Copper	65	26.46	25.92	27.44	26.61	0.7737	2.908
Lead	206	27.37	26.85	26.33	26.85	0.5191	1.934
Lead	207	27.01	25.98	26.48	26.49	0.5139	1.94
Lead	208	27.22	26.69	26.6	26.84	0.3375	1.258
Molybdenum	95	21.96	21.81	22.07	21.94	0.1341	0.6109
Molybdenum	97	22.56	22.21	22.56	22.44	0.2012	0.8965
Molybdenum	98	22.63	22.94	22.79	22.78	0.154	0.6759
Nickel	60	24.31	24.15	26.93	25.13	1.561	6.211
Nickel	62	31.32	27.71	30.92	29.98	1.982	6.61
Selenium	77	31.14	30.04	31.87	31.02	0.9233	2.977
Selenium	78	27.11	25.64	27.39	26.71	0.9398	3.518
Selenium	82	26.67	25.53	27.07	26.42	0.7996	3.026
Silver	107	25.93	25.31	25.94	25.73	0.3619	1.407
Silver	109	26.25	26.29	26.44	26.33	0.102	0.3873
Thallium	203	26.94	26.44	26.07	26.48	0.4397	1.66
Thallium	205	27.26	26.71	26.55	26.84	0.3719	1.386
Zinc	66	25.22	23.88	25.87	24.99	1.011	4.044
Zinc	67	28.13	26.22	27.58	27.31	0.9801	3.589
Zinc	68	26.48	24.8	25.86	25.71	0.8469	3.294

Internal Standard**Factors:**

Lithium	6	1.127	1.133	1.167	1.127 n/a	n/a
Nickel	61	0.826	0.833	0.835	0.826 n/a	n/a
Gallium	71	0.955	0.936	0.951	0.955 n/a	n/a
Indium	115	0.892	0.91	0.895	0.892 n/a	n/a
Lutetium	175	0.953	0.945	0.934	0.953 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-05-13A
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #335178

Sample Name:	CCB3	Mean	SD	%RSD			
TimeStamp	4/5/13 15:26						
Arsenic	75	-0.4249	-0.4416	-0.3453	-0.4039	0.0515	12.75
Beryllium	9	0.0134	0.0105	0.0087	0.0109	0.0024	22.02
Cadmium	111	0.0279	0.0162	0.0147	0.0196	0.0072	36.85
Cadmium	114	0.0054	0.0081	0.0041	0.0059	0.002	34.44
Chromium	52	0.9184	0.9238	0.8504	0.8975	0.0409	4.558
Chromium	53	14.12	13.88	13.8	13.93	0.1687	1.211
Copper	63	0.7324	0.6961	0.6663	0.6983	0.0332	4.747
Copper	65	-0.1052	-0.1056	-0.105	-0.1053	0.0003	0.3139
Lead	206	0.0135	0.0044	0.0099	0.0093	0.0046	49.71
Lead	207	0.0106	0.0062	-0.0016	0.0051	0.0062	121.7
Lead	208	0.0127	0.0067	0.0083	0.0092	0.0031	33.61
Molybdenum	95	0.0581	0.028	0.0187	0.0349	0.0206	59.08
Molybdenum	97	0.0526	0.0247	0.0112	0.0295	0.0211	71.47
Molybdenum	98	0.0572	0.0294	0.0206	0.0358	0.0191	53.4
Nickel	60	0.2315	0.3087	0.3842	0.3081	0.0763	24.77
Nickel	62	-0.3711	2.518	2.569	1.572	1.683	107.1
Selenium	77	4.325	4.693	4.28	4.433	0.2265	5.11
Selenium	78	0.0375	0.2403	0.1236	0.1338	0.1018	76.1
Selenium	82	-0.9643	-0.8865	-0.6024	-0.8177	0.1905	23.3
Silver	107	0.0469	0.0319	0.0293	0.036	0.0095	26.43
Silver	109	0.045	0.0307	0.0235	0.0331	0.0109	33.07
Thallium	203	0.0194	0.01	0.0137	0.0144	0.0047	32.9
Thallium	205	0.02	0.0117	0.011	0.0142	0.005	34.91
Zinc	66	-0.1575	-0.1461	-0.1356	-0.1464	0.011	7.48
Zinc	67	1.228	1.082	0.98	1.096	0.1246	11.36
Zinc	68	0.0367	0.0657	0.057	0.0531	0.0149	28

**Internal Standard
Factors:**

Lithium	6	1.1	1.141	1.134	1.1 n/a	n/a
Nickel	61	0.835	0.866	0.872	0.835 n/a	n/a
Gallium	71	0.909	0.93	0.925	0.909 n/a	n/a
Indium	115	0.864	0.907	0.899	0.864 n/a	n/a
Lutetium	175	0.935	0.902	0.914	0.935 n/a	n/a



May 3, 2013

Analytical Report for Service Request No: K1303535

Roger McGinnis
Hart Crowser, Incorporated
1700 Westlake Avenue North
Suite 200
Seattle, WA 98109-3056

RE: Sircum Waterway/17472-01

Dear Roger:

Enclosed are the results of the samples submitted to our laboratory on April 18, 2013. For your reference, these analyses have been assigned our service request number K1303535.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. The test results meet requirements of the current NELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. All results are intended to be considered in their entirety, and ALS Group USA Corp. dba ALS Environmental (ALS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 3363. You may also contact me via Email at Lisa.Domenighini@alsglobal.com.

Respectfully submitted,

ALS Group USA Corp. dba ALS Environmental

A handwritten signature in cursive script, appearing to read "Lisa Domenighini".

Lisa Domenighini
Project Manager

LD/mj

Page 1 of 81

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LOD	Limit of Detection
LOQ	Limit of Quantitation
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Inorganic Data Qualifiers

- * The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- E The result is an estimate amount because the value exceeded the instrument calibration range.
- J The result is an estimated value.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
DOD-QSM 4.2 definition : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- Q See case narrative. One or more quality control criteria was outside the limits.
- H The holding time for this test is immediately following sample collection. The samples were analyzed as soon as possible after receipt by the laboratory.

Metals Data Qualifiers

- # The control limit criteria is not applicable. See case narrative.
- J The result is an estimated value.
- E The percent difference for the serial dilution was greater than 10%, indicating a possible matrix interference in the sample.
- M The duplicate injection precision was not met.
- N The Matrix Spike sample recovery is not within control limits. See case narrative.
- S The reported value was determined by the Method of Standard Additions (MSA).
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
DOD-QSM 4.2 definition : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- W The post-digestion spike for furnace AA analysis is out of control limits, while sample absorbance is less than 50% of spike absorbance.
- i The MRL/MDL or LOQ/LOD is elevated due to a matrix interference.
- X See case narrative.
- + The correlation coefficient for the MSA is less than 0.995.
- Q See case narrative. One or more quality control criteria was outside the limits.

Organic Data Qualifiers

- * The result is an outlier. See case narrative.
- # The control limit criteria is not applicable. See case narrative.
- A A tentatively identified compound, a suspected aldol-condensation product.
- B The analyte was found in the associated method blank at a level that is significant relative to the sample result as defined by the DOD or NELAC standards.
- C The analyte was qualitatively confirmed using GC/MS techniques, pattern recognition, or by comparing to historical data.
- D The reported result is from a dilution.
- E The result is an estimated value.
- J The result is an estimated value.
- N The result is presumptive. The analyte was tentatively identified, but a confirmation analysis was not performed.
- P The GC or HPLC confirmation criteria was exceeded. The relative percent difference is greater than 40% between the two analytical results.
- U The analyte was analyzed for, but was not detected ("Non-detect") at or above the MRL/MDL.
DOD-QSM 4.2 definition : Analyte was not detected and is reported as less than the LOD or as defined by the project. The detection limit is adjusted for dilution.
- i The MRL/MDL or LOQ/LOD is elevated due to a chromatographic interference.
- X See case narrative.
- Q See case narrative. One or more quality control criteria was outside the limits.

Additional Petroleum Hydrocarbon Specific Qualifiers

- F The chromatographic fingerprint of the sample matches the elution pattern of the calibration standard.
- L The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of lighter molecular weight constituents than the calibration standard.
- H The chromatographic fingerprint of the sample resembles a petroleum product, but the elution pattern indicates the presence of a greater amount of heavier molecular weight constituents than the calibration standard.
- O The chromatographic fingerprint of the sample resembles an oil, but does not match the calibration standard.
- Y The chromatographic fingerprint of the sample resembles a petroleum product eluting in approximately the correct carbon range, but the elution pattern does not match the calibration standard.
- Z The chromatographic fingerprint does not resemble a petroleum product.

Columbia Analytical Services, Inc. dba ALS Environmental (ALS) - Kelso
State Certifications, Accreditations, and Licenses

Agency	Web Site	Number
Alaska DEC UST	http://dec.alaska.gov/applications/eh/ehllabreports/USTLabs.aspx	UST-040
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0339
Arkansas - DEQ	http://www.adeq.state.ar.us/techsvs/labcert.htm	88-0637
California DHS (ELAP)	http://www.cdpb.ca.gov/certlic/labs/Pages/ELAP.aspx	2286
DOD ELAP	http://www.denix.osd.mil/edqw/Accreditation/AccreditedLabs.cfm	L12-28
Florida DOH	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E87412
Georgia DNR	http://www.gaepd.org/Documents/techguide_pcb.html#cel	881
Hawaii DOH	Not available	-
Idaho DHW	http://www.healthandwelfare.idaho.gov/Health/Labs/CertificationDrinkingWaterLabs/tabid/1833/Default.aspx	-
Indiana DOH	http://www.in.gov/isdh/24859.htm	C-WA-01
ISO 17025	http://www.pjlabs.com/	L12-27
Louisiana DEQ	http://www.deq.louisiana.gov/portal/DIVISIONS/PublicParticipationandPermitSupport/LouisianaLaboratoryAccreditationProgram.aspx	3016
Louisiana DHH	Not available	LA110003
Maine DHS	Not available	WA0035
Michigan DEQ	http://www.michigan.gov/deq/0,1607,7-135-3307_4131_4156---,00.html	9949
Minnesota DOH	http://www.health.state.mn.us/accreditation	053-999-368
Montana DPHHS	http://www.dphhs.mt.gov/publichealth/	CERT0047
Nevada DEP	http://ndep.nv.gov/bsdw/labservice.htm	WA35
New Jersey DEP	http://www.nj.gov/dep/oqa/	WA005
New Mexico ED	http://www.nmenv.state.nm.us/dwb/Index.htm	-
North Carolina DWQ	http://www.dwqlab.org/	605
Oklahoma DEQ	http://www.deq.state.ok.us/CSDnew/labcert.htm	9801
Oregon – DEQ (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	WA200001
South Carolina DHEC	http://www.scdhec.gov/environment/envserv/	61002
Texas CEQ	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	1704427-08-TX
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C1203
Wisconsin DNR	http://dnr.wi.gov/	998386840
Wyoming (EPA Region 8)	http://www.epa.gov/region8/water/dwhome/wyomingdi.html	-
Kelso Laboratory Website	www.caslab.com	NA

Analyses were performed according to our laboratory's NELAP-approved quality assurance program. A complete listing of specific NELAP-certified analytes, can be found in the certification section at www.caslab.com or at the accreditation bodies web site.

Please refer to the certification and/or accreditation body's web site if samples are submitted for compliance purposes. The states highlighted above, require the analysis be listed on the state certification if used for compliance purposes and if the method/analyte is offered by that state.

Case Narrative

ALS ENVIRONMENTAL

Client: Hart Crowser, Incorporated
Project: Sictum Waterway/ 17472-01
Sample Matrix: Water **Service Request No.:** K1303535
Date Received: 04/18/13

Case Narrative

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples designated for Tier IV validation deliverables including summary forms and all of the associated raw data for each of the analyses. When appropriate to the method, method blank results have been reported with each analytical test.

Sample Receipt

Eight water samples were received for analysis at ALS Environmental on 04/18/13. The samples were received in good condition and consistent with the accompanying chain of custody form, except where noted on the cooler receipt and preservation form included in this report. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.


Dissolved Metals

Matrix Spike Recovery Exceptions:

The matrix spike recovery of Arsenic for sample MW-5 was outside control criteria for the reductive precipitation procedure (22% versus a lower control limit of 50%). Certain matrix components can interfere with the procedure's reaction mechanism resulting in low recoveries. As a result of the interference, the reported values for this analyte may contain a low bias. The associated QA/QC results (i.e. Method Blank, LCSW, CCV, etc.) indicate the analysis was in control. No further corrective action was taken.

No other anomalies associated with the analysis of these samples were observed.

Approved by



Chain of Custody



CHAIN OF CUSTODY

1317 South 13th Ave., Kelso, WA 98626 | 360.577.7222 | 800.695.7222 | 360.636.1068 (fax)

SR#

K1303635

PAGE

OF

COC#

PROJECT NAME	Siltcam Waterway				NUMBER OF CONTAINERS	Semivolatiles 625 <input type="checkbox"/> Organics by GC/MS 624 <input type="checkbox"/> 8270L <input type="checkbox"/> SIM PAH <input type="checkbox"/> Hydrocarbons Gas <input type="checkbox"/> 8260 <input type="checkbox"/> 8021 <input type="checkbox"/> BTEX <input type="checkbox"/> Oil & Diesel <input type="checkbox"/> (*see below) PCBs <input type="checkbox"/> 1664 HEM <input type="checkbox"/> 1664 SGT <input type="checkbox"/> Aroclors <input type="checkbox"/> Pesticides/Herbicides <input type="checkbox"/> Congeners <input type="checkbox"/> Chlorophenolics <input type="checkbox"/> 8081 <input type="checkbox"/> Tri <input type="checkbox"/> Tetra <input type="checkbox"/> 8141 <input type="checkbox"/> 8151M <input type="checkbox"/> Metals, Total or Dissolved (See List below) <input type="checkbox"/> PCP <input type="checkbox"/> Cyanide <input type="checkbox"/> Turbidity <input type="checkbox"/> TOX 9020 <input type="checkbox"/> AOX 1650 <input type="checkbox"/> Hex-Chrom <input type="checkbox"/> DOC, NH ₃ -N, COD, TKN, TOC, <input type="checkbox"/> NO ₃ , BOD, TSS, Turb, <input type="checkbox"/> Alkalinity <input type="checkbox"/> CO ₃ <input type="checkbox"/> 506 <input type="checkbox"/> TOX 9020 <input type="checkbox"/> AOX 1650 <input type="checkbox"/> Hex-Chrom <input type="checkbox"/> Dioxins/Furans <input type="checkbox"/> 1613 <input type="checkbox"/> 8290 <input type="checkbox"/> HCO ₃ <input type="checkbox"/> 3 <input type="checkbox"/> RSK 175 <input type="checkbox"/> Dissolved Gases <input type="checkbox"/> Methane <input type="checkbox"/> CO ₂ <input type="checkbox"/> Ethane <input type="checkbox"/> Ethene <input type="checkbox"/>																											
PROJECT NUMBER	12472-0																																
PROJECT MANAGER	Roger McGinnis																																
COMPANY NAME	Hart Crouser																																
ADDRESS	1200 Westlake Ave N #200 Seattle, WA 98109																																
CITY/STATE/ZIP																																	
E-MAIL ADDRESS	b-roger.mcginis@hartcrouser.com																																
PHONE #	206-324-9530																																
FAX #																																	
SAMPLER'S SIGNATURE	<i>Brian Payne</i>																																
SAMPLE I.D.	DATE	TIME	LAB I.D.	MATRIX																													
MW-1	4/16/13	1045		Water	2																												
MW-1a	4/16/13	0952			1	2																											
MW-5	4/16/13	1216				6																											
MW-15	4/16/13	1226				2																											
MW-7	4/16/13	1258				2																											
MW-10	4/16/13	1420				2																											
MW-12	4/16/13	1338				2																											
MW-14	4/16/13	1141			↓	2																											
REPORT REQUIREMENTS		INVOICE INFORMATION		Circle which metals are to be analyzed:																													
I.	Routine Report: Method Blank, Surrogate, as required	P.O. #		Total Metals:	Al	As	Sb	Ba	Be	B	Ca	Cd	Co	Cr	Cu	Fe	Pb	Mg	Mn	Mo	Ni	K	Ag	Na	Se	Sr	Tl	Sn	V	Zn	Hg		
		Bill To:		Dissolved Metals:	Al	(As)	Sb	Ba	Be	B	Ca	Cd	Co	Cr	Cu	Fe	Pb	Mg	Mn	Mo	Ni	K	Ag	Na	Se	Sr	Tl	Sn	V	Zn	Hg		
II.	Report Dup., MS, MSD as required	TURNAROUND REQUIREMENTS		*INDICATE STATE HYDROCARBON PROCEDURE: AK CA WI NORTHWEST OTHER: (CIRCLE ONE)																													
III.	CLP Like Summary (no raw data)	24 hr.	48 hr.																														
IV.	Data Validation Report	5 day																															
V.	EDD	Standard (15 working days)																															
		Provide FAX Results																															
		Requested Report Date																															
RELINQUISHED BY:		RECEIVED BY:		RELINQUISHED BY:		RECEIVED BY:																											
<i>Brian Payne</i>	4/17/13 1000	<i>B. Smith</i>	4/16/13 1030	<i>Brian Payne</i>		<i>B. Smith</i>	ALS	<i>Brian Payne</i>		<i>B. Smith</i>																							
Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time	Signature	Date/Time
Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm	Printed Name	Firm



PC Lisa

Cooler Receipt and Preservation Form

Client / Project: Hart Crowser

Service Request K13

03635

Received: 4/18/13 Opened: 4/18/13 By: 16 Unloaded: 4/18/13 By: 16

1. Samples were received via? Mail Fed Ex UPS DHL PDX Courier Hand Delivered
2. Samples were received in: (circle) Cooler Box Envelope Other NA
3. Were custody seals on coolers? NA Y N If yes, how many and where? 2 Front
If present, were custody seals intact? Y N If present, were they signed and dated? Y N

Raw Temp	Corr. Temp	Raw Blank	Corr. Blank	Corr. Factor	Thermometer ID	Cooler/COC ID	Tracking Number	NA	Filed
-5	-4.8	1.0	1.9	-1	321		1Z60W1U80390475711		
-5	-5	1.3	1.3	0	319				

7. Packing material: Inserts Baggies Bubble Wrap Gel Packs Wet Ice Dry Ice Sleeves
8. Were custody papers properly filled out (ink, signed, etc.)? NA Y N
9. Did all bottles arrive in good condition (unbroken)? Indicate in the table below. NA Y N
10. Were all sample labels complete (i.e analysis, preservation, etc.)? NA Y N
11. Did all sample labels and tags agree with custody papers? Indicate major discrepancies in the table on page 2. NA Y N
12. Were appropriate bottles/containers and volumes received for the tests indicated? NA Y N
13. Were the pH-preserved bottles (see SMO GEN SOP) received at the appropriate pH? Indicate in the table below NA Y N
14. Were VOA vials received without headspace? Indicate in the table below. NA Y N
15. Was C12/Res negative? NA Y N

Sample ID on Bottle	Sample ID on COC	Identified by:

Sample ID	Bottle Count Bottle Type	Out of Temp	Head- space	Broke	pH	Reagent	Volume added	Reagent Lot Number	Initials	Time
MW-12	2-ILR			X	HNO3	2ml	0000021587	16	1030	
MW-7*	2-ILR			1		4ml				
MW-1a	2-ILR			1		2ml				
MW-15	2-ILR			1		2ml				
MW-5	2-ILR			1		2ml				

Notes, Discrepancies, & Resolutions:

Metals

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

- Cover Page -
INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated
Project Name: Sictum Waterway
Project No.: 17472-01

Service Request: K1303535

<u>Sample Name:</u>	<u>Lab Code:</u>
MW-1	K1303535-001DISS
MW-1a	K1303535-002DISS
MW-5	K1303535-003DISS
MW-5D	K1303535-003DISSD
MW-5S	K1303535-003DISSS
MW-15	K1303535-004DISS
MW-7	K1303535-005DISS
MW-10	K1303535-006DISS
MW-12	K1303535-007DISS
MW-14	K1303535-008DISS
Method Blank	K1303535-MB

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated **Service Request:** K1303535
Project No.: 17472-01 **Date Collected:** 04/16/13
Project Name: Sitzcum Waterway **Date Received:** 04/18/13
Matrix: WATER **Units:** ug/L
 Basis: NA

Sample Name: MW-1 **Lab Code:** K1303535-001DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/23/13	04/26/13	0.5	U	N

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated **Service Request:** K1303535
Project No.: 17472-01 **Date Collected:** 04/16/13
Project Name: Sitcum Waterway **Date Received:** 04/18/13
Matrix: WATER **Units:** ug/L
 Basis: NA

Sample Name: MW-1a **Lab Code:** K1303535-002DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/23/13	04/26/13	0.5	U	N

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated **Service Request:** K1303535
Project No.: 17472-01 **Date Collected:** 04/16/13
Project Name: Sitzum Waterway **Date Received:** 04/18/13
Matrix: WATER **Units:** ug/L
 Basis: NA

Sample Name: MW-5 **Lab Code:** K1303535-003DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/23/13	04/26/13	0.5	U	N

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Date Collected: 04/16/13

Project Name: Sitzum Waterway

Date Received: 04/18/13

Matrix: WATER

Units: ug/L

Basis: NA

Sample Name: MW-15

Lab Code: K1303535-004DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/23/13	04/26/13	0.5	U	N

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated **Service Request:** K1303535
Project No.: 17472-01 **Date Collected:** 04/16/13
Project Name: Sitzcum Waterway **Date Received:** 04/18/13
Matrix: WATER **Units:** ug/L
 Basis: NA

Sample Name: MW-7 **Lab Code:** K1303535-005DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/23/13	04/26/13	0.5	U	N

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated **Service Request:** K1303535
Project No.: 17472-01 **Date Collected:** 04/16/13
Project Name: Sitzcum Waterway **Date Received:** 04/18/13
Matrix: WATER **Units:** ug/L
 Basis: NA

Sample Name: MW-10 **Lab Code:** K1303535-006DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/23/13	04/26/13	0.5	U	N

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated **Service Request:** K1303535
Project No.: 17472-01 **Date Collected:** 04/16/13
Project Name: Sitzum Waterway **Date Received:** 04/18/13
Matrix: WATER **Units:** ug/L
 Basis: NA

Sample Name: MW-12 **Lab Code:** K1303535-007DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/23/13	04/26/13	0.5	U	N

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated **Service Request:** K1303535
Project No.: 17472-01 **Date Collected:** 04/16/13
Project Name: Sitzcum Waterway **Date Received:** 04/18/13
Matrix: WATER **Units:** ug/L
 Basis: NA

Sample Name: MW-14 **Lab Code:** K1303535-008DISS

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/23/13	04/26/13	0.5	U	N

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 1 -

INORGANIC ANALYSIS DATA PACKAGE

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Date Collected:

Project Name: Sitzum Waterway

Date Received:

Matrix: WATER

Units: ug/L

Basis: NA

Sample Name: Method Blank

Lab Code: K1303535-MB

Analyte	Analysis Method	MRL	Dilution Factor	Date Extracted	Date Analyzed	Result	C	Q
Arsenic	200.8	0.5	1.0	04/23/13	04/26/13	0.5	U	N

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Project Name: Sitzum Waterway

ICV Source: Inorganic Ventures

CCV Source: CAS MIXED

Concentration Units: ug/L

Analyte	Initial Calibration			Continuing Calibration				Method	
	True	Found	%R(1)	True	Found	%R(1)	Found		
Arsenic	25.0	25.8	103	25.0	24.8	99	25.2	101	200.8

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Project Name: Sitzcum Waterway

ICV Source: Inorganic Ventures

CCV Source: CAS MIXED

Concentration Units: ug/L

Analyte	Initial Calibration			Continuing Calibration				Method
	True	Found	%R(1)	True	Found	%R(1)	Found	
Arsenic				25.0	25.4	102	25.8	103

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 2b -

CRDL STANDARD FOR AA AND ICP

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Project Name: Sitzum Waterway

Concentration Units: ug/L

Analyte	CRDL Standard for AA			CRDL Standard for ICP			
	True	Found	%R	Initial	Final	Found	%R
Arsenic				5.00	5.07	101	

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Metals

- 3 -

BLANKS

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Project Name: Sictum Waterway

Preparation Blank Matrix (soil/water): WATER

Preparation Blank Concentration Units (ug/L or mg/kg): ug/L

Analyte	Initial Calib. Blank (ug/L)	Continuing Calibration Blank (ug/L)						Method	
		C	1	C	2	C	3		
Arsenic	5.00	U	5.00	U	5.00	U	5.00	U	200.8

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Metals

- 3 -

BLANKS

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Project Name: Sictum Waterway

Preparation Blank Matrix (soil/water): WATER

Preparation Blank Concentration Units (ug/L or mg/kg): ug/L

Analyte	Initial Calib. Blank (ug/L)	Continuing Calibration Blank (ug/L)						Method
		C	1	C	2	C	3	
Arsenic			5.00	U				200.8

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 5A -

SPIKE SAMPLE RECOVERY

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Units: UG/L

Project Name: Sircum Waterway

Basis: NA

Matrix: WATER

Sample Name: MW-5S

Lab Code: K1303535-003DISSS

Analyte	Control Limit %R	Spike Result C	Sample Result C	Spike Added	%R	Q	Method
Arsenic	50 - 147	1.1	0.5 U	5.00	22.0	N	200.8

An empty field in the Control Limit column indicates the control limit is not applicable

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

- 6 -
DUPLICATES

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Units: UG/L

Project Name: Sictum Waterway

Basis: NA

Matrix: WATER

Sample Name: MW-5D

Lab Code: K1303535-003DISSD

Analyte	Control Limit	Sample (S)	C	Duplicate (D)	C	RPD	Q	Method
Arsenic		0.5	U	0.5	U			200.8

An empty field in the Control Limit column indicates the control limit is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Metals

- 7 -

LABORATORY CONTROL SAMPLE

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Project Name: Sitzcum Waterway

Aqueous LCS Source: CAS MIXED

Solid LCS Source:

Analyte	Aqueous (ug/L)			Solid (mg/kg)				
	True	Found	%R	True	Found	C	Limits	%R
Arsenic	5	4.9	98.0					

COLUMBIA ANALYTICAL SERVICES, INC.

Now part of the ALS Group

Metals**- 10 -****DETECTION LIMITS****Client:** Hart Crowser, Incorporated**Service Request:** K1303535**Project No.:** 17472-01**Project Name:** Sictcum Waterway**ICP/ICP-MS ID #:** K-ICP-MS-02**GFAA ID #:****AA ID #:**

Analyte	Isotope	Back-ground	MRL ug/L	MDL ug/L	M
Arsenic	75		5.0	5.0	MS

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

-12-

ICP LINEAR RANGES (QUARTERLY)

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Project Name: Sictum Waterway

ICP ID Number: K-ICP-MS-02

Analyte	Integ. Time (Sec.)	Concentration (ug/L)	Method
Arsenic	15.000	900	200.8

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.
Now part of the ALS Group

Metals

-13-

PREPARATION LOG

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Project Name: Sictum Waterway

Method: MS

Sample ID	Preparation Date	Initial Volume	Final Volume (mL)
K1303535-001DISS	04/23/13	1,000.0	100.0
K1303535-002DISS	04/23/13	1,000.0	100.0
K1303535-003DISS	04/23/13	1,000.0	100.0
K1303535-003DISSD	04/23/13	1,000.0	100.0
K1303535-003DISSS	04/23/13	1,000.0	100.0
K1303535-004DISS	04/23/13	1,000.0	100.0
K1303535-005DISS	04/23/13	1,000.0	100.0
K1303535-006DISS	04/23/13	1,000.0	100.0
K1303535-007DISS	04/23/13	1,000.0	100.0
K1303535-008DISS	04/23/13	1,000.0	100.0
K1303535-MB	04/23/13	1,000.0	100.0
LCSW	04/23/13	1,000.0	100.0

COLUMBIA ANALYTICAL SERV
Now part of the ALS Group

Metals

- 14 -

ANALYSIS RUN LOG

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Run Number: 042613BMS02

Project Name: Sitzcum Waterway

Instrument ID Number: K-ICP-MS-02

Method: MS

Start Date: 04/26/13

End Date: 04/26/13

Sample No.	D/F	Time	% R	Analytes																					
				A L	S B	A S	B A	B E	C D	C A	C R	C O	F U	P B	M G	M N	H G	N I	K S	S E	A G	N G	T A	V L	Z N
Calibration Blank	1.0	08:59				X																			
Calibration Std.	1.0	09:02				X																			
ICV1	1.0	09:05				X																			
CCV1	1.0	09:07				X																			
ICB1	1.0	09:10				X																			
CCB1	1.0	09:13				X																			
CRA1	1.0	09:16				X																			
ZZZZZZ	1.0	09:19																							
ZZZZZZ	1.0	09:22																							
ZZZZZZ	1.0	09:25																							
ZZZZZZ	1.0	09:28																							
ZZZZZZ	1.0	09:31																							
ZZZZZZ	1.0	09:33																							
ZZZZZZ	1.0	09:36																							
ZZZZZZ	1.0	09:39																							
ZZZZZZ	1.0	09:42																							
ZZZZZZ	1.0	09:45																							
CCV2	1.0	09:48				X																			
CCB2	1.0	09:51				X																			
ZZZZZZ	1.0	09:54																							
ZZZZZZ	1.0	09:57																							
ZZZZZZ	1.0	09:59																							
ZZZZZZ	1.0	10:02																							
ZZZZZZ	1.0	10:05																							
ZZZZZZ	1.0	10:08																							
K1303535-MB	1.0	10:11				X																			
LCSW	1.0	10:14				X																			
K1303535-001DISS	1.0	10:17				X																			
K1303535-002DISS	1.0	10:20				X																			
CCV3	1.0	10:23				X																			
CCB3	1.0	10:25				X																			
K1303535-003DISS	1.0	10:28				X																			

* - Denotes additional elements (other than the standard CLP elements) are represented on another Form 14

COLUMBIA ANALYTICAL SERV
Now part of the ALS Group

Metals

- 14 -

ANALYSIS RUN LOG

Client: Hart Crowser, Incorporated

Service Request: K1303535

Project No.: 17472-01

Run Number: 042613BMS02

Project Name: Sitcum Waterway

Instrument ID Number: K-ICP-MS-02

Method: MS

Start Date: 04/26/13

End Date: 04/26/13

Sample No.	D/F	Time	% R	Analytes																								
				A L	S B	A S	B A	B E	C D	C A	C R	C O	C U	F E	P B	M G	M N	H B	N G	K I	S G	A N	T E	V G	Z A	C L	N N	
K1303535-003DISSD	1.0	10:31				X																						
K1303535-003DISSS	1.0	10:34				X																						
K1303535-004DISS	1.0	10:37				X																						
K1303535-005DISS	1.0	10:40				X																						
K1303535-006DISS	1.0	10:43				X																						
K1303535-007DISS	1.0	10:46				X																						
K1303535-008DISS	1.0	10:49				X																						
CCV4	1.0	10:51				X																						
CCB4	1.0	10:54				X																						

* - Denotes additional elements (other than the standard CLP elements) are represented on another Form 14

Metals

15-IN

ICP-MS INTERNAL STANDARDS RELATIVE INTENSITY SUMMARY

Lab Name: COLUMBIA ANALYTICAL SERVICES, INC. Contract: 17472-01Lab Code: CASK Case No.: _____ NRAS No.: _____ SDG NO.: K1303535ICP-MS Instrument ID: K-ICP-MS-02 Start Date: 04/26/2013 End Date: 04/26/2013

Sample No.	Client ID	Time	Internal Standards %RI For:							
			Element Ga_71	Q	Element In_115	Q	Element Q	Element Q	Element Q	Element Q
Calibration	Calibration	0859	100		100					
Calibration Std.	Calibration Std.	0902	101		101					
ICV1	ICV1	0905	103		101					
CCV1	CCV1	0907	103		101					
ICB1	ICB1	0910	103		100					
CCB1	CCB1	0913	104		101					
CRA1	LLICVW	0916	106		101					
ZZZZZZ	ZZZZZZ	0919								
ZZZZZZ	ZZZZZZ	0922								
ZZZZZZ	ZZZZZZ	0925								
ZZZZZZ	ZZZZZZ	0928								
ZZZZZZ	ZZZZZZ	0931								
ZZZZZZ	ZZZZZZ	0933								
ZZZZZZ	ZZZZZZ	0936								
ZZZZZZ	ZZZZZZ	0939								
ZZZZZZ	ZZZZZZ	0942								
ZZZZZZ	ZZZZZZ	0945								
CCV2	CCV2	0948	96		102					
CCB2	CCB2	0951	97		103					
ZZZZZZ	ZZZZZZ	0954								
ZZZZZZ	ZZZZZZ	0957								
ZZZZZZ	ZZZZZZ	0959								
ZZZZZZ	ZZZZZZ	1002								
ZZZZZZ	ZZZZZZ	1005								
ZZZZZZ	ZZZZZZ	1008								
K1303535-MB	Method Blank	1011	92		102					
LCSW	LCSW	1014	92		102					
K1303535-001DISS	MW-1	1017	91		98					
K1303535-002DISS	MW-1a	1020	89		99					
CCV3	CCV3	1023	93		102					
CCB3	CCB3	1025	94		103					
K1303535-003DISS	MW-5	1028	86		94					
K1303535-003DISS	MW-5D	1031	83		92					
K1303535-003DISS	MW-5S	1034	81		90					
K1303535-004DISS	MW-15	1037	82		92					
K1303535-005DISS	MW-7	1040	77		88					
K1303535-006DISS	MW-10	1043	80		91					
K1303535-007DISS	MW-12	1046	79		91					
K1303535-008DISS	MW-14	1049	86		99					
CCV4	CCV4	1051	88		100					
CCB4	CCB4	1054	90		102					


**Columbia
Analytical Services Preparation Information Benchsheet**
Prep Run: 181456**Prep Workflow:** MetDigRedPptAq**Status:** Prepped**Prep Date:** 04/23/2013**Team:** Metals**Prep Method:** EPA 1640**Current Step:** Digestion

18:00

Analyst: Anna**Rush/NPDES:** N/A**Due Date:** 05/05/2013

Cheatley

Hold Date: 10/13/2013

Lab Code	Client ID	Bottle #	Initial Amt	Final Volume	Spike Amt	Spike ID	TestNo List	Comments
KQ1304056-01	Method Blank		100 mL	100 mL			Metals Redppt D	
KQ1304056-02	Lab Control Sample		1000 mL	100 mL			Metals Redppt D	
K1303535-001	MW-1	.01	1000 mL	100 mL			Metals Redppt D	
K1303535-002	MW-1a	.01	1000 mL	100 mL			Metals Redppt D	(pH<2)
K1303535-003	MW-5	.01	1000 mL	100 mL			Metals Redppt D	(pH<2)
K1303535-003: KQ1304056-03	Duplicate	.01	1000 mL	100 mL			Metals Redppt D	
K1303535-003: KQ1304056-04	Matrix Spike	.01	1000 mL	100 mL			Metals Redppt D	
K1303535-004	MW-15	.01	1000 mL	100 mL			Metals Redppt D	(pH<2)
K1303535-005	MW-7	.01	1000 mL	100 mL			Metals Redppt D	(pH<2)
K1303535-006	MW-10	.01	1000 mL	100 mL			Metals Redppt D	
K1303535-007	MW-12	.01	1000 mL	100 mL			Metals Redppt D	(pH<2)
K1303535-008	MW-14	.01	1000 mL	100 mL			Metals Redppt D	

12 Total Samples consisting of 8 Client Samples, 2 Client QC Samples, 2 Batch QC Samples associated with the current Prep Run.

Spiking Solutions

Preparation Materials

Preparation Hardware / Equipment

Preparation Steps

Step	Started	Finished	By	Assisted By	Training?	Comments
Digestion	23-APR-13 18:00	24-APR-13 19:00	Anna Cheatley		N	

Comments

LCS and K1303535-003 MS spiked with 5.0mL 200.8 Sol. (ms15-96-A) and 2.0mL 1000ppb Ag (ms16-22-C).

Review

Reviewed by: BSJ Date: 4/25/13

Service Request K1303535 (RPTM) _____
Calibration _____ 042613BMS02 _____
QC in calibration 042613BMS02 _____
QC Service Request # K1303535 _____
STARLIMS Batch # 338131 _____

ICP-MS Data Review Form

	Yes	No	NA
1. Appropriate standardization completed	X	_____	_____
2. ICV within 10 % of true value	X	_____	_____
3. CCV's in control	X	_____	_____
4. CCB's and/or ICB's below MRL	X	_____	_____
5. Method blank below MRL	X	_____	_____
6. LCS in control	X	_____	_____
7. Spike and duplicate in control	X	X	_____
8. All analytes within instrument linear range	X	_____	_____
9. Adequate rinse out time allowed	X	_____	_____
10. Internal standards in control	X	_____	_____
11. Interferences checked	X	_____	_____
12. Se over MRL	_____	_____	X
13. CRA run	X	_____	_____
14. ICSA and ICSAB in control	_____	_____	X
15. Serial dilution run	_____	_____	X
16. Post spike in control	_____	_____	X
17. Was the run terminated? If so, why.	_____	X	_____

Comments: 22% Spike recovery. LCSW=98%. Report & flag.

Primary Review by



Date 4/26/13

Secondary Review by



Date 4/26/13

R:\icp\misc\data review forms\PQ ExCell review form

Sample List

Num	Label	Type	Weight	Volume	Dilution	Rack	Row	Column	Height
1	Calibration Blank	Blank	0 kg	0 ml	1.00	0	1	1	145
2	Calibration Std.	Fully Quant Standard	0 kg	0 ml	1.00	0	1	2	145
3	ICV1	Unknown	0 kg	0 ml	1.00	0	1	3	145
4	CCV1	Unknown	0 kg	0 ml	1.00	0	1	2	145
5	ICB1	Unknown	0 kg	0 ml	1.00	0	1	1	145
6	CCB1	Unknown	0 kg	0 ml	1.00	0	1	1	145
7	LLICVW	Unknown	0 kg	0 ml	1.00	0	1	4	145
8	K1303612-MB	Unknown	0 kg	0 ml	1.00	1	1	1	145
9	LCSW	Unknown	0 kg	0 ml	1.00	1	1	2	145
10	LCSWD	Unknown	0 kg	0 ml	1.00	1	1	3	145
11	K1303612-001	Unknown	0 kg	0 ml	1.00	1	1	4	145
12	K1303612-002	Unknown	0 kg	0 ml	1.00	1	1	5	145
13	K1303612-003	Unknown	0 kg	0 ml	1.00	1	1	6	145
14	K1303612-004	Unknown	0 kg	0 ml	1.00	1	1	7	145
15	K1303612-005	Unknown	0 kg	0 ml	1.00	1	1	8	145
16	K1303612-006	Unknown	0 kg	0 ml	1.00	1	1	9	145
17	K1303612-007	Unknown	0 kg	0 ml	1.00	1	1	10	145
18	CCV2	Unknown	0 kg	0 ml	1.00	0	1	2	145
19	CCB2	Unknown	0 kg	0 ml	1.00	0	1	1	145
20	K1303612-008	Unknown	0 kg	0 ml	1.00	1	1	11	145
21	K1303612-009	Unknown	0 kg	0 ml	1.00	1	1	12	145
22	K1303612-010	Unknown	0 kg	0 ml	1.00	1	2	1	145
23	K1303612-011	Unknown	0 kg	0 ml	1.00	1	2	2	145
24	K1303612-012	Unknown	0 kg	0 ml	1.00	1	2	3	145
25	K1303618-001	Unknown	0 kg	0 ml	1.00	1	2	4	145
26	K1303535-MB	Unknown	0 kg	0 ml	1.00	1	2	5	145
27	LCSW	Unknown	0 kg	0 ml	1.00	1	2	6	145
28	K1303535-001	Unknown	0 kg	0 ml	1.00	1	2	7	145
29	K1303535-002	Unknown	0 kg	0 ml	1.00	1	2	8	145
30	CCV3	Unknown	0 kg	0 ml	1.00	0	1	2	145
31	CCB3	Unknown	0 kg	0 ml	1.00	0	1	1	145
32	K1303535-003	Unknown	0 kg	0 ml	1.00	1	2	9	145
33	K1303535-003D	Unknown	0 kg	0 ml	1.00	1	2	10	145
34	K1303535-003S	Unknown	0 kg	0 ml	1.00	1	2	11	145
35	K1303535-004	Unknown	0 kg	0 ml	1.00	1	2	12	145
36	K1303535-005	Unknown	0 kg	0 ml	1.00	1	3	1	145
37	K1303535-006	Unknown	0 kg	0 ml	1.00	1	3	2	145
38	K1303535-007	Unknown	0 kg	0 ml	1.00	1	3	3	145
39	K1303535-008	Unknown	0 kg	0 ml	1.00	1	3	4	145
40	CCV4	Unknown	0 kg	0 ml	1.00	0	1	2	145
41	CCB4	Unknown	0 kg	0 ml	1.00	0	1	1	145

Instrument Setup - Sample Configuration

Sample	Configuration	Date
All Samples	ALKLS.ALKLSXP310	6:27:18 4/26/13

Instrument Setup - Configurations**Configuration Name -** ALKLS.ALKLSXP310**Description -** PQExcell CCT Sim Default**Date -** 6:27:18 4/26/13**Maximum Uptake Time -** 0**Maximum Washout Time -** 0**S-Option Pump Running -** No**Plasma Screen Forward -** No**Makeup Gas On -** No**Use CCT -** No**Use Accessory Gas -** No

Setting	Value
Extraction	-450.00
Lens1	5.00
Lens2	-45.00
Lens3	-200.00
Pole Bias	1.00
Sampling Depth	375.00
Horizontal	-5.00
Vertical	95.00
Cool	13.00
Auxiliary	0.60
Nebuliser	0.82
Forward power	1,385.00
HT1 Voltage	1,900.00
HT2 Voltage	2,600.00
D1	-32.00
Focus	26.00

Mass	Mass DAC	Peak Width (AMU)	Error (AMU)	Include	Masses in	Tune Solution
6.015	1211	0.665	0.018	TRUE		
7.016	1471	0.665	-0.004	TRUE		Li-7
9.012	1985	0.716	-0.03	TRUE		Be-9
23.985	5803	0.614	-0.076	TRUE		Mg-24
24.986	6056	0.665	-0.071	TRUE		Co-59
25.983	6303	0.665	-0.045	TRUE		In-115
26.982	6550	0.665	-0.018	TRUE		Ce-140
45.953	11357	0.818	0.046	TRUE		Pb-208
50.944	12631	0.818	0.026	TRUE		Bi-209
51.94	12878	0.818	0.051	TRUE		U-238
53.949	13391	0.767	0.043	TRUE		
55.935	13840	0.511	0.262	FALSE		
56.935	14152	0.818	0.036	TRUE		
57.934	14399	0.818	0.063	TRUE		
58.933	14659	0.818	0.04	TRUE		
62.93	15673	0.818	0.048	TRUE		
63.929	15926	0.767	0.052	TRUE		
69.925	17467	0.818	-0.012	TRUE		
75.92	18988	0.818	0.003	TRUE		
77.919	19495	0.818	0.007	TRUE		
112.904	28405	0.818	-0.041	TRUE		
114.904	28912	0.818	-0.035	TRUE		
128.905	32474	0.818	-0.037	TRUE		
131.905	33247	0.767	-0.076	TRUE		
137.906	34762	0.818	-0.03	TRUE		
139.905	35269	0.818	-0.024	TRUE		
141.908	35776	0.818	-0.014	TRUE		
155.923	39338	0.817	0	TRUE		
203.973	51558	0.817	0.024	TRUE		
205.974	52071	0.868	0.01	TRUE		
206.976	52325	0.817	0.014	TRUE		
207.977	52578	0.868	0.02	TRUE		
208.98	52832	0.817	0.026	TRUE		
238.051	60242	0.817	-0.018	TRUE		

Excluded In Calibration Failed In Result			Multi Element		Internal Standard		Standard Addition	
Uncorrected ICPS Per Mass			S-Calibration Has Edited Standard F-Interference Correction Failed	E-Calibration Edited T-Tripped	I-Invalid Calibration P-Pulse Counting	V-Valley Integration Failed M-Result Over Max		
Run	Label	TimeStamp		7Li	9Be	24Mg	59Co	115In
1	Stability 04-26-2013	4/26/2013 6:36:25 A	(P)0.167	(P)28332.736	(P)5765.664	(P)32363.847	(P)59715.388	(P)62101.031
2	Stability 04-26-2013	4/26/2013 6:37:48 A	(P)0.500	(P)27868.661	(P)5517.399	(P)32235.046	(P)56478.099	(P)61609.938
3	Stability 04-26-2013	4/26/2013 6:39:11 A	(P)0.500	(P)26409.397	(P)5413.859	(P)31495.225	(P)54942.471	(P)61082.160
4	Stability 04-26-2013	4/26/2013 6:40:34 A	(P)0.167	(P)25900.959	(P)5236.460	(P)30249.850	(P)54430.168	(P)61037.803
5	Stability 04-26-2013	4/26/2013 6:41:57 A	(P)0.167	(P)26548.313	(P)5319.991	(P)29909.647	(P)54188.260	(P)60491.653
Mean of Stability 04-		4/26/2013 6:36:25 A	(P)0.300	(P)27012.013	(P)5450.675	(P)31250.723	(P)55950.877	(P)61264.517
SD of Stability 04-26-2			(P)0.183	(P)1035.707	(P)204.934	(P)1125.606	(P)2285.047	(P)612.585
%RSD of Stability 04			(P)60.858	(P)3.834	(P)3.760	(P)3.602	(P)4.084	(P)1.000

Run	Label	TimeStamp	208Pb	209Bi		238U
1	Stability 04-26-2013	4/26/2013 6:36:25 A	(P)32901.521	(P)44759.190	(P)0.000	(P)54149.939
2	Stability 04-26-2013	4/26/2013 6:37:48 A	(P)33015.109	(P)45029.556	(P)0.000	(P)54535.237
3	Stability 04-26-2013	4/26/2013 6:39:11 A	(P)32948.794	(P)44811.036	(P)0.000	(P)54920.206
4	Stability 04-26-2013	4/26/2013 6:40:34 A	(P)32971.182	(P)44899.303	(P)0.167	(P)55362.750
5	Stability 04-26-2013	4/26/2013 6:41:57 A	(P)32963.334	(P)44822.731	(P)0.000	(P)55624.927
Mean of Stability 04-		4/26/2013 6:36:25 A	(P)32959.988	(P)44864.363	(P)0.033	(P)54918.612
SD of Stability 04-26-2			(P)40.984	(P)105.057	(P)0.075	(P)598.744
%RSD of Stability 04			(P)0.124	(P)0.234	(P)223.607	(P)1.090

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:

TimeStamp

Calibration Blank

4/26/13 8:59

Mean

SD

%RSD

Arsenic	75	-0.2051	0.1081	0.0969	0	0.1777	0
Copper	63	-0.0023	-0.0049	0.0073	0	0.0064	0
Copper	65	0.0009	-0.002	0.0011	0	0.0017	0
Selenium	77	0.7065	-0.0344	-0.6721	0	0.6899	0
Selenium	78	0.295	-0.2462	-0.0488	0	0.2739	0
Selenium	82	-0.0998	0.15	-0.0502	0	0.1322	0
Zinc	66	0.0074	0.0073	-0.0147	0	0.0128	0
Zinc	67	0.0295	-0.012	-0.0175	0	0.0257	0
Zinc	68	0.0118	-0.0112	-0.0005	0	0.0115	0

Internal Standard**Factors:**

Gallium	71	1.042	0.988	0.973	1.042 n/a	n/a
Indium	115	1.042	0.989	0.972	1.042 n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	Calibration Std.			Mean	SD	%RSD
TimeStamp	4/26/13 9:02					
Arsenic	75	24.63	25.62	24.75	25	0.5381
Copper	63	24.3	25.55	25.14	25	0.6362
Copper	65	24.12	25.59	25.29	25	0.7792
Selenium	77	22.98	25.5	26.52	25	1.819
Selenium	78	24.04	26.02	24.93	25	0.9906
Selenium	82	24.17	25.55	25.28	25	0.7338
Zinc	66	24.58	25.19	25.23	25	0.3645
Zinc	67	24.11	25.44	25.45	25	0.7736
Zinc	68	24.22	25.58	25.2	25	0.7037

Internal Standard

Factors:

Gallium	71	0.999	0.985	0.981	0.999	n/a
Indium	115	1.007	0.988	0.98	1.007	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:		ICV1			Mean	SD	%RSD
TimeStamp		4/26/13 9:05					
Arsenic	75	25.8	25.68	25.78	25.75	0.0648	0.2515
Copper	63	13.03	13.12	13.08	13.08	0.0477	0.3644
Copper	65	13.2	13.25	13.18	13.21	0.0361	0.273
Selenium	77	23.71	24.47	24.78	24.32	0.5517	2.269
Selenium	78	24.78	24.62	24.61	24.67	0.0984	0.3987
Selenium	82	24.37	24.79	24.78	24.65	0.2392	0.9704
Zinc	66	25.42	25.33	25.6	25.45	0.1362	0.535
Zinc	67	31.58	31.1	31.26	31.31	0.2435	0.7777
Zinc	68	29.73	29.87	30.24	29.95	0.2665	0.89

Internal Standard**Factors:**

Gallium	71	0.995	0.964	0.96	0.995 n/a	n/a
Indium	115	1.024	0.98	0.973	1.024 n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	CCV1				Mean	SD	%RSD
TimeStamp	4/26/13 9:07						
Arsenic	75	23.77	25.52	24.99	24.76	0.8977	3.626
Copper	63	23.98	25.21	25.31	24.84	0.7389	2.975
Copper	65	24	25.36	25.09	24.82	0.7174	2.891
Selenium	77	24.84	25.57	25.03	25.15	0.3788	1.506
Selenium	78	23.19	25.15	25.47	24.6	1.234	5.015
Selenium	82	23.56	24.93	24.28	24.26	0.6861	2.829
Zinc	66	24	25.68	24.88	24.86	0.84	3.379
Zinc	67	24.43	25.52	24.93	24.96	0.5461	2.188
Zinc	68	24.04	25.4	25.26	24.9	0.7454	2.994

Internal Standard

Factors:

Gallium	71	0.974	0.965	0.965	0.974	n/a	n/a
Indium	115	1.011	0.988	0.975	1.011	n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	ICB1	Mean	SD	%RSD
TimeStamp	4/26/13 9:10			
Arsenic	75	-0.1668	-0.0836	0.026
Copper	63	-0.0074	-0.005	-0.0064
Copper	65	0.0031	0.0031	-0.015
Selenium	77	1.648	0.9854	0.603
Selenium	78	-0.2825	-0.1239	-0.248
Selenium	82	0.0685	-0.1607	0.0167
Zinc	66	-0.0037	0.0227	0.0102
Zinc	67	0.0714	0.0516	0.0834
Zinc	68	-0.037	-0.0055	-0.015

Internal Standard

Factors:

Gallium	71	0.992	0.973	0.958	0.992 n/a	n/a
Indium	115	1.042	0.986	0.971	1.042 n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	CCB1				Mean	SD	%RSD
TimeStamp							
Arsenic	75	-0.2263	-0.1426	-0.0007	-0.1232	0.1141	92.59
Copper	63	-0.0122	-0.0014	-0.0048	-0.0061	0.0055	89.8
Copper	65	0.0129	0.0206	-0.0025	0.0103	0.0117	113.8
Selenium	77	1.214	1.076	0.0723	0.7876	0.6233	79.14
Selenium	78	-0.1045	-0.1096	-0.6065	-0.2735	0.2883	105.4
Selenium	82	-0.2037	-0.1122	-0.1202	-0.1454	0.0507	34.87
Zinc	66	0.0099	0.0263	0.0066	0.0143	0.0105	73.77
Zinc	67	0.0073	0.0845	0.1043	0.0654	0.0513	78.42
Zinc	68	-0.0087	0.0159	-0.0341	-0.009	0.025	278

Internal Standard**Factors:**

Gallium	71	0.996	0.965	0.933	0.996 n/a	n/a
Indium	115	1.034	0.98	0.953	1.034 n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:		LLICVW			Mean	SD	%RSD
TimeStamp		4/26/13 9:16					
Arsenic	75	5.245	4.995	4.961	5.067	0.1551	3.061
Copper	63	1.055	1.038	1.081	1.058	0.0221	2.084
Copper	65	1.101	1.109	1.071	1.094	0.0203	1.857
Selenium	77	8.571	8.706	8.676	8.651	0.0706	0.8157
Selenium	78	8.661	8.41	8.542	8.538	0.1253	1.467
Selenium	82	9.532	9.204	8.923	9.219	0.3048	3.306
Zinc	66	4.811	4.656	4.711	4.726	0.0785	1.661
Zinc	67	4.532	4.529	4.569	4.543	0.022	0.4851
Zinc	68	4.588	4.567	4.606	4.587	0.02	0.4362

Internal Standard**Factors:**

Gallium	71	0.976	0.937	0.931	0.976 n/a	n/a
Indium	115	1.026	0.972	0.97	1.026 n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	K1303612-MB				Mean	SD	%RSD
TimeStamp	4/26/13 9:19						
Arsenic	75	-0.0567	-0.0318	0.0856	-0.001	0.076	7970
Copper	63	0.4582	0.4887	0.448	0.465	0.0212	4.556
Copper	65	0.0539	0.0406	0.0269	0.0405	0.0135	33.33
Selenium	77	0.5432	0.4744	-0.1645	0.2844	0.3902	137.2
Selenium	78	-0.3746	-0.5462	-0.6211	-0.514	0.1264	24.59
Selenium	82	-0.2061	-0.2102	-0.0731	-0.1631	0.078	47.83
Zinc	66	0.4492	0.4231	0.3711	0.4145	0.0398	9.596
Zinc	67	1.556	1.704	1.899	1.72	0.1719	9.994
Zinc	68	0.5554	0.5521	0.5185	0.542	0.0204	3.761

**Internal Standard
Factors:**

Gallium	71	1.027	0.995	0.978	1.027	n/a	n/a
Indium	115	1.049	1.007	0.988	1.049	n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	LCSW	Mean	SD	%RSD		
TimeStamp	4/26/13 9:22					
Arsenic	75	18.96	18.86	18.9	0.0553	0.2924
Copper	63	19.34	19.64	19.5	0.1511	0.7745
Copper	65	18.92	19.13	19.09	0.1537	0.8051
Selenium	77	18.3	18.82	18.75	0.4168	2.223
Selenium	78	17.79	18.47	18.22	0.3741	2.053
Selenium	82	18.76	18.3	18.42	0.2949	1.601
Zinc	66	19.46	19.54	19.58	0.1499	0.7655
Zinc	67	19.63	20.4	20	0.383	1.914
Zinc	68	19.2	19.55	19.46	0.2301	1.182

**Internal Standard
Factors:**

Gallium	71	1.01	0.989	0.991	1.01 n/a	n/a
Indium	115	1.058	1.011	1.001	1.058 n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	LCSWD			Mean	SD	%RSD	
TimeStamp	4/26/13 9:25						
Arsenic	75	19.05	18.75	19.47	19.09	0.3603	1.888
Copper	63	19.72	19.05	19.23	19.34	0.3484	1.802
Copper	65	19.44	18.91	19.68	19.35	0.3938	2.035
Selenium	77	18.85	18.56	19.79	19.06	0.6456	3.386
Selenium	78	18.86	17.92	19.54	18.77	0.8161	4.348
Selenium	82	18.13	18.67	18.97	18.59	0.4228	2.274
Zinc	66	19.71	19.11	20.18	19.67	0.5347	2.719
Zinc	67	20.36	20.4	20.68	20.48	0.1758	0.8582
Zinc	68	19.09	18.96	19.8	19.28	0.4517	2.343

**Internal Standard
Factors:**

Gallium	71	1.045	1.01	1.032	1.045 n/a	n/a
Indium	115	1.059	1.002	1.013	1.059 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303612-001	Mean	SD	%RSD
TimeStamp	4/26/13 9:28			
Arsenic	75	6.701	6.596	6.783
Copper	63	8.959	8.846	8.78
Copper	65	4.256	4.237	4.196
Selenium	77	-0.0712	-0.0481	-0.0096
Selenium	78	0.4116	0.8236	0.6541
Selenium	82	0.3837	0.4175	0.6297
Zinc	66	18.92	19.12	19.05
Zinc	67	16.93	17.3	17.19
Zinc	68	17.76	17.68	17.82

**Internal Standard
Factors:**

Gallium	71	1.149	1.11	1.102	1.149 n/a	n/a
Indium	115	1.154	1.078	1.073	1.154 n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	K1303612-002				Mean	SD	%RSD
TimeStamp	4/26/13 9:31						
Arsenic	75	6.794	6.22	6.945	6.653	0.3826	5.751
Copper	63	4.926	4.761	4.949	4.879	0.1024	2.099
Copper	65	0.6158	0.5923	0.6475	0.6186	0.0277	4.481
Selenium	77	-0.9251	0.1034	0.0333	-0.2628	0.5746	218.7
Selenium	78	0.3925	0.4431	0.9853	0.607	0.3286	54.14
Selenium	82	0.5237	0.3859	0.1866	0.3654	0.1695	46.38
Zinc	66	4.659	4.558	5.026	4.747	0.2466	5.194
Zinc	67	4.125	4.143	4.584	4.284	0.2599	6.066
Zinc	68	4.375	4.108	4.454	4.312	0.1814	4.207

Internal Standard**Factors:**

Gallium	71	1.135	1.104	1.133	1.135 n/a	n/a
Indium	115	1.131	1.06	1.073	1.131 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303612-003	Mean	SD	%RSD
TimeStamp	4/26/13 9:33			
Arsenic	75	6.39	6.548	6.686
Copper	63	7.881	7.644	7.637
Copper	65	3.588	3.636	3.564
Selenium	77	-0.272	-0.621	-0.7976
Selenium	78	0.831	0.5985	0.4066
Selenium	82	0.1049	0.1479	0.2176
Zinc	66	183.3	187.9	186.6
Zinc	67	169.6	170.5	167.4
Zinc	68	177.4	179	174.4

**Internal Standard
Factors:**

Gallium	71	1.161	1.123	1.106	1.161	n/a	n/a
Indium	115	1.127	1.072	1.061	1.127	n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	K1303612-004				Mean	SD	%RSD
TimeStamp	4/26/13 9:36						
Arsenic	75	6.762	6.709	7.009	6.827	0.1599	2.343
Copper	63	5.581	5.551	5.664	5.598	0.0583	1.041
Copper	65	0.9577	0.9633	0.9791	0.9667	0.0111	1.148
Selenium	77	-0.1146	0.1404	-0.8054	-0.2599	0.4893	188.3
Selenium	78	0.6103	1.036	1.135	0.9272	0.279	30.08
Selenium	82	0.0886	0.275	0.6019	0.3218	0.2599	80.74
Zinc	66	5.4	5.388	5.38	5.39	0.0103	0.1915
Zinc	67	4.798	4.953	4.717	4.823	0.1201	2.49
Zinc	68	4.908	4.672	4.753	4.778	0.1197	2.505

Internal Standard**Factors:**

Gallium	71	1.16	1.125	1.126	1.16 n/a	n/a
Indium	115	1.12	1.077	1.057	1.12 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303612-005	Mean	SD	%RSD
TimeStamp	4/26/13 9:39			
Arsenic	75	6.986	6.818	6.884
Copper	63	4.89	4.711	4.708
Copper	65	0.5967	0.5689	0.5745
Selenium	77	-0.109	-0.1134	-0.2244
Selenium	78	0.9537	0.9521	0.9173
Selenium	82	0.4023	0.2111	0.1165
Zinc	66	2.353	2.258	2.307
Zinc	67	1.863	2.073	2.063
Zinc	68	1.92	1.865	1.823

**Internal Standard
Factors:**

Gallium	71	1.189	1.128	1.122	1.189 n/a	n/a
Indium	115	1.125	1.06	1.05	1.125 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303612-006	Mean	SD	%RSD
TimeStamp	4/26/13 9:42			
Arsenic	75	6.814	6.846	6.914
Copper	63	15.67	15.37	15.41
Copper	65	11.81	11.5	11.49
Selenium	77	0.34	0.4658	-0.9556
Selenium	78	1.413	0.9433	0.6474
Selenium	82	0.8344	0.5934	0.5114
Zinc	66	86.65	85.41	82.31
Zinc	67	79.22	77.85	74.49
Zinc	68	82.04	81.09	80.07

**Internal Standard
Factors:**

Gallium	71	1.186	1.124	1.108	1.186 n/a	n/a
Indium	115	1.118	1.059	1.052	1.118 n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	K1303612-007				Mean	SD	%RSD
TimeStamp	4/26/13 9:45						
Arsenic	75	7.043	7.207	7.061	7.103	0.09	1.267
Copper	63	5.867	5.788	5.698	5.784	0.0846	1.462
Copper	65	2.157	2.156	2.131	2.148	0.0149	0.6912
Selenium	77	-1.286	-0.8572	-1.303	-1.149	0.2527	22
Selenium	78	0.6366	0.428	0.3811	0.4819	0.136	28.22
Selenium	82	0.4792	0.3273	0.5476	0.4514	0.1128	24.98
Zinc	66	4.744	4.748	4.74	4.744	0.004	0.0836
Zinc	67	4.136	4.138	4.274	4.183	0.079	1.887
Zinc	68	4.167	4.355	4.259	4.261	0.0942	2.211

Internal Standard**Factors:**

Gallium	71	1.164	1.12	1.112	1.164	n/a	n/a
Indium	115	1.104	1.043	1.032	1.104	n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	CCV2	Mean	SD	%RSD			
TimeStamp	4/26/13 9:48						
Arsenic	75	25.27	25.11	25.2	25.19	0.0787	0.3125
Copper	63	25.38	25.14	25.06	25.2	0.1654	0.6565
Copper	65	25.36	25.2	25.51	25.36	0.154	0.6075
Selenium	77	25.68	24.41	25.85	25.31	0.7888	3.116
Selenium	78	25.35	25.26	25.23	25.28	0.0629	0.2487
Selenium	82	24.96	24.8	24.73	24.83	0.1185	0.4773
Zinc	66	25.3	25.05	25.32	25.23	0.1503	0.5958
Zinc	67	24.65	24.98	26.26	25.3	0.849	3.356
Zinc	68	25.22	25.26	25.52	25.33	0.1617	0.6384

**Internal Standard
Factors:**

Gallium	71	1.076	1.029	1.028	1.076	n/a	n/a
Indium	115	1.034	0.974	0.954	1.034	n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	CCB2			Mean	SD	%RSD	
TimeStamp	4/26/13 9:51						
Arsenic	75	-0.1229	-0.0166	-0.0729	-0.0708	0.0532	75.11
Copper	63	0.0214	0.007	-0.0131	0.0051	0.0173	338.7
Copper	65	0.0211	0.008	0.0001	0.0098	0.0106	108.8
Selenium	77	0.5631	0.2054	-0.0301	0.2461	0.2987	121.4
Selenium	78	0.3438	0.0204	0.0804	0.1482	0.172	116.1
Selenium	82	-0.1656	-0.2244	-0.1414	-0.1771	0.0427	24.1
Zinc	66	0.0101	-0.0057	-0.01	-0.0019	0.0106	565.8
Zinc	67	-0.0243	-0.0164	-0.0626	-0.0345	0.0247	71.72
Zinc	68	-0.0521	0.019	-0.0336	-0.0223	0.0369	165.7

Internal Standard**Factors:**

Gallium	71	1.072	1.02	1.005	1.072 n/a	n/a
Indium	115	1.026	0.964	0.94	1.026 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303612-008	Mean	SD	%RSD			
TimeStamp	4/26/13 9:54						
Arsenic	75	7.093	6.85	6.662	6.868	0.2158	3.143
Copper	63	5.488	5.68	5.725	5.631	0.1257	2.233
Copper	65	0.8993	0.8738	0.8881	0.8871	0.0128	1.444
Selenium	77	0.1802	0.2895	0.7766	0.4154	0.3176	76.44
Selenium	78	0.7481	0.8923	0.8273	0.8226	0.0722	8.778
Selenium	82	0.425	0.6083	0.3872	0.4735	0.1183	24.98
Zinc	66	4.028	3.953	4.003	3.994	0.038	0.9503
Zinc	67	3.391	3.465	3.268	3.375	0.0998	2.957
Zinc	68	3.471	3.389	3.368	3.409	0.0547	1.606

**Internal Standard
Factors:**

Gallium	71	1.156	1.12	1.135	1.156	n/a	n/a
Indium	115	1.107	1.06	1.051	1.107	n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303612-009	Mean	SD	%RSD
TimeStamp	4/26/13 9:57			
Arsenic	75	7.006	7.059	7.104
Copper	63	7.119	7.062	7.046
Copper	65	3.161	3.126	3.157
Selenium	77	-0.0646	-0.2646	0.284
Selenium	78	1.254	1.249	1.245
Selenium	82	0.5385	0.4571	0.6153
Zinc	66	43.58	44.95	44.63
Zinc	67	39.29	40.07	40.23
Zinc	68	42.14	41.65	42.15

**Internal Standard
Factors:**

Gallium	71	1.174	1.152	1.148	1.174	n/a
Indium	115	1.11	1.059	1.05	1.11	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303612-010	Mean	SD	%RSD			
TimeStamp	4/26/13 9:59						
Arsenic	75	6.962	6.796	6.808	6.856	0.0926	1.35
Copper	63	5.561	5.359	5.454	5.458	0.1007	1.845
Copper	65	1.641	1.641	1.59	1.624	0.0296	1.82
Selenium	77	0.2277	-0.1596	-0.4758	-0.1359	0.3523	259.3
Selenium	78	0.9268	0.708	0.9564	0.8637	0.1357	15.71
Selenium	82	0.3861	0.4282	0.3716	0.3953	0.0294	7.44
Zinc	66	9.139	8.851	9.015	9.002	0.1443	1.603
Zinc	67	7.887	7.774	7.782	7.815	0.0632	0.8081
Zinc	68	8.344	8.232	8.211	8.262	0.0715	0.8658

**Internal Standard
Factors:**

Gallium	71	1.203	1.146	1.149	1.203	n/a	n/a
Indium	115	1.116	1.061	1.045	1.116	n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303612-011	Mean	SD	%RSD
TimeStamp	4/26/13 10:02			
Arsenic	75	6.76	6.661	6.77
Copper	63	5.348	5.329	5.37
Copper	65	0.6015	0.6153	0.6084
Selenium	77	-0.1688	0.4677	-0.5754
Selenium	78	0.57	0.7166	0.6722
Selenium	82	0.6219	0.6051	0.706
Zinc	66	3.604	3.562	3.523
Zinc	67	2.893	2.899	2.88
Zinc	68	2.868	2.832	3.014

**Internal Standard
Factors:**

Gallium	71	1.21	1.175	1.165	1.21 n/a	n/a
Indium	115	1.117	1.064	1.049	1.117 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303612-012	Mean	SD	%RSD
TimeStamp	4/26/13 10:05			
Arsenic	75	6.65	6.492	6.925
Copper	63	8.436	8.264	8.417
Copper	65	5.018	4.949	4.967
Selenium	77	-0.5899	-0.0295	-0.0967
Selenium	78	0.6587	0.5533	0.7074
Selenium	82	0.3903	0.1043	0.7963
Zinc	66	161.9	161.8	161.8
Zinc	67	145.1	149.7	146.1
Zinc	68	155	154.1	153.8

**Internal Standard
Factors:**

Gallium	71	1.204	1.164	1.153	1.204	n/a	n/a
Indium	115	1.112	1.049	1.045	1.112	n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303618-001	Mean	SD	%RSD
TimeStamp	4/26/13 10:08			
Arsenic	75	7.7	7.708	7.757
Copper	63	34.46	33.93	34.18
Copper	65	33.02	32.86	33.28
Selenium	77	61.65	60.8	60.53
Selenium	78	64.35	63.55	64.52
Selenium	82	65.46	64.78	64.58
Zinc	66	744.5	748.8	757.1
Zinc	67	715.2	718.3	712.9
Zinc	68	738.7	733.6	738.3

**Internal Standard
Factors:**

Gallium	71	1.181	1.128	1.129	1.181	n/a
Indium	115	1.093	1.031	1.026	1.093	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303535-MB	Mean	SD	%RSD
TimeStamp	4/26/13 10:11			
Arsenic	75	0.0349	0.1082	-0.2528
Copper	63	0.5059	0.5291	0.4893
Copper	65	0.0629	0.0608	0.051
Selenium	77	-1.133	-1.343	-0.0491
Selenium	78	0.2762	0.0765	0.0277
Selenium	82	0.2407	0.0388	-0.0999
Zinc	66	0.4032	0.3212	0.2931
Zinc	67	0.7551	0.7592	0.9065
Zinc	68	0.3619	0.322	0.2489

**Internal Standard
Factors:**

Gallium	71	1.113	1.088	1.069	1.113 n/a	n/a
Indium	115	1.027	0.975	0.959	1.027 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	LCSW	Mean	SD	%RSD			
TimeStamp	4/26/13 10:14						
Arsenic	75	48.53	49.28	49.02	48.94	0.3817	0.7799
Copper	63	47.93	46.6	47.09	47.21	0.6715	1.422
Copper	65	47.64	48.09	48.31	48.01	0.3444	0.7173
Selenium	77	48.06	47	47.43	47.5	0.5363	1.129
Selenium	78	48.93	49.29	49.21	49.14	0.1854	0.3773
Selenium	82	48.8	50.13	49.04	49.33	0.7098	1.439
Zinc	66	49.05	48.86	48.82	48.91	0.1238	0.2531
Zinc	67	48.13	47.31	47.9	47.78	0.4246	0.8887
Zinc	68	47.29	47.56	47.5	47.45	0.1396	0.2943

**Internal Standard
Factors:**

Gallium	71	1.117	1.074	1.067	1.117	n/a	n/a
Indium	115	1.012	0.979	0.975	1.012	n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303535-001	Mean	SD	%RSD
TimeStamp	4/26/13 10:17			
Arsenic	75	0.8018	0.4103	0.5156
Copper	63	0.5446	0.5133	0.5269
Copper	65	0.387	0.3849	0.3822
Selenium	77	1.767	2.377	2.822
Selenium	78	0.0445	-0.2182	0.3614
Selenium	82	0.5905	0.2895	0.3507
Zinc	66	2.93	2.856	2.897
Zinc	67	5.647	6.217	6.207
Zinc	68	4.064	4.054	4.128

**Internal Standard
Factors:**

Gallium	71	1.126	1.079	1.1	1.126	n/a	n/a
Indium	115	1.06	0.999	1.003	1.06	n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303535-002	Mean	SD	%RSD
TimeStamp	4/26/13 10:20			
Arsenic	75	0.7363	0.9513	0.871
Copper	63	1.007	1.052	0.9902
Copper	65	0.6167	0.6647	0.6249
Selenium	77	2.819	1.448	1.881
Selenium	78	0.3071	0.3352	0.0897
Selenium	82	0.5986	0.0518	0.1442
Zinc	66	1.837	1.866	1.813
Zinc	67	10.98	11.04	10.82
Zinc	68	7.435	7.301	7.337

**Internal Standard
Factors:**

Gallium	71	1.162	1.112	1.101	1.162 n/a	n/a
Indium	115	1.056	1.007	0.993	1.056 n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	CCV3	Mean	SD	%RSD			
TimeStamp	4/26/13 10:23						
Arsenic	75	25.68	24.16	26.48	25.44	1.176	4.621
Copper	63	25.13	23.69	26.66	25.16	1.487	5.91
Copper	65	25.11	23.81	26.56	25.16	1.378	5.476
Selenium	77	26.4	24.5	28.92	26.61	2.216	8.328
Selenium	78	25.33	23.73	26.96	25.34	1.613	6.365
Selenium	82	25.24	24.17	26.76	25.39	1.302	5.127
Zinc	66	24.51	22.98	26.1	24.53	1.561	6.365
Zinc	67	26.27	24.12	27.59	25.99	1.756	6.754
Zinc	68	24.92	23.18	26.39	24.83	1.605	6.465

Internal Standard

Factors:

Gallium	71	1.11	1.028	1.073	1.11 n/a	n/a
Indium	115	1.023	0.947	0.978	1.023 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	CCB3	Mean	SD	%RSD			
TimeStamp	4/26/13 10:25						
Arsenic	75	-0.2878	-0.2498	-0.104	-0.2138	0.097	45.36
Copper	63	0.0147	0.0169	-0.0012	0.0101	0.0099	97.78
Copper	65	0.0067	0.0141	0.0024	0.0077	0.0059	76.46
Selenium	77	2.845	2.268	1.733	2.282	0.5561	24.37
Selenium	78	0.3797	-0.1808	-0.1691	0.0099	0.3203	3228
Selenium	82	-0.046	-0.3332	-0.1972	-0.1921	0.1437	74.76
Zinc	66	-0.0209	0.0037	0.0084	-0.0029	0.0157	535.4
Zinc	67	0.4462	0.3508	0.3407	0.3792	0.0582	15.35
Zinc	68	-0.0145	-0.0563	0.0262	-0.0149	0.0412	277.5

**Internal Standard
Factors:**

Gallium	71	1.1	1.049	1.037	1.1	n/a	n/a
Indium	115	1.002	0.96	0.949	1.002	n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: $\mu\text{g/L}$ (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303535-003	Mean	SD	%RSD
TimeStamp	4/26/13 10:28			
Arsenic	75	1.165	1.063	0.9873
Copper	63	4.117	4.001	4.032
Copper	65	0.7764	0.785	0.7624
Selenium	77	2.544	2.572	2.059
Selenium	78	0.7964	0.5272	0.3527
Selenium	82	2.07	1.85	1.923
Zinc	66	17.37	17.04	16.98
Zinc	67	22.57	21.54	22
Zinc	68	20.78	20.45	20.4

**Internal Standard
Factors:**

Gallium	71	1.19	1.151	1.154	1.19 n/a	n/a
Indium	115	1.116	1.064	1.045	1.116 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303535-003D	Mean	SD	%RSD
TimeStamp	4/26/13 10:31			
Arsenic	75	1.083	0.828	1.05
Copper	63	4.085	4.001	4.105
Copper	65	0.7803	0.7095	0.771
Selenium	77	1.875	2.795	2.183
Selenium	78	0.5885	0.5387	0.9409
Selenium	82	2.088	1.663	2.007
Zinc	66	17.34	17.29	17.47
Zinc	67	21.77	22.73	22.49
Zinc	68	20.72	20.63	20.39

**Internal Standard
Factors:**

Gallium	71	1.229	1.192	1.19	1.229	n/a	n/a
Indium	115	1.125	1.083	1.072	1.125	n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303535-003S	Mean	SD	%RSD
TimeStamp	4/26/13 10:34			
Arsenic	75	11.95	10.56	11.14
Copper	63	53.35	48.32	47.92
Copper	65	48.7	45.44	44.71
Selenium	77	53	49.88	48.66
Selenium	78	52.9	48.46	48.75
Selenium	82	54.09	50.36	50.59
Zinc	66	64.21	59.88	59.12
Zinc	67	66.92	63.05	61.05
Zinc	68	66.65	60.96	60.29

**Internal Standard
Factors:**

Gallium	71	1.299	1.21	1.193	1.299 n/a	n/a
Indium	115	1.182	1.098	1.082	1.182 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303535-004	Mean	SD	%RSD
TimeStamp	4/26/13 10:37			
Arsenic	75	1.136	0.9555	1.073
Copper	63	4.229	4.267	4.277
Copper	65	0.7355	0.7349	0.7674
Selenium	77	1.569	1.858	0.8099
Selenium	78	0.9179	0.5286	0.3339
Selenium	82	2.266	2.216	2.112
Zinc	66	12.28	12.39	12.08
Zinc	67	17.17	17.28	17.36
Zinc	68	15.5	15.84	15.62

**Internal Standard
Factors:**

Gallium	71	1.254	1.206	1.196	1.254 n/a	n/a
Indium	115	1.133	1.084	1.07	1.133 n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	K1303535-005	Mean	SD	%RSD
TimeStamp	4/26/13 10:40			
Arsenic	75	2.296	2.08	2.002
Copper	63	5.906	5.817	5.687
Copper	65	0.8452	0.8162	0.8195
Selenium	77	3.756	4.545	4.332
Selenium	78	1.534	1.465	1.363
Selenium	82	4.001	3.954	3.983
Zinc	66	5.393	5.329	5.35
Zinc	67	68.59	68.2	67.43
Zinc	68	52.85	52.27	52.05

Internal Standard

Factors:

Gallium	71	1.333	1.293	1.287	1.333 n/a	n/a
Indium	115	1.178	1.135	1.129	1.178 n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	K1303535-006				Mean	SD	%RSD
TimeStamp	4/26/13 10:43						
Arsenic	75	0.1429	0.3823	0.4162	0.3138	0.149	47.48
Copper	63	5.134	5.107	5.245	5.162	0.0732	1.417
Copper	65	1.747	1.758	1.747	1.751	0.0062	0.3567
Selenium	77	1.342	0.9408	0.9199	1.067	0.2377	22.27
Selenium	78	1.046	1.009	0.7638	0.9396	0.1533	16.32
Selenium	82	0.791	0.9261	1.014	0.9105	0.1125	12.36
Zinc	66	24.71	24.73	24.48	24.64	0.1385	0.5622
Zinc	67	24.07	23.44	23.3	23.6	0.4101	1.737
Zinc	68	24.46	24.38	24.5	24.45	0.0633	0.259

Internal Standard**Factors:**

Gallium	71	1.289	1.246	1.231	1.289 n/a	n/a
Indium	115	1.153	1.088	1.079	1.153 n/a	n/a

Instrument ID: K-ICP-MS-02

Experiment: 04-26-13B

Units: µg/L (ppb)

Method: EPA 200.8

Analyst: Greg Jasper

STARLIMS #338151

Sample Name:	K1303535-007				Mean	SD	%RSD
TimeStamp	4/26/13 10:46						
Arsenic	75	1.07	0.8964	0.9331	0.9665	0.0915	9.469
Copper	63	5.11	5.04	5.006	5.052	0.0532	1.053
Copper	65	0.5293	0.5273	0.5436	0.5334	0.0089	1.67
Selenium	77	1.616	2.03	1.944	1.864	0.2188	11.74
Selenium	78	1.376	1.068	1.19	1.211	0.155	12.8
Selenium	82	2.332	2.493	2.586	2.47	0.1284	5.198
Zinc	66	1.257	1.176	1.217	1.217	0.0404	3.317
Zinc	67	3.97	4.16	3.999	4.043	0.1022	2.527
Zinc	68	2.854	2.791	2.875	2.84	0.0436	1.535

Internal Standard

Factors:

Gallium	71	1.31	1.255	1.25	1.31 n/a	n/a
Indium	115	1.141	1.083	1.077	1.141 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	K1303535-008	Mean	SD	%RSD
TimeStamp	4/26/13 10:49			
Arsenic	75	2.603	2.536	2.401
Copper	63	85.96	84.5	82.61
Copper	65	85.41	84.36	83.06
Selenium	77	0.1141	-0.2078	0.114
Selenium	78	0.3691	0.2924	0.2158
Selenium	82	0.3223	0.331	0.2796
Zinc	66	781.1	778.7	756
Zinc	67	715	707.8	692.4
Zinc	68	746.4	734.6	722.7

**Internal Standard
Factors:**

Gallium	71	1.22	1.16	1.123	1.22 n/a	n/a
Indium	115	1.06	1.005	0.983	1.06 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	CCV4	Mean	SD	%RSD
TimeStamp	4/26/13 10:51			
Arsenic	75	25.77	25.8	25.75
Copper	63	25.71	25.57	25.51
Copper	65	26.26	25.58	25.81
Selenium	77	26.5	24.91	25.72
Selenium	78	26.01	26.33	25.97
Selenium	82	26.3	25.91	25.9
Zinc	66	25.2	25.16	25.09
Zinc	67	25.55	24.83	25.07
Zinc	68	25.07	25.05	25.07

**Internal Standard
Factors:**

Gallium	71	1.179	1.123	1.099	1.179 n/a	n/a
Indium	115	1.035	0.99	0.982	1.035 n/a	n/a

Instrument ID: K-ICP-MS-02
Experiment: 04-26-13B
Units: µg/L (ppb)

Method: EPA 200.8
Analyst: Greg Jasper
STARLIMS #338151

Sample Name:	CCB4	Mean	SD	%RSD
TimeStamp	4/26/13 10:54			
Arsenic	75	0.022	-0.1239	0.0273
Copper	63	0.015	0.0121	0.0047
Copper	65	0.0158	0.0159	0.0231
Selenium	77	0.7712	1.225	0.7404
Selenium	78	-0.0114	-0.0364	0.351
Selenium	82	0.074	0.2032	0.1186
Zinc	66	0.034	-0.0059	0.0214
Zinc	67	0.1064	0.1371	0.1652
Zinc	68	0.0232	-0.0076	0.0336

**Internal Standard
Factors:**

Gallium	71	1.154	1.098	1.093	1.154 n/a	n/a
Indium	115	1.029	0.973	0.96	1.029 n/a	n/a

APPENDIX C
June 6, 2013 MEMORANDUM
SITCUM – MILWAUKEE NCDF GW MONITORING

MEMORANDUM

DATE: June 6, 2013

TO: Scott Hooten, Port of Tacoma

FROM: Roger McGinnis

RE: **Sitcum - Milwaukee NCDF GW Monitoring**
17472-01

CC: Karen Keely, USEPA

Introduction

As specified in the Operations, Maintenance, and Monitoring Plan, Shewart-Cumulative Sum (CuSum) control chart procedures are used for the Stage 1 Sitcum Waterway Remediation Project. In 2008, EPA's approval letter on GW monitoring said:

"As stated in earlier correspondence, please note that once revised EPA statistical guidance for groundwater becomes available, EPA Region 10 may recommend revisions to the Standard Deviations currently being used for the CuSum approach."

Per EPA's request, this memo presents results of our review of revised EPA statistical guidance for groundwater monitoring data to determine if the CuSum approach should be revised to be consistent with the "new" (2009) guidance.

Chapter 20 of the new Unified Guidance recommends the use of CuSum control charts as a useful and powerful alternative to parametric prediction limits for groundwater detection monitoring. An advantage of control charts over prediction limits is that control charts graph compliance data over time so that trends and changes in concentration levels are easy to see.

Based on the information from the new Unified Guidance summarized below, the current Shewart-Cumulative Sum control chart procedure should continue to be used.



Control Chart Assumptions and Procedures for Non-Detect Results

Section 20.3.3 of the Unified Guidance provides new clarification of the underlying assumptions for CuSum control charts, the most significant being that, like prediction limits, they are also parametric procedures requiring normal or normalized data. Due to the high percentage of censored (non-detected) data summarized below, the assumption of normality cannot be verified.

Monitoring Well	Arsenic Percent Non-Detects	Copper Percent Non-Detects	Lead Percent Non-Detects	Nickel Percent Non-Detects
MW-1	100 %	79 %	92.9 %	92.9 %
MW-1A	100 %	64.3 %	71.4 %	64.3 %
MW-5	100 %	85.7 %	78.6 %	64.3 %
MW-7	100 %	92.9 %	85.7 %	78.6 %
MW-10	100 %	72.7 %	54.6 %	45.5 %
MW-12	100 %	81.8 %	81.8 %	81.8 %

The percentage of non-detect results is too high to use alternative methods such as substitution or censored probability plots to determine appropriate data normalization techniques. The percentage of non-detect results is also too high to use recommended Kaplan-Meier or robust Regression on Order Statistics (ROS) to estimate the mean and standard deviation. Alternatively, the Unified Guidance recommends that one-half the reporting limit be substituted for non-detect results.

Substitution for non-detect results creates bias in both the mean and standard deviation of a dataset. Substitution of zero likely creates a low bias; substitution of the reporting limit would create a high bias; and substitution of one-half the reporting limit creates an unknown bias in the mean. All substitution methods create a low bias in the standard deviation. The Port is currently substituting the reporting limit for non-detects.

Recommendations

The current Shewart-Cumulative Sum control chart procedure with substitution of the reporting limit for non-detect results should continue to be used. Since the control chart warning and control limits are based on multiples of the standard deviation and all substitution methods create a low bias in the standard deviation, CuSum control charts provide a conservative indication of concentration trends and early warning of concentration increases regardless of the value substituted for non-detected results.