

**Univerzita Karlova, Přírodovědecká fakulta**Sídlo: Ovocný Trh 3-5, Praha 1, doručovací adresa: Albertov 6, 128 44 Praha 2

IČ: 00216208, DIČ: CZ00216208,

Jednající: prof. RNDr. Jiří Zima, CSc., děkan fakulty

dále též Kupující

VZ/18/514

**PRODÁVAJÍCÍ**

Jednající osoba

Sídlo

Adresa pro doručování

Zapsaný v rejstříku

X-Document House Prague Group s.r.o.		
Stanislav Záhorec	Funkce	Ředitel společnosti
Praha 3 - Strašnice, U Nákladového nádraží 3146/6, PSČ 13000	IČ /	27082385
Praha 3 - Strašnice, U Nákladového nádraží 3146/6, PSČ 13000	DIČ	CZ 27082385
C 94921 vedená u Městského soudu v Praze	Číslo účtu	

**KUPNÍ SMLOUVA**

číslo smlouvy prodávajícího 15052018

číslo smlouvy kupujícího<sup>1</sup> ..... *2018/299***A. zvláštní část**

<b>Dotace</b>	Zadavatel očekává, že bude příjemcem dotace na projekt s názvem „Podpora rozvoje studijního prostředí na Univerzitě Karlově – VRR“ z OP VVV.		
<b>Popis zboží</b>	Nový a dosud nepoužívaný .....Xerox Versalink C7030 Bližší vymezení zboží je uvedeno v příloze č. 1 a 2		
<b>Předmět smlouvy</b>	<b>ze strany Prodávajícího</b> Převod vlastnického práva ke zboží na kupujícího Doručení do místa dodání Instalace <b>ze strany Kupujícího</b> Převzetí zboží v místě dodání Úhrada kupní ceny Odvoz balícího materiálu Předání dokladů Záruční servis		
<b>Termín dodání včetně případné instalace, příp. montáže</b>	Nejpozději do 20.8.2018	místo dodání Albertov 6, 128 43 Praha 2, místnost určí kupující	
<b>Cena s DPH</b>	67360,7 Kč	Sazba DPH 21%	Cena bez DPH 55670,- Kč
<b>Splatnost faktur</b>	21 dní od doručení	<b>Základní platební podmínky</b>	- záloha se neposkytuje - platba po dodání/instalaci zboží - na faktuře musí být číslo této smlouvy - na faktuře musí být číslo projektu CZ.02.2.67/0.0/0.0/17_044/0008562 - přílohou faktury musí být předávací/instalační protokol
<b>Záruční doba</b>	24 měsíců	<b>Odstranění záruční vady</b>	Do 25 pracovních dnů od oznámení
<b>Místo odstranění vad</b>	V místě instalace u kupujícího	<b>Kontakt pro oznámení záručních vad</b>	
<b>Smluvní sankce</b>	- Za prodlení s úhradou peněžitého závazku úroky z prodlení ve výši 0,1 % z dlužné částky s DPH za každý den prodlení - Za prodlení s dodáním zboží smluvní pokuta ve výši 0,1% z ceny s DPH za každý den prodlení - Za prodlení s odstraněním nahlášené záruční vady 0,3 % z ceny s DPH za každou neodstraněnou záruční vadu a den prodlení - <b>Za nedodání zboží s parametry uvedenými v příloze č. 1 a/nebo 2 ve výši 15% z ceny s DPH</b>		
<b>Přílohy smlouvy</b>	Příloha č. 1: Absolutní požadavky <i>doplňte přílohu podle bodu 11.6.5 výzvy k podání nabídky</i> Příloha č. 2: Specifikace parametrů přístroje <i>doplňte přílohu podle bodu 11.6.6 výzvy k podání nabídky</i>		

<sup>1</sup> Kupující doplní ručně až před podpisem smlouvy



## **B. Obecná část**

Tato část upravuje podrobněji podmínky kupní smlouvy, které jsou v základních rysech vymezeny v části A této kupní smlouvy. Pokud bude rozpor mezi částí A a částí B této smlouvy, má část A přednost.

### **I. Úvodní ustanovení**

- 1) Prodávající je povinen dodat nové a nepoužité zboží a zajistit služby související s dodaným zbožím. Pokud tato smlouva je uzavírána na základě výběrového či zadávacího řízení, musí mít zboží vlastnosti a parametry požadované kupujícím v zadávacích podmínkách. Není-li stanoveno jinak, musí mít zboží obvyklé vlastnosti. Zboží musí splnit stanovený účel, pokud není účel stanoven výslovně, pak účel, k němuž se zboží zpravidla užívá.
- 2) Zboží dodané v rozporu s odstavcem 1 tohoto článku se považuje za zboží vadné.

### **II. Fakturace, platební podmínky**

- 1) Kupní cena obsahuje veškeré náklady a zisk prodávajícího. Kupní cena zahrnuje zejména celní, daňové, bankovní a ostatní poplatky, dopravu, instalaci zboží, uvedení do trvalého provozu, zaškolení obsluhy kupujícího a náklady na záruční servis. Kupní cena je úplná a neměnná a zahrnuje kompletní dodávku.
- 2) Kupující je povinen zaplatit kupní cenu až po převzetí zboží včetně dokladů nezbytných pro provoz přístroje a podpisu protokolu o předání a převzetí zboží, a případně i podpisu instalačního protokolu, a to na základě daňového dokladu (dále též „faktura“) se splatností uvedenou v části A této smlouvy, která počne běžet doručením faktury kupujícímu.
- 3) Za den zaplacení kupní ceny je považován den, kdy je částka odepsána z účtu kupujícího ve prospěch účtu prodávajícího uvedeného na faktuře. Faktura musí mít všechny náležitosti stanovené obecně závaznými právními předpisy, musí na ni být uvedena touto smlouvou stanovená lhůta splatnosti a její přílohou musí být kopie oběma stranami podepsaného instalačního protokolu a musí na ní být číslo smlouvy kupujícího. Pokud není povinností prodávajícího zboží instalovat, bude přílohou faktury kopie oběma stranami podepsaného převjímacího protokolu. Bude-li faktura chybná či neúplná je kupující oprávněn ji vrátit prodávajícímu k přepracování či doplnění. V takovém případě běží nová lhůta splatnosti ode dne doručení opravené faktury kupujícímu.
- 4) Pokud by hrozilo, že by kupující mohl ručit za nezaplacenou DPH ve smyslu § 109 zákona o DPH, je kupující oprávněn uhradit DPH na depozitní účet podle § 109a zákona o DPH.

### **III. Dodací podmínky a přechod vlastnického práva**

- 1) **Kupující si vyhrazuje právo v případě, že nebude zboží dodáno v souladu se smlouvou a doručena faktura podle této smlouvy kupujícímu do 31.8.2018 odstoupit od smlouvy.**
- 2) Prodávající dodá zboží s náležitým příslušenstvím. Příslušenstvím se rozumí zejména (instalační materiál, montážní přípravky, konektory, propojovací kabely, uživatelské kódy, hesla atd.).
- 3) O předání a převzetí zboží bude mezi smluvními stranami sepsán a podepsán protokol o předání a převzetí zboží (dále též „převjímací protokol“). Převjímací protokol musí obsahovat mj. informaci o četnosti a způsobu revizí. Je-li povinností prodávajícího zboží nainstalovat, bude o instalaci zboží, jeho uvedení do provozu a odzkoušení mezi smluvními stranami sepsán a podepsán instalační protokol. Před předáním zboží demonstruje Prodávající funkčnost zboží.
- 4) Kupující je povinen převzít zboží pouze, pokud bude bez vad. Zboží s vadami je kupující oprávněn odmítnout.
- 5) Se zbožím se zavazuje prodávající dodat kupujícímu doklady nezbytné pro řádné užívání zboží, např. homologační a příslušné schvalovací listy, prohlášení o shodě, návody k obsluze a použití, montážní a instalační návody.
- 6) Vlastnické právo ke zboží nabývá kupující okamžikem podpisu instalačního nebo převjímacího protokolu oběma smluvními stranami.
- 7) Nebezpečí škody na zboží přechází na kupujícího okamžikem podpisu instalačního protokolu. Pokud není povinností prodávajícího zboží instalovat, podpisem převjímacího protokolu.
- 8) Je-li prodávající povinen instalovat zboží, bude instalace navazovat bezprostředně na předání zboží a bude ukončena bez zbytečného prodloužení. Prodávající je povinen instalaci provést s odbornou péčí a upozornit kupujícího na rizika související s umístěním zboží. Prodávající je povinen odmítnout instalaci zboží, pokud by nebyly naplněny podmínky stanovené výrobcem nebo obecně závazným právním předpisem pro její provedení.
- 9) Je-li prodávající povinen zaškolit obsluhu, provede tak při předání zboží, nebude-li mezi smluvními stranami dojednáno jinak. Kupující je povinen poskytnout prodávajícímu nezbytnou součinnost, zejména určit osoby, které se mají zaškolení účastnit a zajistit jejich účast za zaškolení.

### **IV. Záruka na jakost**

- 1) Prodávající poskytuje kupujícímu záruku za jakost po dobu stanovenou v části A. Záruka začíná běžet instalací zboží, není-li prodávající povinen instalaci provést, pak podpisem převjímacího protokolu.
- 2) Prodávající garantuje po celou dobu záruční doby, že zboží bude mít obvyklé vlastnosti nebo vlastnosti stanovené smlouvou.
- 3) Záruční servis je poskytován prodávajícím bezplatně a zahrnuje veškeré náklady související se záručním servisem, zejména náklady na náhradní díly, cestu a práci servisního technika.
- 4) Záruční vady zboží oznamuje kupující (stačí) e-mailem bez elektronického podpisu. Prodávající je povinen bez zbytečného prodloužení po obdržení oznámení, prověřit reklamované vady a zahájit práce s odstraněním reklamovaných vad. Jestliže nebude prodávající schopen vzniklé závady odstranit ve lhůtě stanovené pro odstranění záručních vad uvedené v části A této smlouvy, dodá prodávající náhradní adekvátní zařízení, které funkčně nahradí vadné zboží, a to do doby zprovoznění vadného zboží.
- 5) Je-li v části A uvedeno, že záruční vady se odstraňují u prodávajícího, pošle kupující společně s oznámením i zboží.
- 6) Záruční doba neběží po dobu, po kterou kupující nemůže užívat zboží pro jeho vady, za které odpovídá prodávající.



- 7) Záruka se nevztahuje na poškození zboží způsobené neodbornou nebo nesprávnou montáží nebo nesprávnou obsluhou v rozporu s pokyny uvedenými v návodu k obsluze, nebo jeho skladováním neodpovídajícím jeho technickým parametřům.
- 8) Kupující je oprávněn od této smlouvy odstoupit, pokud nebude možné doručit prodávajícímu oznámení záruční vady.
- 9) Bude-li prodávající v prodlení s odstraněním záruční vady, má kupující právo po poskytnutí další přiměřené lhůty od smlouvy odstoupit.
- 10) V případě, že záruční vada je neopravitelná, je kupující oprávněn odstoupit od smlouvy nebo žádat dodání nového zboží.
- 11) V případě neoprávněné reklamace hradí náklady na odstranění vady kupující.
- 12) Kupující má nárok i na opravu vady, která byla poznatelná již při uzavření smlouvy.

#### V. Závěrečná jednání

- 1) Smluvní sankce jsou uvedeny v části A této smlouvy.
- 2) Pokud zboží nebo jeho část naplňuje znaky autorského díla, převádí prodávající na kupujícího i nevýhradní licenci ke všem druhům užití takového díla a bez časového i územního omezení. Kupující není povinen dílo užívat. Cena licence je zahrnuta v kupní ceně.
- 3) Fyzické osoby, které tuto smlouvu uzavírají jménem či v zastoupení jednotlivých smluvních stran podpisem smlouvy prohlašují, že jsou oprávněny k platnému uzavření této smlouvy.
- 4) Proávající není oprávněn bez předchozího písemného souhlasu kupujícího postoupit jakoukoliv pohledávku vzniklou z této kupní smlouvy třetí osobě.
- 5) Proávající bere na vědomí, že kupní cena je hrazena z operačního programu a zavazuje spolupůsobit ke kontrole podle § 13 odst. 3 zákona č. 320/2001 Sb., o finanční kontrole, a dále se zavazuje poskytnout součinnost při kontrole vykonávané poskytovatelem dotace, příslušným Řídicím orgánem operačního programu, Ministerstvem financí, orgány finanční správy, Nejvyšším kontrolním úřadem, Evropskou komisí nebo Evropským účetním dvorem, případně dalšími orgány oprávněnými k výkonu kontroly. Proávající je povinen zavázat touto povinností i své případné subdodavatele.
- 6) Tento smluvní vztah řídí těmito dokumenty se sestupným významem:
  - a) tato smlouva,
  - b) přílohy této smlouvy,
  - c) zadávací dokumentace,
  - d) nabídka prodávajícího.
- 7) Proávající přebírá nebezpečí změny okolností ve smyslu § 1765 odst. 2 občanského zákoníku (zákon č. 89/2012 Sb.; dále jen „občanský zákoník“).
- 8) Tuto smlouvu lze měnit pouze písemnou formou číslovaných dodatků podepsaných oběma smluvními stranami. Změny budou prováděny analogicky podle § 222 zákona o zadávání veřejných zakázek.
- 9) Kupující vylučuje možnost přijetí návrhu smlouvy s dodatky nebo odchylkami ve smyslu § 1740 odst. 3 občanského zákoníku.
- 10) Tato smlouva nabývá platnosti dnem podpisu oběma smluvními stranami a účinnosti zveřejněním podle zákona č. 340/2015 Sb.
- 11) Proávající souhlasí s tím, aby kupující zveřejnil smlouvu podle zákona č. 340/2015 Sb. jako celek, protože ve smlouvě nejsou údaje, jejichž zveřejněním by došlo k neoprávněnému zásahu do práv a povinností prodávajícího.
- 12) Tato Smlouva a veškeré právní vztahy z ní vzniklé se řídí právním řádem České republiky. Smluvní strany se dohodly, že práva a povinnosti touto smlouvou neupravené se řídí zákonem o zadávání veřejných zakázek č. 134/2016 Sb. a občanským zákoníkem.
- 13) Smlouva je sepsána ve dvou vyhotoveních s platností originálu, z nichž prodávající a kupující obdrží po jednom.
- 14) Smluvní strany prohlašují, že si tuto smlouvu přečetly, a že byla ujednána po vzájemném projednání podle jejich svobodné vůle, určitě, vážně a srozumitelně, nikoliv v tísní za nápadně nevýhodných podmínek.

12 -06- 2018

V Praze dne...

V Praze dne.....04.-06. 2018

Kupující:

Prodávající:

.....  
 prof. RNDr. Jiří Zima, CSc.  
 děkan Přírodovědecké fakulty  
 Univerzity Karlovy

.....  
 .....  
 X-Docur  
 áhorec  
 ečnosti  
 ague Group s.r.o.

UNIVERZITA KARLOVA  
 PŘÍRODOVĚDECKÁ FAKULTA  
 Albertov 6, 128 43 Praha 2  
 IČO: 00216208, DIČ: CZ00216208  
 UK - 2

## Příloha č. 3 dokumentace výběrového řízení

## Technická specifikace

Multifunkční velkokapacitní zařízení		
Technický parametr	Požadovaný parametr	Název / popis nabízeného parametru * <i>(doplň dodavatel)</i>
Název	XXX	Xerox Versalink C7030
Podporované formáty min.	A4, A3	A5, A4, A3
Technologie tisku	laserová	ANO
Barva	černobílá, barevná	ANO
Automatický oboustranný tisk	ANO	ANO
Multifunkční	ANO	ANO
Rozhraní připojení min.	LAN	LAN Ethernet 10/100/1000 Base-T, vysokorychlostní rozhraní USB 3.0,
Další funkce min.	kopírování a skenování	Kopírování, skenování, tisk
Rozlišení skeneru min.	600 DPI	ANO [až 600 x 600 DPI]
Funkce skeneru min.	Skenování do formátů Tiff, JPEG, PDF	ANO [PDF, PDF/A, XPS, JPEG, TIFF, SPDF s OCR]
Cíl skenování min.	síťová složka, email, flash disk	ANO [do USB/emailu/síťové složky (FTP/SMB)]
Rozhraní USB pro přímé skenování / tištění z/na flash disk	ano	ANO
Rychlost tisku černobíle min.	30 stran A4/min	ANO [30]
Rychlost tisku barevně min.	30 stran A4/min	ANO [30]
Tisk první strany max.	8 s	ANO [za 7,3 s barevně / 5,6 s černobíle]
Doporučená provozní zátěž min.	5000 stran / měsíc	ANO [7000 stran/ měsíc]
Životnost stroje (min.)	1 000 000 stran	ANO
Vstupní zásobník min.	1000 listů celkem	ANO [1140 listů]
Výstupní zásobník min.	250 listů	ANO [500 listů]
Kompatibilita min.	Windows 7, 8, 10	ANO
Příslušenství	napájecí kabel, startovací sada tonerů	ANO
Kompatibilita se softwarovým systémem MyQ	ano	ANO
Podpora pro MyQ embedded terminál	ano	ANO [MyQ verze 6.2 a vyšší]
Instalace stroje a zaškolení 5 osob v rozsahu 1 dne	ano	ANO
Záruka min.	24 měsíců	ANO

\* Dodavatel uvede v "Popisu nabízeného parametru" přesnou specifikaci jednotlivých komponent a obchodní označení zboží, u položek s předepsanou hodnotu ANO, postačí uvést "ANO", že nabízené zboží daný parametr splňuje






# Xerox® VersaLink® Colour Multifunction Printer

C7020/C7025/C7030

VersaLink C7000 Series Colour Multifunction Printers are built on Xerox® ConnectKey® Technology. For more information, go to [www.connectkey.com](http://www.connectkey.com).



System Specifications	VersaLink C7020	VersaLink C7025	VersaLink C7030
<b>One-Sided Speed</b> 8.5 x 11 in. / A4 / 210 x 297 mm 8.5 x 14 in. / 216 x 356 mm 11 x 17 in. / A3 / 297 x 420 mm	Up to 20 ppm (pages per minute) long edge feed (LEF) Up to 16 ppm 8.5 x 14 in. / 216 x 356 mm Up to 11 ppm 11 x 17 in. / A3 / 297 x 420 mm	Up to 25 ppm (LEF) Up to 19 ppm 8.5 x 14 in. / 216 x 356 mm Up to 14 ppm 11 x 17 in. / A3 / 297 x 420 mm	Up to 30 ppm (LEF) Up to 23 ppm 8.5 x 14 in. / 216 x 356 mm Up to 17 ppm 11 x 17 in. / A3 / 297 x 420 mm
<b>Monthly Duty Cycle<sup>1</sup></b>	Up to 87,000 pages / month <sup>1</sup>	Up to 107,000 pages / month <sup>1</sup>	Up to 129,000 pages / month <sup>1</sup>
<b>Recommended Average Monthly Print Volume<sup>2</sup></b>	Up to 5,500 pages	Up to 6,250 pages	Up to 7,000 pages
<b>Hard Drive</b>	320 GB HDD (Optional)		
<b>Processor</b>	1.05 GHz Dual-Core		
<b>Memory</b>	4 GB		
<b>Connectivity</b>	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n/g/b/a and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair		
<b>Controller Features</b>	Unified Address Book, Configuration Cloning, Scan Preview, Fax Preview, Xerox Extensible Interface Platform®, Xerox App Gallery, Xerox® Standard Accounting, Role Based Permissions, Convenience Authentication Enabled, Online Support		
<b>Device Specifications</b>			
<b>Electrical Requirements</b>			
North America	Voltage : 110-127V -10% / +6% Frequency: 50/60 Hz +/-3%, 12A		
Europe	Voltage : 220-240V +/- 10% Frequency: 50 Hz +/-3%, 8A		

# Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

Power Consumption				
Printing <sup>5</sup>	For 110V: 20 ppm = 0.9 kWh; 25 ppm = 1.1 kWh; 30 ppm = 1.5 kWh For 220V: 20 ppm = 0.9 kWh; 25 ppm = 1.1 kWh; 30 ppm = 1.5 kWh			
Standby Mode <sup>5</sup>	110V: 80 Watts or less 220V: 80 Watts or less	110V: 80 Watts or less 220V: 80 Watts or less	110V: 94 Watts or less 220V: 94 Watts or less	
Sleep Mode <sup>5</sup>	110V: 1.0 watts or less 220V: 1.4 watts or less			
Operating Environment				
Required Temperature Range (Storage)	32° to 95° F (0° to 35° C)			
Required Temperature Range (Operating)	50 to 90° F (10 to 32° C)			
Required Relative Humidity	10% to 85%			
Sound Power Levels	Printing: 6.70 B(A) or less <ul style="list-style-type: none"> <li>• 20 ppm = 6.45 B(A); 25 ppm = 6.50 B(A); 30 ppm = 6.70 B(A)</li> </ul> Standby: 4.10 B(A) or less <ul style="list-style-type: none"> <li>• 20 ppm = 4.10 B(A); 25 ppm = 4.10 B(A); 30 ppm = 4.10 B(A)</li> </ul> <b>Full System (including finisher and HCF)</b> Printing: 20 ppm = 7.07 B(A); 25 ppm = 7.22 B(A); 30 ppm = 7.37 B(A) Standby: 20 ppm = 4.10 B(A); 25 ppm = 4.10 B(A); 30 ppm = 4.10 B(A)			
Sound Pressure Levels	Printing: 52.0 dB(A) <ul style="list-style-type: none"> <li>• 20 ppm = 49.5 dB(A); 25 ppm = 50.0 dB(A); 30 ppm = 52.0 dB(A)</li> </ul> Standby: 26.0 dB(A) <ul style="list-style-type: none"> <li>• 20 ppm = 26.0 dB(A); 25 ppm = 26.0 dB(A); 30 ppm = 26.0 dB(A)</li> </ul> <b>Full System (including finisher and HCF)</b> Printing: 20 ppm = 55.5 dB(A); 25 ppm = 57.0 dB(A); 30 ppm = 58.5 dB(A) Standby: 20 ppm = 26.0 dB(A); 25 ppm = 26.0 dB(A); 30 ppm = 26.0 dB(A)			
Boot Time (from Off to UI Ready)	As fast as 98 seconds			
Warm-up Time (from Sleep to UI Ready)	As fast as 12 seconds			
Dimensions and Weight (Unpackaged)	Width	Depth	Height	Weight
Base Unit	23.23 in. / 590 mm	26.41 in. / 670.8 mm	30.23 in. / 767.9 mm	152.12 lbs. / 69.0 kg
Base Unit with Single Tray with Stand Module	24.24 in. / 615.7 mm	26.41 in. / 670.8 mm	44.04 in. / 1118.6 mm	203.49 lbs. / 92.3 kg
Base Unit with High Capacity Tandem Tray Module	24.24 in. / 615.7 mm	26.41 in. / 670.8 mm	44.04 in. / 1118.6 mm	234.79 lbs. / 106.5 kg
Base Unit with Three Tray Module	24.24 in. / 615.7 mm	26.41 in. / 670.8 mm	44.04 in. / 1118.6 mm	212.75 lbs. / 96.5 kg
Base Unit with Three Tray Module and Office Finisher LX (with Booklet Maker)	47.0 in. / 1194.0 mm	26.8 in. / 681.8 mm	44.04 in. / 1118.6 mm	296.3 lbs. / 134.4 kg
Certifications				
To view the latest list of certifications, go to <a href="http://www.xerox.com/OfficeCertifications">www.xerox.com/OfficeCertifications</a> .				
Print				
First-print-out Time	As fast as 9.4 seconds Colour	As fast as 9.4 seconds Colour	As fast as 7.3 seconds Colour	
	As fast as 7.2 seconds Black	As fast as 7.1 seconds Black	As fast as 5.6 seconds Black	
Print Resolution	Up to 1200 x 2400 dpi			



# Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

<b>Page Description Languages</b>	PCL® 5e, 6 PDF XPS TIFF JPEG HP-GL Adobe® PostScript® 3™ (Optional)		
<b>Maximum Print Area</b>	4 mm from lead edge of paper, 2 mm from Side and Trail edges of paper		
<b>Print Features</b>	Application Defaults Bi-directional Real-time Status Booklet Creation Draft Mode Job Identification Job Monitoring Personal Print Print from USB Sample Set Saved Job Scaling Secure Print Skip Blank Pages Store and Recall Driver Settings Two-sided Printing (as default) Xerox® Earth Smart Driver Settings		
<b>Print from USB</b>	Allows walk-up printing from Type A USB port Supports direct printing from computer via Type B USB port Supported file formats: PDF, JPEG, TIFF, XPS		
<b>Operating Systems</b>	Windows®, 7, 8, 10, Server 2000, Server 2003, Server 2008, Server 2008 R2 Server 2012 Mac OS® version 10.10, 10.11, & 10.12 Citrix Redhat® Enterprise Linux® IBM® AIX® 7.2 HP-UX® 11iv3 Oracle® Solaris 11.3 Fedora Core 24 SUSE® 13.2		
<b>Fonts</b>	PostScript fonts: 136 PCL fonts: 83		
<b>Copy</b>			
<b>Document Scanner</b>	110-sheet Duplex Automatic Document Feeder (DADF)		
<b>Document Scanner Size</b>	Platen: Up to 13.1 x 17.2 in. / 332.0 x 437 mm DADF: Up to 11.7 x 17 in. / 297 x 431.8 mm		
<b>Simplex Copy Speed</b>	Up to 20 cpm (copies per minute) 8.5 x 11 in. Up to 20 cpm A4 (210 x 297 mm)	Up to 25 cpm (copies per minute) 8.5 x 11 in. Up to 25 cpm A4 (210 x 297 mm)	Up to 30 cpm (copies per minute) 8.5 x 11 in. Up to 30 cpm A4 (210 x 297 mm)
<b>Duplex Copy Speed</b>	Up to 17 cpm (copies per minute) 8.5 x 11 in. Up to 17 cpm A4 (210 x 297 mm)	Up to 18 cpm (copies per minute) 8.5 x 11 in. Up to 18 cpm A4 (210 x 297 mm)	Up to 18 cpm (copies per minute) 8.5 x 11 in. Up to 18 cpm A4 (210 x 297 mm)
<b>First-copy-out Time</b>	As fast as 9.0 seconds Colour	As fast as 9.0 seconds Colour	As fast as 7.2 seconds Colour
	As fast as 6.9 seconds Black	As fast as 6.9 seconds Black	As fast as 5.8 seconds Black
<b>Sides (input:output)</b>	1:1, 1:2, 2:2 and 2:1		
<b>Quantity</b>	1 to 999		
<b>Resolution (max.)</b>	Up to 600 x 600 dpi		
<b>Reduction / Enlargement</b>	Variable zoom from 25 % to 400 % in 1 % increments		
<b>Concurrency</b>	Concurrent scanning and printing		

## Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

Copy Features	<p>Automatic Background Suppression                      Book Copying with Center Erase                      Booklet Creation (requires HDD)                      Annotations (Page Numbers, Comments, Date Stamp, Bates Stamp) (requires HDD)                      Collation                      Darkness Control                      Edge Erase                      ID Card Copy                      N-up                      Reduce / Enlarge 25% to 400%                      Image Shift                      Original Type                      Sample Copy                      Sharpness</p>
<b>Scan</b>	
Capability	Black and white and colour scanning
Concurrency	Scan while the system is printing copy or network print jobs, or while it is transferring scan to network or fax jobs
Simplex Input Speed	Black and white: Scan up to 55 ipm – 8.5 x 11 in. / A4 (210 x 297 mm) Colour: Scan up to 55 ipm – 8.5 x 11 in. / 55 ipm A4 (210 x 297 mm)
Duplex Input Speed	Black and white: Scan up to 26 ipm – 8.5 x 11 in. / A4 (210 x 297 mm) Colour: Scan up to 26 ipm – 8.5 x 11 in. / 26 ipm A4 (210 x 297 mm)
Resolution	Optical – 600 x 600 dpi
Bit Depth	24-bit colour / 8-bit grayscale
Maximum Scan Area	Platen: Up to 13.1 x 17.2 in. / 332 x 437 mm Document Feeder: 11.7 x 17 in. / 297 x 431.8 mm
Network Filing Protocols	FTP SMTP SMB
File Formats	JPG TIFF (single and multi-page) XPS (single and multi-page) PDF (single and multi-page) Searchable PDF Password-protected PDF Linearised PDF (set via embedded web server) and PDF/A
Scan Driver Compatibility (Network Only)	WIA TWAIN
Supported Scan Destinations	Scan to Home Scan to USB Scan to Email Scan to Network (Browse FTP or Browse SMB)
<b>Network Scanning – Software Solutions</b>	
Xerox® ConnectKey® Apps (Found at the Xerox® App Gallery)	Increase user productivity by simplifying and shortening everyday tasks. Unlike traditional software, ConnectKey Apps do not require a dedicated server, PC or IT resource. Instead, simply download these lightweight, serverless ConnectKey Apps to the ConnectKey-enabled multifunction printer.
<b>PSTN One-line or Three-line Fax (Optional)</b>	
<b>Fax<sup>3</sup></b>	
Fax Speed	33.6 Kbps
Resolution	Up to 600 x 600 dpi resolution
Compression	MH, MR, MMR, JBIG
Fax Features	Walk-up Fax, includes LAN Fax, Direct Fax, Fax Forward to Email Fax dialing via Unified Address Book (up to 2,000 contacts)



## Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

Fax over IP (Optional)	
Compliance	T.38 compliant IP / SIP
Resolution	Up to 600 x 600 dpi resolution
Compression	MH, MR, MMR, JBIG
Fax Features	Walk-up Fax, includes LAN Fax, Direct Fax, Fax Forward to Email Fax dialing via Unified Address Book (up to 2,000 contacts)
Mobile Solutions and Mobile Device Apps	
Xerox® Mobile Express Driver®	Makes it easy for mobile users to find, use and manage Xerox® and non-Xerox® devices in every new location. Plug into a new network, and Mobile Express Driver automatically discovers available printers and provides status and capability information. Save a list of "favourite" printers for each location, store application print settings for use on any printer in any network, and greatly reduce mobile support calls to IT.
Xerox® Global Print Driver®	A truly universal print driver that lets IT administrators install, upgrade and manage Xerox® and non-Xerox® devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls, and simplifying print services management.
Apple® AirPrint®	Print email, photos and important office documents directly from an Apple iPhone® or iPad® with no drivers to install and no cables to connect. With AirPrint, an iPhone or iPad automatically locates and connects to the AirPrint-enabled device over the office Wi-Fi network.
Google Cloud Print™	Google Cloud Print connects print devices to the web, enabling users to print the applications they use every day from smartphones, tablets, Chromebook™ notebook computers and any other web-connected device.
Xerox® Print Service Plug-in for Android™ (Free at Google Play™ Store)	The Xerox® Print Service Plug-in for Android KitKat (4.4 or greater) devices streamlines mobile printing without third-party apps or additional print drivers. You can easily print photos, Web pages and documents when your mobile device is connected to multifunction printers using a wireless network. A robust print option set includes two-sided printing, stapling and secure code release. A free download is available from the Google Play™ store.
Xerox® Mobile Link App (Free at Google Play™ Store and Apple® App Store)	The Xerox® Mobile Link App allows you to scan, email and fax from your phone or tablet by connecting with our multifunction printers and send data to and print data from cloud storage. It is easy to create Mobile Link One-Touch Workflows between a mobile device and a multifunction printer. Using a manual address or QR code identification for pairing, automatic device discovery makes it easy to find and pair a mobile device with a nearby Xerox® multifunction printer.
Xerox® Print Management and Mobility Suite, Xerox® Print Management and Mobility Service	Xerox® Print Management and Mobility Suite is a modular set of workflows designed to save customers time and money by providing effective control over their print fleet, while enabling worker productivity and mobility through a set of robust workflows. Xerox enables ultimate customer flexibility by offering these capabilities in both an on-premises server version and with a cloud based-version of this solution.

# Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

Security	
<b>Standard Security Features</b>	Firmware Verification Security Certificate Management Automatic Self-Signed Certificate Creation Certificate Revocation List (CRL)/Online Certificate Status Protocol (OCSP) Certificate Path Validation Immediate Disk Overwrite (requires HDD) AES 256-bit Encryption FIPS 140-2 TLS/SSL SNMPv3 Smart Card Enablement (CAC/PIV/.NET) Detection of external programme falsification (XCP Plug-in) Network Authentication Access Controls Role Based Permissions Domain Filtering IP Address Filtering Port Filtering Audit Log Secure Email Secure Fax Secure Print Secure Scan
Accounting	
Xerox® Standard Accounting (Standard)	
<b>Tracking</b>	Copy, Print, Fax, Scan and Email usage
<b>Accounting</b>	<b>Xerox® Standard Accounting Tool</b> Up to 9,999 User Accounts with HDD installed Up to 1,000 User Accounts without HDD installed  <b>Network Accounting (Job Based Accounting)</b> Up to 60,000 User IDs; Up to 60,000 Account IDs with HDD installed Up to 1,000 User IDs; Up to 1,000 Account IDs without HDD installed Up to 14,000 accounting records (transactions)
<b>Features</b>	Administrator can manage the feature via the Embedded Web Server or local user interface on device
Accounting Options – Network Accounting Enablement (Standard) (Allows central server to manage all accounting)	
	<ul style="list-style-type: none"> <li>Enhanced network accounting with up to the minute data on how the system is being used</li> <li>Comprehensive management and enterprise scale tracking and reporting of device usage of copy, print, scan and fax</li> <li>Numerous solutions are available through Xerox Alliance Partners. For details visit <a href="http://www.xerox.com">www.xerox.com</a></li> <li>Security enhancements includes support for HTTPS protocol</li> <li>Device requests account authentication from third party server enabling larger databases of users and accounts</li> </ul> Accept Authentication Login at control panel and pass to third party Networking Account
Paper Handling	
Document Feeder (Standard)	
<b>Capacity<sup>4</sup></b>	Duplex Automatic Document Feeder (DADF): 110 sheets
<b>Sizes</b>	Custom sizes: Duplex: 4.92 x 4.33 in. to 11.69 x 17 in. / 125 x 110 mm to 297 x 431.8 mm; Simplex: 4.92 x 3.35 in. to 11.69 x 17 in. / 125 x 85 mm to 297 x 431.8 mm
<b>Weights</b>	Simplex: 11 lb. bond to 34 lb. bond / 38 –128 gsm Duplex: 13 lb. bond to 34 lb. bond / 50 –128 gsm
Bypass Tray (Standard)	
<b>Capacity<sup>4</sup></b>	100 sheets
<b>Sizes</b>	Custom sizes: 3.5 x 3.87 in. to 11.69 x 17 in. / 88.9 x 98.4 mm to 297 x 431.8 mm



Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

<b>Weights</b>	16 lb. bond to 80 lb. cover / 60 to 216 gsm
<b>Types</b>	Bond Plain Paper Cardstock Custom Envelopes Hole Punched Labels Heavyweight Labels Letterhead Lightweight Cardstock Lightweight Glossy Cardstock Lightweight Glossy Cardstock Reload Pre-Printed Recycled
<b>Tray 1 (Standard)</b>	
<b>Capacity<sup>4</sup></b>	520 sheets
<b>Sizes</b>	Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in. / 139.7 x 182.0 mm to 297.0 x 431.8 mm
<b>Weights</b>	16 lb. bond to 95 lb. cover / 60 to 256 gsm
<b>Types</b>	Bond Plain Paper Cardstock Custom Hole Punched Labels Heavyweight Labels Extra Heavyweight Labels Letterhead Lightweight Cardstock Lightweight Glossy Cardstock Lightweight Glossy Cardstock Reload Heavyweight Cardstock Pre-Printed Recycled
<b>Choose 1 of the 4 Additional Paper Handling Options:</b>	
<b>Option 1 – Single Tray (Tray 2) (Does not include stand)</b>	
<b>Capacity<sup>4</sup></b>	520 sheets
<b>Sizes</b>	Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in. / 139.7 x 182.0 mm to 297.0 x 431.8 mm
<b>Weights</b>	16 lb. bond to 95 lb. cover / 60 to 256 gsm
<b>Types</b>	Bond Plain Paper Cardstock Custom Hole Punched Labels Heavyweight Labels Extra Heavyweight Labels Letterhead Lightweight Cardstock Lightweight Glossy Cardstock Lightweight Glossy Cardstock Reload Heavyweight Cardstock Pre-Printed Recycled
<b>Option 2 – Single Tray Module (Tray 2) with Stand</b>	
<b>Capacity<sup>4</sup></b>	520 sheets
<b>Sizes</b>	Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in. / 139.7 x 182.0 mm to 297.0 x 431.8 mm
<b>Weights</b>	16 lb. bond to 95 lb. cover / 60 to 256 gsm

Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

<b>Types</b>	Bond Plain Paper Cardstock Custom Hole Punched Labels Heavyweight Labels Extra Heavyweight Labels Letterhead Lightweight Cardstock Lightweight Glossy Cardstock Lightweight Glossy Cardstock Reload Heavyweight Cardstock Pre-Printed Recycled
<b>Option 3 – Three Tray Stand Module (Optional)</b>	
<b>Capacity<sup>4</sup></b>	Tray 2: 520 sheets Tray 3: 520 sheets Tray 4: 520 sheets
<b>Sizes</b>	Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in. / 139.7 x 182.0 mm to 297.0 x 431.8 mm
<b>Weights</b>	16 lb. bond to 95 lb. cover / 60 to 256 gsm
<b>Types</b>	Bond Plain Paper Cardstock Custom Hole Punched Labels Heavyweight Labels Extra Heavyweight Labels Letterhead Lightweight Cardstock Lightweight Glossy Cardstock Lightweight Glossy Cardstock Reload Heavyweight Cardstock Pre-Printed Recycled
<b>Option 4 – High Capacity Tandem Tray Stand Module (Optional)</b>	
<b>Capacity<sup>4</sup></b>	Tray 2: 520 sheets Tray 3: 870 sheets Tray 4: 1,130 sheets
<b>Sizes</b>	Tray 2: Custom sizes: 5.5 x 7.17 in. to 11.69 x 17 in. / 139.7 x 182.0 mm to 297.0 x 431.8 mm Tray 3: Standard Sizes: 8.5 x 11 in. and 7.25 x 10.5 in. / A4 or B5 Tray 4: Standard Sizes: 8.5 x 11 in. and 7.25 x 10.5 in. / A4 or B5
<b>Weights</b>	16 lb. bond to 95 lb. cover / 60 to 256 gsm
<b>Types</b>	Bond Plain Paper Cardstock Custom Hole Punched Labels Heavyweight Labels Extra Heavyweight Labels Letterhead Lightweight Cardstock Lightweight Glossy Cardstock Lightweight Glossy Cardstock Reload Heavyweight Cardstock Pre-Printed Recycled
<b>Envelope Tray – Replaces Tray 1 (Optional)</b>	
<b>Capacity<sup>4</sup></b>	Up to 60 envelopes



Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

<b>Sizes</b>	#10 commercial, Monarch, DL, C5 Custom sizes: 3.9 x 5.8 in. to 6.4 x 9.5 in. / 98 x 148 mm to 162 x 241 mm
<b>Weights</b>	20 lb. bond to 25 lb. bond / 75 to 90 gsm
<b>High Capacity Feeder (Optional – requires either one of options 2, 3 or 4 above)</b>	
<b>Capacity<sup>4</sup></b>	2,000 sheets
<b>Sizes</b>	Standard Sizes: 8.5 x 11 in. and 7.25 x 10.5 in. / A4 or B5
<b>Weights</b>	16 lb. bond to 80 lb. cover / 60 to 216 gsm
<b>Total Capacity</b>	
<b>Base Unit Capacity<sup>4</sup></b>	620 sheets
<b>Single Tray Module Capacity<sup>4</sup></b>	1,140 sheets
<b>Single Tray Module with Stand Capacity<sup>4</sup></b>	1,140 sheets (3,140 sheets with optional High Capacity Feeder)
<b>Three Tray Module Capacity<sup>4</sup></b>	2,180 sheets (4,180 sheets with optional High Capacity Feeder)
<b>High-Capacity Tandem Tray Capacity<sup>4</sup></b>	3,140 sheets (5,140 sheets with optional High Capacity Feeder)
<b>Finishing</b>	
<b>Centre Output Tray (Optional – not compatible with other Finishing options)</b>	
<b>Dual Catch Trays<sup>4</sup></b>	250 sheets each; Lower tray offsets
<b>Integrated Office Finisher (Optional)</b>	
<b>Stacking Tray</b>	500 sheets of 20 lb. bond / 80 gsm – 8.5 x 11 in. / A4 or 250 sheets of 20 lb. bond / 80 gsm – 11 x 17 in. / A3
<b>Sizes</b>	3.5 x 3.9 in. to 11.7 x 17 in. / 89 x 98 mm to 297 x 432 mm
<b>Weights</b>	16 lb. bond to 80 lb. cover / 60 to 220 gsm
<b>Stapling</b>	Single Auto stapling: 50 sheets maximum: Letter / A4 / B5-size sheets (less than 90 gsm or (2) 220 gsm covers) 30 sheets maximum: Legal / Tabloid / A3 / B4-size sheets (less than 90 gsm or (2) 220 gsm covers)
<b>Office Finisher LX (Optional) (Requires one of the above paper handling options 2, 3 or 4)</b>	
<b>Capacity<sup>4</sup></b>	Stacking Tray: 2,000 sheets unstapled or 1,000 sheets single stapled or 750 sheets dual stapled (8.5 x 11 in. / A4) (dual stapling only with optional booklet maker)
<b>Sizes</b>	8.3 x 7.2 in. to 11.7 x 17 in. / 210 x 182 mm to 297 x 432 mm
<b>Weights</b>	16 lb. bond to 80 lb. cover / 60 to 220 gsm
<b>Multiposition Stapling</b>	50 sheets of 24 lb. bond / 90 gsm
<b>Hole Punch (Optional)</b> North America: Europe:	2-3 Hole Punch 2-4 Hole Punch
<b>Booklet Maker for Office Finisher LX (Score/Crease, Saddle-stitch Staple) (Optional)</b> (Requires one of the above paper handling options 2, 3 or 4)	
<b>Capacity<sup>4</sup></b>	40 booklets (2-15 sheets per booklet – 20 lb. / 80 gsm or less)
<b>Sizes</b>	Letter – 8.5 x 11 in. / A4 SEF Legal – 8.5 x 14 in. / B4 SEF Ledger – 11 x 17 in. / A3 SEF
<b>Saddle-stitch Stapling</b>	2-15 sheets / 8-60 page booklet 16 lb. bond to 24 lb. bond / 60 to 90 gsm
<b>Score / Crease</b>	1-15 sheets / unstapled

# Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

Convenience Stapler (Optional – Requires Work Surface)	
Capacity <sup>4</sup>	50-sheet stapling 5,000 staples Requires a separate outlet
Device Management	
Network Protocols	TCP/IP: HTTP/HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD LDAP Bonjour® / AirPrint™ FTP Most protocols not in use can be disabled
Administrative Protocols	DHCP, SNMP, WINS, HTTP, HTTPS, TLS, SNTP, MDNS
Xerox® CentreWare® Web	
	<ul style="list-style-type: none"> <li>• A Web-based server application for network administrators that permits web browser-based device management from any workstation, whether running Windows or UNIX or any other operating system</li> <li>• Works with any SNMP-managed printer from any manufacturer</li> <li>• Provides help with device discovery and installations, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management</li> </ul>
Embedded Web Server – Integrated Device Web Page	
Device Status	Web server embedded <ul style="list-style-type: none"> <li>• Tray status/contents</li> <li>• Consumables status</li> <li>• Billing/Usage</li> <li>• Quick Links</li> </ul>
Print Queue Viewing	Job print queue management—view and delete
Job Submission	Print-ready files (PS (with optional PostScript option), PCL, PDF, XPS, JPEG)
Device Administration	Allows simple, remote installation setting of configuration options and management of the device
Browsers	Microsoft® Internet Explorer® 11 Microsoft Edge™ 38 Mozilla™ Firefox® 48 Apple® Safari® 9.1 Google Chrome™ 52
Remote Services	
Xerox® Meter Assistant® Service	Automates the process of collecting and submitting meter reads for tracking and billing of Xerox® device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time.
Xerox® Supplies Assistant® Service	Automatically orders supplies for Xerox® output devices based on actual usage, eliminating the need to manually manage supplies inventory.
MaintenanceAssistant	Offers a fast (and free) way to resolve potential issues and receive assistance and automate the troubleshooting/repair process. Diagnostic data is sent to Xerox, allowing for problems to be solved faster with increased uptime.



# Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

Supplies and Accessories	Quantity	Part Number
<b>Supplies</b>		
High Capacity Print Cartridges	Cyan: 9,800 standard pages <sup>6</sup> Magenta: 9,800 standard pages <sup>6</sup> Yellow: 9,800 standard pages <sup>6</sup> Black: 16,100 standard pages <sup>6</sup>	106R03752 106R03751 106R03750 106R03749
Extra High Capacity Print Cartridges	Cyan: 16,500 standard pages <sup>6</sup> Magenta: 16,500 standard pages <sup>6</sup> Yellow: 16,500 standard pages <sup>6</sup> Black: 23,600 standard pages <sup>6</sup>	106R03748 106R03747 106R03746 106R03745
Metered Print Cartridges	Cyan: 15,000 standard pages <sup>6</sup> Magenta: 15,000 standard pages <sup>6</sup> Yellow: 15,000 standard pages <sup>6</sup> Black: 22,000 standard pages <sup>6</sup>	106R03736 106R03735 106R03734 106R03733
Drum Cartridge	Black: 109,000 Cyan, Magenta, Yellow : 87,000 standard pages <sup>7</sup>	113R00780
Waste Toner Bottle	30,000	115R00128
LX Booklet Maker Cartridge (8 cartridges per container)	16,000 staples (2,000 each cartridge)	008R12897
Staple Refills for Finishers (3 refills per container)	15,000 staples (5,000 each refill)	008R12941
Staple Cartridge for Finishers (1 cartridge per container)	5,000 staples (5,000 each cartridge)	008R12964
<b>Accessories / Options</b>		
Single Tray Module		097S04910
Single Tray with Stand Module		097S04907
Three Tray Stand Module		097S04908
High-Capacity Tandem Tray Stand Module		097S04909
Envelope Tray (Replaces Tray 1)		497K17720
Centre Output Tray (Dual Catch Tray)		497K17800
HDD (320 GB hard drive)		497K17740
1 Line Fax Kit (PSTN Fax)		497K17770
1 Line Fax Kit (PSTN Fax) (Brazil and Argentina)		497K17790
3 Line Fax Kit (PSTN Fax)		497K17780
Wireless Network Adapter Kit		497K16750
Internal Card Reader / RFID Kit		497K18140
PostScript Kit		497K18340
Fax Over IP Kit		497K18330

<sup>1</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

<sup>2</sup> Expected regular monthly throughput.

<sup>3</sup> Requires analogue phone line.

<sup>4</sup> Paper capacities are based on 20 lb. / 75 gsm stock; capacities will vary with different weight stocks.

<sup>5</sup> Power states defined per ENERGY STAR® Programme requirements for Imaging Equipment.

<sup>6</sup> Average standard pages. Declared Yield in accordance with ISO/IEC19798. Yield will vary based on image, area coverage and print mode.

<sup>7</sup> Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information visit: <http://www.office.xerox.com/latest/SUPGL-01.pdf>

# Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

Return spent imaging supplies through the Xerox Green World Alliance collection/reuse/recycling programme. For more information, visit [www.xerox.com/about-xerox/recycling](http://www.xerox.com/about-xerox/recycling).

For more information, visit us at [www.xerox.com/office](http://www.xerox.com/office)

Configurations vary by geography.